BRITISH COLUMBIA
The Best Place on Earth

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Diamond Drilling Report

TOTAL COST: $642,008.69

AUTHOR(S): David Jenkins **SIGNATURE(S):** David Jenkins

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-4-606 **YEAR OF WORK:** 2011

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S):

PROPERTY NAME: Cowtrail

CLAIM NAME(S) (on which the work was done): Cowtrail 2

COMMODITIES SOUGHT: Gold and copper

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 093A 116

MINING DIVISION: Cariboo **NTS/BCGS:** 093A044 / 093A06W

LATITUDE: 52 ° 25 ' 29N " **LONGITUDE:** 121 ° 22 ' 50W " **(at centre of work)**

OWNER(S):

1) Cariboo Rose Resources Ltd. 2)

MAILING ADDRESS:
Suite 110-325 Howe Street,
Vancouver, BC, V6C 1Z7

OPERATOR(S) [who paid for the work]:

1) Dajin Resources Corp. 2)

MAILING ADDRESS:
Suite 480- 789 West Pender St.
Vancouver, BC, V6C 1H2

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Quesnel Terrane, Mesozoic Age Volcanics, alkalic intrusive, copper, gold

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 5087,5088, 5089, 17647, 20145, 21603, 27825,28318, 29056

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core	2,740.5 m; 7 holes; NQ(47.6mm)	Cowtrail 2 (407995)	561512.98
Non-core			
RELATED TECHNICAL			
Sampling/assaying	1454 core+QA/QC samples;Au+36 el	Core holes on Cowtrail 2 claim	80,495.71
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	642008.69

36 element ICP

SUMMARY REPORT

On the

2011 DIAMOND DRILLING PROGRAM

Completed on the

COWTRAIL 2 MINING CLAIM

THE COWTRAIL MINERAL PROPERTY

CARIBOO MINING DIVISION, BRITISH COLUMBIA

NTS: 093A/043
Latitude $52^0$26'N, Longitude $121^0$22'W
(Centre)

For

DAJIN RESOURCES CORP.
Suite #480-789 W Pender St
Vancouver B.C V6C 1H2
(Operator)

And

CARIBOO ROSE RESOURCES LTD.
Suite 110 - 325 Howe Street
Vancouver, BC, V6ClZ7
(Owner)

By

David Jenkins, PGeo

March 20, 2012

TABLE OF CONTENTS **PAGE**

LIST OF TABLES

LIST OF FIGURES

APPENDIXES

INTRODUCTION

1.1 SUMMARY

The Cowtrail Mineral Property is comprised of 32 claims that cover 4400 hectares in total. Airborne geophysical surveys were completed in 1967, 1996, and 2004; the Cowtrail, Rat and Jim claims were staked in 2004 in order to cover the derived geophysical anomalies. In 2004, Wildrose Resources Ltd. combined their Cowtrail claims with the Rat and Jim claims that were held by Amarc Resources Ltd. Subsequently Wildrose (now Cariboo Rose Resources Ltd.) granted an option to Dajin Resources Corp. in 2005 to earn a 65% interest in the Cowtrail claims by making cash and share payments and completing one million dollars in exploration by December 31, 2011.

Dajin Resources completed an induced polarization (IP) and magnetometer surveys on a cut grid on the Cowtrail property in 2006 while following up in 2007 with a diamond drill hole exploration program. The 2007 drill program comprised 7 surface holes with a total of 1,420m drilled on seven of ten IP anomalies identified from the 2006 geophysical survey. At this time, Dajin Resources collected 1200 soil sample along and between the 2006 IP lines.

Results from this 2006 soil sampling program confirmed copper values up to 296 ppm and gold values up to 78.7 ppb from claims 407994, 409498 and 407995. The drilling program highlighted the presence of several zones containing anomalous gold and copper values with CT-2007-001 (DDH 01) showing 1.16 g/t gold and .043 % Cu over 18.2 m from 130.2m to 148.4m in a mineralized zone.

These anomalous gold and copper values were followed up in 2011 with 2740.4m being drilled in another seven-hole diamond drill program. Several of these holes were based specifically on the 2007 results while others target IP anomalies found as a result of the 2006 survey. The 2011 surface diamond drill hole program started in mid-October and ran for approximately six weeks until roughly mid-December. The field portion of the project was completed by December 20, the last drill core assays were received by Feb. 12, 2012. This assessment report describing Dajin's 2011 diamond drilling on the Cowtrail property and containing the principal results of the program was submitted March 20, 2012.

Exploration of the Cowtrail property has yet to identify widespread mineralization with sufficient grade to warrant detailed drilling to define resources.

Figure 0. Cowtrail Location Map



Cowtrail Claims, March 2012



Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- Federal Transfer Lands

Mineral Tenure (current)

- Mineral Claim
- Mineral Lease

Mineral Reserves (current)

- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- First Nations Treaty Related Lands
- First Nations Treaty Lands
- Survey Parcels
- BCGS Grid

Contours (1:250K)

- Contour - Index
- Contour - Intermediate
- Areaof Exclusion
- Areaof Indefinite Contours

Annotation (1:250K)

Transportation - Points (1:250K)

- Airfield
- Anchorage - Seaplane

Scale: 1:81,522

1.2 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The southern boundary of the Cowtrail property is located approximately 4 km north of the village of Horsefly and 65 km northeast of Williams Lake, British Columbia. The property covers the east side of the Horsefly River valley and its immediate uplands. Elevations on the property vary between 727 metres (2390 feet) and 1,035 metres (3,400feet). Access to the area is provided by a paved road from 150 Mile House to Horsefly, and then several logging roads from ranches occupying the Horsefly River valley. The climate of this area is modified continental, with cold, snowy winters and long warm summers. Located just east of the BC interior dry belt, the area receives (yearly) about 40 cm of precipitation, with much of it falling in the winter as snow. The village of Horsefly has basic amenities: a few bed and breakfasts, a hardware store, post-office, two general stores, a gas station, and a bar.

Several hundred people live in the area with forestry and agriculture providing the main opportunities for employment. Heavy equipment is available locally for hire and can also be sourced from the regional centre of Williams Lake.

Quaternary glaciations were extensive in this area with several advances and interglacial periods recognized. The till covered hillsides have poorly developed first-order stream drainages supporting a heavy growth of fir, spruce, balsam and birch.

1.3 EXPLORATION HISTORY

The Quesnel Terrane has been an area of active exploration since 1859, when placer gold was discovered in the Horsefly and Quesnel rivers. A government sponsored airborne magnetometer survey highlighted several anomalies and was ultimately responsible for the discovery in 1964 of Cariboo Bell (Mount Polley) property. Imperial Metals outlined an 82 million ton deposit in 1997; grading 0.3% copper and 0.42 g/t gold. This mine was put into production in 1997 and the 2011 reserve estimate showed this deposit to contain 309.1 million pounds copper and 386,000 ounces gold.

Reconnaissance drilling in 1997 by Eastfield Resources Ltd with Imperial Metals followed up on a 1996 induced polarization (IP) survey and discovered "The Middle Lake Intrusive Entity" on the Cowtrail 1 (tenure number 407994) located south of Hooker Lake. Drilling in this body over a 400 meter extent intersected potassic altered syenodiorite (predominantly monzonite porphyry), crowded feldspar porphyry and (quartz) microdiorite. While the mineralization encountered in these holes was not economical, there were several intersections that proved highly anomalous with respect to copper, gold and molybdenum. The first ~60 metres of hole 97-B-20 had an average of 402 ppm Cu and 32 ppb Au; 1280 ppm Cu and 82 ppb Au were the highest values recovered from a three meter sample. Hole 97-B-20 averaged 355 ppm Cu and 13 ppb Au over the first ~57 meters, while the highest 3 metre sample produced 835 ppm Cu and 46 ppb Au and the last ~18 meters averaged 55 ppm Mo with 3 meter samples to 103 ppm.

Airborne magnetometer surveying completed by the Ministry of Energy and Mines in 2003 and released in 2004, shows a well-defined total field magnetic feature extending to the northwest of holes 97-B-20, 97-B-21 and 97-B-22. This magnetic feature is 2.1 kilometers long and varies from 450 to 650 metres in width.

The northern limit of the 1996 induced polarization survey (line 3000N) returned the strongest chargeable response but was close to where the Eastfield / Imperial Metals claims ran onto competitor claims. The Eastfield / Imperial Metals and the competitor claims subsequently lapsed and the area was re-staked in January 2004 by Wildrose Resources Ltd. The release of map Horsefly Open File 2004-9 by the BC Ministry of Energy and Mines caused considerable staking to occur. Amarc Resources Ltd. was one of the first groups to complete staking and acquired the Rat and the Jim claim groups to cover portions of the airborne magnetic target not covered by the Cowtrail Claims. In 2004 Amarc completed an extensive program of IP surveying on the Rat and the Jim claims, following up this work in November 2004 with a single diamond drill hole. This hole intersected a continuous sequence of pyroxene rich volcanic flows belonging to the Takla Group and although the hole contained pyrite averaging 5% to 6% throughout, it did not return any significant copper or gold values. A single sample was anomalous in molybdenum content and returned a 45 ppm value.

The Cowtrail, Rat and Jim claims were consolidated into a single property in 2005 and Dajin Resources was granted an option to earn a 65% interest in the Cowtrail claims by making cash and share payments and completing one million dollars in exploration by November 2010. Subsequently in 2006 Dajin Resources established approximately 20 kilometers of cut grid line and completed induced polarization and magnetometer surveys on this grid. Numerous anomalies were identified as a result of this survey; these were followed up in 2007 with soil sampling and a seven hole diamond drill hole exploration program.

The soil sampling program collected 1200 soil sample along and between the 2006 IP lines, identifying copper values up to 296 ppm and gold values up to 78.7 ppb from the Cowtrail 1, Cowtrail 2, and Rat 3 claims. The 2007 drill program was comprised 7 surface holes with a total of 1420m that were drilled on seven of ten IP anomalies that were identified from the 2006 IP survey. All holes penetrating the upper units of the Takla group, intersecting andesitic tuffs, fragmental to porphyritic basalt and diorite and the drilling program highlighted the presence of several zones containing anomalous gold and copper values.

CT-2007-001 (DDH 01), CT-2007-004 (DDH 04), and CT-2007-005 (DDH 05), had anomalous gold, copper and molybdenum assay results while CT-2007-003 (DDH 03) was weakly anomalous in copper. CT-2007-001 was particularly noteworthy in that it held 1.16 g/t of gold and 0.043% copper between 130.2m -148.4m in a zone of potassic altered microdiorite that was associated with a pyritic metavolcanic.

The access road developed by Eastfield in 1997 into the Cowtrail property area in 1997 followed a cattle trail used by local ranchers and gave the property its name. Recent logging has upgraded the road and allowed for excellent access into the area for the 2011 drilling program.

Between October 20, 2011and December 20, 2011, 2,740.45 m of NQ core was drilled in seven holes located on five of the IP anomalies identified in the 2006 geophysical survey. All seven of these holes intersected fragmental basalt/andesite, tuffaceous argillite associated with the Takla Group while graphitic limestone was encountered at depth in hole CT-2011-012A.

1.4 CLAIM INFORMATION

The Cowtrail property consists of 32 claims totalling 4,400 ha (table 1 and Figure 1). The claim that drilling was performed on in 2011 is by asterisks.

Table 1. Tenures included in the Cowtrail property.

Tenure	Number Type	Claim Name	Good Until	Claims worked on	Area (ha)
407994	Mineral	COWTRAIL 1	2013-March-30		500
407995	Mineral	COWTRAIL 2	2013-March-30	*********	500
409429	Mineral	JIM 1	2013-March-28		500
409430	Mineral	JIM 2	2013-March-28		300
409431	Mineral	JIM 7	2013-March-29		500
409432	Mineral	JIM 8	2013-March-29		500
409433	Mineral	JIM 3	2013-March-27		25
409434	Mineral	JIM 4	2013-March-27		25
409435	Mineral	JIM 5	2013-March-27		25
409436	Mineral	JIM 6	2013-March-27		25
409437	Mineral	JIM 9	2013-March-28		25
409438	Mineral	JIM 10	2013-March-28		25
409439	Mineral	JIM 11	2013-March-28		25
409440	Mineral	JIM 14	2013-March-28		25
409441	Mineral	JIM 15	2013-March-28		25
409442	Mineral	JIM 16	2013-March-28		25
409443	Mineral	JIM 17	2013-March-29		25
409444	Mineral	JIM 18	2013-March-29		25
409445	Mineral	JIM 19	2013-March-29		25
409446	Mineral	JIM 20	2013-March-29		25
409447	Mineral	JIM 21	2013-March-29		25
409496	Mineral	RAT 1	2013-April-02		500
409497	Mineral	RAT 2	2013-April-02		500
409498	Mineral	RAT 3	2013-April-01		25
409499	Mineral	RAT 4	2013-April-01		25
409500	Mineral	RAT 5	2013-April-01		25
409501	Mineral	RAT 6	2013-April-01		25
409502	Mineral	RAT 7	2013-April-01		25
409797	Mineral	JIM 22	2013-April-22		25
409798	Mineral	JIM 23	2013-April-22		25
409799	Mineral	JIM 24	2013-April-22		25
409800	Mineral	JIM 25	2013-April-22		25

1.5 GEOLOGY

Geologically, the Cowtrail property is located in a northwest trending tectono stratigraphic feature known as the Quesnel Terrane, a 30 kilometer wide, northwest-trending, Early Mesozoic age volcanic sedimentary belt. The Quesnel Terrane in the Horsefly area is a fault-bounded region that is flanked to the east by Precambrian to Paleozoic rocks of the Barkerville and Slide Mountain terranes and to the west by Paleozoic rocks of the Cache Creek Terrane. Figure 2 shows the Cowtrail regional geology.

Regional mapping of the Quesnel Terrane within the Horsefly region noted the presence of a region-wide syncline structure that has been infilled with a mixture of Triassic-aged sediments and Jurassic-aged volcanics. Extensional faulting and magmatism during the Eocene period produced grabens along with ash-flow eruptions and lacustrine deposits, while hydrothermal alteration accompanied subvolcanic intrusions. The strata have been intruded by numerous mafic to felsic porphyritic dykes and sills, a felsic pluton as well as several gabbroic-dioritic ultramafic bodies.

Three intrusive bodies known from drill intersections and reported in previous assessment reports are present within the property: the "Middle Lake Alkalic Entity", the "Hooker Lake syenodiorite" and the carbonate-altered, "BM" unit.

The Cowtrail property is mainly covered by thick bush and a continuous thick layer of glacial till which makes bedrock mapping on the property difficult and no detailed geological map of the property exists.

The oldest rocks on the property belong to the Triassic to Jurassic Age Takla Group and consist of (**1**) a submarine sequence of augite basalt flows and wackes that are overlain by (**2**) massive felsic tuff breccias (probably volcanic equivalents of cross cutting alkali intrusives) which in turn are overlain by (**3**) a dark grey siltstone. The youngest unit (**4**) is maroon analcite-bearing basalt flows and breccias of probable subaqueous origin. At least three intrusive centres are known to exist on the claims including the "Middle Lake Alkalic Entity", the "Hooker Lake syenodiorite" and the, carbonate altered, "BM" felsic unit. Two of the known intrusive centres - The Middle Lake Entity and the Hooker Lake syenodiorite - may be coeval with the younger volcanic lithologies and are probably subvolcanic in origin.

1.6 REGIONAL MINERALIZATION

Placer gold was discovered in the mid-1800 within the Quesnel River drainage system and at the site of the community of Horsefly. Several notable alkalic porphyry copper, copper-gold, and gold deposits have been discovered since mid-1970 in the Cariboo region of the Quesnel Terrane area of B.C. Some of the more notable discoveries in this area include:

1. The Afton Mine with historical reserves of 31 million tons grading 1.1% copper and 0.58 g/t gold. Significant new reserves were reported by DRC Resources Corp to total 1.1% copper and 0.845 g/t gold.
2. Mt Polley Mine with historical reserves of 0.3% copper and 0.42 g/t gold (with significant new reserves discovered by Imperial Metals Corp.
3. QR Mine with historical reserves of 1.33 million tonnes grading 4.6 g/t gold. Barkerville Gold Mines Ltd in 2010 reported reserves of 193,470 tonnes containing 4.84 g/t gold.
4. Gold Fields Limited in March 2012 reported an initial resource estimate of 146.5 million tonnes containing 0.33% copper at its Woodjam Copper-Gold Project located to the south of the Cowtrail claims.

Figure 2 Cowtrail Regional Geology



2.0 TECHNICAL DATA AND INTERPRETATION

2.1 2011 COWTRAIL DIAMOND DRILL PROGRAM

Dajin ran a 7 hole diamond drill exploration program between October 20, 2011 and December 20, 2011 on the Cowtrail property. The 2011 drilling program was designed to follow up on the anomalous gold and copper values from the 2007 drilling program and consisted of drilling up to two holes in each of several selected IP anomalies. These chargeability anomalies are known from I.P. lines spaced at 400m distance apart and date from a 2006 geophysical survey. Out of the seven planned holes on seven different locations, seven holes were drilled on five pads. Locations for drilling locations 16 and 17 were omitted from the program while pads 11 and 12 were each drilled from twice. CT-2011-012 was ended short of the planned 400m depth at 267.30m and since stuck casing prevented a redrill, hole CT-2011-012A was drilled to a final depth of 410.57m ~3m distant from the CT-2011-012. Geological logging and sampling of CT-2011-12A started at 255m and so the strip log of CT-2011-12A contains all lithology and assay results from CT-2011-12 and CT-2011-12A. Drill holes CT-2011-11/ CT-2011-11A are two holes located near the center of the anomaly with CT-2011-011 orientated to the southwest while CT-2011-11A is orientated to the northeast. This was done in order to confirm the presence of an IP anomaly that widened at depth on either side of the planned drill site.

Seven drill holes totalling 2,740.4 m of NQ (47.6mm diameter) core were drilled by Hardrock Drilling Ltd. of Kelowna at locations recorded in Table 2 and illustrated on Figure 3. A total of 1370 core samples plus additional QA/QC samples were collected by Dajin staff and submitted to Acme Analytical Laboratories (Vancouver) Ltd. for analysis. The location as well as final depth and surface orientation of each hole can be seen in table 2. A table of the downhole surveys done with a Reflex EZ-Trac are included in Appendix A along with the drill logs and a table that correlates the sampled intervals, QA/QC samples, sample identifiers and analyses. Strip logs/sections of the drill holes comprise Appendix B and assay certificates comprise Appendix C. The QC/QC results are illustrated in Appendix D.

The 2011 drill program was carried out under the supervision of Catherine Banfield, who functioned as Mine Manager and was in charge of logging and processing the core. Local residents were hired as core cutters and geotechs while several geologists were hired at various times to assist with logging. Each of the geologists employed on the project has earned a bachelor degree in earth science from a Canadian university and has previous industrial work experience. Catherine Banfield trained and supervised both the local staff and the geologists in the specifics of work at the Cowtrail property. The core from the 2011 drilling program is currently being stored at 5949 Black Creek Road in Horsefly.

Core was placed inside appropriately marked wooden core boxes by the drillers and was transported by a geologist once a day from the diamond drill hole to the core processing facility in Horsefly. Before transport, core was examined at the drill site and lids were screwed upon each box prior to transfer into the truck to ensure that there would be no undue movement of the core within, or out of, the boxes.

Table 2. List of drillholes drilled on the Cowtrail property during the 2011 drilling program (collar locations were determined with a Garmin Model 60CSx GPS).

Hole	Date Started	Date Finished	Orientation	Final depth (m)	Final depth (feet)	UTM E	UTM N	Elevation (m)
CT-2011-011	11-Nov-11	18-Nov-11	235/-70	404.85	1328	610226	5809189	847
CT-2011-011A	19-Nov-11	26-Nov-11	055/-45	401.42	1317	610226	5809189	847
CT-2011-12	23-Oct-11	01-Nov-01	055/-45	267.30	877	609747	5809327	858
CT-2011-012A	27-Nov-11	02-Dec-11	055/-45	413.8	1347	609747	5809327	858
CT-2011-013	1-Nov-11	11-Nov-11	055/-45	416.66	1367	609822	5809391	859
CT-2011-14	8-Dec-11	13-Dec-11	055/-45	413.7	1357	610515	5810452	915
CT-2011-15	2-Dec-11	07-Dec-11	055/-55	422.8	1387	610121	5810622	904

Prior to geological logging by Dajin geologists, locally hired staff performed geotechnical logging on the core to determine information such as recovery meters, RQD, hardness, and fracture content; local staff also used aluminum tags to mark the hole identifier as well as the starting and ending depths of the core on each box. Following the geotech logging, geological logging was done by Dajin geologists using Gemcom Custom Logger to note geological features such as lithology, alteration, texture, structure, veins and mineralization. Once the geological logging was complete, 2m sample lengths of core were marked out on the core by either a geologist or the geotech, and uniquely numbered tear-away sample tags were stapled into the core boxes at the start of each sampling interval. Core was then photographed, and cut parallel to core axis along a line that was marked on the rock by a geologist during geological logging. To prevent contamination of samples the saws and saw trays were cleaned with water at the end of every day as well as at the start of every new hole. Every 2.0 m sample was double-bagged after cutting, in poly bags that were marked with the corresponding sample tag number and closed with wire ties. The wire closure on the sample bags was intertwined with a self-locking, uniquely numbered, plastic security tag in order to provide proof of any possible tampering. Sequential numbered groups of ~8-10 samples were placed in numbered rice bags on which was written the sample tag interval contained therein. A requisition sheet for laboratory analysis was placed in each rice bag before it was closed with a wire tie. Up to 15 rice bags at a time were placed on pallets which was then shrink wrapped before being shipped via truck by Canadian Freightways from Horsefly to ACME Labs in Vancouver. A list of software programs used in support of exploration and development and the preparation of this report comprises Table 3

2.2 QA/QC PROCEDURES

QA/QC procedures were organized per group of 20 samples, and included four checks to ensure impartiality on the part of Dajin Resources staff and ACME, as well as one standard to confirm the accuracy of the assay procedure. A template for the QA/QC checks and standards can be seen in Table 4. The expected grades of each standard are shown on the charts comprising Appendix D. All QA/QC samples analytical results were compared to verify both laboratory accuracy in analysis and unbiased sampling by field personnel.

Table 3. List of software programs used in support of the 2011 drilling program and preparation of the report.

Software Program	**Use**
GemCom Custom Logger	Contains all data gathered during geological core logging process
Adobe Acrobat X Pro	Creates and edits PDF's related to articles and this report
Manifold System	Creates and edits maps
MS Office Suite	Creates and edits words documents and spreadsheets
Garmin Base Camp	Stores and allows for edits of handheld GPS information
Reflex SProcess	Allows for viewing of multi-shot Reflex tool downhole survey
Rockware	Creates strip-logs and cross-sectional profiles of drill holes

Certified samples containing both gold and copper certifications were selected from those available from CDN Resource Laboratories Ltd. Since the program was a follow-up of a significant gold intersection in earlier drilling, the analytical protocols in place called for a fire assay for gold and a geochemical approach for determining copper. In the event that substantial copper was encountered during analysis the copper in the standards would verify the adequacy of the initial analyses and in the event that substantial lengths of potentially ore grade copper was encountered a reanalysis of copper by assay procedures could be accomplished using the same standards.

Standard CDN-CGS-26 with recommended values of 1.64 g/t gold and 1.58% copper was used as a high-grade standard. All gold analyses except for one fell within the required plus or minus three standard deviation range. The exception was sample number 12020 from the CT-2011-015 drill hole. Since no economic values of mineralisation were found within this hole, this failed sample has no direct bearing on the results from the Cowtrail drilling program. All copper values reported by Acme for this standard are above the range of the aqua regia assay procedure.

Standard CDN-CM-11A with the recommended values of 1.014 g/t gold and 0.332% copper was used as a mid-grade standard. All gold analyses except for one fell within the required plus or minus three standard deviation range. The exception was sample number 12040 from the CT-2011-015 drill hole which was above plus the three standard deviation value. Since no economic values of mineralisation were found within this hole, this failed sample has no direct bearing on the results from the Cowtrail drilling program. Overall three copper analyses fell outside the plus or minus three standard deviation range for this standard: 11590 (hole CT-2011-013), 98820 (hole CT-2011-014), and 11960 (hole CT-

2011-011). Neither hole CT-2011-013 nor hole CT-2011-2011-014 contained any significant mineralization, therefore these failed samples have no bearing on the results from the Cowtrail drilling program

Table 4. Sampling protocol sequence, showing regular core and QA/QC sampling, with an explanation of types of QA/QC samples.

Number	Sample Type	Comment
1	Regular	
2	Regular	
3	Regular	
4	Regular	
5	QA/QC: Blank	Exposed Triassic basalt bedrock taken from the Cowtrail property, cleaned, and crushed to -2 inch + 1/2 inch mesh.
6	Regular	
7	Regular	
8	Regular	
9	Regular	
10	QA/QC: Field duplicate	second half of a core interval included elsewhere in the same group of twenty samples
11	QA/QC: Preparation duplicate	a second split of the coarse crushed reject from the next sample in the sequentially numbered sequence of samples
12	Regular	
13	Regular	
14	Regular	
15	Regular +QA/QC: confirmation	a second pulp prepared by ACME from the coarse reject of sample #15 and sent to a ALS for confirmation analysis
16	Regular	
17	Regular	
18	Regular	
19	Regular	
20	QA/QC: Standard	In each batch of ~100 samples at least one standard sample from each of the near cut-off, mid-grade and high grade standards was used.

Standard CDN-CGS-29 with recommended values of 0.575 g/t gold and 0.228% copper was used as a low-grade standard. All gold analyses except for one fell within the required plus or minus three standard deviation range. The exception was sample number 11610 from the CT-2011-013 drill hole. Since no economic values of mineralisation were found within this hole, this failed sample has no direct bearing on the results from the Cowtrail drilling program. The copper analyses for this standard showed nine samples fell below the minus three standard deviation level. The fact that this amounts to at least one failure per work order completed by Acme implies that not all copper was liberated by the aqua regia assay procedure. This suggests that in the future another method, such as the 4-acid procedure, may produce

more confinable and less conservative copper analyses. In the meantime these pulps are being stored and will be re-assayed using a different procedure prior to reporting of resource estimates.

Field duplicate samples comprising the entire second half of a previously sampled interval were collected by Dajin in the field as a way to check on any possible sampling bias on the part of the field staff as well an additional check by Dajin for any bias/sampling error on the part of Acme. Scatter charts showing the comparison of the field duplicates with the original sample can be seen in Appendix E. The mainly linear trend of the compared data shows that there was little error/bias on the part of the field staff, and that Acme's results are consistent throughout the analyses. There are three outliers seen in the gold assays : 98602/98611, 11513/11498, and 11853/11851, from holes CT-2011-013 (54.35m), CT-2011-012A (257.00m) and CT-2011-011 at 199.00m. In all cases there is a noticeable weight difference seen in conjunction with higher or lower assay values. This implies that errors were made during the sampling process where either the wrong intervals were duplicated in the core processing or the entire interval did not get sampled. Copper values were only anomalous for pair 11853/11851, an additional suggestion of sampling error on the part of the core processing staff .

Preparation duplicates, where a second split of the sample reject material that was then pulverised and analyzed the same as the original pulp as a way of determining sample variance due to field techniques and sample processing prior to generation of a pulp. The mainly linear trend of the compared data shows that Acme's results are fairly consistent throughout the gold analyses. Minor discrepancies were noted on the analyses of the copper: pairs 11362/1448, 11406/11310 and 11800/11798 from holes CT-2011-012 (52.20m), CT-2011-012 (130.20m) and CT-2011-011 (115.00m), respectively. Given the variances from expected copper contents observed in copper analyses done on the standards, it is possible that the prep duplicate copper assay errors are a result of the same problems, i.e. only partial extraction of copper or a somewhat greater variance in the geochemical analysis methodology as compared to assay protocols. These pulps will be stored by Dajin and re-assayed using a different procedure in the future.

2.3 DRILL PROGRAM RESULTS AND ANALYSIS

The majority of holes contained a combination of chlorite and serpentine altered basalt to fragmented basalt (+/- tuff), along with minor intersections of tuffaceous argillite. Exceptions to this include CT-2011-12A in the south, and holes CT-2011-014 and CT-2011-015 in the north. In CT-2011-12A siltstone and carbonaceous limestone were seen at depth from ~370 meters to the end of hole. The northern holes contained sections of andesite and a breccia/mudflow layer as well as the basalt that was noticed in the southern holes. Numerous mafic to felsic porphyritic dykes that ranged in thickness from cm to meter scale were visible in all holes; only the meter- scale dykes have been included in the strip logs seen in Appendix B.

Several anomalous zones of gold and copper were intersected in the 2011 drill holes; these zones were most particularly apparent in the south in holes CT-2011-011A/-011/-012/012A. Holes CT-2011-012/-12A contained zones of fragmented and tuffaceous basalt with gold values generally several times background level with up to 0.33 g/t gold and 0.47% copper present between the start of the hole and 260.00 m. The interval in CT-2011-1012 from 32.2 meters (top of bedrock in hole) to 72.2 meters down the hole averaged 0.11 g/t gold and 1693 ppm copper with maximum values of 0.265 g/t gold and 4743 ppm copper. host rock for the interval from 32.2m to 135.2m is dark green to grey aphanitic basalt, with

moderate to intense alteration to chlorite, epidote, calcite, pyrite (the "propylite" suite), as well as sillicic and potassic alteration. Quartz/carbonate veins/veinlets are present throughout, and vary locally from common to locally abundant over 1-5m with thicknesses ranging from <mm to 1-2 cm. Fracture surfaces are often chloritized and occasionally slickensided. Rare <2mm biotite and amphibole grains occur throughout, and appear to be overgrown by later propylitic alteration (chlorite, epidote, pyrite), but it is not clear whether these minerals are primary (phenocrysts) or secondary (porphyroblasts). Fault zones, marked by a high degree of chloritization, slickensides, gouging, heavy fracturing, calcite mineralization, and shearing structures occur regularly on a scale of 10-20m. Pyrite occurs in mm- to cm-scale blebs, 1-3mm stringers, and <mm-scale grains disseminated throughout. The degree of pyrite mineralization is variable and is disseminated throughout, but overall does not appear to be directly associated with alteration, faulting/mylonitisation or veining. No copper sulfides were observed during logging. Sericite is occasionally visible on shear and fracture surfaces. Gold and copper values are substantially lower below 72.2m in depth where faulting appears to be less important. Copper is largely reduced to background levels below 136.2 m. The host lithology described above is followed at depth (135.2m - 173.75m) by altered basalt similar to above but distinguished by an increasing level of the propylitic suite of alteration over ~20-50cm. Intense alteration by chlorite and epidote, with serpentine present along fracture surfaces, primarily in conjunction with slickensides. Calcite stringers and veins are moderate to strong and range in thickness up to a few millimeters. Pyrite is present in greater abundance than above - both as disseminated grains and as blebs up to 2 cm diameter. The interval is intruded by an intensely altered diorite dike between 146.85 and 149.15 meters. At the lower contact is a 2.5 meter thick mudstone bed. Narrow intervals of gold mineralization separated b y wider zones of background level gold occur to a depth of 259m. Gold spikes up to a maximum of 0.33 g/t. The host for this mineralization is an altered basalt (similar to above, weakly to moderately propylitized) interlayered with very fine grained basaltic tuffs, possibly reworked and slumped into fining upwards sequences. These very fine grained layers are dissimilar to the argillite/mudstone in that the basaltic alteration mineralogy (chlorite and epidote in particular) is prevalent in the tuffs. The very fine tuff layers are typically 1-2m thick. The basalt is less fragmental than the basalts above. Fragments are rare, isolated, and 1-2cm across. Occasional 5-10cm argillitic beds occur, usually above tuffs and immediately below coarser basalt. The coarser basalt is porphyritic with altered phenocrysts of amphibole, often being replaced by pyrite, epidote, and chlorite. Epidote occurs as 1-4 cm patchy blebs throughout. Pyrite is primarily disseminated, and decreases with depth. Towards the base, the rare isolated pyrite grains are ~1mm.

To the southeast of CT-2011-012/-12A, holes CT-2011-011 and CT-2011-011A showed anomalous values of gold and copper discontinuously the length of each hole. CT-2011-011 shows two distinct zones with anomalous values. One between 21.00-220.00 meters for an apparent vertical thickness of 187.00m, and again between 260.00-403.00 meters for an along core thickness of 134.38 m. Values of up to 0.146 g/t gold and 0.04% copper were seen above 220.00m, while gold up to 0.32 g/t and copper up to 0.052% were present between 260.00-403.00 meters. The entire hole consists of basalt and basalt fragmental that has been variably altered by chlorite, epidote and hematite. Millimetre scale quartz and carbonate veinlets are abundant in the core. The only sulfide observed was pyrite which was occasionally observed in quantities as high as 4% but most commonly most commonly was estimated to comprise well less than 0.5% of the core. Rarely were pyrite veinlets observed and most of the pyrite described in the core is very fine grained and disseminated. A slightly stronger interval of mineralization at 200 meters in the core is

associated with a shear zone with slight wider quartz/carbonate veining. The second zone of anomalous mineralization in hole CT-2011-011 from 260.0 – 403 meters differs from that above in that copper is generally much lower in content and does not show a covariance with the intermittent spikey higher values seen in the gold data. The host lithology remains the quartz/carbonate veined chlorite and epidote altered fragmental basalt seen in the described interval above. However, the alteration appear to be more intense and small diameter garnets are reported for the first time in the interval from 275-316.75 meters where there were observed to reach a maximum of 5% of the core but averaged 0.5%. This zone is variably silicified with occasional narrow zones of strong silicification. The only sulfide observed is fine grained pyrite reported to be present in quantities estimated at less than 0.01%.

Hole CT-2011-011A contained anomalous copper and gold up to 0.131 g.t gold and 0.147% copper between 77.0-283.0 meters. This 206 m interval averaged 0.037 g/t gold and 384 ppm copper. The entire interval mentioned above consists of basalt fragmental with occasional layers of basalt. These are variably altered by chlorite. The interval above 165.8 meters is grey in colour and noted to be moderately to strongly silicified and sparsely mineralized by multidirectional upto 5 millimeter wide quartz/carbonate veinlets. Disseminated pyrite occurs occasionally in amounts between 3% to 5% but is most commonly present in the range of 1% to 2%. Pyrite veinlets comprise approximately 0.5% of the core above 165.8 meters. Between 165.8 and 211.8 meters the core consist of green-grey coloured chlorite altered basalt. It is cut with multi-directional millimeter scale quartz/carbonate veins. Pyrite ranges up to 7% locally but averages 2% to 3% but is more strongly fracture controlled than higher in the hole. Gold ranges up to 0.131 g/t and copper to 578 ppm over a two meter interval at 209 meters. Between 211.8 meters and 283 meters the host rock is similar to the previously described interval with the exceptions that hematite alteration become prominent, silicification become patchy and the pyrite becomes more vein and fracture associated (1.5%) and disseminated pyrite decreases to 0.5%. The lower 14 meters of this interval averages 1026 ppm copper. Below 283 meters chloritization increases, epidote becomes more prominent, pyrite content decrease and copper and gold fall to background levels.

Holes CT-2011-013/-014/-015 contained no values of either gold or copper that were significantly above background levels. Hole CT-2011-013 started in tuffaceous fragmented basalt and ended in fragmented basalt, as was present within holes CT-2011-11/-011A/-012/-012A. It also intersected several units of tuffaceous argillite and numerous dykes. In general it is less strongly altered and locally constains substantial magnetite (up to 5%). Sulfide observed consisted only of pyrite and it is sparsely present in amounts on the order of 0.1%. Holes CT-2011-014/-015 contained primarily basalt to andesitic-basalt, fragmented basalt, and zones of breccia/mudflow. These holes did not contain any anomalous gold or copper.

All drill hole logs and listings of their assay results are presented in Appendix A. Several strip logs illustration the lithologies and the respective values of gold and copper can be found in Appendix B. Assay certificates comprise Appendix C. Charts illustrating the QA/QC data for the analyses are in Appendix D.

2.4 CONCLUSION AND RECOMMENDATIONS

Based on the results from Dajin's 2011 drill program the long intercepts of anomalous gold and copper continue to suggest potential for economic mineralisation at the Cowtrail property. While the northern holes (i.e. CT-2011-014/-015) contained no significant results, holes CT-2011-012/12A/11/11A have several thick sections of anomalous mineralisation which in one hole are similar in grade to parameters used by Goldfields to outline potentially open pitable resources at an adjacent property. These holes are located along a line below CT-2007-001 (DDH.01) which contained 1.16 g/t gold and 0.043% copper over 18.3 m from 130.2-148.4m, with additional gold intersections values several times background levels. The anomalous values contained in all five holes from the two drill programs suggest a gold/copper anomaly boundary trending in the north-westerly direction or potential for gold/copper mineralization further west than previously explored by Dajin. Further drilling focussed on this feature or to the west of the current drill pattern could further delineate the width and extent of the anomalous gold and copper values and potentially discover more extensive higher grade mineralization. Additional I.P. and magnetometer surveying to the west of the holes with anomalous copper and gold mineralization may provide more justification and specific foci for further exploration drilling.

3.0 COST STATEMENT

The cost statement comprises pages 17 and 18 of this report.

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position	Field Days (list actual days)	Days	Rate	Subtotal*	
El Cohen/Level 3 First aid attendant with ETV	Dec. 9-14, 2011	4.19	$ 1,392.00	$ 5,832.48	
Andrew Schobert/Casual Labour	Dec. 7,9,15, 15	3.00	$ 144.00	$ 432.00	
Bernadette Ducharme/Core Cutter	Nov. 14-18,29-30; Dec. 2, 5-7, 10-19	16.10	$ 160.00	$ 2,576.00	
Carmen Mutschele/Cook	Nov. 5-6,12; Dec. 10-11	5.00	$ 250.00	$ 1,250.00	
Catherine Banfield/Mine Manager	Aug 1-6; Sept. 5-6, 13-15, 2011; October 17 - Nov. 9; Nov. 14-Dec 10;Dec.14- 20.	69.00	$ 550.00	$ 37,950.00	
Chris Galbraith/Geologist	Dec 9-20	11.00	$ 450.00	$ 4,950.00	
Corey Creamer/Core Cutter	Nov. 2-7, 10-13; Dec. 1-2, 5-7, 10-19	20.40	$ 160.00	$ 3,264.00	
Darcy Jackson/Core Cutter	Oct. 23-24; Dec. 15-16	20.00	$ 28.00	$ 560.00	
Florian Krumsiek/Carpenter/Geotech	Oct. 24-25, 31; Nov. 1-5, 8-18; Dec. 1,2-4,10-11, 13-19	33.70	$ 160.00	$ 5,392.00	
Graham Spray/Geologist	Oct. 24-25, 31; Nov. 2-13, 22, 28	16.50	$ 450.00	$ 7,425.00	
John Ramsden/Field Assistant	Aug 1-6	7.00	$ 350.00	$ 2,450.00	
Mariska Redford/Casual Labour	Oct. 24-25	7.25	$ 200.00	$ 1,450.00	
Nadine Duitschaeve/Cook	Nov. 1-4, 7-11, 14-18, 20-25; Dec. 1-5, 12-20	42.00	$ 250.00	$ 10,500.00	
Nathan Schobert/Casual Labour	Dec. 5, 12, 13, 16		$ 144.00	$ -	
Nesha Newburn/Geologist	Dec 1-17	17.00	$ 425.00	$ 7,225.00	
Pat Aldridge/Core Cutter	Oct. 31; Nov. 1, 3, 7, 10-11, 13-17, 19-22, 24-29; Dec. 2-4, 8-19	36.00	$ 160.00	$ 5,760.00	
Stefanie Krumsiek/Geotech	Nov. 8-30; Dec. 13-19	22.94	$ 160.00	$ 3,670.40	
Tabitha Wilkins/Core Cutter	Nov. 11, 14-18, 21-24, 27-29; Dec. 1-9, 12-18	17.50	$ 160.00	$ 2,800.00	
Wally Yahnke/Level 2 First Aid attendant	Dec. 5, 7	0.38	$ 400.00	$ 150.00	
				$103,636.88	$103,636.88
Office Studies	List Personnel (note - Office only, do not include field days				
Literature search	Catherine Banfield/Geologist	1.0	$550.00	$550.00	
Database compilation	Catherine Banfield/Geologist	5.0	$550.00	$2,750.00	
Computer modelling			$0.00	$0.00	
Reprocessing of data	Catherine Banfield/Geologist	14.0	$550.00	$7,700.00	
General research	Catherine Banfield/Geologist	1.0	$550.00	$550.00	
Report preparation	Catherine Banfield/Geologist	21.0	$550.00	$11,550.00	
Other (specify)					
				$23,100.00	$23,100.00
Airborne Exploration Surveys	Line Kilometres / Enter total invoiced amount				
Aeromagnetics			$0.00	$0.00	
Radiometrics			$0.00	$0.00	
Electromagnetics			$0.00	$0.00	
Gravity			$0.00	$0.00	
Digital terrain modelling			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
				$0.00	$0.00
Remote Sensing	Area in Hectares / Enter total invoiced amount or list personnel				
Aerial photography			$0.00	$0.00	
LANDSAT			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
				$0.00	$0.00
Ground Exploration Surveys	Area in Hectares/List Personnel				
Geological mapping					
Regional					
Reconnaissance					
Prospect					
Underground	Define by length and width				
Trenches	Define by length and width			$0.00	$0.00
Ground geophysics	Line Kilometres / Enter total amount invoiced list personnel				
Radiometrics					
Magnetics					
Gravity					
Digital terrain modelling					
Electromagnetics					
SP/AP/EP					
IP					
AMT/CSAMT					
Resistivity					
Complex resistivity					
Seismic reflection					
Seismic refraction					
Well logging	Define by total length				
Geophysical interpretation					
Petrophysics					
Other (specify)					
				$0.00	$0.00

Geochemical Surveying	Number of Samples	No.	Rate	Subtotal	
Drill core	1454	1454	$54.78	$79,654.71	
Stream sediment			$0.00	$0.00	
Soil			$0.00	$0.00	
Rock			$0.00	$0.00	
Water			$0.00	$0.00	
Biogeochemistry			$0.00	$0.00	
Whole rock			$0.00	$0.00	
Petrology			$0.00	$0.00	
Other: CDN Resources Laboratories (Blank Standard Purchase)	BL-10 in 100g envelopes (per kg)	6.0	$50.00	$300.00	
Other: CDN Resources Laboratories (Cu-Au Standard Purchase)	CDN-CM-11A;CDN-CGS-29; CDN-CGS-26 (in 100g envelopes) (per kg)	7.0	$70.00	$490.00	
Other: CDN Resources Laboratories	Packaging fee for standard (per envelope)	51.0	$1.00	$51.00	
				$80,495.71	$80,495.71
Drilling	No. of Holes, Size of Core and Metres	No. holes	Rate/hole	Subtotal	
Diamond	7; NQ (47.6mm); 2,740.53 meters	7.0	$57,761.28	$404,328.96	
Reverse circulation (RC)			$0.00	$0.00	
Rotary air blast (RAB)			$0.00	$0.00	
Other :					
				$404,328.96	$404,328.96
Other Operations	Clarify	No.	Rate	Subtotal	
Trenching			$0.00	$0.00	
Bulk sampling			$0.00	$0.00	
Underground development			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
				$0.00	$0.00
Reclamation	Clarify	No.	Rate/hour	Subtotal	
After drilling	Reclamation of drill pads (G&S Logging Co.)	15.0	$139.38	$2,090.70	
Monitoring			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
Transportation		No.	Rate	Subtotal	
Airfare: Catherine Banfield	November 9 - Williams Lake to Vancouver	1.00	$258.40	$258.40	
	November 14- Vancouver to Williams Lake	1.00	$258.40	$258.40	
	December 10 - Williams Lake to Vancouver	1.00	$208.46	$208.46	
	December 14- Vancouver to Williams Lake	1.00	$208.46	$208.46	
	December 20 - Williams Lake to Vancouver	1.00	$211.81	$211.81	
Taxi: Catherine Banfield	December 20 - Vancouver airport to residence	1.00	$45.00	$45.00	
				$0.00	
Truck rental	Ron Ridley's Rentals	67.00	$74.20	$4,971.40	
kilometers			$0.00	$0.00	
ATV			$0.00	$0.00	
fuel			$0.00	$0.00	
Helicopter (hours)			$0.00	$0.00	
Fuel (litres/hour)			$0.00	$0.00	
Other					
				$6,161.93	$6,161.93
Accommodation & Food	Rates per day				
Hotel: Little Horsefly B and B	$ 119.00	5.00	$119.00	$595.00	
House rental	$ 66.67	67.00	$66.67	$4,466.89	
Camp			$0.00	$0.00	
Groceries	$ 135.71	67.00	$121.53	$8,142.56	
				$13,204.45	$13,204.45
Miscellaneous					
Telephone	Telus Communications Company	67.00	$3.69	$246.97	
Warehouse rental	Olie's Trucking Inc.: Core processing facility rental	67.00	$20.00	$1,340.00	
Other (Specify) Electricity	BC Hydro	67.00	$4.03	$269.97	
Other (Specify) Propane	Superior Propane	67.00	$7.06	$472.84	
Other (Specify) Internet	ABC Communications	67.00	$4.36	$292.35	
				$2,622.13	$2,622.13
Equipment Rentals					
Field Gear (Specify)			$0.00	$0.00	
Other: Reflex EZ Trac Downhole survey tool rental. Daily rate.	Oct. 24-31; Nov. 1-31, Dec 1-13, 2011	51.0	$120.00	$6,854.00	
				$6,854.00	$6,854.00
Freight, rock samples					
Shipping	Canadian Freightways		$1,604.63	$1,604.63	
	ACME Freight		$308.88	$0.00	
				$1,604.63	$1,604.63
TOTAL Expenditures					$642,008.69

4.0 AUTHOR'S AND FIELD SUPERVISOR'S QUALIFICATIONS

Catherine A. Banfield, Who served as Mine Manager and project supervisor holds a B.Sc. degree in Earth Sciences from the University of Victoria which she received in 2006. She has practiced as a mineral exploration geologist at sites in Canada and abroad since 2006.

I, David M. Jenkins, PGeo, with offices at Suite 480, 789 West Pender Street, Vancouver, British Columbia do hereby certify that:

- I am the author of this report, which was compiled from documents prepared by other Dajin professional staff, principally Catherine Banfield. Large portions of this report have with the permission of J. W. Morton been extracted or paraphrased from earlier reports by J. W. Morton.
- I am a professional geologist registered in the Province of British Columbia.
- I have a M.Sc. degree in Geology from the University of Florida.
- I have practiced as a mineral exploration geologist and/or mining executive since 1970.

David Jenkins, PGeo



5.0 REFERENCES

Bailey, D.G., (1990): Geology of the Central Quesnel Belt, British Columbia; B.C. Open File 1990-31.

J. Dostal, V. Gale, and B.N. Church. 1999 Upper Triassic Takla Group volcanic rocks, Stikine Terrane, north-central British Columbia: geochemistry, petrogenesis, and tectonic implications Canadian Journal of Earth Sciences 36: 1483–1494

Morton, W (2005) British Columbia Mineral Assessment report 28318.

Saghezchi, M. (2008) British Columbia Mineral Assessment report 30539.

G. Zhang and A. Hynes, 1990. Structure of the Takla Group east of the Finlay-Ingenika fault, McConnell Creek area, North-Central B.C. Geological Fieldwork 1990. Paper 1991-1

Appendix A
2011 Cowtrail drill program drill logs

Table 1. Reflex EZ Trac downhole surveys from the 2011 Cowtrail drilling program.

Hole	Date	Depth (m)	Azimuth	Dip	Magnetic field
CT-2011-011	Nov. 13, 2011	30.0	223.4	-69.1	54677
CT-2011-011	Nov. 15, 2011	243.2	220.7	-70.3	54488
CT-2011-011	Nov. 16, 2011	288.0	225.6	-70.6	53818
CT-2011-011	Nov. 18, 2011	380.4	225.9	-70.8	50443
CT-2011-011A	Nov. 22-2011	63.1	38.9	-45.0	54482
CT-2011-011A	Nov. 25-2011	294.8	44.7	-42.7	54227
CT-2011-011A	Nov. 25-2011	337.4	42.8	-42.2	54005
CT-2011-011A	Nov. 26-2011	383.1	50.4	-42.1	55103
CT-2011-011A	Nov. 26-2011	398.4	47.6	-42.0	54672
CT-2011-012	Oct. 28, 2011	69.0	190.3	-43.5	29997
CT-2011-012	Oct. 29, 2011	92.0	24.3	-44.4	63961
CT-2011-012	Oct. 30, 2011	154.0	43.0	-45.3	54294
CT-2011-012	Oct. 30, 2011	154.0	42.0	-45.3	54286
CT-2011-012A	Nov.29-2011	35.7	46.5	-45.2	55144
CT-2011-012A	Nov. 29-2011	47.9	47.2	-45.2	55091
CT-2011-012A	Nov. 29-2011	93.6	47.1	-45.1	54862
CT-2011-012A	Nov. 29-2011	139.3	48.2	-45.2	54717
CT-2011-012A	Nov. 29-2011	185.1	49.1	-45.9	54362
CT-2011-012A	Nov. 30-2011	261.2	55.5	-45.6	54173
CT-2011-012A	Nov. 30-2011	306.9	51.4	-45.6	55226
CT-2011-012A	Dec. 2-2011	410.6	54.0	-43.9	54698
CT-2011-013	Nov. 4, 2011	69.0	42.8	-45.3	53176
CT-2011-013	Nov. 5, 2011	96.0	44.9	-45.2	54127
CT-2011-013	Nov. 8. 2011	312.0	42.5	-46.0	54588
CT-2011-014	Dec. 9-2011	17.4	29.3	-45.3	54956
CT-2011-014	Dec. 9-2011	63.1	29.1	-45.8	55326
CT-2011-014	Dec. 10-2011	133.2	27.8	-47.1	54666
CT-2011-014	Dec. 11-2011	252.1	27.3	-47.6	54545
CT-2011-014	Dec. 11-2011	313.0	27.8	-47.9	55113
CT-2011-014	Dec. 12-2011	333.0	26.6	-48.3	54787
CT-2011-014	Dec. 13-2011	413.6	30.9	-48.0	55180
CT-2011-015	Dec. 4-2011	32.6	36.8	-54.4	54800

DRILL HOLE REPORT

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

Drilling

Azimuth:	235
Dip:	-70
Length:	404.85m
Started:	11-Nov-11
Completed:	21-Nov-11
Logged:	27-Nov-11
Comment:	

Casing

Length:	0
Pulled:	yes
Capped:	no
Cemented:	no

Core

Dimension:	NQ
Storage:	Warehouse
Section:	Line 2000
Hole Type	DD

Location

Township:	HORSEFLY
Claim No.:	
NTS:	
Hole:	SURFACE

Other

Logged by:	Nesha and Catherine
Relog by:	
Contractor:	Hardrock Diamond Drilling
Spotted by:	
Surveyed:	
Surveyed by:	
Geophysics:	IP
Geophysic Contractor:	Aerodat
Left in hole:	Nothing
Making water:	yes
Multi shot survey:	

Coordinate - Gemcom

East:	0
North:	0
Elev.:	0

Coordinate - UTM

East:	610226
North:	5809189
Elev.:	0
Zone: 10	**NAD:** NAD83

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	235.00	-70.00	C	☑	
63.00	238.70	-69.30	F	☑	MAG FIELD 54570
109.00	239.00	-69.60	F	☑	MAG FIELD 54084
151.80	239.00	-69.80	F	☑	MAG FIELD 55173
197.00	238.80	-70.10	F	☑	MAG FIELD 54565i
380.39	243.90	-70.80	F	☑	MAG FIELD 50443

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)		Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
0.00	21.35	**CAS**	***Casing***									
21.35	31.00	**BSLT**	***Altered basalt***	11740	21.00	23.00	2.00		-	-	-	-
				11741	23.00	25.00	2.00		-	-	-	-
				11743	25.00	27.00	2.00		-	-	-	-
				11744	27.00	29.00	2.00		-	-	-	-
				11745	29.00	31.00	2.00		-	-	-	-

Grey-green fragmented basalt with a fine grained groundmass that contains large SUBR amphibole with large fragments and specks of plagioclase. Fragments range in size from ~.5 -5.0 cm with ~1.0-2.0 cm on average. Two types of fragments are present: round and very epidote altered with diffuse edges and strong epidote alteration, the second being large SUBA clasts with sharp edges and an aphanitic texture. QZCB veins are present throughout the unit with a predonderance in the first ~5m and last 10m. These veins often show cross cutting relationships with one another and occasionally show offset. PY is present is disseminated throughout and caught up within the amphiboles as well as associated as fracture fill and along QZCB vein selvages.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
21.35 - 31.00	CHL Dis M	
21.35 - 31.00	QZCB VN M	
21.35 - 31.00	HE MO WM	
21.35 - 31.00	SILI P S	

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
21.35 - 31.00	PY DIS 4	
21.35 - 31.00	PY VN 2	

Structure Maj.:	*Type/Core Angle*	*Comment*
21.35 - 31.00	VN 60	range 45-90 deg TCA;predom. At 60
21.35 - 31.00	BC	

Texture Maj:	*Type*	*Comment*
21.35 - 31.00	MASS	

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		21.35 - 31.00 HETR									
		21.35 - 31.00 FG									
31.00	65.26	**BSLT** ***Altered basalt***	11746	31.00	33.00	2.00		-	-	-	-
		Brown-grey fine grained basalt that is characterised by lathes of dark green CHL altered amphiboles. These are often orientated parallel and perpedicular TCA while larger SUBR amphiboles are not orientated in any consitent direction - perhaps indicative of two separate crystallization events: one during a flow the other associated with sedentary cooling. Rounded aphanitic fragments as seen above are still apparent here, however these are smaller in size (<4mm) and lesser in quantity. Webby-textured QZCB veins are common thoughout at 70-90deg TCA; some of these are pink calcite and many are offset <2mm scale. Localised sections of mudstone plus QZCB veining are present in thin (<10cm) layers that are orientated at 70deg TCA. These lenses are in sharp contact with the host rock and contain pink/carbonate veins/blebs. Epidote is present as alteration of the groundmass with infrequent larger crystals. Between 59.6 and 65.20 unit has been moderately-strongly silicified and is beige-brown in colour - possibly as a result of minor hematite alteration occurring in conjunction with the silicification. Texture here is somewhat destroyed however the amphibole lathes from above are occasionally visible. Small (<2mm on average) blebs of pyrite are disseminate throughout in addition to that present as minor FX fill.	11747	33.00	35.00	2.00		-	-	-	-
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***	11748	35.00	37.00	2.00		-	-	-	-
		31.00 - 59.60 CHL ME MS	11749	37.00	39.00	2.00		-	-	-	-
		31.00 - 59.60 QZCB VN MS	11751	39.00	41.00	2.00		-	-	-	-
		31.00 - 59.60 Carb INT M	11752	41.00	43.00	2.00		-	-	-	-
		31.00 - 59.60 EP P M	11753	43.00	45.00	2.00		-	-	-	-
		59.60 - 65.26 QZCB VN M	11754	45.00	47.00	2.00		-	-	-	-
			11756	47.00	49.00	2.00		-	-	-	-
			11757	49.00	51.00	2.00		-	-	-	-
			11759	51.00	53.00	2.00		-	-	-	-
			11760	53.00	55.00	2.00		-	-	-	-
			11761	55.00	57.00	2.00		-	-	-	-
			11763	57.00	59.00	2.00		-	-	-	-
			11764	59.00	61.00	2.00		-	-	-	-
			11765	61.00	63.00	2.00		-	-	-	-
			11766	63.00	65.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
65.26	92.20	**BSLT** ***Altered basalt***

Unit is a highly altered Basalt. Olivine green coloured, FG groundmass. Fragments up to 2cm are common and have difuse edges and contain large green to black chl altered amphiboles, creamy white plagioclase and are strongly altered with Ep. Overall, unit has an ashy "pyroclastic" look, carbonate veins are common up to 3mm perpendicular to CA and at 50. At ~74.4 to LC unit is highly silicified to a buff brown and contains large fragments that have been strongly altered to Ep; this section is described as a minor lith. QZCB and CARB veins are present throughout and range in thickness 1-3mm with a max of ~5mm. The angle TCA is predominantly 50 and 0 deg TCA with some offset in the range of 1-2mm; All veins have a dominant angle of ~50deg TCA but cross-cut one another throughout. Lower contact sharp, marked by ~6cm of sheared and QC filled material.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
65.26 - 92.20	MAG Dis W	
65.26 - 92.20	HE PCH W	
65.26 - 92.20	EP Dis M	
65.26 - 92.20	SILI P MS	
65.26 - 92.20	QZCB VN MS	

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
65.26 - 92.20	PY STR 1	
65.26 - 92.20	PY FG 2	

Structure Maj.:	*Type/Core Angle*	*Comment*
76.96 - 77.15	G 90	Lithified gouge
81.98 - 82.05	VN 0	
81.98 - 82.05	VN 50	Dominant angle
81.98 - 82.05	G 40	Lithified gouge
84.15 - 84.80	VN 0	
84.15 - 84.80	VN 50	Dominant angle
84.15 - 84.80	G	non-lithified and lithified
84.15 - 84.80	BX	rounded fragments
90.20 - 92.20	VN 0	
90.20 - 92.20	VN 50	Dominant angle

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11767	65.00	67.00	2.00		-	-	-	-
11768	67.00	69.00	2.00		-	-	-	-
11769	69.00	71.00	2.00		-	-	-	-
11771	71.00	73.00	2.00		-	-	-	-
11772	73.00	75.00	2.00		-	-	-	-
11773	75.00	77.00	2.00		-	-	-	-
11774	77.00	79.00	2.00		-	-	-	-
11776	79.00	81.00	2.00		-	-	-	-
11777	81.00	83.00	2.00		-	-	-	-
11779	83.00	85.00	2.00		-	-	-	-
11780	85.00	87.00	2.00		-	-	-	-
11781	87.00	89.00	2.00		-	-	-	-
11783	89.00	91.00	2.00		-	-	-	-
11784	91.00	93.00	2.00		-	-	-	-

From (m)	To (m)	Lithology		Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
	90.20 - 92.20	BX	rounded fragments									
	90.20 - 92.20	G	non-lithified and lithified									
	Texture Maj:	***Type***	***Comment***									
	65.26 - 92.20	FG										
	65.26 - 92.20	FRAG										
	65.26 - 92.20	IE										
	65.26 - 92.20	HETR										

Minor Interval:

74.40 92.20 BSLT *Altered Basalt*

Unit is a beigh brown colour, over all VFG with minor large phenocrysts of epidot. Groundmass of unit appears highly silicified with abundant milky white plag crystals up to 2mm. QC veins are abundant and predominantly 2-3mm, up to 5mm, with a dom angle of 80.Grey qtz veins are also present, smaller in abundance and range in size from 1-2mm, they are commonly parallel to CA, more predominant in the first 3m of subunit; bleby pink calcite veining is found in association with Qtz veining, bleby hematite alteration found within and parallel to qtz veining. Veins of Ep up to 2mm are also present from 77.5-LC, these occur with alterations halos, parallel to carb veins parallel to CA. Black amourphus, feathery, fracture fill that appears to bleed into the host; 78.88-79.0m. From 77m to LC, silicified and contains what appears to be large rounded fragments that have been completely altered to Ep, these range from 1.5-2cm and contain dis py. Lith fault gouge is found in small sections from 77m to LC. Minor lenses of mudstone up to 2cm thick are found in localized sections perpendicular to CA and bounded by calcite veining. Lithified fault gouge in localized areas, often in conjunction of what appears to be bx sections that are highly silicified/bleached to a buff-beige, fragments range in size from 2-5cm, angular with sharp edges. From 91m-LC, there is an increase in lithified fault gouge in congunction with contorted QC veining and a reappearance of highly Ep altered round clasts as seen above; these also contain Py and have distinct alteration halos.

From (m)	To (m)	Lithology
92.20	116.75	**MV** ***Altered Fragmental Mafic Volcanic***

Dark grey-green grading to dark green, epidotized, mafic volcanic. Fragments as previously described (ranging from 5-25%, ave. 10%; 0.3-7cm in size, ave. 1-1.5cm, subrounded and highly altered to angular and unaltered all with Ep rich alteration halos) are throughout give the unit a fragmental semi-pyroclastic look, but are consentrated in a 10m section described in minor lithology. Epidotization is seen throughout, concentrated in fine grained groundmass and pervasive in alteration halos around fragments. Dark red-brown Hem staining rare. Dis. Py throughout groundmass. QC veins throughout decrease in size and extent as fragments increase; they range in size from randomly oriented whispy stringers to 3mm at ~30 to CA. Lower contact gradational but obvious, marked be a decrease and change in fragments.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
92.20 - 103.90	QZCB VN WM	whispy and randomly oriented
103.90 - 109.30	QZCB F W	fracture fill and vein like in appearance.
109.30 - 113.50	QZCB VN WM	Fracture fill and veing like, also seen as clast replacement.

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
92.20 - 116.75	PY DIS 0.5	concentrated in groundmass

Structure Maj.:	*Type/Core Angle*	*Comment*
111.50 - 111.70	SHR 25	possible mudstone shear, has QC infill, 1.5-3cm wide.
112.40 - 115.25	BC	Approx half the core is missing or ground to gravel sized pieces.
115.35 - 115.55	G	Lithified and muddy gouge.

Texture Maj:	*Type*	*Comment*
92.20 - 116.75	FRAG	semi-pyroclastic look
92.20 - 116.75	META	Ep
92.20 - 116.75	HETR	

Minor Interval:

103.90 109.30 MV *Altered Fragmental Mafic Volcanic*

Dark green, epidotized,fragmental mafic volcanic. Fragments range from 10-30%, ave. 15%; 0.3-7cm in size, ave. 1-1.5cm, subrounded and highly altered to angular and unaltered all with Ep rich alteration halos; rounded fragments tend to be olivine/pyroxene studded. The

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11785	93.00	95.00	2.00		-	-	-	-
11786	95.00	97.00	2.00		-	-	-	-
11787	97.00	99.00	2.00		-	-	-	-
11788	99.00	101.00	2.00		-	-	-	-
11789	101.00	103.00	2.00		-	-	-	-
11791	103.00	105.00	2.00		-	-	-	-
11792	105.00	107.00	2.00		-	-	-	-
11793	107.00	109.00	2.00		-	-	-	-
11794	109.00	111.00	2.00		-	-	-	-
11796	111.00	113.00	2.00		-	-	-	-
11797	113.00	115.00	2.00		-	-	-	-
11800	115.00	117.00	2.00		-	-	-	-

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		subunit has a strongly pyroclastic look.									
		Minor Interval:									
		109.30 113.50 MV *Altered Fragmental Mafic Volcanic*									
		Dark green, epidotized,fragmental mafic volcanic. Fragments range from 30-50%, ave. 40%; 0.3-7cm in size, ave. .5-1cm, subrounded and highly altered to angular and unaltered all with Ep rich alteration halos; rounded fragments tend to be olivine/pyroxene studded. The subunit has a strongly pyroclastic/lapilli tuff look.									
		Structure Min.: ***Type/Core Angle*** ***Comment***									
		109.30 - 113.50 G Subunit has a cumbly, gouge like, muddy matrix, appearance									
116.75	158.45	**BSLT** ***Altered Basalt***	11801	117.00	119.00	2.00		-	-	-	-
		Unit varies from medium green grey to medium grey with light red-brown over printing (Hem), fine to medium grained and epigranular. Fragments persist from previous unit, are still variably studded but are now more highly altered, diffuse at edges and grade into fine to medium grained epidotized semi-crystalin ground mass. Epidotization is weaker than in previous unit and still concentrated in groundmass and alteration halos up to 1.5cm wide. Hematite staining is more prevasive, concentrated in stained fragments and pseudo-fragments. Locally, where Hem alteration dominated, studded fragments in the clasts seem to be replaced by plg/feldspar? Pyrite inceases to 1-2% dissemnated and is strongly associated with the fragments (perticularly the studs) and alteration halos. Mostly fracture controlled carbonate +/- quarts veins throughout, strongly associated with localized fabric/ weak shear; ave. of 35 to CA from 2-15cm wide.	11802	119.00	121.00	2.00		-	-	-	-
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***	11803	121.00	123.00	2.00		-	-	-	-
		116.75 - 158.45 CHL ME WM	11804	123.00	125.00	2.00		-	-	-	-
		116.75 - 158.45 Carb VN W White to light pink carbonate +/- quartz veins, partially fracture controlled, or at 35 to CA. 1-5mm wide and strongly associated with localized inconsistent fabric.	11806	125.00	127.00	2.00		-	-	-	-
		116.75 - 158.45 HE PCH WM assoc with fragments, variable, red-brownish gray	11807	127.00	129.00	2.00		-	-	-	-
		116.75 - 158.45 EP P M concentrated in groundmass	11808	129.00	131.00	2.00		-	-	-	-
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***	11809	131.00	133.00	2.00		-	-	-	-
		116.75 - 158.45 PY DIS 0.01 trace	11812	133.00	135.00	2.00		-	-	-	-
			11813	135.00	137.00	2.00		-	-	-	-
			11814	137.00	139.00	2.00		-	-	-	-
			11815	139.00	141.00	2.00		-	-	-	-
			11816	141.00	143.00	2.00		-	-	-	-
			11817	143.00	145.00	2.00		-	-	-	-
			11818	145.00	147.00	2.00		-	-	-	-
			11819	147.00	149.00	2.00		-	-	-	-

From (m)	To (m)	Lithology
		Structure Maj.: ***Type/Core Angle*** ***Comment***
		122.00 - 123.07 G Lithified beccia to gouge
		126.50 - 126.70 G Lithified beccia to gouge
		128.07 - 133.40 G Lithified beccia (60%) to gouge (5%), ~
		137.03 - 137.08 SHR 45 QC infilling
158.45	244.30	**BSLT** ***Altered Basalt & Mafic Fragmental***
		Unit alternates between previously described Ep altered, fine grained basalt with highly altered partially assimilated fragments -and- Ep/Hem altered mafic fragmental with subangular to rounded clasts with alteration halos. Intervals range in thickness from 1-7m, contacts are for the most part marked by QC +/- Hem infilled shear zones ranging in size from 2-20cm. Epidotization is moderate to locally strong, and persistant throughout; Ep in the Basalt is disseminated, associated with altered olivine(?) and increases in strong alteration halos around partially assimilated fragments, in the Fragmental Ep is concentrated in the fragments. Where seen pyrite is disseminated, tace only. Lower contact is gradational but marked by the end to fragmental "subunits"; fragments in basalt also change as described below.
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***
		158.45 - 244.30 QZCB VN WM Veins are commonly fracture/extention fill, cross cutting and micro-faulted. Strongly associated with shearing and brecciation. Range in size from whispy stringers to 7mm.
		158.45 - 244.30 HE PCH W Locally Hematite staining alters clasts to a red-brown hue.
		158.45 - 244.30 EP Dis M Ep in the Basalt is disseminated, associated with altered olivine(?) and increases in strong alteration halos around partially assimilated fragments, in the Fragmental Ep is concentrated in the fragments.
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***
		158.45 - 244.30 PY DIS 0.01 trace
		Structure Maj.: ***Type/Core Angle*** ***Comment***
		158.45 - 158.55 UC 70
		158.45 - 158.55 SHR 70 Angle to CA varies from 55-70. Strongly epidotized, QC "clasts", strongers and infilling.
		159.55 - 159.90 SHR 20 QC infilled

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11821	149.00	151.00	2.00		-	-	-	-
11822	151.00	153.00	2.00		-	-	-	-
11823	153.00	155.00	2.00		-	-	-	-
11824	155.00	157.00	2.00		-	-	-	-
11826	157.00	159.00	2.00		-	-	-	-
11827	159.00	161.00	2.00		-	-	-	-
11828	161.00	163.00	2.00		-	-	-	-
11829	163.00	165.00	2.00		-	-	-	-
11832	165.00	167.00	2.00		-	-	-	-
11833	167.00	169.00	2.00		-	-	-	-
11834	169.00	171.00	2.00		-	-	-	-
11835	171.00	173.00	2.00		-	-	-	-
11836	173.00	175.00	2.00		-	-	-	-
11837	175.00	177.00	2.00		-	-	-	-
11838	177.00	179.00	2.00		-	-	-	-
11839	179.00	181.00	2.00		-	-	-	-
11841	181.00	183.00	2.00		-	-	-	-
11842	183.00	185.00	2.00		-	-	-	-
11843	185.00	187.00	2.00		-	-	-	-
11844	187.00	189.00	2.00		-	-	-	-
11846	189.00	191.00	2.00		-	-	-	-
11847	191.00	193.00	2.00		-	-	-	-
11848	193.00	195.00	2.00		-	-	-	-
11849	195.00	197.00	2.00		-	-	-	-
11852	197.00	199.00	2.00		-	-	-	-
11853	199.00	201.00	2.00		-	-	-	-
11854	201.00	203.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)			Lithology
		167.20 - 167.26	SHR 50	Sharp, QC in filled.
		167.85 - 168.05	SHR 30	QC infilled
		169.90 - 170.00	SHR 30	QC infilled.
		191.20 - 192.10	BX	
		191.20 - 192.10	SHR	variable angles to CA, becomes distorted as gouge dominates
		191.20 - 192.10	G	Gouge with weak-moderate brecciation, QC infilling.
		200.40 - 201.45	VN	QC infilling is convoluted, "swirly", up to ~3cm wide
		200.40 - 201.45	SHR	Variably oriented.
		205.85 - 206.90	BX 45	Fragments are sunangular to subrounded with Hem staining.
		205.85 - 206.90	G	Mostly lithified gouge.
		211.55 - 211.62	BD 50	Possible argillite horizon, pseudo-bedding perpendicular to contact with host rock.
		Texture Maj:	***Type***	***Comment***
		158.45 - 244.30	IE	
		158.45 - 244.30	HETR	
		158.45 - 244.30	FRAG	
		158.45 - 244.30	BX	Variably brecciated and turn to gouge in shear zones; highlighted in major structure.

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11855	203.00	205.00	2.00		-	-	-	-
11856	205.00	207.00	2.00		-	-	-	-
11857	207.00	209.00	2.00		-	-	-	-
11858	209.00	211.00	2.00		-	-	-	-
11859	211.00	213.00	2.00		-	-	-	-
11861	213.00	215.00	2.00		-	-	-	-
11862	215.00	217.00	2.00		-	-	-	-
11863	217.00	219.00	2.00		-	-	-	-
11864	219.00	221.00	2.00		-	-	-	-
11866	221.00	223.00	2.00		-	-	-	-
11867	223.00	225.00	2.00		-	-	-	-
11868	225.00	227.00	2.00		-	-	-	-
11869	227.00	229.00	2.00		-	-	-	-
11872	229.00	231.00	2.00		-	-	-	-
11873	231.00	233.00	2.00		-	-	-	-
11874	233.00	235.00	2.00		-	-	-	-
11875	235.00	237.00	2.00		-	-	-	-
11876	237.00	239.00	2.00		-	-	-	-
11877	239.00	241.00	2.00		-	-	-	-
11878	241.00	243.00	2.00		-	-	-	-
11879	243.00	245.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
244.30	316.75	**BSLT** ***Altered Basalt***

Unit is not dissimilar to those previously described; dark variably green grey, fine grained groundmass with moderately to highly altered olivine phenocrysts and subrounded to subangular moderately to strongly assimilated fragments. Fragments also have alterated olivine, but the groundmass tends to be dark grey to black or more deep red-brown from Hem alteration. Phenocrysts range in size from 0.5mm to a maximum of 7mm, ave. 2mm, up to 20% of unit; size increases down hole. Fragments range in size from 0.5-12cm, ave. 2cm, 5-10% of unit, decreasing down hole. Hematization is seen dominantly in larger more rounded fragments, trave amounts associated with carbonate +/- qtz veins are pink-orange in colour. Carbonate +/- qtz veins are seen throughout, stringers to 5mm, fracture fill, and associated with shear at all orientations to CA. Garnets appear at 275m, subhedral to anhedral, >1-2mm, patchy areas contain up to 5% (0.5% ave), commonly but not exclusively associated with assimilated fragments.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
275.00 - 316.75	Carb VN M	+/- quartz, whispy and tension/fracture filled, up to 1cm
275.00 - 316.75	EP Dis WM	
275.00 - 316.75	CHL ME WM	
275.00 - 316.75	GAR Dis W	trace to 1%, subhedral, >1mm-2mm

Structure Maj.:	*Type/Core Angle*	*Comment*
251.38 - 253.78	VN	carbonate +/- qtz with patchy Hem staining
251.38 - 253.78	SHR 15	10-20 to CA, possible argillite layer?
251.38 - 253.78	BX	Brecciation with lithified gouge
259.58 - 259.71	VN	carb+/-qtz with hem staining
259.58 - 259.71	SHR 35	
260.55 - 260.65	SHR 40	possible argillite layer?
260.55 - 260.65	VN	carb+/-qtz with hem staining
263.16 - 264.35	SHR	possible argillite layer?
263.16 - 264.35	G	lithified
263.16 - 264.35	BX	
265.94 - 266.37	G	
265.94 - 266.37	SHR	

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11881	245.00	247.00	2.00		-	-	-	-
11882	247.00	249.00	2.00		-	-	-	-
11883	249.00	251.00	2.00		-	-	-	-
11884	251.00	253.00	2.00		-	-	-	-
11886	253.00	255.00	2.00		-	-	-	-
11887	255.00	257.00	2.00		-	-	-	-
11888	257.00	259.00	2.00		-	-	-	-
11889	259.00	261.00	2.00		-	-	-	-
11892	261.00	263.00	2.00		-	-	-	-
11893	263.00	265.00	2.00		-	-	-	-
11894	265.00	267.00	2.00		-	-	-	-
11895	267.00	269.00	2.00		-	-	-	-
11896	269.00	271.00	2.00		-	-	-	-
11897	271.00	273.00	2.00		-	-	-	-
11898	273.00	275.00	2.00		-	-	-	-
11899	275.00	277.00	2.00		-	-	-	-
11901	277.00	279.00	2.00		-	-	-	-
11902	279.00	281.00	2.00		-	-	-	-
11903	281.00	283.00	2.00		-	-	-	-
11904	283.00	285.00	2.00		-	-	-	-
11906	285.00	287.00	2.00		-	-	-	-
11907	287.00	289.00	2.00		-	-	-	-
11908	289.00	291.00	2.00		-	-	-	-
11909	291.00	293.00	2.00		-	-	-	-
11912	293.00	295.00	2.00		-	-	-	-
11913	295.00	297.00	2.00		-	-	-	-
11914	297.00	299.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology			Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		265.94 - 266.37	BX		11915	299.00	301.00	2.00		-	-	-	-
		265.94 - 266.37	VN	quartz carbonate	11916	301.00	303.00	2.00		-	-	-	-
		271.14 - 271.84	VN 15	qtz-carb	11917	303.00	305.00	2.00		-	-	-	-
		271.14 - 271.84	SHR 15	possible argillite layer?	11918	305.00	307.00	2.00		-	-	-	-
		273.86 - 273.90	VN 50	qtz carbonate in filling - 75%	11919	307.00	309.00	2.00		-	-	-	-
		273.86 - 273.90	BX 50	angulat fragments 1-10mm - 25%	11921	309.00	311.00	2.00		-	-	-	-
		275.99 - 277.30	BX		11922	311.00	313.00	2.00		-	-	-	-
		275.99 - 277.30	SHR	upper contact gradational, lower contact sharp	11923	313.00	315.00	2.00		-	-	-	-
		275.99 - 277.30	G	lithified	11924	315.00	317.00	2.00		-	-	-	-
		280.87 - 282.00	SHR		11926	317.00	319.00	2.00		-	-	-	-
316.75	404.85	**BSLT**	***Altered Basalt - Silicified***		11927	319.00	321.00	2.00		-	-	-	-
		Unit is distinguishable from previous unit by a change in clast appearance and abundance. Unit is a basalt with a dark gray-green, fine grained groundmass. Altered olivine phenocysts decreases to 5-10% and disappear down hole and in highly silicified areas; garnets persist in trace amounts over all. From 356m olivine phenos are no longer visable and core is "flecked" with anhedral/amorphose quartz-carbonate. Unit is variably highly silicified; subunits are broke out and described in alteration. As before chlorite alteration is seen throughout the unit but intensifies on the margins of silicified areas. QC veins persist where silicification is minor only, cross cutting and hematite stained. EOH			11928	321.00	323.00	2.00		-	-	-	-
					11929	323.00	325.00	2.00		-	-	-	-
		Alteration Maj:	***Type/Style/Intensity***	***Comment***	11932	325.00	327.00	2.00		-	-	-	-
		323.93 - 324.48	SILI P W	Silicification gives core a "milky" look	11933	327.00	329.00	2.00		-	-	-	-
		339.58 - 355.95	EP F W	trace	11934	329.00	331.00	2.00		-	-	-	-
		339.58 - 355.95	CHL P M	Chlorite associated with top and bottom margins ~1m	11935	331.00	333.00	2.00		-	-	-	-
		339.58 - 355.95	SILI P S	sub-unit has an overall buff-beige colouration.	11936	333.00	335.00	2.00		-	-	-	-
		368.20 - 370.90	HE F W		11937	335.00	337.00	2.00		-	-	-	-
		368.20 - 370.90	EP F WM		11938	337.00	339.00	2.00		-	-	-	-
		368.20 - 370.90	CHL Dis WM		11939	339.00	341.00	2.00		-	-	-	-
		368.20 - 370.90	SILI B WM	buff-beige colouration.	11941	341.00	343.00	2.00		-	-	-	-
		373.85 - 374.25	HE VN WM	pink overtones	11942	343.00	345.00	2.00		-	-	-	-
		373.85 - 374.25	SILI P M	buff-beige colouration	11943	345.00	347.00	2.00		-	-	-	-
					11944	347.00	349.00	2.00		-	-	-	-
					11946	349.00	351.00	2.00		-	-	-	-
					11947	351.00	353.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology		
	378.00 - 404.85	SILI PCH M		patchy, variably milky looking were silicified.
	Mineralization Maj. :	***Type/Style/%Mineral***		***Comment***
	323.93 - 324.48	PY CG 0.01		mineralization is two phase, coarse grains are more brightly yellow and dissemination has a brown hue.
	323.93 - 324.48	PY DIS 2		
	324.48 - 404.85	PY DIS 0.01		trace; seen in silicified areas, but not exclusively associated
	Structure Maj.:	***Type/Core Angle***		***Comment***
	319.15 - 324.93	G 45		10cm
	319.15 - 324.93	LC 45		10cm, sharp
	319.15 - 324.93	BC		
	348.50 - 348.86	BX		
	348.50 - 348.86	G 30		lithified
	367.15 - 367.30	BX 15		dominated by QC infilling, fragments are angular, 1-8mm.
	372.60 - 374.80	BX		seen in broken pieces
	372.60 - 374.80	BC		
	398.00 - 399.00	BC		
	398.00 - 399.00	VN 10		10 to CA? QC
	Texture Maj:	***Type***		***Comment***
	316.75 - 404.85	HETR		
	316.75 - 404.85	FRAG		
	316.75 - 404.85	IE		
	Minor Interval:			
	316.75 404.85	BSLT		*Altered Basalt*
	Alteration Min:	***Type/Style/Intensity***		***Comment***
	316.75 - 404.85	QZCB VN M		whispy up to 1.5cm, white to pink from associated He alteration

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11948	353.00	355.00	2.00		-	-	-	-
11949	355.00	357.00	2.00		-	-	-	-
11951	357.00	359.00	2.00		-	-	-	-
11953	359.00	361.00	2.00		-	-	-	-
11954	361.00	363.00	2.00		-	-	-	-
11955	363.00	365.00	2.00		-	-	-	-
11956	365.00	367.00	2.00		-	-	-	-
11957	367.00	369.00	2.00		-	-	-	-
11958	369.00	371.00	2.00		-	-	-	-
11959	371.00	373.00	2.00		-	-	-	-
11961	373.00	375.00	2.00		-	-	-	-
11962	375.00	377.00	2.00		-	-	-	-
11963	377.00	379.00	2.00		-	-	-	-
11964	379.00	381.00	2.00		-	-	-	-
11966	381.00	383.00	2.00		-	-	-	-
11967	383.00	385.00	2.00		-	-	-	-
11968	385.00	387.00	2.00		-	-	-	-
11969	387.00	389.00	2.00		-	-	-	-
11972	389.00	391.00	2.00		-	-	-	-
11973	391.00	393.00	2.00		-	-	-	-
11974	393.00	395.00	2.00		-	-	-	-
11975	395.00	397.00	2.00		-	-	-	-
11976	397.00	399.00	2.00		-	-	-	-
11977	399.00	401.00	2.00		-	-	-	-
11978	401.00	403.00	2.00		-	-	-	-
11979	403.00	404.85	1.85		-	-	-	-

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
21.00	23.00	2.00	11740	
23.00	25.00	2.00	11741	
25.00	27.00	2.00	11743	
27.00	29.00	2.00	11744	
29.00	31.00	2.00	11745	
31.00	33.00	2.00	11746	
33.00	35.00	2.00	11747	
35.00	37.00	2.00	11748	
37.00	39.00	2.00	11749	
39.00	41.00	2.00	11751	
41.00	43.00	2.00	11752	
43.00	45.00	2.00	11753	
45.00	47.00	2.00	11754	
47.00	49.00	2.00	11756	
49.00	51.00	2.00	11757	
51.00	53.00	2.00	11759	
53.00	55.00	2.00	11760	
55.00	57.00	2.00	11761	
57.00	59.00	2.00	11763	
59.00	61.00	2.00	11764	
61.00	63.00	2.00	11765	
63.00	65.00	2.00	11766	
65.00	67.00	2.00	11767	
67.00	69.00	2.00	11768	
69.00	71.00	2.00	11769	
71.00	73.00	2.00	11771	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
73.00	75.00	2.00	11772	
75.00	77.00	2.00	11773	
77.00	79.00	2.00	11774	
79.00	81.00	2.00	11776	
81.00	83.00	2.00	11777	
83.00	85.00	2.00	11779	
85.00	87.00	2.00	11780	
87.00	89.00	2.00	11781	
89.00	91.00	2.00	11783	
91.00	93.00	2.00	11784	
93.00	95.00	2.00	11785	
95.00	97.00	2.00	11786	
97.00	99.00	2.00	11787	
99.00	101.00	2.00	11788	
101.00	103.00	2.00	11789	
103.00	105.00	2.00	11791	
105.00	107.00	2.00	11792	
107.00	109.00	2.00	11793	
109.00	111.00	2.00	11794	
111.00	113.00	2.00	11796	
113.00	115.00	2.00	11797	
115.00	117.00	2.00	11800	
117.00	119.00	2.00	11801	
119.00	121.00	2.00	11802	
121.00	123.00	2.00	11803	
123.00	125.00	2.00	11804	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
125.00	127.00	2.00	11806	
127.00	129.00	2.00	11807	
129.00	131.00	2.00	11808	
131.00	133.00	2.00	11809	
133.00	135.00	2.00	11812	
135.00	137.00	2.00	11813	
137.00	139.00	2.00	11814	
139.00	141.00	2.00	11815	
141.00	143.00	2.00	11816	
143.00	145.00	2.00	11817	
145.00	147.00	2.00	11818	
147.00	149.00	2.00	11819	
149.00	151.00	2.00	11821	
151.00	153.00	2.00	11822	
153.00	155.00	2.00	11823	
155.00	157.00	2.00	11824	
157.00	159.00	2.00	11826	
159.00	161.00	2.00	11827	
161.00	163.00	2.00	11828	
163.00	165.00	2.00	11829	
165.00	167.00	2.00	11832	
167.00	169.00	2.00	11833	
169.00	171.00	2.00	11834	
171.00	173.00	2.00	11835	
173.00	175.00	2.00	11836	
175.00	177.00	2.00	11837	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
177.00	179.00	2.00	11838	
179.00	181.00	2.00	11839	
181.00	183.00	2.00	11841	
183.00	185.00	2.00	11842	
185.00	187.00	2.00	11843	
187.00	189.00	2.00	11844	
189.00	191.00	2.00	11846	
191.00	193.00	2.00	11847	
193.00	195.00	2.00	11848	
195.00	197.00	2.00	11849	
197.00	199.00	2.00	11852	
199.00	201.00	2.00	11853	
201.00	203.00	2.00	11854	
203.00	205.00	2.00	11855	
205.00	207.00	2.00	11856	
207.00	209.00	2.00	11857	
209.00	211.00	2.00	11858	
211.00	213.00	2.00	11859	
213.00	215.00	2.00	11861	
215.00	217.00	2.00	11862	
217.00	219.00	2.00	11863	
219.00	221.00	2.00	11864	
221.00	223.00	2.00	11866	
223.00	225.00	2.00	11867	
225.00	227.00	2.00	11868	
227.00	229.00	2.00	11869	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
229.00	231.00	2.00	11872	
231.00	233.00	2.00	11873	
233.00	235.00	2.00	11874	
235.00	237.00	2.00	11875	
237.00	239.00	2.00	11876	
239.00	241.00	2.00	11877	
241.00	243.00	2.00	11878	
243.00	245.00	2.00	11879	
245.00	247.00	2.00	11881	
247.00	249.00	2.00	11882	
249.00	251.00	2.00	11883	
251.00	253.00	2.00	11884	
253.00	255.00	2.00	11886	
255.00	257.00	2.00	11887	
257.00	259.00	2.00	11888	
259.00	261.00	2.00	11889	
261.00	263.00	2.00	11892	
263.00	265.00	2.00	11893	
265.00	267.00	2.00	11894	
267.00	269.00	2.00	11895	
269.00	271.00	2.00	11896	
271.00	273.00	2.00	11897	
273.00	275.00	2.00	11898	
275.00	277.00	2.00	11899	
277.00	279.00	2.00	11901	
279.00	281.00	2.00	11902	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
281.00	283.00	2.00	11903	
283.00	285.00	2.00	11904	
285.00	287.00	2.00	11906	
287.00	289.00	2.00	11907	
289.00	291.00	2.00	11908	
291.00	293.00	2.00	11909	
293.00	295.00	2.00	11912	
295.00	297.00	2.00	11913	
297.00	299.00	2.00	11914	
299.00	301.00	2.00	11915	
301.00	303.00	2.00	11916	
303.00	305.00	2.00	11917	
305.00	307.00	2.00	11918	
307.00	309.00	2.00	11919	
309.00	311.00	2.00	11921	
311.00	313.00	2.00	11922	
313.00	315.00	2.00	11923	
315.00	317.00	2.00	11924	
317.00	319.00	2.00	11926	
319.00	321.00	2.00	11927	
321.00	323.00	2.00	11928	
323.00	325.00	2.00	11929	
325.00	327.00	2.00	11932	
327.00	329.00	2.00	11933	
329.00	331.00	2.00	11934	
331.00	333.00	2.00	11935	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
333.00	335.00	2.00	11936	
335.00	337.00	2.00	11937	
337.00	339.00	2.00	11938	
339.00	341.00	2.00	11939	
341.00	343.00	2.00	11941	
343.00	345.00	2.00	11942	
345.00	347.00	2.00	11943	
347.00	349.00	2.00	11944	
349.00	351.00	2.00	11946	
351.00	353.00	2.00	11947	
353.00	355.00	2.00	11948	
355.00	357.00	2.00	11949	
357.00	359.00	2.00	11951	
359.00	361.00	2.00	11953	
361.00	363.00	2.00	11954	
363.00	365.00	2.00	11955	
365.00	367.00	2.00	11956	
367.00	369.00	2.00	11957	
369.00	371.00	2.00	11958	
371.00	373.00	2.00	11959	
373.00	375.00	2.00	11961	
375.00	377.00	2.00	11962	
377.00	379.00	2.00	11963	
379.00	381.00	2.00	11964	
381.00	383.00	2.00	11966	
383.00	385.00	2.00	11967	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-011**

Project: **COWTRAIL**

From (m)	*To* (m)	*Length* (m)	*Sample #*	*Comments*
385.00	387.00	2.00	11968	
387.00	389.00	2.00	11969	
389.00	391.00	2.00	11972	
391.00	393.00	2.00	11973	
393.00	395.00	2.00	11974	
395.00	397.00	2.00	11975	
397.00	399.00	2.00	11976	
399.00	401.00	2.00	11977	
401.00	403.00	2.00	11978	
403.00	404.85	1.85	11979	

QUALITY CONTROL REPORT

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Dup (OF)	Len	Pb (ppm)	Pb2 (%)	Pbol (%)	Perdas	Samp (TYPE)	tandar	Zn (ppm)	Zn2 (%)
25.00	11742	Pulp Dup 20	11743		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11743	0.00	-	-	-	-	)up 200		-	-
29.00	11745A	Fraction Dup	11745		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11745	0.00	-	-	-	-	ı Dup 1		-	-
37.00	11750	Standard		BL-9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
45.00	11755	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
51.00	11758	Field Dup	11759		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11759	0.00	-	-	-	-	ield Du		-	-
57.00	11762	Pulp Dup 20	11763		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11763	0.00	-	-	-	-	)up 200		-	-
61.00	11765A	Fraction Dup	11765		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11765	0.00	-	-	-	-	ı Dup 1		-	-
69.00	11770	Standard		bl-9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	bl-9	-	-
79.00	11775	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
83.00	11778	Field Dup	11779		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11779	0.00	-	-	-	-	ield Du		-	-
89.00	11782	Pulp Dup 20	11783		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11783	0.00	-	-	-	-	)up 200		-	-
93.00	11785A	Fraction Dup			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	ı Dup 1		-	-
101.00	11790	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-29	-	-
109.00	11795	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
115.00	11798	Pulp Dup 20	11800		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11800	0.00	-	-	-	-	)up 200		-	-
117.00	11799	Field Dup	11801		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11801	0.00	-	-	-	-	ield Du		-	-
125.00	11805	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
133.00	11810	Pulp Dup 20	11812		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11812	0.00	-	-	-	-	)up 200		-	-
135.00	11811	Field Dup	11813		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11813	0.00	-	-	-	-	ield Du		-	-
139.00	11815A	Fraction Dup	11815		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11815	0.00	-	-	-	-	ı Dup 1		-	-
147.00	11820	Standard		CMA-11A	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CMA-11	-	-
157.00	11825	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
165.00	11830	Pulp Dup 20	11832		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11832	0.00	-	-	-	-	)up 200		-	-
167.00	11831	Field Dup	11833		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11833	0.00	-	-	-	-	ield Du		-	-
171.00	11835A	Fraction Dup	11835		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11835	0.00	-	-	-	-	ı Dup 1		-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

179.00	11840	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-29	-	-
187.00	11845	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
197.00	11850	Pulp Dup 20	11852		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11852	0.00	-	-	-	-	Dup 200		-	-
199.00	11851	Field Dup	11853		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11853	0.00	-	-	-	-	ield Du		-	-
201.00	11854A	Fraction Dup	11854		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11854	0.00	-	-	-	-	n Dup 1		-	-
211.00	11860	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
219.00	11865	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
229.00	11870	Pulp Dup 20	11872		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11872	0.00	-	-	-	-	Dup 200		-	-
235.00	11875A	Fraction Dup	11875		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11875	0.00	-	-	-	-	n Dup 1		-	-
237.00	11871	Field Dup	11876		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11876	0.00	-	-	-	-	ield Du		-	-
243.00	11880	Standard		CGS-26	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-26	-	-
251.00	11885	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
261.00	11890	Pulp Dup 20	11892		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11892	0.00	-	-	-	-	Dup 200		-	-
263.00	11891	Field Dup	11893		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11893	0.00	-	-	-	-	ield Du		-	-
267.00	11895A	Fraction Dup	11895		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11895	0.00	-	-	-	-	n Dup 1		-	-
275.00	11900	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CM-11A	-	-
283.00	11905	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
293.00	11910	Pulp Dup 20	11912		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11912	0.00	-	-	-	-	Dup 200		-	-
299.00	11915A	Fraction Dup	11915		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11915	0.00	-	-	-	-	n Dup 1		-	-
303.00	11911	Field Dup	11917		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11917	0.00	-	-	-	-	ield Du		-	-
307.00	11920	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-29	-	-
315.00	11925	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
325.00	11930	Fraction Dup	11932		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11932	0.00	-	-	-	-	n Dup 1		-	-
331.00	11945A	Pulp Dup 20	11945		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11945	0.00	-	-	-	-	Dup 200		-	-
337.00	11931	Field Dup	11938		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11938	0.00	-	-	-	-	ield Du		-	-
339.00	11940	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
347.00	11945	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
351.00	11952				Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-			-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-011** Project: **COWTRAIL** Project Number: **003**

357.00	11950	Fraction Dup	11951		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11951	0.00	-	-	-	-	ı Dup 1	-	-
363.00	11955A	Pulp Dup 20			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	ɒup 200	-	-
371.00	11960	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	ʇandarƆM-11A	-	-
381.00	11965	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
389.00	11970	Pulp Dup 20	11972		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11972	0.00	-	-	-	-	ɒup 200	-	-
393.00	11971	Field Dup	11974		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11974	0.00	-	-	-	-	ield Du	-	-
395.00	11975A	Fraction Dup	11975		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11975	0.00	-	-	-	-	ı Dup 1	-	-

Hole	CT-2011-011							
Date	Nov-17-2011							
Geotech	Steffi							
From	**To**	**Interval**	**Recovery**	**Rec %**	**RQD**	**RQD%**	**Fractures**	**Hardness**
21.35	23.8	2.45	2.45	100.00	1.15	46.94	45	4
23.8	26.85	3.05	3.05	100.00	1.69	55.41	38	4
26.85	29.9	3.05	3.05	100.00	0.73	23.93	70	4
29.9	32.9	3	3	100.00	1.13	37.67	40	4
32.9	35.95	3.05	3.05	100.00	1.85	60.66	24	4
35.95	39	3.05	3.05	100.00	2.15	70.49	25	4
39	42.05	3.05	3.05	100.00	1.8	59.02	34	5
42.05	45.1	3.05	3	98.36	0.9	30.00	55	5
45.1	48.15	3.05	3.05	100.00	0.84	27.54	60	5
48.15	51.2	3.05	3.05	100.00	1.65	54.10	36	5
51.2	54.25	3.05	3.05	100.00	1.61	52.79	37	5
54.25	57.3	3.05	2.9	95.08	1.37	47.24	99	5
57.3	60.35	3.05	3.05	100.00	2.41	79.02	26	4
60.35	63.4	3.05	3.05	100.00	2.5	81.97	19	5
63.4	66.45	3.05	3.05	100.00	2.12	69.51	37	5
66.45	69.5	3.05	3.05	100.00	1.98	64.92	26	4
69.5	72.55	3.05	3.05	100.00	1.74	57.05	99	4
72.55	75.6	3.05	2.9	95.08	2.28	78.62	21	5
75.6	78.65	3.05	3	98.36	2.2	73.33	48	5
78.65	81.7	3.05	3.05	100.00	1.78	58.36	60	5
81.7	84.75	3.05	3.05	100.00	2.07	67.87	35	5
84.75	87.8	3.05	3	98.36	2.16	72.00	27	5
87.8	90.85	3.05	3	98.36	1.23	41.00	100	5
90.85	93.9	3.05	3.05	100.00	1.73	56.72	34	5
93.9	96.95	3.05	3.05	100.00	0.71	23.28	100	5
96.95	100	3.05	3.05	100.00	0.53	17.38	80	4
100	103.05	3.05	2.75	90.16	0.98	35.64	>100	4
103.05	106.1	3.05	2.6	85.25	0.75	28.85	100	4
106.1	109.15	3.05	2.65	86.89	0.16	6.04	>100	4
109.15	112.2	3.05	2.9	95.08	0.45	15.52	80	4
112.2	115.25	3.05	1.8	59.02	0.4	22.22	>100	4
115.25	118.3	3.05	2.35	77.05	0	0.00	>100	4
118.3	121.35	3.05	2.55	83.61	0.38	14.90	80	4
121.35	124.4	3.05	2.85	93.44	1.73	60.70	60	5
124.4	127.45	3.05	3.05	100.00	2.18	71.48	50	5
127.45	130.45	3	2.65	88.33	0.7	26.42	90	5
130.45	133.5	3.05	2.94	96.39	1.9	64.63	30	4
133.5	136.55	3.05	2.96	97.05	1.38	46.62	80	4
136.55	139.6	3.05	2.97	97.38	1.23	41.41	90	4
139.6	142.65	3.05	2.87	94.10	1.73	60.28	90	5
142.65	145.7	3.05	2.9	95.08	1.51	52.07	60	4
145.7	148.75	3.05	3	98.36	1.73	57.67	35	5
148.75	151.8	3.05	2.85	93.44	1.4	49.12	80	5
151.8	154.85	3.05	2.88	94.43	0.45	15.63	100	5
154.85	157.9	3.05	2.25	73.77	0.57	25.33	100	5
157.9	160.95	3.05	2.88	94.43	1.25	43.40	80	5
160.95	164	3.05	2.98	97.70	2.16	72.48	25	4
164	167.05	3.05	2.92	95.74	1.48	50.68	80	4
167.05	170.1	3.05	2.67	87.54	1.46	54.68	100	4
170.1	173.15	3.05	3.03	99.34	1.01	33.33	65	4
173.15	176.2	3.05	2.76	90.49	2.01	72.83	50	5
176.2	179.25	3.05	2.5	81.97	1.05	42.00	100	4
179.25	182.3	3.05	2.65	86.89	0.43	16.23	100	5
182.3	185.35	3.05	2.95	96.72	1.52	51.53	100	5
185.35	188.4	3.05	2.98	97.70	2.53	84.90	23	5

188.4	191.45	3.05	3	98.36	1.88	62.67	35	5
191.45	194.5	3.05	2.92	95.74	2.04	69.86	30	5
194.5	197.55	3.05	2.85	93.44	1.93	67.72	70	5
197.55	200.6	3.05	2.99	98.03	2.16	72.24	40	5
200.6	203.65	3.05	3.05	100.00	2.39	78.36	15	4
203.65	206.7	3.05	3	98.36	1.35	45.00	80	4
206.7	209.75	3.05	2.94	96.39	1.18	40.14	80	4
209.75	212.8	3.05	2.72	89.18	1.15	42.28	60	4
212.8	215.85	3.05	2.94	96.39	1.58	53.74	65	4
215.85	218.9	3.05	2.96	97.05	1.75	59.12	50	4
218.9	221.95	3.05	2.98	97.70	1.34	44.97	55	5
221.95	225	3.05	2.84	93.11	1.33	46.83	50	5
225	228.05	3.05	2.85	93.44	0.92	32.28	100	4
228.05	231.05	3	2.88	96.00	0.97	33.68	100	5
231.05	234.1	3.05	2.92	95.74	1.55	53.08	65	4
234.1	237.15	3.05	2.91	95.41	1.73	59.45	55	4
237.15	240.2	3.05	2.77	90.82	1.36	49.10	100	4
240.2	243.25	3.05	3	98.36	2.12	70.67	25	5
243.25	246.3	3.05	3	98.36	1.85	61.67	35	5
246.3	249.35	3.05	2.97	97.38	1.95	65.66	35	5
249.35	252.4	3.05	3	98.36	1.77	59.00	45	4
252.4	255.45	3.05	2.95	96.72	1.1	37.29	80	4
255.45	258.5	3.05	2.91	95.41	2.12	72.85	15	5
258.5	261.55	3.05	2.87	94.10	2.13	74.22	75	5
261.55	264.6	3.05	2.91	95.41	2.1	72.16	40	5
264.6	267.65	3.05	2.93	96.07	2.26	77.13	40	5
267.65	270.7	3.05	3.05	100.00	2.28	74.75	18	5
270.7	273.75	3.05	3	98.36	2	66.67	65	5
273.75	276.8	3.05	2.76	90.49	2.1	76.09	50	5
276.8	279.85	3.05	3	98.36	1.77	59.00	30	4
279.85	282.9	3.05	2.95	96.72	2.02	68.47	45	4
282.9	285.95	3.05	3	98.36	2.3	76.67	20	5
285.95	289	3.05	2.78	91.15	1.53	55.04	80	4
289	292.05	3.05	2.52	82.62	0.82	32.54	100	5
292.05	295.1	3.05	2.29	75.08	0.67	29.26	100	4
295.1	298.15	3.05	2.88	94.43	0.34	11.81	100	4
298.15	301.2	3.05	2.63	86.23	0.86	32.70	100	4
301.2	304.25	3.05	2.5	81.97	1	40.00	100	5
304.25	307.3	3.05	2.85	93.44	0.76	26.67	100	5
307.3	310.35	3.05	2.95	96.72	1.55	52.54	55	5
310.35	313.4	3.05	2.76	90.49	1.35	48.91	60	5
313.4	316.45	3.05	2.68	87.87	1.1	41.04	100	5
316.45	319.5	3.05	2.55	83.61	0.75	29.41	100	5
319.5	322.55	3.05	2.6	85.25	0.75	28.85	100	5
322.55	325.6	3.05	2.5	81.97	0.55	22.00	100	5
325.6	328.65	3.05	2.93	96.07	1.52	51.88	45	5
328.65	331.65	3	3.02	100.67	2.31	76.49	25	5
331.65	334.7	3.05	2.93	96.07	1.57	53.58	25	5
334.7	337.75	3.05	2.97	97.38	1.67	56.23	20	5
337.75	340.8	3.05	2.9	95.08	1.96	67.59	35	5
340.8	343.85	3.05	2.84	93.11	0.98	34.51	60	5
343.85	346.9	3.05	2.7	88.52	0.36	13.33	100	4
346.9	349.95	3.05	2.72	89.18	0.3	11.03	100	4
349.95	353	3.05	2.9	95.08	1.98	68.28	16	5
353	356.05	3.05	2.92	95.74	1.4	47.95	65	4
356.05	359.1	3.05	3	98.36	2.34	78.00	21	5
359.1	362.15	3.05	3.05	100.00	1.66	54.43	35	5
362.15	365.2	3.05	2.76	90.49	0.36	13.04	100	5
365.2	368.25	3.05	2.74	89.84	1.36	49.64	75	5

368.25	371.3	3.05	3.03	99.34	1.8	59.41	40	5
371.3	374.35	3.05	2.89	94.75	0.27	9.34	70	4
374.35	377.4	3.05	3	98.36	1.24	41.33	45	5
377.4	380.45	3.05	3	98.36	1.34	44.67	55	5
380.45	383.5	3.05	3.05	100.00	1.2	39.34	50	5
383.5	386.55	3.05	3.05	100.00	1.22	40.00	50	5
386.55	389.6	3.05	2.92	95.74	1.67	57.19	65	5
389.6	392.65	3.05	2.98	97.70	1.31	43.96	80	5
392.65	395.7	3.05	3.05	100.00	0.7	22.95	80	4
395.7	398.75	3.05	3.05	100.00	0.61	20.00	100	3
398.75	401.8	3.05	3.05	100.00	0.65	21.31	80	4
401.8	404.85	3.05	3.05	100.00	1.67	54.75	40	5
404.85	EOH							

DRILL HOLE REPORT

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Drilling
Azimuth: 55
Dip: -45
Length: 413.7
Started: 21-Nov-11
Completed: 27-Nov-11
Logged: 13-Dec-11
Comment:

Casing
Length: 0
Pulled:
Capped:
Cemented:

Core
Dimension: NQ
Storage: Warehouse -
Section:
Hole Type

Location
Township: HORSEFLY,
Claim No.:
NTS:
Hole: SURFACE

Other
Logged by: Nesha Newburn
Relog by:
Contractor: Hardrock Diamond Drilling
Spotted by: Catherine Banfield
Surveyed:
Surveyed by:
Geophysics:
Geophysic Contractor:
Left in hole:
Making water:
Multi shot survey: yes

Coordinate - Gemcom
East: 0
North: 0
Elev.: 0

Coordinate - UTM
East: 610326
North: 580989
Elev.: 0
Zone: 10 **NAD:** NAD83

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	55.00	-45.00	C	☑	

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
0.00	27.45	**CAS**	***Casing***									
27.45	165.80	**BSLT**	***Altered Sil Basalt***	11981	27.45	29.00	1.55		-	-	-	-
				11982	29.00	31.00	2.00		-	-	-	-
				11983	31.00	33.00	2.00		-	-	-	-
				11984	33.00	35.00	2.00		-	-	-	-
				11986	35.00	37.00	2.00		-	-	-	-
				11987	37.00	39.00	2.00		-	-	-	-
				11988	39.00	41.00	2.00		-	-	-	-
				11989	41.00	43.00	2.00		-	-	-	-
				11992	43.00	45.00	2.00		-	-	-	-
				11993	45.00	47.00	2.00		-	-	-	-
				11994	47.00	49.00	2.00		-	-	-	-
				11995	49.00	51.00	2.00		-	-	-	-
				11996	51.00	53.00	2.00		-	-	-	-
				11997	53.00	55.00	2.00		-	-	-	-
				11998	55.00	57.00	2.00		-	-	-	-
				11999	57.00	59.00	2.00		-	-	-	-
				12301	59.00	61.00	2.00		-	-	-	-
				12302	61.00	63.00	2.00		-	-	-	-
				12303	63.00	65.00	2.00		-	-	-	-
				12304	65.00	67.00	2.00		-	-	-	-
				12306	67.00	69.00	2.00		-	-	-	-

Unit is grey, variably dark green to black and white speckled, fine grained basalt with a sugary texture and a beige over tone. Core is highly fragmented and brittle. Speckles are likely chlorite altered amphiboles described in previous hole, 11, but are anhedral/amorphose in shape, not lathes nor oriented; and subhedral to anhedral plagioclase. QC veins are seen throughout but are sparce, they appear to be in part fracture fill but also cross cut; seen at all angles to CA, whispy to 5mm wide. Disseminated pyrite throughout 1-2%, up to 3-5% locally, decreases down hole, rare clots seen associated with brecciation/ lithified fragmental and vein associated increases down hole. Lower contact is gradational.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
27.45 - 165.80	SILI P MS	buff-beige
27.45 - 165.80	QZCB VN WM	

Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***
27.45 - 165.80	PY VN 0.5	associated with fracture fill and veining
27.45 - 165.80	PY DIS 1.5	up to 3-5% locally

Structure Maj.:	***Type/Core Angle***	***Comment***
39.07 - 39.65	BX 45	possible weakly lithified fragmental
47.45 - 47.70	BX	possible weakly lithified fragmental
49.10 - 49.35	G	10cm
49.10 - 49.35	BX	possible weakly lithified fragmental
60.50 - 61.40	G	weak
60.50 - 61.40	BX	weakly lithified fragmental
66.70 - 67.60	BX	weakly lithified fragmental
98.74 - 99.00	BX	weakly lithified fragmental

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology		
	133.85 - 135.75	BC		
	138.50 - 144.95	G	20% of core	
	138.50 - 144.95	BC		
	146.60 - 151.10	G	5% of core	
	146.60 - 151.10	BC		
	161.10 - 165.25	G	10% of core	
	161.10 - 165.25	BC		
	Texture Maj:	***Type***	***Comment***	
	27.45 - 165.80	EQUI		

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
12307	69.00	71.00	2.00		-	-	-	-
12308	71.00	73.00	2.00		-	-	-	-
12309	73.00	75.00	2.00		-	-	-	-
12312	75.00	77.00	2.00		-	-	-	-
12313	77.00	79.00	2.00		-	-	-	-
12314	79.00	81.00	2.00		-	-	-	-
12315	81.00	83.00	2.00		-	-	-	-
12316	83.00	85.00	2.00		-	-	-	-
12317	85.00	87.00	2.00		-	-	-	-
12318	87.00	89.00	2.00		-	-	-	-
12319	89.00	91.00	2.00		-	-	-	-
12321	91.00	93.00	2.00		-	-	-	-
12322	93.00	95.00	2.00		-	-	-	-
12323	95.00	97.00	2.00		-	-	-	-
12324	97.00	99.00	2.00		-	-	-	-
12326	99.00	101.00	2.00		-	-	-	-
12327	101.00	103.00	2.00		-	-	-	-
12328	103.00	105.00	2.00		-	-	-	-
12329	105.00	107.00	2.00		-	-	-	-
12332	107.00	109.00	2.00		-	-	-	-
12333	109.00	111.00	2.00		-	-	-	-
12334	111.00	113.00	2.00		-	-	-	-
12335	113.00	115.00	2.00		-	-	-	-
12336	115.00	117.00	2.00		-	-	-	-
12337	117.00	119.00	2.00		-	-	-	-
12338	119.00	121.00	2.00		-	-	-	-
12339	121.00	123.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			12341	123.00	125.00	2.00		-	-	-	-
			12342	125.00	127.00	2.00		-	-	-	-
			12343	127.00	129.00	2.00		-	-	-	-
			12344	129.00	131.00	2.00		-	-	-	-
			12346	131.00	133.00	2.00		-	-	-	-
			12347	133.00	135.00	2.00		-	-	-	-
			12348	135.00	137.00	2.00		-	-	-	-
			12349	137.00	139.00	2.00		-	-	-	-
			12252	139.00	141.00	2.00		-	-	-	-
			12253	141.00	143.00	2.00		-	-	-	-
			12254	143.00	145.00	2.00		-	-	-	-
			12255	145.00	147.00	2.00		-	-	-	-
			12256	147.00	149.00	2.00		-	-	-	-
			12257	149.00	151.00	2.00		-	-	-	-
			12258	151.00	153.00	2.00		-	-	-	-
			12259	153.00	155.00	2.00		-	-	-	-
			12261	155.00	157.00	2.00		-	-	-	-
			12262	157.00	159.00	2.00		-	-	-	-
			12263	159.00	161.00	2.00		-	-	-	-
			12264	161.00	163.00	2.00		-	-	-	-
			12266	163.00	165.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
165.80	211.80	**BSLT** ***Altered Chl Basalt***

Unit is a strongly chlorite altered basalt. Dark green-gray in colour, patchy alteration paterns may be due to reminant fragments. Speckles described above persist but transition to dark green altered ol as seen in hole 11. Weak-moderate and patchy silicification and buff-beige colouration persists to 172.20m. Chl rich areas of core are highly friable and gouge-y in appearance; highlighted in structure. Pyrite persists as well but is more strongly fracture/vein controlled; 2-3% up to 7% locally. Large clot of 2-3mm pyrite crystals at 175.35 are associated with infilled/lithified brecciation. Q+/-C veins throughout at all angled to CA, whispy up to 5mm wide, two main sets are visable at ~10 & 50 to CA; quartz dominates largest veins. Lower contact is gradational.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
165.80 - 211.80	CHL P M	
165.80 - 211.80	Carb VN W	
165.80 - 211.80	Qtz VN M	whispy to 5mm wide, weak carbonate associated as well as hematite staining. Dominantly 10 & 50 to CA.

Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***
165.80 - 211.80	PY FF 1	mineralization is associated with breciation, fractures and veining
165.80 - 211.80	PY DIS 2	

Structure Maj.:	***Type/Core Angle***	***Comment***
167.15 - 167.38	SHR	
167.15 - 167.38	G	chlorite rich
172.20 - 173.73	BC	
172.20 - 173.73	SHR	
172.20 - 173.73	G	chlorite rich
173.73 - 178.55	BC	
173.73 - 178.55	VN 10	quartz +/- carbonate, with hematite alteration

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
12267	165.00	167.00	2.00		-	-	-	-
12268	167.00	169.00	2.00		-	-	-	-
12269	169.00	171.00	2.00		-	-	-	-
12272	171.00	173.00	2.00		-	-	-	-
12273	173.00	175.00	2.00		-	-	-	-
12274	175.00	177.00	2.00		-	-	-	-
12275	177.00	179.00	2.00		-	-	-	-
12276	179.00	181.00	2.00		-	-	-	-
12277	181.00	183.00	2.00		-	-	-	-
12278	183.00	185.00	2.00		-	-	-	-
12279	185.00	187.00	2.00		-	-	-	-
12281	187.00	189.00	2.00		-	-	-	-
12282	189.00	191.00	2.00		-	-	-	-
12283	191.00	193.00	2.00		-	-	-	-
12284	193.00	195.00	2.00		-	-	-	-
12286	195.00	197.00	2.00		-	-	-	-
12287	197.00	199.00	2.00		-	-	-	-
12288	199.00	201.00	2.00		-	-	-	-
12289	201.00	203.00	2.00		-	-	-	-
12292	203.00	205.00	2.00		-	-	-	-
12293	205.00	207.00	2.00		-	-	-	-
12294	207.00	209.00	2.00		-	-	-	-
12295	209.00	211.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
211.80	281.33	**BSLT** ***Altered Sil Hem Basalt***

Unit is similar to previous silicified basalt with increased hematization; dark grey and speckled black as previously seen with an over all red-brown over tone. Silicification is variable and fades in and out with intensity. Pyrite mineralization continutes and is increasingly fracture and vein associated; 1-2mm cubes, 3%. The whole unit has an over all brecciated/fragmented look due to criss-crossing QC veins, flecks and slight displacement of host rock fragments. Veins are seen at all angles, but have a consistent set at 30 to CA; areas of strong consistency are highllighted in minor structure. Hematization seen in both host rock as red-brown alteration and in veins as orange & burgandy coloured alteration. Lower contact is sharp.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
211.80 - 281.33	QZCB VN WM	
211.80 - 281.33	HE P M	fades in and out, red-brown colouration
211.80 - 281.33	SILI PCH M	

Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***
211.80 - 281.33	PY F 2.5	1-2mm cubes
211.80 - 281.33	PY DIS 0.5	

Texture Maj:	***Type***	***Comment***
211.80 - 281.33	IE	
211.80 - 281.33	HETR	
211.80 - 281.33	FRAG	
211.80 - 281.33	BX	in appearance

Minor Interval:

227.70 233.80 BSLT *Sil Basalt*

As described in major unit, with large 5cm amorphous clots of, white to pale orange, hematized quartz-carbonate. Locally the clots give the core a fractured and brecciated look. Pyrite mineralization is strongly associated with clots, but is also disseminated within host rocks.

Alteration Min:	***Type/Style/Intensity***	***Comment***
227.70 - 233.80	SILI PD MS	hematized, orange in colour

Mineralization Min:	***Type/Style/%Mineral***	***Comment***

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
12296	211.00	213.00	2.00		-	-	-	-
12297	213.00	215.00	2.00		-	-	-	-
12298	215.00	217.00	2.00		-	-	-	-
12299	217.00	219.00	2.00		-	-	-	-
98401	219.00	221.00	2.00		-	-	-	-
98402	221.00	223.00	2.00		-	-	-	-
98403	223.00	225.00	2.00		-	-	-	-
98404	225.00	227.00	2.00		-	-	-	-
98406	227.00	229.00	2.00		-	-	-	-
98407	229.00	231.00	2.00		-	-	-	-
98408	231.00	233.00	2.00		-	-	-	-
98409	233.00	235.00	2.00		-	-	-	-
98412	235.00	237.00	2.00		-	-	-	-
98413	237.00	239.00	2.00		-	-	-	-
98414	239.00	241.00	2.00		-	-	-	-
98415	241.00	243.00	2.00		-	-	-	-
98416	243.00	245.00	2.00		-	-	-	-
98417	245.00	247.00	2.00		-	-	-	-
98418	247.00	249.00	2.00		-	-	-	-
98419	249.00	251.00	2.00		-	-	-	-
98421	251.00	253.00	2.00		-	-	-	-
98422	253.00	255.00	2.00		-	-	-	-
98423	255.00	257.00	2.00		-	-	-	-
98424	257.00	259.00	2.00		-	-	-	-
98426	259.00	261.00	2.00		-	-	-	-
98427	261.00	263.00	2.00		-	-	-	-
98428	263.00	265.00	2.00		-	-	-	-

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		227.70 - 233.80 PY BL 3	98429	265.00	267.00	2.00		-	-	-	-
		227.70 - 233.80 PY DIS 1	98432	267.00	269.00	2.00		-	-	-	-
		Minor Interval:	98433	269.00	271.00	2.00		-	-	-	-
		241.30 241.35 ARG *argillite mudstone*	98434	271.00	273.00	2.00		-	-	-	-
		Possible mudstone, contains 1-2mm clasts of host rock.	98435	273.00	275.00	2.00		-	-	-	-
		Structure Min.: ***Type/Core Angle*** ***Comment***	98436	275.00	277.00	2.00		-	-	-	-
		241.30 - 241.35 BD 45	98437	277.00	279.00	2.00		-	-	-	-
			98438	279.00	281.00	2.00		-	-	-	-
281.33	401.50	**BSLT** ***Altered Chl Basalt***	98439	281.00	283.00	2.00		-	-	-	-
		Unit is a strongly chlorite altered basalt, as previously described. Dark green-gray in colour, heavily chloritized, weakly epidotized & serpentinized, patchy vague alteration paterns may be due to reminant fragments. Patchy weak silicification and buff-beige seen in small intervals. Unit is highly fractured, broken core, RQDs of ~zero down to 332m. Pyrite persists, 1% over all - decreases down hole, vein/fractured controlled and disseminated.Q+/-C veins and blebs throughout at all angled to CA, whispy up to 5mm wide, 2%. Appearance of mafic mudstones below 350, highlighted in minor lithology. EOH	98441	283.00	285.00	2.00		-	-	-	-
			98442	285.00	287.00	2.00		-	-	-	-
			98443	287.00	289.00	2.00		-	-	-	-
			98444	289.00	291.00	2.00		-	-	-	-
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***	98446	291.00	293.00	2.00		-	-	-	-
		281.33 - 401.50 EP PCH W TRACE	98447	293.00	295.00	2.00		-	-	-	-
		281.33 - 401.50 HE PCH W	98448	295.00	297.00	2.00		-	-	-	-
		281.33 - 401.50 SERP P WM	98449	297.00	299.00	2.00		-	-	-	-
		281.33 - 401.50 CHL P M	98452	299.00	301.00	2.00		-	-	-	-
			98453	301.00	303.00	2.00		-	-	-	-
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***	98454	303.00	305.00	2.00		-	-	-	-
		281.33 - 330.00 PY F 1	98455	305.00	307.00	2.00		-	-	-	-
		281.33 - 330.00 PY DIS 1	98456	307.00	309.00	2.00		-	-	-	-
		330.00 - 401.50 PY DIS 0.01 trace	98457	309.00	311.00	2.00		-	-	-	-
		Structure Maj.: ***Type/Core Angle*** ***Comment***	98458	311.00	313.00	2.00		-	-	-	-
		281.33 - 281.34 LC 40 sharp	98459	313.00	315.00	2.00		-	-	-	-
		311.85 - 311.95 G weakly lithified	98461	315.00	317.00	2.00		-	-	-	-
		313.95 - 314.25 BX only weakly lithified	98462	317.00	319.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
	313.95 - 314.25	G
	320.90 - 321.15	BX only weakly lithified
	320.90 - 321.15	G
	335.35 - 335.90	BX weakly lithified
	335.35 - 335.90	G
	Texture Maj:	***Type*** ***Comment***
	281.33 - 401.50	HETR
	Minor Interval:	
	345.70 348.15	BSLT *Altered Fragmental Basalt*
		Sub-unit grades from obvious fragmental with rounded clasts to a moderately lithified breccia.
	Alteration Min:	***Type/Style/Intensity*** ***Comment***
	347.85 - 348.15	GAR Dis W 2-3mm deep red-dark grey, possible garnets, associated with LC
	Structure Min.:	***Type/Core Angle*** ***Comment***
	345.70 - 347.85	BX
	347.85 - 348.15	LC 45 highly chl, serp & hematized.

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
98463	319.00	321.00	2.00		-	-	-	-
98464	321.00	323.00	2.00		-	-	-	-
98466	323.00	325.00	2.00		-	-	-	-
98467	325.00	327.00	2.00		-	-	-	-
98468	327.00	329.00	2.00		-	-	-	-
98469	329.00	331.00	2.00		-	-	-	-
98472	331.00	333.00	2.00		-	-	-	-
98473	333.00	335.00	2.00		-	-	-	-
98474	335.00	337.00	2.00		-	-	-	-
98475	337.00	339.00	2.00		-	-	-	-
98476	339.00	341.00	2.00		-	-	-	-
98477	341.00	343.00	2.00		-	-	-	-
98478	343.00	345.00	2.00		-	-	-	-
98479	345.00	347.00	2.00		-	-	-	-
98481	347.00	349.00	2.00		-	-	-	-
98482	349.00	351.00	2.00		-	-	-	-
98483	351.00	353.00	2.00		-	-	-	-
98484	353.00	355.00	2.00		-	-	-	-
98486	355.00	357.00	2.00		-	-	-	-
98487	357.00	359.00	2.00		-	-	-	-
98488	359.00	361.00	2.00		-	-	-	-
98489	361.00	363.00	2.00		-	-	-	-
98492	363.00	365.00	2.00		-	-	-	-
98493	365.00	367.00	2.00		-	-	-	-
98494	367.00	369.00	2.00		-	-	-	-
98495	369.00	371.00	2.00		-	-	-	-
98496	371.00	373.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
		Minor Interval:
		349.50 358.56 MDS *Serp Mafic Mudstone*
		Unit is ultra-fined grained, dark grey-green and moderately to strongly serpentinized. Core is competant for the most part, but in places is fractured in convoluted pseudo-concoidal patterns and highly friable.
		Alteration Min: ***Type/Style/Intensity*** ***Comment***
		349.50 - 358.56 CHL P W
		349.50 - 358.56 SERP P MS
		Structure Min.: ***Type/Core Angle*** ***Comment***
		349.50 - 350.40 UC gradational over ~1m, contact unclear
		358.55 - 358.56 LC 35 sharp
		Texture Min: ***Type*** ***Comment***
		349.50 - 358.56 APH

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
98497	373.00	375.00	2.00		-	-	-	-
98498	375.00	377.00	2.00		-	-	-	-
98499	377.00	379.00	2.00		-	-	-	-
98501	379.00	381.00	2.00		-	-	-	-
98502	381.00	383.00	2.00		-	-	-	-
98503	383.00	385.00	2.00		-	-	-	-
98504	385.00	387.00	2.00		-	-	-	-
98596	387.00	389.00	2.00		-	-	-	-
98507	389.00	391.00	2.00		-	-	-	-
98508	391.00	393.00	2.00		-	-	-	-
98509	393.00	395.00	2.00		-	-	-	-
98512	395.00	397.00	2.00		-	-	-	-
98513	397.00	399.00	2.00		-	-	-	-
98514	399.00	400.25	1.25		-	-	-	-
98515	400.25	401.50	1.25		-	-	-	-

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
27.45	29.00	1.55	11981	
29.00	31.00	2.00	11982	
31.00	33.00	2.00	11983	
33.00	35.00	2.00	11984	
35.00	37.00	2.00	11986	
37.00	39.00	2.00	11987	
39.00	41.00	2.00	11988	
41.00	43.00	2.00	11989	
43.00	45.00	2.00	11992	
45.00	47.00	2.00	11993	
47.00	49.00	2.00	11994	
49.00	51.00	2.00	11995	
51.00	53.00	2.00	11996	
53.00	55.00	2.00	11997	
55.00	57.00	2.00	11998	
57.00	59.00	2.00	11999	
59.00	61.00	2.00	12301	
61.00	63.00	2.00	12302	
63.00	65.00	2.00	12303	
65.00	67.00	2.00	12304	
67.00	69.00	2.00	12306	
69.00	71.00	2.00	12307	
71.00	73.00	2.00	12308	
73.00	75.00	2.00	12309	
75.00	77.00	2.00	12312	
77.00	79.00	2.00	12313	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
79.00	81.00	2.00	12314	
81.00	83.00	2.00	12315	
83.00	85.00	2.00	12316	
85.00	87.00	2.00	12317	
87.00	89.00	2.00	12318	
89.00	91.00	2.00	12319	
91.00	93.00	2.00	12321	
93.00	95.00	2.00	12322	
95.00	97.00	2.00	12323	
97.00	99.00	2.00	12324	
99.00	101.00	2.00	12326	
101.00	103.00	2.00	12327	
103.00	105.00	2.00	12328	
105.00	107.00	2.00	12329	
107.00	109.00	2.00	12332	
109.00	111.00	2.00	12333	
111.00	113.00	2.00	12334	
113.00	115.00	2.00	12335	
115.00	117.00	2.00	12336	
117.00	119.00	2.00	12337	
119.00	121.00	2.00	12338	
121.00	123.00	2.00	12339	
123.00	125.00	2.00	12341	
125.00	127.00	2.00	12342	
127.00	129.00	2.00	12343	
129.00	131.00	2.00	12344	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
131.00	133.00	2.00	12346	
133.00	135.00	2.00	12347	
135.00	137.00	2.00	12348	
137.00	139.00	2.00	12349	
139.00	141.00	2.00	12252	
141.00	143.00	2.00	12253	
143.00	145.00	2.00	12254	
145.00	147.00	2.00	12255	
147.00	149.00	2.00	12256	
149.00	151.00	2.00	12257	
151.00	153.00	2.00	12258	
153.00	155.00	2.00	12259	
155.00	157.00	2.00	12261	
157.00	159.00	2.00	12262	
159.00	161.00	2.00	12263	
161.00	163.00	2.00	12264	
163.00	165.00	2.00	12266	
165.00	167.00	2.00	12267	
167.00	169.00	2.00	12268	
169.00	171.00	2.00	12269	
171.00	173.00	2.00	12272	
173.00	175.00	2.00	12273	
175.00	177.00	2.00	12274	
177.00	179.00	2.00	12275	
179.00	181.00	2.00	12276	
181.00	183.00	2.00	12277	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
183.00	185.00	2.00	12278	
185.00	187.00	2.00	12279	
187.00	189.00	2.00	12281	
189.00	191.00	2.00	12282	
191.00	193.00	2.00	12283	
193.00	195.00	2.00	12284	
195.00	197.00	2.00	12286	
197.00	199.00	2.00	12287	
199.00	201.00	2.00	12288	
201.00	203.00	2.00	12289	
203.00	205.00	2.00	12292	
205.00	207.00	2.00	12293	
207.00	209.00	2.00	12294	
209.00	211.00	2.00	12295	
211.00	213.00	2.00	12296	
213.00	215.00	2.00	12297	
215.00	217.00	2.00	12298	
217.00	219.00	2.00	12299	
219.00	221.00	2.00	98401	
221.00	223.00	2.00	98402	
223.00	225.00	2.00	98403	
225.00	227.00	2.00	98404	
227.00	229.00	2.00	98406	
229.00	231.00	2.00	98407	
231.00	233.00	2.00	98408	
233.00	235.00	2.00	98409	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
235.00	237.00	2.00	98412	
237.00	239.00	2.00	98413	
239.00	241.00	2.00	98414	
241.00	243.00	2.00	98415	
243.00	245.00	2.00	98416	
245.00	247.00	2.00	98417	
247.00	249.00	2.00	98418	
249.00	251.00	2.00	98419	
251.00	253.00	2.00	98421	
253.00	255.00	2.00	98422	
255.00	257.00	2.00	98423	
257.00	259.00	2.00	98424	
259.00	261.00	2.00	98426	
261.00	263.00	2.00	98427	
263.00	265.00	2.00	98428	
265.00	267.00	2.00	98429	
267.00	269.00	2.00	98432	
269.00	271.00	2.00	98433	
271.00	273.00	2.00	98434	
273.00	275.00	2.00	98435	
275.00	277.00	2.00	98436	
277.00	279.00	2.00	98437	
279.00	281.00	2.00	98438	
281.00	283.00	2.00	98439	
283.00	285.00	2.00	98441	
285.00	287.00	2.00	98442	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
287.00	289.00	2.00	98443	
289.00	291.00	2.00	98444	
291.00	293.00	2.00	98446	
293.00	295.00	2.00	98447	
295.00	297.00	2.00	98448	
297.00	299.00	2.00	98449	
299.00	301.00	2.00	98452	
301.00	303.00	2.00	98453	
303.00	305.00	2.00	98454	
305.00	307.00	2.00	98455	
307.00	309.00	2.00	98456	
309.00	311.00	2.00	98457	
311.00	313.00	2.00	98458	
313.00	315.00	2.00	98459	
315.00	317.00	2.00	98461	
317.00	319.00	2.00	98462	
319.00	321.00	2.00	98463	
321.00	323.00	2.00	98464	
323.00	325.00	2.00	98466	
325.00	327.00	2.00	98467	
327.00	329.00	2.00	98468	
329.00	331.00	2.00	98469	
331.00	333.00	2.00	98472	
333.00	335.00	2.00	98473	
335.00	337.00	2.00	98474	
337.00	339.00	2.00	98475	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
339.00	341.00	2.00	98476	
341.00	343.00	2.00	98477	
343.00	345.00	2.00	98478	
345.00	347.00	2.00	98479	
347.00	349.00	2.00	98481	
349.00	351.00	2.00	98482	
351.00	353.00	2.00	98483	
353.00	355.00	2.00	98484	
355.00	357.00	2.00	98486	
357.00	359.00	2.00	98487	
359.00	361.00	2.00	98488	
361.00	363.00	2.00	98489	
363.00	365.00	2.00	98492	
365.00	367.00	2.00	98493	
367.00	369.00	2.00	98494	
369.00	371.00	2.00	98495	
371.00	373.00	2.00	98496	
373.00	375.00	2.00	98497	
375.00	377.00	2.00	98498	
377.00	379.00	2.00	98499	
379.00	381.00	2.00	98501	
381.00	383.00	2.00	98502	
383.00	385.00	2.00	98503	
385.00	387.00	2.00	98504	
387.00	389.00	2.00	98596	
389.00	391.00	2.00	98507	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL**

From (m)	*To* (m)	*Length* (m)	*Sample #*	*Comments*
391.00	393.00	2.00	98508	
393.00	395.00	2.00	98509	
395.00	397.00	2.00	98512	
397.00	399.00	2.00	98513	
399.00	400.25	1.25	98514	
400.25	401.50	1.25	98515	EOH

FULL ANALYTICAL REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Assay Report (part 1 of 1)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Pb (ppm)	Pb2 (%)	Pbol (%)	Zn (ppm)	Zn2 (%)	Znol (%)
27.45	29.00	1.55	11981	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
29.00	31.00	2.00	11982	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
31.00	33.00	2.00	11983	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
33.00	35.00	2.00	11984	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
35.00	37.00	2.00	11986	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
37.00	39.00	2.00	11987	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
39.00	41.00	2.00	11988	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.00	43.00	2.00	11989	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
43.00	45.00	2.00	11992	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
45.00	47.00	2.00	11993	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
47.00	49.00	2.00	11994	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
49.00	51.00	2.00	11995	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
51.00	53.00	2.00	11996	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
53.00	55.00	2.00	11997	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
55.00	57.00	2.00	11998	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
57.00	59.00	2.00	11999	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
59.00	61.00	2.00	12301	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
61.00	63.00	2.00	12302	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
63.00	65.00	2.00	12303	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
65.00	67.00	2.00	12304	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
67.00	69.00	2.00	12306	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
69.00	71.00	2.00	12307	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
71.00	73.00	2.00	12308	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
73.00	75.00	2.00	12309	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
75.00	77.00	2.00	12312	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
77.00	79.00	2.00	12313	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
79.00	81.00	2.00	12314	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
81.00	83.00	2.00	12315	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
83.00	85.00	2.00	12316	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
85.00	87.00	2.00	12317	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-

FULL ANALYTICAL REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Assay Report (part 1 of 1)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Pb (ppm)	Pb2 (%)	Pbol (%)	Zn (ppm)	Zn2 (%)	Znol (%)
87.00	89.00	2.00	12318	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
89.00	91.00	2.00	12319	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
91.00	93.00	2.00	12321	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
93.00	95.00	2.00	12322	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
95.00	97.00	2.00	12323	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
97.00	99.00	2.00	12324	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
99.00	101.00	2.00	12326	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
101.00	103.00	2.00	12327	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
103.00	105.00	2.00	12328	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
105.00	107.00	2.00	12329	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
107.00	109.00	2.00	12332	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
109.00	111.00	2.00	12333	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
111.00	113.00	2.00	12334	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
113.00	115.00	2.00	12335	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
115.00	117.00	2.00	12336	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
117.00	119.00	2.00	12337	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
119.00	121.00	2.00	12338	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
121.00	123.00	2.00	12339	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
123.00	125.00	2.00	12341	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
125.00	127.00	2.00	12342	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
127.00	129.00	2.00	12343	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
129.00	131.00	2.00	12344	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
131.00	133.00	2.00	12346	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
133.00	135.00	2.00	12347	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
135.00	137.00	2.00	12348	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
137.00	139.00	2.00	12349	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
139.00	141.00	2.00	12252	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
141.00	143.00	2.00	12253	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
143.00	145.00	2.00	12254	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
145.00	147.00	2.00	12255	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-

FULL ANALYTICAL REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Assay Report (part 1 of 1)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Pb (ppm)	Pb2 (%)	Pbol (%)	Zn (ppm)	Zn2 (%)	Znol (%)
147.00	149.00	2.00	12256	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
149.00	151.00	2.00	12257	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
151.00	153.00	2.00	12258	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
153.00	155.00	2.00	12259	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
155.00	157.00	2.00	12261	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
157.00	159.00	2.00	12262	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
159.00	161.00	2.00	12263	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
161.00	163.00	2.00	12264	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
163.00	165.00	2.00	12266	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
165.00	167.00	2.00	12267	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
167.00	169.00	2.00	12268	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
169.00	171.00	2.00	12269	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
171.00	173.00	2.00	12272	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.00	175.00	2.00	12273	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
175.00	177.00	2.00	12274	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
177.00	179.00	2.00	12275	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
179.00	181.00	2.00	12276	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
181.00	183.00	2.00	12277	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
183.00	185.00	2.00	12278	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
185.00	187.00	2.00	12279	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
187.00	189.00	2.00	12281	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
189.00	191.00	2.00	12282	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
191.00	193.00	2.00	12283	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
193.00	195.00	2.00	12284	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.00	197.00	2.00	12286	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
197.00	199.00	2.00	12287	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
199.00	201.00	2.00	12288	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
201.00	203.00	2.00	12289	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
203.00	205.00	2.00	12292	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
205.00	207.00	2.00	12293	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-

FULL ANALYTICAL REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Assay Report (part 1 of 1)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Pb (ppm)	Pb2 (%)	Pbol (%)	Zn (ppm)	Zn2 (%)	Znol (%)
207.00	209.00	2.00	12294	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
209.00	211.00	2.00	12295	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.00	213.00	2.00	12296	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
213.00	215.00	2.00	12297	GEOSOL Lakefi				-	-	-	-	-	-	-	-	-	-	-	-	-	-
215.00	217.00	2.00	12298	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
217.00	219.00	2.00	12299	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
219.00	221.00	2.00	98401	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
221.00	223.00	2.00	98402	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
223.00	225.00	2.00	98403	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
225.00	227.00	2.00	98404	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
227.00	229.00	2.00	98406	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
229.00	231.00	2.00	98407	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
231.00	233.00	2.00	98408	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
233.00	235.00	2.00	98409	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
235.00	237.00	2.00	98412	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
237.00	239.00	2.00	98413	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
239.00	241.00	2.00	98414	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
241.00	243.00	2.00	98415	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
243.00	245.00	2.00	98416	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
245.00	247.00	2.00	98417	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
247.00	249.00	2.00	98418	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
249.00	251.00	2.00	98419	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
251.00	253.00	2.00	98421	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
253.00	255.00	2.00	98422	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
255.00	257.00	2.00	98423	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
257.00	259.00	2.00	98424	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.00	261.00	2.00	98426	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
261.00	263.00	2.00	98427	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
263.00	265.00	2.00	98428	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
265.00	267.00	2.00	98429	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-

FULL ANALYTICAL REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Assay Report (part 1 of 1)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Pb (ppm)	Pb2 (%)	Pbol (%)	Zn (ppm)	Zn2 (%)	Znol (%)
267.00	269.00	2.00	98432	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
269.00	271.00	2.00	98433	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
271.00	273.00	2.00	98434	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.00	275.00	2.00	98435	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
275.00	277.00	2.00	98436	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.00	279.00	2.00	98437	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.00	281.00	2.00	98438	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
281.00	283.00	2.00	98439	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
283.00	285.00	2.00	98441	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
285.00	287.00	2.00	98442	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
287.00	289.00	2.00	98443	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.00	291.00	2.00	98444	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
291.00	293.00	2.00	98446	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
293.00	295.00	2.00	98447	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.00	297.00	2.00	98448	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
297.00	299.00	2.00	98449	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
299.00	301.00	2.00	98452	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
301.00	303.00	2.00	98453	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
303.00	305.00	2.00	98454	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.00	307.00	2.00	98455	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
307.00	309.00	2.00	98456	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
309.00	311.00	2.00	98457	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
311.00	313.00	2.00	98458	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
313.00	315.00	2.00	98459	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
315.00	317.00	2.00	98461	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
317.00	319.00	2.00	98462	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
319.00	321.00	2.00	98463	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
321.00	323.00	2.00	98464	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
323.00	325.00	2.00	98466	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
325.00	327.00	2.00	98467	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-

FULL ANALYTICAL REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Assay Report (part 1 of 1)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Pb (ppm)	Pb2 (%)	Pbol (%)	Zn (ppm)	Zn2 (%)	Znol (%)
327.00	329.00	2.00	98468	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
329.00	331.00	2.00	98469	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
331.00	333.00	2.00	98472	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
333.00	335.00	2.00	98473	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
335.00	337.00	2.00	98474	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
337.00	339.00	2.00	98475	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
339.00	341.00	2.00	98476	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
341.00	343.00	2.00	98477	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
343.00	345.00	2.00	98478	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.00	347.00	2.00	98479	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
347.00	349.00	2.00	98481	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
349.00	351.00	2.00	98482	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
351.00	353.00	2.00	98483	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
353.00	355.00	2.00	98484	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
355.00	357.00	2.00	98486	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
357.00	359.00	2.00	98487	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
359.00	361.00	2.00	98488	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
361.00	363.00	2.00	98489	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
363.00	365.00	2.00	98492	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
365.00	367.00	2.00	98493	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
367.00	369.00	2.00	98494	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
369.00	371.00	2.00	98495	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
371.00	373.00	2.00	98496	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
373.00	375.00	2.00	98497	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
375.00	377.00	2.00	98498	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
377.00	379.00	2.00	98499	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
379.00	381.00	2.00	98501	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
381.00	383.00	2.00	98502	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
383.00	385.00	2.00	98503	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
385.00	387.00	2.00	98504	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-

FULL ANALYTICAL REPORT

- Assay -

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Assay Report (part 1 of 1)

From (m)	To (m)	Length (m)	Sample #	Lab	Certificate #	Date of Certificate	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Pb (ppm)	Pb2 (%)	Pbol (%)	Zn (ppm)	Zn2 (%)	Znol (%)
387.00	389.00	2.00	98596	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
389.00	391.00	2.00	98507	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
391.00	393.00	2.00	98508	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
393.00	395.00	2.00	98509	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
395.00	397.00	2.00	98512	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
397.00	399.00	2.00	98513	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
399.00	400.25	1.25	98514	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-
400.25	401.50	1.25	98515	Acme Analytical				-	-	-	-	-	-	-	-	-	-	-	-	-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Dup (OF)	Len	Pb (ppm)	Pb2 (%)	Pbol (%)	Perdas	Samp (TYPE)	tandar	Zn (ppm)	Zn2 (%)
27.45	11980	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar	CGS-29	-	-
33.00	11985	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
43.00	11990	Pulp Dup 20	11992		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11992	0.00	-	-	-	-	up 200		-	-
49.00	11991	Field Dup	11995		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11995	0.00	-	-	-	-	ield Du		-	-
51.00	11995A	Fraction Dup	11995		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11995	0.00	-	-	-	-	n Dup 1		-	-
57.00	12000	Standard		BL9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar	BL9	-	-
69.00	12305	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
75.00	12310	Pulp Dup 20	12312		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12312	0.00	-	-	-	-	up 200		-	-
77.00	12311	Field Dup	12313		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12313	0.00	-	-	-	-	ield Du		-	-
81.00	12315A	Fraction Dup	12315		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12315	0.00	-	-	-	-	n Dup 1		-	-
89.00	12320	Standard		CM-11A	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar	CM-11A	-	-
97.00	12325	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
107.00	12330	Pulp Dup 20	12332		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12332	0.00	-	-	-	-	up 200		-	-
111.00	12331	Field Dup	12334		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12334	0.00	-	-	-	-	ield Du		-	-
113.00	12335A	Fraction Dup	12335		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12335	0.00	-	-	-	-	n Dup 1		-	-
121.00	12340	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar	CGS-29	-	-
131.00	12345	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
139.00	12350	Pulp Dup 20	12252		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12252	0.00	-	-	-	-	up 200		-	-
145.00	12255A	Fraction Dup	12255		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12255	0.00	-	-	-	-	n Dup 1		-	-
152.00	12251	Field Dup	12259		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12259	0.00	-	-	-	-	ield Du		-	-
153.00	12260	Standard		CM-11A	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar	CM-11A	-	-
161.00	12265	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
171.00	12270	Fraction Dup	12272		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12272	0.00	-	-	-	-	n Dup 1		-	-
173.00	12271	Field Dup	12273		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12273	0.00	-	-	-	-	ield Du		-	-
177.00	12275A	Fraction Dup	12275		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12275	0.00	-	-	-	-	n Dup 1		-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

185.00	12280	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
193.00	12285	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
207.00	12291	Field Dup	12294		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12294	0.00	-	-	-	-	ield Du		-	-
209.00	12295A	Fraction Dup	12295		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12295	0.00	-	-	-	-	n Dup 1		-	-
217.00	12300	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-29	-	-
225.00	98405	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
235.00	98410	Pulp Dup 20	98412		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98412	0.00	-	-	-	-	Dup 200		-	-
239.00	98411	Field Dup	98414		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98414	0.00	-	-	-	-	ield Du		-	-
241.00	98415A	Fraction Dup	98415		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98415	0.00	-	-	-	-	n Dup 1		-	-
249.00	98420	Standard		CGS-26	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-26	-	-
257.00	98425	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
261.00	98431	Field Dup	98427		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98427	0.00	-	-	-	-	ield Du		-	-
267.00	98430	Pulp Dup 20	98432		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98432	0.00	-	-	-	-	Dup 200		-	-
273.00	98435A	Fraction Dup	98435		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98435	0.00	-	-	-	-	n Dup 1		-	-
281.00	98440	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CM-11A	-	-
289.00	98445	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
299.00	98450	Pulp Dup 20	98452		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98452	0.00	-	-	-	-	Dup 200		-	-
303.00	98451	Field Dup	98454		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98454	0.00	-	-	-	-	ield Du		-	-
305.00	98455A	Fraction Dup	98455		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98455	0.00	-	-	-	-	n Dup 1		-	-
313.00	98460	Standard		BL9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL9	-	-
323.00	98465	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
331.00	98470	Pulp Dup 20	98472		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98472	0.00	-	-	-	-	Dup 200		-	-
335.00	98471	Field Dup	98474		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98474	0.00	-	-	-	-	ield Du		-	-
337.00	98475A	Fraction Dup	98475		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98475	0.00	-	-	-	-	n Dup 1		-	-
345.00	98480	Standard		CM11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CM11A	-	-
353.00	98485	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
363.00	98490	Pulp Dup 20	98492		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98492	0.00	-	-	-	-	Dup 200		-	-
367.00	98491	Field Dup	98494		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98494	0.00	-	-	-	-	ield Du		-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-11A** Project: **COWTRAIL** Project Number: **003**

371.00	98495A	Fraction Dup	98495		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98495	0.00	-	-	-	-	ı Dup 1	-	-
377.00	98500	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCGS-2	-	-
387.00	98505	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
395.00	98510	Pulp Dup 20	98512		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98512	0.00	-	-	-	-	ıup 200	-	-
397.00	98511	Field Dup	98513		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98513	0.00	-	-	-	-	ield Du	-	-
400.25	98515A	Fraction Dup	98515		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98515	0.00	-	-	-	-	ı Dup 1	-	-

Hole	CT-2011-011A							
Date	Dec-14-2011							
Geotech	Steffi							
From	**To**	**Interval**	**Recovery**	**Rec %**	**RQD**	**RQD%**	**Fractures**	**Hardness**
27.45	29.55	2.1	1.6	76.19	0.24	15.00	80	4
29.55	32.6	3.05	3	98.36	0.24	8.00	100	5
32.6	35.65	3.05	3.05	100.00	0.92	30.16	40	5
35.65	38.7	3.05	2.95	96.72	1.02	34.58	80	5
38.7	41.75	3.05	3.05	100.00	1.57	51.48	68	4
41.75	44.8	3.05	3	98.36	0.71	23.67	100	4
44.8	47.85	3.05	3.05	100.00	1.35	44.26	70	5
47.85	50.9	3.05	2.76	90.49	1.57	56.88	37	4
50.9	53.95	3.05	2.95	96.72	1.52	51.53	32	4
53.95	57	3.05	3.05	100.00	0.86	28.20	100	4
57	60.05	3.05	3.05	100.00	0.91	29.84	100	4
60.05	63.1	3.05	3.05	100.00	0.77	25.25	100	4
63.1	66.15	3.05	2.8	91.80	1.4	50.00	45	4
66.15	69.2	3.05	3.05	100.00	1.76	57.70	60	4
69.2	72.25	3.05	3.05	100.00	1.24	40.66	48	5
72.25	75.3	3.05	3.02	99.02	1.49	49.34	42	4
75.3	78.35	3.05	2.8	91.80	0.76	27.14	100	4
78.35	81.4	3.05	2.9	95.08	1.43	49.31	100	4
81.4	84.45	3.05	3	98.36	1.06	35.33	80	4
84.45	87.5	3.05	3.05	100.00	1.52	49.84	67	4
87.5	90.55	3.05	2.84	93.11	1.12	39.44	70	4
90.55	93.6	3.05	2.85	93.44	1.11	38.95	45	5
93.6	96.65	3.05	3.05	100.00	0.88	28.85	100	4
96.65	99.7	3.05	2.97	97.38	1.29	43.43	70	4
99.7	102.75	3.05	3.05	100.00	1.27	41.64	100	5
102.75	105.8	3.05	2.98	97.70	1.55	52.01	55	5
105.8	108.85	3.05	3	98.36	1.1	36.67	95	5
108.85	111.9	3.05	2.99	98.03	1.67	55.85	100	5
111.9	114.95	3.05	3.05	100.00	1.53	50.16	95	5
114.95	118	3.05	3.05	100.00	2.39	78.36	23	5
118	121	3	3	100.00	1.03	34.33	40	5
121	124.05	3.05	3.05	100.00	1.79	58.69	49	5
124.05	127.1	3.05	3	98.36	1.86	62.00	30	5
127.1	130.15	3.05	3.05	100.00	1.39	45.57	55	5
130.15	133.2	3.05	3.05	100.00	1.32	43.28	40	4
133.2	136.25	3.05	2.72	89.18	0.39	14.34	100	5
136.25	139.3	3.05	3.05	100.00	0.85	27.87	100	4
139.3	142.35	3.05	2.9	95.08	0.52	17.93	100	4
142.35	145.4	3.05	2.9	95.08	0.3	10.34	100	4
145.4	148.45	3.05	2.8	91.80	0.66	23.57	100	4
148.45	151.5	3.05	3	98.36	0.35	11.67	100	4
151.5	154.55	3.05	3.05	100.00	1.65	54.10	50	4
154.55	157.6	3.05	3.05	100.00	2.38	78.03	25	5
157.6	160.65	3.05	3.05	100.00	2.12	69.51	45	5
160.65	163.7	3.05	2.9	95.08	0.19	6.55	100	4
163.7	166.75	3.05	2.2	72.13	0.27	12.27	100	4
166.75	169.8	3.05	2.9	95.08	0.84	28.97	90	4
169.8	172.85	3.05	3	98.36	0.99	33.00	100	4
172.85	175.9	3.05	2.98	97.70	0.46	15.44	100	4
175.9	178.95	3.05	3.05	100.00	0.97	31.80	100	4
178.95	182	3.05	2.58	84.59	0.25	9.69	100	4
182	185.05	3.05	2.85	93.44	1.43	50.18	100	4
185.05	188.1	3.05	3.02	99.02	1.92	63.58	25	5
188.1	191.15	3.05	3.05	100.00	2.06	67.54	38	4
191.15	194.2	3.05	3.05	100.00	1.36	44.59	45	4

194.2	197.25	3.05	2.95	96.72	1.42	48.14	30	4
197.25	200.3	3.05	3.05	100.00	0.93	30.49	50	4
200.3	203.35	3.05	3.05	100.00	1.77	58.03	60	4
203.35	206.4	3.05	3.05	100.00	1.53	50.16	50	4
206.4	209.45	3.05	2.9	95.08	1.29	44.48	50	4
209.45	212.5	3.05	3.05	100.00	1.87	61.31	45	4
212.5	215.55	3.05	3.05	100.00	2.04	66.89	30	4
215.55	218.6	3.05	2.96	97.05	1.99	67.23	25	4
218.6	221.6	3	3.05	101.67	2.06	67.54	48	4
221.6	224.65	3.05	3.05	100.00	1.93	63.28	30	5
224.65	227.7	3.05	3.05	100.00	1.48	48.52	40	4
227.7	230.75	3.05	3.05	100.00	1.85	60.66	50	4
230.75	233.8	3.05	3.05	100.00	1.59	52.13	80	4
233.8	236.85	3.05	3.05	100.00	0.87	28.52	68	4
236.85	239.9	3.05	3.05	100.00	0.91	29.84	100	4
239.9	242.95	3.05	3.05	100.00	1.66	54.43	60	4
242.95	246	3.05	3.04	99.67	2.21	72.70	50	4
246	249.05	3.05	3.05	100.00	1.27	41.64	50	5
249.05	252.1	3.05	3.05	100.00	0.37	12.13	99	5
252.1	255.15	3.05	3.05	100.00	1.37	44.92	50	5
255.15	258.2	3.05	3.05	100.00	1.2	39.34	100	5
258.2	261.25	3.05	3.05	100.00	0.75	24.59	70	5
261.25	264.3	3.05	3.05	100.00	1.46	47.87	55	5
264.3	267.35	3.05	3.05	100.00	1.26	41.31	70	5
267.35	270.4	3.05	3.05	100.00	0.68	22.30	80	5
270.4	273.45	3.05	3.05	100.00	2.69	88.20	15	5
273.45	276.5	3.05	3.05	100.00	1.44	47.21	80	5
276.5	279.55	3.05	3.05	100.00	0.69	22.62	100	4
279.55	282.6	3.05	3.05	100.00	0.36	11.80	100	5
282.6	285.65	3.05	3.05	100.00	0.63	20.66	80	4
285.65	288.7	3.05	2.9	95.08	0.1	3.45	100	4
288.7	291.75	3.05	2.25	73.77	0.34	15.11	100	3
291.75	294.8	3.05	3.05	100.00	0.47	15.41	100	4
294.8	297.85	3.05	3.05	100.00	0.35	11.48	100	4
297.85	300.9	3.05	3	98.36	0.1	3.33	100	4
300.9	303.95	3.05	2.38	78.03	0.82	34.45	100	4
303.95	307	3.05	3	98.36	0.1	3.33	100	4
307	310.05	3.05	2.98	97.70	0.15	5.03	100	4
310.05	313.1	3.05	3	98.36	0.1	3.33	100	4
313.1	316.15	3.05	2	65.57	0.1	5.00	100	4
316.15	319.2	3.05	2.7	88.52	0.82	30.37	100	4
319.2	322.2	3	3	100.00	0.56	18.67	100	4
322.2	325.25	3.05	3.05	100.00	0.36	11.80	100	4
325.25	328.3	3.05	2.53	82.95	0.32	12.65	100	4
328.3	331.35	3.05	3.05	100.00	0.26	8.52	100	5
331.35	334.4	3.05	3	98.36	0.92	30.67	100	4
334.4	337.45	3.05	2.9	95.08	0.66	22.76	100	4
337.45	340.5	3.05	2.85	93.44	0.57	20.00	70	4
340.5	343.55	3.05	3	98.36	1.04	34.67	80	3
343.55	346.6	3.05	3.05	100.00	1.21	39.67	100	3
346.6	349.63	3.03	3.05	100.66	1.02	33.44	70	3
349.63	352.7	3.07	3	97.72	0.54	18.00	100	3
352.7	355.75	3.05	3.05	100.00	0.25	8.20	100	3
355.75	358.8	3.05	3.05	100.00	1.62	53.11	100	3
358.8	361.85	3.05	3.05	100.00	2.6	85.25	23	3
361.85	364.9	3.05	3.05	100.00	2.3	75.41	25	4
364.9	367.95	3.05	3.05	100.00	1.54	50.49	40	4
367.95	371	3.05	3.05	100.00	2.72	89.18	20	4
371	374.05	3.05	3.05	100.00	1.68	55.08	40	4

374.05	377.1	3.05	3.05	100.00	0.91	29.84	50	3
377.1	380.15	3.05	3.05	100.00	0.28	9.18	80	3
380.15	383.2	3.05	3.05	100.00	1.52	49.84	50	3
383.2	386.25	3.05	3.05	100.00	1.14	37.38	50	4
386.25	389.3	3.05	3.05	100.00	1.47	48.20	40	4
389.3	392.35	3.05	2.85	93.44	0.16	5.61	100	4
392.35	395.4	3.05	3.05	100.00	1.63	53.44	50	4
395.4	398.45	3.05	2.4	78.69	1.85	77.08	25	4
398.45	401.5	3.05	3.05	100.00	1.71	56.07	85	4
EOH								

DRILL HOLE REPORT

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

Drilling
Azimuth: 55
Dip: -45
Length: 267.30m
Started: 23-Oct-11
Completed: 01-Nov-11
Logged: 02-Nov-11
Comment:

Casing
Length: 0
Pulled: no
Capped: yes
Cemented:

Core
Dimension: NQ
Storage: Warehouse -
Section: Line 2100
Hole Type DD

Location
Township: HORSEFLY,
Claim No.:
NTS:
Hole: SURFACE

Other
Logged by: Catherine B. and Graham S.
Relog by:
Contractor: Hardrock Diamond Drilling
Spotted by:
Surveyed:
Surveyed by:
Geophysics: IP
Geophysic Contractor: Aerodat
Left in hole: Casing
Making water: yes
Multi shot survey: yes

Coordinate - Gemcom
East: 0
North: 0
Elev.: 0

Coordinate - UTM
East: 609747
North: 5809327
Elev.: 0
Zone: 10 **NAD:** NAD83

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	55.00	-45.00	C	☑	
38.00	208.30	-43.50	F	☑	Mag Field 29997
92.00	47.30	-44.40	F	☑	Mag Field 63961
154.00	61.00	-45.30	F	☑	Mag Field 54294
154.00	60.00	-45.30	F	☑	Mag Field 54286

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
0.00	6.10	**CAS** ***Casing*** Casing.									
6.10	32.20	**O/B** ***Overburden*** Mixed overburden, generally altered basic rock similar to the basalt in bedrock. Occasional granitic pebbles and cobbles. Frequent rounded pebbles. Abundant sand and clay.									
32.20	135.20	**BSLT** ***Altered basalt*** Dark green to grey aphanitic basalt, with moderate to intense alteration to chlorite, epidote, calcite, pyrite (the "propylite" suite), as well as sillicic and potassic alteration. Commonly the unit appears fragmental, with 1<3cm sized subangular aphanitic clasts that appear to be of more intermediate composition. This lithology could either be a fragmental breccia with basalt matrix and 10-30% clasts of an intermediate volcanic flow or it could be that the fragments are heavily altered xenoliths of intermediate country rock. QZCB veins/veinlets are present throughout, and vary locally from common to locally abundant over 1-5m with thicknesses ranging from <mm to 1-2 cm; they are generally more intense in zones of faulting and gouge. Many of these veins cross cut one another at angles of degTCA and degTCA - on average. Small cm-scale offsets are occasionally observed along veinlets. Veins are sometimes pink in colour; this may be iron alteration (as very fine grains of hematite or ferrous calcite), or potassic alteration (as very fine grains of k-feldspar). Fracture surfaces are often chloritized and occasionally slickensided. Rare <2mm biotite and amphibole grains occur throughout, and appear to be overgrown by later propylitic alteration (chlorite, epidote, pyrite), but it is not clear whether these minerals are primary (phenocrysts) or secondary (porphyroblasts). Fault zones, marked by a high degree of chloritization, slickensides, gouging, heavy fracturing, calcite mineralization, and shearing structures, occur regularly, on a scale of 10-20m. Pyrite occurs in mm- to cm-scale blebs, 1-3mm stringers, and mm-scale grains disseminated throughout. The degree of pyrite mineralization is variable and is disseminated throughout butoverall does not appear to be directly associated with alteration, faulting/mylonitisation or veining. Sericite and graphite are occasionally visible in shear/fracture zones; these zones are orientated from 0-20deg TCA.	11351	32.20	34.20	2.00		-	-	-	-
			11352	34.20	38.20	4.00		-	-	-	-
			11353	38.20	40.20	2.00		-	-	-	-
			11354	40.20	42.20	2.00		-	-	-	-
			11355	42.20	44.20	2.00		-	-	-	-
			11356	44.20	46.20	2.00		-	-	-	-
			11357	46.20	48.20	2.00		-	-	-	-
			11358	48.20	50.20	2.00		-	-	-	-
			11359	50.20	52.20	2.00		-	-	-	-
			11361	52.20	54.20	2.00		-	-	-	-
			11362	54.20	56.20	2.00		-	-	-	-
			11363	56.20	58.20	2.00		-	-	-	-
			11364	58.20	60.20	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
		Quartz-calcite veining is moderate from 32.20 to 46.85, intensifying to strong to 48.10, in a sheared zone. Veining from 48.10 to 56.00 (within the dyke) is weak-moderate. From 56.00 to 57.00, qz-cc veining is intense. From 57.00-62.20, veining is moderate. From 62.20-63.00 veining is intense, and a strongly chloritized gouge zone occurs. Veining is strong within the dyke, then moderate from 63.55 to 78.25. From there to 84.50 cc veining is strong. Moderate veining from 84.50 to 98.60, then strong to 104.90. Moderate cc veining from 104.90-111.82m, then strong spidery veining to 116.35, with 3-5 cm blebs of pinkish cc at 114.90. The mylonite zones are strongly veined and contain cc porphyroblasts, but the undeformed dyke material is weakly veined. The altered basalt underlying the lower mylonitized zone, from 121.75 to 124.60m is weakly-moderately veined with cc, then strongly veined to 129.50, and moderately but increasingly veined to the lower contact at 135.20. Silicification is prevalent from 125.2, and especially from 130.50 to the basal contact.

Alteration Maj:	Type/Style/Intensity	Comment
35.20 - 48.10	Carb FF MS	
35.20 - 48.10	CHL FF M	
35.20 - 48.10	EP PCH W	
35.20 - 48.10	Carb VN MS	10-60deg TCA
35.20 - 48.10	CHL Dis M	
35.20 - 48.10	EP Dis WM	
35.20 - 48.10	BIO Dis W	in porphyoblasts
56.00 - 63.00	EP Dis WM	
56.00 - 63.00	EP PCH W	
56.00 - 63.00	Carb VN MS	0-90 degTCA
56.00 - 63.00	Carb FF MS	
56.00 - 63.00	CHL Dis M	
56.00 - 63.00	CHL FF M	
56.00 - 63.00	BIO Dis W	in porphyroblasts
63.55 - 116.35	EP Dis WM	
63.55 - 116.35	CHL Dis M	
63.55 - 116.35	EP PCH W	

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11366	60.20	62.20	2.00		-	-	-	-
11367	62.20	64.20	2.00		-	-	-	-
11368	64.20	66.20	2.00		-	-	-	-
11369	66.20	68.20	2.00		-	-	-	-
11371	68.20	70.20	2.00		-	-	-	-
11372	70.20	72.20	2.00		-	-	-	-
11373	72.20	74.20	2.00		-	-	-	-
11374	74.20	76.20	2.00		-	-	-	-
11375	76.20	78.20	2.00		-	-	-	-
11376	78.20	80.20	2.00		-	-	-	-
11377	80.20	82.20	2.00		-	-	-	-
11378	82.20	84.20	2.00		-	-	-	-
11379	84.20	86.20	2.00		-	-	-	-
11381	86.20	88.20	2.00		-	-	-	-
11382	88.20	90.20	2.00		-	-	-	-
11383	90.20	92.20	2.00		-	-	-	-
11384	92.20	94.20	2.00		-	-	-	-
11386	94.20	96.20	2.00		-	-	-	-
11387	96.20	98.20	2.00		-	-	-	-
11388	98.20	100.20	2.00		-	-	-	-
11389	100.20	102.20	2.00		-	-	-	-
11391	102.20	104.20	2.00		-	-	-	-
11392	104.20	106.20	2.00		-	-	-	-
11393	106.20	108.20	2.00		-	-	-	-
11394	108.20	110.20	2.00		-	-	-	-
11395	110.20	112.20	2.00		-	-	-	-
11396	112.20	114.20	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology			Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		63.55 - 116.35	Carb FF MS		11397	114.20	116.20	2.00		-	-	-	-
		63.55 - 116.35	BIO Dis W	in porphyroblasts	11398	116.20	118.20	2.00		-	-	-	-
		63.55 - 116.35	Carb VN MS	0-90 degTCA	11399	118.20	120.20	2.00		-	-	-	-
		63.55 - 116.35	CHL FF M		11401	120.20	122.20	2.00		-	-	-	-
		121.75 - 148.00	Sil B MS		11402	122.20	124.20	2.00		-	-	-	-
		121.75 - 148.00	Carb VN MS		11403	124.20	126.20	2.00		-	-	-	-
		121.75 - 148.00	CHL P S		11404	126.20	128.20	2.00		-	-	-	-
		121.75 - 148.00	K PCH W		11405	128.20	130.20	2.00		-	-	-	-
		121.75 - 148.00	EP P S		11406	130.20	132.20	2.00		-	-	-	-
		121.75 - 148.00	EP PCH M		11407	132.20	134.20	2.00		-	-	-	-
					11408	134.20	136.20	2.00		-	-	-	-
135.20	173.75	**BSLT**	***Altered basalt***		11409	136.20	138.20	2.00		-	-	-	-
		As in the altered basalt above, with a gradational upper contact that is distinguished by an increasing level of the propylitic suite of alteration over ~20-50cm. Intense alteration by chlorite and epidote, with serpentine present along fracture surfaces, primarily in conjunction with slickensides. Calcite stringers and veins are moderate to strong and range in thickness up to mm with an orientation that ranges from degTCA to degTCA. Pyrite is present in greater abundance than above - both as disseminated particles and as larger flakes concentrated in thick (<2cm) bands. These bands occasionally show alteration halos and can contain calcite. Slickensides are present throughout but are primarily concentrated at m. These are often at degTCA with surfaces that are coated with chlorite>PY with minor serpentinisation.			11411	138.20	140.20	2.00		-	-	-	-
					11412	140.20	142.20	2.00		-	-	-	-
					11413	142.20	144.20	2.00		-	-	-	-
					11414	144.20	146.20	2.00		-	-	-	-
					11416	146.20	148.20	2.00		-	-	-	-
					11417	148.20	150.20	2.00		-	-	-	-
		Alteration Maj:	***Type/Style/Intensity***	***Comment***	11418	150.20	152.20	2.00		-	-	-	-
		135.20 - 146.85	TLC FF W		11419	152.20	154.20	2.00		-	-	-	-
		135.20 - 146.85	SILI B WM	Occurs in occasional 40-80 cm zones.	11421	154.20	156.20	2.00		-	-	-	-
		135.20 - 146.85	CHL FF WM		11422	156.20	158.20	2.00		-	-	-	-
		135.20 - 146.85	SERP FF W		11423	158.20	160.20	2.00		-	-	-	-
		135.20 - 146.85	Carb VN M		11424	160.20	162.20	2.00		-	-	-	-
		135.20 - 146.85	EP Dis S		11425	162.20	164.20	2.00		-	-	-	-
		135.20 - 146.85	CHL P I		11426	164.20	166.20	2.00		-	-	-	-
					11427	166.20	168.20	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
	149.15 - 173.75	TLC FF W	11428	168.20	170.20	2.00		-	-	-	-
	149.15 - 173.75	SILI B WM	11429	170.20	172.20	2.00		-	-	-	-
	149.15 - 173.75	CHL FF WM	11431	172.20	174.20	2.00		-	-	-	-
	149.15 - 173.75	SERP FF WM									
	149.15 - 173.75	Carb VN M									
	149.15 - 173.75	EP Dis S									
	149.15 - 173.75	CHL P I									

Mineralization Maj. :	Type/Style/%Mineral	Comment
135.20 - 146.85	PY FF 1	
135.20 - 146.85	PY BL 2	
135.20 - 146.85	PY VN 2	
135.20 - 146.85	PY DIS 2	
149.15 - 173.75	PY MG 2	
149.15 - 173.75	PY FF 1	
149.15 - 173.75	PY BL 1	
149.15 - 173.75	PY VN 2	
149.15 - 173.75	PY DIS 2	

Structure Maj.:	Type/Core Angle	Comment
135.20 - 146.85	VN 90	
135.20 - 146.85	SLK 60	
135.20 - 146.85	SLK 30	
135.20 - 146.85	F 45	
135.20 - 146.85	VN 0	
135.20 - 146.85	VN 45	
149.15 - 173.75	SLK 30	
149.15 - 173.75	F 45	
149.15 - 173.75	VN 90	
149.15 - 173.75	SLK 60	

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology			Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		149.15 - 173.75	VN 0										
		149.15 - 173.75	VN 45										
		152.40 - 153.30	FLT 30	Strongly fractured and broken									
		165.40 - 167.10	FLT 0	Heavily fractured, broken, and gouged									
		165.40 - 167.10	G 0										
		172.15 - 173.75	FLT 0	Heavily fractured, broken, and gouged. Basal contact is in flt zone.									
		172.15 - 173.75	G 0										
		Texture Maj:	***Type***	***Comment***									
		135.20 - 146.85	ME										
		135.20 - 146.85	FRAG										
		135.20 - 146.85	HETR										
		135.20 - 146.85	FG										
		149.15 - 173.75	ME										
		149.15 - 173.75	FRAG										
		149.15 - 173.75	HETR										
		149.15 - 173.75	FG										
		Minor Interval:											
146.85	149.15	DIOR	*Dioritic dyke*	Similar to the above dioritic dykes, but more mafic (perhaps better termed a diabasic dyke), with increased groundmass grain size (mm-scale), an increased proportion of euhedral (octagonal) 1-3mm phenocrysts of dark green pyroxene (~90% of phenocrysts) which are altering at the rim to a whitish mineral that is not reactive with cold dilute HCl, and few to none of the carbonate porphyroblasts observed in the other dykes. The remaining 10% of the phenocrysts are 1-4mm purplish-brown elongate grains with one strong cleavage and roughly rectangular habit (these are likely a different pyroxene, or an amphibole), and rare mm-scale biotite grains (it is unclear whether they are phenocrysts or porphyroblasts). The groundmass is often weakly reactive with HCl, and appears to consist of 20% very fine dark grains (possibly hornblende), 20% black magnetite (surrounding the hornblende), 30% fine white mica (possibly sericite or phlogopite), and 30% carbonate (possibly replacing relict plagioclase laths). The										

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)

pyroxene phenocrysts are often weakly internally fractured, with apparent chlorite and sulphide on these fracture surfaces (at this fine scale it is difficult to determine mineralogy with certainty). Trace ~0.5mm epidote grains occur throughout. The dyke is moderately magnetic throughout, most likely due to the fine black magnetite in the groundmass. The upper contact is sharp, irregular, unmineralized, and not sheared; it is at ~40 degTCA. No contact metamorphism of the host altered basalt is observed, nor contact quenching of the dyke material. There are significantly fewer cc veinlets within the dyke. A fault zone occurs within the dyke; slickensided surfaces are covered in chlorite and serpentine.

Alteration Min:	Type/Style/Intensity	Comment
146.85 - 149.15	Ser Dis M	
146.85 - 149.15	MAG Dis MS	
146.85 - 149.15	CHL FF W	
146.85 - 149.15	Carb Dis M	

Structure Min.:	Type/Core Angle	Comment
146.85 - 149.15	VN 75	
146.85 - 149.15	UC 40	

Texture Min:	Type	Comment
146.85 - 149.15	MASS	
146.85 - 149.15	HYPD	
146.85 - 149.15	EQUI	
146.85 - 149.15	PORPH	

From	To		Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
173.75	176.35	**ARG**	***Argillite mudstone***	11432	174.20	176.20	2.00		-	-	-	-

Very fine grained charcoal grey to black graphitic argillite mudstone with occasional 1-5cm interbeds of medium grey siltstone; bedding surfaces are at 60±10 degTCA. Rounded mm-scale blebs and stringers of pyrite occur throughout; stringers are occasionally offset 1-10 mm by small faults, these faults are generally not mineralized or infilled by cc. Cc veinlets are abundant in this unit, and are often offset by the same small unmineralized faults as the py stringers. Some fracture surfaces are mineralized by py (and possible marcasite), occasional graphite, and occasional cc. HCl reactivity appears to be limited to the cc veinlets, indicating that the diagenetic cement is either silica or a less-reactive carbonate mineral. The contacts are sharp, and also at ~60 degTCA, although the upper contact is in a zone of faulting and

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)

gouge. The lower contact is somewhat difficult to distinguish because the weakly altered basalt underlying the argillite resembles the siltstone in the sedimentary unit. The distinguishing features are the presence of epidote in the basalt, and that the basalt is softer than the siltstone. This sedimentary unit can be interpreted as a very fine grained basaltic tuff, reworked perhaps by submarine mass wasting, buried by later extrusions of basalt, and later cemented by silica or less-reactive carbonates.

Alteration Maj:	Type/Style/Intensity	Comment
173.75 - 176.35	Carb VN MS	
173.75 - 176.35	GRPH FF W	

Mineralization Maj. :	Type/Style/%Mineral	Comment
173.75 - 176.35	PY DIS 1	
173.75 - 176.35	PY STR 1	
173.75 - 176.35	PY FF 1	
173.75 - 176.35	PY BL 1	

Structure Maj.:	Type/Core Angle	Comment
173.75 - 176.35	LC 65	
173.75 - 176.35	UC 60	
173.75 - 176.35	VN 50	
173.75 - 176.35	F 45	
173.75 - 176.35	BD 60	

Texture Maj:	Type	Comment
173.75 - 176.35	FB	
173.75 - 176.35	FG	

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
176.35	267.30	**BSLT** ***Altered basalt***

Interlayered altered basalt (similar to above, weakly to moderately propylitized) and very fine grained basaltic tuffs, possibly reworked and slumped into fining upwards sequences. These very fine grained layers are dissimilar to the argillite in that the basaltic alteration mineralogy (chlorite and epidote in particular) is prevalent. These layers are most likely primary and represent flows; the very fine tuff layers are typically 1-2m thick (apparent thickness) and the coarser basaltic layers are 2-5m (apparent thickness). The rock is less fragmental than the basalts above; fragments are rare, isolated, and 1-2cm across. Occasional 5-10cm argillitic beds occur, usually above tuffs and immediately below coarser basalt. The coarser basalt is porphyritic with altered phenocrysts of amphibole, often being replaced by pyrite, epidote, and chlorite. Epidote occurs as 1-4 cm patchy blebs throughout. Pyrite is primarily disseminated, and decreases with depth. Towards the base, the rare isolated pyrite grains are ~1mm.

Alteration Maj:	Type/Style/Intensity	Comment
176.35 - 205.85	SILI Dis WM	In 0.1-1.0m zones, with fine grained tuff.
176.35 - 205.85	SERP FF W	
176.35 - 205.85	Carb FF WM	
176.35 - 205.85	EP Dis WM	
176.35 - 205.85	Carb VN M	
176.35 - 205.85	CHL Dis WM	
176.35 - 205.85	EP PCH M	
205.85 - 251.67	EP PCH S	
205.85 - 251.67	EP Dis M	
205.85 - 251.67	CHL Dis M	
205.85 - 251.67	SERP FF W	
205.85 - 251.67	SILI Dis WM	in 0.1-1.0m zones, with fine grained tuff
205.85 - 251.67	Carb VN M	
205.85 - 251.67	HE Dis WM	
251.67 - 267.30	CHL Dis W	
251.67 - 267.30	Carb VN WM	
251.67 - 267.30	EP PCH W	

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11433	176.20	178.20	2.00		-	-	-	-
11434	178.20	180.20	2.00		-	-	-	-
11436	180.20	182.20	2.00		-	-	-	-
11437	182.20	184.20	2.00		-	-	-	-
11438	184.20	186.20	2.00		-	-	-	-
11439	186.20	188.20	2.00		-	-	-	-
11440	186.21	188.19	1.98		-	-	-	-
11441	188.20	190.20	2.00		-	-	-	-
11442	190.20	192.20	2.00		-	-	-	-
11443	192.20	194.20	2.00		-	-	-	-
11444	194.20	196.20	2.00		-	-	-	-
11445	196.20	198.20	2.00		-	-	-	-
11446	198.20	200.20	2.00		-	-	-	-
11447	200.20	202.20	2.00		-	-	-	-
11448	202.20	204.20	2.00		-	-	-	-
11449	204.20	206.20	2.00		-	-	-	-
11451	206.20	208.20	2.00		-	-	-	-
11452	208.20	210.20	2.00		-	-	-	-
11453	210.02	212.02	2.00		-	-	-	-
11454	212.20	214.20	2.00		-	-	-	-
11454	212.40	214.20	1.80		-	-	-	-
11456	214.20	216.20	2.00		-	-	-	-
11457	216.20	218.20	2.00		-	-	-	-
11458	218.20	220.20	2.00		-	-	-	-
11459	220.20	222.20	2.00		-	-	-	-
11460	220.21	222.19	1.98		-	-	-	-
11461	222.20	224.20	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology			Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		251.67 - 267.30	SILI Dis WM		11462	224.20	226.20	2.00		-	-	-	-
		Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***	11463	226.20	228.20	2.00		-	-	-	-
		176.35 - 191.00	PY STR 1		11464	228.20	230.20	2.00		-	-	-	-
		176.35 - 191.00	PY FF 1		11465	230.20	232.20	2.00		-	-	-	-
		176.35 - 191.00	PY DIS 2		11466	232.20	234.20	2.00		-	-	-	-
		191.00 - 197.00	PY BL 2		11467	234.20	236.20	2.00		-	-	-	-
		191.00 - 197.00	PY VN 2		11468	236.20	238.20	2.00		-	-	-	-
		191.00 - 197.00	PY DIS 4		11469	238.20	240.20	2.00		-	-	-	-
		197.00 - 267.30	PY FF 1		11471	240.20	242.20	2.00		-	-	-	-
		197.00 - 267.30	PY DIS 1		11472	242.20	244.20	2.00		-	-	-	-
		Structure Maj.:	***Type/Core Angle***	***Comment***	11473	244.20	246.20	2.00		-	-	-	-
		177.40 - 191.70	G 0		11474	246.20	248.20	2.00		-	-	-	-
		177.40 - 191.70	F 30	Range from 0-90 degTCA	11476	248.20	250.20	2.00		-	-	-	-
		177.40 - 191.70	FLT 0	A zone of moderately to intensely fractured, broken, and gouged core.	11477	250.20	252.20	2.00		-	-	-	-
		177.40 - 191.70	VN 60	Range from 0-90 degTCA	11478	252.20	254.20	2.00		-	-	-	-
		177.40 - 191.70	SLK 45	Range from 20-80 degTCA	11479	254.20	256.20	2.00		-	-	-	-
		193.40 - 193.60	F 45	Infilled by epidote	11481	256.20	258.20	2.00		-	-	-	-
		193.40 - 193.60	F 20	Infilled by pyrite	11480	256.21	258.18	1.97		-	-	-	-
		198.20 - 198.30	BD 70	In tuff; could also be flow banding.	11482	258.20	260.20	2.00		-	-	-	-
		199.70 - 202.90	G 0		11483	260.20	262.20	2.00		-	-	-	-
		199.70 - 202.90	F 30	Range from 10-60 degTCA	11484	262.20	264.20	2.00		-	-	-	-
		199.70 - 202.90	SLK 60	Range from 30-80 degTCA	11485	264.20	265.75	1.55		-	-	-	-
		199.70 - 202.90	FLT 0	A zone of moderately to intensely fractured, broken, and gouged core.	11486	265.75	267.30	1.55		-	-	-	-

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-012** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
32.20	34.20	2.00	11351	
34.20	38.20	4.00	11352	combined 2 samples due to high amount of rubble and missing core
38.20	40.20	2.00	11353	
40.20	42.20	2.00	11354	
42.20	44.20	2.00	11355	
44.20	46.20	2.00	11356	
46.20	48.20	2.00	11357	
48.20	50.20	2.00	11358	
50.20	52.20	2.00	11359	
52.20	54.20	2.00	11361	
54.20	56.20	2.00	11362	
56.20	58.20	2.00	11363	
58.20	60.20	2.00	11364	
60.20	62.20	2.00	11366	
62.20	64.20	2.00	11367	
64.20	66.20	2.00	11368	
66.20	68.20	2.00	11369	
68.20	70.20	2.00	11371	
70.20	72.20	2.00	11372	
72.20	74.20	2.00	11373	
74.20	76.20	2.00	11374	
76.20	78.20	2.00	11375	
78.20	80.20	2.00	11376	
80.20	82.20	2.00	11377	
82.20	84.20	2.00	11378	
84.20	86.20	2.00	11379	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-012**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
86.20	88.20	2.00	11381	
88.20	90.20	2.00	11382	
90.20	92.20	2.00	11383	
92.20	94.20	2.00	11384	
94.20	96.20	2.00	11386	
96.20	98.20	2.00	11387	
98.20	100.20	2.00	11388	
100.20	102.20	2.00	11389	
102.20	104.20	2.00	11391	
104.20	106.20	2.00	11392	
106.20	108.20	2.00	11393	
108.20	110.20	2.00	11394	
110.20	112.20	2.00	11395	
112.20	114.20	2.00	11396	
114.20	116.20	2.00	11397	
116.20	118.20	2.00	11398	
118.20	120.20	2.00	11399	
120.20	122.20	2.00	11401	
122.20	124.20	2.00	11402	
124.20	126.20	2.00	11403	
126.20	128.20	2.00	11404	
128.20	130.20	2.00	11405	
130.20	132.20	2.00	11406	
132.20	134.20	2.00	11407	
134.20	136.20	2.00	11408	
136.20	138.20	2.00	11409	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-012** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
138.20	140.20	2.00	11411	
140.20	142.20	2.00	11412	
142.20	144.20	2.00	11413	
144.20	146.20	2.00	11414	
146.20	148.20	2.00	11416	
148.20	150.20	2.00	11417	
150.20	152.20	2.00	11418	
152.20	154.20	2.00	11419	
154.20	156.20	2.00	11421	
156.20	158.20	2.00	11422	
158.20	160.20	2.00	11423	
160.20	162.20	2.00	11424	
162.20	164.20	2.00	11425	
164.20	166.20	2.00	11426	
166.20	168.20	2.00	11427	
168.20	170.20	2.00	11428	
170.20	172.20	2.00	11429	
172.20	174.20	2.00	11431	
174.20	176.20	2.00	11432	
176.20	178.20	2.00	11433	
178.20	180.20	2.00	11434	
180.20	182.20	2.00	11436	
182.20	184.20	2.00	11437	
184.20	186.20	2.00	11438	
186.20	188.20	2.00	11439	
186.21	188.19	1.98	11440	VOID

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-012**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
188.20	190.20	2.00	11441	
190.20	192.20	2.00	11442	
192.20	194.20	2.00	11443	
194.20	196.20	2.00	11444	
196.20	198.20	2.00	11445	
198.20	200.20	2.00	11446	
200.20	202.20	2.00	11447	
202.20	204.20	2.00	11448	
204.20	206.20	2.00	11449	
206.20	208.20	2.00	11451	
208.20	210.20	2.00	11452	
210.02	212.02	2.00	11453	
212.20	214.20	2.00	11454	
212.40	214.20	1.80	11454	
214.20	216.20	2.00	11456	
216.20	218.20	2.00	11457	
218.20	220.20	2.00	11458	
220.20	222.20	2.00	11459	
220.21	222.19	1.98	11460	VOID
222.20	224.20	2.00	11461	
224.20	226.20	2.00	11462	
226.20	228.20	2.00	11463	
228.20	230.20	2.00	11464	
230.20	232.20	2.00	11465	
232.20	234.20	2.00	11466	
234.20	236.20	2.00	11467	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-012**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
236.20	238.20	2.00	11468	
238.20	240.20	2.00	11469	
240.20	242.20	2.00	11471	
242.20	244.20	2.00	11472	
244.20	246.20	2.00	11473	
246.20	248.20	2.00	11474	
248.20	250.20	2.00	11476	
250.20	252.20	2.00	11477	
252.20	254.20	2.00	11478	
254.20	256.20	2.00	11479	
256.20	258.20	2.00	11481	
256.21	258.18	1.97	11480	VOID
258.20	260.20	2.00	11482	
260.20	262.20	2.00	11483	
262.20	264.20	2.00	11484	
264.20	265.75	1.55	11485	
265.75	267.30	1.55	11486	EOH

QUALITY CONTROL REPORT

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Dup (OF)	Len	Pb (ppm)	Pb2 (%)	Pbol (%)	Perdas	Samp (TYPE)	tandar	Zn (ppm)	Zn2 (%)
0.00	11390						-	-	-	-	-	-	-	-		0.00	-	-	-	-			-	-
40.20	11487	Field Dup	11355		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11355	0.00	-	-	-	-	ield Du		-	-
50.20	11360	Standard		bl-9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	bl-9	-	-
52.20	11488	Pulp Dup 20	11362		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11362	0.00	-	-	-	-	)up 200		-	-
58.20	11365	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
66.20	11369A	Fraction Dup					-	-	-	-	-	-	-	-		0.00	-	-	-	-	ı Dup 1		-	-
74.20	11307	Field Dup	11374		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11374	0.00	-	-	-	-	ield Du		-	-
84.20	11380	Standard		cgs-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	cgs-29	-	-
88.20	11308	Pulp Dup 20	11382		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11382	0.00	-	-	-	-	)up 200		-	-
92.20	11385	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
100.20	11389A	Fraction Dup					-	-	-	-	-	-	-	-		0.00	-	-	-	-	ı Dup 1		-	-
110.20	11309	Field Dup	11395		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11395	0.00	-	-	-	-	ield Du		-	-
118.20	11400	Standard		cgs-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	cgs-29	-	-
128.20	11489	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
130.20	11310	Pulp Dup 20	11406		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11406	0.00	-	-	-	-	)up 200		-	-
136.20	11409A	Fraction Dup	11409				-	-	-	-	-	-	-	-	11409	0.00	-	-	-	-	ı Dup 1		-	-
144.20	11415	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
148.20	11490	Field Dup	11417		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11417	0.00	-	-	-	-	ield Du		-	-
154.20	11419A	Fraction Dup	11419		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11419	0.00	-	-	-	-	ı Dup 1		-	-
162.20	11491	Pulp Dup 20	11425		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11425	0.00	-	-	-	-	)up 200		-	-
170.20	11430	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-29	-	-
178.20	11435	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
182.20	11492	Field Dup	11437		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11437	0.00	-	-	-	-	ield Du		-	-
186.20	11439A	Fraction Dup	11439				-	-	-	-	-	-	-	-	11439	0.00	-	-	-	-	ı Dup 1		-	-
196.20	11493	Pulp Dup 20	11445		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11445	0.00	-	-	-	-	)up 200		-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

204.20	11450	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
212.20	11455	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
216.20	11494	Field Dup	11457		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11457	0.00	-	-	-	-	ield Du		-	-
230.20	11495	Pulp Dup 20	11465		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11465	0.00	-	-	-	-	lup 200		-	-
238.20	11470	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
246.20	11475	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
260.20	11496	Field Dup	11483		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11483	0.00	-	-	-	-	ield Du		-	-

FROM	TO	LENGTH	HARDNESS	REC_M	REC_PER	RQD_PER	HARD	FX_NO	COMMENTS	RQD_M	FROM_FT	TO_FT	REC_FT	LENGTH_FT	RQD_FT
0.00	6.10	6.10	Extremely weak rock	0	0.00	#DIV/0!	0			0	0.00	20.01	0.00	20.01	0.00
6.10	8.23	2.13	Medium Strong rock	0.7	32.86	0.00	3	100	Rubble/OVB	0	20.01	27.00	2.30	6.99	0.00
8.23	14.33	6.10	Medium Strong rock	1.7	27.87	13.53	3	100	Rubble/OVB	0.23	27.00	47.01	5.58	20.01	0.75
14.33	17.37	3.04	Medium Strong rock	0.17	5.59	0.00	3	100	Rubble/OVB	0	47.01	56.99	0.56	9.97	0.00
17.37	20.42	3.05	Medium Strong rock	1.1	36.07	0.00	3	100	Rubble/OVB	0	56.99	66.99	3.61	10.01	0.00
20.42	23.47	3.05	Medium Strong rock	0.6	19.67	0.00	3	100	Rubble	0	66.99	77.00	1.97	10.01	0.00
23.47	26.52	3.05	Weak rock	0.5	16.39	0.00	2	100	Rubble/OVB with sand	0	77.00	87.01	1.64	10.01	0.00
26.52	29.57	3.05	Weak rock	0.4	13.11	25.00	2	100	Rubble/OVB with sand	0.1	87.01	97.01	1.31	10.01	0.33
29.57	32.61	3.04	Weak rock	1.3	42.76	0.00	2	100	Rubble/OVB with sand	0	97.01	106.99	4.27	9.97	0.00
32.61	35.66	3.05	Medium Strong rock	3.05	100.00	22.95	3	100	Still lots of rubble	0.7	106.99	116.99	10.01	10.01	2.30
35.66	38.71	3.05	Strong rock	3	98.36	37.33	4	45		1.12	116.99	127.00	9.84	10.01	3.67
38.71	41.76	3.05	Strong rock	3.05	100.00	39.02	4	60		1.19	127.00	137.01	10.01	10.01	3.90
41.76	44.81	3.05	Medium Strong rock	2.85	93.44	26.32	3	44		0.75	137.01	147.01	9.35	10.01	2.46
44.81	47.85	3.04	Medium Strong rock	3.04	100.00	49.34	3	38		1.5	147.01	156.99	9.97	9.97	4.92
47.85	50.90	3.05	Strong rock	3.05	100.00	63.93	4	23		1.95	156.99	166.99	10.01	10.01	6.40
50.90	53.95	3.05	Strong rock	2.9	95.08	31.72	4	80		0.92	166.99	177.00	9.51	10.01	3.02
53.95	57.00	3.05	Medium Strong rock	2.95	96.72	30.85	3	55		0.91	177.00	187.01	9.68	10.01	2.99
57.00	60.05	3.05	Medium Strong rock	3.035	99.51	42.50	3	80		1.29	187.01	197.01	9.96	10.01	4.23
60.05	63.08	3.03	Medium Strong rock	3.03	100.00	42.90	3	45	Faulted zone	1.3	197.01	206.96	9.94	9.94	4.27
63.08	66.08	3.00	Strong rock	3	100.00	30.00	4	75		0.9	206.96	216.80	9.84	9.84	2.95
66.08	69.13	3.05	Strong rock	2.8	91.80	31.43	4	50		0.88	216.80	226.80	9.19	10.01	2.89
69.13	72.17	3.04	Strong rock	2.98	98.03	41.28	4	36		1.23	226.80	236.78	9.78	9.97	4.04
72.17	75.22	3.05	Strong rock	3.05	100.00	41.31	4	45		1.26	236.78	246.78	10.01	10.01	4.13
75.22	78.27	3.05	Very strong rock	3	98.36	79.00	5	22	Locally silicified	2.37	246.78	256.79	9.84	10.01	7.78
78.27	81.38	3.11	Strong rock	3.05	98.07	60.33	4	35		1.84	256.79	266.99	10.01	10.20	6.04
81.38	84.43	3.05	Strong rock	3.05	100.00	65.57	4	30		2	266.99	277.00	10.01	10.01	6.56
84.43	87.48	3.05	Strong rock	3	98.36	48.67	4	55		1.46	277.00	287.01	9.84	10.01	4.79
87.48	90.53	3.05	Medium Strong rock	2.85	93.44	56.49	3	80		1.61	287.01	297.01	9.35	10.01	5.28
90.53	93.58	3.05	Medium Strong rock	3.05	100.00	14.75	3	80		0.45	297.01	307.02	10.01	10.01	1.48
93.58	96.63	3.05	Strong rock	3.05	100.00	45.57	4	70		1.39	307.02	317.03	10.01	10.01	4.56
96.63	102.69	6.06	Strong rock	3.03	50.00	45.87	4	33		1.39	317.03	336.91	9.94	19.88	4.56
102.69	105.72	3.03	Strong rock	3.03	100.00	40.59	4	57		1.23	336.91	346.85	9.94	9.94	4.04
105.72	108.77	3.05	Strong rock	3	98.36	52.00	4	40		1.56	346.85	356.86	9.84	10.01	5.12
108.77	111.82	3.05	Medium Strong rock	3.05	100.00	28.85	3	100		0.88	356.86	366.86	10.01	10.01	2.89
111.82	114.86	3.04	Strong rock	3.04	100.00	65.79	4	21		2	366.86	376.84	9.97	9.97	6.56
114.86	117.91	3.05	Strong rock	3.05	100.00	85.25	4	17		2.6	376.84	386.84	10.01	10.01	8.53
117.91	120.96	3.05	Strong rock	3.05	100.00	65.57	4	40		2	386.84	396.85	10.01	10.01	6.56
120.96	124.03	3.07	Medium Strong rock	3.07	100.00	58.63	3	70		1.8	396.85	406.92	10.07	10.07	5.91
124.03	127.08	3.05	Strong rock	2.9	95.08	79.31	4	29		2.3	406.92	416.93	9.51	10.01	7.55
127.08	130.12	3.04	Medium Strong rock	3.04	100.00	80.59	3	25		2.45	416.93	426.90	9.97	9.97	8.04
130.12	133.17	3.05	Medium Strong rock	3.05	100.00	77.38	3	24		2.36	426.90	436.91	10.01	10.01	7.74
133.17	136.20	3.03	Medium Strong rock	2.9	95.71	68.97	3	40		2	436.91	446.85	9.51	9.94	6.56
136.20	139.25	3.05	Medium Strong rock	3.05	100.00	55.74	3	70		1.7	446.85	456.86	10.01	10.01	5.58
139.25	142.28	3.03		3.03	100.00	36.30	3	100		1.1					
142.28	145.34	3.06		3.06	100.00	40.52	4	75		1.24					
145.34	148.40	3.06		3.06	100.00	52.94	4	50		1.62					
148.40	151.46	3.06		3.06	100.00	46.41	3	100		1.42					
151.46	154.53	3.07		3.07	100.00	32.90	5	100		1.01					

154.53	157.58	3.05	3.05	100.00	63.93	5	70	1.95
157.58	160.62	3.04	3.04	100.00	71.38	5	45	2.17
160.62	163.68	3.06	3.06	100.00	28.76	5	95	0.88
163.68	166.73	3.05	3.05	100.00	23.93	5	100	0.73
166.73	169.77	3.04	3.04	100.00	14.47	4	100	0.44
169.77	172.82	3.05	3.05	100.00	42.95	4	100	1.31
172.82	175.87	3.05	3.05	100.00	14.10	4	100	0.43
175.87	178.92	3.05	3.05	100.00	26.23	5	100	0.8
178.92	181.97	3.05	3.05	100.00	4.59	5	100	0.14
181.97	185.01	3.04	3.04	100.00	14.47	5	100	0.44
185.01	188.06	3.05	3.05	100.00	16.07	4	95	0.49
188.06	191.11	3.05	3.05	100.00	18.69	5	100	0.57
191.11	194.16	3.05	3.05	100.00	42.30	5	60	1.29
194.16	197.21	3.05	3.05	100.00	37.38	5	100	1.14
197.21	200.25	3.04	3.04	100.00	36.51	5	100	1.11
200.25	203.30	3.05	3.05	100.00	23.93	5	100	0.73
203.30	206.35	3.05	3.05	100.00	46.89	5	50	1.43
206.35	209.40	3.05	3.05	100.00	83.61	5	30	2.55
209.40	212.45	3.05	3.05	100.00	80.66	5	30	2.46
212.45	215.49	3.04	3.04	100.00	64.47	5	28	1.96
215.49	218.54	3.05	3.05	100.00	31.15	5	70	0.95
218.54	221.59	3.05	3.05	100.00	46.23	5	85	1.41
221.59	224.64	3.05	3.05	100.00	8.85	5	100	0.27
224.64	227.69	3.05	3.05	100.00	10.82	5	100	0.33
227.69	230.73	3.04	3.04	100.00	7.57	5	100	0.23
230.73	232.87	2.14	2.14	100.00	10.28	5	100	0.22
232.87	235.90	3.03	3.03	100.00	30.03	5	100	0.91
235.90	237.74	1.84	1.84	100.00	46.20	5	89	0.85
237.74	239.27	1.53	1.53	100.00	36.60	5	100	0.56
239.27	242.32	3.05	3.05	100.00	50.16	5	100	1.53
242.32	245.36	3.04	3.04	100.00	56.25	5	100	1.71
245.36	248.41	3.05	3.05	100.00	67.54	5	90	2.06
248.41	249.02	0.61	0.61	100.00	73.77	5	45	0.45
249.02	252.07	3.05	3.05	100.00	83.61	5	20	2.55
252.07	255.12	3.05	3.05	100.00	65.90	5	87	2.01
255.12	258.16	3.04	3.04	100.00	77.30	5	65	2.35
258.16	261.21	3.05	3.05	100.00	57.70	5	45	1.76
261.21	264.26	3.05	3.05	100.00	88.20	5	25	2.69
264.26	267.30	3.04	3.04	100.00	85.20	5	22	2.59

DRILL HOLE REPORT

Hole Number **CT-2011-12A** Project: **COWTRAIL** Project Number: **003**

Drilling
Azimuth:
Dip:
Length: 413.8
Started: 27-Nov-11
Completed: 03-Dec-11
Logged: 17-Dec-11

Casing
Length: 0
Pulled:
Capped:
Cemented:

Core
Dimension:
Storage: Warehouse -
Section:
Hole Type

Location
Township: HORSEFLY,
Claim No.:
NTS:
Hole:

Other
Logged by: Chris Galbraith
Relog by:
Contractor: Hardrock Diamond Drilling
Spotted by:
Surveyed:
Surveyed by:
Geophysics:
Geophysic Contractor:
Left in hole:
Making water:
Multi shot survey:

Comment: Twin hole of CT-2011-012 until 267, then extended to 413.80 m.

Coordinate - Gemcom		Coordinate - UTM	
East:	0	**East:**	609747
North:	0	**North:**	5809327
Elev.:	0	**Elev.:**	0
		Zone:	**NAD:**

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00			C	☑	

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-12A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
0.00	34.65	**CAS** ***Casing***									
34.65	272.05	**BSLT** ***Basalt*** Basalt. See log of CT-2011-012 for further detail.	98601	255.00	257.00	2.00		-	-	-	-
			98602	257.00	259.00	2.00		-	-	-	-
			98603	259.00	261.00	2.00		-	-	-	-
			98604	261.00	263.00	2.00		-	-	-	-
			98606	263.00	265.00	2.00		-	-	-	-
			98607	265.00	267.00	2.00		-	-	-	-
			98608	267.00	269.00	2.00		-	-	-	-
			98609	269.00	271.00	2.00		-	-	-	-
			98612	271.00	273.00	2.00		-	-	-	-
272.05	278.85	**LST** ***Limestone*** F.g. to m.g. dark grey to taupe limestone to limey siltstone, possibly travertine beds? Local ripply features, drag marks, etc. Alternating dark & light bands/beds - darker ones typically <1cm thick, lighter ones 1-5cm thick. Bedding commonly well defined & ~30 deg tca, locally 10 deg to // tca (// tca @ 278m, also vuggy). UC 30 deg tca, LC 40 deg tca. ~5% carbonate veins 1-1.5mm thick. Rock is also porous. Trace very finely disseminated pyrite.	98613	273.00	275.00	2.00		-	-	-	-
			98614	275.00	277.00	2.00		-	-	-	-
			98615	277.00	279.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-12A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
278.85	286.10	**BSLT** ***Basalt***	98616	279.00	281.00	2.00		-	-	-	-
		F.g., massive basalt, ~5% fine carbonate veins, minor carbonate in groundmass.	98617	281.00	283.00	2.00		-	-	-	-
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***	98618	283.00	285.00	2.00		-	-	-	-
		278.85 - 286.10 Carb Dis WM	98619	285.00	287.00	2.00		-	-	-	-
		278.85 - 286.10 Carb VN WM									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		286.10 - 286.10 UC 45									
286.10	289.50	**LST** ***Limestone***	98621	287.00	289.00	2.00		-	-	-	-
		As described above. Bedding well defined @ 40-45 deg tca. UC 45 deg tca, LC 45 deg tca.									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		287.00 - 287.10 BD 45									
		289.50 - 289.50 LC 45									
289.50	308.00	**BSLT** ***Basalt***	98622	289.00	291.00	2.00		-	-	-	-
		Green grey, mottled brown & black fragmental basalt. M.g.-c.g. polymictic agglomerate throughout; angular clasts <1cm in size darker & f.g. basalt - often hematite stained and corroded, and brown limestone. Scattered olivine aggregates up to 1cm in size, round. Minor carbonate in groundmass, up to 10-15% thin carbonate veins. 1-2% finely disseminated pyrite (other sulfides too?), also aggregated as haloes around clasts. LC gouged, clay-rich, soft, almost 50% carbonate veining over 15cm (faulted?).	98623	291.00	293.00	2.00		-	-	-	-
			98624	293.00	295.00	2.00		-	-	-	-
			98626	295.00	297.00	2.00		-	-	-	-
			98627	297.00	299.00	2.00		-	-	-	-
			98628	299.00	301.00	2.00		-	-	-	-
			98629	301.00	303.00	2.00		-	-	-	-
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		289.50 - 308.00 Carb Dis WM									

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-12A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		289.50 - 308.00 HE PCH WM	98632	303.00	305.00	2.00		-	-	-	-
		289.50 - 308.00 Carb VN WM	98633	305.00	307.00	2.00		-	-	-	-
			98634	307.00	309.00	2.00		-	-	-	-
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***									
		289.50 - 308.00 PY DIS 1 Trace disseminated pyrite throughout									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		308.00 - 308.00 UC 45									
308.00	310.70	**LST** ***Limestone***	09836	309.00	311.00	2.00		-	-	-	-
		As above. ~30% darker argillic mat'l (argillic sections also generally not reactive to HCL). UC and bedding 45 deg tca; LC 55 deg tca									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		309.00 - 309.50 BD 45									
		310.70 - 310.70 LC 55									

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-12A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
310.70	369.05	**BSLT** ***Basalt***

F.g. phaneritic massive basalt, greenish brown in colour, transitions to m.g.-c.g. green agglomeratic basalt after 325m. Majority of unit is highly serpentinized. Local blotchy epidote throughout. 5-10% carbonate (veins and in groundmass). Minor local clay gouges. Back to f.g. phaneritic @ 350-354m. F.g. disseminated sulfides throughout (~1%). Possible mafic to ultramafic intrusive. Extensive clay/talc altered after 355m, pitted, weakly foliated @ 30-40 deg tca. 5-8% pyrite globules (~1mm in size) @ 365m to end of interval.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
310.70 - 369.05	SERP P M	Serpentinization throughout
310.70 - 369.05	EP PCH W	blotchy epidote
310.70 - 369.05	Carb Dis WM	
310.70 - 369.05	Carb VN WM	

Mineralization Maj. :	*Type/Style/%Mineral*	*Comment*
310.70 - 365.00	PY DIS 1	
365.00 - 369.05	PY BL 6	

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
98637	311.00	313.00	2.00		-	-	-	-
98638	313.00	315.00	2.00		-	-	-	-
98639	315.00	317.00	2.00		-	-	-	-
98641	317.00	319.00	2.00		-	-	-	-
98642	319.00	321.00	2.00		-	-	-	-
98643	321.00	323.00	2.00		-	-	-	-
98644	323.00	325.00	2.00		-	-	-	-
98646	325.00	327.00	2.00		-	-	-	-
98647	327.00	329.00	2.00		-	-	-	-
98648	329.00	331.00	2.00		-	-	-	-
98649	331.00	333.00	2.00		-	-	-	-
98652	333.00	335.00	2.00		-	-	-	-
98653	335.00	337.00	2.00		-	-	-	-
98654	337.00	339.00	2.00		-	-	-	-
98655	339.00	341.00	2.00		-	-	-	-
98656	341.00	343.00	2.00		-	-	-	-
98657	343.00	345.00	2.00		-	-	-	-
98658	345.00	347.00	2.00		-	-	-	-
98659	347.00	349.00	2.00		-	-	-	-
98661	349.00	351.00	2.00		-	-	-	-
98662	351.00	353.00	2.00		-	-	-	-
98663	353.00	355.00	2.00		-	-	-	-
98664	355.00	357.00	2.00		-	-	-	-
98666	357.00	359.00	2.00		-	-	-	-
98667	359.00	361.00	2.00		-	-	-	-
98668	361.00	363.00	2.00		-	-	-	-
98669	363.00	365.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-12A** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			98672	365.00	367.00	2.00		-	-	-	-
			98673	367.00	369.00	2.00		-	-	-	-
369.05	387.40	**LST** ***Limestone*** Pale brown-taupe limestone/marble with intercolated black argillic bands/beds becoming increasingly mixed & more argillic down hole. Crumbly graphitic section (lignite / bituminous coal?) @ 373.65-374.50 (app.). 5-10% carbonate veining throughout. Bedding well defined @ 50 deg tca more or less throughout.	98674	369.00	371.00	2.00		-	-	-	-
			98675	371.00	373.00	2.00		-	-	-	-
			98676	373.00	375.00	2.00		-	-	-	-
			98677	375.00	377.00	2.00		-	-	-	-
			98678	377.00	379.00	2.00		-	-	-	-
		Structure Maj.: ***Type/Core Angle*** ***Comment***	98679	379.00	381.00	2.00		-	-	-	-
		369.05 - 387.40 BD 50	98681	381.00	383.00	2.00		-	-	-	-
			98682	383.00	385.00	2.00		-	-	-	-
			98683	385.00	387.00	2.00		-	-	-	-
387.40	413.70	**SLTSTN** ***Siltstone / Argillite*** Grey f.g. siltstone with ~40% argillite beds intercolated. Minor limey sections, scporadic basalt flows <1m thick. Bedding consistent with above unit @ ~45-55 deg tca; these units are more or less transitional, contact defined by gouge.	98684	387.00	389.00	2.00		-	-	-	-
			98686	389.00	391.00	2.00		-	-	-	-
			98687	391.00	393.00	2.00		-	-	-	-
			98688	393.00	395.00	2.00		-	-	-	-
			98689	395.00	397.00	2.00		-	-	-	-
		Structure Maj.: ***Type/Core Angle*** ***Comment***	98692	397.00	399.00	2.00		-	-	-	-
		387.40 - 413.70 BD 45	98692	399.00	401.00	2.00		-	-	-	-
			98693	401.00	403.00	2.00		-	-	-	-
			98694	403.00	405.00	2.00		-	-	-	-
			98695	405.00	407.00	2.00		-	-	-	-
			98697	407.00	409.00	2.00		-	-	-	-
			98698	409.00	411.00	2.00		-	-	-	-
			98699	411.00	412.45	1.45		-	-	-	-
			98701	412.45	413.70	1.25		-	-	-	-

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-12A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
255.00	257.00	2.00	98601	
257.00	259.00	2.00	98602	
259.00	261.00	2.00	98603	
261.00	263.00	2.00	98604	
263.00	265.00	2.00	98606	
265.00	267.00	2.00	98607	
267.00	269.00	2.00	98608	
269.00	271.00	2.00	98609	
271.00	273.00	2.00	98612	
273.00	275.00	2.00	98613	
275.00	277.00	2.00	98614	
277.00	279.00	2.00	98615	
279.00	281.00	2.00	98616	
281.00	283.00	2.00	98617	
283.00	285.00	2.00	98618	
285.00	287.00	2.00	98619	
287.00	289.00	2.00	98621	
289.00	291.00	2.00	98622	
291.00	293.00	2.00	98623	
293.00	295.00	2.00	98624	
295.00	297.00	2.00	98626	
297.00	299.00	2.00	98627	
299.00	301.00	2.00	98628	
301.00	303.00	2.00	98629	
303.00	305.00	2.00	98632	
305.00	307.00	2.00	98633	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-12A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
307.00	309.00	2.00	98634	
309.00	311.00	2.00	09836	
311.00	313.00	2.00	98637	
313.00	315.00	2.00	98638	
315.00	317.00	2.00	98639	
317.00	319.00	2.00	98641	
319.00	321.00	2.00	98642	
321.00	323.00	2.00	98643	
323.00	325.00	2.00	98644	
325.00	327.00	2.00	98646	
327.00	329.00	2.00	98647	
329.00	331.00	2.00	98648	
331.00	333.00	2.00	98649	
333.00	335.00	2.00	98652	
335.00	337.00	2.00	98653	
337.00	339.00	2.00	98654	
339.00	341.00	2.00	98655	
341.00	343.00	2.00	98656	
343.00	345.00	2.00	98657	
345.00	347.00	2.00	98658	
347.00	349.00	2.00	98659	
349.00	351.00	2.00	98661	
351.00	353.00	2.00	98662	
353.00	355.00	2.00	98663	
355.00	357.00	2.00	98664	
357.00	359.00	2.00	98666	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-12A** Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
359.00	361.00	2.00	98667	
361.00	363.00	2.00	98668	
363.00	365.00	2.00	98669	
365.00	367.00	2.00	98672	
367.00	369.00	2.00	98673	
369.00	371.00	2.00	98674	
371.00	373.00	2.00	98675	
373.00	375.00	2.00	98676	
375.00	377.00	2.00	98677	
377.00	379.00	2.00	98678	
379.00	381.00	2.00	98679	
381.00	383.00	2.00	98681	
383.00	385.00	2.00	98682	
385.00	387.00	2.00	98683	
387.00	389.00	2.00	98684	
389.00	391.00	2.00	98686	
391.00	393.00	2.00	98687	
393.00	395.00	2.00	98688	
395.00	397.00	2.00	98689	
397.00	399.00	2.00	98692	
399.00	401.00	2.00	98692	
401.00	403.00	2.00	98693	
403.00	405.00	2.00	98694	
405.00	407.00	2.00	98695	
407.00	409.00	2.00	98697	
409.00	411.00	2.00	98698	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number **CT-2011-12A** Project: **COWTRAIL**

From (m)	*To* (m)	*Length* (m)	*Sample #*	*Comments*
411.00	412.45	1.45	98699	
412.45	413.70	1.25	98701	EOH

QUALITY CONTROL REPORT

Hole Number **CT-2011-12A** Project: **COWTRAIL** Project Number: **003**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Dup (OF)	Len	Pb (ppm)	Pb2 (%)	Pbol (%)	Perdas	Samp (TYPE)	tandar	Zn (ppm)	Zn2 (%)
257.00	98611	Field Dup	98602		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98602	0.00	-	-	-	-	ield Du		-	-
263.00	98605	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
271.00	98610	Pulp Dup 20	98612		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98612	0.00	-	-	-	-	›up 200		-	-
277.00	98615A	Fraction Dup	98615		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98615	0.00	-	-	-	-	ı Dup 1		-	-
287.00	98620	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	‹tandar	CGS-29	-	-
293.00	98631	Field Dup	98624		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98624	0.00	-	-	-	-	ield Du		-	-
295.00	98625	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
303.00	98630	Pulp Dup 20	98632		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98632	0.00	-	-	-	-	›up 200		-	-
309.00	98635	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
317.00	98640	Standard		CGS-26	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	‹tandar	CGS-26	-	-
325.00	98645	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
333.00	98650	Pulp Dup 20	98652		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98652	0.00	-	-	-	-	›up 200		-	-
339.00	98655A	Fraction Dup	98655		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98655	0.00	-	-	-	-	ı Dup 1		-	-
341.00	98651	Field Dup	98656		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98656	0.00	-	-	-	-	ield Du		-	-
349.00	98660	Standard		BL-9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	‹tandar	BL-9	-	-
355.00	98665	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
365.00	98670	Pulp Dup 20	98672		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98672	0.00	-	-	-	-	›up 200		-	-
371.00	98675A	Fraction Dup	98675		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98675	0.00	-	-	-	-	ı Dup 1		-	-
375.00	98671	Field Dup	98677		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98677	0.00	-	-	-	-	ield Du		-	-
381.00	98680	Standard		CM-11A	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	‹tandar	CM-11A	-	-
389.00	98685	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
391.00	98691	Field Dup	98687		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98687	0.00	-	-	-	-	ield Du		-	-
397.00	98690	Pulp Dup 20	98692		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98692	0.00	-	-	-	-	›up 200		-	-
405.00	98695A	Fraction Dup	98695		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98695	0.00	-	-	-	-	ı Dup 1		-	-
412.45	98700	Standard		CGS-26	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	‹tandar	CGS-26	-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-012** Project: **COWTRAIL** Project Number: **003**

204.20	11450	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
212.20	11455	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
216.20	11494	Field Dup	11457		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11457	0.00	-	-	-	-	ield Du		-	-
230.20	11495	Pulp Dup 20	11465		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11465	0.00	-	-	-	-	lup 200		-	-
238.20	11470	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
246.20	11475	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
260.20	11496	Field Dup	11483		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11483	0.00	-	-	-	-	ield Du		-	-

Hole	CT-2011-012A							
Date	DEC-16-2011							
Geotech	chris							
From	**To**	**Interval**	**Recovery**	**Rec %**	**RQD**	**RQD%**	**Fractures**	**Hardness**
35.65	38.7	3.05	1.32	43.28	0	0.00	100	4
38.7	41.75	3.05	2.9	95.08	0.21	7.24	100	4
41.75	44.8	3.05	2.03	66.56	0.42	20.69	100	4
44.8	47.85	3.05	2.1	68.85	0.51	24.29	100	4
47.85	50.9	3.05	3.05	100.00	0.72	23.61	100	4
50.9	53.95	3.05	3.05	100.00	1.42	46.56	100	4
53.95	57	3.05	3.05	100.00	1.68	55.08	75	4
57	60.05	3.05	3.05	100.00	0.85	27.87	100	5
60.05	63.1	3.05	3.02	99.02	1.66	54.97	75	5
63.1	66.15	3.05	2.85	93.44	0.67	23.51	100	4
66.15	69.2	3.05	2.8	91.80	1.03	36.79	50	5
69.2	72.25	3.05	3.05	100.00	0.97	31.80	75	4
72.25	75.3	3.05	2.86	93.77	0.62	21.68	75	4
75.3	78.35	3.05	3.05	100.00	1.8	59.02	60	4
78.35	81.4	3.05	3.05	100.00	2.17	71.15	50	5
81.4	84.45	3.05	2.9	95.08	1.87	64.48	50	5
84.45	87.5	3.05	2.91	95.41	2.13	73.20	50	5
87.5	90.55	3.05	3.05	100.00	1.78	58.36	50	4
90.55	93.6	3.05	3.05	100.00	1.22	40.00	80	4
93.6	96.65	3.05	2.87	94.10	1.97	68.64	40	5
96.65	99.7	3.05	3.05	100.00	1.77	58.03	50	5
99.7	102.75	3.05	2.92	95.74	2.92	100.00	40	5
102.75	105.8	3.05	3.05	100.00	2.5	81.97	30	5
105.8	108.85	3.05	3.05	100.00	1.33	43.61	60	5
108.85	111.9	3.05	3	98.36	1.8	60.00	25	4
111.9	114.95	3.05	3	98.36	2.18	72.67	30	5
114.95	118	3.05	3.05	100.00	1.52	49.84	35	5
118	121.05	3.05	2.72	89.18	1.95	71.69	40	5
121.05	124.1	3.05	3	98.36	1.11	37.00	100	4
124.1	127.1	3	2.85	95.00	0.78	27.37	100	4
127.1	130.15	3.05	2.9	95.08	0.95	32.76	60	5
130.15	133.2	3.05	3	98.36	1.63	54.33	60	5
133.2	136.25	3.05	2.96	97.05	2.34	79.05	18	5
136.25	139.3	3.05	3.03	99.34	2.1	69.31	25	5
139.3	142.35	3.05	3	98.36	2.18	72.67	15	5
142.35	145.4	3.05	2.93	96.07	1.92	65.53	35	5
145.4	148.45	3.05	3.04	99.67	2.07	68.09	20	5
148.45	151.5	3.05	2.88	94.43	1.66	57.64	28	5
151.5	154.55	3.05	2.9	95.08	1.85	63.79	30	5
154.55	157.6	3.05	2.82	92.46	1.28	45.39	55	5
157.6	160.65	3.05	2.95	96.72	1.55	52.54	50	5
160.65	163.7	3.05	2.96	97.05	1.25	42.23	70	5
163.7	166.75	3.05	2.65	86.89	0.45	16.98	100	4
166.75	169.8	3.05	2.55	83.61	0.2	7.84	100	4
169.8	172.85	3.05	2.9	95.08	1.49	51.38	90	4
172.85	175.9	3.05	2.2	72.13	0.33	15.00	100	4
175.9	178.95	3.05	2.59	84.92	0.67	25.87	100	4
178.95	182	3.05	2.1	68.85	0.38	18.10	100	4
182	185.05	3.05	2.45	80.33	0.2	8.16	100	4
185.05	188.1	3.05	2.3	75.41	0	0.00	100	4
188.1	191.15	3.05	2.9	95.08	0	0.00	100	4
191.15	194.2	3.05	2.55	83.61	0	0.00	100	4
194.2	197.25	3.05	2.6	85.25	0.31	11.92	100	4
197.25	200.3	3.05	1.9	62.30	0.2	10.53	100	4
200.3	203.35	3.05	3	98.36	1.46	48.67	60	5

203.35	206.4	3.05	2.95	96.72	1.12	37.97	50	5
206.4	209.45	3.05	2.95	96.72	0.45	15.25	75	5
209.45	212.5	3.05	2.95	96.72	0.39	13.22	100	5
212.5	215.55	3.05	2.3	75.41	0.24	10.43	100	5
215.55	218.6	3.05	3.05	100.00	0.39	12.79	100	4
218.6	221.65	3.05	2.9	95.08	0.39	13.45	100	4
221.65	224.7	3.05	2.9	95.08	0.42	14.48	60	4
224.7	227.75	3.05	3.05	100.00	0.68	22.30	60	5
227.75	230.75	3	3	100.00	0.53	17.67	60	5
230.75	233.8	3.05	3.05	100.00	0.75	24.59	100	5
233.8	236.85	3.05	3.05	100.00	0.7	22.95	100	5
236.85	239.9	3.05	2.98	97.70	0.44	14.77	100	4
239.9	242.95	3.05	3.05	100.00	0.9	29.51	100	5
242.95	246	3.05	3	98.36	0.1	3.33	100	5
246	249.05	3.05	3.05	100.00	0.57	18.69	100	5
249.05	252.1	3.05	3.05	100.00	0.96	31.48	100	5
252.1	255.15	3.05	3.05	100.00	0.6	19.67	100	5
255.15	258.2	3.05	3.05	100.00	1.3	42.62	80	5
258.2	261.25	3.05	2.95	96.72	1.51	51.19	75	5
261.25	264.3	3.05	3.05	100.00	1.75	57.38	75	5
264.3	267.35	3.05	3.05	100.00	1.74	57.05	50	5
267.35	270.4	3.05	2.95	96.72	1.49	50.51	50	5
270.4	273.45	3.05	3.05	100.00	1.81	59.34	40	5
273.45	276.5	3.05	2.98	97.70	1.6	53.69	75	4
276.5	279.55	3.05	2.85	93.44	1.42	49.82	100	4
279.55	282.6	3.05	2.93	96.07	0.62	21.16	75	5
282.6	285.65	3.05	3	98.36	1.41	47.00	40	5
285.65	288.7	3.05	2.45	80.33	0.8	32.65	100	4
288.7	291.75	3.05	3.05	100.00	1.2	39.34	80	4
291.75	294.8	3.05	3.05	100.00	1.87	61.31	28	4
294.8	297.85	3.05	2.98	97.70	2.07	69.46	24	4
297.85	300.9	3.05	3.05	100.00	1.26	41.31	32	4
300.9	303.95	3.05	2.97	97.38	1.93	64.98	22	5
303.95	307	3.05	3.05	100.00	1.9	62.30	50	5
307	310.05	3.05	2.96	97.05	2.77	93.58	17	5
310.05	313.1	3.05	3.05	100.00	0.73	23.93	100	5
313.1	316.15	3.05	3.05	100.00	1.22	40.00	99	4
316.15	319.2	3.05	3.05	100.00	1.57	51.48	40	4
319.2	322.2	3	3.05	101.67	0.84	27.54	65	5
322.2	325.25	3.05	3.05	100.00	0.77	25.25	100	5
325.25	328.3	3.05	3.05	100.00	0.54	17.70	85	5
328.3	331.35	3.05	3.05	100.00	0.5	16.39	100	4
331.35	334.4	3.05	3.05	100.00	1.41	46.23	90	4
334.4	337.45	3.05	3.05	100.00	1.8	59.02	30	4
337.45	340.5	3.05	3.05	100.00	1.73	56.72	60	4
340.5	343.55	3.05	3.05	100.00	1.91	62.62	35	4
343.55	346.6	3.05	3.05	100.00	1.17	38.36	80	4
346.6	349.65	3.05	3.05	100.00	1.27	41.64	95	4
349.65	352.7	3.05	2.7	88.52	0.6	22.22	100	4
352.7	355.75	3.05	2.75	90.16	0.55	20.00	100	3
355.75	358.8	3.05	2.85	93.44	0.8	28.07	100	4
358.8	361.85	3.05	2.73	89.51	1.11	40.66	100	4
361.85	364.9	3.05	2.98	97.70	1.06	35.57	100	4
364.9	367.95	3.05	3.02	99.02	0.81	26.82	100	4
367.95	371	3.05	2.94	96.39	1.7	57.82	40	5
371	374.05	3.05	3.05	100.00	1.41	46.23	75	5
374.05	377.1	3.05	2.93	96.07	1.23	41.98	75	5
377.1	380.15	3.05	3.05	100.00	0.98	32.13	100	4
380.15	383.2	3.05	2.91	95.41	1.24	42.61	50	5

383.2	386.25	3.05	3.05	100.00	0.68	22.30	65	5
386.25	389.3	3.05	2.95	96.72	1.46	49.49	50	4
389.3	392.35	3.05	2.92	95.74	1.27	43.49	60	4
392.35	395.4	3.05	3	98.36	0.6	20.00	100	4
395.4	398.45	3.05	3.05	100.00	0.62	20.33	100	4
398.45	401.5	3.05	3.05	100.00	0.96	31.48	100	4
401.5	404.55	3.05	2.95	96.72	0.6	20.34	100	4
404.55	407.6	3.05	2.98	97.70	0.81	27.18	100	4
407.6	410.65	3.05	3	98.36	0.57	19.00	100	4
410.65	413.7	3.05	3.05	100.00	0.45	14.75	100	4
413.7	EOH							
EOH								

DRILL HOLE REPORT

Hole Number **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

Drilling
Azimuth: 55
Dip: -45
Length: 416.66
Started: 11-Nov-11
Completed:
Logged: 11-Nov-11
Comment:

Casing
Length: 0
Pulled: yes
Capped: no
Cemented: no

Core
Dimension: NQ
Storage: Warehouse -
Section: Line 2100
Hole Type DD

Location
Township: HORSEFLY,
Claim No.:
NTS:
Hole: SURFACE

Coordinate - Gemcom
East: 0
North: 0
Elev.: 0

Coordinate - UTM
East: 0
North: 0
Elev.: 0
Zone: 10 **NAD:** NAD83

Other
Logged by: Catherine B. and Graham S.
Relog by:
Contractor: Hardrock Diamond Drilling
Spotted by:
Surveyed:
Surveyed by:
Geophysics: IP
Geophysic Contractor: Aerodat
Left in hole: Nothing
Making water: no
Multi shot survey: yes

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	55.00	-45.00	C	☑	
2.00	55.00	-45.00	C	☑	
69.00	60.80	-45.30	F	☑	
96.00	62.90	-45.20	F	☑	

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
0.00	31.67	**CAS**	***Casing***									
31.67	32.35	**O/B**	***Overburden***									
		Mixed pebbles, gravel, and sand of varying lithologies.										
32.35	152.50	**BSLT**	***Altered basalt***	11501	32.35	34.35	2.00		-	-	-	-
		Very fine to coarse grained dark green to black basic volcanics, with possible flow banding, banded argillitic tuffs, and flow sequences. The unit is strongly magnetic throughout (except in the very fine grained argillitic zones), with up to cm-scale porphyroblasts of hematite and disseminated magnetite. Alteration minerals are chlorite (finely disseminated throughout), epidote (generally occurs in blebs or agglomerations), carbonate (disseminated in the groundmass and also in veinlets), and iron oxides (hematite and magnetite). Trace pyrite can be found, usually enclosed within other minerals (perhaps protected from oxidation), or near veinlets and associated with epidote. Cm-scale hematite rarely have sub-mm-scale pyrite grains at their cores. One 0.1mm chalcopyrite grain was found within a carbonate porphyroblast at 85.95m. The rock appears to be a sequence of interlayered basic tuffs and flows, the flows being medium to coarse grained, and the tuffs very fine to fine grained. Generally the contacts between tuffs and flows are sharp, with the contacts at the base of tuffs parallel to tuffaceous banding, while banding at the top of the tuffs may be cross-cut by the overlying flow. The fine argillitic tuff layers tend to be <1m apparent thickness with 1-5cm banding; the flows tend to be >3m. The flows are frequently fragmental and appear to be clast-supported breccias, with significant hematite mineralization in some fragments. Fragments are 0.1-3.0cm and angular to subrounded. Rare fragments can be found with intraclast veinlets that do not penetrate the surrounding fragments, indicating that some veining occurred pre-fragmentation. Veinlets are also found cutting across multiple fragments, showing that veining also occurred post-fragmentation. <1mm carbonate veinlets wrapping around individual clasts indicates syn-fragmentation veining as well. Occasionally the brecciation becomes matrix-supported. In coarser zones, the rock is approximately 20% black subhedral to anhedral amphibole (retrogressing to		11502	34.35	36.35	2.00		-	-	-	-
				11503	36.35	38.35	2.00		-	-	-	-
				11504	38.35	40.35	2.00		-	-	-	-
				11505	40.35	42.35	2.00		-	-	-	-
				11506	42.35	44.35	2.00		-	-	-	-
				11507	44.35	46.35	2.00		-	-	-	-
				11508	46.35	48.35	2.00		-	-	-	-
				11509	48.35	50.35	2.00		-	-	-	-
				11511	50.35	52.35	2.00		-	-	-	-
				11512	52.35	54.35	2.00		-	-	-	-
				11513	54.35	56.35	2.00		-	-	-	-
				11514	56.35	58.35	2.00		-	-	-	-
				11516	58.35	60.35	2.00		-	-	-	-

From (m)	To (m)	Lithology
		chlorite and epidote), 15% white rounded 1-3 mm carbonate porphyroblasts (strongly reactive with cold dilute HCl), 20% cm-scale aphanitic black breccia clasts, 20% red hematite porphyroblasts, and 25% groundmass of sub-mm-scale epidote, chlorite, carbonate, and magnetite.
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***
		32.35 - 42.45 HE FF WM
		32.35 - 42.45 Carb VN WM
		32.35 - 42.45 Carb Dis M
		32.35 - 42.45 MAG Dis M
		32.35 - 42.45 HE Dis WM
		32.35 - 42.45 EP PCH WM
		32.35 - 42.45 CHL P M
		42.45 - 152.50 Carb VN M
		42.45 - 152.50 Carb Dis MS
		42.45 - 152.50 MAG Dis M
		42.45 - 152.50 HE Dis M
		42.45 - 152.50 EP PCH M
		42.45 - 152.50 CHL P MS
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***
		32.35 - 152.50 PY BL 0.1 Occasional blebs in argillitic zones
		32.35 - 152.50 PY FF 1 Only in very fine grained argillitic tuffs.
		32.35 - 152.50 MAG DIS 5
		32.35 - 152.50 PY TR 0.01
		85.90 - 86.00 CP TR 0.01 A single 0.2mm grain observed within a carbonate grain.
		Structure Maj.: ***Type/Core Angle*** ***Comment***
		32.35 - 152.50 VN 45 Range from 0-90 degTCA
		41.00 - 41.05 LAM 60 flow banding in tuff

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11517	60.35	62.35	2.00		-	-	-	-
11518	62.35	64.35	2.00		-	-	-	-
11519	64.35	66.35	2.00		-	-	-	-
11521	66.35	68.35	2.00		-	-	-	-
11522	68.35	70.35	2.00		-	-	-	-
11523	70.35	72.35	2.00		-	-	-	-
11524	72.35	74.35	2.00		-	-	-	-
11525	74.35	76.35	2.00		-	-	-	-
11526	76.35	78.35	2.00		-	-	-	-
11527	78.35	80.35	2.00		-	-	-	-
11528	80.35	82.35	2.00		-	-	-	-
11529	82.35	84.35	2.00		-	-	-	-
11531	84.35	86.35	2.00		-	-	-	-
11532	86.35	88.35	2.00		-	-	-	-
11533	88.35	90.35	2.00		-	-	-	-
11534	90.35	92.35	2.00		-	-	-	-
11536	92.35	94.35	2.00		-	-	-	-
11537	94.35	96.35	2.00		-	-	-	-
11538	96.35	98.35	2.00		-	-	-	-
11539	98.35	100.35	2.00		-	-	-	-
11541	100.35	102.35	2.00		-	-	-	-
11542	102.35	104.35	2.00		-	-	-	-
11543	104.35	106.35	2.00		-	-	-	-
11544	106.35	108.35	2.00		-	-	-	-
11545	108.35	110.35	2.00		-	-	-	-
11546	110.35	112.35	2.00		-	-	-	-
11547	112.35	114.35	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)			Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		49.05 - 49.10	VN 40	vein of cc, ep, and py	11548	114.35	116.35	2.00		-	-	-	-
		50.15 - 50.20	LAM 35	flow banding	11549	116.35	118.35	2.00		-	-	-	-
		64.50 - 64.55	LAM 65	flow banding	11551	118.35	120.35	2.00		-	-	-	-
		66.00 - 81.95	G 0	Gouge is fairly rare in this zone.	11552	120.35	122.35	2.00		-	-	-	-
		66.00 - 81.95	SLK 70	Ranges from 40-90 degTCA	11553	122.35	124.35	2.00		-	-	-	-
		66.00 - 81.95	FLT 0		11554	124.35	126.35	2.00		-	-	-	-
		66.00 - 81.95	F 0	Ranges from 0-90 degTCA	11556	126.35	128.35	2.00		-	-	-	-
		66.00 - 81.95	BC 0	Ranges from 0-90 degTCA	11557	128.35	130.35	2.00		-	-	-	-
		73.60 - 73.65	LAM 65	flow banding	11558	130.35	132.35	2.00		-	-	-	-
		Texture Maj:	***Type***	***Comment***	11559	132.35	134.35	2.00		-	-	-	-
		32.35 - 152.50	FB	In tuffaceous layers.	11561	134.35	136.35	2.00		-	-	-	-
		32.35 - 152.50	HETR	Interlayered tuffs and flows (possibly vent breccias).	11562	136.35	138.35	2.00		-	-	-	-
		32.35 - 152.50	PORPH		11563	138.35	140.35	2.00		-	-	-	-
		32.35 - 152.50	PRBL		11564	140.35	142.35	2.00		-	-	-	-
		32.35 - 152.50	ME		11565	142.35	144.35	2.00		-	-	-	-
		32.35 - 152.50	BX	Observable in approx 50% of the core	11566	144.35	146.35	2.00		-	-	-	-
		32.35 - 152.50	FRAG		11567	146.35	148.35	2.00		-	-	-	-
		Minor Interval:			11568	148.35	150.35	2.00		-	-	-	-
		97.30	102.00	BX *Breccia*	11569	150.35	152.35	2.00		-	-	-	-
				Heavily brecciated altered basalt. Breccia clasts are 1-5 cm, matrix supported (generally 60% matrix, 40% clasts), angular to subangular, and									
152.50	218.15	**ARG**	***Argillitic tuff***		11571	152.35	154.35	2.00		-	-	-	-
		An interval of continuous, dark grey, very fine grained, laminated argillite with occasional light grey silty bands. Silt bands often appear to grade up into argillite. Rare convolute laminations can be found. Pyrite is mineralized along bedding planes and fractures, and is disseminated throughout. Upper contact is sharp; th 50 cm of brecciated basalt above includes coarse breccia clasts (up to 3 cm), with one particularly large (10 cm) clast of argillite. Basal contact is sharp. From 162.25 there are intermittent sheets of altered dykes cutting the argillite; these are described as sub-lithologies. Carbonate/QZCB veins and stringers are pervasive throughout, increasing in abundance towards the lower contact. The orientation of these varies bu appears to be predominantly sub parallel TCA. Thickness varies from mm-cm scale. These are frequently kinked with 'mini-folds' and occasional mm-scale offset. Unit is blocky with the amount of fracturing increasing down hole towards lower contact.				11572	154.35	156.35	2.00		-	-	-	-
					11573	156.35	158.35	2.00		-	-	-	-
					11574	158.35	160.35	2.00		-	-	-	-
					11576	160.35	162.35	2.00		-	-	-	-
					11577	162.35	164.35	2.00		-	-	-	-
					11578	164.35	166.35	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***
		152.50 - 162.25 Carb INT MS As the argillite's cement
		152.50 - 162.25 Carb FF MS
		152.50 - 162.25 Carb VN MS
		Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***
		152.50 - 162.25 PY STR 2 Particularly along bedding/lamination surfaces
		152.50 - 162.25 PY DIS 2
		152.50 - 162.25 PY FF 3
		Structure Maj.: ***Type/Core Angle*** ***Comment***
		152.50 - 162.25 VN 10 Ranges from 0-90 degTCA
		152.50 - 162.25 F 40 Ranges from 0-90 degTCA
		152.50 - 162.25 LAM 35
		152.50 - 162.25 BD 50
		152.50 - 162.25 BD 40
		152.50 - 162.25 BD 35
		Texture Maj: ***Type*** ***Comment***
		152.50 - 162.25 LAM Bedded and laminated, often fine enough to have conchoidal fracture.
		152.50 - 162.25 FG
		Minor Interval:
162.25	169.55	DIKE *Altered basic-intermediate dyke*
		Green porphyritic basic-intermediate dike; contacts cross-cut laminations in argillite. Phenocrysts are hornblende; matrix is aphanitic, soft, green, likely a mixture of chlorite, serpentine, and possibly epidote, with no reactive carbonate. The rock is magnetic, but magnetite grains are not visible, indicating that they are part of the matrix. There is no brecciation of the dyke material, nor is there any fabric development in the orientatio of the phenocrysts. The unit is frequently fractured and gouged, with slickensides on fracture surfaces. Fracture surfaces are serpentinized. Carbonate veinlets are convolute and chaotic. There do not appear to be

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11579	166.35	168.35	2.00		-	-	-	-
11581	168.35	170.35	2.00		-	-	-	-
11583	170.35	172.35	2.00		-	-	-	-
11584	174.35	176.35	2.00		-	-	-	-
11585	176.35	178.35	2.00		-	-	-	-
11586	178.35	180.35	2.00		-	-	-	-
11587	180.35	182.35	2.00		-	-	-	-
11588	182.35	184.35	2.00		-	-	-	-
11589	184.35	186.35	2.00		-	-	-	-
11591	186.35	188.35	2.00		-	-	-	-
11592	188.35	190.35	2.00		-	-	-	-
11593	190.35	192.35	2.00		-	-	-	-
11594	192.35	194.35	2.00		-	-	-	-
11596	194.35	196.35	2.00		-	-	-	-
11597	196.35	198.35	2.00		-	-	-	-
11598	198.35	200.35	2.00		-	-	-	-
11599	200.35	202.35	2.00		-	-	-	-
11601	202.35	204.35	2.00		-	-	-	-
11602	204.35	206.35	2.00		-	-	-	-
11603	206.35	208.35	2.00		-	-	-	-
11604	208.35	210.35	2.00		-	-	-	-
11605	210.35	212.35	2.00		-	-	-	-
11606	212.35	214.35	2.00		-	-	-	-
11607	214.35	216.35	2.00		-	-	-	-
11608	216.35	218.35	2.00		-	-	-	-

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)

chill margins in the dyke, or contact metamorphism of the argillite.

Minor Interval:

170.95 174.90 DIKE *Altered basic-intermediate dyke*

As above. The basal contact is not discrete; there is a 40 cm zone of disoriented argillite enclaves within the dyke, then dyke material injected into the argillite, then solid argillite.

Minor Interval:

176.20 180.50 DIKE *Altered basic-intermediate dyke*

As above. 2-10 cm enclaves of argillite occur between 178.95 and 179.15m. Much of this dyke is heavily gouged and faulted, especially between 176.2 and 178.3m.

Minor Interval:

187.80 188.30 DIKE *Altered Dyke*

A short interval of strongly epidotized basic-intermediate rock. Epidote forms as cm-scale rounded blebs, and mm-scale subangular replacemen (possibly after plagioclase or amphibole). This dyke is moderately reactive with HCl, and only weakly magnetic.

Minor Interval:

193.05 199.30 DIKE *Strongly altered dyke*

Carbonate-rich, pale green, soft, fine grained rock, with significant gouge zones and fracturing.

Alteration Min:	***Type/Style/Intensity***	***Comment***
193.05 - 199.30	Carb P M	
193.05 - 199.30	CHL P MS	

Structure Min.:	***Type/Core Angle***	***Comment***
193.05 - 199.30	FLT	
193.05 - 199.30	SLK	
193.05 - 199.30	G	

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
218.15	328.00	**BSLT** ***Altered Basalt***

Dark green to brown fine-medium grained altered basalt with strongly chloritized groundmass, and epidot (possibly replacing plagioclase or amphibole) porphyroblasts. Contact with overlying argillite is broken - possibly due to faulting?- and heavily veined with carbonate. Unit contains some brecciated sections that are irregular with gradational contacts with non-BXD sections - these breccia could represent a diatreme breccia?. BXD clasts are fg to aphanitic, SUBR and range in size from ~0.5-3.0cm. Edges of the clasts are very sharp and distinct with non-BXD host; clasts frequently contain <mm size PLAG (?) crystals and occasionally the host rock is bleached by CARB alteration around some of the larger clasts. Host rock is characterized by a fine grained matrix that is moderately to locally strongly altered by carbonate, epidote, and chlorite; this matrix contains larger (<3mm) phenocrysts of yellow- green and green-black chlorite altere HBL (?) along with minor large (<2cm) PLAG phenocrysts that are altered to sericite with occasional pink selvages. Magnetite appears pervasive throughout as distinct crystals (<2mm); pink-red round hematite blebs are also present and are occasionally rimmed with mint-green alteration/replacement mineralisation unknown origin (Cu-oxide of some sort?). QZCB/CARB veining as seen above is still strong in unit from top contact unit but decrease down hole to <25% of what it was originally. Veins are often tinged pink; these ar webby in texture and are often cross-cut by white QZCB/CARB veinlets. Contact with upper unit appears gradational due to remnant sections (<20cm thick) sections of the above argillite present in distinct contac with host lithology. Argillitic sections occasionally contain the same convolute laminations as seen above. Overall rock is fairly broken up with localised sections of rubble that contain slickensides. Lower contact is highly broken/fractured over ~1m and contains a section Minor PY mineralisation is present and is mainly disseminated with rare blebby veinlets <3mm thick.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
218.15 - 328.00	Carb VN M	
218.15 - 328.00	EP P MS	
218.15 - 328.00	CHL P MS	
218.15 - 328.00	HE Dis W	
218.15 - 328.00	QZCB VN M	
218.15 - 328.00	BIO Dis M	

Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***
218.15 - 328.00	ASP DIS 0.25	
218.15 - 328.00	PY BL 1	
218.15 - 328.00	PY DIS 2	

Structure Maj.:	***Type/Core Angle***	***Comment***
218.15 - 328.00	SLK 70	deg TCA

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11609	218.35	220.35	2.00		-	-	-	-
11611	220.35	222.35	2.00		-	-	-	-
11612	222.35	224.35	2.00		-	-	-	-
11613	224.35	226.35	2.00		-	-	-	-
11614	226.35	228.35	2.00		-	-	-	-
11616	228.35	230.35	2.00		-	-	-	-
11617	230.35	232.35	2.00		-	-	-	-
11618	232.35	234.35	2.00		-	-	-	-
11619	234.35	236.35	2.00		-	-	-	-
11620	236.35	238.35	2.00		-	-	-	-
11621	238.35	240.35	2.00		-	-	-	-
11622	240.35	242.35	2.00		-	-	-	-
11623	242.35	244.35	2.00		-	-	-	-
11624	244.35	246.35	2.00		-	-	-	-
11625	246.35	248.35	2.00		-	-	-	-
11626	248.35	250.35	2.00		-	-	-	-
11627	250.35	252.35	2.00		-	-	-	-
11628	252.35	254.35	2.00		-	-	-	-
11629	254.35	256.35	2.00		-	-	-	-
11631	256.35	258.35	2.00		-	-	-	-
11632	258.35	260.35	2.00		-	-	-	-
11633	260.35	262.35	2.00		-	-	-	-
11634	262.35	264.35	2.00		-	-	-	-
11636	264.35	266.35	2.00		-	-	-	-
11637	266.35	268.35	2.00		-	-	-	-
11638	268.35	270.35	2.00		-	-	-	-
11639	270.35	272.35	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology			Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		218.15 - 328.00	BC 20		11640	272.35	274.35	2.00		-	-	-	-
		218.15 - 328.00	BC 65		11641	274.35	276.35	2.00		-	-	-	-
					11642	276.35	278.35	2.00		-	-	-	-
		Texture Maj:	***Type***	***Comment***	11643	278.35	280.35	2.00		-	-	-	-
		218.15 - 328.00	BX	Sporadic, not pervasive.	11644	280.35	282.35	2.00		-	-	-	-
		218.15 - 328.00	FG		11645	282.35	284.35	2.00		-	-	-	-
		218.15 - 328.00	MASS		11646	284.35	286.35	2.00		-	-	-	-
		218.15 - 328.00	IE		11647	286.35	288.35	2.00		-	-	-	-
		218.15 - 328.00	HETR		11648	288.35	290.35	2.00		-	-	-	-
					11649	290.35	292.35	2.00		-	-	-	-
					11663	292.35	294.35	2.00		-	-	-	-
					11664	294.35	296.35	2.00		-	-	-	-
					11665	296.35	298.35	2.00		-	-	-	-
					11666	298.35	300.35	2.00		-	-	-	-
					11668	300.35	302.35	2.00		-	-	-	-
					11670	302.35	304.35	2.00		-	-	-	-
					11671	304.35	306.35	2.00		-	-	-	-
					11672	306.35	308.35	2.00		-	-	-	-
					11673	308.35	310.35	2.00		-	-	-	-
					11674	310.35	312.35	2.00		-	-	-	-
					11675	312.35	314.35	2.00		-	-	-	-
					11676	314.35	316.35	2.00		-	-	-	-
					11677	316.35	318.35	2.00		-	-	-	-
					11678	318.35	320.35	2.00		-	-	-	-
					11680	320.35	322.35	2.00		-	-	-	-
					11681	322.35	324.35	2.00		-	-	-	-
					11682	324.35	326.35	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
328.00	416.65	**BSLT** ***Altered Basalt***

Green to brown basalt with common fragments and a groundmass that is highly altered with epidote and chlorite along with localised carbonate-bleached sections. Fragments have sharp edges with host lithology and often contain mm-scale milky-green CARB altered PLAG crystals within a fine-grained to aphanitic brown-black groundmass that is occasionally streaked with hematite. Host basalt has a fine grained groundmass of rounded olivine that are highly altered with chlorite, epidote and serpentine (bright blue-gree replacement). Primary and secondary magnetite is also present as are dark green to black SUBA amphiboles (<2mm); magnetite increases down hole by ~5-10%. Red to brown-red SUBA hematite grains <2mm are disseminated throughout in moderate quantities and are also present as coating on fracture surfaces; this decreases down hole and could possibly represent a pseudomorph of the chlorite + olivine th comprises the matrix. Localised sections contain carbonate +/- QTZ (?) as interstitial alteration. Core is much more competent than overlying unit and QZCB/CARB veinlets are significantly decreased; these primarily wrap around vs. penetrate the clasts. Pyrite is associated primarily with the altered olivine with minor blebby veinlets; no other sulphide mineralisation is visible.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
328.00 - 329.00	HE B S	
328.00 - 329.00	HE Dis WM	
329.00 - 341.38	QZCB VN M	
329.00 - 341.38	HE Dis M	
329.00 - 341.38	BIO Dis W	
329.00 - 341.38	SERP P WM	
329.00 - 341.38	EP P MS	
329.00 - 341.38	CHL P S	
329.00 - 341.38	MAG Dis MS	

Mineralization Maj. :	***Type/Style/%Mineral***	***Comment***
328.00 - 329.00	MAG DIS 5	
328.00 - 329.00	PY DIS 2	

Structure Maj.:	***Type/Core Angle***	***Comment***
328.00 - 329.00	UC 0	broken

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11683	326.35	328.35	2.00		-	-	-	-
11685	328.35	330.35	2.00		-	-	-	-
11686	330.35	332.35	2.00		-	-	-	-
11687	332.35	334.35	2.00		-	-	-	-
11688	334.35	336.35	2.00		-	-	-	-
11690	336.35	338.35	2.00		-	-	-	-
11691	338.35	340.35	2.00		-	-	-	-
11692	340.35	342.35	2.00		-	-	-	-
11693	342.35	344.35	2.00		-	-	-	-
11694	344.35	346.35	2.00		-	-	-	-
11695	346.35	348.35	2.00		-	-	-	-
11696	348.35	350.35	2.00		-	-	-	-
11698	350.35	352.35	2.00		-	-	-	-
11699	352.35	354.35	2.00		-	-	-	-
11700	354.35	356.35	2.00		-	-	-	-
11702	356.35	358.35	2.00		-	-	-	-
11703	358.35	360.35	2.00		-	-	-	-
11704	360.35	362.35	2.00		-	-	-	-
11705	362.35	364.35	2.00		-	-	-	-
11706	364.35	366.35	2.00		-	-	-	-
11707	366.35	368.35	2.00		-	-	-	-
11709	368.35	370.35	2.00		-	-	-	-
11710	370.35	372.35	2.00		-	-	-	-
11711	372.35	374.35	2.00		-	-	-	-
11712	374.35	376.35	2.00		-	-	-	-
11713	376.35	378.35	2.00		-	-	-	-
11714	378.35	380.35	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)			Lithology
		328.00 - 329.00	SLK	
		328.00 - 329.00	LAM 75	
		329.00 - 341.38	VN 10	deg TCA
		329.00 - 341.38	VN 35	deg TCA
		329.00 - 341.38	BX	
		Texture Maj:	***Type***	***Comment***
		328.00 - 329.00	LAM	
		328.00 - 329.00	EQUI	
		328.00 - 329.00	FG	
		329.00 - 416.65	IE	
		329.00 - 416.65	BX	
		329.00 - 416.65	MASS	
		329.00 - 416.65	HETR	
416.65	416.66	**EOH**	***End of Hole***	
		End of hole.		

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
11716	380.35	382.35	2.00		-	-	-	-
11718	382.35	384.35	2.00		-	-	-	-
11719	384.35	386.35	2.00		-	-	-	-
11720	386.35	388.35	2.00		-	-	-	-
11722	388.35	390.35	2.00		-	-	-	-
11723	390.35	392.35	2.00		-	-	-	-
11724	392.35	394.35	2.00		-	-	-	-
11725	394.35	396.35	2.00		-	-	-	-
11726	396.35	398.35	2.00		-	-	-	-
11727	398.35	400.35	2.00		-	-	-	-
11728	400.35	402.35	2.00		-	-	-	-
11729	402.35	404.35	2.00		-	-	-	-
11731	404.35	406.35	2.00		-	-	-	-
11732	406.35	408.35	2.00		-	-	-	-
11733	408.35	410.35	2.00		-	-	-	-
11734	410.35	412.35	2.00		-	-	-	-
11736	412.35	414.35	2.00		-	-	-	-
11737	414.35	415.45	1.10		-	-	-	-
11740	415.45	416.55	1.10		-	-	-	-

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
32.35	34.35	2.00	11501	
34.35	36.35	2.00	11502	
36.35	38.35	2.00	11503	
38.35	40.35	2.00	11504	
40.35	42.35	2.00	11505	
42.35	44.35	2.00	11506	
44.35	46.35	2.00	11507	
46.35	48.35	2.00	11508	
48.35	50.35	2.00	11509	
50.35	52.35	2.00	11511	
52.35	54.35	2.00	11512	
54.35	56.35	2.00	11513	
56.35	58.35	2.00	11514	
58.35	60.35	2.00	11516	
60.35	62.35	2.00	11517	
62.35	64.35	2.00	11518	
64.35	66.35	2.00	11519	
66.35	68.35	2.00	11521	
68.35	70.35	2.00	11522	
70.35	72.35	2.00	11523	
72.35	74.35	2.00	11524	
74.35	76.35	2.00	11525	
76.35	78.35	2.00	11526	
78.35	80.35	2.00	11527	
80.35	82.35	2.00	11528	
82.35	84.35	2.00	11529	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
84.35	86.35	2.00	11531	
86.35	88.35	2.00	11532	
88.35	90.35	2.00	11533	
90.35	92.35	2.00	11534	
92.35	94.35	2.00	11536	
94.35	96.35	2.00	11537	
96.35	98.35	2.00	11538	
98.35	100.35	2.00	11539	
100.35	102.35	2.00	11541	
102.35	104.35	2.00	11542	
104.35	106.35	2.00	11543	
106.35	108.35	2.00	11544	
108.35	110.35	2.00	11545	
110.35	112.35	2.00	11546	
112.35	114.35	2.00	11547	
114.35	116.35	2.00	11548	
116.35	118.35	2.00	11549	
118.35	120.35	2.00	11551	
120.35	122.35	2.00	11552	
122.35	124.35	2.00	11553	
124.35	126.35	2.00	11554	
126.35	128.35	2.00	11556	
128.35	130.35	2.00	11557	
130.35	132.35	2.00	11558	
132.35	134.35	2.00	11559	
134.35	136.35	2.00	11561	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
136.35	138.35	2.00	11562	
138.35	140.35	2.00	11563	
140.35	142.35	2.00	11564	
142.35	144.35	2.00	11565	
144.35	146.35	2.00	11566	
146.35	148.35	2.00	11567	
148.35	150.35	2.00	11568	
150.35	152.35	2.00	11569	
152.35	154.35	2.00	11571	
154.35	156.35	2.00	11572	
156.35	158.35	2.00	11573	
158.35	160.35	2.00	11574	
160.35	162.35	2.00	11576	
162.35	164.35	2.00	11577	
164.35	166.35	2.00	11578	
166.35	168.35	2.00	11579	
168.35	170.35	2.00	11581	
170.35	172.35	2.00	11583	
174.35	176.35	2.00	11584	
176.35	178.35	2.00	11585	
178.35	180.35	2.00	11586	
180.35	182.35	2.00	11587	
182.35	184.35	2.00	11588	
184.35	186.35	2.00	11589	
186.35	188.35	2.00	11591	
188.35	190.35	2.00	11592	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
190.35	192.35	2.00	11593	
192.35	194.35	2.00	11594	
194.35	196.35	2.00	11596	
196.35	198.35	2.00	11597	
198.35	200.35	2.00	11598	
200.35	202.35	2.00	11599	
202.35	204.35	2.00	11601	
204.35	206.35	2.00	11602	
206.35	208.35	2.00	11603	
208.35	210.35	2.00	11604	
210.35	212.35	2.00	11605	
212.35	214.35	2.00	11606	
214.35	216.35	2.00	11607	
216.35	218.35	2.00	11608	
218.35	220.35	2.00	11609	
220.35	222.35	2.00	11611	
222.35	224.35	2.00	11612	
224.35	226.35	2.00	11613	
226.35	228.35	2.00	11614	
228.35	230.35	2.00	11616	
230.35	232.35	2.00	11617	
232.35	234.35	2.00	11618	
234.35	236.35	2.00	11619	
236.35	238.35	2.00	11620	
238.35	240.35	2.00	11621	
240.35	242.35	2.00	11622	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
242.35	244.35	2.00	11623	
244.35	246.35	2.00	11624	
246.35	248.35	2.00	11625	
248.35	250.35	2.00	11626	
250.35	252.35	2.00	11627	
252.35	254.35	2.00	11628	
254.35	256.35	2.00	11629	
256.35	258.35	2.00	11631	
258.35	260.35	2.00	11632	
260.35	262.35	2.00	11633	
262.35	264.35	2.00	11634	
264.35	266.35	2.00	11636	
266.35	268.35	2.00	11637	
268.35	270.35	2.00	11638	
270.35	272.35	2.00	11639	
272.35	274.35	2.00	11640	
274.35	276.35	2.00	11641	
276.35	278.35	2.00	11642	
278.35	280.35	2.00	11643	
280.35	282.35	2.00	11644	
282.35	284.35	2.00	11645	
284.35	286.35	2.00	11646	
286.35	288.35	2.00	11647	
288.35	290.35	2.00	11648	
290.35	292.35	2.00	11649	
292.35	294.35	2.00	11663	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
294.35	296.35	2.00	11664	
296.35	298.35	2.00	11665	
298.35	300.35	2.00	11666	
300.35	302.35	2.00	11668	
302.35	304.35	2.00	11670	
304.35	306.35	2.00	11671	
306.35	308.35	2.00	11672	
308.35	310.35	2.00	11673	
310.35	312.35	2.00	11674	
312.35	314.35	2.00	11675	
314.35	316.35	2.00	11676	
316.35	318.35	2.00	11677	
318.35	320.35	2.00	11678	
320.35	322.35	2.00	11680	
322.35	324.35	2.00	11681	
324.35	326.35	2.00	11682	
326.35	328.35	2.00	11683	
328.35	330.35	2.00	11685	
330.35	332.35	2.00	11686	
332.35	334.35	2.00	11687	
334.35	336.35	2.00	11688	
336.35	338.35	2.00	11690	
338.35	340.35	2.00	11691	
340.35	342.35	2.00	11692	
342.35	344.35	2.00	11693	
344.35	346.35	2.00	11694	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
346.35	348.35	2.00	11695	
348.35	350.35	2.00	11696	
350.35	352.35	2.00	11698	
352.35	354.35	2.00	11699	
354.35	356.35	2.00	11700	
356.35	358.35	2.00	11702	
358.35	360.35	2.00	11703	
360.35	362.35	2.00	11704	
362.35	364.35	2.00	11705	
364.35	366.35	2.00	11706	
366.35	368.35	2.00	11707	
368.35	370.35	2.00	11709	
370.35	372.35	2.00	11710	
372.35	374.35	2.00	11711	
374.35	376.35	2.00	11712	
376.35	378.35	2.00	11713	
378.35	380.35	2.00	11714	
380.35	382.35	2.00	11716	
382.35	384.35	2.00	11718	
384.35	386.35	2.00	11719	
386.35	388.35	2.00	11720	
388.35	390.35	2.00	11722	
390.35	392.35	2.00	11723	
392.35	394.35	2.00	11724	
394.35	396.35	2.00	11725	
396.35	398.35	2.00	11726	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-013**

Project: **COWTRAIL**

From (m)	*To* (m)	*Length* (m)	*Sample #*	*Comments*
398.35	400.35	2.00	11727	
400.35	402.35	2.00	11728	
402.35	404.35	2.00	11729	
404.35	406.35	2.00	11731	
406.35	408.35	2.00	11732	
408.35	410.35	2.00	11733	
410.35	412.35	2.00	11734	
412.35	414.35	2.00	11736	
414.35	415.45	1.10	11737	
415.45	416.55	1.10	11740	eoh

QUALITY CONTROL REPORT

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Dup (OF)	Len	Pb (ppm)	Pb2 (%)	Pbol (%)	Perdas	Samp (TYPE)	tandar	Zn (ppm)	Zn2 (%)
38.35	11497	Pulp Dup 20	11504		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11504	0.00	-	-	-	-	Dup 200		-	-
48.35	11510	Standard		cgs-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	cgs-29	-	-
54.35	11498	Field Dup	11513		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11513	0.00	-	-	-	-	ield Du		-	-
56.35	11515	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
64.35	11519A	Fraction Dup	11519				-	-	-	-	-	-	-	-	11519	0.00	-	-	-	-	n Dup 1		-	-
72.35	11499	Pulp Dup 20	11524		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11524	0.00	-	-	-	-	Dup 200		-	-
82.35	11530	Standard		CGS-26	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-26	-	-
88.35	11651	Field Dup	11533		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11533	0.00	-	-	-	-	ield Du		-	-
90.35	11535	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
98.35	11539A	Fraction Dup	11539				-	-	-	-	-	-	-	-	11539	0.00	-	-	-	-	n Dup 1		-	-
106.35	11652	Pulp Dup 20	11544		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11544	0.00	-	-	-	-	Dup 200		-	-
116.35	11550	Standard		CM-11A	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CM-11A	-	-
124.35	11555	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
128.35	11653	Field Dup	11557		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11557	0.00	-	-	-	-	ield Du		-	-
132.35	11559A	Fraction Dup	11559				-	-	-	-	-	-	-	-	11559	0.00	-	-	-	-	n Dup 1		-	-
144.35	11654	Pulp Dup 20	11566		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11566	0.00	-	-	-	-	Dup 200		-	-
150.35	11570	Standard		cgs-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	cgs-29	-	-
156.35	11655	Field Dup	11573		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11573	0.00	-	-	-	-	ield Du		-	-
158.35	11575	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
166.35	11579A	Fraction Dup	11579				-	-	-	-	-	-	-	-	11579	0.00	-	-	-	-	n Dup 1		-	-
174.35	11656	Pulp Dup 20	11584		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11584	0.00	-	-	-	-	Dup 200		-	-
184.35	11590	Standard		cm-11a	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	cm-11a	-	-
190.35	11657	Field Dup	11593		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	11593	0.00	-	-	-	-	ield Du		-	-
192.35	11595	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
200.35	11599A	Fraction Dup	11599				-	-	-	-	-	-	-	-	11599	0.00	-	-	-	-	n Dup 1		-	-

QUALITY CONTROL REPORT

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

208.35	11658	Pulp Dup 20	11604		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11604	0.00	-	-	-	-	Dup 200	-	-
218.35	11610	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-29	-	-
226.35	11615	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
230.35	11659	Field Dup	11617		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11617	0.00	-	-	-	-	ield Du		-	-
234.35	11619A	Fraction Dup	11619			-	-	-	-	-	-	-	-	11619	0.00	-	-	-	-	n Dup 1		-	-
244.35	11660	Pulp Dup 20	11624		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11624	0.00	-	-	-	-	Dup 200		-	-
254.35	11630	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-
262.35	11635	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
266.35	11661	Field Dup	11637		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11637	0.00	-	-	-	-	ield Du		-	-
270.35	11639A	Fraction Dup	11639			-	-	-	-	-	-	-	-	11639	0.00	-	-	-	-	n Dup 1		-	-
284.35	11662	Pulp Dup 20	11646		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11646	0.00	-	-	-	-	Dup 200		-	-
290.35	11650	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	CGS-29	-	-
294.35	11669	Field Dup	11664		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11664	0.00	-	-	-	-	ield Du		-	-
298.35	11667	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
304.35	11697	Field Dup	11671		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11671	0.00	-	-	-	-	ield Du		-	-
308.35	11673A	Fraction Dup	11673			-	-	-	-	-	-	-	-	11673	0.00	-	-	-	-	n Dup 1		-	-
316.35	11679	Pulp Dup 20	11677		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11677	0.00	-	-	-	-	Dup 200		-	-
326.35	11684	Standard	cgs-26		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	cgs-26	0.00	-	-	-	-	Standar		-	-
334.35	11689	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
344.35	11694A	Fraction Dup	11694			-	-	-	-	-	-	-	-	11694	0.00	-	-	-	-	n Dup 1		-	-
354.35	11701	Field Dup	11700		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11700	0.00	-	-	-	-	ield Du		-	-
366.35	11708	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
376.35	11713A	Fraction Dup	11713			-	-	-	-	-	-	-	-	11713	0.00	-	-	-	-	n Dup 1		-	-
378.35	11715	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
380.35	11717	Field Dup	11716		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11716	0.00	-	-	-	-	ield Du		-	-
386.35	11721	Pulp Dup 20	11720		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11720	0.00	-	-	-	-	Dup 200		-	-
402.35	11730	Standard		bl-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	bl-9	-	-
410.35	11735	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-

QUALITY CONTROL REPORT

Hole Number: **CT-2011-013** Project: **COWTRAIL** Project Number: **003**

412.35	11738	Field Dup	11736	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	11736	0.00	-	-	-	-	ield Du	-	-

Hole	CT-2011-013							
Date	Nov-17-2011							
Geotech	Steffi							
From	**To**	**Interval**	**Recovery**	**Rec %**	**RQD**	**RQD%**	**Fractures**	**Hardness**
				#DIV/0!				
31.76	32.61	0.85	0.69	81.18	0.11	12.94	100	4
32.61	35.66	3.05	2.5	81.97	0.84	33.60	100	4
35.66	38.71	3.05	3.05	100.00	1.27	41.64	70	4
38.71	41.76	3.05	2.96	97.05	1.23	41.55	76	5
41.76	44.81	3.05	3.05	100.00	0.59	19.34	100	4
44.81	47.85	3.04	3.04	100.00	0.96	31.58	100	4
47.85	50.9	3.05	3.05	100.00	1.55	50.82	45	4
50.9	53.95	3.05	3.05	100.00	1.11	36.39	80	4
53.95	56.99	3.04	3.04	100.00	1.99	65.46	42	4
56.99	59.44	2.45	2.45	100.00	0.96	39.18	100	3
59.44	62.48	3.04	3.04	100.00	1.07	35.20	100	4
62.48	64.01	1.53	1.53	100.00	1.02	66.67	25	4
64.01	65.84	1.83	1.83	100.00	1	54.64	90	4
65.84	67.06	1.22	0.85	69.67	0.18	21.18	100	5
67.06	69.19	2.13	1.88	88.26	0.12	6.38	100	4
69.19	70.72	1.53	0.82	53.59	0.16	19.51	80	4
70.72	73.46	2.74	2.74	100.00	0.12	4.38	100	4
73.46	76.21	2.75	2.75	100.00	0.41	14.91	100	4
76.21	78.94	2.73	2.6	95.24	0.91	35.00	100	4
78.94	81.4	2.46	1.95	79.27	0.6	30.77	100	4
81.4	84.4	3	3.05	101.67	2.43	79.67	89	5
84.4	87.5	3.1	3.1	100.00	2.18	70.32	35	4
87.5	90.53	3.03	3.03	100.00	1.24	40.92	90	5
90.53	93.57	3.04	1.3	42.76	0.47	36.15	80	5
93.57	96.62	3.05	3.05	100.00	0.6	19.67	75	5
96.62	99.66	3.04	3.04	100.00	1.85	60.86	70	5
99.66	102.7	3.04	3.04	100.00	1.46	48.03	45	5
102.7	105.8	3.1	3.01	97.10	1.43	47.51	80	5
105.8	108.8	3	3	100.00	0.38	12.67	100	5
108.8	111.86	3.06	3.06	100.00	1.06	34.64	100	5
111.86	114.9	3.04	3.04	100.00	1.82	59.87	40	5
114.9	117.96	3.06	3.06	100.00	2.3	75.16	24	5
117.96	121	3.04	2.9	95.39	1.5	51.72	100	4
121	124.1	3.1	2.89	93.23	1.11	38.41	100	5
124.1	127.1	3	3	100.00	1.99	66.33	45	5
127.1	130.15	3.05	3.05	100.00	1.92	62.95	100	4
130.15	133.2	3.05	3.05	100.00	2.41	79.02	25	5
133.2	136.25	3.05	3.05	100.00	1.51	49.51	55	5
136.25	139.3	3.05	3.05	100.00	1.02	33.44	70	5
139.3	142.34	3.04	3.04	100.00	1.11	36.51	100	5
142.34	145.38	3.04	3.04	100.00	1.49	49.01	90	5
145.38	148.44	3.06	2.9	94.77	0.85	29.31	100	4
148.44	151.49	3.05	2.95	96.72	1.5	50.85	70	4
151.49	154.53	3.04	3.05	100.33	1.06	34.75	100	5
154.53	157.58	3.05	3.05	100.00	1.58	51.80	100	5
157.58	160.62	3.04	3.06	100.66	1.52	49.67	100	5
160.62	163.68	3.06	2.22	72.55	0.66	29.73	100	5
163.68	166.12	2.44	2.44	100.00	0.33	13.52	100	3
166.12	168.55	2.43	2.2	90.53	0.11	5.00	100	3
168.55	169.77	1.22	1.58	129.51	0.1	6.33	100	4
169.77	172.85	3.08	2.8	90.91	1.15	41.07	100	4
172.85	175.88	3.03	3.03	100.00	1.96	64.69	100	3
175.88	178.92	3.04	2.8	92.11	0.7	25.00	100	1
178.92	181.96	3.04	3.04	100.00	2.35	77.30	50	3

181.96	185	3.04	2.74	90.13	1.14	41.61	100	5
185	188.1	3.1	3.1	100.00	2.04	65.81	100	4
188.1	191.11	3.01	3.01	100.00	1.76	58.47	100	4
191.11	194.16	3.05	3.05	100.00	0.96	31.48	100	4
194.16	197.2	3.04	2.17	71.38	0.27	12.44	100	4
197.2	199	1.8	1.1	61.11	0.1	9.09	100	2
199	202.08	3.08	3.08	100.00	1.24	40.26	100	3
202.08	205.13	3.05	3.05	100.00	0.33	10.82	100	3
205.13	208.2	3.07	3.07	100.00	0.59	19.22	100	4
208.2	209.4	1.2	1.2	100.00	0	0.00	50	3
209.4	212.4	3	3	100.00	0.12	4.00	100	3
212.4	215.49	3.09	3.09	100.00	1.16	37.54	100	4
215.49	218.54	3.05	3.05	100.00	0.44	14.43	100	5
218.54	221.6	3.06	3.06	100.00	1.17	38.24	60	5
221.6	224.6	3	3	100.00	0.47	15.67	95	4
224.6	227.62	3.02	3.02	100.00	0.37	12.25	100	5
227.62	230.73	3.11	2.84	91.32	0.78	27.46	100	4
230.73	233.78	3.05	3.05	100.00	1.46	47.87	90	5
233.78	236.83	3.05	3.05	100.00	0.92	30.16	95	4
236.83	239.87	3.04	3.04	100.00	0.25	8.22	100	3
239.87	242.93	3.06	3.06	100.00	0.28	9.15	100	3
242.93	245.97	3.04	3.04	100.00	0.67	22.04	100	3
245.97	249.02	3.05	3.05	100.00	1.3	42.62	45	3
249.02	252.07	3.05	3.05	100.00	0.5	16.39	100	3
252.07	253.59	1.52	1.54	101.32	0.14	9.09	100	3
253.59	255.73	2.14	2.17	101.40	0.15	6.91	100	3
255.73	258.16	2.43	2.62	107.82	0.26	9.92	100	4
258.16	261.21	3.05	3.05	100.00	0.11	3.61	100	4
261.21	264.3	3.09	3.09	100.00	0.2	6.47	100	4
264.3	267.31	3.01	3.01	100.00	0.44	14.62	100	4
267.31	270.35	3.04	2.9	95.39	0.32	11.03	100	3
270.35	273.4	3.05	3.05	100.00	0.6	19.67	100	3
273.4	276.45	3.05	3.05	100.00	0.5	16.39	100	3
276.45	279.5	3.05	3.05	100.00	0.78	25.57	100	4
279.5	282.55	3.05	3.05	100.00	0.77	25.25	90	4
282.55	285.59	3.04	3.04	100.00	0.91	29.93	100	4
285.59	288.65	3.06	2.9	94.77	0.55	18.97	100	4
288.65	291.69	3.04	3.04	100.00	0.63	20.72	100	4
291.69	294.74	3.05	3.05	100.00	0.43	14.10	100	4
294.74	297.78	3.04	3.04	100.00	0.72	23.68	90	4
297.78	300.8	3.02	3.02	100.00	0.88	29.14	70	4
300.8	303.88	3.08	2.86	92.86	0.6	20.98	100	4
303.88	306.93	3.05	3.05	100.00	0.41	13.44	100	4
306.93	309.98	3.05	3.05	100.00	0.25	8.20	100	4
309.98	313.03	3.05	3.05	100.00	0.58	19.02	100	4
313.03	316.08	3.05	2.9	95.08	1.06	36.55	100	4
316.08	319.13	3.05	3.03	99.34	1.26	41.58	80	4
319.13	322.17	3.04	3.04	100.00	1.13	37.17	100	4
322.17	325.22	3.05	2.99	98.03	0.32	10.70	100	4
325.22	328.27	3.05	2.8	91.80	0.77	27.50	100	4
328.27	330.73	2.46	2.8	113.82	1.34	47.86	97	4
330.73	333.76	3.03	3.03	100.00	2.19	72.28	55	4
333.76	336.8	3.04	3	98.68	2.34	78.00	50	4
336.8	339.85	3.05	3	98.36	2.7	90.00	14	4
339.85	341.38	1.53	2.42	158.17	1.06	43.80	15	4
341.38	343.2	1.82	0.67	36.81	0.2	29.85	40	4
343.2	346.25	3.05	3.05	100.00	1.72	56.39	55	4
346.25	349.3	3.05	2.98	97.70	1.69	56.71	95	4
349.3	350.52	1.22	1.22	100.00	0.95	77.87	15	3

350.52	352.62	2.1	1.95	92.86	1.21	62.05	95	4
352.62	355.7	3.08	3.05	99.03	2.05	67.21	70	4
355.7	358.75	3.05	3.05	100.00	2.22	72.79	30	4
358.75	361.79	3.04	3.04	100.00	2.13	70.07	35	4
361.79	364.85	3.06	3.06	100.00	2.78	90.85	10	4
364.85	367.89	3.04	3.02	99.34	2.77	91.72	16	4
367.89	370.94	3.05	3.05	100.00	3.03	99.34	7	4
370.94	373.99	3.05	3	98.36	2.75	91.67	8	4
373.99	377.04	3.05	3.01	98.69	2.54	84.39	13	4
377.04	380.09	3.05	3.05	100.00	2.75	90.16	20	4
380.09	383.13	3.04	3.02	99.34	2.52	83.44	25	4
383.13	386.18	3.05	3.05	100.00	2.3	75.41	20	4
386.18	389.23	3.05	2.93	96.07	1.57	53.58	40	3
389.23	392.28	3.05	2.95	96.72	1.73	58.64	65	3
392.28	395.33	3.05	3.05	100.00	2.84	93.11	9	4
395.33	398.37	3.04	3.04	100.00	2.82	92.76	9	3
398.37	401.42	3.05	3.05	100.00	3	98.36	9	3
401.42	404.47	3.05	3.02	99.02	2.02	66.89	20	3
404.47	407.52	3.05	3	98.36	2.21	73.67	100	3
407.52	410.57	3.05	3.01	98.69	3.01	100.00	6	4
410.57	413.61	3.04	2.68	88.16	2.54	94.78	7	4
413.61	416.66	3.05	3.05	100.00	2.6	85.25	95	4
416.66	END of HOLE	#VALUE!		#VALUE!		#DIV/0!		
END of HOLE		#VALUE!		#VALUE!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0		0		#DIV/0!		#DIV/0!		
0				#DIV/0!		#DIV/0!		

DRILL HOLE REPORT

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

Drilling
Azimuth: 55
Dip: -45
Length: 413.7
Started: 08-Dec-11
Completed: 13-Dec-11
Logged: 17-Dec-11
Comment:

Casing
Length: 0
Pulled: yes
Capped: no
Cemented: no

Core
Dimension: NQ
Storage: Warehouse -
Section: Line 2400
Hole Type DD

Location
Township: HORSEFLY,
Claim No.:
NTS:
Hole: SURFACE

Coordinate - Gemcom
East: 610515
North: 5810452
Elev.: 0

Coordinate - UTM
East: 610515
North: 5810452
Elev.: 0
Zone: 10 **NAD:** NAD27

Other
Logged by: Chris Galbraith
Relog by:
Contractor: Hardrock Diamond Drilling
Spotted by:
Surveyed:
Surveyed by:
Geophysics: IP
Geophysic Contractor:
Left in hole: Nothing
Making water: no
Multi shot survey: no

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00	55.00	-45.00	C	☑	

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology		Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
0.00	15.32	**CAS**	***Casing***									
15.32	380.76	**BSLT**	***Basalt***	98702	15.32	17.00	1.68		-	-	-	-
				98703	17.00	19.00	2.00		-	-	-	-
				98704	19.00	21.00	2.00		-	-	-	-
				98706	21.00	23.00	2.00		-	-	-	-
				98707	23.00	25.00	2.00		-	-	-	-
				98708	25.00	27.00	2.00		-	-	-	-
				98709	27.00	29.00	2.00		-	-	-	-
				98712	29.00	31.00	2.00		-	-	-	-
				98713	31.00	33.00	2.00		-	-	-	-
				98714	33.00	35.00	2.00		-	-	-	-
				98715	35.00	37.00	2.00		-	-	-	-
				98716	37.00	39.00	2.00		-	-	-	-
				98717	39.00	41.00	2.00		-	-	-	-
				98718	41.00	43.00	2.00		-	-	-	-
				98719	43.00	45.00	2.00		-	-	-	-
				98721	45.00	47.00	2.00		-	-	-	-
				98722	47.00	49.00	2.00		-	-	-	-
				98723	49.00	51.00	2.00		-	-	-	-
				98724	51.00	53.00	2.00		-	-	-	-
				98726	53.00	55.00	2.00		-	-	-	-
				98727	55.00	57.00	2.00		-	-	-	-

Massive, medium grained & porphyritic grey basalt, locally green-grey to purple grey. Local serpentinization on fractures. Up to 5% serpentine veins and carbonate veining. Fabric rare but occasionally weakly defined @ ~30 deg tca. Localized mottled & fragmental sections. Black, argillic section @ 63.00-63.45m. Local sections of "stacked" serpentine veins (typically no more than 1mm thick), aligned @ 50 deg tca over 1-2 metres. Sections of calcite clots up to 10cm in size. Olivine content increases down hole, locally 10-25% - some unaltered (yellow-green, transparent), some highly serpentinized. Note: some of what is being identified as serpentinized olivine phenocrysts may actually have been garnets - but not likely, but if so they are still rare. Black pyroxene phenocrysts throughout ranging from 1-4mm in size, 90 deg cleavages typically recognizable (i.e., not likely to be amphiboles, although some may also be present).

The aforementioned variations aside, this is a highly consistent and repetitive unit throughout. Sporadic patchy f.g. disseminated pyrite. LC sharp @ 30 deg tca.

Alteration Maj:	***Type/Style/Intensity***	***Comment***
15.32 - 380.76	CL PCH W	Highly local, rare clay gouges
15.32 - 380.76	SERP VN WM	Serpentine throughout, replacing olivine phenocrysts and in veins (filling fractures generated from expansion from olivine to serpentine)
15.32 - 380.76	SERP PCH WM	
15.32 - 380.76	Carb VN M	5-10% thin carbonate veins

Structure Maj.:	***Type/Core Angle***	***Comment***
250.00 - 350.00	VN 55	Sporadic sections of parallel thin serpentine veins spaced over several cm's

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			98728	57.00	59.00	2.00		-	-	-	-
			98729	59.00	61.00	2.00		-	-	-	-
			98732	61.00	63.00	2.00		-	-	-	-
			98733	63.00	65.00	2.00		-	-	-	-
			98734	65.00	67.00	2.00		-	-	-	-
			98735	67.00	69.00	2.00		-	-	-	-
			98736	69.00	71.00	2.00		-	-	-	-
			98737	71.00	73.00	2.00		-	-	-	-
			98738	73.00	75.00	2.00		-	-	-	-
			98739	75.00	77.00	2.00		-	-	-	-
			98741	77.00	79.00	2.00		-	-	-	-
			98742	79.00	81.00	2.00		-	-	-	-
			98743	81.00	83.00	2.00		-	-	-	-
			98744	83.00	85.00	2.00		-	-	-	-
			98746	85.00	87.00	2.00		-	-	-	-
			98747	87.00	89.00	2.00		-	-	-	-
			98748	89.00	91.00	2.00		-	-	-	-
			98749	91.00	93.00	2.00		-	-	-	-
			98752	93.00	95.00	2.00		-	-	-	-
			98753	95.00	97.00	2.00		-	-	-	-
			98754	97.00	99.00	2.00		-	-	-	-
			98755	99.00	101.00	2.00		-	-	-	-
			98756	101.00	103.00	2.00		-	-	-	-
			98757	103.00	105.00	2.00		-	-	-	-
			98758	105.00	107.00	2.00		-	-	-	-
			98759	107.00	109.00	2.00		-	-	-	-
			98761	109.00	111.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			98762	111.00	113.00	2.00		-	-	-	-
			98763	113.00	115.00	2.00		-	-	-	-
			98764	115.00	117.00	2.00		-	-	-	-
			98766	117.00	119.00	2.00		-	-	-	-
			98767	119.00	121.00	2.00		-	-	-	-
			98768	121.00	123.00	2.00		-	-	-	-
			98769	123.00	125.00	2.00		-	-	-	-
			98772	125.00	127.00	2.00		-	-	-	-
			98773	127.00	129.00	2.00		-	-	-	-
			98774	129.00	131.00	2.00		-	-	-	-
			98775	131.00	133.00	2.00		-	-	-	-
			98776	133.00	135.00	2.00		-	-	-	-
			98777	135.00	137.00	2.00		-	-	-	-
			98778	137.00	139.00	2.00		-	-	-	-
			98779	139.00	141.00	2.00		-	-	-	-
			98781	141.00	143.00	2.00		-	-	-	-
			98782	143.00	145.00	2.00		-	-	-	-
			98783	145.00	147.00	2.00		-	-	-	-
			98784	147.00	149.00	2.00		-	-	-	-
			98786	149.00	151.00	2.00		-	-	-	-
			98787	151.00	153.00	2.00		-	-	-	-
			98788	153.00	155.00	2.00		-	-	-	-
			98789	155.00	157.00	2.00		-	-	-	-
			98792	157.00	159.00	2.00		-	-	-	-
			98793	159.00	161.00	2.00		-	-	-	-
			98794	161.00	163.00	2.00		-	-	-	-
			98795	163.00	165.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			98796	165.00	167.00	2.00		-	-	-	-
			98797	167.00	169.00	2.00		-	-	-	-
			98798	169.00	171.00	2.00		-	-	-	-
			98799	171.00	173.00	2.00		-	-	-	-
			98801	173.00	175.00	2.00		-	-	-	-
			98802	175.00	177.00	2.00		-	-	-	-
			98803	177.00	179.00	2.00		-	-	-	-
			98804	179.00	181.00	2.00		-	-	-	-
			98806	181.00	183.00	2.00		-	-	-	-
			98807	183.00	185.00	2.00		-	-	-	-
			98808	185.00	187.00	2.00		-	-	-	-
			98809	187.00	189.00	2.00		-	-	-	-
			98812	189.00	191.00	2.00		-	-	-	-
			98813	191.00	193.00	2.00		-	-	-	-
			98814	193.00	195.00	2.00		-	-	-	-
			98815	195.00	197.00	2.00		-	-	-	-
			98816	197.00	199.00	2.00		-	-	-	-
			98817	199.00	201.00	2.00		-	-	-	-
			98818	201.00	203.00	2.00		-	-	-	-
			98819	203.00	205.00	2.00		-	-	-	-
			98821	205.00	207.00	2.00		-	-	-	-
			98822	207.00	209.00	2.00		-	-	-	-
			98823	209.00	211.00	2.00		-	-	-	-
			98824	211.00	213.00	2.00		-	-	-	-
			98826	213.00	215.00	2.00		-	-	-	-
			98827	215.00	217.00	2.00		-	-	-	-
			98828	217.00	219.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			98829	219.00	221.00	2.00		-	-	-	-
			98832	221.00	223.00	2.00		-	-	-	-
			98833	223.00	225.00	2.00		-	-	-	-
			98834	225.00	227.00	2.00		-	-	-	-
			98835	227.00	229.00	2.00		-	-	-	-
			98836	229.00	231.00	2.00		-	-	-	-
			98837	231.00	233.00	2.00		-	-	-	-
			98838	233.00	235.00	2.00		-	-	-	-
			98839	235.00	237.00	2.00		-	-	-	-
			98841	237.00	239.00	2.00		-	-	-	-
			98842	239.00	241.00	2.00		-	-	-	-
			98843	241.00	243.00	2.00		-	-	-	-
			98844	243.00	245.00	2.00		-	-	-	-
			98846	245.00	247.00	2.00		-	-	-	-
			98847	247.00	249.00	2.00		-	-	-	-
			98848	249.00	251.00	2.00		-	-	-	-
			98849	251.00	253.00	2.00		-	-	-	-
			98852	253.00	255.00	2.00		-	-	-	-
			98853	255.00	257.00	2.00		-	-	-	-
			98854	257.00	259.00	2.00		-	-	-	-
			98855	259.00	261.00	2.00		-	-	-	-
			98856	261.00	263.00	2.00		-	-	-	-
			98857	263.00	265.00	2.00		-	-	-	-
			98858	265.00	267.00	2.00		-	-	-	-
			98859	267.00	269.00	2.00		-	-	-	-
			98861	269.00	271.00	2.00		-	-	-	-
			98862	271.00	273.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			98863	273.00	275.00	2.00		-	-	-	-
			98864	275.00	277.00	2.00		-	-	-	-
			98866	277.00	279.00	2.00		-	-	-	-
			98867	279.00	281.00	2.00		-	-	-	-
			98868	281.00	283.00	2.00		-	-	-	-
			98869	283.00	285.00	2.00		-	-	-	-
			98872	285.00	287.00	2.00		-	-	-	-
			98873	287.00	289.00	2.00		-	-	-	-
			98874	289.00	291.00	2.00		-	-	-	-
			98875	291.00	293.00	2.00		-	-	-	-
			98876	293.00	295.00	2.00		-	-	-	-
			98877	295.00	297.00	2.00		-	-	-	-
			98878	297.00	299.00	2.00		-	-	-	-
			98879	299.00	301.00	2.00		-	-	-	-
			98881	301.00	303.00	2.00		-	-	-	-
			98882	303.00	305.00	2.00		-	-	-	-
			98883	305.00	307.00	2.00		-	-	-	-
			98884	307.00	309.00	2.00		-	-	-	-
			98886	309.00	311.00	2.00		-	-	-	-
			98887	311.00	313.00	2.00		-	-	-	-
			98888	313.00	315.00	2.00		-	-	-	-
			98889	315.00	317.00	2.00		-	-	-	-
			98892	317.00	319.00	2.00		-	-	-	-
			98893	319.00	321.00	2.00		-	-	-	-
			98894	321.00	323.00	2.00		-	-	-	-
			98895	323.00	325.00	2.00		-	-	-	-
			98896	325.00	327.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			98897	327.00	329.00	2.00		-	-	-	-
			98898	329.00	331.00	2.00		-	-	-	-
			98899	331.00	333.00	2.00		-	-	-	-
			98901	333.00	335.00	2.00		-	-	-	-
			98902	335.00	337.00	2.00		-	-	-	-
			98903	337.00	339.00	2.00		-	-	-	-
			98904	339.00	341.00	2.00		-	-	-	-
			98906	341.00	343.00	2.00		-	-	-	-
			98907	343.00	345.00	2.00		-	-	-	-
			98908	345.00	347.00	2.00		-	-	-	-
			98909	347.00	349.00	2.00		-	-	-	-
			98912	349.00	351.00	2.00		-	-	-	-
			98913	351.00	353.00	2.00		-	-	-	-
			98914	353.00	355.00	2.00		-	-	-	-
			98915	355.00	357.00	2.00		-	-	-	-
			98916	357.00	359.00	2.00		-	-	-	-
			98917	359.00	361.00	2.00		-	-	-	-
			98918	361.00	363.00	2.00		-	-	-	-
			98919	363.00	365.00	2.00		-	-	-	-
			98921	365.00	367.00	2.00		-	-	-	-
			98922	367.00	369.00	2.00		-	-	-	-
			98923	369.00	371.00	2.00		-	-	-	-
			98924	371.00	373.00	2.00		-	-	-	-
			98926	373.00	375.00	2.00		-	-	-	-
			98927	375.00	377.00	2.00		-	-	-	-
			98928	377.00	379.00	2.00		-	-	-	-
			98929	379.00	381.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology
380.76	413.70	**BX** ***Breccia / Mudflow***

Green highly clay-altered/less competent breccia or lahar deposit. Matrix of green clay, clasts of basalt (of various forms), highly angular (many squared) ranging from 0.5cm to almost 10cm in size. Clay gouged and 25-40% core loss @ 392.55-398.70m. Some clasts highly hematite stained. Moderately well defined bedding/fabric @ 30-35 deg tca. Core is blocky & soft when not just clay. Minor trace carbonate veins (i.e., much less than in previous unit). Greasy serpentine throughout.

Alteration Maj:	*Type/Style/Intensity*	*Comment*
380.76 - 413.70	Oxid PCH S	Patchy hematite alteration of clasts
380.76 - 413.70	CL P MS	
380.76 - 413.70	SERP P MS	Serpentine & clay throughout

Structure Maj.:	*Type/Core Angle*	*Comment*
380.76 - 413.70	FOL 35	Planes evident throughout, possible primary features (i.e., bedding planes of lahar / flow)

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
98932	381.00	383.00	2.00		-	-	-	-
98933	383.00	385.00	2.00		-	-	-	-
98934	385.00	387.00	2.00		-	-	-	-
98935	387.00	389.00	2.00		-	-	-	-
98936	389.00	391.00	2.00		-	-	-	-
98937	391.00	393.00	2.00		-	-	-	-
98938	393.00	395.00	2.00		-	-	-	-
98939	395.00	397.00	2.00		-	-	-	-
98941	397.00	399.00	2.00		-	-	-	-
98942	399.00	401.00	2.00		-	-	-	-
98943	401.00	403.00	2.00		-	-	-	-
98944	403.00	405.00	2.00		-	-	-	-
98946	405.00	407.00	2.00		-	-	-	-
98947	407.00	409.00	2.00		-	-	-	-
98948	409.00	411.00	2.00		-	-	-	-
98949	411.00	412.20	1.20		-	-	-	-
98950	412.20	413.70	1.50		-	-	-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Dup (OF)	Len	Pb (ppm)	Pb2 (%)	Pbol (%)	Perdas	Samp (TYPE)	tandar	Zn (ppm)	Zn2 (%)
21.00	98705	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
23.00	98711	Field Dup	98707		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98707	0.00	-	-	-	-	ield Du		-	-
29.00	98710	Pulp Dup 20	98712		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98712	0.00	-	-	-	-	up 200		-	-
35.00	98715A	Fraction Dup	98715		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98715	0.00	-	-	-	-	n Dup 1		-	-
45.00	98720	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCGS-29		-	-
53.00	98725	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
55.00	98731	Field Dup	98727		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98727	0.00	-	-	-	-	ield Du		-	-
61.00	98730	Pulp Dup 20	98732		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98732	0.00	-	-	-	-	up 200		-	-
67.00	98735A	Fraction Dup	98735		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98735	0.00	-	-	-	-	n Dup 1		-	-
77.00	98740	Standard		CM-11A	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCM-11A		-	-
85.00	98745	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
89.00	98751	Field Dup	98748		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98748	0.00	-	-	-	-	ield Du		-	-
93.00	98750	Pulp Dup 20	98752		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98752	0.00	-	-	-	-	up 200		-	-
99.00	98755A	Fraction Dup	98755		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98755	0.00	-	-	-	-	n Dup 1		-	-
109.00	98760	Standard		BL-9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar BL-9		-	-
117.00	98765	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
125.00	98770	Pulp Dup 20	98772		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98772	0.00	-	-	-	-	up 200		-	-
129.00	98771	Field Dup	98774		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98774	0.00	-	-	-	-	ield Du		-	-
131.00	98775A	Fraction Dup	98775		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98775	0.00	-	-	-	-	n Dup 1		-	-
141.00	98780	Standard		BL-9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar BL-9		-	-
149.00	98785	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
157.00	98790	Pulp Dup 20	98792		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98792	0.00	-	-	-	-	up 200		-	-
161.00	98791	Field Dup	98794		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98794	0.00	-	-	-	-	ield Du		-	-
163.00	98795A	Fraction Dup	98795		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	98795	0.00	-	-	-	-	n Dup 1		-	-
173.00	98800	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCGS-29		-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

179.00	98811	Field Dup	98804		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98804	0.00	-	-	-	-	ield Du	-	-
181.00	98805	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
189.00	98810	Pulp Dup 20	98812		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98812	0.00	-	-	-	-	up 200	-	-
195.00	98815A	Fraction Dup	98815		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98815	0.00	-	-	-	-	ı Dup 1	-	-
205.00	98820	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCM-11A	-	-
211.00	98831	Field Dup	98824		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98824	0.00	-	-	-	-	ield Du	-	-
213.00	98825	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
221.00	98830	Pulp Dup 20	98832		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98832	0.00	-	-	-	-	up 200	-	-
227.00	98835A	Fraction Dup	98835		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98835	0.00	-	-	-	-	ı Dup 1	-	-
237.00	98840	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCM-11A	-	-
245.00	98845	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
253.00	98850	Pulp Dup 20	98852		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98852	0.00	-	-	-	-	up 200	-	-
259.00	98855A	Fraction Dup	98855		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98855	0.00	-	-	-	-	ı Dup 1	-	-
263.00	98851	Field Dup	98857		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98857	0.00	-	-	-	-	ield Du	-	-
269.00	98860	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCGS-29	-	-
277.00	98865	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
277.10	98871	Field Dup	98866		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98866	0.00	-	-	-	-	ield Du	-	-
285.00	98870	Pulp Dup 20	98872		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98872	0.00	-	-	-	-	up 200	-	-
291.00	98875A	Fraction Dup	98875		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98875	0.00	-	-	-	-	ı Dup 1	-	-
301.00	98880	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCM-11A	-	-
309.00	98885	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
311.00	98891	Field Dup	98887		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98887	0.00	-	-	-	-	ield Du	-	-
317.00	98890	Pulp Dup 20	98892		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98892	0.00	-	-	-	-	up 200	-	-
323.00	98895A	Fraction Dup	98895		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98895	0.00	-	-	-	-	ı Dup 1	-	-
333.00	98900	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandar BL-9	-	-
341.00	98905	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
343.00	98911	Field Dup	98907		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98907	0.00	-	-	-	-	ield Du	-	-
349.00	98910	Pulp Dup 20	98912		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98912	0.00	-	-	-	-	up 200	-	-

QUALITY CONTROL REPORT

Hole Number **CT-2011-014** Project: **COWTRAIL** Project Number: **003**

355.00	98915A	Fraction Dup	98915		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98915	0.00	-	-	-	-	ı Dup 1	-	-
365.00	98920	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCGS-29	-	-
371.00	98931	Field Dup	98924		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98924	0.00	-	-	-	-	ield Du	-	-
373.00	98925	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
381.00	98930	Pulp Dup 20	98932		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98932	0.00	-	-	-	-	ıup 200	-	-
387.00	98935A	Fraction Dup	98935		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	98935	0.00	-	-	-	-	ı Dup 1	-	-
397.00	98940	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	tandarCM-11A	-	-
405.00	98945	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-

Hole	CT-2011-014							
Date	DEC-18-2011							
Geotech	Steffi							
From	**To**	**Interval**	**Recovery**	**Rec %**	**RQD**	**RQD%**	**Fractures**	**Hardness**
15.32	17.4	2.08	2.08	100.00	1.88	90.38	12	4
17.4	20.4	3	3	100.00	2.63	87.67	13	4
20.4	23.45	3.05	3.05	100.00	2.33	76.39	25	4
23.45	26.5	3.05	3.05	100.00	1.64	53.77	35	4
26.5	29.55	3.05	2.85	93.44	1.67	58.60	30	4
29.55	32.6	3.05	3.05	100.00	2.54	83.28	24	4
32.6	35.65	3.05	3.03	99.34	1.92	63.37	58	4
35.65	38.7	3.05	3.05	100.00	1.14	37.38	10	4
38.7	41.75	3.05	2.98	97.70	2.88	96.64	15	4
41.75	44.8	3.05	3.04	99.67	2.72	89.47	18	4
44.8	47.85	3.05	3.05	100.00	2.57	84.26	22	4
47.85	50.9	3.05	3.04	99.67	2.83	93.09	10	4
50.9	53.95	3.05	3.05	100.00	2.93	96.07	13	4
53.95	57	3.05	3.05	100.00	2.9	95.08	8	4
57	60.05	3.05	2.95	96.72	2.5	84.75	19	4
60.05	63.1	3.05	2.98	97.70	2.9	97.32	12	4
63.1	66.15	3.05	3	98.36	1.83	61.00	27	4
66.15	69.2	3.05	3	98.36	2.71	90.33	14	4
69.2	72.25	3.05	3.05	100.00	2.76	90.49	11	4
72.25	75.3	3.05	3.05	100.00	2.97	97.38	14	4
75.3	78.35	3.05	3.04	99.67	2.82	92.76	11	4
78.35	81.4	3.05	2.95	96.72	2.86	96.95	16	4
81.4	84.45	3.05	3.02	99.02	2.68	88.74	11	4
84.45	87.5	3.05	2.92	95.74	2.65	90.75	16	4
87.5	90.55	3.05	3.03	99.34	2.35	77.56	18	4
90.55	93.6	3.05	2.99	98.03	2.66	88.96	15	4
93.6	96.65	3.05	3.05	100.00	2.32	76.07	19	4
96.65	99.7	3.05	2.9	95.08	2.34	80.69	18	4
99.7	102.75	3.05	3.01	98.69	2.13	70.76	25	4
102.75	105.8	3.05	2.99	98.03	2.51	83.95	16	4
105.8	108.85	3.05	3.01	98.69	2.53	84.05	15	4
108.85	111.9	3.05	3.01	98.69	2.26	75.08	21	4
111.9	114.95	3.05	2.96	97.05	2.42	81.76	12	4
114.95	118	3.05	3.05	100.00	2.24	73.44	20	4
118	121	3	3	100.00	2.59	86.33	16	4
121	124.05	3.05	3.05	100.00	2.83	92.79	16	4
124.05	127.1	3.05	3.05	100.00	3	98.36	13	4
127.1	130.15	3.05	2.95	96.72	2.8	94.92	10	4
130.15	133.2	3.05	3.05	100.00	2.66	87.21	17	4
133.2	136.25	3.05	3.02	99.02	2.65	87.75	18	4
136.25	139.3	3.05	2.96	97.05	2.8	94.59	11	4
139.3	142.35	3.05	3.05	100.00	2.45	80.33	27	4
142.35	145.4	3.05	3.04	99.67	2.76	90.79	15	4
145.4	148.45	3.05	3.05	100.00	2.42	79.34	25	4
148.45	151.5	3.05	3.05	100.00	2.9	95.08	13	4
151.5	154.55	3.05	3.04	99.67	3.01	99.01	10	4
154.55	157.6	3.05	3.05	100.00	2.51	82.30	19	4
157.6	160.65	3.05	2.97	97.38	2.77	93.27	13	4
160.65	163.7	3.05	2.97	97.38	2.31	77.78	35	4
163.7	166.75	3.05	3.03	99.34	2.72	89.77	19	4
166.75	169.8	3.05	3.02	99.02	2.63	87.09	12	4
169.8	172.85	3.05	3.03	99.34	2.87	94.72	11	4
172.85	175.9	3.05	3.04	99.67	2.38	78.29	18	4
175.9	178.95	3.05	2.98	97.70	2.75	92.28	15	4
178.95	182	3.05	3.01	98.69	2.86	95.02	9	4

182	185.05	3.05	3	98.36	2.86	95.33	10	4
185.05	188.1	3.05	3.02	99.02	2.97	98.34	9	4
188.1	191.15	3.05	2.97	97.38	2.75	92.59	9	4
191.15	194.2	3.05	3.05	100.00	2.51	82.30	62	4
194.2	197.25	3.05	3.05	100.00	2.78	91.15	17	4
197.25	200.3	3.05	3.05	100.00	2.57	84.26	20	4
200.3	203.35	3.05	3.05	100.00	2.38	78.03	70	4
203.35	206.4	3.05	3	98.36	1.4	46.67	40	4
206.4	209.45	3.05	2.95	96.72	2.34	79.32	25	4
209.45	212.5	3.05	3.05	100.00	2.37	77.70	35	4
212.5	215.55	3.05	3.05	100.00	2.4	78.69	30	4
215.55	218.6	3.05	3.05	100.00	2.95	96.72	12	4
218.6	221.6	3	3	100.00	2.89	96.33	10	4
221.6	224.65	3.05	2.9	95.08	2.79	96.21	11	4
224.65	227.7	3.05	2.87	94.10	2.42	84.32	13	4
227.7	230.75	3.05	3.05	100.00	2.95	96.72	8	4
230.75	233.8	3.05	2.89	94.75	2.76	95.50	9	4
233.8	236.85	3.05	3.05	100.00	2.88	94.43	12	4
236.85	239.9	3.05	3.03	99.34	2.4	79.21	70	4
239.9	242.95	3.05	3.05	100.00	2.36	77.38	36	4
242.95	246	3.05	3.03	99.34	2.36	77.89	45	3
246	249.05	3.05	3	98.36	2.91	97.00	13	4
249.05	252.1	3.05	3.05	100.00	3	98.36	10	4
252.1	255.15	3.05	3.05	100.00	2.59	84.92	16	4
255.15	258.2	3.05	3.03	99.34	2.24	73.93	17	4
258.2	261.25	3.05	3.05	100.00	2.73	89.51	15	4
261.25	264.3	3.05	3.05	100.00	2.94	96.39	13	4
264.3	267.35	3.05	2.98	97.70	2.9	97.32	11	4
267.35	270.4	3.05	3.05	100.00	2.85	93.44	11	4
270.4	273.45	3.05	3.05	100.00	2.43	79.67	17	4
273.45	276.5	3.05	3.05	100.00	2.18	71.48	22	4
276.5	279.55	3.05	3.04	99.67	2.83	93.09	13	4
279.55	282.6	3.05	3.05	100.00	2.6	85.25	16	3
282.6	285.65	3.05	3	98.36	2.45	81.67	25	4
285.65	288.7	3.05	3.05	100.00	2.44	80.00	20	4
288.7	291.75	3.05	3.01	98.69	2.54	84.39	19	4
291.75	294.8	3.05	3.03	99.34	2.54	83.83	14	4
294.8	297.85	3.05	3.05	100.00	2.65	86.89	14	3
297.85	300.9	3.05	3.05	100.00	2.95	96.72	14	4
300.9	303.95	3.05	3.05	100.00	2.96	97.05	10	4
303.95	307	3.05	2.98	97.70	2.9	97.32	9	4
307	310.05	3.05	3.02	99.02	2.82	93.38	11	4
310.05	313.1	3.05	3.04	99.67	2.8	92.11	15	4
313.1	316.15	3.05	3.05	100.00	2.71	88.85	17	4
316.15	319.2	3.05	2.79	91.48	2.08	74.55	37	4
319.2	322.2	3	3.05	101.67	3	98.36	10	4
322.2	325.25	3.05	3.05	100.00	2.84	93.11	11	4
325.25	328.3	3.05	3.05	100.00	3.02	99.02	12	4
328.3	331.35	3.05	3.04	99.67	2.73	89.80	16	4
331.35	334.4	3.05	3.05	100.00	2.71	88.85	23	4
334.4	337.45	3.05	3.05	100.00	1.88	61.64	30	4
337.45	340.5	3.05	3.05	100.00	2.88	94.43	10	4
340.5	343.55	3.05	3.05	100.00	3.05	100.00	6	4
343.55	346.6	3.05	3.05	100.00	2.82	92.46	14	4
346.6	349.65	3.05	3.02	99.02	2.92	96.69	9	4
349.65	352.7	3.05	3.05	100.00	2.95	96.72	9	4
352.7	355.75	3.05	3.03	99.34	2.46	81.19	14	4
355.75	358.8	3.05	3.05	100.00	2.33	76.39	28	4
358.8	361.85	3.05	3.05	100.00	2.5	81.97	17	4

361.85	364.9	3.05	2.96	97.05	1.9	64.19	19	4
364.9	367.95	3.05	3.02	99.02	2.59	85.76	15	4
367.95	371	3.05	3.05	100.00	2.39	78.36	13	4
371	374.05	3.05	2.89	94.75	2.68	92.73	7	4
374.05	377.1	3.05	3.05	100.00	2.71	88.85	17	4
377.1	380.15	3.05	3	98.36	2.36	78.67	18	4
380.15	383.2	3.05	3.05	100.00	2.38	78.03	65	3
383.2	386.25	3.05	2.94	96.39	2.76	93.88	11	3
386.25	389.3	3.05	3.05	100.00	2.68	87.87	30	3
389.3	392.35	3.05	3.04	99.67	1.62	53.29	29	3
392.35	395.4	3.05	2.5	81.97	0	0.00	100	3
395.4	398.45	3.05	1.45	47.54	0.13	8.97	100	3
398.45	401.5	3.05	3	98.36	0.71	23.67	100	3
401.5	404.55	3.05	2.95	96.72	1.39	47.12	70	3
404.55	407.6	3.05	3.05	100.00	1.89	61.97	75	3
407.6	410.65	3.05	2.85	93.44	1.27	44.56	100	3
410.65	413.7	3.05	2.95	96.72	0.82	27.80	100	3
	EOH							

DRILL HOLE REPORT

Hole Number **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

Drilling
Azimuth:
Dip:
Length: 422.8
Started: 03-Dec-11
Completed: 08-Dec-11
Logged: 10-Dec-11
Comment:

Casing
Length: 0
Pulled: yes
Capped:
Cemented: no

Core
Dimension:
Storage:
Section:
Hole Type

Location
Township: HORSEFLY,
Claim No.:
NTS:
Hole: SURFACE

Coordinate - Gemcom
East: 0
North: 0
Elev.: 0

Coordinate - UTM
East: 610121
North: 581062
Elev.: 0
Zone: **NAD:**

Other
Logged by: Chris Galbraith
Relog by:
Contractor: Hardrock Diamond Drilling
Spotted by:
Surveyed:
Surveyed by:
Geophysics:
Geophysic Contractor:
Left in hole: Nothing
Making water:
Multi shot survey:

Deviation Tests

Distance	*Azimuth*	*Dip*	*Type*	*Good*	*Comments*
0.00			C	☑	

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
0.00	27.45	**CAS** ***Casing*** No recovery. Casing.									
27.45	29.80	**ANDS** ***Andesite / Basalt*** Medium grey intermediate to mafic volcanic. Fine grained phaneritic groundmass with phenocrysts of black pyroxenes 1-2mm in size. Massive to locally foliated (bedded?). 5-10% fine qtz-carb veins & filling fractures no particular orientation/alignment. Lithofragments (volcani-clasts?) & xenocrysts generally rare. Local variation in phenocryst abundance indicating possible beds/pillows and/or different volcanic events. Minor epidote staining throughout. Weak chloritization of groundmass throughout. ***Alteration Maj:*** ***Type/Style/Intensity*** ***Comment*** 27.45 - 29.80 CHL MO W 27.45 - 29.80 Carb PCH MS	12001	27.45	28.60	1.15		-	-	-	-
			12002	28.60	30.00	1.40		-	-	-	-
29.80	31.40	**BSLT** ***Andesite / Basalt*** Laminated f.g. basalt flows or pillows. Medium grey f.g. phaneritic groundmass locally with black pyroxene phenocrysts as above. However, this interval is well marked by its dark brown to black f.g. aphanitic wispy laminations. Possible pillow rinds, or flow horizons. Commonly aligned ~35 deg tca. Aphanitic wispy rinds/lenses/sections range from mm's thick to 15cm thick. Up to 5% qtz-carb veins, rare carb in grey phaneritic groundmass. Moderately to strongly chloritic throughout. In some darker lamination zones (especially thicker zones), cm-size angular fragments of crystalline volcanic rock are found, implying that these may represent palaeo surface horizons (i.e., soil margins, etc.). Locally, thinner sequences of the lighter volcanic are fractured sub-perpendicular to the orientation of the bedding with the dark aphanitic mat (mud?) bleeding into the fracs. Some dark argillite beds microfaulted & ~1-2cm displaced. Note, these aforementioned features are not ubiquitous, rather only identified in localized spots in this interval. ***Alteration Maj:*** ***Type/Style/Intensity*** ***Comment***	12003	30.00	32.00	2.00		-	-	-	-

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		29.80 - 31.40 Carb VN WM									
		Structure Maj.: ***Type/Core Angle*** ***Comment***									
		29.80 - 31.40 BD 35 Pillow bedding / Flow bedding (banding?)									
31.40	49.65	**ANDS** ***Andesite / Basalt***	12004	32.00	34.00	2.00		-	-	-	-
		Medium grey and mottled black & dark green intermediate to mafic volcanics & pyroclastics. Grey f.g. phaneritic groundmass with 1-2mm phenocrysts of black pyroxene and white plag throughout. Generally massive, locally brecciated. Brecciated sections feature matrix of same as described (i.e., groundmass mat'l) with angular clasts of similar mat'l but slightly more corroded looking (clasts within pyroclastic/debris flows?), occasionally cut by veins of v.f.g. aphanitic mat'l (argillite?). Weak to moderate chloritization of groundmass throughout. Generally <5% fine qtz-carb veins, minor calcite in groundmass. Minor epidote staining. Locally, large euhedral calcite crystals (2-5cm) are superimposed on rock (i.e., porphyroblast-like)	12006	34.00	36.00	2.00		-	-	-	-
			12007	36.00	38.00	2.00		-	-	-	-
			12008	38.00	40.00	2.00		-	-	-	-
			12009	40.00	42.00	2.00		-	-	-	-
			12012	42.00	44.00	2.00		-	-	-	-
			12013	44.00	46.00	2.00		-	-	-	-
			12014	46.00	48.00	2.00		-	-	-	-
			12015	48.00	50.00	2.00		-	-	-	-
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		31.40 - 49.65 EP PCH W									
		31.40 - 49.65 Carb VN M									
		31.40 - 49.65 CHL P W									
49.65	50.85	**ANDS** ***Andesite / Basalt***									
		Pale to medium grey f.g. aphanitic volcanic, locally phenocrystic. Overall this unit differs from the above & below units in its relative intense carbonate +/- qtz veining. 10-20% veining, no particular orientation. Veins generally 1-2mm thick and range from 1 to many cm's long. Carbonate in groundmass too (very fine veins? Porphyroblastic calcite present here too.									

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		49.65 - 50.85 QZCB VN S									
50.85	59.55	**ANDS** ***Andesite / Basalt***	12016	50.00	52.00	2.00		-	-	-	-
		Mottled phenocrystic, locally veined, locally brecciated intermediate to mafic volcanics as above. Typically <5% carb +/- qtz veins, minor carbonate in groundmass especially where groundmass is lighter shade of grey. Weak chloritization throughout	12017	52.00	54.00	2.00		-	-	-	-
			12018	54.00	56.00	2.00		-	-	-	-
			12019	56.00	58.00	2.00		-	-	-	-
			12021	58.00	60.00	2.00		-	-	-	-
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		50.85 - 59.55 CHL P W Weak chlorite alt'n in groundmass									
		50.85 - 59.55 Carb VN WM Carbonate veins, clots throughout									
59.55	61.60	**ANDS** ***Andesite / Basalt***	12022	60.00	62.00	2.00		-	-	-	-
		Highly veined, brecciated aphanitic andesite to basalt as above. 10-25% fine veins & calcite in groundmass as previous.									
		Alteration Maj: ***Type/Style/Intensity*** ***Comment***									
		59.55 - 61.60 Carb VN MS									

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
61.60	70.25	**BSLT** ***Basalt / Andesite***	12023	62.00	64.00	2.00		-	-	-	-
		Mottled, phenocrystic basalt (locally andesitic) as above.	12024	64.00	66.00	2.00		-	-	-	-
			12026	66.00	68.00	2.00		-	-	-	-
			12027	68.00	70.00	2.00		-	-	-	-
70.25	127.85	**BSLT** ***Basaltto Andesite Flows / Pyroclastics***	12028	70.00	72.00	2.00		-	-	-	-
		Medium grey to greenish hued f.g. phaneritic volcanic rock, mottled with black and/or dark green phenocrysts of pyroxene (locally white plag too) - similar to above; however, overall rock is brecciated with clasts of similar material & locally intercolated black aphanitic veins/stringers/wisps. Local argillite horizons (palaeo-soil horizons?). Horizon @ 106.40, 55 deg tca. Horizon, carbonate rich (veined?) section @ 106.75 45 deg tca.	12029	72.00	74.00	2.00		-	-	-	-
			12032	74.00	76.00	2.00		-	-	-	-
			12033	76.00	78.00	2.00		-	-	-	-
			12034	78.00	80.00	2.00		-	-	-	-
		Up to 10% carbonate veins, porphyroblast-like crystals/aggregates, and disseminated in groundmass. Wea chloritization of groundmass. Locally rock appears more clast-supported breccia like, although generally quite consistent. In general, too difficult to discern orientation of breccia/flow zones as clasts are too angula & too large to identify any trend/alignment. Intensely carb +/- qtz veined section, brecciated w/ smaller clast & f.g. argillic matrix @ 106-106.25m, UC 75-80 deg tca, LC 55-60 deg tca. Finer breccia zone, slightly pale in colour and increase in matrix-hosted carbonate (probably >10%) @ 119.65-121.05; UC v. shallow tca (~5 10 deg), LC broken (possible fault rubble). Similar finer grained carbonate-richer zone (albeit less distinct) @ 122.90-125.80; UC vague - best guess, LC sharp, carbonate-rich & v.f.g., ~60 deg tca.	12035	80.00	82.00	2.00		-	-	-	-
			12036	82.00	84.00	2.00		-	-	-	-
			12037	84.00	86.00	2.00		-	-	-	-
			12038	86.00	88.00	2.00		-	-	-	-
			12039	88.00	90.00	2.00		-	-	-	-
			12041	90.00	92.00	2.00		-	-	-	-
			12042	92.00	94.00	2.00		-	-	-	-
			12043	94.00	96.00	2.00		-	-	-	-
			12044	96.00	98.00	2.00		-	-	-	-
			12046	98.00	100.00	2.00		-	-	-	-
			12047	100.00	102.00	2.00		-	-	-	-
			12048	102.00	104.00	2.00		-	-	-	-
			12049	104.00	106.00	2.00		-	-	-	-
			12052	106.00	108.00	2.00		-	-	-	-
			12053	108.00	110.00	2.00		-	-	-	-
			12054	110.00	112.00	2.00		-	-	-	-

Alteration Maj:	***Type/Style/Intensity***	***Comment***
70.25 - 127.85	CHL P W	
70.25 - 127.85	Carb VN MS	

Structure Maj.:	***Type/Core Angle***	***Comment***
106.00 - 106.25	BD 75	
106.40 - 106.45	BD 55	
106.75 - 106.80	BD 45	
119.65 - 121.05	BD 5	

From (m)	To (m)	Lithology
127.85	310.80	**BSLT** ***Basalt Flows / Pyroclastics*** Mottled grey f.g.-m.g. phaneritic pyroclastics & flows as above, dominated by massive volcanics, weakly chloritized groundmass & 1-2mm pyroxene phenos (locally w/ white plag too). Variably <5 to 15-20% calcite locally, in groundmass aggregates and veins. Veins aligned all different orientations; however, thicker ones commonly ~35 deg tca. Carbonate content gradually increases down section. Local sections with ~2mm olivine phenos & pseudomorphs (weakly serpentinized). Local sections of f.g. basal flow margins (pillow rinds?):f.g. aphanitic darker groundmass commonly 30-50 deg tca (avg ~40 deg). Large one @ 161.60-161.85, UC 30 deg tca, LC 50 deg tca. Local blotchy pinkish-purple hematite staining on calcite masses. Scattered 5 cm breccia veins of qtz-carb matrix & clasts of mai lithology, @ 172.35, 175.55 Corroded section, pitted & porous 202.70-204.10 and 258.75-259.50. Similar but qtz-poor, carbonate-poor, chlorite & clay altered. Increased carbonate veining & paler colour (carb + chl?) @ 226.75-232.35 (clay gouge @ LC) & 247-255. Clay gouge @ 303.35-303.50m ***Alteration Maj:*** ***Type/Style/Intensity*** ***Comment*** 127.85 - 310.80 Carb VN M ***Structure Maj.:*** ***Type/Core Angle*** ***Comment*** 127.85 - 310.80 BD 40 Flow bases, bedding ***Texture Maj:*** ***Type*** ***Comment*** 172.35 - 172.40 BX 175.55 - 175.60 BX

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
12055	112.00	114.00	2.00		-	-	-	-
12056	114.00	116.00	2.00		-	-	-	-
12057	116.00	118.00	2.00		-	-	-	-
12058	118.00	120.00	2.00		-	-	-	-
12059	120.00	122.00	2.00		-	-	-	-
12061	122.00	124.00	2.00		-	-	-	-
12062	124.00	126.00	2.00		-	-	-	-
12063	126.00	128.00	2.00		-	-	-	-
12064	128.00	130.00	2.00		-	-	-	-
12066	130.00	132.00	2.00		-	-	-	-
12067	132.00	134.00	2.00		-	-	-	-
12068	134.00	136.00	2.00		-	-	-	-
12069	136.00	138.00	2.00		-	-	-	-
12072	138.00	140.00	2.00		-	-	-	-
12073	140.00	142.00	2.00		-	-	-	-
12074	142.00	144.00	2.00		-	-	-	-
12075	144.00	146.00	2.00		-	-	-	-
12076	146.00	148.00	2.00		-	-	-	-
12077	148.00	150.00	2.00		-	-	-	-
12078	150.00	152.00	2.00		-	-	-	-
12079	152.00	154.00	2.00		-	-	-	-
12081	154.00	156.00	2.00		-	-	-	-
12082	156.00	158.00	2.00		-	-	-	-
12083	158.00	160.00	2.00		-	-	-	-
12084	160.00	162.00	2.00		-	-	-	-
12086	162.00	164.00	2.00		-	-	-	-
12087	164.00	166.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			12088	166.00	168.00	2.00		-	-	-	-
			12089	168.00	170.00	2.00		-	-	-	-
			12092	170.00	172.00	2.00		-	-	-	-
			12093	172.00	174.00	2.00		-	-	-	-
			12094	174.00	176.00	2.00		-	-	-	-
			12095	176.00	178.00	2.00		-	-	-	-
			12096	178.00	180.00	2.00		-	-	-	-
			12097	180.00	182.00	2.00		-	-	-	-
			12098	182.00	184.00	2.00		-	-	-	-
			12099	184.00	186.00	2.00		-	-	-	-
			12101	186.00	188.00	2.00		-	-	-	-
			12102	188.00	190.00	2.00		-	-	-	-
			12103	190.00	192.00	2.00		-	-	-	-
			12104	192.00	194.00	2.00		-	-	-	-
			12106	194.00	196.00	2.00		-	-	-	-
			12107	196.00	198.00	2.00		-	-	-	-
			12108	198.00	200.00	2.00		-	-	-	-
			12109	200.00	202.00	2.00		-	-	-	-
			12112	202.00	204.00	2.00		-	-	-	-
			12113	204.00	206.00	2.00		-	-	-	-
			12114	206.00	208.00	2.00		-	-	-	-
			12115	208.00	210.00	2.00		-	-	-	-
			12116	210.00	212.00	2.00		-	-	-	-
			12117	212.00	214.00	2.00		-	-	-	-
			12118	214.00	216.00	2.00		-	-	-	-
			12119	216.00	218.00	2.00		-	-	-	-
			12121	218.00	220.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			12122	220.00	222.00	2.00		-	-	-	-
			12123	222.00	224.00	2.00		-	-	-	-
			12124	224.00	226.00	2.00		-	-	-	-
			12126	226.00	228.00	2.00		-	-	-	-
			12127	228.00	230.00	2.00		-	-	-	-
			12128	230.00	232.00	2.00		-	-	-	-
			12129	232.00	234.00	2.00		-	-	-	-
			12132	234.00	236.00	2.00		-	-	-	-
			12133	236.00	238.00	2.00		-	-	-	-
			12134	238.00	240.00	2.00		-	-	-	-
			12135	240.00	242.00	2.00		-	-	-	-
			12136	242.00	244.00	2.00		-	-	-	-
			12137	244.00	246.00	2.00		-	-	-	-
			12138	246.00	248.00	2.00		-	-	-	-
			12139	248.00	250.00	2.00		-	-	-	-
			12141	250.00	252.00	2.00		-	-	-	-
			12142	252.00	254.00	2.00		-	-	-	-
			12143	254.00	256.00	2.00		-	-	-	-
			12144	256.00	258.00	2.00		-	-	-	-
			12146	258.00	260.00	2.00		-	-	-	-
			12147	260.00	262.00	2.00		-	-	-	-
			12148	262.00	264.00	2.00		-	-	-	-
			12149	264.00	266.00	2.00		-	-	-	-
			12152	266.00	268.00	2.00		-	-	-	-
			12153	268.00	270.00	2.00		-	-	-	-
			12154	270.00	272.00	2.00		-	-	-	-
			12155	272.00	274.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			12156	274.00	276.00	2.00		-	-	-	-
			12157	276.00	278.00	2.00		-	-	-	-
			12158	278.00	280.00	2.00		-	-	-	-
			12159	280.00	282.00	2.00		-	-	-	-
			12161	282.00	284.00	2.00		-	-	-	-
			12162	284.00	286.00	2.00		-	-	-	-
			12163	286.00	288.00	2.00		-	-	-	-
			12164	288.00	290.00	2.00		-	-	-	-
			12166	290.00	292.00	2.00		-	-	-	-
			12167	292.00	294.00	2.00		-	-	-	-
			12168	294.00	296.00	2.00		-	-	-	-
			12169	296.00	298.00	2.00		-	-	-	-
			12172	298.00	300.00	2.00		-	-	-	-
			12173	300.00	302.00	2.00		-	-	-	-
			12174	302.00	304.00	2.00		-	-	-	-
			12175	304.00	306.00	2.00		-	-	-	-
			12176	306.00	308.00	2.00		-	-	-	-
			12177	308.00	310.00	2.00		-	-	-	-
310.80	322.10	**BX** ***Breccia*** Cream grey to green grey basaltic agglomerate/breccia. Difficult to tell if texture (i.e., breccia) is primary or secondary. V.f.g. grey groundmass (variably aphanitic to phaneritic) predominantly consisting of chlorite +/- f.g. fsp, patchy hematite staining; clasts (<1cm to 10cm) of angular to sub-rounded, highly bleached & fractured/shattered f.g. basalt (qtz-poor). Minor local silicification over 5-10cm intervals. 5-10% carbonate veining throughout, also f.g. dissemianted in groundmass (v. fine veins?). Clasts typically aligned in no particular orientation but some appear to aligned @ ~40-50 deg tca: long axes aligned, fractures aligned - a very subtle. UC 40 deg tca, LC 30 deg tca. Weakly defined alignment/foliation implies that the features of this unit are depositional, rather than secondary - either mudflow/agglomerate type or explosion breccia etc Trace v.f.g. disseminated pyrite.	12178	310.00	312.00	2.00		-	-	-	-
			12179	312.00	314.00	2.00		-	-	-	-
			12181	314.00	316.00	2.00		-	-	-	-
			12182	316.00	318.00	2.00		-	-	-	-
			12183	318.00	320.00	2.00		-	-	-	-
			12184	320.00	322.00	2.00		-	-	-	-

Mineralization Maj. :	Type/Style/%Mineral	Comment
310.80 - 322.10	BX , DIS , 1	Trace v.f.g. pyrite

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)

Structure Maj.: ***Type/Core Angle*** ***Comment***

310.80 - 322.10 BD 45 As gauged by clast alignment

Texture Maj: ***Type*** ***Comment***

310.80 - 322.10 BX

322.10 422.80 **BSLT** ***Basalt Flows / Pyroclastics***

As previously described. ~10% carbonate veins in top 25m, locally purple hematite stained. Rubble @ ~332.50-334m. Moderately chlorite altered throughout. Pitted section @ 342.80-342.95m. Trace v.f.g. disseminated pyrite throughout.

Alteration Maj: ***Type/Style/Intensity*** ***Comment***

322.10 - 347.00 CHL P WM

322.10 - 347.00 HE PCH M Local hematite alt'n

322.10 - 347.00 Carb VN MS

347.00 - 422.80 CHL P WM

347.00 - 422.80 HE PCH M local hem alt'n

347.00 - 422.80 Carb VN M

Mineralization Maj. : ***Type/Style/%Mineral*** ***Comment***

322.10 - 422.80 PY DIS 1 Trace v.f.g. pyrite.

Texture Maj: ***Type*** ***Comment***

332.50 - 334.00 FLT Maybe fault gouge, maybe note - rubbly core

Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
12186	322.00	324.00	2.00		-	-	-	-
12187	324.00	326.00	2.00		-	-	-	-
12188	326.00	328.00	2.00		-	-	-	-
12189	328.00	330.00	2.00		-	-	-	-
12192	330.00	332.00	2.00		-	-	-	-
12193	332.00	334.00	2.00		-	-	-	-
12194	334.00	336.00	2.00		-	-	-	-
12195	336.00	338.00	2.00		-	-	-	-
12196	338.00	340.00	2.00		-	-	-	-
12197	340.00	342.00	2.00		-	-	-	-
12198	342.00	344.00	2.00		-	-	-	-
12199	344.00	346.00	2.00		-	-	-	-
12201	346.00	348.00	2.00		-	-	-	-
12202	348.00	350.00	2.00		-	-	-	-
12203	350.00	352.00	2.00		-	-	-	-
12204	352.00	354.00	2.00		-	-	-	-
12206	354.00	356.00	2.00		-	-	-	-
12207	356.00	358.00	2.00		-	-	-	-
12208	358.00	360.00	2.00		-	-	-	-
12209	360.00	362.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			12212	362.00	364.00	2.00		-	-	-	-
			12213	364.00	366.00	2.00		-	-	-	-
			12214	366.00	368.00	2.00		-	-	-	-
			12215	368.00	370.00	2.00		-	-	-	-
			12216	370.00	372.00	2.00		-	-	-	-
			12217	372.00	374.00	2.00		-	-	-	-
			12218	374.00	376.00	2.00		-	-	-	-
			12219	376.00	378.00	2.00		-	-	-	-
			12221	378.00	380.00	2.00		-	-	-	-
			12222	380.00	382.00	2.00		-	-	-	-
			12223	382.00	384.00	2.00		-	-	-	-
			12224	384.00	386.00	2.00		-	-	-	-
			12226	386.00	388.00	2.00		-	-	-	-
			12227	388.00	390.00	2.00		-	-	-	-
			12228	390.00	392.00	2.00		-	-	-	-
			12229	392.00	394.00	2.00		-	-	-	-
			12232	394.00	396.00	2.00		-	-	-	-
			12233	396.00	398.00	2.00		-	-	-	-
			12234	398.00	400.00	2.00		-	-	-	-
			12235	400.00	402.00	2.00		-	-	-	-
			12236	402.00	404.00	2.00		-	-	-	-
			12237	404.00	406.00	2.00		-	-	-	-
			12238	406.00	408.00	2.00		-	-	-	-
			12239	408.00	410.00	2.00		-	-	-	-
			12241	410.00	412.00	2.00		-	-	-	-
			12242	412.00	414.00	2.00		-	-	-	-
			12243	414.00	416.00	2.00		-	-	-	-

LITHOLOGY REPORT
- Detailed -

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

From (m)	To (m)	Lithology	Sample #	From	To	Length	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)
			12244	416.00	418.00	2.00		-	-	-	-
			12246	418.00	420.00	2.00		-	-	-	-
			12247	420.00	421.30	1.30		-	-	-	-
			12248	421.30	422.80	1.50		-	-	-	-

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
27.45	28.60	1.15	12001	
28.60	30.00	1.40	12002	
30.00	32.00	2.00	12003	
32.00	34.00	2.00	12004	
34.00	36.00	2.00	12006	
36.00	38.00	2.00	12007	
38.00	40.00	2.00	12008	
40.00	42.00	2.00	12009	
42.00	44.00	2.00	12012	
44.00	46.00	2.00	12013	
46.00	48.00	2.00	12014	
48.00	50.00	2.00	12015	
50.00	52.00	2.00	12016	
52.00	54.00	2.00	12017	
54.00	56.00	2.00	12018	
56.00	58.00	2.00	12019	
58.00	60.00	2.00	12021	
60.00	62.00	2.00	12022	
62.00	64.00	2.00	12023	
64.00	66.00	2.00	12024	
66.00	68.00	2.00	12026	
68.00	70.00	2.00	12027	
70.00	72.00	2.00	12028	
72.00	74.00	2.00	12029	
74.00	76.00	2.00	12032	
76.00	78.00	2.00	12033	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
78.00	80.00	2.00	12034	
80.00	82.00	2.00	12035	
82.00	84.00	2.00	12036	
84.00	86.00	2.00	12037	
86.00	88.00	2.00	12038	
88.00	90.00	2.00	12039	
90.00	92.00	2.00	12041	
92.00	94.00	2.00	12042	
94.00	96.00	2.00	12043	
96.00	98.00	2.00	12044	
98.00	100.00	2.00	12046	
100.00	102.00	2.00	12047	
102.00	104.00	2.00	12048	
104.00	106.00	2.00	12049	
106.00	108.00	2.00	12052	
108.00	110.00	2.00	12053	
110.00	112.00	2.00	12054	
112.00	114.00	2.00	12055	
114.00	116.00	2.00	12056	
116.00	118.00	2.00	12057	
118.00	120.00	2.00	12058	
120.00	122.00	2.00	12059	
122.00	124.00	2.00	12061	
124.00	126.00	2.00	12062	
126.00	128.00	2.00	12063	
128.00	130.00	2.00	12064	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
130.00	132.00	2.00	12066	
132.00	134.00	2.00	12067	
134.00	136.00	2.00	12068	
136.00	138.00	2.00	12069	
138.00	140.00	2.00	12072	
140.00	142.00	2.00	12073	
142.00	144.00	2.00	12074	
144.00	146.00	2.00	12075	
146.00	148.00	2.00	12076	
148.00	150.00	2.00	12077	
150.00	152.00	2.00	12078	
152.00	154.00	2.00	12079	
154.00	156.00	2.00	12081	
156.00	158.00	2.00	12082	
158.00	160.00	2.00	12083	
160.00	162.00	2.00	12084	
162.00	164.00	2.00	12086	
164.00	166.00	2.00	12087	
166.00	168.00	2.00	12088	
168.00	170.00	2.00	12089	
170.00	172.00	2.00	12092	
172.00	174.00	2.00	12093	
174.00	176.00	2.00	12094	
176.00	178.00	2.00	12095	
178.00	180.00	2.00	12096	
180.00	182.00	2.00	12097	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
182.00	184.00	2.00	12098	
184.00	186.00	2.00	12099	
186.00	188.00	2.00	12101	
188.00	190.00	2.00	12102	
190.00	192.00	2.00	12103	
192.00	194.00	2.00	12104	
194.00	196.00	2.00	12106	
196.00	198.00	2.00	12107	
198.00	200.00	2.00	12108	
200.00	202.00	2.00	12109	
202.00	204.00	2.00	12112	
204.00	206.00	2.00	12113	
206.00	208.00	2.00	12114	
208.00	210.00	2.00	12115	
210.00	212.00	2.00	12116	
212.00	214.00	2.00	12117	
214.00	216.00	2.00	12118	
216.00	218.00	2.00	12119	
218.00	220.00	2.00	12121	
220.00	222.00	2.00	12122	
222.00	224.00	2.00	12123	
224.00	226.00	2.00	12124	
226.00	228.00	2.00	12126	
228.00	230.00	2.00	12127	
230.00	232.00	2.00	12128	
232.00	234.00	2.00	12129	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
234.00	236.00	2.00	12132	
236.00	238.00	2.00	12133	
238.00	240.00	2.00	12134	
240.00	242.00	2.00	12135	
242.00	244.00	2.00	12136	
244.00	246.00	2.00	12137	
246.00	248.00	2.00	12138	
248.00	250.00	2.00	12139	
250.00	252.00	2.00	12141	
252.00	254.00	2.00	12142	
254.00	256.00	2.00	12143	
256.00	258.00	2.00	12144	
258.00	260.00	2.00	12146	
260.00	262.00	2.00	12147	
262.00	264.00	2.00	12148	
264.00	266.00	2.00	12149	
266.00	268.00	2.00	12152	
268.00	270.00	2.00	12153	
270.00	272.00	2.00	12154	
272.00	274.00	2.00	12155	
274.00	276.00	2.00	12156	
276.00	278.00	2.00	12157	
278.00	280.00	2.00	12158	
280.00	282.00	2.00	12159	
282.00	284.00	2.00	12161	
284.00	286.00	2.00	12162	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
286.00	288.00	2.00	12163	
288.00	290.00	2.00	12164	
290.00	292.00	2.00	12166	
292.00	294.00	2.00	12167	
294.00	296.00	2.00	12168	
296.00	298.00	2.00	12169	
298.00	300.00	2.00	12172	
300.00	302.00	2.00	12173	
302.00	304.00	2.00	12174	
304.00	306.00	2.00	12175	
306.00	308.00	2.00	12176	
308.00	310.00	2.00	12177	
310.00	312.00	2.00	12178	
312.00	314.00	2.00	12179	
314.00	316.00	2.00	12181	
316.00	318.00	2.00	12182	
318.00	320.00	2.00	12183	
320.00	322.00	2.00	12184	
322.00	324.00	2.00	12186	
324.00	326.00	2.00	12187	
326.00	328.00	2.00	12188	
328.00	330.00	2.00	12189	
330.00	332.00	2.00	12192	
332.00	334.00	2.00	12193	
334.00	336.00	2.00	12194	
336.00	338.00	2.00	12195	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	*To* (m)	*Length* (m)	*Sample #*	*Comments*
338.00	340.00	2.00	12196	
340.00	342.00	2.00	12197	
342.00	344.00	2.00	12198	
344.00	346.00	2.00	12199	
346.00	348.00	2.00	12201	
348.00	350.00	2.00	12202	
350.00	352.00	2.00	12203	
352.00	354.00	2.00	12204	
354.00	356.00	2.00	12206	
356.00	358.00	2.00	12207	
358.00	360.00	2.00	12208	
360.00	362.00	2.00	12209	
362.00	364.00	2.00	12212	
364.00	366.00	2.00	12213	
366.00	368.00	2.00	12214	
368.00	370.00	2.00	12215	
370.00	372.00	2.00	12216	
372.00	374.00	2.00	12217	
374.00	376.00	2.00	12218	
376.00	378.00	2.00	12219	
378.00	380.00	2.00	12221	
380.00	382.00	2.00	12222	
382.00	384.00	2.00	12223	
384.00	386.00	2.00	12224	
386.00	388.00	2.00	12226	
388.00	390.00	2.00	12227	

SAMPLE DESCRIPTION REPORT

- Assay -

Hole Number: **CT-2011-015**

Project: **COWTRAIL**

From (m)	To (m)	Length (m)	Sample #	Comments
390.00	392.00	2.00	12228	
392.00	394.00	2.00	12229	
394.00	396.00	2.00	12232	
396.00	398.00	2.00	12233	
398.00	400.00	2.00	12234	
400.00	402.00	2.00	12235	
402.00	404.00	2.00	12236	
404.00	406.00	2.00	12237	
406.00	408.00	2.00	12238	
408.00	410.00	2.00	12239	
410.00	412.00	2.00	12241	
412.00	414.00	2.00	12242	
414.00	416.00	2.00	12243	
416.00	418.00	2.00	12244	
418.00	420.00	2.00	12246	
420.00	421.30	1.30	12247	
421.30	422.80	1.50	12248	EOH

QUALITY CONTROL REPORT

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

Distance (m)	Sample #	Sample Type	Duplicate of	Standard name	Laboratory	Ag (ppm)	Ag2 (%)	Agol (%)	Au (g/t)	Au2 (g/t)	Au50 (ppb)	Cu (ppm)	Cu2 (%)	Cuol (%)	Dup (OF)	Len	Pb (ppm)	Pb2 (%)	Pbol (%)	Perdas	Samp (TYPE)	tandar	Zn (ppm)	Zn2 (%)
34.00	12005	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
40.00	12011	Field Dup	12009		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12009	0.00	-	-	-	-	ield Du		-	-
42.00	12010	Pulp Dup 20	12012		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12012	0.00	-	-	-	-	)up 200		-	-
48.00	12015A	Fraction Dup	12015		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12015	0.00	-	-	-	-	n Dup 1		-	-
58.00	12020	Standard		CGS-26	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCGS-26		-	-
62.00	12031	Field Dup	12023		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12023	0.00	-	-	-	-	ield Du		-	-
66.00	12025	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
74.00	12030	Pulp Dup 20	12032		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12032	0.00	-	-	-	-	)up 200		-	-
80.00	12035A	Fraction Dup	12035		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12035	0.00	-	-	-	-	n Dup 1		-	-
90.00	12040	Standard		CM-11A	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCM-11A		-	-
98.00	12045	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
106.00	12050	Pulp Dup 20	12052		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12052	0.00	-	-	-	-	)up 200		-	-
112.00	12055A	Fraction Dup	12055		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12055	0.00	-	-	-	-	n Dup 1		-	-
114.00	12051	Field Dup	12056		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12056	0.00	-	-	-	-	ield Du		-	-
122.00	12060	Standard		CGS-29	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCGS-29		-	-
130.00	12065	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
138.00	12070	Pulp Dup 20	12072		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12072	0.00	-	-	-	-	)up 200		-	-
140.00	12073	Field Dup	12071		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12071	0.00	-	-	-	-	ield Du		-	-
144.00	12075A	Fraction Dup	12075		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12075	0.00	-	-	-	-	n Dup 1		-	-
154.00	12080	Standard		CGS-26	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCGS-26		-	-
162.00	12085	Blank			Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank		-	-
170.00	12090	Pulp Dup 20	12092		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12092	0.00	-	-	-	-	)up 200		-	-
172.00	12091	Field Dup	12093		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12093	0.00	-	-	-	-	ield Du		-	-
176.00	12095A	Fraction Dup	12095		Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-	12095	0.00	-	-	-	-	n Dup 1		-	-
186.00	12100	Standard		BL-9	Acme Analytical Lab. Ltd		-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar	BL-9	-	-

QUALITY CONTROL REPORT

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

194.00	12105	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
196.00	12111	Field Dup	12106		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12106	0.00	-	-	-	-	ield Du	-	-
202.00	12110	Pulp Dup 20	12112		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12112	0.00	-	-	-	-	)up 200	-	-
208.00	12115A	Fraction Dup	12115		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12115	0.00	-	-	-	-	n Dup 1	-	-
218.00	12120	Standard		CGS-26	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCGS-26	-	-
225.00	12125	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
234.00	12130	Pulp Dup 20	12132		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12132	0.00	-	-	-	-	)up 200	-	-
240.00	12135A	Fraction Dup	12135		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12135	0.00	-	-	-	-	n Dup 1	-	-
244.00	12131	Field Dup	12137		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12137	0.00	-	-	-	-	ield Du	-	-
250.00	12140	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCM-11A	-	-
256.00	12151	Field Dup	12144		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12144	0.00	-	-	-	-	ield Du	-	-
258.00	12145	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
266.00	12150	Pulp Dup 20	12152		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12152	0.00	-	-	-	-	)up 200	-	-
272.00	12155A	Fraction Dup	12155		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12155	0.00	-	-	-	-	n Dup 1	-	-
282.00	12160	Standard		CM-11A	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCM-11A	-	-
290.00	12165	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
292.00	12171	Field Dup	12166		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12166	0.00	-	-	-	-	ield Du	-	-
298.00	12170	Pulp Dup 20	12172		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12172	0.00	-	-	-	-	)up 200	-	-
304.00	12175A	Fraction Dup	12175		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12175	0.00	-	-	-	-	n Dup 1	-	-
314.00	12180	Standard		CGS-29	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCGS-29	-	-
322.00	12185	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
330.00	12190	Pulp Dup 20	12192		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12192	0.00	-	-	-	-	)up 200	-	-
334.00	12191	Field Dup	12194		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12194	0.00	-	-	-	-	ield Du	-	-
336.00	12195A	Fraction Dup	12195		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12195	0.00	-	-	-	-	n Dup 1	-	-
346.00	12200	Standard		CGS-26	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	StandarCGS-26	-	-
354.00	12205	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
360.00	12211	Field Dup	12209		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12209	0.00	-	-	-	-	ield Du	-	-
362.00	12210	Pulp Dup 20	12212		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12212	0.00	-	-	-	-	)up 200	-	-

QUALITY CONTROL REPORT

Hole Number: **CT-2011-015** Project: **COWTRAIL** Project Number: **003**

368.00	12215A	Fraction Dup	12215		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12215	0.00	-	-	-	-	n Dup 1	-	-
378.00	12220	Standard		CGS-26	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar CGS-26	-	-
386.00	12225	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-
394.00	12230	Pulp Dup 20	12232		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12232	0.00	-	-	-	-	Dup 200	-	-
400.00	12235A	Fraction Dup	12235		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12235	0.00	-	-	-	-	n Dup 1	-	-
406.00	12231	Field Dup	12238		Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-	12238	0.00	-	-	-	-	ield Du	-	-
410.00	12240	Standard		BL-9	Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Standar BL-9	-	-
416.00	12245	Blank			Acme Analytical Lab. Ltd	-	-	-	-	-	-	-	-		0.00	-	-	-	-	Blank	-	-

Hole	CT-2011-015A							
Date	Dec-14-2011							
Geotech	Chris/Flo							
From	**To**	**Interval**	**Recovery**	**Rec %**	**RQD**	**RQD%**	**Fractures**	**Hardness**
27.45	29.55	2.1	2.1	100.00	1.35	64.29	16	5
29.55	32.6	3.05	3.05	100.00	1.96	64.26	24	5
32.6	35.65	3.05	2.93	96.07	1.91	65.19	24	5
35.65	38.7	3.05	3.05	100.00	1.78	58.36	30	5
38.7	41.75	3.05	2.95	96.72	2.4	81.36	27	5
41.75	44.8	3.05	3.05	100.00	2.23	73.11	26	5
44.8	47.85	3.05	3	98.36	1.63	54.33	32	5
47.85	50.9	3.05	3	98.36	2.07	69.00	21	5
50.9	53.95	3.05	3.03	99.34	2.78	91.75	15	5
53.95	57	3.05	2.96	97.05	2.65	89.53	16	5
57	60.05	3.05	3.02	99.02	2.58	85.43	18	5
60.05	63.1	3.05	3	98.36	2.07	69.00	30	5
63.1	66.15	3.05	3.02	99.02	2.39	79.14	15	5
66.15	69.2	3.05	3	98.36	2.34	78.00	19	5
69.2	72.25	3.05	2.99	98.03	2.65	88.63	13	5
72.25	75.3	3.05	3.03	99.34	2.36	77.89	14	5
75.3	78.35	3.05	3.02	99.02	2.24	74.17	20	5
78.35	81.4	3.05	3.03	99.34	2.54	83.83	17	5
81.4	84.45	3.05	3.03	99.34	2.21	72.94	18	5
84.45	87.5	3.05	2.92	95.74	2.06	70.55	25	5
87.5	90.55	3.05	3.02	99.02	2.33	77.15	19	5
90.55	93.6	3.05	3.05	100.00	2.68	87.87	12	5
93.6	96.65	3.05	3.02	99.02	2.52	83.44	17	5
96.65	99.7	3.05	2.95	96.72	1.96	66.44	40	5
99.7	102.75	3.05	2.98	97.70	2.51	84.23	19	5
102.75	105.8	3.05	3.05	100.00	2.4	78.69	30	5
105.8	108.85	3.05	2.96	97.05	2.38	80.41	14	5
108.85	111.9	3.05	3.04	99.67	2.58	84.87	15	5
111.9	114.95	3.05	3.01	98.69	2.5	83.06	15	5
114.95	118	3.05	3.03	99.34	2.48	81.85	18	5
118	121	3	3	100.00	2.07	69.00	50	5
121	124.05	3.05	3.02	99.02	2.09	69.21	37	5
124.05	127.1	3.05	2.85	93.44	2.1	73.68	29	5
127.1	130.15	3.05	2.98	97.70	2.06	69.13	33	5
130.15	133.2	3.05	3.03	99.34	2.81	92.74	11	5
133.2	136.25	3.05	2.96	97.05	2.73	92.23	12	5
136.25	139.3	3.05	3.03	99.34	2.25	74.26	25	5
139.3	142.35	3.05	2.94	96.39	2.37	80.61	13	5
142.35	145.4	3.05	2.95	96.72	1.97	66.78	25	5
145.4	148.45	3.05	3.05	100.00	2.39	78.36	17	5
148.45	151.5	3.05	3.05	100.00	2.76	90.49	13	5
151.5	154.55	3.05	2.95	96.72	2.77	93.90	9	5
154.55	157.6	3.05	3.05	100.00	2.33	76.39	13	5
157.6	160.65	3.05	3.05	100.00	2.39	78.36	16	5
160.65	163.7	3.05	3	98.36	2.48	82.67	13	5
163.7	166.75	3.05	2.99	98.03	2.28	76.25	17	5
166.75	169.8	3.05	2.96	97.05	2.13	71.96	20	5
169.8	172.85	3.05	3.05	100.00	2.26	74.10	19	5
172.85	175.9	3.05	3	98.36	2.51	83.67	9	5
175.9	178.95	3.05	3.05	100.00	2.58	84.59	14	5
178.95	182	3.05	3.03	99.34	2.8	92.41	14	5
182	185.05	3.05	3	98.36	2.73	91.00	13	5
185.05	188.1	3.05	2.8	91.80	2.02	72.14	18	5
188.1	191.15	3.05	3.05	100.00	2.58	84.59	15	5
191.15	194.2	3.05	2.96	97.05	2.31	78.04	27	5

194.2	197.25	3.05	2.95	96.72	2.21	74.92	20	5
197.25	200.3	3.05	3.05	100.00	2.37	77.70	15	5
200.3	203.35	3.05	2.89	94.75	1.86	64.36	35	5
203.35	206.4	3.05	3	98.36	1.45	48.33	55	5
206.4	209.45	3.05	3	98.36	2.3	76.67	13	5
209.45	212.5	3.05	2.98	97.70	2.36	79.19	12	5
212.5	215.55	3.05	3.03	99.34	2.22	73.27	14	5
215.55	218.6	3.05	3.02	99.02	2.24	74.17	15	5
218.6	221.6	3	2.96	98.67	2.28	77.03	20	5
221.6	224.65	3.05	2.9	95.08	1.97	67.93	27	5
224.65	227.7	3.05	3.01	98.69	2.06	68.44	19	5
227.7	230.75	3.05	3	98.36	2.7	90.00	10	5
230.75	233.8	3.05	2.93	96.07	2.33	79.52	15	5
233.8	236.85	3.05	3.05	100.00	2.38	78.03	15	5
236.85	239.9	3.05	3.05	100.00	2.22	72.79	15	5
239.9	242.95	3.05	3	98.36	2.7	90.00	9	5
242.95	246	3.05	3.05	100.00	2.34	76.72	15	5
246	249.05	3.05	3	98.36	2.23	74.33	18	5
249.05	252.1	3.05	2.98	97.70	2.45	82.21	10	5
252.1	255.15	3.05	3	98.36	2.42	80.67	13	5
255.15	258.2	3.05	3.01	98.69	2.7	89.70	9	5
258.2	261.25	3.05	3.02	99.02	1.99	65.89	24	5
261.25	264.3	3.05	3	98.36	2.59	86.33	9	5
264.3	267.35	3.05	3.05	100.00	2.3	75.41	14	5
267.35	270.4	3.05	3	98.36	2.54	84.67	9	5
270.4	273.45	3.05	3.04	99.67	2.4	78.95	22	5
273.45	276.5	3.05	2.88	94.43	2.56	88.89	10	5
276.5	279.55	3.05	2.94	96.39	2.3	78.23	14	5
279.55	282.6	3.05	3.02	99.02	1.9	62.91	16	5
282.6	285.65	3.05	2.95	96.72	2.16	73.22	14	5
285.65	288.7	3.05	3.05	100.00	2.47	80.98	15	5
288.7	291.75	3.05	2.84	93.11	1.95	68.66	35	5
291.75	294.8	3.05	2.95	96.72	1.95	66.10	25	5
294.8	297.85	3.05	3.05	100.00	2.13	69.84	29	5
297.85	300.9	3.05	2.85	93.44	1.88	65.96	35	5
300.9	303.95	3.05	2.75	90.16	1.25	45.45	65	5
303.95	307	3.05	3	98.36	2.12	70.67	15	5
307	310.05	3.05	2.96	97.05	2.16	72.97	15	5
310.05	313.1	3.05	2.92	95.74	2.06	70.55	29	5
313.1	316.15	3.05	3.05	100.00	2.4	78.69	15	5
316.15	319.2	3.05	3	98.36	2.25	75.00	15	5
319.2	322.25	3.05	3.02	99.02	1.7	56.29	45	4
322.25	325.3	3.05	2.92	95.74	1.3	44.52	70	4
325.3	328.3	3	2.9	96.67	1.2	41.38	45	4
328.3	331.35	3.05	2.92	95.74	1.8	61.64	25	5
331.35	334.4	3.05	2.22	72.79	0.52	23.42	100	4
334.4	337.45	3.05	2.9	95.08	1.55	53.45	85	4
337.45	340.5	3.05	3.05	100.00	1.46	47.87	35	5
340.5	343.55	3.05	3.03	99.34	1.75	57.76	30	4
343.55	346.6	3.05	3.02	99.02	2.48	82.12	15	5
346.6	349.65	3.05	3.01	98.69	2.25	74.75	25	5
349.65	352.7	3.05	3.03	99.34	1.97	65.02	25	5
352.7	355.75	3.05	2.98	97.70	2.13	71.48	35	5
355.75	358.8	3.05	2.95	96.72	1.66	56.27	55	5
358.8	361.85	3.05	3.02	99.02	2.24	74.17	18	5
361.85	364.9	3.05	2.95	96.72	2.5	84.75	13	5
364.9	367.95	3.05	3	98.36	1.94	64.67	22	5
367.95	371	3.05	3.03	99.34	2.53	83.50	14	5
371	374.05	3.05	2.9	95.08	2.34	80.69	20	5

374.05	377.1	3.05	2.92	95.74	2.24	76.71	33	5
377.1	380.15	3.05	3.01	98.69	2.69	89.37	8	5
380.15	383.2	3.05	3.05	100.00	2.5	81.97	10	5
383.2	386.25	3.05	3.01	98.69	2.26	75.08	15	5
386.25	389.3	3.05	2.96	97.05	2.38	80.41	10	5
389.3	392.35	3.05	2.98	97.70	2.69	90.27	5	5
392.35	395.4	3.05	2.88	94.43	2.24	77.78	15	5
395.4	398.45	3.05	3.05	100.00	2.58	84.59	10	5
398.45	401.5	3.05	2.91	95.41	1.68	57.73	38	5
401.5	404.55	3.05	2.9	95.08	1.8	62.07	25	5
404.55	407.6	3.05	3.04	99.67	2.33	76.64	18	5
407.6	410.65	3.05	2.97	97.38	1.89	63.64	20	5
410.65	413.7	3.05	2.95	96.72	1.69	57.29	30	5
413.7	416.75	3.05	3.04	99.67	1.45	47.70	45	5
416.75	419.75	3	2.9	96.67	2.13	73.45	15	5
419.75	422.8	3.05	3.05	100.00	2.65	86.89	16	5
422.8	EOH							

Table 2. Samples and assays from CT-2011-011

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																
12001	27.45	28.60	1.15				Drill Core	2.45	0.011	1.0	107.0	4.0	54	<0.1	99.3	24.5	511	3.81	1.7	1.7	0.6	222
12002	28.60	30.00	1.40				Drill Core	2.87	0.008	1.1	112.0	4.0	55	<0.1	107.2	27.5	537	3.68	2.8	1.1	0.6	263
12003	30.00	32.00	2.00				Drill Core	4.18	0.008	0.9	105.9	4.1	56	<0.1	104.1	23.5	576	4.02	1.2	<0.5	0.6	303
12004	32.00	34.00	2.00				Drill Core	4.27	0.009	0.7	104.9	3.7	55	<0.1	95.8	23.9	485	3.93	1.0	0.9	0.6	286
12006	34.00	36.00	2.00				Drill Core	4.21	0.010	0.6	100.1	3.8	52	<0.1	93.2	23.1	538	3.94	1.2	<0.5	0.6	226
12005	**34.00**	**36.00**	**2.00**	**Blank**			**Rock**	**1.58**	**0.006**	**0.3**	**98.5**	**2.6**	**51**	**<0.1**	**90.6**	**27.6**	**673**	**3.45**	**0.9**	**<0.5**	**0.5**	**129**
12007	36.00	38.00	2.00				Drill Core	4.25	0.008	0.8	105.7	3.8	53	<0.1	93.9	23.8	537	3.81	1.2	<0.5	0.6	250
12008	38.00	40.00	2.00				Drill Core	4.60	0.008	0.6	99.3	3.6	52	<0.1	88.6	21.9	742	3.88	0.9	1.0	0.5	265
12009	40.00	42.00	2.00				Drill Core	4.16	0.008	0.7	106.6	3.6	53	<0.1	91.1	22.4	639	3.82	0.7	<0.5	0.6	256
12011	**40.00**	**42.00**	**2.00**	**Field Dup**		**12009**	**Drill Core**	**4.39**	**0.008**	**0.7**	**104.7**	**3.9**	**51**	**<0.1**	**90.1**	**22.4**	**615**	**3.70**	**0.9**	**1.4**	**0.5**	**244**
12012	42.00	44.00	2.00				Drill Core	4.60	0.008	0.5	95.5	2.5	51	<0.1	86.8	21.1	627	3.74	<0.5	<0.5	0.5	246
12010	**42.00**	**44.00**	**2.00**	**Prep Dup**		**12012**	**Drill Core**		**0.009**	**0.7**	**98.1**	**2.5**	**48**	**<0.1**	**82.7**	**20.3**	**618**	**3.65**	**0.7**	**<0.5**	**0.5**	**248**
12013	44.00	46.00	2.00				Drill Core	4.35	0.012	0.7	99.3	2.7	51	<0.1	85.6	20.8	508	3.67	0.5	3.1	0.5	575
12014	46.00	48.00	2.00				Drill Core	4.51	0.015	0.7	108.7	3.8	54	<0.1	88.8	23.5	489	4.03	1.2	5.0	0.4	199
12015	48.00	50.00	2.00				Drill Core	4.24	0.011	0.8	112.6	3.6	55	<0.1	91.0	23.9	468	3.92	1.1	5.7	0.5	193
12015A	**48.00**	**50.00**	**2.00**	**Check**		**12015**																
12016	50.00	52.00	2.00				Drill Core	4.20	0.010	0.8	114.9	2.1	51	<0.1	82.1	21.0	595	3.61	1.3	4.3	0.5	323
12017	52.00	54.00	2.00				Drill Core	4.23	0.014	1.0	118.0	2.1	51	<0.1	90.2	23.0	553	3.87	0.8	5.3	0.5	280
12018	54.00	56.00	2.00				Drill Core	4.09	0.011	0.9	118.8	1.9	53	<0.1	95.2	23.7	565	3.87	0.5	4.5	0.5	203
12019	56.00	58.00	2.00				Drill Core	4.50	0.012	0.8	116.1	2.3	52	<0.1	92.3	22.2	510	3.86	0.8	6.2	0.5	224
12021	58.00	60.00	2.00				Drill Core	4.45	0.011	1.5	126.7	3.4	53	<0.1	89.0	22.5	506	3.76	1.2	4.2	0.5	258
12020	**58.00**	**60.00**	**2.00**	**Standard**	**CGS-26**		**Rock Pulp**	**0.17**	**1.856**	**73.8**	**>10000.0**	**637.4**	**1445**	**8.0**	**91.9**	**13.3**	**447**	**4.56**	**293.4**	**1395.8**	**1.6**	**35**
12022	60.00	62.00	2.00				Drill Core	4.47	0.014	1.3	96.6	3.1	48	<0.1	87.6	23.3	552	3.20	2.3	2.9	0.6	382
12023	62.00	64.00	2.00				Drill Core	4.51	0.020	0.9	121.4	2.6	51	<0.1	89.3	23.1	525	3.47	<0.5	4.5	0.5	244
12031	**62.00**	**64.00**	**2.00**	**Field Dup**		**12023**	**Drill Core**	**4.78**	**0.010**	**0.8**	**114.3**	**2.9**	**49**	**<0.1**	**88.1**	**23.3**	**541**	**3.56**	**0.9**	**5.2**	**0.5**	**212**
12024	64.00	66.00	2.00				Drill Core	4.17	0.012	0.8	120.6	2.7	51	<0.1	94.7	26.0	551	3.66	0.9	3.7	0.5	224
12026	66.00	68.00	2.00				Drill Core	4.12	0.009	0.8	118.9	2.7	53	<0.1	91.0	24.0	566	3.71	1.8	4.0	0.5	219
12025	**66.00**	**68.00**	**2.00**	**Blank**			**Rock**	**1.52**	**0.010**	**0.3**	**112.5**	**2.2**	**51**	**<0.1**	**91.5**	**28.6**	**689**	**3.54**	**1.0**	**2.2**	**0.4**	**128**
12027	68.00	70.00	2.00				Drill Core	4.48	0.009	1.1	131.1	3.3	59	<0.1	113.9	30.6	598	3.86	2.8	3.6	0.4	164
12028	70.00	72.00	2.00				Drill Core	4.16	0.011	1.4	119.3	3.3	58	<0.1	89.3	24.9	550	3.82	1.8	2.7	0.5	155
12029	72.00	74.00	2.00				Drill Core	4.39	0.010	0.8	113.0	3.1	52	<0.1	99.2	27.9	642	3.62	2.5	4.7	0.5	183
12032	74.00	76.00	2.00				Drill Core	4.13	0.011	1.1	111.6	3.3	49	<0.1	96.9	28.2	599	3.26	4.2	3.8	0.5	292
12030	**74.00**	**76.00**	**2.00**	**Prep Dup**		**12032**	**Drill Core**		**0.009**	**1.0**	**116.7**	**3.3**	**52**	**<0.1**	**98.6**	**28.4**	**628**	**3.41**	**4.5**	**4.8**	**0.5**	**302**
12033	76.00	78.00	2.00				Drill Core	4.27	0.010	1.0	112.2	3.9	51	<0.1	92.5	27.9	692	3.39	4.0	3.5	0.4	201
12034	78.00	80.00	2.00				Drill Core	4.38	0.010	0.9	115.0	3.2	53	<0.1	93.1	28.8	620	3.25	2.7	2.4	0.5	263
12035	80.00	82.00	2.00				Drill Core	4.35	0.012	1.2	149.3	3.2	48	<0.1	88.1	28.8	537	3.29	4.3	3.6	0.4	174
12035A	**80.00**	**82.00**	**2.00**	**Check**		**12035**																
12036	82.00	84.00	2.00				Drill Core	4.38	0.009	0.8	111.8	2.8	52	<0.1	97.4	27.3	512	2.92	2.1	2.2	0.5	193
12037	84.00	86.00	2.00				Drill Core	4.47	0.009	0.8	121.8	2.6	56	<0.1	103.8	28.6	547	3.22	1.5	4.3	0.5	244
12038	86.00	88.00	2.00				Drill Core	4.25	0.010	1.0	122.7	3.0	54	<0.1	110.8	31.6	514	3.61	2.6	5.0	0.5	205
12039	88.00	90.00	2.00				Drill Core	4.57	0.010	0.9	148.2	3.0	52	0.1	92.7	27.5	505	3.53	2.5	<0.5	0.5	214
12041	90.00	92.00	2.00				Drill Core	4.70	0.013	0.4	126.8	3.2	54	<0.1	104.0	26.0	548	3.63	1.6	51.2	0.5	223
12040	**90.00**	**92.00**	**2.00**	**Standard**	**CM-11A**		**Rock Pulp**	**0.10**	**1.205**	**336.8**	**3206.5**	**23.2**	**55**	**1.8**	**28.5**	**8.2**	**406**	**2.99**	**12.7**	**668.5**	**1.0**	**33**
12042	92.00	94.00	2.00				Drill Core	4.91	0.017	1.2	136.2	2.7	56	<0.1	112.9	28.7	517	3.75	<0.5	19.2	0.6	239
12043	94.00	96.00	2.00				Drill Core	4.73	0.011	0.9	128.5	2.7	59	<0.1	93.2	23.8	566	3.31	0.6	12.6	0.5	199
12044	96.00	98.00	2.00				Drill Core	4.85	0.013	0.8	120.7	1.4	53	<0.1	100.0	24.6	597	4.06	<0.5	5.5	0.5	225
12046	98.00	100.00	2.00				Drill Core	4.61	0.010	0.8	124.7	2.8	53	<0.1	93.0	25.9	516	3.61	1.8	5.3	0.5	505
12045	**98.00**	**100.00**	**2.00**	**Blank**			**Rock**	**1.41**	**0.008**	**0.3**	**107.5**	**2.3**	**48**	**<0.1**	**83.1**	**27.0**	**667**	**3.47**	**1.1**	**4.0**	**0.4**	**129**
12047	100.00	102.00	2.00				Drill Core	4.24	0.011	1.9	118.7	3.0	60	<0.1	116.6	29.6	571	4.22	2.3	2.9	0.4	194
12048	102.00	104.00	2.00				Drill Core	4.79	0.011	1.5	139.4	3.2	60	<0.1	128.3	34.0	564	4.70	2.0	3.4	0.5	144
12049	104.00	106.00	2.00				Drill Core	4.68	0.011	1.1	111.7	3.6	58	<0.1	97.8	26.0	530	3.33	2.6	<0.5	0.5	175
12052	106.00	108.00	2.00				Drill Core	4.58	0.012	1.4	113.4	3.0	55	<0.1	93.8	23.6	569	3.95	3.0	<0.5	0.5	138
12050	**106.00**	**108.00**	**2.00**	**Prep Dup**		**12052**	**Drill Core**		**0.009**	**1.3**	**113.0**	**3.3**	**55**	**<0.1**	**96.6**	**24.6**	**586**	**4.06**	**2.8**	**<0.5**	**0.5**	**151**
12053	108.00	110.00	2.00				Drill Core	4.70	0.011	0.8	119.0	2.4	58	<0.1	109.6	25.4	556	4.02	0.7	1.6	0.6	259
12054	110.00	112.00	2.00				Drill Core	4.53	0.010	0.9	117.7	3.0	57	<0.1	106.0	24.4	561	4.05	<0.5	1.0	0.6	233
12055	112.00	114.00	2.00				Drill Core	4.45	0.011	0.7	111.4	2.6	56	<0.1	99.3	24.4	537	3.66	1.2	1.5	0.6	259
12055A	**112.00**	**114.00**	**2.00**	**Check**		**12055**																
12056	114.00	116.00	2.00				Drill Core	4.31	0.010	0.8	113.9	2.8	54	<0.1	103.1	23.4	619	4.04	1.3	<0.5	0.6	169
12051	**114.00**	**116.00**	**2.00**	**Field Dup**		**12056**	**Drill Core**	**4.90**	**0.010**	**0.8**	**107.7**	**2.8**	**55**	**<0.1**	**106.9**	**23.9**	**617**	**4.03**	**1.5**	**<0.5**	**0.6**	**153**
12057	116.00	118.00	2.00				Drill Core	4.35	0.010	0.8	117.6	2.2	58	<0.1	109.3	25.7	617	4.28	1.0	0.7	0.6	252
12058	118.00	120.00	2.00				Drill Core	4.66	0.012	0.8	114.5	2.8	57	<0.1	104.7	24.8	535	3.69	1.1	<0.5	0.6	236
12059	120.00	122.00	2.00				Drill Core	4.44	0.009	1.2	98.5	3.0	57	<0.1	97.3	24.7	552	3.51	3.4	<0.5	0.5	211
12061	122.00	124.00	2.00				Drill Core	4.37	0.011	0.8	115.5	2.2	55	<0.1	104.1	23.1	544	3.68	<0.5	1.6	0.6	175
12060	**122.00**	**124.00**	**2.00**	**Standard**	**CGS-29**		**Rock Pulp**	**0.18**	**0.259**	**10.7**	**5338.3**	**5.3**	**89**	**1.8**	**11.0**	**7.7**	**630**	**4.24**	**2.2**	**180.6**	**3.9**	**66**
12062	124.00	126.00	2.00				Drill Core	4.35	0.011	0.9	112.3	3.4	56	<0.1	97.6	24.6	530	3.48	1.7	<0.5	0.6	209
12063	126.00	128.00	2.00				Drill Core	4.51	0.011	1.1	110.0	3.2	59	<0.1	111.1	25.6	594	3.77	2.9	<0.5	0.6	188
12064	128.00	130.00	2.00				Drill Core	4.65	0.011	1.6	125.7	3.8	72	0.1	132.3	27.4	542	4.01	6.9	0.7	0.6	142
12066	130.00	132.00	2.00				Drill Core	4.44	0.010	0.9	120.2	2.8	61	<0.1	116.2	25.0	533	3.66	2.7	0.7	0.6	190
12065	**130.00**	**132.00**	**2.00**	**Blank**			**Rock**	**1.47**	**0.008**	**0.3**	**101.9**	**2.2**	**49**	**<0.1**	**83.5**	**24.9**	**686**	**3.41**	**0.9**	**0.6**	**0.5**	**128**
12067	132.00	134.00	2.00				Drill Core	4.90	0.012	1.4	113.3	4.3	64	0.1	130.7	29.0	621	3.79	7.1	<0.5	0.5	192
12068	134.00	136.00	2.00				Drill Core	4.74	0.010	1.0	116.0	2.7	58	<0.1	115.4	25.2	567	3.72	1.6	0.6	0.5	230
12069	136.00	138.00	2.00				Drill Core	4.54	0.011	0.9	116.4	3.4	55	<0.1	108.4	24.4	540	3.92	2.0	0.5	0.6	283
12072	138.00	140.00	2.00				Drill Core	4.21	0.012	1.8	103.5	2.7	66	<0.1	116.4	25.2	590	3.81	6.7	<0.5	0.5	287
12070	**138.00**	**140.00**	**2.00**	**Prep Dup**		**12072**	**Drill Core**		**0.011**	**2.0**	**103.6**	**2.7**	**67**	**<0.1**	**116.7**	**25.3**	**588**	**3.85**	**7.9**	**<0.5**	**0.5**	**286**
12073	140.00	142.00	2.00				Drill Core	4.10	0.012	0.9	118.9	3.1	61	<0.1	115.0	25.0	764	3.73	3.6	<0.5	0.5	166

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG																							
12001	<0.1	<0.1	<0.1	153	3.63	0.089	5	104	1.72	39	0.278	12	3.23	0.842	0.16	0.1	<0.01	6.0	<0.1	0.65	8	<0.5	<0.2
12002	<0.1	<0.1	<0.1	150	4.00	0.099	5	104	1.57	33	0.278	10	3.44	1.038	0.13	<0.1	<0.01	5.0	<0.1	0.57	8	<0.5	<0.2
12003	<0.1	<0.1	<0.1	138	3.25	0.100	5	106	2.04	32	0.280	10	3.27	0.946	0.10	<0.1	<0.01	4.6	<0.1	0.42	8	<0.5	<0.2
12004	<0.1	<0.1	<0.1	137	3.09	0.100	4	97	2.22	49	0.261	9	3.15	0.485	0.15	<0.1	<0.01	4.4	<0.1	0.35	8	<0.5	<0.2
12006	<0.1	<0.1	<0.1	137	3.24	0.083	4	96	2.21	50	0.257	7	2.90	0.349	0.18	<0.1	<0.01	4.8	<0.1	0.53	8	<0.5	<0.2
12005	**<0.1**	**<0.1**	**<0.1**	**138**	**6.92**	**0.090**	**4**	**44**	**0.93**	**18**	**0.235**	**13**	**3.56**	**1.046**	**0.17**	**<0.1**	**<0.01**	**4.9**	**<0.1**	**0.10**	**8**	**<0.5**	**<0.2**
12007	<0.1	<0.1	<0.1	141	4.04	0.092	4	96	1.85	43	0.264	8	2.92	0.460	0.16	<0.1	<0.01	4.4	<0.1	0.71	8	<0.5	<0.2
12008	<0.1	<0.1	<0.1	135	4.91	0.088	4	94	2.24	57	0.238	9	3.04	0.315	0.16	<0.1	<0.01	5.0	<0.1	0.60	8	<0.5	<0.2
12009	<0.1	<0.1	<0.1	141	4.01	0.098	4	101	2.02	53	0.265	7	3.06	0.414	0.16	<0.1	<0.01	5.2	<0.1	0.33	8	<0.5	<0.2
12011	**<0.1**	**<0.1**	**<0.1**	**134**	**3.83**	**0.095**	**4**	**97**	**1.93**	**49**	**0.252**	**8**	**2.90**	**0.389**	**0.15**	**<0.1**	**<0.01**	**4.7**	**<0.1**	**0.35**	**7**	**<0.5**	**<0.2**
12012	<0.1	<0.1	<0.1	131	3.69	0.084	4	91	2.06	44	0.233	8	2.82	0.355	0.13	<0.1	<0.01	3.8	<0.1	0.30	7	<0.5	<0.2
12010	**<0.1**	**<0.1**	**<0.1**	**134**	**3.65**	**0.095**	**4**	**89**	**1.99**	**48**	**0.234**	**9**	**2.90**	**0.366**	**0.14**	**<0.1**	**<0.01**	**3.7**	**<0.1**	**0.29**	**7**	**<0.5**	**<0.2**
12013	<0.1	<0.1	<0.1	128	3.19	0.092	4	90	1.80	44	0.226	2	2.80	0.408	0.13	<0.1	<0.01	3.0	<0.1	0.33	7	<0.5	<0.2
12014	<0.1	0.1	<0.1	121	2.88	0.106	4	92	1.91	41	0.210	8	2.49	0.284	0.12	<0.1	<0.01	3.8	<0.1	0.58	7	<0.5	<0.2
12015	<0.1	<0.1	<0.1	129	3.24	0.105	4	96	1.80	39	0.216	5	2.44	0.278	0.12	<0.1	<0.01	3.5	<0.1	0.57	6	<0.5	<0.2
12015A																							
12016	<0.1	<0.1	<0.1	126	4.46	0.126	4	99	1.66	39	0.210	5	2.57	0.386	0.12	<0.1	<0.01	3.4	<0.1	0.52	6	<0.5	<0.2
12017	<0.1	<0.1	<0.1	128	2.94	0.124	4	102	2.08	33	0.201	8	2.96	0.417	0.10	<0.1	<0.01	3.4	<0.1	0.09	6	<0.5	<0.2
12018	<0.1	<0.1	<0.1	125	1.98	0.118	4	104	2.35	31	0.205	9	2.87	0.357	0.10	<0.1	<0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
12019	<0.1	<0.1	<0.1	122	2.29	0.125	4	102	2.26	39	0.215	10	2.97	0.358	0.12	<0.1	<0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
12021	<0.1	<0.1	<0.1	124	3.97	0.125	4	98	1.85	40	0.209	7	2.77	0.345	0.15	<0.1	<0.01	3.5	<0.1	0.37	6	<0.5	<0.2
12020	**10.5**	**40.4**	**2.7**	**45**	**0.78**	**0.063**	**7**	**45**	**0.60**	**45**	**0.066**	**38**	**1.11**	**0.070**	**0.19**	**32.3**	**0.63**	**4.3**	**0.8**	**2.13**	**4**	**3.3**	**0.6**
12022	<0.1	0.1	<0.1	119	6.37	0.103	5	101	1.35	29	0.243	6	2.21	0.347	0.14	<0.1	<0.01	4.3	<0.1	0.87	6	<0.5	<0.2
12023	<0.1	<0.1	<0.1	120	4.12	0.113	4	97	1.58	46	0.197	4	2.72	0.357	0.17	<0.1	<0.01	4.6	<0.1	<0.05	6	<0.5	<0.2
12031	**<0.1**	**<0.1**	**<0.1**	**121**	**4.05**	**0.118**	**4**	**99**	**1.56**	**45**	**0.199**	**4**	**2.73**	**0.357**	**0.15**	**<0.1**	**<0.01**	**4.0**	**<0.1**	**0.13**	**6**	**<0.5**	**<0.2**
12024	<0.1	<0.1	<0.1	125	4.08	0.133	5	101	1.60	47	0.220	5	2.91	0.385	0.16	<0.1	<0.01	4.0	<0.1	0.13	6	<0.5	<0.2
12026	<0.1	0.1	<0.1	129	4.12	0.105	4	98	1.59	45	0.218	6	2.76	0.376	0.18	<0.1	<0.01	4.9	<0.1	0.35	6	<0.5	<0.2
12025	**<0.1**	**<0.1**	**<0.1**	**128**	**6.37**	**0.100**	**4**	**41**	**0.92**	**16**	**0.206**	**15**	**3.44**	**1.070**	**0.14**	**<0.1**	**<0.01**	**4.5**	**<0.1**	**0.06**	**8**	**<0.5**	**<0.2**
12027	<0.1	0.1	<0.1	145	4.18	0.098	4	102	1.40	35	0.230	9	3.13	0.970	0.15	<0.1	<0.01	5.1	<0.1	0.68	7	<0.5	<0.2
12028	<0.1	0.1	<0.1	139	4.06	0.108	4	99	1.41	29	0.235	31	2.76	0.590	0.12	<0.1	<0.01	4.0	<0.1	0.65	7	<0.5	<0.2
12029	<0.1	0.1	<0.1	126	4.79	0.116	4	110	1.47	35	0.224	6	2.57	0.389	0.13	<0.1	<0.01	3.7	<0.1	0.50	7	<0.5	<0.2
12032	<0.1	0.2	<0.1	110	5.47	0.109	4	99	1.18	27	0.218	20	2.28	0.426	0.10	<0.1	<0.01	3.0	<0.1	0.67	6	<0.5	<0.2
12030	**<0.1**	**0.2**	**<0.1**	**117**	**5.67**	**0.115**	**4**	**101**	**1.24**	**29**	**0.215**	**18**	**2.41**	**0.454**	**0.11**	**<0.1**	**<0.01**	**3.3**	**<0.1**	**0.70**	**6**	**<0.5**	**<0.2**
12033	<0.1	0.2	<0.1	118	5.39	0.106	4	100	1.39	30	0.207	6	2.40	0.294	0.13	<0.1	<0.01	3.3	<0.1	0.64	6	<0.5	<0.2
12034	0.1	0.2	<0.1	119	5.94	0.119	4	105	1.19	25	0.207	5	2.52	0.356	0.09	<0.1	<0.01	3.2	<0.1	0.59	6	<0.5	<0.2
12035	0.2	0.2	<0.1	137	4.99	0.100	4	101	1.37	37	0.213	6	2.16	0.329	0.16	<0.1	<0.01	4.5	<0.1	0.80	5	<0.5	<0.2
12035A																							
12036	0.1	0.2	<0.1	118	5.52	0.117	4	108	1.07	29	0.215	6	2.24	0.277	0.14	<0.1	<0.01	3.8	<0.1	0.83	5	<0.5	<0.2
12037	0.2	<0.1	<0.1	126	4.72	0.130	4	115	1.37	35	0.225	6	2.46	0.350	0.15	<0.1	<0.01	4.3	<0.1	0.40	6	<0.5	<0.2
12038	0.1	0.1	<0.1	134	4.64	0.120	4	113	1.41	24	0.230	8	2.65	0.268	0.12	<0.1	<0.01	4.0	<0.1	0.61	7	0.5	<0.2
12039	0.1	0.1	<0.1	128	4.79	0.116	4	112	1.35	32	0.219	5	2.22	0.324	0.13	<0.1	<0.01	4.0	<0.1	0.95	6	1.3	<0.2
12041	<0.1	0.1	<0.1	116	4.06	0.110	4	115	1.46	35	0.217	5	2.67	0.353	0.13	<0.1	<0.01	3.6	<0.1	0.45	6	0.5	<0.2
12040	**0.3**	**3.6**	**0.6**	**46**	**0.60**	**0.056**	**5**	**31**	**0.54**	**117**	**0.103**	**3**	**1.14**	**0.085**	**0.10**	**0.8**	**0.08**	**4.1**	**<0.1**	**0.38**	**4**	**1.2**	**<0.2**
12042	<0.1	<0.1	<0.1	117	3.58	0.117	4	116	1.63	36	0.200	5	2.73	0.331	0.12	<0.1	<0.01	2.9	<0.1	0.14	7	<0.5	<0.2
12043	0.1	<0.1	<0.1	128	4.49	0.121	4	118	1.35	41	0.214	5	2.41	0.329	0.14	<0.1	<0.01	3.8	<0.1	0.06	6	<0.5	<0.2
12044	<0.1	<0.1	<0.1	119	2.84	0.113	4	112	2.38	41	0.202	10	3.12	0.370	0.13	<0.1	<0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
12046	0.2	0.2	<0.1	122	4.63	0.123	4	116	1.67	37	0.224	7	2.97	0.606	0.12	<0.1	<0.01	3.4	<0.1	0.77	6	<0.5	<0.2
12045	**<0.1**	**<0.1**	**<0.1**	**129**	**6.42**	**0.088**	**4**	**43**	**0.90**	**15**	**0.214**	**14**	**3.37**	**1.009**	**0.14**	**<0.1**	**<0.01**	**4.7**	**<0.1**	**0.07**	**7**	**<0.5**	**<0.2**
12047	<0.1	0.2	<0.1	153	3.66	0.095	4	108	1.60	31	0.217	6	2.67	0.621	0.12	<0.1	<0.01	3.9	<0.1	1.00	6	<0.5	<0.2
12048	0.1	0.2	<0.1	180	4.18	0.093	4	115	1.80	26	0.235	10	2.56	0.537	0.12	<0.1	<0.01	4.4	<0.1	1.20	7	<0.5	<0.2
12049	0.1	0.2	<0.1	133	4.52	0.096	4	112	1.31	40	0.241	9	2.36	0.346	0.17	0.5	<0.01	3.8	<0.1	0.65	6	<0.5	<0.2
12052	0.1	0.1	<0.1	135	5.03	0.090	4	108	1.61	22	0.238	9	2.60	0.393	0.10	<0.1	<0.01	3.8	0.1	0.82	7	<0.5	<0.2
12050	**0.1**	**0.1**	**<0.1**	**139**	**5.15**	**0.092**	**4**	**112**	**1.66**	**28**	**0.249**	**11**	**2.76**	**0.418**	**0.13**	**<0.1**	**<0.01**	**4.3**	**<0.1**	**0.85**	**7**	**<0.5**	**<0.2**
12053	<0.1	<0.1	<0.1	125	3.41	0.106	4	117	1.80	44	0.229	8	3.02	0.393	0.13	0.2	<0.01	3.3	<0.1	0.13	7	<0.5	<0.2
12054	<0.1	<0.1	<0.1	124	2.89	0.109	4	119	2.08	38	0.232	8	3.06	0.374	0.11	<0.1	<0.01	3.3	<0.1	0.06	7	<0.5	<0.2
12055	<0.1	<0.1	<0.1	124	4.43	0.111	4	114	1.59	33	0.234	13	3.08	0.362	0.12	0.3	<0.01	3.2	<0.1	0.22	8	<0.5	<0.2
12055A																							
12056	<0.1	<0.1	<0.1	118	3.21	0.105	4	111	2.29	30	0.232	9	2.91	0.452	0.09	<0.1	<0.01	2.4	<0.1	0.25	7	<0.5	<0.2
12051	**<0.1**	**<0.1**	**<0.1**	**120**	**3.25**	**0.105**	**4**	**113**	**2.18**	**31**	**0.233**	**8**	**2.75**	**0.421**	**0.10**	**0.3**	**<0.01**	**2.5**	**<0.1**	**0.29**	**7**	**<0.5**	**<0.2**
12057	<0.1	<0.1	<0.1	132	2.36	0.112	4	122	2.64	51	0.227	14	3.49	0.404	0.13	0.3	<0.01	3.1	<0.1	0.10	7	<0.5	<0.2
12058	<0.1	<0.1	<0.1	127	3.54	0.110	4	118	1.62	47	0.239	5	2.90	0.422	0.14	<0.1	<0.01	3.0	<0.1	0.39	7	<0.5	<0.2
12059	0.1	0.2	<0.1	120	4.82	0.102	4	113	1.51	40	0.233	8	2.31	0.298	0.14	0.3	<0.01	3.6	<0.1	0.84	6	<0.5	<0.2
12061	<0.1	<0.1	<0.1	122	3.68	0.108	4	114	1.68	38	0.226	7	2.74	0.286	0.13	<0.1	<0.01	3.4	<0.1	0.08	7	<0.5	<0.2
12060	**0.4**	**0.3**	**0.7**	**60**	**1.08**	**0.069**	**11**	**16**	**0.66**	**173**	**0.078**	**5**	**1.00**	**0.063**	**0.41**	**0.1**	**0.07**	**4.0**	**0.1**	**0.34**	**6**	**3.1**	**0.3**
12062	<0.1	0.1	<0.1	121	4.80	0.106	4	114	1.37	41	0.217	7	2.53	0.299	0.11	0.2	<0.01	2.9	<0.1	0.28	6	<0.5	<0.2
12063	0.1	0.1	<0.1	133	4.45	0.106	4	112	1.67	40	0.239	9	2.74	0.370	0.12	<0.1	<0.01	3.9	<0.1	0.20	7	<0.5	<0.2
12064	0.4	0.2	<0.1	143	3.96	0.091	4	111	1.88	32	0.246	7	2.61	0.418	0.11	<0.1	<0.01	4.0	<0.1	0.46	7	<0.5	<0.2
12066	0.1	<0.1	<0.1	126	4.00	0.104	4	119	1.61	41	0.237	6	2.66	0.352	0.13	<0.1	<0.01	3.3	<0.1	0.14	7	<0.5	<0.2
12065	**<0.1**	**<0.1**	**<0.1**	**131**	**6.62**	**0.084**	**4**	**44**	**0.92**	**17**	**0.229**	**16**	**3.55**	**1.075**	**0.14**	**0.1**	**<0.01**	**4.6**	**<0.1**	**0.08**	**8**	**<0.5**	**<0.2**
12067	0.3	0.2	<0.1	132	5.43	0.094	4	105	1.78	32	0.259	7	2.70	0.517	0.11	<0.1	<0.01	4.4	0.2	0.50	7	<0.5	<0.2
12068	<0.1	<0.1	<0.1	127	3.93	0.102	4	119	1.58	35	0.243	7	2.81	0.447	0.13	<0.1	<0.01	4.0	<0.1	0.10	7	<0.5	<0.2
12069	<0.1	0.1	<0.1	125	3.33	0.107	4	119	1.78	39	0.236	10	2.92	0.394	0.13	<0.1	<0.01	3.7	<0.1	0.20	7	<0.5	<0.2
12072	0.3	0.2	<0.1	125	5.20	0.095	4	107	1.72	30	0.227	8	2.74	0.488	0.11	<0.1	<0.01	3.3	0.1	0.64	7	<0.5	<0.2
12070	**0.4**	**0.2**	**<0.1**	**126**	**5.22**	**0.094**	**4**	**106**	**1.70**	**31**	**0.233**	**7**	**2.74**	**0.496**	**0.11**	**<0.1**	**<0.01**	**3.5**	**0.1**	**0.68**	**7**	**<0.5**	**<0.2**
12073	0.2	<0.1	<0.1	132	5.57	0.094	4	106	1.82	30	0.253	8	2.70	0.487	0.12	<0.1	<0.01	4.1	<0.1	0.38	7	<0.5	<0.2

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF																																							
12071	140.00	142.00	2.00	Field Dup		12073	Drill Core	4.67	0.009	0.9	124.5	3.3	61	<0.1	115.8	26.1	715	3.74	3.9	<0.5	0.5	187	0.2	<0.1	<0.1	139	4.98	0.102	5	114	1.87	35	0.268	11	2.98	0.546	0.15	<0.1	<0.01	4.8	<0.1	0.37	7	<0.5	<0.2
12074	142.00	144.00	2.00				Drill Core	4.68	0.014	0.8	113.4	2.6	57	<0.1	108.3	24.6	578	3.78	1.4	<0.5	0.5	283	<0.1	<0.1	<0.1	125	3.81	0.107	4	119	1.68	42	0.232	7	2.83	0.373	0.12	<0.1	<0.01	3.0	<0.1	0.15	7	<0.5	<0.2
12075	144.00	146.00	2.00				Drill Core	4.30	0.010	0.9	104.0	3.3	57	<0.1	107.1	25.5	680	3.48	1.7	0.7	0.6	251	0.1	<0.1	<0.1	138	4.90	0.114	4	118	1.45	34	0.255	8	2.47	0.381	0.13	<0.1	<0.01	4.2	<0.1	0.13	6	<0.5	<0.2
12075A	144.00	146.00	2.00	Check		12075																																							
12076	146.00	148.00	2.00				Drill Core	4.56	0.013	0.9	118.8	3.6	61	<0.1	124.9	27.8	588	3.76	2.9	<0.5	0.5	144	0.2	<0.1	<0.1	136	4.28	0.100	4	115	1.66	33	0.268	12	2.45	0.252	0.14	<0.1	<0.01	4.4	<0.1	0.20	7	<0.5	<0.2
12077	148.00	150.00	2.00				Drill Core	4.44	0.015	1.0	109.9	3.9	58	<0.1	121.6	26.6	556	3.59	2.5	<0.5	0.5	75	0.1	<0.1	<0.1	146	5.04	0.097	4	115	1.66	13	0.267	14	2.85	0.107	0.11	0.1	<0.01	4.9	<0.1	0.14	10	<0.5	<0.2
12078	150.00	152.00	2.00				Drill Core	4.52	0.012	0.8	110.3	3.9	53	<0.1	114.9	24.0	564	3.70	2.0	<0.5	0.6	88	0.1	<0.1	<0.1	137	4.09	0.097	4	114	1.77	16	0.257	10	2.60	0.111	0.11	<0.1	<0.01	4.2	<0.1	0.27	8	<0.5	<0.2
12079	152.00	154.00	2.00				Drill Core	4.20	0.017	0.8	104.3	2.8	52	<0.1	95.9	22.7	542	3.30	0.5	1.3	0.5	143	<0.1	<0.1	<0.1	123	4.20	0.097	4	113	1.44	32	0.219	4	2.40	0.220	0.13	<0.1	<0.01	3.3	<0.1	0.07	7	<0.5	<0.2
12081	154.00	156.00	2.00				Drill Core	4.44	0.017	0.9	108.1	3.6	55	<0.1	97.2	25.7	544	3.15	1.4	1.3	0.6	74	0.1	<0.1	<0.1	135	5.44	0.099	4	109	1.42	14	0.249	8	2.49	0.093	0.11	0.1	<0.01	3.9	<0.1	0.17	9	<0.5	<0.2
12080	154.00	156.00	2.00	Standard	CGS-26		Rock Pulp	0.16	1.551	80.5	>10000.0	696.0	1476	8.1	90.7	12.9	473	4.56	297.8	1151.2	1.9	35	9.0	35.8	2.4	49	0.85	0.051	7	48	0.62	48	0.074	37	1.23	0.073	0.21	35.0	0.67	4.4	0.9	2.15	4	3.3	0.5
12082	156.00	158.00	2.00				Drill Core	4.31	0.018	0.9	113.1	3.7	61	<0.1	122.4	27.6	557	3.53	2.6	1.5	0.6	76	0.1	0.1	<0.1	144	4.11	0.093	4	119	1.63	16	0.273	13	2.53	0.109	0.12	<0.1	<0.01	4.3	<0.1	0.39	8	<0.5	<0.2
12083	158.00	160.00	2.00				Drill Core	4.53	0.015	0.9	105.7	3.5	55	<0.1	106.9	25.3	607	3.48	2.8	<0.5	0.5	135	0.1	0.2	<0.1	131	5.26	0.093	4	112	1.48	25	0.243	9	2.35	0.254	0.13	<0.1	<0.01	3.8	<0.1	0.74	7	<0.5	<0.2
12084	160.00	162.00	2.00				Drill Core	4.60	0.011	0.9	107.6	3.1	60	<0.1	121.2	28.3	641	3.91	2.1	1.1	0.5	133	<0.1	<0.1	<0.1	152	4.13	0.096	4	123	1.79	30	0.280	5	2.68	0.414	0.15	0.2	<0.01	5.3	<0.1	0.47	7	<0.5	<0.2
12086	162.00	164.00	2.00				Drill Core	4.69	0.012	0.9	112.8	3.0	58	<0.1	115.3	25.4	605	3.61	<0.5	0.8	0.6	145	0.1	<0.1	<0.1	134	3.52	0.108	4	121	1.72	27	0.240	9	2.45	0.235	0.13	0.1	<0.01	3.2	<0.1	0.05	7	<0.5	<0.2
12085	162.00	164.00	2.00	Blank			Rock	1.45	0.009	0.3	95.7	2.5	49	<0.1	82.9	26.6	674	3.39	0.8	0.5	0.5	134	<0.1	<0.1	<0.1	134	6.46	0.084	4	41	0.90	16	0.223	11	3.58	1.108	0.17	<0.1	<0.01	4.7	<0.1	0.11	8	<0.5	<0.2
12087	164.00	166.00	2.00				Drill Core	4.51	0.017	0.7	114.6	3.2	56	<0.1	104.6	24.4	611	3.90	<0.5	<0.5	0.6	61	<0.1	<0.1	<0.1	129	3.58	0.108	4	124	2.28	11	0.239	9	2.88	0.097	0.09	<0.1	<0.01	4.1	<0.1	<0.05	9	<0.5	<0.2
12088	166.00	168.00	2.00				Drill Core	4.44	0.016	0.8	113.4	3.2	59	<0.1	114.3	25.4	585	4.01	1.1	0.9	0.6	127	<0.1	<0.1	<0.1	143	3.33	0.108	4	122	1.95	12	0.248	7	2.60	0.159	0.10	<0.1	<0.01	4.0	<0.1	0.14	8	<0.5	<0.2
12089	168.00	170.00	2.00				Drill Core	4.42	0.015	0.7	102.4	3.2	56	<0.1	101.6	25.4	602	3.79	<0.5	<0.5	0.6	139	<0.1	<0.1	<0.1	139	4.51	0.107	5	126	1.62	19	0.232	10	2.75	0.178	0.13	0.1	<0.01	4.2	<0.1	0.08	9	<0.5	<0.2
12092	170.00	172.00	2.00				Drill Core	4.38	0.012	0.8	96.1	3.9	53	<0.1	102.0	25.4	581	3.63	2.3	2.1	0.5	141	<0.1	0.2	<0.1	137	4.86	0.103	4	122	1.60	26	0.238	7	2.49	0.215	0.16	0.1	<0.01	5.0	<0.1	0.49	8	<0.5	<0.2
12090	170.00	172.00	2.00	Prep Dup		12092	Drill Core		0.014	0.9	100.0	3.9	54	<0.1	97.5	25.0	581	3.56	2.2	0.6	0.6	160	<0.1	0.2	<0.1	138	4.92	0.108	5	128	1.59	35	0.241	8	2.62	0.257	0.20	<0.1	<0.01	5.7	<0.1	0.49	8	<0.5	<0.2
12093	172.00	174.00	2.00				Drill Core	4.42	0.011	0.7	109.8	3.0	56	<0.1	107.9	25.7	576	3.95	1.0	2.8	0.5	148	0.1	<0.1	<0.1	144	4.37	0.102	5	127	1.63	23	0.231	8	2.53	0.269	0.13	<0.1	<0.01	6.2	<0.1	0.16	8	<0.5	<0.2
12091	172.00	174.00	2.00	Field Dup		12093	Rock	1.97	0.016	0.8	98.2	6.0	54	0.1	107.1	26.2	527	3.77	2.4	1.3	0.6	96	0.1	0.2	<0.1	149	4.59	0.110	5	117	1.42	16	0.234	8	2.03	0.124	0.11	<0.1	0.01	5.9	<0.1	0.50	8	<0.5	<0.2
12094	174.00	176.00	2.00				Drill Core	4.32	0.012	0.9	101.0	3.8	56	<0.1	120.7	27.6	650	3.46	3.3	1.6	0.5	104	0.2	0.1	<0.1	140	6.56	0.096	4	109	1.54	18	0.254	9	2.43	0.155	0.13	<0.1	<0.01	5.3	<0.1	0.33	8	<0.5	<0.2
12095	176.00	178.00	2.00				Drill Core	4.49	0.017	0.6	96.7	3.2	57	<0.1	100.5	24.0	582	3.94	0.9	3.5	0.6	113	<0.1	<0.1	<0.1	149	3.93	0.113	5	133	1.78	20	0.258	8	2.55	0.183	0.15	0.1	<0.01	6.1	<0.1	0.20	9	<0.5	<0.2
12095A	176.00	178.00	2.00	Check		12095																																							
12096	178.00	180.00	2.00				Drill Core	4.59	0.017	2.3	98.7	2.9	56	<0.1	111.5	28.0	558	3.67	2.5	1.6	0.5	148	<0.1	0.1	<0.1	137	4.63	0.099	4	127	1.78	24	0.248	7	2.61	0.287	0.13	<0.1	<0.01	6.0	<0.1	0.48	8	<0.5	<0.2
12097	180.00	182.00	2.00				Drill Core	4.41	0.016	0.8	114.2	2.8	57	<0.1	108.8	26.5	604	4.27	<0.5	2.5	0.5	210	<0.1	<0.1	<0.1	129	2.85	0.112	5	134	2.38	42	0.215	8	3.12	0.363	0.15	<0.1	<0.01	3.8	<0.1	0.05	7	<0.5	<0.2
12098	182.00	184.00	2.00				Drill Core	4.46	0.014	0.6	101.2	3.3	53	<0.1	103.9	24.6	597	3.57	<0.5	2.4	0.5	70	<0.1	<0.1	<0.1	133	5.41	0.106	5	128	1.48	13	0.237	10	2.48	0.100	0.12	<0.1	<0.01	4.7	<0.1	0.08	9	<0.5	<0.2
12099	184.00	186.00	2.00				Drill Core	4.47	0.011	0.6	105.5	3.6	58	<0.1	103.4	25.0	579	3.84	0.6	1.3	0.5	118	<0.1	<0.1	<0.1	138	3.94	0.116	5	136	1.75	22	0.242	7	2.50	0.169	0.12	<0.1	<0.01	4.5	<0.1	0.08	8	<0.5	<0.2
12101	186.00	188.00	2.00				Drill Core	4.04	0.013	0.7	99.7	3.6	50	<0.1	97.4	23.9	599	3.77	<0.5	2.7	0.5	75	<0.1	<0.1	<0.1	123	5.51	0.106	4	121	1.73	12	0.224	11	2.83	0.111	0.10	<0.1	<0.01	4.1	<0.1	0.10	10	<0.5	<0.2
12100	186.00	188.00	2.00	Standard	BL-9		Rock Pulp	0.20	0.010	3.1	21.0	2.2	34	0.5	18.3	9.1	299	1.93	3.2	0.6	1.0	30	0.3	0.3	<0.1	47	0.73	0.050	5	23	0.50	87	0.101	3	1.14	0.069	0.08	18.3	0.02	4.0	<0.1	<0.05	4	<0.5	<0.2
12102	188.00	190.00	2.00				Drill Core	4.49	0.006	0.9	101.6	3.8	54	0.1	102.4	26.2	580	3.55	2.9	1.8	0.5	76	0.1	0.1	<0.1	128	5.33	0.103	4	116	1.49	16	0.236	8	2.20	0.108	0.12	<0.1	<0.01	4.5	<0.1	0.30	8	<0.5	<0.2
12103	190.00	192.00	2.00				Drill Core	4.70	0.007	0.7	100.6	3.7	55	<0.1	111.4	26.9	575	3.50	1.0	1.6	0.6	77	<0.1	<0.1	<0.1	137	4.68	0.113	5	131	1.54	17	0.237	9	2.40	0.127	0.14	0.1	<0.01	5.2	<0.1	0.08	8	<0.5	<0.2
12104	192.00	194.00	2.00				Drill Core	4.37	0.008	0.9	89.4	3.2	55	<0.1	91.8	24.1	588	3.60	3.2	1.2	0.5	70	0.1	0.2	<0.1	149	6.71	0.110	5	117	1.40	12	0.242	8	2.51	0.076	0.09	<0.1	<0.01	5.0	<0.1	0.44	9	<0.5	<0.2
12106	194.00	196.00	2.00				Drill Core	4.49	0.009	1.0	108.5	3.4	62	<0.1	114.4	29.6	615	3.45	2.7	1.5	0.5	101	0.2	0.1	<0.1	148	5.32	0.104	5	119	1.45	20	0.249	12	2.49	0.159	0.12	<0.1	<0.01	4.6	<0.1	0.27	8	<0.5	<0.2
12105	194.00	196.00	2.00	Blank			Rock	2.00	<0.005	0.3	94.5	2.3	49	<0.1	88.5	28.5	736	3.51	0.9	<0.5	0.4	131	<0.1	<0.1	<0.1	133	7.29	0.087	4	47	0.95	20	0.222	15	3.69	1.053	0.18	<0.1	<0.01	5.4	<0.1	0.09	8	<0.5	<0.2
12107	196.00	198.00	2.00				Drill Core	4.50	0.007	0.8	111.2	3.3	58	<0.1	111.7	24.5	547	3.45	1.2	3.4	0.5	88	<0.1	<0.1	<0.1	137	3.66	0.097	4	110	1.44	21	0.243	12	2.13	0.138	0.14	0.1	<0.01	3.9	<0.1	0.10	7	<0.5	<0.2
12111	196.00	198.00	2.00	Field Dup		12106	Drill Core	4.55	0.008	1.0	105.5	3.1	60	<0.1	98.2	26.0	554	3.23	2.2	2.5	0.5	94	0.2	0.1	<0.1	141	4.44	0.099	4	107	1.38	18	0.235	9	2.17	0.131	0.11	0.2	<0.01	3.6	<0.1	0.23	7	<0.5	<0.2
12108	198.00	200.00	2.00				Drill Core	4.53	0.006	0.9	95.7	3.5	63	<0.1	110.2	26.0	570	3.22	2.2	2.2	0.5	67	0.1	0.1	<0.1	141	4.44	0.105	4	108	1.35	15	0.244	11	2.13	0.094	0.10	<0.1	<0.01	4.5	<0.1	0.18	7	<0.5	<0.2
12109	200.00	202.00	2.00				Drill Core	4.27	0.008	0.7	107.8	3.4	61	<0.1	96.6	24.6	537	3.35	1.6	1.6	0.5	109	0.1	<0.1	<0.1	136	4.00	0.095	4	105	1.56	17	0.227	10	2.45	0.152	0.10	0.1	<0.01	4.1	<0.1	0.12	8	<0.5	<0.2
12112	202.00	204.00	2.00				Drill Core	4.00	0.010	0.8	108.3	3.5	61	<0.1	98.3	25.2	534	3.36	1.7	1.6	0.6	57	<0.1	<0.1	<0.1	151	4.86	0.095	4	104	1.41	11	0.255	12	2.65	0.073	0.10	<0.1	<0.01	5.2	<0.1	0.14	10	<0.5	<0.2
12110	202.00	204.00	2.00	Prep Dup		12112	Drill Core		0.007	0.8	104.1	3.3	59	<0.1	106.2	25.3	535	3.32	2.0	1.9	0.5	58	<0.1	0.1	<0.1	151	5.05	0.095	4	103	1.40	11	0.252	14	2.69	0.074	0.10	<0.1	<0.01	5.2	<0.1	0.14	10	<0.5	<0.2
12113	204.00	206.00	2.00				Drill Core	3.93	0.007	0.8	108.2	3.5	60	<0.1	111.7	26.5	559	3.59	2.5	1.9	0.5	75	<0.1	0.1	<0.1	144	4.02	0.094	4	110	1.57	17	0.263	11	2.32	0.097	0.12	0.1	<0.01	4.8	<0.1	0.26	8	<0.5	<0.2
12114	206.00	208.00	2.00				Drill Core	4.09	0.005	0.9	95.3	3.4	54	<0.1	93.1	24.4	517	3.16	1.5	1.0	0.5	132	<0.1	<0.1	<0.1	139	4.82	0.096	4	106	1.38	16	0.237	11	2.44	0.232	0.10	<0.1	<0.01	5.3	<0.1	0.19	8	<0.5	<0.2
12115	208.00	210.00	2.00				Drill Core	4.38	0.008	0.6	91.3	3.3	53	<0.1	92.2	21.6	530	3.38	0.6	1.7	0.5	243	<0.1	<0.1	<0.1	125	3.79	0.092	4	107	1.62	25	0.224	7	2.50	0.335	0.12	<0.1	<0.01	4.0	<0.1	0.09	7	<0.5	<0.2
12115A	208.00	210.00	2.00	Check		12115																																							
12116	210.00	212.00	2.00				Drill Core	4.53	0.007	0.8	108.4	3.4	60	<0.1	114.6	25.5	489	3.62	2.8	1.4	0.5	154	0.2	0.1	<0.1	133	3.65	0.097	4	109	1.58	23	0.242	8	2.47	0.245	0.12	<0.1	<0.01	4.0	<0.1	0.29	7	<0.5	<0.2
12117	212.00	214.00	2.00				Drill Core	4.62	0.010	0.9	99.5	3.8	60	<0.1	112.6	24.6	519	3.23	2.5	<0.5	0.6	86	0.2	0.1	<0.1	131	4.29	0.101	4	110	1.36	23	0.236	8	2.20	0.118	0.12	<0.1	<0.01	3.8	<0.1	0.19	7	<0.5	<0.2
12118	214.00	216.00	2.00				Drill Core	4.61	0.007	0.6	92.6	3.7	54	<0.1	88.5	20.2	397	3.52	0.8	<0.5	0.5	109	<0.1	<0.1	<0.1	128	3.15	0.093	4	108	1.71	19	0.235	21	2.44	0.172	0.11	<0.1	<0.01	3.6	<0.1	0.13	8	<0.5	<0.2
12119	216.00	218.00	2.00				Drill Core	4.61	0.007	0.6	109.8	3.6	55	<0.1	93.8	21.9	448	3.70	2.1	<0.5	0.5	165	<0.1	<0.1	<0.1	133	2.84	0.096	4	109	1.84	29	0.251	8	2.60	0.374	0.14	<0.1	<0.01	4.3	<0.1	0.20	7	<0.5	<0.2
12121	218.00	220.00	2.00				Drill Core	4.56	0.013	0.7	105.8	3.2	51	<0.1	88.1	20.1	410	3.33	0.5	3.1	0.5	145	<0.1	<0.1	<0.1	123	2.95	0.100	4	103	1.78	29	0.231	159	2.39	0.246	0.13	<0.1	<0.01	3.4	<0.1	<0.05	7	<0.5	<0.2
12120	218.00	220.00	2.00	Standard	CGS-26		Rock Pulp	0.17	1.660	80.5	>10000.0	672.9	1479	8.2	89.7	12.8	464	4.51	299.0	1170.8	1.8	34	8.8	36.0	2.3	48	0.85	0.050	7	46	0.60	42	0.070	37	1.18	0.072	0.21	31.2	0.64	4.4	0.8	2.23	4	2.9	0.6
12122	220.00	222.00	2.00				Drill Core	4.57	0.008	0.5	107.8	3.4	56	<0.1	107.7	23.8	416	3.95	0.5	1.9	0.5	144	<0.1	<0.1	<0.1	147	2.41	0.084	4	110	2.14	31	0.248	24	2.49	0.231	0.12	<0.1	<0.01	4.2	<0.1	<0.05	8	<0.5	<0.2
12123	222.00	224.00	2.00				Drill Core	4.63	0.009	0.7	111.8	3.5	59	<0.1	114.0	24.6	521	3.71	1.9	1.1	0.5	79	0.1	<0.1	<0.1	139	3.58	0.095	4	113	1.75	20	0.256	10	2.44	0.114	0.12	0.1	<0.01	4.2	<0.1	0.10	8	<0.5	<0.2
12124	224.00	226.00	2.00				Drill Core	4.49	0.011	0.6	96.5	2.9	53	<0.1	87.6	21.8	576	3.37	<0.5	1.6	0.5	101	<0.1	<0.1	<0.1	132	3.94	0.103	4	107	1.67	23	0.237	9	2.29	0.145	0.14	<0.1	<0.01	3.6	<0.1	<0.05	7	<0.5	<0.2
12125	225.00	227.00	2.00	Blank			Rock	1.32	0.006	0.2	86.7	2.1	46	<0.1	79.6	24.2	628	3.18	0.9	1.5	0.4	134	<0.1	<0.1	<0.1	126	6.12	0.081	4	38	0.79	15	0.208	16	3.20	0.961	0.14	<0.1	<0.01	4.2	<0.1	0.08	7	<0.5	<0.2
12126	226.00	228.00	2.00				Drill Core	4.20	0.009	0.6	105.7	3.3	53	<0.1	88.6	21.3	490	3.64	<0.5	1.5	0.5	117	<0.1	<0.1	<0.1	138	2.84	0.099	4	105	2.08	16	0.255	10	2.56	0.156	0.12	<0.1	<0.01	3.9	<0.1	<0.05	8	<0.5	<0.2
12127	228.00	230.00	2.00				Drill Core	4.35	0.007	0.6	95.3	3.0	51	<0.1	86.4	21.0	514	3.35	0.9	1.4	0.5	140	<0.1	<0.1	<0.1	122	3.33	0.092	4	100	1.86	24	0.214	8	2.15	0.204	0.11	<0.1	<0.01	3.0	<0.1	0.06	6	<0.5	<0.2
12128	230.00	232.00	2.00				Drill Core	4.39	0.007	0.7	105.6	2.7	51	<0.1	94.0	21.8	559	3.61	0.7	1.2	0.5	102	<0.1	<0.1	<0.1	122	2.91	0.102	4	107	1.91	24	0.220	8	2.42	0.153	0.12	<0.1	<0.01	3.5	<0.1	<0.05	7	<0.5	<0.2
12129	232.00	234.00	2.00				Drill Core	4.08	0.008	0.6	109.1	3.3	54	<0.1	91.6	22.1	544	3.59	<0.5	2.3	0.5	121	<0.1	<0.1	<0.1	141	2.82	0.100	4	108	2.02	24	0.251	9	2.35	0.221	0.12	<0.1	<0.01	4.8	<0.1	<0.05	7	<0.5	<0.2
12132	234.00	236.00	2.00				Drill Core	4.39	0.008	0.5	100.1	3.6	53	<0.1	89.6	22.0	426	3.58	0.7	1.4	0.6	115	<0.1	<0.1	<0.1	140	2.85	0.090	4	112	2.12	22	0.253	6	2.30	0.241	0.11	<0.1	<0.01	5.1	<0.1	0.06	7	<0.5	<0.2
12130	234.00	236.00	2.00	Prep Dup		12132	Drill Core		0.007	0.6	102.8	3.4	53	<0.1	90.7	22.5	433	3.62	0.6	1.0	0.5	114	<0.1	<0.1	<0.1	143	2.84	0.092	4	112	2.19	21	0.251	7	2.33	0.245	0.11	<0.1	<0.01	5.2	<0.1	0.07	7	<0.5	<0.2
12133	236.00	238.00	2.00				Drill Core	4.48	0.010	0.6	101.8	3.2	49	<0.1	89.0	20.8	432	3.47	1.0	1.3	0.5	148	<0.1	<0.1	<0.1	124	2.86	0.090	4	101	2.02	28	0.220	10	2.47	0.261	0.11	<0.1	<0.01	3.7	<0.1	0.07	8	<0.5	<0.2
12134	238.00	240.00	2.00				Drill Core	4.49	0.045	0.6	101.3	2.9	49	<0.1	86.1	21.3	736	3.45	<0.5	1.7	0.6	129	<0.1	<0.1	<0.1	140	4.75	0.095	4	102	1.79	27	0.237	9	2.15	0.191	0.12	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
12135	240.00	242.00	2.00				Drill Core	4.34	0.014	0.6	104.6	3.4	48	<0.1	92.4	21.5	463	3.55	<0.5	1.3	0.5	146	<0.1	<0.1	<0.1	132	2.87	0.096	4	104	2.02	31	0.227	9	2.40	0.245	0.12	<0.1	<0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
12135A	240.00	242.00	2.00	Check		12135																																							
12136	242.00	244.00	2.00				Drill Core	4.54	0.011	0.6	104.8	2.9	52	<0.1	97.6	22.7	475	3.72	<0.5	<0.5	0.6	157	<0.1	<0.1	<0.1	129	2.34	0.097	4	108	2.17	35	0.226	7	2.50	0.239	0.12	0.1	<0.01	3.8	<0.1	<0.05	7	<0.5	<0.2
12137	244.00	246.00	2.00				Drill Core	4.47	0.012	0.6	105.7	3.3	57	<0.1	106.9	24.0	437	4.02	0.7	0.5	0.6	148	<0.1	<0.1	<0.1	140	1.83	0.092	4	111	2.41	31	0.260	9	2.65	0.254	0.12	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
12131	244.00	246.00	2.00	Field Dup		12137	Drill Core	5.04	0.011	0.6	102.1	3.2	56	<0.1	97.6	23.7	423	3.90	<0.5	0.8	0.5	138	<0.1	<0.1	<0.1	141	1.79	0.086	4	109	2.32	28	0.245	9	2.50	0.237	0.11	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
12138	246.00	248.00	2.00				Drill Core	4.51	0.013	0.7	99.3	3.3	51	<0.1	88.4	20.3	540	3.38	0.8	0.8	0.5	99	<0.1	<0.1	<0.1	124	3.58	0.128	4	105	1.83	20	0.213	4	2.20	0.156	0.10	<0.1	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
12139	248.00	250.00	2.00				Drill Core	4.38	0.013	1.0	106.7	3.5	53	<0.1	98.1	23.1	582	3.60	3.6	1.3	0.6	108	<0.1	<0.1	<0.1	133	3.62	0.113	4	113	1.78	19	0.234	7	2.53	0.192	0.10	<0.1	<0.01	3.9	<0.1	0.11	8	<0.5	<0.2
12141	250.00	252.00	2.00				Drill Core	4.31	0.013	0.5	100.6	3.3	52	<0.1	94.0	21.5	620	3.60	<0.5	1.6	0.5	73	<0.1	<0.1	<0.1	125	3.90	0.107	4	114	1.83	17	0.238	11	2.42	0.117	0.11	<0.1	<0.01	3.8	<0.1	<0.05	8	<0.5	<0.2
12140	250.00	252.00	2.00	Standard	CM-11A		Rock Pulp	0.17	1.064	337.8	3211.5	21.3	51	1.8	26.9	7.6	405	2.94	12.8	670.2	1.0	33	0.3	3.2	0.5	48	0.64	0.048	5	28	0.52	118	0.103	2	1.13	0.078	0.10	0.8	0.08	3.9	0.2	0.37	4	0.6	0.2
12142	252.00	254.00	2.00				Drill Core	4.53	0.012	1.1	112.9	3.6	56	<0.1	103.7	23.2	587	3.74	2.4	1.3	0.5	139	<0.1	<0.1	<0.1	123	3.77	0.095	4	107	1.82	23	0.227	12	2.64	0.296	0.10	<0.1	0.01	3.5	<0.1	0.20	8	<0.5	<0.2
12143	254.00	256.00	2.00				Drill Core	4.54	0.011	0.8	103.7	3.6	52	<0.1	87.0	21.0	630	3.50	2.1	0.7	0.5	155	<0.1	<0.1	<0.1	127	4.69	0.100	4	105	1.78	22	0.240	76	2.53	0.245	0.11	<0.1	<0.01	3.8	<0.1	0.18	7	<0.5	<0.2
12144	256.00	258.00	2.00				Drill Core	4.51	0.009	0.7	92.8	3.3	53	<0.1	87.1	20.0	625	3.34	1.3	0.8	0.5	204	<0.1	<0.1	<0.1	123	4.26	0.106	4	110	1.52	25	0.224	13	2.46	0.331	0.11	<0.1	<0.01	3.7	<0.1	0.20	7	<0.5	<0.2
12151	256.00	258.00	2.00	Field Dup		12144	Drill Core	4.80	0.012	0.5	104.5	2.5	53	<0.1	85.4	19.6	601	3.21	0.7	<0.5	0.5	229	<0.1	<0.1	<0.1	123	4.16	0.105	4	115	1.49	27	0.228	13	2.43	0.323	0.12	<0.1	<0.01	3.7	<0.1	0.12	6	<0.5	<0.2
12146	258.00	260.00	2.00				Drill Core	4.29	0.012	0.9	113.5	2.5	54	<0.1	97.5	22.9	561	3.79	1.0	1.0	0.5	441	<0.1	<0.1	<0.1	124	3.65	0.106	4	113	1.85	26	0.246	14	3.35	0.489	0.12	<0.1	<0.01	3.4	<0.1	0.19	8	<0.5	<0.2

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12145	**258.00**	**260.00**	**2.00**	**Blank**			**Rock**	**1.26**	**0.010**	**0.3**	**100.4**	**2.2**	**54**	**<0.1**	**93.3**	**27.5**	**689**	**3.50**	**0.8**	**<0.5**	**0.5**	**133**	**<0.1**	**<0.1**	**<0.1**	**136**	**6.20**	**0.088**	**4**	**41**	**0.95**	**16**	**0.232**	**18**	**3.73**	**1.118**	**0.13**	**<0.1**	**<0.01**	**5.0**	**<0.1**	**0.06**	**9**	**<0.5**	**<0.2**
12147	260.00	262.00	2.00				Drill Core	4.62	0.012	1.1	107.9	3.0	54	<0.1	96.4	23.1	480	3.76	0.7	1.5	0.5	436	<0.1	<0.1	<0.1	116	2.85	0.094	4	109	2.02	26	0.229	9	3.06	0.644	0.10	<0.1	<0.01	3.7	<0.1	0.38	8	<0.5	<0.2
12148	262.00	264.00	2.00				Drill Core	4.45	0.012	0.8	99.2	3.9	53	<0.1	91.4	22.8	531	3.54	1.2	0.6	0.5	171	<0.1	<0.1	<0.1	116	3.82	0.111	4	108	1.79	26	0.236	13	2.40	0.336	0.13	<0.1	<0.01	4.3	<0.1	0.70	7	<0.5	<0.2
12149	264.00	266.00	2.00				Drill Core	4.65	0.011	0.7	109.3	3.4	56	<0.1	97.8	24.1	573	3.76	1.0	<0.5	0.6	86	<0.1	<0.1	<0.1	130	3.62	0.103	5	114	1.90	14	0.243	12	2.62	0.118	0.09	<0.1	<0.01	4.5	<0.1	0.33	9	<0.5	<0.2
12152	266.00	268.00	2.00				Drill Core	4.47	0.011	0.7	107.5	3.7	56	<0.1	97.9	23.7	546	3.95	1.2	<0.5	0.6	94	<0.1	<0.1	<0.1	131	3.45	0.099	5	113	2.03	13	0.257	13	2.71	0.100	0.08	<0.1	<0.01	4.0	<0.1	0.46	9	<0.5	<0.2
12150	**266.00**	**268.00**	**2.00**	**Prep Dup**		**12152**	**Drill Core**		**0.016**	**0.6**	**107.4**	**3.8**	**57**	**<0.1**	**102.6**	**23.9**	**549**	**3.92**	**1.2**	**0.6**	**0.6**	**96**	**<0.1**	**<0.1**	**<0.1**	**128**	**3.45**	**0.097**	**5**	**113**	**2.04**	**13**	**0.247**	**12**	**2.69**	**0.098**	**0.08**	**<0.1**	**<0.01**	**3.7**	**<0.1**	**0.44**	**9**	**<0.5**	**<0.2**
12153	268.00	270.00	2.00				Drill Core	4.29	0.013	1.0	105.3	3.5	53	<0.1	94.9	22.3	596	3.70	1.0	<0.5	0.5	92	<0.1	<0.1	<0.1	125	4.84	0.097	4	107	1.75	12	0.240	31	2.77	0.081	0.08	<0.1	<0.01	4.0	<0.1	0.61	9	<0.5	<0.2
12154	270.00	272.00	2.00				Drill Core	4.53	0.012	0.7	105.0	3.9	54	<0.1	96.0	22.5	581	3.75	1.3	1.3	0.6	78	<0.1	<0.1	<0.1	127	4.58	0.101	4	115	1.78	16	0.246	15	2.61	0.084	0.09	<0.1	<0.01	4.2	<0.1	0.75	9	<0.5	<0.2
12155	272.00	274.00	2.00				Drill Core	4.65	0.012	0.8	98.9	3.9	52	<0.1	91.5	23.3	646	3.82	0.9	<0.5	0.5	86	<0.1	<0.1	<0.1	137	5.17	0.098	4	108	1.86	16	0.254	11	2.59	0.081	0.09	<0.1	<0.01	4.6	<0.1	0.83	9	<0.5	<0.2
12155A	**272.00**	**274.00**	**2.00**	**Check**		**12155**																																							
12156	274.00	276.00	2.00				Drill Core	4.27	0.009	2.3	95.3	3.7	51	<0.1	87.0	22.5	675	3.74	1.2	<0.5	0.5	93	<0.1	<0.1	<0.1	136	6.24	0.095	4	108	1.80	19	0.261	11	2.27	0.084	0.09	<0.1	<0.01	5.4	<0.1	1.28	8	<0.5	<0.2
12157	276.00	278.00	2.00				Drill Core	4.77	0.012	0.9	102.2	4.0	55	<0.1	98.4	25.2	646	3.96	1.5	0.8	0.5	81	<0.1	<0.1	<0.1	137	4.75	0.096	5	110	2.07	25	0.272	10	2.62	0.086	0.11	<0.1	<0.01	4.8	<0.1	1.07	9	<0.5	<0.2
12158	278.00	280.00	2.00				Drill Core	4.32	0.012	0.7	105.8	3.7	56	<0.1	99.5	24.8	601	3.98	1.7	<0.5	0.5	75	<0.1	<0.1	<0.1	140	4.32	0.090	4	110	2.03	20	0.270	13	2.50	0.092	0.09	<0.1	<0.01	5.1	<0.1	1.15	10	<0.5	<0.2
12159	280.00	282.00	2.00				Drill Core	4.39	0.011	0.8	111.2	3.8	62	<0.1	111.1	26.3	633	4.21	2.3	0.7	0.6	74	<0.1	<0.1	<0.1	144	3.13	0.099	5	118	2.34	23	0.286	14	2.52	0.108	0.09	0.1	<0.01	5.4	<0.1	1.07	9	<0.5	<0.2
12161	282.00	284.00	2.00				Drill Core	4.68	0.010	0.8	109.0	3.3	56	<0.1	104.0	24.1	641	4.07	1.4	<0.5	0.5	72	<0.1	<0.1	<0.1	144	3.36	0.101	5	114	2.44	26	0.268	13	2.66	0.100	0.11	0.1	<0.01	5.6	<0.1	0.64	9	<0.5	<0.2
12160	**282.00**	**284.00**	**2.00**	**Standard**	**CM-11A**		**Rock Pulp**	**0.17**	**0.236**	**11.0**	**5468.5**	**5.6**	**86**	**1.9**	**10.8**	**7.5**	**621**	**4.09**	**1.5**	**171.8**	**4.1**	**66**	**0.4**	**0.3**	**0.7**	**60**	**1.07**	**0.066**	**11**	**16**	**0.63**	**171**	**0.077**	**5**	**1.04**	**0.062**	**0.41**	**0.1**	**0.08**	**4.1**	**0.1**	**0.34**	**6**	**3.7**	**0.4**
12162	284.00	286.00	2.00				Drill Core	4.46	0.009	0.8	115.5	4.1	61	<0.1	107.3	27.6	623	4.34	1.0	<0.5	0.6	81	<0.1	<0.1	<0.1	159	2.36	0.094	5	126	2.56	27	0.306	12	2.45	0.145	0.09	0.1	<0.01	7.2	<0.1	1.11	9	<0.5	<0.2
12163	286.00	288.00	2.00				Drill Core	4.61	0.008	0.8	109.8	3.6	57	<0.1	107.5	27.1	592	4.12	1.4	<0.5	0.6	149	<0.1	<0.1	<0.1	141	3.30	0.093	5	115	2.31	48	0.263	10	2.51	0.280	0.12	<0.1	<0.01	5.4	<0.1	0.95	7	<0.5	<0.2
12164	288.00	290.00	2.00				Drill Core	4.47	0.005	0.8	83.3	2.7	51	<0.1	86.1	21.0	569	3.52	0.9	<0.5	0.5	183	<0.1	<0.1	<0.1	137	4.90	0.110	4	120	1.73	44	0.236	8	2.34	0.270	0.12	<0.1	<0.01	5.1	<0.1	0.95	6	<0.5	<0.2
12166	290.00	292.00	2.00				Drill Core	4.27	0.008	1.0	97.3	3.2	54	<0.1	98.7	25.1	613	4.02	0.8	2.6	0.5	172	<0.1	<0.1	<0.1	145	4.37	0.091	4	131	2.02	47	0.240	8	2.39	0.213	0.15	<0.1	<0.01	6.0	<0.1	0.91	7	<0.5	<0.2
12165	**290.00**	**292.00**	**2.00**	**Blank**			**Rock**	**1.95**	**0.007**	**0.3**	**83.6**	**2.5**	**50**	**<0.1**	**88.6**	**28.0**	**704**	**3.53**	**0.7**	**3.5**	**0.4**	**153**	**0.1**	**<0.1**	**<0.1**	**129**	**6.77**	**0.080**	**4**	**45**	**0.94**	**19**	**0.219**	**13**	**3.56**	**1.044**	**0.19**	**<0.1**	**<0.01**	**4.8**	**<0.1**	**0.09**	**8**	**<0.5**	**<0.2**
12167	292.00	294.00	2.00				Drill Core	4.11	0.007	0.8	89.1	4.0	54	<0.1	102.0	27.9	680	4.28	1.0	2.8	0.5	111	<0.1	<0.1	<0.1	156	4.29	0.094	5	132	2.30	38	0.256	8	2.22	0.138	0.13	<0.1	0.01	7.2	<0.1	1.08	8	<0.5	<0.2
12171	**292.00**	**294.00**	**2.00**	**Field Dup**		**12166**	**Drill Core**	**4.59**	**0.007**	**1.2**	**96.3**	**3.4**	**55**	**<0.1**	**97.5**	**26.4**	**622**	**3.98**	**0.8**	**2.6**	**0.6**	**168**	**<0.1**	**<0.1**	**<0.1**	**146**	**4.69**	**0.093**	**4**	**128**	**2.01**	**48**	**0.247**	**8**	**2.42**	**0.212**	**0.15**	**<0.1**	**<0.01**	**6.1**	**<0.1**	**1.02**	**8**	**<0.5**	**<0.2**
12168	294.00	296.00	2.00				Drill Core	3.89	0.007	0.6	89.3	3.6	52	<0.1	90.1	25.0	656	3.79	0.8	1.9	0.5	103	<0.1	<0.1	<0.1	149	4.59	0.100	5	128	1.89	36	0.248	7	1.94	0.125	0.14	<0.1	<0.01	6.6	<0.1	1.09	7	<0.5	<0.2
12169	296.00	298.00	2.00				Drill Core	4.73	0.006	0.7	95.1	3.9	55	<0.1	100.4	27.0	742	4.18	0.9	2.0	0.5	89	<0.1	<0.1	<0.1	163	4.76	0.094	5	143	2.46	27	0.267	9	2.44	0.097	0.11	<0.1	<0.01	8.6	<0.1	0.77	9	<0.5	<0.2
12172	298.00	300.00	2.00				Drill Core	4.35	0.008	0.8	96.6	3.5	57	<0.1	95.9	25.2	694	4.11	0.7	1.2	0.5	110	<0.1	<0.1	<0.1	164	3.77	0.097	5	141	2.37	36	0.272	8	2.14	0.136	0.14	<0.1	0.01	8.1	<0.1	0.81	8	<0.5	<0.2
12170	**298.00**	**300.00**	**2.00**	**Prep Dup**		**12172**	**Drill Core**		**0.007**	**0.8**	**94.9**	**3.4**	**56**	**<0.1**	**93.0**	**24.8**	**674**	**4.02**	**0.8**	**1.7**	**0.5**	**113**	**<0.1**	**<0.1**	**<0.1**	**161**	**3.67**	**0.096**	**5**	**137**	**2.31**	**38**	**0.264**	**8**	**2.14**	**0.142**	**0.15**	**<0.1**	**0.01**	**8.0**	**<0.1**	**0.79**	**8**	**<0.5**	**<0.2**
12173	300.00	302.00	2.00				Drill Core	4.46	0.006	0.9	98.4	3.6	57	<0.1	97.0	26.0	700	4.41	1.1	2.4	0.5	103	<0.1	<0.1	<0.1	165	3.71	0.092	4	151	2.80	35	0.271	8	2.35	0.120	0.15	<0.1	0.02	9.9	<0.1	1.00	8	<0.5	<0.2
12174	302.00	304.00	2.00				Drill Core	4.11	0.006	1.0	81.9	2.9	53	<0.1	98.7	24.9	712	4.32	0.7	1.5	0.5	106	<0.1	<0.1	<0.1	177	4.90	0.107	5	169	3.07	27	0.253	7	2.43	0.107	0.12	<0.1	0.02	13.0	<0.1	0.88	8	<0.5	<0.2
12175	304.00	306.00	2.00				Drill Core	4.20	0.006	1.3	70.9	3.3	53	<0.1	101.6	27.6	756	4.28	0.8	<0.5	0.5	139	<0.1	<0.1	<0.1	182	6.67	0.095	5	186	2.81	30	0.201	6	2.29	0.114	0.12	<0.1	0.03	14.9	<0.1	1.16	8	<0.5	<0.2
12175A	**304.00**	**306.00**	**2.00**	**Check**		**12175**																																							
12176	306.00	308.00	2.00				Drill Core	4.49	0.007	0.5	73.0	2.9	51	<0.1	96.5	27.8	850	4.14	0.9	2.2	0.5	210	<0.1	<0.1	<0.1	163	8.66	0.094	4	168	1.69	49	0.112	8	2.65	0.170	0.16	<0.1	0.03	15.1	<0.1	0.93	7	<0.5	<0.2
12177	308.00	310.00	2.00				Drill Core	4.10	<0.005	0.6	77.3	3.3	48	<0.1	93.6	26.3	705	4.00	1.1	1.8	0.5	207	<0.1	<0.1	<0.1	153	7.43	0.089	4	159	1.49	111	0.108	7	2.46	0.167	0.16	<0.1	0.05	14.5	<0.1	0.70	6	<0.5	<0.2
12178	310.00	312.00	2.00				Drill Core	4.30	0.007	0.4	78.1	3.1	49	<0.1	94.8	26.3	844	3.78	1.6	2.3	0.4	160	<0.1	<0.1	<0.1	141	10.08	0.086	4	138	1.16	85	0.036	8	2.21	0.067	0.17	<0.1	0.04	16.5	<0.1	0.66	5	<0.5	<0.2
12179	312.00	314.00	2.00				Drill Core	4.08	0.005	0.8	68.7	3.2	48	<0.1	100.0	26.7	814	4.49	1.6	1.2	0.5	155	<0.1	<0.1	<0.1	154	9.37	0.107	5	193	1.86	24	0.003	7	2.56	0.038	0.19	<0.1	0.05	18.6	<0.1	1.05	7	<0.5	<0.2
12181	314.00	316.00	2.00				Drill Core	3.87	0.007	0.5	82.5	3.0	42	<0.1	89.8	25.2	817	3.79	1.6	<0.5	0.4	164	<0.1	<0.1	<0.1	138	10.18	0.102	5	168	1.45	49	0.003	5	2.38	0.035	0.19	<0.1	0.06	17.8	<0.1	0.95	6	<0.5	<0.2
12180	**314.00**	**316.00**	**2.00**	**Standard**	**CGS-29**		**Rock Pulp**	**0.16**	**0.231**	**11.6**	**5687.2**	**5.5**	**90**	**2.0**	**11.8**	**8.2**	**643**	**4.43**	**1.8**	**216.9**	**4.0**	**70**	**0.3**	**0.2**	**0.7**	**63**	**1.07**	**0.066**	**12**	**17**	**0.64**	**181**	**0.071**	**4**	**1.08**	**0.067**	**0.42**	**0.2**	**0.08**	**4.3**	**0.2**	**0.35**	**7**	**3.4**	**0.4**
12182	316.00	318.00	2.00				Drill Core	3.86	0.006	0.4	75.9	3.1	46	<0.1	83.4	21.6	883	3.60	1.7	<0.5	0.4	143	<0.1	<0.1	<0.1	114	9.80	0.096	4	90	1.67	178	<0.001	10	1.84	0.024	0.21	<0.1	0.03	17.0	<0.1	0.61	4	<0.5	<0.2
12183	318.00	320.00	2.00				Drill Core	3.74	0.011	0.6	79.5	3.4	51	<0.1	95.9	28.5	898	4.03	2.2	1.1	0.4	136	<0.1	<0.1	<0.1	147	10.07	0.093	3	131	2.00	124	0.002	10	1.93	0.021	0.18	<0.1	0.03	18.8	<0.1	0.80	4	<0.5	<0.2
12184	320.00	322.00	2.00				Drill Core	4.02	0.009	0.7	71.0	2.7	45	<0.1	86.9	22.5	867	3.54	2.8	<0.5	0.2	117	<0.1	<0.1	<0.1	128	10.07	0.069	<1	104	2.10	96	<0.001	8	1.93	0.013	0.17	<0.1	<0.01	15.4	<0.1	0.52	3	<0.5	<0.2
12186	322.00	324.00	2.00				Drill Core	3.84	0.008	0.4	77.1	2.7	48	<0.1	94.3	23.5	944	4.02	<0.5	<0.5	0.4	151	<0.1	<0.1	<0.1	136	11.10	0.088	4	148	1.97	93	0.003	7	2.91	0.030	0.20	<0.1	0.04	15.0	<0.1	0.27	7	<0.5	<0.2
12185	**322.00**	**324.00**	**2.00**	**Blank**			**Rock**	**1.49**	**0.007**	**0.3**	**99.1**	**2.3**	**50**	**<0.1**	**86.9**	**26.6**	**704**	**3.44**	**0.8**	**<0.5**	**0.5**	**124**	**<0.1**	**<0.1**	**<0.1**	**138**	**6.56**	**0.089**	**4**	**43**	**0.89**	**17**	**0.225**	**15**	**3.58**	**1.077**	**0.18**	**<0.1**	**<0.01**	**4.7**	**<0.1**	**0.08**	**8**	**<0.5**	**<0.2**
12187	324.00	326.00	2.00				Drill Core	4.36	0.006	0.5	92.3	2.9	56	<0.1	116.2	25.8	817	4.54	0.7	<0.5	0.4	140	<0.1	<0.1	<0.1	173	8.39	0.096	4	209	2.55	16	0.006	6	2.72	0.052	0.16	<0.1	0.03	17.3	<0.1	0.54	8	<0.5	<0.2
12188	326.00	328.00	2.00				Drill Core	4.25	0.006	0.8	93.2	3.6	57	<0.1	111.9	26.5	799	4.51	0.7	0.6	0.4	117	<0.1	<0.1	<0.1	190	7.29	0.091	4	215	3.40	21	0.116	6	2.64	0.066	0.13	<0.1	0.02	17.2	<0.1	0.67	9	<0.5	<0.2
12189	328.00	330.00	2.00				Drill Core	4.27	0.009	0.5	82.3	2.5	55	<0.1	112.4	25.3	761	4.36	0.5	<0.5	0.5	119	<0.1	<0.1	<0.1	195	6.48	0.103	5	203	3.34	21	0.175	7	2.58	0.083	0.12	<0.1	<0.01	17.7	<0.1	0.55	8	<0.5	<0.2
12192	330.00	332.00	2.00				Drill Core	4.42	0.007	0.5	63.3	3.4	52	<0.1	89.5	23.3	689	4.00	1.1	<0.5	0.5	103	<0.1	<0.1	<0.1	188	7.16	0.108	5	187	2.92	19	0.250	8	2.25	0.067	0.14	<0.1	<0.01	16.0	<0.1	1.06	8	<0.5	<0.2
12190	**330.00**	**332.00**	**2.00**	**Prep Dup**		**12192**	**Drill Core**		**0.008**	**0.6**	**60.9**	**3.4**	**50**	**<0.1**	**85.9**	**22.7**	**673**	**3.85**	**1.3**	**<0.5**	**0.5**	**104**	**<0.1**	**<0.1**	**<0.1**	**178**	**7.13**	**0.107**	**5**	**180**	**2.79**	**20**	**0.247**	**9**	**2.14**	**0.066**	**0.13**	**<0.1**	**<0.01**	**15.0**	**<0.1**	**1.06**	**8**	**<0.5**	**<0.2**
12193	332.00	334.00	2.00				Drill Core	3.38	0.007	0.6	79.4	2.9	56	<0.1	98.4	23.0	683	3.88	0.8	<0.5	0.6	109	<0.1	<0.1	<0.1	178	4.67	0.109	5	151	2.66	30	0.286	7	2.09	0.121	0.13	0.1	<0.01	10.1	<0.1	0.96	7	<0.5	<0.2
12194	334.00	336.00	2.00				Drill Core	4.20	0.009	0.7	79.7	3.6	53	<0.1	81.0	19.9	656	3.63	1.2	<0.5	0.6	83	<0.1	<0.1	<0.1	171	5.66	0.111	5	132	2.15	22	0.285	11	2.09	0.076	0.10	0.2	<0.01	8.6	<0.1	1.07	8	<0.5	<0.2
12191	**334.00**	**336.00**	**2.00**	**Field Dup**		**12194**	**Drill Core**	**4.89**	**0.010**	**0.7**	**77.9**	**3.5**	**51**	**<0.1**	**79.9**	**19.2**	**627**	**3.46**	**1.4**	**<0.5**	**0.6**	**86**	**<0.1**	**<0.1**	**<0.1**	**166**	**5.91**	**0.113**	**5**	**127**	**2.01**	**22**	**0.278**	**8**	**2.10**	**0.080**	**0.11**	**0.1**	**<0.01**	**8.3**	**<0.1**	**1.11**	**8**	**<0.5**	**<0.2**
12195	336.00	338.00	2.00				Drill Core	4.42	0.007	1.1	109.8	3.6	56	<0.1	99.2	24.3	672	3.76	1.7	<0.5	0.6	84	<0.1	0.2	<0.1	157	5.23	0.114	5	129	2.06	24	0.280	12	2.35	0.089	0.10	<0.1	0.01	7.2	<0.1	1.21	8	<0.5	<0.2
12195A	**336.00**	**338.00**	**2.00**	**Check**		**12195**																																							
12196	338.00	340.00	2.00				Drill Core	4.26	0.019	1.2	93.2	2.9	47	<0.1	85.6	20.8	712	3.68	1.2	<0.5	0.5	108	<0.1	<0.1	<0.1	139	7.13	0.086	4	110	2.00	29	0.245	13	2.30	0.096	0.08	0.1	<0.01	6.2	<0.1	0.88	8	<0.5	<0.2
12197	340.00	342.00	2.00				Drill Core	4.44	0.024	1.7	99.8	3.1	53	<0.1	90.2	21.8	628	3.74	1.4	<0.5	0.5	93	<0.1	<0.1	<0.1	149	6.41	0.097	4	122	1.86	24	0.262	12	2.49	0.080	0.09	<0.1	<0.01	6.7	<0.1	1.07	9	<0.5	<0.2
12198	342.00	344.00	2.00				Drill Core	4.23	0.027	0.7	97.2	3.3	51	<0.1	87.9	21.4	557	3.52	1.4	0.5	0.5	81	<0.1	<0.1	<0.1	150	6.88	0.101	4	116	1.55	20	0.256	13	3.05	0.092	0.10	<0.1	<0.01	6.5	<0.1	0.72	11	<0.5	<0.2
12199	344.00	346.00	2.00				Drill Core	4.53	0.029	0.7	102.4	3.5	56	<0.1	103.3	23.1	627	3.87	1.2	<0.5	0.5	134	<0.1	<0.1	<0.1	140	4.63	0.101	5	120	1.94	50	0.252	12	2.51	0.297	0.12	<0.1	0.01	5.5	<0.1	0.59	7	<0.5	<0.2
12201	346.00	348.00	2.00				Drill Core	4.43	0.013	0.8	102.3	3.0	56	<0.1	94.8	22.3	598	3.84	1.4	1.1	0.5	126	<0.1	<0.1	<0.1	139	3.90	0.099	4	117	2.02	29	0.243	11	2.59	0.145	0.11	0.1	0.02	4.9	<0.1	0.61	8	<0.5	<0.2
12200	**346.00**	**348.00**	**2.00**	**Standard**	**CGS-26**		**Rock Pulp**	**0.18**	**1.569**	**81.9**	**>10000.0**	**665.2**	**1504**	**8.1**	**93.5**	**13.1**	**471**	**4.64**	**298.0**	**1170.1**	**1.8**	**36**	**8.7**	**36.3**	**2.3**	**50**	**0.88**	**0.053**	**7**	**48**	**0.61**	**47**	**0.075**	**42**	**1.23**	**0.077**	**0.22**	**33.2**	**0.65**	**4.4**	**0.8**	**2.19**	**4**	**2.5**	**0.5**
12202	348.00	350.00	2.00				Drill Core	4.44	0.017	0.9	103.1	3.4	53	<0.1	98.8	24.2	610	3.98	1.7	<0.5	0.5	122	<0.1	<0.1	<0.1	135	3.45	0.104	4	118	2.03	20	0.245	12	2.63	0.191	0.10	<0.1	0.02	4.7	<0.1	0.66	8	<0.5	<0.2
12203	350.00	352.00	2.00				Drill Core	4.35	0.018	0.7	97.5	2.6	52	<0.1	87.9	19.4	506	3.45	1.4	0.9	0.5	77	<0.1	<0.1	<0.1	136	5.66	0.106	4	116	1.56	14	0.246	8	2.42	0.084	0.10	<0.1	<0.01	5.2	<0.1	0.65	8	<0.5	<0.2
12204	352.00	354.00	2.00				Drill Core	4.51	0.015	0.8	104.9	3.0	52	<0.1	97.4	23.3	567	3.75	0.7	0.7	0.5	82	<0.1	<0.1	<0.1	131	3.53	0.099	4	113	2.00	17	0.244	9	2.41	0.112	0.12	<0.1	0.01	4.5	<0.1	0.31	8	<0.5	<0.2
12206	354.00	356.00	2.00				Drill Core	4.51	0.011	0.7	95.5	3.8	46	<0.1	85.9	21.7	471	3.41	0.8	1.1	0.5	106	<0.1	<0.1	<0.1	116	3.56	0.100	4	107	1.56	19	0.223	9	2.10	0.122	0.11	<0.1	0.01	3.6	<0.1	0.25	6	<0.5	<0.2
12205	**354.00**	**356.00**	**2.00**	**Blank**			**Rock**	**1.42**	**0.009**	**0.2**	**65.1**	**2.5**	**37**	**<0.1**	**62.3**	**19.4**	**478**	**2.56**	**0.9**	**<0.5**	**0.4**	**92**	**<0.1**	**<0.1**	**<0.1**	**98**	**4.91**	**0.063**	**3**	**30**	**0.66**	**13**	**0.170**	**11**	**2.51**	**0.682**	**0.12**	**<0.1**	**0.01**	**3.6**	**<0.1**	**<0.05**	**6**	**<0.5**	**<0.2**
12207	356.00	358.00	2.00				Drill Core	4.49	0.009	1.4	87.4	4.8	57	<0.1	75.5	20.8	534	3.58	1.9	<0.5	0.6	67	0.1	0.1	<0.1	118	5.37	0.096	4	96	1.55	53	0.237	8	2.35	0.083	0.28	0.1	<0.01	4.5	1.0	0.76	8	<0.5	<0.2
12208	358.00	360.00	2.00				Drill Core	4.33	0.010	0.7	97.4	2.7	50	<0.1	87.4	22.5	480	3.55	1.3	<0.5	0.5	79	<0.1	<0.1	<0.1	125	4.31	0.100	4	112	1.50	15	0.226	11	2.23	0.101	0.11	<0.1	0.02	3.9	<0.1	0.52	7	<0.5	<0.2
12209	360.00	362.00	2.00				Drill Core	4.52	0.009	0.9	107.6	3.4	53	<0.1	98.6	24.6	528	3.92	1.4	1.1	0.5	165	<0.1	<0.1	<0.1	124	3.09	0.099	4	114	1.93	21	0.228	12	2.43	0.237	0.12	<0.1	0.01	4.0	<0.1	0.45	7	<0.5	<0.2
12211	**360.00**	**362.00**	**2.00**	**Field Dup**		**12209**	**Drill Core**	**5.10**	**0.010**	**0.8**	**101.6**	**3.5**	**52**	**<0.1**	**97.7**	**24.3**	**547**	**3.87**	**1.3**	**0.7**	**0.5**	**162**	**<0.1**	**<0.1**	**<0.1**	**123**	**3.10**	**0.096**	**4**	**116**	**1.94**	**20**	**0.224**	**18**	**2.44**	**0.236**	**0.12**	**<0.1**	**0.01**	**4.1**	**<0.1**	**0.41**	**7**	**<0.5**	**<0.2**
12212	362.00	364.00	2.00				Drill Core	4.44	0.010	0.7	103.9	3.1	54	<0.1	94.8	23.2	574	3.72	0.6	<0.5	0.5	100	<0.1	<0.1	<0.1	126	3.62	0.103	4	114	1.82	17	0.236	9	2.29	0.153	0.11	<0.1	<0.01	4.2	<0.1	0.27	8	<0.5	<0.2
12210	**362.00**	**364.00**	**2.00**	**Prep Dup**		**12212**	**Drill Core**		**0.010**	**0.7**	**102.8**	**3.4**	**52**	**<0.1**	**90.3**	**22.0**	**554**	**3.62**	**0.8**	**0.7**	**0.6**	**101**	**<0.1**	**<0.1**	**<0.1**	**125**	**3.56**	**0.101**	**4**	**115**	**1.83**	**17**	**0.232**	**11**	**2.32**	**0.142**	**0.10**	**<0.1**	**<0.01**	**3.8**	**<0.1**	**0.24**	**8**	**<0.5**	**<0.2**
12213	364.00	366.00	2.00				Drill Core	4.42	0.011	0.7	103.5	3.8	59	<0.1	107.5	23.9	614	4.08	2.1	<0.5	0.6	77	<0.1	0.1	<0.1	139	5.08	0.099	4	115	1.85	14	0.260	5	2.43	0.099	0.11	<0.1	0.02	5.3	<0.1	0.80	8	<0.5	<0.2
12214	366.00	368.00	2.00				Drill Core	4.57	0.009	0.9	103.2	3.1	54	<0.1	98.2	23.4	584	3.91	1.5	<0.5	0.6	120	<0.1	<0.1	<0.1	125	3.10	0.099	4	117	1.97	19	0.238	9	2.45	0.169	0.13	<0.1	<0.01	4.4	<0.1	0.38	7	<0.5	<0.2
12215	368.00	370.00	2.00				Drill Core	4.46	0.010	0.9	108.1	3.1	50	<0.1	90.9	21.9	585	3.59	1.2	<0.5	0.6	78	0.1	<0.1	<0.1	121	4.27	0.100	4	106	1.82	12	0.226	10	2.34	0.109	0.10	<0.1	<0.01	4.1	<0.1	0.35	8	<0.5	<0.2
12215A	**368.00**	**370.00**	**2.00**	**Check**		**12215**																																							
12216	370.00	372.00	2.00				Drill Core	4.00	0.010	0.9	105.5	3.5	51	<0.1	91.7	26.3	600	3.78	0.9	<0.5	0.6	79	0.1	<0.1	<0.1	127	5.60	0.104	4	107	1.77	11	0.232	14	2.58	0.105	0.11	<0.1	0.02	4.6	<0.1	0.32	9	<0.5	<0.2
12217	372.00	374.00	2.00				Drill Core	3.70	0.010	1.0	114.1	2.9	65	<0.1	97.4	24.0	595	3.95	1.4	<0.5	0.6	133	0.1	0.1	<0.1	133	3.62	0.103	4	115	1.97	16	0.236	4	2.39	0.172	0.10	<0.1	0.01	4.1	<0.1	0.37	7	<0.5	<0.2
12218	374.00	376.00	2.00				Drill Core	4.10	0.012	1.5	89.7	3.5	50	0.1	84.8	22.3	621	3.60	4.6	<0.5	0.5	143	0.4	0.2	<0.1	126	8.37	0.090	4	96	1.48	11	0.207	298	1.99	0.140	0.07	0.1	0.04	3.6	<0.1	1.14	7	0.5	<0.2
12219	376.00	378.00	2.00				Drill Core	4.00	0.009	0.8	88.7	3.7	49	<0.1	87.1	21.4	516	3.55	2.5	0.6	0.6	285	<0.1	0.2	<0.1	118	4.63	0.105	4	111	1.46	20	0.225	12	2.26	0.289	0.11	<0.1	0.04	3.8	<0.1	1.02	6	<0.5	<0.2
12221	378.00	380.00	2.00				Drill Core	4.14	0.011	0.8	105.0	3.3	50	<0.1	92.0	21.9	590	3.51	2.3	3.0	0.6	203	<0.1	0.2	<0.1	118	5.09	0.099	4	112	1.55	25	0.227	35	2.33	0.276	0.13	0.1	0.02	4.1	<0.1	0.84	6	<0.5	<0.2

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																																						
12220	**378.00**	**380.00**	**2.00**	**Standard**	**CGS-26**		**Rock Pulp**	**0.17**	**1.679**	**80.5**	**>10000.0**	**717.3**	**1469**	**7.9**	**90.3**	**13.3**	**459**	**4.72**	**289.7**	**1226.7**	**1.8**	**32**	**8.9**	**35.6**	**2.3**	**47**	**0.84**	**0.049**	**7**	**47**	**0.60**	**43**	**0.070**	**35**	**1.19**	**0.076**	**0.21**	**32.3**	**0.68**	**4.2**	**0.9**	**2.16**	**4**	**3.2**	**0.6**
12222	380.00	382.00	2.00				Drill Core	4.09	0.017	0.7	109.3	2.5	52	<0.1	98.5	23.8	559	3.74	0.9	3.8	0.6	243	<0.1	<0.1	<0.1	117	3.66	0.102	4	116	1.85	33	0.219	6	2.55	0.373	0.14	<0.1	0.02	3.8	<0.1	0.47	6	<0.5	<0.2
12223	382.00	384.00	2.00				Drill Core	4.24	0.021	0.8	97.2	2.9	48	<0.1	89.9	21.3	599	3.46	1.6	1.4	0.5	203	<0.1	<0.1	<0.1	115	5.77	0.101	4	117	1.69	22	0.224	6	2.07	0.293	0.10	<0.1	0.07	4.6	<0.1	1.41	6	<0.5	<0.2
12224	384.00	386.00	2.00				Drill Core	4.00	0.019	0.6	92.0	3.4	48	<0.1	88.9	22.8	524	3.51	1.5	1.7	0.6	276	<0.1	<0.1	<0.1	113	4.74	0.096	4	117	1.61	34	0.215	5	2.32	0.406	0.14	<0.1	0.09	4.9	<0.1	1.31	5	<0.5	<0.2
12226	386.00	388.00	2.00				Drill Core	4.05	0.012	0.6	88.3	3.1	50	<0.1	87.8	21.7	521	3.35	1.7	<0.5	0.5	240	<0.1	<0.1	<0.1	109	5.67	0.097	4	104	1.47	35	0.210	4	2.24	0.352	0.14	<0.1	0.04	3.6	<0.1	0.85	5	<0.5	<0.2
12225	**386.00**	**388.00**	**2.00**	**Blank**			**Rock**	**1.36**	**0.014**	**0.3**	**90.2**	**2.1**	**50**	**<0.1**	**85.2**	**27.1**	**674**	**3.31**	**0.8**	**0.7**	**0.5**	**125**	**<0.1**	**<0.1**	**<0.1**	**127**	**6.97**	**0.081**	**4**	**43**	**0.85**	**16**	**0.218**	**13**	**3.43**	**1.054**	**0.15**	**<0.1**	**<0.01**	**4.2**	**<0.1**	**0.07**	**7**	**<0.5**	**<0.2**
12227	388.00	390.00	2.00				Drill Core	4.09	0.011	0.8	104.4	3.2	49	<0.1	85.8	23.8	571	3.51	2.1	<0.5	0.5	211	<0.1	0.1	<0.1	112	6.44	0.089	4	103	1.51	30	0.215	9	2.05	0.285	0.12	<0.1	0.06	3.7	<0.1	1.07	5	<0.5	<0.2
12228	390.00	392.00	2.00				Drill Core	3.81	0.012	0.8	107.7	3.1	45	<0.1	81.2	22.1	547	3.29	1.1	<0.5	0.4	224	0.1	<0.1	<0.1	101	7.04	0.088	4	95	1.35	28	0.203	10	2.02	0.266	0.13	<0.1	0.05	3.4	<0.1	0.78	5	<0.5	<0.2
12229	392.00	394.00	2.00				Drill Core	3.75	0.011	0.6	104.9	2.6	52	<0.1	94.0	24.3	493	3.55	0.6	0.5	0.6	203	<0.1	<0.1	<0.1	122	4.00	0.109	4	112	1.66	20	0.236	6	2.58	0.403	0.13	<0.1	0.02	3.2	<0.1	0.17	7	<0.5	<0.2
12232	394.00	396.00	2.00				Drill Core	3.81	0.010	0.7	110.8	2.5	55	<0.1	105.5	24.9	558	4.01	<0.5	0.6	0.6	264	<0.1	<0.1	<0.1	127	2.57	0.106	5	124	2.27	32	0.228	125	2.83	0.328	0.13	<0.1	<0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
12230	**394.00**	**396.00**	**2.00**	**Prep Dup**		**12232**	**Drill Core**		**0.011**	**0.7**	**112.2**	**2.5**	**52**	**<0.1**	**103.7**	**24.4**	**541**	**3.91**	**<0.5**	**0.9**	**0.6**	**251**	**<0.1**	**<0.1**	**<0.1**	**123**	**2.51**	**0.102**	**4**	**119**	**2.19**	**32**	**0.212**	**114**	**2.73**	**0.317**	**0.13**	**<0.1**	**0.01**	**3.5**	**<0.1**	**<0.05**	**6**	**<0.5**	**<0.2**
12233	396.00	398.00	2.00				Drill Core	3.89	0.010	0.8	110.4	2.3	51	<0.1	104.6	24.6	535	3.94	<0.5	1.5	0.5	279	<0.1	<0.1	<0.1	125	2.50	0.101	4	115	2.23	36	0.207	14	2.83	0.387	0.13	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
12234	398.00	400.00	2.00				Drill Core	4.01	0.010	0.8	109.9	3.0	52	<0.1	98.5	25.7	610	4.05	<0.5	<0.5	0.6	217	<0.1	<0.1	<0.1	124	3.24	0.106	4	118	2.00	21	0.218	18	2.90	0.385	0.12	<0.1	0.01	3.3	<0.1	0.06	8	<0.5	<0.2
12235	400.00	402.00	2.00				Drill Core	3.76	0.008	0.9	108.4	3.4	52	<0.1	94.9	23.8	559	3.74	0.6	1.2	0.6	69	<0.1	<0.1	<0.1	121	4.55	0.106	4	113	1.62	12	0.232	17	2.75	0.082	0.09	<0.1	0.02	3.1	<0.1	0.15	9	<0.5	<0.2
12235A	**400.00**	**402.00**	**2.00**	**Check**		**12235**																																					
12236	402.00	404.00	2.00				Drill Core	3.98	0.011	1.8	109.5	3.2	56	<0.1	104.2	25.2	539	3.59	3.7	<0.5	0.5	65	0.1	0.2	<0.1	132	5.59	0.109	4	113	1.64	12	0.237	24	2.46	0.085	0.09	<0.1	0.11	4.2	<0.1	0.78	9	0.5	<0.2
12237	404.00	406.00	2.00				Drill Core	4.03	0.011	1.4	108.2	3.3	60	<0.1	107.8	24.8	573	3.67	3.0	<0.5	0.5	145	0.3	0.2	<0.1	130	5.17	0.096	4	109	1.71	13	0.242	7	2.36	0.074	0.10	<0.1	0.09	3.9	<0.1	0.60	8	<0.5	<0.2
12238	406.00	408.00	2.00				Drill Core	3.89	0.016	0.8	113.5	3.6	56	<0.1	99.9	22.4	620	3.74	1.6	2.9	0.5	81	0.1	0.1	<0.1	129	4.63	0.106	4	115	1.56	13	0.244	12	2.28	0.086	0.10	<0.1	0.05	4.1	<0.1	0.37	8	<0.5	<0.2
12231	**406.00**	**408.00**	**2.00**	**Field Dup**		**12238**	**Drill Core**	**5.61**	**0.011**	**0.8**	**108.6**	**4.4**	**58**	**<0.1**	**92.2**	**22.7**	**597**	**3.54**	**1.5**	**0.7**	**0.6**	**66**	**<0.1**	**0.3**	**<0.1**	**128**	**4.39**	**0.105**	**4**	**115**	**1.54**	**12**	**0.239**	**5**	**2.09**	**0.070**	**0.09**	**<0.1**	**0.07**	**3.5**	**<0.1**	**0.38**	**7**	**<0.5**	**<0.2**
12239	408.00	410.00	2.00				Drill Core	3.90	0.013	2.1	105.3	4.0	56	<0.1	111.8	24.6	584	4.00	2.8	3.2	0.6	76	0.2	0.2	<0.1	140	4.99	0.105	4	116	1.53	13	0.258	12	2.68	0.092	0.10	<0.1	0.13	4.7	<0.1	0.73	9	<0.5	<0.2
12241	410.00	412.00	2.00				Drill Core	4.49	0.012	0.6	102.3	3.8	56	<0.1	95.7	22.2	643	3.81	0.7	1.9	0.6	105	<0.1	<0.1	<0.1	141	5.02	0.117	5	119	1.61	17	0.249	14	2.72	0.117	0.10	<0.1	0.03	4.7	<0.1	0.22	9	<0.5	<0.2
12240	**410.00**	**412.00**	**2.00**	**Standard**	**BL-9**		**Rock Pulp**	**0.17**	**0.011**	**3.3**	**22.2**	**2.5**	**35**	**0.4**	**18.7**	**9.0**	**303**	**1.90**	**3.5**	**1.5**	**1.0**	**31**	**0.2**	**0.3**	**<0.1**	**46**	**0.67**	**0.048**	**5**	**21**	**0.50**	**87**	**0.102**	**4**	**1.13**	**0.064**	**0.08**	**18.3**	**0.02**	**3.9**	**<0.1**	**<0.05**	**4**	**<0.5**	**<0.2**
12242	412.00	414.00	2.00				Drill Core	4.51	0.010	0.8	108.9	3.2	56	<0.1	103.5	23.0	694	3.93	1.0	2.7	0.6	95	<0.1	<0.1	<0.1	137	4.62	0.116	5	119	1.76	15	0.247	19	2.65	0.108	0.09	<0.1	0.06	3.6	<0.1	0.24	9	<0.5	<0.2
12243	414.00	416.00	2.00				Drill Core	4.54	0.011	0.9	114.5	2.6	57	<0.1	102.9	23.0	650	4.11	<0.5	2.0	0.6	125	<0.1	<0.1	<0.1	132	3.04	0.117	5	116	2.07	22	0.256	16	2.71	0.159	0.11	<0.1	0.03	3.0	<0.1	0.09	8	<0.5	<0.2
12244	416.00	418.00	2.00				Drill Core	4.79	0.011	0.6	94.6	3.0	54	<0.1	92.0	21.2	630	3.69	1.7	2.7	0.5	212	<0.1	<0.1	<0.1	130	4.91	0.113	5	111	1.57	27	0.249	9	2.49	0.268	0.12	<0.1	0.16	3.2	<0.1	0.54	7	<0.5	<0.2
12245	**416.00**	**418.00**	**2.00**	**Blank**			**Rock**	**1.44**	**0.009**	**0.3**	**97.7**	**2.4**	**52**	**<0.1**	**94.2**	**27.6**	**723**	**3.54**	**1.2**	**1.1**	**0.5**	**134**	**<0.1**	**<0.1**	**<0.1**	**136**	**6.46**	**0.087**	**4**	**46**	**0.95**	**17**	**0.227**	**17**	**3.65**	**1.116**	**0.15**	**<0.1**	**<0.01**	**4.6**	**<0.1**	**<0.05**	**8**	**<0.5**	**<0.2**
12246	418.00	420.00	2.00				Drill Core	4.58	0.010	1.2	120.7	3.9	63	<0.1	114.5	26.8	595	3.96	3.0	<0.5	0.5	97	0.2	0.2	<0.1	140	4.81	0.106	5	118	1.92	12	0.269	22	2.52	0.114	0.09	0.1	0.17	4.4	0.1	0.97	9	<0.5	<0.2
12247	420.00	421.30	1.30				Drill Core	3.17	0.010	1.3	107.8	3.8	59	<0.1	115.7	24.2	601	3.55	2.7	1.8	0.5	127	0.1	0.2	<0.1	134	5.23	0.109	4	111	1.69	19	0.266	11	2.21	0.166	0.12	<0.1	0.16	5.1	<0.1	0.88	7	<0.5	<0.2
12248	**421.30**	**422.80**	**1.50**	**EOH**			**Drill Core**	**3.58**	**0.011**	**1.8**	**109.0**	**4.0**	**65**	**<0.1**	**146.2**	**28.3**	**621**	**3.41**	**4.2**	**1.8**	**0.5**	**219**	**0.3**	**0.3**	**<0.1**	**133**	**5.91**	**0.095**	**4**	**102**	**1.58**	**18**	**0.263**	**17**	**2.03**	**0.295**	**0.10**	**0.1**	**0.20**	**4.3**	**0.2**	**1.01**	**6**	**<0.5**	**<0.2**

Table 3. Samples and assays from CT-2011-011A

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF																																							
98702	15.32	17.00	1.68				Drill Core	4.02	0.009	0.6	112.6	2.9	59	<0.1	133.6	29.3	702	4.59	<0.5	4.5	0.6	192	<0.1	<0.1	<0.1	160	3.31	0.104	4	116	2.91	47	0.263	12	3.09	0.266	0.16	<0.1	0.01	6.1	<0.1	0.13	8	<0.5	<0.2
98703	17.00	19.00	2.00				Drill Core	4.84	0.008	0.6	113.7	3.0	62	<0.1	129.8	31.2	826	4.69	<0.5	5.7	0.5	216	<0.1	<0.1	<0.1	163	4.30	0.104	5	119	3.03	46	0.253	11	3.20	0.264	0.18	<0.1	<0.01	6.3	<0.1	0.20	8	<0.5	<0.2
98704	19.00	21.00	2.00				Drill Core	4.19	0.009	0.8	114.3	3.7	57	<0.1	127.0	29.8	692	4.58	1.7	4.0	0.6	225	<0.1	<0.1	<0.1	150	3.46	0.098	4	119	2.69	54	0.258	9	3.17	0.303	0.16	<0.1	<0.01	6.1	<0.1	0.47	8	<0.5	<0.2
98706	21.00	23.00	2.00				Drill Core	4.46	0.007	0.9	116.1	2.8	57	<0.1	117.3	27.2	740	4.32	1.6	3.1	0.6	256	<0.1	<0.1	<0.1	147	5.64	0.108	4	116	2.40	61	0.246	9	3.13	0.301	0.16	<0.1	<0.01	5.3	<0.1	0.56	8	<0.5	<0.2
98705	**21.00**			**Blank**			**Rock**	**1.94**	**0.006**	**0.4**	**98.3**	**2.1**	**55**	**<0.1**	**91.2**	**29.6**	**740**	**3.71**	**0.7**	**1.8**	**0.5**	**143**	**<0.1**	**<0.1**	**<0.1**	**135**	**8.20**	**0.096**	**4**	**44**	**0.89**	**21**	**0.237**	**16**	**3.51**	**0.955**	**0.15**	**<0.1**	**<0.01**	**4.7**	**<0.1**	**<0.05**	**8**	**<0.5**	**<0.2**
98707	23.00	25.00	2.00				Drill Core	4.79	0.009	0.7	102.8	2.8	54	<0.1	109.4	25.6	690	3.96	1.4	3.0	0.6	248	<0.1	<0.1	<0.1	144	6.17	0.103	4	117	2.12	54	0.229	8	2.75	0.275	0.16	<0.1	<0.01	4.9	<0.1	0.55	7	<0.5	<0.2
98711	**23.00**			**Field Dup**	**98707**		**Drill Core**	**4.55**	**0.007**	**0.7**	**102.6**	**2.9**	**53**	**<0.1**	**107.3**	**25.3**	**703**	**3.96**	**1.5**	**<0.5**	**0.5**	**255**	**0.1**	**0.1**	**<0.1**	**143**	**5.94**	**0.106**	**4**	**109**	**2.12**	**56**	**0.231**	**9**	**2.84**	**0.287**	**0.17**	**<0.1**	**<0.01**	**5.1**	**<0.1**	**0.53**	**7**	**<0.5**	**<0.2**
98708	25.00	27.00	2.00				Drill Core	4.81	0.008	0.8	121.7	3.6	54	<0.1	113.7	26.8	748	4.21	1.4	0.9	0.6	203	<0.1	<0.1	<0.1	142	5.40	0.109	4	111	2.66	45	0.242	7	2.86	0.257	0.13	<0.1	<0.01	5.4	<0.1	0.33	8	<0.5	<0.2
98709	27.00	29.00	2.00				Drill Core	4.03	0.008	0.6	120.7	3.2	57	<0.1	119.7	28.4	699	4.31	0.6	1.4	0.6	195	<0.1	<0.1	<0.1	151	4.03	0.106	4	117	2.72	46	0.241	9	2.99	0.278	0.14	<0.1	<0.01	5.7	<0.1	0.21	7	<0.5	<0.2
98712	29.00	31.00	2.00				Drill Core	4.81	0.008	0.6	114.7	3.6	59	<0.1	124.6	27.6	726	4.33	0.6	<0.5	0.6	206	<0.1	<0.1	<0.1	159	3.56	0.100	5	117	3.04	40	0.252	9	3.04	0.273	0.12	<0.1	<0.01	5.9	<0.1	0.21	8	<0.5	<0.2
98710	**29.00**			**Prep Dup**	**98712**	**98712**	**Drill Core**		**0.009**	**0.7**	**114.9**	**3.7**	**59**	**<0.1**	**120.4**	**27.1**	**721**	**4.41**	**<0.5**	**0.9**	**0.6**	**200**	**0.1**	**<0.1**	**<0.1**	**152**	**3.70**	**0.107**	**5**	**117**	**2.84**	**38**	**0.255**	**11**	**2.99**	**0.252**	**0.11**	**<0.1**	**<0.01**	**5.8**	**<0.1**	**0.23**	**8**	**<0.5**	**<0.2**
98713	31.00	33.00	2.00				Drill Core	5.01	0.008	0.6	114.1	3.4	57	<0.1	127.2	28.2	693	4.55	0.6	1.2	0.6	208	<0.1	<0.1	<0.1	153	2.69	0.092	4	114	2.89	47	0.237	12	3.18	0.283	0.13	<0.1	<0.01	5.6	<0.1	0.26	8	<0.5	<0.2
98714	33.00	35.00	2.00				Drill Core	4.35	0.008	0.7	109.6	3.1	56	<0.1	125.6	27.8	682	4.30	1.0	1.6	0.5	218	<0.1	<0.1	<0.1	143	3.77	0.094	4	111	2.44	46	0.237	9	2.75	0.263	0.13	<0.1	<0.01	5.0	<0.1	0.23	8	<0.5	<0.2
98715	35.00	37.00	2.00				Drill Core	4.70	0.007	0.7	119.3	3.3	56	<0.1	128.0	27.6	757	4.06	0.6	3.2	0.5	207	<0.1	<0.1	<0.1	142	5.51	0.099	4	116	2.24	46	0.242	9	2.72	0.266	0.14	<0.1	<0.01	5.0	<0.1	0.14	7	<0.5	<0.2
98716	37.00	39.00	2.00				Drill Core	3.94	0.007	0.6	114.9	2.9	54	<0.1	125.0	26.0	648	4.10	<0.5	0.7	0.5	180	0.1	<0.1	<0.1	125	4.05	0.095	4	109	2.31	45	0.224	11	2.67	0.252	0.14	<0.1	<0.01	4.5	<0.1	0.12	7	<0.5	<0.2
98717	39.00	41.00	2.00				Drill Core	4.51	0.006	0.5	109.0	2.9	54	<0.1	114.6	26.0	622	4.11	<0.5	2.0	0.6	187	0.2	<0.1	<0.1	148	4.63	0.099	4	115	2.26	41	0.236	11	2.69	0.257	0.15	<0.1	<0.01	4.5	<0.1	0.09	7	<0.5	<0.2
98718	41.00	43.00	2.00				Drill Core	4.29	0.008	0.6	122.1	2.7	55	<0.1	123.6	27.0	728	4.17	0.7	1.4	0.5	189	0.1	<0.1	<0.1	129	5.25	0.111	4	110	2.43	43	0.230	13	2.77	0.274	0.17	<0.1	<0.01	4.3	<0.1	0.09	7	<0.5	<0.2
98719	43.00	45.00	2.00				Drill Core	4.17	0.006	0.6	108.9	3.1	54	<0.1	119.3	25.8	637	4.20	<0.5	0.9	0.6	194	<0.1	<0.1	<0.1	139	3.61	0.103	4	112	2.42	44	0.219	9	2.75	0.352	0.14	<0.1	<0.01	4.4	<0.1	0.05	7	<0.5	<0.2
98721	45.00	47.00	2.00				Drill Core	4.47	0.010	0.7	116.0	3.5	56	<0.1	109.6	25.3	720	4.08	0.7	8.6	0.5	190	0.1	<0.1	<0.1	141	4.91	0.102	4	112	2.39	36	0.236	13	2.81	0.336	0.15	<0.1	<0.01	4.6	<0.1	0.09	7	<0.5	<0.2
98720	**45.00**			**Standard**		**CGS-29**	**Rock Pulp**	**0.11**	**0.221**	**10.6**	**5420.6**	**5.6**	**87**	**1.8**	**11.3**	**8.0**	**603**	**4.21**	**1.9**	**213.7**	**4.2**	**67**	**0.4**	**0.2**	**0.7**	**58**	**1.09**	**0.072**	**11**	**17**	**0.66**	**185**	**0.075**	**6**	**1.02**	**0.059**	**0.40**	**0.1**	**0.08**	**4.2**	**0.1**	**0.32**	**6**	**3.4**	**0.4**
98722	47.00	49.00	2.00				Drill Core	4.50	0.007	0.7	110.7	2.9	53	<0.1	110.6	24.4	731	3.78	0.5	7.5	0.5	228	0.1	<0.1	<0.1	126	5.80	0.102	4	108	1.76	37	0.237	11	2.63	0.395	0.15	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
98723	49.00	51.00	2.00				Drill Core	4.39	0.008	0.8	114.4	2.8	53	<0.1	107.2	24.0	620	3.91	0.9	2.5	0.6	195	<0.1	<0.1	<0.1	128	5.02	0.107	4	111	1.91	48	0.223	10	2.63	0.275	0.16	<0.1	<0.01	4.1	<0.1	0.10	7	<0.5	<0.2
98724	51.00	53.00	2.00				Drill Core	4.66	0.012	0.8	107.1	3.2	53	<0.1	102.1	24.0	638	3.75	1.0	2.7	0.5	206	<0.1	<0.1	<0.1	139	5.45	0.108	4	110	1.73	44	0.233	16	2.49	0.279	0.15	<0.1	<0.01	3.8	<0.1	0.17	6	<0.5	<0.2
98726	53.00	55.00	2.00				Drill Core	4.31	0.008	0.7	117.8	3.0	55	<0.1	134.3	28.9	785	3.47	0.8	1.7	0.5	241	<0.1	<0.1	<0.1	143	7.79	0.105	4	109	1.75	41	0.232	153	2.55	0.317	0.14	<0.1	<0.01	4.7	<0.1	0.07	6	<0.5	<0.2
98725	**53.00**			**Blank**			**Rock**	**1.96**	**0.008**	**0.4**	**97.0**	**2.0**	**51**	**<0.1**	**88.4**	**27.3**	**716**	**3.53**	**0.7**	**1.1**	**0.5**	**139**	**<0.1**	**<0.1**	**<0.1**	**130**	**7.84**	**0.084**	**4**	**46**	**0.90**	**18**	**0.205**	**16**	**3.54**	**1.055**	**0.16**	**<0.1**	**<0.01**	**5.0**	**<0.1**	**<0.05**	**7**	**<0.5**	**<0.2**
98727	55.00	57.00	2.00				Drill Core	4.12	0.007	0.8	120.5	2.7	52	<0.1	104.5	23.9	666	3.72	1.6	2.3	0.5	332	0.1	<0.1	<0.1	130	5.83	0.103	4	107	2.03	45	0.229	157	2.93	0.467	0.16	<0.1	<0.01	4.6	<0.1	0.14	7	<0.5	<0.2
98731	**55.00**			**Field Dup**	**98727**		**Drill Core**	**4.65**	**0.009**	**0.9**	**115.7**	**3.0**	**50**	**<0.1**	**100.0**	**23.4**	**685**	**3.70**	**1.5**	**3.1**	**0.6**	**345**	**<0.1**	**<0.1**	**<0.1**	**130**	**4.67**	**0.093**	**5**	**104**	**2.10**	**47**	**0.244**	**78**	**2.84**	**0.489**	**0.17**	**<0.1**	**<0.01**	**5.2**	**<0.1**	**0.17**	**7**	**<0.5**	**<0.2**
98728	57.00	59.00	2.00				Drill Core	4.40	0.010	0.9	120.8	2.5	55	<0.1	114.1	26.0	579	4.24	<0.5	1.5	0.6	315	<0.1	<0.1	<0.1	136	3.08	0.111	5	114	2.51	41	0.218	46	3.26	0.421	0.13	<0.1	<0.01	3.4	<0.1	<0.05	7	<0.5	<0.2
98729	59.00	61.00	2.00				Drill Core	4.37	0.008	0.7	123.7	2.4	57	<0.1	117.2	25.8	627	4.36	<0.5	2.2	0.6	252	<0.1	<0.1	<0.1	145	2.24	0.121	5	116	2.74	32	0.234	67	3.13	0.381	0.10	<0.1	<0.01	3.3	<0.1	<0.05	7	<0.5	<0.2
98732	61.00	63.00	2.00				Drill Core	4.22	0.009	0.8	123.6	2.9	49	0.1	98.5	21.6	735	3.68	3.3	1.5	0.5	192	<0.1	0.1	<0.1	147	5.76	0.107	4	110	1.95	35	0.248	162	2.51	0.531	0.13	<0.1	<0.01	4.5	<0.1	0.20	7	<0.5	<0.2
98730	**61.00**			**Prep Dup**	**98732**	**98732**	**Drill Core**		**0.009**	**0.7**	**123.1**	**3.2**	**48**	**0.1**	**103.1**	**23.0**	**713**	**3.62**	**3.3**	**<0.5**	**0.6**	**183**	**<0.1**	**0.1**	**<0.1**	**142**	**5.00**	**0.101**	**5**	**111**	**1.97**	**35**	**0.261**	**168**	**2.54**	**0.538**	**0.13**	**0.1**	**<0.01**	**4.3**	**<0.1**	**0.21**	**7**	**<0.5**	**<0.2**
98733	63.00	65.00	2.00				Drill Core	4.10	0.008	0.8	122.3	3.4	54	0.1	112.4	24.5	642	4.20	1.8	1.0	0.5	642	<0.1	<0.1	<0.1	138	3.52	0.102	4	111	2.38	31	0.242	78	3.52	0.859	0.12	<0.1	<0.01	4.4	<0.1	0.20	9	<0.5	<0.2
98734	65.00	67.00	2.00				Drill Core	4.45	0.008	0.6	103.6	2.9	50	<0.1	103.8	21.7	611	3.82	<0.5	1.4	0.6	481	<0.1	<0.1	<0.1	130	4.44	0.102	4	101	2.14	39	0.231	9	3.41	0.897	0.13	<0.1	<0.01	3.7	<0.1	0.13	8	<0.5	<0.2
98735	67.00	69.00	2.00				Drill Core	4.24	0.009	0.7	103.5	3.5	53	<0.1	109.4	24.4	680	4.11	1.3	1.8	0.5	261	<0.1	0.1	<0.1	135	4.33	0.094	4	107	2.28	50	0.228	5	2.75	0.508	0.17	<0.1	<0.01	4.7	<0.1	0.70	7	<0.5	<0.2
98736	69.00	71.00	2.00				Drill Core	4.18	0.008	0.7	102.9	3.3	49	<0.1	92.4	22.0	704	3.60	0.7	1.8	0.6	234	<0.1	<0.1	<0.1	124	4.69	0.088	4	109	2.03	52	0.222	5	2.50	0.321	0.18	<0.1	<0.01	4.0	<0.1	0.70	6	<0.5	<0.2
98737	71.00	73.00	2.00				Drill Core	4.36	0.007	0.8	104.9	3.1	51	<0.1	102.7	23.8	686	3.80	0.6	1.4	0.6	215	<0.1	<0.1	<0.1	131	4.13	0.091	4	114	2.24	53	0.226	17	2.75	0.349	0.21	<0.1	<0.01	4.5	<0.1	0.39	7	<0.5	<0.2
98738	73.00	75.00	2.00				Drill Core	4.14	0.006	0.8	104.3	2.8	50	<0.1	100.5	22.7	848	4.76	1.2	<0.5	0.5	307	<0.1	<0.1	<0.1	130	5.06	0.075	4	108	2.81	44	0.205	5	2.78	0.307	0.14	<0.1	<0.01	4.8	<0.1	1.12	7	<0.5	<0.2
98739	75.00	77.00	2.00				Drill Core	4.48	0.007	0.7	108.7	2.8	52	<0.1	98.9	22.7	615	3.78	0.7	1.3	0.7	276	<0.1	<0.1	<0.1	130	3.85	0.100	4	122	2.05	56	0.212	6	2.96	0.394	0.15	<0.1	<0.01	3.9	<0.1	0.22	6	<0.5	<0.2
98741	77.00	79.00	2.00				Drill Core	3.96	0.008	0.9	110.2	2.1	49	<0.1	95.8	21.8	565	3.44	<0.5	4.3	0.6	258	<0.1	<0.1	<0.1	123	3.97	0.101	4	114	1.79	58	0.201	4	2.84	0.354	0.16	<0.1	<0.01	3.5	<0.1	0.35	6	<0.5	<0.2
98740	**77.00**			**Standard**		**CM-11A**	**Rock Pulp**	**0.11**	**1.066**	**317.8**	**3162.0**	**23.3**	**52**	**1.7**	**28.3**	**7.9**	**406**	**2.87**	**12.1**	**738.0**	**1.2**	**33**	**<0.1**	**3.4**	**0.6**	**46**	**0.64**	**0.046**	**5**	**30**	**0.53**	**115**	**0.106**	**3**	**1.14**	**0.079**	**0.10**	**0.8**	**0.08**	**4.1**	**<0.1**	**0.37**	**4**	**1.1**	**0.2**
98742	79.00	81.00	2.00				Drill Core	4.24	0.006	0.6	95.4	2.8	51	<0.1	94.5	21.6	604	3.65	0.9	2.5	0.6	264	<0.1	<0.1	<0.1	130	4.35	0.101	4	121	1.98	52	0.209	5	2.77	0.338	0.13	<0.1	<0.01	4.1	<0.1	0.49	6	<0.5	<0.2
98743	81.00	83.00	2.00				Drill Core	3.96	0.008	0.9	91.5	3.1	47	<0.1	92.6	22.5	615	3.70	1.2	2.0	0.6	325	<0.1	<0.1	<0.1	130	4.86	0.102	4	120	2.11	46	0.218	3	2.61	0.329	0.12	<0.1	<0.01	5.0	<0.1	1.02	6	<0.5	<0.2
98744	83.00	85.00	2.00				Drill Core	3.92	0.006	0.9	112.7	2.6	52	<0.1	107.1	23.7	599	3.95	0.5	1.6	0.6	236	<0.1	<0.1	<0.1	125	2.81	0.102	5	122	2.50	50	0.191	8	2.99	0.346	0.12	<0.1	<0.01	3.3	<0.1	0.21	6	<0.5	<0.2
98746	85.00	87.00	2.00				Drill Core	4.19	0.006	0.7	102.1	2.3	53	<0.1	103.1	23.4	584	3.71	0.6	1.2	0.6	282	<0.1	<0.1	<0.1	133	4.05	0.106	5	121	2.16	54	0.208	4	2.84	0.336	0.14	<0.1	<0.01	4.0	<0.1	0.73	6	<0.5	<0.2
98745	**85.00**			**Blank**			**Rock**	**1.82**	**0.008**	**0.3**	**87.7**	**2.6**	**47**	**<0.1**	**88.4**	**27.4**	**683**	**3.43**	**0.8**	**0.8**	**0.5**	**127**	**0.1**	**<0.1**	**<0.1**	**127**	**6.16**	**0.081**	**4**	**43**	**0.89**	**18**	**0.214**	**13**	**3.35**	**1.007**	**0.15**	**<0.1**	**<0.01**	**4.2**	**<0.1**	**0.05**	**8**	**<0.5**	**<0.2**
98747	87.00	89.00	2.00				Drill Core	4.29	0.006	0.8	114.4	1.8	51	<0.1	105.5	22.3	568	3.59	<0.5	1.1	0.7	243	<0.1	<0.1	<0.1	119	3.56	0.101	5	119	2.00	51	0.199	5	2.86	0.343	0.13	<0.1	<0.01	3.0	<0.1	0.21	6	<0.5	<0.2
98748	89.00	91.00	2.00				Drill Core	4.11	0.008	5.1	83.6	2.7	47	<0.1	90.9	20.5	573	3.89	1.1	<0.5	0.6	277	<0.1	<0.1	<0.1	127	5.58	0.096	4	112	1.88	47	0.215	3	2.43	0.302	0.12	<0.1	<0.01	4.3	<0.1	1.31	5	<0.5	<0.2
98751	**89.00**			**Field Dup**	**98748**		**Drill Core**	**4.98**	**0.006**	**7.0**	**84.5**	**2.7**	**46**	**<0.1**	**90.4**	**21.2**	**570**	**3.91**	**1.0**	**1.4**	**0.6**	**279**	**<0.1**	**<0.1**	**<0.1**	**126**	**5.75**	**0.095**	**4**	**111**	**1.94**	**44**	**0.208**	**3**	**2.38**	**0.290**	**0.12**	**<0.1**	**<0.01**	**4.1**	**<0.1**	**1.30**	**6**	**<0.5**	**<0.2**
98749	91.00	93.00	2.00				Drill Core	4.23	0.007	0.8	102.7	4.0	48	<0.1	100.5	23.8	566	3.95	1.1	1.0	0.6	256	<0.1	<0.1	<0.1	126	4.16	0.103	4	118	2.00	51	0.207	3	2.87	0.358	0.12	<0.1	<0.01	3.8	<0.1	0.47	6	<0.5	<0.2
98752	93.00	95.00	2.00				Drill Core	4.28	0.007	0.6	107.3	3.3	49	<0.1	103.8	24.0	723	3.96	1.0	<0.5	0.5	226	<0.1	<0.1	<0.1	126	4.84	0.085	4	118	2.19	46	0.201	6	2.50	0.301	0.13	<0.1	<0.01	5.0	<0.1	0.87	6	<0.5	<0.2
98750	**93.00**			**Prep Dup**	**98752**	**98752**	**Drill Core**		**0.006**	**0.8**	**117.3**	**3.2**	**51**	**<0.1**	**97.2**	**23.6**	**706**	**3.85**	**0.9**	**<0.5**	**0.6**	**230**	**<0.1**	**<0.1**	**<0.1**	**128**	**4.76**	**0.091**	**4**	**118**	**2.08**	**50**	**0.212**	**4**	**2.57**	**0.325**	**0.14**	**<0.1**	**<0.01**	**4.7**	**<0.1**	**0.84**	**6**	**<0.5**	**<0.2**
98753	95.00	97.00	2.00				Drill Core	4.38	0.008	0.8	92.5	2.3	44	<0.1	92.5	22.0	690	3.95	1.2	0.9	0.5	242	<0.1	<0.1	<0.1	114	6.38	0.087	4	101	1.91	41	0.201	18	2.37	0.313	0.11	<0.1	<0.01	3.5	<0.1	1.21	6	<0.5	<0.2
98754	97.00	99.00	2.00				Drill Core	4.45	0.005	0.7	88.6	2.6	45	<0.1	89.8	20.5	587	3.66	0.7	<0.5	0.6	230	<0.1	<0.1	<0.1	115	5.41	0.094	4	108	1.72	42	0.202	3	2.31	0.275	0.11	<0.1	<0.01	3.6	<0.1	1.13	5	<0.5	<0.2
98755	99.00	101.00	2.00				Drill Core	4.03	0.006	0.6	66.9	2.7	47	<0.1	83.8	18.6	540	3.87	1.3	<0.5	0.6	260	<0.1	0.1	<0.1	123	4.41	0.095	4	106	1.60	44	0.192	2	2.40	0.395	0.12	<0.1	<0.01	3.5	<0.1	1.00	6	<0.5	<0.2
98756	101.00	103.00	2.00				Drill Core	4.27	0.010	0.7	105.1	2.6	50	<0.1	97.1	22.5	523	3.59	0.6	1.3	0.6	241	<0.1	<0.1	<0.1	117	4.24	0.103	5	119	1.70	48	0.202	3	2.58	0.327	0.12	<0.1	<0.01	3.3	<0.1	0.14	6	<0.5	<0.2
98757	103.00	105.00	2.00				Drill Core	4.28	0.010	0.9	114.4	3.4	48	<0.1	105.3	23.3	664	3.62	1.0	<0.5	0.5	193	<0.1	<0.1	<0.1	119	4.78	0.090	4	104	1.88	41	0.215	4	2.35	0.288	0.13	<0.1	<0.01	3.6	<0.1	0.20	6	<0.5	<0.2
98758	105.00	107.00	2.00				Drill Core	4.26	<0.005	0.8	107.8	3.2	48	<0.1	96.1	21.7	653	3.58	<0.5	<0.5	0.6	181	<0.1	<0.1	<0.1	128	4.64	0.095	4	100	1.74	43	0.218	4	2.32	0.295	0.15	<0.1	<0.01	3.2	<0.1	0.09	7	<0.5	<0.2
98759	107.00	109.00	2.00				Drill Core	4.40	0.010	1.2	104.4	4.0	48	<0.1	109.1	23.7	651	3.70	1.3	<0.5	0.6	231	<0.1	<0.1	<0.1	124	5.86	0.094	4	103	1.70	33	0.238	83	2.42	0.214	0.13	<0.1	<0.01	3.8	<0.1	0.22	8	<0.5	<0.2
98761	109.00	111.00	2.00				Drill Core	4.29	0.010	0.7	109.4	2.9	51	<0.1	115.7	23.6	615	3.85	<0.5	<0.5	0.5	177	<0.1	<0.1	<0.1	128	4.41	0.092	4	104	1.90	45	0.238	6	2.47	0.322	0.17	0.1	<0.01	4.0	<0.1	0.07	7	<0.5	<0.2
98760	**109.00**			**Standard**		**BL-9**	**Rock Pulp**	**0.11**	**0.008**	**2.7**	**21.8**	**2.4**	**35**	**0.4**	**17.9**	**8.7**	**286**	**1.87**	**2.9**	**5.4**	**1.1**	**31**	**0.2**	**0.3**	**<0.1**	**45**	**0.69**	**0.046**	**4**	**21**	**0.50**	**81**	**0.103**	**2**	**1.09**	**0.063**	**0.07**	**17.1**	**0.01**	**3.8**	**<0.1**	**<0.05**	**4**	**<0.5**	**<0.2**
98762	111.00	113.00	2.00				Drill Core	4.26	0.009	0.7	99.4	3.1	47	<0.1	102.1	21.6	533	3.45	<0.5	0.6	0.5	157	<0.1	<0.1	<0.1	110	3.76	0.087	4	97	1.76	41	0.207	6	2.15	0.217	0.13	<0.1	<0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
98763	113.00	115.00	2.00				Drill Core	4.01	0.009	0.7	103.4	3.5	52	<0.1	123.6	26.0	549	4.36	0.6	<0.5	0.6	143	<0.1	<0.1	<0.1	123	2.63	0.093	4	109	2.47	35	0.233	8	2.68	0.271	0.12	<0.1	<0.01	4.6	<0.1	0.08	8	<0.5	<0.2
98764	115.00	117.00	2.00				Drill Core	4.31	0.011	0.7	109.1	3.2	53	<0.1	117.1	25.0	506	4.09	1.0	<0.5	0.6	157	<0.1	<0.1	<0.1	122	2.29	0.091	4	108	2.41	42	0.229	7	2.57	0.274	0.13	<0.1	<0.01	4.1	<0.1	0.21	7	<0.5	<0.2
98766	117.00	119.00	2.00				Drill Core	4.42	0.006	0.8	105.4	3.7	55	<0.1	115.3	24.8	554	3.90	2.6	1.4	0.5	170	<0.1	0.1	<0.1	117	4.31	0.093	4	105	2.09	42	0.217	7	2.42	0.267	0.15	<0.1	<0.01	3.9	<0.1	0.47	7	<0.5	<0.2
98765	**117.00**			**Blank**			**Rock**	**1.61**	**0.007**	**0.3**	**88.1**	**2.1**	**47**	**<0.1**	**83.2**	**24.7**	**685**	**3.37**	**0.6**	**<0.5**	**0.5**	**131**	**<0.1**	**<0.1**	**<0.1**	**128**	**6.19**	**0.077**	**4**	**46**	**0.89**	**18**	**0.217**	**12**	**3.39**	**1.004**	**0.16**	**<0.1**	**<0.01**	**4.4**	**<0.1**	**<0.05**	**8**	**<0.5**	**<0.2**
98767	119.00	121.00	2.00				Drill Core	4.31	0.010	0.7	113.9	3.5	61	0.1	138.5	28.6	642	3.94	0.9	<0.5	0.5	110	<0.1	<0.1	<0.1	132	4.41	0.109	4	106	1.98	25	0.228	23	2.31	0.162	0.11	<0.1	<0.01	4.0	<0.1	0.07	8	<0.5	<0.2
98768	121.00	123.00	2.00				Drill Core	4.24	0.011	0.7	112.4	3.7	59	<0.1	128.2	27.7	595	4.35	1.7	<0.5	0.5	245	<0.1	<0.1	<0.1	125	3.76	0.093	4	104	2.21	37	0.219	10	2.82	0.337	0.14	<0.1	<0.01	4.0	<0.1	0.16	8	<0.5	<0.2
98769	123.00	125.00	2.00				Drill Core	4.45	0.011	0.6	118.7	2.5	57	<0.1	125.6	25.9	635	3.93	0.7	2.2	0.5	283	<0.1	<0.1	<0.1	132	4.09	0.092	4	110	2.01	45	0.216	64	2.69	0.372	0.15	<0.1	<0.01	3.9	<0.1	0.07	7	<0.5	<0.2
98772	125.00	127.00	2.00				Drill Core	4.40	0.011	0.6	75.7	2.6	50	<0.1	88.0	19.6	580	3.99	2.9	1.2	0.6	255	<0.1	0.2	<0.1	144	4.84	0.121	5	118	1.80	44	0.220	2	2.45	0.298	0.13	<0.1	<0.01	4.0	<0.1	0.83	7	<0.5	<0.2
98770	**125.00**			**Prep Dup**	**98772**	**98772**	**Drill Core**		**0.015**	**0.7**	**78.2**	**2.7**	**51**	**<0.1**	**89.0**	**19.0**	**571**	**4.03**	**3.1**	**0.6**	**0.6**	**245**	**<0.1**	**0.2**	**<0.1**	**144**	**4.82**	**0.122**	**5**	**117**	**1.80**	**45**	**0.231**	**4**	**2.53**	**0.310**	**0.13**	**<0.1**	**<0.01**	**4.1**	**<0.1**	**0.87**	**6**	**<0.5**	**<0.2**
98773	127.00	129.00	2.00				Drill Core	4.07	0.010	1.0	105.6	3.5	50	<0.1	92.2	21.8	790	4.16	2.6	0.9	0.4	240	<0.1	0.2	<0.1	129	6.78	0.094	4	98	2.10	32	0.206	4	2.31	0.262	0.11	<0.1	<0.01	4.0	<0.1	1.02	6	<0.5	<0.2
98774	129.00	131.00	2.00				Drill Core	4.41	0.011	0.6	101.9	2.7	54	0.1	96.5	22.9	637	3.87	1.2	2.2	0.5	141	<0.1	<0.1	<0.1	131	4.14	0.093	4	112	2.20	34	0.211	9	2.55	0.219	0.13	<0.1	<0.01	4.7	<0.1	0.34	7	<0.5	<0.2

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98771	129.00			Field Dup	98774		Drill Core	4.74	0.011	0.6	107.7	2.8	58	<0.1	109.5	25.0	682	4.15	1.2	1.6	0.6	154	<0.1	<0.1	<0.1	132	4.15	0.100	4	116	2.39	33	0.217	10	2.66	0.236	0.12	<0.1	<0.01	4.9	<0.1	0.33	7	<0.5	<0.2
98775	131.00	133.00	2.00				Drill Core	4.56	0.011	0.6	101.5	2.8	54	<0.1	100.5	23.3	636	3.80	1.3	2.0	0.5	193	<0.1	<0.1	<0.1	141	3.97	0.102	4	119	2.12	44	0.211	6	2.58	0.257	0.15	<0.1	<0.01	5.2	<0.1	0.38	7	<0.5	<0.2
98776	133.00	135.00	2.00				Drill Core	4.10	0.010	0.7	91.2	2.6	51	0.1	91.9	21.9	712	3.69	1.8	0.7	0.5	214	<0.1	<0.1	<0.1	139	6.23	0.100	4	114	1.67	30	0.223	5	2.57	0.295	0.13	0.3	<0.01	6.4	<0.1	0.54	6	<0.5	<0.2
98777	135.00	137.00	2.00				Drill Core	4.31	0.016	0.6	96.5	3.2	54	<0.1	95.7	22.5	656	4.04	2.0	1.3	0.5	194	<0.1	<0.1	<0.1	142	4.65	0.103	4	121	1.98	41	0.221	5	2.49	0.277	0.15	0.2	<0.01	6.0	<0.1	0.71	7	<0.5	<0.2
98778	137.00	139.00	2.00				Drill Core	4.45	0.010	0.6	81.3	2.6	50	<0.1	91.1	19.5	558	3.84	1.4	1.5	0.5	216	<0.1	<0.1	<0.1	124	5.03	0.101	4	113	1.82	38	0.205	4	2.28	0.290	0.13	<0.1	<0.01	4.2	<0.1	1.08	6	<0.5	<0.2
98779	139.00	141.00	2.00				Drill Core	4.19	0.011	0.6	94.5	3.0	55	<0.1	96.3	21.3	619	3.74	1.3	<0.5	0.5	156	<0.1	<0.1	<0.1	124	4.76	0.098	4	116	1.86	37	0.212	11	2.29	0.251	0.14	<0.1	<0.01	4.3	<0.1	0.71	6	<0.5	<0.2
98781	141.00	143.00	2.00				Drill Core	4.16	0.011	0.6	97.4	2.9	55	<0.1	93.1	22.2	669	3.83	1.4	1.0	0.5	196	<0.1	<0.1	<0.1	124	5.13	0.089	4	111	1.94	44	0.201	6	2.40	0.274	0.15	<0.1	<0.01	4.0	<0.1	0.71	6	<0.5	<0.2
98780	141.00			Standard		BL-9	Rock Pulp	0.11	0.010	2.9	21.5	2.4	34	0.4	18.3	8.8	305	1.90	3.5	0.8	1.0	32	0.2	0.3	<0.1	47	0.71	0.050	5	22	0.49	89	0.108	<1	1.12	0.066	0.08	17.2	0.03	3.8	<0.1	<0.05	4	<0.5	<0.2
98782	143.00	145.00	2.00				Drill Core	4.12	0.011	0.7	97.4	1.7	52	<0.1	95.7	21.1	556	3.52	0.7	1.4	0.6	273	<0.1	<0.1	<0.1	124	4.36	0.103	4	112	1.68	47	0.198	5	2.76	0.484	0.15	<0.1	<0.01	3.4	<0.1	0.37	6	<0.5	<0.2
98783	145.00	147.00	2.00				Drill Core	4.09	0.009	0.7	103.5	2.7	53	<0.1	104.1	22.6	630	3.78	1.4	1.6	0.5	292	<0.1	<0.1	<0.1	123	5.41	0.104	4	120	1.94	47	0.208	3	2.88	0.537	0.17	<0.1	<0.01	4.0	<0.1	0.53	7	<0.5	<0.2
98784	147.00	149.00	2.00				Drill Core	4.12	0.010	0.5	86.9	3.0	50	<0.1	82.3	18.5	578	3.33	0.7	0.6	0.5	213	<0.1	<0.1	<0.1	123	5.60	0.099	4	108	1.57	29	0.212	22	2.51	0.391	0.11	<0.1	<0.01	3.9	<0.1	0.19	7	<0.5	<0.2
98786	149.00	151.00	2.00				Drill Core	4.13	0.010	0.6	94.3	3.1	54	<0.1	91.5	20.5	610	3.62	2.0	<0.5	0.5	272	<0.1	<0.1	<0.1	133	5.58	0.110	4	119	1.67	46	0.221	4	2.76	0.510	0.15	<0.1	<0.01	4.3	<0.1	0.46	6	<0.5	<0.2
98785	149.00			Blank			Rock	1.86	0.009	0.3	93.3	2.1	53	<0.1	90.0	26.3	703	3.51	1.1	0.7	0.5	131	<0.1	<0.1	<0.1	136	6.73	0.090	4	48	0.91	19	0.219	14	3.60	1.036	0.18	<0.1	<0.01	4.7	<0.1	0.06	8	<0.5	<0.2
98787	151.00	153.00	2.00				Drill Core	3.93	0.012	0.7	107.4	2.9	54	<0.1	104.6	22.3	547	3.53	0.5	1.1	0.5	221	<0.1	<0.1	<0.1	123	4.10	0.096	4	109	1.83	40	0.208	4	2.51	0.350	0.14	<0.1	<0.01	3.6	<0.1	0.16	6	<0.5	<0.2
98788	153.00	155.00	2.00				Drill Core	4.22	0.011	0.8	112.7	2.5	54	<0.1	113.9	24.5	609	3.87	<0.5	<0.5	0.6	249	<0.1	<0.1	<0.1	124	3.44	0.098	4	116	2.19	47	0.204	5	2.97	0.435	0.15	<0.1	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
98789	155.00	157.00	2.00				Drill Core	4.07	0.010	0.8	111.6	2.5	56	<0.1	112.0	24.2	646	4.01	<0.5	2.1	0.6	226	<0.1	<0.1	<0.1	139	3.18	0.118	4	127	1.95	50	0.213	6	2.91	0.349	0.14	<0.1	<0.01	2.9	<0.1	0.08	6	<0.5	<0.2
98792	157.00	159.00	2.00				Drill Core	4.37	0.010	0.9	109.0	2.7	54	<0.1	108.6	24.9	652	4.19	<0.5	2.2	0.5	203	<0.1	<0.1	<0.1	129	3.07	0.103	4	122	2.71	43	0.197	7	3.12	0.323	0.13	<0.1	<0.01	3.2	<0.1	<0.05	7	<0.5	<0.2
98790	157.00			Prep Dup	98792	98792	Drill Core		0.017	0.9	114.2	2.6	55	<0.1	105.7	23.6	632	4.00	<0.5	1.7	0.6	206	<0.1	<0.1	<0.1	128	2.83	0.108	4	117	2.58	42	0.190	11	3.04	0.322	0.13	<0.1	<0.01	3.2	<0.1	<0.05	7	<0.5	<0.2
98793	159.00	161.00	2.00				Drill Core	4.14	0.009	0.8	113.9	2.2	55	<0.1	111.6	24.9	632	4.12	<0.5	1.5	0.6	194	<0.1	<0.1	<0.1	131	2.18	0.107	4	123	2.64	46	0.203	10	2.97	0.319	0.13	<0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
98794	161.00	163.00	2.00				Drill Core	3.96	0.010	0.8	115.1	2.5	56	<0.1	109.7	24.2	578	4.05	<0.5	1.4	0.6	219	<0.1	<0.1	<0.1	130	2.78	0.111	5	119	2.20	50	0.202	6	2.93	0.329	0.14	<0.1	<0.01	2.5	<0.1	<0.05	6	<0.5	<0.2
98791	161.00			Field Dup	98794		Drill Core	4.68	0.009	0.9	121.5	2.7	57	<0.1	114.0	25.2	610	4.21	<0.5	2.0	0.6	215	<0.1	<0.1	<0.1	135	2.68	0.114	5	125	2.25	50	0.207	8	3.04	0.343	0.14	<0.1	<0.01	2.7	<0.1	<0.05	6	<0.5	<0.2
98795	163.00	165.00	2.00				Drill Core	4.18	0.011	0.8	107.6	2.6	55	<0.1	111.0	23.8	568	3.77	0.5	2.1	0.5	207	<0.1	<0.1	<0.1	127	3.85	0.102	4	121	1.95	51	0.198	4	2.80	0.301	0.16	<0.1	<0.01	3.2	<0.1	0.11	6	<0.5	<0.2
98796	165.00	167.00	2.00				Drill Core	4.31	0.011	0.8	132.4	3.6	51	<0.1	95.6	21.9	537	3.58	1.8	1.5	0.5	188	<0.1	0.1	<0.1	123	4.66	0.101	4	116	1.81	44	0.206	2	2.53	0.280	0.14	<0.1	<0.01	3.2	<0.1	0.38	6	<0.5	<0.2
98797	167.00	169.00	2.00				Drill Core	4.08	0.009	0.5	80.4	2.9	56	<0.1	99.4	22.4	658	4.04	2.0	0.6	0.5	226	<0.1	<0.1	<0.1	135	5.44	0.102	4	116	1.99	51	0.212	3	2.66	0.283	0.17	<0.1	<0.01	4.1	<0.1	0.53	7	<0.5	<0.2
98798	169.00	171.00	2.00				Drill Core	4.33	0.011	0.6	110.4	2.4	54	<0.1	107.3	22.5	539	3.65	1.1	2.3	0.6	254	<0.1	<0.1	<0.1	131	4.21	0.106	4	121	1.60	49	0.201	3	2.74	0.334	0.14	<0.1	<0.01	2.9	<0.1	0.25	6	<0.5	<0.2
98799	171.00	173.00	2.00				Drill Core	4.24	0.009	0.6	87.4	2.6	53	<0.1	93.8	21.9	611	3.61	2.1	<0.5	0.5	188	<0.1	0.1	<0.1	126	5.42	0.097	4	114	1.88	40	0.207	4	2.43	0.253	0.14	<0.1	<0.01	4.0	<0.1	0.60	6	<0.5	<0.2
98801	173.00	175.00	2.00				Drill Core	4.25	0.009	0.8	99.9	3.0	54	<0.1	102.7	23.0	604	3.75	2.1	<0.5	0.5	198	<0.1	0.1	<0.1	128	4.43	0.098	4	118	1.96	47	0.209	4	2.64	0.275	0.16	<0.1	<0.01	3.8	<0.1	0.51	6	<0.5	<0.2
98800	173.00			Standard		CGS-29	Rock Pulp	0.11	0.210	11.0	5336.7	6.0	86	1.8	11.2	7.6	610	4.21	1.8	174.0	4.3	67	0.4	0.2	0.7	60	1.06	0.068	11	16	0.61	178	0.074	2	1.01	0.062	0.40	0.2	0.09	4.1	0.1	0.33	6	2.9	0.3
98802	175.00	177.00	2.00				Drill Core	4.08	0.009	0.8	114.7	2.2	54	<0.1	109.0	23.7	612	4.08	<0.5	1.3	0.5	226	<0.1	<0.1	<0.1	129	2.94	0.104	4	115	2.39	51	0.189	8	3.09	0.343	0.15	<0.1	<0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
98803	177.00	179.00	2.00				Drill Core	4.11	0.010	0.9	106.8	1.7	54	<0.1	110.9	24.5	689	4.00	<0.5	<0.5	0.6	225	<0.1	<0.1	<0.1	138	3.04	0.107	4	120	2.12	51	0.205	5	2.90	0.351	0.16	<0.1	<0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
98804	179.00	181.00	2.00				Drill Core	4.21	0.009	0.9	107.7	2.2	52	<0.1	107.5	24.5	633	4.06	<0.5	<0.5	0.6	219	<0.1	<0.1	<0.1	131	2.83	0.107	4	118	2.44	48	0.196	8	3.07	0.365	0.14	<0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
98811	179.00			Field Dup	98804		Drill Core	4.68	0.008	1.0	118.2	2.2	56	<0.1	114.1	27.3	654	4.23	0.7	1.2	0.5	206	<0.1	<0.1	<0.1	132	2.67	0.111	4	125	2.55	43	0.205	8	3.09	0.353	0.12	0.1	<0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
98806	181.00	183.00	2.00				Drill Core	4.25	0.008	0.7	111.6	2.7	50	<0.1	94.1	21.3	570	3.60	0.6	2.1	0.6	186	<0.1	<0.1	<0.1	119	3.82	0.099	4	109	1.92	36	0.195	3	2.58	0.283	0.11	<0.1	<0.01	2.5	<0.1	0.08	6	<0.5	<0.2
98805	181.00			Blank			Rock	2.62	0.009	0.3	91.8	2.3	51	<0.1	88.9	27.1	724	3.51	0.9	2.4	0.5	126	<0.1	<0.1	<0.1	133	6.42	0.080	4	45	0.92	19	0.218	12	3.60	1.058	0.18	<0.1	<0.01	4.7	<0.1	0.07	8	<0.5	<0.2
98807	183.00	185.00	2.00				Drill Core	4.20	0.008	0.7	102.8	1.7	49	<0.1	91.9	19.5	550	3.38	<0.5	2.0	0.5	190	<0.1	<0.1	<0.1	123	3.95	0.102	4	112	1.73	37	0.206	8	2.37	0.269	0.12	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
98808	185.00	187.00	2.00				Drill Core	4.01	0.012	0.8	119.0	3.6	62	<0.1	110.3	24.5	586	3.90	3.2	<0.5	0.5	180	<0.1	0.1	<0.1	127	3.30	0.098	4	117	1.76	47	0.208	38	2.52	0.350	0.16	<0.1	<0.01	3.6	<0.1	0.38	6	<0.5	<0.2
98809	187.00	189.00	2.00				Drill Core	4.29	0.010	0.8	95.4	2.8	50	<0.1	93.0	22.6	563	3.50	3.1	<0.5	0.5	244	<0.1	0.2	<0.1	113	6.12	0.102	4	112	1.56	26	0.213	6	2.30	0.347	0.11	0.1	<0.01	3.1	<0.1	0.59	6	<0.5	<0.2
98812	189.00	191.00	2.00				Drill Core	4.28	0.009	0.9	119.8	2.0	55	<0.1	111.2	25.9	621	3.84	<0.5	1.1	0.6	283	<0.1	<0.1	<0.1	126	2.97	0.104	4	128	1.99	42	0.215	7	2.77	0.386	0.13	<0.1	<0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
98810	189.00			Prep Dup	98812	98812	Drill Core		0.011	0.8	117.9	2.3	53	<0.1	111.0	25.8	626	3.83	<0.5	0.8	0.5	275	<0.1	<0.1	<0.1	126	2.96	0.103	4	121	2.00	41	0.212	6	2.73	0.371	0.12	<0.1	<0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
98813	191.00	193.00	2.00				Drill Core	4.75	0.009	0.9	118.3	2.0	56	<0.1	111.0	26.3	705	4.11	<0.5	1.6	0.6	273	<0.1	<0.1	<0.1	131	2.04	0.107	4	125	2.68	43	0.214	11	3.07	0.398	0.14	0.1	<0.01	2.2	<0.1	<0.05	6	<0.5	<0.2
98814	193.00	195.00	2.00				Drill Core	3.88	0.008	0.9	118.6	3.1	54	<0.1	114.4	28.0	669	4.14	<0.5	1.9	0.5	262	<0.1	<0.1	<0.1	128	2.01	0.113	4	131	2.92	38	0.206	10	3.13	0.376	0.12	<0.1	<0.01	2.2	<0.1	0.07	7	<0.5	<0.2
98815	195.00	197.00	2.00				Drill Core	4.27	0.009	0.9	129.2	2.3	61	<0.1	123.1	29.6	759	4.52	<0.5	2.2	0.6	261	<0.1	<0.1	<0.1	147	2.19	0.115	5	137	2.89	50	0.225	12	3.37	0.419	0.16	0.1	<0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
98816	197.00	199.00	2.00				Drill Core	4.39	0.009	0.7	118.8	2.2	56	<0.1	112.3	26.7	670	4.23	<0.5	1.3	0.6	197	<0.1	<0.1	<0.1	136	2.73	0.110	4	131	2.78	45	0.217	9	3.12	0.354	0.13	<0.1	<0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
98817	199.00	201.00	2.00				Drill Core	4.30	0.009	0.9	119.7	2.3	54	<0.1	108.3	26.8	608	4.13	<0.5	2.0	0.5	213	<0.1	<0.1	<0.1	123	2.85	0.107	4	123	2.56	44	0.196	7	3.13	0.393	0.12	<0.1	<0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
98818	201.00	203.00	2.00				Drill Core	4.31	0.009	0.9	110.8	2.1	55	<0.1	103.7	24.7	596	3.99	0.8	1.9	0.6	467	<0.1	<0.1	<0.1	125	4.52	0.114	5	125	2.17	42	0.228	6	3.30	0.592	0.13	0.1	<0.01	2.5	<0.1	0.08	7	<0.5	<0.2
98819	203.00	205.00	2.00				Drill Core	3.45	0.007	0.3	69.8	1.9	49	<0.1	79.7	19.5	612	3.34	1.9	<0.5	0.5	223	0.1	<0.1	<0.1	137	6.07	0.112	4	122	1.59	45	0.223	5	2.43	0.284	0.13	<0.1	<0.01	3.5	<0.1	0.35	6	<0.5	<0.2
98821	205.00	207.00	2.00				Drill Core	4.31	0.009	0.9	111.1	2.4	52	<0.1	106.9	26.0	532	3.96	<0.5	2.1	0.6	251	<0.1	<0.1	<0.1	118	3.93	0.107	4	123	2.10	48	0.204	5	2.96	0.339	0.13	0.2	<0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
98820	205.00			Standard		CM-11A	Rock Pulp	0.11	1.080	340.4	3789.8	23.6	58	1.9	33.3	9.5	451	3.18	14.4	712.7	1.1	34	0.6	3.3	0.5	49	0.68	0.053	5	35	0.62	128	0.117	4	1.37	0.088	0.11	0.8	0.09	4.1	<0.1	0.37	5	0.9	0.2
98822	207.00	209.00	2.00				Drill Core	4.11	0.009	0.6	126.1	3.4	53	0.1	108.0	27.6	593	3.88	<0.5	1.1	0.5	187	<0.1	<0.1	<0.1	122	3.73	0.092	4	123	2.12	46	0.215	7	2.52	0.293	0.16	<0.1	<0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
98823	209.00	211.00	2.00				Drill Core	4.44	0.009	0.9	115.1	2.9	60	<0.1	111.9	28.3	590	4.08	1.5	0.8	0.5	189	<0.1	<0.1	<0.1	131	2.76	0.097	4	130	2.37	47	0.219	6	2.76	0.308	0.15	0.1	<0.01	3.3	<0.1	0.21	7	<0.5	<0.2
98824	211.00	213.00	2.00				Drill Core	4.77	0.009	0.9	125.9	2.2	57	<0.1	116.5	27.8	601	4.20	<0.5	1.9	0.6	222	<0.1	<0.1	<0.1	127	2.64	0.107	5	133	2.59	48	0.206	9	3.26	0.391	0.13	<0.1	<0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
98831	211.00			Field Dup	98824		Drill Core	5.47	0.008	0.8	116.2	2.1	57	<0.1	108.4	25.7	575	4.14	<0.5	4.3	0.6	215	<0.1	<0.1	<0.1	120	2.68	0.111	4	123	2.42	47	0.195	9	3.03	0.359	0.12	<0.1	<0.01	3.3	<0.1	<0.05	7	<0.5	<0.2
98826	213.00	215.00	2.00				Drill Core	4.13	0.005	0.7	113.2	2.4	58	<0.1	101.4	25.2	616	3.91	1.3	3.3	0.6	275	0.1	0.1	<0.1	121	4.95	0.105	4	125	1.89	46	0.204	6	2.71	0.330	0.11	<0.1	<0.01	3.0	<0.1	0.29	6	<0.5	<0.2
98825	213.00			Blank			Rock	2.79	0.007	0.3	97.0	2.1	50	<0.1	87.6	27.6	692	3.61	0.7	1.1	0.5	139	0.2	<0.1	<0.1	141	7.06	0.090	4	52	0.92	24	0.243	14	3.72	1.078	0.24	0.1	<0.01	4.9	<0.1	0.06	8	<0.5	<0.2
98827	215.00	217.00	2.00				Drill Core	4.37	0.015	0.6	90.7	2.3	55	<0.1	100.3	24.5	636	3.98	0.9	3.8	0.6	256	0.1	<0.1	<0.1	130	5.17	0.117	4	124	2.00	44	0.212	6	2.86	0.356	0.11	<0.1	<0.01	3.0	<0.1	0.17	7	<0.5	<0.2
98828	217.00	219.00	2.00				Drill Core	4.26	0.011	0.7	110.6	2.3	54	<0.1	105.4	26.3	692	4.45	<0.5	2.7	0.6	417	<0.1	<0.1	<0.1	124	3.54	0.103	4	121	2.66	34	0.210	8	3.18	0.455	0.11	<0.1	<0.01	3.4	<0.1	0.10	7	<0.5	<0.2
98829	219.00	221.00	2.00				Drill Core	4.79	0.011	0.7	117.4	2.0	56	<0.1	110.1	26.0	630	4.17	<0.5	3.4	0.6	265	<0.1	<0.1	<0.1	133	2.78	0.108	4	125	2.24	44	0.193	11	3.02	0.384	0.10	<0.1	<0.01	2.4	<0.1	<0.05	7	<0.5	<0.2
98832	221.00	223.00	2.00				Drill Core	4.35	0.011	0.6	103.1	3.1	52	<0.1	94.3	21.7	611	3.78	<0.5	<0.5	0.6	357	<0.1	<0.1	<0.1	132	3.48	0.110	4	119	2.19	35	0.223	10	3.07	0.546	0.11	<0.1	<0.01	3.3	<0.1	0.09	6	<0.5	<0.2
98830	221.00			Prep Dup	98832	98832	Drill Core		0.008	0.7	112.1	2.6	55	<0.1	96.4	23.9	634	3.93	<0.5	2.2	0.6	378	<0.1	<0.1	<0.1	126	4.04	0.110	4	128	2.15	36	0.217	8	3.10	0.548	0.11	<0.1	<0.01	3.6	<0.1	0.07	6	<0.5	<0.2
98833	223.00	225.00	2.00				Drill Core	4.25	0.009	0.5	98.1	2.5	45	<0.1	78.8	17.6	568	3.11	<0.5	<0.5	0.5	280	<0.1	<0.1	<0.1	123	5.06	0.106	4	104	1.46	25	0.222	6	2.40	0.317	0.09	<0.1	<0.01	2.8	<0.1	0.08	5	<0.5	<0.2
98834	225.00	227.00	2.00				Drill Core	4.05	0.009	0.8	108.1	2.6	51	<0.1	105.4	22.9	578	3.71	<0.5	<0.5	0.6	359	<0.1	0.2	<0.1	124	3.60	0.104	4	111	1.87	31	0.219	7	3.09	0.434	0.10	<0.1	<0.01	2.3	<0.1	0.05	7	<0.5	<0.2
98835	227.00	229.00	2.00				Drill Core	4.63	0.007	0.6	98.3	2.6	52	<0.1	96.2	21.7	510	3.43	1.3	<0.5	0.5	313	<0.1	<0.1	<0.1	118	4.32	0.102	4	107	1.47	37	0.200	5	2.49	0.360	0.11	<0.1	<0.01	2.3	<0.1	0.34	6	<0.5	<0.2
98836	229.00	231.00	2.00				Drill Core	4.74	0.010	0.7	120.6	3.3	56	<0.1	117.2	25.8	616	4.11	1.4	0.8	0.5	256	<0.1	0.1	<0.1	126	3.88	0.097	4	118	1.77	42	0.211	8	2.62	0.365	0.14	<0.1	<0.01	4.0	<0.1	0.66	7	<0.5	<0.2
98837	231.00	233.00	2.00				Drill Core	4.34	0.009	0.7	110.7	3.3	55	<0.1	111.5	24.7	583	4.00	0.8	<0.5	0.5	209	<0.1	<0.1	<0.1	122	3.91	0.105	5	113	1.87	33	0.216	11	2.49	0.307	0.11	<0.1	<0.01	3.9	<0.1	0.65	7	<0.5	<0.2
98838	233.00	235.00	2.00				Drill Core	4.52	0.010	0.5	106.0	1.8	50	<0.1	95.9	23.0	600	3.69	<0.5	<0.5	0.6	210	<0.1	<0.1	<0.1	119	4.62	0.104	4	114	1.85	41	0.208	27	2.65	0.309	0.12	<0.1	<0.01	3.0	<0.1	<0.05	7	<0.5	<0.2
98839	235.00	237.00	2.00				Drill Core	4.42	0.010	0.8	114.1	2.3	55	<0.1	111.4	24.8	600	4.17	<0.5	<0.5	0.6	249	<0.1	<0.1	<0.1	122	2.72	0.112	5	118	2.40	47	0.197	11	3.19	0.399	0.13	<0.1	<0.01	3.4	<0.1	<0.05	7	<0.5	<0.2
98841	237.00	239.00	2.00				Drill Core	4.60	0.010	1.0	115.8	2.5	55	<0.1	111.9	25.0	662	4.10	1.1	1.9	0.6	218	<0.1	<0.1	<0.1	130	3.58	0.108	5	122	2.07	44	0.221	8	2.83	0.330	0.13	<0.1	<0.01	4.1	<0.1	0.38	7	<0.5	<0.2
98840	237.00			Standard		CM-11A	Rock Pulp	0.11	1.101	337.1	3244.1	23.2	53	1.9	29.4	7.7	417	3.03	13.1	750.2	1.1	35	<0.1	3.8	0.5	47	0.65	0.050	5	29	0.54	119	0.099	6	1.18	0.083	0.10	0.8	0.08	4.4	<0.1	0.37	4	1.0	<0.2
98842	239.00	241.00	2.00				Drill Core	4.27	0.008	0.7	109.2	2.2	53	<0.1	99.0	22.8	613	3.91	0.7	2.9	0.6	202	<0.1	<0.1	<0.1	119	3.31	0.107	4	118	2.30	40	0.196	9	3.26	0.321	0.11	<0.1	<0.01	3.2	<0.1	0.07	8	<0.5	<0.2
98843	241.00	243.00	2.00				Drill Core	4.55	0.011	0.7	99.7	2.9	55	<0.1	97.7	23.8	655	4.15	1.3	2.1	0.6	247	<0.1	<0.1	<0.1	138	4.64	0.103	4	123	2.14	46	0.226	8	2.82	0.367	0.14	<0.1	<0.01	4.4	<0.1	0.89	7	<0.5	<0.2
98844	243.00	245.00	2.00				Drill Core	4.56	0.008	0.7	110.8	2.1	57	<0.1	114.7	25.1	645	4.14	0.6	1.1	0.6	251	<0.1	<0.1	<0.1	133	3.77	0.102	4	120	2.08	52	0.194	6	3.01	0.385	0.14	<0.1	<0.01	3.9	<0.1	0.37	7	<0.5	<0.2
98846	245.00	247.00	2.00				Drill Core	4.29	0.009	0.6	112.2	2.4	56	<0.1	109.1	24.3	613	4.01	0.8	<0.5	0.6	287	<0.1	<0.1	<0.1	132	4.08	0.114	4	113	2.07	53	0.220	6	3.20	0.531	0.14	<0.1	<0.01	4.2	<0.1	0.28	7	<0.5	<0.2

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98845	245.00			Blank			Rock	2.47	0.008	0.3	92.7	2.2	55	<0.1	78.8	25.5	726	3.68	0.8	<0.5	0.5	149	<0.1	<0.1	<0.1	141	6.73	0.090	5	47	0.94	19	0.227	15	3.63	1.016	0.18	<0.1	<0.01	5.2	<0.1	0.05	8	<0.5	<0.2
98847	247.00	249.00	2.00				Drill Core	4.43	0.007	0.6	116.5	2.6	55	<0.1	89.2	22.0	645	3.73	0.7	0.9	0.6	238	<0.1	<0.1	<0.1	140	5.39	0.117	4	121	1.74	50	0.222	8	2.72	0.341	0.13	<0.1	<0.01	4.5	<0.1	0.43	6	<0.5	<0.2
98848	249.00	251.00	2.00				Drill Core	4.11	0.006	0.4	97.5	2.3	53	<0.1	82.1	20.1	621	3.72	1.2	<0.5	0.6	244	<0.1	<0.1	<0.1	137	4.93	0.111	4	118	1.78	49	0.216	4	2.73	0.442	0.13	<0.1	<0.01	4.7	<0.1	0.64	6	<0.5	<0.2
98849	251.00	253.00	2.00				Drill Core	4.53	0.007	0.8	104.6	2.9	55	<0.1	108.2	24.9	682	4.32	1.6	<0.5	0.5	241	<0.1	0.1	<0.1	128	4.80	0.102	4	114	2.07	47	0.216	6	2.83	0.343	0.13	<0.1	<0.01	4.4	<0.1	0.92	7	<0.5	<0.2
98852	253.00	255.00	2.00				Drill Core	4.16	0.007	0.6	92.5	3.7	55	<0.1	97.1	25.2	637	4.03	1.7	<0.5	0.5	312	<0.1	<0.1	<0.1	133	5.11	0.106	4	111	1.90	41	0.214	6	2.68	0.502	0.13	<0.1	<0.01	4.8	<0.1	0.89	7	<0.5	<0.2
98850	253.00			Prep Dup	98852	98852	Drill Core		0.007	0.6	90.3	3.9	56	<0.1	95.4	24.8	662	3.99	2.0	<0.5	0.6	314	0.1	0.1	<0.1	135	5.07	0.102	4	113	1.86	46	0.225	7	2.74	0.489	0.15	<0.1	<0.01	4.9	<0.1	0.90	7	<0.5	<0.2
98853	255.00	257.00	2.00				Drill Core	4.28	0.006	0.7	103.5	2.9	56	<0.1	109.8	25.7	700	4.39	1.5	<0.5	0.6	231	<0.1	<0.1	<0.1	135	4.23	0.102	4	117	2.19	50	0.218	7	2.89	0.330	0.16	<0.1	<0.01	4.7	<0.1	0.73	7	<0.5	<0.2
98854	257.00	259.00	2.00				Drill Core	4.28	0.008	0.7	116.3	2.9	56	<0.1	108.0	25.7	716	4.19	0.6	<0.5	0.6	233	<0.1	<0.1	<0.1	129	3.51	0.109	4	121	2.33	46	0.224	10	3.04	0.339	0.13	<0.1	<0.01	3.8	<0.1	0.18	7	<0.5	<0.2
98855	259.00	261.00	2.00				Drill Core	4.54	0.010	0.7	105.8	3.5	55	<0.1	108.9	25.4	691	4.17	0.9	2.4	0.6	128	<0.1	<0.1	<0.1	128	4.06	0.112	5	121	2.17	27	0.213	10	2.78	0.214	0.10	<0.1	<0.01	3.9	<0.1	0.25	7	<0.5	<0.2
98856	261.00	263.00	2.00				Drill Core	4.33	0.007	0.8	109.8	2.9	55	<0.1	107.1	24.1	575	3.91	1.3	<0.5	0.6	187	<0.1	0.1	<0.1	130	3.99	0.115	4	121	1.73	39	0.221	7	2.41	0.277	0.12	<0.1	<0.01	4.0	<0.1	0.49	7	<0.5	<0.2
98857	263.00	265.00	2.00				Drill Core	4.39	0.009	0.8	111.6	3.3	59	<0.1	115.4	25.5	627	4.32	1.7	<0.5	0.6	219	<0.1	<0.1	<0.1	130	4.44	0.110	5	122	2.05	42	0.228	5	2.78	0.330	0.13	<0.1	<0.01	4.3	<0.1	0.54	8	<0.5	<0.2
98851	263.00			Field Dup	98857		Drill Core	5.14	0.007	0.9	108.6	3.1	54	<0.1	109.7	25.0	612	4.14	1.7	<0.5	0.6	219	<0.1	0.1	<0.1	127	4.50	0.110	5	112	1.94	41	0.213	6	2.66	0.302	0.12	<0.1	<0.01	3.9	<0.1	0.52	7	<0.5	<0.2
98858	265.00	267.00	2.00				Drill Core	4.36	0.007	0.7	108.2	2.9	58	<0.1	107.8	23.9	616	3.86	1.7	<0.5	0.6	183	<0.1	<0.1	<0.1	128	4.39	0.108	4	115	1.70	36	0.227	6	2.55	0.324	0.11	<0.1	<0.01	3.7	<0.1	0.45	7	<0.5	<0.2
98859	267.00	269.00	2.00				Drill Core	4.73	0.008	0.8	115.0	2.6	55	<0.1	114.1	25.3	627	4.25	<0.5	1.2	0.6	382	<0.1	<0.1	<0.1	131	2.52	0.109	4	123	2.44	42	0.218	10	3.40	0.586	0.13	<0.1	<0.01	2.9	<0.1	<0.05	7	<0.5	<0.2
98861	269.00	271.00	2.00				Drill Core	4.47	0.008	1.2	121.9	2.6	51	<0.1	121.9	26.6	748	4.11	2.0	12.6	0.5	240	<0.1	0.1	<0.1	117	6.80	0.092	4	103	2.30	30	0.210	6	2.47	0.326	0.10	<0.1	<0.01	3.5	<0.1	0.53	6	<0.5	<0.2
98860	269.00			Standard		CGS-29	Rock Pulp	0.11	0.204	10.8	5600.8	5.8	91	1.9	11.0	7.9	646	4.36	2.2	215.7	4.3	71	0.6	0.2	0.8	60	1.08	0.073	12	16	0.64	184	0.072	5	1.03	0.061	0.41	0.2	0.08	4.2	0.1	0.31	7	3.6	0.3
98862	271.00	273.00	2.00				Drill Core	4.52	0.007	0.7	108.8	3.0	55	<0.1	96.2	23.2	606	3.78	0.5	0.8	0.6	170	<0.1	<0.1	<0.1	115	5.55	0.104	4	110	1.91	22	0.203	10	2.86	0.229	0.10	<0.1	<0.01	3.1	0.1	<0.05	9	<0.5	<0.2
98863	273.00	275.00	2.00				Drill Core	4.58	0.007	0.7	100.9	3.0	53	<0.1	93.3	21.8	594	3.73	0.7	1.4	0.6	114	<0.1	<0.1	<0.1	128	4.73	0.116	5	114	1.98	15	0.239	10	2.68	0.128	0.07	<0.1	<0.01	3.0	<0.1	0.05	9	<0.5	<0.2
98864	275.00	277.00	2.00				Drill Core	4.58	0.008	1.5	117.6	3.7	58	<0.1	109.7	27.2	641	4.36	2.8	2.0	0.6	149	<0.1	0.1	<0.1	136	4.82	0.109	5	112	2.07	24	0.252	23	2.74	0.245	0.12	<0.1	<0.01	4.5	<0.1	0.92	8	<0.5	<0.2
98866	277.00	279.00	2.00				Drill Core	4.21	0.007	0.7	110.3	3.3	60	<0.1	110.9	25.3	713	4.27	1.6	<0.5	0.6	109	<0.1	<0.1	<0.1	140	4.48	0.107	5	121	2.06	23	0.268	13	2.61	0.294	0.13	<0.1	<0.01	5.0	<0.1	0.60	8	<0.5	<0.2
98865	277.00			Blank			Rock	2.91	0.006	0.3	92.7	2.3	53	<0.1	80.6	26.1	731	3.66	0.7	1.1	0.5	155	<0.1	<0.1	<0.1	142	6.91	0.091	5	46	0.92	20	0.236	18	3.73	1.055	0.17	<0.1	<0.01	5.0	<0.1	0.06	9	<0.5	<0.2
98871	277.10			Field Dup	98866		Drill Core	4.51	0.009	0.6	101.6	3.5	54	<0.1	103.2	27.3	667	4.05	2.1	3.1	0.5	94	<0.1	<0.1	<0.1	125	4.89	0.101	4	113	1.88	16	0.245	10	2.33	0.250	0.10	<0.1	0.01	4.3	<0.1	0.69	7	<0.5	<0.2
98867	279.00	281.00	2.00				Drill Core	4.54	0.009	0.8	99.0	3.4	56	<0.1	96.4	23.3	606	3.96	1.2	<0.5	0.6	105	<0.1	<0.1	<0.1	136	4.58	0.122	5	119	1.73	20	0.254	9	2.48	0.122	0.10	<0.1	<0.01	3.8	<0.1	0.32	9	<0.5	<0.2
98868	281.00	283.00	2.00				Drill Core	4.54	0.008	0.7	107.2	3.3	60	<0.1	119.3	30.7	642	4.59	2.5	0.5	0.6	173	<0.1	<0.1	<0.1	127	3.94	0.109	4	115	2.15	32	0.239	41	2.59	0.244	0.14	<0.1	<0.01	4.1	<0.1	0.30	8	<0.5	<0.2
98869	283.00	285.00	2.00				Drill Core	4.45	0.007	0.6	94.4	3.3	54	<0.1	110.3	36.5	826	5.74	4.1	<0.5	0.6	137	<0.1	0.1	<0.1	139	4.44	0.115	4	105	1.73	24	0.229	23	2.27	0.173	0.11	0.2	<0.01	3.5	<0.1	0.63	7	<0.5	<0.2
98872	285.00	287.00	2.00				Drill Core	4.83	0.008	0.8	113.6	3.2	61	0.1	108.1	27.3	670	4.52	1.8	3.6	0.7	78	<0.1	<0.1	<0.1	142	4.18	0.115	5	128	2.16	14	0.257	9	2.70	0.127	0.09	<0.1	<0.01	4.6	<0.1	0.32	9	<0.5	<0.2
98870	285.00			Prep Dup	98872	98872	Drill Core		0.006	0.7	106.9	3.1	57	<0.1	99.9	24.9	673	4.33	1.9	<0.5	0.6	86	<0.1	<0.1	<0.1	140	4.30	0.119	5	126	2.05	19	0.253	9	2.73	0.125	0.10	<0.1	<0.01	5.0	<0.1	0.30	9	<0.5	<0.2
98873	287.00	289.00	2.00				Drill Core	4.27	0.008	0.8	107.1	4.3	60	<0.1	97.0	27.6	683	4.29	3.4	2.3	0.6	90	<0.1	0.1	<0.1	142	4.89	0.106	5	124	1.90	16	0.260	10	2.70	0.155	0.09	<0.1	0.01	4.7	<0.1	0.77	9	<0.5	<0.2
98874	289.00	291.00	2.00				Drill Core	4.45	0.007	0.9	95.6	3.3	55	<0.1	104.1	25.3	706	4.18	1.4	2.9	0.6	128	<0.1	<0.1	<0.1	137	4.97	0.112	5	125	1.79	17	0.246	12	2.60	0.255	0.10	<0.1	<0.01	4.6	<0.1	0.49	9	<0.5	<0.2
98875	291.00	293.00	2.00				Drill Core	4.23	0.008	0.8	119.8	3.6	58	<0.1	109.2	27.8	686	4.41	1.5	2.7	0.6	135	<0.1	<0.1	<0.1	136	4.41	0.101	5	127	1.93	23	0.250	10	2.64	0.182	0.12	<0.1	0.01	4.4	<0.1	0.54	9	<0.5	<0.2
98876	293.00	295.00	2.00				Drill Core	4.22	0.007	0.5	102.1	2.6	57	<0.1	97.7	22.4	580	3.79	0.6	2.6	0.6	108	<0.1	<0.1	<0.1	137	5.13	0.119	5	126	1.33	21	0.244	10	2.40	0.174	0.11	<0.1	<0.01	3.9	<0.1	<0.05	9	<0.5	<0.2
98877	295.00	297.00	2.00				Drill Core	4.36	0.008	0.6	107.3	3.2	53	<0.1	99.8	26.1	715	4.32	1.5	2.3	0.6	117	<0.1	<0.1	<0.1	150	6.34	0.114	5	129	1.69	18	0.250	21	2.66	0.147	0.09	<0.1	<0.01	5.3	<0.1	0.19	10	<0.5	<0.2
98878	297.00	299.00	2.00				Drill Core	4.57	0.009	0.8	123.1	3.0	58	<0.1	115.1	27.5	639	4.44	0.8	3.0	0.6	198	<0.1	<0.1	<0.1	133	2.56	0.117	5	132	2.44	43	0.213	11	2.97	0.360	0.14	<0.1	<0.01	4.2	<0.1	0.05	7	<0.5	<0.2
98879	299.00	301.00	2.00				Drill Core	4.34	0.009	0.4	98.8	3.3	55	<0.1	94.9	24.3	565	3.93	1.0	1.0	0.6	85	<0.1	<0.1	<0.1	130	5.95	0.107	4	120	1.51	13	0.228	8	2.69	0.116	0.08	<0.1	<0.01	3.3	<0.1	0.07	10	<0.5	<0.2
98881	301.00	303.00	2.00				Drill Core	4.69	0.005	0.7	121.5	3.1	59	<0.1	111.6	26.3	583	4.35	<0.5	6.5	0.6	181	<0.1	<0.1	<0.1	129	2.52	0.118	5	120	2.43	26	0.200	9	2.91	0.298	0.13	<0.1	<0.01	3.3	<0.1	<0.05	8	<0.5	<0.2
98880	301.00			Standard		CM-11A	Rock Pulp	0.11	0.977	353.5	3355.2	23.4	57	2.0	30.9	8.4	451	3.20	14.3	797.5	1.2	38	0.2	3.9	0.6	50	0.68	0.048	5	32	0.58	131	0.110	5	1.24	0.090	0.11	0.8	0.08	4.3	<0.1	0.38	5	0.6	<0.2
98882	303.00	305.00	2.00				Drill Core	4.58	0.007	0.7	115.3	3.2	59	0.1	108.9	24.9	595	4.27	1.2	4.7	0.6	202	<0.1	<0.1	<0.1	130	3.99	0.113	5	120	2.16	22	0.224	9	2.87	0.228	0.10	<0.1	<0.01	3.5	<0.1	0.16	9	<0.5	<0.2
98883	305.00	307.00	2.00				Drill Core	4.48	0.006	0.5	104.6	3.1	55	<0.1	93.2	24.5	579	3.98	2.2	4.9	0.5	208	0.1	0.2	<0.1	126	5.36	0.108	4	116	1.62	32	0.220	6	2.33	0.313	0.13	<0.1	<0.01	3.7	<0.1	0.45	7	<0.5	<0.2
98884	307.00	309.00	2.00				Drill Core	4.35	0.007	0.8	100.7	2.6	54	<0.1	93.1	23.3	593	3.86	1.3	4.3	0.6	214	0.1	<0.1	<0.1	128	4.83	0.110	5	115	1.65	27	0.221	13	2.49	0.273	0.11	<0.1	<0.01	3.2	<0.1	0.16	7	<0.5	<0.2
98886	309.00	311.00	2.00				Drill Core	4.68	0.006	0.5	104.0	3.1	61	<0.1	96.9	24.6	570	4.12	2.4	4.6	0.5	84	0.1	<0.1	<0.1	128	5.23	0.106	5	117	1.76	12	0.244	20	2.80	0.101	0.09	<0.1	<0.01	3.9	<0.1	0.34	10	<0.5	<0.2
98885	309.00			Blank			Rock	2.63	0.008	0.3	98.3	2.2	52	<0.1	79.2	26.4	691	3.66	1.0	3.2	0.4	132	<0.1	<0.1	<0.1	136	6.62	0.090	4	46	0.90	19	0.213	15	3.51	0.994	0.16	<0.1	0.01	4.9	<0.1	0.07	8	<0.5	<0.2
98887	311.00	313.00	2.00				Drill Core	4.65	0.012	1.0	117.6	4.6	61	<0.1	113.0	26.2	673	4.40	<0.5	3.6	0.6	191	<0.1	<0.1	<0.1	138	2.67	0.119	5	129	2.39	23	0.232	11	2.84	0.256	0.13	<0.1	<0.01	4.1	<0.1	0.06	8	<0.5	<0.2
98891	311.00			Field Dup	98887		Drill Core	4.63	<0.005	0.9	117.6	4.5	61	<0.1	111.2	26.1	658	4.38	<0.5	3.8	0.7	186	<0.1	<0.1	<0.1	136	2.48	0.117	5	124	2.39	20	0.231	5	2.78	0.253	0.12	0.1	<0.01	3.9	<0.1	0.05	8	<0.5	<0.2
98888	313.00	315.00	2.00				Drill Core	4.70	<0.005	0.7	109.5	3.5	57	<0.1	99.2	24.1	596	4.14	<0.5	5.0	0.6	102	0.1	<0.1	<0.1	130	4.95	0.113	4	118	1.96	12	0.227	12	3.26	0.153	0.10	<0.1	<0.01	4.6	<0.1	<0.05	11	<0.5	<0.2
98889	315.00	317.00	2.00				Drill Core	4.32	0.005	0.5	90.7	3.7	53	<0.1	85.6	22.3	571	3.94	1.5	1.5	0.6	91	<0.1	<0.1	<0.1	132	5.57	0.111	4	113	1.49	15	0.231	10	2.48	0.124	0.10	<0.1	<0.01	4.1	<0.1	0.24	8	<0.5	<0.2
98892	317.00	319.00	2.00				Drill Core	3.37	0.005	0.7	92.5	3.3	58	<0.1	97.9	24.6	571	4.31	3.3	2.9	0.5	95	<0.1	0.2	<0.1	127	5.07	0.104	4	116	1.84	14	0.231	8	2.39	0.143	0.10	<0.1	<0.01	4.1	<0.1	0.82	8	<0.5	<0.2
98890	317.00			Prep Dup	98892	98892	Drill Core		0.009	0.9	98.2	3.9	62	<0.1	98.1	25.7	581	4.53	3.2	1.1	0.7	105	<0.1	0.2	<0.1	135	5.27	0.109	5	110	1.95	16	0.248	9	2.56	0.152	0.11	0.1	<0.01	4.3	<0.1	0.84	9	<0.5	<0.2
98893	319.00	321.00	2.00				Drill Core	4.84	0.007	0.6	98.0	3.3	55	<0.1	94.7	23.4	555	4.04	2.0	1.0	0.6	119	<0.1	0.1	<0.1	124	5.69	0.113	4	113	1.82	14	0.223	9	2.82	0.130	0.09	0.1	<0.01	3.3	<0.1	0.34	9	<0.5	<0.2
98894	321.00	323.00	2.00				Drill Core	4.36	0.007	0.7	100.3	3.3	58	<0.1	97.0	24.3	639	3.97	0.8	2.7	0.7	116	<0.1	<0.1	<0.1	134	4.33	0.118	5	117	1.77	23	0.243	6	2.53	0.161	0.15	<0.1	<0.01	4.1	<0.1	0.07	8	<0.5	<0.2
98895	323.00	325.00	2.00				Drill Core	4.07	0.007	0.6	98.7	4.0	57	<0.1	98.9	24.1	615	4.06	2.1	3.1	0.6	127	<0.1	0.2	<0.1	133	5.31	0.116	5	118	1.67	18	0.241	9	2.59	0.152	0.11	<0.1	<0.01	4.1	<0.1	0.32	8	<0.5	<0.2
98896	325.00	327.00	2.00				Drill Core	4.42	0.007	0.6	102.4	3.7	60	<0.1	103.5	25.6	632	4.38	1.9	1.7	0.7	128	<0.1	<0.1	<0.1	141	3.37	0.115	5	130	2.01	27	0.250	7	2.58	0.215	0.17	<0.1	<0.01	5.2	<0.1	0.25	7	<0.5	<0.2
98897	327.00	329.00	2.00				Drill Core	4.38	0.008	0.6	95.0	3.8	54	<0.1	89.7	22.9	584	4.03	1.7	2.7	0.6	94	<0.1	<0.1	<0.1	136	6.01	0.111	5	111	1.70	13	0.221	10	3.16	0.119	0.09	<0.1	<0.01	4.1	<0.1	0.26	10	<0.5	<0.2
98898	329.00	331.00	2.00				Drill Core	4.26	0.012	0.8	94.7	3.5	53	<0.1	99.8	23.3	568	4.01	2.4	1.4	0.6	71	<0.1	<0.1	<0.1	141	4.36	0.110	5	118	1.88	10	0.250	9	2.51	0.112	0.08	<0.1	<0.01	3.7	<0.1	0.49	8	<0.5	<0.2
98899	331.00	333.00	2.00				Drill Core	4.59	0.008	0.6	89.8	4.1	52	<0.1	96.3	24.9	516	4.00	4.1	<0.5	0.6	100	<0.1	0.2	<0.1	133	4.29	0.101	4	114	1.80	16	0.242	4	2.34	0.199	0.11	0.2	<0.01	4.0	<0.1	0.75	8	<0.5	<0.2
98901	333.00	335.00	2.00				Drill Core	4.34	0.011	0.7	77.5	4.2	51	<0.1	89.6	23.0	563	3.88	4.4	<0.5	0.6	82	<0.1	0.2	<0.1	142	5.26	0.111	4	113	1.69	13	0.259	7	2.22	0.101	0.11	<0.1	<0.01	4.8	<0.1	0.84	8	<0.5	<0.2
98900	333.00			Standard		BL-9	Rock Pulp	0.11	0.010	3.1	22.6	2.4	33	0.5	18.6	9.1	301	1.94	3.3	<0.5	1.0	30	0.2	0.3	<0.1	47	0.67	0.046	5	22	0.50	89	0.101	2	1.09	0.063	0.08	18.4	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
98902	335.00	337.00	2.00				Drill Core	4.31	0.011	0.6	104.7	3.1	52	<0.1	98.0	23.1	553	3.87	1.2	1.0	0.6	80	<0.1	<0.1	<0.1	132	4.31	0.098	5	113	1.75	14	0.241	9	2.60	0.115	0.11	0.1	<0.01	4.0	<0.1	0.24	8	<0.5	<0.2
98903	337.00	339.00	2.00				Drill Core	4.38	0.007	0.5	77.0	3.6	51	<0.1	80.6	18.7	510	3.35	1.7	1.0	0.5	78	<0.1	<0.1	<0.1	130	6.65	0.107	4	108	1.43	10	0.233	8	2.34	0.078	0.09	<0.1	<0.01	3.5	<0.1	0.35	9	<0.5	<0.2
98904	339.00	341.00	2.00				Drill Core	4.61	0.009	0.7	108.3	3.6	52	<0.1	97.5	21.9	494	3.54	0.7	0.8	0.5	89	<0.1	<0.1	<0.1	127	4.75	0.108	4	111	1.52	13	0.221	8	2.67	0.110	0.10	0.2	<0.01	3.3	<0.1	0.14	9	<0.5	<0.2
98906	341.00	343.00	2.00				Drill Core	4.62	0.009	0.5	76.8	3.6	52	<0.1	82.0	19.5	541	3.43	1.7	1.1	0.5	127	<0.1	<0.1	<0.1	142	5.24	0.115	4	115	1.30	18	0.243	7	2.23	0.179	0.12	0.1	<0.01	3.7	<0.1	0.47	7	<0.5	<0.2
98905	341.00			Blank			Rock	2.68	0.008	0.3	90.5	2.3	48	<0.1	79.2	25.3	677	3.30	1.0	<0.5	0.4	125	<0.1	<0.1	<0.1	132	7.25	0.084	4	42	0.82	16	0.218	12	3.37	1.012	0.15	<0.1	<0.01	4.4	<0.1	0.08	7	<0.5	<0.2
98907	343.00	345.00	2.00				Drill Core	4.62	0.008	0.6	100.8	3.3	54	<0.1	93.1	23.1	540	3.76	1.4	<0.5	0.5	124	<0.1	<0.1	<0.1	138	4.20	0.104	4	117	1.54	19	0.237	7	2.33	0.222	0.13	0.2	<0.01	3.8	<0.1	0.38	8	<0.5	<0.2
98911	343.00			Field Dup	98907		Drill Core	4.87	0.011	0.5	96.7	3.4	54	<0.1	87.7	21.6	525	3.66	1.5	0.8	0.6	121	<0.1	<0.1	<0.1	136	4.15	0.107	4	115	1.52	20	0.238	6	2.33	0.252	0.13	0.2	<0.01	3.9	<0.1	0.36	7	<0.5	<0.2
98908	345.00	347.00	2.00				Drill Core	4.61	0.010	0.9	117.9	4.2	55	<0.1	92.2	24.3	489	3.92	2.7	0.6	0.5	91	<0.1	<0.1	<0.1	141	4.24	0.100	4	111	1.91	14	0.257	10	2.64	0.145	0.11	<0.1	<0.01	4.1	<0.1	0.61	9	<0.5	<0.2
98909	347.00	349.00	2.00				Drill Core	4.47	0.009	0.5	100.4	3.0	55	<0.1	93.4	22.4	491	3.81	0.7	<0.5	0.6	110	<0.1	<0.1	<0.1	137	3.51	0.100	4	113	1.79	16	0.249	8	2.38	0.135	0.14	0.2	<0.01	3.8	<0.1	0.17	7	<0.5	<0.2
98912	349.00	351.00	2.00				Drill Core	4.04	0.009	0.4	72.3	3.6	53	<0.1	86.9	20.9	619	3.69	1.1	2.1	0.6	156	<0.1	<0.1	<0.1	144	5.37	0.121	5	120	1.27	20	0.254	11	2.23	0.143	0.13	<0.1	<0.01	4.3	<0.1	0.34	7	<0.5	<0.2
98910	349.00			Prep Dup	98912	98912	Drill Core		0.010	0.4	72.8	3.4	52	<0.1	87.2	20.8	619	3.59	1.3	<0.5	0.6	149	<0.1	<0.1	<0.1	144	5.51	0.122	5	119	1.24	21	0.253	10	2.21	0.134	0.13	<0.1	<0.01	4.2	<0.1	0.28	7	<0.5	<0.2
98913	351.00	353.00	2.00				Drill Core	4.64	0.008	0.4	95.4	3.7	51	<0.1	93.5	22.3	579	3.74	1.8	1.8	0.6	101	<0.1	0.1	<0.1	136	5.01	0.106	5	116	1.61	21	0.252	7	2.52	0.131	0.15	<0.1	<0.01	4.9	<0.1	0.78	8	<0.5	<0.2
98914	353.00	355.00	2.00				Drill Core	4.50	0.011	0.6	96.9	3.1	55	<0.1	97.0	23.8	641	3.98	1.3	<0.5	0.6	92	<0.1	<0.1	<0.1	138	4.67	0.112	5	119	1.69	17	0.252	7	2.40	0.108	0.13	<0.1	<0.01	4.9	<0.1	0.48	8	<0.5	<0.2
98915	355.00	357.00	2.00				Drill Core	4.59	0.011	0.6	109.2	4.5	56	<0.1	105.4	24.3	630	4.07	1.6	1.1	0.6	91	<0.1	<0.1	<0.1	140	4.16	0.109	5	122	1.90	13	0.253	8	2.72	0.104	0.10	<0.1	<0.01	4.5	<0.1	0.28	9	<0.5	<0.2
98916	357.00	359.00	2.00				Drill Core	4.50	0.011	0.6	103.2	3.8	53	<0.1	96.3	22.5	584	3.81	1.3	2.3	0.6	215	<0.1	<0.1	<0.1	140	5.02	0.118	5	120	1.45	15	0.256	12	2.68	0.129	0.11	<0.1	<0.01	4.0	<0.1	0.39	9	<0.5	<0.2
98917	359.00	361.00	2.00				Drill Core	4.51	0.011	0.5	122.6	4.0	56	<0.1	102.2	26.4	566	4.24	2.1	<0.5	0.6	145	<0.1	<0.1	<0.1	137	3.37	0.097	4	117	2.19	18	0.268	10	2.57	0.171	0.13	<0.1	<0.01	4.7	<0.1	0.69	8	<0.5	<0.2

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF																																						
98918	361.00	363.00	2.00				Drill Core	4.13	0.009	0.7	185.7	4.0	59	<0.1	109.9	31.3	643	4.44	2.1	<0.5	0.6	155	<0.1	<0.1	<0.1	144	3.42	0.093	5	120	2.46	19	0.262	11	3.09	0.225	0.12	<0.1	<0.01	5.2	<0.1	0.45	9	<0.5	<0.2
98919	363.00	365.00	2.00				Drill Core	3.42	0.009	0.9	123.6	3.3	56	0.5	107.0	25.0	690	4.35	0.5	0.8	0.6	96	<0.1	<0.1	<0.1	141	2.68	0.115	5	122	2.70	17	0.241	12	3.21	0.194	0.10	0.7	<0.01	3.8	<0.1	<0.05	9	<0.5	<0.2
98921	365.00	367.00	2.00				Drill Core	4.53	0.010	0.8	124.4	3.1	58	<0.1	109.1	24.9	730	4.45	<0.5	1.2	0.6	144	<0.1	<0.1	<0.1	149	2.08	0.114	5	125	2.84	17	0.260	14	2.88	0.137	0.12	0.1	<0.01	4.5	<0.1	<0.05	9	<0.5	<0.2
98920	**365.00**			**Standard**		**CGS-29**	**Rock Pulp**	**0.11**	**0.215**	**10.6**	**5660.8**	**5.7**	**91**	**1.9**	**12.0**	**8.2**	**657**	**4.57**	**2.5**	**218.7**	**4.1**	**71**	**0.4**	**0.3**	**0.7**	**64**	**1.15**	**0.074**	**12**	**17**	**0.64**	**188**	**0.080**	**2**	**1.04**	**0.064**	**0.43**	**0.2**	**0.11**	**4.2**	**0.1**	**0.33**	**7**	**3.9**	**0.5**
98922	367.00	369.00	2.00				Drill Core	4.50	0.011	0.8	121.2	3.2	58	<0.1	109.6	25.0	727	4.40	0.5	1.9	0.6	103	<0.1	<0.1	<0.1	149	2.71	0.120	5	126	2.93	11	0.259	10	3.07	0.106	0.09	0.1	<0.01	3.6	<0.1	0.06	10	<0.5	<0.2
98923	369.00	371.00	2.00				Drill Core	4.68	0.009	0.8	115.4	2.5	57	<0.1	105.2	23.0	594	3.98	0.9	1.5	0.6	101	<0.1	<0.1	<0.1	138	4.09	0.103	5	122	2.18	14	0.260	10	2.91	0.116	0.09	<0.1	<0.01	4.3	<0.1	0.12	10	<0.5	<0.2
98924	371.00	373.00	2.00				Drill Core	3.90	0.012	0.6	107.7	3.2	55	<0.1	105.0	23.4	542	4.06	0.8	2.3	0.5	168	<0.1	<0.1	<0.1	145	3.19	0.099	4	117	2.26	25	0.263	9	2.53	0.202	0.13	<0.1	<0.01	5.3	<0.1	0.19	8	<0.5	<0.2
98931	**371.00**			**Field Dup**	**98924**		**Drill Core**	**4.28**	**0.010**	**0.5**	**105.1**	**3.2**	**55**	**<0.1**	**98.4**	**22.6**	**530**	**3.83**	**0.5**	**2.8**	**0.6**	**165**	**<0.1**	**<0.1**	**<0.1**	**144**	**2.97**	**0.098**	**4**	**109**	**2.20**	**23**	**0.245**	**14**	**2.40**	**0.190**	**0.12**	**<0.1**	**<0.01**	**4.5**	**<0.1**	**0.18**	**8**	**<0.5**	**<0.2**
98926	373.00	375.00	2.00				Drill Core	4.07	0.010	0.8	112.5	3.0	56	<0.1	104.5	24.6	649	4.14	1.6	<0.5	0.6	155	<0.1	<0.1	<0.1	140	4.08	0.114	5	125	2.07	16	0.259	9	2.76	0.219	0.09	<0.1	0.03	5.3	<0.1	0.35	8	<0.5	<0.2
98925	**373.00**			**Blank**			**Rock**	**2.48**	**0.010**	**0.3**	**94.3**	**2.0**	**51**	**<0.1**	**85.7**	**25.5**	**668**	**3.47**	**1.3**	**<0.5**	**0.5**	**131**	**<0.1**	**<0.1**	**<0.1**	**139**	**7.11**	**0.090**	**4**	**49**	**0.88**	**19**	**0.232**	**12**	**3.51**	**0.988**	**0.18**	**<0.1**	**0.01**	**4.7**	**<0.1**	**0.08**	**8**	**<0.5**	**<0.2**
98927	375.00	377.00	2.00				Drill Core	4.84	0.009	0.7	101.7	3.5	54	<0.1	92.3	21.5	661	3.84	1.3	0.9	0.6	115	<0.1	<0.1	<0.1	146	4.96	0.113	5	123	1.72	19	0.262	9	2.45	0.115	0.11	<0.1	0.05	5.6	<0.1	0.43	8	<0.5	<0.2
98928	377.00	379.00	2.00				Drill Core	4.22	0.009	0.7	93.3	3.4	52	<0.1	84.6	20.9	594	3.70	1.5	1.4	0.6	114	<0.1	<0.1	<0.1	145	6.74	0.113	5	116	1.54	12	0.255	10	3.28	0.095	0.08	<0.1	0.03	5.8	<0.1	0.40	12	<0.5	<0.2
98929	379.00	381.00	2.00				Drill Core	4.54	0.009	0.8	114.9	3.1	58	<0.1	138.5	27.5	753	4.30	1.4	0.8	0.6	134	<0.1	<0.1	<0.1	149	3.80	0.109	5	156	2.74	18	0.247	12	2.57	0.130	0.10	0.1	0.05	5.9	<0.1	0.18	9	<0.5	<0.2
98932	381.00	383.00	2.00				Drill Core	4.49	0.008	0.6	75.5	5.4	53	0.2	306.1	38.8	717	4.02	1.3	<0.5	0.7	274	<0.1	<0.1	<0.1	137	2.80	0.091	4	276	5.38	22	0.140	22	2.32	0.221	0.10	0.2	0.08	6.3	<0.1	0.12	6	<0.5	<0.2
98930	**381.00**			**Prep Dup**	**98932**	**98932**	**Drill Core**		**0.009**	**0.7**	**77.5**	**4.4**	**54**	**0.1**	**321.5**	**40.9**	**765**	**4.38**	**1.1**	**<0.5**	**0.7**	**282**	**<0.1**	**<0.1**	**<0.1**	**142**	**2.85**	**0.090**	**4**	**316**	**5.87**	**25**	**0.140**	**19**	**2.43**	**0.240**	**0.13**	**0.1**	**0.07**	**7.2**	**<0.1**	**0.08**	**6**	**<0.5**	**<0.2**
98933	383.00	385.00	2.00				Drill Core	4.57	0.009	0.5	92.3	3.4	51	<0.1	261.2	37.2	679	3.88	0.6	0.8	0.4	237	<0.1	<0.1	<0.1	137	2.05	0.084	2	234	5.15	20	0.113	13	2.23	0.269	0.11	0.2	<0.01	6.3	<0.1	<0.05	5	<0.5	<0.2
98934	385.00	387.00	2.00				Drill Core	4.17	0.007	0.5	68.0	3.9	48	<0.1	251.6	35.6	647	3.72	0.5	0.9	0.3	234	<0.1	<0.1	<0.1	129	2.21	0.083	2	229	4.84	21	0.108	16	2.12	0.256	0.09	0.1	0.03	5.9	<0.1	<0.05	5	<0.5	<0.2
98935	387.00	389.00	2.00				Drill Core	4.24	0.007	0.5	62.8	4.6	48	<0.1	327.5	38.4	632	3.90	0.9	<0.5	1.4	274	<0.1	<0.1	<0.1	131	2.27	0.089	5	225	5.54	82	0.140	14	2.39	0.297	0.22	0.1	0.03	7.5	<0.1	0.05	6	<0.5	<0.2
98936	389.00	391.00	2.00				Drill Core	4.17	0.007	0.5	63.1	5.1	47	0.2	294.4	37.4	630	3.79	1.0	1.3	0.7	266	<0.1	<0.1	<0.1	128	2.36	0.081	3	224	5.51	46	0.122	14	2.26	0.225	0.14	0.2	0.03	6.9	<0.1	<0.05	5	<0.5	<0.2
98937	391.00	393.00	2.00				Drill Core	3.49	0.008	0.5	80.5	3.5	47	<0.1	319.1	40.4	776	3.97	<0.5	1.4	0.3	284	<0.1	<0.1	<0.1	140	2.59	0.080	2	276	6.02	17	0.116	23	2.49	0.211	0.07	<0.1	<0.01	7.6	<0.1	<0.05	5	<0.5	<0.2
98938	393.00	395.00	2.00				Drill Core	3.09	0.007	0.4	73.8	4.5	47	<0.1	310.9	39.2	758	4.09	0.6	<0.5	0.4	300	<0.1	<0.1	<0.1	142	3.28	0.083	2	300	5.71	18	0.121	24	2.47	0.234	0.08	<0.1	<0.01	8.1	<0.1	<0.05	5	<0.5	<0.2
98939	395.00	397.00	2.00				Drill Core	1.57	0.007	0.4	66.8	3.4	49	<0.1	300.0	38.1	692	3.95	0.7	<0.5	0.3	276	<0.1	<0.1	<0.1	150	2.37	0.084	2	214	5.04	29	0.115	20	2.73	0.652	0.17	0.1	<0.01	7.7	<0.1	<0.05	5	<0.5	<0.2
98941	397.00	399.00	2.00				Drill Core	1.44	0.009	0.4	89.6	3.7	49	<0.1	303.4	40.2	710	4.04	0.6	2.5	0.3	290	<0.1	<0.1	<0.1	155	2.61	0.087	2	189	5.44	20	0.118	20	2.78	0.568	0.17	<0.1	<0.01	8.4	<0.1	<0.05	5	<0.5	<0.2
98940	**397.00**			**Standard**		**CM-11A**	**Rock Pulp**	**0.11**	**1.119**	**338.7**	**3279.4**	**25.2**	**51**	**1.9**	**28.0**	**7.8**	**404**	**2.96**	**12.8**	**832.9**	**1.2**	**30**	**0.3**	**3.3**	**0.6**	**49**	**0.62**	**0.047**	**5**	**29**	**0.52**	**119**	**0.102**	**3**	**1.13**	**0.077**	**0.10**	**0.9**	**0.10**	**4.0**	**<0.1**	**0.38**	**4**	**1.1**	**<0.2**
98942	399.00	401.00	2.00				Drill Core	4.89	0.008	0.4	92.2	3.8	47	<0.1	299.2	40.4	739	4.01	<0.5	2.3	0.3	283	<0.1	<0.1	<0.1	138	2.62	0.081	2	212	5.59	18	0.114	35	2.63	0.463	0.13	0.1	<0.01	8.2	<0.1	<0.05	5	<0.5	<0.2
98943	401.00	403.00	2.00				Drill Core	4.23	0.010	0.3	63.3	3.8	46	<0.1	275.9	38.3	723	3.88	0.8	1.8	0.3	263	<0.1	<0.1	<0.1	134	2.46	0.076	2	219	5.32	19	0.111	24	2.40	0.366	0.10	<0.1	<0.01	7.9	<0.1	<0.05	5	<0.5	<0.2
98944	403.00	405.00	2.00				Drill Core	3.55	0.009	0.4	80.0	3.6	47	<0.1	281.7	38.8	714	3.91	0.9	1.6	0.3	267	<0.1	<0.1	<0.1	132	2.29	0.078	2	209	5.37	33	0.110	18	2.54	0.473	0.12	<0.1	<0.01	7.3	<0.1	<0.05	5	<0.5	<0.2
98946	405.00	407.00	2.00				Drill Core	3.69	0.007	0.4	85.6	3.9	49	<0.1	245.6	35.8	712	4.02	0.6	<0.5	0.4	224	<0.1	<0.1	<0.1	147	1.93	0.100	2	270	4.70	36	0.120	15	2.33	0.461	0.14	<0.1	<0.01	5.8	<0.1	<0.05	5	<0.5	<0.2
98945	**405.00**			**Blank**			**Rock**	**2.70**	**0.009**	**0.3**	**84.9**	**2.2**	**50**	**<0.1**	**82.5**	**25.5**	**677**	**3.35**	**0.9**	**0.5**	**0.5**	**136**	**<0.1**	**<0.1**	**<0.1**	**135**	**6.43**	**0.086**	**4**	**44**	**0.90**	**21**	**0.219**	**14**	**3.41**	**0.989**	**0.19**	**<0.1**	**<0.01**	**4.6**	**<0.1**	**0.07**	**8**	**<0.5**	**<0.2**
98947	407.00	409.00	2.00				Drill Core	4.37	0.008	0.6	85.8	4.1	45	<0.1	272.3	36.2	695	3.92	0.5	<0.5	0.4	244	<0.1	<0.1	<0.1	145	2.23	0.091	2	228	4.80	37	0.112	31	2.63	0.666	0.18	0.1	<0.01	6.0	<0.1	<0.05	5	<0.5	<0.2
98948	409.00	411.00	2.00				Drill Core	3.06	0.007	0.6	129.6	4.6	49	<0.1	272.6	36.3	712	4.00	0.8	0.7	0.4	264	<0.1	<0.1	<0.1	155	2.56	0.088	2	224	4.92	26	0.121	19	2.76	0.769	0.19	0.1	<0.01	6.4	<0.1	<0.05	5	<0.5	<0.2
98949	411.00	412.20	1.20				Drill Core	1.91	0.007	0.8	87.5	5.3	47	<0.1	235.1	35.9	697	3.97	0.9	<0.5	0.4	229	<0.1	<0.1	<0.1	137	2.67	0.097	2	240	4.82	32	0.113	15	2.58	0.537	0.12	0.1	<0.01	6.1	<0.1	<0.05	5	<0.5	<0.2
98950	**412.20**	**413.70**	**1.50**	**EOH**			**Drill Core**	**2.88**	**0.007**	**0.6**	**81.6**	**3.9**	**48**	**<0.1**	**250.2**	**35.4**	**683**	**3.97**	**0.8**	**<0.5**	**0.4**	**243**	**<0.1**	**<0.1**	**<0.1**	**137**	**2.25**	**0.092**	**2**	**228**	**4.81**	**42**	**0.113**	**17**	**2.54**	**0.588**	**0.17**	**0.1**	**<0.01**	**6.4**	**<0.1**	**<0.05**	**5**	**<0.5**	**<0.2**

Table 4. Samples and assays from CT-2011-012

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																																							
11501	32.35	34.35	2.00				Drill Core	3.01	<0.005	2	60	5	131	0	17	25	1740	6	4	4	1	148	0	0	<0.1	222	5	0	6	39	2	34	0	<1	3	0	0	0	0	18	<0.1	0	10	<0.5	<0.2
11502	34.35	36.35	2.00				Drill Core	2.28	0	1	157	11	323	2	20	31	2030	7	5	328	1	156	2	0	0	223	4	0	5	57	3	113	0	<1	3	0	0	0	0	22	<0.1	1	11	<0.5	0
11503	36.35	38.35	2.00				Drill Core	3.58	<0.005	0	82	2	91	0	20	27	1708	6	2	<0.5	1	122	<0.1	<0.1	<0.1	226	4	0	5	54	3	33	0	<1	3	0	0	1	0	19	<0.1	0	10	<0.5	<0.2
11497	**38.35**			**Prep Dup**		**11504**	**Drill Core**		**<0.005**	**2**	**101**	**7**	**102**	**0**	**11**	**28**	**1692**	**5**	**1**	**4**	**1**	**136**	**1**	**<0.1**	**<0.1**	**199**	**5**	**0**	**7**	**30**	**2**	**36**	**0**	**<1**	**3**	**0**	**0**	**0**	**<0.01**	**13**	**<0.1**	**0**	**11**	**<0.5**	**<0.2**
11504	38.35	40.35	2.00				Drill Core	3.25	<0.005	2	98	7	98	0	12	27	1632	5	1	5	1	132	1	<0.1	<0.1	191	5	0	7	27	2	35	0	<1	3	0	0	0	0	13	<0.1	0	10	1	<0.2
11505	40.35	42.35	2.00				Drill Core	3.54	<0.005	0	55	2	88	<0.1	16	26	1637	6	1	6	1	106	<0.1	<0.1	<0.1	204	4	0	5	42	3	33	0	<1	3	0	0	0	<0.01	16	<0.1	0	10	1	<0.2
11506	42.35	44.35	2.00				Drill Core	3.99	<0.005	0	20	2	76	<0.1	15	25	1065	5	1	5	1	357	<0.1	<0.1	<0.1	170	2	0	4	24	2	20	0	<1	2	0	0	0	<0.01	9	<0.1	<0.05	8	<0.5	<0.2
11507	44.35	46.35	2.00				Drill Core	3.15	<0.005	0	7	2	82	<0.1	15	27	1102	5	1	5	1	344	<0.1	0	<0.1	176	2	0	4	25	2	20	0	<1	2	0	0	0	<0.01	9	<0.1	<0.05	8	1	<0.2
11508	46.35	48.35	2.00				Drill Core	3.40	<0.005	0	9	2	91	<0.1	15	26	1468	6	1	4	1	234	<0.1	<0.1	<0.1	190	3	0	5	28	3	25	0	<1	2	0	0	0	<0.01	12	<0.1	0	9	<0.5	<0.2
11509	48.35	50.35	2.00				Drill Core	3.71	0.023	1	317	3	103	1	15	31	1927	6	3	16	1	210	<0.1	<0.1	0	201	4	0	5	31	3	34	0	<1	3	0	0	0	0	15	<0.1	1	9	<0.5	1
11510	**48.35**			**Standard**	**cgs-29**		**Rock Pulp**	**0.11**	0.23	**12**	**5811**	**6**	**94**	**2**	**11**	**8**	**652**	**5**	**2**	**234**	**4**	**74**	**0**	**0**	**1**	**65**	**1**	**0**	**12**	**18**	**1**	**183**	**0**	**2**	**1**	**0**	**0**	**0**	**0**	**5**	**0**	**0**	**7**	**4**	**0**
11511	50.35	52.35	2.00				Drill Core	3.83	0.008	0	89	2	88	0	12	27	1673	6	1	1	1	203	<0.1	<0.1	<0.1	181	4	0	4	23	3	26	0	<1	3	0	0	0	<0.01	12	<0.1	0	9	<0.5	<0.2
11512	52.35	54.35	2.00				Drill Core	3.48	0.044	0	49	5	123	1	14	32	1815	7	6	37	1	248	0	<0.1	<0.1	208	4	0	5	27	3	46	0	<1	3	0	0	0	0	15	<0.1	1	10	<0.5	1
11498	**54.35**			**Field Dup**	**CGS-26**	**11513**	**Drill Core**	**4.94**	<0.005	**0**	**83**	**2**	**73**	**0**	**13**	**20**	**1432**	**6**	**<0.5**	**<0.5**	**1**	**232**	**<0.1**	**0**	**<0.1**	**187**	**3**	**0**	**4**	**20**	**2**	**22**	**0**	**<1**	**2**	**0**	**0**	**0**	**<0.01**	**11**	**<0.1**	**0**	**9**	**<0.5**	**<0.2**
11513	54.35	56.35	2.00				Drill Core	3.85	0.046	0	92	2	73	0	13	22	1398	6	1	2	0	234	<0.1	<0.1	<0.1	181	3	0	4	20	2	23	0	<1	2	0	0	0	<0.01	11	<0.1	0	8	<0.5	<0.2
11514	56.35	58.35	2.00				Drill Core	3.58	0.046	0	50	4	109	1	14	31	1671	7	4	33	1	249	0	0	<0.1	218	3	0	5	26	3	28	0	<1	3	0	0	0	<0.01	16	<0.1	1	10	<0.5	1
11515	**56.35**			**Blank**			**Rock**	**2.97**	<0.005	**0**	**103**	**2**	**52**	**<0.1**	**86**	**27**	**742**	**4**	**1**	**5**	**1**	**154**	**<0.1**	**<0.1**	**<0.1**	**146**	**8**	**0**	**4**	**49**	**1**	**17**	**0**	**11**	**4**	**1**	**0**	**<0.1**	**<0.01**	**5**	**<0.1**	**0**	**8**	**1**	**<0.2**
11516	58.35	60.35	2.00				Drill Core	2.91	0.017	0	84	2	87	0	14	25	1472	6	1	4	1	292	<0.1	<0.1	<0.1	197	2	0	5	22	3	23	0	2	3	0	0	0	<0.01	13	<0.1	0	9	<0.5	<0.2
11517	60.35	62.35	2.00				Drill Core	3.67	0.015	0	75	2	74	0	14	22	1226	5	1	6	1	291	<0.1	0	<0.1	179	2	0	5	19	2	32	0	1	2	0	0	0	<0.01	12	<0.1	<0.05	10	<0.5	<0.2
11518	62.35	64.35	2.00				Drill Core	4.00	0.015	1	83	3	125	0	13	29	1723	6	7	3	1	227	1	0	<0.1	180	3	0	5	22	2	33	0	<1	2	0	0	0	0	14	<0.1	0	9	1	<0.2
11519	64.35	66.35	2.00				Drill Core	2.66	0.014	1	131	2	61	1	11	21	2222	5	4	2	1	110	<0.1	<0.1	0	146	5	0	10	18	2	26	0	<1	3	0	0	0	<0.01	10	<0.1	0	9	<0.5	<0.2
11519A	**64.35**			**Field Dup**	**cgs-29**	**11519**																																							
11521	66.35	68.35	2.00				Drill Core	2.32	0.01	1	151	3	81	1	11	23	2440	7	8	1	1	102	<0.1	<0.1	0	206	4	0	9	19	3	19	0	<1	3	0	0	1	<0.01	13	<0.1	0	10	<0.5	<0.2
11522	68.35	70.35	2.00				Drill Core	1.60	0.19	1	1042	12	94	8	11	32	2482	9	50	191	1	80	0	0	2	168	3	0	9	18	2	29	0	<1	3	0	0	1	0	10	<0.1	3	11	1	1
11523	70.35	72.35	2.00				Drill Core	3.72	0.015	0	135	3	89	1	14	31	2048	6	3	8	1	148	<0.1	<0.1	0	182	4	0	5	24	3	30	0	<1	3	0	0	3	<0.01	13	<0.1	0	10	<0.5	<0.2
11499	**72.35**			**Prep Dup**	**cm-11a**	**11524**	**Drill Core**		0.018	**1**	**114**	**5**	**135**	**1**	**18**	**30**	**2012**	**6**	**7**	**8**	**1**	**130**	**0**	**0**	**0**	**199**	**4**	**0**	**5**	**38**	**3**	**27**	**0**	**4**	**2**	**0**	**0**	**1**	**0**	**17**	**<0.1**	**0**	**9**	**1**	**<0.2**
11524	72.35	74.35	2.00				Drill Core	4.44	0.017	1	105	4	109	1	18	32	2104	6	6	3	1	147	0	0	0	215	4	0	6	39	3	29	0	<1	3	0	0	1	<0.01	18	<0.1	0	9	<0.5	0
11525	74.35	76.35	2.00				Drill Core	3.63	0.026	1	109	9	136	1	20	37	2075	6	4	15	1	174	0	0	<0.1	206	5	0	5	50	3	24	0	<1	2	0	0	0	0	19	<0.1	0	8	1	1
11526	76.35	78.35	2.00				Drill Core	4.04	0.031	1	83	4	87	1	21	37	2251	7	5	13	1	146	<0.1	0	<0.1	234	5	0	7	57	3	34	0	<1	3	0	0	1	<0.01	25	<0.1	0	9	1	0
11527	78.35	80.35	2.00				Drill Core	3.40	0.049	2	81	28	154	1	16	27	2183	7	15	33	1	114	1	0	<0.1	255	5	0	6	30	3	61	0	<1	3	0	0	0	0	23	<0.1	1	10	<0.5	<0.2
11528	80.35	82.35	2.00				Drill Core	3.71	0.013	1	107	3	75	0	19	27	2093	7	4	1	1	125	<0.1	<0.1	<0.1	263	5	0	6	48	3	48	0	<1	3	0	0	0	<0.01	25	<0.1	0	10	<0.5	<0.2
11529	82.35	84.35	2.00				Drill Core	5.93	0.019	1	101	6	94	1	23	28	2046	7	5	4	1	161	<0.1	0	<0.1	221	6	0	6	66	3	35	0	<1	3	0	0	0	<0.01	20	<0.1	0	9	<0.5	<0.2
11530	**82.35**			**Standard**	**CGS-29**		**Rock Pulp**	**0.11**	1.719	**83**	**>10000**	**685**	**1710**	**9**	**100**	**14**	**535**	**5**	**320**	**1464**	**2**	**40**	**9**	**42**	**3**	**53**	**1**	**0**	**8**	**53**	**1**	**44**	**0**	**39**	**1**	**0**	**0**	**35**	**1**	**5**	**1**	**2**	**5**	**4**	**1**
11531	84.35	86.35	2.00				Drill Core	4.63	0.01	0	60	3	83	<0.1	25	33	1868	6	1	2	1	140	<0.1	<0.1	<0.1	209	7	0	5	74	3	22	0	5	2	0	0	0	<0.01	21	<0.1	0	8	1	<0.2
11532	86.35	88.35	2.00				Drill Core	4.60	0.013	0	90	3	96	0	24	30	1730	5	2	5	1	171	0	<0.1	<0.1	192	6	0	5	65	3	18	0	3	2	0	0	0	0	18	<0.1	0	7	<0.5	<0.2
11533	88.35	90.35	2.00				Drill Core	3.97	0.01	0	71	3	77	0	26	25	1780	5	1	3	1	212	<0.1	<0.1	<0.1	181	6	0	6	69	3	12	0	3	2	0	0	0	<0.01	19	<0.1	<0.05	8	1	<0.2
11651	**88.35**			**Field Dup**	**BL-9**	**11533**	**Drill Core**	**3.83**	0.008	**0**	**69**	**3**	**76**	**0**	**25**	**24**	**1797**	**5**	**1**	**1**	**1**	**211**	**<0.1**	**<0.1**	**<0.1**	**181**	**6**	**0**	**5**	**69**	**3**	**14**	**0**	**2**	**2**	**0**	**0**	**0**	**0**	**19**	**<0.1**	**<0.05**	**7**	**1**	**<0.2**
11534	90.35	92.35	2.00				Drill Core	1.82	0.025	0	73	10	85	0	26	30	2180	6	14	12	1	121	0	0	<0.1	213	7	0	7	71	3	18	0	2	2	0	0	0	0	22	<0.1	0	9	1	<0.2
11535	**90.35**			**Blank**			**Rock**	**3.12**	0.011	**0**	**105**	**2**	**52**	**<0.1**	**83**	**26**	**747**	**3**	**1**	**2**	**1**	**121**	**<0.1**	**<0.1**	**<0.1**	**142**	**8**	**0**	**4**	**51**	**1**	**15**	**0**	**15**	**3**	**1**	**0**	**<0.1**	**0**	**5**	**<0.1**	**0**	**8**	**1**	**<0.2**
11536	92.35	94.35	2.00				Drill Core	2.18	0.084	0	75	38	98	1	24	24	2304	6	17	60	1	129	0	0	<0.1	209	8	0	8	68	3	89	0	3	2	0	0	0	0	21	<0.1	1	9	<0.5	<0.2
11537	94.35	96.35	2.00				Drill Core	3.73	0.032	1	42	10	70	0	25	29	2661	6	21	28	1	109	<0.1	0	0	225	8	0	8	72	2	21	0	4	2	0	0	0	0	23	<0.1	1	9	1	<0.2
11538	96.35	98.35	2.00				Drill Core	3.80	0.018	1	67	3	71	0	19	22	1810	6	7	12	1	100	<0.1	<0.1	<0.1	222	6	0	6	40	3	27	0	4	2	0	0	0	<0.01	21	<0.1	0	9	<0.5	<0.2
11539	98.35	100.35	2.00				Drill Core	4.44	0.017	1	78	4	81	0	22	47	1600	5	2	6	1	120	<0.1	<0.1	0	185	7	0	6	53	2	21	0	2	2	0	0	0	0	17	<0.1	0	8	<0.5	<0.2
11539A	**98.35**			**Field Dup**	**cgs-26**	**11539**																																							
11541	100.35	102.35	2.00				Drill Core	4.22	0.011	0	95	3	76	0	17	25	1312	5	5	7	1	127	0	<0.1	<0.1	175	7	0	6	44	2	22	0	3	2	0	0	0	0	15	<0.1	0	7	1	<0.2
11542	102.35	104.35	2.00				Drill Core	3.28	0.013	1	79	3	46	0	4	12	992	4	11	5	1	78	<0.1	<0.1	<0.1	155	3	0	9	6	1	25	0	4	1	0	0	0	0	6	<0.1	0	7	1	<0.2
11543	104.35	106.35	2.00				Drill Core	4.17	0.022	1	103	5	249	1	16	21	1478	5	11	11	1	88	1	0	<0.1	174	5	0	8	38	2	23	0	3	2	0	0	0	0	13	<0.1	1	9	1	<0.2
11544	106.35	108.35	2.00				Drill Core	4.38	0.018	2	94	4	100	0	17	23	1438	5	3	8	1	105	0	<0.1	<0.1	188	5	0	7	35	2	24	0	3	2	0	0	0	0	15	<0.1	0	8	1	<0.2
11652	**106.35**			**Prep Dup**	**BL-9**	**11544**	**Drill Core**		0.012	**2**	**95**	**4**	**104**	**1**	**16**	**24**	**1484**	**5**	**4**	**6**	**1**	**111**	**<0.1**	**0**	**<0.1**	**190**	**6**	**0**	**7**	**36**	**2**	**29**	**0**	**3**	**2**	**0**	**0**	**0**	**0**	**15**	**<0.1**	**0**	**9**	**<0.5**	**<0.2**
11545	108.35	110.35	2.00				Drill Core	3.95	0.015	0	106	5	94	0	18	27	1572	5	6	6	1	109	0	0	<0.1	191	6	0	7	42	3	17	0	3	3	0	0	0	0	15	<0.1	0	8	<0.5	<0.2
11546	110.35	112.35	2.00				Drill Core	3.91	0.031	0	110	6	114	1	20	27	1704	6	14	17	1	113	0	0	<0.1	202	6	0	6	51	3	20	0	3	3	0	0	0	0	17	<0.1	0	9	<0.5	<0.2
11547	112.35	114.35	2.00				Drill Core	3.81	0.021	0	101	3	72	0	23	25	1554	5	2	9	1	171	<0.1	0	<0.1	191	6	0	5	62	3	17	0	4	2	0	0	0	<0.01	21	<0.1	<0.05	7	1	<0.2
11548	114.35	116.35	2.00				Drill Core	4.07	0.02	0	97	6	92	0	24	34	1710	5	9	11	1	139	0	0	<0.1	201	7	0	5	67	3	20	0	3	2	0	0	0	0	22	<0.1	0	8	1	<0.2
11549	116.35	118.35	2.00				Drill Core	4.22	0.024	2	120	10	93	1	23	27	1725	5	17	14	1	114	0	0	<0.1	197	7	0	7	58	2	37	0	3	2	0	0	0	0	19	<0.1	0	8	<0.5	<0.2
11550	**116.35**			**Standard**	**CM-11A**		**Rock Pulp**	**0.11**	1.042	**335**	**3134**	**20**	**50**	**2**	**29**	**8**	**403**	**3**	**12**	**635**	**1**	**30**	**0**	**3**	**0**	**49**	**1**	**0**	**5**	**30**	**1**	**113**	**0**	**4**	**1**	**0**	**0**	**1**	**0**	**4**	**<0.1**	**0**	**4**	**1**	**0**
11551	118.35	120.35	2.00				Drill Core	3.64	0.012	1	108	4	102	0	16	24	1524	5	6	32	1	89	<0.1	0	<0.1	165	5	0	7	29	2	46	0	2	2	0	0	0	0	13	<0.1	0	9	1	<0.2
11552	120.35	122.35	2.00				Drill Core	3.29	0.015	2	111	5	93	0	27	29	1597	6	8	20	1	130	<0.1	0	<0.1	217	6	0	6	56	3	224	0	3	3	0	0	0	0	19	<0.1	0	9	1	<0.2
11553	122.35	124.35	2.00				Drill Core	3.65	0.014	2	152	13	90	1	20	27	1617	5	11	14	1	120	<0.1	0	<0.1	245	5	0	7	39	3	366	0	4	3	0	0	0	0	21	<0.1	0	9	1	<0.2
11554	124.35	126.35	2.00				Drill Core	4.31	0.011	1	136	7	99	1	23	28	1762	5	8	9	1	134	0	0	<0.1	267	7	0	7	51	3	275	0	4	3	0	0	0	0	25	<0.1	0	9	1	<0.2
11555	**124.35**			**Blank**			**Rock**	**3.06**	0.006	**0**	**103**	**2**	**54**	**<0.1**	**86**	**28**	**701**	**4**	**1**	**3**	**1**	**131**	**<0.1**	**<0.1**	**<0.1**	**140**	**8**	**0**	**5**	**47**	**1**	**21**	**0**	**15**	**4**	**1**	**0**	**<0.1**	**0**	**5**	**<0.1**	**0**	**8**	**1**	**<0.2**
11556	126.35	128.35	2.00				Drill Core	4.35	0.042	1	96	97	518	1	25	24	1686	5	21	33	1	108	3	0	<0.1	203	10	0	8	69	2	32	0	3	2	0	0	0	0	17	<0.1	1	9	<0.5	<0.2
11557	128.35	130.35	2.00				Drill Core	4.02	0.081	9	115	144	705	1	28	26	1917	6	37	65	1	108	4	1	<0.1	227	9	0	8	67	3	96	0	5	3	0	0	0	0	20	<0.1	1	9	<0.5	0
11653	**128.35**			**Field Dup**		**11557**	**Drill Core**	**4.26**	0.079	**9**	**109**	**122**	**704**	**1**	**27**	**26**	**1899**	**5**	**33**	**68**	**1**	**113**	**4**	**1**	**<0.1**	**230**	**9**	**0**	**8**	**66**	**3**	**68**	**0**	**4**	**3**	**0**	**0**	**0**	**0**	**19**	**<0.1**	**1**	**9**	**<0.5**	**<0.2**
11558	130.35	132.35	2.00				Drill Core	4.32	0.015	1	103	18	124	1	26	25	1731	5	14	10	1	108	0	0	<0.1	223	9	0	7	75	2	21	0	4	2	0	0	0	0	19	<0.1	0	9	<0.5	<0.2
11559	132.35	134.35	2.00				Drill Core	3.92	0.031	1	88	9	107	1	25	24	1721	5	15	20	1	108	0	0	<0.1	204	10	0	7	68	2	19	0	3	2	0	0	0	0	18	<0.1	1	9	<0.5	<0.2
11559A	**132.35**			**Field Dup**		**11559**																																							
11561	134.35	136.35	2.00				Drill Core	3.73	0.019	3	103	12	340	1	25	25	1908	5	10	10	1	123	2	0	<0.1	207	9	0	7	71	2	59	0	2	2	0	0	0	0	18	<0.1	0	9	<0.5	<0.2
11562	136.35	138.35	2.00				Drill Core	4.16	0.08	3	109	23	205	1	23	22	1832	5	12	24	1	107	1	0	<0.1	181	8	0	10	54	2	110	0	4	2	0	0	0	0	15	<0.1	1	9	<0.5	<0.2
11563	138.35	140.35	2.00				Drill Core	3.86	0.006	0.7	117.9	7.1	110	1.1	24.6	22.3	1833	4.89	3.9	3.8	1.1	193	0.3	0.3	<0.1	189	10.36	0.129	8	65	2.35	53	0.195	2	2.51	0.109	0.07	0.2	0.01	15.9	<0.1	0.23	10	<0.5	<0.2
11564	140.35	142.35	2.00				Drill Core	3.95	0.039	1.7	123.6	3.5	182	1.3	23.4	20.5	1863	4.80	5.4	9.9	1.1	178	0.9	0.2	<0.1	178	11.04	0.124	8	58	2.28	133	0.188	2	2.50	0.087	0.06	0.3	0.04	14.9	<0.1	0.39	10	<0.5	<0.2
11565	142.35	144.35	2.00				Drill Core	4.43	0.010	0.5	102.8	2.0	65	0.6	23.5	20.2	1600	4.50	1.9	1.7	0.9	159	<0.1	0.2	<0.1	180	10.09	0.133	6	52	2.14	34	0.175	2	2.06	0.085	0.06	0.5	<0.01	10.9	<0.1	0.19	9	<0.5	<0.2
11566	144.35	146.35	2.00				Drill Core	3.33	0.006	0.6	91.3	3.7	70	0.7	20.1	18.8	1319	4.12	1.5	<0.5	0.9	149	0.2	<0.1	<0.1	153	12.03	0.123	6	36	1.78	33	0.161	3	1.88	0.069	0.05	0.7	<0.01	7.9	<0.1	0.17	8	<0.5	<0.2

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF																																							
11654	144.35			Prep Dup		11566	Drill Core		0.010	0.6	94.6	3.8	72	0.7	20.9	19.4	1346	4.25	1.5	1.4	0.9	160	0.2	<0.1	<0.1	158	12.09	0.124	6	36	1.84	34	0.170	2	1.94	0.074	0.05	0.7	<0.01	8.1	<0.1	0.18	8	<0.5	<0.2
11567	146.35	148.35	2.00				Drill Core	3.44	<0.005	0.5	95.5	3.1	90	0.5	30.2	25.0	1417	5.35	0.8	0.9	1.0	147	0.2	0.1	<0.1	201	5.80	0.127	6	56	2.29	45	0.241	3	2.29	0.119	0.08	0.2	0.01	10.8	<0.1	0.20	10	<0.5	<0.2
11568	148.35	150.35	2.00				Drill Core	4.03	0.075	0.5	77.3	4.0	91	0.7	32.5	25.8	1679	5.84	3.4	38.1	1.0	143	0.2	<0.1	<0.1	214	4.48	0.113	6	61	2.50	63	0.236	5	2.62	0.109	0.07	0.2	0.02	13.0	<0.1	0.18	11	<0.5	0.3
11569	150.35	152.35	2.00				Drill Core	3.67	0.011	0.8	82.8	2.0	65	0.3	32.9	26.3	1700	5.32	4.8	3.7	1.0	140	<0.1	<0.1	<0.1	213	6.92	0.109	6	64	2.33	78	0.208	4	2.45	0.090	0.07	0.2	0.01	14.3	<0.1	0.26	10	<0.5	<0.2
11570	150.35			Standard	CGS-29		Rock Pulp	0.11	0.225	12.1	5811.8	6.2	91	2.0	12.3	8.3	662	4.60	1.7	228.8	4.7	72	0.5	0.3	0.8	66	1.06	0.072	12	18	0.68	183	0.082	4	1.06	0.062	0.43	0.1	0.09	4.3	0.1	0.37	7	3.0	0.3
11571	152.35	154.35	2.00				Drill Core	3.84	0.007	14.6	115.8	7.4	97	0.7	18.2	20.0	1428	4.70	6.6	8.0	1.4	110	0.3	0.2	0.1	181	7.28	0.126	13	35	1.67	56	0.187	2	2.23	0.054	0.09	0.3	0.02	11.3	<0.1	0.68	9	0.8	<0.2
11572	154.35	156.35	2.00				Drill Core	4.03	0.010	3.5	101.5	12.8	158	0.7	16.8	17.1	1638	4.40	9.4	3.0	2.0	99	0.7	0.3	<0.1	143	6.06	0.128	15	26	1.56	30	0.158	3	2.31	0.040	0.11	0.3	0.01	8.3	<0.1	0.58	9	0.9	<0.2
11573	156.35	158.35	2.00				Drill Core	4.18	0.017	23.7	108.1	15.0	151	0.8	28.4	17.3	1274	4.05	6.2	1.8	1.6	107	0.8	0.6	<0.1	243	7.50	0.118	13	35	1.40	34	0.173	3	1.87	0.047	0.11	0.3	0.04	8.1	0.1	1.35	8	4.8	<0.2
11655	156.35			Field Dup		11573	Drill Core	4.48	0.013	26.3	116.5	15.2	278	1.0	32.6	17.4	1266	4.54	7.1	<0.5	1.8	109	1.8	0.8	0.1	284	7.35	0.124	14	39	1.41	35	0.184	3	1.87	0.048	0.11	0.3	0.06	8.0	0.2	1.86	8	6.8	<0.2
11574	158.35	160.35	2.00				Drill Core	4.06	0.026	11.3	123.5	11.1	506	0.9	22.9	16.4	1023	4.11	6.2	0.5	1.3	90	7.8	0.8	<0.1	159	5.34	0.102	12	34	1.50	42	0.052	3	1.90	0.043	0.19	0.1	0.05	6.0	0.1	2.15	8	12.4	<0.2
11575	158.35			Blank			Rock	3.32	<0.005	0.4	105.6	3.1	53	<0.1	93.1	28.8	785	3.76	1.1	1.4	0.6	150	<0.1	<0.1	<0.1	150	7.92	0.086	5	52	1.02	18	0.252	14	3.88	1.205	0.14	<0.1	0.01	5.5	<0.1	0.12	9	<0.5	<0.2
11576	160.35	162.35	2.00				Drill Core	2.04	0.014	8.4	131.1	11.6	131	1.1	28.0	17.3	1055	4.36	3.5	<0.5	1.2	100	1.6	0.7	<0.1	148	5.51	0.103	11	74	1.67	42	0.075	4	1.90	0.062	0.14	0.1	0.03	6.4	<0.1	2.02	8	8.7	<0.2
11577	162.35	164.35	2.00				Drill Core	2.07	0.007	3.2	65.5	5.4	68	0.1	402.7	33.3	1061	4.28	3.4	<0.5	2.0	369	0.3	<0.1	0.1	121	2.41	0.115	10	126	5.58	822	0.190	6	3.06	0.341	0.49	0.1	0.09	6.7	0.2	0.22	8	0.9	<0.2
11578	164.35	166.35	2.00				Drill Core	2.94	<0.005	0.4	40.6	5.6	58	<0.1	659.9	45.7	1073	4.54	0.6	0.9	2.7	522	0.1	<0.1	<0.1	106	1.17	0.129	10	178	6.65	463	0.236	5	2.86	0.316	0.73	<0.1	0.05	3.9	0.1	0.05	7	<0.5	<0.2
11579	166.35	168.35	2.00				Drill Core	3.10	<0.005	0.5	31.4	3.0	54	0.2	635.6	45.6	983	4.33	1.1	1.4	2.5	429	<0.1	<0.1	<0.1	104	1.56	0.123	10	170	6.59	754	0.215	9	2.81	0.309	0.66	<0.1	0.10	4.1	0.1	0.10	7	0.8	<0.2
11579A	166.35			Field Dup		11579																																							
11581	168.35	170.35	2.00				Drill Core	3.90	0.007	1.6	47.9	1.9	50	0.5	324.6	30.5	1071	4.13	1.4	1.3	1.7	278	<0.1	<0.1	<0.1	114	2.72	0.111	10	102	4.38	611	0.111	7	2.68	0.231	0.40	0.1	0.10	6.2	0.1	0.33	7	<0.5	<0.2
11583	170.35	172.35	2.00				Drill Core	4.44	<0.005	1.4	44.6	2.6	48	0.4	644.4	44.5	954	4.30	1.5	<0.5	2.3	535	<0.1	<0.1	<0.1	109	2.07	0.126	11	181	6.72	348	0.164	9	2.89	0.316	0.53	<0.1	0.13	5.2	0.1	0.16	6	0.9	<0.2
11582	172.35	174.35	2.00				Drill Core	3.33	0.021	3.8	54.7	3.2	70	0.7	331.6	31.2	1167	4.55	3.3	3.6	1.9	326	0.3	0.1	0.1	121	3.56	0.119	13	116	4.82	204	0.118	7	2.85	0.271	0.36	<0.1	0.09	6.8	0.1	0.68	7	1.1	<0.2
11584	174.35	176.35	2.00				Drill Core	3.67	0.034	6.2	122.9	9.4	107	1.0	192.2	24.7	1034	5.18	5.4	<0.5	1.2	192	0.5	0.3	0.2	142	3.38	0.130	9	92	3.67	27	0.090	7	2.54	0.192	0.23	0.1	0.08	8.0	0.2	2.05	8	10.2	<0.2
11656	174.35			Prep Dup		11584	Drill Core		0.035	5.5	122.6	9.0	99	0.8	167.1	23.5	1022	5.09	6.2	<0.5	1.2	180	0.5	0.2	0.2	136	3.17	0.131	9	89	3.50	27	0.084	5	2.53	0.185	0.24	0.2	0.07	7.9	0.1	2.04	8	10.9	<0.2
11585	176.35	178.35	2.00				Drill Core	2.32	0.007	1.5	45.7	3.1	47	<0.1	569.1	39.8	1082	4.78	1.7	1.8	2.4	490	0.1	<0.1	0.1	113	2.08	0.129	11	196	7.19	237	0.151	10	3.10	0.294	0.39	0.1	0.11	7.3	0.2	0.33	6	2.8	<0.2
11586	178.35	180.35	2.00				Drill Core	3.17	0.022	0.9	33.1	2.6	54	0.2	602.3	41.4	1061	4.62	1.7	18.6	2.1	536	<0.1	<0.1	0.5	102	2.02	0.126	10	179	7.00	847	0.154	8	3.10	0.332	0.53	<0.1	0.09	5.6	<0.1	0.23	7	1.3	0.4
11587	180.35	182.35	2.00				Drill Core	3.60	0.013	4.5	91.9	9.7	194	0.6	50.9	18.9	1119	4.53	4.0	<0.5	1.1	129	1.2	0.3	<0.1	152	6.20	0.103	10	34	2.17	44	0.162	3	2.16	0.083	0.15	0.2	0.05	9.9	<0.1	2.10	7	1.5	<0.2
11588	182.35	184.35	2.00				Drill Core	3.24	0.009	3.3	82.6	5.3	129	0.5	18.6	21.2	1508	5.10	2.6	1.7	1.1	115	0.7	0.2	<0.1	175	6.57	0.115	10	32	2.23	100	0.197	5	2.63	0.063	0.09	0.3	0.03	14.8	0.1	1.36	9	0.7	<0.2
11589	184.35	186.35	2.00				Drill Core	3.64	0.008	2.9	72.0	3.1	68	0.3	15.2	21.5	1639	5.06	2.8	<0.5	0.9	119	0.2	<0.1	<0.1	188	5.76	0.095	9	29	2.21	192	0.145	4	2.71	0.095	0.09	0.2	<0.01	18.1	<0.1	0.70	9	0.8	<0.2
11590	184.35			Standard	CM-11A		Rock Pulp	0.11	1.062	330.0	3114.0	19.9	51	1.6	27.0	7.4	365	3.08	12.4	753.5	1.1	39	0.3	3.0	0.5	50	0.68	0.051	5	29	0.58	120	0.109	3	1.19	0.085	0.11	0.6	0.06	4.5	<0.1	0.38	4	1.1	<0.2
11591	186.35	188.35	2.00				Drill Core	4.58	0.198	14.1	126.8	32.8	512	1.4	34.5	23.5	1716	6.18	29.8	6.0	0.7	118	3.3	0.4	1.5	209	4.31	0.103	7	102	2.88	81	0.153	7	2.79	0.078	0.09	0.4	0.12	16.3	0.2	2.92	9	4.4	0.8
11592	188.35	190.35	2.00				Drill Core	3.62	0.304	5.3	185.6	10.9	193	2.0	19.4	21.7	1527	6.02	14.7	187.0	0.8	117	1.3	0.3	1.8	169	5.98	0.119	8	46	2.74	26	0.092	4	2.71	0.086	0.07	0.2	0.12	12.9	0.5	3.41	9	<0.5	1.4
11593	190.35	192.35	2.00				Drill Core	3.54	0.638	12.3	206.5	13.3	303	2.5	21.4	21.6	1450	6.08	17.0	54.1	0.8	122	1.8	0.5	1.5	176	5.78	0.117	10	37	2.18	29	0.042	4	2.38	0.094	0.09	0.1	0.19	12.6	0.6	4.12	8	1.6	2.7
11657	190.35			Field Dup		11593	Drill Core	3.94	1.403	17.5	210.0	13.2	165	3.4	27.6	24.4	1493	7.21	17.7	108.9	1.1	122	1.0	0.4	1.4	196	6.22	0.134	13	43	2.32	25	0.081	4	2.70	0.122	0.12	0.2	0.24	13.4	0.6	4.16	9	1.9	3.0
11594	192.35	194.35	2.00				Drill Core	3.15	0.096	28.8	107.1	7.1	123	0.8	19.7	20.2	1458	5.48	9.3	10.4	1.1	113	0.5	0.4	0.3	221	4.63	0.140	13	35	2.30	42	0.168	4	2.39	0.100	0.09	0.3	0.15	13.0	0.3	2.51	10	0.8	2.4
11595	192.35			Blank			Rock	3.09	0.008	0.5	99.9	2.7	55	<0.1	90.8	28.7	782	3.96	1.3	2.8	0.5	151	<0.1	<0.1	<0.1	150	7.47	0.091	5	50	1.04	18	0.263	18	3.97	1.244	0.16	<0.1	0.01	5.1	<0.1	0.07	9	<0.5	<0.2
11596	194.35	196.35	2.00				Drill Core	2.01	0.033	2.9	59.8	4.0	86	0.3	5.3	14.4	945	4.56	7.1	24.8	0.7	72	0.2	0.2	0.6	151	3.01	0.081	11	7	1.53	40	0.136	3	1.59	0.085	0.11	0.2	0.08	7.1	0.1	2.65	9	0.7	1.7
11597	196.35	198.35	2.00				Drill Core	2.05	0.044	3.2	91.8	3.8	64	0.6	5.3	13.4	778	4.29	7.8	34.8	0.7	81	0.2	0.2	0.5	148	3.54	0.079	11	7	1.42	36	0.202	4	1.36	0.080	0.08	0.4	0.11	7.3	0.1	2.62	8	<0.5	1.9
11598	198.35	200.35	2.00				Drill Core	2.94	0.051	8.2	105.4	9.3	92	0.4	36.4	19.9	907	4.71	9.9	3.5	1.8	215	0.5	0.4	0.3	200	3.80	0.125	14	44	2.37	60	0.303	21	2.07	0.335	0.07	0.3	0.08	11.0	0.2	1.26	10	0.9	0.8
11599	200.35	202.35	2.00				Drill Core	3.76	0.008	0.6	116.8	6.2	80	0.1	14.0	22.3	1139	5.47	1.3	1.3	2.6	174	<0.1	0.1	<0.1	213	2.36	0.163	18	23	2.33	48	0.365	11	3.32	0.962	0.06	0.2	0.02	9.8	<0.1	0.18	14	<0.5	<0.2
11599A	200.35			Field Dup		11599																																							
11601	202.35	204.35	2.00				Drill Core	3.49	0.008	0.6	113.8	5.8	77	0.1	12.8	24.7	1193	5.87	2.0	2.6	2.0	259	<0.1	0.1	<0.1	223	3.45	0.169	14	15	1.99	91	0.402	16	4.29	0.271	0.08	0.2	0.03	9.0	<0.1	0.30	14	<0.5	<0.2
11602	204.35	206.35	2.00				Drill Core	3.15	0.007	1.4	116.2	7.5	79	0.1	13.1	22.2	1104	5.63	2.9	3.2	2.8	254	0.1	<0.1	<0.1	219	3.55	0.158	17	23	1.87	91	0.378	11	4.03	0.221	0.08	0.2	0.05	9.1	<0.1	0.49	14	0.6	<0.2
11603	206.35	208.35	2.00				Drill Core	3.48	0.007	1.1	136.1	9.0	77	0.2	17.1	21.3	1011	5.31	4.1	2.4	2.6	237	<0.1	<0.1	<0.1	200	4.10	0.183	17	31	1.82	92	0.359	11	3.54	0.323	0.10	0.3	0.10	9.7	<0.1	0.44	13	0.7	<0.2
11604	208.35	210.35	2.00				Drill Core	3.22	0.009	0.9	130.9	7.2	77	0.1	18.3	24.8	1015	5.68	3.2	2.1	2.4	281	<0.1	<0.1	<0.1	249	4.37	0.174	16	33	1.83	92	0.343	11	4.24	0.248	0.08	0.3	0.07	8.0	<0.1	0.37	15	<0.5	<0.2
11658	208.35			Prep Dup		11604	Drill Core		0.009	1.0	129.2	6.8	76	0.1	18.3	23.6	972	5.40	2.8	<0.5	2.2	270	0.1	<0.1	<0.1	241	4.24	0.169	15	30	1.74	91	0.323	10	4.07	0.242	0.08	0.2	0.08	7.7	<0.1	0.36	15	0.5	<0.2
11605	210.35	212.35	2.00				Drill Core	3.16	0.006	0.8	126.3	6.7	79	0.2	16.7	24.1	1069	5.74	3.7	0.8	2.4	261	<0.1	<0.1	<0.1	240	4.19	0.185	15	24	1.67	89	0.375	10	3.98	0.206	0.08	0.2	0.09	7.7	<0.1	0.37	13	<0.5	<0.2
11606	212.35	214.35	2.00				Drill Core	3.63	0.007	6.4	140.2	9.5	84	0.3	25.6	23.6	973	5.41	10.4	<0.5	2.0	261	0.2	0.6	<0.1	218	5.29	0.165	14	44	1.72	82	0.348	7	3.53	0.284	0.07	0.3	0.23	11.0	0.2	1.81	12	0.8	<0.2
11607	214.35	216.35	2.00				Drill Core	3.80	0.007	12.6	118.1	8.4	401	0.7	24.2	16.2	914	4.32	9.9	<0.5	2.8	205	14.4	1.8	<0.1	378	5.39	0.149	16	39	1.42	64	0.311	11	2.60	0.310	0.07	0.3	0.17	9.3	0.2	1.55	10	13.8	<0.2
11608	216.35	218.35	2.00				Drill Core	3.47	0.014	4.5	127.2	9.7	83	1.0	30.0	17.8	899	4.40	7.4	0.5	3.2	263	0.6	0.6	<0.1	156	5.28	0.160	17	46	1.14	88	0.239	5	3.60	0.628	0.10	0.5	0.21	5.1	0.1	1.24	10	4.3	<0.2
11609	218.35	220.35	2.00				Drill Core	4.01	0.011	1.9	136.5	8.5	75	0.3	11.1	19.1	1017	4.76	5.0	<0.5	2.4	268	<0.1	0.1	<0.1	166	4.42	0.160	14	21	1.07	75	0.278	6	4.05	0.975	0.10	0.4	0.08	5.2	<0.1	0.88	11	<0.5	<0.2
11610	218.35			Standard	CGS-29		Rock Pulp	0.11	0.280	11.2	5330.8	5.9	92	2.0	11.5	8.2	635	4.57	1.9	203.3	4.1	72	0.5	0.3	0.7	64	1.07	0.071	12	17	0.69	176	0.084	4	1.04	0.064	0.41	0.1	0.09	3.9	0.1	0.33	7	3.3	0.3
11611	220.35	222.35	2.00				Drill Core	4.16	0.012	1.6	159.2	10.4	86	0.3	15.7	20.4	1113	4.90	3.0	5.0	2.2	269	<0.1	0.1	<0.1	166	3.31	0.203	13	25	1.36	81	0.257	204	4.24	1.191	0.10	0.3	0.04	5.0	<0.1	0.37	12	<0.5	<0.2
11612	222.35	224.35	2.00				Drill Core	3.74	0.010	1.5	204.5	13.1	88	0.1	5.5	20.0	1208	4.56	3.6	8.5	1.8	330	<0.1	<0.1	<0.1	158	4.09	0.247	12	5	1.47	85	0.219	30	5.58	1.836	0.09	0.3	0.03	4.6	<0.1	0.34	13	<0.5	<0.2
11613	224.35	226.35	2.00				Drill Core	3.55	0.009	1.6	222.0	14.1	99	<0.1	15.5	22.5	1280	4.97	3.7	4.2	2.0	350	<0.1	0.1	<0.1	170	5.23	0.261	14	20	1.33	88	0.241	36	5.63	1.407	0.09	0.3	0.05	5.6	<0.1	0.26	14	<0.5	<0.2
11614	226.35	228.35	2.00				Drill Core	3.72	0.009	1.6	213.0	13.6	90	<0.1	4.7	19.8	1201	4.50	2.6	2.6	1.9	343	<0.1	<0.1	<0.1	157	5.42	0.261	13	3	1.31	85	0.233	29	5.51	1.391	0.09	0.3	0.03	5.2	<0.1	0.22	13	<0.5	<0.2
11615	226.35			Blank			Rock	3.05	0.010	0.4	110.9	3.0	56	<0.1	90.9	29.2	755	3.94	1.3	0.6	0.5	156	<0.1	<0.1	<0.1	149	7.24	0.089	5	51	1.05	19	0.269	17	3.95	1.225	0.16	<0.1	<0.01	5.7	<0.1	0.12	9	0.5	<0.2
11616	228.35	230.35	2.00				Drill Core	3.68	0.009	1.1	175.3	11.0	83	<0.1	16.6	24.4	1171	5.29	2.1	2.5	1.5	293	<0.1	<0.1	<0.1	197	4.94	0.227	10	32	1.44	63	0.252	19	4.31	0.953	0.09	0.3	0.03	7.5	<0.1	0.09	12	<0.5	<0.2
11617	230.35	232.35	2.00				Drill Core	4.16	0.009	1.1	201.2	13.6	84	<0.1	5.1	19.1	1101	4.22	3.2	2.2	1.8	344	<0.1	<0.1	<0.1	144	5.49	0.256	13	4	1.19	77	0.193	16	5.03	1.123	0.13	0.3	0.03	5.0	<0.1	0.18	12	<0.5	<0.2
11659	230.35			Field Dup		11617	Drill Core	4.13	<0.005	1.0	197.5	12.9	82	0.1	6.2	18.5	1101	4.07	2.7	1.8	1.7	375	<0.1	<0.1	<0.1	136	5.71	0.237	12	4	1.15	77	0.183	16	5.11	0.890	0.13	0.3	0.03	4.5	<0.1	0.17	12	<0.5	<0.2
11618	232.35	234.35	2.00				Drill Core	4.03	0.008	0.9	159.5	10.1	79	0.1	15.8	23.5	1027	5.01	1.9	2.2	1.4	314	<0.1	<0.1	<0.1	191	5.02	0.216	10	30	1.32	69	0.242	11	4.41	0.837	0.10	0.3	0.02	5.8	<0.1	0.17	11	<0.5	<0.2
11619	234.35	236.35	2.00				Drill Core	4.80	0.006	1.1	135.4	8.2	78	0.2	24.1	28.3	1025	5.89	1.6	1.2	1.0	241	<0.1	<0.1	<0.1	233	4.47	0.193	7	52	1.42	55	0.261	11	3.67	0.910	0.06	0.3	0.02	7.6	<0.1	0.23	11	<0.5	<0.2
11619A	234.35			Field Dup		11619																																							
11620	236.35	238.35	2.00				Drill Core	3.86	0.009	0.9	136.5	8.4	78	0.2	25.3	28.2	1071	6.05	1.7	1.4	1.1	212	<0.1	<0.1	<0.1	235	3.79	0.203	7	59	1.36	60	0.266	16	3.80	1.428	0.07	0.2	0.01	7.5	<0.1	0.07	11	<0.5	<0.2
11621	238.35	240.35	2.00				Drill Core	4.50	0.006	1.0	125.1	8.6	74	0.2	24.5	26.6	914	5.61	1.8	0.8	1.0	251	<0.1	<0.1	<0.1	222	4.19	0.185	7	56	1.28	51	0.246	17	3.74	0.680	0.06	0.2	0.01	6.9	<0.1	0.13	11	<0.5	<0.2
11622	240.35	242.35	2.00				Drill Core	4.36	0.008	0.9	139.2	8.7	77	0.2	23.0	26.3	988	5.64	1.8	<0.5	1.1	259	<0.1	<0.1	<0.1	224	3.50	0.198	7	47	1.38	61	0.241	14	3.85	0.978	0.06	0.2	0.02	6.1	<0.1	0.13	11	<0.5	<0.2
11623	242.35	244.35	2.00				Drill Core	3.42	<0.005	0.7	139.6	7.8	76	0.1	23.6	26.4	1060	5.51	2.5	1.0	1.0	242	<0.1	<0.1	<0.1	216	4.40	0.206	7	52	1.47	59	0.248	13	3.45	0.838	0.07	0.3	0.02	7.5	<0.1	0.20	10	<0.5	<0.2
11624	244.35	246.35	2.00				Drill Core	3.95	<0.005	1.2	157.9	8.6	81	0.2	21.9	29.7	1088	6.10	2.3	1.6	1.1	228	<0.1	<0.1	<0.1	240	4.07	0.203	7	53	1.43	51	0.272	18	3.47	0.812	0.07	0.2	0.02	7.4	<0.1	0.31	11	<0.5	<0.2
11660	244.35			Prep Dup		11624	Drill Core		<0.005	0.9	128.9	6.9	69	0.2	17.6	24.2	943	4.98	2.0	2.9	0.9	174	<0.1	<0.1	<0.1	207	3.62	0.160	6	45	1.23	43	0.203	13	3.06	0.655	0.06	0.2	0.01	6.8	<0.1	0.28	10	<0.5	<0.2
11625	246.35	248.35	2.00				Drill Core	4.67	<0.005	1.3	149.5	7.9	78	0.2	22.2	28.0	1118	6.08	2.5	1.8	1.0	223	<0.1	<0.1	<0.1	247	4.57	0.193	7	54	1.20	45	0.260	25	3.47	0.849	0.06	0.3	0.02	6.9	<0.1	0.38	11	<0.5	<0.2
11626	248.35	250.35	2.00				Drill Core	4.78	<0.005	1.1	135.7	8.0	80	0.2	22.7	29.6	1054	6.30	1.9	0.7	1.0	212	<0.1	<0.1	<0.1	252	3.25	0.186	7	54	1.33	42	0.262	26	3.42	0.899	0.06	0.2	0.01	6.8	<0.1	0.13	11	<0.5	<0.2
11627	250.35	252.35	2.00				Drill Core	3.82	<0.005	0.8	116.8	6.1	65	0.2	18.2	23.3	959	5.05	2.1	<0.5	0.8	145	<0.1	<0.1	<0.1	209	3.13	0.142	6	42	1.17	31	0.164	17	3.39	1.360	0.05	0.2	<0.01	6.5	<0.1	0.15	9	<0.5	<0.2
11628	252.35	254.35	2.00				Drill Core	3.66	<0.005	0.9	116.6	6.5	70	0.2	17.2	23.5	1081	5.12	1.9	1.3	0.9	144	<0.1	<0.1	<0.1	220	2.87	0.163	6	39	1.32	36	0.193	20	3.58	1.478	0.06	0.2	0.02	6.7	<0.1	0.19	9	1.0	<0.2
11629	254.35	256.35	2.00				Drill Core	3.60	<0.005	0.8	116.5	6.8	72	0.1	17.9	24.8	1101	5.28	9.8	0.8	0.9	149	<0.1	<0.1	<0.1	236	3.05	0.173	6	42	1.34	36	0.197	27	3.80	1.494	0.06	0.2	0.01	7.4	<0.1	0.14	10	<0.5	<0.2
11630	254.35			Standard	BL-9		Rock Pulp	0.11	<0.005	3.0	21.6	2.2	32	0.4	17.5	8.6	268	1.88	2.7	<0.5	0.9	29	0.3	0.3	<0.1	47	0.72	0.049	5	21	0.50	87	0.111	2	1.12	0.067	0.08	17.1	0.01	4.0	<0.1	<0.05	4	0.7	<0.2

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11631	256.35	258.35	2.00				Drill Core	4.02	<0.005	1.6	112.8	7.1	71	<0.1	17.0	24.0	1048	5.24	2.4	1.3	0.9	158	<0.1	<0.1	<0.1	236	4.15	0.174	6	43	1.15	35	0.219	23	3.38	1.088	0.06	0.2	0.02	7.6	<0.1	0.41	9	<0.5	<0.2
11632	258.35	260.35	2.00				Drill Core	3.23	<0.005	1.3	122.0	7.4	76	<0.1	17.4	25.1	1149	5.41	1.7	2.4	1.0	155	<0.1	<0.1	<0.1	245	3.11	0.174	7	40	1.36	39	0.220	25	3.71	1.239	0.07	0.3	0.02	7.6	<0.1	0.10	11	<0.5	<0.2
11633	260.35	262.35	2.00				Drill Core	3.61	0.005	1.3	104.2	7.0	71	<0.1	15.8	22.9	1103	4.92	1.5	0.8	0.9	127	<0.1	<0.1	<0.1	202	3.29	0.164	6	36	1.16	32	0.190	14	3.76	1.787	0.12	0.2	<0.01	5.7	<0.1	0.06	9	<0.5	<0.2
11634	262.35	264.35	2.00				Drill Core	3.58	0.008	0.9	123.4	5.3	69	<0.1	17.0	22.8	1098	4.98	1.0	<0.5	0.7	151	<0.1	<0.1	<0.1	186	2.89	0.158	6	33	1.29	38	0.175	12	4.16	1.982	0.23	0.2	<0.01	6.4	<0.1	0.06	9	<0.5	<0.2
11635	262.35			Blank			Rock	3.11	<0.005	0.3	91.3	1.9	48	<0.1	76.1	23.6	648	3.29	0.5	<0.5	0.4	113	0.1	<0.1	<0.1	127	7.02	0.078	4	43	0.86	18	0.203	15	3.37	0.958	0.18	<0.1	<0.01	4.9	<0.1	0.10	7	0.6	<0.2
11636	264.35	266.35	2.00				Drill Core	3.48	<0.005	0.9	143.4	5.2	71	<0.1	16.9	23.4	1122	4.77	2.0	<0.5	0.8	123	<0.1	<0.1	<0.1	192	2.67	0.168	6	30	0.94	31	0.184	12	2.47	0.797	0.16	0.3	<0.01	4.8	<0.1	<0.05	9	<0.5	<0.2
11637	266.35	268.35	2.00				Drill Core	3.31	<0.005	0.6	95.3	5.5	75	<0.1	16.0	22.7	1352	4.82	2.4	<0.5	0.9	104	0.1	<0.1	<0.1	184	2.25	0.185	6	28	0.93	34	0.178	7	2.80	1.166	0.24	0.4	<0.01	5.0	<0.1	<0.05	8	<0.5	<0.2
11661	266.35			Field Dup		11637	Drill Core	5.68	<0.005	0.7	103.3	5.7	73	0.1	16.9	23.8	1425	4.96	2.6	<0.5	0.9	112	<0.1	<0.1	<0.1	190	2.22	0.179	6	29	0.95	30	0.182	7	2.89	1.179	0.20	0.5	<0.01	5.0	<0.1	<0.05	8	<0.5	<0.2
11638	268.35	270.35	2.00				Drill Core	2.39	0.005	0.8	81.9	5.1	71	0.2	14.6	19.7	993	4.78	2.2	<0.5	0.8	100	0.1	<0.1	<0.1	192	2.57	0.211	7	28	0.96	34	0.184	5	3.07	1.588	0.20	0.3	0.01	5.0	<0.1	<0.05	8	0.5	<0.2
11639	270.35	272.35	2.00				Drill Core	3.78	0.007	0.5	95.9	6.0	69	<0.1	15.5	21.9	1039	4.93	2.0	<0.5	0.8	118	<0.1	<0.1	<0.1	195	2.32	0.164	6	31	1.14	32	0.186	5	3.17	1.355	0.14	0.2	<0.01	5.4	<0.1	<0.05	9	<0.5	<0.2
11639A	270.35			Field Dup		11639																																							
11640	272.35	274.35	2.00				Drill Core	3.22	<0.005	0.7	116.7	5.3	77	0.1	16.9	24.8	1236	5.08	2.3	<0.5	0.9	127	<0.1	<0.1	<0.1	209	2.36	0.186	6	33	1.31	35	0.191	5	3.12	1.300	0.16	0.3	<0.01	6.1	<0.1	<0.05	9	<0.5	<0.2
11641	274.35	276.35	2.00				Drill Core	4.27	0.007	0.7	104.4	5.4	68	<0.1	14.5	20.9	948	4.53	1.7	<0.5	0.8	117	<0.1	<0.1	<0.1	183	2.56	0.182	6	28	0.85	36	0.167	7	3.29	1.738	0.21	0.2	0.01	4.4	<0.1	<0.05	8	<0.5	<0.2
11642	276.35	278.35	2.00				Drill Core	4.22	<0.005	0.5	121.3	5.3	73	<0.1	15.4	22.5	970	4.82	1.8	<0.5	0.8	117	<0.1	<0.1	<0.1	195	2.88	0.178	6	30	1.05	30	0.189	4	2.81	1.120	0.14	0.2	<0.01	5.6	<0.1	<0.05	8	<0.5	<0.2
11643	278.35	280.35	2.00				Drill Core	3.86	<0.005	0.6	121.3	5.7	76	<0.1	15.7	21.7	981	4.66	1.8	<0.5	0.8	125	<0.1	<0.1	<0.1	191	3.20	0.180	6	28	1.18	27	0.169	5	3.28	1.430	0.12	0.3	<0.01	5.2	<0.1	<0.05	8	<0.5	<0.2
11644	280.35	282.35	2.00				Drill Core	3.87	0.005	0.6	126.8	5.6	72	<0.1	14.8	22.0	1024	4.86	1.4	<0.5	0.8	141	<0.1	<0.1	<0.1	187	2.82	0.162	6	28	1.20	28	0.179	6	3.13	1.173	0.12	0.2	0.02	5.5	<0.1	<0.05	8	<0.5	<0.2
11645	282.35	284.35	2.00				Drill Core	3.87	<0.005	0.7	150.0	6.6	75	0.1	17.2	26.0	1169	5.28	1.6	<0.5	0.9	152	<0.1	<0.1	<0.1	205	2.65	0.177	6	32	1.36	30	0.186	8	3.58	1.385	0.10	0.2	<0.01	6.6	<0.1	<0.05	10	<0.5	<0.2
11646	284.35	286.35	2.00				Drill Core	4.21	<0.005	0.5	127.8	5.7	73	<0.1	15.1	22.2	924	4.92	1.6	<0.5	0.8	124	<0.1	<0.1	<0.1	205	3.09	0.163	6	30	1.07	23	0.200	4	2.76	0.946	0.10	0.1	<0.01	5.5	<0.1	<0.05	9	<0.5	<0.2
11662	284.35			Prep Dup		11646	Drill Core		<0.005	0.6	127.2	5.5	69	<0.1	15.1	21.0	895	4.79	1.8	<0.5	0.8	119	<0.1	<0.1	<0.1	206	3.04	0.156	6	28	1.07	25	0.182	3	2.73	0.941	0.11	0.2	<0.01	5.1	<0.1	<0.05	8	<0.5	<0.2
11647	286.35	288.35	2.00				Drill Core	3.43	0.008	0.4	144.9	6.3	66	<0.1	13.8	20.3	771	4.63	1.6	1.4	0.8	103	<0.1	<0.1	<0.1	223	4.72	0.154	6	28	0.86	16	0.147	10	3.61	0.798	0.09	0.1	0.01	4.9	<0.1	<0.05	10	<0.5	<0.2
11648	288.35	290.35	2.00				Drill Core	3.72	<0.005	0.6	133.5	6.5	72	<0.1	15.5	23.6	912	5.15	1.7	<0.5	0.9	116	<0.1	<0.1	<0.1	227	3.94	0.177	6	33	1.20	20	0.194	10	2.80	0.323	0.12	0.2	<0.01	6.7	<0.1	0.10	10	<0.5	<0.2
11649	290.35	292.35	2.00				Drill Core	4.27	0.006	0.4	129.1	5.7	72	<0.1	14.6	22.3	971	4.90	1.6	<0.5	0.8	108	<0.1	<0.1	<0.1	194	2.90	0.173	6	29	1.00	25	0.178	4	2.85	1.263	0.13	0.2	<0.01	3.9	<0.1	<0.05	8	<0.5	<0.2
11650	290.35			Standard	CGS-29		Rock Pulp	0.11	0.264	10.2	5508.4	5.0	81	1.6	10.1	7.0	586	4.33	1.9	156.5	3.7	59	0.4	0.3	0.7	60	1.09	0.069	10	15	0.64	168	0.070	4	1.06	0.066	0.41	0.1	0.07	3.8	0.1	0.33	6	3.9	0.2
11663	292.35	294.35	2.00				Drill Core	4.27	0.005	0.6	152.0	6.9	72	<0.1	16.4	22.8	1051	5.08	1.7	<0.5	0.9	110	<0.1	<0.1	<0.1	215	2.76	0.182	6	33	1.16	25	0.197	7	3.06	1.126	0.12	0.1	<0.01	5.0	<0.1	<0.05	9	<0.5	<0.2
11664	294.35	296.35	2.00				Drill Core	4.03	<0.005	1.3	203.0	8.6	74	0.4	18.9	19.1	954	4.28	2.6	<0.5	1.1	168	<0.1	0.1	<0.1	165	3.50	0.235	8	37	1.22	27	0.185	18	5.04	2.497	0.14	0.2	<0.01	4.7	<0.1	0.05	10	0.8	<0.2
11669	294.35			Field Dup		11664	Drill Core	4.00	0.006	1.2	174.7	7.9	69	0.2	16.7	18.0	858	4.09	3.2	8.5	1.0	152	<0.1	<0.1	<0.1	153	3.48	0.209	7	33	1.12	22	0.169	13	4.55	2.207	0.12	0.2	<0.01	4.5	0.1	<0.05	9	0.9	<0.2
11665	296.35	298.35	2.00				Drill Core	4.66	<0.005	1.3	196.7	7.6	70	0.1	19.4	18.9	901	4.23	3.1	<0.5	1.0	143	<0.1	<0.1	<0.1	158	3.22	0.217	8	40	1.14	26	0.178	15	5.08	2.734	0.19	0.2	<0.01	4.6	<0.1	0.05	9	1.0	<0.2
11666	298.35	300.35	2.00				Drill Core	4.57	0.005	1.0	71.8	7.7	69	<0.1	19.5	17.3	873	4.16	2.6	2.4	1.1	132	<0.1	<0.1	<0.1	128	3.12	0.209	7	37	1.17	20	0.160	10	5.26	3.020	0.29	0.2	<0.01	4.5	<0.1	<0.05	8	<0.5	<0.2
11667	298.35			Blank			Rock	3.14	<0.005	0.3	91.7	2.1	47	<0.1	80.5	24.2	640	3.32	1.4	1.7	0.4	108	<0.1	<0.1	<0.1	120	7.05	0.076	4	41	0.88	18	0.205	14	3.40	0.990	0.18	<0.1	<0.01	4.9	<0.1	0.09	7	<0.5	<0.2
11668	300.35	302.35	2.00				Drill Core	3.78	0.006	0.9	118.4	2.8	57	0.2	10.8	19.3	896	4.80	2.5	<0.5	0.7	136	0.1	<0.1	<0.1	236	3.29	0.115	7	12	1.36	27	0.293	11	3.09	0.833	0.10	<0.1	<0.01	11.4	<0.1	0.15	9	0.8	<0.2
11670	302.35	304.35	2.00				Drill Core	3.75	<0.005	0.8	130.1	4.3	72	0.2	14.2	22.0	993	5.12	2.2	4.1	0.7	141	<0.1	<0.1	<0.1	225	2.29	0.142	7	20	1.24	28	0.253	6	3.48	1.270	0.16	<0.1	0.01	8.5	<0.1	0.07	9	<0.5	<0.2
11671	304.35	306.35	2.00				Drill Core	4.22	0.006	0.5	114.7	6.5	75	0.1	16.4	22.7	945	5.03	3.0	1.5	0.7	166	<0.1	<0.1	<0.1	200	2.27	0.162	6	26	0.99	18	0.191	8	3.38	1.268	0.10	0.1	<0.01	3.9	<0.1	<0.05	9	<0.5	<0.2
11697	304.35			Field Dup		11671	Drill Core	4.26	<0.005	0.2	78.1	5.4	46	<0.1	189.1	31.3	703	3.77	1.0	3.3	0.4	313	<0.1	<0.1	<0.1	112	3.23	0.099	2	171	3.72	49	0.105	11	2.10	0.715	0.15	<0.1	0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
11672	306.35	308.35	2.00				Drill Core	4.38	<0.005	0.7	165.8	6.5	75	0.1	15.9	22.7	1072	5.16	2.9	0.8	0.9	136	<0.1	<0.1	<0.1	205	2.07	0.186	6	26	1.05	20	0.200	9	3.90	1.932	0.14	0.2	<0.01	4.2	<0.1	0.05	9	<0.5	<0.2
11673	308.35	310.35	2.00				Drill Core	4.89	0.007	0.6	134.4	6.9	75	0.2	16.1	23.2	1133	5.27	3.8	0.5	0.8	154	<0.1	<0.1	<0.1	206	2.34	0.158	6	26	1.11	21	0.207	10	4.00	1.968	0.15	0.2	<0.01	6.2	<0.1	0.09	9	<0.5	<0.2
11673A	308.35			Field Dup		11673																																							
11674	310.35	312.35	2.00				Drill Core	4.19	0.007	0.3	103.7	5.7	69	<0.1	14.3	21.5	889	4.85	2.7	<0.5	0.8	138	<0.1	<0.1	<0.1	205	2.33	0.153	6	22	0.86	21	0.197	11	3.57	1.791	0.13	0.1	<0.01	4.1	<0.1	<0.05	8	<0.5	<0.2
11675	312.35	314.35	2.00				Drill Core	3.74	0.006	0.4	127.9	5.4	72	<0.1	153.4	29.3	935	5.26	1.9	0.7	1.6	193	<0.1	<0.1	<0.1	196	2.27	0.174	8	43	2.37	132	0.237	8	3.00	1.171	0.24	0.2	0.02	5.1	<0.1	0.13	8	<0.5	<0.2
11676	314.35	316.35	2.00				Drill Core	3.85	0.005	0.6	139.6	6.1	75	<0.1	52.3	26.7	1120	5.52	2.5	<0.5	1.0	164	<0.1	<0.1	<0.1	210	2.21	0.173	7	30	1.54	32	0.201	132	3.92	1.835	0.12	0.2	<0.01	4.3	<0.1	0.06	9	<0.5	<0.2
11677	316.35	318.35	2.00				Drill Core	4.20	0.005	0.5	127.6	6.1	75	<0.1	15.1	22.0	979	5.11	2.5	1.1	0.8	133	<0.1	<0.1	<0.1	196	2.31	0.169	6	23	0.93	26	0.187	71	3.55	1.913	0.16	<0.1	<0.01	4.0	<0.1	<0.05	8	<0.5	<0.2
11679	316.35			Prep Dup		11677	Drill Core		0.008	0.4	131.7	6.6	76	<0.1	16.0	24.1	1077	5.30	2.1	<0.5	0.9	140	<0.1	<0.1	<0.1	202	2.39	0.187	6	25	0.96	28	0.201	59	3.72	2.015	0.17	0.1	<0.01	4.1	<0.1	<0.05	8	<0.5	<0.2
11678	318.35	320.35	2.00				Drill Core	4.55	0.006	1.0	149.2	7.4	84	<0.1	18.2	27.0	1197	6.00	3.3	<0.5	1.0	185	<0.1	<0.1	<0.1	234	2.80	0.177	7	29	1.11	22	0.248	17	4.31	1.988	0.13	0.2	<0.01	5.2	<0.1	<0.05	11	<0.5	<0.2
11680	320.35	322.35	2.00				Drill Core	4.42	<0.005	0.7	146.1	7.5	89	<0.1	19.5	27.7	1186	6.13	3.3	1.0	1.0	147	<0.1	<0.1	<0.1	246	2.47	0.199	7	29	1.04	24	0.240	17	4.39	2.453	0.16	0.1	<0.01	4.8	<0.1	<0.05	10	<0.5	<0.2
11681	322.35	324.35	2.00				Drill Core	3.85	0.007	0.6	148.9	6.7	81	<0.1	18.1	25.4	1108	5.77	2.9	<0.5	0.9	148	<0.1	<0.1	<0.1	226	2.57	0.181	7	28	1.04	23	0.232	135	4.14	2.201	0.14	0.2	<0.01	4.8	<0.1	<0.05	10	<0.5	<0.2
11682	324.35	326.35	2.00				Drill Core	4.07	0.005	0.7	182.2	7.7	90	<0.1	18.3	26.8	1257	6.21	2.7	3.0	1.0	157	<0.1	<0.1	<0.1	235	2.31	0.188	7	29	1.18	22	0.237	14	4.54	2.292	0.13	0.2	<0.01	4.9	<0.1	0.06	11	<0.5	<0.2
11683	326.35	328.35	2.00				Drill Core	3.71	0.005	0.7	160.6	7.2	86	<0.1	19.0	27.0	1324	6.24	2.4	<0.5	1.0	170	<0.1	<0.1	<0.1	248	2.37	0.195	7	31	1.42	24	0.241	19	4.23	1.980	0.13	0.2	<0.01	4.7	<0.1	<0.05	11	<0.5	<0.2
11684	326.35			Standard	CGS-26		Rock Pulp	0.11	1.537	86.5	>10000	664.3	1639	8.6	104.9	14.7	450	5.30	333.3	1403.7	2.1	41	9.5	44.1	3.0	52	0.88	0.056	8	53	0.66	52	0.075	47	1.23	0.088	0.22	37.8	0.84	4.7	1.1	2.35	5	4.8	0.4
11685	328.35	330.35	2.00				Drill Core	4.04	0.006	0.6	94.3	4.7	65	<0.1	162.9	33.2	956	4.75	1.8	0.8	0.7	254	<0.1	<0.1	<0.1	145	2.18	0.127	4	171	3.26	25	0.146	17	3.27	1.476	0.21	0.2	<0.01	5.4	<0.1	<0.05	7	<0.5	<0.2
11686	330.35	332.35	2.00				Drill Core	4.87	0.006	0.5	94.4	5.4	63	<0.1	111.5	29.2	1024	4.62	2.0	<0.5	0.6	223	<0.1	<0.1	<0.1	152	2.23	0.124	4	117	2.92	23	0.156	14	2.78	0.897	0.19	0.3	<0.01	4.6	<0.1	<0.05	7	<0.5	<0.2
11687	332.35	334.35	2.00				Drill Core	4.49	0.006	0.4	83.9	3.8	58	<0.1	211.4	36.9	888	4.61	2.0	2.0	0.5	257	<0.1	<0.1	<0.1	121	2.01	0.103	3	196	4.12	17	0.120	16	2.85	1.002	0.13	0.2	<0.01	5.0	<0.1	<0.05	6	<0.5	<0.2
11688	334.35	336.35	2.00				Drill Core	3.79	<0.005	0.2	73.0	3.1	47	<0.1	204.8	32.8	696	3.78	1.0	<0.5	0.4	256	<0.1	<0.1	<0.1	100	2.37	0.095	2	192	3.80	24	0.098	13	2.23	0.734	0.12	<0.1	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
11689	334.35			Blank			Rock	3.10	<0.005	0.1	94.8	1.9	46	<0.1	83.3	24.9	657	3.40	1.2	<0.5	0.4	128	<0.1	<0.1	<0.1	121	6.83	0.081	4	36	0.84	15	0.198	13	3.26	1.062	0.15	<0.1	<0.01	3.8	<0.1	0.07	7	<0.5	<0.2
11690	336.35	338.35	2.00				Drill Core	4.36	<0.005	0.3	73.6	3.9	47	<0.1	174.8	30.6	689	3.97	1.3	<0.5	0.4	251	<0.1	<0.1	<0.1	104	2.54	0.098	3	181	3.53	22	0.106	15	2.36	0.822	0.20	<0.1	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
11691	338.35	340.35	2.00				Drill Core	4.52	<0.005	0.2	72.3	3.5	48	<0.1	215.4	36.0	688	4.05	0.7	<0.5	0.4	262	<0.1	<0.1	<0.1	100	1.87	0.090	3	178	4.31	14	0.101	12	2.45	0.708	0.17	0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
11692	340.35	342.35	2.00				Drill Core	4.68	<0.005	0.2	75.2	3.2	47	<0.1	223.9	34.5	681	3.90	<0.5	<0.5	0.4	265	<0.1	<0.1	<0.1	101	1.91	0.091	2	187	3.96	31	0.096	13	2.28	0.685	0.16	0.1	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
11693	342.35	344.35	2.00				Drill Core	2.68	<0.005	0.8	91.0	6.1	53	<0.1	91.7	24.1	611	3.98	1.1	0.5	0.6	223	<0.1	<0.1	<0.1	147	1.61	0.162	4	111	3.09	25	0.136	10	3.66	2.041	0.30	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
11694	344.35	346.35	2.00				Drill Core	4.02	<0.005	0.7	73.6	4.0	56	<0.1	206.3	34.6	780	4.53	0.8	<0.5	0.5	286	<0.1	<0.1	<0.1	138	2.58	0.121	3	221	4.03	26	0.126	16	2.94	1.180	0.28	<0.1	<0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
11694A	344.35			Field Dup		11694																																							
11695	346.35	348.35	2.00				Drill Core	3.99	<0.005	0.3	64.8	3.8	50	<0.1	210.4	34.5	775	4.27	1.1	2.8	0.6	298	<0.1	<0.1	<0.1	143	2.29	0.108	4	227	4.34	37	0.124	22	2.55	0.760	0.16	0.1	<0.01	5.8	<0.1	<0.05	5	<0.5	<0.2
11696	348.35	350.35	2.00				Drill Core	4.63	<0.005	0.2	73.3	3.0	44	<0.1	155.7	29.6	582	3.74	1.0	<0.5	0.3	244	<0.1	<0.1	<0.1	104	1.73	0.082	2	176	3.48	32	0.104	11	1.70	0.430	0.11	<0.1	<0.01	4.8	<0.1	<0.05	4	<0.5	<0.2
11698	350.35	352.35	2.00				Drill Core	4.07	<0.005	0.3	69.5	3.4	48	<0.1	207.8	33.8	656	4.14	0.7	0.9	0.4	320	<0.1	<0.1	<0.1	118	2.66	0.092	2	198	4.10	44	0.113	12	1.93	0.512	0.13	0.1	<0.01	5.3	<0.1	<0.05	5	<0.5	<0.2
11699	352.35	354.35	2.00				Drill Core	4.29	<0.005	0.2	61.7	2.9	44	<0.1	190.6	32.3	639	3.86	0.8	<0.5	0.3	303	<0.1	<0.1	<0.1	111	2.43	0.081	2	195	3.67	38	0.105	10	1.75	0.454	0.12	<0.1	<0.01	4.8	<0.1	<0.05	4	<0.5	<0.2
11700	354.35	356.35	2.00				Drill Core	4.70	<0.005	0.4	67.9	3.0	48	<0.1	183.0	31.7	640	4.00	<0.5	0.5	0.4	279	<0.1	<0.1	<0.1	112	2.31	0.086	2	200	3.45	42	0.107	21	1.77	0.504	0.12	<0.1	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
11701	354.35			Field Dup		11700	Drill Core	4.22	<0.005	0.2	73.4	2.9	51	<0.1	187.1	33.6	675	4.04	0.7	<0.5	0.4	304	<0.1	<0.1	<0.1	115	2.49	0.093	2	197	3.66	41	0.108	16	1.89	0.548	0.12	<0.1	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
11702	356.35	358.35	2.00				Drill Core	4.50	<0.005	0.2	75.4	4.2	52	<0.1	177.2	33.3	706	4.30	<0.5	3.2	0.4	291	<0.1	<0.1	<0.1	127	2.36	0.104	3	195	3.74	33	0.121	13	2.25	0.821	0.15	<0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
11703	358.35	360.35	2.00				Drill Core	4.86	<0.005	0.3	69.7	4.1	53	<0.1	171.0	34.7	709	4.41	0.7	<0.5	0.5	301	<0.1	<0.1	<0.1	132	2.04	0.105	3	186	3.86	30	0.126	13	2.51	1.008	0.16	<0.1	<0.01	4.7	<0.1	<0.05	6	<0.5	<0.2
11704	360.35	362.35	2.00				Drill Core	4.34	<0.005	0.3	81.6	6.8	47	<0.1	181.3	32.2	710	3.83	1.0	<0.5	0.4	312	<0.1	<0.1	<0.1	115	3.54	0.099	3	180	3.61	55	0.109	10	2.08	0.715	0.16	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
11705	362.35	364.35	2.00				Drill Core	4.35	<0.005	0.4	74.0	4.2	47	<0.1	172.8	33.4	689	3.83	<0.5	2.5	0.4	307	<0.1	<0.1	<0.1	109	3.57	0.099	2	180	3.58	35	0.112	16	1.74	0.442	0.14	0.1	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
11706	364.35	366.35	2.00				Drill Core	4.55	<0.005	0.3	82.6	3.5	53	0.1	189.8	34.1	764	4.18	0.9	0.8	0.5	284	<0.1	<0.1	<0.1	128	2.47	0.115	3	193	3.69	34	0.126	11	2.15	0.720	0.18	0.1	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
11707	366.35	368.35	2.00				Drill Core	4.87	<0.005	0.3	77.3	4.6	54	<0.1	223.7	37.4	809	4.35	<0.5	1.0	0.4	336	<0.1	<0.1	<0.1	131	3.59	0.101	3	247	4.16	55	0.128	8	2.06	0.507	0.15	<0.1	<0.01	5.3	<0.1	<0.05	5	<0.5	<0.2
11708	366.35			Blank			Rock	3.07	<0.005	0.4	113.1	2.7	56	<0.1	99.5	28.8	784	3.83	1.0	<0.5	0.5	148	<0.1	<0.1	<0.1	147	8.10	0.093	5	52	1.02	18	0.254	15	3.84	1.143	0.15	<0.1	<0.01	5.3	<0.1	0.08	9	<0.5	<0.2
11709	368.35	370.35	2.00				Drill Core	4.48	<0.005	0.2	60.7	3.8	56	0.1	234.8	40.6	753	4.55	0.6	<0.5	0.4	351	<0.1	<0.1	<0.1	115	2.38	0.099	3	219	4.73	29	0.110	11	2.24	0.547	0.14	<0.1	<0.01	4.6	<0.1	<0.05	5	<0.5	<0.2

							Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																																						
11710	370.35	372.35	2.00				Drill Core	4.60	<0.005	0.3	75.7	3.2	58	<0.1	215.4	37.1	739	4.53	<0.5	<0.5	0.5	359	<0.1	<0.1	<0.1	118	3.57	0.108	3	252	4.21	30	0.117	11	2.03	0.418	0.13	<0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
11711	372.35	374.35	2.00				Drill Core	4.61	<0.005	0.4	90.4	4.6	69	<0.1	261.0	45.7	1021	5.71	<0.5	<0.5	0.5	339	<0.1	<0.1	<0.1	144	1.84	0.122	3	303	5.58	27	0.137	17	2.48	0.291	0.09	<0.1	<0.01	5.0	<0.1	<0.05	6	<0.5	<0.2
11712	374.35	376.35	2.00				Drill Core	4.76	<0.005	0.3	86.8	3.1	64	<0.1	226.5	40.2	974	5.04	<0.5	<0.5	0.5	319	<0.1	<0.1	<0.1	133	3.09	0.115	3	280	4.70	41	0.136	13	2.32	0.390	0.09	<0.1	<0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
11713	376.35	378.35	2.00				Drill Core	4.93	<0.005	0.3	75.9	4.1	61	<0.1	229.5	41.1	870	5.15	<0.5	<0.5	0.5	368	<0.1	<0.1	<0.1	127	2.56	0.099	3	261	5.42	24	0.125	14	2.51	0.434	0.10	<0.1	<0.01	5.2	<0.1	<0.05	6	<0.5	<0.2
11713A	**376.35**			**Field Dup**		**11713**																																					
11714	378.35	380.35	2.00				Drill Core	4.68	<0.005	0.4	80.0	2.8	62	<0.1	228.7	41.6	865	4.95	<0.5	<0.5	0.5	333	<0.1	<0.1	<0.1	123	2.30	0.106	3	276	5.25	24	0.131	14	2.48	0.444	0.11	<0.1	<0.01	5.1	<0.1	<0.05	5	<0.5	<0.2
11715	**378.35**			**Blank**			**Rock**	**3.04**	**<0.005**	**0.3**	**111.5**	**2.6**	**57**	**<0.1**	**95.9**	**28.9**	**813**	**3.92**	**1.3**	**<0.5**	**0.6**	**159**	**<0.1**	**<0.1**	**<0.1**	**147**	**7.93**	**0.096**	**5**	**51**	**1.07**	**21**	**0.246**	**18**	**3.90**	**1.178**	**0.16**	**<0.1**	**<0.01**	**5.6**	**<0.1**	**0.09**	**9**	**<0.5**	**<0.2**
11716	380.35	382.35	2.00				Drill Core	4.32	<0.005	0.3	83.3	2.6	58	<0.1	209.6	37.9	845	4.57	<0.5	0.6	0.5	337	<0.1	<0.1	<0.1	122	2.83	0.115	3	247	5.00	29	0.124	13	2.31	0.454	0.10	<0.1	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
11717	**380.35**			**Field Dup**		**11716**	**Drill Core**	**4.59**	**<0.005**	**0.4**	**85.4**	**2.9**	**63**	**<0.1**	**212.5**	**40.7**	**918**	**4.79**	**0.8**	**<0.5**	**0.5**	**408**	**<0.1**	**<0.1**	**<0.1**	**123**	**3.52**	**0.115**	**3**	**254**	**5.62**	**34**	**0.128**	**14**	**2.59**	**0.507**	**0.10**	**0.1**	**<0.01**	**5.2**	**<0.1**	**<0.05**	**6**	**<0.5**	**<0.2**
11718	382.35	384.35	2.00				Drill Core	4.72	<0.005	0.3	83.5	3.4	60	<0.1	219.7	40.5	861	4.97	<0.5	<0.5	0.5	335	<0.1	<0.1	<0.1	133	2.53	0.108	3	310	4.97	27	0.139	16	2.40	0.437	0.12	<0.1	<0.01	5.9	<0.1	<0.05	5	<0.5	<0.2
11719	384.35	386.35	2.00				Drill Core	4.72	0.006	0.2	86.1	4.4	61	<0.1	227.8	41.6	952	4.99	<0.5	<0.5	0.6	361	<0.1	<0.1	<0.1	130	3.51	0.112	4	268	4.91	92	0.138	15	2.55	0.434	0.16	<0.1	<0.01	5.3	<0.1	<0.05	6	<0.5	<0.2
11720	386.35	388.35	2.00				Drill Core	4.37	0.006	0.4	96.6	4.8	60	<0.1	201.4	37.5	868	4.77	<0.5	<0.5	0.6	329	<0.1	<0.1	<0.1	140	2.93	0.133	4	274	4.55	130	0.144	14	2.40	0.532	0.16	<0.1	<0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
11721	**386.35**			**Prep Dup**		**11720**	**Drill Core**		**<0.005**	**0.4**	**91.5**	**4.8**	**57**	**<0.1**	**194.6**	**35.4**	**861**	**4.74**	**<0.5**	**0.7**	**0.6**	**327**	**<0.1**	**<0.1**	**<0.1**	**136**	**2.86**	**0.128**	**4**	**271**	**4.36**	**124**	**0.141**	**14**	**2.31**	**0.521**	**0.16**	**<0.1**	**<0.01**	**5.7**	**<0.1**	**<0.05**	**5**	**<0.5**	**<0.2**
11722	388.35	390.35	2.00				Drill Core	4.30	0.005	0.4	86.6	5.0	63	<0.1	233.7	39.0	844	4.93	0.8	<0.5	0.5	359	<0.1	<0.1	<0.1	136	2.32	0.115	3	257	4.96	35	0.129	14	2.38	0.467	0.11	<0.1	<0.01	5.3	<0.1	<0.05	6	<0.5	<0.2
11723	390.35	392.35	2.00				Drill Core	4.17	<0.005	0.3	91.2	3.2	62	<0.1	221.8	40.8	865	5.00	<0.5	0.6	0.6	351	<0.1	<0.1	<0.1	139	2.36	0.123	4	273	5.29	37	0.142	14	2.63	0.562	0.14	<0.1	<0.01	5.6	<0.1	<0.05	6	<0.5	<0.2
11724	392.35	394.35	2.00				Drill Core	4.57	<0.005	0.3	87.4	3.5	59	<0.1	216.7	39.5	778	4.68	<0.5	<0.5	0.5	339	<0.1	<0.1	<0.1	131	2.24	0.121	3	256	4.99	35	0.130	12	2.53	0.593	0.16	<0.1	<0.01	5.4	<0.1	<0.05	5	<0.5	<0.2
11725	394.35	396.35	2.00				Drill Core	4.39	<0.005	0.3	71.1	7.2	51	<0.1	211.9	38.2	764	4.25	0.7	3.1	0.4	356	<0.1	<0.1	<0.1	109	2.01	0.102	3	233	4.72	32	0.105	13	2.33	0.529	0.11	<0.1	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
11726	396.35	398.35	2.00				Drill Core	4.68	<0.005	0.2	66.4	2.7	52	<0.1	224.2	38.9	795	4.50	<0.5	2.3	0.4	333	<0.1	<0.1	<0.1	110	1.95	0.098	3	271	5.11	23	0.109	14	2.35	0.430	0.10	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
11727	398.35	400.35	2.00				Drill Core	4.48	<0.005	0.2	65.1	2.9	51	<0.1	223.0	40.3	756	4.43	0.5	1.8	0.4	360	<0.1	<0.1	<0.1	107	1.99	0.097	3	275	4.96	34	0.101	12	2.30	0.450	0.12	<0.1	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
11728	400.35	402.35	2.00				Drill Core	4.18	<0.005	0.2	61.7	2.7	52	<0.1	227.9	41.1	773	4.47	0.6	1.5	0.4	322	<0.1	<0.1	<0.1	107	1.93	0.093	3	281	5.19	24	0.103	13	2.43	0.471	0.12	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
11729	402.35	404.35	2.00				Drill Core	4.37	0.006	0.2	64.7	3.1	54	0.1	227.4	40.6	802	4.61	<0.5	<0.5	0.4	386	<0.1	<0.1	<0.1	116	2.15	0.096	3	307	5.09	38	0.119	14	2.44	0.515	0.12	<0.1	<0.01	5.2	<0.1	<0.05	5	<0.5	<0.2
11730	**402.35**			**Standard**	**BL-9**		**Rock Pulp**	**0.11**	**<0.005**	**2.8**	**21.1**	**2.1**	**34**	**0.5**	**18.1**	**8.8**	**298**	**1.92**	**3.4**	**<0.5**	**0.9**	**27**	**0.2**	**0.2**	**<0.1**	**45**	**0.70**	**0.047**	**5**	**20**	**0.51**	**85**	**0.093**	**4**	**1.13**	**0.062**	**0.07**	**17.2**	**0.01**	**3.8**	**<0.1**	**<0.05**	**4**	**<0.5**	**<0.2**
11731	404.35	406.35	2.00				Drill Core	4.44	<0.005	0.4	58.6	3.5	52	<0.1	327.6	39.6	791	4.32	0.8	1.3	1.0	509	<0.1	<0.1	<0.1	109	2.05	0.094	5	301	5.49	125	0.141	16	2.38	0.382	0.23	<0.1	<0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
11732	406.35	408.35	2.00				Drill Core	4.63	0.005	0.2	62.0	4.2	53	<0.1	235.0	41.8	823	4.65	0.6	1.3	0.4	416	<0.1	<0.1	<0.1	116	2.19	0.096	3	297	5.13	37	0.112	13	2.34	0.313	0.10	<0.1	0.01	6.0	<0.1	<0.05	5	<0.5	<0.2
11733	408.35	410.35	2.00				Drill Core	4.85	<0.005	0.2	68.4	2.2	54	<0.1	239.0	42.2	833	4.54	<0.5	1.5	0.4	288	<0.1	<0.1	<0.1	110	2.02	0.090	2	275	5.26	22	0.104	13	2.28	0.283	0.08	<0.1	<0.01	5.5	0.1	<0.05	5	<0.5	<0.2
11734	410.35	412.35	2.00				Drill Core	4.71	<0.005	0.3	64.4	4.0	46	<0.1	213.7	37.5	727	4.14	<0.5	1.6	0.3	323	<0.1	<0.1	<0.1	105	2.27	0.089	2	243	4.77	34	0.097	10	2.09	0.295	0.09	<0.1	<0.01	5.3	<0.1	<0.05	4	<0.5	<0.2
11735	**410.35**			**Blank**			**Rock**	**3.08**	**<0.005**	**0.3**	**90.9**	**2.2**	**49**	**<0.1**	**93.5**	**28.8**	**731**	**3.59**	**1.3**	**1.3**	**0.4**	**136**	**<0.1**	**<0.1**	**<0.1**	**138**	**8.14**	**0.082**	**4**	**49**	**0.97**	**17**	**0.243**	**14**	**3.86**	**1.146**	**0.19**	**<0.1**	**<0.01**	**5.5**	**<0.1**	**0.10**	**8**	**<0.5**	**<0.2**
11736	412.35	414.35	2.00				Drill Core	4.44	0.007	0.2	70.8	3.7	52	<0.1	236.0	42.0	776	4.87	<0.5	0.7	0.4	321	<0.1	<0.1	<0.1	116	2.41	0.099	3	297	4.96	22	0.112	12	2.19	0.297	0.08	<0.1	<0.01	5.4	<0.1	<0.05	5	<0.5	<0.2
11738	**412.35**			**Field Dup**		**11736**	**Drill Core**	**4.62**	**0.006**	**0.2**	**64.2**	**3.1**	**54**	**<0.1**	**238.1**	**40.7**	**760**	**4.62**	**<0.5**	**0.5**	**0.4**	**300**	**<0.1**	**<0.1**	**<0.1**	**113**	**2.30**	**0.089**	**2**	**302**	**5.00**	**20**	**0.112**	**12**	**2.22**	**0.286**	**0.08**	**<0.1**	**<0.01**	**5.3**	**<0.1**	**<0.05**	**5**	**<0.5**	**<0.2**
11737	414.35	415.45	1.10				Drill Core	3.05	0.008	0.2	62.0	2.7	55	<0.1	252.7	44.4	810	5.00	<0.5	0.9	0.4	304	<0.1	<0.1	<0.1	121	2.15	0.091	2	376	5.13	17	0.120	13	2.25	0.278	0.07	<0.1	<0.01	5.9	<0.1	<0.05	5	<0.5	<0.2
11739	415.45	416.55	1.10		eoh		Drill Core	2.61	0.008	0.2	60.2	2.9	47	<0.1	205.1	37.0	750	4.22	<0.5	<0.5	0.3	417	<0.1	<0.1	<0.1	104	2.69	0.087	2	261	4.68	36	0.105	11	2.13	0.279	0.07	<0.1	<0.01	6.0	<0.1	<0.05	4	<0.5	<0.2

Table 4. Samples and assays from CT-2011-012A

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98601	255.00	257.00	2.00				Drill Core	4.31	0.015	0.60	191.4	1.8	59	1.0	13.5	33.3	1097	5.08	0.6	4.0	0.5	177	<0.1	<0.1	<0.1	178	3.21	0.102	4	20	2.47	18	0.216	2	2.17	0.066	0.06	0.1	<0.01	12.5	<0.1	0.09	8	<0.5	<0.2
98602	257.00	259.00	2.00				Drill Core	4.63	0.032	0.20	182.5	1.5	57	0.5	15.3	29.6	1018	5.69	0.7	3.2	0.5	221	<0.1	0.1	<0.1	197	1.73	0.099	4	20	2.98	21	0.245	2	2.32	0.104	0.04	0.1	<0.01	13.1	<0.1	0.07	8	<0.5	<0.2
98611	257.00	259.00	2.00	Field Dup		98602	Drill Core	3.44	0.007	0.20	131.0	1.5	58	0.4	14.2	25.3	995	5.24	0.8	2.5	0.4	227	<0.1	0.2	<0.1	183	1.75	0.095	4	18	2.78	18	0.231	<1	2.17	0.085	0.04	0.1	0.02	12.1	<0.1	0.05	8	<0.5	<0.2
98603	259.00	261.00	2.00				Drill Core	4.44	0.008	0.10	25.7	1.6	55	0.5	15.1	22.1	983	5.56	0.6	<0.5	0.5	209	<0.1	<0.1	<0.1	186	1.68	0.095	4	20	3.05	43	0.231	5	2.32	0.112	0.05	0.1	<0.01	12.8	<0.1	<0.05	8	<0.5	<0.2
98604	261.00	263.00	2.00				Drill Core	4.58	0.007	<0.1	17.0	1.7	52	0.8	15.2	30.2	839	5.10	0.9	1.4	0.4	183	<0.1	0.2	<0.1	171	1.27	0.098	3	20	2.99	15	0.209	2	2.17	0.095	0.03	0.1	<0.01	11.2	<0.1	<0.05	7	<0.5	<0.2
98606	263.00	265.00	2.00				Drill Core	4.55	0.010	0.20	13.2	1.5	48	0.9	14.3	22.9	829	5.04	0.8	1.5	0.4	210	<0.1	<0.1	<0.1	170	1.53	0.098	3	18	2.65	19	0.206	2	2.06	0.102	0.05	0.1	<0.01	9.8	<0.1	<0.05	8	<0.5	<0.2
98605	263.00			Blank			Rock	2.78	0.006	0.30	89.8	2.3	50	<0.1	83.6	25.6	693	3.37	1.0	<0.5	0.5	137	<0.1	<0.1	<0.1	126	7.04	0.086	4	43	0.89	19	0.219	15	3.53	1.055	0.17	<0.1	<0.01	4.7	<0.1	0.11	8	<0.5	<0.2
98607	265.00	267.00	2.00				Drill Core	5.03	0.012	0.20	22.9	1.5	51	1.0	16.3	26.8	800	5.36	0.9	<0.5	0.5	219	<0.1	0.1	<0.1	183	1.43	0.101	4	24	3.08	21	0.220	2	2.22	0.133	0.05	0.1	<0.01	12.5	<0.1	<0.05	7	<0.5	<0.2
98608	267.00	269.00	2.00				Drill Core	4.45	0.006	0.20	78.6	1.3	47	1.4	16.5	28.8	827	5.07	0.5	<0.5	0.5	224	<0.1	0.1	<0.1	176	1.81	0.109	4	26	2.86	24	0.223	2	2.17	0.123	0.06	0.1	<0.01	12.8	<0.1	0.05	8	<0.5	<0.2
98609	269.00	271.00	2.00				Drill Core	4.53	<0.005	0.20	84.9	1.0	49	1.3	14.5	23.9	807	5.10	0.9	<0.5	0.5	190	<0.1	0.1	<0.1	176	2.11	0.113	4	23	2.59	23	0.219	2	2.02	0.109	0.06	0.1	<0.01	11.2	<0.1	0.05	8	<0.5	<0.2
98612	271.00	273.00	2.00				Drill Core	4.67	0.008	1.70	179.3	0.9	42	0.6	15.1	20.5	870	4.34	<0.5	5.4	0.7	142	<0.1	0.1	<0.1	154	2.98	0.114	5	26	2.24	30	0.200	4	2.01	0.106	0.08	0.2	<0.01	9.8	<0.1	0.06	7	<0.5	<0.2
98610	271.00	273.00	2.00	Prep Dup		98612	Drill Core		0.012	1.70	184.6	0.9	46	0.5	15.7	21.0	916	4.47	<0.5	6.8	0.7	156	<0.1	<0.1	<0.1	166	3.15	0.111	5	26	2.38	32	0.214	2	2.11	0.116	0.09	0.1	<0.01	11.3	<0.1	0.07	8	<0.5	<0.2
98613	273.00	275.00	2.00				Drill Core	4.41	0.011	2.60	134.9	1.1	50	0.5	25.1	34.4	1063	4.93	1.3	4.6	0.6	167	<0.1	0.1	<0.1	167	3.28	0.108	5	54	2.70	32	0.219	5	2.39	0.109	0.07	0.2	0.01	12.5	<0.1	0.21	7	<0.5	<0.2
98614	275.00	277.00	2.00				Drill Core	4.17	0.009	1.00	90.4	1.0	42	0.4	10.1	22.0	985	4.37	1.0	5.2	0.7	135	<0.1	<0.1	<0.1	149	3.48	0.107	5	17	2.25	272	0.202	3	2.24	0.091	0.08	0.2	0.06	10.8	<0.1	0.15	7	<0.5	<0.2
98615	277.00	279.00	2.00				Drill Core	4.31	0.015	9.00	78.4	11.1	55	0.8	11.1	25.5	1240	4.46	10.7	7.4	1.2	91	0.4	0.2	0.2	138	4.06	0.120	9	17	1.89	72	0.118	4	2.43	0.062	0.11	0.2	0.09	9.6	0.1	0.89	9	0.7	0.3
98615A	277.00	279.00	2.00	Check		98615																																							
98616	279.00	281.00	2.00				Drill Core	4.41	0.006	0.40	116.8	1.0	44	0.5	10.2	22.5	1219	4.54	0.8	3.5	0.8	143	<0.1	<0.1	<0.1	138	3.82	0.112	7	15	1.96	69	0.079	4	2.33	0.067	0.11	<0.1	0.01	10.0	<0.1	0.20	8	<0.5	<0.2
98617	281.00	283.00	2.00				Drill Core	4.52	<0.005	0.20	56.9	1.2	47	0.3	11.4	21.3	983	4.71	0.8	2.1	0.4	158	<0.1	0.1	<0.1	154	3.29	0.094	4	21	2.08	49	0.178	4	2.05	0.135	0.09	0.1	0.01	11.9	<0.1	0.13	6	<0.5	<0.2
98618	283.00	285.00	2.00				Drill Core	4.57	0.006	0.30	65.3	1.0	51	0.4	12.6	22.4	1123	5.19	0.7	2.6	0.5	174	<0.1	<0.1	<0.1	171	2.97	0.106	4	19	2.85	43	0.211	4	2.60	0.133	0.08	0.1	<0.01	12.9	<0.1	0.09	8	<0.5	<0.2
98619	285.00	287.00	2.00				Drill Core	4.19	0.008	1.30	129.1	1.0	46	0.4	11.9	20.8	1298	4.77	1.2	3.8	1.2	123	<0.1	<0.1	<0.1	185	3.40	0.125	8	24	2.36	31	0.152	4	2.54	0.118	0.08	0.2	<0.01	13.8	<0.1	0.18	9	<0.5	<0.2
98621	287.00	289.00	2.00				Drill Core	3.28	0.032	6.50	133.0	2.3	38	0.3	19.2	26.0	1183	4.54	3.3	<0.5	1.0	100	<0.1	0.2	<0.1	210	4.15	0.103	9	33	1.68	42	0.098	6	2.22	0.101	0.08	0.1	0.09	12.7	0.2	1.08	9	4.9	<0.2
98620	287.00			Standard	CGS-29		Rock Pulp	0.11	0.240	10.70	5190.8	5.7	80	1.8	11.2	7.1	593	3.98	2.0	192.3	4.2	64	0.3	0.3	0.7	58	1.02	0.066	11	15	0.61	168	0.071	5	0.95	0.055	0.38	0.1	0.09	3.9	0.1	0.33	6	3.1	0.4
98622	289.00	291.00	2.00				Drill Core	5.30	0.011	1.30	100.8	1.1	44	0.4	17.3	25.5	1410	4.93	1.0	<0.5	0.7	151	<0.1	0.1	<0.1	186	4.15	0.104	5	41	2.40	33	0.219	3	2.52	0.107	0.07	0.2	0.02	14.9	<0.1	0.27	8	0.8	<0.2
98623	291.00	293.00	2.00				Drill Core	4.35	0.006	0.20	118.4	1.5	49	0.9	19.5	26.7	1117	4.94	0.9	<0.5	0.6	192	<0.1	0.1	<0.1	166	3.51	0.103	4	44	2.77	22	0.232	4	2.33	0.090	0.05	0.2	0.03	14.1	<0.1	0.13	6	<0.5	<0.2
98624	293.00	295.00	2.00				Drill Core	4.32	<0.005	0.20	80.2	2.2	51	0.3	20.3	28.5	1063	5.00	0.8	<0.5	0.7	224	<0.1	0.1	<0.1	168	3.07	0.104	5	45	2.93	22	0.228	3	2.29	0.096	0.05	0.2	0.04	14.5	<0.1	0.09	6	<0.5	<0.2
98631	293.00			Field Dup		98624	Drill Core	4.92	0.006	0.10	86.9	1.7	47	0.2	19.8	26.6	992	4.74	0.7	1.6	0.6	202	<0.1	<0.1	<0.1	155	2.85	0.099	4	42	2.78	19	0.195	4	2.10	0.086	0.04	0.2	0.03	13.3	<0.1	0.09	6	<0.5	<0.2
98626	295.00	297.00	2.00				Drill Core	4.33	<0.005	0.20	50.1	1.4	44	0.2	20.1	30.6	1046	4.78	0.7	0.9	0.6	229	<0.1	<0.1	<0.1	165	3.33	0.097	5	45	2.91	18	0.206	3	2.24	0.091	0.04	0.2	0.03	14.6	<0.1	0.08	6	<0.5	<0.2
98625	295.00			Blank			Rock	0.97	<0.005	0.30	96.1	2.5	54	<0.1	91.6	27.8	694	3.63	1.3	3.6	0.5	149	<0.1	<0.1	<0.1	136	6.34	0.089	4	45	0.99	19	0.239	16	3.74	1.080	0.15	<0.1	<0.01	5.0	<0.1	0.10	8	0.5	<0.2
98627	297.00	299.00	2.00				Drill Core	4.54	0.008	0.20	65.4	4.3	52	0.4	20.6	28.9	1157	4.95	11.0	4.7	0.7	189	<0.1	0.2	<0.1	174	3.80	0.109	5	48	3.03	21	0.212	4	2.41	0.090	0.04	0.2	0.12	16.1	<0.1	0.48	7	<0.5	<0.2
98628	299.00	301.00	2.00				Drill Core	4.89	0.007	0.30	91.6	2.2	46	0.7	19.9	25.6	1137	4.85	1.8	2.8	0.8	165	<0.1	<0.1	<0.1	155	3.07	0.121	5	48	3.08	19	0.199	4	2.43	0.075	0.04	0.2	0.10	16.6	<0.1	0.09	7	<0.5	<0.2
98629	301.00	303.00	2.00				Drill Core	4.33	0.013	0.40	95.7	2.0	49	0.5	20.1	23.2	1190	4.90	1.8	3.7	0.7	156	<0.1	0.1	<0.1	157	3.84	0.120	5	49	2.74	18	0.211	4	2.44	0.078	0.06	0.3	0.24	17.1	<0.1	0.52	7	<0.5	<0.2
98632	303.00	305.00	2.00				Drill Core	3.74	0.007	0.40	85.9	2.2	45	2.5	19.7	29.2	1255	4.68	3.3	2.9	0.7	136	<0.1	0.1	<0.1	155	3.95	0.105	5	48	2.68	21	0.205	4	2.38	0.068	0.06	0.2	0.15	16.6	<0.1	0.43	7	<0.5	<0.2
98630	303.00			Prep Dup		98632	Drill Core		0.008	0.50	87.9	2.3	45	2.1	20.5	30.4	1327	4.81	3.2	4.3	0.8	143	<0.1	0.1	<0.1	156	4.07	0.110	6	49	2.83	21	0.208	3	2.51	0.072	0.06	0.2	0.15	17.4	<0.1	0.44	7	<0.5	<0.2
98633	305.00	307.00	2.00				Drill Core	4.38	0.008	0.20	65.4	1.4	48	0.3	19.6	22.4	1203	4.80	1.1	3.4	0.7	135	<0.1	<0.1	<0.1	149	4.43	0.108	5	50	2.44	20	0.161	4	2.31	0.052	0.08	0.2	0.07	16.2	<0.1	0.05	7	<0.5	<0.2
98634	307.00	309.00	2.00				Drill Core	4.07	0.030	2.10	112.0	3.6	47	0.4	18.9	20.6	1162	4.33	5.1	8.4	0.9	128	<0.1	0.2	<0.1	122	5.23	0.111	9	36	1.38	24	0.027	9	2.20	0.049	0.19	<0.1	0.52	12.2	0.1	0.33	7	<0.5	<0.2
98636	309.00	311.00	2.00				Drill Core	4.00	0.011	3.40	200.7	1.2	39	0.7	16.0	11.9	1422	3.87	2.0	4.4	1.0	127	<0.1	<0.1	<0.1	120	7.20	0.126	8	37	1.90	89	0.019	5	2.42	0.041	0.19	<0.1	0.10	9.8	0.1	0.20	7	<0.5	<0.2
98635	309.00			Blank			Rock	1.27	0.005	0.30	90.8	2.5	57	<0.1	99.6	29.2	743	3.77	1.2	1.5	0.5	138	<0.1	<0.1	<0.1	134	6.40	0.091	4	44	1.04	20	0.237	17	3.77	1.117	0.18	<0.1	<0.01	4.9	<0.1	0.08	9	<0.5	<0.2
98637	311.00	313.00	2.00				Drill Core	4.14	0.012	1.10	200.3	1.4	45	0.6	19.2	19.0	1184	3.91	2.0	4.5	0.7	114	<0.1	<0.1	<0.1	122	5.84	0.119	6	42	2.23	17	0.092	4	2.50	0.070	0.09	0.1	0.08	10.4	<0.1	0.30	7	<0.5	<0.2
98638	313.00	315.00	2.00				Drill Core	4.04	0.009	0.30	107.4	1.4	55	0.5	20.8	31.4	1312	5.35	1.0	1.9	0.6	114	<0.1	<0.1	<0.1	170	5.10	0.118	5	52	2.53	23	0.139	5	2.31	0.068	0.10	0.1	0.02	12.2	<0.1	0.12	8	<0.5	<0.2
98639	315.00	317.00	2.00				Drill Core	4.72	0.006	0.20	86.7	1.6	53	0.3	23.5	27.2	1182	5.91	0.6	<0.5	0.5	229	<0.1	<0.1	<0.1	185	4.10	0.110	4	54	2.82	22	0.207	4	2.18	0.110	0.09	0.2	<0.01	12.0	<0.1	0.05	7	<0.5	<0.2
98641	317.00	319.00	2.00				Drill Core	4.67	0.017	0.30	79.3	3.3	51	0.6	21.3	29.8	1170	5.30	10.6	5.8	0.5	194	<0.1	0.2	<0.1	181	5.62	0.112	4	56	2.84	28	0.198	3	2.15	0.086	0.09	0.1	0.03	15.6	<0.1	0.26	7	<0.5	<0.2
98640	317.00			Standard	CGS-26		Rock Pulp	0.11	1.641	79.90	>10000	633.7	1490	8.2	96.2	13.8	468	4.88	299.7	1263.6	1.7	34	9.0	39.5	2.4	47	0.83	0.054	7	47	0.61	54	0.071	41	1.18	0.077	0.21	29.4	0.66	4.5	0.8	2.17	4	3.3	0.6
98642	319.00	321.00	2.00				Drill Core	4.39	0.008	0.70	94.3	1.6	45	0.2	16.1	17.5	1002	4.82	2.0	3.3	0.6	150	<0.1	<0.1	<0.1	182	3.97	0.119	6	38	2.16	43	0.190	3	1.66	0.141	0.12	0.1	0.03	10.6	<0.1	0.15	7	<0.5	<0.2
98643	321.00	323.00	2.00				Drill Core	4.13	0.010	1.20	151.8	1.2	36	1.0	11.5	22.4	809	4.55	2.5	6.2	0.4	148	<0.1	<0.1	<0.1	195	2.34	0.112	5	15	1.79	88	0.203	4	1.89	0.303	0.18	0.1	0.02	12.4	<0.1	0.26	7	0.7	<0.2
98644	323.00	325.00	2.00				Drill Core	4.23	0.009	1.30	200.8	1.0	39	0.5	14.2	23.8	884	4.72	1.2	5.9	0.3	195	<0.1	0.1	<0.1	208	2.53	0.108	5	15	2.00	184	0.212	6	2.07	0.257	0.19	0.1	<0.01	13.7	<0.1	0.19	7	<0.5	<0.2
98646	325.00	327.00	2.00				Drill Core	4.33	0.014	3.60	208.7	1.5	40	0.4	16.2	24.4	1012	5.09	1.4	9.7	0.3	169	<0.1	0.1	0.1	216	2.72	0.103	4	23	2.30	126	0.243	4	2.12	0.221	0.18	0.2	<0.01	17.0	<0.1	0.22	7	<0.5	<0.2
98645	325.00			Blank			Rock	1.04	0.010	0.40	93.3	2.5	52	<0.1	81.3	25.6	697	3.41	1.3	<0.5	0.5	143	<0.1	<0.1	<0.1	132	7.40	0.092	4	44	0.89	19	0.232	16	3.53	0.992	0.17	<0.1	<0.01	5.0	<0.1	0.11	8	<0.5	<0.2
98647	327.00	329.00	2.00				Drill Core	4.36	0.018	0.20	52.9	1.9	50	0.4	23.9	29.3	1061	5.30	3.8	13.0	0.5	231	<0.1	<0.1	<0.1	173	4.30	0.109	4	51	2.69	31	0.197	2	2.04	0.112	0.08	0.2	<0.01	12.8	<0.1	0.34	7	<0.5	<0.2
98648	329.00	331.00	2.00				Drill Core	4.37	0.008	0.50	96.4	1.6	47	0.4	20.3	27.1	1079	5.31	1.5	4.1	0.5	208	<0.1	<0.1	<0.1	186	4.00	0.114	4	42	2.51	54	0.212	3	1.98	0.134	0.10	0.2	<0.01	13.2	<0.1	0.17	7	<0.5	<0.2
98649	331.00	333.00	2.00				Drill Core	4.58	0.023	1.00	315.5	2.4	50	1.6	23.6	43.0	1307	5.21	4.3	17.3	0.5	278	<0.1	0.2	0.1	168	3.93	0.112	4	54	2.65	259	0.224	4	2.25	0.119	0.09	0.4	0.03	14.7	<0.1	0.60	6	<0.5	<0.2
98652	333.00	335.00	2.00				Drill Core	4.69	0.032	0.80	276.8	4.4	65	0.9	25.8	31.8	1220	4.89	13.8	22.3	0.6	278	0.3	0.2	0.1	156	5.34	0.113	4	60	2.89	26	0.200	2	2.46	0.084	0.05	0.5	0.03	16.5	<0.1	0.52	6	<0.5	<0.2
98650	333.00			Prep Dup		98652	Drill Core		0.033	0.90	277.2	4.7	66	0.9	25.3	32.3	1202	4.90	14.0	20.5	0.6	282	0.3	0.2	<0.1	155	5.32	0.109	4	62	2.88	26	0.210	2	2.43	0.082	0.05	0.5	0.03	16.8	<0.1	0.53	6	<0.5	<0.2
98653	335.00	337.00	2.00				Drill Core	4.77	0.008	0.20	62.5	1.9	45	0.4	22.9	24.7	1013	4.90	0.9	3.5	0.4	289	<0.1	<0.1	<0.1	145	3.41	0.108	4	45	2.43	29	0.183	2	2.00	0.114	0.07	0.2	<0.01	10.2	<0.1	0.15	6	<0.5	<0.2
98654	337.00	339.00	2.00				Drill Core	4.53	0.011	0.20	104.4	1.9	47	0.3	22.6	22.0	1159	4.98	2.3	4.7	0.5	225	<0.1	0.1	<0.1	144	4.72	0.110	4	52	2.64	28	0.181	2	2.19	0.092	0.07	0.2	0.02	13.6	<0.1	0.11	6	<0.5	<0.2
98655	339.00	341.00	2.00				Drill Core	4.45	0.031	0.50	82.6	1.8	47	0.5	20.5	36.3	1234	4.80	5.1	17.7	0.6	203	<0.1	0.2	0.4	134	5.34	0.111	4	51	2.64	28	0.174	2	2.44	0.083	0.07	0.3	0.01	14.2	<0.1	0.44	6	<0.5	0.4
98655A	339.00	341.00	2.00	Check		98655																																							
98656	341.00	343.00	2.00				Drill Core	4.48	0.013	0.40	95.7	1.4	51	0.6	20.8	21.1	1215	4.34	1.6	6.1	0.6	200	<0.1	<0.1	0.2	129	5.80	0.115	4	49	2.71	42	0.169	3	2.43	0.084	0.08	0.3	0.01	13.2	<0.1	0.25	6	<0.5	<0.2
98651	341.00			Field Dup		98656	Drill Core	5.39	0.016	0.30	108.5	1.4	50	0.3	20.0	19.9	1193	4.29	1.4	11.2	0.6	192	<0.1	<0.1	0.2	128	5.52	0.115	4	48	2.67	31	0.162	2	2.36	0.083	0.08	0.3	<0.01	12.6	<0.1	0.23	6	<0.5	<0.2
98657	343.00	345.00	2.00				Drill Core	4.10	0.044	1.30	37.1	2.7	55	0.9	17.7	23.9	1313	4.43	6.0	26.3	0.7	194	0.2	0.2	1.4	127	7.16	0.115	4	47	2.61	40	0.161	3	2.55	0.067	0.06	0.4	0.02	14.4	<0.1	0.54	6	<0.5	1.1
98658	345.00	347.00	2.00				Drill Core	4.38	0.024	1.40	54.5	7.2	54	0.5	89.0	28.9	997	4.18	4.4	23.2	1.6	375	0.1	0.2	0.2	129	4.48	0.176	13	84	3.54	520	0.207	6	2.66	0.260	0.47	0.3	0.03	12.3	0.2	0.40	6	<0.5	<0.2
98659	347.00	349.00	2.00				Drill Core	4.29	0.068	1.60	95.3	8.4	51	0.3	160.5	28.6	959	3.82	2.5	31.3	2.1	412	0.1	0.1	0.1	115	4.29	0.202	16	98	4.05	1075	0.199	6	2.61	0.239	0.53	0.3	0.03	8.4	0.2	0.25	6	<0.5	<0.2
98661	349.00	351.00	2.00				Drill Core	3.56	0.011	0.70	67.6	17.3	68	0.4	315.9	43.9	905	4.08	3.5	4.3	3.8	593	0.1	0.1	<0.1	120	2.33	0.288	26	159	6.29	2653	0.247	12	3.13	0.272	1.04	<0.1	0.06	4.7	0.4	0.20	6	<0.5	<0.2
98660	349.00			Standard	BL-9		Rock Pulp	0.11	0.007	3.00	21.8	2.3	33	0.4	17.4	9.0	287	1.89	3.5	3.3	0.9	27	0.3	0.3	<0.1	46	0.65	0.048	4	20	0.48	86	0.100	4	1.07	0.064	0.07	16.9	0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
98662	351.00	353.00	2.00				Drill Core	3.46	0.012	0.70	107.1	5.2	66	0.4	96.5	30.8	1131	5.05	4.9	5.2	1.4	318	<0.1	0.2	<0.1	165	5.49	0.139	11	77	3.68	670	0.225	13	3.86	0.478	0.32	0.3	0.04	12.8	0.1	0.30	9	<0.5	<0.2
98663	353.00	355.00	2.00				Drill Core	3.52	0.008	0.50	51.1	15.9	66	0.2	472.6	50.3	956	4.12	1.7	<0.5	3.7	645	0.2	<0.1	<0.1	108	1.71	0.315	29	212	7.31	4488	0.267	12	3.19	0.244	1.40	<0.1	0.05	4.4	0.4	0.10	6	<0.5	<0.2
98664	355.00	357.00	2.00				Drill Core	4.50	0.046	1.60	80.9	8.4	82	0.5	23.2	24.5	1011	5.12	5.3	22.7	1.0	293	0.2	0.2	<0.1	186	5.03	0.115	7	40	3.04	628	0.263	11	2.67	0.241	0.15	0.4	0.05	15.3	<0.1	0.27	9	<0.5	0.3
98665	355.00			Blank			Rock	2.02	0.007	0.40	91.2	2.2	51	<0.1	91.8	28.8	697	3.60	1.2	2.1	0.5	132	<0.1	<0.1	<0.1	131	7.16	0.091	4	46	0.90	24	0.223	13	3.48	1.048	0.17	<0.1	<0.01	4.7	<0.1	<0.05	8	<0.5	<0.2
98666	357.00	359.00	2.00				Drill Core	4.48	0.038	2.40	115.7	8.1	90	0.5	82.3	26.4	935	4.39	4.3	32.5	1.8	366	0.5	0.3	0.2	155	6.79	0.152	15	77	3.24	239	0.235	22	2.76	0.288	0.42	0.3	0.84	13.0	0.1	0.54	8	<0.5	0.7
98667	359.00	361.00	2.00				Drill Core	4.31	0.018	2.80	78.0	17.3	61	0.7	240.6	36.7	991	4.25	2.8	3.9	3.6	592	0.2	0.2	0.2	138	3.55	0.288	27	155	5.59	834	0.264	9	3.22	0.534	1.02	0.7	0.07	8.7	0.4	0.34	7	0.9	<0.2
98668	361.00	363.00	2.00				Drill Core	5.20	0.005	0.80	47.9	18.2	64	0.4	341.4	39.7	988	4.02	2.2	1.7	4.2	625	0.1	<0.1	<0.1	117	2.14	0.300	30	180	6.24	3418	0.265	14	2.94	0.300	1.10	0.4	0.08	4.4	0.4	0.16	6	<0.5	<0.2
98669	363.00	365.00	2.00				Drill Core	5.19	0.005	0.70	56.8	18.3	68	0.1	320.1	39.0	963	4.14	2.4	<0.5	3.9	631	0.2	<0.1	0.1	125	2.44	0.320	32	189	6.48	3621	0.281	11	3.15	0.375	1.16	0.1	0.07	5.1	0.3	0.16	7	<0.5	<0.2
98672	365.00	367.00	2.00				Drill Core	4.49	0.009	16.20	80.0	7.3	38	0.3	130.4	24.1	657	3.42	1.8	2.1	2.1	390	<0.1	0.2	0.1	165	3.71	0.183	17	82	3.21	188	0.189	12	2.17	0.437	0.67	0.2	0.03	7.6	0.3	0.64	6	1.1	<0.2

								Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
								Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
								Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
								MDL	0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																																							
98670	**365.00**			**Prep Dup**		**98672**	**Drill Core**		**0.009**	**17.10**	**82.3**	**7.8**	**39**	**0.2**	**128.7**	**23.8**	**663**	**3.53**	**1.9**	**2.9**	**2.2**	**414**	**<0.1**	**0.3**	**0.2**	**167**	**3.82**	**0.191**	**18**	**82**	**3.28**	**254**	**0.199**	**16**	**2.29**	**0.487**	**0.70**	**0.2**	**0.03**	**8.6**	**0.2**	**0.62**	**7**	**0.6**	**<0.2**
98673	367.00	369.00	2.00				Drill Core	4.98	**0.010**	4.60	**83.7**	11.5	52	0.2	318.1	37.6	829	4.14	1.6	4.2	2.7	562	0.1	0.2	0.5	120	2.39	0.239	23	98	5.89	229	0.193	11	2.68	0.243	0.97	0.1	0.04	5.7	0.5	0.69	6	3.5	0.3
98674	369.00	371.00	2.00				Drill Core	4.45	**0.024**	5.50	**84.7**	2.0	53	0.2	32.7	18.1	1115	4.39	1.5	1.1	1.0	127	<0.1	0.1	0.1	144	4.89	0.111	11	45	1.73	224	0.017	4	2.25	0.053	0.15	<0.1	0.06	8.7	<0.1	0.76	8	2.9	<0.2
98675	371.00	373.00	2.00				Drill Core	4.72	**0.037**	3.10	**69.0**	2.1	45	0.4	19.0	19.0	987	4.39	7.7	25.1	1.0	109	0.1	0.3	0.1	143	4.62	0.112	10	28	1.49	144	0.003	5	2.19	0.050	0.16	<0.1	0.19	10.2	0.2	1.05	8	0.5	0.4
98675A	**371.00**	**373.00**	**2.00**	**Check**		**98675**																																						
98676	373.00	375.00	2.00				Drill Core	4.37	**0.070**	20.30	**81.8**	2.6	51	0.2	34.2	19.9	855	4.14	23.1	2.5	1.2	128	<0.1	0.3	0.3	243	5.23	0.117	11	59	1.15	157	0.004	7	1.96	0.038	0.18	<0.1	0.72	10.7	0.2	1.08	7	3.6	0.3
98677	375.00	377.00	2.00				Drill Core	4.38	**0.022**	2.90	**72.7**	1.7	54	0.2	23.1	21.0	1036	4.72	1.1	8.4	1.0	102	<0.1	0.1	0.1	182	4.54	0.115	10	55	1.95	78	0.024	4	2.35	0.054	0.11	<0.1	0.09	12.8	<0.1	0.72	10	0.8	<0.2
98671	**375.00**			**Field Dup**		**98677**	**Drill Core**	**3.75**	**0.017**	**2.60**	**71.4**	**1.5**	**50**	**0.1**	**23.7**	**20.1**	**998**	**4.63**	**0.9**	**7.9**	**1.0**	**97**	**0.1**	**0.1**	**0.2**	**180**	**4.31**	**0.115**	**10**	**52**	**1.91**	**96**	**0.026**	**5**	**2.27**	**0.057**	**0.11**	**<0.1**	**0.08**	**12.3**	**<0.1**	**0.70**	**10**	**0.7**	**<0.2**
98678	377.00	379.00	2.00				Drill Core	4.26	**0.021**	18.00	**94.0**	4.0	46	0.3	21.2	14.3	971	3.80	2.3	3.1	0.9	116	<0.1	0.6	0.1	132	7.41	0.098	11	32	1.27	48	0.002	4	1.77	0.037	0.15	<0.1	0.10	7.1	0.2	1.49	7	3.4	<0.2
98679	379.00	381.00	2.00				Drill Core	4.56	**0.010**	0.60	**97.3**	1.9	42	0.2	14.6	17.7	874	3.93	3.5	1.2	1.1	112	<0.1	0.2	<0.1	138	4.28	0.108	12	24	1.45	135	0.004	5	2.01	0.071	0.16	<0.1	0.04	8.5	0.1	1.07	8	<0.5	<0.2
98681	381.00	383.00	2.00				Drill Core	4.52	**0.015**	0.80	**100.4**	1.2	62	0.2	14.2	17.9	1131	4.69	7.7	3.5	1.0	126	<0.1	0.1	<0.1	170	3.99	0.119	12	26	1.78	252	0.047	5	2.47	0.095	0.13	<0.1	0.01	9.5	<0.1	0.25	10	0.9	<0.2
98680	**381.00**			**Standard**	**CM-11A**		**Rock Pulp**	**0.11**	**1.031**	**320.10**	**3149.9**	**21.8**	**53**	**1.7**	**28.0**	**7.6**	**408**	**2.88**	**12.1**	**746.2**	**1.1**	**32**	**0.2**	**3.4**	**0.5**	**48**	**0.63**	**0.048**	**5**	**28**	**0.53**	**119**	**0.102**	**3**	**1.13**	**0.079**	**0.10**	**0.7**	**0.07**	**4.1**	**<0.1**	**0.36**	**4**	**0.6**	**<0.2**
98682	383.00	385.00	2.00				Drill Core	4.51	**0.018**	1.10	**115.5**	2.3	53	0.2	19.0	19.2	1077	4.82	7.0	3.1	1.0	118	0.1	0.3	<0.1	179	4.56	0.108	11	44	1.84	57	0.030	8	2.49	0.070	0.13	<0.1	0.04	11.8	<0.1	0.83	10	3.1	<0.2
98683	385.00	387.00	2.00				Drill Core	4.13	**0.014**	0.40	**69.7**	1.5	50	0.1	15.4	17.9	1164	4.36	11.5	0.9	0.9	120	0.1	0.3	<0.1	173	4.35	0.104	11	34	1.79	72	0.046	6	2.32	0.085	0.13	<0.1	0.03	10.2	<0.1	0.49	10	<0.5	<0.2
98684	387.00	389.00	2.00				Drill Core	3.76	**0.009**	2.80	**94.3**	3.5	75	0.4	15.4	16.0	1384	4.08	12.7	1.4	1.0	180	0.3	0.3	<0.1	102	7.90	0.098	13	20	1.14	272	0.001	7	2.38	0.059	0.24	<0.1	0.04	6.7	0.1	0.66	7	0.6	<0.2
98686	389.00	391.00	2.00				Drill Core	4.70	**0.015**	46.90	**141.5**	9.0	134	0.5	38.6	21.2	1593	4.71	10.7	<0.5	0.7	239	1.1	0.8	<0.1	164	10.64	0.103	10	42	1.06	74	<0.001	9	2.30	0.083	0.22	<0.1	0.19	12.9	0.2	1.61	6	5.7	<0.2
98685	**389.00**			**Blank**			**Rock**	**1.95**	**0.006**	**0.30**	**92.7**	**2.5**	**53**	**<0.1**	**86.6**	**27.2**	**696**	**3.46**	**1.0**	**2.7**	**0.5**	**137**	**<0.1**	**<0.1**	**<0.1**	**137**	**6.88**	**0.088**	**4**	**42**	**0.94**	**18**	**0.220**	**16**	**3.50**	**1.105**	**0.16**	**<0.1**	**<0.01**	**4.4**	**<0.1**	**0.07**	**8**	**<0.5**	**<0.2**
98687	391.00	393.00	2.00				Drill Core	4.22	**0.012**	30.40	**132.0**	8.3	154	0.4	29.5	19.3	993	3.93	11.1	<0.5	1.0	185	1.6	0.5	<0.1	91	6.27	0.108	11	17	0.77	102	<0.001	7	1.85	0.058	0.25	<0.1	0.10	7.1	0.2	1.94	5	4.0	<0.2
98691	**391.00**			**Field Dup**		**98687**	**Drill Core**	**3.51**	**0.017**	**33.40**	**125.6**	**7.8**	**152**	**0.4**	**29.5**	**18.8**	**1086**	**4.06**	**11.1**	**<0.5**	**1.1**	**196**	**1.4**	**0.5**	**<0.1**	**96**	**6.85**	**0.103**	**12**	**17**	**0.83**	**95**	**<0.001**	**8**	**1.96**	**0.059**	**0.26**	**<0.1**	**0.10**	**7.2**	**0.3**	**1.93**	**5**	**4.4**	**<0.2**
98688	393.00	395.00	2.00				Drill Core	4.64	**0.012**	12.60	**101.2**	7.6	342	0.3	20.8	15.0	1554	3.68	5.5	1.2	0.7	211	4.0	0.6	<0.1	98	10.15	0.088	10	22	1.13	106	<0.001	8	1.94	0.039	0.18	<0.1	0.07	6.7	0.1	1.77	5	3.6	<0.2
98689	395.00	397.00	2.00				Drill Core	3.82	**0.013**	8.20	**93.6**	5.8	98	0.3	23.4	17.1	1291	3.83	8.9	<0.5	1.0	187	0.6	0.3	<0.1	174	7.37	0.096	12	48	1.42	156	0.001	7	2.32	0.050	0.24	<0.1	0.09	7.7	<0.1	1.23	8	5.8	<0.2
98692	397.00	399.00	2.00				Drill Core	4.21	**0.017**	2.80	**98.1**	5.4	37	0.3	22.2	18.5	1058	4.21	7.9	0.8	1.0	150	<0.1	0.4	<0.1	128	6.17	0.096	11	38	1.40	109	0.001	8	2.27	0.053	0.18	<0.1	0.03	9.2	<0.1	1.38	7	2.1	<0.2
98690	**397.00**			**Prep Dup**		**98692**	**Drill Core**		**0.019**	**2.70**	**94.7**	**5.2**	**38**	**0.3**	**21.1**	**17.1**	**1042**	**4.11**	**8.3**	**<0.5**	**1.0**	**147**	**<0.1**	**0.4**	**<0.1**	**127**	**6.03**	**0.092**	**11**	**37**	**1.36**	**119**	**0.001**	**7**	**2.26**	**0.051**	**0.18**	**<0.1**	**0.04**	**8.9**	**<0.1**	**1.33**	**7**	**2.1**	**<0.2**
98693	399.00	401.00	2.00				Drill Core	3.30	**0.019**	21.40	**114.5**	7.0	122	0.5	25.3	16.9	1025	4.28	7.5	<0.5	1.0	157	1.1	0.6	<0.1	149	5.87	0.106	13	28	1.32	43	<0.001	7	2.28	0.048	0.20	<0.1	0.04	8.2	<0.1	1.49	7	3.5	<0.2
98515A	**400.25**	**402.25**	**2.00**	**Check**		**98515**																																						
98694	401.00	403.00	2.00				Drill Core	5.01	**0.010**	12.30	**107.2**	5.2	89	0.3	22.5	20.3	1294	4.76	12.6	0.7	1.1	196	0.6	0.3	<0.1	155	7.61	0.143	13	41	1.26	149	0.003	11	2.34	0.051	0.19	<0.1	0.09	10.1	0.2	1.36	8	1.2	<0.2
98695	403.00	405.00	2.00				Drill Core	4.34	**0.011**	2.00	**140.0**	1.7	69	0.2	26.7	30.7	1510	5.77	4.0	5.8	0.9	189	<0.1	<0.1	<0.1	230	6.16	0.141	9	131	3.16	84	0.088	7	2.84	0.055	0.21	<0.1	0.05	25.3	<0.1	0.14	9	<0.5	<0.2
98696	405.00	407.00	2.00				Drill Core	4.50	**0.031**	2.70	**192.8**	11.3	181	0.7	16.3	26.6	1287	5.10	14.0	21.4	1.0	158	1.0	0.1	<0.1	167	5.87	0.188	10	51	2.18	349	0.040	6	2.56	0.052	0.19	0.1	0.04	13.2	<0.1	0.52	8	<0.5	<0.2
98697	**407.00**	**409.00**		**Field Dup**		**98602**	**Drill Core**	**4.44**	**0.031**	**1.80**	**140.9**	**2.1**	**64**	**0.4**	**22.8**	**28.1**	**1482**	**6.25**	**6.1**	**12.5**	**1.0**	**128**	**<0.1**	**<0.1**	**0.1**	**204**	**5.77**	**0.187**	**10**	**76**	**2.65**	**163**	**0.026**	**5**	**3.14**	**0.053**	**0.11**	**<0.1**	**0.05**	**16.0**	**<0.1**	**0.75**	**11**	**<0.5**	**0.2**
98698	409.00	411.00	2.00				Drill Core	4.15	**0.029**	1.10	**104.6**	1.6	48	0.4	14.2	22.9	1315	5.34	3.7	17.0	0.9	106	<0.1	<0.1	0.1	162	4.53	0.228	8	26	2.22	57	0.043	3	2.66	0.061	0.08	0.2	0.01	9.5	<0.1	0.50	9	<0.5	<0.2
98699	411.00	412.45	1.45				Drill Core	2.30	**0.022**	0.70	**187.9**	1.4	50	0.4	18.5	24.6	1436	5.32	2.1	14.5	0.8	129	<0.1	<0.1	<0.1	177	5.21	0.218	6	37	2.52	25	0.129	1	2.64	0.073	0.16	0.4	0.02	12.8	<0.1	0.28	8	<0.5	<0.2
98701	**412.45**	**413.70**	**1.25**	**EOH**			**Drill Core**	**3.09**	**0.027**	**0.60**	**241.1**	**1.5**	**58**	**0.5**	**17.5**	**27.3**	**1487**	**5.60**	**1.7**	**13.6**	**0.9**	**125**	**<0.1**	**<0.1**	**<0.1**	**175**	**5.16**	**0.237**	**6**	**40**	**2.83**	**34**	**0.089**	**4**	**2.87**	**0.045**	**0.11**	**0.2**	**0.01**	**12.0**	**<0.1**	**0.17**	**9**	**<0.5**	**<0.2**
98700	**412.45**			**Standard**	**CM-11A**		**Rock Pulp**	**0.11**	**1.086**	**331.80**	**3155.4**	**21.9**	**52**	**1.7**	**29.0**	**8.1**	**413**	**3.00**	**12.8**	**740.1**	**1.1**	**32**	**0.3**	**3.2**	**0.4**	**47**	**0.66**	**0.046**	**5**	**31**	**0.55**	**122**	**0.106**	**3**	**1.20**	**0.081**	**0.10**	**0.7**	**0.07**	**4.3**	**<0.1**	**0.37**	**4**	**0.5**	**<0.2**

Table 4. Samples and assays from CT-2011-013

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT Wgt KG 0.01	G6 Au PPM 0.005	1DX30 Mo PPM 0.10	1DX30 Cu PPM 0.1	1DX30 Pb PPM 0.1	1DX30 Zn PPM 1	1DX30 Ag PPM 0.1	1DX30 Ni PPM 0.1	1DX30 Co PPM 0.1	1DX30 Mn PPM 1	1DX30 Fe % 0.01	1DX30 As PPM 0.5	1DX30 Au PPB 0.5	1DX30 Th PPM 0.1	1DX30 Sr PPM 1	1DX30 Cd PPM 0.1	1DX30 Sb PPM 0.1	1DX30 Bi PPM 0.1	1DX30 V PPM 2	1DX30 Ca % 0.01	1DX30 P % 0.001	1DX30 La PPM 1	1DX30 Cr PPM 1	1DX30 Mg % 0.01	1DX30 Ba PPM 1	1DX30 Ti % 0.001	1DX30 B PPM 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W PPM 0.1	1DX30 Hg PPM 0.01	1DX30 Sc PPM 0.1	1DX30 Tl PPM 0.1	1DX30 S % 0.05	1DX30 Ga PPM 1	1DX30 Se PPM 0.5	1DX30 Te PPM 0.2
11351	32.20	34.20	2.00				1.73	0.094	22.10	1762	1	22	0	15	36	436	7	2	84	1	276	<0.1	0	<0.1	161	4	0	10	15	2	35	0	7	2	0	0	<0.1	0	19	<0.1	4	7	8	0
11352	34.20	38.20	4.00				4.38	0.141	36.40	2170	2	30	1	19	49	525	7	3	134	1	321	<0.1	0	0	184	4	0	12	22	2	42	0	8	2	0	0	<0.1	0	21	0	4	9	9	0
11353	38.20	40.20	2.00				3.17	0.13	22.70	3437	2	30	1	21	54	366	8	3	119	1	231	<0.1	0	0	176	3	0	11	20	2	36	0	8	2	0	0	<0.1	0	20	<0.1	5	8	11	1
11354	40.20	42.20	2.00				2.99	0.114	25.30	1909	2	25	1	18	39	537	7	4	97	1	331	<0.1	0	2	121	4	0	13	18	1	29	0	8	2	0	0	<0.1	0	17	0	5	5	10	1
11487	**40.20**			**Field Dup**		**11355**	**5.23**	**0.158**	**57.30**	**1816**	**2**	**26**	**1**	**17**	**41**	**582**	**8**	**1**	**128**	**1**	**359**	**<0.1**	**0**	**2**	**117**	**5**	**0**	**12**	**16**	**2**	**23**	**0**	**7**	**2**	**0**	**0**	**<0.1**	**0**	**17**	**0**	**2**	**6**	**16**	**1**
11355	42.20	44.20	2.00				3.78	0.124	22.20	3620	2	25	3	20	37	588	8	13	99	1	335	0	0	4	102	5	0	10	19	2	30	0	8	2	0	0	<0.1	0	17	<0.1	2	5	10	2
11356	44.20	46.20	2.00				4.01	0.062	22.30	1267	2	24	1	17	35	584	7	4	56	1	352	<0.1	0	1	137	5	0	13	21	2	28	0	7	2	0	0	<0.1	0	17	0	5	6	7	1
11357	46.20	48.20	2.00				3.73	0.093	36.20	1367	4	28	3	61	31	633	8	7	80	1	401	0	0	2	88	5	0	11	33	2	17	0	12	2	0	0	6	0	13	0	2	5	9	2
11358	48.20	50.20	2.00				4.50	0.008	1.10	56	19	66	0	469	51	894	5	3	11	3	689	0	<0.1	<0.1	142	4	0	34	246	7	3271	0	13	3	0	1	0	0	8	1	0	7	<0.5	<0.2
11359	50.20	52.20	2.00				3.93	0.008	1.40	47	12	58	<0.1	521	49	1056	5	3	3	3	805	0	<0.1	<0.1	134	7	0	28	367	7	2743	0	9	3	0	1	<0.1	0	14	0	0	7	<0.5	<0.2
11360	**50.20**			**Standard**	**BL-9**		**0.11**	**0.009**	**3.10**	**24**	**3**	**34**	**1**	**20**	**9**	**306**	**2**	**3**	**1**	**1**	**26**	**0**	**0**	**<0.1**	**48**	**1**	**0**	**5**	**23**	**1**	**89**	**0**	**3**	**1**	**0**	**0**	**18**	**0**	**4**	**<0.1**	**<0.05**	**4**	**<0.5**	**<0.2**
11361	52.20	54.20	2.00				3.86	0.007	0.60	49	16	66	<0.1	559	57	822	5	3	2	3	704	0	<0.1	<0.1	136	4	0	31	340	8	3637	0	14	3	0	1	<0.1	0	11	0	0	7	<0.5	<0.2
11488	**52.20**			**Prep Dup**		**11362**		**0.023**	**3.20**	**520**	**13**	**61**	**0**	**373**	**47**	**981**	**5**	**4**	**26**	**3**	**736**	**<0.1**	**0**	**0**	**183**	**6**	**0**	**31**	**317**	**6**	**186**	**0**	**9**	**3**	**0**	**1**	**0**	**0**	**17**	**1**	**1**	**8**	**1**	**<0.2**
11362	54.20	56.20	2.00				3.29	0.022	2.80	467	13	60	0	378	45	946	5	4	14	3	735	<0.1	0	0	173	6	0	31	318	6	178	0	10	3	0	1	<0.1	0	16	1	0	7	1	<0.2
11363	56.20	58.20	2.00				3.09	0.133	4.40	2104	3	34	1	49	24	752	5	4	89	1	422	<0.1	0	0	235	6	0	14	67	3	48	0	8	3	0	0	1	0	21	0	2	9	4	0
11364	58.20	60.20	2.00				5.05	0.171	9.00	3070	5	37	1	20	33	651	6	8	175	1	311	0	0	0	157	5	0	12	22	2	35	0	11	2	0	0	<0.1	0	22	0	1	7	9	0
11365	**58.20**			**Blank**			**3.05**	**0.01**	**0.30**	**112**	**3**	**50**	**<0.1**	**85**	**26**	**715**	**4**	**2**	**5**	**1**	**135**	**<0.1**	**<0.1**	**<0.1**	**149**	**7**	**0**	**4**	**48**	**1**	**24**	**0**	**14**	**4**	**1**	**0**	**<0.1**	**<0.01**	**6**	**<0.1**	**0**	**8**	**<0.5**	**<0.2**
11366	60.20	62.20	2.00				4.51	0.145	1.90	3134	3	27	1	16	31	508	5	2	139	1	291	<0.1	<0.1	<0.1	179	5	0	13	16	1	39	0	7	2	0	0	<0.1	0	21	<0.1	3	6	7	<0.2
11367	62.20	64.20	2.00				3.92	0.098	1.60	1525	8	44	1	178	31	870	5	6	83	2	603	<0.1	0	0	149	7	0	21	210	3	57	0	12	3	0	1	<0.1	0	17	0	2	7	3	0
11368	64.20	66.20	2.00				3.51	0.119	1.80	2445	3	28	1	14	23	606	6	7	96	1	270	<0.1	0	0	170	5	0	12	12	1	39	0	6	2	0	0	0	0	19	0	4	7	7	1
11369	66.20	68.20	2.00				4.04	0.229	1.40	3300	1	24	1	11	23	582	5	2	193	1	262	<0.1	<0.1	<0.1	158	5	0	12	12	1	45	0	6	2	0	0	<0.1	0	17	<0.1	2	6	6	<0.2
11369A	**66.20**	**68.20**	**2.00**	**Check**		**11369**																																						
11371	68.20	70.20	2.00				4.12	0.265	17.10	4743	1	31	1	12	31	498	5	2	301	1	274	<0.1	<0.1	<0.1	175	4	0	12	11	1	60	0	7	2	0	0	<0.1	0	17	<0.1	2	7	7	<0.2
11372	70.20	72.20	2.00				3.94	0.058	56.60	838	2	23	0	6	17	406	4	2	55	1	254	<0.1	<0.1	0	114	4	0	14	6	1	39	0	9	2	0	0	<0.1	0	10	<0.1	3	6	4	0
11373	72.20	74.20	2.00				3.41	0.05	12.60	271	2	29	0	5	11	420	4	1	42	1	211	<0.1	<0.1	0	116	3	0	13	5	1	81	0	10	2	0	0	<0.1	0	9	<0.1	2	7	3	<0.2
11307	**74.20**			**Field Dup**		**11374**	**5.50**	**0.05**	**13.50**	**394**	**4**	**108**	**0**	**18**	**21**	**912**	**5**	**8**	**48**	**1**	**273**	**1**	**0**	**0**	**129**	**5**	**0**	**11**	**43**	**2**	**31**	**0**	**8**	**2**	**0**	**0**	**<0.1**	**0**	**22**	**<0.1**	**4**	**5**	**5**	**1**
11374	74.20	76.20	2.00				3.67	0.05	9.10	397	4	113	0	18	22	870	5	8	41	1	267	1	0	0	126	5	0	10	43	2	31	0	8	2	0	0	<0.1	0	22	<0.1	5	5	6	1
11375	76.20	78.20	2.00				4.28	0.054	14.10	562	4	84	0	18	35	753	6	4	42	1	317	0	0	0	222	5	0	10	52	2	30	0	7	3	0	0	<0.1	0	25	<0.1	4	8	6	<0.2
11376	78.20	80.20	2.00				3.83	0.095	16.80	604	5	45	0	17	35	742	6	4	77	1	328	0	0	0	195	5	0	12	33	2	26	0	8	2	0	0	<0.1	0	20	<0.1	5	7	7	0
11377	80.20	82.20	2.00				4.45	0.058	71.10	495	2	37	0	15	29	616	6	2	50	1	277	<0.1	0	0	237	5	0	12	24	2	29	0	8	3	0	0	<0.1	0	21	<0.1	4	8	5	<0.2
11378	82.20	84.20	2.00				4.15	0.049	8.60	389	2	38	0	14	25	633	6	2	37	1	263	<0.1	0	<0.1	247	4	0	10	26	3	40	0	7	3	0	0	<0.1	0	22	<0.1	3	9	6	<0.2
11379	84.20	86.20	2.00				4.47	0.069	15.70	493	2	45	0	15	30	703	6	3	53	1	271	<0.1	0	0	251	4	0	12	24	2	36	0	8	3	0	0	<0.1	0	20	<0.1	4	9	6	<0.2
11380	**84.20**			**Standard**	**CGS-29**		**0.11**	**0.257**	**11.70**	**5602**	**6**	**92**	**2**	**12**	**8**	**636**	**4**	**3**	**213**	**5**	**67**	**0**	**0**	**1**	**63**	**1**	**0**	**12**	**17**	**1**	**177**	**0**	**4**	**1**	**0**	**0**	**0**	**0**	**4**	**0**	**0**	**7**	**4**	**0**
11381	86.20	88.20	2.00				4.88	0.06	9.90	347	3	36	0	15	27	730	6	5	56	1	283	<0.1	0	0	193	5	0	11	17	2	29	0	9	2	0	0	<0.1	0	20	<0.1	4	6	6	0
11308	**88.20**			**Prep Dup**		**11382**		**0.046**	**9.20**	**285**	**2**	**40**	**0**	**13**	**24**	**798**	**7**	**1**	**37**	**1**	**316**	**<0.1**	**0**	**0**	**255**	**5**	**0**	**12**	**27**	**3**	**40**	**0**	**4**	**3**	**0**	**0**	**<0.1**	**0**	**23**	**<0.1**	**4**	**9**	**6**	**0**
11382	88.20	90.20	2.00				4.12	0.042	8.80	278	2	38	0	15	22	770	6	1	49	1	310	0	0	0	238	5	0	11	26	3	36	0	6	3	0	0	<0.1	0	22	<0.1	3	9	5	0
11383	90.20	92.20	2.00				4.93	0.076	2.40	240	3	34	0	13	21	804	6	4	73	1	322	<0.1	0	0	247	5	0	10	27	3	36	0	7	3	0	0	<0.1	0	21	<0.1	3	10	2	0
11384	92.20	94.20	2.00				4.66	0.09	3.30	360	2	29	0	14	24	652	6	2	79	1	302	<0.1	0	0	263	4	0	11	26	3	46	0	3	3	0	0	<0.1	0	23	<0.1	4	9	3	0
11385	**92.20**			**Blank**			**2.96**	**<0.005**	**0.30**	**107**	**2**	**49**	**<0.1**	**83**	**26**	**717**	**4**	**2**	**4**	**1**	**151**	**0**	**<0.1**	**<0.1**	**151**	**7**	**0**	**4**	**50**	**1**	**19**	**0**	**15**	**4**	**1**	**0**	**<0.1**	**<0.01**	**6**	**<0.1**	**0**	**9**	**<0.5**	**<0.2**
11386	94.20	96.20	2.00				4.67	0.046	10.30	557	2	25	0	13	23	643	7	2	36	1	317	0	0	0	246	4	0	11	26	3	41	0	3	3	0	0	<0.1	0	24	<0.1	4	8	2	0
11387	96.20	98.20	2.00				5.14	0.078	6.70	485	2	34	0	15	34	643	7	2	67	1	299	0	0	0	232	5	0	11	24	2	44	0	6	3	0	0	<0.1	0	22	<0.1	5	8	6	0
11388	98.20	100.20	2.00				4.16	0.058	2.60	449	5	38	0	14	23	714	6	5	38	1	293	<0.1	0	0	216	5	0	11	18	2	44	0	6	3	0	0	<0.1	0	18	<0.1	4	8	4	1
11389	100.20	102.20	2.00				4.05	0.06	6.10	370	6	28	0	14	25	737	6	2	59	1	280	0	0	0	251	5	0	11	34	2	49	0	5	2	0	0	<0.1	0	23	<0.1	4	8	4	0
11389A	**100.20**	**102.20**	**2.00**	**Check**		**11389**																																						
11391	102.20	104.20	2.00				4.10	0.072	8.20	669	3	33	0	15	28	675	7	2	49	1	241	0	0	0	234	5	0	9	27	2	39	0	1	2	0	0	<0.1	0	21	<0.1	4	8	5	0
11392	104.20	106.20	2.00				4.61	0.035	1.70	281	2	28	0	15	24	709	6	2	23	1	207	<0.1	<0.1	0	257	4	0	9	38	3	48	0	2	3	0	0	<0.1	0	23	<0.1	3	10	2	<0.2
11393	106.20	108.20	2.00				4.29	0.039	8.90	392	2	26	0	16	34	732	7	1	31	1	180	<0.1	0	0	245	4	0	9	25	3	41	0	3	3	0	0	<0.1	0	19	<0.1	4	10	4	0
11394	108.20	110.20	2.00				4.19	0.056	10.80	537	5	30	0	16	32	744	7	2	41	1	211	<0.1	0	0	232	5	0	11	30	3	43	0	6	3	0	0	<0.1	0	20	<0.1	4	10	3	0
11309	**110.20**			**Field Dup**		**11395**	**3.93**	**0.069**	**12.50**	**504**	**7**	**39**	**1**	**14**	**17**	**809**	**6**	**9**	**52**	**1**	**269**	**0**	**0**	**0**	**146**	**6**	**0**	**11**	**18**	**1**	**50**	**0**	**8**	**2**	**0**	**0**	**<0.1**	**0**	**14**	**0**	**4**	**7**	**4**	**1**
11395	110.20	112.20	2.00				5.00	0.069	9.30	535	8	38	1	13	18	902	6	12	54	1	294	0	1	0	147	7	0	12	17	1	54	0	5	2	0	0	<0.1	0	14	0	5	7	4	1
11396	112.20	114.20	2.00				5.36	0.071	6.10	360	3	44	0	14	28	782	6	3	46	1	259	0	0	0	218	6	0	11	27	2	55	0	5	2	0	0	<0.1	0	18	<0.1	4	8	5	0
11397	114.20	116.20	2.00				4.05	0.031	7.50	195	3	28	0	15	19	592	4	2	26	1	215	0	0	0	146	5	0	10	17	1	50	0	8	2	0	0	<0.1	0	11	0	3	6	4	0
11398	116.20	118.20	2.00				4.54	0.055	11.90	538	6	54	0	94	26	732	5	8	40	2	286	0	1	0	114	5	0	13	98	2	71	0	15	3	0	1	<0.1	0	12	0	2	8	3	0
11399	118.20	120.20	2.00				4.54	0.035	12.40	519	8	57	0	191	28	660	5	5	23	2	267	0	0	0	130	5	0	13	160	3	74	0	11	3	0	1	<0.1	0	12	0	2	8	4	0
11400	**118.20**			**Standard**	**CGS-29**		**0.11**	**0.224**	**9.30**	**5107**	**5**	**83**	**2**	**11**	**7**	**607**	**4**	**2**	**188**	**4**	**67**	**0**	**0**	**1**	**58**	**1**	**0**	**10**	**17**	**1**	**163**	**0**	**<1**	**1**	**0**	**0**	**0**	**0**	**4**	**<0.1**	**0**	**6**	**3**	**1**
11401	120.20	122.20	2.00				4.36	0.051	9.50	672	4	46	0	93	30	682	5	5	39	2	281	0	0	0	128	5	0	12	83	2	61	0	10	3	0	1	<0.1	0	12	0	2	8	3	1
11402	122.20	124.20	2.00				4.82	0.03	3.50	140	4	42	0	86	27	751	6	6	21	1	236	<0.1	0	1	168	4	0	9	57	3	42	0	14	3	0	0	0	0	15	0	2	9	1	1
11403	124.20	126.20	2.00				4.15	0.1	4.40	218	2	37	0	15	25	680	6	4	75	1	188	<0.1	0	1	159	4	0	9	24	1	34	0	6	2	0	0	<0.1	0	16	0	3	7	2	2
11404	126.20	128.20	2.00				4.52	0.044	3.50	227	1	38	1	19	20	993	5	4	33	1	214	0	0	0	151	6	0	9	39	2	97	0	10	3	0	0	0	0	15	0	1	8	1	1
11310	**130.20**			**Prep Dup**		**11406**		**0.063**	**11.90**	**250**	**2**	**43**	**1**	**37**	**31**	**827**	**5**	**4**	**61**	**2**	**190**	**0**	**0**	**0**	**196**	**4**	**0**	**12**	**60**	**3**	**54**	**0**	**4**	**3**	**0**	**0**	**0**	**0**	**18**	**0**	**2**	**8**	**2**	**1**
11489	**128.20**			**Blank**			**2.92**	**<0.005**	**0.40**	**102**	**3**	**49**	**<0.1**	**82**	**26**	**742**	**4**	**1**	**1**	**1**	**147**	**<0.1**	**<0.1**	**<0.1**	**143**	**8**	**0**	**4**	**48**	**1**	**17**	**0**	**10**	**4**	**1**	**0**	**<0.1**	**0**	**5**	**<0.1**	**0**	**8**	**<0.5**	**<0.2**
11405	128.20	130.20	2.00				4.59	0.04	4.70	270	2	38	1	21	24	961	6	4	31	1	203	<0.1	0	0	184	4	0	8	48	3	59	0	5	3	1	0	0	0	22	0	2	10	2	1
11406	130.20	132.20	2.00				4.58	0.081	12.30	414	2	45	1	35	29	791	5	4	70	2	188	0	0	0	194	4	0	12	60	3	57	0	1	3	0	0	0	0	18	0	2	9	2	1
11407	132.20	134.20	2.00				4.73	0.028	8.40	188	2	37	0	22	30	783	5	5	19	2	145	<0.1	0	1	177	4	0	9	51	2	54	0	2	2	0	0	0	0	16	0	2	8	2	1
11408	134.20	136.20	2.00				4.45	0.013	0.90	247	1	44	1	18	17	858	4	3	7	1	162	<0.1	0	0	138	5	0	9	31	2	105	0	2	2	0	0	0	0	13	0	1	8	2	0
11409	136.20	138.20	2.00				4.73	0.093	13.50	83	3	39	0	20	55	850	5	6	58	1	200	0	1	1	162	2	0	6	36	3	35	0	<1	3	0	0	0	0	14	0	2	8	2	1
11409A	**136.20**	**138.20**	**2.00**	**Check**		**11409**																																						
11411	138.20	140.20	2.00				4.35	0.047	1.50	94	3	39	0	13	26	818	4	4	33	1	190	<0.1	0	0	129	2	0	4	23	4	24	0	<1	3	1	0	1	0	14	<0.1	1	8	<0.5	1
11412	140.20	142.20	2.00				4.19	0.042	6.00	95	2	36	0	14	41	806	4	4	43	1	220	<0.1	0	0	127	2	0	5	29	3	20	0	<1	2	0	0	0	0	12	0	2	7	1	1
11413	142.20	144.20	2.00				4.17	0.039	1.20	36	1	31	0	24	35	971	4	3	34	1	231	<0.1	0	0	140	2	0	4	36	4	47	0	<1	4	1	0	0	0	14	<0.1	1	8	1	1
11414	144.20	146.20	2.00				4.44	0.053	11.00	56	2	35	0	21	43	656	4	6	32	1	251	<0.1	0	0	143	3	0	7	43	3	24	0	<1	2	0	0	0	0	13	<0.1	2	6	2	1
11415	**144.20**			**Blank**			**3.17**	**<0.005**	**0.30**	**95**	**2**	**52**	**<0.1**	**84**	**28**	**733**	**4**	**1**	**<0.5**	**1**	**136**	**0**	**<0.1**	**<0.1**	**145**	**8**	**0**	**4**	**47**	**1**	**16**	**0**	**10**	**4**	**1**	**0**	**<0.1**	**0**	**5**	**<0.1**	**0**	**8**	**<0.5**	**<0.2**

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT Wgt KG 0.01	G6 Au PPM 0.005	1DX30 Mo PPM 0.10	1DX30 Cu PPM 0.1	1DX30 Pb PPM 0.1	1DX30 Zn PPM 1	1DX30 Ag PPM 0.1	1DX30 Ni PPM 0.1	1DX30 Co PPM 0.1	1DX30 Mn PPM 1	1DX30 Fe % 0.01	1DX30 As PPM 0.5	1DX30 Au PPB 0.5	1DX30 Th PPM 0.1	1DX30 Sr PPM 1	1DX30 Cd PPM 0.1	1DX30 Sb PPM 0.1	1DX30 Bi PPM 0.1	1DX30 V PPM 2	1DX30 Ca % 0.01	1DX30 P % 0.001	1DX30 La PPM 1	1DX30 Cr PPM 1	1DX30 Mg % 0.01	1DX30 Ba PPM 1	1DX30 Ti % 0.001	1DX30 B PPM 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W PPM 0.1	1DX30 Hg PPM 0.01	1DX30 Sc PPM 0.1	1DX30 Tl PPM 0.1	1DX30 S % 0.05	1DX30 Ga PPM 1	1DX30 Se PPM 0.5	1DX30 Te PPM 0.2
11416	146.20	148.20	2.00				4.23	0.011	6.40	41	13	51	<0.1	171	24	804	3	2	6	3	555	<0.1	0	<0.1	123	3	0	23	122	4	1651	0	13	2	0	1	0	0	6	0	0	6	<0.5	<0.2
11490	**148.20**			**Field Dup**		**11417**	**4.00**	**0.035**	**1.30**	**115**	**6**	**42**	**0**	**54**	**26**	**910**	**4**	**4**	**20**	**1**	**376**	**0**	**0**	**0**	**129**	**2**	**0**	**10**	**62**	**3**	**244**	**0**	**6**	**2**	**0**	**0**	**0**	**0**	**13**	**0**	**1**	**6**	**<0.5**	**0**
11417	148.20	150.20	2.00				3.98	0.028	1.00	119	6	39	0	58	22	805	3	3	15	1	350	<0.1	0	0	115	2	0	11	63	3	442	0	7	2	0	0	0	0	10	0	1	6	<0.5	0
11418	150.20	152.20	2.00				4.31	0.031	0.30	85	2	29	0	18	19	829	4	4	17	0	215	<0.1	0	0	110	1	0	3	29	2	37	0	5	2	1	0	0	0	12	<0.1	1	6	<0.5	1
11419	152.20	154.20	2.00				4.77	0.027	0.10	67	2	34	0	18	25	894	4	3	17	0	201	<0.1	0	0	140	2	0	2	28	2	105	0	7	3	1	0	0	0	9	0	1	7	<0.5	0
11419A	**154.20**	**156.20**	**2.00**	**Check**		**11419**																																						
11421	154.20	156.20	2.00				3.77	0.021	5.30	80	2	34	0	16	38	699	4	6	17	1	302	<0.1	1	0	101	2	0	4	21	2	101	0	3	2	0	0	0	0	8	0	1	6	<0.5	1
11422	156.20	158.20	2.00				4.05	0.026	4.10	48	2	32	0	13	29	788	4	5	20	1	337	<0.1	1	0	89	2	0	5	21	2	42	0	4	2	0	0	0	0	8	0	2	6	1	1
11423	158.20	160.20	2.00				3.86	0.054	1.40	31	3	32	0	16	54	721	5	8	45	1	307	<0.1	1	1	144	3	0	4	28	2	56	0	5	2	1	0	1	0	13	0	3	7	1	2
11424	160.20	162.20	2.00				4.40	0.03	0.30	60	3	33	<0.1	16	23	676	4	4	23	0	304	<0.1	0	0	147	2	0	3	24	2	83	0	5	2	0	0	1	0	11	<0.1	2	8	<0.5	1
11491	**162.20**			**Prep Dup**		**11425**		**0.045**	**0.70**	**27**	**2**	**32**	**<0.1**	**17**	**37**	**772**	**4**	**4**	**38**	**1**	**207**	**<0.1**	**0**	**0**	**148**	**2**	**0**	**4**	**24**	**2**	**87**	**0**	**7**	**3**	**1**	**0**	**0**	**0**	**12**	**<0.1**	**2**	**8**	**1**	**1**
11425	162.20	164.20	2.00				3.52	0.049	0.60	26	2	32	<0.1	16	35	742	4	4	36	1	193	<0.1	0	0	136	2	0	4	24	2	64	0	6	2	1	0	0	0	12	<0.1	2	8	1	1
11426	164.20	166.20	2.00				4.85	0.048	2.00	53	3	38	0	14	35	813	4	5	43	1	391	<0.1	0	1	119	3	0	5	20	2	21	0	3	2	0	0	0	0	11	<0.1	1	7	1	1
11427	166.20	168.20	2.00				3.86	0.011	0.60	29	3	41	<0.1	13	15	856	4	4	4	1	700	<0.1	0	0	98	4	0	5	13	2	16	0	4	2	0	0	0	0	9	<0.1	1	8	<0.5	0
11428	168.20	170.20	2.00				4.27	0.023	0.30	48	2	42	0	13	18	952	4	5	20	1	541	<0.1	0	0	115	3	0	4	17	2	19	0	5	2	0	0	0	0	12	<0.1	1	8	<0.5	0
11429	170.20	172.20	2.00				4.67	0.023	1.00	90	2	35	0	13	14	872	5	4	13	0	397	<0.1	0	<0.1	187	3	0	3	17	2	82	0	9	3	0	0	0	0	16	0	1	8	<0.5	<0.2
11430	**170.20**			**Standard**	**CGS-29**		**0.11**	**0.227**	**10.70**	**5389**	**6**	**89**	**2**	**11**	**8**	**616**	**4**	**3**	**209**	**4**	**65**	**0**	**0**	**1**	**62**	**1**	**0**	**11**	**16**	**1**	**174**	**0**	**4**	**1**	**0**	**0**	**0**	**0**	**4**	**0**	**0**	**7**	**4**	**0**
11431	172.20	174.20	2.00				2.67	0.027	2.30	139	3	41	0	25	22	950	5	4	16	1	335	0	0	<0.1	224	3	0	8	30	3	322	0	10	3	0	0	0	0	19	<0.1	0	9	<0.5	0
11432	174.20	176.20	2.00				4.11	0.017	10.70	134	3	75	0	23	24	1065	5	4	1	2	250	0	0	0	213	5	0	11	54	3	293	0	14	3	1	0	0	0	12	0	1	10	2	<0.2
11433	176.20	178.20	2.00				3.36	0.095	1.70	244	6	363	1	17	30	1541	6	9	67	1	218	2	0	0	189	3	0	5	41	3	191	0	5	3	0	0	0	0	13	<0.1	1	10	<0.5	<0.2
11434	178.20	180.20	2.00				4.09	0.331	2.00	84	8	708	1	11	18	1566	5	13	260	1	179	6	0	0	167	4	0	6	24	2	124	0	3	3	0	0	1	0	13	<0.1	1	8	<0.5	0
11435	**178.20**			**Blank**			**3.20**	**0.007**	**0.30**	**101**	**2**	**51**	**<0.1**	**84**	**26**	**693**	**4**	**2**	**4**	**0**	**127**	**<0.1**	**<0.1**	**<0.1**	**144**	**6**	**0**	**4**	**48**	**1**	**18**	**0**	**14**	**3**	**1**	**0**	**<0.1**	**0**	**5**	**<0.1**	**0**	**8**	**<0.5**	**<0.2**
11436	180.20	182.20	2.00				3.65	0.056	0.60	146	4	172	1	16	27	1412	6	6	54	1	199	1	0	0	189	4	0	5	38	3	246	0	2	3	0	0	0	0	15	<0.1	1	10	<0.5	<0.2
11492	**182.20**			**Field Dup**		**11437**	**4.62**	**0.01**	**0.20**	**36**	**2**	**136**	**0**	**14**	**20**	**1069**	**5**	**2**	**11**	**1**	**238**	**1**	**0**	**<0.1**	**172**	**3**	**0**	**4**	**27**	**2**	**86**	**0**	**5**	**2**	**0**	**0**	**0**	**<0.01**	**10**	**<0.1**	**0**	**7**	**<0.5**	**<0.2**
11437	182.20	184.20	2.00				4.65	0.027	0.20	96	2	178	0	14	20	1044	5	2	24	1	249	1	0	<0.1	177	3	0	4	27	2	96	0	12	2	0	0	0	0	10	<0.1	0	8	<0.5	<0.2
11438	184.20	186.20	2.00				3.69	0.005	1.10	15	5	74	<0.1	67	26	849	5	2	4	1	361	<0.1	0	<0.1	149	2	0	11	53	3	676	0	8	2	0	0	0	<0.01	8	0	0	7	<0.5	<0.2
11439	186.20	188.20	2.00				4.14	<0.005	0.40	32	13	64	<0.1	233	28	843	4	3	<0.5	3	501	<0.1	0	<0.1	131	2	0	24	110	5	2236	0	9	3	0	1	0	0	5	0	0	7	<0.5	<0.2
11439A	**186.20**	**188.20**	**2.00**	**Check**		**11439**																																						
11441	188.20	190.20	2.00				3.68	<0.005	1.00	52	9	87	1	206	35	1055	5	4	1	2	387	0	0	<0.1	164	2	0	17	96	4	1220	0	8	3	0	1	2	0	8	0	0	8	<0.5	<0.2
11442	190.20	192.20	2.00				3.62	0.042	3.00	415	22	328	2	74	32	2046	8	21	37	2	283	2	0	1	186	2	0	14	71	4	64	0	4	4	0	1	1	0	12	0	2	10	<0.5	1
11443	192.20	194.20	2.00				6.01	0.038	2.30	218	6	107	1	15	27	1676	7	18	30	1	89	1	0	1	187	3	0	6	34	2	75	0	2	3	0	0	0	0	13	0	2	10	<0.5	1
11444	194.20	196.20	2.00				4.99	0.157	2.00	708	24	281	5	16	48	2370	10	34	191	1	88	2	0	4	204	3	0	7	38	3	35	0	2	4	0	0	1	0	17	0	4	12	1	3
11445	196.20	198.20	2.00				4.13	0.009	0.50	82	3	67	0	15	25	1775	6	6	7	1	95	<0.1	<0.1	0	191	4	0	5	34	2	30	0	1	3	0	0	0	<0.01	14	<0.1	1	10	<0.5	0
11493	**196.20**			**Prep Dup**		**11445**		**0.009**	**0.50**	**77**	**3**	**67**	**0**	**15**	**23**	**1709**	**6**	**6**	**9**	**1**	**91**	**<0.1**	**<0.1**	**0**	**177**	**4**	**0**	**5**	**34**	**2**	**30**	**0**	**1**	**3**	**0**	**0**	**0**	**0**	**14**	**<0.1**	**1**	**9**	**<0.5**	**0**
11446	198.20	200.20	2.00				4.21	0.176	1.20	123	74	167	2	12	23	1601	6	12	141	1	95	1	0	0	169	4	0	6	22	2	54	0	2	3	0	0	0	0	11	<0.1	1	9	<0.5	1
11447	200.20	202.20	2.00				4.84	0.103	2.30	191	121	201	3	10	28	1901	6	52	62	1	83	1	1	2	151	4	0	8	17	2	29	0	2	3	0	0	0	0	9	<0.1	2	10	<0.5	2
11448	202.20	204.20	2.00				4.29	0.03	1.80	97	13	92	0	12	32	1570	6	8	24	1	96	0	0	<0.1	175	4	0	5	22	2	42	0	1	3	0	0	0	0	11	<0.1	1	8	<0.5	0
11449	204.20	206.20	2.00				4.31	0.021	0.20	10	16	108	0	14	33	1668	6	11	13	1	141	0	0	0	128	4	0	4	23	3	66	0	3	3	0	0	0	0	12	<0.1	1	8	<0.5	0
11450	**204.20**			**Standard**	**BL-9**		**0.11**	**<0.005**	**2.40**	**19**	**2**	**29**	**0**	**17**	**8**	**262**	**2**	**3**	**2**	**1**	**30**	**0**	**0**	**<0.1**	**34**	**1**	**0**	**4**	**20**	**0**	**74**	**0**	**3**	**1**	**0**	**0**	**15**	**0**	**3**	**<0.1**	**<0.05**	**3**	**<0.5**	**<0.2**
11451	206.20	208.20	2.00				4.14	0.036	0.30	37	96	181	0	13	35	1736	6	11	26	1	146	1	0	0	138	5	0	4	26	2	45	0	2	3	0	0	0	0	16	<0.1	1	8	<0.5	<0.2
11452	208.20	210.20	2.00				4.27	0.02	0.30	72	12	105	0	14	31	1702	5	10	11	1	178	0	0	0	154	4	0	4	29	3	86	0	2	3	0	0	0	0	17	<0.1	1	8	<0.5	0
11453	210.02	212.02	2.00				5.55	0.036	0.40	119	4	75	1	13	33	1494	5	9	25	1	146	0	0	<0.1	120	4	0	4	29	2	104	0	5	3	0	0	0	0	16	<0.1	1	7	<0.5	<0.2
11454	212.20	214.20	2.00				5.31	0.069	0.70	40	2	56	0	12	18	1563	4	2	41	1	162	<0.1	<0.1	<0.1	142	4	0	4	26	2	32	0	2	2	0	0	0	<0.01	14	<0.1	0	7	<0.5	<0.2
11455	**212.20**			**Blank**			**3.09**	**0.006**	**0.30**	**90**	**2**	**46**	**<0.1**	**80**	**25**	**695**	**3**	**1**	**6**	**0**	**133**	**<0.1**	**<0.1**	**<0.1**	**109**	**6**	**0**	**3**	**42**	**1**	**16**	**0**	**11**	**3**	**1**	**0**	**<0.1**	**<0.01**	**5**	**<0.1**	**0**	**7**	**<0.5**	**<0.2**
11456	214.20	216.20	2.00				4.46	0.014	0.60	82	7	80	0	14	25	1450	5	5	13	1	158	0	0	<0.1	121	4	0	5	25	2	46	0	2	3	0	0	0	0	16	0	2	8	<0.5	0
11457	216.20	218.20	2.00				3.71	0.04	1.60	122	26	139	1	13	25	1494	5	15	26	1	130	1	0	0	148	5	0	5	27	2	72	0	3	3	0	0	0	0	14	0	2	8	<0.5	0
11494	**216.20**			**Field Dup**		**11457**	**4.44**	**0.035**	**1.50**	**121**	**26**	**124**	**1**	**13**	**25**	**1466**	**5**	**15**	**25**	**1**	**128**	**0**	**0**	**0**	**135**	**4**	**0**	**5**	**25**	**2**	**50**	**0**	**4**	**3**	**0**	**0**	**1**	**0**	**14**	**0**	**2**	**8**	**<0.5**	**0**
11458	218.20	220.20	2.00				3.39	0.034	1.00	163	7	49	1	13	31	1396	6	8	27	1	112	0	0	0	169	4	0	5	26	2	59	0	2	3	0	0	0	0	15	0	2	8	<0.5	0
11459	220.20	222.20	2.00				4.51	0.019	0.70	67	8	57	0	13	23	1430	5	6	28	1	133	0	<0.1	0	132	4	0	6	25	2	67	0	2	3	0	0	0	0	14	<0.1	1	8	1	0
11460	220.21	222.19	1.98																																								
11461	222.20	224.20	2.00				3.70	0.009	0.50	129	1	59	0	13	26	1340	4	3	7	1	135	<0.1	<0.1	<0.1	109	3	0	4	22	2	39	0	<1	3	0	0	0	0	12	<0.1	0	7	<0.5	<0.2
11462	224.20	226.20	2.00				2.89	0.007	0.10	32	1	60	<0.1	13	25	1424	5	2	6	0	140	<0.1	<0.1	<0.1	110	4	0	3	26	3	21	0	3	3	0	0	0	0	12	<0.1	0	6	<0.5	0
11463	226.20	228.20	2.00				3.14	0.009	4.10	158	2	52	0	10	30	1248	4	3	9	1	97	<0.1	<0.1	0	113	4	0	8	17	2	29	0	<1	2	0	0	0	0	9	<0.1	0	8	<0.5	0
11464	228.20	230.20	2.00				2.47	0.008	0.50	84	1	55	0	9	31	1208	5	2	<0.5	1	149	<0.1	<0.1	<0.1	114	3	0	6	13	2	20	0	2	2	0	0	1	0	10	<0.1	0	7	<0.5	<0.2
11465	230.20	232.20	2.00				2.62	0.007	0.30	96	1	48	0	10	20	1021	5	1	6	1	188	<0.1	<0.1	<0.1	118	3	0	5	15	2	18	0	<1	2	0	0	0	0	10	<0.1	0	7	<0.5	<0.2
11495	**230.20**			**Prep Dup**		**11465**		**0.008**	**0.20**	**97**	**1**	**49**	**0**	**10**	**21**	**1077**	**5**	**1**	**8**	**1**	**198**	**<0.1**	**<0.1**	**<0.1**	**122**	**3**	**0**	**6**	**16**	**2**	**18**	**0**	**1**	**2**	**0**	**0**	**0**	**0**	**11**	**<0.1**	**0**	**7**	**<0.5**	**<0.2**
11466	232.20	234.20	2.00				3.66	0.04	1.80	136	19	127	1	11	25	1517	6	15	25	1	128	0	0	1	128	4	0	6	18	2	23	0	5	3	0	0	0	0	11	<0.1	1	8	<0.5	1
11467	234.20	236.20	2.00				3.96	0.038	3.30	118	19	177	1	16	26	1445	5	13	19	1	138	1	0	0	166	5	0	6	35	2	105	0	2	2	0	0	0	0	16	0	1	7	<0.5	0
11468	236.20	238.20	2.00				4.37	<0.005	0.30	64	2	47	0	18	26	1414	5	3	2	1	154	<0.1	0	<0.1	144	4	0	4	43	2	91	0	3	2	0	0	0	0	17	0	0	6	1	<0.2
11469	238.20	240.20	2.00				4.56	0.005	0.20	60	1	51	0	18	26	1286	5	2	7	1	180	<0.1	<0.1	<0.1	152	3	0	4	38	2	23	0	2	2	0	0	0	0	12	<0.1	0	6	<0.5	<0.2
11470	**238.20**			**Standard**	**BL-9**		**0.11**	**<0.005**	**2.40**	**18**	**2**	**27**	**0**	**16**	**8**	**254**	**2**	**3**	**4**	**1**	**28**	**0**	**0**	**0**	**33**	**1**	**0**	**4**	**18**	**0**	**68**	**0**	**2**	**1**	**0**	**0**	**14**	**0**	**3**	**0**	**<0.05**	**3**	**<0.5**	**<0.2**
11471	240.20	242.20	2.00				4.58	0.024	0.60	84	6	75	0	20	24	1292	5	5	11	1	205	0	0	0	150	4	0	5	47	3	26	0	<1	2	0	0	0	0	15	<0.1	0	7	<0.5	0
11472	242.20	244.20	2.00				4.21	0.015	0.30	187	3	65	1	16	24	1266	5	3	11	0	162	<0.1	<0.1	<0.1	166	4	0	4	32	3	22	0	2	2	0	0	0	0	19	<0.1	0	7	<0.5	0
11473	244.20	246.20	2.00				4.72	0.037	2.40	82	3	51	0	17	23	1140	4	4	2	1	123	<0.1	0	0	139	4	0	8	31	2	27	0	2	2	0	0	0	0	13	0	1	8	<0.5	<0.2
11474	246.20	248.20	2.00				4.48	0.11	4.20	119	11	89	1	17	22	1158	5	7	9	1	97	0	0	2	133	4	0	8	34	2	38	0	1	2	0	0	1	0	11	0	2	8	<0.5	1
11475	**246.20**			**Blank**			**3.30**	**<0.005**	**0.20**	**87**	**2**	**46**	**<0.1**	**78**	**25**	**672**	**3**	**1**	**<0.5**	**0**	**131**	**<0.1**	**<0.1**	**<0.1**	**110**	**7**	**0**	**3**	**46**	**1**	**14**	**0**	**11**	**3**	**1**	**0**	**<0.1**	**<0.01**	**5**	**<0.1**	**0**	**7**	**<0.5**	**<0.2**
11476	248.20	250.20	2.00				5.01	0.094	1.70	185	80	263	1	21	32	1425	7	11	63	1	108	1	0	1	215	5	0	7	54	2	47	0	3	3	0	0	0	0	19	0	2	9	<0.5	1
11477	250.20	252.20	2.00				4.80	0.037	3.10	115	42	308	1	17	25	1630	6	13	18	1	95	2	0	1	170	4	0	7	39	3	91	0	4	3	0	0	0	0	16	<0.1	1	9	<0.5	1
11478	252.20	254.20	2.00				4.16	0.175	3.00	119	40	154	1	18	24	1281	6	9	66	1	96	1	0	1	165	5	0	7	48	2	30	0	4	2	0	0	1	0	15	0	1	9	1	1
11479	254.20	256.20	2.00				4.35	0.14	8.20	192	185	822	3	17	31	1226	7	21	68	1	70	3	1	2	152	4	0	7	41	2	30	0	4	3	0	0	0	0	13	1	3	9	<0.5	1
11481	256.20	258.20	2.00				4.00	0.053	5.00	201	64	222	2	20	35	1358	8	16	47	1	97	1	1	2	202	5	0	5	52	2	25	0	2	3	0	0	1	0	16	1	3	9	<0.5	2
11482	258.20	260.20	2.00				4.44	0.016	1.80	70	22	91	0	24	37	1524	7	10	18	1	115	0	0	0	235	5	0	6	62	3	26	0	2	3	0	0	1	0	19	0	2	10	<0.5	<0.2

							WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																																					
11483	260.20	262.20	2.00				4.22	0.017	0.20	101	3	59	0	22	24	1347	6	6	15	1	139	<0.1	<0.1	<0.1	212	5	0	4	59	3	16	0	1	3	0	0	0	0	16	<0.1	0	8	<0.5	<0.2
11496	**260.20**			**Field Dup**		**11483**	**4.53**	**0.027**	**0.30**	**101**	**4**	**68**	**0**	**21**	**24**	**1482**	**6**	**6**	**30**	**1**	**136**	**<0.1**	**0**	**<0.1**	**212**	**5**	**0**	**5**	**61**	**3**	**21**	**0**	**<1**	**3**	**0**	**0**	**0**	**0**	**18**	**<0.1**	**0**	**9**	**<0.5**	**<0.2**
11484	262.20	264.20	2.00				4.93	0.008	0.20	24	4	67	<0.1	24	32	1493	6	3	10	1	161	<0.1	0	<0.1	198	5	0	5	63	3	24	0	<1	3	0	0	0	0	18	<0.1	0	8	<0.5	<0.2
11485	264.20	265.75	1.55				4.14	0.005	0.30	47	1	63	<0.1	27	25	1798	6	1	2	1	117	<0.1	0	<0.1	229	5	0	5	70	3	39	0	<1	2	0	0	0	0	17	<0.1	0	9	<0.5	<0.2
11486	265.75	267.30	1.55				3.72	0.005	1.40	57	8	73	0	24	26	1910	6	5	4	1	117	0	0	<0.1	229	6	0	6	74	3	39	0	2	2	0	0	0	0	21	<0.1	0	9	1	<0.2

Table 4. Samples and assays from CT-2011-014

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT Wgt KG 0.01	G6 Au PPM 0.005	1DX30 Mo PPM 0.10	1DX30 Cu PPM 0.1	1DX30 Pb PPM 0.1	1DX30 Zn PPM 1	1DX30 Ag PPM 0.1	1DX30 Ni PPM 0.1	1DX30 Co PPM 0.1	1DX30 Mn PPM 1	1DX30 Fe % 0.01	1DX30 As PPM 0.5	1DX30 Au PPB 0.5	1DX30 Th PPM 0.1	1DX30 Sr PPM 1
11980	**27.45**			**Standard**	**CGS-29**		**0.10**	**0.213**	**11.3**	**5328.6**	**5.4**	**87**	**1.9**	**11.6**	**8.3**	**631**	**4.39**	**1.6**	**209.0**	**3.9**	**65**
11981	27.45	29.00	1.55				1.67	0.019	4.4	59.7	2.3	35	0.1	5.2	14.8	577	4.38	0.5	10.9	0.8	121
11982	29.00	31.00	2.00				3.18	0.025	11.9	98.2	3.1	46	0.2	6.7	13.2	587	4.26	<0.5	27.6	0.8	88
11983	31.00	33.00	2.00				3.47	0.023	6.7	66.4	2.6	42	0.2	4.8	13.7	580	4.53	<0.5	26.6	0.9	95
11984	33.00	35.00	2.00				4.26	0.024	6.4	76.2	2.2	33	0.1	4.8	12.7	543	4.34	<0.5	23.9	0.8	95
11985	**33.00**			**Blank**			**1.55**	**<0.005**	**0.3**	**96.8**	**2.4**	**54**	**<0.1**	**93.9**	**29.4**	**717**	**3.81**	**1.2**	**1.6**	**0.5**	**140**
11986	35.00	37.00	2.00				3.88	0.013	5.2	67.8	2.3	35	0.1	5.1	12.8	601	4.01	<0.5	16.3	1.0	113
11987	37.00	39.00	2.00				3.96	0.009	8.5	102.8	2.5	36	0.2	5.5	14.6	643	4.19	<0.5	14.9	1.1	116
11988	39.00	41.00	2.00				3.98	0.007	12.0	98.8	2.6	40	0.2	4.5	14.9	680	4.59	<0.5	16.1	1.0	118
11989	41.00	43.00	2.00				3.63	0.016	22.6	64.9	2.2	36	0.3	4.5	13.2	740	4.39	0.8	15.9	1.1	105
11990	**43.00**	**45.00**	**2.00**	**Prep Dup**		**11992**		**<0.005**	**11.5**	**73.7**	**2.7**	**45**	**0.1**	**4.5**	**11.1**	**693**	**3.87**	**<0.5**	**9.5**	**1.1**	**140**
11992	43.00	45.00	2.00				3.52	0.008	10.2	71.7	2.8	45	<0.1	4.5	11.3	712	4.02	<0.5	6.6	1.1	139
11993	45.00	47.00	2.00				4.18	<0.005	6.9	62.0	2.5	42	0.2	4.8	13.1	737	4.20	<0.5	4.5	1.0	177
11994	47.00	49.00	2.00				3.93	<0.005	5.9	136.1	2.4	43	0.3	4.6	16.5	682	4.34	<0.5	9.9	1.0	216
11991	**49.00**	**51.00**	**2.00**	**Field Dup**		**11995**	**4.40**	**0.016**	**4.8**	**163.7**	**2.3**	**36**	**0.4**	**4.5**	**13.1**	**664**	**4.46**	**<0.5**	**15.0**	**0.8**	**265**
11995	49.00	51.00	2.00				3.11	0.022	7.8	208.8	2.6	37	0.4	5.1	14.6	650	4.31	0.9	18.4	1.1	275
11996	51.00	53.00	2.00				3.65	0.017	6.4	129.4	2.9	36	0.3	5.0	14.1	584	4.49	1.7	14.6	1.0	182
11997	53.00	55.00	2.00				3.43	0.015	3.7	166.9	2.2	38	0.3	4.8	13.1	557	4.57	<0.5	13.2	1.2	221
11998	55.00	57.00	2.00				3.43	0.022	11.0	179.4	2.8	32	0.2	5.4	13.7	511	4.35	1.0	30.9	1.1	388
11999	57.00	59.00	2.00				3.37	0.031	10.8	193.9	2.8	31	0.3	4.9	14.9	465	4.26	1.3	24.2	1.1	340
12000	**57.00**			**Standard**	**BL9**		**0.11**	**0.007**	**2.8**	**21.0**	**2.2**	**31**	**0.4**	**17.2**	**8.5**	**327**	**1.87**	**2.9**	**<0.5**	**0.9**	**28**
12301	59.00	61.00	2.00				3.52	0.024	9.4	230.4	3.6	33	0.3	4.9	13.0	567	4.22	2.0	15.4	1.0	218
12302	61.00	63.00	2.00				3.95	0.020	7.9	153.7	2.6	25	0.2	4.5	12.6	439	3.78	1.3	21.5	1.0	201
12303	63.00	65.00	2.00				3.09	0.015	5.3	65.1	2.8	20	0.2	5.0	12.3	349	3.52	0.6	11.0	0.9	100
12304	65.00	67.00	2.00				3.74	0.026	8.3	100.6	3.3	25	0.1	5.2	13.4	418	4.36	0.9	20.8	1.0	141
12306	67.00	69.00	2.00				3.91	0.017	6.0	70.0	2.3	25	0.1	4.5	12.3	385	4.02	<0.5	10.7	1.1	237
12305	**69.00**			**Blank**			**1.71**	**0.006**	**0.4**	**94.1**	**6.8**	**59**	**0.2**	**90.3**	**28.2**	**759**	**3.72**	**1.4**	**1.5**	**0.5**	**185**
12307	69.00	71.00	2.00				3.56	0.020	6.7	91.3	5.0	28	0.2	5.3	13.0	402	4.82	<0.5	17.3	1.0	263
12308	71.00	73.00	2.00				4.60	0.022	7.6	149.0	2.6	29	0.1	4.8	12.5	476	5.01	<0.5	21.2	1.0	266
12309	73.00	75.00	2.00				3.95	0.012	11.8	183.0	5.3	33	0.2	4.3	11.7	492	4.41	<0.5	12.9	1.1	280
12310	**75.00**			**Prep Dup**		**12312**		**0.009**	**8.9**	**234.3**	**2.8**	**35**	**0.2**	**4.2**	**11.7**	**533**	**4.12**	**<0.5**	**13.0**	**1.1**	**275**
12312	75.00	77.00	2.00				4.50	0.009	8.7	238.6	3.1	36	0.2	4.2	10.9	516	3.90	<0.5	10.0	1.2	268
12311	**77.00**			**Field Dup**		**12313**	**2.85**	**0.006**	**21.0**	**339.3**	**2.1**	**35**	**0.3**	**5.1**	**13.1**	**561**	**3.74**	**<0.5**	**5.3**	**1.1**	**237**
12313	77.00	79.00	2.00				3.14	0.006	21.4	359.2	2.2	34	0.3	4.9	14.5	556	3.83	<0.5	6.1	1.1	192
12314	79.00	81.00	2.00				4.34	0.006	19.8	460.1	5.5	36	0.4	4.7	13.5	582	4.13	<0.5	6.0	1.1	225
12315	81.00	83.00	2.00				4.26	0.006	29.7	371.1	2.7	31	0.3	4.8	12.6	475	3.80	0.8	9.7	1.0	270
12316	83.00	85.00	2.00				4.21	0.005	11.0	345.4	4.7	39	0.4	4.9	12.0	517	4.07	0.7	7.6	1.1	169
12317	85.00	87.00	2.00				3.97	0.008	10.2	267.5	2.5	36	0.2	4.6	13.7	500	4.16	1.0	5.6	1.1	120
12318	87.00	89.00	2.00				3.72	0.009	16.7	460.3	3.6	34	0.4	4.7	12.5	479	3.73	0.6	13.8	1.1	126
12319	89.00	91.00	2.00				4.05	0.006	18.5	726.6	2.8	40	1.0	4.5	17.7	623	3.93	<0.5	8.3	1.1	121
12320	**89.00**			**Standard**	**CM-11A**		**0.11**	**0.965**	**347.3**	**3471.3**	**23.9**	**56**	**2.0**	**31.1**	**8.3**	**447**	**3.08**	**13.5**	**820.4**	**1.1**	**40**
12321	91.00	93.00	2.00				3.47	0.006	9.6	533.2	5.0	42	0.7	5.2	16.4	643	4.81	<0.5	7.9	1.2	126
12322	93.00	95.00	2.00				3.53	<0.005	6.9	256.4	2.8	46	0.4	3.9	11.9	682	3.90	<0.5	7.3	1.1	149
12323	95.00	97.00	2.00				3.77	0.017	4.0	255.4	3.8	50	0.3	5.0	15.7	633	4.43	0.6	9.1	1.0	154
12324	97.00	99.00	2.00				3.28	0.014	7.5	347.5	2.7	35	0.5	4.5	14.9	696	3.90	1.0	13.4	1.0	183
12325	**97.00**			**Blank**			**1.69**	**<0.005**	**0.5**	**91.9**	**2.6**	**54**	**<0.1**	**95.2**	**28.1**	**739**	**3.71**	**0.8**	**<0.5**	**0.5**	**166**
12326	99.00	101.00	2.00				3.61	0.011	6.5	320.3	2.3	25	0.2	4.4	15.3	474	4.50	<0.5	14.0	1.0	130
12327	101.00	103.00	2.00				3.75	0.028	10.5	577.4	2.9	23	0.4	4.9	16.6	441	3.50	<0.5	28.7	1.1	204
12328	103.00	105.00	2.00				3.39	0.019	12.9	349.7	2.2	23	0.2	6.4	13.6	507	4.02	<0.5	18.8	1.1	161
12329	105.00	107.00	2.00				3.77	0.026	8.6	476.4	2.9	25	0.3	4.7	12.4	484	3.81	<0.5	26.6	1.1	195
12330	**107.00**			**Prep Dup**		**12332**		**0.039**	**9.4**	**931.4**	**2.7**	**26**	**0.6**	**4.2**	**11.9**	**511**	**3.93**	**0.6**	**40.1**	**1.2**	**265**
12332	107.00	109.00	2.00				3.24	0.046	9.9	1027.4	3.0	28	0.6	4.3	11.7	518	3.98	<0.5	45.3	1.1	336
12333	109.00	111.00	2.00				4.01	0.067	9.0	764.2	2.8	26	0.5	4.5	11.8	471	3.36	1.5	56.5	1.1	342
12331	**111.00**			**Field Dup**		**12334**	**3.78**	**0.029**	**10.4**	**913.8**	**3.4**	**34**	**0.6**	**5.1**	**14.2**	**476**	**3.81**	**<0.5**	**40.2**	**1.1**	**242**
12334	111.00	113.00	2.00				4.24	0.026	11.0	831.6	3.7	37	0.5	4.6	13.6	467	3.68	<0.5	30.8	1.2	247
12335	113.00	115.00	2.00				4.68	0.023	9.9	901.6	2.4	35	0.8	4.1	12.3	576	4.24	<0.5	31.0	1.3	232
12336	115.00	117.00	2.00				4.36	0.049	3.1	572.5	2.8	28	0.6	4.3	10.6	482	3.79	1.0	43.4	0.9	283
12337	117.00	119.00	2.00				4.33	0.020	4.8	167.5	2.3	28	0.1	4.8	13.6	494	3.86	0.6	19.8	0.9	332
12338	119.00	121.00	2.00				3.90	0.009	2.9	68.2	2.3	22	0.1	4.1	12.6	498	3.40	<0.5	8.3	0.9	231
12339	121.00	123.00	2.00				4.36	0.035	27.0	190.1	2.7	24	0.2	4.4	15.3	427	4.27	<0.5	37.0	0.8	206
12340	**121.00**			**Standard**	**CGS-29**		**0.11**	**0.210**	**11.6**	**5619.0**	**5.6**	**94**	**2.0**	**11.1**	**7.9**	**658**	**4.22**	**2.2**	**225.1**	**4.2**	**81**
12341	123.00	125.00	2.00				4.53	0.076	6.2	688.1	2.2	26	0.4	4.7	11.8	411	3.54	<0.5	74.8	0.9	113
12342	125.00	127.00	2.00				4.22	0.017	3.9	33.8	1.9	25	<0.1	4.5	8.4	421	3.31	<0.5	14.4	0.9	259
12343	127.00	129.00	2.00				4.73	0.018	4.3	152.6	2.7	28	0.1	5.2	16.4	446	4.68	<0.5	16.4	0.8	236
12344	129.00	131.00	2.00				4.19	0.026	13.6	160.0	2.2	26	0.2	4.7	12.1	521	4.46	0.7	17.2	0.8	226
12345	**131.00**			**Blank**			**1.39**	**0.007**	**0.3**	**88.4**	**2.9**	**53**	**<0.1**	**94.8**	**28.0**	**761**	**3.57**	**1.4**	**1.1**	**0.5**	**181**
12346	131.00	133.00	2.00				4.57	0.029	3.6	393.6	1.9	27	0.2	4.5	10.7	521	3.93	<0.5	20.0	1.0	177
12347	133.00	135.00	2.00				3.73	0.018	3.0	149.9	2.2	27	0.1	4.5	11.2	507	3.92	0.5	16.5	0.8	301
12348	135.00	137.00	2.00				4.09	0.035	5.5	184.3	1.9	26	0.4	4.3	12.0	479	4.11	<0.5	25.3	0.7	152
12349	137.00	139.00	2.00				4.96	0.019	4.7	139.0	2.3	28	0.2	4.7	11.8	527	4.24	0.7	16.7	0.8	119
12252	139.00	141.00	2.00				3.62	0.024	4.4	153.2	2.3	27	0.2	4.5	10.4	517	4.56	0.6	20.6	0.9	169
12350	**139.00**	**141.00**	**2.00**	**Prep Dup**		**12252**		**0.023**	**4.2**	**163.0**	**2.3**	**29**	**0.2**	**5.0**	**12.1**	**526**	**4.94**	**0.8**	**23.2**	**0.8**	**183**

TAG	1DX30 Cd PPM 0.1	1DX30 Sb PPM 0.1	1DX30 Bi PPM 0.1	1DX30 V PPM 2	1DX30 Ca % 0.01	1DX30 P % 0.001	1DX30 La PPM 1	1DX30 Cr PPM 1	1DX30 Mg % 0.01	1DX30 Ba PPM 1	1DX30 Ti % 0.001	1DX30 B PPM 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W PPM 0.1	1DX30 Hg PPM 0.01	1DX30 Sc PPM 0.1	1DX30 Tl PPM 0.1	1DX30 S % 0.05	1DX30 Ga PPM 1	1DX30 Se PPM 0.5	1DX30 Te PPM 0.2
11980	**0.4**	**0.2**	**0.7**	**64**	**1.09**	**0.073**	**11**	**17**	**0.64**	**173**	**0.081**	**4**	**1.01**	**0.062**	**0.40**	**0.2**	**0.08**	**4.2**	**0.1**	**0.35**	**6**	**3.7**	**0.4**
11981	<0.1	<0.1	0.1	127	2.54	0.115	9	5	1.06	60	0.046	6	1.69	0.119	0.30	<0.1	<0.01	6.4	<0.1	2.96	6	4.6	<0.2
11982	<0.1	<0.1	0.1	122	2.59	0.118	10	9	1.05	37	0.043	5	1.62	0.089	0.26	0.2	<0.01	6.3	<0.1	2.82	6	5.3	<0.2
11983	<0.1	<0.1	0.2	122	2.48	0.119	11	4	1.08	41	0.037	6	1.80	0.126	0.23	0.2	<0.01	6.3	<0.1	2.94	7	4.7	<0.2
11984	<0.1	<0.1	0.1	122	2.81	0.115	10	4	1.01	55	0.051	5	1.70	0.119	0.21	<0.1	<0.01	6.6	<0.1	2.80	7	5.0	<0.2
11985	**<0.1**	**<0.1**	**<0.1**	**141**	**6.41**	**0.087**	**4**	**42**	**0.99**	**20**	**0.256**	**16**	**3.64**	**1.034**	**0.17**	**<0.1**	**<0.01**	**4.8**	**<0.1**	**0.11**	**9**	**<0.5**	**<0.2**
11986	<0.1	<0.1	0.1	126	3.02	0.114	11	4	1.06	56	0.058	5	1.84	0.128	0.29	<0.1	<0.01	6.9	<0.1	2.39	7	7.3	<0.2
11987	<0.1	<0.1	0.1	130	2.72	0.113	12	5	1.09	62	0.064	6	1.84	0.125	0.34	<0.1	<0.01	7.2	<0.1	2.52	7	8.5	<0.2
11988	<0.1	<0.1	0.2	123	3.00	0.109	11	4	1.06	62	0.051	5	1.86	0.118	0.26	0.1	<0.01	6.6	<0.1	3.13	7	7.7	<0.2
11989	0.1	<0.1	0.2	98	3.21	0.108	12	4	0.95	41	0.020	5	1.57	0.118	0.23	<0.1	0.01	5.7	<0.1	3.57	6	10.5	0.9
11990	**<0.1**	**<0.1**	**0.2**	**100**	**2.99**	**0.117**	**11**	**3**	**0.88**	**66**	**0.027**	**5**	**1.60**	**0.110**	**0.25**	**<0.1**	**<0.01**	**5.3**	**<0.1**	**2.62**	**6**	**6.1**	**<0.2**
11992	<0.1	<0.1	0.2	103	3.02	0.118	12	3	0.91	68	0.028	5	1.71	0.128	0.27	<0.1	<0.01	5.4	<0.1	2.72	6	7.0	<0.2
11993	<0.1	<0.1	0.1	107	3.47	0.110	13	4	0.92	70	0.037	6	1.72	0.113	0.29	<0.1	0.01	6.2	0.1	2.86	7	7.0	<0.2
11994	<0.1	<0.1	0.1	118	2.74	0.112	11	4	1.01	73	0.048	6	1.85	0.136	0.33	<0.1	<0.01	6.2	<0.1	2.88	7	5.0	<0.2
11991	**<0.1**	**<0.1**	**<0.1**	**117**	**3.32**	**0.119**	**13**	**4**	**1.04**	**75**	**0.045**	**5**	**1.93**	**0.171**	**0.27**	**0.5**	**<0.01**	**6.0**	**<0.1**	**2.89**	**7**	**5.7**	**<0.2**
11995	<0.1	<0.1	0.1	111	3.55	0.112	14	4	1.04	59	0.036	13	2.01	0.160	0.27	0.3	<0.01	6.1	<0.1	2.89	7	6.6	<0.2
11996	<0.1	<0.1	0.1	114	2.92	0.115	12	4	1.00	51	0.032	6	1.89	0.151	0.32	0.3	0.02	6.2	0.1	3.27	7	6.2	<0.2
11997	<0.1	<0.1	0.2	119	2.09	0.116	11	5	1.15	52	0.052	6	2.10	0.185	0.32	<0.1	<0.01	6.8	<0.1	2.76	8	7.5	<0.2
11998	<0.1	<0.1	0.1	124	2.53	0.113	10	6	1.14	41	0.048	5	1.96	0.177	0.28	<0.1	<0.01	7.1	<0.1	2.88	7	4.9	<0.2
11999	<0.1	0.1	<0.1	115	2.23	0.113	10	4	0.95	40	0.031	5	1.75	0.175	0.27	<0.1	0.01	6.8	<0.1	3.11	7	6.4	<0.2
12000	**0.2**	**0.2**	**<0.1**	**43**	**0.60**	**0.045**	**4**	**20**	**0.52**	**78**	**0.082**	**2**	**1.11**	**0.058**	**0.07**	**15.3**	**0.04**	**3.1**	**<0.1**	**<0.05**	**4**	**<0.5**	**<0.2**
12301	<0.1	<0.1	0.1	110	4.10	0.108	12	4	0.90	46	0.024	5	1.78	0.127	0.29	<0.1	0.02	6.8	<0.1	3.18	7	5.2	<0.2
12302	<0.1	<0.1	0.1	105	3.20	0.113	11	4	0.94	45	0.027	5	1.59	0.114	0.30	<0.1	0.01	6.0	0.1	3.07	6	5.6	<0.2
12303	0.1	<0.1	<0.1	78	2.13	0.101	7	3	0.80	45	0.006	6	1.41	0.088	0.36	<0.1	<0.01	5.0	0.1	3.06	6	7.1	<0.2
12304	<0.1	<0.1	<0.1	103	3.02	0.098	10	4	0.94	47	0.018	6	1.58	0.096	0.32	<0.1	0.01	6.1	<0.1	3.59	7	7.2	<0.2
12306	<0.1	<0.1	0.1	114	2.00	0.108	10	4	1.10	38	0.023	6	1.74	0.132	0.32	<0.1	<0.01	6.2	<0.1	3.06	7	8.7	<0.2
12305	**0.1**	**0.3**	**<0.1**	**137**	**7.79**	**0.088**	**5**	**48**	**0.96**	**18**	**0.241**	**17**	**3.67**	**1.081**	**0.15**	**<0.1**	**0.01**	**5.0**	**<0.1**	**0.06**	**8**	**0.6**	**<0.2**
12307	<0.1	0.2	0.1	115	2.22	0.106	11	5	1.12	32	0.029	5	1.80	0.124	0.31	<0.1	<0.01	6.5	<0.1	3.83	7	11.5	<0.2
12308	<0.1	<0.1	0.1	128	2.20	0.110	12	4	1.27	40	0.049	6	1.99	0.115	0.33	<0.1	<0.01	7.0	<0.1	3.43	8	9.5	<0.2
12309	<0.1	0.1	0.1	114	2.86	0.121	15	5	1.11	36	0.039	6	2.04	0.130	0.31	<0.1	<0.01	7.0	<0.1	2.91	8	10.0	<0.2
12310	**<0.1**	**<0.1**	**0.2**	**127**	**2.16**	**0.120**	**18**	**5**	**1.18**	**55**	**0.051**	**6**	**1.85**	**0.123**	**0.32**	**<0.1**	**<0.01**	**7.3**	**<0.1**	**2.48**	**8**	**8.1**	**<0.2**
12312	<0.1	0.1	0.2	126	2.32	0.126	18	5	1.16	55	0.051	6	1.87	0.119	0.32	<0.1	<0.01	7.3	<0.1	2.37	8	8.2	<0.2
12311	**<0.1**	**<0.1**	**0.2**	**115**	**2.27**	**0.123**	**18**	**5**	**1.18**	**59**	**0.036**	**6**	**1.76**	**0.089**	**0.36**	**<0.1**	**0.01**	**6.8**	**<0.1**	**2.28**	**8**	**9.5**	**<0.2**
12313	<0.1	<0.1	0.2	116	2.62	0.116	20	4	1.12	57	0.038	6	1.86	0.096	0.36	<0.1	0.01	7.2	<0.1	2.31	8	10.1	<0.2
12314	<0.1	<0.1	0.2	119	2.21	0.118	14	7	1.16	38	0.047	9	1.90	0.103	0.35	<0.1	<0.01	6.6	0.1	2.52	8	10.0	<0.2
12315	<0.1	<0.1	0.2	106	2.39	0.115	13	4	0.97	45	0.030	7	1.61	0.093	0.33	<0.1	<0.01	5.8	<0.1	2.59	7	6.6	<0.2
12316	<0.1	0.1	0.2	126	1.74	0.118	13	5	1.17	41	0.049	5	1.82	0.104	0.34	<0.1	<0.01	6.9	<0.1	2.46	8	7.0	<0.2
12317	<0.1	<0.1	0.2	113	2.18	0.120	15	4	1.09	50	0.030	7	1.85	0.089	0.34	<0.1	<0.01	6.9	<0.1	2.66	8	4.1	<0.2
12318	<0.1	0.1	0.1	116	2.17	0.121	14	4	1.01	69	0.034	7	1.67	0.088	0.36	<0.1	0.01	6.8	<0.1	2.31	8	7.5	<0.2
12319	<0.1	0.1	0.1	97	2.79	0.113	16	4	0.91	70	0.029	5	1.46	0.074	0.31	<0.1	0.01	6.4	0.1	2.60	7	12.6	0.2
12320	**0.3**	**3.7**	**0.6**	**48**	**0.66**	**0.049**	**5**	**31**	**0.57**	**127**	**0.102**	**4**	**1.23**	**0.078**	**0.10**	**0.7**	**0.09**	**4.5**	**<0.1**	**0.36**	**5**	**1.2**	**<0.2**
12321	<0.1	0.1	<0.1	104	2.62	0.116	13	4	0.91	46	0.025	8	1.66	0.082	0.32	<0.1	0.01	6.2	<0.1	3.34	7	10.9	<0.2
12322	<0.1	<0.1	0.1	101	3.44	0.115	12	4	0.80	43	0.016	6	1.69	0.092	0.38	<0.1	<0.01	6.3	<0.1	2.38	7	6.7	<0.2
12323	<0.1	<0.1	0.2	121	3.15	0.139	12	4	0.97	44	0.028	6	1.83	0.097	0.41	<0.1	0.01	6.7	0.2	3.05	8	7.3	<0.2
12324	<0.1	<0.1	0.1	113	4.84	0.116	15	4	1.02	38	0.039	5	2.39	0.103	0.19	<0.1	0.01	6.6	<0.1	2.19	8	5.3	<0.2
12325	**<0.1**	**<0.1**	**<0.1**	**137**	**7.21**	**0.094**	**4**	**44**	**0.97**	**22**	**0.218**	**14**	**3.53**	**0.977**	**0.16**	**<0.1**	**<0.01**	**5.0**	**<0.1**	**0.08**	**8**	**<0.5**	**<0.2**
12326	<0.1	<0.1	<0.1	111	2.94	0.120	14	4	1.14	49	0.040	6	2.05	0.093	0.25	<0.1	<0.01	7.0	<0.1	3.10	8	7.8	<0.2
12327	<0.1	<0.1	<0.1	119	2.69	0.124	16	5	1.01	73	0.049	6	1.52	0.092	0.30	<0.1	<0.01	7.1	<0.1	2.07	7	7.3	<0.2
12328	<0.1	<0.1	<0.1	136	2.83	0.116	18	7	1.18	59	0.065	9	1.77	0.096	0.33	<0.1	<0.01	8.7	<0.1	2.59	8	8.0	<0.2
12329	<0.1	<0.1	0.1	126	2.54	0.114	14	5	1.02	62	0.057	7	1.64	0.107	0.31	<0.1	<0.01	7.1	<0.1	2.43	7	6.6	<0.2
12330	**0.1**	**0.1**	**0.1**	**115**	**3.14**	**0.115**	**12**	**5**	**0.83**	**50**	**0.042**	**6**	**1.50**	**0.105**	**0.23**	**<0.1**	**0.01**	**6.5**	**<0.1**	**2.93**	**6**	**8.2**	**<0.2**
12332	<0.1	<0.1	<0.1	118	3.19	0.124	13	5	0.85	51	0.043	6	1.53	0.112	0.24	<0.1	0.02	6.6	<0.1	2.91	6	7.1	<0.2
12333	<0.1	0.1	<0.1	110	3.17	0.126	16	5	0.89	62	0.038	7	1.51	0.093	0.26	<0.1	<0.01	6.9	<0.1	2.21	6	9.5	0.5
12331	**<0.1**	**<0.1**	**0.1**	**105**	**3.28**	**0.109**	**15**	**3**	**0.74**	**44**	**0.024**	**5**	**1.84**	**0.108**	**0.21**	**<0.1**	**<0.01**	**5.7**	**<0.1**	**2.79**	**6**	**13.2**	**<0.2**
12334	0.1	0.1	0.1	106	3.23	0.120	15	4	0.77	37	0.023	7	1.91	0.123	0.24	<0.1	<0.01	6.3	<0.1	2.56	6	12.1	<0.2
12335	0.1	<0.1	0.2	130	2.69	0.122	17	4	1.12	58	0.052	7	1.84	0.104	0.24	<0.1	<0.01	7.1	<0.1	2.80	7	12.5	<0.2
12336	<0.1	<0.1	0.1	114	1.85	0.118	11	4	1.12	35	0.015	9	1.76	0.105	0.24	<0.1	<0.01	6.4	0.1	3.06	7	6.6	<0.2
12337	<0.1	<0.1	0.2	124	2.20	0.120	14	4	1.28	39	0.027	8	1.85	0.102	0.23	<0.1	<0.01	6.2	<0.1	2.88	8	4.6	0.2
12338	<0.1	<0.1	0.1	113	3.01	0.114	11	4	1.15	32	0.014	6	1.94	0.135	0.30	<0.1	<0.01	6.4	<0.1	3.14	7	5.9	<0.2
12339	<0.1	<0.1	<0.1	112	1.89	0.120	12	4	1.31	28	0.011	6	1.82	0.096	0.28	<0.1	<0.01	5.9	0.2	4.16	8	7.8	0.2
12340	**0.3**	**0.2**	**0.8**	**63**	**1.09**	**0.072**	**12**	**17**	**0.63**	**182**	**0.076**	**5**	**1.02**	**0.061**	**0.41**	**0.1**	**0.09**	**4.3**	**0.2**	**0.34**	**7**	**2.5**	**0.3**
12341	<0.1	<0.1	0.1	132	1.44	0.129	11	5	1.40	54	0.019	8	1.90	0.107	0.25	<0.1	<0.01	6.9	<0.1	2.80	8	4.8	<0.2
12342	<0.1	<0.1	<0.1	120	1.98	0.127	9	4	1.33	55	0.013	7	1.92	0.102	0.26	<0.1	<0.01	6.4	<0.1	2.61	8	3.1	<0.2
12343	<0.1	<0.1	0.2	122	1.91	0.122	9	5	1.34	28	0.020	8	2.10	0.134	0.27	<0.1	<0.01	6.5	<0.1	4.15	8	6.4	<0.2
12344	0.1	<0.1	0.2	113	2.53	0.114	11	4	1.30	32	0.013	6	1.90	0.108	0.26	<0.1	<0.01	6.1	0.1	4.05	7	5.6	0.2
12345	**<0.1**	**<0.1**	**<0.1**	**136**	**6.36**	**0.091**	**4**	**45**	**0.98**	**19**	**0.228**	**18**	**3.79**	**1.249**	**0.19**	**<0.1**	**<0.01**	**5.0**	**<0.1**	**0.08**	**8**	**<0.5**	**<0.2**
12346	<0.1	<0.1	0.2	135	2.16	0.131	15	5	1.48	52	0.026	8	2.14	0.138	0.22	<0.1	<0.01	7.4	<0.1	2.89	8	3.6	<0.2
12347	<0.1	<0.1	0.3	126	1.97	0.122	12	5	1.35	40	0.017	7	1.99	0.131	0.21	<0.1	<0.01	6.6	<0.1	2.85	8	3.6	<0.2
12348	<0.1	<0.1	0.2	127	1.88	0.126	10	5	1.34	40	0.016	7	1.79	0.112	0.17	<0.1	<0.01	7.1	<0.1	3.33	7	3.5	<0.2
12349	<0.1	<0.1	0.2	130	2.01	0.130	13	5	1.35	49	0.019	6	1.86	0.106	0.20	<0.1	<0.01	7.3	<0.1	3.24	8	3.1	<0.2
12252	<0.1	<0.1	0.2	135	2.15	0.119	12	5	1.40	40	0.028	7	2.11	0.146	0.21	<0.1	<0.01	7.9	<0.1	3.70	8	5.0	<0.2
12350	**<0.1**	**<0.1**	**0.3**	**136**	**2.22**	**0.125**	**11**	**5**	**1.40**	**33**	**0.029**	**7**	**2.07**	**0.140**	**0.21**	**<0.1**	**<0.01**	**7.5**	**<0.1**	**4.11**	**8**	**4.7**	**0.3**

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT Wgt KG 0.01	G6 Au PPM 0.005	1DX30 Mo PPM 0.10	1DX30 Cu PPM 0.1	1DX30 Pb PPM 0.1	1DX30 Zn PPM 1	1DX30 Ag PPM 0.1	1DX30 Ni PPM 0.1	1DX30 Co PPM 0.1	1DX30 Mn PPM 1	1DX30 Fe % 0.01	1DX30 As PPM 0.5	1DX30 Au PPB 0.5	1DX30 Th PPM 0.1	1DX30 Sr PPM 1	1DX30 Cd PPM 0.1	1DX30 Sb PPM 0.1	1DX30 Bi PPM 0.1	1DX30 V PPM 2	1DX30 Ca % 0.01	1DX30 P % 0.001	1DX30 La PPM 1	1DX30 Cr PPM 1	1DX30 Mg % 0.01	1DX30 Ba PPM 1	1DX30 Ti % 0.001	1DX30 B PPM 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W PPM 0.1	1DX30 Hg PPM 0.01	1DX30 Sc PPM 0.1	1DX30 Tl PPM 0.1	1DX30 S % 0.05	1DX30 Ga PPM 1	1DX30 Se PPM 0.5	1DX30 Te PPM 0.2
12253	141.00	143.00	2.00				4.04	0.044	1.6	248.8	1.7	31	0.2	5.2	11.5	581	4.58	0.6	48.3	0.9	176	<0.1	<0.1	0.3	136	2.27	0.129	13	5	1.44	48	0.022	6	2.02	0.116	0.18	<0.1	<0.01	7.3	<0.1	3.32	9	3.2	<0.2
12254	143.00	145.00	2.00				3.55	0.024	1.2	289.5	2.1	32	0.3	4.7	11.3	550	4.26	1.2	19.1	0.9	251	<0.1	<0.1	0.4	128	2.06	0.127	13	5	1.41	41	0.011	5	1.99	0.117	0.19	0.2	<0.01	6.5	<0.1	3.21	8	2.7	0.3
12255	145.00	147.00	2.00				5.02	0.020	2.0	92.4	2.6	34	0.1	5.1	13.0	529	4.84	0.9	12.3	0.9	212	<0.1	<0.1	0.4	140	2.20	0.116	15	5	1.50	31	0.020	7	2.29	0.136	0.26	<0.1	<0.01	7.4	<0.1	4.07	8	4.1	<0.2
12256	147.00	149.00	2.00				3.52	0.036	1.1	269.5	2.5	29	0.4	4.5	12.1	635	4.34	1.0	32.8	1.0	329	<0.1	<0.1	0.4	147	2.48	0.122	17	5	1.62	32	0.016	5	2.06	0.129	0.16	<0.1	<0.01	7.1	<0.1	3.31	8	3.1	0.2
12257	149.00	151.00	2.00				3.86	0.037	1.6	280.9	1.7	26	0.4	4.7	11.1	637	4.23	1.0	31.5	0.9	198	<0.1	<0.1	0.4	157	2.00	0.129	14	6	1.79	56	0.030	4	2.16	0.149	0.14	<0.1	<0.01	8.1	<0.1	2.77	9	1.9	<0.2
12258	151.00	153.00	2.00				4.41	0.029	3.0	201.0	2.4	22	0.8	4.5	11.7	452	4.13	1.0	27.8	0.9	140	<0.1	<0.1	0.3	138	1.94	0.126	13	5	1.41	42	0.016	7	2.10	0.149	0.26	<0.1	<0.01	7.4	<0.1	3.60	8	4.4	<0.2
12251	153.00	155.00	2.00	Field Dup		12259	3.76	0.028	4.0	106.4	2.5	18	0.3	4.9	14.7	340	4.73	0.5	27.1	0.9	161	0.1	<0.1	0.1	119	1.90	0.122	12	5	1.35	34	0.006	7	1.85	0.107	0.21	<0.1	<0.01	6.4	<0.1	5.01	8	6.2	<0.2
12259	153.00	155.00	2.00				5.65	0.029	4.1	64.8	2.4	17	0.1	5.3	14.6	276	4.45	<0.5	38.9	1.0	119	<0.1	<0.1	0.1	109	1.98	0.115	12	4	1.35	39	0.008	6	1.67	0.092	0.16	<0.1	<0.01	6.1	<0.1	4.69	7	5.9	<0.2
12260	153.00	155.00	2.00	Standard	CM-11A		0.11	1.099	329.3	3234.2	23.7	53	1.7	29.6	7.9	405	2.89	12.4	729.8	1.3	33	0.1	3.5	0.6	47	0.64	0.047	5	31	0.54	114	0.111	3	1.15	0.078	0.10	0.8	0.07	4.0	<0.1	0.38	4	0.7	<0.2
12261	155.00	157.00	2.00				4.40	0.032	2.1	159.3	2.6	16	0.3	5.3	13.0	301	4.51	<0.5	25.3	0.9	161	<0.1	<0.1	0.2	111	1.67	0.117	12	5	1.36	30	0.009	4	1.65	0.101	0.18	<0.1	<0.01	6.2	<0.1	4.57	7	3.8	<0.2
12262	157.00	159.00	2.00				3.79	0.035	1.3	186.9	2.3	18	0.2	5.3	13.0	341	4.18	<0.5	29.9	1.0	97	<0.1	<0.1	0.2	120	1.70	0.120	12	6	1.55	41	0.014	6	1.67	0.092	0.17	<0.1	<0.01	6.7	<0.1	4.14	7	3.5	<0.2
12263	159.00	161.00	2.00				4.15	0.047	1.9	274.0	2.6	17	0.5	5.2	13.7	292	4.49	<0.5	36.2	1.1	112	<0.1	<0.1	0.3	119	1.47	0.118	13	4	1.40	38	0.014	6	1.77	0.119	0.23	<0.1	<0.01	7.6	<0.1	4.59	7	4.9	<0.2
12264	161.00	163.00	2.00				4.70	0.065	1.0	446.2	2.4	18	0.7	4.8	12.1	312	4.10	<0.5	70.9	1.1	108	<0.1	<0.1	0.3	128	1.43	0.125	16	4	1.59	47	0.023	4	1.63	0.097	0.16	<0.1	0.01	7.4	<0.1	3.96	7	4.6	<0.2
12265	161.00			Blank			2.03	<0.005	0.3	92.9	2.6	49	<0.1	91.5	27.7	691	3.55	1.0	5.1	0.5	138	<0.1	<0.1	<0.1	136	6.14	0.084	5	46	0.99	18	0.250	14	3.73	1.022	0.15	<0.1	<0.01	4.9	<0.1	0.12	8	<0.5	<0.2
12266	163.00	165.00	2.00				3.81	0.043	2.5	210.6	2.3	20	0.3	4.6	11.0	390	4.38	0.9	34.6	1.2	150	<0.1	<0.1	0.4	143	1.27	0.124	13	4	1.89	46	0.046	4	1.95	0.127	0.19	<0.1	<0.01	8.7	<0.1	3.64	8	3.1	<0.2
12267	165.00	167.00	2.00				4.16	0.072	2.7	734.8	2.1	26	0.4	13.3	26.5	595	6.23	1.5	48.8	1.1	149	0.1	<0.1	0.5	200	1.97	0.150	13	26	2.87	47	0.106	4	2.61	0.123	0.12	0.1	<0.01	15.6	<0.1	4.57	10	3.8	<0.2
12268	167.00	169.00	2.00				5.06	0.037	2.6	460.9	2.1	27	0.3	19.8	31.3	706	7.23	1.4	30.8	1.2	302	<0.1	<0.1	0.5	253	2.55	0.174	16	38	3.27	30	0.217	3	3.28	0.194	0.08	0.4	<0.01	19.9	<0.1	5.20	10	6.0	<0.2
12269	169.00	171.00	2.00				4.29	0.082	4.6	790.9	2.4	24	0.4	19.4	45.4	660	7.84	1.4	52.5	1.1	120	<0.1	<0.1	0.7	226	2.01	0.163	15	36	3.07	33	0.127	4	2.84	0.131	0.09	0.2	<0.01	17.7	<0.1	6.02	9	6.6	<0.2
12270	171.00	173.00	2.00	Prep Dup		12272		0.031	1.1	375.0	2.3	34	0.4	18.8	32.0	737	6.61	1.2	32.4	1.1	325	<0.1	<0.1	0.5	230	2.33	0.165	15	39	3.10	34	0.114	3	2.78	0.197	0.13	0.2	<0.01	18.0	<0.1	4.87	9	4.6	<0.2
12272	171.00	173.00	2.00				3.89	0.036	1.1	378.6	2.3	33	0.3	18.0	32.5	726	6.62	1.2	32.8	1.1	313	<0.1	<0.1	0.5	229	2.32	0.171	15	39	3.09	29	0.109	3	2.82	0.192	0.12	0.2	<0.01	17.5	<0.1	4.86	9	4.6	<0.2
12271	173.00	175.00	2.00	Field Dup		12273	4.01	0.037	1.0	355.5	2.1	25	0.5	19.5	37.1	607	7.31	1.8	49.4	1.0	603	<0.1	<0.1	0.5	234	2.08	0.170	12	40	3.28	27	0.142	2	2.93	0.259	0.07	0.3	<0.01	19.1	<0.1	5.51	9	5.2	<0.2
12273	173.00	175.00	2.00				4.49	0.042	0.9	312.7	1.9	25	0.4	18.7	36.7	613	7.13	0.9	35.9	1.0	583	<0.1	<0.1	0.5	239	2.10	0.166	12	41	3.35	26	0.147	2	2.93	0.246	0.07	0.2	<0.01	19.5	<0.1	5.24	9	4.5	<0.2
12274	175.00	177.00	2.00				4.41	0.087	3.5	456.8	2.3	24	0.3	19.9	26.5	438	7.06	<0.5	77.7	1.1	248	<0.1	<0.1	0.4	233	1.79	0.153	12	41	3.67	36	0.150	4	2.83	0.157	0.16	0.2	<0.01	20.4	<0.1	5.57	10	8.9	<0.2
12275	177.00	179.00	2.00				5.55	0.074	0.7	349.6	2.3	26	0.3	18.9	31.8	460	7.80	<0.5	70.7	1.2	188	<0.1	<0.1	0.5	216	2.47	0.178	13	34	3.01	42	0.140	3	2.79	0.145	0.13	0.2	<0.01	17.3	<0.1	5.99	11	9.3	0.3
12276	179.00	181.00	2.00				3.05	0.127	2.7	673.8	1.7	24	0.5	15.8	27.5	409	7.55	<0.5	101.9	0.9	247	<0.1	0.1	0.4	234	2.05	0.164	11	35	3.34	35	0.142	7	2.95	0.136	0.14	0.3	<0.01	18.8	0.1	6.08	12	12.6	0.2
12277	181.00	183.00	2.00				4.34	0.080	0.7	689.7	1.5	23	0.4	18.4	19.5	564	6.21	<0.5	70.5	0.9	273	<0.1	<0.1	0.4	240	1.92	0.173	9	41	3.12	48	0.201	4	2.80	0.255	0.07	0.6	<0.01	20.5	<0.1	4.00	9	7.1	<0.2
12278	183.00	185.00	2.00				4.35	0.064	1.4	470.0	1.6	24	0.5	17.6	28.0	518	6.38	<0.5	44.4	1.0	429	<0.1	<0.1	0.4	236	1.78	0.186	9	32	3.07	44	0.172	4	2.77	0.301	0.10	0.4	<0.01	17.6	<0.1	4.39	9	6.9	<0.2
12279	185.00	187.00	2.00				4.16	0.047	1.9	220.9	1.5	22	0.3	14.9	26.7	484	6.76	<0.5	50.0	0.8	239	<0.1	<0.1	0.3	229	1.71	0.168	8	28	3.18	39	0.171	4	2.78	0.258	0.10	0.4	<0.01	17.6	<0.1	4.99	9	10.2	<0.2
12280	185.00			Standard	BL-9		0.11	0.006	2.9	20.7	2.1	34	0.4	17.1	8.7	283	1.81	2.8	8.1	0.9	26	0.2	0.3	<0.1	42	0.65	0.045	4	21	0.47	82	0.087	3	1.01	0.060	0.07	17.7	<0.01	3.6	<0.1	<0.05	4	<0.5	<0.2
12281	187.00	189.00	2.00				4.84	0.033	1.1	129.0	2.2	41	0.2	17.0	31.8	641	7.35	<0.5	34.4	0.8	415	<0.1	<0.1	0.3	239	1.97	0.170	8	36	3.56	37	0.176	4	3.16	0.260	0.10	0.5	<0.01	18.9	<0.1	5.41	10	8.5	<0.2
12282	189.00	191.00	2.00				4.74	0.031	1.4	320.0	1.9	41	0.3	17.2	25.8	710	6.30	<0.5	23.6	0.9	539	<0.1	<0.1	0.2	221	2.17	0.163	8	35	3.20	50	0.189	4	2.88	0.293	0.11	0.5	<0.01	18.7	<0.1	4.37	9	8.6	<0.2
12283	191.00	193.00	2.00				4.50	0.035	1.6	161.1	2.2	55	0.4	16.8	25.9	854	6.52	<0.5	33.8	0.8	474	<0.1	<0.1	0.3	220	2.30	0.156	8	37	3.13	51	0.149	4	2.71	0.277	0.11	0.3	0.02	18.8	<0.1	4.65	8	10.3	0.6
12284	193.00	195.00	2.00				5.19	0.032	2.4	368.3	1.7	32	0.3	16.0	24.6	631	5.91	<0.5	28.6	0.9	392	<0.1	<0.1	0.2	235	1.67	0.169	9	36	3.32	49	0.204	5	2.72	0.236	0.12	0.4	0.01	18.2	<0.1	3.72	9	8.0	0.3
12285	193.00			Blank			1.06	0.008	0.3	91.2	2.5	51	<0.1	86.7	27.3	700	3.47	0.8	2.9	0.4	132	0.1	<0.1	<0.1	130	6.45	0.082	4	45	0.94	16	0.212	15	3.57	1.069	0.16	<0.1	<0.01	4.9	<0.1	0.09	8	<0.5	<0.2
12286	195.00	197.00	2.00				4.87	0.072	1.3	562.7	1.7	29	0.4	17.6	29.2	596	6.73	<0.5	66.2	1.2	449	<0.1	<0.1	0.2	229	2.08	0.190	10	46	3.02	54	0.223	4	2.75	0.370	0.09	0.7	<0.01	15.7	<0.1	4.61	9	8.9	<0.2
12287	197.00	199.00	2.00				4.59	0.047	1.4	725.5	1.6	29	0.6	20.2	26.9	624	6.31	<0.5	42.9	1.1	255	<0.1	<0.1	0.2	183	2.35	0.177	10	63	2.53	38	0.186	4	2.17	0.253	0.07	0.6	<0.01	15.4	<0.1	4.52	6	7.2	0.2
12288	199.00	201.00	2.00				4.31	0.026	4.0	410.4	1.7	31	0.3	13.7	26.0	684	5.70	<0.5	19.1	1.0	263	<0.1	<0.1	0.1	230	2.49	0.180	10	34	2.73	41	0.226	4	2.61	0.299	0.11	0.6	<0.01	17.2	<0.1	3.50	8	6.2	<0.2
12289	201.00	203.00	2.00				4.55	0.029	1.9	387.5	1.8	29	0.4	13.4	24.5	560	5.64	<0.5	23.9	0.9	233	<0.1	<0.1	<0.1	229	2.54	0.184	10	26	2.47	43	0.246	4	2.55	0.243	0.10	0.6	<0.01	14.4	<0.1	3.46	8	4.5	<0.2
12292	203.00	205.00	2.00				4.30	0.044	4.5	383.1	1.8	25	0.4	13.2	25.9	570	5.98	<0.5	32.7	1.0	143	<0.1	<0.1	<0.1	228	2.62	0.176	10	29	2.59	30	0.259	4	2.65	0.165	0.08	0.4	<0.01	14.6	<0.1	3.70	9	6.4	<0.2
12290	203.00	205.00	2.00	Prep Dup		12292		0.056	4.3	381.6	1.7	25	0.4	13.2	25.8	571	6.03	<0.5	41.8	0.9	146	<0.1	<0.1	<0.1	231	2.59	0.174	10	29	2.60	30	0.260	4	2.61	0.167	0.08	0.5	<0.01	14.4	<0.1	3.76	9	5.9	<0.2
12293	205.00	207.00	2.00				3.93	0.022	4.2	255.0	1.6	23	0.3	13.0	23.2	563	5.53	1.0	20.9	1.0	161	<0.1	<0.1	0.1	218	2.46	0.178	9	40	2.75	27	0.238	5	2.91	0.149	0.08	0.6	<0.01	13.6	<0.1	3.60	10	4.8	<0.2
12291	207.00		2.00	Field Dup		12294	4.01	0.028	1.1	118.1	1.1	22	0.2	16.9	26.6	480	5.09	<0.5	25.1	0.9	295	<0.1	<0.1	0.2	174	1.95	0.161	7	65	2.80	49	0.142	3	2.34	0.238	0.11	0.4	<0.01	15.5	<0.1	3.80	7	6.1	<0.2
12294	207.00	209.00	2.00				3.92	0.037	1.2	119.6	1.4	25	0.3	19.7	32.2	527	5.74	<0.5	29.4	1.0	308	<0.1	<0.1	0.2	192	2.32	0.179	7	67	3.05	44	0.149	3	2.59	0.246	0.10	0.3	<0.01	16.7	<0.1	4.31	8	5.5	<0.2
12295	209.00	211.00	2.00				4.75	0.131	2.3	578.7	1.5	25	0.5	19.3	25.9	567	6.43	<0.5	107.2	0.9	104	<0.1	<0.1	0.2	217	2.14	0.182	7	87	3.44	19	0.168	4	2.62	0.125	0.09	0.4	<0.01	20.7	<0.1	4.82	10	8.8	<0.2
12296	211.00	213.00	2.00				4.19	0.036	3.2	249.6	1.5	22	0.3	12.8	25.3	415	5.51	<0.5	30.8	0.8	150	<0.1	<0.1	0.1	204	1.69	0.180	7	27	2.94	29	0.138	6	2.48	0.167	0.21	0.3	<0.01	15.1	<0.1	4.26	9	8.3	<0.2
12297	213.00	215.00	2.00				3.79	0.020	8.1	95.4	1.5	26	0.2	14.0	24.3	415	4.77	<0.5	14.1	1.0	223	<0.1	<0.1	0.1	227	1.50	0.189	8	36	3.41	41	0.133	7	2.56	0.151	0.21	0.2	<0.01	15.7	<0.1	3.47	9	7.8	<0.2
12298	215.00	217.00	2.00				4.46	0.017	5.1	31.5	1.3	25	0.1	13.3	20.2	394	3.60	<0.5	7.6	0.8	199	<0.1	<0.1	<0.1	231	1.31	0.177	7	42	3.63	41	0.136	6	2.57	0.152	0.20	0.1	<0.01	16.7	<0.1	2.18	9	5.5	<0.2
12299	217.00	219.00	2.00				4.21	0.017	1.8	43.0	1.2	27	0.1	12.5	21.5	392	4.07	<0.5	8.5	0.8	314	<0.1	<0.1	<0.1	247	1.37	0.182	7	37	3.98	57	0.135	6	2.73	0.130	0.18	0.1	<0.01	16.3	<0.1	2.52	9	4.4	<0.2
12300	217.00			Standard	CGS-29		0.11	0.215	10.4	5258.9	5.2	88	1.8	11.2	7.4	604	4.11	1.4	213.6	3.9	62	0.3	0.2	0.7	58	1.05	0.067	11	16	0.61	167	0.068	4	0.99	0.061	0.39	0.1	0.08	4.0	0.1	0.31	6	3.2	0.3
98401	219.00	221.00	2.00				4.45	0.048	2.2	247.3	1.5	20	0.3	13.3	25.4	355	5.32	<0.5	36.8	0.8	249	<0.1	<0.1	0.1	192	2.05	0.171	8	26	2.69	40	0.067	7	2.46	0.174	0.26	0.1	<0.01	13.5	<0.1	4.21	8	8.1	<0.2
98402	221.00	223.00	2.00				4.51	0.024	6.5	288.4	1.6	21	0.2	16.3	29.7	371	5.73	<0.5	23.6	0.9	169	<0.1	<0.1	<0.1	215	1.64	0.181	8	30	3.23	37	0.117	8	2.67	0.143	0.33	0.1	<0.01	16.1	0.1	4.45	9	9.4	<0.2
98403	223.00	225.00	2.00				4.26	0.047	1.6	487.2	1.3	21	0.4	15.1	17.9	393	4.09	<0.5	38.0	0.9	165	<0.1	<0.1	<0.1	187	2.28	0.169	7	38	2.52	35	0.112	6	2.24	0.170	0.19	0.2	<0.01	14.1	<0.1	2.81	7	5.7	<0.2
98404	225.00	227.00	2.00				4.43	0.036	1.3	462.5	0.8	24	0.3	29.1	21.1	538	4.50	<0.5	37.4	0.9	207	<0.1	<0.1	0.2	176	3.00	0.152	7	118	2.67	37	0.165	4	2.21	0.249	0.08	0.3	<0.01	17.6	0.1	2.73	8	3.9	<0.2
98405	225.00			Blank			1.23	0.006	0.3	86.7	2.6	51	<0.1	94.1	28.8	706	3.63	0.9	3.2	0.5	133	<0.1	<0.1	<0.1	131	5.87	0.086	4	45	0.96	20	0.221	14	3.48	0.950	0.16	<0.1	<0.01	5.2	<0.1	0.08	9	<0.5	<0.2
98406	227.00	229.00	2.00				3.91	0.077	15.2	522.2	1.5	28	0.4	24.8	22.1	455	4.89	<0.5	63.7	1.0	115	<0.1	<0.1	0.1	286	2.55	0.157	8	144	4.14	25	0.216	6	2.74	0.144	0.13	0.3	<0.01	29.5	<0.1	3.19	10	7.9	<0.2
98407	229.00	231.00	2.00				4.13	0.019	40.8	119.0	1.3	24	0.4	14.1	27.4	342	4.22	<0.5	15.4	0.8	102	<0.1	<0.1	<0.1	309	1.70	0.160	13	72	4.39	24	0.242	8	3.12	0.100	0.15	0.4	<0.01	21.1	0.1	2.52	10	8.1	<0.2
98408	231.00	233.00	2.00				4.65	0.037	54.1	194.0	1.4	33	0.3	29.3	39.1	400	5.82	<0.5	34.3	1.1	83	0.1	<0.1	<0.1	275	1.83	0.290	12	87	4.33	18	0.165	6	2.99	0.094	0.12	0.3	<0.01	20.6	0.1	3.97	11	12.2	<0.2
98409	233.00	235.00	2.00				3.86	0.061	9.8	131.4	1.5	27	0.5	10.7	27.8	372	5.02	<0.5	20.6	0.9	108	<0.1	<0.1	0.1	268	1.61	0.221	8	12	3.74	26	0.214	8	2.85	0.158	0.23	0.3	<0.01	16.6	<0.1	3.18	10	9.0	<0.2
98410	235.00			Prep Dup		98412		0.032	2.8	401.1	1.7	25	0.4	10.6	22.3	445	5.49	<0.5	32.8	0.9	102	<0.1	<0.1	0.1	251	1.96	0.200	9	11	2.92	18	0.200	5	2.57	0.113	0.10	0.4	<0.01	14.6	<0.1	3.43	11	7.5	<0.2
98412	235.00	237.00	2.00				4.06	0.043	2.7	423.3	1.9	25	0.5	11.0	24.0	457	5.52	<0.5	34.2	0.9	115	<0.1	<0.1	0.2	275	2.10	0.208	9	11	2.97	19	0.211	6	2.91	0.130	0.12	0.4	<0.01	15.6	<0.1	3.66	11	8.3	<0.2
98413	237.00	239.00	2.00				4.06	0.068	1.9	397.8	2.0	27	0.6	11.2	23.9	563	6.00	<0.5	63.8	1.0	118	<0.1	<0.1	0.2	276	2.18	0.201	11	15	3.13	22	0.265	6	3.03	0.121	0.09	0.6	0.01	18.1	<0.1	4.15	11	7.7	<0.2
98411	239.00			Field Dup		98414	4.09	0.029	7.4	566.3	1.7	31	0.7	15.2	29.7	583	6.08	1.1	31.5	0.7	135	0.1	<0.1	0.2	243	2.92	0.171	9	22	2.85	23	0.131	5	3.08	0.120	0.12	0.2	0.02	15.4	<0.1	4.47	11	7.0	<0.2
98414	239.00	241.00	2.00				3.77	0.037	6.7	500.5	1.9	30	0.5	14.6	30.9	589	6.13	1.3	44.9	0.7	133	<0.1	<0.1	0.2	239	2.75	0.168	9	22	2.87	24	0.146	6	3.15	0.132	0.13	0.2	0.02	15.4	<0.1	4.57	10	6.0	0.2
98415	241.00	243.00	2.00				4.17	0.032	9.4	408.8	2.1	26	0.6	14.8	19.7	487	4.86	4.7	75.5	0.7	123	<0.1	<0.1	0.1	209	2.86	0.151	9	25	2.22	23	0.059	8	2.58	0.133	0.20	<0.1	0.04	15.1	0.1	3.26	9	5.8	<0.2
98416	243.00	245.00	2.00				4.35	0.012	1.4	158.7	1.8	35	0.2	4.8	13.3	774	3.61	2.0	6.3	1.3	132	<0.1	<0.1	<0.1	167	3.77	0.118	14	6	1.34	31	0.038	3	2.07	0.094	0.10	<0.1	0.04	7.5	<0.1	0.22	10	<0.5	<0.2
98417	245.00	247.00	2.00				4.06	0.033	6.5	285.3	2.4	30	0.4	4.3	13.8	678	3.65	2.9	24.1	1.4	107	<0.1	<0.1	<0.1	163	3.13	0.118	14	5	1.40	28	0.084	4	1.82	0.082	0.11	<0.1	0.12	8.7	<0.1	0.72	9	<0.5	<0.2
98418	247.00	249.00	2.00				4.18	0.014	3.2	151.1	1.4	26	0.3	4.4	12.6	709	3.78	1.9	13.0	1.5	90	<0.1	<0.1	<0.1	180	3.15	0.128	14	5	1.36	34	0.095	4	1.61	0.128	0.17	<0.1	0.08	10.3	<0.1	0.35	9	<0.5	<0.2
98419	249.00	251.00	2.00				4.32	0.033	3.2	186.6	5.1	31	0.3	4.7	14.7	761	3.78	5.6	34.8	1.5	122	<0.1	0.1	<0.1	199	3.46	0.126	15	5	1.70	36	0.216	6	2.33	0.094	0.10	0.2	0.11	11.9	<0.1	0.49	11	0.6	<0.2
98420	249.00			Standard	CGS-26		0.11	1.629	85.4	>10000.0	723.0	1554	8.4	94.6	13.7	496	4.64	303.1	1428.0	1.8	36	9.3	36.4	2.4	53	0.87	0.054	7	50	0.65	40	0.069	41	1.29	0.076	0.21	33.2	0.74	4.7	0.9	2.23	5	3.5	0.6
98421	251.00	253.00	2.00				4.53	0.018	1.4	168.8	2.6	33	0.1	4.3	12.6	706	3.81	2.5	10.0	1.5	97	<0.1	<0.1	<0.1	201	2.46	0.124	14	5	1.65	43	0.233	6	2.00	0.108	0.14	0.2	0.02	11.6	<0.1	0.22	10	<0.5	<0.2
98422	253.00	255.00	2.00				4.28	0.017	2.2	140.0	2.9	32	0.1	4.7	12.9	677	3.79	2.4	13.1	1.5	90	<0.1	<0.1	<0.1	192	3.16	0.123	14	5	1.35	41	0.224	5	1.73	0.105	0.16	0.1	0.19	11.3	<0.1	0.56	8	<0.5	<0.2
98423	255.00	257.00	2.00				5.28	0.038	3.5	176.0	3.8	36	0.2	4.9	13.6	750	3.77	4.4	24.8	1.4	90	<0.1	0.2	<0.1	167	3.49	0.117	13	5	1.36	43	0.230	7	1.67	0.096	0.15	0.2	0.21	11.1	<0.1	1.03	8	<0.5	<0.2

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT Wgt KG 0.01	G6 Au PPM 0.005	1DX30 Mo PPM 0.10	1DX30 Cu PPM 0.1	1DX30 Pb PPM 0.1	1DX30 Zn PPM 1	1DX30 Ag PPM 0.1	1DX30 Ni PPM 0.1	1DX30 Co PPM 0.1	1DX30 Mn PPM 1	1DX30 Fe % 0.01	1DX30 As PPM 0.5	1DX30 Au PPB 0.5	1DX30 Th PPM 0.1	1DX30 Sr PPM 1	1DX30 Cd PPM 0.1	1DX30 Sb PPM 0.1	1DX30 Bi PPM 0.1	1DX30 V PPM 2	1DX30 Ca % 0.01	1DX30 P % 0.001	1DX30 La PPM 1	1DX30 Cr PPM 1	1DX30 Mg % 0.01	1DX30 Ba PPM 1	1DX30 Ti % 0.001	1DX30 B PPM 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W PPM 0.1	1DX30 Hg PPM 0.01	1DX30 Sc PPM 0.1	1DX30 Tl PPM 0.1	1DX30 S % 0.05	1DX30 Ga PPM 1	1DX30 Se PPM 0.5	1DX30 Te PPM 0.2
98424	257.00	259.00	2.00				4.22	0.025	2.5	224.9	2.8	34	0.1	5.3	13.2	599	3.63	2.5	14.7	1.5	98	<0.1	<0.1	<0.1	155	3.25	0.112	13	6	1.11	36	0.107	3	1.65	0.091	0.12	<0.1	0.06	9.1	<0.1	0.69	9	<0.5	<0.2
98425	257.00			Blank			2.10	<0.005	0.3	83.8	2.2	49	<0.1	83.9	24.9	660	3.36	1.3	1.6	0.4	136	<0.1	<0.1	<0.1	124	6.15	0.081	4	40	0.90	17	0.223	16	3.48	1.083	0.16	<0.1	<0.01	4.5	<0.1	0.09	8	<0.5	<0.2
98426	259.00	261.00	2.00				4.53	0.013	1.4	136.8	3.2	33	0.2	4.4	11.8	646	3.51	4.2	7.7	1.5	149	<0.1	<0.1	<0.1	168	2.79	0.112	12	5	1.33	35	0.220	6	2.34	0.105	0.09	0.2	0.05	9.4	<0.1	0.30	10	<0.5	<0.2
98427	261.00	263.00	2.00				4.35	0.011	1.9	142.1	2.6	38	<0.1	5.0	13.6	733	3.82	2.4	7.8	1.4	109	<0.1	<0.1	<0.1	167	2.86	0.119	13	5	1.22	36	0.140	5	1.51	0.114	0.13	<0.1	0.05	10.3	<0.1	0.44	9	<0.5	<0.2
98431	261.00			Field Dup		98427	5.10	0.013	1.5	124.1	2.5	37	0.1	5.1	12.7	740	3.65	2.3	8.2	1.4	117	<0.1	<0.1	<0.1	163	3.13	0.118	13	5	1.22	35	0.133	5	1.58	0.109	0.12	<0.1	0.04	10.1	<0.1	0.38	9	<0.5	<0.2
98428	263.00	265.00	2.00				3.54	0.022	1.4	208.6	3.1	38	0.4	5.5	13.9	770	3.80	2.7	13.5	1.5	93	<0.1	<0.1	<0.1	168	2.94	0.114	12	8	1.56	39	0.175	5	1.62	0.123	0.12	0.2	0.04	10.8	<0.1	0.59	9	<0.5	<0.2
98429	265.00	267.00	2.00				4.01	0.023	2.1	212.2	2.6	31	0.2	5.0	13.0	699	3.72	2.9	12.8	1.4	155	<0.1	<0.1	<0.1	155	3.20	0.117	13	6	1.19	90	0.100	4	1.62	0.201	0.12	<0.1	0.16	9.3	<0.1	0.75	8	0.8	<0.2
98430	267.00			Prep Dup		98432		0.022	1.8	247.4	2.4	35	0.2	5.2	12.5	689	3.66	1.9	13.0	1.5	90	<0.1	<0.1	<0.1	168	2.64	0.111	11	6	1.34	37	0.189	4	1.49	0.111	0.12	0.2	0.15	11.3	<0.1	0.60	8	<0.5	<0.2
98432	267.00	269.00	2.00				4.04	0.029	1.9	250.8	2.8	33	0.2	5.2	12.7	691	3.63	1.8	12.8	1.4	91	0.1	<0.1	<0.1	168	2.72	0.111	11	6	1.34	37	0.190	5	1.53	0.121	0.13	0.2	0.14	10.8	<0.1	0.61	8	0.5	<0.2
98433	269.00	271.00	2.00				3.60	0.072	3.6	790.9	2.9	27	0.4	4.9	21.0	490	3.81	3.2	49.6	1.5	119	<0.1	<0.1	0.1	112	3.99	0.091	12	5	0.69	87	0.051	4	1.41	0.089	0.14	<0.1	0.54	6.4	0.1	2.13	8	2.6	0.5
98434	271.00	273.00	2.00				3.98	0.108	5.9	1477.0	2.8	21	0.6	5.7	10.8	345	3.71	4.2	103.5	1.9	223	0.1	0.2	0.2	92	3.71	0.084	13	6	0.57	81	0.034	7	1.35	0.086	0.18	<0.1	0.04	4.0	<0.1	1.69	7	1.1	0.4
98435	273.00	275.00	2.00				3.78	0.088	21.4	1135.9	2.7	18	0.7	5.3	11.9	340	3.41	10.3	99.5	1.5	106	<0.1	0.5	0.2	83	3.86	0.081	14	5	0.54	60	0.038	6	1.10	0.099	0.24	<0.1	0.05	4.3	<0.1	2.16	6	3.7	0.2
98436	275.00	277.00	2.00				4.05	0.039	32.2	1146.8	2.5	21	0.6	6.3	21.6	393	4.20	3.5	42.0	1.3	90	<0.1	0.2	0.2	116	3.88	0.094	13	7	0.79	40	0.092	6	1.47	0.131	0.28	0.1	0.04	7.2	0.1	2.84	7	7.0	0.2
98437	277.00	279.00	2.00				5.01	0.042	28.6	1111.7	2.3	21	0.6	6.5	19.5	399	4.11	3.1	41.0	1.2	76	<0.1	0.1	0.2	124	2.90	0.097	13	7	0.93	32	0.068	6	1.39	0.091	0.24	<0.1	0.03	5.9	<0.1	2.57	7	5.8	0.2
98438	279.00	281.00	2.00				4.13	0.086	2.9	501.4	1.9	48	0.5	15.2	35.7	983	4.55	2.7	15.8	0.8	148	<0.1	<0.1	0.1	175	4.28	0.124	6	31	2.07	38	0.273	7	2.40	0.155	0.19	0.3	0.03	16.2	<0.1	0.70	9	1.1	<0.2
98439	281.00	283.00	2.00				4.25	0.017	22.6	1024.9	3.6	24	0.9	7.3	18.5	330	3.82	10.1	108.0	1.2	87	<0.1	0.4	0.1	110	2.91	0.103	15	7	0.76	30	0.049	7	1.20	0.077	0.23	<0.1	0.06	5.3	0.1	2.63	6	5.5	<0.2
98440	281.00			Standard	CM-11A		0.11	1.152	356.7	3388.5	23.3	56	1.7	31.1	8.6	431	3.17	13.8	867.5	1.1	34	0.2	3.4	0.5	51	0.69	0.048	5	32	0.58	126	0.112	5	1.26	0.097	0.12	0.8	0.08	4.5	<0.1	0.39	4	0.9	<0.2
98441	283.00	285.00	2.00				5.05	0.005	0.9	126.1	1.8	57	0.1	23.9	26.3	1319	5.14	1.6	0.8	0.6	160	<0.1	<0.1	0.1	188	3.69	0.133	3	62	3.19	23	0.273	4	2.82	0.121	0.09	0.3	0.08	17.8	<0.1	0.45	9	<0.5	<0.2
98442	285.00	287.00	2.00				4.41	0.006	0.8	23.9	1.7	50	0.1	21.8	25.1	1136	4.63	1.5	<0.5	0.6	147	<0.1	<0.1	0.1	160	3.26	0.132	2	56	2.88	33	0.224	6	2.63	0.161	0.14	0.2	0.01	13.0	<0.1	0.56	8	<0.5	<0.2
98443	287.00	289.00	2.00				5.16	0.008	1.2	152.7	2.4	59	0.2	25.6	29.5	1443	5.39	3.2	2.5	0.6	165	<0.1	<0.1	0.2	203	4.07	0.121	3	66	3.36	25	0.241	5	3.08	0.134	0.08	0.2	0.03	16.3	<0.1	0.75	9	0.7	<0.2
98444	289.00	291.00	2.00				2.34	0.007	1.1	80.3	1.7	70	0.2	23.8	26.4	1452	5.20	2.4	1.0	0.6	155	<0.1	<0.1	0.2	198	4.26	0.128	3	65	3.20	26	0.234	6	3.03	0.098	0.08	0.2	0.03	16.1	<0.1	0.57	9	<0.5	<0.2
98445	289.00			Blank			2.84	<0.005	0.3	99.8	2.7	57	<0.1	107.7	31.9	749	3.93	1.4	1.7	0.5	147	<0.1	<0.1	<0.1	145	6.65	0.086	4	49	1.04	20	0.243	15	3.83	1.171	0.18	<0.1	<0.01	5.1	<0.1	0.11	8	<0.5	<0.2
98446	291.00	293.00	2.00				3.92	0.007	0.6	146.1	1.9	56	0.5	22.4	32.5	1284	5.23	1.6	3.5	0.7	152	<0.1	<0.1	0.2	182	3.42	0.137	3	55	2.86	32	0.222	3	2.72	0.149	0.10	0.2	0.02	12.5	<0.1	0.93	9	0.8	<0.2
98447	293.00	295.00	2.00				3.94	0.008	0.8	171.7	1.8	46	0.6	23.4	24.9	1362	5.16	1.5	3.1	0.7	177	<0.1	<0.1	<0.1	191	3.79	0.133	3	59	2.91	37	0.237	5	2.92	0.164	0.11	0.2	0.03	13.7	<0.1	0.28	9	<0.5	<0.2
98448	295.00	297.00	2.00				4.25	0.008	0.7	165.2	1.4	51	0.3	22.8	27.7	1353	5.14	1.0	0.8	0.6	159	<0.1	<0.1	<0.1	193	3.83	0.136	3	60	2.95	45	0.205	5	2.96	0.229	0.16	0.2	0.02	14.2	<0.1	0.42	9	<0.5	<0.2
98449	297.00	299.00	2.00				4.38	0.009	2.2	174.3	2.6	42	0.3	25.6	33.6	1244	5.40	1.5	4.1	0.6	164	<0.1	<0.1	0.2	218	4.45	0.138	4	65	2.73	33	0.267	4	2.61	0.159	0.10	0.2	0.01	15.1	<0.1	1.24	8	1.4	<0.2
98450	299.00			Prep Dup		98452		0.009	1.7	149.7	2.7	53	0.3	23.7	34.8	1325	5.50	2.6	3.4	0.6	167	<0.1	<0.1	0.2	222	5.20	0.131	4	63	2.79	26	0.271	4	2.64	0.132	0.07	0.1	0.02	18.0	<0.1	1.45	8	<0.5	<0.2
98452	299.00	301.00	2.00				3.81	0.009	1.6	146.4	2.6	52	0.2	22.4	33.9	1272	5.31	2.6	5.3	0.6	158	<0.1	<0.1	0.2	215	4.94	0.131	4	62	2.68	23	0.256	4	2.53	0.125	0.06	0.1	0.03	17.1	<0.1	1.40	8	0.6	<0.2
98453	301.00	303.00	2.00				2.88	0.007	0.9	201.5	2.2	45	0.4	22.6	27.0	1231	5.11	1.8	1.4	0.8	169	<0.1	<0.1	0.2	214	4.99	0.127	3	64	2.72	31	0.249	3	2.52	0.120	0.07	0.2	0.01	17.3	<0.1	0.82	8	<0.5	<0.2
98451	303.00			Field Dup		98454	4.14	0.009	2.4	178.4	3.0	55	0.2	12.5	23.6	1032	5.14	3.5	4.9	0.6	172	<0.1	<0.1	0.2	220	4.36	0.138	5	23	2.17	37	0.255	3	2.46	0.184	0.14	0.2	0.09	20.2	<0.1	1.49	9	0.8	<0.2
98454	303.00	305.00	2.00				3.33	0.009	1.8	186.5	2.8	52	0.2	10.6	20.5	980	4.83	3.3	4.6	0.5	155	<0.1	<0.1	0.1	208	4.28	0.140	4	20	2.05	24	0.215	3	2.26	0.116	0.09	0.2	0.09	17.9	<0.1	1.40	9	<0.5	<0.2
98455	305.00	307.00	2.00				3.21	0.007	1.8	101.1	1.5	52	<0.1	10.7	15.6	939	4.65	1.1	1.4	0.5	120	<0.1	<0.1	0.1	203	3.19	0.135	4	20	1.91	40	0.197	4	2.00	0.181	0.16	0.2	0.03	15.8	<0.1	0.57	8	<0.5	<0.2
98456	307.00	309.00	2.00				3.83	0.014	0.9	435.3	3.6	64	0.4	22.6	34.1	1511	5.46	3.4	5.7	0.6	186	<0.1	<0.1	<0.1	236	4.86	0.130	4	62	2.88	40	0.254	4	2.96	0.185	0.10	0.2	0.02	20.1	<0.1	0.57	9	<0.5	<0.2
98457	309.00	311.00	2.00				4.27	0.008	1.1	113.9	2.3	52	0.1	23.3	27.1	1497	5.90	4.6	3.3	0.7	151	<0.1	<0.1	0.1	233	3.20	0.128	3	62	3.39	35	0.263	4	2.99	0.196	0.10	0.2	0.01	17.4	<0.1	0.74	9	<0.5	<0.2
98458	311.00	313.00	2.00				4.78	0.011	2.0	62.2	2.9	55	0.2	19.0	20.3	1265	4.96	4.7	5.1	0.5	118	<0.1	<0.1	0.4	199	3.22	0.127	3	52	2.68	31	0.232	3	2.40	0.159	0.11	0.2	0.04	16.7	<0.1	1.59	9	0.7	<0.2
98459	313.00	315.00	2.00				3.86	0.019	1.2	75.6	3.8	78	0.5	19.6	30.4	1384	6.33	6.2	9.3	0.5	115	0.1	0.1	0.6	219	4.31	0.127	3	60	2.99	24	0.222	4	2.79	0.106	0.10	0.2	0.07	22.3	<0.1	2.81	9	1.8	0.6
98460	313.00			Standard	BL9		0.11	0.007	3.1	21.9	2.2	33	0.5	18.6	9.2	295	1.89	3.3	0.8	1.0	27	0.1	0.2	<0.1	48	0.67	0.048	4	22	0.49	81	0.098	4	1.09	0.063	0.08	16.9	0.02	3.6	<0.1	<0.05	4	<0.5	<0.2
98461	315.00	317.00	2.00				4.69	0.008	1.3	159.1	1.9	43	0.3	20.8	28.6	1126	4.51	1.1	1.3	0.5	137	0.1	<0.1	0.2	185	4.05	0.121	3	81	2.56	31	0.234	4	2.24	0.154	0.11	0.2	<0.01	16.1	<0.1	0.71	8	<0.5	<0.2
98462	317.00	319.00	2.00				3.17	0.008	2.3	104.9	2.7	50	0.2	13.7	20.8	953	4.85	2.5	3.6	0.9	133	<0.1	<0.1	0.1	202	4.15	0.127	4	42	2.18	44	0.228	3	2.14	0.203	0.16	0.2	0.04	17.1	<0.1	1.15	8	0.9	<0.2
98463	319.00	321.00	2.00				3.93	0.016	3.5	57.8	4.1	57	0.3	12.9	24.9	1099	5.99	12.8	11.4	0.4	108	<0.1	0.3	0.4	208	3.71	0.133	4	27	2.41	28	0.227	4	2.53	0.144	0.13	0.3	0.11	19.6	0.2	2.85	9	2.3	0.4
98464	321.00	323.00	2.00				3.50	0.008	1.2	143.9	2.6	54	0.2	20.0	27.8	1238	5.11	2.4	3.9	0.6	138	<0.1	<0.1	0.1	180	3.86	0.129	3	58	2.80	25	0.228	3	2.43	0.135	0.11	0.2	0.02	14.2	<0.1	1.09	8	0.8	<0.2
98465	323.00			Blank			2.66	0.006	0.4	98.2	2.3	52	<0.1	89.9	28.8	720	3.77	1.2	2.4	0.5	129	<0.1	<0.1	<0.1	147	6.27	0.089	4	44	1.00	18	0.237	16	3.84	1.145	0.16	<0.1	<0.01	5.1	<0.1	0.10	8	0.8	<0.2
98466	323.00	325.00	2.00				4.48	0.006	0.9	247.8	2.1	48	0.3	19.9	27.3	1236	4.64	1.0	3.5	0.7	144	<0.1	<0.1	<0.1	181	4.03	0.135	3	59	2.63	40	0.252	4	2.26	0.154	0.13	0.2	<0.01	12.2	<0.1	0.21	7	<0.5	<0.2
98467	325.00	327.00	2.00				3.11	<0.005	1.0	158.0	1.7	53	0.1	23.6	25.6	1235	4.69	1.5	3.3	0.6	141	<0.1	<0.1	<0.1	188	4.11	0.117	2	70	2.89	29	0.233	3	2.40	0.151	0.11	0.3	<0.01	13.7	<0.1	0.33	8	<0.5	<0.2
98468	327.00	329.00	2.00				3.89	0.005	1.2	154.0	1.4	43	0.2	22.2	27.1	1225	4.88	0.8	1.7	0.6	140	<0.1	<0.1	<0.1	193	3.99	0.119	2	68	3.09	26	0.237	3	2.45	0.127	0.09	0.2	<0.01	13.4	<0.1	0.37	8	<0.5	0.3
98469	329.00	331.00	2.00				5.52	0.007	1.4	139.6	1.7	44	0.1	21.1	25.7	1164	4.43	0.8	2.3	0.6	139	<0.1	<0.1	0.1	170	3.84	0.108	2	63	2.84	26	0.208	2	2.12	0.089	0.07	0.2	<0.01	11.9	<0.1	0.36	7	<0.5	<0.2
98470	331.00			Prep Dup		98472		0.009	1.2	144.7	3.0	49	0.2	19.4	28.4	1210	4.46	2.0	3.1	0.6	145	<0.1	<0.1	0.2	175	4.03	0.114	2	52	2.73	25	0.219	2	2.10	0.085	0.06	0.2	0.02	12.8	<0.1	0.80	7	<0.5	<0.2
98472	331.00	333.00	2.00				4.09	0.008	1.1	151.6	3.2	53	0.3	20.7	29.6	1268	4.66	2.3	5.5	0.7	157	<0.1	<0.1	0.2	184	4.22	0.113	2	54	2.86	26	0.233	2	2.19	0.091	0.06	0.2	0.02	13.6	<0.1	0.84	7	<0.5	0.3
98473	333.00	335.00	2.00				3.99	0.015	8.6	83.0	5.0	73	0.2	20.2	34.7	1628	5.78	5.4	9.5	0.8	133	<0.1	0.1	0.4	226	5.64	0.121	3	59	2.95	29	0.260	2	2.70	0.072	0.05	0.3	0.04	22.2	<0.1	2.51	8	1.2	0.5
98471	335.00			Field Dup		98474	5.18	0.013	1.7	193.7	5.3	67	0.3	18.3	27.2	1437	4.90	6.3	7.6	0.7	144	<0.1	0.2	0.2	219	5.78	0.117	3	47	2.76	25	0.250	2	2.53	0.077	0.05	0.3	0.04	20.2	<0.1	1.47	9	<0.5	<0.2
98474	335.00	337.00	2.00				4.56	0.012	1.9	137.3	5.9	68	0.6	19.5	28.5	1460	4.99	6.4	6.6	0.7	155	0.1	0.2	0.2	230	6.21	0.118	3	49	2.84	25	0.264	3	2.74	0.074	0.05	0.3	0.05	21.1	<0.1	1.58	9	<0.5	<0.2
98475	337.00	339.00	2.00				4.27	0.012	1.9	217.0	5.7	74	0.3	18.9	29.9	1570	5.11	7.1	6.8	0.8	158	<0.1	0.2	0.2	230	5.39	0.120	4	48	3.01	34	0.263	2	2.60	0.093	0.07	0.2	0.05	23.0	<0.1	1.84	8	<0.5	<0.2
98476	339.00	341.00	2.00				3.45	0.009	1.2	185.0	4.5	67	0.4	18.5	30.3	1427	4.96	2.8	4.5	0.7	177	<0.1	0.1	0.1	220	4.59	0.124	3	44	3.05	32	0.267	3	2.43	0.101	0.07	0.2	0.03	19.1	<0.1	1.00	8	0.6	<0.2
98477	341.00	343.00	2.00				3.78	0.007	1.0	160.0	3.8	57	0.3	215.3	33.6	1143	4.68	1.1	2.5	2.6	240	<0.1	<0.1	0.1	161	2.72	0.127	8	78	4.60	148	0.256	3	2.44	0.143	0.29	0.2	0.03	14.3	<0.1	0.40	8	<0.5	<0.2
98478	343.00	345.00	2.00				3.52	<0.005	0.8	48.1	4.8	51	<0.1	477.9	41.6	811	4.19	0.8	0.6	4.7	344	<0.1	<0.1	<0.1	103	1.36	0.131	15	129	6.67	316	0.267	4	2.65	0.224	0.62	0.2	0.03	6.7	0.1	0.06	7	<0.5	<0.2
98479	345.00	347.00	2.00				3.86	0.009	1.5	75.5	2.9	47	0.2	95.1	25.4	1066	4.90	2.6	6.7	1.5	154	<0.1	<0.1	0.4	162	3.21	0.128	7	56	3.09	79	0.211	3	2.11	0.101	0.18	0.2	0.04	12.9	<0.1	2.29	7	2.3	<0.2
98480	345.00			Standard	CM11A		0.11	1.116	333.7	3199.3	23.6	53	1.8	29.5	8.1	408	2.94	12.2	776.1	1.2	32	<0.1	3.4	0.6	47	0.63	0.049	5	31	0.54	114	0.109	3	1.13	0.077	0.10	0.8	0.08	3.9	<0.1	0.38	4	0.6	<0.2
98481	347.00	349.00	2.00				4.10	0.008	1.2	247.0	6.5	59	0.4	58.4	22.9	865	4.32	4.7	2.7	1.0	165	<0.1	0.1	<0.1	169	2.21	0.169	7	84	3.22	46	0.196	6	2.18	0.179	0.13	0.2	0.02	10.7	<0.1	0.46	8	<0.5	<0.2
98482	349.00	351.00	2.00				4.13	0.009	1.0	169.2	6.5	73	0.3	41.1	23.9	807	4.81	4.6	2.2	1.3	169	<0.1	<0.1	<0.1	189	1.70	0.227	8	75	3.54	59	0.213	6	2.74	0.424	0.14	0.4	<0.01	9.8	<0.1	0.16	9	<0.5	<0.2
98483	351.00	353.00	2.00				3.02	<0.005	0.4	70.4	2.9	47	<0.1	396.4	36.8	763	4.11	2.1	0.7	2.5	297	<0.1	<0.1	<0.1	125	2.54	0.146	12	207	5.71	892	0.238	5	2.98	0.404	0.66	0.1	<0.01	11.1	0.1	0.09	7	<0.5	<0.2
98484	353.00	355.00	2.00				3.86	0.008	0.4	35.6	3.1	45	<0.1	550.2	43.5	760	4.25	2.4	<0.5	3.9	320	<0.1	<0.1	<0.1	111	2.76	0.115	14	299	7.62	326	0.237	6	3.04	0.177	0.60	0.1	0.01	14.1	0.1	<0.05	7	<0.5	<0.2
98485	353.00			Blank			2.98	0.007	0.4	95.0	2.2	48	<0.1	86.5	26.7	701	3.41	0.7	<0.5	0.5	132	<0.1	<0.1	<0.1	130	6.00	0.082	5	46	0.91	20	0.235	13	3.36	1.054	0.16	<0.1	<0.01	4.5	<0.1	<0.05	7	<0.5	<0.2
98486	355.00	357.00	2.00				4.41	<0.005	0.5	48.5	4.6	47	<0.1	418.6	39.4	933	4.35	4.7	<0.5	2.9	297	<0.1	<0.1	<0.1	131	3.64	0.101	12	322	7.61	252	0.213	9	3.37	0.188	0.28	0.1	0.02	18.7	<0.1	0.09	8	<0.5	<0.2
98487	357.00	359.00	2.00				3.92	0.010	0.6	112.5	5.8	61	0.3	23.0	28.6	1057	5.57	6.6	6.3	1.0	210	<0.1	0.1	<0.1	251	4.69	0.123	8	79	4.52	414	0.242	8	3.09	0.199	0.14	0.1	0.06	27.0	<0.1	0.31	10	<0.5	<0.2
98488	359.00	361.00	2.00				4.30	0.006	0.7	42.6	3.6	50	<0.1	414.2	38.5	876	4.35	3.1	3.1	1.6	228	<0.1	<0.1	<0.1	114	6.57	0.105	12	359	5.04	103	0.085	9	3.34	0.060	0.19	<0.1	0.02	15.6	<0.1	0.09	8	<0.5	<0.2
98489	361.00	363.00	2.00				4.12	0.006	0.7	34.7	3.9	44	<0.1	460.0	38.2	811	3.83	2.8	0.8	2.2	226	<0.1	<0.1	<0.1	91	6.20	0.103	13	398	4.94	119	0.087	9	3.03	0.065	0.21	<0.1	0.02	13.3	<0.1	0.06	8	<0.5	<0.2
98490	363.00			Prep Dup		98492		0.008	0.7	87.0	4.1	57	<0.1	315.6	37.1	1021	4.58	5.3	2.1	1.7	269	<0.1	<0.1	<0.1	141	8.42	0.124	10	261	3.74	100	0.056	10	2.83	0.060	0.24	<0.1	0.02	17.1	<0.1	0.06	7	<0.5	<0.2
98492	363.00	365.00	2.00				4.22	0.008	0.6	80.7	3.9	52	<0.1	269.7	32.4	896	4.02	5.0	1.4	1.5	239	<0.1	<0.1	<0.1	125	8.04	0.113	9	230	3.29	102	0.049	11	2.53	0.055	0.23	<0.1	0.02	15.5	<0.1	0.05	7	<0.5	<0.2
98493	365.00	367.00	2.00				4.04	0.010	0.6	92.7	5.4	63	0.2	96.4	33.0	845	4.72	6.0	1.1	0.7	211	<0.1	<0.1	<0.1	180	6.35	0.129	5	160	3.56	50	0.031	11	2.62	0.072	0.12	<0.1	0.10	19.1	<0.1	0.13	8	<0.5	<0.2
98491	367.00			Field Dup		98494	4.51	0.007	0.4	64.5	4.2	53	0.1	230.4	38.0	930	5.20	5.3	0.8	0.4	299	<0.1	<0.1	<0.1	143	8.38	0.095	3	349	3.42	43	0.074	12	2.17	0.119	0.12	<0.1	0.06	22.4	<0.1	<0.05	6	<0.5	<0.2
98494	367.00	369.00	2.00				4.51	0.011	0.4	74.1	4.2	52	<0.1	217.9	36.6	928	4.90	5.7	<0.5	0.4	288	<0.1	<0.1	<0.1	134	8.64	0.084	3	351	3.35	47	0.066	11	2.17	0.110	0.12	<0.1	0.06	22.8	<0.1	0.05	6	<0.5	<0.2
98495	369.00	371.00	2.00				4.13	0.009	0.3	91.0	5.2	67	0.1	147.8	35.0	911	5.20	4.0	1.0	0.7	245	<0.1	<0.1	<0.1	159	5.61	0.144	4	245	3.56	25	0.094	9	3.21	0.682	0.08	<0.1	<0.01	16.5	<0.1	<0.05	7	<0.5	<0.2

							WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																																					
98496	371.00	373.00	2.00				4.24	**0.008**	0.7	**128.9**	8.2	65	0.1	39.7	22.6	715	4.61	3.8	5.2	1.0	169	<0.1	<0.1	<0.1	172	2.13	0.216	7	72	3.04	118	0.175	8	3.86	1.537	0.09	0.2	0.01	9.1	<0.1	0.09	9	<0.5	<0.2
98497	373.00	375.00	2.00				4.01	**0.008**	0.7	**129.6**	9.8	68	0.1	47.6	23.3	882	4.61	4.2	<0.5	1.0	172	<0.1	<0.1	<0.1	179	2.95	0.203	6	76	2.68	43	0.176	9	4.18	1.781	0.10	0.2	<0.01	9.2	<0.1	0.09	8	<0.5	<0.2
98498	375.00	377.00	2.00				4.11	**0.010**	0.7	**139.5**	7.9	66	0.2	43.7	22.0	787	4.47	4.3	0.6	0.9	172	<0.1	<0.1	<0.1	167	1.97	0.208	6	67	2.95	41	0.154	9	4.94	2.589	0.12	0.1	<0.01	8.2	<0.1	0.06	9	<0.5	<0.2
98499	377.00	379.00	2.00				3.63	**0.015**	0.8	**126.8**	8.1	66	<0.1	52.0	22.3	772	4.48	4.3	1.0	1.0	190	<0.1	<0.1	<0.1	170	1.73	0.205	6	70	3.38	39	0.149	12	5.04	2.654	0.11	0.1	<0.01	8.7	<0.1	0.07	9	<0.5	<0.2
98500	**377.00**			**Standard**	**CGS-29**		**0.11**	**0.245**	**11.1**	**5315.1**	**5.5**	**84**	**1.8**	**11.5**	**7.2**	**605**	**4.14**	**1.9**	**188.4**	**4.2**	**65**	**0.3**	**0.2**	**0.7**	**59**	**1.05**	**0.066**	**11**	**16**	**0.60**	**175**	**0.075**	**4**	**0.98**	**0.059**	**0.39**	**0.1**	**0.07**	**4.2**	**0.1**	**0.33**	**6**	**3.8**	**0.4**
98501	379.00	381.00	2.00				4.22	**0.009**	0.7	**116.9**	7.2	65	0.2	45.5	22.6	841	4.31	4.0	1.4	0.9	170	<0.1	<0.1	<0.1	148	2.50	0.205	6	72	2.93	41	0.162	9	4.29	2.036	0.19	0.2	<0.01	8.3	<0.1	0.08	8	<0.5	<0.2
98502	381.00	383.00	2.00				4.32	**0.009**	0.6	**133.9**	6.4	62	0.1	38.7	19.9	725	3.86	3.6	<0.5	0.9	168	<0.1	<0.1	<0.1	136	2.87	0.202	6	59	2.49	41	0.161	9	3.85	1.842	0.24	0.2	<0.01	7.6	<0.1	0.06	7	<0.5	<0.2
98503	383.00	385.00	2.00				4.41	**0.010**	0.6	**134.7**	7.5	67	0.1	47.2	22.5	818	4.30	4.1	0.8	0.9	174	<0.1	<0.1	<0.1	146	2.57	0.219	7	71	2.70	46	0.164	13	4.52	2.347	0.24	0.2	<0.01	8.0	<0.1	0.06	8	<0.5	<0.2
98504	385.00	387.00	2.00				3.86	**0.011**	0.6	**129.4**	7.9	61	<0.1	63.5	22.6	790	4.03	3.6	<0.5	0.9	185	<0.1	<0.1	<0.1	132	2.68	0.200	6	78	2.75	40	0.150	14	4.72	2.512	0.26	0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	<0.2
98505	**387.00**			**Blank**			**2.73**	**0.008**	**0.3**	**81.1**	**2.0**	**51**	**<0.1**	**76.5**	**24.5**	**643**	**3.24**	**1.0**	**<0.5**	**0.5**	**136**	**<0.1**	**<0.1**	**<0.1**	**127**	**6.26**	**0.085**	**4**	**39**	**0.85**	**20**	**0.212**	**15**	**3.37**	**0.966**	**0.17**	**<0.1**	**<0.01**	**4.4**	**<0.1**	**0.08**	**7**	**<0.5**	**<0.2**
98506	387.00	389.00	2.00				4.27	**0.010**	0.5	**129.6**	7.6	63	<0.1	54.6	22.1	771	4.00	3.7	<0.5	0.9	175	<0.1	<0.1	<0.1	130	2.48	0.201	6	72	2.55	39	0.156	14	4.54	2.431	0.25	0.2	<0.01	7.1	<0.1	0.06	8	<0.5	<0.2
98507	389.00	391.00	2.00				3.75	**0.010**	0.6	**133.6**	8.2	67	0.1	40.2	21.2	840	4.20	3.9	<0.5	0.9	198	<0.1	<0.1	<0.1	139	2.76	0.214	6	57	2.06	48	0.153	11	4.16	2.232	0.21	0.2	<0.01	6.5	<0.1	0.08	8	<0.5	<0.2
98508	391.00	393.00	2.00				3.20	**0.011**	1.2	**150.7**	10.6	76	0.2	27.2	20.4	931	4.63	6.1	<0.5	1.0	212	<0.1	<0.1	<0.1	190	1.88	0.230	7	48	2.41	42	0.203	15	3.76	1.661	0.08	0.2	<0.01	5.4	<0.1	<0.05	9	<0.5	<0.2
98509	393.00	395.00	2.00				4.24	**0.011**	1.0	**122.1**	8.7	63	<0.1	61.0	22.5	795	4.24	5.0	0.8	0.9	220	<0.1	<0.1	<0.1	161	1.78	0.192	6	81	2.64	44	0.134	19	5.04	3.024	0.06	0.1	<0.01	6.0	<0.1	<0.05	9	<0.5	<0.2
98510	**395.00**			**Prep Dup**		**98512**		**0.020**	**1.0**	**129.9**	**9.1**	**64**	**0.1**	**58.1**	**22.0**	**879**	**4.30**	**4.5**	**<0.5**	**1.0**	**229**	**<0.1**	**<0.1**	**<0.1**	**166**	**2.04**	**0.203**	**6**	**84**	**2.60**	**48**	**0.168**	**22**	**5.02**	**2.993**	**0.06**	**0.1**	**<0.01**	**5.5**	**<0.1**	**<0.05**	**9**	**<0.5**	**<0.2**
98512	395.00	397.00	2.00				2.99	**0.009**	0.9	**125.4**	8.5	65	<0.1	55.0	20.7	844	4.19	4.7	1.0	0.9	227	<0.1	<0.1	<0.1	159	2.00	0.195	6	77	2.53	44	0.159	24	4.85	2.845	0.05	0.1	<0.01	5.8	<0.1	<0.05	9	<0.5	<0.2
98511	**397.00**			**Field Dup**		**98513**	**4.14**	**0.011**	**1.3**	**131.7**	**9.4**	**66**	**0.1**	**37.5**	**19.5**	**888**	**4.19**	**5.1**	**1.2**	**0.9**	**208**	**<0.1**	**<0.1**	**<0.1**	**164**	**1.76**	**0.209**	**6**	**61**	**2.38**	**58**	**0.171**	**26**	**4.67**	**2.628**	**0.06**	**0.1**	**<0.01**	**5.5**	**<0.1**	**0.07**	**9**	**<0.5**	**<0.2**
98513	397.00	399.00	2.00				4.10	**0.010**	1.3	**132.2**	9.4	66	0.1	37.5	19.4	899	4.21	5.2	<0.5	1.0	219	<0.1	<0.1	<0.1	167	2.00	0.222	6	60	2.41	48	0.177	23	4.60	2.540	0.07	0.2	<0.01	5.8	<0.1	0.10	10	<0.5	<0.2
98514	399.00	400.25	1.25				2.63	**0.010**	1.2	**140.7**	9.4	67	<0.1	33.0	18.6	981	4.19	6.0	<0.5	1.0	212	<0.1	<0.1	<0.1	164	2.62	0.219	7	62	2.19	46	0.171	71	5.08	2.615	0.06	0.2	<0.01	5.8	<0.1	0.09	10	<0.5	<0.2
98515	400.25	401.50	1.25				2.37	**0.010**	1.0	**155.6**	10.6	69	0.1	16.4	16.6	938	4.07	5.2	<0.5	1.1	213	<0.1	<0.1	<0.1	150	1.79	0.226	7	30	1.53	61	0.117	33	5.36	3.456	0.06	0.1	<0.01	4.1	<0.1	0.14	9	<0.5	<0.2

Table 4. Samples and assays from CT-2011-015

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT Wgt KG 0.01	G6 Au PPM 0.005	1DX30 Mo PPM 0.10	1DX30 Cu PPM 0.1	1DX30 Pb PPM 0.1	1DX30 Zn PPM 1	1DX30 Ag PPM 0.1	1DX30 Ni PPM 0.1	1DX30 Co PPM 0.1	1DX30 Mn PPM 1	1DX30 Fe % 0.01	1DX30 As PPM 0.5	1DX30 Au PPB 0.5	1DX30 Th PPM 0.1	1DX30 Sr PPM 1	1DX30 Cd PPM 0.1
11740	21.00	23.00	2.00				3.86	0.032	0.9	327.4	1.9	43	0.3	22.1	30.6	1110	6.64	1.4	37.0	0.9	202	<0.1
11741	23.00	25.00	2.00				4.93	0.013	1.6	171.1	2.1	53	0.2	19.9	31.6	1186	5.88	1.3	21.7	0.8	287	<0.1
11742	25.00			Prep Dup		11743		<0.005	1.1	40.9	1.7	43	0.1	18.2	25.1	1020	4.99	0.7	8.0	0.7	252	<0.1
11743	25.00	27.00	2.00				4.32	<0.005	1.1	48.9	2.1	46	0.2	20.2	28.9	1060	5.90	1.1	11.0	0.7	304	<0.1
11744	27.00	29.00	2.00				4.28	<0.005	0.9	87.9	1.6	49	0.4	18.5	26.4	1119	5.01	0.9	5.5	0.7	606	<0.1
11745	29.00	31.00	2.00				4.23	<0.005	1.0	193.9	2.0	47	0.5	17.1	25.3	1032	5.01	0.8	8.5	0.8	464	<0.1
11746	31.00	33.00	2.00				4.62	<0.005	2.3	260.2	2.3	36	0.5	18.9	29.9	977	5.02	1.1	7.1	0.8	387	<0.1
11747	33.00	35.00	2.00				4.64	<0.005	0.4	145.3	2.5	24	0.4	17.9	32.9	699	4.99	2.0	8.2	0.6	390	<0.1
11748	35.00	37.00	2.00				4.41	0.013	0.7	163.5	2.9	27	0.4	17.9	37.6	658	5.10	2.7	17.9	0.7	431	<0.1
11749	37.00	39.00	2.00				4.42	0.022	0.9	263.5	2.4	44	0.3	17.4	27.3	949	5.22	2.4	17.6	0.7	487	<0.1
11750	37.00			Standard	BL-9		0.10	<0.005	3.1	21.5	2.3	34	0.5	18.4	9.0	300	1.87	3.1	<0.5	0.9	27	0.2
11751	39.00	41.00	2.00				4.31	0.028	0.5	268.8	2.2	44	0.7	17.1	32.5	1070	5.29	3.0	21.7	0.7	547	<0.1
11752	41.00	43.00	2.00				4.33	0.017	0.7	177.3	2.4	52	0.6	14.3	30.0	1100	5.49	3.2	10.7	0.6	450	<0.1
11753	43.00	45.00	2.00				3.55	0.034	1.2	52.6	2.6	54	0.4	11.9	22.3	1157	5.20	6.1	32.9	0.6	178	<0.1
11754	45.00	47.00	2.00				4.39	0.015	1.9	182.1	2.5	34	0.5	10.7	19.4	824	4.21	2.2	8.3	0.7	93	<0.1
11755	45.00			Blank			2.48	0.009	0.3	93.5	2.1	51	<0.1	110.4	30.4	726	3.58	<0.5	<0.5	0.4	133	<0.1
11756	47.00	49.00	2.00				3.69	0.014	2.2	207.7	3.6	37	0.5	12.0	22.5	925	4.94	4.1	6.9	0.7	80	<0.1
11757	49.00	51.00	2.00				3.61	0.015	4.7	136.9	3.7	53	0.4	13.4	22.3	1110	5.35	4.7	7.8	0.7	109	<0.1
11758	51.00			Field Dup		11759	4.47	0.017	3.8	99.0	3.5	46	0.3	12.5	23.1	1130	5.07	4.7	7.9	0.6	200	<0.1
11759	51.00	53.00	2.00				4.40	0.017	3.5	106.5	3.5	46	0.3	12.2	23.4	1074	5.08	4.6	7.2	0.6	260	<0.1
11760	53.00	55.00	2.00				3.94	0.023	5.2	160.6	3.0	56	0.6	11.8	25.3	1253	5.38	5.0	13.0	0.7	274	<0.1
11761	55.00	57.00	2.00				3.55	0.025	6.5	106.3	3.2	52	0.9	16.1	39.0	1734	6.23	5.5	24.5	0.7	340	<0.1
11762	57.00			Prep Dup		11763		0.025	1.3	72.3	4.0	54	0.3	17.5	39.7	1604	6.68	7.2	22.5	0.5	539	<0.1
11763	57.00	59.00	2.00				4.55	0.027	1.5	77.2	4.5	57	0.3	18.4	40.9	1629	6.90	7.9	28.9	0.6	617	<0.1
11764	59.00	61.00	2.00				4.10	0.020	1.8	86.6	2.7	59	0.2	8.1	20.2	1258	4.30	3.7	15.0	0.9	342	<0.1
11765	61.00	63.00	2.00				4.12	0.022	1.6	158.5	2.6	63	0.2	4.6	14.2	739	4.03	4.6	15.5	0.9	290	0.1
11766	63.00	65.00	2.00				4.46	0.012	3.9	115.3	2.3	47	<0.1	3.9	13.1	704	3.54	3.0	7.5	0.8	217	<0.1
11767	65.00	67.00	2.00				4.51	0.013	0.9	261.6	4.2	56	0.4	25.3	29.3	1495	5.75	5.4	7.7	0.6	351	<0.1
11768	67.00	69.00	2.00				4.44	0.024	0.7	135.9	7.5	69	0.4	24.9	42.0	1388	7.41	9.2	16.0	0.7	484	0.1
11769	69.00	71.00	2.00				4.78	0.016	0.4	129.2	3.2	53	0.4	24.7	40.2	1221	5.84	5.4	10.1	0.7	407	<0.1
11770	69.00			Standard	BL-9		0.11	0.010	3.0	22.8	2.4	33	0.4	18.7	9.5	290	1.85	3.2	<0.5	1.0	26	0.2
11771	71.00	73.00	2.00				4.83	0.017	0.8	112.9	4.4	75	0.2	21.6	36.0	1271	5.54	7.4	8.1	0.7	499	0.5
11772	73.00	75.00	2.00				4.32	0.011	0.8	266.7	6.4	96	0.4	18.9	27.5	1332	4.80	6.1	13.8	0.8	354	0.4
11773	75.00	77.00	2.00				4.26	0.020	1.4	155.4	6.8	54	0.3	8.2	16.0	569	3.85	5.7	17.8	0.7	488	0.1
11774	77.00	79.00	2.00				4.08	0.021	1.3	154.5	4.2	72	0.3	7.6	15.1	574	3.99	5.5	14.3	0.7	160	0.1
11775	79.00			Blank			3.18	0.006	0.4	101.2	2.1	49	<0.1	93.3	29.6	677	3.61	0.9	1.4	0.5	126	<0.1
11776	79.00	81.00	2.00				4.25	0.025	1.0	189.4	2.4	231	0.3	7.4	15.0	615	4.22	7.4	18.9	0.7	106	0.9
11777	81.00	83.00	2.00				3.97	0.016	1.2	139.9	2.9	82	0.3	7.4	13.9	672	3.99	4.6	11.7	0.7	109	0.2
11778	83.00			Field Dup		11779	4.17	0.026	2.4	140.0	5.4	93	0.3	7.3	15.0	709	4.30	5.0	21.9	0.8	102	0.3
11779	83.00	85.00	2.00				3.93	0.022	2.0	139.4	5.6	92	0.4	7.6	15.6	713	4.39	5.0	23.5	0.9	97	0.2
11780	85.00	87.00	2.00				4.14	0.017	1.0	133.6	2.4	142	0.2	5.4	13.1	878	3.70	4.5	12.9	0.8	142	0.5
11781	87.00	89.00	2.00				4.07	0.021	0.8	96.4	2.3	276	0.2	5.3	12.4	816	3.61	3.7	16.0	1.0	140	1.1
11782	89.00			Prep Dup		11783		0.027	0.6	75.3	3.0	470	0.2	4.9	11.6	921	3.48	4.7	24.6	1.0	113	2.5
11783	89.00	91.00	2.00				3.55	0.028	0.7	82.6	3.1	468	0.2	5.2	12.0	904	3.54	4.9	25.2	1.0	117	2.4
11784	91.00	93.00	2.00				4.01	0.061	1.1	139.4	4.3	122	0.4	13.9	26.8	1594	5.81	7.1	66.6	0.7	215	0.4
11785	93.00	95.00	2.00				4.11	0.048	0.9	147.1	5.1	90	0.3	16.9	35.8	1952	6.57	8.3	50.0	0.7	370	0.1
11786	95.00	97.00	2.00				3.80	0.038	0.3	225.0	3.2	105	0.3	14.4	30.0	2178	5.23	5.4	32.7	0.8	273	<0.1
11787	97.00	99.00	2.00				4.11	0.046	0.3	327.6	4.0	103	0.3	14.3	32.7	1839	5.47	9.3	41.5	0.7	225	<0.1
11788	99.00	101.00	2.00				3.14	0.031	0.3	127.5	2.8	101	0.3	16.1	36.5	2081	5.45	7.9	30.0	0.7	236	<0.1
11789	101.00	103.00	2.00				4.25	0.020	0.4	131.8	2.5	77	0.3	17.6	33.3	1462	4.59	6.0	21.6	0.7	212	<0.1
11790	101.00			Standard	CGS-29		0.11	0.221	10.4	5219.5	5.4	84	1.8	11.3	8.0	617	3.99	1.7	201.9	4.1	62	0.4
11791	103.00	105.00	2.00				5.08	0.018	0.5	111.6	2.6	70	0.4	15.5	32.5	1223	4.58	6.1	22.4	0.6	181	<0.1
11792	105.00	107.00	2.00				3.59	<0.005	0.3	197.7	2.8	78	0.7	15.3	23.9	1110	4.60	2.1	8.6	0.7	228	0.1
11793	107.00	109.00	2.00				3.74	<0.005	0.3	134.9	2.9	73	0.3	18.3	26.6	932	3.82	2.4	5.8	0.7	242	<0.1
11794	109.00	111.00	2.00				3.62	0.009	0.4	183.4	4.4	87	0.3	23.4	28.0	1187	3.94	6.7	11.8	0.7	306	<0.1
11795	109.00			Blank			4.82	0.010	0.6	155.7	4.8	95	0.4	24.8	29.4	1233	4.03	7.5	14.3	0.7	281	<0.1
11796	111.00	113.00	2.00				2.98	0.022	0.2	157.5	2.9	77	0.4	30.1	29.7	1402	3.96	8.6	25.0	0.6	366	<0.1
11797	113.00	115.00	2.00				2.72	0.029	0.2	324.7	3.4	66	0.8	26.6	28.8	1183	3.82	6.8	27.6	0.7	295	0.1
11798	115.00			Prep Dup		11800		0.030	0.6	232.4	3.3	182	30.6	27.0	29.7	1660	4.79	8.2	31.2	0.8	167	0.6
11800	115.00	117.00	2.00				3.44	0.036	0.6	366.9	3.4	187	71.0	28.0	29.9	1660	4.79	8.3	31.8	0.8	167	0.6
11799	117.00			Field Dup		11801	3.73	0.023	0.7	96.1	5.0	227	0.6	26.8	33.5	2252	5.11	9.1	19.3	0.7	160	0.7
11801	117.00	119.00	2.00				3.93	0.018	0.7	124.1	5.0	195	0.5	25.2	29.8	2166	5.02	9.6	21.8	0.7	156	0.6
11802	119.00	121.00	2.00				3.73	0.022	0.3	105.4	3.5	137	0.3	26.2	29.0	2571	4.67	4.1	19.9	0.6	161	<0.1
11803	121.00	123.00	2.00				4.38	0.009	0.6	126.4	3.6	105	0.2	25.0	25.9	2120	4.44	3.8	8.9	0.5	260	0.1
11804	123.00	125.00	2.00				4.42	0.030	1.1	180.5	3.4	131	0.3	27.2	25.9	2503	4.67	4.3	27.7	0.5	192	<0.1
11805	125.00			Blank			1.60	<0.005	0.3	97.1	2.1	49	<0.1	93.8	27.6	744	3.45	1.1	1.9	0.5	155	<0.1
11806	125.00	127.00	2.00				4.13	0.034	4.8	95.7	4.9	224	0.2	28.0	28.3	2156	5.52	8.4	29.9	0.6	289	0.6
11807	127.00	129.00	2.00				3.96	0.018	0.4	134.3	4.5	115	0.2	24.7	27.6	2060	4.72	7.1	15.3	0.8	166	0.1
11808	129.00	131.00	2.00				4.25	0.025	0.4	85.8	3.5	125	0.3	27.6	29.4	1799	5.40	6.6	20.6	0.6	180	0.3
11809	131.00	133.00	2.00				4.22	0.015	0.2	77.1	1.2	86	0.1	31.2	30.6	1755	5.22	2.2	14.3	0.3	219	<0.1
11810	133.00			Prep Dup		11812		0.015	0.2	133.5	1.8	79	0.2	31.3	31.9	1813	4.92	2.4	10.8	0.3	217	<0.1
11812	133.00	135.00	2.00				4.22	0.022	0.2	140.1	1.9	81	0.2	33.0	32.2	1839	5.14	2.3	12.5	0.3	217	<0.1

TAG	1DX30 Sb PPM 0.1	1DX30 Bi PPM 0.1	1DX30 V PPM 2	1DX30 Ca % 0.01	1DX30 P % 0.001	1DX30 La PPM 1	1DX30 Cr PPM 1	1DX30 Mg % 0.01	1DX30 Ba PPM 1	1DX30 Ti % 0.001	1DX30 B PPM 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W PPM 0.1	1DX30 Hg PPM 0.01	1DX30 Sc PPM 0.1	1DX30 Tl PPM 0.1	1DX30 S % 0.05	1DX30 Ga PPM 1	1DX30 Se PPM 0.5	1DX30 Te PPM 0.2
11740	0.1	0.4	235	3.52	0.159	10	45	2.68	44	0.077	5	2.83	0.186	0.15	<0.1	<0.01	24.1	0.1	5.28	9	4.8	<0.2
11741	<0.1	0.4	265	3.11	0.154	8	44	3.11	39	0.169	5	3.21	0.222	0.11	0.2	<0.01	27.4	0.1	4.19	10	4.4	0.2
11742	<0.1	0.3	227	3.28	0.149	7	36	2.33	43	0.149	4	2.74	0.185	0.14	0.3	<0.01	25.7	<0.1	4.07	8	3.9	<0.2
11743	<0.1	0.4	239	3.47	0.155	8	38	2.49	23	0.158	5	2.99	0.207	0.14	0.3	<0.01	26.3	<0.1	4.96	9	3.9	0.2
11744	<0.1	0.2	220	2.79	0.148	8	37	2.49	49	0.183	3	2.83	0.303	0.09	0.4	<0.01	18.3	<0.1	3.32	8	2.9	<0.2
11745	<0.1	0.4	196	2.71	0.137	8	31	2.25	36	0.176	4	2.82	0.338	0.12	0.3	<0.01	17.0	<0.1	4.11	8	3.7	<0.2
11746	0.1	0.7	181	2.74	0.167	9	39	2.12	45	0.160	3	2.69	0.264	0.09	0.2	<0.01	14.8	<0.1	4.64	8	3.6	0.3
11747	0.1	0.8	145	2.39	0.142	6	16	1.78	39	0.149	3	2.89	0.475	0.10	0.2	<0.01	12.6	<0.1	4.93	6	2.5	0.6
11748	0.1	0.9	153	2.28	0.148	6	17	2.09	40	0.167	4	3.03	0.441	0.11	0.1	<0.01	14.3	<0.1	5.01	7	2.7	0.8
11749	0.2	0.9	189	2.87	0.140	6	22	2.58	58	0.180	3	3.42	0.563	0.09	0.2	<0.01	16.2	<0.1	4.10	8	1.6	0.7
11750	0.3	<0.1	49	0.71	0.048	5	22	0.51	85	0.099	4	1.15	0.066	0.08	18.4	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
11751	0.1	0.9	218	3.21	0.155	7	23	2.53	56	0.181	2	3.39	0.458	0.08	0.4	<0.01	18.7	<0.1	4.42	8	2.3	1.1
11752	0.1	0.9	220	2.83	0.145	7	21	2.47	46	0.187	2	2.89	0.346	0.08	0.3	0.01	19.9	<0.1	4.79	8	2.2	0.9
11753	0.2	0.5	229	3.61	0.126	7	20	2.27	50	0.232	3	2.48	0.170	0.08	0.3	0.02	21.2	0.1	3.90	9	1.2	1.5
11754	0.1	0.6	196	2.70	0.133	6	18	1.84	54	0.235	2	1.97	0.162	0.11	0.2	<0.01	14.5	<0.1	2.96	9	0.8	0.5
11755	<0.1	<0.1	143	6.31	0.084	4	47	0.99	18	0.214	16	3.79	1.249	0.18	<0.1	<0.01	4.6	<0.1	0.05	8	<0.5	<0.2
11756	<0.1	0.8	206	3.08	0.136	7	20	1.91	38	0.233	3	2.13	0.151	0.09	0.3	<0.01	15.9	<0.1	4.21	9	1.6	0.5
11757	0.1	0.8	223	3.04	0.134	6	26	2.17	39	0.263	3	2.81	0.159	0.08	0.3	<0.01	18.6	<0.1	4.82	11	1.8	0.4
11758	0.1	0.9	211	3.16	0.127	6	21	2.03	40	0.225	3	2.69	0.177	0.08	0.4	<0.01	18.2	<0.1	4.44	10	2.1	0.8
11759	0.1	0.9	212	2.93	0.123	6	22	2.03	29	0.224	3	2.79	0.191	0.08	0.3	<0.01	17.7	<0.1	4.39	10	2.9	0.6
11760	0.2	1.0	225	3.44	0.130	7	20	2.07	53	0.245	3	2.55	0.171	0.08	0.5	<0.01	19.7	0.1	3.85	10	1.0	1.1
11761	0.2	1.4	262	4.23	0.121	5	22	2.49	35	0.265	2	3.03	0.316	0.05	0.6	<0.01	17.2	<0.1	4.10	10	1.4	1.9
11762	0.2	1.5	256	3.98	0.123	5	23	2.44	21	0.251	3	3.57	0.483	0.05	0.2	<0.01	17.8	<0.1	4.77	9	2.0	2.0
11763	0.2	1.7	269	3.99	0.122	5	23	2.49	24	0.251	3	3.54	0.490	0.05	0.2	<0.01	18.3	<0.1	4.89	10	2.5	2.0
11764	0.1	0.6	161	4.02	0.099	10	12	1.70	40	0.107	4	2.10	0.134	0.15	0.1	<0.01	10.6	<0.1	2.89	8	1.1	1.0
11765	<0.1	0.6	108	3.08	0.099	12	6	1.23	33	0.007	5	1.86	0.102	0.21	<0.1	<0.01	5.9	<0.1	3.30	6	1.1	1.1
11766	0.1	0.5	102	3.55	0.093	11	5	1.11	50	0.033	5	1.85	0.097	0.18	<0.1	<0.01	5.7	<0.1	2.73	6	0.7	0.8
11767	0.1	0.9	194	3.69	0.116	5	51	2.57	40	0.224	3	2.98	0.372	0.06	0.1	<0.01	16.8	<0.1	4.14	9	2.6	0.8
11768	0.2	0.9	206	2.57	0.120	5	47	2.94	15	0.199	3	2.83	0.298	0.05	0.2	<0.01	19.5	<0.1	6.54	9	5.7	1.4
11769	0.2	0.9	166	2.89	0.122	3	52	2.72	28	0.201	2	3.07	0.494	0.06	0.1	<0.01	13.5	<0.1	4.87	8	2.6	2.3
11770	0.3	<0.1	44	0.68	0.045	5	23	0.50	85	0.113	4	1.05	0.060	0.07	16.7	0.02	3.4	<0.1	<0.05	4	<0.5	<0.2
11771	0.2	0.8	148	2.77	0.137	4	51	2.64	24	0.202	2	2.61	0.408	0.06	0.1	<0.01	12.5	<0.1	4.84	7	2.5	1.6
11772	0.2	0.8	153	3.61	0.122	5	40	2.06	24	0.184	2	2.56	0.327	0.06	0.2	<0.01	13.3	<0.1	4.40	7	2.6	2.0
11773	0.1	0.5	89	2.48	0.095	7	8	1.08	28	0.091	4	1.76	0.182	0.13	0.1	<0.01	5.9	<0.1	3.76	6	1.9	1.4
11774	<0.1	0.5	84	2.51	0.096	11	8	1.28	33	0.004	4	1.73	0.143	0.15	<0.1	<0.01	5.0	<0.1	4.04	6	1.6	1.1
11775	<0.1	<0.1	127	6.36	0.080	4	45	0.93	17	0.232	13	3.39	1.013	0.14	<0.1	<0.01	4.2	<0.1	0.08	8	<0.5	<0.2
11776	<0.1	0.6	90	2.54	0.092	13	8	1.31	31	<0.001	4	1.72	0.129	0.14	<0.1	<0.01	4.2	<0.1	4.47	6	1.7	1.3
11777	<0.1	0.5	91	2.71	0.090	11	8	1.31	40	0.002	3	1.90	0.158	0.16	<0.1	<0.01	4.7	<0.1	3.97	6	1.3	1.3
11778	<0.1	0.7	85	2.38	0.099	12	7	1.40	35	0.001	4	2.01	0.126	0.25	<0.1	<0.01	4.6	<0.1	4.32	6	2.9	1.7
11779	<0.1	0.7	89	2.34	0.102	13	8	1.47	37	0.001	4	1.98	0.123	0.23	<0.1	<0.01	4.6	<0.1	4.26	6	2.2	1.8
11780	<0.1	0.2	88	3.02	0.097	11	5	1.09	51	0.009	3	1.76	0.116	0.16	<0.1	<0.01	4.6	<0.1	2.78	6	1.5	1.4
11781	<0.1	0.2	75	2.68	0.098	12	4	1.14	42	0.002	3	1.56	0.100	0.16	<0.1	<0.01	3.6	<0.1	3.20	6	1.1	1.7
11782	<0.1	<0.1	69	2.96	0.096	13	4	1.16	50	0.002	3	1.84	0.104	0.17	<0.1	<0.01	3.6	<0.1	3.05	6	1.2	1.4
11783	<0.1	<0.1	67	2.98	0.094	12	4	1.14	48	0.002	4	1.81	0.103	0.17	<0.1	<0.01	3.5	<0.1	3.12	6	1.2	1.5
11784	0.1	0.3	170	3.33	0.111	7	20	2.37	25	0.093	4	3.06	0.205	0.13	0.1	0.02	13.6	<0.1	5.32	9	2.7	4.2
11785	0.2	0.3	212	3.89	0.140	5	27	3.02	17	0.190	3	2.84	0.178	0.06	0.3	<0.01	18.3	<0.1	5.45	8	2.2	4.5
11786	0.2	<0.1	219	4.68	0.149	5	17	3.12	80	0.233	4	2.88	0.096	0.04	0.3	<0.01	18.7	<0.1	1.63	8	0.5	2.4
11787	0.2	<0.1	209	4.46	0.140	5	19	3.14	50	0.242	4	2.70	0.087	0.03	0.2	<0.01	18.3	<0.1	2.02	8	0.6	3.6
11788	<0.1	<0.1	224	4.29	0.141	5	28	3.18	62	0.235	3	2.66	0.101	0.03	0.2	<0.01	17.8	<0.1	2.16	8	0.7	3.2
11789	0.2	<0.1	194	3.16	0.141	4	28	2.84	25	0.248	4	2.01	0.111	0.03	0.2	<0.01	12.9	<0.1	1.24	6	0.5	1.7
11790	0.2	0.7	56	1.04	0.066	11	16	0.61	171	0.076	4	0.97	0.056	0.38	<0.1	0.07	3.6	0.1	0.32	6	3.4	0.4
11791	0.2	<0.1	177	3.12	0.133	3	15	2.27	31	0.213	2	1.67	0.107	0.03	0.2	<0.01	10.9	<0.1	1.53	6	<0.5	1.7
11792	0.2	<0.1	201	2.31	0.139	4	15	2.40	35	0.218	3	1.88	0.123	0.06	0.6	<0.01	9.8	<0.1	0.27	7	<0.5	<0.2
11793	0.2	<0.1	152	2.19	0.133	4	25	2.39	26	0.194	4	1.66	0.115	0.04	0.1	<0.01	8.7	<0.1	0.43	6	<0.5	0.2
11794	0.2	<0.1	135	3.71	0.120	5	66	2.78	54	0.208	3	2.06	0.131	0.04	0.2	0.01	13.6	<0.1	1.67	7	0.7	0.9
11795	0.2	<0.1	137	3.84	0.120	5	69	2.84	39	0.213	4	2.18	0.131	0.04	0.2	0.01	13.7	<0.1	1.84	7	0.7	0.9
11796	0.3	<0.1	143	5.76	0.132	4	115	2.85	58	0.191	3	2.11	0.165	0.06	0.2	0.03	18.4	0.1	2.24	7	1.4	1.9
11797	0.1	<0.1	140	4.19	0.134	5	80	2.62	65	0.173	3	1.89	0.161	0.07	0.1	0.02	12.8	<0.1	2.57	5	1.4	2.6
11798	0.1	0.2	164	5.29	0.150	6	81	3.09	26	0.188	2	2.18	0.068	0.04	71.1	<0.01	19.3	0.1	3.60	7	2.3	2.3
11800	0.1	0.2	164	5.25	0.145	7	81	3.06	28	0.197	2	2.17	0.072	0.04	>100.0	<0.01	19.7	<0.1	3.59	7	2.6	2.5
11799	0.1	0.3	195	6.63	0.140	6	96	3.56	30	0.178	2	2.47	0.058	0.03	0.9	0.03	25.5	<0.1	4.35	8	2.2	3.2
11801	0.1	0.3	193	6.64	0.135	6	96	3.38	31	0.174	2	2.28	0.066	0.03	0.5	0.03	25.7	<0.1	4.17	8	2.3	3.2
11802	<0.1	0.1	178	6.18	0.123	5	145	3.59	26	0.186	3	3.05	0.066	0.08	0.5	0.02	23.9	<0.1	2.85	8	1.1	2.4
11803	0.1	<0.1	153	5.11	0.122	4	142	3.44	45	0.182	3	2.73	0.076	0.05	0.3	<0.01	20.8	<0.1	2.27	8	1.4	1.6
11804	0.1	<0.1	164	5.19	0.109	5	181	3.75	30	0.199	3	2.93	0.073	0.06	0.3	<0.01	23.8	<0.1	2.72	8	1.6	2.5
11805	<0.1	<0.1	129	7.67	0.091	4	45	0.88	19	0.228	17	3.49	0.985	0.17	<0.1	<0.01	5.1	<0.1	0.06	8	<0.5	<0.2
11806	0.2	0.2	166	4.95	0.109	6	159	3.59	38	0.194	5	3.12	0.119	0.08	0.3	0.03	22.9	<0.1	4.00	8	3.4	3.4
11807	0.2	<0.1	169	6.12	0.144	7	86	3.46	19	0.170	3	2.39	0.048	0.03	0.2	<0.01	22.9	<0.1	2.97	8	1.0	1.4
11808	0.2	0.3	168	4.60	0.146	6	97	3.75	18	0.127	4	2.51	0.059	0.06	0.2	0.02	22.6	<0.1	4.55	8	4.9	3.3
11809	0.1	0.3	180	5.87	0.096	6	149	4.03	21	0.076	3	2.63	0.098	0.07	0.1	<0.01	29.3	<0.1	4.80	8	6.6	3.0
11810	<0.1	0.3	178	7.02	0.089	3	161	3.83	18	0.145	3	2.61	0.101	0.04	0.2	<0.01	31.9	<0.1	4.05	8	4.2	3.4
11812	0.1	0.4	182	7.29	0.091	4	165	3.95	18	0.149	2	2.62	0.106	0.04	0.2	<0.01	32.5	<0.1	4.28	8	3.8	3.6

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT Wgt KG 0.01	G6 Au PPM 0.005	1DX30 Mo PPM 0.10	1DX30 Cu PPM 0.1	1DX30 Pb PPM 0.1	1DX30 Zn PPM 1	1DX30 Ag PPM 0.1	1DX30 Ni PPM 0.1	1DX30 Co PPM 0.1	1DX30 Mn PPM 1	1DX30 Fe % 0.01	1DX30 As PPM 0.5	1DX30 Au PPB 0.5	1DX30 Th PPM 0.1	1DX30 Sr PPM 1	1DX30 Cd PPM 0.1	1DX30 Sb PPM 0.1	1DX30 Bi PPM 0.1	1DX30 V PPM 2	1DX30 Ca % 0.01	1DX30 P % 0.001	1DX30 La PPM 1	1DX30 Cr PPM 1	1DX30 Mg % 0.01	1DX30 Ba PPM 1	1DX30 Ti % 0.001	1DX30 B PPM 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W PPM 0.1	1DX30 Hg PPM 0.01	1DX30 Sc PPM 0.1	1DX30 Tl PPM 0.1	1DX30 S % 0.05	1DX30 Ga PPM 1	1DX30 Se PPM 0.5	1DX30 Te PPM 0.2
11811	**135.00**			**Field Dup**		**11813**	**4.03**	0.022	**0.4**	**63.0**	**2.4**	**86**	**0.1**	**33.3**	**32.8**	**1644**	**6.01**	**5.5**	**16.5**	**0.5**	**157**	**<0.1**	**0.2**	**0.3**	**191**	**5.21**	**0.123**	**5**	**152**	**4.12**	**12**	**0.139**	**3**	**2.50**	**0.074**	**0.06**	**0.2**	**0.02**	**29.0**	**<0.1**	**5.66**	**8**	**5.1**	**4.2**
11813	135.00	137.00	2.00				4.46	0.022	0.2	67.0	2.4	92	0.2	34.5	33.4	1713	6.16	5.2	17.6	0.5	165	<0.1	0.2	0.4	196	5.25	0.128	5	164	4.39	13	0.145	3	2.66	0.075	0.06	0.3	0.01	31.0	<0.1	5.54	9	5.5	5.2
11814	137.00	139.00	2.00				4.54	0.034	0.5	95.4	3.6	100	0.3	27.6	28.4	1596	5.49	6.1	26.1	0.6	388	<0.1	0.2	0.2	159	5.28	0.130	5	127	3.46	51	0.156	4	2.80	0.122	0.10	0.2	0.02	22.4	<0.1	4.16	8	4.3	2.7
11815	139.00	141.00	2.00				4.87	0.018	1.2	152.4	3.3	105	0.3	30.6	25.7	1871	4.47	5.0	12.7	0.6	302	0.1	0.2	<0.1	147	5.24	0.106	4	173	3.42	39	0.197	3	2.61	0.123	0.05	0.2	<0.01	19.3	<0.1	2.62	8	1.7	1.9
11816	141.00	143.00	2.00				4.46	0.015	2.2	141.9	2.9	100	0.3	27.2	25.3	1570	4.21	5.1	12.9	0.6	180	0.1	0.1	<0.1	130	4.38	0.104	4	147	2.90	26	0.221	3	2.35	0.085	0.05	0.3	<0.01	12.7	<0.1	2.07	9	1.5	1.3
11817	143.00	145.00	2.00				4.80	0.010	2.6	118.8	3.4	80	0.3	24.5	25.0	1321	4.35	2.3	7.5	0.5	244	<0.1	0.1	<0.1	123	3.81	0.102	4	114	2.89	32	0.188	3	2.44	0.091	0.05	0.2	<0.01	11.5	<0.1	2.39	8	1.4	0.6
11818	145.00	147.00	2.00				4.38	0.017	5.7	94.0	3.8	58	0.3	23.1	24.0	1079	3.85	4.3	11.4	0.6	248	<0.1	0.2	<0.1	117	4.03	0.118	5	99	2.15	33	0.208	4	1.93	0.105	0.07	0.2	<0.01	12.2	<0.1	2.12	7	1.2	1.6
11819	147.00	149.00	2.00				4.10	0.006	0.9	78.9	2.4	70	0.2	19.4	24.5	1230	3.70	2.2	2.2	0.6	202	<0.1	0.2	<0.1	125	3.57	0.118	5	78	2.31	18	0.191	4	1.95	0.065	0.05	0.1	<0.01	10.4	<0.1	0.69	8	<0.5	0.3
11820	**147.00**			**Standard**	**CMA-11A**		**0.11**	0.935	**343.0**	**3246.5**	**24.0**	**53**	**1.8**	**28.4**	**7.8**	**427**	**3.07**	**13.0**	**931.9**	**1.2**	**34**	**0.5**	**3.6**	**0.5**	**49**	**0.68**	**0.048**	**5**	**30**	**0.57**	**125**	**0.108**	**5**	**1.19**	**0.080**	**0.10**	**0.9**	**0.07**	**4.1**	**<0.1**	**0.37**	**4**	**1.1**	**<0.2**
11821	149.00	151.00	2.00				4.07	0.012	1.0	99.0	3.6	78	0.3	19.0	22.8	1310	4.10	2.8	6.6	0.6	159	<0.1	0.1	<0.1	150	4.52	0.126	6	93	2.61	17	0.207	<1	2.20	0.048	0.05	0.2	0.01	13.7	<0.1	0.86	8	<0.5	0.2
11822	151.00	153.00	2.00				3.95	0.008	1.0	63.2	3.9	79	0.2	21.7	24.8	1654	4.53	5.1	7.2	0.8	214	<0.1	0.1	<0.1	168	5.90	0.121	6	127	3.10	26	0.196	<1	2.60	0.056	0.04	0.2	0.01	19.9	<0.1	1.74	9	<0.5	1.2
11823	153.00	155.00	2.00				4.78	0.007	0.8	106.7	2.7	69	0.2	16.8	18.6	1130	3.81	2.0	4.8	0.7	164	<0.1	<0.1	<0.1	145	3.34	0.118	6	72	2.03	38	0.197	<1	1.86	0.076	0.07	0.2	<0.01	10.1	<0.1	0.40	7	<0.5	<0.2
11824	155.00	157.00	2.00				3.84	0.015	1.1	134.5	3.7	83	0.2	23.0	22.7	1419	4.21	4.6	11.8	0.7	138	<0.1	0.2	<0.1	141	4.28	0.114	5	111	2.68	18	0.218	<1	2.12	0.060	0.04	0.3	<0.01	12.2	<0.1	1.53	8	0.6	0.9
11825	**157.00**			**Blank**			**1.86**	<0.005	**0.3**	**98.5**	**2.1**	**50**	**<0.1**	**95.4**	**28.6**	**698**	**3.66**	**1.3**	**0.9**	**0.5**	**131**	**<0.1**	**<0.1**	**<0.1**	**136**	**7.05**	**0.085**	**4**	**43**	**0.93**	**16**	**0.230**	**<1**	**3.35**	**0.922**	**0.13**	**<0.1**	**0.01**	**4.6**	**<0.1**	**0.10**	**8**	**<0.5**	**<0.2**
11826	157.00	159.00	2.00				4.21	0.014	1.9	133.7	3.3	98	0.2	23.6	21.9	1837	4.20	3.6	12.4	0.6	178	<0.1	0.1	<0.1	136	4.11	0.107	6	110	2.70	17	0.196	<1	2.36	0.048	0.03	0.2	<0.01	12.0	<0.1	1.31	8	<0.5	0.5
11827	159.00	161.00	2.00				4.24	0.025	5.1	119.2	4.6	136	0.2	24.9	22.5	2099	4.86	9.1	22.1	0.6	195	0.2	0.2	0.1	158	5.56	0.109	6	153	3.17	23	0.201	3	2.61	0.051	0.04	0.3	0.02	21.0	<0.1	2.63	8	2.1	2.1
11828	161.00	163.00	2.00				4.05	0.024	1.3	104.7	3.7	124	0.2	22.8	23.4	2132	4.47	6.7	12.7	0.7	273	<0.1	0.2	<0.1	169	5.16	0.125	6	119	3.35	39	0.203	3	2.59	0.073	0.05	0.2	0.02	19.6	<0.1	1.44	8	1.6	1.3
11829	163.00	165.00	2.00				4.53	0.032	1.0	91.5	6.7	127	0.5	22.1	30.6	2104	4.75	11.8	23.2	0.9	336	0.2	0.4	<0.1	172	5.17	0.148	6	83	3.22	47	0.223	2	2.46	0.080	0.05	0.2	0.04	23.0	<0.1	2.36	8	2.4	2.5
11830	**165.00**			**Prep Dup**		**11832**		0.013	**0.6**	**170.7**	**3.1**	**92**	**0.5**	**17.0**	**18.8**	**1272**	**3.70**	**2.2**	**5.2**	**0.9**	**199**	**<0.1**	**0.2**	**<0.1**	**131**	**3.24**	**0.164**	**6**	**44**	**2.30**	**24**	**0.179**	**<1**	**1.87**	**0.085**	**0.07**	**0.2**	**<0.01**	**9.8**	**<0.1**	**0.48**	**6**	**<0.5**	**<0.2**
11832	165.00	167.00	2.00				4.46	0.012	0.5	168.5	2.9	91	0.5	16.4	18.9	1285	3.69	2.0	5.6	0.8	207	<0.1	0.2	<0.1	132	3.25	0.160	6	42	2.33	26	0.182	2	1.86	0.086	0.07	0.2	<0.01	10.0	<0.1	0.48	6	<0.5	<0.2
11831	**167.00**			**Field Dup**		**11833**	**4.15**	0.017	**1.2**	**104.0**	**4.4**	**89**	**0.3**	**22.5**	**22.4**	**1419**	**3.95**	**7.8**	**9.2**	**0.6**	**311**	**<0.1**	**0.2**	**<0.1**	**155**	**5.05**	**0.110**	**6**	**117**	**2.89**	**37**	**0.216**	**1**	**2.70**	**0.082**	**0.04**	**0.1**	**0.01**	**18.0**	**<0.1**	**0.75**	**8**	**0.7**	**0.5**
11833	167.00	169.00	2.00				4.36	0.018	1.0	102.1	4.4	91	0.2	25.2	23.5	1337	4.13	8.7	9.1	0.7	271	<0.1	0.2	<0.1	154	4.37	0.103	5	128	2.98	38	0.224	<1	2.49	0.071	0.04	0.2	0.01	17.3	<0.1	0.85	8	<0.5	0.4
11834	169.00	171.00	2.00				3.92	0.037	2.2	95.9	5.3	101	0.3	25.1	24.2	1491	4.32	10.4	25.6	0.5	167	<0.1	0.4	<0.1	165	5.77	0.106	5	149	3.28	20	0.204	3	2.64	0.057	0.05	0.2	0.02	20.6	<0.1	1.10	8	0.8	0.8
11835	171.00	173.00	2.00				4.54	0.016	1.2	148.4	3.2	100	0.3	20.1	23.5	1514	4.03	4.2	10.6	0.6	270	<0.1	0.2	<0.1	147	5.44	0.126	6	99	2.79	16	0.230	3	2.69	0.048	0.05	0.2	0.01	17.0	<0.1	0.63	9	<0.5	0.8
11836	173.00	175.00	2.00				4.10	0.039	3.0	53.8	6.6	110	0.3	18.8	23.6	1437	4.95	14.6	31.8	0.6	231	0.1	0.2	<0.1	167	4.64	0.139	8	83	2.80	32	0.227	1	2.73	0.059	0.07	0.2	0.02	18.3	<0.1	2.75	8	1.4	2.4
11837	175.00	177.00	2.00				4.08	0.010	3.5	139.4	3.5	93	0.2	18.4	19.7	1270	4.21	4.7	5.5	0.6	228	<0.1	0.2	<0.1	173	4.46	0.130	7	93	2.71	27	0.206	2	2.43	0.057	0.05	0.1	0.01	18.2	<0.1	0.46	9	<0.5	0.2
11838	177.00	179.00	2.00				3.40	0.017	1.0	82.4	5.2	105	0.2	21.9	24.0	1499	4.26	8.3	11.4	0.7	233	<0.1	0.3	<0.1	173	5.81	0.116	7	122	2.92	18	0.222	3	2.52	0.065	0.05	0.2	0.01	20.5	<0.1	0.92	9	1.0	1.0
11839	179.00	181.00	2.00				3.61	0.014	0.9	110.3	2.7	80	0.3	21.1	21.4	1393	3.64	3.4	7.9	0.6	204	<0.1	0.1	<0.1	125	4.37	0.112	5	106	2.67	22	0.211	2	2.00	0.083	0.06	0.2	<0.01	13.2	<0.1	0.83	7	<0.5	1.0
11840	**179.00**			**Standard**	**CGS-29**		**0.11**	0.250	**11.1**	**5427.9**	**5.6**	**90**	**2.0**	**11.5**	**7.7**	**634**	**4.29**	**1.9**	**251.7**	**4.1**	**72**	**0.3**	**0.3**	**0.7**	**61**	**1.10**	**0.070**	**11**	**16**	**0.64**	**178**	**0.076**	**3**	**1.05**	**0.061**	**0.41**	**0.1**	**0.08**	**4.1**	**0.1**	**0.32**	**7**	**3.9**	**0.3**
11841	181.00	183.00	2.00				3.71	0.010	0.7	119.4	2.9	89	0.2	22.5	21.8	1294	3.54	2.6	6.0	0.8	220	<0.1	0.2	<0.1	136	4.45	0.112	4	90	2.68	18	0.233	3	2.02	0.095	0.05	0.2	<0.01	13.2	<0.1	0.34	7	0.7	0.3
11842	183.00	185.00	2.00				4.56	0.007	0.8	118.0	3.2	77	0.2	18.8	20.8	1162	3.19	1.8	4.1	0.8	233	<0.1	0.1	<0.1	114	4.42	0.118	5	82	2.30	16	0.206	<1	1.73	0.085	0.06	0.2	<0.01	10.4	<0.1	0.49	7	<0.5	<0.2
11843	185.00	187.00	2.00				4.33	0.008	3.2	99.4	3.8	88	0.2	20.6	25.0	1367	3.69	2.5	3.8	0.8	244	<0.1	0.2	<0.1	134	5.19	0.120	5	97	2.55	20	0.228	<1	2.05	0.079	0.06	0.2	<0.01	13.1	<0.1	0.39	7	<0.5	<0.2
11844	187.00	189.00	2.00				4.50	0.008	0.6	106.6	2.6	87	0.1	19.5	21.4	1223	3.74	1.2	1.4	0.7	221	<0.1	0.1	<0.1	144	4.60	0.121	5	86	2.45	20	0.188	3	2.05	0.071	0.07	0.1	<0.01	12.7	<0.1	0.09	8	<0.5	<0.2
11845	**187.00**			**Blank**			**1.83**	0.006	**0.3**	**95.7**	**2.3**	**55**	**<0.1**	**90.3**	**27.6**	**722**	**3.65**	**0.7**	**1.0**	**0.4**	**144**	**<0.1**	**<0.1**	**<0.1**	**137**	**7.48**	**0.090**	**4**	**47**	**0.94**	**19**	**0.226**	**14**	**3.34**	**0.995**	**0.17**	**<0.1**	**<0.01**	**5.0**	**<0.1**	**0.06**	**9**	**<0.5**	**<0.2**
11846	189.00	191.00	2.00				4.37	0.015	1.8	105.3	3.6	83	0.2	18.7	21.3	1289	4.06	5.3	5.0	0.8	186	<0.1	0.1	<0.1	154	3.84	0.123	6	73	2.68	36	0.196	1	2.10	0.080	0.09	0.2	<0.01	13.5	<0.1	0.35	8	<0.5	<0.2
11847	191.00	193.00	2.00				4.05	0.038	3.4	95.8	7.4	113	0.5	24.6	27.0	1736	4.94	7.9	30.1	0.8	194	<0.1	0.1	<0.1	197	6.40	0.122	7	131	3.19	48	0.226	<1	2.85	0.085	0.07	0.3	0.02	24.2	<0.1	1.32	9	<0.5	0.7
11848	193.00	195.00	2.00				4.11	0.026	2.4	81.6	5.4	101	0.3	23.4	27.0	1386	4.58	10.6	19.9	0.7	193	<0.1	0.2	<0.1	183	6.18	0.118	7	120	2.85	39	0.198	2	2.46	0.062	0.08	0.1	0.02	22.2	<0.1	0.39	9	<0.5	<0.2
11849	195.00	197.00	2.00				3.81	0.009	0.9	73.0	2.9	108	0.1	23.5	25.7	1325	3.93	1.1	1.5	0.7	247	<0.1	0.1	<0.1	148	6.31	0.116	6	116	2.66	18	0.176	2	2.30	0.044	0.06	0.1	<0.01	19.1	<0.1	0.07	8	<0.5	<0.2
11850	**197.00**			**Prep Dup**		**11852**		0.013	**0.8**	**70.4**	**2.8**	**116**	**<0.1**	**24.3**	**25.3**	**1448**	**4.21**	**1.7**	**1.2**	**0.6**	**248**	**<0.1**	**<0.1**	**<0.1**	**154**	**6.78**	**0.109**	**6**	**128**	**2.99**	**16**	**0.170**	**<1**	**2.52**	**0.041**	**0.04**	**0.1**	**0.01**	**21.5**	**<0.1**	**0.08**	**8**	**<0.5**	**<0.2**
11852	197.00	199.00	2.00				2.82	0.009	0.6	66.8	2.5	101	<0.1	23.3	25.0	1324	3.98	1.4	5.3	0.5	229	<0.1	<0.1	<0.1	144	5.93	0.106	5	130	2.87	13	0.157	4	2.54	0.034	0.03	0.1	<0.01	20.8	<0.1	0.10	7	<0.5	<0.2
11851	**199.00**			**Field Dup**		**11853**	**5.14**	0.085	**1.3**	**235.8**	**5.7**	**1182**	**1.3**	**25.1**	**26.6**	**1718**	**4.36**	**14.7**	**82.1**	**0.6**	**188**	**6.9**	**0.2**	**0.2**	**146**	**5.47**	**0.119**	**6**	**124**	**2.72**	**29**	**0.187**	**5**	**2.83**	**0.055**	**0.07**	**0.2**	**0.07**	**18.2**	**<0.1**	**2.60**	**7**	**0.8**	**4.2**
11853	199.00	201.00	2.00				5.69	0.114	3.1	424.9	5.9	1684	1.6	26.8	29.0	1748	4.59	16.7	101.2	0.6	186	10.2	<0.1	0.1	154	5.29	0.119	6	133	2.81	29	0.187	4	3.01	0.062	0.08	0.2	0.10	19.0	<0.1	2.86	8	1.3	4.9
11854	201.00	203.00	2.00				4.49	0.068	0.9	160.4	6.0	1259	0.9	24.4	29.0	1536	4.65	14.6	59.5	0.5	211	8.0	0.2	0.1	151	5.29	0.111	5	148	2.94	23	0.189	4	3.32	0.060	0.05	0.2	0.06	20.0	<0.1	1.86	8	0.9	2.4
11855	203.00	205.00	2.00				4.63	0.093	1.5	112.9	7.5	146	1.4	23.1	27.8	1552	4.73	13.1	90.9	0.6	190	0.4	0.2	<0.1	155	5.13	0.113	6	130	2.76	29	0.179	5	2.89	0.049	0.08	0.2	0.44	19.0	<0.1	2.44	8	1.3	3.6
11856	205.00	207.00	2.00				4.62	0.146	1.7	106.7	7.1	179	1.7	25.3	28.2	2051	5.19	18.7	139.9	0.6	196	0.4	0.2	0.1	155	4.75	0.113	7	132	3.21	49	0.152	5	3.08	0.057	0.14	0.2	0.08	18.0	0.1	3.15	8	1.5	4.0
11857	207.00	209.00	2.00				4.01	0.053	3.3	126.2	6.7	117	0.6	22.9	24.6	1609	4.28	8.6	47.1	0.7	235	0.2	0.2	<0.1	167	5.57	0.111	7	108	2.93	67	0.174	5	3.14	0.087	0.07	0.2	0.03	19.1	<0.1	1.12	9	<0.5	0.9
11858	209.00	211.00	2.00				4.63	0.028	2.0	182.7	13.7	317	0.4	21.9	30.7	2232	5.80	8.1	21.6	0.7	129	1.7	0.2	<0.1	228	6.28	0.118	10	46	3.17	25	0.020	5	3.36	0.044	0.10	<0.1	0.02	21.7	<0.1	1.24	10	0.6	0.2
11859	211.00	213.00	2.00				3.80	0.048	0.9	170.4	11.5	266	0.7	21.8	30.0	2781	5.71	17.0	40.1	0.7	107	0.9	0.2	<0.1	198	5.77	0.119	10	48	2.89	22	0.004	5	3.42	0.035	0.15	<0.1	0.03	17.8	<0.1	1.75	10	0.5	0.3
11860	**211.00**			**Standard**	**BL-9**		**0.11**	<0.005	**2.8**	**20.4**	**2.1**	**32**	**0.4**	**17.2**	**8.5**	**286**	**1.80**	**2.9**	**4.5**	**0.8**	**28**	**0.2**	**0.2**	**<0.1**	**43**	**0.66**	**0.042**	**4**	**21**	**0.48**	**80**	**0.093**	**3**	**1.06**	**0.062**	**0.07**	**16.6**	**0.02**	**3.5**	**<0.1**	**<0.05**	**4**	**<0.5**	**<0.2**
11861	213.00	215.00	2.00				3.94	0.022	1.2	184.2	7.8	255	0.4	4.8	17.9	1623	4.80	9.0	19.2	0.9	447	1.5	<0.1	<0.1	193	4.52	0.171	15	8	1.79	167	0.005	5	2.66	0.109	0.23	<0.1	0.01	8.6	<0.1	0.89	9	<0.5	<0.2
11862	215.00	217.00	2.00				3.95	0.015	0.6	125.1	5.6	87	0.2	13.2	24.1	1470	4.93	4.3	11.1	0.7	416	0.1	<0.1	<0.1	210	5.55	0.146	12	20	2.39	154	0.004	6	2.99	0.114	0.19	<0.1	0.02	14.4	<0.1	0.43	9	<0.5	<0.2
11863	217.00	219.00	2.00				3.87	0.007	0.3	115.8	2.9	53	<0.1	17.5	28.3	1402	5.39	0.9	3.0	0.7	316	<0.1	<0.1	<0.1	230	5.61	0.123	9	26	2.96	104	0.076	5	3.15	0.146	0.12	<0.1	<0.01	20.0	<0.1	0.08	9	<0.5	<0.2
11864	219.00	221.00	2.00				4.18	0.012	1.6	125.7	15.5	112	0.2	17.2	28.0	1391	5.32	12.2	15.5	0.7	179	0.4	0.1	<0.1	213	5.35	0.130	10	25	2.99	53	0.003	6	3.36	0.085	0.17	<0.1	0.02	15.8	0.2	0.61	9	<0.5	<0.2
11865	**219.00**			**Blank**			**1.79**	<0.005	**0.2**	**93.6**	**2.0**	**47**	**<0.1**	**88.0**	**26.7**	**673**	**3.28**	**0.9**	**0.7**	**0.4**	**125**	**<0.1**	**<0.1**	**<0.1**	**126**	**6.64**	**0.079**	**4**	**42**	**0.88**	**17**	**0.201**	**15**	**3.39**	**1.003**	**0.16**	**<0.1**	**<0.01**	**4.7**	**<0.1**	**0.09**	**8**	**<0.5**	**<0.2**
11866	221.00	223.00	2.00				3.84	<0.005	0.2	128.0	2.8	53	0.1	17.4	27.6	1219	4.96	1.4	3.9	0.8	305	<0.1	<0.1	<0.1	212	5.56	0.120	9	30	2.87	93	0.024	4	2.95	0.103	0.11	<0.1	<0.01	18.1	<0.1	0.36	9	<0.5	<0.2
11867	223.00	225.00	2.00				4.23	<0.005	0.7	134.0	3.9	56	0.1	18.7	29.3	1291	5.75	1.9	2.9	1.1	287	<0.1	<0.1	<0.1	241	5.54	0.128	9	33	3.07	98	0.200	5	3.17	0.135	0.09	<0.1	0.01	20.6	<0.1	0.20	10	<0.5	<0.2
11868	225.00	227.00	2.00				3.38	<0.005	0.6	144.0	6.1	66	0.2	18.0	30.7	1326	6.18	1.7	4.1	1.1	189	<0.1	<0.1	<0.1	244	5.28	0.121	9	27	3.03	60	0.207	5	3.06	0.103	0.07	<0.1	0.01	20.2	<0.1	0.31	10	<0.5	<0.2
11869	227.00	229.00	2.00				4.96	<0.005	0.9	156.0	5.6	48	0.1	16.9	28.9	1094	5.94	3.8	3.9	1.1	296	0.1	<0.1	<0.1	249	4.18	0.137	9	24	2.82	116	0.238	4	2.90	0.156	0.07	0.1	<0.01	18.4	<0.1	0.49	10	<0.5	<0.2
11870	**229.00**			**Prep Dup**		**11872**		<0.005	**0.5**	**157.5**	**4.2**	**60**	**0.1**	**17.9**	**30.2**	**1313**	**6.15**	**2.5**	**2.1**	**1.1**	**312**	**<0.1**	**0.1**	**<0.1**	**252**	**4.56**	**0.138**	**9**	**24**	**3.15**	**125**	**0.226**	**4**	**3.00**	**0.129**	**0.07**	**0.1**	**<0.01**	**19.4**	**<0.1**	**0.21**	**10**	**<0.5**	**<0.2**
11872	229.00	231.00	2.00				4.28	<0.005	0.4	154.6	4.2	57	0.1	17.1	29.5	1255	6.01	2.7	2.1	1.0	327	0.1	0.1	<0.1	245	4.39	0.131	9	23	3.01	122	0.207	3	2.86	0.124	0.06	0.1	<0.01	17.4	<0.1	0.22	10	<0.5	<0.2
11873	231.00	233.00	2.00				4.27	<0.005	0.6	142.0	4.3	62	0.1	17.5	31.4	1318	6.20	2.9	3.1	1.0	313	<0.1	<0.1	<0.1	246	5.34	0.135	10	27	3.23	108	0.128	5	3.37	0.147	0.10	<0.1	0.01	19.4	<0.1	0.30	10	<0.5	<0.2
11874	233.00	235.00	2.00				4.11	0.006	0.5	156.0	17.4	111	0.2	18.8	32.2	1456	5.99	6.6	6.7	0.9	217	0.3	0.1	<0.1	223	5.86	0.133	11	24	3.03	57	0.027	6	3.24	0.088	0.12	<0.1	0.04	17.7	<0.1	0.83	10	<0.5	0.2
11875	235.00	237.00	2.00				4.32	<0.005	0.5	152.0	4.4	112	0.1	18.1	32.2	1635	6.30	3.3	3.4	1.0	189	0.2	<0.1	<0.1	241	5.39	0.142	11	24	3.23	40	0.077	5	3.27	0.116	0.10	<0.1	0.01	19.4	<0.1	0.26	11	<0.5	0.3
11871	**237.00**			**Field Dup**		**11876**	**3.75**	<0.005	**0.3**	**147.8**	**5.1**	**96**	**0.1**	**20.1**	**32.4**	**1581**	**6.49**	**4.5**	**6.9**	**0.9**	**209**	**0.1**	**<0.1**	**<0.1**	**258**	**5.63**	**0.127**	**10**	**29**	**3.41**	**58**	**0.126**	**5**	**3.26**	**0.105**	**0.08**	**<0.1**	**0.02**	**22.3**	**<0.1**	**0.26**	**11**	**<0.5**	**0.6**
11876	237.00	239.00	2.00				3.19	<0.005	0.4	139.1	4.9	94	0.2	19.7	30.8	1487	5.90	4.0	9.0	0.9	213	0.1	<0.1	<0.1	236	5.66	0.117	9	27	3.16	58	0.119	4	3.05	0.088	0.07	<0.1	0.02	21.5	<0.1	0.24	10	<0.5	0.9
11877	239.00	241.00	2.00				5.04	<0.005	0.3	151.8	4.8	70	0.1	17.9	30.3	1323	5.99	2.2	6.7	1.1	210	0.1	<0.1	<0.1	253	4.67	0.131	8	23	3.17	63	0.248	5	3.12	0.127	0.07	0.1	0.02	21.9	<0.1	0.14	11	<0.5	0.6
11878	241.00	243.00	2.00				4.12	<0.005	0.5	169.2	6.6	100	0.2	20.5	34.7	1665	6.67	1.4	3.2	1.1	224	0.3	<0.1	<0.1	286	5.57	0.140	9	26	3.73	53	0.223	5	3.44	0.103	0.06	0.1	<0.01	24.7	<0.1	0.16	11	<0.5	<0.2
11879	243.00	245.00	2.00				4.13	<0.005	0.6	130.8	8.3	104	0.2	19.3	33.7	1714	6.43	2.8	5.0	1.1	201	0.2	<0.1	<0.1	274	6.43	0.144	9	27	3.40	52	0.227	6	3.33	0.106	0.07	0.1	0.02	26.0	<0.1	0.25	11	<0.5	<0.2
11880	**243.00**			**Standard**	**CGS-26**		**0.11**	1.553	**84.1**	**>10000.0**	**738.7**	**1613**	**8.1**	**99.6**	**14.4**	**508**	**5.07**	**307.7**	**1403.8**	**1.9**	**38**	**10.3**	**40.2**	**2.6**	**49**	**0.88**	**0.055**	**7**	**53**	**0.66**	**45**	**0.075**	**45**	**1.27**	**0.076**	**0.21**	**33.1**	**0.71**	**4.8**	**1.0**	**2.28**	**4**	**3.9**	**0.6**
11881	245.00	247.00	2.00				4.47	<0.005	0.3	168.5	7.0	187	0.2	19.3	33.2	1809	6.42	3.7	5.4	1.1	259	5.2	0.1	<0.1	251	7.06	0.143	11	26	3.22	63	0.080	5	3.28	0.108	0.09	<0.1	0.02	22.1	<0.1	0.23	10	<0.5	<0.2
11882	247.00	249.00	2.00				4.25	<0.005	0.3	124.0	6.4	98	0.1	19.8	33.1	1621	6.43	2.4	3.0	0.9	299	0.2	<0.1	<0.1	256	6.83	0.140	11	28	3.38	77	0.015	5	3.60	0.128	0.11	<0.1	0.01	22.1	<0.1	0.21	10	<0.5	<0.2
11883	249.00	251.00	2.00				4.15	0.006	0.4	131.0	6.9	74	0.2	18.8	31.1	1441	6.32	3.8	7.1	0.8	380	0.2	0.1	<0.1	261	6.36	0.147	11	24	3.18	80	0.037	6	3.97	0.204	0.12	<0.1	<0.01	20.2	<0.1	0.67	10	<0.5	<0.2

TAG	From	To	Length	COMMENTS	STANDARD	DUP_OF	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11884	251.00	253.00	2.00				4.67	<0.005	0.4	172.5	4.7	66	0.1	18.3	31.8	1413	6.10	2.1	3.0	0.9	482	0.1	<0.1	<0.1	251	6.73	0.149	11	29	3.14	150	0.063	6	3.87	0.192	0.13	<0.1	<0.01	19.5	<0.1	0.33	10	<0.5	<0.2
11885	251.00			Blank			1.92	<0.005	0.3	105.8	2.5	55	<0.1	96.0	30.6	807	3.84	1.0	<0.5	0.4	142	0.1	<0.1	<0.1	138	7.92	0.089	4	49	0.96	19	0.241	15	3.67	0.958	0.14	<0.1	<0.01	5.0	<0.1	0.06	8	<0.5	<0.2
11886	253.00	255.00	2.00				4.25	<0.005	0.4	182.3	11.2	108	0.2	17.5	37.4	1677	7.44	3.2	10.4	0.9	257	0.5	0.1	<0.1	341	6.60	0.135	10	21	3.55	69	0.167	7	3.80	0.099	0.11	<0.1	0.01	25.3	<0.1	0.24	12	<0.5	<0.2
11887	255.00	257.00	2.00				4.01	0.007	0.5	112.4	7.4	81	0.2	18.4	37.0	1870	7.46	5.0	6.3	0.8	263	<0.1	0.1	<0.1	362	7.23	0.121	8	39	3.83	67	0.143	8	3.61	0.095	0.08	<0.1	0.03	30.3	<0.1	0.28	12	<0.5	<0.2
11888	257.00	259.00	2.00				4.34	<0.005	0.6	127.4	4.4	60	0.1	17.5	40.1	1696	7.88	2.6	3.5	0.8	269	<0.1	0.1	<0.1	382	6.63	0.121	8	20	3.66	70	0.183	4	3.55	0.122	0.08	<0.1	0.02	29.8	<0.1	0.16	12	<0.5	<0.2
11889	259.00	261.00	2.00				4.16	<0.005	0.2	131.9	2.7	57	<0.1	15.1	34.6	1587	7.14	1.7	2.7	0.8	294	<0.1	<0.1	<0.1	324	6.55	0.137	8	22	3.23	88	0.162	5	3.20	0.097	0.08	<0.1	0.01	24.4	<0.1	0.07	11	<0.5	<0.2
11890	261.00			Prep Dup		11892		<0.005	0.2	129.1	3.3	56	0.2	15.5	32.5	1675	6.53	1.0	6.6	0.7	259	<0.1	<0.1	<0.1	296	7.21	0.142	10	27	3.18	90	0.089	5	3.15	0.104	0.11	<0.1	<0.01	25.2	<0.1	<0.05	11	<0.5	<0.2
11892	261.00	263.00	2.00				4.15	<0.005	0.3	130.9	3.4	57	0.2	15.9	33.8	1718	6.66	0.8	9.9	0.7	255	<0.1	<0.1	<0.1	300	7.27	0.138	10	29	3.32	95	0.088	7	3.17	0.097	0.11	<0.1	<0.01	26.1	<0.1	0.05	11	<0.5	<0.2
11891	263.00			Field Dup		11893	4.41	0.087	2.1	184.3	46.6	1290	0.9	15.5	35.6	1764	6.94	24.5	91.3	0.8	366	11.8	0.4	<0.1	303	6.49	0.147	8	23	2.97	138	0.142	9	3.61	0.115	0.17	<0.1	0.08	23.7	<0.1	0.87	11	<0.5	<0.2
11893	263.00	265.00	2.00				3.87	0.076	1.9	163.9	35.3	1225	0.8	14.3	33.1	1775	6.63	22.6	73.5	0.8	375	11.5	0.4	<0.1	292	6.33	0.143	8	22	2.95	141	0.144	9	3.58	0.114	0.15	<0.1	0.07	23.7	<0.1	0.69	11	<0.5	<0.2
11894	265.00	267.00	2.00				4.28	<0.005	0.3	160.9	3.0	56	0.1	14.1	33.4	1683	6.68	2.2	5.3	0.8	502	<0.1	<0.1	<0.1	310	6.41	0.144	8	24	3.37	221	0.186	5	3.26	0.141	0.08	<0.1	0.02	26.0	<0.1	0.07	11	<0.5	<0.2
11895	267.00	269.00	2.00				4.33	<0.005	0.2	146.1	3.6	67	0.2	15.9	33.9	1727	6.68	1.4	5.4	0.7	231	<0.1	0.1	<0.1	301	6.84	0.139	9	26	3.23	63	0.121	6	3.22	0.089	0.11	<0.1	<0.01	25.7	<0.1	0.06	11	<0.5	<0.2
11896	269.00	271.00	2.00				4.47	<0.005	0.2	180.4	3.3	82	0.2	14.5	34.9	1777	7.12	2.3	1.8	0.7	209	<0.1	0.1	<0.1	307	6.99	0.139	10	22	3.29	50	0.088	6	3.29	0.083	0.12	<0.1	<0.01	25.2	<0.1	0.07	11	<0.5	<0.2
11897	271.00	273.00	2.00				4.22	<0.005	0.3	194.3	3.9	89	0.2	13.9	34.1	1742	6.99	2.2	3.1	0.7	285	0.1	0.1	<0.1	294	6.49	0.145	9	18	3.15	118	0.055	7	3.44	0.105	0.15	<0.1	0.01	21.7	<0.1	0.13	11	<0.5	<0.2
11898	273.00	275.00	2.00				4.34	<0.005	0.5	182.7	3.8	101	0.3	13.4	32.8	1809	6.91	3.1	1.8	0.9	327	0.2	0.1	<0.1	307	5.98	0.151	10	16	3.15	159	0.149	7	3.29	0.112	0.12	<0.1	0.11	22.4	<0.1	0.11	11	<0.5	<0.2
11899	275.00	277.00	2.00				3.75	0.099	2.6	217.0	16.0	746	0.8	14.8	34.1	2188	6.81	23.0	124.3	0.7	202	6.2	0.3	<0.1	272	7.22	0.140	9	21	2.95	48	0.022	8	3.49	0.089	0.19	<0.1	0.05	21.3	<0.1	0.82	11	<0.5	<0.2
11900	275.00			Standard	CM-11A		0.11	1.030	347.7	3295.1	23.9	56	2.0	30.9	8.6	427	3.14	13.7	838.6	1.1	36	0.5	3.5	0.5	49	0.67	0.048	5	33	0.57	129	0.117	4	1.23	0.088	0.11	0.8	0.08	4.3	<0.1	0.38	4	1.0	0.3
11901	277.00	279.00	2.00				4.58	0.094	1.2	179.0	14.2	307	0.7	15.7	30.7	1734	6.12	12.3	91.2	0.8	287	2.0	0.2	<0.1	250	7.49	0.146	11	29	2.72	117	0.007	6	3.39	0.103	0.20	<0.1	0.03	19.1	<0.1	0.52	10	<0.5	<0.2
11902	279.00	281.00	2.00				4.35	0.013	0.5	130.2	11.2	92	0.4	14.7	31.5	1767	6.30	6.6	23.5	0.8	329	<0.1	0.2	<0.1	260	7.19	0.156	13	22	2.84	187	0.013	7	3.52	0.114	0.16	<0.1	0.03	19.4	<0.1	0.37	10	<0.5	<0.2
11903	281.00	283.00	2.00				3.94	<0.005	0.4	134.5	4.8	72	0.2	15.8	30.4	1463	6.38	2.5	10.7	0.7	660	<0.1	0.1	<0.1	266	6.85	0.136	11	29	2.96	652	0.013	7	3.57	0.142	0.16	<0.1	0.01	20.0	<0.1	0.05	10	<0.5	<0.2
11904	283.00	285.00	2.00				4.32	<0.005	0.3	130.1	5.7	73	0.2	14.9	30.3	1540	6.33	2.7	5.3	0.7	248	0.2	<0.1	<0.1	263	6.85	0.141	11	25	2.86	80	0.024	7	3.44	0.120	0.14	<0.1	<0.01	20.4	<0.1	0.07	10	<0.5	<0.2
11905	283.00			Blank			1.87	<0.005	0.4	104.0	2.3	55	<0.1	96.1	30.3	734	3.93	1.0	1.9	0.5	154	<0.1	<0.1	<0.1	148	7.56	0.094	5	51	0.97	21	0.255	16	3.72	0.964	0.15	<0.1	<0.01	5.0	<0.1	0.08	9	<0.5	<0.2
11906	285.00	287.00	2.00				4.05	0.005	2.3	153.9	12.3	77	0.3	18.7	33.5	1704	6.41	8.5	11.0	0.7	352	0.2	0.1	<0.1	274	6.58	0.140	10	44	3.13	147	0.021	7	3.69	0.136	0.13	<0.1	0.01	22.5	<0.1	0.68	10	<0.5	<0.2
11907	287.00	289.00	2.00				3.60	<0.005	3.3	173.4	7.7	61	0.2	17.2	33.1	1491	6.36	3.6	8.7	0.8	270	<0.1	<0.1	<0.1	262	6.26	0.146	11	38	2.89	174	0.036	6	3.38	0.145	0.14	<0.1	<0.01	19.5	<0.1	0.24	10	0.6	<0.2
11908	289.00	291.00	2.00				3.69	0.024	1.4	171.2	21.8	188	0.4	15.7	31.2	1890	6.36	14.7	25.1	0.7	175	1.1	0.2	<0.1	246	7.15	0.142	11	32	2.98	164	0.003	6	3.72	0.118	0.17	<0.1	0.02	18.5	<0.1	0.58	10	<0.5	<0.2
11909	291.00	293.00	2.00				3.09	0.016	1.5	207.5	15.8	117	1.2	15.0	32.1	2087	6.33	9.8	17.3	0.7	156	0.2	0.2	<0.1	221	7.47	0.140	12	23	2.81	28	0.002	7	3.78	0.047	0.20	0.9	0.01	17.3	<0.1	0.65	10	<0.5	<0.2
11910	293.00			Prep Dup		11912		0.147	0.9	173.1	35.9	103	1.2	16.6	31.8	1827	6.40	3.9	152.2	0.7	210	0.2	<0.1	<0.1	236	8.44	0.140	12	26	2.94	26	0.003	8	4.06	0.058	0.19	1.0	<0.01	19.4	<0.1	0.19	11	<0.5	<0.2
11912	293.00	295.00	2.00				3.04	0.180	0.8	176.5	43.5	101	1.8	16.0	31.4	1779	6.23	3.9	197.6	0.8	201	0.2	<0.1	<0.1	229	8.39	0.142	12	25	2.81	26	0.002	8	3.95	0.059	0.18	1.5	<0.01	18.5	<0.1	0.24	10	<0.5	<0.2
11913	295.00	297.00	2.00				3.86	0.009	0.4	100.9	49.5	142	0.3	17.1	30.3	1926	5.68	3.6	10.0	0.6	191	0.4	0.1	<0.1	255	8.99	0.116	9	35	3.17	30	0.003	6	3.73	0.048	0.14	<0.1	0.02	25.0	<0.1	0.18	11	<0.5	<0.2
11914	297.00	299.00	2.00				4.48	<0.005	0.4	87.8	5.7	65	0.2	19.9	32.5	1762	6.02	3.9	6.0	0.7	211	<0.1	<0.1	<0.1	279	8.95	0.118	9	39	3.33	38	0.008	4	3.57	0.058	0.11	<0.1	0.01	29.0	<0.1	0.20	11	<0.5	<0.2
11915	299.00	301.00	2.00				4.00	0.028	1.3	110.2	45.3	110	0.8	19.5	29.6	1802	5.64	7.5	20.9	0.6	163	0.2	0.2	<0.1	231	7.37	0.121	9	38	3.19	50	0.003	6	3.39	0.067	0.14	0.6	0.02	22.7	<0.1	0.48	11	<0.5	<0.2
11916	301.00	303.00	2.00				4.34	0.010	0.6	108.6	12.8	94	0.2	17.9	28.0	1811	5.59	4.2	7.0	0.6	215	<0.1	<0.1	<0.1	239	6.98	0.115	8	34	2.95	81	0.013	6	3.22	0.084	0.11	<0.1	0.02	22.7	<0.1	0.29	11	<0.5	<0.2
11911	303.00			Field Dup		11917	3.95	0.019	1.4	178.9	20.9	112	0.4	21.1	34.6	1955	6.28	10.0	22.7	0.8	201	0.2	0.2	<0.1	259	6.84	0.130	10	44	3.36	154	0.018	6	3.65	0.094	0.13	<0.1	0.02	23.8	<0.1	0.70	11	<0.5	<0.2
11917	303.00	305.00	2.00				3.32	0.021	1.1	143.7	18.9	101	0.4	15.9	28.1	1834	5.35	9.4	21.1	0.7	212	0.1	0.3	<0.1	229	6.75	0.131	9	29	2.95	37	0.011	7	3.11	0.089	0.13	<0.1	0.03	20.1	<0.1	0.64	10	<0.5	<0.2
11918	305.00	307.00	2.00				4.32	0.030	2.1	147.2	12.4	86	0.4	14.8	28.3	1718	5.52	7.7	26.8	0.6	219	0.2	0.2	<0.1	226	7.55	0.126	10	25	2.69	155	0.009	6	3.22	0.111	0.13	<0.1	0.02	20.1	<0.1	0.37	10	<0.5	<0.2
11919	307.00	309.00	2.00				4.15	0.023	0.6	119.0	7.5	70	0.2	14.0	27.3	1484	5.46	5.7	21.8	0.7	313	0.1	0.1	<0.1	231	5.91	0.128	8	21	2.66	93	0.046	6	3.05	0.157	0.10	<0.1	0.02	19.3	<0.1	0.28	9	<0.5	<0.2
11920	307.00			Standard	CGS-29		0.11	0.221	10.9	5449.6	5.2	86	1.8	10.2	7.8	641	4.10	2.3	194.4	4.0	79	0.4	0.2	0.8	58	1.05	0.068	11	16	0.61	176	0.073	4	0.96	0.057	0.39	0.2	0.07	4.0	0.1	0.32	6	3.9	0.3
11921	309.00	311.00	2.00				4.19	<0.005	0.5	151.6	3.5	80	0.2	13.9	28.2	1933	5.58	1.3	13.4	0.8	227	<0.1	<0.1	<0.1	229	6.94	0.135	10	23	2.73	38	0.022	7	3.09	0.106	0.13	<0.1	<0.01	19.3	<0.1	<0.05	10	<0.5	<0.2
11922	311.00	313.00	2.00				3.66	0.007	0.4	131.1	5.2	66	0.2	14.7	29.3	1706	5.78	4.2	7.2	0.8	271	<0.1	0.1	0.1	245	6.20	0.143	10	23	2.77	54	0.038	5	3.04	0.123	0.12	<0.1	0.02	21.9	<0.1	0.15	10	<0.5	<0.2
11923	313.00	315.00	2.00				4.23	0.007	0.4	127.2	4.2	64	0.2	17.1	30.5	1678	6.10	2.1	11.2	0.8	291	<0.1	0.1	<0.1	276	6.68	0.138	9	33	2.83	75	0.062	5	3.19	0.131	0.08	<0.1	<0.01	23.6	<0.1	0.13	11	<0.5	<0.2
11924	315.00	317.00	2.00				4.10	0.014	0.5	131.7	7.0	75	0.2	15.2	27.1	1888	5.32	7.2	13.5	0.7	302	<0.1	0.2	<0.1	234	6.39	0.123	9	30	2.50	191	0.053	7	2.89	0.161	0.15	<0.1	0.01	18.5	<0.1	0.43	10	<0.5	<0.2
11925	315.00			Blank			1.76	<0.005	0.4	92.7	2.3	48	<0.1	90.2	27.3	701	3.47	1.2	1.2	0.4	162	<0.1	<0.1	<0.1	127	7.14	0.088	4	42	0.88	19	0.217	15	3.47	1.084	0.17	<0.1	<0.01	4.9	<0.1	0.09	8	<0.5	<0.2
11926	317.00	319.00	2.00				3.35	<0.005	0.8	92.0	7.7	87	0.2	8.6	17.1	1311	3.70	3.6	3.1	0.9	198	0.3	<0.1	<0.1	153	4.00	0.104	10	10	1.29	72	0.024	5	1.92	0.104	0.20	<0.1	<0.01	8.8	<0.1	0.30	7	1.3	<0.2
11927	319.00	321.00	2.00				4.91	<0.005	0.2	74.1	3.5	56	<0.1	5.4	10.9	1160	3.04	1.3	3.2	1.1	191	<0.1	<0.1	<0.1	115	3.86	0.088	9	3	0.70	55	0.036	6	1.39	0.108	0.18	<0.1	<0.01	5.3	<0.1	0.08	5	<0.5	<0.2
11928	321.00	323.00	2.00				3.12	0.010	0.3	96.1	7.6	120	0.2	11.0	23.8	1874	4.82	6.9	9.0	0.8	198	<0.1	0.2	0.2	190	5.75	0.093	9	15	1.69	64	0.023	10	2.29	0.087	0.25	<0.1	0.03	17.7	0.2	0.39	8	<0.5	<0.2
11929	323.00	325.00	2.00				4.11	0.130	3.8	515.6	193.9	2383	3.0	10.9	23.7	2058	4.98	38.3	93.0	0.7	225	16.1	0.6	0.2	160	7.36	0.106	9	12	1.30	52	0.008	9	2.56	0.085	0.22	<0.1	0.18	15.0	<0.1	2.00	8	0.7	0.2
11930	325.00			Prep Dup		11932		<0.005	0.2	131.1	6.3	87	0.2	9.1	22.1	1751	4.71	1.7	8.5	0.7	195	<0.1	0.1	<0.1	191	6.06	0.115	10	9	1.69	58	0.028	9	2.38	0.094	0.26	<0.1	<0.01	12.8	<0.1	0.25	8	<0.5	<0.2
11932	325.00	327.00	2.00				4.04	0.010	0.3	135.1	6.3	91	0.2	9.4	22.9	1771	4.81	2.5	4.0	0.7	202	0.1	<0.1	<0.1	206	5.39	0.119	11	10	1.72	60	0.035	9	2.85	0.108	0.32	<0.1	<0.01	13.8	<0.1	0.26	9	<0.5	<0.2
11933	327.00	329.00	2.00				3.72	0.009	0.3	80.8	5.3	60	0.1	4.9	9.8	1227	2.98	2.7	2.4	1.0	250	<0.1	<0.1	<0.1	117	4.24	0.091	11	3	0.63	78	0.024	6	1.59	0.115	0.26	<0.1	0.02	5.0	<0.1	0.12	5	<0.5	<0.2
11934	329.00	331.00	2.00				4.34	0.010	0.4	88.8	13.9	128	0.3	6.7	15.3	1530	3.87	3.7	8.0	1.0	254	0.4	0.2	<0.1	143	5.06	0.106	12	5	0.99	70	0.024	8	2.12	0.118	0.31	<0.1	0.04	9.9	<0.1	0.25	6	<0.5	<0.2
11935	331.00	333.00	2.00				4.20	0.013	0.3	84.6	8.8	83	0.2	7.0	14.5	1512	3.30	4.1	7.0	0.9	228	<0.1	0.2	<0.1	112	5.47	0.092	11	6	0.89	81	0.013	5	1.69	0.099	0.24	<0.1	0.03	7.3	<0.1	0.41	5	<0.5	<0.2
11936	333.00	335.00	2.00				4.23	0.018	0.3	67.7	5.7	59	<0.1	5.1	10.0	1281	2.90	1.6	11.2	1.0	260	<0.1	0.1	<0.1	95	4.06	0.087	10	3	0.55	121	0.022	5	1.40	0.112	0.25	<0.1	<0.01	5.1	<0.1	0.13	4	<0.5	<0.2
11937	335.00	337.00	2.00				4.39	0.024	0.5	108.7	7.0	80	0.2	7.6	15.9	1634	3.80	3.0	16.8	0.9	235	0.1	0.1	0.2	140	5.08	0.102	10	9	1.01	80	0.020	6	1.79	0.102	0.27	<0.1	0.02	9.7	<0.1	0.30	6	<0.5	<0.2
11931	337.00			Field Dup		11938	5.14	0.013	1.7	145.6	11.4	160	0.3	13.9	30.3	2467	5.99	7.8	11.4	0.6	191	0.2	<0.1	<0.1	239	6.67	0.136	10	23	2.66	57	0.009	9	3.68	0.071	0.32	<0.1	0.02	20.9	<0.1	0.46	11	<0.5	<0.2
11938	337.00	339.00	2.00				4.10	0.011	1.5	141.4	10.4	161	0.3	13.0	28.0	2411	5.76	6.5	8.0	0.6	176	0.1	0.1	0.1	236	6.87	0.137	9	22	2.57	63	0.009	7	3.33	0.065	0.34	<0.1	0.03	20.1	<0.1	0.39	10	<0.5	<0.2
11939	339.00	341.00	2.00				3.98	0.136	3.4	161.3	92.4	1331	1.1	13.4	27.2	2582	5.88	63.0	106.6	0.6	165	9.0	0.5	<0.1	182	7.58	0.143	10	17	2.07	32	0.002	6	2.99	0.051	0.27	<0.1	0.10	16.8	<0.1	2.22	8	<0.5	0.3
11940	339.00			Standard	BL-9		0.11	0.005	2.2	17.9	1.9	30	0.4	14.2	7.0	296	1.74	2.7	4.4	0.8	28	0.1	0.3	<0.1	41	0.61	0.039	4	18	0.46	70	0.076	2	1.00	0.056	0.07	14.4	0.02	3.1	<0.1	<0.05	3	<0.5	<0.2
11941	341.00	343.00	2.00				4.31	0.159	3.2	161.5	94.7	2799	1.3	10.7	23.0	3051	5.39	43.4	124.2	0.5	193	22.4	0.6	0.2	119	6.48	0.122	10	14	1.39	34	0.001	3	2.15	0.043	0.30	<0.1	0.15	12.5	0.1	3.56	6	2.3	0.4
11942	343.00	345.00	2.00				4.27	0.039	1.7	55.0	16.4	149	0.5	4.2	8.0	1347	2.56	29.1	38.5	0.8	141	0.7	0.3	0.3	65	3.36	0.086	13	4	0.62	96	0.001	4	1.24	0.064	0.28	<0.1	0.04	3.2	0.1	1.37	4	<0.5	<0.2
11943	345.00	347.00	2.00				4.27	0.046	2.0	40.6	15.2	196	0.5	5.0	8.7	1387	2.83	40.9	49.5	0.5	105	2.1	0.4	<0.1	65	3.10	0.088	12	5	0.67	50	0.002	5	1.41	0.069	0.36	<0.1	0.04	3.7	0.2	1.89	5	<0.5	0.5
11944	347.00	349.00	2.00				4.39	0.038	2.4	44.0	17.6	192	0.4	4.9	8.5	1306	2.81	39.9	29.3	0.4	103	1.0	0.4	0.1	52	3.31	0.089	12	4	0.55	53	<0.001	3	1.17	0.055	0.27	0.3	0.06	2.5	0.1	2.02	4	1.1	0.3
11945	347.00			Blank			1.53	0.005	0.2	100.8	2.6	52	<0.1	88.7	27.1	714	3.46	1.0	4.3	0.4	153	<0.1	<0.1	<0.1	128	7.24	0.082	4	41	0.88	19	0.208	12	3.46	1.074	0.17	<0.1	<0.01	5.1	<0.1	0.09	8	<0.5	<0.2
11946	349.00	351.00	2.00				4.28	0.045	2.1	74.9	13.3	482	0.4	5.1	8.5	1489	2.81	40.4	33.3	0.4	100	3.3	0.5	<0.1	44	3.41	0.089	13	4	0.50	32	<0.001	3	1.00	0.056	0.27	<0.1	0.07	2.4	0.1	2.13	4	<0.5	0.4
11947	351.00	353.00	2.00				4.09	0.100	3.2	52.1	14.8	465	0.6	5.1	8.9	1004	2.14	78.3	101.9	0.4	98	3.8	0.7	0.2	17	2.99	0.087	13	2	0.13	35	<0.001	3	0.60	0.055	0.30	<0.1	0.12	1.6	0.2	2.18	2	1.1	0.8
11952	351.00			Field Dup	11947		4.84	0.048	2.3	93.5	14.3	612	0.5	4.7	8.7	1450	2.77	39.9	44.8	0.4	102	4.1	0.5	0.1	43	3.31	0.086	13	4	0.46	32	<0.001	5	0.98	0.054	0.26	<0.1	0.09	2.3	0.1	2.13	4	1.7	0.7
11948	353.00	355.00	2.00				4.29	0.161	4.2	90.1	25.4	399	1.3	9.8	20.8	2118	3.98	74.9	153.5	0.5	149	2.3	1.0	0.2	89	5.47	0.122	10	10	0.82	40	0.001	5	1.47	0.055	0.27	<0.1	0.10	9.3	0.1	2.49	5	1.2	0.9
11949	355.00	357.00	2.00				4.41	0.011	1.0	95.0	8.1	166	0.2	11.7	23.2	2891	4.99	13.0	18.2	0.7	262	0.3	0.2	<0.1	206	5.64	0.143	9	22	2.05	110	0.064	6	2.81	0.137	0.23	<0.1	0.03	16.3	<0.1	0.29	9	<0.5	<0.2
11950	357.00			Prep Dup	11951			0.046	2.1	99.6	14.5	585	0.5	5.1	8.9	1495	2.79	41.3	53.6	0.5	106	3.9	0.5	0.1	45	3.39	0.089	13	4	0.48	35	<0.001	5	1.07	0.058	0.29	<0.1	0.08	2.4	0.2	2.19	4	<0.5	0.6
11951	357.00	359.00	2.00				4.02	<0.005	1.5	94.3	5.5	89	0.2	9.6	16.5	2428	4.39	5.2	4.1	0.8	377	0.3	0.2	<0.1	204	3.90	0.150	10	22	1.90	175	0.159	3	2.57	0.222	0.14	0.2	0.02	14.2	<0.1	0.08	8	<0.5	<0.2
11953	359.00	361.00	2.00				4.70	<0.005	1.4	98.2	6.1	92	0.9	9.9	17.1	2512	4.60	5.1	3.6	0.9	361	0.3	0.2	<0.1	218	3.87	0.153	11	23	2.10	171	0.186	5	2.63	0.221	0.15	<0.1	0.02	15.0	<0.1	0.07	9	<0.5	<0.2
11954	361.00	363.00	2.00				4.36	0.007	1.6	96.6	9.7	96	0.3	10.2	17.1	2556	4.46	7.3	7.9	1.0	286	0.3	0.2	<0.1	205	4.20	0.147	12	22	1.95	126	0.205	4	2.61	0.198	0.13	0.1	0.02	15.2	<0.1	0.10	8	<0.5	<0.2
11955	363.00	365.00	2.00				4.08	<0.005	1.3	94.6	8.1	117	0.3	10.2	17.4	2547	4.43	6.6	1.6	1.0	285	0.3	0.3	<0.1	204	4.15	0.150	12	22	1.91	109	0.226	4	2.56	0.172	0.12	0.1	0.03	16.2	<0.1	0.10	10	<0.5	<0.2

							WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
							Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
							KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM
							0.01	0.005	0.10	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
TAG	**From**	**To**	**Length**	**COMMENTS**	**STANDARD**	**DUP_OF**																																					
11956	365.00	367.00	2.00				3.95	0.059	3.1	122.6	114.8	875	1.2	11.5	20.9	2706	5.37	23.8	47.9	0.9	315	7.3	0.7	0.1	212	4.34	0.154	11	23	1.87	135	0.129	6	2.80	0.152	0.19	0.1	0.22	16.3	<0.1	0.68	9	0.6	<0.2
11957	367.00	369.00	2.00				4.25	0.184	5.3	95.1	29.7	800	1.0	12.4	23.8	2716	6.19	25.2	161.5	0.7	369	6.1	0.9	0.2	221	4.18	0.141	10	21	2.18	50	0.122	6	2.97	0.151	0.18	<0.1	0.12	16.9	<0.1	2.57	9	2.9	0.8
11958	369.00	371.00	2.00				4.31	0.320	15.2	174.2	98.5	2407	2.0	17.3	34.4	2789	7.61	41.1	302.4	0.5	192	19.3	0.9	0.2	184	5.11	0.147	9	37	1.98	33	0.005	6	2.60	0.069	0.36	<0.1	0.34	17.1	0.2	5.71	9	7.7	2.1
11959	371.00	373.00	2.00				3.84	0.019	0.9	116.8	9.1	209	0.4	18.7	28.6	2485	5.37	5.3	36.2	0.6	162	0.4	0.1	<0.1	214	5.47	0.139	10	41	2.48	64	0.027	5	2.86	0.082	0.22	<0.1	0.03	17.9	<0.1	1.42	9	<0.5	0.2
11960	**371.00**			**Standard**	**CM-11A**		**0.11**	0.943	**331.9**	**3140.4**	**21.9**	**53**	**1.7**	**28.5**	**7.9**	**492**	**3.04**	**12.1**	**737.8**	**1.0**	**41**	**0.5**	**3.4**	**0.5**	**48**	**0.67**	**0.049**	**5**	**29**	**0.56**	**121**	**0.104**	**5**	**1.17**	**0.079**	**0.10**	**0.7**	**0.10**	**4.1**	**<0.1**	**0.36**	**4**	**0.5**	**0.3**
11961	373.00	375.00	2.00				3.53	<0.005	1.4	87.8	8.6	94	0.8	9.0	16.0	2203	4.11	6.9	2.6	0.8	222	0.3	0.2	<0.1	181	5.98	0.135	14	19	1.30	76	0.144	3	2.68	0.125	0.14	0.7	0.01	11.4	<0.1	0.19	10	<0.5	<0.2
11962	375.00	377.00	2.00				3.95	0.023	1.7	102.2	23.6	201	61.3	13.9	21.6	2585	4.75	11.8	22.0	0.8	214	0.6	0.3	<0.1	199	5.67	0.145	11	25	1.75	158	0.099	6	2.46	0.121	0.19	<0.1	0.03	15.0	<0.1	0.87	9	0.6	0.7
11963	377.00	379.00	2.00				4.27	<0.005	0.8	132.5	53.6	291	0.3	24.1	32.0	2253	5.95	5.3	6.0	0.7	157	1.0	0.1	<0.1	261	5.63	0.140	9	45	3.49	30	0.146	4	2.86	0.072	0.09	0.1	0.04	23.3	<0.1	2.01	10	<0.5	0.7
11964	379.00	381.00	2.00				4.26	0.027	4.7	148.3	60.0	341	0.5	20.8	30.2	2179	6.11	8.7	26.0	0.7	185	1.6	0.2	<0.1	248	5.85	0.144	10	42	3.11	67	0.081	2	3.11	0.083	0.15	0.1	0.04	19.8	<0.1	2.22	10	<0.5	0.5
11965	**381.00**			**Blank**			**1.77**	<0.005	**0.3**	**95.9**	**2.4**	**52**	**<0.1**	**84.1**	**26.4**	**691**	**3.42**	**1.0**	**1.9**	**0.5**	**161**	**<0.1**	**<0.1**	**<0.1**	**129**	**7.31**	**0.083**	**4**	**44**	**0.88**	**17**	**0.209**	**13**	**3.44**	**0.998**	**0.16**	**<0.1**	**<0.01**	**4.6**	**<0.1**	**0.06**	**8**	**<0.5**	**<0.2**
11966	381.00	383.00	2.00				4.30	<0.005	1.5	123.7	9.7	139	0.2	22.9	30.0	2111	5.93	3.8	7.0	0.7	163	<0.1	<0.1	<0.1	265	5.32	0.144	10	45	3.43	56	0.119	4	3.05	0.065	0.11	<0.1	<0.01	22.2	<0.1	1.45	10	2.2	0.4
11967	383.00	385.00	2.00				4.39	0.007	0.8	89.5	11.4	187	0.2	23.8	28.4	2502	5.80	4.0	8.3	0.7	227	0.3	<0.1	<0.1	231	6.46	0.136	10	47	3.12	113	0.092	4	3.10	0.086	0.14	0.1	0.01	21.5	<0.1	1.59	10	<0.5	0.7
11968	385.00	387.00	2.00				4.18	0.021	1.2	106.8	10.9	486	0.3	22.3	29.1	2896	5.79	7.3	19.3	0.8	283	2.9	0.1	<0.1	237	6.64	0.136	10	41	2.99	86	0.105	4	2.99	0.143	0.14	0.1	0.04	22.0	<0.1	1.95	9	1.2	0.6
11969	387.00	389.00	2.00				4.10	0.023	1.4	103.7	23.1	468	0.3	18.3	25.1	2580	5.40	4.5	18.4	0.8	343	2.8	<0.1	<0.1	222	5.27	0.125	10	31	2.82	59	0.158	4	2.98	0.165	0.15	0.2	0.03	20.5	<0.1	1.61	9	0.8	0.4
11970	**389.00**			**Prep Dup**		**119712**		0.026	**0.7**	**128.2**	**32.1**	**501**	**0.5**	**6.5**	**16.1**	**1844**	**4.12**	**6.0**	**31.0**	**0.5**	**291**	**2.9**	**0.2**	**<0.1**	**142**	**3.81**	**0.095**	**11**	**6**	**1.56**	**104**	**0.026**	**6**	**2.42**	**0.139**	**0.25**	**<0.1**	**0.03**	**9.5**	**<0.1**	**1.70**	**8**	**<0.5**	**0.7**
11972	389.00	391.00	2.00				4.65	0.025	0.7	119.9	30.6	463	0.5	6.7	16.0	1794	4.08	6.2	27.1	0.6	288	2.7	0.2	<0.1	143	3.68	0.091	11	6	1.53	94	0.025	6	2.42	0.143	0.27	<0.1	0.03	9.3	<0.1	1.68	8	<0.5	0.7
11973	391.00	393.00	2.00				3.97	0.220	2.2	306.5	48.3	756	2.1	7.3	16.8	2106	4.25	23.0	117.9	0.7	184	4.9	0.7	<0.1	121	4.76	0.087	11	7	1.40	63	0.039	6	2.26	0.093	0.19	<0.1	0.07	7.5	0.2	2.50	8	0.8	0.8
11971	**393.00**			**Field Dup**		**11974**	**4.02**	0.006	**0.5**	**191.0**	**6.5**	**135**	**0.4**	**6.7**	**16.1**	**1916**	**3.86**	**4.4**	**10.4**	**0.8**	**186**	**0.5**	**0.1**	**<0.1**	**151**	**2.96**	**0.093**	**11**	**10**	**1.50**	**113**	**0.053**	**4**	**2.35**	**0.161**	**0.15**	**<0.1**	**0.01**	**9.1**	**<0.1**	**1.00**	**8**	**<0.5**	**<0.2**
11974	393.00	395.00	2.00				4.33	0.006	0.4	200.0	4.6	117	0.3	7.2	16.7	1938	3.82	2.2	10.1	0.7	179	0.2	<0.1	<0.1	151	2.88	0.092	10	11	1.51	129	0.051	4	2.36	0.167	0.15	<0.1	0.01	9.2	<0.1	0.93	7	<0.5	<0.2
11975	395.00	397.00	2.00				4.13	<0.005	0.5	203.2	3.6	153	0.3	7.0	17.3	1772	3.87	1.9	10.7	0.7	187	0.6	<0.1	<0.1	155	2.85	0.087	10	8	1.37	213	0.056	4	2.33	0.180	0.18	<0.1	0.01	9.7	<0.1	0.85	7	<0.5	<0.2
11976	397.00	399.00	2.00				3.60	0.023	0.8	187.2	9.9	234	0.5	11.0	24.1	2115	4.45	6.7	21.0	0.6	146	0.9	0.2	<0.1	155	4.31	0.103	9	13	1.97	81	0.017	5	3.00	0.123	0.17	<0.1	0.04	9.2	<0.1	1.47	8	0.5	0.3
11977	399.00	401.00	2.00				4.69	0.046	1.1	239.8	12.3	435	0.6	15.5	30.0	2506	5.67	9.7	42.9	0.5	159	2.4	0.2	<0.1	190	4.65	0.130	10	19	2.45	66	0.054	6	2.89	0.136	0.22	<0.1	0.05	14.3	<0.1	2.44	8	0.8	0.8
11978	401.00	403.00	2.00				4.19	0.185	1.5	366.9	48.8	795	1.7	16.4	28.8	3054	5.54	23.9	126.7	0.6	158	5.2	0.6	0.1	173	4.53	0.132	11	19	2.51	78	0.009	7	2.87	0.086	0.23	<0.1	0.05	12.6	0.1	2.68	8	0.9	0.7
11979	403.00	404.85	1.85				4.09	0.072	1.5	338.2	22.2	740	1.1	18.7	31.3	2817	6.35	14.1	74.5	0.6	171	5.6	0.3	<0.1	197	4.20	0.142	9	22	3.07	62	0.051	8	3.16	0.103	0.23	<0.1	0.07	14.8	<0.1	2.94	9	1.0	1.1

Appendix B
2011 Cowtrail strip logs

CT-2011-011



Gold and copper are subdivided into units of 0.10 each up to 0.50

Lithology
Andesite/Basalt
Argillite
Argillite tuff
Basalt
Breccia/Mudflow
Casing
Dike
Fragmented basalt
Limestone
Overburden
Siltstone
Tuff
Tuff+ Fragmented basalt

METRES

0 20 40 60 80 100

SCALE: 1:500

DAJIN RESOURCES CORP.

COWTRAIL PROJECT
SECTION 1
DRILLHOLE CT-2011-011

DATE: Mar., 2012 | FIG. NO.



Gold and copper are subdivided into units of 0.10 each up to 0.50

Lithology
Andesite/Basalt
Argillite
Argillite tuff
Basalt
Breccia/Mudflow
Casing
Dike
Fragmented basalt
Limestone
Overburden
Siltstone
Tuff
Tuff+ Fragmented basalt

METRES

0 20 40 60 80 100

SCALE: 1:500

DAJIN RESOURCES CORP.

COWTRAIL PROJECT
SECTION 2
DRILLHOLE CT-2011-011-A

DATE: Mar., 2012 | FIG. NO.



Gold and copper are subdivided into units of 0.10 each up to 0.50

Lithology

- Andesite/Basalt
- Argillite
- Argillite tuff
- Basalt
- Breccia/Mudflow
- Casing
- Dike
- Fragmented basalt
- Limestone
- Overburden
- Siltstone
- Tuff
- Tuff+ Fragmented basalt

METRES

0 20 40 60 80 100

SCALE: 1:500

DAJIN RESOURCES CORP.

COWTRAIL PROJECT
SECTION 3
DRILLHOLE CT-2011-012

DATE: Mar., 2012

FIG. NO.



Gold and copper are subdivided into units of 0.10 each up to 0.50

Lithology
Andesite/Basalt
Argillite
Argillite tuff
Basalt
Breccia/Mudflow
Casing
Dike
Fragmented basalt
Limestone
Overburden
Siltstone
Tuff
Tuff+ Fragmented basalt

METRES

0 20 40 60 80 100

SCALE: 1:500

DAJIN RESOURCES CORP.

COWTRAIL PROJECT
SECTION 4
DRILLHOLE CT-2011-012-A

DATE: Mar., 2012 | FIG. NO.



Gold and copper are subdivided into units of 0.10 each up to 0.50

Lithology

- Andesite/Basalt
- Argillite
- Argillite tuff
- Basalt
- Breccia/Mudflow
- Casing
- Dike
- Fragmented basalt
- Limestone
- Overburden
- Siltstone
- Tuff
- Tuff+ Fragmented basalt

METRES

0 20 40 60 80 100

SCALE: 1:500

DAJIN RESOURCES CORP.

COWTRAIL PROJECT
SECTION 5
DRILLHOLE CT-2011-013

DATE: Mar., 2012 | FIG. NO.



Gold and copper are subdivided into units of 0.10 each up to 0.50

Lithology

- Andesite/Basalt
- Argillite
- Argillite tuff
- Basalt
- Breccia/Mudflow
- Casing
- Dike
- Fragmented basalt
- Limestone
- Overburden
- Siltstone
- Tuff
- Tuff+ Fragmented basalt

METRES

0 20 40 60 80 100

SCALE: 1:500

DAJIN RESOURCES CORP.

COWTRAIL PROJECT
SECTION 6
DRILLHOLE CT-2011-014

DATE: Mar., 2012 | FIG. NO.



Gold and copper are subdivided into units of 0.10 each up to 0.50

Lithology

- Andesite/Basalt
- Argillite
- Argillite tuff
- Basalt
- Breccia/Mudflow
- Casing
- Dike
- Fragmented basalt
- Limestone
- Overburden
- Siltstone
- Tuff
- Tuff+ Fragmented basalt

METRES

0 20 40 60 80 100

SCALE: 1:500

DAJIN RESOURCES CORP.

COWTRAIL PROJECT
SECTION 7
DRILLHOLE CT-2011-015

DATE: Mar., 2012 | FIG. NO.

Appendix C

2011 Cowtrail Drill Program

Assay Certificates

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 08, 2011
Report Date: January 11, 2012
Page: 1 of 8

CERTIFICATE OF ANALYSIS VAN11006822.1

CLIENT JOB INFORMATION

Project: COWTRAIL
Shipment ID: 05_12_2011
P.O. Number
Number of Samples: 208

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	190	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	18	Pulverize to 85% - 200 mesh			VAN
G601	208	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	208	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Brian Findlay
Catherine Banfield

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11351	Drill Core	1.73	0.094	22.1	1762	1.4	22	0.4	15.2	35.7	436	6.52	1.7	83.9	0.8	276	<0.1	0.1	<0.1	161	3.80
11352	Drill Core	4.38	0.141	36.4	2170	1.5	30	0.8	18.9	49.4	525	6.96	2.7	134.0	0.9	321	<0.1	0.1	0.4	184	4.26
11353	Drill Core	3.17	0.130	22.7	3437	1.6	30	0.6	20.5	53.6	366	8.25	2.5	118.8	0.8	231	<0.1	0.1	0.3	176	2.73
11354	Drill Core	2.99	0.114	25.3	1909	1.8	25	1.0	17.9	39.0	537	7.01	4.2	97.3	0.8	331	<0.1	0.1	2.0	121	4.43
11355	Drill Core	3.78	0.124	22.2	3620	1.9	25	2.5	19.6	37.2	588	7.95	13.1	99.4	0.6	335	0.2	0.1	3.8	102	4.63
11356	Drill Core	4.01	0.062	22.3	1267	1.8	24	0.7	17.3	35.1	584	6.73	4.4	55.6	0.7	352	<0.1	0.2	0.7	137	4.77
11357	Drill Core	3.73	0.093	36.2	1367	3.8	28	3.4	61.0	31.2	633	7.76	7.3	80.0	0.7	401	0.1	0.1	1.5	88	5.35
11487	Drill Core	5.23	0.158	57.3	1816	1.7	26	1.0	17.1	41.4	582	7.95	0.7	127.9	0.7	359	<0.1	0.1	1.5	117	4.86
11358	Drill Core	4.50	0.008	1.1	55.8	18.7	66	0.3	468.9	50.7	894	4.68	3.0	11.0	3.4	689	0.2	<0.1	<0.1	142	4.41
11359	Drill Core	3.93	0.008	1.4	46.7	11.5	58	<0.1	521.3	49.1	1056	4.63	2.7	3.3	2.5	805	0.1	<0.1	<0.1	134	6.95
11360	Rock Pulp	0.11	0.009	3.1	24.3	2.5	34	0.5	20.2	9.3	306	1.93	2.9	1.4	1.0	26	0.3	0.3	<0.1	48	0.74
11361	Drill Core	3.86	0.007	0.6	48.9	15.8	66	<0.1	559.2	57.1	822	4.90	2.8	1.7	3.1	704	0.1	<0.1	<0.1	136	4.01
11362	Drill Core	3.29	0.022	2.8	467.1	13.1	60	0.3	377.5	44.8	946	4.92	4.0	13.9	2.6	735	<0.1	0.2	0.2	173	5.89
11363	Drill Core	3.09	0.133	4.4	2104	2.5	34	1.1	49.0	23.7	752	5.38	3.6	89.1	1.0	422	<0.1	0.2	0.1	235	6.24
11364	Drill Core	5.05	0.171	9.0	3070	5.2	37	1.1	20.4	33.2	651	5.85	8.1	175.0	0.7	311	0.1	0.4	0.4	157	5.02
11488 DUP 11362 REJECT	Drill Core		0.023	3.2	520.4	12.5	61	0.3	372.6	46.6	981	4.91	4.2	25.6	2.6	736	<0.1	0.2	0.2	183	6.29
11365	Rock	3.05	0.010	0.3	111.8	2.6	50	<0.1	84.5	26.2	715	3.56	1.7	4.9	0.5	135	<0.1	<0.1	<0.1	149	6.82
11366	Drill Core	4.51	0.145	1.9	3134	3.1	27	0.6	16.4	30.6	508	4.93	2.1	138.7	0.9	291	<0.1	<0.1	<0.1	179	4.50
11367	Drill Core	3.92	0.098	1.6	1525	8.2	44	0.6	178.1	30.9	870	4.67	6.0	82.5	1.6	603	<0.1	0.2	0.2	149	7.46
11368	Drill Core	3.51	0.119	1.8	2445	2.8	28	0.9	14.4	23.0	606	5.89	6.9	96.4	0.8	270	<0.1	0.2	0.3	170	5.17
11369	Drill Core	4.04	0.229	1.4	3300	1.4	24	0.7	10.8	22.7	582	4.51	2.1	193.3	1.2	262	<0.1	<0.1	<0.1	158	4.80
11371	Drill Core	4.12	0.265	17.1	4743	1.4	31	0.9	12.3	31.1	498	5.29	1.6	301.3	1.0	274	<0.1	<0.1	<0.1	175	4.40
11372	Drill Core	3.94	0.058	56.6	837.7	2.2	23	0.4	5.5	17.0	406	4.03	2.4	54.8	1.3	254	<0.1	<0.1	0.2	114	3.64
11373	Drill Core	3.41	0.050	12.6	270.5	1.8	29	0.2	4.5	10.9	420	3.73	1.4	41.5	1.3	211	<0.1	<0.1	0.1	116	2.94
11374	Drill Core	3.67	0.050	9.1	396.6	4.4	113	0.4	17.6	21.7	870	5.42	7.6	40.8	0.7	267	0.6	0.1	0.3	126	4.54
11375	Drill Core	4.28	0.054	14.1	562.4	4.1	84	0.4	18.4	34.7	753	6.29	3.8	42.1	0.7	317	0.1	0.2	0.1	222	4.82
11376	Drill Core	3.83	0.095	16.8	604.2	5.3	45	0.4	17.4	35.1	742	6.05	3.9	76.6	0.7	328	0.1	0.2	0.2	195	5.12
11377	Drill Core	4.45	0.058	71.1	494.6	2.1	37	0.3	14.8	29.2	616	5.82	2.0	50.2	0.7	277	<0.1	0.1	0.1	237	4.50
11378	Drill Core	4.15	0.049	8.6	389.4	2.3	38	0.2	14.2	24.5	633	5.70	2.3	36.8	0.7	263	<0.1	0.1	<0.1	247	3.80
11379	Drill Core	4.47	0.069	15.7	493.3	2.3	45	0.3	14.9	29.8	703	6.00	3.4	53.1	0.7	271	<0.1	0.1	0.1	251	4.32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11351	Drill Core	0.137	10	15	2.25	35	0.060	7	1.98	0.055	0.39	<0.1	0.17	18.9	<0.1	3.87	7	8.0	0.2
11352	Drill Core	0.156	12	22	1.99	42	0.064	8	2.21	0.066	0.46	<0.1	0.18	20.5	0.1	4.18	9	8.8	0.4
11353	Drill Core	0.150	11	20	1.87	36	0.083	8	2.19	0.073	0.49	<0.1	0.15	19.5	<0.1	5.46	8	10.9	0.5
11354	Drill Core	0.159	13	18	1.48	29	0.022	8	1.62	0.069	0.40	<0.1	0.15	16.9	0.1	5.38	5	9.8	1.0
11355	Drill Core	0.146	10	19	1.62	30	0.016	8	1.50	0.071	0.38	<0.1	0.17	16.7	<0.1	2.44	5	10.0	2.4
11356	Drill Core	0.136	13	21	1.56	28	0.031	7	1.67	0.077	0.39	<0.1	0.08	16.8	0.1	4.87	6	7.1	1.0
11357	Drill Core	0.151	11	33	1.62	17	0.013	12	1.61	0.097	0.46	6.2	0.11	13.1	0.1	2.43	5	8.9	1.9
11487	Drill Core	0.167	12	16	1.53	23	0.027	7	1.65	0.067	0.42	<0.1	0.20	17.1	0.1	2.33	6	15.9	1.0
11358	Drill Core	0.285	34	246	6.92	3271	0.260	13	3.09	0.228	1.13	0.3	0.08	8.4	0.6	0.11	7	<0.5	<0.2
11359	Drill Core	0.248	28	367	6.95	2743	0.217	9	3.33	0.170	0.96	<0.1	0.05	14.0	0.4	0.09	7	<0.5	<0.2
11360	Rock Pulp	0.048	5	23	0.50	89	0.114	3	1.14	0.066	0.07	18.1	0.02	4.1	<0.1	<0.05	4	<0.5	<0.2
11361	Drill Core	0.283	31	340	8.26	3637	0.253	14	3.46	0.220	1.24	<0.1	0.06	11.3	0.4	0.09	7	<0.5	<0.2
11362	Drill Core	0.274	31	318	6.25	178	0.217	10	3.34	0.245	0.94	<0.1	0.06	16.0	0.5	0.45	7	0.7	<0.2
11363	Drill Core	0.149	14	67	2.59	48	0.103	8	2.99	0.129	0.46	0.8	0.03	20.7	0.2	1.78	9	3.5	0.2
11364	Drill Core	0.170	12	22	1.79	35	0.047	11	2.03	0.080	0.44	<0.1	0.05	22.2	0.1	1.27	7	9.1	0.4
11488 DUP 11362 REJECT	Drill Core	0.265	31	317	5.95	186	0.221	9	3.34	0.246	0.93	0.1	0.07	17.3	0.5	0.50	8	1.1	<0.2
11365	Rock	0.086	4	48	0.94	24	0.241	14	3.68	1.127	0.16	<0.1	<0.01	5.5	<0.1	0.11	8	<0.5	<0.2
11366	Drill Core	0.166	13	16	1.45	39	0.041	7	1.98	0.086	0.42	<0.1	0.02	20.7	<0.1	2.89	6	7.3	<0.2
11367	Drill Core	0.187	21	210	3.15	57	0.104	12	2.66	0.101	0.53	<0.1	0.08	16.8	0.2	1.55	7	2.6	0.4
11368	Drill Core	0.140	12	12	1.21	39	0.035	6	2.01	0.078	0.35	0.2	0.04	19.1	0.2	3.73	7	7.4	0.8
11369	Drill Core	0.136	12	12	1.26	45	0.076	6	1.76	0.076	0.41	<0.1	0.06	16.6	<0.1	2.33	6	5.5	<0.2
11371	Drill Core	0.148	12	11	1.46	60	0.102	7	2.21	0.076	0.49	<0.1	0.07	16.8	<0.1	2.45	7	6.8	<0.2
11372	Drill Core	0.113	14	6	1.17	39	0.039	9	1.73	0.075	0.40	<0.1	0.06	10.0	<0.1	2.60	6	3.9	0.3
11373	Drill Core	0.114	13	5	1.24	81	0.018	10	1.93	0.089	0.34	<0.1	0.08	8.8	<0.1	2.08	7	2.6	<0.2
11374	Drill Core	0.135	10	43	2.16	31	0.005	8	1.74	0.105	0.30	<0.1	0.09	22.4	<0.1	4.67	5	5.9	0.5
11375	Drill Core	0.141	10	52	2.31	30	0.024	7	2.52	0.100	0.27	<0.1	0.12	24.8	<0.1	4.30	8	5.5	<0.2
11376	Drill Core	0.147	12	33	1.91	26	0.022	8	2.28	0.102	0.33	<0.1	0.09	19.8	<0.1	4.80	7	7.3	0.3
11377	Drill Core	0.163	12	24	2.34	29	0.045	8	2.72	0.120	0.30	<0.1	0.07	21.0	<0.1	3.66	8	5.2	<0.2
11378	Drill Core	0.155	10	26	2.55	40	0.079	7	2.79	0.147	0.31	<0.1	0.07	21.5	<0.1	3.36	9	5.8	<0.2
11379	Drill Core	0.156	12	24	2.36	36	0.040	8	2.81	0.124	0.27	<0.1	0.05	20.2	<0.1	3.83	9	5.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11307	Drill Core	5.50	0.050	13.5	394.2	4.4	108	0.4	18.2	20.8	912	5.44	8.0	47.9	0.9	273	0.6	0.1	0.3	129	4.76
11380	Rock Pulp	0.11	0.257	11.7	5602	5.9	92	1.9	11.6	8.2	636	4.33	2.8	212.6	4.5	67	0.4	0.2	0.8	63	1.09
11381	Drill Core	4.88	0.060	9.9	347.1	3.3	36	0.4	14.6	27.1	730	5.58	5.4	56.3	0.6	283	<0.1	0.2	0.2	193	4.70
11382	Drill Core	4.12	0.042	8.8	278.4	2.0	38	0.2	14.7	22.4	770	6.12	1.0	48.7	0.7	310	0.3	0.2	0.2	238	5.22
11383	Drill Core	4.93	0.076	2.4	240.1	2.9	34	0.3	12.8	21.0	804	6.11	4.1	73.3	0.6	322	<0.1	0.2	0.2	247	5.09
11384	Drill Core	4.66	0.090	3.3	359.9	1.9	29	0.3	13.5	23.8	652	6.19	1.8	78.8	0.6	302	<0.1	0.2	0.2	263	4.31
11385	Rock	2.96	<0.005	0.3	106.9	2.3	49	<0.1	83.1	26.3	717	3.75	1.7	3.7	0.5	151	0.1	<0.1	<0.1	151	7.04
11386	Drill Core	4.67	0.046	10.3	557.2	1.9	25	0.3	12.9	22.6	643	6.54	2.3	35.9	0.6	317	0.1	0.1	0.2	246	4.48
11308 DUP 11382 REJECT	Drill Core		0.046	9.2	284.7	2.0	40	0.2	13.1	24.3	798	6.67	1.2	36.8	0.6	316	<0.1	0.1	0.1	255	5.29
11387	Drill Core	5.14	0.078	6.7	484.5	2.2	34	0.4	15.1	33.5	643	6.87	2.0	67.3	0.7	299	0.1	0.1	0.3	232	4.81
11388	Drill Core	4.16	0.058	2.6	448.6	5.3	38	0.3	13.6	22.6	714	6.21	5.0	38.1	0.7	293	<0.1	0.2	0.2	216	5.00
11389	Drill Core	4.05	0.060	6.1	369.7	5.8	28	0.2	14.3	25.4	737	5.96	1.7	58.7	0.7	280	0.1	0.1	0.1	251	5.37
11391	Drill Core	4.10	0.072	8.2	669.1	3.1	33	0.3	14.6	27.8	675	6.94	1.6	49.0	0.6	241	0.2	0.1	0.2	234	4.58
11392	Drill Core	4.61	0.035	1.7	280.7	2.4	28	0.2	15.1	23.5	709	6.48	1.6	23.2	0.7	207	<0.1	<0.1	0.1	257	3.84
11393	Drill Core	4.29	0.039	8.9	391.6	2.4	26	0.2	15.9	33.6	732	6.95	1.1	31.4	0.6	180	<0.1	0.1	0.1	245	3.74
11394	Drill Core	4.19	0.056	10.8	537.1	5.0	30	0.3	15.8	31.6	744	6.78	2.1	40.6	0.7	211	<0.1	0.1	0.2	232	4.75
11395	Drill Core	5.00	0.069	9.3	534.7	8.3	38	0.6	13.3	18.2	902	6.12	12.1	54.1	0.6	294	0.1	0.5	0.4	147	6.95
11396	Drill Core	5.36	0.071	6.1	359.6	3.4	44	0.3	14.0	27.8	782	6.05	2.8	45.5	0.6	259	0.3	0.3	0.2	218	5.79
11397	Drill Core	4.05	0.031	7.5	195.0	3.0	28	0.1	15.0	19.1	592	4.28	1.9	25.8	0.7	215	0.2	0.3	0.2	146	4.77
11398	Drill Core	4.54	0.055	11.9	537.7	5.9	54	0.3	94.0	26.0	732	5.06	8.2	40.0	1.5	286	0.3	0.5	0.2	114	5.18
11399	Drill Core	4.54	0.035	12.4	519.0	7.9	57	0.4	190.8	28.0	660	4.94	4.5	22.6	1.7	267	0.3	0.3	0.2	130	4.50
11400	Rock Pulp	0.11	0.224	9.3	5107	5.2	83	1.7	10.7	7.3	607	4.22	1.6	188.3	3.6	67	0.3	0.3	0.7	58	1.06
11401	Drill Core	4.36	0.051	9.5	672.2	3.9	46	0.3	93.0	29.5	682	4.98	4.7	38.5	1.5	281	0.2	0.3	0.3	128	4.66
11309	Drill Core	3.93	0.069	12.5	503.8	7.3	39	0.6	13.8	16.6	809	5.62	9.4	51.7	0.6	269	0.2	0.4	0.4	146	6.23
11402	Drill Core	4.82	0.030	3.5	140.2	3.5	42	0.3	86.4	26.7	751	6.47	5.5	21.2	0.9	236	<0.1	0.3	0.7	168	4.12
11403	Drill Core	4.15	0.100	4.4	218.3	1.8	37	0.4	14.7	24.8	680	5.85	4.3	75.1	0.8	188	<0.1	0.3	0.8	159	4.44
11404	Drill Core	4.52	0.044	3.5	227.4	1.4	38	0.5	18.8	19.8	993	5.07	4.3	32.8	1.3	214	0.1	0.4	0.4	151	5.76
11405	Drill Core	4.59	0.040	4.7	269.8	1.7	38	0.5	20.8	24.1	961	5.73	4.1	31.1	1.3	203	<0.1	0.3	0.3	184	4.22
11406	Drill Core	4.58	0.081	12.3	414.2	1.8	45	1.0	35.1	29.0	791	5.06	4.0	69.9	1.7	188	0.2	0.3	0.4	194	3.95
11407	Drill Core	4.73	0.028	8.4	187.9	1.6	37	0.4	21.8	29.5	783	4.89	4.9	18.9	1.8	145	<0.1	0.3	0.5	177	3.79

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11307	Drill Core	0.136	11	43	2.08	31	0.004	8	1.83	0.105	0.33	<0.1	0.11	22.2	<0.1	4.44	5	5.2	0.6
11380	Rock Pulp	0.068	12	17	0.64	177	0.078	4	1.06	0.060	0.41	0.1	0.09	4.4	0.1	0.33	7	3.5	0.4
11381	Drill Core	0.153	11	17	1.92	29	0.019	9	2.25	0.132	0.34	<0.1	0.06	19.9	<0.1	4.08	6	6.1	0.3
11382	Drill Core	0.161	11	26	2.60	36	0.099	6	2.81	0.149	0.22	<0.1	0.07	21.9	<0.1	3.37	9	4.9	0.2
11383	Drill Core	0.158	10	27	2.80	36	0.110	7	3.14	0.172	0.18	<0.1	0.06	21.3	<0.1	3.33	10	2.2	0.3
11384	Drill Core	0.168	11	26	2.74	46	0.115	3	3.01	0.189	0.13	<0.1	0.11	22.6	<0.1	3.56	9	2.7	0.4
11385	Rock	0.090	4	50	1.00	19	0.224	15	3.80	1.108	0.18	<0.1	<0.01	5.8	<0.1	0.07	9	<0.5	<0.2
11386	Drill Core	0.167	11	26	2.72	41	0.135	3	2.99	0.221	0.12	<0.1	0.12	24.1	<0.1	3.84	8	2.3	0.2
11308 DUP 11382 REJECT	Drill Core	0.174	12	27	2.77	40	0.100	4	2.95	0.158	0.24	<0.1	0.06	23.1	<0.1	3.77	9	5.6	0.3
11387	Drill Core	0.173	11	24	2.10	44	0.052	6	2.74	0.166	0.21	<0.1	0.18	21.8	<0.1	4.68	8	6.0	0.4
11388	Drill Core	0.168	11	18	2.20	44	0.039	6	2.57	0.114	0.24	<0.1	0.20	17.5	<0.1	4.08	8	4.0	0.5
11389	Drill Core	0.168	11	34	2.23	49	0.105	5	2.42	0.154	0.17	<0.1	0.10	22.8	<0.1	3.88	8	4.0	0.2
11391	Drill Core	0.161	9	27	2.35	39	0.066	1	2.47	0.120	0.16	<0.1	0.11	21.0	<0.1	4.39	8	5.4	0.4
11392	Drill Core	0.160	9	38	3.02	48	0.207	2	2.76	0.134	0.17	<0.1	0.08	23.4	<0.1	3.38	10	2.2	<0.2
11393	Drill Core	0.162	9	25	3.28	41	0.186	3	2.71	0.095	0.20	<0.1	0.09	19.3	<0.1	3.64	10	3.7	0.3
11394	Drill Core	0.167	11	30	2.71	43	0.094	6	2.73	0.099	0.17	<0.1	0.19	19.7	<0.1	4.13	10	3.3	0.4
11395	Drill Core	0.156	12	17	1.38	54	0.008	5	2.09	0.099	0.32	<0.1	0.34	14.4	0.1	4.76	7	4.4	1.0
11396	Drill Core	0.158	11	27	1.81	55	0.021	5	2.40	0.120	0.24	<0.1	0.27	18.4	<0.1	3.87	8	4.6	0.3
11397	Drill Core	0.139	10	17	1.27	50	0.015	8	1.84	0.103	0.26	<0.1	0.15	11.4	0.1	2.97	6	4.4	0.3
11398	Drill Core	0.146	13	98	2.35	71	0.032	15	2.78	0.097	0.64	<0.1	0.13	12.4	0.2	2.46	8	2.9	0.3
11399	Drill Core	0.156	13	160	3.14	74	0.108	11	2.51	0.130	0.65	<0.1	0.08	11.8	0.2	2.13	8	3.9	0.2
11400	Rock Pulp	0.065	10	17	0.60	163	0.069	<1	0.99	0.058	0.39	0.1	0.07	4.1	<0.1	0.32	6	3.3	0.5
11401	Drill Core	0.141	12	83	2.48	61	0.054	10	2.52	0.122	0.53	<0.1	0.15	12.0	0.3	2.40	8	2.7	0.5
11309	Drill Core	0.144	11	18	1.38	50	0.010	8	2.05	0.097	0.30	<0.1	0.33	14.0	0.1	4.21	7	4.2	0.8
11402	Drill Core	0.125	9	57	2.83	42	0.094	14	3.22	0.217	0.24	0.4	0.15	15.2	0.2	2.26	9	0.9	0.6
11403	Drill Core	0.104	9	24	1.36	34	0.053	6	2.25	0.093	0.24	<0.1	0.29	15.8	0.2	2.76	7	1.9	1.7
11404	Drill Core	0.117	9	39	2.04	97	0.127	10	2.80	0.281	0.22	0.2	0.09	14.8	0.1	1.46	8	1.2	0.7
11405	Drill Core	0.124	8	48	2.68	59	0.170	5	3.44	0.642	0.18	0.3	0.08	21.7	0.2	1.76	10	1.8	0.8
11406	Drill Core	0.145	12	60	2.67	57	0.195	1	2.78	0.472	0.12	0.3	0.11	17.7	0.2	2.02	9	1.6	1.3
11407	Drill Core	0.143	9	51	2.47	54	0.147	2	2.17	0.124	0.06	0.3	0.28	16.1	0.2	2.06	8	2.1	1.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11489	Rock	2.92	<0.005	0.4	102.0	2.5	49	<0.1	82.0	26.3	742	3.66	1.2	0.9	0.5	147	<0.1	<0.1	<0.1	143	7.52
11310 DUP 11406 REJECT	Drill Core		0.063	11.9	249.5	1.9	43	0.8	37.2	31.1	827	5.27	4.1	61.1	1.8	190	0.1	0.3	0.4	196	4.08
11408	Drill Core	4.45	0.013	0.9	247.3	1.4	44	0.5	18.1	17.4	858	3.91	3.2	6.7	1.2	162	<0.1	0.3	0.2	138	4.59
11409	Drill Core	4.73	0.093	13.5	83.4	2.9	39	0.2	20.1	54.8	850	4.96	5.9	57.8	0.9	200	0.1	0.5	0.6	162	2.49
11411	Drill Core	4.35	0.047	1.5	94.3	2.9	39	0.4	13.1	25.7	818	3.94	3.5	32.5	0.7	190	<0.1	0.2	0.3	129	2.19
11412	Drill Core	4.19	0.042	6.0	94.8	1.8	36	0.2	14.2	40.6	806	4.28	3.5	43.3	0.9	220	<0.1	0.4	0.4	127	2.07
11413	Drill Core	4.17	0.039	1.2	36.3	1.4	31	0.1	24.4	35.0	971	4.25	3.1	34.0	0.6	231	<0.1	0.2	0.3	140	1.65
11414	Drill Core	4.44	0.053	11.0	56.4	1.9	35	0.1	21.2	43.2	656	3.80	5.9	32.3	1.4	251	<0.1	0.4	0.4	143	2.60
11415	Drill Core	3.17	<0.005	0.3	95.1	2.3	52	<0.1	83.6	27.7	733	3.69	1.2	<0.5	0.5	136	0.1	<0.1	<0.1	145	7.75
11416	Drill Core	4.23	0.011	6.4	40.9	13.0	51	<0.1	170.9	23.5	804	3.16	2.1	6.3	2.9	555	<0.1	0.1	<0.1	123	2.95
11417	Drill Core	3.98	0.028	1.0	118.7	5.9	39	0.3	58.2	21.7	805	3.16	3.1	15.0	1.4	350	<0.1	0.2	0.1	115	2.09
11418	Drill Core	4.31	0.031	0.3	84.9	2.1	29	0.2	18.3	18.6	829	3.57	3.5	16.9	0.4	215	<0.1	0.4	0.2	110	1.46
11419	Drill Core	4.77	0.027	0.1	66.6	1.6	34	0.1	18.1	25.2	894	4.26	2.9	16.8	0.3	201	<0.1	0.4	0.1	140	1.57
11421	Drill Core	3.77	0.021	5.3	80.2	2.3	34	0.2	15.6	37.7	699	3.60	5.5	16.8	0.6	302	<0.1	0.7	0.3	101	2.08
11422	Drill Core	4.05	0.026	4.1	48.3	2.0	32	0.1	13.0	29.4	788	3.59	4.5	20.0	0.7	337	<0.1	0.6	0.4	89	2.00
11423	Drill Core	3.86	0.054	1.4	30.9	2.8	32	0.1	15.9	53.7	721	4.61	8.0	44.6	0.5	307	<0.1	0.5	0.5	144	2.68
11424	Drill Core	4.40	0.030	0.3	59.9	2.5	33	<0.1	16.0	23.3	676	4.09	4.4	22.9	0.4	304	<0.1	0.4	0.3	147	2.30
11490	Drill Core	4.00	0.035	1.3	115.1	6.0	42	0.3	53.9	25.8	910	3.77	3.9	20.3	1.3	376	0.1	0.3	0.2	129	2.42
11425	Drill Core	3.52	0.049	0.6	25.7	2.1	32	<0.1	16.3	34.9	742	3.69	3.8	36.4	0.7	193	<0.1	0.2	0.4	136	2.11
11426	Drill Core	4.85	0.048	2.0	53.0	2.5	38	0.1	13.8	34.7	813	4.22	4.9	43.4	0.7	391	<0.1	0.3	0.5	119	2.90
11427	Drill Core	3.86	0.011	0.6	28.5	2.7	41	<0.1	12.5	15.0	856	3.69	3.6	4.4	0.6	700	<0.1	0.4	0.1	98	3.53
11428	Drill Core	4.27	0.023	0.3	47.5	1.9	42	0.1	13.2	17.6	952	4.14	5.4	19.6	0.5	541	<0.1	0.4	0.2	115	2.54
11429	Drill Core	4.67	0.023	1.0	90.3	1.7	35	0.2	13.3	14.1	872	4.87	3.9	12.8	0.3	397	<0.1	0.3	<0.1	187	2.97
11430	Rock Pulp	0.11	0.227	10.7	5389	5.7	89	1.9	11.4	7.8	616	4.33	2.8	209.3	4.3	65	0.4	0.3	0.7	62	1.06
11431	Drill Core	2.67	0.027	2.3	139.1	2.5	41	0.4	25.0	22.2	950	4.97	3.7	16.0	1.0	335	0.1	0.2	<0.1	224	3.25
11491 DUP 11425 REJECT	Drill Core		0.045	0.7	27.4	2.0	32	<0.1	16.5	37.3	772	3.82	3.6	38.4	0.6	207	<0.1	0.2	0.4	148	2.11
11432	Drill Core	4.11	0.017	10.7	133.7	2.5	75	0.3	23.0	23.5	1065	4.83	3.6	0.6	2.0	250	0.2	0.3	0.1	213	4.52
11433	Drill Core	3.36	0.095	1.7	244.2	5.6	363	0.8	16.8	29.6	1541	6.14	9.2	67.4	0.8	218	2.3	0.2	0.4	189	3.05
11434	Drill Core	4.09	0.331	2.0	83.8	8.1	708	0.8	10.8	17.8	1566	5.47	12.5	260.2	0.8	179	6.1	0.2	0.4	167	3.67
11435	Rock	3.20	0.007	0.3	101.1	2.2	51	<0.1	83.5	25.7	693	3.50	1.6	3.9	0.4	127	<0.1	<0.1	<0.1	144	6.32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11489	Rock	0.089	4	48	1.00	17	0.217	10	3.69	1.103	0.13	<0.1	0.01	5.4	<0.1	0.14	8	<0.5	<0.2
11310 DUP 11406 REJECT	Drill Core	0.140	12	60	2.74	54	0.186	4	2.80	0.476	0.11	0.3	0.13	18.1	0.2	2.12	8	2.1	1.0
11408	Drill Core	0.135	9	31	2.41	105	0.144	2	2.07	0.137	0.04	0.3	0.06	12.9	0.2	1.02	8	1.6	0.2
11409	Drill Core	0.106	6	36	3.45	35	0.195	<1	2.77	0.464	0.04	0.4	0.18	14.4	0.2	1.99	8	1.9	1.3
11411	Drill Core	0.117	4	23	3.66	24	0.189	<1	2.87	0.563	0.05	0.6	0.24	14.2	<0.1	1.13	8	<0.5	1.0
11412	Drill Core	0.111	5	29	3.37	20	0.192	<1	2.38	0.380	0.03	0.4	0.15	11.7	0.2	1.52	7	1.4	0.9
11413	Drill Core	0.098	4	36	3.80	47	0.207	<1	3.93	1.486	0.06	0.2	0.05	13.5	<0.1	1.43	8	0.5	0.8
11414	Drill Core	0.159	7	43	3.06	24	0.221	<1	1.96	0.281	0.03	0.3	0.04	13.3	<0.1	1.59	6	1.8	1.1
11415	Drill Core	0.085	4	47	0.96	16	0.225	10	3.80	1.195	0.15	<0.1	0.01	5.4	<0.1	0.10	8	<0.5	<0.2
11416	Drill Core	0.248	23	122	3.72	1651	0.217	13	2.37	0.339	0.75	0.1	0.02	6.2	0.3	0.19	6	<0.5	<0.2
11417	Drill Core	0.142	11	63	3.13	442	0.194	7	2.17	0.318	0.32	0.2	0.01	10.0	0.2	0.55	6	<0.5	0.4
11418	Drill Core	0.096	3	29	2.37	37	0.201	5	2.38	0.645	0.04	0.3	0.01	11.7	<0.1	0.92	6	<0.5	0.5
11419	Drill Core	0.092	2	28	2.02	105	0.182	7	2.59	0.523	0.04	0.3	0.02	8.8	0.1	1.11	7	<0.5	0.4
11421	Drill Core	0.121	4	21	1.94	101	0.181	3	2.01	0.377	0.04	0.4	0.02	8.3	0.1	1.39	6	<0.5	0.6
11422	Drill Core	0.114	5	21	2.19	42	0.192	4	2.05	0.398	0.02	0.3	0.02	8.0	0.1	1.91	6	0.6	0.6
11423	Drill Core	0.109	4	28	1.96	56	0.220	5	2.30	0.514	0.04	0.5	0.03	12.7	0.1	2.52	7	0.9	1.5
11424	Drill Core	0.112	3	24	2.02	83	0.233	5	2.20	0.199	0.03	0.5	0.02	10.5	<0.1	1.63	8	<0.5	0.7
11490	Drill Core	0.145	10	62	3.46	244	0.238	6	2.46	0.352	0.28	0.4	0.01	13.0	0.2	0.79	6	<0.5	0.4
11425	Drill Core	0.103	4	24	1.83	64	0.200	6	2.34	0.582	0.05	0.4	0.03	11.5	<0.1	1.60	8	0.7	1.2
11426	Drill Core	0.116	5	20	1.75	21	0.218	3	1.90	0.265	0.04	0.4	0.02	10.7	<0.1	1.49	7	0.6	0.9
11427	Drill Core	0.118	5	13	2.12	16	0.233	4	2.18	0.139	0.02	0.4	0.02	8.7	<0.1	0.75	8	<0.5	0.2
11428	Drill Core	0.110	4	17	2.27	19	0.251	5	2.43	0.230	0.04	0.4	0.03	12.0	<0.1	0.92	8	<0.5	0.2
11429	Drill Core	0.096	3	17	2.05	82	0.257	9	2.73	0.147	0.05	0.4	0.05	16.4	0.1	0.75	8	<0.5	<0.2
11430	Rock Pulp	0.067	11	16	0.62	174	0.074	4	1.00	0.059	0.40	0.1	0.07	4.2	0.1	0.31	7	3.5	0.3
11431	Drill Core	0.116	8	30	2.55	322	0.249	10	3.09	0.356	0.11	0.3	0.04	19.3	<0.1	0.39	9	<0.5	0.2
11491 DUP 11425 REJECT	Drill Core	0.117	4	24	1.96	87	0.210	7	2.51	0.679	0.06	0.4	0.02	11.9	<0.1	1.59	8	1.0	1.1
11432	Drill Core	0.153	11	54	2.65	293	0.227	14	2.94	0.511	0.14	0.3	0.01	11.7	0.2	0.69	10	1.8	<0.2
11433	Drill Core	0.101	5	41	2.77	191	0.231	5	2.83	0.194	0.17	0.4	0.03	12.8	<0.1	0.95	10	<0.5	<0.2
11434	Drill Core	0.102	6	24	2.35	124	0.208	3	2.52	0.145	0.12	0.5	0.09	12.9	<0.1	1.34	8	<0.5	0.3
11435	Rock	0.085	4	48	0.94	18	0.213	14	3.35	1.026	0.13	<0.1	0.01	5.4	<0.1	0.18	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11436	Drill Core	3.65	0.056	0.6	145.7	3.9	172	0.6	16.0	26.6	1412	5.55	5.9	54.4	0.9	199	0.9	0.2	0.2	189	3.61
11437	Drill Core	4.65	0.027	0.2	95.6	2.3	178	0.3	14.4	20.2	1044	5.14	2.1	24.0	0.5	249	0.9	0.1	<0.1	177	2.89
11438	Drill Core	3.69	0.005	1.1	15.3	4.8	74	<0.1	67.3	26.4	849	4.71	2.4	4.1	1.3	361	<0.1	0.2	<0.1	149	2.34
11492	Drill Core	4.62	0.010	0.2	35.6	2.0	136	0.2	14.3	19.9	1069	5.34	1.7	11.4	0.5	238	0.5	0.1	<0.1	172	2.73
11439	Drill Core	4.14	<0.005	0.4	31.9	12.7	64	<0.1	232.5	28.0	843	3.77	2.9	<0.5	3.1	501	<0.1	0.2	<0.1	131	2.32
11441	Drill Core	3.68	<0.005	1.0	52.0	9.2	87	0.9	205.7	35.3	1055	4.83	4.0	0.7	2.2	387	0.3	0.2	<0.1	164	2.48
11442	Drill Core	3.62	0.042	3.0	415.3	21.8	328	2.3	73.9	31.9	2046	7.57	21.2	37.3	1.5	283	2.3	0.3	0.9	186	2.41
11443	Drill Core	6.01	0.038	2.3	217.5	6.3	107	1.3	15.3	27.1	1676	7.08	18.3	30.3	0.6	89	0.5	0.2	1.4	187	2.53
11444	Drill Core	4.99	0.157	2.0	708.0	24.2	281	4.9	16.2	47.7	2370	9.62	34.2	190.8	0.5	88	1.8	0.3	4.0	204	2.83
11445	Drill Core	4.13	0.009	0.5	81.8	2.9	67	0.3	15.3	24.5	1775	6.10	6.3	6.6	0.6	95	<0.1	<0.1	0.3	191	3.87
11446	Drill Core	4.21	0.176	1.2	122.6	74.3	167	1.5	12.1	23.4	1601	5.58	12.0	141.1	0.6	95	0.7	0.1	0.4	169	4.48
11493 DUP 11445 REJECT	Drill Core		0.009	0.5	76.6	2.6	67	0.3	14.5	23.0	1709	5.95	5.9	8.5	0.6	91	<0.1	<0.1	0.3	177	3.73
11447	Drill Core	4.84	0.103	2.3	191.1	120.9	201	2.7	10.4	27.6	1901	6.46	51.5	61.7	0.5	83	0.9	0.5	2.2	151	3.54
11448	Drill Core	4.29	0.030	1.8	96.9	13.0	92	0.3	12.4	31.6	1570	5.59	8.2	24.2	0.5	96	0.1	0.1	<0.1	175	4.38
11449	Drill Core	4.31	0.021	0.2	10.0	15.7	108	0.1	13.5	32.8	1668	5.66	11.4	13.3	0.5	141	0.2	0.2	0.2	128	3.76
11450	Rock Pulp	0.11	<0.005	2.4	19.1	1.9	29	0.4	17.1	8.2	262	1.70	2.8	1.9	0.9	30	0.2	0.2	<0.1	34	0.61
11451	Drill Core	4.14	0.036	0.3	37.0	95.6	181	0.3	13.4	35.2	1736	5.50	11.2	25.5	0.6	146	0.7	0.1	0.1	138	4.65
11452	Drill Core	4.27	0.020	0.3	72.1	12.4	105	0.4	14.0	31.3	1702	5.37	9.8	10.7	0.6	178	0.4	0.1	0.2	154	4.30
11453	Drill Core	5.55	0.036	0.4	119.2	4.2	75	0.5	13.4	33.0	1494	4.97	8.6	24.9	0.5	146	0.1	0.1	<0.1	120	3.65
11454	Drill Core	5.31	0.069	0.7	40.4	2.1	56	0.2	12.1	18.1	1563	4.19	2.3	41.4	0.5	162	<0.1	<0.1	<0.1	142	3.54
11455	Rock	3.09	0.006	0.3	89.5	2.2	46	<0.1	80.0	25.3	695	3.27	1.2	6.3	0.4	133	<0.1	<0.1	<0.1	109	6.46
11456	Drill Core	4.46	0.014	0.6	81.5	7.2	80	0.2	13.6	25.0	1450	4.96	5.4	13.2	0.6	158	0.3	0.2	<0.1	121	3.64
11457	Drill Core	3.71	0.040	1.6	122.1	25.6	139	0.8	12.9	24.8	1494	5.32	15.0	25.6	0.6	130	0.5	0.2	0.2	148	4.68
11458	Drill Core	3.39	0.034	1.0	162.7	6.9	49	0.7	13.0	30.5	1396	5.59	7.8	27.4	0.6	112	0.1	0.3	0.3	169	3.78
11459	Drill Core	4.51	0.019	0.7	66.9	8.1	57	0.4	13.2	23.4	1430	5.04	6.4	28.1	0.6	133	0.1	<0.1	0.2	132	4.12
11461	Drill Core	3.70	0.009	0.5	128.8	1.2	59	0.3	12.7	25.6	1340	4.47	2.7	7.1	0.5	135	<0.1	<0.1	<0.1	109	3.38
11462	Drill Core	2.89	0.007	0.1	31.8	1.0	60	<0.1	13.3	25.1	1424	4.51	1.9	5.9	0.4	140	<0.1	<0.1	<0.1	110	3.50
11494	Drill Core	4.44	0.035	1.5	120.6	26.4	124	0.8	13.2	24.9	1466	5.23	14.5	25.3	0.6	128	0.4	0.3	0.2	135	4.45
11463	Drill Core	3.14	0.009	4.1	157.9	1.5	52	0.4	10.0	30.3	1248	4.43	2.8	8.9	1.0	97	<0.1	<0.1	0.1	113	3.60
11464	Drill Core	2.47	0.008	0.5	84.3	1.2	55	0.3	9.0	31.1	1208	4.72	2.2	<0.5	0.7	149	<0.1	<0.1	<0.1	114	3.14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11436	Drill Core	0.101	5	38	2.55	246	0.229	2	2.63	0.186	0.11	0.4	0.01	15.4	<0.1	0.91	10	<0.5	<0.2
11437	Drill Core	0.092	4	27	2.29	96	0.238	12	2.12	0.141	0.07	0.3	0.02	10.3	<0.1	0.35	8	<0.5	<0.2
11438	Drill Core	0.137	11	53	2.96	676	0.219	8	2.22	0.215	0.33	0.3	<0.01	8.3	0.2	0.26	7	<0.5	<0.2
11492	Drill Core	0.101	4	27	2.42	86	0.226	5	2.15	0.132	0.07	0.3	<0.01	9.7	<0.1	0.26	7	<0.5	<0.2
11439	Drill Core	0.221	24	110	4.56	2236	0.201	9	2.64	0.271	0.74	0.1	0.03	5.0	0.4	0.13	7	<0.5	<0.2
11441	Drill Core	0.179	17	96	4.30	1220	0.216	8	2.88	0.423	0.56	2.4	0.04	7.5	0.2	0.24	8	<0.5	<0.2
11442	Drill Core	0.166	14	71	3.84	64	0.148	4	3.57	0.214	0.50	0.5	0.05	12.3	0.2	1.69	10	<0.5	0.6
11443	Drill Core	0.101	6	34	2.40	75	0.095	2	2.99	0.069	0.15	0.4	0.03	13.2	0.1	2.26	10	<0.5	0.8
11444	Drill Core	0.102	7	38	2.97	35	0.086	2	3.86	0.069	0.13	0.9	0.08	17.0	0.2	3.63	12	0.9	3.0
11445	Drill Core	0.102	5	34	2.49	30	0.138	1	3.00	0.043	0.09	0.4	<0.01	14.4	<0.1	1.01	10	<0.5	0.3
11446	Drill Core	0.100	6	22	1.93	54	0.115	2	2.64	0.049	0.13	0.3	0.03	11.4	<0.1	1.11	9	<0.5	0.8
11493 DUP 11445 REJECT	Drill Core	0.099	5	34	2.41	30	0.134	1	2.94	0.043	0.09	0.4	0.01	13.8	<0.1	0.96	9	<0.5	0.3
11447	Drill Core	0.094	8	17	2.05	29	0.036	2	2.91	0.077	0.14	0.3	0.05	9.0	<0.1	2.09	10	<0.5	1.6
11448	Drill Core	0.091	5	22	2.28	42	0.110	1	2.78	0.061	0.13	0.1	0.04	10.6	<0.1	0.87	8	<0.5	0.4
11449	Drill Core	0.090	4	23	2.52	66	0.158	3	2.99	0.041	0.13	0.3	0.14	11.6	<0.1	0.75	8	<0.5	0.2
11450	Rock Pulp	0.041	4	20	0.44	74	0.096	3	0.99	0.054	0.06	14.8	0.01	3.4	<0.1	<0.05	3	<0.5	<0.2
11451	Drill Core	0.093	4	26	2.42	45	0.209	2	3.07	0.089	0.08	0.4	0.08	15.6	<0.1	0.88	8	<0.5	<0.2
11452	Drill Core	0.098	4	29	2.56	86	0.205	2	3.06	0.083	0.07	0.3	0.05	17.2	<0.1	1.11	8	<0.5	0.2
11453	Drill Core	0.087	4	29	2.32	104	0.188	5	2.67	0.116	0.05	0.3	0.04	15.9	<0.1	0.76	7	<0.5	<0.2
11454	Drill Core	0.092	4	26	2.14	32	0.188	2	2.47	0.137	0.05	0.3	<0.01	14.4	<0.1	0.17	7	<0.5	<0.2
11455	Rock	0.076	3	42	0.89	16	0.207	11	3.35	1.012	0.12	<0.1	<0.01	4.7	<0.1	0.07	7	<0.5	<0.2
11456	Drill Core	0.103	5	25	2.11	46	0.178	2	2.64	0.188	0.07	0.3	0.07	15.9	0.1	1.54	8	<0.5	0.3
11457	Drill Core	0.104	5	27	1.95	72	0.150	3	2.97	0.298	0.14	0.3	0.08	14.2	0.1	1.59	8	<0.5	0.3
11458	Drill Core	0.101	5	26	1.85	59	0.161	2	2.62	0.166	0.11	0.3	0.12	14.8	0.3	2.15	8	<0.5	0.2
11459	Drill Core	0.110	6	25	2.12	67	0.177	2	2.89	0.109	0.08	0.4	0.04	14.1	<0.1	0.96	8	0.5	0.3
11461	Drill Core	0.104	4	22	2.15	39	0.156	<1	2.53	0.057	0.06	0.3	0.02	12.1	<0.1	0.39	7	<0.5	<0.2
11462	Drill Core	0.094	3	26	2.54	21	0.182	3	2.77	0.041	0.06	0.2	0.02	12.4	<0.1	0.29	6	<0.5	0.2
11494	Drill Core	0.096	5	25	1.90	50	0.153	4	2.95	0.278	0.14	0.5	0.06	13.9	0.1	1.64	8	<0.5	0.3
11463	Drill Core	0.107	8	17	1.85	29	0.152	<1	2.35	0.052	0.08	0.3	0.02	9.0	<0.1	0.47	8	<0.5	0.2
11464	Drill Core	0.106	6	13	2.08	20	0.206	2	2.34	0.046	0.04	0.5	0.02	9.5	<0.1	0.40	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11465	Drill Core	2.62	0.007	0.3	96.3	1.0	48	0.1	9.8	20.0	1021	4.57	0.8	6.1	0.5	188	<0.1	<0.1	<0.1	118	3.11
11466	Drill Core	3.66	0.040	1.8	135.6	19.3	127	0.9	10.6	25.1	1517	5.54	15.0	25.3	0.5	128	0.4	0.2	0.5	128	3.52
11467	Drill Core	3.96	0.038	3.3	117.7	18.7	177	0.8	15.7	25.9	1445	4.68	13.1	18.7	0.8	138	0.6	0.3	0.2	166	4.84
11468	Drill Core	4.37	<0.005	0.3	64.4	1.5	47	0.3	18.3	26.1	1414	5.04	3.2	1.8	0.5	154	<0.1	0.2	<0.1	144	3.74
11469	Drill Core	4.56	0.005	0.2	60.2	0.6	51	0.2	18.1	25.9	1286	5.31	1.7	6.8	0.5	180	<0.1	<0.1	<0.1	152	2.97
11495 DUP 11465 REJECT	Drill Core		0.008	0.2	97.0	1.2	49	0.1	10.3	20.7	1077	4.77	0.7	7.6	0.5	198	<0.1	<0.1	<0.1	122	3.25
11470	Rock Pulp	0.11	<0.005	2.4	18.3	1.8	27	0.4	15.7	7.7	254	1.63	2.6	3.7	0.7	28	0.1	0.2	0.1	33	0.62
11471	Drill Core	4.58	0.024	0.6	84.4	5.8	75	0.4	20.3	24.1	1292	5.28	4.6	10.5	0.6	205	0.3	0.1	0.2	150	3.67
11472	Drill Core	4.21	0.015	0.3	186.6	2.8	65	0.5	15.9	23.9	1266	5.15	3.2	10.8	0.4	162	<0.1	<0.1	<0.1	166	3.92
11473	Drill Core	4.72	0.037	2.4	81.9	3.4	51	0.2	16.8	22.5	1140	4.33	3.5	2.4	1.2	123	<0.1	0.1	0.3	139	3.99
11474	Drill Core	4.48	0.110	4.2	119.3	10.9	89	0.6	17.4	22.2	1158	4.73	6.8	8.5	1.1	97	0.4	0.2	1.7	133	4.08
11475	Rock	3.30	<0.005	0.2	86.8	2.0	46	<0.1	78.4	24.6	672	3.20	1.1	<0.5	0.4	131	<0.1	<0.1	<0.1	110	6.62
11476	Drill Core	5.01	0.094	1.7	184.7	79.6	263	1.1	20.5	31.5	1425	6.55	11.2	63.4	0.8	108	1.3	0.3	1.4	215	4.98
11477	Drill Core	4.80	0.037	3.1	115.3	41.7	308	1.0	17.4	25.3	1630	6.36	13.1	18.1	0.9	95	2.0	0.2	0.7	170	4.30
11478	Drill Core	4.16	0.175	3.0	118.5	40.1	154	1.1	18.3	23.5	1281	5.76	8.5	65.5	1.0	96	0.6	0.2	1.1	165	5.00
11479	Drill Core	4.35	0.140	8.2	192.1	184.6	822	2.7	17.2	30.9	1226	6.83	21.1	67.7	0.9	70	3.3	0.8	2.0	152	3.50
11481	Drill Core	4.00	0.053	5.0	201.1	63.6	222	1.7	19.9	35.1	1358	8.08	15.8	47.2	0.7	97	0.8	0.5	2.2	202	4.83
11482	Drill Core	4.44	0.016	1.8	70.2	21.7	91	0.4	23.7	37.2	1524	6.95	10.3	18.1	0.7	115	0.2	0.3	0.4	235	5.04
11483	Drill Core	4.22	0.017	0.2	100.7	3.4	59	0.2	22.0	24.0	1347	5.69	5.9	15.0	0.6	139	<0.1	<0.1	<0.1	212	4.77
11484	Drill Core	4.93	0.008	0.2	23.7	3.6	67	<0.1	24.3	32.2	1493	6.13	2.6	10.1	0.6	161	<0.1	0.2	<0.1	198	4.81
11485	Drill Core	4.14	0.005	0.3	46.9	1.3	63	<0.1	26.5	25.0	1798	6.47	1.2	2.0	0.6	117	<0.1	0.2	<0.1	229	5.08
11486	Drill Core	3.72	0.005	1.4	57.1	7.5	73	0.3	23.9	25.8	1910	5.85	4.5	3.8	0.7	117	0.1	0.2	<0.1	229	6.18
11496	Drill Core	4.53	0.027	0.3	100.5	3.7	68	0.2	21.4	23.5	1482	6.37	5.9	30.3	0.8	136	<0.1	0.2	<0.1	212	4.98
11501	Drill Core	3.01	<0.005	2.2	59.5	5.1	131	0.3	16.5	24.9	1740	5.76	4.0	4.3	0.9	148	0.4	0.1	<0.1	222	5.12
11502	Drill Core	2.28	0.210	0.6	156.6	10.9	323	1.6	19.8	31.1	2030	6.97	4.7	327.6	0.7	156	1.9	0.1	0.2	223	4.47
11503	Drill Core	3.58	<0.005	0.3	81.7	2.2	91	0.2	20.0	27.0	1708	6.38	1.6	<0.5	0.7	122	<0.1	<0.1	<0.1	226	3.88
11504	Drill Core	3.25	<0.005	1.9	97.7	7.1	98	0.3	11.9	26.7	1632	5.15	1.0	5.3	0.9	132	0.7	<0.1	<0.1	191	4.56
11505	Drill Core	3.54	<0.005	0.4	55.4	2.4	88	<0.1	15.8	25.8	1637	5.88	1.1	6.1	0.7	106	<0.1	<0.1	<0.1	204	3.99
11506	Drill Core	3.99	<0.005	0.4	20.2	2.1	76	<0.1	14.5	25.0	1065	5.04	0.5	4.7	0.6	357	<0.1	<0.1	<0.1	170	1.88
11507	Drill Core	3.15	<0.005	0.2	7.0	2.1	82	<0.1	15.3	27.1	1102	5.36	1.0	4.9	0.6	344	<0.1	0.1	<0.1	176	1.57

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11465	Drill Core	0.104	5	15	2.18	18	0.174	<1	2.08	0.054	0.04	0.2	0.02	10.0	<0.1	0.07	7	<0.5	<0.2
11466	Drill Core	0.096	6	18	2.29	23	0.114	5	2.70	0.036	0.11	0.2	0.06	11.2	<0.1	1.28	8	<0.5	0.5
11467	Drill Core	0.095	6	35	2.00	105	0.216	2	2.35	0.079	0.10	0.3	0.13	15.8	0.2	0.86	7	<0.5	0.2
11468	Drill Core	0.090	4	43	2.26	91	0.210	3	2.06	0.076	0.04	0.4	0.13	16.7	0.1	0.38	6	0.7	<0.2
11469	Drill Core	0.103	4	38	2.31	23	0.191	2	2.04	0.093	0.05	0.3	0.02	12.4	<0.1	0.13	6	<0.5	<0.2
11495 DUP 11465 REJECT	Drill Core	0.107	6	16	2.28	18	0.181	1	2.20	0.057	0.04	0.2	0.02	10.6	<0.1	0.07	7	<0.5	<0.2
11470	Rock Pulp	0.039	4	18	0.43	68	0.091	2	0.95	0.052	0.05	13.8	0.02	2.9	0.2	<0.05	3	<0.5	<0.2
11471	Drill Core	0.109	5	47	2.52	26	0.223	<1	2.34	0.096	0.05	0.4	0.07	15.2	<0.1	0.31	7	<0.5	0.2
11472	Drill Core	0.090	4	32	2.52	22	0.219	2	2.21	0.067	0.04	0.3	0.02	19.3	<0.1	0.15	7	<0.5	0.3
11473	Drill Core	0.107	8	31	1.93	27	0.180	2	2.00	0.057	0.05	0.4	0.12	13.1	0.1	0.58	8	<0.5	<0.2
11474	Drill Core	0.106	8	34	1.67	38	0.105	1	2.04	0.042	0.07	0.5	0.14	11.0	0.2	1.51	8	<0.5	1.1
11475	Rock	0.072	3	46	0.87	14	0.209	11	3.24	0.966	0.12	<0.1	<0.01	4.6	<0.1	0.09	7	<0.5	<0.2
11476	Drill Core	0.109	7	54	2.18	47	0.150	3	2.64	0.054	0.07	0.4	0.13	19.3	0.2	1.59	9	<0.5	1.4
11477	Drill Core	0.110	7	39	2.63	91	0.088	4	3.24	0.046	0.08	0.3	0.17	15.6	<0.1	1.16	9	<0.5	0.6
11478	Drill Core	0.110	7	48	2.04	30	0.155	4	2.47	0.043	0.06	0.5	0.14	14.9	0.2	1.24	9	0.6	1.0
11479	Drill Core	0.112	7	41	2.03	30	0.099	4	2.57	0.034	0.10	0.4	0.33	12.9	0.6	2.56	9	<0.5	1.2
11481	Drill Core	0.090	5	52	2.40	25	0.176	2	2.76	0.040	0.04	0.6	0.39	16.1	0.9	3.19	9	<0.5	1.6
11482	Drill Core	0.102	6	62	2.74	26	0.209	2	2.84	0.053	0.05	0.5	0.15	18.8	0.3	1.50	10	<0.5	<0.2
11483	Drill Core	0.093	4	59	2.70	16	0.216	1	2.59	0.056	0.03	0.2	0.03	16.0	<0.1	0.34	8	<0.5	<0.2
11484	Drill Core	0.097	5	63	2.96	24	0.197	<1	2.65	0.070	0.05	0.3	0.03	17.8	<0.1	0.23	8	<0.5	<0.2
11485	Drill Core	0.101	5	70	3.00	39	0.185	<1	2.28	0.095	0.09	0.3	0.06	17.2	<0.1	0.20	9	<0.5	<0.2
11486	Drill Core	0.109	6	74	2.87	39	0.194	2	2.41	0.093	0.10	0.3	0.10	20.6	<0.1	0.46	9	0.5	<0.2
11496	Drill Core	0.101	5	61	2.95	21	0.208	<1	2.80	0.058	0.05	0.4	0.10	17.5	<0.1	0.43	9	<0.5	<0.2
11501	Drill Core	0.108	6	39	2.49	34	0.270	<1	2.74	0.070	0.06	0.2	0.02	17.7	<0.1	0.29	10	<0.5	<0.2
11502	Drill Core	0.092	5	57	3.17	113	0.251	<1	3.15	0.067	0.07	0.4	0.10	21.6	<0.1	0.76	11	<0.5	0.2
11503	Drill Core	0.094	5	54	2.82	33	0.233	<1	2.66	0.083	0.08	0.8	0.02	18.5	<0.1	0.22	10	<0.5	<0.2
11504	Drill Core	0.109	7	27	2.40	35	0.242	<1	2.67	0.076	0.08	0.2	0.01	13.2	<0.1	0.15	10	1.3	<0.2
11505	Drill Core	0.100	5	42	2.66	33	0.212	<1	2.58	0.092	0.10	0.2	<0.01	15.8	<0.1	0.06	10	0.6	<0.2
11506	Drill Core	0.105	4	24	2.23	20	0.228	<1	2.22	0.110	0.06	0.2	<0.01	9.0	<0.1	<0.05	8	<0.5	<0.2
11507	Drill Core	0.113	4	25	2.33	20	0.220	<1	2.20	0.107	0.06	0.2	<0.01	9.0	<0.1	<0.05	8	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11497 DUP 11504 REJECT	Drill Core		<0.005	2.0	100.8	7.3	102	0.3	11.4	27.5	1692	5.40	1.0	3.8	0.9	136	0.8	<0.1	<0.1	199	4.87
11508	Drill Core	3.40	<0.005	0.2	9.3	1.6	91	<0.1	14.8	26.2	1468	5.72	0.9	4.1	0.7	234	<0.1	<0.1	<0.1	190	2.55
11509	Drill Core	3.71	0.023	0.8	316.5	3.3	103	0.9	15.3	31.1	1927	6.17	3.3	16.0	0.6	210	<0.1	<0.1	0.2	201	3.91
11510	Rock Pulp	0.11	0.230	11.7	5811	5.8	94	2.1	11.4	8.1	652	4.57	1.5	233.9	4.3	74	0.4	0.3	0.8	65	1.06
11511	Drill Core	3.83	0.008	0.2	88.5	2.0	88	0.2	12.2	27.0	1673	5.71	0.8	0.7	0.5	203	<0.1	<0.1	<0.1	181	4.16
11512	Drill Core	3.48	0.044	0.3	49.2	4.7	123	0.7	14.1	32.3	1815	6.73	6.3	37.3	0.6	248	0.3	<0.1	<0.1	208	4.21
11513	Drill Core	3.85	<0.005	0.2	92.2	1.9	73	0.2	12.6	21.6	1398	5.52	0.6	1.5	0.4	234	<0.1	<0.1	<0.1	181	3.17
11514	Drill Core	3.58	0.046	0.3	50.1	3.9	109	0.6	13.8	31.2	1671	6.63	3.7	33.0	0.5	249	0.2	0.1	<0.1	218	3.40
11498	Drill Core	4.94	<0.005	0.2	83.2	2.0	73	0.2	12.8	20.0	1432	5.78	<0.5	<0.5	0.5	232	<0.1	0.1	<0.1	187	3.07
11515	Rock	2.97	<0.005	0.3	102.8	2.4	52	<0.1	86.0	27.0	742	3.68	1.1	5.2	0.5	154	<0.1	<0.1	<0.1	146	7.76
11516	Drill Core	2.91	0.017	0.3	84.0	1.7	87	0.3	14.4	24.7	1472	6.08	0.8	3.6	0.5	292	<0.1	<0.1	<0.1	197	2.02
11517	Drill Core	3.67	0.015	0.2	74.5	2.2	74	0.1	13.5	22.3	1226	5.39	0.6	6.1	0.6	291	<0.1	0.1	<0.1	179	2.11
11518	Drill Core	4.00	0.015	1.1	83.2	3.0	125	0.4	12.7	29.4	1723	5.83	6.8	3.0	0.6	227	0.5	0.2	<0.1	180	2.98
11519	Drill Core	2.66	0.014	0.7	131.0	2.0	61	0.5	10.7	20.6	2222	5.39	4.2	1.5	1.1	110	<0.1	<0.1	0.1	146	4.57
11521	Drill Core	2.32	0.010	0.7	151.3	3.0	81	1.1	11.2	23.3	2440	6.93	8.4	1.4	0.8	102	<0.1	<0.1	0.2	206	4.22
11522	Drill Core	1.60	0.190	1.0	1042	11.5	94	7.9	11.0	32.2	2482	8.78	50.4	191.1	1.1	80	0.3	0.2	1.6	168	2.79
11523	Drill Core	3.72	0.015	0.4	134.7	2.9	89	1.1	14.2	31.2	2048	6.22	2.8	8.1	0.7	148	<0.1	<0.1	0.1	182	3.84
11524	Drill Core	4.44	0.017	1.1	104.9	4.3	109	0.9	18.4	32.1	2104	6.32	5.7	2.7	0.7	147	0.2	0.2	0.1	215	4.43
11525	Drill Core	3.63	0.026	0.7	109.3	8.6	136	1.3	20.3	37.3	2075	5.93	3.7	14.7	0.7	174	0.4	0.1	<0.1	206	4.79
11526	Drill Core	4.04	0.031	0.6	83.4	4.3	87	0.7	20.9	37.1	2251	6.81	4.5	13.2	0.8	146	<0.1	0.1	<0.1	234	5.04
11527	Drill Core	3.40	0.049	2.3	81.4	28.0	154	0.7	16.0	27.2	2183	6.73	15.3	33.1	0.7	114	0.6	0.2	<0.1	255	4.55
11528	Drill Core	3.71	0.013	0.8	106.9	3.2	75	0.4	19.0	27.1	2093	6.89	3.6	0.8	0.6	125	<0.1	<0.1	<0.1	263	5.48
11529	Drill Core	5.93	0.019	0.5	101.1	5.9	94	0.5	23.2	27.9	2046	6.53	5.0	4.3	0.7	161	<0.1	0.1	<0.1	221	5.61
11530	Rock Pulp	0.11	1.719	82.6	>10000	684.5	1710	8.5	99.9	14.0	535	5.07	320.2	1464	2.0	40	9.3	41.6	2.7	53	0.80
11531	Drill Core	4.63	0.010	0.2	60.0	3.4	83	<0.1	25.0	33.0	1868	5.70	1.3	2.2	0.7	140	<0.1	<0.1	<0.1	209	6.72
11499 DUP 11524 REJECT	Drill Core		0.018	1.1	114.0	4.7	135	1.1	17.7	29.7	2012	5.68	6.8	8.3	0.7	130	0.4	0.2	0.1	199	4.48
11532	Drill Core	4.60	0.013	0.2	90.1	3.4	96	0.2	23.9	29.6	1730	5.15	1.9	5.4	0.7	171	0.1	<0.1	<0.1	192	6.05
11533	Drill Core	3.97	0.010	0.2	70.9	3.1	77	0.3	26.2	25.0	1780	5.02	0.7	2.6	0.7	212	<0.1	<0.1	<0.1	181	6.38
11534	Drill Core	1.82	0.025	0.3	73.1	9.8	85	0.4	25.8	29.7	2180	5.71	13.5	11.6	0.8	121	0.1	0.1	<0.1	213	6.91
11535	Rock	3.12	0.011	0.3	105.3	2.3	52	<0.1	82.5	26.0	747	3.46	0.9	1.5	0.5	121	<0.1	<0.1	<0.1	142	8.38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11497 DUP 11504 REJECT	Drill Core	0.115	7	30	2.47	36	0.242	<1	2.76	0.084	0.09	0.2	<0.01	13.2	<0.1	0.15	11	<0.5	<0.2
11508	Drill Core	0.110	5	28	2.52	25	0.213	<1	2.28	0.101	0.07	0.2	<0.01	12.2	<0.1	0.06	9	<0.5	<0.2
11509	Drill Core	0.106	5	31	2.70	34	0.265	<1	2.97	0.092	0.12	0.2	0.02	15.4	<0.1	0.51	9	<0.5	0.7
11510	Rock Pulp	0.067	12	18	0.65	183	0.078	2	1.10	0.068	0.44	0.1	0.09	4.5	0.1	0.35	7	3.5	0.3
11511	Drill Core	0.096	4	23	2.59	26	0.215	<1	2.66	0.082	0.09	0.1	<0.01	11.6	<0.1	0.10	9	<0.5	<0.2
11512	Drill Core	0.101	5	27	2.88	46	0.270	<1	3.12	0.099	0.11	0.2	0.04	15.0	<0.1	0.82	10	<0.5	0.9
11513	Drill Core	0.094	4	20	2.23	23	0.215	<1	2.14	0.089	0.06	0.2	<0.01	11.0	<0.1	0.11	8	<0.5	<0.2
11514	Drill Core	0.103	5	26	2.87	28	0.261	<1	2.72	0.090	0.06	0.2	<0.01	15.7	<0.1	0.62	10	<0.5	0.5
11498	Drill Core	0.099	4	20	2.35	22	0.208	<1	2.21	0.085	0.06	0.2	<0.01	10.8	<0.1	0.09	9	<0.5	<0.2
11515	Rock	0.084	4	49	0.98	17	0.220	11	3.59	1.164	0.14	<0.1	<0.01	5.2	<0.1	0.12	8	0.9	<0.2
11516	Drill Core	0.106	5	22	3.01	23	0.215	2	2.53	0.108	0.05	0.3	<0.01	13.2	<0.1	0.10	9	<0.5	<0.2
11517	Drill Core	0.106	5	19	2.43	32	0.192	1	2.27	0.117	0.06	0.2	<0.01	11.7	<0.1	<0.05	10	<0.5	<0.2
11518	Drill Core	0.112	5	22	2.33	33	0.191	<1	2.41	0.091	0.09	0.3	0.02	13.8	<0.1	0.36	9	0.5	<0.2
11519	Drill Core	0.120	10	18	2.00	26	0.166	<1	2.69	0.055	0.16	0.3	<0.01	10.3	<0.1	0.27	9	<0.5	<0.2
11521	Drill Core	0.121	9	19	2.55	19	0.117	<1	3.06	0.033	0.08	0.7	<0.01	13.2	<0.1	0.42	10	<0.5	<0.2
11522	Drill Core	0.116	9	18	2.18	29	0.092	<1	2.98	0.022	0.15	1.1	0.07	10.3	<0.1	3.04	11	1.4	1.3
11523	Drill Core	0.098	5	24	2.78	30	0.238	<1	2.91	0.045	0.07	2.5	<0.01	12.9	<0.1	0.48	10	<0.5	<0.2
11524	Drill Core	0.110	6	39	2.81	29	0.228	<1	2.74	0.079	0.06	0.8	<0.01	17.8	<0.1	0.49	9	<0.5	0.3
11525	Drill Core	0.105	5	50	2.86	24	0.214	<1	2.44	0.087	0.04	0.4	0.01	19.4	<0.1	0.36	8	0.6	0.6
11526	Drill Core	0.117	7	57	3.12	34	0.226	<1	2.83	0.080	0.06	0.7	<0.01	25.1	<0.1	0.32	9	0.7	0.3
11527	Drill Core	0.110	6	30	2.82	61	0.187	<1	2.96	0.071	0.11	0.3	0.04	23.2	<0.1	0.50	10	<0.5	<0.2
11528	Drill Core	0.104	6	48	2.96	48	0.199	<1	2.65	0.078	0.08	0.2	<0.01	24.6	<0.1	0.25	10	<0.5	<0.2
11529	Drill Core	0.105	6	66	3.21	35	0.195	<1	2.71	0.068	0.05	0.2	<0.01	19.8	<0.1	0.15	9	<0.5	<0.2
11530	Rock Pulp	0.054	8	53	0.64	44	0.078	39	1.31	0.083	0.23	35.0	0.74	5.0	1.0	2.25	5	4.0	0.6
11531	Drill Core	0.105	5	74	2.91	22	0.199	5	2.13	0.074	0.04	0.1	<0.01	21.2	<0.1	0.12	8	0.7	<0.2
11499 DUP 11524 REJECT	Drill Core	0.104	5	38	2.63	27	0.229	4	2.47	0.069	0.05	0.8	0.01	17.0	<0.1	0.46	9	0.9	<0.2
11532	Drill Core	0.109	5	65	2.80	18	0.198	3	1.97	0.077	0.03	0.2	0.02	18.3	<0.1	0.07	7	<0.5	<0.2
11533	Drill Core	0.114	6	69	2.87	12	0.200	3	2.14	0.070	0.02	0.2	<0.01	19.2	<0.1	<0.05	8	0.5	<0.2
11534	Drill Core	0.110	7	71	2.77	18	0.211	2	2.26	0.052	0.03	0.1	0.02	21.9	<0.1	0.49	9	1.3	<0.2
11535	Rock	0.084	4	51	0.92	15	0.232	15	3.43	0.979	0.13	<0.1	0.01	5.4	<0.1	0.07	8	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11536	Drill Core	2.18	0.084	0.4	75.4	38.1	98	0.6	24.3	24.4	2304	5.70	16.9	59.9	0.8	129	0.3	0.2	<0.1	209	8.20
11537	Drill Core	3.73	0.032	0.5	41.5	10.3	70	0.4	25.0	28.8	2661	6.14	20.9	27.8	0.9	109	<0.1	0.2	0.1	225	7.90
11538	Drill Core	3.80	0.018	0.8	66.5	3.2	71	0.2	18.7	22.3	1810	5.55	6.6	11.6	0.6	100	<0.1	<0.1	<0.1	222	6.24
11651	Drill Core	3.83	0.008	0.3	68.6	3.1	76	0.3	24.6	24.4	1797	4.97	0.9	0.9	0.7	211	<0.1	<0.1	<0.1	181	6.43
11539	Drill Core	4.44	0.017	0.5	78.4	3.5	81	0.3	21.8	46.5	1600	4.89	2.2	5.8	0.8	120	<0.1	<0.1	0.1	185	7.26
11541	Drill Core	4.22	0.011	0.4	94.5	3.2	76	0.2	17.4	24.7	1312	4.51	5.2	6.5	0.8	127	0.1	<0.1	<0.1	175	7.18
11542	Drill Core	3.28	0.013	1.2	78.6	2.6	46	0.2	4.3	12.3	992	3.50	10.5	5.3	0.6	78	<0.1	<0.1	<0.1	155	2.73
11543	Drill Core	4.17	0.022	1.1	102.5	4.9	249	0.6	16.0	21.1	1478	4.50	11.1	10.6	0.9	88	1.3	0.1	<0.1	174	4.97
11544	Drill Core	4.38	0.018	2.1	93.7	4.0	100	0.4	16.5	23.2	1438	4.89	3.4	8.1	0.7	105	0.1	<0.1	<0.1	188	5.46
11545	Drill Core	3.95	0.015	0.3	106.2	5.2	94	0.4	18.0	27.0	1572	5.43	6.3	5.7	0.8	109	0.1	0.1	<0.1	191	6.01
11546	Drill Core	3.91	0.031	0.3	109.6	6.4	114	0.6	20.0	26.9	1704	5.83	14.4	17.4	0.8	113	0.3	0.2	<0.1	202	6.18
11652 DUP 11544 REJECT	Drill Core		0.012	2.0	95.4	4.2	104	0.5	16.4	23.7	1484	4.94	3.5	6.2	0.7	111	<0.1	0.1	<0.1	190	5.51
11547	Drill Core	3.81	0.021	0.2	101.3	2.6	72	0.2	22.7	25.4	1554	5.40	2.1	8.9	0.6	171	<0.1	0.1	<0.1	191	5.91
11548	Drill Core	4.07	0.020	0.4	96.6	5.9	92	0.4	23.5	33.9	1710	5.46	9.2	10.6	0.7	139	0.2	0.2	<0.1	201	7.11
11549	Drill Core	4.22	0.024	2.2	120.2	9.5	93	0.6	23.4	27.2	1725	5.28	17.3	14.2	0.8	114	0.2	0.3	<0.1	197	6.61
11550	Rock Pulp	0.11	1.042	334.7	3134	20.4	50	1.6	28.8	7.7	403	2.99	11.5	634.9	1.1	30	0.3	3.3	0.4	49	0.68
11551	Drill Core	3.64	0.012	1.3	107.6	4.2	102	0.3	15.6	24.2	1524	4.95	6.1	32.3	0.9	89	<0.1	0.1	<0.1	165	4.92
11552	Drill Core	3.29	0.015	1.9	111.3	4.7	93	0.4	26.7	28.5	1597	5.73	7.9	20.1	0.9	130	<0.1	0.2	<0.1	217	5.81
11553	Drill Core	3.65	0.014	2.2	151.5	12.7	90	0.6	19.9	27.2	1617	5.34	10.9	14.2	0.7	120	<0.1	0.3	<0.1	245	4.73
11554	Drill Core	4.31	0.011	1.0	135.8	6.5	99	0.5	22.7	27.5	1762	5.47	7.9	9.1	0.6	134	0.1	0.2	<0.1	267	6.84
11555	Rock	3.06	0.006	0.3	102.8	2.4	54	<0.1	86.0	27.5	701	3.54	1.3	2.9	0.5	131	<0.1	<0.1	<0.1	140	7.79
11556	Drill Core	4.35	0.042	1.2	96.1	96.9	518	0.7	24.7	23.6	1686	4.99	20.7	32.8	0.8	108	3.2	0.3	<0.1	203	9.77
11557	Drill Core	4.02	0.081	8.6	114.5	143.7	705	1.4	27.7	25.6	1917	5.57	37.1	64.8	0.7	108	4.3	0.5	<0.1	227	8.85
11558	Drill Core	4.32	0.015	0.7	102.8	17.9	124	0.5	25.9	24.6	1731	5.11	13.6	10.2	0.8	108	0.4	0.2	<0.1	223	9.11
11559	Drill Core	3.92	0.031	1.4	88.3	9.0	107	0.8	24.6	24.1	1721	4.83	15.2	19.9	0.8	108	0.3	0.3	<0.1	204	9.76
11561	Drill Core	3.73	0.019	2.5	102.6	11.9	340	1.0	25.4	24.8	1908	4.94	9.8	9.7	0.9	123	1.6	0.1	<0.1	207	9.30
11562	Drill Core	4.16	0.080	3.0	108.6	23.4	205	0.9	23.2	21.7	1832	4.66	11.7	24.1	1.1	107	0.8	0.3	<0.1	181	8.35
11653	Drill Core	4.26	0.079	9.2	109.3	121.6	704	1.2	26.9	26.1	1899	5.33	33.3	68.1	0.8	113	4.2	0.6	<0.1	230	9.35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

CERTIFICATE OF ANALYSIS VAN11006822.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11536	Drill Core	0.108	8	68	2.63	89	0.202	3	2.36	0.050	0.03	0.3	0.02	21.0	<0.1	0.59	9	<0.5	<0.2
11537	Drill Core	0.112	8	72	2.49	21	0.211	4	2.45	0.054	0.04	0.3	0.01	22.9	<0.1	0.82	9	0.6	<0.2
11538	Drill Core	0.103	6	40	2.52	27	0.170	4	2.31	0.064	0.06	0.2	<0.01	20.7	<0.1	0.20	9	<0.5	<0.2
11651	Drill Core	0.113	5	69	2.80	14	0.207	2	2.13	0.072	0.02	0.2	0.01	19.2	<0.1	<0.05	7	0.7	<0.2
11539	Drill Core	0.121	6	53	2.35	21	0.171	2	1.90	0.068	0.04	0.1	0.01	16.8	<0.1	0.29	8	<0.5	<0.2
11541	Drill Core	0.116	6	44	2.02	22	0.188	3	1.61	0.059	0.05	0.2	0.01	15.0	<0.1	0.26	7	0.7	<0.2
11542	Drill Core	0.117	9	6	1.40	25	0.140	4	1.36	0.057	0.10	0.2	0.02	6.3	<0.1	0.38	7	1.2	<0.2
11543	Drill Core	0.112	8	38	2.05	23	0.164	3	1.97	0.054	0.07	0.2	0.03	12.8	<0.1	0.58	9	0.9	<0.2
11544	Drill Core	0.109	7	35	2.27	24	0.200	3	2.16	0.055	0.05	0.2	0.02	14.9	<0.1	0.27	8	1.2	<0.2
11545	Drill Core	0.106	7	42	2.52	17	0.185	3	2.52	0.050	0.03	0.1	0.02	15.3	<0.1	0.32	8	<0.5	<0.2
11546	Drill Core	0.100	6	51	2.69	20	0.156	3	2.57	0.045	0.03	0.1	0.02	17.2	<0.1	0.40	9	<0.5	<0.2
11652 DUP 11544 REJECT	Drill Core	0.109	7	36	2.31	29	0.214	3	2.21	0.066	0.06	0.1	0.01	15.4	<0.1	0.27	9	<0.5	<0.2
11547	Drill Core	0.101	5	62	2.86	17	0.200	4	2.25	0.068	0.02	0.1	<0.01	20.7	<0.1	<0.05	7	0.6	<0.2
11548	Drill Core	0.105	5	67	2.68	20	0.197	3	2.26	0.060	0.03	0.1	0.02	21.8	<0.1	0.32	8	0.8	<0.2
11549	Drill Core	0.116	7	58	2.40	37	0.184	3	2.23	0.058	0.06	0.2	0.03	18.7	<0.1	0.46	8	<0.5	<0.2
11550	Rock Pulp	0.044	5	30	0.54	113	0.112	4	1.19	0.078	0.10	0.8	0.06	4.1	<0.1	0.36	4	1.3	0.2
11551	Drill Core	0.110	7	29	2.32	46	0.152	2	2.41	0.059	0.10	0.2	0.02	13.3	<0.1	0.12	9	0.9	<0.2
11552	Drill Core	0.110	6	56	3.05	224	0.217	3	2.53	0.083	0.05	0.2	0.03	19.3	<0.1	0.17	9	0.7	<0.2
11553	Drill Core	0.102	7	39	2.64	366	0.236	4	2.71	0.151	0.09	0.1	0.04	20.6	<0.1	0.41	9	0.9	<0.2
11554	Drill Core	0.109	7	51	2.60	275	0.279	4	2.63	0.131	0.11	0.2	0.04	24.7	<0.1	0.38	9	0.6	<0.2
11555	Rock	0.083	5	47	0.92	21	0.239	15	3.51	0.978	0.16	<0.1	0.01	5.2	<0.1	0.08	8	0.7	<0.2
11556	Drill Core	0.120	8	69	2.20	32	0.140	3	2.09	0.066	0.05	0.1	0.04	17.4	<0.1	0.79	9	<0.5	<0.2
11557	Drill Core	0.114	8	67	2.67	96	0.170	5	2.60	0.066	0.07	0.2	0.12	19.8	<0.1	1.06	9	<0.5	0.2
11558	Drill Core	0.120	7	75	2.45	21	0.201	4	2.31	0.077	0.04	0.2	0.01	18.9	<0.1	0.45	9	<0.5	<0.2
11559	Drill Core	0.120	7	68	2.03	19	0.173	3	2.17	0.063	0.04	0.2	0.02	18.1	<0.1	0.52	9	<0.5	<0.2
11561	Drill Core	0.121	7	71	2.22	59	0.211	2	2.31	0.079	0.06	0.3	0.05	17.9	<0.1	0.41	9	<0.5	<0.2
11562	Drill Core	0.113	10	54	1.95	110	0.201	4	2.30	0.064	0.09	0.4	0.03	14.5	<0.1	0.50	9	<0.5	<0.2
11653	Drill Core	0.117	8	66	2.56	68	0.183	4	2.53	0.064	0.07	0.2	0.09	19.3	<0.1	1.04	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

QUALITY CONTROL REPORT VAN11006822.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11493 DUP 11445 REJECT	Drill Core		0.009	0.5	76.6	2.6	67	0.3	14.5	23.0	1709	5.95	5.9	8.5	0.6	91	<0.1	<0.1	0.3	177	3.73
Pulp Duplicates																					
REP G1	QC			<0.1	2.6	4.3	50	<0.1	2.4	4.1	595	2.03	<0.5	0.8	6.8	66	<0.1	<0.1	<0.1	37	0.49
11371	Drill Core	4.12	0.265	17.1	4743	1.4	31	0.9	12.3	31.1	498	5.29	1.6	301.3	1.0	274	<0.1	<0.1	<0.1	175	4.40
REP 11371	QC		0.288																		
11380	Rock Pulp	0.11	0.257	11.7	5602	5.9	92	1.9	11.6	8.2	636	4.33	2.8	212.6	4.5	67	0.4	0.2	0.8	63	1.09
REP 11380	QC			12.4	5725	6.0	89	2.0	12.3	8.2	660	4.42	2.9	203.5	4.5	70	0.4	0.3	0.7	65	1.12
11381	Drill Core	4.88	0.060	9.9	347.1	3.3	36	0.4	14.6	27.1	730	5.58	5.4	56.3	0.6	283	<0.1	0.2	0.2	193	4.70
REP 11381	QC		0.064																		
11397	Drill Core	4.05	0.031	7.5	195.0	3.0	28	0.1	15.0	19.1	592	4.28	1.9	25.8	0.7	215	0.2	0.3	0.2	146	4.77
REP 11397	QC			7.4	189.0	2.9	28	0.1	13.8	18.5	582	4.28	2.2	27.7	0.7	216	0.2	0.3	0.2	144	4.72
11412	Drill Core	4.19	0.042	6.0	94.8	1.8	36	0.2	14.2	40.6	806	4.28	3.5	43.3	0.9	220	<0.1	0.4	0.4	127	2.07
REP 11412	QC			6.4	98.4	1.8	37	0.2	14.4	41.1	806	4.36	3.7	38.0	0.9	224	<0.1	0.4	0.5	128	2.12
11419	Drill Core	4.77	0.027	0.1	66.6	1.6	34	0.1	18.1	25.2	894	4.26	2.9	16.8	0.3	201	<0.1	0.4	0.1	140	1.57
REP 11419	QC			0.1	71.6	1.8	37	<0.1	20.4	28.0	954	4.78	3.2	20.4	0.4	224	<0.1	0.5	0.2	150	1.75
11429	Drill Core	4.67	0.023	1.0	90.3	1.7	35	0.2	13.3	14.1	872	4.87	3.9	12.8	0.3	397	<0.1	0.3	<0.1	187	2.97
REP 11429	QC		0.023																		
11432	Drill Core	4.11	0.017	10.7	133.7	2.5	75	0.3	23.0	23.5	1065	4.83	3.6	0.6	2.0	250	0.2	0.3	0.1	213	4.52
REP 11432	QC			10.1	129.7	2.3	72	0.3	21.4	22.0	976	4.53	3.2	<0.5	1.9	239	0.2	0.2	<0.1	199	4.27
11439	Drill Core	4.14	<0.005	0.4	31.9	12.7	64	<0.1	232.5	28.0	843	3.77	2.9	<0.5	3.1	501	<0.1	0.2	<0.1	131	2.32
REP 11439	QC		<0.005																		
11450	Rock Pulp	0.11	<0.005	2.4	19.1	1.9	29	0.4	17.1	8.2	262	1.70	2.8	1.9	0.9	30	0.2	0.2	<0.1	34	0.61
REP 11450	QC			2.7	19.6	1.8	30	0.4	16.3	7.9	267	1.73	3.3	<0.5	0.9	31	0.2	0.3	<0.1	33	0.63
11467	Drill Core	3.96	0.038	3.3	117.7	18.7	177	0.8	15.7	25.9	1445	4.68	13.1	18.7	0.8	138	0.6	0.3	0.2	166	4.84
REP 11467	QC			3.1	116.7	18.7	175	0.8	15.6	25.7	1449	4.70	12.7	18.3	0.8	136	0.7	0.3	0.2	147	4.82
11473	Drill Core	4.72	0.037	2.4	81.9	3.4	51	0.2	16.8	22.5	1140	4.33	3.5	2.4	1.2	123	<0.1	0.1	0.3	139	3.99
REP 11473	QC		0.035																		
11506	Drill Core	3.99	<0.005	0.4	20.2	2.1	76	<0.1	14.5	25.0	1065	5.04	0.5	4.7	0.6	357	<0.1	<0.1	<0.1	170	1.88
REP 11506	QC			0.4	20.9	2.1	77	<0.1	14.9	24.0	1059	4.93	1.2	2.8	0.6	366	<0.1	0.1	<0.1	173	1.97

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

QUALITY CONTROL REPORT VAN11006822.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11493 DUP 11445 REJECT	Drill Core	0.099	5	34	2.41	30	0.134	1	2.94	0.043	0.09	0.4	0.01	13.8	<0.1	0.96	9	<0.5	0.3
Pulp Duplicates																			
REP G1	QC	0.078	14	9	0.50	151	0.127	<1	0.89	0.072	0.47	<0.1	<0.01	2.4	0.4	<0.05	5	<0.5	<0.2
11371	Drill Core	0.148	12	11	1.46	60	0.102	7	2.21	0.076	0.49	<0.1	0.07	16.8	<0.1	2.45	7	6.8	<0.2
REP 11371	QC																		
11380	Rock Pulp	0.068	12	17	0.64	177	0.078	4	1.06	0.060	0.41	0.1	0.09	4.4	0.1	0.33	7	3.5	0.4
REP 11380	QC	0.071	12	18	0.66	179	0.078	4	1.08	0.060	0.41	0.1	0.08	4.4	0.1	0.34	6	3.8	0.4
11381	Drill Core	0.153	11	17	1.92	29	0.019	9	2.25	0.132	0.34	<0.1	0.06	19.9	<0.1	4.08	6	6.1	0.3
REP 11381	QC																		
11397	Drill Core	0.139	10	17	1.27	50	0.015	8	1.84	0.103	0.26	<0.1	0.15	11.4	0.1	2.97	6	4.4	0.3
REP 11397	QC	0.136	10	16	1.26	51	0.014	6	1.79	0.102	0.25	<0.1	0.14	11.2	0.1	2.93	6	3.0	<0.2
11412	Drill Core	0.111	5	29	3.37	20	0.192	<1	2.38	0.380	0.03	0.4	0.15	11.7	0.2	1.52	7	1.4	0.9
REP 11412	QC	0.111	5	27	3.46	21	0.200	<1	2.43	0.385	0.03	0.3	0.15	12.0	0.3	1.53	7	1.9	1.1
11419	Drill Core	0.092	2	28	2.02	105	0.182	7	2.59	0.523	0.04	0.3	0.02	8.8	0.1	1.11	7	<0.5	0.4
REP 11419	QC	0.101	3	31	2.22	122	0.208	7	2.83	0.574	0.04	0.3	0.02	10.2	0.1	1.22	9	<0.5	0.3
11429	Drill Core	0.096	3	17	2.05	82	0.257	9	2.73	0.147	0.05	0.4	0.05	16.4	0.1	0.75	8	<0.5	<0.2
REP 11429	QC																		
11432	Drill Core	0.153	11	54	2.65	293	0.227	14	2.94	0.511	0.14	0.3	0.01	11.7	0.2	0.69	10	1.8	<0.2
REP 11432	QC	0.138	10	51	2.45	276	0.224	14	2.73	0.469	0.13	0.3	<0.01	11.4	0.1	0.65	10	1.8	<0.2
11439	Drill Core	0.221	24	110	4.56	2236	0.201	9	2.64	0.271	0.74	0.1	0.03	5.0	0.4	0.13	7	<0.5	<0.2
REP 11439	QC																		
11450	Rock Pulp	0.041	4	20	0.44	74	0.096	3	0.99	0.054	0.06	14.8	0.01	3.4	<0.1	<0.05	3	<0.5	<0.2
REP 11450	QC	0.044	4	19	0.46	75	0.095	<1	0.99	0.054	0.05	15.0	0.02	3.2	<0.1	<0.05	3	<0.5	<0.2
11467	Drill Core	0.095	6	35	2.00	105	0.216	2	2.35	0.079	0.10	0.3	0.13	15.8	0.2	0.86	7	<0.5	0.2
REP 11467	QC	0.093	6	34	2.01	108	0.217	3	2.37	0.081	0.10	0.4	0.13	15.9	0.1	0.86	7	<0.5	0.3
11473	Drill Core	0.107	8	31	1.93	27	0.180	2	2.00	0.057	0.05	0.4	0.12	13.1	0.1	0.58	8	<0.5	<0.2
REP 11473	QC																		
11506	Drill Core	0.105	4	24	2.23	20	0.228	<1	2.22	0.110	0.06	0.2	<0.01	9.0	<0.1	<0.05	8	<0.5	<0.2
REP 11506	QC	0.103	4	24	2.16	21	0.231	<1	2.21	0.104	0.06	0.2	<0.01	10.1	<0.1	<0.05	8	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

QUALITY CONTROL REPORT VAN11006822.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11513	Drill Core	3.85	<0.005	0.2	92.2	1.9	73	0.2	12.6	21.6	1398	5.52	0.6	1.5	0.4	234	<0.1	<0.1	<0.1	181	3.17
REP 11513	QC			0.2	92.1	2.0	75	0.2	12.9	21.8	1431	5.67	0.7	1.0	0.5	237	<0.1	0.1	<0.1	188	3.27
11525	Drill Core	3.63	0.026	0.7	109.3	8.6	136	1.3	20.3	37.3	2075	5.93	3.7	14.7	0.7	174	0.4	0.1	<0.1	206	4.79
REP 11525	QC		0.041																		
11539	Drill Core	4.44	0.017	0.5	78.4	3.5	81	0.3	21.8	46.5	1600	4.89	2.2	5.8	0.8	120	<0.1	<0.1	0.1	185	7.26
REP 11539	QC			0.6	77.2	3.2	79	0.3	20.6	47.0	1589	4.85	2.4	9.2	0.7	121	<0.1	<0.1	0.1	182	7.24
11653	Drill Core	4.26	0.079	9.2	109.3	121.6	704	1.2	26.9	26.1	1899	5.33	33.3	68.1	0.8	113	4.2	0.6	<0.1	230	9.35
REP 11653	QC			8.7	105.3	116.6	679	1.2	26.0	25.5	1838	5.28	32.6	62.1	0.7	108	3.9	0.7	<0.1	223	9.26
Core Reject Duplicates																					
11354	Drill Core	2.99	0.114	25.3	1909	1.8	25	1.0	17.9	39.0	537	7.01	4.2	97.3	0.8	331	<0.1	0.1	2.0	121	4.43
DUP 11354	QC		0.127	30.9	1894	2.0	24	1.1	17.9	41.5	570	7.71	4.5	102.3	0.8	331	<0.1	0.1	2.2	115	4.46
11421	Drill Core	3.77	0.021	5.3	80.2	2.3	34	0.2	15.6	37.7	699	3.60	5.5	16.8	0.6	302	<0.1	0.7	0.3	101	2.08
DUP 11421	QC		0.021	5.3	83.4	2.3	36	0.2	16.5	38.7	753	3.36	4.8	16.7	0.6	286	<0.1	0.7	0.4	90	2.04
11453	Drill Core	5.55	0.036	0.4	119.2	4.2	75	0.5	13.4	33.0	1494	4.97	8.6	24.9	0.5	146	0.1	0.1	<0.1	120	3.65
DUP 11453	QC		0.032	0.5	132.5	3.5	74	0.5	13.9	33.5	1522	5.08	10.0	18.8	0.4	151	0.2	0.1	<0.1	135	3.73
11501	Drill Core	3.01	<0.005	2.2	59.5	5.1	131	0.3	16.5	24.9	1740	5.76	4.0	4.3	0.9	148	0.4	0.1	<0.1	222	5.12
DUP 11501	QC		<0.005	2.2	61.0	5.4	135	0.3	17.0	25.7	1761	5.87	3.6	<0.5	0.9	150	0.3	0.2	<0.1	225	5.19
11534	Drill Core	1.82	0.025	0.3	73.1	9.8	85	0.4	25.8	29.7	2180	5.71	13.5	11.6	0.8	121	0.1	0.1	<0.1	213	6.91
DUP 11534	QC		0.024	0.3	72.8	9.8	85	0.4	25.3	29.5	2116	5.79	10.8	10.5	0.8	125	<0.1	0.2	<0.1	217	7.12
Reference Materials																					
STD DS8	Standard			13.5	112.0	120.3	297	1.7	38.1	7.2	597	2.43	25.8	110.2	7.6	60	2.4	5.4	6.8	42	0.70
STD DS8	Standard			11.2	102.5	115.4	275	1.6	35.0	6.6	524	2.25	23.5	97.9	6.8	59	2.2	5.2	6.4	40	0.64
STD DS8	Standard			12.8	100.3	115.1	288	1.6	35.4	6.9	579	2.41	22.7	101.4	6.8	67	2.0	5.4	6.5	41	0.73
STD DS8	Standard			12.2	101.8	116.6	289	1.7	36.7	7.0	590	2.37	23.4	104.0	6.9	66	2.1	5.5	6.6	41	0.60
STD DS8	Standard			12.9	93.6	115.5	299	1.6	32.9	6.3	526	2.14	21.7	89.6	5.9	62	1.9	4.6	6.1	31	0.62
STD DS8	Standard			13.1	107.8	120.1	301	1.7	36.5	7.5	596	2.42	24.2	107.1	7.0	61	2.2	5.8	5.1	41	0.71
STD DS8	Standard			13.3	112.5	120.9	308	1.7	38.6	7.6	603	2.38	24.8	110.9	7.2	60	2.1	5.4	6.9	39	0.70
STD OXH82	Standard		1.226																		
STD OXH82	Standard		1.306																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

QUALITY CONTROL REPORT VAN11006822.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
11513	Drill Core	0.094	4	20	2.23	23	0.215	<1	2.14	0.089	0.06	0.2	<0.01	11.0	<0.1	0.11	8	<0.5	<0.2
REP 11513	QC	0.097	4	20	2.28	21	0.219	<1	2.19	0.083	0.06	0.2	<0.01	10.3	<0.1	0.12	9	<0.5	<0.2
11525	Drill Core	0.105	5	50	2.86	24	0.214	<1	2.44	0.087	0.04	0.4	0.01	19.4	<0.1	0.36	8	0.6	0.6
REP 11525	QC																		
11539	Drill Core	0.121	6	53	2.35	21	0.171	2	1.90	0.068	0.04	0.1	0.01	16.8	<0.1	0.29	8	<0.5	<0.2
REP 11539	QC	0.119	5	52	2.30	21	0.165	4	1.92	0.069	0.04	0.2	0.02	16.3	<0.1	0.29	8	0.8	<0.2
11653	Drill Core	0.117	8	66	2.56	68	0.183	4	2.53	0.064	0.07	0.2	0.09	19.3	<0.1	1.04	9	<0.5	<0.2
REP 11653	QC	0.110	8	64	2.54	70	0.179	4	2.46	0.063	0.07	0.2	0.09	19.1	<0.1	1.01	9	0.5	<0.2
Core Reject Duplicates																			
11354	Drill Core	0.159	13	18	1.48	29	0.022	8	1.62	0.069	0.40	<0.1	0.15	16.9	0.1	5.38	5	9.8	1.0
DUP 11354	QC	0.157	13	17	1.49	25	0.019	6	1.53	0.067	0.37	<0.1	0.15	16.7	0.1	6.03	5	13.0	1.1
11421	Drill Core	0.121	4	21	1.94	101	0.181	3	2.01	0.377	0.04	0.4	0.02	8.3	0.1	1.39	6	<0.5	0.6
DUP 11421	QC	0.123	4	23	2.03	122	0.186	4	2.16	0.361	0.03	0.3	0.03	7.6	<0.1	1.37	7	<0.5	0.5
11453	Drill Core	0.087	4	29	2.32	104	0.188	5	2.67	0.116	0.05	0.3	0.04	15.9	<0.1	0.76	7	<0.5	<0.2
DUP 11453	QC	0.089	4	31	2.37	130	0.192	<1	2.71	0.124	0.06	0.3	0.05	16.8	<0.1	0.77	7	<0.5	<0.2
11501	Drill Core	0.108	6	39	2.49	34	0.270	<1	2.74	0.070	0.06	0.2	0.02	17.7	<0.1	0.29	10	<0.5	<0.2
DUP 11501	QC	0.106	6	39	2.53	34	0.274	<1	2.77	0.069	0.06	0.2	0.02	18.7	<0.1	0.29	10	1.0	<0.2
11534	Drill Core	0.110	7	71	2.77	18	0.211	2	2.26	0.052	0.03	0.1	0.02	21.9	<0.1	0.49	9	1.3	<0.2
DUP 11534	QC	0.108	6	73	2.76	18	0.215	4	2.22	0.053	0.03	0.2	<0.01	21.9	<0.1	0.41	9	1.0	<0.2
Reference Materials																			
STD DS8	Standard	0.073	17	119	0.59	265	0.123	3	0.93	0.087	0.41	3.1	0.19	2.6	5.2	0.16	5	4.8	4.8
STD DS8	Standard	0.072	14	101	0.54	250	0.106	2	0.82	0.079	0.39	2.8	0.17	2.3	4.9	0.15	4	4.2	4.5
STD DS8	Standard	0.075	16	110	0.57	266	0.114	<1	0.94	0.096	0.42	2.8	0.17	2.8	5.1	0.16	5	4.8	4.3
STD DS8	Standard	0.075	16	110	0.58	268	0.113	<1	0.93	0.097	0.43	2.8	0.19	2.5	5.1	0.17	5	5.4	4.9
STD DS8	Standard	0.071	14	104	0.52	238	0.110	<1	0.81	0.076	0.36	2.6	0.16	2.1	4.8	0.11	4	4.9	4.2
STD DS8	Standard	0.077	17	115	0.61	271	0.127	1	0.93	0.089	0.41	2.8	0.20	2.6	4.9	0.16	5	4.8	4.3
STD DS8	Standard	0.076	14	120	0.62	263	0.121	2	0.91	0.083	0.41	3.0	0.19	2.4	5.1	0.16	4	4.3	4.8
STD OXH82	Standard																		
STD OXH82	Standard																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

QUALITY CONTROL REPORT VAN11006822.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXH82	Standard		1.281																		
STD OXH82	Standard		1.237																		
STD OXH82	Standard		1.324																		
STD OXH82	Standard		1.271																		
STD OXH82	Standard		1.281																		
STD OXH82	Standard		1.332																		
STD OXK79	Standard		3.407																		
STD OXK79	Standard		3.363																		
STD OXK79	Standard		3.442																		
STD OXK79	Standard		3.372																		
STD OXK79	Standard		3.464																		
STD OXK79	Standard		3.482																		
STD OXK79	Standard		3.508																		
STD OXK79	Standard		3.733																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.008																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

QUALITY CONTROL REPORT VAN11006822.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
STD OXH82 Expected																			
STD OXK79 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	1	0.01	<1	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

QUALITY CONTROL REPORT VAN11006822.1

		WGHT Wgt kg 0.01	G6 Au ppm 0.005	1DX30 Mo ppm 0.1	1DX30 Cu ppm 0.1	1DX30 Pb ppm 0.1	1DX30 Zn ppm 1	1DX30 Ag ppm 0.1	1DX30 Ni ppm 0.1	1DX30 Co ppm 0.1	1DX30 Mn ppm 1	1DX30 Fe % 0.01	1DX30 As ppm 0.5	1DX30 Au ppb 0.5	1DX30 Th ppm 0.1	1DX30 Sr ppm 1	1DX30 Cd ppm 0.1	1DX30 Sb ppm 0.1	1DX30 Bi ppm 0.1	1DX30 V ppm 2	1DX30 Ca % 0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		0.005																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		0.009																		
BLK	Blank		<0.005																		
Prep Wash																					
G1	Prep Blank	<0.01	0.006																		
G1	Prep Blank	<0.01	0.005	0.1	2.4	2.9	46	<0.1	2.5	4.0	589	2.10	<0.5	<0.5	6.1	65	<0.1	<0.1	<0.1	40	0.54
G1	Prep Blank			<0.1	2.5	4.1	46	<0.1	2.4	4.0	563	2.02	<0.5	2.3	6.8	64	<0.1	<0.1	<0.1	37	0.48

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 11, 2012

QUALITY CONTROL REPORT VAN11006822.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1	Prep Blank																		
G1	Prep Blank	0.075	14	7	0.52	153	0.133	<1	0.92	0.082	0.50	0.1	<0.01	2.7	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	0.074	14	8	0.49	147	0.118	<1	0.89	0.073	0.47	0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 08, 2011
Report Date: January 16, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS VAN11006935.1

CLIENT JOB INFORMATION

Project: COWTRAIL
Shipment ID: 05_12_2011
P.O. Number
Number of Samples: 172

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	158	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	14	Pulverize to 85% - 200 mesh			VAN
G601	172	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	172	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Brian Findlay
Catherine Banfield

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11563	Drill Core	3.86	0.006	0.7	117.9	7.1	110	1.1	24.6	22.3	1833	4.89	3.9	3.8	1.1	193	0.3	0.3	<0.1	189	10.36
11564	Drill Core	3.95	0.039	1.7	123.6	3.5	182	1.3	23.4	20.5	1863	4.80	5.4	9.9	1.1	178	0.9	0.2	<0.1	178	11.04
11565	Drill Core	4.43	0.010	0.5	102.8	2.0	65	0.6	23.5	20.2	1600	4.50	1.9	1.7	0.9	159	<0.1	0.2	<0.1	180	10.09
11566	Drill Core	3.33	0.006	0.6	91.3	3.7	70	0.7	20.1	18.8	1319	4.12	1.5	<0.5	0.9	149	0.2	<0.1	<0.1	153	12.03
11567	Drill Core	3.44	<0.005	0.5	95.5	3.1	90	0.5	30.2	25.0	1417	5.35	0.8	0.9	1.0	147	0.2	0.1	<0.1	201	5.80
11568	Drill Core	4.03	0.075	0.5	77.3	4.0	91	0.7	32.5	25.8	1679	5.84	3.4	38.1	1.0	143	0.2	<0.1	<0.1	214	4.48
11569	Drill Core	3.67	0.011	0.8	82.8	2.0	65	0.3	32.9	26.3	1700	5.32	4.8	3.7	1.0	140	<0.1	<0.1	<0.1	213	6.92
11654 DUP 11566 REJECT	Drill Core		0.010	0.6	94.6	3.8	72	0.7	20.9	19.4	1346	4.25	1.5	1.4	0.9	160	0.2	<0.1	<0.1	158	12.09
11570	Rock Pulp	0.11	0.225	12.1	5812	6.2	91	2.0	12.3	8.3	662	4.60	1.7	228.8	4.7	72	0.5	0.3	0.8	66	1.06
11571	Drill Core	3.84	0.007	14.6	115.8	7.4	97	0.7	18.2	20.0	1428	4.70	6.6	8.0	1.4	110	0.3	0.2	0.1	181	7.28
11572	Drill Core	4.03	0.010	3.5	101.5	12.8	158	0.7	16.8	17.1	1638	4.40	9.4	3.0	2.0	99	0.7	0.3	<0.1	143	6.06
11573	Drill Core	4.18	0.017	23.7	108.1	15.0	151	0.8	28.4	17.3	1274	4.05	6.2	1.8	1.6	107	0.8	0.6	<0.1	243	7.50
11574	Drill Core	4.06	0.026	11.3	123.5	11.1	506	0.9	22.9	16.4	1023	4.11	6.2	0.5	1.3	90	7.8	0.8	<0.1	159	5.34
11575	Rock	3.32	<0.005	0.4	105.6	3.1	53	<0.1	93.1	28.8	785	3.76	1.1	1.4	0.6	150	<0.1	<0.1	<0.1	150	7.92
11576	Drill Core	2.04	0.014	8.4	131.1	11.6	131	1.1	28.0	17.3	1055	4.36	3.5	<0.5	1.2	100	1.6	0.7	<0.1	148	5.51
11655	Drill Core	4.48	0.013	26.3	116.5	15.2	278	1.0	32.6	17.4	1266	4.54	7.1	<0.5	1.8	109	1.8	0.8	0.1	284	7.35
11577	Drill Core	2.07	0.007	3.2	65.5	5.4	68	0.1	402.7	33.3	1061	4.28	3.4	<0.5	2.0	369	0.3	<0.1	0.1	121	2.41
11578	Drill Core	2.94	<0.005	0.4	40.6	5.6	58	<0.1	659.9	45.7	1073	4.54	0.6	0.9	2.7	522	0.1	<0.1	<0.1	106	1.17
11579	Drill Core	3.10	<0.005	0.5	31.4	3.0	54	0.2	635.6	45.6	983	4.33	1.1	1.4	2.5	429	<0.1	<0.1	<0.1	104	1.56
11581	Drill Core	3.90	0.007	1.6	47.9	1.9	50	0.5	324.6	30.5	1071	4.13	1.4	1.3	1.7	278	<0.1	<0.1	<0.1	114	2.72
11582	Drill Core	3.33	0.021	3.8	54.7	3.2	70	0.7	331.6	31.2	1167	4.55	3.3	3.6	1.9	326	0.3	0.1	0.1	121	3.56
11583	Drill Core	4.44	<0.005	1.4	44.6	2.6	48	0.4	644.4	44.5	954	4.30	1.5	<0.5	2.3	535	<0.1	<0.1	<0.1	109	2.07
11584	Drill Core	3.67	0.034	6.2	122.9	9.4	107	1.0	192.2	24.7	1034	5.18	5.4	<0.5	1.2	192	0.5	0.3	0.2	142	3.38
11656 DUP 11584 REJECT	Drill Core		0.035	5.5	122.6	9.0	99	0.8	167.1	23.5	1022	5.09	6.2	<0.5	1.2	180	0.5	0.2	0.2	136	3.17
11585	Drill Core	2.32	0.007	1.5	45.7	3.1	47	<0.1	569.1	39.8	1082	4.78	1.7	1.8	2.4	490	0.1	<0.1	0.1	113	2.08
11586	Drill Core	3.17	0.022	0.9	33.1	2.6	54	0.2	602.3	41.4	1061	4.62	1.7	18.6	2.1	536	<0.1	<0.1	0.5	102	2.02
11587	Drill Core	3.60	0.013	4.5	91.9	9.7	194	0.6	50.9	18.9	1119	4.53	4.0	<0.5	1.1	129	1.2	0.3	<0.1	152	6.20
11588	Drill Core	3.24	0.009	3.3	82.6	5.3	129	0.5	18.6	21.2	1508	5.10	2.6	1.7	1.1	115	0.7	0.2	<0.1	175	6.57
11589	Drill Core	3.64	0.008	2.9	72.0	3.1	68	0.3	15.2	21.5	1639	5.06	2.8	<0.5	0.9	119	0.2	<0.1	<0.1	188	5.76
11590	Rock Pulp	0.11	1.062	330.0	3114	19.9	51	1.6	27.0	7.4	365	3.08	12.4	753.5	1.1	39	0.3	3.0	0.5	50	0.68

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11563	Drill Core	0.129	8	65	2.35	53	0.195	2	2.51	0.109	0.07	0.2	0.01	15.9	<0.1	0.23	10	<0.5	<0.2
11564	Drill Core	0.124	8	58	2.28	133	0.188	2	2.50	0.087	0.06	0.3	0.04	14.9	<0.1	0.39	10	<0.5	<0.2
11565	Drill Core	0.133	6	52	2.14	34	0.175	2	2.06	0.085	0.06	0.5	<0.01	10.9	<0.1	0.19	9	<0.5	<0.2
11566	Drill Core	0.123	6	36	1.78	33	0.161	3	1.88	0.069	0.05	0.7	<0.01	7.9	<0.1	0.17	8	<0.5	<0.2
11567	Drill Core	0.127	6	56	2.29	45	0.241	3	2.29	0.119	0.08	0.2	0.01	10.8	<0.1	0.20	10	<0.5	<0.2
11568	Drill Core	0.113	6	61	2.50	63	0.236	5	2.62	0.109	0.07	0.2	0.02	13.0	<0.1	0.18	11	<0.5	0.3
11569	Drill Core	0.109	6	64	2.33	78	0.208	4	2.45	0.090	0.07	0.2	0.01	14.3	<0.1	0.26	10	<0.5	<0.2
11654 DUP 11566 REJECT	Drill Core	0.124	6	36	1.84	34	0.170	2	1.94	0.074	0.05	0.7	<0.01	8.1	<0.1	0.18	8	<0.5	<0.2
11570	Rock Pulp	0.072	12	18	0.68	183	0.082	4	1.06	0.062	0.43	0.1	0.09	4.3	0.1	0.37	7	3.0	0.3
11571	Drill Core	0.126	13	35	1.67	56	0.187	2	2.23	0.054	0.09	0.3	0.02	11.3	<0.1	0.68	9	0.8	<0.2
11572	Drill Core	0.128	15	26	1.56	30	0.158	3	2.31	0.040	0.11	0.3	0.01	8.3	<0.1	0.58	9	0.9	<0.2
11573	Drill Core	0.118	13	35	1.40	34	0.173	3	1.87	0.047	0.11	0.3	0.04	8.1	0.1	1.35	8	4.8	<0.2
11574	Drill Core	0.102	12	34	1.50	42	0.052	3	1.90	0.043	0.19	0.1	0.05	6.0	0.1	2.15	8	12.4	<0.2
11575	Rock	0.086	5	52	1.02	18	0.252	14	3.88	1.205	0.14	<0.1	0.01	5.5	<0.1	0.12	9	<0.5	<0.2
11576	Drill Core	0.103	11	74	1.67	42	0.075	4	1.90	0.062	0.14	0.1	0.03	6.4	<0.1	2.02	8	8.7	<0.2
11655	Drill Core	0.124	14	39	1.41	35	0.184	3	1.87	0.048	0.11	0.3	0.06	8.0	0.2	1.86	8	6.8	<0.2
11577	Drill Core	0.115	10	126	5.58	822	0.190	6	3.06	0.341	0.49	0.1	0.09	6.7	0.2	0.22	8	0.9	<0.2
11578	Drill Core	0.129	10	178	6.65	463	0.236	5	2.86	0.316	0.73	<0.1	0.05	3.9	0.1	0.05	7	<0.5	<0.2
11579	Drill Core	0.123	10	170	6.59	754	0.215	9	2.81	0.309	0.66	<0.1	0.10	4.1	0.1	0.10	7	0.8	<0.2
11581	Drill Core	0.111	10	102	4.38	611	0.111	7	2.68	0.231	0.40	0.1	0.10	6.2	0.1	0.33	7	<0.5	<0.2
11582	Drill Core	0.119	13	116	4.82	204	0.118	7	2.85	0.271	0.36	<0.1	0.09	6.8	0.1	0.68	7	1.1	<0.2
11583	Drill Core	0.126	11	181	6.72	348	0.164	9	2.89	0.316	0.53	<0.1	0.13	5.2	0.1	0.16	6	0.9	<0.2
11584	Drill Core	0.130	9	92	3.67	27	0.090	7	2.54	0.192	0.23	0.1	0.08	8.0	0.2	2.05	8	10.2	<0.2
11656 DUP 11584 REJECT	Drill Core	0.131	9	89	3.50	27	0.084	5	2.53	0.185	0.24	0.2	0.07	7.9	0.1	2.04	8	10.9	<0.2
11585	Drill Core	0.129	11	196	7.19	237	0.151	10	3.10	0.294	0.39	0.1	0.11	7.3	0.2	0.33	6	2.8	<0.2
11586	Drill Core	0.126	10	179	7.00	847	0.154	8	3.10	0.332	0.53	<0.1	0.09	5.6	<0.1	0.23	7	1.3	0.4
11587	Drill Core	0.103	10	34	2.17	44	0.162	3	2.16	0.083	0.15	0.2	0.05	9.9	<0.1	2.10	7	1.5	<0.2
11588	Drill Core	0.115	10	32	2.23	100	0.197	5	2.63	0.063	0.09	0.3	0.03	14.8	0.1	1.36	9	0.7	<0.2
11589	Drill Core	0.095	9	29	2.21	192	0.145	4	2.71	0.095	0.09	0.2	<0.01	18.1	<0.1	0.70	9	0.8	<0.2
11590	Rock Pulp	0.051	5	29	0.58	120	0.109	3	1.19	0.085	0.11	0.6	0.06	4.5	<0.1	0.38	4	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11591	Drill Core	4.58	0.198	14.1	126.8	32.8	512	1.4	34.5	23.5	1716	6.18	29.8	6.0	0.7	118	3.3	0.4	1.5	209	4.31
11592	Drill Core	3.62	0.304	5.3	185.6	10.9	193	2.0	19.4	21.7	1527	6.02	14.7	187.0	0.8	117	1.3	0.3	1.8	169	5.98
11593	Drill Core	3.54	0.638	12.3	206.5	13.3	303	2.5	21.4	21.6	1450	6.08	17.0	54.1	0.8	122	1.8	0.5	1.5	176	5.78
11594	Drill Core	3.15	0.096	28.8	107.1	7.1	123	0.8	19.7	20.2	1458	5.48	9.3	10.4	1.1	113	0.5	0.4	0.3	221	4.63
11595	Rock	3.09	0.008	0.5	99.9	2.7	55	<0.1	90.8	28.7	782	3.96	1.3	2.8	0.5	151	<0.1	<0.1	<0.1	150	7.47
11596	Drill Core	2.01	0.033	2.9	59.8	4.0	86	0.3	5.3	14.4	945	4.56	7.1	24.8	0.7	72	0.2	0.2	0.6	151	3.01
11597	Drill Core	2.05	0.044	3.2	91.8	3.8	64	0.6	5.3	13.4	778	4.29	7.8	34.8	0.7	81	0.2	0.2	0.5	148	3.54
11598	Drill Core	2.94	0.051	8.2	105.4	9.3	92	0.4	36.4	19.9	907	4.71	9.9	3.5	1.8	215	0.5	0.4	0.3	200	3.80
11599	Drill Core	3.76	0.008	0.6	116.8	6.2	80	0.1	14.0	22.3	1139	5.47	1.3	1.3	2.6	174	<0.1	0.1	<0.1	213	2.36
11657	Drill Core	3.94	1.403	17.5	210.0	13.2	165	3.4	27.6	24.4	1493	7.21	17.7	108.9	1.1	122	1.0	0.4	1.4	196	6.22
11601	Drill Core	3.49	0.008	0.6	113.8	5.8	77	0.1	12.8	24.7	1193	5.87	2.0	2.6	2.0	259	<0.1	0.1	<0.1	223	3.45
11602	Drill Core	3.15	0.007	1.4	116.2	7.5	79	0.1	13.1	22.2	1104	5.63	2.9	3.2	2.8	254	0.1	<0.1	<0.1	219	3.55
11603	Drill Core	3.48	0.007	1.1	136.1	9.0	77	0.2	17.1	21.3	1011	5.31	4.1	2.4	2.6	237	<0.1	<0.1	<0.1	200	4.10
11604	Drill Core	3.22	0.009	0.9	130.9	7.2	77	0.1	18.3	24.8	1015	5.68	3.2	2.1	2.4	281	<0.1	<0.1	<0.1	249	4.37
11605	Drill Core	3.16	0.006	0.8	126.3	6.7	79	0.2	16.7	24.1	1069	5.74	3.7	0.8	2.4	261	<0.1	<0.1	<0.1	240	4.19
11606	Drill Core	3.63	0.007	6.4	140.2	9.5	84	0.3	25.6	23.6	973	5.41	10.4	<0.5	2.0	261	0.2	0.6	<0.1	218	5.29
11607	Drill Core	3.80	0.007	12.6	118.1	8.4	401	0.7	24.2	16.2	914	4.32	9.9	<0.5	2.8	205	14.4	1.8	<0.1	378	5.39
11658 DUP 11604 REJECT	Drill Core		0.009	1.0	129.2	6.8	76	0.1	18.3	23.6	972	5.40	2.8	<0.5	2.2	270	0.1	<0.1	<0.1	241	4.24
11608	Drill Core	3.47	0.014	4.5	127.2	9.7	83	1.0	30.0	17.8	899	4.40	7.4	0.5	3.2	263	0.6	0.6	<0.1	156	5.28
11609	Drill Core	4.01	0.011	1.9	136.5	8.5	75	0.3	11.1	19.1	1017	4.76	5.0	<0.5	2.4	268	<0.1	0.1	<0.1	166	4.42
11610	Rock Pulp	0.11	0.280	11.2	5331	5.9	92	2.0	11.5	8.2	635	4.57	1.9	203.3	4.1	72	0.5	0.3	0.7	64	1.07
11611	Drill Core	4.16	0.012	1.6	159.2	10.4	86	0.3	15.7	20.4	1113	4.90	3.0	5.0	2.2	269	<0.1	0.1	<0.1	166	3.31
11612	Drill Core	3.74	0.010	1.5	204.5	13.1	88	0.1	5.5	20.0	1208	4.56	3.6	8.5	1.8	330	<0.1	<0.1	<0.1	158	4.09
11613	Drill Core	3.55	0.009	1.6	222.0	14.1	99	<0.1	15.5	22.5	1280	4.97	3.7	4.2	2.0	350	<0.1	0.1	<0.1	170	5.23
11614	Drill Core	3.72	0.009	1.6	213.0	13.6	90	<0.1	4.7	19.8	1201	4.50	2.6	2.6	1.9	343	<0.1	<0.1	<0.1	157	5.42
11615	Rock	3.05	0.010	0.4	110.9	3.0	56	<0.1	90.9	29.2	755	3.94	1.3	0.6	0.5	156	<0.1	<0.1	<0.1	149	7.24
11616	Drill Core	3.68	0.009	1.1	175.3	11.0	83	<0.1	16.6	24.4	1171	5.29	2.1	2.5	1.5	293	<0.1	<0.1	<0.1	197	4.94
11617	Drill Core	4.16	0.009	1.1	201.2	13.6	84	<0.1	5.1	19.1	1101	4.22	3.2	2.2	1.8	344	<0.1	<0.1	<0.1	144	5.49
11618	Drill Core	4.03	0.008	0.9	159.5	10.1	79	0.1	15.8	23.5	1027	5.01	1.9	2.2	1.4	314	<0.1	<0.1	<0.1	191	5.02
11619	Drill Core	4.80	0.006	1.1	135.4	8.2	78	0.2	24.1	28.3	1025	5.89	1.6	1.2	1.0	241	<0.1	<0.1	<0.1	233	4.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11591	Drill Core	0.103	7	102	2.88	81	0.153	7	2.79	0.078	0.09	0.4	0.12	16.3	0.2	2.92	9	4.4	0.8
11592	Drill Core	0.119	8	46	2.74	26	0.092	4	2.71	0.086	0.07	0.2	0.12	12.9	0.5	3.41	9	<0.5	1.4
11593	Drill Core	0.117	10	37	2.18	29	0.042	4	2.38	0.094	0.09	0.1	0.19	12.6	0.6	4.12	8	1.6	2.7
11594	Drill Core	0.140	13	35	2.30	42	0.168	4	2.39	0.100	0.09	0.3	0.15	13.0	0.3	2.51	10	0.8	2.4
11595	Rock	0.091	5	50	1.04	18	0.263	18	3.97	1.244	0.16	<0.1	0.01	5.1	<0.1	0.07	9	<0.5	<0.2
11596	Drill Core	0.081	11	7	1.53	40	0.136	3	1.59	0.085	0.11	0.2	0.08	7.1	0.1	2.65	9	0.7	1.7
11597	Drill Core	0.079	11	7	1.42	36	0.202	4	1.36	0.080	0.08	0.4	0.11	7.3	0.1	2.62	8	<0.5	1.9
11598	Drill Core	0.125	14	44	2.37	60	0.303	21	2.07	0.335	0.07	0.3	0.08	11.0	0.2	1.26	10	0.9	0.8
11599	Drill Core	0.163	18	23	2.33	48	0.365	11	3.32	0.962	0.06	0.2	0.02	9.8	<0.1	0.18	14	<0.5	<0.2
11657	Drill Core	0.134	13	43	2.32	25	0.081	4	2.70	0.122	0.12	0.2	0.24	13.4	0.6	4.16	9	1.9	3.0
11601	Drill Core	0.169	14	15	1.99	91	0.402	16	4.29	0.271	0.08	0.2	0.03	9.0	<0.1	0.30	14	<0.5	<0.2
11602	Drill Core	0.158	17	23	1.87	91	0.378	11	4.03	0.221	0.08	0.2	0.05	9.1	<0.1	0.49	14	0.6	<0.2
11603	Drill Core	0.183	17	31	1.82	92	0.359	11	3.54	0.323	0.10	0.3	0.10	9.7	<0.1	0.44	13	0.7	<0.2
11604	Drill Core	0.174	16	33	1.83	92	0.343	11	4.24	0.248	0.08	0.3	0.07	8.0	<0.1	0.37	15	<0.5	<0.2
11605	Drill Core	0.185	15	24	1.67	89	0.375	10	3.98	0.206	0.08	0.2	0.09	7.7	<0.1	0.37	13	<0.5	<0.2
11606	Drill Core	0.165	14	44	1.72	82	0.348	7	3.53	0.284	0.07	0.3	0.23	11.0	0.2	1.81	12	0.8	<0.2
11607	Drill Core	0.149	16	39	1.42	64	0.311	11	2.60	0.310	0.07	0.3	0.17	9.3	0.2	1.55	10	13.8	<0.2
11658 DUP 11604 REJECT	Drill Core	0.169	15	30	1.74	91	0.323	10	4.07	0.242	0.08	0.2	0.08	7.7	<0.1	0.36	15	0.5	<0.2
11608	Drill Core	0.160	17	46	1.14	88	0.239	5	3.60	0.628	0.10	0.5	0.21	5.1	0.1	1.24	10	4.3	<0.2
11609	Drill Core	0.160	14	21	1.07	75	0.278	6	4.05	0.975	0.10	0.4	0.08	5.2	<0.1	0.88	11	<0.5	<0.2
11610	Rock Pulp	0.071	12	17	0.69	176	0.084	4	1.04	0.064	0.41	0.1	0.09	3.9	0.1	0.33	7	3.3	0.3
11611	Drill Core	0.203	13	25	1.36	81	0.257	204	4.24	1.191	0.10	0.3	0.04	5.0	<0.1	0.37	12	<0.5	<0.2
11612	Drill Core	0.247	12	5	1.47	85	0.219	30	5.58	1.836	0.09	0.3	0.03	4.6	<0.1	0.34	13	<0.5	<0.2
11613	Drill Core	0.261	14	20	1.33	88	0.241	36	5.63	1.407	0.09	0.3	0.05	5.6	<0.1	0.26	14	<0.5	<0.2
11614	Drill Core	0.261	13	3	1.31	85	0.233	29	5.51	1.391	0.09	0.3	0.03	5.2	<0.1	0.22	13	<0.5	<0.2
11615	Rock	0.089	5	51	1.05	19	0.269	17	3.95	1.225	0.16	<0.1	<0.01	5.7	<0.1	0.12	9	0.5	<0.2
11616	Drill Core	0.227	10	32	1.44	63	0.252	19	4.31	0.953	0.09	0.3	0.03	7.5	<0.1	0.09	12	<0.5	<0.2
11617	Drill Core	0.256	13	4	1.19	77	0.193	16	5.03	1.123	0.13	0.3	0.03	5.0	<0.1	0.18	12	<0.5	<0.2
11618	Drill Core	0.216	10	30	1.32	69	0.242	11	4.41	0.837	0.10	0.3	0.02	5.8	<0.1	0.17	11	<0.5	<0.2
11619	Drill Core	0.193	7	52	1.42	55	0.261	11	3.67	0.910	0.06	0.3	0.02	7.6	<0.1	0.23	11	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11620	Drill Core	3.86	0.009	0.9	136.5	8.4	78	0.2	25.3	28.2	1071	6.05	1.7	1.4	1.1	212	<0.1	<0.1	<0.1	235	3.79
11621	Drill Core	4.50	0.006	1.0	125.1	8.6	74	0.2	24.5	26.6	914	5.61	1.8	0.8	1.0	251	<0.1	<0.1	<0.1	222	4.19
11622	Drill Core	4.36	0.008	0.9	139.2	8.7	77	0.2	23.0	26.3	988	5.64	1.8	<0.5	1.1	259	<0.1	<0.1	<0.1	224	3.50
11659	Drill Core	4.13	<0.005	1.0	197.5	12.9	82	0.1	6.2	18.5	1101	4.07	2.7	1.8	1.7	375	<0.1	<0.1	<0.1	136	5.71
11623	Drill Core	3.42	<0.005	0.7	139.6	7.8	76	0.1	23.6	26.4	1060	5.51	2.5	1.0	1.0	242	<0.1	<0.1	<0.1	216	4.40
11624	Drill Core	3.95	<0.005	1.2	157.9	8.6	81	0.2	21.9	29.7	1088	6.10	2.3	1.6	1.1	228	<0.1	<0.1	<0.1	240	4.07
11625	Drill Core	4.67	<0.005	1.3	149.5	7.9	78	0.2	22.2	28.0	1118	6.08	2.5	1.8	1.0	223	<0.1	<0.1	<0.1	247	4.57
11626	Drill Core	4.78	<0.005	1.1	135.7	8.0	80	0.2	22.7	29.6	1054	6.30	1.9	0.7	1.0	212	<0.1	<0.1	<0.1	252	3.25
11627	Drill Core	3.82	<0.005	0.8	116.8	6.1	65	0.2	18.2	23.3	959	5.05	2.1	<0.5	0.8	145	<0.1	<0.1	<0.1	209	3.13
11628	Drill Core	3.66	<0.005	0.9	116.6	6.5	70	0.2	17.2	23.5	1081	5.12	1.9	1.3	0.9	144	<0.1	<0.1	<0.1	220	2.87
11629	Drill Core	3.60	<0.005	0.8	116.5	6.8	72	0.1	17.9	24.8	1101	5.28	9.8	0.8	0.9	149	<0.1	<0.1	<0.1	236	3.05
11660 DUP 11624 REJECT	Drill Core		<0.005	0.9	128.9	6.9	69	0.2	17.6	24.2	943	4.98	2.0	2.9	0.9	174	<0.1	<0.1	<0.1	207	3.62
11630	Rock Pulp	0.11	<0.005	3.0	21.6	2.2	32	0.4	17.5	8.6	268	1.88	2.7	<0.5	0.9	29	0.3	0.3	<0.1	47	0.72
11631	Drill Core	4.02	<0.005	1.6	112.8	7.1	71	<0.1	17.0	24.0	1048	5.24	2.4	1.3	0.9	158	<0.1	<0.1	<0.1	236	4.15
11632	Drill Core	3.23	<0.005	1.3	122.0	7.4	76	<0.1	17.4	25.1	1149	5.41	1.7	2.4	1.0	155	<0.1	<0.1	<0.1	245	3.11
11633	Drill Core	3.61	0.005	1.3	104.2	7.0	71	<0.1	15.8	22.9	1103	4.92	1.5	0.8	0.9	127	<0.1	<0.1	<0.1	202	3.29
11634	Drill Core	3.58	0.008	0.9	123.4	5.3	69	<0.1	17.0	22.8	1098	4.98	1.0	<0.5	0.7	151	<0.1	<0.1	<0.1	186	2.89
11635	Rock	3.11	<0.005	0.3	91.3	1.9	48	<0.1	76.1	23.6	648	3.29	0.5	<0.5	0.4	113	0.1	<0.1	<0.1	127	7.02
11636	Drill Core	3.48	<0.005	0.9	143.4	5.2	71	<0.1	16.9	23.4	1122	4.77	2.0	<0.5	0.8	123	<0.1	<0.1	<0.1	192	2.67
11637	Drill Core	3.31	<0.005	0.6	95.3	5.5	75	<0.1	16.0	22.7	1352	4.82	2.4	<0.5	0.9	104	0.1	<0.1	<0.1	184	2.25
11661	Drill Core	5.68	<0.005	0.7	103.3	5.7	73	0.1	16.9	23.8	1425	4.96	2.6	<0.5	0.9	112	<0.1	<0.1	<0.1	190	2.22
11638	Drill Core	2.39	0.005	0.8	81.9	5.1	71	0.2	14.6	19.7	993	4.78	2.2	<0.5	0.8	100	0.1	<0.1	<0.1	192	2.57
11639	Drill Core	3.78	0.007	0.5	95.9	6.0	69	<0.1	15.5	21.9	1039	4.93	2.0	<0.5	0.8	118	<0.1	<0.1	<0.1	195	2.32
11640	Drill Core	3.22	<0.005	0.7	116.7	5.3	77	0.1	16.9	24.8	1236	5.08	2.3	<0.5	0.9	127	<0.1	<0.1	<0.1	209	2.36
11641	Drill Core	4.27	0.007	0.7	104.4	5.4	68	<0.1	14.5	20.9	948	4.53	1.7	<0.5	0.8	117	<0.1	<0.1	<0.1	183	2.56
11642	Drill Core	4.22	<0.005	0.5	121.3	5.3	73	<0.1	15.4	22.5	970	4.82	1.8	<0.5	0.8	117	<0.1	<0.1	<0.1	195	2.88
11643	Drill Core	3.86	<0.005	0.6	121.3	5.7	76	<0.1	15.7	21.7	981	4.66	1.8	<0.5	0.8	125	<0.1	<0.1	<0.1	191	3.20
11644	Drill Core	3.87	0.005	0.6	126.8	5.6	72	<0.1	14.8	22.0	1024	4.86	1.4	<0.5	0.8	141	<0.1	<0.1	<0.1	187	2.82
11645	Drill Core	3.87	<0.005	0.7	150.0	6.6	75	0.1	17.2	26.0	1169	5.28	1.6	<0.5	0.9	152	<0.1	<0.1	<0.1	205	2.65
11646	Drill Core	4.21	<0.005	0.5	127.8	5.7	73	<0.1	15.1	22.2	924	4.92	1.6	<0.5	0.8	124	<0.1	<0.1	<0.1	205	3.09

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11620	Drill Core	0.203	7	59	1.36	60	0.266	16	3.80	1.428	0.07	0.2	0.01	7.5	<0.1	0.07	11	<0.5	<0.2
11621	Drill Core	0.185	7	56	1.28	51	0.246	17	3.74	0.680	0.06	0.2	0.01	6.9	<0.1	0.13	11	<0.5	<0.2
11622	Drill Core	0.198	7	47	1.38	61	0.241	14	3.85	0.978	0.06	0.2	0.02	6.1	<0.1	0.13	11	<0.5	<0.2
11659	Drill Core	0.237	12	4	1.15	77	0.183	16	5.11	0.890	0.13	0.3	0.03	4.5	<0.1	0.17	12	<0.5	<0.2
11623	Drill Core	0.206	7	52	1.47	59	0.248	13	3.45	0.838	0.07	0.3	0.02	7.5	<0.1	0.20	10	<0.5	<0.2
11624	Drill Core	0.203	7	53	1.43	51	0.272	18	3.47	0.812	0.07	0.2	0.02	7.4	<0.1	0.31	11	<0.5	<0.2
11625	Drill Core	0.193	7	54	1.20	45	0.260	25	3.47	0.849	0.06	0.3	0.02	6.9	<0.1	0.38	11	<0.5	<0.2
11626	Drill Core	0.186	7	54	1.33	42	0.262	26	3.42	0.899	0.06	0.2	0.01	6.8	<0.1	0.13	11	<0.5	<0.2
11627	Drill Core	0.142	6	42	1.17	31	0.164	17	3.39	1.360	0.05	0.2	<0.01	6.5	<0.1	0.15	9	<0.5	<0.2
11628	Drill Core	0.163	6	39	1.32	36	0.193	20	3.58	1.478	0.06	0.2	0.02	6.7	<0.1	0.19	9	1.0	<0.2
11629	Drill Core	0.173	6	42	1.34	36	0.197	27	3.80	1.494	0.06	0.2	0.01	7.4	<0.1	0.14	10	<0.5	<0.2
11660 DUP 11624 REJECT	Drill Core	0.160	6	45	1.23	43	0.203	13	3.06	0.655	0.06	0.2	0.01	6.8	<0.1	0.28	10	<0.5	<0.2
11630	Rock Pulp	0.049	5	21	0.50	87	0.111	2	1.12	0.067	0.08	17.1	0.01	4.0	<0.1	<0.05	4	0.7	<0.2
11631	Drill Core	0.174	6	43	1.15	35	0.219	23	3.38	1.088	0.06	0.2	0.02	7.6	<0.1	0.41	9	<0.5	<0.2
11632	Drill Core	0.174	7	40	1.36	39	0.220	25	3.71	1.239	0.07	0.3	0.02	7.6	<0.1	0.10	11	<0.5	<0.2
11633	Drill Core	0.164	6	36	1.16	32	0.190	14	3.76	1.787	0.12	0.2	<0.01	5.7	<0.1	0.06	9	<0.5	<0.2
11634	Drill Core	0.158	6	33	1.29	38	0.175	12	4.16	1.982	0.23	0.2	<0.01	6.4	<0.1	0.06	9	<0.5	<0.2
11635	Rock	0.078	4	43	0.86	18	0.203	15	3.37	0.958	0.18	<0.1	<0.01	4.9	<0.1	0.10	7	0.6	<0.2
11636	Drill Core	0.168	6	30	0.94	31	0.184	12	2.47	0.797	0.16	0.3	<0.01	4.8	<0.1	<0.05	9	<0.5	<0.2
11637	Drill Core	0.185	6	28	0.93	34	0.178	7	2.80	1.166	0.24	0.4	<0.01	5.0	<0.1	<0.05	8	<0.5	<0.2
11661	Drill Core	0.179	6	29	0.95	30	0.182	7	2.89	1.179	0.20	0.5	<0.01	5.0	<0.1	<0.05	8	<0.5	<0.2
11638	Drill Core	0.211	7	28	0.96	34	0.184	5	3.07	1.588	0.20	0.3	0.01	5.0	<0.1	<0.05	8	0.5	<0.2
11639	Drill Core	0.164	6	31	1.14	32	0.186	5	3.17	1.355	0.14	0.2	<0.01	5.4	<0.1	<0.05	9	<0.5	<0.2
11640	Drill Core	0.186	6	33	1.31	35	0.191	5	3.12	1.300	0.16	0.3	<0.01	6.1	<0.1	<0.05	9	<0.5	<0.2
11641	Drill Core	0.182	6	28	0.85	36	0.167	7	3.29	1.738	0.21	0.2	0.01	4.4	<0.1	<0.05	8	<0.5	<0.2
11642	Drill Core	0.178	6	30	1.05	30	0.189	4	2.81	1.120	0.14	0.2	<0.01	5.6	<0.1	<0.05	8	<0.5	<0.2
11643	Drill Core	0.180	6	28	1.18	27	0.169	5	3.28	1.430	0.12	0.3	<0.01	5.2	<0.1	<0.05	8	<0.5	<0.2
11644	Drill Core	0.162	6	28	1.20	28	0.179	6	3.13	1.173	0.12	0.2	0.02	5.5	<0.1	<0.05	8	<0.5	<0.2
11645	Drill Core	0.177	6	32	1.36	30	0.186	8	3.58	1.385	0.10	0.2	<0.01	6.6	<0.1	<0.05	10	<0.5	<0.2
11646	Drill Core	0.163	6	30	1.07	23	0.200	4	2.76	0.946	0.10	0.1	<0.01	5.5	<0.1	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11647	Drill Core	3.43	0.008	0.4	144.9	6.3	66	<0.1	13.8	20.3	771	4.63	1.6	1.4	0.8	103	<0.1	<0.1	<0.1	223	4.72
11648	Drill Core	3.72	<0.005	0.6	133.5	6.5	72	<0.1	15.5	23.6	912	5.15	1.7	<0.5	0.9	116	<0.1	<0.1	<0.1	227	3.94
11649	Drill Core	4.27	0.006	0.4	129.1	5.7	72	<0.1	14.6	22.3	971	4.90	1.6	<0.5	0.8	108	<0.1	<0.1	<0.1	194	2.90
11650	Rock Pulp	0.11	0.264	10.2	5508	5.0	81	1.6	10.1	7.0	586	4.33	1.9	156.5	3.7	59	0.4	0.3	0.7	60	1.09
11662 DUP 11646 REJECT	Drill Core		<0.005	0.6	127.2	5.5	69	<0.1	15.1	21.0	895	4.79	1.8	<0.5	0.8	119	<0.1	<0.1	<0.1	206	3.04
11663	Drill Core	4.27	0.005	0.6	152.0	6.9	72	<0.1	16.4	22.8	1051	5.08	1.7	<0.5	0.9	110	<0.1	<0.1	<0.1	215	2.76
11664	Drill Core	4.03	<0.005	1.3	203.0	8.6	74	0.4	18.9	19.1	954	4.28	2.6	<0.5	1.1	168	<0.1	0.1	<0.1	165	3.50
11665	Drill Core	4.66	<0.005	1.3	196.7	7.6	70	0.1	19.4	18.9	901	4.23	3.1	<0.5	1.0	143	<0.1	<0.1	<0.1	158	3.22
11666	Drill Core	4.57	0.005	1.0	71.8	7.7	69	<0.1	19.5	17.3	873	4.16	2.6	2.4	1.1	132	<0.1	<0.1	<0.1	128	3.12
11667	Rock	3.14	<0.005	0.3	91.7	2.1	47	<0.1	80.5	24.2	640	3.32	1.4	1.7	0.4	108	<0.1	<0.1	<0.1	120	7.05
11668	Drill Core	3.78	0.006	0.9	118.4	2.8	57	0.2	10.8	19.3	896	4.80	2.5	<0.5	0.7	136	0.1	<0.1	<0.1	236	3.29
11669	Drill Core	4.00	0.006	1.2	174.7	7.9	69	0.2	16.7	18.0	858	4.09	3.2	8.5	1.0	152	<0.1	<0.1	<0.1	153	3.48
11670	Drill Core	3.75	<0.005	0.8	130.1	4.3	72	0.2	14.2	22.0	993	5.12	2.2	4.1	0.7	141	<0.1	<0.1	<0.1	225	2.29
11671	Drill Core	4.22	0.006	0.5	114.7	6.5	75	0.1	16.4	22.7	945	5.03	3.0	1.5	0.7	166	<0.1	<0.1	<0.1	200	2.27
11672	Drill Core	4.38	<0.005	0.7	165.8	6.5	75	0.1	15.9	22.7	1072	5.16	2.9	0.8	0.9	136	<0.1	<0.1	<0.1	205	2.07
11673	Drill Core	4.89	0.007	0.6	134.4	6.9	75	0.2	16.1	23.2	1133	5.27	3.8	0.5	0.8	154	<0.1	<0.1	<0.1	206	2.34
11674	Drill Core	4.19	0.007	0.3	103.7	5.7	69	<0.1	14.3	21.5	889	4.85	2.7	<0.5	0.8	138	<0.1	<0.1	<0.1	205	2.33
11675	Drill Core	3.74	0.006	0.4	127.9	5.4	72	<0.1	153.4	29.3	935	5.26	1.9	0.7	1.6	193	<0.1	<0.1	<0.1	196	2.27
11676	Drill Core	3.85	0.005	0.6	139.6	6.1	75	<0.1	52.3	26.7	1120	5.52	2.5	<0.5	1.0	164	<0.1	<0.1	<0.1	210	2.21
11677	Drill Core	4.20	0.005	0.5	127.6	6.1	75	<0.1	15.1	22.0	979	5.11	2.5	1.1	0.8	133	<0.1	<0.1	<0.1	196	2.31
11678	Drill Core	4.55	0.006	1.0	149.2	7.4	84	<0.1	18.2	27.0	1197	6.00	3.3	<0.5	1.0	185	<0.1	<0.1	<0.1	234	2.80
11679 DUP 11677 REJECT	Drill Core		0.008	0.4	131.7	6.6	76	<0.1	16.0	24.1	1077	5.30	2.1	<0.5	0.9	140	<0.1	<0.1	<0.1	202	2.39
11680	Drill Core	4.42	<0.005	0.7	146.1	7.5	89	<0.1	19.5	27.7	1186	6.13	3.3	1.0	1.0	147	<0.1	<0.1	<0.1	246	2.47
11681	Drill Core	3.85	0.007	0.6	148.9	6.7	81	<0.1	18.1	25.4	1108	5.77	2.9	<0.5	0.9	148	<0.1	<0.1	<0.1	226	2.57
11682	Drill Core	4.07	0.005	0.7	182.2	7.7	90	<0.1	18.3	26.8	1257	6.21	2.7	3.0	1.0	157	<0.1	<0.1	<0.1	235	2.31
11683	Drill Core	3.71	0.005	0.7	160.6	7.2	86	<0.1	19.0	27.0	1324	6.24	2.4	<0.5	1.0	170	<0.1	<0.1	<0.1	248	2.37
11684	Rock Pulp	0.11	1.537	86.5	>10000	664.3	1639	8.6	104.9	14.7	450	5.30	333.3	1404	2.1	41	9.5	44.1	3.0	52	0.88
11685	Drill Core	4.04	0.006	0.6	94.3	4.7	65	<0.1	162.9	33.2	956	4.75	1.8	0.8	0.7	254	<0.1	<0.1	<0.1	145	2.18
11686	Drill Core	4.87	0.006	0.5	94.4	5.4	63	<0.1	111.5	29.2	1024	4.62	2.0	<0.5	0.6	223	<0.1	<0.1	<0.1	152	2.23
11687	Drill Core	4.49	0.006	0.4	83.9	3.8	58	<0.1	211.4	36.9	888	4.61	2.0	2.0	0.5	257	<0.1	<0.1	<0.1	121	2.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11647	Drill Core	0.154	6	28	0.86	16	0.147	10	3.61	0.798	0.09	0.1	0.01	4.9	<0.1	<0.05	10	<0.5	<0.2
11648	Drill Core	0.177	6	33	1.20	20	0.194	10	2.80	0.323	0.12	0.2	<0.01	6.7	<0.1	0.10	10	<0.5	<0.2
11649	Drill Core	0.173	6	29	1.00	25	0.178	4	2.85	1.263	0.13	0.2	<0.01	3.9	<0.1	<0.05	8	<0.5	<0.2
11650	Rock Pulp	0.069	10	15	0.64	168	0.070	4	1.06	0.066	0.41	0.1	0.07	3.8	0.1	0.33	6	3.9	0.2
11662 DUP 11646 REJECT	Drill Core	0.156	6	28	1.07	25	0.182	3	2.73	0.941	0.11	0.2	<0.01	5.1	<0.1	<0.05	8	<0.5	<0.2
11663	Drill Core	0.182	6	33	1.16	25	0.197	7	3.06	1.126	0.12	0.1	<0.01	5.0	<0.1	<0.05	9	<0.5	<0.2
11664	Drill Core	0.235	8	37	1.22	27	0.185	18	5.04	2.497	0.14	0.2	<0.01	4.7	<0.1	0.05	10	0.8	<0.2
11665	Drill Core	0.217	8	40	1.14	26	0.178	15	5.08	2.734	0.19	0.2	<0.01	4.6	<0.1	0.05	9	1.0	<0.2
11666	Drill Core	0.209	7	37	1.17	20	0.160	10	5.26	3.020	0.29	0.2	<0.01	4.5	<0.1	<0.05	8	<0.5	<0.2
11667	Rock	0.076	4	41	0.88	18	0.205	14	3.40	0.990	0.18	<0.1	<0.01	4.9	<0.1	0.09	7	<0.5	<0.2
11668	Drill Core	0.115	7	12	1.36	27	0.293	11	3.09	0.833	0.10	<0.1	<0.01	11.4	<0.1	0.15	9	0.8	<0.2
11669	Drill Core	0.209	7	33	1.12	22	0.169	13	4.55	2.207	0.12	0.2	<0.01	4.5	0.1	<0.05	9	0.9	<0.2
11670	Drill Core	0.142	7	20	1.24	28	0.253	6	3.48	1.270	0.16	<0.1	0.01	8.5	<0.1	0.07	9	<0.5	<0.2
11671	Drill Core	0.162	6	26	0.99	18	0.191	8	3.38	1.268	0.10	0.1	<0.01	3.9	<0.1	<0.05	9	<0.5	<0.2
11672	Drill Core	0.186	6	26	1.05	20	0.200	9	3.90	1.932	0.14	0.2	<0.01	4.2	<0.1	0.05	9	<0.5	<0.2
11673	Drill Core	0.158	6	26	1.11	21	0.207	10	4.00	1.968	0.15	0.2	<0.01	6.2	<0.1	0.09	9	<0.5	<0.2
11674	Drill Core	0.153	6	22	0.86	21	0.197	11	3.57	1.791	0.13	0.1	<0.01	4.1	<0.1	<0.05	8	<0.5	<0.2
11675	Drill Core	0.174	8	43	2.37	132	0.237	8	3.00	1.171	0.24	0.2	0.02	5.1	<0.1	0.13	8	<0.5	<0.2
11676	Drill Core	0.173	7	30	1.54	32	0.201	132	3.92	1.835	0.12	0.2	<0.01	4.3	<0.1	0.06	9	<0.5	<0.2
11677	Drill Core	0.169	6	23	0.93	26	0.187	71	3.55	1.913	0.16	<0.1	<0.01	4.0	<0.1	<0.05	8	<0.5	<0.2
11678	Drill Core	0.177	7	29	1.11	22	0.248	17	4.31	1.988	0.13	0.2	<0.01	5.2	<0.1	<0.05	11	<0.5	<0.2
11679 DUP 11677 REJECT	Drill Core	0.187	6	25	0.96	28	0.201	59	3.72	2.015	0.17	0.1	<0.01	4.1	<0.1	<0.05	8	<0.5	<0.2
11680	Drill Core	0.199	7	29	1.04	24	0.240	17	4.39	2.453	0.16	0.1	<0.01	4.8	<0.1	<0.05	10	<0.5	<0.2
11681	Drill Core	0.181	7	28	1.04	23	0.232	135	4.14	2.201	0.14	0.2	<0.01	4.8	<0.1	<0.05	10	<0.5	<0.2
11682	Drill Core	0.188	7	29	1.18	22	0.237	14	4.54	2.292	0.13	0.2	<0.01	4.9	<0.1	0.06	11	<0.5	<0.2
11683	Drill Core	0.195	7	31	1.42	24	0.241	19	4.23	1.980	0.13	0.2	<0.01	4.7	<0.1	<0.05	11	<0.5	<0.2
11684	Rock Pulp	0.056	8	53	0.66	52	0.075	47	1.23	0.088	0.22	37.8	0.84	4.7	1.1	2.35	5	4.8	0.4
11685	Drill Core	0.127	4	171	3.26	25	0.146	17	3.27	1.476	0.21	0.2	<0.01	5.4	<0.1	<0.05	7	<0.5	<0.2
11686	Drill Core	0.124	4	117	2.92	23	0.156	14	2.78	0.897	0.19	0.3	<0.01	4.6	<0.1	<0.05	7	<0.5	<0.2
11687	Drill Core	0.103	3	196	4.12	17	0.120	16	2.85	1.002	0.13	0.2	<0.01	5.0	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11688	Drill Core	3.79	<0.005	0.2	73.0	3.1	47	<0.1	204.8	32.8	696	3.78	1.0	<0.5	0.4	256	<0.1	<0.1	<0.1	100	2.37
11689	Rock	3.10	<0.005	0.1	94.8	1.9	46	<0.1	83.3	24.9	657	3.40	1.2	<0.5	0.4	128	<0.1	<0.1	<0.1	121	6.83
11690	Drill Core	4.36	<0.005	0.3	73.6	3.9	47	<0.1	174.8	30.6	689	3.97	1.3	<0.5	0.4	251	<0.1	<0.1	<0.1	104	2.54
11691	Drill Core	4.52	<0.005	0.2	72.3	3.5	48	<0.1	215.4	36.0	688	4.05	0.7	<0.5	0.4	262	<0.1	<0.1	<0.1	100	1.87
11692	Drill Core	4.68	<0.005	0.2	75.2	3.2	47	<0.1	223.9	34.5	681	3.90	<0.5	<0.5	0.4	265	<0.1	<0.1	<0.1	101	1.91
11693	Drill Core	2.68	<0.005	0.8	91.0	6.1	53	<0.1	91.7	24.1	611	3.98	1.1	0.5	0.6	223	<0.1	<0.1	<0.1	147	1.61
11694	Drill Core	4.02	<0.005	0.7	73.6	4.0	56	<0.1	206.3	34.6	780	4.53	0.8	<0.5	0.5	286	<0.1	<0.1	<0.1	138	2.58
11695	Drill Core	3.99	<0.005	0.3	64.8	3.8	50	<0.1	210.4	34.5	775	4.27	1.1	2.8	0.6	298	<0.1	<0.1	<0.1	143	2.29
11696	Drill Core	4.63	<0.005	0.2	73.3	3.0	44	<0.1	155.7	29.6	582	3.74	1.0	<0.5	0.3	244	<0.1	<0.1	<0.1	104	1.73
11697	Drill Core	4.26	<0.005	0.2	78.1	5.4	46	<0.1	189.1	31.3	703	3.77	1.0	3.3	0.4	313	<0.1	<0.1	<0.1	112	3.23
11698	Drill Core	4.07	<0.005	0.3	69.5	3.4	48	<0.1	207.8	33.8	656	4.14	0.7	0.9	0.4	320	<0.1	<0.1	<0.1	118	2.66
11699	Drill Core	4.29	<0.005	0.2	61.7	2.9	44	<0.1	190.6	32.3	639	3.86	0.8	<0.5	0.3	303	<0.1	<0.1	<0.1	111	2.43
11700	Drill Core	4.70	<0.005	0.4	67.9	3.0	48	<0.1	183.0	31.7	640	4.00	<0.5	0.5	0.4	279	<0.1	<0.1	<0.1	112	2.31
11701	Drill Core	4.22	<0.005	0.2	73.4	2.9	51	<0.1	187.1	33.6	675	4.04	0.7	<0.5	0.4	304	<0.1	<0.1	<0.1	115	2.49
11702	Drill Core	4.50	<0.005	0.2	75.4	4.2	52	<0.1	177.2	33.3	706	4.30	<0.5	3.2	0.4	291	<0.1	<0.1	<0.1	127	2.36
11703	Drill Core	4.86	<0.005	0.3	69.7	4.1	53	<0.1	171.0	34.7	709	4.41	0.7	<0.5	0.5	301	<0.1	<0.1	<0.1	132	2.04
11704	Drill Core	4.34	<0.005	0.3	81.6	6.8	47	<0.1	181.3	32.2	710	3.83	1.0	<0.5	0.4	312	<0.1	<0.1	<0.1	115	3.54
11705	Drill Core	4.35	<0.005	0.4	74.0	4.2	47	<0.1	172.8	33.4	689	3.83	<0.5	2.5	0.4	307	<0.1	<0.1	<0.1	109	3.57
11706	Drill Core	4.55	<0.005	0.3	82.6	3.5	53	0.1	189.8	34.1	764	4.18	0.9	0.8	0.5	284	<0.1	<0.1	<0.1	128	2.47
11707	Drill Core	4.87	<0.005	0.3	77.3	4.6	54	<0.1	223.7	37.4	809	4.35	<0.5	1.0	0.4	336	<0.1	<0.1	<0.1	131	3.59
11708	Rock	3.07	<0.005	0.4	113.1	2.7	56	<0.1	99.5	28.8	784	3.83	1.0	<0.5	0.5	148	<0.1	<0.1	<0.1	147	8.10
11709	Drill Core	4.48	<0.005	0.2	60.7	3.8	56	0.1	234.8	40.6	753	4.55	0.6	<0.5	0.4	351	<0.1	<0.1	<0.1	115	2.38
11710	Drill Core	4.60	<0.005	0.3	75.7	3.2	58	<0.1	215.4	37.1	739	4.53	<0.5	<0.5	0.5	359	<0.1	<0.1	<0.1	118	3.57
11711	Drill Core	4.61	<0.005	0.4	90.4	4.6	69	<0.1	261.0	45.7	1021	5.71	<0.5	<0.5	0.5	339	<0.1	<0.1	<0.1	144	1.84
11712	Drill Core	4.76	<0.005	0.3	86.8	3.1	64	<0.1	226.5	40.2	974	5.04	<0.5	<0.5	0.5	319	<0.1	<0.1	<0.1	133	3.09
11713	Drill Core	4.93	<0.005	0.3	75.9	4.1	61	<0.1	229.5	41.1	870	5.15	<0.5	<0.5	0.5	368	<0.1	<0.1	<0.1	127	2.56
11714	Drill Core	4.68	<0.005	0.4	80.0	2.8	62	<0.1	228.7	41.6	865	4.95	<0.5	<0.5	0.5	333	<0.1	<0.1	<0.1	123	2.30
11715	Rock	3.04	<0.005	0.3	111.5	2.6	57	<0.1	95.9	28.9	813	3.92	1.3	<0.5	0.6	159	<0.1	<0.1	<0.1	147	7.93
11716	Drill Core	4.32	<0.005	0.3	83.3	2.6	58	<0.1	209.6	37.9	845	4.57	<0.5	0.6	0.5	337	<0.1	<0.1	<0.1	122	2.83
11717	Drill Core	4.59	<0.005	0.4	85.4	2.9	63	<0.1	212.5	40.7	918	4.79	0.8	<0.5	0.5	408	<0.1	<0.1	<0.1	123	3.52

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11688	Drill Core	0.095	2	192	3.80	24	0.098	13	2.23	0.734	0.12	<0.1	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
11689	Rock	0.081	4	36	0.84	15	0.198	13	3.26	1.062	0.15	<0.1	<0.01	3.8	<0.1	0.07	7	<0.5	<0.2
11690	Drill Core	0.098	3	181	3.53	22	0.106	15	2.36	0.822	0.20	<0.1	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
11691	Drill Core	0.090	3	178	4.31	14	0.101	12	2.45	0.708	0.17	0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
11692	Drill Core	0.091	2	187	3.96	31	0.096	13	2.28	0.685	0.16	0.1	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
11693	Drill Core	0.162	4	111	3.09	25	0.136	10	3.66	2.041	0.30	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
11694	Drill Core	0.121	3	221	4.03	26	0.126	16	2.94	1.180	0.28	<0.1	<0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
11695	Drill Core	0.108	4	227	4.34	37	0.124	22	2.55	0.760	0.16	0.1	<0.01	5.8	<0.1	<0.05	5	<0.5	<0.2
11696	Drill Core	0.082	2	176	3.48	32	0.104	11	1.70	0.430	0.11	<0.1	<0.01	4.8	<0.1	<0.05	4	<0.5	<0.2
11697	Drill Core	0.099	2	171	3.72	49	0.105	11	2.10	0.715	0.15	<0.1	0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
11698	Drill Core	0.092	2	198	4.10	44	0.113	12	1.93	0.512	0.13	0.1	<0.01	5.3	<0.1	<0.05	5	<0.5	<0.2
11699	Drill Core	0.081	2	195	3.67	38	0.105	10	1.75	0.454	0.12	<0.1	<0.01	4.8	<0.1	<0.05	4	<0.5	<0.2
11700	Drill Core	0.086	2	200	3.45	42	0.107	21	1.77	0.504	0.12	<0.1	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
11701	Drill Core	0.093	2	197	3.66	41	0.108	16	1.89	0.548	0.12	<0.1	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
11702	Drill Core	0.104	3	195	3.74	33	0.121	13	2.25	0.821	0.15	<0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
11703	Drill Core	0.105	3	186	3.86	30	0.126	13	2.51	1.008	0.16	<0.1	<0.01	4.7	<0.1	<0.05	6	<0.5	<0.2
11704	Drill Core	0.099	3	180	3.61	55	0.109	10	2.08	0.715	0.16	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
11705	Drill Core	0.099	2	180	3.58	35	0.112	16	1.74	0.442	0.14	0.1	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
11706	Drill Core	0.115	3	193	3.69	34	0.126	11	2.15	0.720	0.18	0.1	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
11707	Drill Core	0.101	3	247	4.16	55	0.128	8	2.06	0.507	0.15	<0.1	<0.01	5.3	<0.1	<0.05	5	<0.5	<0.2
11708	Rock	0.093	5	52	1.02	18	0.254	15	3.84	1.143	0.15	<0.1	<0.01	5.3	<0.1	0.08	9	<0.5	<0.2
11709	Drill Core	0.099	3	219	4.73	29	0.110	11	2.24	0.547	0.14	<0.1	<0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
11710	Drill Core	0.108	3	252	4.21	30	0.117	11	2.03	0.418	0.13	<0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
11711	Drill Core	0.122	3	303	5.58	27	0.137	17	2.48	0.291	0.09	<0.1	<0.01	5.0	<0.1	<0.05	6	<0.5	<0.2
11712	Drill Core	0.115	3	280	4.70	41	0.136	13	2.32	0.390	0.09	<0.1	<0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
11713	Drill Core	0.099	3	261	5.42	24	0.125	14	2.51	0.434	0.10	<0.1	<0.01	5.2	<0.1	<0.05	6	<0.5	<0.2
11714	Drill Core	0.106	3	276	5.25	24	0.131	14	2.48	0.444	0.11	<0.1	<0.01	5.1	<0.1	<0.05	5	<0.5	<0.2
11715	Rock	0.096	5	51	1.07	21	0.246	18	3.90	1.178	0.16	<0.1	<0.01	5.6	<0.1	0.09	9	<0.5	<0.2
11716	Drill Core	0.115	3	247	5.00	29	0.124	13	2.31	0.454	0.10	<0.1	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
11717	Drill Core	0.115	3	254	5.62	34	0.128	14	2.59	0.507	0.10	0.1	<0.01	5.2	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11718	Drill Core	4.72	<0.005	0.3	83.5	3.4	60	<0.1	219.7	40.5	861	4.97	<0.5	<0.5	0.5	335	<0.1	<0.1	<0.1	133	2.53
11719	Drill Core	4.72	0.006	0.2	86.1	4.4	61	<0.1	227.8	41.6	952	4.99	<0.5	<0.5	0.6	361	<0.1	<0.1	<0.1	130	3.51
11720	Drill Core	4.37	0.006	0.4	96.6	4.8	60	<0.1	201.4	37.5	868	4.77	<0.5	<0.5	0.6	329	<0.1	<0.1	<0.1	140	2.93
11721 DUP 11720 REJECT	Drill Core		<0.005	0.4	91.5	4.8	57	<0.1	194.6	35.4	861	4.74	<0.5	0.7	0.6	327	<0.1	<0.1	<0.1	136	2.86
11722	Drill Core	4.30	0.005	0.4	86.6	5.0	63	<0.1	233.7	39.0	844	4.93	0.8	<0.5	0.5	359	<0.1	<0.1	<0.1	136	2.32
11723	Drill Core	4.17	<0.005	0.3	91.2	3.2	62	<0.1	221.8	40.8	865	5.00	<0.5	0.6	0.6	351	<0.1	<0.1	<0.1	139	2.36
11724	Drill Core	4.57	<0.005	0.3	87.4	3.5	59	<0.1	216.7	39.5	778	4.68	<0.5	<0.5	0.5	339	<0.1	<0.1	<0.1	131	2.24
11725	Drill Core	4.39	<0.005	0.3	71.1	7.2	51	<0.1	211.9	38.2	764	4.25	0.7	3.1	0.4	356	<0.1	<0.1	<0.1	109	2.01
11726	Drill Core	4.68	<0.005	0.2	66.4	2.7	52	<0.1	224.2	38.9	795	4.50	<0.5	2.3	0.4	333	<0.1	<0.1	<0.1	110	1.95
11727	Drill Core	4.48	<0.005	0.2	65.1	2.9	51	<0.1	223.0	40.3	756	4.43	0.5	1.8	0.4	360	<0.1	<0.1	<0.1	107	1.99
11728	Drill Core	4.18	<0.005	0.2	61.7	2.7	52	<0.1	227.9	41.1	773	4.47	0.6	1.5	0.4	322	<0.1	<0.1	<0.1	107	1.93
11729	Drill Core	4.37	0.006	0.2	64.7	3.1	54	0.1	227.4	40.6	802	4.61	<0.5	<0.5	0.4	386	<0.1	<0.1	<0.1	116	2.15
11730	Rock Pulp	0.11	<0.005	2.8	21.1	2.1	34	0.5	18.1	8.8	298	1.92	3.4	<0.5	0.9	27	0.2	0.2	<0.1	45	0.70
11731	Drill Core	4.44	<0.005	0.4	58.6	3.5	52	<0.1	327.6	39.6	791	4.32	0.8	1.3	1.0	509	<0.1	<0.1	<0.1	109	2.05
11732	Drill Core	4.63	0.005	0.2	62.0	4.2	53	<0.1	235.0	41.8	823	4.65	0.6	1.3	0.4	416	<0.1	<0.1	<0.1	116	2.19
11733	Drill Core	4.85	<0.005	0.2	68.4	2.2	54	<0.1	239.0	42.2	833	4.54	<0.5	1.5	0.4	288	<0.1	<0.1	<0.1	110	2.02
11734	Drill Core	4.71	<0.005	0.3	64.4	4.0	46	<0.1	213.7	37.5	727	4.14	<0.5	1.6	0.3	323	<0.1	<0.1	<0.1	105	2.27
11735	Rock	3.08	<0.005	0.3	90.9	2.2	49	<0.1	93.5	28.8	731	3.59	1.3	1.3	0.4	136	<0.1	<0.1	<0.1	138	8.14
11736	Drill Core	4.44	0.007	0.2	70.8	3.7	52	<0.1	236.0	42.0	776	4.87	<0.5	0.7	0.4	321	<0.1	<0.1	<0.1	116	2.41
11737	Drill Core	3.05	0.008	0.2	62.0	2.7	55	<0.1	252.7	44.4	810	5.00	<0.5	0.9	0.4	304	<0.1	<0.1	<0.1	121	2.15
11738	Drill Core	4.62	0.006	0.2	64.2	3.1	54	<0.1	238.1	40.7	760	4.62	<0.5	0.5	0.4	300	<0.1	<0.1	<0.1	113	2.30
11739	Drill Core	2.61	0.008	0.2	60.2	2.9	47	<0.1	205.1	37.0	750	4.22	<0.5	<0.5	0.3	417	<0.1	<0.1	<0.1	104	2.69

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

CERTIFICATE OF ANALYSIS VAN11006935.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11718	Drill Core	0.108	3	310	4.97	27	0.139	16	2.40	0.437	0.12	<0.1	<0.01	5.9	<0.1	<0.05	5	<0.5	<0.2
11719	Drill Core	0.112	4	268	4.91	92	0.138	15	2.55	0.434	0.16	<0.1	<0.01	5.3	<0.1	<0.05	6	<0.5	<0.2
11720	Drill Core	0.133	4	274	4.55	130	0.144	14	2.40	0.532	0.16	<0.1	<0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
11721 DUP 11720 REJECT	Drill Core	0.128	4	271	4.36	124	0.141	14	2.31	0.521	0.16	<0.1	<0.01	5.7	<0.1	<0.05	5	<0.5	<0.2
11722	Drill Core	0.115	3	257	4.96	35	0.129	14	2.38	0.467	0.11	<0.1	<0.01	5.3	<0.1	<0.05	6	<0.5	<0.2
11723	Drill Core	0.123	4	273	5.29	37	0.142	14	2.63	0.562	0.14	<0.1	<0.01	5.6	<0.1	<0.05	6	<0.5	<0.2
11724	Drill Core	0.121	3	256	4.99	35	0.130	12	2.53	0.593	0.16	<0.1	<0.01	5.4	<0.1	<0.05	5	<0.5	<0.2
11725	Drill Core	0.102	3	233	4.72	32	0.105	13	2.33	0.529	0.11	<0.1	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
11726	Drill Core	0.098	3	271	5.11	23	0.109	14	2.35	0.430	0.10	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
11727	Drill Core	0.097	3	275	4.96	34	0.101	12	2.30	0.450	0.12	<0.1	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
11728	Drill Core	0.093	3	281	5.19	24	0.103	13	2.43	0.471	0.12	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
11729	Drill Core	0.096	3	307	5.09	38	0.119	14	2.44	0.515	0.12	<0.1	<0.01	5.2	<0.1	<0.05	5	<0.5	<0.2
11730	Rock Pulp	0.047	5	20	0.51	85	0.093	4	1.13	0.062	0.07	17.2	0.01	3.8	<0.1	<0.05	4	<0.5	<0.2
11731	Drill Core	0.094	5	301	5.49	125	0.141	16	2.38	0.382	0.23	<0.1	<0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
11732	Drill Core	0.096	3	297	5.13	37	0.112	13	2.34	0.313	0.10	<0.1	0.01	6.0	<0.1	<0.05	5	<0.5	<0.2
11733	Drill Core	0.090	2	275	5.26	22	0.104	13	2.28	0.283	0.08	<0.1	<0.01	5.5	0.1	<0.05	5	<0.5	<0.2
11734	Drill Core	0.089	2	243	4.77	34	0.097	10	2.09	0.295	0.09	<0.1	<0.01	5.3	<0.1	<0.05	4	<0.5	<0.2
11735	Rock	0.082	4	49	0.97	17	0.243	14	3.86	1.146	0.19	<0.1	<0.01	5.5	<0.1	0.10	8	<0.5	<0.2
11736	Drill Core	0.099	3	297	4.96	22	0.112	12	2.19	0.297	0.08	<0.1	<0.01	5.4	<0.1	<0.05	5	<0.5	<0.2
11737	Drill Core	0.091	2	376	5.13	17	0.120	13	2.25	0.278	0.07	<0.1	<0.01	5.9	<0.1	<0.05	5	<0.5	<0.2
11738	Drill Core	0.089	2	302	5.00	20	0.112	12	2.22	0.286	0.08	<0.1	<0.01	5.3	<0.1	<0.05	5	<0.5	<0.2
11739	Drill Core	0.087	2	261	4.68	36	0.105	11	2.13	0.279	0.07	<0.1	<0.01	6.0	<0.1	<0.05	4	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

QUALITY CONTROL REPORT VAN11006935.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
REP G1	QC			0.2	10.8	3.5	46	<0.1	2.4	4.0	575	2.19	0.5	1.0	5.2	64	<0.1	0.1	<0.1	37	0.53
11577	Drill Core	2.07	0.007	3.2	65.5	5.4	68	0.1	402.7	33.3	1061	4.28	3.4	<0.5	2.0	369	0.3	<0.1	0.1	121	2.41
REP 11577	QC			3.0	63.1	4.9	61	0.1	376.9	32.6	962	4.00	2.6	<0.5	1.9	346	0.3	<0.1	<0.1	114	2.28
11583	Drill Core	4.44	<0.005	1.4	44.6	2.6	48	0.4	644.4	44.5	954	4.30	1.5	<0.5	2.3	535	<0.1	<0.1	<0.1	109	2.07
REP 11583	QC		<0.005																		
REP 11589	QC			2.9	66.1	3.2	65	0.3	15.5	19.9	1585	4.98	3.0	<0.5	0.7	117	0.1	<0.1	<0.1	186	5.62
11596	Drill Core	2.01	0.033	2.9	59.8	4.0	86	0.3	5.3	14.4	945	4.56	7.1	24.8	0.7	72	0.2	0.2	0.6	151	3.01
REP 11596	QC			2.9	62.5	4.2	87	0.4	5.8	14.6	963	4.57	7.1	25.8	0.7	76	0.2	0.2	0.6	151	3.07
11612	Drill Core	3.74	0.010	1.5	204.5	13.1	88	0.1	5.5	20.0	1208	4.56	3.6	8.5	1.8	330	<0.1	<0.1	<0.1	158	4.09
REP 11612	QC			1.7	213.7	14.3	95	0.1	5.6	21.6	1298	4.86	3.9	5.2	1.9	354	<0.1	0.1	<0.1	169	4.36
11623	Drill Core	3.42	<0.005	0.7	139.6	7.8	76	0.1	23.6	26.4	1060	5.51	2.5	1.0	1.0	242	<0.1	<0.1	<0.1	216	4.40
REP 11623	QC		<0.005																		
11639	Drill Core	3.78	0.007	0.5	95.9	6.0	69	<0.1	15.5	21.9	1039	4.93	2.0	<0.5	0.8	118	<0.1	<0.1	<0.1	195	2.32
REP 11639	QC			0.6	95.6	5.7	73	<0.1	15.0	22.2	1041	4.93	1.6	<0.5	0.9	120	<0.1	<0.1	<0.1	200	2.32
11665	Drill Core	4.66	<0.005	1.3	196.7	7.6	70	0.1	19.4	18.9	901	4.23	3.1	<0.5	1.0	143	<0.1	<0.1	<0.1	158	3.22
REP 11665	QC			1.3	195.4	7.8	67	<0.1	19.5	18.4	920	4.20	2.8	<0.5	1.0	142	<0.1	<0.1	<0.1	155	3.19
11667	Rock	3.14	<0.005	0.3	91.7	2.1	47	<0.1	80.5	24.2	640	3.32	1.4	1.7	0.4	108	<0.1	<0.1	<0.1	120	7.05
REP 11667	QC		<0.005																		
11674	Drill Core	4.19	0.007	0.3	103.7	5.7	69	<0.1	14.3	21.5	889	4.85	2.7	<0.5	0.8	138	<0.1	<0.1	<0.1	205	2.33
REP 11674	QC			0.5	101.9	5.3	70	<0.1	12.8	19.6	848	4.65	2.4	<0.5	0.8	139	<0.1	<0.1	<0.1	195	2.21
11691	Drill Core	4.52	<0.005	0.2	72.3	3.5	48	<0.1	215.4	36.0	688	4.05	0.7	<0.5	0.4	262	<0.1	<0.1	<0.1	100	1.87
REP 11691	QC			<0.1	68.1	3.5	49	<0.1	212.9	34.7	705	4.04	0.7	<0.5	0.4	263	<0.1	<0.1	<0.1	99	1.89
11717	Drill Core	4.59	<0.005	0.4	85.4	2.9	63	<0.1	212.5	40.7	918	4.79	0.8	<0.5	0.5	408	<0.1	<0.1	<0.1	123	3.52
REP 11717	QC		<0.005																		
11723	Drill Core	4.17	<0.005	0.3	91.2	3.2	62	<0.1	221.8	40.8	865	5.00	<0.5	0.6	0.6	351	<0.1	<0.1	<0.1	139	2.36
REP 11723	QC			0.4	91.6	3.1	63	0.1	218.2	40.5	824	4.93	<0.5	0.7	0.6	351	<0.1	<0.1	<0.1	136	2.34
11732	Drill Core	4.63	0.005	0.2	62.0	4.2	53	<0.1	235.0	41.8	823	4.65	0.6	1.3	0.4	416	<0.1	<0.1	<0.1	116	2.19
REP 11732	QC			0.2	65.0	4.2	53	<0.1	234.0	43.1	829	4.66	0.8	<0.5	0.4	414	<0.1	<0.1	<0.1	116	2.17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

QUALITY CONTROL REPORT VAN11006935.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
REP G1	QC	0.070	12	6	0.51	154	0.115	2	0.96	0.098	0.49	<0.1	<0.01	2.4	0.3	0.08	5	<0.5	<0.2
11577	Drill Core	0.115	10	126	5.58	822	0.190	6	3.06	0.341	0.49	0.1	0.09	6.7	0.2	0.22	8	0.9	<0.2
REP 11577	QC	0.117	9	114	5.26	779	0.179	6	2.88	0.323	0.46	<0.1	0.05	6.1	0.1	0.21	7	<0.5	<0.2
11583	Drill Core	0.126	11	181	6.72	348	0.164	9	2.89	0.316	0.53	<0.1	0.13	5.2	0.1	0.16	6	0.9	<0.2
REP 11583	QC																		
REP 11589	QC	0.093	8	27	2.14	187	0.143	4	2.62	0.094	0.09	0.2	0.02	17.4	<0.1	0.69	9	0.9	<0.2
11596	Drill Core	0.081	11	7	1.53	40	0.136	3	1.59	0.085	0.11	0.2	0.08	7.1	0.1	2.65	9	0.7	1.7
REP 11596	QC	0.082	11	7	1.55	40	0.141	3	1.62	0.084	0.11	0.3	0.10	7.4	0.1	2.69	9	0.7	1.8
11612	Drill Core	0.247	12	5	1.47	85	0.219	30	5.58	1.836	0.09	0.3	0.03	4.6	<0.1	0.34	13	<0.5	<0.2
REP 11612	QC	0.269	13	5	1.57	94	0.241	34	6.00	1.981	0.09	0.3	0.03	5.1	<0.1	0.36	14	<0.5	<0.2
11623	Drill Core	0.206	7	52	1.47	59	0.248	13	3.45	0.838	0.07	0.3	0.02	7.5	<0.1	0.20	10	<0.5	<0.2
REP 11623	QC																		
11639	Drill Core	0.164	6	31	1.14	32	0.186	5	3.17	1.355	0.14	0.2	<0.01	5.4	<0.1	<0.05	9	<0.5	<0.2
REP 11639	QC	0.170	6	30	1.13	33	0.179	5	3.17	1.362	0.14	0.2	<0.01	5.0	<0.1	<0.05	9	<0.5	<0.2
11665	Drill Core	0.217	8	40	1.14	26	0.178	15	5.08	2.734	0.19	0.2	<0.01	4.6	<0.1	0.05	9	1.0	<0.2
REP 11665	QC	0.214	7	41	1.13	26	0.170	14	5.04	2.756	0.18	0.2	<0.01	4.3	<0.1	<0.05	9	<0.5	<0.2
11667	Rock	0.076	4	41	0.88	18	0.205	14	3.40	0.990	0.18	<0.1	<0.01	4.9	<0.1	0.09	7	<0.5	<0.2
REP 11667	QC																		
11674	Drill Core	0.153	6	22	0.86	21	0.197	11	3.57	1.791	0.13	0.1	<0.01	4.1	<0.1	<0.05	8	<0.5	<0.2
REP 11674	QC	0.149	6	21	0.82	21	0.181	12	3.35	1.686	0.12	0.1	<0.01	3.9	<0.1	<0.05	8	<0.5	<0.2
11691	Drill Core	0.090	3	178	4.31	14	0.101	12	2.45	0.708	0.17	0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
REP 11691	QC	0.084	3	185	4.26	15	0.105	15	2.43	0.703	0.17	<0.1	<0.01	5.0	<0.1	<0.05	5	<0.5	<0.2
11717	Drill Core	0.115	3	254	5.62	34	0.128	14	2.59	0.507	0.10	0.1	<0.01	5.2	<0.1	<0.05	6	<0.5	<0.2
REP 11717	QC																		
11723	Drill Core	0.123	4	273	5.29	37	0.142	14	2.63	0.562	0.14	<0.1	<0.01	5.6	<0.1	<0.05	6	<0.5	<0.2
REP 11723	QC	0.120	4	274	5.19	34	0.140	14	2.57	0.552	0.14	<0.1	<0.01	5.1	<0.1	<0.05	6	<0.5	<0.2
11732	Drill Core	0.096	3	297	5.13	37	0.112	13	2.34	0.313	0.10	<0.1	0.01	6.0	<0.1	<0.05	5	<0.5	<0.2
REP 11732	QC	0.090	3	292	5.23	36	0.111	12	2.33	0.313	0.10	<0.1	0.01	6.0	<0.1	<0.05	5	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

QUALITY CONTROL REPORT VAN11006935.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11733	Drill Core	4.85	<0.005	0.2	68.4	2.2	54	<0.1	239.0	42.2	833	4.54	<0.5	1.5	0.4	288	<0.1	<0.1	<0.1	110	2.02
REP 11733	QC		<0.005																		
Core Reject Duplicates																					
11589	Drill Core	3.64	0.008	2.9	72.0	3.1	68	0.3	15.2	21.5	1639	5.06	2.8	<0.5	0.9	119	0.2	<0.1	<0.1	188	5.76
DUP 11589	QC		0.008	2.8	67.9	3.0	68	0.3	15.1	20.6	1638	5.02	3.1	<0.5	0.8	119	0.1	<0.1	<0.1	187	5.89
11659	Drill Core	4.13	<0.005	1.0	197.5	12.9	82	0.1	6.2	18.5	1101	4.07	2.7	1.8	1.7	375	<0.1	<0.1	<0.1	136	5.71
DUP 11659	QC		0.009	1.0	198.5	12.9	83	0.1	6.4	18.8	1112	4.24	2.7	1.5	1.8	378	<0.1	<0.1	<0.1	139	5.77
11666	Drill Core	4.57	0.005	1.0	71.8	7.7	69	<0.1	19.5	17.3	873	4.16	2.6	2.4	1.1	132	<0.1	<0.1	<0.1	128	3.12
DUP 11666	QC		<0.005	1.3	71.6	8.1	65	<0.1	18.4	17.6	864	4.12	2.9	<0.5	1.0	136	<0.1	<0.1	<0.1	130	3.16
11736	Drill Core	4.44	0.007	0.2	70.8	3.7	52	<0.1	236.0	42.0	776	4.87	<0.5	0.7	0.4	321	<0.1	<0.1	<0.1	116	2.41
DUP 11736	QC		<0.005	0.2	69.1	3.4	55	<0.1	231.4	41.0	770	4.58	<0.5	1.0	0.4	299	<0.1	<0.1	<0.1	114	2.31
Reference Materials																					
STD DS8	Standard			12.4	106.5	118.0	289	1.7	36.6	7.4	583	2.41	24.4	100.1	6.4	65	2.2	5.9	7.1	41	0.69
STD DS8	Standard			13.7	111.6	120.0	310	1.8	36.9	7.7	623	2.53	25.3	103.9	7.4	67	2.6	5.7	7.2	45	0.74
STD DS8	Standard			13.8	111.4	132.4	327	2.0	38.8	7.8	626	2.55	26.0	120.3	7.4	69	2.3	5.7	7.0	43	0.73
STD DS8	Standard			12.3	96.2	111.7	271	1.6	32.5	6.5	555	2.40	22.9	87.0	6.3	56	1.9	5.4	6.9	39	0.70
STD DS8	Standard			12.4	103.7	122.0	299	1.8	38.1	7.2	599	2.50	23.5	107.8	6.2	58	2.0	4.5	5.9	41	0.72
STD DS8	Standard			12.8	104.6	113.6	296	1.7	36.6	7.4	594	2.42	25.9	124.5	6.8	74	2.5	5.4	6.4	41	0.70
STD DS8	Standard			11.8	101.2	123.1	298	1.8	36.7	7.1	567	2.33	25.0	111.2	6.6	64	2.3	5.4	6.4	39	0.63
STD OXH82	Standard		1.318																		
STD OXH82	Standard		1.349																		
STD OXH82	Standard		1.310																		
STD OXH82	Standard		1.230																		
STD OXH82	Standard		1.301																		
STD OXH82	Standard		1.251																		
STD OXK79	Standard		3.715																		
STD OXK79	Standard		3.821																		
STD OXK79	Standard		3.723																		
STD OXK79	Standard		3.399																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

QUALITY CONTROL REPORT VAN11006935.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
11733	Drill Core	0.090	2	275	5.26	22	0.104	13	2.28	0.283	0.08	<0.1	<0.01	5.5	0.1	<0.05	5	<0.5	<0.2
REP 11733	QC																		
Core Reject Duplicates																			
11589	Drill Core	0.095	9	29	2.21	192	0.145	4	2.71	0.095	0.09	0.2	<0.01	18.1	<0.1	0.70	9	0.8	<0.2
DUP 11589	QC	0.097	9	29	2.17	184	0.146	4	2.67	0.101	0.09	0.2	0.02	17.6	<0.1	0.71	9	1.6	<0.2
11659	Drill Core	0.237	12	4	1.15	77	0.183	16	5.11	0.890	0.13	0.3	0.03	4.5	<0.1	0.17	12	<0.5	<0.2
DUP 11659	QC	0.253	12	4	1.17	80	0.187	14	5.09	0.898	0.14	0.3	0.03	4.9	<0.1	0.18	12	<0.5	<0.2
11666	Drill Core	0.209	7	37	1.17	20	0.160	10	5.26	3.020	0.29	0.2	<0.01	4.5	<0.1	<0.05	8	<0.5	<0.2
DUP 11666	QC	0.194	7	39	1.16	20	0.161	10	5.27	2.936	0.29	0.2	<0.01	4.6	<0.1	<0.05	8	<0.5	<0.2
11736	Drill Core	0.099	3	297	4.96	22	0.112	12	2.19	0.297	0.08	<0.1	<0.01	5.4	<0.1	<0.05	5	<0.5	<0.2
DUP 11736	QC	0.098	2	304	4.91	24	0.111	13	2.21	0.304	0.09	<0.1	<0.01	5.6	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																			
STD DS8	Standard	0.074	14	112	0.58	270	0.121	4	0.90	0.098	0.42	3.0	0.20	2.4	5.2	0.16	5	5.3	4.7
STD DS8	Standard	0.080	17	123	0.60	277	0.130	2	0.95	0.093	0.44	2.9	0.20	2.6	5.2	0.17	5	4.9	4.6
STD DS8	Standard	0.083	17	122	0.65	290	0.134	2	0.94	0.094	0.42	3.1	0.19	2.3	5.5	0.17	5	4.5	4.8
STD DS8	Standard	0.073	15	103	0.58	255	0.109	<1	0.92	0.098	0.42	2.6	0.18	2.3	4.6	0.16	4	4.9	4.4
STD DS8	Standard	0.075	15	120	0.60	274	0.112	2	0.93	0.085	0.41	2.8	0.21	2.7	5.2	0.16	4	4.4	5.0
STD DS8	Standard	0.078	16	117	0.62	280	0.124	3	0.90	0.088	0.40	2.9	0.20	2.6	4.9	0.16	5	4.7	4.6
STD DS8	Standard	0.079	13	111	0.59	277	0.107	1	0.86	0.077	0.39	2.9	0.21	2.2	5.4	0.15	4	4.6	4.9
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

QUALITY CONTROL REPORT VAN11006935.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXK79	Standard		3.389																		
STD OXK79	Standard		3.385																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.2	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	1.4	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	<0.005																		
G1	Prep Blank	<0.01	0.008	0.1	4.9	3.4	48	<0.1	2.6	3.9	579	2.10	<0.5	<0.5	6.0	65	<0.1	<0.1	0.1	38	0.54
G1	Prep Blank			0.2	10.6	3.3	45	<0.1	2.5	3.8	572	2.15	<0.5	4.0	5.3	65	<0.1	0.1	<0.1	36	0.48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 16, 2012

QUALITY CONTROL REPORT VAN11006935.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXH82 Expected																			
STD OXK79 Expected																			
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank																		
G1	Prep Blank	0.073	14	7	0.51	150	0.113	<1	0.96	0.095	0.48	<0.1	<0.01	2.6	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	0.068	11	6	0.50	152	0.110	<1	0.95	0.094	0.48	<0.1	<0.01	2.3	0.3	0.05	4	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 23, 2011
Report Date: January 31, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN11007066.1

CLIENT JOB INFORMATION

Project: ADDIE 1
Shipment ID: 19-12-11 AD
P.O. Number
Number of Samples: 68

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	61	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	6	Pulverize to 85% - 200 mesh			VAN
Client Split Pulp	3	For Client - First sample split/packet			VAN
G601	68	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	68	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Greg Davison
Brian Findlay

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007066.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98106	Drill Core	9.04	0.008	4.0	96.1	2.7	222	0.1	117.5	39.1	2050	6.07	44.2	<0.5	0.5	169	3.0	1.4	<0.1	122	3.13
98107	Drill Core	7.36	<0.005	0.2	54.6	1.0	166	0.1	94.1	49.3	2046	6.62	23.9	<0.5	<0.1	141	0.2	0.7	<0.1	125	2.90
98108	Drill Core	8.05	<0.005	0.3	67.6	0.7	131	0.1	117.7	47.3	1618	6.26	28.8	<0.5	<0.1	174	0.2	0.3	<0.1	141	3.51
98109	Drill Core	8.23	<0.005	0.2	78.2	1.0	119	<0.1	89.8	40.1	1530	5.93	16.4	<0.5	<0.1	178	<0.1	0.7	<0.1	94	3.56
98110	Rock Pulp	0.18	0.253	14.4	34.9	15.4	18	0.4	11.1	6.6	47	2.97	475.7	274.1	0.7	27	0.4	23.1	0.1	10	0.96
98111	Drill Core	7.57	0.025	23.4	99.3	13.7	215	0.3	76.8	20.0	906	4.66	53.7	2.7	2.3	194	3.1	10.6	0.1	22	2.73
98112	Drill Core	4.26	0.022	7.5	98.2	4.3	113	0.2	315.2	50.0	1241	5.72	292.1	<0.5	1.0	389	0.7	14.5	<0.1	74	3.93
98113	Drill Core	3.85	0.019	10.7	69.9	19.0	106	0.6	64.8	12.8	1314	3.22	80.3	<0.5	1.4	204	1.5	14.1	0.1	27	3.56
98114	Drill Core	3.39	0.018	9.3	35.2	8.3	92	0.3	55.7	13.4	1408	3.18	67.0	<0.5	1.1	250	1.2	7.9	<0.1	29	4.34
98115	Drill Core	1.86	<0.005	0.4	94.6	2.7	53	<0.1	95.0	29.7	718	3.65	1.6	<0.5	0.5	158	<0.1	<0.1	<0.1	140	6.15
98116	Drill Core	4.24	0.017	17.0	52.3	10.0	153	0.2	126.9	23.2	1530	4.34	169.0	<0.5	1.2	316	1.5	11.6	<0.1	41	4.36
98117	Drill Core	4.77	0.036	35.8	54.3	17.6	308	0.4	49.6	13.3	954	2.93	64.6	<0.5	2.8	98	6.4	6.6	0.2	27	2.23
98118	Drill Core	7.04	0.047	12.5	72.0	21.7	249	0.5	56.6	16.7	727	3.39	66.8	<0.5	3.1	83	2.7	12.1	0.2	14	2.00
98119	Drill Core	6.71	0.156	24.8	89.9	59.2	302	1.4	81.9	19.7	575	4.47	98.2	<0.5	3.3	76	3.2	15.9	0.2	22	1.76
98120	Drill Core	7.09	0.101	18.6	86.7	36.1	271	1.0	60.1	17.8	456	3.47	136.3	0.7	3.0	75	3.4	20.0	0.1	26	1.84
98121	Drill Core	7.83	0.062	35.4	66.1	27.4	328	0.8	65.9	16.6	529	3.41	116.3	<0.5	3.2	91	4.7	13.1	0.2	31	1.99
98122 DUP 98123 REJECT	Drill Core		0.032	22.9	78.3	12.6	210	0.6	168.4	29.9	1461	5.08	215.2	<0.5	1.6	260	2.0	15.6	0.1	43	3.64
98123	Drill Core	3.64	0.031	22.6	77.9	13.2	219	0.6	167.1	30.2	1468	4.93	214.2	<0.5	1.7	267	2.1	16.1	0.1	41	3.68
98124	Drill Core	6.60	0.024	9.9	55.6	9.5	131	0.2	177.4	33.0	902	4.27	232.4	0.6	1.5	208	0.5	11.3	0.1	56	3.89
98125	Drill Core	8.12	0.021	18.5	114.7	6.8	199	0.2	161.9	27.7	694	4.59	174.3	<0.5	2.2	120	3.2	10.4	<0.1	65	1.87
98126	Drill Core	7.42	0.020	14.0	79.1	4.5	174	0.2	229.6	39.7	1264	5.44	266.8	<0.5	1.5	188	0.4	6.2	<0.1	75	3.29
98127	Drill Core	5.77	0.059	28.0	67.9	21.1	110	0.5	66.0	20.4	880	3.55	97.0	<0.5	2.6	143	1.7	14.0	0.3	16	3.09
98128	Drill Core	7.49	0.059	37.9	89.6	19.8	191	0.7	98.9	23.7	904	3.90	126.2	<0.5	2.9	156	3.0	17.2	0.2	18	3.71
98129	Drill Core	7.42	0.083	52.7	78.8	30.6	206	1.0	84.0	18.6	922	4.77	109.1	<0.5	3.0	96	3.7	20.1	0.2	18	2.47
98130	Rock Pulp	0.11	0.978	6.3	44.7	6.0	47	0.5	31.9	9.1	391	2.43	8.6	821.8	1.2	39	0.2	0.9	<0.1	60	0.78
98131	Drill Core	8.37	0.149	36.9	65.1	39.2	198	2.0	68.2	14.4	842	4.58	102.0	<0.5	3.7	100	3.4	18.5	0.2	14	2.31
98132	Drill Core	7.56	0.199	44.2	84.7	42.2	176	2.2	74.2	14.8	627	4.89	109.6	<0.5	3.0	71	2.6	26.1	0.2	16	1.78
98133	Drill Core	7.00	0.041	25.5	80.5	13.6	105	0.4	57.5	20.3	1327	3.04	59.4	<0.5	1.9	69	1.3	9.2	0.3	6	1.99
98134	Drill Core	7.79	0.048	27.9	87.1	22.9	101	0.6	56.8	22.1	937	3.08	50.3	<0.5	2.2	56	1.2	10.6	0.2	7	1.56
98135	Drill Core	2.06	0.010	0.4	101.3	2.6	54	<0.1	91.8	29.5	751	3.72	1.3	<0.5	0.5	156	<0.1	<0.1	<0.1	141	6.44

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007066.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98106	Drill Core	0.062	2	156	3.19	49	0.002	2	2.04	0.021	0.08	<0.1	<0.01	12.6	0.1	0.90	5	1.0	<0.2
98107	Drill Core	0.049	1	172	3.41	85	0.003	2	2.95	0.029	0.13	<0.1	0.01	13.1	0.1	0.36	7	<0.5	<0.2
98108	Drill Core	0.043	1	199	3.70	64	0.005	2	3.63	0.029	0.11	<0.1	<0.01	15.2	<0.1	0.12	9	<0.5	<0.2
98109	Drill Core	0.046	<1	147	3.35	80	0.003	2	2.34	0.025	0.14	<0.1	<0.01	12.0	0.1	0.71	6	<0.5	<0.2
98110	Rock Pulp	0.005	2	18	0.03	762	0.010	3	0.17	0.007	0.07	26.7	2.91	0.8	12.8	0.14	<1	1.6	<0.2
98111	Drill Core	0.052	3	14	1.49	52	<0.001	2	0.30	0.015	0.15	<0.1	0.13	4.9	0.3	2.86	<1	3.7	<0.2
98112	Drill Core	0.075	2	194	6.14	73	<0.001	3	0.37	0.014	0.08	0.1	0.10	16.8	<0.1	2.04	<1	2.5	<0.2
98113	Drill Core	0.040	2	25	1.95	63	<0.001	2	0.25	0.011	0.08	2.2	0.08	5.9	<0.1	1.69	<1	2.3	<0.2
98114	Drill Core	0.047	1	20	2.30	48	<0.001	2	0.23	0.008	0.07	1.1	0.07	6.6	<0.1	1.51	<1	2.2	<0.2
98115	Drill Core	0.090	5	46	0.97	23	0.258	16	3.72	1.128	0.18	<0.1	<0.01	5.0	<0.1	0.09	8	<0.5	<0.2
98116	Drill Core	0.087	2	53	3.06	61	<0.001	2	0.27	0.015	0.09	0.6	0.11	7.2	<0.1	2.00	<1	3.7	<0.2
98117	Drill Core	0.130	4	6	0.71	63	0.002	2	0.32	0.018	0.14	0.4	0.17	2.7	0.2	2.05	<1	7.8	<0.2
98118	Drill Core	0.072	3	5	0.68	47	<0.001	2	0.29	0.008	0.12	0.2	0.16	2.4	0.2	2.63	<1	6.0	<0.2
98119	Drill Core	0.053	4	5	0.67	48	<0.001	2	0.30	0.006	0.15	0.1	0.48	2.8	0.6	4.29	<1	7.3	0.3
98120	Drill Core	0.066	4	6	0.69	68	<0.001	3	0.29	0.006	0.16	0.1	0.35	2.5	0.4	2.97	<1	8.2	<0.2
98121	Drill Core	0.084	4	6	0.78	63	<0.001	3	0.31	0.006	0.16	0.2	0.31	2.8	0.4	2.89	<1	6.1	<0.2
98122 DUP 98123 REJECT	Drill Core	0.091	2	65	2.92	52	<0.001	2	0.35	0.017	0.12	2.0	0.15	7.6	0.1	2.53	<1	4.4	<0.2
98123	Drill Core	0.085	2	63	2.94	58	<0.001	2	0.31	0.014	0.10	2.0	0.16	7.6	0.1	2.47	<1	3.8	<0.2
98124	Drill Core	0.020	2	126	4.35	76	<0.001	2	0.23	0.013	0.07	0.1	0.11	9.1	0.1	1.40	<1	1.9	<0.2
98125	Drill Core	0.043	3	123	3.65	107	<0.001	3	0.37	0.012	0.11	0.2	0.13	9.0	0.1	1.78	<1	3.5	<0.2
98126	Drill Core	0.091	2	205	5.06	61	<0.001	3	0.33	0.010	0.08	0.2	0.07	13.6	0.1	1.87	<1	2.4	<0.2
98127	Drill Core	0.045	3	8	1.40	62	<0.001	3	0.27	0.006	0.14	0.2	0.20	3.9	0.4	3.06	<1	2.8	<0.2
98128	Drill Core	0.091	4	25	1.68	59	<0.001	3	0.28	0.008	0.14	0.3	0.26	4.0	0.7	3.07	<1	4.4	<0.2
98129	Drill Core	0.046	3	12	1.11	47	<0.001	2	0.23	0.006	0.13	0.4	0.34	2.7	1.0	4.65	<1	4.4	0.3
98130	Rock Pulp	0.048	5	42	0.54	115	0.116	4	1.13	0.072	0.09	11.5	0.09	3.8	0.1	<0.05	4	<0.5	<0.2
98131	Drill Core	0.060	3	5	0.99	46	<0.001	3	0.26	0.005	0.14	0.3	0.59	2.5	0.9	4.59	<1	4.4	<0.2
98132	Drill Core	0.043	3	5	0.76	40	<0.001	2	0.26	0.004	0.15	0.3	0.59	2.2	1.0	4.98	<1	4.8	0.3
98133	Drill Core	0.037	3	4	0.79	47	<0.001	1	0.27	0.005	0.15	0.2	0.14	2.2	0.5	2.71	<1	1.6	<0.2
98134	Drill Core	0.062	3	4	0.56	47	<0.001	2	0.27	0.005	0.17	0.2	0.12	1.9	1.0	2.95	<1	1.6	<0.2
98135	Drill Core	0.090	5	46	0.97	19	0.256	15	3.72	1.067	0.17	<0.1	<0.01	4.8	<0.1	0.11	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007066.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98136	Drill Core	7.68	0.149	54.8	88.4	48.8	192	2.1	76.6	17.4	797	4.78	83.5	<0.5	3.2	65	3.0	15.9	0.3	12	1.83
98137	Drill Core	7.28	0.123	47.5	78.6	40.9	168	1.8	66.8	17.8	1271	4.02	67.7	<0.5	2.9	87	2.4	13.0	0.2	13	2.97
98138	Drill Core	6.80	0.016	6.0	66.0	7.1	71	0.2	39.3	14.7	2183	2.32	43.3	<0.5	1.1	75	0.6	8.2	0.2	4	2.46
98139	Drill Core	7.84	0.008	1.0	37.8	3.9	52	0.1	16.3	8.3	1934	1.68	18.3	5.5	1.1	77	0.1	1.1	<0.1	<2	2.07
98140	Drill Core	7.94	0.009	1.0	37.2	8.2	53	0.1	16.4	7.1	1921	1.75	11.5	<0.5	1.2	70	<0.1	0.3	<0.1	<2	2.03
98141	Drill Core	8.21	0.011	1.0	33.7	7.8	58	0.1	14.9	6.8	1831	1.55	9.4	<0.5	1.2	64	<0.1	0.3	<0.1	<2	1.98
98142 DUP 98143 REJECT	Drill Core		0.009	1.3	35.1	3.2	59	<0.1	17.2	7.3	1800	1.54	16.6	0.5	1.3	72	<0.1	1.1	<0.1	<2	1.97
98143	Drill Core	7.55	0.009	1.0	36.9	3.5	56	<0.1	17.8	8.3	1822	1.63	18.1	<0.5	1.3	75	0.2	1.1	<0.1	<2	2.00
98144	Drill Core	7.36	0.010	2.1	44.0	12.0	56	0.1	23.5	9.2	2743	1.84	19.6	<0.5	0.6	77	<0.1	0.7	0.1	<2	2.53
98145	Drill Core	7.65	0.009	1.0	47.1	11.4	58	0.1	21.6	9.5	2029	1.89	12.5	<0.5	0.9	62	<0.1	0.6	<0.1	2	1.52
98146	Drill Core	7.66	0.011	2.1	40.9	11.0	51	0.1	19.2	7.8	1898	1.61	11.8	<0.5	1.2	74	0.1	0.5	0.1	<2	1.95
98147	Drill Core	7.66	0.009	0.9	34.0	6.2	46	0.1	17.6	7.1	2433	1.76	16.0	0.6	1.0	79	<0.1	0.7	<0.1	<2	2.52
98148	Drill Core	8.22	0.026	10.1	90.9	11.0	74	0.2	48.6	20.9	1407	2.61	47.4	4.4	1.3	72	0.6	1.4	0.2	9	1.99
98149	Drill Core	7.83	0.222	24.8	66.4	72.8	283	1.8	86.4	17.5	866	4.96	84.0	<0.5	2.9	78	3.1	19.6	0.2	14	1.99
98150	Rock Pulp	0.11	4.589	8.4	29.3	9.0	58	0.8	31.6	4.6	358	1.67	378.2	57.0	1.9	41	0.4	48.8	0.4	38	9.28
98151	Drill Core	6.67	0.111	25.6	80.4	28.3	217	0.8	114.4	22.5	720	5.15	116.0	1.4	3.1	138	2.1	9.6	0.1	26	3.26
98152	Drill Core	7.26	0.062	24.8	112.5	20.4	312	0.7	87.7	20.9	640	4.85	138.3	1.2	2.7	106	3.8	6.1	0.1	27	2.69
98153	Drill Core	8.29	0.067	29.2	125.2	20.1	265	0.4	105.6	22.6	718	5.16	131.4	<0.5	3.0	107	3.4	8.8	0.1	27	2.24
98154	Drill Core	8.18	0.040	23.4	121.8	17.2	232	0.4	60.2	17.4	568	4.04	87.2	<0.5	2.8	96	3.4	10.4	0.2	15	2.14
98155	Drill Core	1.74	0.009	0.3	107.1	2.5	58	<0.1	99.6	31.6	726	4.02	1.5	<0.5	0.5	146	0.1	0.2	<0.1	144	7.00
98156	Drill Core	8.33	0.021	11.9	82.7	9.7	196	0.3	129.3	26.8	908	3.66	111.1	<0.5	1.7	150	2.1	5.1	0.1	53	2.86
98157	Drill Core	7.98	0.028	15.5	116.6	18.0	197	0.7	110.1	20.8	864	3.94	140.5	<0.5	2.3	128	2.6	21.3	0.2	42	2.43
98158	Drill Core	7.80	0.006	1.4	42.7	11.1	126	0.2	150.7	30.2	1934	3.67	105.9	0.7	0.9	175	0.3	2.7	<0.1	38	3.17
98159	Drill Core	7.59	0.006	2.6	61.3	12.1	74	0.1	38.7	13.2	2627	2.55	33.1	<0.5	0.6	82	0.1	0.8	0.2	3	1.86
98160	Drill Core	7.88	0.053	20.2	68.8	23.8	102	0.3	36.6	11.3	2494	3.18	42.8	<0.5	1.3	96	0.8	1.1	0.2	4	2.32
98161	Drill Core	7.96	0.007	2.1	47.8	11.3	60	<0.1	22.4	8.8	1968	1.83	18.0	<0.5	0.8	86	0.1	0.4	<0.1	<2	1.98
98162 DUP 98163 REJECT	Drill Core		0.041	25.1	111.2	20.4	262	0.4	97.4	22.6	716	5.23	144.3	<0.5	2.8	117	3.5	9.5	0.1	26	2.26
98163	Drill Core	8.50	0.056	24.4	106.7	19.2	259	0.4	104.8	22.2	716	5.23	140.3	<0.5	2.6	115	3.2	9.2	<0.1	27	2.26
98164	Drill Core	7.18	0.008	1.3	40.1	13.0	72	0.1	22.2	9.2	3485	1.98	23.4	<0.5	0.7	104	0.2	1.5	0.1	<2	2.53
98165	Drill Core	7.91	0.006	2.3	43.4	11.5	62	0.1	21.3	9.6	2447	2.18	15.1	<0.5	0.6	95	<0.1	2.0	0.1	<2	2.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007066.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98136	Drill Core	0.036	2	4	0.59	39	<0.001	2	0.22	0.006	0.16	0.3	0.42	1.7	1.1	4.83	<1	4.2	0.2
98137	Drill Core	0.109	3	5	1.10	42	0.001	2	0.27	0.006	0.17	0.4	0.39	2.0	1.0	3.66	<1	3.4	0.2
98138	Drill Core	0.042	3	3	0.92	34	<0.001	2	0.26	0.006	0.13	<0.1	0.05	2.4	0.3	1.63	<1	1.2	<0.2
98139	Drill Core	0.025	3	3	0.78	40	<0.001	2	0.28	0.005	0.16	0.1	<0.01	1.7	0.2	0.78	<1	1.0	<0.2
98140	Drill Core	0.024	4	2	0.87	53	<0.001	2	0.34	0.005	0.23	<0.1	<0.01	1.7	0.3	0.59	<1	<0.5	<0.2
98141	Drill Core	0.023	4	2	0.78	47	<0.001	2	0.31	0.006	0.21	<0.1	<0.01	1.5	0.2	0.44	<1	<0.5	<0.2
98142 DUP 98143 REJECT	Drill Core	0.022	4	2	0.75	40	<0.001	2	0.29	0.006	0.17	<0.1	0.01	1.4	0.2	0.67	<1	1.0	<0.2
98143	Drill Core	0.025	4	2	0.77	40	<0.001	2	0.29	0.006	0.17	<0.1	<0.01	1.5	0.2	0.74	<1	0.9	<0.2
98144	Drill Core	0.020	3	3	0.93	38	<0.001	1	0.25	0.006	0.16	<0.1	<0.01	1.6	0.1	0.52	<1	<0.5	<0.2
98145	Drill Core	0.026	4	2	0.89	62	<0.001	1	0.39	0.010	0.24	<0.1	0.01	1.8	0.2	0.68	<1	<0.5	<0.2
98146	Drill Core	0.025	4	2	0.86	55	<0.001	2	0.32	0.007	0.20	<0.1	<0.01	1.7	0.2	0.50	<1	<0.5	<0.2
98147	Drill Core	0.021	3	2	0.88	48	<0.001	1	0.27	0.008	0.16	<0.1	<0.01	1.5	0.2	0.63	<1	<0.5	<0.2
98148	Drill Core	0.036	3	3	0.76	49	<0.001	<1	0.28	0.012	0.16	0.1	0.02	2.2	0.7	2.01	<1	1.9	<0.2
98149	Drill Core	0.061	2	5	0.83	27	<0.001	1	0.37	0.009	0.12	0.2	0.33	2.2	0.6	4.60	<1	6.5	0.4
98150	Rock Pulp	0.042	4	22	4.45	67	<0.001	3	0.27	0.005	0.10	38.0	4.53	2.8	1.2	1.22	<1	1.5	0.3
98151	Drill Core	0.068	2	45	1.96	32	<0.001	1	0.45	0.008	0.09	<0.1	0.20	4.0	0.3	3.43	1	5.5	0.2
98152	Drill Core	0.095	2	12	1.37	39	<0.001	2	0.56	0.008	0.12	0.3	0.20	3.5	0.3	3.79	<1	7.2	0.3
98153	Drill Core	0.078	2	29	1.66	31	<0.001	2	0.34	0.012	0.11	0.2	0.11	3.2	0.2	3.74	<1	6.5	0.3
98154	Drill Core	0.077	2	5	1.09	39	<0.001	1	0.33	0.013	0.15	0.2	0.11	2.2	0.2	3.36	<1	5.8	0.2
98155	Drill Core	0.092	5	49	1.02	20	0.243	15	3.86	1.001	0.18	<0.1	<0.01	5.0	<0.1	0.09	8	<0.5	<0.2
98156	Drill Core	0.089	2	206	2.72	59	0.001	<1	1.07	0.011	0.11	<0.1	0.07	6.6	0.1	1.95	2	4.1	<0.2
98157	Drill Core	0.082	2	69	2.44	63	<0.001	<1	0.43	0.012	0.08	0.1	0.11	5.3	<0.1	1.99	1	4.0	<0.2
98158	Drill Core	0.076	2	157	2.83	51	<0.001	<1	0.48	0.017	0.07	<0.1	0.04	8.3	<0.1	0.71	1	1.0	<0.2
98159	Drill Core	0.030	3	3	0.99	94	<0.001	1	0.30	0.012	0.14	<0.1	0.03	2.4	0.1	1.01	<1	0.6	<0.2
98160	Drill Core	0.035	2	3	0.87	77	<0.001	1	0.26	0.014	0.13	0.2	0.05	1.7	<0.1	1.97	<1	2.1	<0.2
98161	Drill Core	0.028	4	2	0.82	117	<0.001	2	0.29	0.012	0.17	<0.1	0.03	1.8	0.2	0.51	<1	<0.5	<0.2
98162 DUP 98163 REJECT	Drill Core	0.087	2	24	1.64	38	<0.001	<1	0.31	0.013	0.11	0.3	0.13	3.2	0.1	3.94	<1	5.3	<0.2
98163	Drill Core	0.085	2	25	1.63	34	<0.001	1	0.30	0.012	0.10	0.2	0.11	3.2	0.1	3.88	<1	6.7	<0.2
98164	Drill Core	0.041	3	3	0.99	97	<0.001	<1	0.32	0.010	0.15	0.1	0.03	2.3	<0.1	0.67	<1	1.1	<0.2
98165	Drill Core	0.023	3	3	1.09	95	<0.001	1	0.36	0.010	0.14	<0.1	0.01	2.2	0.1	0.58	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007066.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98166	Drill Core	7.14	0.006	2.7	90.4	14.1	84	0.1	39.9	16.2	2678	3.05	16.1	<0.5	0.6	70	0.1	0.7	0.1	8	1.58
98167	Drill Core	7.94	0.008	1.9	43.5	13.9	55	0.1	19.9	8.5	2443	1.85	12.8	<0.5	0.7	92	0.1	0.4	0.2	<2	2.04
98168	Drill Core	7.70	0.007	0.9	49.0	15.6	64	0.1	20.3	9.4	2096	1.88	11.4	<0.5	0.9	85	0.2	0.6	0.1	<2	1.75
98169	Drill Core	7.88	0.010	3.1	97.6	23.1	92	0.1	40.8	15.5	3466	2.96	17.9	<0.5	0.8	95	0.2	0.6	0.3	8	2.22
98170	Rock Pulp	0.11	0.269	13.0	29.8	13.4	17	0.4	10.2	6.0	40	3.09	462.5	185.2	0.6	26	0.4	22.1	<0.1	10	0.98
98171	Drill Core	7.42	0.006	0.4	83.1	14.1	89	0.1	45.8	17.4	2879	3.52	17.4	<0.5	0.9	66	<0.1	0.8	0.2	18	1.56
98172	Drill Core	7.85	0.009	0.3	64.2	15.2	89	0.1	49.9	18.9	2442	3.52	19.4	<0.5	1.2	53	<0.1	0.6	0.1	15	1.23
98173	Drill Core	6.26	0.008	7.2	68.8	16.5	77	0.1	39.6	15.2	2417	2.77	29.4	1.7	0.8	75	0.3	0.4	0.2	8	1.83

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007066.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98166	Drill Core	0.026	3	4	1.21	86	<0.001	2	0.33	0.021	0.13	<0.1	0.01	3.1	<0.1	0.88	<1	<0.5	<0.2
98167	Drill Core	0.029	3	3	0.94	92	<0.001	2	0.31	0.013	0.15	<0.1	0.03	2.1	<0.1	0.51	<1	<0.5	<0.2
98168	Drill Core	0.029	3	2	0.96	101	<0.001	2	0.41	0.010	0.18	<0.1	0.02	2.0	0.1	0.56	<1	0.6	<0.2
98169	Drill Core	0.034	3	9	1.46	69	<0.001	2	0.78	0.015	0.13	<0.1	0.01	3.0	<0.1	0.70	2	<0.5	<0.2
98170	Rock Pulp	0.005	1	16	0.03	708	0.009	3	0.15	0.009	0.07	24.2	2.36	0.7	10.9	0.13	<1	1.0	<0.2
98171	Drill Core	0.027	3	12	1.32	78	<0.001	<1	0.99	0.013	0.13	<0.1	0.02	3.4	0.3	0.66	3	0.6	<0.2
98172	Drill Core	0.033	4	11	1.27	79	<0.001	<1	1.07	0.015	0.12	<0.1	0.02	3.2	0.2	0.69	3	<0.5	<0.2
98173	Drill Core	0.023	3	7	1.16	75	<0.001	<1	0.63	0.014	0.13	<0.1	0.02	2.6	0.1	0.94	1	1.1	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007066.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
REP G1	QC		0.006																		
98114	Drill Core	3.39	0.018	9.3	35.2	8.3	92	0.3	55.7	13.4	1408	3.18	67.0	<0.5	1.1	250	1.2	7.9	<0.1	29	4.34
REP 98114	QC			9.3	35.2	8.5	93	0.3	55.2	13.4	1409	3.20	67.0	<0.5	1.2	253	1.0	7.9	<0.1	29	4.35
98130	Rock Pulp	0.11	0.978	6.3	44.7	6.0	47	0.5	31.9	9.1	391	2.43	8.6	821.8	1.2	39	0.2	0.9	<0.1	60	0.78
REP 98130	QC			6.6	45.2	6.2	47	0.5	32.2	9.4	402	2.51	8.3	818.4	1.2	40	0.3	1.0	0.1	62	0.80
98140	Drill Core	7.94	0.009	1.0	37.2	8.2	53	0.1	16.4	7.1	1921	1.75	11.5	<0.5	1.2	70	<0.1	0.3	<0.1	<2	2.03
REP 98140	QC			1.2	35.9	8.0	53	<0.1	15.5	6.9	1933	1.70	11.1	0.8	1.2	68	0.1	0.2	<0.1	<2	1.99
98145	Drill Core	7.65	0.009	1.0	47.1	11.4	58	0.1	21.6	9.5	2029	1.89	12.5	<0.5	0.9	62	<0.1	0.6	<0.1	2	1.52
REP 98145	QC		0.009																		
98152	Drill Core	7.26	0.062	24.8	112.5	20.4	312	0.7	87.7	20.9	640	4.85	138.3	1.2	2.7	106	3.8	6.1	0.1	27	2.69
REP 98152	QC			25.6	110.8	20.1	310	0.7	85.9	20.1	651	4.84	135.9	<0.5	2.7	103	3.9	6.0	0.1	28	2.69
Core Reject Duplicates																					
98108	Drill Core	8.05	<0.005	0.3	67.6	0.7	131	0.1	117.7	47.3	1618	6.26	28.8	<0.5	<0.1	174	0.2	0.3	<0.1	141	3.51
DUP 98108	QC		<0.005	0.2	64.3	0.7	131	0.1	118.9	45.1	1608	6.27	25.8	<0.5	<0.1	173	0.1	0.2	<0.1	142	3.61
98143	Drill Core	7.55	0.009	1.0	36.9	3.5	56	<0.1	17.8	8.3	1822	1.63	18.1	<0.5	1.3	75	0.2	1.1	<0.1	<2	2.00
DUP 98143	QC		0.009	1.3	34.8	3.4	54	<0.1	16.1	7.5	1851	1.60	18.4	1.0	1.3	74	0.1	1.1	<0.1	<2	2.01
Reference Materials																					
STD DS8	Standard			13.6	111.1	127.9	310	1.8	38.3	8.1	635	2.59	26.2	104.6	7.3	74	2.3	5.7	7.0	42	0.72
STD DS8	Standard			11.8	101.2	123.1	298	1.8	36.7	7.1	567	2.33	25.0	111.2	6.6	64	2.3	5.4	6.4	39	0.63
STD DS8	Standard			13.4	111.3	136.8	306	1.9	38.2	7.5	578	2.40	25.6	113.3	7.1	69	2.4	5.6	7.3	41	0.66
STD OXH82	Standard		1.334																		
STD OXH82	Standard		1.362																		
STD OXH82	Standard		1.370																		
STD OXH82	Standard		1.370																		
STD OXK79	Standard		3.585																		
STD OXK79	Standard		3.357																		
STD OXK79	Standard		3.563																		
STD OXK79	Standard		3.735																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007066.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
REP G1	QC																		
98114	Drill Core	0.047	1	20	2.30	48	<0.001	2	0.23	0.008	0.07	1.1	0.07	6.6	<0.1	1.51	<1	2.2	<0.2
REP 98114	QC	0.051	1	20	2.30	47	<0.001	2	0.24	0.008	0.07	1.1	0.07	6.6	<0.1	1.53	<1	2.1	<0.2
98130	Rock Pulp	0.048	5	42	0.54	115	0.116	4	1.13	0.072	0.09	11.5	0.09	3.8	0.1	<0.05	4	<0.5	<0.2
REP 98130	QC	0.050	5	43	0.56	117	0.120	3	1.15	0.073	0.10	11.7	0.08	3.9	<0.1	0.06	4	<0.5	<0.2
98140	Drill Core	0.024	4	2	0.87	53	<0.001	2	0.34	0.005	0.23	<0.1	<0.01	1.7	0.3	0.59	<1	<0.5	<0.2
REP 98140	QC	0.022	4	2	0.85	50	<0.001	2	0.33	0.006	0.22	<0.1	<0.01	1.8	0.3	0.59	<1	0.6	<0.2
98145	Drill Core	0.026	4	2	0.89	62	<0.001	1	0.39	0.010	0.24	<0.1	0.01	1.8	0.2	0.68	<1	<0.5	<0.2
REP 98145	QC																		
98152	Drill Core	0.095	2	12	1.37	39	<0.001	2	0.56	0.008	0.12	0.3	0.20	3.5	0.3	3.79	<1	7.2	0.3
REP 98152	QC	0.099	2	13	1.38	39	<0.001	<1	0.57	0.008	0.12	0.2	0.22	3.5	0.3	3.78	<1	6.3	0.2
Core Reject Duplicates																			
98108	Drill Core	0.043	1	199	3.70	64	0.005	2	3.63	0.029	0.11	<0.1	<0.01	15.2	<0.1	0.12	9	<0.5	<0.2
DUP 98108	QC	0.044	1	198	3.65	70	0.004	2	3.58	0.029	0.12	<0.1	<0.01	15.2	<0.1	0.12	9	<0.5	<0.2
98143	Drill Core	0.025	4	2	0.77	40	<0.001	2	0.29	0.006	0.17	<0.1	<0.01	1.5	0.2	0.74	<1	0.9	<0.2
DUP 98143	QC	0.025	3	2	0.78	39	<0.001	2	0.28	0.006	0.17	<0.1	<0.01	1.6	0.2	0.72	<1	<0.5	<0.2
Reference Materials																			
STD DS8	Standard	0.080	16	121	0.62	286	0.117	2	0.94	0.087	0.42	3.1	0.19	2.4	5.5	0.16	5	6.7	5.3
STD DS8	Standard	0.079	13	111	0.59	277	0.107	1	0.86	0.077	0.39	2.9	0.21	2.2	5.4	0.15	4	4.6	4.9
STD DS8	Standard	0.077	15	115	0.58	284	0.125	3	0.89	0.088	0.41	3.2	0.21	2.3	5.7	0.16	4	4.8	4.8
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007066.1

		WGHT Wgt kg 0.01	G6 Au ppm 0.005	1DX30 Mo ppm 0.1	1DX30 Cu ppm 0.1	1DX30 Pb ppm 0.1	1DX30 Zn ppm 1	1DX30 Ag ppm 0.1	1DX30 Ni ppm 0.1	1DX30 Co ppm 0.1	1DX30 Mn ppm 1	1DX30 Fe % 0.01	1DX30 As ppm 0.5	1DX30 Au ppb 0.5	1DX30 Th ppm 0.1	1DX30 Sr ppm 1	1DX30 Cd ppm 0.1	1DX30 Sb ppm 0.1	1DX30 Bi ppm 0.1	1DX30 V ppm 2	1DX30 Ca % 0.01
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	0.2	<0.1	3	<0.01	<0.5	<0.5	<0.1	<1	<0.1	0.2	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	1.4	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		0.008																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		0.006																		
BLK	Blank		0.010																		
BLK	Blank		0.008																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
G1	Prep Blank	<0.01	0.006	<0.1	3.9	3.2	46	<0.1	2.2	3.8	531	2.02	<0.5	2.8	5.0	62	<0.1	<0.1	<0.1	37	0.45
G1	Prep Blank	<0.01		0.1	3.7	2.9	45	<0.1	2.3	3.8	550	2.07	<0.5	1.7	5.1	62	<0.1	<0.1	0.1	37	0.46
G1	Prep Blank		0.006																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007066.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
STD OXH82 Expected																			
STD OXK79 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1	Prep Blank	0.076	12	6	0.47	140	0.116	1	0.85	0.081	0.45	0.1	<0.01	2.1	0.3	<0.05	4	<0.5	<0.2
G1	Prep Blank	0.075	12	6	0.47	137	0.121	1	0.87	0.083	0.46	<0.1	<0.01	2.1	0.3	<0.05	4	<0.5	<0.2
G1	Prep Blank																		

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 23, 2011
Report Date: January 27, 2012
Page: 1 of 9

CERTIFICATE OF ANALYSIS VAN11007067.1

CLIENT JOB INFORMATION

Project: COWTRAIL
Shipment ID: 20_12_2011
P.O. Number
Number of Samples: 236

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	213	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	11	Pulverize to 85% - 200 mesh			VAN
Client Split Pulp	12	For Client - First sample split/packet			VAN
G601	236	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	236	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Brian Findlay
Catherine Banfield

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12205	Rock	1.42	0.009	0.2	65.1	2.5	37	<0.1	62.3	19.4	478	2.56	0.9	<0.5	0.4	92	<0.1	<0.1	<0.1	98	4.91
12206	Drill Core	4.51	0.011	0.7	95.5	3.8	46	<0.1	85.9	21.7	471	3.41	0.8	1.1	0.5	106	<0.1	<0.1	<0.1	116	3.56
12207	Drill Core	4.49	0.009	1.4	87.4	4.8	57	<0.1	75.5	20.8	534	3.58	1.9	<0.5	0.6	67	0.1	0.1	<0.1	118	5.37
12208	Drill Core	4.33	0.010	0.7	97.4	2.7	50	<0.1	87.4	22.5	480	3.55	1.3	<0.5	0.5	79	<0.1	<0.1	<0.1	125	4.31
12209	Drill Core	4.52	0.009	0.9	107.6	3.4	53	<0.1	98.6	24.6	528	3.92	1.4	1.1	0.5	165	<0.1	<0.1	<0.1	124	3.09
12210 DUP 12212 REJECT	Drill Core		0.010	0.7	102.8	3.4	52	<0.1	90.3	22.0	554	3.62	0.8	0.7	0.6	101	<0.1	<0.1	<0.1	125	3.56
12211	Drill Core	5.10	0.010	0.8	101.6	3.5	52	<0.1	97.7	24.3	547	3.87	1.3	0.7	0.5	162	<0.1	<0.1	<0.1	123	3.10
12212	Drill Core	4.44	0.010	0.7	103.9	3.1	54	<0.1	94.8	23.2	574	3.72	0.6	<0.5	0.5	100	<0.1	<0.1	<0.1	126	3.62
12213	Drill Core	4.42	0.011	0.7	103.5	3.8	59	<0.1	107.5	23.9	614	4.08	2.1	<0.5	0.6	77	<0.1	0.1	<0.1	139	5.08
12214	Drill Core	4.57	0.009	0.9	103.2	3.1	54	<0.1	98.2	23.4	584	3.91	1.5	<0.5	0.6	120	<0.1	<0.1	<0.1	125	3.10
12215	Drill Core	4.46	0.010	0.9	108.1	3.1	50	<0.1	90.9	21.9	585	3.59	1.2	<0.5	0.6	78	0.1	<0.1	<0.1	121	4.27
12216	Drill Core	4.00	0.010	0.9	105.5	3.5	51	<0.1	91.7	26.3	600	3.78	0.9	<0.5	0.6	79	0.1	<0.1	<0.1	127	5.60
12217	Drill Core	3.70	0.010	1.0	114.1	2.9	65	<0.1	97.4	24.0	595	3.95	1.4	<0.5	0.6	133	0.1	0.1	<0.1	133	3.62
12218	Drill Core	4.10	0.012	1.5	89.7	3.5	50	0.1	84.8	22.3	621	3.60	4.6	<0.5	0.5	143	0.4	0.2	<0.1	126	8.37
12219	Drill Core	4.00	0.009	0.8	88.7	3.7	49	<0.1	87.1	21.4	516	3.55	2.5	0.6	0.6	285	<0.1	0.2	<0.1	118	4.63
12220	Rock Pulp	0.17	1.679	80.5	>10000	717.3	1469	7.9	90.3	13.3	459	4.72	289.7	1227	1.8	32	8.9	35.6	2.3	47	0.84
12221	Drill Core	4.14	0.011	0.8	105.0	3.3	50	<0.1	92.0	21.9	590	3.51	2.3	3.0	0.6	203	<0.1	0.2	<0.1	118	5.09
12222	Drill Core	4.09	0.017	0.7	109.3	2.5	52	<0.1	98.5	23.8	559	3.74	0.9	3.8	0.6	243	<0.1	<0.1	<0.1	117	3.66
12223	Drill Core	4.24	0.021	0.8	97.2	2.9	48	<0.1	89.9	21.3	599	3.46	1.6	1.4	0.5	203	<0.1	<0.1	<0.1	115	5.77
12224	Drill Core	4.00	0.019	0.6	92.0	3.4	48	<0.1	88.9	22.8	524	3.51	1.5	1.7	0.6	276	<0.1	<0.1	<0.1	113	4.74
12225	Rock	1.36	0.014	0.3	90.2	2.1	50	<0.1	85.2	27.1	674	3.31	0.8	0.7	0.5	125	<0.1	<0.1	<0.1	127	6.97
12226	Drill Core	4.05	0.012	0.6	88.3	3.1	50	<0.1	87.8	21.7	521	3.35	1.7	<0.5	0.5	240	<0.1	<0.1	<0.1	109	5.67
12227	Drill Core	4.09	0.011	0.8	104.4	3.2	49	<0.1	85.8	23.8	571	3.51	2.1	<0.5	0.5	211	<0.1	0.1	<0.1	112	6.44
12228	Drill Core	3.81	0.012	0.8	107.7	3.1	45	<0.1	81.2	22.1	547	3.29	1.1	<0.5	0.4	224	0.1	<0.1	<0.1	101	7.04
12229	Drill Core	3.75	0.011	0.6	104.9	2.6	52	<0.1	94.0	24.3	493	3.55	0.6	0.5	0.6	203	<0.1	<0.1	<0.1	122	4.00
12230 DUP 12232 REJECT	Drill Core		0.011	0.7	112.2	2.5	52	<0.1	103.7	24.4	541	3.91	<0.5	0.9	0.6	251	<0.1	<0.1	<0.1	123	2.51
12231	Drill Core	5.61	0.011	0.8	108.6	4.4	58	<0.1	92.2	22.7	597	3.54	1.5	0.7	0.6	66	<0.1	0.3	<0.1	128	4.39
12232	Drill Core	3.81	0.010	0.7	110.8	2.5	55	<0.1	105.5	24.9	558	4.01	<0.5	0.6	0.6	264	<0.1	<0.1	<0.1	127	2.57
12233	Drill Core	3.89	0.010	0.8	110.4	2.3	51	<0.1	104.6	24.6	535	3.94	<0.5	1.5	0.5	279	<0.1	<0.1	<0.1	125	2.50
12234	Drill Core	4.01	0.010	0.8	109.9	3.0	52	<0.1	98.5	25.7	610	4.05	<0.5	<0.5	0.6	217	<0.1	<0.1	<0.1	124	3.24

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12205	Rock	0.063	3	30	0.66	13	0.170	11	2.51	0.682	0.12	<0.1	0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
12206	Drill Core	0.100	4	107	1.56	19	0.223	9	2.10	0.122	0.11	<0.1	0.01	3.6	<0.1	0.25	6	<0.5	<0.2
12207	Drill Core	0.096	4	96	1.55	53	0.237	8	2.35	0.083	0.28	0.1	<0.01	4.5	1.0	0.76	8	<0.5	<0.2
12208	Drill Core	0.100	4	112	1.50	15	0.226	11	2.23	0.101	0.11	<0.1	0.02	3.9	<0.1	0.52	7	<0.5	<0.2
12209	Drill Core	0.099	4	114	1.93	21	0.228	12	2.43	0.237	0.12	<0.1	0.01	4.0	<0.1	0.45	7	<0.5	<0.2
12210 DUP 12212 REJECT	Drill Core	0.101	4	115	1.83	17	0.232	11	2.32	0.142	0.10	<0.1	<0.01	3.8	<0.1	0.24	8	<0.5	<0.2
12211	Drill Core	0.096	4	116	1.94	20	0.224	18	2.44	0.236	0.12	<0.1	0.01	4.1	<0.1	0.41	7	<0.5	<0.2
12212	Drill Core	0.103	4	114	1.82	17	0.236	9	2.29	0.153	0.11	<0.1	<0.01	4.2	<0.1	0.27	8	<0.5	<0.2
12213	Drill Core	0.099	4	115	1.85	14	0.260	5	2.43	0.099	0.11	<0.1	0.02	5.3	<0.1	0.80	8	<0.5	<0.2
12214	Drill Core	0.099	4	117	1.97	19	0.238	9	2.45	0.169	0.13	<0.1	<0.01	4.4	<0.1	0.38	7	<0.5	<0.2
12215	Drill Core	0.100	4	106	1.82	12	0.226	10	2.34	0.109	0.10	<0.1	<0.01	4.1	<0.1	0.35	8	<0.5	<0.2
12216	Drill Core	0.104	4	107	1.77	11	0.232	14	2.58	0.105	0.11	<0.1	0.02	4.6	<0.1	0.32	9	<0.5	<0.2
12217	Drill Core	0.103	4	115	1.97	16	0.236	4	2.39	0.172	0.10	<0.1	0.01	4.1	<0.1	0.37	7	<0.5	<0.2
12218	Drill Core	0.090	4	96	1.48	11	0.207	298	1.99	0.140	0.07	0.1	0.04	3.6	<0.1	1.14	7	0.5	<0.2
12219	Drill Core	0.105	4	111	1.46	20	0.225	12	2.26	0.289	0.11	<0.1	0.04	3.8	<0.1	1.02	6	<0.5	<0.2
12220	Rock Pulp	0.049	7	47	0.60	43	0.070	35	1.19	0.076	0.21	32.3	0.68	4.2	0.9	2.16	4	3.2	0.6
12221	Drill Core	0.099	4	112	1.55	25	0.227	35	2.33	0.276	0.13	0.1	0.02	4.1	<0.1	0.84	6	<0.5	<0.2
12222	Drill Core	0.102	4	116	1.85	33	0.219	6	2.55	0.373	0.14	<0.1	0.02	3.8	<0.1	0.47	6	<0.5	<0.2
12223	Drill Core	0.101	4	117	1.69	22	0.224	6	2.07	0.293	0.10	<0.1	0.07	4.6	<0.1	1.41	6	<0.5	<0.2
12224	Drill Core	0.096	4	117	1.61	34	0.215	5	2.32	0.406	0.14	<0.1	0.09	4.9	<0.1	1.31	5	<0.5	<0.2
12225	Rock	0.081	4	43	0.85	16	0.218	13	3.43	1.054	0.15	<0.1	<0.01	4.2	<0.1	0.07	7	<0.5	<0.2
12226	Drill Core	0.097	4	104	1.47	35	0.210	4	2.24	0.352	0.14	<0.1	0.04	3.6	<0.1	0.85	5	<0.5	<0.2
12227	Drill Core	0.089	4	103	1.51	30	0.215	9	2.05	0.285	0.12	<0.1	0.06	3.7	<0.1	1.07	5	<0.5	<0.2
12228	Drill Core	0.088	4	95	1.35	28	0.203	10	2.02	0.266	0.13	<0.1	0.05	3.4	<0.1	0.78	5	<0.5	<0.2
12229	Drill Core	0.109	4	112	1.66	20	0.236	6	2.58	0.403	0.13	<0.1	0.02	3.2	<0.1	0.17	7	<0.5	<0.2
12230 DUP 12232 REJECT	Drill Core	0.102	4	119	2.19	32	0.212	114	2.73	0.317	0.13	<0.1	0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
12231	Drill Core	0.105	4	115	1.54	12	0.239	5	2.09	0.070	0.09	<0.1	0.07	3.5	<0.1	0.38	7	<0.5	<0.2
12232	Drill Core	0.106	5	124	2.27	32	0.228	125	2.83	0.328	0.13	<0.1	<0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
12233	Drill Core	0.101	4	115	2.23	36	0.207	14	2.83	0.387	0.13	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
12234	Drill Core	0.106	4	118	2.00	21	0.218	18	2.90	0.385	0.12	<0.1	0.01	3.3	<0.1	0.06	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12235	Drill Core	3.76	0.008	0.9	108.4	3.4	52	<0.1	94.9	23.8	559	3.74	0.6	1.2	0.6	69	<0.1	<0.1	<0.1	121	4.55
12236	Drill Core	3.98	0.011	1.8	109.5	3.2	56	<0.1	104.2	25.2	539	3.59	3.7	<0.5	0.5	65	0.1	0.2	<0.1	132	5.59
12237	Drill Core	4.03	0.011	1.4	108.2	3.3	60	<0.1	107.8	24.8	573	3.67	3.0	<0.5	0.5	145	0.3	0.2	<0.1	130	5.17
12238	Drill Core	3.89	0.016	0.8	113.5	3.6	56	<0.1	99.9	22.4	620	3.74	1.6	2.9	0.5	81	0.1	0.1	<0.1	129	4.63
12239	Drill Core	3.90	0.013	2.1	105.3	4.0	56	<0.1	111.8	24.6	584	4.00	2.8	3.2	0.6	76	0.2	0.2	<0.1	140	4.99
12240	Rock Pulp	0.17	0.011	3.3	22.2	2.5	35	0.4	18.7	9.0	303	1.90	3.5	1.5	1.0	31	0.2	0.3	<0.1	46	0.67
12241	Drill Core	4.49	0.012	0.6	102.3	3.8	56	<0.1	95.7	22.2	643	3.81	0.7	1.9	0.6	105	<0.1	<0.1	<0.1	141	5.02
12242	Drill Core	4.51	0.010	0.8	108.9	3.2	56	<0.1	103.5	23.0	694	3.93	1.0	2.7	0.6	95	<0.1	<0.1	<0.1	137	4.62
12243	Drill Core	4.54	0.011	0.9	114.5	2.6	57	<0.1	102.9	23.0	650	4.11	<0.5	2.0	0.6	125	<0.1	<0.1	<0.1	132	3.04
12244	Drill Core	4.79	0.011	0.6	94.6	3.0	54	<0.1	92.0	21.2	630	3.69	1.7	2.7	0.5	212	<0.1	<0.1	<0.1	130	4.91
12245	Rock	1.44	0.009	0.3	97.7	2.4	52	<0.1	94.2	27.6	723	3.54	1.2	1.1	0.5	134	<0.1	<0.1	<0.1	136	6.46
12246	Drill Core	4.58	0.010	1.2	120.7	3.9	63	<0.1	114.5	26.8	595	3.96	3.0	<0.5	0.5	97	0.2	0.2	<0.1	140	4.81
12247	Drill Core	3.17	0.010	1.3	107.8	3.8	59	<0.1	115.7	24.2	601	3.55	2.7	1.8	0.5	127	0.1	0.2	<0.1	134	5.23
12248	Drill Core	3.58	0.011	1.8	109.0	4.0	65	<0.1	146.2	28.3	621	3.41	4.2	1.8	0.5	219	0.3	0.3	<0.1	133	5.91
12141	Drill Core	4.31	0.013	0.5	100.6	3.3	52	<0.1	94.0	21.5	620	3.60	<0.5	1.6	0.5	73	<0.1	<0.1	<0.1	125	3.90
12142	Drill Core	4.53	0.012	1.1	112.9	3.6	56	<0.1	103.7	23.2	587	3.74	2.4	1.3	0.5	139	<0.1	<0.1	<0.1	123	3.77
12143	Drill Core	4.54	0.011	0.8	103.7	3.6	52	<0.1	87.0	21.0	630	3.50	2.1	0.7	0.5	155	<0.1	<0.1	<0.1	127	4.69
12144	Drill Core	4.51	0.009	0.7	92.8	3.3	53	<0.1	87.1	20.0	625	3.34	1.3	0.8	0.5	204	<0.1	<0.1	<0.1	123	4.26
12145	Rock	1.26	0.010	0.3	100.4	2.2	54	<0.1	93.3	27.5	689	3.50	0.8	<0.5	0.5	133	<0.1	<0.1	<0.1	136	6.20
12146	Drill Core	4.29	0.012	0.9	113.5	2.5	54	<0.1	97.5	22.9	561	3.79	1.0	1.0	0.5	441	<0.1	<0.1	<0.1	124	3.65
12147	Drill Core	4.62	0.012	1.1	107.9	3.0	54	<0.1	96.4	23.1	480	3.76	0.7	1.5	0.5	436	<0.1	<0.1	<0.1	116	2.85
12148	Drill Core	4.45	0.012	0.8	99.2	3.9	53	<0.1	91.4	22.8	531	3.54	1.2	0.6	0.5	171	<0.1	<0.1	<0.1	116	3.82
12149	Drill Core	4.65	0.011	0.7	109.3	3.4	56	<0.1	97.8	24.1	573	3.76	1.0	<0.5	0.6	86	<0.1	<0.1	<0.1	130	3.62
12150 DUP 12152 REJECT	Drill Core		0.016	0.6	107.4	3.8	57	<0.1	102.6	23.9	549	3.92	1.2	0.6	0.6	96	<0.1	<0.1	<0.1	128	3.45
12151	Drill Core	4.80	0.012	0.5	104.5	2.5	53	<0.1	85.4	19.6	601	3.21	0.7	<0.5	0.5	229	<0.1	<0.1	<0.1	123	4.16
12152	Drill Core	4.47	0.011	0.7	107.5	3.7	56	<0.1	97.9	23.7	546	3.95	1.2	<0.5	0.6	94	<0.1	<0.1	<0.1	131	3.45
12153	Drill Core	4.29	0.013	1.0	105.3	3.5	53	<0.1	94.9	22.3	596	3.70	1.0	<0.5	0.5	92	<0.1	<0.1	<0.1	125	4.84
12154	Drill Core	4.53	0.012	0.7	105.0	3.9	54	<0.1	96.0	22.5	581	3.75	1.3	1.3	0.6	78	<0.1	<0.1	<0.1	127	4.58
12155	Drill Core	4.65	0.012	0.8	98.9	3.9	52	<0.1	91.5	23.3	646	3.82	0.9	<0.5	0.5	86	<0.1	<0.1	<0.1	137	5.17
12156	Drill Core	4.27	0.009	2.3	95.3	3.7	51	<0.1	87.0	22.5	675	3.74	1.2	<0.5	0.5	93	<0.1	<0.1	<0.1	136	6.24

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12235	Drill Core	0.106	4	113	1.62	12	0.232	17	2.75	0.082	0.09	<0.1	0.02	3.1	<0.1	0.15	9	<0.5	<0.2
12236	Drill Core	0.109	4	113	1.64	12	0.237	24	2.46	0.085	0.09	<0.1	0.11	4.2	<0.1	0.78	9	0.5	<0.2
12237	Drill Core	0.096	4	109	1.71	13	0.242	7	2.36	0.074	0.10	<0.1	0.09	3.9	<0.1	0.60	8	<0.5	<0.2
12238	Drill Core	0.106	4	115	1.56	13	0.244	12	2.28	0.086	0.10	<0.1	0.05	4.1	<0.1	0.37	8	<0.5	<0.2
12239	Drill Core	0.105	4	116	1.53	13	0.258	12	2.68	0.092	0.10	<0.1	0.13	4.7	<0.1	0.73	9	<0.5	<0.2
12240	Rock Pulp	0.048	5	21	0.50	87	0.102	4	1.13	0.064	0.08	18.3	0.02	3.9	<0.1	<0.05	4	<0.5	<0.2
12241	Drill Core	0.117	5	119	1.61	17	0.249	14	2.72	0.117	0.10	<0.1	0.03	4.7	<0.1	0.22	9	<0.5	<0.2
12242	Drill Core	0.116	5	119	1.76	15	0.247	19	2.65	0.108	0.09	<0.1	0.06	3.6	<0.1	0.24	9	<0.5	<0.2
12243	Drill Core	0.117	5	116	2.07	22	0.256	16	2.71	0.159	0.11	<0.1	0.03	3.0	<0.1	0.09	8	<0.5	<0.2
12244	Drill Core	0.113	5	111	1.57	27	0.249	9	2.49	0.268	0.12	<0.1	0.16	3.2	<0.1	0.54	7	<0.5	<0.2
12245	Rock	0.087	4	46	0.95	17	0.227	17	3.65	1.116	0.15	<0.1	<0.01	4.6	<0.1	<0.05	8	<0.5	<0.2
12246	Drill Core	0.106	5	118	1.92	12	0.269	22	2.52	0.114	0.09	0.1	0.17	4.4	0.1	0.97	9	<0.5	<0.2
12247	Drill Core	0.109	4	111	1.69	19	0.266	11	2.21	0.166	0.12	<0.1	0.16	5.1	<0.1	0.88	7	<0.5	<0.2
12248	Drill Core	0.095	4	102	1.58	18	0.263	17	2.03	0.295	0.10	0.1	0.20	4.3	0.2	1.01	6	<0.5	<0.2
12141	Drill Core	0.107	4	114	1.83	17	0.238	11	2.42	0.117	0.11	<0.1	<0.01	3.8	<0.1	<0.05	8	<0.5	<0.2
12142	Drill Core	0.095	4	107	1.82	23	0.227	12	2.64	0.296	0.10	<0.1	0.01	3.5	<0.1	0.20	8	<0.5	<0.2
12143	Drill Core	0.100	4	105	1.78	22	0.240	76	2.53	0.245	0.11	<0.1	<0.01	3.8	<0.1	0.18	7	<0.5	<0.2
12144	Drill Core	0.106	4	110	1.52	25	0.224	13	2.46	0.331	0.11	<0.1	<0.01	3.7	<0.1	0.20	7	<0.5	<0.2
12145	Rock	0.088	4	41	0.95	16	0.232	18	3.73	1.118	0.13	<0.1	<0.01	5.0	<0.1	0.06	9	<0.5	<0.2
12146	Drill Core	0.106	4	113	1.85	26	0.246	14	3.35	0.489	0.12	<0.1	<0.01	3.4	<0.1	0.19	8	<0.5	<0.2
12147	Drill Core	0.094	4	109	2.02	26	0.229	9	3.06	0.644	0.10	<0.1	<0.01	3.7	<0.1	0.38	8	<0.5	<0.2
12148	Drill Core	0.111	4	108	1.79	26	0.236	13	2.40	0.336	0.13	<0.1	<0.01	4.3	<0.1	0.70	7	<0.5	<0.2
12149	Drill Core	0.103	5	114	1.90	14	0.243	12	2.62	0.118	0.09	<0.1	<0.01	4.5	<0.1	0.33	9	<0.5	<0.2
12150 DUP 12152 REJECT	Drill Core	0.097	5	113	2.04	13	0.247	12	2.69	0.098	0.08	<0.1	<0.01	3.7	<0.1	0.44	9	<0.5	<0.2
12151	Drill Core	0.105	4	115	1.49	27	0.228	13	2.43	0.323	0.12	<0.1	<0.01	3.7	<0.1	0.12	6	<0.5	<0.2
12152	Drill Core	0.099	5	113	2.03	13	0.257	13	2.71	0.100	0.08	<0.1	<0.01	4.0	<0.1	0.46	9	<0.5	<0.2
12153	Drill Core	0.097	4	107	1.75	12	0.240	31	2.77	0.081	0.08	<0.1	<0.01	4.0	<0.1	0.61	9	<0.5	<0.2
12154	Drill Core	0.101	4	115	1.78	16	0.246	15	2.61	0.084	0.09	<0.1	<0.01	4.2	<0.1	0.75	9	<0.5	<0.2
12155	Drill Core	0.098	4	108	1.86	16	0.254	11	2.59	0.081	0.09	<0.1	<0.01	4.6	<0.1	0.83	9	<0.5	<0.2
12156	Drill Core	0.095	4	108	1.80	19	0.261	11	2.27	0.084	0.09	<0.1	<0.01	5.4	<0.1	1.28	8	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12157	Drill Core	4.77	0.012	0.9	102.2	4.0	55	<0.1	98.4	25.2	646	3.96	1.5	0.8	0.5	81	<0.1	<0.1	<0.1	137	4.75
12158	Drill Core	4.32	0.012	0.7	105.8	3.7	56	<0.1	99.5	24.8	601	3.98	1.7	<0.5	0.5	75	<0.1	<0.1	<0.1	140	4.32
12159	Drill Core	4.39	0.011	0.8	111.2	3.8	62	<0.1	111.1	26.3	633	4.21	2.3	0.7	0.6	74	<0.1	<0.1	<0.1	144	3.13
12160	Rock Pulp	0.17	0.236	11.0	5468	5.6	86	1.9	10.8	7.5	621	4.09	1.5	171.8	4.1	66	0.4	0.3	0.7	60	1.07
12161	Drill Core	4.68	0.010	0.8	109.0	3.3	56	<0.1	104.0	24.1	641	4.07	1.4	<0.5	0.5	72	<0.1	<0.1	<0.1	144	3.36
12162	Drill Core	4.46	0.009	0.8	115.5	4.1	61	<0.1	107.3	27.6	623	4.34	1.0	<0.5	0.6	81	<0.1	<0.1	<0.1	159	2.36
12163	Drill Core	4.61	0.008	0.8	109.8	3.6	57	<0.1	107.5	27.1	592	4.12	1.4	<0.5	0.6	149	<0.1	<0.1	<0.1	141	3.30
12164	Drill Core	4.47	0.005	0.8	83.3	2.7	51	<0.1	86.1	21.0	569	3.52	0.9	<0.5	0.5	183	<0.1	<0.1	<0.1	137	4.90
12165	Rock	1.95	0.007	0.3	83.6	2.5	50	<0.1	88.6	28.0	704	3.53	0.7	3.5	0.4	153	0.1	<0.1	<0.1	129	6.77
12166	Drill Core	4.27	0.008	1.0	97.3	3.2	54	<0.1	98.7	25.1	613	4.02	0.8	2.6	0.5	172	<0.1	<0.1	<0.1	145	4.37
12167	Drill Core	4.11	0.007	0.8	89.1	4.0	54	<0.1	102.0	27.9	680	4.28	1.0	2.8	0.5	111	<0.1	<0.1	<0.1	156	4.29
12168	Drill Core	3.89	0.007	0.6	89.3	3.6	52	<0.1	90.1	25.0	656	3.79	0.8	1.9	0.5	103	<0.1	<0.1	<0.1	149	4.59
12169	Drill Core	4.73	0.006	0.7	95.1	3.9	55	<0.1	100.4	27.0	742	4.18	0.9	2.0	0.5	89	<0.1	<0.1	<0.1	163	4.76
12170 DUP 12172 REJECT	Drill Core		0.007	0.8	94.9	3.4	56	<0.1	93.0	24.8	674	4.02	0.8	1.7	0.5	113	<0.1	<0.1	<0.1	161	3.67
12171	Drill Core	4.59	0.007	1.2	96.3	3.4	55	<0.1	97.5	26.4	622	3.98	0.8	2.6	0.6	168	<0.1	<0.1	<0.1	146	4.69
12172	Drill Core	4.35	0.008	0.8	96.6	3.5	57	<0.1	95.9	25.2	694	4.11	0.7	1.2	0.5	110	<0.1	<0.1	<0.1	164	3.77
12173	Drill Core	4.46	0.006	0.9	98.4	3.6	57	<0.1	97.0	26.0	700	4.41	1.1	2.4	0.5	103	<0.1	<0.1	<0.1	165	3.71
12174	Drill Core	4.11	0.006	1.0	81.9	2.9	53	<0.1	98.7	24.9	712	4.32	0.7	1.5	0.5	106	<0.1	<0.1	<0.1	177	4.90
12175	Drill Core	4.20	0.006	1.3	70.9	3.3	53	<0.1	101.6	27.6	756	4.28	0.8	<0.5	0.5	139	<0.1	<0.1	<0.1	182	6.67
12176	Drill Core	4.49	0.007	0.5	73.0	2.9	51	<0.1	96.5	27.8	850	4.14	0.9	2.2	0.5	210	<0.1	<0.1	<0.1	163	8.66
12177	Drill Core	4.10	<0.005	0.6	77.3	3.3	48	<0.1	93.6	26.3	705	4.00	1.1	1.8	0.5	207	<0.1	<0.1	<0.1	153	7.43
12178	Drill Core	4.30	0.007	0.4	78.1	3.1	49	<0.1	94.8	26.3	844	3.78	1.6	2.3	0.4	160	<0.1	<0.1	<0.1	141	10.08
12179	Drill Core	4.08	0.005	0.8	68.7	3.2	48	<0.1	100.0	26.7	814	4.49	1.6	1.2	0.5	155	<0.1	<0.1	<0.1	154	9.37
12180	Rock Pulp	0.16	0.231	11.6	5687	5.5	90	2.0	11.8	8.2	643	4.43	1.8	216.9	4.0	70	0.3	0.2	0.7	63	1.07
12181	Drill Core	3.87	0.007	0.5	82.5	3.0	42	<0.1	89.8	25.2	817	3.79	1.6	<0.5	0.4	164	<0.1	<0.1	<0.1	138	10.18
12182	Drill Core	3.86	0.006	0.4	75.9	3.1	46	<0.1	83.4	21.6	883	3.60	1.7	<0.5	0.4	143	<0.1	<0.1	<0.1	114	9.80
12183	Drill Core	3.74	0.011	0.6	79.5	3.4	51	<0.1	95.9	28.5	898	4.03	2.2	1.1	0.4	136	<0.1	<0.1	<0.1	147	10.07
12184	Drill Core	4.02	0.009	0.7	71.0	2.7	45	<0.1	86.9	22.5	867	3.54	2.8	<0.5	0.2	117	<0.1	<0.1	<0.1	128	10.07
12185	Rock	1.49	0.007	0.3	99.1	2.3	50	<0.1	86.9	26.6	704	3.44	0.8	<0.5	0.5	124	<0.1	<0.1	<0.1	138	6.56
12186	Drill Core	3.84	0.008	0.4	77.1	2.7	48	<0.1	94.3	23.5	944	4.02	<0.5	<0.5	0.4	151	<0.1	<0.1	<0.1	136	11.10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12157	Drill Core	0.096	5	110	2.07	25	0.272	10	2.62	0.086	0.11	<0.1	<0.01	4.8	<0.1	1.07	9	<0.5	<0.2
12158	Drill Core	0.090	4	110	2.03	20	0.270	13	2.50	0.092	0.09	<0.1	<0.01	5.1	<0.1	1.15	10	<0.5	<0.2
12159	Drill Core	0.099	5	118	2.34	23	0.286	14	2.52	0.108	0.09	0.1	<0.01	5.4	<0.1	1.07	9	<0.5	<0.2
12160	Rock Pulp	0.066	11	16	0.63	171	0.077	5	1.04	0.062	0.41	0.1	0.08	4.1	0.1	0.34	6	3.7	0.4
12161	Drill Core	0.101	5	114	2.44	26	0.268	13	2.66	0.100	0.11	0.1	<0.01	5.6	<0.1	0.64	9	<0.5	<0.2
12162	Drill Core	0.094	5	126	2.56	27	0.306	12	2.45	0.145	0.09	0.1	<0.01	7.2	<0.1	1.11	9	<0.5	<0.2
12163	Drill Core	0.093	5	115	2.31	48	0.263	10	2.51	0.280	0.12	<0.1	<0.01	5.4	<0.1	0.95	7	<0.5	<0.2
12164	Drill Core	0.110	4	120	1.73	44	0.236	8	2.34	0.270	0.12	<0.1	<0.01	5.1	<0.1	0.95	6	<0.5	<0.2
12165	Rock	0.080	4	45	0.94	19	0.219	13	3.56	1.044	0.19	<0.1	<0.01	4.8	<0.1	0.09	8	<0.5	<0.2
12166	Drill Core	0.091	4	131	2.02	47	0.240	8	2.39	0.213	0.15	<0.1	<0.01	6.0	<0.1	0.91	7	<0.5	<0.2
12167	Drill Core	0.094	5	132	2.30	38	0.256	8	2.22	0.138	0.13	<0.1	0.01	7.2	<0.1	1.08	8	<0.5	<0.2
12168	Drill Core	0.100	5	128	1.89	36	0.248	7	1.94	0.125	0.14	<0.1	<0.01	6.6	<0.1	1.09	7	<0.5	<0.2
12169	Drill Core	0.094	5	143	2.46	27	0.267	9	2.44	0.097	0.11	<0.1	<0.01	8.6	<0.1	0.77	9	<0.5	<0.2
12170 DUP 12172 REJECT	Drill Core	0.096	5	137	2.31	38	0.264	8	2.14	0.142	0.15	<0.1	0.01	8.0	<0.1	0.79	8	<0.5	<0.2
12171	Drill Core	0.093	4	128	2.01	48	0.247	8	2.42	0.212	0.15	<0.1	<0.01	6.1	<0.1	1.02	8	<0.5	<0.2
12172	Drill Core	0.097	5	141	2.37	36	0.272	8	2.14	0.136	0.14	<0.1	0.01	8.1	<0.1	0.81	8	<0.5	<0.2
12173	Drill Core	0.092	4	151	2.80	35	0.271	8	2.35	0.120	0.15	<0.1	0.02	9.9	<0.1	1.00	8	<0.5	<0.2
12174	Drill Core	0.107	5	169	3.07	27	0.253	7	2.43	0.107	0.12	<0.1	0.02	13.0	<0.1	0.88	8	<0.5	<0.2
12175	Drill Core	0.095	5	186	2.81	30	0.201	6	2.29	0.114	0.12	<0.1	0.03	14.9	<0.1	1.16	8	<0.5	<0.2
12176	Drill Core	0.094	4	168	1.69	49	0.112	8	2.65	0.170	0.16	<0.1	0.03	15.1	<0.1	0.93	7	<0.5	<0.2
12177	Drill Core	0.089	4	159	1.49	111	0.108	7	2.46	0.167	0.16	<0.1	0.05	14.5	<0.1	0.70	6	<0.5	<0.2
12178	Drill Core	0.086	4	138	1.16	85	0.036	8	2.21	0.067	0.17	<0.1	0.04	16.5	<0.1	0.66	5	<0.5	<0.2
12179	Drill Core	0.107	5	193	1.86	24	0.003	7	2.56	0.038	0.19	<0.1	0.05	18.6	<0.1	1.05	7	<0.5	<0.2
12180	Rock Pulp	0.066	12	17	0.64	181	0.071	4	1.08	0.067	0.42	0.2	0.08	4.3	0.2	0.35	7	3.4	0.4
12181	Drill Core	0.102	5	168	1.45	49	0.003	5	2.38	0.035	0.19	<0.1	0.06	17.8	<0.1	0.95	6	<0.5	<0.2
12182	Drill Core	0.096	4	90	1.67	178	<0.001	10	1.84	0.024	0.21	<0.1	0.03	17.0	<0.1	0.61	4	<0.5	<0.2
12183	Drill Core	0.093	3	131	2.00	124	0.002	10	1.93	0.021	0.18	<0.1	0.03	18.8	<0.1	0.80	4	<0.5	<0.2
12184	Drill Core	0.069	<1	104	2.10	96	<0.001	8	1.93	0.013	0.17	<0.1	<0.01	15.4	<0.1	0.52	3	<0.5	<0.2
12185	Rock	0.089	4	43	0.89	17	0.225	15	3.58	1.077	0.18	<0.1	<0.01	4.7	<0.1	0.08	8	<0.5	<0.2
12186	Drill Core	0.088	4	148	1.97	93	0.003	7	2.91	0.030	0.20	<0.1	0.04	15.0	<0.1	0.27	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12187	Drill Core	4.36	0.006	0.5	92.3	2.9	56	<0.1	116.2	25.8	817	4.54	0.7	<0.5	0.4	140	<0.1	<0.1	<0.1	173	8.39
12188	Drill Core	4.25	0.006	0.8	93.2	3.6	57	<0.1	111.9	26.5	799	4.51	0.7	0.6	0.4	117	<0.1	<0.1	<0.1	190	7.29
12189	Drill Core	4.27	0.009	0.5	82.3	2.5	55	<0.1	112.4	25.3	761	4.36	0.5	<0.5	0.5	119	<0.1	<0.1	<0.1	195	6.48
12190 DUP 12192 REJECT	Drill Core		0.008	0.6	60.9	3.4	50	<0.1	85.9	22.7	673	3.85	1.3	<0.5	0.5	104	<0.1	<0.1	<0.1	178	7.13
12191	Drill Core	4.89	0.010	0.7	77.9	3.5	51	<0.1	79.9	19.2	627	3.46	1.4	<0.5	0.6	86	<0.1	<0.1	<0.1	166	5.91
12192	Drill Core	4.42	0.007	0.5	63.3	3.4	52	<0.1	89.5	23.3	689	4.00	1.1	<0.5	0.5	103	<0.1	<0.1	<0.1	188	7.16
12193	Drill Core	3.38	0.007	0.6	79.4	2.9	56	<0.1	98.4	23.0	683	3.88	0.8	<0.5	0.6	109	<0.1	<0.1	<0.1	178	4.67
12194	Drill Core	4.20	0.009	0.7	79.7	3.6	53	<0.1	81.0	19.9	656	3.63	1.2	<0.5	0.6	83	<0.1	<0.1	<0.1	171	5.66
12195	Drill Core	4.42	0.007	1.1	109.8	3.6	56	<0.1	99.2	24.3	672	3.76	1.7	<0.5	0.6	84	<0.1	0.2	<0.1	157	5.23
12196	Drill Core	4.26	0.019	1.2	93.2	2.9	47	<0.1	85.6	20.8	712	3.68	1.2	<0.5	0.5	108	<0.1	<0.1	<0.1	139	7.13
12197	Drill Core	4.44	0.024	1.7	99.8	3.1	53	<0.1	90.2	21.8	628	3.74	1.4	<0.5	0.5	93	<0.1	<0.1	<0.1	149	6.41
12198	Drill Core	4.23	0.027	0.7	97.2	3.3	51	<0.1	87.9	21.4	557	3.52	1.4	0.5	0.5	81	<0.1	<0.1	<0.1	150	6.88
12199	Drill Core	4.53	0.029	0.7	102.4	3.5	56	<0.1	103.3	23.1	627	3.87	1.2	<0.5	0.5	134	<0.1	<0.1	<0.1	140	4.63
12200	Rock Pulp	0.18	1.569	81.9	>10000	665.2	1504	8.1	93.5	13.1	471	4.64	298.0	1170	1.8	36	8.7	36.3	2.3	50	0.88
12201	Drill Core	4.43	0.013	0.8	102.3	3.0	56	<0.1	94.8	22.3	598	3.84	1.4	1.1	0.5	126	<0.1	<0.1	<0.1	139	3.90
12202	Drill Core	4.44	0.017	0.9	103.1	3.4	53	<0.1	98.8	24.2	610	3.98	1.7	<0.5	0.5	122	<0.1	<0.1	<0.1	135	3.45
12203	Drill Core	4.35	0.018	0.7	97.5	2.6	52	<0.1	87.9	19.4	506	3.45	1.4	0.9	0.5	77	<0.1	<0.1	<0.1	136	5.66
12204	Drill Core	4.51	0.015	0.8	104.9	3.0	52	<0.1	97.4	23.3	567	3.75	0.7	0.7	0.5	82	<0.1	<0.1	<0.1	131	3.53
12077	Drill Core	4.44	0.015	1.0	109.9	3.9	58	<0.1	121.6	26.6	556	3.59	2.5	<0.5	0.5	75	0.1	<0.1	<0.1	146	5.04
12078	Drill Core	4.52	0.012	0.8	110.3	3.9	53	<0.1	114.9	24.0	564	3.70	2.0	<0.5	0.6	88	0.1	<0.1	<0.1	137	4.09
12079	Drill Core	4.20	0.017	0.8	104.3	2.8	52	<0.1	95.9	22.7	542	3.30	0.5	1.3	0.5	143	<0.1	<0.1	<0.1	123	4.20
12080	Rock Pulp	0.16	1.551	80.5	>10000	696.0	1476	8.1	90.7	12.9	473	4.56	297.8	1151	1.9	35	9.0	35.8	2.4	49	0.85
12081	Drill Core	4.44	0.017	0.9	108.1	3.6	55	<0.1	97.2	25.7	544	3.15	1.4	1.3	0.6	74	0.1	<0.1	<0.1	135	5.44
12082	Drill Core	4.31	0.018	0.9	113.1	3.7	61	<0.1	122.4	27.6	557	3.53	2.6	1.5	0.6	76	0.1	0.1	<0.1	144	4.11
12083	Drill Core	4.53	0.015	0.9	105.7	3.5	55	<0.1	106.9	25.3	607	3.48	2.8	<0.5	0.5	135	0.1	0.2	<0.1	131	5.26
12084	Drill Core	4.60	0.011	0.9	107.6	3.1	60	<0.1	121.2	28.3	641	3.91	2.1	1.1	0.5	133	<0.1	<0.1	<0.1	152	4.13
12085	Rock	1.45	0.009	0.3	95.7	2.5	49	<0.1	82.9	26.6	674	3.39	0.8	0.5	0.5	134	<0.1	<0.1	<0.1	134	6.46
12086	Drill Core	4.69	0.012	0.9	112.8	3.0	58	<0.1	115.3	25.4	605	3.61	<0.5	0.8	0.6	145	0.1	<0.1	<0.1	134	3.52
12087	Drill Core	4.51	0.017	0.7	114.6	3.2	56	<0.1	104.6	24.4	611	3.90	<0.5	<0.5	0.6	61	<0.1	<0.1	<0.1	129	3.58
12088	Drill Core	4.44	0.016	0.8	113.4	3.2	59	<0.1	114.3	25.4	585	4.01	1.1	0.9	0.6	127	<0.1	<0.1	<0.1	143	3.33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12187	Drill Core	0.096	4	209	2.55	16	0.006	6	2.72	0.052	0.16	<0.1	0.03	17.3	<0.1	0.54	8	<0.5	<0.2
12188	Drill Core	0.091	4	215	3.40	21	0.116	6	2.64	0.066	0.13	<0.1	0.02	17.2	<0.1	0.67	9	<0.5	<0.2
12189	Drill Core	0.103	5	203	3.34	21	0.175	7	2.58	0.083	0.12	<0.1	<0.01	17.7	<0.1	0.55	8	<0.5	<0.2
12190 DUP 12192 REJECT	Drill Core	0.107	5	180	2.79	20	0.247	9	2.14	0.066	0.13	<0.1	<0.01	15.0	<0.1	1.06	8	<0.5	<0.2
12191	Drill Core	0.113	5	127	2.01	22	0.278	8	2.10	0.080	0.11	0.1	<0.01	8.3	<0.1	1.11	8	<0.5	<0.2
12192	Drill Core	0.108	5	187	2.92	19	0.250	8	2.25	0.067	0.14	<0.1	<0.01	16.0	<0.1	1.06	8	<0.5	<0.2
12193	Drill Core	0.109	5	151	2.66	30	0.286	7	2.09	0.121	0.13	0.1	<0.01	10.1	<0.1	0.96	7	<0.5	<0.2
12194	Drill Core	0.111	5	132	2.15	22	0.285	11	2.09	0.076	0.10	0.2	<0.01	8.6	<0.1	1.07	8	<0.5	<0.2
12195	Drill Core	0.114	5	129	2.06	24	0.280	12	2.35	0.089	0.10	<0.1	0.01	7.2	<0.1	1.21	8	<0.5	<0.2
12196	Drill Core	0.086	4	110	2.00	29	0.245	13	2.30	0.096	0.08	0.1	<0.01	6.2	<0.1	0.88	8	<0.5	<0.2
12197	Drill Core	0.097	4	122	1.86	24	0.262	12	2.49	0.080	0.09	<0.1	<0.01	6.7	<0.1	1.07	9	<0.5	<0.2
12198	Drill Core	0.101	4	116	1.55	20	0.256	13	3.05	0.092	0.10	<0.1	<0.01	6.5	<0.1	0.72	11	<0.5	<0.2
12199	Drill Core	0.101	5	120	1.94	50	0.252	12	2.51	0.297	0.12	<0.1	0.01	5.5	<0.1	0.59	7	<0.5	<0.2
12200	Rock Pulp	0.053	7	48	0.61	47	0.075	42	1.23	0.077	0.22	33.2	0.65	4.4	0.8	2.19	4	2.5	0.5
12201	Drill Core	0.099	4	117	2.02	29	0.243	11	2.59	0.145	0.11	0.1	0.02	4.9	<0.1	0.61	8	<0.5	<0.2
12202	Drill Core	0.104	4	118	2.03	20	0.245	12	2.63	0.191	0.10	<0.1	0.02	4.7	<0.1	0.66	8	<0.5	<0.2
12203	Drill Core	0.106	4	116	1.56	14	0.246	8	2.42	0.084	0.10	<0.1	<0.01	5.2	<0.1	0.65	8	<0.5	<0.2
12204	Drill Core	0.099	4	113	2.00	17	0.244	9	2.41	0.112	0.12	<0.1	0.01	4.5	<0.1	0.31	8	<0.5	<0.2
12077	Drill Core	0.097	4	115	1.66	13	0.267	14	2.85	0.107	0.11	0.1	<0.01	4.9	<0.1	0.14	10	<0.5	<0.2
12078	Drill Core	0.097	4	114	1.77	16	0.257	10	2.60	0.111	0.11	<0.1	<0.01	4.2	<0.1	0.27	8	<0.5	<0.2
12079	Drill Core	0.097	4	113	1.44	32	0.219	4	2.40	0.220	0.13	<0.1	<0.01	3.3	<0.1	0.07	7	<0.5	<0.2
12080	Rock Pulp	0.051	7	48	0.62	48	0.074	37	1.23	0.073	0.21	35.0	0.67	4.4	0.9	2.15	4	3.3	0.5
12081	Drill Core	0.099	4	109	1.42	14	0.249	8	2.49	0.093	0.11	0.1	<0.01	3.9	<0.1	0.17	9	<0.5	<0.2
12082	Drill Core	0.093	4	119	1.63	16	0.273	13	2.53	0.109	0.12	<0.1	<0.01	4.3	<0.1	0.39	8	<0.5	<0.2
12083	Drill Core	0.093	4	112	1.48	25	0.243	9	2.35	0.254	0.13	<0.1	<0.01	3.8	<0.1	0.74	7	<0.5	<0.2
12084	Drill Core	0.096	4	123	1.79	30	0.280	5	2.68	0.414	0.15	0.2	<0.01	5.3	<0.1	0.47	7	<0.5	<0.2
12085	Rock	0.084	4	41	0.90	16	0.223	11	3.58	1.108	0.17	<0.1	<0.01	4.7	<0.1	0.11	8	<0.5	<0.2
12086	Drill Core	0.108	4	121	1.72	27	0.240	9	2.45	0.235	0.13	0.1	<0.01	3.2	<0.1	0.05	7	<0.5	<0.2
12087	Drill Core	0.108	4	124	2.28	11	0.239	9	2.88	0.097	0.09	<0.1	<0.01	4.1	<0.1	<0.05	9	<0.5	<0.2
12088	Drill Core	0.108	4	122	1.95	12	0.248	7	2.60	0.159	0.10	<0.1	<0.01	4.0	<0.1	0.14	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12089	Drill Core	4.42	0.015	0.7	102.4	3.2	56	<0.1	101.6	25.4	602	3.79	<0.5	<0.5	0.6	139	<0.1	<0.1	<0.1	139	4.51
12090 DUP 12092 REJECT	Drill Core		0.014	0.9	100.0	3.9	54	<0.1	97.5	25.0	581	3.56	2.2	0.6	0.6	160	<0.1	0.2	<0.1	138	4.92
12091	Rock	1.97	0.016	0.8	98.2	6.0	54	0.1	107.1	26.2	527	3.77	2.4	1.3	0.6	96	0.1	0.2	<0.1	149	4.59
12092	Drill Core	4.38	0.012	0.8	96.1	3.9	53	<0.1	102.0	25.4	581	3.63	2.3	2.1	0.5	141	<0.1	0.2	<0.1	137	4.86
12093	Drill Core	4.42	0.011	0.7	109.8	3.0	56	<0.1	107.9	25.7	576	3.95	1.0	2.8	0.5	148	0.1	<0.1	<0.1	144	4.37
12094	Drill Core	4.32	0.012	0.9	101.0	3.8	56	<0.1	120.7	27.6	650	3.46	3.3	1.6	0.5	104	0.2	0.1	<0.1	140	6.56
12095	Drill Core	4.49	0.017	0.6	96.7	3.2	57	<0.1	100.5	24.0	582	3.94	0.9	3.5	0.6	113	<0.1	<0.1	<0.1	149	3.93
12096	Drill Core	4.59	0.017	2.3	98.7	2.9	56	<0.1	111.5	28.0	558	3.67	2.5	1.6	0.5	148	<0.1	0.1	<0.1	137	4.63
12097	Drill Core	4.41	0.016	0.8	114.2	2.8	57	<0.1	108.8	26.5	604	4.27	<0.5	2.5	0.5	210	<0.1	<0.1	<0.1	129	2.85
12098	Drill Core	4.46	0.014	0.6	101.2	3.3	53	<0.1	103.9	24.6	597	3.57	<0.5	2.4	0.5	70	<0.1	<0.1	<0.1	133	5.41
12099	Drill Core	4.47	0.011	0.6	105.5	3.6	58	<0.1	103.4	25.0	579	3.84	0.6	1.3	0.5	118	<0.1	<0.1	<0.1	138	3.94
12100	Rock Pulp	0.20	0.010	3.1	21.0	2.2	34	0.5	18.3	9.1	299	1.93	3.2	0.6	1.0	30	0.3	0.3	<0.1	47	0.73
12101	Drill Core	4.04	0.013	0.7	99.7	3.6	50	<0.1	97.4	23.9	599	3.77	<0.5	2.7	0.5	75	<0.1	<0.1	<0.1	123	5.51
12102	Drill Core	4.49	0.006	0.9	101.6	3.8	54	0.1	102.4	26.2	580	3.55	2.9	1.8	0.5	76	0.1	0.1	<0.1	128	5.33
12103	Drill Core	4.70	0.007	0.7	100.6	3.7	55	<0.1	111.4	26.9	575	3.50	1.0	1.6	0.6	77	<0.1	<0.1	<0.1	137	4.68
12104	Drill Core	4.37	0.008	0.9	89.4	3.2	55	<0.1	91.8	24.1	588	3.60	3.2	1.2	0.5	70	0.1	0.2	<0.1	149	6.71
12105	Rock	2.00	<0.005	0.3	94.5	2.3	49	<0.1	88.5	28.5	736	3.51	0.9	<0.5	0.4	131	<0.1	<0.1	<0.1	133	7.29
12106	Drill Core	4.49	0.009	1.0	108.5	3.4	62	<0.1	114.4	29.6	615	3.45	2.7	1.5	0.5	101	0.2	0.1	<0.1	148	5.32
12107	Drill Core	4.50	0.007	0.8	111.2	3.3	58	<0.1	111.7	24.5	547	3.45	1.2	3.4	0.5	88	<0.1	<0.1	<0.1	137	3.66
12108	Drill Core	4.53	0.006	0.9	95.7	3.5	63	<0.1	110.2	26.0	570	3.22	2.2	2.2	0.5	67	0.1	0.1	<0.1	141	4.44
12109	Drill Core	4.27	0.008	0.7	107.8	3.4	61	<0.1	96.6	24.6	537	3.35	1.6	1.6	0.5	109	0.1	<0.1	<0.1	136	4.00
12110 DUP 12112 REJECT	Drill Core		0.007	0.8	104.1	3.3	59	<0.1	106.2	25.3	535	3.32	2.0	1.9	0.5	58	<0.1	0.1	<0.1	151	5.05
12111	Drill Core	4.55	0.008	1.0	105.5	3.1	60	<0.1	98.2	26.0	554	3.23	2.2	2.5	0.5	94	0.2	0.1	<0.1	141	4.44
12112	Drill Core	4.00	0.010	0.8	108.3	3.5	61	<0.1	98.3	25.2	534	3.36	1.7	1.6	0.6	57	<0.1	<0.1	<0.1	151	4.86
12113	Drill Core	3.93	0.007	0.8	108.2	3.5	60	<0.1	111.7	26.5	559	3.59	2.5	1.9	0.5	75	<0.1	0.1	<0.1	144	4.02
12114	Drill Core	4.09	0.005	0.9	95.3	3.4	54	<0.1	93.1	24.4	517	3.16	1.5	1.0	0.5	132	<0.1	<0.1	<0.1	139	4.82
12115	Drill Core	4.38	0.008	0.6	91.3	3.3	53	<0.1	92.2	21.6	530	3.38	0.6	1.7	0.5	243	<0.1	<0.1	<0.1	125	3.79
12116	Drill Core	4.53	0.007	0.8	108.4	3.4	60	<0.1	114.6	25.5	489	3.62	2.8	1.4	0.5	154	0.2	0.1	<0.1	133	3.65
12117	Drill Core	4.62	0.010	0.9	99.5	3.8	60	<0.1	112.6	24.6	519	3.23	2.5	<0.5	0.6	86	0.2	0.1	<0.1	131	4.29
12118	Drill Core	4.61	0.007	0.6	92.6	3.7	54	<0.1	88.5	20.2	397	3.52	0.8	<0.5	0.5	109	<0.1	<0.1	<0.1	128	3.15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12089	Drill Core	0.107	5	126	1.62	19	0.232	10	2.75	0.178	0.13	0.1	<0.01	4.2	<0.1	0.08	9	<0.5	<0.2
12090 DUP 12092 REJECT	Drill Core	0.108	5	128	1.59	35	0.241	8	2.62	0.257	0.20	<0.1	<0.01	5.7	<0.1	0.49	8	<0.5	<0.2
12091	Rock	0.110	5	117	1.42	16	0.234	8	2.03	0.124	0.11	<0.1	0.01	5.9	<0.1	0.50	8	<0.5	<0.2
12092	Drill Core	0.103	4	122	1.60	26	0.238	7	2.49	0.215	0.16	0.1	<0.01	5.0	<0.1	0.49	8	<0.5	<0.2
12093	Drill Core	0.102	5	127	1.63	23	0.231	8	2.53	0.269	0.13	<0.1	<0.01	6.2	<0.1	0.16	8	<0.5	<0.2
12094	Drill Core	0.096	4	109	1.54	18	0.254	9	2.43	0.155	0.13	<0.1	<0.01	5.3	<0.1	0.33	8	<0.5	<0.2
12095	Drill Core	0.113	5	133	1.78	20	0.258	8	2.55	0.183	0.15	0.1	<0.01	6.1	<0.1	0.20	9	<0.5	<0.2
12096	Drill Core	0.099	4	127	1.78	24	0.248	7	2.61	0.287	0.13	<0.1	<0.01	6.0	<0.1	0.48	8	<0.5	<0.2
12097	Drill Core	0.112	5	134	2.38	42	0.215	8	3.12	0.363	0.15	<0.1	<0.01	3.8	<0.1	0.05	7	<0.5	<0.2
12098	Drill Core	0.106	5	128	1.48	13	0.237	10	2.48	0.100	0.12	<0.1	<0.01	4.7	<0.1	0.08	9	<0.5	<0.2
12099	Drill Core	0.116	5	136	1.75	22	0.242	7	2.50	0.169	0.12	<0.1	<0.01	4.5	<0.1	0.08	8	<0.5	<0.2
12100	Rock Pulp	0.050	5	23	0.50	87	0.101	3	1.14	0.069	0.08	18.3	0.02	4.0	<0.1	<0.05	4	<0.5	<0.2
12101	Drill Core	0.106	4	121	1.73	12	0.224	11	2.83	0.111	0.10	<0.1	<0.01	4.1	<0.1	0.10	10	<0.5	<0.2
12102	Drill Core	0.103	4	116	1.49	16	0.236	8	2.20	0.108	0.12	<0.1	<0.01	4.5	<0.1	0.30	8	<0.5	<0.2
12103	Drill Core	0.113	5	131	1.54	17	0.237	9	2.40	0.127	0.14	0.1	<0.01	5.2	<0.1	0.08	8	<0.5	<0.2
12104	Drill Core	0.110	5	117	1.40	12	0.242	8	2.51	0.076	0.09	<0.1	<0.01	5.0	<0.1	0.44	9	<0.5	<0.2
12105	Rock	0.087	4	47	0.95	20	0.222	15	3.69	1.053	0.18	<0.1	<0.01	5.4	<0.1	0.09	8	<0.5	<0.2
12106	Drill Core	0.104	5	119	1.45	20	0.249	12	2.49	0.159	0.12	<0.1	<0.01	4.6	<0.1	0.27	8	<0.5	<0.2
12107	Drill Core	0.097	4	110	1.44	21	0.243	12	2.13	0.138	0.14	0.1	<0.01	3.9	<0.1	0.10	7	<0.5	<0.2
12108	Drill Core	0.105	4	108	1.35	15	0.244	11	2.13	0.094	0.10	<0.1	<0.01	4.5	<0.1	0.18	7	<0.5	<0.2
12109	Drill Core	0.095	4	105	1.56	17	0.227	10	2.45	0.152	0.10	0.1	<0.01	4.1	<0.1	0.12	8	<0.5	<0.2
12110 DUP 12112 REJECT	Drill Core	0.095	4	103	1.40	11	0.252	14	2.69	0.074	0.10	<0.1	<0.01	5.2	<0.1	0.14	10	<0.5	<0.2
12111	Drill Core	0.099	4	107	1.38	18	0.235	9	2.17	0.131	0.11	0.2	<0.01	3.6	<0.1	0.23	7	<0.5	<0.2
12112	Drill Core	0.095	4	104	1.41	11	0.255	12	2.65	0.073	0.10	<0.1	<0.01	5.2	<0.1	0.14	10	<0.5	<0.2
12113	Drill Core	0.094	4	110	1.57	17	0.263	11	2.32	0.097	0.12	0.1	<0.01	4.8	<0.1	0.26	8	<0.5	<0.2
12114	Drill Core	0.096	4	106	1.38	16	0.237	11	2.44	0.232	0.10	<0.1	<0.01	5.3	<0.1	0.19	8	<0.5	<0.2
12115	Drill Core	0.092	4	107	1.62	25	0.224	7	2.50	0.335	0.12	<0.1	<0.01	4.0	<0.1	0.09	7	<0.5	<0.2
12116	Drill Core	0.097	4	109	1.58	23	0.242	8	2.47	0.245	0.12	<0.1	<0.01	4.0	<0.1	0.29	7	<0.5	<0.2
12117	Drill Core	0.101	4	110	1.36	23	0.236	8	2.20	0.118	0.12	<0.1	<0.01	3.8	<0.1	0.19	7	<0.5	<0.2
12118	Drill Core	0.093	4	108	1.71	19	0.235	21	2.44	0.172	0.11	<0.1	<0.01	3.6	<0.1	0.13	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12119	Drill Core	4.61	0.007	0.6	109.8	3.6	55	<0.1	93.8	21.9	448	3.70	2.1	<0.5	0.5	165	<0.1	<0.1	<0.1	133	2.84
12120	Rock Pulp	0.17	1.660	80.5	>10000	672.9	1479	8.2	89.7	12.8	464	4.51	299.0	1171	1.8	34	8.8	36.0	2.3	48	0.85
12121	Drill Core	4.56	0.013	0.7	105.8	3.2	51	<0.1	88.1	20.1	410	3.33	0.5	3.1	0.5	145	<0.1	<0.1	<0.1	123	2.95
12122	Drill Core	4.57	0.008	0.5	107.8	3.4	56	<0.1	107.7	23.8	416	3.95	0.5	1.9	0.5	144	<0.1	<0.1	<0.1	147	2.41
12123	Drill Core	4.63	0.009	0.7	111.8	3.5	59	<0.1	114.0	24.6	521	3.71	1.9	1.1	0.5	79	0.1	<0.1	<0.1	139	3.58
12124	Drill Core	4.49	0.011	0.6	96.5	2.9	53	<0.1	87.6	21.8	576	3.37	<0.5	1.6	0.5	101	<0.1	<0.1	<0.1	132	3.94
12125	Rock	1.32	0.006	0.2	86.7	2.1	46	<0.1	79.6	24.2	628	3.18	0.9	1.5	0.4	134	<0.1	<0.1	<0.1	126	6.12
12126	Drill Core	4.20	0.009	0.6	105.7	3.3	53	<0.1	88.6	21.3	490	3.64	<0.5	1.5	0.5	117	<0.1	<0.1	<0.1	138	2.84
12127	Drill Core	4.35	0.007	0.6	95.3	3.0	51	<0.1	86.4	21.0	514	3.35	0.9	1.4	0.5	140	<0.1	<0.1	<0.1	122	3.33
12128	Drill Core	4.39	0.007	0.7	105.6	2.7	51	<0.1	94.0	21.8	559	3.61	0.7	1.2	0.5	102	<0.1	<0.1	<0.1	122	2.91
12129	Drill Core	4.08	0.008	0.6	109.1	3.3	54	<0.1	91.6	22.1	544	3.59	<0.5	2.3	0.5	121	<0.1	<0.1	<0.1	141	2.82
12130 DUP 12132 REJECT	Drill Core		0.007	0.6	102.8	3.4	53	<0.1	90.7	22.5	433	3.62	0.6	1.0	0.5	114	<0.1	<0.1	<0.1	143	2.84
12131	Drill Core	5.04	0.011	0.6	102.1	3.2	56	<0.1	97.6	23.7	423	3.90	<0.5	0.8	0.5	138	<0.1	<0.1	<0.1	141	1.79
12132	Drill Core	4.39	0.008	0.5	100.1	3.6	53	<0.1	89.6	22.0	426	3.58	0.7	1.4	0.6	115	<0.1	<0.1	<0.1	140	2.85
12133	Drill Core	4.48	0.010	0.6	101.8	3.2	49	<0.1	89.0	20.8	432	3.47	1.0	1.3	0.5	148	<0.1	<0.1	<0.1	124	2.86
12134	Drill Core	4.49	0.045	0.6	101.3	2.9	49	<0.1	86.1	21.3	736	3.45	<0.5	1.7	0.6	129	<0.1	<0.1	<0.1	140	4.75
12135	Drill Core	4.34	0.014	0.6	104.6	3.4	48	<0.1	92.4	21.5	463	3.55	<0.5	1.3	0.5	146	<0.1	<0.1	<0.1	132	2.87
12136	Drill Core	4.54	0.011	0.6	104.8	2.9	52	<0.1	97.6	22.7	475	3.72	<0.5	<0.5	0.6	157	<0.1	<0.1	<0.1	129	2.34
12137	Drill Core	4.47	0.012	0.6	105.7	3.3	57	<0.1	106.9	24.0	437	4.02	0.7	0.5	0.6	148	<0.1	<0.1	<0.1	140	1.83
12138	Drill Core	4.51	0.013	0.7	99.3	3.3	51	<0.1	88.4	20.3	540	3.38	0.8	0.8	0.5	99	<0.1	<0.1	<0.1	124	3.58
12139	Drill Core	4.38	0.013	1.0	106.7	3.5	53	<0.1	98.1	23.1	582	3.60	3.6	1.3	0.6	108	<0.1	<0.1	<0.1	133	3.62
12140	Rock Pulp	0.17	1.064	337.8	3212	21.3	51	1.8	26.9	7.6	405	2.94	12.8	670.2	1.0	33	0.3	3.2	0.5	48	0.64
12013	Drill Core	4.35	0.012	0.7	99.3	2.7	51	<0.1	85.6	20.8	508	3.67	0.5	3.1	0.5	575	<0.1	<0.1	<0.1	128	3.19
12014	Drill Core	4.51	0.015	0.7	108.7	3.8	54	<0.1	88.8	23.5	489	4.03	1.2	5.0	0.4	199	<0.1	0.1	<0.1	121	2.88
12015	Drill Core	4.24	0.011	0.8	112.6	3.6	55	<0.1	91.0	23.9	468	3.92	1.1	5.7	0.5	193	<0.1	<0.1	<0.1	129	3.24
12016	Drill Core	4.20	0.010	0.8	114.9	2.1	51	<0.1	82.1	21.0	595	3.61	1.3	4.3	0.5	323	<0.1	<0.1	<0.1	126	4.46
12017	Drill Core	4.23	0.014	1.0	118.0	2.1	51	<0.1	90.2	23.0	553	3.87	0.8	5.3	0.5	280	<0.1	<0.1	<0.1	128	2.94
12018	Drill Core	4.09	0.011	0.9	118.8	1.9	53	<0.1	95.2	23.7	565	3.87	0.5	4.5	0.5	203	<0.1	<0.1	<0.1	125	1.98
12019	Drill Core	4.50	0.012	0.8	116.1	2.3	52	<0.1	92.3	22.2	510	3.86	0.8	6.2	0.5	224	<0.1	<0.1	<0.1	122	2.29
12020	Rock Pulp	0.17	1.856	73.8	>10000	637.4	1445	8.0	91.9	13.3	447	4.56	293.4	1396	1.6	35	10.5	40.4	2.7	45	0.78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12119	Drill Core	0.096	4	109	1.84	29	0.251	8	2.60	0.374	0.14	<0.1	<0.01	4.3	<0.1	0.20	7	<0.5	<0.2
12120	Rock Pulp	0.050	7	46	0.60	42	0.070	37	1.18	0.072	0.21	31.2	0.64	4.4	0.8	2.23	4	2.9	0.6
12121	Drill Core	0.100	4	103	1.78	29	0.231	159	2.39	0.246	0.13	<0.1	<0.01	3.4	<0.1	<0.05	7	<0.5	<0.2
12122	Drill Core	0.084	4	110	2.14	31	0.248	24	2.49	0.231	0.12	<0.1	<0.01	4.2	<0.1	<0.05	8	<0.5	<0.2
12123	Drill Core	0.095	4	113	1.75	20	0.256	10	2.44	0.114	0.12	0.1	<0.01	4.2	<0.1	0.10	8	<0.5	<0.2
12124	Drill Core	0.103	4	107	1.67	23	0.237	9	2.29	0.145	0.14	<0.1	<0.01	3.6	<0.1	<0.05	7	<0.5	<0.2
12125	Rock	0.081	4	38	0.79	15	0.208	16	3.20	0.961	0.14	<0.1	<0.01	4.2	<0.1	0.08	7	<0.5	<0.2
12126	Drill Core	0.099	4	105	2.08	16	0.255	10	2.56	0.156	0.12	<0.1	<0.01	3.9	<0.1	<0.05	8	<0.5	<0.2
12127	Drill Core	0.092	4	100	1.86	24	0.214	8	2.15	0.204	0.11	<0.1	<0.01	3.0	<0.1	0.06	6	<0.5	<0.2
12128	Drill Core	0.102	4	107	1.91	24	0.220	8	2.42	0.153	0.12	<0.1	<0.01	3.5	<0.1	<0.05	7	<0.5	<0.2
12129	Drill Core	0.100	4	108	2.02	24	0.251	9	2.35	0.221	0.12	<0.1	<0.01	4.8	<0.1	<0.05	7	<0.5	<0.2
12130 DUP 12132 REJECT	Drill Core	0.092	4	112	2.19	21	0.251	7	2.33	0.245	0.11	<0.1	<0.01	5.2	<0.1	0.07	7	<0.5	<0.2
12131	Drill Core	0.086	4	109	2.32	28	0.245	9	2.50	0.237	0.11	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
12132	Drill Core	0.090	4	112	2.12	22	0.253	6	2.30	0.241	0.11	<0.1	<0.01	5.1	<0.1	0.06	7	<0.5	<0.2
12133	Drill Core	0.090	4	101	2.02	28	0.220	10	2.47	0.261	0.11	<0.1	<0.01	3.7	<0.1	0.07	8	<0.5	<0.2
12134	Drill Core	0.095	4	102	1.79	27	0.237	9	2.15	0.191	0.12	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
12135	Drill Core	0.096	4	104	2.02	31	0.227	9	2.40	0.245	0.12	<0.1	<0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
12136	Drill Core	0.097	4	108	2.17	35	0.226	7	2.50	0.239	0.12	0.1	<0.01	3.8	<0.1	<0.05	7	<0.5	<0.2
12137	Drill Core	0.092	4	111	2.41	31	0.260	9	2.65	0.254	0.12	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
12138	Drill Core	0.128	4	105	1.83	20	0.213	4	2.20	0.156	0.10	<0.1	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
12139	Drill Core	0.113	4	113	1.78	19	0.234	7	2.53	0.192	0.10	<0.1	<0.01	3.9	<0.1	0.11	8	<0.5	<0.2
12140	Rock Pulp	0.048	5	28	0.52	118	0.103	2	1.13	0.078	0.10	0.8	0.08	3.9	0.2	0.37	4	0.6	0.2
12013	Drill Core	0.092	4	90	1.80	44	0.226	2	2.80	0.408	0.13	<0.1	<0.01	3.0	<0.1	0.33	7	<0.5	<0.2
12014	Drill Core	0.106	4	92	1.91	41	0.210	8	2.49	0.284	0.12	<0.1	<0.01	3.8	<0.1	0.58	7	<0.5	<0.2
12015	Drill Core	0.105	4	96	1.80	39	0.216	5	2.44	0.278	0.12	<0.1	<0.01	3.5	<0.1	0.57	6	<0.5	<0.2
12016	Drill Core	0.126	4	99	1.66	39	0.210	5	2.57	0.386	0.12	<0.1	<0.01	3.4	<0.1	0.52	6	<0.5	<0.2
12017	Drill Core	0.124	4	102	2.08	33	0.201	8	2.96	0.417	0.10	<0.1	<0.01	3.4	<0.1	0.09	6	<0.5	<0.2
12018	Drill Core	0.118	4	104	2.35	31	0.205	9	2.87	0.357	0.10	<0.1	<0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
12019	Drill Core	0.125	4	102	2.26	39	0.215	10	2.97	0.358	0.12	<0.1	<0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
12020	Rock Pulp	0.063	7	45	0.60	45	0.066	38	1.11	0.070	0.19	32.3	0.63	4.3	0.8	2.13	4	3.3	0.6

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12021	Drill Core	4.45	0.011	1.5	126.7	3.4	53	<0.1	89.0	22.5	506	3.76	1.2	4.2	0.5	258	<0.1	<0.1	<0.1	124	3.97
12022	Drill Core	4.47	0.014	1.3	96.6	3.1	48	<0.1	87.6	23.3	552	3.20	2.3	2.9	0.6	382	<0.1	0.1	<0.1	119	6.37
12023	Drill Core	4.51	0.020	0.9	121.4	2.6	51	<0.1	89.3	23.1	525	3.47	<0.5	4.5	0.5	244	<0.1	<0.1	<0.1	120	4.12
12024	Drill Core	4.17	0.012	0.8	120.6	2.7	51	<0.1	94.7	26.0	551	3.66	0.9	3.7	0.5	224	<0.1	<0.1	<0.1	125	4.08
12025	Rock	1.52	0.010	0.3	112.5	2.2	51	<0.1	91.5	28.6	689	3.54	1.0	2.2	0.4	128	<0.1	<0.1	<0.1	128	6.37
12026	Drill Core	4.12	0.009	0.8	118.9	2.7	53	<0.1	91.0	24.0	566	3.71	1.8	4.0	0.5	219	<0.1	0.1	<0.1	129	4.12
12027	Drill Core	4.48	0.009	1.1	131.1	3.3	59	<0.1	113.9	30.6	598	3.86	2.8	3.6	0.4	164	<0.1	0.1	<0.1	145	4.18
12028	Drill Core	4.16	0.011	1.4	119.3	3.3	58	<0.1	89.3	24.9	550	3.82	1.8	2.7	0.5	155	<0.1	0.1	<0.1	139	4.06
12029	Drill Core	4.39	0.010	0.8	113.0	3.1	52	<0.1	99.2	27.9	642	3.62	2.5	4.7	0.5	183	<0.1	0.1	<0.1	126	4.79
12030 DUP 12032 REJECT	Drill Core		0.009	1.0	116.7	3.3	52	<0.1	98.6	28.4	628	3.41	4.5	4.8	0.5	302	<0.1	0.2	<0.1	117	5.67
12031	Drill Core	4.78	0.010	0.8	114.3	2.9	49	<0.1	88.1	23.3	541	3.56	0.9	5.2	0.5	212	<0.1	<0.1	<0.1	121	4.05
12032	Drill Core	4.13	0.011	1.1	111.6	3.3	49	<0.1	96.9	28.2	599	3.26	4.2	3.8	0.5	292	<0.1	0.2	<0.1	110	5.47
12033	Drill Core	4.27	0.010	1.0	112.2	3.9	51	<0.1	92.5	27.9	692	3.39	4.0	3.5	0.4	201	<0.1	0.2	<0.1	118	5.39
12034	Drill Core	4.38	0.010	0.9	115.0	3.2	53	<0.1	93.1	28.8	620	3.25	2.7	2.4	0.5	263	0.1	0.2	<0.1	119	5.94
12035	Drill Core	4.35	0.012	1.2	149.3	3.2	48	<0.1	88.1	28.8	537	3.29	4.3	3.6	0.4	174	0.2	0.2	<0.1	137	4.99
12036	Drill Core	4.38	0.009	0.8	111.8	2.8	52	<0.1	97.4	27.3	512	2.92	2.1	2.2	0.5	193	0.1	0.2	<0.1	118	5.52
12037	Drill Core	4.47	0.009	0.8	121.8	2.6	56	<0.1	103.8	28.6	547	3.22	1.5	4.3	0.5	244	0.2	<0.1	<0.1	126	4.72
12038	Drill Core	4.25	0.010	1.0	122.7	3.0	54	<0.1	110.8	31.6	514	3.61	2.6	5.0	0.5	205	0.1	0.1	<0.1	134	4.64
12039	Drill Core	4.57	0.010	0.9	148.2	3.0	52	0.1	92.7	27.5	505	3.53	2.5	<0.5	0.5	214	0.1	0.1	<0.1	128	4.79
12040	Rock Pulp	0.10	1.205	336.8	3207	23.2	55	1.8	28.5	8.2	406	2.99	12.7	668.5	1.0	33	0.3	3.6	0.6	46	0.60
12041	Drill Core	4.70	0.013	0.4	126.8	3.2	54	<0.1	104.0	26.0	548	3.63	1.6	51.2	0.5	223	<0.1	0.1	<0.1	116	4.06
12042	Drill Core	4.91	0.017	1.2	136.2	2.7	56	<0.1	112.9	28.7	517	3.75	<0.5	19.2	0.6	239	<0.1	<0.1	<0.1	117	3.58
12043	Drill Core	4.73	0.011	0.9	128.5	2.7	59	<0.1	93.2	23.8	566	3.31	0.6	12.6	0.5	199	0.1	<0.1	<0.1	128	4.49
12044	Drill Core	4.85	0.013	0.8	120.7	1.4	53	<0.1	100.0	24.6	597	4.06	<0.5	5.5	0.5	225	<0.1	<0.1	<0.1	119	2.84
12045	Rock	1.41	0.008	0.3	107.5	2.3	48	<0.1	83.1	27.0	667	3.47	1.1	4.0	0.4	129	<0.1	<0.1	<0.1	129	6.42
12046	Drill Core	4.61	0.010	0.8	124.7	2.8	53	<0.1	93.0	25.9	516	3.61	1.8	5.3	0.5	505	0.2	0.2	<0.1	122	4.63
12047	Drill Core	4.24	0.011	1.9	118.7	3.0	60	<0.1	116.6	29.6	571	4.22	2.3	2.9	0.4	194	<0.1	0.2	<0.1	153	3.66
12048	Drill Core	4.79	0.011	1.5	139.4	3.2	60	<0.1	128.3	34.0	564	4.70	2.0	3.4	0.5	144	0.1	0.2	<0.1	180	4.18
12049	Drill Core	4.68	0.011	1.1	111.7	3.6	58	<0.1	97.8	26.0	530	3.33	2.6	<0.5	0.5	175	0.1	0.2	<0.1	133	4.52
12050 DUP 12052 REJECT	Drill Core		0.009	1.3	113.0	3.3	55	<0.1	96.6	24.6	586	4.06	2.8	<0.5	0.5	151	0.1	0.1	<0.1	139	5.15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12021	Drill Core	0.125	4	98	1.85	40	0.209	7	2.77	0.345	0.15	<0.1	<0.01	3.5	<0.1	0.37	6	<0.5	<0.2
12022	Drill Core	0.103	5	101	1.35	29	0.243	6	2.21	0.347	0.14	<0.1	<0.01	4.3	<0.1	0.87	6	<0.5	<0.2
12023	Drill Core	0.113	4	97	1.58	46	0.197	4	2.72	0.357	0.17	<0.1	<0.01	4.6	<0.1	<0.05	6	<0.5	<0.2
12024	Drill Core	0.133	5	101	1.60	47	0.220	5	2.91	0.385	0.16	<0.1	<0.01	4.0	<0.1	0.13	6	<0.5	<0.2
12025	Rock	0.100	4	41	0.92	16	0.206	15	3.44	1.070	0.14	<0.1	<0.01	4.5	<0.1	0.06	8	<0.5	<0.2
12026	Drill Core	0.105	4	98	1.59	45	0.218	6	2.76	0.376	0.18	<0.1	<0.01	4.9	<0.1	0.35	6	<0.5	<0.2
12027	Drill Core	0.098	4	102	1.40	35	0.230	9	3.13	0.970	0.15	<0.1	<0.01	5.1	<0.1	0.68	7	<0.5	<0.2
12028	Drill Core	0.108	4	99	1.41	29	0.235	31	2.76	0.590	0.12	<0.1	<0.01	4.0	<0.1	0.65	7	<0.5	<0.2
12029	Drill Core	0.116	4	110	1.47	35	0.224	6	2.57	0.389	0.13	<0.1	<0.01	3.7	<0.1	0.50	7	<0.5	<0.2
12030 DUP 12032 REJECT	Drill Core	0.115	4	101	1.24	29	0.215	18	2.41	0.454	0.11	<0.1	<0.01	3.3	<0.1	0.70	6	<0.5	<0.2
12031	Drill Core	0.118	4	99	1.56	45	0.199	4	2.73	0.357	0.15	<0.1	<0.01	4.0	<0.1	0.13	6	<0.5	<0.2
12032	Drill Core	0.109	4	99	1.18	27	0.218	20	2.28	0.426	0.10	<0.1	<0.01	3.0	<0.1	0.67	6	<0.5	<0.2
12033	Drill Core	0.106	4	100	1.39	30	0.207	6	2.40	0.294	0.13	<0.1	<0.01	3.3	<0.1	0.64	6	<0.5	<0.2
12034	Drill Core	0.119	4	105	1.19	25	0.207	5	2.52	0.356	0.09	<0.1	<0.01	3.2	<0.1	0.59	6	<0.5	<0.2
12035	Drill Core	0.100	4	101	1.37	37	0.213	6	2.16	0.329	0.16	<0.1	<0.01	4.5	<0.1	0.80	5	<0.5	<0.2
12036	Drill Core	0.117	4	108	1.07	29	0.215	6	2.24	0.277	0.14	<0.1	<0.01	3.8	<0.1	0.83	5	<0.5	<0.2
12037	Drill Core	0.130	4	115	1.37	35	0.225	6	2.46	0.350	0.15	<0.1	<0.01	4.3	<0.1	0.40	6	<0.5	<0.2
12038	Drill Core	0.120	4	113	1.41	24	0.230	8	2.65	0.268	0.12	<0.1	<0.01	4.0	<0.1	0.61	7	0.5	<0.2
12039	Drill Core	0.116	4	112	1.35	32	0.219	5	2.22	0.324	0.13	<0.1	<0.01	4.0	<0.1	0.95	6	1.3	<0.2
12040	Rock Pulp	0.056	5	31	0.54	117	0.103	3	1.14	0.085	0.10	0.8	0.08	4.1	<0.1	0.38	4	1.2	<0.2
12041	Drill Core	0.110	4	115	1.46	35	0.217	5	2.67	0.353	0.13	<0.1	<0.01	3.6	<0.1	0.45	6	0.5	<0.2
12042	Drill Core	0.117	4	116	1.63	36	0.200	5	2.73	0.331	0.12	<0.1	<0.01	2.9	<0.1	0.14	7	<0.5	<0.2
12043	Drill Core	0.121	4	118	1.35	41	0.214	5	2.41	0.329	0.14	<0.1	<0.01	3.8	<0.1	0.06	6	<0.5	<0.2
12044	Drill Core	0.113	4	112	2.38	41	0.202	10	3.12	0.370	0.13	<0.1	<0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
12045	Rock	0.088	4	43	0.90	15	0.214	14	3.37	1.009	0.14	<0.1	<0.01	4.7	<0.1	0.07	7	<0.5	<0.2
12046	Drill Core	0.123	4	116	1.67	37	0.224	7	2.97	0.606	0.12	<0.1	<0.01	3.4	<0.1	0.77	6	<0.5	<0.2
12047	Drill Core	0.095	4	108	1.60	31	0.217	6	2.67	0.621	0.12	<0.1	<0.01	3.9	<0.1	1.00	6	<0.5	<0.2
12048	Drill Core	0.093	4	115	1.80	26	0.235	10	2.56	0.537	0.12	<0.1	<0.01	4.4	<0.1	1.20	7	<0.5	<0.2
12049	Drill Core	0.096	4	112	1.31	40	0.241	9	2.36	0.346	0.17	0.5	<0.01	3.8	<0.1	0.65	6	<0.5	<0.2
12050 DUP 12052 REJECT	Drill Core	0.092	4	112	1.66	28	0.249	11	2.76	0.418	0.13	<0.1	<0.01	4.3	<0.1	0.85	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12051	Drill Core	4.90	0.010	0.8	107.7	2.8	55	<0.1	106.9	23.9	617	4.03	1.5	<0.5	0.6	153	<0.1	<0.1	<0.1	120	3.25
12052	Drill Core	4.58	0.012	1.4	113.4	3.0	55	<0.1	93.8	23.6	569	3.95	3.0	<0.5	0.5	138	0.1	0.1	<0.1	135	5.03
12053	Drill Core	4.70	0.011	0.8	119.0	2.4	58	<0.1	109.6	25.4	556	4.02	0.7	1.6	0.6	259	<0.1	<0.1	<0.1	125	3.41
12054	Drill Core	4.53	0.010	0.9	117.7	3.0	57	<0.1	106.0	24.4	561	4.05	<0.5	1.0	0.6	233	<0.1	<0.1	<0.1	124	2.89
12055	Drill Core	4.45	0.011	0.7	111.4	2.6	56	<0.1	99.3	24.4	537	3.66	1.2	1.5	0.6	259	<0.1	<0.1	<0.1	124	4.43
12056	Drill Core	4.31	0.010	0.8	113.9	2.8	54	<0.1	103.1	23.4	619	4.04	1.3	<0.5	0.6	169	<0.1	<0.1	<0.1	118	3.21
12057	Drill Core	4.35	0.010	0.8	117.6	2.2	58	<0.1	109.3	25.7	617	4.28	1.0	0.7	0.6	252	<0.1	<0.1	<0.1	132	2.36
12058	Drill Core	4.66	0.012	0.8	114.5	2.8	57	<0.1	104.7	24.8	535	3.69	1.1	<0.5	0.6	236	<0.1	<0.1	<0.1	127	3.54
12059	Drill Core	4.44	0.009	1.2	98.5	3.0	57	<0.1	97.3	24.7	552	3.51	3.4	<0.5	0.5	211	0.1	0.2	<0.1	120	4.82
12060	Rock Pulp	0.18	0.259	10.7	5338	5.3	89	1.8	11.0	7.7	630	4.24	2.2	180.6	3.9	66	0.4	0.3	0.7	60	1.08
12061	Drill Core	4.37	0.011	0.8	115.5	2.2	55	<0.1	104.1	23.1	544	3.68	<0.5	1.6	0.6	175	<0.1	<0.1	<0.1	122	3.68
12062	Drill Core	4.35	0.011	0.9	112.3	3.4	56	<0.1	97.6	24.6	530	3.48	1.7	<0.5	0.6	209	<0.1	0.1	<0.1	121	4.80
12063	Drill Core	4.51	0.011	1.1	110.0	3.2	59	<0.1	111.1	25.6	594	3.77	2.9	<0.5	0.6	188	0.1	0.1	<0.1	133	4.45
12064	Drill Core	4.65	0.011	1.6	125.7	3.8	72	0.1	132.3	27.4	542	4.01	6.9	0.7	0.6	142	0.4	0.2	<0.1	143	3.96
12065	Rock	1.47	0.008	0.3	101.9	2.2	49	<0.1	83.5	24.9	686	3.41	0.9	0.6	0.5	128	<0.1	<0.1	<0.1	131	6.62
12066	Drill Core	4.44	0.010	0.9	120.2	2.8	61	<0.1	116.2	25.0	533	3.66	2.7	0.7	0.6	190	0.1	<0.1	<0.1	126	4.00
12067	Drill Core	4.90	0.012	1.4	113.3	4.3	64	0.1	130.7	29.0	621	3.79	7.1	<0.5	0.5	192	0.3	0.2	<0.1	132	5.43
12068	Drill Core	4.74	0.010	1.0	116.0	2.7	58	<0.1	115.4	25.2	567	3.72	1.6	0.6	0.5	230	<0.1	<0.1	<0.1	127	3.93
12069	Drill Core	4.54	0.011	0.9	116.4	3.4	55	<0.1	108.4	24.4	540	3.92	2.0	0.5	0.6	283	<0.1	0.1	<0.1	125	3.33
12070 DUP 12072 REJECT	Drill Core		0.011	2.0	103.6	2.7	67	<0.1	116.7	25.3	588	3.85	7.9	<0.5	0.5	286	0.4	0.2	<0.1	126	5.22
12071	Drill Core	4.67	0.009	0.9	124.5	3.3	61	<0.1	115.8	26.1	715	3.74	3.9	<0.5	0.5	187	0.2	<0.1	<0.1	139	4.98
12072	Drill Core	4.21	0.012	1.8	103.5	2.7	66	<0.1	116.4	25.2	590	3.81	6.7	<0.5	0.5	287	0.3	0.2	<0.1	125	5.20
12073	Drill Core	4.10	0.012	0.9	118.9	3.1	61	<0.1	115.0	25.0	764	3.73	3.6	<0.5	0.5	166	0.2	<0.1	<0.1	132	5.57
12074	Drill Core	4.68	0.014	0.8	113.4	2.6	57	<0.1	108.3	24.6	578	3.78	1.4	<0.5	0.5	283	<0.1	<0.1	<0.1	125	3.81
12075	Drill Core	4.30	0.010	0.9	104.0	3.3	57	<0.1	107.1	25.5	680	3.48	1.7	0.7	0.6	251	0.1	<0.1	<0.1	138	4.90
12076	Drill Core	4.56	0.013	0.9	118.8	3.6	61	<0.1	124.9	27.8	588	3.76	2.9	<0.5	0.5	144	0.2	<0.1	<0.1	136	4.28

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

CERTIFICATE OF ANALYSIS VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12051	Drill Core	0.105	4	113	2.18	31	0.233	8	2.75	0.421	0.10	0.3	<0.01	2.5	<0.1	0.29	7	<0.5	<0.2
12052	Drill Core	0.090	4	108	1.61	22	0.238	9	2.60	0.393	0.10	<0.1	<0.01	3.8	0.1	0.82	7	<0.5	<0.2
12053	Drill Core	0.106	4	117	1.80	44	0.229	8	3.02	0.393	0.13	0.2	<0.01	3.3	<0.1	0.13	7	<0.5	<0.2
12054	Drill Core	0.109	4	119	2.08	38	0.232	8	3.06	0.374	0.11	<0.1	<0.01	3.3	<0.1	0.06	7	<0.5	<0.2
12055	Drill Core	0.111	4	114	1.59	33	0.234	13	3.08	0.362	0.12	0.3	<0.01	3.2	<0.1	0.22	8	<0.5	<0.2
12056	Drill Core	0.105	4	111	2.29	30	0.232	9	2.91	0.452	0.09	<0.1	<0.01	2.4	<0.1	0.25	7	<0.5	<0.2
12057	Drill Core	0.112	4	122	2.64	51	0.227	14	3.49	0.404	0.13	0.3	<0.01	3.1	<0.1	0.10	7	<0.5	<0.2
12058	Drill Core	0.110	4	118	1.62	47	0.239	5	2.90	0.422	0.14	<0.1	<0.01	3.0	<0.1	0.39	7	<0.5	<0.2
12059	Drill Core	0.102	4	113	1.51	40	0.233	8	2.31	0.298	0.14	0.3	<0.01	3.6	<0.1	0.84	6	<0.5	<0.2
12060	Rock Pulp	0.069	11	16	0.66	173	0.078	5	1.00	0.063	0.41	0.1	0.07	4.0	0.1	0.34	6	3.1	0.3
12061	Drill Core	0.108	4	114	1.68	38	0.226	7	2.74	0.286	0.13	<0.1	<0.01	3.4	<0.1	0.08	7	<0.5	<0.2
12062	Drill Core	0.106	4	114	1.37	41	0.217	7	2.53	0.299	0.11	0.2	<0.01	2.9	<0.1	0.28	6	<0.5	<0.2
12063	Drill Core	0.106	4	112	1.67	40	0.239	9	2.74	0.370	0.12	<0.1	<0.01	3.9	<0.1	0.20	7	<0.5	<0.2
12064	Drill Core	0.091	4	111	1.88	32	0.246	7	2.61	0.418	0.11	<0.1	<0.01	4.0	<0.1	0.46	7	<0.5	<0.2
12065	Rock	0.084	4	44	0.92	17	0.229	16	3.55	1.075	0.14	0.1	<0.01	4.6	<0.1	0.08	8	<0.5	<0.2
12066	Drill Core	0.104	4	119	1.61	41	0.237	6	2.66	0.352	0.13	<0.1	<0.01	3.3	<0.1	0.14	7	<0.5	<0.2
12067	Drill Core	0.094	4	105	1.78	32	0.259	7	2.70	0.517	0.11	<0.1	<0.01	4.4	0.2	0.50	7	<0.5	<0.2
12068	Drill Core	0.102	4	119	1.58	35	0.243	7	2.81	0.447	0.13	<0.1	<0.01	4.0	<0.1	0.10	7	<0.5	<0.2
12069	Drill Core	0.107	4	119	1.78	39	0.236	10	2.92	0.394	0.13	<0.1	<0.01	3.7	<0.1	0.20	7	<0.5	<0.2
12070 DUP 12072 REJECT	Drill Core	0.094	4	106	1.70	31	0.233	7	2.74	0.496	0.11	<0.1	<0.01	3.5	0.1	0.68	7	<0.5	<0.2
12071	Drill Core	0.102	5	114	1.87	35	0.268	11	2.98	0.546	0.15	<0.1	<0.01	4.8	<0.1	0.37	7	<0.5	<0.2
12072	Drill Core	0.095	4	107	1.72	30	0.227	8	2.74	0.488	0.11	<0.1	<0.01	3.3	0.1	0.64	7	<0.5	<0.2
12073	Drill Core	0.094	4	106	1.82	30	0.253	8	2.70	0.487	0.12	<0.1	<0.01	4.1	<0.1	0.38	7	<0.5	<0.2
12074	Drill Core	0.107	4	119	1.68	42	0.232	7	2.83	0.373	0.12	<0.1	<0.01	3.0	<0.1	0.15	7	<0.5	<0.2
12075	Drill Core	0.114	4	118	1.45	34	0.255	8	2.47	0.381	0.13	<0.1	<0.01	4.2	<0.1	0.13	6	<0.5	<0.2
12076	Drill Core	0.100	4	115	1.66	33	0.268	12	2.45	0.252	0.14	<0.1	<0.01	4.4	<0.1	0.20	7	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
12212	Drill Core	4.44	0.010	0.7	103.9	3.1	54	<0.1	94.8	23.2	574	3.72	0.6	<0.5	0.5	100	<0.1	<0.1	<0.1	126	3.62
REP 12212	QC			0.6	101.0	3.0	51	<0.1	89.1	22.0	545	3.58	0.8	0.8	0.5	99	<0.1	<0.1	<0.1	123	3.51
12228	Drill Core	3.81	0.012	0.8	107.7	3.1	45	<0.1	81.2	22.1	547	3.29	1.1	<0.5	0.4	224	0.1	<0.1	<0.1	101	7.04
REP 12228	QC			0.8	109.1	2.9	45	<0.1	81.2	22.1	558	3.35	1.2	<0.5	0.4	228	0.2	<0.1	<0.1	104	7.23
12246	Drill Core	4.58	0.010	1.2	120.7	3.9	63	<0.1	114.5	26.8	595	3.96	3.0	<0.5	0.5	97	0.2	0.2	<0.1	140	4.81
REP 12246	QC			1.1	113.2	3.8	59	<0.1	111.6	25.8	567	3.78	2.8	2.2	0.5	92	0.3	0.2	<0.1	138	4.51
12152	Drill Core	4.47	0.011	0.7	107.5	3.7	56	<0.1	97.9	23.7	546	3.95	1.2	<0.5	0.6	94	<0.1	<0.1	<0.1	131	3.45
REP 12152	QC			0.7	107.1	3.7	56	<0.1	99.2	24.1	554	3.91	1.2	0.5	0.6	95	<0.1	<0.1	<0.1	130	3.44
12157	Drill Core	4.77	0.012	0.9	102.2	4.0	55	<0.1	98.4	25.2	646	3.96	1.5	0.8	0.5	81	<0.1	<0.1	<0.1	137	4.75
REP 12157	QC		0.011																		
12165	Rock	1.95	0.007	0.3	83.6	2.5	50	<0.1	88.6	28.0	704	3.53	0.7	3.5	0.4	153	0.1	<0.1	<0.1	129	6.77
REP 12165	QC			0.3	84.8	2.3	50	<0.1	88.0	27.3	701	3.49	0.8	2.4	0.4	148	<0.1	<0.1	<0.1	129	6.77
12185	Rock	1.49	0.007	0.3	99.1	2.3	50	<0.1	86.9	26.6	704	3.44	0.8	<0.5	0.5	124	<0.1	<0.1	<0.1	138	6.56
REP 12185	QC		0.006																		
12187	Drill Core	4.36	0.006	0.5	92.3	2.9	56	<0.1	116.2	25.8	817	4.54	0.7	<0.5	0.4	140	<0.1	<0.1	<0.1	173	8.39
REP 12187	QC			0.6	91.8	3.0	57	<0.1	115.2	25.9	800	4.54	0.6	<0.5	0.5	140	<0.1	<0.1	<0.1	171	8.21
12077	Drill Core	4.44	0.015	1.0	109.9	3.9	58	<0.1	121.6	26.6	556	3.59	2.5	<0.5	0.5	75	0.1	<0.1	<0.1	146	5.04
REP 12077	QC			1.0	108.8	4.1	56	<0.1	120.0	26.0	541	3.56	2.2	0.5	0.5	73	0.2	<0.1	<0.1	143	5.00
12094	Drill Core	4.32	0.012	0.9	101.0	3.8	56	<0.1	120.7	27.6	650	3.46	3.3	1.6	0.5	104	0.2	0.1	<0.1	140	6.56
REP 12094	QC		0.017																		
12105	Rock	2.00	<0.005	0.3	94.5	2.3	49	<0.1	88.5	28.5	736	3.51	0.9	<0.5	0.4	131	<0.1	<0.1	<0.1	133	7.29
REP 12105	QC			0.3	91.8	2.3	47	<0.1	87.7	28.2	738	3.52	1.0	1.5	0.4	133	<0.1	<0.1	<0.1	131	7.15
12122	Drill Core	4.57	0.008	0.5	107.8	3.4	56	<0.1	107.7	23.8	416	3.95	0.5	1.9	0.5	144	<0.1	<0.1	<0.1	147	2.41
REP 12122	QC		0.008	0.6	105.5	3.6	55	<0.1	105.3	22.8	408	3.90	<0.5	1.8	0.5	146	<0.1	<0.1	<0.1	145	2.41
12137	Drill Core	4.47	0.012	0.6	105.7	3.3	57	<0.1	106.9	24.0	437	4.02	0.7	0.5	0.6	148	<0.1	<0.1	<0.1	140	1.83
REP 12137	QC			0.5	106.1	3.4	56	<0.1	106.9	24.0	439	4.05	0.6	1.2	0.5	149	<0.1	<0.1	<0.1	141	1.83
12020	Rock Pulp	0.17	1.856	73.8	>10000	637.4	1445	8.0	91.9	13.3	447	4.56	293.4	1396	1.6	35	10.5	40.4	2.7	45	0.78
REP 12020	QC			74.4	>10000	617.2	1428	7.8	89.4	13.2	453	4.50	286.9	1331	1.7	37	10.7	38.7	2.6	45	0.79

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
12212	Drill Core	0.103	4	114	1.82	17	0.236	9	2.29	0.153	0.11	<0.1	<0.01	4.2	<0.1	0.27	8	<0.5	<0.2
REP 12212	QC	0.095	4	111	1.79	17	0.227	8	2.25	0.149	0.11	<0.1	<0.01	4.1	<0.1	0.26	7	<0.5	<0.2
12228	Drill Core	0.088	4	95	1.35	28	0.203	10	2.02	0.266	0.13	<0.1	0.05	3.4	<0.1	0.78	5	<0.5	<0.2
REP 12228	QC	0.093	4	100	1.39	28	0.208	9	2.07	0.268	0.13	<0.1	0.06	3.5	<0.1	0.79	6	<0.5	<0.2
12246	Drill Core	0.106	5	118	1.92	12	0.269	22	2.52	0.114	0.09	0.1	0.17	4.4	0.1	0.97	9	<0.5	<0.2
REP 12246	QC	0.099	4	111	1.79	11	0.256	22	2.35	0.108	0.09	0.1	0.15	4.1	<0.1	0.92	8	<0.5	<0.2
12152	Drill Core	0.099	5	113	2.03	13	0.257	13	2.71	0.100	0.08	<0.1	<0.01	4.0	<0.1	0.46	9	<0.5	<0.2
REP 12152	QC	0.096	5	112	2.03	13	0.253	13	2.70	0.100	0.08	<0.1	<0.01	4.2	<0.1	0.46	9	<0.5	<0.2
12157	Drill Core	0.096	5	110	2.07	25	0.272	10	2.62	0.086	0.11	<0.1	<0.01	4.8	<0.1	1.07	9	<0.5	<0.2
REP 12157	QC																		
12165	Rock	0.080	4	45	0.94	19	0.219	13	3.56	1.044	0.19	<0.1	<0.01	4.8	<0.1	0.09	8	<0.5	<0.2
REP 12165	QC	0.081	4	45	0.94	19	0.220	14	3.56	1.042	0.19	<0.1	<0.01	4.8	<0.1	0.10	8	<0.5	<0.2
12185	Rock	0.089	4	43	0.89	17	0.225	15	3.58	1.077	0.18	<0.1	<0.01	4.7	<0.1	0.08	8	<0.5	<0.2
REP 12185	QC																		
12187	Drill Core	0.096	4	209	2.55	16	0.006	6	2.72	0.052	0.16	<0.1	0.03	17.3	<0.1	0.54	8	<0.5	<0.2
REP 12187	QC	0.097	4	208	2.49	16	0.006	7	2.66	0.052	0.16	<0.1	0.03	17.1	<0.1	0.54	9	<0.5	<0.2
12077	Drill Core	0.097	4	115	1.66	13	0.267	14	2.85	0.107	0.11	0.1	<0.01	4.9	<0.1	0.14	10	<0.5	<0.2
REP 12077	QC	0.097	4	112	1.66	14	0.265	14	2.82	0.101	0.11	0.1	<0.01	4.9	<0.1	0.14	9	<0.5	<0.2
12094	Drill Core	0.096	4	109	1.54	18	0.254	9	2.43	0.155	0.13	<0.1	<0.01	5.3	<0.1	0.33	8	<0.5	<0.2
REP 12094	QC																		
12105	Rock	0.087	4	47	0.95	20	0.222	15	3.69	1.053	0.18	<0.1	<0.01	5.4	<0.1	0.09	8	<0.5	<0.2
REP 12105	QC	0.086	4	48	0.94	20	0.220	15	3.61	1.031	0.18	<0.1	<0.01	5.2	<0.1	0.09	8	<0.5	<0.2
12122	Drill Core	0.084	4	110	2.14	31	0.248	24	2.49	0.231	0.12	<0.1	<0.01	4.2	<0.1	<0.05	8	<0.5	<0.2
REP 12122	QC	0.082	4	111	2.10	31	0.248	26	2.46	0.232	0.12	<0.1	<0.01	4.2	<0.1	<0.05	8	<0.5	<0.2
12137	Drill Core	0.092	4	111	2.41	31	0.260	9	2.65	0.254	0.12	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
REP 12137	QC	0.092	4	112	2.37	32	0.261	9	2.59	0.251	0.12	<0.1	<0.01	4.5	<0.1	<0.05	7	<0.5	<0.2
12020	Rock Pulp	0.063	7	45	0.60	45	0.066	38	1.11	0.070	0.19	32.3	0.63	4.3	0.8	2.13	4	3.3	0.6
REP 12020	QC	0.061	7	46	0.60	38	0.069	39	1.11	0.071	0.19	31.5	0.65	4.4	0.9	2.08	4	3.2	0.6

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

		WGHT Wgt kg 0.01	G6 Au ppm 0.005	1DX30 Mo ppm 0.1	1DX30 Cu ppm 0.1	1DX30 Pb ppm 0.1	1DX30 Zn ppm 1	1DX30 Ag ppm 0.1	1DX30 Ni ppm 0.1	1DX30 Co ppm 0.1	1DX30 Mn ppm 1	1DX30 Fe % 0.01	1DX30 As ppm 0.5	1DX30 Au ppb 0.5	1DX30 Th ppm 0.1	1DX30 Sr ppm 1	1DX30 Cd ppm 0.1	1DX30 Sb ppm 0.1	1DX30 Bi ppm 0.1	1DX30 V ppm 2	1DX30 Ca % 0.01
12031	Drill Core	4.78	0.010	0.8	114.3	2.9	49	<0.1	88.1	23.3	541	3.56	0.9	5.2	0.5	212	<0.1	<0.1	<0.1	121	4.05
REP 12031	QC		0.008																		
12045	Rock	1.41	0.008	0.3	107.5	2.3	48	<0.1	83.1	27.0	667	3.47	1.1	4.0	0.4	129	<0.1	<0.1	<0.1	129	6.42
REP 12045	QC			0.3	113.6	2.1	50	<0.1	82.7	26.0	686	3.45	0.9	3.3	0.4	131	<0.1	<0.1	<0.1	128	6.53
12049	Drill Core	4.68	0.011	1.1	111.7	3.6	58	<0.1	97.8	26.0	530	3.33	2.6	<0.5	0.5	175	0.1	0.2	<0.1	133	4.52
REP 12049	QC			1.1	113.8	3.6	59	<0.1	104.3	26.8	552	3.43	3.1	<0.5	0.5	184	0.2	0.2	<0.1	138	4.73
12062	Drill Core	4.35	0.011	0.9	112.3	3.4	56	<0.1	97.6	24.6	530	3.48	1.7	<0.5	0.6	209	<0.1	0.1	<0.1	121	4.80
REP 12062	QC		0.011																		
12076	Drill Core	4.56	0.013	0.9	118.8	3.6	61	<0.1	124.9	27.8	588	3.76	2.9	<0.5	0.5	144	0.2	<0.1	<0.1	136	4.28
REP 12076	QC			0.9	114.7	3.5	60	<0.1	123.4	27.1	577	3.65	2.5	<0.5	0.5	140	<0.1	0.1	<0.1	134	4.17
Core Reject Duplicates																					
12217	Drill Core	3.70	0.010	1.0	114.1	2.9	65	<0.1	97.4	24.0	595	3.95	1.4	<0.5	0.6	133	0.1	0.1	<0.1	133	3.62
DUP 12217	QC		0.009	1.1	115.9	3.3	58	0.1	99.5	25.3	610	4.02	1.5	<0.5	0.6	131	0.1	<0.1	<0.1	135	3.78
12144	Drill Core	4.51	0.009	0.7	92.8	3.3	53	<0.1	87.1	20.0	625	3.34	1.3	0.8	0.5	204	<0.1	<0.1	<0.1	123	4.26
DUP 12144	QC		0.009	0.6	91.2	3.4	52	<0.1	84.3	19.7	626	3.38	1.4	1.6	0.5	196	<0.1	<0.1	<0.1	125	4.17
12179	Drill Core	4.08	0.005	0.8	68.7	3.2	48	<0.1	100.0	26.7	814	4.49	1.6	1.2	0.5	155	<0.1	<0.1	<0.1	154	9.37
DUP 12179	QC		0.006	0.7	65.9	3.0	47	<0.1	98.3	26.4	806	4.39	1.5	0.7	0.5	153	<0.1	<0.1	<0.1	154	9.51
12086	Drill Core	4.69	0.012	0.9	112.8	3.0	58	<0.1	115.3	25.4	605	3.61	<0.5	0.8	0.6	145	0.1	<0.1	<0.1	134	3.52
DUP 12086	QC		0.014	0.9	114.9	2.9	58	<0.1	116.9	25.9	608	3.61	<0.5	<0.5	0.6	149	<0.1	<0.1	<0.1	135	3.64
12121	Drill Core	4.56	0.013	0.7	105.8	3.2	51	<0.1	88.1	20.1	410	3.33	0.5	3.1	0.5	145	<0.1	<0.1	<0.1	123	2.95
DUP 12121	QC		0.010	0.6	96.1	3.5	51	<0.1	89.7	21.0	406	3.48	0.5	2.1	0.4	151	<0.1	<0.1	<0.1	122	3.22
12028	Drill Core	4.16	0.011	1.4	119.3	3.3	58	<0.1	89.3	24.9	550	3.82	1.8	2.7	0.5	155	<0.1	0.1	<0.1	139	4.06
DUP 12028	QC		0.011	1.4	119.6	3.4	58	<0.1	94.2	25.0	563	3.83	2.2	1.6	0.5	162	<0.1	0.1	<0.1	139	4.07
12063	Drill Core	4.51	0.011	1.1	110.0	3.2	59	<0.1	111.1	25.6	594	3.77	2.9	<0.5	0.6	188	0.1	0.1	<0.1	133	4.45
DUP 12063	QC		0.010	1.0	116.3	2.9	56	<0.1	111.3	24.9	601	3.69	2.7	2.8	0.6	196	0.1	0.1	<0.1	134	4.49
Reference Materials																					
STD DS8	Standard			14.8	110.5	128.2	323	1.9	39.6	7.9	633	2.53	25.3	125.7	7.3	72	2.3	5.7	6.7	43	0.71
STD DS8	Standard			13.3	123.4	124.7	309	1.9	37.3	7.9	587	2.41	25.7	120.2	6.2	72	3.0	6.2	7.6	40	0.67
STD DS8	Standard			11.8	107.9	118.8	300	1.7	36.8	7.3	579	2.38	24.9	101.1	6.7	61	2.2	5.4	6.7	40	0.68

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
12031	Drill Core	0.118	4	99	1.56	45	0.199	4	2.73	0.357	0.15	<0.1	<0.01	4.0	<0.1	0.13	6	<0.5	<0.2
REP 12031	QC																		
12045	Rock	0.088	4	43	0.90	15	0.214	14	3.37	1.009	0.14	<0.1	<0.01	4.7	<0.1	0.07	7	<0.5	<0.2
REP 12045	QC	0.095	4	42	0.90	14	0.214	14	3.42	1.030	0.13	<0.1	<0.01	4.6	<0.1	0.07	8	<0.5	<0.2
12049	Drill Core	0.096	4	112	1.31	40	0.241	9	2.36	0.346	0.17	0.5	<0.01	3.8	<0.1	0.65	6	<0.5	<0.2
REP 12049	QC	0.101	4	117	1.38	43	0.256	10	2.51	0.369	0.17	0.4	<0.01	3.9	<0.1	0.69	7	<0.5	<0.2
12062	Drill Core	0.106	4	114	1.37	41	0.217	7	2.53	0.299	0.11	0.2	<0.01	2.9	<0.1	0.28	6	<0.5	<0.2
REP 12062	QC																		
12076	Drill Core	0.100	4	115	1.66	33	0.268	12	2.45	0.252	0.14	<0.1	<0.01	4.4	<0.1	0.20	7	<0.5	<0.2
REP 12076	QC	0.096	4	112	1.62	33	0.258	10	2.40	0.248	0.14	<0.1	<0.01	4.6	<0.1	0.19	7	<0.5	<0.2
Core Reject Duplicates																			
12217	Drill Core	0.103	4	115	1.97	16	0.236	4	2.39	0.172	0.10	<0.1	0.01	4.1	<0.1	0.37	7	<0.5	<0.2
DUP 12217	QC	0.100	4	118	2.00	16	0.237	8	2.46	0.175	0.10	<0.1	0.01	4.4	<0.1	0.41	8	<0.5	<0.2
12144	Drill Core	0.106	4	110	1.52	25	0.224	13	2.46	0.331	0.11	<0.1	<0.01	3.7	<0.1	0.20	7	<0.5	<0.2
DUP 12144	QC	0.107	4	112	1.51	25	0.226	15	2.42	0.334	0.11	<0.1	<0.01	3.7	<0.1	0.20	6	<0.5	<0.2
12179	Drill Core	0.107	5	193	1.86	24	0.003	7	2.56	0.038	0.19	<0.1	0.05	18.6	<0.1	1.05	7	<0.5	<0.2
DUP 12179	QC	0.105	5	190	1.86	24	0.004	7	2.60	0.039	0.19	<0.1	0.05	18.3	0.1	1.05	7	<0.5	<0.2
12086	Drill Core	0.108	4	121	1.72	27	0.240	9	2.45	0.235	0.13	0.1	<0.01	3.2	<0.1	0.05	7	<0.5	<0.2
DUP 12086	QC	0.110	5	118	1.71	27	0.240	6	2.45	0.240	0.13	<0.1	<0.01	3.1	<0.1	0.06	6	<0.5	<0.2
12121	Drill Core	0.100	4	103	1.78	29	0.231	159	2.39	0.246	0.13	<0.1	<0.01	3.4	<0.1	<0.05	7	<0.5	<0.2
DUP 12121	QC	0.093	4	101	1.88	25	0.214	269	2.48	0.251	0.12	<0.1	<0.01	3.6	<0.1	<0.05	8	<0.5	<0.2
12028	Drill Core	0.108	4	99	1.41	29	0.235	31	2.76	0.590	0.12	<0.1	<0.01	4.0	<0.1	0.65	7	<0.5	<0.2
DUP 12028	QC	0.108	4	104	1.41	30	0.240	28	2.80	0.602	0.12	<0.1	0.01	4.1	<0.1	0.67	8	<0.5	<0.2
12063	Drill Core	0.106	4	112	1.67	40	0.239	9	2.74	0.370	0.12	<0.1	<0.01	3.9	<0.1	0.20	7	<0.5	<0.2
DUP 12063	QC	0.104	4	113	1.68	42	0.247	8	2.82	0.376	0.12	0.2	<0.01	4.4	<0.1	0.19	7	<0.5	<0.2
Reference Materials																			
STD DS8	Standard	0.076	18	130	0.62	301	0.121	2	0.98	0.101	0.44	3.2	0.22	2.9	5.8	0.17	5	5.4	5.4
STD DS8	Standard	0.090	15	118	0.59	277	0.127	2	0.91	0.102	0.42	2.9	0.19	2.6	5.4	0.16	4	5.0	4.7
STD DS8	Standard	0.078	14	110	0.60	262	0.114	3	0.88	0.092	0.42	2.8	0.17	2.5	5.1	0.16	5	4.8	5.1

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS8	Standard			13.0	108.2	127.0	307	1.8	37.2	7.4	592	2.39	24.6	105.8	7.0	65	2.3	5.6	6.9	41	0.67
STD DS8	Standard			12.9	104.9	120.9	297	1.7	36.2	7.2	587	2.41	23.9	96.6	7.2	65	2.1	5.2	6.6	42	0.69
STD DS8	Standard			12.5	105.4	118.5	301	1.7	36.5	7.1	574	2.40	24.9	102.3	6.8	64	2.3	5.3	6.7	42	0.69
STD DS8	Standard			13.2	109.6	127.3	304	1.8	37.5	7.7	595	2.48	25.8	118.1	7.2	65	2.2	5.5	6.8	43	0.72
STD DS8	Standard			13.1	105.9	128.4	303	1.8	37.7	7.5	621	2.44	24.6	102.0	7.5	70	2.5	6.2	7.4	40	0.70
STD OXH82	Standard		1.258																		
STD OXH82	Standard		1.285																		
STD OXH82	Standard		1.228																		
STD OXH82	Standard		1.278																		
STD OXH82	Standard		1.317																		
STD OXH82	Standard		1.305																		
STD OXH82	Standard		1.348																		
STD OXH82	Standard		1.338																		
STD OXH82	Standard		1.342																		
STD OXH82	Standard		1.286																		
STD OXK79	Standard		3.660																		
STD OXK79	Standard		3.732																		
STD OXK79	Standard		3.849																		
STD OXK79	Standard		3.845																		
STD OXK79	Standard		3.633																		
STD OXK79	Standard		3.605																		
STD OXK79	Standard		3.671																		
STD OXK79	Standard		3.633																		
STD OXK79	Standard		3.379																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8	Standard	0.077	15	113	0.60	274	0.116	5	0.90	0.092	0.41	3.1	0.19	2.5	5.3	0.17	4	4.8	5.1
STD DS8	Standard	0.077	16	115	0.59	262	0.119	2	0.91	0.088	0.41	3.0	0.18	2.6	5.2	0.17	5	4.0	5.3
STD DS8	Standard	0.077	15	111	0.58	277	0.118	1	0.88	0.087	0.40	2.8	0.20	2.5	5.2	0.17	5	4.2	5.4
STD DS8	Standard	0.078	16	118	0.60	284	0.124	2	0.93	0.098	0.42	3.1	0.20	2.5	5.4	0.17	5	4.8	4.9
STD DS8	Standard	0.076	16	121	0.60	281	0.125	2	0.91	0.089	0.41	3.1	0.22	2.5	5.4	0.16	5	5.0	5.0
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
STD OXH82 Expected																			
STD OXK79 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.1	0.8	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		0.009																		
BLK	Blank		<0.005																		
BLK	Blank		0.010																		
BLK	Blank		0.011																		
BLK	Blank		0.009																		
BLK	Blank		0.008																		
BLK	Blank		0.005																		
BLK	Blank		0.006																		
BLK	Blank		0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank		0.007																		
BLK	Blank		0.008																		
BLK	Blank		0.005																		
BLK	Blank		0.007																		
BLK	Blank		0.007																		
BLK	Blank		0.008																		
BLK	Blank		0.009																		
BLK	Blank		0.007																		
BLK	Blank		0.007																		
Prep Wash																					
G1	Prep Blank	<0.01	0.007	0.3	2.3	3.0	44	<0.1	2.4	3.6	514	1.90	<0.5	1.3	4.9	64	<0.1	<0.1	<0.1	35	0.54
G1	Prep Blank	<0.01	0.009	<0.1	2.5	7.6	43	<0.1	2.0	3.8	520	1.93	<0.5	<0.5	5.2	64	<0.1	<0.1	<0.1	35	0.55

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 27, 2012

QUALITY CONTROL REPORT VAN11007067.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1	Prep Blank	0.068	13	10	0.49	129	0.101	<1	0.86	0.083	0.43	<0.1	<0.01	2.1	0.2	<0.05	4	<0.5	<0.2
G1	Prep Blank	0.074	13	5	0.50	127	0.104	<1	0.89	0.093	0.44	<0.1	<0.01	2.2	0.3	<0.05	4	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 23, 2011
Report Date: January 25, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS VAN11007068.1

CLIENT JOB INFORMATION

Project: COWTRAIL
Shipment ID: 20_12_2011
P.O. Number
Number of Samples: 263

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	237	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	13	Pulverize to 85% - 200 mesh			VAN
Client Split Pulp	12	For Client - First sample split/packet			VAN
G601	263	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	263	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Brian Findlay
Catherine Banfield

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98898	Drill Core	4.26	0.012	0.8	94.7	3.5	53	<0.1	99.8	23.3	568	4.01	2.4	1.4	0.6	71	<0.1	<0.1	<0.1	141	4.36
98899	Drill Core	4.59	0.008	0.6	89.8	4.1	52	<0.1	96.3	24.9	516	4.00	4.1	<0.5	0.6	100	<0.1	0.2	<0.1	133	4.29
98900	Rock Pulp	0.11	0.010	3.1	22.6	2.4	33	0.5	18.6	9.1	301	1.94	3.3	<0.5	1.0	30	0.2	0.3	<0.1	47	0.67
98901	Drill Core	4.34	0.011	0.7	77.5	4.2	51	<0.1	89.6	23.0	563	3.88	4.4	<0.5	0.6	82	<0.1	0.2	<0.1	142	5.26
98902	Drill Core	4.31	0.011	0.6	104.7	3.1	52	<0.1	98.0	23.1	553	3.87	1.2	1.0	0.6	80	<0.1	<0.1	<0.1	132	4.31
98903	Drill Core	4.38	0.007	0.5	77.0	3.6	51	<0.1	80.6	18.7	510	3.35	1.7	1.0	0.5	78	<0.1	<0.1	<0.1	130	6.65
98904	Drill Core	4.61	0.009	0.7	108.3	3.6	52	<0.1	97.5	21.9	494	3.54	0.7	0.8	0.5	89	<0.1	<0.1	<0.1	127	4.75
98905	Rock	2.68	0.008	0.3	90.5	2.3	48	<0.1	79.2	25.3	677	3.30	1.0	<0.5	0.4	125	<0.1	<0.1	<0.1	132	7.25
98906	Drill Core	4.62	0.009	0.5	76.8	3.6	52	<0.1	82.0	19.5	541	3.43	1.7	1.1	0.5	127	<0.1	<0.1	<0.1	142	5.24
98907	Drill Core	4.62	0.008	0.6	100.8	3.3	54	<0.1	93.1	23.1	540	3.76	1.4	<0.5	0.5	124	<0.1	<0.1	<0.1	138	4.20
98908	Drill Core	4.61	0.010	0.9	117.9	4.2	55	<0.1	92.2	24.3	489	3.92	2.7	0.6	0.5	91	<0.1	<0.1	<0.1	141	4.24
98909	Drill Core	4.47	0.009	0.5	100.4	3.0	55	<0.1	93.4	22.4	491	3.81	0.7	<0.5	0.6	110	<0.1	<0.1	<0.1	137	3.51
98910 DUP 98912 REJECT	Drill Core		0.010	0.4	72.8	3.4	52	<0.1	87.2	20.8	619	3.59	1.3	<0.5	0.6	149	<0.1	<0.1	<0.1	144	5.51
98911	Drill Core	4.87	0.011	0.5	96.7	3.4	54	<0.1	87.7	21.6	525	3.66	1.5	0.8	0.6	121	<0.1	<0.1	<0.1	136	4.15
98912	Drill Core	4.04	0.009	0.4	72.3	3.6	53	<0.1	86.9	20.9	619	3.69	1.1	2.1	0.6	156	<0.1	<0.1	<0.1	144	5.37
98913	Drill Core	4.64	0.008	0.4	95.4	3.7	51	<0.1	93.5	22.3	579	3.74	1.8	1.8	0.6	101	<0.1	0.1	<0.1	136	5.01
98914	Drill Core	4.50	0.011	0.6	96.9	3.1	55	<0.1	97.0	23.8	641	3.98	1.3	<0.5	0.6	92	<0.1	<0.1	<0.1	138	4.67
98915	Drill Core	4.59	0.011	0.6	109.2	4.5	56	<0.1	105.4	24.3	630	4.07	1.6	1.1	0.6	91	<0.1	<0.1	<0.1	140	4.16
98916	Drill Core	4.50	0.011	0.6	103.2	3.8	53	<0.1	96.3	22.5	584	3.81	1.3	2.3	0.6	215	<0.1	<0.1	<0.1	140	5.02
98917	Drill Core	4.51	0.011	0.5	122.6	4.0	56	<0.1	102.2	26.4	566	4.24	2.1	<0.5	0.6	145	<0.1	<0.1	<0.1	137	3.37
98918	Drill Core	4.13	0.009	0.7	185.7	4.0	59	<0.1	109.9	31.3	643	4.44	2.1	<0.5	0.6	155	<0.1	<0.1	<0.1	144	3.42
98919	Drill Core	3.42	0.009	0.9	123.6	3.3	56	0.5	107.0	25.0	690	4.35	0.5	0.8	0.6	96	<0.1	<0.1	<0.1	141	2.68
98920	Rock Pulp	0.11	0.215	10.6	5661	5.7	91	1.9	12.0	8.2	657	4.57	2.5	218.7	4.1	71	0.4	0.3	0.7	64	1.15
98921	Drill Core	4.53	0.010	0.8	124.4	3.1	58	<0.1	109.1	24.9	730	4.45	<0.5	1.2	0.6	144	<0.1	<0.1	<0.1	149	2.08
98922	Drill Core	4.50	0.011	0.8	121.2	3.2	58	<0.1	109.6	25.0	727	4.40	0.5	1.9	0.6	103	<0.1	<0.1	<0.1	149	2.71
98923	Drill Core	4.68	0.009	0.8	115.4	2.5	57	<0.1	105.2	23.0	594	3.98	0.9	1.5	0.6	101	<0.1	<0.1	<0.1	138	4.09
98924	Drill Core	3.90	0.012	0.6	107.7	3.2	55	<0.1	105.0	23.4	542	4.06	0.8	2.3	0.5	168	<0.1	<0.1	<0.1	145	3.19
98925	Rock	2.48	0.010	0.3	94.3	2.0	51	<0.1	85.7	25.5	668	3.47	1.3	<0.5	0.5	131	<0.1	<0.1	<0.1	139	7.11
98926	Drill Core	4.07	0.010	0.8	112.5	3.0	56	<0.1	104.5	24.6	649	4.14	1.6	<0.5	0.6	155	<0.1	<0.1	<0.1	140	4.08
98927	Drill Core	4.84	0.009	0.7	101.7	3.5	54	<0.1	92.3	21.5	661	3.84	1.3	0.9	0.6	115	<0.1	<0.1	<0.1	146	4.96

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98898	Drill Core	0.110	5	118	1.88	10	0.250	9	2.51	0.112	0.08	<0.1	<0.01	3.7	<0.1	0.49	8	<0.5	<0.2
98899	Drill Core	0.101	4	114	1.80	16	0.242	4	2.34	0.199	0.11	0.2	<0.01	4.0	<0.1	0.75	8	<0.5	<0.2
98900	Rock Pulp	0.046	5	22	0.50	89	0.101	2	1.09	0.063	0.08	18.4	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
98901	Drill Core	0.111	4	113	1.69	13	0.259	7	2.22	0.101	0.11	<0.1	<0.01	4.8	<0.1	0.84	8	<0.5	<0.2
98902	Drill Core	0.098	5	113	1.75	14	0.241	9	2.60	0.115	0.11	0.1	<0.01	4.0	<0.1	0.24	8	<0.5	<0.2
98903	Drill Core	0.107	4	108	1.43	10	0.233	8	2.34	0.078	0.09	<0.1	<0.01	3.5	<0.1	0.35	9	<0.5	<0.2
98904	Drill Core	0.108	4	111	1.52	13	0.221	8	2.67	0.110	0.10	0.2	<0.01	3.3	<0.1	0.14	9	<0.5	<0.2
98905	Rock	0.084	4	42	0.82	16	0.218	12	3.37	1.012	0.15	<0.1	<0.01	4.4	<0.1	0.08	7	<0.5	<0.2
98906	Drill Core	0.115	4	115	1.30	18	0.243	7	2.23	0.179	0.12	0.1	<0.01	3.7	<0.1	0.47	7	<0.5	<0.2
98907	Drill Core	0.104	4	117	1.54	19	0.237	7	2.33	0.222	0.13	0.2	<0.01	3.8	<0.1	0.38	8	<0.5	<0.2
98908	Drill Core	0.100	4	111	1.91	14	0.257	10	2.64	0.145	0.11	<0.1	<0.01	4.1	<0.1	0.61	9	<0.5	<0.2
98909	Drill Core	0.100	4	113	1.79	16	0.249	8	2.38	0.135	0.14	0.2	<0.01	3.8	<0.1	0.17	7	<0.5	<0.2
98910 DUP 98912 REJECT	Drill Core	0.122	5	119	1.24	21	0.253	10	2.21	0.134	0.13	<0.1	<0.01	4.2	<0.1	0.28	7	<0.5	<0.2
98911	Drill Core	0.107	4	115	1.52	20	0.238	6	2.33	0.252	0.13	0.2	<0.01	3.9	<0.1	0.36	7	<0.5	<0.2
98912	Drill Core	0.121	5	120	1.27	20	0.254	11	2.23	0.143	0.13	<0.1	<0.01	4.3	<0.1	0.34	7	<0.5	<0.2
98913	Drill Core	0.106	5	116	1.61	21	0.252	7	2.52	0.131	0.15	<0.1	<0.01	4.9	<0.1	0.78	8	<0.5	<0.2
98914	Drill Core	0.112	5	119	1.69	17	0.252	7	2.40	0.108	0.13	<0.1	<0.01	4.9	<0.1	0.48	8	<0.5	<0.2
98915	Drill Core	0.109	5	122	1.90	13	0.253	8	2.72	0.104	0.10	<0.1	<0.01	4.5	<0.1	0.28	9	<0.5	<0.2
98916	Drill Core	0.118	5	120	1.45	15	0.256	12	2.68	0.129	0.11	<0.1	<0.01	4.0	<0.1	0.39	9	<0.5	<0.2
98917	Drill Core	0.097	4	117	2.19	18	0.268	10	2.57	0.171	0.13	<0.1	<0.01	4.7	<0.1	0.69	8	<0.5	<0.2
98918	Drill Core	0.093	5	120	2.46	19	0.262	11	3.09	0.225	0.12	<0.1	<0.01	5.2	<0.1	0.45	9	<0.5	<0.2
98919	Drill Core	0.115	5	122	2.70	17	0.241	12	3.21	0.194	0.10	0.7	<0.01	3.8	<0.1	<0.05	9	<0.5	<0.2
98920	Rock Pulp	0.074	12	17	0.64	188	0.080	2	1.04	0.064	0.43	0.2	0.11	4.2	0.1	0.33	7	3.9	0.5
98921	Drill Core	0.114	5	125	2.84	17	0.260	14	2.88	0.137	0.12	0.1	<0.01	4.5	<0.1	<0.05	9	<0.5	<0.2
98922	Drill Core	0.120	5	126	2.93	11	0.259	10	3.07	0.106	0.09	0.1	<0.01	3.6	<0.1	0.06	10	<0.5	<0.2
98923	Drill Core	0.103	5	122	2.18	14	0.260	10	2.91	0.116	0.09	<0.1	<0.01	4.3	<0.1	0.12	10	<0.5	<0.2
98924	Drill Core	0.099	4	117	2.26	25	0.263	9	2.53	0.202	0.13	<0.1	<0.01	5.3	<0.1	0.19	8	<0.5	<0.2
98925	Rock	0.090	4	49	0.88	19	0.232	12	3.51	0.988	0.18	<0.1	0.01	4.7	<0.1	0.08	8	<0.5	<0.2
98926	Drill Core	0.114	5	125	2.07	16	0.259	9	2.76	0.219	0.09	<0.1	0.03	5.3	<0.1	0.35	8	<0.5	<0.2
98927	Drill Core	0.113	5	123	1.72	19	0.262	9	2.45	0.115	0.11	<0.1	0.05	5.6	<0.1	0.43	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98928	Drill Core	4.22	0.009	0.7	93.3	3.4	52	<0.1	84.6	20.9	594	3.70	1.5	1.4	0.6	114	<0.1	<0.1	<0.1	145	6.74
98929	Drill Core	4.54	0.009	0.8	114.9	3.1	58	<0.1	138.5	27.5	753	4.30	1.4	0.8	0.6	134	<0.1	<0.1	<0.1	149	3.80
98930 DUP 98932 REJECT	Drill Core		0.009	0.7	77.5	4.4	54	0.1	321.5	40.9	765	4.38	1.1	<0.5	0.7	282	<0.1	<0.1	<0.1	142	2.85
98931	Drill Core	4.28	0.010	0.5	105.1	3.2	55	<0.1	98.4	22.6	530	3.83	0.5	2.8	0.6	165	<0.1	<0.1	<0.1	144	2.97
98932	Drill Core	4.49	0.008	0.6	75.5	5.4	53	0.2	306.1	38.8	717	4.02	1.3	<0.5	0.7	274	<0.1	<0.1	<0.1	137	2.80
98933	Drill Core	4.57	0.009	0.5	92.3	3.4	51	<0.1	261.2	37.2	679	3.88	0.6	0.8	0.4	237	<0.1	<0.1	<0.1	137	2.05
98934	Drill Core	4.17	0.007	0.5	68.0	3.9	48	<0.1	251.6	35.6	647	3.72	0.5	0.9	0.3	234	<0.1	<0.1	<0.1	129	2.21
98935	Drill Core	4.24	0.007	0.5	62.8	4.6	48	<0.1	327.5	38.4	632	3.90	0.9	<0.5	1.4	274	<0.1	<0.1	<0.1	131	2.27
98936	Drill Core	4.17	0.007	0.5	63.1	5.1	47	0.2	294.4	37.4	630	3.79	1.0	1.3	0.7	266	<0.1	<0.1	<0.1	128	2.36
98937	Drill Core	3.49	0.008	0.5	80.5	3.5	47	<0.1	319.1	40.4	776	3.97	<0.5	1.4	0.3	284	<0.1	<0.1	<0.1	140	2.59
98938	Drill Core	3.09	0.007	0.4	73.8	4.5	47	<0.1	310.9	39.2	758	4.09	0.6	<0.5	0.4	300	<0.1	<0.1	<0.1	142	3.28
98939	Drill Core	1.57	0.007	0.4	66.8	3.4	49	<0.1	300.0	38.1	692	3.95	0.7	<0.5	0.3	276	<0.1	<0.1	<0.1	150	2.37
98940	Rock Pulp	0.11	1.119	338.7	3279	25.2	51	1.9	28.0	7.8	404	2.96	12.8	832.9	1.2	30	0.3	3.3	0.6	49	0.62
98941	Drill Core	1.44	0.009	0.4	89.6	3.7	49	<0.1	303.4	40.2	710	4.04	0.6	2.5	0.3	290	<0.1	<0.1	<0.1	155	2.61
98942	Drill Core	4.89	0.008	0.4	92.2	3.8	47	<0.1	299.2	40.4	739	4.01	<0.5	2.3	0.3	283	<0.1	<0.1	<0.1	138	2.62
98943	Drill Core	4.23	0.010	0.3	63.3	3.8	46	<0.1	275.9	38.3	723	3.88	0.8	1.8	0.3	263	<0.1	<0.1	<0.1	134	2.46
98944	Drill Core	3.55	0.009	0.4	80.0	3.6	47	<0.1	281.7	38.8	714	3.91	0.9	1.6	0.3	267	<0.1	<0.1	<0.1	132	2.29
98945	Rock	2.70	0.009	0.3	84.9	2.2	50	<0.1	82.5	25.5	677	3.35	0.9	0.5	0.5	136	<0.1	<0.1	<0.1	135	6.43
98946	Drill Core	3.69	0.007	0.4	85.6	3.9	49	<0.1	245.6	35.8	712	4.02	0.6	<0.5	0.4	224	<0.1	<0.1	<0.1	147	1.93
98947	Drill Core	4.37	0.008	0.6	85.8	4.1	45	<0.1	272.3	36.2	695	3.92	0.5	<0.5	0.4	244	<0.1	<0.1	<0.1	145	2.23
98948	Drill Core	3.06	0.007	0.6	129.6	4.6	49	<0.1	272.6	36.3	712	4.00	0.8	0.7	0.4	264	<0.1	<0.1	<0.1	155	2.56
98949	Drill Core	1.91	0.007	0.8	87.5	5.3	47	<0.1	235.1	35.9	697	3.97	0.9	<0.5	0.4	229	<0.1	<0.1	<0.1	137	2.67
98950	Drill Core	2.88	0.007	0.6	81.6	3.9	48	<0.1	250.2	35.4	683	3.97	0.8	<0.5	0.4	243	<0.1	<0.1	<0.1	137	2.25
12001	Drill Core	2.45	0.011	1.0	107.0	4.0	54	<0.1	99.3	24.5	511	3.81	1.7	1.7	0.6	222	<0.1	<0.1	<0.1	153	3.63
12002	Drill Core	2.87	0.008	1.1	112.0	4.0	55	<0.1	107.2	27.5	537	3.68	2.8	1.1	0.6	263	<0.1	<0.1	<0.1	150	4.00
12003	Drill Core	4.18	0.008	0.9	105.9	4.1	56	<0.1	104.1	23.5	576	4.02	1.2	<0.5	0.6	303	<0.1	<0.1	<0.1	138	3.25
12004	Drill Core	4.27	0.009	0.7	104.9	3.7	55	<0.1	95.8	23.9	485	3.93	1.0	0.9	0.6	286	<0.1	<0.1	<0.1	137	3.09
12006	Drill Core	4.21	0.010	0.6	100.1	3.8	52	<0.1	93.2	23.1	538	3.94	1.2	<0.5	0.6	226	<0.1	<0.1	<0.1	137	3.24
12005	Rock	1.58	0.006	0.3	98.5	2.6	51	<0.1	90.6	27.6	673	3.45	0.9	<0.5	0.5	129	<0.1	<0.1	<0.1	138	6.92
12007	Drill Core	4.25	0.008	0.8	105.7	3.8	53	<0.1	93.9	23.8	537	3.81	1.2	<0.5	0.6	250	<0.1	<0.1	<0.1	141	4.04

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98928	Drill Core	0.113	5	116	1.54	12	0.255	10	3.28	0.095	0.08	<0.1	0.03	5.8	<0.1	0.40	12	<0.5	<0.2
98929	Drill Core	0.109	5	156	2.74	18	0.247	12	2.57	0.130	0.10	0.1	0.05	5.9	<0.1	0.18	9	<0.5	<0.2
98930 DUP 98932 REJECT	Drill Core	0.090	4	316	5.87	25	0.140	19	2.43	0.240	0.13	0.1	0.07	7.2	<0.1	0.08	6	<0.5	<0.2
98931	Drill Core	0.098	4	109	2.20	23	0.245	14	2.40	0.190	0.12	<0.1	<0.01	4.5	<0.1	0.18	8	<0.5	<0.2
98932	Drill Core	0.091	4	276	5.38	22	0.140	22	2.32	0.221	0.10	0.2	0.08	6.3	<0.1	0.12	6	<0.5	<0.2
98933	Drill Core	0.084	2	234	5.15	20	0.113	13	2.23	0.269	0.11	0.2	<0.01	6.3	<0.1	<0.05	5	<0.5	<0.2
98934	Drill Core	0.083	2	229	4.84	21	0.108	16	2.12	0.256	0.09	0.1	0.03	5.9	<0.1	<0.05	5	<0.5	<0.2
98935	Drill Core	0.089	5	225	5.54	82	0.140	14	2.39	0.297	0.22	0.1	0.03	7.5	<0.1	0.05	6	<0.5	<0.2
98936	Drill Core	0.081	3	224	5.51	46	0.122	14	2.26	0.225	0.14	0.2	0.03	6.9	<0.1	<0.05	5	<0.5	<0.2
98937	Drill Core	0.080	2	276	6.02	17	0.116	23	2.49	0.211	0.07	<0.1	<0.01	7.6	<0.1	<0.05	5	<0.5	<0.2
98938	Drill Core	0.083	2	300	5.71	18	0.121	24	2.47	0.234	0.08	<0.1	<0.01	8.1	<0.1	<0.05	5	<0.5	<0.2
98939	Drill Core	0.084	2	214	5.04	29	0.115	20	2.73	0.652	0.17	0.1	<0.01	7.7	<0.1	<0.05	5	<0.5	<0.2
98940	Rock Pulp	0.047	5	29	0.52	119	0.102	3	1.13	0.077	0.10	0.9	0.10	4.0	<0.1	0.38	4	1.1	<0.2
98941	Drill Core	0.087	2	189	5.44	20	0.118	20	2.78	0.568	0.17	<0.1	<0.01	8.4	<0.1	<0.05	5	<0.5	<0.2
98942	Drill Core	0.081	2	212	5.59	18	0.114	35	2.63	0.463	0.13	0.1	<0.01	8.2	<0.1	<0.05	5	<0.5	<0.2
98943	Drill Core	0.076	2	219	5.32	19	0.111	24	2.40	0.366	0.10	<0.1	<0.01	7.9	<0.1	<0.05	5	<0.5	<0.2
98944	Drill Core	0.078	2	209	5.37	33	0.110	18	2.54	0.473	0.12	<0.1	<0.01	7.3	<0.1	<0.05	5	<0.5	<0.2
98945	Rock	0.086	4	44	0.90	21	0.219	14	3.41	0.989	0.19	<0.1	<0.01	4.6	<0.1	0.07	8	<0.5	<0.2
98946	Drill Core	0.100	2	270	4.70	36	0.120	15	2.33	0.461	0.14	<0.1	<0.01	5.8	<0.1	<0.05	5	<0.5	<0.2
98947	Drill Core	0.091	2	228	4.80	37	0.112	31	2.63	0.666	0.18	0.1	<0.01	6.0	<0.1	<0.05	5	<0.5	<0.2
98948	Drill Core	0.088	2	224	4.92	26	0.121	19	2.76	0.769	0.19	0.1	<0.01	6.4	<0.1	<0.05	5	<0.5	<0.2
98949	Drill Core	0.097	2	240	4.82	32	0.113	15	2.58	0.537	0.12	0.1	<0.01	6.1	<0.1	<0.05	5	<0.5	<0.2
98950	Drill Core	0.092	2	228	4.81	42	0.113	17	2.54	0.588	0.17	0.1	<0.01	6.4	<0.1	<0.05	5	<0.5	<0.2
12001	Drill Core	0.089	5	104	1.72	39	0.278	12	3.23	0.842	0.16	0.1	<0.01	6.0	<0.1	0.65	8	<0.5	<0.2
12002	Drill Core	0.099	5	104	1.57	33	0.278	10	3.44	1.038	0.13	<0.1	<0.01	5.0	<0.1	0.57	8	<0.5	<0.2
12003	Drill Core	0.100	5	106	2.04	32	0.280	10	3.27	0.946	0.10	<0.1	<0.01	4.6	<0.1	0.42	8	<0.5	<0.2
12004	Drill Core	0.100	4	97	2.22	49	0.261	9	3.15	0.485	0.15	<0.1	<0.01	4.4	<0.1	0.35	8	<0.5	<0.2
12006	Drill Core	0.083	4	96	2.21	50	0.257	7	2.90	0.349	0.18	<0.1	<0.01	4.8	<0.1	0.53	8	<0.5	<0.2
12005	Rock	0.090	4	44	0.93	18	0.235	13	3.56	1.046	0.17	<0.1	<0.01	4.9	<0.1	0.10	8	<0.5	<0.2
12007	Drill Core	0.092	4	96	1.85	43	0.264	8	2.92	0.460	0.16	<0.1	<0.01	4.4	<0.1	0.71	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12008	Drill Core	4.60	0.008	0.6	99.3	3.6	52	<0.1	88.6	21.9	742	3.88	0.9	1.0	0.5	265	<0.1	<0.1	<0.1	135	4.91
12009	Drill Core	4.16	0.008	0.7	106.6	3.6	53	<0.1	91.1	22.4	639	3.82	0.7	<0.5	0.6	256	<0.1	<0.1	<0.1	141	4.01
12011	Drill Core	4.39	0.008	0.7	104.7	3.9	51	<0.1	90.1	22.4	615	3.70	0.9	1.4	0.5	244	<0.1	<0.1	<0.1	134	3.83
12010 DUP 12012 REJECT	Drill Core		0.009	0.7	98.1	2.5	48	<0.1	82.7	20.3	618	3.65	0.7	<0.5	0.5	248	<0.1	<0.1	<0.1	134	3.65
12012	Drill Core	4.60	0.008	0.5	95.5	2.5	51	<0.1	86.8	21.1	627	3.74	<0.5	<0.5	0.5	246	<0.1	<0.1	<0.1	131	3.69
98832	Drill Core	4.35	0.011	0.6	103.1	3.1	52	<0.1	94.3	21.7	611	3.78	<0.5	<0.5	0.6	357	<0.1	<0.1	<0.1	132	3.48
98833	Drill Core	4.25	0.009	0.5	98.1	2.5	45	<0.1	78.8	17.6	568	3.11	<0.5	<0.5	0.5	280	<0.1	<0.1	<0.1	123	5.06
98834	Drill Core	4.05	0.009	0.8	108.1	2.6	51	<0.1	105.4	22.9	578	3.71	<0.5	<0.5	0.6	359	<0.1	0.2	<0.1	124	3.60
98835	Drill Core	4.63	0.007	0.6	98.3	2.6	52	<0.1	96.2	21.7	510	3.43	1.3	<0.5	0.5	313	<0.1	<0.1	<0.1	118	4.32
98836	Drill Core	4.74	0.010	0.7	120.6	3.3	56	<0.1	117.2	25.8	616	4.11	1.4	0.8	0.5	256	<0.1	0.1	<0.1	126	3.88
98837	Drill Core	4.34	0.009	0.7	110.7	3.3	55	<0.1	111.5	24.7	583	4.00	0.8	<0.5	0.5	209	<0.1	<0.1	<0.1	122	3.91
98838	Drill Core	4.52	0.010	0.5	106.0	1.8	50	<0.1	95.9	23.0	600	3.69	<0.5	<0.5	0.6	210	<0.1	<0.1	<0.1	119	4.62
98839	Drill Core	4.42	0.010	0.8	114.1	2.3	55	<0.1	111.4	24.8	600	4.17	<0.5	<0.5	0.6	249	<0.1	<0.1	<0.1	122	2.72
98840	Rock Pulp	0.11	1.101	337.1	3244	23.2	53	1.9	29.4	7.7	417	3.03	13.1	750.2	1.1	35	<0.1	3.8	0.5	47	0.65
98841	Drill Core	4.60	0.010	1.0	115.8	2.5	55	<0.1	111.9	25.0	662	4.10	1.1	1.9	0.6	218	<0.1	<0.1	<0.1	130	3.58
98842	Drill Core	4.27	0.008	0.7	109.2	2.2	53	<0.1	99.0	22.8	613	3.91	0.7	2.9	0.6	202	<0.1	<0.1	<0.1	119	3.31
98843	Drill Core	4.55	0.011	0.7	99.7	2.9	55	<0.1	97.7	23.8	655	4.15	1.3	2.1	0.6	247	<0.1	<0.1	<0.1	138	4.64
98844	Drill Core	4.56	0.008	0.7	110.8	2.1	57	<0.1	114.7	25.1	645	4.14	0.6	1.1	0.6	251	<0.1	<0.1	<0.1	133	3.77
98845	Rock	2.47	0.008	0.3	92.7	2.2	55	<0.1	78.8	25.5	726	3.68	0.8	<0.5	0.5	149	<0.1	<0.1	<0.1	141	6.73
98846	Drill Core	4.29	0.009	0.6	112.2	2.4	56	<0.1	109.1	24.3	613	4.01	0.8	<0.5	0.6	287	<0.1	<0.1	<0.1	132	4.08
98847	Drill Core	4.43	0.007	0.6	116.5	2.6	55	<0.1	89.2	22.0	645	3.73	0.7	0.9	0.6	238	<0.1	<0.1	<0.1	140	5.39
98848	Drill Core	4.11	0.006	0.4	97.5	2.3	53	<0.1	82.1	20.1	621	3.72	1.2	<0.5	0.6	244	<0.1	<0.1	<0.1	137	4.93
98849	Drill Core	4.53	0.007	0.8	104.6	2.9	55	<0.1	108.2	24.9	682	4.32	1.6	<0.5	0.5	241	<0.1	0.1	<0.1	128	4.80
98850 DUP 98852 REJECT	Drill Core		0.007	0.6	90.3	3.9	56	<0.1	95.4	24.8	662	3.99	2.0	<0.5	0.6	314	0.1	0.1	<0.1	135	5.07
98851	Drill Core	5.14	0.007	0.9	108.6	3.1	54	<0.1	109.7	25.0	612	4.14	1.7	<0.5	0.6	219	<0.1	0.1	<0.1	127	4.50
98852	Drill Core	4.16	0.007	0.6	92.5	3.7	55	<0.1	97.1	25.2	637	4.03	1.7	<0.5	0.5	312	<0.1	<0.1	<0.1	133	5.11
98853	Drill Core	4.28	0.006	0.7	103.5	2.9	56	<0.1	109.8	25.7	700	4.39	1.5	<0.5	0.6	231	<0.1	<0.1	<0.1	135	4.23
98854	Drill Core	4.28	0.008	0.7	116.3	2.9	56	<0.1	108.0	25.7	716	4.19	0.6	<0.5	0.6	233	<0.1	<0.1	<0.1	129	3.51
98855	Drill Core	4.54	0.010	0.7	105.8	3.5	55	<0.1	108.9	25.4	691	4.17	0.9	2.4	0.6	128	<0.1	<0.1	<0.1	128	4.06
98856	Drill Core	4.33	0.007	0.8	109.8	2.9	55	<0.1	107.1	24.1	575	3.91	1.3	<0.5	0.6	187	<0.1	0.1	<0.1	130	3.99

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12008	Drill Core	0.088	4	94	2.24	57	0.238	9	3.04	0.315	0.16	<0.1	<0.01	5.0	<0.1	0.60	8	<0.5	<0.2
12009	Drill Core	0.098	4	101	2.02	53	0.265	7	3.06	0.414	0.16	<0.1	<0.01	5.2	<0.1	0.33	8	<0.5	<0.2
12011	Drill Core	0.095	4	97	1.93	49	0.252	8	2.90	0.389	0.15	<0.1	<0.01	4.7	<0.1	0.35	7	<0.5	<0.2
12010 DUP 12012 REJECT	Drill Core	0.095	4	89	1.99	48	0.234	9	2.90	0.366	0.14	<0.1	<0.01	3.7	<0.1	0.29	7	<0.5	<0.2
12012	Drill Core	0.084	4	91	2.06	44	0.233	8	2.82	0.355	0.13	<0.1	<0.01	3.8	<0.1	0.30	7	<0.5	<0.2
98832	Drill Core	0.110	4	119	2.19	35	0.223	10	3.07	0.546	0.11	<0.1	<0.01	3.3	<0.1	0.09	6	<0.5	<0.2
98833	Drill Core	0.106	4	104	1.46	25	0.222	6	2.40	0.317	0.09	<0.1	<0.01	2.8	<0.1	0.08	5	<0.5	<0.2
98834	Drill Core	0.104	4	111	1.87	31	0.219	7	3.09	0.434	0.10	<0.1	<0.01	2.3	<0.1	0.05	7	<0.5	<0.2
98835	Drill Core	0.102	4	107	1.47	37	0.200	5	2.49	0.360	0.11	<0.1	<0.01	2.3	<0.1	0.34	6	<0.5	<0.2
98836	Drill Core	0.097	4	118	1.77	42	0.211	8	2.62	0.365	0.14	<0.1	<0.01	4.0	<0.1	0.66	7	<0.5	<0.2
98837	Drill Core	0.105	5	113	1.87	33	0.216	11	2.49	0.307	0.11	<0.1	<0.01	3.9	<0.1	0.65	7	<0.5	<0.2
98838	Drill Core	0.104	4	114	1.85	41	0.208	27	2.65	0.309	0.12	<0.1	<0.01	3.0	<0.1	<0.05	7	<0.5	<0.2
98839	Drill Core	0.112	5	118	2.40	47	0.197	11	3.19	0.399	0.13	<0.1	<0.01	3.4	<0.1	<0.05	7	<0.5	<0.2
98840	Rock Pulp	0.050	5	29	0.54	119	0.099	6	1.18	0.083	0.10	0.8	0.08	4.4	<0.1	0.37	4	1.0	<0.2
98841	Drill Core	0.108	5	122	2.07	44	0.221	8	2.83	0.330	0.13	<0.1	<0.01	4.1	<0.1	0.38	7	<0.5	<0.2
98842	Drill Core	0.107	4	118	2.30	40	0.196	9	3.26	0.321	0.11	<0.1	<0.01	3.2	<0.1	0.07	8	<0.5	<0.2
98843	Drill Core	0.103	4	123	2.14	46	0.226	8	2.82	0.367	0.14	<0.1	<0.01	4.4	<0.1	0.89	7	<0.5	<0.2
98844	Drill Core	0.102	4	120	2.08	52	0.194	6	3.01	0.385	0.14	<0.1	<0.01	3.9	<0.1	0.37	7	<0.5	<0.2
98845	Rock	0.090	5	47	0.94	19	0.227	15	3.63	1.016	0.18	<0.1	<0.01	5.2	<0.1	0.05	8	<0.5	<0.2
98846	Drill Core	0.114	4	113	2.07	53	0.220	6	3.20	0.531	0.14	<0.1	<0.01	4.2	<0.1	0.28	7	<0.5	<0.2
98847	Drill Core	0.117	4	121	1.74	50	0.222	8	2.72	0.341	0.13	<0.1	<0.01	4.5	<0.1	0.43	6	<0.5	<0.2
98848	Drill Core	0.111	4	118	1.78	49	0.216	4	2.73	0.442	0.13	<0.1	<0.01	4.7	<0.1	0.64	6	<0.5	<0.2
98849	Drill Core	0.102	4	114	2.07	47	0.216	6	2.83	0.343	0.13	<0.1	<0.01	4.4	<0.1	0.92	7	<0.5	<0.2
98850 DUP 98852 REJECT	Drill Core	0.102	4	113	1.86	46	0.225	7	2.74	0.489	0.15	<0.1	<0.01	4.9	<0.1	0.90	7	<0.5	<0.2
98851	Drill Core	0.110	5	112	1.94	41	0.213	6	2.66	0.302	0.12	<0.1	<0.01	3.9	<0.1	0.52	7	<0.5	<0.2
98852	Drill Core	0.106	4	111	1.90	41	0.214	6	2.68	0.502	0.13	<0.1	<0.01	4.8	<0.1	0.89	7	<0.5	<0.2
98853	Drill Core	0.102	4	117	2.19	50	0.218	7	2.89	0.330	0.16	<0.1	<0.01	4.7	<0.1	0.73	7	<0.5	<0.2
98854	Drill Core	0.109	4	121	2.33	46	0.224	10	3.04	0.339	0.13	<0.1	<0.01	3.8	<0.1	0.18	7	<0.5	<0.2
98855	Drill Core	0.112	5	121	2.17	27	0.213	10	2.78	0.214	0.10	<0.1	<0.01	3.9	<0.1	0.25	7	<0.5	<0.2
98856	Drill Core	0.115	4	121	1.73	39	0.221	7	2.41	0.277	0.12	<0.1	<0.01	4.0	<0.1	0.49	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98857	Drill Core	4.39	0.009	0.8	111.6	3.3	59	<0.1	115.4	25.5	627	4.32	1.7	<0.5	0.6	219	<0.1	<0.1	<0.1	130	4.44
98858	Drill Core	4.36	0.007	0.7	108.2	2.9	58	<0.1	107.8	23.9	616	3.86	1.7	<0.5	0.6	183	<0.1	<0.1	<0.1	128	4.39
98859	Drill Core	4.73	0.008	0.8	115.0	2.6	55	<0.1	114.1	25.3	627	4.25	<0.5	1.2	0.6	382	<0.1	<0.1	<0.1	131	2.52
98860	Rock Pulp	0.11	0.204	10.8	5601	5.8	91	1.9	11.0	7.9	646	4.36	2.2	215.7	4.3	71	0.6	0.2	0.8	60	1.08
98861	Drill Core	4.47	0.008	1.2	121.9	2.6	51	<0.1	121.9	26.6	748	4.11	2.0	12.6	0.5	240	<0.1	0.1	<0.1	117	6.80
98862	Drill Core	4.52	0.007	0.7	108.8	3.0	55	<0.1	96.2	23.2	606	3.78	0.5	0.8	0.6	170	<0.1	<0.1	<0.1	115	5.55
98863	Drill Core	4.58	0.007	0.7	100.9	3.0	53	<0.1	93.3	21.8	594	3.73	0.7	1.4	0.6	114	<0.1	<0.1	<0.1	128	4.73
98864	Drill Core	4.58	0.008	1.5	117.6	3.7	58	<0.1	109.7	27.2	641	4.36	2.8	2.0	0.6	149	<0.1	0.1	<0.1	136	4.82
98865	Rock	2.91	0.006	0.3	92.7	2.3	53	<0.1	80.6	26.1	731	3.66	0.7	1.1	0.5	155	<0.1	<0.1	<0.1	142	6.91
98866	Drill Core	4.21	0.007	0.7	110.3	3.3	60	<0.1	110.9	25.3	713	4.27	1.6	<0.5	0.6	109	<0.1	<0.1	<0.1	140	4.48
98867	Drill Core	4.54	0.009	0.8	99.0	3.4	56	<0.1	96.4	23.3	606	3.96	1.2	<0.5	0.6	105	<0.1	<0.1	<0.1	136	4.58
98868	Drill Core	4.54	0.008	0.7	107.2	3.3	60	<0.1	119.3	30.7	642	4.59	2.5	0.5	0.6	173	<0.1	<0.1	<0.1	127	3.94
98869	Drill Core	4.45	0.007	0.6	94.4	3.3	54	<0.1	110.3	36.5	826	5.74	4.1	<0.5	0.6	137	<0.1	0.1	<0.1	139	4.44
98870 DUP 98872 REJECT	Drill Core		0.006	0.7	106.9	3.1	57	<0.1	99.9	24.9	673	4.33	1.9	<0.5	0.6	86	<0.1	<0.1	<0.1	140	4.30
98871	Drill Core	4.51	0.009	0.6	101.6	3.5	54	<0.1	103.2	27.3	667	4.05	2.1	3.1	0.5	94	<0.1	<0.1	<0.1	125	4.89
98872	Drill Core	4.83	0.008	0.8	113.6	3.2	61	0.1	108.1	27.3	670	4.52	1.8	3.6	0.7	78	<0.1	<0.1	<0.1	142	4.18
98873	Drill Core	4.27	0.008	0.8	107.1	4.3	60	<0.1	97.0	27.6	683	4.29	3.4	2.3	0.6	90	<0.1	0.1	<0.1	142	4.89
98874	Drill Core	4.45	0.007	0.9	95.6	3.3	55	<0.1	104.1	25.3	706	4.18	1.4	2.9	0.6	128	<0.1	<0.1	<0.1	137	4.97
98875	Drill Core	4.23	0.008	0.8	119.8	3.6	58	<0.1	109.2	27.8	686	4.41	1.5	2.7	0.6	135	<0.1	<0.1	<0.1	136	4.41
98876	Drill Core	4.22	0.007	0.5	102.1	2.6	57	<0.1	97.7	22.4	580	3.79	0.6	2.6	0.6	108	<0.1	<0.1	<0.1	137	5.13
98877	Drill Core	4.36	0.008	0.6	107.3	3.2	53	<0.1	99.8	26.1	715	4.32	1.5	2.3	0.6	117	<0.1	<0.1	<0.1	150	6.34
98878	Drill Core	4.57	0.009	0.8	123.1	3.0	58	<0.1	115.1	27.5	639	4.44	0.8	3.0	0.6	198	<0.1	<0.1	<0.1	133	2.56
98879	Drill Core	4.34	0.009	0.4	98.8	3.3	55	<0.1	94.9	24.3	565	3.93	1.0	1.0	0.6	85	<0.1	<0.1	<0.1	130	5.95
98880	Rock Pulp	0.11	0.977	353.5	3355	23.4	57	2.0	30.9	8.4	451	3.20	14.3	797.5	1.2	38	0.2	3.9	0.6	50	0.68
98881	Drill Core	4.69	0.005	0.7	121.5	3.1	59	<0.1	111.6	26.3	583	4.35	<0.5	6.5	0.6	181	<0.1	<0.1	<0.1	129	2.52
98882	Drill Core	4.58	0.007	0.7	115.3	3.2	59	0.1	108.9	24.9	595	4.27	1.2	4.7	0.6	202	<0.1	<0.1	<0.1	130	3.99
98883	Drill Core	4.48	0.006	0.5	104.6	3.1	55	<0.1	93.2	24.5	579	3.98	2.2	4.9	0.5	208	0.1	0.2	<0.1	126	5.36
98884	Drill Core	4.35	0.007	0.8	100.7	2.6	54	<0.1	93.1	23.3	593	3.86	1.3	4.3	0.6	214	0.1	<0.1	<0.1	128	4.83
98885	Rock	2.63	0.008	0.3	98.3	2.2	52	<0.1	79.2	26.4	691	3.66	1.0	3.2	0.4	132	<0.1	<0.1	<0.1	136	6.62
98886	Drill Core	4.68	0.006	0.5	104.0	3.1	61	<0.1	96.9	24.6	570	4.12	2.4	4.6	0.5	84	0.1	<0.1	<0.1	128	5.23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98857	Drill Core	0.110	5	122	2.05	42	0.228	5	2.78	0.330	0.13	<0.1	<0.01	4.3	<0.1	0.54	8	<0.5	<0.2
98858	Drill Core	0.108	4	115	1.70	36	0.227	6	2.55	0.324	0.11	<0.1	<0.01	3.7	<0.1	0.45	7	<0.5	<0.2
98859	Drill Core	0.109	4	123	2.44	42	0.218	10	3.40	0.586	0.13	<0.1	<0.01	2.9	<0.1	<0.05	7	<0.5	<0.2
98860	Rock Pulp	0.073	12	16	0.64	184	0.072	5	1.03	0.061	0.41	0.2	0.08	4.2	0.1	0.31	7	3.6	0.3
98861	Drill Core	0.092	4	103	2.30	30	0.210	6	2.47	0.326	0.10	<0.1	<0.01	3.5	<0.1	0.53	6	<0.5	<0.2
98862	Drill Core	0.104	4	110	1.91	22	0.203	10	2.86	0.229	0.10	<0.1	<0.01	3.1	0.1	<0.05	9	<0.5	<0.2
98863	Drill Core	0.116	5	114	1.98	15	0.239	10	2.68	0.128	0.07	<0.1	<0.01	3.0	<0.1	0.05	9	<0.5	<0.2
98864	Drill Core	0.109	5	112	2.07	24	0.252	23	2.74	0.245	0.12	<0.1	<0.01	4.5	<0.1	0.92	8	<0.5	<0.2
98865	Rock	0.091	5	46	0.92	20	0.236	18	3.73	1.055	0.17	<0.1	<0.01	5.0	<0.1	0.06	9	<0.5	<0.2
98866	Drill Core	0.107	5	121	2.06	23	0.268	13	2.61	0.294	0.13	<0.1	<0.01	5.0	<0.1	0.60	8	<0.5	<0.2
98867	Drill Core	0.122	5	119	1.73	20	0.254	9	2.48	0.122	0.10	<0.1	<0.01	3.8	<0.1	0.32	9	<0.5	<0.2
98868	Drill Core	0.109	4	115	2.15	32	0.239	41	2.59	0.244	0.14	<0.1	<0.01	4.1	<0.1	0.30	8	<0.5	<0.2
98869	Drill Core	0.115	4	105	1.73	24	0.229	23	2.27	0.173	0.11	0.2	<0.01	3.5	<0.1	0.63	7	<0.5	<0.2
98870 DUP 98872 REJECT	Drill Core	0.119	5	126	2.05	19	0.253	9	2.73	0.125	0.10	<0.1	<0.01	5.0	<0.1	0.30	9	<0.5	<0.2
98871	Drill Core	0.101	4	113	1.88	16	0.245	10	2.33	0.250	0.10	<0.1	0.01	4.3	<0.1	0.69	7	<0.5	<0.2
98872	Drill Core	0.115	5	128	2.16	14	0.257	9	2.70	0.127	0.09	<0.1	<0.01	4.6	<0.1	0.32	9	<0.5	<0.2
98873	Drill Core	0.106	5	124	1.90	16	0.260	10	2.70	0.155	0.09	<0.1	0.01	4.7	<0.1	0.77	9	<0.5	<0.2
98874	Drill Core	0.112	5	125	1.79	17	0.246	12	2.60	0.255	0.10	<0.1	<0.01	4.6	<0.1	0.49	9	<0.5	<0.2
98875	Drill Core	0.101	5	127	1.93	23	0.250	10	2.64	0.182	0.12	<0.1	0.01	4.4	<0.1	0.54	9	<0.5	<0.2
98876	Drill Core	0.119	5	126	1.33	21	0.244	10	2.40	0.174	0.11	<0.1	<0.01	3.9	<0.1	<0.05	9	<0.5	<0.2
98877	Drill Core	0.114	5	129	1.69	18	0.250	21	2.66	0.147	0.09	<0.1	<0.01	5.3	<0.1	0.19	10	<0.5	<0.2
98878	Drill Core	0.117	5	132	2.44	43	0.213	11	2.97	0.360	0.14	<0.1	<0.01	4.2	<0.1	0.05	7	<0.5	<0.2
98879	Drill Core	0.107	4	120	1.51	13	0.228	8	2.69	0.116	0.08	<0.1	<0.01	3.3	<0.1	0.07	10	<0.5	<0.2
98880	Rock Pulp	0.048	5	32	0.58	131	0.110	5	1.24	0.090	0.11	0.8	0.08	4.3	<0.1	0.38	5	0.6	<0.2
98881	Drill Core	0.118	5	120	2.43	26	0.200	9	2.91	0.298	0.13	<0.1	<0.01	3.3	<0.1	<0.05	8	<0.5	<0.2
98882	Drill Core	0.113	5	120	2.16	22	0.224	9	2.87	0.228	0.10	<0.1	<0.01	3.5	<0.1	0.16	9	<0.5	<0.2
98883	Drill Core	0.108	4	116	1.62	32	0.220	6	2.33	0.313	0.13	<0.1	<0.01	3.7	<0.1	0.45	7	<0.5	<0.2
98884	Drill Core	0.110	5	115	1.65	27	0.221	13	2.49	0.273	0.11	<0.1	<0.01	3.2	<0.1	0.16	7	<0.5	<0.2
98885	Rock	0.090	4	46	0.90	19	0.213	15	3.51	0.994	0.16	<0.1	0.01	4.9	<0.1	0.07	8	<0.5	<0.2
98886	Drill Core	0.106	5	117	1.76	12	0.244	20	2.80	0.101	0.09	<0.1	<0.01	3.9	<0.1	0.34	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98887	Drill Core	4.65	0.012	1.0	117.6	4.6	61	<0.1	113.0	26.2	673	4.40	<0.5	3.6	0.6	191	<0.1	<0.1	<0.1	138	2.67
98888	Drill Core	4.70	<0.005	0.7	109.5	3.5	57	<0.1	99.2	24.1	596	4.14	<0.5	5.0	0.6	102	0.1	<0.1	<0.1	130	4.95
98889	Drill Core	4.32	0.005	0.5	90.7	3.7	53	<0.1	85.6	22.3	571	3.94	1.5	1.5	0.6	91	<0.1	<0.1	<0.1	132	5.57
98890 DUP 98892 REJECT	Drill Core		0.009	0.9	98.2	3.9	62	<0.1	98.1	25.7	581	4.53	3.2	1.1	0.7	105	<0.1	0.2	<0.1	135	5.27
98891	Drill Core	4.63	<0.005	0.9	117.6	4.5	61	<0.1	111.2	26.1	658	4.38	<0.5	3.8	0.7	186	<0.1	<0.1	<0.1	136	2.48
98892	Drill Core	3.37	0.005	0.7	92.5	3.3	58	<0.1	97.9	24.6	571	4.31	3.3	2.9	0.5	95	<0.1	0.2	<0.1	127	5.07
98893	Drill Core	4.84	0.007	0.6	98.0	3.3	55	<0.1	94.7	23.4	555	4.04	2.0	1.0	0.6	119	<0.1	0.1	<0.1	124	5.69
98894	Drill Core	4.36	0.007	0.7	100.3	3.3	58	<0.1	97.0	24.3	639	3.97	0.8	2.7	0.7	116	<0.1	<0.1	<0.1	134	4.33
98895	Drill Core	4.07	0.007	0.6	98.7	4.0	57	<0.1	98.9	24.1	615	4.06	2.1	3.1	0.6	127	<0.1	0.2	<0.1	133	5.31
98896	Drill Core	4.42	0.007	0.6	102.4	3.7	60	<0.1	103.5	25.6	632	4.38	1.9	1.7	0.7	128	<0.1	<0.1	<0.1	141	3.37
98897	Drill Core	4.38	0.008	0.6	95.0	3.8	54	<0.1	89.7	22.9	584	4.03	1.7	2.7	0.6	94	<0.1	<0.1	<0.1	136	6.01
98766	Drill Core	4.42	0.006	0.8	105.4	3.7	55	<0.1	115.3	24.8	554	3.90	2.6	1.4	0.5	170	<0.1	0.1	<0.1	117	4.31
98767	Drill Core	4.31	0.010	0.7	113.9	3.5	61	0.1	138.5	28.6	642	3.94	0.9	<0.5	0.5	110	<0.1	<0.1	<0.1	132	4.41
98768	Drill Core	4.24	0.011	0.7	112.4	3.7	59	<0.1	128.2	27.7	595	4.35	1.7	<0.5	0.5	245	<0.1	<0.1	<0.1	125	3.76
98769	Drill Core	4.45	0.011	0.6	118.7	2.5	57	<0.1	125.6	25.9	635	3.93	0.7	2.2	0.5	283	<0.1	<0.1	<0.1	132	4.09
98770 DUP 98772 REJECT	Drill Core		0.015	0.7	78.2	2.7	51	<0.1	89.0	19.0	571	4.03	3.1	0.6	0.6	245	<0.1	0.2	<0.1	144	4.82
98771	Drill Core	4.74	0.011	0.6	107.7	2.8	58	<0.1	109.5	25.0	682	4.15	1.2	1.6	0.6	154	<0.1	<0.1	<0.1	132	4.15
98772	Drill Core	4.40	0.011	0.6	75.7	2.6	50	<0.1	88.0	19.6	580	3.99	2.9	1.2	0.6	255	<0.1	0.2	<0.1	144	4.84
98773	Drill Core	4.07	0.010	1.0	105.6	3.5	50	<0.1	92.2	21.8	790	4.16	2.6	0.9	0.4	240	<0.1	0.2	<0.1	129	6.78
98774	Drill Core	4.41	0.011	0.6	101.9	2.7	54	0.1	96.5	22.9	637	3.87	1.2	2.2	0.5	141	<0.1	<0.1	<0.1	131	4.14
98775	Drill Core	4.56	0.011	0.6	101.5	2.8	54	<0.1	100.5	23.3	636	3.80	1.3	2.0	0.5	193	<0.1	<0.1	<0.1	141	3.97
98776	Drill Core	4.10	0.010	0.7	91.2	2.6	51	0.1	91.9	21.9	712	3.69	1.8	0.7	0.5	214	<0.1	<0.1	<0.1	139	6.23
98777	Drill Core	4.31	0.016	0.6	96.5	3.2	54	<0.1	95.7	22.5	656	4.04	2.0	1.3	0.5	194	<0.1	<0.1	<0.1	142	4.65
98778	Drill Core	4.45	0.010	0.6	81.3	2.6	50	<0.1	91.1	19.5	558	3.84	1.4	1.5	0.5	216	<0.1	<0.1	<0.1	124	5.03
98779	Drill Core	4.19	0.011	0.6	94.5	3.0	55	<0.1	96.3	21.3	619	3.74	1.3	<0.5	0.5	156	<0.1	<0.1	<0.1	124	4.76
98780	Rock Pulp	0.11	0.010	2.9	21.5	2.4	34	0.4	18.3	8.8	305	1.90	3.5	0.8	1.0	32	0.2	0.3	<0.1	47	0.71
98781	Drill Core	4.16	0.011	0.6	97.4	2.9	55	<0.1	93.1	22.2	669	3.83	1.4	1.0	0.5	196	<0.1	<0.1	<0.1	124	5.13
98782	Drill Core	4.12	0.011	0.7	97.4	1.7	52	<0.1	95.7	21.1	556	3.52	0.7	1.4	0.6	273	<0.1	<0.1	<0.1	124	4.36
98783	Drill Core	4.09	0.009	0.7	103.5	2.7	53	<0.1	104.1	22.6	630	3.78	1.4	1.6	0.5	292	<0.1	<0.1	<0.1	123	5.41
98784	Drill Core	4.12	0.010	0.5	86.9	3.0	50	<0.1	82.3	18.5	578	3.33	0.7	0.6	0.5	213	<0.1	<0.1	<0.1	123	5.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98887	Drill Core	0.119	5	129	2.39	23	0.232	11	2.84	0.256	0.13	<0.1	<0.01	4.1	<0.1	0.06	8	<0.5	<0.2
98888	Drill Core	0.113	4	118	1.96	12	0.227	12	3.26	0.153	0.10	<0.1	<0.01	4.6	<0.1	<0.05	11	<0.5	<0.2
98889	Drill Core	0.111	4	113	1.49	15	0.231	10	2.48	0.124	0.10	<0.1	<0.01	4.1	<0.1	0.24	8	<0.5	<0.2
98890 DUP 98892 REJECT	Drill Core	0.109	5	110	1.95	16	0.248	9	2.56	0.152	0.11	0.1	<0.01	4.3	<0.1	0.84	9	<0.5	<0.2
98891	Drill Core	0.117	5	124	2.39	20	0.231	5	2.78	0.253	0.12	0.1	<0.01	3.9	<0.1	0.05	8	<0.5	<0.2
98892	Drill Core	0.104	4	116	1.84	14	0.231	8	2.39	0.143	0.10	<0.1	<0.01	4.1	<0.1	0.82	8	<0.5	<0.2
98893	Drill Core	0.113	4	113	1.82	14	0.223	9	2.82	0.130	0.09	0.1	<0.01	3.3	<0.1	0.34	9	<0.5	<0.2
98894	Drill Core	0.118	5	117	1.77	23	0.243	6	2.53	0.161	0.15	<0.1	<0.01	4.1	<0.1	0.07	8	<0.5	<0.2
98895	Drill Core	0.116	5	118	1.67	18	0.241	9	2.59	0.152	0.11	<0.1	<0.01	4.1	<0.1	0.32	8	<0.5	<0.2
98896	Drill Core	0.115	5	130	2.01	27	0.250	7	2.58	0.215	0.17	<0.1	<0.01	5.2	<0.1	0.25	7	<0.5	<0.2
98897	Drill Core	0.111	5	111	1.70	13	0.221	10	3.16	0.119	0.09	<0.1	<0.01	4.1	<0.1	0.26	10	<0.5	<0.2
98766	Drill Core	0.093	4	105	2.09	42	0.217	7	2.42	0.267	0.15	<0.1	<0.01	3.9	<0.1	0.47	7	<0.5	<0.2
98767	Drill Core	0.109	4	106	1.98	25	0.228	23	2.31	0.162	0.11	<0.1	<0.01	4.0	<0.1	0.07	8	<0.5	<0.2
98768	Drill Core	0.093	4	104	2.21	37	0.219	10	2.82	0.337	0.14	<0.1	<0.01	4.0	<0.1	0.16	8	<0.5	<0.2
98769	Drill Core	0.092	4	110	2.01	45	0.216	64	2.69	0.372	0.15	<0.1	<0.01	3.9	<0.1	0.07	7	<0.5	<0.2
98770 DUP 98772 REJECT	Drill Core	0.122	5	117	1.80	45	0.231	4	2.53	0.310	0.13	<0.1	<0.01	4.1	<0.1	0.87	6	<0.5	<0.2
98771	Drill Core	0.100	4	116	2.39	33	0.217	10	2.66	0.236	0.12	<0.1	<0.01	4.9	<0.1	0.33	7	<0.5	<0.2
98772	Drill Core	0.121	5	118	1.80	44	0.220	2	2.45	0.298	0.13	<0.1	<0.01	4.0	<0.1	0.83	7	<0.5	<0.2
98773	Drill Core	0.094	4	98	2.10	32	0.206	4	2.31	0.262	0.11	<0.1	<0.01	4.0	<0.1	1.02	6	<0.5	<0.2
98774	Drill Core	0.093	4	112	2.20	34	0.211	9	2.55	0.219	0.13	<0.1	<0.01	4.7	<0.1	0.34	7	<0.5	<0.2
98775	Drill Core	0.102	4	119	2.12	44	0.211	6	2.58	0.257	0.15	<0.1	<0.01	5.2	<0.1	0.38	7	<0.5	<0.2
98776	Drill Core	0.100	4	114	1.67	30	0.223	5	2.57	0.295	0.13	0.3	<0.01	6.4	<0.1	0.54	6	<0.5	<0.2
98777	Drill Core	0.103	4	121	1.98	41	0.221	5	2.49	0.277	0.15	0.2	<0.01	6.0	<0.1	0.71	7	<0.5	<0.2
98778	Drill Core	0.101	4	113	1.82	38	0.205	4	2.28	0.290	0.13	<0.1	<0.01	4.2	<0.1	1.08	6	<0.5	<0.2
98779	Drill Core	0.098	4	116	1.86	37	0.212	11	2.29	0.251	0.14	<0.1	<0.01	4.3	<0.1	0.71	6	<0.5	<0.2
98780	Rock Pulp	0.050	5	22	0.49	89	0.108	<1	1.12	0.066	0.08	17.2	0.03	3.8	<0.1	<0.05	4	<0.5	<0.2
98781	Drill Core	0.089	4	111	1.94	44	0.201	6	2.40	0.274	0.15	<0.1	<0.01	4.0	<0.1	0.71	6	<0.5	<0.2
98782	Drill Core	0.103	4	112	1.68	47	0.198	5	2.76	0.484	0.15	<0.1	<0.01	3.4	<0.1	0.37	6	<0.5	<0.2
98783	Drill Core	0.104	4	120	1.94	47	0.208	3	2.88	0.537	0.17	<0.1	<0.01	4.0	<0.1	0.53	7	<0.5	<0.2
98784	Drill Core	0.099	4	108	1.57	29	0.212	22	2.51	0.391	0.11	<0.1	<0.01	3.9	<0.1	0.19	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98785	Rock	1.86	0.009	0.3	93.3	2.1	53	<0.1	90.0	26.3	703	3.51	1.1	0.7	0.5	131	<0.1	<0.1	<0.1	136	6.73
98786	Drill Core	4.13	0.010	0.6	94.3	3.1	54	<0.1	91.5	20.5	610	3.62	2.0	<0.5	0.5	272	<0.1	<0.1	<0.1	133	5.58
98787	Drill Core	3.93	0.012	0.7	107.4	2.9	54	<0.1	104.6	22.3	547	3.53	0.5	1.1	0.5	221	<0.1	<0.1	<0.1	123	4.10
98788	Drill Core	4.22	0.011	0.8	112.7	2.5	54	<0.1	113.9	24.5	609	3.87	<0.5	<0.5	0.6	249	<0.1	<0.1	<0.1	124	3.44
98789	Drill Core	4.07	0.010	0.8	111.6	2.5	56	<0.1	112.0	24.2	646	4.01	<0.5	2.1	0.6	226	<0.1	<0.1	<0.1	139	3.18
98790 DUP 98792 REJECT	Drill Core		0.017	0.9	114.2	2.6	55	<0.1	105.7	23.6	632	4.00	<0.5	1.7	0.6	206	<0.1	<0.1	<0.1	128	2.83
98791	Drill Core	4.68	0.009	0.9	121.5	2.7	57	<0.1	114.0	25.2	610	4.21	<0.5	2.0	0.6	215	<0.1	<0.1	<0.1	135	2.68
98792	Drill Core	4.37	0.010	0.9	109.0	2.7	54	<0.1	108.6	24.9	652	4.19	<0.5	2.2	0.5	203	<0.1	<0.1	<0.1	129	3.07
98793	Drill Core	4.14	0.009	0.8	113.9	2.2	55	<0.1	111.6	24.9	632	4.12	<0.5	1.5	0.6	194	<0.1	<0.1	<0.1	131	2.18
98794	Drill Core	3.96	0.010	0.8	115.1	2.5	56	<0.1	109.7	24.2	578	4.05	<0.5	1.4	0.6	219	<0.1	<0.1	<0.1	130	2.78
98795	Drill Core	4.18	0.011	0.8	107.6	2.6	55	<0.1	111.0	23.8	568	3.77	0.5	2.1	0.5	207	<0.1	<0.1	<0.1	127	3.85
98796	Drill Core	4.31	0.011	0.8	132.4	3.6	51	<0.1	95.6	21.9	537	3.58	1.8	1.5	0.5	188	<0.1	0.1	<0.1	123	4.66
98797	Drill Core	4.08	0.009	0.5	80.4	2.9	56	<0.1	99.4	22.4	658	4.04	2.0	0.6	0.5	226	<0.1	<0.1	<0.1	135	5.44
98798	Drill Core	4.33	0.011	0.6	110.4	2.4	54	<0.1	107.3	22.5	539	3.65	1.1	2.3	0.6	254	<0.1	<0.1	<0.1	131	4.21
98799	Drill Core	4.24	0.009	0.6	87.4	2.6	53	<0.1	93.8	21.9	611	3.61	2.1	<0.5	0.5	188	<0.1	0.1	<0.1	126	5.42
98800	Rock Pulp	0.11	0.210	11.0	5337	6.0	86	1.8	11.2	7.6	610	4.21	1.8	174.0	4.3	67	0.4	0.2	0.7	60	1.06
98801	Drill Core	4.25	0.009	0.8	99.9	3.0	54	<0.1	102.7	23.0	604	3.75	2.1	<0.5	0.5	198	<0.1	0.1	<0.1	128	4.43
98802	Drill Core	4.08	0.009	0.8	114.7	2.2	54	<0.1	109.0	23.7	612	4.08	<0.5	1.3	0.5	226	<0.1	<0.1	<0.1	129	2.94
98803	Drill Core	4.11	0.010	0.9	106.8	1.7	54	<0.1	110.9	24.5	689	4.00	<0.5	<0.5	0.6	225	<0.1	<0.1	<0.1	138	3.04
98804	Drill Core	4.21	0.009	0.9	107.7	2.2	52	<0.1	107.5	24.5	633	4.06	<0.5	<0.5	0.6	219	<0.1	<0.1	<0.1	131	2.83
98805	Rock	2.62	0.009	0.3	91.8	2.3	51	<0.1	88.9	27.1	724	3.51	0.9	2.4	0.5	126	<0.1	<0.1	<0.1	133	6.42
98806	Drill Core	4.25	0.008	0.7	111.6	2.7	50	<0.1	94.1	21.3	570	3.60	0.6	2.1	0.6	186	<0.1	<0.1	<0.1	119	3.82
98807	Drill Core	4.20	0.008	0.7	102.8	1.7	49	<0.1	91.9	19.5	550	3.38	<0.5	2.0	0.5	190	<0.1	<0.1	<0.1	123	3.95
98808	Drill Core	4.01	0.012	0.8	119.0	3.6	62	<0.1	110.3	24.5	586	3.90	3.2	<0.5	0.5	180	<0.1	0.1	<0.1	127	3.30
98809	Drill Core	4.29	0.010	0.8	95.4	2.8	50	<0.1	93.0	22.6	563	3.50	3.1	<0.5	0.5	244	<0.1	0.2	<0.1	113	6.12
98810 DUP 98812 REJECT	Drill Core		0.011	0.8	117.9	2.3	53	<0.1	111.0	25.8	626	3.83	<0.5	0.8	0.5	275	<0.1	<0.1	<0.1	126	2.96
98811	Drill Core	4.68	0.008	1.0	118.2	2.2	56	<0.1	114.1	27.3	654	4.23	0.7	1.2	0.5	206	<0.1	<0.1	<0.1	132	2.67
98812	Drill Core	4.28	0.009	0.9	119.8	2.0	55	<0.1	111.2	25.9	621	3.84	<0.5	1.1	0.6	283	<0.1	<0.1	<0.1	126	2.97
98813	Drill Core	4.75	0.009	0.9	118.3	2.0	56	<0.1	111.0	26.3	705	4.11	<0.5	1.6	0.6	273	<0.1	<0.1	<0.1	131	2.04
98814	Drill Core	3.88	0.008	0.9	118.6	3.1	54	<0.1	114.4	28.0	669	4.14	<0.5	1.9	0.5	262	<0.1	<0.1	<0.1	128	2.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98785	Rock	0.090	4	48	0.91	19	0.219	14	3.60	1.036	0.18	<0.1	<0.01	4.7	<0.1	0.06	8	<0.5	<0.2
98786	Drill Core	0.110	4	119	1.67	46	0.221	4	2.76	0.510	0.15	<0.1	<0.01	4.3	<0.1	0.46	6	<0.5	<0.2
98787	Drill Core	0.096	4	109	1.83	40	0.208	4	2.51	0.350	0.14	<0.1	<0.01	3.6	<0.1	0.16	6	<0.5	<0.2
98788	Drill Core	0.098	4	116	2.19	47	0.204	5	2.97	0.435	0.15	<0.1	<0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
98789	Drill Core	0.118	4	127	1.95	50	0.213	6	2.91	0.349	0.14	<0.1	<0.01	2.9	<0.1	0.08	6	<0.5	<0.2
98790 DUP 98792 REJECT	Drill Core	0.108	4	117	2.58	42	0.190	11	3.04	0.322	0.13	<0.1	<0.01	3.2	<0.1	<0.05	7	<0.5	<0.2
98791	Drill Core	0.114	5	125	2.25	50	0.207	8	3.04	0.343	0.14	<0.1	<0.01	2.7	<0.1	<0.05	6	<0.5	<0.2
98792	Drill Core	0.103	4	122	2.71	43	0.197	7	3.12	0.323	0.13	<0.1	<0.01	3.2	<0.1	<0.05	7	<0.5	<0.2
98793	Drill Core	0.107	4	123	2.64	46	0.203	10	2.97	0.319	0.13	<0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
98794	Drill Core	0.111	5	119	2.20	50	0.202	6	2.93	0.329	0.14	<0.1	<0.01	2.5	<0.1	<0.05	6	<0.5	<0.2
98795	Drill Core	0.102	4	121	1.95	51	0.198	4	2.80	0.301	0.16	<0.1	<0.01	3.2	<0.1	0.11	6	<0.5	<0.2
98796	Drill Core	0.101	4	116	1.81	44	0.206	2	2.53	0.280	0.14	<0.1	<0.01	3.2	<0.1	0.38	6	<0.5	<0.2
98797	Drill Core	0.102	4	116	1.99	51	0.212	3	2.66	0.283	0.17	<0.1	<0.01	4.1	<0.1	0.53	7	<0.5	<0.2
98798	Drill Core	0.106	4	121	1.60	49	0.201	3	2.74	0.334	0.14	<0.1	<0.01	2.9	<0.1	0.25	6	<0.5	<0.2
98799	Drill Core	0.097	4	114	1.88	40	0.207	4	2.43	0.253	0.14	<0.1	<0.01	4.0	<0.1	0.60	6	<0.5	<0.2
98800	Rock Pulp	0.068	11	16	0.61	178	0.074	2	1.01	0.062	0.40	0.2	0.09	4.1	0.1	0.33	6	2.9	0.3
98801	Drill Core	0.098	4	118	1.96	47	0.209	4	2.64	0.275	0.16	<0.1	<0.01	3.8	<0.1	0.51	6	<0.5	<0.2
98802	Drill Core	0.104	4	115	2.39	51	0.189	8	3.09	0.343	0.15	<0.1	<0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
98803	Drill Core	0.107	4	120	2.12	51	0.205	5	2.90	0.351	0.16	<0.1	<0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
98804	Drill Core	0.107	4	118	2.44	48	0.196	8	3.07	0.365	0.14	<0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
98805	Rock	0.080	4	45	0.92	19	0.218	12	3.60	1.058	0.18	<0.1	<0.01	4.7	<0.1	0.07	8	<0.5	<0.2
98806	Drill Core	0.099	4	109	1.92	36	0.195	3	2.58	0.283	0.11	<0.1	<0.01	2.5	<0.1	0.08	6	<0.5	<0.2
98807	Drill Core	0.102	4	112	1.73	37	0.206	8	2.37	0.269	0.12	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
98808	Drill Core	0.098	4	117	1.76	47	0.208	38	2.52	0.350	0.16	<0.1	<0.01	3.6	<0.1	0.38	6	<0.5	<0.2
98809	Drill Core	0.102	4	112	1.56	26	0.213	6	2.30	0.347	0.11	0.1	<0.01	3.1	<0.1	0.59	6	<0.5	<0.2
98810 DUP 98812 REJECT	Drill Core	0.103	4	121	2.00	41	0.212	6	2.73	0.371	0.12	<0.1	<0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
98811	Drill Core	0.111	4	125	2.55	43	0.205	8	3.09	0.353	0.12	0.1	<0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
98812	Drill Core	0.104	4	128	1.99	42	0.215	7	2.77	0.386	0.13	<0.1	<0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
98813	Drill Core	0.107	4	125	2.68	43	0.214	11	3.07	0.398	0.14	0.1	<0.01	2.2	<0.1	<0.05	6	<0.5	<0.2
98814	Drill Core	0.113	4	131	2.92	38	0.206	10	3.13	0.376	0.12	<0.1	<0.01	2.2	<0.1	0.07	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98815	Drill Core	4.27	0.009	0.9	129.2	2.3	61	<0.1	123.1	29.6	759	4.52	<0.5	2.2	0.6	261	<0.1	<0.1	<0.1	147	2.19
98816	Drill Core	4.39	0.009	0.7	118.8	2.2	56	<0.1	112.3	26.7	670	4.23	<0.5	1.3	0.6	197	<0.1	<0.1	<0.1	136	2.73
98817	Drill Core	4.30	0.009	0.9	119.7	2.3	54	<0.1	108.3	26.8	608	4.13	<0.5	2.0	0.5	213	<0.1	<0.1	<0.1	123	2.85
98818	Drill Core	4.31	0.009	0.9	110.8	2.1	55	<0.1	103.7	24.7	596	3.99	0.8	1.9	0.6	467	<0.1	<0.1	<0.1	125	4.52
98819	Drill Core	3.45	0.007	0.3	69.8	1.9	49	<0.1	79.7	19.5	612	3.34	1.9	<0.5	0.5	223	0.1	<0.1	<0.1	137	6.07
98820	Rock Pulp	0.11	1.080	340.4	3790	23.6	58	1.9	33.3	9.5	451	3.18	14.4	712.7	1.1	34	0.6	3.3	0.5	49	0.68
98821	Drill Core	4.31	0.009	0.9	111.1	2.4	52	<0.1	106.9	26.0	532	3.96	<0.5	2.1	0.6	251	<0.1	<0.1	<0.1	118	3.93
98822	Drill Core	4.11	0.009	0.6	126.1	3.4	53	0.1	108.0	27.6	593	3.88	<0.5	1.1	0.5	187	<0.1	<0.1	<0.1	122	3.73
98823	Drill Core	4.44	0.009	0.9	115.1	2.9	60	<0.1	111.9	28.3	590	4.08	1.5	0.8	0.5	189	<0.1	<0.1	<0.1	131	2.76
98824	Drill Core	4.77	0.009	0.9	125.9	2.2	57	<0.1	116.5	27.8	601	4.20	<0.5	1.9	0.6	222	<0.1	<0.1	<0.1	127	2.64
98825	Rock	2.79	0.007	0.3	97.0	2.1	50	<0.1	87.6	27.6	692	3.61	0.7	1.1	0.5	139	0.2	<0.1	<0.1	141	7.06
98826	Drill Core	4.13	0.005	0.7	113.2	2.4	58	<0.1	101.4	25.2	616	3.91	1.3	3.3	0.6	275	0.1	0.1	<0.1	121	4.95
98827	Drill Core	4.37	0.015	0.6	90.7	2.3	55	<0.1	100.3	24.5	636	3.98	0.9	3.8	0.6	256	0.1	<0.1	<0.1	130	5.17
98828	Drill Core	4.26	0.011	0.7	110.6	2.3	54	<0.1	105.4	26.3	692	4.45	<0.5	2.7	0.6	417	<0.1	<0.1	<0.1	124	3.54
98829	Drill Core	4.79	0.011	0.7	117.4	2.0	56	<0.1	110.1	26.0	630	4.17	<0.5	3.4	0.6	265	<0.1	<0.1	<0.1	133	2.78
98830 DUP 98832 REJECT	Drill Core		0.008	0.7	112.1	2.6	55	<0.1	96.4	23.9	634	3.93	<0.5	2.2	0.6	378	<0.1	<0.1	<0.1	126	4.04
98831	Drill Core	5.47	0.008	0.8	116.2	2.1	57	<0.1	108.4	25.7	575	4.14	<0.5	4.3	0.6	215	<0.1	<0.1	<0.1	120	2.68
98700	Rock Pulp	0.11	1.086	331.8	3155	21.9	52	1.7	29.0	8.1	413	3.00	12.8	740.1	1.1	32	0.3	3.2	0.4	47	0.66
98701	Drill Core	3.09	0.027	0.6	241.1	1.5	58	0.5	17.5	27.3	1487	5.60	1.7	13.6	0.9	125	<0.1	<0.1	<0.1	175	5.16
98702	Drill Core	4.02	0.009	0.6	112.6	2.9	59	<0.1	133.6	29.3	702	4.59	<0.5	4.5	0.6	192	<0.1	<0.1	<0.1	160	3.31
98703	Drill Core	4.84	0.008	0.6	113.7	3.0	62	<0.1	129.8	31.2	826	4.69	<0.5	5.7	0.5	216	<0.1	<0.1	<0.1	163	4.30
98704	Drill Core	4.19	0.009	0.8	114.3	3.7	57	<0.1	127.0	29.8	692	4.58	1.7	4.0	0.6	225	<0.1	<0.1	<0.1	150	3.46
98705	Rock	1.94	0.006	0.4	98.3	2.1	55	<0.1	91.2	29.6	740	3.71	0.7	1.8	0.5	143	<0.1	<0.1	<0.1	135	8.20
98706	Drill Core	4.46	0.007	0.9	116.1	2.8	57	<0.1	117.3	27.2	740	4.32	1.6	3.1	0.6	256	<0.1	<0.1	<0.1	147	5.64
98707	Drill Core	4.79	0.009	0.7	102.8	2.8	54	<0.1	109.4	25.6	690	3.96	1.4	3.0	0.6	248	<0.1	<0.1	<0.1	144	6.17
98708	Drill Core	4.81	0.008	0.8	121.7	3.6	54	<0.1	113.7	26.8	748	4.21	1.4	0.9	0.6	203	<0.1	<0.1	<0.1	142	5.40
98709	Drill Core	4.03	0.008	0.6	120.7	3.2	57	<0.1	119.7	28.4	699	4.31	0.6	1.4	0.6	195	<0.1	<0.1	<0.1	151	4.03
98710 DUP 98712 RJECT	Drill Core		0.009	0.7	114.9	3.7	59	<0.1	120.4	27.1	721	4.41	<0.5	0.9	0.6	200	0.1	<0.1	<0.1	152	3.70
98711	Drill Core	4.55	0.007	0.7	102.6	2.9	53	<0.1	107.3	25.3	703	3.96	1.5	<0.5	0.5	255	0.1	0.1	<0.1	143	5.94
98712	Drill Core	4.81	0.008	0.6	114.7	3.6	59	<0.1	124.6	27.6	726	4.33	0.6	<0.5	0.6	206	<0.1	<0.1	<0.1	159	3.56

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98815	Drill Core	0.115	5	137	2.89	50	0.225	12	3.37	0.419	0.16	0.1	<0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
98816	Drill Core	0.110	4	131	2.78	45	0.217	9	3.12	0.354	0.13	<0.1	<0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
98817	Drill Core	0.107	4	123	2.56	44	0.196	7	3.13	0.393	0.12	<0.1	<0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
98818	Drill Core	0.114	5	125	2.17	42	0.228	6	3.30	0.592	0.13	0.1	<0.01	2.5	<0.1	0.08	7	<0.5	<0.2
98819	Drill Core	0.112	4	122	1.59	45	0.223	5	2.43	0.284	0.13	<0.1	<0.01	3.5	<0.1	0.35	6	<0.5	<0.2
98820	Rock Pulp	0.053	5	35	0.62	128	0.117	4	1.37	0.088	0.11	0.8	0.09	4.1	<0.1	0.37	5	0.9	0.2
98821	Drill Core	0.107	4	123	2.10	48	0.204	5	2.96	0.339	0.13	0.2	<0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
98822	Drill Core	0.092	4	123	2.12	46	0.215	7	2.52	0.293	0.16	<0.1	<0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
98823	Drill Core	0.097	4	130	2.37	47	0.219	6	2.76	0.308	0.15	0.1	<0.01	3.3	<0.1	0.21	7	<0.5	<0.2
98824	Drill Core	0.107	5	133	2.59	48	0.206	9	3.26	0.391	0.13	<0.1	<0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
98825	Rock	0.090	4	52	0.92	24	0.243	14	3.72	1.078	0.24	0.1	<0.01	4.9	<0.1	0.06	8	<0.5	<0.2
98826	Drill Core	0.105	4	125	1.89	46	0.204	6	2.71	0.330	0.11	<0.1	<0.01	3.0	<0.1	0.29	6	<0.5	<0.2
98827	Drill Core	0.117	4	124	2.00	44	0.212	6	2.86	0.356	0.11	<0.1	<0.01	3.0	<0.1	0.17	7	<0.5	<0.2
98828	Drill Core	0.103	4	121	2.66	34	0.210	8	3.18	0.455	0.11	<0.1	<0.01	3.4	<0.1	0.10	7	<0.5	<0.2
98829	Drill Core	0.108	4	125	2.24	44	0.193	11	3.02	0.384	0.10	<0.1	<0.01	2.4	<0.1	<0.05	7	<0.5	<0.2
98830 DUP 98832 REJECT	Drill Core	0.110	4	128	2.15	36	0.217	8	3.10	0.548	0.11	<0.1	<0.01	3.6	<0.1	0.07	6	<0.5	<0.2
98831	Drill Core	0.111	4	123	2.42	47	0.195	9	3.03	0.359	0.12	<0.1	<0.01	3.3	<0.1	<0.05	7	<0.5	<0.2
98700	Rock Pulp	0.046	5	31	0.55	122	0.106	3	1.20	0.081	0.10	0.7	0.07	4.3	<0.1	0.37	4	0.5	<0.2
98701	Drill Core	0.237	6	40	2.83	34	0.089	4	2.87	0.045	0.11	0.2	0.01	12.0	<0.1	0.17	9	<0.5	<0.2
98702	Drill Core	0.104	4	116	2.91	47	0.263	12	3.09	0.266	0.16	<0.1	0.01	6.1	<0.1	0.13	8	<0.5	<0.2
98703	Drill Core	0.104	5	119	3.03	46	0.253	11	3.20	0.264	0.18	<0.1	<0.01	6.3	<0.1	0.20	8	<0.5	<0.2
98704	Drill Core	0.098	4	119	2.69	54	0.258	9	3.17	0.303	0.16	<0.1	<0.01	6.1	<0.1	0.47	8	<0.5	<0.2
98705	Rock	0.096	4	44	0.89	21	0.237	16	3.51	0.955	0.15	<0.1	<0.01	4.7	<0.1	<0.05	8	<0.5	<0.2
98706	Drill Core	0.108	4	116	2.40	61	0.246	9	3.13	0.301	0.16	<0.1	<0.01	5.3	<0.1	0.56	8	<0.5	<0.2
98707	Drill Core	0.103	4	117	2.12	54	0.229	8	2.75	0.275	0.16	<0.1	<0.01	4.9	<0.1	0.55	7	<0.5	<0.2
98708	Drill Core	0.109	4	111	2.66	45	0.242	7	2.86	0.257	0.13	<0.1	<0.01	5.4	<0.1	0.33	8	<0.5	<0.2
98709	Drill Core	0.106	4	117	2.72	46	0.241	9	2.99	0.278	0.14	<0.1	<0.01	5.7	<0.1	0.21	7	<0.5	<0.2
98710 DUP 98712 RJECT	Drill Core	0.107	5	117	2.84	38	0.255	11	2.99	0.252	0.11	<0.1	<0.01	5.8	<0.1	0.23	8	<0.5	<0.2
98711	Drill Core	0.106	4	109	2.12	56	0.231	9	2.84	0.287	0.17	<0.1	<0.01	5.1	<0.1	0.53	7	<0.5	<0.2
98712	Drill Core	0.100	5	117	3.04	40	0.252	9	3.04	0.273	0.12	<0.1	<0.01	5.9	<0.1	0.21	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98713	Drill Core	5.01	0.008	0.6	114.1	3.4	57	<0.1	127.2	28.2	693	4.55	0.6	1.2	0.6	208	<0.1	<0.1	<0.1	153	2.69
98714	Drill Core	4.35	0.008	0.7	109.6	3.1	56	<0.1	125.6	27.8	682	4.30	1.0	1.6	0.5	218	<0.1	<0.1	<0.1	143	3.77
98715	Drill Core	4.70	0.007	0.7	119.3	3.3	56	<0.1	128.0	27.6	757	4.06	0.6	3.2	0.5	207	<0.1	<0.1	<0.1	142	5.51
98716	Drill Core	3.94	0.007	0.6	114.9	2.9	54	<0.1	125.0	26.0	648	4.10	<0.5	0.7	0.5	180	0.1	<0.1	<0.1	125	4.05
98717	Drill Core	4.51	0.006	0.5	109.0	2.9	54	<0.1	114.6	26.0	622	4.11	<0.5	2.0	0.6	187	0.2	<0.1	<0.1	148	4.63
98718	Drill Core	4.29	0.008	0.6	122.1	2.7	55	<0.1	123.6	27.0	728	4.17	0.7	1.4	0.5	189	0.1	<0.1	<0.1	129	5.25
98719	Drill Core	4.17	0.006	0.6	108.9	3.1	54	<0.1	119.3	25.8	637	4.20	<0.5	0.9	0.6	194	<0.1	<0.1	<0.1	139	3.61
98720	Rock Pulp	0.11	0.221	10.6	5421	5.6	87	1.8	11.3	8.0	603	4.21	1.9	213.7	4.2	67	0.4	0.2	0.7	58	1.09
98721	Drill Core	4.47	0.010	0.7	116.0	3.5	56	<0.1	109.6	25.3	720	4.08	0.7	8.6	0.5	190	0.1	<0.1	<0.1	141	4.91
98722	Drill Core	4.50	0.007	0.7	110.7	2.9	53	<0.1	110.6	24.4	731	3.78	0.5	7.5	0.5	228	0.1	<0.1	<0.1	126	5.80
98723	Drill Core	4.39	0.008	0.8	114.4	2.8	53	<0.1	107.2	24.0	620	3.91	0.9	2.5	0.6	195	<0.1	<0.1	<0.1	128	5.02
98724	Drill Core	4.66	0.012	0.8	107.1	3.2	53	<0.1	102.1	24.0	638	3.75	1.0	2.7	0.5	206	<0.1	<0.1	<0.1	139	5.45
98725	Rock	1.96	0.008	0.4	97.0	2.0	51	<0.1	88.4	27.3	716	3.53	0.7	1.1	0.5	139	<0.1	<0.1	<0.1	130	7.84
98726	Drill Core	4.31	0.008	0.7	117.8	3.0	55	<0.1	134.3	28.9	785	3.47	0.8	1.7	0.5	241	<0.1	<0.1	<0.1	143	7.79
98727	Drill Core	4.12	0.007	0.8	120.5	2.7	52	<0.1	104.5	23.9	666	3.72	1.6	2.3	0.5	332	0.1	<0.1	<0.1	130	5.83
98728	Drill Core	4.40	0.010	0.9	120.8	2.5	55	<0.1	114.1	26.0	579	4.24	<0.5	1.5	0.6	315	<0.1	<0.1	<0.1	136	3.08
98729	Drill Core	4.37	0.008	0.7	123.7	2.4	57	<0.1	117.2	25.8	627	4.36	<0.5	2.2	0.6	252	<0.1	<0.1	<0.1	145	2.24
98730 DUP 98732 REJECT	Drill Core		0.009	0.7	123.1	3.2	48	0.1	103.1	23.0	713	3.62	3.3	<0.5	0.6	183	<0.1	0.1	<0.1	142	5.00
98731	Drill Core	4.65	0.009	0.9	115.7	3.0	50	<0.1	100.0	23.4	685	3.70	1.5	3.1	0.6	345	<0.1	<0.1	<0.1	130	4.67
98732	Drill Core	4.22	0.009	0.8	123.6	2.9	49	0.1	98.5	21.6	735	3.68	3.3	1.5	0.5	192	<0.1	0.1	<0.1	147	5.76
98733	Drill Core	4.10	0.008	0.8	122.3	3.4	54	0.1	112.4	24.5	642	4.20	1.8	1.0	0.5	642	<0.1	<0.1	<0.1	138	3.52
98734	Drill Core	4.45	0.008	0.6	103.6	2.9	50	<0.1	103.8	21.7	611	3.82	<0.5	1.4	0.6	481	<0.1	<0.1	<0.1	130	4.44
98735	Drill Core	4.24	0.009	0.7	103.5	3.5	53	<0.1	109.4	24.4	680	4.11	1.3	1.8	0.5	261	<0.1	0.1	<0.1	135	4.33
98736	Drill Core	4.18	0.008	0.7	102.9	3.3	49	<0.1	92.4	22.0	704	3.60	0.7	1.8	0.6	234	<0.1	<0.1	<0.1	124	4.69
98737	Drill Core	4.36	0.007	0.8	104.9	3.1	51	<0.1	102.7	23.8	686	3.80	0.6	1.4	0.6	215	<0.1	<0.1	<0.1	131	4.13
98738	Drill Core	4.14	0.006	0.8	104.3	2.8	50	<0.1	100.5	22.7	848	4.76	1.2	<0.5	0.5	307	<0.1	<0.1	<0.1	130	5.06
98739	Drill Core	4.48	0.007	0.7	108.7	2.8	52	<0.1	98.9	22.7	615	3.78	0.7	1.3	0.7	276	<0.1	<0.1	<0.1	130	3.85
98740	Rock Pulp	0.11	1.066	317.8	3162	23.3	52	1.7	28.3	7.9	406	2.87	12.1	738.0	1.2	33	<0.1	3.4	0.6	46	0.64
98741	Drill Core	3.96	0.008	0.9	110.2	2.1	49	<0.1	95.8	21.8	565	3.44	<0.5	4.3	0.6	258	<0.1	<0.1	<0.1	123	3.97
98742	Drill Core	4.24	0.006	0.6	95.4	2.8	51	<0.1	94.5	21.6	604	3.65	0.9	2.5	0.6	264	<0.1	<0.1	<0.1	130	4.35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98713	Drill Core	0.092	4	114	2.89	47	0.237	12	3.18	0.283	0.13	<0.1	<0.01	5.6	<0.1	0.26	8	<0.5	<0.2
98714	Drill Core	0.094	4	111	2.44	46	0.237	9	2.75	0.263	0.13	<0.1	<0.01	5.0	<0.1	0.23	8	<0.5	<0.2
98715	Drill Core	0.099	4	116	2.24	46	0.242	9	2.72	0.266	0.14	<0.1	<0.01	5.0	<0.1	0.14	7	<0.5	<0.2
98716	Drill Core	0.095	4	109	2.31	45	0.224	11	2.67	0.252	0.14	<0.1	<0.01	4.5	<0.1	0.12	7	<0.5	<0.2
98717	Drill Core	0.099	4	115	2.26	41	0.236	11	2.69	0.257	0.15	<0.1	<0.01	4.5	<0.1	0.09	7	<0.5	<0.2
98718	Drill Core	0.111	4	110	2.43	43	0.230	13	2.77	0.274	0.17	<0.1	<0.01	4.3	<0.1	0.09	7	<0.5	<0.2
98719	Drill Core	0.103	4	112	2.42	44	0.219	9	2.75	0.352	0.14	<0.1	<0.01	4.4	<0.1	0.05	7	<0.5	<0.2
98720	Rock Pulp	0.072	11	17	0.66	185	0.075	6	1.02	0.059	0.40	0.1	0.08	4.2	0.1	0.32	6	3.4	0.4
98721	Drill Core	0.102	4	112	2.39	36	0.236	13	2.81	0.336	0.15	<0.1	<0.01	4.6	<0.1	0.09	7	<0.5	<0.2
98722	Drill Core	0.102	4	108	1.76	37	0.237	11	2.63	0.395	0.15	<0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
98723	Drill Core	0.107	4	111	1.91	48	0.223	10	2.63	0.275	0.16	<0.1	<0.01	4.1	<0.1	0.10	7	<0.5	<0.2
98724	Drill Core	0.108	4	110	1.73	44	0.233	16	2.49	0.279	0.15	<0.1	<0.01	3.8	<0.1	0.17	6	<0.5	<0.2
98725	Rock	0.084	4	46	0.90	18	0.205	16	3.54	1.055	0.16	<0.1	<0.01	5.0	<0.1	<0.05	7	<0.5	<0.2
98726	Drill Core	0.105	4	109	1.75	41	0.232	153	2.55	0.317	0.14	<0.1	<0.01	4.7	<0.1	0.07	6	<0.5	<0.2
98727	Drill Core	0.103	4	107	2.03	45	0.229	157	2.93	0.467	0.16	<0.1	<0.01	4.6	<0.1	0.14	7	<0.5	<0.2
98728	Drill Core	0.111	5	114	2.51	41	0.218	46	3.26	0.421	0.13	<0.1	<0.01	3.4	<0.1	<0.05	7	<0.5	<0.2
98729	Drill Core	0.121	5	116	2.74	32	0.234	67	3.13	0.381	0.10	<0.1	<0.01	3.3	<0.1	<0.05	7	<0.5	<0.2
98730 DUP 98732 REJECT	Drill Core	0.101	5	111	1.97	35	0.261	168	2.54	0.538	0.13	0.1	<0.01	4.3	<0.1	0.21	7	<0.5	<0.2
98731	Drill Core	0.093	5	104	2.10	47	0.244	78	2.84	0.489	0.17	<0.1	<0.01	5.2	<0.1	0.17	7	<0.5	<0.2
98732	Drill Core	0.107	4	110	1.95	35	0.248	162	2.51	0.531	0.13	<0.1	<0.01	4.5	<0.1	0.20	7	<0.5	<0.2
98733	Drill Core	0.102	4	111	2.38	31	0.242	78	3.52	0.859	0.12	<0.1	<0.01	4.4	<0.1	0.20	9	<0.5	<0.2
98734	Drill Core	0.102	4	101	2.14	39	0.231	9	3.41	0.897	0.13	<0.1	<0.01	3.7	<0.1	0.13	8	<0.5	<0.2
98735	Drill Core	0.094	4	107	2.28	50	0.228	5	2.75	0.508	0.17	<0.1	<0.01	4.7	<0.1	0.70	7	<0.5	<0.2
98736	Drill Core	0.088	4	109	2.03	52	0.222	5	2.50	0.321	0.18	<0.1	<0.01	4.0	<0.1	0.70	6	<0.5	<0.2
98737	Drill Core	0.091	4	114	2.24	53	0.226	17	2.75	0.349	0.21	<0.1	<0.01	4.5	<0.1	0.39	7	<0.5	<0.2
98738	Drill Core	0.075	4	108	2.81	44	0.205	5	2.78	0.307	0.14	<0.1	<0.01	4.8	<0.1	1.12	7	<0.5	<0.2
98739	Drill Core	0.100	4	122	2.05	56	0.212	6	2.96	0.394	0.15	<0.1	<0.01	3.9	<0.1	0.22	6	<0.5	<0.2
98740	Rock Pulp	0.046	5	30	0.53	115	0.106	3	1.14	0.079	0.10	0.8	0.08	4.1	<0.1	0.37	4	1.1	0.2
98741	Drill Core	0.101	4	114	1.79	58	0.201	4	2.84	0.354	0.16	<0.1	<0.01	3.5	<0.1	0.35	6	<0.5	<0.2
98742	Drill Core	0.101	4	121	1.98	52	0.209	5	2.77	0.338	0.13	<0.1	<0.01	4.1	<0.1	0.49	6	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98743	Drill Core	3.96	0.008	0.9	91.5	3.1	47	<0.1	92.6	22.5	615	3.70	1.2	2.0	0.6	325	<0.1	<0.1	<0.1	130	4.86
98744	Drill Core	3.92	0.006	0.9	112.7	2.6	52	<0.1	107.1	23.7	599	3.95	0.5	1.6	0.6	236	<0.1	<0.1	<0.1	125	2.81
98745	Rock	1.82	0.008	0.3	87.7	2.6	47	<0.1	88.4	27.4	683	3.43	0.8	0.8	0.5	127	0.1	<0.1	<0.1	127	6.16
98746	Drill Core	4.19	0.006	0.7	102.1	2.3	53	<0.1	103.1	23.4	584	3.71	0.6	1.2	0.6	282	<0.1	<0.1	<0.1	133	4.05
98747	Drill Core	4.29	0.006	0.8	114.4	1.8	51	<0.1	105.5	22.3	568	3.59	<0.5	1.1	0.7	243	<0.1	<0.1	<0.1	119	3.56
98748	Drill Core	4.11	0.008	5.1	83.6	2.7	47	<0.1	90.9	20.5	573	3.89	1.1	<0.5	0.6	277	<0.1	<0.1	<0.1	127	5.58
98749	Drill Core	4.23	0.007	0.8	102.7	4.0	48	<0.1	100.5	23.8	566	3.95	1.1	1.0	0.6	256	<0.1	<0.1	<0.1	126	4.16
98750 DUP 98752 REJECT	Drill Core		0.006	0.8	117.3	3.2	51	<0.1	97.2	23.6	706	3.85	0.9	<0.5	0.6	230	<0.1	<0.1	<0.1	128	4.76
98751	Drill Core	4.98	0.006	7.0	84.5	2.7	46	<0.1	90.4	21.2	570	3.91	1.0	1.4	0.6	279	<0.1	<0.1	<0.1	126	5.75
98752	Drill Core	4.28	0.007	0.6	107.3	3.3	49	<0.1	103.8	24.0	723	3.96	1.0	<0.5	0.5	226	<0.1	<0.1	<0.1	126	4.84
98753	Drill Core	4.38	0.008	0.8	92.5	2.3	44	<0.1	92.5	22.0	690	3.95	1.2	0.9	0.5	242	<0.1	<0.1	<0.1	114	6.38
98754	Drill Core	4.45	0.005	0.7	88.6	2.6	45	<0.1	89.8	20.5	587	3.66	0.7	<0.5	0.6	230	<0.1	<0.1	<0.1	115	5.41
98755	Drill Core	4.03	0.006	0.6	66.9	2.7	47	<0.1	83.8	18.6	540	3.87	1.3	<0.5	0.6	260	<0.1	0.1	<0.1	123	4.41
98756	Drill Core	4.27	0.010	0.7	105.1	2.6	50	<0.1	97.1	22.5	523	3.59	0.6	1.3	0.6	241	<0.1	<0.1	<0.1	117	4.24
98757	Drill Core	4.28	0.010	0.9	114.4	3.4	48	<0.1	105.3	23.3	664	3.62	1.0	<0.5	0.5	193	<0.1	<0.1	<0.1	119	4.78
98758	Drill Core	4.26	<0.005	0.8	107.8	3.2	48	<0.1	96.1	21.7	653	3.58	<0.5	<0.5	0.6	181	<0.1	<0.1	<0.1	128	4.64
98759	Drill Core	4.40	0.010	1.2	104.4	4.0	48	<0.1	109.1	23.7	651	3.70	1.3	<0.5	0.6	231	<0.1	<0.1	<0.1	124	5.86
98760	Rock Pulp	0.11	0.008	2.7	21.8	2.4	35	0.4	17.9	8.7	286	1.87	2.9	5.4	1.1	31	0.2	0.3	<0.1	45	0.69
98761	Drill Core	4.29	0.010	0.7	109.4	2.9	51	<0.1	115.7	23.6	615	3.85	<0.5	<0.5	0.5	177	<0.1	<0.1	<0.1	128	4.41
98762	Drill Core	4.26	0.009	0.7	99.4	3.1	47	<0.1	102.1	21.6	533	3.45	<0.5	0.6	0.5	157	<0.1	<0.1	<0.1	110	3.76
98763	Drill Core	4.01	0.009	0.7	103.4	3.5	52	<0.1	123.6	26.0	549	4.36	0.6	<0.5	0.6	143	<0.1	<0.1	<0.1	123	2.63
98764	Drill Core	4.31	0.011	0.7	109.1	3.2	53	<0.1	117.1	25.0	506	4.09	1.0	<0.5	0.6	157	<0.1	<0.1	<0.1	122	2.29
98765	Rock	1.61	0.007	0.3	88.1	2.1	47	<0.1	83.2	24.7	685	3.37	0.6	<0.5	0.5	131	<0.1	<0.1	<0.1	128	6.19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

CERTIFICATE OF ANALYSIS VAN11007068.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98743	Drill Core	0.102	4	120	2.11	46	0.218	3	2.61	0.329	0.12	<0.1	<0.01	5.0	<0.1	1.02	6	<0.5	<0.2
98744	Drill Core	0.102	5	122	2.50	50	0.191	8	2.99	0.346	0.12	<0.1	<0.01	3.3	<0.1	0.21	6	<0.5	<0.2
98745	Rock	0.081	4	43	0.89	18	0.214	13	3.35	1.007	0.15	<0.1	<0.01	4.2	<0.1	0.05	8	<0.5	<0.2
98746	Drill Core	0.106	5	121	2.16	54	0.208	4	2.84	0.336	0.14	<0.1	<0.01	4.0	<0.1	0.73	6	<0.5	<0.2
98747	Drill Core	0.101	5	119	2.00	51	0.199	5	2.86	0.343	0.13	<0.1	<0.01	3.0	<0.1	0.21	6	<0.5	<0.2
98748	Drill Core	0.096	4	112	1.88	47	0.215	3	2.43	0.302	0.12	<0.1	<0.01	4.3	<0.1	1.31	5	<0.5	<0.2
98749	Drill Core	0.103	4	118	2.00	51	0.207	3	2.87	0.358	0.12	<0.1	<0.01	3.8	<0.1	0.47	6	<0.5	<0.2
98750 DUP 98752 REJECT	Drill Core	0.091	4	118	2.08	50	0.212	4	2.57	0.325	0.14	<0.1	<0.01	4.7	<0.1	0.84	6	<0.5	<0.2
98751	Drill Core	0.095	4	111	1.94	44	0.208	3	2.38	0.290	0.12	<0.1	<0.01	4.1	<0.1	1.30	6	<0.5	<0.2
98752	Drill Core	0.085	4	118	2.19	46	0.201	6	2.50	0.301	0.13	<0.1	<0.01	5.0	<0.1	0.87	6	<0.5	<0.2
98753	Drill Core	0.087	4	101	1.91	41	0.201	18	2.37	0.313	0.11	<0.1	<0.01	3.5	<0.1	1.21	6	<0.5	<0.2
98754	Drill Core	0.094	4	108	1.72	42	0.202	3	2.31	0.275	0.11	<0.1	<0.01	3.6	<0.1	1.13	5	<0.5	<0.2
98755	Drill Core	0.095	4	106	1.60	44	0.192	2	2.40	0.395	0.12	<0.1	<0.01	3.5	<0.1	1.00	6	<0.5	<0.2
98756	Drill Core	0.103	5	119	1.70	48	0.202	3	2.58	0.327	0.12	<0.1	<0.01	3.3	<0.1	0.14	6	<0.5	<0.2
98757	Drill Core	0.090	4	104	1.88	41	0.215	4	2.35	0.288	0.13	<0.1	<0.01	3.6	<0.1	0.20	6	<0.5	<0.2
98758	Drill Core	0.095	4	100	1.74	43	0.218	4	2.32	0.295	0.15	<0.1	<0.01	3.2	<0.1	0.09	7	<0.5	<0.2
98759	Drill Core	0.094	4	103	1.70	33	0.238	83	2.42	0.214	0.13	<0.1	<0.01	3.8	<0.1	0.22	8	<0.5	<0.2
98760	Rock Pulp	0.046	4	21	0.50	81	0.103	2	1.09	0.063	0.07	17.1	0.01	3.8	<0.1	<0.05	4	<0.5	<0.2
98761	Drill Core	0.092	4	104	1.90	45	0.238	6	2.47	0.322	0.17	0.1	<0.01	4.0	<0.1	0.07	7	<0.5	<0.2
98762	Drill Core	0.087	4	97	1.76	41	0.207	6	2.15	0.217	0.13	<0.1	<0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
98763	Drill Core	0.093	4	109	2.47	35	0.233	8	2.68	0.271	0.12	<0.1	<0.01	4.6	<0.1	0.08	8	<0.5	<0.2
98764	Drill Core	0.091	4	108	2.41	42	0.229	7	2.57	0.274	0.13	<0.1	<0.01	4.1	<0.1	0.21	7	<0.5	<0.2
98765	Rock	0.077	4	46	0.89	18	0.217	12	3.39	1.004	0.16	<0.1	<0.01	4.4	<0.1	<0.05	8	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
98903	Drill Core	4.38	0.007	0.5	77.0	3.6	51	<0.1	80.6	18.7	510	3.35	1.7	1.0	0.5	78	<0.1	<0.1	<0.1	130	6.65
REP 98903	QC			0.5	75.8	3.4	50	<0.1	81.2	18.8	510	3.31	1.9	0.8	0.5	76	<0.1	<0.1	<0.1	130	6.55
98907	Drill Core	4.62	0.008	0.6	100.8	3.3	54	<0.1	93.1	23.1	540	3.76	1.4	<0.5	0.5	124	<0.1	<0.1	<0.1	138	4.20
REP 98907	QC		0.008																		
98918	Drill Core	4.13	0.009	0.7	185.7	4.0	59	<0.1	109.9	31.3	643	4.44	2.1	<0.5	0.6	155	<0.1	<0.1	<0.1	144	3.42
REP 98918	QC			0.7	180.3	3.7	59	<0.1	108.0	30.0	631	4.37	2.1	2.0	0.6	151	<0.1	<0.1	<0.1	142	3.37
98940	Rock Pulp	0.11	1.119	338.7	3279	25.2	51	1.9	28.0	7.8	404	2.96	12.8	832.9	1.2	30	0.3	3.3	0.6	49	0.62
REP 98940	QC			340.4	3225	24.4	51	1.8	28.0	7.7	406	2.92	12.7	816.4	1.2	32	0.3	3.1	0.6	48	0.62
98950	Drill Core	2.88	0.007	0.6	81.6	3.9	48	<0.1	250.2	35.4	683	3.97	0.8	<0.5	0.4	243	<0.1	<0.1	<0.1	137	2.25
REP 98950	QC		0.010																		
12006	Drill Core	4.21	0.010	0.6	100.1	3.8	52	<0.1	93.2	23.1	538	3.94	1.2	<0.5	0.6	226	<0.1	<0.1	<0.1	137	3.24
REP 12006	QC			0.7	99.0	4.1	53	<0.1	93.2	23.3	532	3.89	1.2	<0.5	0.6	229	<0.1	<0.1	<0.1	138	3.20
98832	Drill Core	4.35	0.011	0.6	103.1	3.1	52	<0.1	94.3	21.7	611	3.78	<0.5	<0.5	0.6	357	<0.1	<0.1	<0.1	132	3.48
REP 98832	QC		0.008																		
98847	Drill Core	4.43	0.007	0.6	116.5	2.6	55	<0.1	89.2	22.0	645	3.73	0.7	0.9	0.6	238	<0.1	<0.1	<0.1	140	5.39
REP 98847	QC			0.7	111.5	2.5	52	<0.1	87.6	21.3	670	3.66	0.9	<0.5	0.5	238	<0.1	<0.1	<0.1	136	5.28
98864	Drill Core	4.58	0.008	1.5	117.6	3.7	58	<0.1	109.7	27.2	641	4.36	2.8	2.0	0.6	149	<0.1	0.1	<0.1	136	4.82
REP 98864	QC			1.4	117.1	3.6	58	<0.1	110.8	27.1	679	4.37	2.8	0.7	0.6	151	<0.1	<0.1	<0.1	137	4.83
98866	Drill Core	4.21	0.007	0.7	110.3	3.3	60	<0.1	110.9	25.3	713	4.27	1.6	<0.5	0.6	109	<0.1	<0.1	<0.1	140	4.48
REP 98866	QC		0.007																		
98871	Drill Core	4.51	0.009	0.6	101.6	3.5	54	<0.1	103.2	27.3	667	4.05	2.1	3.1	0.5	94	<0.1	<0.1	<0.1	125	4.89
REP 98871	QC			0.5	108.7	3.7	56	<0.1	106.4	27.2	678	4.14	2.0	3.0	0.6	94	<0.1	<0.1	<0.1	130	4.96
98772	Drill Core	4.40	0.011	0.6	75.7	2.6	50	<0.1	88.0	19.6	580	3.99	2.9	1.2	0.6	255	<0.1	0.2	<0.1	144	4.84
REP 98772	QC			0.7	74.0	2.6	50	<0.1	84.7	19.0	584	4.00	3.1	1.0	0.6	250	<0.1	0.2	<0.1	144	4.83
REP 98782	QC			0.8	103.0	1.6	54	<0.1	98.0	22.1	559	3.63	0.6	0.6	0.5	285	<0.1	<0.1	<0.1	126	4.50
98795	Drill Core	4.18	0.011	0.8	107.6	2.6	55	<0.1	111.0	23.8	568	3.77	0.5	2.1	0.5	207	<0.1	<0.1	<0.1	127	3.85
REP 98795	QC			0.7	104.6	2.4	55	<0.1	109.5	23.7	562	3.68	0.7	0.5	0.5	206	<0.1	<0.1	<0.1	125	3.82
98796	Drill Core	4.31	0.011	0.8	132.4	3.6	51	<0.1	95.6	21.9	537	3.58	1.8	1.5	0.5	188	<0.1	0.1	<0.1	123	4.66

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
98903	Drill Core	0.107	4	108	1.43	10	0.233	8	2.34	0.078	0.09	<0.1	<0.01	3.5	<0.1	0.35	9	<0.5	<0.2
REP 98903	QC	0.102	4	107	1.42	10	0.236	8	2.32	0.081	0.09	<0.1	<0.01	3.7	<0.1	0.35	8	<0.5	<0.2
98907	Drill Core	0.104	4	117	1.54	19	0.237	7	2.33	0.222	0.13	0.2	<0.01	3.8	<0.1	0.38	8	<0.5	<0.2
REP 98907	QC																		
98918	Drill Core	0.093	5	120	2.46	19	0.262	11	3.09	0.225	0.12	<0.1	<0.01	5.2	<0.1	0.45	9	<0.5	<0.2
REP 98918	QC	0.092	4	118	2.41	18	0.265	15	3.04	0.221	0.12	<0.1	<0.01	5.4	<0.1	0.44	9	<0.5	<0.2
98940	Rock Pulp	0.047	5	29	0.52	119	0.102	3	1.13	0.077	0.10	0.9	0.10	4.0	<0.1	0.38	4	1.1	<0.2
REP 98940	QC	0.046	5	30	0.53	116	0.099	5	1.13	0.077	0.10	0.9	0.09	4.1	<0.1	0.38	4	0.8	<0.2
98950	Drill Core	0.092	2	228	4.81	42	0.113	17	2.54	0.588	0.17	0.1	<0.01	6.4	<0.1	<0.05	5	<0.5	<0.2
REP 98950	QC																		
12006	Drill Core	0.083	4	96	2.21	50	0.257	7	2.90	0.349	0.18	<0.1	<0.01	4.8	<0.1	0.53	8	<0.5	<0.2
REP 12006	QC	0.084	4	95	2.23	49	0.259	8	2.93	0.354	0.18	<0.1	<0.01	4.8	<0.1	0.53	7	<0.5	<0.2
98832	Drill Core	0.110	4	119	2.19	35	0.223	10	3.07	0.546	0.11	<0.1	<0.01	3.3	<0.1	0.09	6	<0.5	<0.2
REP 98832	QC																		
98847	Drill Core	0.117	4	121	1.74	50	0.222	8	2.72	0.341	0.13	<0.1	<0.01	4.5	<0.1	0.43	6	<0.5	<0.2
REP 98847	QC	0.113	4	124	1.71	49	0.225	7	2.68	0.335	0.13	<0.1	<0.01	4.7	<0.1	0.42	6	<0.5	<0.2
98864	Drill Core	0.109	5	112	2.07	24	0.252	23	2.74	0.245	0.12	<0.1	<0.01	4.5	<0.1	0.92	8	<0.5	<0.2
REP 98864	QC	0.107	4	119	2.08	25	0.259	22	2.76	0.247	0.12	<0.1	<0.01	4.7	<0.1	0.92	8	<0.5	<0.2
98866	Drill Core	0.107	5	121	2.06	23	0.268	13	2.61	0.294	0.13	<0.1	<0.01	5.0	<0.1	0.60	8	<0.5	<0.2
REP 98866	QC																		
98871	Drill Core	0.101	4	113	1.88	16	0.245	10	2.33	0.250	0.10	<0.1	0.01	4.3	<0.1	0.69	7	<0.5	<0.2
REP 98871	QC	0.102	5	111	1.94	17	0.249	11	2.39	0.257	0.10	<0.1	<0.01	4.3	<0.1	0.73	7	<0.5	<0.2
98772	Drill Core	0.121	5	118	1.80	44	0.220	2	2.45	0.298	0.13	<0.1	<0.01	4.0	<0.1	0.83	7	<0.5	<0.2
REP 98772	QC	0.118	5	118	1.80	43	0.223	4	2.48	0.303	0.13	0.1	<0.01	3.9	<0.1	0.82	6	<0.5	<0.2
REP 98782	QC	0.106	4	113	1.74	47	0.200	4	2.86	0.504	0.15	<0.1	<0.01	3.3	<0.1	0.38	6	<0.5	<0.2
98795	Drill Core	0.102	4	121	1.95	51	0.198	4	2.80	0.301	0.16	<0.1	<0.01	3.2	<0.1	0.11	6	<0.5	<0.2
REP 98795	QC	0.101	4	120	1.94	51	0.199	4	2.79	0.303	0.16	<0.1	<0.01	3.3	<0.1	0.11	6	<0.5	<0.2
98796	Drill Core	0.101	4	116	1.81	44	0.206	2	2.53	0.280	0.14	<0.1	<0.01	3.2	<0.1	0.38	6	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
REP 98796	QC		0.012																		
98820	Rock Pulp	0.11	1.080	340.4	3790	23.6	58	1.9	33.3	9.5	451	3.18	14.4	712.7	1.1	34	0.6	3.3	0.5	49	0.68
REP 98820	QC		1.076																		
98825	Rock	2.79	0.007	0.3	97.0	2.1	50	<0.1	87.6	27.6	692	3.61	0.7	1.1	0.5	139	0.2	<0.1	<0.1	141	7.06
REP 98825	QC			0.3	97.2	2.2	48	<0.1	83.5	27.3	662	3.47	0.7	<0.5	0.5	141	0.2	<0.1	<0.1	135	6.84
98708	Drill Core	4.81	0.008	0.8	121.7	3.6	54	<0.1	113.7	26.8	748	4.21	1.4	0.9	0.6	203	<0.1	<0.1	<0.1	142	5.40
REP 98708	QC		0.008																		
98711	Drill Core	4.55	0.007	0.7	102.6	2.9	53	<0.1	107.3	25.3	703	3.96	1.5	<0.5	0.5	255	0.1	0.1	<0.1	143	5.94
REP 98711	QC			0.7	105.8	3.0	54	<0.1	109.6	25.6	722	4.01	1.5	2.2	0.6	260	<0.1	<0.1	<0.1	146	6.14
98727	Drill Core	4.12	0.007	0.8	120.5	2.7	52	<0.1	104.5	23.9	666	3.72	1.6	2.3	0.5	332	0.1	<0.1	<0.1	130	5.83
REP 98727	QC			0.7	125.4	2.8	53	<0.1	107.8	25.0	708	3.85	1.9	0.9	0.5	338	<0.1	<0.1	<0.1	134	5.75
98738	Drill Core	4.14	0.006	0.8	104.3	2.8	50	<0.1	100.5	22.7	848	4.76	1.2	<0.5	0.5	307	<0.1	<0.1	<0.1	130	5.06
REP 98738	QC			0.9	107.4	2.8	50	<0.1	101.1	22.3	850	4.80	1.2	<0.5	0.5	300	<0.1	<0.1	<0.1	131	5.16
98753	Drill Core	4.38	0.008	0.8	92.5	2.3	44	<0.1	92.5	22.0	690	3.95	1.2	0.9	0.5	242	<0.1	<0.1	<0.1	114	6.38
REP 98753	QC			0.9	91.0	2.4	43	<0.1	90.2	21.1	685	3.86	0.9	<0.5	0.6	233	<0.1	<0.1	<0.1	111	6.34
98765	Rock	1.61	0.007	0.3	88.1	2.1	47	<0.1	83.2	24.7	685	3.37	0.6	<0.5	0.5	131	<0.1	<0.1	<0.1	128	6.19
REP 98765	QC		0.011																		
Core Reject Duplicates																					
98905	Rock	2.68	0.008	0.3	90.5	2.3	48	<0.1	79.2	25.3	677	3.30	1.0	<0.5	0.4	125	<0.1	<0.1	<0.1	132	7.25
DUP 98905	QC		0.008	0.3	87.9	2.1	49	<0.1	82.1	24.6	674	3.25	0.7	<0.5	0.4	128	<0.1	<0.1	<0.1	133	7.29
98844	Drill Core	4.56	0.008	0.7	110.8	2.1	57	<0.1	114.7	25.1	645	4.14	0.6	1.1	0.6	251	<0.1	<0.1	<0.1	133	3.77
DUP 98844	QC		0.010	0.9	114.4	2.2	54	<0.1	108.0	23.9	585	3.85	0.7	0.6	0.6	253	<0.1	<0.1	<0.1	128	3.54
98879	Drill Core	4.34	0.009	0.4	98.8	3.3	55	<0.1	94.9	24.3	565	3.93	1.0	1.0	0.6	85	<0.1	<0.1	<0.1	130	5.95
DUP 98879	QC		0.008	0.5	99.8	3.1	55	<0.1	97.6	23.6	569	3.98	0.6	2.0	0.6	90	<0.1	<0.1	<0.1	130	5.57
98782	Drill Core	4.12	0.011	0.7	97.4	1.7	52	<0.1	95.7	21.1	556	3.52	0.7	1.4	0.6	273	<0.1	<0.1	<0.1	124	4.36
DUP 98782	QC		0.011	0.8	103.6	1.5	57	<0.1	103.4	23.0	560	3.69	0.7	<0.5	0.5	276	<0.1	<0.1	<0.1	129	4.29
98817	Drill Core	4.30	0.009	0.9	119.7	2.3	54	<0.1	108.3	26.8	608	4.13	<0.5	2.0	0.5	213	<0.1	<0.1	<0.1	123	2.85
DUP 98817	QC		0.011	0.9	127.9	2.6	56	<0.1	111.3	27.0	612	4.24	<0.5	2.0	0.6	230	<0.1	<0.1	<0.1	127	2.93
Reference Materials																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
REP 98796	QC																		
98820	Rock Pulp	0.053	5	35	0.62	128	0.117	4	1.37	0.088	0.11	0.8	0.09	4.1	<0.1	0.37	5	0.9	0.2
REP 98820	QC																		
98825	Rock	0.090	4	52	0.92	24	0.243	14	3.72	1.078	0.24	0.1	<0.01	4.9	<0.1	0.06	8	<0.5	<0.2
REP 98825	QC	0.090	5	52	0.89	25	0.242	13	3.61	1.052	0.23	<0.1	<0.01	4.6	<0.1	0.05	8	0.5	<0.2
98708	Drill Core	0.109	4	111	2.66	45	0.242	7	2.86	0.257	0.13	<0.1	<0.01	5.4	<0.1	0.33	8	<0.5	<0.2
REP 98708	QC																		
98711	Drill Core	0.106	4	109	2.12	56	0.231	9	2.84	0.287	0.17	<0.1	<0.01	5.1	<0.1	0.53	7	<0.5	<0.2
REP 98711	QC	0.104	4	112	2.17	57	0.230	7	2.85	0.289	0.17	<0.1	<0.01	5.1	<0.1	0.53	7	<0.5	<0.2
98727	Drill Core	0.103	4	107	2.03	45	0.229	157	2.93	0.467	0.16	<0.1	<0.01	4.6	<0.1	0.14	7	<0.5	<0.2
REP 98727	QC	0.106	4	114	2.07	47	0.234	162	3.05	0.483	0.16	<0.1	<0.01	4.7	<0.1	0.15	6	<0.5	<0.2
98738	Drill Core	0.075	4	108	2.81	44	0.205	5	2.78	0.307	0.14	<0.1	<0.01	4.8	<0.1	1.12	7	<0.5	<0.2
REP 98738	QC	0.076	4	108	2.83	44	0.208	6	2.74	0.307	0.14	<0.1	<0.01	5.0	<0.1	1.14	7	<0.5	<0.2
98753	Drill Core	0.087	4	101	1.91	41	0.201	18	2.37	0.313	0.11	<0.1	<0.01	3.5	<0.1	1.21	6	<0.5	<0.2
REP 98753	QC	0.086	4	100	1.86	40	0.198	18	2.35	0.303	0.11	<0.1	<0.01	3.4	<0.1	1.18	5	<0.5	<0.2
98765	Rock	0.077	4	46	0.89	18	0.217	12	3.39	1.004	0.16	<0.1	<0.01	4.4	<0.1	<0.05	8	<0.5	<0.2
REP 98765	QC																		
Core Reject Duplicates																			
98905	Rock	0.084	4	42	0.82	16	0.218	12	3.37	1.012	0.15	<0.1	<0.01	4.4	<0.1	0.08	7	<0.5	<0.2
DUP 98905	QC	0.084	4	42	0.82	16	0.223	15	3.41	1.038	0.16	<0.1	<0.01	4.3	<0.1	0.08	7	<0.5	<0.2
98844	Drill Core	0.102	4	120	2.08	52	0.194	6	3.01	0.385	0.14	<0.1	<0.01	3.9	<0.1	0.37	7	<0.5	<0.2
DUP 98844	QC	0.110	5	117	1.88	55	0.201	7	3.07	0.394	0.14	<0.1	<0.01	3.7	<0.1	0.32	7	<0.5	<0.2
98879	Drill Core	0.107	4	120	1.51	13	0.228	8	2.69	0.116	0.08	<0.1	<0.01	3.3	<0.1	0.07	10	<0.5	<0.2
DUP 98879	QC	0.115	4	122	1.56	13	0.223	9	2.59	0.120	0.08	<0.1	<0.01	3.1	<0.1	0.06	9	<0.5	<0.2
98782	Drill Core	0.103	4	112	1.68	47	0.198	5	2.76	0.484	0.15	<0.1	<0.01	3.4	<0.1	0.37	6	<0.5	<0.2
DUP 98782	QC	0.101	4	119	1.75	49	0.209	3	2.88	0.490	0.16	<0.1	<0.01	3.6	<0.1	0.35	7	<0.5	<0.2
98817	Drill Core	0.107	4	123	2.56	44	0.196	7	3.13	0.393	0.12	<0.1	<0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
DUP 98817	QC	0.111	5	125	2.62	49	0.207	8	3.27	0.410	0.13	<0.1	<0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
Reference Materials																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS8	Standard			12.6	106.6	124.5	300	1.8	36.3	7.4	593	2.47	25.3	108.9	6.9	67	2.1	5.6	6.8	40	0.69
STD DS8	Standard			13.0	103.6	120.3	289	1.8	34.9	7.2	602	2.40	23.4	127.0	7.2	71	2.3	5.7	6.9	40	0.68
STD DS8	Standard			12.2	107.9	123.9	298	1.9	37.3	7.2	575	2.41	24.3	116.7	6.5	65	2.1	5.5	6.3	42	0.68
STD DS8	Standard			12.3	102.9	115.6	292	1.7	34.9	6.8	578	2.35	24.1	93.8	6.7	67	2.1	5.4	6.1	39	0.69
STD DS8	Standard			12.4	110.2	137.9	308	1.9	37.6	7.7	608	2.49	25.8	137.5	7.7	64	2.4	5.6	7.8	43	0.70
STD DS8	Standard			14.3	108.6	121.5	301	1.7	38.1	7.5	618	2.44	25.4	102.7	7.2	66	2.5	5.3	6.0	39	0.77
STD DS8	Standard			13.3	106.6	123.7	299	1.8	36.9	7.2	604	2.37	23.8	104.0	7.6	68	2.1	5.6	7.0	40	0.71
STD DS8	Standard			13.8	122.3	125.7	314	1.8	41.4	8.3	634	2.59	26.1	117.8	7.2	62	2.5	5.7	6.6	42	0.73
STD DS8	Standard			12.7	106.8	126.8	306	1.7	35.4	7.2	602	2.44	25.1	110.6	7.0	66	2.3	5.5	6.6	41	0.69
STD OXH82	Standard		1.249																		
STD OXH82	Standard		1.300																		
STD OXH82	Standard		1.267																		
STD OXH82	Standard		1.299																		
STD OXH82	Standard		1.324																		
STD OXH82	Standard		1.313																		
STD OXH82	Standard		1.344																		
STD OXH82	Standard		1.296																		
STD OXH82	Standard		1.287																		
STD OXK79	Standard		3.513																		
STD OXK79	Standard		3.577																		
STD OXK79	Standard		3.509																		
STD OXK79	Standard		3.609																		
STD OXK79	Standard		3.533																		
STD OXK79	Standard		3.545																		
STD OXK79	Standard		3.299																		
STD OXK79	Standard		3.544																		
STD OXK79	Standard		3.519																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
STD DS8	Standard	0.079	15	115	0.61	272	0.115	2	0.93	0.098	0.43	3.0	0.18	2.7	5.3	0.16	5	4.4	4.6
STD DS8	Standard	0.077	16	109	0.59	274	0.116	3	0.93	0.093	0.41	3.0	0.18	2.8	5.2	0.15	4	4.9	5.4
STD DS8	Standard	0.076	14	117	0.59	279	0.118	1	0.89	0.086	0.40	2.9	0.18	2.5	5.1	0.17	4	4.7	4.4
STD DS8	Standard	0.073	16	112	0.57	266	0.116	1	0.90	0.091	0.39	2.7	0.19	2.4	4.6	0.15	4	5.0	4.5
STD DS8	Standard	0.080	15	116	0.59	289	0.118	2	0.91	0.087	0.41	3.5	0.23	2.5	6.3	0.17	4	4.3	5.0
STD DS8	Standard	0.076	16	125	0.61	285	0.120	2	0.95	0.093	0.42	2.8	0.18	2.7	5.1	0.16	5	5.1	4.6
STD DS8	Standard	0.076	16	116	0.59	268	0.123	2	0.94	0.093	0.41	2.9	0.19	3.0	5.1	0.16	4	4.5	4.6
STD DS8	Standard	0.082	16	127	0.64	272	0.126	2	0.96	0.093	0.44	3.0	0.19	2.4	5.6	0.17	5	5.4	5.0
STD DS8	Standard	0.078	16	113	0.61	267	0.116	<1	0.92	0.091	0.41	3.0	0.20	2.5	5.2	0.16	5	4.7	4.8
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXH82 Expected																			
STD OXK79 Expected																			

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		0.006																		
BLK	Blank		0.007																		
BLK	Blank		0.005																		
BLK	Blank		0.005																		
BLK	Blank		0.005																		
BLK	Blank		0.007																		
BLK	Blank		0.009																		
BLK	Blank		0.009																		
BLK	Blank		0.006																		
BLK	Blank		0.005																		
BLK	Blank		0.009																		
BLK	Blank		0.008																		
BLK	Blank		0.007																		
BLK	Blank		0.006																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	0.4	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.007	0.1	2.4	3.4	46	<0.1	2.1	3.7	557	2.10	<0.5	0.7	5.4	73	<0.1	<0.1	<0.1	39	0.51

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank	0.075	15	6	0.47	124	0.121	2	0.86	0.076	0.42	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	<0.01	0.009	<0.1	2.1	3.4	45	<0.1	2.0	4.0	543	2.04	<0.5	0.6	5.4	67	<0.1	<0.1	<0.1	40	0.51

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 25, 2012

QUALITY CONTROL REPORT VAN11007068.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
G1	Prep Blank	0.077	15	5	0.48	129	0.123	<1	0.87	0.075	0.43	1.9	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 23, 2011
Report Date: January 31, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS VAN11007069.1

CLIENT JOB INFORMATION

Project: COWTRAIL
Shipment ID: 20_12_2011
P.O. Number
Number of Samples: 256

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	231	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	13	Pulverize to 85% - 200 mesh			VAN
Client Split Pulp	11	For Client - First sample split/packet			VAN
G601	256	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	256	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Brian Findlay
Catherine Banfield

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98636	Drill Core	4.00	0.011	3.4	200.7	1.2	39	0.7	16.0	11.9	1422	3.87	2.0	4.4	1.0	127	<0.1	<0.1	<0.1	120	7.20
98637	Drill Core	4.14	0.012	1.1	200.3	1.4	45	0.6	19.2	19.0	1184	3.91	2.0	4.5	0.7	114	<0.1	<0.1	<0.1	122	5.84
98638	Drill Core	4.04	0.009	0.3	107.4	1.4	55	0.5	20.8	31.4	1312	5.35	1.0	1.9	0.6	114	<0.1	<0.1	<0.1	170	5.10
98639	Drill Core	4.72	0.006	0.2	86.7	1.6	53	0.3	23.5	27.2	1182	5.91	0.6	<0.5	0.5	229	<0.1	<0.1	<0.1	185	4.10
98640	Rock Pulp	0.11	1.641	79.9	>10000	633.7	1490	8.2	96.2	13.8	468	4.88	299.7	1264	1.7	34	9.0	39.5	2.4	47	0.83
98641	Drill Core	4.67	0.017	0.3	79.3	3.3	51	0.6	21.3	29.8	1170	5.30	10.6	5.8	0.5	194	<0.1	0.2	<0.1	181	5.62
98642	Drill Core	4.39	0.008	0.7	94.3	1.6	45	0.2	16.1	17.5	1002	4.82	2.0	3.3	0.6	150	<0.1	<0.1	<0.1	182	3.97
98643	Drill Core	4.13	0.010	1.2	151.8	1.2	36	1.0	11.5	22.4	809	4.55	2.5	6.2	0.4	148	<0.1	<0.1	<0.1	195	2.34
98644	Drill Core	4.23	0.009	1.3	200.8	1.0	39	0.5	14.2	23.8	884	4.72	1.2	5.9	0.3	195	<0.1	0.1	<0.1	208	2.53
98645	Rock	1.04	0.010	0.4	93.3	2.5	52	<0.1	81.3	25.6	697	3.41	1.3	<0.5	0.5	143	<0.1	<0.1	<0.1	132	7.40
98646	Drill Core	4.33	0.014	3.6	208.7	1.5	40	0.4	16.2	24.4	1012	5.09	1.4	9.7	0.3	169	<0.1	0.1	0.1	216	2.72
98647	Drill Core	4.36	0.018	0.2	52.9	1.9	50	0.4	23.9	29.3	1061	5.30	3.8	13.0	0.5	231	<0.1	<0.1	<0.1	173	4.30
98648	Drill Core	4.37	0.008	0.5	96.4	1.6	47	0.4	20.3	27.1	1079	5.31	1.5	4.1	0.5	208	<0.1	<0.1	<0.1	186	4.00
98649	Drill Core	4.58	0.023	1.0	315.5	2.4	50	1.6	23.6	43.0	1307	5.21	4.3	17.3	0.5	278	<0.1	0.2	0.1	168	3.93
98650 DUP 98652 REJECT	Drill Core		0.033	0.9	277.2	4.7	66	0.9	25.3	32.3	1202	4.90	14.0	20.5	0.6	282	0.3	0.2	<0.1	155	5.32
98651	Drill Core	5.39	0.016	0.3	108.5	1.4	50	0.3	20.0	19.9	1193	4.29	1.4	11.2	0.6	192	<0.1	<0.1	0.2	128	5.52
98652	Drill Core	4.69	0.032	0.8	276.8	4.4	65	0.9	25.8	31.8	1220	4.89	13.8	22.3	0.6	278	0.3	0.2	0.1	156	5.34
98653	Drill Core	4.77	0.008	0.2	62.5	1.9	45	0.4	22.9	24.7	1013	4.90	0.9	3.5	0.4	289	<0.1	<0.1	<0.1	145	3.41
98654	Drill Core	4.53	0.011	0.2	104.4	1.9	47	0.3	22.6	22.0	1159	4.98	2.3	4.7	0.5	225	<0.1	0.1	<0.1	144	4.72
98655	Drill Core	4.45	0.031	0.5	82.6	1.8	47	0.5	20.5	36.3	1234	4.80	5.1	17.7	0.6	203	<0.1	0.2	0.4	134	5.34
98656	Drill Core	4.48	0.013	0.4	95.7	1.4	51	0.6	20.8	21.1	1215	4.34	1.6	6.1	0.6	200	<0.1	<0.1	0.2	129	5.80
98657	Drill Core	4.10	0.044	1.3	37.1	2.7	55	0.9	17.7	23.9	1313	4.43	6.0	26.3	0.7	194	0.2	0.2	1.4	127	7.16
98658	Drill Core	4.38	0.024	1.4	54.5	7.2	54	0.5	89.0	28.9	997	4.18	4.4	23.2	1.6	375	0.1	0.2	0.2	129	4.48
98659	Drill Core	4.29	0.068	1.6	95.3	8.4	51	0.3	160.5	28.6	959	3.82	2.5	31.3	2.1	412	0.1	0.1	0.1	115	4.29
98660	Rock Pulp	0.11	0.007	3.0	21.8	2.3	33	0.4	17.4	9.0	287	1.89	3.5	3.3	0.9	27	0.3	0.3	<0.1	46	0.65
98661	Drill Core	3.56	0.011	0.7	67.6	17.3	68	0.4	315.9	43.9	905	4.08	3.5	4.3	3.8	593	0.1	0.1	<0.1	120	2.33
98662	Drill Core	3.46	0.012	0.7	107.1	5.2	66	0.4	96.5	30.8	1131	5.05	4.9	5.2	1.4	318	<0.1	0.2	<0.1	165	5.49
98663	Drill Core	3.52	0.008	0.5	51.1	15.9	66	0.2	472.6	50.3	956	4.12	1.7	<0.5	3.7	645	0.2	<0.1	<0.1	108	1.71
98664	Drill Core	4.50	0.046	1.6	80.9	8.4	82	0.5	23.2	24.5	1011	5.12	5.3	22.7	1.0	293	0.2	0.2	<0.1	186	5.03
98665	Rock	2.02	0.007	0.4	91.2	2.2	51	<0.1	91.8	28.8	697	3.60	1.2	2.1	0.5	132	<0.1	<0.1	<0.1	131	7.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98636	Drill Core	0.126	8	37	1.90	89	0.019	5	2.42	0.041	0.19	<0.1	0.10	9.8	0.1	0.20	7	<0.5	<0.2
98637	Drill Core	0.119	6	42	2.23	17	0.092	4	2.50	0.070	0.09	0.1	0.08	10.4	<0.1	0.30	7	<0.5	<0.2
98638	Drill Core	0.118	5	52	2.53	23	0.139	5	2.31	0.068	0.10	0.1	0.02	12.2	<0.1	0.12	8	<0.5	<0.2
98639	Drill Core	0.110	4	54	2.82	22	0.207	4	2.18	0.110	0.09	0.2	<0.01	12.0	<0.1	0.05	7	<0.5	<0.2
98640	Rock Pulp	0.054	7	47	0.61	54	0.071	41	1.18	0.077	0.21	29.4	0.66	4.5	0.8	2.17	4	3.3	0.6
98641	Drill Core	0.112	4	56	2.84	28	0.198	3	2.15	0.086	0.09	0.1	0.03	15.6	<0.1	0.26	7	<0.5	<0.2
98642	Drill Core	0.119	6	38	2.16	43	0.190	3	1.66	0.141	0.12	0.1	0.03	10.6	<0.1	0.15	7	<0.5	<0.2
98643	Drill Core	0.112	5	15	1.79	88	0.203	4	1.89	0.303	0.18	0.1	0.02	12.4	<0.1	0.26	7	0.7	<0.2
98644	Drill Core	0.108	5	15	2.00	184	0.212	6	2.07	0.257	0.19	0.1	<0.01	13.7	<0.1	0.19	7	<0.5	<0.2
98645	Rock	0.092	4	44	0.89	19	0.232	16	3.53	0.992	0.17	<0.1	<0.01	5.0	<0.1	0.11	8	<0.5	<0.2
98646	Drill Core	0.103	4	23	2.30	126	0.243	4	2.12	0.221	0.18	0.2	<0.01	17.0	<0.1	0.22	7	<0.5	<0.2
98647	Drill Core	0.109	4	51	2.69	31	0.197	2	2.04	0.112	0.08	0.2	<0.01	12.8	<0.1	0.34	7	<0.5	<0.2
98648	Drill Core	0.114	4	42	2.51	54	0.212	3	1.98	0.134	0.10	0.2	<0.01	13.2	<0.1	0.17	7	<0.5	<0.2
98649	Drill Core	0.112	4	54	2.65	259	0.224	4	2.25	0.119	0.09	0.4	0.03	14.7	<0.1	0.60	6	<0.5	<0.2
98650 DUP 98652 REJECT	Drill Core	0.109	4	62	2.88	26	0.210	2	2.43	0.082	0.05	0.5	0.03	16.8	<0.1	0.53	6	<0.5	<0.2
98651	Drill Core	0.115	4	48	2.67	31	0.162	2	2.36	0.083	0.08	0.3	<0.01	12.6	<0.1	0.23	6	<0.5	<0.2
98652	Drill Core	0.113	4	60	2.89	26	0.200	2	2.46	0.084	0.05	0.5	0.03	16.5	<0.1	0.52	6	<0.5	<0.2
98653	Drill Core	0.108	4	45	2.43	29	0.183	2	2.00	0.114	0.07	0.2	<0.01	10.2	<0.1	0.15	6	<0.5	<0.2
98654	Drill Core	0.110	4	52	2.64	28	0.181	2	2.19	0.092	0.07	0.2	0.02	13.6	<0.1	0.11	6	<0.5	<0.2
98655	Drill Core	0.111	4	51	2.64	28	0.174	2	2.44	0.083	0.07	0.3	0.01	14.2	<0.1	0.44	6	<0.5	0.4
98656	Drill Core	0.115	4	49	2.71	42	0.169	3	2.43	0.084	0.08	0.3	0.01	13.2	<0.1	0.25	6	<0.5	<0.2
98657	Drill Core	0.115	4	47	2.61	40	0.161	3	2.55	0.067	0.06	0.4	0.02	14.4	<0.1	0.54	6	<0.5	1.1
98658	Drill Core	0.176	13	84	3.54	520	0.207	6	2.66	0.260	0.47	0.3	0.03	12.3	0.2	0.40	6	<0.5	<0.2
98659	Drill Core	0.202	16	98	4.05	1075	0.199	6	2.61	0.239	0.53	0.3	0.03	8.4	0.2	0.25	6	<0.5	<0.2
98660	Rock Pulp	0.048	4	20	0.48	86	0.100	4	1.07	0.064	0.07	16.9	0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
98661	Drill Core	0.288	26	159	6.29	2653	0.247	12	3.13	0.272	1.04	<0.1	0.06	4.7	0.4	0.20	6	<0.5	<0.2
98662	Drill Core	0.139	11	77	3.68	670	0.225	13	3.86	0.478	0.32	0.3	0.04	12.8	0.1	0.30	9	<0.5	<0.2
98663	Drill Core	0.315	29	212	7.31	4488	0.267	12	3.19	0.244	1.40	<0.1	0.05	4.4	0.4	0.10	6	<0.5	<0.2
98664	Drill Core	0.115	7	40	3.04	628	0.263	11	2.67	0.241	0.15	0.4	0.05	15.3	<0.1	0.27	9	<0.5	0.3
98665	Rock	0.091	4	46	0.90	24	0.223	13	3.48	1.048	0.17	<0.1	<0.01	4.7	<0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98666	Drill Core	4.48	0.038	2.4	115.7	8.1	90	0.5	82.3	26.4	935	4.39	4.3	32.5	1.8	366	0.5	0.3	0.2	155	6.79
98667	Drill Core	4.31	0.018	2.8	78.0	17.3	61	0.7	240.6	36.7	991	4.25	2.8	3.9	3.6	592	0.2	0.2	0.2	138	3.55
98668	Drill Core	5.20	0.005	0.8	47.9	18.2	64	0.4	341.4	39.7	988	4.02	2.2	1.7	4.2	625	0.1	<0.1	<0.1	117	2.14
98669	Drill Core	5.19	0.005	0.7	56.8	18.3	68	0.1	320.1	39.0	963	4.14	2.4	<0.5	3.9	631	0.2	<0.1	0.1	125	2.44
98670 DUP 98672 REJECT	Drill Core		0.009	17.1	82.3	7.8	39	0.2	128.7	23.8	663	3.53	1.9	2.9	2.2	414	<0.1	0.3	0.2	167	3.82
98671	Drill Core	3.75	0.017	2.6	71.4	1.5	50	0.1	23.7	20.1	998	4.63	0.9	7.9	1.0	97	0.1	0.1	0.2	180	4.31
98672	Drill Core	4.49	0.009	16.2	80.0	7.3	38	0.3	130.4	24.1	657	3.42	1.8	2.1	2.1	390	<0.1	0.2	0.1	165	3.71
98673	Drill Core	4.98	0.010	4.6	83.7	11.5	52	0.2	318.1	37.6	829	4.14	1.6	4.2	2.7	562	0.1	0.2	0.5	120	2.39
98674	Drill Core	4.45	0.024	5.5	84.7	2.0	53	0.2	32.7	18.1	1115	4.39	1.5	1.1	1.0	127	<0.1	0.1	0.1	144	4.89
98675	Drill Core	4.72	0.037	3.1	69.0	2.1	45	0.4	19.0	19.0	987	4.39	7.7	25.1	1.0	109	0.1	0.3	0.1	143	4.62
98676	Drill Core	4.37	0.070	20.3	81.8	2.6	51	0.2	34.2	19.9	855	4.14	23.1	2.5	1.2	128	<0.1	0.3	0.3	243	5.23
98677	Drill Core	4.38	0.022	2.9	72.7	1.7	54	0.2	23.1	21.0	1036	4.72	1.1	8.4	1.0	102	<0.1	0.1	0.1	182	4.54
98678	Drill Core	4.26	0.021	18.0	94.0	4.0	46	0.3	21.2	14.3	971	3.80	2.3	3.1	0.9	116	<0.1	0.6	0.1	132	7.41
98679	Drill Core	4.56	0.010	0.6	97.3	1.9	42	0.2	14.6	17.7	874	3.93	3.5	1.2	1.1	112	<0.1	0.2	<0.1	138	4.28
98680	Rock Pulp	0.11	1.031	320.1	3150	21.8	53	1.7	28.0	7.6	408	2.88	12.1	746.2	1.1	32	0.2	3.4	0.5	48	0.63
98681	Drill Core	4.52	0.015	0.8	100.4	1.2	62	0.2	14.2	17.9	1131	4.69	7.7	3.5	1.0	126	<0.1	0.1	<0.1	170	3.99
98682	Drill Core	4.51	0.018	1.1	115.5	2.3	53	0.2	19.0	19.2	1077	4.82	7.0	3.1	1.0	118	0.1	0.3	<0.1	179	4.56
98683	Drill Core	4.13	0.014	0.4	69.7	1.5	50	0.1	15.4	17.9	1164	4.36	11.5	0.9	0.9	120	0.1	0.3	<0.1	173	4.35
98684	Drill Core	3.76	0.009	2.8	94.3	3.5	75	0.4	15.4	16.0	1384	4.08	12.7	1.4	1.0	180	0.3	0.3	<0.1	102	7.90
98685	Rock	1.95	0.006	0.3	92.7	2.5	53	<0.1	86.6	27.2	696	3.46	1.0	2.7	0.5	137	<0.1	<0.1	<0.1	137	6.88
98686	Drill Core	4.70	0.015	46.9	141.5	9.0	134	0.5	38.6	21.2	1593	4.71	10.7	<0.5	0.7	239	1.1	0.8	<0.1	164	10.64
98687	Drill Core	4.22	0.012	30.4	132.0	8.3	154	0.4	29.5	19.3	993	3.93	11.1	<0.5	1.0	185	1.6	0.5	<0.1	91	6.27
98688	Drill Core	4.64	0.012	12.6	101.2	7.6	342	0.3	20.8	15.0	1554	3.68	5.5	1.2	0.7	211	4.0	0.6	<0.1	98	10.15
98689	Drill Core	3.82	0.013	8.2	93.6	5.8	98	0.3	23.4	17.1	1291	3.83	8.9	<0.5	1.0	187	0.6	0.3	<0.1	174	7.37
98690 DUP 98692 REJECT	Drill Core		0.019	2.7	94.7	5.2	38	0.3	21.1	17.1	1042	4.11	8.3	<0.5	1.0	147	<0.1	0.4	<0.1	127	6.03
98691	Drill Core	3.51	0.017	33.4	125.6	7.8	152	0.4	29.5	18.8	1086	4.06	11.1	<0.5	1.1	196	1.4	0.5	<0.1	96	6.85
98692	Drill Core	4.21	0.017	2.8	98.1	5.4	37	0.3	22.2	18.5	1058	4.21	7.9	0.8	1.0	150	<0.1	0.4	<0.1	128	6.17
98693	Drill Core	3.30	0.019	21.4	114.5	7.0	122	0.5	25.3	16.9	1025	4.28	7.5	<0.5	1.0	157	1.1	0.6	<0.1	149	5.87
98694	Drill Core	5.01	0.010	12.3	107.2	5.2	89	0.3	22.5	20.3	1294	4.76	12.6	0.7	1.1	196	0.6	0.3	<0.1	155	7.61
98695	Drill Core	4.34	0.011	2.0	140.0	1.7	69	0.2	26.7	30.7	1510	5.77	4.0	5.8	0.9	189	<0.1	<0.1	<0.1	230	6.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98666	Drill Core	0.152	15	77	3.24	239	0.235	22	2.76	0.288	0.42	0.3	0.84	13.0	0.1	0.54	8	<0.5	0.7
98667	Drill Core	0.288	27	155	5.59	834	0.264	9	3.22	0.534	1.02	0.7	0.07	8.7	0.4	0.34	7	0.9	<0.2
98668	Drill Core	0.300	30	180	6.24	3418	0.265	14	2.94	0.300	1.10	0.4	0.08	4.4	0.4	0.16	6	<0.5	<0.2
98669	Drill Core	0.320	32	189	6.48	3621	0.281	11	3.15	0.375	1.16	0.1	0.07	5.1	0.3	0.16	7	<0.5	<0.2
98670 DUP 98672 REJECT	Drill Core	0.191	18	82	3.28	254	0.199	16	2.29	0.487	0.70	0.2	0.03	8.6	0.2	0.62	7	0.6	<0.2
98671	Drill Core	0.115	10	52	1.91	96	0.026	5	2.27	0.057	0.11	<0.1	0.08	12.3	<0.1	0.70	10	0.7	<0.2
98672	Drill Core	0.183	17	82	3.21	188	0.189	12	2.17	0.437	0.67	0.2	0.03	7.6	0.3	0.64	6	1.1	<0.2
98673	Drill Core	0.239	23	98	5.89	229	0.193	11	2.68	0.243	0.97	0.1	0.04	5.7	0.5	0.69	6	3.5	0.3
98674	Drill Core	0.111	11	45	1.73	224	0.017	4	2.25	0.053	0.15	<0.1	0.06	8.7	<0.1	0.76	8	2.9	<0.2
98675	Drill Core	0.112	10	28	1.49	144	0.003	5	2.19	0.050	0.16	<0.1	0.19	10.2	0.2	1.05	8	0.5	0.4
98676	Drill Core	0.117	11	59	1.15	157	0.004	7	1.96	0.038	0.18	<0.1	0.72	10.7	0.2	1.08	7	3.6	0.3
98677	Drill Core	0.115	10	55	1.95	78	0.024	4	2.35	0.054	0.11	<0.1	0.09	12.8	<0.1	0.72	10	0.8	<0.2
98678	Drill Core	0.098	11	32	1.27	48	0.002	4	1.77	0.037	0.15	<0.1	0.10	7.1	0.2	1.49	7	3.4	<0.2
98679	Drill Core	0.108	12	24	1.45	135	0.004	5	2.01	0.071	0.16	<0.1	0.04	8.5	0.1	1.07	8	<0.5	<0.2
98680	Rock Pulp	0.048	5	28	0.53	119	0.102	3	1.13	0.079	0.10	0.7	0.07	4.1	<0.1	0.36	4	0.6	<0.2
98681	Drill Core	0.119	12	26	1.78	252	0.047	5	2.47	0.095	0.13	<0.1	0.01	9.5	<0.1	0.25	10	0.9	<0.2
98682	Drill Core	0.108	11	44	1.84	57	0.030	8	2.49	0.070	0.13	<0.1	0.04	11.8	<0.1	0.83	10	3.1	<0.2
98683	Drill Core	0.104	11	34	1.79	72	0.046	6	2.32	0.085	0.13	<0.1	0.03	10.2	<0.1	0.49	10	<0.5	<0.2
98684	Drill Core	0.098	13	20	1.14	272	0.001	7	2.38	0.059	0.24	<0.1	0.04	6.7	0.1	0.66	7	0.6	<0.2
98685	Rock	0.088	4	42	0.94	18	0.220	16	3.50	1.105	0.16	<0.1	<0.01	4.4	<0.1	0.07	8	<0.5	<0.2
98686	Drill Core	0.103	10	42	1.06	74	<0.001	9	2.30	0.083	0.22	<0.1	0.19	12.9	0.2	1.61	6	5.7	<0.2
98687	Drill Core	0.108	11	17	0.77	102	<0.001	7	1.85	0.058	0.25	<0.1	0.10	7.1	0.2	1.94	5	4.0	<0.2
98688	Drill Core	0.088	10	22	1.13	106	<0.001	8	1.94	0.039	0.18	<0.1	0.07	6.7	0.1	1.77	5	3.6	<0.2
98689	Drill Core	0.096	12	48	1.42	156	0.001	7	2.32	0.050	0.24	<0.1	0.09	7.7	<0.1	1.23	8	5.8	<0.2
98690 DUP 98692 REJECT	Drill Core	0.092	11	37	1.36	119	0.001	7	2.26	0.051	0.18	<0.1	0.04	8.9	<0.1	1.33	7	2.1	<0.2
98691	Drill Core	0.103	12	17	0.83	95	<0.001	8	1.96	0.059	0.26	<0.1	0.10	7.2	0.3	1.93	5	4.4	<0.2
98692	Drill Core	0.096	11	38	1.40	109	0.001	8	2.27	0.053	0.18	<0.1	0.03	9.2	<0.1	1.38	7	2.1	<0.2
98693	Drill Core	0.106	13	28	1.32	43	<0.001	7	2.28	0.048	0.20	<0.1	0.04	8.2	<0.1	1.49	7	3.5	<0.2
98694	Drill Core	0.143	13	41	1.26	149	0.003	11	2.34	0.051	0.19	<0.1	0.09	10.1	0.2	1.36	8	1.2	<0.2
98695	Drill Core	0.141	9	131	3.16	84	0.088	7	2.84	0.055	0.21	<0.1	0.05	25.3	<0.1	0.14	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98696	Drill Core	4.50	0.031	2.7	192.8	11.3	181	0.7	16.3	26.6	1287	5.10	14.0	21.4	1.0	158	1.0	0.1	<0.1	167	5.87
98697	Drill Core	4.44	0.031	1.8	140.9	2.1	64	0.4	22.8	28.1	1482	6.25	6.1	12.5	1.0	128	<0.1	<0.1	0.1	204	5.77
98698	Drill Core	4.15	0.029	1.1	104.6	1.6	48	0.4	14.2	22.9	1315	5.34	3.7	17.0	0.9	106	<0.1	<0.1	0.1	162	4.53
98699	Drill Core	2.30	0.022	0.7	187.9	1.4	50	0.4	18.5	24.6	1436	5.32	2.1	14.5	0.8	129	<0.1	<0.1	<0.1	177	5.21
98487	Drill Core	3.92	0.010	0.6	112.5	5.8	61	0.3	23.0	28.6	1057	5.57	6.6	6.3	1.0	210	<0.1	0.1	<0.1	251	4.69
98488	Drill Core	4.30	0.006	0.7	42.6	3.6	50	<0.1	414.2	38.5	876	4.35	3.1	3.1	1.6	228	<0.1	<0.1	<0.1	114	6.57
98489	Drill Core	4.12	0.006	0.7	34.7	3.9	44	<0.1	460.0	38.2	811	3.83	2.8	0.8	2.2	226	<0.1	<0.1	<0.1	91	6.20
98490 DUP 98492 REJECT	Drill Core		0.008	0.7	87.0	4.1	57	<0.1	315.6	37.1	1021	4.58	5.3	2.1	1.7	269	<0.1	<0.1	<0.1	141	8.42
98491	Drill Core	4.51	0.007	0.4	64.5	4.2	53	0.1	230.4	38.0	930	5.20	5.3	0.8	0.4	299	<0.1	<0.1	<0.1	143	8.38
98492	Drill Core	4.22	0.008	0.6	80.7	3.9	52	<0.1	269.7	32.4	896	4.02	5.0	1.4	1.5	239	<0.1	<0.1	<0.1	125	8.04
98493	Drill Core	4.04	0.010	0.6	92.7	5.4	63	0.2	96.4	33.0	845	4.72	6.0	1.1	0.7	211	<0.1	<0.1	<0.1	180	6.35
98494	Drill Core	4.51	0.011	0.4	74.1	4.2	52	<0.1	217.9	36.6	928	4.90	5.7	<0.5	0.4	288	<0.1	<0.1	<0.1	134	8.64
98495	Drill Core	4.13	0.009	0.3	91.0	5.2	67	0.1	147.8	35.0	911	5.20	4.0	1.0	0.7	245	<0.1	<0.1	<0.1	159	5.61
98496	Drill Core	4.24	0.008	0.7	128.9	8.2	65	0.1	39.7	22.6	715	4.61	3.8	5.2	1.0	169	<0.1	<0.1	<0.1	172	2.13
98497	Drill Core	4.01	0.008	0.7	129.6	9.8	68	0.1	47.6	23.3	882	4.61	4.2	<0.5	1.0	172	<0.1	<0.1	<0.1	179	2.95
98498	Drill Core	4.11	0.010	0.7	139.5	7.9	66	0.2	43.7	22.0	787	4.47	4.3	0.6	0.9	172	<0.1	<0.1	<0.1	167	1.97
98499	Drill Core	3.63	0.015	0.8	126.8	8.1	66	<0.1	52.0	22.3	772	4.48	4.3	1.0	1.0	190	<0.1	<0.1	<0.1	170	1.73
98500	Rock Pulp	0.11	0.245	11.1	5315	5.5	84	1.8	11.5	7.2	605	4.14	1.9	188.4	4.2	65	0.3	0.2	0.7	59	1.05
98501	Drill Core	4.22	0.009	0.7	116.9	7.2	65	0.2	45.5	22.6	841	4.31	4.0	1.4	0.9	170	<0.1	<0.1	<0.1	148	2.50
98502	Drill Core	4.32	0.009	0.6	133.9	6.4	62	0.1	38.7	19.9	725	3.86	3.6	<0.5	0.9	168	<0.1	<0.1	<0.1	136	2.87
98503	Drill Core	4.41	0.010	0.6	134.7	7.5	67	0.1	47.2	22.5	818	4.30	4.1	0.8	0.9	174	<0.1	<0.1	<0.1	146	2.57
98504	Drill Core	3.86	0.011	0.6	129.4	7.9	61	<0.1	63.5	22.6	790	4.03	3.6	<0.5	0.9	185	<0.1	<0.1	<0.1	132	2.68
98505	Rock	2.73	0.008	0.3	81.1	2.0	51	<0.1	76.5	24.5	643	3.24	1.0	<0.5	0.5	136	<0.1	<0.1	<0.1	127	6.26
98506	Drill Core	4.27	0.010	0.5	129.6	7.6	63	<0.1	54.6	22.1	771	4.00	3.7	<0.5	0.9	175	<0.1	<0.1	<0.1	130	2.48
98507	Drill Core	3.75	0.010	0.6	133.6	8.2	67	0.1	40.2	21.2	840	4.20	3.9	<0.5	0.9	198	<0.1	<0.1	<0.1	139	2.76
98508	Drill Core	3.20	0.011	1.2	150.7	10.6	76	0.2	27.2	20.4	931	4.63	6.1	<0.5	1.0	212	<0.1	<0.1	<0.1	190	1.88
98509	Drill Core	4.24	0.011	1.0	122.1	8.7	63	<0.1	61.0	22.5	795	4.24	5.0	0.8	0.9	220	<0.1	<0.1	<0.1	161	1.78
98510 DUP 98512 REJECT	Drill Core		0.020	1.0	129.9	9.1	64	0.1	58.1	22.0	879	4.30	4.5	<0.5	1.0	229	<0.1	<0.1	<0.1	166	2.04
98511	Drill Core	4.14	0.011	1.3	131.7	9.4	66	0.1	37.5	19.5	888	4.19	5.1	1.2	0.9	208	<0.1	<0.1	<0.1	164	1.76
98512	Drill Core	2.99	0.009	0.9	125.4	8.5	65	<0.1	55.0	20.7	844	4.19	4.7	1.0	0.9	227	<0.1	<0.1	<0.1	159	2.00

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98696	Drill Core	0.188	10	51	2.18	349	0.040	6	2.56	0.052	0.19	0.1	0.04	13.2	<0.1	0.52	8	<0.5	<0.2
98697	Drill Core	0.187	10	76	2.65	163	0.026	5	3.14	0.053	0.11	<0.1	0.05	16.0	<0.1	0.75	11	<0.5	0.2
98698	Drill Core	0.228	8	26	2.22	57	0.043	3	2.66	0.061	0.08	0.2	0.01	9.5	<0.1	0.50	9	<0.5	<0.2
98699	Drill Core	0.218	6	37	2.52	25	0.129	1	2.64	0.073	0.16	0.4	0.02	12.8	<0.1	0.28	8	<0.5	<0.2
98487	Drill Core	0.123	8	79	4.52	414	0.242	8	3.09	0.199	0.14	0.1	0.06	27.0	<0.1	0.31	10	<0.5	<0.2
98488	Drill Core	0.105	12	359	5.04	103	0.085	9	3.34	0.060	0.19	<0.1	0.02	15.6	<0.1	0.09	8	<0.5	<0.2
98489	Drill Core	0.103	13	398	4.94	119	0.087	9	3.03	0.065	0.21	<0.1	0.02	13.3	<0.1	0.06	8	<0.5	<0.2
98490 DUP 98492 REJECT	Drill Core	0.124	10	261	3.74	100	0.056	10	2.83	0.060	0.24	<0.1	0.02	17.1	<0.1	0.06	7	<0.5	<0.2
98491	Drill Core	0.095	3	349	3.42	43	0.074	12	2.17	0.119	0.12	<0.1	0.06	22.4	<0.1	<0.05	6	<0.5	<0.2
98492	Drill Core	0.113	9	230	3.29	102	0.049	11	2.53	0.055	0.23	<0.1	0.02	15.5	<0.1	0.05	7	<0.5	<0.2
98493	Drill Core	0.129	5	160	3.56	50	0.031	11	2.62	0.072	0.12	<0.1	0.10	19.1	<0.1	0.13	8	<0.5	<0.2
98494	Drill Core	0.084	3	351	3.35	47	0.066	11	2.17	0.110	0.12	<0.1	0.06	22.8	<0.1	0.05	6	<0.5	<0.2
98495	Drill Core	0.144	4	245	3.56	25	0.094	9	3.21	0.682	0.08	<0.1	<0.01	16.5	<0.1	<0.05	7	<0.5	<0.2
98496	Drill Core	0.216	7	72	3.04	118	0.175	8	3.86	1.537	0.09	0.2	0.01	9.1	<0.1	0.09	9	<0.5	<0.2
98497	Drill Core	0.203	6	76	2.68	43	0.176	9	4.18	1.781	0.10	0.2	<0.01	9.2	<0.1	0.09	8	<0.5	<0.2
98498	Drill Core	0.208	6	67	2.95	41	0.154	9	4.94	2.589	0.12	0.1	<0.01	8.2	<0.1	0.06	9	<0.5	<0.2
98499	Drill Core	0.205	6	70	3.38	39	0.149	12	5.04	2.654	0.11	0.1	<0.01	8.7	<0.1	0.07	9	<0.5	<0.2
98500	Rock Pulp	0.066	11	16	0.60	175	0.075	4	0.98	0.059	0.39	0.1	0.07	4.2	0.1	0.33	6	3.8	0.4
98501	Drill Core	0.205	6	72	2.93	41	0.162	9	4.29	2.036	0.19	0.2	<0.01	8.3	<0.1	0.08	8	<0.5	<0.2
98502	Drill Core	0.202	6	59	2.49	41	0.161	9	3.85	1.842	0.24	0.2	<0.01	7.6	<0.1	0.06	7	<0.5	<0.2
98503	Drill Core	0.219	7	71	2.70	46	0.164	13	4.52	2.347	0.24	0.2	<0.01	8.0	<0.1	0.06	8	<0.5	<0.2
98504	Drill Core	0.200	6	78	2.75	40	0.150	14	4.72	2.512	0.26	0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	<0.2
98505	Rock	0.085	4	39	0.85	20	0.212	15	3.37	0.966	0.17	<0.1	<0.01	4.4	<0.1	0.08	7	<0.5	<0.2
98506	Drill Core	0.201	6	72	2.55	39	0.156	14	4.54	2.431	0.25	0.2	<0.01	7.1	<0.1	0.06	8	<0.5	<0.2
98507	Drill Core	0.214	6	57	2.06	48	0.153	11	4.16	2.232	0.21	0.2	<0.01	6.5	<0.1	0.08	8	<0.5	<0.2
98508	Drill Core	0.230	7	48	2.41	42	0.203	15	3.76	1.661	0.08	0.2	<0.01	5.4	<0.1	<0.05	9	<0.5	<0.2
98509	Drill Core	0.192	6	81	2.64	44	0.134	19	5.04	3.024	0.06	0.1	<0.01	6.0	<0.1	<0.05	9	<0.5	<0.2
98510 DUP 98512 REJECT	Drill Core	0.203	6	84	2.60	48	0.168	22	5.02	2.993	0.06	0.1	<0.01	5.5	<0.1	<0.05	9	<0.5	<0.2
98511	Drill Core	0.209	6	61	2.38	58	0.171	26	4.67	2.628	0.06	0.1	<0.01	5.5	<0.1	0.07	9	<0.5	<0.2
98512	Drill Core	0.195	6	77	2.53	44	0.159	24	4.85	2.845	0.05	0.1	<0.01	5.8	<0.1	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98513	Drill Core	4.10	0.010	1.3	132.2	9.4	66	0.1	37.5	19.4	899	4.21	5.2	<0.5	1.0	219	<0.1	<0.1	<0.1	167	2.00
98514	Drill Core	2.63	0.010	1.2	140.7	9.4	67	<0.1	33.0	18.6	981	4.19	6.0	<0.5	1.0	212	<0.1	<0.1	<0.1	164	2.62
98515	Drill Core	2.37	0.010	1.0	155.6	10.6	69	0.1	16.4	16.6	938	4.07	5.2	<0.5	1.1	213	<0.1	<0.1	<0.1	150	1.79
98601	Drill Core	4.31	0.015	0.6	191.4	1.8	59	1.0	13.5	33.3	1097	5.08	0.6	4.0	0.5	177	<0.1	<0.1	<0.1	178	3.21
98602	Drill Core	4.63	0.032	0.2	182.5	1.5	57	0.5	15.3	29.6	1018	5.69	0.7	3.2	0.5	221	<0.1	0.1	<0.1	197	1.73
98603	Drill Core	4.44	0.008	0.1	25.7	1.6	55	0.5	15.1	22.1	983	5.56	0.6	<0.5	0.5	209	<0.1	<0.1	<0.1	186	1.68
98604	Drill Core	4.58	0.007	<0.1	17.0	1.7	52	0.8	15.2	30.2	839	5.10	0.9	1.4	0.4	183	<0.1	0.2	<0.1	171	1.27
98605	Rock	2.78	0.006	0.3	89.8	2.3	50	<0.1	83.6	25.6	693	3.37	1.0	<0.5	0.5	137	<0.1	<0.1	<0.1	126	7.04
98606	Drill Core	4.55	0.010	0.2	13.2	1.5	48	0.9	14.3	22.9	829	5.04	0.8	1.5	0.4	210	<0.1	<0.1	<0.1	170	1.53
98607	Drill Core	5.03	0.012	0.2	22.9	1.5	51	1.0	16.3	26.8	800	5.36	0.9	<0.5	0.5	219	<0.1	0.1	<0.1	183	1.43
98608	Drill Core	4.45	0.006	0.2	78.6	1.3	47	1.4	16.5	28.8	827	5.07	0.5	<0.5	0.5	224	<0.1	0.1	<0.1	176	1.81
98609	Drill Core	4.53	<0.005	0.2	84.9	1.0	49	1.3	14.5	23.9	807	5.10	0.9	<0.5	0.5	190	<0.1	0.1	<0.1	176	2.11
98610 DUP 98612 REJECT	Drill Core		0.012	1.7	184.6	0.9	46	0.5	15.7	21.0	916	4.47	<0.5	6.8	0.7	156	<0.1	<0.1	<0.1	166	3.15
98611	Drill Core	3.44	0.007	0.2	131.0	1.5	58	0.4	14.2	25.3	995	5.24	0.8	2.5	0.4	227	<0.1	0.2	<0.1	183	1.75
98612	Drill Core	4.67	0.008	1.7	179.3	0.9	42	0.6	15.1	20.5	870	4.34	<0.5	5.4	0.7	142	<0.1	0.1	<0.1	154	2.98
98613	Drill Core	4.41	0.011	2.6	134.9	1.1	50	0.5	25.1	34.4	1063	4.93	1.3	4.6	0.6	167	<0.1	0.1	<0.1	167	3.28
98614	Drill Core	4.17	0.009	1.0	90.4	1.0	42	0.4	10.1	22.0	985	4.37	1.0	5.2	0.7	135	<0.1	<0.1	<0.1	149	3.48
98615	Drill Core	4.31	0.015	9.0	78.4	11.1	55	0.8	11.1	25.5	1240	4.46	10.7	7.4	1.2	91	0.4	0.2	0.2	138	4.06
98616	Drill Core	4.41	0.006	0.4	116.8	1.0	44	0.5	10.2	22.5	1219	4.54	0.8	3.5	0.8	143	<0.1	<0.1	<0.1	138	3.82
98617	Drill Core	4.52	<0.005	0.2	56.9	1.2	47	0.3	11.4	21.3	983	4.71	0.8	2.1	0.4	158	<0.1	0.1	<0.1	154	3.29
98618	Drill Core	4.57	0.006	0.3	65.3	1.0	51	0.4	12.6	22.4	1123	5.19	0.7	2.6	0.5	174	<0.1	<0.1	<0.1	171	2.97
98619	Drill Core	4.19	0.008	1.3	129.1	1.0	46	0.4	11.9	20.8	1298	4.77	1.2	3.8	1.2	123	<0.1	<0.1	<0.1	185	3.40
98620	Rock Pulp	0.11	0.240	10.7	5191	5.7	80	1.8	11.2	7.1	593	3.98	2.0	192.3	4.2	64	0.3	0.3	0.7	58	1.02
98621	Drill Core	3.28	0.032	6.5	133.0	2.3	38	0.3	19.2	26.0	1183	4.54	3.3	<0.5	1.0	100	<0.1	0.2	<0.1	210	4.15
98622	Drill Core	5.30	0.011	1.3	100.8	1.1	44	0.4	17.3	25.5	1410	4.93	1.0	<0.5	0.7	151	<0.1	0.1	<0.1	186	4.15
98623	Drill Core	4.35	0.006	0.2	118.4	1.5	49	0.9	19.5	26.7	1117	4.94	0.9	<0.5	0.6	192	<0.1	0.1	<0.1	166	3.51
98624	Drill Core	4.32	<0.005	0.2	80.2	2.2	51	0.3	20.3	28.5	1063	5.00	0.8	<0.5	0.7	224	<0.1	0.1	<0.1	168	3.07
98625	Rock	0.97	<0.005	0.3	96.1	2.5	54	<0.1	91.6	27.8	694	3.63	1.3	3.6	0.5	149	<0.1	<0.1	<0.1	136	6.34
98626	Drill Core	4.33	<0.005	0.2	50.1	1.4	44	0.2	20.1	30.6	1046	4.78	0.7	0.9	0.6	229	<0.1	<0.1	<0.1	165	3.33
98627	Drill Core	4.54	0.008	0.2	65.4	4.3	52	0.4	20.6	28.9	1157	4.95	11.0	4.7	0.7	189	<0.1	0.2	<0.1	174	3.80

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98513	Drill Core	0.222	6	60	2.41	48	0.177	23	4.60	2.540	0.07	0.2	<0.01	5.8	<0.1	0.10	10	<0.5	<0.2
98514	Drill Core	0.219	7	62	2.19	46	0.171	71	5.08	2.615	0.06	0.2	<0.01	5.8	<0.1	0.09	10	<0.5	<0.2
98515	Drill Core	0.226	7	30	1.53	61	0.117	33	5.36	3.456	0.06	0.1	<0.01	4.1	<0.1	0.14	9	<0.5	<0.2
98601	Drill Core	0.102	4	20	2.47	18	0.216	2	2.17	0.066	0.06	0.1	<0.01	12.5	<0.1	0.09	8	<0.5	<0.2
98602	Drill Core	0.099	4	20	2.98	21	0.245	2	2.32	0.104	0.04	0.1	<0.01	13.1	<0.1	0.07	8	<0.5	<0.2
98603	Drill Core	0.095	4	20	3.05	43	0.231	5	2.32	0.112	0.05	0.1	<0.01	12.8	<0.1	<0.05	8	<0.5	<0.2
98604	Drill Core	0.098	3	20	2.99	15	0.209	2	2.17	0.095	0.03	0.1	<0.01	11.2	<0.1	<0.05	7	<0.5	<0.2
98605	Rock	0.086	4	43	0.89	19	0.219	15	3.53	1.055	0.17	<0.1	<0.01	4.7	<0.1	0.11	8	<0.5	<0.2
98606	Drill Core	0.098	3	18	2.65	19	0.206	2	2.06	0.102	0.05	0.1	<0.01	9.8	<0.1	<0.05	8	<0.5	<0.2
98607	Drill Core	0.101	4	24	3.08	21	0.220	2	2.22	0.133	0.05	0.1	<0.01	12.5	<0.1	<0.05	7	<0.5	<0.2
98608	Drill Core	0.109	4	26	2.86	24	0.223	2	2.17	0.123	0.06	0.1	<0.01	12.8	<0.1	0.05	8	<0.5	<0.2
98609	Drill Core	0.113	4	23	2.59	23	0.219	2	2.02	0.109	0.06	0.1	<0.01	11.2	<0.1	0.05	8	<0.5	<0.2
98610 DUP 98612 REJECT	Drill Core	0.111	5	26	2.38	32	0.214	2	2.11	0.116	0.09	0.1	<0.01	11.3	<0.1	0.07	8	<0.5	<0.2
98611	Drill Core	0.095	4	18	2.78	18	0.231	<1	2.17	0.085	0.04	0.1	0.02	12.1	<0.1	0.05	8	<0.5	<0.2
98612	Drill Core	0.114	5	26	2.24	30	0.200	4	2.01	0.106	0.08	0.2	<0.01	9.8	<0.1	0.06	7	<0.5	<0.2
98613	Drill Core	0.108	5	54	2.70	32	0.219	5	2.39	0.109	0.07	0.2	0.01	12.5	<0.1	0.21	7	<0.5	<0.2
98614	Drill Core	0.107	5	17	2.25	272	0.202	3	2.24	0.091	0.08	0.2	0.06	10.8	<0.1	0.15	7	<0.5	<0.2
98615	Drill Core	0.120	9	17	1.89	72	0.118	4	2.43	0.062	0.11	0.2	0.09	9.6	0.1	0.89	9	0.7	0.3
98616	Drill Core	0.112	7	15	1.96	69	0.079	4	2.33	0.067	0.11	<0.1	0.01	10.0	<0.1	0.20	8	<0.5	<0.2
98617	Drill Core	0.094	4	21	2.08	49	0.178	4	2.05	0.135	0.09	0.1	0.01	11.9	<0.1	0.13	6	<0.5	<0.2
98618	Drill Core	0.106	4	19	2.85	43	0.211	4	2.60	0.133	0.08	0.1	<0.01	12.9	<0.1	0.09	8	<0.5	<0.2
98619	Drill Core	0.125	8	24	2.36	31	0.152	4	2.54	0.118	0.08	0.2	<0.01	13.8	<0.1	0.18	9	<0.5	<0.2
98620	Rock Pulp	0.066	11	15	0.61	168	0.071	5	0.95	0.055	0.38	0.1	0.09	3.9	0.1	0.33	6	3.1	0.4
98621	Drill Core	0.103	9	33	1.68	42	0.098	6	2.22	0.101	0.08	0.1	0.09	12.7	0.2	1.08	9	4.9	<0.2
98622	Drill Core	0.104	5	41	2.40	33	0.219	3	2.52	0.107	0.07	0.2	0.02	14.9	<0.1	0.27	8	0.8	<0.2
98623	Drill Core	0.103	4	44	2.77	22	0.232	4	2.33	0.090	0.05	0.2	0.03	14.1	<0.1	0.13	6	<0.5	<0.2
98624	Drill Core	0.104	5	45	2.93	22	0.228	3	2.29	0.096	0.05	0.2	0.04	14.5	<0.1	0.09	6	<0.5	<0.2
98625	Rock	0.089	4	45	0.99	19	0.239	16	3.74	1.080	0.15	<0.1	<0.01	5.0	<0.1	0.10	8	0.5	<0.2
98626	Drill Core	0.097	5	45	2.91	18	0.206	3	2.24	0.091	0.04	0.2	0.03	14.6	<0.1	0.08	6	<0.5	<0.2
98627	Drill Core	0.109	5	48	3.03	21	0.212	4	2.41	0.090	0.04	0.2	0.12	16.1	<0.1	0.48	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98628	Drill Core	4.89	0.007	0.3	91.6	2.2	46	0.7	19.9	25.6	1137	4.85	1.8	2.8	0.8	165	<0.1	<0.1	<0.1	155	3.07
98629	Drill Core	4.33	0.013	0.4	95.7	2.0	49	0.5	20.1	23.2	1190	4.90	1.8	3.7	0.7	156	<0.1	0.1	<0.1	157	3.84
98630 DUP 98632 REJECT	Drill Core		0.008	0.5	87.9	2.3	45	2.1	20.5	30.4	1327	4.81	3.2	4.3	0.8	143	<0.1	0.1	<0.1	156	4.07
98631	Drill Core	4.92	0.006	0.1	86.9	1.7	47	0.2	19.8	26.6	992	4.74	0.7	1.6	0.6	202	<0.1	<0.1	<0.1	155	2.85
98632	Drill Core	3.74	0.007	0.4	85.9	2.2	45	2.5	19.7	29.2	1255	4.68	3.3	2.9	0.7	136	<0.1	0.1	<0.1	155	3.95
98633	Drill Core	4.38	0.008	0.2	65.4	1.4	48	0.3	19.6	22.4	1203	4.80	1.1	3.4	0.7	135	<0.1	<0.1	<0.1	149	4.43
98634	Drill Core	4.07	0.030	2.1	112.0	3.6	47	0.4	18.9	20.6	1162	4.33	5.1	8.4	0.9	128	<0.1	0.2	<0.1	122	5.23
98635	Rock	1.27	0.005	0.3	90.8	2.5	57	<0.1	99.6	29.2	743	3.77	1.2	1.5	0.5	138	<0.1	<0.1	<0.1	134	6.40
98423	Drill Core	5.28	0.038	3.5	176.0	3.8	36	0.2	4.9	13.6	750	3.77	4.4	24.8	1.4	90	<0.1	0.2	<0.1	167	3.49
98424	Drill Core	4.22	0.025	2.5	224.9	2.8	34	0.1	5.3	13.2	599	3.63	2.5	14.7	1.5	98	<0.1	<0.1	<0.1	155	3.25
98425	Rock	2.10	<0.005	0.3	83.8	2.2	49	<0.1	83.9	24.9	660	3.36	1.3	1.6	0.4	136	<0.1	<0.1	<0.1	124	6.15
98426	Drill Core	4.53	0.013	1.4	136.8	3.2	33	0.2	4.4	11.8	646	3.51	4.2	7.7	1.5	149	<0.1	<0.1	<0.1	168	2.79
98427	Drill Core	4.35	0.011	1.9	142.1	2.6	38	<0.1	5.0	13.6	733	3.82	2.4	7.8	1.4	109	<0.1	<0.1	<0.1	167	2.86
98428	Drill Core	3.54	0.022	1.4	208.6	3.1	38	0.4	5.5	13.9	770	3.80	2.7	13.5	1.5	93	<0.1	<0.1	<0.1	168	2.94
98429	Drill Core	4.01	0.023	2.1	212.2	2.6	31	0.2	5.0	13.0	699	3.72	2.9	12.8	1.4	155	<0.1	<0.1	<0.1	155	3.20
98430 DUP 98432 REJECT	Drill Core		0.022	1.8	247.4	2.4	35	0.2	5.2	12.5	689	3.66	1.9	13.0	1.5	90	<0.1	<0.1	<0.1	168	2.64
98431	Drill Core	5.10	0.013	1.5	124.1	2.5	37	0.1	5.1	12.7	740	3.65	2.3	8.2	1.4	117	<0.1	<0.1	<0.1	163	3.13
98432	Drill Core	4.04	0.029	1.9	250.8	2.8	33	0.2	5.2	12.7	691	3.63	1.8	12.8	1.4	91	0.1	<0.1	<0.1	168	2.72
98433	Drill Core	3.60	0.072	3.6	790.9	2.9	27	0.4	4.9	21.0	490	3.81	3.2	49.6	1.5	119	<0.1	<0.1	0.1	112	3.99
98434	Drill Core	3.98	0.108	5.9	1477	2.8	21	0.6	5.7	10.8	345	3.71	4.2	103.5	1.9	223	0.1	0.2	0.2	92	3.71
98435	Drill Core	3.78	0.088	21.4	1136	2.7	18	0.7	5.3	11.9	340	3.41	10.3	99.5	1.5	106	<0.1	0.5	0.2	83	3.86
98436	Drill Core	4.05	0.039	32.2	1147	2.5	21	0.6	6.3	21.6	393	4.20	3.5	42.0	1.3	90	<0.1	0.2	0.2	116	3.88
98437	Drill Core	5.01	0.042	28.6	1112	2.3	21	0.6	6.5	19.5	399	4.11	3.1	41.0	1.2	76	<0.1	0.1	0.2	124	2.90
98438	Drill Core	4.13	0.086	2.9	501.4	1.9	48	0.5	15.2	35.7	983	4.55	2.7	15.8	0.8	148	<0.1	<0.1	0.1	175	4.28
98439	Drill Core	4.25	0.017	22.6	1025	3.6	24	0.9	7.3	18.5	330	3.82	10.1	108.0	1.2	87	<0.1	0.4	0.1	110	2.91
98440	Rock Pulp	0.11	1.152	356.7	3389	23.3	56	1.7	31.1	8.6	431	3.17	13.8	867.5	1.1	34	0.2	3.4	0.5	51	0.69
98441	Drill Core	5.05	0.005	0.9	126.1	1.8	57	0.1	23.9	26.3	1319	5.14	1.6	0.8	0.6	160	<0.1	<0.1	0.1	188	3.69
98442	Drill Core	4.41	0.006	0.8	23.9	1.7	50	0.1	21.8	25.1	1136	4.63	1.5	<0.5	0.6	147	<0.1	<0.1	0.1	160	3.26
98443	Drill Core	5.16	0.008	1.2	152.7	2.4	59	0.2	25.6	29.5	1443	5.39	3.2	2.5	0.6	165	<0.1	<0.1	0.2	203	4.07
98444	Drill Core	2.34	0.007	1.1	80.3	1.7	70	0.2	23.8	26.4	1452	5.20	2.4	1.0	0.6	155	<0.1	<0.1	0.2	198	4.26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98628	Drill Core	0.121	5	48	3.08	19	0.199	4	2.43	0.075	0.04	0.2	0.10	16.6	<0.1	0.09	7	<0.5	<0.2
98629	Drill Core	0.120	5	49	2.74	18	0.211	4	2.44	0.078	0.06	0.3	0.24	17.1	<0.1	0.52	7	<0.5	<0.2
98630 DUP 98632 REJECT	Drill Core	0.110	6	49	2.83	21	0.208	3	2.51	0.072	0.06	0.2	0.15	17.4	<0.1	0.44	7	<0.5	<0.2
98631	Drill Core	0.099	4	42	2.78	19	0.195	4	2.10	0.086	0.04	0.2	0.03	13.3	<0.1	0.09	6	<0.5	<0.2
98632	Drill Core	0.105	5	48	2.68	21	0.205	4	2.38	0.068	0.06	0.2	0.15	16.6	<0.1	0.43	7	<0.5	<0.2
98633	Drill Core	0.108	5	50	2.44	20	0.161	4	2.31	0.052	0.08	0.2	0.07	16.2	<0.1	0.05	7	<0.5	<0.2
98634	Drill Core	0.111	9	36	1.38	24	0.027	9	2.20	0.049	0.19	<0.1	0.52	12.2	0.1	0.33	7	<0.5	<0.2
98635	Rock	0.091	4	44	1.04	20	0.237	17	3.77	1.117	0.18	<0.1	<0.01	4.9	<0.1	0.08	9	<0.5	<0.2
98423	Drill Core	0.117	13	5	1.36	43	0.230	7	1.67	0.096	0.15	0.2	0.21	11.1	<0.1	1.03	8	<0.5	<0.2
98424	Drill Core	0.112	13	6	1.11	36	0.107	3	1.65	0.091	0.12	<0.1	0.06	9.1	<0.1	0.69	9	<0.5	<0.2
98425	Rock	0.081	4	40	0.90	17	0.223	16	3.48	1.083	0.16	<0.1	<0.01	4.5	<0.1	0.09	8	<0.5	<0.2
98426	Drill Core	0.112	12	5	1.33	35	0.220	6	2.34	0.105	0.09	0.2	0.05	9.4	<0.1	0.30	10	<0.5	<0.2
98427	Drill Core	0.119	13	5	1.22	36	0.140	5	1.51	0.114	0.13	<0.1	0.05	10.3	<0.1	0.44	9	<0.5	<0.2
98428	Drill Core	0.114	12	8	1.56	39	0.175	5	1.62	0.123	0.12	0.2	0.04	10.8	<0.1	0.59	9	<0.5	<0.2
98429	Drill Core	0.117	13	6	1.19	90	0.100	4	1.62	0.201	0.12	<0.1	0.16	9.3	<0.1	0.75	8	0.8	<0.2
98430 DUP 98432 REJECT	Drill Core	0.111	11	6	1.34	37	0.189	4	1.49	0.111	0.12	0.2	0.15	11.3	<0.1	0.60	8	<0.5	<0.2
98431	Drill Core	0.118	13	5	1.22	35	0.133	5	1.58	0.109	0.12	<0.1	0.04	10.1	<0.1	0.38	9	<0.5	<0.2
98432	Drill Core	0.111	11	6	1.34	37	0.190	5	1.53	0.121	0.13	0.2	0.14	10.8	<0.1	0.61	8	0.5	<0.2
98433	Drill Core	0.091	12	5	0.69	87	0.051	4	1.41	0.089	0.14	<0.1	0.54	6.4	0.1	2.13	8	2.6	0.5
98434	Drill Core	0.084	13	6	0.57	81	0.034	7	1.35	0.086	0.18	<0.1	0.04	4.0	<0.1	1.69	7	1.1	0.4
98435	Drill Core	0.081	14	5	0.54	60	0.038	6	1.10	0.099	0.24	<0.1	0.05	4.3	<0.1	2.16	6	3.7	0.2
98436	Drill Core	0.094	13	7	0.79	40	0.092	6	1.47	0.131	0.28	0.1	0.04	7.2	0.1	2.84	7	7.0	0.2
98437	Drill Core	0.097	13	7	0.93	32	0.068	6	1.39	0.091	0.24	<0.1	0.03	5.9	<0.1	2.57	7	5.8	0.2
98438	Drill Core	0.124	6	31	2.07	38	0.273	7	2.40	0.155	0.19	0.3	0.03	16.2	<0.1	0.70	9	1.1	<0.2
98439	Drill Core	0.103	15	7	0.76	30	0.049	7	1.20	0.077	0.23	<0.1	0.06	5.3	0.1	2.63	6	5.5	<0.2
98440	Rock Pulp	0.048	5	32	0.58	126	0.112	5	1.26	0.097	0.12	0.8	0.08	4.5	<0.1	0.39	4	0.9	<0.2
98441	Drill Core	0.133	3	62	3.19	23	0.273	4	2.82	0.121	0.09	0.3	0.08	17.8	<0.1	0.45	9	<0.5	<0.2
98442	Drill Core	0.132	2	56	2.88	33	0.224	6	2.63	0.161	0.14	0.2	0.01	13.0	<0.1	0.56	8	<0.5	<0.2
98443	Drill Core	0.121	3	66	3.36	25	0.241	5	3.08	0.134	0.08	0.2	0.03	16.3	<0.1	0.75	9	0.7	<0.2
98444	Drill Core	0.128	3	65	3.20	26	0.234	6	3.03	0.098	0.08	0.2	0.03	16.1	<0.1	0.57	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98445	Rock	2.84	<0.005	0.3	99.8	2.7	57	<0.1	107.7	31.9	749	3.93	1.4	1.7	0.5	147	<0.1	<0.1	<0.1	145	6.65
98446	Drill Core	3.92	0.007	0.6	146.1	1.9	56	0.5	22.4	32.5	1284	5.23	1.6	3.5	0.7	152	<0.1	<0.1	0.2	182	3.42
98447	Drill Core	3.94	0.008	0.8	171.7	1.8	46	0.6	23.4	24.9	1362	5.16	1.5	3.1	0.7	177	<0.1	<0.1	<0.1	191	3.79
98448	Drill Core	4.25	0.008	0.7	165.2	1.4	51	0.3	22.8	27.7	1353	5.14	1.0	0.8	0.6	159	<0.1	<0.1	<0.1	193	3.83
98449	Drill Core	4.38	0.009	2.2	174.3	2.6	42	0.3	25.6	33.6	1244	5.40	1.5	4.1	0.6	164	<0.1	<0.1	0.2	218	4.45
98450 DUP 98452 REJECT	Drill Core		0.009	1.7	149.7	2.7	53	0.3	23.7	34.8	1325	5.50	2.6	3.4	0.6	167	<0.1	<0.1	0.2	222	5.20
98451	Drill Core	4.14	0.009	2.4	178.4	3.0	55	0.2	12.5	23.6	1032	5.14	3.5	4.9	0.6	172	<0.1	<0.1	0.2	220	4.36
98452	Drill Core	3.81	0.009	1.6	146.4	2.6	52	0.2	22.4	33.9	1272	5.31	2.6	5.3	0.6	158	<0.1	<0.1	0.2	215	4.94
98453	Drill Core	2.88	0.007	0.9	201.5	2.2	45	0.4	22.6	27.0	1231	5.11	1.8	1.4	0.8	169	<0.1	<0.1	0.2	214	4.99
98454	Drill Core	3.33	0.009	1.8	186.5	2.8	52	0.2	10.6	20.5	980	4.83	3.3	4.6	0.5	155	<0.1	<0.1	0.1	208	4.28
98455	Drill Core	3.21	0.007	1.8	101.1	1.5	52	<0.1	10.7	15.6	939	4.65	1.1	1.4	0.5	120	<0.1	<0.1	0.1	203	3.19
98456	Drill Core	3.83	0.014	0.9	435.3	3.6	64	0.4	22.6	34.1	1511	5.46	3.4	5.7	0.6	186	<0.1	<0.1	<0.1	236	4.86
98457	Drill Core	4.27	0.008	1.1	113.9	2.3	52	0.1	23.3	27.1	1497	5.90	4.6	3.3	0.7	151	<0.1	<0.1	0.1	233	3.20
98458	Drill Core	4.78	0.011	2.0	62.2	2.9	55	0.2	19.0	20.3	1265	4.96	4.7	5.1	0.5	118	<0.1	<0.1	0.4	199	3.22
98459	Drill Core	3.86	0.019	1.2	75.6	3.8	78	0.5	19.6	30.4	1384	6.33	6.2	9.3	0.5	115	0.1	0.1	0.6	219	4.31
98460	Rock Pulp	0.11	0.007	3.1	21.9	2.2	33	0.5	18.6	9.2	295	1.89	3.3	0.8	1.0	27	0.1	0.2	<0.1	48	0.67
98461	Drill Core	4.69	0.008	1.3	159.1	1.9	43	0.3	20.8	28.6	1126	4.51	1.1	1.3	0.5	137	0.1	<0.1	0.2	185	4.05
98462	Drill Core	3.17	0.008	2.3	104.9	2.7	50	0.2	13.7	20.8	953	4.85	2.5	3.6	0.9	133	<0.1	<0.1	0.1	202	4.15
98463	Drill Core	3.93	0.016	3.5	57.8	4.1	57	0.3	12.9	24.9	1099	5.99	12.8	11.4	0.4	108	<0.1	0.3	0.4	208	3.71
98464	Drill Core	3.50	0.008	1.2	143.9	2.6	54	0.2	20.0	27.8	1238	5.11	2.4	3.9	0.6	138	<0.1	<0.1	0.1	180	3.86
98465	Rock	2.66	0.006	0.4	98.2	2.3	52	<0.1	89.9	28.8	720	3.77	1.2	2.4	0.5	129	<0.1	<0.1	<0.1	147	6.27
98466	Drill Core	4.48	0.006	0.9	247.8	2.1	48	0.3	19.9	27.3	1236	4.64	1.0	3.5	0.7	144	<0.1	<0.1	<0.1	181	4.03
98467	Drill Core	3.11	<0.005	1.0	158.0	1.7	53	0.1	23.6	25.6	1235	4.69	1.5	3.3	0.6	141	<0.1	<0.1	<0.1	188	4.11
98468	Drill Core	3.89	0.005	1.2	154.0	1.4	43	0.2	22.2	27.1	1225	4.88	0.8	1.7	0.6	140	<0.1	<0.1	<0.1	193	3.99
98469	Drill Core	5.52	0.007	1.4	139.6	1.7	44	0.1	21.1	25.7	1164	4.43	0.8	2.3	0.6	139	<0.1	<0.1	0.1	170	3.84
98470 DUP 98472 REJECT	Drill Core		0.009	1.2	144.7	3.0	49	0.2	19.4	28.4	1210	4.46	2.0	3.1	0.6	145	<0.1	<0.1	0.2	175	4.03
98471	Drill Core	5.18	0.013	1.7	193.7	5.3	67	0.3	18.3	27.2	1437	4.90	6.3	7.6	0.7	144	<0.1	0.2	0.2	219	5.78
98472	Drill Core	4.09	0.008	1.1	151.6	3.2	53	0.3	20.7	29.6	1268	4.66	2.3	5.5	0.7	157	<0.1	<0.1	0.2	184	4.22
98473	Drill Core	3.99	0.015	8.6	83.0	5.0	73	0.2	20.2	34.7	1628	5.78	5.4	9.5	0.8	133	<0.1	0.1	0.4	226	5.64
98474	Drill Core	4.56	0.012	1.9	137.3	5.9	68	0.6	19.5	28.5	1460	4.99	6.4	6.6	0.7	155	0.1	0.2	0.2	230	6.21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98445	Rock	0.086	4	49	1.04	20	0.243	15	3.83	1.171	0.18	<0.1	<0.01	5.1	<0.1	0.11	8	<0.5	<0.2
98446	Drill Core	0.137	3	55	2.86	32	0.222	3	2.72	0.149	0.10	0.2	0.02	12.5	<0.1	0.93	9	0.8	<0.2
98447	Drill Core	0.133	3	59	2.91	37	0.237	5	2.92	0.164	0.11	0.2	0.03	13.7	<0.1	0.28	9	<0.5	<0.2
98448	Drill Core	0.136	3	60	2.95	45	0.205	5	2.96	0.229	0.16	0.2	0.02	14.2	<0.1	0.42	9	<0.5	<0.2
98449	Drill Core	0.138	4	65	2.73	33	0.267	4	2.61	0.159	0.10	0.2	0.01	15.1	<0.1	1.24	8	1.4	<0.2
98450 DUP 98452 REJECT	Drill Core	0.131	4	63	2.79	26	0.271	4	2.64	0.132	0.07	0.1	0.02	18.0	<0.1	1.45	8	<0.5	<0.2
98451	Drill Core	0.138	5	23	2.17	37	0.255	3	2.46	0.184	0.14	0.2	0.09	20.2	<0.1	1.49	9	0.8	<0.2
98452	Drill Core	0.131	4	62	2.68	23	0.256	4	2.53	0.125	0.06	0.1	0.03	17.1	<0.1	1.40	8	0.6	<0.2
98453	Drill Core	0.127	3	64	2.72	31	0.249	3	2.52	0.120	0.07	0.2	0.01	17.3	<0.1	0.82	8	<0.5	<0.2
98454	Drill Core	0.140	4	20	2.05	24	0.215	3	2.26	0.116	0.09	0.2	0.09	17.9	<0.1	1.40	9	<0.5	<0.2
98455	Drill Core	0.135	4	20	1.91	40	0.197	4	2.00	0.181	0.16	0.2	0.03	15.8	<0.1	0.57	8	<0.5	<0.2
98456	Drill Core	0.130	4	62	2.88	40	0.254	4	2.96	0.185	0.10	0.2	0.02	20.1	<0.1	0.57	9	<0.5	<0.2
98457	Drill Core	0.128	3	62	3.39	35	0.263	4	2.99	0.196	0.10	0.2	0.01	17.4	<0.1	0.74	9	<0.5	<0.2
98458	Drill Core	0.127	3	52	2.68	31	0.232	3	2.40	0.159	0.11	0.2	0.04	16.7	<0.1	1.59	9	0.7	<0.2
98459	Drill Core	0.127	3	60	2.99	24	0.222	4	2.79	0.106	0.10	0.2	0.07	22.3	<0.1	2.81	9	1.8	0.6
98460	Rock Pulp	0.048	4	22	0.49	81	0.098	4	1.09	0.063	0.08	16.9	0.02	3.6	<0.1	<0.05	4	<0.5	<0.2
98461	Drill Core	0.121	3	81	2.56	31	0.234	4	2.24	0.154	0.11	0.2	<0.01	16.1	<0.1	0.71	8	<0.5	<0.2
98462	Drill Core	0.127	4	42	2.18	44	0.228	3	2.14	0.203	0.16	0.2	0.04	17.1	<0.1	1.15	8	0.9	<0.2
98463	Drill Core	0.133	4	27	2.41	28	0.227	4	2.53	0.144	0.13	0.3	0.11	19.6	0.2	2.85	9	2.3	0.4
98464	Drill Core	0.129	3	58	2.80	25	0.228	3	2.43	0.135	0.11	0.2	0.02	14.2	<0.1	1.09	8	0.8	<0.2
98465	Rock	0.089	4	44	1.00	18	0.237	16	3.84	1.145	0.16	<0.1	<0.01	5.1	<0.1	0.10	8	0.8	<0.2
98466	Drill Core	0.135	3	59	2.63	40	0.252	4	2.26	0.154	0.13	0.2	<0.01	12.2	<0.1	0.21	7	<0.5	<0.2
98467	Drill Core	0.117	2	70	2.89	29	0.233	3	2.40	0.151	0.11	0.3	<0.01	13.7	<0.1	0.33	8	<0.5	<0.2
98468	Drill Core	0.119	2	68	3.09	26	0.237	3	2.45	0.127	0.09	0.2	<0.01	13.4	<0.1	0.37	8	<0.5	0.3
98469	Drill Core	0.108	2	63	2.84	26	0.208	2	2.12	0.089	0.07	0.2	<0.01	11.9	<0.1	0.36	7	<0.5	<0.2
98470 DUP 98472 REJECT	Drill Core	0.114	2	52	2.73	25	0.219	2	2.10	0.085	0.06	0.2	0.02	12.8	<0.1	0.80	7	<0.5	<0.2
98471	Drill Core	0.117	3	47	2.76	25	0.250	2	2.53	0.077	0.05	0.3	0.04	20.2	<0.1	1.47	9	<0.5	<0.2
98472	Drill Core	0.113	2	54	2.86	26	0.233	2	2.19	0.091	0.06	0.2	0.02	13.6	<0.1	0.84	7	<0.5	0.3
98473	Drill Core	0.121	3	59	2.95	29	0.260	2	2.70	0.072	0.05	0.3	0.04	22.2	<0.1	2.51	8	1.2	0.5
98474	Drill Core	0.118	3	49	2.84	25	0.264	3	2.74	0.074	0.05	0.3	0.05	21.1	<0.1	1.58	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98475	Drill Core	4.27	0.012	1.9	217.0	5.7	74	0.3	18.9	29.9	1570	5.11	7.1	6.8	0.8	158	<0.1	0.2	0.2	230	5.39
98476	Drill Core	3.45	0.009	1.2	185.0	4.5	67	0.4	18.5	30.3	1427	4.96	2.8	4.5	0.7	177	<0.1	0.1	0.1	220	4.59
98477	Drill Core	3.78	0.007	1.0	160.0	3.8	57	0.3	215.3	33.6	1143	4.68	1.1	2.5	2.6	240	<0.1	<0.1	0.1	161	2.72
98478	Drill Core	3.52	<0.005	0.8	48.1	4.8	51	<0.1	477.9	41.6	811	4.19	0.8	0.6	4.7	344	<0.1	<0.1	<0.1	103	1.36
98479	Drill Core	3.86	0.009	1.5	75.5	2.9	47	0.2	95.1	25.4	1066	4.90	2.6	6.7	1.5	154	<0.1	<0.1	0.4	162	3.21
98480	Rock Pulp	0.11	1.116	333.7	3199	23.6	53	1.8	29.5	8.1	408	2.94	12.2	776.1	1.2	32	<0.1	3.4	0.6	47	0.63
98481	Drill Core	4.10	0.008	1.2	247.0	6.5	59	0.4	58.4	22.9	865	4.32	4.7	2.7	1.0	165	<0.1	0.1	<0.1	169	2.21
98482	Drill Core	4.13	0.009	1.0	169.2	6.5	73	0.3	41.1	23.9	807	4.81	4.6	2.2	1.3	169	<0.1	<0.1	<0.1	189	1.70
98483	Drill Core	3.02	<0.005	0.4	70.4	2.9	47	<0.1	396.4	36.8	763	4.11	2.1	0.7	2.5	297	<0.1	<0.1	<0.1	125	2.54
98484	Drill Core	3.86	0.008	0.4	35.6	3.1	45	<0.1	550.2	43.5	760	4.25	2.4	<0.5	3.9	320	<0.1	<0.1	<0.1	111	2.76
98485	Rock	2.98	0.007	0.4	95.0	2.2	48	<0.1	86.5	26.7	701	3.41	0.7	<0.5	0.5	132	<0.1	<0.1	<0.1	130	6.00
98486	Drill Core	4.41	<0.005	0.5	48.5	4.6	47	<0.1	418.6	39.4	933	4.35	4.7	<0.5	2.9	297	<0.1	<0.1	<0.1	131	3.64
12259	Drill Core	5.65	0.029	4.1	64.8	2.4	17	0.1	5.3	14.6	276	4.45	<0.5	38.9	1.0	119	<0.1	<0.1	0.1	109	1.98
12260	Rock Pulp	0.11	1.099	329.3	3234	23.7	53	1.7	29.6	7.9	405	2.89	12.4	729.8	1.3	33	0.1	3.5	0.6	47	0.64
12261	Drill Core	4.40	0.032	2.1	159.3	2.6	16	0.3	5.3	13.0	301	4.51	<0.5	25.3	0.9	161	<0.1	<0.1	0.2	111	1.67
12262	Drill Core	3.79	0.035	1.3	186.9	2.3	18	0.2	5.3	13.0	341	4.18	<0.5	29.9	1.0	97	<0.1	<0.1	0.2	120	1.70
12263	Drill Core	4.15	0.047	1.9	274.0	2.6	17	0.5	5.2	13.7	292	4.49	<0.5	36.2	1.1	112	<0.1	<0.1	0.3	119	1.47
12264	Drill Core	4.70	0.065	1.0	446.2	2.4	18	0.7	4.8	12.1	312	4.10	<0.5	70.9	1.1	108	<0.1	<0.1	0.3	128	1.43
12265	Rock	2.03	<0.005	0.3	92.9	2.6	49	<0.1	91.5	27.7	691	3.55	1.0	5.1	0.5	138	<0.1	<0.1	<0.1	136	6.14
12266	Drill Core	3.81	0.043	2.5	210.6	2.3	20	0.3	4.6	11.0	390	4.38	0.9	34.6	1.2	150	<0.1	<0.1	0.4	143	1.27
12267	Drill Core	4.16	0.072	2.7	734.8	2.1	26	0.4	13.3	26.5	595	6.23	1.5	48.8	1.1	149	0.1	<0.1	0.5	200	1.97
12268	Drill Core	5.06	0.037	2.6	460.9	2.1	27	0.3	19.8	31.3	706	7.23	1.4	30.8	1.2	302	<0.1	<0.1	0.5	253	2.55
12269	Drill Core	4.29	0.082	4.6	790.9	2.4	24	0.4	19.4	45.4	660	7.84	1.4	52.5	1.1	120	<0.1	<0.1	0.7	226	2.01
12270 DUP 12272 REJECT	Drill Core		0.031	1.1	375.0	2.3	34	0.4	18.8	32.0	737	6.61	1.2	32.4	1.1	325	<0.1	<0.1	0.5	230	2.33
12271	Drill Core	4.01	0.037	1.0	355.5	2.1	25	0.5	19.5	37.1	607	7.31	1.8	49.4	1.0	603	<0.1	<0.1	0.5	234	2.08
12272	Drill Core	3.89	0.036	1.1	378.6	2.3	33	0.3	18.0	32.5	726	6.62	1.2	32.8	1.1	313	<0.1	<0.1	0.5	229	2.32
12273	Drill Core	4.49	0.042	0.9	312.7	1.9	25	0.4	18.7	36.7	613	7.13	0.9	35.9	1.0	583	<0.1	<0.1	0.5	239	2.10
12274	Drill Core	4.41	0.087	3.5	456.8	2.3	24	0.3	19.9	26.5	438	7.06	<0.5	77.7	1.1	248	<0.1	<0.1	0.4	233	1.79
12275	Drill Core	5.55	0.074	0.7	349.6	2.3	26	0.3	18.9	31.8	460	7.80	<0.5	70.7	1.2	188	<0.1	<0.1	0.5	216	2.47
12276	Drill Core	3.05	0.127	2.7	673.8	1.7	24	0.5	15.8	27.5	409	7.55	<0.5	101.9	0.9	247	<0.1	0.1	0.4	234	2.05

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98475	Drill Core	0.120	4	48	3.01	34	0.263	2	2.60	0.093	0.07	0.2	0.05	23.0	<0.1	1.84	8	<0.5	<0.2
98476	Drill Core	0.124	3	44	3.05	32	0.267	3	2.43	0.101	0.07	0.2	0.03	19.1	<0.1	1.00	8	0.6	<0.2
98477	Drill Core	0.127	8	78	4.60	148	0.256	3	2.44	0.143	0.29	0.2	0.03	14.3	<0.1	0.40	8	<0.5	<0.2
98478	Drill Core	0.131	15	129	6.67	316	0.267	4	2.65	0.224	0.62	0.2	0.03	6.7	0.1	0.06	7	<0.5	<0.2
98479	Drill Core	0.128	7	56	3.09	79	0.211	3	2.11	0.101	0.18	0.2	0.04	12.9	<0.1	2.29	7	2.3	<0.2
98480	Rock Pulp	0.049	5	31	0.54	114	0.109	3	1.13	0.077	0.10	0.8	0.08	3.9	<0.1	0.38	4	0.6	<0.2
98481	Drill Core	0.169	7	84	3.22	46	0.196	6	2.18	0.179	0.13	0.2	0.02	10.7	<0.1	0.46	8	<0.5	<0.2
98482	Drill Core	0.227	8	75	3.54	59	0.213	6	2.74	0.424	0.14	0.4	<0.01	9.8	<0.1	0.16	9	<0.5	<0.2
98483	Drill Core	0.146	12	207	5.71	892	0.238	5	2.98	0.404	0.66	0.1	<0.01	11.1	0.1	0.09	7	<0.5	<0.2
98484	Drill Core	0.115	14	299	7.62	326	0.237	6	3.04	0.177	0.60	0.1	0.01	14.1	0.1	<0.05	7	<0.5	<0.2
98485	Rock	0.082	5	46	0.91	20	0.235	13	3.36	1.054	0.16	<0.1	<0.01	4.5	<0.1	<0.05	7	<0.5	<0.2
98486	Drill Core	0.101	12	322	7.61	252	0.213	9	3.37	0.188	0.28	0.1	0.02	18.7	<0.1	0.09	8	<0.5	<0.2
12259	Drill Core	0.115	12	4	1.35	39	0.008	6	1.67	0.092	0.16	<0.1	<0.01	6.1	<0.1	4.69	7	5.9	<0.2
12260	Rock Pulp	0.047	5	31	0.54	114	0.111	3	1.15	0.078	0.10	0.8	0.07	4.0	<0.1	0.38	4	0.7	<0.2
12261	Drill Core	0.117	12	5	1.36	30	0.009	4	1.65	0.101	0.18	<0.1	<0.01	6.2	<0.1	4.57	7	3.8	<0.2
12262	Drill Core	0.120	12	6	1.55	41	0.014	6	1.67	0.092	0.17	<0.1	<0.01	6.7	<0.1	4.14	7	3.5	<0.2
12263	Drill Core	0.118	13	4	1.40	38	0.014	6	1.77	0.119	0.23	<0.1	<0.01	7.6	<0.1	4.59	7	4.9	<0.2
12264	Drill Core	0.125	16	4	1.59	47	0.023	4	1.63	0.097	0.16	<0.1	0.01	7.4	<0.1	3.96	7	4.6	<0.2
12265	Rock	0.084	5	46	0.99	18	0.250	14	3.73	1.022	0.15	<0.1	<0.01	4.9	<0.1	0.12	8	<0.5	<0.2
12266	Drill Core	0.124	13	4	1.89	46	0.046	4	1.95	0.127	0.19	<0.1	<0.01	8.7	<0.1	3.64	8	3.1	<0.2
12267	Drill Core	0.150	13	26	2.87	47	0.106	4	2.61	0.123	0.12	0.1	<0.01	15.6	<0.1	4.57	10	3.8	<0.2
12268	Drill Core	0.174	16	38	3.27	30	0.217	3	3.28	0.194	0.08	0.4	<0.01	19.9	<0.1	5.20	10	6.0	<0.2
12269	Drill Core	0.163	15	36	3.07	33	0.127	4	2.84	0.131	0.09	0.2	<0.01	17.7	<0.1	6.02	9	6.6	<0.2
12270 DUP 12272 REJECT	Drill Core	0.165	15	39	3.10	34	0.114	3	2.78	0.197	0.13	0.2	<0.01	18.0	<0.1	4.87	9	4.6	<0.2
12271	Drill Core	0.170	12	40	3.28	27	0.142	2	2.93	0.259	0.07	0.3	<0.01	19.1	<0.1	5.51	9	5.2	<0.2
12272	Drill Core	0.171	15	39	3.09	29	0.109	3	2.82	0.192	0.12	0.2	<0.01	17.5	<0.1	4.86	9	4.6	<0.2
12273	Drill Core	0.166	12	41	3.35	26	0.147	2	2.93	0.246	0.07	0.2	<0.01	19.5	<0.1	5.24	9	4.5	<0.2
12274	Drill Core	0.153	12	41	3.67	36	0.150	4	2.83	0.157	0.16	0.2	<0.01	20.4	<0.1	5.57	10	8.9	<0.2
12275	Drill Core	0.178	13	34	3.01	42	0.140	3	2.79	0.145	0.13	0.2	<0.01	17.3	<0.1	5.99	11	9.3	0.3
12276	Drill Core	0.164	11	35	3.34	35	0.142	7	2.95	0.136	0.14	0.3	<0.01	18.8	0.1	6.08	12	12.6	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12277	Drill Core	4.34	0.080	0.7	689.7	1.5	23	0.4	18.4	19.5	564	6.21	<0.5	70.5	0.9	273	<0.1	<0.1	0.4	240	1.92
12278	Drill Core	4.35	0.064	1.4	470.0	1.6	24	0.5	17.6	28.0	518	6.38	<0.5	44.4	1.0	429	<0.1	<0.1	0.4	236	1.78
12279	Drill Core	4.16	0.047	1.9	220.9	1.5	22	0.3	14.9	26.7	484	6.76	<0.5	50.0	0.8	239	<0.1	<0.1	0.3	229	1.71
12280	Rock Pulp	0.11	0.006	2.9	20.7	2.1	34	0.4	17.1	8.7	283	1.81	2.8	8.1	0.9	26	0.2	0.3	<0.1	42	0.65
12281	Drill Core	4.84	0.033	1.1	129.0	2.2	41	0.2	17.0	31.8	641	7.35	<0.5	34.4	0.8	415	<0.1	<0.1	0.3	239	1.97
12282	Drill Core	4.74	0.031	1.4	320.0	1.9	41	0.3	17.2	25.8	710	6.30	<0.5	23.6	0.9	539	<0.1	<0.1	0.2	221	2.17
12283	Drill Core	4.50	0.035	1.6	161.1	2.2	55	0.4	16.8	25.9	854	6.52	<0.5	33.8	0.8	474	<0.1	<0.1	0.3	220	2.30
12284	Drill Core	5.19	0.032	2.4	368.3	1.7	32	0.3	16.0	24.6	631	5.91	<0.5	28.6	0.9	392	<0.1	<0.1	0.2	235	1.67
12285	Rock	1.06	0.008	0.3	91.2	2.5	51	<0.1	86.7	27.3	700	3.47	0.8	2.9	0.4	132	0.1	<0.1	<0.1	130	6.45
12286	Drill Core	4.87	0.072	1.3	562.7	1.7	29	0.4	17.6	29.2	596	6.73	<0.5	66.2	1.2	449	<0.1	<0.1	0.2	229	2.08
12287	Drill Core	4.59	0.047	1.4	725.5	1.6	29	0.6	20.2	26.9	624	6.31	<0.5	42.9	1.1	255	<0.1	<0.1	0.2	183	2.35
12288	Drill Core	4.31	0.026	4.0	410.4	1.7	31	0.3	13.7	26.0	684	5.70	<0.5	19.1	1.0	263	<0.1	<0.1	0.1	230	2.49
12289	Drill Core	4.55	0.029	1.9	387.5	1.8	29	0.4	13.4	24.5	560	5.64	<0.5	23.9	0.9	233	<0.1	<0.1	<0.1	229	2.54
12290 DUP 12292 REJECT	Drill Core		0.056	4.3	381.6	1.7	25	0.4	13.2	25.8	571	6.03	<0.5	41.8	0.9	146	<0.1	<0.1	<0.1	231	2.59
12291	Drill Core	4.01	0.028	1.1	118.1	1.1	22	0.2	16.9	26.6	480	5.09	<0.5	25.1	0.9	295	<0.1	<0.1	0.2	174	1.95
12292	Drill Core	4.30	0.044	4.5	383.1	1.8	25	0.4	13.2	25.9	570	5.98	<0.5	32.7	1.0	143	<0.1	<0.1	<0.1	228	2.62
12293	Drill Core	3.93	0.022	4.2	255.0	1.6	23	0.3	13.0	23.2	563	5.53	1.0	20.9	1.0	161	<0.1	<0.1	0.1	218	2.46
12294	Drill Core	3.92	0.037	1.2	119.6	1.4	25	0.3	19.7	32.2	527	5.74	<0.5	29.4	1.0	308	<0.1	<0.1	0.2	192	2.32
12295	Drill Core	4.75	0.131	2.3	578.7	1.5	25	0.5	19.3	25.9	567	6.43	<0.5	107.2	0.9	104	<0.1	<0.1	0.2	217	2.14
12296	Drill Core	4.19	0.036	3.2	249.6	1.5	22	0.3	12.8	25.3	415	5.51	<0.5	30.8	0.8	150	<0.1	<0.1	0.1	204	1.69
12297	Drill Core	3.79	0.020	8.1	95.4	1.5	26	0.2	14.0	24.3	415	4.77	<0.5	14.1	1.0	223	<0.1	<0.1	0.1	227	1.50
12298	Drill Core	4.46	0.017	5.1	31.5	1.3	25	0.1	13.3	20.2	394	3.60	<0.5	7.6	0.8	199	<0.1	<0.1	<0.1	231	1.31
12299	Drill Core	4.21	0.017	1.8	43.0	1.2	27	0.1	12.5	21.5	392	4.07	<0.5	8.5	0.8	314	<0.1	<0.1	<0.1	247	1.37
12300	Rock Pulp	0.11	0.215	10.4	5259	5.2	88	1.8	11.2	7.4	604	4.11	1.4	213.6	3.9	62	0.3	0.2	0.7	58	1.05
98401	Drill Core	4.45	0.048	2.2	247.3	1.5	20	0.3	13.3	25.4	355	5.32	<0.5	36.8	0.8	249	<0.1	<0.1	0.1	192	2.05
98402	Drill Core	4.51	0.024	6.5	288.4	1.6	21	0.2	16.3	29.7	371	5.73	<0.5	23.6	0.9	169	<0.1	<0.1	<0.1	215	1.64
98403	Drill Core	4.26	0.047	1.6	487.2	1.3	21	0.4	15.1	17.9	393	4.09	<0.5	38.0	0.9	165	<0.1	<0.1	<0.1	187	2.28
98404	Drill Core	4.43	0.036	1.3	462.5	0.8	24	0.3	29.1	21.1	538	4.50	<0.5	37.4	0.9	207	<0.1	<0.1	0.2	176	3.00
98405	Rock	1.23	0.006	0.3	86.7	2.6	51	<0.1	94.1	28.8	706	3.63	0.9	3.2	0.5	133	<0.1	<0.1	<0.1	131	5.87
98406	Drill Core	3.91	0.077	15.2	522.2	1.5	28	0.4	24.8	22.1	455	4.89	<0.5	63.7	1.0	115	<0.1	<0.1	0.1	286	2.55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12277	Drill Core	0.173	9	41	3.12	48	0.201	4	2.80	0.255	0.07	0.6	<0.01	20.5	<0.1	4.00	9	7.1	<0.2
12278	Drill Core	0.186	9	32	3.07	44	0.172	4	2.77	0.301	0.10	0.4	<0.01	17.6	<0.1	4.39	9	6.9	<0.2
12279	Drill Core	0.168	8	28	3.18	39	0.171	4	2.78	0.258	0.10	0.4	<0.01	17.6	<0.1	4.99	9	10.2	<0.2
12280	Rock Pulp	0.045	4	21	0.47	82	0.087	3	1.01	0.060	0.07	17.7	<0.01	3.6	<0.1	<0.05	4	<0.5	<0.2
12281	Drill Core	0.170	8	36	3.56	37	0.176	4	3.16	0.260	0.10	0.5	<0.01	18.9	<0.1	5.41	10	8.5	<0.2
12282	Drill Core	0.163	8	35	3.20	50	0.189	4	2.88	0.293	0.11	0.5	<0.01	18.7	<0.1	4.37	9	8.6	<0.2
12283	Drill Core	0.156	8	37	3.13	51	0.149	4	2.71	0.277	0.11	0.3	0.02	18.8	<0.1	4.65	8	10.3	0.6
12284	Drill Core	0.169	9	36	3.32	49	0.204	5	2.72	0.236	0.12	0.4	0.01	18.2	<0.1	3.72	9	8.0	0.3
12285	Rock	0.082	4	45	0.94	16	0.212	15	3.57	1.069	0.16	<0.1	<0.01	4.9	<0.1	0.09	8	<0.5	<0.2
12286	Drill Core	0.190	10	46	3.02	54	0.223	4	2.75	0.370	0.09	0.7	<0.01	15.7	<0.1	4.61	9	8.9	<0.2
12287	Drill Core	0.177	10	63	2.53	38	0.186	4	2.17	0.253	0.07	0.6	<0.01	15.4	<0.1	4.52	6	7.2	0.2
12288	Drill Core	0.180	10	34	2.73	41	0.226	4	2.61	0.299	0.11	0.6	<0.01	17.2	<0.1	3.50	8	6.2	<0.2
12289	Drill Core	0.184	10	26	2.47	43	0.246	4	2.55	0.243	0.10	0.6	<0.01	14.4	<0.1	3.46	8	4.5	<0.2
12290 DUP 12292 REJECT	Drill Core	0.174	10	29	2.60	30	0.260	4	2.61	0.167	0.08	0.5	<0.01	14.4	<0.1	3.76	9	5.9	<0.2
12291	Drill Core	0.161	7	65	2.80	49	0.142	3	2.34	0.238	0.11	0.4	<0.01	15.5	<0.1	3.80	7	6.1	<0.2
12292	Drill Core	0.176	10	29	2.59	30	0.259	4	2.65	0.165	0.08	0.4	<0.01	14.6	<0.1	3.70	9	6.4	<0.2
12293	Drill Core	0.178	9	40	2.75	27	0.238	5	2.91	0.149	0.08	0.6	<0.01	13.6	<0.1	3.60	10	4.8	<0.2
12294	Drill Core	0.179	7	67	3.05	44	0.149	3	2.59	0.246	0.10	0.3	<0.01	16.7	<0.1	4.31	8	5.5	<0.2
12295	Drill Core	0.182	7	87	3.44	19	0.168	4	2.62	0.125	0.09	0.4	<0.01	20.7	<0.1	4.82	10	8.8	<0.2
12296	Drill Core	0.180	7	27	2.94	29	0.138	6	2.48	0.167	0.21	0.3	<0.01	15.1	<0.1	4.26	9	8.3	<0.2
12297	Drill Core	0.189	8	36	3.41	41	0.133	7	2.56	0.151	0.21	0.2	<0.01	15.7	<0.1	3.47	9	7.8	<0.2
12298	Drill Core	0.177	7	42	3.63	41	0.136	6	2.57	0.152	0.20	0.1	<0.01	16.7	<0.1	2.18	9	5.5	<0.2
12299	Drill Core	0.182	7	37	3.98	57	0.135	6	2.73	0.130	0.18	0.1	<0.01	16.3	<0.1	2.52	9	4.4	<0.2
12300	Rock Pulp	0.067	11	16	0.61	167	0.068	4	0.99	0.061	0.39	0.1	0.08	4.0	0.1	0.31	6	3.2	0.3
98401	Drill Core	0.171	8	26	2.69	40	0.067	7	2.46	0.174	0.26	0.1	<0.01	13.5	<0.1	4.21	8	8.1	<0.2
98402	Drill Core	0.181	8	30	3.23	37	0.117	8	2.67	0.143	0.33	0.1	<0.01	16.1	0.1	4.45	9	9.4	<0.2
98403	Drill Core	0.169	7	38	2.52	35	0.112	6	2.24	0.170	0.19	0.2	<0.01	14.1	<0.1	2.81	7	5.7	<0.2
98404	Drill Core	0.152	7	118	2.67	37	0.165	4	2.21	0.249	0.08	0.3	<0.01	17.6	0.1	2.73	8	3.9	<0.2
98405	Rock	0.086	4	45	0.96	20	0.221	14	3.48	0.950	0.16	<0.1	<0.01	5.2	<0.1	0.08	9	<0.5	<0.2
98406	Drill Core	0.157	8	144	4.14	25	0.216	6	2.74	0.144	0.13	0.3	<0.01	29.5	<0.1	3.19	10	7.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98407	Drill Core	4.13	0.019	40.8	119.0	1.3	24	0.4	14.1	27.4	342	4.22	<0.5	15.4	0.8	102	<0.1	<0.1	<0.1	309	1.70
98408	Drill Core	4.65	0.037	54.1	194.0	1.4	33	0.3	29.3	39.1	400	5.82	<0.5	34.3	1.1	83	0.1	<0.1	<0.1	275	1.83
98409	Drill Core	3.86	0.061	9.8	131.4	1.5	27	0.5	10.7	27.8	372	5.02	<0.5	20.6	0.9	108	<0.1	<0.1	0.1	268	1.61
98410 DUP 98412 REJECT	Drill Core		0.032	2.8	401.1	1.7	25	0.4	10.6	22.3	445	5.49	<0.5	32.8	0.9	102	<0.1	<0.1	0.1	251	1.96
98411	Drill Core	4.09	0.029	7.4	566.3	1.7	31	0.7	15.2	29.7	583	6.08	1.1	31.5	0.7	135	0.1	<0.1	0.2	243	2.92
98412	Drill Core	4.06	0.043	2.7	423.3	1.9	25	0.5	11.0	24.0	457	5.52	<0.5	34.2	0.9	115	<0.1	<0.1	0.2	275	2.10
98413	Drill Core	4.06	0.068	1.9	397.8	2.0	27	0.6	11.2	23.9	563	6.00	<0.5	63.8	1.0	118	<0.1	<0.1	0.2	276	2.18
98414	Drill Core	3.77	0.037	6.7	500.5	1.9	30	0.5	14.6	30.9	589	6.13	1.3	44.9	0.7	133	<0.1	<0.1	0.2	239	2.75
98415	Drill Core	4.17	0.032	9.4	408.8	2.1	26	0.6	14.8	19.7	487	4.86	4.7	75.5	0.7	123	<0.1	<0.1	0.1	209	2.86
98416	Drill Core	4.35	0.012	1.4	158.7	1.8	35	0.2	4.8	13.3	774	3.61	2.0	6.3	1.3	132	<0.1	<0.1	<0.1	167	3.77
98417	Drill Core	4.06	0.033	6.5	285.3	2.4	30	0.4	4.3	13.8	678	3.65	2.9	24.1	1.4	107	<0.1	<0.1	<0.1	163	3.13
98418	Drill Core	4.18	0.014	3.2	151.1	1.4	26	0.3	4.4	12.6	709	3.78	1.9	13.0	1.5	90	<0.1	<0.1	<0.1	180	3.15
98419	Drill Core	4.32	0.033	3.2	186.6	5.1	31	0.3	4.7	14.7	761	3.78	5.6	34.8	1.5	122	<0.1	0.1	<0.1	199	3.46
98420	Rock Pulp	0.11	1.629	85.4	>10000	723.0	1554	8.4	94.6	13.7	496	4.64	303.1	1428	1.8	36	9.3	36.4	2.4	53	0.87
98421	Drill Core	4.53	0.018	1.4	168.8	2.6	33	0.1	4.3	12.6	706	3.81	2.5	10.0	1.5	97	<0.1	<0.1	<0.1	201	2.46
98422	Drill Core	4.28	0.017	2.2	140.0	2.9	32	0.1	4.7	12.9	677	3.79	2.4	13.1	1.5	90	<0.1	<0.1	<0.1	192	3.16

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

CERTIFICATE OF ANALYSIS VAN11007069.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
98407	Drill Core	0.160	13	72	4.39	24	0.242	8	3.12	0.100	0.15	0.4	<0.01	21.1	0.1	2.52	10	8.1	<0.2
98408	Drill Core	0.290	12	87	4.33	18	0.165	6	2.99	0.094	0.12	0.3	<0.01	20.6	0.1	3.97	11	12.2	<0.2
98409	Drill Core	0.221	8	12	3.74	26	0.214	8	2.85	0.158	0.23	0.3	<0.01	16.6	<0.1	3.18	10	9.0	<0.2
98410 DUP 98412 REJECT	Drill Core	0.200	9	11	2.92	18	0.200	5	2.57	0.113	0.10	0.4	<0.01	14.6	<0.1	3.43	11	7.5	<0.2
98411	Drill Core	0.171	9	22	2.85	23	0.131	5	3.08	0.120	0.12	0.2	0.02	15.4	<0.1	4.47	11	7.0	<0.2
98412	Drill Core	0.208	9	11	2.97	19	0.211	6	2.91	0.130	0.12	0.4	<0.01	15.6	<0.1	3.66	11	8.3	<0.2
98413	Drill Core	0.201	11	15	3.13	22	0.265	6	3.03	0.121	0.09	0.6	0.01	18.1	<0.1	4.15	11	7.7	<0.2
98414	Drill Core	0.168	9	22	2.87	24	0.146	6	3.15	0.132	0.13	0.2	0.02	15.4	<0.1	4.57	10	6.0	0.2
98415	Drill Core	0.151	9	25	2.22	23	0.059	8	2.58	0.133	0.20	<0.1	0.04	15.1	0.1	3.26	9	5.8	<0.2
98416	Drill Core	0.118	14	6	1.34	31	0.038	3	2.07	0.094	0.10	<0.1	0.04	7.5	<0.1	0.22	10	<0.5	<0.2
98417	Drill Core	0.118	14	5	1.40	28	0.084	4	1.82	0.082	0.11	<0.1	0.12	8.7	<0.1	0.72	9	<0.5	<0.2
98418	Drill Core	0.128	14	5	1.36	34	0.095	4	1.61	0.128	0.17	<0.1	0.08	10.3	<0.1	0.35	9	<0.5	<0.2
98419	Drill Core	0.126	15	5	1.70	36	0.216	6	2.33	0.094	0.10	0.2	0.11	11.9	<0.1	0.49	11	0.6	<0.2
98420	Rock Pulp	0.054	7	50	0.65	40	0.069	41	1.29	0.076	0.21	33.2	0.74	4.7	0.9	2.23	5	3.5	0.6
98421	Drill Core	0.124	14	5	1.65	43	0.233	6	2.00	0.108	0.14	0.2	0.02	11.6	<0.1	0.22	10	<0.5	<0.2
98422	Drill Core	0.123	14	5	1.35	41	0.224	5	1.73	0.105	0.16	0.1	0.19	11.3	<0.1	0.56	8	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
98641	Drill Core	4.67	0.017	0.3	79.3	3.3	51	0.6	21.3	29.8	1170	5.30	10.6	5.8	0.5	194	<0.1	0.2	<0.1	181	5.62
REP 98641	QC		0.012																		
98647	Drill Core	4.36	0.018	0.2	52.9	1.9	50	0.4	23.9	29.3	1061	5.30	3.8	13.0	0.5	231	<0.1	<0.1	<0.1	173	4.30
REP 98647	QC			0.2	50.4	1.7	48	0.5	22.4	27.9	1038	5.16	3.6	12.3	0.5	221	<0.1	<0.1	<0.1	171	4.16
98663	Drill Core	3.52	0.008	0.5	51.1	15.9	66	0.2	472.6	50.3	956	4.12	1.7	<0.5	3.7	645	0.2	<0.1	<0.1	108	1.71
REP 98663	QC			0.5	49.5	15.9	67	0.3	468.9	49.0	952	4.10	1.6	<0.5	3.6	631	0.2	<0.1	<0.1	108	1.72
98675	Drill Core	4.72	0.037	3.1	69.0	2.1	45	0.4	19.0	19.0	987	4.39	7.7	25.1	1.0	109	0.1	0.3	0.1	143	4.62
REP 98675	QC		0.040																		
98678	Drill Core	4.26	0.021	18.0	94.0	4.0	46	0.3	21.2	14.3	971	3.80	2.3	3.1	0.9	116	<0.1	0.6	0.1	132	7.41
REP 98678	QC			18.9	99.0	4.2	48	0.3	22.3	15.1	1019	3.95	2.5	2.2	0.9	119	<0.1	0.6	0.1	135	7.57
98694	Drill Core	5.01	0.010	12.3	107.2	5.2	89	0.3	22.5	20.3	1294	4.76	12.6	0.7	1.1	196	0.6	0.3	<0.1	155	7.61
REP 98694	QC			12.2	100.8	5.0	83	0.3	21.6	19.0	1221	4.48	12.4	1.3	1.1	192	0.4	0.3	<0.1	145	7.22
98498	Drill Core	4.11	0.010	0.7	139.5	7.9	66	0.2	43.7	22.0	787	4.47	4.3	0.6	0.9	172	<0.1	<0.1	<0.1	167	1.97
REP 98498	QC		0.010	0.7	138.1	7.9	66	0.2	41.9	22.3	787	4.48	4.3	0.8	0.9	175	<0.1	<0.1	<0.1	166	1.98
98513	Drill Core	4.10	0.010	1.3	132.2	9.4	66	0.1	37.5	19.4	899	4.21	5.2	<0.5	1.0	219	<0.1	<0.1	<0.1	167	2.00
REP 98513	QC			1.4	137.6	9.4	67	0.1	38.7	19.5	934	4.34	5.5	1.2	1.0	221	<0.1	<0.1	<0.1	172	2.06
98608	Drill Core	4.45	0.006	0.2	78.6	1.3	47	1.4	16.5	28.8	827	5.07	0.5	<0.5	0.5	224	<0.1	0.1	<0.1	176	1.81
REP 98608	QC		0.006																		
98614	Drill Core	4.17	0.009	1.0	90.4	1.0	42	0.4	10.1	22.0	985	4.37	1.0	5.2	0.7	135	<0.1	<0.1	<0.1	149	3.48
REP 98614	QC			1.0	91.2	1.0	42	0.4	10.6	21.8	997	4.52	0.9	5.0	0.6	138	<0.1	<0.1	<0.1	151	3.50
98632	Drill Core	3.74	0.007	0.4	85.9	2.2	45	2.5	19.7	29.2	1255	4.68	3.3	2.9	0.7	136	<0.1	0.1	<0.1	155	3.95
REP 98632	QC			0.4	87.3	2.0	45	2.6	20.9	29.8	1275	4.74	3.2	2.4	0.7	139	<0.1	0.1	<0.1	154	3.98
98436	Drill Core	4.05	0.039	32.2	1147	2.5	21	0.6	6.3	21.6	393	4.20	3.5	42.0	1.3	90	<0.1	0.2	0.2	116	3.88
REP 98436	QC			33.2	1165	2.3	20	0.5	6.7	21.7	408	4.28	3.6	49.0	1.3	90	<0.1	0.1	0.2	119	3.92
98449	Drill Core	4.38	0.009	2.2	174.3	2.6	42	0.3	25.6	33.6	1244	5.40	1.5	4.1	0.6	164	<0.1	<0.1	0.2	218	4.45
REP 98449	QC		0.008																		
98461	Drill Core	4.69	0.008	1.3	159.1	1.9	43	0.3	20.8	28.6	1126	4.51	1.1	1.3	0.5	137	0.1	<0.1	0.2	185	4.05
REP 98461	QC			1.3	151.8	1.8	43	0.3	20.9	27.5	1092	4.38	1.1	2.2	0.5	132	<0.1	<0.1	0.2	183	3.95

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
98641	Drill Core	0.112	4	56	2.84	28	0.198	3	2.15	0.086	0.09	0.1	0.03	15.6	<0.1	0.26	7	<0.5	<0.2
REP 98641	QC																		
98647	Drill Core	0.109	4	51	2.69	31	0.197	2	2.04	0.112	0.08	0.2	<0.01	12.8	<0.1	0.34	7	<0.5	<0.2
REP 98647	QC	0.105	4	49	2.61	30	0.198	2	1.98	0.109	0.07	0.2	<0.01	12.6	<0.1	0.34	6	<0.5	<0.2
98663	Drill Core	0.315	29	212	7.31	4488	0.267	12	3.19	0.244	1.40	<0.1	0.05	4.4	0.4	0.10	6	<0.5	<0.2
REP 98663	QC	0.291	28	209	7.23	4479	0.260	13	3.16	0.242	1.39	<0.1	0.04	4.2	0.3	0.09	6	<0.5	<0.2
98675	Drill Core	0.112	10	28	1.49	144	0.003	5	2.19	0.050	0.16	<0.1	0.19	10.2	0.2	1.05	8	0.5	0.4
REP 98675	QC																		
98678	Drill Core	0.098	11	32	1.27	48	0.002	4	1.77	0.037	0.15	<0.1	0.10	7.1	0.2	1.49	7	3.4	<0.2
REP 98678	QC	0.098	12	34	1.32	50	0.002	4	1.83	0.039	0.15	<0.1	0.08	7.5	0.3	1.51	7	3.8	<0.2
98694	Drill Core	0.143	13	41	1.26	149	0.003	11	2.34	0.051	0.19	<0.1	0.09	10.1	0.2	1.36	8	1.2	<0.2
REP 98694	QC	0.139	12	39	1.19	134	0.003	9	2.20	0.048	0.17	<0.1	0.09	9.3	0.2	1.28	8	1.4	<0.2
98498	Drill Core	0.208	6	67	2.95	41	0.154	9	4.94	2.589	0.12	0.1	<0.01	8.2	<0.1	0.06	9	<0.5	<0.2
REP 98498	QC	0.205	6	66	2.92	41	0.151	11	4.88	2.577	0.12	0.2	<0.01	8.0	<0.1	0.06	9	<0.5	<0.2
98513	Drill Core	0.222	6	60	2.41	48	0.177	23	4.60	2.540	0.07	0.2	<0.01	5.8	<0.1	0.10	10	<0.5	<0.2
REP 98513	QC	0.216	6	61	2.46	49	0.184	28	4.69	2.587	0.07	0.2	<0.01	5.7	<0.1	0.10	10	<0.5	<0.2
98608	Drill Core	0.109	4	26	2.86	24	0.223	2	2.17	0.123	0.06	0.1	<0.01	12.8	<0.1	0.05	8	<0.5	<0.2
REP 98608	QC																		
98614	Drill Core	0.107	5	17	2.25	272	0.202	3	2.24	0.091	0.08	0.2	0.06	10.8	<0.1	0.15	7	<0.5	<0.2
REP 98614	QC	0.110	5	17	2.26	270	0.203	4	2.24	0.092	0.08	0.1	0.06	10.7	<0.1	0.15	7	<0.5	<0.2
98632	Drill Core	0.105	5	48	2.68	21	0.205	4	2.38	0.068	0.06	0.2	0.15	16.6	<0.1	0.43	7	<0.5	<0.2
REP 98632	QC	0.108	5	47	2.72	21	0.207	3	2.43	0.069	0.06	0.2	0.16	16.7	<0.1	0.43	7	<0.5	<0.2
98436	Drill Core	0.094	13	7	0.79	40	0.092	6	1.47	0.131	0.28	0.1	0.04	7.2	0.1	2.84	7	7.0	0.2
REP 98436	QC	0.092	13	7	0.80	39	0.093	7	1.46	0.126	0.28	<0.1	0.04	7.2	0.1	2.88	7	6.3	0.4
98449	Drill Core	0.138	4	65	2.73	33	0.267	4	2.61	0.159	0.10	0.2	0.01	15.1	<0.1	1.24	8	1.4	<0.2
REP 98449	QC																		
98461	Drill Core	0.121	3	81	2.56	31	0.234	4	2.24	0.154	0.11	0.2	<0.01	16.1	<0.1	0.71	8	<0.5	<0.2
REP 98461	QC	0.116	3	79	2.49	34	0.229	3	2.18	0.151	0.11	0.2	0.01	15.7	<0.1	0.69	8	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
98477	Drill Core	3.78	0.007	1.0	160.0	3.8	57	0.3	215.3	33.6	1143	4.68	1.1	2.5	2.6	240	<0.1	<0.1	0.1	161	2.72
REP 98477	QC			1.0	161.8	3.8	60	0.3	217.8	35.4	1148	4.69	1.0	3.1	2.6	241	<0.1	<0.1	0.1	163	2.75
98481	Drill Core	4.10	0.008	1.2	247.0	6.5	59	0.4	58.4	22.9	865	4.32	4.7	2.7	1.0	165	<0.1	0.1	<0.1	169	2.21
REP 98481	QC		0.007																		
12272	Drill Core	3.89	0.036	1.1	378.6	2.3	33	0.3	18.0	32.5	726	6.62	1.2	32.8	1.1	313	<0.1	<0.1	0.5	229	2.32
REP 12272	QC			1.1	389.8	2.4	34	0.4	18.8	32.8	764	6.86	0.9	31.3	1.1	337	<0.1	<0.1	0.5	241	2.42
12278	Drill Core	4.35	0.064	1.4	470.0	1.6	24	0.5	17.6	28.0	518	6.38	<0.5	44.4	1.0	429	<0.1	<0.1	0.4	236	1.78
REP 12278	QC		0.052																		
12280	Rock Pulp	0.11	0.006	2.9	20.7	2.1	34	0.4	17.1	8.7	283	1.81	2.8	8.1	0.9	26	0.2	0.3	<0.1	42	0.65
REP 12280	QC			3.0	20.1	2.2	33	0.5	16.8	8.4	281	1.79	2.6	2.0	0.9	28	0.2	0.3	<0.1	43	0.65
12298	Drill Core	4.46	0.017	5.1	31.5	1.3	25	0.1	13.3	20.2	394	3.60	<0.5	7.6	0.8	199	<0.1	<0.1	<0.1	231	1.31
REP 12298	QC			4.7	31.6	1.3	26	0.2	13.1	20.3	398	3.63	<0.5	10.1	0.8	203	<0.1	<0.1	<0.1	237	1.31
Core Reject Duplicates																					
98695	Drill Core	4.34	0.011	2.0	140.0	1.7	69	0.2	26.7	30.7	1510	5.77	4.0	5.8	0.9	189	<0.1	<0.1	<0.1	230	6.16
DUP 98695	QC		0.013	2.1	146.9	1.7	70	0.2	27.7	30.0	1523	5.98	4.0	3.5	0.9	197	<0.1	<0.1	<0.1	233	6.22
98602	Drill Core	4.63	0.032	0.2	182.5	1.5	57	0.5	15.3	29.6	1018	5.69	0.7	3.2	0.5	221	<0.1	0.1	<0.1	197	1.73
DUP 98602	QC		0.011	0.2	167.0	1.6	54	0.7	14.6	28.9	987	5.44	0.7	2.2	0.4	223	<0.1	0.1	<0.1	190	1.82
98424	Drill Core	4.22	0.025	2.5	224.9	2.8	34	0.1	5.3	13.2	599	3.63	2.5	14.7	1.5	98	<0.1	<0.1	<0.1	155	3.25
DUP 98424	QC		0.024	2.1	218.5	2.7	32	0.1	4.8	12.9	580	3.43	2.4	14.9	1.4	97	<0.1	<0.1	<0.1	149	3.27
98459	Drill Core	3.86	0.019	1.2	75.6	3.8	78	0.5	19.6	30.4	1384	6.33	6.2	9.3	0.5	115	0.1	0.1	0.6	219	4.31
DUP 98459	QC		0.019	1.3	81.7	3.7	80	0.5	20.3	31.7	1436	6.53	6.3	9.5	0.5	119	0.1	0.1	0.6	227	4.38
12266	Drill Core	3.81	0.043	2.5	210.6	2.3	20	0.3	4.6	11.0	390	4.38	0.9	34.6	1.2	150	<0.1	<0.1	0.4	143	1.27
DUP 12266	QC		0.039	2.7	210.3	2.3	20	0.2	4.7	11.0	389	4.31	1.2	40.1	1.1	153	<0.1	<0.1	0.4	144	1.30
98401	Drill Core	4.45	0.048	2.2	247.3	1.5	20	0.3	13.3	25.4	355	5.32	<0.5	36.8	0.8	249	<0.1	<0.1	0.1	192	2.05
DUP 98401	QC		0.048	2.1	235.6	1.6	19	0.2	13.3	25.2	349	5.24	<0.5	29.8	0.8	255	<0.1	<0.1	0.1	189	2.01
Reference Materials																					
STD DS8	Standard			12.6	109.6	120.7	312	1.8	38.0	7.6	598	2.48	26.7	113.7	6.7	63	2.3	5.8	7.0	41	0.68
STD DS8	Standard			11.7	107.0	117.7	301	1.7	37.0	7.2	599	2.41	24.5	111.1	6.5	61	2.1	5.6	6.5	42	0.66
STD DS8	Standard			13.2	102.9	119.1	294	1.8	35.3	7.1	594	2.41	24.7	115.2	7.0	65	2.2	5.7	6.6	41	0.71

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
98477	Drill Core	0.127	8	78	4.60	148	0.256	3	2.44	0.143	0.29	0.2	0.03	14.3	<0.1	0.40	8	<0.5	<0.2
REP 98477	QC	0.127	8	79	4.64	148	0.261	4	2.48	0.145	0.30	0.2	0.02	13.7	<0.1	0.41	8	<0.5	<0.2
98481	Drill Core	0.169	7	84	3.22	46	0.196	6	2.18	0.179	0.13	0.2	0.02	10.7	<0.1	0.46	8	<0.5	<0.2
REP 98481	QC																		
12272	Drill Core	0.171	15	39	3.09	29	0.109	3	2.82	0.192	0.12	0.2	<0.01	17.5	<0.1	4.86	9	4.6	<0.2
REP 12272	QC	0.174	16	40	3.21	35	0.116	3	2.85	0.199	0.13	0.2	<0.01	18.3	<0.1	5.05	9	4.8	<0.2
12278	Drill Core	0.186	9	32	3.07	44	0.172	4	2.77	0.301	0.10	0.4	<0.01	17.6	<0.1	4.39	9	6.9	<0.2
REP 12278	QC																		
12280	Rock Pulp	0.045	4	21	0.47	82	0.087	3	1.01	0.060	0.07	17.7	<0.01	3.6	<0.1	<0.05	4	<0.5	<0.2
REP 12280	QC	0.044	4	20	0.48	80	0.088	4	1.02	0.060	0.07	17.2	0.02	3.6	<0.1	<0.05	4	<0.5	<0.2
12298	Drill Core	0.177	7	42	3.63	41	0.136	6	2.57	0.152	0.20	0.1	<0.01	16.7	<0.1	2.18	9	5.5	<0.2
REP 12298	QC	0.178	8	42	3.61	40	0.135	7	2.56	0.152	0.20	0.1	<0.01	16.8	<0.1	2.16	9	4.6	<0.2
Core Reject Duplicates																			
98695	Drill Core	0.141	9	131	3.16	84	0.088	7	2.84	0.055	0.21	<0.1	0.05	25.3	<0.1	0.14	9	<0.5	<0.2
DUP 98695	QC	0.142	9	132	3.21	89	0.090	5	2.89	0.063	0.22	<0.1	0.05	25.8	<0.1	0.14	10	<0.5	<0.2
98602	Drill Core	0.099	4	20	2.98	21	0.245	2	2.32	0.104	0.04	0.1	<0.01	13.1	<0.1	0.07	8	<0.5	<0.2
DUP 98602	QC	0.095	4	19	2.85	18	0.242	2	2.22	0.091	0.04	0.1	<0.01	13.1	<0.1	0.07	7	0.5	<0.2
98424	Drill Core	0.112	13	6	1.11	36	0.107	3	1.65	0.091	0.12	<0.1	0.06	9.1	<0.1	0.69	9	<0.5	<0.2
DUP 98424	QC	0.110	13	6	1.07	35	0.101	4	1.62	0.084	0.12	<0.1	0.06	8.7	<0.1	0.65	8	<0.5	<0.2
98459	Drill Core	0.127	3	60	2.99	24	0.222	4	2.79	0.106	0.10	0.2	0.07	22.3	<0.1	2.81	9	1.8	0.6
DUP 98459	QC	0.132	4	62	3.10	27	0.232	3	2.92	0.117	0.11	0.2	0.06	22.7	<0.1	2.86	9	1.8	0.7
12266	Drill Core	0.124	13	4	1.89	46	0.046	4	1.95	0.127	0.19	<0.1	<0.01	8.7	<0.1	3.64	8	3.1	<0.2
DUP 12266	QC	0.121	13	4	1.84	47	0.045	4	1.97	0.138	0.20	<0.1	<0.01	8.2	<0.1	3.64	8	2.7	<0.2
98401	Drill Core	0.171	8	26	2.69	40	0.067	7	2.46	0.174	0.26	0.1	<0.01	13.5	<0.1	4.21	8	8.1	<0.2
DUP 98401	QC	0.167	8	25	2.64	38	0.066	6	2.42	0.169	0.26	<0.1	<0.01	13.6	0.1	4.14	8	7.4	<0.2
Reference Materials																			
STD DS8	Standard	0.083	14	117	0.60	270	0.115	4	0.90	0.091	0.42	2.8	0.19	2.4	5.5	0.17	5	4.9	4.9
STD DS8	Standard	0.074	14	115	0.59	265	0.115	4	0.89	0.088	0.42	3.0	0.19	2.5	5.2	0.16	5	4.7	4.4
STD DS8	Standard	0.073	16	111	0.59	273	0.122	2	0.92	0.090	0.41	2.8	0.19	2.6	4.9	0.16	5	5.4	4.4

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS8	Standard			12.7	109.3	130.6	302	1.8	38.1	7.4	591	2.42	24.6	117.4	7.2	64	2.4	5.7	7.1	40	0.68
STD DS8	Standard			13.1	105.9	128.4	303	1.8	37.7	7.5	621	2.44	24.6	102.0	7.5	70	2.5	6.2	7.4	40	0.70
STD DS8	Standard			13.1	110.4	114.2	297	1.7	37.2	7.5	566	2.39	23.0	92.0	7.3	61	2.5	5.6	6.8	40	0.67
STD DS8	Standard			13.0	112.7	123.1	308	1.7	39.0	8.0	616	2.55	25.1	111.1	6.8	63	2.4	5.0	6.1	44	0.71
STD DS8	Standard			12.2	103.9	123.8	310	1.8	36.8	7.3	600	2.40	24.2	119.6	6.6	62	2.2	5.1	6.3	40	0.70
STD DS8	Standard			12.6	103.7	121.1	302	1.8	35.5	7.3	591	2.35	23.2	123.4	6.4	61	2.5	5.2	6.3	42	0.70
STD OXC88	Standard		0.205																		
STD OXH82	Standard		1.360																		
STD OXH82	Standard		1.256																		
STD OXH82	Standard		1.405																		
STD OXH82	Standard		1.300																		
STD OXH82	Standard		1.305																		
STD OXH82	Standard		1.354																		
STD OXH82	Standard		1.220																		
STD OXK79	Standard		3.693																		
STD OXK79	Standard		3.580																		
STD OXK79	Standard		3.784																		
STD OXK79	Standard		3.456																		
STD OXK79	Standard		3.633																		
STD OXK79	Standard		3.656																		
STD OXK79	Standard		3.210																		
STD OXK79	Standard		3.559																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
STD OXH82 Expected			1.278																		
STD OXC88 Expected			0.203																		
STD OXK79 Expected			3.532																		
BLK	Blank			<0.1	0.4	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	1.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8	Standard	0.076	15	115	0.59	268	0.117	3	0.88	0.086	0.41	3.0	0.20	2.4	5.4	0.16	4	5.1	5.0
STD DS8	Standard	0.076	16	121	0.60	281	0.125	2	0.91	0.089	0.41	3.1	0.22	2.5	5.4	0.16	5	5.0	5.0
STD DS8	Standard	0.075	14	116	0.58	259	0.122	1	0.87	0.083	0.40	2.7	0.18	2.6	4.8	0.16	4	4.0	5.0
STD DS8	Standard	0.077	13	120	0.61	265	0.120	3	0.99	0.116	0.45	2.9	0.19	2.7	5.3	0.16	5	5.4	4.2
STD DS8	Standard	0.076	15	118	0.59	266	0.109	2	0.92	0.096	0.42	2.9	0.20	2.6	5.3	0.16	5	4.9	4.9
STD DS8	Standard	0.078	14	115	0.60	259	0.108	3	0.93	0.094	0.41	2.8	0.21	2.5	5.3	0.16	4	5.2	4.8
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
STD OXH82 Expected																			
STD OXC88 Expected																			
STD OXK79 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.4	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.006																		
BLK	Blank		0.006																		
BLK	Blank		0.007																		
BLK	Blank		0.005																		
BLK	Blank		0.007																		
BLK	Blank		0.007																		
BLK	Blank		0.008																		
BLK	Blank		0.007																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
Prep Wash																					
G1	Prep Blank	<0.01	<0.005	0.1	2.1	3.0	46	<0.1	2.5	3.6	540	1.99	<0.5	1.0	5.1	77	<0.1	<0.1	<0.1	35	0.72
G1	Prep Blank	<0.01	0.006	0.1	2.0	3.0	44	<0.1	1.9	3.6	538	2.00	<0.5	<0.5	5.2	75	<0.1	<0.1	<0.1	35	0.76

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: January 31, 2012

QUALITY CONTROL REPORT VAN11007069.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1	Prep Blank	0.082	12	7	0.59	133	0.110	3	0.90	0.091	0.45	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	0.077	12	6	0.60	128	0.106	4	0.87	0.085	0.44	<0.1	<0.01	2.3	0.3	<0.05	4	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 23, 2011
Report Date: February 01, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS VAN11007070.1

CLIENT JOB INFORMATION

Project: COWTRAIL
Shipment ID: 20_12_2011
P.O. Number
Number of Samples: 256

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	231	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	13	Pulverize to 85% - 200 mesh			VAN
Client Split Pulp	13	For Client - First sample split/packet			VAN
G601	256	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	256	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Brian Findlay
Catherine Banfield

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11995	Drill Core	3.11	0.022	7.8	208.8	2.6	37	0.4	5.1	14.6	650	4.31	0.9	18.4	1.1	275	<0.1	<0.1	0.1	111	3.55
11996	Drill Core	3.65	0.017	6.4	129.4	2.9	36	0.3	5.0	14.1	584	4.49	1.7	14.6	1.0	182	<0.1	<0.1	0.1	114	2.92
11997	Drill Core	3.43	0.015	3.7	166.9	2.2	38	0.3	4.8	13.1	557	4.57	<0.5	13.2	1.2	221	<0.1	<0.1	0.2	119	2.09
11998	Drill Core	3.43	0.022	11.0	179.4	2.8	32	0.2	5.4	13.7	511	4.35	1.0	30.9	1.1	388	<0.1	<0.1	0.1	124	2.53
11999	Drill Core	3.37	0.031	10.8	193.9	2.8	31	0.3	4.9	14.9	465	4.26	1.3	24.2	1.1	340	<0.1	0.1	<0.1	115	2.23
12000	Rock Pulp	0.11	0.007	2.8	21.0	2.2	31	0.4	17.2	8.5	327	1.87	2.9	<0.5	0.9	28	0.2	0.2	<0.1	43	0.60
12301	Drill Core	3.52	0.024	9.4	230.4	3.6	33	0.3	4.9	13.0	567	4.22	2.0	15.4	1.0	218	<0.1	<0.1	0.1	110	4.10
12302	Drill Core	3.95	0.020	7.9	153.7	2.6	25	0.2	4.5	12.6	439	3.78	1.3	21.5	1.0	201	<0.1	<0.1	0.1	105	3.20
12303	Drill Core	3.09	0.015	5.3	65.1	2.8	20	0.2	5.0	12.3	349	3.52	0.6	11.0	0.9	100	0.1	<0.1	<0.1	78	2.13
12304	Drill Core	3.74	0.026	8.3	100.6	3.3	25	0.1	5.2	13.4	418	4.36	0.9	20.8	1.0	141	<0.1	<0.1	<0.1	103	3.02
12305	Rock	1.71	0.006	0.4	94.1	6.8	59	0.2	90.3	28.2	759	3.72	1.4	1.5	0.5	185	0.1	0.3	<0.1	137	7.79
12306	Drill Core	3.91	0.017	6.0	70.0	2.3	25	0.1	4.5	12.3	385	4.02	<0.5	10.7	1.1	237	<0.1	<0.1	0.1	114	2.00
12307	Drill Core	3.56	0.020	6.7	91.3	5.0	28	0.2	5.3	13.0	402	4.82	<0.5	17.3	1.0	263	<0.1	0.2	0.1	115	2.22
12308	Drill Core	4.60	0.022	7.6	149.0	2.6	29	0.1	4.8	12.5	476	5.01	<0.5	21.2	1.0	266	<0.1	<0.1	0.1	128	2.20
12309	Drill Core	3.95	0.012	11.8	183.0	5.3	33	0.2	4.3	11.7	492	4.41	<0.5	12.9	1.1	280	<0.1	0.1	0.1	114	2.86
12310 DUP 12312 REJECT	Drill Core		0.009	8.9	234.3	2.8	35	0.2	4.2	11.7	533	4.12	<0.5	13.0	1.1	275	<0.1	<0.1	0.2	127	2.16
12311	Drill Core	2.85	0.006	21.0	339.3	2.1	35	0.3	5.1	13.1	561	3.74	<0.5	5.3	1.1	237	<0.1	<0.1	0.2	115	2.27
12312	Drill Core	4.50	0.009	8.7	238.6	3.1	36	0.2	4.2	10.9	516	3.90	<0.5	10.0	1.2	268	<0.1	0.1	0.2	126	2.32
12313	Drill Core	3.14	0.006	21.4	359.2	2.2	34	0.3	4.9	14.5	556	3.83	<0.5	6.1	1.1	192	<0.1	<0.1	0.2	116	2.62
12314	Drill Core	4.34	0.006	19.8	460.1	5.5	36	0.4	4.7	13.5	582	4.13	<0.5	6.0	1.1	225	<0.1	<0.1	0.2	119	2.21
12315	Drill Core	4.26	0.006	29.7	371.1	2.7	31	0.3	4.8	12.6	475	3.80	0.8	9.7	1.0	270	<0.1	<0.1	0.2	106	2.39
12316	Drill Core	4.21	0.005	11.0	345.4	4.7	39	0.4	4.9	12.0	517	4.07	0.7	7.6	1.1	169	<0.1	0.1	0.2	126	1.74
12317	Drill Core	3.97	0.008	10.2	267.5	2.5	36	0.2	4.6	13.7	500	4.16	1.0	5.6	1.1	120	<0.1	<0.1	0.2	113	2.18
12318	Drill Core	3.72	0.009	16.7	460.3	3.6	34	0.4	4.7	12.5	479	3.73	0.6	13.8	1.1	126	<0.1	0.1	0.1	116	2.17
12319	Drill Core	4.05	0.006	18.5	726.6	2.8	40	1.0	4.5	17.7	623	3.93	<0.5	8.3	1.1	121	<0.1	0.1	0.1	97	2.79
12320	Rock Pulp	0.11	0.965	347.3	3471	23.9	56	2.0	31.1	8.3	447	3.08	13.5	820.4	1.1	40	0.3	3.7	0.6	48	0.66
12321	Drill Core	3.47	0.006	9.6	533.2	5.0	42	0.7	5.2	16.4	643	4.81	<0.5	7.9	1.2	126	<0.1	0.1	<0.1	104	2.62
12322	Drill Core	3.53	<0.005	6.9	256.4	2.8	46	0.4	3.9	11.9	682	3.90	<0.5	7.3	1.1	149	<0.1	<0.1	0.1	101	3.44
12323	Drill Core	3.77	0.017	4.0	255.4	3.8	50	0.3	5.0	15.7	633	4.43	0.6	9.1	1.0	154	<0.1	<0.1	0.2	121	3.15
12324	Drill Core	3.28	0.014	7.5	347.5	2.7	35	0.5	4.5	14.9	696	3.90	1.0	13.4	1.0	183	<0.1	<0.1	0.1	113	4.84

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11995	Drill Core	0.112	14	4	1.04	59	0.036	13	2.01	0.160	0.27	0.3	<0.01	6.1	<0.1	2.89	7	6.6	<0.2
11996	Drill Core	0.115	12	4	1.00	51	0.032	6	1.89	0.151	0.32	0.3	0.02	6.2	0.1	3.27	7	6.2	<0.2
11997	Drill Core	0.116	11	5	1.15	52	0.052	6	2.10	0.185	0.32	<0.1	<0.01	6.8	<0.1	2.76	8	7.5	<0.2
11998	Drill Core	0.113	10	6	1.14	41	0.048	5	1.96	0.177	0.28	<0.1	<0.01	7.1	<0.1	2.88	7	4.9	<0.2
11999	Drill Core	0.113	10	4	0.95	40	0.031	5	1.75	0.175	0.27	<0.1	0.01	6.8	<0.1	3.11	7	6.4	<0.2
12000	Rock Pulp	0.045	4	20	0.52	78	0.082	2	1.11	0.058	0.07	15.3	0.04	3.1	<0.1	<0.05	4	<0.5	<0.2
12301	Drill Core	0.108	12	4	0.90	46	0.024	5	1.78	0.127	0.29	<0.1	0.02	6.8	<0.1	3.18	7	5.2	<0.2
12302	Drill Core	0.113	11	4	0.94	45	0.027	5	1.59	0.114	0.30	<0.1	0.01	6.0	0.1	3.07	6	5.6	<0.2
12303	Drill Core	0.101	7	3	0.80	45	0.006	6	1.41	0.088	0.36	<0.1	<0.01	5.0	0.1	3.06	6	7.1	<0.2
12304	Drill Core	0.098	10	4	0.94	47	0.018	6	1.58	0.096	0.32	<0.1	0.01	6.1	<0.1	3.59	7	7.2	<0.2
12305	Rock	0.088	5	48	0.96	18	0.241	17	3.67	1.081	0.15	<0.1	0.01	5.0	<0.1	0.06	8	0.6	<0.2
12306	Drill Core	0.108	10	4	1.10	38	0.023	6	1.74	0.132	0.32	<0.1	<0.01	6.2	<0.1	3.06	7	8.7	<0.2
12307	Drill Core	0.106	11	5	1.12	32	0.029	5	1.80	0.124	0.31	<0.1	<0.01	6.5	<0.1	3.83	7	11.5	<0.2
12308	Drill Core	0.110	12	4	1.27	40	0.049	6	1.99	0.115	0.33	<0.1	<0.01	7.0	<0.1	3.43	8	9.5	<0.2
12309	Drill Core	0.121	15	5	1.11	36	0.039	6	2.04	0.130	0.31	<0.1	<0.01	7.0	<0.1	2.91	8	10.0	<0.2
12310 DUP 12312 REJECT	Drill Core	0.120	18	5	1.18	55	0.051	6	1.85	0.123	0.32	<0.1	<0.01	7.3	<0.1	2.48	8	8.1	<0.2
12311	Drill Core	0.123	18	5	1.18	59	0.036	6	1.76	0.089	0.36	<0.1	0.01	6.8	<0.1	2.28	8	9.5	<0.2
12312	Drill Core	0.126	18	5	1.16	55	0.051	6	1.87	0.119	0.32	<0.1	<0.01	7.3	<0.1	2.37	8	8.2	<0.2
12313	Drill Core	0.116	20	4	1.12	57	0.038	6	1.86	0.096	0.36	<0.1	0.01	7.2	<0.1	2.31	8	10.1	<0.2
12314	Drill Core	0.118	14	7	1.16	38	0.047	9	1.90	0.103	0.35	<0.1	<0.01	6.6	0.1	2.52	8	10.0	<0.2
12315	Drill Core	0.115	13	4	0.97	45	0.030	7	1.61	0.093	0.33	<0.1	<0.01	5.8	<0.1	2.59	7	6.6	<0.2
12316	Drill Core	0.118	13	5	1.17	41	0.049	5	1.82	0.104	0.34	<0.1	<0.01	6.9	<0.1	2.46	8	7.0	<0.2
12317	Drill Core	0.120	15	4	1.09	50	0.030	7	1.85	0.089	0.34	<0.1	<0.01	6.9	<0.1	2.66	8	4.1	<0.2
12318	Drill Core	0.121	14	4	1.01	69	0.034	7	1.67	0.088	0.36	<0.1	0.01	6.8	<0.1	2.31	8	7.5	<0.2
12319	Drill Core	0.113	16	4	0.91	70	0.029	5	1.46	0.074	0.31	<0.1	0.01	6.4	0.1	2.60	7	12.6	0.2
12320	Rock Pulp	0.049	5	31	0.57	127	0.102	4	1.23	0.078	0.10	0.7	0.09	4.5	<0.1	0.36	5	1.2	<0.2
12321	Drill Core	0.116	13	4	0.91	46	0.025	8	1.66	0.082	0.32	<0.1	0.01	6.2	<0.1	3.34	7	10.9	<0.2
12322	Drill Core	0.115	12	4	0.80	43	0.016	6	1.69	0.092	0.38	<0.1	<0.01	6.3	<0.1	2.38	7	6.7	<0.2
12323	Drill Core	0.139	12	4	0.97	44	0.028	6	1.83	0.097	0.41	<0.1	0.01	6.7	0.2	3.05	8	7.3	<0.2
12324	Drill Core	0.116	15	4	1.02	38	0.039	5	2.39	0.103	0.19	<0.1	0.01	6.6	<0.1	2.19	8	5.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12325	Rock	1.69	<0.005	0.5	91.9	2.6	54	<0.1	95.2	28.1	739	3.71	0.8	<0.5	0.5	166	<0.1	<0.1	<0.1	137	7.21
12326	Drill Core	3.61	0.011	6.5	320.3	2.3	25	0.2	4.4	15.3	474	4.50	<0.5	14.0	1.0	130	<0.1	<0.1	<0.1	111	2.94
12327	Drill Core	3.75	0.028	10.5	577.4	2.9	23	0.4	4.9	16.6	441	3.50	<0.5	28.7	1.1	204	<0.1	<0.1	<0.1	119	2.69
12328	Drill Core	3.39	0.019	12.9	349.7	2.2	23	0.2	6.4	13.6	507	4.02	<0.5	18.8	1.1	161	<0.1	<0.1	<0.1	136	2.83
12329	Drill Core	3.77	0.026	8.6	476.4	2.9	25	0.3	4.7	12.4	484	3.81	<0.5	26.6	1.1	195	<0.1	<0.1	0.1	126	2.54
12330 DUP 12332 REJECT	Drill Core		0.039	9.4	931.4	2.7	26	0.6	4.2	11.9	511	3.93	0.6	40.1	1.2	265	0.1	0.1	0.1	115	3.14
12331	Drill Core	3.78	0.029	10.4	913.8	3.4	34	0.6	5.1	14.2	476	3.81	<0.5	40.2	1.1	242	<0.1	<0.1	0.1	105	3.28
12332	Drill Core	3.24	0.046	9.9	1027	3.0	28	0.6	4.3	11.7	518	3.98	<0.5	45.3	1.1	336	<0.1	<0.1	<0.1	118	3.19
12333	Drill Core	4.01	0.067	9.0	764.2	2.8	26	0.5	4.5	11.8	471	3.36	1.5	56.5	1.1	342	<0.1	0.1	<0.1	110	3.17
12334	Drill Core	4.24	0.026	11.0	831.6	3.7	37	0.5	4.6	13.6	467	3.68	<0.5	30.8	1.2	247	0.1	0.1	0.1	106	3.23
12335	Drill Core	4.68	0.023	9.9	901.6	2.4	35	0.8	4.1	12.3	576	4.24	<0.5	31.0	1.3	232	0.1	<0.1	0.2	130	2.69
12336	Drill Core	4.36	0.049	3.1	572.5	2.8	28	0.6	4.3	10.6	482	3.79	1.0	43.4	0.9	283	<0.1	<0.1	0.1	114	1.85
12337	Drill Core	4.33	0.020	4.8	167.5	2.3	28	0.1	4.8	13.6	494	3.86	0.6	19.8	0.9	332	<0.1	<0.1	0.2	124	2.20
12338	Drill Core	3.90	0.009	2.9	68.2	2.3	22	0.1	4.1	12.6	498	3.40	<0.5	8.3	0.9	231	<0.1	<0.1	0.1	113	3.01
12339	Drill Core	4.36	0.035	27.0	190.1	2.7	24	0.2	4.4	15.3	427	4.27	<0.5	37.0	0.8	206	<0.1	<0.1	<0.1	112	1.89
12340	Rock Pulp	0.11	0.210	11.6	5619	5.6	94	2.0	11.1	7.9	658	4.22	2.2	225.1	4.2	81	0.3	0.2	0.8	63	1.09
12341	Drill Core	4.53	0.076	6.2	688.1	2.2	26	0.4	4.7	11.8	411	3.54	<0.5	74.8	0.9	113	<0.1	<0.1	0.1	132	1.44
12342	Drill Core	4.22	0.017	3.9	33.8	1.9	25	<0.1	4.5	8.4	421	3.31	<0.5	14.4	0.9	259	<0.1	<0.1	<0.1	120	1.98
12343	Drill Core	4.73	0.018	4.3	152.6	2.7	28	0.1	5.2	16.4	446	4.68	<0.5	16.4	0.8	236	<0.1	<0.1	0.2	122	1.91
12344	Drill Core	4.19	0.026	13.6	160.0	2.2	26	0.2	4.7	12.1	521	4.46	0.7	17.2	0.8	226	0.1	<0.1	0.2	113	2.53
12345	Rock	1.39	0.007	0.3	88.4	2.9	53	<0.1	94.8	28.0	761	3.57	1.4	1.1	0.5	181	<0.1	<0.1	<0.1	136	6.36
12346	Drill Core	4.57	0.029	3.6	393.6	1.9	27	0.2	4.5	10.7	521	3.93	<0.5	20.0	1.0	177	<0.1	<0.1	0.2	135	2.16
12347	Drill Core	3.73	0.018	3.0	149.9	2.2	27	0.1	4.5	11.2	507	3.92	0.5	16.5	0.8	301	<0.1	<0.1	0.3	126	1.97
12348	Drill Core	4.09	0.035	5.5	184.3	1.9	26	0.4	4.3	12.0	479	4.11	<0.5	25.3	0.7	152	<0.1	<0.1	0.2	127	1.88
12349	Drill Core	4.96	0.019	4.7	139.0	2.3	28	0.2	4.7	11.8	527	4.24	0.7	16.7	0.8	119	<0.1	<0.1	0.2	130	2.01
12350 DUP 12252 REJECT	Drill Core		0.023	4.2	163.0	2.3	29	0.2	5.0	12.1	526	4.94	0.8	23.2	0.8	183	<0.1	<0.1	0.3	136	2.22
12251	Drill Core	3.76	0.028	4.0	106.4	2.5	18	0.3	4.9	14.7	340	4.73	0.5	27.1	0.9	161	0.1	<0.1	0.1	119	1.90
12252	Drill Core	3.62	0.024	4.4	153.2	2.3	27	0.2	4.5	10.4	517	4.56	0.6	20.6	0.9	169	<0.1	<0.1	0.2	135	2.15
12253	Drill Core	4.04	0.044	1.6	248.8	1.7	31	0.2	5.2	11.5	581	4.58	0.6	48.3	0.9	176	<0.1	<0.1	0.3	136	2.27
12254	Drill Core	3.55	0.024	1.2	289.5	2.1	32	0.3	4.7	11.3	550	4.26	1.2	19.1	0.9	251	<0.1	<0.1	0.4	128	2.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12325	Rock	0.094	4	44	0.97	22	0.218	14	3.53	0.977	0.16	<0.1	<0.01	5.0	<0.1	0.08	8	<0.5	<0.2
12326	Drill Core	0.120	14	4	1.14	49	0.040	6	2.05	0.093	0.25	<0.1	<0.01	7.0	<0.1	3.10	8	7.8	<0.2
12327	Drill Core	0.124	16	5	1.01	73	0.049	6	1.52	0.092	0.30	<0.1	<0.01	7.1	<0.1	2.07	7	7.3	<0.2
12328	Drill Core	0.116	18	7	1.18	59	0.065	9	1.77	0.096	0.33	<0.1	<0.01	8.7	<0.1	2.59	8	8.0	<0.2
12329	Drill Core	0.114	14	5	1.02	62	0.057	7	1.64	0.107	0.31	<0.1	<0.01	7.1	<0.1	2.43	7	6.6	<0.2
12330 DUP 12332 REJECT	Drill Core	0.115	12	5	0.83	50	0.042	6	1.50	0.105	0.23	<0.1	0.01	6.5	<0.1	2.93	6	8.2	<0.2
12331	Drill Core	0.109	15	3	0.74	44	0.024	5	1.84	0.108	0.21	<0.1	<0.01	5.7	<0.1	2.79	6	13.2	<0.2
12332	Drill Core	0.124	13	5	0.85	51	0.043	6	1.53	0.112	0.24	<0.1	0.02	6.6	<0.1	2.91	6	7.1	<0.2
12333	Drill Core	0.126	16	5	0.89	62	0.038	7	1.51	0.093	0.26	<0.1	<0.01	6.9	<0.1	2.21	6	9.5	0.5
12334	Drill Core	0.120	15	4	0.77	37	0.023	7	1.91	0.123	0.24	<0.1	<0.01	6.3	<0.1	2.56	6	12.1	<0.2
12335	Drill Core	0.122	17	4	1.12	58	0.052	7	1.84	0.104	0.24	<0.1	<0.01	7.1	<0.1	2.80	7	12.5	<0.2
12336	Drill Core	0.118	11	4	1.12	35	0.015	9	1.76	0.105	0.24	<0.1	<0.01	6.4	0.1	3.06	7	6.6	<0.2
12337	Drill Core	0.120	14	4	1.28	39	0.027	8	1.85	0.102	0.23	<0.1	<0.01	6.2	<0.1	2.88	8	4.6	0.2
12338	Drill Core	0.114	11	4	1.15	32	0.014	6	1.94	0.135	0.30	<0.1	<0.01	6.4	<0.1	3.14	7	5.9	<0.2
12339	Drill Core	0.120	12	4	1.31	28	0.011	6	1.82	0.096	0.28	<0.1	<0.01	5.9	0.2	4.16	8	7.8	0.2
12340	Rock Pulp	0.072	12	17	0.63	182	0.076	5	1.02	0.061	0.41	0.1	0.09	4.3	0.2	0.34	7	2.5	0.3
12341	Drill Core	0.129	11	5	1.40	54	0.019	8	1.90	0.107	0.25	<0.1	<0.01	6.9	<0.1	2.80	8	4.8	<0.2
12342	Drill Core	0.127	9	4	1.33	55	0.013	7	1.92	0.102	0.26	<0.1	<0.01	6.4	<0.1	2.61	8	3.1	<0.2
12343	Drill Core	0.122	9	5	1.34	28	0.020	8	2.10	0.134	0.27	<0.1	<0.01	6.5	<0.1	4.15	8	6.4	<0.2
12344	Drill Core	0.114	11	4	1.30	32	0.013	6	1.90	0.108	0.26	<0.1	<0.01	6.1	0.1	4.05	7	5.6	0.2
12345	Rock	0.091	4	45	0.98	19	0.228	18	3.79	1.249	0.19	<0.1	<0.01	5.0	<0.1	0.08	8	<0.5	<0.2
12346	Drill Core	0.131	15	5	1.48	52	0.026	8	2.14	0.138	0.22	<0.1	<0.01	7.4	<0.1	2.89	8	3.6	<0.2
12347	Drill Core	0.122	12	5	1.35	40	0.017	7	1.99	0.131	0.21	<0.1	<0.01	6.6	<0.1	2.85	8	3.6	<0.2
12348	Drill Core	0.126	10	5	1.34	40	0.016	7	1.79	0.112	0.17	<0.1	<0.01	7.1	<0.1	3.33	7	3.5	<0.2
12349	Drill Core	0.130	13	5	1.35	49	0.019	6	1.86	0.106	0.20	<0.1	<0.01	7.3	<0.1	3.24	8	3.1	<0.2
12350 DUP 12252 REJECT	Drill Core	0.125	11	5	1.40	33	0.029	7	2.07	0.140	0.21	<0.1	<0.01	7.5	<0.1	4.11	8	4.7	0.3
12251	Drill Core	0.122	12	5	1.35	34	0.006	7	1.85	0.107	0.21	<0.1	<0.01	6.4	<0.1	5.01	8	6.2	<0.2
12252	Drill Core	0.119	12	5	1.40	40	0.028	7	2.11	0.146	0.21	<0.1	<0.01	7.9	<0.1	3.70	8	5.0	<0.2
12253	Drill Core	0.129	13	5	1.44	48	0.022	6	2.02	0.116	0.18	<0.1	<0.01	7.3	<0.1	3.32	9	3.2	<0.2
12254	Drill Core	0.127	13	5	1.41	41	0.011	5	1.99	0.117	0.19	0.2	<0.01	6.5	<0.1	3.21	8	2.7	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
12255	Drill Core	5.02	0.020	2.0	92.4	2.6	34	0.1	5.1	13.0	529	4.84	0.9	12.3	0.9	212	<0.1	<0.1	0.4	140	2.20
12256	Drill Core	3.52	0.036	1.1	269.5	2.5	29	0.4	4.5	12.1	635	4.34	1.0	32.8	1.0	329	<0.1	<0.1	0.4	147	2.48
12257	Drill Core	3.86	0.037	1.6	280.9	1.7	26	0.4	4.7	11.1	637	4.23	1.0	31.5	0.9	198	<0.1	<0.1	0.4	157	2.00
12258	Drill Core	4.41	0.029	3.0	201.0	2.4	22	0.8	4.5	11.7	452	4.13	1.0	27.8	0.9	140	<0.1	<0.1	0.3	138	1.94
11931	Drill Core	5.14	0.013	1.7	145.6	11.4	160	0.3	13.9	30.3	2467	5.99	7.8	11.4	0.6	191	0.2	<0.1	<0.1	239	6.67
11932	Drill Core	4.04	0.010	0.3	135.1	6.3	91	0.2	9.4	22.9	1771	4.81	2.5	4.0	0.7	202	0.1	<0.1	<0.1	206	5.39
11933	Drill Core	3.72	0.009	0.3	80.8	5.3	60	0.1	4.9	9.8	1227	2.98	2.7	2.4	1.0	250	<0.1	<0.1	<0.1	117	4.24
11934	Drill Core	4.34	0.010	0.4	88.8	13.9	128	0.3	6.7	15.3	1530	3.87	3.7	8.0	1.0	254	0.4	0.2	<0.1	143	5.06
11935	Drill Core	4.20	0.013	0.3	84.6	8.8	83	0.2	7.0	14.5	1512	3.30	4.1	7.0	0.9	228	<0.1	0.2	<0.1	112	5.47
11936	Drill Core	4.23	0.018	0.3	67.7	5.7	59	<0.1	5.1	10.0	1281	2.90	1.6	11.2	1.0	260	<0.1	0.1	<0.1	95	4.06
11937	Drill Core	4.39	0.024	0.5	108.7	7.0	80	0.2	7.6	15.9	1634	3.80	3.0	16.8	0.9	235	0.1	0.1	0.2	140	5.08
11938	Drill Core	4.10	0.011	1.5	141.4	10.4	161	0.3	13.0	28.0	2411	5.76	6.5	8.0	0.6	176	0.1	0.1	0.1	236	6.87
11939	Drill Core	3.98	0.136	3.4	161.3	92.4	1331	1.1	13.4	27.2	2582	5.88	63.0	106.6	0.6	165	9.0	0.5	<0.1	182	7.58
11940	Rock Pulp	0.11	0.005	2.2	17.9	1.9	30	0.4	14.2	7.0	296	1.74	2.7	4.4	0.8	28	0.1	0.3	<0.1	41	0.61
11941	Drill Core	4.31	0.159	3.2	161.5	94.7	2799	1.3	10.7	23.0	3051	5.39	43.4	124.2	0.5	193	22.4	0.6	0.2	119	6.48
11942	Drill Core	4.27	0.039	1.7	55.0	16.4	149	0.5	4.2	8.0	1347	2.56	29.1	38.5	0.8	141	0.7	0.3	0.3	65	3.36
11943	Drill Core	4.27	0.046	2.0	40.6	15.2	196	0.5	5.0	8.7	1387	2.83	40.9	49.5	0.5	105	2.1	0.4	<0.1	65	3.10
11944	Drill Core	4.39	0.038	2.4	44.0	17.6	192	0.4	4.9	8.5	1306	2.81	39.9	29.3	0.4	103	1.0	0.4	0.1	52	3.31
11945	Rock	1.53	0.005	0.2	100.8	2.6	52	<0.1	88.7	27.1	714	3.46	1.0	4.3	0.4	153	<0.1	<0.1	<0.1	128	7.24
11946	Drill Core	4.28	0.045	2.1	74.9	13.3	482	0.4	5.1	8.5	1489	2.81	40.4	33.3	0.4	100	3.3	0.5	<0.1	44	3.41
11947	Drill Core	4.09	0.100	3.2	52.1	14.8	465	0.6	5.1	8.9	1004	2.14	78.3	101.9	0.4	98	3.8	0.7	0.2	17	2.99
11948	Drill Core	4.29	0.161	4.2	90.1	25.4	399	1.3	9.8	20.8	2118	3.98	74.9	153.5	0.5	149	2.3	1.0	0.2	89	5.47
11949	Drill Core	4.41	0.011	1.0	95.0	8.1	166	0.2	11.7	23.2	2891	4.99	13.0	18.2	0.7	262	0.3	0.2	<0.1	206	5.64
11950 DUP 11952 REJECT	Drill Core		0.046	2.1	99.6	14.5	585	0.5	5.1	8.9	1495	2.79	41.3	53.6	0.5	106	3.9	0.5	0.1	45	3.39
11951	Drill Core	4.02	<0.005	1.5	94.3	5.5	89	0.2	9.6	16.5	2428	4.39	5.2	4.1	0.8	377	0.3	0.2	<0.1	204	3.90
11952	Drill Core	4.84	0.048	2.3	93.5	14.3	612	0.5	4.7	8.7	1450	2.77	39.9	44.8	0.4	102	4.1	0.5	0.1	43	3.31
11953	Drill Core	4.70	<0.005	1.4	98.2	6.1	92	0.9	9.9	17.1	2512	4.60	5.1	3.6	0.9	361	0.3	0.2	<0.1	218	3.87
11954	Drill Core	4.36	0.007	1.6	96.6	9.7	96	0.3	10.2	17.1	2556	4.46	7.3	7.9	1.0	286	0.3	0.2	<0.1	205	4.20
11955	Drill Core	4.08	<0.005	1.3	94.6	8.1	117	0.3	10.2	17.4	2547	4.43	6.6	1.6	1.0	285	0.3	0.3	<0.1	204	4.15
11956	Drill Core	3.95	0.059	3.1	122.6	114.8	875	1.2	11.5	20.9	2706	5.37	23.8	47.9	0.9	315	7.3	0.7	0.1	212	4.34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
12255	Drill Core	0.116	15	5	1.50	31	0.020	7	2.29	0.136	0.26	<0.1	<0.01	7.4	<0.1	4.07	8	4.1	<0.2
12256	Drill Core	0.122	17	5	1.62	32	0.016	5	2.06	0.129	0.16	<0.1	<0.01	7.1	<0.1	3.31	8	3.1	0.2
12257	Drill Core	0.129	14	6	1.79	56	0.030	4	2.16	0.149	0.14	<0.1	<0.01	8.1	<0.1	2.77	9	1.9	<0.2
12258	Drill Core	0.126	13	5	1.41	42	0.016	7	2.10	0.149	0.26	<0.1	<0.01	7.4	<0.1	3.60	8	4.4	<0.2
11931	Drill Core	0.136	10	23	2.66	57	0.009	9	3.68	0.071	0.32	<0.1	0.02	20.9	<0.1	0.46	11	<0.5	<0.2
11932	Drill Core	0.119	11	10	1.72	60	0.035	9	2.85	0.108	0.32	<0.1	<0.01	13.8	<0.1	0.26	9	<0.5	<0.2
11933	Drill Core	0.091	11	3	0.63	78	0.024	6	1.59	0.115	0.26	<0.1	0.02	5.0	<0.1	0.12	5	<0.5	<0.2
11934	Drill Core	0.106	12	5	0.99	70	0.024	8	2.12	0.118	0.31	<0.1	0.04	9.9	<0.1	0.25	6	<0.5	<0.2
11935	Drill Core	0.092	11	6	0.89	81	0.013	5	1.69	0.099	0.24	<0.1	0.03	7.3	<0.1	0.41	5	<0.5	<0.2
11936	Drill Core	0.087	10	3	0.55	121	0.022	5	1.40	0.112	0.25	<0.1	<0.01	5.1	<0.1	0.13	4	<0.5	<0.2
11937	Drill Core	0.102	10	9	1.01	80	0.020	6	1.79	0.102	0.27	<0.1	0.02	9.7	<0.1	0.30	6	<0.5	<0.2
11938	Drill Core	0.137	9	22	2.57	63	0.009	7	3.33	0.065	0.34	<0.1	0.03	20.1	<0.1	0.39	10	<0.5	<0.2
11939	Drill Core	0.143	10	17	2.07	32	0.002	6	2.99	0.051	0.27	<0.1	0.10	16.8	<0.1	2.22	8	<0.5	0.3
11940	Rock Pulp	0.039	4	18	0.46	70	0.076	2	1.00	0.056	0.07	14.4	0.02	3.1	<0.1	<0.05	3	<0.5	<0.2
11941	Drill Core	0.122	10	14	1.39	34	0.001	3	2.15	0.043	0.30	<0.1	0.15	12.5	0.1	3.56	6	2.3	0.4
11942	Drill Core	0.086	13	4	0.62	96	0.001	4	1.24	0.064	0.28	<0.1	0.04	3.2	0.1	1.37	4	<0.5	<0.2
11943	Drill Core	0.088	12	5	0.67	50	0.002	5	1.41	0.069	0.36	<0.1	0.04	3.7	0.2	1.89	5	<0.5	0.5
11944	Drill Core	0.089	12	4	0.55	53	<0.001	3	1.17	0.055	0.27	0.3	0.06	2.5	0.1	2.02	4	1.1	0.3
11945	Rock	0.082	4	41	0.88	19	0.208	12	3.46	1.074	0.17	<0.1	<0.01	5.1	<0.1	0.09	8	<0.5	<0.2
11946	Drill Core	0.089	13	4	0.50	32	<0.001	3	1.00	0.056	0.27	<0.1	0.07	2.4	0.1	2.13	4	<0.5	0.4
11947	Drill Core	0.087	13	2	0.13	35	<0.001	3	0.60	0.055	0.30	<0.1	0.12	1.6	0.2	2.18	2	1.1	0.8
11948	Drill Core	0.122	10	10	0.82	40	0.001	5	1.47	0.055	0.27	<0.1	0.10	9.3	0.1	2.49	5	1.2	0.9
11949	Drill Core	0.143	9	22	2.05	110	0.064	6	2.81	0.137	0.23	<0.1	0.03	16.3	<0.1	0.29	9	<0.5	<0.2
11950 DUP 11952 REJECT	Drill Core	0.089	13	4	0.48	35	<0.001	5	1.07	0.058	0.29	<0.1	0.08	2.4	0.2	2.19	4	<0.5	0.6
11951	Drill Core	0.150	10	22	1.90	175	0.159	3	2.57	0.222	0.14	0.2	0.02	14.2	<0.1	0.08	8	<0.5	<0.2
11952	Drill Core	0.086	13	4	0.46	32	<0.001	5	0.98	0.054	0.26	<0.1	0.09	2.3	0.1	2.13	4	1.7	0.7
11953	Drill Core	0.153	11	23	2.10	171	0.186	5	2.63	0.221	0.15	<0.1	0.02	15.0	<0.1	0.07	9	<0.5	<0.2
11954	Drill Core	0.147	12	22	1.95	126	0.205	4	2.61	0.198	0.13	0.1	0.02	15.2	<0.1	0.10	8	<0.5	<0.2
11955	Drill Core	0.150	12	22	1.91	109	0.226	4	2.56	0.172	0.12	0.1	0.03	16.2	<0.1	0.10	10	<0.5	<0.2
11956	Drill Core	0.154	11	23	1.87	135	0.129	6	2.80	0.152	0.19	0.1	0.22	16.3	<0.1	0.68	9	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11957	Drill Core	4.25	0.184	5.3	95.1	29.7	800	1.0	12.4	23.8	2716	6.19	25.2	161.5	0.7	369	6.1	0.9	0.2	221	4.18
11958	Drill Core	4.31	0.320	15.2	174.2	98.5	2407	2.0	17.3	34.4	2789	7.61	41.1	302.4	0.5	192	19.3	0.9	0.2	184	5.11
11959	Drill Core	3.84	0.019	0.9	116.8	9.1	209	0.4	18.7	28.6	2485	5.37	5.3	36.2	0.6	162	0.4	0.1	<0.1	214	5.47
11960	Rock Pulp	0.11	0.943	331.9	3140	21.9	53	1.7	28.5	7.9	492	3.04	12.1	737.8	1.0	41	0.5	3.4	0.5	48	0.67
11961	Drill Core	3.53	<0.005	1.4	87.8	8.6	94	0.8	9.0	16.0	2203	4.11	6.9	2.6	0.8	222	0.3	0.2	<0.1	181	5.98
11962	Drill Core	3.95	0.023	1.7	102.2	23.6	201	61.3	13.9	21.6	2585	4.75	11.8	22.0	0.8	214	0.6	0.3	<0.1	199	5.67
11963	Drill Core	4.27	<0.005	0.8	132.5	53.6	291	0.3	24.1	32.0	2253	5.95	5.3	6.0	0.7	157	1.0	0.1	<0.1	261	5.63
11964	Drill Core	4.26	0.027	4.7	148.3	60.0	341	0.5	20.8	30.2	2179	6.11	8.7	26.0	0.7	185	1.6	0.2	<0.1	248	5.85
11965	Rock	1.77	<0.005	0.3	95.9	2.4	52	<0.1	84.1	26.4	691	3.42	1.0	1.9	0.5	161	<0.1	<0.1	<0.1	129	7.31
11966	Drill Core	4.30	<0.005	1.5	123.7	9.7	139	0.2	22.9	30.0	2111	5.93	3.8	7.0	0.7	163	<0.1	<0.1	<0.1	265	5.32
11967	Drill Core	4.39	0.007	0.8	89.5	11.4	187	0.2	23.8	28.4	2502	5.80	4.0	8.3	0.7	227	0.3	<0.1	<0.1	231	6.46
11968	Drill Core	4.18	0.021	1.2	106.8	10.9	486	0.3	22.3	29.1	2896	5.79	7.3	19.3	0.8	283	2.9	0.1	<0.1	237	6.64
11969	Drill Core	4.10	0.023	1.4	103.7	23.1	468	0.3	18.3	25.1	2580	5.40	4.5	18.4	0.8	343	2.8	<0.1	<0.1	222	5.27
11970 DUP 11972 REJECT	Drill Core		0.026	0.7	128.2	32.1	501	0.5	6.5	16.1	1844	4.12	6.0	31.0	0.5	291	2.9	0.2	<0.1	142	3.81
11971	Drill Core	4.02	0.006	0.5	191.0	6.5	135	0.4	6.7	16.1	1916	3.86	4.4	10.4	0.8	186	0.5	0.1	<0.1	151	2.96
11972	Drill Core	4.65	0.025	0.7	119.9	30.6	463	0.5	6.7	16.0	1794	4.08	6.2	27.1	0.6	288	2.7	0.2	<0.1	143	3.68
11973	Drill Core	3.97	0.220	2.2	306.5	48.3	756	2.1	7.3	16.8	2106	4.25	23.0	117.9	0.7	184	4.9	0.7	<0.1	121	4.76
11974	Drill Core	4.33	0.006	0.4	200.0	4.6	117	0.3	7.2	16.7	1938	3.82	2.2	10.1	0.7	179	0.2	<0.1	<0.1	151	2.88
11975	Drill Core	4.13	<0.005	0.5	203.2	3.6	153	0.3	7.0	17.3	1772	3.87	1.9	10.7	0.7	187	0.6	<0.1	<0.1	155	2.85
11976	Drill Core	3.60	0.023	0.8	187.2	9.9	234	0.5	11.0	24.1	2115	4.45	6.7	21.0	0.6	146	0.9	0.2	<0.1	155	4.31
11977	Drill Core	4.69	0.046	1.1	239.8	12.3	435	0.6	15.5	30.0	2506	5.67	9.7	42.9	0.5	159	2.4	0.2	<0.1	190	4.65
11978	Drill Core	4.19	0.185	1.5	366.9	48.8	795	1.7	16.4	28.8	3054	5.54	23.9	126.7	0.6	158	5.2	0.6	0.1	173	4.53
11979	Drill Core	4.09	0.072	1.5	338.2	22.2	740	1.1	18.7	31.3	2817	6.35	14.1	74.5	0.6	171	5.6	0.3	<0.1	197	4.20
11980	Rock Pulp	0.10	0.213	11.3	5329	5.4	87	1.9	11.6	8.3	631	4.39	1.6	209.0	3.9	65	0.4	0.2	0.7	64	1.09
11981	Drill Core	1.67	0.019	4.4	59.7	2.3	35	0.1	5.2	14.8	577	4.38	0.5	10.9	0.8	121	<0.1	<0.1	0.1	127	2.54
11982	Drill Core	3.18	0.025	11.9	98.2	3.1	46	0.2	6.7	13.2	587	4.26	<0.5	27.6	0.8	88	<0.1	<0.1	0.1	122	2.59
11983	Drill Core	3.47	0.023	6.7	66.4	2.6	42	0.2	4.8	13.7	580	4.53	<0.5	26.6	0.9	95	<0.1	<0.1	0.2	122	2.48
11984	Drill Core	4.26	0.024	6.4	76.2	2.2	33	0.1	4.8	12.7	543	4.34	<0.5	23.9	0.8	95	<0.1	<0.1	0.1	122	2.81
11985	Rock	1.55	<0.005	0.3	96.8	2.4	54	<0.1	93.9	29.4	717	3.81	1.2	1.6	0.5	140	<0.1	<0.1	<0.1	141	6.41
11986	Drill Core	3.88	0.013	5.2	67.8	2.3	35	0.1	5.1	12.8	601	4.01	<0.5	16.3	1.0	113	<0.1	<0.1	0.1	126	3.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11957	Drill Core	0.141	10	21	2.18	50	0.122	6	2.97	0.151	0.18	<0.1	0.12	16.9	<0.1	2.57	9	2.9	0.8
11958	Drill Core	0.147	9	37	1.98	33	0.005	6	2.60	0.069	0.36	<0.1	0.34	17.1	0.2	5.71	9	7.7	2.1
11959	Drill Core	0.139	10	41	2.48	64	0.027	5	2.86	0.082	0.22	<0.1	0.03	17.9	<0.1	1.42	9	<0.5	0.2
11960	Rock Pulp	0.049	5	29	0.56	121	0.104	5	1.17	0.079	0.10	0.7	0.10	4.1	<0.1	0.36	4	0.5	0.3
11961	Drill Core	0.135	14	19	1.30	76	0.144	3	2.68	0.125	0.14	0.7	0.01	11.4	<0.1	0.19	10	<0.5	<0.2
11962	Drill Core	0.145	11	25	1.75	158	0.099	6	2.46	0.121	0.19	<0.1	0.03	15.0	<0.1	0.87	9	0.6	0.7
11963	Drill Core	0.140	9	45	3.49	30	0.146	4	2.86	0.072	0.09	0.1	0.04	23.3	<0.1	2.01	10	<0.5	0.7
11964	Drill Core	0.144	10	42	3.11	67	0.081	2	3.11	0.083	0.15	0.1	0.04	19.8	<0.1	2.22	10	<0.5	0.5
11965	Rock	0.083	4	44	0.88	17	0.209	13	3.44	0.998	0.16	<0.1	<0.01	4.6	<0.1	0.06	8	<0.5	<0.2
11966	Drill Core	0.144	10	45	3.43	56	0.119	4	3.05	0.065	0.11	<0.1	<0.01	22.2	<0.1	1.45	10	2.2	0.4
11967	Drill Core	0.136	10	47	3.12	113	0.092	4	3.10	0.086	0.14	0.1	0.01	21.5	<0.1	1.59	10	<0.5	0.7
11968	Drill Core	0.136	10	41	2.99	86	0.105	4	2.99	0.143	0.14	0.1	0.04	22.0	<0.1	1.95	9	1.2	0.6
11969	Drill Core	0.125	10	31	2.82	59	0.158	4	2.98	0.165	0.15	0.2	0.03	20.5	<0.1	1.61	9	0.8	0.4
11970 DUP 11972 REJECT	Drill Core	0.095	11	6	1.56	104	0.026	6	2.42	0.139	0.25	<0.1	0.03	9.5	<0.1	1.70	8	<0.5	0.7
11971	Drill Core	0.093	11	10	1.50	113	0.053	4	2.35	0.161	0.15	<0.1	0.01	9.1	<0.1	1.00	8	<0.5	<0.2
11972	Drill Core	0.091	11	6	1.53	94	0.025	6	2.42	0.143	0.27	<0.1	0.03	9.3	<0.1	1.68	8	<0.5	0.7
11973	Drill Core	0.087	11	7	1.40	63	0.039	6	2.26	0.093	0.19	<0.1	0.07	7.5	0.2	2.50	8	0.8	0.8
11974	Drill Core	0.092	10	11	1.51	129	0.051	4	2.36	0.167	0.15	<0.1	0.01	9.2	<0.1	0.93	7	<0.5	<0.2
11975	Drill Core	0.087	10	8	1.37	213	0.056	4	2.33	0.180	0.18	<0.1	0.01	9.7	<0.1	0.85	7	<0.5	<0.2
11976	Drill Core	0.103	9	13	1.97	81	0.017	5	3.00	0.123	0.17	<0.1	0.04	9.2	<0.1	1.47	8	0.5	0.3
11977	Drill Core	0.130	10	19	2.45	66	0.054	6	2.89	0.136	0.22	<0.1	0.05	14.3	<0.1	2.44	8	0.8	0.8
11978	Drill Core	0.132	11	19	2.51	78	0.009	7	2.87	0.086	0.23	<0.1	0.05	12.6	0.1	2.68	8	0.9	0.7
11979	Drill Core	0.142	9	22	3.07	62	0.051	8	3.16	0.103	0.23	<0.1	0.07	14.8	<0.1	2.94	9	1.0	1.1
11980	Rock Pulp	0.073	11	17	0.64	173	0.081	4	1.01	0.062	0.40	0.2	0.08	4.2	0.1	0.35	6	3.7	0.4
11981	Drill Core	0.115	9	5	1.06	60	0.046	6	1.69	0.119	0.30	<0.1	<0.01	6.4	<0.1	2.96	6	4.6	<0.2
11982	Drill Core	0.118	10	9	1.05	37	0.043	5	1.62	0.089	0.26	0.2	<0.01	6.3	<0.1	2.82	6	5.3	<0.2
11983	Drill Core	0.119	11	4	1.08	41	0.037	6	1.80	0.126	0.23	0.2	<0.01	6.3	<0.1	2.94	7	4.7	<0.2
11984	Drill Core	0.115	10	4	1.01	55	0.051	5	1.70	0.119	0.21	<0.1	<0.01	6.6	<0.1	2.80	7	5.0	<0.2
11985	Rock	0.087	4	42	0.99	20	0.256	16	3.64	1.034	0.17	<0.1	<0.01	4.8	<0.1	0.11	9	<0.5	<0.2
11986	Drill Core	0.114	11	4	1.06	56	0.058	5	1.84	0.128	0.29	<0.1	<0.01	6.9	<0.1	2.39	7	7.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11987	Drill Core	3.96	0.009	8.5	102.8	2.5	36	0.2	5.5	14.6	643	4.19	<0.5	14.9	1.1	116	<0.1	<0.1	0.1	130	2.72
11988	Drill Core	3.98	0.007	12.0	98.8	2.6	40	0.2	4.5	14.9	680	4.59	<0.5	16.1	1.0	118	<0.1	<0.1	0.2	123	3.00
11989	Drill Core	3.63	0.016	22.6	64.9	2.2	36	0.3	4.5	13.2	740	4.39	0.8	15.9	1.1	105	0.1	<0.1	0.2	98	3.21
11990 DUP 11992 REJECT	Drill Core		<0.005	11.5	73.7	2.7	45	0.1	4.5	11.1	693	3.87	<0.5	9.5	1.1	140	<0.1	<0.1	0.2	100	2.99
11991	Drill Core	4.40	0.016	4.8	163.7	2.3	36	0.4	4.5	13.1	664	4.46	<0.5	15.0	0.8	265	<0.1	<0.1	<0.1	117	3.32
11992	Drill Core	3.52	0.008	10.2	71.7	2.8	45	<0.1	4.5	11.3	712	4.02	<0.5	6.6	1.1	139	<0.1	<0.1	0.2	103	3.02
11993	Drill Core	4.18	<0.005	6.9	62.0	2.5	42	0.2	4.8	13.1	737	4.20	<0.5	4.5	1.0	177	<0.1	<0.1	0.1	107	3.47
11994	Drill Core	3.93	<0.005	5.9	136.1	2.4	43	0.3	4.6	16.5	682	4.34	<0.5	9.9	1.0	216	<0.1	<0.1	0.1	118	2.74
11867	Drill Core	4.23	<0.005	0.7	134.0	3.9	56	0.1	18.7	29.3	1291	5.75	1.9	2.9	1.1	287	<0.1	<0.1	<0.1	241	5.54
11868	Drill Core	3.38	<0.005	0.6	144.0	6.1	66	0.2	18.0	30.7	1326	6.18	1.7	4.1	1.1	189	<0.1	<0.1	<0.1	244	5.28
11869	Drill Core	4.96	<0.005	0.9	156.0	5.6	48	0.1	16.9	28.9	1094	5.94	3.8	3.9	1.1	296	0.1	<0.1	<0.1	249	4.18
11870 DUP 11872 REJECT	Drill Core		<0.005	0.5	157.5	4.2	60	0.1	17.9	30.2	1313	6.15	2.5	2.1	1.1	312	<0.1	0.1	<0.1	252	4.56
11871	Drill Core	3.75	<0.005	0.3	147.8	5.1	96	0.1	20.1	32.4	1581	6.49	4.5	6.9	0.9	209	0.1	<0.1	<0.1	258	5.63
11872	Drill Core	4.28	<0.005	0.4	154.6	4.2	57	0.1	17.1	29.5	1255	6.01	2.7	2.1	1.0	327	0.1	0.1	<0.1	245	4.39
11873	Drill Core	4.27	<0.005	0.6	142.0	4.3	62	0.1	17.5	31.4	1318	6.20	2.9	3.1	1.0	313	<0.1	<0.1	<0.1	246	5.34
11874	Drill Core	4.11	0.006	0.5	156.0	17.4	111	0.2	18.8	32.2	1456	5.99	6.6	6.7	0.9	217	0.3	0.1	<0.1	223	5.86
11875	Drill Core	4.32	<0.005	0.5	152.0	4.4	112	0.1	18.1	32.2	1635	6.30	3.3	3.4	1.0	189	0.2	<0.1	<0.1	241	5.39
11876	Drill Core	3.19	<0.005	0.4	139.1	4.9	94	0.2	19.7	30.8	1487	5.90	4.0	9.0	0.9	213	0.1	<0.1	<0.1	236	5.66
11877	Drill Core	5.04	<0.005	0.3	151.8	4.8	70	0.1	17.9	30.3	1323	5.99	2.2	6.7	1.1	210	0.1	<0.1	<0.1	253	4.67
11878	Drill Core	4.12	<0.005	0.5	169.2	6.6	100	0.2	20.5	34.7	1665	6.67	1.4	3.2	1.1	224	0.3	<0.1	<0.1	286	5.57
11879	Drill Core	4.13	<0.005	0.6	130.8	8.3	104	0.2	19.3	33.7	1714	6.43	2.8	5.0	1.1	201	0.2	<0.1	<0.1	274	6.43
11880	Rock Pulp	0.11	1.553	84.1	>10000	738.7	1613	8.1	99.6	14.4	508	5.07	307.7	1404	1.9	38	10.3	40.2	2.6	49	0.88
11881	Drill Core	4.47	<0.005	0.3	168.5	7.0	187	0.2	19.3	33.2	1809	6.42	3.7	5.4	1.1	259	5.2	0.1	<0.1	251	7.06
11882	Drill Core	4.25	<0.005	0.3	124.0	6.4	98	0.1	19.8	33.1	1621	6.43	2.4	3.0	0.9	299	0.2	<0.1	<0.1	256	6.83
11883	Drill Core	4.15	0.006	0.4	131.0	6.9	74	0.2	18.8	31.1	1441	6.32	3.8	7.1	0.8	380	0.2	0.1	<0.1	261	6.36
11884	Drill Core	4.67	<0.005	0.4	172.5	4.7	66	0.1	18.3	31.8	1413	6.10	2.1	3.0	0.9	482	0.1	<0.1	<0.1	251	6.73
11885	Rock	1.92	<0.005	0.3	105.8	2.5	55	<0.1	96.0	30.6	807	3.84	1.0	<0.5	0.4	142	0.1	<0.1	<0.1	138	7.92
11886	Drill Core	4.25	<0.005	0.4	182.3	11.2	108	0.2	17.5	37.4	1677	7.44	3.2	10.4	0.9	257	0.5	0.1	<0.1	341	6.60
11887	Drill Core	4.01	0.007	0.5	112.4	7.4	81	0.2	18.4	37.0	1870	7.46	5.0	6.3	0.8	263	<0.1	0.1	<0.1	362	7.23
11888	Drill Core	4.34	<0.005	0.6	127.4	4.4	60	0.1	17.5	40.1	1696	7.88	2.6	3.5	0.8	269	<0.1	0.1	<0.1	382	6.63

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11987	Drill Core	0.113	12	5	1.09	62	0.064	6	1.84	0.125	0.34	<0.1	<0.01	7.2	<0.1	2.52	7	8.5	<0.2
11988	Drill Core	0.109	11	4	1.06	62	0.051	5	1.86	0.118	0.26	0.1	<0.01	6.6	<0.1	3.13	7	7.7	<0.2
11989	Drill Core	0.108	12	4	0.95	41	0.020	5	1.57	0.118	0.23	<0.1	0.01	5.7	<0.1	3.57	6	10.5	0.9
11990 DUP 11992 REJECT	Drill Core	0.117	11	3	0.88	66	0.027	5	1.60	0.110	0.25	<0.1	<0.01	5.3	<0.1	2.62	6	6.1	<0.2
11991	Drill Core	0.119	13	4	1.04	75	0.045	5	1.93	0.171	0.27	0.5	<0.01	6.0	<0.1	2.89	7	5.7	<0.2
11992	Drill Core	0.118	12	3	0.91	68	0.028	5	1.71	0.128	0.27	<0.1	<0.01	5.4	<0.1	2.72	6	7.0	<0.2
11993	Drill Core	0.110	13	4	0.92	70	0.037	6	1.72	0.113	0.29	<0.1	0.01	6.2	0.1	2.86	7	7.0	<0.2
11994	Drill Core	0.112	11	4	1.01	73	0.048	6	1.85	0.136	0.33	<0.1	<0.01	6.2	<0.1	2.88	7	5.0	<0.2
11867	Drill Core	0.128	9	33	3.07	98	0.200	5	3.17	0.135	0.09	<0.1	0.01	20.6	<0.1	0.20	10	<0.5	<0.2
11868	Drill Core	0.121	9	27	3.03	60	0.207	5	3.06	0.103	0.07	<0.1	0.01	20.2	<0.1	0.31	10	<0.5	<0.2
11869	Drill Core	0.137	9	24	2.82	116	0.238	4	2.90	0.156	0.07	0.1	<0.01	18.4	<0.1	0.49	10	<0.5	<0.2
11870 DUP 11872 REJECT	Drill Core	0.138	9	24	3.15	125	0.226	4	3.00	0.129	0.07	0.1	<0.01	19.4	<0.1	0.21	10	<0.5	<0.2
11871	Drill Core	0.127	10	29	3.41	58	0.126	5	3.26	0.105	0.08	<0.1	0.02	22.3	<0.1	0.26	11	<0.5	0.6
11872	Drill Core	0.131	9	23	3.01	122	0.207	3	2.86	0.124	0.06	0.1	<0.01	17.4	<0.1	0.22	10	<0.5	<0.2
11873	Drill Core	0.135	10	27	3.23	108	0.128	5	3.37	0.147	0.10	<0.1	0.01	19.4	<0.1	0.30	10	<0.5	<0.2
11874	Drill Core	0.133	11	24	3.03	57	0.027	6	3.24	0.088	0.12	<0.1	0.04	17.7	<0.1	0.83	10	<0.5	0.2
11875	Drill Core	0.142	11	24	3.23	40	0.077	5	3.27	0.116	0.10	<0.1	0.01	19.4	<0.1	0.26	11	<0.5	0.3
11876	Drill Core	0.117	9	27	3.16	58	0.119	4	3.05	0.088	0.07	<0.1	0.02	21.5	<0.1	0.24	10	<0.5	0.9
11877	Drill Core	0.131	8	23	3.17	63	0.248	5	3.12	0.127	0.07	0.1	0.02	21.9	<0.1	0.14	11	<0.5	0.6
11878	Drill Core	0.140	9	26	3.73	53	0.223	5	3.44	0.103	0.06	0.1	<0.01	24.7	<0.1	0.16	11	<0.5	<0.2
11879	Drill Core	0.144	9	27	3.40	52	0.227	6	3.33	0.106	0.07	0.1	0.02	26.0	<0.1	0.25	11	<0.5	<0.2
11880	Rock Pulp	0.055	7	53	0.66	45	0.075	45	1.27	0.076	0.21	33.1	0.71	4.8	1.0	2.28	4	3.9	0.6
11881	Drill Core	0.143	11	26	3.22	63	0.080	5	3.28	0.108	0.09	<0.1	0.02	22.1	<0.1	0.23	10	<0.5	<0.2
11882	Drill Core	0.140	11	28	3.38	77	0.015	5	3.60	0.128	0.11	<0.1	0.01	22.1	<0.1	0.21	10	<0.5	<0.2
11883	Drill Core	0.147	11	24	3.18	80	0.037	6	3.97	0.204	0.12	<0.1	<0.01	20.2	<0.1	0.67	10	<0.5	<0.2
11884	Drill Core	0.149	11	29	3.14	150	0.063	6	3.87	0.192	0.13	<0.1	<0.01	19.5	<0.1	0.33	10	<0.5	<0.2
11885	Rock	0.089	4	49	0.96	19	0.241	15	3.67	0.958	0.14	<0.1	<0.01	5.0	<0.1	0.06	8	<0.5	<0.2
11886	Drill Core	0.135	10	21	3.55	69	0.167	7	3.80	0.099	0.11	<0.1	0.01	25.3	<0.1	0.24	12	<0.5	<0.2
11887	Drill Core	0.121	8	39	3.83	67	0.143	8	3.61	0.095	0.08	<0.1	0.03	30.3	<0.1	0.28	12	<0.5	<0.2
11888	Drill Core	0.121	8	20	3.66	70	0.183	4	3.55	0.122	0.08	<0.1	0.02	29.8	<0.1	0.16	12	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11889	Drill Core	4.16	<0.005	0.2	131.9	2.7	57	<0.1	15.1	34.6	1587	7.14	1.7	2.7	0.8	294	<0.1	<0.1	<0.1	324	6.55
11890 DUP 11892 REJECT	Drill Core		<0.005	0.2	129.1	3.3	56	0.2	15.5	32.5	1675	6.53	1.0	6.6	0.7	259	<0.1	<0.1	<0.1	296	7.21
11891	Drill Core	4.41	0.087	2.1	184.3	46.6	1290	0.9	15.5	35.6	1764	6.94	24.5	91.3	0.8	366	11.8	0.4	<0.1	303	6.49
11892	Drill Core	4.15	<0.005	0.3	130.9	3.4	57	0.2	15.9	33.8	1718	6.66	0.8	9.9	0.7	255	<0.1	<0.1	<0.1	300	7.27
11893	Drill Core	3.87	0.076	1.9	163.9	35.3	1225	0.8	14.3	33.1	1775	6.63	22.6	73.5	0.8	375	11.5	0.4	<0.1	292	6.33
11894	Drill Core	4.28	<0.005	0.3	160.9	3.0	56	0.1	14.1	33.4	1683	6.68	2.2	5.3	0.8	502	<0.1	<0.1	<0.1	310	6.41
11895	Drill Core	4.33	<0.005	0.2	146.1	3.6	67	0.2	15.9	33.9	1727	6.68	1.4	5.4	0.7	231	<0.1	0.1	<0.1	301	6.84
11896	Drill Core	4.47	<0.005	0.2	180.4	3.3	82	0.2	14.5	34.9	1777	7.12	2.3	1.8	0.7	209	<0.1	0.1	<0.1	307	6.99
11897	Drill Core	4.22	<0.005	0.3	194.3	3.9	89	0.2	13.9	34.1	1742	6.99	2.2	3.1	0.7	285	0.1	0.1	<0.1	294	6.49
11898	Drill Core	4.34	<0.005	0.5	182.7	3.8	101	0.3	13.4	32.8	1809	6.91	3.1	1.8	0.9	327	0.2	0.1	<0.1	307	5.98
11899	Drill Core	3.75	0.099	2.6	217.0	16.0	746	0.8	14.8	34.1	2188	6.81	23.0	124.3	0.7	202	6.2	0.3	<0.1	272	7.22
11900	Rock Pulp	0.11	1.030	347.7	3295	23.9	56	2.0	30.9	8.6	427	3.14	13.7	838.6	1.1	36	0.5	3.5	0.5	49	0.67
11901	Drill Core	4.58	0.094	1.2	179.0	14.2	307	0.7	15.7	30.7	1734	6.12	12.3	91.2	0.8	287	2.0	0.2	<0.1	250	7.49
11902	Drill Core	4.35	0.013	0.5	130.2	11.2	92	0.4	14.7	31.5	1767	6.30	6.6	23.5	0.8	329	<0.1	0.2	<0.1	260	7.19
11903	Drill Core	3.94	<0.005	0.4	134.5	4.8	72	0.2	15.8	30.4	1463	6.38	2.5	10.7	0.7	660	<0.1	0.1	<0.1	266	6.85
11904	Drill Core	4.32	<0.005	0.3	130.1	5.7	73	0.2	14.9	30.3	1540	6.33	2.7	5.3	0.7	248	0.2	<0.1	<0.1	263	6.85
11905	Rock	1.87	<0.005	0.4	104.0	2.3	55	<0.1	96.1	30.3	734	3.93	1.0	1.9	0.5	154	<0.1	<0.1	<0.1	148	7.56
11906	Drill Core	4.05	0.005	2.3	153.9	12.3	77	0.3	18.7	33.5	1704	6.41	8.5	11.0	0.7	352	0.2	0.1	<0.1	274	6.58
11907	Drill Core	3.60	<0.005	3.3	173.4	7.7	61	0.2	17.2	33.1	1491	6.36	3.6	8.7	0.8	270	<0.1	<0.1	<0.1	262	6.26
11908	Drill Core	3.69	0.024	1.4	171.2	21.8	188	0.4	15.7	31.2	1890	6.36	14.7	25.1	0.7	175	1.1	0.2	<0.1	246	7.15
11909	Drill Core	3.09	0.016	1.5	207.5	15.8	117	1.2	15.0	32.1	2087	6.33	9.8	17.3	0.7	156	0.2	0.2	<0.1	221	7.47
11910 DUP 11912 REJECT	Drill Core		0.147	0.9	173.1	35.9	103	1.2	16.6	31.8	1827	6.40	3.9	152.2	0.7	210	0.2	<0.1	<0.1	236	8.44
11911	Drill Core	3.95	0.019	1.4	178.9	20.9	112	0.4	21.1	34.6	1955	6.28	10.0	22.7	0.8	201	0.2	0.2	<0.1	259	6.84
11912	Drill Core	3.04	0.180	0.8	176.5	43.5	101	1.8	16.0	31.4	1779	6.23	3.9	197.6	0.8	201	0.2	<0.1	<0.1	229	8.39
11913	Drill Core	3.86	0.009	0.4	100.9	49.5	142	0.3	17.1	30.3	1926	5.68	3.6	10.0	0.6	191	0.4	0.1	<0.1	255	8.99
11914	Drill Core	4.48	<0.005	0.4	87.8	5.7	65	0.2	19.9	32.5	1762	6.02	3.9	6.0	0.7	211	<0.1	<0.1	<0.1	279	8.95
11915	Drill Core	4.00	0.028	1.3	110.2	45.3	110	0.8	19.5	29.6	1802	5.64	7.5	20.9	0.6	163	0.2	0.2	<0.1	231	7.37
11916	Drill Core	4.34	0.010	0.6	108.6	12.8	94	0.2	17.9	28.0	1811	5.59	4.2	7.0	0.6	215	<0.1	<0.1	<0.1	239	6.98
11917	Drill Core	3.32	0.021	1.1	143.7	18.9	101	0.4	15.9	28.1	1834	5.35	9.4	21.1	0.7	212	0.1	0.3	<0.1	229	6.75
11918	Drill Core	4.32	0.030	2.1	147.2	12.4	86	0.4	14.8	28.3	1718	5.52	7.7	26.8	0.6	219	0.2	0.2	<0.1	226	7.55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11889	Drill Core	0.137	8	22	3.23	88	0.162	5	3.20	0.097	0.08	<0.1	0.01	24.4	<0.1	0.07	11	<0.5	<0.2
11890 DUP 11892 REJECT	Drill Core	0.142	10	27	3.18	90	0.089	5	3.15	0.104	0.11	<0.1	<0.01	25.2	<0.1	<0.05	11	<0.5	<0.2
11891	Drill Core	0.147	8	23	2.97	138	0.142	9	3.61	0.115	0.17	<0.1	0.08	23.7	<0.1	0.87	11	<0.5	<0.2
11892	Drill Core	0.138	10	29	3.32	95	0.088	7	3.17	0.097	0.11	<0.1	<0.01	26.1	<0.1	0.05	11	<0.5	<0.2
11893	Drill Core	0.143	8	22	2.95	141	0.144	9	3.58	0.114	0.15	<0.1	0.07	23.7	<0.1	0.69	11	<0.5	<0.2
11894	Drill Core	0.144	8	24	3.37	221	0.186	5	3.26	0.141	0.08	<0.1	0.02	26.0	<0.1	0.07	11	<0.5	<0.2
11895	Drill Core	0.139	9	26	3.23	63	0.121	6	3.22	0.089	0.11	<0.1	<0.01	25.7	<0.1	0.06	11	<0.5	<0.2
11896	Drill Core	0.139	10	22	3.29	50	0.088	6	3.29	0.083	0.12	<0.1	<0.01	25.2	<0.1	0.07	11	<0.5	<0.2
11897	Drill Core	0.145	9	18	3.15	118	0.055	7	3.44	0.105	0.15	<0.1	0.01	21.7	<0.1	0.13	11	<0.5	<0.2
11898	Drill Core	0.151	10	16	3.15	159	0.149	7	3.29	0.112	0.12	<0.1	0.11	22.4	<0.1	0.11	11	<0.5	<0.2
11899	Drill Core	0.140	9	21	2.95	48	0.022	8	3.49	0.089	0.19	<0.1	0.05	21.3	<0.1	0.82	11	<0.5	<0.2
11900	Rock Pulp	0.048	5	33	0.57	129	0.117	4	1.23	0.088	0.11	0.8	0.08	4.3	<0.1	0.38	4	1.0	0.3
11901	Drill Core	0.146	11	29	2.72	117	0.007	6	3.39	0.103	0.20	<0.1	0.03	19.1	<0.1	0.52	10	<0.5	<0.2
11902	Drill Core	0.156	13	22	2.84	187	0.013	7	3.52	0.114	0.16	<0.1	0.03	19.4	<0.1	0.37	10	<0.5	<0.2
11903	Drill Core	0.136	11	29	2.96	652	0.013	7	3.57	0.142	0.16	<0.1	0.01	20.0	<0.1	0.05	10	<0.5	<0.2
11904	Drill Core	0.141	11	25	2.86	80	0.024	7	3.44	0.120	0.14	<0.1	<0.01	20.4	<0.1	0.07	10	<0.5	<0.2
11905	Rock	0.094	5	51	0.97	21	0.255	16	3.72	0.964	0.15	<0.1	<0.01	5.0	<0.1	0.08	9	<0.5	<0.2
11906	Drill Core	0.140	10	44	3.13	147	0.021	7	3.69	0.136	0.13	<0.1	0.01	22.5	<0.1	0.68	10	<0.5	<0.2
11907	Drill Core	0.146	11	38	2.89	174	0.036	6	3.38	0.145	0.14	<0.1	<0.01	19.5	<0.1	0.24	10	0.6	<0.2
11908	Drill Core	0.142	11	32	2.98	164	0.003	6	3.72	0.118	0.17	<0.1	0.02	18.5	<0.1	0.58	10	<0.5	<0.2
11909	Drill Core	0.140	12	23	2.81	28	0.002	7	3.78	0.047	0.20	0.9	0.01	17.3	<0.1	0.65	10	<0.5	<0.2
11910 DUP 11912 REJECT	Drill Core	0.140	12	26	2.94	26	0.003	8	4.06	0.058	0.19	1.0	<0.01	19.4	<0.1	0.19	11	<0.5	<0.2
11911	Drill Core	0.130	10	44	3.36	154	0.018	6	3.65	0.094	0.13	<0.1	0.02	23.8	<0.1	0.70	11	<0.5	<0.2
11912	Drill Core	0.142	12	25	2.81	26	0.002	8	3.95	0.059	0.18	1.5	<0.01	18.5	<0.1	0.24	10	<0.5	<0.2
11913	Drill Core	0.116	9	35	3.17	30	0.003	6	3.73	0.048	0.14	<0.1	0.02	25.0	<0.1	0.18	11	<0.5	<0.2
11914	Drill Core	0.118	9	39	3.33	38	0.008	4	3.57	0.058	0.11	<0.1	0.01	29.0	<0.1	0.20	11	<0.5	<0.2
11915	Drill Core	0.121	9	38	3.19	50	0.003	6	3.39	0.067	0.14	0.6	0.02	22.7	<0.1	0.48	11	<0.5	<0.2
11916	Drill Core	0.115	8	34	2.95	81	0.013	6	3.22	0.084	0.11	<0.1	0.02	22.7	<0.1	0.29	11	<0.5	<0.2
11917	Drill Core	0.131	9	29	2.95	37	0.011	7	3.11	0.089	0.13	<0.1	0.03	20.1	<0.1	0.64	10	<0.5	<0.2
11918	Drill Core	0.126	10	25	2.69	155	0.009	6	3.22	0.111	0.13	<0.1	0.02	20.1	<0.1	0.37	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11919	Drill Core	4.15	0.023	0.6	119.0	7.5	70	0.2	14.0	27.3	1484	5.46	5.7	21.8	0.7	313	0.1	0.1	<0.1	231	5.91
11920	Rock Pulp	0.11	0.221	10.9	5450	5.2	86	1.8	10.2	7.8	641	4.10	2.3	194.4	4.0	79	0.4	0.2	0.8	58	1.05
11921	Drill Core	4.19	<0.005	0.5	151.6	3.5	80	0.2	13.9	28.2	1933	5.58	1.3	13.4	0.8	227	<0.1	<0.1	<0.1	229	6.94
11922	Drill Core	3.66	0.007	0.4	131.1	5.2	66	0.2	14.7	29.3	1706	5.78	4.2	7.2	0.8	271	<0.1	0.1	0.1	245	6.20
11923	Drill Core	4.23	0.007	0.4	127.2	4.2	64	0.2	17.1	30.5	1678	6.10	2.1	11.2	0.8	291	<0.1	0.1	<0.1	276	6.68
11924	Drill Core	4.10	0.014	0.5	131.7	7.0	75	0.2	15.2	27.1	1888	5.32	7.2	13.5	0.7	302	<0.1	0.2	<0.1	234	6.39
11925	Rock	1.76	<0.005	0.4	92.7	2.3	48	<0.1	90.2	27.3	701	3.47	1.2	1.2	0.4	162	<0.1	<0.1	<0.1	127	7.14
11926	Drill Core	3.35	<0.005	0.8	92.0	7.7	87	0.2	8.6	17.1	1311	3.70	3.6	3.1	0.9	198	0.3	<0.1	<0.1	153	4.00
11927	Drill Core	4.91	<0.005	0.2	74.1	3.5	56	<0.1	5.4	10.9	1160	3.04	1.3	3.2	1.1	191	<0.1	<0.1	<0.1	115	3.86
11928	Drill Core	3.12	0.010	0.3	96.1	7.6	120	0.2	11.0	23.8	1874	4.82	6.9	9.0	0.8	198	<0.1	0.2	0.2	190	5.75
11929	Drill Core	4.11	0.130	3.8	515.6	193.9	2383	3.0	10.9	23.7	2058	4.98	38.3	93.0	0.7	225	16.1	0.6	0.2	160	7.36
11930 DUP 11932 REJECT	Drill Core		<0.005	0.2	131.1	6.3	87	0.2	9.1	22.1	1751	4.71	1.7	8.5	0.7	195	<0.1	0.1	<0.1	191	6.06
11803	Drill Core	4.38	0.009	0.6	126.4	3.6	105	0.2	25.0	25.9	2120	4.44	3.8	8.9	0.5	260	0.1	0.1	<0.1	153	5.11
11804	Drill Core	4.42	0.030	1.1	180.5	3.4	131	0.3	27.2	25.9	2503	4.67	4.3	27.7	0.5	192	<0.1	0.1	<0.1	164	5.19
11805	Rock	1.60	<0.005	0.3	97.1	2.1	49	<0.1	93.8	27.6	744	3.45	1.1	1.9	0.5	155	<0.1	<0.1	<0.1	129	7.67
11806	Drill Core	4.13	0.034	4.8	95.7	4.9	224	0.2	28.0	28.3	2156	5.52	8.4	29.9	0.6	289	0.6	0.2	0.2	166	4.95
11807	Drill Core	3.96	0.018	0.4	134.3	4.5	115	0.2	24.7	27.6	2060	4.72	7.1	15.3	0.8	166	0.1	0.2	<0.1	169	6.12
11808	Drill Core	4.25	0.025	0.4	85.8	3.5	125	0.3	27.6	29.4	1799	5.40	6.6	20.6	0.6	180	0.3	0.2	0.3	168	4.60
11809	Drill Core	4.22	0.015	0.2	77.1	1.2	86	0.1	31.2	30.6	1755	5.22	2.2	14.3	0.3	219	<0.1	0.1	0.3	180	5.87
11810 DUP 11812 REJECT	Drill Core		0.015	0.2	133.5	1.8	79	0.2	31.3	31.9	1813	4.92	2.4	10.8	0.3	217	<0.1	<0.1	0.3	178	7.02
11811	Drill Core	4.03	0.022	0.4	63.0	2.4	86	0.1	33.3	32.8	1644	6.01	5.5	16.5	0.5	157	<0.1	0.2	0.3	191	5.21
11812	Drill Core	4.22	0.022	0.2	140.1	1.9	81	0.2	33.0	32.2	1839	5.14	2.3	12.5	0.3	217	<0.1	0.1	0.4	182	7.29
11813	Drill Core	4.46	0.022	0.2	67.0	2.4	92	0.2	34.5	33.4	1713	6.16	5.2	17.6	0.5	165	<0.1	0.2	0.4	196	5.25
11814	Drill Core	4.54	0.034	0.5	95.4	3.6	100	0.3	27.6	28.4	1596	5.49	6.1	26.1	0.6	388	<0.1	0.2	0.2	159	5.28
11815	Drill Core	4.87	0.018	1.2	152.4	3.3	105	0.3	30.6	25.7	1871	4.47	5.0	12.7	0.6	302	0.1	0.2	<0.1	147	5.24
11816	Drill Core	4.46	0.015	2.2	141.9	2.9	100	0.3	27.2	25.3	1570	4.21	5.1	12.9	0.6	180	0.1	0.1	<0.1	130	4.38
11817	Drill Core	4.80	0.010	2.6	118.8	3.4	80	0.3	24.5	25.0	1321	4.35	2.3	7.5	0.5	244	<0.1	0.1	<0.1	123	3.81
11818	Drill Core	4.38	0.017	5.7	94.0	3.8	58	0.3	23.1	24.0	1079	3.85	4.3	11.4	0.6	248	<0.1	0.2	<0.1	117	4.03
11819	Drill Core	4.10	0.006	0.9	78.9	2.4	70	0.2	19.4	24.5	1230	3.70	2.2	2.2	0.6	202	<0.1	0.2	<0.1	125	3.57
11820	Rock Pulp	0.11	0.935	343.0	3246	24.0	53	1.8	28.4	7.8	427	3.07	13.0	931.9	1.2	34	0.5	3.6	0.5	49	0.68

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11919	Drill Core	0.128	8	21	2.66	93	0.046	6	3.05	0.157	0.10	<0.1	0.02	19.3	<0.1	0.28	9	<0.5	<0.2
11920	Rock Pulp	0.068	11	16	0.61	176	0.073	4	0.96	0.057	0.39	0.2	0.07	4.0	0.1	0.32	6	3.9	0.3
11921	Drill Core	0.135	10	23	2.73	38	0.022	7	3.09	0.106	0.13	<0.1	<0.01	19.3	<0.1	<0.05	10	<0.5	<0.2
11922	Drill Core	0.143	10	23	2.77	54	0.038	5	3.04	0.123	0.12	<0.1	0.02	21.9	<0.1	0.15	10	<0.5	<0.2
11923	Drill Core	0.138	9	33	2.83	75	0.062	5	3.19	0.131	0.08	<0.1	<0.01	23.6	<0.1	0.13	11	<0.5	<0.2
11924	Drill Core	0.123	9	30	2.50	191	0.053	7	2.89	0.161	0.15	<0.1	0.01	18.5	<0.1	0.43	10	<0.5	<0.2
11925	Rock	0.088	4	42	0.88	19	0.217	15	3.47	1.084	0.17	<0.1	<0.01	4.9	<0.1	0.09	8	<0.5	<0.2
11926	Drill Core	0.104	10	10	1.29	72	0.024	5	1.92	0.104	0.20	<0.1	<0.01	8.8	<0.1	0.30	7	1.3	<0.2
11927	Drill Core	0.088	9	3	0.70	55	0.036	6	1.39	0.108	0.18	<0.1	<0.01	5.3	<0.1	0.08	5	<0.5	<0.2
11928	Drill Core	0.093	9	15	1.69	64	0.023	10	2.29	0.087	0.25	<0.1	0.03	17.7	0.2	0.39	8	<0.5	<0.2
11929	Drill Core	0.106	9	12	1.30	52	0.008	9	2.56	0.085	0.22	<0.1	0.18	15.0	<0.1	2.00	8	0.7	0.2
11930 DUP 11932 REJECT	Drill Core	0.115	10	9	1.69	58	0.028	9	2.38	0.094	0.26	<0.1	<0.01	12.8	<0.1	0.25	8	<0.5	<0.2
11803	Drill Core	0.122	4	142	3.44	45	0.182	3	2.73	0.076	0.05	0.3	<0.01	20.8	<0.1	2.27	8	1.4	1.6
11804	Drill Core	0.109	5	181	3.75	30	0.199	3	2.93	0.073	0.06	0.3	<0.01	23.8	<0.1	2.72	8	1.6	2.5
11805	Rock	0.091	4	45	0.88	19	0.228	17	3.49	0.985	0.17	<0.1	<0.01	5.1	<0.1	0.06	8	<0.5	<0.2
11806	Drill Core	0.109	6	159	3.59	38	0.194	5	3.12	0.119	0.08	0.3	0.03	22.9	<0.1	4.00	8	3.4	3.4
11807	Drill Core	0.144	7	86	3.46	19	0.170	3	2.39	0.048	0.03	0.2	<0.01	22.9	<0.1	2.97	8	1.0	1.4
11808	Drill Core	0.146	6	97	3.75	18	0.127	4	2.51	0.059	0.06	0.2	0.02	22.6	<0.1	4.55	8	4.9	3.3
11809	Drill Core	0.096	6	149	4.03	21	0.076	3	2.63	0.098	0.07	0.1	<0.01	29.3	<0.1	4.80	8	6.6	3.0
11810 DUP 11812 REJECT	Drill Core	0.089	3	161	3.83	18	0.145	3	2.61	0.101	0.04	0.2	<0.01	31.9	<0.1	4.05	8	4.2	3.4
11811	Drill Core	0.123	5	152	4.12	12	0.139	3	2.50	0.074	0.06	0.2	0.02	29.0	<0.1	5.66	8	5.1	4.2
11812	Drill Core	0.091	4	165	3.95	18	0.149	2	2.62	0.106	0.04	0.2	<0.01	32.5	<0.1	4.28	8	3.8	3.6
11813	Drill Core	0.128	5	164	4.39	13	0.145	3	2.66	0.075	0.06	0.3	0.01	31.0	<0.1	5.54	9	5.5	5.2
11814	Drill Core	0.130	5	127	3.46	51	0.156	4	2.80	0.122	0.10	0.2	0.02	22.4	<0.1	4.16	8	4.3	2.7
11815	Drill Core	0.106	4	173	3.42	39	0.197	3	2.61	0.123	0.05	0.2	<0.01	19.3	<0.1	2.62	8	1.7	1.9
11816	Drill Core	0.104	4	147	2.90	26	0.221	3	2.35	0.085	0.05	0.3	<0.01	12.7	<0.1	2.07	9	1.5	1.3
11817	Drill Core	0.102	4	114	2.89	32	0.188	3	2.44	0.091	0.05	0.2	<0.01	11.5	<0.1	2.39	8	1.4	0.6
11818	Drill Core	0.118	5	99	2.15	33	0.208	4	1.93	0.105	0.07	0.2	<0.01	12.2	<0.1	2.12	7	1.2	1.6
11819	Drill Core	0.118	5	78	2.31	18	0.191	4	1.95	0.065	0.05	0.1	<0.01	10.4	<0.1	0.69	8	<0.5	0.3
11820	Rock Pulp	0.048	5	30	0.57	125	0.108	5	1.19	0.080	0.10	0.9	0.07	4.1	<0.1	0.37	4	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11821	Drill Core	4.07	0.012	1.0	99.0	3.6	78	0.3	19.0	22.8	1310	4.10	2.8	6.6	0.6	159	<0.1	0.1	<0.1	150	4.52
11822	Drill Core	3.95	0.008	1.0	63.2	3.9	79	0.2	21.7	24.8	1654	4.53	5.1	7.2	0.8	214	<0.1	0.1	<0.1	168	5.90
11823	Drill Core	4.78	0.007	0.8	106.7	2.7	69	0.2	16.8	18.6	1130	3.81	2.0	4.8	0.7	164	<0.1	<0.1	<0.1	145	3.34
11824	Drill Core	3.84	0.015	1.1	134.5	3.7	83	0.2	23.0	22.7	1419	4.21	4.6	11.8	0.7	138	<0.1	0.2	<0.1	141	4.28
11825	Rock	1.86	<0.005	0.3	98.5	2.1	50	<0.1	95.4	28.6	698	3.66	1.3	0.9	0.5	131	<0.1	<0.1	<0.1	136	7.05
11826	Drill Core	4.21	0.014	1.9	133.7	3.3	98	0.2	23.6	21.9	1837	4.20	3.6	12.4	0.6	178	<0.1	0.1	<0.1	136	4.11
11827	Drill Core	4.24	0.025	5.1	119.2	4.6	136	0.2	24.9	22.5	2099	4.86	9.1	22.1	0.6	195	0.2	0.2	0.1	158	5.56
11828	Drill Core	4.05	0.024	1.3	104.7	3.7	124	0.2	22.8	23.4	2132	4.47	6.7	12.7	0.7	273	<0.1	0.2	<0.1	169	5.16
11829	Drill Core	4.53	0.032	1.0	91.5	6.7	127	0.5	22.1	30.6	2104	4.75	11.8	23.2	0.9	336	0.2	0.4	<0.1	172	5.17
11830 DUP 11832 REJECT	Drill Core		0.013	0.6	170.7	3.1	92	0.5	17.0	18.8	1272	3.70	2.2	5.2	0.9	199	<0.1	0.2	<0.1	131	3.24
11831	Drill Core	4.15	0.017	1.2	104.0	4.4	89	0.3	22.5	22.4	1419	3.95	7.8	9.2	0.6	311	<0.1	0.2	<0.1	155	5.05
11832	Drill Core	4.46	0.012	0.5	168.5	2.9	91	0.5	16.4	18.9	1285	3.69	2.0	5.6	0.8	207	<0.1	0.2	<0.1	132	3.25
11833	Drill Core	4.36	0.018	1.0	102.1	4.4	91	0.2	25.2	23.5	1337	4.13	8.7	9.1	0.7	271	<0.1	0.2	<0.1	154	4.37
11834	Drill Core	3.92	0.037	2.2	95.9	5.3	101	0.3	25.1	24.2	1491	4.32	10.4	25.6	0.5	167	<0.1	0.4	<0.1	165	5.77
11835	Drill Core	4.54	0.016	1.2	148.4	3.2	100	0.3	20.1	23.5	1514	4.03	4.2	10.6	0.6	270	<0.1	0.2	<0.1	147	5.44
11836	Drill Core	4.10	0.039	3.0	53.8	6.6	110	0.3	18.8	23.6	1437	4.95	14.6	31.8	0.6	231	0.1	0.2	<0.1	167	4.64
11837	Drill Core	4.08	0.010	3.5	139.4	3.5	93	0.2	18.4	19.7	1270	4.21	4.7	5.5	0.6	228	<0.1	0.2	<0.1	173	4.46
11838	Drill Core	3.40	0.017	1.0	82.4	5.2	105	0.2	21.9	24.0	1499	4.26	8.3	11.4	0.7	233	<0.1	0.3	<0.1	173	5.81
11839	Drill Core	3.61	0.014	0.9	110.3	2.7	80	0.3	21.1	21.4	1393	3.64	3.4	7.9	0.6	204	<0.1	0.1	<0.1	125	4.37
11840	Rock Pulp	0.11	0.250	11.1	5428	5.6	90	2.0	11.5	7.7	634	4.29	1.9	251.7	4.1	72	0.3	0.3	0.7	61	1.10
11841	Drill Core	3.71	0.010	0.7	119.4	2.9	89	0.2	22.5	21.8	1294	3.54	2.6	6.0	0.8	220	<0.1	0.2	<0.1	136	4.45
11842	Drill Core	4.56	0.007	0.8	118.0	3.2	77	0.2	18.8	20.8	1162	3.19	1.8	4.1	0.8	233	<0.1	0.1	<0.1	114	4.42
11843	Drill Core	4.33	0.008	3.2	99.4	3.8	88	0.2	20.6	25.0	1367	3.69	2.5	3.8	0.8	244	<0.1	0.2	<0.1	134	5.19
11844	Drill Core	4.50	0.008	0.6	106.6	2.6	87	0.1	19.5	21.4	1223	3.74	1.2	1.4	0.7	221	<0.1	0.1	<0.1	144	4.60
11845	Rock	1.83	0.006	0.3	95.7	2.3	55	<0.1	90.3	27.6	722	3.65	0.7	1.0	0.4	144	<0.1	<0.1	<0.1	137	7.48
11846	Drill Core	4.37	0.015	1.8	105.3	3.6	83	0.2	18.7	21.3	1289	4.06	5.3	5.0	0.8	186	<0.1	0.1	<0.1	154	3.84
11847	Drill Core	4.05	0.038	3.4	95.8	7.4	113	0.5	24.6	27.0	1736	4.94	7.9	30.1	0.8	194	<0.1	0.1	<0.1	197	6.40
11848	Drill Core	4.11	0.026	2.4	81.6	5.4	101	0.3	23.4	27.0	1386	4.58	10.6	19.9	0.7	193	<0.1	0.2	<0.1	183	6.18
11849	Drill Core	3.81	0.009	0.9	73.0	2.9	108	0.1	23.5	25.7	1325	3.93	1.1	1.5	0.7	247	<0.1	0.1	<0.1	148	6.31
11850 DUP 11852 REJECT	Drill Core		0.013	0.8	70.4	2.8	116	<0.1	24.3	25.3	1448	4.21	1.7	1.2	0.6	248	<0.1	<0.1	<0.1	154	6.78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11821	Drill Core	0.126	6	93	2.61	17	0.207	<1	2.20	0.048	0.05	0.2	0.01	13.7	<0.1	0.86	8	<0.5	0.2
11822	Drill Core	0.121	6	127	3.10	26	0.196	<1	2.60	0.056	0.04	0.2	0.01	19.9	<0.1	1.74	9	<0.5	1.2
11823	Drill Core	0.118	6	72	2.03	38	0.197	<1	1.86	0.076	0.07	0.2	<0.01	10.1	<0.1	0.40	7	<0.5	<0.2
11824	Drill Core	0.114	5	111	2.68	18	0.218	<1	2.12	0.060	0.04	0.3	<0.01	12.2	<0.1	1.53	8	0.6	0.9
11825	Rock	0.085	4	43	0.93	16	0.230	<1	3.35	0.922	0.13	<0.1	0.01	4.6	<0.1	0.10	8	<0.5	<0.2
11826	Drill Core	0.107	6	110	2.70	17	0.196	<1	2.36	0.048	0.03	0.2	<0.01	12.0	<0.1	1.31	8	<0.5	0.5
11827	Drill Core	0.109	6	153	3.17	23	0.201	3	2.61	0.051	0.04	0.3	0.02	21.0	<0.1	2.63	8	2.1	2.1
11828	Drill Core	0.125	6	119	3.35	39	0.203	3	2.59	0.073	0.05	0.2	0.02	19.6	<0.1	1.44	8	1.6	1.3
11829	Drill Core	0.148	6	83	3.22	47	0.223	2	2.46	0.080	0.05	0.2	0.04	23.0	<0.1	2.36	8	2.4	2.5
11830 DUP 11832 REJECT	Drill Core	0.164	6	44	2.30	24	0.179	<1	1.87	0.085	0.07	0.2	<0.01	9.8	<0.1	0.48	6	<0.5	<0.2
11831	Drill Core	0.110	6	117	2.89	37	0.216	1	2.70	0.082	0.04	0.1	0.01	18.0	<0.1	0.75	8	0.7	0.5
11832	Drill Core	0.160	6	42	2.33	26	0.182	2	1.86	0.086	0.07	0.2	<0.01	10.0	<0.1	0.48	6	<0.5	<0.2
11833	Drill Core	0.103	5	128	2.98	38	0.224	<1	2.49	0.071	0.04	0.2	0.01	17.3	<0.1	0.85	8	<0.5	0.4
11834	Drill Core	0.106	5	149	3.28	20	0.204	3	2.64	0.057	0.05	0.2	0.02	20.6	<0.1	1.10	8	0.8	0.8
11835	Drill Core	0.126	6	99	2.79	16	0.230	3	2.69	0.048	0.05	0.2	0.01	17.0	<0.1	0.63	9	<0.5	0.8
11836	Drill Core	0.139	8	83	2.80	32	0.227	1	2.73	0.059	0.07	0.2	0.02	18.3	<0.1	2.75	8	1.4	2.4
11837	Drill Core	0.130	7	93	2.71	27	0.206	2	2.43	0.057	0.05	0.1	0.01	18.2	<0.1	0.46	9	<0.5	0.2
11838	Drill Core	0.116	7	122	2.92	18	0.222	3	2.52	0.065	0.05	0.2	0.01	20.5	<0.1	0.92	9	1.0	1.0
11839	Drill Core	0.112	5	106	2.67	22	0.211	2	2.00	0.083	0.06	0.2	<0.01	13.2	<0.1	0.83	7	<0.5	1.0
11840	Rock Pulp	0.070	11	16	0.64	178	0.076	3	1.05	0.061	0.41	0.1	0.08	4.1	0.1	0.32	7	3.9	0.3
11841	Drill Core	0.112	4	90	2.68	18	0.233	3	2.02	0.095	0.05	0.2	<0.01	13.2	<0.1	0.34	7	0.7	0.3
11842	Drill Core	0.118	5	82	2.30	16	0.206	<1	1.73	0.085	0.06	0.2	<0.01	10.4	<0.1	0.49	7	<0.5	<0.2
11843	Drill Core	0.120	5	97	2.55	20	0.228	<1	2.05	0.079	0.06	0.2	<0.01	13.1	<0.1	0.39	7	<0.5	<0.2
11844	Drill Core	0.121	5	86	2.45	20	0.188	3	2.05	0.071	0.07	0.1	<0.01	12.7	<0.1	0.09	8	<0.5	<0.2
11845	Rock	0.090	4	47	0.94	19	0.226	14	3.34	0.995	0.17	<0.1	<0.01	5.0	<0.1	0.06	9	<0.5	<0.2
11846	Drill Core	0.123	6	73	2.68	36	0.196	1	2.10	0.080	0.09	0.2	<0.01	13.5	<0.1	0.35	8	<0.5	<0.2
11847	Drill Core	0.122	7	131	3.19	48	0.226	<1	2.85	0.085	0.07	0.3	0.02	24.2	<0.1	1.32	9	<0.5	0.7
11848	Drill Core	0.118	7	120	2.85	39	0.198	2	2.46	0.062	0.08	0.1	0.02	22.2	<0.1	0.39	9	<0.5	<0.2
11849	Drill Core	0.116	6	116	2.66	18	0.176	2	2.30	0.044	0.06	0.1	<0.01	19.1	<0.1	0.07	8	<0.5	<0.2
11850 DUP 11852 REJECT	Drill Core	0.109	6	128	2.99	16	0.170	<1	2.52	0.041	0.04	0.1	0.01	21.5	<0.1	0.08	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11851	Drill Core	5.14	0.085	1.3	235.8	5.7	1182	1.3	25.1	26.6	1718	4.36	14.7	82.1	0.6	188	6.9	0.2	0.2	146	5.47
11852	Drill Core	2.82	0.009	0.6	66.8	2.5	101	<0.1	23.3	25.0	1324	3.98	1.4	5.3	0.5	229	<0.1	<0.1	<0.1	144	5.93
11853	Drill Core	5.69	0.114	3.1	424.9	5.9	1684	1.6	26.8	29.0	1748	4.59	16.7	101.2	0.6	186	10.2	<0.1	0.1	154	5.29
11854	Drill Core	4.49	0.068	0.9	160.4	6.0	1259	0.9	24.4	29.0	1536	4.65	14.6	59.5	0.5	211	8.0	0.2	0.1	151	5.29
11855	Drill Core	4.63	0.093	1.5	112.9	7.5	146	1.4	23.1	27.8	1552	4.73	13.1	90.9	0.6	190	0.4	0.2	<0.1	155	5.13
11856	Drill Core	4.62	0.146	1.7	106.7	7.1	179	1.7	25.3	28.2	2051	5.19	18.7	139.9	0.6	196	0.4	0.2	0.1	155	4.75
11857	Drill Core	4.01	0.053	3.3	126.2	6.7	117	0.6	22.9	24.6	1609	4.28	8.6	47.1	0.7	235	0.2	0.2	<0.1	167	5.57
11858	Drill Core	4.63	0.028	2.0	182.7	13.7	317	0.4	21.9	30.7	2232	5.80	8.1	21.6	0.7	129	1.7	0.2	<0.1	228	6.28
11859	Drill Core	3.80	0.048	0.9	170.4	11.5	266	0.7	21.8	30.0	2781	5.71	17.0	40.1	0.7	107	0.9	0.2	<0.1	198	5.77
11860	Rock Pulp	0.11	<0.005	2.8	20.4	2.1	32	0.4	17.2	8.5	286	1.80	2.9	4.5	0.8	28	0.2	0.2	<0.1	43	0.66
11861	Drill Core	3.94	0.022	1.2	184.2	7.8	255	0.4	4.8	17.9	1623	4.80	9.0	19.2	0.9	447	1.5	<0.1	<0.1	193	4.52
11862	Drill Core	3.95	0.015	0.6	125.1	5.6	87	0.2	13.2	24.1	1470	4.93	4.3	11.1	0.7	416	0.1	<0.1	<0.1	210	5.55
11863	Drill Core	3.87	0.007	0.3	115.8	2.9	53	<0.1	17.5	28.3	1402	5.39	0.9	3.0	0.7	316	<0.1	<0.1	<0.1	230	5.61
11864	Drill Core	4.18	0.012	1.6	125.7	15.5	112	0.2	17.2	28.0	1391	5.32	12.2	15.5	0.7	179	0.4	0.1	<0.1	213	5.35
11865	Rock	1.79	<0.005	0.2	93.6	2.0	47	<0.1	88.0	26.7	673	3.28	0.9	0.7	0.4	125	<0.1	<0.1	<0.1	126	6.64
11866	Drill Core	3.84	<0.005	0.2	128.0	2.8	53	0.1	17.4	27.6	1219	4.96	1.4	3.9	0.8	305	<0.1	<0.1	<0.1	212	5.56

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

CERTIFICATE OF ANALYSIS VAN11007070.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11851	Drill Core	0.119	6	124	2.72	29	0.187	5	2.83	0.055	0.07	0.2	0.07	18.2	<0.1	2.60	7	0.8	4.2
11852	Drill Core	0.106	5	130	2.87	13	0.157	4	2.54	0.034	0.03	0.1	<0.01	20.8	<0.1	0.10	7	<0.5	<0.2
11853	Drill Core	0.119	6	133	2.81	29	0.187	4	3.01	0.062	0.08	0.2	0.10	19.0	<0.1	2.86	8	1.3	4.9
11854	Drill Core	0.111	5	148	2.94	23	0.189	4	3.32	0.060	0.05	0.2	0.06	20.0	<0.1	1.86	8	0.9	2.4
11855	Drill Core	0.113	6	130	2.76	29	0.179	5	2.89	0.049	0.08	0.2	0.44	19.0	<0.1	2.44	8	1.3	3.6
11856	Drill Core	0.113	7	132	3.21	49	0.152	5	3.08	0.057	0.14	0.2	0.08	18.0	0.1	3.15	8	1.5	4.0
11857	Drill Core	0.111	7	108	2.93	67	0.174	5	3.14	0.087	0.07	0.2	0.03	19.1	<0.1	1.12	9	<0.5	0.9
11858	Drill Core	0.118	10	46	3.17	25	0.020	5	3.36	0.044	0.10	<0.1	0.02	21.7	<0.1	1.24	10	0.6	0.2
11859	Drill Core	0.119	10	48	2.89	22	0.004	5	3.42	0.035	0.15	<0.1	0.03	17.8	<0.1	1.75	10	0.5	0.3
11860	Rock Pulp	0.042	4	21	0.48	80	0.093	3	1.06	0.062	0.07	16.6	0.02	3.5	<0.1	<0.05	4	<0.5	<0.2
11861	Drill Core	0.171	15	8	1.79	167	0.005	5	2.66	0.109	0.23	<0.1	0.01	8.6	<0.1	0.89	9	<0.5	<0.2
11862	Drill Core	0.146	12	20	2.39	154	0.004	6	2.99	0.114	0.19	<0.1	0.02	14.4	<0.1	0.43	9	<0.5	<0.2
11863	Drill Core	0.123	9	26	2.96	104	0.076	5	3.15	0.146	0.12	<0.1	<0.01	20.0	<0.1	0.08	9	<0.5	<0.2
11864	Drill Core	0.130	10	25	2.99	53	0.003	6	3.36	0.085	0.17	<0.1	0.02	15.8	0.2	0.61	9	<0.5	<0.2
11865	Rock	0.079	4	42	0.88	17	0.201	15	3.39	1.003	0.16	<0.1	<0.01	4.7	<0.1	0.09	8	<0.5	<0.2
11866	Drill Core	0.120	9	30	2.87	93	0.024	4	2.95	0.103	0.11	<0.1	<0.01	18.1	<0.1	0.36	9	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
12301	Drill Core	3.52	0.024	9.4	230.4	3.6	33	0.3	4.9	13.0	567	4.22	2.0	15.4	1.0	218	<0.1	<0.1	0.1	110	4.10
REP 12301	QC			9.3	227.0	3.5	32	0.3	4.5	13.2	556	4.21	2.3	18.3	1.0	218	0.1	<0.1	<0.1	111	4.24
12303	Drill Core	3.09	0.015	5.3	65.1	2.8	20	0.2	5.0	12.3	349	3.52	0.6	11.0	0.9	100	0.1	<0.1	<0.1	78	2.13
REP 12303	QC		0.015																		
12318	Drill Core	3.72	0.009	16.7	460.3	3.6	34	0.4	4.7	12.5	479	3.73	0.6	13.8	1.1	126	<0.1	0.1	0.1	116	2.17
REP 12318	QC			16.4	449.4	3.5	34	0.5	4.3	12.5	472	3.65	0.6	14.4	1.2	125	0.1	0.1	0.1	112	2.24
12327	Drill Core	3.75	0.028	10.5	577.4	2.9	23	0.4	4.9	16.6	441	3.50	<0.5	28.7	1.1	204	<0.1	<0.1	<0.1	119	2.69
REP 12327	QC		0.029																		
12337	Drill Core	4.33	0.020	4.8	167.5	2.3	28	0.1	4.8	13.6	494	3.86	0.6	19.8	0.9	332	<0.1	<0.1	0.2	124	2.20
REP 12337	QC			4.9	166.1	2.4	28	0.1	5.0	13.9	494	3.82	<0.5	17.8	0.9	327	<0.1	<0.1	0.2	125	2.19
12346	Drill Core	4.57	0.029	3.6	393.6	1.9	27	0.2	4.5	10.7	521	3.93	<0.5	20.0	1.0	177	<0.1	<0.1	0.2	135	2.16
REP 12346	QC		0.027																		
12252	Drill Core	3.62	0.024	4.4	153.2	2.3	27	0.2	4.5	10.4	517	4.56	0.6	20.6	0.9	169	<0.1	<0.1	0.2	135	2.15
REP 12252	QC			3.8	154.5	2.4	27	0.2	4.7	10.9	486	4.59	0.9	15.4	0.8	172	<0.1	<0.1	0.3	136	2.13
11946	Drill Core	4.28	0.045	2.1	74.9	13.3	482	0.4	5.1	8.5	1489	2.81	40.4	33.3	0.4	100	3.3	0.5	<0.1	44	3.41
REP 11946	QC			2.0	74.6	13.4	475	0.4	5.1	8.7	1448	2.76	38.8	37.1	0.4	101	3.0	0.5	<0.1	44	3.40
REP 11963	QC			0.9	124.9	51.9	280	0.4	22.2	30.3	2151	5.71	5.6	6.1	0.7	148	1.1	<0.1	<0.1	239	5.43
11966	Drill Core	4.30	<0.005	1.5	123.7	9.7	139	0.2	22.9	30.0	2111	5.93	3.8	7.0	0.7	163	<0.1	<0.1	<0.1	265	5.32
REP 11966	QC		<0.005																		
11982	Drill Core	3.18	0.025	11.9	98.2	3.1	46	0.2	6.7	13.2	587	4.26	<0.5	27.6	0.8	88	<0.1	<0.1	0.1	122	2.59
REP 11982	QC			12.4	100.1	3.3	46	0.2	6.5	13.6	612	4.43	<0.5	28.5	0.8	89	<0.1	<0.1	0.2	125	2.68
11990 DUP 11992 REJECT	Drill Core		<0.005	11.5	73.7	2.7	45	0.1	4.5	11.1	693	3.87	<0.5	9.5	1.1	140	<0.1	<0.1	0.2	100	2.99
REP 11990 DUP 11992	QC			11.0	72.1	2.7	44	0.1	4.3	10.7	698	3.81	<0.5	7.3	1.1	134	<0.1	<0.1	0.2	98	2.98
11879	Drill Core	4.13	<0.005	0.6	130.8	8.3	104	0.2	19.3	33.7	1714	6.43	2.8	5.0	1.1	201	0.2	<0.1	<0.1	274	6.43
REP 11879	QC			0.4	134.5	8.5	105	0.2	20.4	34.3	1712	6.48	3.1	5.0	1.1	212	0.2	<0.1	<0.1	275	6.48
11887	Drill Core	4.01	0.007	0.5	112.4	7.4	81	0.2	18.4	37.0	1870	7.46	5.0	6.3	0.8	263	<0.1	0.1	<0.1	362	7.23
REP 11887	QC		0.007																		
11897	Drill Core	4.22	<0.005	0.3	194.3	3.9	89	0.2	13.9	34.1	1742	6.99	2.2	3.1	0.7	285	0.1	0.1	<0.1	294	6.49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
12301	Drill Core	0.108	12	4	0.90	46	0.024	5	1.78	0.127	0.29	<0.1	0.02	6.8	<0.1	3.18	7	5.2	<0.2
REP 12301	QC	0.113	12	4	0.91	47	0.024	7	1.77	0.127	0.28	<0.1	0.01	6.5	<0.1	3.22	6	6.8	<0.2
12303	Drill Core	0.101	7	3	0.80	45	0.006	6	1.41	0.088	0.36	<0.1	<0.01	5.0	0.1	3.06	6	7.1	<0.2
REP 12303	QC																		
12318	Drill Core	0.121	14	4	1.01	69	0.034	7	1.67	0.088	0.36	<0.1	0.01	6.8	<0.1	2.31	8	7.5	<0.2
REP 12318	QC	0.122	13	5	0.99	61	0.033	7	1.63	0.086	0.35	<0.1	<0.01	6.5	<0.1	2.30	8	5.6	<0.2
12327	Drill Core	0.124	16	5	1.01	73	0.049	6	1.52	0.092	0.30	<0.1	<0.01	7.1	<0.1	2.07	7	7.3	<0.2
REP 12327	QC																		
12337	Drill Core	0.120	14	4	1.28	39	0.027	8	1.85	0.102	0.23	<0.1	<0.01	6.2	<0.1	2.88	8	4.6	0.2
REP 12337	QC	0.120	14	4	1.28	41	0.029	7	1.87	0.101	0.24	<0.1	<0.01	7.0	<0.1	2.89	8	5.7	<0.2
12346	Drill Core	0.131	15	5	1.48	52	0.026	8	2.14	0.138	0.22	<0.1	<0.01	7.4	<0.1	2.89	8	3.6	<0.2
REP 12346	QC																		
12252	Drill Core	0.119	12	5	1.40	40	0.028	7	2.11	0.146	0.21	<0.1	<0.01	7.9	<0.1	3.70	8	5.0	<0.2
REP 12252	QC	0.122	12	5	1.39	42	0.031	6	2.07	0.138	0.20	<0.1	<0.01	7.7	<0.1	3.66	8	3.2	<0.2
11946	Drill Core	0.089	13	4	0.50	32	<0.001	3	1.00	0.056	0.27	<0.1	0.07	2.4	0.1	2.13	4	<0.5	0.4
REP 11946	QC	0.088	13	4	0.49	32	<0.001	4	1.02	0.054	0.27	<0.1	0.06	2.3	0.1	2.13	4	1.0	0.4
REP 11963	QC	0.131	8	44	3.35	27	0.155	3	2.75	0.071	0.10	0.2	0.03	23.5	<0.1	1.95	10	<0.5	0.5
11966	Drill Core	0.144	10	45	3.43	56	0.119	4	3.05	0.065	0.11	<0.1	<0.01	22.2	<0.1	1.45	10	2.2	0.4
REP 11966	QC																		
11982	Drill Core	0.118	10	9	1.05	37	0.043	5	1.62	0.089	0.26	0.2	<0.01	6.3	<0.1	2.82	6	5.3	<0.2
REP 11982	QC	0.118	10	10	1.10	38	0.045	7	1.70	0.094	0.27	0.2	<0.01	6.6	0.1	2.91	6	5.0	<0.2
11990 DUP 11992 REJECT	Drill Core	0.117	11	3	0.88	66	0.027	5	1.60	0.110	0.25	<0.1	<0.01	5.3	<0.1	2.62	6	6.1	<0.2
REP 11990 DUP 11992	QC	0.119	12	3	0.87	66	0.026	6	1.61	0.109	0.25	<0.1	<0.01	5.4	<0.1	2.60	6	6.4	<0.2
11879	Drill Core	0.144	9	27	3.40	52	0.227	6	3.33	0.106	0.07	0.1	0.02	26.0	<0.1	0.25	11	<0.5	<0.2
REP 11879	QC	0.140	9	28	3.45	52	0.219	6	3.35	0.105	0.07	0.1	0.01	25.9	<0.1	0.26	11	<0.5	<0.2
11887	Drill Core	0.121	8	39	3.83	67	0.143	8	3.61	0.095	0.08	<0.1	0.03	30.3	<0.1	0.28	12	<0.5	<0.2
REP 11887	QC																		
11897	Drill Core	0.145	9	18	3.15	118	0.055	7	3.44	0.105	0.15	<0.1	0.01	21.7	<0.1	0.13	11	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		WGHT Wgt kg 0.01	G6 Au ppm 0.005	1DX30 Mo ppm 0.1	1DX30 Cu ppm 0.1	1DX30 Pb ppm 0.1	1DX30 Zn ppm 1	1DX30 Ag ppm 0.1	1DX30 Ni ppm 0.1	1DX30 Co ppm 0.1	1DX30 Mn ppm 1	1DX30 Fe % 0.01	1DX30 As ppm 0.5	1DX30 Au ppb 0.5	1DX30 Th ppm 0.1	1DX30 Sr ppm 1	1DX30 Cd ppm 0.1	1DX30 Sb ppm 0.1	1DX30 Bi ppm 0.1	1DX30 V ppm 2	1DX30 Ca % 0.01
REP 11897	QC		<0.005																		
11903	Drill Core	3.94	<0.005	0.4	134.5	4.8	72	0.2	15.8	30.4	1463	6.38	2.5	10.7	0.7	660	<0.1	0.1	<0.1	266	6.85
REP 11903	QC			0.4	135.0	4.8	70	0.2	15.6	31.0	1475	6.39	2.4	7.5	0.7	651	<0.1	0.1	<0.1	268	6.93
11927	Drill Core	4.91	<0.005	0.2	74.1	3.5	56	<0.1	5.4	10.9	1160	3.04	1.3	3.2	1.1	191	<0.1	<0.1	<0.1	115	3.86
REP 11927	QC			0.3	76.0	3.8	56	0.1	5.2	10.9	1177	3.12	1.4	3.2	1.1	205	<0.1	<0.1	<0.1	121	4.01
REP 11812	QC			0.3	142.2	1.9	86	0.2	34.6	33.8	1925	5.22	2.9	12.6	0.3	228	<0.1	0.1	0.3	192	7.42
11825	Rock	1.86	<0.005	0.3	98.5	2.1	50	<0.1	95.4	28.6	698	3.66	1.3	0.9	0.5	131	<0.1	<0.1	<0.1	136	7.05
REP 11825	QC		<0.005																		
11829	Drill Core	4.53	0.032	1.0	91.5	6.7	127	0.5	22.1	30.6	2104	4.75	11.8	23.2	0.9	336	0.2	0.4	<0.1	172	5.17
REP 11829	QC			1.0	90.4	5.1	128	0.4	21.8	29.6	2122	4.77	12.1	21.6	0.8	341	0.2	0.4	<0.1	176	5.21
11831	Drill Core	4.15	0.017	1.2	104.0	4.4	89	0.3	22.5	22.4	1419	3.95	7.8	9.2	0.6	311	<0.1	0.2	<0.1	155	5.05
REP 11831	QC		0.016																		
11846	Drill Core	4.37	0.015	1.8	105.3	3.6	83	0.2	18.7	21.3	1289	4.06	5.3	5.0	0.8	186	<0.1	0.1	<0.1	154	3.84
REP 11846	QC			1.8	104.7	3.8	82	0.2	18.9	21.2	1281	4.06	5.6	5.1	0.9	183	<0.1	0.1	<0.1	156	3.85
11854	Drill Core	4.49	0.068	0.9	160.4	6.0	1259	0.9	24.4	29.0	1536	4.65	14.6	59.5	0.5	211	8.0	0.2	0.1	151	5.29
REP 11854	QC			1.0	159.4	6.0	1247	1.0	24.2	28.3	1521	4.60	14.1	55.6	0.5	201	7.3	0.2	<0.1	149	5.20
11864	Drill Core	4.18	0.012	1.6	125.7	15.5	112	0.2	17.2	28.0	1391	5.32	12.2	15.5	0.7	179	0.4	0.1	<0.1	213	5.35
REP 11864	QC			1.6	129.6	15.8	117	0.2	17.2	28.9	1435	5.49	12.7	16.1	0.7	180	0.4	0.1	<0.1	219	5.49
Core Reject Duplicates																					
12321	Drill Core	3.47	0.006	9.6	533.2	5.0	42	0.7	5.2	16.4	643	4.81	<0.5	7.9	1.2	126	<0.1	0.1	<0.1	104	2.62
DUP 12321	QC		0.005	9.6	537.3	3.4	43	0.7	4.9	17.4	655	4.95	<0.5	7.3	1.1	123	<0.1	0.1	<0.1	106	2.80
12256	Drill Core	3.52	0.036	1.1	269.5	2.5	29	0.4	4.5	12.1	635	4.34	1.0	32.8	1.0	329	<0.1	<0.1	0.4	147	2.48
DUP 12256	QC		0.030	0.9	265.2	2.2	29	0.5	4.4	11.8	625	4.36	0.8	27.0	1.0	285	<0.1	<0.1	0.4	146	2.35
11963	Drill Core	4.27	<0.005	0.8	132.5	53.6	291	0.3	24.1	32.0	2253	5.95	5.3	6.0	0.7	157	1.0	0.1	<0.1	261	5.63
DUP 11963	QC		<0.005	1.1	116.0	60.9	313	0.4	24.2	31.5	2172	5.85	5.2	4.7	0.7	148	1.3	0.1	<0.1	260	5.45
11905	Rock	1.87	<0.005	0.4	104.0	2.3	55	<0.1	96.1	30.3	734	3.93	1.0	1.9	0.5	154	<0.1	<0.1	<0.1	148	7.56
DUP 11905	QC		<0.005	0.4	103.7	2.3	56	<0.1	97.6	30.3	768	3.85	1.2	1.1	0.4	149	<0.1	<0.1	<0.1	139	7.70
11812	Drill Core	4.22	0.022	0.2	140.1	1.9	81	0.2	33.0	32.2	1839	5.14	2.3	12.5	0.3	217	<0.1	0.1	0.4	182	7.29
DUP 11812	QC		0.018	0.2	134.4	2.0	78	0.2	34.1	32.3	1792	5.04	2.4	13.5	0.3	220	<0.1	0.1	0.4	182	7.12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
REP 11897	QC																		
11903	Drill Core	0.136	11	29	2.96	652	0.013	7	3.57	0.142	0.16	<0.1	0.01	20.0	<0.1	0.05	10	<0.5	<0.2
REP 11903	QC	0.139	11	29	3.00	650	0.012	6	3.59	0.143	0.16	<0.1	0.01	20.1	<0.1	0.05	10	<0.5	<0.2
11927	Drill Core	0.088	9	3	0.70	55	0.036	6	1.39	0.108	0.18	<0.1	<0.01	5.3	<0.1	0.08	5	<0.5	<0.2
REP 11927	QC	0.090	10	3	0.75	59	0.036	7	1.47	0.112	0.19	<0.1	0.01	5.8	<0.1	0.09	5	<0.5	<0.2
REP 11812	QC	0.096	4	169	4.05	19	0.152	3	2.69	0.110	0.04	0.2	<0.01	33.1	<0.1	4.36	9	4.5	3.8
11825	Rock	0.085	4	43	0.93	16	0.230	<1	3.35	0.922	0.13	<0.1	0.01	4.6	<0.1	0.10	8	<0.5	<0.2
REP 11825	QC																		
11829	Drill Core	0.148	6	83	3.22	47	0.223	2	2.46	0.080	0.05	0.2	0.04	23.0	<0.1	2.36	8	2.4	2.5
REP 11829	QC	0.152	6	82	3.27	46	0.227	3	2.50	0.080	0.05	0.2	0.04	23.1	<0.1	2.37	8	2.4	2.6
11831	Drill Core	0.110	6	117	2.89	37	0.216	1	2.70	0.082	0.04	0.1	0.01	18.0	<0.1	0.75	8	0.7	0.5
REP 11831	QC																		
11846	Drill Core	0.123	6	73	2.68	36	0.196	1	2.10	0.080	0.09	0.2	<0.01	13.5	<0.1	0.35	8	<0.5	<0.2
REP 11846	QC	0.122	6	72	2.58	36	0.199	<1	2.11	0.078	0.09	0.2	<0.01	13.5	<0.1	0.35	8	<0.5	<0.2
11854	Drill Core	0.111	5	148	2.94	23	0.189	4	3.32	0.060	0.05	0.2	0.06	20.0	<0.1	1.86	8	0.9	2.4
REP 11854	QC	0.112	5	144	2.91	22	0.177	4	3.26	0.059	0.05	0.2	0.10	18.8	<0.1	1.84	8	0.6	2.4
11864	Drill Core	0.130	10	25	2.99	53	0.003	6	3.36	0.085	0.17	<0.1	0.02	15.8	0.2	0.61	9	<0.5	<0.2
REP 11864	QC	0.131	10	26	3.05	52	0.003	7	3.45	0.088	0.17	<0.1	0.03	16.3	0.3	0.63	10	<0.5	<0.2
Core Reject Duplicates																			
12321	Drill Core	0.116	13	4	0.91	46	0.025	8	1.66	0.082	0.32	<0.1	0.01	6.2	<0.1	3.34	7	10.9	<0.2
DUP 12321	QC	0.121	13	4	0.91	38	0.025	5	1.71	0.081	0.32	<0.1	0.01	6.7	<0.1	3.51	7	12.9	<0.2
12256	Drill Core	0.122	17	5	1.62	32	0.016	5	2.06	0.129	0.16	<0.1	<0.01	7.1	<0.1	3.31	8	3.1	0.2
DUP 12256	QC	0.123	17	5	1.60	38	0.018	4	2.05	0.140	0.17	<0.1	0.01	6.9	<0.1	3.24	8	3.0	0.2
11963	Drill Core	0.140	9	45	3.49	30	0.146	4	2.86	0.072	0.09	0.1	0.04	23.3	<0.1	2.01	10	<0.5	0.7
DUP 11963	QC	0.139	8	46	3.57	29	0.165	3	2.82	0.074	0.09	0.2	0.03	23.6	<0.1	1.95	10	0.7	0.7
11905	Rock	0.094	5	51	0.97	21	0.255	16	3.72	0.964	0.15	<0.1	<0.01	5.0	<0.1	0.08	9	<0.5	<0.2
DUP 11905	QC	0.090	4	49	0.98	20	0.252	15	3.64	0.958	0.15	<0.1	<0.01	5.1	<0.1	0.08	8	<0.5	<0.2
11812	Drill Core	0.091	4	165	3.95	18	0.149	2	2.62	0.106	0.04	0.2	<0.01	32.5	<0.1	4.28	8	3.8	3.6
DUP 11812	QC	0.092	4	163	3.87	18	0.152	4	2.71	0.108	0.04	0.2	<0.01	32.5	<0.1	4.18	8	3.8	4.3

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11847	Drill Core	4.05	0.038	3.4	95.8	7.4	113	0.5	24.6	27.0	1736	4.94	7.9	30.1	0.8	194	<0.1	0.1	<0.1	197	6.40
DUP 11847	QC		0.038	3.4	93.4	7.5	112	0.5	23.5	26.5	1706	4.81	8.3	30.5	0.9	187	0.1	0.1	<0.1	195	6.29
Reference Materials																					
STD DS8	Standard			13.9	107.1	129.0	319	1.9	36.5	7.4	627	2.50	25.9	138.7	6.9	74	2.3	6.0	7.3	41	0.71
STD DS8	Standard			11.7	98.6	116.3	291	1.7	35.5	6.6	572	2.39	23.8	98.2	6.3	71	2.3	6.1	6.8	40	0.66
STD DS8	Standard			12.0	100.7	118.4	283	1.6	35.9	7.2	591	2.40	22.7	102.1	6.4	74	2.3	5.6	6.7	40	0.67
STD DS8	Standard			12.8	103.8	122.4	309	1.9	36.1	7.0	614	2.43	24.3	113.3	6.8	74	1.9	5.4	7.5	43	0.70
STD DS8	Standard			12.8	111.5	117.1	297	1.8	38.8	7.6	583	2.42	24.0	102.7	6.3	62	2.1	5.3	6.1	42	0.68
STD DS8	Standard			12.7	106.8	126.8	306	1.7	35.4	7.2	602	2.44	25.1	110.6	7.0	66	2.3	5.5	6.6	41	0.69
STD DS8	Standard			13.6	115.4	125.5	312	1.9	39.2	7.9	610	2.51	25.6	121.1	6.9	70	2.6	5.8	6.9	41	0.72
STD DS8	Standard			12.6	100.5	119.6	284	1.8	35.3	6.8	589	2.31	22.6	118.6	6.2	60	2.1	4.9	6.0	38	0.65
STD OXC88	Standard		0.209																		
STD OXC88	Standard		0.190																		
STD OXH82	Standard		1.268																		
STD OXH82	Standard		1.220																		
STD OXH82	Standard		1.276																		
STD OXH82	Standard		1.251																		
STD OXH82	Standard		1.246																		
STD OXH82	Standard		1.229																		
STD OXH82	Standard		1.245																		
STD OXK79	Standard		3.299																		
STD OXK79	Standard		3.210																		
STD OXK79	Standard		3.627																		
STD OXK79	Standard		3.486																		
STD OXK79	Standard		3.402																		
STD OXK79	Standard		3.441																		
STD OXK79	Standard		3.367																		
STD OXK79	Standard		3.565																		
STD OXK79	Standard		3.353																		

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
11847	Drill Core	0.122	7	131	3.19	48	0.226	<1	2.85	0.085	0.07	0.3	0.02	24.2	<0.1	1.32	9	<0.5	0.7
DUP 11847	QC	0.115	7	131	3.16	45	0.221	2	2.71	0.077	0.06	0.2	0.03	23.6	<0.1	1.30	9	<0.5	0.6
Reference Materials																			
STD DS8	Standard	0.080	15	118	0.62	271	0.108	3	0.94	0.087	0.43	3.0	0.19	2.5	5.6	0.16	5	5.3	5.2
STD DS8	Standard	0.074	14	106	0.58	253	0.104	2	0.90	0.085	0.40	2.7	0.18	2.4	5.0	0.15	5	5.0	4.7
STD DS8	Standard	0.073	15	108	0.58	273	0.110	3	0.88	0.088	0.40	2.7	0.17	2.4	4.8	0.15	4	4.8	5.1
STD DS8	Standard	0.077	15	119	0.60	276	0.112	4	0.91	0.091	0.42	3.0	0.19	2.3	5.5	0.17	4	4.8	4.2
STD DS8	Standard	0.078	14	117	0.58	256	0.124	2	0.88	0.089	0.40	2.8	0.18	2.7	5.0	0.17	4	4.7	5.0
STD DS8	Standard	0.078	16	113	0.61	267	0.116	<1	0.92	0.091	0.41	3.0	0.20	2.5	5.2	0.16	5	4.7	4.8
STD DS8	Standard	0.082	16	124	0.62	281	0.129	2	1.00	0.111	0.44	3.0	0.20	2.7	5.4	0.16	5	4.6	4.8
STD DS8	Standard	0.070	15	111	0.58	252	0.107	2	0.87	0.084	0.38	2.8	0.20	2.5	5.2	0.16	4	4.6	4.6
STD OXC88	Standard																		
STD OXC88	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
STD OXH82 Expected			1.278																		
STD OXC88 Expected			0.203																		
STD OXK79 Expected			3.532																		
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	2	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	0.01
BLK	Blank			<0.1	2.0	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	0.04
BLK	Blank		0.005																		
BLK	Blank		0.009																		
BLK	Blank		0.007																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
STD OXH82 Expected																			
STD OXC88 Expected																			
STD OXK79 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<0.005																		
Prep Wash																					
G1	Prep Blank	<0.01	0.006	0.1	2.5	3.0	43	<0.1	1.6	3.8	569	2.08	<0.5	<0.5	4.9	95	<0.1	<0.1	<0.1	36	0.77
G1	Prep Blank	<0.01	0.006	0.1	1.8	2.9	44	<0.1	1.8	3.5	545	2.07	<0.5	<0.5	5.4	80	<0.1	<0.1	<0.1	36	0.63

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 01, 2012

QUALITY CONTROL REPORT VAN11007070.1

		1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Tl ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	1DX30 Te ppm 0.2
BLK	Blank																		
Prep Wash																			
G1	Prep Blank	0.072	12	5	0.66	118	0.112	1	0.89	0.075	0.45	<0.1	<0.01	2.2	0.3	<0.05	4	<0.5	<0.2
G1	Prep Blank	0.075	13	5	0.56	125	0.108	1	0.90	0.077	0.44	<0.1	<0.01	2.0	0.3	<0.05	4	<0.5	<0.2

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: December 23, 2011
Report Date: February 02, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN11007071.1

CLIENT JOB INFORMATION

Project: COWTRAIL
Shipment ID: 20_12_2011
P.O. Number
Number of Samples: 63

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	56	Crush, split and pulverize 500 g rock to 200 mesh			VAN
P200	4	Pulverize to 85% - 200 mesh			VAN
Client Split Pulp	3	For Client - First sample split/packet			VAN
G601	63	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	63	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC: Brian Findlay
Catherine Banfield

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

CERTIFICATE OF ANALYSIS VAN11007071.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11740	Drill Core	3.86	0.032	0.9	327.4	1.9	43	0.3	22.1	30.6	1110	6.64	1.4	37.0	0.9	202	<0.1	0.1	0.4	235	3.52
11741	Drill Core	4.93	0.013	1.6	171.1	2.1	53	0.2	19.9	31.6	1186	5.88	1.3	21.7	0.8	287	<0.1	<0.1	0.4	265	3.11
11742 DUP 11743 REJECT	Drill Core		<0.005	1.1	40.9	1.7	43	0.1	18.2	25.1	1020	4.99	0.7	8.0	0.7	252	<0.1	<0.1	0.3	227	3.28
11743	Drill Core	4.32	<0.005	1.1	48.9	2.1	46	0.2	20.2	28.9	1060	5.90	1.1	11.0	0.7	304	<0.1	<0.1	0.4	239	3.47
11744	Drill Core	4.28	<0.005	0.9	87.9	1.6	49	0.4	18.5	26.4	1119	5.01	0.9	5.5	0.7	606	<0.1	<0.1	0.2	220	2.79
11745	Drill Core	4.23	<0.005	1.0	193.9	2.0	47	0.5	17.1	25.3	1032	5.01	0.8	8.5	0.8	464	<0.1	<0.1	0.4	196	2.71
11746	Drill Core	4.62	<0.005	2.3	260.2	2.3	36	0.5	18.9	29.9	977	5.02	1.1	7.1	0.8	387	<0.1	0.1	0.7	181	2.74
11747	Drill Core	4.64	<0.005	0.4	145.3	2.5	24	0.4	17.9	32.9	699	4.99	2.0	8.2	0.6	390	<0.1	0.1	0.8	145	2.39
11748	Drill Core	4.41	0.013	0.7	163.5	2.9	27	0.4	17.9	37.6	658	5.10	2.7	17.9	0.7	431	<0.1	0.1	0.9	153	2.28
11749	Drill Core	4.42	0.022	0.9	263.5	2.4	44	0.3	17.4	27.3	949	5.22	2.4	17.6	0.7	487	<0.1	0.2	0.9	189	2.87
11750	Rock Pulp	0.10	<0.005	3.1	21.5	2.3	34	0.5	18.4	9.0	300	1.87	3.1	<0.5	0.9	27	0.2	0.3	<0.1	49	0.71
11751	Drill Core	4.31	0.028	0.5	268.8	2.2	44	0.7	17.1	32.5	1070	5.29	3.0	21.7	0.7	547	<0.1	0.1	0.9	218	3.21
11752	Drill Core	4.33	0.017	0.7	177.3	2.4	52	0.6	14.3	30.0	1100	5.49	3.2	10.7	0.6	450	<0.1	0.1	0.9	220	2.83
11753	Drill Core	3.55	0.034	1.2	52.6	2.6	54	0.4	11.9	22.3	1157	5.20	6.1	32.9	0.6	178	<0.1	0.2	0.5	229	3.61
11754	Drill Core	4.39	0.015	1.9	182.1	2.5	34	0.5	10.7	19.4	824	4.21	2.2	8.3	0.7	93	<0.1	0.1	0.6	196	2.70
11755	Rock	2.48	0.009	0.3	93.5	2.1	51	<0.1	110.4	30.4	726	3.58	<0.5	<0.5	0.4	133	<0.1	<0.1	<0.1	143	6.31
11756	Drill Core	3.69	0.014	2.2	207.7	3.6	37	0.5	12.0	22.5	925	4.94	4.1	6.9	0.7	80	<0.1	<0.1	0.8	206	3.08
11757	Drill Core	3.61	0.015	4.7	136.9	3.7	53	0.4	13.4	22.3	1110	5.35	4.7	7.8	0.7	109	<0.1	0.1	0.8	223	3.04
11758	Drill Core	4.47	0.017	3.8	99.0	3.5	46	0.3	12.5	23.1	1130	5.07	4.7	7.9	0.6	200	<0.1	0.1	0.9	211	3.16
11759	Drill Core	4.40	0.017	3.5	106.5	3.5	46	0.3	12.2	23.4	1074	5.08	4.6	7.2	0.6	260	<0.1	0.1	0.9	212	2.93
11760	Drill Core	3.94	0.023	5.2	160.6	3.0	56	0.6	11.8	25.3	1253	5.38	5.0	13.0	0.7	274	<0.1	0.2	1.0	225	3.44
11761	Drill Core	3.55	0.025	6.5	106.3	3.2	52	0.9	16.1	39.0	1734	6.23	5.5	24.5	0.7	340	<0.1	0.2	1.4	262	4.23
11762 DUP 11763 REJECT	Drill Core		0.025	1.3	72.3	4.0	54	0.3	17.5	39.7	1604	6.68	7.2	22.5	0.5	539	<0.1	0.2	1.5	256	3.98
11763	Drill Core	4.55	0.027	1.5	77.2	4.5	57	0.3	18.4	40.9	1629	6.90	7.9	28.9	0.6	617	<0.1	0.2	1.7	269	3.99
11764	Drill Core	4.10	0.020	1.8	86.6	2.7	59	0.2	8.1	20.2	1258	4.30	3.7	15.0	0.9	342	<0.1	0.1	0.6	161	4.02
11765	Drill Core	4.12	0.022	1.6	158.5	2.6	63	0.2	4.6	14.2	739	4.03	4.6	15.5	0.9	290	0.1	<0.1	0.6	108	3.08
11766	Drill Core	4.46	0.012	3.9	115.3	2.3	47	<0.1	3.9	13.1	704	3.54	3.0	7.5	0.8	217	<0.1	0.1	0.5	102	3.55
11767	Drill Core	4.51	0.013	0.9	261.6	4.2	56	0.4	25.3	29.3	1495	5.75	5.4	7.7	0.6	351	<0.1	0.1	0.9	194	3.69
11768	Drill Core	4.44	0.024	0.7	135.9	7.5	69	0.4	24.9	42.0	1388	7.41	9.2	16.0	0.7	484	0.1	0.2	0.9	206	2.57
11769	Drill Core	4.78	0.016	0.4	129.2	3.2	53	0.4	24.7	40.2	1221	5.84	5.4	10.1	0.7	407	<0.1	0.2	0.9	166	2.89

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

CERTIFICATE OF ANALYSIS VAN11007071.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11740	Drill Core	0.159	10	45	2.68	44	0.077	5	2.83	0.186	0.15	<0.1	<0.01	24.1	0.1	5.28	9	4.8	<0.2
11741	Drill Core	0.154	8	44	3.11	39	0.169	5	3.21	0.222	0.11	0.2	<0.01	27.4	0.1	4.19	10	4.4	0.2
11742 DUP 11743 REJECT	Drill Core	0.149	7	36	2.33	43	0.149	4	2.74	0.185	0.14	0.3	<0.01	25.7	<0.1	4.07	8	3.9	<0.2
11743	Drill Core	0.155	8	38	2.49	23	0.158	5	2.99	0.207	0.14	0.3	<0.01	26.3	<0.1	4.96	9	3.9	0.2
11744	Drill Core	0.148	8	37	2.49	49	0.183	3	2.83	0.303	0.09	0.4	<0.01	18.3	<0.1	3.32	8	2.9	<0.2
11745	Drill Core	0.137	8	31	2.25	36	0.176	4	2.82	0.338	0.12	0.3	<0.01	17.0	<0.1	4.11	8	3.7	<0.2
11746	Drill Core	0.167	9	39	2.12	45	0.160	3	2.69	0.264	0.09	0.2	<0.01	14.8	<0.1	4.64	8	3.6	0.3
11747	Drill Core	0.142	6	16	1.78	39	0.149	3	2.89	0.475	0.10	0.2	<0.01	12.6	<0.1	4.93	6	2.5	0.6
11748	Drill Core	0.148	6	17	2.09	40	0.167	4	3.03	0.441	0.11	0.1	<0.01	14.3	<0.1	5.01	7	2.7	0.8
11749	Drill Core	0.140	6	22	2.58	58	0.180	3	3.42	0.563	0.09	0.2	<0.01	16.2	<0.1	4.10	8	1.6	0.7
11750	Rock Pulp	0.048	5	22	0.51	85	0.099	4	1.15	0.066	0.08	18.4	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
11751	Drill Core	0.155	7	23	2.53	56	0.181	2	3.39	0.458	0.08	0.4	<0.01	18.7	<0.1	4.42	8	2.3	1.1
11752	Drill Core	0.145	7	21	2.47	46	0.187	2	2.89	0.346	0.08	0.3	0.01	19.9	<0.1	4.79	8	2.2	0.9
11753	Drill Core	0.126	7	20	2.27	50	0.232	3	2.48	0.170	0.08	0.3	0.02	21.2	0.1	3.90	9	1.2	1.5
11754	Drill Core	0.133	6	18	1.84	54	0.235	2	1.97	0.162	0.11	0.2	<0.01	14.5	<0.1	2.96	9	0.8	0.5
11755	Rock	0.084	4	47	0.99	18	0.214	16	3.79	1.249	0.18	<0.1	<0.01	4.6	<0.1	0.05	8	<0.5	<0.2
11756	Drill Core	0.136	7	20	1.91	38	0.233	3	2.13	0.151	0.09	0.3	<0.01	15.9	<0.1	4.21	9	1.6	0.5
11757	Drill Core	0.134	6	26	2.17	39	0.263	3	2.81	0.159	0.08	0.3	<0.01	18.6	<0.1	4.82	11	1.8	0.4
11758	Drill Core	0.127	6	21	2.03	40	0.225	3	2.69	0.177	0.08	0.4	<0.01	18.2	<0.1	4.44	10	2.1	0.8
11759	Drill Core	0.123	6	22	2.03	29	0.224	3	2.79	0.191	0.08	0.3	<0.01	17.7	<0.1	4.39	10	2.9	0.6
11760	Drill Core	0.130	7	20	2.07	53	0.245	3	2.55	0.171	0.08	0.5	<0.01	19.7	0.1	3.85	10	1.0	1.1
11761	Drill Core	0.121	5	22	2.49	35	0.265	2	3.03	0.316	0.05	0.6	<0.01	17.2	<0.1	4.10	10	1.4	1.9
11762 DUP 11763 REJECT	Drill Core	0.123	5	23	2.44	21	0.251	3	3.57	0.483	0.05	0.2	<0.01	17.8	<0.1	4.77	9	2.0	2.0
11763	Drill Core	0.122	5	23	2.49	24	0.251	3	3.54	0.490	0.05	0.2	<0.01	18.3	<0.1	4.89	10	2.5	2.0
11764	Drill Core	0.099	10	12	1.70	40	0.107	4	2.10	0.134	0.15	0.1	<0.01	10.6	<0.1	2.89	8	1.1	1.0
11765	Drill Core	0.099	12	6	1.23	33	0.007	5	1.86	0.102	0.21	<0.1	<0.01	5.9	<0.1	3.30	6	1.1	1.1
11766	Drill Core	0.093	11	5	1.11	50	0.033	5	1.85	0.097	0.18	<0.1	<0.01	5.7	<0.1	2.73	6	0.7	0.8
11767	Drill Core	0.116	5	51	2.57	40	0.224	3	2.98	0.372	0.06	0.1	<0.01	16.8	<0.1	4.14	9	2.6	0.8
11768	Drill Core	0.120	5	47	2.94	15	0.199	3	2.83	0.298	0.05	0.2	<0.01	19.5	<0.1	6.54	9	5.7	1.4
11769	Drill Core	0.122	3	52	2.72	28	0.201	2	3.07	0.494	0.06	0.1	<0.01	13.5	<0.1	4.87	8	2.6	2.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

CERTIFICATE OF ANALYSIS VAN11007071.1

Method		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11770	Rock Pulp	0.11	0.010	3.0	22.8	2.4	33	0.4	18.7	9.5	290	1.85	3.2	<0.5	1.0	26	0.2	0.3	<0.1	44	0.68
11771	Drill Core	4.83	0.017	0.8	112.9	4.4	75	0.2	21.6	36.0	1271	5.54	7.4	8.1	0.7	499	0.5	0.2	0.8	148	2.77
11772	Drill Core	4.32	0.011	0.8	266.7	6.4	96	0.4	18.9	27.5	1332	4.80	6.1	13.8	0.8	354	0.4	0.2	0.8	153	3.61
11773	Drill Core	4.26	0.020	1.4	155.4	6.8	54	0.3	8.2	16.0	569	3.85	5.7	17.8	0.7	488	0.1	0.1	0.5	89	2.48
11774	Drill Core	4.08	0.021	1.3	154.5	4.2	72	0.3	7.6	15.1	574	3.99	5.5	14.3	0.7	160	0.1	<0.1	0.5	84	2.51
11775	Rock	3.18	0.006	0.4	101.2	2.1	49	<0.1	93.3	29.6	677	3.61	0.9	1.4	0.5	126	<0.1	<0.1	<0.1	127	6.36
11776	Drill Core	4.25	0.025	1.0	189.4	2.4	231	0.3	7.4	15.0	615	4.22	7.4	18.9	0.7	106	0.9	<0.1	0.6	90	2.54
11777	Drill Core	3.97	0.016	1.2	139.9	2.9	82	0.3	7.4	13.9	672	3.99	4.6	11.7	0.7	109	0.2	<0.1	0.5	91	2.71
11778	Drill Core	4.17	0.026	2.4	140.0	5.4	93	0.3	7.3	15.0	709	4.30	5.0	21.9	0.8	102	0.3	<0.1	0.7	85	2.38
11779	Drill Core	3.93	0.022	2.0	139.4	5.6	92	0.4	7.6	15.6	713	4.39	5.0	23.5	0.9	97	0.2	<0.1	0.7	89	2.34
11780	Drill Core	4.14	0.017	1.0	133.6	2.4	142	0.2	5.4	13.1	878	3.70	4.5	12.9	0.8	142	0.5	<0.1	0.2	88	3.02
11781	Drill Core	4.07	0.021	0.8	96.4	2.3	276	0.2	5.3	12.4	816	3.61	3.7	16.0	1.0	140	1.1	<0.1	0.2	75	2.68
11782 DUP 11783 REJECT	Drill Core		0.027	0.6	75.3	3.0	470	0.2	4.9	11.6	921	3.48	4.7	24.6	1.0	113	2.5	<0.1	<0.1	69	2.96
11783	Drill Core	3.55	0.028	0.7	82.6	3.1	468	0.2	5.2	12.0	904	3.54	4.9	25.2	1.0	117	2.4	<0.1	<0.1	67	2.98
11784	Drill Core	4.01	0.061	1.1	139.4	4.3	122	0.4	13.9	26.8	1594	5.81	7.1	66.6	0.7	215	0.4	0.1	0.3	170	3.33
11785	Drill Core	4.11	0.048	0.9	147.1	5.1	90	0.3	16.9	35.8	1952	6.57	8.3	50.0	0.7	370	0.1	0.2	0.3	212	3.89
11786	Drill Core	3.80	0.038	0.3	225.0	3.2	105	0.3	14.4	30.0	2178	5.23	5.4	32.7	0.8	273	<0.1	0.2	<0.1	219	4.68
11787	Drill Core	4.11	0.046	0.3	327.6	4.0	103	0.3	14.3	32.7	1839	5.47	9.3	41.5	0.7	225	<0.1	0.2	<0.1	209	4.46
11788	Drill Core	3.14	0.031	0.3	127.5	2.8	101	0.3	16.1	36.5	2081	5.45	7.9	30.0	0.7	236	<0.1	<0.1	<0.1	224	4.29
11789	Drill Core	4.25	0.020	0.4	131.8	2.5	77	0.3	17.6	33.3	1462	4.59	6.0	21.6	0.7	212	<0.1	0.2	<0.1	194	3.16
11790	Rock Pulp	0.11	0.221	10.4	5219	5.4	84	1.8	11.3	8.0	617	3.99	1.7	201.9	4.1	62	0.4	0.2	0.7	56	1.04
11791	Drill Core	5.08	0.018	0.5	111.6	2.6	70	0.4	15.5	32.5	1223	4.58	6.1	22.4	0.6	181	<0.1	0.2	<0.1	177	3.12
11792	Drill Core	3.59	<0.005	0.3	197.7	2.8	78	0.7	15.3	23.9	1110	4.60	2.1	8.6	0.7	228	0.1	0.2	<0.1	201	2.31
11793	Drill Core	3.74	<0.005	0.3	134.9	2.9	73	0.3	18.3	26.6	932	3.82	2.4	5.8	0.7	242	<0.1	0.2	<0.1	152	2.19
11794	Drill Core	3.62	0.009	0.4	183.4	4.4	87	0.3	23.4	28.0	1187	3.94	6.7	11.8	0.7	306	<0.1	0.2	<0.1	135	3.71
11795	Drill Core	4.82	0.010	0.6	155.7	4.8	95	0.4	24.8	29.4	1233	4.03	7.5	14.3	0.7	281	<0.1	0.2	<0.1	137	3.84
11796	Drill Core	2.98	0.022	0.2	157.5	2.9	77	0.4	30.1	29.7	1402	3.96	8.6	25.0	0.6	366	<0.1	0.3	<0.1	143	5.76
11797	Drill Core	2.72	0.029	0.2	324.7	3.4	66	0.8	26.6	28.8	1183	3.82	6.8	27.6	0.7	295	0.1	0.1	<0.1	140	4.19
11798 DUP 11800 REJECT	Drill Core		0.030	0.6	232.4	3.3	182	30.6	27.0	29.7	1660	4.79	8.2	31.2	0.8	167	0.6	0.1	0.2	164	5.29
11799	Drill Core	3.73	0.023	0.7	96.1	5.0	227	0.6	26.8	33.5	2252	5.11	9.1	19.3	0.7	160	0.7	0.1	0.3	195	6.63

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

CERTIFICATE OF ANALYSIS VAN11007071.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11770	Rock Pulp	0.045	5	23	0.50	85	0.113	4	1.05	0.060	0.07	16.7	0.02	3.4	<0.1	<0.05	4	<0.5	<0.2
11771	Drill Core	0.137	4	51	2.64	24	0.202	2	2.61	0.408	0.06	0.1	<0.01	12.5	<0.1	4.84	7	2.5	1.6
11772	Drill Core	0.122	5	40	2.06	24	0.184	2	2.56	0.327	0.06	0.2	<0.01	13.3	<0.1	4.40	7	2.6	2.0
11773	Drill Core	0.095	7	8	1.08	28	0.091	4	1.76	0.182	0.13	0.1	<0.01	5.9	<0.1	3.76	6	1.9	1.4
11774	Drill Core	0.096	11	8	1.28	33	0.004	4	1.73	0.143	0.15	<0.1	<0.01	5.0	<0.1	4.04	6	1.6	1.1
11775	Rock	0.080	4	45	0.93	17	0.232	13	3.39	1.013	0.14	<0.1	<0.01	4.2	<0.1	0.08	8	<0.5	<0.2
11776	Drill Core	0.092	13	8	1.31	31	<0.001	4	1.72	0.129	0.14	<0.1	<0.01	4.2	<0.1	4.47	6	1.7	1.3
11777	Drill Core	0.090	11	8	1.31	40	0.002	3	1.90	0.158	0.16	<0.1	<0.01	4.7	<0.1	3.97	6	1.3	1.3
11778	Drill Core	0.099	12	7	1.40	35	0.001	4	2.01	0.126	0.25	<0.1	<0.01	4.6	<0.1	4.32	6	2.9	1.7
11779	Drill Core	0.102	13	8	1.47	37	0.001	4	1.98	0.123	0.23	<0.1	<0.01	4.6	<0.1	4.26	6	2.2	1.8
11780	Drill Core	0.097	11	5	1.09	51	0.009	3	1.76	0.116	0.16	<0.1	<0.01	4.6	<0.1	2.78	6	1.5	1.4
11781	Drill Core	0.098	12	4	1.14	42	0.002	3	1.56	0.100	0.16	<0.1	<0.01	3.6	<0.1	3.20	6	1.1	1.7
11782 DUP 11783 REJECT	Drill Core	0.096	13	4	1.16	50	0.002	3	1.84	0.104	0.17	<0.1	<0.01	3.6	<0.1	3.05	6	1.2	1.4
11783	Drill Core	0.094	12	4	1.14	48	0.002	4	1.81	0.103	0.17	<0.1	<0.01	3.5	<0.1	3.12	6	1.2	1.5
11784	Drill Core	0.111	7	20	2.37	25	0.093	4	3.06	0.205	0.13	0.1	0.02	13.6	<0.1	5.32	9	2.7	4.2
11785	Drill Core	0.140	5	27	3.02	17	0.190	3	2.84	0.178	0.06	0.3	<0.01	18.3	<0.1	5.45	8	2.2	4.5
11786	Drill Core	0.149	5	17	3.12	80	0.233	4	2.88	0.096	0.04	0.3	<0.01	18.7	<0.1	1.63	8	0.5	2.4
11787	Drill Core	0.140	5	19	3.14	50	0.242	4	2.70	0.087	0.03	0.2	<0.01	18.3	<0.1	2.02	8	0.6	3.6
11788	Drill Core	0.141	5	28	3.18	62	0.235	3	2.66	0.101	0.03	0.2	<0.01	17.8	<0.1	2.16	8	0.7	3.2
11789	Drill Core	0.141	4	28	2.84	25	0.248	4	2.01	0.111	0.03	0.2	<0.01	12.9	<0.1	1.24	6	0.5	1.7
11790	Rock Pulp	0.066	11	16	0.61	171	0.076	4	0.97	0.056	0.38	<0.1	0.07	3.6	0.1	0.32	6	3.4	0.4
11791	Drill Core	0.133	3	15	2.27	31	0.213	2	1.67	0.107	0.03	0.2	<0.01	10.9	<0.1	1.53	6	<0.5	1.7
11792	Drill Core	0.139	4	15	2.40	35	0.218	3	1.88	0.123	0.06	0.6	<0.01	9.8	<0.1	0.27	7	<0.5	<0.2
11793	Drill Core	0.133	4	25	2.39	26	0.194	4	1.66	0.115	0.04	0.1	<0.01	8.7	<0.1	0.43	6	<0.5	0.2
11794	Drill Core	0.120	5	66	2.78	54	0.208	3	2.06	0.131	0.04	0.2	0.01	13.6	<0.1	1.67	7	0.7	0.9
11795	Drill Core	0.120	5	69	2.84	39	0.213	4	2.18	0.131	0.04	0.2	0.01	13.7	<0.1	1.84	7	0.7	0.9
11796	Drill Core	0.132	4	115	2.85	58	0.191	3	2.11	0.165	0.06	0.2	0.03	18.4	0.1	2.24	7	1.4	1.9
11797	Drill Core	0.134	5	80	2.62	65	0.173	3	1.89	0.161	0.07	0.1	0.02	12.8	<0.1	2.57	5	1.4	2.6
11798 DUP 11800 REJECT	Drill Core	0.150	6	81	3.09	26	0.188	2	2.18	0.068	0.04	71.1	<0.01	19.3	0.1	3.60	7	2.3	2.3
11799	Drill Core	0.140	6	96	3.56	30	0.178	2	2.47	0.058	0.03	0.9	0.03	25.5	<0.1	4.35	8	2.2	3.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

CERTIFICATE OF ANALYSIS VAN11007071.1

Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
11800 Drill Core	3.44	0.036	0.6	366.9	3.4	187	71.0	28.0	29.9	1660	4.79	8.3	31.8	0.8	167	0.6	0.1	0.2	164	5.25
11801 Drill Core	3.93	0.018	0.7	124.1	5.0	195	0.5	25.2	29.8	2166	5.02	9.6	21.8	0.7	156	0.6	0.1	0.3	193	6.64
11802 Drill Core	3.73	0.022	0.3	105.4	3.5	137	0.3	26.2	29.0	2571	4.67	4.1	19.9	0.6	161	<0.1	<0.1	0.1	178	6.18

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

CERTIFICATE OF ANALYSIS VAN11007071.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
11800	Drill Core	0.145	7	81	3.06	28	0.197	2	2.17	0.072	0.04	>100	<0.01	19.7	<0.1	3.59	7	2.6	2.5
11801	Drill Core	0.135	6	96	3.38	31	0.174	2	2.28	0.066	0.03	0.5	0.03	25.7	<0.1	4.17	8	2.3	3.2
11802	Drill Core	0.123	5	145	3.59	26	0.186	3	3.05	0.066	0.08	0.5	0.02	23.9	<0.1	2.85	8	1.1	2.4

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

QUALITY CONTROL REPORT VAN11007071.1

	Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
REP G1	QC		<0.005																		
11741	Drill Core	4.93	0.013	1.6	171.1	2.1	53	0.2	19.9	31.6	1186	5.88	1.3	21.7	0.8	287	<0.1	<0.1	0.4	265	3.11
REP 11741	QC			1.6	168.5	2.0	53	0.2	20.4	31.0	1161	5.72	1.4	23.2	0.8	278	<0.1	<0.1	0.4	257	3.06
REP 11748	QC			0.6	161.5	2.8	27	0.3	17.1	36.2	639	5.00	2.4	18.5	0.7	427	<0.1	0.1	0.9	151	2.24
11762 DUP 11763 REJECT	Drill Core		0.025	1.3	72.3	4.0	54	0.3	17.5	39.7	1604	6.68	7.2	22.5	0.5	539	<0.1	0.2	1.5	256	3.98
REP 11762 DUP 11763	QC			1.3	72.0	4.0	54	0.3	18.1	39.1	1599	6.65	7.3	24.6	0.5	522	<0.1	0.2	1.5	263	4.00
11780	Drill Core	4.14	0.017	1.0	133.6	2.4	142	0.2	5.4	13.1	878	3.70	4.5	12.9	0.8	142	0.5	<0.1	0.2	88	3.02
REP 11780	QC		0.017																		
11785	Drill Core	4.11	0.048	0.9	147.1	5.1	90	0.3	16.9	35.8	1952	6.57	8.3	50.0	0.7	370	0.1	0.2	0.3	212	3.89
REP 11785	QC			0.8	151.8	5.0	93	0.3	16.8	35.6	1984	6.66	8.5	50.4	0.7	372	<0.1	0.1	0.3	213	3.95
11788	Drill Core	3.14	0.031	0.3	127.5	2.8	101	0.3	16.1	36.5	2081	5.45	7.9	30.0	0.7	236	<0.1	<0.1	<0.1	224	4.29
REP 11788	QC		0.032																		
11797	Drill Core	2.72	0.029	0.2	324.7	3.4	66	0.8	26.6	28.8	1183	3.82	6.8	27.6	0.7	295	0.1	0.1	<0.1	140	4.19
REP 11797	QC			0.1	340.9	3.6	67	0.8	27.8	29.3	1182	3.92	6.8	25.3	0.7	309	0.1	0.1	<0.1	146	4.42
Core Reject Duplicates																					
11748	Drill Core	4.41	0.013	0.7	163.5	2.9	27	0.4	17.9	37.6	658	5.10	2.7	17.9	0.7	431	<0.1	0.1	0.9	153	2.28
DUP 11748	QC		0.011	0.6	181.0	2.9	28	0.4	17.0	36.0	623	4.91	2.1	15.6	0.6	414	<0.1	0.2	0.9	149	2.11
11783	Drill Core	3.55	0.028	0.7	82.6	3.1	468	0.2	5.2	12.0	904	3.54	4.9	25.2	1.0	117	2.4	<0.1	<0.1	67	2.98
DUP 11783	QC		0.025	0.7	95.3	2.8	478	0.2	5.2	11.6	924	3.46	4.8	24.3	0.9	117	2.7	<0.1	<0.1	69	2.92
Reference Materials																					
STD DS8	Standard			13.1	105.8	126.2	313	1.9	36.8	7.3	620	2.40	24.1	120.0	6.8	62	2.3	5.0	6.7	42	0.71
STD DS8	Standard			12.6	103.7	121.1	302	1.8	35.5	7.3	591	2.35	23.2	123.4	6.4	61	2.5	5.2	6.3	42	0.70
STD DS8	Standard			12.6	106.2	118.1	297	1.7	36.9	7.6	610	2.47	24.9	104.1	6.6	60	2.5	4.9	6.3	40	0.70
STD OXH82	Standard		1.196																		
STD OXH82	Standard		1.276																		
STD OXH82	Standard		1.270																		
STD OXH82	Standard		1.312																		
STD OXK79	Standard		3.340																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

QUALITY CONTROL REPORT VAN11007071.1

	Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
REP G1	QC																		
11741	Drill Core	0.154	8	44	3.11	39	0.169	5	3.21	0.222	0.11	0.2	<0.01	27.4	0.1	4.19	10	4.4	0.2
REP 11741	QC	0.148	8	44	3.05	42	0.163	5	3.17	0.218	0.11	0.2	0.01	27.0	0.1	4.11	9	4.1	<0.2
REP 11748	QC	0.143	6	17	2.04	42	0.163	4	2.98	0.434	0.11	0.2	<0.01	13.7	<0.1	4.88	6	2.6	0.8
11762 DUP 11763 REJECT	Drill Core	0.123	5	23	2.44	21	0.251	3	3.57	0.483	0.05	0.2	<0.01	17.8	<0.1	4.77	9	2.0	2.0
REP 11762 DUP 11763	QC	0.120	4	23	2.44	22	0.250	2	3.53	0.486	0.05	0.2	<0.01	18.4	<0.1	4.80	9	1.6	1.8
11780	Drill Core	0.097	11	5	1.09	51	0.009	3	1.76	0.116	0.16	<0.1	<0.01	4.6	<0.1	2.78	6	1.5	1.4
REP 11780	QC																		
11785	Drill Core	0.140	5	27	3.02	17	0.190	3	2.84	0.178	0.06	0.3	<0.01	18.3	<0.1	5.45	8	2.2	4.5
REP 11785	QC	0.142	5	27	3.06	24	0.197	3	2.84	0.179	0.06	0.3	<0.01	18.5	<0.1	5.47	9	2.3	4.8
11788	Drill Core	0.141	5	28	3.18	62	0.235	3	2.66	0.101	0.03	0.2	<0.01	17.8	<0.1	2.16	8	0.7	3.2
REP 11788	QC																		
11797	Drill Core	0.134	5	80	2.62	65	0.173	3	1.89	0.161	0.07	0.1	0.02	12.8	<0.1	2.57	5	1.4	2.6
REP 11797	QC	0.136	5	81	2.64	69	0.182	3	1.91	0.162	0.07	0.1	0.02	13.2	<0.1	2.68	6	1.4	2.4
Core Reject Duplicates																			
11748	Drill Core	0.148	6	17	2.09	40	0.167	4	3.03	0.441	0.11	0.1	<0.01	14.3	<0.1	5.01	7	2.7	0.8
DUP 11748	QC	0.146	5	16	2.07	52	0.151	4	2.91	0.404	0.09	0.1	0.01	13.8	<0.1	4.71	6	2.7	0.9
11783	Drill Core	0.094	12	4	1.14	48	0.002	4	1.81	0.103	0.17	<0.1	<0.01	3.5	<0.1	3.12	6	1.2	1.5
DUP 11783	QC	0.097	13	4	1.16	49	0.002	3	1.78	0.108	0.19	<0.1	<0.01	3.5	<0.1	2.99	6	1.2	1.5
Reference Materials																			
STD DS8	Standard	0.080	16	118	0.61	272	0.113	3	0.92	0.090	0.42	3.1	0.21	2.6	5.6	0.17	4	4.7	5.1
STD DS8	Standard	0.078	14	115	0.60	259	0.108	3	0.93	0.094	0.41	2.8	0.21	2.5	5.3	0.16	4	5.2	4.8
STD DS8	Standard	0.074	15	114	0.60	261	0.118	1	0.89	0.086	0.41	2.8	0.19	2.3	5.0	0.16	5	4.7	5.1
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXH82	Standard																		
STD OXK79	Standard																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

QUALITY CONTROL REPORT VAN11007071.1

		WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OXK79	Standard		3.627																		
STD OXK79	Standard		3.605																		
STD OXK79	Standard		3.531																		
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		0.005																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
Prep Wash																					
G1	Prep Blank	<0.01		<0.1	3.2	2.8	44	<0.1	1.8	3.7	556	2.07	<0.5	<0.5	5.3	75	<0.1	<0.1	<0.1	38	0.52
G1	Prep Blank	<0.01	<0.005	<0.1	2.9	2.6	41	<0.1	2.1	3.5	522	1.85	<0.5	<0.5	4.6	63	<0.1	<0.1	0.1	36	0.65
G1	Prep Blank		<0.005																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: COWTRAIL
Report Date: February 02, 2012

QUALITY CONTROL REPORT VAN11007071.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXK79	Standard																		
STD OXK79	Standard																		
STD OXK79	Standard																		
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
STD OXH82 Expected																			
STD OXK79 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
G1	Prep Blank	0.077	14	6	0.47	122	0.107	1	0.94	0.097	0.46	0.1	<0.01	2.4	0.3	<0.05	4	<0.5	<0.2
G1	Prep Blank	0.069	13	6	0.53	115	0.100	<1	0.87	0.086	0.43	<0.1	0.01	2.2	0.4	<0.05	4	<0.5	<0.2
G1	Prep Blank																		

Appendix D

2011 Cowtrail Drill Program

QA/QC Charts


Acme Au ppm values for CDN-CGS-26
1.850
1.750
1.650
1.550
1.450
1.350
1.250
Au ppm
Jan. 11/12
Feb 2/12
Time
11530
11684
12020
12080
12120
12200
12220
98420
98640
11880
Sample Number
Au ppm
CDN Mean +/- 1SD
CDN Mean +/- 2SD
CDN Mean +/- 3SD
Expected value


Acme Cu% values for CDN-CGS-26
1.80
1.70
1.60
1.50
1.40
1.30
1.20
1.10
1.00
0.90
Cu %
Time
Jan. 11/12
Feb 2/12
11530
11684
12020
12080
12120
12200
12220
Sample Number
ACME Assays CDN-CGS-26 Cu %
CDN Mean +/- 1SD
CDN Mean +/- 2SD
CDN Mean +/- 3SD
Expected Value


Acme CDN-CM-11A Au ppm
Au ppm
1.300
1.200
1.100
1.000
0.900
0.800
0.700
Jan. 11/12
Feb. 2/12
Time
11550 11590 12040 12140 98700 98740 98820 98840 98880 98940 12260 98440 98480 98680 11820 11900 11960 12320
Sample Number
ACME-CDN-CM-11A Au ppm
CDN Mean +/- 1SD
CDN Mean +/- 2SD
CDN Mean +/- 3SD
Expected Value


Acme CDN-CM-11A Cu %
Au ppm
0.39
0.38
0.37
0.36
0.35
0.34
0.33
0.32
0.31
0.3
Feb. 2/12
Jan. 11/12
Time
11550 11590 12040 12140 98700 98740 98820 98840 98880 98940 12260 98440 98480 98680 11820 11900 11960 12320
Sample Number
ACME-CDN-CM-11A Cu%
CDN Mean +/- 1SD
CDN Mean +/- 2SD
CDN Mean +/- 3SD
Expected Value


Acme Au ppm values for CDN-CGS-29
Au ppm
0.30
0.28
0.26
0.24
0.22
0.20
0.18
0.16
0.14
0.12
0.10
Jan. 11/12
Feb. 2/12
Time
11510 11380 11400 11430 11570 11610 11650 12060 12180 98860 98720 98800 98860 98920 12300 98500 98620 11840 11920 11980 12340 11790
Sample Number
Au ppm
CDN Mean +/- 1SD
CDN Mean +/- 2SD
CDN Mean +/- 3SD
Expected value


Acme Cu % values for CDN-CGS-29
Cu %
0.64
0.62
0.6
0.58
0.56
0.54
0.52
0.5
0.48
0.46
0.44
Jan. 11/12
Feb. 2/12
Time
11510 11380 11400 11430 11570 11610 11650 12060 12180 98860 98720 98800 98920 12300 98500 98620 11840 11920 11980 12340 11790
Sample Number
Cu %
CDN Mean +/- 1SD
Mean +/- 2SD
Mean +/- 3SD
CDN Expected Value


Acme Au ppm values for BL-9
Jan. 12/12
Feb. 2/12
0.012
0.010
0.008
0.006
0.004
0.002
0.000
-0.002
-0.004
-0.006
Au ppm
11360 11450 11470 11630 11730 98760 98780 98900 12100 12240 12280 98460 98660 11860 11940 12000 11750 11770
Sample Number
Time
Acme Assays Au ppm BL-9
Mean+/-3SD
Mean +/-2SD
Mean +/-1SD
Expected value


Acme assay for field blank Cu %
Cu %
0.018
0.016
0.014
0.012
0.010
0.008
0.006
0.004
Feb. 1/12
Jan. 11/12
Time
11755 11795 11825 11865 11905 11945 11985 12325 12265 98405 98445 98485 11365 11489 11435 11475 98625 98645 98685 11535 11575 11615 11667 11708 11735 98725 98765 98805 98845 98885 98925 12005 12045 12085 12125 12165 12205 12245
Sample Number
ACME Field blank Cu%
CDN Mean +/- 1SD
Mean +/- 2SD
Mean +/- 3SD
Expected Value


Acme assay for field blank Au ppm
Au ppm
0.016
0.014
0.012
0.010
0.008
0.006
0.004
0.002
0.000
Feb. 1/12
Jan. 11/12
Time
11755 11795 11825 11865 11905 11945 11985 12325 12265 98405 98445 98485 11365 11489 11435 11475 98625 98645 98685 11535 11575 11615 11667 11708 11735 98725 98765 98805 98845 98885 98925 12005 12045 12085 12125 12165 12205 12245
Sample Number
ACME Field blank Au ppm
CDN Mean +/- 1SD
Mean +/- 2SD
Mean +/- 3SD
Expected Value


Au ppm on field duplicates assayed between Jan 11-Feb 2, 2012
0.085, 0.114
Tags 11853, 11851 (dup)
Tags 11513, 11498 (dup)
0.005, 0.046
Tags 98602, 98611 (dup)
0.007, 0.032
0.120
0.100
0.080
0.060
0.040
0.020
0.000
0.000
0.010
0.020
0.030
0.040
0.050
0.060
0.070
0.080
0.090
0.100
Au2
Linear (Au2)
Linear (Au2)


Cu ppm on field duplicates assayed between Jan 11-Feb 2, 2012
Tags 11853, 11851 (dup)
235.8, 424.9
1000
900
800
700
600
500
400
300
200
100
0
0
100
200
300
400
500
600
700
800
900
1000
Cu ppm
Linear (Cu ppm)


Au ppm on prep duplicates assayed between Jan 11-Feb 2, 2012
0.1600
0.1400
0.1200
0.1000
0.0800
0.0600
0.0400
0.0200
0.0000
0.0000
0.0200
0.0400
0.0600
0.0800
0.1000
0.1200
0.1400
0.1600
0.1800
0.2000
Au ppm
Linear (Au ppm)


Cu % on prep duplicates assayed between Jan 11-Feb 2, 2012
0.1000
0.0900
0.0800
0.0700
0.0600
0.0500
0.0400
0.0300
0.0200
0.0100
0.0000
0.0000
0.0200
0.0400
0.0600
0.0800
0.1000
0.1200
Tags 11362, 14488 (dup)
0.0467, 0.0520
Tags 11406, 11310 (dup)
0.0414, 0.0250
0.0367, 0.0232
Tags 11800, 11798 (dup)
Cu %
Linear (Cu %)

Appendix E

2011 Cowtrail Drill Program

Preliminary Archaeology Reconnaissance Report

Preliminary Field Reconnaissance
Interim Report

Cowtrail Project

Administration			
Report Date	September 26, 2011	**Matrix File Number**	B11-148-Cowtrail
HCA Permit	N/A	**Report Author(s)**	Erin Davison

Proponent			
Proponent	Dajin Resources Corporation Suite 480-789 West Pender Street Vancouver, B.C. V6C 1H2	**Contact**	David Jenkins ☏ 604-681-6151 🖷 604-689-7654

Tenure Information			
Regional District	Cariboo	**Mineral Tenure(s)**	#407994, #407995, #409497

Geographic Reference			
NTS Map	93 A/6 (Horsefly)	**BCGS Map**	93 A/043, /044
UTM	10U E 609656 N 5811014	**Area (ha)**	Total: 81 Surveyed: 51
BGC Zone	ICH wk	**Elevation (m)**	823-975
Map Attached	NTS Location, Field Survey		

First Nation(s)			
First Nation(s)	Lhtako Dene Nation T'exelc First Nation Xats'ull First Nation	**Contact**	Chief Geronimo Squinas ☏ 250-747-2900 Aaron Higginbottom ☏ 250-992-9085 Rhonda Phillips ☏ 250-989-2323

Survey Description			
Survey Date	September 14, 2011	**Survey Type**	PFR
Field Supervisor	Adam Perdue	**Participation**	Field crew
Survey Crew	Adam Perdue (Matrix), Leo Michel (T'exelc), Glen Dixon (Xats'ull), and Catherine Banfield (Dajin Geologist).		
Assessment Area	Three proposed mineral exploration drill sites and surrounding terrain (~200 m), associated skid trails, and one access road.		

Development Description
Development Type: Proposed preliminary mineral exploration involving the construction of drilling pads, skid trails and access roads. Development to commence within the next 2 years.
Location: The proposed development is located in central British Columbia, in the Cariboo Regional District, approximately 60 km east-northeast (58º) of Williams Lake, 1.25 km south (180º) of Quesnel Lake and 1.1 km east (90º) of Horsefly River.

Yukon Office
PO Box 30031,
Whitehorse, Y.T., Y1A 5M2
☏ 867-633-3000 🖷 867-633-3002
ty@matrix-research.ca

BC Office
395 Johnston Avenue
Quesnel, B.C., V2J 3M6
☏ 250-992-6623 🖷 250-992-6653
rick@matrix-research.ca

Alberta Office
5405 55 Avenue
Beaumont, A.B., T4X 1A2
☏ 780-263-8100 🖷 780-737-4332
todd@matrix-research.ca

Management Summary

No archaeological resources were identified within the Cowtrail Project development area.

Archaeological Potential

Matrix Research Ltd. was asked to conduct a site specific Archaeological Overview Assessment of the proposed development area at the request of Dajin Resources Corporation.

During the site specific overview assessment, notes from previous field research in the area, contour maps, air photos, ethnographic and archaeological records, and historic information were consulted. The results of the overview assessment indicated that portions of proposed drill sites DHH15, DDH16 and DDH17, were considered to be of high archaeological potential.

Previously surveyed areas assessed under HCA Permits **2002-125**, **2002-125**, **200-234** and **1998-064** are located within and approximately 50-250 m east and southwest of the proposed development area. One archaeological site **FcRi-5**, consisting of a housepit, is located approximately 2 km west-northwest of DDH17. A second archaeological site, **FcRi-17,** consisting of a subsurface lithic scatter, is located approximately 2.5 km south of DDH15. No traditional use sites are located within 2 km of the proposed development.

Field inspection revealed that the entire proposed development area exhibited low archaeological potential due to sloping terrain, a lack of significant topographical features, poorly drained terrain, and distance to local hydrological features. This area is described in further detail below.

Survey Methodology

Transects: One crew of four people conducted traverses (20 m apart) through significant portions of the recommended survey area encompassing portions of DDH15, DDH16, DDH17 and the access road. Transect width (zone of visibility) was ~30 m.

Previous Disturbance / Exposures: Previously constructed forestry access roads and skid trails are located within the proposed development area. All available surface and subsurface exposures encountered during the survey, including road cuts, game trails and tree throws situated within and immediately bordering (≤10 m) the proposed development area were inspected for cultural materials, though none were found.

Total Number of Shovel Tests in Block: 0

Survey Results

Archaeological Sites Found: 0 **Traditional Use Sites Found: 0**

Low Potential Zone DDH15: This zone encompasses the eastern drill site (DDH15) and ~200m surrounding it.

Hydrology: An unnamed tributary of Horsefly River is located approximately 100 m west of this zone, however it is not audible or visibly flowing.
Vegetation: Forest cover is comprised of lodgepole pine, white spruce, white paper birch and trembling aspen. Understory and ground cover vegetation include hawthorn bush, thimbleberry, twisted stalk, prickly rose, strawberry, Oregon grape, alder, willow, black twinberry, spirea, kinnikinnick, timothy hay and grasses.
Terrain: Terrain is characterized by consistent slopes (~16^{o}) with west aspects towards the aforementioned unnamed tributary. Terrain immediately adjacent to the unnamed tributary of Horsefly River is low lying and poorly drained. No significant topographic features exhibiting archaeological potential were encountered within this zone.
Sediments: Unknown.
Results: The area encompassing DDH15 and ~200m surrounding it was determined to possess low archaeological potential.

Low Potential Zone DDH16: This zone encompasses the western drill site (DDH16) and ~200m surrounding it.

Hydrology: An unnamed tributary Horsefly River is located within the southern extent of this zone. The stream flows quickly west and averages 1.25 m wide and 0.15 m deep.
Vegetation: Forest cover is comprised of lodgepole pine, white spruce, white paper birch and trembling aspen. Understory and ground cover vegetation include hawthorn bush, thimbleberry, twisted stalk, prickly rose, strawberry, Oregon grape, alder, willow, black twinberry, spirea, kinnikinnick, timothy hay and

grasses.
Terrain: Terrain in within this zone is characterized by gentle to moderate slopes (4-8^{o}) with south aspects. The area directly bordering the stream is elevated ~25 m above the creek bottom. No significant topographic features exhibiting archaeological potential were encountered within the zone.
Sediments: Unknown.
Results: The area encompassing DDH16 and ~200m surrounding it was determined to possess low archaeological potential.

Low Potential Zone DDH17 and access road: This zone encompasses the northern drill site (DDH17), ~200m surrounding it, and the proposed access road.

Hydrology: No hydrological features were observed within the vicinity of low potential zone DDH17.
Vegetation: Forest cover is comprised of western red cedar and subalpine fir. Understory and ground cover vegetation include Devil's club, thimbleberry, bearberry, black twinberry, grasses, red-stemmed feathermoss, alder, willow, bunchberry, Queen's cup, skunk cabbage and pink wintergreen.
Terrain: Terrain in this zone is characterized by undulating, gently to moderately sloping (4-8^{o}) terrain with multidirectional aspects. In the western extent of this zone the terrain slopes ~35^{o} with west-southwest aspects. No significant topographic features exhibiting archaeological potential were encountered in the proposed development area.
Sediments: Unknown.
Results: The area encompassing DDH17, ~200m surrounding it and access road were determined to possess low archaeological potential.

Results Summary

No archaeological resources were identified within proposed drill site locations DDH15, DDH16, and DDH17 and surrounding terrain (~200 m), associated skid trails, and one access road.

Potential Impacts

It is not anticipated that any archaeological resources will sustain impact during the construction of drilling pads, skid trails and access roads within the proposed development area providing the boundaries are not modified to include unassessed areas.

Recommendations

No further archaeological inspections are recommended for the Cowtrail Project.

Archaeological sites are automatically protected from inadvertent or intentional destruction by the *B.C. Heritage Conservation Act* (1996).

To ensure that the discovery of any unanticipated archaeological remains is addressed, it is recommended that the proponent inform their personnel and contractors that, in the event that archaeological remains are encountered, all development activities in the vicinity of the archaeological remains must be suspended immediately. The District Manager, affected First Nations and the Archaeology Branch must be notified as soon as possible of the existence of the archaeological remains and the nature of the disturbance.

The present study was designed solely as a Preliminary Field Reconnaissance to identify and assess evidence of past human activity protected under the Heritage Conservation Act. It is not the intent of this report to evaluate traditional aboriginal use; nor is the intent to address potential impacts to post-1846 cultural heritage resources within the proposed development area. However, such resources may be identified during the course of the survey and if so, recorded when requested by participating First Nations, or when physical evidence of them is encountered.

Signed by Richard Burkmar, M.Sc., R.P.C.A. _____  _____



Proposed Drill Hole Locations

NTS LOCATION MAP: Cowtrail Project Drill Hole Locations

MATRIX Research Ltd	MAPSHEETS: BCGS: 93 A/043, /044 NTS: 93 A/6	LOCATION: Quesnel Lake UTM: E 609656 N 5811014 PROJECTION: NAD83 Zone 10	PROPONENT: Dajin Resources Corp. JOB #: B11-148-Cowtrail



Main Road
Secondary Road
Stream
20m Contour
Previously Recorded Site
Proposed Drill Hole
Wetland
River/Lake
Assessed Area
Drill Hole Buffer

FIELD SURVEY MAP : Cowtrail Project

MATRIX Research Ltd

MAPSHEETS: BCGS: 93 A/043, /044 NTS: 93 A/6	LOCATION: Quesnel Lake	PROPONENT: Dajin Resources Corp.
	UTM: E 609656 N 5811014 PROJECTION: NAD83 Zone 10	JOB #: B11-148-Cowtrail

609000 m | 609500 m | 610000 m | 610500 m | 611000 m

5810500 m | 5810000 m | 5809500 m | 5809000 m

CT-2011-015

CT-2011-014

CT-2007-003

CT-2007-002

CT-2007-001

CT-2011-013

CT-2011-012 & 012A

CT-2011-011 &011A

407995

Lea Lake

3000 | 2800 | 2900 | 3000 | 2950 | 3100

N | W | E | S

Dajin Resources Corp.

Scale: 1:10,000

- 2011 DDH
- 2007 DDH
- **407994** Tenure number
- Tenure boundary
- Roads
- Lakes Wet lands
- Streams,rivers

0 — 500 m

DAJIN RESOURCES CORP.

COWTRAIL PROJECT

LOCATION MAP OF
2011 DIAMOND DRILL HOLES

DATE: Mar., 2012 | FIG. NO. 3