


Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Drilling

TOTAL COST: \$200,209

AUTHOR(S): Cremonese, Dino M.

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): 0100509

YEAR OF WORK: 2014

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S):

5527010 , 5541469 , 5542300 , 5544184 , 5551395

PROPERTY NAME: Del Norte

CLAIM NAME(S) (on which the work was done): Croesus 1 #251848

COMMODITIES SOUGHT: Gold, Silver

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: --

MINING DIVISION: Skeena

NTS/BCGS: 103P093, 104A002, 104A003

LATITUDE: 56 ° 00 ' " LONGITUDE: 123 ° 31 ' " (at centre of work)

OWNER(S):

1) Teuton Resources Corp.

2)

MAILING ADDRESS:

#202-2187 Oak Bay Avenue

Victoria, BC V8R 1G1

OPERATOR(S) [who paid for the work]:

1) Teuton Resources Corp.

2)

MAILING ADDRESS:

#202-2187 Oak Bay Avenue

Victoria, BC V8R 1G1

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Jurassic, Bowser Group, Mount Dilworth Formation, Salmon River Formation, Felsic Volcanics, Andesites, Breccias, Sphalerite, Galena, Tetrahedrite

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 30156, 28844, 27586, 24357, 23832, 23323, 21535, 19642, 19168

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core	591.93 metres, 5 holes, BTW	CROESUS 1 #251848	\$200,209
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	\$200,209

**BC Geological Survey
Assessment Report
35325**

**ASSESSMENT REPORT
ON
DIAMOND DRILLING WORK
ON THE FOLLOWING CLAIMS**

CROESUS 1 #251848

Del Norte Property

STATEMENTS OF WORK

5527019, 5541469, 5542300, 5544184, 5551395

Located

34 KM EAST OF
STEWART, BRITISH COLUMBIA
SKEENA MINING DIVISION

56 degrees 00 minutes latitude
129 degrees 31 minutes longitude

MAPSHEETS 103P093, 104A002, 104A002, 104A003

PROJECT PERIOD: August 11th to September 30rd, 2014

ON BEHALF OF
TEUTON RESOURCES CORP.
VICTORIA, B.C.

REPORT BY

D. Cremonese, P. Eng.
#202-2187 Oak Bay Avenue
Victoria, B.C.
V8R 1G1

Date: April 16, 2015

TABLE OF CONTENTS

	Page
1. INTRODUCTION	
A. Property, Location, Access and Physiography	1
B. Status of Property	1
C. History	2
D. References	5
E. Summary of Work Done	6
2. TECHNICAL DATA AND INTERPRETATION	
A. Regional Geology	7
B. Property Geology	8
C. Diamond Drilling Program	
a. Introduction	11
b. Treatment of Data	11
c. Discussion	12
D. Field Procedure, Core Details and Laboratory Technique	13
E. Conclusions	14

APPENDICES

- I Work Cost Statement
- II Certificate of Qualification
- III Drill Logs
- IV Assay Certificates

ILLUSTRATIONS

Fig. 1	Location Map	Report Body
Fig. 2	Claims Map	Report Body
Fig. 3	Regional Geology Map	Report Body
Fig. 4	Drill Plan Map	Report Body
Fig. 5	Assay Section Showing D14-01 and D14-02	Report Body
Fig. 6	Assay Section Showing D14-03 to D14-05 Incl.	Report Body
Fig. 7	Geological Section Showing D14-01 and D14-02	Report Body
Fig. 8	Geological Section Showing D14-03 to D14-05 Incl.	Report Body

1. INTRODUCTION

A. Property, Location, Access and Physiography

The property is located about 34 km east of Stewart and 13 kilometers southwest of Meziadin Lake, British Columbia. The claim area is approximately 56 degrees 00 minutes latitude and 129 degrees 31 minutes longitude on NTS sheets 104A/4E, 104/3A, 103P/13E and 103P/14W. Figure 1 shows the location of the claim area.

Nearest paved road is the Bear River Highway (Highway 37) running between Stewart and Meziadin Junction, which passes within 10 kilometers of the northern portion of the property. Access during the 2014 program was by helicopter from a staging area just west of the Surprise Creek bridge on the Bear River Highway.

The Del Norte property claims lie along both sides of the ridge dividing Del Norte and Nelson Creeks, two streams flowing east out of the Cambria Icefield and into the White River. Elevations vary from approximately 1050 meters on the creek bed at the eastern edge of the property to more than 2000 meters near ridge tops.

Vegetation in the area changes from a mantle of mountain hemlock and balsam at low-lying elevations to shrubs, mountain grasses and heather at higher elevations. Slopes range from moderate to steep to precipitous.

Climate is relatively severe, particularly at higher elevations. Because the property lies on the eastern edge of the Cambria Icefield, precipitation is not as pronounced as in the immediate Stewart area.

B. Status of Property

Relevant claim information is summarized below:

Name	Tenure Number	Current Expiry Date	Area (ha)
CROESUS 1	251848	2018/may/26	375.0
CROESUS 2	251849	2018/may/26	450.0
CROESUS 3	251850	2018/may/26	500.0
CROESUS 4	251851	2018/may/26	500.0
MIDAS 1	396293	2015/sep/10	400.0
LORD NELSON 6	396307	2015/sep/09	450.0
LORD NELSON 7	396308	2015/sep/09	375.0
HORATIO 1	396309	2018/may/26	500.0
HORATIO 2	396310	2015/sep/09	500.0
HORATIO 3	396311	2018/may/26	500.0
HORATIO 4	396312	2015/sep/09	500.0
HORATIO 5	396313	2015/sep/10	400.0
LH 1	404916	2015/sep/08	300.0

LH 2	404917	2015/sep/08	225.0
LH 3	404918	2015/sep/08	500.0
LH 4	404919	2015/sep/08	375.0
CORDIERITE	522182	2016/nov/10	380.184

Claim locations are shown on Fig. 2. The claims are wholly owned by Teuton Resources Corp. of Vancouver.

C. History

Records indicate that the property was originally staked as the "Bullion" claim, sometime prior to 1913. This early work was undoubtedly a follow-up to the small-scale placer gold operations reported to have taken place on Nelson, Del Norte and Willoughby Creeks.

Between this first staking and 1922, when the property was restaked as the Delnorte Group by Green and Ficklin of Hyder, Alaska, a small adit was driven on the north side of Del Norte creek to test a zone of quartz veining paralleling the contact between Bowser sediments and Hazelton volcaniclastics. In 1939, Owen McFadden of Stewart, backed by a syndicate, explored the ground by a series of fifteen open-cuts and some small popholes. At this time the property was known as the "Meziadin Group". In the same year, the property was visited by Dr. Mandy of the B.C. Department of Mines; Mandy examined and sampled several of the showings. Samples results indicated erratic low-grade gold mineralization associated with copper and occasional zinc values (Ref. 7, 1939). According to extant records, most of this sampling was from the north side of Del Norte Creek.

In the 1960's the area was explored again by companies searching for porphyry copper deposits. This, and subsequent work, was supported by helicopter. In the late 1970's and early 1980's, renewed exploration efforts concentrated on precious metals. Apparently, this work did not uncover anything of importance in the Del Norte Creek area (Ref. 6).

In 1987 Teuton Resources Coarp. acquired the Croesus claims and carried out a program of rock and silt sampling (Ref. 9). Silt samples taken from the creek draining the Bullion showing returned moderate to highly anomalous values in gold, silver, copper, lead, and zinc. The best rock grab sample assayed 19,300 ppb Au and came from a quartz sulfide lens in a prominent gossan on the southern side of Del Norte Creek (Hardpan Creek area).

In 1988 Teuton followed up on these results with a limited program of geological mapping, prospecting, rock sampling and soil sampling in the Bullion and Hardpan Creek areas (Ref. 10). Two zones, one featuring lead-zinc mineralization, the other copper-gold, were discovered in the Hardpan Creek drainage. Several grab samples taken peripheral to these zones returned anomalous values in gold, silver, copper, lead and zinc.

On the strength of the 1988 work, and collaterally because of the enthusiasm generated by the major Eskay Creek discoveries, Teuton was able to option the property to Goodgold Resources

Ltd. In 1989, During 1989, Goodgold contracted Aerodat (Ref. 13) to carry out an airborne EM and Magnetometer survey over the property. Results outlined a magnetically higher central area (corresponding to volcanic rocks, and/or intrusives) flanked on the northwest and I east by a lower slowly varying magnetic field (corresponding to sedimentary rocks). Goodgold also completed a small surface program concentrating on the Bullion area, with mixed results (Ref. 12).

In 1990, Goodgold mounted a major \$500,000+ program focusing mostly on the Hardpan Creek portion of the property and consisting of a preliminary phase of grid construction, mapping/prospecting, blasting/trenching, soil geochemical sampling, and geophysical surveying, followed by a second phase of diamond drilling entailing 12 holes (total 1,119m) . Results of this work were compiled in a lengthy report by Bishop and Gal (Ref. 15, on file with BCEMPR). Highlights include the discovery of the gold-copper "O" zone, the gold-silver- (copper, lead, zinc) "Humdinger" zone, the lead-zinc-(gold-silver) "Grizzly" zone as well as several minor zones of precious and base metal mineralization. The best drill intercept was from Hole 90-1 on the O zone which ran 15.2m grading 0.107 opt gold and 0.410% copper.

In 1991 Goodgold carried out another \$100,000 of work before relinquishing its option. During this phase, which concentrated on the north side of Del Norte Creek, geochemical sampling, prospecting and mapping identified several strong multi-element soil geochem anomalies as well as a number of precious metal bearing quartz sulfide veins. Best assay came from a 1m chip sample across the NMG vein at its southernmost exposure: 0.31 oz/ton gold and 16.67 oz/ton silver. The vein was tentatively associated with a sharp, flanking silver soil anomaly. A zone of quartz calcite stringers, some highly auriferous, was also discovered north of the toe of Del Norte Glacier. Soil sampling over this area, named the "Crackle" zone, disclosed widespread elevated to anomalous copper values. Alteration patterns suggested a porphyry environment.

Teuton carried out more work the same season, mostly involving induced polarization surveys over the Crackle zone area. These surveys were only partially completed due to extreme weather but interpretation indicated at least two IP anomalies.

The property was dormant during 1992. However, in 1993, encouraging results from the large scale exploration and development program at the proximate Red Mountain property of Lac Minerals was a catalyst for further work at Del Norte. Teuton carried out a modest 1993 work program which included rock geochemical sampling at four sites within the Del Norte property. Sampling in the Crackle zone and vicinity resulted in the discovery of several new clusters of Pb-Ag-As-(Zn-Cu) quartz sulfide stringers some with high gold values to just under 2.0 opt. These stringers are now known to occur over an area roughly 700 m square encompassing both sides of Del Norte Glacier.

From 1994-2001 very little work was carried out on the property. However, in 2002, crews investigating the area north of the Bullion zone, in the Nelson creek drainage, discovered a 3-10m wide, quartz carbonate-sulfide cemented breccia in argillites carrying gold and silver values. The zone was exposed at the edge of a wasting icefield. Called the Kosciusko or "K" zone, it strikes roughly north-northwest and has an observable outcrop of about 50-100 metres. Continuity to the north is obscured by a snowfield and to the south by precipitous terrain.

A 2002 chip sample across the northern end of the zone returned 0.179 oz/ton gold and 18 - 4 oz/ton silver across a width of 10.0 metres. Three holes drilled from a single station located 12 m south of the chip sample intersected true widths of mineralization varying from 8.5 to 10 metres and carrying gold values ranging from 0.104 to 0.223 oz/ton and silver values ranging from 5.22 to 8.09 oz/ton.

In 2003 the property was optioned to Lateegra Resources Corp. under terms whereby Lateegra could earn a 50% interest by making total exploration commitments of \$3,000,000 over a five year period, in addition to share and cash payments. Nine holes were drilled in 2003 along the LG vein, a 8.5 to 1.25 m wide quartz-sulfide vein following the north-northwesterly trending argillite-volcanic contact, and first outcropping about 500m north-northwest of the K zone. Seven of these holes returned significant gold-silver values over narrow widths. The success of this program led to a much larger 2004 program which saw the completion of 36 holes totaling 2,187.55 metres. This in turn was followed by successive drill programs in 2005, 2006, and 2007, the latter three years funded by a new optionee, Sabina Silver Corp.

Sabina focused primarily on the LG Vein shear/breccia zone in 2005, drilling ten holes to test the strike and dip of the LG Zone. Late in 2005, an Aeroquest helicopter borne EM/magnetic survey was flown over most of the property which identified a series of parallel EM conductors situated just east and parallel to the LG vein.

In 2006, Sabina completed an extensive prospecting program covering numerous areas on the Del Norte property as follow up to the airborne EM survey. Grab samples from the “3 Oz” Vein returned encouraging anomalous gold values up to 29.65 g/t Au. This prospecting program was followed up by a 15-hole drill program. Sabina’s 2006 drill program at the “3 Oz” Vein gold showing consisted of 3 short holes, totaling 659.59 metres. The best drill intercept was in hole SDN-06-02 which returned 2.52 g/t gold (0.07 oz/ton) over 32.4 m.

In 2007, Sabina followed up on the high grade gold and silver results from the “3 Oz Vein” with a nine hole drill program, totaling 1,600 metres. Significant assay highlights encountered during the 2007 drilling included 2,810 g.t Ag over 1.00m in hole SDN-07-03 and 6.75 g/t Au over 0.90m, also in hole SDN-07-03.

No work was done on the property from 2008 until 2014. In 2014, Teuton purchased Sabina’s 50% interest in the property and commissioned a short drill program, results of which are the subject of this report.

D. References

1. ALLDRICK, D.J. (1984); Geological Setting of the Precious Metals Deposits in the Stewart Area, Paper 84-1, Geological Fieldwork 1983", B.C.M.E.M.P.R.
2. ALLDRICK, D. J. (1985) ; "Stratigraphy and Petrology of the Stewart Mining Camp (104B/1E)", p. 316, Paper 85-1, Geological Fieldwork 1984, B.C.M.E.M.P.R.
3. BCDM SPECIAL REPORT 3 (1939) ; "Meziadin GroupN—Geological sketch and sample map by Dr. J.T. Mandy, Resident Engineer, Prince Rupert.
4. BCDM MINISTER OF MINES ANNUAL REPORTS; 1922-77 and 1939-67.
5. BISHOP, C. AND GAL, L. (1991); Summary Report on 1990 Geological, Geochemical, and Geophysical Surveys, Trenching and Diamond Drilling Results on the Del Norte Property.
6. BRAY, ADRIAN (1992) ; Assessment Report--Geological and Geochemical Program on the Nelson Property for Lac Minerals Ltd.
7. BRAY, ADRIAN (1993); Assessment Report-Composite Talus Sampling Program on the Nelson Property for Lac Minerals Ltd.
8. CREMONESE, D.M. (1988) ; Assessment Report on Geochemical Work on the Croesus Claims. On file with BCMEMPR.
9. CREMONESE, D.M. (1989); Assessment Report on Geochemical Work on the Croesus 2,3 Claims. On file with BCMEMPR.
10. CREMONESE, D . M. (1991) ; Assessment Report on Geological and Geochemical Work on the Croesus 1-4 Claims for Teuton Resources Corp. On File with BCMEMPR.
11. CREMONESE, D.M. (1994); Assessment Report on Geochemical Work on the Croesus, 2,3,4 and Bond 7 Claims. On file with BCMEMPR.
12. CREMONESE, D.M. (2003); Assessment Report on Diamond Drilling & Geochemical Work on the following claims: Croesus 1,4 and Horatio 1,3 Mineral Claims. On file with BCMEMPR.
13. CREMONESE, D.M. (2003); Assessment Report on Diamond Drilling & Geochemical Work on the following claims: Knoink 1,2,3, and 4. On file with BCMEMPR.
14. DEWONCK, B. AND HARDY, J. (1989); Summary Report on the Goodgold Resources Ltd. Del Norte Project and Max Project; Report by Orequest Consultants Ltd. for Goodgold Resources Ltd.

15. DICKENSON, SHANA (2008) ; Report on the 2007 Diamond Drilling Program on the “3 Oz” Gold Showing on claim MIDAS 3 (396295) held by Teuton Resources, Completed for Sabina. On file with BCMEMPR.
16. DOWNING, B.W. (1983) ; Report on the Wilby Creek Group, Meziadin Lake, B. C . 11, private report for Viscount Resources Corp.
17. DVORAK, Z. (1989) ; Report on Combined Helicopter Magnetic, Electromagnetic and VLF Survey, Del Norte Area, Cambria Range, B.C.; Aerodat Ltd. Private Report for Goodgold Resources Ltd.
18. GROVE, E.W. (1971): Bulletin 58, Geology and Mineral Deposits of the Stewart Area. B.C.M.E.M.P.R.
19. GROVE, E.W. (1982): Unuk River, Salmon River, Anyox Map Areas. Ministry of Energy, Mines and Petroleum Resources, B.C.
20. GROVE, E.W. (1987) : Geology and Mineral Deposits of the Unuk River-Salmon River-Anyox Area, Bulletin 63, BCMEMPR
21. LeBEL, J.L. (1989); Report on Del Norte Creek Property and Max Property. Private report for Sierra Madre Resources Inc.

E. Summary of Work Done.

The 2014 drilling program on the Del Norte property was part of a larger, summer program involving exploration of several Teuton properties located in the Stewart region. This field work spanned the period from August 11th to September 30th, 2014.

Field crew for the Del Norte drill program consisted of the author and geologist Amanda Mullin. Drilling was contracted to Elite Diamond Drilling out of Vernon, BC. Pad building was contracted to Axis Mountain Technical out of Terrace, BC. Granmac Services of Stewart supplied fuel and was the expeditor for the project.

Drill and field crews were shuttled in and out of the project daily from the staging area just west of the Surprise Creek Bridge on the Bear River Highway by a B3 A-Star supplied by Mustang Helicopters.

Five short holes totaling 591.93 metres were drilled from one pad at dips ranging from -45 to -70 degrees. The entire core was diamond sawed at the Mt. Boy facility in Stewart and samples were shipped to Pioneer Laboratories in Richmond, BC and Loring Laboratories in Calgary, AB where they were analyzed for gold content and 30 element ICP. Altogether 371 samples were taken.

2. TECHNICAL DATA AND INTERPRETATION

A. Regional Geology

The property lies along the eastern edge of a broad, NNW trending belt of Triassic and Jurassic volcanic and sedimentary rocks termed by Grove (1971) as the "Stewart Complex". This belt is bounded to the west by the Coast Crystalline Belt (mainly granodiorites) and to the east by a thick series of sedimentary rocks known as the Bowser Assemblage (Middle Jurassic to Upper Jurassic age).

A major contact between sedimentary rocks of the Bowser Group and volcaniclastics of the lower Jurassic Hazelton Group passes north-south between Strohn Creek and the White River. Three west-east flowing tributaries of the White River with headwaters in the Cambria icefield are all known to carry placer gold. These streams, from north to south, are Nelson Creek, De1 Norte (also known as "Porter") Creek and Willoughby Creek. The source of the placer gold has intrigued Stewart area prospectors for many years.

Prior to the Bond Gold/Lac Minerals gold discovery at Red Mountain, about 12 km west of the property, the area received little attention from government geologists. However, capsule descriptions of regional geology were written up in a few private reports. The author was able to locate a summation of regional geology in this area from such a report--a lengthy excerpt from Downing (1983) follows:

"Tectonically, the Bowser-Hazelton contact appears to be a thrust zone with Bowser sediment "slices" occurring within and overlying the Hazelton volcaniclastics to the west. No Hazelton rocks were noted overlying- the Bowser sediments to the east. The Bowser sediments include shale, silt-mudstone, wacke and conglomerate while andesitic to rhyolitic tuffs and flows, limestone and argillite make up the Hazelton assemblage. The predominant dip direction of bedding in the Bowser sediments is northeasterly. Along the west fork to Surprise Creek, the Hazelton-Bowser contact is well preserved--tuffs and coarse tuff breccia overlain by a basal conglomerate grading to wacke-silt-mudstone-shale."

Several medium to coarse-grained porphyritic (potash feldspar) quartz monzonite and biotite granodiorite stocks occur along the contact zone. Other intrusives include augite to hornblende plagioclase porphyries of possible volcanic origin and northwest trending lamprophyre and hornblende porphyry dykes which in places form a dyke swarm, all of which occur predominantly south of the Stewart highway (Nelson-Porter-Willoughby Creeks area). [Note: Downing uses "Porter" to describe Del Norte Creek--this is an alternative name].

Metamorphism is predominantly of the greenschist facies on a regional scale. Andalusite occurs in the argillites on the west fork to Surprise Creek. Biotite hornfels zones are associated with a majority of the quartz monzonite-granodiorite stocks.

The east-west flowing Strohn and Bear Creeks (Stewart highway section) occur along a major tectonic break which transects the northerly trending structural fabric in the Stewart area. The sense

and amount of displacement along this break (strike slip fault?) is unknown. Displacement along the Bowser-Hazelton contact in the Willoughby-Bowser Lake area is unknown, however, offset along this contact on the Long Lake fault north of Stewart indicates approximately 1500 feet (Grove, 1971). A dominant pyritic shear zone up to ten meters across occurs near the Hazelton-Bowser contact from Willoughby to Porter Creeks."

Geology in relation to claim boundaries is shown in Fig. 3.

B. Property Geology

[Note: The following observations were derived primarily from the 1991 Report by C. Bishop and Len Gal on the Del Norte Property (Ref. 5).

The 2014 drill pad was centered in Deadman's Gulch which lies on the north-facing slope overlooking Del Norte Creek on the Croesus 1 claim, on the opposite side of the creek from the Bullion showing. This area was fairly intensively worked in 1990-1991 during which time the Humdinger zone, the "O" zone, the Grizzly zone and the Twilight zone were evaluated. The Humdinger zone lies about 150m north of the 2014 drill pad. Hardpan Creek flows north a few metres west of Deadman's Gulch.

The immediate area includes hanging valleys, and steep gullies (Hardpan Creek, Deadman's Gulch, East Creek) draining into Del Norte Creek. Talus cover restricts outcrop to the ridges bounding the bowls. The rocks outcropping in the area are thought to be part of the upper Betty Creek Formation, in a north-northwest striking, west dipping sequence. The contact with Salmon River Formation sediments occurs just east of the property boundary.

A band of sedimentary rocks within Betty Creek volcanics outcrop along the western and central part of the western bowl. These are comprised of orange and rusty weathering fine to coarse grained arkosic wackes, with a 10m thick black argillite unit. The sandstones are altered, well foliated and locally sheared, and may be volcanic - derived in part. The argillite is strongly foliated and hosts an abundance of orange weathering carbonate veins, some of which contain galena and sphalerite. The total thickness of sediments is approximately 200-250m. The beds strike north - northwest and dip moderately to the west. The foliation strikes east-west, parallel to several faults which cut across the sediments.

A largely volcaniclastic unit outcrops above the sediments. The rocks are composed of massive buff to light green and mottled maroon and green plagioclase crystal tuffs with some agglomerates, lesser lajapi11i tuffs, tuff breccias, argillites and maroon andesites.

To the east, the volcaniclastic sequence is overlain by a series of intermediate flows, including green andesites and mottled dacitic flows, which generally contain 1-10% disseminated pyrite. The latter units are in a stratigraphic position that suggests that they may be part of the Mt. Dilworth formation (Anderson and Thorke1son, 1990), or correlative rocks. This is further supported by the fact that, although the dacites are strongly altered to quartz sericite and quartz chlorite schists, the mineralogy is such that the original volcanic rocks were felsic to intermediate, like the Mt. Dilworth rocks.

The potassium feldspar megacryst sills and dykes observed in outcrop and drill holes seem to intrude the sediments and volcanics concordantly. Drill core has revealed extensive intrusions in the subsurface that may be related to the monzonite sills. These grade from syenitic to dioritic and the more mafic intrusions are strongly magnetic. Their location corresponds to aeromagnetic anomalies at the base of Deadman's Gulch and across Del Norte Creek in the Bullion zone area. The subsurface intrusions largely coincide with an altered belt of volcanic rocks.

A weak to strong foliation occurs in most units in the Hardpan Creek area. The fabric is best expressed in the sediments. In the sediments and most volcanics, the strong foliation strikes approximately east-west, parallel to a series of faults in the area. In the altered belt the foliation trend is more toward the southeast, possibly indicating that some emplacement-related deformation may have taken place coincident with the monzonitic and related intrusions. Alternatively, the altered rocks could lie in a northeast trending fault-shear zone.

Numerous faults offset contacts, intrusive dykes, and mineralized zones. In the O-Zone (which lies a few metres uphill and south of the area of drilling in 2014) a sill similar to the plagioclase -hornblende porphyry sills on the north side of Del Norte Creek seems to cut across most of the faults without offset. This indicates that this set of faults is post-mineralization but pre-Tertiary in age.

All rock types exhibit mild propylitic alteration. Pervasive chlorite +/- epidote and calcite replacement and veining is probably related to regional tectonic events. This alteration has been overprinted by localized, more intense propylitic, and argillic alteration associated with later faulting, intrusive activity and mineralization. Fault systems are usually accompanied by intense ankerite - calcite and/or chlorite-propylitic alteration.

The altered belt is a 100 to 200 m wide band of moderate to intense phyllitic - argillic and propylitic alteration associated with monzonitic to dioritic intrusions. The zone trends northwest from the East Cliffs to the Humdinger Zone (figure 10) and across Del Norte Creek into the Bullion area.

In general, it appears that the argillic - phyllitic alteration is produced from more felsic rocks, while chlorite +/- iron carbonate alteration occurs in the more intermediate volcanic rocks. The contact between intrusive and volcanic rocks is not always strongly altered. This suggests that faulting and/or fracturing may have been important in allowing fluid movement adjacent to the intrusion. Alteration that is directly associated with the mineralization is discussed below.

Two types of mineralization are prominent, base metal and/or precious metal rich fissure type veins (+/-stringer stockwork) and gold-copper rich replacement type horizons. Extensive alteration coincides with and/or pervades mineralized systems and fracture and fault systems.

Fissure type mineralization is by far the most commonly found and can be further subdivided into zinc-lead rich or copper-gold rich veins or stringer stockworks. Both types are found in the two main rock types: intermediate volcaniclastics and intermediate to felsic volcanic flows. Results to date seem to indicate a trend of base metal zones in more intermediate volcanics and gold-copper in more felsic units. Base metal rich stringers have also been observed in float in sedimentary rocks just southwest of the Hardpan Creek area. The orientation of the veins and stringers closely coincide with the main

fracture and fault systems, trending towards the northwest, northeast and rarely east. Anomalous concentrations of either Au, Ag, Cu, Zn or Pb in alteration halos around these veins and/or stringer stockworks suggest that some could be transitional to a replacement horizon (e.g. the Monk and East Cliffs zones).

Zinc-lead rich zones vary from stringer stockworks (Twilight, Gorley) to massive and banded (Grizzly). Disseminated, fracture filling, vein and banded sulphides and oxides consist of specular hematite, sphalerite, galena, pyrite and traces of chalcopyrite. The honey-green colour of sphalerite indicates an iron-poor chemistry. The stringer stockwork systems average 1 - 1.5 % combined zinc> lead over widths ranging from 3 to 75 m. Grab samples of the < 5 cm wide vein material can run as high as 27.54 % Zn, 13.2 % Pb, 0.050 oz/ton Au and 4.03 oz/ton Ag. This type of mineralization is accompanied by moderate chloritization with "pockets" of ankerite-carbonate and rare, thin lenses of phyllitic and/or siliceous alteration. High zinc levels in nearby monzonite intrusives suggest a source for this mineralization.

The Grizzly Zone is unique in that several < 0.5 m wide bands of massive sphalerite » galena occur in carbonate and siliceous rich horizons hosted by volcanic flows and tuffs. This may just be a higher grade expression of the stringer systems or alternatively, considering the geological environment, could be indicative of a massive sulphide horizon.

Gold - copper rich fissure style mineralization occurs associated with more obvious quartz veining and stringer networks in generally more felsic volcanics. Sulphides consist of chalcopyrite and pyrite, occurring mainly in the veins or stringers. These "veins" range from discrete pods of quartz of less than 2 - 3 m in length (Monk, East Cliffs, Copper-Gold) to more substantial vein systems ranging up to 50 m (Humdinger, Downie). Gold and copper values are relatively erratic within the veins. Concentrations range from 0.020 oz/ton Au and 0.20 % Cu over 11 m at the Monk Showing (stringer stockwork) to 0.388 oz/ton Au, 2.05 oz/ton Ag, and 400 ppm Cu over 6 m at the Humdinger Zone (vein system). Alteration around the veins consists of moderate to intense chloritization and argillic - phyllitic with discrete areas of ankerite- carbonate. Alteration may be strong enough to change the original rocks to quartz-sericite or quartz-chlorite schists. Drilling results and alteration of the Humdinger and Monk Zones suggest a genetic relationship between intrusive activity, alteration and veining.

The only gold-copper replacement horizon found to date is the O-Zone. Host rocks and the precursor to the mineralized horizon are green and maroon and green volcanic crystal and lapilli tuffs and tuff breccia. The horizon appears to crosscut geology trending northwest to north northwest and dipping 30 - 50 degrees to the southwest. Offsets (on normal faults?) of as much as 20m are a common feature along northeast trending faults. Monzonitic dykes are common in and around the O-Zone and are extensively altered.

In the O- Zone, disseminated and fracture filling chalcopyrite pyrite (1 - 5 %) pervade a phyllitic and argillic altered horizon which has been overprinted by extensive, moderate ankerite-carbonate alteration probably related to faulting and fracturing. The horizon ranges between 6 - 15 m in width and has been delineated for a strike length of 176 m, open to the north and south, and a dip length of 35 m, open to depth. Averages of 0.100 to 0.200 oz/ton Au and 0.20 to 0.50 % Cu over 3 meters are

common within a wider, lower grade halo of < 0.015 to 0.04 oz/ton Au and 0.10 to 0.38 % Cu over widths ranging from 7 to 45 m. Mineralized halos often extend into ankerite-carbonate host rocks and fracture systems. On surface, higher grade results are often associated with podiform chalcopyrite occurring within 1 - 5 cm wide quartz veins, but these structures were not noted in drill core.

C. Diamond Drilling Program

a. Introduction

The 2014 program was aimed at testing a new zone of copper mineralization which had been recently exposed on the south side of Del Norte Creek just west of Deadman's Gulch. The drill pad was built approximately 150 metres southeast of a prominent showing where blue copper oxides are observed precipitating from ground water at surface. The mineralized zone is a strongly altered horizon. Ankerite-carbonate, argillic, phyllitic and potassic alteration occur with <1 – 5% disseminated and fracture filling chalcopyrite and lesser pyrite.

Five holes were drilled at varying dips from -45 to -70 degrees to test the extent of this mineralized structure.

A summary of the five holes follows:

Hole #	Pad #	UTM North (m)	UTM East (m)	Elevation (m)	Azimuth (deg.)	Dip (deg.)	Length (m)
D14-01	1	6205502	469970	1072	347	-45	78.64
D14-02	1	6205502	469970	1072	347	-57.5	171.30
D14-03	1	6205502	469970	1072	232	-45	75.90
D14-04	1	6205502	469970	1072	232	-60	140.51
D14-05	1	6205502	469970	1072	232	-70	125.58

b. Treatment of Data

Core from the holes was logged by Amanda Mullin, geologist. The most common assay interval was 1.52m, a few smaller or larger samples being taken where needed according to observed mineralization or structure. Detailed logs are presented in Appendix III.

The entire core for both holes was diamond sawed and each sample run for gold content (ppb tolerance) and 30 element ICP. This core was removed from the property and stored in Teuton's warehouse in Stewart.

A plan map of these holes is presented in Fig. 4. Vertical sections illustrating assay results and geology are shown in Figs.5-7.

c. Discussion

Significant intersections are summarized below:

Drill Hole	Interval (metres)	Length (metres)	Length (feet)	Gold (g/t)	Copper (%)	Silver (g/t)
D14-01	7.32 to 78.64	71.3	234.0	0.32	0.06	4.03
incl.	7.32 to 55.78	48.5	100.0	0.42	0.07	5.20
D14-02	21.95 to 162.46	140.5	461.0	0.26	0.09	1.57
incl.	43.59 to 81.99	38.4	126.0	0.49	0.10	2.78
incl.	86.26 to 101.50	15.2	50.0	0.33	0.15	1.29
D14-03	63.70 to 75.90	12.2	40.0	0.92	0.16	3.07
D14-04	19.51 to 110.03	90.5	297.0	0.15	0.08	0.74
incl.	19.51 to 33.83	14.3	47.0	0.36	0.17	1.12
D14-05	17.68 to 125.58	107.9	354.0	0.44	0.07	1.96
incl.	17.68 to 60.05	42.4	139.0	0.71	0.06	2.80

D14-01 was drilled northwestward from Pad 1 at a dip of -45 degrees to test the depth extension of the copper zone. It was collared within heavily broken sericite-chlorite altered intermediate intrusive rock displaying minor fine grained sphalerite and trace fine grained disseminated galena, intersecting a 25.91 metre zone of fine grained chalcopyrite within moderate quartz-carbonate stockwork veining from 28.35 metres to 54.25 metres down dip running 0.12 % Cu. The hole intersected a 71.3 metre interval running 0.32 g/t gold, 0.06% copper, and 4.03 g/t silver, from 7.32 to 78.64 metres.

D14-02 was drilled at the same azimuth as D14-01 at a steeper dip of -57.5 degrees. Phylllic altered intermediate volcanics were intersected to a depth of 171.31 metres, characterized by abundant fault gauge and moderate discontinuous quartz-carbonate stockwork veinlets. The 140.5 metre interval between 21.95 and 162.46 returned assay values of 0.26 g/t gold, 0.09% copper, and 1.57 g/t silver.

D14-03 was drilled southwestward from Pad 1 at a dip of -45 degrees to test the southern extension of the copper zone. The hole was collared within intermediate intrusives, intersecting a 12.2 metre chalcopyrite rich interval between 63.70 metres and 75.90 metres running 0.92 g/t gold, 0.16% copper, and 3.07 g/t silver. The mineralized interval is characterized by discontinuous 1-4cm wide quartz-carbonate veins containing patches of fine grained chalcopyrite.

D14-04 was drilled at the same azimuth as D14-03 at a steeper dip of -60 degrees. Mineralization throughout the hole was notably less than previously observed with only trace chalcopyrite apparent locally throughout the section. The hole was stopped at a depth of 140.51 in phyllitic altered intermediate volcanics. The hole intersected a 90.5 metre interval running 0.15 g/t gold, 0.08% Cu, and 0.74 g/t silver, from 19.51 metres to 110.03 metres.

D14-05 was drilled along the same section line as D14-03 and D14-04 at a steep dip of -70 degrees. The hole contained a 107.9 metre core length, from 17.68 metres to 125.58 metres, averaging 0.44 g/t gold, 0.07% copper, and 1.96 g/t silver, including a higher grade zone of 42.4 metres of 0.71 g/t Au, 0.06% copper, and 2.80 g/t silver between 17.68 metres and 60.05 metres. The hole was still in mineralization when it, unfortunately, had to be stopped due to inclement weather conditions.

Vertical drill sections showing assay results and geology can be seen in figures 5a-b and 6a-b.

D. Field Procedure, Core Details and Laboratory Analysis

Core drilling was undertaken with Elite's modified 2007 heli-portable Discovery I hydraulic diamond drill with capability to drill from -90 degrees to +45 degrees. The core size was BTW and fit into a standard core box.

Drill core was transported from the Del Norte property to the staging area just west of the Surprise Creek Bridge on Highway 37 by AStar B3 helicopter, where it was then taken by pick-up truck to the Teuton Resources' warehouse at 3rd St. and Columbia. At the warehouse the core was logged by Amanda Mullin, geologist, and intervals were marked off with metal tags as well as on the core with a permanent marker. The core was then transported to the Mt. Boy facility for diamond sawing. One half of the core was sampled and the other half retained in the core box and stored permanently at the Teuton warehouse.

Analytical blanks and standards were periodically placed within the core as part of the QA/QC protocols. Barren granite was used for blanks, and the standards that were used were purchased from a laboratory in Langley (assays for the standards showed small variability consistent with standard assay techniques and the blanks all registered nil gold).

Samples were packaged in clear plastic sample bags, sealed with plastic zip ties, and transported in sealed rice bags. Only employees of Teuton Resources Corp. had access to the samples at any time. Samples, standards and blanks were then shipped to the Pioneer Laboratories in Richmond, BC and Loring Laboratories in Calgary, AB.

After standard rock sample preparation, the 30 element Inductively Coupled Argon Plasma analysis was initiated by digesting a 0.5 gm sub-sample from each field specimen with 3ml 3-1-2 HCl-HNO₃-H₂O at 95 deg. C for one hour, followed by dilution to 10 ml with water. The Atomic Absorption measurement for ppb tolerance gold was preceded by subjecting 10 gram samples to standard fire-assay pre-concentration techniques to produce silver beads which were subsequently

dissolved.

E. Conclusions

The 2014 diamond drilling program was aimed at testing a new zone of copper mineralization which had been recently exposed on the south side of Del Norte Creek. Five holes were drilled into the target area, intersecting broad zones of bulk tonnage style, copper-gold mineralization. Hole D14-05, the deepest drilled in the program, was still in mineralization when it had to be stopped due to severe weather conditions. The hole returned anomalous results of 0.44 g/t gold, 0.07% copper, and 1.96 g/t silver over a 107.9 metre interval which included a higher grade section of 42.4 meters of 0.71 g/t Au, 0.06 % copper, and 2.80 g/t silver.

The mineralized intersections are interpreted as being part of a porphyry copper-gold system. Although the copper grades are low, the gold is well within the range of values associated with typical porphyry copper-gold deposits in British Columbia. True widths of the mineralization are not known. The author recommends geophysical surveys be undertaken to test for extensions of higher-grade material along strike and to depth of the 2014 target. Specifically, a deep IP and/or magnetotelluric survey should be carried out north for 500 metres, covering a zone from which nine silt samples taken in 1988 returned values ranging from 85 to 2040 ppb gold, 36 to 5328 ppm copper and 6 to 103 ppm molybdenum, and south for 500 metres, covering a copper-gold bearing fault zone discovered in 1991. Targets identified by such work should be followed up by further drilling.

Respectfully submitted,

D. Cremonese, P.Eng.
April 16th, 2015



440800

480800

6200000

6180000

6160000

6140000

British Columbia**Alaska**Stewart
Hyder**DEL NORTE**


- Del Norte Property
- Township
- Border
- River
- Highway
- Lake

TEUTON RESOURCES CORP.**DEL NORTE PROPERTY**

Skeena Mining Division, BC

Location Map

Scale:



NTS. No.	103P/104A	DATE
FIGURE	1	10/12/2014

To accompany report by Dino Cremonese

462800

464800

466800

468800

470800



6214000

6212000


6210000

6208000

6206000

6204000

6202000



TEUTON RESOURCES CORP.

DEL NORTE PROPERTY

Skeena Mining Division, BC

Claim Map


Scale:




NTS. No. 103P/104A DATE 10/12/2014

FIGURE 2

To accompany report by Dino Cremonese







TEUTON RESOURCES CORP.
DEL NORTE PROPERTY
Skeena Mining Division, BC
Drill Plan
Scale:
0 125 250 Km

NTS. No.	FIGURE	DATE
103P/104A	4	10/12/2014

To accompany report by Dino Cremonese



ROCK CODES	PAT	LABEL	DESCRIPTION
Strat_Code		CASE	Casing
		CZ	Copper Zone
		INT	Altered Intrusive



TEUTON RESOURCES CORP.

DEL NORTE PROPERTY


Skeena Mining Division, BC

Geological Section Showing D14-01 and D14-02


Scale:

0 5 10 20
Meters

NTS. No.	FIGURE	DATE
103P/104A	7	10/12/2014
To accompany report by Dino Cremonese		



ROCK CODES	PAT	LABEL	DESCRIPTION
Strat_Code		CASE	Casing
		CZ	Copper Zone
		INT	Altered Intrusive



TEUTON RESOURCES CORP.

DEL NORTE PROPERTY

Skeena Mining Division, BC


Geological Section Showing D14-03 to D14-05 Incl.

Scale:


0 5 10 20 Meters

NTS. No.	FIGURE	DATE
103P/104A	8	10/12/2014

To accompany report by Dino Cremonese



TEUTON RESOURCES CORP.		
DEL NORTE PROPERTY		
Skeena Mining Division, BC		
Assay Section Showing D14-01 and D14-02		
Scale:		
0	5	10
20	30	40
Meters		
NTS. No.	103P/104A	DATE
FIGURE	5	
To accompany report by Dino Cremonese		



TEUTON RESOURCES CORP.		
DEL NORTE PROPERTY Skeena Mining Division, BC		
Assay Section Showing D14-03 to D14-05 Incl.		Scale:
NTS. No.	103P/104A	DATE
FIGURE	5	
To accompany report by Dino Cremonese		

APPENDIX I - WORK COST STATEMENT

Field Personnel—Period August 11 to September 25th, 2014

D. Cremonese, P.Eng.	22 days @ \$800/day	17,600
Amanda Mullin, Geologist	23 days @ \$500/day	11,500
Food & Lodging/Misc. Costs	45 man-days @ \$75/man-day	3,375

Share of Project Costs (radios/sample transport/ /misc. supplies)

Helicopter Cost (Mustang Helicopters—Stewart/Meziadin camp)

Dates flown: Aug. 11, Sept. 5, 8-19 inclusive, 21--2014

10.5 hrs @ \$1,254.75/hr	13,175
25.5 hrs @ \$1417.50/hr	36,146
Jet Fuel	9,828
Pilot Minimums	1,915

Drilling Contract Costs--Elite Diamond Drilling—BTW Core

Sept. 10-21, incl. 2014	
Meterage Based Charges: 589m @ \$84/m	49,476
Hourly Based Charges (Labour and Drill Operating Charges)	
295 hrs. & \$63/hr.	18,585
Mobilization 55.2% of \$4,943	2,729
Reflex EZShot Rental 55.2% of \$1,876	1,036

MJLP Camp Services---Drill Crew Accomodation and Board

Axis Mountain – Pad Building	
Core Cutting: 55.2% of \$3.400	1,877
Core Boxes: 55.2% of \$3,453	1,906
Pad Lumber (Drill and Helicopter pads)	4,116

Assay costs—Pioneer Laboratories

geochem + 30 elem. ICP + rock sample prep	
305 @ \$22.06/sample	6,728

Assay costs – Lorimer Labs

geochem + 30 elem. ICP + rock sample prep	
65 @ \$27.78/sample	1,805

Report Costs

Report and map preparation, compilation and research	
D. Cremonese, P.Eng., 3.0 days @ \$800/day	2,400
Draughting:	1,200

TOTAL..... \$200,209

Amount Claimed Per Statement of Work (not including 30% PAC withdrawal add-on)

Per SOW #5527010	\$ 27,250
Per SOW #5541469	\$ 63,200
Per SOW #5542300*	\$ 56,300
Per SOW #5544184*	\$ 5,800
Per SOW #5551395*	\$ 46,000
Total	\$198,550

*These Statements of Work begin on Sept. 13, 2014. The author confirms that there was ample work done after these dates (because drilling had just begun) to justify the amounts claimed.

[Please adjust PAC account accordingly]

APPENDIX II – CERTIFICATE OF QUALIFICATION

I, Dino M. Cremonese, do hereby certify that:

1. I am a mineral property consultant with an office at #202-2187 Oak Bay Avenue, Victoria, B.C.
2. I am a graduate of the University of British Columbia (B.A.Sc. in metallurgical engineering, 1972, and L.L.B., 1979).
3. I am a Professional Engineer registered with the Association of Professional Engineers of the Province of British Columbia as a resident member, #13876.
4. I have practiced my profession since 1979.
5. This report is based upon work carried out on the Del Norte property, Mining Division in August and September of 2014. Reference to field notes, maps and drill logs made by geologist A. Mullin is acknowledged.
6. I am a principal of Teuton Resources Corp., owner of the Del Norte property: this report was prepared solely for satisfying assessment work requirements in accordance with government regulations.

Dated at Victoria, B.C. this 16th day of April, 2015.

D. Cremonese, P.Eng.

APPENDIX III**DRILL LOGS**

Teuton Resources Corporation

Drill Hole: D14-01						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin							
Azi	167	Dip	-45			Depth: 78.64m	Date: September, 2014							
Primary Intervals		Secondary Intervals					Sample Interval							
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)	
0.00	7.32			Casing	CASE	Casing	723787	7.32	8.53	1.22	539.00	385	4	
7.32	78.64			Altered Intrusive	INT	Pale grey-green, moderately sericite-chlorite altered with strong manganese and limonite staining throughout; primary textures have been distorted, however, protolith appears to be intrusive in character with some pieces showing small 1mm pyroxene, hornblend, and plagioclase phenocrysts; rock is highly fractured, ~90% broken rock with up to 10% gauge locally; fine grained blebby sphalerite <1% and fine grained galena <1% disseminated throughout unit; moderate qtz-carb stockwork veining; fine grained chalcopyrite occurs in association with qtz-carb stringers up to 10% locally.	723788	8.5344	9.4488	0.9144	256	335.7	4	
		7.32	12.19			Intense Fe ox; abundant gauge (10%)	723789	9.45	10.36	0.91	689	344	3.5	
		29.78	35.36			heightened puple sheen manganese staining	723790	blank	blank	0.00	45	11	0.5	
						EOH at 78.64m	723791	10.36	11.58	1.22	998	344	5.5	
							723792	11.58	13.11	1.52	322	280	5	
							723794	13.11	14.63	1.52	276	336	18	
							723795	14.63	15.54	0.91	374	359	4	
							723796	15.54	16.46	0.91	742	442	3.5	
							723797	16.46	17.98	1.52	993	419	2.5	
							723798	17.98	18.90	0.91	172	310	2.5	
							723799	18.90	19.81	0.91	187	418	5	
							723800	std	std	0.00	717	6984	4.5	
							723801	19.81	20.73	0.91	295	388	8.5	
							723802	20.73	23.77	3.05	182	239	4.5	
							723803	23.77	25.30	1.52	510	278	5	
							723804	25.30	26.82	1.52	1042	366	6.5	
							723805	26.82	28.35	1.52	1162	398	9.5	
							723806	28.35	28.86	0.52	1062	922	27	

Teuton Resources Corporation

Drill Hole: D14-01						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	167	Dip	-45			Depth: 78.64m	Date: September, 2014						
Primary Intervals		Secondary Intervals							Sample Interval				
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723807	28.86	29.32	0.46	1960	511	127.5
							723808	29.32	30.39	1.07	288	339	3
							723809	30.39	32.92	2.53	101	582	2.5
							723810	blank	blank	0.00	32	5	1
							723811	32.92	33.83	0.91	97	895	2.5
							723812	33.83	34.75	0.91	507	623	4.5
							723813	34.75	35.97	1.22	152	751	1.5
							723814	35.97	36.88	0.91	249	1333	3
							723815	36.88	37.80	0.91	229	938	2
							723816	37.80	39.01	1.22	60	937	1
							723817	39.01	39.93	0.91	61	627	1
							723818	39.93	40.84	0.91	51	739	2
							723819	40.84	42.06	1.22	53	867	2
							723820	std	std	0.00	684	6914	5
							723821	42.06	42.98	0.91	37	1039	2
							723822	42.98	43.89	0.91	24	465	2
							723823	43.89	45.11	1.22	151	1102	2
							723824	45.11	46.63	1.52	439	2485	2
							723825	46.63	48.16	1.52	593	3025	4.5
							723826	48.16	49.68	1.52	199	982	2.5
							723827	49.68	51.21	1.52	381	1230	1.5
							723828	51.21	52.73	1.52	325	1385	1
							723829	52.73	54.25	1.52	254	981	1.5
							723830	blank	blank	0.00	85	5	0.5
							723831	54.25	55.78	1.52	1330	270	0.5
							723832	55.78	57.30	1.52	66	102	1
							723833	57.30	58.83	1.52	48	167	1
							723834	58.83	60.35	1.52	58	351	2
							723835	60.35	61.26	0.91	68	256	2
							723836	61.26	62.18	0.91	70	350	3
							723837	62.18	63.40	1.22	160	374	2.5
							723838	63.40	64.31	0.91	137	392	1.5

Teuton Resources Corporation

Drill Hole: D14-01					Del Norte Property - Cu-Au Target		Logged By: Amanda Mullin						
Azi	167	Dip	-45			Depth: 78.64m	Date: September, 2014						
Primary Intervals		Secondary Intervals				Sample Interval							
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723839	64.31	65.23	0.91	50	158	1
							723840	std	std	0.00	638	6909	3.5
							723841	65.23	66.45	1.22	122	257	1
							723842	66.45	67.36	0.91	61	230	2
							723843	67.36	68.28	0.91	68	128	1.5
							723844	68.28	69.49	1.22	70	112	1.5
							723845	69.49	70.41	0.91	144	110	1.5
							723846	70.41	71.32	0.91	84	202	2
							723847	71.32	72.54	1.22	66	170	2
							723848	72.54	74.07	1.52	76	304	0.5
							723849	74.07	75.59	1.52	77	389	2
							723850	blank	blank	0.00	28	5	0.5
							723851	75.59	77.11	1.52	93	289	1
							723852	77.11	78.64	1.52	209	212	1.5

Teuton Resources Corporation

Drill Hole: D14-02						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin							
Azi	167	Dip	-57.5			Depth: 171.30m	Date: September, 2014							
Primary Intervals		Secondary Intervals					Sample Interval							
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)	
0.00	21.95			Casing	CASE	Casing	723853	21.95	25.30	3.35	195	670	3.6	
21.95	171.30			Altered Intrusive	INT	Pale grey-green, moderately sericite-chlorite altered with strong manganese and limonite staining throughout; primary textures have been distorted, however, protolith appears to be intrusive in character with some pieces showing small 1mm pyroxene, hornblend, and plagioclase phenocrysts; rock is highly fractured, ~90% broken rock with up to 10% gauge locally; fine grained blebby sphalerite <1% and fine grained galena <1% disseminated throughout unit; moderate qtz-carb stockwork veining; fine grained chalcopyrite occurs in association with qtz-carb stringers up to 10% locally.	723854	25.30	26.82	1.52	75	191	1.4	
		86.26	98.45	Copper Zone	CZ	copper zone; all broken rock; fine grained chalcopyrite mineralization (2-3%) within qtz/carb veinlets; minor sphalerite; 4-5% coarse cubed disseminated pyrite; black chlorite apparent in a few spots and sericite alteration tends to increase within higher copper concentrated sections.	723855	26.82	28.35	1.52	85	328	0.5	
		122.99	171.30			competant intrusive rock; sericite and carbonate alteration gradually increases down section; multiple vuggy cross cutting qtz/carb veinlets; fine grained disseminated sphalerite; trace galena found locally in association with qtz/carb veins; specularie 1mm fracture fillings noted throughout with greater abundance down section; fine grained blebby chalcopyrite at 148.5m and 153.2m.	723856	28.35	29.87	1.52	225	464	1.7	
						EOH at 171.30m	723857	29.87	31.39	1.52	110	554	1.6	

Teuton Resources Corporation

Drill Hole: D14-02					Del Norte Property - Cu-Au Target		Logged By: Amanda Mullin						
Azi	167	Dip	-57.5			Depth: 171.30m	Date: September, 2014						
Primary Intervals		Secondary Intervals				Sample Interval							
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723858	31.39	32.31	0.91	105	547	1.4
							723859	32.31	33.22	0.91	105	1111	0.8
							723860	std	std	0.00	650	7302	2.8
							723861	33.22	34.44	1.22	95	1496	1
							723862	34.44	35.36	0.91	17	459	0.4
							723863	35.36	36.27	0.91	1080	1074	3.6
							723864	36.27	37.19	0.91	20	508	1
							723865	37.19	38.10	0.91	245	566	1.8
							723866	38.10	39.01	0.91	460	562	1.7
							723867	39.01	40.54	1.52	110	544	1.6
							723868	40.54	42.06	1.52	12	704	0.8
							723869	42.06	43.59	1.52	175	1278	4.8
							723870	blank	blank	0.00	2	5	0.2
							723871	43.59	45.11	1.52	835	3190	11.8
							723872	45.11	46.63	1.52	180	384	1
							723873	46.63	48.16	1.52	640	778	2
							723874	48.16	49.68	1.52	445	1125	3.2
							723875	49.68	51.21	1.52	4650	3083	22
							723876	51.21	52.73	1.52	305	883	1.6
							723877	52.73	53.64	0.91	180	375	1.2
							723878	53.64	54.56	0.91	190	420	0.6
							723879	54.56	55.78	1.22	120	495	0.8
							723880	std	std	0.00	660	7390	2.9
							723881	55.78	58.83	3.05	265	1009	1
							723882	58.83	60.35	1.52	225	1046	3.4
							723883	60.35	61.87	1.52	120	589	0.6
							723884	61.87	62.79	0.91	75	254	0.4
							723885	62.79	63.70	0.91	70	147	0.6
							723886	63.70	64.92	1.22	460	524	1.4
							723887	64.92	66.45	1.52	425	2671	4
							723888	66.45	67.97	1.52	280	1300	1.8
							723889	67.97	69.49	1.52	460	986	3

Teuton Resources Corporation

Drill Hole: D14-02					Del Norte Property - Cu-Au Target		Logged By: Amanda Mullin						
Azi	167	Dip	-57.5			Depth: 171.30m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723890	blank	blank	0.00	4	4	0.2
							723891	69.49	71.02	1.52	205	702	1
							723892	71.02	72.54	1.52	180	357	0.6
							723893	72.54	74.07	1.52	185	517	1
							723894	74.07	74.98	0.91	240	531	1
							723895	74.98	75.90	0.91	280	747	0.8
							723896	75.90	77.11	1.22	205	802	1
							723897	77.11	78.03	0.91	1590	617	5.8
							723898	78.03	78.94	0.91	180	580	1.2
							723899	78.94	80.16	1.22	90	247	0.4
							723900	std	std	0.00	670	7321	2.9
							723901	80.16	81.08	0.91	280	460	1.2
							723902	81.08	81.99	0.91	210	520	1
							723903	81.99	83.21	1.22	68	440	0.6
							723904	83.21	84.12	0.91	18	223	0.4
							723905	84.12	85.04	0.91	10	77	0.2
							723906	85.04	86.26	1.22	95	834	1.6
							723907	86.26	87.17	0.91	580	9040	6
							723908	87.17	88.09	0.91	245	1257	2
							723909	88.09	89.00	0.91	80	392	0.6
							723910	89.00	90.83	1.83	640	958	1.2
							723912	90.83	92.05	1.22	445	712	0.6
							723913	92.05	93.27	1.22	205	1083	0.8
							723914	93.27	94.18	0.91	200	1802	1
							723915	94.18	95.40	1.22	80	915	0.6
							723916	95.40	96.93	1.52	840	1681	1.3
							723917	96.93	98.45	1.52	245	1260	1.2
							723918	98.45	101.50	3.05	120	711	0.8
							723919	101.50	104.55	3.05	52	306	0.2
							723920	104.55	107.59	3.05	85	655	0.2
							723921	107.59	110.64	3.05	235	1104	1.4
							723922	110.64	112.17	1.52	215	1195	1

Teuton Resources Corporation

Drill Hole: D14-02					Del Norte Property - Cu-Au Target		Logged By: Amanda Mullin						
Azi	167	Dip	-57.5			Depth: 171.30m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723923	112.17	113.69	1.52	70	419	0.5
							723924	113.69	116.74	3.05	75	354	0.4
							723925	116.74	119.79	3.05	58	452	0.3
							723926	119.79	122.99	3.20	70	362	0.6
							723927	122.99	124.36	1.37	68	607	0.4
							723928	124.36	125.88	1.52	215	2056	1.4
							723929	125.88	127.41	1.52	205	1538	1.2
							723930	blank	blank	0.00	5	6	0.2
							723931	127.41	128.93	1.52	130	294	0.8
							723932	128.93	130.45	1.52	175	1172	0.6
							723933	130.45	131.98	1.52	105	1449	2.4
							723934	131.98	133.50	1.52	38	164	0.6
							723935	133.50	135.03	1.52	135	952	0.8
							723936	135.03	136.55	1.52	275	1452	1.5
							723937	136.55	138.07	1.52	180	603	1.4
							723938	138.07	139.60	1.52	235	1715	0.8
							723939	139.60	141.12	1.52	28	347	0.6
							723940	std	std	0.00	670	7352	2.9
							723941	141.12	142.65	1.52	120	580	0.6
							723942	142.65	144.17	1.52	105	761	0.8
							723943	144.17	145.69	1.52	15	1411	0.9
							723944	145.69	147.22	1.52	135	1115	0.6
							723945	147.22	148.74	1.52	105	874	1
							723946	148.74	150.27	1.52	26	459	0.7
							723947	150.27	151.79	1.52	135	1020	0.6
							723948	151.79	153.31	1.52	235	1793	1.2
							723949	153.31	154.84	1.52	195	1344	0.6
							723950	blank	blank	0.00	3	6	0.2
							723951	154.84	156.36	1.52	215	1105	1
							723952	156.36	157.89	1.52	560	2436	2
							723953	157.89	159.41	1.52	28	280	0.4
							723954	159.41	160.93	1.52	335	768	1

Teuton Resources Corporation

Drill Hole: D14-02					Del Norte Property - Cu-Au Target		Logged By: Amanda Mullin						
Azi	167	Dip	-57.5			Depth: 171.30m	Date: September, 2014						
Primary Intervals		Secondary Intervals				Sample Interval							
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723955	160.93	162.46	1.52	120	445	0.4
							723956	162.46	163.98	1.52	12	88	0.2
							723957	163.98	165.51	1.52	115	727	0.6
							723958	165.51	167.03	1.52	32	1006	0.8
							723959	167.03	168.55	1.52	18	280	0.4
							723960	std	std	0.00	690	7352	2.9
							723961	168.55	170.08	1.52	59	244	0.6
							723962	170.08	171.30	1.22	38	43	0.2

Teuton Resources Corporation

Drill Hole: D14-03						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-45			Depth: 75.90m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
0.00	14.94			Casing	CASE	Casing	723963	14.94	16.46	1.52	315	561	2.2
14.94	75.90			Altered Intrusive	INT	Pale grey-green, moderately sericite-chlorite altered with strong manganese and limonite staining throughout; primary textures have been distorted, however, protolith appears to be intrusive in character with some pieces showing small 1mm pyroxene, hornblend, and plagioclase phenocrysts; rock is highly fractured, ~90% broken rock with up to 10% gauge locally; fine grained blebby sphalerite <1% and fine grained galena <1% disseminated throughout unit; moderate qtz-carb stockwork veining; fine grained chalcopyrite occurs in association with qtz-carb stringers up to 10% locally.	723964	16.46	17.98	1.52	695	854	11.2
		53.04	68.28	Copper Zone	CZ	copper zone; all broken rock; fine grained cpy (1-2% overall) noted in association with qtz/carb veins; strength of chlorite and sericite alteration increases in this section.	723965	17.98	19.51	1.52	68	699	1.8
		61.02	61.33			3cm wide qtz-carbonate vein oriented at 35 deg tca; 1% fine grained chalcopyrite; 1-2% fine grained galena.	723966	19.51	21.03	1.52	110	769	1.2
		61.33	64.77			all broken with 6-7% gauge; trace fine grained chalcopyrite noted in a few spots - 61.43m, 62.01m, 63.77m, 64.68m.	723967	21.03	24.08	3.05	28	723	0.6
		64.77	65.715			highly brecciated siliceous zone with 8-10% fine grained chalcopyrite, 1-2% fine grained galena, 2-3% coarse cubed pyrite.	723968	24.08	27.13	3.05	20	1841	0.8
		65.71	68.28			all broken with 5-6% gauge; trace fine grained chalcopyrite noted at 67.45m, 67.66m, 68.29m, 68.28m.	723969	27.13	28.65	1.52	16	326	0.6

Teuton Resources Corporation

Drill Hole: D14-03						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-45			Depth: 75.90m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
		68.28	75.90	Altered Intrusive	INT	As above description with much less fracturing, abundant carbonate patches and quartz- carbonate 0.5-2cm stringers; rock grades to more sericite altered down the section; 1-2% coarse cubed disseminated pyrite; trace sphalerite at 69.31m.	723970	blank	blank	0.00	2	6	0.2
						EOH at 75.90m	723971	28.65	30.18	1.52	12	349	0.4
							723972	30.18	31.70	1.52	13	278	0.6
							723973	31.70	33.22	1.52	22	380	0.4
							723974	33.22	34.75	1.52	10	298	0.8
							723975	34.75	36.27	1.52	39	252	0.2
							723976	36.27	37.80	1.52	48	339	0.4
							723977	37.80	39.32	1.52	65	298	0.6
							723978	39.32	40.84	1.52	80	262	0.2
							723979	40.84	42.37	1.52	59	182	0.6
							723980	std	std	0.00	660	7311	2.9
							723981	42.37	43.89	1.52	8	167	0.8
							723982	43.89	45.42	1.52	17	25	0.4
							723983	45.42	46.94	1.52	16	41	0.3
							723984	46.94	48.46	1.52	40	306	0.4
							723985	48.46	49.99	1.52	43	65	0.7
							723986	49.99	51.51	1.52	62	88	0.6
							723987	51.51	53.04	1.52	16	113	0.4
							723988	53.04	56.08	3.05	19	82	0.6
							723989	56.08	57.61	1.52	20	44	0.3
							723990	blank	blank	0.00	2	6	0.2
							723991	57.61	59.13	1.52	16	78	0.4
							723992	59.13	61.02	1.89	14	78	0.6
							723993	61.02	61.33	0.30	540	5388	17.1
							723994	61.33	62.48	1.16	32	114	0.6
							723995	62.48	63.70	1.22	61	66	0.2
							723996	63.70	64.77	1.07	1960	9943	5.4

Teuton Resources Corporation

Drill Hole: D14-03						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-45			Depth: 75.90m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723997	64.77	65.71	0.94	7950	182	22.8
							723998	65.71	66.75	1.04	510	5079	3.6
							723999	66.75	68.28	1.52	310	36	0.2
							724000	std	std	0.00	660	7433	2.9
							723251	68.28	69.80	1.52	47	102	0.2
							723252	69.80	71.32	1.52	110	213	0.8
							723253	71.32	72.85	1.52	115	1239	1.4
							723254	72.85	74.37	1.52	10	65	0.2
							723255	74.37	75.90	1.52	140	352	1.4

Teuton Resources Corporation

Drill Hole: D14-04						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin							
Azi	232	Dip	-60			Depth: 140.51m	Date: September, 2014							
Primary Intervals		Secondary Intervals					Sample Interval							
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)	
0.00	19.51			Casing	CASE	Casing	723256	19.51	21.64	2.13	110	561	0.6	
19.51	140.51			Altered Intrusive	INT	Pale grey-green, moderately sericite-chlorite altered with strong manganese and limonite staining throughout; primary textures have been distorted, however, protolith appears to be intrusive in character with some pieces showing small 1mm pyroxene, hornblend, and plagioclase phenocrysts; rock is highly fractured, ~90% broken rock with up to 10% gauge locally; fine grained blebby sphalerite <1% and fine grained galena <1% disseminated throughout unit; moderate qtz-carb stockwork veining; fine grained chalcopyrite occurs in association with qtz-carb stringers up to 10% locally.	723257	21.64	23.16	1.52	80	712	0.8	
		24.69	140.51			pale grey, very soft, heavily sericite altered; strong limonite alt; all broken material; local qtz/carb veinlets; slightly more competent and more chlorite altered between 79.6m and 100.9m with strong foliation at 0-10 deg tca; abundant 1mm specularite veinlets; 100.9m to 140.51 all rock is completely broken with moderate fault gauge, abundant specularite observed within fragments.	723258	23.16	24.69	1.52	85	891	0.7	
						EOH at 140.51m	723259	24.69	26.21	1.52	280	517	0.8	
							723260	std	std	0.00	675	7312	2.9	
							723261	26.21	27.74	1.52	120	412	0.2	
							723262	27.74	30.78	3.05	1120	5627	3.2	
							723263	30.78	33.83	3.05	195	629	0.4	
							723264	33.83	35.36	1.52	75	462	0.2	
							723265	35.36	36.88	1.52	175	1455	1.6	

Teuton Resources Corporation

Drill Hole: D14-04						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-60			Depth: 140.51m	Date: September, 2014						
Primary Intervals		Secondary Intervals							Sample Interval				
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723266	36.88	38.40	1.52	85	139	0.2
							723267	38.40	39.93	1.52	135	222	0.6
							723268	39.93	41.45	1.52	95	780	0.2
							723269	41.45	42.98	1.52	36	453	0.3
							723270	blank	blank	0.00	2	5	0.2
							723271	42.98	44.50	1.52	195	1281	1.2
							723272	44.50	46.02	1.52	75	291	0.4
							723273	46.02	47.55	1.52	110	699	0.2
							723274	47.55	49.07	1.52	95	774	0.8
							723275	49.07	50.60	1.52	80	249	0.6
							723276	50.60	52.12	1.52	115	231	0.2
							723277	52.12	53.64	1.52	60	167	0.4
							723278	53.64	55.17	1.52	23	127	0.3
							723279	55.17	56.69	1.52	38	120	0.2
							723280	std	std	0.00	670	7334	2.9
							723281	56.69	58.22	1.52	56	336	0.2
							723282	58.22	59.74	1.52	41	130	0.3
							723283	59.74	61.26	1.52	8	17	0.2
							723284	61.26	62.79	1.52	38	72	0.4
							723285	62.79	64.31	1.52	19	68	0.2
							723286	64.31	67.36	3.05	10	564	1.4
							723287	67.36	68.88	1.52	135	1588	1.2
							723288	68.88	70.41	1.52	110	211	0.2
							723289	70.41	71.93	1.52	175	310	0.4
							723290	blank	blank	0.00	2	4	0.2
							723291	71.93	73.46	1.52	335	279	1
							723292	73.46	74.98	1.52	110	207	0.5
							723293	74.98	76.50	1.52	90	90	0.4
							723294	76.50	78.03	1.52	80	206	0.8
							723295	78.03	79.55	1.52	75	461	0.6
							723296	79.55	82.60	3.05	195	631	0.8
							723297	82.60	84.12	1.52	38	367	0.5

Teuton Resources Corporation

Drill Hole: D14-04						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-60			Depth: 140.51m	Date: September, 2014						
Primary Intervals		Secondary Intervals							Sample Interval				
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723298	84.12	85.65	1.52	275	1477	0.4
							723299	85.65	87.17	1.52	195	535	0.6
							723300	std	std	0.00	670	7375	2.8
							723301	87.17	88.70	1.52	280	5909	4.8
							723302	88.70	90.22	1.52	54	321	0.6
							723303	90.22	91.74	1.52	20	315	0.4
							723304	91.74	93.27	1.52	340	1823	1.4
							723305	93.27	94.79	1.52	45	282	0.2
							723306	94.79	96.32	1.52	275	1229	0.8
							723307	96.32	97.84	1.52	270	882	0.9
							723308	97.84	99.36	1.52	29	518	0.2
							723309	99.36	100.89	1.52	70	544	0.6
							723310	blank	blank	0.00	2	6	0.2
							723311	100.89	102.41	1.52	85	806	0.7
							723312	102.41	103.94	1.52	47	346	0.6
							723313	103.94	105.46	1.52	120	603	0.4
							723314	105.46	106.98	1.52	51	504	0.5
							723315	106.98	108.51	1.52	240	826	1
							723316	108.51	110.03	1.52	195	308	0.4
							723317	110.03	111.56	1.52	39	95	0.2
							723318	111.56	113.08	1.52	41	279	0.4
							723319	113.08	114.60	1.52	34	214	0.2283
							723320	std	std	0.00	670	7333	2.9
							723321	114.60	116.13	1.52	38	231	0.3
							723322	116.13	117.65	1.52	24	121	0.2
							723323	117.65	119.18	1.52	41	125	0.3
							723324	119.18	120.70	1.52	26	129	0.2233
							723325	120.70	122.22	1.52	95	129	0.3
							723326	122.22	123.75	1.52	18	74	0.2
							723327	123.75	125.27	1.52	43	129	0.3
							723328	125.27	126.80	1.52	16	54	0.2
							723329	126.80	128.32	1.52	70	206	0.3

Teuton Resources Corporation

Drill Hole: D14-04						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-60			Depth: 140.51m	Date: September, 2014						
Primary Intervals		Secondary Intervals				Sample Interval							
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723330	blank	blank	0.00	3	7	0.2
							723331	128.32	129.84	1.52	21	175	0.6
							723332	129.84	131.37	1.52	18	162	0.2
							723333	131.37	132.89	1.52	32	107	0.3
							723334	132.89	134.42	1.52	80	163	0.2
							723335	134.42	135.94	1.52	110	106	0.3
							723336	135.94	137.46	1.52	110	126	0.2
							723337	137.46	138.99	1.52	69	117	0.3
							723338	138.99	140.51	1.52	42	70	0.2

Teuton Resources Corporation

Drill Hole: D14-05						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-70			Depth: 125.58m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
0.00	17.68			Casing	CASE	Casing	723339	17.68	18.90	1.22	225.00	255	1
17.68	125.58			Altered Intrusive	INT	Pale grey-green, moderately sericite-chlorite altered with strong manganese and limonite staining throughout; primary textures have been distorted, however, protolith appears to be intrusive in character with some pieces showing small 1mm pyroxene, hornblend, and plagioclase phenocrysts; rock is highly fractured, ~90% broken rock with up to 10% gauge locally; fine grained blebby sphalerite <1% and fine grained galena <1% disseminated throughout unit; moderate qtz-carb stockwork veining; fine grained chalcopyrite occurs in association with qtz-carb stringers up to 10% locally.	723340	std	std	0.00	660	7368	2.9
		67.67	125.58			heightened copper zone; slightly more competent, moderately chloritic; abundant qtz/carbonate stringers; minor disseminated and fine grained blebby chalcopyrite.	723341	18.90	20.42	1.52	310	304	1
							723342	20.42	21.95	1.52	3450	1289	6.4
						EOH at 125.58m	723343	21.95	23.47	1.52	285	491	1.2
							723344	23.47	24.99	1.52	690	377	1.6
						Hole ended short due to severe weather conditions.	723345	24.99	26.52	1.52	340	538	0.6
							723346	26.52	28.04	1.52	450	343	0.8
							723347	28.04	29.57	1.52	540	585	2.6
							723348	29.57	31.09	1.52	24	409	1.6
							723349	31.09	32.61	1.52	625	1706	6.2
							723350	blank	blank	0.00	2	4	0.2
							723351	32.61	34.14	1.52	8150	5060	36.6
							723352	34.14	35.66	1.52	810	852	3.8
							723353	35.66	37.19	1.52	345	657	1.8
							723354	37.19	40.23	3.05	180	413	1.6
							723355	40.23	41.76	1.52	585	225	0.8

Teuton Resources Corporation

Drill Hole: D14-05						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-70			Depth: 125.58m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723356	41.76	43.28	1.52	640	324	0.4
							723357	43.28	44.81	1.52	195	298	0.5
							723358	44.81	46.33	1.52	305	144	0.4
							723359	46.33	47.85	1.52	120	191	1.2
							723360	std	std	0.00	660	7462	2.8
							723361	47.85	49.38	1.52	180	161	0.6
							723362	49.38	50.90	1.52	23	61	0.2
							723363	50.90	52.43	1.52	135	361	1
							723364	52.43	55.47	3.05	140	272	1
							723365	55.47	57.00	1.52	260	277	1.2
							723366	57.00	58.52	1.52	240	852	1.2
							723367	58.52	60.05	1.52	125	336	0.2
							723368	60.05	61.57	1.52	70	376	0.3
							723369	61.57	63.09	1.52	65	215	0.2
							723370	blank	blank	0.00	3	5	0.3
							723371	63.09	64.62	1.52	18	148	0.2
							723372	64.62	67.67	3.05	135	330	0.3
							723373	67.67	69.19	1.52	42	714	0.2
							723374	69.19	70.71	1.52	305	817	2
							723375	70.71	73.76	3.05	195	1231	1.2
							723376	73.76	75.29	1.52	305	1118	1
							723377	75.29	76.81	1.52	180	631	1.1
							723378	76.81	78.33	1.52	75	586	1.2
							723379	78.33	79.86	1.52	280	1260	1.4
							723380	std	std	0.00	670	7365	2.9
							723381	79.86	81.38	1.52	445	1113	1
							723382	81.38	82.91	1.52	52	479	1.1
							723383	82.91	85.95	3.05	110	436	0.6
							723384	85.95	89.00	3.05	75	455	0.7
							723385	89.00	92.05	3.05	190	1054	1.4
							723386	92.05	93.57	1.52	360	1903	2.6
							723387	93.57	95.10	1.52	285	1427	1.8

Teuton Resources Corporation

Drill Hole: D14-05						Del Norte Property - Cu-Au Target	Logged By: Amanda Mullin						
Azi	232	Dip	-70			Depth: 125.58m	Date: September, 2014						
Primary Intervals		Secondary Intervals					Sample Interval						
From (m)	To (m)	From (m)	To (m)	LITHOLOGY	CODE	Geological Description: Mineralization, Structure, Alteration	Sample No.	From (m)	To (m)	Width (m)	Au (ppb)	Cu (ppm)	Ag (ppm)
							723388	95.10	96.62	1.52	85	312	0.6
							723389	96.62	98.15	1.52	280	1210	1.2
							723390	blank	blank	0.00	2	5	0.2
							723391	98.15	99.67	1.52	240	1198	1
							723392	99.67	101.19	1.52	195	789	1.2
							723393	101.19	102.72	1.52	32	112	0.8
							723394	102.72	104.24	1.52	12	64	0.4
							723395	104.24	106.38	2.13	260	650	2
							723396	106.38	107.29	0.91	150	127	0.6
							723397	107.29	108.81	1.52	1150	98	1.4
							723398	108.81	110.34	1.52	75	151	0.6
							723399	110.34	111.86	1.52	780	189	3.4
							723400	std	std	0.00	670	7319	2.8
							723401	111.86	113.39	1.52	465	281	2.6
							723402	113.39	114.91	1.52	180	477	1
							723403	114.91	116.43	1.52	12	255	0.6
							723404	116.43	117.04	0.61	90	448	1
							723405	117.04	119.48	2.44	85	430	1.2
							723406	119.48	121.01	1.52	380	373	1.6
							723407	121.01	122.53	1.52	725	2978	9.2
							723408	122.53	124.05	1.52	680	628	2.4
							723409	124.05	125.58	1.52	1380	984	4.8

APPENDIX IV**ASSAY CERTIFICATES**



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 403-274-2777 Fax: 403-275-0541
loringlabs@telus.net

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : October 28, 2014
Samples : Core

Attn: Amanda Mullin

32 ELEMENT ICP ANALYSIS

Sample No.	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
722759	3.0	1.06	11	32	1043	<1	7	1.30	2	7	22	1	1.94	0.21	9	0.53	728	1	0.01	3	0.07	2	4	72	17	0.01	<1	<1	24	2	53	2
722760	3.5	1.58	8	32	85	<1	9	0.80	3	10	80	6693	2.49	0.12	1	0.61	354	62	0.09	16	0.04	16	15	41	21	0.09	<1	<1	47	4	47	5
722761	6.0	0.72	1138	33	64	<1	14	1.43	4	15	39	124	3.61	0.24	<1	0.40	354	3	0.01	8	0.13	10	120	43	31	<0.01	<1	<1	48	1	28	2
722762	16.5	0.35	1068	31	47	<1	14	0.39	4	12	64	43	3.70	0.20	<1	0.03	71	1	0.01	6	0.11	15	68	13	32	<0.01	<1	4	20	1	39	2
722763	2.5	0.49	319	32	54	<1	11	0.50	3	13	51	34	3.33	0.26	<1	0.08	86	2	0.01	7	0.14	13	37	16	29	<0.01	<1	3	22	1	25	2
722764	5.5	0.42	1139	32	42	<1	15	0.57	4	13	76	79	4.06	0.22	<1	0.05	77	2	0.01	12	0.16	22	93	18	36	<0.01	<1	6	19	1	18	3
722765	17.5	0.41	2382	32	32	<1	18	0.65	5	10	98	52	4.69	0.23	<1	0.03	34	9	0.01	8	0.23	53	145	22	42	<0.01	1	8	19	1	22	3
722766	3.5	0.38	892	32	52	<1	13	0.44	6	9	73	39	3.61	0.22	<1	0.03	56	2	0.01	6	0.11	22	65	21	31	<0.01	<1	4	18	3	237	2
722767	3.0	0.56	627	31	54	<1	14	0.60	4	12	59	99	3.86	0.22	<1	0.29	290	1	0.01	11	0.12	15	109	26	34	<0.01	<1	<1	32	1	45	2
722768	3.5	0.83	415	32	48	<1	15	0.73	4	13	32	79	3.94	0.24	<1	0.61	421	1	0.01	6	0.14	15	80	34	34	<0.01	<1	<1	45	2	60	2
722769	2.5	0.49	479	32	78	<1	10	0.93	3	10	42	54	2.72	0.23	<1	0.28	294	1	0.01	5	0.12	8	61	45	23	<0.01	<1	<1	27	1	52	2
722769recut	3.0	0.50	476	30	80	<1	11	0.95	3	11	53	57	2.93	0.23	<1	0.29	300	1	0.01	6	0.13	8	64	47	25	<0.01	<1	<1	27	2	57	2
722770	1.0	0.41	2	37	40	<1	2	0.18	1	1	105	5	0.85	0.19	8	0.07	215	1	0.04	3	0.01	8	2	8	23	0.01	<1	1	4	1	14	1
722771	3.5	1.43	383	27	89	<1	10	1.97	3	8	36	31	2.76	0.21	3	0.67	893	1	0.01	5	0.07	10	30	110	23	<0.01	<1	<1	18	1	53	2
722772	1.5	1.83	4	29	299	<1	9	1.02	3	8	13	<1	2.72	0.22	9	0.91	683	1	0.01	2	0.07	3	5	40	23	<0.01	<1	<1	22	1	55	2
722773	4.0	1.09	312	31	55	<1	14	2.41	4	13	49	218	3.77	0.26	<1	0.83	1049	2	0.01	7	0.14	13	104	81	32	<0.01	<1	<1	64	1	52	2
722774	3.5	0.45	480	30	51	<1	12	0.86	3	13	48	50	3.35	0.23	<1	0.13	176	2	0.01	7	0.12	16	61	23	28	<0.01	<1	3	22	1	25	2
722775	6.0	0.77	365	30	55	<1	14	1.21	4	13	40	166	3.76	0.26	<1	0.43	447	1	0.01	7	0.14	9	145	43	33	<0.01	<1	<1	53	18	27	2
722776	3.5	0.72	360	28	61	<1	13	0.91	4	12	36	54	3.55	0.22	<1	0.36	413	1	0.01	6	0.13	8	48	39	30	<0.01	<1	<1	35	2	31	2
722777	2.5	0.38	948	31	45	<1	13	0.48	3	13	61	23	3.33	0.21	<1	0.04	31	2	0.01	9	0.14	11	55	15	28	<0.01	<1	3	20	1	35	2
722778	3.5	0.33	391	30	39	<1	15	0.56	4	14	43	22	4.07	0.19	<1	0.03	55	2	0.01	7	0.12	11	35	25	35	<0.01	<1	6	18	1	17	3
722779	10.0	0.21	2442	35	38	<1	15	0.24	7	5	106	27	4.05	0.12	<1	0.02	17	5	0.01	6	0.08	24	107	9	35	<0.01	<1	7	11	3	222	2
722780	3.5	1.56	11	36	92	<1	9	0.79	3	11	79	6675	2.80	0.13	1	0.68	386	62	0.09	20	0.04	18	18	38	24	0.09	<1	<1	52	4	51	6
722781	17.0	0.25	914	27	40	<1	13	0.48	34	7	84	258	3.66	0.15	<1	0.02	56	4	0.01	6	0.12	41	267	20	31	<0.01	<1	6	12	31	2606	2
722782	2.5	0.36	637	30	31	<1	13	0.58	4	12	58	37	3.51	0.21	<1	0.04	61	1	0.01	6	0.14	16	43	25	30	<0.01	<1	5	15	1	75	2
722783	3.0	0.38	403	25	29	<1	11	0.78	4	11	41	67	3.17	0.19	<1	0.12	173	1	0.01	5	0.12	13	61	34	27	<0.01	<1	3	18	2	103	2
722784	3.0	1.17	621	30	58	<1	14	0.69	5	21	56	109	3.86	0.22	<1	0.79	423	13	0.01	55	0.19	30	84	25	33	<0.01	1	<1	70	2	136	4
722785	2.0	1.52	352	30	55	<1	14	0.66	4	52	48	96	3.81	0.24	<1	0.98	494	12	0.01	126	0.17	19	57	23	33	<0.01	3	<1	82	1	97	4
722786	2.0	1.40	15	27	729	<1	9	1.43	3	9	17	2	2.61	0.22	7	0.84	748	1	0.01	4	0.08	5	6	64	22	<0.01	<1	<1	30	1	52	2
723787	4.0	0.48	6	30	1127	<1	14	0.51	3	5	23	385	2.55	0.26	15	0.08	396	18	0.01	1	0.12	145	3	37	23	<0.01	<1	<1	15	3	168	2

* Sample is digested with Aqua Regia at 95C for one hour and bulked to 20 ml with distilled water.

Partial dissolution for Al, B, Ba,Ca, Cr,Fe,K,La,Mg,Mn,Na,P,Sr,Ti and W.

* Sample received on October 09, 2014

Certified by: _____



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 403-274-2777 Fax: 403-275-0541
loringlabs@telus.net

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : October 28, 2014
Samples : Core

Attn: Amanda Mullin

32 ELEMENT ICP ANALYSIS

Sample No.	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
723787recut	4.5	0.46	5	30	933	<1	12	0.54	3	4	25	371	2.53	0.26	15	0.08	441	19	0.01	1	0.12	136	3	37	23	<0.01	<1	<1	15	3	170	2
723788	4.0	0.50	5	29	1089	<1	9	0.27	3	4	33	336	2.38	0.25	15	0.09	75	16	0.01	6	0.13	70	3	25	22	<0.01	<1	<1	13	2	145	2
723789	3.5	0.45	6	29	938	<1	8	0.27	3	3	33	344	2.31	0.25	14	0.08	64	22	0.01	2	0.13	94	3	25	21	<0.01	<1	<1	11	2	129	2
723790	0.5	0.38	4	43	40	<1	2	0.19	1	2	114	11	0.86	0.10	11	0.08	161	1	0.04	8	0.01	10	2	12	27	0.01	<1	<1	5	1	31	2
723791	5.5	0.57	8	32	1133	<1	10	0.22	3	4	62	344	2.81	0.30	23	0.05	57	23	0.01	8	0.12	64	4	20	27	<0.01	<1	<1	16	5	215	2
723792	5.0	0.62	4	31	1456	<1	8	0.25	3	4	31	280	2.49	0.33	26	0.05	301	18	0.01	2	0.12	101	2	38	24	<0.01	<1	<1	23	3	149	2
723793 N/A																																
723794	18.0	0.79	3	32	1399	<1	33	0.33	4	10	25	336	3.71	0.33	20	0.14	824	40	0.01	<1	0.16	349	3	41	35	0.01	<1	<1	27	4	125	3
723795	4.0	0.78	2	32	1326	<1	14	0.32	4	9	22	359	4.11	0.30	15	0.16	615	18	0.02	1	0.14	67	4	38	38	0.01	<1	<1	41	3	141	3
723796	3.5	1.09	9	31	1228	<1	17	0.25	5	7	25	442	5.03	0.32	14	0.36	883	25	0.01	<1	0.15	117	4	32	47	0.01	<1	<1	38	5	281	3
723797	2.5	1.09	13	31	964	<1	19	0.28	5	4	31	419	5.21	0.32	8	0.35	488	21	0.01	2	0.17	71	5	34	49	<0.01	<1	<1	38	5	226	3
723798	2.5	1.01	1	34	1575	<1	9	0.33	3	17	38	310	3.10	0.29	12	0.35	2189	26	0.02	6	0.14	161	3	57	28	<0.01	2	<1	43	3	180	2
723799	5.0	1.24	1	38	1275	<1	17	0.27	6	18	18	418	4.85	0.30	10	0.48	3357	24	0.02	1	0.13	266	4	41	45	0.01	4	<1	53	5	270	2
723800	4.5	1.93	10	41	101	<1	10	0.86	4	12	53	6984	3.02	0.14	1	0.70	415	64	0.09	18	0.05	19	15	41	26	0.11	<1	<1	60	4	46	6
723801	8.5	1.09	4	35	1339	<1	22	0.30	5	11	24	388	5.01	0.31	11	0.34	2096	48	0.02	3	0.14	464	4	41	46	0.01	1	<1	43	4	199	3
723802	4.5	1.14	7	30	882	<1	14	0.32	4	4	22	239	4.42	0.33	10	0.37	529	32	0.01	2	0.16	74	4	31	40	0.01	<1	<1	33	3	177	3
723803	5.0	1.50	16	30	730	<1	16	0.25	5	3	45	278	4.47	0.34	9	0.58	523	96	0.01	10	0.16	179	5	37	41	<0.01	<1	<1	26	6	355	3
723804	6.5	1.18	23	33	208	<1	27	0.10	6	2	53	366	6.07	0.26	2	0.44	375	162	0.01	2	0.12	193	6	20	56	0.01	<1	1	31	8	371	4
723805	9.5	0.86	19	26	196	<1	29	0.06	6	2	44	398	5.25	0.28	2	0.26	208	87	0.01	3	0.09	1628	6	16	48	<0.01	<1	1	27	7	395	4
723805recut	10.0	0.85	19	28	181	<1	29	0.06	6	3	59	400	5.26	0.27	2	0.25	200	85	0.01	14	0.09	1614	6	15	47	<0.01	<1	2	27	7	375	4
723806	27.0	0.59	27	28	78	<1	108	0.13	8	9	49	922	6.76	0.26	<1	0.11	93	23	0.01	5	0.23	906	8	12	63	<0.01	<1	9	30	7	406	5
723807	127.5	0.94	19	23	272	<1	269	0.04	10	1	79	511	8.65	0.20	<1	0.33	252	16	0.02	21	0.26	1860	9	18	84	<0.01	<1	12	50	15	470	6
723808	3.0	1.45	17	26	143	<1	23	0.20	7	8	29	339	6.02	0.23	<1	0.60	1032	14	0.01	3	0.20	189	6	12	55	<0.01	<1	<1	34	6	393	5
723809	2.5	1.81	3	30	877	<1	13	0.37	11	28	20	582	4.09	0.29	10	0.82	5336	21	0.01	2	0.19	36	4	28	36	<0.01	9	<1	44	11	733	0
723810	1.0	0.48	5	44	50	<1	3	0.19	1	2	105	5	0.94	0.17	14	0.09	298	2	0.05	1	0.01	10	2	7	31	0.03	0	1	6	1	22	3
723811	2.5	2.10	2	36	1067	<1	15	0.46	12	32	19	895	4.55	0.37	11	0.84	6322	39	0.01	1	0.21	188	4	32	41	<0.01	10	<1	58	12	863	0
723812	4.5	2.17	6	32	344	<1	17	0.39	9	32	26	623	4.85	0.36	8	0.86	4563	30	0.01	1	0.20	180	5	16	45	0.01	6	<1	49	9	622	2
723813	1.5	1.56	3	31	465	<1	14	0.54	24	17	21	751	3.93	0.33	10	0.57	3456	12	0.01	2	0.17	129	4	27	35	0.01	5	<1	37	24	1779	2
723814	3.0	1.58	2	30	1181	<1	10	0.44	19	24	28	1333	3.20	0.31	13	0.42	4886	33	0.02	5	0.17	343	3	34	28	<0.01	8	<1	30	13	917	0
723815	2.0	1.70	2	31	699	<1	10	0.35	10	51	32	938	3.41	0.28	11	0.44	5559	45	0.02	13	0.17	121	3	18	30	<0.01	10	<1	32	11	819	0

* Sample is digested with Aqua Regia at 95C for one hour and bulked to 20 ml with distilled water.

Partial dissolution for Al, B, Ba,Ca, Cr,Fe,K,La,Mg,Mn,Na,P,Sr,Ti and W.

* Sample received on October 09, 2014

Certified by: _____



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 403-274-2777 Fax: 403-275-0541
loringlabs@telus.net

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : October 28, 2014
Samples : Core

Attn: Amanda Mullin

32 ELEMENT ICP ANALYSIS

Sample No.	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
723816	1.0	2.12	1	34	858	<1	14	0.46	11	53	30	937	4.51	0.27	12	0.88	6298	24	0.02	8	0.20	122	4	23	41	0.01	10	<1	62	14	1051	<1
723817	1.0	1.69	1	31	1126	<1	15	0.51	9	24	20	627	4.59	0.25	11	0.77	3570	9	0.03	5	0.21	55	4	30	42	0.01	4	<1	70	15	1086	2
723818	2.0	1.71	2	27	452	<1	18	0.53	10	23	65	739	5.12	0.26	6	0.79	3403	11	0.02	22	0.21	89	5	17	47	<0.01	3	<1	61	14	1055	3
723819	2.0	1.50	2	29	614	<1	16	0.60	13	17	16	867	4.59	0.27	6	0.71	3333	6	0.02	3	0.20	67	4	20	41	<0.01	3	<1	55	16	1216	2
723820	5.0	1.71	8	33	103	<1	10	0.88	4	13	72	6914	3.11	0.15	1	0.73	421	70	0.10	15	0.05	18	15	45	27	0.13	-5	<1	64	4	50	7
723821	2.0	1.77	1	34	995	<1	16	0.78	16	19	15	1039	5.01	0.31	12	0.90	4347	8	0.02	3	0.21	98	4	26	45	<0.01	5	<1	56	21	1548	2
723822	2.0	1.30	1	28	645	<1	15	1.14	12	15	14	465	4.60	0.31	8	0.79	1818	4	0.02	2	0.21	16	4	37	42	<0.01	<1	<1	59	11	826	3
723823	2.0	1.43	2	30	503	<1	14	0.78	11	13	25	1102	4.14	0.33	7	0.61	1878	41	0.02	7	0.20	179	4	25	38	0.01	<1	<1	45	14	1021	3
723823recut	1.5	1.48	2	30	528	<1	14	0.80	11	14	65	1069	4.15	0.35	8	0.63	1948	43	0.02	9	0.20	178	4	26	38	0.01	<1	<1	47	14	1030	3
723824	2.0	0.74	1	37	615	<1	10	0.44	8	31	21	2485	3.13	0.29	11	0.04	4218	39	0.02	6	0.17	53	3	31	29	0.01	7	<1	41	9	624	1
723825	4.5	0.70	3	29	212	<1	7	0.51	19	35	29	3025	2.23	0.27	10	0.06	3980	43	0.02	7	0.16	810	3	23	20	<0.01	7	<1	18	33	2445	<1
723826	2.5	0.65	<1	26	204	<1	9	0.54	5	13	13	982	2.59	0.27	5	0.22	414	13	0.02	1	0.14	51	2	18	23	<0.01	<1	<1	35	4	278	2
723827	1.5	0.57	2	27	125	<1	7	0.39	2	17	20	1230	2.20	0.29	12	0.08	132	38	0.02	2	0.13	83	4	20	20	<0.01	<1	<1	20	3	170	2
723828	1.0	0.88	1	29	167	<1	9	0.51	4	24	41	1385	2.60	0.35	9	0.23	587	31	0.04	9	0.15	52	3	26	24	<0.01	<1	<1	34	5	322	2
723829	1.5	0.96	1	28	468	<1	8	0.56	4	17	19	981	2.47	0.32	8	0.47	753	47	0.03	2	0.15	10	3	31	22	<0.01	<1	<1	39	5	309	2
723830	0.5	0.43	1	42	51	<1	2	0.19	1	2	90	5	0.87	0.19	12	0.10	287	1	0.06	1	0.01	7	2	6	30	0.04	<1	1	7	1	19	2
723831	0.5	1.28	1	26	756	<1	10	1.29	4	7	34	270	2.98	0.28	4	0.77	838	8	0.03	7	0.13	10	3	49	26	<0.01	<1	<1	50	6	298	2
723832	1.0	1.07	1	28	883	<1	11	1.90	4	5	24	102	3.29	0.22	4	0.83	1790	2	0.03	2	0.14	7	3	60	28	<0.01	1	<1	57	4	282	2
723833	1.0	1.34	1	31	1006	<1	12	1.73	4	8	24	167	3.51	0.25	4	0.92	1178	2	0.04	4	0.14	24	3	65	31	<0.01	<1	<1	57	3	196	2
723834	2.0	1.73	1	31	862	<1	15	1.38	7	14	34	351	4.20	0.29	4	1.05	2740	13	0.02	6	0.18	182	4	39	38	<0.01	1	<1	59	10	771	2
723835	2.0	1.44	2	32	946	<1	13	1.59	6	12	11	256	3.64	0.30	7	0.84	2891	42	0.03	1	0.18	230	4	37	32	<0.01	2	<1	56	14	1180	2
723836	3.0	1.73	1	30	790	<1	15	0.98	13	11	25	350	4.20	0.28	4	1.06	2892	9	0.02	2	0.18	24	4	33	38	0.01	2	<1	59	23	1978	2
723837	2.5	1.64	2	31	591	<1	14	0.82	10	13	25	374	4.03	0.32	5	0.96	1496	7	0.02	2	0.19	21	4	28	36	<0.01	<1	<1	62	22	1893	3
723838	1.5	1.34	3	28	802	<1	9	1.68	11	12	16	392	2.87	0.30	7	0.72	1259	6	0.02	1	0.19	24	3	39	25	<0.01	<1	<1	49	18	1509	2
723839	1.0	1.45	2	31	1133	<1	14	2.04	8	9	25	158	3.93	0.28	5	0.88	1637	3	0.03	1	0.16	15	4	65	35	0.01	<1	<1	63	10	899	3
723840	3.5	1.76	9	35	96	<1	10	0.82	4	12	63	6909	3.01	0.15	1	0.76	412	65	0.09	18	0.04	19	20	40	25	0.11	<1	<1	59	4	58	6
723841	1.0	1.59	2	30	1199	<1	11	2.32	7	10	19	257	3.41	0.26	6	1.05	1653	4	0.03	5	0.16	17	3	70	30	<0.01	<1	<1	55	11	968	2
723841recut	2.0	1.52	1	28	1101	<1	11	2.29	7	10	17	236	3.29	0.25	5	1.02	1610	3	0.03	4	0.15	15	3	68	29	<0.01	<1	<1	53	11	916	2
723842	2.0	1.84	2	30	970	<1	13	1.60	8	12	13	230	3.84	0.26	6	1.25	1362	4	0.03	1	0.19	15	4	49	35	0.01	<1	<1	68	13	1115	3
723843	1.5	1.70	2	27	569	<1	13	1.86	6	12	20	128	3.71	0.22	5	1.22	1059	2	0.03	3	0.18	11	4	47	33	<0.01	<1	<1	64	9	736	3

* Sample is digested with Aqua Regia at 95C for one hour and bulked to 20 ml with distilled water.

Partial dissolution for Al, B, Ba,Ca, Cr,Fe,K,La,Mg,Mn,Na,P,Sr,Ti and W.

* Sample received on October 09, 2014

Certified by: _____



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 403-274-2777 Fax: 403-275-0541
loringlabs@telus.net

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : October 28, 2014
Samples : Core

Attn: Amanda Mullin

32 ELEMENT ICP ANALYSIS

Sample No.	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
723844	1.5	1.40	2	30	826	<1	13	3.25	6	10	13	112	3.57	0.21	6	0.90	1989	3	0.03	1	0.18	10	3	92	31	0.01	<1	<1	64	9	815	2
723845	1.5	1.54	2	29	1003	<1	13	3.14	5	10	18	110	3.74	0.27	5	0.95	1921	3	0.03	1	0.18	10	3	102	33	0.01	<1	<1	72	9	813	2
723846	2.0	1.83	1	30	1246	<1	15	2.21	6	14	18	202	4.37	0.25	5	1.28	1261	2	0.03	3	0.18	11	4	80	39	0.01	<1	<1	80	6	526	3
723847	2.0	1.99	1	27	1268	<1	18	1.81	6	13	20	170	4.97	0.24	5	1.38	1125	2	0.03	3	0.19	7	5	79	45	0.01	<1	<1	91	6	510	3
723848	0.5	1.91	1	31	994	<1	16	2.05	6	16	15	304	4.35	0.28	5	1.25	1300	2	0.03	2	0.20	12	4	70	39	0.01	<1	<1	86	9	768	2
723849	2.0	1.62	1	31	805	<1	14	1.25	23	14	21	389	4.09	0.24	6	1.04	1442	3	0.03	4	0.19	19	4	50	37	0.01	<1	<1	73	50	4517	2
723850	0.5	0.44	1	40	51	<1	2	0.19	1	2	96	5	0.89	0.17	12	0.08	282	1	0.05	1	0.01	8	2	7	31	0.03	<1	2	5	1	20	2
723851	1.0	1.77	1	32	886	<1	15	1.24	14	10	14	289	4.48	0.26	5	1.22	840	2	0.03	2	0.18	10	4	55	41	0.01	<1	<1	82	19	1656	3
723852	1.5	1.66	1	31	1114	<1	13	2.63	4	12	16	212	3.64	0.24	6	1.15	1708	1	0.03	2	0.18	23	3	86	33	<0.01	<1	<1	66	6	512	2
Blank	<0.5	<0.01	<1	<1	<1	<1	<1	<0.01	<1	<1	<1	<1	<0.01	<0.01	<1	<0.01	<1	<1	<0.01	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1		

* Sample is digested with Aqua Regia at 95C for one hour and bulked to 20 ml with distilled water.
Partial dissolution for Al, B, Ba,Ca, Cr,Fe,K,La,Mg,Mn,Na,P,Sr,Ti and W.

* Sample received on October 09, 2014

Certified by: _____

G E O C H E M I C A L A N A L Y S I S C E R T I F I C A T E

TEUTON RESOURCES CORP.

Project:

Sample Type: Cores

Multi-element ICP Analysis - 0.500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with water. This leach is partial for Al, B, Ba, Cr, Fe, Mg, Mn, Na, P, S, Sn, Ti and limited for Na and K. *Au Analysis- 20 gram sample is digested with aqua regia, MIBK extracted, and is finished by AA or graphite furnace AA to 1 ppb detection.

Analyst _____
Report No. 2141392
Date: November 14, 2014

ELEMENT SAMPLE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sn ppm	Sr ppm	Te ppm	Ti %	Tl ppm	V ppm	Zn ppm	*Au ppb
723251	.2	.39	18	<5	116	<10	5.09	1	6	52	102	2.21	.35	.36	1292	8	.03	4	.17	6	2.08	8	<2	45	<5	.01	<5	2	207	47
723252	.8	.46	49	<5	114	<10	7.87	2	7	56	213	3.75	.38	.21	1275	5	.03	8	.19	12	4.16	6	<2	49	<5	.02	<5	6	597	110
723253	1.4	.38	32	<5	74	<10	2.88	11	15	44	1239	2.53	.37	.29	1428	19	.01	2	.13	8	2.55	5	<2	19	<5	.02	<5	5	3323	115
723254	.2	.42	11	<5	63	<10	4.58	7	9	36	65	2.57	.30	.62	2322	28	.03	3	.12	20	1.83	5	<2	27	<5	.01	<5	5	2002	10
723255	1.4	.71	55	<5	65	<10	4.32	6	30	36	352	5.05	.26	1.14	2664	4	.01	7	.28	240	4.22	9	<2	29	<5	.01	<5	13	1688	140
723256	.6	.77	39	<5	440	<10	.62	2	20	29	561	4.47	.30	.80	2522	12	.02	3	.22	95	1.01	5	<2	20	<5	.01	<5	27	559	110
723257	.8	.75	5	<5	228	10	.86	3	13	30	712	4.80	.33	.74	1864	10	.03	4	.37	102	1.01	8	<2	23	<5	.01	<5	13	694	80
723258	.7	.63	10	<5	89	<10	.70	4	14	33	891	4.44	.31	.64	1849	12	.02	7	.26	73	1.96	2	<2	14	<5	.02	<5	2	640	85
723259	.8	.51	17	<5	64	<10	1.14	8	12	41	517	3.80	.36	.63	1681	11	.03	3	.23	26	3.53	3	<2	14	<5	.01	<5	8	812	280
723260	2.9	1.43	30	<5	102	<10	.91	1	12	44	7312	3.05	.15	.81	418	63	.09	41	.12	36	.91	9	<2	44	<5	.07	<5	60	66	675
723261	.2	.47	19	<5	253	<10	1.36	6	5	30	412	3.06	.36	.90	3359	11	.01	3	.28	14	.53	9	<2	19	<5	.01	<5	14	1509	120
723262	3.2	.48	49	<5	142	<10	1.54	11	18	41	5627	4.69	.48	1.01	4565	77	.02	4	.38	39	2.35	5	<2	20	<5	.01	<5	9	1817	1120
723263	.4	.57	19	<5	168	<10	2.51	2	12	21	629	2.76	.30	1.16	2363	15	.01	5	.35	24	1.09	10	<2	35	<5	.01	<5	12	613	195
723264	.2	.65	5	<5	474	<10	1.91	3	13	18	462	2.77	.33	1.13	2454	10	.02	9	.34	28	.83	3	<2	43	<5	.01	<5	12	674	75
723265	1.6	.62	34	<5	74	<10	3.18	2	27	33	1455	5.03	.48	1.46	4016	84	.01	6	.39	82	3.71	10	<2	32	<5	.01	<5	10	569	175
723266	.2	.37	16	<5	154	<10	1.11	4	6	14	139	2.21	.24	.81	1712	5	.01	8	.21	7	.62	2	<2	20	<5	.01	<5	10	1038	85
723267	.6	.58	30	<5	44	<10	1.12	3	20	18	222	4.27	.28	1.06	2429	21	.02	5	.28	26	3.12	2	<2	15	<5	.01	<5	8	758	135
723268	.2	.04	30	<5	209	<10	1.12	4	14	13	780	2.72	.23	.73	2403	11	.08	3	.33	135	.38	6	<2	28	<5	.01	<5	18	441	95
723269	.3	.69	37	<5	275	<10	1.66	2	9	22	453	4.14	.31	1.42	3144	7	.01	8	.42	44	1.24	9	<2	28	<5	.01	<5	13	633	36
723270	.2	.34	7	<5	58	<10	.11	1	2	85	5	.73	.15	.12	286	3	.05	4	.04	8	.03	4	<2	1	<5	.02	<5	6	36	2
723271	1.2	.46	37	<5	106	<10	2.66	3	21	45	1281	4.31	.40	1.12	2898	14	.01	4	.45	179	2.65	2	<2	31	<5	.01	<5	10	877	195
723272	.4	.38	7	<5	371	<10	2.12	4	11	31	291	3.11	.34	1.03	2678	11	.03	6	.41	161	.79	3	<2	38	<5	.02	<5	13	852	75
723273	.2	.45	38	<5	96	<10	2.84	3	13	47	699	3.73	.32	1.15	2294	24	.01	2	.35	224	2.21	5	<2	40	<5	.02	<5	13	327	110
723274	.8	.60	16	<5	405	<10	2.18	2	15	41	774	3.88	.30	1.34	2952	14	.02	8	.39	149	.84	6	<2	42	<5	.02	<5	15	513	95
723275	.6	.33	5	<5	71	<10	1.30	1	15	24	249	2.35	.23	.62	1574	10	.03	5	.20	58	1.62	6	<2	16	<5	.01	<5	6	410	80
723276	.2	.30	20	<5	89	<10	1.77	2	14	28	231	2.77	.25	.84	1784	13	.02	6	.27	51	1.82	8	<2	19	<5	.01	<5	6	394	115
723277	.4	.36	35	<5	40	<10	3.86	1	27	35	167	5.06	.26	1.52	1957	10	.02	3	.30	110	5.10	11	<2	33	<5	.01	<5	6	156	60
723278	.3	.40	31	<5	88	<10	2.16	2	29	45	127	4.43	.33	1.11	1751	14	.02	6	.41	76	3.45	9	<2	24	<5	.01	<5	8	314	23
723279	.2	.39	23	<5	293	<10	1.97	1	5	32	120	4.22	.31	1.39	2152	21	.01	2	.41	32	.91	2	<2	24	<5	.02	<5	21	287	38
723280	2.9	1.42	32	<5	103	<10	.93	2	12	41	7334	3.06	.15	.87	423	68	.08	50	.15	33	.90	8	<2	40	<5	.07	<5	54	70	670
723281	.2	.38	5	<5	98	<10	1.68	2	15	38	336	4.30	.30	1.15	1871	28	.01	10	.36	47	2.53	10	<2	25	<5	.01	<5	10	245	56
723282	.3	.38	6	<5	82	<10	1.61	1	10	25	130	2.98	.29	.77	1250	6	.01	9	.31	26	1.87	2	<2	24	<5	.01	<5	10	194	41
723283	.2	.36	13	<5	86	<10	1.81	2	10	42	17	2.74	.29	.78	1317	8	.03	7	.34	23	2.16	7	<2	32	<5	.02	<5	6	146	8
723284	.4	2.06	5	<5	753	<10	1.69	1	2	110	72	5.45	.178	1.49	2387	48	.08	8	.39	52	.42	4	<2	42	<5	.01	<5	50	313	38
723285	.2	.42	7	<5	75	<10	2.57	2	14	48	68	3.85	.36	1.01	2042	5	.01	9	.35	60	3.32	2	<2	37	<5	.02	<5	5	365	19
723286	1.4	.50	18	<5	46	<10	1.74	5	20	52	564	5.05	.32	.83	2233	17	.02	4	.36	49	4.97	14	<2	24	<5	.01	<5	10	1148	10
723287	1.2	.69	21	<5	151	<10	2.92	2	30	36	1588	3.70	.31	.92	2620	13	.02	9	.83	28	2.40	3	<2	46	<5	.02	<5	7	373	135
723288	.2	.67	5	<5	112	<10	2.17	8	17	28	211	2.43	.21	.76	1158	14	.02	5	.72	24	1.55	9	<2	31	<5	.02	<5	10	1777	110
723289	.4	.80	5	<5	179	<10	3.59	2	28	31	310	3.06	.26	1.03	1440	4	.03	6	.76	23	1.74	4	<2	47	<5	.02	<5	13	259	175
723290	.2	.31	7	<5	57	<10	.11	1	5	77	4	.73	.17	.09	287	3	.04	3	.04	7	.03	7	<2	3	<5	.01	<5	4	33	2

ELEMENT SAMPLE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sn ppm	Sr ppm	Te ppm	Ti %	Tl ppm	V ppm	Zn ppm	*Au ppb		
723291	1.0	.63	36	<5	96	<10	2.05	1	12	30	279	2.61	.21	.69	942	8	.02	9	.59	46	1.90	12	<2	29	<5	.01	<5	7	173	335		
723292	.5	.48	25	<5	131	<10	2.74	2	14	37	207	2.26	.22	.61	1037	6	.02	7	.68	4	1.61	11	<2	41	<5	.01	<5	2	88	110		
723293	.4	.38	14	<5	68	13	2.54	1	16	43	90	2.90	.20	.65	1325	6	.02	6	.31	209	2.50	14	<2	40	<5	.01	<5	3	124	90		
723294	.8	.38	36	<5	110	<10	1.98	2	17	39	206	3.04	.25	.57	1661	8	.02	3	.50	33	2.05	3	<2	32	<5	.01	<5	5	230	80		
723295	.6	.50	19	<5	295	<10	2.24	1	9	38	461	2.97	.26	.84	2074	4	.01	8	.35	10	.90	5	<2	48	<5	.01	<5	4	348	75		
723296	.8	.61	43	<5	128	<10	4.96	46	24	38	631	2.60	.26	.65	2118	18	.02	3	.48	93	1.87	4	<2	59	<5	.01	<5	4	2157	195		
723297	.5	.73	5	<5	580	<10	5.01	7	11	21	367	2.08	.25	.74	2475	6	.01	2	.38	118	.41	2	<2	74	<5	.01	<5	6	1995	38		
723298	.4	.69	29	<5	336	<10	7.08	1	30	28	1477	2.24	.31	.80	2901	11	.02	5	.51	105	1.01	8	<2	125	<5	.01	<5	2	455	275		
723299	.6	.76	10	<5	660	<10	4.61	2	11	12	535	1.52	.15	.82	2191	5	.01	7	.43	88	.19	6	<2	87	<5	.01	<5	8	378	195		
723300	2.8	1.43	34	<5	102	<10	.87	1	13	45	7375	2.72	.14	.79	394	55	.07	30	.18	24	.82	7	<2	41	<5	.05	<5	51	64	670		
723301	4.8	.91	42	<5	81	<10	5.10	2	36	45	5909	3.85	.29	.90	2798	18	.02	5	.60	207	3.03	5	<2	63	<5	.01	<5	10	458	280		
723302	.6	.69	5	<5	521	<10	4.26	3	10	21	321	2.23	.22	.79	3614	7	.02	8	.66	88	.43	5	<2	85	<5	.01	<5	12	937	54		
723303	.4	.56	33	<5	399	<10	4.29	2	17	38	315	2.48	.23	.79	3053	8	.03	7	.57	90	.70	8	<2	78	<5	.02	<5	12	445	20		
723304	1.4	1.05	61	<5	544	<10	5.11	3	29	19	1823	2.94	.23	1.45	3276	142	.02	5	.89	153	.65	4	<2	82	<5	.01	<5	18	971	340		
723305	.2	.08	5	<5	105	<10	1.70	1	3	7	282	.07	.01	.20	954	1	.02	4	.03	31	.06	6	<2	26	<5	.01	<5	3	379	45		
723306	.8	.89	25	<5	244	<10	7.33	2	20	21	1229	2.33	.25	.91	2181	12	.01	6	.76	156	1.02	3	<2	96	<5	.01	<5	12	619	275		
723307	.9	.90	5	<5	388	<10	2.99	1	18	18	882	1.92	.23	.97	1140	22	.03	7	.67	70	.52	5	<2	66	<5	.01	<5	15	203	270		
723308	.2	.87	8	<5	373	<10	4.12	2	18	20	518	2.21	.25	1.06	1868	7	.03	5	.72	51	.66	6	<2	74	<5	.01	<5	15	319	29		
723309	.6	.93	24	<5	190	<10	3.67	1	24	24	544	2.41	.26	.97	1644	5	.03	11	.67	54	1.15	7	<2	61	<5	.01	<5	15	281	70		
723310	.2	.35	5	<5	58	<10	.15	2	2	80	6	.70	.13	.10	264	2	.04	3	.03	5	.03	3	<2	5	<5	.02	<5	4	40	2		
723311	.7	.68	19	<5	373	<10	3.77	1	29	36	806	1.95	.32	.69	1417	15	.03	5	.93	34	.85	5	<2	70	<5	.01	<5	14	196	85		
723312	.6	.60	5	<5	432	<10	2.99	2	9	25	346	1.80	.19	.63	1425	10	.03	11	.55	85	.36	2	<2	50	<5	.02	<5	11	444	47		
723313	.4	.57	25	<5	487	<10	5.18	1	22	28	603	1.81	.19	.81	1743	17	.03	4	.71	88	.53	6	<2	88	<5	.01	<5	11	291	120		
723314	.5	.84	5	<5	782	<10	8.54	10	15	23	504	2.85	.22	.80	2719	13	.03	3	.87	110	.43	4	<2	204	<5	.01	<5	15	2507	51		
723315	1.0	.84	6	<5	360	<10	6.66	10	14	60	826	3.02	.27	1.00	3184	14	.01	8	.78	130	.96	8	<2	150	<5	.01	<5	13	2583	240		
723316	.4	1.16	5	<5	105	<10	3.45	5	26	27	308	3.62	.29	1.06	1369	12	.03	7	.86	58	2.15	5	<2	66	<5	.01	<5	10	1157	195		
723317	.2	1.10	36	<5	220	<10	2.75	1	17	32	95	3.76	.42	1.09	2291	10	.02	10	1.04	48	1.55	12	<2	55	<5	.01	<5	10	386	39		
723318	.4	.69	5	<5	100	<10	2.95	2	32	28	279	4.18	.35	.82	2185	10	.01	6	.86	102	2.33	7	<2	54	<5	.01	<5	7	408	41		
723319	.2	.60	6	<5	93	<10	4.14	3	19	22	214	2.58	.26	.40	1129	5	.04	7	.21	101	1.72	11	<2	102	<5	.02	<5	8	385	34		
723320	2.9	1.37	39	<5	103	<10	.93	2	11	44	7333	3.03	.12	.83	421	63	.10	36	.13	27	.62	9	<2	36	<5	.08	<5	54	71	670		
723321	.3	.41	5	<5	397	<10	2.50	1	10	17	231	1.98	.27	.52	1151	9	.04	5	.24	19	.37	5	<2	67	<5	.01	<5	14	118	38		
723322	.2	.31	13	<5	88	<10	2.23	2	15	34	121	2.22	.23	.55	1169	4	.04	3	.20	29	1.15	4	<2	50	<5	.01	<5	9	400	24		
723323	.3	.40	21	<5	135	<10	2.38	3	8	34	125	3.22	.30	1.03	1552	8	.04	2	.12	24	1.60	10	<2	54	<5	.02	<5	15	172	41		
723324	.2	.33	5	<5	244	<10	2.35	1	6	32	129	2.47	.25	.98	1176	12	.04	8	.10	18	.69	11	<2	63	<5	.01	<5	17	67	26		
723325	.3	.39	24	<5	136	<10	2.03	2	8	27	129	2.29	.21	.67	873	6	.04	5	.11	15	.91	3	<2	72	<5	.01	<5	16	57	95		
723326	.2	.41	5	<5	770	<10	2.30	1	2	28	74	1.98	.20	.89	1086	10	.04	5	.08	19	.18	2	<2	80	<5	.01	<5	15	80	18		
723327	.3	.49	6	<5	79	<10	2.43	2	11	30	129	2.23	.21	.54	1227	8	.04	4	.09	38	1.34	8	<2	70	<5	.01	<5	11	145	43		
723328	.2	.55	32	<5	144	<10	2.23	1	8	28	54	2.82	.22	.93	1906	9	.03	2	.12	489	1.11	7	<2	76	<5	.02	<5	14	177	16		
723329	.3	.78	11	<5	94	<10	4.61	2	10	46	206	3.43	.26	1.26	1335	20	.04	9	.14	42	2.38	9	<2	224	<5	.01	<5	19	198	70		
723330	.2	.35	5	<5	53	<10	.16	1	4	79	7	.82	.23	.11	287	3	.06	3	.02	9	.07	76	1.64	6	<2	79	<5	.01	<5	3	37	3
723331	.6	.72	6	<5	116	<10	3.80	2	16	37	175	3.55	.25	1.07	1888	8	.03	4	.10	50	1.54	9	<2	269	<5	.02	<5	14	391	21		
723332	.2	.72	5	<5	97	<10	7.50	1	7	42	162	3.61	.28	1.13	2635	11	.03	5	.11	37	3.13	6	<2	546	<5	.02	<5	11	254	18		
723333	.3	.65	6	<5	73	14	6.95	2	12	44	107	3.46	.25	.99	1967	8	.03	4	.07	49	3.54	3	<2	299	<5	.01	<5	10	196	32		
723334	.2	.34	8	<5	40	12	3.11	1	14	42	163	2.75	.20	.59	1094	19	.04	8	.04	87	2.33	3	<2	129	<5	.01	<5	4	160	80		
723335	.3	.29	9	<5	48	12	1.82	2	19	30	106	2.21	.23	.40	772	15	.04	7	.07	76	1.64	6</										

ELEMENT SAMPLE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sn ppm	Sr ppm	Te ppm	Ti %	Tl ppm	V ppm	Zn ppm	*Au ppb
723339	1.0	.68	9	<5	190	<10	.74	2	13	43	255	4.12	.29	.75	878	16	.04	5	.07	75	1.06	10	<2	12	<5	.02	<5	14	649	225
723340	2.9	1.31	39	<5	102	<10	.86	1	10	45	7368	2.94	.13	.76	393	54	.07	30	.12	35	.94	10	<2	42	<5	.05	<5	53	62	660
723341	1.0	.93	44	<5	92	<10	.63	2	12	81	304	6.69	.35	.95	455	17	.03	2	.10	99	3.40	5	<2	16	<5	.01	<5	18	821	310
723342	6.4	.61	5	<5	93	<10	.62	5	9	59	1289	4.61	.25	.41	1270	19	.04	3	.10	104	1.60	6	<2	17	<5	.02	<5	16	1657	3450
723343	1.2	.57	28	<5	92	<10	.78	4	10	38	491	3.08	.25	.48	1164	10	.04	5	.10	64	1.31	1	<2	16	<5	.02	<5	12	986	285
723344	1.6	.58	5	<5	78	<10	1.17	7	10	36	377	3.31	.18	.91	2859	12	.03	8	.07	79	1.57	1	<2	12	<5	.01	<5	11	1419	690
723345	.6	.75	37	<5	76	<10	2.63	6	23	43	538	4.45	.28	1.23	3746	26	.04	7	.15	54	2.55	4	<2	23	<5	.01	<5	18	889	340
723346	.8	.59	29	<5	92	<10	1.35	6	14	31	343	3.25	.23	.93	2236	13	.04	2	.12	51	1.70	5	<2	15	<5	.02	<5	13	1493	450
723347	2.6	.60	10	<5	47	<10	1.33	12	13	50	585	3.96	.32	.64	1534	12	.04	3	.11	58	3.43	1	<2	16	<5	.02	<5	14	2532	540
723348	1.6	.59	5	<5	116	<10	.92	6	12	45	409	2.82	.35	.49	983	13	.04	6	.13	58	1.95	5	<2	13	<5	.01	<5	11	1541	24
723349	6.2	.69	6	<5	70	17	1.11	10	14	56	1706	4.99	.28	1.24	5816	21	.04	9	.18	166	4.23	5	<2	12	<5	.02	<5	16	13416	625
723350	.2	.34	5	<5	61	<10	.17	1	1	75	4	.71	.16	.14	282	2	.05	5	.02	8	.01	3	<2	2	<5	.02	<5	3	38	2
723351	36.6	.18	5	<5	25	13	.69	106	8	65	5060	2.73	.12	.56	2653	15	.03	3	.08	151	3.60	4	<2	2	<5	.01	<5	7	13237	8150
723352	3.8	.38	30	<5	121	14	1.02	16	9	50	852	3.21	.34	.82	2858	9	.04	7	.13	29	1.54	8	<2	11	<5	.01	<5	15	4979	810
723353	1.8	.36	5	<5	118	<10	.88	5	11	32	657	3.16	.25	.79	2731	8	.03	6	.11	32	1.13	5	<2	10	<5	.02	<5	12	1361	345
723354	1.6	.44	41	<5	82	<10	1.00	3	15	41	413	4.41	.34	.89	2955	6	.04	8	.11	32	2.39	4	<2	12	<5	.01	<5	9	651	180
723355	.8	.49	13	<5	103	21	1.26	2	17	48	225	6.67	.38	1.26	4217	10	.04	5	.12	42	3.19	2	<2	17	<5	.01	<5	10	487	585
723356	.4	.50	5	<5	106	<10	.87	2	9	91	324	6.84	.38	1.63	5767	13	.03	5	.11	33	2.02	7	<2	12	<5	.02	<5	8	571	640
723357	.5	.70	6	<5	150	<10	1.24	9	16	33	298	4.23	.33	1.53	3943	8	.03	4	.07	41	.96	2	<2	21	<5	.01	<5	10	2604	195
723358	.4	1.99	26	<5	207	<10	1.42	5	15	36	144	4.13	.38	1.41	2695	3	.03	3	.13	58	1.22	3	<2	17	<5	.02	<5	23	1920	305
723359	1.2	1.28	5	<5	184	<10	.92	5	18	27	191	2.62	.29	.93	2055	5	.04	4	.08	39	.80	5	<2	12	<5	.01	<5	17	1620	120
723360	2.8	1.39	32	<5	102	<10	.86	2	16	41	7462	2.98	.18	.72	445	58	.09	27	.11	33	.86	6	<2	38	<5	.07	<5	56	65	660
723361	.6	1.60	11	<5	160	<10	1.18	4	11	37	161	3.64	.35	1.22	2747	3	.04	5	.12	62	1.92	6	<2	14	<5	.02	<5	24	1175	180
723362	.2	1.00	5	<5	216	11	.63	6	3	20	61	2.29	.25	.91	2253	1	.04	3	.09	26	.54	5	<2	9	<5	.01	<5	20	2262	23
723363	1.0	.55	20	<5	91	<10	1.36	4	13	45	361	3.86	.50	.77	2537	10	.04	14	.73	34	2.65	4	<2	23	<5	.01	<5	13	1131	135
723364	1.0	.97	5	<5	109	<10	1.34	2	18	87	272	5.62	.69	.91	2657	4	.03	4	.96	56	4.56	7	<2	20	<5	.01	<5	18	374	140
723365	1.2	1.47	40	<5	119	<10	1.44	2	12	72	277	7.28	.82	1.44	3780	5	.04	14	1.23	68	5.40	4	<2	21	<5	.02	<5	25	448	260
723366	1.2	.96	7	<5	114	22	2.35	5	38	65	852	6.47	.70	1.11	4100	14	.04	14	1.19	71	5.27	7	<2	34	<5	.02	<5	19	1571	240
723367	.2	1.38	54	<5	639	<10	4.82	5	20	55	336	4.22	.59	1.90	4811	15	.04	7	1.11	127	.96	2	<2	88	<5	.02	<5	22	1793	125
723368	.3	1.22	22	<5	385	<10	4.18	4	24	55	376	3.69	.47	1.46	3844	10	.04	15	1.15	89	1.06	6	<2	70	<5	.01	<5	19	1550	70
723369	.2	1.00	28	<5	473	13	3.46	3	10	32	215	2.97	.42	1.22	2757	7	.04	7	.83	41	.67	5	<2	55	<5	.02	<5	18	939	65
723370	.3	.33	81	<5	54	<10	.15	1	3	88	5	.72	.21	.05	291	4	.05	2	.05	9	.06	3	<2	3	<5	.01	<5	5	32	3
723371	.2	.30	5	<5	309	<10	2.85	1	8	36	148	1.34	.21	.79	594	2	.04	6	.69	18	.48	3	<2	45	<5	.01	<5	11	61	18
723372	.3	.46	6	<5	171	<10	3.43	2	11	33	330	1.47	.21	.95	925	4	.04	4	.49	45	.63	5	<2	33	<5	.01	<5	11	351	135
723373	.2	.78	10	<5	538	<10	4.15	3	13	56	714	2.85	.43	1.38	1733	10	.04	5	1.10	72	.75	3	<2	56	<5	.01	<5	18	509	42
723374	2.0	.49	6	<5	367	<10	4.66	2	17	62	817	2.08	.37	.94	2068	13	.04	7	.88	94	.78	4	<2	57	<5	.02	<5	12	318	305
723375	1.2	.56	55	<5	281	<10	5.73	13	28	54	1231	2.29	.41	1.03	2074	22	.04	8	1.09	278	1.31	7	<2	56	<5	.01	<5	14	2593	195
723376	1.0	.08	5	<5	46	<10	1.61	1	4	5	1118	.06	.04	.38	489	1	.04	5	.09	39	.13	2	<2	12	<5	.01	<5	1	83	305
723377	1.1	.45	7	<5	342	<10	3.99	2	32	42	631	2.17	.34	.97	908	133	.05	2	1.04	89	.75	3	<2	56	<5	.01	<5	20	290	180
723378	1.2	.34	5	<5	391	<10	2.66	1	16	27	586	1.42	.26	.70	595	8	.04	8	1.05	24	.43	3	<2	41	<5	.01	<5	16	43	75
723379	1.4	.32	12	<5	139	<10	2.68	2	26	20	1260	1.38	.22	.77	595	22	.04	4	.73	52	.72	2	<2	38	<5	.01	<5	15	54	280
723380	2.9	1.35	33	<5	90	<10	.87	1	13	41	7365	2.98	.10	.80	417	69	.07	27	.15	21	.81	5	<2	38	<5	.04	<5	53	64	670
723381	1.0	.45	5	<5	164	<10	2.56	1	14	15	1113	1.77	.33	1.03	730	12	.04	5	.92	26	.93	2	<2	43	<5	.01	<5	16	64	445
723382	1.1	.52	21	<5	498	<10	2.89	2	11	17	479	2.08	.37	1.29	954	6	.04	8	.88	22	.49	5	<2	56	<5	.01	<5	20	101	52
723383	.6	.39	13	<5	391	<10	1.91	1	8	9	436																			

ELEMENT SAMPLE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sn ppm	Sr ppm	Te ppm	Ti %	Tl ppm	V ppm	Zn ppm	*Au ppb
723388	.6	.46	15	<5	523	<10	1.53	2	6	19	312	1.25	.32	.71	670	6	.04	5	.76	17	.39	5	<2	47	<5	.01	<5	10	286	85
723389	1.2	.48	20	<5	67	<10	1.42	5	9	30	1210	1.70	.46	.39	593	16	.04	7	1.06	25	3.45	2	<2	35	<5	.01	<5	7	979	280
723390	.2	.28	5	<5	58	<10	.15	1	3	83	5	.73	.23	.16	282	2	.06	2	.04	12	.03	3	<2	6	<5	.03	<5	2	32	2
723391	1.0	.46	5	<5	80	<10	2.04	4	17	25	1198	1.72	.33	.95	1172	10	.04	6	.75	28	2.19	4	<2	40	<5	.02	<5	10	685	240
723392	1.2	.40	6	<5	141	<10	2.31	2	10	14	789	1.39	.30	.94	1043	3	.05	5	.63	31	1.71	3	<2	44	<5	.01	<5	11	387	195
723393	.8	.30	5	<5	194	<10	1.98	1	12	19	112	2.04	.19	.47	1242	8	.04	6	.18	62	.81	3	<2	39	<5	.01	<5	15	211	32
723394	.4	.32	44	<5	282	<10	3.17	2	6	22	64	3.07	.21	.75	2039	6	.04	3	.17	125	.75	3	<2	50	<5	.01	<5	22	347	12
723395	2.0	.62	14	<5	173	14	2.75	1	16	28	650	3.61	.23	.83	2002	39	.04	6	.18	118	1.19	4	<2	64	<5	.01	<5	22	134	260
723396	.6	.67	128	<5	89	<10	2.17	4	11	26	127	5.98	.27	.93	5313	4	.03	4	.20	111	1.59	4	<2	34	<5	.02	<5	17	1002	150
723397	1.4	.50	36	<5	80	8	1.59	11	11	33	98	5.50	.22	.56	2973	2	.03	6	.10	75	2.57	6	<2	28	<5	.01	<5	13	2986	1150
723398	.6	.59	23	<5	189	12	1.85	3	6	24	151	3.99	.26	.71	4037	9	.04	8	.18	96	.73	4	<2	39	<5	.02	<5	19	707	75
723399	3.4	.44	112	<5	39	<10	2.26	7	10	37	189	6.37	.26	.60	3552	7	.04	4	.16	119	3.85	4	<2	73	<5	.02	<5	14	1879	780
723400	2.8	1.33	37	<5	101	<10	.80	1	12	42	7319	2.90	.15	.81	423	71	.08	33	.11	30	.63	5	<2	42	<5	.05	<5	56	64	670
723401	2.6	.39	92	<5	59	18	10.96	5	13	75	281	13.02	.29	.45	2294	22	.03	3	.26	288	12.34	5	<2	294	<5	.01	<5	32	685	465
723402	1.0	.21	15	<5	55	<10	5.56	1	19	19	477	2.33	.15	.76	1145	16	.04	2	.10	30	3.91	8	<2	175	<5	.01	<5	17	119	180
723403	.6	.18	5	<5	58	<10	5.31	2	9	21	255	1.36	.15	.64	1061	7	.04	8	.20	52	2.87	5	<2	146	<5	.02	<5	14	190	12
723404	1.0	.20	6	<5	53	<10	5.12	1	31	18	448	1.80	.15	.91	1231	12	.04	4	.10	70	3.06	4	<2	133	<5	.02	<5	15	79	90
723405	1.2	.36	49	<5	57	<10	4.44	3	13	32	430	2.88	.17	.84	3146	12	.04	6	.20	60	3.39	6	<2	123	<5	.01	<5	14	709	85
723406	1.6	.20	78	<5	48	11	4.04	21	13	23	373	1.62	.13	.60	2712	4	.04	3	.10	35	.89	6	<2	59	<5	.02	<5	12	5800	380
723407	9.2	.22	28	<5	38	<10	4.15	8	16	7	2978	1.92	.10	.52	1330	5	.04	4	.20	48	1.62	4	<2	120	<5	.01	<5	14	1889	725
723408	2.4	.24	5	<5	43	<10	3.58	4	5	18	628	1.57	.09	.88	2034	27	.05	8	.10	28	.74	4	<2	84	<5	.01	<5	16	921	680
723409	4.8	.33	22	<5	61	14	3.84	3	15	29	984	2.28	.13	.77	2106	13	.06	4	.20	28	1.19	7	<2	109	<5	.01	<5	17	607	1380
723853	3.6	1.36	60	<5	668	13	1.09	1	36	13	670	5.23	.54	1.41	2942	53	.03	9	.03	311	.20	2	<2	77	<5	.02	<5	24	483	195
723854	1.4	.62	5	<5	952	<10	.74	2	17	12	191	2.55	.30	.72	464	7	.03	8	.23	53	.06	4	<2	24	<5	.01	<5	19	248	75
723855	.5	.85	76	<5	977	<10	.99	1	33	16	328	3.64	.38	.94	678	7	.03	3	.41	99	.14	2	<2	25	<5	.02	<5	26	283	85
723856	1.7	.78	65	<5	410	<10	1.24	2	59	20	464	3.49	.36	.81	1281	12	.03	3	.40	203	.50	4	<2	55	<5	.01	<5	26	337	225
723857	1.6	.75	111	<5	481	<10	.74	1	79	5	554	3.18	.41	.73	1513	13	.03	6	.35	199	.36	7	<2	22	<5	.01	<5	20	309	110
723858	1.4	.62	14	<5	647	<10	.81	2	23	19	547	3.21	.40	.51	404	9	.03	3	.39	121	.31	2	<2	29	<5	.01	<5	18	233	105
723859	.8	.83	42	<5	151	<10	.81	1	86	4	1111	3.72	.41	.63	2682	20	.03	6	.38	546	.90	4	<2	27	<5	.02	<5	15	568	105
723860	2.8	1.35	36	<5	97	<10	1.20	2	14	41	7302	2.96	.14	.71	399	59	.07	32	.08	13	.85	9	<2	41	<5	.08	<5	48	63	650
723861	1.0	1.00	6	<5	204	<10	1.08	1	58	28	1496	4.71	.48	.80	2402	17	.03	5	.46	537	1.27	2	<2	31	<5	.01	<5	20	480	95
723862	.4	.49	33	<5	766	<10	.67	20	32	2	459	1.99	.22	.64	4818	3	.03	3	.23	44	.01	4	<2	23	<5	.01	<5	19	2996	17
723863	3.6	.64	52	<5	296	<10	.63	7	37	32	1074	3.44	.29	.73	4179	18	.02	2	.25	263	.48	2	<2	13	<5	.01	<5	14	1313	1080
723864	1.0	.60	57	<5	623	<10	.57	3	44	17	508	2.66	.26	.74	3179	7	.03	7	.23	145	.15	2	<2	20	<5	.01	<5	15	950	20
723865	1.8	.72	78	<5	223	<10	.68	1	29	7	566	3.09	.25	.84	703	9	.01	3	.27	123	.52	10	<2	16	<5	.01	<5	17	528	245
723866	1.7	.86	178	<5	303	<10	1.06	3	40	6	562	3.40	.37	.96	1537	5	.03	4	.29	115	.56	9	<2	23	<5	.02	<5	19	941	460
723867	1.6	.70	59	<5	249	8	.62	1	22	34	544	2.95	.27	.83	443	6	.03	2	.22	149	.42	4	<2	14	<5	.01	<5	16	440	110
723868	.8	.68	133	<5	249	11	.82	2	22	9	704	2.92	.31	.74	405	6	.03	3	.29	128	.19	7	<2	13	<5	.01	<5	24	514	12
723869	4.8	.87	49	<5	159	<10	.73	18	22	14	1278	2.49	.25	.82	472	19	.01	4	.24	156	.71	2	<2	11	<5	.02	<5	14	4361	175
723870	.2	.26	23	<5	56	<10	.23	1	1	82	5	.70	.21	.10	273	3	.05	3	.01	9	.03	6	4	2	<5	.03	<5	2	39	2
723871	11.8	1.40	128	<5	74	16	.95	264	7	30	3190	3.44	.59	.107	572	51	.02	5	.81	71	3.22	2	<2	13	<5	.01	<5	13	11645	835
723872	1.0	1.67	77	<5	247	<10	2.51	14	11	24	384	4.24	.65	.207	5663	11	.02	4	.83	38	1.17	6	<2	46	<5	.01	<5	25	1709	180
723873	2.0	1.39	226	<5	244	14	2.42	36	24	17	778	3.36	.76	.164	4662	9	.01	3	.77	39	1.14	3	<2	39	<5	.01	<5	29	3256	640
723874	3.2	1.50	215	<5	206	<10	2.03	43	13	24	1125	4.03	.64	1.79	3850	16	.03	2	.79	85	1.38	2	<2	33	<5	.02	<5	27	4907	445
723875	22.0	.77	273	<5	31	33	2.38	328	15	74	3083	5.12	.49	1.04	53															

ELEMENT SAMPLE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sn ppm	Sr ppm	Te ppm	Ti %	Tl ppm	V ppm	Zn ppm	*Au ppb
723881	1.0	.60	128	<5	427	<10	2.98	2	15	37	1009	2.51	.63	.96	1191	21	.04	2	.51	49	.76	11	<2	34	<5	.01	<5	17	217	265
723882	3.4	.80	107	<5	372	<10	3.39	1	16	29	1046	3.00	.57	1.23	1664	23	.04	3	.52	59	.77	7	<2	41	<5	.01	<5	23	408	225
723883	.6	.81	154	<5	1262	<10	4.15	4	11	31	589	3.03	.79	1.40	1964	25	.05	4	.54	69	.30	5	<2	57	<5	.02	<5	25	751	120
723884	.4	.66	135	<5	1510	<10	5.04	1	12	30	254	2.88	.53	1.60	1911	1	.05	2	.49	20	.26	15	<2	70	<5	.01	<5	23	270	75
723885	.6	.61	116	<5	1599	<10	6.44	2	10	20	147	2.92	.45	1.82	2190	25	.05	4	.60	20	.23	2	<2	87	<5	.02	<5	30	176	70
723886	1.4	1.19	141	<5	462	<10	3.03	10	12	38	524	3.47	.71	1.61	3684	23	.03	3	.55	343	.66	6	<2	45	<5	.01	<5	22	3287	460
723887	4.0	.84	129	<5	117	20	1.34	3	62	22	2671	2.87	.95	.52	2917	40	.03	2	.67	196	1.74	2	<2	37	<5	.01	<5	14	543	425
723888	1.8	.95	66	<5	966	<10	1.22	6	18	23	1300	3.28	.76	.74	3444	13	.04	4	.66	147	.39	3	<2	53	<5	.01	<5	30	785	280
723889	3.0	1.11	154	<5	637	12	1.14	7	12	35	986	4.14	.72	.95	3467	153	.04	4	.63	1039	.56	2	<2	43	<5	.02	<5	32	1123	460
723890	.2	.31	5	<5	65	14	.16	1	1	75	4	.79	.18	.15	277	2	.07	2	.05	10	.03	3	<2	3	<5	.02	<5	3	34	4
723891	1.0	1.63	139	<5	1592	<10	1.08	7	16	33	702	4.94	.79	1.65	3040	24	.04	5	.57	137	.24	6	<2	60	<5	.02	<5	40	1163	205
723892	.6	1.49	78	<5	1710	<10	4.74	6	15	26	357	4.31	.67	1.54	3129	7	.04	4	.56	69	.08	13	<2	72	<5	.02	<5	37	889	180
723893	1.0	1.44	187	<5	1574	<10	5.56	7	15	31	517	4.01	.66	1.51	3099	8	.04	5	.57	78	.11	9	<2	97	<5	.01	<5	36	715	185
723894	1.0	1.55	143	<5	2314	11	2.73	3	16	45	531	5.29	.79	1.60	2928	9	.03	4	.58	78	.09	10	<2	115	<5	.01	<5	42	679	240
723895	.8	1.58	99	<5	1140	12	3.11	6	15	34	747	4.08	.78	1.61	2814	7	.03	2	.55	127	.05	13	<2	68	<5	.01	<5	36	740	280
723896	1.0	1.70	160	<5	704	<10	1.83	2	13	20	802	4.33	.68	1.83	1817	12	.01	5	.55	196	.16	2	<2	44	<5	.02	<5	33	692	205
723897	5.8	1.09	212	<5	327	<10	2.54	11	13	27	617	3.63	.67	.97	1354	11	.03	4	.59	1058	1.04	3	<2	35	<5	.01	<5	23	671	1590
723898	1.2	1.72	126	<5	1281	20	1.86	2	21	25	580	4.14	.52	1.99	1548	9	.04	2	.55	157	.26	9	<2	43	<5	.01	<5	55	634	180
723899	.4	1.55	107	<5	3649	<10	6.66	3	13	29	247	3.40	.58	1.71	2766	11	.05	2	.50	118	.08	10	<2	121	<5	.02	<5	46	609	90
723900	2.9	1.38	25	<5	90	<10	.82	1	10	43	7321	2.93	.16	.57	407	57	.12	38	.12	29	.89	12	<2	39	<5	.14	<5	47	60	670
723901	1.2	1.71	85	<5	293	<10	5.68	12	18	39	460	4.32	.51	1.93	2716	4	.03	2	.43	69	.77	7	<2	92	<5	.02	<5	38	774	280
723902	1.0	1.70	237	<5	259	<10	4.81	9	16	31	520	4.44	.53	1.92	2679	5	.03	3	.43	59	.90	10	<2	64	<5	.01	<5	41	787	210
723903	.6	1.68	112	<5	1389	<10	4.32	4	13	30	440	4.20	.49	2.02	1803	2	.05	2	.44	20	.25	2	<2	85	<5	.01	<5	62	528	68
723904	.4	1.72	141	<5	308	<10	7.21	5	20	25	223	4.37	.42	2.10	2137	3	.05	2	.45	39	.73	10	<2	105	<5	.02	<5	58	635	18
723905	.2	1.81	215	<5	2293	<10	4.54	3	14	21	77	4.73	.36	2.33	1387	2	.05	3	.49	29	.08	8	<2	103	<5	.01	<5	70	452	10
723906	1.6	1.17	12	<5	524	<10	6.89	3	12	18	834	4.18	.39	1.39	2153	8	.07	4	1.17	69	.82	3	<2	107	<5	.04	<5	38	937	95
723907	6.0	1.84	43	<5	50	29	2.26	20	20	31	9040	8.85	.71	1.99	1524	14	.03	2	1.04	235	7.31	4	<2	28	<5	.03	<5	27	5948	580
723908	2.0	1.69	75	<5	130	<10	4.49	16	18	24	1257	5.80	.52	1.96	3178	15	.03	4	1.10	176	2.48	8	<2	63	<5	.03	<5	28	1688	245
723909	.6	1.03	32	<5	1704	<10	7.25	7	12	12	392	4.08	.60	1.28	4910	15	.06	2	1.27	59	.33	8	<2	119	<5	.03	<5	32	1159	80
723910	1.2	1.46	53	<5	601	<10	7.43	12	18	27	958	5.44	.55	1.94	3150	17	.02	3	1.08	98	.81	2	<2	96	<5	.02	<5	26	1209	640
723912	.6	1.28	4	<5	930	<10	6.43	7	15	27	712	4.39	.47	1.80	3515	11	.07	2	1.19	69	.56	4	<2	106	<5	.02	<5	35	914	445
723913	.8	1.17	56	<5	917	<10	1.97	2	12	13	1083	3.59	.55	1.55	2220	18	.03	4	1.03	235	.46	10	<2	48	<5	.01	<5	25	745	205
723914	1.0	1.01	4	<5	1245	<10	2.50	2	15	23	1802	3.30	.60	1.18	2958	22	.07	5	1.31	147	.44	11	<2	56	<5	.02	<5	31	633	200
723915	.6	.90	40	<5	456	12	3.24	3	12	27	915	2.91	.48	1.05	1703	10	.01	5	1.18	127	.53	3	<2	46	<5	.02	<5	24	637	80
723916	1.3	1.18	24	<5	808	14	1.41	6	28	20	1681	3.88	.42	.91	2723	15	.06	6	.97	49	.58	2	<2	46	<5	.03	<5	24	1329	840
723917	1.2	1.01	48	<5	96	11	1.23	5	38	24	1260	4.75	.47	.70	1610	22	.06	3	.78	98	.329	14	<2	26	<5	.04	<5	14	817	245
723918	.8	.96	37	<5	240	<10	1.25	6	19	36	711	3.58	.39	.73	2092	9	.04	9	.85	98	1.16	2	<2	31	<5	.03	<5	25	1390	120
723919	.2	.84	38	<5	1850	<10	1.79	9	12	46	306	3.06	.74	.27	1388	7	.07	4	.90	49	.08	3	<2	68	<5	.04	<5	43	1266	52
723920	.2	.85	23	<5	815	<10	2.64	1	13	7	655	2.99	.42	.71	1271	3	.01	5	.70	29	.29	8	<2	79	<5	.01	<5	23	575	85
723921	1.4	1.12	34	<5	120	16	2.83	17	32	44	1104	4.47	.65	.85	2353	16	.04	8	.91	39	.29	3	<2	47	<5	.03	<5	21	3845	235
723922	1.0	1.08	20	<5	154	14	3.90	5	29	33	1195	4.63	.55	.88	1200	9	.05	5	.94	98	.320	6	<2	69	<5	.03	<5	28	1024	215
723923	.5	1.45	20	<5	731	<10	4.19	2	20	29	419	4.65	.50	1.37	1421	8	.06	2	.91	10	.36	14	<2	102	<5	.02	<5	43	424	70
723924	.4	1.24	35	<5	1345	<10	4.86	1	16	24	354	4.36	.40	1.25	1452	3	.06	3	.79	29	.12	10	<2	69	<5	.03	<5	39	280	75
723925	.3	1.15	28	<5	1354	<10	4.37	2	15	20	452	4.87	.40	1.20	2503	2	.03	8	.74	98	.									

ELEMENT SAMPLE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sn ppm	Sr ppm	Te ppm	Ti %	Tl ppm	V ppm	Zn ppm	*Au ppb
723933	2.4	.59	41	<5	91	<10	5.58	5	13	26	1449	2.29	.26	.68	1574	4	.04	6	.89	1098	2.44	8	<2	132	<5	.04	<5	12	1271	105
723934	.6	.31	35	<5	89	<10	7.37	1	7	15	164	1.22	.20	.50	1324	1	.06	8	.72	118	1.96	5	<2	196	<5	.02	<5	14	125	38
723935	.8	.39	13	<5	78	<10	5.72	1	16	17	952	1.27	.18	.33	571	24	.03	7	.73	59	2.57	8	<2	188	<5	.03	<5	10	163	135
723936	1.5	.24	20	<5	59	<10	8.08	2	30	21	1452	1.57	.15	.24	654	23	.04	6	.61	29	4.91	7	<2	214	<5	.02	<5	7	283	275
723937	1.4	.14	5	<5	47	11	5.40	1	14	15	603	.88	.15	.24	454	39	.02	7	.48	39	3.36	2	<2	132	<5	.02	<5	3	377	180
723938	.8	.25	6	<5	72	<10	10.00	1	24	22	1715	1.26	.22	.54	988	81	.05	9	.87	49	4.89	9	<2	250	<5	.03	<5	6	313	235
723939	.6	.26	5	<5	95	<10	7.91	2	15	19	347	1.00	.23	.54	975	6	.05	4	.96	29	3.25	10	<2	179	<5	.04	<5	11	541	28
723940	2.9	1.35	34	<5	126	<10	.89	1	9	44	7352	3.12	.13	.68	442	64	.10	25	.17	25	.82	6	<2	13	<5	.08	<5	78	68	670
723941	.6	.17	13	<5	84	<10	5.10	2	12	28	580	.70	.19	.34	531	18	.05	4	.61	49	2.03	7	<2	128	<5	.02	<5	7	51	120
723942	.8	.27	16	<5	114	<10	10.91	1	15	21	761	1.40	.24	1.22	1359	37	.02	3	.68	49	4.06	6	<2	225	<5	.02	<5	11	103	105
723943	.9	.29	36	<5	86	<10	10.12	2	23	20	1411	1.84	.23	.95	908	39	.03	6	.67	59	4.18	7	<2	240	<5	.01	<5	20	81	15
723944	.6	.22	5	<5	66	<10	12.67	1	16	5	1115	1.36	.16	.78	675	36	.01	5	.56	59	5.65	5	<2	308	<5	.01	<5	12	66	135
723945	1.0	.27	22	<5	88	<10	9.49	2	13	5	874	1.42	.22	.89	1083	70	.02	4	.60	69	3.85	7	<2	224	<5	.02	<5	11	376	105
723946	.7	.46	24	<5	79	11	8.21	8	14	27	459	2.12	.25	1.17	1593	20	.02	3	.73	69	3.82	2	<2	179	<5	.02	<5	14	1307	26
723947	.6	.31	57	<5	90	<10	8.72	1	23	21	1020	1.82	.21	1.00	944	45	.01	2	.69	59	4.17	3	<2	224	<5	.01	<5	12	256	135
723948	1.2	.28	28	<5	58	22	8.57	2	40	28	1793	2.52	.27	.97	928	180	.03	3	.68	39	5.06	12	<2	209	<5	.02	<5	6	390	235
723949	.6	.30	50	<5	70	10	12.24	1	22	28	1344	1.62	.26	.88	609	87	.01	2	.56	29	5.89	3	<2	352	<5	.02	<5	10	51	195
723950	.2	.29	6	<5	72	<10	.16	1	1	82	6	.80	.18	.18	300	2	.06	2	.02	9	.01	5	<2	1	<5	.03	<5	5	30	3
723951	1.0	.24	9	<5	92	<10	10.93	2	15	30	1105	1.26	.22	1.13	710	41	.03	3	.58	39	4.18	4	<2	271	<5	.01	<5	9	34	215
723952	2.0	.41	32	<5	104	<10	8.61	1	25	6	2436	1.84	.23	1.30	766	74	.02	5	.61	59	3.78	11	<2	218	<5	.01	<5	10	112	560
723953	.4	.41	56	<5	134	<10	9.13	4	14	30	280	2.35	.28	2.19	2449	10	.01	4	.58	39	2.35	10	<2	171	<5	.01	<5	15	693	28
723954	1.0	.41	89	<5	88	<10	8.84	14	17	36	768	2.63	.31	1.37	2185	19	.03	2	.59	29	4.26	9	<2	206	<5	.02	<5	10	2135	335
723955	.4	.38	5	<5	104	<10	10.42	3	9	24	445	2.02	.26	1.64	2228	10	.01	3	.53	49	3.29	7	<2	231	<5	.01	<5	15	524	120
723956	.2	.34	6	<5	124	<10	7.90	1	8	22	88	1.63	.25	1.32	900	2	.03	2	.58	39	2.18	2	<2	220	<5	.01	<5	21	68	12
723957	.6	.32	38	<5	70	<10	8.40	2	27	23	727	1.83	.25	1.01	746	19	.03	4	.59	29	3.71	6	<2	220	<5	.01	<5	17	53	115
723958	.8	.29	30	<5	77	<10	9.90	1	17	19	1006	1.63	.21	1.29	809	51	.03	5	.61	39	3.61	10	<2	249	<5	.01	<5	19	78	32
723959	.4	.32	26	<5	125	<10	9.36	2	11	29	280	1.83	.25	1.70	1191	10	.03	3	.54	118	2.42	9	<2	194	<5	.01	<5	18	141	18
723960	2.9	1.31	30	<5	102	<10	.91	1	10	43	7352	2.77	.14	.76	415	56	.09	34	.16	30	.82	13	<2	14	<5	.07	<5	77	63	690
723961	.6	.08	5	<5	29	<10	2.82	2	3	3	244	.08	.03	.51	506	1	.01	3	.00	20	1.27	6	<2	41	<5	.01	<5	1	29	59
723962	.2	.09	6	<5	5	<10	2.20	1	2	1	43	.10	.07	.05	36	1	.01	2	.02	10	2.17	13	<2	71	<5	.01	<5	2	38	38
723963	2.2	.59	43	<5	1483	11	.51	2	14	40	561	3.91	.23	.62	793	13	.02	5	.41	108	.18	5	<2	22	<5	.02	<5	15	545	315
723964	11.2	.56	30	<5	818	17	.49	1	10	68	854	4.94	.22	.47	711	20	.01	4	.66	196	.27	8	<2	17	<5	.01	<5	8	606	695
723965	1.8	.48	23	<5	1911	<10	.55	1	18	38	699	3.43	.25	.28	1600	15	.03	2	.49	108	.11	5	<2	24	<5	.01	<5	18	533	68
723966	1.2	.37	21	<5	473	<10	2.33	10	15	34	769	2.72	.25	.72	1854	15	.04	4	.54	98	.65	2	<2	23	<5	.02	<5	24	377	110
723967	.6	.50	36	<5	155	11	1.65	10	22	47	723	2.63	.28	.58	1314	10	.04	3	.52	69	1.41	3	<2	19	<5	.02	<5	18	905	28
723968	.8	.51	5	<5	121	11	1.21	8	19	36	1841	2.70	.24	.35	802	11	.04	2	.56	206	1.52	2	<2	26	<5	.02	<5	15	657	20
723969	.6	.38	8	<5	108	<10	2.11	7	14	31	326	2.67	.24	1.04	1324	8	.03	3	.43	10	1.52	6	<2	21	<5	.01	<5	11	374	16
723970	.2	.25	8	<5	45	11	.14	1	2	80	6	.71	.17	.14	289	2	.05	2	.03	10	.03	2	<2	2	<5	.01	<5	6	30	2
723971	.4	.66	24	<5	350	<10	.79	7	8	26	349	2.76	.23	1.04	560	6	.03	4	.52	10	.56	4	<2	16	<5	.01	<5	15	529	12
723972	.6	.52	49	<5	296	<10	.93	7	12	25	278	2.46	.21	.89	850	9	.03	5	.46	10	.63	8	<2	20	<5	.01	<5	11	574	13
723973	.4	.38	26	<5	315	<10	1.60	6	12	26	380	2.33	.28	.76	1188	8	.04	4	.52	10	.96	11	<2	19	<5	.01	<5	13	376	22
723974	.8	.35	54	<5	630	<10	1.44	5	12	28	298	1.86	.25	.57	766	5	.04	5	.52	10	.44	4	<2	20	<5	.01	<5	13	537	10
723975	2	.37	7	<5	402	<10	1.57	4	15	34	252	2.04	.30	.54	582	9	.04	3	.48	20	.75	5	<2	19	<5	.01	<5	17	453	39
723976	.4	.35	48	<5	85	<10	1.74	5	16	35	339	3.10	.28	.66	925	8	.04	2	.52	29	2.12	6	<2	19	<5	.01	<5	9	660	48
723977	.6	.32	28	<5	110	<10	.69	1	10	28	298	2.30	.24	.17	634	3	.04	3	.64	39	.87									

ELEMENT SAMPLE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sn ppm	Sr ppm	Te ppm	Ti %	Tl ppm	V ppm	Zn ppm	*Au ppb
723983	.3	.38	5	<5	38	11	1.09	3	7	29	41	1.86	.19	.51	317	6	.04	3	.16	49	2.13	2	<2	18	<5	.01	<5	5	232	16
723984	.4	.38	24	<5	52	16	1.66	2	8	36	306	1.89	.18	.64	575	4	.04	3	.15	49	2.09	12	<2	20	<5	.01	<5	5	239	40
723985	.7	.41	72	<5	33	28	1.30	13	21	64	65	4.33	.28	.67	1262	3	.03	4	.22	78	4.95	3	<2	19	<5	.01	<5	10	1372	43
723986	.6	.37	29	<5	34	13	1.13	10	15	42	88	5.01	.24	1.31	2262	3	.02	2	.23	49	4.02	2	<2	14	<5	.01	<5	12	1672	62
723987	.4	.40	14	<5	59	<10	2.95	6	11	34	113	4.03	.23	1.66	2857	1	.01	3	.25	39	2.22	3	<2	27	<5	.01	<5	13	1101	16
723988	.6	.51	59	<5	185	<10	3.64	1	4	28	82	3.01	.24	2.00	2623	1	.03	5	.19	39	.55	2	<2	35	<5	.02	<5	10	312	19
723989	.3	.52	49	<5	347	<10	3.94	3	2	32	44	4.02	.27	2.48	3500	2	.03	2	.23	20	.28	6	<2	43	<5	.02	<5	16	671	20
723990	.2	.34	7	<5	49	<10	.13	1	1	81	6	.71	.20	.11	273	4	.08	3	.02	10	.03	3	<2	2	<5	.05	<5	5	34	2
723991	.4	.58	38	<5	50	<10	4.07	2	10	51	78	5.18	.32	1.49	3726	4	.03	2	.25	39	2.43	9	<2	34	<5	.02	<5	13	536	16
723992	.6	.70	49	<5	40	<10	3.74	2	14	51	78	5.18	.24	.97	1938	11	.01	4	.15	49	3.72	6	<2	29	<5	.02	<5	9	354	14
723993	17.1	.94	45	<5	37	38	6.96	5	17	153	5388	6.20	.23	1.83	3489	12	.01	3	.21	1588	3.25	15	<2	50	<5	.01	<5	20	743	540
723994	.6	1.09	50	<5	159	<10	5.88	1	8	42	114	4.21	.23	2.17	2751	14	.02	4	.26	49	1.13	5	<2	59	<5	.01	<5	21	261	32
723995	.2	1.01	32	<5	130	<10	5.04	1	9	46	66	3.68	.21	2.02	2822	4	.01	3	.27	59	1.14	5	<2	51	<5	.01	<5	28	289	61
723996	5.4	.62	39	<5	39	23	9.92	3	12	64	9943	7.19	.21	1.35	3843	11	.03	5	.18	78	4.82	7	<2	58	<5	.02	<5	10	466	1960
723997	22.8	.40	10	<5	329	<10	2.24	2	5	15	182	17.92	.21	.87	1692	9	.04	3	.05	470	.37	11	<2	50	<5	.01	<5	20	271	7950
723998	3.6	.38	31	<5	31	28	3.22	1	20	65	5079	8.40	.31	.51	2370	6	.01	5	.10	59	7.23	5	<2	24	<5	.01	<5	10	221	510
723999	.2	.08	5	<5	2	<10	.64	2	1	2	36	.04	.06	.05	91	1	.03	4	.10	20	.17	5	14	6	<5	.02	<5	4	46	310
724000	2.9	1.36	28	<5	92	<10	.91	1	11	42	7433	3.23	.15	.74	444	62	.11	35	.12	29	.79	9	<2	45	<5	.13	<5	55	69	660



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541
loringlabs@telus.net

ISO9001:2008 Certified

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : November 11, 2014
Samples : Core

Certificate of Assay

Attn: Amanda Mullin

Sample No.	Au ppb
"Assay Analysis"	
722776	177
722777	367
722778	171
722779	319
722780	676
722781	488
722782	107
722783	121
722784	228
722785	67
722786	45
723787	539
723787 recut	509
723788	256
723789	689
723790	45
723791	998
ck 722776	191
Std OxJ 120 (2365 ppb)	2384
Blank	<5
Methodology:	30g Fire Assay with AA finish.
Received Date:	October 09, 2014

I HEREBY CERTIFY that the above results are those assays
made by me upon the herein described samples:

Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.

FORM ASYC-015



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541
loringlabs@telus.net

ISO9001:2008 Certified

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : November 11, 2014
Samples : Core

Certificate of Assay

Attn: Amanda Mullin

Sample No.	Au ppb
"Assay Analysis"	
723792	322
723793	Sample Missing
723794	276
723795	374
723796	742
723797	993
723798	172
723799	187
723800	717
723801	295
723802	182
723803	510
723804	1042
723805	1162
723805 recut	1190
723806	1062
723807	1960
ck 723801	312
Std OxJ 120 (2365 ppb)	2372
Blank	<5
Methodology:	30g Fire Assay with AA finish.
Received Date:	October 09, 2014

I HEREBY CERTIFY that the above results are those assays
made by me upon the herein described samples:

Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.

FORM ASYC-015



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541
loringlabs@telus.net

ISO9001:2008 Certified

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : November 11, 2014
Samples : Core

Certificate of Assay

Attn: Amanda Mullin

Sample No.	Au ppb
"Assay Analysis"	
723808	288
723809	101
723810	32
723811	97
723812	507
723813	152
723814	249
723815	229
723816	60
723817	61
723818	51
723819	53
723820	684
723821	37
723822	24
723823	151
723823 recut	161
ck 723817	55
Std OxJ 120 (2365 ppb)	2384
Blank	<5
Methodology:	30g Fire Assay with AA finish.
Received Date:	October 09, 2014

I HEREBY CERTIFY that the above results are those assays
made by me upon the herein described samples:

Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.

FORM ASYC-015



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541
loringlabs@telus.net

ISO9001:2008 Certified

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : November 11, 2014
Samples : Core

Certificate of Assay

Attn: Amanda Mullin

Sample No.	Au ppb
"Assay Analysis"	
723824	439
723825	593
723826	199
723827	381
723828	325
723829	254
723830	85
723831	1330
723832	66
723833	48
723834	58
723835	68
723836	70
723837	160
723838	137
723839	50
723840	638
ck 723833	55
Std OxJ 120 (2365 ppb)	2394
Blank	<5
Methodology:	30g Fire Assay with AA finish.
Received Date:	October 09, 2014

I HEREBY CERTIFY that the above results are those assays
made by me upon the herein described samples:

Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.

FORM ASYC-015



Loring Laboratories (Alberta) Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541
loringlabs@telus.net

ISO9001:2008 Certified

TO: Teuton Resources Corp.
Silver Grail Resources
202-2187 Oak Bay Avenue
Victoria, BC V8R 1G1

File No : 57832
Date : November 11, 2014
Samples : Core

Certificate of Assay

Attn: Amanda Mullin

Sample No.	Au ppb
"Assay Analysis"	
723841	122
723841 recut	104
723842	61
723843	68
723844	70
723845	144
723846	84
723847	66
723848	76
723849	77
723850	28
723851	93
723852	209
ck 723845 Std OxJ 120 (2365 ppb) Blank	134 2360 <5
Methodology:	30g Fire Assay with AA finish.
Received Date:	October 09, 2014

I HEREBY CERTIFY that the above results are those assays
made by me upon the herein described samples:

Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.

FORM ASYC-015