BRITISH COLUMBIA
The Best Place on Earth

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Assessment Report

TOTAL COST: 541,411.35 (525,000 claimed)

AUTHOR(S): R.J. (Bob) Johnston, Gavin R.D. Titley **SIGNATURE(S):**

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-13-283 **YEAR OF WORK:** 2017

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5680382

PROPERTY NAME: Stardust

CLAIM NAME(S) (on which the work was done): 514111, 505166, 514120, 514117, 514109, 514119, 514114, 514117, 514104
514105, 545320, 514106

COMMODITIES SOUGHT: Gold, Copper, Silver, Lead, Zinc, Molybdenum

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Omineca **NTS/BCGS:** 93N/11W

LATITUDE: 55 ° 34 '00 " **LONGITUDE:** 125 ° 25 '00 " **(at centre of work)**

OWNER(S):
1) Lorraine Copper Corp. 2)

MAILING ADDRESS:
110-325 Howe Street, Vancouver, BC, V6C1Z7

OPERATOR(S) [who paid for the work]:
1) Sun Metals Corp. 2)

MAILING ADDRESS:
Suite 1900, 1055 West Hastings Street, Vancouver, BC
V6E 2E9

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Lustdust, Carbonate replacement deposit, Skarn, Manto, Porphyry, Sediment-hosted gold, Carlin
Gold, Copper, Silver, Lead, Zinc, Molybdenum
Cache Creek, Glover, Eocene, Jurassic, Pennsylvanian, Permian, Hogem Batholith

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 21965, 26725, 26466A, 26069, 25739, 24735
12785, 13158, 14546, 15263, 18781, 19373, 21965, 22309, 22726, 24735, 11211, 31989, 29786, 29090, 28313, 27603, 27260

Next Page

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Assessment Report

TOTAL COST: 541,411.35 (525,000 cla

AUTHOR(S): R.J. (Bob) Johnston, Gavin R.D. Titley **SIGNATURE(S):**

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-13-283 **YEAR OF WORK:** 2017

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5680382

PROPERTY NAME: Stardust

CLAIM NAME(S) (on which the work was done): 514111, 505166, 514120, 514117, 514109, 514119, 514114, 514117, 514104
514105, 545320, 514106

COMMODITIES SOUGHT: Gold, Copper, Silver, Lead, Zinc, Molybdenum

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Omineca **NTS/BCGS:** 93N/11W

LATITUDE: 55 ° 34 '00 " **LONGITUDE:** 125 ° 25 '00 " **(at centre of work)**

OWNER(S):
1) Lorraine Copper Corp. 2)

MAILING ADDRESS:
110-325 Howe Street, Vancouver, BC, V6C1Z7

OPERATOR(S) [who paid for the work]:
1) Sun Metals Corp. 2)

MAILING ADDRESS:
Suite 1900, 1055 West Hastings Street, Vancouver, BC
V6E 2E9

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Lustdust, Carbonate replacement deposit, Skarn, Manto, Porphyry, Sediment-hosted gold, Carlin
Gold, Copper, Silver, Lead, Zinc, Molybdenum
Cache Creek, Glover, Eocene, Jurassic, Pennsylvanian, Permian, Hogem Batholith

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 21965, 26725, 26466A, 26069, 25739, 24735
12785, 13158, 14546, 15263, 18781, 19373, 21965, 22309, 22726, 24735, 11211, 31989, 29786, 29090, 28313, 27603, 27260

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic	28.09 Line-Km	514104, 514105, 514016, 514120, 514	75,000
Electromagnetic			
Induced Polarization	28.1 Line-Km	514104, 514105, 514016, 514120, 514	75,000
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil	744	514111, 505166, 514120, 514117, 514	150,000
Silt			
Rock	44	514104, 514114, 514106, 514117	35,000
Other			
DRILLING (total metres; number of holes, size)			
Core	343.51m NQ, 3 Holes	514104, 514117	100,000
Non-core			
RELATED TECHNICAL			
Sampling/assaying	144	514104, 514117	5000
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)	29	514104, 514105, 514016, 514120, 514	60,000
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail	1	514104, 514117	15,000
Trench (metres)			
Underground dev. (metres)			
Other	GIS mapping, data compilation, report writing	all	25,000
		TOTAL COST:	540,000

BC Geological Survey
Assessment Report
36953

2017 ASSESSMENT REPORT

DRILLING, GEOCHEMICAL SAMPLING AND GEOPHYSICAL SURVEYS

on the

STARDUST PROPERTY

OMINECA MINING DIVISION,
BRITISH COLUMBIA, CANADA

NTS 93N / 11W
55°34'00"N, 125°25'00"W

FOR

SUN METALS CORP.
SUITE 1900, 1055 WEST HASTINGS STREET
VANCOUVER, BC, CANADA V6E 2E9

BY

R. J. (BOB) JOHNSTON AND GAVIN TITLEY
LORRAINE COPPER CORP.

FEBRUARY 8TH, 2018

Table of Contents

Table of Contents 2

Table of Figures 3

Table of Tables 4

Table of Appendices 5

1.0 Summary 6

2.0 Introduction And Terms of Reference 6

3.0 Property Description 6

3.1 Claim Status 6

3.2 Location 8

3.3 Accessibility And Infrastructure 8

3.4 Climate 10

3.5 Physiography 10

4.0 History 10

5.0 Geological Setting 12

5.1 Regional Geology 12

5.2 Property Geology 16

6.0 Deposit Types 17

6.1 General 17

6.2 Carbonate Replacement Deposits 18

6.2.1 Carbonate Replacement Deposits at Stardust: 21

6.3 Porphyry Cu±Mo±Au Deposits 21

6.3.1 Porphyry Deposits at Stardust: 22

7.0 Mineralisation 23

7.1 General 23

7.2 AG-Zn-Pb-As-Sb Vein Zone: Number 1 Zone 23

7.3 Zn-Au-Ag-Pb Mantos: Number 2, 3, 4b, East and GD Zones 24

7.3.1 Summary 24

7.3.2 Number 2 Zone 24

7.3.3 Number 3 Zone 24

7.3.4 4B Zone 25

7.3.5 East Zone 25

7.3.6 GD Zone Or Number 3 Zone Extension 25
7.4 Skarn Mineralisation: Canyon Creek Skarn (Number 4 Zone), CCS Extension, and Northwest Extension 26
7.4.1 Canyon Creek Skarn (Number 4 Zone) 26
7.4.1.1 Footwall Zone 27
7.4.1.2 Hanging Wall Skarn 28
7.4.2 Canyon Creek Skarn Extension 28
7.4.3 Northwest Extension 28
7.5 Valley Zone 28
7.6 Porphyry Cu±Mo±Au Deposits: Glover and Kwanika 29
7.6.1 Glover Stock 29
7.6.2 Kwanika 29
8.0 2017 Exploration 29
8.1 Summary 29
8.2 Geochemistry 30
8.2.1 Soil Sampling 30
8.2.2 Rock Sampling 31
8.3 Geophysics 32
8.4 Drilling 50
8.4.1 Summary 50
8.4.2 LD2017-01 51
8.4.3 LD2017-02 51
8.4.4 LD2017-03 52
9.0 Sampling and QA/QC Procedures 53
10.0 Conclusions and Recommendations 53
11.0 Statement of Costs 59
12.0 References 62
13.0 Statement of Qualifications 65

Table of Figures

3.1.1 Claim Details 7
3.2.1 Location 9
5.1.1 BC Terrane Geology 13

5.1.2 Regional Geology 14
6.1.1 Property Geology 15
6.1.1 Deposit Model 18
6.2.1.1 Spectrum of Carbonate Replacement Deposits 21
8.2.1.1 Soil Sample Locations 33
8.2.1.2 Au in Soil Samples 34
8.2.1.3 Ag in Soil Samples 35
8.2.1.4 Cu in Soil Samples 36
8.2.1.5 Pb in Soil Samples 37
8.2.1.6 Zn in Soil Samples 38
8.2.2.1 Rock Sample Locations 39
8.2.2.2 Au in Rock Samples 40
8.2.2.3 Ag in Rock Samples 41
8.2.2.4 Cu in Rock Samples 42
8.2.2.5 Pb in Rock Samples 43
8.2.2.6 Zn in Rock Samples 44
8.3.1 Geophysical Survey Station Locations 45
8.4.1 Drill Site Locations 46
8.4.2.1 LD2017-01 Cross Section 47
8.4.3.1 LD2017-02 Cross Section 48
8.4.4.1 LD2017-03 Cross Section 49
10.1 Property Targets 57
10.2 Drill Targets 58

Table of Tables

3.1 Claim Status 8
4.1 Historical Work 11
6.3.1 Porphyries of BC 17
8.2.2.1 Selected Rock Samples 31

8.4.1.1 Selected Drill Intercepts 50

8.4.1.2 Drill Hole Collars 50

11.1 Statement of Costs 58-60

Table of Appendices

Appendix 1: 2017 Soil Sample Notes and Assay Results 66

Appendix 2: 2017 Rock Sample Notes and Assay Results 77

Appendix 3: 2017 Geophysical Sections 83

Appendix 4: 2017 Drill Logs and Assay Results 94

Appendix 5: 2017 Assay Certificates 104

1.0 Summary

The Stardust property, formerly known as “Lustdust”, is located about 150 km north of Fort St. James in the Omineca Mining Division of north-central British Columbia. The property has a rich exploration history dating back to 1944 when the Number 1 vein was discovered. There has not been any significant exploration work done on the property since the 2011-12 exploration program conducted by Aurora Geoscience for ALQ Gold. Stardust is considered to be a Carbonate Replacement Deposit (CRD) comprising porphyry, skarn, manto and silver vein mineralisation.

In June of 2016, Lorraine Copper Corp. entered into an agreement to acquire a 100% interest in the Stardust property from previous owners, ALQ Gold Corp. In early June of 2017, a preliminary field program was undertaken to assess the state of roads and core storage facilities on the property. Shortly thereafter, the property was optioned to what is now called Sun Metals, a member of the Oxygen Capital Group of Companies. Sun Metals has an option to acquire a 100% interest in the property subject to certain royalties and terms.

The 2017 exploration program was conducted in two phases; a short reconnaissance in early June and a more significant programme that ran from early August to late October. Work conducted included 39 line-km of soil sampling, 28 line-km of induced polarization (IP) and magnetometer survey, three diamond drill holes totalling 344 metres and the collection of 44 rock and chip samples.

2.0 Introduction And Terms of Reference

This report documents the results of the 2017 exploration program and summarizes significant changes to the geological database up to December 2017 following the ongoing review of historical data. It is intended for submittal as an assessment report to the Minerals Title Branch of the BC Ministry of Energy, mines and Petroleum Resources.

Much of the content of this report is indebted to the fine work done by authors of previous assessment reports on the property, going as far back as 1941. The 2017 exploration program was overseen and carried out by Mincord Exploration Consultants Ltd. On-site supervision of sampling, prospecting and QA/QC procedures was carried out by Gavin Titley, GIT and Bob Johnston, P. Geo. of Mincord Exploration. Off-site supervision was provided by Glen Garratt, P. Geo. and Bill Morton, P. Geo. of Lorraine Copper Corp.

3.0 Property Description

3.1 Claim Status

Lorraine Copper Corp. owns a 100% interest in the Stardust mineral property having purchased it in September 2016 from ALQ Gold Corp. (formerly Alpha Gold Corp.). The project encompasses 24 mineral claims covering 11,156 hectares. Claim details are presented in Table 3.1 and Fig. 3.1. Note that there is a single small claim in the centre of the property, covering the site of historic drifting of the Number 1 Vein, that is excluded from the Stardust claims.

335000E
340000E
345000E
350000E
355000E

6175000N
6170000N
6165000N
6160000N
6155000N
6150000N
6145000N
6140000N

692403
692424
692443
1052797
514111
1052796
505166
514120
514109
514117
514119
514104
514105
514115
514114
Excluded
514106
533018
545320
545682
545321
545684
1052800
1052799
545688

Legend

Claims By Owner

- EASTFIELD RESOURCES LTD.
- CENTERRA
- LEPINSKI, JOHN BRENT
- LORRAINE COPPER CORP.
- SERENGETI RESOURCES INC.
- TASCHUK, LEO FRANK
- WARREN, LORNE BRIAN

Map Features

- Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Claim Boundaries
Scale: 1:50,000
UTM: UTM Zone 10 - NAD83
Date: Jan 18th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

1 0 1 2 km

In 2017, Lorraine Copper signed a definitive agreement with 1124245 B.C. Ltd. (now Sun Metals), whereby 1124245 B.C. Ltd. acquired an option to purchase a 100% interest, subject to certain royalties and terms, in the Stardust mineral property.

Table 3.1: Stardust Claims


Title Number	Claim Name	Map Number	Issue Date	Good To Date	Status	Area (ha)
505166	Alpha 1	093N	2005/JAN/29	2026/DEC/15	GOOD	347.16
514104		093N	2005/JUN/07	2026/DEC/15	GOOD	603.62
514105		093N	2005/JUN/07	2026/DEC/15	GOOD	493.88
514106		093N	2005/JUN/07	2026/DEC/15	GOOD	365.99
514109		093N	2005/JUN/07	2026/DEC/15	GOOD	694.67
514111		093N	2005/JUN/07	2026/DEC/15	GOOD	1205.81
514114		093N	2005/JUN/08	2026/DEC/15	GOOD	695.24
514115		093N	2005/JUN/08	2026/DEC/15	GOOD	548.90
514117		093N	2005/JUN/08	2026/DEC/15	GOOD	274.28
514119		093N	2005/JUN/08	2026/DEC/15	GOOD	457.19
514120		093N	2005/JUN/08	2026/DEC/15	GOOD	712.91
533018	ALPHA 2	093N	2006/APR/25	2025/DEC/15	GOOD	219.65
545320	LUSTDUST	093N	2006/NOV/13	2025/DEC/15	GOOD	439.37
545321	LUSTDUST	093N	2006/NOV/13	2025/DEC/15	GOOD	439.65
545682	NAT 1	093N	2006/NOV/22	2025/DEC/15	GOOD	457.80
545684	NAT 2	093N	2006/NOV/22	2025/DEC/15	GOOD	439.70
545688	NAT 3	093N	2006/NOV/22	2025/DEC/15	GOOD	164.92
692403	UTM2	093N	2010/JAN/01	2025/DEC/15	GOOD	456.47
692424	UTM3	093N	2010/JAN/01	2025/DEC/15	GOOD	456.47
692443	UTM4	093N	2010/JAN/01	2025/DEC/15	GOOD	109.57
1052796	KW2	093N	2017/JUN/28	2025/DEC/15	GOOD	347.13
1052797	KWN	093N	2017/JUN/28	2025/DEC/15	GOOD	420.02
1052799	WESTSIDE 1	093N	2017/JUN/28	2025/DEC/15	GOOD	402.92
1052800	WESTSIDE 2	093N	2017/JUN/28	2025/DEC/15	GOOD	402.92
					Total:	**11156.26**

3.2 Location

Stardust is located 150 km north of Fort St. James in the Omineca Mining Division of north-central British Columbia on NTS 93N/11W at latitude 55° 34' North (Northing 6160175) and 125° 25' West (Easting 347850), UTM Zone 10, NAD 83 (Fig. 3.2)

3.3 Accessibility And Infrastructure

The property is accessible by road from Highway 16 at Fort St. James by traveling 30 km along a paved road towards the community of Tachie Lake, then north for 68 km along the all-weather Leo Creek Forest Service Road (FSR), 54 km along the Driftwood FSR, then 26 km along the Fall-Tsayta logging road and finally 3 km along the Silver Creek road. Total distance by road is about 200km from Fort St. James, which usually takes about 3 hours depending on road conditions. The property is also accessible by float plane, about a 1 hour flight to Tsayta Lake from either Prince George or Smithers, followed by a half an hour drive to the site.


Lorraine Copper/Sun Metals
Stardust Property
Location
Scale: 1:150,000
UTM: UTM Zone 10 - NAD83
Date: Jan 18th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT
10 0 10 20 km
N
Stardust
300000E
400000E
500000E
6300000N
6200000N
6100000N
6000000N

Local population centres are, from nearest to furthest: Takla Landing, Fort St. James, and Prince George. The area has a strong mining history, and these centres have provided ample support and resources for past exploration programmes on the Stardust property. Prince George is a major commercial centre with major road, rail and air links, as well as significant and is a six-hour drive from the Stardust Property.

There are currently no permanent structures on the Stardust property, save a small gazebo with information about the Bralorne-Takla Mine reclamation site, but several collapsed cabin structures dot the small lake just south of the reclamation site in the area formerly occupied by historic exploration camps. To the immediate southeast along the Silver Creek road lies Serengeti Resources' (SIR) Kwanika camp, which, at the time of the 2017 exploration program, contained several permanent structures that were in various states of disrepair. There are also several fishing lodges and guiding camps within the area, including the Tsayta Lake Lodge at 7km on the Fall-Tsayta road, which was the operations-base for the 2017 program.

3.4 Climate

The climate is cool to moderate with warm, moist summers and cool winters. Snow accumulations during average winters persist from late September through May-June at the higher elevations. Winter temperatures are commonly below freezing and can fall as low as -30°C for short periods of time. The region receives an average of 295 mm of rainfall and 192 cm of snowfall annually with 138 days per year with precipitation exceeding 0.2 mm. Most of the exploration programs conducted on the property have been completed during the June to October field season.

3.5 Physiography

The terrain is moderate, ranging in elevation from 1000-1525 m on the property with little outcrop exposure at lower elevations. Much of the historic work on the central Stardust zones has been completed at higher elevations, where there is less forest cover and more outcrop exposure. Lower elevations are covered by widely-spaced lodgepole pine. At elevations above 1200 m, forest cover consists of over-mature spruce and balsam with an undergrowth of white rhododendron. Despite fairly moist summers, many drainages are seasonal in nature with progressively diminished flows during the late summer and fall.

4.0 History

The Stardust property has been explored by a variety of operators since the discovery of the Number 1 Vein in the 1940s. Table 4.1 provides a summary of exploration activity over the years broken down by assessment reports and other geological databases. Note that what is listed in the table is not necessarily a complete compilation of exploration work done on the property, as work is presently being done to comb through some of the more obscure historical records.

Year	AR No.	Company	Property	Claim No.	Author	Work	Zones	AR Holes Drilled	AR Drilling (m)	Database Holes	Database Drilling (m)	Mag (km)	VLF EM (km)	IP (km)	Geochem Lab	Soil Samp.	Rock Samp.	Silt Samp.	Heavy Sed. Samp.	Trenches	Trench area (m^2)	Drifting (m)
1944				WOW#1		zone 1 discovery; claim staking	1															
1945		McKee Gp/Leta Expltn.		WOW#1		trenching; drilling	1		106.70		0.00											
1952		Bralorne Mines		WOW#1; MV1		trenching; drilling	1, 2, 3														5306	
1954		Bralorne Mines		MV2; M		drilling	4b		1,429.00		0.00											
1958	00219A	Totem Minerals	Pole	514105	Hans Lundberg	mag, geochem.																
1960		Noranda Canex				rock cuts; trenching; test pits	4b														1708	
1963		Bralorne Mines		Wow#1		sampling	1															
1964		Takla Silver Mines		Wow#1		drifting	1															229
1966		Takla Silver Mines		Wow#1		undergound drilling	1		229.00	5	500.00											
1968		Takla Silver Mines		Wow#1		surf/underg drilling; 90 kg bulk sample	1		1,910.00													
1968	01755A	Rip Van Mining	Houston	533018	S. J. Hunter	Hg soil geochem; trench sampling																
1978	7059	Granby Mining		MV1-2	D.H. James; W.J. Wilkinson	geol; geochem; pulse EM	1, 2, 3, 4b									910.00						
1979	7509	Zapata Granby		K, L, M	Glen White	EM																
	7759	Zapata Granby		K,L	W.L. Wilkinson	drlling		3	615.40	3	615.40											
1980	8669	Noranda (Zapata)		K,L	S.E. Prest	drilling		2	299.30	1	100.00											
1981	9937	Noranda (Zapata)	Lust Dust	614105	Michael W. Leahy	geochem; drilling; geophys; geol.	2, 3	6	854.00	1	100.00		26.15			722.00						
1983	12542	Golden Porphyrite	Mt. Grant Cr.	514111	H. S. Macfarlane	geol.; geochem.										521.00	56					
1984	12785	Golden Porphyrite	Jo	514115	J. E. Wallis	geochem.										66.00	3					
	13158	Equinox Res.	West Weka	545321	R. R. Culbert	geochem.										62.00	14					
	14546	Golden Porphyrite	Mt. Grant Cr.	514111	F. Marshall Smith	geochem.											9		9			
1986	?	Welcome North		Wow#1, MV,L,M		sampling	1, 3, 4b															
	?	Pioneer Metals		Wow#1, MV,M		geol.	1, 2															
	15263	Equinox Res.		Wow#1	J.E. Christoffersen	geochem.										96.00	15	14				
1989	18781	Eastfield Res.	Nation	545320	J. W. Morton	geochem; mag; vlfem; geol.						21.00	21.00		Acme	570.00						
	19373	Eastfield Res.	Nation	545320	J. W. Morton	geochem.; geol.								0.45	Acme	29.00	25					
1991	21965	Alpha Gold	MV		Dolmage Campbell Ltd.	drilling		5	328.70	11	988.20				Bondar							
	22309	Alpha Gold	Lust Dust		Dolmage Campbell Ltd.	drilling		6	577.90						Bondar						160	
1992	22726	Alpha Gold	Lust Dust		Darrel Johnson	drilling; trenching; geophys.		30	1,520.00	30	1,520.00		12.50		Bondar		23			6		
1993		Alpha Gold	Lustdust		Icona/Darny/Pamicon	summary report				24	2,041.84											
1996	24735	Teck/Alpha	Lust Dust		G. Evans	geochem; geol.; trenching	2, 3, 4, 4b								Echo Tech	513.00	259			41	1308	
1997	?	Teck/Alpha	Lust Dust		G. Evans	geochem; drilling	1, 3, 4, 4b	16	3,062.80	16	3,062.80											
1998	25739	Teck/Alpha	Lust Dust		G. Evans	drilling	1, 2, 3	14	1,103.00	14	1,105.30				Bondar							
1999	26069	Alpha Gold	Lust Dust	514104	Peter K. M. Megaw	drilling; geol.	3, 4b, CCSZ	18	3,050.00	18	3,050.00				Echo Tech					5	500	
2000	26466A	Alpha Gold	Lust Dust		Peter K. M. Megaw	drilling; geol., mag	CCSZ	29	4,680.00	29	4,680.00				Chemex Echo							
2001	26725	Alpha Gold	Lust Dust		Peter K. M. Megaw	drilling; geol.	CCSZ; Porph.	18	5,609.00	18	5,609.00				Chemex							
2002	?	Alpha Gold	Lust Dust		J. Oliver	drilling	CCSZ	19	7,790.40	19	7,790.40											
2003	27260	Alpha Gold	Lust Dust		J. L. Oliver	drilling	1, 3, CCSZ	42	7,908.00	42	7,908.00					695.00						
2004	27603	Alpha Gold	Lust Dust		Daryl J. Hanson	drilling; geochem.	3, CCSZ	21	6,010.00	21	6,010.00				ALS	724.00						
2005	28313	Alpha Gold	Lust Dust		Daryl J. Hanson	drilling; geochem, geol.	CCSZ	17	5,153.00	17	5,152.90					587.00						
		Alpha Gold	Lust Dust		K.J. Palmer et al/Snowden	resource comp. CCSZ																
2006	29090	Alpha Gold	Lust Dust	514104-105-117	Daryl J. Hanson	drilling; geochem, trenching	CCSZ, GD, Valley	32	6,855.10	32	6,855.10						7			3	169	
								24	3,054.10	24	3,054.10											
2007	?	Alpha Gold	Lust Dust	514104-105-117		airmag/em; drilling		34	8,898.00	34	8,898.00											
2008	29786	Amark	Petite	692403-424	Wojtek Jakubewski et al	airmag						74.00										
	?	Alpha Gold	Lust Dust	514104-105		drilling	valley	5	2,140.00	0												
2009	31989	Alpha Gold	Lust Dust	514117	Anastasia Ledwon et al	drilling; trenching	CCSZ; GD	17	6,366.92	17	6,366.92											
		Alpha Gold	Lust Dust		Ronald G. Simpson	resource estimate																
2010		Alpha Gold	Lust Dust		Anastasia Ledwon et al	drilling; geol.	1, 3, 4b, CCSZ	14	3,986.70	14	3,986.70					12.00	28					
		Alpha Gold	Lust Dust		Ronald G. Simpson	resource comp. CCSZ	CCSZ															
2011		Alpha Gold	Lust Dust		Anastasia Ledwon et al	geol; geochem										285.00						
	11211	Alpha Gold	Lust Dust	whole prop.	Geotech Ltd.	airmag/ZTEM						330.60	330.60									
2012		Alpha Gold	Lust Dust	whole prop.	D. White/Aurora Geos	Evaluation																
2017		Lorraine Cu	Lust Dust		Lorraine Cu/Sun Metals	drilling; geochem; IP/Mag		3	343.50	3	343.50	28.10		28.10	BV	744.00	45					
							Total:	**375**	**83881**	**393**	**79738.16**	**453.7**	**390.25**	**28.6**	**0**	**6536**	**484**	**14**	**9**	**55**	**9151**	**229**

5.0 Geological Setting

5.1 Regional Geology

Stardust is located within the Cache Creek Terrane of the Intermontane Belt just west of the Pinchi Fault, which roughly follows Silver Creek NNW along the eastern bounds of the claim package. Once a major thrust fault, the Pinchi is thought to have been later reactivated as a major right-lateral strike-slip fault which can now be traced roughly 600 kilometers through north-central British Columbia (Paterson, 1977). At Stardust, the Pinchi delineates the terrain contact between the Pennsylvanian-Permian Cache Creek terrane to its southwest and the Quesnellia Terrane, which includes and Jurassic Hogem Batholith and Triassic-Jurassic Takla rocks to the northeast. (Fig. 5.1.1)

The Cache Creek Group comprises a 500-kilometer-long and 3-kilometer-thick complexly deformed sequence of interbedded argillites, cherts, carbonates, and mafic to ultramafic volcanic and plutonic igneous rocks with local alpine peridotites and ophiolite fragments identified in regions to the north of the Stardust property (Soregaroli, 1999, Schiarizza and MacIntyre, 1999). The argillites and cherts are typically fine-grained, thinly bedded deep-marine sediments (Monger, 1977). The volcanic rocks are

tholeiitic, of oceanic affinity and include andesitic to basaltic tuffs, flow-breccias, and pillow lavas. The carbonates are predominantly bioclastic to micritic and algal-bound shallow-water facies limestones, which have been interpreted to originate from carbonate bank or reef depositional environments (Monger, et al, 1991). Though regional studies suggest that contacts between most of the different lithologies are abrupt and likely represent faults, some detailed studies executed close to Stardust, infer a more complex relationship. In 1997, Sano and Struick found limestone conglomerate and sandstones with volcanic fragments, and limestone fragments within the argillite-chert section just south of Mt. Pope, 140km SSE of Stardust. Similar relationships are seen in core at Stardust and locally show uninterrupted gradation from massive limestones to mafic volcanic dominated successions. Though the overall metamorphic grade is low throughout the Cache Creek Group, some rock units are locally metamorphosed to blueschist facies.

This entire package is folded with a well-developed axial planar foliation with a north-northwest strike typical of the Intermontane Belt (Gabrielse and Yorath, 1992). Many of the wide range of Jurassic to Tertiary intrusions that cut the Cache Creek Terrane have been emplaced along these prominent NW-trending structures and stratigraphic breaks. Numerous mercury occurrences are present along the length of the Pinchi Fault (Albino, 1987) and a few gold and base metal occurrences are present within Cache Creek rocks near the Pinchi fault including the Stardust, Indata and Axelgold properties. There are several alkalic gold-copper porphyry systems in the immediate Stardust area including Kwanika Creek to the immediate east of the property. Regional-scale geology is shown in Figure 5.1.2.

Fig 5.1.1. BC Terrane Geology. Adapted from: http://www.geology.gov.yk.ca/bedrock_terrane.html





Fig 5.1.2: Regional Geology (Ray, 2002).



344000E
346000E
348000E
350000E
6166000N
6164000N
6162000N
6160000N
6158000N
6156000N

N

Manto
BAS
Mz
V
S/P

Legend

2011 Lithologies

- Argillite
- Basalt
- Basalt Andesite
- Chert
- Dyke
- Skarn
- Limestone
- Manto
- Monzonite
- Phyllite
- Siliceous Phyllite
- Siliceous Phyllite/Phyllite
- Volcanic Breccia

Map Features

- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
Property Geology (2011)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

5.2 Property Geology

Very strongly deformed Pennsylvanian to Permian Cache Creek units underlie about 80% of the Stardust property. These units form upright to overturned asymmetrical west-dipping folds that plunge north at shallow angles. These folds are subparallel to the NNW trending Pinchi Fault that lies along the eastern property boundary. Stratigraphy most commonly strikes at 320 to 330° and only 10% of strikes do not fall within a WNW to NNE range. Strike often varies over tens of metres, giving bedding a sinuous, rather than linear, appearance. Dips are generally vertical to moderate westerly but do exhibit large variance due to the intense deformation in the area. Other workers (Ash and MacDonald, 1993) have suggested that the intense deformation of the Cache Creek Group adjacent to the Pinchi Fault in the Stuart Lake area 140km to the SSE makes normal stratigraphic interpretation nearly impossible. Likewise, since units on the Stardust property have been thickened, thinned, pinched, faulted off, or juxtaposed by the intense deformation that they have undergone during continental accretion and the ensuing intrusive phases, interpreting stratigraphy can be a difficult task. That said, previous reports (Ledwon and Beck, 2009 and 2010) indicate conformability to the stratigraphic column at the local scale, making stratigraphic interpretation feasible. There are slivers and lenses of units throughout the property when outcrop is present. Sedimentary slump structures have been observed at Stardust, but limited outcrop makes finding them difficult (Ledwon, 2011).

Much of the mapped regions of the property contains an assortment of intrusions that cut carbonate rocks interbedded with graphitic, siliceous, and calcareous phyllites, cherts, cherty argillites, and mafic flows. Intrusions are found throughout the property, except in the far north of the claims, where they may just be buried under deep overburden (Ledwon, 2011). Though most commonly dioritic to monzonitic, intrusives also range from felsic to tonalitic. A composite intrusive center and linear dyke array known as the “Glover Porphyry”, occurs in the central and north-central portions of the property. Though elsewhere dykes appear to be subparallel to stratigraphy rather than crosscutting it, here, intrusive body orientation is more northerly. Pervasiveness of Biotite hornfels and skarn increases towards the stock (Evans, 1998) within the Canyon Creek Skarn Zone. Some of the intrusive phases contain significant amounts of magnetite and appear to be responsible for the large magnetic anomaly shown on published regional maps and in Alpha's 2000 ground-magnetics survey (Butler and Jarvis, 2000), Alpha’s 2007 Airborne Magnetics survey (Walcott et al., 2007), and Alpha’s 2011 Airborne AFMAG ZTEM geophysical survey (Geotech, 2011) and again in the 2017 ground-magnetic survey (Scott, 2018). Many of the unmineralised veins found on the property were seen to emanate from dykes and cross cut all other stratigraphy suggesting that non-Glover dykes may be the youngest rocks on the claims.

The majority of the mafic and andesitic volcanics have been found in the north and western reaches of the claims. Moving eastward, a non-calcareous, often gradational package of argillite-phyllite-siliceous phyllite-chert dominates the centre of the property. This is followed by swaths of limestone closer to the Pinchi Fault, and finally the Hogem Batholith on the eastern edge of the claims. Linear dykes oriented subparallel to foliation can be found throughout the claims. The Glover Stock occurs in the central to north-central part of the property. East-west running creeks (Dream Creek, Canyon Creek) likely trace faults, and appear to have offset stratigraphy.

Newly acquired claims to the northeast of the property (1052797 and 1052796) are almost entirely to the east of the Pinchi Fault and, as indicated by 2005 BCGS regional mapping, are underlain by rocks of

the Hogem Plutonic Suite. These claims, plus slivers of other claims to the east of the Pinchi, make up about 23km^2 or roughly 20% of the property. Work done by Serengeti at their Kwanika Creek property to the immediate east of these claims describes multi-phase monzonitic to dioritic Hogem Batholith intrusions within successions of andesitic Takla Volcanic Group rocks. Though geology at Stardust is likely similar, these claims were not mapped during the 2017 field season. Property geology is shown in Fig. 5.2.1.


Previous assessment reports, such as those written by Evans (1996-98), Megaw (1999-2001), Oliver (2002-2003), Hanson (2004-07) and Ledwon and Beck (2010-11) have described individual rock types in much greater detail and are recommended reading for those wishing to understand the property geology beyond the scope of this report.

6.0 Deposit Types

6.1 General

The current exploration concept for the Stardust Property is based on the Carbonate Replacement Deposit (CRD) model described by Sillitoe and Bonham (1990) and Titley and Megaw (1985,1995) (Figure 6.1.1), which links porphyry, skarn, carbonate replacement, vein, and sediment hosted types of mineralisation. According to this model, any one or several of these deposit types can be present in a mineralised CRD system. In the textbook CRD model, Cu-Au-bearing garnet skarns occur as replacements of the limestone host-rocks adjacent to a mineralised porphyry stock. Outboard of the skarn zones, structurally and stratigraphically controlled massive sulphide deposits occur as mantos and chimneys. Sulphosalt veins can occur outboard of the CRD or overlie them in leakage zones. The distal end member mineralisation style in this system is the sediment hosted Au-As-Sb (Carlin-type) deposit.

Figure 6.1.1. Conceptual model for Stardust Property (adapted from sunmetals.ca):



6.2 Carbonate Replacement Deposits

As Megaw (2001) describes: Carbonate replacement deposits (CRD) typically grade from lenticular or podiform bodies developed along stock, dike, or sill contacts to elongate-tabular bodies referred to as chimneys and/or mantos depending on their orientation. Limestone, dolomite and dolomitized limestones are the major host rocks. Ores grade outward from sulfide-rich skarns associated with unmineralised or porphyry-type intrusive bodies to essentially 100% polymetallic massive sulfide bodies. Both sulfide and skarn contacts with carbonate host rocks are razor sharp, and evidence for replacement greatly outweighs evidence for open-space filling or syngenetic deposition (Titley & Megaw, 1985). In reduced, high to low-temperature systems, proximal to distal metal zoning generally is as follows: Cu (Au, W, Mo), Cu-Zn (Ag), Zn-Pb-Ag, Pb-Ag, Mn-Ag, Mn, and Hg. This zoning may be very subtle and large scale (Prescott,1916; Morris, 1968) or tightly telescoped and smaller scale (Graf, 1997).

Many different features of CRDs tend to be well-zoned at district, deposit and hand-sample scales. The most important zonations are: 1) Ore and gangue mineralogy and metal contents; 2) Orebody geometry; 3) Intrusive geometry and composition; 4) Structural controls on mineralisation; 5) Alteration; and 6) Isotopic characteristics of wallrocks. In general, the largest systems show the most well-developed zoning and repetition of zoning and paragenesis. Zoning tends to be most extensive in the elongate manto and chimney systems where individual zones may extend over kilometers vertically and laterally (1998). Zoning in large contact skarn systems is typically more compressed because of telescoping and

repeated overprinting (Graf, 1997). In all cases, multi-phase mineralisation is a reliable indicator of large systems.

CRD mineralisation is associated with polyphase intrusions that evolve from early intermediate phases towards late, highly evolved felsic intrusions and related extrusive phases. The intrusions most closely related to mineralisation are usually the most evolved phases and these are not exposed in many districts. Dikes and sills characterize the intermediate reaches of CRDs and there is often evidence for multiple dike/sill emplacement events. These intrusions may be compositionally homogeneous or there may be compositional evolution between dike/sill phases (Graf, 1997). Textures range from porphyritic to aphanitic, locally with narrow gradations between textural domains. Chimney and replacement veins are the most common orebody types associated with these intrusions, although mantos locally occur along sill contacts. Intrusive stocks commonly occur beneath or adjacent to the most proximal portions of CRD systems, although in many cases they do not outcrop. Where intrusions are exposed, they are generally less than 5 km^2 in areal extent. These stocks are generally polyphase with compositions grading from early diorite to late granite. Texturally, these intrusions range from equigranular to porphyritic and from massive to highly fractured. The central stocks may be barren, contain porphyry copper or molybdenum systems, or have marginal zones with porphyry copper or molybdenum affinities (Megaw, 1998). In many systems, the early phases of the intrusion have associated skarnoid or barren skarn, whereas skarn and ore mineralisation are related to later, more highly differentiated phases (Meinert, 1995 and 1999; Graf, 1997; Megaw et al., 1998).

Structural fabrics are the dominant control on mineralisation in CRDs, as they control intrusion emplacement and channel ore fluids into favorable host strata. Most CRDs lie in fold-thrust belts on major structural domes, arches, anticlines, synclines or homoclines, and most districts have structural grains controlled by faulting and fracturing related to regional deformation (Megaw et al. 1988). Orebodies are often elongate, with parallel, district-wide structural trends, but may not be restricted to a given structure over great lengths.

The gradations seen in single orebodies or districts suggest that the various manifestations of the deposit type can be considered part of a spectrum (Einaudi et al. 1982; Megaw et al. 1988; Titley, 1993) ranging from:

1. Stock contact skarns: formed against either barren or productive stocks
2. Dike and sill contact skarns
3. Dike and sill contact massive sulfide deposits
4. Massive sulfide chimneys
5. Massive sulfide mantos
6. Epithermal veins
7. “Carlin” style sediment hosted deposits

Several features make CRDs highly desirable mining targets including:

1. Size: CRDs average 10-13 million tons of ore and the largest range up to >50 million tons.
2. Grade: Ores are typically polymetallic with metal contents ranging from 2-12% Pb, 2-18% Zn, 60-600 g/T Ag, Tr-2% Cu and Tr-6 g/T Au. Many have by-product credits for Cd, W, In, Ga, Ge, Bi, and S.
3. Deposit morphology: Orebodies show good continuity.

4. Extraction and Beneficiation: CRDs are typically metallurgically docile, amenable to low-cost mining methods, and the environmental footprint is minimal.

Massive sulfide bodies lacking an associated intrusion characterize the distal zones of CRDs. These commonly have the form of high angle to vertical slab-like replacement veins; elongate pipe-like chimneys; or low angle to horizontal tabular or elongate, tongue-shaped, crudely stratabound mantos. Mantos may be developed entirely within selected beds or groups of carbonate beds, or may occur with one or more non-reactive, relatively impermeable sedimentary or intrusive rock contacts.


Development of carbonate rock alteration in CRDs, like mineralisation, is highly variable in type and in scale. The major alteration types are:

1. Skarnoid or hornfels: These are typically very fine-grained, mineralogically simple, calc-silicate and silicate assemblages formed through thermal metamorphism without significant addition of outside components. Skarnoid typically forms from a limestone or shaly limestone precursor, whereas hornfels forms from shale or limy shale precursors. Hornfels and skarnoid commonly develop in the thermal aureole around the largest volume (often early) intrusive phase and may aid in ground preparation for later metasomatic events. Hornfels mineralogy may be zoned with respect to the thermal center, commonly with pyroxenes proximal and biotite more distal. Skarnoid and hornfels often contain abundant fine-grained pyrite or pyrrhotite, but seldom significant amounts of ore-metal sulfides unless it has been overprinted by subsequent hydrothermal events.
2. Skarn: Skarns are fine to very coarse-grained, often mineralogically complex, calc-silicate or calcic-iron silicate assemblages formed through metasomatism with significant addition of outside components. Endoskarn is skarn formed at the expense of intrusive rock, exoskarn is skarn formed at the expense of wallrocks to the intrusion, most commonly carbonates. Skarn commonly develops around lesser volume, more fluid-rich intrusive phases and may overprint hornfels or skarnoid to varying degrees. Anhydrous calc-silicate minerals (dominantly pyroxenes and garnets) characterize the early "prograde" skarn phase generated during rising temperatures related to magma emplacement. Hydrous calc-silicate minerals (dominantly amphiboles, chlorites, and clays) formed at the expense of predecessor prograde minerals characterize the later "retrograde" skarn assemblage. Retrograding occurs as temperatures drop and variable amounts of magmatic fluids and groundwater invade the skarn zone. Sulfides may be co-deposited with the calc-silicates, but more commonly are introduced along structures that cut the skarn, replacing skarn minerals and unskarned wallrocks. Complex mineralised skarn systems typically show multiple intrusive phases and a repetition of sulfides replacing calc-silicates, presumably reflecting successive intrusive and hydrothermal events. In some systems, different compositions of skarn and sulfides characterize each phase (Megaw et al., 1998).
3. Marbleisation and recrystallization: These are present in virtually all CRD systems and range from narrow zones around mineralisation to zones 100s of meters wide (Titley & Megaw 1985; Megaw et al. 1988).
4. Silicification or Jasperoid development: Fine-grained silica replacements of carbonate rocks, with or without appreciable amounts of metals, and are very common in the peripheries of some CRD systems (Titley & Megaw 1985; Megaw et al. 1988).

6.2.1 Carbonate Replacement Deposits at Stardust:

The Stardust property contains mineralised deposits spanning the entire spectrum from the Glover porphyry stock to the peripheral Carlin-Type sediment-hosted mineralisation. These deposits are discussed in much greater detail in section 7.0.

As shown in Fig. 6.2.1.1 (Megaw, 2001), the Stardust property hosts a comparatively wide range of deposit types:



6.3 Porphyry Cu±Mo±Au Deposits

Porphyry copper deposits are large, low grade, intrusion-related deposits which provide a major portion of the world's copper and molybdenum and, to a lesser degree, gold (Rennie, 2011). The deposits are formed by a shallow magma chamber of hydrous, intermediate composition at depths of less than five kilometers. When the magma crystallizes, fluids are released; the fluids' movement upwards through overlying rocks results in hydrothermal alteration and deposition of sulphide minerals both as disseminated and stockwork mineralisation. There is a clear spatial and genetic association between the intrusion and the alteration zones at a regional and local scale (Rennie, 2011).

The defining characteristics that distinguish porphyry deposits are:

1. Large size
2. Widespread alteration
3. Structurally controlled ore minerals superimposed on pre-existing host rocks

4. Distinctive metal associations
5. Spatial, temporal, and genetic relationships to porphyritic intrusions

In British Columbia, these deposits typically occur in the Intermontane Belt, which contains the Stikinia, Cache Creek, and Quesnellia Terranes; and belong to one of three specific types: Alkalic, Transitional, and Calc-Alkalic based on the composition of the host rocks.

Table 6.3.1: Porphyry Cu-Au Deposits of British Columbia (after Rennie, 2011)

Type	Deposit	Tonnage and Grade
Alkalic	Galore Creek	1,309 Mt of 0.46% Cu and 0.30 g/t Au
Transitional	Mitchell Creek	563 Mt of 0.18% Cu and 0.72 g/t Au
Calc-Alkalic	Prosperity	1,148 Mt of 0.22% Cu and 0.41 g/t Au

6.3.1 Porphyry Deposits at Stardust:

At Stardust, the Eocene age Glover Stock has been U-Pb zircon dated to between 51-52 Ma (Ray et al., 2002). It is inferred to be emplaced at a relatively shallow 1.1-1.9 kilometer depth as supported by field structural relationships and fluid inclusion work (Ray et al., 2002; Dunn and Ray, 2002). The stock is a multiphase composite intrusive complex and most of its rocks are weakly to strongly feldspar hornblende biotite porphyritic. It ranges compositionally from mafic diorite-monzodiorite to leucocratic monzonite-quartz monzonite (Ray et al., 2002).

The Glover Stock shows numerous features prospective to host porphyry-style mineralisation. Molybdenite±chalcopyrite-bearing veinlets are associated with several generations of veins containing quartz, K-feldspar, sericite, pyrite, and tourmaline (Ray et al., 2002). Alteration assemblages include pervasive albitic or potassic (K-feldspar, sericite, and biotite), silicic, pyritic, and argillic alteration. A fluid inclusion study supports a combination of highly saline and dilute fluids that show a transition from high-pressure lithostatic conditions during porphyry emplacement to lower pressure hydrostatic conditions during vein formation (Megaw, 2001). Such a transition may be indicative of a long-lived shallow emplacement. ‘Pebble’ dykes logged in drill core are similar to breccia dykes seen in major porphyry systems. These breccias are interpreted to record violent volatile release events coincident with the transition from lithostatic to hydrostatic conditions (Megaw, 1990; Frontier, 1999; Jones and Gonzalez-Partida, 2001).

Porphyry-related alteration styles at Stardust include:

1. Tourmaline-rich greisen along numerous structures cutting the biotite diorite in LD2001-30.
2. Potassic alteration consisting of secondary biotite selvages on mineralised veinlets secondary euhedral and/or “shreddy” biotite affecting primary biotite and hornblende and secondary K-feldspar flooding.
3. Weak to pervasive sericitic alteration of intrusion.
4. Widespread chloritized and epidotized hornblende and feldspar.

Mineralisation of the intrusions at Stardust consists of crosscutting veinlets including:

1. Quartz-K-feldspar-pyrite veinlets.
2. Quartz-K-spar-pyrite-chalcopyrite veinlets.
3. Quartz-K-spar-pyrite-molybdenite veinlets.
4. Hornblende replaced by specularite replaced by magnetite with interstitial chalcopyrite.
5. Open sigmoidal cavities.

7.0 Mineralisation

7.1 General

A number of mineralization styles are present on the Stardust property. Most notably of these is the carbonate replacement deposit style (CRD), and its related skarns, mantos, veins, and carbonate replacements. Also present is porphyry style mineralization. It is thought that all of these types have the potential to be of sufficient size to achieve economic viability.

The Stardust carbonate replacement deposit (CRD) system is at least 3000 m long and 1000 m wide (Figure 7.1.1). The property is systematically zoned from a Mo-Cu-Au Porphyry system to Cu-skarn to Zn-replacement mantos to Ag-Pb-Zn replacement veins developed along en echelon or fault offset mineralised zones extending away from the porphyry. The entire Stardust system, outboard of the porphyry, is auriferous (0.5 to >1 g/T Au values are common) and is associated with a minimum of three mineralised skarn horizons, at least 3 manto zones and a silver vein zone. Significant exploration of the system has only been carried out south of the Glover stock, and areas to the north, east and west still hold potential for similar mineralised zones.

The Canyon Creek Skarn is now known to be zoned over at least 500 m vertically and increasingly shows the polyphase intrusive and mineralisation characteristics typical of Cu-Zn skarn-replacement systems throughout the American Cordillera, such as San Martin, Zacatecas, Mexico and Antamina, Peru. So far, despite widespread anomalous values, no significant volumes of porphyry-style mineralisation with economic grades have been found.

Principle characteristics of the main mineralised zones are as follows:

7.2 AG-Zn-Pb-As-Sb Vein Zone: Number 1 Zone

The site of the 1944 discovery of mineralisation on the property, the Number 1 Zone consists of three, nearly massive pyrite-sphalerite-galena-jamesonite-stibnite-arsenopyrite-freibergite veins with lesser open-space filling quartz and calcite hosted within limestone and graphitic phyllites cut by numerous felsic dykes. The veins dip steeply to the west and are fault controlled. Felsic dikes are closely related to all three veins, but the veins do extend beyond the dikes in many places. The Number 1 Zone has the strongest structural control of any occurrence on this property. The presence of a regional antiformal crest is likely to be important to the development of significant mineralised zones as is the main fault structure.

Argentiferous Manganese Oxide Mineralisation (AMOM) and strongly anomalous Mn occur throughout the Number 1-Zone (Evans, 1997). AMOM is a typical distal alteration product in certain major CRD systems (Megaw, 1998). Based on inclusion chemistry and mineralogic relationships, Dunn and Ray (2002) suggested that the mineralisation in this zone might be related to high sulphidation-type veins.

However, the alteration mineralogy and textures of quartz and other gangue minerals do not support the high sulphidation model for these veins.

The principal vein was explored by underground drifting and drilling in the 1945 and 1964-65 seasons. The three ore-shoots (minimum 2m true widths) above the adit level were reported to grade 3.6 g/t Au, 780 g/t Ag, and 5% combined Pb and Zn with 5% Sb. Compilation of all available data during the 2003 exploration season clearly indicated that the currently known strike length of the Number 1 Fault exceeds 750 m with a significant mineralised zone developed over approximately 450 metres and to extend 100 metres down-dip with an average thickness of 2 metres for each vein. The weighted average of 14 drill holes that intersected the Number 1 Vein is 2.9 metres grading 3.71g/tAu, 492g/t Ag and 1.90% Zn.

Although Hanson (2007) concluded that the zone is closed off in all directions, drilling on strike and down dip could result in the discovery of additional “shoots”. Soil geochemistry could be a key to the discovery of more high-grade vein material as the overburden is extensive in this area.

7.3 Zn-Au-Ag-Pb Mantos: Number 2, 3, 4b, East and GD Zones

7.3.1 Summary

Mineralisation in these zones consists of roughly stratigraphically concordant massive sulfide bodies (mantos) and their oxidized equivalents. The mantos are best developed along permeable and possibly karsted carbonate beds near chlorite-altered mafic tuff beds. The mantos occur through the Number 2 to Number 4b Zones and appear to grade into the Canyon Creek Skarn Zone to the northwest. The mantos occur predominantly in structurally thickened and deformed zones along the crests of antiforms. There is some evidence for nesting, or repetition, of mantos in successive limestone beds, giving an overall morphology reminiscent of the stacked "saddle-reef" mantos (Hanson, 2007). Although narrow feeders to these mantos have been locally intersected by drilling, substantial discordant chimney feeders have not yet been found (Megaw, 1999).

7.3.2 Number 2 Zone

Located close to the crest of a regional antiform which lies just north of the Number 2 Zone trenches, the Number 2 Zone is a minor oxidized replacement zone similar to the Number 3 Zone. Surface sampling indicates average grades of 2.3 g/t Au, 109 g/t Ag, 2.16 % Zn and 2.09 % Pb across an average of 5.3 meters true width. Based on surface oxidation this zone has a strike length of approximately 200 meters; however, continuity at depth is uncertain. (Hanson, 2007)

7.3.3 Number 3 Zone

The largest identified CRD deposit identified to date at Stardust, the Number 3 Zone is thoroughly oxidized to depths of greater than 100 meters from the surface, with a style of mineralisation that may be highly amenable to low cost heap-leach extraction processes. The thickest portions of this manto zone occur in carbonates surrounding a mafic tuff bed along the crest of a regional-scale antiform; and the manto may have the form of an oxidized saddle reef replacement body (Hanson, 2007). Drilling has failed to find a feeder vertically beneath it, which Hanson (2007) interprets as meaning that it was probably fed from one end with fluid migration concentrated along the non-reactive tuff bed. Evans (1997) felt that the conduit for this system was down dip along the west limb of the antiform (possibly with a NW rake). Based on the trace of oxidation exposed in surface trenches, this zone has a strike length exceeding 600 meters. The Number 3 zone appears to weaken to the south, south of the Number

2 Zone trenches. The down-dip and northern extensions of the Number 3 Zone have not been extensively explored.

7.3.4 4B Zone

The Number 4b Zone CRD manto is developed along the 4b Antiform, which has a 60-degree west dips and a 10-15° plunge to the NW. The trace of this fold lies some 300 meters to the west of the Number 3 Zone antiform across a north-northwest plunging synform. Occurring as a series of aligned but apparently discontinuous massive sulfide pods with sparse calc-silicate minerals, the mineralisation follows the crest of the fold and along the contact between limestone to the east and hornfelsed graphitic phyllites to the west. As in the Number 3 Zone, a mafic tuff horizon within the limestone appears to be a major conduit for fluid movement, but unlike the Number 3 zone, the 4b zone is essentially unoxidized. Sphalerite, arsenopyrite, coarse-grained well-zoned pyrrhotite, and pyrite are prominent in surface trenches along the zone (Hanson, 2007). The zone is approximately 280 metres long and extends down-dip 50 metres from surface. The weighted average of eight holes drilled into the Number 4b Zone is 5.0 metres grading 8.5% Zn, 9g/t Ag and 0.74g/t Au.

7.3.5 East Zone

The East Zone was discovered in 2005 by Daryl Hanson by drill testing a large, multi-element, north-trending soil anomaly about 300 meters east of the Canyon Creek Skarn. The East Zone, which has been tested by nine drill holes, has been traced for about 150 metres on strike and remains open in all directions. Here, massive sulfide mineralisation consists of pyrite, sphalerite, arsenopyrite, and chalcopyrite. The preliminary interpretation made by Hanson was that the East Zone is a manto similar to the Number 3 and 4B Zones but it could also represent the thin end of a skarn similar to the CCS Zone (Bailes, 2018). The highlight of the programme was drill-hole LD05-05, which returned 3.66 g/t Au, and 56.8 g/t Ag over 2.3m from 170.6 to 172.9 metres and 2.26 g/t Au, 54.1 g/t Ag, 0.77% Cu and 2.66 % Zn over 1.9m from 189.6 to 191.5 metres. Several other encouraging massive sulphide intercepts associated with skarn occur.

The East Zone is located within a much larger geochemical soil anomaly (compare Figs. 8.2.2 and 10.1). The portion of this anomaly south of Canyon Creek is also strongly anomalous in zinc with reported values ranging up to 4920 ppm. This large soil anomaly occurs in the footwall of the Canyon Creek skarn and on strike to the north of the Number 3 Manto and the GD Zone. The East Zone might represent an en echelon northwesterly continuation of the CCS zone or the northern extension of the Number 3 Manto.

7.3.6 GD Zone Or Number 3 Zone Extension

In 2006, Daryl Hanson discovered the GD Zone by trenching and diamond drilling a coincident gold-arsenic soil geochemistry anomaly north of the Number 3 Zone. The trenches uncovered sulphide and oxide mineralisation across significant widths over a strike length of 100 metres. The zone remains open to the north. The GD Zone occurs at the southern end of the large soil anomaly that occurs to the east of (and in the footwall) of the Canyon Creek skarn about 1,000 m to the south of the East Zone. The area between the East and GD zones contains significant soil anomalies and is prospective for additional manto and skarn mineralisation.

7.4 Skarn Mineralisation: Canyon Creek Skarn (Number 4 Zone), CCS Extension, and Northwest Extension

7.4.1 Canyon Creek Skarn (Number 4 Zone)

As described by Hanson (2007) the Canyon Creek Skarn is a prograde and retrograde alteration zone proximal to weakly mineralised monzonite and diorite sills of the Glover Stock. The skarn zone is greater than 1000 metres long, from 2 to 60 metres in true thickness, and has a down-dip extent of greater than 600 metres. Mineralised bands within the skarn range up to 20 metres in thickness (drill indicated width) and grade up to 24 grams per tonne gold and 2.2% copper.

At shallow levels, the skarn is composed of early coarse-grained green-tan grossular-andradite garnet with minor fine-grained greenish-yellow diopside and rare vesuvianite or pyroxene (Ray et al., 2002). Specularite is locally very common as euhedral plates. At depth, a brown garnet stage crosscuts and overprints the green stage, and at even greater depths, a red-brown garnet stage appears (Megaw, 1999). These minerals replace massive limestone and locally replace intrusives (endoskarn). Drilling in 2001 showed that endoskarn increases with depth (cf. LD01-44, 45). Biotite hornfelsed siliceous phyllite is also overprinted by skarn, especially on the north side of Canyon Creek. Mafic tuff units are altered to distinctive green banded chlorite-garnet units with 5-15% disseminated pyrite and trace chalcopyrite and sphalerite.

Retrograde hydration of the garnet-diopside skarn also increases with depth where the brown-red, brown and green garnet stages are hydrated to a cream-colored mass of very fine-grained amphibole, chlorite, quartz, and clays or dark grayish-green masses of felted chlorite, locally preserving the shapes of dodecahedral garnet crystals. Retrograde alteration is often accompanied by a dramatic increase in magnetite, both as fine-grained masses and as pseudomorphs after bladed specularite, and increased amounts of chalcopyrite (Megaw, 2000, Ray et al., 2002)

Surface mapping has shown that the stratigraphy is strongly deformed into overturned, tight, plunging folds. Mineralisation concentrates in the plunging hinges of minor folds on the limbs of major folds. Some of the mineralisation may also be hosted in veins (feeders) that cross-cut stratigraphy. Exoskarn alteration has been observed in limestone, siltstone and mafic tuffs. The mineralised bands may not be conformable with the skarn contacts and may be locally offset by faulting.

Mineralisation in the skarn occurs as Ag and Au-bearing chalcopyrite and bornite with abundant pyrite, variable sphalerite, and rare arsenopyrite and stibnite emplaced along and surrounding structures that cut the skarn (Megaw, 1999). Much of the sulfide replaces skarn silicates. Numerous stages of sulfide mineralisation are identified as:

1. Chalcopyrite deposited in interstices and along garnet grain boundaries.
2. Early pyrrhotite (often later pseudomorphed to pyrite) with minor chalcopyrite and locally intergrown with sphalerite.
3. Pyrite or pyrrhotite (pseudomorphed to pyrite) that is brecciated and healed with later sphalerite or replaced by chalcopyrite.
4. Massive to dispersed, banded and chaotic chalcopyrite along structures and replacing adjoining skarn.
5. Magnetite with interstitial chalcopyrite and/or sphalerite, pyrite or pyrrhotite.
6. Sphalerite with chalcopyrite cut by later pyrite veinlets.

7. Massive sphalerite, brecciated and healed by chalcopyrite and sphalerite.
8. Mineralised skarn, brecciated and healed with epithermal style chalcedonic quartz.
9. Calcite veins filled with Au sulfides/sulfosalts cutting skarn.

The skarn silicates tend to end abruptly and massive sphalerite-chalcopyrite-pyrite-pyrrhotite mineralisation is locally well-developed along the contact of skarn with recrystallized limestone (marble front). It is near this front that the very high-grade gold grades associated with the 2002 drilling have been recognized (Oliver, 2002). High-grade gold and sulphide-rich replacement bodies may be considered transitional mineralisation between the skarn and 4b style of replacement mineralisation.

Borehole deviation has created serious problems related to the geological interpretation and resource estimate of the mineralised bands in the Canyon Creek Skarn. Down-hole surveys have shown that holes can deviate as much as 150 metres from their planned trajectory. Holes drilled prior to 2003 have no down-hole survey data.

According to Hanson (2007), the best potential for discovering mineral resources with reasonable prospects for economic underground extraction within the Canyon Creek Skarn occurs at the footwall and hanging wall skarn contacts.

The two main lenses in the Canyon Creek skarn are the #1 and #2 lenses (Simpson, 2010) which appear to be one large lens that has been offset by the Canyon Creek Fault and contain almost half of the resource tonnage. Lens #5 appears to be a fault offset of the #2 lens at its near-surface northern end and it contains about 14% of the resources. Lens #3 is a deep lens that occurs in the footwall of the #2 Lens. It contains 22% of the resource tonnage and was intersected by the highest-grade drill hole of the skarn, 2002-09, which graded 2.2% Cu, 24.0g/t Au and 134.3g/t Au. The other lenses are splays off the four main lenses, none of which contain more than 5% of the total resource.

The Canyon Creek skarn appears to be cut by the Canyon Creek fault, which is thought to be a right lateral transverse fault, which offsets the #1 and #2 lenses by about 130 metres at a strike of approximately 120°. The fault offset decreases at depth to only about 20 metres at 800m elevation. The right lateral nature of the fault offsets has the effect of “stacking” the lenses, resulting in single drill holes intersecting both portions of the offset lenses.

Oliver (2003) interpreted these same offsets as being flexures rather than faults because he could map geological units across Canyon Creek. However, the surface trace of the Canyon Creek fault is 50 metres south of Canyon Creek itself. The main lenses of the Canyon Creek skarn could be a series of en echelon lenses that are the result of extensional deformation associated with the faults. Further en echelon repetitions of the Canyon Creek skarn to the northwest of the #5 Lens (its footwall) and to the southeast of the #1 Lens (its hanging wall) are a possibility. Though both areas have had little drilling, there have been a few notable intersections in each.

7.4.1.1 Footwall Zone

Several mineralised intersections occur northeast of the #5 lens in its footwall, including: Hole 2004-04, which intersected 4.0 metres grading 0.95% Cu, 0.4g/t Au and 18.2 g/t Ag and 1.70 metres grading 1.71% Cu, 0.53g/t Au and 30.3g/t Ag about 50 metres northwest of the #5 Lens on section 2250N; and Hole 2010-12, which intersected 8.73 metres grading 1.56% Cu, 1.23g/t Au and 39.7g/t Ag. The area to the northeast of the Canyon Creek skarn and Lens #5 is underlain by a large copper-gold-silver soil

anomaly extending over to the East Zone. This could indicate the presence of a series of en echelon skarns in the footwall of the #5 Lens over to the East Zone and perhaps beyond.

7.4.1.2 Hanging Wall Skarn

The Hanging Wall Skarn has been mapped by Oliver to occur on the western contact of the Glover Stock (see Fig 5.2.1). Though more poorly developed than the Canyon Creek Skarn, the Hanging Wall Skarn has been shown to be capable of producing high grade Cu-Au-Ag mineralisation. It occurs about 100 to 200 metres to the west of the Canyon Creek skarn and has been intersected by nine drill holes. The first eight holes that intersected the Hanging Wall skarn were weakly mineralised; however, the last hole drilled into the Hanging Wall skarn, LD2009-12, intersected 7.0 metres grading 2.9 g/t Au, 2.68% Cu and 45.4 g/t Ag.

7.4.2 Canyon Creek Skarn Extension

In 2004, a 400-meter long, north-northwest extension of the Canyon Creek Skarn Zone was discovered by drilling a small arsenic-silver soil geochemistry anomaly to the north of the Canyon Creek skarn. According to Hanson (2005), this extension consists of prograde and retrograde exoskarn with high pyrrhotite: pyrite ratios, high pyroxene: garnet ratios, and high-grade precious metal values. These features are characteristic of gold skarns distal to an intrusion and close to the margins of the skarn envelope (Ray and Webster, 1997). This zone was further drill-tested in 2010. A total of 20 holes have been drilled so far.

7.4.3 Northwest Extension

The Northwest Extension is an area at the northwestern contact of the Glover Stock that is underlain by a strong copper-gold-silver soil anomaly. One hole was drilled in 2007 at the southern end of this anomaly, about 200 metres west of the northern end of the Canyon Creek skarn. Hole LM07-01 intersected 13.5 metres grading 0.65% Cu, 0.74g/t Au and 13.9g/t Ag; including 3.0 metres grading 1.13% Cu, 1.51g/t Au and 26.2g/t Ag. Drilling more holes to the north and south of LM07-01 should be drilled to determine the potential continuity, extent and nature of the skarn mineralisation.

7.5 Valley Zone

The Valley Zone was discovered in 2005 by Daryl Hanson in drill holes near the old Bralorne-Takla Mercury Mine. Although no anomalous metals were detected, the presence of silicified limestone (jasperoid) was interpreted as a positive indication of the potential for the area to host “Carlin-style” mineralisation. Based on the results of the first 2005 hole and on weak antimony-gold soil geochemistry anomalies, a programme of rotary reverse circulation drilling was carried out in 2006 for the area north-northwest and south-southeast of the Mercury Mine.

The discovery hole was hole LRC-06-23, which is located on the extreme southeast corner of the area tested, it graded 11.02 g/t gold over 7.6 metres from 68.6 to 76.2 metres including 46.9 g/t over 1.5 metres. Lithologies encountered in the 2006 drilling are predominantly limestone, argillite and ash tuff (including lapilli tuff) with minor ultramafic rock, quartz veins and felsite dykes. Several zones of strong arsenic mineralisation were identified (commonly occurring with an orange-yellow oxide) occurring in limestone in holes closest to gold mineralisation. LRC-06-23 was twinned by diamond drill hole LD-06-31. The average recovery in this hole was very poor and the recovery at the corresponding high-grade interval was only 4%. This hole did also intersect 16.8 meters grading 0.43 g/t gold (from 89 meters) including 2.60g/t gold over 1.5 meters; however, this interval still only had an average recovery of 41%.

A plausible explanation for the low recovery in LD-06-31 is that decalcification has compromised the integrity of the limestone (as in Carlin deposits). Thus, the important interval may have simply been washed out. The hole intersected limestone with pyrite veining, an unidentified orange-yellow oxide, siderite and zones of breccia. A second diamond drill hole, LD-06-32, which was drilled 50 meters further to the west, intersected 3 meters grading 1.24 g/t gold. This hole also intersected limestone with some sections displaying a strong orange-yellow oxide stain and arsenic values reaching 804 ppm.

Several other holes were drilled in the Valley Zone in 2007, but all cored limestone without any significant mineralisation. Exact locations of these holes are unconfirmed and data from 2007 is spotty overall.

7.6 Porphyry Cu±Mo±Au Deposits: Glover and Kwanika

7.6.1 Glover Stock

The Glover Stock was drilled in 2001, after drilling in 2000 cut a few molybdenite and chalcopyrite veinlets with classic porphyry-style alteration selvages in intrusive rocks to the west of the Canyon Creek Skarn. Drill roads built in 2001 exposed several isolated zones of chalcopyrite and molybdenite veinlets in diorite and monzonite phases of the Glover Stock. The 2001 drilling cut a complex series of magnetite-bearing diorite and monzonite bodies with variable development of porphyry-style alteration and Mo-Cu-Au mineralisation (Megaw, 2001). All but one of the holes were shallow (<300m) and designed to examine lateral variations within the porphyry rather than vertical zoning (Megaw, 2001). Megaw summarized that although all holes cut zones with weak to strongly anomalous Mo±Cu mineralisation, none of the intercepts could be considered economic apart from an 8.8m wide zone grading 0.24% Mo in LD2001-39. Airborne magnetic surveys completed in 2007 and 2011 suggest that the Glover Stock may be much more voluminous at depth than what is exposed at surface.

7.6.2 Kwanika

In addition, the Stardust property is adjacent to the Kwanika porphyry Cu-Au Deposit owned by Serengeti Resources. The Kwanika Central Zone is about 200 metres from the property boundary and consists of about 100 million tonnes grading 0.31% Cu and 0.32g/t Au.

Drilling carried out in 2007 and 2008 by Hanson in the southwestern regions of the property was targeted at Kwanika-style porphyry mineralisation in this area, but found little of note. For some reason, this work is poorly documented and the location of some holes is unverified. Limited exploration in areas east of the Pinchi Fault has yet to reveal significant porphyry-style mineralisation adjacent to the Kwanika deposit. The entire area west of the Pinchi fault has seen little historic exploration and remains a target for Kwanika style mineralisation.

8.0 2017 Exploration

8.1 Summary

The 2017 exploration work at Stardust was conducted in two phases; a short reconnaissance in early June, and a programme of soil sampling, ground geophysics and drilling. The first phase was undertaken to assess the state of the roads, the old camp, the old core shack and the core storage area. Much of the time was spent removing old trees that had fallen on the roads. During this time, two days were taken to make a detailed inventory of the old core storage area. Where possible, core boxes were counted,

identified and assessed for damage. A map was drawn up and a plan was made to bolster some of the more damaged stacks of core.

The second phase of the 2017 programme took place between early August and late October. The work consisted of soil sampling, prospecting, rock sampling, induced polarization surveys and the drilling of three diamond drill holes. Some restacking and fortifying of the most vulnerable of the old core stacks was done as well.

In total, during 2017:

- 44 rock and chip samples were taken.
- 744 soils were taken in total; 42 stations recorded a no sample, over a total of 39 line-km.
    - 34 soils in North grid over 2 line-km.
    - 158 in South grid over 8.7 line-km
    - 264 in West grid over 13 line-km
    - 286 in East grid over 15.3 line-km. Most of the no samples were in marshy areas here.
- 3 diamond drill holes were drilled, for a total of 343.51m.
- 28.1 line-km of IP and 28.09 line-km of magnetometer survey were performed.

8.2 Geochemistry

8.2.1 Soil Sampling

The soil grid was designed to expand upon and extend previous soil grids done in 2003, 2005 and 2011 to better cover the airborne magnetic and ZTEM anomalies that surround the central zone of the Stardust property where most of the historic work has taken place. Each of the 4 grids sampled in 2017 delineated notable soil geochemistry anomalies.

Soil lines were oriented east-west and were emplaced using a handheld GPS. The sample site locations for this grid were based on the E-W, 100m spaced 2005 soil grid and therefore carried forward a few quirks of the past sampling nomenclature, including the lack of a L3N (which seems to be an error in the previous grid). The 2017 lines were spaced 200m apart with samples collected every 50m along the lines using a tree planting shovel or a soil auger to reach the “B” horizon. Sample depth, soil horizon and soil colour were recorded for each sample.

In total, 786 soil sites were located. Soil samples were collected from 744 of these, no suitable soil was discovered at the remaining 42 stations mostly in swampy ground in the E part of the grid next to the Silver Creek road. These bags were marked as “No Sample” and submitted to the lab as part of the sample stream. Though the initial soil sampling programme was for 1200 samples, much of the sampling to the N and SW of the central zones had to be abandoned near the end of October due to inclement weather and snow on steep terrain. The samples were sent to Bureau Veritas Laboratories in Vancouver for analysis. Soil grids and rock samples are shown on figures 8.2.1.1 to 8.2.1.6 and 8.2.2.1 to 8.2.2.6 respectively.

The Eastern section of the grid, which is located to the north of the Valley Zone, extended the compelling multi-element soil anomaly in the NE part of the 2003 grids over another 400m. The two most southern lines of the East grid 2017 sampling outlined a significant area that is anomalous in copper, zinc and lead.

In the southern part of the 2017 grids, a large, multi-element Cu-Mo-Ag-Pb-Zn-Au anomaly that extends south-southwest from the Number 1 Vein was extended. Here, most samples within a ~500m^2 area returned anomalous values.

The lines completed in the western section of the 2017 grids identified an ~800m^2 area anomalous in Mo and Cu between lines 24N and 18N. In their 2011 recommendations for further work, Alpha Gold listed this area as one of significant potential for further exploration, citing both anomalous soil values and a significant western anomaly in the 2011 ZTEM survey. The 2017 soil sampling furthers the theory that the western part of the Glover stock may have potential as a skarn or porphyry target.

Though only one of several proposed soil lines to the north of the central Stardust zones was completed in 2017 due to inclement weather on steep slopes, the western part of this line contained several samples moderately anomalous in Cu, Mo and Ag; which, when combined with nearby results from 2011 sampling, suggests the need for further prospecting and tighter soil grids in this area, where little historic exploration activity has taken place.

A full summary of soil sampling results can be found in Appendix 8.2.1

8.2.2 Rock Sampling

Sites for 2017 rock sampling were chosen largely to follow up on established zones of mineralisation and to fill in some gaps in historic rock sampling. Rock sampling was mostly conducted along existing roads in the central zones scattered samples were also taken throughout the soil grid where interesting rocks were encountered. Limited mapping was also undertaken in order to become oriented with the various historic maps. In total, 38 rock grab samples and 6 rock chip samples were taken. The chip samples were taken along the road-cuts of the Number 2 Manto and the Canyon Creek Skarn (CCS) showings. All samples were sent to Bureau Veritas Vancouver for assay.

The highest values from the 2017 assays were obtained from known showings. Samples from the Number 2 Manto were strongly anomalous to ore-grade in Ag-Au-Zn-Pb-As-Sb and sample 2586706 had the highest gold (10.5g/t), and silver (122.5oz/t) values of any 2017 rock samples. Samples from the Canyon Creek Skarn were strongly anomalous in Cu-Au-Ag. Sample 79679 returned the highest Cu value of the 2017 work returning 3.7% along with 1.5g/t Au and 119g/t Ag. Samples from the Number 3 and 4b Mantos were strongly anomalous in Zn-Pb-Ag-As with some Ag-Au-Cu. A value of 31.5% Zn was obtained from sample 79689 from the Number 4b Manto. This sample was essentially massive sphalerite but contained minor (0.01%) lead. Of samples outside of the known showings, the most interesting may be sample 79697, which was taken from a quartz vein within a road cut of Glover quartz-monzonite from the CCS extension zone and assayed 0.26g/t Au and 0.4% Pb. Table 8.2.2.1 summarizes some of the more interesting results from the samples taken in 2017. All samples discussed above were grab samples and represent ~0.1-1m sample widths. A more detailed description of rock sample results can be found in Appendix 8.2.2

Table 8.2.2.1: Selected 2017 Rock Samples.

Sample ID	Area	Rock Type	Sample Width/Type	Mo (PPM)	Cu (%)	Pb (%)	Zn (%)	Ag (g/t)	Au (g/t)
2586705	#2 Zone	Manto	Grab	2.6	0.037	2.65	2.09	2041	5.7899
2586706	#2 Zone	Manto	Grab	4.2	0.125	10.56	0.53	4194	10.4895
2586707	#2 Zone	Manto	25m Chip	4.4	0.069	6.59	0.21	1007	7.3555

79677	CCS	Skarn	Grab	5.5	0.72877	0.00389	0.0189	0.4	0
79678	CCS	Skarn	Grab	2.7	3.127	0.00083	0.01	93	0.9768
79679	CCS	Skarn	Grab	13.8	3.733	0.00059	0.02	119	1.5031
LDS-1	CCS	Skarn	3m Chip	13.4	2.709	0.02	0.03	53	0.8888
LDS-2	CCS	Skarn	3m Chip	128.6	2.709	0.02	0.03	53	0.3802
LDS-3	CCS	Skarn	4m Chip	25.4	0.9167	0.00215	0.0078	57.3	0.6715
79697	CCS ext.	Quartz Vein	Grab	7	0.0231	0.38156	0.0266	39.8	0.2572
79685	Zone 3	Manto	Grab	5.9	0.06998	0.75853	0.8987	55	4.0111
79686	Zone 3	Manto	Grab	3.4	0.004	0.22	19.25	12	0.0289
79675	Zone 4B	Manto	Grab	0	0.046	10	12.61	127	0.0015
79676	Zone 4B	Breccia	Grab	4.6	0.02149	0.09536	0.2215	7	0.4504
79689	Zone 4B	Manto	Grab	1	0.055	0.01226	31.55	13	0.6439
79690	Zone 4B	Manto	Grab	1.7	0.107	0.01419	5.57	10	0.1607

Prospecting and mapping elsewhere on the property revealed the need for an updated property geology map, as discrepancies were sometimes noted between lithologies on the ground and those reported on previous geologic maps. This work should involve a compilation of all mapping work done, with care taken to outline known outcrops, rather than speculation at intervening lithologies. Moreover, new traverses should be made along hillsides and following creeks, rather than just along ridgetops where exposure is more plentiful. A similar structural geology map should also be compiled.

8.3 Geophysics

The 2017 geophysical work was performed by Scott Geophysics in September and October. In total, 28.1 line-kilometres of induced polarization (IP) survey and 28.09 line-kilometres of magnetometer survey were performed on nine 3km long, cut, E-W grid lines sighted in by compass and handheld GPS. The lines surveyed were spaced 400m apart along the same grid as for the soil sampling, but covered more of the central zones. IP stations overlapped little with the soil stations; but, where they did, care was taken not to dig soils at the exact same sites as the IP stations to avoid contamination from the copper pots used in the IP survey. Grid locations are shown in Fig 8.3.1.

As per Scott Geophysics' description of the survey procedures:

"The pole-dipole array was used for the IP survey. Readings were taken at an "a" spacing of 50m and at "n" separations of 1, 2, 3, 4, and 5, and at an "a" spacing of 100m and at "n" separations of 2.5, 3, 4, 5, 6, 7, and 8 (50/1-5 + 100/3-8). The on line current electrode was located to the east of the potential electrodes.

Total field magnetometer readings were routinely taken at 10 metre intervals (reduced to 5 metre intervals in areas with a steep magnetic gradient) and corrected for diurnal variation against a fixed base station cycling at 2 second intervals.

GPS readings were taken at each magnetometer station and at the remote ("infinite") electrode locations, subject to satellite reception. Elevation measurements are barometric altimeter readings, calibrated to GPS altitude at the beginning of each line." (Scott, 2017)

344000E
346000E
348000E
350000E
6168000N
6166000N
6164000N
6162000N
6160000N
N

Legend

Soils by Year
- 1983
- 1988
- 1996
- 2003
- 2005
- 2011
- 2017
- 2017 Soil Grid Areas

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Soil Sample Locations
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Jan 19th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

344000E
346000E
348000E
350000E
6168000N
6166000N
6164000N
6162000N
6160000N

N

Legend

Ag in Soils (ppm)
- 0 - 0.6
- 0.6 - 1.2
- 1.2 - 1.8
- 1.8 - 150
- 2017 Soil Grid Areas

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Soil Sample Ag (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

344000E
346000E
348000E
350000E
6168000N
6166000N
6164000N
6162000N
6160000N

N

Legend

Au in Soils (ppb)
- 0 - 10
- 10 - 20
- 20 - 50
- 50 - 100
- 100 - 3500
- 2017 Soil Grid Areas

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Soil Sample Au (ppb)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

344000E
346000E
348000E
350000E
6168000N
6166000N
6164000N
6162000N
6160000N

N

Legend

Cu in Soils (ppm)
- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 1410
- 2017 Soil Grid Areas

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Soil Sample Cu (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

344000E
346000E
348000E
350000E
6168000N
6166000N
6164000N
6162000N
6160000N

N

Legend

Pb in Soils (ppm)
- 0 - 20
- 20 - 50
- 50 - 100
- 100 - 500
- 500 - 10000
- 2017 Soil Grid Areas

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Soil Sample Pb (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

344000E
346000E
348000E
350000E
6168000N
6166000N
6164000N
6162000N
6160000N

N

Legend

Zn in Soils (ppm)
- 0 - 100
- 100 - 200
- 200 - 500
- 500 - 1000
- 1000 - 10000
- 2017 Soil Grid Areas

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Soil Sample Zn (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

Lorraine Copper/Sun Metals
Stardust Property
Rock Sample Locations
Scale: 1:15,000
UTM: UTM Zone 10 - NAD83
Date: Jan 19th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

346000E
348000E
6164000N
6162000N
6160000N

79674
2586701
79697
79698
79699
2586702
79673
79670
79671
79672
LDS-4
LDS-3
LDS-2
LDS-1
79700
79679
79678
79677
2586703
2586704
79682
79691
79676
79675
79693
79690
79692
79689
79684
79688
79687
79686
79685
2586707
2586706
2586707
2586705
79683
79696
79695
79694
79681
79680

Legend

Rock Samples by Year
- 2017
- 2011
- 2010
- 2004

Map Features
- Claim Outline
- 2017 Property Roads
- Creeks
- Lakes
- Wetlands

250 0 250 500 m

Lorraine Copper/Sun Metals
Stardust Property
2017 Ag in Rocks (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

346000E
347000E
348000E
6163000N
6162000N
6161000N
6160000N

0.2
39.8
0.6
0.7
0.9
0.2
0.2
0.1
0.1
12.5
57.3
29.9
56.5
0.6
119
93
0.4
0.3
0.6
1.2
0.3
7
127
10
2.9
3.4
13
0.7
0
0.1
12
55
1007
4194
1007
2041
0
0.2
0.3
0.4

Legend

Ag in Rocks (ppm)
- 0.0 - 0.6
- 0.6 - 1.2
- 1.2 - 1.8
- 1.8 - 4194.0

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

250 0 250 500 m

Lorraine Copper/Sun Metals
Stardust Property
2017 Au in Rocks (ppb)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Jan 19th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

N

346000E
347000E
348000E
6163000N
6162000N
6161000N
6160000N

15
257.2
14.7
8.9
28.5
0
0
0
1.4
73.5
671.5
380.2
888.8
5.7
1503.1
976.8
0
4.7
5.6
35.3
14.6
450.4
1.5
160.7
56.7
22.5
643.9
19.3
0
2.4
28.9
4011.1
7355.5
10489.5
7355.5
5789.9
0
0
0
2.2

Legend

Au in Rocks (ppb)
- 0 - 10
- 10 - 20
- 20 - 50
- 50 - 100

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

250 0 250 500 m

Lorraine Copper/Sun Metals
Stardust Property
2017 Cu in Rocks (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

346000E
347000E
348000E
6163000N
6162000N
6161000N
6160000N

47.5
231
75.1
71.3
224.6
37
31.7
81.9
48.7
2817.1
9167
8725.2
27090
181.1
37330
31270
7287.7
228.9
137.2
125
94.8
214.9
460
1070
74.1
197.4
550
60.8
57.7
51.4
40
699.8
717.6
1260.5
717.6
404.3
16.7
27.1
59.5
44.5

250 0 250 500 m

Legend

Cu in Rocks (ppm)
- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 37330

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

346000E 347000E 348000E

6163000N 6162000N 6161000N 6160000N

N

Lorraine Copper/Sun Metals
Stardust Property
2017 Pb in Rocks (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

5.5
3815.6
75.4
28.9
37.6
4.7
7.8
7.1
15.2
13.9
21.5
91.7
162.7
64
5.9
8.3
38.9
9.8
37.5
146.6
6.6
953.6
10000
141.9
509.3
116.5
122.6
14.7
4.2
12.1
2116.2
7585.3
65900
105600
65900
26500
6.7
8.1
20.4
7.9

250 0 250 500 m

Legend

Pb in Rocks (ppm)
- 0 - 20
- 20 - 50
- 50 - 100
- 100 - 500
- 500 - 105600

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2017 Zn in Rocks (ppm)
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

346000E
347000E
348000E
6163000N
6162000N
6161000N
6160000N

24
266
96
58
66
40
34
42
57
45
78
196
319
238
196
149
189
30
67
987
228
2215
126100
55700
197
4198
315500
95
193
333
192500
8987
2149
5091
2149
20900
44
54
72
52

250 0 250 500 m

Legend

Zn in Rocks (ppm)
- 0 - 100
- 100 - 200
- 200 - 500
- 500 - 1000
- 1000 - 315500

Map Features
- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

344000E
346000E
348000E
350000E
N
6166000N
6164000N
6162000N
6160000N
6158000N
Line 26N
Line 26N
Line 20N
Line 14N
Line 10N
Line 6N
Line 1N
Line 3S
Line 7S
Lorraine Copper/Sun Metals
Stardust Property
2017 Geophysical Survey Stations
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 6th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT
250 0 250 500 m
Legend
Survey Stations
Map Features
Claim Outline
Property Roads
Creeks
Lakes
Wetlands

346000E 347000E 348000E 349000E 350000E

6163000N 6162000N 6161000N 6160000N

N

LD2017-01

LD2017-02

LD2017-03

Legend

Drill Holes by Year


- 1966
- 1990s
- 2000 - 2005
- 2005 - 2010
- 2017
- 2006 RC Collars

Map Features

- Claim Outline
- Property Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
Drill Collar Locations
Scale: 1:10,000
UTM: UTM Zone 10 - NAD83
Date: Feb 9th, 2018
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m



LD2017-01

Legend

Au_ppm

0 0.1 0.2 0.3 0.4

Lith

- ARG
- SP
- DYKE
- MD
- OB
- SK

Location


A: 346927, 6162151

B: 346959, 6162173

Scale: 1:500

Vertical exaggeration: 1x

0m 15m



Scale: 1:500


Vertical exaggeration: 1x

0m 20m

Location

A: 347062, 6161763

B: 347001, 6161740


W
LD2017-03
Location
W: 347874, 6160411
E: 347966, 6160411
Scale: 1:500
Vertical exaggeration: 1x
0m
20m
1300
1270
1240
1210
1180
347880
347900
347920
347940
347960
LD2017-03
LD2003-08
LD2003-09
2.88
0.04
0.07
0.19
0.03
0.75
1.08
0.01
5.99
1.61
0.03
0.02
8.00
0.37
1.96
1.05
0.02
0.20
0.11
0.03
0.23
0.03
14.40
21.90
21.10
1.75
0.02
4.15
0.11
0.09
1.64
0.23
0.03
0.02
Au_ppm
0
0.1
0.2
0.3
0.4
Lith
ARG
SP
DYKE
LS
MZ
OB

Induced polarization (IP) and magnetometer (mag) results from the 2017 surveys provided enhanced resolution over the central Stardust zones when compared to existing geophysical anomalies delineated in the 2011 and 2008 airborne surveys. Chargeability and resistivity characteristics seem to fit well with mapped geology and should provide a useful tool to instruct further drilling. Full analysis of geophysical data is ongoing. Geophysical cross-sections and level plans can be found in Appendix 8.3.

8.4 Drilling

8.4.1 Summary

In October of 2017, a three-hole drill programme was conducted on the Stardust property in order to verify previous drill results as part of a due diligence exercise conducted by the optionee (Sun Metals). Holes were drilled into three locations of previously known mineralisation; copper-gold-silver-zinc in skarn and manto/transitional zones in the Canyon Creek deposit, and silver-gold in the No.1 Vein. Drill site locations are shown in Fig. 8.4.1.

Paycore Enterprises Ltd. of McBride, BC were contracted to conduct the drilling. They drilled from October 11-18, coring a total of 343.51 metres. The drilling generally went well, though ground conditions were often poor, resulting in low recoveries and lower production. A blown engine occurred on the second day of drilling, but was replaced within a day. During the drilling of the final hole, falling temperatures decreased the water supply and led to several delays while drillers waited for the sump to refill.

Table 8.4.1.1 2017 Stardust Drill Holes

Hole ID	**Area**	**UTM E (NAD 83 Z10)**	**UTM N (NAD 83 Z10)**	**Elevation (m)**	**Depth (m)**	**Azimuth**	**Dip**	**Dates**
LD17-01	CC Skarn	346929	6162152	1358	105.46	55	-75	Oct 11-13, 2017
LD17-02	4B Manto	347007	6161748	1364	99.06	70	-60	Oct 14-15, 2017
LD17-03	No. 1 Vein	3479952	6160394	1323	138.99	270	-57	Oct 18-20, 2017

All core was sampled and a total of 144 samples were sent to Bureau Veritas Minerals Laboratory in Vancouver for analysis. The core was cut with a rock saw with one half sent for analysis and the other half retained in the core box. The core is currently stored at Tsayta Lake Lodge. Prepared samples and sample blanks were inserted into the sample stream at a ratio of approximately one per twenty. One duplicate sample was also collected, where both halves of the cut core were sent for analysis.

Assay results were similar to those found in nearby intercepts in historic holes. Some significant intercepts are summarized in Table 8.4.1.1. Drill logs and full assay results can be found in Appendix 8.4

Table 8.4.1.2: Selected 2017 Drill Intercepts.

Hole ID	From (m)	To (m)	Length (m)	True Width (m)	Cu (%)	Zn (%)	Pb (%)	Ag (g/t)	Au (g/t)
LD2017-01	94.6	97	2.4	1.56	0.61	0.1	0.07	13.6	0.57
including	95.3	97	1.69	1.1	0.83	0	0	16.6	0.74
LD2017-02	82.7	89.9	7.22	5.88	0.46	2.1	0.29	117.7	1.15

including	82.7	87.9	5.15	4.22	0.44	3	0.4	156.6	1.36
LD2017-03	89.5	93.9	4.37	2.12	0.02	1.1	0.25	332.6	3.36
including	89.5	90.8	1.32	0.71	0.05	2.1	0.6	856	8

8.4.2 LD2017-01

The first hole of the programme, LD2017-01, was drilled into skarn mineralisation in the Canyon Creek Deposit, located in the north-central part of the Stardust property, on the north side of Canyon Creek. The 2017 hole was drilled from the same site as historical holes LD2000-13 and 17, which returned impressive mineralised intervals of 9.76 metres of 3.77g/t gold, 49.5g/t silver, 3.13% copper and 1.04% zinc: and 9.28 metres of 3.52g/t gold, 30.6g/t silver, 1.86% copper and 0.90% zinc, respectively.

LD2017-01 was drilled between these two holes at an azimuth of 055° and a dip of -75° to a depth of 105.46 metres. Drilling began on October 11 and finished on October 14. The brand-new engine on the drill failed at the start of the second shift and a day was lost as a replacement was brought in.

The hole was collared into a porphyritic monzonite dyke that ran from 7.92 to 20.75 metres, which contained feldspar phenocrysts up to one centimetre in size, then intersected a grey silicified argillite to 49.3 metres. The argillite was silicified and/or cherty with 2-5mm wide bands of light to dark brown and green garnet and diopside calc-silicates throughout. Most of this interval was badly broken with local slickensides noted. Sulfide content was low. Below the silicified argillite the hole encountered another porphyritic monzonite dyke to 76.13 metres, this time with pyrite to 1% as disseminations and veinlets.

From 76.13 to 83.6 metres the hole encountered another grey silicified/cherty argillite interval, which contained several skarn intervals up to 45 centimetres in length. The skarn consisted of banded fine-grained brown-pink garnet and green diopside containing up to 5% pyrite.

The main skarn body was intersected between 83.6 metres and the end of the hole at 105.48 metres. Most of the skarn was composed of the fine-grained variety noted above though coarser green garnets occurred locally. Magnetite was locally common in parts of the zone with local dark grey-purple quartz veins also noted. Local unmineralised grey silicified argillite intervals, to 2.3 metres, occurred within the skarn unit. The skarn mineralisation consisted of pyrite that ranged up to 5%, and chalcopyrite that reached 3% in the upper part of the zone.

Analytical results for the LD17-01 skarn were distinctly lower than in the two adjacent holes, returning a best result of 2.4 metre interval (94.6- 97.0m) averaging 0.61% copper, 0.1% zinc, 0.57g/t gold and 13.6 g/t silver. It is thought that this is due to the commonplace irregular nature of skarn type mineralization.

8.4.3 LD2017-02

The second hole of the programme targeted manto/transitional mineralisation on the south side of Canyon Creek, which is also part of the Canyon Creek Deposit. Hole LD2017-02 was located on the same site as previous holes LD1999-17 and LD2000-02. The former returned 5.8 metres averaging 0.81g/t gold, 11.6g/t silver, 0.88% copper and 18.84% zinc; the latter encountered three zones of mineralisation: 3.3 metres of 2.74g/t gold, 59.1g/t silver, 0.43% copper and 3.89% zinc; 1.3 metres of 0.90g/t gold, 27.9g/t silver, 0.75% copper and 0.04% zinc; and 3.35 metres of 2.52g/t gold, 328.6g/t silver, 0.50% copper and 10.38% zinc.

Hole LD2017-02 was oriented at azimuth 070°, was inclined to -60° and went to a depth of 99.06 metres. The drilling of this hole went well and it was completed in three shifts on October 14th and 15th. The hole collared in light grey sericite? altered argillite that had a similar appearance to the argillite in LD2017-01 but was less siliceous. It also featured the brown biotite/garnet banding as the first hole. Locally these brown bands formed a matrix in breccia zones hosting angular grey argillite fragments. Pyrite and lesser pyrrhotite, up to 3% in some intervals, occurred throughout the interval.

Below the argillite, from 36.43 metres to the end of the hole, grey limestone was encountered. This was a massive unit that was moderately to dark grey in colour with a fine distinctive "salt and pepper" texture. Only rare pyrite was noted.

The mineralised manto/transitional unit was intercepted within the limestone from 78.68 to 89.92 metres, an interval of 13.32 metres. Mineralisation was hosted in medium-grained light-green garnet and consisted of fine to medium grained pyrite, which locally made up 100% of the core. The pyrite in such intervals was coarse grained and rubbly, which made for local poor core recovery. Black sphalerite occurred in the bottom half of the interval, ranging up to 5%, while chalcopyrite occurred throughout in amounts up to 3%, with pyrrhotite common in the upper part of the sulfide interval.

A 7.22 metre interval from the lower part of the manto (82.7-89.9 metres) averaged 2.1% zinc, 0.46% copper, 0.29% lead, 117.7g/t silver and 1.15g/t gold. Individual samples from within this returned zinc to 4.16%, silver to 382g/t, copper to 1.42% and lead to 0.54%. This zone is also associated with strongly anomalous cobalt (to 270ppm), antimony (>2000ppm) and bismuth (to 839ppm), gallium (to83ppm) and tungsten (83ppm).

8.4.4 LD2017-03

The southernmost and final hole of the programme, LD2017-03, targeted the No.1 vein mineralisation intercepted in previous drill holes LD2003-08 and 09. Hole LD2003-08 returned two mineralised intervals; 5.50 metres averaging 1.17g/t gold, 458.1g/t silver, 0.73% lead and 0.72% zinc, and a further 2.0 metres of 2.66g/t gold, 814.8g/t silver, 0.99% lead and 0.68% zinc. Hole LD2000-09 also encountered two mineralised sections; 5.0 metres of 13.27g/t gold, 898.6g/t silver, 1.11% lead, and 5.7% zinc, and 0.5 metres averaging 1.64g/t gold, 13.7g/t silver and 0.44% zinc.

LD2017-03 was set up on the same drill site and was oriented to drill between holes LD2003-08 and 09, at azimuth 270° and a -50° inclination. It went to a final depth of 138.99 metres. Production on this hole was hindered by the onset of freezing temperatures which decreased flow into the collection sump, such that parts of the night shift were lost waiting for it to refill. Furthermore, the rock in this hole was very broken which led to difficult drilling and compromised recoveries. The hole was completed between October 15th to 18th.

For the most part, LD2017-03 encountered strongly sheared and graphitic phyllite, siltstone and limestone units which appear to have been tectonically juxtaposed within a wide fault zone. The core was generally badly broken along low core-angle fractures which were commonly graphitic. Several monzonite dykes were also encountered; most notably from 92.87 to 100.92 metres, where the dyke serves as a "marker unit", around which the No.1 Vein mineralisation occurs. From 89 metres to the dyke the core is largely composed of black graphitic mud which contains zones with up to 20% fine pyrite as well as other sulfides. Below the dyke to 105.2 metres, zones of black graphitic argillite and clay with up to 1% pyrite, and broken white quartz veins to one centimetre occur. These are the only quartz veins noted within the Number 1 Vein Zone.

Below this mineralised zone, broken graphitic argillite and siltstone were encountered to the bottom of the hole at 138.99m metres.

The best results of this hole were from the graphitic mud above the dyke, from which a 4.37 metre interval (89.5-93.9 metres) returned 332.6g/t silver, 3.36g/t gold and 1.1% zinc. From within this interval, the 1.32 metres from 89.5 to 90.8 metres ran 856g/t silver, 8.0g/t gold and 2.1% zinc and 0.6% lead. This mineralisation is also accompanied by >1% arsenic and >2000ppm antimony.

9.0 Sampling and QA/QC Procedures

Soil samples were taken with a tree planting shovel or a soil auger depending on the ground. Where possible, samples were taken from the "B" horizon. Sample depth, soil horizon and soil colour and relevant notes, such as "swampy ground" were recorded for each sample. Samples were placed in kraft bags labelled with the grid location, were dried in the Tsayta Lake Lodge core shack and were shipped to Bureau Veritas in Vancouver for anlaysis. No duplicates, standards or blanks, save the lab standards, were taken for soil samples.

Rock samples were placed in poly-bags and taken back to camp, where hand specimens were separated from the original sample. Some of these hand specimens were cut and sent to be polished as showpieces. Sampler, location, field description, source and source size, sample type, rock type, mineralisation and alteration were recorded for each sample. Samples were batched in rice bags and sent via courier to bureau veritas for assay. No duplicates, standards or blanks were submitted for either the soil or rock samples, though such were included by the lab as part of their routine QAQC procedures.

All of the 2017 core was sampled and a total of 144 samples were collected. After logging, the core was cut with a rock saw with one half sent for analysis and the other half retained in the core box. Sample intervals were chosen during the logging process based on lithologies and mineralisation noted. Prepared samples and sample blanks were inserted into the sample stream at a ratio of approximately one per twenty. One duplicate sample was also collected, where both halves of the cut core were sent for analysis. As with the other samples, the core was also sent to Bureau Veritas for analysis. The core is currently stored at Tsayta Lake Lodge.

Assay certificates from soil, rock and drill-core sampling can be found in Appendix 9.0.

10.0 Conclusions and Recommendations

According to the information that has been gathered by Lorraine Copper Corp. and Sun Metals, over the course of its 70+ year exploration history, Stardust has seen some 80,000m of drilling, 9000m^2 of trenching, roughly 7000 soil and rock samples, almost 1000km of geophysical surveys, as well as various geological maps and interpretive reports. This is likely an understatement of the sheer volume of geological data that has been collected on the property over the years since the earlier work is at times not well documented or the results are not available Progress has been made to document and organise the historic data, especially by Aurora Geosciences in 2010-12 and, in the Canyon Creek Skarn zone by Ron Simpson in the publication of his NI-43101 resource. Much work remains to be done to fully utilize

this wealth of historic information. Putting this data to better use is perhaps the easiest and most cost-effective way to increase our understanding of the Stardust property.

As both our analytical methods and our understanding of the processes of the mineralising system to which Stardust belongs have evolved over the years, a vitally important first step in future exploration will be to organize, analyse and equate this data. This work may take many forms including, but not limited to the following:

- Historic data should be digitized. Maps, reports and assay certs should be scanned.
- Historic soil sample results should be levelled so that samples can be properly contextualized to current work.
- Historic geological maps should be gathered and compared and a consensus property map produced. A map showing historic trench locations should also be produced.
- Historic drill logs and surviving drill core should be examined and should be locally re-logged and re-sampled.
- A 3D model compiling all historic drilling should be produced.
- Geophysical data should be compiled and interpreted.

These tasks are ongoing and represent much of the winter work being undertaken in preparation for future field seasons.

Coupled with new results from the 2017 field season, this re-evaluation of historic data has identified several targets for future work. In some of the most recent assessment reports, both Daryl Hanson and Ledwon et al. delineated several yet untested targets for future exploration, some of which have already been discussed in section 7. In 2012 Aurora Geosciences outlined ten property-scale targets in their report on Deposit Potential and Data Evaluation of the Lustdust Property. The only work done on the property since the Aurora report is the soil sampling, IP and ground mag surveys carried out by Sun Metals in 2017. Considering this, some refinement of the Aurora targets should be undertaken; however, their assessment of the regional targets is still valid and is summarized below and shown in Figure 10.1:

The ten targets outlined by Aurora are all outside of the known mineralised zones. Targets 1-7 are carbonate replacement-style anomalies and targets 8-10 are porphyry-style mineralisation. The target identification numbers do not reflect any priority or indicate relative potential. Targets 2, 4, 6, 7, and 8 indicate that the mineralised hydrothermal system may be significantly larger than what has been the focus of historical exploration. These anomalies are adjacent to or along strike of the CRD corridor, and are associated with favorable lithology and alteration. Targets 9 and 10 hold the best potential for porphyry-style mineralisation and cover the interpreted extent of the Glover Stock and the east side of the Pinchi Fault, respectively. The latter is along strike of Serengeti Resources' Central Zone porphyry discovery located to the south. Target 8 covers the ZTEM Western anomaly which could represent additional skarn replacement or porphyry mineralisation.

Target 1. This a large Cu-Ag soil anomaly that follows north-striking stratigraphy from an E/W oriented stream located at 6167000N to the northern limit of the survey and is considered open to the north. Anomalous silver in a sample collected along strike across the river to the south, and two strongly anomalous copper values to the south of this sample may support the continuity of Target 1 across the river and in the southern side of the valley. Exposure of un-

mineralised chert and phyllite at the top of the ridge south of survey line 6166000 define the southern limit of the anomaly. The soil sampling in this area is very wide-spaced (500 metre spaced lines). Prospecting, mapping and more infill soil sampling as well as IP are recommended. The decision to carry out any geophysical surveys should possibly await the results of the initial follow-up work.

Target 2. This Cu-Ag soil anomaly occurs down-slope of unmineralised limestone mapped in 2011. The anomaly occurs across three lines parallel to stratigraphy and is open to the south. Once again, the soil sampling in this area is very wide spaced. Prospecting, mapping and detailed soil sampling are recommended.

Target 3. Coincident anomalous Cu-Ag in soils centered on a limestone exposure occurring over three survey lines. The target is open to the northwest. Again, the soil sampling in this area is very widely spaced and an initial phase of prospecting, mapping and more detailed soil sampling is recommended.

Target 4. This is the same large soil anomaly discussed in the 7.3.5 section on the East Zone. This anomaly occurs in the footwall of the Canyon Creek skarn and on strike to the north of the Number 3 manto and the GD Zone. It also includes the East Zone and soil anomalies to the north of the East Zone. It includes five multi-element soil anomalies north along strike of the CCS Extension Zone, east of the CCS, and north and east of the No. 1, 2, 3, and 3 Ext. zones. This entire target could host manto/chimney style replacement mineralisation related to plunging folds and faults that control mineralisation in the adjacent zones. The area has been extensively soil sampled and consists of five distinct geochemical anomalies. These anomalies show a strike consistent with the orientation of structures controlling carbonate replacement mineralisation of the Canyon Creek Skarn Deposit, No. 4 and No. 3 zones. IP and Extra Low Frequency Electromagnetic (ELF) ground surveys should be performed to delineate coincident anomalies for drilling.

Target 5. This is an area with anomalous Cu-Zn-Pb-Sb-Au soil values, which have been supported by further anomalous soil values in the 2017 work, as discussed in section 8.2.1. It is adjacent to the Pinchi Fault, and may be contained within a fault splay of the Pinchi Fault. 2011 mapping showed outcropping manto or skarn rocks. This target was drill-tested in 2003 with LD2003-40 intersecting weakly anomalous copper values. Target 5 has been drill tested with four holes in 2003 and thoroughly soil sampled. This target is also adjacent to, and perhaps contained within, the Pinchi Fault suture zone. IP and detailed ground magnetic surveys are recommended to define sulphide mineralisation and structure.

Target 6. This is a Cu-Zn-Pb-Ag-Au soil anomaly from the 2011 survey that supports the concept that the Number 1 and 2 zones continue up to one kilometer to the south. Trenching and/or diamond drilling are the recommended follow-up.

Target 7. This is a multi-element soil anomaly outlined in the 2004 and 2005 surveys. Additional soil sampling was undertaken in this area in the 2017 program to further define and extend the anomaly and was also covered by the 2017 IP survey. Linear, northerly-trending magnetic

anomalies from the 2008 mag survey indicate that dykes from the Glover Stock are also present. This target is on strike to the south of the Western ZTEM anomaly (Target 8).

Target 8. This covers the buried ZTEM conductor on the west side of the Glover Stock. The geophysical response of this anomaly resembles that of the anomaly on the eastern side of the stock that hosts the Canyon Creek Skarn. Exposed but unmineralised limestone outcrops immediately west of the Glover Stock, supporting the possibility of skarn-hosted sulphide mineralisation at depth. As the ZTEM system is most effective at outlining steeply dipping to sub-vertical conductors, the western and eastern conductors may represent fluid conduits (faults?) responsible for concentrating mineralising fluids as in the case of the Canyon Creek Skarn Deposit, or porphyry alteration and/or ore-bearing fluids. This target should be considered a high priority for additional skarn-hosted sulphide mineralisation and is a drill ready target. It could be tested with a relatively short hole from the Canyon Creek stream valley. If IP and ELF are conducted on the property prior to diamond drilling, an orientation line of IP and a small ELF grid would further define alteration associated with the ZTEM anomaly. IP, ground mag and detailed soil sampling were carried out over this target by Sun Metals in the 2017 fall program. As discussed in section 8.2.1, some 2017 soil samples returned anomalous values for multiple elements, especially in Mo and Cu to the northwest of the 2004-05 soil anomalies. Interpretation of the 2017 geophysical surveys is ongoing.

Target 9. This target covers the interpreted subsurface extent of the Glover Stock, the centre of which was covered by IP survey and ground magnetics in the 2017.This multiphase stock is interpreted to be the source of ore bearing fluids to the Canyon Creek Skarn. The stock is host to porphyry alteration and mineralisation assemblages at surface and at depth adjacent to the CRD corridor (Megaw, 2000; 2001). Drilling in 2000 and 2001 did not test the potential of a larger mineralised intrusive complex than what is exposed at surface, nor has there been any geophysics conducted to explore for such a target. A mineralised porphyry-type system at depth should not be overlooked. To effectively and completely assess the potential for a buried porphyry-style mineralised system at Target 9, a deep looking 3D IP or Quantec's Titan 24 geophysical survey is recommended.

Target 10. Regional mapping has identified Hogem Batholith rocks on the east side the Pinchi Fault. To the south and along strike of these rocks lie the intrusive and supracrustal rocks that host Serengeti Resources' Central Zone and South Zone deposits. This target could host a northern extension of the system discovered by Serengeti Resources. It should be initially followed up with a soil survey and geologic mapping. If the lithologies and alteration mapped to the south on Serengeti Resources' ground are found to underlie this target and soil sampling returns anomalous Cu-Mo-Au values, an IP survey would be recommended.

The above property-scale targets are largely concentrated in the portion of the Stardust claims north of the main access Fall-Tsayta logging road since most of the historic reconnaissance work has been carried out in this area. The area to the south of the Glover stock to the southern boundary of the Stardust property is also considered prospective (the Nation Target). Regional mapping by UTM in 2011 outlined favourable geology including a large package of limestone. In addition, the 2008 airborne mag survey indicates that northerly-trending magnetic dykes from the Glover Stock occur here as well.

345000E

350000E

N

Target 1

Target 3

Target 2

Target 10

6165000N

6165000N

Drill Target Map Area

Target 4

Target 5

Target 8

Target 9

Target 6

Target 7

6160000N

6160000N

Kwanika Ext

Nation Target

6155000N

350000E

0.5 0 0.5 1 km

Legend

Property Targets

- Porphyry
- Soil Anomaly
- Western ZTEM Anomaly
- RC Collars
- DDH Collars

Map Features

- StardustClaims
- 2017 Property Roads
- Logging Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
Cu (ppm) Geochemistry
Scale: 1: 40,000
UTM: UTM Zone 10 - NAD83
Date: Jan 8, 2017
NTS: 093N05, 06, 11, 12
Author: GRDT

346000E
347000E
348000E
349000E
N
6163000N
6162000N
6161000N
6160000N
6159000N
NW Ext
CCS Ext
East Zone
#5 Lens Ext
Footwall CCS
Hanging Wall CCS
GD Zone
4b Manto
#3 Mantos
#2 Manto
#1 VN
Valley Zone

Legend

2003 Surface Geology

- Basalt
- Limestone
- Manto
- Monzonite
- Phyllite
- Quartz-Porphyry
- Skarn
- Sulphide Vein
- Tuff
- Ultramafic

Drill Targets

- Targets

Map Features

- RC Collars
- Drill Collars
- 2017 Property Roads
- Logging Roads
- Creeks
- Lakes
- Wetlands

Lorraine Copper/Sun Metals
Stardust Property
2018 Drill Targets
Scale: 1: 15,000
UTM: UTM Zone 10 - NAD83
Date: Jan 11, 2017
NTS: 093N05, 06, 11, 12
Author: GRDT

250 0 250 500 m

A small grid on the Nation Claims near the southern boundary of the Stardust claims was soil sampled and mapped in 1988. This data contains several samples with coincident anomalous Cu-Zn-Ag-Au values. The intervening ground is a highly prospective regional target and should be soil sampled, mapped and prospected in 2018.

11.0 Statement of Costs

Table 11.1: Cost breakdown for June 1 to Dec 31, 2017.

Professional Fees:	*Dates:*	*Rate:*	*Total: ($)*
G.L. Garratt	June 6-7, 19-20	4 days @ $800/day	3,200.00
	Aug 2, 3, 8-11, 14-18, 21-23 & 24(½d)	14½ days @ $800/day	11,600.00
	Sept 7 & 8(½d), 18-19 & 20(½d)	4 days @ $800/day	3,200.00
	Oct 2-3, 16-17, 23 & 24(½d)	5½ days @ $800/day	4,400.00
	Nov 6-8, 21 & 27	5 days @ $800/day	4,000.00
	Dec 4,6, 18 & 19(½d)	3½ days @ $800/day	2,800.00
J.W. Morton	Aug 23	1 day @ $800/day	800.00
	Sept 6, 11, 13, 21 & 28	5 days @ $800/day	4,000.00
	Oct 6, 18-19 & 20	4 days @ $800/day	3,200.00
	Nov 27 & 30	2 days @ $800/day	1,600.00
	Dec 7 & 18	2 days @ $800/day	1,600.00
B. Laird	Aug 24-31	8 days @ $800/day	6,400.00
	Sept 19-22 & 25	5 days @ $800/day	4,000.00
R. Johnston	Oct 8-22	15 days @ $800/day	12,000.00
	Nov 14 & 15	2 days @ $800/day	1,600.00
	Dec 11 & 12 (½d)	1½ days @ $800/day	1,200.00
G. Titley	June 8-14	7 days @ $520/day	3,640.00
	Aug 15-17 & 22-31	13 days @ $520/day	6,760.00
	Sept 1-24 & 30	25 days @ $520/day	13,000.00
	Oct 1-21	21 days @ $520/day	10,920.00
	Nov 1-3, 6-7, 15-17, 20-24 & 27	14 days @ $520/day	7,280.00
	Dec 1, 4-7, 11-15, 18-20	13 days @ $520/day	6,760.00
Field Personnel Fees:			
S. Perreault	June 8-13, 14(½d) & 15(½d)	7 days @ $480/day	3,360.00
	Sept 5-30	26 days @ $480/day	12,480.00
	Oct 1-3, 6-7 & 11	6 days @ $480/day	2,880.00
J. Perreault	June 8-13, 14(½d) & 15(½d)	7 days @ $480/day	3,360.00
	Sept 5-30	26 days @ $480/day	12,480.00
	Oct 1-3, 6-15, 17-18	15 days @ $480/day	7,200.00
R. Cadorette	Aug 22-31	10 days @ $460/day	4,600.00
	Sept 1-22 & 24-30	29 days @ $460/day	13,340.00
	Oct 1-3 & 7-15	12 days @ $460/day	5,520.00
A. Butler	Sept 23-30	8 days @ $395/day	3,160.00

	Oct 1-22	22 days @ $395/day	8,690.00
K. Laidman	Sept 2-17	16 days @ $370/day	5,920.00
	Oct 11-21	11 days @ $370/day	4,070.00
M. Wijma	Sept 9-30	22 days @ $320/day	7,040.00
	Oct 1-4	4 days @ $320/day	1,280.00
	Rentals:	*Rate:*	*Total: ($)*
	2 ATVs	6 days @ $80/day each	960.00
	2 ATVs	46 days @ $90/day each	8,280.00
	2 Radios	66 days @ $5/day each	660.00
	SAT Phone	66 days @ $10/day	660.00
	Computer (Titley)	92 days @10/day	920.00
	Trailer (J Perreault)	6 days @ $50/day	300.00
	Saw (J Perreault)	27 days @ $25/day	675.00
	Saw (S Perreault)	33 days @ $25/day	825.00
	Saw (R Cadorette)	30 days @ $25/day	750.00
	Saw (Laird)	1 day @ $25/day	25.00
	ATV (Cadorette)	35 days @ $90/day	3,150.00
	Radio (Cadorette)	49 days @ $5/day	245.00
	Truck (Cadorette)	6 days @ $80/day	480.00
	Truck (Laird)	7 days @ $80/day	560.00
	Truck (J Perreault)	1 day @ $80/day	80.00
	Truck (A Butler)	4 days @ $80/day	320.00
	Truck (Enterprise)		4,085.12
	Truck (K Miller)		5,481.31
	Plotter:		
	Line Plot on regular paper		996.00
	Fill Plot on regular paper		439.00
	Line Plot on Mylar paper		1,464.00
	Fill Plot on Mylar paper		920.00
	GIS Mapping		6,318.75
	Transportation:		
	Scheduled Flights		3,099.07
	Travel Expenses:		5,574.26
	Fuel:		3,298.72
	Field Equipment		6,719.71
	Analyses:		
	Assay	932 samples @ $18.95/sample	17,668.20
	Sub Contractor:		
	Drilling		53,247.71

Geophysical		111,660.29
Geological		3,150.00
Excavator / Road Work / Drill pad construction		11,428.75
Communication:	Telephone	394.83
Reproduction:	Maps	175.29
Freight:		2,221.81
Food:		2,262.08
Accommodation:		72,576.45
	Grand Total:	**541,411.35**

12.0 References

ASH, C.H. and MacDONALD (1993): Geology, Mineralization, and Lithogeochemistry of the Stuart Lake Area, Central British Columbia (Parts of 93K/7,8,10 and 11). British Columbia Geological Survey, Geological Fieldwork 1992, paper **1993-1.**

ALBINO, G.V. (1987): The Pinchi Mercury Belt, central British Columbia: near-surface expression of a Mother Lode-type mineralized system. *Geological Society of America*, Abstracts with Programs, **19:7**, A141-142.

BUTLER, D. B., & JARVIS, K.D.G. (2000): Report on the 2000 Magnetometer survey over the LustDust Property. Whytecliff Geophysics Ltd. Report to Alpha Gold Corp., July 14, 2000, 11p.

DUNN, K.P.E. and RAY, G.E. (2002): Constraints on fluid evolution at the Polymetallic Lustdust Porphyry-Skarn-Manto-Vein prospect, North Central British Columbia. British Columbia Ministry of Energy and Mines, Geological Fieldwork 2001, Paper 2002-1, pages 281 – 302.

EINAUDI, M.T., MEINERT, L.D., AND NEWBERRY, R.J. (1981): In Skarn Deposits. *In* Economic Geology 75th Anniversary Volume. (B.J. Skinner, ed.) *Econ. Geol. Pub. Co*., El Paso, TX., pages 317-391

EVANS, G. (1996): Exploration of the Lustdust Property, Geology and Geochemical Report. Teck Corp. 18p.

EVANS, G. (1997): Diamond Drilling and Geochemical Report on the 1997 Exploration of the Lustdust property. Teck Corp. 16p.

GABRIELESE, H., AND YORATH, C.J., eds. (1992): Geology of the Cordilleran Orogen in Canada. *Geological Society of America*, **DNAG G-2**, 875.

GRAF, A. (1997): *Geology and porphyry-style mineralization of the Cerro de la Gloria stock associated with high-T, carbonate-hosted Zn-Cu-Ag (Pb) skarn mineralization, San Martin District, Zacatecas, Mexico.* Unpubl. M.S. thesis, University of Arizona, Tucson, Arizona, 123p.

GEOTEC, LTD (2011): Report on a Helicopter-Borne Z-Axis Tipper Electromagnetic (ZTEM) and Aeromagnetic Geophysical Survey, Lustdust Property (Clipped to Claims), Takla Narrows, British Columbia, 51p.

LEDWON, A. and BECK, R. (2009): 2009 Diamond Exploration Program, Lustdust Property, Omineca Mining Division, British Columbia. UTM Exploration Services Ltd for Alpha Gold, 482p.

LEDWON, A. and BECK, R. (2010): A Geological and Drilling Report on the Lustdust Property, Omineca Mining Division, British Columbia. UTM Exploration Services Ltd for Alpha Gold, 403p.

LEDWON, A. and Rensby, J. (2011): A Geological and Geophysical Report on the Lustdust Property, Omineca Mining Division, British Columbia. UTM Exploration Services Ltd for Alpha Gold, 246p.

HANSON, D.J. (2005): 2004 Diamond Drilling and Soil Geochemistry Program, Lustdust Property, Omineca Mining Division, British Columbia, Canada. 276p.

HANSON, D.J. (2006): 2006 Technical Report on Diamond Drilling, Reverse Circulation Drilling and Bedrock Trenching, Lustdust Property, Omineca Mining Division, British Columbia, Canada. 340p.

HEDENQUIST, J.W. and ARRIBAS, A., Jr. (1999): Epithermal gold deposits: I. hydrothermal processes in intrusion-related systems, and II. Characteristics, examples and origin of epithermal gold deposits, in Molnar, F., Lexa, J. and Hedenquist, J.W. (eds.) Epithermal Mineralization of the Western Carpathians: Society of Economic Geologists, Guidebook Series, v. 31, pages 13-63.

MacINTYRE, D.G., AND STRUIK, L.C. (1999): Nechako NATMAP Project, central British Columbia 1998 Overview British Columbia Geological Survey, Geological Fieldwork 1998, paper 1999-1 (downloaded from BCGS website, August, 1999).

MEGAW, P.K.M. (1998): Carbonate-hosted Pb-Zn-Ag-Cu-Au replacement deposits: An exploration perspective. *In* Mineralized intrusion-related skarn systems (Lentz, D.R., ed.*). Mineralogical Association of Canada, Short Course Series* **26**, pages 337-358.

MEGAW, P.K.M., BARTON, M.D., and GRAF, A. (1998): Polyphase skarn mineralization associated with a polyphase differentiated composite intrusion, San Martin-Sabinas District, Zacatecas, Mexico. *Geological Association of Canada/Mineralogical Association of Canada (GAC/MAC) May, 1998 Meeting, Quebec, Quebec, Abstracts*, A122

MEGAW, P.K.M., RUIZ, J., AND TITLEY, S.R. (1988): High-temperature, carbonate-hosted, Pb-Zn-Ag massive sulfide deposits of Mexico: An overview. *Econ. Geol.* **83**, pages 1856-1885.

MEGAW, P.K.M., (1999): Report on 1999 Drilling and Geological Study of the Lustdust Property, Omineca Mining Division, British Columbia, Canada: Alpha Gold Corp, October 14, 1999, 41p.

MEGAW, P.K.M., (2000): Report on 2000 Drilling and Geological Study of the Lustdust Property, Omineca Mining Division, British Columbia, Canada: Alpha Gold Corp, October 14, 2000, 42p.

MEGAW, P.K.M. (2001): Report on 2001 Drilling and Geological Study of the Lustdust Property, Omineca Mining Division, British Columbia Canada, 50p.

MEINERT, L.D. (1995): Compositional variation of igneous rocks associated with skarn deposits - Chemical evidence for a genetic connection between petrogenesis and mineralization. *In* Magmas, fluids, and ore deposits (J.F.H. Thompson, ed.). *Min. Assoc. Can. Short Course Series* **23,** pages 401-418.

MEINERT, L.D. (1999): Skarns and skarn deposits: Summary and weblinks. Skarn Website. http://www.edu:8000/~meinert/skarnhp.html.

MONGER, J.W.H. (1977): Upper Paleozoic rocks of the western Canadian Cordillera and their bearing on Cordillera evolution. *Canadian Journal of Earth Science*, **14**, pages 1832-1859.

MORRIS, H.T. (1968): The Main Tintic Mining District, Utah. *In* Ore Deposits of the United States, 1933-1967 (J.D. Ridge ed.). Amer. Inst. Mining Eng. **2,** pages 1043-1073.

OLIVER, J. L. (2002): Report on 2002 Exploration and Diamond Drilling Lustdust Property. Private internal report to Alpha Gold Corp., 62p.

OLIVER, J. L. (2003): Report on 2003 Exploration and Diamond Drilling Lustdust Property. Private internal report to Alpha Gold Corp., 109p.

PATERSON, I.A. (1977): The geology and evolution of the Pinchi Fault Zone at Pinchi Lake, central British Columbia. Canadian Journal of Earth Science, **14**, pages 1324-1342.

PRESCOTT, B. (1916): The Main Mineral Zone of the Santa Eulalia District. *Am. Inst. Mining Eng. Trans.* **51,** 57-99p.

PRESCOTT, B. (1926): The underlying principles of the limestone replacement deposits of the Mexican Province. *Engr. Min. Jour.* **122,** pages 246-253, 289-296.

RAY, G.E. (2002): Geological work completed at the Lustdust Property and in some surrounding areas, Central British Columbia, (093N/11W). Private internal report to Alpha Gold Corp., 24p.

RAY, G.E. AND WEBSTER, I.C.L. 1997: Skarns in British Columbia; British Columbia Ministry of Employment and Investment, Bulletin 101, 260p.

RAY, G.E., AND DAWSON, K.M., 1998, Mineralized skarns in the Canadian Cordillera, In Mineralized intrusion-related skarn systems (Lentz, D.R., ed.), *Mineralogical Association of Canada*, Short Course Series **26**, Quebec City, 1998, p. 475-518p.

RAY, G.E., WEBSTER, I.C.L., MEGAW, P.K.M., MCGLASSEN, J.A. AND GLOVER, J.K. (2002): The Lustdust property in central British Columbia: a polymetallic zoned porphyry – skarn – manto – vein system; in Geological Fieldwork 2001, British Columbia Ministry of Energy and Mines, Paper 2002 –1 pages 257-280.

SANO, H., AND STRUIK, L.C. (1997): Field properties of the Pennsylvanian-Lower Permian limestones of the Cache Creek Group, northwest of Fort St. James, British Columbia. *Geological Survey of Canada*, Current Research **1997-A**, pages 85-73.

SCHIARIZZA, P., AND MacINTYRE, D.G. (1999): Geology of the Babine Lake-Takla Lake area, central British Columbia (93K/11,12,13,14; 93N/3,4,5,6. British Columbia Geological Survey, Geological Fieldwork 1998, paper **1999-1** (downloaded from BCGS website, Jan 12th, 2018).

SCHIARIZZA, P. (2000): Bedrock geology and Mineral occurrences, Old Hogem (Western part). British Columbia Geological Survey, Open File 2000-33, scale 1:100,000.

SCOTT, B. (2017): Logistical Report, Induced Polarization and Magnetometer Surveys, Lustdust Property, Fort St. James Area, BC. Nov 5th, 2017. 5p.

SOREGAROLI, A. (1999): Memo on regional geological, geochemical, and geophysical studies performed in the Lustdust area by research institutions. Report to Alpha Gold Corp., October, 1999.

TITLEY, S.R. (1993): Characteristics of High temperature carbonate-hosted massive sulfide ores in the United States, Mexico and Peru. *In* Mineral Deposit Modeling (R.V. Kirkham, W.D. Sinclair, R.I. Thorpe, and J.M. Duke, eds.). *Geol. Assoc. Can.* Special Paper **40**, pages 585-614.

TITLEY, S.R., AND MEGAW, P.K.M. (1985): Carbonate-hosted ores of the Western Cordillera: an overview. *A.I.M.E. Preprint* **85-115**, 17p.

TITLEY, S.R., AND MEGAW, P.K.M. (1995): The setting and genesis of high-temperature, massive, carbonate-hosted replacement ores. Society of Economic Geologists International Field Conference on Carbonate-hosted Lead-Zinc Deposits, St. Louis Missouri, June 3-6, 1995, Extended Abstracts, pages 314-316.

13.0 Statement of Qualifications

I, R.J. (Bob) Johnston, am a graduate of the University of Saskatchewan with a B.Sc. (Advanced) 1982, in Geological Science.

I, R.J.Johnston, am a member of Engineers and Geoscientists BC (P.Geo.), registration number 19253.

I have practiced my profession since graduation in British Columbia, Yukon, Nunavut, Ontario, Cyprus, Mexico, Jamaica, Belize, Guatemala and Nicaragua.

I, R.J.Johnston, participated in the 2017 Stardust exploration programme outlined in this report, looking after the drill, logging the core, and supervising the core cutting.

Dated this 8th day of February 2018.

Bob Johnston

R.J.Johnston P.Geo.

I, Gavin R.D. Titley, am a graduate of the University of Victoria with a B.Sc. (2017), in Earth and Ocean Sciences.

I, Gavin R.D. Titley, am a member of Engineers and Geoscientists BC (GIT), registration number 195773.

I have worked in the mineral exploration industry in British Columbia and Yukon Territory since 2010.

I, Gavin R.D. Titley, participated in the 2017 Stardust exploration programme outlined in this report supervising the soil and rock sampling.

Dated this 8th day of February 2018.

Gavin Titley

Gavin R.D. Titley, GIT.

Appendix 1: 2017 Soil Sample Notes and Assay Results

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L10N/2300W	6161600	345700	28-Aug	B	red brn	35	sandy	Gavin	L10N 2300W	3.4	24.4	11.3	48	0.2	10.1	5.6	793	3.49	6.5	0.6	0.3	5	0.2	1.2	0.3	58	0.11	0.083	12	18	0.25	91	0.071	0	1.35	0.002	0.05	0	0.07	1.5	0.2	0.05	7	0	0
L10N/2350W	6161594	345657	28-Aug	B	brn	25	Sandy	Gavin	L10N 2350W	2.9	26.6	10.3	57	0.2	12	8	1239	3.29	5.4	0.9	0.3	6	0.3	1	0.3	62	0.15	0.126	11	22	0.28	86	0.081	0	1.26	0.002	0.07	0	0.06	1.5	0.1	0.05	7	0	0
L10N/2400W	6161608	345596	28-Aug	B	brn	25	on bank next to crk	Gavin	L10N 2400W	4.6	68.9	17.5	96	0.1	25	11.9	1478	3.51	10.6	2.4	0.2	10	0.4	3.1	0.3	45	0.11	0.096	18	30	0.41	192	0.015	0	1.61	0.002	0.07	0	0.09	1.5	0.1	0	5	0	0
L10N/2450W	6161612	345549	28-Aug	B	lt brn	20		Gavin	L10N 2450W	2.9	24.4	11.1	55	0.3	14.8	4.7	281	2.66	7.6	0.8	0.8	7	0.3	1.9	0.2	41	0.1	0.048	13	21	0.3	204	0.034	0	1.3	0.002	0.06	0	0.03	2	0.1	0	5	0	0
L10N/2500W	6161604	345503	28-Aug	B	brn	30		Gavin	L10N 2500W	4.3	37.3	9.8	83	0.3	16.7	7.1	1132	3.24	6.6	2.6	0.1	17	0.4	1.6	0.2	42	0.26	0.081	11	17	0.32	260	0.024	0	1.09	0.002	0.09	0	0.03	0.9	0.1	0	5	0.6	0
L10N/2550W	6161608	345444	28-Aug	B	oj brn	25	sandy	Gavin	L10N 2550W	4.4	53.2	12.1	85	0.3	22.9	7.4	401	4.55	10.6	0	2.5	5	0.2	1.7	0.3	47	0.09	0.172	12	21	0.49	103	0.029	0	1.69	0.002	0.06	0	0.06	3	0.2	0	6	0	0
L10N/2600W	6161602	345400	28-Aug	B	lt oj brn	20		Gavin	L10N 2600W	3.7	34.1	11.3	71	0.1	17.3	5.7	347	3.97	14.8	0.6	1.2	5	0.2	2.4	0.3	52	0.08	0.132	13	21	0.35	116	0.05	0	1.48	0.002	0.05	0.1	0.05	2.5	0.1	0	6	0.8	0
L10N/2650W	6161600	345352	28-Aug	B	oj	25		Gavin	L10N 2650W	4.3	32.4	11.9	56	0	11.9	4.4	330	2.74	6.2	0	0.8	6	0.1	1.3	0.3	59	0.09	0.086	16	12	0.15	95	0.08	0	1.01	0.002	0.06	0	0.02	1.6	0.2	0	7	0.8	0
L10N/2700W	6161608	345300	28-Aug	B	oj brn	25		Gavin	L10N 2700W	4.3	35	9.6	74	0.3	16	5.8	484	3.75	6.4	0	0.9	11	0.2	1.4	0.3	55	0.16	0.111	12	18	0.31	149	0.071	0	1.33	0.002	0.07	0	0.04	2.1	0.1	0.05	7	0	0
L10N/2750W	6161604	345248	28-Aug	B	red brn	25		Gavin	L10N 2750W	3.9	36.9	11.6	74	0.4	16.7	6.1	313	5.06	10.2	0	0.4	7	0.7	1.7	0.3	67	0.13	0.142	11	22	0.33	112	0.072	0	1.42	0.003	0.06	0	0.05	1.8	0.1	0.06	7	0.7	0
L10N/2800W	6161604	345190	28-Aug	B	brn	20	Moved 10m W to avoid swamp	Gavin	L10N 2800W	4.2	50.9	13.4	104	0.3	24.8	14	998	4.37	11.9	1.2	0.3	28	0.5	1.9	0.3	39	0.32	0.102	12	24	0.44	382	0.026	0	1.62	0.002	0.11	0	0.05	2	0.1	0.06	6	1	0
L10N/2850W	6161604	345149	28-Aug	B	brn	30		Gavin	L10N 2850W	5.1	46.3	12.1	107	0.3	25.6	14.3	1381	3.43	8.9	0.9	0.2	27	0.5	1.3	0.3	41	0.23	0.079	13	22	0.51	347	0.015	0	1.61	0.002	0.08	0	0.06	1.3	0.2	0.06	6	0	0
L10N/2900W	6161600	345101	28-Aug	B	brn	30		Gavin	L10N 2900W	4.6	91.6	15.9	105	1.9	23.5	14.7	2212	3.29	13	4.1	0.3	46	0.8	2.1	0.3	37	0.43	0.151	19	29	0.53	246	0.009	0	1.76	0.003	0.08	0	0.25	3	0.3	0.09	5	1.2	0
L10N/2950W	6161611	345049	28-Aug	B	brn	20		Gavin	L10N 2950W	3.7	32.4	10.6	80	0.2	16.4	8.4	980	3.56	6.9	0.5	0.1	19	0.4	1.1	0.3	51	0.18	0.082	13	21	0.3	226	0.04	0	1.45	0.002	0.08	0	0.05	1.2	0.1	0.07	7	0	0
L10N/3000W	6161600	345000	28-Aug	B	brn	25		Gavin	L10N 3000W	4	54.2	13.7	93	0.1	18.7	14.1	1643	3.2	6.9	0.7	0.1	44	0.6	1.4	0.4	30	0.29	0.125	14	15	0.18	363	0.015	0	0.87	0.003	0.1	0	0.04	0.8	0.2	0.07	4	0	0
L12N/1550E	6161805	349551	07-Sep	B	Brn	10	~10m below road	Gavin/Kevin	L12N 1550E	3.6	84	24.5	385	0.4	36.3	12.4	849	3.01	181.8	7.9	1.4	21	2.5	11.5	0.9	38	0.44	0.075	16	35	0.72	161	0.035	0	1.27	0.006	0.09	0.4	0.3	4	0.2	0	4	0.8	0
L12N/1600E	6161801	349600	07-Sep	B	Brn	40	On bank ~5m from dried up creek bed.	Gavin/Kevin	L12N 1600E	4.8	95.9	30.1	416	0.4	36	13.9	888	3.1	164.4	8.7	1.3	19	2.8	12.9	1.3	38	0.38	0.09	17	33	0.72	158	0.032	0	1.29	0.006	0.08	0.5	0.27	3.7	0.2	0	4	0.9	0.3
L12N/1650E	6161801	349647	07-Sep	B/C	Brn	25	Sandy, on bank of dried creek	Gavin/Kevin	L12N 1650E	3.8	83.4	23.3	450	0.4	34.4	12.7	813	2.92	159.5	8.3	1.4	30	2.8	10.3	1	37	0.58	0.085	14	32	0.69	159	0.036	0	1.12	0.007	0.08	0.5	0.37	4	0.1	0	4	0.9	0
L12N/1700E	6161805	349700	07-Sep	C	lt brn	45	dried up creek bed, sandy	Gavin/Kevin	L12N 1700E	4	71.6	24.7	396	0.4	33.2	13	812	3.09	164	19.3	1.5	31	2.4	10.7	1	39	0.64	0.092	14	34	0.71	151	0.035	0	1.19	0.007	0.08	0.6	0.66	3.9	0.2	0	4	0.6	0.3
L12N/1750E	6161798	349743	07-Sep	N/S			Dried up creek seds	Gavin/Kevin																																				
L12N/1800E	6161795	349802	07-Sep	B	yel brn	35		Gavin/Kevin	L12N 1800E	1.6	25.5	9.2	53	0.2	21.5	4	206	1.96	9.3	5.5	2.2	7	0.3	1.3	0.2	29	0.07	0.072	14	32	0.39	105	0.023	0	1.15	0.003	0.05	0	0.27	2.1	0.1	0	3	0	0
L12N/1850E	6161803	349853	07-Sep	B	lt yel	40		Gavin/Kevin	L12N 1850E	1.9	25.5	6.8	72	0.2	23.5	5.3	249	2.09	7.9	9.2	2.5	6	0.3	1.2	0.2	30	0.09	0.079	15	32	0.5	109	0.022	0	1.34	0.003	0.06	0	0.32	2.4	0.1	0	4	0	0
L12N/1900E	6161800	349904	07-Sep	B	oj brn	40		Gavin/Kevin	L12N 1900E	1.4	18.8	11.9	47	0.1	30.9	10.6	348	2.94	4.8	3.2	0.9	13	0	0.7	0.2	92	0.25	0.042	6	59	0.7	163	0.049	0	1.13	0.011	0.05	0.1	0.16	3.2	0	0	4	0	0
L12N/1950E	6161793	349950	07-Sep	B	yel brn	35		Gavin/Kevin	L12N 1950E	1.2	14.8	11.4	58	0.2	41.1	14.1	225	3.31	5.2	2.8	0.7	12	0.1	0.6	0.5	103	0.29	0.046	3	214	0.99	150	0.096	0	1	0.014	0.06	0	0.07	3.1	0	0	6	0	0
L12N/2000E	6161800	345000	07-Sep	B	oj brn	35		Gavin/Kevin	L12N 2000E	1.7	55.5	35.6	67	0.2	52.2	25.3	446	6.58	6.5	2.3	0.6	31	0	0.9	0.4	285	0.59	0.146	3	140	1.69	200	0.186	0	1.64	0.028	0.06	0	0.09	5.2	0	0	9	0	0
L12N/2300W	6161800	345700	28-Aug	B	lt brn	35		Gavin	L12 2300W	6.5	85.3	19.2	158	1.4	23.1	8.6	1389	3.33	19.3	1.6	0.2	55	1.6	5.9	0.4	39	0.48	0.079	14	20	0.25	336	0.013	0	1.37	0.003	0.07	0	0.09	1.3	0.3	0.05	6	0.8	0
L12N/2350W	6161801	345651	28-Aug	B	oj brn	20		Gavin	L12 2350W	6.4	37.6	18.4	75	0.4	16.4	5.5	325	3.99	17.4	0	0.7	11	0.4	6.6	0.5	57	0.15	0.065	13	23	0.27	285	0.029	0	1.38	0.002	0.06	0	0.03	2.3	0.2	0	7	0	0
L12N/2400W	6161802	345597	28-Aug	B	dk brn	35	A contamination	Gavin	L12 2400W	6	108.9	17.2	186	4.2	36.9	12.2	1721	2.94	11.5	2.3	0.3	57	1.4	4.2	0.3	29	0.65	0.147	18	28	0.41	252	0.007	0	1.83	0.004	0.07	0	0.27	1.9	0.4	0.08	4	2.5	0
L12N/2450W	6161809	345556	28-Aug	B	brn	30		Gavin	L12 2450W	6.4	58.7	25.9	142	0.3	33	15.4	1103	4.28	15.9	0	0.3	33	0.5	6.6	0.4	44	0.39	0.129	13	33	0.54	349	0.009	0	1.64	0.002	0.08	0	0.03	1.3	0.2	0.05	6	0	0
L12N/2500W	6161809	345501	28-Aug	B	oj brn	25		Gavin	L12 2500W	3.5	35	12.8	93	0.2	38.8	12.4	1344	4.26	8.7	0	0	14	0.5	2.9	0.2	70	0.17	0.098	11	76	0.69	336	0.016	0	1.52	0.002	0.09	0	0.04	1	0	0.06	7	0	0
L12N/2550W	6161796	345452	28-Aug	B	oj brn	25		Gavin	L12 2550W	2.9	31.7	9.7	67	0.3	18.9	5.9	528	3.99	9.6	0	0.4	5	0.2	1.9	0.2	58	0.08	0.116	14	27	0.39	79	0.055	0	1.42	0.002	0.06	0	0.06	2	0	0	6	0	0
L12N/2600W	6161807	345404	28-Aug	B	oj	25		Gavin	L12 2600W	2.9	34.9	8.2	65	0.7	18.9	7	585	4.47	7.3	0	0.4	5	0.2	1	0.2	64	0.09	0.116	14	25	0.5	86	0.094	0	1.7	0.002	0.05	0	0.05	2	0.1	0	7	0.6	0
L12N/2650W	6161811	345359	28-Aug	B	oj	20		Gavin	L12 2650W	4.1	35.5	10.2	72	0.1	20.2	7.4	593	5.39	9.7	0.9	1.3	6	0.3	1.3	0.3	71	0.07	0.153	15	26	0.48	84	0.144	0	1.56	0.002	0.06	0	0.03	2.7	0.1	0	8	0.5	0
L12N/2700W	6161801	345300	28-Aug	B	oj brn	30		Gavin	L12 2700W	3.6	32	8.8	89	0.4	21.1	11.4	1710	4.06	5.2	0	0.4	10	0.3	0.8	0.2	62	0.21	0.177	14	28	0.52	282	0.055	0	1.59	0.003	0.11	0	0.05	2.2	0.1	0.05	7	0	0
L12N/2750W	6161804	345254	28-Aug	B	oj brn	20		Gavin	L12 2750W	3.2	29.1	8.4	69	0.3	17.6	7.9	895	4.69	5.6	0.6	0.3	15	0.2	0.9	0.2	77	0.2	0.2	15	26	0.49	128	0.115	0	1.63	0.003	0.08	0	0.04	2.1	0.1	0	8	0	0
L12N/2800W	6161807	345206	28-Aug	B	oj brn	15		Gavin	L12 2800W	4	32.8	9.8	61	0	14.3	5.5	381	3.51	6.8	0	0.5	6	0.1	1.1	0.4	59	0.08	0.085	18	21	0.23	87	0.085	0	1.22	0.003	0.06	0	0.03	1.7	0.2	0	8	0	0
L12N/2850W	6161799	345150	28-Aug	B	brn	20		Gavin	L12 2850W	3	27.7	8.8	57	0.2	15.3	4.9	299	2.8	5.4	0	0.2	6	0.3	0.8	0.3	46	0.08	0.061	16	20	0.35	80	0.038	0	1.53	0.002	0.06	0	0.04	1.1	0.1	0	6	0	0
L12N/2900W	6161806	345100	28-Aug	B	brn	10	Loamy	Gavin	L12 2900W	4.6	52	12	95	0.2	24.1	11.3	1289	4.47	10.3	0	0.4	7	0.1	1.3	0.4	57	0.1	0.101	17	24	0.53	150	0.056	0	1.57	0.002	0.06	0	0.02	1.9	0.2	0	7	0.5	0
L12N/2950W	6161803	345054	28-Aug	B	lt oj brn	20		Gavin	L12 2950W	3.8	44.1	10.7	96	0.2	22.8	10.6	1015	4.3	9	1.5	0.5	8	0.3	1.2	0.3	60	0.09	0.141	16	24	0.49	176	0.056	0	1.52	0.003	0.07	0	0.04	2.3	0.1	0	7	0	0
L12N/3000W	6161800	345000	28-Aug	B	oj brn	15		Gavin	L12 3000W	3.5	29.2	11.4	53	0.2	12.8	5.5	302	3.72	6.2	0	0.8	7	0.2	0.9	0.3	81	0.11	0.119	14	19	0.28	136	0.126	0	1.42	0.002	0.06	0	0.03	2.3	0.2	0	9	0	0
L12N/1000E	6161796	348998	14-Oct	C	brn	40		Radio/Jacques	L12N 1000E	3.9	79.3	23.8	500	0.4	32.1	10.7	708	3	178.7	8	2.2	30	2.6	11.2	0.9	40	0.73	0.086	17	31	0.69	140	0.048	0	1.15	0.008	0.1	1.1	0.41	3.9	0.2	0	4	0.8	0
L12N/1050E	6161801	349051	14-Oct	C	brn	30		Radio/Jacques	L12N 1050E	2.5	20.5	14.7	65	0.1	15.6	4.2	164	3.65	49	3.4	1.9	5	0.2	3.6	0.4	74	0.09	0.1	10	32	0.27	100	0.043	0	1.34	0.002	0.03	0	0.25	2.8	0.2	0	7	0.5	0
L12N/1100E	6161797	349099	14-Oct	B	brn	40		Radio/Jacques	L12N 1100E	3.9	55.8	18.5	123	0.5	40.1	11.6	335	3.17	58.9	13.3	3.3	6	0.4	6.7	0.5	39	0.09	0.042	13	42	0.54	88	0.042	0	1.62	0.002	0.05	0.1	0.65	3.3	0.1	0	3	0.6	0
L12N/1150E	6161801	349149	14-Oct	B	brn	35		Radio/Jacques	L12N 1150E	3	31.7	22.4	85	0.2	16.4	4.9	208	3.28	75.5	3.3	2.8	5	0.2	7.2	0.8	61	0.09	0.059	14	35	0.31	76	0.044	0	1.54	0	0.04	0.1	3.75	3.1	0.2	0	6	0	0
L12N/1200E	6161799	349199	14-Oct	C	brn	35		Radio/Jacques	L12N 1200E	3.5	34.7	13.7	138	0.2	29	7.5	307	3.66	50.6	1.6	2.2	6	0.4	5.1	0.5	52	0.14	0.127	11	46	0.52	89	0.045	0	1.76	0.002	0.04	0	1.89	3.5	0.2	0	5	0	0
L12N/1250E	6161799	349249	14-Oct	C	brn	30		Radio/Jacques	L12N 1250E	3.4	32.2	13.5	137	0.5	24.6	7.5	450	4.16	38.7	3.5	2.2	6	0.3	5	0.4	58	0.16	0.169	12	43	0.51	118	0.047	0	1.58	0.003	0.05	0.1	0.48	3.7	0.2	0	6	0	0
L12N/1300E	6161800	349299	14-Oct	B	brn	35		Radio/Jacques	L12N 1300E	1.8	13.2	11.3	54	0.7	10.6	2.7	110	2.05	20.1	0	2.5	5	0.2	1.8	0.3	40	0.07	0.053	16	35	0.24	94	0.036	0	1.6	0.001	0.03	0	1.27	2.8	0.1	0	5	0	0
L12N/1350E	6161799	349348	14-Oct	B	brn	35		Radio/Jacques	L12N 1350E	1.9	16.8	9.1	43	0.6	11.9	2.6	116	1.83	13.9	1.8	2.3	5	0.1	2.2	0.3	35	0.05	0.055	15	32	0.27	63	0.03	0	1.31	0.002	0.03	0	0.23	2.6	0.1	0	4	0.6	0
L12N/1400E	6161797	349399	14-Oct	B	brn	40		Radio/Jacques	L12N 1400E	3.7	41.2	13.3	105	0.3	32.4	6.9	283	4.08	38	3.2	3.1	6	0.5	3.7	0.4	49	0.08	0.099	16	47	0.58	99	0.027	0	1.69	0.002	0.05	0	1.98	3.4	0.1	0	5	0.6	0
L12N/1450	6161800	349446	14-Oct	C	brn	60		Radio/Jacques	L12N 1450E	3	33.3	8.4	65	0.2	27.7	11.5	260	2.31	18.4	6.1	1.8	12	0.3	2.3	0.1	31	0.27	0.05	12	29	0.37	122	0.037	0	0.77	0.002	0.05	0	0.81	2.8	0	0	3	0	0
L12N/1500E	6161800	349501	14-Oct	B	gry	35		Radio/Jacques	L12N 1500E	4.2	68.7	23.4	434	0.2	32.2	12.2	752	3.09	150	7.7	2.1	22	2.4	11.8	1.3	41	0.53	0.078	17	30	0.63	127	0.043	0	1.1	0.006	0.09	1	0.26	3.5	0.2	0	4	0.9	0.2
L12N/200E	6161799	348204	14-Oct	B	brn	30		Radio/Jacques	L12N 200E	1.8	9.9	10.6	31	0.2	7.2	1.8	119	1.95	22.8	1.3	1.2	6	0.1	1.2	0.3	46	0.05	0.055	15	21	0.2	61	0.022	0	1.22	0.002	0.05	0	0.28	2.6	0.2	0	7	0	0
L12N/250E	6161800	348251	14-Oct	C	brn	30		Radio/Jacques	L12N 250E	1.8	14.3	12.3	47	0.4	12.5	3.2	230	1.93	16.5	1.6	2.1	9	0.1	1.1	0.3	46	0.08	0.041	17	26	0.37	121	0.024	0	1.5	0.002	0.08	0	0.11	3.2	0.3	0	7	0	0
L12N/300E	6161800	348300	14-Oct	B	brn	35		Radio/Jacques	L12N 300E	7.7	57.3	17.8	102	0.4	26.8	9	560	3.88	43.8	2.3	0.6	22	0.7	2.9	0.6	55	0.23	0.053	18	37	0.4	452	0.02	0	1.57	0.003	0.11	0	0.16	2.5	0.3	0	7	0	0
L12N/350E	6161800	348351	14-Oct	B	brn	40		Radio/Jacques	L12N 350E	2.2	21.7	13.4	58	0.5	13.7	3.2	159	2.07	27.6	9.9	0.4	7	0.5	2.1	0.2	39	0.07	0.033	15	30	0.31	98	0.026	0	1.46	0.002	0.06	0	0.25	2.3	0.2	0	5	0	0
L12N/400E	6161799	348405	14-Oct	B	brn	35		Radio/Jacques	L12N 400E	2.3	16.3	14.1	54	0.3	15.3	3.2	208	2.25	24.5	1.5	1.2	8	0.2	2.2	0.2	46	0.1	0.087	15	31	0.37	113	0.021	0	1.3	0.001	0.07	0	0.12	2.5	0.2	0	6	0	0
L12N/450E	6161801	348450	14-Oct	C	brn	30		Radio/Jacques	L12N 450E	3.5	27	18.3	118	0.3	14.9	4.7	276	3.71	244.4	2.7	1	19	0.5	4.7	0.7	86	0.53	0.065	13	29	0.29	348	0.043	0	1.51	0.003	0.05	0	0.08	3.4	0.3	0	10	0.6	0.2
L12N/500E	6161799	348503	14-Oct	B	brn	40		Radio/Jacques	L12N 500E	3.7	21.5	16.3	306	0.7	15.9	3.8	196	2.63	445.7	0.9	0.8	20	0.8	4.6	0.4	62	0.65	0.041	13	33	0.27	336	0.036	0	1.37	0.002	0.06	0	0.48	3.1	0.2	0	6	0.8	0
L12N/550E	6161799	348552	14-Oct	B	brn	35		Radio/Jacques	L12N 550E	2.6	29.1	11.9	125	0.2	26.2	6.2	297	3.68	33.9	4.7	1.6	10	0.7	3.2	0.3	53	0.18	0.065	12	48	0.53	117	0.042	0	1.97	0.003	0.07	0	0.65	3.8	0.2	0	5	0.6	0
L12N/600E	6161799	348602	14-Oct	C	brn	35		Radio/Jacques	L12N 600E	1.6	3.8	10.1	16	0	1.8	0.5	35	0.4	16.4	0.6	0.6	6	0	1.6	0.5	35	0.07	0.013	17	11	0.1	57	0.041	0	0.94	0.002	0.04	0	0.07	1.9	0.2	0	8	0	0
L12N/650E	6161800	348651	14-Oct	C	brn	40		Radio/Jacques	L12N 650E	3.8	55.8	19.7	119	0.4	33.4	7	336	3.46	89.7	13.3	3	10	0.5	7.6	0.7	51	0.19	0.102	15	37	0.63	94	0.051	0	1.42	0.003	0.07	0	0.5	3.8	0.2	0	5	0	0
L12N/700E	6161802	348702	14-Oct	C	brn	45		Radio/Jacques	L12N 700E	1.3	37.1	11.4	780	0.4	31.2	7.4	329	2.15	424.9	7	0.7	21	2	5.6	0.3	37	0.82	0.047	12	40	0.52	182	0.021	0	1.17	0.005	0.07	0	0.37	2.9	0.2	0	4	0	0
L12N/750E	6161798	348752	14-Oct	B	brn	30		Radio/Jacques	L12N 750E	1.2	5.1	10	17	0.3	3.7	0.9	54	1.09	27.9	0.7	1.1	6	0	1.2	0.5	41	0.06	0.052	15	14	0.14	45	0.024	0	0.9	0.001	0.04	0	0.1	2.2	0.2	0	7	0	0
L12N/800E	6161800	348802	14-Oct	C	brn	30		Radio/Jacques	L12N 800E	3	32.6	11.1	65	0.2	14.8	4.1	283	2.86	54.4	1.2	1.6	7	0.2	3.4	0.3	62	0.12	0.121	12	29	0.28	47	0.05	0	1.07	0.004	0.05	0.3	1.95	3	0.3	0	7	0	0
L12N/850E	6161800	348851	14-Oct	C	brn	30		Radio/Jacques	L12N 850E	2.6	25.4	11.1	77	0.3	19.1	5.5	328	4.55	42.3	1.9	1.

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L14N/1600E	6162005	349602	06-Sep	B	lt brn	40		Gavin/Kevin	L14N 1600E	4.2	82.5	25.2	330	0.6	35.8	12.5	859	3.02	188.6	7.8	1	29	1.9	11.3	0.9	41	0.52	0.083	15	36	0.67	169	0.028	0	1.18	0.005	0.07	0.3	0.37	3.7	0.2	0	4	1.4	0.2
L14N/1650E	6162003	349651	06-Sep	B	grey brn	35		Gavin/Kevin	L14N 1650E	2.1	35.5	7.6	60	0	30.9	8.9	548	1.96	10.2	4.9	1.1	14	0.3	1.8	0.2	26	0.3	0.062	12	34	0.38	130	0.029	0	0.69	0.003	0.05	0	0.91	2.3	0	0	2	0	0
L14N/1700E	6162004	349701	06-Sep	B	lt brn	20		Gavin/Kevin	L14N 1700E	2.3	26.3	6.2	64	0.2	26.3	6.7	365	1.98	5.9	2.5	1	10	0.4	1.2	0.2	29	0.16	0.055	13	37	0.53	239	0.019	0	1.16	0.003	0.09	0	0.29	2.5	0	0	4	0	0
L14N/1750E	6162000	349753	07-Sep	B	lt brn	25		Gavin/Kevin	L14N 1750E	1.9	37.2	7.6	72	0.1	33.1	8.4	452	2.41	11.3	5.5	1.7	14	0.3	2.2	0.2	31	0.23	0.069	14	37	0.6	178	0.025	0	1.01	0.004	0.07	0	0.34	3	0	0	4	0	0
L14N/1800E	6161999	349803	07-Sep	B	lt brn	25		Gavin/Kevin	L14N 1800E	1.9	42.3	9.9	86	0.1	36.1	11.3	766	2.72	14.4	5.2	2.4	17	0.3	2.2	0.2	36	0.33	0.067	17	44	0.7	264	0.023	0	1.27	0.004	0.07	0	1.88	3.8	0	0	4	0	0
L14N/1850E	6162002	349852	07-Sep	B	lt brn	30		Gavin/Kevin	L14N 1850E	2.5	29.4	8.3	66	0.2	41.9	9.7	490	2.72	7.8	0.9	0.8	20	0.2	0.9	0.2	47	0.3	0.044	12	70	0.63	466	0.017	0	1.61	0.004	0.09	0	0.14	3.6	0	0	5	0	0
L14N/1900E	6162002	349905	07-Sep	B	brn	35		Gavin/Kevin	L14N 1900E	0.8	13.1	8.2	26	0.1	13.4	2.5	99	1.22	2.4	0.9	0	10	0.2	0.3	0.1	33	0.11	0.038	9	39	0.23	228	0.016	0	1.04	0.004	0.06	0	0.12	1.5	0	0	5	1.1	0
L14N/1950E	6161997	349953	07-Sep	B	lt brn	35		Gavin/Kevin	L14N 1950E	1.2	15.3	12.5	38	0.1	29.4	6.4	192	2.27	4.3	0	1.1	14	0	0.5	0.2	64	0.29	0.019	8	78	0.48	252	0.046	0	1.23	0.005	0.06	0	0.09	3.2	0	0.06	5	0	0
L14N/2000E	6162000	345000	07-Sep	B	yel brn	10		Gavin/Kevin	L14N 2000E	0.8	18.9	4.8	36	0	25.4	7.3	266	2.23	2.8	0	0.8	16	0.1	0.2	0	72	0.24	0.03	5	59	0.51	201	0.064	0	1.03	0.007	0.06	0	0.01	3.2	0	0	4	0	0
L14N/200E	6162001	348201	06-Sep	B	lt brn	40		Gavin/Kevin	L14N 200E	3.6	26	13.8	82	3	19.6	5.2	443	2.01	34.1	4	0.6	6	0.3	2.8	0.4	36	0.07	0.077	12	41	0.31	161	0.024	0	1.23	0.002	0.06	0	0.15	2.2	0.1	0	5	0.6	0
L14N/2300W	6161985	345693	12-Oct	B	brn	10		Gavin/Kevin	L14N 2300W	6.3	26	12.6	67	0	7.8	3.8	508	1.86	7.1	0	0.6	7	0.6	3.4	0.3	45	0.05	0.038	27	13	0.09	181	0.019	0	0.88	0.002	0.07	0	0	1.6	0.3	0	6	0	0
L14N/2350W	6161980	345647	12-Oct	B	brn	15		Gavin/Kevin	L14N 2350W	2.5	17.7	9.9	39	0.4	7.6	2.4	123	1.61	6.5	0	0	6	0	1.9	0.3	45	0.08	0.048	20	16	0.17	78	0.021	0	1.03	0.003	0.05	0	0.02	0.8	0.2	0	8	0	0
L14N/2400W	6161985	345602	12-Oct	B	oj brn	35		Gavin/Kevin	L14N 2400W	3.4	25.5	9.5	75	1	16.2	5.8	404	3.23	7.3	0	0.3	7	0.3	1.5	0.2	49	0.1	0.082	17	27	0.4	96	0.026	0	1.8	0.003	0.06	0	0.07	1.7	0.1	0	7	0.6	0
L14N/2450W	6161989	345551	12-Oct	B	brn	20		Gavin/Kevin	L14N 2450W	3	21.2	8.8	50	0.5	12.4	4.5	428	2.54	5.7	0	0.2	7	0.2	1.5	0.2	53	0.1	0.083	17	23	0.25	79	0.031	0	1.24	0.003	0.07	0	0.03	1.6	0.2	0	7	0	0
L14N/2500W	6161995	345504	12-Oct	B	brn	20		Gavin/Kevin	L14N 2500W	3.2	26.1	11.1	57	0.2	14.2	5.2	642	3.02	8.7	0.5	0.2	6	0.1	1.7	0.2	54	0.11	0.078	17	26	0.33	83	0.021	0	1.43	0.003	0.06	0	0.05	1.9	0.2	0	7	0.5	0
L14N/250E	6161999	348252	06-Sep	B	brn	40		Gavin/Kevin	L14N 250E	2.7	43.5	12.1	105	0.4	41.9	10.9	889	2.45	22.9	3.5	0.3	21	0.6	3.1	0.2	33	0.31	0.061	15	50	0.55	245	0.021	0	1.34	0.004	0.08	0	0.48	2.5	0.1	0	4	0.5	0
L14N/2550W	6161997	345454	12-Oct	B	brn	25		Gavin/Kevin	L14N 2550W	2.6	22.9	8	51	0.3	11.1	4.6	513	2.79	4.8	0	0.2	6	0.1	0.9	0.2	55	0.11	0.093	18	21	0.31	106	0.044	0	1.47	0.003	0.07	0	0.06	1.7	0.2	0	8	0	0
L14N/2600W	6161996	345400	12-Oct	B	brn	30		Gavin/Kevin	L14N 2600W	3.1	31.7	8.6	74	0.2	18.9	7.2	690	3.82	7.2	0	0.6	8	0.2	1	0.2	66	0.14	0.135	18	25	0.55	172	0.062	0	1.81	0.003	0.08	0	0.04	3	0.1	0	8	0	0
L14N/2650W	6162002	345348	12-Oct	B	brn	25		Gavin/Kevin	L14N 2650W	2.8	23.1	8.2	60	0.1	13.2	9.9	2023	3.9	3.9	0	0.4	7	0.2	0.6	0.3	79	0.15	0.086	14	30	0.4	140	0.104	0	1.84	0.004	0.07	0	0.03	2.7	0.2	0	9	0	0
L14N/2700W	6162002	345301	12-Oct	B	brn	20		Gavin/Kevin	L14N 2700W	2.5	25.2	8.6	57	0.6	11.4	6	898	3.16	3.8	0	0	8	0.3	0.7	0.2	68	0.2	0.095	16	23	0.33	131	0.052	0	1.48	0.003	0.08	0	0.03	1.6	0.1	0	8	0	0
L14N/2750W	6162002	345250	12-Oct	B	brn	25		Gavin/Kevin	L14N 2750W	2.5	23.1	8.3	51	0.1	12.6	5.7	618	3.24	3.6	0	0	7	0	0.6	0.2	71	0.15	0.119	14	24	0.33	124	0.052	0	1.38	0.002	0.08	0	0.06	1.1	0.2	0	8	0	0
L14N/2800W	6161997	345201	12-Oct	B	lt brn	25		Gavin/Kevin	L14N 2800W	2.3	15.6	7.1	33	0.3	8.4	2.6	185	1.83	3	0	0	6	0.1	0.4	0.2	44	0.1	0.059	18	21	0.29	83	0.014	0	1.51	0.003	0.05	0	0.2	0.9	0.2	0	7	0	0
L14N/2850W	6162002	345151	12-Oct	B	lt brn	20		Gavin/Kevin	L14N 2850W	2.3	19.8	7.9	45	0.3	9.1	4.9	413	2.43	4	0	0	6	0.2	0.6	0.2	43	0.29	0.068	10	17	0.36	86	0.021	0	1.56	0.006	0.08	0	0.04	1.2	0.1	0	7	0	0
L14N/2900W	6162003	345100	12-Oct	B	red brn	15		Gavin/Kevin	L14N 2900W	3.8	39.4	10.8	60	0.2	13.5	5.1	388	3.46	6.9	0	0.2	8	0.2	1.1	0.3	61	0.2	0.107	15	18	0.34	82	0.019	0	1.62	0.004	0.07	0	0.03	1.7	0.2	0	8	0	0
L14N/2950W	6162003	345048	12-Oct	B	lt grey	10		Gavin/Kevin	L14N 2950W	4.9	34.1	10.7	48	0.4	9	5	587	2.32	5.8	0.7	0.3	13	0.1	1	0.3	43	0.2	0.076	15	12	0.16	127	0.018	0	1.03	0.004	0.11	0	0.03	1.3	0.2	0	6	0	0
L14N/3000W	6162000	345000	12-Oct	B	brn	20		Gavin/Kevin	L14N 3000W	7.8	38.8	7.2	47	0.1	10.2	3.8	352	1.84	4.5	1.4	0	8	0.1	1	0.3	44	0.11	0.047	13	11	0.11	175	0.014	0	0.92	0.004	0.07	0	0.02	0.9	0.2	0	6	0	0
L14N/300E	6161997	348302	06-Sep	B	oj brn	40		Gavin/Kevin	L14N 300E	3.7	29.6	16.9	73	0.5	15.8	5.4	305	3.13	91.6	2.6	0.7	10	0.3	6.4	1.1	86	0.18	0.052	10	32	0.48	214	0.096	0	1.42	0.005	0.08	0.2	0.24	3.2	0.2	0	9	0	0.3
L14N/350E	6162003	348350	06-Sep	B	brn	20		Gavin/Kevin	L14N 350E	7.7	44	46.2	106	0.8	14.2	9.3	3019	2.65	87.2	0	0.4	30	1.7	8.4	0.9	59	0.45	0.075	17	22	0.34	353	0.065	0	1.37	0.006	0.07	0.2	0.14	2.4	0.2	0	9	0.8	0
L14N/400E	6161999	348400	06-Sep	B	grey brn	20		Gavin/Kevin	L14N 400E	5.5	19.6	29.8	56	0.8	7.2	5.8	805	1.25	28	0	0.2	25	0.6	14.9	0.5	41	0.46	0.041	14	16	0.19	318	0.037	0	1.09	0.004	0.07	0	0.09	1.5	0.2	0	6	0	0
L14N/450E	6162003	348451	06-Sep	B	brn	25		Gavin/Kevin	L14N 450E	8.8	109.2	48.7	206	2.9	68.6	21	2981	4.4	130.4	11.1	0.3	60	2.8	7.1	0.8	57	0.84	0.168	42	72	0.52	569	0.017	0	2.73	0.008	0.13	0	0.47	3.2	0.3	0.09	8	2	0
L14N/500E	6161995	348500	06-Sep	B	lt brn	35		Gavin/Kevin	L14N 500E	2.7	27.6	10.7	86	0.6	31.2	8.2	470	2.47	20.7	5.2	0.4	18	0.3	3	0.3	34	0.34	0.061	15	41	0.61	283	0.019	0	1.21	0.004	0.09	0	0.66	2.1	0.1	0	4	0	0
L14N/50E	6162001	348051	06-Sep	B	oj brn	35		Gavin/Kevin	L14N 50E	3.9	41.4	18.6	90	0.5	19	7	417	4.11	82.1	1.5	1.7	6	0.4	7.6	0.7	69	0.12	0.136	11	32	0.49	129	0.066	0	1.33	0.004	0.09	0	0.05	3.2	0.2	0	7	0.6	0
L14N/550E	6161998	348550	06-Sep	B	oj brn	30		Gavin/Kevin	L14N 550E	3.1	45.1	13.1	100	0.3	51.5	14.1	635	3.19	33	4.4	1	11	0.6	4.1	0.3	43	0.21	0.062	15	58	0.65	219	0.022	0	1.67	0.004	0.07	0	1.79	3.1	0.1	0	4	0.8	0
L14N/600E	6162009	348602	06-Sep	B	lt brn	25		Gavin/Kevin	L14N 600E	1.8	23.2	9.1	94	0.2	29.6	7.4	317	2.7	18.3	1	1.9	6	0.3	2.4	0.2	42	0.1	0.04	14	42	0.65	142	0.027	0	1.65	0.003	0.06	0	0.81	3	0.1	0	5	0.6	0
L14N/650E	6162000	348653	06-Sep	B	oj brn	35		Gavin/Kevin	L14N 650E	2.3	24.7	10.1	87	0.1	31	8.2	502	2.95	19.6	0.8	2.1	6	0.5	2.8	0.2	43	0.07	0.101	13	45	0.57	106	0.022	0	1.93	0.002	0.05	0	0.36	2.9	0.2	0	5	0	0
L14N/700E	6161999	348703	06-Sep	B	lt brn	30		Gavin/Kevin	L14N 700E	2.2	42.5	12.5	88	0.1	55.3	9.7	367	3.83	30.5	8.1	1.6	8	0.8	4.8	0.3	51	0.16	0.054	12	66	0.75	153	0.026	0	2.01	0.003	0.05	0	1.66	3.6	0.1	0	5	0.7	0
L14N/750E	6162005	348751	06-Sep	B	brn	35		Gavin/Kevin	L14N 750E	1.8	19.4	9.8	86	0.2	22.5	6.2	291	2.54	19.4	2.7	0.8	6	0.4	6	0.2	52	0.07	0.036	11	43	0.39	123	0.034	0	1.59	0.003	0.04	0	0.75	2.9	0.1	0	6	0.8	0
L14N/800E	6162001	348808	06-Sep	B	oj brn	30		Gavin/Kevin	L14N 800E	3.2	29.9	14.8	60	0.1	23.5	5	337	4.06	53.4	0.8	1.8	6	0.1	4.8	0.5	71	0.08	0.216	11	40	0.42	71	0.044	0	1.29	0.003	0.05	0.1	1.13	2.8	0.2	0	6	0	0
L14N/850E	6161996	348851	06-Sep	B	oj brn	30		Gavin/Kevin	L14N 850E	3.6	33.3	15.2	83	0.3	22.1	6.4	351	3.31	48.5	3.5	2.3	6	0.3	7.2	0.4	40	0.1	0.106	12	38	0.37	71	0.029	0	1.54	0.002	0.04	0.1	0.78	2.7	0.1	0	4	0.6	0
L14N/900E	6162000	348904	06-Sep	B	lt brn	40		Gavin/Kevin	L14N 900E	3.3	37.5	15.2	98	0.5	26.8	10.5	536	2.91	48	9.1	2.4	5	0.4	6.5	0.5	37	0.07	0.067	13	37	0.43	90	0.038	0	1.49	0.003	0.05	0	0.63	2.9	0.1	0	4	0	0
L14N/950E	6162003	348949	06-Sep	B	oj brn	45		Gavin/Kevin	L14N 950E	2.2	10	10.3	34	1	9.4	2.5	174	1.94	20.3	1.1	1.7	6	0.2	2.2	0.3	42	0.06	0.102	13	28	0.22	61	0.038	0	1.2	0.003	0.04	0	0.3	2.1	0.1	0	5	0	0
L15S/1000W	6159195	347001	03-Oct	B	lt brn	40		Gavin/Michael	L15S 1000W	3.3	25.2	6	215	0.3	25.9	16.5	556	4.92	4	1.1	1	16	1.4	0.4	0.2	174	0.22	0.054	5	83	1.09	141	0.06	0	2.03	0.003	0.05	0	0.04	8.2	0	0	13	0	0
L15S/1050W	6159205	346953	03-Oct	B	brn	45		Gavin/Michael	L15S 1050W	10.2	366	14	160	2.3	114	23.6	7740	4.17	11.5	11.2	2	81	2.7	1.2	0.3	48	0.93	0.138	80	33	0.87	378	0.013	0	2.53	0.004	0.08	0	0.85	14.2	0.6	0	5	1.2	0
L15S/1100W	6159192	346899	03-Oct	B	red brn	70		Gavin/Michael	L15S 1100W	4	83	2.5	229	0.1	38.2	50.7	1212	14.85	7.5	0.8	0.5	20	0.7	1	0.1	383	0.72	0.136	4	68	1.62	231	0.6	0	3.45	0.004	0.1	0.2	0.31	11.3	0.1	0	21	0	0
L15S/1150W	6159200	346850	03-Oct	N/S				Gavin/Michael	L15S 1150W																																			
L15S/1200W	6159199	346802	03-Oct	B	lt brn	35		Gavin/Michael	L15S 1200W	11.5	80.9	25.8	300	0.1	32.4	14.6	1748	4.78	13.8	1.6	5.9	39	0.4	0.7	0.7	41	0.35	0.063	41	24	0.48	577	0.001	0	2.09	0.001	0.14	0	0.09	4.1	0.3	0	7	0.6	0
L15S/1250W	6159201	346745	03-Oct	C	brn	35		Gavin/Michael	L15S 1250W	6.3	122.1	17	114	0.4	30	12	1064	3.49	7.9	3.3	2.2	90	0.8	0.8	0.5	43	1.49	0.064	16	21	0.32	389	0.002	0	1.38	0.003	0.09	0	0.17	4.6	0.3	0	5	1.7	0
L15S/1300W	6159206	346700	03-Oct	B	brn	40		Gavin/Michael	L15S 1300W	9.6	196.3	24.1	177	1.3	83.8	22.5	4700	3.99	9.5	4.7	4.3	85	2.2	0.9	0.6	27	1.12	0.106	17	20	0.32	386	0.002	0	2.36	0.005	0.1	0	0.34	7.3	0.5	0	5	1.6	0
L15S/1350W	6159202	346654	03-Oct	B	lt brn	30		Gavin/Michael	L15S 1350W	31	186.3	30.5	251	1.8	100.3	28.2	1179	5.79	22.2	5.5	6.5	54	0.9	1.4	0.8	29	0.6	0.075	14	18	0.34	421	0	0	2.05	0.004	0.13	0	0.26	5.7	0.7	0	4	2.1	0
L15S/1400W	6159198	346597	03-Oct	B/C	lt red	40		Gavin/Michael	L15S 1400W	1.4	55.5	10.1	86	0	23.2	4.7	692	3.49	2.5	0	6.2	8	0	0.3	0.5	25	0.08	0.042	28	7	0.06	214	0.001	0	0.59	0	0.11	0	0.03	2.2	0.1	0	3	0	0
L15S/1450W	6159205	346553	03-Oct	B	brn	35		Gavin/Michael	L15S 1450W	16.6	70.9	13.8	117	0.2	33.4	13.4	413	3.85	7.6	2.1	4.4	43	0.3	1.8	0.3	44	0.67	0.04	26	19	0.21	355	0	0	1.17	0.002	0.09	0	0.07	5.2	0.2	0	3	0	0
L15S/1500W	6159201	346495	03-Oct	B	red brn	40		Gavin/Michael	L15S 1500W	2.9	32.8	4.4	148	0.3	17.2	16	829	8.47	1.8	0.9	0.6	12	0.4	0.5	0.2	324	1.07	0.136	2	74	0.63	145	0.631	0	2.34	0.006	0.06	0	0.04	5.4	0.1	0	15	0	0
L15S/1550W	6159205	346448	03-Oct				Notes missing	Gavin/Michael	L15S 1550W	3.2	88.3	10.9	103	0.2	19.5	13.8	585	4.49	5.5	0.7	1	86	0.4	0.4	0.3	119	1.48	0.056	15	37	0.37	371	0.03	0	1.86	0.006	0.07	0	0.08	6.7	0.1	0	7	1.4	0
L15S/200W	6159200	347800	03-Oct	B	brn	40		Gavin/Michael	L15S 200W	4	105.5	18.8	106	0.6	39.9	13.4	802	3.24	14.7	5.8	1.8	93	0.8	2.9	0.5	43	0.75	0.054	18	37	0.62	350	0.011	0	1.83	0.004	0.09	0	0.29	6.8	0.2	0	5	1.7	0
L15S/250W	6159201	347750	03-Oct	B	brn	40		Gavin/Michael	L15S 250W	4.9	140.8	14.9	96	0.8	35.2	10.6	664	3.03	15.8	8.9	1	69	0.6	3.1	0.5	35	0.59	0.105	25	34	0.53	225	0.01	0	1.49	0.006	0.08	0	0.47	5.9	0.2	0	4	0.6	0
L15S/300W	6159204	347695	03-Oct	B	brn	40		Gavin/Michael	L15S 300W	5.9	128.6	20.8	166	0.7	40.2	13.4	878	3.53	25.4	3.3	0.6	81	0.9	6.5	0.7	53	0.76	0.079	24	32	0.53	512	0.01	0	1.98	0.005	0.14	0.1	0.15	4.6	0.2	0	6	0.7	0
L15S/350W	6159202	347648	03-Oct	B	brn	35		Gavin/Michael	L15S 350W	4.8	86.6	9.6	74	0.6	20.7	7.8	346	3.28	11	5.9	1.1	37	0.5	2.2	0.3	63	0.33	0.047	32	25	0.34	252	0.036	0	1.37	0.004	0.07	0	0.15	5	0.1	0	6	0.6	0
L15S/400W	6159208	347588	03-Oct	B	lt oj brn	45		Gavin/Michael	L15S 400W	3	24	5.4	66	0.2	13.7	4.7	222	2.74	5.1	1.1	2.1	19	0.3	0.6	0.2	61	0.19	0.031	14	25	0.32	173	0.056	0	1.03	0.003	0.07	0	0.02	2.4	0	0	5	0	0
L15S/450W	6159201	347547	03-Oct	B	brn	30		Gavin/Michael	L15S 450W	5.8	193.7	12.4	100	1.3	36.8	11.7	1111	2.95	5.5	6.7	0.9	97	1.9	0.9	0.4	32	0.67	0.12	39	23	0.28	329	0.004	0	1.61	0.002	0.09	0	0.66	4.6	0.2	0	4	2.9	0
L15S/500W	6159202	347498	03-Oct	B	red brn	40		Gavin/Michael	L15S 500W	8.3	118.1	14.9	141	0.8	34.3	14.5	495	4.31	8.7	4.1	2.9	62	0.6	1	0.5	48	0.37	0.044	15	22	0.24	303	0.003	0	1.69	0.003	0.11	0	0.19	4.2	0.2	0	5	1.2	0
L15S/550W	6159199	347448	03-Oct	B	lt brn	45		Gavin/Michael	L15S 550W	5.1	51.5	13.6	96	0.3	18.1	6.3	488	3.14	5.8	0.8	1.1	18	0.4	0.7	0.4	40	0.16	0.091	21	15	0.24	211	0.005	0	1.02	0.003	0.17	0	0.03	2	0.2	0	5	0	0.2
L15S/600W	6159193	347397	03-Oct	B	lt brn	30		Gavin/Michael	L15S 600W	3.9	30.9	6.8	88	0.2	16.8	6.2	232	2.84	3.8	0.9	1.7	34	0.4	0.6	0.2	73	0.28	0.035	15	23	0.29	195	0.035	0	1.32	0.005	0.08	0	0.04	3.2	0	0	7	0	0
L15S/650W	6159191	347351	03-Oct	B	oj brn	35		Gavin/Michael	L15S 650W	5.7	35.6	8.7	81	0.2	16.9	6.2	255	3.38	6.7	1.9	2.1	31	0.7	0.8	0.3	54	0.18	0.032	15	19	0.36	195	0.015	0	1.14	0.003	0.11	0	0.03	2.5	0	0	5	0.5	0
L15S/700W	6159205	347303	03-Oct	B	lt brn	40		Gavin/Michael	L15S 700W	3	41.9	10.7	277	0.5	22.4	19.4	661	3.66	2.9	2.4	1.4	46	2.4	0.5	0.3	92	0.43	0.073	16	34	0.37	368	0.055	0	1.52	0.018	0.08	0	0.04	4.1	0.1	0	8	0.5	0
L15S/750W	6159193	347246	03-Oct	B	brn	25		Gavin/Michael	L15S 750W	7.5	89.8	15.9	117	0.8	13.2	5.2	268	2.35	4.5	1.8	2.

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L16N/1500E	6162195	349501	27-Aug	B	yel brn	35	clayey	Gavin/Radio	L16N 1500E	2.3	29.9	7.6	60	0.1	24.8	6.1	310	2.16	8.8	3.6	2.9	6	0.2	2	0.2	31	0.08	0.057	17	32	0.52	82	0.037	0	1.06	0.003	0.06	0	0.55	2.1	0	0	3	0	0
L16N/150E	6162200	348154	27-Aug	B	oj brn	30	grey A horiz above	Gavin/Radio	L16N 150E	2.8	21.4	10.6	45	0.2	17.6	3.9	216	2.29	14.3	0.7	0.2	13	0.3	2.1	0.2	43	0.14	0.031	13	35	0.41	112	0.028	0	1.16	0.003	0.05	0	0.4	1.3	0.1	0	5	0	0
L16N/150W	6162209	347853	27-Aug	B	brn	25		Gavin/Radio	L16N 150W	5.5	67.4	18	117	4.6	37	22.1	930	2.37	50.1	18	0	11	0.9	4.5	0.5	41	0.11	0.082	18	48	0.42	241	0.017	0	2.1	0.004	0.06	0	0.65	1.4	0.3	0	6	1.1	0
L16N/1550E	6162200	349550	27-Aug	B	yel brn	30	clayey	Gavin/Radio	L16N 1550E	2.2	33.5	6.7	54	0	24.3	6.1	258	1.8	8.8	3.3	0.5	8	0.2	1.4	0.2	25	0.09	0.051	11	29	0.29	79	0.03	0	0.72	0.002	0.04	0	0.3	1.6	0	0	2	0	0
L16N/200E	6162202	348206	27-Aug	B	brn	30		Gavin/Radio	L16N 200E	6.1	57	13.7	98	1	40.4	8.4	411	2.9	27.6	4.7	0.4	11	0.4	4.3	0.3	44	0.14	0.057	16	57	0.59	134	0.034	0	1.51	0.003	0.06	0	1.64	2.4	0.2	0	5	0.8	0
L16N/200W	6162195	347806	27-Aug	B	brn	25		Gavin/Radio	L16N 200W	4.5	30.9	12.5	74	0.6	24.1	6	363	2.8	33.4	3.1	0.8	8	0.4	4.6	0.4	44	0.08	0.044	16	38	0.51	144	0.049	0	1.27	0.003	0.07	0	0.14	2.2	0.1	0	5	0	0
L16N/2500W	6162200	345500	25-Aug	B	oj brn	35		Gavin/Radio	L16N 2500W	5	40.8	18.8	80	0.7	22.3	10.2	1809	4.42	10.4	0	0.2	5	0.4	2.3	0.4	68	0.05	0.114	16	46	0.27	169	0.009	0	1.67	0.002	0.08	0	0.08	1.1	0.3	0	9	0	0
L16N/250E	6162203	348259	27-Aug	B	grey brn	35	Clayey	Gavin/Radio	L16N 250E	2.9	35.5	11.5	64	0.5	28	6.5	320	2.38	13.7	2.6	0.1	9	0.3	2.5	0.2	42	0.12	0.065	15	42	0.63	171	0.019	0	1.6	0.003	0.07	0	0.25	1.2	0.2	0	5	0	0
L16N/250W	6162197	347756	27-Aug	B	brn	30		Gavin/Radio	L16N 250W	3.8	44.5	13.6	74	0.6	26.2	7.1	410	3.3	32.6	5.5	0.5	8	0.4	5.2	0.4	40	0.08	0.041	15	39	0.52	103	0.028	0	1.52	0.002	0.05	0	0.17	2	0.1	0	4	0.6	0
L16N/2550W	6162202	345453	25-Aug	B	lt brn	30		Gavin/Radio	L16N 2550W	6.3	57.4	17.7	91	0.2	36.2	11.1	859	3.85	20.4	2.8	0.2	7	0.3	2.8	0.3	49	0.06	0.16	13	39	0.52	129	0.008	0	1.52	0.002	0.06	0	0.06	1.3	0.2	0	5	0	0
L16N/2600W	6162199	345401	25-Aug	B	oj brn	20		Gavin/Radio	L16N 2600W	5.4	40.3	13.1	65	0.3	17.1	6.7	263	4.3	8.5	0	0.3	6	0.3	1.3	0.4	78	0.11	0.144	14	28	0.25	115	0.033	0	1.36	0.002	0.07	0	0.05	1.6	0.1	0	8	0	0
L16N/2650W	6162201	345350	25-Aug	B	oj brn	15		Gavin/Radio	L16N 2650W	6.1	35.5	10.9	59	0.1	23.5	6.7	334	3.29	9	1.3	0.2	5	0.2	0.9	0.3	61	0.1	0.077	18	40	0.52	129	0.014	0	1.82	0.004	0.05	0	0.06	1.4	0.3	0	8	0	0
L16N/2700W	6162199	345305	25-Aug	B	brn	35		Gavin/Radio	L16N 2700W	3	26.6	8.8	55	0.2	13.9	5.6	384	2.27	4.6	0.6	0.1	5	0.2	0.7	0.3	44	0.14	0.073	15	19	0.33	74	0.019	0	1.46	0.003	0.06	0	0.04	1.1	0.2	0	6	0	0
L16N/2750W	6162205	345250	25-Aug	B	lt brn	25		Gavin/Radio	L16N 2750W	3.3	30.3	11.9	49	0.1	12.5	4.7	248	2.6	5.2	0.9	0.1	5	0.3	0.6	0.3	66	0.21	0.072	12	22	0.42	103	0.024	0	2.23	0.005	0.04	0	0.05	1.5	0.2	0	9	0	0
L16N/2800W	6162201	345201	25-Aug	B	lt brn	20		Gavin/Radio	L16N 2800W	1.6	20.3	7.1	35	0.1	8.1	3.5	220	1.76	3.1	1.1	0	5	0.2	0.4	0.2	48	0.24	0.041	11	16	0.28	83	0.035	0	1.72	0.004	0.05	0	0.04	1.2	0.2	0	8	0	0
L16N/2850W	6162199	345151	25-Aug	B	oj brn	15		Gavin/Radio	L16N 2850W	2.9	33.4	8.1	57	0.6	11.9	5.9	591	3.29	5.4	1.3	0.1	6	0.4	0.7	0.2	66	0.36	0.076	10	23	0.4	102	0.039	0	2.33	0.005	0.04	0	0.06	1.8	0.2	0	9	0	0
L16N/2900W	6162202	345100	25-Aug	B	lt brn	25		Gavin/Radio	L16N 2900W	8.7	84.3	15.7	70	0.3	16.8	6.7	203	2.76	8.1	1.3	0.1	9	0.2	1	0.5	44	0.07	0.089	16	13	0.15	136	0.006	0	1.28	0.003	0.06	0	0.05	0.7	0.3	0	6	0.5	0
L16N/2950W	6162200	345052	25-Aug	B	brn	20		Gavin/Radio	L16N 2950W	4.2	26.7	10.5	50	0.9	11.2	5	278	2.08	6.5	2.8	0.1	8	0.2	0.6	0.3	37	0.11	0.066	10	15	0.45	228	0.007	0	1.85	0.003	0.05	0	0.1	0.8	0.3	0	6	0	0
L16N/3000W	6162200	345000	25-Aug	B	brn	25		Gavin/Radio	L16N 3000W	2.3	55.2	13.2	107	0.4	17.6	12.1	1580	3.63	9	3.3	0	24	0.6	1.8	0.3	32	0.26	0.163	7	15	0.35	305	0.005	0	1.27	0.004	0.09	0	0.05	0.5	0.2	0.07	4	0.6	0
L16N/300E	6162201	348300	27-Aug	B	oj brn	30		Gavin/Radio	L16N 300E	3.2	25.8	11.6	67	0.2	27.1	6.5	337	3.4	18.7	1.5	0.2	7	0.4	2.7	0.2	44	0.08	0.114	10	48	0.55	149	0.015	0	1.41	0.003	0.05	0	0.24	1.2	0.1	0	5	0	0
L16N/300W	6162200	347700	27-Aug	B	brn	25		Gavin/Radio	L16N 300W	4.3	46.3	22.9	55	0.9	17.2	3.8	148	1.76	104.8	173.8	0.3	9	0.4	14.3	0.5	44	0.09	0.031	15	30	0.2	103	0.044	0	0.85	0.003	0.05	0	0.13	1.4	0.2	0	5	0.8	0
L16N/350E	6162202	348353	27-Aug	B	brn	30		Gavin/Radio	L16N 350E	3.3	24.8	11.2	46	0.3	16.2	6.1	333	2	14.8	1.1	0.2	8	0.4	2.2	0.2	38	0.12	0.053	14	32	0.29	174	0.027	0	1	0.003	0.07	0	0.62	1.1	0.2	0	5	0	0
L16N/400E	6162203	348404	27-Aug	B	lt brn	30		Gavin/Radio	L16N 400E	3.1	49.3	13.4	98	0.2	51.4	10.1	457	3.17	28.7	4.4	1.6	10	0.5	5.7	0.3	45	0.17	0.071	16	53	0.77	126	0.046	0	1.5	0.004	0.07	0	0.43	3	0.1	0	4	0.6	0
L16N/450E	6162207	348455	27-Aug	B/C	grey brn	35	clayey	Gavin/Radio	L16N 450E	3.8	44.5	12.4	126	0.5	52.7	12.1	511	3.19	18.2	6.2	0.2	13	0.5	2.4	0.3	47	0.33	0.079	17	65	0.68	219	0.013	0	1.92	0.005	0.08	0	0.66	2.3	0.2	0	5	0	0
L16N/500E	6162199	348501	27-Aug	B	oj brn	30		Gavin/Radio	L16N 500E	2.6	43.8	11.8	117	0.2	54.3	14.8	504	3.25	23.4	4.8	0.8	9	0.5	3.3	0.3	50	0.24	0.061	14	61	0.72	217	0.025	0	1.65	0.004	0.08	0	0.82	3	0.1	0	5	0	0
L16N/50E	6162205	348055	27-Aug	B	brn	30		Gavin/Radio	L16N 50E	4.4	64.6	14.8	73	0.9	32.3	9.3	545	2.73	17.7	5.2	0.2	9	0.5	2.9	0.3	42	0.09	0.061	14	49	0.48	159	0.02	0	1.63	0.003	0.07	0	0.32	1.6	0.2	0	5	0	0
L16N/50W	6162205	347958	27-Aug	B	brn	30		Gavin/Radio	L16N 50W	4.4	62	12	156	0.7	58.2	11.8	1015	2.69	26.7	7.4	0.3	15	0.8	4.2	0.4	38	0.22	0.093	17	67	0.6	212	0.015	0	1.65	0.004	0.06	0	0.38	2.2	0.1	0	4	0.9	0
L16N/550E	6162191	348554	27-Aug	B	brn	30		Gavin/Radio	L16N 550E	1.7	24.6	11.9	109	0.3	21.3	7.2	318	2.08	15.4	0.8	0.5	10	0.7	1.9	0.2	50	0.62	0.044	14	38	0.33	265	0.019	0	1.38	0.004	0.06	0	0.85	2.3	0.1	0	5	0	0
L16N/600E	6162201	348598	27-Aug	B	oj brn	30		Gavin/Radio	L16N 600E	2.3	45.9	11.9	162	0.4	66.7	15.7	321	3.22	19.6	4.3	2.1	9	0.9	3.4	0.2	59	0.29	0.05	13	67	0.6	286	0.025	0	2.6	0.003	0.06	0	3.21	4.8	0.2	0	7	0	0
L16N/650E	6162199	348650	27-Aug	B	oj	35	grey A horiz above	Gavin/Radio	L16N 650E	1.9	20.9	12	190	0.2	29.6	12.3	1625	3.83	15.1	0.8	0.5	8	2.1	5.7	0.2	85	0.26	0.243	11	71	0.32	157	0.049	0	2.27	0.003	0.03	0	3.01	3.1	0	0	8	0	0
L16N/700E	6162195	348700	27-Aug	B	lt oj brn	30	On 55 deg slope above cliff	Gavin/Radio	L16N 700E	1.1	10.9	4.1	39	0	25.2	5	212	2.21	5.4	0	0.4	7	0.3	1.5	0	59	0.16	0.034	6	59	0.3	73	0.082	0	1.19	0.004	0.04	0	0.14	2.2	0	0	5	0	0
L16N/750E	6162195	348752	27-Aug	B	oj brn	25		Gavin/Radio	L16N 750E	1.3	23.8	6.5	53	0	35.9	6.6	221	2.49	9.8	1.1	1	7	0.2	2.6	0.1	51	0.13	0.026	7	55	0.38	116	0.06	0	1.19	0.004	0.03	0	0.47	2.9	0	0	4	0	0
L16N/800E	6162198	348800	27-Aug	B	lt oj brn	25	grey A horiz above	Gavin/Radio	L16N 800E	0.9	23.9	4.4	47	0	59.2	8.3	234	2.45	6.4	0.6	1	7	0.2	1.5	0	53	0.15	0.028	5	83	0.59	119	0.058	0	1.5	0.004	0.03	0	0.33	3.2	0	0	4	0	0
L16N/850E	6162196	348851	27-Aug	B	oj	30		Gavin/Radio	L16N 850E	2	15.2	7	44	0.1	9.7	3.9	623	2.71	5.8	0	1.1	5	0.1	0.7	0.2	60	0.06	0.145	7	19	0.13	69	0.087	0	0.81	0.003	0.03	0	0.09	1.9	0	0	6	0	0
L16N/900E	6162200	348909	27-Aug	B	oj brn	45		Gavin/Radio	L16N 900E	2.5	41.4	13	75	0.4	34.5	7.1	231	3.13	41	4.4	2	8	0.4	5.4	0.3	44	0.14	0.056	11	45	0.5	153	0.041	0	1.34	0.003	0.03	0	1.61	3.2	0	0	4	0	0
L16N/950E	6162195	348951	27-Aug	B	oj	30		Gavin/Radio	L16N 950E	3.1	20.8	10.3	52	0.3	15.5	5	519	2.8	25.6	0	1.7	5	0.2	3.1	0.3	55	0.08	0.122	9	32	0.23	82	0.082	0	0.78	0.003	0.04	0.1	0.3	2.1	0	0	4	0	0
L17S/1000W	6159002	347002	01-Oct	B	brn	25		Andy/Michael	L17S 1000W	3.8	39.1	5.1	90	0.1	24.5	20.9	603	4.46	2.9	1	1.3	30	0.2	0.4	0.2	136	0.66	0.047	9	27	0.5	246	0.167	0	1.57	0.004	0.08	0	0.05	4.5	0	0	8	0	0
L17S/1050W	6159003	346951	01-Oct	B	brn	30		Andy/Michael	L17S 1050W	2.8	41	5.2	94	0.1	25.2	23.3	678	6.54	4.5	0	0.5	20	0.4	0.2	0.2	300	0.37	0.055	3	87	1.18	121	0.148	0	2.11	0.002	0.03	0	0.06	9	0	0	12	0	0
L17S/1100W	6159000	346902	01-Oct	B	brn	40		Andy/Michael	L17S 1100W	1.9	16	5.9	94	0	22.9	9.5	262	3.14	1.5	0	0.8	53	0.3	0.3	0.2	113	0.46	0.055	7	36	0.39	87	0.183	0	1.32	0.014	0.04	0	0.03	2.7	0	0	10	0	0
L17S/1150W	6158996	346852	01-Oct	C	grey	45		Andy/Michael	L17S 1150W	17.7	86.9	30.7	126	0.2	15.6	7.8	165	3.96	12.1	3.1	7.4	16	0.3	1.6	0.6	35	0.14	0.05	29	18	0.16	416	0.002	0	1.42	0.003	0.11	0	0.05	2.8	0.2	0	6	1	0
L17S/1200W	6158994	346803	01-Oct	B	brn	40		Andy/Michael	L17S 1200W	9.6	146.5	22	205	1	59.6	22.7	2044	3.73	11.8	1.8	3.7	97	1.2	1.2	0.6	41	1.32	0.061	17	22	0.42	427	0.002	0	1.98	0.004	0.1	0	0.15	4.3	0.3	0	5	1.4	0
L17S/1250W	6158999	346753	01-Oct	B	grey brn	25		Andy/Michael	L17S 1250W	14.9	46.9	15	80	0.1	14	5.2	116	2.31	9	0	3.1	21	0.2	1.7	0.5	42	0.41	0.053	32	13	0.11	146	0.002	0	1.02	0.001	0.11	0	0.05	2.1	0.2	0	6	0	0
L17S/1300W	6159004	346701	01-Oct	B	red brn	30		Andy/Michael	L17S 1300W	1.3	8	10.3	46	0	5.8	6.1	1491	1.61	0.8	0	0.8	10	0.2	0.2	0.2	74	0.39	0.04	9	20	0.21	193	0.112	0	0.87	0.005	0.04	0	0.04	2	0	0	5	0	0
L17S/1350W	6158997	346655	01-Oct	B	brn	35		Andy/Michael	L17S 1350W	3.3	158.8	5.4	177	0.4	39.9	26	3023	5.78	2.4	0	0.9	56	0.9	0.5	0.1	154	1	0.077	11	56	0.66	195	0.18	0	1.97	0.004	0.04	0.1	0.09	16.1	0	0	8	0.8	0
L17S/1400W	6159001	346608	01-Oct	B	brn	40		Andy/Michael	L17S 1400W	9.4	333.8	12.3	125	0.6	44	19.1	1574	3.36	10.4	2.4	1.9	98	0.8	1.7	0.5	44	1.58	0.151	28	24	0.41	498	0.002	0	1.89	0.005	0.07	0	0.3	12	0.2	0	4	2.6	0
L17S/1450W	6159009	346550	01-Oct	B	brn	35		Andy/Michael	L17S 1450W	2.9	35.2	8	80	0	14.1	6.4	236	2.12	5.4	0	1.3	16	0.3	0.4	0.2	48	0.14	0.049	15	15	0.16	169	0.005	0	0.76	0.002	0.1	0	0.02	2.4	0	0	5	0	0
L17S/1500W	6158999	346500	01-Oct	B	brn	35		Andy/Michael	L17S 1500W	8.6	63.3	12.3	91	0.2	20.2	6.1	143	2.84	5.6	1	3.8	11	0.2	1.3	0.4	43	0.13	0.041	23	17	0.12	258	0.001	0	1.24	0.002	0.08	0	0.04	3.3	0.2	0	6	0.5	0
L17S/1550W	6158997	346452	01-Oct	B	lt brn	40		Andy/Michael	L17S 1550W	15.7	106.9	26.1	175	1.5	33	22	1099	4.43	13.3	1.1	5.9	12	0.6	1.5	0.5	45	0.13	0.156	22	21	0.27	325	0.002	0	2.01	0.004	0.15	0	0.18	3.8	0.4	0	6	1.4	0
L17S/1600W	6158997	346405	01-Oct	B	red brn	30		Andy/Michael	L17S 1600W	5.9	88	11.6	66	0.9	30	8.7	1408	2.25	5	2	1.1	105	0.8	1.2	0.3	39	1.18	0.073	15	20	0.27	459	0.004	0	1.34	0.004	0.09	0	0.35	3.4	0.2	0	4	1.4	0
L17S/1650W	6158999	346350	01-Oct	B	lt brn	25		Andy/Michael	L17S 1650W	8.9	67.4	19.5	168	0.5	25.4	17.3	743	3.77	12.2	0.9	2.7	22	0.6	2.8	0.4	54	0.16	0.075	13	29	0.33	359	0.003	0	1.67	0.006	0.22	0	0.04	3.3	0.2	0	7	0	0
L17S/1700W	6159003	346306	01-Oct	B	lt brn	30		Andy/Michael	L17S 1700W	1.9	14.7	6.9	87	0	21.6	8.1	347	2.57	4.6	0	1.5	13	0.2	0.7	0.2	63	0.16	0.042	13	45	0.38	148	0.014	0	1.33	0.002	0.08	0	0.01	3.4	0	0	5	0	0
L17S/1750W	6158999	346245	01-Oct	B	lt brn	25		Andy/Michael	L17S 1750W	5.3	120	12.6	86	0.3	42.2	18.1	896	3.5	7.4	1.6	2.1	77	0.4	0.8	0.3	68	0.94	0.056	27	42	0.39	400	0.005	0	1.62	0.004	0.07	0	0.3	6	0.2	0	5	1.4	0
L17S/1800W	6159003	346203	01-Oct	B	brn	40		Andy/Michael	L17S 1800W	1.6	72.1	10.8	144	0.2	105	38.1	4282	7.18	2	0	1.2	47	0.5	0.1	0.2	174	0.58	0.103	9	186	1.99	305	0.004	0	2.46	0.005	0.04	0	0.07	14.1	0	0	10	0	0
L17S/1850W	6158998	346151	01-Oct	N/S				Andy/Michael	L17S 1850W																																			
L17S/1900W	6159001	346101	01-Oct	B	brn	30		Andy/Michael	L17S 1900W	4.7	64.7	9.7	100	0.2	20.7	10	343	3.79	5.8	0.7	1.8	24	0.2	0.5	0.2	65	0.08	0.038	13	21	0.11	254	0.001	0	1.14	0.004	0.07	0	0.31	4.5	0.2	0	5	0	0
L17S/1950W	6159002	346053	01-Oct	B	brn	40		Andy/Michael	L17S 1950W	2.2	12.7	5.2	44	0	7.6	3.2	118	1.4	1.9	0	0.8	19	0.2	0.4	0.2	61	0.35	0.021	8	17	0.16	127	0.027	0	0.91	0.004	0.02	0	0.02	2.6	0	0	7	0	0
L17S/2000W	6159000	346000	01-Oct	B	brn	40		Andy/Michael	L17S 2000W	6.8	66.1	12.6	86	0.5	20.2	10.4	310	3.41	6.7	0	2.2	14	0.3	0.8	0.3	40	0.14	0.06	17	14	0.25	175	0	0	0.97	0.001	0.14	0	0.05	2	0.2	0	4	0.5	0
L17S/200W	6159000	347800	01-Oct	C	lt brn	30		Andy/Michael	L17S 200W	2.6	18.9	5.6	56	0.2	9.5	3.9	244	1.78	2.6	3.1	1.2	10	0.4	0.4	0.2	56	0.13	0.041	10	12	0.14	63	0.028	0	0.83	0.002	0.06	0	0.02	2.3	0.1	0	7	0	0
L17S/250W	6158997	347748	01-Oct	B	lt brn	25		Andy/Michael	L17S 250W	1	8.3	3.7	25	0.2	6.4	2.5	148	1	1.3	27.1	0.7	9	0.2	0.2	0	40	0.09	0.02	9	13	0.11	38	0.051	0	0.58	0.003	0.04	0	0	1.7	0	0	5	0	0
L17S/300W	6158993	347696	01-Oct	B	brn	40		Andy/Michael	L17S 300W	2.9	18.1	5	50	0	14.4	5.1	872	2.63	5.7	0	1	5	0.2	0.6	0.1	49	0.08	0.097	6	28	0.28	74	0.058	0	0.94	0	0.04	0	0	2.1	0	0	5	0.5	0
L17S/350W	6158999	347654	01-Oct	B	brn	35		Andy/Michael	L17S 350W	5.3	144.2	15.5	138	1.1	42.6	14.9	1220	3.55	11.3	5	1.8	101	1.2	1.7	0.4	44	0.97	0.072	27	32	0.46	489	0.007	0	1.82	0.005	0.12	0	0.36	6	0.3	0	5	1.3	0
L17S/400W	6159005	347599	01-Oct	B	brn	40		Andy/Michael	L17S 400W	4.3	212.5	13.3	109	1.4	44.4	13.2	1608	3.1	6.1	3	1.2	130	1.9	1	0.3	45	1.05	0.068	38	32	0.35	463	0.01	0	1.67	0.005	0.08	0	0.33	6.6	0.2	0	5	2	0
L17S/450W	6159000	347552	01-Oct	B	brn grey	35		Andy/Michael	L17S 450W	1.7	8	4	30	0	4.7	1.7	169	0.87	1.2	0	0.9	10	0.1	0.3	0.1	30	0.14	0.029	11	10	0.1	71	0.023	0	0.72	0.004	0.04	0	0.03	1.8	0.1	0	5	0	0
L17S/500W	6158998	347500	01-Oct	B	brn	30		Andy/Michael	L17S 500W	6.6	139	7.8	83	0.8	24.9	8.3	2289	2.56	4.3	2	1.9	67	0.6	0.5	0.3	54	0.51	0.046	36	48	0.4	425	0.012	0	1.86	0.004	0.09	0	0.25	8.9	0.3	0	7	0.5	0
L17S/550W	6159005	347454	01-Oct	B	lt brn	35		Andy/Michael	L17S 550W	4.1	38.9	7	94	0.1	21.4	7.6	363	3.07	8.4	0	1.4	14	0.4	0.8	0.1	58	0.17	0.045	11	27	0.31	110	0.041	0	1.13	0.004	0.05	0	0.02	3	0.1	0

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L18N/1200E	6162407	349205	14-Oct	N/S			Marsh/swamp	Kevin/Andy	L18N 1200E																																			
L18N/1250E	6162406	349251	14-Oct	B	oj brn	30		Kevin/Andy	L18N 1250E	1.3	16.4	5.6	42	0.1	27.5	4.2	199	1.82	6.8	2.1	0	10	0.4	0.7	0.1	38	0.15	0.04	10	45	0.39	96	0.033	0	1.07	0.003	0.05	0	0.44	1.4	0	0	4	0	0
L18N/1300E	6162394	349301	14-Oct	B	lt brn	25		Kevin/Andy	L18N 1300E	1.9	15.8	6.3	44	0.2	17	4.2	207	1.85	6.5	1.8	1.6	9	0.2	1.1	0.1	35	0.09	0.047	14	33	0.43	79	0.038	0	1.1	0.003	0.07	0	0.23	2.3	0	0	4	0	0
L18N/1350E	6162401	349350	14-Oct	B	oj brn	20		Kevin/Andy	L18N 1350E	2.3	14.4	7	36	0.3	12.8	2.8	125	2.68	8.6	2.5	1.2	6	0.1	0.8	0.1	52	0.06	0.09	10	43	0.26	68	0.051	0	1.45	0.001	0.03	0	0.34	2.4	0	0	5	0	0
L18N/1400E	6162400	349400	14-Oct	B	lt brn	20		Kevin/Andy	L18N 1400E	1.4	24.7	5.9	41	0	17.7	3.9	212	1.65	5.9	3.7	2.2	8	0.2	1	0.1	26	0.09	0.047	15	27	0.4	62	0.034	0	0.92	0.002	0.05	0	0.49	2.2	0	0	3	0	0
L18N/150E	6162402	348146	14-Oct	B	brn	40		Kevin/Andy	L18N 150E	2.3	14.2	11.4	40	0.2	14.7	3.4	177	2.74	13.4	5.3	0.5	9	0.3	1.5	0.2	59	0.14	0.044	11	42	0.35	107	0.048	0	1.39	0.001	0.05	0	0.43	2.8	0.2	0	7	0	0
L18N/150W	6162419	347849	14-Oct	B/C	grey	40	Clay. Swampy	Kevin/Andy	L18N 150W	2.3	37.1	14.4	98	0.7	35	13.5	679	1.93	17.1	5.5	0.2	21	0.5	1.6	0.3	41	0.27	0.056	18	54	0.54	280	0.018	0	1.58	0.004	0.09	0	0.32	2.6	0.2	0	5	0.8	0
L18N/200E	6162403	348196	14-Oct	B	oj brn	30		Kevin/Andy	L18N 200E	3.2	36.5	11.8	68	0.4	24.8	6.5	436	2.3	12.9	4	0.3	14	0.5	1.4	0.2	44	0.16	0.048	15	43	0.47	239	0.032	0	1.53	0	0.1	0	0.82	2.4	0.2	0	5	0	0
L18N/200W	6162420	347800	14-Oct	B	dk brn	20		Kevin/Andy	L18N 200W	8.2	40.1	16.9	57	0.5	14.6	5.9	346	2.01	34	1.7	0.2	11	0.7	4.3	0.4	42	0.18	0.052	17	25	0.14	128	0.034	0	0.83	0.004	0.07	0	0.1	1.4	0.2	0	5	0.7	0
L18N/2500W	6162359	345510	12-Oct	C	brn	25	moved from cliff	Jacques/Radio	L18N 2500W	4.8	17.1	9.9	26	0.5	6.4	2.1	164	0.99	2.2	0.6	0.2	5	0	0.5	0.3	36	0.04	0.039	25	12	0.18	115	0.006	0	1.56	0.002	0.06	0	0.02	1.5	0.6	0	9	0	0
L18N/250E	6162403	348243	14-Oct	B	lt brn	25		Kevin/Andy	L18N 250E	3.4	47.7	11.1	75	0.2	37.7	9.6	407	2.68	17.2	1.5	0.9	15	0.5	2	0.2	49	0.16	0.045	20	54	0.61	237	0.052	0	1.42	0.003	0.09	0	2.65	3.1	0.2	0	5	0.6	0
L18N/250W	6162416	347748	14-Oct	B	lt brn	50		Kevin/Andy	L18N 250W	4.1	37.4	16.5	81	0.6	34.7	7.7	346	2.88	31	5.6	1.1	11	0.4	3.6	0.2	45	0.12	0.029	16	49	0.68	174	0.032	0	1.77	0.002	0.09	0	0.18	2.7	0.2	0	5	0	0
L18N/2550W	6162292	345447	12-Oct	C	brn	25	moved from cliff	Jacques/Radio	L18N 2550W	12.5	66.8	22.1	98	0.1	69.1	22.9	2966	4.29	11	0.8	1.6	6	0.2	4.2	0.3	42	0.05	0.149	17	66	0.9	131	0.004	0	1.72	0.004	0.08	0	0.09	2.6	0.3	0	6	0.8	0
L18N/2600W	6162400	345400	12-Oct	N/S			cliffed out	Jacques/Radio	L18N 2600W																																		
L18N/2650W	6162400	345350	12-Oct	N/S			cliffed out	Jacques/Radio	L18N 2650W																																		
L18N/2700W	6162400	345300	12-Oct	N/S			cliffed out	Jacques/Radio	L18N 2700W																																		
L18N/2750W	6162400	345250	12-Oct	N/S			cliffed out	Jacques/Radio	L18N 2750W																																		
L18N/2800W	6162400	345200	12-Oct	N/S			cliffed out	Jacques/Radio	L18N 2800W																																		
L18N/2850W	6162349	345153	29-Aug	B	lt brn	45	moved from cliff	Gavin	L18N 2850W	7.4	301	30.6	239	5.8	126.2	43.4	2138	3.65	14.1	10.1	1.5	32	1.2	3.7	0.5	16	0.24	0.24	21	28	0.15	207	0.002	0	3.45	0.006	0.1	0	1.14	4.4	0.6	0.08	2	2.5	0
L18N/2900W	6162385	345099	29-Aug	B	lt brn	25	very rocky, moved from cliff	Gavin	L18N 2900W	4.8	113.2	8.4	137	0	39.7	11.9	165	3.25	5.9	0	1.7	42	0.1	1.2	0.5	27	0	0.064	25	11	0.05	123	0.001	0	0.74	0.002	0.07	0	0	2	0.2	0	4	0	0
L18N/2950W	6162396	345048	29-Aug	B	lt oj brn	40		Gavin	L18N 2950W	1.8	31.4	8.1	44	0.2	6.1	6	1640	2.44	4.2	1.6	0	8	0.1	0.5	0.2	41	0.29	0.091	11	15	0.3	149	0.006	0	1.88	0.004	0.07	0	0.03	0.9	0.3	0	8	0	0
L18N/3000W	6162400	345000	29-Aug	B	oj brn	65		Gavin	L18N 3000W	2.6	33.5	6	45	0.2	13.7	4.8	247	2.48	4.9	0	0.3	4	0	0.6	0.2	29	0.05	0.047	17	15	0.31	57	0.006	0	1.38	0.003	0.04	0	0.02	1.3	0.2	0	5	0	0
L18N/300E	6162405	348300	14-Oct	B	lt grey	25	clay	Kevin/Andy	L18N 300E	2.4	34.1	11.1	95	0.4	46	20.3	1126	2.61	10.1	3.9	0.4	19	0.4	1.4	0.2	46	0.22	0.054	18	55	0.7	257	0.027	0	1.73	0.004	0.12	0	0.71	3.1	0.2	0	6	0	0
L18N/300W	6162419	347698	14-Oct	B	brn	40		Kevin/Andy	L18N 300W	5.1	52.4	16.2	90	0.9	26.1	5.6	274	2.47	50.8	3.4	0.3	12	0.5	4.3	0.3	48	0.11	0.039	18	39	0.54	184	0.024	0	1.54	0.003	0.09	0	0.24	2.1	0.3	0	5	0	0
L18N/350E	6162405	348350	14-Oct	B	lt brn	30		Kevin/Andy	L18N 350E	3.3	34.4	10.8	77	0.9	31.2	6.7	282	2.94	18.2	2.8	0.8	15	0.6	1.8	0.2	60	0.13	0.034	16	52	0.53	374	0.044	0	1.38	0.003	0.1	0	1.4	3.2	0.2	0	6	0	0
L18N/400E	6162403	348401	14-Oct	B	lt brn	40	clayey	Kevin/Andy	L18N 400E	3.6	34.2	11.5	86	0.1	35.8	8.2	363	2.94	17.3	3.2	0.9	18	0.3	1.8	0.2	53	0.23	0.039	17	57	0.6	235	0.042	0	1.56	0.002	0.12	0	0.96	3	0.2	0	6	0	0
L18N/450E	6162397	348435	14-Oct	B	oj brn	25		Kevin/Andy	L18N 450E	2.3	24.6	8.7	66	0.2	29.7	6.2	309	2.95	10	6	1.7	7	0.4	1	0.3	49	0.09	0.053	12	49	0.68	103	0.038	0	1.89	0.003	0.06	0	1.07	3.2	0.1	0	5	0	0
L18N/500E	6162411	348491	14-Oct	B	lt oj brn	30		Kevin/Andy	L18N 500E	2.6	35.2	11	99	0.3	41.3	7.8	408	3.48	20.6	3.2	2	7	0.4	3	0.3	60	0.08	0.07	12	62	0.72	104	0.033	0	2.39	0.002	0.07	0	4.89	4.1	0.2	0	7	0	0
L18N/550E	6162405	348548	14-Oct	B	lt brn	40		Kevin/Andy	L18N 550E	2.2	19.9	11.9	65	0.2	20.3	4.6	266	2.78	16.5	0.9	2.1	8	0.2	2.9	0.2	61	0.08	0.061	15	40	0.46	95	0.04	0	1.6	0.002	0.08	0	0.43	3.5	0.2	0	7	0	0
L18N/600E	6162400	348600	14-Oct	B	red brn	40	On top of very steep hill	Kevin/Andy	L18N 600E	1.6	23.9	9.9	90	0	32.5	6	266	3.06	22.2	1.9	1.4	7	0.5	6.6	0.2	67	0.14	0.106	12	55	0.49	97	0.041	0	1.92	0	0.04	0.1	1.1	4.1	0.1	0	7	0	0
L18N/650E	6162410	348649	14-Oct	B	lt brn	45	Steep hill running N-S	Kevin/Andy	L18N 650E	0.8	19.2	5.9	61	0.2	27.3	7.3	468	2.26	11.4	2.2	0.5	12	0.7	5.2	0.1	47	0.57	0.059	8	46	0.49	152	0.046	0	1.55	0.003	0.04	0.1	0.92	3	0	0	4	0	0
L18N/700E	6162396	348702	14-Oct	B	oj brn	30		Kevin/Andy	L18N 700E	1.3	21.2	4.1	37	0	45.7	6.2	233	2.03	5.2	1.6	0.9	11	0.1	0.5	0.1	39	0.18	0.033	7	73	0.57	80	0.062	0	0.86	0.003	0.04	0	0.12	2.4	0	0	3	0	0
L18N/750E	6162407	348747	14-Oct	B	lt brn	30		Kevin/Andy	L18N 750E	1.4	20.1	4.7	45	0.1	33.9	8.9	445	1.91	5.3	2.1	0.4	13	0.3	0.5	0.1	32	0.25	0.045	9	53	0.47	115	0.045	0	0.8	0.004	0.05	0	0.57	2.2	0	0	2	0	0
L18N/800E	6162405	348801	14-Oct	B	lt brn	25		Kevin/Andy	L18N 800E	1	18.1	4.6	36	0	26.1	5.4	278	1.63	4.4	1.2	0.5	9	0.2	0.6	0	33	0.14	0.052	8	41	0.4	55	0.043	0	0.85	0.002	0.04	0	0.28	2	0	0	3	0	0
L18N/850E	6162401	348849	14-Oct	B	lt brn	25		Kevin/Andy	L18N 850E	0.3	1	2.4	5	0	0.7	0.1	16	0.11	0	1.1	0	4	0	0.1	0	12	0.03	0.008	10	7	0.03	27	0.024	0	0.39	0	0.01	0	0.42	0.4	0	0	4	0	0
L18N/900E	6162400	348897	14-Oct	B	lt brn	20		Kevin/Andy	L18N 900E	0.4	1.9	3.7	12	0	3.2	0.6	46	0.54	2.3	0.9	0.3	6	0	0.4	0.1	25	0.1	0.028	9	16	0.12	32	0.054	0	0.7	0.003	0.03	0	0.18	1.5	0	0	4	0	0
L18N/950E	6162396	348948	14-Oct	B	oj brn	35		Kevin/Andy	L18N 950E	1.1	9	4.4	40	0.1	15	3	177	1.88	6	0.7	1	7	0.1	1	0	40	0.1	0.048	8	40	0.35	50	0.056	0	1.22	0.004	0.04	0	0.97	2.5	0	0	5	0	0
L19S/1000W	6158803	347007	08-Sep	B	lt grey	45		Gavin/Kevin	L19S 1000W	7.1	62.5	18.5	117	0.2	19.2	9.9	292	3.72	19.5	6.3	3.3	29	0.1	2.2	0.5	26	0.15	0.026	29	10	0.04	229	0.002	0	0.63	0.001	0.11	0	0.15	2	0	0	2	1	0
L19S/1050W	6158798	346952	08-Sep	B	lt brn	20		Gavin/Kevin	L19S 1050W	1.6	61.3	7.4	70	0.2	22.5	11.5	835	2.25	3.6	0.7	0.5	32	0.4	0.4	0.2	42	0.35	0.039	12	25	0.41	488	0.014	0	1.46	0.005	0.08	0	0.03	2.6	0.1	0	5	1	0
L19S/1100W	6158799	346902	08-Sep	B	lt oj brn	30		Gavin/Kevin	L19S 1100W	2.2	24.7	5.1	64	0	17.5	5.1	238	2.36	4.9	0	1.5	7	0.2	0.7	0.1	38	0.1	0.037	11	22	0.43	149	0.029	0	0.95	0.004	0.06	0	0.02	2.1	0	0	4	0	0
L19S/1150W	6158800	346850	08-Sep	B	brn	20		Gavin/Kevin	L19S 1150W	1	15.6	7.9	89	0.2	10.7	11.7	1290	3.53	0	0	0.3	8	2	0.2	0.2	185	1.54	0.073	4	55	0.36	117	0.462	0	1.83	0.012	0.03	0	0.04	3.8	0	0	11	0.8	0
L19S/1200W	6158800	346814	08-Sep	B	brn	25		Gavin/Kevin	L19S 1200W	4.9	105.3	12.5	224	0.3	36.9	17.1	3219	3.16	3.9	1.4	1.3	69	2.4	0.5	0.3	54	0.89	0.053	19	34	0.39	359	0.016	0	2.3	0.005	0.04	0	0.07	5.1	0.2	0	7	1.1	0
L19S/1250W	6158797	346750	08-Sep	B	dk brn	30		Gavin/Kevin	L19S 1250W	3.6	19.7	6.3	53	0	9.8	3.7	111	1.9	3.1	0	1.1	10	0.3	0.6	0.2	56	0.15	0.029	13	17	0.13	162	0.013	0	0.9	0.004	0.05	0	0.03	2.1	0	0	6	0	0
L19S/1300W	6158798	346698	08-Sep	B	lt oj brn	20		Gavin/Kevin	L19S 1300W	4.1	76.8	12.8	178	0.5	36.4	19.9	1048	3.53	4.8	1	1.9	44	0.6	0.6	0.4	58	0.52	0.049	15	35	0.4	484	0.011	0	2.21	0.005	0.05	0	0.07	4.1	0.2	0	7	0	0
L19S/1350W	6158805	346646	08-Sep	B	brn	25		Gavin/Kevin	L19S 1350W	4.1	55.4	14	130	0.7	24.4	15.8	2388	3.32	5.5	0	1.6	56	1	0.9	0.3	49	0.59	0.041	17	25	0.26	462	0.007	0	1.55	0.005	0.07	0	0.04	3.8	0.1	0	5	0	0
L19S/1400W	6158801	346601	08-Sep	B	dk brn	50	In old cut-block. A contamination	Gavin/Kevin	L19S 1400W	4	75.6	12.4	188	1.2	32.1	14.2	776	3.17	9.6	1.4	1.3	65	0.7	1.5	0.4	39	0.91	0.059	14	28	0.42	339	0.01	0	1.49	0.006	0.05	0	0.23	5.1	0.1	0	5	1.3	0
L19S/1450W	6158795	346547	08-Sep	B	brn	45	In old cut-block. A contamination	Gavin/Kevin	L19S 1450W	11.4	42.9	11.3	89	0.1	20.6	6.9	210	2.5	14.1	1.2	3.2	15	0.3	5.8	0.5	34	0.21	0.041	16	14	0.05	228	0.002	0	0.57	0.004	0.07	0	0.15	2.8	0.2	0	3	0.5	0
L19S/1500W	6158803	346501	08-Sep	B	brn	35		Gavin/Kevin	L19S 1500W	7.4	146.4	12.3	62	0.6	51.3	19.2	1853	3.36	5.8	0.9	1	135	1	1.2	0.3	51	1.8	0.098	22	44	0.43	582	0.003	0	1.37	0.006	0.07	0	0.43	4.9	0.2	0.07	4	2.9	0
L19S/1550W	6158788	346447	08-Sep	B	lt oj brn	15		Gavin/Kevin	L19S 1550W	2.6	64.9	8.7	98	0.1	41.8	8.1	330	3.35	8.4	1.9	2.5	7	0.3	0.9	0.2	36	0.12	0.105	12	30	0.51	138	0.015	0	1.76	0.004	0.07	0	0.06	3	0.1	0	4	0.8	0
L19S/1600W	6158790	346393	08-Sep	B	lt oj brn	45		Gavin/Kevin	L19S 1600W	2.7	20.8	5.3	53	0	16.4	4.7	246	2.45	5.1	0	1.3	7	0.3	0.5	0.1	31	0.09	0.032	10	19	0.39	140	0.023	0	1.03	0.003	0.07	0	0.02	1.8	0	0	4	0	0
L19S/1650W	6158791	346339	08-Sep	B	lt brn	35		Gavin/Kevin	L19S 1650W	6.9	38.8	12.7	117	0.3	30.7	14.3	1487	3.31	5.7	0	2	6	0.5	1	0.4	63	0.2	0.107	13	58	0.67	341	0.061	0	1.55	0.004	0.13	0	0.03	4.1	0.2	0	7	0	0
L19S/1700W	6158802	346295	08-Sep	B	grey brn	20		Gavin/Kevin	L19S 1700W	5.9	48.5	12.3	134	0	52	7.5	1292	4.15	3.1	0	2.3	9	0.1	0.5	0.3	111	0.07	0.052	33	29	0.07	145	0.009	0	0.61	0.002	0.09	0	0.02	2.8	0.2	0	5	0	0
L19S/1750W	6158807	346250	08-Sep	B	lt brn	30		Gavin/Kevin	L19S 1800W	2.6	16.7	6.3	48	0.4	16.5	4.6	179	2.47	5.7	0.6	1.3	7	0.2	0.7	0.1	45	0.06	0.035	8	29	0.27	52	0.063	0	0.81	0.003	0.06	0	0.02	1.8	0	0	4	0	0
L19S/1800W	6158806	346200	08-Sep	B	grey brn	20		Gavin/Kevin	L19S 1750W	8.8	52.3	12	85	0.1	10.7	4.9	94	2.06	4	0	3.1	6	0.3	0.8	0.4	34	0.02	0.049	30	9	0.09	121	0.003	0	1.07	0.003	0.09	0	0.03	1.4	0.3	0	5	0.5	0
L19S/1850W	6158797	346150	08-Sep	B	lt brn	20		Gavin/Kevin	L19S 1850W	2.5	95.5	18.2	121	0	35	10.1	416	4.17	5.8	0	4.1	9	0.1	0.6	0.9	28	0.06	0.086	20	22	0.16	232	0.004	0	0.93	0.001	0.11	0	0.14	2.9	0.2	0	4	0.6	0
L19S/1900W	6158796	346100	08-Sep	B	brn	40		Gavin/Kevin	L19S 1900W	3.9	23.9	6.7	50	0.2	29.8	5.9	191	2.24	3.5	0	1.1	8	0.2	0.6	0.2	66	0.06	0.034	13	45	0.21	120	0.012	0	0.73	0.004	0.06	0	0.01	2	0	0	6	0.6	0
L19S/1950W	6158800	346050	09-Sep	B	lt grey	45		Gavin/Kevin	L19S 1950W	3.6	56.6	10.1	95	0.2	21	10	234	3.35	7.4	1.5	1.1	9	0.1	1.4	0.3	33	0.06	0.065	13	13	0.05	102	0.002	0	0.48	0.003	0.08	0	0.36	2	0.1	0	2	0.6	0
L19S/200W	6158800	347800	08-Sep	B	oj brn	25		Gavin/Kevin	L19S 200W	1.9	18.1	7	66	0.3	32.1	6.4	401	2.73	7.7	1	1.2	4	0.3	0.8	0.3	47	0.05	0.163	7	38	0.24	65	0.04	0	1.27	0.003	0.03	0	0.03	2.3	0	0	5	0.9	0
L19S/250W	6158793	347749	08-Sep	B	oj brn	20		Gavin/Kevin	L19S 250W	3.4	30.5	8.4	84	0.2	23.8	8.2	426	4.07	11	1.5	2.1	4	0.2	1	0.3	47	0.05	0.281	5	48	0.3	69	0.025	0	2.62	0.003	0.03	0	0.08	3.2	0.1	0	5	0.7	0
L19S/300W	6158799	347702	08-Sep	B	oj brn	20		Gavin/Kevin	L19S 300W	2.3	18	6.2	77	0.2	17	6	344	2.6	5.4	1	1.4	5	0.3	0.6	0.2	42	0.05	0.118	7	30	0.27	84	0.036	0	1.53	0.003	0.03	0	0.04	2.5	0.1	0	5	0.7	0
L19S/350W	6158797	347651	08-Sep	B	oj brn	25		Gavin/Kevin	L19S 350W	2.3	15.2	5.8	63	0.3	14.4	4.9	221	2.59	5.8	1.3	1.2	4	0.2	0.6	0.2	48	0.05	0.099	6	28	0.27	70	0.036	0	1.64	0.004	0.03	0	0.04	2.3	0	0	6	0.6	0
L19S/400W	6158796	347599	08-Sep	B	oj brn	25		Gavin/Kevin	L19S 400W	1.8	12.5	4.6	37	0	10.1	3.6	251	1.81	4.3	0	1.2	3	0	0.5	0.2	42	0.05	0.08	6	21	0.21	60	0.043	0	1.25	0.003	0.02	0	0.01	1.9	0.1	0	5	0	0
L19S/450W	6158795	347548	08-Sep	B	lt brn	30		Gavin/Kevin	L19S 450W	3.1	29.2	7.9	74	0.3	22.1	7.5	329	3.27	9.9	0	1.6	6	0.3	0.7	0.2	49	0.07	0.166	6	37	0.38	84	0.03	0	1.47	0.004	0.05	0	0.03	2.6	0.1	0	5	0.9	0
L19S/500W	6158808	347493	08-Sep	B	brn	30		Gavin/Kevin	L19S 500W	1.9	17.9	6.5	57	0.2	14.9	4.3	341	2.35	6.4	2.8	1	5	0.2	0.7	0.2	45	0.08	0.151	7	30	0.19	45	0.036	0	0.95	0.002	0.03	0	0.03	2.1	0	0	5	0	0
L19S/550W	6158796	347452	08-Sep	B	lt brn	40		Gavin/Kevin	L19S 550W	1.6	11.6	4.8	47	0.2	9	3.3	238	1.57	3.2	0	1.1	4	0.2	0.4	0.2	34	0.06	0.068	7	17	0.15	50	0.042	0	0.93	0.003	0.03	0	0.02	1.3	0	0	5	0	0
L19S/600W	6158802	347397	08-Sep	B	brn	20		Gavin/Kevin	L19S 600W	3.1	30.1	7.1	54	0.1	15.6	4.3	209	2.4	6.7	0.5	1.3	43	0.3	0.8	0.2	52	0.46	0.062	11	26	0.23	141	0.031	0	0.85	0.004	0.06	0	0.03	2.1	0.1	0	5	0.7	0
L19S/650W	6158796	347352	08-Sep	B	brn	30		Gavin/Kevin	L19S 650W	4.9	168.4	15.6	117	1.3	51.9	17.2	1074	3.95	8.4	8.1	1.2	47	1.5	1.3	0.4	45	0.37	0.101	30	31	0.38	574	0.009	0	1.71	0.003	0.07	0	0.4	5.5	0.3	0	4	4.8	0
L19S/650W	6158797	347307	08-Sep	B	lt grey	20		Gavin/Kevin	L19S 700W	1.8	11.6	5.4	53	0.2	11.2	3.8	197	1.99	3.5	0	0.8	4	0.3

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L1N/1850W	6160798	346147	03-Sep	B	brn	20		Gavin/Kevin	L1N 1850W	5.3	39.6	127.4	99	0.6	17.1	5.5	325	2.97	128.9	5.2	0.2	5	0.1	65.7	0.5	52	0.03	0.064	17	27	0.34	121	0.014	0	1.54	0.002	0.05	0	0.04	1.3	0.2	0	6	0.5	0
L1N/1900W	6160799	346107	03-Sep	B	brn	15		Gavin/Kevin	L1N 1900W	10.2	90.8	10.6	71	0.2	31.3	9.6	340	3.14	16	1.4	0.1	8	0	8.7	0.4	33	0.01	0.095	10	14	0.06	118	0.003	0	0.64	0.001	0.06	0	0.02	0.4	0.2	0	4	0.7	0
L1N/1950W	6160806	346042	03-Sep	B	brn	15		Gavin/Kevin	L1N 1950W	6.7	41.7	10.6	103	0.8	22.3	7.1	2169	2.68	9.2	0	0	27	1.4	2.2	0.5	48	0.3	0.11	12	30	0.32	474	0.009	0	1.58	0.004	0.07	0	0.04	0.6	0.3	0	6	0.6	0
L1N/2000W	6160806	346000	03-Sep	B	brn	20		Gavin/Kevin	L1N 2000W	0.9	6.3	4.7	12	0.1	3.2	0.6	58	0.45	1.1	0	0	4	0	0.1	0.2	19	0.03	0.072	14	12	0.07	62	0.005	0	0.74	0.003	0.03	0	0.02	0.2	0.1	0	5	0	0
L1N/2050W	6160804	345948	03-Sep	B	grey brn	10		Gavin/Kevin	L1N 2050W	1.3	6.8	3.3	12	0.1	2.9	0.7	57	0.35	0	0	0	4	0	0	0.1	15	0.01	0.056	16	13	0.05	72	0.005	0	0.63	0.002	0.04	0	0.02	0.3	0.2	0	5	0	0
L1N/2100W	6160799	345902	03-Sep	B	brn	10		Gavin/Kevin	L1N 2100W	3.8	23.6	7	37	0.8	9.1	3.4	154	1.58	2.6	8.4	0	4	0.2	0.5	0.4	50	0.04	0.063	16	22	0.12	165	0.007	0	1.1	0.003	0.04	0	0.05	0.4	0.3	0	7	0	0
L1N/2150W	6160806	345846	03-Sep	B	brn	10		Gavin/Kevin	L1N 2150W	2.6	16.1	5.7	26	0.4	6	2.9	631	1.49	2	0.7	0	4	0	0.3	0.3	47	0.04	0.083	14	19	0.12	85	0.007	0	0.86	0.002	0.05	0	0.03	0.2	0.2	0	5	0	0
L1N/2200W	6160799	345802	03-Sep	B	brn	10		Gavin/Kevin	L1N 2200W	2.8	31	7.7	44	0.2	14.1	4.5	249	3.67	5.4	1.3	0	4	0.2	0.9	0.3	69	0.06	0.097	11	31	0.35	74	0.014	0	1.42	0.003	0.04	0	0.07	0.5	0.1	0	7	0	0
L1N/2250W	6160800	345753	03-Sep	B	lt brn	25		Gavin/Kevin	L1N 2250W	2.3	29.1	8.3	56	0.2	18.3	5.6	452	2.29	3.9	0.6	0	6	0.3	0.8	0.3	36	0.05	0.067	15	25	0.43	156	0.011	0	1.32	0.003	0.05	0	0.03	0.6	0.2	0	5	0	0
L1N/2300W	6160805	345705	03-Sep	B	brn	15		Gavin/Kevin	L1N 2300W	1.4	17.6	6.4	25	0.4	6.8	1.6	103	0.97	2.1	0.6	0.2	4	0.1	0.3	0.2	24	0.03	0.052	14	13	0.2	93	0.007	0	1.31	0.002	0.04	0	0.03	0.6	0.2	0	5	0	0
L1N/2350W	6160796	345658	03-Sep	B	brn	15		Gavin/Kevin	L1N 2350W	0.5	9	4.3	14	0.2	2.4	0.7	72	0.48	0.8	0	0	2	0	0.1	0.2	22	0.03	0.052	6	10	0.08	81	0.008	0	0.93	0.003	0.04	0	0.03	0.2	0.2	0	6	0	0
L1N/2400W	6160802	345608	03-Sep	B	lt brn	15		Gavin/Kevin	L1N 2400W	1.4	14.7	8	18	0.2	3	1.2	186	0.68	1.7	0	0	4	0	0.3	0.3	29	0.05	0.079	20	11	0.09	91	0.005	0	1.14	0.003	0.05	0	0.01	0.2	0.3	0	7	0	0
L1N/2450W	6160798	345549	03-Sep	B	lt brn	15		Gavin/Kevin	L1N 2450W	0.9	23	7.1	33	0.2	6.5	3.9	584	2.01	2.4	3.3	0	4	0	0.3	0.3	65	0.12	0.071	7	22	0.24	115	0.054	0	1.47	0.003	0.05	0	0.03	1	0.2	0	8	0	0
L1N/2500W	6160793	345507	03-Sep	B	brn	20		Gavin/Kevin	L1N 2500W	0.8	33.8	4.6	68	0.3	22.9	10	481	4.1	2.7	0	0.2	9	0.2	0.3	0.2	83	0.47	0.121	9	64	0.61	109	0.06	0	2.15	0.005	0.06	0	0.07	2.7	0.1	0	7	0	0
L1N/2550W	6160803	345453	03-Sep	B	brn	15		Gavin/Kevin	L1N 2550W	1.5	23.9	5.3	39	0	15	5.9	197	2.36	1.9	0	0.2	7	0.2	0.3	0.2	76	0.24	0.044	11	35	0.43	51	0.074	0	1.64	0.004	0.03	0	0.03	2	0	0	7	0	0
L1N/2600W	6160804	345403	03-Sep	B	brn	5		Gavin/Kevin	L1N 2600W	3.1	33.6	5.2	43	1.3	13.5	9.1	731	3.4	1.5	0	0	10	0.7	0.4	0.2	121	0.5	0.123	5	49	0.35	138	0.15	0	1.43	0.005	0.08	0	0.08	2.1	0	0.05	7	0	0
L1N/2650W	6160799	345345	03-Sep	B	oj brn	15		Gavin/Kevin	L1N 2650W	3.5	28.9	9.8	31	0.4	7.1	2.6	260	1.7	4.1	0	0.1	7	0	0.5	0.3	38	0.02	0.077	20	13	0.18	73	0.005	0	1.19	0.003	0.06	0	0.02	0.4	0.3	0	8	0	0
L1N/2700W	6160797	345295	03-Sep	B	red brn	20		Gavin/Kevin	L1N 2700W	3.3	42.2	9.1	57	0.5	17.2	6.7	860	4.21	5.5	0	0.2	6	0.2	0.8	0.3	67	0.08	0.122	11	29	0.42	107	0.017	0	1.67	0.002	0.04	0	0.05	1.1	0.2	0	7	0.6	0
L1N/2750W	6160795	345250	03-Sep	B	brn	20		Gavin/Kevin	L1N 2750W	2.9	19.8	10.1	21	0.2	6.6	1.5	89	1.21	3.5	0	0.3	8	0	0.3	0.3	20	0.02	0.055	14	9	0.16	115	0.004	0	1.08	0.001	0.05	0	0.03	0.5	0.3	0	5	0	0
L1N/2800W	6160805	345198	03-Sep	B	brn	25		Gavin/Kevin	L1N 2800W	1.6	12.5	6.3	14	0.4	4.3	1.1	45	0.98	2.3	0	0	5	0	0.2	0.2	23	0.03	0.044	18	11	0.09	56	0.007	0	0.89	0.002	0.02	0	0.04	0.3	0.1	0	5	0	0
L1N/2850W	6160800	345150	03-Sep	B	oj	20		Gavin/Kevin	L1N 2850W	3.2	36.8	9.6	56	0.3	15.9	6.1	524	3.52	6.7	0	0.2	5	0.3	0.9	0.2	53	0.11	0.084	15	20	0.31	65	0.022	0	1.14	0.002	0.04	0	0.04	1.1	0.1	0	5	0	0
L1N/2900W	6160800	345100	03-Sep	B	yel brn	30		Gavin/Kevin	L1N 2900W	1.6	25.8	8.5	55	0	12.8	6.4	405	3.58	4	0	0.3	9	0.3	0.6	0.2	92	0.65	0.086	10	25	0.49	91	0.107	0	2.09	0.007	0.05	0	0.02	2.6	0	0	10	0	0
L1S/1400W	6160594	346597	13-Oct	C	brn	30		Jacques/Radio	L1S 1400W	5.3	38.3	11.1	71	0.2	13.8	8.5	562	1.96	5.8	0	0	8	0.2	1.4	0.3	41	0.05	0.055	14	20	0.37	159	0.006	0	1.65	0.001	0.12	0	0.02	0.6	0.3	0	7	0	0
L1S/1450W	6160599	346546	13-Oct	C	brn	25		Jacques/Radio	L1S 1450W	2.2	14.6	8.6	18	0.1	3.4	0.9	75	0.69	2.4	0.8	0.2	6	0.1	0.5	0.2	20	0.06	0.057	19	10	0.09	163	0.003	0	0.92	0	0.08	0	0.02	0.5	0.2	0	5	0	0
L1S/1500W	6160608	346501	13-Oct	C	brn	25		Jacques/Radio	L1S 1500W	2.6	15.4	8	28	0.1	5.5	2.3	399	1.4	3	0	0.1	6	0.2	0.7	0.2	41	0.11	0.033	16	14	0.16	133	0.007	0	1.13	0.001	0.08	0	0.03	1.3	0.2	0	6	0	0
L1S/1550W	6160615	346448	13-Oct	C	brn	30		Jacques/Radio	L1S 1550W	4.8	33.5	11	57	0.3	17.9	5.4	274	2.66	7.6	2.9	0.8	5	0.2	1.1	0.2	37	0.05	0.038	16	22	0.5	75	0.006	0	1.63	0	0.05	0	0.1	2.1	0.2	0	5	0	0
L1S/1600W	6160621	346398	13-Oct	C	brn	25		Jacques/Radio	L1S 1600W	4.6	27.9	11	39	0.4	8.4	3.4	254	2.19	8.2	0	0.2	5	0.2	1.1	0.2	43	0.03	0.066	16	15	0.16	100	0.003	0	1.2	0	0.06	0	0.04	0.9	0.3	0	6	0	0
L1S/1650W	6160626	346348	13-Oct	C	brn	20		Jacques/Radio	L1S 1650W	5.4	28.3	50.5	135	0.2	17.6	8.5	1346	2.75	30.7	1.8	0.1	27	1.1	9.4	0.4	39	0.29	0.111	13	23	0.32	395	0.006	0	1.26	0.001	0.14	0	0.03	0.9	0.2	0	6	0	0
L1S/1700W	6160611	346299	13-Oct	C	brn	25		Jacques/Radio	L1S 1700W	5.7	56.3	106.7	157	0.4	29.9	10.9	823	4.4	109.5	2.9	1.2	6	0.4	47.9	0.4	56	0.06	0.115	20	35	0.51	152	0.004	0	1.6	0	0.11	0	0.03	2.3	0.2	0	6	0.6	0
L1S/1750W	6160601	346248	13-Oct	C	brn	25		Jacques/Radio	L1S 1750W	3	29.8	23.7	46	0	15.8	7.2	865	2.03	21	2.5	0.3	5	0	7.3	0.3	69	0.07	0.051	21	27	0.3	121	0.009	0	1.34	0.002	0.06	0	0.02	2.4	0.3	0	8	0	0
L1S/1800W	6160604	346198	13-Oct	C	brn	30		Jacques/Radio	L1S 1800W	3.7	32.8	7.9	44	0.4	13	5	282	3.22	5.7	0.9	0.1	6	0.2	1	0.2	68	0.08	0.105	13	23	0.25	89	0.015	0	1.34	0.001	0.05	0	0.05	1.5	0.2	0	6	0	0
L1S/1850W	6160602	346152	13-Oct	C	brn	35		Jacques/Radio	L1S 1850W	2.6	39.7	6.7	56	0	14.3	8.8	1072	3.12	2.9	0	0.3	9	0	0.9	0.2	106	0.25	0.066	15	23	0.29	142	0.073	0	1.23	0.002	0.06	0	0.03	3.4	0.2	0	8	0	0
L1S/1900W	6160602	346098	13-Oct	C	brn	30		Jacques/Radio	L1S 1900W	1	50.9	4.1	79	0.1	24	19.5	1343	8.14	3	0	0.7	11	0	0.4	0.2	227	0.5	0.111	6	57	0.89	128	0.313	0	2.39	0.004	0.05	0	0.05	6.8	0.1	0	12	0	0
L1S/1950W	6160598	346050	13-Oct	C	brn	25		Jacques/Radio	L1S 1950W	2.1	17.6	7.1	30	0.7	10.1	2.6	100	1.12	1.6	0	0.2	9	0.2	0.2	0.2	42	0.12	0.034	17	26	0.26	113	0.018	0	1.55	0	0.05	0	0.04	1.7	0.2	0	6	0	0
L1S/2000W	6160598	346000	13-Oct	C	brn	30		Jacques/Radio	L1S 2000W	2.9	40.1	9.7	67	0.7	15.5	5.8	869	3.79	4.5	0.7	0.2	8	0.3	0.5	0.3	72	0.09	0.109	14	30	0.46	143	0.009	0	1.96	0.002	0.07	0	0.06	1.3	0.2	0	9	0.5	0
L1S/2050W	6160600	345946	13-Oct	C	brn	30		Jacques/Radio	L1S 2050W	2	30.7	9.1	49	0.4	14.1	4.8	245	3.8	5.1	9.2	0.2	7	0.2	0.6	0.2	69	0.1	0.075	13	28	0.28	83	0.022	0	1.42	0.004	0.06	0	0.05	1.7	0.2	0	7	0	0
L1S/2100W	6160612	345904	04-Sep	B	brn	20		Gavin/Kevin	L1S 2100W	2.6	32.9	7.5	52	0.3	21	6.1	266	3.25	4.9	0.8	0.2	6	0.4	0.8	0.2	48	0.1	0.053	10	32	0.47	80	0.026	0	1.6	0.003	0.04	0	0.05	1.7	0.1	0	5	0	0
L1S/2150W	6160599	345853	04-Sep	B	lt brn	30		Gavin/Kevin	L1S 2150W	3.1	46.3	8.8	87	0	29	11.3	539	3.23	6.1	0	0.3	7	0.3	1.2	0.2	47	0.11	0.051	13	32	0.55	164	0.022	0	1.49	0.004	0.05	0	0.03	2.1	0.1	0	5	0	0
L1S/2200W	6160612	345803	04-Sep	B	brn	25		Gavin/Kevin	L1S 2200W	2.7	26.1	7.2	41	0.2	9	6.2	1205	1.9	3.1	0	0	12	0.4	0.6	0.2	37	0.17	0.102	11	20	0.18	131	0.007	0	1.07	0.003	0.08	0	0.02	0.3	0.1	0	5	0	0
L1S/2250W	6160615	345758	04-Sep	B	lt grey	65	Clayey, marshy meadow	Gavin/Kevin	L1S 2250W	1.6	29.5	10.6	68	0.5	18.5	7.8	314	2.13	4	0.8	0.4	25	0.4	0.7	0.2	55	0.36	0.062	16	38	0.74	337	0.015	0	1.95	0.007	0.06	0	0.07	3.9	0.2	0	6	0.7	0
L1S/2300W	6160611	345708	04-Sep	B	lt grey	50	Clay, marshy meadow	Gavin/Kevin	L1S 2300W	3	23	8.7	60	0.2	24.8	11.1	348	2.58	4.5	0	1.6	31	0.1	0.5	0.2	66	0.46	0.042	12	45	0.96	632	0.013	0	1.96	0.005	0.04	0	0.13	6.7	0.2	0	6	0	0
L1S/2350W	6160612	345654	04-Sep	B	brn	30		Gavin/Kevin	L1S 2350W	3.8	38.9	7.2	60	0.4	14.8	7.6	1231	4.28	3.9	4.6	0.1	4	0.3	0.6	0.4	73	0.09	0.09	10	39	0.35	90	0.026	0	1.87	0.003	0.05	0.1	0.05	1.4	0.2	0	8	0	0
L1S/2400W	6160611	345603	04-Sep	B	brn oj	40		Gavin/Kevin	L1S 2400W	1.6	31.4	7.1	56	0.4	22	6.4	191	2.51	4.2	5.2	0.4	9	0.2	0.4	0.3	44	0.12	0.059	12	37	0.47	61	0.027	0	1.82	0.004	0.04	0	0.07	1.7	0	0	5	0	0
L1S/2450W	6160604	345555	04-Sep	B	brn	30		Gavin/Kevin	L1S 2450W	3.2	56.6	8.3	69	0.1	25.6	8.3	270	3.91	7.6	2.9	0.2	6	0.4	0.9	0.3	58	0.06	0.067	11	38	0.49	71	0.015	0	1.58	0.003	0.04	0	0.06	1.5	0.1	0	5	0	0
L1S/2500W	6160602	345504	04-Sep	B	brn	25		Gavin/Kevin	L1S 2500W	2.3	38.3	6.6	57	0.4	16	6.2	272	3.59	4	1.2	0	5	0.2	0.6	0.3	68	0.08	0.102	11	30	0.38	83	0.021	0	1.52	0.003	0.05	0	0.06	1	0.1	0	6	0	0
L1S/2550W	6160614	345456	04-Sep				Notes missing	Gavin/Kevin	L1S 2550W	2.8	45.6	9.6	60	0.1	19.9	5.9	298	3.12	6.3	1.4	0.3	5	0.2	0.7	0.3	45	0.1	0.081	14	24	0.53	53	0.011	0	1.7	0.003	0.03	0	0.02	1.3	0.1	0	5	0	0
L1S/2600W	6160607	345399	03-Sep	B	brn	20		Gavin/Kevin	L1S 2600W	4	71.7	9.1	79	0.2	18.8	6.2	377	2.43	4.6	1	0.2	11	0.3	0.7	0.4	27	0.09	0.099	20	14	0.12	135	0.003	0	1.04	0.001	0.07	0	0.03	0.4	0.3	0	4	0	0
L1S/2650W	6160606	345351	03-Sep	B	brn	20		Gavin/Kevin	L1S 2650W	10.5	55.1	8.1	73	0.4	16.8	4.6	199	2.22	7.3	3.7	0.6	23	0.2	1	0.4	14	0.19	0.101	13	6	0.09	254	0.001	0	0.58	0.001	0.07	0	0.04	1.1	0.1	0	2	0.8	0
L1S/2700W	6160597	345305	03-Sep	B	dk-brn	25		Gavin/Kevin	L1S 2700W	6.4	52.1	12.1	96	0.1	17.5	10.8	2629	2.35	4.2	1.3	0	49	1.4	0.7	0.4	28	0.53	0.19	11	14	0.22	329	0.003	0	1.01	0.003	0.09	0	0.04	0.3	0.2	0.05	3	0	0
L1S/2750W	6160595	345258	03-Sep	B	brn	20		Gavin/Kevin	L1S 2750W	4.8	65.4	13.9	165	0.3	27	10.2	878	3.03	5.9	1.6	0.2	28	0.4	0.7	0.4	36	0.31	0.14	13	23	0.57	327	0.006	0	1.86	0.003	0.07	0	0.03	0.7	0.2	0	5	0.8	0
L1S/2800W	6160600	345200	03-Sep	B	lt brn	15		Gavin/Kevin	L1S 2800W	4.6	30.5	10.8	41	0.3	8.3	3.5	347	2.57	3.3	7.4	0	4	0.2	0.6	0.4	47	0.05	0.066	15	16	0.12	104	0.01	0	1.15	0.002	0.06	0	0.04	0.4	0.2	0	7	0	0
L20N/0W	6162602	347993	13-Oct	B	brn	45		Gavin/Kevin	L20N 0W	4	34.8	13.6	124	0.4	40.1	13	896	2.55	21.8	2.7	0.5	24	0.6	3	0.3	46	0.35	0.068	17	54	0.63	240	0.029	0	1.54	0.004	0.09	0	0.23	3.3	0.2	0	5	0.6	0
L20N/1000E	6162601	349000	13-Oct	C/B	grey	60	Clay, marshy meadow	Gavin/Kevin	L20N 1000E	0.2	42.8	19.4	251	0.2	25.2	5.4	210	1.66	14.1	6.2	2	20	1	5.5	0.5	47	0.31	0.06	17	38	0.62	250	0.035	0	1.42	0.004	0.06	0	0.36	4	0.3	0	4	0.5	0
L20N/100E	6162601	348099	13-Oct	B	yel-brn	35	Clayey	Gavin/Kevin	L20N 100E	2.6	28.8	10	69	1.2	34.7	7.3	346	2.99	14.6	2.8	0.6	9	0.2	1	0.2	52	0.1	0.048	14	58	0.61	120	0.029	0	1.56	0.005	0.08	0	1.34	3.1	0.2	0	6	0	0
L20N/100W	6162606	347904	13-Oct	B	brn	40		Gavin/Kevin	L20N 100W	3.9	41.2	12.3	100	0.7	40.2	8.6	456	2.02	11.5	3.8	0.2	22	0.5	2.1	0.2	38	0.27	0.106	18	62	0.55	164	0.016	0	1.72	0.003	0.09	0	0.96	1.7	0.2	0	5	0	0
L20N/1050E	6162599	349051	13-Oct	C/B	grey	55	Clay, marshy meadow	Gavin/Kevin	L20N 1050E	0.3	57.8	18.3	304	0.2	28.6	5.2	215	1.68	40	6.6	1.5	22	1.3	7.9	0.5	50	0.33	0.065	17	45	0.6	286	0.031	0	1.69	0.005	0.08	0	0.42	4.6	0.2	0	5	1.7	0
L20N/1100E	6162597	349103	13-Oct	N/S			Marshy	Gavin/Kevin	L20N 1100E	0.2	33.5	18.3	257	0.2	24.9	4.8	201	1.59	11.6	7	2	18	0.8	2.5	0.4	43	0.36	0.063	17	38	0.58	228	0.036	0	1.41	0.003	0.06	0.2	0.4	3.6	0.2	0	4	0	0
L20N/1150E	6162599	349153	13-Oct	N/S			Marshy	Gavin/Kevin	L20N 1150E																																		
L20N/1200E									L20N 1200E																																		
L20N/150E	6162602	348150	13-Oct	B	lt brn	40	Clayey	Gavin/Kevin	L20N 150E	2.5	31.2	12.9	110	0.3	41.3	13.6	1029	2.44	19.2	3	0.4	29	0.7	1	0.2	43	0.43	0.066	15	56	0.57	328	0.018	0	1.54	0.004	0.09	0	0.36	2.9	0.2	0	5	0.6	0
L20N/150W	6162584	347852	13-Oct	B	oj brn	30		Gavin/Kevin	L20N 150W	3.2	37.7	10.3	71	0.6	35.1	6.1	272	2.26	27	8.8	0.3	14	0.3	2.4	0.2	43	0.21	0.056	17	53	0.47	109	0.027	0	1.7	0.002	0.05	0	1.25	2.6	0.2	0	5	0	0
L20N/1850W	6162600	346150	29-Aug	B	oj brn	25	grey A horiz above	Gavin	L20N 1850W	30	84.2	31.1	85	0.8	26.2	6.6	286	4.42	64.4	3.7	0.8	26	0.8	7.8	0.9	73	0.03	0.069	17	38	0.73	194	0.022	0	2.7	0.009	0.18	0	0.06	4	0.8	0.11	9	2.9	0.3
L20N/1900W	6162605	346105	29-Aug	B/C	brn	5	thin, shallow B horizon, lots of small rocks	Gavin	L20N 1900W	17.3	135.4	40.4	123	0.8	54.4	13.4	517	5.03	35.2	8.2	1.9	14	0.3	17.6	0.9	107	0.08	0.113	12	45	1.06	460	0.06	0	3.08	0.004	0.33	0.1	0.04	5.1	0.6	0	10	1.5	0.3
L20N/1950W	6162599	346051	29-Aug	B	oj brn	35	grey A horiz above	Gavin	L20N 1950W	4.2	30.1	14.5	74	0.3	19	5.9	300	4.22	15	0	0.6	7	0.3	2.9	0.4	70	0.06	0.08	17	29	0.39	96	0.056	0	1.74	0.003	0.06	0	0.04	2.2	0.2	0	8	0	0
L20N/2000N	6162596	346000	29-Aug	B	oj brn	30	rocky, possibly C not B?	Gavin	L20N 2000W	10.9	37.4	21.7	69	0.7	12.1	3.8	438	4.08	22.5	2.3	0.6	5	0.1	8.2	0.5	50	0.03	0.159	19	20	0.22	134	0.012	0	1.83	0.002	0.07	0	0.06	1.9	0.4	0	7	1	0
L20N/200E	6162605	348202	13-Oct	B	oj

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L20N/2600W	6162598	345402	29-Aug	B	brn	40	on edge of avalanche path	Gavin	L20N 2600W	5.4	30.1	10.7	45	0.3	10.1	4.6	482	2.79	5.8	1.1	0.2	6	0.4	0.9	0.3	46	0.13	0.056	14	16	0.25	86	0.028	0	1.51	0.003	0.07	0	0.03	1.3	0.2	0	6	0.5	0
L20N/2650W	6162595	345350	29-Aug	B	brn	40		Gavin	L20N 2650W	3.2	33.3	9.1	51	0.3	13.1	5.4	315	3.52	7	1.3	0.1	5	0.4	0.9	0.2	54	0.22	0.053	10	20	0.33	142	0.021	0	1.9	0.004	0.03	0	0.06	1.4	0.2	0	7	0.7	0
L20N/2700W	6162604	345303	29-Aug	B	red brn	40		Gavin	L20N 2700W	6.5	46.8	13.1	78	0.2	20.6	12.2	671	5.29	11.1	2.7	0.8	5	0.3	1.2	0.3	54	0.11	0.073	11	34	0.39	158	0.019	0	2.25	0.002	0.05	0	0.14	3	0.2	0.06	7	0	0
L20N/2750W	6162599	345256	29-Aug	B	dk brn	60	some black mineral? Soil	Gavin	L20N 2750W	6.4	294.9	15.5	124	1.9	33	18.5	5616	3.01	12.7	4.7	0.6	114	2	1.6	0.4	26	1.45	0.301	30	54	0.29	343	0.009	0	2.34	0.004	0.12	0	1.26	7.2	0.4	0.14	4	2.7	0
L20N/2800W	6162604	345201	29-Aug	B	lt brn	45		Gavin	L20N 2800W	14.8	73.4	16.8	97	0.4	25.6	16.8	534	3.05	8.8	2.1	1.5	5	0.7	0.7	0.6	47	0.02	0.115	13	26	0.27	465	0.003	0	2.14	0.001	0.05	0	0.09	2.2	0.4	0	8	0	0
L20N/2850N	6162611	345150	29-Aug	B	oj brn	30		Gavin	L20N 2850W	5.7	32.9	7.6	46	0.3	13.3	8.1	432	3.65	6.1	0.9	0.1	4	0.2	0.5	0.3	63	0.09	0.074	10	35	0.23	144	0.007	0	1.7	0.002	0.04	0	0.09	1.2	0.2	0	7	0	0
L20N/2900W	6162593	345097	29-Aug	B	brn	60		Gavin	L20N 2900W	8.3	98.3	21	122	0.1	25.6	15.2	1282	5.41	17.2	3.1	0.3	12	0.2	2.2	0.6	41	0.04	0.207	12	16	0.24	140	0.008	0	1.31	0.003	0.07	0.1	0.05	1.1	0.2	0	7	0.5	0
L20N/2950W	6162598	345053	29-Aug	B	lt brn	10		Gavin	L20N 2950W	5.6	59.2	12	84	0.2	16.9	9.2	518	3.54	8.2	1.5	0.2	6	0.2	0.9	0.4	48	0.12	0.071	12	15	0.11	138	0.009	0	1.04	0.002	0.07	0	0.07	1.4	0.1	0	5	0	0
L20N/3000W	6162600	345000	29-Aug	B	oj	25		Gavin	L20N 3000W	4.5	58.9	10.2	87	0.3	21.1	8.4	361	4.92	11.7	2.9	1	5	0.3	1.1	0.3	41	0.12	0.05	11	20	0.34	78	0.031	0	1.76	0.003	0.04	0	0.06	3.4	0.1	0	5	0.7	0
L20N/300E	6162608	348303	13-Oct	B	yel-brn	30		Gavin/Kevin	L20N 300E	2	36.6	11.4	115	0.2	52.6	12.1	659	3.41	20.9	4.1	1	13	0.4	2.1	0.2	55	0.29	0.047	17	66	0.95	243	0.047	0	2.07	0.005	0.12	0	1.32	3.5	0.3	0	6	0	0
L20N/300W	6162600	347700	13-Oct	B	brn	30		Gavin/Kevin	L20N 300W	1.8	11.9	11.7	41	0.2	12	4	379	1.25	15.8	1.1	0.4	12	0.2	0.8	0.3	44	0.14	0.032	18	32	0.36	239	0.036	0	1.22	0.003	0.09	0	1.18	2.1	0.2	0	6	0	0
L20N/350E	6162597	348352	13-Oct	B	or brn	40		Gavin/Kevin	L20N 350E	2.7	38	15.5	107	0.2	44	10.5	596	3.72	38.4	4.4	1.8	11	0.5	3.6	0.3	58	0.15	0.125	14	69	0.68	145	0.041	0	1.75	0.004	0.11	0	47.97	4	2.7	0	6	0	0
L20N/400E	6162607	348394	13-Oct	B	yel-brn	30		Gavin/Kevin	L20N 400E	2.5	42.6	13.1	98	0.3	50.1	10.3	444	3.54	18.9	5.8	2.4	11	0.4	2.2	0.2	64	0.12	0.059	16	72	0.85	156	0.044	0	2.14	0.002	0.1	0	6.04	4.3	0.4	0	6	0.5	0
L20N/450E	6162601	348451	13-Oct	B	lt oj brn	30		Gavin/Kevin	L20N 450E	2.4	26.1	12.1	136	0.1	36.7	8.3	353	3.12	13.5	1.2	2.5	10	0.5	1.7	0.2	81	0.11	0.082	16	67	0.56	129	0.041	0	2.54	0.003	0.08	0	0.51	5.7	0.2	0	9	0	0
L20N/500E	6162605	348488	13-Oct	B	lt oj brn	30		Gavin/Kevin	L20N 500E	2.1	29.6	9.6	113	0.1	41.2	9	393	3.74	14.9	6.3	2.1	9	0.3	1	0.2	69	0.13	0.126	14	71	0.76	111	0.036	0	2.22	0.002	0.08	0	0.37	4.8	0.2	0	8	0	0
L20N/50E	6162603	348054	13-Oct	B	red brn	25		Gavin/Kevin	L20N 50E	2.1	19.6	8.8	64	0.5	22.4	6.4	717	2.73	10.3	1	0.7	9	0.2	1.3	0.2	62	0.15	0.14	12	54	0.45	111	0.047	0	1.49	0.004	0.08	0	0.37	3	0.2	0	7	0	0
L20N/50W	6162600	347950	13-Oct	B	lt yel	35		Gavin/Kevin	L20N 50W	3.3	28.2	10.9	63	0.2	26.7	6.5	303	2.64	14.1	1.9	1.5	9	0.3	1.8	0.3	54	0.11	0.03	18	50	0.54	152	0.041	0	1.65	0.002	0.1	0	0.36	3.2	0.2	0	6	0	0
L20N/550E	6162604	348549	13-Oct	B	oj yel	35	~10m above cliff	Gavin/Kevin	L20N 550E	1.8	38.6	11.2	112	0.1	62.6	12.4	369	3.49	14.7	2.5	1.6	10	0.9	1	0.2	73	0.17	0.032	14	78	0.88	169	0.048	0	2.85	0.003	0.05	0	0.95	5.3	0.2	0	8	0	0
L20N/600E	6162605	348598	13-Oct	B	brn	35	Just below 30x60m locally dolomitized grey, fg LST cliff.	Gavin/Kevin	L20N 600E	0.7	24.8	22.7	132	0.4	48.5	12.6	1963	3.83	18.9	2.5	1.2	22	5.7	3.6	0.3	80	2.6	0.129	53	83	0.39	150	0.022	0	2.06	0.004	0.08	0	13.23	5.9	0.2	0	5	0	0
L20N/650E	6162597	348653	13-Oct	B	red-brn	40		Gavin/Kevin	L20N 650E	2	16.9	6.5	55	0	29.4	6.4	292	3.94	10.5	1.2	1.2	10	0.3	0.6	0	69	0.15	0.079	8	101	0.4	95	0.091	0	1.06	0.003	0.04	0	0.33	2.8	0	0	5	0	0
L20N/700E	6162598	348703	13-Oct	B	yel-brn	30		Gavin/Kevin	L20N 700E	1.5	24	5.3	59	0.1	59.1	9.8	327	2.87	8.9	1	1.3	13	0.6	0.6	0	47	0.22	0.104	8	111	0.67	92	0.066	0	1.09	0.002	0.04	0	0.32	3	0	0	3	0	0
L20N/750E	6162606	348751	13-Oct	B	yel-brn	25		Gavin/Kevin	L20N 750E	1	14.8	4.8	40	0.2	33.6	6.4	231	1.77	4.5	1.4	0.8	14	0.2	0.3	0	40	0.2	0.029	10	74	0.54	163	0.065	0	0.98	0.004	0.06	0	0.12	2.9	0	0	4	0	0
L20N/800E	6162602	348791	13-Oct	B/C	grey	20	Clayey, sandy. On edge of marshy meadow.	Gavin/Kevin	L20N 800E	0.8	17.8	3.9	41	0.1	37.8	7.3	373	1.41	2.6	1.3	0.4	15	0.2	0.4	0	35	0.24	0.046	10	79	0.56	140	0.054	0	0.95	0.004	0.04	0	0.46	2.6	0	0	3	0	0
L20N/850E	6162600	348850	13-Oct	N/S			Would have been in creek.	Gavin/Kevin	L20N 850E																																			
L20N/900E	6162567	348902	13-Oct	N/S			Marshy	Gavin/Kevin	L20N 900E																																			
L20N/950E	6162595	348952	13-Oct	N/S			Marshy	Gavin/Kevin	L20N 950E																																			
L21S/1000W	6158605	347001	11-Sep	B	brn	20		Kevin/Michael	L21S 1000W	4	110.6	10.6	126	0.2	73.5	16.7	829	4.32	12	2	3	33	0.4	1.1	0.2	55	0.47	0.055	17	51	0.63	260	0.029	0	1.93	0.003	0.1	0	0.1	5.5	0.2	0	5	0.8	0
L21S/1050W	6158606	346942	11-Sep	B	lt brn	40		Kevin/Michael	L21S 1050W	3.5	105.6	9.1	110	0.3	67.3	16	809	3.52	7.6	2.8	3.3	24	0.5	1	0.2	58	0.38	0.032	20	116	0.82	289	0.022	0	1.65	0.002	0.06	0	0.09	8.8	0.2	0	5	0	0
L21S/1100W	6158602	346895	11-Sep	B	brn	40		Kevin/Michael	L21S 1100W	7.7	173.6	18.4	241	1.3	76.9	20.2	1957	5.11	12.6	3	5.8	76	1.3	0.8	0.7	69	0.83	0.063	27	48	0.42	815	0.004	0	3.41	0.003	0.12	0	0.15	8.7	0.4	0	9	0.7	0
L21S/1150W	6158601	346848	11-Sep	B	lt brn	35		Kevin/Michael	L21S 1150W	2.8	22.1	10.3	69	0.5	16.1	5.9	207	3.14	6.7	0.8	2.2	7	0.3	0.7	0.2	75	0.07	0.144	11	36	0.3	136	0.044	0	1.92	0	0.05	0	0.09	3.9	0.1	0	8	0	0
L21S/1200W	6158600	346802	11-Sep	B	lt oj brn	30		Kevin/Michael	L21S 1200W	3.8	43.9	6.2	56	0	16.6	7.1	199	2.49	6.6	2.4	2.6	7	0	0.6	0.2	62	0.07	0.023	18	22	0.18	82	0.019	0	0.89	0	0.06	0	0.01	2.5	0.1	0	6	0	0
L21S/1250W	6158601	346751	11-Sep	B	lt oj brn	40		Kevin/Michael	L21S 1250W	2.2	24	4.9	76	0	24.1	6	253	2.23	3.2	0.6	1.8	7	0.2	0.3	0	35	0.1	0.03	12	28	0.42	118	0.025	0	1.43	0	0.05	0	0.02	2.5	0	0	4	0	0
L21S/1300W	6158593	346704	11-Sep	B	oj brn	40		Kevin/Michael	L21S 1300W	2.5	34	7.3	63	0	19.4	5.4	291	3.42	6.5	0	2.3	5	0	0.5	0.1	52	0.06	0.049	12	32	0.44	112	0.03	0	1.82	0	0.05	0	0.02	3	0.1	0	5	0	0
L21S/1350W	6158601	346644	11-Sep	N/S			Marsh, Auger down to handle, still A	Kevin/Michael	L21S 1350W																																			
L21S/1400W	6158594	346606	11-Sep	B	oj brn	40		Kevin/Michael	L21S 1400W	7	37.9	6.1	86	0	57.2	16.7	493	4.75	6.3	0	2	7	0.4	1.3	0.2	214	0.09	0.033	11	194	0.95	170	0.004	0	2.11	0	0.03	0	0.03	9.7	0.1	0	14	0	0
L21S/1450W	6158602	346557	11-Sep	N/S			Dried up marsh, 60cm of A	Kevin/Michael	L21S 1450W																																			
L21S/1500W	6158601	346497	11-Sep	B	lt brn	45		Kevin/Michael	L21S 1500W	2.9	21.9	7.1	128	0.3	17	8.8	526	1.96	2.6	0	1.2	27	0.4	0.2	0.1	54	0.34	0.022	11	39	0.42	268	0.038	0	1.73	0.001	0.04	0	0.02	3.6	0.1	0	7	0	0
L21S/1550W	6158597	346449	11-Sep	B	lt brn	35		Kevin/Michael	L21S 1550W	3.4	43	7.4	112	0.2	24.3	14.2	776	4.9	13.6	0.7	1.5	10	0.4	0.8	0.2	87	0.18	0.203	10	41	0.42	99	0.071	0	1.51	0	0.06	0	0.03	5.6	0	0	7	0	0
L21S/1600W	6158598	346398	11-Sep	B	lt brn	30		Kevin/Michael	L21S 1600W	5.2	168.7	16	241	3	133.8	25.9	5362	4.49	9.6	6	1.6	76	5	1	0.3	61	1.37	0.143	50	82	0.48	506	0.024	0	3.06	0.006	0.1	0	0.25	9.3	0.4	0	7	1.6	0
L21S/1650W	6158604	346349	11-Sep	B	lt oj brn	45		Kevin/Michael	L21S 1650W	3	57.6	7.6	194	0.6	44.2	15	913	2.75	4.1	2.1	1.3	42	0.9	0.6	0.1	52	0.56	0.045	21	44	0.6	314	0.027	0	2.03	0.002	0.07	0	0.05	3.9	0.1	0	6	0	0
L21S/1700W	6158601	346299	11-Sep	B	lt brn	25		Kevin/Michael	L21S 1700W	3.9	68.6	11.3	191	0.7	57.7	16.8	1442	3.89	8.4	1.1	2.1	52	1.2	0.9	0.3	58	0.52	0.077	16	52	0.51	336	0.026	0	2.18	0.001	0.1	0	0.06	5.2	0.2	0	6	0	0
L21S/1750W	6158599	346251	11-Sep	B	lt oj brn	35		Kevin/Michael	L21S 1750W	2.4	22	6.9	75	0.1	17.3	6.1	246	2.64	16.2	1.1	1.3	21	0.4	1	0.2	53	0.25	0.082	10	29	0.2	117	0.066	0	0.83	0	0.08	0	0.03	2.4	0	0	5	0	0
L21S/1800W	6158600	346200	11-Sep	B	lt oj brn	40		Kevin/Michael	L21S 1800W	2	40.2	10	127	0.6	31.1	17.4	1548	2.84	4	5.2	1.2	52	0.9	0.4	0.2	65	0.6	0.045	13	44	0.39	387	0.028	0	1.79	0.002	0.07	0	0.03	4.5	0	0	7	0	0
L21S/1850W	6158600	346150	11-Sep	B	lt brn			Kevin/Michael	L21S 1850W	1.9	33.5	7.5	71	0.7	21.8	8.6	604	2.13	5	1.1	0.7	49	0.6	0.5	0.1	49	0.58	0.054	19	32	0.31	289	0.037	0	1.51	0	0.05	0	0.04	3.3	0	0	5	0	0
L21S/200W	6158600	347800	11-Sep	B	brn	30		Kevin/Michael	L21S 200W	3.3	21	8.6	95	0.3	18.8	6.5	428	3.76	9.4	0.7	1.8	6	0.3	1	0.2	58	0.08	0.151	8	38	0.27	59	0.075	0	1.47	0	0.06	0.2	0.04	2.5	0	0	7	0	0
L21S/250W	6158603	347750	11-Sep	B	lt brn	25		Kevin/Michael	L21S 250W	4.3	28.6	8.6	151	0.2	21	12.8	299	4.52	7.6	0	1.4	32	0.4	0.8	0.2	81	0.25	0.071	14	39	0.29	229	0.028	0	1.73	0.001	0.06	0	0.04	3.2	0	0	9	0	0
L21S/300W	6158597	347699	11-Sep	B	lt brn	60		Kevin/Michael	L21S 300W	2.6	76.4	9	72	0.2	23.8	10.9	577	2.69	5.1	4.5	1.5	63	0.5	0.6	0.2	45	0.63	0.028	10	48	0.47	278	0.074	0	1.41	0.003	0.06	0	0.11	5	0.1	0	5	0.8	0
L21S/350W	6158595	347651	11-Sep	N/S			Boggy. 50cm of A above bedrock	Kevin/Michael	L21S 350W																																			
L21S/400W	6158597	347602	11-Sep	B	oj brn	35		Kevin/Michael	L21S 400W	3.7	24.1	6.8	60	0	16.8	5.3	239	3.23	8.7	41.5	1.2	9	0.2	1	0.2	73	0.11	0.04	6	32	0.26	74	0.07	0	1.09	0	0.05	0	0.03	2.3	0	0	6	0	0
L21S/450W	6158599	347552	11-Sep	B	brn	30		Kevin/Michael	L21S 450W	2.7	25.6	7.4	86	0.2	20.6	6.7	395	2.9	8.7	0	1.1	8	0.3	0.9	0.2	47	0.13	0.097	9	36	0.28	97	0.045	0	1.29	0.001	0.05	0	0.03	2.4	0	0	5	0	0
L21S/500W	6158598	347501	11-Sep	B	lt oj brn	50		Kevin/Michael	L21S 500W	2.1	14.7	6.3	43	0	9.3	3.2	166	1.69	4.5	0.5	1.2	6	0.2	0.6	0.1	52	0.09	0.038	9	18	0.15	69	0.069	0	0.85	0	0.04	0	0.02	1.7	0	0	6	0	0
L21S/550W	6158604	347449	11-Sep	B	lt brn	45		Kevin/Michael	L21S 550W	4.1	78.8	13.3	87	0.4	36.8	13	621	3.34	19.2	2.1	1.7	47	0.4	2	0.3	44	0.59	0.06	12	52	0.59	343	0.014	0	1.64	0.004	0.1	0	0.18	4	0.1	0	5	1.1	0
L21S/600W	6158601	347399	11-Sep	B	brn	50		Kevin/Michael	L21S 600W	3.5	184.6	18.1	168	1.7	51.5	11.8	502	3.6	9.1	14	4.3	75	0.5	0.6	0.7	26	0.91	0.118	31	40	0.67	312	0.002	0	1.91	0	0.1	0	0.66	5.8	0.2	0	4	1.5	0
L21S/650W	6158600	347349	11-Sep	B	lt brn	40		Kevin/Michael	L21S 650W	4.6	126.4	11.9	84	0.6	42.2	15.1	3507	3.03	8	0.7	1.6	63	1	0.9	0.2	69	0.82	0.038	22	62	0.44	484	0.029	0	1.86	0.001	0.06	0	0.19	6.1	0.2	0	7	0.8	0
L21S/700W	6158601	347299	11-Sep	B	brn	35		Kevin/Michael	L21S 700W	4.8	181.2	12.2	106	0.6	55.5	13.2	1499	3.25	11.7	10.3	2.1	48	0.7	1	0.3	56	0.52	0.038	22	59	0.58	402	0.019	0	2	0.005	0.06	0	0.25	6.4	0.2	0	7	1.2	0
L21S/750W	6158607	347249	11-Sep	B	lt brn	35		Kevin/Michael	L21S 750W	3	76.5	7.6	63	0.8	46.8	11.4	425	3.08	13.2	2.1	1.6	53	0.7	1.2	0.2	45	0.62	0.029	13	41	0.5	303	0.025	0	1.4	0.002	0.06	0	0.1	4.1	0.1	0	4	0	0
L21S/800W	6158597	347202	11-Sep	B	lt brn	60		Kevin/Michael	L21S 800W	2.3	41.8	6.5	91	0.4	38	12.9	627	2.75	3.7	3.2	1.1	37	0.2	0.6	0.1	43	0.5	0.044	10	54	0.7	251	0.02	0	1.4	0.003	0.08	0	0.35	6.8	0.1	0	4	0	0
L21S/850W	6158604	347146	11-Sep	B	oj brn	25		Kevin/Michael	L21S 850W	3.1	22.7	6.6	68	0.2	19	7	282	2.62	6.5	0	1.6	8	0.2	0.6	0.1	51	0.08	0.042	9	34	0.38	186	0.038	0	1.48	0	0.06	0	0.04	2.8	0.1	0	6	0	0
L21S/900W	6158603	347100	11-Sep	B	oj brn	40		Kevin/Michael	L21S 900W	3	24.4	7.7	129	0.2	19.5	8.6	455	2.91	6.1	0.9	1.4	35	0.9	0.6	0.2	56	0.45	0.054	9	36	0.32	314	0.043	0	1.15	0.001	0.11	0	0.04	2.7	0	0	6	0	0
L21S/950W	6158603	347050	11-Sep	B	red brn	40		Kevin/Michael	L21S 950W	2.6	88.7	10.3	92	0.4	32.9	11.6	1060	2.8	4.7	1.5	2.2	56	0.6	0.5	0.2	52	0.81	0.037	20	33	0.47	368	0.014	0	1.65	0.002	0.08	0	0.07	4.6	0.2	0	5	0.6	0
L22N 50E									L22N 50E	3	27.3	10.7	66	0.3	27.8	6.3	283	2.88	14.1	1.3	0.8	7	0.4	1.7	0.2	45	0.09	0.028	14	49	0.46	171	0.035	0	1.63	0.002	0.08	0	1.07	2.8	0.2	0	6	0	0
L22N/050E	6162789	348050	15-Oct	B	lt brn	25		Gavin/Kevin	L21S 1000W	4	110.6	10.6	126	0.2	73.5	16.7	829	4.32	12	2	3	33	0.4	1.1	0.2	55	0.47	0.055	17	51	0.63	260	0.029	0	1.93	0.003	0.1	0	0.1	5.5	0.2	0	5	0.8	0
L22N/0W	6162783	347999	15-Oct	B/C	grey	35	Clay. In swampy spot.	Gavin/Kevin	L22N 0W	2.5	34.2	11	103	0.3	41.9	10.4	438	2.44	11.9	5	0.5	17	0.5	1.1	0.2	40	0.23	0.058	17	54	0.64	209	0.022	0	1.42	0.003	0.1	0	0.5	3	0.2	0	5	0	0
L22N/1000E	6162791	349004	07-Sep	B	grey brn	25		Gavin/Kevin	L22N 1000E	0.2	2.3	6	13	0.1	3.9	1.1	37	0.38	1	0.9	0.2	11	0.2	0.2	0.1	24	0.23	0.013	12	22	0.12	102	0.035	0	0.65	0	0.04	0	0.49	1	0.1	0	5	0	0
L22N/100E	6162783	348092	15-Oct	B	lt brn	30		Gavin/Kevin	L22N 100E	2.6	24.3	9	64	0.1	32.3	6.8	335	3.25	12.5	1.7	1.3	9	0.3	1.5	0.2	51	0.09	0.034	13	63	0.54	107	0.047	0	1.53	0.001	0.08	0	0.37	3.3	0.2	0	6	0	0
L22N/100W	6162784	347900	15-Oct	B	brn	25		Gavin/Kevin	L22N 100W	3.3	25.2	9.8	99	0.2	29.8	8.4	458	2.39	15	2.8	0.2	15	0.4	0.6	0.2	48	0.18	0.045	15	53	0.57	195	0.019	0	1.71	0.003	0.07	0	0.34	2.1	0.2	0	6	0.5	0
L22N/1050E	6162797	349054	07-Sep	B	oj	20		Gavin/Kevin	L22N 1050E	1.7	16.9	8.8	59	0.6	27.1	7.4	339	4.02	12	0.8	1.3	8	0.2	1.8	0.1	91	0.16	0.169	8	81	0.54	73	0.096	0	1.57	0	0.04	0.2	0.18	3.5	0	0	7	0	0
L22N/1100E	6162799	349102	07-Sep	B	oj brn	15		Gavin/Kevin	L22N 1100E	1.5	13.9	7.9	57	0.1	22	6.4	311	3.05	8.3	0.7	1.2	6	0.1	1.7	0.2	88	0.1	0.127	8	55	0.33	47	0.109	0

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L22N/2200W	6162779	345801	12-Oct	C	grey	30		Jacques/Radio	L22N 2200W	3.2	40.8	34.6	229	0.3	31	21.6	1148	4.21	10.8	2.7	0.9	33	3.1	4.9	0.3	67	1.07	0.414	43	51	0.61	253	0.009	0	2.36	0.005	0.05	0	0.18	3.2	0.2	0	5	0.6	0
L22N/2250W	6162778	345745	12-Oct	C	brn	20		Jacques/Radio	L22N 2250W	4.7	53.4	10.9	190	0.7	14.7	11.6	667	3.2	5.4	0	0	7	0.4	0.7	0.3	51	0.07	0.079	13	20	0.35	131	0.008	0	2.14	0.004	0.06	0	0.07	0.9	0.3	0	7	0	0
L22N/2300W	6162781	345692	12-Oct	C	brn	25		Jacques/Radio	L22N 2300W	7.1	81.4	23	125	0.6	12.9	51.7	2219	2.33	3.1	1.9	0.1	31	0.9	0.4	0.5	46	0.25	0.098	19	16	0.19	303	0.004	0	1.61	0.006	0.08	0	0.04	0.5	0.5	0	7	0.5	0
L22N/2350W	6162780	345651	12-Oct	C	brn	25		Jacques/Radio	L22N 2350W	5.8	85.6	10.8	143	0.3	29.8	10.9	591	3.39	8.2	1.6	2.3	65	0.4	1.5	0.4	38	0.52	0.086	22	22	0.74	298	0.004	0	2	0.004	0.09	0	0.06	3.5	0.3	0	6	1	0
L22N/2400W	6162782	345600	12-Oct	C	brn	30		Jacques/Radio	L22N 2400W	7.2	142.5	16.2	134	0.8	24.9	13.3	2101	2.85	7.7	0.9	0.4	80	2.4	1.1	0.5	37	0.57	0.101	32	23	0.46	294	0.008	0	1.84	0.007	0.1	0.1	0.1	2.8	0.3	0	6	1.1	0
L22N/2450W	6162784	345549	12-Oct	C	brn	30		Jacques/Radio	L22N 2450W	6.7	205.3	13.3	153	0.8	40.2	15.6	1376	3.45	14.2	2.4	1.4	80	2	1.9	0.3	38	0.61	0.128	51	45	0.67	137	0.026	0	1.56	0.005	0.09	0	0.33	4.5	0.4	0	5	1.9	0
L22N/2500W	6162788	345500	12-Oct	C	brn	25		Jacques/Radio	L22N 2500W	7.6	51.8	9.9	153	0.3	14.2	8.8	560	3.13	4.7	0	0.5	50	0.6	0.4	0.2	76	0.38	0.066	20	26	0.39	284	0.022	0	2.25	0.004	0.07	0	0.04	3.5	0.3	0	9	0.8	0
L22N/250E	6162799	348250	15-Oct	B	yel brn	40	clayey	Gavin/Kevin	L22N 250E	2	23.3	8.6	53	0.1	29	6.1	280	2.94	11.2	5.6	1.7	9	0.2	0.7	0.2	59	0.11	0.043	14	58	0.56	94	0.048	0	1.76	0.001	0.06	0	0.43	3.7	0.2	0	6	0	0
L22N/2550W	6162786	345449	12-Oct	C	brn	30		Jacques/Radio	L22N 2550W	24.1	368	24.7	703	1	99	31.7	7879	4.39	8	2.8	1.1	130	5.9	0.7	0.4	55	0.71	0.158	45	39	0.48	327	0.012	0	3.85	0.007	0.1	0	0.17	2.8	1.2	0	7	3.3	0
L22N/2600W	6162791	345399	12-Oct	C	brn	25		Jacques/Radio	L22N 2600W	6.3	75.4	11.2	222	0	32.3	7.3	749	2.84	3	0	0.8	59	1.4	0.6	0.3	48	0.38	0.054	21	20	0.58	483	0.007	0	1.83	0.003	0.07	0	0.06	2.3	0.2	0	7	1.2	0
L22N/2650W	6162788	345347	12-Oct	C	brn	25		Jacques/Radio	L22N 2650W	3	28.5	6.6	87	0.4	15	4.1	215	1.92	2.2	0	1.2	8	0.3	0.3	0.2	41	0.09	0.022	16	20	0.47	86	0.018	0	1.57	0.001	0.06	0	0.04	2.9	0.2	0	6	0	0
L22N/2700W	6162789	345296	12-Oct	C	brn	25		Jacques/Radio	L22N 2700W	2.2	5.5	7.5	21	0	3.2	1.3	78	0.55	1.2	0	1.5	9	0	0.5	0.2	51	0.11	0.014	27	12	0.14	149	0.074	0	1.15	0.004	0.06	0	0.02	1.9	0.3	0	8	0	0
L22N/2750W	6162790	345245	12-Oct	C	brn	25		Jacques/Radio	L22N 2750W	4.3	56.4	11.9	187	0.3	28.6	12.7	1235	3.26	7.6	0.9	0.5	54	1.1	0.8	0.3	48	0.74	0.111	17	37	0.53	304	0.014	0	2	0.004	0.11	0	0.12	3.2	0.2	0	6	1.2	0
L22N/2800W	6162797	345199	12-Oct	C	brn	25		Jacques/Radio	L22N 2800W	1.9	16.6	8.5	39	0.2	7.5	3.3	195	2.19	4.3	0	0.4	7	0.2	0.6	0.2	77	0.31	0.047	12	18	0.24	93	0.068	0	1.37	0.004	0.06	0	0.12	2	0.1	0	9	0	0
L22N/2850W	6162794	345147	12-Oct	B	brn	25		Jacques/Radio	L22N 2850W	2.9	51.2	10.9	116	0.3	15.3	11.3	1949	3.03	6.1	1.5	0.2	14	0.4	0.5	0.2	54	0.29	0.109	16	26	0.41	229	0.014	0	2.17	0.006	0.09	0	0.07	2.6	0.2	0	7	1	0
L22N/2900W	6162799	345098	12-Oct	C	brn	30		Jacques/Radio	L22N 2900W	6	192.4	20.6	252	0.8	72.7	24	4647	4.66	9.9	4	2.2	88	2.6	1.1	0.3	65	0.91	0.168	22	45	0.89	759	0.01	0	4.14	0.008	0.21	0	0.25	8.1	0.5	0	9	1.9	0
L22N/2950W	6162801	345051	12-Oct	B	brn	30		Jacques/Radio	L22N 2950W	4.3	60.9	9.1	248	0.3	25.9	13.5	3393	3.92	5.7	0.7	1.6	28	1	0.5	0.2	63	0.4	0.088	16	30	0.47	447	0.037	0	2.99	0.006	0.08	0	0.13	5.1	0.3	0	9	0.9	0
L22N/3000W	6162801	345001	12-Oct	C	brn	25		Jacques/Radio	L22N 3000W	9.8	94.2	19.5	180	0.2	32.8	20.2	2400	3.33	8.8	1.5	1.8	19	0.4	0.8	0.4	34	0.17	0.096	17	14	0.14	430	0.003	0	1.39	0.005	0.09	0	0.12	3.2	0.2	0	4	1	0
L22N/300E	6162804	348303	15-Oct	B	lt brn	25		Gavin/Kevin	L22N 300E	1.9	19.1	8	71	0.2	34.7	6.9	394	2.73	8.9	1.8	1.5	10	0.2	0.7	0.1	51	0.12	0.053	15	59	0.74	132	0.038	0	1.77	0.003	0.11	0	0.19	3.4	0.2	0	6	0	0
L22N/350E	6162809	348345	15-Oct	B	lt brn	35		Gavin/Kevin	L22N 350E	2.6	43.1	11.8	115	0.2	70.9	9.9	466	4.09	18.8	2.1	1.7	10	0.6	1	0.2	66	0.16	0.092	11	89	0.87	129	0.035	0	2.14	0.002	0.09	0	0.56	4.3	0.2	0	7	0	0
L22N/400E	6162799	348402	15-Oct	B	lt oj brn	35		Gavin/Kevin	L22N 400E	2.5	21.8	12	72	0.1	31.1	7	383	4.32	21	0.9	1.2	8	0.3	1.1	0.2	66	0.1	0.112	12	66	0.53	79	0.054	0	1.72	0.003	0.06	0	1.25	3.6	0.2	0	6	0	0
L22N/450E	6162796	348452	15-Oct	B	oj brn	30		Gavin/Kevin	L22N 450E	1.4	11.9	7.3	52	0.2	17.5	3.5	207	2.64	10.2	0	1.2	8	0.2	0.5	0	67	0.12	0.048	10	53	0.3	50	0.068	0	1.42	0.003	0.03	0	0.27	3.7	0.1	0	7	0	0
L22N/500E	6162785	348502	15-Oct	B	oj brn	40		Gavin/Kevin	L22N 500E	2.3	27.9	9.7	77	0.3	27.5	6.5	210	3.56	24.2	2	1.7	10	0.3	0.9	0.1	61	0.11	0.071	10	73	0.41	94	0.032	0	1.75	0.004	0.07	0	1.09	3.8	0.1	0	6	0	0
L22N/50W	6162788	347947	15-Oct	B	brn	35	clayey	Gavin/Kevin	L22N 50W	3.3	41.5	12.8	90	0.5	45.3	10.9	366	2.89	15.3	3.5	0.4	16	0.4	0.8	0.2	48	0.23	0.042	17	62	0.61	221	0.023	0	1.97	0.004	0.09	0	0.25	2.7	0.2	0	6	0	0
L22N/550E	6162799	348554	15-Oct	B	lt brn	40		Gavin/Kevin	L22N 550E	1.6	29.3	6.7	73	0.4	68.9	11.2	294	3.46	17	1.7	1.7	13	0.4	0.7	0	63	0.26	0.094	7	153	0.79	92	0.063	0	1.44	0.005	0.05	0	0.12	4	0	0	5	0	0
L22N/600E	6162799	348602	15-Oct	B	oj brn	35		Gavin/Kevin	L22N 600E	1.4	25.2	4.2	61	0.1	79.1	9.7	259	3.28	10.5	2.7	1.5	11	0.3	0.6	0	52	0.2	0.085	7	124	0.82	110	0.067	0	1.33	0.003	0.04	0	0.26	3.4	0	0	4	0	0
L22N/650E	6162803	348644	15-Oct	B	lt oj brn	40		Gavin/Kevin	L22N 650E	2	22.2	5.7	64	0	53.5	8.4	260	3.1	8.9	0	1.4	10	0.3	0.6	0	66	0.19	0.122	7	125	0.62	100	0.075	0	1.82	0.003	0.04	0	0.1	3.8	0	0	6	0	0
L22N/700E	6162799	348697	15-Oct	B	lt oj brn	35		Gavin/Kevin	L22N 700E	1.8	31	8.6	70	0.3	43.2	7.7	308	3.93	20.2	0	1.8	10	0.4	1.9	0.2	65	0.19	0.28	7	109	0.62	88	0.052	0	1.67	0.005	0.05	0	1.01	4.1	0.2	0	6	0	0
L22N/750E	6162796	348751	15-Oct	B/C	grey	40	Clay. Next to Marsh	Gavin/Kevin	L22N 750E	0.6	34	13.4	101	0.3	51.2	9.8	258	2.53	26.8	4.5	2	10	0.3	2.3	0.2	43	0.18	0.043	19	62	0.68	284	0.024	0	1.74	0.006	0.06	0	2.12	4.5	0.5	0	5	0	0
L22N/800E	6162800	348802	07-Sep	N/S			Marsh	Gavin/Kevin	L22N 800E																																			
L22N/850E	6162800	348851	07-Sep	N/S			Marsh	Gavin/Kevin	L22N 850E																																			
L22N/900E	6162799	348901	07-Sep	N/S			Marsh	Gavin/Kevin	L22N 900E																																			
L22N/950E	6162801	348953	07-Sep	N/S			Marsh	Gavin/Kevin	L22N 950E																																			
L23S/1000W	6158399	346999	24-Aug	B	oj brn	30	Wht A horiz above B	Gavin/Radio	L23S 1000W	1.9	19.4	4	59	0.3	14.5	3.7	148	1.65	2.9	0.8	2	4	0.2	0.4	0.1	24	0.05	0.049	12	20	0.31	70	0.021	0	1.11	0.002	0.03	0	0.04	1.7	0	0	3	0	0
L23S/1050W	6158404	346951	24-Aug	B	lt grey	35	15cm thick lt grey A horiz above B	Gavin/Radio	L23S 1050W	1.1	4.7	4.6	22	0	5.6	1.7	91	0.77	1.5	1.7	1.5	5	0	0.2	0.1	18	0.06	0.017	18	11	0.17	83	0.025	0	0.53	0.004	0.05	0	0	0.9	0	0	3	0	0
L23S/1100W	6158399	346902	24-Aug	B	oj brn	35		Gavin/Radio	L23S 1100W	10.1	59.4	15.2	143	0.3	32.5	13.1	286	4.23	14.4	0.7	3.7	11	0.9	1.6	0.4	34	0.04	0.12	24	19	0.15	133	0.012	0	0.86	0.002	0.08	0	0.04	3.6	0.1	0	4	0.6	0
L23S/1150W	6158400	346851	24-Aug	B	lt oj brn	30	Very pale colour, next to OCG01	Gavin/Radio	L23S 1150W	1.6	26	5.2	64	0.1	18.1	5	191	1.93	3.8	1.8	2.4	6	0.1	0.4	0.1	31	0.07	0.067	13	24	0.38	116	0.025	0	1.42	0.002	0.04	0	0.02	2.4	0	0	4	0	0
L23S/1200W	6158399	346801	24-Aug	B	lt brn	30		Gavin/Radio	L23S 1200W	1.5	7.8	5.2	29	0	9.1	2.7	132	1.2	2	2.1	1.1	5	0	0.3	0.1	32	0.08	0.017	13	16	0.28	142	0.045	0	0.83	0.002	0.05	0	0	1.4	0	0	4	0	0
L23S/1250W	6158393	346757	24-Aug	B	lt brn	25		Gavin/Radio	L23S 1250W	1.7	22.9	6.2	76	0.2	15.9	5.2	225	2.27	3.8	0.9	1.9	5	0.1	0.4	0.1	43	0.06	0.101	12	30	0.42	89	0.023	0	1.68	0.002	0.04	0	0.05	3.1	0.1	0	5	0	0
L23S/1300W	6158400	346702	24-Aug	B	lt oj brn	20	Very pale colour, silty, on old road? With	Gavin/Radio	L23S 1300W	1.3	9.9	5.7	29	0	8.5	2.8	131	1.73	3.1	0.6	1.7	5	0	0.3	0.1	45	0.07	0.038	13	19	0.22	40	0.06	0	1.04	0.002	0.03	0	0.02	2	0	0	5	0	0
L23S/1350W	6158397	346653	24-Aug	B	oj brn	30	Wht A horiz above B	Gavin/Radio	L23S 1350W	1.4	10.6	5.4	55	0	10.2	3.4	145	1.93	2.8	0	1.6	5	0	0.3	0.1	41	0.08	0.073	11	24	0.26	69	0.057	0	1.68	0.003	0.03	0	0.02	2.6	0	0	5	0	0
L23S/1400W	6158398	346603	24-Aug	B	lt brn	30		Gavin/Radio	L23S 1400W	2.4	28.7	7	129	0	30	12.6	641	2.42	4.9	0.7	1.5	17	0.3	0.5	0.2	49	0.26	0.038	12	48	0.49	381	0.013	0	1.62	0.003	0.06	0	0.02	3.6	0.2	0	5	0	0
L23S/1450W	6158398	346554	24-Aug	B	lt brn	35		Gavin/Radio	L23S 1450W	1.7	25	4.8	77	0.1	19.1	4.5	186	2	2.9	1	1.7	7	0.2	0.3	0.1	31	0.09	0.076	11	24	0.36	119	0.023	0	1.41	0.003	0.06	0	0.03	2.3	0	0	4	0	0
L23S/1500W	6158401	346501	24-Aug	B	lt brn	35		Gavin/Radio	L23S 1500W	1.7	28.4	4.9	70	0.1	19.6	6.6	242	2.04	3.6	0.8	1	10	0.3	0.4	0.2	34	0.13	0.021	13	24	0.41	236	0.024	0	1.25	0.002	0.06	0	0.03	2.3	0	0	4	0	0
L23S/1550W	6158399	346450	24-Aug	B	oj brn	35	Wht A horiz above B	Gavin/Radio	L23S 1550W	1.4	12.7	5.4	77	0	11	3.6	159	1.46	2.6	3.8	1.1	10	0.2	0.2	0.1	32	0.15	0.02	13	18	0.31	155	0.027	0	1.01	0.002	0.05	0	0.01	1.7	0	0	4	0	0
L23S/1600W	6158400	346405	24-Aug	B	oj brn	35	Wht A horiz above B	Gavin/Radio	L23S 1600W	2.1	27.9	5.2	72	0	17.6	5.1	185	2.26	5.6	1.7	2	5	0.2	0.5	0.1	29	0.07	0.1	11	21	0.32	97	0.026	0	1.31	0.002	0.04	0	0.03	1.9	0	0	3	0	0
L23S/1650W	6158402	346354	24-Aug	B	oj brn	30	Wht A horiz above B	Gavin/Radio	L23S 1650W	2.2	21.9	4.1	56	0	15.6	4.1	211	1.98	3.7	1.3	1.2	6	0.2	0.3	0.1	30	0.1	0.051	14	20	0.35	121	0.025	0	1.06	0.003	0.06	0	0.01	1.8	0	0	4	0	0
L23S/1700W	6158388	346304	24-Aug	B	lt grey	50	Clayey	Gavin/Radio	L23S 1700W	2	39.6	5.9	57	0	22.8	10.1	388	1.97	4.2	2.3	1.4	20	0.2	0.6	0.1	30	0.29	0.048	15	19	0.4	148	0.038	0	0.86	0.003	0.06	0	0.05	2.6	0	0	3	0	0
L23S/1750W	6158407	346250	24-Aug	B	lt brn	35	Some A contamination, swampy	Gavin/Radio	L23S 1750W	3.3	16.4	7.3	48	0	12.2	4.3	355	2.23	4	0.8	1.2	47	0.3	0.4	0.2	41	0.64	0.022	10	18	0.29	292	0.05	0	0.92	0.004	0.06	0	0.03	1.8	0	0	5	0	0
L23S/1800W	6158399	346201	24-Aug	B	lt brn	30	Some A contamination, swampy	Gavin/Radio	L23S 1800W	3.3	39.5	8.7	77	0.2	21.2	12.2	1241	2.41	5.1	2.1	0.9	54	0.6	0.5	0.3	41	0.7	0.041	10	22	0.32	223	0.018	0	1.13	0.005	0.06	0	0.06	2.5	0.1	0	4	0	0
L23S/200W	6158399	347801	24-Aug	B/C	lt brn	30		Gavin/Radio	L23S 200W	1.6	5.4	5.1	22	0	4.1	1.3	58	1.05	3.4	3.1	1.1	5	0	0.3	0.1	29	0.05	0.015	11	14	0.08	109	0.039	0	0.67	0.002	0.02	0	0.01	1	0	0	3	0	0
L23S/250W	6158399	347753	24-Aug	B	oj brn	25		Gavin/Radio	L23S 250W	3.1	30.1	8.6	91	0.3	22	5.9	467	3.82	9.2	1.9	1.1	8	0.3	0.8	0.3	60	0.19	0.276	7	44	0.25	117	0.038	0	1.55	0.002	0.04	0	0.09	2.5	0	0	6	0.7	0
L23S/300W	6158402	347708	24-Aug	B	brn	30		Gavin/Radio	L23S 300W	3.7	43.3	7.5	65	0.4	19.3	7.4	1011	2.04	4.6	1.5	0.3	55	0.5	0.6	0.2	44	0.68	0.048	19	42	0.34	357	0.028	0	1.3	0.004	0.04	0	0.09	2.8	0.1	0	5	1.3	0
L23S/350W	6158400	347654	24-Aug	B	lt brn	15		Gavin/Radio	L23S 350W	6.3	37.4	8.2	59	0.1	17.8	5.4	190	2.76	9.4	1.4	1.2	5	0.2	1.2	0.3	56	0.06	0.044	11	22	0.19	69	0.047	0	0.81	0.002	0.03	0	0.05	2.3	0.1	0	5	0.7	0
L23S/400W	6158419	347600	24-Aug	N/S			Would be in middle of lake	Gavin/Radio																																			
L23S/450W	6158428	347559	24-Aug	B/C	brn	35	Moved N away from lake	Gavin/Radio	L23S 450W	3.7	30.7	7.3	49	0.2	21.6	7.3	243	3	9.8	1.2	1.3	31	0.5	0.9	0.2	45	0.37	0.03	8	34	0.34	178	0.049	0	1.24	0.003	0.05	0	0.04	2.5	0	0	4	0.8	0
L23S/500W	6158430	347507	24-Aug	B	oj	25	Moved N away from marshy area	Gavin/Radio	L23S 500W	3.4	22	8.3	65	0.2	15.4	5.7	169	3.48	9	1.6	1.6	4	0.2	0.8	0.2	59	0.04	0.088	7	33	0.19	84	0.062	0	1.58	0.002	0.03	0	0.04	2.7	0	0	6	0	0
L23S/550W	6158414	347454	24-Aug	B	oj	20	Moved N away from marshy area	Gavin/Radio	L23S 550W	2.2	14.3	7.8	51	0.4	10.6	3.6	150	2.65	6	0	1.7	6	0.1	0.5	0.2	56	0.06	0.067	9	25	0.16	139	0.063	0	1.22	0.003	0.03	0	0.05	2.3	0	0	6	0	0
L23S/600W	6158396	347401	24-Aug	B	lt brn	30	rocky	Gavin/Radio	L23S 600W	2.7	107.1	11.4	125	0.1	41.6	11.2	462	4.8	2.6	1	8.9	9	0.3	0.3	0.7	26	0.04	0.051	47	21	0.92	135	0	0	1.57	0.001	0.09	0	0.03	2.4	0	0	6	0	0
L23S/650W	6158399	347355	24-Aug	B	brn	40		Gavin/Radio	L23S 650W	15.4	112.3	11.9	99	0.2	66.1	128	>10000	15.57	9.3	7.6	3.3	56	0.6	1.5	0.4	16	0.23	0.043	10	11	0.07	2561	0.002	0	0.6	0	0.07	0	0.13	2.7	0.1	0	0	3.8	0.2
L23S/700W	6158399	347293	24-Aug	N/S			A->water	Gavin/Radio																																			
L23S/750W	6158406	347245	24-Aug	B	lt brn	35		Gavin/Radio	L23S 750W	1.4	20.7	6.3	49	0.2	14.5	7.1	275	1.77	2.4	1.3	0.9	15	0.2	0.2	0.1	42	0.19	0.029	12	26	0.28	193	0.028	0	1.2	0.003	0.04	0	0.02	2.7	0	0	5	0	0
L23S/800W	6158405	347206	24-Aug	B	lt grey	50	Next to small crk	Gavin/Radio	L23S 800W	0.9	22.2	7.9	63	0.2	21.8	12.1	344	2.66	2	0.7	1.2	21	0.6	0.1	0.2	65	0.45	0.034	9	44	0.84	347	0.068	0	1.8	0.006	0.06	0	0.05	4.3	0	0	7	0	0
L23S/850W	6158412	347151	24-Aug	C	grey	50	clayey, some brn B, but is thin horizon	Gavin/Radio	L23S 850W	4.4	62.5	12	120	0.5	43.1	12.9	301	3.11	7.4	6.8	3.5	35	0.2	0.5	0.4	37	0.33	0.053	23	24	0.4	442	0.003	0	1.82	0.003	0.08	0	0.1	3.7	0.2	0	4	0	0
L23S/900W	6158398	347102	24-Aug	B	lt brn	30	Chunks of barren Qz in soil	Gavin/Radio	L23S 900W	1.1	22.4	3.5	47	0	16.4	4.5	205	1.28	2.5	1.4	0.6	9	0.2	0.3	0	22	0.13	0.049	11	18	0.31	115	0.018	0	0.76	0.002	0.04	0	0.02	1.6	0	0	2	0	0
L23S/950W	6158404	347055	24-Aug	B	lt brn	40	Lt grey A horiz ~5cm	Gavin/Radio	L23S 950W	2.1	27	4.2	57	0	12.7	3.9	151	1.92	4.7	0	1.4	5	0.2	0.5	0.1	35	0.07	0.049	12	19	0.25	43	0.061	0	0.66	0	0.04	0	0.02	1.7	0	0	4	0	0
L24N/0W	6163006	347999	05-Sep	B	oj brn	30		Gavin/Kevin	L24N00W	2.9	33	10.6	79	0.2	35.5	8.6	493	4	16.1	1.2	1.6	7	0.3	2.5	0.2	54	0.07	0.09	11	54	0.63	84	0.033	0	1.63	0.004	0.06	0	0.13	3.1	0.1	0	5	0	0
L24N/1000E	6163000	349008	07-Sep	N/S			Marsh	Gavin/Kevin		

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L24N/2300W	6162998	345698	30-Aug	B	lt brn	10		Gavin	L24N 2300W	4	44.3	10.4	128	0.3	23.5	10.5	1172	3.27	18.8	0.6	0.2	6	0.7	2.1	0.3	43	0.07	0.079	14	26	0.51	231	0.016	0	1.69	0.002	0.06	0	0.02	1.7	0.2	0	5	0	0
L24N/2350W	6162996	345653	30-Aug	B	brn	35		Gavin	L24N 2350W	4.9	29.9	11.6	50	0.5	9.3	5.1	985	2.39	8.5	0	0	5	0.2	1.5	0.3	44	0.08	0.082	14	14	0.14	101	0.012	0	0.97	0.001	0.06	0	0.03	0.7	0.2	0	5	0	0
L24N/2400W	6162996	345614	30-Aug	B	lt oj brn	40		Gavin	L24N 2400W	10	64.8	15.2	98	0.2	23.8	8.8	367	3.96	14.3	0	0.9	13	0.3	3.4	0.4	40	0.1	0.069	24	15	0.23	181	0.011	0	1.24	0.002	0.06	0	0	2.4	0.3	0	5	0.7	0
L24N/2450W	6163004	345561	30-Aug	B	lt oj brn	15		Gavin	L24N 2450W	5.4	47.4	13.5	99	0.4	19.1	6.7	339	3.16	8.2	0	1.1	74	0.4	1.2	0.4	30	0.42	0.036	12	16	0.31	220	0.011	0	1.39	0.002	0.06	0	0.03	2.4	0.2	0	4	0.9	0
L24N/2500W	6163001	345502	30-Aug	B	lt brn	50		Gavin	L24N 2500W	9.6	39.4	10.5	71	0.6	8	4.1	81	3.35	12.9	1.1	4.1	15	0	0.5	0.5	35	0.07	0.045	22	14	0.13	241	0.001	0	1.37	0.002	0.05	0	0.13	2.9	0.2	0	6	2.4	0.2
L24N/250E	6162997	348248	05-Sep	B	oj	30		Gavin/Kevin	L24N250E	1.9	16.8	8.7	48	0	23.1	5.2	370	3.06	10.7	0	1.1	6	0.2	1.6	0.2	60	0.08	0.084	11	52	0.45	66	0.056	0	1.5	0.003	0.05	0	0.58	2.5	0.1	0	7	0	0
L24N/2550W	6163000	345454	30-Aug	B	lt brn	30	grey A horiz above	Gavin	L24N 2550W	38.4	58.7	6.8	104	0.2	12.3	3	72	2.86	22	0	1	27	0.1	3.6	0.3	63	0.04	0.051	8	10	0.04	80	0.004	0	0.81	0	0.03	0	0	1.9	0.3	0	6	0.7	0
L24N/2600W	6163002	345403	30-Aug	B	oj brn	30		Gavin	L24N 2600W	4.2	48.9	8.3	310	0.8	22	5	1072	2.22	3.3	0.8	0	45	1	0.4	0.3	39	0.33	0.067	12	17	0.32	320	0.017	0	2	0.003	0.04	0	0.03	1.4	0.3	0	6	0.6	0
L24N/2650W	6162999	345353	30-Aug	B	red brn	25		Gavin	L24N 2650W	4	23.6	9.9	48	0.1	9	4.7	266	3.18	7	1.2	0.9	5	0.4	0.9	0.3	95	0.17	0.046	9	17	0.23	119	0.124	0	1.35	0.002	0.03	0	0.02	2.5	0.2	0	8	0	0
L24N/2700W	6162998	345300	30-Aug	B	lt brn	30		Gavin	L24N 2700W	4.3	33.8	9.8	113	0.1	21.3	7	348	3.55	7.2	0	1.4	8	0.3	0.8	0.3	63	0.19	0.055	13	26	0.6	228	0.05	0	2	0.003	0.07	0.1	0.05	3.4	0.2	0	7	0	0
L24N/2750W	6162998	345251	30-Aug	B	oj brn	25		Gavin	L24N 2750W	3.8	30.7	8.1	54	0.1	13.2	5.2	314	2.65	6.2	1.2	0.2	8	0.5	0.8	0.3	50	0.17	0.058	12	16	0.26	132	0.031	0	1.34	0.002	0.07	0	0.05	1.4	0.2	0	6	0.7	0
L24N/2800W	6163001	345202	30-Aug	B	oj brn	30	white A horizon above	Gavin	L24N 2800W	3.4	24	9.8	51	0.2	13.2	4.1	277	3.21	7.4	1.4	0.7	8	0.3	0.9	0.3	71	0.11	0.079	15	19	0.32	145	0.07	0	1.32	0.003	0.06	0	0.04	1.7	0.1	0	7	0.7	0
L24N/2850W	6163000	345152	30-Aug	B	oj brn	20		Gavin	L24N 2850W	2.5	25.9	8.4	57	0.2	16	5.7	360	4.03	5.9	0	0.4	5	0.2	0.7	0.2	55	0.15	0.063	11	23	0.49	86	0.044	0	1.83	0.003	0.05	0	0.06	2.3	0	0	7	0	0
L24N/2900W	6162997	345101	30-Aug	B	lt brn	20		Gavin	L24N 2900W	3.3	31.6	9.7	73	0.3	17.9	6.5	325	2.95	5.9	0	0.4	19	0.3	0.8	0.3	49	0.3	0.039	12	19	0.46	289	0.059	0	1.52	0.003	0.09	0	0.04	2.2	0.1	0	7	0	0
L24N/2950W	6162997	345053	30-Aug	B	brn	15		Gavin	L24N 2950W	3.8	39.5	8.5	86	0.3	19.5	7.5	421	3.11	4.7	1.2	0.1	9	0.3	0.6	0.2	45	0.11	0.053	12	23	0.47	246	0.021	0	1.9	0.002	0.06	0	0.04	1.8	0.1	0	6	0.6	0
L24N/3000W	6163000	345000	30-Aug	B	dk oj	25		Gavin	L24N 3000W	2.2	29.6	9	54	0.5	11.5	4.8	311	3.44	5.5	0	0.5	5	0.5	0.9	0.2	74	0.52	0.072	7	16	0.33	105	0.136	0	1.57	0.004	0.06	0.2	0.05	2.3	0.1	0	9	0	0
L24N/300E	6162995	348304	05-Sep	B	oj	20		Gavin/Kevin	L24N300E	1.9	22.8	7	51	0.2	26.8	5.4	325	3.05	12.5	0	0.7	7	0	1.8	0.2	59	0.12	0.114	9	57	0.47	60	0.039	0	1.13	0.004	0.04	0	0.34	2.5	0.1	0	5	0	0
L24N/350E	6162989	348357	05-Sep	B	oj	45		Gavin/Kevin	L24N350E	1.5	14.2	7.8	44	0.2	17.8	3.6	188	2.65	8.7	0	1.4	6	0.2	1.1	0.2	63	0.09	0.062	9	65	0.3	71	0.063	0	1.66	0.004	0.03	0	0.87	2.8	0	0	6	0	0
L24N/400E	6162994	348449	05-Sep	B	oj	35		Gavin/Kevin	L24N400E	1.8	18.9	6.8	66	0.2	24.9	5.4	271	3.79	11.5	0	1.4	5	0.2	1.6	0.2	67	0.06	0.122	9	78	0.44	77	0.058	0	2.05	0.003	0.03	0	0.46	3.4	0	0	7	0	0
L24N/400E	6162996	348400	05-Sep	B	brt-oj	40		Gavin/Kevin	L24N450E	1.6	11.6	6.1	55	0.2	16.8	4.4	399	2.96	7.6	0	0.8	5	0.3	1.3	0.2	54	0.09	0.087	8	61	0.29	57	0.058	0	1.37	0.004	0.02	0	1.86	2.2	0	0	5	0	0
L24N/500E	6162997	348502	05-Sep	B	lt-oj	20		Gavin/Kevin	L24N500E	1.5	20.6	6.5	52	0	29.4	5.3	280	2.51	9.9	0.8	1.2	5	0.2	1.5	0.1	44	0.08	0.097	8	54	0.43	69	0.037	0	1.37	0.003	0.04	0	0.17	2.3	0	0	4	0	0
L24N/50E	6162997	348055	05-Sep	B	grey brn	35		Gavin/Kevin	L24N050E	2.2	13.4	8.3	45	0	15.1	4.5	270	1.87	11.6	10.1	0.3	7	0.2	1.3	0.2	41	0.1	0.049	12	36	0.4	157	0.041	0	1.04	0.003	0.06	0	0.49	1.5	0.1	0	4	0	0
L24N/50W	6163001	347956	05-Sep	B	grey brn	45		Gavin/Kevin	L24N050W	2.2	43.9	7.7	71	0.7	31.9	7	334	2.36	11.3	3.9	0.2	11	0.3	1.5	0.2	36	0.17	0.062	20	49	0.62	124	0.016	0	1.75	0.004	0.05	0	0.69	1.8	0.1	0	5	0.6	0
L24N/550E	6163001	348545	05-Sep	B	lt-oj	45		Gavin/Kevin	L24N550E	1.9	17	5.4	47	0	25.5	4.8	198	2.54	8.5	0	0.8	6	0.3	1.1	0.1	51	0.11	0.069	6	67	0.32	74	0.056	0	1.04	0.004	0.03	0	0.06	1.8	0	0	5	0	0
L24N/600E	6162994	348605	05-Sep	B	lt grey	30		Gavin/Kevin	L24N600E	1.4	20.4	8.7	152	0.6	32.7	7.8	745	2.38	12.1	1.5	1.3	13	0.9	2.7	0.3	47	0.45	0.061	10	60	0.54	232	0.019	0	1.69	0.004	0.06	0	5.15	3.4	0.2	0	5	0	0
L24N/650E	6162996	348651	05-Sep	B	lt grey	45		Gavin/Kevin	L24N650E	1.7	48.8	13.5	231	0.6	65.5	12	1051	2.92	40.2	6	0.6	19	2.3	24	0.3	36	0.85	0.114	18	69	0.66	196	0.016	0	1.3	0.006	0.07	0	3.38	3.4	0.9	0	3	0.9	0
L24N/700E	6162997	348705	05-Sep	B	brn	30		Gavin/Kevin	L24N700E	1.3	17.5	5.8	43	0	26.3	4.8	314	2.03	6.4	0	0	9	0.5	0.7	0.3	48	0.19	0.06	6	71	0.26	70	0.034	0	0.71	0.005	0.03	0	0.05	0.9	0.1	0	5	0	0
L24N/750E	6162993	348753	05-Sep	B	grey	100	Clay, next to marshy meadow	Gavin/Kevin	L24N750E	1.1	58.6	15.3	204	0.5	75.1	13.3	392	3	24	5.4	1.3	15	1.2	13.3	0.3	44	0.45	0.116	23	80	0.81	342	0.011	0	1.99	0.007	0.08	0.1	4.33	5.2	1.6	0	5	0.8	0
L24N/800E	6163000	348800	07-Sep	N/S			Marsh	Gavin/Kevin																																			
L24N/850E	6163000	348850	07-Sep	N/S			Marsh	Gavin/Kevin																																			
L24N/900E	6163000	348900	07-Sep	N/S			Marsh	Gavin/Kevin																																			
L24N/950E	6162997	348953	07-Sep	B	grey brn	60	Clayey, marshy	Gavin/Kevin	L24N950E	0.2	29.4	6	51	0.1	32.6	5.1	182	1.12	1.3	3.2	0.9	43	0.3	1.1	0.2	24	0.39	0.053	9	50	0.53	220	0.023	0	0.96	0.005	0.07	0	0.32	2.9	0.1	0	3	0.7	0
L26N/0W	6163194	347995	05-Sep	B	brn	35		Gavin/Kevin	L26N 000W	4	41.1	8.5	73	0.3	34.4	8.9	548	2.5	8.7	3.2	0.2	23	0.5	1.3	0.2	45	0.32	0.056	15	53	0.51	388	0.02	0	1.45	0.004	0.09	0	0.34	2	0.1	0	5	0	0
L26N/1000E	6163201	349004	05-Sep	B	grey brn	30	Weakly clayey	Gavin/Kevin	L26N 1000E	1.7	28.8	6.9	63	0.2	39	8.2	346	2.38	6	1.8	1.5	11	0.3	0.8	0.2	36	0.13	0.08	12	54	0.67	147	0.039	0	1.1	0.004	0.06	0.2	0.2	2.5	0	0	3	0	0
L26N/100E	6163198	348101	05-Sep	B	oj brn	45		Gavin/Kevin	L26N 100E	2.5	21	8.5	57	0.2	26.6	6	432	3.05	15.5	3.9	0.8	6	0.3	1.9	0.2	49	0.1	0.057	10	56	0.47	71	0.041	0	1.43	0.004	0.04	0	0.34	2.4	0.1	0	5	0	0
L26N/100W	6163199	347902	05-Sep	B	lt brn	30		Gavin/Kevin	L26N 100W	3.2	30.3	7.9	85	0.1	44.8	9.3	545	3.47	12.2	2.7	0.7	8	0.3	1.7	0.2	50	0.11	0.052	13	57	0.88	151	0.034	0	1.89	0.004	0.08	0	0.13	2.7	0.1	0	6	0	0
L26N/1050E	6163200	349050	05-Sep	B	grey brn	20	Weakly clayey	Gavin/Kevin	L26N 1050E	2	35.7	6.7	67	0	45.6	8.7	468	2.45	7.7	5.2	2	11	0.2	1.3	0.1	38	0.16	0.063	13	56	0.67	106	0.052	0	1.12	0.004	0.07	0	0.12	3	0	0	4	0	0
L26N/150E	6163203	348150	05-Sep	B	grey brn	40		Gavin/Kevin	L26N 150E	1.2	10.1	8.8	38	0.1	14.8	2.9	172	1.75	6.9	1.6	1.6	5	0.2	1	0.2	46	0.07	0.029	14	38	0.36	103	0.037	0	1.5	0.003	0.05	0	0.12	2.9	0.1	0	7	0	0
L26N/150W	6163189	347848	05-Sep	B	lt brn	40		Gavin/Kevin	L26N 150W	2.6	23.1	9.9	50	0.1	21.4	4.2	246	2.34	11.5	2.6	0.4	23	0.4	1.4	0.3	47	0.34	0.029	15	44	0.4	261	0.038	0	1.36	0.005	0.07	0	0.24	2.2	0.1	0	6	0	0
L26N/200E	6163194	348202	05-Sep	B	lt brn	40		Gavin/Kevin	L26N 200E	1.2	13.1	6.9	65	0.1	20.7	4.1	252	2.37	7.4	2.5	0.9	6	0.4	1.9	0.2	52	0.1	0.036	10	51	0.43	67	0.038	0	1.62	0.004	0.03	0	0.18	3.2	0	0	6	0	0
L26N/200W	6163200	347800	05-Sep	B	grey brn	45	Clayey, next to small stream	Gavin/Kevin	L26N 200W	4.1	47	14.2	175	0.8	52.5	22.5	3193	3.04	22.1	6.5	0.4	31	3.8	3.6	0.3	41	0.38	0.087	18	52	0.66	432	0.012	0	1.76	0.005	0.09	0	1.2	2.8	0.2	0	5	0	0
L26N/250E	6163202	348250	05-Sep	B	lt brn	15		Gavin/Kevin	L26N 250E	2.3	62.9	11.9	113	0.3	83	17.5	1123	3.51	17.8	8.4	2.6	23	1.8	4.4	0.2	45	2.29	0.098	23	76	1	199	0.039	0	1.85	0.006	0.1	0	3.13	6	0.2	0	4	0.8	0
L26N/300E	6163203	348302	05-Sep	B	lt brn	35		Gavin/Kevin	L26N 300E	1.4	25.2	10.9	126	0.3	48.8	10.6	547	2.91	14.6	5.5	2.2	13	2.4	4.5	0.2	63	0.89	0.087	19	74	0.63	219	0.025	0	2.21	0.005	0.04	0	4.53	5.8	0.2	0	6	0.7	0
L26N/350E	6163203	348347	05-Sep	B	oj brn	40		Gavin/Kevin	L26N 350E	1.8	25.6	10.7	128	0.3	44	8.9	309	3.83	14.5	1.7	1.1	7	1.1	2.2	0.3	76	0.15	0.035	10	77	0.64	162	0.044	0	2.19	0.004	0.04	0	1.11	4.2	0.1	0	7	0	0
L26N/400E	6163195	348399	05-Sep	B	lt oj brn	35	Just off of abandoned road.	Gavin/Kevin	L26N 400E	1.4	19.8	8.6	118	0.2	58.2	12	535	2.95	11.6	7.3	1.1	8	1.1	2.6	0.2	55	0.23	0.069	11	87	0.64	145	0.028	0	2.11	0.004	0.03	0	2.43	4	0	0	6	0	0
L26N/450E	6163193	348448	05-Sep	B	lt brn	15		Gavin/Kevin	L26N 450E	1.7	40.6	7.9	69	0.2	61.8	11.7	521	2.64	11.4	4.9	1.7	9	0.7	2.3	0.2	42	0.28	0.065	15	70	0.66	131	0.044	0	1.47	0.003	0.06	0	2.6	3.9	0.1	0	4	0	0
L26N/500E	6163194	348500	05-Sep	B	oj brn	30		Gavin/Kevin	L26N 500E	1.3	14.9	7.4	91	0.3	30.8	7.7	298	2.04	7.1	5.2	1.3	7	0.3	1.3	0.2	48	0.12	0.037	11	59	0.4	123	0.042	0	1.67	0.003	0.03	0	5.59	2.7	0	0	5	0	0
L26N/50E	6163207	348052	05-Sep	B	oj brn	35		Gavin/Kevin	L26N 050E	1.7	17.4	6.5	52	0.2	15.5	4.6	883	2.13	8.1	2.2	1.1	6	0.3	1.6	0.2	48	0.09	0.079	13	49	0.29	132	0.027	0	1.64	0.003	0.05	0	0.17	2.7	0.1	0	7	0	0
L26N/50W	6163202	347950	05-Sep	B	oj brn	40		Gavin/Kevin	L26N 050W	2	24.6	8.3	63	0.2	29.5	6.6	379	2.94	10.5	2.1	0.2	7	0.3	1.6	0.3	61	0.1	0.064	12	54	0.56	126	0.028	0	1.6	0.003	0.07	0	0.85	2	0.1	0	7	0	0
L26N/550E	6163196	348550	05-Sep	B	lt brn	40		Gavin/Kevin	L26N 550E	1.4	18.7	8.3	124	0.3	32.1	8.1	329	2.85	8.7	2.2	1	9	0.7	2.7	0.2	60	0.2	0.106	9	73	0.45	105	0.049	0	1.65	0.004	0.04	0	28.81	2.9	0	0	6	0	0
L26N/600E	6163201	348610	05-Sep	B	lt brn	40	Clay, on W edge of stream	Gavin/Kevin	L26N 600E	2.4	70.3	17.6	259	0.5	88.7	18.8	499	3.91	64.1	11	1.1	13	2.8	40.6	0.2	53	0.29	0.09	21	82	0.67	259	0.026	0	1.64	0.004	0.07	0.2	5.39	5.9	1	0	4	0.7	0
L26N/650E	6163254	348655	05-Sep	B	grey	35	Clay, on edge of marsh	Gavin/Kevin	L26N 650E	1.6	31.9	25.1	31	0.2	32.2	10.8	165	2.11	10.7	7.4	0.5	43	0.1	2.5	0.4	61	0.44	0.069	7	106	0.75	212	0.026	0	0.97	0.014	0.05	0.4	0.2	4.8	0.2	0	3	1.2	0
L26N/700E	6163221	348705	05-Sep	B/C	grey brn	40	Clay, sand beneath. On edge of marsh	Gavin/Kevin	L26N 700E	1.8	33.3	35	35	0.1	33.8	13.9	177	3.04	3.1	8.4	1	32	0	0.3	0.6	64	0.33	0.074	11	110	0.81	205	0.028	0	0.94	0.015	0.07	1.4	0.05	5.8	0	0	3	0.6	0
L26N/750E	6163203	348752	05-Sep	B/C	grey	30	Clay, sand beneath. On edge of marsh	Gavin/Kevin	L26N 750E	1.4	30.7	33.1	31	0.1	35.4	14.3	194	2.43	2.7	2.6	0.9	31	0	0.3	0.6	79	0.31	0.072	11	123	0.78	260	0.031	0	0.92	0.015	0.06	1	0.26	5.6	0	0	3	0.8	0
L26N/800E	6163228	348803	05-Sep	B	grey	40	Moved off of line to avoid marsh	Gavin/Kevin	L26N 800E	0.5	29	25.4	31	0.1	29.6	8.6	154	1.28	1.7	2.8	0.6	21	0	0.3	0.5	48	0.3	0.064	9	101	0.77	195	0.025	0	0.98	0.014	0.05	0.5	0.09	4.2	0.1	0	3	0.6	0
L26N/850E	6163230	348859	05-Sep	B	grey	40	Moved off of line to avoid marsh	Gavin/Kevin	L26N 850E	0.2	11.8	6	56	0.2	33	5.7	231	1.76	2.8	2	0.5	12	0.1	0.3	0.1	35	0.14	0.039	10	66	0.7	259	0.01	0	1.5	0.005	0.05	0	0.18	2.6	0.2	0	5	0	0
L26N/900E	6163261	348900	05-Sep	B	lt brn	20	Moved off of line to avoid marsh	Gavin/Kevin	L26N 900E	1.2	22.3	5	50	0	39.2	9.6	623	2.01	4.1	1.8	0.7	12	0.2	0.7	0.1	36	0.2	0.063	10	62	0.57	140	0.038	0	0.91	0.005	0.05	0	0.04	2.4	0	0	3	0	0
L26N/950E	6163200	348950	05-Sep	N/S			Marsh	Gavin/Kevin																																			
L28N/0W	6163397	348001	31-Aug	B	oj brn	25		Gavin	L28N 0W	2	10	8.9	30	0.3	12	2.8	141	2.47	11	0	1.5	5	0.2	1.9	0.2	60	0.05	0.111	12	38	0.25	87	0.047	0	1.04	0.002	0.05	0.1	5.95	2.1	0.1	0	6	0	0
L28N/1000E	6163391	349004	31-Aug	B	lt brn	35		Gavin	L28N 1000E	1.5	19.6	6	54	0	35.5	9.4	501	2.17	5.2	5.4	0.9	12	0.3	0.6	0.1	35	0.18	0.049	10	64	0.7	111	0.048	0	1.03	0.004	0.06	0	0.14	2.4	0	0	3	0	0
L28N/100E	6163399	348102	31-Aug	B	oj	20		Gavin	L28N 100E	2	45.1	8.2	83	0.1	74	10.4	628	3.86	14.3	1.8	1.7	9	0.2	2.5	0.2	61	0.19	0.173	8	93	0.77	94	0.036	0	1.62	0.004	0.06	0	0.45	4.5	0	0	5	0	0
L28N/100W	6163393	347912	31-Aug	B	oj brn	35		Gavin	L28N 100W	2.1	17.9	7.6	55	0	27.9	5.6	336	2.93	9.6	12.4	1.2	5	0.2	1.2	0.2	52	0.07	0.038	11	54	0.55	100	0.059	0	1.63	0.002	0.06	0	0.32	2.8	0.2	0	6	0	0
L28N/1050E	6163400	349050	31-Aug	B	red brn	70	grey ah above, ~40cm thick	Gavin	L28N 1050E	1.3	23.2	7.9	62	0.1	35.1	12.8	748	2.38	3.1	1.6	0.5	18	0.3	0.3	0.2	42	0.24	0.038	12	68	0.7	306	0.034	0	1.48	0.004	0.07	0	0.05	3.2	0	0	5	0	0
L28N/150E	6163399	348154	31-Aug	B	lt-oj	25		Gavin	L28N 150E	2.1	20.8	8.1	73	0.1	30.7	6.9	471	3.91	11.1	1.6	1.3	6	0.3	2	0.2	80	0.11	0.142	10	74	0.52	65	0.059	0	1.94	0.003	0.03	0	0.55	3.9	0.1	0	8	0	0
L28N/150W	6163396	347849	31-Aug	B	lt grey	20		Gavin	L28N 150W	2.5	24.2	6.9	71	0.3	30	6.5	364	2.4	8.7	1.6	0.5	11	0.3	1.1	0.2	42	0.15	0.036	12	46	0.62	215	0.037	0	1.37	0.003	0.07	0	0.84	2.4	0.1	0	5	0	0
L28N/200E	6163394	348200	31-Aug	B	lt-oj	25		Gavin	L28N 200E	1.7	20.7	10.6	116	0.2	40.3	9.3	430	4.2	14.8	1.6	1.7	7	1.1	3.6	0.2	80	0.2	0.117	10	74	0.6	126	0.046	0	2.24	0.003	0.04	0	1.28	4.6	0	0	8	0	0
L28N/200W	6163400	347800	31-Aug	B	lt brn	30	clayey	Gavin	L28N 200W	1.7	15.7	6.9	37	0.2	17.3	4

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L28N/900E	6163397	348904	31-Aug	B	brn grey	35		Gavin	L28N 900E	2.1	26.8	8.6	78	0.2	48.7	16	905	3.04	5.2	3	0.2	17	0.3	0.5	0.2	50	0.27	0.067	11	88	0.82	314	0.021	0	1.72	0.005	0.1	0.1	0.08	2.9	0.1	0.07	5	0	0
L28N/950E	6163400	348952	31-Aug	B	lt grey	30		Gavin	L28N 950E	1.9	23.6	5.7	67	0.1	37.5	7.6	369	2.51	5.5	4	1.1	12	0.2	0.8	0.2	40	0.21	0.05	11	62	0.72	225	0.035	0	1.24	0.004	0.08	0	0.28	2.6	0	0	4	0.5	0
L30N/0W	6163599	347999	31-Aug	C	lt brn	10	no B, very rocky	Gavin	L30N 0W	1.2	37.7	8.4	86	0	52.8	10.3	613	2.16	29.5	5.5	1.9	28	0.9	18.4	0.1	31	3.34	0.091	14	51	0.57	85	0.056	0	0.72	0.004	0.06	0	39.55	3.2	0.1	0	2	0	0
L30N/1000E	6163602	348999	07-Sep	B	lt oj brn	30		Gavin/Kevin	L30N 1000E	2	19.3	24.8	20	0	18.9	10	298	2.6	2.7	1.9	0.9	38	0.1	0.3	0.8	64	0.36	0.068	6	77	0.48	151	0.025	0	0.64	0.01	0.05	1.1	0.03	2.4	0	0	2	0	0
L30N/100E	6163604	348100	31-Aug	B	oj	35		Gavin	L30N 100E	2.5	38.8	10.5	112	0.2	58.5	10.2	417	4.14	12.9	3.8	2.5	6	0.5	1.7	0.2	71	0.08	0.092	10	78	0.81	174	0.028	0	2.59	0.003	0.05	0	1.94	4.3	0.1	0	7	0	0
L30N/100W	6163593	347898	31-Aug	B	lt oj brn	30		Gavin	L30N 100W	1.7	14.3	8.2	44	0.4	19.5	4.4	389	2.75	15.6	1.3	0.5	6	0.2	1.3	0.2	58	0.1	0.112	10	55	0.36	58	0.052	0	1.16	0.003	0.03	0	0.31	1.8	0.1	0	5	0	0
L30N/1050E	6163001	349046	07-Sep	B	lt brn	25		Gavin/Kevin	L30N 1050E	2.1	20.6	24.3	22	0	25.5	11.4	307	2.68	2.2	2.8	0.7	42	0.1	0.2	0.5	66	0.39	0.066	6	96	0.6	170	0.031	0	0.64	0.012	0.06	0.7	0.03	3.4	0	0	2	0	0
L30N/150E	6163598	348157	31-Aug	B	lt-yel	25		Gavin	L30N 150E	1.2	14.3	5.2	45	0	25.4	4.8	241	2.65	7.2	1.2	1	7	0.2	1	0.1	48	0.12	0.104	7	63	0.34	95	0.059	0	1.05	0.003	0.04	0	0.74	2.1	0	0	4	0	0
L30N/150W	6163602	347851	31-Aug	B	brn	25		Gavin	L30N 150W	3.1	33.2	10.4	85	0.2	30.8	10.8	614	2.97	12.4	2.2	0.2	9	0.2	1.3	0.3	48	0.13	0.077	12	56	0.56	273	0.026	0	1.63	0.003	0.08	0	0.62	2	0.1	0	5	0	0
L30N/200E	6163596	348198	31-Aug	B	oj	35		Gavin	L30N 200E	1.5	20.1	8.4	69	0.2	37.7	6.9	328	3.59	16	2.7	1	7	0.5	3.2	0.1	69	0.15	0.124	7	88	0.47	56	0.074	0	1.24	0.004	0.03	0.1	2.53	2.7	0	0	5	0	0
L30N/200W	6163600	347800	31-Aug	B	brn	25		Gavin	L30N 200W	2.2	25.3	7.4	56	0.2	29.5	5.8	278	2.79	7.9	2.2	0.4	8	0.4	1.1	0.2	42	0.1	0.038	11	49	0.58	186	0.041	0	1.5	0.002	0.05	0	0.22	2	0	0	5	0	0
L30N/250E	6163598	348254	31-Aug	B	oj	25		Gavin	L30N 250E	2.2	17.1	8.5	47	0.7	24.4	4.6	201	4.44	11.1	1.4	1.2	5	0.3	1.6	0.2	65	0.07	0.069	8	88	0.38	58	0.067	0	1.47	0.003	0.03	0	11.77	2.6	0	0	5	0	0
L30N/300E	6163600	348303	31-Aug	B	lt brn	25		Gavin	L30N 300E	2	46.9	9.7	100	0.4	83.8	11.3	360	3.37	15.3	3.3	0.6	13	0.6	3.5	0.2	53	0.28	0.091	11	99	0.74	247	0.027	0	1.74	0.005	0.06	0	11.86	3.6	0.2	0	5	0	0
L30N/350E	6163600	348356	31-Aug	B	grey brn	30		Gavin	L30N 350E	1.4	31.3	7.1	76	0.1	53	10.5	508	2.57	7.5	4.2	1	15	0.6	1.2	0.2	34	0.55	0.07	11	75	0.72	205	0.022	0	1.25	0.004	0.07	0	0.68	3.1	0	0	4	0	0
L30N/400E	6163600	348400	31-Aug	N/S			Marsh	Gavin																																				
L30N/450E	6163600	348450	31-Aug	N/S			Marsh	Gavin																																				
L30N/500E	6163600	348500	31-Aug	N/S			Marsh	Gavin																																				
L30N/50E	6163593	348054	31-Aug	B	lt brn	40		Gavin	L30N 50E	1	7.7	7.6	32	0	8.6	2.2	315	1.36	6.6	3	0.8	5	0.2	1.1	0.2	39	0.1	0.057	13	29	0.18	91	0.041	0	0.95	0.002	0.05	0	1.13	1.4	0	0	5	0	0
L30N/50W	6163594	347944	31-Aug	B	lt brn	10	clayey	Gavin	L30N 050W	2.2	52.8	10.7	105	0.1	67.5	13.6	817	3.04	19.1	3.9	1.5	15	1.1	8	0.2	42	0.72	0.089	17	62	0.77	152	0.048	0	1.37	0.004	0.08	0	3.29	3.9	0.1	0	4	0	0
L30N/550E	6163593	348557	31-Aug	B	oj-grey	35	sandy	Gavin	L30N 550E	2.5	26.7	23.6	25	0	30.7	11.8	278	3.87	3.4	2.9	0.6	44	0	0.3	0.4	102	0.44	0.079	7	118	0.67	243	0.036	0	0.72	0.012	0.05	0.8	0.12	3.7	0	0	3	0	0
L30N/600E	6163596	348604	31-Aug	B	grey brn	25	sandy	Gavin	L30N 600E	1.6	19.4	16.3	31	0	38	16.6	384	3.99	3.7	1	0.6	22	0.1	0.4	0.3	110	0.31	0.071	6	126	0.6	95	0.047	0	0.64	0.01	0.06	0.9	0.08	3.1	0	0	3	0	0
L30N/650E	6163598	348644	31-Aug	B	grey brn	30	sandy, next to old road	Gavin	L30N 650E	1.6	20.9	23.7	33	0	32.6	15.8	375	3.9	2.2	1.7	0.6	27	0.2	0.2	0.4	119	0.34	0.079	6	132	0.71	159	0.046	0	0.74	0.012	0.06	0.5	0.03	4.4	0	0	3	0	0
L30N/700E	6163604	348702	07-Sep	B	Brn	30	sandy.	Gavin/Kevin	L30N 700E	1.8	17.7	19.1	24	0	27	14	275	3.66	1.9	69.5	0.4	18	0.1	0.2	0.4	102	0.28	0.068	4	122	0.61	69	0.038	0	0.54	0.011	0.06	3	0.02	3.2	0	0	2	0	0
L30N/750E	6163605	348753	07-Sep	B	grey brn	20		Gavin/Kevin	L30N 750E	1.7	31.5	6.6	65	0	46	9.5	466	2.4	6.6	3.1	0.9	11	0.1	0.9	0.2	33	0.16	0.058	12	64	0.72	113	0.049	0	1.08	0.004	0.06	0	0.11	2.7	0	0	3	0	0
L30N/800E	6163602	348802	07-Sep	B	lt brn	20		Gavin/Kevin	L30N 800E	1.2	22.9	5.8	47	0	34.6	9.7	403	2.03	4.7	2.4	1.2	10	0	0.7	0.1	33	0.15	0.052	12	59	0.59	85	0.052	0	0.91	0.004	0.05	0	0.08	2.4	0	0	3	0	0
L30N/850E	6163598	348853	07-Sep	B	oj brn	25		Gavin/Kevin	L30N 850E	1.3	12.1	6.2	26	0	22.9	6	403	3.01	3.4	2.2	0.5	10	0.1	0.3	0.1	82	0.15	0.048	4	110	0.36	79	0.069	0	0.74	0.007	0.04	0.3	0.02	2	0	0	3	0	0
L30N/900E	6163598	348906	07-Sep	B	yel brn	50		Gavin/Kevin	L30N 900E	1.2	20.2	9.3	33	0	53.9	12.1	214	3.06	4.3	0.7	0.9	12	0.3	0.5	0.2	58	0.2	0.055	4	122	0.6	83	0.05	0	1	0.007	0.04	0.2	0.05	2.5	0	0	2	0	0
L30N/950E	6163601	348954	07-Sep	B	oj brn	35		Gavin/Kevin	L30N 950E	1	19.9	8.1	40	0.3	35.2	11.1	364	3.54	3.5	5.5	0.5	17	0.2	0.3	0.2	87	0.24	0.093	4	113	0.54	82	0.06	0	0.92	0.009	0.04	0.2	0.03	2.9	0	0	4	0	0
L3S/1400W	6160406	346600	04-Sep	B	oj	20		Gavin/Kevin	L3S 1400W	8.6	52.1	12.2	53	0.4	13.3	4.7	263	3.58	10	1.4	0.3	3	0	1.1	0.4	54	0.02	0.074	18	18	0.34	91	0.006	0	1.57	0.002	0.05	0	0.04	1.2	0.2	0	7	0.8	0
L3S/1450W	6160401	346550	04-Sep	B	oj brn	20		Gavin/Kevin	L3S 1450W	4.4	30	16.4	50	0.1	13.2	4.1	180	1.98	20.2	0.9	0	4	0	5.8	0.3	42	0.03	0.048	15	21	0.24	96	0.006	0	1.28	0.002	0.04	0	0.02	0.8	0.2	0	5	0	0
L3S/1500W	6160396	346499	04-Sep	B	grey brn	20		Gavin/Kevin	L3S 1500W	3.4	24.3	12.7	43	0.7	12.1	4.2	366	1.67	6.7	1.4	0	4	0.2	2	0.4	56	0.07	0.061	16	21	0.23	92	0.013	0	1.23	0.002	0.05	0	0.03	0.7	0.1	0	8	0.5	0
L3S/1550W	6160402	346450	04-Sep	B	grey brn	20		Gavin/Kevin	L3S 1550W	6.1	34.9	17.6	57	0.2	13.3	4.5	329	2.01	14.4	0	0	5	0	5.7	0.4	51	0.02	0.061	18	18	0.12	148	0.006	0	1.15	0.002	0.04	0	0.03	0.7	0.2	0	7	0	0
L3S/1600W	6160402	346405	04-Sep	B	brn	20		Gavin/Kevin	L3S 1600W	1.4	9.7	18.8	28	0.2	9.4	2.6	194	1.08	4.2	0	0	5	0	1.9	0.3	46	0.05	0.046	15	27	0.26	85	0.025	0	1.29	0.002	0.04	0	0.03	0.8	0.2	0	9	0	0
L3S/1650W	6160400	346350	04-Sep	B	brn	15		Gavin/Kevin	L3S 1650W	2.9	32.9	8.5	47	0.2	17.1	6.6	540	3.36	4.3	1.8	0	4	0.2	0.8	0.3	122	0.17	0.09	12	48	0.43	110	0.042	0	1.86	0.004	0.04	0	0.04	2.1	0.2	0	10	0	0
L3S/1700W	6160399	346297	04-Sep	B	brn	25	Next to talus field.	Gavin/Kevin	L3S 1700W	2.8	47.2	7.9	67	0	23.5	9.2	458	3.67	6.2	1.1	0.4	8	0.2	0.7	0.2	67	0.12	0.071	12	38	0.57	68	0.055	0	1.78	0.004	0.05	0	0.04	2.6	0	0	6	0	0
L3S/1750W	6160403	346255	04-Sep	B	red brn	15		Gavin/Kevin	L3S 1750W	1.5	34.6	6.8	52	0.2	12.4	8	471	6.41	2.7	0	0.4	7	0.5	0.6	0.3	213	0.38	0.117	7	28	0.37	57	0.407	0	2.04	0.005	0.04	0.1	0.05	4.2	0.1	0	12	0.6	0
L3S/1800W	6160391	346202	04-Sep	B	brn	20		Gavin/Kevin	L3S 1800W	1.1	37.4	4.5	56	0.7	13.7	12.6	1387	6.26	2.6	0.6	0.1	7	0.4	0.4	0.2	170	0.23	0.142	5	30	0.38	59	0.23	0	2.23	0.004	0.05	0	0.11	4.1	0.1	0.08	8	0.6	0
L3S/1850W	6160406	346151	04-Sep	B	brn	15		Gavin/Kevin	L3S 1850W	1.1	31.5	4	57	0.3	17.3	11	650	5.28	2.1	1.9	0.3	8	0.3	0.4	0.2	159	0.41	0.097	6	67	0.56	64	0.216	0	2.29	0.006	0.04	0	0.07	4.4	0	0	9	0	0
L3S/1900W	6160395	346101	04-Sep	B	dk-brn	20		Gavin/Kevin	L3S 1900W	9.9	104.8	14.7	136	0.5	29.9	14.8	910	3.42	9.2	2.3	0.4	50	0.4	1	0.4	33	0.54	0.182	17	18	0.31	583	0.002	0	1.9	0.005	0.08	0	0.07	0.8	0.2	0.09	5	1.2	0
L3S/1950W	6160407	346051	04-Sep	B	brn	10		Gavin/Kevin	L3S 1950W	4.8	31	9.4	39	0.4	8	2.9	245	1.48	2.5	1	0	8	0	0.4	0.3	40	0.02	0.062	16	13	0.09	94	0.005	0	1.07	0.002	0.05	0	0.03	0.4	0.3	0	7	0	0
L3S/2000W	6160397	346004	04-Sep	B	brn	15		Gavin/Kevin	L3S 2000W	3	28.7	11.2	37	0.2	8.9	7.8	3844	2.31	3.1	0.7	0	4	0	0.4	0.3	62	0.03	0.1	13	28	0.12	230	0.006	0	1.07	0.002	0.06	0	0.02	0.3	0.3	0	7	0	0
L3S/2050W	6160400	345946	04-Sep	B	lt brn	5		Gavin/Kevin	L3S 2050W	4.3	14.5	5.4	27	0.1	5.2	1.6	59	0.86	2	0	0.2	3	0	0.3	0.3	38	0.03	0.038	19	10	0.11	76	0.007	0	1.16	0.002	0.04	0	0.02	0.8	0.3	0	7	0	0
L3S/2100W	6160396	345900	04-Sep	B	lt brn	10		Gavin/Kevin	L3S 2100W	5.9	67.8	3.8	63	0.2	13.3	3.6	101	1.66	3.5	0	0.2	3	0	4.1	0.3	39	0.01	0.048	18	12	0.06	72	0.006	0	0.69	0.002	0.04	0	0	0.9	0.3	0	5	0	0
L3S/2150W	6160406	345848	04-Sep	B	lt brn	15		Gavin/Kevin	L3S 2150W	7.8	27.6	14.1	40	0.5	8.1	3.1	198	1.68	4.8	2.5	0.8	3	0	0.8	0.4	41	0.03	0.064	26	14	0.11	87	0.006	0	1.02	0.001	0.05	0	0.02	1.3	0.3	0	8	0.6	0
L3S/2200W	6160400	345800	04-Sep	B	brn	10		Gavin/Kevin	L3S 2200W	1.9	16.8	6.5	23	0.2	7.1	2.1	138	1.02	1.5	1.4	0.1	5	0	0.3	0.2	26	0.03	0.068	15	22	0.12	91	0.006	0	0.95	0.002	0.05	0	0.01	0.5	0.2	0	6	0	0
L3S/2250W	6160399	345752	04-Sep	B	brn	15		Gavin/Kevin	L3S 2250W	1	9.8	6.2	20	0.3	8.8	1.9	87	0.71	0.6	0.6	0.1	4	0	0	0.2	35	0.03	0.041	12	29	0.28	130	0.009	0	1.44	0.002	0.03	0	0.02	1	0.2	0	8	0	0
L3S/2300W	6160402	345702	04-Sep	B	brn	20		Gavin/Kevin	L3S 2300W	2.9	43.2	4.9	51	0.2	44.5	13.2	496	3.62	4.5	0	1	4	0.1	0.3	0.1	78	0.03	0.046	10	78	1.11	83	0.007	0	2.11	0.002	0.03	0	0.02	5.4	0.2	0	6	0	0
L3S/2350W	6160402	345649	04-Sep	B	brn	15		Gavin/Kevin	L3S 2350W	8.4	70.8	14.7	102	0.9	34.8	12.9	236	3.28	9.2	1.6	0.4	9	0.3	2.8	0.4	54	0.03	0.128	20	32	0.3	145	0.005	0	1.67	0.004	0.06	0	0.04	0.7	0.3	0	7	0.9	0
L3S/2400W	6160406	345601	04-Sep	B	brn	15		Gavin/Kevin	L3S 2400W	0.8	45.7	6.4	48	0.2	14	17	1850	3.8	2	0	0	7	0.2	0.3	0.2	166	0.73	0.134	5	49	0.39	222	0.184	0	1.64	0.007	0.05	0.1	0.06	4.1	0.2	0	8	0	0
L3S/2450W	6160407	345549	04-Sep	B	oj brn	30		Gavin/Kevin	L3S 2450W	1.7	36.4	6.3	55	0.3	19.2	6.9	297	3.56	4.6	0	0.3	5	0.2	0.6	0.2	74	0.07	0.062	10	39	0.51	70	0.039	0	1.77	0.003	0.04	0	0.04	2.3	0.1	0	7	0	0
L3S/2500W	6160403	345500	04-Sep	B	red brn	35		Gavin/Kevin	L3S 2500W	2.6	41.6	5.7	61	1.2	20.5	10.8	730	5.76	4	1.5	0.3	5	0.4	0.6	0.3	118	0.12	0.11	8	60	0.58	89	0.124	0	2.4	0.005	0.04	0.1	0.05	4.1	0.2	0	8	0.8	0
L3S/2550W	6160408	345447	04-Sep	B	brn	10		Gavin/Kevin	L3S 2550W	2.4	35.9	6.7	65	0.2	18.3	8.1	425	2.87	3.4	1.3	0.1	10	0.2	0.8	0.3	79	0.22	0.075	9	39	0.52	116	0.088	0	1.43	0.005	0.07	0	0.03	2.2	0.1	0	7	0.7	0
L3S/2600W	6160406	345400	04-Sep	B	oj brn	20		Gavin/Kevin	L3S 2600W	3	38.1	6.4	50	0.2	15.9	5.2	204	3.67	6.2	1.2	0.7	6	0	0.8	0.2	64	0.08	0.077	18	29	0.41	74	0.046	0	1.65	0.002	0.03	0.1	0.04	2.3	0.1	0	6	0.7	0
L3S/2650W	6160402	345349	04-Sep	B	lt oj brn	25		Gavin/Kevin	L3S 2650W	4.4	44.3	8.1	60	0.2	18.7	4.9	265	3.43	6.7	0	0.4	6	0.1	0.9	0.2	46	0.06	0.072	18	20	0.44	79	0.012	0	1.45	0.002	0.04	0	0.03	1.2	0.1	0	5	1	0
L3S/2700W	6160401	345303	04-Sep	B	brn	15		Gavin/Kevin	L3S 2700W	2.4	21.4	6.9	41	0.9	9	2.9	190	2.17	2.3	1.7	0	6	0.3	0.4	0.4	49	0.1	0.098	18	15	0.24	89	0.01	0	1.12	0.003	0.07	0	0.03	0.4	0.1	0	5	0	0
L42N/1000W	6164799	347001	26-Aug	B	lt brn	50	40cm of grey A horiz above B	Gavin/Radio	L42N 1000W	1.5	21.9	6	56	0.2	33.6	6.5	310	2.03	2.3	1.4	1.8	7	0.2	0.4	0.2	36	0.09	0.043	12	52	0.61	146	0.037	0	1.5	0.004	0.07	0	0.07	2.8	0.1	0	5	0	0
L42N/1050W	6164796	346954	26-Aug	B	oj	35		Gavin/Radio	L42N 1050W	2.1	33.1	6.6	92	0.2	49.1	12.2	658	4.5	8.5	1.5	2.1	7	0.4	0.7	0.2	64	0.1	0.161	9	92	0.82	135	0.048	0	2.14	0.004	0.04	0	0.06	3.8	0.1	0	6	0	0
L42N/1100W	6164797	346901	26-Aug	B	lt brn	30		Gavin/Radio	L42N 1100W	2.3	21.3	6.6	54	0.2	28.8	5.7	219	2.8	6.2	1.5	1.3	6	0.3	0.5	0.2	53	0.08	0.092	10	65	0.53	92	0.04	0	1.56	0.004	0.04	0	0.12	3	0.1	0	5	0	0
L42N/1150W	6164801	346853	26-Aug	N/S			Marsh, flagged for prev 2 also	Gavin/Radio																																				
L42N/1200W	6164800	346800	26-Aug	N/S			In middle of lake, not flagged	Gavin/Radio																																				
L42N/1250W	6164800	346750	26-Aug	N/S			In middle of lake, not flagged	Gavin/Radio																																				
L42N/1300W	6164799	346707	26-Aug	N/S			Marsh	Gavin/Radio																																				
L42N/1350W	6164794	346651	26-Aug	N/S			Marsh	Gavin/Radio																																				
L42N/1400W	6164799	346613	26-Aug	N/S			Marsh	Gavin/Radio																																				
L42N/1450W	6164811	346544	26-Aug	B	lt brn	65	On E edge of marsh, clayey	Gavin/Radio	L42N 1450W	2.7	36.1	7.3	72	0.5	34.5	10.9	590	2.77	5.4	1.2	0.4	18	0.7	0.5	0.2	49	0.8	0.047	14	49	0.51	276	0.026	0	1.51	0.004	0.05	0	0.14	2.9	0.1	0	5	0.5	0
L42N/1500W	6164795	346500	26-Aug	B	brn	45		Gavin/Radio	L42N 1500W	3	54.7	9.8	111	0.4	41.8	14.3	1195	3.07	8.3	3.2	0.8	19	0.9	0.8	0.2	42	0.88	0.128	14	51	0.63	311	0.011	0	1.55	0.004	0.08	0	0.24	3	0.1	0	4	0.7	0
L42N/1550W	6164793	346457	26-Aug	B	lt brn	45	Sandy	Gavin/Radio	L42N 1550W	3.3	57.2	11.6	137	0.2	45.3	17.3	1176	3.49	11.1	1.7	1	18	1.1	1.2	0.2	44	0.54	0.09	15	58	0.62	279	0.015	0	1.46	0.004	0.07	0	0.16	3.5	0.1	0	4	0.6	0
L42N/1600W	6164797	346407	26-Aug	B	lt brn	55		Gavin/Radio	L42N 1600W	3	54.7	9.4	91	0.3	49.9	13.1	764	3.15	9.5	3.6	0.9	15	0.6	1.2	0.2	39	0.5	0.064	14	64	0.65	227	0.015	0	1.22	0.004	0.06	0	0.31	3.8	0.1	0	4	0.8	0
L42N/1650W	6164808	346349	26-Aug	B	brn	35		Gavin/Radio	L42N 1650W	3.3	55.6	10	119	0.4	47.3	13.9	623	3.4	11.1	2.1	0.6	16	1	1	0.2	48	0.69	0.077	17	53	0.59	237	0.015	0	1.59	0.003	0.06	0	0.2	3.4	0.1	0	5	1.1	0
L42N/1700W	6164798	346302	26-Aug	B	brn	30		Gavin/Radio	L42N 1700W	3.3	57	11.8	119	0.2	32.1	15.4	2051	3.17	10	1.1	0.6	20	1.9	1	0.3	44	0.97	0.101	15	37	0.51	414	0.012	0	1.55	0.003	0.06	0	0.16	2.

GPS Name	UTM N	UTM E	Date Taken	Horizon	Colour	Depth (cm)	Notes	Sampler(s)	Sample Name	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
L42N/300W	6164797	347706	26-Aug	B	lt oj brn	35		Gavin/Radio	L42N 300W	2.5	24.5	6.4	97	0.1	37.3	9.9	457	3.83	7.1	1.1	2	5	0.7	0.9	0.2	58	0.13	0.163	10	70	0.59	77	0.068	0	1.74	0.003	0.03	0	0.03	3	0	0	4	0	0
L42N/350W	6164800	347651	26-Aug	B	grey brn	30	clayey	Gavin/Radio	L42N 350W	0.9	14.9	6.4	38	0.2	26.2	4.4	175	1.66	2.3	1.4	0.1	8	0.1	0.3	0.2	33	0.1	0.044	10	63	0.5	125	0.032	0	1.13	0.003	0.05	0	0.08	1.6	0	0	4	0	0
L42N/400W	6164800	347600	26-Aug	B	grey brn	35	clayey	Gavin/Radio	L42N 400W	1	13.9	5	56	0.2	37.7	7.8	271	1.79	2.7	0.6	0.9	9	0.1	0.2	0.1	38	0.12	0.033	11	77	0.71	163	0.038	0	1.23	0.003	0.04	0	0.04	2.6	0	0	4	0	0
L42N/450W	6164802	347552	26-Aug	B	brn	40		Gavin/Radio	L42N 450W	1.6	29.7	6.4	89	0.2	77.9	11.8	429	2.28	3.6	0.8	0.2	16	0.3	0.4	0.2	40	0.23	0.041	11	168	0.63	237	0.031	0	1.73	0.004	0.06	0	0.06	2.6	0.1	0	5	0.5	0
L42N/500W	6164800	347503	26-Aug	B	grey brn	50	clayey	Gavin/Radio	L42N 500W	11.7	32.6	6.3	106	0.4	96.7	18.9	1578	3.9	8.7	2.3	0.3	21	0.6	0.4	0.1	46	0.27	0.086	18	111	0.64	320	0.017	0	1.97	0.004	0.04	0	0.17	3.1	0.2	0	4	0.5	0
L42N/550W	6164795	347447	26-Aug	N/S			Marshy spot	Gavin/Radio																																				
L42N/600W	6164793	347403	26-Aug	B	lt brn	35	5cm A horiz above	Gavin/Radio	L42N 600W	1.2	12.8	3.9	34	0	24.5	4.1	182	1.54	3.2	0.5	0.5	9	0.1	0.3	0	41	0.14	0.024	8	57	0.42	128	0.078	0	0.95	0.003	0.03	0	0.03	1.9	0	0	4	0	0
L42N/650W	6164795	347353	26-Aug	B	lt brn	35		Gavin/Radio	L42N 650W	1.4	14.2	4.9	38	0.2	23.5	4.7	246	2.05	4.9	0	0.6	11	0.2	0.4	0.1	50	0.17	0.033	8	68	0.34	150	0.091	0	0.83	0.004	0.04	0	0.05	1.9	0	0	4	0	0
L42N/700W	6164790	347303	26-Aug	B	brn	35		Gavin/Radio	L42N 700W	1.4	19.6	3.7	39	0.1	48.9	6.1	221	1.96	4.6	0.9	0.5	9	0.2	0.5	0	41	0.15	0.039	7	87	0.68	77	0.069	0	0.87	0.004	0.03	0	0.06	2.2	0	0	3	0	0
L42N/750W	6164796	347257	26-Aug	B	lt oj brn	30		Gavin/Radio	L42N 750W	1.6	19.3	5.1	56	0.1	50.2	7.2	287	2.78	5.6	3	1.4	9	0.3	0.5	0.1	48	0.15	0.071	9	88	0.83	123	0.053	0	1.38	0.004	0.05	0	0.05	2.6	0	0	4	0	0
L42N/800W	6164805	347208	26-Aug	B	lt brn	35		Gavin/Radio	L42N 800W	1.7	20.8	5.2	61	0.2	37.1	8.8	429	2.54	4	1.3	1	7	0.2	0.5	0.1	43	0.08	0.037	11	68	0.72	139	0.061	0	1.35	0.003	0.05	0	0.03	2.6	0	0	5	0	0
L42N/850W	6164802	347155	26-Aug	B	lt brn	35	clayey	Gavin/Radio	L42N 850W	1.4	22.1	5.4	55	0	37.8	6.8	302	2.01	3.4	2.2	0.7	7	0.1	0.3	0.1	36	0.09	0.024	11	69	0.73	106	0.047	0	1.35	0.004	0.06	0	0.05	2.4	0	0	4	0	0
L42N/900W	6164799	347099	26-Aug	B	lt brn	35	10cm of grey A horiz above	Gavin/Radio	L42N 900W	1.5	13.4	6.1	40	0	23.2	4.2	195	1.92	5.5	0.6	1.6	7	0.3	0.5	0.2	45	0.12	0.065	10	58	0.43	112	0.044	0	1.42	0.003	0.04	0	0.42	2.4	0	0	5	0	0
L42N/950W	6164797	347052	26-Aug	B	lt brn	30	10cm of grey A horiz above	Gavin/Radio	L42N 950W	1.7	22.4	5.8	60	0	34.4	6.8	340	2.5	3.3	1.3	1.8	6	0.2	0.4	0.1	41	0.07	0.043	12	57	0.69	109	0.036	0	1.65	0.003	0.05	0	0.08	2.9	0.1	0	5	0	0
L4N/2600W	6161002	345406	01-Sep	B/C	oj red	45	Very rocky	Gavin	L4N 2600W	1.5	60.4	5.5	65	0.3	26.6	16.6	841	7.64	4.1	0.6	1	6	0.5	0.6	0.2	148	0.34	0.128	5	83	0.73	104	0.306	0	2.78	0.006	0.04	0	0.07	7.6	0.1	0.06	9	0.6	0
L4N/2650W	6161005	345352	01-Sep	B	red brn	40		Gavin	L4N 2650W	3.5	59.5	9.3	74	0.3	22.4	12.4	698	4.93	6.8	0.8	0.3	8	0.4	1	0.3	78	0.16	0.083	12	41	0.48	85	0.081	0	2.08	0.004	0.05	0	0.06	3.1	0.1	0.07	7	0.5	0
L4N/2700W	6161005	345300	01-Sep	B	oj brn	45		Gavin	L4N 2700W	3.5	55.3	10.5	74	0.5	21.4	9.2	437	4.4	8.2	2.4	0.4	6	0.5	3	0.3	66	0.11	0.059	12	39	0.47	79	0.032	0	2.24	0.005	0.04	0	0.07	3	0.2	0	6	0	0
L4N/2750W	6161012	345256	01-Sep	B	brn	30		Gavin	L4N 2750W	4.9	48	11.6	57	0.3	16	5	306	3.91	9.5	1.2	0.1	7	0.4	1.3	0.4	54	0.06	0.115	13	18	0.21	83	0.009	0	1.19	0.002	0.04	0	0.11	0.8	0.2	0	6	0	0
L4N/2800W	6161001	345201	01-Sep	B	oj brn	30		Gavin	L4N 2800W	4.3	54.9	12	63	0	16.4	6.4	584	4.38	7.8	1.5	0.2	5	0.2	1.1	0.4	55	0.07	0.099	13	18	0.3	85	0.012	0	1.69	0.003	0.05	0	0.05	1.2	0.2	0	7	0.9	0
L4N/2850W	6161003	345155	01-Sep	B	red brn	30		Gavin	L4N 2850W	3.3	35.6	11.8	55	0.1	12.9	6.2	619	4.4	7.4	1.1	0.4	6	0.3	1.2	0.3	69	0.32	0.143	12	20	0.33	94	0.072	0	1.61	0.005	0.06	0.1	0.05	1.9	0.1	0	9	0.6	0
L4N/2900W	6160999	345101	01-Sep	B	brn	30		Gavin	L4N 2900W	3.1	45.5	9.6	68	0.3	15.6	7.7	632	3.11	6.8	1.1	0.2	8	0.4	1.2	0.3	50	0.37	0.106	12	18	0.32	98	0.04	0	1.5	0.005	0.07	0	0.05	1.2	0.1	0.05	6	0.7	0
L4N/2950W	6160997	345048	01-Sep	B	brn	30		Gavin	L4N 2950W	3.1	36.1	9.8	48	0.1	11.7	4.7	329	3.31	5.6	0.6	0.1	7	0.4	1	0.2	66	0.36	0.139	9	18	0.29	89	0.038	0	1.7	0.004	0.04	0	0.07	1.4	0.1	0.06	7	0.7	0
L4N/3000W	6161000	345000	01-Sep	B	oj brn	35		Gavin	L4N 3000W	3	29.6	7.8	53	0.1	12.5	4.6	265	3.25	6.1	0.9	0.4	5	0.3	0.9	0.2	48	0.18	0.081	11	17	0.31	72	0.038	0	1.56	0.004	0.04	0	0.05	1.6	0	0	5	0	0
L6N/2200W	6161204	345795	01-Sep	B	oj	15		Gavin	L6N 2200W	5.5	46.1	13.4	79	0.5	23.6	7.4	444	4.66	9.6	1.8	0.5	5	0.3	2.2	0.3	51	0.03	0.109	14	36	0.51	132	0.009	0	1.55	0.003	0.06	0	0.04	1.8	0.2	0	6	0.8	0
L6N/2250W	6161202	345755	01-Sep	B	brn	20		Gavin	L6N 2250W	2.3	20.6	7.8	30	0.4	5.6	2.1	208	1.37	2.8	0.8	0.3	3	0	0.9	0.2	37	0.02	0.135	15	14	0.14	106	0.003	0	1.35	0.003	0.05	0.1	0.03	0.8	0.3	0	6	0	0
L6N/2300W	6161198	345705	01-Sep	B	brn	35		Gavin	L6N 2300W	10.7	56.6	18.5	88	0.1	19.4	8	187	3.08	16.4	1.7	0.5	8	0.2	4	0.5	55	0.03	0.087	27	14	0.1	98	0.007	0	1.01	0.002	0.06	0.1	0.02	1.1	0.3	0	6	0	0
L6N/2350W	6161193	345652	01-Sep	B	red brn	30		Gavin	L6N 2350W	6.9	51.5	35	113	0.5	23.4	9.9	1065	4.84	30.6	2.5	0.3	6	0.4	12.6	0.4	53	0.04	0.084	14	23	0.23	130	0.009	0	1.5	0.003	0.06	0	0.06	1.5	0.3	0	6	0.7	0
L6N/2400W	6161204	345602	01-Sep	B	lt brn	35		Gavin	L6N 2400W	3.5	38	19.6	94	0.5	16	6.6	511	2.5	19.7	1.2	0.4	5	0.3	15.6	0.3	41	0.06	0.045	16	26	0.29	72	0.021	0	1.51	0.002	0.04	0	0.04	2.1	0.2	0	5	0	0
L6N/2450W	6161201	345548	01-Sep	B	oj brn	35		Gavin	L6N 2450W	4	56.5	11.7	69	0.5	18.8	9	571	4.84	9.4	1.3	1	8	0.5	1.7	0.3	67	0.1	0.119	12	31	0.46	106	0.045	0	1.92	0.004	0.06	0.1	0.06	3.2	0.2	0	7	0	0
L6N/2500W	6161198	345502	01-Sep	B	lt brn	30		Gavin	L6N 2500W	3.3	51.2	9.2	74	0.3	19	8.2	704	3.74	6.1	1.3	0.4	6	0.3	1.2	0.3	60	0.1	0.096	13	26	0.54	99	0.039	0	1.81	0.004	0.06	0	0.03	2.6	0.2	0	8	0	0
L6N/2550W	6161202	345450	01-Sep	B	brn	25		Gavin	L6N 2550W	1.9	47.2	8	58	0.2	15.8	6.8	416	3.78	5.7	4.4	0.3	4	0.2	1	0.3	65	0.12	0.075	10	24	0.46	52	0.038	0	1.68	0.003	0.05	0	0.08	2	0.1	0	7	0.6	0
L6N/2600W	6161200	345404	01-Sep	B	red brn	35		Gavin	L6N 2600W	2.3	49.4	8.1	59	0.2	15.7	6.2	375	4.72	5.8	3.4	0.5	5	0.3	1.2	0.2	57	0.09	0.11	9	27	0.42	69	0.048	0	1.78	0.003	0.05	0	0.07	2.1	0.1	0.06	6	0	0
L6N/2650W	6161198	345350	01-Sep	B	oj brn	30		Gavin	L6N 2650W	2.4	37.5	8.5	52	0	14.9	9.2	761	5.65	5.5	2.7	0.4	5	0.3	0.9	0.3	112	0.2	0.113	10	43	0.41	99	0.111	0	1.69	0.003	0.05	0	0.05	3.2	0.2	0	8	0	0
L6N/2700W	6161205	345304	01-Sep	B	red brn	25		Gavin	L6N 2700W	3.1	52	8	67	0.2	22.1	9.6	454	6.08	9.2	5.3	0.4	5	0.3	1.8	0.3	99	0.12	0.086	11	44	0.54	98	0.088	0	2.18	0.003	0.03	0	0.06	3.5	0.1	0	7	0.6	0
L6N/2750W	6161192	345239	01-Sep	B	brn	40		Gavin	L6N 2750W	3.4	34.7	8.4	59	0.2	13.3	5.8	497	3.41	6	1.7	0.3	7	0.3	1.4	0.3	50	0.15	0.091	14	19	0.28	95	0.029	0	1.55	0.004	0.05	0	0.06	1.5	0.2	0	7	0.8	0
L6N/2800W	6161194	345201	01-Sep	B	lt oj brn	25		Gavin	L6N 2800W	3.9	43.2	9.2	59	0	16.2	6.4	315	4.08	8.5	2.1	0.4	6	0.1	1.4	0.3	66	0.14	0.066	12	26	0.31	107	0.045	0	1.39	0.003	0.06	0	0.06	2.2	0.1	0	6	0	0
L6N/2850W	6161196	345146	01-Sep	B	brn	25		Gavin	L6N 2850W	3.8	31.8	9.6	43	0.2	12.3	3.8	199	2.65	7	1.9	0.1	5	0.2	0.9	0.3	32	0.08	0.062	11	16	0.21	71	0.011	0	1.12	0.003	0.05	0	0.07	0.9	0.1	0.07	4	0	0
L6N/2900W	6161198	345099	01-Sep	B	lt brn	25		Gavin	L6N 2900W	3.5	28.7	9.4	72	0.1	18.1	6.9	553	2.42	4.7	2.2	0.2	18	0.3	0.8	0.3	26	0.16	0.083	13	17	0.37	218	0.007	0	1.15	0.003	0.07	0	0.03	1.2	0.1	0	4	0	0
L6N/2950W	6161198	345053	01-Sep	B	brn	35		Gavin	L6N 2950W	6.6	55.8	17.1	59	0.3	12.3	13	5021	2.57	6.5	3.6	0.1	29	0.5	0.9	0.4	28	0.25	0.137	14	13	0.12	528	0.005	0	1.13	0.003	0.11	0	0.04	0.6	0.3	0.07	5	0.6	0.2
L6N/3000W	6161200	345000	01-Sep	B	brn	30		Gavin	L6N 3000W	11.1	52.9	17.8	80	0.4	15.5	6	325	3.35	10.9	4.2	0.1	19	0.3	2.2	0.4	35	0.11	0.089	15	14	0.19	197	0.007	0	1	0.002	0.09	0	0.06	1	0.2	0	5	1.7	0.3
L8N/2300W	6161400	345700	12-Oct	B	brn	25		Gavin/Kevin	L8N 2300W	2.3	19	10.6	38	0.3	15.8	6	861	1.74	5.9	0.6	0.1	5	0.1	1.1	0.3	37	0.04	0.039	23	30	0.36	114	0.008	0	1.42	0.003	0.1	0	0.02	0.9	0.2	0	7	0	0
L8N/2350W	6161402	345649	12-Oct	B	brn	25		Gavin/Kevin	L8N 2350W	2.9	34	13.3	53	0	16.4	9.8	1850	3.12	5.8	0.8	0.3	7	0.1	0.9	0.4	74	0.05	0.082	22	33	0.27	148	0.041	0	1.33	0.003	0.09	0	0.04	2.1	0.2	0	10	0	0
L8N/2400W	6161404	345604	12-Oct	B	oj brn	20		Gavin/Kevin	L8N 2400W	4.5	36.2	14.4	59	0.3	18.2	6.2	446	3.37	16.3	2.1	0.5	7	0.2	1.9	0.3	57	0.06	0.118	23	29	0.34	121	0.017	0	1.3	0.003	0.07	0	0.11	2.1	0.2	0	7	0	0
L8N/2450W	6161405	345554	12-Oct	B	brn	15		Gavin/Kevin	L8N 2450W	4.2	40.1	13.9	70	0.4	20.4	7.1	502	3.54	12.1	1.9	0.5	8	0.3	1.4	0.3	55	0.11	0.08	21	30	0.39	107	0.02	0	1.42	0.002	0.08	0	0.06	2	0.2	0	6	0	0
L8N/2500W	6161403	345501	12-Oct	B	brn	25		Gavin/Kevin	L8N 2500W	2	18.4	12.9	42	0.2	10.4	3.2	182	1.86	6.2	0	0.2	7	0.1	0.7	0.3	48	0.06	0.048	26	21	0.24	83	0.012	0	1.47	0.003	0.07	0	0.03	1.5	0.3	0	8	0	0
L8N/2550W	6161408	345456	12-Oct	B	brn	20		Gavin/Kevin	L8N 2550W	3.5	40.1	10.8	55	0.3	12.7	5.9	927	3.34	7.4	1.6	0.2	7	0.1	0.5	0.3	62	0.09	0.094	18	19	0.24	93	0.022	0	1.42	0.003	0.08	0	0.07	1.5	0.2	0	7	0.7	0
L8N/2600W	6161407	345410	12-Oct	B	brn	30		Gavin/Kevin	L8N 2600W	6.6	121.5	22.4	168	0.5	44.4	18.6	1239	3.64	17.6	5.5	1.8	21	0.9	5.1	0.3	32	0.16	0.074	20	22	0.48	113	0.008	0	1.29	0.005	0.1	0	0.18	3.1	0.3	0	4	1.1	0
L8N/2650W	6161412	345345	12-Oct	B	brn	30		Gavin/Kevin	L8N 2650W	4.1	35.3	11.5	93	0	16.5	7.6	769	3.14	8.4	1.2	0.2	19	0.3	0.7	0.3	49	0.28	0.09	16	22	0.31	200	0.028	0	1.26	0.003	0.14	0	0.03	1.4	0.2	0	6	0	0
L8N/2700W	6161399	345299	12-Oct	B	oj brn	35		Gavin/Kevin	L8N 2700W	4.7	63.3	23.8	128	0.6	24	13.6	1559	3.29	20.6	4.4	0.4	34	0.4	2.8	0.3	61	0.53	0.107	16	39	0.39	178	0.012	0	1.46	0.005	0.16	0	0.09	5	0.3	0	4	1.2	0
L8N/2750W	6161399	345250	12-Oct	B	oj brn	25		Gavin/Kevin	L8N 2750W	3	30.1	8.8	81	0.2	16.4	4.4	288	2.78	7.2	2.1	0.2	9	0.3	0.5	0.3	56	0.11	0.078	19	25	0.35	121	0.022	0	1.64	0.002	0.07	0	0.05	1.9	0.2	0	7	0.6	0
L8N/2800W	6161402	345200	12-Oct	B	lt brn	30		Gavin/Kevin	L8N 2800W	3.6	23.8	8.7	49	0.1	11	3.3	223	2.94	6.9	0.8	1.2	8	0.1	0.6	0.4	66	0.1	0.114	21	19	0.25	132	0.058	0	1.32	0.001	0.08	0	0.04	2.7	0.2	0	7	0	0
L8N/2850W	6161398	345152	12-Oct	B	brn	20		Gavin/Kevin	L8N 2850W	3.1	26	9.2	57	0.3	11.3	5.5	560	2.24	5.3	0	0.4	8	0.1	1.1	0.3	50	0.12	0.07	17	17	0.22	230	0.038	0	1.25	0.003	0.06	0	0.02	2.2	0.2	0	7	0	0
L8N/2900W	6161401	345104	12-Oct	B	brn	25		Gavin/Kevin	L8N 2900W	3	19.5	8.6	51	0.3	9.8	7.6	2034	3.16	2.7	0.6	0.5	7	0.1	0.5	0.2	75	0.15	0.077	14	23	0.27	243	0.068	0	1.66	0.001	0.06	0	0.03	3	0.2	0	9	0	0
L8N/2950W	6161396	345056	12-Oct	B	oj brn	15		Gavin/Kevin	L8N 2950W	3.9	31.7	9.4	88	0.3	17.5	9.3	1031	3.34	6	0	0.3	23	0.4	1	0.2	51	0.25	0.105	16	21	0.41	328	0.04	0	1.51	0.003	0.12	0	0.02	2.1	0.2	0	7	0	0
L8N/3000W	6161390	345002	12-Oct	B	brn	30		Gavin/Kevin	L8N 3000W	2.1	15.2	7.1	27	0	6	1.7	111	1.16	3	0	0.2	8	0.1	0.4	0.2	37	0.04	0.034	23	12	0.15	73	0.014	0	1.2	0	0.05	0	0	1.1	0.3	0	6	0	0

Appendix 2: 2017 Rock Sample Notes and Assay Results

Sample ID	utm N	utm E	Elevation (m)	Date Marked	Area	Sampler	Location	Field Description	Source	Source (m)	Samp. Type	Rock Type	Mineralization	Limonite	Silicification	Sericite
79669	6158404	346671	1054	24-Aug-17	Main Road	Titley	On L23S soil line.	Dk-lt grey fg quartzite? Weak fabric. Weak-mod stringy oj-brn feox throughout. Local barren, up to 3cm qz veins.	O/C	1x3	Grab	QTZ?		Weak		
79670	6162574	346100	1556	25-Aug-17	West of CCS ext.	Titley	Dry creekbed with exposures of o/c on W side.	lt grey, fg RHY/felsic TUFF? 5% brn mafic bio? Local mod-strong oj-yel feox on fx surf.	O/C	2x2	Grab	RHY?		Mod		
79671	6162573	346081	1574	25-Aug-17	West of CCS ext.	Titley	~10m up from 79670	dk-grey-blk fg phyllite with up to 5mm thick lt grey undular bands. 0.1% dissem phyr?	S/C	1x1	Grab	PHYL	phyr?			
79672	6162478	345714	1611	25-Aug-17	West of CCS ext.	Titley	On ridge spur	dk grey phyllite as OCG03. Thin foliation at 166/74°. Local cm-scal qz-chal VNs with red feox on fx surf and around VN area. Sampled feox area	O/C	30x10	Grab	PHYL		Mod		
79673	6162611	346087	1567	25-Aug-17	West of CCS ext.	Titley	In gulley filled with rocks (dried-up creekbed)	Wht fg-mg QVN. Local int-mod oj feox, vuggy.	Float	0.4	Grab	QVN		Strong		
79674	6163268	346163	1425	30-Aug-17	Zone 4B	Titley	On side of roadcut	Sub-ang float. Wht QVN with local strong red-oj-yel feox throughout. Trace patchy py, apy? along feox VLs.	Float	0.2	Grab	QVN	py, apy?	Strong		
79675	6161481	347099	1455	02-Sep-17	Zone 4B	Titley	In roadcut on side of main road	Massive sulphide VN ~15cm thick in grey fg LST. Int red-oj feox around VN. 30% py, 50% sph, 10% cp. #4 Manto?	O/C	0.15	Grab Select	VN	sp, py, cp	Int		
79676	6161485	347101	1455	02-Sep-17	Zone 4B	Titley	In roadcut on side of main road	Red-oj-purp int bx, feox from roadcut immediately adjacent to 79675	O/C	0.3	Grab Select	BX		Int		
79677	6162099	347018	1347	02-Sep-17	CCS	Titley	From road below Trench99-05	Ang float from road below Trench99-05. Garnet-malachite SKRN (CCS). 20% semi-mas mal throughout. Trace wht py.	Float	0.7	Grab	SKRN	mal, py			
79678	6162101	347021	1347	02-Sep-17	CCS	Titley	From road below Trench99-05	Ang float from road next to 79677. Lt-med yel-grey SKRN with mm scale brn garnets, local strong oj-red-purp feox. Semi-mass to patchy py 20%. Trace cpy.	Float	0.5	Grab	SKRN	py, cpy	Strong		
79679	6162118	347039	1362	02-Sep-17	CCS	Titley	From Trench99-05 roadcut	From Trench99-05 roadcut. Bedrock CCS. Lt-med yel-grey SKRN with mm scale brn garnets, local strong oj-red-purp feox. Semi-mass to patchy py 10%. Trace cpy.	O/C	1x1	Grab Select	SKRN	py, cpy	Strong		
79680	6158789	347161	1082	08-Sep-17	South Slope	Titley	On soil line L19S.	grey-brn to grey-grn fg-mg SKRN? Fizzes strongly with dilute HCL. Locally mod brn feox & vuggy.	O/C	5x5	Grab	SKRN?		Mod		
79681	6158812	347075	1095	08-Sep-17	South Slope	Titley	W along O/C from OCG15	Mod-strong oj-red feox grn-gry fg PHYL.	O/C	2x5	Grab	PHYL		Mod		
79682	6161588	347098	1419	13-Sep-17	Zone 4B	Titley	On roadcut near L10N.	60cm thick int feox ARG? In contact with grey LST. Int-mod red-oj-purp feox throughout, with 1-3% dissem py. 30cm of it is crumbly, sampled competent rock.	O/C	0.6	Grab	ARG	py	Int		
79683	6160042	348072	1205	23-Sep-17	Zone 1&2	Titley	In roadcut on W side of road.	50cm thick lens of LST?/ grn-grey fg soft, smooth massive. Weak-mod brn oj feox on fx. Looks boring. Contact with shale as OCG18 at ~170/60°	O/C	0.5	Grab	LST		Weak		


79684	6161000	347848	1382	23-Sep-17	Zone 1&2	Titley	On W side of road.	Dk grey-blue to pale green (ser?) fg Silicified, Skarned LST. Local 1-2cm thick qz-cal Vns. Mod-strong brn-oj feox on fx surf. 3-5% patchy to euhedral py cbes up to 5mm in diam. Trace soapy kelly-green mx. Mal?? 50cm sub-ang float on side of road.	Float	0.5	Grab	LST	py	Mod	Mod	Strong?
79685	6160794	347670	1490	23-Sep-17	Zone 3	Titley	In middle of 20m long trench	10-20cm pieces of sub-ang float from rubble. Int purp-red to brown-red to oj feox, vuggy MTO? Int dk-grey sub-metallic Mn? Could not locate O/C within trench, but looks to be in-situ.	Float	0.2	Grab	MTO	Mn	Int		
79686	6160836	347661	1484	23-Sep-17	Zone 3	Titley	In middle of 30m long trench	30cm ang float from rubble next to trench. Oj-red to oj, int feox, vuggy MTO? Contains up to 2cm long wht SIL frags and up to 5cm in diam vugs.	Float	0.3	Grab	MTO		Int		
79687	6160837	347659		23-Sep-17	Zone 3	Titley	On side of side-road near intersection with IP line L1N	fg med grey to pale grn (ser?) SKRN similar to 79684. Strong SIL, SKRN'd LST. Local int red-oj vuggy feox. 1-3% fg, dissem py. From 1x3m SKRN O/C.	O/C	1x3	Grab Select	SKRN		Strong	Strong	Strong?
79688	6160939	347536	1484	23-Sep-17	Zone 3	Titley	On side of road next to DDH-93-22 collar.	fg med grey to pale grn (ser?) SKRN similar to 79684. Strong SIL, SKRN'd LST. Local int red-oj vuggy feox. No visible py. Trace kelly-grn mx.	S/C	1x5	Grab	SKRN		Strong	Strong	Strong?
79689	6161427	347144	1475	23-Sep-17	Zone 4B	Titley	On roadside	Massive sulphide VN 20-100cm thick. Sampled dk purp-blk Mn, sph with 1-3% patchy cpy. From float next to VN. Looks to be broken off by previous geologist. #4 Manto?	Float	0.5	Grab	VN	sph, cpy			
79690	6161427	347140	1474	23-Sep-17	Zone 4B	Titley	5m W down road from 79689	Semi-massive sulphide VN 50cm thick.	O/C	0.5	Grab	VN	py,			
79691	6161536	346998	1450	23-Sep-17	Zone 4B	Titley	On roadside before switchback	dk grey to med grey CHT? Fg, very hard, mod-int oj-red feox on fx surf. .1-1% dissem wht py.	O/C	3x15	Grab	CHT	py	Strong		
79692	6161526	346895	1451	23-Sep-17	Zone 4B	Titley	On roadcut of reclaimed road	Int purp-oj-red feox, vuggy, bx, rubbly with up to 20cm clasts of varied composition. Some CHT, some intrusive, some PHYL. Clasts contain trace-5% wht py.	O/C	1x2	Grab	BX	py	Int		
79693	6161523	346880	1455	23-Sep-17	Zone 4B	Titley	On switchback of reclaimed road	Int oj-red feox, weak epi, CHT? 5% patchy wht py.	O/C	1x1	Grab	CHT	py	Int		
79694	6159186	347213	1186	03-Oct-17	South Slope	Titley	Near L15S/800w	Partially exposed O/C. med-dk grey, fg SIL PHYL with local weak-mod feox on fx surf. Mod-strong SIL'n. Trace yel oxi py? On fx surf.	O/C	3x5	Grab	PHYL	py?	Weak	Mod	
79695	6159191	347039	1199	03-Oct-17	South Slope	Titley	Next to L15S	1x3m o/c next to L15S. Dk-med grey fg SIL PHYL. Mod-strong SIL'n. Local weak red feox on fx surf. Trace vfg dissem py?	O/C	1x3	Grab	PHYL	py?	Weak	Mod	
79696	6159209	346951	1208	03-Oct-17	South Slope	Titley	Next to L15S	50cm ang float at base of 4x20m outcrop. Wht to red-brn strongly feox, vuggy cg Qz VN with no visible mx. Outcrop above is pale grn fg ARG? With 0	O/C	0.5	Grab	QVN		Strong		
79697	6162864	346717	1487	08-Oct-17	CCS ext.	Titley	On roadcut on N road.	Grab select of 4cm thick QVN from within monz as 79698.	O/C	0.04	Grab Select	QVN	py			Weak

79698	6162867	346716	1489	08-Oct-17 CCS ext.	Titley	On roadcut on N road.	Lt grey porphyritic monzonite. Mg-cg	O/C	2x10	Grab	MONZ	py			Weak
79699	6162870	346716		08-Oct-17 CCS ext.	Johnson	On roadcut on N road.	Bob sample from next to 79698. Lt grey to lt brn SIL PHYL .1% dissem to patchy py.	O/C	2x10	Grab	PHYL	py	Weak		
79700	6162016	346799	1315	09-Oct-17 CCS	Titley	On roadcut next to culvert	Lt grey to lt pink mg quartz monzodiorite (could be another similar intrusive) dyke? With local 1-3mm thick qz veins and a a 3mm thick py vein. Patchy to dissem py throughout ~3% of total. Weak to mod oj-red feox on fx surf. Pink k-spar ~10%. Locally mod pale grey-yel ser? Alt.	O/C	2x2	Grab	MONZ	py	Weak	Weak	Weak
2586701	6163082	346487	1477	10-Oct-17 CCS ext.	Titley	On roadcut on N road.	dk to lt grey fg SIL PHYL with strong silicification throughout and mod-strong red-brn feox on fx surf. Sampled from various sites along roadcut.	O/C	3x40	Grab	PHYL		Mod	Strong	
2586702	6162627	346888	1458	10-Oct-17 CCS ext.	Titley	On roadcut.	Alternating dk grey, fg clayey layers and fg lt grey-green siliceous layers 1-2cm thick. Mod red-brn feox on fx surf. Trace wht blebby py in some SIL layers.	O/C	1x10	Grab	PHYL	py	Mod	Mod	
2586703	6162016	346799	1315	10-Oct-17 CCS	Titley	On roadcut next to culvert	At same location as 79700. 1m to W of 258604. 1x2m exposure sampled at contact with 79700.	O/C	1x2	Grab					
2586704	6162016	346799	1315	10-Oct-17 CCS	Titley	On roadcut next to culvert	2cm thick int oj to red feox qz vn at 210/80° orientation. Grab select from exposed 2m section of VN. Locally up to 4mm thick semi-massive py, cpy ~5% of total. Int clay alt.	O/C	0.02	Grab Select	QVN	py, cpy	Int		
2586705	6160427	347871	1370	10-Oct-17 #1 Zone	Titley	Next to L3S above core graveyard.	60cm boulder from little pit next to L3S and an old overgrown road. Outcrop is likely just under this spot. #2 MTO	Float	0.6	Grab	MTO				
2586706	6160523	347851	1397	10-Oct-17 #1 Zone	Titley	On old road below summit firepit.	Grab of #1 VN. In OC from the middle of 2586707 interval. Yellow, int alt to greenish QZ. Local patchy to semi-mas sulphides (py, gn, sph)	O/C	1x2	Grab	MTO	py, gn, sph	Int		
2586707	6160515	347850	1398	10-Oct-17 #2 Zone	Titley	On old road below summit firepit.	Chip sample of #2 MTO across the interval between S 2586707 and E 2586707. Chips taken every ~10-20cm where the manto outcrops on an old road (not continuous). This old road is probably still quad driveable. MTO is 1-2m thick along interval, is steeply dipping and runs N-S (~180/60°). Locally pale yellow to green (sulphosalts?) to bright orange, with local patchy to semi-mas sulphides (py, gn, sph).	O/C	2x25	Chip	MTO	py, gn, sph	Int	

2586707	6160538	347852	1403	10-Oct-17 #2 Zone	Titley	On old road below summit firepit.	Chip sample of #2 MTO across the interval between S 2586707 and E 2586707. Chips taken every ~10-20cm where the manto outcrops on an old road (not continuous). This old road is probably still quad driveable. MTO is 1-2m thick along interval, is steeply dipping and runs N-S (~180/60°). Locally pale yellow to green (sulphosalts?) to bright orange, with local patchy to semi-mas sulphides (py, gn, sph).	O/C	2x25	Chip	MTO	py, gn, sph	Int
LDS-1	6162132	346945		11-Oct-17 CCS	Johnston	From Trench99-05 roadcut	3m chip from E side of roadcut skarn showing; minor gt, half of interval is qtz w/ cp diss, and blebs to 2%	O/C	3m	chip	SKRN	py, cpy	mod
LDS-2	6162135	346943		11-Oct-17 CCS	Johnston	From Trench99-05 roadcut	chip sample from 3-6m (measured from E side); bn gt w/ siliceous sections w/ local str cp	O/C	3m	Chip	SKRN	py, cpy	Mod
LDS-3	6162138	346941		11-Oct-17 CCS	Johnston	From Trench99-05 roadcut	chip sample from 6-10m (measured from E side); mostly y-bn gt; local irreg zones of cp,py to 2cm; interval incl 79679	O/C	4m	Chip	SKRN	py, cpy	Mod
LDS-4	6162141	346938		11-Oct-17 CCS	Johnston	From Trench99-05 roadcut	chip sample from 10-14.3m (to W end of skarn showing); mostly gt , w/ local diss cp, py	O/C	4.3m	Chip	SKRN	py, cpy	Mod

Sample ID	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Cu	Pb	Zn	Ag	Ag	Pb
	(PPM)	(PPM)	(PPM)	(PPM)	(PPM)	(PPM)	(PPM)	(PPM)	(%)	(PPM)	(PPB)	(PPM)	(PPM)	(PPM)	(PPM)	(PPM)	(PPM)	(%)	(%)	(PPM)	(PPM)	(%)	(PPM)	(%)	(PPM)	(%)	(%)	(%)	(PPM)	(PPM)	(PPM)	(PPM)	(%)	(PPM)	(PPM)	(PPM)	(%)	(%)	(%)	(g/t)	(g/t) FA	(%) FA
79669	0.7	17.3	3.6	14	0	3.3	1.1	95	0.58	3	0	0.6	2	0	0.4	0.2	0	0	0.007	3	3	0.01	127	0	2	0.12	0.001	0.1	0	0.04	0.8	0	0	0	0	0						
79670	0.4	31.7	7.8	34	0.2	1.7	2.4	182	1.11	1.3	0	2.3	61	0.1	1.5	0	18	0.51	0.032	7	3	0.27	117	0.057	3	1.4	0.18	0.13	0.2	0	2.1	0.1	0	6	0	0						
79671	17.9	81.9	7.1	42	0.1	52.5	15	336	2.29	120.3	0	3.4	84	0.5	6.5	0.5	115	1.56	0.17	12	52	0.35	152	0.093	3	1.95	0.201	0.08	0.3	0	4.7	0	0.41	6	4.2	0						
79672	6	48.7	15.2	57	0.1	10.5	1.6	291	3.36	8.6	1.4	4.4	15	0	1.7	0.3	21	0.02	0.058	16	11	0.49	120	0.003	6	1.14	0.012	0.22	0	0.07	2	0.2	0	4	2.5	0						
79673	3.5	37	4.7	40	0.2	11.4	3.3	312	1.6	8.5	0	2.5	26	0.2	2.2	0.2	34	0.26	0.022	6	19	0.6	92	0.06	2	1.04	0.071	0.15	0.1	0	3.8	0.2	0	4	0.6	0						
79674	0.8	11	5.6	13	0.2	1.4	0.2	43	0.86	33	0	0.1	5	0	3.9	0.9	3	0.01	0.012	0	3	0.03	12	0	1	0.09	0.003	0.02	0	0	0.5	0	0	0	0.7	0						
79675	0	398.9	>10000.0	>10000	>100.0	1.7	1.9	1338	16.74	1625.3	1.5	0	13	901.3	>2000.0	2	2	3.09	0.003	0	4	0.11	3	0	0	0	0.001	0	0	0.55	0	0	>10.00	4	3.8	3.9	0.046	>10.00	12.61	127		
79676	4.6	214.9	953.6	2215	7	8.7	3.6	107	34.39	9412.8	450.4	2.1	7	17.1	476.7	134.5	51	0.3	0.084	6	17	0.08	136	0.06	0	0.47	0.003	0.08	81.3	0.57	1.6	0.2	0.23	3	24.6	30.9						
79677	5.5	7287.7	38.9	189	0.4	24.8	8.7	2451	8.61	101.7	0	2.4	8	1.4	22.9	3.4	31	12.87	0.076	11	13	0.41	14	0.091	0	1.83	0.004	0.1	9.7	0	6.2	0.4	0	8	0	0.6						
79678	2.7	>10000.0	8.3	149	93.8	25.1	14.3	1452	16.14	419.4	976.8	0.9	13	0.9	6	22.7	11	16.13	0.797	26	6	0.08	3	0.019	4	0.57	0.002	0	80.6	0.02	3.6	0	2.99	10	14.9	1.8	3.127	0	0.01	93		
79679	13.8	>10000.0	5.9	196	>100.0	27.3	20	960	11.7	182	1503.1	0.4	2	1.5	5.7	9.7	15	6.94	0.037	10	3	0.21	8	0.004	3	0.54	0.003	0	26.6	0.02	1.1	0	4.62	7	19	2.7	3.733	0	0.02	119		
79680	0.1	131.3	3.5	112	0.2	54.7	35.1	1140	6.93	1.8	2.1	0.2	63	0.2	1.4	0	247	2.58	0.082	3	64	2.8	396	0.482	6	3.53	0.043	0.15	0.2	0	6.7	0	0	14	0	0						
79681	0.3	64.5	2.8	129	0	46.2	42	1043	9.48	1.1	3.5	0.3	17	0.2	0.7	0	282	1.5	0.091	3	54	3.23	363	0.513	8	4.3	0.02	0.14	0.1	0	9.6	0	0	15	0	0						
79682	9.8	125	146.6	987	1.2	274.5	50.1	128	12.65	135.5	35.3	2.3	101	14.7	60.5	0.1	123	4.16	0.638	16	272	1.6	23	0.282	7	4.47	0.173	0.96	0.8	0.05	8.3	0.5	9.19	18	11.8	0						
79683	0.3	16.7	6.7	44	0	5.2	2.4	304	1.12	3.1	0	0.5	19	0.2	2.1	0	4	0.59	0.028	4	2	0.07	293	0	4	0.53	0.057	0.17	0	0.11	1.3	0	0	1	0	0						
79684	5.3	60.8	14.7	95	0.7	163.2	33.2	1328	5.08	224.1	19.3	1.7	441	0.7	12.6	0.6	39	18.92	0.239	17	72	2.45	87	0.003	4	1.08	0.006	0.12	0.2	0.63	10.1	0.2	2.28	3	1	0						
79685	5.9	699.8	7585.3	8987	55	3.7	1.7	100	>40.00	>10000.0	4011.1	0	12	397.1	861	263.2	21	1.02	0.099	0	65	0.03	276	0	1	0.04	0	0.02	0.1	1.6	0.3	0.5	0	3	0	0						
79686	3.4	31.1	2116.2	>10000	11.6	23.1	3.5	884	35.64	>10000.0	28.9	0.3	4	558.1	1457.3	0.6	77	0.27	0.175	20	20	0.03	78	0.001	2	0.13	0	0.02	1.2	0.66	0.4	0.7	0	4	3.6	2.4	0.004	0.22	19.25	12		
79687	0.9	51.4	12.1	333	0.1	105.9	9.1	505	8.15	59.1	2.4	3.3	280	2.3	6	0.2	361	16.51	1.359	47	313	5.66	81	0.024	4	3.19	0.008	0.11	0	0.02	10.2	0.1	0.07	14	1.2	0						
79688	3.7	57.7	4.2	193	0	299.9	61.2	761	6.6	31	0	2.5	156	0.4	3.4	0	103	10.79	0.355	29	228	3.46	103	0.015	4	3.6	0.007	0.25	0	0.01	14.4	0.1	0	12	0	0						
79689	1	389.7	122.6	>10000	9	0.9	6.6	2765	22.6	1448	643.9	0	3	>2000.0	87.1	38.3	3	0.33	0.097	2	4	0.06	7	0	0	0.03	0	0	2.9	1.33	0	0	8.9	10	36.8	8.8	0.055	0	31.55	13		
79690	1.7	1056.8	141.9	>10000	9.7	2.3	9.5	791	33.98	1118.2	160.7	0	16	316.6	52.8	28	19	2.32	0.05	2	8	0.42	5	0	0	0.06	0	0.01	9.1	0.58	0.5	0	>10.00	3	54.6	5.5	0.107	0	5.57	10		
79691	24.7	94.8	6.6	228	0.3	30.7	10.3	133	2.45	85.2	14.6	4	29	2	7.5	0.5	71	0.35	0.034	4	32	1.1	150	0.056	1	1.92	0.09	0.62	0.1	0	7.4	0.6	0.94	7	3.2	0.3						
79692	7.8	197.4	116.5	4198	3.4	17.5	5.2	210	9.18	1731.9	22.5	4.2	11	23.9	55.5	19.4	48	0.34	0.072	11	16	0.45	111	0.074	3	1.01	0.018	0.18	2.5	0.03	3.3	0.8	0	5	1.3	8.7						
79693	8.2	74.1	509.3	197	2.9	5.2	2	73	4.38	74.4	56.7	2	9	0.8	6.8	6.5	27	0.12	0.034	8	10	0.08	200	0.018	2	0.32	0.018	0.11	1	0.04	1.9	0.1	0.73	2	5.7	1.1						
79694	1.9	44.5	7.9	52	0.4	17.3	2.8	202	2.14	7.6	2.2	2.3	3	0.3	5.1	0.3	16	0.05	0.017	8	12	0.64	135	0.002	3	1.08	0.01	0.14	0	0.03	1.7	0	0	4	0.6	0						
79695	0.4	59.5	20.4	72	0.3	49.4	9.7	5334	1.76	8.4	0	1.8	16	0.2	7	0.2	11	0.06	0.014	14	8	0.39	229	0.008	4	0.71	0.007	0.11	0	0.02	2.1	0	0	4	0	0						
79696	1.5	27.1	8.1	54	0.2	19.7	10.1	450	2.48	5.1	0	1.6	43	0.3	4.8	0.2	72	1.78	0.025	6	32	0.99	28	0.145	2	1.15	0.021	0.01	0.1	0	4.8	0	0	5	0	0						
79697	7	231	3815.6	266	39.8	1.7	3.5	393	3.81	565.6	257.2	12.8	10	1.5	30.5	3.7	15	0.09	0.109	28	2	0.08	187	0.002	2	0.62	0.006	0.27	0.2	0.13	1.4	0.5	0.33	2	2.9	2.7						
79698	7.1	75.1	75.4	96	0.6	6.1	5.2	383	3.21	21.4	14.7	14.9	39	2.2	4.1	1.8	42	0.6	0.111	39	5	0.78	131	0.062	0	1.12	0.046	0.17	0.3	0	3.2	0.2	1.09	6	1.4	0.2						
79699	15.4	71.3	28.9	58	0.7	23.5	3.7	251	1.73	19.6	8.9	5.6	16	0.2	3.2	0.9	50	0.15	0.052	6	23	1.09	128	0.012	0	1.45	0.061	0.23	0.1	0	4.4	0.4	0.23	6	1.4	0						
79700	10.8	181.1	64	238	0.6	7.1	5.2	113	2.32	9.1	5.7	25.1	18	2.2	20.9	0.5	10	0.53	0.057	19	3	0.26	59	0.006	0	0.48	0.04	0.19	0.3	0.05	1.9	0.2	2.2	2	3.2	0						
2586701	5.7	47.5	5.5	24	0.2	6.5	1.9	128	2.36	46.3	15	4.5	18	0	3.9	0.8	26	0.04	0.036	12	17	0.84	232	0.013	5	1.29	0.019	0.31	0	0	2.3	0.3	0.05	5	1.6	0						
2586702	10.8	224.6	37.6	66	0.9	28.2	7.7	193	1.94	28.7	28.5	4.3	18	0.3	9.7	0.2	62	0.15	0.027	9	37	1	192	0.089	2	1.61	0.061	0.71	0	0	8.2	1.1	0.11	7	0.9	0						
2586703	16.8	228.9	9.8	30	0.3	27.2	14.4	58	2.06	10	4.7	9.1	6	0.4	23.3	0.3	41	0.14	0.044	10	25	0.49	118	0.048	0	0.8	0.025	0.43	0.2	0.02	6	0.4	1.36	4	2.6	0						
2586704	22.6	137.2	37.5	67	0.6	14.9	7.8	61	4.02	20.4	5.6	10	5	0.4	19.6	0.5	18	0.1	0.037	10	9	0.16	36	0.01	0	0.55	0.013	0.26	0.4	0.04	3	0.2	3.06	1	5.1	0						
2586705	2.6	404.3	>10000.0	>10000	>100.0	1.2	0.4	267	7.25	67800	5789.9	0	5	404.2	28830	1.7	10	0.03	0.037	0	5	0	32	0	14	0.04	0	0.06	0	>50.00	0.2	157.1	4.76	11	1.5	20.2	0.037	2.65	2.09	>1000	2041	
2586706	4.2	1260.5	>10000.0	5091	>100.0	0.4	0.2	124	12.57	>100000	10489.5	0	5	247.8	>50000	1.3	16	0.02	0.015	0	3	0	24	0	0	0.03	0	0.04	0	>50.00	0	387.1	4.79	8	1.6	19.1	0.125	>4.00	0.53	>1000	4194	10.56
2586707	4.4	717.6	>10000.0	2149	>100.0	1	1.2	188	13.72	98300	7355.5	0	5	100.4	>50000	0.5	5	0.03	0.029	0	3	0	35	0	0	0.02	0	0.03	0	22.45	0	946.6	6.8	3	2.2	2.5	0.069	>4.00	0.21	>1000	1007	6.59
2586707	4.4	717.6	>10000.0	2149	>100.0	1	1.2	188	13.72	98300	7355.5	0	5	100.4	>50000	0.5	5	0.03	0.029	0	3	0	35	0	0	0.02	0	0.03	0	22.45	0	946.6	6.8	3	2.2	2.5	0.069	>4.00	0.21	>1000	1007	6.59
LDS-1	13.4	>10000.0	162.7	319	56.5	23.9	17.7	1640	10.69	406.9	888.8	1.5	20	2.7	132.1	61.7	18	10.65	0.638	26	9	0.26	26	0.055	4	1.15	0.014	0.02	37.8	0.09	2.8	0.9	1.97	7	8.4	6	2.709	0.02	0.03	53		
LDS-2	128.6	8725.2	91.7	196	29.9	26.9	25.1	2100	13.77	857.6	380.2	1.7	12	1.7	67.2	50.8	24	12.39	0.377	21	11	0.24	80	0.042	3	1.04	0.007	0.06	73.5	0.03	3.3	1.1	0.85	8	9	6.3						
LDS-3	25.4	9167	21.5	78	57.3	48.4	79.4	1053	11.14	277.8	671.5	2.7	9	0.5	20.8	88.2	25	7.68	0.467	30	10	0.23	30	0.07	1	0.69	0.006	0.03	63.2	0	2.2	0.1	3.86	7	20.3	5.8						
LDS-4	22.9	2817.1	13.9	45	12.5	14.7	9.5	1895	12.49	515.4	73.5	0.7	2	0.4	12.3	10.8	21	13.72	0.052	21	6	0.23	17	0.018	3	0.92	0	0.01	64.4	0	1.8	0.2	0.71	10	2.7	2.7						

Appendix 3: 2017 Geophysical Sections



Survey Specifications

Survey performed: September-October 2017

Survey magnetometer: GEM GSM19 Overhauser
Base magnetometer: Scintrex ENVI proton precession

Measurment: total field
Data interval: 10 metres
Diurnal corrections: base station

Profile base: 56050 nT
Data scale: 250 nT/cm
(at 1:5,000 scale)

Plot coordinates: idealized grid

METRES

0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Total Field Magnetometer Survey
Stacked Profiles

Drawn by: B Scott Date: November 2017

Scott Geophysics Ltd.

Survey Specifications

Survey performed: September-October 2017

Survey magnetometer: GEM GSM-19 Overhauser
Base magnetometer: Scintrex ENVI proton precession

Measurment: total field
Data interval: 10 metres
Diurnal corrections: base station

Grid coordinates: WGS84 UTM Zone 11U

Total Field
(nT)

- 56183
- 56091
- 56073
- 56065
- 56059
- 56054
- 56049
- 56044
- 56039
- 56034
- 56027
- 56018
- 56003
- 55965
- 55858

N

METRES


0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Total Field Magnetometer Survey
Contour Plan


Drawn by: B Scott Date: November 2017

Scott Geophysics Ltd.


26N




22N




18N




14N




10N




6N




1N



3S



7S



Chargeability (mV/V)

50
40
30
25
20
15
12
10
8
6
4
2
1
0

Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes


METRES

0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
RES2DINV Inverted Chargeability Data
Inverted Sections

Drawn by: B Scott
Date: November 2017

Scott Geophysics Ltd.



Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes

Grid coordinates: WGS84 UTM Zone 10U

Chargeability (mV/V)

50
40
30
25
20
15
12
10
8
6
4
2
1
0

N


METRES

0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Induced Polarization Survey
RES2DINV Inverted Chargeability Data
50m Depth Plan

Drawn by: B Scott Date: November 2017

Scott Geophysics Ltd.



Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes

Grid coordinates: WGS84 UTM Zone 10U

Chargeability (mV/V)

50
40
30
25
20
15
12
10
8
6
4
2
1
0

N


METRES

0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Induced Polarization Survey
RES2DINV Inverted Chargeability Data
100m Depth Plan

Drawn by: B Scott Date: November 2017

Scott Geophysics Ltd.



Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes

Grid coordinates: WGS84 UTM Zone 10U

Chargeability (mV/V)

50
40
30
25
20
15
12
10
8
6
4
2
1
0

N


METRES


0 50 100 150 200 250


Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Induced Polarization Survey
RES2DINV Inverted Chargeability Data
300m Depth Plan


Drawn by: B Scott Date: November 2017


Scott Geophysics Ltd.


























Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes




METRES
0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
RES2DINV Inverted Resistivity Data
Inverted Sections

Drawn by: B Scott
Date: November 2017

Scott Geophysics Ltd.



Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes

Grid coordinates: WGS84 UTM Zone 10U

Resistivity (Ωm)

5000
2000
1500
1000
700
500
300
200
150
100
70
50
30
20
15
10
7

N


METRES

0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Induced Polarization Survey
RES2DINV Inverted Resistivity Data
50m Depth Plan

Drawn by: B Scott Date: November 2017

Scott Geophysics Ltd.



Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes

Grid coordinates: WGS84 UTM Zone 10U

Resistivity (Ωm)

5000
2000
1500
1000
700
500
300
200
150
100
70
50
30
20
15
10
7

N


METRES

0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Induced Polarization Survey
RES2DINV Inverted Resistivity Data
100m Depth Plan

Drawn by: B Scott Date: November 2017

Scott Geophysics Ltd.



Survey Specifications

Survey performed: September-October 2017

Receiver: GDD GRx8-32
Transmitter: GDD TxII (5 kW)
Pulse time: 2 sec
Mx receive window: 690-1050 msec

Array: pole-dipole
a spacing, n separations:
a = 50m, n = 1-5
a = 100m, n = 2.5 + 3-8

Current electrode east of potential electrodes

Grid coordinates: WGS84 UTM Zone 10U

Resistivity (Ωm)

5000
2000
1500
1000
700
500
300
200
150
100
70
50
30
20
15
10
7

N

METRES

0 50 100 150 200 250

Lorraine Copper Corp.
Lustdust Property, Fort St James Area, BC
Induced Polarization Survey
RES2DINV Inverted Resistivity Data
300m Depth Plan

Drawn by: B Scott Date: November 2017

Scott Geophysics Ltd.

Appendix 4: 2017 Drill Logs and Assay Results

| | | |

Drill Hole; LD2017-01

from	to	description	sample	from	to	length (m)	rec %	litho code	alt	py	cp	sp	po	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au ICP ppb	Au FA	Sb ppm	Bi ppm
		46.6m; py inc to 1%	2598014	44.40	47.40	3.00	77	CARG		1%				10.2	205.9	54.1	81	0.6	121.1	16.9		27.2	0.7
		47.7m; 20cm v finely broken "sandy" core	2598015	47.40	49.30	1.90	71	CARG		1%				22.9	481.3	47.5	91	1.2	95.8	21.4		38.4	2
		48.5m; 30cm solid core with lt bn biot? in 30CA fabric																					
		49.3m; broken core through contact but appears to sharp 40CA contact																					
49.3	76.13	**porphyritic monzonite**																					
		lt gy-gn gm with wh felds from 2-10mm; local patches of dk gn chl alt; 1-2% py as diss, vnlts																					
			2598016	49.30	52.30	3.00	100	MNZ		1%				1.9	74.7	47.7	153	0.9	114.7	31.3		6	3.1
		53.55m; 5cm soft clay "seam" with sharp 70CA contacts	2598017	52.30	55.30	3.00	87	MNZ		1%				1.7	107.4	206.2	369	1.9	60	35.1		12.7	4
		60-63m; core sl bleached	2598018	55.30	58.30	3.00	66	MNZ		1%				1.9	66.8	21.2	42	0.3	14	15.5		4.4	3
			2598019	58.30	61.30	3.00	93	MNZ		1%				2.2	46.7	12.4	28	0.3	38.8	24.2		4.7	3.2
		61.3m; 2-7mm wide wh py vein at high CA	2598020	standard CDN-GS-1C						1%				7	65.6	19.6	103	2.3	356.7	1027.4		26.8	0.3
		61.5-63.5m; local broken sections with gn clay on frax; fragments from 2-20cm																					
		67.5-69.6m; local broken sections with gn clay on frax; fragments from 2-20cm	2598021	61.30	64.30	3.00	90	MNZ		1%				2.7	58.9	57.4	130	0.8	53.5	22.1		10.4	3.1
		70.6m; 15cm of dk gn alt with faint felds	2598022	64.30	67.30	3.00	99	MNZ	chl	1%				1.2	64.6	21	52	0.3	22.9	12.5		7.7	3
		71.3-71.8m; dk gn alt with faint felds	2598023	67.30	70.30	3.00	90	MNZ	chl	1%				3.2	138.5	10	35	0.4	38	16		18.8	2.2
		71.93-72.8m; bleached soft, clayey, crumbly alteration haloes around frax	2598024	70.30	73.30	3.00	94	MNZ		1%				2	61.2	12.7	30	0.3	35.1	22.3		9.5	2.5
		73.4m; 20cm of dk gn alt with faint felds	2598025	73.30	76.13	2.83	100	MNZ	chl	1%				0.5	85.6	13.9	35	0.4	228.5	461.4		16.8	2.2
		76.13; sharp contact in broken core																					
76.13	83.6	**cherty argillite with skarn intervals**																					
		cherty argillite as above; lt gy siliceous argillite with abund bn biot bands; local bk arg beds; cc-chl frax; ; includes intervals of fg skarn to 45cm; 1% py overall as diss, veinlets																					
		76.95m; 10cm monz dyke; broken core at contacts	2598026	76.13	79.20	3.07	100	CARG		1%				11.2	152	113.4	181	1.3	58.2	74.4		13.6	1.9
		77.05m; 20cm of lt gn-pk diop-gt skarn	2598027	79.20	82.20	3.00	93	CARG		2%				266.5	334.3	10.4	51	1	93.1	104.9		8.4	2.7
		79.25-79.7m; fg gn-pk diop-gt skarn w/ 3-5% py frax	2598028	82.20	83.60	1.40	94	CARG		1%				13.5	173.2	77.7	243	1.2	45.4	33.4		4.7	0.9
		79.7-83.6m; interfingered lt gy and bk arg with 80CA fabric; still with lt bn bt-gt? bands																					
83.6	84.12	**monzonite**	2598029	83.60	84.12	0.52	98	MNZ						5.2	78.4	371.1	739	2.7	31.7	30.7	34	5.1	1.8
		as prev; lt gy gn gm with minor wh felds from 2-7mm																					
84.12	105.46	**skarn**																					
		fine grained pink and light green bands (garnet and diopside?) with local fg gn and bn eu garnets; local irreg dk gy-pp qtz vns to 1cm; local intervals of unaltered cherty arg host rock																					
		84.12-85.20m; fg gn-bn skarn w/ py to 1%	2598030	84.12	85.20	1.08	100	SKN		1%	0.5%			549.7	357.3	94.1	183	1	352.3	178.6	107	2.6	3.5
		85.20-86.57m; fg gn bn skarn; incl 85.3-86.0m with 1-2% cp with py; 86.2-86.57m w/ abund mgt	2598031	85.20	86.57	1.37	100	SKN		3%	3%			715.1	954.4	13.7	98	2.4	4362.6	879.7	661	55.6	8.1
		86.57-88.58m; fg gn-bn skarn; local cg bn gt; 1-2% py, locally to 5%; minor cp on frax; local bk sx	2598032	86.57	88.58	2.01	100	SKN		2%	minor			609.4	326.9	6.1	33	0.7	236.3	72.1	82	1.4	5.1

Drill Hole; LD2017-01

from	to	description	sample	from	to	length (m)	rec %	litho code	alt	py	cp	sp	po	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au ICP ppb	Au FA	Sb ppm	Bi ppm
		88.58-89.44m; 2 intervals of gy cherty arg w/ mod CA banding and minor py from 88.58-88.96m and 89.18-89.44m; seperated by 22cm of fg gn-bn skarn w/ minor cp, py on frax	2598033	88.58	89.44	0.86	100	SKN		minor	minor			87.8	91.7	7.3	40	0.3	87.3	19.6	29	1.9	0.9
		89.44-90.51m; fg gn-gn skarn with coarser gt w/ py to 2% and local cp	2598034	89.44	90.51	1.07	100	SKN		2%	0.5%			35.4	233.2	5.8	29	0.5	245.9	22.3	118	1.2	1.7
		90.51-92.83m; gy chert w/ 45CA banding; irreg lt bn gt-bt? wisps; local lt gn diop patches	2598035	90.51	92.83	2.32	100	CARG		minor	minor			102.5	1229.2	8.5	45	2.1	22.4	210.9	166	3	1.1
		92.83-94.60m; fg gn-bn skarn w/ coarse gt, 2-3% py, minor cp; local 1% mo?	2598036	92.83	94.60	1.77	100	SKN		2%	0.5%			986.6	329	6.2	34	0.7	84.7	53.3	44	3.1	2.3
		94.60-95.31m; gn alt monz dyke; sharp 50CA upper contact; lower one in broken core; 95.2m w/ 10cm patch of diop-gt	2598037	94.60	95.31	0.71	100	MNZ						116.4	869.2	2246.4	2105	6.6	46.6	148.3	155	120.5	2
		95.31-97.00m; gn-bn fg diop-gt skarn; gt coarser than diop; dk gn chl on frax; 3-5% py, str cp to 1% in first 30cm, local diss rest of section; local lt bn sp?	2598038	95.31	97.00	1.69	100	SKN		2%	1%	minor		1742.1	8257.3	9.4	63	16.6	327.1	1190.5	738	4.1	9.1
		97.00-99.00m; gn-bn fg diop-gt skarn as prev sample; w/ coarser gt; dk gn chl on frax; 2% py, local cp	2598039	97.00	99.00	2.00	100	SKN		2%	1%			8.2	222.4	3.3	25	0.5	1182.6	29.3	31	3.4	6.1
			2598040	sample blank			.							0.4	1.4	3.4	17	<0.1	2	5.5	3	0.9	<0.1
		99.00-101.00m; gn-bn fg diop with coarser gn, bn gt; 1% py, minor cp	2598041	99.00	101.00	2.00	100	SKN		1%	minor			1.4	10.5	2.7	17	0.1	726.5	8.8	10	1.9	5.2
		101.00-103.25m; gn-bn fg diop with coarser gn, bn gt; 1% py, minor cp	2598042	101.00	103.25	2.25	100	SKN		2%	minor			0.9	39.2	2.6	19	0.1	838.3	10.8	14	2.7	5.1
		103.25-103.75m; gn-bn fg diop with coarser gn, bn gt as prev; 103.25m w/ 25cm of 50% mgt, py in gt; 103.6m 5cm of mass wh py	2598043	103.25	103.75	0.50	100	SKN		3%	minor			1.1	14	4.4	11	0.2	650.5	16.9	20	0.7	45.2
		sample 2598044; 103.75-105.46m; fg-cg skarn w/ inc red hem frax; 2-3% wh py	2598044	103.75	105.46	1.71	100	SKN		3%	minor			1.4	13.6	2.9	16	0.1	1097.2	6.4		1.5	22.2
		EOH																					

| | | |

Drill Hole; LD2017-02

from (m)	to (m)	description	sample	from	to	length (m)	rec %	litho	alt	py	cp	sp	po	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au ICP ppb	Au FA	Sb ppm	Bi ppm
		38.27-38.43m; mass py																				
		38.15m; sharp 70CA contact																				
38.43	78.68	**grey limestone**																				
		mod-dk gy argilliceous ls; fine salt and pepper texture; no py; boring	2598058	38.43	41.50	3.07	100	LST						7.1	6.8	18	0.3	9.9	1.5		3.8	4.3
		top 0.4m w/ strong 30-40CA fabric	2598059	41.50	44.50	3.00	100	LST						2.2	1	25	<0.1	3	<0.5		0.4	0.6
		43.8-44.5m; subround lighter coloured ls frags to 15cm in darker argillacous ls	2598060	standard CDN-GS-1C			.							62.1	20	104	2.2	361.5	1015.5		26.8	0.4
		44.6m; 3mm 45CA py-cp vn	2598061	44.50	47.50	3.00	100	LST		tr	tr			44.6	3	75	0.2	2.9	<0.5		1.3	5
		45.78m; 2mm py-cp vn	2598062	47.50	50.50	3.00	100	LST		tr	tr	tr		13	2.5	119	0.2	15.2	<0.5		0.8	3.6
		48.45m; 2mm 90CA py-cp-sp-ga? vn	2598063	50.50	53.50	3.00	100	LST						1.7	0.7	10	<0.1	2.7	<0.5		0.3	0.1
			2598064	53.50	56.50	3.00	100	LST						2.7	1.5	9	<0.1	2.9	<0.5		0.4	<0.1
		56.3-58.0m; local py on frax	2598065	56.50	59.50	3.00	100	LST		minor				12.4	3.7	47	0.2	12.5	1.8		1.3	1
			2598066	59.50	62.50	3.00	100	LST						3.4	1	14	<0.1	7.7	<0.5		2.1	0.4
			2598067	62.50	64.27	1.77	100	LST						4	1.6	31	<0.1	5.8	<0.5		2.1	0.1
		64.27-65.53m; 60% of interval as wh cc vns; str rd feox	2598068	64.27	65.53	1.26	100	LST						7.2	34.3	168	1.3	199.3	11.9		47.8	0.4
			2598069	65.53	68.03	2.50	100	LST						24.3	3.2	37	0.1	10.4	0.7		2.2	2.9
			2598070	68.03	70.53	2.50	100	LST						342.7	3.2	957	1.2	12	16.5		3.3	6.8
			2598071	70.53	72.35	1.82	100	LST						7.6	82.8	141	0.4	40.5	1.2		6.3	0.1
		72.35-78.68m; v broken core w/ bn-rd clay frax; local bx zones with open spaces; local py on frax; wk sil'n from 77m	2598072	72.35	75.50	3.15	70	LST		0.50%				25.8	178.7	619	0.8	117.7	8.4		99.4	1.6
		bottom 0.5m of section with bn clay alt and local py masses	2598073	75.50	78.68	3.18	88	LST		0.50%				80	69.9	756	0.8	242.9	3.5		235.4	0.4
78.68	89.92	**massive sulfide**																				
		mg gn gt host rock to fg-mg py with lesser po, cp, sp																				
		78.68-79.40m; top 6cm as bn mud w/ fg sx; rest as fg-mg gt w/ 1-2% py as diss blebs, coarse wh cubes	2598074	76.68	79.40	0.72	100	MSX		2%	minor			2219.3	6.2	270	8.9	559.5	290.9	338	10.3	6.7
		79.40-81.50m; fg dk gn gt w/ 5% py, 2% cp, 5% po overall; sx dec in last 25cm; top of interval at 79.40m w/ 45CA zone of fg py, minor cp	2598075	79.40	81.50	1.10	100	MSX		5%	2%		5%	4179.9	23	277	13	137.8	236	285	3.7	69.3
		81.50-82.70m; lt gn gt w/ py, local cp on frax only; ex for 2-3% py, cp for 10cm at start, end of interval	2598076	81.50	82.70	1.20	100	MSX		1%	minor		1%	796.4	5.6	303	3	191.1	242.7	263	14.6	5.6
		82.7-83.15m; dk gn fg gt w/ 15-20% py-po-cp	2598077	82.70	83.15	0.45	100	MSX		5%	3%		5%	1.42%	87.5	461	62g/t	654.8	1388.2	2105	7.2	80.4
		83.15-83.82m; massive cg py with bk sp zones intersperced with mass gn gt intervals w/ lesser sx	2598078	83.15	83.82	0.67	82	MSX		70%		5%		0.26%	4181.6	1.49%	382g/t	4801.1	161.4	1801	>2000	839.9
		83.82-86.87m; cg py and bk sp; v crumbly, incompetent; poor recovery through this run	2598079	83.82	86.87	3.05	30	MSX		80%		3%		0.29%	4064.6	4.16%	108g/t	3690.1	378.5	1566	483.2	201.1
		86.87-87.85; cg py and bk sp; v crumbly, incompetent; poor recovery through this run; drillers block at 86.87m says "wash"	2598080	86.87	87.85	0.98	25	MSX		80%		3%		0.57%	5423.9	1.70%	197g/t	5082.2	94.6		421.9	519.6
		87.85-89.92m; fg gn gt w/ 5% sx overall; inc cp in this interval; incl 2 x 1cm low CA qtz vns w/ cp	2598081	87.85	89.92	2.07	100	MSX		2%	3%	minor	minor	5182.7	16.9	348	21	122.8	468	623	17.7	37.8
89.92	99.06	**grey limestone**																				
		as above; lt-m gy; salt and pepper texture; mod CA fabric; local py on frax	2598082	82.92	92.92	3.00	100	LST		minor				69.4	8	68	0.3	10	2.4		7.6	47.1
		diss py, 1cm qtz vn w/ py in top 0.3m of interval	2598083	92.92	95.92	3.00	100	LST						24.6	23.3	47	0.5	12.4	1.1		4.8	2.9
			2598084	95.92	99.06	3.14	100	LST						2.3	1.3	9	<0.1	2	0.6		0.7	0.2
		EOH																				

| | | |

Drill Hole LD2017-03

from (m)	to (m)	description	sample	from (m)	to (m)	length (m)	rec %	litho code	alt	py	cp	sp	po	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au ICP ppb	Au FA	Sb ppm	Bi ppm
			2598097	30.40	33.40	3.00	83	LST						1.1	0.3	5	<0.1	<0.5	<0.5		<0.1	<0.1
			2598098	33.40	36.40	3.00	100	LST						2.1	0.8	9	<0.1	1.4	<0.5		0.2	<0.1
			2598099	36.40	39.32	2.92	87	LST						1.5	0.4	5	<0.1	0.7	<0.5		0.1	<0.1
			2598100	sample blank										3.3	3.4	18	<0.1	1.2	2.2		1	<0.1
39.32	93.87	**black phyllite / grey siltstone**																				
		lt gy siltstone interbedded w/ bk variably phyllitic arg; local sil'n; strong shallow-mod CA fabric; local sil'n; local bx zones as sil'd frags in arg matrix; local 1-10mm qtz-carb vns; minor py inc to bottom of interval to 10-20% in bk clay	2598101	39.32	42.40	3.08	93	UDSD						79.8	9.1	87	0.2	9.4	<0.5		2	0.3
		42.5-56m; mod sil'n of both arg, sltn	2598102	42.40	45.40	3.00	100	UDSD	sil'n	0.5%				84	6.6	66	0.1	10.3	<0.5		1.2	0.2
			2598103	45.40	48.40	3.00	100	UDSD	sil'n	0.5%				66.1	6	52	<0.1	7.3	<0.5		0.8	0.2
			2598104	48.40	51.40	3.00	72	UDSD	sil'n	0.5%				70	8.4	67	<0.1	3.7	<0.5		1.7	0.4
			2598105	51.40	54.40	3.00	67	UDSD	sil'n	0.5%				54.5	5.9	44	<0.1	4.5	<0.5		2.1	0.2
			2598106	54.40	57.40	3.00	93	UDSD	sil'n	0.5%				45.2	3.7	47	<0.1	4.6	<0.5		1.5	0.2
			2598107	57.40	60.40	3.00	87	UDSD		0.5%				73.1	14.8	99	0.2	12.9	<0.5		2.5	0.3
		65m; v tight folding of qtz vns	2598108	60.40	63.40	3.00	100	UDSD		0.5%				97.9	9.3	83	0.3	14.8	<0.5		1.3	0.3
		68-72.5m; v broken core w/ local slickensides; (fault zone?); local wh qtz-carb vns to 7mm; py inc to 0.5%; str fabric, slickensides at 0-70CA	2598109	63.40	66.40	3.00	97	UDSD		0.5%				74.5	6.3	90	0.3	22.3	<0.5		2.4	0.3
			2598110	66.40	69.40	3.00	100	UDSD		0.5%				102.1	10.1	94	0.4	37.9	<0.5		6.4	0.3
			2598111	69.40	72.40	3.00	44	UDSD	sil'n	0.5%				60.6	9.8	76	0.3	114	<0.5		11	0.2
		72.8-74.8m; more comp core w/ wk-mod sil'n; common 1-3mm wh qtz-carb vns	2598112	72.40	75.40	3.00	77	UDSD		0.5%				117.1	16.8	87	0.3	61.2	<0.5		16.5	0.3
			2598113	75.40	76.76	1.36	100	UDSD		0.5%				60.2	12.6	91	0.2	69.3	<0.5		15	0.3
		76.76-81.2m; inc sil'n in bk arg w/ abund wh qtz-carb vns from 1-8mm, locally as stockwork	2598114	76.76	79.80	3.04	86	UDSD		0.5%				22.2	4.1	36	0.1	207.5	<0.5		8.8	<0.1
		81.2-84.1m; v broken core along 0-10CA graphitic frax; local 2-3mm wh qtz vns; minor py	2598115	79.80	82.80	3.00	73	UDSD		0.5%				56.8	11.8	79	0.4	115.4	<0.5		18.9	0.2
		84.1-86m; mostly comp arg; local sil'n, 10CA 2-3mm wh qtz vns; minor py	2598116	82.80	85.80	3.00	82	UDSD	sil'n	1%				73	12.7	103	0.3	75.7	<0.5		16.8	0.3
		86-89m; mix of comp and broken core	2598117	85.80	88.30	2.50	36	UDSD		2%				76.1	11.2	97	1.1	344.1	<0.5		29.8	0.2
			2598118	88.30	89.50	1.20	92	UDSD		5%				120.5	443.2	699	103g/t	2996.5	36.4	367	737.4	0.3
		89.5-90.82m; bk clay w/ fg eu sx (py?); incl 1cm 0CA gy clay seams w/ py to 20%	2598119	89.50	90.82	1.32	100	UDSD		20%				452.3	5981.3	2.08%	856g/t	>10000	5077.7	7995	>2000	0.2
			2598120	Standard CDN-GS-1C				UDSD		1%				62.8	20.7	108	2.3	363.8	1010.3		27.7	0.2
		90.82-91.85m; less clayey, less broken bk arg; 1% py	2598121	90.82	91.85	1.03	100	UDSD		3%				127	549.4	1.03%	155g/t	>10000	303.9	1960	726.4	0.2
		91.85-93.87m; mix of soft clay zones to 0.3m w/ 2-3% py, and comp broken zones 2/ 0.5% py	2598122	91.85	93.87	2.02	86	UDSD		3%				83.2	1174.4	5313	81.1	8342.6	221.6	1050	1376.2	0.2
		92.87m; sharp contact in broken core																				
93.87	100.96	**monz dyke**																				
		ly gy ser'd gy groundmass w/ 1-2mm wh felds; local dk gy zones w/ clay alt	2598123	93.87	95.41	1.54	55	MNZ	ser					16.1	48.6	343	2.3	402.6	23		36.2	<0.1
		92.87-100.96m; mod broken																				
		94.05m; 20cm of lt gy clay w/ minor py																				
		95.41m; 30cm of soft gy clay alt w/ 2% py	2598124	95.41	95.75	0.34	100	MNZ	ser	1%				6.8	17.5	597	2.2	2776.6	200.3		32.3	<0.1

Drill Hole LD2017-03

from (m)	to (m)	description	sample	from (m)	to (m)	length (m)	rec %	litho code	alt	py	cp	sp	po	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au ICP ppb	Au FA	Sb ppm	Bi ppm
		96.0m; dk gy frax w/ py run 45CA																				
		bottom 1m of interval darker gy	2598125	95.75	98.75	3.00	100	MNZ	ser					7.2	14.1	115	1	1852.7	113.7		22.2	<0.1
		lower contact of dyke in broken core but appears to run 40CA	2598126	98.75	100.96	2.21	81	MNZ	ser					9.8	45.2	471	2.4	395.3	29.5		32	<0.1
100.96	112.92	**bk grpahitic argillite**																				
		strongly graphitic; local strongly broken sections; strong low CA fabric throughout; 1% fg diss py overall																				
		100.96-102.41m; 8cm 40CA wh qtz vn at upper contact; below this qtz vn is bk graph clay mush w/ bk arg frags w/ tr py and local broken wh qtz vns																				
		102.41-103.35m; comp lt gy chert? w/ abund fine gy qtz vns; sharp lower 20CA contact	2598127	100.96	101.26	0.3	100	GARG		1%				37.9	19.3	557	8.8	1550.1	4.7	234	54.7	0.2
		103.35m; 20cm of soft bk clay w/ local broken qtz vns	2598128	101.26	102.41	1015	100	GARG		1%				89.9	15.9	232	0.8	515.9	2.4	27	39.7	0.3
		103.55-104.7m; comp gy chert	2598129	102.41	105.46	3.05	100	GARG		1%				75	52.8	137	2	650.2	1.4	27	84.9	0.2
		104.7-105.46m; soft bk clay w/ local broken qtz vns to 5mm								1%												
		106.37m; 9cm wh cc vn run 80CA contain arg frags	2598130	105.46	108.51	3.05	93	GARG		1%				84.4	618.2	748	2.1	1195.1	2.3		324.1	0.3
		107.2m; 1cm wide 20CA zone of thin wh qtz vns (no py)	2598131	108.51	111.56	3.05	75	GARG		1%				85.8	11.1	86	0.4	1913.7	1.1		26.2	0.2
		111-112m; local 1-2mm wh-gy qtz vns in broken arg	2598132	111.56	112.92	3.05	87	GARG		1%				32.3	9.8	54	0.4	192.4	0.9		13.7	0.1
		112.92m; lower contact sharp at 30CA																				
112.92	120.40	**ser alt siltstone**																				
		lt gy-gn ser alt silstone; strong 20-30CA fabric; locally common fabric // wh cc vns	2598133	112.92	116.00	3.08	100	SLTN	ser					50.9	6.5	112	0.2	119.3	<0.5		4.4	<0.1
		inc wh qtz-carb vns to bottom, incl local round qtz-carb frags to 10cm	2598134	116.00	119.00	3.00	97	SLTN	ser					43.9	4.7	96	<0.1	233.9	0.9		3.6	<0.1
		118m; become v broken	2598135	119.00	120.40	1.40	100	SLTN	ser					28.4	3.4	110	<0.1	221.2	<0.5		4.6	<0.1
		118.6-119.0m; become v soft and clayey																				
		lower contact sharp at 30CA																				
120.40	128.8	**graphitic bk argillite**																				
		v graphtic, sheared broken as above; low CA fabric, shearing; local 1-2mm broken wh qtz vns; tr py	2598136	120.40	122.30	1.90	74	GARG						71.8	9.9	87	0.3	64.5	<0.5		5	0.2
		122.3-123.8m; sl sil'd more comp arg w/ local fg y py masses; incl 70CA wh qtz-carb vn at 123.0m	2598137	122.30	123.80	1.50	100	GARG						76.5	10	106	0.3	20.4	<0.5		3.2	0.3
		127.3-128.8m; v broken, locally clayey																				
		lower contact sharp at 30CA	2598138	123.80	126.80	3.00	93	GARG						63.8	9.9	82	0.2	18.6	<0.5		2.1	0.2
			2598139	126.80	128.80	2.00	60	GARG						47.9	39.1	217	5.6	352.3	2.1		40.8	0.2
			2598140	sample blank										1.4	3.4	25	<0.1	2.3	2.3		1	<0.1
128.8	132.9	**ser alt monz dyke**																				
		lt gy-gn ser alt groundmass w/ 1-3mm wh felds at top, the inc to 7mm to bottom of interval																				
			2598141	128.80	130.80	2.00	100	MNZ	ser					4.3	4.4	40	<0.1	16.9	<0.5		1.2	0.1
			2598142	130.80	132.90	2.10	100	MNZ	ser					12.2	3.9	31	<0.1	8.9	1		1.1	<0.1
132.9	135.95	**graphitic bk argillite**																				
		v graphtic broke arg as above; 30% of interval as bk clay w/ 3% eu py; incl wh-gy qtz-carb vns t 8mm w/ minor py; poor recovery																				
			2598143	132.90	135.94	3.04	46	GARG		3%				54.7	26.3	85	0.5	132.5	<0.5		6.7	0.2
135.94	138.99	**mix argillite and siltstone**																				

Drill Hole LD2017-03

from (m)	to (m)	description	sample	from (m)	to (m)	length (m)	rec %	litho code	alt	py	cp	sp	po	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au ICP ppb	Au FA	Sb ppm	Bi ppm
		wk-mod sil'd interbedded bk arg and gy siltstone; mod comp; mod CA fabric; abund wh qtz vns to 5mm																				
		EOH	2598144	135.94	138.99	3.05	50	UDSD						68	5.4	65	0.2	19.3	0.8		2.6	0.2

Appendix 5: 2017 Assay Certificates

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Glen Garratt
Receiving Lab: Canada-Vancouver
Received: September 08, 2017
Report Date: September 21, 2017
Page: 1 of 5

CERTIFICATE OF ANALYSIS VAN17002009.1

CLIENT JOB INFORMATION

Project: Lustdust
Shipment ID: Ids17-01
P.O. Number
Number of Samples: 112

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	110	Dry at 60C			VAN
SS80	110	Dry at 60C sieve 100g to -80 mesh			VAN
AQ200	110	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7
Canada

CC: Bill Morton

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L16N 3000W	Soil		2.3	55.2	13.2	107	0.4	17.6	12.1	1580	3.63	9.0	3.3	<0.1	24	0.6	1.8	0.3	32	0.26	0.163	7
L16N 2950W	Soil		4.2	26.7	10.5	50	0.9	11.2	5.0	278	2.08	6.5	2.8	0.1	8	0.2	0.6	0.3	37	0.11	0.066	10
L16N 2900W	Soil		8.7	84.3	15.7	70	0.3	16.8	6.7	203	2.76	8.1	1.3	0.1	9	0.2	1.0	0.5	44	0.07	0.089	16
L16N 2850W	Soil		2.9	33.4	8.1	57	0.6	11.9	5.9	591	3.29	5.4	1.3	0.1	6	0.4	0.7	0.2	66	0.36	0.076	10
L16N 2800W	Soil		1.6	20.3	7.1	35	0.1	8.1	3.5	220	1.76	3.1	1.1	<0.1	5	0.2	0.4	0.2	48	0.24	0.041	11
L16N 2750W	Soil		3.3	30.3	11.9	49	0.1	12.5	4.7	248	2.60	5.2	0.9	0.1	5	0.3	0.6	0.3	66	0.21	0.072	12
L16N 2700W	Soil		3.0	26.6	8.8	55	0.2	13.9	5.6	384	2.27	4.6	0.6	0.1	5	0.2	0.7	0.3	44	0.14	0.073	15
L16N 2650W	Soil		6.1	35.5	10.9	59	0.1	23.5	6.7	334	3.29	9.0	1.3	0.2	5	0.2	0.9	0.3	61	0.10	0.077	18
L16N 2600W	Soil		5.4	40.3	13.1	65	0.3	17.1	6.7	263	4.30	8.5	<0.5	0.3	6	0.3	1.3	0.4	78	0.11	0.144	14
L16N 2550W	Soil		6.3	57.4	17.7	91	0.2	36.2	11.1	859	3.85	20.4	2.8	0.2	7	0.3	2.8	0.3	49	0.06	0.160	13
L16N 2500W	Soil		5.0	40.8	18.8	80	0.7	22.3	10.2	1809	4.42	10.4	<0.5	0.2	5	0.4	2.3	0.4	68	0.05	0.114	16
L23S 1800W	Soil		3.3	39.5	8.7	77	0.2	21.2	12.2	1241	2.41	5.1	2.1	0.9	54	0.6	0.5	0.3	41	0.70	0.041	10
L23S 1750W	Soil		3.3	16.4	7.3	48	<0.1	12.2	4.3	355	2.23	4.0	0.8	1.2	47	0.3	0.4	0.2	41	0.64	0.022	10
L23S 1700W	Soil		2.0	39.6	5.9	57	<0.1	22.8	10.1	388	1.97	4.2	2.3	1.4	20	0.2	0.6	0.1	30	0.29	0.048	15
L23S 1650W	Soil		2.2	21.9	4.1	56	<0.1	15.6	4.1	211	1.98	3.7	1.3	1.2	6	0.2	0.3	0.1	30	0.10	0.051	14
L23S 1600W	Soil		2.1	27.9	5.2	72	<0.1	17.6	5.1	185	2.26	5.6	1.7	2.0	5	0.2	0.5	0.1	29	0.07	0.100	11
L23S 1550W	Soil		1.4	12.7	5.4	77	<0.1	11.0	3.6	159	1.46	2.6	3.8	1.1	10	0.2	0.2	0.1	32	0.15	0.020	13
L23S 1500W	Soil		1.7	28.4	4.9	70	0.1	19.6	6.6	242	2.04	3.6	0.8	1.0	10	0.3	0.4	0.2	34	0.13	0.021	13
L23S 1450W	Soil		1.7	25.0	4.8	77	0.1	19.1	4.5	186	2.00	2.9	1.0	1.7	7	0.2	0.3	0.1	31	0.09	0.076	11
L23S 1400W	Soil		2.4	28.7	7.0	129	<0.1	30.0	12.6	641	2.42	4.9	0.7	1.5	17	0.3	0.5	0.2	49	0.26	0.038	12
L23S 1350W	Soil		1.4	10.6	5.4	55	<0.1	10.2	3.4	145	1.93	2.8	<0.5	1.6	5	<0.1	0.3	0.1	41	0.08	0.073	11
L23S 1300W	Soil		1.3	9.9	5.7	29	<0.1	8.5	2.8	131	1.73	3.1	0.6	1.7	5	<0.1	0.3	0.1	45	0.07	0.038	13
L23S 1250W	Soil		1.7	22.9	6.2	76	0.2	15.9	5.2	225	2.27	3.8	0.9	1.9	5	0.1	0.4	0.1	43	0.06	0.101	12
L23S 1200W	Soil		1.5	7.8	5.2	29	<0.1	9.1	2.7	132	1.20	2.0	2.1	1.1	5	<0.1	0.3	0.1	32	0.08	0.017	13
L23S 1150W	Soil		1.6	26.0	5.2	64	0.1	18.1	5.0	191	1.93	3.8	1.8	2.4	6	0.1	0.4	0.1	31	0.07	0.067	13
L23S 1100W	Soil		10.1	59.4	15.2	143	0.3	32.5	13.1	286	4.23	14.4	0.7	3.7	11	0.9	1.6	0.4	34	0.04	0.120	24
L23S 1050W	Soil		1.1	4.7	4.6	22	<0.1	5.6	1.7	91	0.77	1.5	1.7	1.5	5	<0.1	0.2	0.1	18	0.06	0.017	18
L23S 1000W	Soil		1.9	19.4	4.0	59	0.3	14.5	3.7	148	1.65	2.9	0.8	2.0	4	0.2	0.4	0.1	24	0.05	0.049	12
L23S 950W	Soil		2.1	27.0	4.2	57	<0.1	12.7	3.9	151	1.92	4.7	<0.5	1.4	5	0.2	0.5	0.1	35	0.07	0.049	12
L23S 900W	Soil		1.1	22.4	3.5	47	<0.1	16.4	4.5	205	1.28	2.5	1.4	0.6	9	0.2	0.3	<0.1	22	0.13	0.049	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L16N 3000W	Soil		15	0.35	305	0.005	<20	1.27	0.004	0.09	<0.1	0.05	0.5	0.2	0.07	4	0.6	<0.2
L16N 2950W	Soil		15	0.45	228	0.007	<20	1.85	0.003	0.05	<0.1	0.10	0.8	0.3	<0.05	6	<0.5	<0.2
L16N 2900W	Soil		13	0.15	136	0.006	<20	1.28	0.003	0.06	<0.1	0.05	0.7	0.3	<0.05	6	0.5	<0.2
L16N 2850W	Soil		23	0.40	102	0.039	<20	2.33	0.005	0.04	<0.1	0.06	1.8	0.2	<0.05	9	<0.5	<0.2
L16N 2800W	Soil		16	0.28	83	0.035	<20	1.72	0.004	0.05	<0.1	0.04	1.2	0.2	<0.05	8	<0.5	<0.2
L16N 2750W	Soil		22	0.42	103	0.024	<20	2.23	0.005	0.04	<0.1	0.05	1.5	0.2	<0.05	9	<0.5	<0.2
L16N 2700W	Soil		19	0.33	74	0.019	<20	1.46	0.003	0.06	<0.1	0.04	1.1	0.2	<0.05	6	<0.5	<0.2
L16N 2650W	Soil		40	0.52	129	0.014	<20	1.82	0.004	0.05	<0.1	0.06	1.4	0.3	<0.05	8	<0.5	<0.2
L16N 2600W	Soil		28	0.25	115	0.033	<20	1.36	0.002	0.07	<0.1	0.05	1.6	0.1	<0.05	8	<0.5	<0.2
L16N 2550W	Soil		39	0.52	129	0.008	<20	1.52	0.002	0.06	<0.1	0.06	1.3	0.2	<0.05	5	<0.5	<0.2
L16N 2500W	Soil		46	0.27	169	0.009	<20	1.67	0.002	0.08	<0.1	0.08	1.1	0.3	<0.05	9	<0.5	<0.2
L23S 1800W	Soil		22	0.32	223	0.018	<20	1.13	0.005	0.06	<0.1	0.06	2.5	0.1	<0.05	4	<0.5	<0.2
L23S 1750W	Soil		18	0.29	292	0.050	<20	0.92	0.004	0.06	<0.1	0.03	1.8	<0.1	<0.05	5	<0.5	<0.2
L23S 1700W	Soil		19	0.40	148	0.038	<20	0.86	0.003	0.06	<0.1	0.05	2.6	<0.1	<0.05	3	<0.5	<0.2
L23S 1650W	Soil		20	0.35	121	0.025	<20	1.06	0.003	0.06	<0.1	0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
L23S 1600W	Soil		21	0.32	97	0.026	<20	1.31	0.002	0.04	<0.1	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
L23S 1550W	Soil		18	0.31	155	0.027	<20	1.01	0.002	0.05	<0.1	0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
L23S 1500W	Soil		24	0.41	236	0.024	<20	1.25	0.002	0.06	<0.1	0.03	2.3	<0.1	<0.05	4	<0.5	<0.2
L23S 1450W	Soil		24	0.36	119	0.023	<20	1.41	0.003	0.06	<0.1	0.03	2.3	<0.1	<0.05	4	<0.5	<0.2
L23S 1400W	Soil		48	0.49	381	0.013	<20	1.62	0.003	0.06	<0.1	0.02	3.6	0.2	<0.05	5	<0.5	<0.2
L23S 1350W	Soil		24	0.26	69	0.057	<20	1.68	0.003	0.03	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
L23S 1300W	Soil		19	0.22	40	0.060	<20	1.04	0.002	0.03	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
L23S 1250W	Soil		30	0.42	89	0.023	<20	1.68	0.002	0.04	<0.1	0.05	3.1	0.1	<0.05	5	<0.5	<0.2
L23S 1200W	Soil		16	0.28	142	0.045	<20	0.83	0.002	0.05	<0.1	<0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
L23S 1150W	Soil		24	0.38	116	0.025	<20	1.42	0.002	0.04	<0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
L23S 1100W	Soil		19	0.15	133	0.012	<20	0.86	0.002	0.08	<0.1	0.04	3.6	0.1	<0.05	4	0.6	<0.2
L23S 1050W	Soil		11	0.17	83	0.025	<20	0.53	0.004	0.05	<0.1	<0.01	0.9	<0.1	<0.05	3	<0.5	<0.2
L23S 1000W	Soil		20	0.31	70	0.021	<20	1.11	0.002	0.03	<0.1	0.04	1.7	<0.1	<0.05	3	<0.5	<0.2
L23S 950W	Soil		19	0.25	43	0.061	<20	0.66	<0.001	0.04	<0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
L23S 900W	Soil		18	0.31	115	0.018	<20	0.76	0.002	0.04	<0.1	0.02	1.6	<0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L23S 850W	Soil	4.4	62.5	12.0	120	0.5	43.1	12.9	301	3.11	7.4	6.8	3.5	35	0.2	0.5	0.4	37	0.33	0.053	23
L23S 800W	Soil	0.9	22.2	7.9	63	0.2	21.8	12.1	344	2.66	2.0	0.7	1.2	21	0.6	0.1	0.2	65	0.45	0.034	9
L23S 750W	Soil	1.4	20.7	6.3	49	0.2	14.5	7.1	275	1.77	2.4	1.3	0.9	15	0.2	0.2	0.1	42	0.19	0.029	12
L23S 650W	Soil	15.4	112.3	11.9	99	0.2	66.1	128.0	>10000	15.57	9.3	7.6	3.3	56	0.6	1.5	0.4	16	0.23	0.043	10
L23S 600W	Soil	2.7	107.1	11.4	125	0.1	41.6	11.2	462	4.80	2.6	1.0	8.9	9	0.3	0.3	0.7	26	0.04	0.051	47
L23S 550W	Soil	2.2	14.3	7.8	51	0.4	10.6	3.6	150	2.65	6.0	<0.5	1.7	6	0.1	0.5	0.2	56	0.06	0.067	9
L23S 500W	Soil	3.4	22.0	8.3	65	0.2	15.4	5.7	169	3.48	9.0	1.6	1.6	4	0.2	0.8	0.2	59	0.04	0.088	7
L23S 450W	Soil	3.7	30.7	7.3	49	0.2	21.6	7.3	243	3.00	9.8	1.2	1.3	31	0.5	0.9	0.2	45	0.37	0.030	8
L23S 350W	Soil	6.3	37.4	8.2	59	0.1	17.8	5.4	190	2.76	9.4	1.4	1.2	5	0.2	1.2	0.3	56	0.06	0.044	11
L23S 300W	Soil	3.7	43.3	7.5	65	0.4	19.3	7.4	1011	2.04	4.6	1.5	0.3	55	0.5	0.6	0.2	44	0.68	0.048	19
L23S 250W	Soil	3.1	30.1	8.6	91	0.3	22.0	5.9	467	3.82	9.2	1.9	1.1	8	0.3	0.8	0.3	60	0.19	0.276	7
L23S 200W	Soil	1.6	5.4	5.1	22	<0.1	4.1	1.3	58	1.05	3.4	3.1	1.1	5	<0.1	0.3	0.1	29	0.05	0.015	11
L42N 2250W	Soil	5.4	42.5	11.0	62	0.3	15.6	5.3	247	3.30	8.1	1.0	1.1	5	0.3	1.0	0.3	55	0.08	0.135	16
L42N 2200W	Soil	5.3	52.9	10.5	90	0.5	27.5	8.6	421	5.03	10.0	1.9	1.1	4	0.3	1.2	0.3	51	0.05	0.116	12
L42N 2150W	Soil	4.6	43.7	9.4	80	0.4	22.4	8.0	559	4.41	8.7	0.6	2.1	4	0.3	1.1	0.3	52	0.07	0.148	12
L42N 2100W	Soil	5.6	53.7	13.0	70	0.2	19.3	6.3	266	4.71	9.7	1.1	2.0	5	0.4	1.2	0.4	49	0.07	0.055	18
L42N 2050W	Soil	7.3	82.5	22.5	286	0.6	40.5	33.0	1566	4.91	11.2	0.8	2.1	51	1.0	0.9	0.5	44	0.49	0.122	26
L42N 2000W	Soil	4.6	33.1	10.7	55	0.2	10.7	4.9	341	2.22	7.0	0.5	1.8	5	0.3	0.9	0.3	51	0.07	0.098	19
L42N 1950W	Soil	6.0	48.8	11.3	80	0.6	17.7	9.0	895	5.07	11.2	0.5	2.0	5	0.3	1.0	0.4	59	0.08	0.153	16
L42N 1900W	Soil	3.9	46.1	9.9	80	0.5	23.7	7.1	429	3.68	9.9	0.9	2.1	5	0.2	1.0	0.3	46	0.06	0.166	14
L42N 1850W	Soil	5.4	64.7	13.0	114	0.4	24.1	10.6	402	3.95	19.2	3.1	3.5	4	0.6	1.1	0.3	49	0.06	0.062	15
L42N 1800W	Soil	4.5	43.4	13.5	161	0.3	37.7	18.5	525	5.44	13.5	1.5	2.8	9	0.8	1.0	0.3	71	0.27	0.038	13
L42N 1750W	Soil	3.9	71.8	11.5	163	0.7	29.3	14.9	3576	3.12	8.8	1.8	0.6	21	2.4	1.1	0.3	44	1.17	0.150	20
L42N 1700W	Soil	3.3	57.0	11.8	119	0.2	32.1	15.4	2051	3.17	10.0	1.1	0.6	20	1.9	1.0	0.3	44	0.97	0.101	15
L42N 1650W	Soil	3.3	55.6	10.0	119	0.4	47.3	13.9	623	3.40	11.1	2.1	0.6	16	1.0	1.0	0.2	48	0.69	0.077	17
L42N 1600W	Soil	3.0	54.7	9.4	91	0.3	49.9	13.1	764	3.15	9.5	3.6	0.9	15	0.6	1.2	0.2	39	0.50	0.064	14
L42N 1550W	Soil	3.3	57.2	11.6	137	0.2	45.3	17.3	1176	3.49	11.1	1.7	1.0	18	1.1	1.2	0.2	44	0.54	0.090	15
L42N 1500W	Soil	3.0	54.7	9.8	111	0.4	41.8	14.3	1195	3.07	8.3	3.2	0.8	19	0.9	0.8	0.2	42	0.88	0.128	14
L42N 1450W	Soil	2.7	36.1	7.3	72	0.5	34.5	10.9	590	2.77	5.4	1.2	0.4	18	0.7	0.5	0.2	49	0.80	0.047	14
L42N 1100W	Soil	2.3	21.3	6.6	54	0.2	28.8	5.7	219	2.80	6.2	1.5	1.3	6	0.3	0.5	0.2	53	0.08	0.092	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L23S 850W	Soil	24	0.40	442	0.003	<20	1.82	0.003	0.08	<0.1	0.10	3.7	0.2	<0.05	4	<0.5	<0.2
L23S 800W	Soil	44	0.84	347	0.068	<20	1.80	0.006	0.06	<0.1	0.05	4.3	<0.1	<0.05	7	<0.5	<0.2
L23S 750W	Soil	26	0.28	193	0.028	<20	1.20	0.003	0.04	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
L23S 650W	Soil	11	0.07	2561	0.002	<20	0.60	<0.001	0.07	<0.1	0.13	2.7	0.1	<0.05	<1	3.8	0.2
L23S 600W	Soil	21	0.92	135	<0.001	<20	1.57	0.001	0.09	<0.1	0.03	2.4	<0.1	<0.05	6	<0.5	<0.2
L23S 550W	Soil	25	0.16	139	0.063	<20	1.22	0.003	0.03	<0.1	0.05	2.3	<0.1	<0.05	6	<0.5	<0.2
L23S 500W	Soil	33	0.19	84	0.062	<20	1.58	0.002	0.03	<0.1	0.04	2.7	<0.1	<0.05	6	<0.5	<0.2
L23S 450W	Soil	34	0.34	178	0.049	<20	1.24	0.003	0.05	<0.1	0.04	2.5	<0.1	<0.05	4	0.8	<0.2
L23S 350W	Soil	22	0.19	69	0.047	<20	0.81	0.002	0.03	<0.1	0.05	2.3	0.1	<0.05	5	0.7	<0.2
L23S 300W	Soil	42	0.34	357	0.028	<20	1.30	0.004	0.04	<0.1	0.09	2.8	0.1	<0.05	5	1.3	<0.2
L23S 250W	Soil	44	0.25	117	0.038	<20	1.55	0.002	0.04	<0.1	0.09	2.5	<0.1	<0.05	6	0.7	<0.2
L23S 200W	Soil	14	0.08	109	0.039	<20	0.67	0.002	0.02	<0.1	0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
L42N 2250W	Soil	19	0.21	83	0.028	<20	1.08	0.002	0.07	<0.1	0.04	2.0	0.1	<0.05	6	0.6	<0.2
L42N 2200W	Soil	32	0.45	93	0.021	<20	1.62	0.001	0.05	<0.1	0.07	2.5	0.1	<0.05	5	0.7	<0.2
L42N 2150W	Soil	28	0.36	62	0.048	<20	1.20	0.002	0.06	<0.1	0.07	2.7	0.1	<0.05	5	<0.5	<0.2
L42N 2100W	Soil	26	0.30	87	0.036	<20	1.38	0.002	0.06	<0.1	0.06	2.2	0.1	<0.05	6	0.5	<0.2
L42N 2050W	Soil	29	0.43	610	0.005	<20	2.28	0.004	0.07	<0.1	0.09	3.4	0.2	<0.05	6	1.5	<0.2
L42N 2000W	Soil	15	0.12	138	0.029	<20	0.90	0.003	0.07	<0.1	0.03	1.8	0.1	<0.05	6	<0.5	<0.2
L42N 1950W	Soil	25	0.34	152	0.035	<20	1.47	0.002	0.06	<0.1	0.06	2.6	0.2	<0.05	6	0.7	<0.2
L42N 1900W	Soil	25	0.42	170	0.019	<20	1.44	0.003	0.06	<0.1	0.08	2.9	0.1	<0.05	5	0.6	<0.2
L42N 1850W	Soil	29	0.39	145	0.020	<20	1.94	0.002	0.04	<0.1	0.19	3.6	0.2	<0.05	5	0.7	<0.2
L42N 1800W	Soil	47	0.63	470	0.024	<20	2.64	0.003	0.05	<0.1	0.11	4.7	0.1	<0.05	7	<0.5	<0.2
L42N 1750W	Soil	42	0.42	438	0.010	<20	1.65	0.003	0.05	<0.1	0.32	2.5	0.1	<0.05	5	2.0	<0.2
L42N 1700W	Soil	37	0.51	414	0.012	<20	1.55	0.003	0.06	<0.1	0.16	2.7	0.1	<0.05	4	0.9	<0.2
L42N 1650W	Soil	53	0.59	237	0.015	<20	1.59	0.003	0.06	<0.1	0.20	3.4	0.1	<0.05	5	1.1	<0.2
L42N 1600W	Soil	64	0.65	227	0.015	<20	1.22	0.004	0.06	<0.1	0.31	3.8	0.1	<0.05	4	0.8	<0.2
L42N 1550W	Soil	58	0.62	279	0.015	<20	1.46	0.004	0.07	<0.1	0.16	3.5	0.1	<0.05	4	0.6	<0.2
L42N 1500W	Soil	51	0.63	311	0.011	<20	1.55	0.004	0.08	<0.1	0.24	3.0	0.1	<0.05	4	0.7	<0.2
L42N 1450W	Soil	49	0.51	276	0.026	<20	1.51	0.004	0.05	<0.1	0.14	2.9	0.1	<0.05	5	0.5	<0.2
L42N 1100W	Soil	65	0.53	92	0.040	<20	1.56	0.004	0.04	<0.1	0.12	3.0	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L42N 1050W	Soil	2.1	33.1	6.6	92	0.2	49.1	12.2	658	4.50	8.5	1.5	2.1	7	0.4	0.7	0.2	64	0.10	0.161	9
L42N 1000W	Soil	1.5	21.9	6.0	56	0.2	33.6	6.5	310	2.03	2.3	1.4	1.8	7	0.2	0.4	0.2	36	0.09	0.043	12
L42N 950W	Soil	1.7	22.4	5.8	60	<0.1	34.4	6.8	340	2.50	3.3	1.3	1.8	6	0.2	0.4	0.1	41	0.07	0.043	12
L42N 900W	Soil	1.5	13.4	6.1	40	<0.1	23.2	4.2	195	1.92	5.5	0.6	1.6	7	0.3	0.5	0.2	45	0.12	0.065	10
L42N 850W	Soil	1.4	22.1	5.4	55	<0.1	37.8	6.8	302	2.01	3.4	2.2	0.7	7	0.1	0.3	0.1	36	0.09	0.024	11
L42N 800W	Soil	1.7	20.8	5.2	61	0.2	37.1	8.8	429	2.54	4.0	1.3	1.0	7	0.2	0.5	0.1	43	0.08	0.037	11
L42N 750W	Soil	1.6	19.3	5.1	56	0.1	50.2	7.2	287	2.78	5.6	3.0	1.4	9	0.3	0.5	0.1	48	0.15	0.071	9
L42N 700W	Soil	1.4	19.6	3.7	39	0.1	48.9	6.1	221	1.96	4.6	0.9	0.5	9	0.2	0.5	<0.1	41	0.15	0.039	7
L42N 650W	Soil	1.4	14.2	4.9	38	0.2	23.5	4.7	246	2.05	4.9	<0.5	0.6	11	0.2	0.4	0.1	50	0.17	0.033	8
L42N 600W	Soil	1.2	12.8	3.9	34	<0.1	24.5	4.1	182	1.54	3.2	0.5	0.5	9	0.1	0.3	<0.1	41	0.14	0.024	8
L42N 500W	Soil	11.7	32.6	6.3	106	0.4	96.7	18.9	1578	3.90	8.7	2.3	0.3	21	0.6	0.4	0.1	46	0.27	0.086	18
L42N 450W	Soil	1.6	29.7	6.4	89	0.2	77.9	11.8	429	2.28	3.6	0.8	0.2	16	0.3	0.4	0.2	40	0.23	0.041	11
L42N 400W	Soil	1.0	13.9	5.0	56	0.2	37.7	7.8	271	1.79	2.7	0.6	0.9	9	0.1	0.2	0.1	38	0.12	0.033	11
L42N 350W	Soil	0.9	14.9	6.4	38	0.2	26.2	4.4	175	1.66	2.3	1.4	0.1	8	0.1	0.3	0.2	33	0.10	0.044	10
L42N 300W	Soil	2.5	24.5	6.4	97	0.1	37.3	9.9	457	3.83	7.1	1.1	2.0	5	0.7	0.9	0.2	58	0.13	0.163	10
L42N 250W	Soil	1.2	8.9	5.1	55	0.3	18.0	5.1	255	2.63	1.7	<0.5	1.5	6	0.2	0.3	0.1	57	0.18	0.103	10
L16N 1550E	Soil	2.2	33.5	6.7	54	<0.1	24.3	6.1	258	1.80	8.8	3.3	0.5	8	0.2	1.4	0.2	25	0.09	0.051	11
L16N 1500E	Soil	2.3	29.9	7.6	60	0.1	24.8	6.1	310	2.16	8.8	3.6	2.9	6	0.2	2.0	0.2	31	0.08	0.057	17
L16N 1450E	Soil	1.9	30.5	6.8	58	0.3	23.6	5.8	246	2.09	7.4	3.7	2.6	6	0.2	1.6	0.2	33	0.08	0.068	15
L16N 1400E	Soil	2.3	34.5	6.9	66	0.2	27.8	6.3	177	2.08	9.4	2.8	2.3	5	0.2	1.1	0.2	33	0.05	0.104	10
L16N 1350E	Soil	2.5	48.9	7.7	66	<0.1	32.2	10.0	381	2.21	10.2	6.0	1.3	9	0.3	1.6	0.2	33	0.15	0.047	11
L16N 1250E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L16N 1200E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L16N 1100E	Soil	2.6	31.2	7.2	60	0.3	22.7	6.5	223	2.56	20.7	1.2	0.5	15	0.4	2.2	0.2	47	0.55	0.050	8
L16N 1050E	Soil	2.6	41.0	9.7	98	0.1	34.8	12.7	543	4.02	25.6	1.1	2.0	7	0.6	2.9	0.2	78	0.14	0.110	11
L16N 1000E	Soil	2.4	34.0	8.0	80	<0.1	25.4	7.9	287	2.85	15.8	0.8	1.9	5	0.3	1.8	0.2	44	0.09	0.076	9
L16N 950E	Soil	3.1	20.8	10.3	52	0.3	15.5	5.0	519	2.80	25.6	<0.5	1.7	5	0.2	3.1	0.3	55	0.08	0.122	9
L16N 900E	Soil	2.5	41.4	13.0	75	0.4	34.5	7.1	231	3.13	41.0	4.4	2.0	8	0.4	5.4	0.3	44	0.14	0.056	11
L16N 850E	Soil	2.0	15.2	7.0	44	0.1	9.7	3.9	623	2.71	5.8	<0.5	1.1	5	0.1	0.7	0.2	60	0.06	0.145	7
L16N 800E	Soil	0.9	23.9	4.4	47	<0.1	59.2	8.3	234	2.45	6.4	0.6	1.0	7	0.2	1.5	<0.1	53	0.15	0.028	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L42N 1050W	Soil	92	0.82	135	0.048	<20	2.14	0.004	0.04	<0.1	0.06	3.8	0.1	<0.05	6	<0.5	<0.2
L42N 1000W	Soil	52	0.61	146	0.037	<20	1.50	0.004	0.07	<0.1	0.07	2.8	0.1	<0.05	5	<0.5	<0.2
L42N 950W	Soil	57	0.69	109	0.036	<20	1.65	0.003	0.05	<0.1	0.08	2.9	0.1	<0.05	5	<0.5	<0.2
L42N 900W	Soil	58	0.43	112	0.044	<20	1.42	0.003	0.04	<0.1	0.42	2.4	<0.1	<0.05	5	<0.5	<0.2
L42N 850W	Soil	69	0.73	106	0.047	<20	1.35	0.004	0.06	<0.1	0.05	2.4	<0.1	<0.05	4	<0.5	<0.2
L42N 800W	Soil	68	0.72	139	0.061	<20	1.35	0.003	0.05	<0.1	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
L42N 750W	Soil	88	0.83	123	0.053	<20	1.38	0.004	0.05	<0.1	0.05	2.6	<0.1	<0.05	4	<0.5	<0.2
L42N 700W	Soil	87	0.68	77	0.069	<20	0.87	0.004	0.03	<0.1	0.06	2.2	<0.1	<0.05	3	<0.5	<0.2
L42N 650W	Soil	68	0.34	150	0.091	<20	0.83	0.004	0.04	<0.1	0.05	1.9	<0.1	<0.05	4	<0.5	<0.2
L42N 600W	Soil	57	0.42	128	0.078	<20	0.95	0.003	0.03	<0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
L42N 500W	Soil	111	0.64	320	0.017	<20	1.97	0.004	0.04	<0.1	0.17	3.1	0.2	<0.05	4	0.5	<0.2
L42N 450W	Soil	168	0.63	237	0.031	<20	1.73	0.004	0.06	<0.1	0.06	2.6	0.1	<0.05	5	0.5	<0.2
L42N 400W	Soil	77	0.71	163	0.038	<20	1.23	0.003	0.04	<0.1	0.04	2.6	<0.1	<0.05	4	<0.5	<0.2
L42N 350W	Soil	63	0.50	125	0.032	<20	1.13	0.003	0.05	<0.1	0.08	1.6	<0.1	<0.05	4	<0.5	<0.2
L42N 300W	Soil	70	0.59	77	0.068	<20	1.74	0.003	0.03	<0.1	0.03	3.0	<0.1	<0.05	4	<0.5	<0.2
L42N 250W	Soil	46	0.52	67	0.110	<20	1.46	0.003	0.04	<0.1	0.03	2.8	<0.1	<0.05	7	<0.5	<0.2
L16N 1550E	Soil	29	0.29	79	0.030	<20	0.72	0.002	0.04	<0.1	0.30	1.6	<0.1	<0.05	2	<0.5	<0.2
L16N 1500E	Soil	32	0.52	82	0.037	<20	1.06	0.003	0.06	<0.1	0.55	2.1	<0.1	<0.05	3	<0.5	<0.2
L16N 1450E	Soil	35	0.52	97	0.026	<20	1.21	0.003	0.04	<0.1	0.46	2.3	0.1	<0.05	4	<0.5	<0.2
L16N 1400E	Soil	36	0.30	74	0.036	<20	1.11	0.001	0.02	<0.1	1.23	2.2	0.1	<0.05	2	<0.5	<0.2
L16N 1350E	Soil	39	0.39	109	0.033	<20	0.83	0.003	0.04	<0.1	0.37	2.6	<0.1	<0.05	2	<0.5	<0.2
L16N 1250E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L16N 1200E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L16N 1100E	Soil	70	0.32	179	0.039	<20	1.04	0.002	0.03	<0.1	24.47	2.1	<0.1	<0.05	3	0.6	<0.2
L16N 1050E	Soil	49	0.54	195	0.056	<20	2.03	0.003	0.04	<0.1	2.13	4.4	0.1	<0.05	6	<0.5	<0.2
L16N 1000E	Soil	40	0.34	82	0.051	<20	1.19	0.003	0.03	<0.1	0.84	2.8	<0.1	<0.05	3	<0.5	<0.2
L16N 950E	Soil	32	0.23	82	0.082	<20	0.78	0.003	0.04	0.1	0.30	2.1	<0.1	<0.05	4	<0.5	<0.2
L16N 900E	Soil	45	0.50	153	0.041	<20	1.34	0.003	0.03	<0.1	1.61	3.2	<0.1	<0.05	4	<0.5	<0.2
L16N 850E	Soil	19	0.13	69	0.087	<20	0.81	0.003	0.03	<0.1	0.09	1.9	<0.1	<0.05	6	<0.5	<0.2
L16N 800E	Soil	83	0.59	119	0.058	<20	1.50	0.004	0.03	<0.1	0.33	3.2	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L16N 750E	Soil		1.3	23.8	6.5	53	<0.1	35.9	6.6	221	2.49	9.8	1.1	1.0	7	0.2	2.6	0.1	51	0.13	0.026	7
L16N 700E	Soil		1.1	10.9	4.1	39	<0.1	25.2	5.0	212	2.21	5.4	<0.5	0.4	7	0.3	1.5	<0.1	59	0.16	0.034	6
L16N 650E	Soil		1.9	20.9	12.0	190	0.2	29.6	12.3	1625	3.83	15.1	0.8	0.5	8	2.1	5.7	0.2	85	0.26	0.243	11
L16N 600E	Soil		2.3	45.9	11.9	162	0.4	66.7	15.7	321	3.22	19.6	4.3	2.1	9	0.9	3.4	0.2	59	0.29	0.050	13
L16N 550E	Soil		1.7	24.6	11.9	109	0.3	21.3	7.2	318	2.08	15.4	0.8	0.5	10	0.7	1.9	0.2	50	0.62	0.044	14
L16N 500E	Soil		2.6	43.8	11.8	117	0.2	54.3	14.8	504	3.25	23.4	4.8	0.8	9	0.5	3.3	0.3	50	0.24	0.061	14
L16N 450E	Soil		3.8	44.5	12.4	126	0.5	52.7	12.1	511	3.19	18.2	6.2	0.2	13	0.5	2.4	0.3	47	0.33	0.079	17
L16N 400E	Soil		3.1	49.3	13.4	98	0.2	51.4	10.1	457	3.17	28.7	4.4	1.6	10	0.5	5.7	0.3	45	0.17	0.071	16
L16N 350E	Soil		3.3	24.8	11.2	46	0.3	16.2	6.1	333	2.00	14.8	1.1	0.2	8	0.4	2.2	0.2	38	0.12	0.053	14
L16N 300E	Soil		3.2	25.8	11.6	67	0.2	27.1	6.5	337	3.40	18.7	1.5	0.2	7	0.4	2.7	0.2	44	0.08	0.114	10
L16N 250E	Soil		2.9	35.5	11.5	64	0.5	28.0	6.5	320	2.38	13.7	2.6	0.1	9	0.3	2.5	0.2	42	0.12	0.065	15
L16N 200E	Soil		6.1	57.0	13.7	98	1.0	40.4	8.4	411	2.90	27.6	4.7	0.4	11	0.4	4.3	0.3	44	0.14	0.057	16
L16N 150E	Soil		2.8	21.4	10.6	45	0.2	17.6	3.9	216	2.29	14.3	0.7	0.2	13	0.3	2.1	0.2	43	0.14	0.031	13
L16N 100E	Soil		5.7	80.1	13.3	119	2.3	50.7	21.6	1036	2.62	18.5	4.1	0.2	26	0.7	3.1	0.3	39	0.24	0.082	21
L16N 50E	Soil		4.4	64.6	14.8	73	0.9	32.3	9.3	545	2.73	17.7	5.2	0.2	9	0.5	2.9	0.3	42	0.09	0.061	14
L16N 0W	Soil		4.9	49.9	16.1	93	0.4	37.1	15.0	683	2.80	25.3	3.2	0.3	12	0.5	3.3	0.3	47	0.15	0.059	16
L16N 50W	Soil		4.4	62.0	12.0	156	0.7	58.2	11.8	1015	2.69	26.7	7.4	0.3	15	0.8	4.2	0.4	38	0.22	0.093	17
L16N 100W	Soil		4.3	27.1	12.0	60	0.5	19.2	5.3	313	3.22	27.3	2.9	0.4	6	0.4	3.4	0.6	44	0.07	0.088	12
L16N 150W	Soil		5.5	67.4	18.0	117	4.6	37.0	22.1	930	2.37	50.1	18.0	<0.1	11	0.9	4.5	0.5	41	0.11	0.082	18
L16N 200W	Soil		4.5	30.9	12.5	74	0.6	24.1	6.0	363	2.80	33.4	3.1	0.8	8	0.4	4.6	0.4	44	0.08	0.044	16
L16N 250W	Soil		3.8	44.5	13.6	74	0.6	26.2	7.1	410	3.30	32.6	5.5	0.5	8	0.4	5.2	0.4	40	0.08	0.041	15
L16N 300W	Soil		4.3	46.3	22.9	55	0.9	17.2	3.8	148	1.76	104.8	173.8	0.3	9	0.4	14.3	0.5	44	0.09	0.031	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

CERTIFICATE OF ANALYSIS VAN17002009.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L16N 750E	Soil		55	0.38	116	0.060	<20	1.19	0.004	0.03	<0.1	0.47	2.9	<0.1	<0.05	4	<0.5	<0.2
L16N 700E	Soil		59	0.30	73	0.082	<20	1.19	0.004	0.04	<0.1	0.14	2.2	<0.1	<0.05	5	<0.5	<0.2
L16N 650E	Soil		71	0.32	157	0.049	<20	2.27	0.003	0.03	<0.1	3.01	3.1	<0.1	<0.05	8	<0.5	<0.2
L16N 600E	Soil		67	0.60	286	0.025	<20	2.60	0.003	0.06	<0.1	3.21	4.8	0.2	<0.05	7	<0.5	<0.2
L16N 550E	Soil		38	0.33	265	0.019	<20	1.38	0.004	0.06	<0.1	0.85	2.3	0.1	<0.05	5	<0.5	<0.2
L16N 500E	Soil		61	0.72	217	0.025	<20	1.65	0.004	0.08	<0.1	0.82	3.0	0.1	<0.05	5	<0.5	<0.2
L16N 450E	Soil		65	0.68	219	0.013	<20	1.92	0.005	0.08	<0.1	0.66	2.3	0.2	<0.05	5	<0.5	<0.2
L16N 400E	Soil		53	0.77	126	0.046	<20	1.50	0.004	0.07	<0.1	0.43	3.0	0.1	<0.05	4	0.6	<0.2
L16N 350E	Soil		32	0.29	174	0.027	<20	1.00	0.003	0.07	<0.1	0.62	1.1	0.2	<0.05	5	<0.5	<0.2
L16N 300E	Soil		48	0.55	149	0.015	<20	1.41	0.003	0.05	<0.1	0.24	1.2	0.1	<0.05	5	<0.5	<0.2
L16N 250E	Soil		42	0.63	171	0.019	<20	1.60	0.003	0.07	<0.1	0.25	1.2	0.2	<0.05	5	<0.5	<0.2
L16N 200E	Soil		57	0.59	134	0.034	<20	1.51	0.003	0.06	<0.1	1.64	2.4	0.2	<0.05	5	0.8	<0.2
L16N 150E	Soil		35	0.41	112	0.028	<20	1.16	0.003	0.05	<0.1	0.40	1.3	0.1	<0.05	5	<0.5	<0.2
L16N 100E	Soil		73	0.46	218	0.015	<20	2.12	0.004	0.08	<0.1	0.87	1.8	0.2	<0.05	5	1.6	<0.2
L16N 50E	Soil		49	0.48	159	0.020	<20	1.63	0.003	0.07	<0.1	0.32	1.6	0.2	<0.05	5	<0.5	<0.2
L16N 0W	Soil		48	0.64	271	0.022	<20	1.62	0.004	0.07	<0.1	0.20	1.8	0.2	<0.05	5	<0.5	<0.2
L16N 50W	Soil		67	0.60	212	0.015	<20	1.65	0.004	0.06	<0.1	0.38	2.2	0.1	<0.05	4	0.9	<0.2
L16N 100W	Soil		38	0.43	118	0.031	<20	1.35	0.003	0.06	<0.1	0.17	1.7	0.2	<0.05	5	0.5	<0.2
L16N 150W	Soil		48	0.42	241	0.017	<20	2.10	0.004	0.06	<0.1	0.65	1.4	0.3	<0.05	6	1.1	<0.2
L16N 200W	Soil		38	0.51	144	0.049	<20	1.27	0.003	0.07	<0.1	0.14	2.2	0.1	<0.05	5	<0.5	<0.2
L16N 250W	Soil		39	0.52	103	0.028	<20	1.52	0.002	0.05	<0.1	0.17	2.0	0.1	<0.05	4	0.6	<0.2
L16N 300W	Soil		30	0.20	103	0.044	<20	0.85	0.003	0.05	<0.1	0.13	1.4	0.2	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

QUALITY CONTROL REPORT VAN17002009.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
L23S 600W	Soil	2.7	107.1	11.4	125	0.1	41.6	11.2	462	4.80	2.6	1.0	8.9	9	0.3	0.3	0.7	26	0.04	0.051	47
REP L23S 600W	QC	2.6	107.8	11.1	120	0.2	43.1	10.9	454	4.76	2.3	<0.5	9.1	9	0.4	0.3	0.7	26	0.03	0.050	46
L42N 500W	Soil	11.7	32.6	6.3	106	0.4	96.7	18.9	1578	3.90	8.7	2.3	0.3	21	0.6	0.4	0.1	46	0.27	0.086	18
REP L42N 500W	QC	11.9	32.8	6.5	103	0.4	100.4	19.3	1592	4.12	9.3	2.4	0.3	22	0.7	0.5	0.1	47	0.29	0.096	19
L16N 100W	Soil	4.3	27.1	12.0	60	0.5	19.2	5.3	313	3.22	27.3	2.9	0.4	6	0.4	3.4	0.6	44	0.07	0.088	12
REP L16N 100W	QC	4.1	27.1	11.8	58	0.5	19.7	4.9	305	3.13	26.6	3.2	0.3	6	0.4	3.2	0.4	42	0.06	0.090	12
L16N 300W	Soil	4.3	46.3	22.9	55	0.9	17.2	3.8	148	1.76	104.8	173.8	0.3	9	0.4	14.3	0.5	44	0.09	0.031	15
REP L16N 300W	QC	4.1	44.7	23.4	53	0.8	16.3	3.7	144	1.69	101.6	3.1	0.2	8	0.4	14.0	0.5	42	0.10	0.030	15
Reference Materials																					
STD DS11	Standard	13.4	164.5	139.9	348	1.8	82.1	14.2	1025	3.12	47.6	50.9	8.0	62	2.4	9.0	12.4	53	1.03	0.075	19
STD DS11	Standard	14.1	166.3	138.1	338	1.7	81.1	13.9	1027	3.09	43.6	73.9	7.9	61	2.5	8.6	11.8	53	0.99	0.075	18
STD DS11	Standard	13.3	170.0	137.8	356	1.6	80.6	15.2	1058	3.28	48.7	62.0	8.1	66	2.4	8.8	13.1	55	1.03	0.076	20
STD DS11	Standard	13.2	167.1	139.7	360	1.6	79.5	14.5	1035	3.16	47.8	71.7	7.8	64	2.7	8.4	12.8	51	1.01	0.077	19
STD DS11	Standard	13.0	152.9	141.4	334	1.7	78.0	13.7	1020	3.25	43.2	77.0	7.1	66	2.2	8.6	11.8	48	1.00	0.065	18
STD OREAS45EA	Standard	1.6	652.9	14.2	29	0.2	347.7	52.2	357	20.19	11.1	48.4	10.7	3	<0.1	0.4	0.3	276	0.03	0.027	7
STD OREAS45EA	Standard	1.6	652.7	14.1	29	0.2	347.5	52.7	373	20.43	10.9	47.8	10.4	3	<0.1	0.4	0.3	281	0.03	0.029	7
STD OREAS45EA	Standard	1.5	672.3	13.6	30	0.2	339.2	51.0	386	21.92	11.7	49.9	10.4	4	<0.1	0.4	0.3	282	0.03	0.029	7
STD OREAS45EA	Standard	1.6	640.8	13.8	28	0.2	339.5	52.9	371	21.52	11.7	48.7	10.3	4	<0.1	0.4	0.3	262	0.03	0.028	7
STD OREAS45EA	Standard	1.5	646.6	13.4	31	0.2	370.1	50.0	391	22.04	11.4	49.7	10.1	4	<0.1	0.3	0.4	279	0.03	0.029	7
STD OREAS45EA Expected		1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036	0.029	7.06
STD DS11 Expected		13.9	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 21, 2017

QUALITY CONTROL REPORT VAN17002009.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
L23S 600W	Soil	21	0.92	135	<0.001	<20	1.57	0.001	0.09	<0.1	0.03	2.4	<0.1	<0.05	6	<0.5	<0.2
REP L23S 600W	QC	21	0.92	135	<0.001	<20	1.54	0.001	0.09	<0.1	0.03	2.2	<0.1	<0.05	6	<0.5	<0.2
L42N 500W	Soil	111	0.64	320	0.017	<20	1.97	0.004	0.04	<0.1	0.17	3.1	0.2	<0.05	4	0.5	<0.2
REP L42N 500W	QC	113	0.65	329	0.018	<20	2.07	0.004	0.04	<0.1	0.16	3.2	0.2	<0.05	4	0.6	<0.2
L16N 100W	Soil	38	0.43	118	0.031	<20	1.35	0.003	0.06	<0.1	0.17	1.7	0.2	<0.05	5	0.5	<0.2
REP L16N 100W	QC	38	0.42	117	0.031	<20	1.32	0.003	0.06	<0.1	0.20	1.6	0.2	<0.05	5	<0.5	<0.2
L16N 300W	Soil	30	0.20	103	0.044	<20	0.85	0.003	0.05	<0.1	0.13	1.4	0.2	<0.05	5	0.8	<0.2
REP L16N 300W	QC	28	0.19	101	0.042	<20	0.79	0.003	0.04	<0.1	0.20	1.3	0.2	<0.05	5	0.8	<0.2
Reference Materials																	
STD DS11	Standard	62	0.82	406	0.092	<20	1.06	0.069	0.37	2.9	0.24	3.3	4.8	0.27	5	2.2	4.6
STD DS11	Standard	59	0.79	415	0.092	<20	1.05	0.063	0.37	2.7	0.28	3.2	5.0	0.29	4	2.4	4.7
STD DS11	Standard	61	0.87	420	0.097	<20	1.15	0.072	0.40	3.1	0.27	3.5	5.0	0.27	5	2.4	5.0
STD DS11	Standard	58	0.85	424	0.095	<20	1.17	0.068	0.41	2.8	0.27	3.1	5.0	0.27	5	2.0	4.7
STD DS11	Standard	57	0.83	417	0.095	<20	1.11	0.069	0.38	3.2	0.27	3.1	4.8	0.26	5	2.2	4.8
STD OREAS45EA	Standard	783	0.09	135	0.094	<20	2.65	0.017	0.05	<0.1	0.01	75.0	<0.1	<0.05	11	1.1	<0.2
STD OREAS45EA	Standard	800	0.10	138	0.096	<20	2.67	0.019	0.05	<0.1	0.02	74.9	<0.1	<0.05	11	1.2	<0.2
STD OREAS45EA	Standard	772	0.09	137	0.097	<20	2.69	0.018	0.05	<0.1	0.01	74.5	<0.1	<0.05	11	1.3	<0.2
STD OREAS45EA	Standard	758	0.10	138	0.094	<20	2.81	0.019	0.05	<0.1	<0.01	75.4	0.1	<0.05	11	1.6	<0.2
STD OREAS45EA	Standard	824	0.10	138	0.101	<20	3.09	0.023	0.05	<0.1	0.05	76.1	<0.1	<0.05	12	1.4	<0.2
STD OREAS45EA Expected		849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD DS11 Expected		61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.3	3.1	4.9	0.2835	4.7	1.9	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.03	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.04	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Gavin Titley
Receiving Lab: Canada-Vancouver
Received: September 14, 2017
Report Date: September 26, 2017
Page: 1 of 8

CERTIFICATE OF ANALYSIS VAN17002088.1

CLIENT JOB INFORMATION

Project: Lustdust
Shipment ID: Ids17-02
P.O. Number
Number of Samples: 189

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	189	Dry at 60C			VAN
SS80	189	Dry at 60C sieve 100g to -80 mesh			VAN
AQ200	189	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7
Canada

CC: Bill Morton
Glen Garratt

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L6N 2200W	Soil	5.5	46.1	13.4	79	0.5	23.6	7.4	444	4.66	9.6	1.8	0.5	5	0.3	2.2	0.3	51	0.03	0.109	14
L6N 2250W	Soil	2.3	20.6	7.8	30	0.4	5.6	2.1	208	1.37	2.8	0.8	0.3	3	<0.1	0.9	0.2	37	0.02	0.135	15
L6N 2300W	Soil	10.7	56.6	18.5	88	0.1	19.4	8.0	187	3.08	16.4	1.7	0.5	8	0.2	4.0	0.5	55	0.03	0.087	27
L6N 2350W	Soil	6.9	51.5	35.0	113	0.5	23.4	9.9	1065	4.84	30.6	2.5	0.3	6	0.4	12.6	0.4	53	0.04	0.084	14
L6N 2400W	Soil	3.5	38.0	19.6	94	0.5	16.0	6.6	511	2.50	19.7	1.2	0.4	5	0.3	15.6	0.3	41	0.06	0.045	16
L6N 2450W	Soil	4.0	56.5	11.7	69	0.5	18.8	9.0	571	4.84	9.4	1.3	1.0	8	0.5	1.7	0.3	67	0.10	0.119	12
L6N 2500W	Soil	3.3	51.2	9.2	74	0.3	19.0	8.2	704	3.74	6.1	1.3	0.4	6	0.3	1.2	0.3	60	0.10	0.096	13
L6N 2550W	Soil	1.9	47.2	8.0	58	0.2	15.8	6.8	416	3.78	5.7	4.4	0.3	4	0.2	1.0	0.3	65	0.12	0.075	10
L6N 2600W	Soil	2.3	49.4	8.1	59	0.2	15.7	6.2	375	4.72	5.8	3.4	0.5	5	0.3	1.2	0.2	57	0.09	0.110	9
L6N 2650W	Soil	2.4	37.5	8.5	52	<0.1	14.9	9.2	761	5.65	5.5	2.7	0.4	5	0.3	0.9	0.3	112	0.20	0.113	10
L6N 2700W	Soil	3.1	52.0	8.0	67	0.2	22.1	9.6	454	6.08	9.2	5.3	0.4	5	0.3	1.8	0.3	99	0.12	0.086	11
L6N 2750W	Soil	3.4	34.7	8.4	59	0.2	13.3	5.8	497	3.41	6.0	1.7	0.3	7	0.3	1.4	0.3	50	0.15	0.091	14
L6N 2800W	Soil	3.9	43.2	9.2	59	<0.1	16.2	6.4	315	4.08	8.5	2.1	0.4	6	0.1	1.4	0.3	66	0.14	0.066	12
L6N 2850W	Soil	3.8	31.8	9.6	43	0.2	12.3	3.8	199	2.65	7.0	1.9	0.1	5	0.2	0.9	0.3	32	0.08	0.062	11
L6N 2900W	Soil	3.5	28.7	9.4	72	0.1	18.1	6.9	553	2.42	4.7	2.2	0.2	18	0.3	0.8	0.3	26	0.16	0.083	13
L6N 2950W	Soil	6.6	55.8	17.1	59	0.3	12.3	13.0	5021	2.57	6.5	3.6	0.1	29	0.5	0.9	0.4	28	0.25	0.137	14
L6N 3000W	Soil	11.1	52.9	17.8	80	0.4	15.5	6.0	325	3.35	10.9	4.2	0.1	19	0.3	2.2	0.4	35	0.11	0.089	15
L28N 1050E	Soil	1.3	23.2	7.9	62	0.1	35.1	12.8	748	2.38	3.1	1.6	0.5	18	0.3	0.3	0.2	42	0.24	0.038	12
L28N 1000E	Soil	1.5	19.6	6.0	54	<0.1	35.5	9.4	501	2.17	5.2	5.4	0.9	12	0.3	0.6	0.1	35	0.18	0.049	10
L28N 950E	Soil	1.9	23.6	5.7	67	0.1	37.5	7.6	369	2.51	5.5	4.0	1.1	12	0.2	0.8	0.2	40	0.21	0.050	11
L28N 900E	Soil	2.1	26.8	8.6	78	0.2	48.7	16.0	905	3.04	5.2	3.0	0.2	17	0.3	0.5	0.2	50	0.27	0.067	11
L28N 850E	Soil	0.9	16.5	7.9	36	<0.1	26.2	7.6	327	1.75	2.9	2.8	0.7	12	0.1	0.4	0.2	38	0.19	0.041	7
L28N 800E	Soil	2.2	21.0	26.4	32	0.1	31.8	15.5	552	3.17	2.6	2.2	0.5	30	0.2	0.3	0.5	76	0.30	0.059	6
L28N 750E	Soil	1.7	23.4	25.1	24	0.1	33.4	14.5	449	3.01	2.5	2.7	0.6	32	<0.1	0.3	0.4	80	0.37	0.061	8
L28N 700E	Soil	1.8	27.3	29.0	30	<0.1	36.1	16.1	624	3.06	3.1	5.3	0.6	30	0.1	0.2	0.5	79	0.33	0.071	9
L28N 650E	Soil	1.5	21.1	21.2	27	<0.1	34.2	15.6	504	3.61	2.2	1.9	1.0	55	0.1	0.2	0.5	98	0.45	0.068	7
L28N 600E	Soil	1.6	20.7	22.0	25	<0.1	28.9	14.3	279	2.62	2.2	4.0	0.6	55	0.1	0.2	0.4	71	0.50	0.075	7
L28N 450E	Soil	0.9	25.7	5.7	71	<0.1	46.1	9.4	547	2.25	8.2	2.6	0.8	11	0.6	1.1	0.1	31	0.32	0.076	9
L28N 400E	Soil	2.2	40.9	8.0	82	<0.1	63.3	9.8	458	3.08	11.6	3.5	2.1	9	0.6	1.8	0.2	43	0.17	0.075	10
L28N 350E	Soil	1.8	24.6	9.3	80	0.3	34.7	7.2	289	3.21	13.7	1.7	1.2	7	0.3	2.1	0.2	56	0.12	0.121	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L6N 2200W	Soil		36	0.51	132	0.009	<20	1.55	0.003	0.06	<0.1	0.04	1.8	0.2	<0.05	6	0.8	<0.2
L6N 2250W	Soil		14	0.14	106	0.003	<20	1.35	0.003	0.05	0.1	0.03	0.8	0.3	<0.05	6	<0.5	<0.2
L6N 2300W	Soil		14	0.10	98	0.007	<20	1.01	0.002	0.06	0.1	0.02	1.1	0.3	<0.05	6	<0.5	<0.2
L6N 2350W	Soil		23	0.23	130	0.009	<20	1.50	0.002	0.05	<0.1	0.06	1.5	0.3	<0.05	6	0.7	<0.2
L6N 2400W	Soil		26	0.29	72	0.021	<20	1.51	0.002	0.04	<0.1	0.04	2.1	0.2	<0.05	5	<0.5	<0.2
L6N 2450W	Soil		31	0.46	106	0.045	<20	1.92	0.004	0.06	0.1	0.06	3.2	0.2	<0.05	7	<0.5	<0.2
L6N 2500W	Soil		26	0.54	99	0.039	<20	1.81	0.004	0.06	<0.1	0.03	2.6	0.2	<0.05	8	<0.5	<0.2
L6N 2550W	Soil		24	0.46	52	0.038	<20	1.68	0.003	0.05	<0.1	0.08	2.0	0.1	<0.05	7	0.6	<0.2
L6N 2600W	Soil		27	0.42	69	0.048	<20	1.78	0.003	0.05	<0.1	0.07	2.1	0.1	0.06	6	<0.5	<0.2
L6N 2650W	Soil		43	0.41	99	0.111	<20	1.69	0.003	0.05	<0.1	0.05	3.2	0.2	<0.05	8	<0.5	<0.2
L6N 2700W	Soil		44	0.54	98	0.088	<20	2.18	0.003	0.03	<0.1	0.06	3.5	0.1	<0.05	7	0.6	<0.2
L6N 2750W	Soil		19	0.28	95	0.029	<20	1.55	0.004	0.05	<0.1	0.06	1.5	0.2	<0.05	7	0.8	<0.2
L6N 2800W	Soil		26	0.31	107	0.045	<20	1.39	0.003	0.06	<0.1	0.06	2.2	0.1	<0.05	6	<0.5	<0.2
L6N 2850W	Soil		16	0.21	71	0.011	<20	1.12	0.003	0.05	<0.1	0.07	0.9	0.1	0.07	4	<0.5	<0.2
L6N 2900W	Soil		17	0.37	218	0.007	<20	1.15	0.003	0.07	<0.1	0.03	1.2	0.1	<0.05	4	<0.5	<0.2
L6N 2950W	Soil		13	0.12	528	0.005	<20	1.13	0.003	0.11	<0.1	0.04	0.6	0.3	0.07	5	0.6	0.2
L6N 3000W	Soil		14	0.19	197	0.007	<20	1.00	0.002	0.09	<0.1	0.06	1.0	0.2	<0.05	5	1.7	0.3
L28N 1050E	Soil		68	0.70	306	0.034	<20	1.48	0.004	0.07	<0.1	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2
L28N 1000E	Soil		64	0.70	111	0.048	<20	1.03	0.004	0.06	<0.1	0.14	2.4	<0.1	<0.05	3	<0.5	<0.2
L28N 950E	Soil		62	0.72	225	0.035	<20	1.24	0.004	0.08	<0.1	0.28	2.6	<0.1	<0.05	4	0.5	<0.2
L28N 900E	Soil		88	0.82	314	0.021	<20	1.72	0.005	0.10	0.1	0.08	2.9	0.1	0.07	5	<0.5	<0.2
L28N 850E	Soil		67	0.55	126	0.046	<20	0.89	0.006	0.06	0.3	0.10	3.0	<0.1	<0.05	3	<0.5	<0.2
L28N 800E	Soil		111	0.68	186	0.029	<20	0.78	0.010	0.07	0.6	0.07	3.6	<0.1	<0.05	3	0.6	<0.2
L28N 750E	Soil		126	0.70	205	0.030	<20	0.70	0.012	0.06	2.0	0.03	4.6	<0.1	<0.05	2	0.7	<0.2
L28N 700E	Soil		125	0.80	185	0.037	<20	0.89	0.012	0.08	0.8	0.07	5.1	<0.1	<0.05	3	<0.5	<0.2
L28N 650E	Soil		116	0.64	242	0.037	<20	0.70	0.010	0.07	0.7	0.02	4.3	<0.1	<0.05	3	<0.5	<0.2
L28N 600E	Soil		107	0.70	190	0.031	<20	0.72	0.012	0.06	3.7	0.02	4.2	<0.1	0.05	2	<0.5	<0.2
L28N 450E	Soil		61	0.68	111	0.024	<20	0.96	0.003	0.06	<0.1	0.81	2.8	<0.1	0.06	3	<0.5	<0.2
L28N 400E	Soil		68	0.91	134	0.024	<20	1.80	0.003	0.05	<0.1	0.36	3.6	0.1	<0.05	4	<0.5	<0.2
L28N 350E	Soil		65	0.50	131	0.028	<20	1.94	0.003	0.05	0.1	0.27	3.5	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L28N 300E	Soil	2.0	22.5	8.9	65	0.1	29.6	6.7	335	3.77	17.6	1.0	2.0	6	0.3	3.1	0.2	77	0.12	0.154	8
L28N 250E	Soil	2.1	19.3	11.9	167	0.1	23.9	6.8	478	3.56	25.6	0.8	0.4	6	0.8	9.7	0.2	86	0.13	0.111	9
L28N 200E	Soil	1.7	20.7	10.6	116	0.2	40.3	9.3	430	4.20	14.8	1.6	1.7	7	1.1	3.6	0.2	80	0.20	0.117	10
L28N 150E	Soil	2.1	20.8	8.1	73	0.1	30.7	6.9	471	3.91	11.1	1.6	1.3	6	0.3	2.0	0.2	80	0.11	0.142	10
L28N 100E	Soil	2.0	45.1	8.2	83	0.1	74.0	10.4	628	3.86	14.3	1.8	1.7	9	0.2	2.5	0.2	61	0.19	0.173	8
L28N 50E	Soil	1.3	18.5	8.5	69	0.2	27.8	5.8	295	2.83	13.0	1.6	0.7	8	0.6	2.7	0.2	62	0.30	0.060	11
L28N 0W	Soil	2.0	10.0	8.9	30	0.3	12.0	2.8	141	2.47	11.0	<0.5	1.5	5	0.2	1.9	0.2	60	0.05	0.111	12
L28N 50W	Soil	1.7	27.9	8.3	72	0.4	27.3	7.1	934	2.90	14.1	<0.5	0.8	8	0.4	2.5	0.2	54	0.14	0.156	11
L28N 100W	Soil	2.1	17.9	7.6	55	<0.1	27.9	5.6	336	2.93	9.6	12.4	1.2	5	0.2	1.2	0.2	52	0.07	0.038	11
L28N 150W	Soil	2.5	24.2	6.9	71	0.3	30.0	6.5	364	2.40	8.7	1.6	0.5	11	0.3	1.1	0.2	42	0.15	0.036	12
L28N 200W	Soil	1.7	15.7	6.9	37	0.2	17.3	4.0	207	2.90	9.2	2.1	0.7	7	0.5	1.2	0.2	51	0.14	0.031	9
L24N 2000W	Soil	6.9	40.8	12.7	69	0.3	12.3	4.4	285	2.96	10.2	2.1	0.2	8	0.2	2.3	0.5	52	0.08	0.059	15
L24N 2050W	Soil	8.1	71.8	20.9	174	0.4	18.7	19.0	1224	4.35	14.8	1.6	0.5	59	0.5	1.8	0.5	50	0.53	0.109	16
L24N 2100W	Soil	5.5	40.9	29.5	187	0.8	23.7	9.0	589	6.92	20.5	2.4	2.6	11	1.6	3.9	0.4	119	0.52	0.428	15
L24N 2150W	Soil	6.4	53.4	13.6	118	0.6	26.0	9.2	576	3.79	16.4	2.6	0.4	8	0.6	3.8	0.4	42	0.09	0.143	18
L24N 2200W	Soil	5.7	40.5	10.3	80	0.3	13.4	9.7	904	3.06	9.0	<0.5	0.4	7	0.5	1.9	0.4	50	0.09	0.119	14
L24N 2250W	Soil	6.3	37.7	12.7	80	0.3	14.8	5.3	249	4.53	9.9	<0.5	0.5	6	0.5	1.6	0.4	52	0.07	0.072	13
L24N 2300W	Soil	4.0	44.3	10.4	128	0.3	23.5	10.5	1172	3.27	18.8	0.6	0.2	6	0.7	2.1	0.3	43	0.07	0.079	14
L24N 2350W	Soil	4.9	29.9	11.6	50	0.5	9.3	5.1	985	2.39	8.5	<0.5	<0.1	5	0.2	1.5	0.3	44	0.08	0.082	14
L24N 2400W	Soil	10.0	64.8	15.2	98	0.2	23.8	8.8	367	3.96	14.3	<0.5	0.9	13	0.3	3.4	0.4	40	0.10	0.069	24
L24N 2450W	Soil	5.4	47.4	13.5	99	0.4	19.1	6.7	339	3.16	8.2	<0.5	1.1	74	0.4	1.2	0.4	30	0.42	0.036	12
L24N 2500W	Soil	9.6	39.4	10.5	71	0.6	8.0	4.1	81	3.35	12.9	1.1	4.1	15	<0.1	0.5	0.5	35	0.07	0.045	22
L24N 2550W	Soil	38.4	58.7	6.8	104	0.2	12.3	3.0	72	2.86	22.0	<0.5	1.0	27	0.1	3.6	0.3	63	0.04	0.051	8
L24N 2600W	Soil	4.2	48.9	8.3	310	0.8	22.0	5.0	1072	2.22	3.3	0.8	<0.1	45	1.0	0.4	0.3	39	0.33	0.067	12
L24N 2650W	Soil	4.0	23.6	9.9	48	0.1	9.0	4.7	266	3.18	7.0	1.2	0.9	5	0.4	0.9	0.3	95	0.17	0.046	9
L24N 2700W	Soil	4.3	33.8	9.8	113	0.1	21.3	7.0	348	3.55	7.2	<0.5	1.4	8	0.3	0.8	0.3	63	0.19	0.055	13
L24N 2750W	Soil	3.8	30.7	8.1	54	0.1	13.2	5.2	314	2.65	6.2	1.2	0.2	8	0.5	0.8	0.3	50	0.17	0.058	12
L24N 2800W	Soil	3.4	24.0	9.8	51	0.2	13.2	4.1	277	3.21	7.4	1.4	0.7	8	0.3	0.9	0.3	71	0.11	0.079	15
L24N 2850W	Soil	2.5	25.9	8.4	57	0.2	16.0	5.7	360	4.03	5.9	<0.5	0.4	5	0.2	0.7	0.2	55	0.15	0.063	11
L24N 2900W	Soil	3.3	31.6	9.7	73	0.3	17.9	6.5	325	2.95	5.9	<0.5	0.4	19	0.3	0.8	0.3	49	0.30	0.039	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L28N 300E	Soil	66	0.44	75	0.046	<20	1.50	0.003	0.04	<0.1	0.27	3.5	0.1	<0.05	7	<0.5	<0.2
L28N 250E	Soil	53	0.37	283	0.033	<20	1.59	0.003	0.04	0.1	3.09	3.2	0.1	<0.05	8	<0.5	<0.2
L28N 200E	Soil	74	0.60	126	0.046	<20	2.24	0.003	0.04	<0.1	1.28	4.6	<0.1	<0.05	8	<0.5	<0.2
L28N 150E	Soil	74	0.52	65	0.059	<20	1.94	0.003	0.03	<0.1	0.55	3.9	0.1	<0.05	8	<0.5	<0.2
L28N 100E	Soil	93	0.77	94	0.036	<20	1.62	0.004	0.06	<0.1	0.45	4.5	<0.1	<0.05	5	<0.5	<0.2
L28N 50E	Soil	55	0.48	148	0.034	<20	1.80	0.003	0.03	<0.1	1.96	3.4	0.1	<0.05	7	<0.5	<0.2
L28N 0W	Soil	38	0.25	87	0.047	<20	1.04	0.002	0.05	0.1	5.95	2.1	0.1	<0.05	6	<0.5	<0.2
L28N 50W	Soil	50	0.42	162	0.041	<20	1.26	0.003	0.07	<0.1	0.23	2.9	0.2	<0.05	6	<0.5	<0.2
L28N 100W	Soil	54	0.55	100	0.059	<20	1.63	0.002	0.06	<0.1	0.32	2.8	0.2	<0.05	6	<0.5	<0.2
L28N 150W	Soil	46	0.62	215	0.037	<20	1.37	0.003	0.07	<0.1	0.84	2.4	0.1	<0.05	5	<0.5	<0.2
L28N 200W	Soil	45	0.29	106	0.081	<20	0.96	0.002	0.05	<0.1	5.27	2.0	<0.1	<0.05	6	<0.5	<0.2
L24N 2000W	Soil	14	0.15	89	0.022	<20	0.99	0.002	0.08	<0.1	0.08	1.2	0.2	<0.05	6	0.9	<0.2
L24N 2050W	Soil	21	0.38	335	0.007	<20	1.80	0.003	0.10	<0.1	0.07	1.8	0.2	<0.05	7	0.9	<0.2
L24N 2100W	Soil	50	0.66	376	0.015	<20	3.62	0.002	0.03	<0.1	0.07	4.9	0.1	<0.05	8	0.7	<0.2
L24N 2150W	Soil	20	0.39	199	0.011	<20	1.36	0.002	0.07	<0.1	0.04	1.6	0.2	<0.05	6	1.3	<0.2
L24N 2200W	Soil	14	0.17	163	0.038	<20	1.08	0.002	0.06	<0.1	0.04	1.3	0.2	0.06	7	<0.5	<0.2
L24N 2250W	Soil	18	0.23	107	0.037	<20	1.19	<0.001	0.07	<0.1	0.04	1.7	0.1	<0.05	7	0.8	<0.2
L24N 2300W	Soil	26	0.51	231	0.016	<20	1.69	0.002	0.06	<0.1	0.02	1.7	0.2	<0.05	5	<0.5	<0.2
L24N 2350W	Soil	14	0.14	101	0.012	<20	0.97	0.001	0.06	<0.1	0.03	0.7	0.2	<0.05	5	<0.5	<0.2
L24N 2400W	Soil	15	0.23	181	0.011	<20	1.24	0.002	0.06	<0.1	<0.01	2.4	0.3	<0.05	5	0.7	<0.2
L24N 2450W	Soil	16	0.31	220	0.011	<20	1.39	0.002	0.06	<0.1	0.03	2.4	0.2	<0.05	4	0.9	<0.2
L24N 2500W	Soil	14	0.13	241	0.001	<20	1.37	0.002	0.05	<0.1	0.13	2.9	0.2	<0.05	6	2.4	0.2
L24N 2550W	Soil	10	0.04	80	0.004	<20	0.81	<0.001	0.03	<0.1	<0.01	1.9	0.3	<0.05	6	0.7	<0.2
L24N 2600W	Soil	17	0.32	320	0.017	<20	2.00	0.003	0.04	<0.1	0.03	1.4	0.3	<0.05	6	0.6	<0.2
L24N 2650W	Soil	17	0.23	119	0.124	<20	1.35	0.002	0.03	<0.1	0.02	2.5	0.2	<0.05	8	<0.5	<0.2
L24N 2700W	Soil	26	0.60	228	0.050	<20	2.00	0.003	0.07	0.1	0.05	3.4	0.2	<0.05	7	<0.5	<0.2
L24N 2750W	Soil	16	0.26	132	0.031	<20	1.34	0.002	0.07	<0.1	0.05	1.4	0.2	<0.05	6	0.7	<0.2
L24N 2800W	Soil	19	0.32	145	0.070	<20	1.32	0.003	0.06	<0.1	0.04	1.7	0.1	<0.05	7	0.7	<0.2
L24N 2850W	Soil	23	0.49	86	0.044	<20	1.83	0.003	0.05	<0.1	0.06	2.3	<0.1	<0.05	7	<0.5	<0.2
L24N 2900W	Soil	19	0.46	289	0.059	<20	1.52	0.003	0.09	<0.1	0.04	2.2	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L24N 2950W	Soil	3.8	39.5	8.5	86	0.3	19.5	7.5	421	3.11	4.7	1.2	0.1	9	0.3	0.6	0.2	45	0.11	0.053	12
L24N 3000W	Soil	2.2	29.6	9.0	54	0.5	11.5	4.8	311	3.44	5.5	<0.5	0.5	5	0.5	0.9	0.2	74	0.52	0.072	7
L14N 2000E	Soil	0.8	18.9	4.8	36	<0.1	25.4	7.3	266	2.23	2.8	<0.5	0.8	16	0.1	0.2	<0.1	72	0.24	0.030	5
L14N 1950E	Soil	1.2	15.3	12.5	38	0.1	29.4	6.4	192	2.27	4.3	<0.5	1.1	14	<0.1	0.5	0.2	64	0.29	0.019	8
L14N 1900E	Soil	0.8	13.1	8.2	26	0.1	13.4	2.5	99	1.22	2.4	0.9	<0.1	10	0.2	0.3	0.1	33	0.11	0.038	9
L14N 1850E	Soil	2.5	29.4	8.3	66	0.2	41.9	9.7	490	2.72	7.8	0.9	0.8	20	0.2	0.9	0.2	47	0.30	0.044	12
L14N 1800E	Soil	1.9	42.3	9.9	86	0.1	36.1	11.3	766	2.72	14.4	5.2	2.4	17	0.3	2.2	0.2	36	0.33	0.067	17
L14N 1750E	Soil	1.9	37.2	7.6	72	0.1	33.1	8.4	452	2.41	11.3	5.5	1.7	14	0.3	2.2	0.2	31	0.23	0.069	14
L14N 1700E	Soil	2.3	26.3	6.2	64	0.2	26.3	6.7	365	1.98	5.9	2.5	1.0	10	0.4	1.2	0.2	29	0.16	0.055	13
L14N 1650E	Soil	2.1	35.5	7.6	60	<0.1	30.9	8.9	548	1.96	10.2	4.9	1.1	14	0.3	1.8	0.2	26	0.30	0.062	12
L14N 1600E	Soil	4.2	82.5	25.2	330	0.6	35.8	12.5	859	3.02	188.6	7.8	1.0	29	1.9	11.3	0.9	41	0.52	0.083	15
L14N 1550E	Soil	3.4	51.9	22.6	324	0.7	31.8	13.1	958	2.92	176.2	6.8	0.2	19	2.9	8.7	0.8	41	0.33	0.076	13
L14N 1500E	Soil	3.4	46.1	20.1	226	0.4	26.2	13.3	900	2.83	140.4	3.4	0.2	26	3.1	8.0	0.8	37	0.46	0.113	11
L14N 1450E	Soil	3.6	61.4	21.0	315	0.4	31.5	12.4	797	2.91	151.9	5.4	1.2	14	1.4	10.0	0.8	38	0.27	0.075	14
L14N 1400E	Soil	1.2	41.5	8.5	66	0.1	29.0	6.3	233	1.54	4.4	4.0	1.9	12	0.3	2.2	0.2	25	0.25	0.047	11
L14N 1350E	Soil	3.4	24.3	9.5	77	0.3	26.8	8.4	629	2.87	24.1	1.0	0.7	22	0.3	1.7	0.3	39	0.82	0.071	9
L14N 1300E	Soil	2.5	48.4	9.9	89	0.4	43.9	10.1	609	2.48	22.2	4.2	1.1	15	0.5	2.9	0.3	36	0.43	0.069	12
L14N 1250E	Soil	1.6	23.5	7.2	56	0.3	18.3	5.5	198	1.90	17.6	0.8	0.3	17	0.2	1.9	0.3	31	0.52	0.050	8
L14N 1200E	Soil	1.7	38.5	8.5	72	0.3	32.2	11.9	452	2.21	27.5	4.2	0.5	16	0.5	2.3	0.2	33	0.46	0.050	10
L14N 1150E	Soil	2.2	22.6	8.9	64	0.3	22.0	5.7	255	3.16	17.4	<0.5	1.7	5	0.2	2.0	0.2	54	0.05	0.066	10
L14N 1100E	Soil	2.2	33.2	7.0	75	0.5	27.8	7.6	300	3.77	14.9	0.5	1.2	5	0.4	1.6	0.1	60	0.08	0.105	6
L14N 1050E	Soil	2.7	28.8	10.1	81	0.4	22.1	6.2	381	4.10	20.4	2.4	1.6	6	0.2	2.4	0.2	84	0.10	0.241	9
L14N 1000E	Soil	1.9	15.7	9.2	44	0.2	14.8	4.3	297	1.87	13.2	2.3	1.9	7	0.2	1.9	0.3	42	0.09	0.063	13
L14N 950E	Soil	2.2	10.0	10.3	34	1.0	9.4	2.5	174	1.94	20.3	1.1	1.7	6	0.2	2.2	0.3	42	0.06	0.102	13
L14N 900E	Soil	3.3	37.5	15.2	98	0.5	26.8	10.5	536	2.91	48.0	9.1	2.4	5	0.4	6.5	0.5	37	0.07	0.067	13
L14N 850E	Soil	3.6	33.3	15.2	83	0.3	22.1	6.4	351	3.31	48.5	3.5	2.3	6	0.3	7.2	0.4	40	0.10	0.106	12
L14N 800E	Soil	3.2	29.9	14.8	60	0.1	23.5	5.0	337	4.06	53.4	0.8	1.8	6	0.1	4.8	0.5	71	0.08	0.216	11
L14N 750E	Soil	1.8	19.4	9.8	86	0.2	22.5	6.2	291	2.54	19.4	2.7	0.8	6	0.4	6.0	0.2	52	0.07	0.036	11
L14N 700E	Soil	2.2	42.5	12.5	88	0.1	55.3	9.7	367	3.83	30.5	8.1	1.6	8	0.8	4.8	0.3	51	0.16	0.054	12
L14N 650E	Soil	2.3	24.7	10.1	87	0.1	31.0	8.2	502	2.95	19.6	0.8	2.1	6	0.5	2.8	0.2	43	0.07	0.101	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L24N 2950W	Soil	23	0.47	246	0.021	<20	1.90	0.002	0.06	<0.1	0.04	1.8	0.1	<0.05	6	0.6	<0.2
L24N 3000W	Soil	16	0.33	105	0.136	<20	1.57	0.004	0.06	0.2	0.05	2.3	0.1	<0.05	9	<0.5	<0.2
L14N 2000E	Soil	59	0.51	201	0.064	<20	1.03	0.007	0.06	<0.1	0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
L14N 1950E	Soil	78	0.48	252	0.046	<20	1.23	0.005	0.06	<0.1	0.09	3.2	<0.1	0.06	5	<0.5	<0.2
L14N 1900E	Soil	39	0.23	228	0.016	<20	1.04	0.004	0.06	<0.1	0.12	1.5	<0.1	<0.05	5	1.1	<0.2
L14N 1850E	Soil	70	0.63	466	0.017	<20	1.61	0.004	0.09	<0.1	0.14	3.6	<0.1	<0.05	5	<0.5	<0.2
L14N 1800E	Soil	44	0.70	264	0.023	<20	1.27	0.004	0.07	<0.1	1.88	3.8	<0.1	<0.05	4	<0.5	<0.2
L14N 1750E	Soil	37	0.60	178	0.025	<20	1.01	0.004	0.07	<0.1	0.34	3.0	<0.1	<0.05	4	<0.5	<0.2
L14N 1700E	Soil	37	0.53	239	0.019	<20	1.16	0.003	0.09	<0.1	0.29	2.5	<0.1	<0.05	4	<0.5	<0.2
L14N 1650E	Soil	34	0.38	130	0.029	<20	0.69	0.003	0.05	<0.1	0.91	2.3	<0.1	<0.05	2	<0.5	<0.2
L14N 1600E	Soil	36	0.67	169	0.028	<20	1.18	0.005	0.07	0.3	0.37	3.7	0.2	<0.05	4	1.4	0.2
L14N 1550E	Soil	37	0.65	178	0.017	<20	1.33	0.004	0.07	0.2	0.19	1.9	0.2	<0.05	5	1.1	<0.2
L14N 1500E	Soil	32	0.56	201	0.014	<20	1.12	0.004	0.08	0.2	0.16	1.4	0.1	<0.05	4	<0.5	<0.2
L14N 1450E	Soil	34	0.65	126	0.030	<20	1.27	0.005	0.07	0.4	0.35	3.4	0.1	<0.05	4	1.1	<0.2
L14N 1400E	Soil	33	0.46	108	0.044	<20	0.74	0.004	0.06	<0.1	0.45	3.0	<0.1	<0.05	3	<0.5	<0.2
L14N 1350E	Soil	47	0.55	307	0.030	<20	1.14	0.009	0.06	0.1	0.53	3.5	<0.1	0.05	4	1.7	<0.2
L14N 1300E	Soil	56	0.54	160	0.033	<20	1.33	0.004	0.07	<0.1	1.58	3.5	0.1	<0.05	4	<0.5	<0.2
L14N 1250E	Soil	34	0.34	187	0.026	<20	0.88	0.004	0.04	<0.1	7.36	1.8	0.1	<0.05	3	<0.5	<0.2
L14N 1200E	Soil	64	0.43	159	0.027	<20	1.00	0.004	0.05	<0.1	0.60	2.7	<0.1	<0.05	3	0.7	<0.2
L14N 1150E	Soil	44	0.44	89	0.041	<20	1.57	0.003	0.04	<0.1	0.41	3.2	0.1	<0.05	5	<0.5	<0.2
L14N 1100E	Soil	38	0.45	90	0.042	<20	1.48	0.002	0.04	<0.1	0.39	3.2	0.1	<0.05	5	0.6	<0.2
L14N 1050E	Soil	40	0.35	63	0.080	<20	1.24	0.004	0.04	<0.1	1.03	3.2	0.1	<0.05	7	<0.5	<0.2
L14N 1000E	Soil	29	0.31	79	0.059	<20	1.16	0.003	0.05	<0.1	1.06	2.1	0.1	<0.05	6	0.5	<0.2
L14N 950E	Soil	28	0.22	61	0.038	<20	1.20	0.003	0.04	<0.1	0.30	2.1	0.1	<0.05	5	<0.5	<0.2
L14N 900E	Soil	37	0.43	90	0.038	<20	1.49	0.003	0.05	<0.1	0.63	2.9	0.1	<0.05	4	<0.5	<0.2
L14N 850E	Soil	38	0.37	71	0.029	<20	1.54	0.002	0.04	0.1	0.78	2.7	0.1	<0.05	4	0.6	<0.2
L14N 800E	Soil	40	0.42	71	0.044	<20	1.29	0.003	0.05	0.1	1.13	2.8	0.2	<0.05	6	<0.5	<0.2
L14N 750E	Soil	43	0.39	123	0.034	<20	1.59	0.003	0.04	<0.1	0.75	2.9	0.1	<0.05	6	0.8	<0.2
L14N 700E	Soil	66	0.75	153	0.026	<20	2.01	0.003	0.05	<0.1	1.66	3.6	0.1	<0.05	5	0.7	<0.2
L14N 650E	Soil	45	0.57	106	0.022	<20	1.93	0.002	0.05	<0.1	0.36	2.9	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14N 600E	Soil	1.8	23.2	9.1	94	0.2	29.6	7.4	317	2.70	18.3	1.0	1.9	6	0.3	2.4	0.2	42	0.10	0.040	14
L14N 550E	Soil	3.1	45.1	13.1	100	0.3	51.5	14.1	635	3.19	33.0	4.4	1.0	11	0.6	4.1	0.3	43	0.21	0.062	15
L14N 500E	Soil	2.7	27.6	10.7	86	0.6	31.2	8.2	470	2.47	20.7	5.2	0.4	18	0.3	3.0	0.3	34	0.34	0.061	15
L14N 450E	Soil	8.8	109.2	48.7	206	2.9	68.6	21.0	2981	4.40	130.4	11.1	0.3	60	2.8	7.1	0.8	57	0.84	0.168	42
L14N 400E	Soil	5.5	19.6	29.8	56	0.8	7.2	5.8	805	1.25	28.0	<0.5	0.2	25	0.6	14.9	0.5	41	0.46	0.041	14
L14N 350E	Soil	7.7	44.0	46.2	106	0.8	14.2	9.3	3019	2.65	87.2	<0.5	0.4	30	1.7	8.4	0.9	59	0.45	0.075	17
L14N 300E	Soil	3.7	29.6	16.9	73	0.5	15.8	5.4	305	3.13	91.6	2.6	0.7	10	0.3	6.4	1.1	86	0.18	0.052	10
L14N 250E	Soil	2.7	43.5	12.1	105	0.4	41.9	10.9	889	2.45	22.9	3.5	0.3	21	0.6	3.1	0.2	33	0.31	0.061	15
L14N 200E	Soil	3.6	26.0	13.8	82	3.0	19.6	5.2	443	2.01	34.1	4.0	0.6	6	0.3	2.8	0.4	36	0.07	0.077	12
L14N 150E	Soil	3.4	36.6	13.6	57	0.6	21.1	4.8	272	2.75	33.0	2.5	0.8	7	0.4	6.2	0.3	38	0.09	0.038	12
L14N 100E	Soil	4.2	35.0	16.2	90	1.3	20.5	5.4	294	3.73	83.0	3.4	2.2	6	0.4	6.5	0.6	50	0.10	0.094	12
L14N 50E	Soil	3.9	41.4	18.6	90	0.5	19.0	7.0	417	4.11	82.1	1.5	1.7	6	0.4	7.6	0.7	69	0.12	0.136	11
L14N 000W	Soil	3.4	26.7	16.2	68	0.9	21.9	5.4	339	2.53	43.1	5.3	0.4	9	0.5	5.0	0.3	32	0.14	0.046	12
L20N 1850W	Soil	30.0	84.2	31.1	85	0.8	26.2	6.6	286	4.42	64.4	3.7	0.8	26	0.8	7.8	0.9	73	0.03	0.069	17
L20N 1900W	Soil	17.3	135.4	40.4	123	0.8	54.4	13.4	517	5.03	35.2	8.2	1.9	14	0.3	17.6	0.9	107	0.08	0.113	12
L20N 1950W	Soil	4.2	30.1	14.5	74	0.3	19.0	5.9	300	4.22	15.0	<0.5	0.6	7	0.3	2.9	0.4	70	0.06	0.080	17
L20N 2000W	Soil	10.9	37.4	21.7	69	0.7	12.1	3.8	438	4.08	22.5	2.3	0.6	5	0.1	8.2	0.5	50	0.03	0.159	19
L20N 2050W	Soil	12.8	17.0	18.7	58	0.2	7.2	1.4	58	1.79	7.1	0.7	1.8	8	<0.1	1.2	0.5	41	0.01	0.063	47
L20N 2100W	Soil	10.8	35.1	18.4	55	0.4	10.4	3.5	353	3.81	11.0	1.2	0.3	6	0.2	1.9	0.5	53	0.03	0.110	20
L20N 2150W	Soil	20.2	105.2	17.1	173	0.3	28.7	9.6	271	4.31	9.7	1.8	0.3	6	0.3	1.9	0.6	61	0.02	0.130	19
L20N 2200W	Soil	7.9	36.4	16.7	51	0.3	9.6	2.9	93	2.23	6.0	2.0	0.2	9	0.2	0.9	0.5	47	0.03	0.069	22
L20N 2250W	Soil	3.1	45.5	9.8	67	0.2	13.7	5.8	574	4.91	7.8	0.6	0.9	3	<0.1	0.8	0.3	66	0.02	0.084	11
L20N 2300W	Soil	6.8	51.7	14.3	59	0.1	11.6	8.6	880	3.44	10.0	0.6	0.2	8	0.2	1.2	0.4	39	0.03	0.096	19
L20N 2350W	Soil	3.9	24.3	8.3	31	0.4	7.8	2.4	161	2.39	4.8	1.4	0.1	3	0.1	0.7	0.3	43	0.05	0.037	15
L20N 2400W	Soil	10.5	65.5	20.4	77	1.0	20.5	6.9	509	4.13	10.4	4.0	0.4	9	0.3	2.7	0.3	32	0.03	0.088	16
L20N 2450W	Soil	16.8	63.2	17.4	82	0.3	20.0	4.8	270	4.36	10.5	2.1	1.0	12	0.3	2.5	0.4	33	0.02	0.080	16
L20N 2500W	Soil	15.9	69.3	17.2	69	0.5	16.8	4.1	207	5.17	14.1	2.0	0.5	9	0.3	2.7	0.6	67	0.01	0.084	12
L20N 2550W	Soil	34.6	73.1	12.2	133	0.7	23.1	7.4	606	5.88	13.1	2.7	0.9	7	0.5	1.4	0.3	83	0.02	0.089	7
L20N 2600W	Soil	5.4	30.1	10.7	45	0.3	10.1	4.6	482	2.79	5.8	1.1	0.2	6	0.4	0.9	0.3	46	0.13	0.056	14
L20N 2650W	Soil	3.2	33.3	9.1	51	0.3	13.1	5.4	315	3.52	7.0	1.3	0.1	5	0.4	0.9	0.2	54	0.22	0.053	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L14N 600E	Soil	42	0.65	142	0.027	<20	1.65	0.003	0.06	<0.1	0.81	3.0	0.1	<0.05	5	0.6	<0.2
L14N 550E	Soil	58	0.65	219	0.022	<20	1.67	0.004	0.07	<0.1	1.79	3.1	0.1	<0.05	4	0.8	<0.2
L14N 500E	Soil	41	0.61	283	0.019	<20	1.21	0.004	0.09	<0.1	0.66	2.1	0.1	<0.05	4	<0.5	<0.2
L14N 450E	Soil	72	0.52	569	0.017	<20	2.73	0.008	0.13	<0.1	0.47	3.2	0.3	0.09	8	2.0	<0.2
L14N 400E	Soil	16	0.19	318	0.037	<20	1.09	0.004	0.07	<0.1	0.09	1.5	0.2	<0.05	6	<0.5	<0.2
L14N 350E	Soil	22	0.34	353	0.065	<20	1.37	0.006	0.07	0.2	0.14	2.4	0.2	<0.05	9	0.8	<0.2
L14N 300E	Soil	32	0.48	214	0.096	<20	1.42	0.005	0.08	0.2	0.24	3.2	0.2	<0.05	9	<0.5	0.3
L14N 250E	Soil	50	0.55	245	0.021	<20	1.34	0.004	0.08	<0.1	0.48	2.5	0.1	<0.05	4	0.5	<0.2
L14N 200E	Soil	41	0.31	161	0.024	<20	1.23	0.002	0.06	<0.1	0.15	2.2	0.1	<0.05	5	0.6	<0.2
L14N 150E	Soil	39	0.40	159	0.029	<20	1.19	0.002	0.06	<0.1	0.22	2.1	0.1	<0.05	5	0.5	<0.2
L14N 100E	Soil	33	0.49	91	0.033	<20	1.68	0.003	0.05	0.1	0.34	3.2	0.2	<0.05	6	<0.5	0.2
L14N 50E	Soil	32	0.49	129	0.066	<20	1.33	0.004	0.09	<0.1	0.05	3.2	0.2	<0.05	7	0.6	<0.2
L14N 000W	Soil	33	0.45	178	0.021	<20	1.06	0.003	0.08	<0.1	0.18	1.5	0.1	<0.05	4	0.7	<0.2
L20N 1850W	Soil	38	0.73	194	0.022	<20	2.70	0.009	0.18	<0.1	0.06	4.0	0.8	0.11	9	2.9	0.3
L20N 1900W	Soil	45	1.06	460	0.060	<20	3.08	0.004	0.33	0.1	0.04	5.1	0.6	<0.05	10	1.5	0.3
L20N 1950W	Soil	29	0.39	96	0.056	<20	1.74	0.003	0.06	<0.1	0.04	2.2	0.2	<0.05	8	<0.5	<0.2
L20N 2000W	Soil	20	0.22	134	0.012	<20	1.83	0.002	0.07	<0.1	0.06	1.9	0.4	<0.05	7	1.0	<0.2
L20N 2050W	Soil	10	0.07	167	0.003	<20	1.14	0.002	0.06	<0.1	<0.01	1.4	0.4	<0.05	8	<0.5	<0.2
L20N 2100W	Soil	17	0.15	146	0.013	<20	1.35	0.002	0.06	<0.1	0.04	1.1	0.5	0.06	7	1.1	<0.2
L20N 2150W	Soil	22	0.24	180	0.007	<20	1.94	0.002	0.06	<0.1	0.04	1.5	0.4	<0.05	8	1.2	0.2
L20N 2200W	Soil	16	0.14	103	0.010	<20	1.67	0.004	0.06	<0.1	0.04	1.1	0.4	0.05	8	0.8	<0.2
L20N 2250W	Soil	24	0.64	73	0.052	<20	2.14	0.005	0.06	0.1	0.03	3.3	0.2	<0.05	8	1.1	<0.2
L20N 2300W	Soil	16	0.32	108	0.006	<20	1.59	0.003	0.08	<0.1	0.04	0.8	0.3	0.05	6	0.8	0.2
L20N 2350W	Soil	16	0.23	82	0.014	<20	1.56	0.002	0.05	<0.1	0.04	1.2	0.2	<0.05	6	0.9	<0.2
L20N 2400W	Soil	20	0.41	88	0.006	<20	1.57	0.003	0.06	<0.1	0.06	1.1	0.2	0.06	5	1.8	<0.2
L20N 2450W	Soil	19	0.35	96	0.006	<20	1.60	0.004	0.05	<0.1	0.03	1.7	0.3	0.05	5	1.6	<0.2
L20N 2500W	Soil	20	0.23	126	0.013	<20	1.51	0.003	0.05	<0.1	0.03	1.5	0.4	<0.05	8	1.0	0.3
L20N 2550W	Soil	25	0.41	116	0.012	<20	2.77	0.001	0.04	<0.1	0.12	2.2	0.5	<0.05	7	1.7	<0.2
L20N 2600W	Soil	16	0.25	86	0.028	<20	1.51	0.003	0.07	<0.1	0.03	1.3	0.2	<0.05	6	0.5	<0.2
L20N 2650W	Soil	20	0.33	142	0.021	<20	1.90	0.004	0.03	<0.1	0.06	1.4	0.2	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L20N 2700W	Soil	6.5	46.8	13.1	78	0.2	20.6	12.2	671	5.29	11.1	2.7	0.8	5	0.3	1.2	0.3	54	0.11	0.073	11
L20N 2750W	Soil	6.4	294.9	15.5	124	1.9	33.0	18.5	5616	3.01	12.7	4.7	0.6	114	2.0	1.6	0.4	26	1.45	0.301	30
L20N 2800W	Soil	14.8	73.4	16.8	97	0.4	25.6	16.8	534	3.05	8.8	2.1	1.5	5	0.7	0.7	0.6	47	0.02	0.115	13
L20N 2850W	Soil	5.7	32.9	7.6	46	0.3	13.3	8.1	432	3.65	6.1	0.9	0.1	4	0.2	0.5	0.3	63	0.09	0.074	10
L20N 2900W	Soil	8.3	98.3	21.0	122	0.1	25.6	15.2	1282	5.41	17.2	3.1	0.3	12	0.2	2.2	0.6	41	0.04	0.207	12
L20N 2950W	Soil	5.6	59.2	12.0	84	0.2	16.9	9.2	518	3.54	8.2	1.5	0.2	6	0.2	0.9	0.4	48	0.12	0.071	12
L20N 3000W	Soil	4.5	58.9	10.2	87	0.3	21.1	8.4	361	4.92	11.7	2.9	1.0	5	0.3	1.1	0.3	41	0.12	0.050	11
L30N 1050E	Soil	2.1	20.6	24.3	22	<0.1	25.5	11.4	307	2.68	2.2	2.8	0.7	42	0.1	0.2	0.5	66	0.39	0.066	6
L30N 1000E	Soil	2.0	19.3	24.8	20	<0.1	18.9	10.0	298	2.60	2.7	1.9	0.9	38	0.1	0.3	0.8	64	0.36	0.068	6
L30N 950E	Soil	1.0	19.9	8.1	40	0.3	35.2	11.1	364	3.54	3.5	5.5	0.5	17	0.2	0.3	0.2	87	0.24	0.093	4
L30N 900E	Soil	1.2	20.2	9.3	33	<0.1	53.9	12.1	214	3.06	4.3	0.7	0.9	12	0.3	0.5	0.2	58	0.20	0.055	4
L30N 850E	Soil	1.3	12.1	6.2	26	<0.1	22.9	6.0	403	3.01	3.4	2.2	0.5	10	0.1	0.3	0.1	82	0.15	0.048	4
L30N 800E	Soil	1.2	22.9	5.8	47	<0.1	34.6	9.7	403	2.03	4.7	2.4	1.2	10	<0.1	0.7	0.1	33	0.15	0.052	12
L30N 750E	Soil	1.7	31.5	6.6	65	<0.1	46.0	9.5	466	2.40	6.6	3.1	0.9	11	0.1	0.9	0.2	33	0.16	0.058	12
L30N 700E	Soil	1.8	17.7	19.1	24	<0.1	27.0	14.0	275	3.66	1.9	69.5	0.4	18	0.1	0.2	0.4	102	0.28	0.068	4
L30N 650E	Soil	1.6	20.9	23.7	33	<0.1	32.6	15.8	375	3.90	2.2	1.7	0.6	27	0.2	0.2	0.4	119	0.34	0.079	6
L30N 600E	Soil	1.6	19.4	16.3	31	<0.1	38.0	16.6	384	3.99	3.7	1.0	0.6	22	0.1	0.4	0.3	110	0.31	0.071	6
L30N 550E	Soil	2.5	26.7	23.6	25	<0.1	30.7	11.8	278	3.87	3.4	2.9	0.6	44	<0.1	0.3	0.4	102	0.44	0.079	7
L30N 350E	Soil	1.4	31.3	7.1	76	0.1	53.0	10.5	508	2.57	7.5	4.2	1.0	15	0.6	1.2	0.2	34	0.55	0.070	11
L30N 300E	Soil	2.0	46.9	9.7	100	0.4	83.8	11.3	360	3.37	15.3	3.3	0.6	13	0.6	3.5	0.2	53	0.28	0.091	11
L30N 250E	Soil	2.2	17.1	8.5	47	0.7	24.4	4.6	201	4.44	11.1	1.4	1.2	5	0.3	1.6	0.2	65	0.07	0.069	8
L30N 200E	Soil	1.5	20.1	8.4	69	0.2	37.7	6.9	328	3.59	16.0	2.7	1.0	7	0.5	3.2	0.1	69	0.15	0.124	7
L30N 150E	Soil	1.2	14.3	5.2	45	<0.1	25.4	4.8	241	2.65	7.2	1.2	1.0	7	0.2	1.0	0.1	48	0.12	0.104	7
L30N 100E	Soil	2.5	38.8	10.5	112	0.2	58.5	10.2	417	4.14	12.9	3.8	2.5	6	0.5	1.7	0.2	71	0.08	0.092	10
L30N 50E	Soil	1.0	7.7	7.6	32	<0.1	8.6	2.2	315	1.36	6.6	3.0	0.8	5	0.2	1.1	0.2	39	0.10	0.057	13
L30N 0W	Soil	1.2	37.7	8.4	86	<0.1	52.8	10.3	613	2.16	29.5	5.5	1.9	28	0.9	18.4	0.1	31	3.34	0.091	14
L30N 050W	Soil	2.2	52.8	10.7	105	0.1	67.5	13.6	817	3.04	19.1	3.9	1.5	15	1.1	8.0	0.2	42	0.72	0.089	17
L30N 100W	Soil	1.7	14.3	8.2	44	0.4	19.5	4.4	389	2.75	15.6	1.3	0.5	6	0.2	1.3	0.2	58	0.10	0.112	10
L30N 150W	Soil	3.1	33.2	10.4	85	0.2	30.8	10.8	614	2.97	12.4	2.2	0.2	9	0.2	1.3	0.3	48	0.13	0.077	12
L30N 200W	Soil	2.2	25.3	7.4	56	0.2	29.5	5.8	278	2.79	7.9	2.2	0.4	8	0.4	1.1	0.2	42	0.10	0.038	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L20N 2700W	Soil		34	0.39	158	0.019	<20	2.25	0.002	0.05	<0.1	0.14	3.0	0.2	0.06	7	<0.5	<0.2
L20N 2750W	Soil		54	0.29	343	0.009	<20	2.34	0.004	0.12	<0.1	1.26	7.2	0.4	0.14	4	2.7	<0.2
L20N 2800W	Soil		26	0.27	465	0.003	<20	2.14	0.001	0.05	<0.1	0.09	2.2	0.4	<0.05	8	<0.5	<0.2
L20N 2850W	Soil		35	0.23	144	0.007	<20	1.70	0.002	0.04	<0.1	0.09	1.2	0.2	<0.05	7	<0.5	<0.2
L20N 2900W	Soil		16	0.24	140	0.008	<20	1.31	0.003	0.07	0.1	0.05	1.1	0.2	<0.05	7	0.5	<0.2
L20N 2950W	Soil		15	0.11	138	0.009	<20	1.04	0.002	0.07	<0.1	0.07	1.4	0.1	<0.05	5	<0.5	<0.2
L20N 3000W	Soil		20	0.34	78	0.031	<20	1.76	0.003	0.04	<0.1	0.06	3.4	0.1	<0.05	5	0.7	<0.2
L30N 1050E	Soil		96	0.60	170	0.031	<20	0.64	0.012	0.06	0.7	0.03	3.4	<0.1	<0.05	2	<0.5	<0.2
L30N 1000E	Soil		77	0.48	151	0.025	<20	0.64	0.010	0.05	1.1	0.03	2.4	<0.1	<0.05	2	<0.5	<0.2
L30N 950E	Soil		113	0.54	82	0.060	<20	0.92	0.009	0.04	0.2	0.03	2.9	<0.1	<0.05	4	<0.5	<0.2
L30N 900E	Soil		122	0.60	83	0.050	<20	1.00	0.007	0.04	0.2	0.05	2.5	<0.1	<0.05	2	<0.5	<0.2
L30N 850E	Soil		110	0.36	79	0.069	<20	0.74	0.007	0.04	0.3	0.02	2.0	<0.1	<0.05	3	<0.5	<0.2
L30N 800E	Soil		59	0.59	85	0.052	<20	0.91	0.004	0.05	<0.1	0.08	2.4	<0.1	<0.05	3	<0.5	<0.2
L30N 750E	Soil		64	0.72	113	0.049	<20	1.08	0.004	0.06	<0.1	0.11	2.7	<0.1	<0.05	3	<0.5	<0.2
L30N 700E	Soil		122	0.61	69	0.038	<20	0.54	0.011	0.06	3.0	0.02	3.2	<0.1	<0.05	2	<0.5	<0.2
L30N 650E	Soil		132	0.71	159	0.046	<20	0.74	0.012	0.06	0.5	0.03	4.4	<0.1	<0.05	3	<0.5	<0.2
L30N 600E	Soil		126	0.60	95	0.047	<20	0.64	0.010	0.06	0.9	0.08	3.1	<0.1	<0.05	3	<0.5	<0.2
L30N 550E	Soil		118	0.67	243	0.036	<20	0.72	0.012	0.05	0.8	0.12	3.7	<0.1	<0.05	3	<0.5	<0.2
L30N 350E	Soil		75	0.72	205	0.022	<20	1.25	0.004	0.07	<0.1	0.68	3.1	<0.1	<0.05	4	<0.5	<0.2
L30N 300E	Soil		99	0.74	247	0.027	<20	1.74	0.005	0.06	<0.1	11.86	3.6	0.2	<0.05	5	<0.5	<0.2
L30N 250E	Soil		88	0.38	58	0.067	<20	1.47	0.003	0.03	<0.1	11.77	2.6	<0.1	<0.05	5	<0.5	<0.2
L30N 200E	Soil		88	0.47	56	0.074	<20	1.24	0.004	0.03	0.1	2.53	2.7	<0.1	<0.05	5	<0.5	<0.2
L30N 150E	Soil		63	0.34	95	0.059	<20	1.05	0.003	0.04	<0.1	0.74	2.1	<0.1	<0.05	4	<0.5	<0.2
L30N 100E	Soil		78	0.81	174	0.028	<20	2.59	0.003	0.05	<0.1	1.94	4.3	0.1	<0.05	7	<0.5	<0.2
L30N 50E	Soil		29	0.18	91	0.041	<20	0.95	0.002	0.05	<0.1	1.13	1.4	<0.1	<0.05	5	<0.5	<0.2
L30N 0W	Soil		51	0.57	85	0.056	<20	0.72	0.004	0.06	<0.1	39.55	3.2	0.1	<0.05	2	<0.5	<0.2
L30N 050W	Soil		62	0.77	152	0.048	<20	1.37	0.004	0.08	<0.1	3.29	3.9	0.1	<0.05	4	<0.5	<0.2
L30N 100W	Soil		55	0.36	58	0.052	<20	1.16	0.003	0.03	<0.1	0.31	1.8	0.1	<0.05	5	<0.5	<0.2
L30N 150W	Soil		56	0.56	273	0.026	<20	1.63	0.003	0.08	<0.1	0.62	2.0	0.1	<0.05	5	<0.5	<0.2
L30N 200W	Soil		49	0.58	186	0.041	<20	1.50	0.002	0.05	<0.1	0.22	2.0	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L10N 2300W	Soil		3.4	24.4	11.3	48	0.2	10.1	5.6	793	3.49	6.5	0.6	0.3	5	0.2	1.2	0.3	58	0.11	0.083	12
L10N 2350W	Soil		2.9	26.6	10.3	57	0.2	12.0	8.0	1239	3.29	5.4	0.9	0.3	6	0.3	1.0	0.3	62	0.15	0.126	11
L10N 2400W	Soil		4.6	68.9	17.5	96	0.1	25.0	11.9	1478	3.51	10.6	2.4	0.2	10	0.4	3.1	0.3	45	0.11	0.096	18
L10N 2450W	Soil		2.9	24.4	11.1	55	0.3	14.8	4.7	281	2.66	7.6	0.8	0.8	7	0.3	1.9	0.2	41	0.10	0.048	13
L10N 2500W	Soil		4.3	37.3	9.8	83	0.3	16.7	7.1	1132	3.24	6.6	2.6	0.1	17	0.4	1.6	0.2	42	0.26	0.081	11
L10N 2550W	Soil		4.4	53.2	12.1	85	0.3	22.9	7.4	401	4.55	10.6	<0.5	2.5	5	0.2	1.7	0.3	47	0.09	0.172	12
L10N 2600W	Soil		3.7	34.1	11.3	71	0.1	17.3	5.7	347	3.97	14.8	0.6	1.2	5	0.2	2.4	0.3	52	0.08	0.132	13
L10N 2650W	Soil		4.3	32.4	11.9	56	<0.1	11.9	4.4	330	2.74	6.2	<0.5	0.8	6	0.1	1.3	0.3	59	0.09	0.086	16
L10N 2700W	Soil		4.3	35.0	9.6	74	0.3	16.0	5.8	484	3.75	6.4	<0.5	0.9	11	0.2	1.4	0.3	55	0.16	0.111	12
L10N 2750W	Soil		3.9	36.9	11.6	74	0.4	16.7	6.1	313	5.06	10.2	<0.5	0.4	7	0.7	1.7	0.3	67	0.13	0.142	11
L10N 2800W	Soil		4.2	50.9	13.4	104	0.3	24.8	14.0	998	4.37	11.9	1.2	0.3	28	0.5	1.9	0.3	39	0.32	0.102	12
L10N 2850W	Soil		5.1	46.3	12.1	107	0.3	25.6	14.3	1381	3.43	8.9	0.9	0.2	27	0.5	1.3	0.3	41	0.23	0.079	13
L10N 2900W	Soil		4.6	91.6	15.9	105	1.9	23.5	14.7	2212	3.29	13.0	4.1	0.3	46	0.8	2.1	0.3	37	0.43	0.151	19
L10N 2950W	Soil		3.7	32.4	10.6	80	0.2	16.4	8.4	980	3.56	6.9	0.5	0.1	19	0.4	1.1	0.3	51	0.18	0.082	13
L10N 3000W	Soil		4.0	54.2	13.7	93	0.1	18.7	14.1	1643	3.20	6.9	0.7	0.1	44	0.6	1.4	0.4	30	0.29	0.125	14
L12 2300W	Soil		6.5	85.3	19.2	158	1.4	23.1	8.6	1389	3.33	19.3	1.6	0.2	55	1.6	5.9	0.4	39	0.48	0.079	14
L12 2350W	Soil		6.4	37.6	18.4	75	0.4	16.4	5.5	325	3.99	17.4	<0.5	0.7	11	0.4	6.6	0.5	57	0.15	0.065	13
L12 2400W	Soil		6.0	108.9	17.2	186	4.2	36.9	12.2	1721	2.94	11.5	2.3	0.3	57	1.4	4.2	0.3	29	0.65	0.147	18
L12 2450W	Soil		6.4	58.7	25.9	142	0.3	33.0	15.4	1103	4.28	15.9	<0.5	0.3	33	0.5	6.6	0.4	44	0.39	0.129	13
L12 2500W	Soil		3.5	35.0	12.8	93	0.2	38.8	12.4	1344	4.26	8.7	<0.5	<0.1	14	0.5	2.9	0.2	70	0.17	0.098	11
L12 2550W	Soil		2.9	31.7	9.7	67	0.3	18.9	5.9	528	3.99	9.6	<0.5	0.4	5	0.2	1.9	0.2	58	0.08	0.116	14
L12 2600W	Soil		2.9	34.9	8.2	65	0.7	18.9	7.0	585	4.47	7.3	<0.5	0.4	5	0.2	1.0	0.2	64	0.09	0.116	14
L12 2650W	Soil		4.1	35.5	10.2	72	0.1	20.2	7.4	593	5.39	9.7	0.9	1.3	6	0.3	1.3	0.3	71	0.07	0.153	15
L12 2700W	Soil		3.6	32.0	8.8	89	0.4	21.1	11.4	1710	4.06	5.2	<0.5	0.4	10	0.3	0.8	0.2	62	0.21	0.177	14
L12 2750W	Soil		3.2	29.1	8.4	69	0.3	17.6	7.9	895	4.69	5.6	0.6	0.3	15	0.2	0.9	0.2	77	0.20	0.200	15
L12 2800W	Soil		4.0	32.8	9.8	61	<0.1	14.3	5.5	381	3.51	6.8	<0.5	0.5	6	0.1	1.1	0.4	59	0.08	0.085	18
L12 2850W	Soil		3.0	27.7	8.8	57	0.2	15.3	4.9	299	2.80	5.4	<0.5	0.2	6	0.3	0.8	0.3	46	0.08	0.061	16
L12 2900W	Soil		4.6	52.0	12.0	95	0.2	24.1	11.3	1289	4.47	10.3	<0.5	0.4	7	0.1	1.3	0.4	57	0.10	0.101	17
L12 2950W	Soil		3.8	44.1	10.7	96	0.2	22.8	10.6	1015	4.30	9.0	1.5	0.5	8	0.3	1.2	0.3	60	0.09	0.141	16
L12 3000W	Soil		3.5	29.2	11.4	53	0.2	12.8	5.5	302	3.72	6.2	<0.5	0.8	7	0.2	0.9	0.3	81	0.11	0.119	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L10N 2300W	Soil		18	0.25	91	0.071	<20	1.35	0.002	0.05	<0.1	0.07	1.5	0.2	0.05	7	<0.5	<0.2
L10N 2350W	Soil		22	0.28	86	0.081	<20	1.26	0.002	0.07	<0.1	0.06	1.5	0.1	0.05	7	<0.5	<0.2
L10N 2400W	Soil		30	0.41	192	0.015	<20	1.61	0.002	0.07	<0.1	0.09	1.5	0.1	<0.05	5	<0.5	<0.2
L10N 2450W	Soil		21	0.30	204	0.034	<20	1.30	0.002	0.06	<0.1	0.03	2.0	0.1	<0.05	5	<0.5	<0.2
L10N 2500W	Soil		17	0.32	260	0.024	<20	1.09	0.002	0.09	<0.1	0.03	0.9	0.1	<0.05	5	0.6	<0.2
L10N 2550W	Soil		21	0.49	103	0.029	<20	1.69	0.002	0.06	<0.1	0.06	3.0	0.2	<0.05	6	<0.5	<0.2
L10N 2600W	Soil		21	0.35	116	0.050	<20	1.48	0.002	0.05	0.1	0.05	2.5	0.1	<0.05	6	0.8	<0.2
L10N 2650W	Soil		12	0.15	95	0.080	<20	1.01	0.002	0.06	<0.1	0.02	1.6	0.2	<0.05	7	0.8	<0.2
L10N 2700W	Soil		18	0.31	149	0.071	<20	1.33	0.002	0.07	<0.1	0.04	2.1	0.1	0.05	7	<0.5	<0.2
L10N 2750W	Soil		22	0.33	112	0.072	<20	1.42	0.003	0.06	<0.1	0.05	1.8	0.1	0.06	7	0.7	<0.2
L10N 2800W	Soil		24	0.44	382	0.026	<20	1.62	0.002	0.11	<0.1	0.05	2.0	0.1	0.06	6	1.0	<0.2
L10N 2850W	Soil		22	0.51	347	0.015	<20	1.61	0.002	0.08	<0.1	0.06	1.3	0.2	0.06	6	<0.5	<0.2
L10N 2900W	Soil		29	0.53	246	0.009	<20	1.76	0.003	0.08	<0.1	0.25	3.0	0.3	0.09	5	1.2	<0.2
L10N 2950W	Soil		21	0.30	226	0.040	<20	1.45	0.002	0.08	<0.1	0.05	1.2	0.1	0.07	7	<0.5	<0.2
L10N 3000W	Soil		15	0.18	363	0.015	<20	0.87	0.003	0.10	<0.1	0.04	0.8	0.2	0.07	4	<0.5	<0.2
L12 2300W	Soil		20	0.25	336	0.013	<20	1.37	0.003	0.07	<0.1	0.09	1.3	0.3	0.05	6	0.8	<0.2
L12 2350W	Soil		23	0.27	285	0.029	<20	1.38	0.002	0.06	<0.1	0.03	2.3	0.2	<0.05	7	<0.5	<0.2
L12 2400W	Soil		28	0.41	252	0.007	<20	1.83	0.004	0.07	<0.1	0.27	1.9	0.4	0.08	4	2.5	<0.2
L12 2450W	Soil		33	0.54	349	0.009	<20	1.64	0.002	0.08	<0.1	0.03	1.3	0.2	0.05	6	<0.5	<0.2
L12 2500W	Soil		76	0.69	336	0.016	<20	1.52	0.002	0.09	<0.1	0.04	1.0	<0.1	0.06	7	<0.5	<0.2
L12 2550W	Soil		27	0.39	79	0.055	<20	1.42	0.002	0.06	<0.1	0.06	2.0	<0.1	<0.05	6	<0.5	<0.2
L12 2600W	Soil		25	0.50	86	0.094	<20	1.70	0.002	0.05	<0.1	0.05	2.0	0.1	<0.05	7	0.6	<0.2
L12 2650W	Soil		26	0.48	84	0.144	<20	1.56	0.002	0.06	<0.1	0.03	2.7	0.1	<0.05	8	0.5	<0.2
L12 2700W	Soil		28	0.52	282	0.055	<20	1.59	0.003	0.11	<0.1	0.05	2.2	0.1	0.05	7	<0.5	<0.2
L12 2750W	Soil		26	0.49	128	0.115	<20	1.63	0.003	0.08	<0.1	0.04	2.1	0.1	<0.05	8	<0.5	<0.2
L12 2800W	Soil		21	0.23	87	0.085	<20	1.22	0.003	0.06	<0.1	0.03	1.7	0.2	<0.05	8	<0.5	<0.2
L12 2850W	Soil		20	0.35	80	0.038	<20	1.53	0.002	0.06	<0.1	0.04	1.1	0.1	<0.05	6	<0.5	<0.2
L12 2900W	Soil		24	0.53	150	0.056	<20	1.57	0.002	0.06	<0.1	0.02	1.9	0.2	<0.05	7	0.5	<0.2
L12 2950W	Soil		24	0.49	176	0.056	<20	1.52	0.003	0.07	<0.1	0.04	2.3	0.1	<0.05	7	<0.5	<0.2
L12 3000W	Soil		19	0.28	136	0.126	<20	1.42	0.002	0.06	<0.1	0.03	2.3	0.2	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L4N 2600W	Soil	1.5	60.4	5.5	65	0.3	26.6	16.6	841	7.64	4.1	0.6	1.0	6	0.5	0.6	0.2	148	0.34	0.128	5
L4N 2650W	Soil	3.5	59.5	9.3	74	0.3	22.4	12.4	698	4.93	6.8	0.8	0.3	8	0.4	1.0	0.3	78	0.16	0.083	12
L4N 2700W	Soil	3.5	55.3	10.5	74	0.5	21.4	9.2	437	4.40	8.2	2.4	0.4	6	0.5	3.0	0.3	66	0.11	0.059	12
L4N 2750W	Soil	4.9	48.0	11.6	57	0.3	16.0	5.0	306	3.91	9.5	1.2	0.1	7	0.4	1.3	0.4	54	0.06	0.115	13
L4N 2800W	Soil	4.3	54.9	12.0	63	<0.1	16.4	6.4	584	4.38	7.8	1.5	0.2	5	0.2	1.1	0.4	55	0.07	0.099	13
L4N 2850W	Soil	3.3	35.6	11.8	55	0.1	12.9	6.2	619	4.40	7.4	1.1	0.4	6	0.3	1.2	0.3	69	0.32	0.143	12
L4N 2900W	Soil	3.1	45.5	9.6	68	0.3	15.6	7.7	632	3.11	6.8	1.1	0.2	8	0.4	1.2	0.3	50	0.37	0.106	12
L4N 2950W	Soil	3.1	36.1	9.8	48	0.1	11.7	4.7	329	3.31	5.6	0.6	0.1	7	0.4	1.0	0.2	66	0.36	0.139	9
L4N 3000W	Soil	3.0	29.6	7.8	53	0.1	12.5	4.6	265	3.25	6.1	0.9	0.4	5	0.3	0.9	0.2	48	0.18	0.081	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002088.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L4N 2600W	Soil		83	0.73	104	0.306	<20	2.78	0.006	0.04	<0.1	0.07	7.6	0.1	0.06	9	0.6	<0.2
L4N 2650W	Soil		41	0.48	85	0.081	<20	2.08	0.004	0.05	<0.1	0.06	3.1	0.1	0.07	7	0.5	<0.2
L4N 2700W	Soil		39	0.47	79	0.032	<20	2.24	0.005	0.04	<0.1	0.07	3.0	0.2	<0.05	6	<0.5	<0.2
L4N 2750W	Soil		18	0.21	83	0.009	<20	1.19	0.002	0.04	<0.1	0.11	0.8	0.2	<0.05	6	<0.5	<0.2
L4N 2800W	Soil		18	0.30	85	0.012	<20	1.69	0.003	0.05	<0.1	0.05	1.2	0.2	<0.05	7	0.9	<0.2
L4N 2850W	Soil		20	0.33	94	0.072	<20	1.61	0.005	0.06	0.1	0.05	1.9	0.1	<0.05	9	0.6	<0.2
L4N 2900W	Soil		18	0.32	98	0.040	<20	1.50	0.005	0.07	<0.1	0.05	1.2	0.1	0.05	6	0.7	<0.2
L4N 2950W	Soil		18	0.29	89	0.038	<20	1.70	0.004	0.04	<0.1	0.07	1.4	0.1	0.06	7	0.7	<0.2
L4N 3000W	Soil		17	0.31	72	0.038	<20	1.56	0.004	0.04	<0.1	0.05	1.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
L28N 1000E	Soil	1.5	19.6	6.0	54	<0.1	35.5	9.4	501	2.17	5.2	5.4	0.9	12	0.3	0.6	0.1	35	0.18	0.049	10
REP L28N 1000E	QC	1.3	20.4	6.2	55	<0.1	37.1	10.6	509	2.24	5.0	3.4	1.0	11	0.3	0.6	0.1	35	0.18	0.045	11
L24N 2650W	Soil	4.0	23.6	9.9	48	0.1	9.0	4.7	266	3.18	7.0	1.2	0.9	5	0.4	0.9	0.3	95	0.17	0.046	9
REP L24N 2650W	QC	4.2	22.7	9.8	48	0.1	9.6	4.5	273	3.32	6.4	<0.5	0.9	5	0.7	0.9	0.3	97	0.18	0.050	10
L14N 600E	Soil	1.8	23.2	9.1	94	0.2	29.6	7.4	317	2.70	18.3	1.0	1.9	6	0.3	2.4	0.2	42	0.10	0.040	14
REP L14N 600E	QC	2.1	24.5	9.4	100	0.2	31.2	7.6	321	2.85	19.0	2.0	2.0	7	0.2	2.5	0.2	45	0.11	0.042	15
L20N 3000W	Soil	4.5	58.9	10.2	87	0.3	21.1	8.4	361	4.92	11.7	2.9	1.0	5	0.3	1.1	0.3	41	0.12	0.050	11
REP L20N 3000W	QC	4.6	60.9	10.4	87	0.3	22.4	8.7	371	4.91	12.6	3.2	0.9	5	0.3	1.2	0.3	43	0.12	0.053	12
L10N 2900W	Soil	4.6	91.6	15.9	105	1.9	23.5	14.7	2212	3.29	13.0	4.1	0.3	46	0.8	2.1	0.3	37	0.43	0.151	19
REP L10N 2900W	QC	4.7	90.6	15.7	105	1.9	23.3	14.5	2199	3.22	13.2	4.0	0.4	46	0.9	1.9	0.3	36	0.43	0.146	19
Reference Materials																					
STD DS11	Standard	12.5	148.5	130.8	329	1.7	73.6	13.4	992	2.97	41.4	84.4	7.0	62	2.3	7.8	11.9	49	1.03	0.065	16
STD DS11	Standard	14.3	152.0	136.0	362	1.8	79.3	13.6	1074	3.26	46.8	57.0	7.8	73	2.4	8.6	12.8	50	1.05	0.074	19
STD DS11	Standard	12.2	146.1	133.6	332	2.0	75.7	13.3	1006	3.01	43.3	61.5	7.6	67	2.3	8.6	12.2	49	1.07	0.075	17
STD DS11	Standard	12.8	148.5	136.4	342	1.9	78.8	12.9	1017	3.10	43.0	435.9	7.6	65	2.3	8.0	12.6	49	1.00	0.075	17
STD DS11	Standard	13.7	159.6	147.4	348	1.6	81.7	14.1	1057	3.17	43.3	81.6	7.8	71	2.4	8.6	12.2	50	1.04	0.072	19
STD DS11	Standard	12.9	147.9	134.4	342	1.8	76.3	13.2	1018	3.04	42.6	53.2	7.1	68	2.3	8.8	12.6	47	0.99	0.070	17
STD OREAS45EA	Standard	1.7	655.5	13.5	28	0.3	341.4	50.1	405	22.69	11.4	49.1	9.9	4	<0.1	0.5	0.3	256	0.03	0.028	7
STD OREAS45EA	Standard	1.5	690.3	14.3	32	0.3	364.3	51.9	412	24.49	12.6	56.3	9.9	4	<0.1	0.4	0.3	302	0.03	0.028	8
STD OREAS45EA	Standard	1.9	653.7	13.4	28	0.2	337.7	50.1	404	22.49	10.7	53.0	10.4	4	<0.1	0.4	0.2	256	0.04	0.030	7
STD OREAS45EA	Standard	1.6	637.6	13.6	28	0.3	341.0	48.5	412	22.01	10.0	47.1	9.9	4	<0.1	0.4	0.3	270	0.04	0.025	7
STD OREAS45EA	Standard	1.3	633.0	14.0	30	0.2	352.7	49.9	392	23.55	11.1	50.7	9.9	4	<0.1	0.4	0.3	264	0.03	0.029	7
STD OREAS45EA	Standard	1.5	618.5	13.7	28	0.2	345.3	48.4	389	22.90	10.0	49.2	9.7	4	<0.1	0.3	0.3	246	0.03	0.029	7
STD OREAS45EA Expected		1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036	0.029	7.06
STD DS11 Expected		13.9	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002088.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
L28N 1000E	Soil	64	0.70	111	0.048	<20	1.03	0.004	0.06	<0.1	0.14	2.4	<0.1	<0.05	3	<0.5	<0.2
REP L28N 1000E	QC	61	0.66	112	0.048	<20	1.02	0.004	0.06	0.1	0.09	2.3	<0.1	<0.05	3	<0.5	<0.2
L24N 2650W	Soil	17	0.23	119	0.124	<20	1.35	0.002	0.03	<0.1	0.02	2.5	0.2	<0.05	8	<0.5	<0.2
REP L24N 2650W	QC	18	0.26	118	0.131	<20	1.51	0.002	0.03	<0.1	0.02	2.9	0.2	<0.05	10	0.6	<0.2
L14N 600E	Soil	42	0.65	142	0.027	<20	1.65	0.003	0.06	<0.1	0.81	3.0	0.1	<0.05	5	0.6	<0.2
REP L14N 600E	QC	45	0.67	146	0.029	<20	1.76	0.003	0.06	<0.1	0.48	3.2	0.1	<0.05	5	<0.5	<0.2
L20N 3000W	Soil	20	0.34	78	0.031	<20	1.76	0.003	0.04	<0.1	0.06	3.4	0.1	<0.05	5	0.7	<0.2
REP L20N 3000W	QC	21	0.34	82	0.033	<20	1.80	0.003	0.04	<0.1	0.05	3.7	0.1	<0.05	5	0.7	<0.2
L10N 2900W	Soil	29	0.53	246	0.009	<20	1.76	0.003	0.08	<0.1	0.25	3.0	0.3	0.09	5	1.2	<0.2
REP L10N 2900W	QC	28	0.53	250	0.009	<20	1.74	0.004	0.08	<0.1	0.26	2.8	0.2	0.09	5	0.9	<0.2
Reference Materials																	
STD DS11	Standard	57	0.85	423	0.086	<20	1.07	0.057	0.38	3.1	0.23	3.2	4.7	0.27	5	1.9	5.2
STD DS11	Standard	61	0.87	445	0.093	<20	1.16	0.076	0.41	2.6	0.23	3.2	5.3	0.29	5	2.7	5.2
STD DS11	Standard	57	0.83	442	0.086	<20	1.08	0.062	0.39	3.0	0.31	3.1	5.1	0.29	5	2.7	4.8
STD DS11	Standard	58	0.85	443	0.087	<20	1.10	0.061	0.40	3.4	0.25	3.1	4.9	0.30	5	2.4	4.8
STD DS11	Standard	61	0.86	431	0.095	<20	1.12	0.072	0.40	2.6	0.37	2.9	5.1	0.30	5	2.6	5.1
STD DS11	Standard	55	0.83	432	0.087	<20	1.07	0.069	0.39	3.2	0.26	2.9	4.8	0.31	5	2.2	4.6
STD OREAS45EA	Standard	799	0.09	139	0.093	<20	2.89	0.019	0.05	<0.1	<0.01	77.7	<0.1	<0.05	12	0.9	<0.2
STD OREAS45EA	Standard	853	0.10	149	0.103	<20	3.06	0.022	0.06	<0.1	0.02	82.3	<0.1	<0.05	13	1.5	<0.2
STD OREAS45EA	Standard	801	0.09	142	0.092	<20	2.87	0.018	0.05	<0.1	0.01	79.9	<0.1	<0.05	12	1.5	<0.2
STD OREAS45EA	Standard	808	0.09	148	0.091	<20	2.73	0.018	0.05	<0.1	<0.01	79.6	<0.1	<0.05	11	1.3	<0.2
STD OREAS45EA	Standard	799	0.09	143	0.095	<20	2.96	0.019	0.05	<0.1	0.01	75.3	<0.1	<0.05	12	1.2	<0.2
STD OREAS45EA	Standard	767	0.09	140	0.092	<20	2.75	0.019	0.05	<0.1	0.01	73.6	<0.1	<0.05	12	1.7	<0.2
STD OREAS45EA Expected		849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD DS11 Expected		61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.3	3.1	4.9	0.2835	4.7	1.9	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002088.1

		AQ200 Mo ppm 0.1	AQ200 Cu ppm 0.1	AQ200 Pb ppm 0.1	AQ200 Zn ppm 1	AQ200 Ag ppm 0.1	AQ200 Ni ppm 0.1	AQ200 Co ppm 0.1	AQ200 Mn ppm 1	AQ200 Fe % 0.01	AQ200 As ppm 0.5	AQ200 Au ppb 0.5	AQ200 Th ppm 0.1	AQ200 Sr ppm 1	AQ200 Cd ppm 0.1	AQ200 Sb ppm 0.1	AQ200 Bi ppm 0.1	AQ200 V ppm 2	AQ200 Ca % 0.01	AQ200 P % 0.001	AQ200 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002088.1

		AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.05	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Gavin Titley
Receiving Lab: Canada-Vancouver
Received: September 14, 2017
Report Date: September 26, 2017
Page: 1 of 7

CERTIFICATE OF ANALYSIS VAN17002092.1

CLIENT JOB INFORMATION

Project: Lustdust
Shipment ID: Ids17-02
P.O. Number
Number of Samples: 166

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	166	Dry at 60C			VAN
SS80	166	Dry at 60C sieve 100g to -80 mesh			VAN
AQ200	166	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7
Canada

CC: Bill Morton
Glen Garratt

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L1N 1400W	Soil		2.6	128.5	12.4	149	1.3	28.9	16.9	535	3.91	13.3	7.6	1.1	79	0.5	2.2	0.4	48	0.60	0.072	20
L1N 1450W	Soil		5.5	39.2	18.2	113	<0.1	15.6	6.7	569	2.61	14.1	2.8	0.2	25	0.4	4.5	0.5	42	0.18	0.062	14
L1N 1500W	Soil		5.1	99.2	14.3	126	0.3	29.9	10.8	756	2.89	13.2	3.7	0.6	50	0.7	3.9	0.4	34	0.38	0.080	24
L1N 1550W	Soil		4.8	104.1	11.3	159	1.0	27.5	8.0	674	3.22	7.7	6.5	0.6	88	1.0	1.4	0.4	39	0.72	0.201	22
L1N 1600W	Soil		4.1	39.2	26.7	101	0.3	23.4	13.9	1094	3.16	10.0	3.0	0.1	13	0.4	2.6	0.4	40	0.18	0.141	10
L1N 1650W	Soil		3.8	22.3	12.0	45	0.4	10.8	4.3	441	2.64	6.5	1.7	<0.1	5	0.4	1.8	0.3	62	0.08	0.076	13
L1N 1700W	Soil		4.3	38.6	795.2	86	3.0	15.4	8.6	2437	2.85	43.9	11.2	0.2	5	0.7	440.9	0.5	62	0.05	0.066	14
L1N 1750W	Soil		4.8	32.4	86.7	89	2.2	11.6	4.6	219	3.57	59.7	1.2	0.3	6	0.8	36.0	0.5	121	0.15	0.067	14
L1N 1800W	Soil		7.1	52.9	38.4	75	0.1	16.8	12.2	1730	3.34	28.7	1.4	0.7	8	0.3	9.1	0.4	57	0.10	0.087	16
L1N 1850W	Soil		5.3	39.6	127.4	99	0.6	17.1	5.5	325	2.97	128.9	5.2	0.2	5	0.1	65.7	0.5	52	0.03	0.064	17
L1N 1900W	Soil		10.2	90.8	10.6	71	0.2	31.3	9.6	340	3.14	16.0	1.4	0.1	8	<0.1	8.7	0.4	33	0.01	0.095	10
L1N 1950W	Soil		6.7	41.7	10.6	103	0.8	22.3	7.1	2169	2.68	9.2	<0.5	<0.1	27	1.4	2.2	0.5	48	0.30	0.110	12
L1N 2000W	Soil		0.9	6.3	4.7	12	0.1	3.2	0.6	58	0.45	1.1	<0.5	<0.1	4	<0.1	0.1	0.2	19	0.03	0.072	14
L1N 2050W	Soil		1.3	6.8	3.3	12	0.1	2.9	0.7	57	0.35	<0.5	<0.5	<0.1	4	<0.1	<0.1	0.1	15	0.01	0.056	16
L1N 2100W	Soil		3.8	23.6	7.0	37	0.8	9.1	3.4	154	1.58	2.6	8.4	<0.1	4	0.2	0.5	0.4	50	0.04	0.063	16
L1N 2150W	Soil		2.6	16.1	5.7	26	0.4	6.0	2.9	631	1.49	2.0	0.7	<0.1	4	<0.1	0.3	0.3	47	0.04	0.083	14
L1N 2200W	Soil		2.8	31.0	7.7	44	0.2	14.1	4.5	249	3.67	5.4	1.3	<0.1	4	0.2	0.9	0.3	69	0.06	0.097	11
L1N 2250W	Soil		2.3	29.1	8.3	56	0.2	18.3	5.6	452	2.29	3.9	0.6	<0.1	6	0.3	0.8	0.3	36	0.05	0.067	15
L1N 2300W	Soil		1.4	17.6	6.4	25	0.4	6.8	1.6	103	0.97	2.1	0.6	0.2	4	0.1	0.3	0.2	24	0.03	0.052	14
L1N 2350W	Soil		0.5	9.0	4.3	14	0.2	2.4	0.7	72	0.48	0.8	<0.5	<0.1	2	<0.1	0.1	0.2	22	0.03	0.052	6
L1N 2400W	Soil		1.4	14.7	8.0	18	0.2	3.0	1.2	186	0.68	1.7	<0.5	<0.1	4	<0.1	0.3	0.3	29	0.05	0.079	20
L1N 2450W	Soil		0.9	23.0	7.1	33	0.2	6.5	3.9	584	2.01	2.4	3.3	<0.1	4	<0.1	0.3	0.3	65	0.12	0.071	7
L1N 2500W	Soil		0.8	33.8	4.6	68	0.3	22.9	10.0	481	4.10	2.7	<0.5	0.2	9	0.2	0.3	0.2	83	0.47	0.121	9
L1N 2550W	Soil		1.5	23.9	5.3	39	<0.1	15.0	5.9	197	2.36	1.9	<0.5	0.2	7	0.2	0.3	0.2	76	0.24	0.044	11
L1N 2600W	Soil		3.1	33.6	5.2	43	1.3	13.5	9.1	731	3.40	1.5	<0.5	<0.1	10	0.7	0.4	0.2	121	0.50	0.123	5
L1N 2650W	Soil		3.5	28.9	9.8	31	0.4	7.1	2.6	260	1.70	4.1	<0.5	0.1	7	<0.1	0.5	0.3	38	0.02	0.077	20
L1N 2700W	Soil		3.3	42.2	9.1	57	0.5	17.2	6.7	860	4.21	5.5	<0.5	0.2	6	0.2	0.8	0.3	67	0.08	0.122	11
L1N 2750W	Soil		2.9	19.8	10.1	21	0.2	6.6	1.5	89	1.21	3.5	<0.5	0.3	8	<0.1	0.3	0.3	20	0.02	0.055	14
L1N 2800W	Soil		1.6	12.5	6.3	14	0.4	4.3	1.1	45	0.98	2.3	<0.5	<0.1	5	<0.1	0.2	0.2	23	0.03	0.044	18
L1N 2850W	Soil		3.2	36.8	9.6	56	0.3	15.9	6.1	524	3.52	6.7	<0.5	0.2	5	0.3	0.9	0.2	53	0.11	0.084	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L1N 1400W	Soil	31	0.88	210	0.005	<20	2.17	0.006	0.08	0.1	0.22	6.6	0.2	<0.05	6	1.5	<0.2
L1N 1450W	Soil	21	0.34	287	0.011	<20	1.42	0.003	0.07	<0.1	0.01	1.4	0.2	<0.05	5	0.6	<0.2
L1N 1500W	Soil	25	0.62	262	0.009	<20	1.67	0.005	0.07	<0.1	0.06	2.8	0.2	<0.05	4	1.0	<0.2
L1N 1550W	Soil	27	0.69	350	0.006	<20	2.20	0.006	0.08	0.1	0.22	3.2	0.3	<0.05	5	1.9	<0.2
L1N 1600W	Soil	33	0.45	234	0.007	<20	1.36	0.004	0.09	<0.1	0.06	1.0	0.2	<0.05	4	1.0	<0.2
L1N 1650W	Soil	25	0.21	97	0.016	<20	1.24	0.003	0.05	<0.1	0.05	0.7	0.2	<0.05	7	<0.5	<0.2
L1N 1700W	Soil	26	0.25	273	0.028	<20	1.16	0.003	0.09	<0.1	0.06	1.6	0.2	<0.05	6	<0.5	<0.2
L1N 1750W	Soil	21	0.16	106	0.127	<20	1.24	0.003	0.04	<0.1	0.06	2.2	0.2	<0.05	8	<0.5	<0.2
L1N 1800W	Soil	22	0.15	217	0.022	<20	1.00	0.003	0.08	<0.1	0.03	2.2	0.2	<0.05	5	<0.5	<0.2
L1N 1850W	Soil	27	0.34	121	0.014	<20	1.54	0.002	0.05	<0.1	0.04	1.3	0.2	<0.05	6	0.5	<0.2
L1N 1900W	Soil	14	0.06	118	0.003	<20	0.64	0.001	0.06	<0.1	0.02	0.4	0.2	<0.05	4	0.7	<0.2
L1N 1950W	Soil	30	0.32	474	0.009	<20	1.58	0.004	0.07	<0.1	0.04	0.6	0.3	<0.05	6	0.6	<0.2
L1N 2000W	Soil	12	0.07	62	0.005	<20	0.74	0.003	0.03	<0.1	0.02	0.2	0.1	<0.05	5	<0.5	<0.2
L1N 2050W	Soil	13	0.05	72	0.005	<20	0.63	0.002	0.04	<0.1	0.02	0.3	0.2	<0.05	5	<0.5	<0.2
L1N 2100W	Soil	22	0.12	165	0.007	<20	1.10	0.003	0.04	<0.1	0.05	0.4	0.3	<0.05	7	<0.5	<0.2
L1N 2150W	Soil	19	0.12	85	0.007	<20	0.86	0.002	0.05	<0.1	0.03	0.2	0.2	<0.05	5	<0.5	<0.2
L1N 2200W	Soil	31	0.35	74	0.014	<20	1.42	0.003	0.04	<0.1	0.07	0.5	0.1	<0.05	7	<0.5	<0.2
L1N 2250W	Soil	25	0.43	156	0.011	<20	1.32	0.003	0.05	<0.1	0.03	0.6	0.2	<0.05	5	<0.5	<0.2
L1N 2300W	Soil	13	0.20	93	0.007	<20	1.31	0.002	0.04	<0.1	0.03	0.6	0.2	<0.05	5	<0.5	<0.2
L1N 2350W	Soil	10	0.08	81	0.008	<20	0.93	0.003	0.04	<0.1	0.03	0.2	0.2	<0.05	6	<0.5	<0.2
L1N 2400W	Soil	11	0.09	91	0.005	<20	1.14	0.003	0.05	<0.1	0.01	0.2	0.3	<0.05	7	<0.5	<0.2
L1N 2450W	Soil	22	0.24	115	0.054	<20	1.47	0.003	0.05	<0.1	0.03	1.0	0.2	<0.05	8	<0.5	<0.2
L1N 2500W	Soil	64	0.61	109	0.060	<20	2.15	0.005	0.06	<0.1	0.07	2.7	0.1	<0.05	7	<0.5	<0.2
L1N 2550W	Soil	35	0.43	51	0.074	<20	1.64	0.004	0.03	<0.1	0.03	2.0	<0.1	<0.05	7	<0.5	<0.2
L1N 2600W	Soil	49	0.35	138	0.150	<20	1.43	0.005	0.08	<0.1	0.08	2.1	<0.1	0.05	7	<0.5	<0.2
L1N 2650W	Soil	13	0.18	73	0.005	<20	1.19	0.003	0.06	<0.1	0.02	0.4	0.3	<0.05	8	<0.5	<0.2
L1N 2700W	Soil	29	0.42	107	0.017	<20	1.67	0.002	0.04	<0.1	0.05	1.1	0.2	<0.05	7	0.6	<0.2
L1N 2750W	Soil	9	0.16	115	0.004	<20	1.08	0.001	0.05	<0.1	0.03	0.5	0.3	<0.05	5	<0.5	<0.2
L1N 2800W	Soil	11	0.09	56	0.007	<20	0.89	0.002	0.02	<0.1	0.04	0.3	0.1	<0.05	5	<0.5	<0.2
L1N 2850W	Soil	20	0.31	65	0.022	<20	1.14	0.002	0.04	<0.1	0.04	1.1	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L1N 2900W	Soil		1.6	25.8	8.5	55	<0.1	12.8	6.4	405	3.58	4.0	<0.5	0.3	9	0.3	0.6	0.2	92	0.65	0.086	10
L1S 2100W	Soil		2.6	32.9	7.5	52	0.3	21.0	6.1	266	3.25	4.9	0.8	0.2	6	0.4	0.8	0.2	48	0.10	0.053	10
L1S 2150W	Soil		3.1	46.3	8.8	87	<0.1	29.0	11.3	539	3.23	6.1	<0.5	0.3	7	0.3	1.2	0.2	47	0.11	0.051	13
L1S 2200W	Soil		2.7	26.1	7.2	41	0.2	9.0	6.2	1205	1.90	3.1	<0.5	<0.1	12	0.4	0.6	0.2	37	0.17	0.102	11
L1S 2250W	Soil		1.6	29.5	10.6	68	0.5	18.5	7.8	314	2.13	4.0	0.8	0.4	25	0.4	0.7	0.2	55	0.36	0.062	16
L1S 2300W	Soil		3.0	23.0	8.7	60	0.2	24.8	11.1	348	2.58	4.5	<0.5	1.6	31	0.1	0.5	0.2	66	0.46	0.042	12
L1S 2350W	Soil		3.8	38.9	7.2	60	0.4	14.8	7.6	1231	4.28	3.9	4.6	0.1	4	0.3	0.6	0.4	73	0.09	0.090	10
L1S 2400W	Soil		1.6	31.4	7.1	56	0.4	22.0	6.4	191	2.51	4.2	5.2	0.4	9	0.2	0.4	0.3	44	0.12	0.059	12
L1S 2450W	Soil		3.2	56.6	8.3	69	0.1	25.6	8.3	270	3.91	7.6	2.9	0.2	6	0.4	0.9	0.3	58	0.06	0.067	11
L1S 2500W	Soil		2.3	38.3	6.6	57	0.4	16.0	6.2	272	3.59	4.0	1.2	<0.1	5	0.2	0.6	0.3	68	0.08	0.102	11
L1S 2550W	Soil		2.8	45.6	9.6	60	0.1	19.9	5.9	298	3.12	6.3	1.4	0.3	5	0.2	0.7	0.3	45	0.10	0.081	14
L1S 2600W	Soil		4.0	71.7	9.1	79	0.2	18.8	6.2	377	2.43	4.6	1.0	0.2	11	0.3	0.7	0.4	27	0.09	0.099	20
L1S 2650W	Soil		10.5	55.1	8.1	73	0.4	16.8	4.6	199	2.22	7.3	3.7	0.6	23	0.2	1.0	0.4	14	0.19	0.101	13
L1S 2700W	Soil		6.4	52.1	12.1	96	0.1	17.5	10.8	2629	2.35	4.2	1.3	<0.1	49	1.4	0.7	0.4	28	0.53	0.190	11
L1S 2750W	Soil		4.8	65.4	13.9	165	0.3	27.0	10.2	878	3.03	5.9	1.6	0.2	28	0.4	0.7	0.4	36	0.31	0.140	13
L1S 2800W	Soil		4.6	30.5	10.8	41	0.3	8.3	3.5	347	2.57	3.3	7.4	<0.1	4	0.2	0.6	0.4	47	0.05	0.066	15
L3S 1400W	Soil		8.6	52.1	12.2	53	0.4	13.3	4.7	263	3.58	10.0	1.4	0.3	3	<0.1	1.1	0.4	54	0.02	0.074	18
L3S 1450W	Soil		4.4	30.0	16.4	50	0.1	13.2	4.1	180	1.98	20.2	0.9	<0.1	4	<0.1	5.8	0.3	42	0.03	0.048	15
L3S 1500W	Soil		3.4	24.3	12.7	43	0.7	12.1	4.2	366	1.67	6.7	1.4	<0.1	4	0.2	2.0	0.4	56	0.07	0.061	16
L3S 1550W	Soil		6.1	34.9	17.6	57	0.2	13.3	4.5	329	2.01	14.4	<0.5	<0.1	5	<0.1	5.7	0.4	51	0.02	0.061	18
L3S 1600W	Soil		1.4	9.7	18.8	28	0.2	9.4	2.6	194	1.08	4.2	<0.5	<0.1	5	<0.1	1.9	0.3	46	0.05	0.046	15
L3S 1650W	Soil		2.9	32.9	8.5	47	0.2	17.1	6.6	540	3.36	4.3	1.8	<0.1	4	0.2	0.8	0.3	122	0.17	0.090	12
L3S 1700W	Soil		2.8	47.2	7.9	67	<0.1	23.5	9.2	458	3.67	6.2	1.1	0.4	8	0.2	0.7	0.2	67	0.12	0.071	12
L3S 1750W	Soil		1.5	34.6	6.8	52	0.2	12.4	8.0	471	6.41	2.7	<0.5	0.4	7	0.5	0.6	0.3	213	0.38	0.117	7
L3S 1800W	Soil		1.1	37.4	4.5	56	0.7	13.7	12.6	1387	6.26	2.6	0.6	0.1	7	0.4	0.4	0.2	170	0.23	0.142	5
L3S 1850W	Soil		1.1	31.5	4.0	57	0.3	17.3	11.0	650	5.28	2.1	1.9	0.3	8	0.3	0.4	0.2	159	0.41	0.097	6
L3S 1900W	Soil		9.9	104.8	14.7	136	0.5	29.9	14.8	910	3.42	9.2	2.3	0.4	50	0.4	1.0	0.4	33	0.54	0.182	17
L3S 1950W	Soil		4.8	31.0	9.4	39	0.4	8.0	2.9	245	1.48	2.5	1.0	<0.1	8	<0.1	0.4	0.3	40	0.02	0.062	16
L3S 2000W	Soil		3.0	28.7	11.2	37	0.2	8.9	7.8	3844	2.31	3.1	0.7	<0.1	4	<0.1	0.4	0.3	62	0.03	0.100	13
L3S 2050W	Soil		4.3	14.5	5.4	27	0.1	5.2	1.6	59	0.86	2.0	<0.5	0.2	3	<0.1	0.3	0.3	38	0.03	0.038	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L1N 2900W	Soil	25	0.49	91	0.107	<20	2.09	0.007	0.05	<0.1	0.02	2.6	<0.1	<0.05	10	<0.5	<0.2
L1S 2100W	Soil	32	0.47	80	0.026	<20	1.60	0.003	0.04	<0.1	0.05	1.7	0.1	<0.05	5	<0.5	<0.2
L1S 2150W	Soil	32	0.55	164	0.022	<20	1.49	0.004	0.05	<0.1	0.03	2.1	0.1	<0.05	5	<0.5	<0.2
L1S 2200W	Soil	20	0.18	131	0.007	<20	1.07	0.003	0.08	<0.1	0.02	0.3	0.1	<0.05	5	<0.5	<0.2
L1S 2250W	Soil	38	0.74	337	0.015	<20	1.95	0.007	0.06	<0.1	0.07	3.9	0.2	<0.05	6	0.7	<0.2
L1S 2300W	Soil	45	0.96	632	0.013	<20	1.96	0.005	0.04	<0.1	0.13	6.7	0.2	<0.05	6	<0.5	<0.2
L1S 2350W	Soil	39	0.35	90	0.026	<20	1.87	0.003	0.05	0.1	0.05	1.4	0.2	<0.05	8	<0.5	<0.2
L1S 2400W	Soil	37	0.47	61	0.027	<20	1.82	0.004	0.04	<0.1	0.07	1.7	<0.1	<0.05	5	<0.5	<0.2
L1S 2450W	Soil	38	0.49	71	0.015	<20	1.58	0.003	0.04	<0.1	0.06	1.5	0.1	<0.05	5	<0.5	<0.2
L1S 2500W	Soil	30	0.38	83	0.021	<20	1.52	0.003	0.05	<0.1	0.06	1.0	0.1	<0.05	6	<0.5	<0.2
L1S 2550W	Soil	24	0.53	53	0.011	<20	1.70	0.003	0.03	<0.1	0.02	1.3	0.1	<0.05	5	<0.5	<0.2
L1S 2600W	Soil	14	0.12	135	0.003	<20	1.04	0.001	0.07	<0.1	0.03	0.4	0.3	<0.05	4	<0.5	<0.2
L1S 2650W	Soil	6	0.09	254	0.001	<20	0.58	0.001	0.07	<0.1	0.04	1.1	0.1	<0.05	2	0.8	<0.2
L1S 2700W	Soil	14	0.22	329	0.003	<20	1.01	0.003	0.09	<0.1	0.04	0.3	0.2	0.05	3	<0.5	<0.2
L1S 2750W	Soil	23	0.57	327	0.006	<20	1.86	0.003	0.07	<0.1	0.03	0.7	0.2	<0.05	5	0.8	<0.2
L1S 2800W	Soil	16	0.12	104	0.010	<20	1.15	0.002	0.06	<0.1	0.04	0.4	0.2	<0.05	7	<0.5	<0.2
L3S 1400W	Soil	18	0.34	91	0.006	<20	1.57	0.002	0.05	<0.1	0.04	1.2	0.2	<0.05	7	0.8	<0.2
L3S 1450W	Soil	21	0.24	96	0.006	<20	1.28	0.002	0.04	<0.1	0.02	0.8	0.2	<0.05	5	<0.5	<0.2
L3S 1500W	Soil	21	0.23	92	0.013	<20	1.23	0.002	0.05	<0.1	0.03	0.7	0.1	<0.05	8	0.5	<0.2
L3S 1550W	Soil	18	0.12	148	0.006	<20	1.15	0.002	0.04	<0.1	0.03	0.7	0.2	<0.05	7	<0.5	<0.2
L3S 1600W	Soil	27	0.26	85	0.025	<20	1.29	0.002	0.04	<0.1	0.03	0.8	0.2	<0.05	9	<0.5	<0.2
L3S 1650W	Soil	48	0.43	110	0.042	<20	1.86	0.004	0.04	<0.1	0.04	2.1	0.2	<0.05	10	<0.5	<0.2
L3S 1700W	Soil	38	0.57	68	0.055	<20	1.78	0.004	0.05	<0.1	0.04	2.6	<0.1	<0.05	6	<0.5	<0.2
L3S 1750W	Soil	28	0.37	57	0.407	<20	2.04	0.005	0.04	0.1	0.05	4.2	0.1	<0.05	12	0.6	<0.2
L3S 1800W	Soil	30	0.38	59	0.230	<20	2.23	0.004	0.05	<0.1	0.11	4.1	0.1	0.08	8	0.6	<0.2
L3S 1850W	Soil	67	0.56	64	0.216	<20	2.29	0.006	0.04	<0.1	0.07	4.4	<0.1	<0.05	9	<0.5	<0.2
L3S 1900W	Soil	18	0.31	583	0.002	<20	1.90	0.005	0.08	<0.1	0.07	0.8	0.2	0.09	5	1.2	<0.2
L3S 1950W	Soil	13	0.09	94	0.005	<20	1.07	0.002	0.05	<0.1	0.03	0.4	0.3	<0.05	7	<0.5	<0.2
L3S 2000W	Soil	28	0.12	230	0.006	<20	1.07	0.002	0.06	<0.1	0.02	0.3	0.3	<0.05	7	<0.5	<0.2
L3S 2050W	Soil	10	0.11	76	0.007	<20	1.16	0.002	0.04	<0.1	0.02	0.8	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L3S 2100W	Soil		5.9	67.8	3.8	63	0.2	13.3	3.6	101	1.66	3.5	<0.5	0.2	3	<0.1	4.1	0.3	39	0.01	0.048	18
L3S 2150W	Soil		7.8	27.6	14.1	40	0.5	8.1	3.1	198	1.68	4.8	2.5	0.8	3	<0.1	0.8	0.4	41	0.03	0.064	26
L3S 2200W	Soil		1.9	16.8	6.5	23	0.2	7.1	2.1	138	1.02	1.5	1.4	0.1	5	<0.1	0.3	0.2	26	0.03	0.068	15
L3S 2250W	Soil		1.0	9.8	6.2	20	0.3	8.8	1.9	87	0.71	0.6	0.6	0.1	4	<0.1	<0.1	0.2	35	0.03	0.041	12
L3S 2300W	Soil		2.9	43.2	4.9	51	0.2	44.5	13.2	496	3.62	4.5	<0.5	1.0	4	0.1	0.3	0.1	78	0.03	0.046	10
L3S 2350W	Soil		8.4	70.8	14.7	102	0.9	34.8	12.9	236	3.28	9.2	1.6	0.4	9	0.3	2.8	0.4	54	0.03	0.128	20
L3S 2400W	Soil		0.8	45.7	6.4	48	0.2	14.0	17.0	1850	3.80	2.0	<0.5	<0.1	7	0.2	0.3	0.2	166	0.73	0.134	5
L3S 2450W	Soil		1.7	36.4	6.3	55	0.3	19.2	6.9	297	3.56	4.6	<0.5	0.3	5	0.2	0.6	0.2	74	0.07	0.062	10
L3S 2500W	Soil		2.6	41.6	5.7	61	1.2	20.5	10.8	730	5.76	4.0	1.5	0.3	5	0.4	0.6	0.3	118	0.12	0.110	8
L3S 2550W	Soil		2.4	35.9	6.7	65	0.2	18.3	8.1	425	2.87	3.4	1.3	0.1	10	0.2	0.8	0.3	79	0.22	0.075	9
L3S 2600W	Soil		3.0	38.1	6.4	50	0.2	15.9	5.2	204	3.67	6.2	1.2	0.7	6	<0.1	0.8	0.2	64	0.08	0.077	18
L3S 2650W	Soil		4.4	44.3	8.1	60	0.2	18.7	4.9	265	3.43	6.7	<0.5	0.4	6	0.1	0.9	0.2	46	0.06	0.072	18
L3S 2700W	Soil		2.4	21.4	6.9	41	0.9	9.0	2.9	190	2.17	2.3	1.7	<0.1	6	0.3	0.4	0.4	49	0.10	0.098	18
L19S 200W	Soil		1.9	18.1	7.0	66	0.3	32.1	6.4	401	2.73	7.7	1.0	1.2	4	0.3	0.8	0.3	47	0.05	0.163	7
L19S 250W	Soil		3.4	30.5	8.4	84	0.2	23.8	8.2	426	4.07	11.0	1.5	2.1	4	0.2	1.0	0.3	47	0.05	0.281	5
L19S 300W	Soil		2.3	18.0	6.2	77	0.2	17.0	6.0	344	2.60	5.4	1.0	1.4	5	0.3	0.6	0.2	42	0.05	0.118	7
L19S 350W	Soil		2.3	15.2	5.8	63	0.3	14.4	4.9	221	2.59	5.8	1.3	1.2	4	0.2	0.6	0.2	48	0.05	0.099	6
L19S 400W	Soil		1.8	12.5	4.6	37	<0.1	10.1	3.6	251	1.81	4.3	<0.5	1.2	3	<0.1	0.5	0.2	42	0.05	0.080	6
L19S 450W	Soil		3.1	29.2	7.9	74	0.3	22.1	7.5	329	3.27	9.9	<0.5	1.6	6	0.3	0.7	0.2	49	0.07	0.166	6
L19S 500W	Soil		1.9	17.9	6.5	57	0.2	14.9	4.3	341	2.35	6.4	2.8	1.0	5	0.2	0.7	0.2	45	0.08	0.151	7
L19S 550W	Soil		1.6	11.6	4.8	47	0.2	9.0	3.3	238	1.57	3.2	<0.5	1.1	4	0.2	0.4	0.2	34	0.06	0.068	7
L19S 600W	Soil		3.1	30.1	7.1	54	0.1	15.6	4.3	209	2.40	6.7	0.5	1.3	43	0.3	0.8	0.2	52	0.46	0.062	11
L19S 650W	Soil		4.9	168.4	15.6	117	1.3	51.9	17.2	1074	3.95	8.4	8.1	1.2	47	1.5	1.3	0.4	45	0.37	0.101	30
L19S 700W	Soil		1.8	11.6	5.4	53	0.2	11.2	3.8	197	1.99	3.5	<0.5	0.8	4	0.3	0.5	0.2	46	0.06	0.072	7
L19S 750W	Soil		1.6	12.4	5.3	34	0.2	10.0	3.9	249	1.48	3.2	<0.5	1.0	4	0.2	0.5	0.2	34	0.06	0.042	7
L19S 800W	Soil		2.4	26.1	4.5	58	0.1	20.9	5.4	276	2.42	5.3	0.6	1.6	8	0.2	0.6	0.1	40	0.13	0.040	12
L19S 850W	Soil		1.8	81.5	7.3	208	0.1	42.4	65.3	4970	6.40	10.3	<0.5	0.8	46	0.6	0.4	0.2	184	0.89	0.084	7
L19S 900W	Soil		1.6	62.9	5.2	331	0.2	29.4	80.7	>10000	7.05	6.7	2.1	0.3	70	1.3	0.2	0.2	220	1.26	0.129	4
L19S 950W	Soil		2.0	124.0	8.0	80	0.7	33.7	11.3	965	3.31	5.3	2.4	1.5	68	0.5	0.5	0.2	60	0.88	0.055	20
L19S 1000W	Soil		7.1	62.5	18.5	117	0.2	19.2	9.9	292	3.72	19.5	6.3	3.3	29	0.1	2.2	0.5	26	0.15	0.026	29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L3S 2100W	Soil	12	0.06	72	0.006	<20	0.69	0.002	0.04	<0.1	<0.01	0.9	0.3	<0.05	5	<0.5	<0.2
L3S 2150W	Soil	14	0.11	87	0.006	<20	1.02	0.001	0.05	<0.1	0.02	1.3	0.3	<0.05	8	0.6	<0.2
L3S 2200W	Soil	22	0.12	91	0.006	<20	0.95	0.002	0.05	<0.1	0.01	0.5	0.2	<0.05	6	<0.5	<0.2
L3S 2250W	Soil	29	0.28	130	0.009	<20	1.44	0.002	0.03	<0.1	0.02	1.0	0.2	<0.05	8	<0.5	<0.2
L3S 2300W	Soil	78	1.11	83	0.007	<20	2.11	0.002	0.03	<0.1	0.02	5.4	0.2	<0.05	6	<0.5	<0.2
L3S 2350W	Soil	32	0.30	145	0.005	<20	1.67	0.004	0.06	<0.1	0.04	0.7	0.3	<0.05	7	0.9	<0.2
L3S 2400W	Soil	49	0.39	222	0.184	<20	1.64	0.007	0.05	0.1	0.06	4.1	0.2	<0.05	8	<0.5	<0.2
L3S 2450W	Soil	39	0.51	70	0.039	<20	1.77	0.003	0.04	<0.1	0.04	2.3	0.1	<0.05	7	<0.5	<0.2
L3S 2500W	Soil	60	0.58	89	0.124	<20	2.40	0.005	0.04	0.1	0.05	4.1	0.2	<0.05	8	0.8	<0.2
L3S 2550W	Soil	39	0.52	116	0.088	<20	1.43	0.005	0.07	<0.1	0.03	2.2	0.1	<0.05	7	0.7	<0.2
L3S 2600W	Soil	29	0.41	74	0.046	<20	1.65	0.002	0.03	0.1	0.04	2.3	0.1	<0.05	6	0.7	<0.2
L3S 2650W	Soil	20	0.44	79	0.012	<20	1.45	0.002	0.04	<0.1	0.03	1.2	0.1	<0.05	5	1.0	<0.2
L3S 2700W	Soil	15	0.24	89	0.010	<20	1.12	0.003	0.07	<0.1	0.03	0.4	0.1	<0.05	5	<0.5	<0.2
L19S 200W	Soil	38	0.24	65	0.040	<20	1.27	0.003	0.03	<0.1	0.03	2.3	<0.1	<0.05	5	0.9	<0.2
L19S 250W	Soil	48	0.30	69	0.025	<20	2.62	0.003	0.03	<0.1	0.08	3.2	0.1	<0.05	5	0.7	<0.2
L19S 300W	Soil	30	0.27	84	0.036	<20	1.53	0.003	0.03	<0.1	0.04	2.5	0.1	<0.05	5	0.7	<0.2
L19S 350W	Soil	28	0.27	70	0.036	<20	1.64	0.004	0.03	<0.1	0.04	2.3	<0.1	<0.05	6	0.6	<0.2
L19S 400W	Soil	21	0.21	60	0.043	<20	1.25	0.003	0.02	<0.1	0.01	1.9	0.1	<0.05	5	<0.5	<0.2
L19S 450W	Soil	37	0.38	84	0.030	<20	1.47	0.004	0.05	<0.1	0.03	2.6	0.1	<0.05	5	0.9	<0.2
L19S 500W	Soil	30	0.19	45	0.036	<20	0.95	0.002	0.03	<0.1	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2
L19S 550W	Soil	17	0.15	50	0.042	<20	0.93	0.003	0.03	<0.1	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2
L19S 600W	Soil	26	0.23	141	0.031	<20	0.85	0.004	0.06	<0.1	0.03	2.1	0.1	<0.05	5	0.7	<0.2
L19S 650W	Soil	31	0.38	574	0.009	<20	1.71	0.003	0.07	<0.1	0.40	5.5	0.3	<0.05	4	4.8	<0.2
L19S 700W	Soil	23	0.20	40	0.051	<20	0.90	0.003	0.03	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
L19S 750W	Soil	16	0.16	77	0.049	<20	0.59	0.003	0.04	<0.1	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
L19S 800W	Soil	26	0.45	106	0.048	<20	1.03	0.003	0.06	<0.1	0.03	1.9	<0.1	<0.05	4	0.5	<0.2
L19S 850W	Soil	53	1.05	491	0.146	<20	2.76	0.005	0.09	0.1	0.06	11.5	0.2	<0.05	10	1.0	<0.2
L19S 900W	Soil	20	0.74	1316	0.336	<20	1.86	0.006	0.14	0.2	0.13	11.9	0.3	<0.05	11	0.7	<0.2
L19S 950W	Soil	27	0.40	290	0.009	<20	1.64	0.007	0.06	<0.1	0.12	13.0	0.2	<0.05	5	0.7	<0.2
L19S 1000W	Soil	10	0.04	229	0.002	<20	0.63	0.001	0.11	<0.1	0.15	2.0	<0.1	<0.05	2	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L19S 1050W	Soil		1.6	61.3	7.4	70	0.2	22.5	11.5	835	2.25	3.6	0.7	0.5	32	0.4	0.4	0.2	42	0.35	0.039	12
L19S 1100W	Soil		2.2	24.7	5.1	64	<0.1	17.5	5.1	238	2.36	4.9	<0.5	1.5	7	0.2	0.7	0.1	38	0.10	0.037	11
L19S 1150W	Soil		1.0	15.6	7.9	89	0.2	10.7	11.7	1290	3.53	<0.5	<0.5	0.3	8	2.0	0.2	0.2	185	1.54	0.073	4
L19S 1200W	Soil		4.9	105.3	12.5	224	0.3	36.9	17.1	3219	3.16	3.9	1.4	1.3	69	2.4	0.5	0.3	54	0.89	0.053	19
L19S 1250W	Soil		3.6	19.7	6.3	53	<0.1	9.8	3.7	111	1.90	3.1	<0.5	1.1	10	0.3	0.6	0.2	56	0.15	0.029	13
L19S 1300W	Soil		4.1	76.8	12.8	178	0.5	36.4	19.9	1048	3.53	4.8	1.0	1.9	44	0.6	0.6	0.4	58	0.52	0.049	15
L19S 1350W	Soil		4.1	55.4	14.0	130	0.7	24.4	15.8	2388	3.32	5.5	<0.5	1.6	56	1.0	0.9	0.3	49	0.59	0.041	17
L19S 1400W	Soil		4.0	75.6	12.4	188	1.2	32.1	14.2	776	3.17	9.6	1.4	1.3	65	0.7	1.5	0.4	39	0.91	0.059	14
L19S 1450W	Soil		11.4	42.9	11.3	89	0.1	20.6	6.9	210	2.50	14.1	1.2	3.2	15	0.3	5.8	0.5	34	0.21	0.041	16
L19S 1500W	Soil		7.4	146.4	12.3	62	0.6	51.3	19.2	1853	3.36	5.8	0.9	1.0	135	1.0	1.2	0.3	51	1.80	0.098	22
L19S 1550W	Soil		2.6	64.9	8.7	98	0.1	41.8	8.1	330	3.35	8.4	1.9	2.5	7	0.3	0.9	0.2	36	0.12	0.105	12
L19S 1600W	Soil		2.7	20.8	5.3	53	<0.1	16.4	4.7	246	2.45	5.1	<0.5	1.3	7	0.3	0.5	0.1	31	0.09	0.032	10
L19S 1650W	Soil		6.9	38.8	12.7	117	0.3	30.7	14.3	1487	3.31	5.7	<0.5	2.0	6	0.5	1.0	0.4	63	0.20	0.107	13
L19S 1700W	Soil		5.9	48.5	12.3	134	<0.1	52.0	7.5	1292	4.15	3.1	<0.5	2.3	9	0.1	0.5	0.3	111	0.07	0.052	33
L19S 1750W	Soil		8.8	52.3	12.0	85	0.1	10.7	4.9	94	2.06	4.0	<0.5	3.1	6	0.3	0.8	0.4	34	0.02	0.049	30
L19S 1800W	Soil		2.6	16.7	6.3	48	0.4	16.5	4.6	179	2.47	5.7	0.6	1.3	7	0.2	0.7	0.1	45	0.06	0.035	8
L19S 1850W	Soil		2.5	95.5	18.2	121	<0.1	35.0	10.1	416	4.17	5.8	<0.5	4.1	9	0.1	0.6	0.9	28	0.06	0.086	20
L19S 1900W	Soil		3.9	23.9	6.7	50	0.2	29.8	5.9	191	2.24	3.5	<0.5	1.1	8	0.2	0.6	0.2	66	0.06	0.034	13
L19S 1950W	Soil		3.6	56.6	10.1	95	0.2	21.0	10.0	234	3.35	7.4	1.5	1.1	9	0.1	1.4	0.3	33	0.06	0.065	13
L24N1100E	Soil		1.6	20.3	6.5	53	<0.1	26.2	5.8	410	1.90	5.0	<0.5	0.5	48	0.2	0.8	0.3	34	0.27	0.061	10
L24N1050E	Soil		2.3	33.5	7.1	69	<0.1	46.8	12.1	514	2.76	9.1	2.9	2.0	38	0.3	1.1	0.2	33	0.28	0.068	11
L24N950E	Soil		0.2	29.4	6.0	51	0.1	32.6	5.1	182	1.12	1.3	3.2	0.9	43	0.3	1.1	0.2	24	0.39	0.053	9
L24N750E	Soil		1.1	58.6	15.3	204	0.5	75.1	13.3	392	3.00	24.0	5.4	1.3	15	1.2	13.3	0.3	44	0.45	0.116	23
L24N700E	Soil		1.3	17.5	5.8	43	<0.1	26.3	4.8	314	2.03	6.4	<0.5	<0.1	9	0.5	0.7	0.3	48	0.19	0.060	6
L24N650E	Soil		1.7	48.8	13.5	231	0.6	65.5	12.0	1051	2.92	40.2	6.0	0.6	19	2.3	24.0	0.3	36	0.85	0.114	18
L24N600E	Soil		1.4	20.4	8.7	152	0.6	32.7	7.8	745	2.38	12.1	1.5	1.3	13	0.9	2.7	0.3	47	0.45	0.061	10
L24N550E	Soil		1.9	17.0	5.4	47	<0.1	25.5	4.8	198	2.54	8.5	<0.5	0.8	6	0.3	1.1	0.1	51	0.11	0.069	6
L24N500E	Soil		1.5	20.6	6.5	52	<0.1	29.4	5.3	280	2.51	9.9	0.8	1.2	5	0.2	1.5	0.1	44	0.08	0.097	8
L24N450E	Soil		1.6	11.6	6.1	55	0.2	16.8	4.4	399	2.96	7.6	<0.5	0.8	5	0.3	1.3	0.2	54	0.09	0.087	8
L24N400E	Soil		1.8	18.9	6.8	66	0.2	24.9	5.4	271	3.79	11.5	<0.5	1.4	5	0.2	1.6	0.2	67	0.06	0.122	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L19S 1050W	Soil	25	0.41	488	0.014	<20	1.46	0.005	0.08	<0.1	0.03	2.6	0.1	<0.05	5	1.0	<0.2
L19S 1100W	Soil	22	0.43	149	0.029	<20	0.95	0.004	0.06	<0.1	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
L19S 1150W	Soil	55	0.36	117	0.462	<20	1.83	0.012	0.03	<0.1	0.04	3.8	<0.1	<0.05	11	0.8	<0.2
L19S 1200W	Soil	34	0.39	359	0.016	<20	2.30	0.005	0.04	<0.1	0.07	5.1	0.2	<0.05	7	1.1	<0.2
L19S 1250W	Soil	17	0.13	162	0.013	<20	0.90	0.004	0.05	<0.1	0.03	2.1	<0.1	<0.05	6	<0.5	<0.2
L19S 1300W	Soil	35	0.40	484	0.011	<20	2.21	0.005	0.05	<0.1	0.07	4.1	0.2	<0.05	7	<0.5	<0.2
L19S 1350W	Soil	25	0.26	462	0.007	<20	1.55	0.005	0.07	<0.1	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
L19S 1400W	Soil	28	0.42	339	0.010	<20	1.49	0.006	0.05	<0.1	0.23	5.1	0.1	<0.05	5	1.3	<0.2
L19S 1450W	Soil	14	0.05	228	0.002	<20	0.57	0.004	0.07	<0.1	0.15	2.8	0.2	<0.05	3	0.5	<0.2
L19S 1500W	Soil	44	0.43	582	0.003	<20	1.37	0.006	0.07	<0.1	0.43	4.9	0.2	0.07	4	2.9	<0.2
L19S 1550W	Soil	30	0.51	138	0.015	<20	1.76	0.004	0.07	<0.1	0.06	3.0	0.1	<0.05	4	0.8	<0.2
L19S 1600W	Soil	19	0.39	140	0.023	<20	1.03	0.003	0.07	<0.1	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
L19S 1650W	Soil	58	0.67	341	0.061	<20	1.55	0.004	0.13	<0.1	0.03	4.1	0.2	<0.05	7	<0.5	<0.2
L19S 1700W	Soil	29	0.07	145	0.009	<20	0.61	0.002	0.09	<0.1	0.02	2.8	0.2	<0.05	5	<0.5	<0.2
L19S 1750W	Soil	9	0.09	121	0.003	<20	1.07	0.003	0.09	<0.1	0.03	1.4	0.3	<0.05	5	0.5	<0.2
L19S 1800W	Soil	29	0.27	52	0.063	<20	0.81	0.003	0.06	<0.1	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
L19S 1850W	Soil	22	0.16	232	0.004	<20	0.93	0.001	0.11	<0.1	0.14	2.9	0.2	<0.05	4	0.6	<0.2
L19S 1900W	Soil	45	0.21	120	0.012	<20	0.73	0.004	0.06	<0.1	0.01	2.0	<0.1	<0.05	6	0.6	<0.2
L19S 1950W	Soil	13	0.05	102	0.002	<20	0.48	0.003	0.08	<0.1	0.36	2.0	0.1	<0.05	2	0.6	<0.2
L24N1100E	Soil	43	0.42	202	0.029	<20	0.79	0.004	0.07	0.2	0.14	1.6	<0.1	<0.05	3	<0.5	<0.2
L24N1050E	Soil	55	0.70	156	0.035	<20	1.06	0.004	0.07	<0.1	0.20	3.1	<0.1	<0.05	3	<0.5	<0.2
L24N950E	Soil	50	0.53	220	0.023	<20	0.96	0.005	0.07	<0.1	0.32	2.9	0.1	<0.05	3	0.7	<0.2
L24N750E	Soil	80	0.81	342	0.011	<20	1.99	0.007	0.08	0.1	4.33	5.2	1.6	<0.05	5	0.8	<0.2
L24N700E	Soil	71	0.26	70	0.034	<20	0.71	0.005	0.03	<0.1	0.05	0.9	0.1	<0.05	5	<0.5	<0.2
L24N650E	Soil	69	0.66	196	0.016	<20	1.30	0.006	0.07	<0.1	3.38	3.4	0.9	<0.05	3	0.9	<0.2
L24N600E	Soil	60	0.54	232	0.019	<20	1.69	0.004	0.06	<0.1	5.15	3.4	0.2	<0.05	5	<0.5	<0.2
L24N550E	Soil	67	0.32	74	0.056	<20	1.04	0.004	0.03	<0.1	0.06	1.8	<0.1	<0.05	5	<0.5	<0.2
L24N500E	Soil	54	0.43	69	0.037	<20	1.37	0.003	0.04	<0.1	0.17	2.3	<0.1	<0.05	4	<0.5	<0.2
L24N450E	Soil	61	0.29	57	0.058	<20	1.37	0.004	0.02	<0.1	1.86	2.2	<0.1	<0.05	5	<0.5	<0.2
L24N400E	Soil	78	0.44	77	0.058	<20	2.05	0.003	0.03	<0.1	0.46	3.4	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L24N350E	Soil		1.5	14.2	7.8	44	0.2	17.8	3.6	188	2.65	8.7	<0.5	1.4	6	0.2	1.1	0.2	63	0.09	0.062	9
L24N300E	Soil		1.9	22.8	7.0	51	0.2	26.8	5.4	325	3.05	12.5	<0.5	0.7	7	<0.1	1.8	0.2	59	0.12	0.114	9
L24N250E	Soil		1.9	16.8	8.7	48	<0.1	23.1	5.2	370	3.06	10.7	<0.5	1.1	6	0.2	1.6	0.2	60	0.08	0.084	11
L24N200E	Soil		1.7	15.5	7.6	45	0.3	19.2	4.6	336	1.83	7.0	0.6	0.5	9	0.2	1.2	0.2	43	0.12	0.031	12
L24N150E	Soil		1.8	17.6	6.6	42	0.2	25.4	4.6	202	2.06	10.9	2.0	0.5	7	0.3	1.5	0.1	34	0.10	0.048	10
L24N100E	Soil		2.3	21.5	8.9	63	0.2	25.4	6.5	333	3.13	9.5	0.9	1.3	6	0.2	1.6	0.2	52	0.07	0.056	11
L24N050E	Soil		2.2	13.4	8.3	45	<0.1	15.1	4.5	270	1.87	11.6	10.1	0.3	7	0.2	1.3	0.2	41	0.10	0.049	12
L24N00W	Soil		2.9	33.0	10.6	79	0.2	35.5	8.6	493	4.00	16.1	1.2	1.6	7	0.3	2.5	0.2	54	0.07	0.090	11
L24N050W	Soil		2.2	43.9	7.7	71	0.7	31.9	7.0	334	2.36	11.3	3.9	0.2	11	0.3	1.5	0.2	36	0.17	0.062	20
L24N100W	Soil		3.6	31.1	12.9	90	0.5	37.3	12.3	642	2.90	16.1	2.5	0.2	14	0.3	1.9	0.3	47	0.19	0.073	14
L24N150W	Soil		3.1	30.1	9.0	88	0.2	33.3	10.2	873	2.66	10.7	1.9	0.2	17	0.6	1.5	0.2	41	0.25	0.069	15
L24N200W	Soil		3.1	33.7	10.2	88	0.2	37.1	7.9	423	3.68	15.2	4.8	0.4	11	0.4	2.1	0.2	44	0.16	0.040	12
L26N 1050E	Soil		2.0	35.7	6.7	67	<0.1	45.6	8.7	468	2.45	7.7	5.2	2.0	11	0.2	1.3	0.1	38	0.16	0.063	13
L26N 1000E	Soil		1.7	28.8	6.9	63	0.2	39.0	8.2	346	2.38	6.0	1.8	1.5	11	0.3	0.8	0.2	36	0.13	0.080	12
L26N 900E	Soil		1.2	22.3	5.0	50	<0.1	39.2	9.6	623	2.01	4.1	1.8	0.7	12	0.2	0.7	0.1	36	0.20	0.063	10
L26N 850E	Soil		0.2	11.8	6.0	56	0.2	33.0	5.7	231	1.76	2.8	2.0	0.5	12	0.1	0.3	0.1	35	0.14	0.039	10
L26N 800E	Soil		0.5	29.0	25.4	31	0.1	29.6	8.6	154	1.28	1.7	2.8	0.6	21	<0.1	0.3	0.5	48	0.30	0.064	9
L26N 750E	Soil		1.4	30.7	33.1	31	0.1	35.4	14.3	194	2.43	2.7	2.6	0.9	31	<0.1	0.3	0.6	79	0.31	0.072	11
L26N 700E	Soil		1.8	33.3	35.0	35	0.1	33.8	13.9	177	3.04	3.1	8.4	1.0	32	<0.1	0.3	0.6	64	0.33	0.074	11
L26N 650E	Soil		1.6	31.9	25.1	31	0.2	32.2	10.8	165	2.11	10.7	7.4	0.5	43	0.1	2.5	0.4	61	0.44	0.069	7
L26N 600E	Soil		2.4	70.3	17.6	259	0.5	88.7	18.8	499	3.91	64.1	11.0	1.1	13	2.8	40.6	0.2	53	0.29	0.090	21
L26N 550E	Soil		1.4	18.7	8.3	124	0.3	32.1	8.1	329	2.85	8.7	2.2	1.0	9	0.7	2.7	0.2	60	0.20	0.106	9
L26N 500E	Soil		1.3	14.9	7.4	91	0.3	30.8	7.7	298	2.04	7.1	5.2	1.3	7	0.3	1.3	0.2	48	0.12	0.037	11
L26N 450E	Soil		1.7	40.6	7.9	69	0.2	61.8	11.7	521	2.64	11.4	4.9	1.7	9	0.7	2.3	0.2	42	0.28	0.065	15
L26N 400E	Soil		1.4	19.8	8.6	118	0.2	58.2	12.0	535	2.95	11.6	7.3	1.1	8	1.1	2.6	0.2	55	0.23	0.069	11
L26N 350E	Soil		1.8	25.6	10.7	128	0.3	44.0	8.9	309	3.83	14.5	1.7	1.1	7	1.1	2.2	0.3	76	0.15	0.035	10
L26N 300E	Soil		1.4	25.2	10.9	126	0.3	48.8	10.6	547	2.91	14.6	5.5	2.2	13	2.4	4.5	0.2	63	0.89	0.087	19
L26N 250E	Soil		2.3	62.9	11.9	113	0.3	83.0	17.5	1123	3.51	17.8	8.4	2.6	23	1.8	4.4	0.2	45	2.29	0.098	23
L26N 200E	Soil		1.2	13.1	6.9	65	0.1	20.7	4.1	252	2.37	7.4	2.5	0.9	6	0.4	1.9	0.2	52	0.10	0.036	10
L26N 150E	Soil		1.2	10.1	8.8	38	0.1	14.8	2.9	172	1.75	6.9	1.6	1.6	5	0.2	1.0	0.2	46	0.07	0.029	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L24N350E	Soil		65	0.30	71	0.063	<20	1.66	0.004	0.03	<0.1	0.87	2.8	<0.1	<0.05	6	<0.5	<0.2
L24N300E	Soil		57	0.47	60	0.039	<20	1.13	0.004	0.04	<0.1	0.34	2.5	0.1	<0.05	5	<0.5	<0.2
L24N250E	Soil		52	0.45	66	0.056	<20	1.50	0.003	0.05	<0.1	0.58	2.5	0.1	<0.05	7	<0.5	<0.2
L24N200E	Soil		39	0.41	143	0.050	<20	1.13	0.004	0.07	<0.1	0.30	1.7	<0.1	<0.05	5	<0.5	<0.2
L24N150E	Soil		48	0.47	83	0.035	<20	1.19	0.003	0.04	<0.1	0.48	1.7	<0.1	<0.05	4	<0.5	<0.2
L24N100E	Soil		49	0.54	90	0.032	<20	1.86	0.003	0.06	<0.1	0.12	2.8	0.2	<0.05	7	0.7	<0.2
L24N050E	Soil		36	0.40	157	0.041	<20	1.04	0.003	0.06	<0.1	0.49	1.5	0.1	<0.05	4	<0.5	<0.2
L24N00W	Soil		54	0.63	84	0.033	<20	1.63	0.004	0.06	<0.1	0.13	3.1	0.1	<0.05	5	<0.5	<0.2
L24N050W	Soil		49	0.62	124	0.016	<20	1.75	0.004	0.05	<0.1	0.69	1.8	0.1	<0.05	5	0.6	<0.2
L24N100W	Soil		53	0.66	277	0.014	<20	1.64	0.004	0.09	<0.1	0.32	1.9	0.1	<0.05	5	<0.5	<0.2
L24N150W	Soil		49	0.62	423	0.014	<20	1.53	0.005	0.10	<0.1	0.18	1.9	0.2	<0.05	5	0.5	<0.2
L24N200W	Soil		52	0.68	198	0.022	<20	1.78	0.004	0.08	<0.1	0.40	2.2	0.1	<0.05	5	0.8	<0.2
L26N 1050E	Soil		56	0.67	106	0.052	<20	1.12	0.004	0.07	<0.1	0.12	3.0	<0.1	<0.05	4	<0.5	<0.2
L26N 1000E	Soil		54	0.67	147	0.039	<20	1.10	0.004	0.06	0.2	0.20	2.5	<0.1	<0.05	3	<0.5	<0.2
L26N 900E	Soil		62	0.57	140	0.038	<20	0.91	0.005	0.05	<0.1	0.04	2.4	<0.1	<0.05	3	<0.5	<0.2
L26N 850E	Soil		66	0.70	259	0.010	<20	1.50	0.005	0.05	<0.1	0.18	2.6	0.2	<0.05	5	<0.5	<0.2
L26N 800E	Soil		101	0.77	195	0.025	<20	0.98	0.014	0.05	0.5	0.09	4.2	0.1	<0.05	3	0.6	<0.2
L26N 750E	Soil		123	0.78	260	0.031	<20	0.92	0.015	0.06	1.0	0.26	5.6	<0.1	<0.05	3	0.8	<0.2
L26N 700E	Soil		110	0.81	205	0.028	<20	0.94	0.015	0.07	1.4	0.05	5.8	<0.1	<0.05	3	0.6	<0.2
L26N 650E	Soil		106	0.75	212	0.026	<20	0.97	0.014	0.05	0.4	0.20	4.8	0.2	<0.05	3	1.2	<0.2
L26N 600E	Soil		82	0.67	259	0.026	<20	1.64	0.004	0.07	0.2	5.39	5.9	1.0	<0.05	4	0.7	<0.2
L26N 550E	Soil		73	0.45	105	0.049	<20	1.65	0.004	0.04	<0.1	28.81	2.9	<0.1	<0.05	6	<0.5	<0.2
L26N 500E	Soil		59	0.40	123	0.042	<20	1.67	0.003	0.03	<0.1	5.59	2.7	<0.1	<0.05	5	<0.5	<0.2
L26N 450E	Soil		70	0.66	131	0.044	<20	1.47	0.003	0.06	<0.1	2.60	3.9	0.1	<0.05	4	<0.5	<0.2
L26N 400E	Soil		87	0.64	145	0.028	<20	2.11	0.004	0.03	<0.1	2.43	4.0	<0.1	<0.05	6	<0.5	<0.2
L26N 350E	Soil		77	0.64	162	0.044	<20	2.19	0.004	0.04	<0.1	1.11	4.2	0.1	<0.05	7	<0.5	<0.2
L26N 300E	Soil		74	0.63	219	0.025	<20	2.21	0.005	0.04	<0.1	4.53	5.8	0.2	<0.05	6	0.7	<0.2
L26N 250E	Soil		76	1.00	199	0.039	<20	1.85	0.006	0.10	<0.1	3.13	6.0	0.2	<0.05	4	0.8	<0.2
L26N 200E	Soil		51	0.43	67	0.038	<20	1.62	0.004	0.03	<0.1	0.18	3.2	<0.1	<0.05	6	<0.5	<0.2
L26N 150E	Soil		38	0.36	103	0.037	<20	1.50	0.003	0.05	<0.1	0.12	2.9	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L26N 100E	Soil	2.5	21.0	8.5	57	0.2	26.6	6.0	432	3.05	15.5	3.9	0.8	6	0.3	1.9	0.2	49	0.10	0.057	10
L26N 050E	Soil	1.7	17.4	6.5	52	0.2	15.5	4.6	883	2.13	8.1	2.2	1.1	6	0.3	1.6	0.2	48	0.09	0.079	13
L26N 000W	Soil	4.0	41.1	8.5	73	0.3	34.4	8.9	548	2.50	8.7	3.2	0.2	23	0.5	1.3	0.2	45	0.32	0.056	15
L26N 050W	Soil	2.0	24.6	8.3	63	0.2	29.5	6.6	379	2.94	10.5	2.1	0.2	7	0.3	1.6	0.3	61	0.10	0.064	12
L26N 100W	Soil	3.2	30.3	7.9	85	0.1	44.8	9.3	545	3.47	12.2	2.7	0.7	8	0.3	1.7	0.2	50	0.11	0.052	13
L26N 150W	Soil	2.6	23.1	9.9	50	0.1	21.4	4.2	246	2.34	11.5	2.6	0.4	23	0.4	1.4	0.3	47	0.34	0.029	15
L26N 200W	Soil	4.1	47.0	14.2	175	0.8	52.5	22.5	3193	3.04	22.1	6.5	0.4	31	3.8	3.6	0.3	41	0.38	0.087	18
L12N 2000E	Soil	1.7	55.5	35.6	67	0.2	52.2	25.3	446	6.58	6.5	2.3	0.6	31	<0.1	0.9	0.4	285	0.59	0.146	3
L12N 1950E	Soil	1.2	14.8	11.4	58	0.2	41.1	14.1	225	3.31	5.2	2.8	0.7	12	0.1	0.6	0.5	103	0.29	0.046	3
L12N 1900E	Soil	1.4	18.8	11.9	47	0.1	30.9	10.6	348	2.94	4.8	3.2	0.9	13	<0.1	0.7	0.2	92	0.25	0.042	6
L12N 1850E	Soil	1.9	25.5	6.8	72	0.2	23.5	5.3	249	2.09	7.9	9.2	2.5	6	0.3	1.2	0.2	30	0.09	0.079	15
L12N 1800E	Soil	1.6	25.5	9.2	53	0.2	21.5	4.0	206	1.96	9.3	5.5	2.2	7	0.3	1.3	0.2	29	0.07	0.072	14
L12N 1700E	Soil	4.0	71.6	24.7	396	0.4	33.2	13.0	812	3.09	164.0	19.3	1.5	31	2.4	10.7	1.0	39	0.64	0.092	14
L12N 1650E	Soil	3.8	83.4	23.3	450	0.4	34.4	12.7	813	2.92	159.5	8.3	1.4	30	2.8	10.3	1.0	37	0.58	0.085	14
L12N 1600E	Soil	4.8	95.9	30.1	416	0.4	36.0	13.9	888	3.10	164.4	8.7	1.3	19	2.8	12.9	1.3	38	0.38	0.090	17
L12N 1550E	Soil	3.6	84.0	24.5	385	0.4	36.3	12.4	849	3.01	181.8	7.9	1.4	21	2.5	11.5	0.9	38	0.44	0.075	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

CERTIFICATE OF ANALYSIS VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L26N 100E	Soil	56	0.47	71	0.041	<20	1.43	0.004	0.04	<0.1	0.34	2.4	0.1	<0.05	5	<0.5	<0.2
L26N 050E	Soil	49	0.29	132	0.027	<20	1.64	0.003	0.05	<0.1	0.17	2.7	0.1	<0.05	7	<0.5	<0.2
L26N 000W	Soil	53	0.51	388	0.020	<20	1.45	0.004	0.09	<0.1	0.34	2.0	0.1	<0.05	5	<0.5	<0.2
L26N 050W	Soil	54	0.56	126	0.028	<20	1.60	0.003	0.07	<0.1	0.85	2.0	0.1	<0.05	7	<0.5	<0.2
L26N 100W	Soil	57	0.88	151	0.034	<20	1.89	0.004	0.08	<0.1	0.13	2.7	0.1	<0.05	6	<0.5	<0.2
L26N 150W	Soil	44	0.40	261	0.038	<20	1.36	0.005	0.07	<0.1	0.24	2.2	0.1	<0.05	6	<0.5	<0.2
L26N 200W	Soil	52	0.66	432	0.012	<20	1.76	0.005	0.09	<0.1	1.20	2.8	0.2	<0.05	5	<0.5	<0.2
L12N 2000E	Soil	140	1.69	200	0.186	<20	1.64	0.028	0.06	<0.1	0.09	5.2	<0.1	<0.05	9	<0.5	<0.2
L12N 1950E	Soil	214	0.99	150	0.096	<20	1.00	0.014	0.06	<0.1	0.07	3.1	<0.1	<0.05	6	<0.5	<0.2
L12N 1900E	Soil	59	0.70	163	0.049	<20	1.13	0.011	0.05	0.1	0.16	3.2	<0.1	<0.05	4	<0.5	<0.2
L12N 1850E	Soil	32	0.50	109	0.022	<20	1.34	0.003	0.06	<0.1	0.32	2.4	0.1	<0.05	4	<0.5	<0.2
L12N 1800E	Soil	32	0.39	105	0.023	<20	1.15	0.003	0.05	<0.1	0.27	2.1	0.1	<0.05	3	<0.5	<0.2
L12N 1700E	Soil	34	0.71	151	0.035	<20	1.19	0.007	0.08	0.6	0.66	3.9	0.2	<0.05	4	0.6	0.3
L12N 1650E	Soil	32	0.69	159	0.036	<20	1.12	0.007	0.08	0.5	0.37	4.0	0.1	<0.05	4	0.9	<0.2
L12N 1600E	Soil	33	0.72	158	0.032	<20	1.29	0.006	0.08	0.5	0.27	3.7	0.2	<0.05	4	0.9	0.3
L12N 1550E	Soil	35	0.72	161	0.035	<20	1.27	0.006	0.09	0.4	0.30	4.0	0.2	<0.05	4	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
L1S 2250W	Soil	1.6	29.5	10.6	68	0.5	18.5	7.8	314	2.13	4.0	0.8	0.4	25	0.4	0.7	0.2	55	0.36	0.062	16
REP L1S 2250W	QC	1.5	30.4	10.9	66	0.6	18.6	7.6	304	2.12	3.6	0.8	0.4	24	0.3	0.7	0.2	55	0.40	0.065	16
L3S 2600W	Soil	3.0	38.1	6.4	50	0.2	15.9	5.2	204	3.67	6.2	1.2	0.7	6	<0.1	0.8	0.2	64	0.08	0.077	18
REP L3S 2600W	QC	2.8	37.5	6.5	49	0.2	15.5	5.1	204	3.64	6.0	0.7	0.7	6	0.1	0.8	0.2	67	0.08	0.071	18
L19S 1000W	Soil	7.1	62.5	18.5	117	0.2	19.2	9.9	292	3.72	19.5	6.3	3.3	29	0.1	2.2	0.5	26	0.15	0.026	29
REP L19S 1000W	QC	7.2	68.3	19.5	124	0.2	19.8	10.4	279	3.56	19.3	7.1	3.4	29	0.2	2.3	0.5	26	0.15	0.025	28
L19S 1850W	Soil	2.5	95.5	18.2	121	<0.1	35.0	10.1	416	4.17	5.8	<0.5	4.1	9	0.1	0.6	0.9	28	0.06	0.086	20
REP L19S 1850W	QC	2.2	95.7	18.3	124	<0.1	35.1	10.3	401	4.23	6.2	<0.5	3.9	9	0.1	0.6	1.0	28	0.06	0.091	20
L12N 1850E	Soil	1.9	25.5	6.8	72	0.2	23.5	5.3	249	2.09	7.9	9.2	2.5	6	0.3	1.2	0.2	30	0.09	0.079	15
REP L12N 1850E	QC	1.8	25.4	6.8	68	0.2	22.1	5.1	232	2.07	7.1	6.5	2.3	6	0.2	1.1	0.1	29	0.08	0.075	13
Reference Materials																					
STD DS11	Standard	13.9	146.1	135.9	324	1.8	75.6	13.6	1018	2.98	41.0	55.7	7.0	65	2.4	7.6	11.4	49	0.97	0.069	17
STD DS11	Standard	13.6	143.1	132.4	326	1.6	78.5	13.0	1029	3.05	41.4	353.7	6.9	66	2.3	8.3	11.8	49	1.05	0.071	17
STD DS11	Standard	12.6	147.4	132.4	323	1.6	73.3	12.7	1017	3.04	40.0	109.7	7.0	63	2.2	8.0	11.6	47	0.99	0.065	17
STD DS11	Standard	13.9	154.0	139.4	341	1.6	79.4	13.6	1011	3.09	43.0	63.0	6.8	65	2.6	9.2	11.9	51	1.01	0.072	18
STD DS11	Standard	13.7	152.8	136.2	350	2.1	83.3	13.8	1052	3.09	44.5	130.4	7.1	66	2.8	8.0	12.0	48	1.03	0.072	17
STD DS11	Standard	14.1	146.2	134.7	346	1.6	77.2	13.4	990	3.04	45.0	110.0	7.2	66	2.4	8.9	12.0	49	1.00	0.068	18
STD OREAS45EA	Standard	1.5	647.8	13.2	29	0.2	348.4	49.5	360	20.85	10.1	51.2	9.7	3	<0.1	0.3	0.2	275	0.04	0.026	7
STD OREAS45EA	Standard	1.6	636.8	13.1	29	0.2	346.3	50.2	381	21.62	10.4	55.8	10.0	3	<0.1	0.4	0.3	282	0.03	0.028	7
STD OREAS45EA	Standard	1.5	643.5	12.8	29	0.2	362.2	49.9	382	21.93	10.5	49.6	10.0	3	<0.1	0.3	0.3	271	0.03	0.027	7
STD OREAS45EA	Standard	1.7	660.5	13.4	30	0.2	368.8	51.0	390	21.48	10.9	44.1	9.8	3	<0.1	0.3	0.3	294	0.03	0.029	7
STD OREAS45EA	Standard	1.7	692.2	13.9	31	0.2	364.9	48.7	427	22.54	12.1	53.4	10.4	4	<0.1	0.5	0.3	277	0.03	0.025	7
STD OREAS45EA	Standard	1.6	667.2	14.0	30	0.3	355.7	52.0	409	25.88	11.7	51.7	9.6	4	<0.1	0.4	0.3	273	0.04	0.027	7
STD OREAS45EA Expected		1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036	0.029	7.06
STD DS11 Expected		13.9	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002092.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
L1S 2250W	Soil	38	0.74	337	0.015	<20	1.95	0.007	0.06	<0.1	0.07	3.9	0.2	<0.05	6	0.7	<0.2
REP L1S 2250W	QC	39	0.74	333	0.015	<20	1.96	0.008	0.06	<0.1	0.07	3.9	0.2	<0.05	6	0.9	<0.2
L3S 2600W	Soil	29	0.41	74	0.046	<20	1.65	0.002	0.03	0.1	0.04	2.3	0.1	<0.05	6	0.7	<0.2
REP L3S 2600W	QC	29	0.40	72	0.044	<20	1.59	0.003	0.03	<0.1	0.04	2.4	0.1	<0.05	6	0.6	<0.2
L19S 1000W	Soil	10	0.04	229	0.002	<20	0.63	0.001	0.11	<0.1	0.15	2.0	<0.1	<0.05	2	1.0	<0.2
REP L19S 1000W	QC	10	0.05	223	0.002	<20	0.67	<0.001	0.12	<0.1	0.15	2.0	0.1	<0.05	2	1.2	<0.2
L19S 1850W	Soil	22	0.16	232	0.004	<20	0.93	0.001	0.11	<0.1	0.14	2.9	0.2	<0.05	4	0.6	<0.2
REP L19S 1850W	QC	21	0.16	234	0.004	<20	0.90	0.002	0.11	<0.1	0.12	2.9	0.2	<0.05	4	0.6	<0.2
L12N 1850E	Soil	32	0.50	109	0.022	<20	1.34	0.003	0.06	<0.1	0.32	2.4	0.1	<0.05	4	<0.5	<0.2
REP L12N 1850E	QC	31	0.48	108	0.018	<20	1.37	0.003	0.05	<0.1	0.39	2.0	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	56	0.84	406	0.089	<20	1.02	0.068	0.38	2.7	0.22	3.0	4.7	0.25	4	1.9	4.4
STD DS11	Standard	57	0.85	412	0.088	<20	1.10	0.069	0.39	2.8	0.24	2.9	4.8	0.24	5	2.4	4.4
STD DS11	Standard	55	0.81	420	0.086	<20	1.05	0.070	0.38	2.8	0.25	2.7	4.7	0.28	4	1.7	4.5
STD DS11	Standard	60	0.85	438	0.093	<20	1.11	0.072	0.41	3.1	0.24	2.8	5.1	0.28	5	2.1	4.9
STD DS11	Standard	59	0.82	436	0.090	<20	1.09	0.060	0.40	2.8	0.24	3.3	4.9	0.28	5	2.0	4.2
STD DS11	Standard	56	0.80	452	0.096	<20	1.11	0.070	0.39	3.3	0.26	2.9	4.7	0.25	4	2.6	5.1
STD OREAS45EA	Standard	794	0.10	128	0.094	<20	2.62	0.020	0.05	<0.1	<0.01	77.0	<0.1	<0.05	11	1.4	<0.2
STD OREAS45EA	Standard	792	0.10	133	0.091	<20	2.79	0.020	0.05	<0.1	<0.01	78.8	<0.1	<0.05	11	1.5	<0.2
STD OREAS45EA	Standard	828	0.10	133	0.094	<20	2.83	0.021	0.05	<0.1	<0.01	76.3	<0.1	<0.05	11	1.1	<0.2
STD OREAS45EA	Standard	841	0.09	132	0.100	<20	2.72	0.020	0.05	<0.1	<0.01	74.4	<0.1	<0.05	12	0.7	<0.2
STD OREAS45EA	Standard	872	0.10	142	0.096	<20	3.00	0.020	0.06	<0.1	0.02	79.9	<0.1	<0.05	12	1.5	<0.2
STD OREAS45EA	Standard	839	0.09	147	0.095	<20	2.90	0.017	0.05	<0.1	<0.01	70.8	<0.1	<0.05	12	1.8	<0.2
STD OREAS45EA Expected		849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD DS11 Expected		61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.3	3.1	4.9	0.2835	4.7	1.9	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002092.1

		AQ200 Mo ppm 0.1	AQ200 Cu ppm 0.1	AQ200 Pb ppm 0.1	AQ200 Zn ppm 1	AQ200 Ag ppm 0.1	AQ200 Ni ppm 0.1	AQ200 Co ppm 0.1	AQ200 Mn ppm 1	AQ200 Fe % 0.01	AQ200 As ppm 0.5	AQ200 Au ppb 0.5	AQ200 Th ppm 0.1	AQ200 Sr ppm 1	AQ200 Cd ppm 0.1	AQ200 Sb ppm 0.1	AQ200 Bi ppm 0.1	AQ200 V ppm 2	AQ200 Ca % 0.01	AQ200 P % 0.001	AQ200 La ppm 1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: September 26, 2017

QUALITY CONTROL REPORT VAN17002092.1

		AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Gavin Titley
Receiving Lab: Canada-Vancouver
Received: October 03, 2017
Report Date: November 26, 2017
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN17002277.2

CLIENT JOB INFORMATION

Project: Lustdust
Shipment ID: ldr17-01
P.O. Number
Number of Samples: 25

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	25	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ201	25	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
MA370	6	4-Acid Digestion ICP-ES Finish	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : MA370-Cu Pb Zn Ag included.

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7
Canada

CC: Bill Morton
Glen Garratt

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 26, 2017

CERTIFICATE OF ANALYSIS VAN17002277.2

Method		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
79669	Rock	1.28	0.7	17.3	3.6	14	<0.1	3.3	1.1	95	0.58	3.0	<0.5	0.6	2	<0.1	0.4	0.2	<2	<0.01	0.007
79670	Rock	1.14	0.4	31.7	7.8	34	0.2	1.7	2.4	182	1.11	1.3	<0.5	2.3	61	0.1	1.5	<0.1	18	0.51	0.032
79671	Rock	0.95	17.9	81.9	7.1	42	0.1	52.5	15.0	336	2.29	120.3	<0.5	3.4	84	0.5	6.5	0.5	115	1.56	0.170
79672	Rock	0.76	6.0	48.7	15.2	57	0.1	10.5	1.6	291	3.36	8.6	1.4	4.4	15	<0.1	1.7	0.3	21	0.02	0.058
79673	Rock	1.13	3.5	37.0	4.7	40	0.2	11.4	3.3	312	1.60	8.5	<0.5	2.5	26	0.2	2.2	0.2	34	0.26	0.022
79674	Rock	1.03	0.8	11.0	5.6	13	0.2	1.4	0.2	43	0.86	33.0	<0.5	0.1	5	<0.1	3.9	0.9	3	0.01	0.012
79675	Rock	2.06	<0.1	398.9	>10000	>10000	>100	1.7	1.9	1338	16.74	1625.3	1.5	<0.1	13	901.3	>2000	2.0	2	3.09	0.003
79676	Rock	1.42	4.6	214.9	953.6	2215	7.0	8.7	3.6	107	34.39	9412.8	450.4	2.1	7	17.1	476.7	134.5	51	0.30	0.084
79677	Rock	1.49	5.5	7287.7	38.9	189	0.4	24.8	8.7	2451	8.61	101.7	<0.5	2.4	8	1.4	22.9	3.4	31	12.87	0.076
79678	Rock	2.31	2.7	>10000	8.3	149	93.8	25.1	14.3	1452	16.14	419.4	976.8	0.9	13	0.9	6.0	22.7	11	16.13	0.797
79679	Rock	1.28	13.8	>10000	5.9	196	>100	27.3	20.0	960	11.70	182.0	1503.1	0.4	2	1.5	5.7	9.7	15	6.94	0.037
79680	Rock	1.29	0.1	131.3	3.5	112	0.2	54.7	35.1	1140	6.93	1.8	2.1	0.2	63	0.2	1.4	<0.1	247	2.58	0.082
79681	Rock	1.11	0.3	64.5	2.8	129	<0.1	46.2	42.0	1043	9.48	1.1	3.5	0.3	17	0.2	0.7	<0.1	282	1.50	0.091
79682	Rock	1.25	9.8	125.0	146.6	987	1.2	274.5	50.1	128	12.65	135.5	35.3	2.3	101	14.7	60.5	0.1	123	4.16	0.638
79683	Rock	1.35	0.3	16.7	6.7	44	<0.1	5.2	2.4	304	1.12	3.1	<0.5	0.5	19	0.2	2.1	<0.1	4	0.59	0.028
79684	Rock	1.04	5.3	60.8	14.7	95	0.7	163.2	33.2	1328	5.08	224.1	19.3	1.7	441	0.7	12.6	0.6	39	18.92	0.239
79685	Rock	2.30	5.9	699.8	7585.3	8987	55.0	3.7	1.7	100	>40	>10000	4011.1	<0.1	12	397.1	861.0	263.2	21	1.02	0.099
79686	Rock	1.92	3.4	31.1	2116.2	>10000	11.6	23.1	3.5	884	35.64	>10000	28.9	0.3	4	558.1	1457.3	0.6	77	0.27	0.175
79687	Rock	1.03	0.9	51.4	12.1	333	0.1	105.9	9.1	505	8.15	59.1	2.4	3.3	280	2.3	6.0	0.2	361	16.51	1.359
79688	Rock	1.51	3.7	57.7	4.2	193	<0.1	299.9	61.2	761	6.60	31.0	<0.5	2.5	156	0.4	3.4	<0.1	103	10.79	0.355
79689	Rock	1.10	1.0	389.7	122.6	>10000	9.0	0.9	6.6	2765	22.60	1448.0	643.9	<0.1	3	>2000	87.1	38.3	3	0.33	0.097
79690	Rock	0.59	1.7	1056.8	141.9	>10000	9.7	2.3	9.5	791	33.98	1118.2	160.7	<0.1	16	316.6	52.8	28.0	19	2.32	0.050
79691	Rock	1.18	24.7	94.8	6.6	228	0.3	30.7	10.3	133	2.45	85.2	14.6	4.0	29	2.0	7.5	0.5	71	0.35	0.034
79692	Rock	1.49	7.8	197.4	116.5	4198	3.4	17.5	5.2	210	9.18	1731.9	22.5	4.2	11	23.9	55.5	19.4	48	0.34	0.072
79693	Rock	1.83	8.2	74.1	509.3	197	2.9	5.2	2.0	73	4.38	74.4	56.7	2.0	9	0.8	6.8	6.5	27	0.12	0.034

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 26, 2017

CERTIFICATE OF ANALYSIS VAN17002277.2

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	MA370	MA370	MA370
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Cu	Pb	Zn
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.001	0.02	0.01
79669	Rock	3	3	0.01	127	<0.001	2	0.12	0.001	0.10	<0.1	0.04	0.8	<0.1	<0.05	<1	<0.5	<0.2			
79670	Rock	7	3	0.27	117	0.057	3	1.40	0.180	0.13	0.2	<0.01	2.1	0.1	<0.05	6	<0.5	<0.2			
79671	Rock	12	52	0.35	152	0.093	3	1.95	0.201	0.08	0.3	<0.01	4.7	<0.1	0.41	6	4.2	<0.2			
79672	Rock	16	11	0.49	120	0.003	6	1.14	0.012	0.22	<0.1	0.07	2.0	0.2	<0.05	4	2.5	<0.2			
79673	Rock	6	19	0.60	92	0.060	2	1.04	0.071	0.15	0.1	<0.01	3.8	0.2	<0.05	4	0.6	<0.2			
79674	Rock	<1	3	0.03	12	<0.001	1	0.09	0.003	0.02	<0.1	<0.01	0.5	<0.1	<0.05	<1	0.7	<0.2			
79675	Rock	<1	4	0.11	3	<0.001	<1	<0.01	0.001	<0.01	<0.1	0.55	<0.1	<0.1	>10	4	3.8	3.9	0.046	>10	12.61
79676	Rock	6	17	0.08	136	0.060	<1	0.47	0.003	0.08	81.3	0.57	1.6	0.2	0.23	3	24.6	30.9			
79677	Rock	11	13	0.41	14	0.091	<1	1.83	0.004	0.10	9.7	<0.01	6.2	0.4	<0.05	8	<0.5	0.6			
79678	Rock	26	6	0.08	3	0.019	4	0.57	0.002	<0.01	80.6	0.02	3.6	<0.1	2.99	10	14.9	1.8	3.127	<0.02	0.01
79679	Rock	10	3	0.21	8	0.004	3	0.54	0.003	<0.01	26.6	0.02	1.1	<0.1	4.62	7	19.0	2.7	3.733	<0.02	0.02
79680	Rock	3	64	2.80	396	0.482	6	3.53	0.043	0.15	0.2	<0.01	6.7	<0.1	<0.05	14	<0.5	<0.2			
79681	Rock	3	54	3.23	363	0.513	8	4.30	0.020	0.14	0.1	<0.01	9.6	<0.1	<0.05	15	<0.5	<0.2			
79682	Rock	16	272	1.60	23	0.282	7	4.47	0.173	0.96	0.8	0.05	8.3	0.5	9.19	18	11.8	<0.2			
79683	Rock	4	2	0.07	293	<0.001	4	0.53	0.057	0.17	<0.1	0.11	1.3	<0.1	<0.05	1	<0.5	<0.2			
79684	Rock	17	72	2.45	87	0.003	4	1.08	0.006	0.12	0.2	0.63	10.1	0.2	2.28	3	1.0	<0.2			
79685	Rock	<1	65	0.03	276	<0.001	1	0.04	<0.001	0.02	0.1	1.60	0.3	0.5	<0.05	3	<0.5	<0.2			
79686	Rock	20	20	0.03	78	0.001	2	0.13	<0.001	0.02	1.2	0.66	0.4	0.7	<0.05	4	3.6	2.4	0.004	0.22	19.25
79687	Rock	47	313	5.66	81	0.024	4	3.19	0.008	0.11	<0.1	0.02	10.2	0.1	0.07	14	1.2	<0.2			
79688	Rock	29	228	3.46	103	0.015	4	3.60	0.007	0.25	<0.1	0.01	14.4	0.1	<0.05	12	<0.5	<0.2			
79689	Rock	2	4	0.06	7	<0.001	<1	0.03	<0.001	<0.01	2.9	1.33	<0.1	<0.1	8.90	10	36.8	8.8	0.055	<0.02	31.55
79690	Rock	2	8	0.42	5	<0.001	<1	0.06	<0.001	0.01	9.1	0.58	0.5	<0.1	>10	3	54.6	5.5	0.107	<0.02	5.57
79691	Rock	4	32	1.10	150	0.056	1	1.92	0.090	0.62	0.1	<0.01	7.4	0.6	0.94	7	3.2	0.3			
79692	Rock	11	16	0.45	111	0.074	3	1.01	0.018	0.18	2.5	0.03	3.3	0.8	<0.05	5	1.3	8.7			
79693	Rock	8	10	0.08	200	0.018	2	0.32	0.018	0.11	1.0	0.04	1.9	0.1	0.73	2	5.7	1.1			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 26, 2017

CERTIFICATE OF ANALYSIS VAN17002277.2

		Method	MA370
		Analyte	Ag
		Unit	gm/t
		MDL	2
79669	Rock		
79670	Rock		
79671	Rock		
79672	Rock		
79673	Rock		
79674	Rock		
79675	Rock		127
79676	Rock		
79677	Rock		
79678	Rock		93
79679	Rock		119
79680	Rock		
79681	Rock		
79682	Rock		
79683	Rock		
79684	Rock		
79685	Rock		
79686	Rock		12
79687	Rock		
79688	Rock		
79689	Rock		13
79690	Rock		10
79691	Rock		
79692	Rock		
79693	Rock		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 26, 2017

QUALITY CONTROL REPORT VAN17002277.2

	Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
79675	Rock	2.06	<0.1	398.9	>10000	>10000	>100	1.7	1.9	1338	16.74	1625.3	1.5	<0.1	13	901.3	>2000	2.0	2	3.09	0.003
REP 79675	QC																				
REP 79681	QC		0.2	68.4	3.2	134	<0.1	49.5	43.1	1040	9.45	1.8	2.0	0.3	18	0.1	0.8	<0.1	277	1.48	0.086
Core Reject Duplicates																					
79681	Rock	1.11	0.3	64.5	2.8	129	<0.1	46.2	42.0	1043	9.48	1.1	3.5	0.3	17	0.2	0.7	<0.1	282	1.50	0.091
DUP 79681	QC		0.2	65.3	2.4	128	<0.1	49.2	43.8	1061	9.59	0.6	0.8	0.3	16	0.1	0.9	<0.1	288	1.56	0.087
Reference Materials																					
STD CDN-ME-14	Standard																				
STD CDN-ME-9	Standard																				
STD DS11	Standard		14.0	148.9	135.2	342	1.7	74.4	15.0	979	3.14	43.8	95.1	8.4	76	2.6	8.4	10.7	50	1.07	0.069
STD DS11	Standard		14.2	141.5	139.5	379	1.7	77.2	14.0	1033	3.14	43.7	109.3	7.6	74	2.4	9.1	11.7	47	1.01	0.070
STD OXC129	Standard		1.0	25.9	5.4	36	<0.1	68.7	20.1	420	3.10	<0.5	170.6	1.6	185	<0.1	<0.1	<0.1	54	0.81	0.091
STD OXC129	Standard		1.1	25.8	6.0	44	<0.1	76.0	20.8	389	2.99	1.1	193.2	1.9	190	<0.1	<0.1	<0.1	50	0.64	0.102
STD OXC129 Expected			1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD CDN-ME-14 Expected																					
STD CDN-ME-9 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
Prep Wash																					
ROCK-VAN	Prep Blank		1.0	11.6	1.2	37	<0.1	1.1	3.8	647	1.81	1.2	<0.5	1.8	34	<0.1	<0.1	<0.1	19	0.77	0.037
ROCK-VAN	Prep Blank		0.7	8.8	1.2	35	<0.1	1.3	3.8	588	1.61	1.9	1.0	1.7	47	<0.1	<0.1	<0.1	18	1.05	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 26, 2017

QUALITY CONTROL REPORT VAN17002277.2

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	MA370	MA370	MA370
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Cu	Pb	Zn
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.001	0.02	0.01
Pulp Duplicates																					
79675	Rock	<1	4	0.11	3	<0.001	<1	<0.01	0.001	<0.01	<0.1	0.55	<0.1	<0.1	>10	4	3.8	3.9	0.046	>10	12.61
REP 79675	QC																		0.046	>10	12.60
REP 79681	QC	3	54	3.27	385	0.500	6	4.35	0.020	0.14	0.2	<0.01	9.5	<0.1	<0.05	16	<0.5	<0.2			
Core Reject Duplicates																					
79681	Rock	3	54	3.23	363	0.513	8	4.30	0.020	0.14	0.1	<0.01	9.6	<0.1	<0.05	15	<0.5	<0.2			
DUP 79681	QC	3	55	3.22	385	0.546	10	4.38	0.029	0.14	0.1	<0.01	9.2	<0.1	<0.05	17	<0.5	<0.2			
Reference Materials																					
STD CDN-ME-14	Standard																		1.250	0.46	3.25
STD CDN-ME-9	Standard																		0.676	<0.02	0.01
STD DS11	Standard	19	57	0.85	335	0.097	8	1.23	0.075	0.42	2.5	0.23	3.4	5.0	0.28	5	1.6	4.8			
STD DS11	Standard	18	59	0.84	392	0.093	7	1.11	0.071	0.41	3.2	0.27	3.1	4.9	0.28	5	2.2	4.8			
STD OXC129	Standard	11	47	1.54	43	0.379	2	1.71	0.608	0.38	<0.1	<0.01	1.2	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129	Standard	12	49	1.52	54	0.395	3	1.54	0.581	0.37	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129 Expected		12.5	52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5					
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56			
STD CDN-ME-14 Expected																			1.221	0.495	3.1
STD CDN-ME-9 Expected																			0.654		0.012
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																		<0.001	<0.02	<0.01
Prep Wash																					
ROCK-VAN	Prep Blank	7	3	0.51	50	0.081	4	1.15	0.103	0.11	<0.1	<0.01	3.1	<0.1	0.06	4	<0.5	<0.2			
ROCK-VAN	Prep Blank	7	3	0.48	42	0.080	1	1.28	0.061	0.08	0.1	<0.01	3.2	<0.1	0.08	5	<0.5	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: November 26, 2017

QUALITY CONTROL REPORT VAN17002277.2

	Method	MA370
	Analyte	Ag
	Unit	gm/t
	MDL	2
Pulp Duplicates		
79675	Rock	127
REP 79675	QC	127
REP 79681	QC	
Core Reject Duplicates		
79681	Rock	
DUP 79681	QC	
Reference Materials		
STD CDN-ME-14	Standard	44
STD CDN-ME-9	Standard	3
STD DS11	Standard	
STD DS11	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC129 Expected		
STD DS11 Expected		
STD CDN-ME-14 Expected		42.3
STD CDN-ME-9 Expected		
BLK	Blank	
BLK	Blank	
BLK	Blank	<2
Prep Wash		
ROCK-VAN	Prep Blank	
ROCK-VAN	Prep Blank	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Gavin Titley
Receiving Lab: Canada-Vancouver
Received: October 25, 2017
Report Date: November 18, 2017
Page: 1 of 11

CERTIFICATE OF ANALYSIS VAN17002508.1

CLIENT JOB INFORMATION

Project: Lustdust
Shipment ID: Ids 17-03
P.O. Number
Number of Samples: 300

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	280	Dry at 60C			VAN
SS80	280	Dry at 60C sieve 100g to -80 mesh			VAN
SLBHP	20	Sort, label and box pulps			VAN
AQ200	280	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
DRPLP	280	Warehouse handling / disposition of pulps			VAN

ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7
Canada

CC: Bill Morton
Glen Garratt
Bob Johnston

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L21S 200W	Soil		3.3	21.0	8.6	95	0.3	18.8	6.5	428	3.76	9.4	0.7	1.8	6	0.3	1.0	0.2	58	0.08	0.151	8
L21S 250W	Soil		4.3	28.6	8.6	151	0.2	21.0	12.8	299	4.52	7.6	<0.5	1.4	32	0.4	0.8	0.2	81	0.25	0.071	14
L21S 300W	Soil		2.6	76.4	9.0	72	0.2	23.8	10.9	577	2.69	5.1	4.5	1.5	63	0.5	0.6	0.2	45	0.63	0.028	10
L21S 350W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L21S 400W	Soil		3.7	24.1	6.8	60	<0.1	16.8	5.3	239	3.23	8.7	41.5	1.2	9	0.2	1.0	0.2	73	0.11	0.040	6
L21S 450W	Soil		2.7	25.6	7.4	86	0.2	20.6	6.7	395	2.90	8.7	<0.5	1.1	8	0.3	0.9	0.2	47	0.13	0.097	9
L21S 500W	Soil		2.1	14.7	6.3	43	<0.1	9.3	3.2	166	1.69	4.5	0.5	1.2	6	0.2	0.6	0.1	52	0.09	0.038	9
L21S 550W	Soil		4.1	78.8	13.3	87	0.4	36.8	13.0	621	3.34	19.2	2.1	1.7	47	0.4	2.0	0.3	44	0.59	0.060	12
L21S 600W	Soil		3.5	184.6	18.1	168	1.7	51.5	11.8	502	3.60	9.1	14.0	4.3	75	0.5	0.6	0.7	26	0.91	0.118	31
L21S 650W	Soil		4.6	126.4	11.9	84	0.6	42.2	15.1	3507	3.03	8.0	0.7	1.6	63	1.0	0.9	0.2	69	0.82	0.038	22
L21S 700W	Soil		4.8	181.2	12.2	106	0.6	55.5	13.2	1499	3.25	11.7	10.3	2.1	48	0.7	1.0	0.3	56	0.52	0.038	22
L21S 750W	Soil		3.0	76.5	7.6	63	0.8	46.8	11.4	425	3.08	13.2	2.1	1.6	53	0.7	1.2	0.2	45	0.62	0.029	13
L21S 800W	Soil		2.3	41.8	6.5	91	0.4	38.0	12.9	627	2.75	3.7	3.2	1.1	37	0.2	0.6	0.1	43	0.50	0.044	10
L21S 850W	Soil		3.1	22.7	6.6	68	0.2	19.0	7.0	282	2.62	6.5	<0.5	1.6	8	0.2	0.6	0.1	51	0.08	0.042	9
L21S 900W	Soil		3.0	24.4	7.7	129	0.2	19.5	8.6	455	2.91	6.1	0.9	1.4	35	0.9	0.6	0.2	56	0.45	0.054	9
L21S 950W	Soil		2.6	88.7	10.3	92	0.4	32.9	11.6	1060	2.80	4.7	1.5	2.2	56	0.6	0.5	0.2	52	0.81	0.037	20
L21S 1000W	Soil		4.0	110.6	10.6	126	0.2	73.5	16.7	829	4.32	12.0	2.0	3.0	33	0.4	1.1	0.2	55	0.47	0.055	17
L21S 1050W	Soil		3.5	105.6	9.1	110	0.3	67.3	16.0	809	3.52	7.6	2.8	3.3	24	0.5	1.0	0.2	58	0.38	0.032	20
L21S 1100W	Soil		7.7	173.6	18.4	241	1.3	76.9	20.2	1957	5.11	12.6	3.0	5.8	76	1.3	0.8	0.7	69	0.83	0.063	27
L21S 1150W	Soil		2.8	22.1	10.3	69	0.5	16.1	5.9	207	3.14	6.7	0.8	2.2	7	0.3	0.7	0.2	75	0.07	0.144	11
L21S 1200W	Soil		3.8	43.9	6.2	56	<0.1	16.6	7.1	199	2.49	6.6	2.4	2.6	7	<0.1	0.6	0.2	62	0.07	0.023	18
L21S 1250W	Soil		2.2	24.0	4.9	76	<0.1	24.1	6.0	253	2.23	3.2	0.6	1.8	7	0.2	0.3	<0.1	35	0.10	0.030	12
L21S 1300W	Soil		2.5	34.0	7.3	63	<0.1	19.4	5.4	291	3.42	6.5	<0.5	2.3	5	<0.1	0.5	0.1	52	0.06	0.049	12
L21S 1350W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L21S 1400W	Soil		7.0	37.9	6.1	86	<0.1	57.2	16.7	493	4.75	6.3	<0.5	2.0	7	0.4	1.3	0.2	214	0.09	0.033	11
L21S 1450W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L21S 1500W	Soil		2.9	21.9	7.1	128	0.3	17.0	8.8	526	1.96	2.6	<0.5	1.2	27	0.4	0.2	0.1	54	0.34	0.022	11
L21S 1550W	Soil		3.4	43.0	7.4	112	0.2	24.3	14.2	776	4.90	13.6	0.7	1.5	10	0.4	0.8	0.2	87	0.18	0.203	10
L21S 1600W	Soil		5.2	168.7	16.0	241	3.0	133.8	25.9	5362	4.49	9.6	6.0	1.6	76	5.0	1.0	0.3	61	1.37	0.143	50
L21S 1650W	Soil		3.0	57.6	7.6	194	0.6	44.2	15.0	913	2.75	4.1	2.1	1.3	42	0.9	0.6	0.1	52	0.56	0.045	21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L21S 200W	Soil		38	0.27	59	0.075	<20	1.47	<0.001	0.06	0.2	0.04	2.5	<0.1	<0.05	7	<0.5	<0.2
L21S 250W	Soil		39	0.29	229	0.028	<20	1.73	0.001	0.06	<0.1	0.04	3.2	<0.1	<0.05	9	<0.5	<0.2
L21S 300W	Soil		48	0.47	278	0.074	<20	1.41	0.003	0.06	<0.1	0.11	5.0	0.1	<0.05	5	0.8	<0.2
L21S 350W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L21S 400W	Soil		32	0.26	74	0.070	<20	1.09	<0.001	0.05	<0.1	0.03	2.3	<0.1	<0.05	6	<0.5	<0.2
L21S 450W	Soil		36	0.28	97	0.045	<20	1.29	0.001	0.05	<0.1	0.03	2.4	<0.1	<0.05	5	<0.5	<0.2
L21S 500W	Soil		18	0.15	69	0.069	<20	0.85	<0.001	0.04	<0.1	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
L21S 550W	Soil		52	0.59	343	0.014	<20	1.64	0.004	0.10	<0.1	0.18	4.0	0.1	<0.05	5	1.1	<0.2
L21S 600W	Soil		40	0.67	312	0.002	<20	1.91	<0.001	0.10	<0.1	0.66	5.8	0.2	<0.05	4	1.5	<0.2
L21S 650W	Soil		62	0.44	484	0.029	<20	1.86	0.001	0.06	<0.1	0.19	6.1	0.2	<0.05	7	0.8	<0.2
L21S 700W	Soil		59	0.58	402	0.019	<20	2.00	0.005	0.06	<0.1	0.25	6.4	0.2	<0.05	7	1.2	<0.2
L21S 750W	Soil		41	0.50	303	0.025	<20	1.40	0.002	0.06	<0.1	0.10	4.1	0.1	<0.05	4	<0.5	<0.2
L21S 800W	Soil		54	0.70	251	0.020	<20	1.40	0.003	0.08	<0.1	0.35	6.8	0.1	<0.05	4	<0.5	<0.2
L21S 850W	Soil		34	0.38	186	0.038	<20	1.48	<0.001	0.06	<0.1	0.04	2.8	0.1	<0.05	6	<0.5	<0.2
L21S 900W	Soil		36	0.32	314	0.043	<20	1.15	0.001	0.11	<0.1	0.04	2.7	<0.1	<0.05	6	<0.5	<0.2
L21S 950W	Soil		33	0.47	368	0.014	<20	1.65	0.002	0.08	<0.1	0.07	4.6	0.2	<0.05	5	0.6	<0.2
L21S 1000W	Soil		51	0.63	260	0.029	<20	1.93	0.003	0.10	<0.1	0.10	5.5	0.2	<0.05	5	0.8	<0.2
L21S 1050W	Soil		116	0.82	289	0.022	<20	1.65	0.002	0.06	<0.1	0.09	8.8	0.2	<0.05	5	<0.5	<0.2
L21S 1100W	Soil		48	0.42	815	0.004	<20	3.41	0.003	0.12	<0.1	0.15	8.7	0.4	<0.05	9	0.7	<0.2
L21S 1150W	Soil		36	0.30	136	0.044	<20	1.92	<0.001	0.05	<0.1	0.09	3.9	0.1	<0.05	8	<0.5	<0.2
L21S 1200W	Soil		22	0.18	82	0.019	<20	0.89	<0.001	0.06	<0.1	0.01	2.5	0.1	<0.05	6	<0.5	<0.2
L21S 1250W	Soil		28	0.42	118	0.025	<20	1.43	<0.001	0.05	<0.1	0.02	2.5	<0.1	<0.05	4	<0.5	<0.2
L21S 1300W	Soil		32	0.44	112	0.030	<20	1.82	<0.001	0.05	<0.1	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
L21S 1350W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L21S 1400W	Soil		194	0.95	170	0.004	<20	2.11	<0.001	0.03	<0.1	0.03	9.7	0.1	<0.05	14	<0.5	<0.2
L21S 1450W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L21S 1500W	Soil		39	0.42	268	0.038	<20	1.73	0.001	0.04	<0.1	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
L21S 1550W	Soil		41	0.42	99	0.071	<20	1.51	<0.001	0.06	<0.1	0.03	5.6	<0.1	<0.05	7	<0.5	<0.2
L21S 1600W	Soil		82	0.48	506	0.024	<20	3.06	0.006	0.10	<0.1	0.25	9.3	0.4	<0.05	7	1.6	<0.2
L21S 1650W	Soil		44	0.60	314	0.027	<20	2.03	0.002	0.07	<0.1	0.05	3.9	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L21S 1700W	Soil		3.9	68.6	11.3	191	0.7	57.7	16.8	1442	3.89	8.4	1.1	2.1	52	1.2	0.9	0.3	58	0.52	0.077	16
L21S 1750W	Soil		2.4	22.0	6.9	75	0.1	17.3	6.1	246	2.64	16.2	1.1	1.3	21	0.4	1.0	0.2	53	0.25	0.082	10
L21S 1800W	Soil		2.0	40.2	10.0	127	0.6	31.1	17.4	1548	2.84	4.0	5.2	1.2	52	0.9	0.4	0.2	65	0.60	0.045	13
L21S 1850W	Soil		1.9	33.5	7.5	71	0.7	21.8	8.6	604	2.13	5.0	1.1	0.7	49	0.6	0.5	0.1	49	0.58	0.054	19
L22N 1200E	Soil		1.6	10.6	6.4	34	<0.1	12.1	3.8	421	1.60	6.9	0.8	2.0	8	0.2	0.8	0.1	42	0.09	0.070	16
L22N 1150E	Soil		2.1	13.0	7.4	32	0.5	11.7	3.1	362	2.03	11.4	1.0	1.5	6	0.2	1.1	0.1	48	0.08	0.107	10
L22N 1100E	Soil		1.5	13.9	7.9	57	0.1	22.0	6.4	311	3.05	8.3	0.7	1.2	6	0.1	1.7	0.2	88	0.10	0.127	8
L22N 1050E	Soil		1.7	16.9	8.8	59	0.6	27.1	7.4	339	4.02	12.0	0.8	1.3	8	0.2	1.8	0.1	91	0.16	0.169	8
L22N 1000E	Soil		0.2	2.3	6.0	13	0.1	3.9	1.1	37	0.38	1.0	0.9	0.2	11	0.2	0.2	0.1	24	0.23	0.013	12
L22N 950E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L22N 900E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L22N 850E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L22N 800E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L15S 200W	Soil		4.0	105.5	18.8	106	0.6	39.9	13.4	802	3.24	14.7	5.8	1.8	93	0.8	2.9	0.5	43	0.75	0.054	18
L15S 250W	Soil		4.9	140.8	14.9	96	0.8	35.2	10.6	664	3.03	15.8	8.9	1.0	69	0.6	3.1	0.5	35	0.59	0.105	25
L15S 300W	Soil		5.9	128.6	20.8	166	0.7	40.2	13.4	878	3.53	25.4	3.3	0.6	81	0.9	6.5	0.7	53	0.76	0.079	24
L15S 350W	Soil		4.8	86.6	9.6	74	0.6	20.7	7.8	346	3.28	11.0	5.9	1.1	37	0.5	2.2	0.3	63	0.33	0.047	32
L15S 400W	Soil		3.0	24.0	5.4	66	0.2	13.7	4.7	222	2.74	5.1	1.1	2.1	19	0.3	0.6	0.2	61	0.19	0.031	14
L15S 450W	Soil		5.8	193.7	12.4	100	1.3	36.8	11.7	1111	2.95	5.5	6.7	0.9	97	1.9	0.9	0.4	32	0.67	0.120	39
L15S 500W	Soil		8.3	118.1	14.9	141	0.8	34.3	14.5	495	4.31	8.7	4.1	2.9	62	0.6	1.0	0.5	48	0.37	0.044	15
L15S 550W	Soil		5.1	51.5	13.6	96	0.3	18.1	6.3	488	3.14	5.8	0.8	1.1	18	0.4	0.7	0.4	40	0.16	0.091	21
L15S 600W	Soil		3.9	30.9	6.8	88	0.2	16.8	6.2	232	2.84	3.8	0.9	1.7	34	0.4	0.6	0.2	73	0.28	0.035	15
L15S 650W	Soil		5.7	35.6	8.7	81	0.2	16.9	6.2	255	3.38	6.7	1.9	2.1	31	0.7	0.8	0.3	54	0.18	0.032	15
L15S 700W	Soil		3.0	41.9	10.7	277	0.5	22.4	19.4	661	3.66	2.9	2.4	1.4	46	2.4	0.5	0.3	92	0.43	0.073	16
L15S 750W	Soil		7.5	89.8	15.9	117	0.8	13.2	5.2	268	2.35	4.5	1.8	2.6	67	2.4	0.8	0.4	42	0.51	0.055	24
L15S 800W	Soil		4.6	85.4	14.1	199	0.8	25.6	16.6	497	4.50	8.1	2.1	1.5	57	1.0	0.5	0.3	72	0.56	0.063	12
L15S 850W	Soil		2.4	28.2	8.1	96	<0.1	14.1	5.5	241	3.02	4.5	10.7	1.9	7	0.9	0.3	0.2	77	0.35	0.073	10
L15S 900W	Soil		4.1	85.4	13.3	271	0.2	38.2	14.2	1013	3.65	6.0	2.5	3.3	12	2.9	0.4	0.4	115	0.22	0.164	34
L15S 950W	Soil		7.9	702.3	23.1	148	6.3	131.3	32.2	5245	4.70	11.8	33.1	6.4	86	3.5	1.6	0.6	39	0.81	0.126	25
L15S 1000W	Soil		3.3	25.2	6.0	215	0.3	25.9	16.5	556	4.92	4.0	1.1	1.0	16	1.4	0.4	0.2	174	0.22	0.054	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L21S 1700W	Soil	52	0.51	336	0.026	<20	2.18	0.001	0.10	<0.1	0.06	5.2	0.2	<0.05	6	<0.5	<0.2
L21S 1750W	Soil	29	0.20	117	0.066	<20	0.83	<0.001	0.08	<0.1	0.03	2.4	<0.1	<0.05	5	<0.5	<0.2
L21S 1800W	Soil	44	0.39	387	0.028	<20	1.79	0.002	0.07	<0.1	0.03	4.5	<0.1	<0.05	7	<0.5	<0.2
L21S 1850W	Soil	32	0.31	289	0.037	<20	1.51	<0.001	0.05	<0.1	0.04	3.3	<0.1	<0.05	5	<0.5	<0.2
L22N 1200E	Soil	25	0.24	87	0.040	<20	0.89	<0.001	0.06	<0.1	0.04	2.0	<0.1	<0.05	5	<0.5	<0.2
L22N 1150E	Soil	33	0.18	77	0.054	<20	0.87	<0.001	0.03	<0.1	0.26	2.0	<0.1	<0.05	4	<0.5	<0.2
L22N 1100E	Soil	55	0.33	47	0.109	<20	1.37	<0.001	0.03	<0.1	0.21	3.2	<0.1	<0.05	9	<0.5	<0.2
L22N 1050E	Soil	81	0.54	73	0.096	<20	1.57	<0.001	0.04	0.2	0.18	3.5	<0.1	<0.05	7	<0.5	<0.2
L22N 1000E	Soil	22	0.12	102	0.035	<20	0.65	<0.001	0.04	<0.1	0.49	1.0	0.1	<0.05	5	<0.5	<0.2
L22N 950E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L22N 900E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L22N 850E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L22N 800E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L15S 200W	Soil	37	0.62	350	0.011	<20	1.83	0.004	0.09	<0.1	0.29	6.8	0.2	<0.05	5	1.7	<0.2
L15S 250W	Soil	34	0.53	225	0.010	<20	1.49	0.006	0.08	<0.1	0.47	5.9	0.2	<0.05	4	0.6	<0.2
L15S 300W	Soil	32	0.53	512	0.010	<20	1.98	0.005	0.14	0.1	0.15	4.6	0.2	<0.05	6	0.7	<0.2
L15S 350W	Soil	25	0.34	252	0.036	<20	1.37	0.004	0.07	<0.1	0.15	5.0	0.1	<0.05	6	0.6	<0.2
L15S 400W	Soil	25	0.32	173	0.056	<20	1.03	0.003	0.07	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
L15S 450W	Soil	23	0.28	329	0.004	<20	1.61	0.002	0.09	<0.1	0.66	4.6	0.2	<0.05	4	2.9	<0.2
L15S 500W	Soil	22	0.24	303	0.003	<20	1.69	0.003	0.11	<0.1	0.19	4.2	0.2	<0.05	5	1.2	<0.2
L15S 550W	Soil	15	0.24	211	0.005	<20	1.02	0.003	0.17	<0.1	0.03	2.0	0.2	<0.05	5	<0.5	0.2
L15S 600W	Soil	23	0.29	195	0.035	<20	1.32	0.005	0.08	<0.1	0.04	3.2	<0.1	<0.05	7	<0.5	<0.2
L15S 650W	Soil	19	0.36	195	0.015	<20	1.14	0.003	0.11	<0.1	0.03	2.5	<0.1	<0.05	5	0.5	<0.2
L15S 700W	Soil	34	0.37	368	0.055	<20	1.52	0.018	0.08	<0.1	0.04	4.1	0.1	<0.05	8	0.5	<0.2
L15S 750W	Soil	14	0.15	437	0.002	<20	1.12	0.003	0.15	<0.1	0.04	2.2	0.1	<0.05	6	<0.5	0.2
L15S 800W	Soil	28	0.41	382	0.041	<20	2.23	0.006	0.06	0.1	0.10	4.7	0.1	<0.05	9	1.8	<0.2
L15S 850W	Soil	34	0.53	174	0.019	<20	2.82	0.005	0.03	<0.1	0.04	5.7	<0.1	<0.05	10	<0.5	<0.2
L15S 900W	Soil	54	0.31	294	0.004	<20	2.49	0.003	0.06	<0.1	0.03	6.6	0.2	<0.05	8	1.0	<0.2
L15S 950W	Soil	41	0.41	443	0.009	<20	3.38	0.006	0.11	<0.1	1.13	18.8	0.9	<0.05	5	3.6	<0.2
L15S 1000W	Soil	83	1.09	141	0.060	<20	2.03	0.003	0.05	<0.1	0.04	8.2	<0.1	<0.05	13	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15S 1050W	Soil		10.2	366.0	14.0	160	2.3	114.0	23.6	7740	4.17	11.5	11.2	2.0	81	2.7	1.2	0.3	48	0.93	0.138	80
L15S 1100W	Soil		4.0	83.0	2.5	229	0.1	38.2	50.7	1212	14.85	7.5	0.8	0.5	20	0.7	1.0	0.1	383	0.72	0.136	4
L15S 1150W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L15S 1200W	Soil		11.5	80.9	25.8	300	0.1	32.4	14.6	1748	4.78	13.8	1.6	5.9	39	0.4	0.7	0.7	41	0.35	0.063	41
L15S 1250W	Soil		6.3	122.1	17.0	114	0.4	30.0	12.0	1064	3.49	7.9	3.3	2.2	90	0.8	0.8	0.5	43	1.49	0.064	16
L15S 1300W	Soil		9.6	196.3	24.1	177	1.3	83.8	22.5	4700	3.99	9.5	4.7	4.3	85	2.2	0.9	0.6	27	1.12	0.106	17
L15S 1350W	Soil		31.0	186.3	30.5	251	1.8	100.3	28.2	1179	5.79	22.2	5.5	6.5	54	0.9	1.4	0.8	29	0.60	0.075	14
L15S 1400W	Soil		1.4	55.5	10.1	86	<0.1	23.2	4.7	692	3.49	2.5	<0.5	6.2	8	<0.1	0.3	0.5	25	0.08	0.042	28
L15S 1450W	Soil		16.6	70.9	13.8	117	0.2	33.4	13.4	413	3.85	7.6	2.1	4.4	43	0.3	1.8	0.3	44	0.67	0.040	26
L15S 1500W	Soil		2.9	32.8	4.4	148	0.3	17.2	16.0	829	8.47	1.8	0.9	0.6	12	0.4	0.5	0.2	324	1.07	0.136	2
L15S 1550W	Soil		3.2	88.3	10.9	103	0.2	19.5	13.8	585	4.49	5.5	0.7	1.0	86	0.4	0.4	0.3	119	1.48	0.056	15
L17S 350W	Soil		5.3	144.2	15.5	138	1.1	42.6	14.9	1220	3.55	11.3	5.0	1.8	101	1.2	1.7	0.4	44	0.97	0.072	27
L17S 400W	Soil		4.3	212.5	13.3	109	1.4	44.4	13.2	1608	3.10	6.1	3.0	1.2	130	1.9	1.0	0.3	45	1.05	0.068	38
L17S 450W	Soil		1.7	8.0	4.0	30	<0.1	4.7	1.7	169	0.87	1.2	<0.5	0.9	10	0.1	0.3	0.1	30	0.14	0.029	11
L17S 500W	Soil		6.6	139.0	7.8	83	0.8	24.9	8.3	2289	2.56	4.3	2.0	1.9	67	0.6	0.5	0.3	54	0.51	0.046	36
L17S 550W	Soil		4.1	38.9	7.0	94	0.1	21.4	7.6	363	3.07	8.4	<0.5	1.4	14	0.4	0.8	0.1	58	0.17	0.045	11
L17S 600W	Soil		3.5	33.8	7.4	131	<0.1	21.8	6.8	289	2.79	7.0	1.4	1.4	19	0.5	0.8	0.1	50	0.22	0.045	11
L17S 650W	Soil		3.4	33.0	6.6	66	<0.1	17.6	4.5	203	2.22	7.8	1.9	1.2	29	0.3	0.8	0.1	37	0.20	0.041	8
L17S 700W	Soil		7.0	57.4	17.1	162	0.3	19.2	10.8	241	2.52	5.6	1.4	1.9	49	1.4	1.1	0.3	29	0.28	0.071	13
L17S 750W	Soil		7.9	147.6	12.6	127	1.9	52.9	11.0	1212	3.12	6.6	4.3	2.6	67	1.2	0.9	0.3	36	0.45	0.048	26
L17S 800W	Soil		3.4	30.3	7.1	93	0.2	21.2	9.1	335	4.13	6.6	0.7	2.1	11	0.3	0.8	0.3	86	0.21	0.093	13
L17S 850W	Soil		2.6	20.6	5.9	57	<0.1	12.0	4.9	174	1.65	3.4	<0.5	1.4	9	0.2	0.6	0.2	49	0.24	0.056	18
L17S 900W	Soil		0.8	8.3	7.5	43	<0.1	8.8	8.3	405	3.00	<0.5	1.4	0.9	10	0.5	<0.1	0.2	191	2.20	0.058	6
L17S 950W	Soil		2.1	38.4	5.7	160	0.1	28.5	52.7	2726	8.06	3.1	<0.5	0.8	26	0.5	0.4	0.2	226	0.82	0.091	5
L17S 1000W	Soil		3.8	39.1	5.1	90	0.1	24.5	20.9	603	4.46	2.9	1.0	1.3	30	0.2	0.4	0.2	136	0.66	0.047	9
L17S 1050W	Soil		2.8	41.0	5.2	94	0.1	25.2	23.3	678	6.54	4.5	<0.5	0.5	20	0.4	0.2	0.2	300	0.37	0.055	3
L17S 1100W	Soil		1.9	16.0	5.9	94	<0.1	22.9	9.5	262	3.14	1.5	<0.5	0.8	53	0.3	0.3	0.2	113	0.46	0.055	7
L17S 1150W	Soil		17.7	86.9	30.7	126	0.2	15.6	7.8	165	3.96	12.1	3.1	7.4	16	0.3	1.6	0.6	35	0.14	0.050	29
L17S 1200W	Soil		9.6	146.5	22.0	205	1.0	59.6	22.7	2044	3.73	11.8	1.8	3.7	97	1.2	1.2	0.6	41	1.32	0.061	17
L17S 1250W	Soil		14.9	46.9	15.0	80	0.1	14.0	5.2	116	2.31	9.0	<0.5	3.1	21	0.2	1.7	0.5	42	0.41	0.053	32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L15S 1050W	Soil		33	0.87	378	0.013	<20	2.53	0.004	0.08	<0.1	0.85	14.2	0.6	<0.05	5	1.2	<0.2
L15S 1100W	Soil		68	1.62	231	0.600	<20	3.45	0.004	0.10	0.2	0.31	11.3	0.1	<0.05	21	<0.5	<0.2
L15S 1150W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L15S 1200W	Soil		24	0.48	577	0.001	<20	2.09	0.001	0.14	<0.1	0.09	4.1	0.3	<0.05	7	0.6	<0.2
L15S 1250W	Soil		21	0.32	389	0.002	<20	1.38	0.003	0.09	<0.1	0.17	4.6	0.3	<0.05	5	1.7	<0.2
L15S 1300W	Soil		20	0.32	386	0.002	<20	2.36	0.005	0.10	<0.1	0.34	7.3	0.5	<0.05	5	1.6	<0.2
L15S 1350W	Soil		18	0.34	421	<0.001	<20	2.05	0.004	0.13	<0.1	0.26	5.7	0.7	<0.05	4	2.1	<0.2
L15S 1400W	Soil		7	0.06	214	0.001	<20	0.59	<0.001	0.11	<0.1	0.03	2.2	0.1	<0.05	3	<0.5	<0.2
L15S 1450W	Soil		19	0.21	355	<0.001	<20	1.17	0.002	0.09	<0.1	0.07	5.2	0.2	<0.05	3	<0.5	<0.2
L15S 1500W	Soil		74	0.63	145	0.631	<20	2.34	0.006	0.06	<0.1	0.04	5.4	0.1	<0.05	15	<0.5	<0.2
L15S 1550W	Soil		37	0.37	371	0.030	<20	1.86	0.006	0.07	<0.1	0.08	6.7	0.1	<0.05	7	1.4	<0.2
L17S 350W	Soil		32	0.46	489	0.007	<20	1.82	0.005	0.12	<0.1	0.36	6.0	0.3	<0.05	5	1.3	<0.2
L17S 400W	Soil		32	0.35	463	0.010	<20	1.67	0.005	0.08	<0.1	0.33	6.6	0.2	<0.05	5	2.0	<0.2
L17S 450W	Soil		10	0.10	71	0.023	<20	0.72	0.004	0.04	<0.1	0.03	1.8	0.1	<0.05	5	<0.5	<0.2
L17S 500W	Soil		48	0.40	425	0.012	<20	1.86	0.004	0.09	<0.1	0.25	8.9	0.3	<0.05	7	0.5	<0.2
L17S 550W	Soil		27	0.31	110	0.041	<20	1.13	0.004	0.05	<0.1	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
L17S 600W	Soil		29	0.34	112	0.027	<20	1.12	0.003	0.06	<0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
L17S 650W	Soil		24	0.21	58	0.030	<20	0.59	0.002	0.07	<0.1	0.02	2.0	<0.1	<0.05	3	0.6	<0.2
L17S 700W	Soil		19	0.26	291	0.003	<20	1.21	0.005	0.11	<0.1	0.08	2.2	0.2	<0.05	5	0.6	<0.2
L17S 750W	Soil		18	0.21	487	0.002	<20	1.48	0.002	0.09	<0.1	0.30	5.8	0.3	<0.05	4	0.9	<0.2
L17S 800W	Soil		36	0.47	181	0.065	<20	1.80	0.003	0.08	<0.1	0.04	3.6	0.1	<0.05	8	<0.5	<0.2
L17S 850W	Soil		16	0.19	96	0.055	<20	0.68	<0.001	0.07	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
L17S 900W	Soil		39	0.37	107	0.281	<20	2.52	0.007	0.04	<0.1	0.02	3.4	<0.1	<0.05	14	<0.5	<0.2
L17S 950W	Soil		61	0.79	249	0.299	<20	2.10	0.004	0.06	0.1	0.06	5.6	0.1	<0.05	12	<0.5	<0.2
L17S 1000W	Soil		27	0.50	246	0.167	<20	1.57	0.004	0.08	<0.1	0.05	4.5	<0.1	<0.05	8	<0.5	<0.2
L17S 1050W	Soil		87	1.18	121	0.148	<20	2.11	0.002	0.03	<0.1	0.06	9.0	<0.1	<0.05	12	<0.5	<0.2
L17S 1100W	Soil		36	0.39	87	0.183	<20	1.32	0.014	0.04	<0.1	0.03	2.7	<0.1	<0.05	10	<0.5	<0.2
L17S 1150W	Soil		18	0.16	416	0.002	<20	1.42	0.003	0.11	<0.1	0.05	2.8	0.2	<0.05	6	1.0	<0.2
L17S 1200W	Soil		22	0.42	427	0.002	<20	1.98	0.004	0.10	<0.1	0.15	4.3	0.3	<0.05	5	1.4	<0.2
L17S 1250W	Soil		13	0.11	146	0.002	<20	1.02	0.001	0.11	<0.1	0.05	2.1	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L17S 1300W	Soil		1.3	8.0	10.3	46	<0.1	5.8	6.1	1491	1.61	0.8	<0.5	0.8	10	0.2	0.2	0.2	74	0.39	0.040	9
L17S 1350W	Soil		3.3	158.8	5.4	177	0.4	39.9	26.0	3023	5.78	2.4	<0.5	0.9	56	0.9	0.5	0.1	154	1.00	0.077	11
L17S 1400W	Soil		9.4	333.8	12.3	125	0.6	44.0	19.1	1574	3.36	10.4	2.4	1.9	98	0.8	1.7	0.5	44	1.58	0.151	28
L17S 1450W	Soil		2.9	35.2	8.0	80	<0.1	14.1	6.4	236	2.12	5.4	<0.5	1.3	16	0.3	0.4	0.2	48	0.14	0.049	15
L17S 1500W	Soil		8.6	63.3	12.3	91	0.2	20.2	6.1	143	2.84	5.6	1.0	3.8	11	0.2	1.3	0.4	43	0.13	0.041	23
L17S 1550W	Soil		15.7	106.9	26.1	175	1.5	33.0	22.0	1099	4.43	13.3	1.1	5.9	12	0.6	1.5	0.5	45	0.13	0.156	22
L17S 1600W	Soil		5.9	88.0	11.6	66	0.9	30.0	8.7	1408	2.25	5.0	2.0	1.1	105	0.8	1.2	0.3	39	1.18	0.073	15
L17S 1650W	Soil		8.9	67.4	19.5	168	0.5	25.4	17.3	743	3.77	12.2	0.9	2.7	22	0.6	2.8	0.4	54	0.16	0.075	13
L17S 1700W	Soil		1.9	14.7	6.9	87	<0.1	21.6	8.1	347	2.57	4.6	<0.5	1.5	13	0.2	0.7	0.2	63	0.16	0.042	13
L17S 1750W	Soil		5.3	120.0	12.6	86	0.3	42.2	18.1	896	3.50	7.4	1.6	2.1	77	0.4	0.8	0.3	68	0.94	0.056	27
L17S 1800W	Soil		1.6	72.1	10.8	144	0.2	105.0	38.1	4282	7.18	2.0	<0.5	1.2	47	0.5	0.1	0.2	174	0.58	0.103	9
L17S 1850W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L17S 1900W	Soil		4.7	64.7	9.7	100	0.2	20.7	10.0	343	3.79	5.8	0.7	1.8	24	0.2	0.5	0.2	65	0.08	0.038	13
L17S 1950W	Soil		2.2	12.7	5.2	44	<0.1	7.6	3.2	118	1.40	1.9	<0.5	0.8	19	0.2	0.4	0.2	61	0.35	0.021	8
L17S 2000W	Soil		6.8	66.1	12.6	86	0.5	20.2	10.4	310	3.41	6.7	<0.5	2.2	14	0.3	0.8	0.3	40	0.14	0.060	17
L22N 3000W	Soil		9.8	94.2	19.5	180	0.2	32.8	20.2	2400	3.33	8.8	1.5	1.8	19	0.4	0.8	0.4	34	0.17	0.096	17
L22N 2950W	Soil		4.3	60.9	9.1	248	0.3	25.9	13.5	3393	3.92	5.7	0.7	1.6	28	1.0	0.5	0.2	63	0.40	0.088	16
L22N 2900W	Soil		6.0	192.4	20.6	252	0.8	72.7	24.0	4647	4.66	9.9	4.0	2.2	88	2.6	1.1	0.3	65	0.91	0.168	22
L22N 2850W	Soil		2.9	51.2	10.9	116	0.3	15.3	11.3	1949	3.03	6.1	1.5	0.2	14	0.4	0.5	0.2	54	0.29	0.109	16
L22N 2800W	Soil		1.9	16.6	8.5	39	0.2	7.5	3.3	195	2.19	4.3	<0.5	0.4	7	0.2	0.6	0.2	77	0.31	0.047	12
L22N 2750W	Soil		4.3	56.4	11.9	187	0.3	28.6	12.7	1235	3.26	7.6	0.9	0.5	54	1.1	0.8	0.3	48	0.74	0.111	17
L22N 2700W	Soil		2.2	5.5	7.5	21	<0.1	3.2	1.3	78	0.55	1.2	<0.5	1.5	9	<0.1	0.5	0.2	51	0.11	0.014	27
L22N 2650W	Soil		3.0	28.5	6.6	87	0.4	15.0	4.1	215	1.92	2.2	<0.5	1.2	8	0.3	0.3	0.2	41	0.09	0.022	16
L22N 2600W	Soil		6.3	75.4	11.2	222	<0.1	32.3	7.3	749	2.84	3.0	<0.5	0.8	59	1.4	0.6	0.3	48	0.38	0.054	21
L22N 2550W	Soil		24.1	368.0	24.7	703	1.0	99.0	31.7	7879	4.39	8.0	2.8	1.1	130	5.9	0.7	0.4	55	0.71	0.158	45
L22N 2500W	Soil		7.6	51.8	9.9	153	0.3	14.2	8.8	560	3.13	4.7	<0.5	0.5	50	0.6	0.4	0.2	76	0.38	0.066	20
L22N 2450W	Soil		6.7	205.3	13.3	153	0.8	40.2	15.6	1376	3.45	14.2	2.4	1.4	80	2.0	1.9	0.3	38	0.61	0.128	51
L22N 2400W	Soil		7.2	142.5	16.2	134	0.8	24.9	13.3	2101	2.85	7.7	0.9	0.4	80	2.4	1.1	0.5	37	0.57	0.101	32
L22N 2350W	Soil		5.8	85.6	10.8	143	0.3	29.8	10.9	591	3.39	8.2	1.6	2.3	65	0.4	1.5	0.4	38	0.52	0.086	22
L22N 2300W	Soil		7.1	81.4	23.0	125	0.6	12.9	51.7	2219	2.33	3.1	1.9	0.1	31	0.9	0.4	0.5	46	0.25	0.098	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L17S 1300W	Soil		20	0.21	193	0.112	<20	0.87	0.005	0.04	<0.1	0.04	2.0	<0.1	<0.05	5	<0.5	<0.2
L17S 1350W	Soil		56	0.66	195	0.180	<20	1.97	0.004	0.04	0.1	0.09	16.1	<0.1	<0.05	8	0.8	<0.2
L17S 1400W	Soil		24	0.41	498	0.002	<20	1.89	0.005	0.07	<0.1	0.30	12.0	0.2	<0.05	4	2.6	<0.2
L17S 1450W	Soil		15	0.16	169	0.005	<20	0.76	0.002	0.10	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
L17S 1500W	Soil		17	0.12	258	0.001	<20	1.24	0.002	0.08	<0.1	0.04	3.3	0.2	<0.05	6	0.5	<0.2
L17S 1550W	Soil		21	0.27	325	0.002	<20	2.01	0.004	0.15	<0.1	0.18	3.8	0.4	<0.05	6	1.4	<0.2
L17S 1600W	Soil		20	0.27	459	0.004	<20	1.34	0.004	0.09	<0.1	0.35	3.4	0.2	<0.05	4	1.4	<0.2
L17S 1650W	Soil		29	0.33	359	0.003	<20	1.67	0.006	0.22	<0.1	0.04	3.3	0.2	<0.05	7	<0.5	<0.2
L17S 1700W	Soil		45	0.38	148	0.014	<20	1.33	0.002	0.08	<0.1	0.01	3.4	<0.1	<0.05	5	<0.5	<0.2
L17S 1750W	Soil		42	0.39	400	0.005	<20	1.62	0.004	0.07	<0.1	0.30	6.0	0.2	<0.05	5	1.4	<0.2
L17S 1800W	Soil		186	1.99	305	0.004	<20	2.46	0.005	0.04	<0.1	0.07	14.1	<0.1	<0.05	10	<0.5	<0.2
L17S 1850W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L17S 1900W	Soil		21	0.11	254	0.001	<20	1.14	0.004	0.07	<0.1	0.31	4.5	0.2	<0.05	5	<0.5	<0.2
L17S 1950W	Soil		17	0.16	127	0.027	<20	0.91	0.004	0.02	<0.1	0.02	2.6	<0.1	<0.05	7	<0.5	<0.2
L17S 2000W	Soil		14	0.25	175	<0.001	<20	0.97	0.001	0.14	<0.1	0.05	2.0	0.2	<0.05	4	0.5	<0.2
L22N 3000W	Soil		14	0.14	430	0.003	<20	1.39	0.005	0.09	<0.1	0.12	3.2	0.2	<0.05	4	1.0	<0.2
L22N 2950W	Soil		30	0.47	447	0.037	<20	2.99	0.006	0.08	<0.1	0.13	5.1	0.3	<0.05	9	0.9	<0.2
L22N 2900W	Soil		45	0.89	759	0.010	<20	4.14	0.008	0.21	<0.1	0.25	8.1	0.5	<0.05	9	1.9	<0.2
L22N 2850W	Soil		26	0.41	229	0.014	<20	2.17	0.006	0.09	<0.1	0.07	2.6	0.2	<0.05	7	1.0	<0.2
L22N 2800W	Soil		18	0.24	93	0.068	<20	1.37	0.004	0.06	<0.1	0.12	2.0	0.1	<0.05	9	<0.5	<0.2
L22N 2750W	Soil		37	0.53	304	0.014	<20	2.00	0.004	0.11	<0.1	0.12	3.2	0.2	<0.05	6	1.2	<0.2
L22N 2700W	Soil		12	0.14	149	0.074	<20	1.15	0.004	0.06	<0.1	0.02	1.9	0.3	<0.05	8	<0.5	<0.2
L22N 2650W	Soil		20	0.47	86	0.018	<20	1.57	0.001	0.06	<0.1	0.04	2.9	0.2	<0.05	6	<0.5	<0.2
L22N 2600W	Soil		20	0.58	483	0.007	<20	1.83	0.003	0.07	<0.1	0.06	2.3	0.2	<0.05	7	1.2	<0.2
L22N 2550W	Soil		39	0.48	327	0.012	<20	3.85	0.007	0.10	<0.1	0.17	2.8	1.2	<0.05	7	3.3	<0.2
L22N 2500W	Soil		26	0.39	284	0.022	<20	2.25	0.004	0.07	<0.1	0.04	3.5	0.3	<0.05	9	0.8	<0.2
L22N 2450W	Soil		45	0.67	137	0.026	<20	1.56	0.005	0.09	<0.1	0.33	4.5	0.4	<0.05	5	1.9	<0.2
L22N 2400W	Soil		23	0.46	294	0.008	<20	1.84	0.007	0.10	0.1	0.10	2.8	0.3	<0.05	6	1.1	<0.2
L22N 2350W	Soil		22	0.74	298	0.004	<20	2.00	0.004	0.09	<0.1	0.06	3.5	0.3	<0.05	6	1.0	<0.2
L22N 2300W	Soil		16	0.19	303	0.004	<20	1.61	0.006	0.08	<0.1	0.04	0.5	0.5	<0.05	7	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L22N 2250W	Soil		4.7	53.4	10.9	190	0.7	14.7	11.6	667	3.20	5.4	<0.5	<0.1	7	0.4	0.7	0.3	51	0.07	0.079	13
L22N 2200W	Soil		3.2	40.8	34.6	229	0.3	31.0	21.6	1148	4.21	10.8	2.7	0.9	33	3.1	4.9	0.3	67	1.07	0.414	43
L22N 2150W	Soil		7.9	31.6	21.3	48	0.2	7.8	2.8	729	1.78	6.8	0.6	1.3	9	<0.1	2.1	0.4	32	0.08	0.105	29
L22N 2100W	Soil		7.5	31.2	18.1	83	0.5	12.6	5.4	916	2.48	19.4	1.1	0.2	7	0.1	5.6	0.3	33	0.07	0.099	21
L22N 2050W	Soil		4.6	31.9	16.5	87	0.2	15.4	5.6	583	2.64	19.4	0.9	0.2	6	0.1	7.8	0.3	39	0.06	0.074	18
L22N 2000W	Soil		0.7	4.2	2.7	11	<0.1	1.4	0.3	39	0.24	0.8	<0.5	1.1	4	<0.1	0.4	0.1	16	0.01	0.031	30
L22N 1950W	Soil		3.9	21.7	8.0	29	0.4	7.7	2.5	234	1.72	5.2	<0.5	0.1	4	<0.1	2.0	0.3	46	0.03	0.048	11
L22N 1900W	Soil		8.8	42.9	11.8	58	0.3	16.0	4.0	283	4.21	28.4	<0.5	0.4	8	<0.1	3.6	1.2	87	0.02	0.090	10
L22N 1850W	Soil		4.0	19.8	7.0	22	0.6	11.4	2.0	95	2.09	6.5	3.8	0.6	19	<0.1	1.5	0.5	61	0.02	0.061	7
L18N 3000W	Soil		2.6	33.5	6.0	45	0.2	13.7	4.8	247	2.48	4.9	<0.5	0.3	4	<0.1	0.6	0.2	29	0.05	0.047	17
L18N 2950W	Soil		1.8	31.4	8.1	44	0.2	6.1	6.0	1640	2.44	4.2	1.6	<0.1	8	0.1	0.5	0.2	41	0.29	0.091	11
L18N 2900W	Soil		4.8	113.2	8.4	137	<0.1	39.7	11.9	165	3.25	5.9	<0.5	1.7	42	0.1	1.2	0.5	27	<0.01	0.064	25
L18N 2850W	Soil		7.4	301.0	30.6	239	5.8	126.2	43.4	2138	3.65	14.1	10.1	1.5	32	1.2	3.7	0.5	16	0.24	0.240	21
L18N 2800W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2750W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2700W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2650W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2600W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2550W	Soil		12.5	66.8	22.1	98	0.1	69.1	22.9	2966	4.29	11.0	0.8	1.6	6	0.2	4.2	0.3	42	0.05	0.149	17
L18N 2500W	Soil		4.8	17.1	9.9	26	0.5	6.4	2.1	164	0.99	2.2	0.6	0.2	5	<0.1	0.5	0.3	36	0.04	0.039	25
L14N 3000W	Soil		7.8	38.8	7.2	47	0.1	10.2	3.8	352	1.84	4.5	1.4	<0.1	8	0.1	1.0	0.3	44	0.11	0.047	13
L14N 2950W	Soil		4.9	34.1	10.7	48	0.4	9.0	5.0	587	2.32	5.8	0.7	0.3	13	0.1	1.0	0.3	43	0.20	0.076	15
L14N 2900W	Soil		3.8	39.4	10.8	60	0.2	13.5	5.1	388	3.46	6.9	<0.5	0.2	8	0.2	1.1	0.3	61	0.20	0.107	15
L14N 2850W	Soil		2.3	19.8	7.9	45	0.3	9.1	4.9	413	2.43	4.0	<0.5	<0.1	6	0.2	0.6	0.2	43	0.29	0.068	10
L14N 2800W	Soil		2.3	15.6	7.1	33	0.3	8.4	2.6	185	1.83	3.0	<0.5	<0.1	6	0.1	0.4	0.2	44	0.10	0.059	18
L14N 2750W	Soil		2.5	23.1	8.3	51	0.1	12.6	5.7	618	3.24	3.6	<0.5	<0.1	7	<0.1	0.6	0.2	71	0.15	0.119	14
L14N 2700W	Soil		2.5	25.2	8.6	57	0.6	11.4	6.0	898	3.16	3.8	<0.5	<0.1	8	0.3	0.7	0.2	68	0.20	0.095	16
L14N 2650W	Soil		2.8	23.1	8.2	60	0.1	13.2	9.9	2023	3.90	3.9	<0.5	0.4	7	0.2	0.6	0.3	79	0.15	0.086	14
L14N 2600W	Soil		3.1	31.7	8.6	74	0.2	18.9	7.2	690	3.82	7.2	<0.5	0.6	8	0.2	1.0	0.2	66	0.14	0.135	18
L14N 2550W	Soil		2.6	22.9	8.0	51	0.3	11.1	4.6	513	2.79	4.8	<0.5	0.2	6	0.1	0.9	0.2	55	0.11	0.093	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L22N 2250W	Soil		20	0.35	131	0.008	<20	2.14	0.004	0.06	<0.1	0.07	0.9	0.3	<0.05	7	<0.5	<0.2
L22N 2200W	Soil		51	0.61	253	0.009	<20	2.36	0.005	0.05	<0.1	0.18	3.2	0.2	<0.05	5	0.6	<0.2
L22N 2150W	Soil		10	0.09	128	0.002	<20	0.91	0.005	0.10	<0.1	0.04	1.0	0.3	<0.05	7	<0.5	<0.2
L22N 2100W	Soil		14	0.13	116	0.007	<20	0.92	0.005	0.08	<0.1	0.04	0.7	0.2	<0.05	5	<0.5	<0.2
L22N 2050W	Soil		20	0.26	106	0.011	<20	1.33	0.002	0.07	<0.1	0.03	1.2	0.2	<0.05	7	<0.5	<0.2
L22N 2000W	Soil		7	0.09	46	0.004	<20	0.86	0.002	0.05	<0.1	<0.01	1.2	0.3	<0.05	6	<0.5	<0.2
L22N 1950W	Soil		13	0.24	66	0.049	<20	1.22	0.003	0.08	<0.1	0.02	1.3	0.3	<0.05	8	<0.5	<0.2
L22N 1900W	Soil		31	0.63	120	0.035	<20	1.94	0.005	0.12	<0.1	0.06	2.5	0.5	<0.05	9	1.2	0.3
L22N 1850W	Soil		21	0.39	93	0.036	<20	1.33	0.006	0.14	<0.1	0.02	2.6	0.5	<0.05	9	<0.5	<0.2
L18N 3000W	Soil		15	0.31	57	0.006	<20	1.38	0.003	0.04	<0.1	0.02	1.3	0.2	<0.05	5	<0.5	<0.2
L18N 2950W	Soil		15	0.30	149	0.006	<20	1.88	0.004	0.07	<0.1	0.03	0.9	0.3	<0.05	8	<0.5	<0.2
L18N 2900W	Soil		11	0.05	123	0.001	<20	0.74	0.002	0.07	<0.1	<0.01	2.0	0.2	<0.05	4	<0.5	<0.2
L18N 2850W	Soil		28	0.15	207	0.002	<20	3.45	0.006	0.10	<0.1	1.14	4.4	0.6	0.08	2	2.5	<0.2
L18N 2800W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2750W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2700W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2650W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2600W	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 2550W	Soil		66	0.90	131	0.004	<20	1.72	0.004	0.08	<0.1	0.09	2.6	0.3	<0.05	6	0.8	<0.2
L18N 2500W	Soil		12	0.18	115	0.006	<20	1.56	0.002	0.06	<0.1	0.02	1.5	0.6	<0.05	9	<0.5	<0.2
L14N 3000W	Soil		11	0.11	175	0.014	<20	0.92	0.004	0.07	<0.1	0.02	0.9	0.2	<0.05	6	<0.5	<0.2
L14N 2950W	Soil		12	0.16	127	0.018	<20	1.03	0.004	0.11	<0.1	0.03	1.3	0.2	<0.05	6	<0.5	<0.2
L14N 2900W	Soil		18	0.34	82	0.019	<20	1.62	0.004	0.07	<0.1	0.03	1.7	0.2	<0.05	8	<0.5	<0.2
L14N 2850W	Soil		17	0.36	86	0.021	<20	1.56	0.006	0.08	<0.1	0.04	1.2	0.1	<0.05	7	<0.5	<0.2
L14N 2800W	Soil		21	0.29	83	0.014	<20	1.51	0.003	0.05	<0.1	0.20	0.9	0.2	<0.05	7	<0.5	<0.2
L14N 2750W	Soil		24	0.33	124	0.052	<20	1.38	0.002	0.08	<0.1	0.06	1.1	0.2	<0.05	8	<0.5	<0.2
L14N 2700W	Soil		23	0.33	131	0.052	<20	1.48	0.003	0.08	<0.1	0.03	1.6	0.1	<0.05	8	<0.5	<0.2
L14N 2650W	Soil		30	0.40	140	0.104	<20	1.84	0.004	0.07	<0.1	0.03	2.7	0.2	<0.05	9	<0.5	<0.2
L14N 2600W	Soil		25	0.55	172	0.062	<20	1.81	0.003	0.08	<0.1	0.04	3.0	0.1	<0.05	8	<0.5	<0.2
L14N 2550W	Soil		21	0.31	106	0.044	<20	1.47	0.003	0.07	<0.1	0.06	1.7	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14N 2500W	Soil		3.2	26.1	11.1	57	0.2	14.2	5.2	642	3.02	8.7	0.5	0.2	6	0.1	1.7	0.2	54	0.11	0.078	17
L14N 2450W	Soil		3.0	21.2	8.8	50	0.5	12.4	4.5	428	2.54	5.7	<0.5	0.2	7	0.2	1.5	0.2	53	0.10	0.083	17
L14N 2400W	Soil		3.4	25.5	9.5	75	1.0	16.2	5.8	404	3.23	7.3	<0.5	0.3	7	0.3	1.5	0.2	49	0.10	0.082	17
L14N 2350W	Soil		2.5	17.7	9.9	39	0.4	7.6	2.4	123	1.61	6.5	<0.5	<0.1	6	<0.1	1.9	0.3	45	0.08	0.048	20
L14N 2300W	Soil		6.3	26.0	12.6	67	<0.1	7.8	3.8	508	1.86	7.1	<0.5	0.6	7	0.6	3.4	0.3	45	0.05	0.038	27
L8N 3000W	Soil		2.1	15.2	7.1	27	<0.1	6.0	1.7	111	1.16	3.0	<0.5	0.2	8	0.1	0.4	0.2	37	0.04	0.034	23
L8N 2950W	Soil		3.9	31.7	9.4	88	0.3	17.5	9.3	1031	3.34	6.0	<0.5	0.3	23	0.4	1.0	0.2	51	0.25	0.105	16
L8N 2850W	Soil		3.1	26.0	9.2	57	0.3	11.3	5.5	560	2.24	5.3	<0.5	0.4	8	0.1	1.1	0.3	50	0.12	0.070	17
L8N 2800W	Soil		3.6	23.8	8.7	49	0.1	11.0	3.3	223	2.94	6.9	0.8	1.2	8	0.1	0.6	0.4	66	0.10	0.114	21
L8N 2750W	Soil		3.0	30.1	8.8	81	0.2	16.4	4.4	288	2.78	7.2	2.1	0.2	9	0.3	0.5	0.3	56	0.11	0.078	19
L8N 2700W	Soil		4.7	63.3	23.8	128	0.6	24.0	13.6	1559	3.29	20.6	4.4	0.4	34	0.4	2.8	0.3	61	0.53	0.107	16
L8N 2650W	Soil		4.1	35.3	11.5	93	<0.1	16.5	7.6	769	3.14	8.4	1.2	0.2	19	0.3	0.7	0.3	49	0.28	0.090	16
L8N 2600W	Soil		6.6	121.5	22.4	168	0.5	44.4	18.6	1239	3.64	17.6	5.5	1.8	21	0.9	5.1	0.3	32	0.16	0.074	20
L8N 2550W	Soil		3.5	40.1	10.8	55	0.3	12.7	5.9	927	3.34	7.4	1.6	0.2	7	0.1	0.5	0.3	62	0.09	0.094	18
L8N 2500W	Soil		2.0	18.4	12.9	42	0.2	10.4	3.2	182	1.86	6.2	<0.5	0.2	7	0.1	0.7	0.3	48	0.06	0.048	26
L8N 2450W	Soil		4.2	40.1	13.9	70	0.4	20.4	7.1	502	3.54	12.1	1.9	0.5	8	0.3	1.4	0.3	55	0.11	0.080	21
L8N 2400W	Soil		4.5	36.2	14.4	59	0.3	18.2	6.2	446	3.37	16.3	2.1	0.5	7	0.2	1.9	0.3	57	0.06	0.118	23
L8N 2350W	Soil		2.9	34.0	13.3	53	<0.1	16.4	9.8	1850	3.12	5.8	0.8	0.3	7	0.1	0.9	0.4	74	0.05	0.082	22
L8N 2300W	Soil		2.3	19.0	10.6	38	0.3	15.8	6.0	861	1.74	5.9	0.6	0.1	5	0.1	1.1	0.3	37	0.04	0.039	23
L22N 200W	Soil		3.2	43.5	11.9	105	0.2	47.3	13.3	756	2.99	26.6	3.9	1.8	15	0.3	2.6	0.2	43	0.25	0.053	18
L22N 150W	Soil		2.8	26.7	11.0	68	0.3	30.1	12.9	631	2.45	19.3	4.3	0.4	14	0.2	2.4	0.2	37	0.23	0.057	13
L22N 100W	Soil		3.3	25.2	9.8	99	0.2	29.8	8.4	458	2.39	15.0	2.8	0.2	15	0.4	0.6	0.2	48	0.18	0.045	15
L22N 50W	Soil		3.3	41.5	12.8	90	0.5	45.3	10.9	366	2.89	15.3	3.5	0.4	16	0.4	0.8	0.2	48	0.23	0.042	17
L22N 0W	Soil		2.5	34.2	11.0	103	0.3	41.9	10.4	438	2.44	11.9	5.0	0.5	17	0.5	1.1	0.2	40	0.23	0.058	17
L22N 50E	Soil		3.0	27.3	10.7	66	0.3	27.8	6.3	283	2.88	14.1	1.3	0.8	7	0.4	1.7	0.2	45	0.09	0.028	14
L22N 100E	Soil		2.6	24.3	9.0	64	0.1	32.3	6.8	335	3.25	12.5	1.7	1.3	9	0.3	1.5	0.2	51	0.09	0.034	13
L22N 150E	Soil		3.1	38.0	14.4	88	0.9	37.8	9.4	492	5.62	19.3	1.5	2.1	9	0.4	2.1	0.2	83	0.09	0.093	13
L22N 200E	Soil		2.2	38.8	11.1	111	0.1	54.6	10.8	497	4.19	18.1	2.2	2.5	12	0.3	1.2	0.2	70	0.17	0.206	14
L22N 250E	Soil		2.0	23.3	8.6	53	0.1	29.0	6.1	280	2.94	11.2	5.6	1.7	9	0.2	0.7	0.2	59	0.11	0.043	14
L22N 300E	Soil		1.9	19.1	8.0	71	0.2	34.7	6.9	394	2.73	8.9	1.8	1.5	10	0.2	0.7	0.1	51	0.12	0.053	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L14N 2500W	Soil		26	0.33	83	0.021	<20	1.43	0.003	0.06	<0.1	0.05	1.9	0.2	<0.05	7	0.5	<0.2
L14N 2450W	Soil		23	0.25	79	0.031	<20	1.24	0.003	0.07	<0.1	0.03	1.6	0.2	<0.05	7	<0.5	<0.2
L14N 2400W	Soil		27	0.40	96	0.026	<20	1.80	0.003	0.06	<0.1	0.07	1.7	0.1	<0.05	7	0.6	<0.2
L14N 2350W	Soil		16	0.17	78	0.021	<20	1.03	0.003	0.05	<0.1	0.02	0.8	0.2	<0.05	8	<0.5	<0.2
L14N 2300W	Soil		13	0.09	181	0.019	<20	0.88	0.002	0.07	<0.1	<0.01	1.6	0.3	<0.05	6	<0.5	<0.2
L8N 3000W	Soil		12	0.15	73	0.014	<20	1.20	<0.001	0.05	<0.1	<0.01	1.1	0.3	<0.05	6	<0.5	<0.2
L8N 2950W	Soil		21	0.41	328	0.040	<20	1.51	0.003	0.12	<0.1	0.02	2.1	0.2	<0.05	7	<0.5	<0.2
L8N 2850W	Soil		17	0.22	230	0.038	<20	1.25	0.003	0.06	<0.1	0.02	2.2	0.2	<0.05	7	<0.5	<0.2
L8N 2800W	Soil		19	0.25	132	0.058	<20	1.32	0.001	0.08	<0.1	0.04	2.7	0.2	<0.05	7	<0.5	<0.2
L8N 2750W	Soil		25	0.35	121	0.022	<20	1.64	0.002	0.07	<0.1	0.05	1.9	0.2	<0.05	7	0.6	<0.2
L8N 2700W	Soil		39	0.39	178	0.012	<20	1.46	0.005	0.16	<0.1	0.09	5.0	0.3	<0.05	4	1.2	<0.2
L8N 2650W	Soil		22	0.31	200	0.028	<20	1.26	0.003	0.14	<0.1	0.03	1.4	0.2	<0.05	6	<0.5	<0.2
L8N 2600W	Soil		22	0.48	113	0.008	<20	1.29	0.005	0.10	<0.1	0.18	3.1	0.3	<0.05	4	1.1	<0.2
L8N 2550W	Soil		19	0.24	93	0.022	<20	1.42	0.003	0.08	<0.1	0.07	1.5	0.2	<0.05	7	0.7	<0.2
L8N 2500W	Soil		21	0.24	83	0.012	<20	1.47	0.003	0.07	<0.1	0.03	1.5	0.3	<0.05	8	<0.5	<0.2
L8N 2450W	Soil		30	0.39	107	0.020	<20	1.42	0.002	0.08	<0.1	0.06	2.0	0.2	<0.05	6	<0.5	<0.2
L8N 2400W	Soil		29	0.34	121	0.017	<20	1.30	0.003	0.07	<0.1	0.11	2.1	0.2	<0.05	7	<0.5	<0.2
L8N 2350W	Soil		33	0.27	148	0.041	<20	1.33	0.003	0.09	<0.1	0.04	2.1	0.2	<0.05	10	<0.5	<0.2
L8N 2300W	Soil		30	0.36	114	0.008	<20	1.42	0.003	0.10	<0.1	0.02	0.9	0.2	<0.05	7	<0.5	<0.2
L22N 200W	Soil		61	0.75	114	0.050	<20	1.42	0.005	0.07	<0.1	0.51	3.6	0.1	<0.05	4	<0.5	<0.2
L22N 150W	Soil		48	0.58	147	0.028	<20	1.23	0.003	0.07	<0.1	0.50	2.2	0.1	<0.05	4	<0.5	<0.2
L22N 100W	Soil		53	0.57	195	0.019	<20	1.71	0.003	0.07	<0.1	0.34	2.1	0.2	<0.05	6	0.5	<0.2
L22N 50W	Soil		62	0.61	221	0.023	<20	1.97	0.004	0.09	<0.1	0.25	2.7	0.2	<0.05	6	<0.5	<0.2
L22N 0W	Soil		54	0.64	209	0.022	<20	1.42	0.003	0.10	<0.1	0.50	3.0	0.2	<0.05	5	<0.5	<0.2
L22N 50E	Soil		49	0.46	171	0.035	<20	1.63	0.002	0.08	<0.1	1.07	2.8	0.2	<0.05	6	<0.5	<0.2
L22N 100E	Soil		63	0.54	107	0.047	<20	1.53	0.001	0.08	<0.1	0.37	3.3	0.2	<0.05	6	<0.5	<0.2
L22N 150E	Soil		69	0.69	133	0.065	<20	2.15	0.004	0.11	<0.1	0.16	4.4	0.2	<0.05	8	0.7	<0.2
L22N 200E	Soil		86	0.93	150	0.036	<20	2.53	0.006	0.09	<0.1	0.42	5.4	0.2	<0.05	7	<0.5	<0.2
L22N 250E	Soil		58	0.56	94	0.048	<20	1.76	0.001	0.06	<0.1	0.43	3.7	0.2	<0.05	6	<0.5	<0.2
L22N 300E	Soil		59	0.74	132	0.038	<20	1.77	0.003	0.11	<0.1	0.19	3.4	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L22N 350E	Soil		2.6	43.1	11.8	115	0.2	70.9	9.9	466	4.09	18.8	2.1	1.7	10	0.6	1.0	0.2	66	0.16	0.092	11
L22N 400E	Soil		2.5	21.8	12.0	72	0.1	31.1	7.0	383	4.32	21.0	0.9	1.2	8	0.3	1.1	0.2	66	0.10	0.112	12
L22N 450E	Soil		1.4	11.9	7.3	52	0.2	17.5	3.5	207	2.64	10.2	<0.5	1.2	8	0.2	0.5	<0.1	67	0.12	0.048	10
L22N 500E	Soil		2.3	27.9	9.7	77	0.3	27.5	6.5	210	3.56	24.2	2.0	1.7	10	0.3	0.9	0.1	61	0.11	0.071	10
L22N 550E	Soil		1.6	29.3	6.7	73	0.4	68.9	11.2	294	3.46	17.0	1.7	1.7	13	0.4	0.7	<0.1	63	0.26	0.094	7
L22N 600E	Soil		1.4	25.2	4.2	61	0.1	79.1	9.7	259	3.28	10.5	2.7	1.5	11	0.3	0.6	<0.1	52	0.20	0.085	7
L22N 650E	Soil		2.0	22.2	5.7	64	<0.1	53.5	8.4	260	3.10	8.9	<0.5	1.4	10	0.3	0.6	<0.1	66	0.19	0.122	7
L22N 700E	Soil		1.8	31.0	8.6	70	0.3	43.2	7.7	308	3.93	20.2	<0.5	1.8	10	0.4	1.9	0.2	65	0.19	0.280	7
L22N 750E	Soil		0.6	34.0	13.4	101	0.3	51.2	9.8	258	2.53	26.8	4.5	2.0	10	0.3	2.3	0.2	43	0.18	0.043	19
L20N 300W	Soil		1.8	11.9	11.7	41	0.2	12.0	4.0	379	1.25	15.8	1.1	0.4	12	0.2	0.8	0.3	44	0.14	0.032	18
L20N 250W	Soil		4.3	67.9	14.2	43	0.8	16.7	3.2	128	1.79	25.8	4.5	0.2	17	1.2	1.7	0.3	41	0.23	0.035	22
L20N 200W	Soil		11.7	60.6	20.5	131	1.1	42.7	15.1	904	3.87	67.6	6.5	0.4	27	0.8	2.8	0.4	60	0.34	0.082	16
L20N 150W	Soil		3.2	37.7	10.3	71	0.6	35.1	6.1	272	2.26	27.0	8.8	0.3	14	0.3	2.4	0.2	43	0.21	0.056	17
L20N 100W	Soil		3.9	41.2	12.3	100	0.7	40.2	8.6	456	2.02	11.5	3.8	0.2	22	0.5	2.1	0.2	38	0.27	0.106	18
L20N 50W	Soil		3.3	28.2	10.9	63	0.2	26.7	6.5	303	2.64	14.1	1.9	1.5	9	0.3	1.8	0.3	54	0.11	0.030	18
L20N 0W	Soil		4.0	34.8	13.6	124	0.4	40.1	13.0	896	2.55	21.8	2.7	0.5	24	0.6	3.0	0.3	46	0.35	0.068	17
L20N 50E	Soil		2.1	19.6	8.8	64	0.5	22.4	6.4	717	2.73	10.3	1.0	0.7	9	0.2	1.3	0.2	62	0.15	0.140	12
L20N 100E	Soil		2.6	28.8	10.0	69	1.2	34.7	7.3	346	2.99	14.6	2.8	0.6	9	0.2	1.0	0.2	52	0.10	0.048	14
L20N 150E	Soil		2.5	31.2	12.9	110	0.3	41.3	13.6	1029	2.44	19.2	3.0	0.4	29	0.7	1.0	0.2	43	0.43	0.066	15
L20N 200E	Soil		2.2	23.0	9.9	86	0.5	28.8	7.1	319	2.65	14.4	2.3	0.3	10	0.4	0.7	0.2	42	0.14	0.073	13
L20N 250E	Soil		2.3	48.9	12.8	104	0.4	65.5	12.4	543	3.30	22.5	5.2	1.4	20	0.5	2.3	0.2	54	0.30	0.050	17
L20N 300E	Soil		2.0	36.6	11.4	115	0.2	52.6	12.1	659	3.41	20.9	4.1	1.0	13	0.4	2.1	0.2	55	0.29	0.047	17
L20N 350E	Soil		2.7	38.0	15.5	107	0.2	44.0	10.5	596	3.72	38.4	4.4	1.8	11	0.5	3.6	0.3	58	0.15	0.125	14
L20N 400E	Soil		2.5	42.6	13.1	98	0.3	50.1	10.3	444	3.54	18.9	5.8	2.4	11	0.4	2.2	0.2	64	0.12	0.059	16
L20N 450E	Soil		2.4	26.1	12.1	136	0.1	36.7	8.3	353	3.12	13.5	1.2	2.5	10	0.5	1.7	0.2	81	0.11	0.082	16
L20N 500E	Soil		2.1	29.6	9.6	113	0.1	41.2	9.0	393	3.74	14.9	6.3	2.1	9	0.3	1.0	0.2	69	0.13	0.126	14
L20N 550E	Soil		1.8	38.6	11.2	112	0.1	62.6	12.4	369	3.49	14.7	2.5	1.6	10	0.9	1.0	0.2	73	0.17	0.032	14
L20N 600E	Soil		0.7	24.8	22.7	132	0.4	48.5	12.6	1963	3.83	18.9	2.5	1.2	22	5.7	3.6	0.3	80	2.60	0.129	53
L20N 650E	Soil		2.0	16.9	6.5	55	<0.1	29.4	6.4	292	3.94	10.5	1.2	1.2	10	0.3	0.6	<0.1	69	0.15	0.079	8
L20N 700E	Soil		1.5	24.0	5.3	59	0.1	59.1	9.8	327	2.87	8.9	1.0	1.3	13	0.6	0.6	<0.1	47	0.22	0.104	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L22N 350E	Soil		89	0.87	129	0.035	<20	2.14	0.002	0.09	<0.1	0.56	4.3	0.2	<0.05	7	<0.5	<0.2
L22N 400E	Soil		66	0.53	79	0.054	<20	1.72	0.003	0.06	<0.1	1.25	3.6	0.2	<0.05	6	<0.5	<0.2
L22N 450E	Soil		53	0.30	50	0.068	<20	1.42	0.003	0.03	<0.1	0.27	3.7	0.1	<0.05	7	<0.5	<0.2
L22N 500E	Soil		73	0.41	94	0.032	<20	1.75	0.004	0.07	<0.1	1.09	3.8	0.1	<0.05	6	<0.5	<0.2
L22N 550E	Soil		153	0.79	92	0.063	<20	1.44	0.005	0.05	<0.1	0.12	4.0	<0.1	<0.05	5	<0.5	<0.2
L22N 600E	Soil		124	0.82	110	0.067	<20	1.33	0.003	0.04	<0.1	0.26	3.4	<0.1	<0.05	4	<0.5	<0.2
L22N 650E	Soil		125	0.62	100	0.075	<20	1.82	0.003	0.04	<0.1	0.10	3.8	<0.1	<0.05	6	<0.5	<0.2
L22N 700E	Soil		109	0.62	88	0.052	<20	1.67	0.005	0.05	<0.1	1.01	4.1	0.2	<0.05	6	<0.5	<0.2
L22N 750E	Soil		62	0.68	284	0.024	<20	1.74	0.006	0.06	<0.1	2.12	4.5	0.5	<0.05	5	<0.5	<0.2
L20N 300W	Soil		32	0.36	239	0.036	<20	1.22	0.003	0.09	<0.1	1.18	2.1	0.2	<0.05	6	<0.5	<0.2
L20N 250W	Soil		38	0.21	161	0.029	<20	1.24	0.002	0.05	<0.1	0.25	1.5	0.2	<0.05	5	<0.5	<0.2
L20N 200W	Soil		74	0.55	194	0.027	<20	2.04	0.006	0.09	<0.1	0.52	2.5	0.2	<0.05	6	0.9	<0.2
L20N 150W	Soil		53	0.47	109	0.027	<20	1.70	0.002	0.05	<0.1	1.25	2.6	0.2	<0.05	5	<0.5	<0.2
L20N 100W	Soil		62	0.55	164	0.016	<20	1.72	0.003	0.09	<0.1	0.96	1.7	0.2	<0.05	5	<0.5	<0.2
L20N 50W	Soil		50	0.54	152	0.041	<20	1.65	0.002	0.10	<0.1	0.36	3.2	0.2	<0.05	6	<0.5	<0.2
L20N 0W	Soil		54	0.63	240	0.029	<20	1.54	0.004	0.09	<0.1	0.23	3.3	0.2	<0.05	5	0.6	<0.2
L20N 50E	Soil		54	0.45	111	0.047	<20	1.49	0.004	0.08	<0.1	0.37	3.0	0.2	<0.05	7	<0.5	<0.2
L20N 100E	Soil		58	0.61	120	0.029	<20	1.56	0.005	0.08	<0.1	1.34	3.1	0.2	<0.05	6	<0.5	<0.2
L20N 150E	Soil		56	0.57	328	0.018	<20	1.54	0.004	0.09	<0.1	0.36	2.9	0.2	<0.05	5	0.6	<0.2
L20N 200E	Soil		55	0.52	154	0.018	<20	1.38	0.002	0.08	<0.1	0.15	1.8	0.2	<0.05	5	<0.5	<0.2
L20N 250E	Soil		68	0.85	183	0.043	<20	1.89	0.005	0.12	<0.1	1.34	3.6	0.2	<0.05	6	<0.5	<0.2
L20N 300E	Soil		66	0.95	243	0.047	<20	2.07	0.005	0.12	<0.1	1.32	3.5	0.3	<0.05	6	<0.5	<0.2
L20N 350E	Soil		69	0.68	145	0.041	<20	1.75	0.004	0.11	<0.1	47.97	4.0	2.7	<0.05	6	<0.5	<0.2
L20N 400E	Soil		72	0.85	156	0.044	<20	2.14	0.002	0.10	<0.1	6.04	4.3	0.4	<0.05	6	0.5	<0.2
L20N 450E	Soil		67	0.56	129	0.041	<20	2.54	0.003	0.08	<0.1	0.51	5.7	0.2	<0.05	9	<0.5	<0.2
L20N 500E	Soil		71	0.76	111	0.036	<20	2.22	0.002	0.08	<0.1	0.37	4.8	0.2	<0.05	8	<0.5	<0.2
L20N 550E	Soil		78	0.88	169	0.048	<20	2.85	0.003	0.05	<0.1	0.95	5.3	0.2	<0.05	8	<0.5	<0.2
L20N 600E	Soil		83	0.39	150	0.022	<20	2.06	0.004	0.08	<0.1	13.23	5.9	0.2	<0.05	5	<0.5	<0.2
L20N 650E	Soil		101	0.40	95	0.091	<20	1.06	0.003	0.04	<0.1	0.33	2.8	<0.1	<0.05	5	<0.5	<0.2
L20N 700E	Soil		111	0.67	92	0.066	<20	1.09	0.002	0.04	<0.1	0.32	3.0	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L20N 750E	Soil		1.0	14.8	4.8	40	0.2	33.6	6.4	231	1.77	4.5	1.4	0.8	14	0.2	0.3	<0.1	40	0.20	0.029	10
L20N 800E	Soil		0.8	17.8	3.9	41	0.1	37.8	7.3	373	1.41	2.6	1.3	0.4	15	0.2	0.4	<0.1	35	0.24	0.046	10
L20N 850E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 900E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 950E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 1000E	Soil		0.2	42.8	19.4	251	0.2	25.2	5.4	210	1.66	14.1	6.2	2.0	20	1.0	5.5	0.5	47	0.31	0.060	17
L20N 1050E	Soil		0.3	57.8	18.3	304	0.2	28.6	5.2	215	1.68	40.0	6.6	1.5	22	1.3	7.9	0.5	50	0.33	0.065	17
L20N 1100E	Soil		0.2	33.5	18.3	257	0.2	24.9	4.8	201	1.59	11.6	7.0	2.0	18	0.8	2.5	0.4	43	0.36	0.063	17
L20N 1150E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 1200E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 300W	Soil		5.1	52.4	16.2	90	0.9	26.1	5.6	274	2.47	50.8	3.4	0.3	12	0.5	4.3	0.3	48	0.11	0.039	18
L18N 250W	Soil		4.1	37.4	16.5	81	0.6	34.7	7.7	346	2.88	31.0	5.6	1.1	11	0.4	3.6	0.2	45	0.12	0.029	16
L18N 200W	Soil		8.2	40.1	16.9	57	0.5	14.6	5.9	346	2.01	34.0	1.7	0.2	11	0.7	4.3	0.4	42	0.18	0.052	17
L18N 150W	Soil		2.3	37.1	14.4	98	0.7	35.0	13.5	679	1.93	17.1	5.5	0.2	21	0.5	1.6	0.3	41	0.27	0.056	18
L18N 100W	Soil		3.9	24.1	12.5	36	0.2	13.5	2.8	139	2.07	18.5	0.5	0.3	9	0.3	1.7	0.2	54	0.08	0.027	15
L18N 50W	Soil		5.0	32.4	11.6	93	0.3	34.7	17.0	1211	2.81	16.3	3.8	0.4	15	0.5	1.7	0.2	51	0.15	0.053	16
L18N 0W	Soil		2.6	30.1	9.2	50	0.4	25.2	5.8	343	2.39	13.1	1.6	0.2	11	0.4	1.9	0.2	42	0.11	0.048	14
L18N 50E	Soil		3.2	29.1	8.9	62	0.1	26.1	8.5	423	2.39	10.6	1.0	0.4	9	0.2	1.4	0.2	41	0.08	0.032	14
L18N 100E	Soil		0.7	5.0	8.4	15	0.1	5.2	1.2	71	0.60	2.7	1.0	0.2	9	<0.1	0.5	0.1	26	0.10	0.018	17
L18N 150E	Soil		2.3	14.2	11.4	40	0.2	14.7	3.4	177	2.74	13.4	5.3	0.5	9	0.3	1.5	0.2	59	0.14	0.044	11
L18N 200E	Soil		3.2	36.5	11.8	68	0.4	24.8	6.5	436	2.30	12.9	4.0	0.3	14	0.5	1.4	0.2	44	0.16	0.048	15
L18N 250E	Soil		3.4	47.7	11.1	75	0.2	37.7	9.6	407	2.68	17.2	1.5	0.9	15	0.5	2.0	0.2	49	0.16	0.045	20
L18N 300E	Soil		2.4	34.1	11.1	95	0.4	46.0	20.3	1126	2.61	10.1	3.9	0.4	19	0.4	1.4	0.2	46	0.22	0.054	18
L18N 350E	Soil		3.3	34.4	10.8	77	0.9	31.2	6.7	282	2.94	18.2	2.8	0.8	15	0.6	1.8	0.2	60	0.13	0.034	16
L18N 400E	Soil		3.6	34.2	11.5	86	0.1	35.8	8.2	363	2.94	17.3	3.2	0.9	18	0.3	1.8	0.2	53	0.23	0.039	17
L18N 450E	Soil		2.3	24.6	8.7	66	0.2	29.7	6.2	309	2.95	10.0	6.0	1.7	7	0.4	1.0	0.3	49	0.09	0.053	12
L18N 500E	Soil		2.6	35.2	11.0	99	0.3	41.3	7.8	408	3.48	20.6	3.2	2.0	7	0.4	3.0	0.3	60	0.08	0.070	12
L18N 550E	Soil		2.2	19.9	11.9	65	0.2	20.3	4.6	266	2.78	16.5	0.9	2.1	8	0.2	2.9	0.2	61	0.08	0.061	15
L18N 600E	Soil		1.6	23.9	9.9	90	<0.1	32.5	6.0	266	3.06	22.2	1.9	1.4	7	0.5	6.6	0.2	67	0.14	0.106	12
L18N 650E	Soil		0.8	19.2	5.9	61	0.2	27.3	7.3	468	2.26	11.4	2.2	0.5	12	0.7	5.2	0.1	47	0.57	0.059	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L20N 750E	Soil		74	0.54	163	0.065	<20	0.98	0.004	0.06	<0.1	0.12	2.9	<0.1	<0.05	4	<0.5	<0.2
L20N 800E	Soil		79	0.56	140	0.054	<20	0.95	0.004	0.04	<0.1	0.46	2.6	<0.1	<0.05	3	<0.5	<0.2
L20N 850E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 900E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 950E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 1000E	Soil		38	0.62	250	0.035	<20	1.42	0.004	0.06	<0.1	0.36	4.0	0.3	<0.05	4	0.5	<0.2
L20N 1050E	Soil		45	0.60	286	0.031	<20	1.69	0.005	0.08	<0.1	0.42	4.6	0.2	<0.05	5	1.7	<0.2
L20N 1100E	Soil		38	0.58	228	0.036	<20	1.41	0.003	0.06	0.2	0.40	3.6	0.2	<0.05	4	<0.5	<0.2
L20N 1150E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L20N 1200E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 300W	Soil		39	0.54	184	0.024	<20	1.54	0.003	0.09	<0.1	0.24	2.1	0.3	<0.05	5	<0.5	<0.2
L18N 250W	Soil		49	0.68	174	0.032	<20	1.77	0.002	0.09	<0.1	0.18	2.7	0.2	<0.05	5	<0.5	<0.2
L18N 200W	Soil		25	0.14	128	0.034	<20	0.83	0.004	0.07	<0.1	0.10	1.4	0.2	<0.05	5	0.7	<0.2
L18N 150W	Soil		54	0.54	280	0.018	<20	1.58	0.004	0.09	<0.1	0.32	2.6	0.2	<0.05	5	0.8	<0.2
L18N 100W	Soil		35	0.26	150	0.037	<20	1.26	0.003	0.07	<0.1	0.51	2.2	0.3	<0.05	6	<0.5	<0.2
L18N 50W	Soil		51	0.59	294	0.026	<20	1.59	0.002	0.11	<0.1	0.25	2.6	0.2	<0.05	5	<0.5	<0.2
L18N 0W	Soil		45	0.50	144	0.032	<20	1.33	0.003	0.09	<0.1	0.28	1.9	0.2	<0.05	5	<0.5	<0.2
L18N 50E	Soil		53	0.52	132	0.029	<20	1.58	0.003	0.07	<0.1	0.20	2.5	0.2	<0.05	5	<0.5	<0.2
L18N 100E	Soil		20	0.15	100	0.035	<20	0.77	<0.001	0.07	<0.1	0.10	1.6	0.2	<0.05	5	<0.5	<0.2
L18N 150E	Soil		42	0.35	107	0.048	<20	1.39	0.001	0.05	<0.1	0.43	2.8	0.2	<0.05	7	<0.5	<0.2
L18N 200E	Soil		43	0.47	239	0.032	<20	1.53	<0.001	0.10	<0.1	0.82	2.4	0.2	<0.05	5	<0.5	<0.2
L18N 250E	Soil		54	0.61	237	0.052	<20	1.42	0.003	0.09	<0.1	2.65	3.1	0.2	<0.05	5	0.6	<0.2
L18N 300E	Soil		55	0.70	257	0.027	<20	1.73	0.004	0.12	<0.1	0.71	3.1	0.2	<0.05	6	<0.5	<0.2
L18N 350E	Soil		52	0.53	374	0.044	<20	1.38	0.003	0.10	<0.1	1.40	3.2	0.2	<0.05	6	<0.5	<0.2
L18N 400E	Soil		57	0.60	235	0.042	<20	1.56	0.002	0.12	<0.1	0.96	3.0	0.2	<0.05	6	<0.5	<0.2
L18N 450E	Soil		49	0.68	103	0.038	<20	1.89	0.003	0.06	<0.1	1.07	3.2	0.1	<0.05	5	<0.5	<0.2
L18N 500E	Soil		62	0.72	104	0.033	<20	2.39	0.002	0.07	<0.1	4.89	4.1	0.2	<0.05	7	<0.5	<0.2
L18N 550E	Soil		40	0.46	95	0.040	<20	1.60	0.002	0.08	<0.1	0.43	3.5	0.2	<0.05	7	<0.5	<0.2
L18N 600E	Soil		55	0.49	97	0.041	<20	1.92	<0.001	0.04	0.1	1.10	4.1	0.1	<0.05	7	<0.5	<0.2
L18N 650E	Soil		46	0.49	152	0.046	<20	1.55	0.003	0.04	0.1	0.92	3.0	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L18N 700E	Soil		1.3	21.2	4.1	37	<0.1	45.7	6.2	233	2.03	5.2	1.6	0.9	11	0.1	0.5	0.1	39	0.18	0.033	7
L18N 750E	Soil		1.4	20.1	4.7	45	0.1	33.9	8.9	445	1.91	5.3	2.1	0.4	13	0.3	0.5	0.1	32	0.25	0.045	9
L18N 800E	Soil		1.0	18.1	4.6	36	<0.1	26.1	5.4	278	1.63	4.4	1.2	0.5	9	0.2	0.6	<0.1	33	0.14	0.052	8
L18N 850E	Soil		0.3	1.0	2.4	5	<0.1	0.7	0.1	16	0.11	<0.5	1.1	<0.1	4	<0.1	0.1	<0.1	12	0.03	0.008	10
L18N 900E	Soil		0.4	1.9	3.7	12	<0.1	3.2	0.6	46	0.54	2.3	0.9	0.3	6	<0.1	0.4	0.1	25	0.10	0.028	9
L18N 950E	Soil		1.1	9.0	4.4	40	0.1	15.0	3.0	177	1.88	6.0	0.7	1.0	7	0.1	1.0	<0.1	40	0.10	0.048	8
L18N 1000E	Soil		47.5	79.7	11.0	677	0.5	52.3	31.1	4244	19.74	1358.8	9.0	1.8	29	4.0	18.6	0.4	37	1.02	0.156	9
L18N 1050E	Soil		1.1	91.5	20.1	395	0.4	36.2	9.0	377	2.30	50.6	7.9	1.8	26	3.2	6.7	0.6	56	0.65	0.085	16
L18N 1100E	Soil		1.7	68.5	19.3	419	0.4	38.5	10.5	336	2.52	46.6	6.7	2.1	23	4.5	7.6	0.6	46	0.64	0.090	14
L18N 1150E	Soil		2.1	66.1	19.8	455	0.7	39.3	11.9	387	2.49	52.6	10.0	1.2	36	3.0	11.2	0.7	40	0.64	0.100	14
L18N 1200E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 1250E	Soil		1.3	16.4	5.6	42	0.1	27.5	4.2	199	1.82	6.8	2.1	<0.1	10	0.4	0.7	0.1	38	0.15	0.040	10
L18N 1300E	Soil		1.9	15.8	6.3	44	0.2	17.0	4.2	207	1.85	6.5	1.8	1.6	9	0.2	1.1	0.1	35	0.09	0.047	14
L18N 1350E	Soil		2.3	14.4	7.0	36	0.3	12.8	2.8	125	2.68	8.6	2.5	1.2	6	0.1	0.8	0.1	52	0.06	0.090	10
L18N 1400E	Soil		1.4	24.7	5.9	41	<0.1	17.7	3.9	212	1.65	5.9	3.7	2.2	8	0.2	1.0	0.1	26	0.09	0.047	15
L12N 200E	Soil		1.8	9.9	10.6	31	0.2	7.2	1.8	119	1.95	22.8	1.3	1.2	6	0.1	1.2	0.3	46	0.05	0.055	15
L12N 250E	Soil		1.8	14.3	12.3	47	0.4	12.5	3.2	230	1.93	16.5	1.6	2.1	9	0.1	1.1	0.3	46	0.08	0.041	17
L12N 300E	Soil		7.7	57.3	17.8	102	0.4	26.8	9.0	560	3.88	43.8	2.3	0.6	22	0.7	2.9	0.6	55	0.23	0.053	18
L12N 350E	Soil		2.2	21.7	13.4	58	0.5	13.7	3.2	159	2.07	27.6	9.9	0.4	7	0.5	2.1	0.2	39	0.07	0.033	15
L12N 400E	Soil		2.3	16.3	14.1	54	0.3	15.3	3.2	208	2.25	24.5	1.5	1.2	8	0.2	2.2	0.2	46	0.10	0.087	15
L12N 450E	Soil		3.5	27.0	18.3	118	0.3	14.9	4.7	276	3.71	244.4	2.7	1.0	19	0.5	4.7	0.7	86	0.53	0.065	13
L12N 500E	Soil		3.7	21.5	16.3	306	0.7	15.9	3.8	196	2.63	445.7	0.9	0.8	20	0.8	4.6	0.4	62	0.65	0.041	13
L12N 550E	Soil		2.6	29.1	11.9	125	0.2	26.2	6.2	297	3.68	33.9	4.7	1.6	10	0.7	3.2	0.3	53	0.18	0.065	12
L12N 600E	Soil		1.6	3.8	10.1	16	<0.1	1.8	0.5	35	0.40	16.4	0.6	0.6	6	<0.1	1.6	0.5	35	0.07	0.013	17
L12N 650E	Soil		3.8	55.8	19.7	119	0.4	33.4	7.0	336	3.46	89.7	13.3	3.0	10	0.5	7.6	0.7	51	0.19	0.102	15
L12N 700E	Soil		1.3	37.1	11.4	780	0.4	31.2	7.4	329	2.15	424.9	7.0	0.7	21	2.0	5.6	0.3	37	0.82	0.047	12
L12N 750E	Soil		1.2	5.1	10.0	17	0.3	3.7	0.9	54	1.09	27.9	0.7	1.1	6	<0.1	1.2	0.5	41	0.06	0.052	15
L12N 800E	Soil		3.0	32.6	11.1	65	0.2	14.8	4.1	283	2.86	54.4	1.2	1.6	7	0.2	3.4	0.3	62	0.12	0.121	12
L12N 850E	Soil		2.6	25.4	11.1	77	0.3	19.1	5.5	328	4.55	42.3	1.9	1.5	7	0.2	2.1	0.3	67	0.19	0.203	8
L12N 900E	Soil		2.5	25.1	8.7	49	<0.1	11.2	3.3	164	2.06	37.0	0.9	1.0	6	0.1	2.4	0.3	64	0.17	0.046	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L18N 700E	Soil		73	0.57	80	0.062	<20	0.86	0.003	0.04	<0.1	0.12	2.4	<0.1	<0.05	3	<0.5	<0.2
L18N 750E	Soil		53	0.47	115	0.045	<20	0.80	0.004	0.05	<0.1	0.57	2.2	<0.1	<0.05	2	<0.5	<0.2
L18N 800E	Soil		41	0.40	55	0.043	<20	0.85	0.002	0.04	<0.1	0.28	2.0	<0.1	<0.05	3	<0.5	<0.2
L18N 850E	Soil		7	0.03	27	0.024	<20	0.39	<0.001	0.01	<0.1	0.42	0.4	<0.1	<0.05	4	<0.5	<0.2
L18N 900E	Soil		16	0.12	32	0.054	<20	0.70	0.003	0.03	<0.1	0.18	1.5	<0.1	<0.05	4	<0.5	<0.2
L18N 950E	Soil		40	0.35	50	0.056	<20	1.22	0.004	0.04	<0.1	0.97	2.5	<0.1	<0.05	5	<0.5	<0.2
L18N 1000E	Soil		79	0.51	538	0.023	<20	1.11	0.004	0.10	<0.1	0.62	4.6	0.2	<0.05	3	2.7	<0.2
L18N 1050E	Soil		52	0.92	437	0.024	<20	2.12	0.007	0.10	0.1	0.52	6.1	0.4	0.08	7	1.3	<0.2
L18N 1100E	Soil		45	0.79	314	0.027	<20	1.69	0.006	0.10	<0.1	0.40	5.0	0.2	<0.05	5	2.4	<0.2
L18N 1150E	Soil		39	0.69	237	0.035	<20	1.38	0.008	0.11	0.2	0.46	4.0	0.2	<0.05	4	1.6	<0.2
L18N 1200E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L18N 1250E	Soil		45	0.39	96	0.033	<20	1.07	0.003	0.05	<0.1	0.44	1.4	<0.1	<0.05	4	<0.5	<0.2
L18N 1300E	Soil		33	0.43	79	0.038	<20	1.10	0.003	0.07	<0.1	0.23	2.3	<0.1	<0.05	4	<0.5	<0.2
L18N 1350E	Soil		43	0.26	68	0.051	<20	1.45	0.001	0.03	<0.1	0.34	2.4	<0.1	<0.05	5	<0.5	<0.2
L18N 1400E	Soil		27	0.40	62	0.034	<20	0.92	0.002	0.05	<0.1	0.49	2.2	<0.1	<0.05	3	<0.5	<0.2
L12N 200E	Soil		21	0.20	61	0.022	<20	1.22	0.002	0.05	<0.1	0.28	2.6	0.2	<0.05	7	<0.5	<0.2
L12N 250E	Soil		26	0.37	121	0.024	<20	1.50	0.002	0.08	<0.1	0.11	3.2	0.3	<0.05	7	<0.5	<0.2
L12N 300E	Soil		37	0.40	452	0.020	<20	1.57	0.003	0.11	<0.1	0.16	2.5	0.3	<0.05	7	<0.5	<0.2
L12N 350E	Soil		30	0.31	98	0.026	<20	1.46	0.002	0.06	<0.1	0.25	2.3	0.2	<0.05	5	<0.5	<0.2
L12N 400E	Soil		31	0.37	113	0.021	<20	1.30	0.001	0.07	<0.1	0.12	2.5	0.2	<0.05	6	<0.5	<0.2
L12N 450E	Soil		29	0.29	348	0.043	<20	1.51	0.003	0.05	<0.1	0.08	3.4	0.3	<0.05	10	0.6	0.2
L12N 500E	Soil		33	0.27	336	0.036	<20	1.37	0.002	0.06	<0.1	0.48	3.1	0.2	<0.05	6	0.8	<0.2
L12N 550E	Soil		48	0.53	117	0.042	<20	1.97	0.003	0.07	<0.1	0.65	3.8	0.2	<0.05	5	0.6	<0.2
L12N 600E	Soil		11	0.10	57	0.041	<20	0.94	0.002	0.04	<0.1	0.07	1.9	0.2	<0.05	8	<0.5	<0.2
L12N 650E	Soil		37	0.63	94	0.051	<20	1.42	0.003	0.07	<0.1	0.50	3.8	0.2	<0.05	5	<0.5	<0.2
L12N 700E	Soil		40	0.52	182	0.021	<20	1.17	0.005	0.07	<0.1	0.37	2.9	0.2	<0.05	4	<0.5	<0.2
L12N 750E	Soil		14	0.14	45	0.024	<20	0.90	0.001	0.04	<0.1	0.10	2.2	0.2	<0.05	7	<0.5	<0.2
L12N 800E	Soil		29	0.28	47	0.050	<20	1.07	0.004	0.05	0.3	1.95	3.0	0.3	<0.05	7	<0.5	<0.2
L12N 850E	Soil		37	0.59	77	0.052	<20	1.69	0.004	0.06	<0.1	0.10	4.1	0.2	<0.05	8	<0.5	<0.2
L12N 900E	Soil		19	0.27	59	0.067	<20	1.19	0.003	0.05	<0.1	0.05	3.1	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L12N 950E	Soil	2.9	36.3	23.8	311	0.5	29.3	19.3	889	2.94	107.4	3.5	1.4	21	1.6	8.6	0.5	42	0.72	0.179	15
L12N 1000E	Soil	3.9	79.3	23.8	500	0.4	32.1	10.7	708	3.00	178.7	8.0	2.2	30	2.6	11.2	0.9	40	0.73	0.086	17
L12N 1050E	Soil	2.5	20.5	14.7	65	0.1	15.6	4.2	164	3.65	49.0	3.4	1.9	5	0.2	3.6	0.4	74	0.09	0.100	10
L12N 1100E	Soil	3.9	55.8	18.5	123	0.5	40.1	11.6	335	3.17	58.9	13.3	3.3	6	0.4	6.7	0.5	39	0.09	0.042	13
L12N 1150E	Soil	3.0	31.7	22.4	85	0.2	16.4	4.9	208	3.28	75.5	3.3	2.8	5	0.2	7.2	0.8	61	0.09	0.059	14
L12N 1200E	Soil	3.5	34.7	13.7	138	0.2	29.0	7.5	307	3.66	50.6	1.6	2.2	6	0.4	5.1	0.5	52	0.14	0.127	11
L12N 1250E	Soil	3.4	32.2	13.5	137	0.5	24.6	7.5	450	4.16	38.7	3.5	2.2	6	0.3	5.0	0.4	58	0.16	0.169	12
L12N 1300E	Soil	1.8	13.2	11.3	54	0.7	10.6	2.7	110	2.05	20.1	<0.5	2.5	5	0.2	1.8	0.3	40	0.07	0.053	16
L12N 1350E	Soil	1.9	16.8	9.1	43	0.6	11.9	2.6	116	1.83	13.9	1.8	2.3	5	0.1	2.2	0.3	35	0.05	0.055	15
L12N 1400E	Soil	3.7	41.2	13.3	105	0.3	32.4	6.9	283	4.08	38.0	3.2	3.1	6	0.5	3.7	0.4	49	0.08	0.099	16
L12N 1450E	Soil	3.0	33.3	8.4	65	0.2	27.7	11.5	260	2.31	18.4	6.1	1.8	12	0.3	2.3	0.1	31	0.27	0.050	12
L12N 1500E	Soil	4.2	68.7	23.4	434	0.2	32.2	12.2	752	3.09	150.0	7.7	2.1	22	2.4	11.8	1.3	41	0.53	0.078	17
L1S 2050W	Soil	2.0	30.7	9.1	49	0.4	14.1	4.8	245	3.80	5.1	9.2	0.2	7	0.2	0.6	0.2	69	0.10	0.075	13
L1S 2000W	Soil	2.9	40.1	9.7	67	0.7	15.5	5.8	869	3.79	4.5	0.7	0.2	8	0.3	0.5	0.3	72	0.09	0.109	14
L1S 1950W	Soil	2.1	17.6	7.1	30	0.7	10.1	2.6	100	1.12	1.6	<0.5	0.2	9	0.2	0.2	0.2	42	0.12	0.034	17
L1S 1900W	Soil	1.0	50.9	4.1	79	0.1	24.0	19.5	1343	8.14	3.0	<0.5	0.7	11	<0.1	0.4	0.2	227	0.50	0.111	6
L1S 1850W	Soil	2.6	39.7	6.7	56	<0.1	14.3	8.8	1072	3.12	2.9	<0.5	0.3	9	<0.1	0.9	0.2	106	0.25	0.066	15
L1S 1800W	Soil	3.7	32.8	7.9	44	0.4	13.0	5.0	282	3.22	5.7	0.9	0.1	6	0.2	1.0	0.2	68	0.08	0.105	13
L1S 1750W	Soil	3.0	29.8	23.7	46	<0.1	15.8	7.2	865	2.03	21.0	2.5	0.3	5	<0.1	7.3	0.3	69	0.07	0.051	21
L1S 1700W	Soil	5.7	56.3	106.7	157	0.4	29.9	10.9	823	4.40	109.5	2.9	1.2	6	0.4	47.9	0.4	56	0.06	0.115	20
L1S 1650W	Soil	5.4	28.3	50.5	135	0.2	17.6	8.5	1346	2.75	30.7	1.8	0.1	27	1.1	9.4	0.4	39	0.29	0.111	13
L1S 1600W	Soil	4.6	27.9	11.0	39	0.4	8.4	3.4	254	2.19	8.2	<0.5	0.2	5	0.2	1.1	0.2	43	0.03	0.066	16
L1S 1550W	Soil	4.8	33.5	11.0	57	0.3	17.9	5.4	274	2.66	7.6	2.9	0.8	5	0.2	1.1	0.2	37	0.05	0.038	16
L1S 1500W	Soil	2.6	15.4	8.0	28	0.1	5.5	2.3	399	1.40	3.0	<0.5	0.1	6	0.2	0.7	0.2	41	0.11	0.033	16
L1S 1450W	Soil	2.2	14.6	8.6	18	0.1	3.4	0.9	75	0.69	2.4	0.8	0.2	6	0.1	0.5	0.2	20	0.06	0.057	19
L1S 1400W	Soil	5.3	38.3	11.1	71	0.2	13.8	8.5	562	1.96	5.8	<0.5	<0.1	8	0.2	1.4	0.3	41	0.05	0.055	14
L17S 200W	Soil	2.6	18.9	5.6	56	0.2	9.5	3.9	244	1.78	2.6	3.1	1.2	10	0.4	0.4	0.2	56	0.13	0.041	10
L17S 250W	Soil	1.0	8.3	3.7	25	0.2	6.4	2.5	148	1.00	1.3	27.1	0.7	9	0.2	0.2	<0.1	40	0.09	0.020	9
L17S 300W	Soil	2.9	18.1	5.0	50	<0.1	14.4	5.1	872	2.63	5.7	<0.5	1.0	5	0.2	0.6	0.1	49	0.08	0.097	6
L8N 2900W	Soil	3.0	19.5	8.6	51	0.3	9.8	7.6	2034	3.16	2.7	0.6	0.5	7	0.1	0.5	0.2	75	0.15	0.077	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

CERTIFICATE OF ANALYSIS VAN17002508.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L12N 950E	Soil	41	0.58	158	0.027	<20	1.41	0.007	0.08	0.7	2.34	3.7	0.2	<0.05	4	<0.5	<0.2
L12N 1000E	Soil	31	0.69	140	0.048	<20	1.15	0.008	0.10	1.1	0.41	3.9	0.2	<0.05	4	0.8	<0.2
L12N 1050E	Soil	32	0.27	100	0.043	<20	1.34	0.002	0.03	<0.1	0.25	2.8	0.2	<0.05	7	0.5	<0.2
L12N 1100E	Soil	42	0.54	88	0.042	<20	1.62	0.002	0.05	0.1	0.65	3.3	0.1	<0.05	3	0.6	<0.2
L12N 1150E	Soil	35	0.31	76	0.044	<20	1.54	<0.001	0.04	0.1	3.75	3.1	0.2	<0.05	6	<0.5	<0.2
L12N 1200E	Soil	46	0.52	89	0.045	<20	1.76	0.002	0.04	<0.1	1.89	3.5	0.2	<0.05	5	<0.5	<0.2
L12N 1250E	Soil	43	0.51	118	0.047	<20	1.58	0.003	0.05	0.1	0.48	3.7	0.2	<0.05	6	<0.5	<0.2
L12N 1300E	Soil	35	0.24	94	0.036	<20	1.60	0.001	0.03	<0.1	1.27	2.8	0.1	<0.05	5	<0.5	<0.2
L12N 1350E	Soil	32	0.27	63	0.030	<20	1.31	0.002	0.03	<0.1	0.23	2.6	0.1	<0.05	4	0.6	<0.2
L12N 1400E	Soil	47	0.58	99	0.027	<20	1.69	0.002	0.05	<0.1	1.98	3.4	0.1	<0.05	5	0.6	<0.2
L12N 1450E	Soil	29	0.37	122	0.037	<20	0.77	0.002	0.05	<0.1	0.81	2.8	<0.1	<0.05	3	<0.5	<0.2
L12N 1500E	Soil	30	0.63	127	0.043	<20	1.10	0.006	0.09	1.0	0.26	3.5	0.2	<0.05	4	0.9	0.2
L1S 2050W	Soil	28	0.28	83	0.022	<20	1.42	0.004	0.06	<0.1	0.05	1.7	0.2	<0.05	7	<0.5	<0.2
L1S 2000W	Soil	30	0.46	143	0.009	<20	1.96	0.002	0.07	<0.1	0.06	1.3	0.2	<0.05	9	0.5	<0.2
L1S 1950W	Soil	26	0.26	113	0.018	<20	1.55	<0.001	0.05	<0.1	0.04	1.7	0.2	<0.05	6	<0.5	<0.2
L1S 1900W	Soil	57	0.89	128	0.313	<20	2.39	0.004	0.05	<0.1	0.05	6.8	0.1	<0.05	12	<0.5	<0.2
L1S 1850W	Soil	23	0.29	142	0.073	<20	1.23	0.002	0.06	<0.1	0.03	3.4	0.2	<0.05	8	<0.5	<0.2
L1S 1800W	Soil	23	0.25	89	0.015	<20	1.34	0.001	0.05	<0.1	0.05	1.5	0.2	<0.05	6	<0.5	<0.2
L1S 1750W	Soil	27	0.30	121	0.009	<20	1.34	0.002	0.06	<0.1	0.02	2.4	0.3	<0.05	8	<0.5	<0.2
L1S 1700W	Soil	35	0.51	152	0.004	<20	1.60	<0.001	0.11	<0.1	0.03	2.3	0.2	<0.05	6	0.6	<0.2
L1S 1650W	Soil	23	0.32	395	0.006	<20	1.26	0.001	0.14	<0.1	0.03	0.9	0.2	<0.05	6	<0.5	<0.2
L1S 1600W	Soil	15	0.16	100	0.003	<20	1.20	<0.001	0.06	<0.1	0.04	0.9	0.3	<0.05	6	<0.5	<0.2
L1S 1550W	Soil	22	0.50	75	0.006	<20	1.63	<0.001	0.05	<0.1	0.10	2.1	0.2	<0.05	5	<0.5	<0.2
L1S 1500W	Soil	14	0.16	133	0.007	<20	1.13	0.001	0.08	<0.1	0.03	1.3	0.2	<0.05	6	<0.5	<0.2
L1S 1450W	Soil	10	0.09	163	0.003	<20	0.92	<0.001	0.08	<0.1	0.02	0.5	0.2	<0.05	5	<0.5	<0.2
L1S 1400W	Soil	20	0.37	159	0.006	<20	1.65	0.001	0.12	<0.1	0.02	0.6	0.3	<0.05	7	<0.5	<0.2
L17S 200W	Soil	12	0.14	63	0.028	<20	0.83	0.002	0.06	<0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
L17S 250W	Soil	13	0.11	38	0.051	<20	0.58	0.003	0.04	<0.1	<0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
L17S 300W	Soil	28	0.28	74	0.058	<20	0.94	<0.001	0.04	<0.1	<0.01	2.1	<0.1	<0.05	5	0.5	<0.2
L8N 2900W	Soil	23	0.27	243	0.068	<20	1.66	0.001	0.06	<0.1	0.03	3.0	0.2	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

QUALITY CONTROL REPORT VAN17002508.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
L21S 850W	Soil	3.1	22.7	6.6	68	0.2	19.0	7.0	282	2.62	6.5	<0.5	1.6	8	0.2	0.6	0.1	51	0.08	0.042	9
REP L21S 850W	QC	3.5	23.1	6.8	72	0.2	19.4	7.5	295	2.80	7.3	1.9	1.6	8	0.2	0.6	0.1	57	0.09	0.046	9
L15S 800W	Soil	4.6	85.4	14.1	199	0.8	25.6	16.6	497	4.50	8.1	2.1	1.5	57	1.0	0.5	0.3	72	0.56	0.063	12
REP L15S 800W	QC	4.6	88.6	14.4	203	0.8	26.0	16.7	506	4.60	8.0	1.2	1.6	59	0.9	0.5	0.3	74	0.60	0.062	11
L17S 1400W	Soil	9.4	333.8	12.3	125	0.6	44.0	19.1	1574	3.36	10.4	2.4	1.9	98	0.8	1.7	0.5	44	1.58	0.151	28
REP L17S 1400W	QC	9.6	329.1	12.2	123	0.6	45.2	19.5	1511	3.23	10.1	1.2	1.9	96	0.8	1.7	0.5	45	1.56	0.146	26
L18N 3000W	Soil	2.6	33.5	6.0	45	0.2	13.7	4.8	247	2.48	4.9	<0.5	0.3	4	<0.1	0.6	0.2	29	0.05	0.047	17
REP L18N 3000W	QC	2.6	35.4	6.1	44	0.2	13.4	4.9	264	2.55	5.4	<0.5	0.3	4	<0.1	0.8	0.2	30	0.05	0.049	18
L22N 50E	Soil	3.0	27.3	10.7	66	0.3	27.8	6.3	283	2.88	14.1	1.3	0.8	7	0.4	1.7	0.2	45	0.09	0.028	14
REP L22N 50E	QC	3.2	27.7	11.5	67	0.3	27.5	6.5	280	2.85	14.8	3.4	0.9	8	0.4	1.8	0.3	46	0.10	0.028	14
L20N 550E	Soil	1.8	38.6	11.2	112	0.1	62.6	12.4	369	3.49	14.7	2.5	1.6	10	0.9	1.0	0.2	73	0.17	0.032	14
REP L20N 550E	QC	1.7	36.9	11.1	113	0.1	58.7	11.9	364	3.53	15.0	2.1	1.5	10	0.8	0.8	0.2	69	0.18	0.034	13
L18N 1050E	Soil	1.1	91.5	20.1	395	0.4	36.2	9.0	377	2.30	50.6	7.9	1.8	26	3.2	6.7	0.6	56	0.65	0.085	16
REP L18N 1050E	QC	1.2	92.2	19.6	380	0.4	35.2	9.0	370	2.20	47.2	8.4	1.8	25	3.8	7.0	0.6	55	0.62	0.087	15
L1S 2050W	Soil	2.0	30.7	9.1	49	0.4	14.1	4.8	245	3.80	5.1	9.2	0.2	7	0.2	0.6	0.2	69	0.10	0.075	13
REP L1S 2050W	QC	2.5	31.7	9.4	51	0.4	15.0	5.2	257	3.90	5.4	1.4	0.2	7	0.1	0.5	0.2	69	0.09	0.078	13
Reference Materials																					
STD DS11	Standard	13.9	137.8	132.7	326	1.5	74.3	12.7	992	3.00	40.6	54.4	7.3	69	2.1	7.9	10.2	47	1.02	0.063	17
STD DS11	Standard	15.5	149.4	136.0	352	1.7	75.1	13.1	1012	3.01	42.8	47.6	7.7	74	2.6	6.8	11.1	50	1.03	0.070	20
STD DS11	Standard	14.6	151.6	138.4	358	1.6	78.2	14.9	1028	3.23	41.9	92.5	8.2	70	2.4	6.3	10.4	54	1.12	0.067	21
STD DS11	Standard	13.9	148.9	139.7	334	1.7	85.7	14.1	986	3.20	42.2	297.1	8.1	71	2.5	7.1	10.8	58	1.05	0.072	21
STD DS11	Standard	14.0	136.4	134.3	349	1.5	76.3	13.7	955	2.87	39.8	54.4	7.9	65	2.4	7.1	9.7	53	0.99	0.069	19
STD DS11	Standard	15.3	161.4	146.1	360	1.6	81.7	13.8	1094	3.26	44.6	119.7	7.9	70	2.6	8.3	11.7	54	1.13	0.073	19
STD DS11	Standard	12.6	133.2	129.2	318	1.5	72.8	12.5	954	2.87	40.0	49.7	6.8	64	2.3	8.4	9.9	45	0.98	0.065	18
STD DS11	Standard	14.6	141.6	131.0	323	1.7	78.0	13.0	992	3.10	38.1	145.5	7.2	63	2.1	7.9	11.6	47	0.98	0.065	16
STD DS11	Standard	12.9	149.7	125.9	327	1.6	79.3	13.3	1008	3.06	42.9	89.4	7.0	63	2.3	7.1	10.9	48	0.99	0.069	19
STD OREAS45EA	Standard	1.4	636.5	12.8	29	0.2	352.5	46.7	402	20.92	10.8	48.6	9.6	4	<0.1	0.4	0.2	268	0.03	0.027	6
STD OREAS45EA	Standard	1.4	682.9	13.6	32	0.2	376.6	48.2	419	21.58	10.9	41.2	10.1	4	<0.1	0.2	0.3	291	0.03	0.029	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

QUALITY CONTROL REPORT VAN17002508.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
L21S 850W	Soil	34	0.38	186	0.038	<20	1.48	<0.001	0.06	<0.1	0.04	2.8	0.1	<0.05	6	<0.5	<0.2
REP L21S 850W	QC	36	0.35	192	0.039	<20	1.39	<0.001	0.06	<0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
L15S 800W	Soil	28	0.41	382	0.041	<20	2.23	0.006	0.06	0.1	0.10	4.7	0.1	<0.05	9	1.8	<0.2
REP L15S 800W	QC	29	0.43	394	0.039	<20	2.28	0.005	0.06	<0.1	0.11	4.7	0.2	<0.05	9	1.1	<0.2
L17S 1400W	Soil	24	0.41	498	0.002	<20	1.89	0.005	0.07	<0.1	0.30	12.0	0.2	<0.05	4	2.6	<0.2
REP L17S 1400W	QC	23	0.39	480	0.002	<20	1.83	0.005	0.07	<0.1	0.28	11.2	0.2	<0.05	4	2.2	<0.2
L18N 3000W	Soil	15	0.31	57	0.006	<20	1.38	0.003	0.04	<0.1	0.02	1.3	0.2	<0.05	5	<0.5	<0.2
REP L18N 3000W	QC	16	0.30	61	0.006	<20	1.41	0.002	0.05	<0.1	0.03	1.4	0.1	<0.05	5	<0.5	<0.2
L22N 50E	Soil	49	0.46	171	0.035	<20	1.63	0.002	0.08	<0.1	1.07	2.8	0.2	<0.05	6	<0.5	<0.2
REP L22N 50E	QC	50	0.47	171	0.035	<20	1.63	0.003	0.08	<0.1	0.24	3.0	0.2	<0.05	6	<0.5	<0.2
L20N 550E	Soil	78	0.88	169	0.048	<20	2.85	0.003	0.05	<0.1	0.95	5.3	0.2	<0.05	8	<0.5	<0.2
REP L20N 550E	QC	79	0.84	169	0.045	<20	2.80	0.003	0.05	<0.1	0.95	5.1	0.2	<0.05	8	<0.5	<0.2
L18N 1050E	Soil	52	0.92	437	0.024	<20	2.12	0.007	0.10	0.1	0.52	6.1	0.4	0.08	7	1.3	<0.2
REP L18N 1050E	QC	50	0.89	418	0.022	<20	2.07	0.008	0.09	0.1	0.56	5.6	0.4	<0.05	7	1.6	<0.2
L1S 2050W	Soil	28	0.28	83	0.022	<20	1.42	0.004	0.06	<0.1	0.05	1.7	0.2	<0.05	7	<0.5	<0.2
REP L1S 2050W	QC	28	0.28	89	0.023	<20	1.49	0.004	0.06	<0.1	0.04	1.7	0.2	<0.05	7	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	56	0.77	420	0.088	<20	1.05	0.067	0.41	2.4	0.30	3.2	4.6	0.22	5	2.1	4.9
STD DS11	Standard	57	0.87	442	0.101	<20	1.22	0.077	0.43	2.7	0.25	3.4	4.8	0.29	5	2.1	4.1
STD DS11	Standard	60	0.84	403	0.100	<20	1.19	0.083	0.41	2.1	0.25	3.5	5.2	0.27	5	2.4	4.4
STD DS11	Standard	63	0.79	399	0.105	<20	1.19	0.072	0.40	2.6	0.25	3.5	5.2	0.25	5	2.2	5.0
STD DS11	Standard	61	0.78	390	0.092	<20	1.16	0.065	0.36	2.4	0.36	3.0	5.0	0.22	5	1.9	4.2
STD DS11	Standard	66	0.86	431	0.099	<20	1.20	0.066	0.43	2.6	0.24	3.2	5.1	0.23	5	1.8	4.5
STD DS11	Standard	54	0.79	391	0.088	<20	1.11	0.066	0.36	2.8	0.24	2.8	4.8	0.23	5	1.8	4.2
STD DS11	Standard	55	0.82	418	0.086	<20	1.08	0.060	0.39	3.0	0.25	3.1	4.8	0.23	4	1.9	4.3
STD DS11	Standard	60	0.80	421	0.092	<20	1.09	0.069	0.39	2.5	0.24	3.2	4.8	0.29	5	2.1	4.4
STD OREAS45EA	Standard	776	0.09	134	0.086	<20	2.99	0.020	0.05	<0.1	0.02	74.4	<0.1	<0.05	12	1.6	<0.2
STD OREAS45EA	Standard	812	0.11	137	0.104	<20	3.38	0.022	0.06	<0.1	0.02	79.5	<0.1	<0.05	12	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

QUALITY CONTROL REPORT VAN17002508.1

		AQ200 Mo ppm 0.1	AQ200 Cu ppm 0.1	AQ200 Pb ppm 0.1	AQ200 Zn ppm 1	AQ200 Ag ppm 0.1	AQ200 Ni ppm 0.1	AQ200 Co ppm 0.1	AQ200 Mn ppm 1	AQ200 Fe % 0.01	AQ200 As ppm 0.5	AQ200 Au ppb 0.5	AQ200 Th ppm 0.1	AQ200 Sr ppm 1	AQ200 Cd ppm 0.1	AQ200 Sb ppm 0.1	AQ200 Bi ppm 0.1	AQ200 V ppm 2	AQ200 Ca % 0.01	AQ200 P % 0.001	AQ200 La ppm 1
STD OREAS45EA	Standard	1.4	657.9	14.1	30	0.2	361.8	48.0	394	20.43	10.1	39.2	10.9	4	<0.1	<0.1	0.3	282	0.04	0.026	7
STD OREAS45EA	Standard	1.4	662.8	13.6	30	0.2	380.5	52.0	383	21.53	10.6	43.0	10.5	4	<0.1	0.1	0.3	297	0.03	0.027	7
STD OREAS45EA	Standard	1.6	663.0	13.6	30	0.2	372.2	50.9	372	21.51	10.5	39.7	10.6	3	<0.1	0.3	0.3	289	0.03	0.028	7
STD OREAS45EA	Standard	1.6	668.6	14.3	32	0.2	389.4	55.2	401	22.63	11.0	50.5	10.4	4	<0.1	0.3	0.3	300	0.04	0.029	7
STD OREAS45EA	Standard	1.5	593.0	12.0	29	0.2	333.6	44.5	339	19.00	9.6	45.0	8.7	3	<0.1	0.5	0.3	246	0.03	0.024	6
STD OREAS45EA	Standard	1.4	610.6	13.1	26	0.2	341.0	46.0	363	22.57	9.4	49.1	9.6	3	<0.1	0.2	0.2	285	0.03	0.026	7
STD OREAS45EA	Standard	1.6	680.7	13.0	30	0.2	364.6	50.0	398	23.09	11.1	66.1	9.3	4	<0.1	0.3	0.3	279	0.03	0.027	7
STD OREAS45EA Expected		1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036	0.029	7.06
STD DS11 Expected		13.9	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: November 18, 2017

QUALITY CONTROL REPORT VAN17002508.1

		AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
STD OREAS45EA	Standard	857	0.10	131	0.088	<20	3.09	0.020	0.05	<0.1	<0.01	82.9	<0.1	<0.05	12	1.4	<0.2
STD OREAS45EA	Standard	886	0.10	132	0.092	<20	3.08	0.020	0.06	<0.1	0.02	74.7	<0.1	<0.05	12	1.3	<0.2
STD OREAS45EA	Standard	849	0.09	128	0.097	<20	3.04	0.017	0.05	<0.1	0.01	81.8	<0.1	<0.05	12	1.4	<0.2
STD OREAS45EA	Standard	910	0.11	136	0.101	<20	3.22	0.018	0.05	<0.1	<0.01	77.5	<0.1	<0.05	12	1.3	<0.2
STD OREAS45EA	Standard	714	0.09	136	0.083	<20	2.83	0.017	0.05	<0.1	<0.01	66.0	<0.1	<0.05	11	1.5	<0.2
STD OREAS45EA	Standard	852	0.09	131	0.087	<20	3.03	0.016	0.05	<0.1	0.02	69.7	<0.1	<0.05	11	1.2	<0.2
STD OREAS45EA	Standard	872	0.09	135	0.095	<20	2.89	0.017	0.05	<0.1	0.01	74.1	<0.1	<0.05	12	1.8	<0.2
STD OREAS45EA Expected		849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD DS11 Expected		61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.3	3.1	4.9	0.2835	4.7	1.9	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Gavin Titley
Receiving Lab: Canada-Vancouver
Received: October 25, 2017
Report Date: January 22, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN17002722.3

CLIENT JOB INFORMATION

Project: Lustdust
Shipment ID: Idr 17-02
P.O. Number
Number of Samples: 18

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	18	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ201	18	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
AQ370	4	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN
FA530-Ag	3	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
EN002	3	Environmental disposal charge-Fire assay lead waste			VAN
AR404	2	Aqua Regia Digestion 0.5g/200mL, AAS finish	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 3 : FA530-Ag & AR404-Pb included.

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7
Canada

CC: Bill Morton
Glen Garratt
Bob Johnston

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

CERTIFICATE OF ANALYSIS VAN17002722.3

	Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
2586701	Rock	2.19	5.7	47.5	5.5	24	0.2	6.5	1.9	128	2.36	46.3	15.0	4.5	18	<0.1	3.9	0.8	26	0.04	0.036
2586702	Rock	1.21	10.8	224.6	37.6	66	0.9	28.2	7.7	193	1.94	28.7	28.5	4.3	18	0.3	9.7	0.2	62	0.15	0.027
2586703	Rock	0.83	16.8	228.9	9.8	30	0.3	27.2	14.4	58	2.06	10.0	4.7	9.1	6	0.4	23.3	0.3	41	0.14	0.044
2586704	Rock	0.76	22.6	137.2	37.5	67	0.6	14.9	7.8	61	4.02	20.4	5.6	10.0	5	0.4	19.6	0.5	18	0.10	0.037
2586705	Rock	2.70	2.6	404.3	>10000	>10000	>100	1.2	0.4	267	7.25	>10000	5789.9	<0.1	5	404.2	>2000	1.7	10	0.03	0.037
2586706	Rock	1.63	4.2	1260.5	>10000	5091	>100	0.4	0.2	124	12.57	>10000	10489.5	<0.1	5	247.8	>2000	1.3	16	0.02	0.015
2586707	Rock	1.25	4.4	717.6	>10000	2149	>100	1.0	1.2	188	13.72	>10000	7355.5	<0.1	5	100.4	>2000	0.5	5	0.03	0.029
LDS1	Rock	5.42	13.4	>10000	162.7	319	56.5	23.9	17.7	1640	10.69	406.9	888.8	1.5	20	2.7	132.1	61.7	18	10.65	0.638
LDS2	Rock	7.04	128.6	8725.2	91.7	196	29.9	26.9	25.1	2100	13.77	857.6	380.2	1.7	12	1.7	67.2	50.8	24	12.39	0.377
LDS3	Rock	6.86	25.4	9167.0	21.5	78	57.3	48.4	79.4	1053	11.14	277.8	671.5	2.7	9	0.5	20.8	88.2	25	7.68	0.467
LDS4	Rock	7.05	22.9	2817.1	13.9	45	12.5	14.7	9.5	1895	12.49	515.4	73.5	0.7	2	0.4	12.3	10.8	21	13.72	0.052
79694	Rock	1.51	1.9	44.5	7.9	52	0.4	17.3	2.8	202	2.14	7.6	2.2	2.3	3	0.3	5.1	0.3	16	0.05	0.017
79695	Rock	1.00	0.4	59.5	20.4	72	0.3	49.4	9.7	5334	1.76	8.4	<0.5	1.8	16	0.2	7.0	0.2	11	0.06	0.014
79696	Rock	1.22	1.5	27.1	8.1	54	0.2	19.7	10.1	450	2.48	5.1	<0.5	1.6	43	0.3	4.8	0.2	72	1.78	0.025
79697	Rock	1.36	7.0	231.0	3815.6	266	39.8	1.7	3.5	393	3.81	565.6	257.2	12.8	10	1.5	30.5	3.7	15	0.09	0.109
79698	Rock	1.96	7.1	75.1	75.4	96	0.6	6.1	5.2	383	3.21	21.4	14.7	14.9	39	2.2	4.1	1.8	42	0.60	0.111
79699	Rock	2.66	15.4	71.3	28.9	58	0.7	23.5	3.7	251	1.73	19.6	8.9	5.6	16	0.2	3.2	0.9	50	0.15	0.052
79700	Rock	3.48	10.8	181.1	64.0	238	0.6	7.1	5.2	113	2.32	9.1	5.7	25.1	18	2.2	20.9	0.5	10	0.53	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

CERTIFICATE OF ANALYSIS VAN17002722.3

		Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.001	0.001	0.01
2586701	Rock		12	17	0.84	232	0.013	5	1.29	0.019	0.31	<0.1	<0.01	2.3	0.3	0.05	5	1.6	<0.2			
2586702	Rock		9	37	1.00	192	0.089	2	1.61	0.061	0.71	<0.1	<0.01	8.2	1.1	0.11	7	0.9	<0.2			
2586703	Rock		10	25	0.49	118	0.048	<1	0.80	0.025	0.43	0.2	0.02	6.0	0.4	1.36	4	2.6	<0.2			
2586704	Rock		10	9	0.16	36	0.010	<1	0.55	0.013	0.26	0.4	0.04	3.0	0.2	3.06	1	5.1	<0.2			
2586705	Rock		<1	5	<0.01	32	<0.001	14	0.04	<0.001	0.06	<0.1	>50	0.2	157.1	4.76	11	1.5	20.2	<0.001	0.037	2.65
2586706	Rock		<1	3	<0.01	24	<0.001	<1	0.03	<0.001	0.04	<0.1	>50	<0.1	387.1	4.79	8	1.6	19.1	<0.001	0.125	>4
2586707	Rock		<1	3	<0.01	35	<0.001	<1	0.02	<0.001	0.03	<0.1	22.45	<0.1	946.6	6.80	3	2.2	2.5	<0.001	0.069	>4
LDS1	Rock		26	9	0.26	26	0.055	4	1.15	0.014	0.02	37.8	0.09	2.8	0.9	1.97	7	8.4	6.0	0.001	2.709	0.02
LDS2	Rock		21	11	0.24	80	0.042	3	1.04	0.007	0.06	73.5	0.03	3.3	1.1	0.85	8	9.0	6.3			
LDS3	Rock		30	10	0.23	30	0.070	1	0.69	0.006	0.03	63.2	<0.01	2.2	0.1	3.86	7	20.3	5.8			
LDS4	Rock		21	6	0.23	17	0.018	3	0.92	<0.001	0.01	64.4	<0.01	1.8	0.2	0.71	10	2.7	2.7			
79694	Rock		8	12	0.64	135	0.002	3	1.08	0.010	0.14	<0.1	0.03	1.7	<0.1	<0.05	4	0.6	<0.2			
79695	Rock		14	8	0.39	229	0.008	4	0.71	0.007	0.11	<0.1	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2			
79696	Rock		6	32	0.99	28	0.145	2	1.15	0.021	0.01	0.1	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2			
79697	Rock		28	2	0.08	187	0.002	2	0.62	0.006	0.27	0.2	0.13	1.4	0.5	0.33	2	2.9	2.7			
79698	Rock		39	5	0.78	131	0.062	<1	1.12	0.046	0.17	0.3	<0.01	3.2	0.2	1.09	6	1.4	0.2			
79699	Rock		6	23	1.09	128	0.012	<1	1.45	0.061	0.23	0.1	<0.01	4.4	0.4	0.23	6	1.4	<0.2			
79700	Rock		19	3	0.26	59	0.006	<1	0.48	0.040	0.19	0.3	0.05	1.9	0.2	2.20	2	3.2	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

CERTIFICATE OF ANALYSIS VAN17002722.3

		Method	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370
		Analyte	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg
		Unit	%	ppm	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	0.01	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001
2586701	Rock																					
2586702	Rock																					
2586703	Rock																					
2586704	Rock																					
2586705	Rock		2.09	>1000	<0.001	<0.001	0.02	7.12	6.78	<0.001	0.038	2.883	<0.01	0.02	0.033	<0.001	<0.01	0.06	0.03	0.06	<0.001	0.007
2586706	Rock		0.53	>1000	<0.001	<0.001	0.01	13.79	>10	<0.001	0.027	>5	<0.01	0.02	0.029	<0.001	<0.01	0.04	0.11	0.05	0.001	0.007
2586707	Rock		0.21	>1000	<0.001	<0.001	0.02	12.94	9.83	<0.001	0.009	>5	<0.01	0.03	0.032	<0.001	<0.01	0.03	0.06	0.04	<0.001	0.002
LDS1	Rock		0.03	53	0.002	0.001	0.17	11.29	0.02	0.002	<0.001	<0.001	<0.01	10.93	0.667	0.001	0.27	1.23	0.01	0.02	0.007	<0.001
LDS2	Rock																					
LDS3	Rock																					
LDS4	Rock																					
79694	Rock																					
79695	Rock																					
79696	Rock																					
79697	Rock																					
79698	Rock																					
79699	Rock																					
79700	Rock																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

CERTIFICATE OF ANALYSIS VAN17002722.3

		Method	AQ370	FA530	AR404
		Analyte	S	Ag	Pb
		Unit	%	gm/t	%
		MDL	0.05	20	0.01
2586701	Rock				
2586702	Rock				
2586703	Rock				
2586704	Rock				
2586705	Rock		4.53	2041	
2586706	Rock		4.57	4194	10.56
2586707	Rock		7.59	1007	6.59
LDS1	Rock		2.26		
LDS2	Rock				
LDS3	Rock				
LDS4	Rock				
79694	Rock				
79695	Rock				
79696	Rock				
79697	Rock				
79698	Rock				
79699	Rock				
79700	Rock				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

		Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																						
2586705	Rock		2.70	2.6	404.3	>10000	>10000	>100	1.2	0.4	267	7.25	>10000	5789.9	<0.1	5	404.2	>2000	1.7	10	0.03	0.037
REP 2586705	QC			2.4	432.0	>10000	>10000	>100	1.6	0.3	234	7.45	>10000	5822.5	<0.1	5	418.4	>2000	1.7	10	0.02	0.036
2586707	Rock		1.25	4.4	717.6	>10000	2149	>100	1.0	1.2	188	13.72	>10000	7355.5	<0.1	5	100.4	>2000	0.5	5	0.03	0.029
REP 2586707	QC																					
Reference Materials																						
STD AGPROOF	Standard																					
STD CDN-ME-9A	Standard																					
STD CDN-ME-14A	Standard																					
STD DS11	Standard			15.1	156.6	133.0	353	1.8	79.7	15.3	1015	3.16	43.5	65.8	7.6	74	2.7	8.2	10.6	49	1.07	0.072
STD OREAS132A	Standard																					
STD OREAS134B	Standard																					
STD OXC129	Standard			1.4	30.5	6.6	44	<0.1	84.4	22.7	400	3.03	0.9	195.9	1.9	207	<0.1	0.3	<0.1	57	0.74	0.107
STD SP49	Standard																					
STD SQ70	Standard																					
STD OXC129 Expected				1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102
STD DS11 Expected				14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD CDN-ME-9A Expected																						
STD CDN-ME-14A Expected																						
STD AGPROOF Expected																						
STD SP49 Expected																						
STD SQ70 Expected																						
STD OREAS132A Expected																						
STD OREAS134B Expected																						
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.001	0.001	0.01
Pulp Duplicates																					
2586705	Rock	<1	5	<0.01	32	<0.001	14	0.04	<0.001	0.06	<0.1	>50	0.2	157.1	4.76	11	1.5	20.2	<0.001	0.037	2.65
REP 2586705	QC	<1	5	<0.01	36	<0.001	11	0.05	0.001	0.06	<0.1	>50	<0.1	170.9	4.86	11	5.9	19.7			
2586707	Rock	<1	3	<0.01	35	<0.001	<1	0.02	<0.001	0.03	<0.1	22.45	<0.1	946.6	6.80	3	2.2	2.5	<0.001	0.069	>4
REP 2586707	QC																				
Reference Materials																					
STD AGPROOF	Standard																				
STD CDN-ME-9A	Standard																		<0.001	0.667	<0.01
STD CDN-ME-14A	Standard																		0.002	1.229	0.49
STD DS11	Standard	17	58	0.86	369	0.102	7	1.13	0.071	0.41	3.1	0.24	2.9	5.0	0.27	5	2.5	4.9			
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OXC129	Standard	14	60	1.57	54	0.465	2	1.63	0.588	0.37	<0.1	<0.01	1.4	<0.1	<0.05	7	<0.5	<0.2			
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXC129 Expected		12.5	52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5					
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56			
STD CDN-ME-9A Expected																			0.00033	0.654	0.003
STD CDN-ME-14A Expected																			0.0015	1.24	0.488
STD AGPROOF Expected																					
STD SP49 Expected																					
STD SQ70 Expected																					
STD OREAS132A Expected																					
STD OREAS134B Expected																					
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																		<0.001	<0.001	<0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

		Method	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370	AQ370
		Analyte	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg
		Unit	%	ppm	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	0.01	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001
Pulp Duplicates																						
2586705	Rock		2.09	>1000	<0.001	<0.001	0.02	7.12	6.78	<0.001	0.038	2.883	<0.01	0.02	0.033	<0.001	<0.01	0.06	0.03	0.06	<0.001	0.007
REP 2586705	QC																					
2586707	Rock		0.21	>1000	<0.001	<0.001	0.02	12.94	9.83	<0.001	0.009	>5	<0.01	0.03	0.032	<0.001	<0.01	0.03	0.06	0.04	<0.001	0.002
REP 2586707	QC																					
Reference Materials																						
STD AGPROOF	Standard																					
STD CDN-ME-9A	Standard		<0.01	3	0.961	0.017	0.07	11.93	<0.01	0.006	<0.001	<0.001	<0.01	1.42	0.058	0.014	2.90	2.28	0.31	0.18	<0.001	<0.001
STD CDN-ME-14A	Standard		2.95	43	0.002	0.017	0.06	17.01	0.01	<0.001	0.009	0.003	0.01	0.32	0.015	0.002	0.87	1.16	0.03	0.37	<0.001	<0.001
STD DS11	Standard																					
STD OREAS132A	Standard																					
STD OREAS134B	Standard																					
STD OXC129	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD OXC129 Expected																						
STD DS11 Expected																						
STD CDN-ME-9A Expected			0.0096	3.3	0.912	0.0165	0.066	11.73	0.00125	0.006	0	0.00014	0.0002	1.37	0.0583	0.0134	2.84	2.21	0.309	0.1813	0	0
STD CDN-ME-14A Expected			2.97	42.3	0.0018	0.017	0.0589	17.29	0.0105	0.00036	0.0088	0.0024	0.0096	0.298	0.0127	0.0019	0.8787	1.14	0.0264	0.359		0.0015
STD AGPROOF Expected																						
STD SP49 Expected																						
STD SQ70 Expected																						
STD OREAS132A Expected																						
STD OREAS134B Expected																						
BLK	Blank																					
BLK	Blank		<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001
BLK	Blank																					
BLK	Blank																					
Prep Wash																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

		Method	AQ370	FA530	AR404
		Analyte	S	Ag	Pb
		Unit	%	gm/t	%
		MDL	0.05	20	0.01
Pulp Duplicates					
2586705	Rock		4.53	2041	
REP 2586705	QC			2072	
2586707	Rock		7.59	1007	6.59
REP 2586707	QC				6.59
Reference Materials					
STD AGPROOF	Standard			94	
STD CDN-ME-9A	Standard		3.39		
STD CDN-ME-14A	Standard		16.52		
STD DS11	Standard				
STD OREAS132A	Standard				3.64
STD OREAS134B	Standard				13.49
STD OXC129	Standard				
STD SP49	Standard			61	
STD SQ70	Standard			167	
STD OXC129 Expected					
STD DS11 Expected					
STD CDN-ME-9A Expected			3.34		
STD CDN-ME-14A Expected			16.52		
STD AGPROOF Expected				94	
STD SP49 Expected				60.2	
STD SQ70 Expected				159.5	
STD OREAS132A Expected					3.66
STD OREAS134B Expected					13.36
BLK	Blank				
BLK	Blank		<0.05		
BLK	Blank			<20	
BLK	Blank				<0.01
Prep Wash					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
ROCK-VAN	Prep Blank		1.1	2.2	1.0	40	<0.1	1.1	3.9	609	1.76	2.3	2.2	1.9	25	<0.1	<0.1	<0.1	17	0.73	0.037
ROCK-VAN	Prep Blank		1.7	2.3	1.1	40	<0.1	0.9	3.5	622	1.79	1.6	1.6	1.9	31	<0.1	<0.1	<0.1	20	0.64	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

		AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05	AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2	AQ370 Mo % 0.001	AQ370 Cu % 0.001	AQ370 Pb % 0.01
ROCK-VAN	Prep Blank	7	3	0.51	55	0.070	2	0.99	0.083	0.10	<0.1	<0.01	3.2	<0.1	0.06	4	<0.5	<0.2			
ROCK-VAN	Prep Blank	6	3	0.51	53	0.074	2	0.97	0.086	0.08	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

		AQ370 Zn % 0.01	AQ370 Ag ppm 2	AQ370 Ni % 0.001	AQ370 Co % 0.001	AQ370 Mn % 0.01	AQ370 Fe % 0.01	AQ370 As % 0.01	AQ370 Sr % 0.001	AQ370 Cd % 0.001	AQ370 Sb % 0.001	AQ370 Bi % 0.01	AQ370 Ca % 0.01	AQ370 P % 0.001	AQ370 Cr % 0.001	AQ370 Mg % 0.01	AQ370 Al % 0.01	AQ370 Na % 0.01	AQ370 K % 0.01	AQ370 W % 0.001	AQ370 Hg % 0.001
ROCK-VAN	Prep Blank																				
ROCK-VAN	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: January 22, 2018

QUALITY CONTROL REPORT VAN17002722.3

		AQ370 S % 0.05	FA530 Ag gm/t 20	AR404 Pb % 0.01
ROCK-VAN	Prep Blank			
ROCK-VAN	Prep Blank			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston
Receiving Lab: Canada-Vancouver
Received: October 25, 2017
Report Date: December 06, 2017
Page: 1 of 6

CERTIFICATE OF ANALYSIS VAN17002507.1

CLIENT JOB INFORMATION

Project: Lustdust
Shipment ID: Idc 17-01
P.O. Number
Number of Samples: 144

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	138	Crush, split and pulverize 250 g rock to 200 mesh			VAN
PUL85	3	Pulverize to 85% passing 200 mesh			VAN
SLBHP	3	Sort, label and box pulps			VAN
FA330	29	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
EN002	29	Environmental disposal charge-Fire assay lead waste			VAN
AQ201	144	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
AQ370	7	1:1:1 Aqua Regia digestion ICP-ES analysis	0.4	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7
Canada

CC: Bill Morton
Glen Garratt

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
2598001	Drill Core	3.33				2.2	110.3	13.7	34	0.3	4.0	5.1	204	2.31	5.3	9.8	16.8	45	0.2	2.7	1.4
2598002	Drill Core	5.69				1.9	58.6	5.1	35	0.1	3.0	5.9	274	2.34	5.3	12.1	15.9	60	0.1	2.3	1.4
2598003	Drill Core	6.22				2.0	116.2	5.0	29	0.2	3.2	6.9	238	2.62	4.7	9.0	16.8	65	<0.1	2.4	2.0
2598004	Drill Core	4.83				3.3	17.6	12.7	49	0.2	7.8	7.0	315	2.47	7.6	8.5	14.6	68	0.3	1.7	1.6
2598005	Drill Core	1.43				2.1	55.4	7.8	40	0.2	10.5	6.3	387	2.00	10.2	13.3	11.3	60	0.2	1.9	0.8
2598006	Drill Core	5.28				11.1	135.7	45.0	91	0.8	30.0	8.6	521	1.72	40.7	39.0	4.7	51	0.7	4.0	3.2
2598007	Drill Core	5.29				13.6	148.2	117.1	456	1.7	31.5	8.9	121	1.76	59.3	23.8	4.5	27	4.5	9.9	1.0
2598008	Drill Core	4.26				13.3	125.4	594.5	949	1.8	33.0	9.5	124	1.74	70.2	22.2	3.5	21	11.7	10.4	0.6
2598009	Drill Core	5.00				5.8	71.7	3.4	22	0.2	30.6	7.7	148	1.73	40.0	20.4	4.0	21	0.2	2.8	0.4
2598010	Drill Core	0.64				4.8	148.7	12.1	40	0.5	28.6	8.5	117	1.71	22.5	18.7	3.8	17	0.2	2.1	0.5
2598011	Drill Core	4.23				11.7	244.6	16.6	27	0.5	33.4	9.5	200	1.61	40.6	34.9	4.8	31	0.2	4.2	0.6
2598012	Drill Core	5.62				7.9	76.1	164.7	138	0.6	43.7	13.9	152	0.91	59.4	6.0	4.2	27	1.1	4.7	0.3
2598013	Drill Core	4.68				7.7	94.1	52.7	137	0.8	20.7	4.1	228	1.04	13.0	2.9	5.3	35	1.0	8.7	0.4
2598014	Drill Core	4.45				10.2	205.9	54.1	81	0.6	30.4	9.9	716	1.15	121.1	16.9	5.5	48	0.5	27.2	0.7
2598015	Drill Core	2.35				22.9	481.3	47.5	91	1.2	24.2	7.7	1068	1.81	95.8	21.4	6.2	61	0.7	38.4	2.0
2598016	Drill Core	5.78				1.9	74.7	47.7	153	0.9	10.8	6.2	673	2.18	114.7	31.3	12.9	80	1.3	6.0	3.1
2598017	Drill Core	4.78				1.7	107.4	206.2	369	1.9	8.4	5.4	713	2.32	60.0	35.1	14.0	85	3.4	12.7	4.0
2598018	Drill Core	3.77				1.9	66.8	21.2	42	0.3	3.0	4.5	379	2.15	14.0	15.5	17.3	130	0.3	4.4	3.0
2598019	Drill Core	5.28				2.2	46.7	12.4	28	0.3	3.1	5.3	684	2.28	38.8	24.2	17.4	97	0.2	4.7	3.2
2598020	Rock Pulp	0.04				7.0	65.6	19.6	103	2.3	15.5	8.3	143	3.06	356.7	1027.4	0.5	6	0.3	26.8	0.3
2598021	Drill Core	5.87				2.7	58.9	57.4	130	0.8	5.1	8.8	936	2.68	53.5	22.1	16.2	81	0.9	10.4	3.1
2598022	Drill Core	6.21				1.2	64.6	21.0	52	0.3	4.9	4.5	603	2.14	22.9	12.5	16.0	118	0.4	7.7	3.0
2598023	Drill Core	5.62				3.2	138.5	10.0	35	0.4	5.5	5.4	505	2.63	38.0	16.0	15.2	194	0.2	18.8	2.2
2598024	Drill Core	5.71				2.0	61.2	12.7	30	0.3	5.8	4.6	1119	2.17	35.1	22.3	15.0	103	0.2	9.5	2.5
2598025	Drill Core	5.61				0.5	85.6	13.9	35	0.4	6.3	5.4	1836	2.19	228.5	461.4	15.3	83	0.2	16.8	2.2
2598026	Drill Core	6.38				11.2	152.0	113.4	181	1.3	25.4	7.9	556	1.62	58.2	74.4	5.0	54	2.1	13.6	1.9
2598027	Drill Core	5.88				266.5	334.3	10.4	51	1.0	31.6	15.8	578	2.41	93.1	104.9	3.8	43	0.8	8.4	2.7
2598028	Drill Core	2.66				13.5	173.2	77.7	243	1.2	23.3	8.3	242	1.11	45.4	33.4	4.8	49	2.6	4.7	0.9
2598029	Drill Core	0.85	34	<3	<2	5.2	78.4	371.1	739	2.7	26.5	8.4	657	1.63	31.7	30.7	4.2	127	10.0	5.1	1.8
2598030	Drill Core	2.93	107	<3	2	549.7	357.3	94.1	183	1.0	4.4	8.4	2196	11.67	352.3	178.6	0.7	48	2.6	2.6	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2598001	Drill Core	24	1.18	0.112	57	3	0.48	52	0.005	2	0.55	0.025	0.09	<0.1	<0.01	3.6	<0.1	1.95	3	<0.5	0.4
2598002	Drill Core	30	1.57	0.114	51	3	0.59	59	0.005	1	0.67	0.026	0.07	<0.1	<0.01	4.2	<0.1	1.88	4	<0.5	0.6
2598003	Drill Core	24	1.62	0.110	53	2	0.56	52	0.004	1	0.57	0.026	0.08	<0.1	<0.01	3.9	<0.1	2.32	3	0.8	0.6
2598004	Drill Core	29	1.65	0.110	45	9	0.65	79	0.020	1	0.62	0.031	0.10	0.2	<0.01	4.1	<0.1	1.70	3	0.5	0.5
2598005	Drill Core	34	1.72	0.117	36	13	0.64	56	0.019	<1	0.61	0.026	0.08	0.2	<0.01	4.4	0.1	1.24	3	<0.5	<0.2
2598006	Drill Core	47	1.68	0.040	12	22	0.75	120	0.048	2	0.90	0.058	0.31	0.1	0.01	6.9	0.4	0.57	4	0.8	1.5
2598007	Drill Core	49	0.83	0.040	10	24	0.70	113	0.046	2	0.90	0.028	0.47	0.2	0.07	6.3	0.6	0.82	4	1.3	0.4
2598008	Drill Core	41	0.61	0.024	6	27	0.80	164	0.064	1	1.17	0.019	0.67	0.2	0.14	5.9	0.9	0.74	5	2.2	<0.2
2598009	Drill Core	52	0.59	0.025	7	33	0.82	314	0.090	1	1.35	0.030	0.77	0.1	<0.01	7.6	0.9	0.30	5	0.9	<0.2
2598010	Drill Core	56	0.47	0.024	6	31	0.81	168	0.076	2	1.29	0.015	0.76	0.5	0.01	7.1	0.8	0.58	5	1.6	<0.2
2598011	Drill Core	46	1.00	0.040	15	21	0.70	100	0.037	3	0.77	0.030	0.40	0.2	0.01	6.0	0.5	1.04	3	1.8	0.2
2598012	Drill Core	37	0.80	0.028	4	19	0.65	117	0.029	2	0.74	0.022	0.45	0.2	0.05	5.8	0.5	0.42	3	0.6	<0.2
2598013	Drill Core	16	1.08	0.040	4	9	0.53	44	0.004	2	0.41	0.033	0.18	0.1	0.07	4.5	0.3	0.85	2	<0.5	<0.2
2598014	Drill Core	16	1.83	0.046	5	7	0.79	89	0.002	3	0.45	0.007	0.22	0.2	0.34	3.4	0.4	0.80	1	0.7	0.3
2598015	Drill Core	16	2.36	0.054	11	6	0.93	67	<0.001	2	0.41	0.014	0.13	0.3	0.37	4.1	0.3	1.55	1	1.0	0.7
2598016	Drill Core	30	2.13	0.119	42	12	0.69	77	0.017	3	0.69	0.034	0.14	0.3	0.13	5.1	0.3	1.58	3	<0.5	1.1
2598017	Drill Core	26	2.17	0.116	47	8	0.72	63	0.013	3	0.59	0.036	0.15	0.3	0.19	5.1	0.3	1.83	3	0.7	1.5
2598018	Drill Core	20	1.89	0.114	58	2	0.54	81	0.003	1	0.54	0.041	0.11	0.1	0.01	4.5	0.1	1.82	2	<0.5	1.1
2598019	Drill Core	18	2.12	0.114	59	2	0.55	57	0.002	3	0.45	0.033	0.13	0.2	0.03	4.6	0.2	1.78	2	<0.5	1.3
2598020	Rock Pulp	16	0.19	0.042	8	32	0.09	28	0.002	2	0.35	0.006	0.23	0.5	4.27	2.0	3.9	2.32	2	8.2	<0.2
2598021	Drill Core	12	2.04	0.110	56	2	0.64	42	<0.001	3	0.41	0.024	0.16	0.2	0.30	4.0	0.3	2.66	1	0.8	1.7
2598022	Drill Core	21	1.94	0.108	53	3	0.56	43	0.003	1	0.44	0.038	0.12	0.2	0.09	4.7	0.1	1.87	2	1.1	1.0
2598023	Drill Core	17	1.79	0.112	51	3	0.62	54	0.003	2	0.56	0.036	0.13	0.3	0.06	4.2	0.2	2.44	2	0.7	0.8
2598024	Drill Core	22	2.38	0.117	52	6	0.69	65	0.010	3	0.50	0.028	0.13	0.2	0.22	4.8	0.2	1.97	2	<0.5	0.8
2598025	Drill Core	20	1.96	0.116	53	4	0.61	60	0.003	3	0.45	0.016	0.17	0.3	0.26	4.9	0.9	2.19	2	<0.5	0.5
2598026	Drill Core	38	1.65	0.042	12	14	0.68	63	0.014	2	0.46	0.018	0.23	0.4	0.10	6.2	0.4	1.37	2	1.0	0.6
2598027	Drill Core	63	2.36	0.032	17	28	0.84	99	0.057	2	0.97	0.041	0.53	8.6	0.02	7.9	0.7	1.13	5	2.0	1.1
2598028	Drill Core	44	1.38	0.042	11	20	0.71	75	0.028	2	0.59	0.024	0.33	0.2	0.10	6.8	0.4	0.56	3	0.8	0.2
2598029	Drill Core	51	3.15	0.124	20	36	1.06	49	0.068	1	0.68	0.040	0.10	0.6	0.21	7.0	0.1	0.91	3	<0.5	0.2
2598030	Drill Core	42	12.35	0.062	8	12	0.73	10	0.021	2	0.61	0.004	0.01	56.8	0.06	1.7	<0.1	2.41	8	1.7	1.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	AQ374	AQ374	AQ374
	Analyte	Cu	Zn	Ag
	Unit	%	%	gm/t
	MDL	0.001	0.01	2
2598001	Drill Core			
2598002	Drill Core			
2598003	Drill Core			
2598004	Drill Core			
2598005	Drill Core			
2598006	Drill Core			
2598007	Drill Core			
2598008	Drill Core			
2598009	Drill Core			
2598010	Drill Core			
2598011	Drill Core			
2598012	Drill Core			
2598013	Drill Core			
2598014	Drill Core			
2598015	Drill Core			
2598016	Drill Core			
2598017	Drill Core			
2598018	Drill Core			
2598019	Drill Core			
2598020	Rock Pulp			
2598021	Drill Core			
2598022	Drill Core			
2598023	Drill Core			
2598024	Drill Core			
2598025	Drill Core			
2598026	Drill Core			
2598027	Drill Core			
2598028	Drill Core			
2598029	Drill Core			
2598030	Drill Core			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

Method		WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
Unit		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
2598031	Drill Core	3.84	661	<3	3	715.1	954.4	13.7	98	2.4	8.9	16.3	3226	12.81	4362.6	879.7	1.2	52	2.1	55.6	8.1
2598032	Drill Core	5.52	82	<3	4	609.4	326.9	6.1	33	0.7	7.4	6.4	1902	9.50	236.3	72.1	1.8	35	1.2	1.4	5.1
2598033	Drill Core	2.10	29	<3	3	87.8	91.7	7.3	40	0.3	9.7	3.5	760	2.71	87.3	19.6	2.8	40	0.4	1.9	0.9
2598034	Drill Core	2.03	118	<3	<2	35.4	233.2	5.8	29	0.5	7.0	4.7	2088	8.65	245.9	22.3	2.0	37	0.2	1.2	1.7
2598035	Drill Core	5.56	166	<3	3	102.5	1229.2	8.5	45	2.1	28.9	9.3	411	1.93	22.4	210.9	6.2	47	0.5	3.0	1.1
2598036	Drill Core	4.63	44	3	2	986.6	329.0	6.2	34	0.7	13.9	3.6	1433	5.37	84.7	53.3	4.3	99	1.8	3.1	2.3
2598037	Drill Core	1.66	155	<3	<2	116.4	869.2	2246.4	2105	6.6	5.8	9.3	698	1.69	46.6	148.3	12.0	83	29.5	120.5	2.0
2598038	Drill Core	4.66	738	<3	<2	1742.1	8257.3	9.4	63	16.6	32.6	6.0	2248	14.39	327.1	1190.5	2.4	33	3.7	4.1	9.1
2598039	Drill Core	5.88	31	<3	<2	8.2	222.4	3.3	25	0.5	3.4	3.2	2409	12.80	1182.6	29.3	1.9	38	0.1	3.4	6.1
2598040	Rock Chip	0.62	3	<3	3	0.4	1.4	3.4	17	<0.1	2.6	0.4	102	0.12	2.0	5.5	0.2	247	0.2	0.9	<0.1
2598041	Drill Core	5.62	10	<3	<2	1.4	10.5	2.7	17	0.1	3.1	3.9	1995	13.42	726.5	8.8	1.4	45	<0.1	1.9	5.2
2598042	Drill Core	6.68	14	<3	<2	0.9	39.2	2.6	19	0.1	3.9	3.2	1832	13.12	838.3	10.8	1.0	32	0.1	2.7	5.1
2598043	Drill Core	1.67	20	<3	2	1.1	14.0	4.4	11	0.2	14.0	7.6	1355	18.33	650.5	16.9	0.4	12	<0.1	0.7	45.2
2598044	Drill Core	5.04				1.4	13.6	2.9	16	0.1	5.3	3.1	1814	13.96	1097.2	6.4	0.7	19	<0.1	1.5	22.2
2598045	Drill Core	5.27				11.3	115.7	5.7	42	0.2	37.2	14.4	57	1.81	49.4	17.8	3.6	6	0.4	2.2	2.1
2598046	Drill Core	6.36				7.9	84.1	3.3	36	0.1	36.6	13.9	70	1.68	42.7	4.2	3.5	11	0.2	1.8	0.7
2598047	Drill Core	4.36				6.8	84.5	21.2	88	0.3	47.1	13.5	113	1.85	371.2	10.1	4.1	11	0.9	2.8	0.4
2598048	Drill Core	7.07				11.8	85.5	3.8	33	0.1	35.8	11.2	93	2.07	19.4	3.2	3.1	12	0.2	1.5	0.5
2598049	Drill Core	6.28				4.3	75.2	3.6	29	0.2	30.2	8.1	105	1.76	27.3	5.3	3.0	10	0.2	1.6	0.4
2598050	Drill Core	6.33				6.2	80.0	3.6	33	0.2	33.5	9.1	100	1.72	48.0	5.7	3.1	12	0.2	1.5	0.5
2598051	Drill Core	6.79				10.4	101.2	6.1	29	0.3	35.7	10.2	127	2.48	61.5	12.7	3.4	58	0.3	3.5	1.1
2598052	Drill Core	6.28				12.0	78.1	3.4	24	0.1	38.7	10.7	73	1.63	103.0	4.7	3.4	23	0.2	4.2	1.7
2598053	Drill Core	6.70				6.9	105.0	27.9	62	0.4	32.5	9.6	90	1.76	95.4	9.3	3.7	20	0.5	3.3	2.8
2598054	Drill Core	6.48				36.6	114.5	56.0	111	0.4	42.3	9.9	95	1.92	159.7	6.4	4.2	25	1.1	3.3	1.2
2598055	Drill Core	6.62				10.0	98.6	41.3	51	0.3	29.3	9.5	165	2.10	197.0	6.7	3.3	24	0.4	3.6	1.3
2598056	Drill Core	2.81				7.5	115.5	135.4	164	0.9	33.1	11.9	100	2.15	105.4	11.0	3.8	25	1.9	3.6	7.2
2598057	Drill Core	1.17				10.1	448.1	67.7	104	3.1	11.9	16.3	431	27.05	284.4	80.0	1.4	26	0.6	38.7	>2000
2598058	Drill Core	7.18				<0.1	7.1	6.8	18	0.3	1.0	0.4	235	0.05	9.9	1.5	0.1	265	0.8	3.8	4.3
2598059	Drill Core	7.12				0.1	2.2	1.0	25	<0.1	0.3	0.3	65	0.04	3.0	<0.5	<0.1	217	1.2	0.4	0.6
2598060	Rock Pulp	0.04				6.4	62.1	20.0	104	2.2	14.9	8.6	152	3.14	361.5	1015.5	0.5	6	0.3	26.8	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

		Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2598031	Drill Core		39	7.79	0.017	11	12	0.69	28	0.030	1	0.67	0.004	0.03	56.4	1.05	3.2	11.4	6.59	6	5.5	4.3
2598032	Drill Core		46	9.03	0.043	17	12	0.66	9	0.044	2	0.89	0.005	0.02	69.4	0.04	3.3	0.2	1.73	6	1.7	2.8
2598033	Drill Core		21	3.53	0.026	4	13	0.70	28	0.041	1	0.79	0.033	0.17	17.9	0.02	3.1	0.2	0.35	4	<0.5	0.4
2598034	Drill Core		38	10.46	0.019	12	11	0.61	5	0.053	4	1.18	0.005	0.01	61.3	0.04	3.7	<0.1	0.71	6	<0.5	0.6
2598035	Drill Core		64	1.95	0.064	8	28	0.60	78	0.110	<1	0.68	0.046	0.28	15.4	0.02	4.8	0.3	0.95	4	1.2	<0.2
2598036	Drill Core		139	8.15	0.357	23	51	0.58	26	0.072	3	1.88	0.061	0.04	26.2	<0.01	3.8	<0.1	1.14	8	1.1	1.2
2598037	Drill Core		42	2.69	0.136	33	5	0.47	69	0.121	2	0.40	0.036	0.11	1.4	0.45	3.9	0.9	1.40	3	1.2	0.7
2598038	Drill Core		46	14.19	0.197	43	11	0.41	5	0.030	1	0.80	0.003	0.04	>100	0.08	1.7	<0.1	1.99	9	4.1	4.3
2598039	Drill Core		52	15.95	0.402	16	22	0.39	6	0.028	2	0.91	0.002	0.04	38.9	0.09	2.1	1.4	1.01	14	<0.5	3.1
2598040	Rock Chip		10	18.41	0.016	1	3	9.59	14	<0.001	2	0.04	0.292	0.02	0.2	<0.01	0.3	<0.1	0.41	<1	<0.5	<0.2
2598041	Drill Core		35	15.74	0.309	16	25	0.36	15	0.025	2	0.52	0.002	0.02	45.5	0.04	1.9	0.2	1.41	12	0.7	2.8
2598042	Drill Core		37	14.68	0.196	21	36	0.43	4	0.019	4	0.56	0.002	0.03	58.3	0.02	1.0	0.1	1.76	12	1.7	3.6
2598043	Drill Core		21	10.40	0.046	14	13	0.28	2	0.009	3	0.53	0.002	0.02	58.0	0.02	0.7	<0.1	4.61	11	18.4	31.3
2598044	Drill Core		37	14.91	0.106	28	24	0.26	2	0.014	5	0.48	0.002	0.02	58.0	0.03	1.1	<0.1	1.53	11	2.4	8.1
2598045	Drill Core		39	0.14	0.054	5	17	0.72	100	0.021	2	1.08	0.021	0.40	0.4	<0.01	4.3	0.4	1.02	4	2.0	0.4
2598046	Drill Core		37	0.22	0.030	5	18	0.86	140	0.026	2	1.27	0.036	0.40	1.7	<0.01	4.7	0.4	0.90	5	1.5	<0.2
2598047	Drill Core		38	0.32	0.031	7	21	0.81	127	0.027	3	1.27	0.013	0.52	0.2	<0.01	5.0	0.7	0.91	5	1.2	0.2
2598048	Drill Core		37	0.46	0.029	6	18	0.78	98	0.020	2	1.05	0.018	0.39	0.1	<0.01	4.0	0.4	1.12	4	1.5	0.2
2598049	Drill Core		32	0.36	0.030	6	17	0.80	143	0.025	2	1.07	0.023	0.37	<0.1	<0.01	4.9	0.4	0.83	4	0.8	0.2
2598050	Drill Core		38	0.41	0.032	7	18	0.81	179	0.034	2	1.11	0.024	0.43	0.1	<0.01	4.8	0.4	0.69	5	0.8	<0.2
2598051	Drill Core		42	1.32	0.059	5	20	0.61	85	0.076	3	2.04	0.142	0.29	0.4	<0.01	4.4	0.2	1.50	7	2.0	0.5
2598052	Drill Core		55	0.50	0.046	7	20	0.80	164	0.027	2	1.12	0.058	0.43	0.2	<0.01	5.5	0.5	0.76	5	1.4	0.7
2598053	Drill Core		36	0.63	0.064	8	18	0.80	139	0.023	2	0.97	0.021	0.43	0.4	<0.01	5.0	0.6	0.93	5	1.4	0.6
2598054	Drill Core		57	0.60	0.038	8	20	0.74	145	0.016	3	0.94	0.035	0.43	0.3	0.01	4.6	0.5	0.95	4	2.1	0.4
2598055	Drill Core		35	0.76	0.040	6	17	0.82	103	0.018	4	0.95	0.020	0.41	8.2	<0.01	4.7	0.5	1.09	4	1.4	0.4
2598056	Drill Core		37	0.93	0.037	6	17	0.78	70	0.022	5	1.21	0.032	0.45	0.4	0.01	4.8	0.5	1.30	5	2.7	2.3
2598057	Drill Core		29	2.79	0.075	18	13	0.40	12	0.045	1	0.71	0.021	0.16	>100	<0.01	2.7	0.6	>10	6	76.1	167.2
2598058	Drill Core		5	33.96	0.020	4	7	1.68	34	<0.001	1	0.01	<0.001	<0.01	0.5	<0.01	0.3	<0.1	<0.05	<1	<0.5	0.2
2598059	Drill Core		9	36.46	0.063	4	7	1.84	45	<0.001	<1	<0.01	<0.001	<0.01	0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
2598060	Rock Pulp		18	0.20	0.039	8	30	0.09	27	0.002	4	0.38	0.005	0.24	0.5	4.33	1.9	4.0	2.32	2	8.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

		Method	AQ374	AQ374	AQ374
		Analyte	Cu	Zn	Ag
		Unit	%	%	gm/t
		MDL	0.001	0.01	2
2598031	Drill Core				
2598032	Drill Core				
2598033	Drill Core				
2598034	Drill Core				
2598035	Drill Core				
2598036	Drill Core				
2598037	Drill Core				
2598038	Drill Core				
2598039	Drill Core				
2598040	Rock Chip				
2598041	Drill Core				
2598042	Drill Core				
2598043	Drill Core				
2598044	Drill Core				
2598045	Drill Core				
2598046	Drill Core				
2598047	Drill Core				
2598048	Drill Core				
2598049	Drill Core				
2598050	Drill Core				
2598051	Drill Core				
2598052	Drill Core				
2598053	Drill Core				
2598054	Drill Core				
2598055	Drill Core				
2598056	Drill Core				
2598057	Drill Core				
2598058	Drill Core				
2598059	Drill Core				
2598060	Rock Pulp				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

Method		WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
Unit		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
2598061	Drill Core	7.16				0.3	44.6	3.0	75	0.2	1.2	1.0	108	0.08	2.9	<0.5	<0.1	202	2.1	1.3	5.0
2598062	Drill Core	7.27				0.2	13.0	2.5	119	0.2	1.8	0.3	45	0.04	15.2	<0.5	<0.1	235	2.8	0.8	3.6
2598063	Drill Core	7.02				0.1	1.7	0.7	10	<0.1	1.9	0.6	100	0.03	2.7	<0.5	<0.1	246	1.4	0.3	0.1
2598064	Drill Core	6.61				<0.1	2.7	1.5	9	<0.1	1.5	0.3	110	0.02	2.9	<0.5	<0.1	204	0.9	0.4	<0.1
2598065	Drill Core	6.51				0.3	12.4	3.7	47	0.2	1.3	0.4	265	0.04	12.5	1.8	<0.1	271	1.0	1.3	1.0
2598066	Drill Core	6.88				0.3	3.4	1.0	14	<0.1	2.2	0.5	33	0.05	7.7	<0.5	<0.1	233	1.2	2.1	0.4
2598067	Drill Core	4.02				0.5	4.0	1.6	31	<0.1	2.4	0.5	91	0.06	5.8	<0.5	0.1	271	1.9	2.1	0.1
2598068	Drill Core	2.38				0.2	7.2	34.3	168	1.3	2.1	1.3	5461	0.24	199.3	11.9	<0.1	282	1.4	47.8	0.4
2598069	Drill Core	5.41				0.2	24.3	3.2	37	0.1	1.2	0.4	176	0.04	10.4	0.7	<0.1	224	1.0	2.2	2.9
2598070	Drill Core	5.31				0.2	342.7	3.2	957	1.2	1.8	4.0	136	0.20	12.0	16.5	0.1	238	11.9	3.3	6.8
2598071	Drill Core	3.50				0.5	7.6	82.8	141	0.4	1.1	0.6	1321	0.20	40.5	1.2	0.2	300	3.1	6.3	0.1
2598072	Drill Core	4.94				0.3	25.8	178.7	619	0.8	1.2	1.4	861	0.28	117.7	8.4	<0.1	235	19.5	99.4	1.6
2598073	Drill Core	6.02				0.7	80.0	69.9	756	0.8	0.5	2.3	1123	2.30	242.9	3.5	0.3	171	33.4	235.4	0.4
2598074	Drill Core	1.90	338	<3	<2	3.3	2219.3	6.2	270	8.9	12.8	56.0	1617	19.30	559.5	290.9	0.3	9	2.0	10.3	6.7
2598075	Drill Core	5.21	285	<3	7	0.3	4179.9	23.0	277	13.0	39.1	269.7	1097	31.45	137.8	236.0	0.5	4	2.2	3.7	69.3
2598076	Drill Core	3.36	263	3	2	2.6	796.4	5.6	303	3.0	10.2	31.9	1423	10.66	191.1	242.7	3.5	12	1.5	14.6	5.6
2598077	Drill Core	1.49	2105	4	11	0.6	>10000	87.5	461	61.6	134.0	276.2	1532	30.92	654.8	1388.2	0.2	13	4.6	7.2	80.4
2598078	Drill Core	2.18	1801	<3	5	5.7	2399.0	4181.6	>10000	>100	17.1	144.7	1204	28.50	4801.1	161.4	0.1	11	152.2	>2000	839.9
2598079	Drill Core	2.61	1566	<3	<2	1.1	2674.6	4064.6	>10000	>100	15.5	231.2	961	28.60	3690.1	378.5	0.3	7	366.6	483.2	201.1
2598080	Drill Core	1.07				0.7	5513.1	5423.9	>10000	>100	50.7	187.6	688	30.70	5082.2	94.6	0.4	9	175.6	421.9	519.6
2598081	Drill Core	6.19	623	<3	3	0.4	5182.7	16.9	348	21.0	48.3	28.0	1365	12.96	122.8	468.0	2.0	13	2.7	17.7	37.8
2598082	Drill Core	6.70				0.2	69.4	8.0	68	0.3	2.4	16.9	112	0.47	10.0	2.4	0.1	306	1.1	7.6	47.1
2598083	Drill Core	6.74				0.3	24.6	23.3	47	0.5	0.3	0.7	164	0.07	12.4	1.1	<0.1	253	1.3	4.8	2.9
2598084	Drill Core	6.49				0.1	2.3	1.3	9	<0.1	0.7	0.4	68	0.03	2.0	0.6	<0.1	329	1.1	0.7	0.2
2598085	Drill Core	5.34				<0.1	3.6	1.4	13	<0.1	1.2	0.5	118	0.17	12.6	<0.5	0.1	135	0.3	2.4	<0.1
2598086	Drill Core	6.29				<0.1	1.9	1.9	22	<0.1	3.5	0.3	119	0.16	15.9	<0.5	0.1	137	0.4	3.0	<0.1
2598087	Drill Core	5.23				0.7	3.2	2.1	25	<0.1	2.3	0.6	200	0.21	14.4	1.6	0.2	232	0.7	2.2	<0.1
2598088	Drill Core	1.83				6.0	62.3	19.7	99	0.3	23.6	8.2	436	1.96	43.7	<0.5	3.1	77	0.9	3.1	0.3
2598089	Drill Core	2.75				5.1	73.8	12.7	91	0.2	26.2	9.9	494	2.23	20.7	0.6	3.7	33	0.5	2.0	0.3
2598090	Drill Core	4.90				7.6	72.7	14.9	99	0.3	26.9	11.3	460	2.73	24.8	0.6	3.5	65	0.6	1.8	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

		Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2598061	Drill Core		9	35.98	0.026	5	7	2.53	40	<0.001	<1	<0.01	<0.001	<0.01	2.2	0.02	0.2	<0.1	<0.05	<1	<0.5	0.3
2598062	Drill Core		9	37.90	0.065	6	11	0.57	58	<0.001	<1	0.02	0.001	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
2598063	Drill Core		12	37.41	0.061	4	12	0.46	59	<0.001	<1	0.02	0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2598064	Drill Core		12	31.15	0.059	4	9	0.39	39	<0.001	<1	<0.01	<0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2598065	Drill Core		13	37.06	0.196	5	10	1.35	42	0.001	<1	0.01	<0.001	0.01	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2598066	Drill Core		20	34.96	0.161	7	12	1.51	55	0.002	<1	0.03	0.001	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
2598067	Drill Core		28	38.59	0.020	5	15	0.48	46	0.003	<1	0.07	<0.001	0.05	<0.1	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
2598068	Drill Core		11	34.53	0.024	5	6	0.52	153	<0.001	<1	0.01	<0.001	<0.01	3.7	0.09	0.3	0.2	<0.05	<1	<0.5	<0.2
2598069	Drill Core		17	34.66	0.044	5	9	0.77	28	0.001	1	0.04	<0.001	0.05	<0.1	0.01	0.3	<0.1	<0.05	<1	<0.5	0.6
2598070	Drill Core		18	35.55	0.038	4	12	0.38	31	0.002	<1	0.06	<0.001	0.07	0.3	0.01	0.3	<0.1	0.16	<1	0.8	3.0
2598071	Drill Core		28	36.45	0.040	4	16	0.54	40	0.005	1	0.15	0.002	0.09	<0.1	0.03	0.5	<0.1	0.14	<1	0.6	<0.2
2598072	Drill Core		12	37.21	0.028	5	9	0.29	48	<0.001	<1	0.04	<0.001	0.05	0.7	0.03	0.3	<0.1	<0.05	<1	<0.5	0.7
2598073	Drill Core		8	33.56	0.077	6	7	0.35	56	0.001	<1	0.10	<0.001	0.04	29.5	0.04	0.7	0.1	0.07	3	<0.5	<0.2
2598074	Drill Core		31	8.91	0.129	4	13	0.28	8	0.004	3	0.55	0.001	0.02	>100	0.05	0.7	0.2	3.11	4	5.8	1.2
2598075	Drill Core		19	2.72	0.189	2	22	0.34	7	0.005	4	0.42	<0.001	0.02	44.1	0.03	1.1	0.4	>10	5	41.2	33.5
2598076	Drill Core		23	12.93	0.172	8	18	0.36	28	0.020	1	0.99	0.002	0.04	36.9	0.01	1.9	0.2	1.04	9	3.0	1.3
2598077	Drill Core		25	5.55	0.051	2	14	0.26	7	0.003	<1	0.24	<0.001	0.02	89.6	0.26	2.1	0.4	>10	3	83.0	24.3
2598078	Drill Core		4	2.95	0.048	<1	3	0.05	2	<0.001	<1	0.05	<0.001	0.02	7.9	3.13	0.1	4.3	>10	2	27.7	14.5
2598079	Drill Core		5	1.29	0.027	<1	3	0.14	<1	<0.001	<1	0.07	<0.001	0.04	8.9	4.78	0.1	1.0	>10	3	29.4	14.8
2598080	Drill Core		5	1.37	0.116	1	11	0.11	<1	0.001	<1	0.08	<0.001	0.03	3.6	2.76	0.3	2.3	>10	2	29.4	7.8
2598081	Drill Core		23	15.79	0.126	10	15	0.23	8	0.005	<1	0.84	<0.001	0.04	42.4	0.01	1.5	0.3	1.40	15	5.4	0.3
2598082	Drill Core		20	36.26	0.070	5	13	0.54	48	0.004	<1	0.09	<0.001	0.06	0.2	0.01	0.4	<0.1	0.42	<1	1.6	0.2
2598083	Drill Core		9	33.94	0.035	4	8	2.48	55	<0.001	<1	0.02	<0.001	0.03	0.2	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2598084	Drill Core		6	37.82	0.019	5	5	0.45	27	<0.001	<1	<0.01	<0.001	0.01	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2598085	Drill Core		6	32.78	0.019	14	16	2.96	20	<0.001	<1	0.01	0.002	0.01	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2598086	Drill Core		5	31.70	0.020	14	16	3.47	21	<0.001	<1	0.01	0.002	0.02	<0.1	0.02	0.2	<0.1	<0.05	<1	<0.5	<0.2
2598087	Drill Core		6	31.60	0.027	13	15	3.17	72	<0.001	<1	0.02	0.002	0.03	<0.1	0.03	0.4	<0.1	<0.05	<1	<0.5	<0.2
2598088	Drill Core		6	2.21	0.043	6	4	0.53	129	<0.001	3	0.31	0.003	0.18	<0.1	0.24	3.8	0.2	0.96	<1	1.5	<0.2
2598089	Drill Core		8	0.78	0.039	8	5	0.70	126	<0.001	4	0.35	0.006	0.18	<0.1	0.17	3.7	0.2	0.68	<1	1.4	<0.2
2598090	Drill Core		13	1.55	0.074	14	6	0.88	90	0.001	5	0.49	0.016	0.24	<0.1	0.24	4.8	0.2	1.00	1	1.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	AQ374	AQ374	AQ374
	Analyte	Cu	Zn	Ag
	Unit	%	%	gm/t
	MDL	0.001	0.01	2
2598061	Drill Core			
2598062	Drill Core			
2598063	Drill Core			
2598064	Drill Core			
2598065	Drill Core			
2598066	Drill Core			
2598067	Drill Core			
2598068	Drill Core			
2598069	Drill Core			
2598070	Drill Core			
2598071	Drill Core			
2598072	Drill Core			
2598073	Drill Core			
2598074	Drill Core			
2598075	Drill Core			
2598076	Drill Core			
2598077	Drill Core	1.415	0.05	62
2598078	Drill Core	0.255	1.49	382
2598079	Drill Core	0.286	4.16	108
2598080	Drill Core	0.568	1.70	197
2598081	Drill Core			
2598082	Drill Core			
2598083	Drill Core			
2598084	Drill Core			
2598085	Drill Core			
2598086	Drill Core			
2598087	Drill Core			
2598088	Drill Core			
2598089	Drill Core			
2598090	Drill Core			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

Method		WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
Unit		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
2598091	Drill Core	5.08				6.9	64.1	15.2	88	0.3	27.1	10.9	460	2.56	22.9	<0.5	3.7	59	0.4	1.9	0.4
2598092	Drill Core	5.76				9.7	75.5	10.6	93	0.3	25.0	9.1	458	2.22	12.9	<0.5	2.1	143	0.7	1.5	0.2
2598093	Drill Core	6.28				6.1	80.1	8.7	94	0.3	29.4	9.9	355	2.35	8.5	0.7	2.3	38	0.6	0.8	0.3
2598094	Drill Core	4.73				6.1	69.0	7.9	91	0.3	24.5	10.0	554	2.51	6.3	<0.5	1.9	50	0.6	1.1	0.2
2598095	Drill Core	2.40				20.2	65.6	5.8	87	0.2	30.8	8.6	413	2.32	6.8	<0.5	2.9	34	0.5	1.5	0.3
2598096	Drill Core	5.06				0.1	2.9	0.7	9	<0.1	0.4	0.4	90	0.07	1.2	<0.5	0.2	470	1.0	0.2	<0.1
2598097	Drill Core	5.12				<0.1	1.1	0.3	5	<0.1	0.7	0.4	50	0.03	<0.5	<0.5	0.2	452	1.0	<0.1	<0.1
2598098	Drill Core	6.70				<0.1	2.1	0.8	9	<0.1	1.3	0.4	43	0.05	1.4	<0.5	0.2	438	0.9	0.2	<0.1
2598099	Drill Core	5.22				0.6	1.5	0.4	5	<0.1	1.1	0.4	43	0.05	0.7	<0.5	0.1	433	0.6	0.1	<0.1
2598100	Rock Chip	0.85				0.3	3.3	3.4	18	<0.1	1.4	0.4	98	0.11	1.2	2.2	0.2	231	0.3	1.0	<0.1
2598101	Drill Core	5.63				4.9	79.8	9.1	87	0.2	28.0	8.6	340	2.28	9.4	<0.5	2.6	32	0.4	2.0	0.3
2598102	Drill Core	6.53				4.4	84.0	6.6	66	0.1	23.3	7.3	304	1.66	10.3	<0.5	2.4	34	0.3	1.2	0.2
2598103	Drill Core	6.33				0.6	66.1	6.0	52	<0.1	18.5	5.5	244	1.65	7.3	<0.5	2.7	32	0.1	0.8	0.2
2598104	Drill Core	3.96				0.1	70.0	8.4	67	<0.1	19.2	6.4	275	1.82	3.7	<0.5	3.0	39	<0.1	1.7	0.4
2598105	Drill Core	3.83				0.1	54.5	5.9	44	<0.1	17.3	6.5	272	1.39	4.5	<0.5	2.0	39	0.1	2.1	0.2
2598106	Drill Core	5.29				0.3	45.2	3.7	47	<0.1	21.2	6.9	226	1.63	4.6	<0.5	2.1	29	<0.1	1.5	0.2
2598107	Drill Core	5.33				7.4	73.1	14.8	99	0.2	27.7	8.3	347	2.11	12.9	<0.5	2.7	41	0.6	2.5	0.3
2598108	Drill Core	6.10				5.6	97.9	9.3	83	0.3	26.0	9.2	340	2.09	14.8	<0.5	2.5	47	0.5	1.3	0.3
2598109	Drill Core	6.02				5.7	74.5	6.3	90	0.3	24.3	7.5	302	2.04	22.3	<0.5	2.4	47	0.6	2.4	0.3
2598110	Drill Core	5.57				4.8	102.1	10.1	94	0.4	26.7	9.6	255	2.36	37.9	<0.5	2.2	30	0.6	6.4	0.3
2598111	Drill Core	3.31				4.3	60.6	9.8	76	0.3	22.4	7.7	445	1.82	114.0	<0.5	2.6	44	0.5	11.0	0.2
2598112	Drill Core	4.25				6.3	117.1	16.8	87	0.3	30.2	13.5	542	2.26	61.2	<0.5	3.2	58	0.6	16.5	0.3
2598113	Drill Core	2.86				1.3	60.2	12.6	91	0.2	27.3	14.2	450	2.21	69.3	<0.5	4.5	74	0.4	15.0	0.3
2598114	Drill Core	5.26				2.8	22.2	4.1	36	0.1	11.0	3.5	294	0.74	207.5	<0.5	1.0	373	0.3	8.8	<0.1
2598115	Drill Core	5.24				6.5	56.8	11.8	79	0.4	25.5	9.5	592	1.83	115.4	<0.5	2.4	76	0.6	18.9	0.2
2598116	Drill Core	5.73				8.4	73.0	12.7	103	0.3	28.6	9.7	576	2.29	75.7	<0.5	3.0	61	0.8	16.8	0.3
2598117	Drill Core	2.58				8.3	76.1	11.2	97	1.1	27.8	9.4	557	2.33	344.1	<0.5	2.9	40	0.5	29.8	0.2
2598118	Drill Core	2.46	367	<3	2	4.3	120.5	443.2	699	>100	23.1	8.4	533	2.32	2996.5	36.4	2.5	23	6.8	737.4	0.3
2598119	Drill Core	3.20	7995	<3	2	4.9	452.3	5981.3	>10000	>100	23.6	7.8	685	9.09	>10000	5077.7	1.6	19	162.9	>2000	0.2
2598120	Rock Pulp	0.04				6.5	62.8	20.7	108	2.3	14.9	8.4	149	3.07	363.8	1010.3	0.5	6	0.4	27.7	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

		Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2598091	Drill Core		12	1.38	0.063	15	5	0.85	126	0.001	5	0.44	0.014	0.22	<0.1	0.23	4.6	0.2	0.87	1	1.7	<0.2
2598092	Drill Core		10	3.92	0.047	4	5	0.73	128	<0.001	3	0.36	0.014	0.17	<0.1	0.23	4.2	0.2	0.68	<1	2.2	<0.2
2598093	Drill Core		14	0.94	0.029	6	10	0.74	119	<0.001	2	0.77	0.010	0.15	<0.1	0.16	3.5	0.1	0.50	3	2.2	<0.2
2598094	Drill Core		18	1.26	0.036	5	12	0.87	139	0.001	3	0.97	0.018	0.17	0.2	0.16	3.4	0.1	0.52	3	1.8	<0.2
2598095	Drill Core		15	0.85	0.036	8	10	0.83	142	<0.001	4	1.00	0.008	0.18	0.2	0.11	3.1	0.2	0.34	3	1.4	<0.2
2598096	Drill Core		<2	37.49	0.090	6	<1	0.18	52	<0.001	<1	0.02	0.001	0.01	<0.1	0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
2598097	Drill Core		<2	37.97	0.021	4	<1	0.14	42	<0.001	<1	0.01	<0.001	0.02	<0.1	0.02	0.5	<0.1	<0.05	<1	<0.5	<0.2
2598098	Drill Core		<2	38.32	0.024	4	<1	0.15	60	<0.001	<1	0.01	<0.001	0.02	<0.1	0.03	0.5	<0.1	<0.05	<1	<0.5	<0.2
2598099	Drill Core		<2	38.32	0.027	2	<1	0.15	71	<0.001	<1	0.01	<0.001	0.02	<0.1	0.02	0.3	<0.1	<0.05	<1	<0.5	<0.2
2598100	Rock Chip		9	17.95	0.017	1	3	8.76	15	<0.001	<1	0.06	0.257	0.04	0.1	<0.01	0.4	<0.1	0.44	<1	<0.5	<0.2
2598101	Drill Core		12	0.69	0.033	7	9	0.68	205	<0.001	3	0.84	0.007	0.18	<0.1	0.07	2.6	0.1	0.62	3	1.5	<0.2
2598102	Drill Core		8	0.64	0.034	7	6	0.56	203	<0.001	3	0.54	0.008	0.13	<0.1	0.04	2.3	0.1	0.46	2	1.0	<0.2
2598103	Drill Core		7	0.52	0.024	10	6	0.57	231	<0.001	3	0.56	0.005	0.12	<0.1	0.03	2.2	<0.1	0.17	2	<0.5	<0.2
2598104	Drill Core		7	0.55	0.027	11	6	0.61	275	<0.001	5	0.65	0.007	0.15	0.1	0.03	2.8	<0.1	0.24	2	<0.5	<0.2
2598105	Drill Core		6	0.52	0.033	8	5	0.46	178	<0.001	3	0.31	0.004	0.10	<0.1	0.03	2.2	<0.1	0.10	1	<0.5	<0.2
2598106	Drill Core		7	0.45	0.026	8	6	0.54	213	<0.001	3	0.49	0.005	0.12	<0.1	0.02	2.5	<0.1	0.19	2	0.5	<0.2
2598107	Drill Core		10	0.86	0.034	6	6	0.59	128	<0.001	4	0.45	0.009	0.17	<0.1	0.11	2.6	0.2	0.87	1	1.7	<0.2
2598108	Drill Core		11	0.99	0.033	7	6	0.67	208	<0.001	6	0.58	0.010	0.21	<0.1	0.10	3.2	0.2	0.60	2	1.9	<0.2
2598109	Drill Core		12	1.00	0.030	7	5	0.67	211	<0.001	5	0.34	0.005	0.17	<0.1	0.11	3.0	0.2	0.46	<1	1.7	<0.2
2598110	Drill Core		11	0.74	0.030	7	5	0.68	166	<0.001	6	0.43	0.005	0.21	<0.1	0.14	2.9	0.5	0.79	1	2.2	<0.2
2598111	Drill Core		6	1.23	0.031	7	3	0.65	108	<0.001	4	0.18	0.003	0.11	0.3	0.70	2.8	2.2	0.72	<1	1.9	<0.2
2598112	Drill Core		8	1.71	0.059	6	4	0.58	119	<0.001	7	0.38	0.005	0.24	0.1	0.35	2.6	1.2	1.39	<1	1.4	<0.2
2598113	Drill Core		6	1.84	0.049	9	4	0.65	126	<0.001	6	0.39	0.004	0.28	0.1	0.30	2.9	1.0	1.24	<1	1.2	<0.2
2598114	Drill Core		5	10.52	0.017	3	5	2.13	127	<0.001	3	0.14	0.004	0.10	<0.1	0.29	1.4	1.1	0.37	<1	1.4	<0.2
2598115	Drill Core		7	2.22	0.049	6	4	0.72	144	<0.001	5	0.25	0.004	0.17	0.4	0.62	3.2	2.2	1.01	<1	2.0	<0.2
2598116	Drill Core		8	1.44	0.032	7	4	0.66	141	<0.001	6	0.32	0.003	0.22	0.1	0.39	3.2	1.5	1.07	<1	2.6	<0.2
2598117	Drill Core		7	0.92	0.032	8	4	0.61	138	<0.001	7	0.25	0.003	0.18	0.3	2.11	2.9	12.5	1.06	<1	2.1	<0.2
2598118	Drill Core		5	0.65	0.027	7	4	0.39	92	<0.001	5	0.26	0.003	0.19	0.2	5.23	2.6	20.9	1.58	<1	1.5	<0.2
2598119	Drill Core		5	0.33	0.053	5	3	0.09	18	0.001	4	0.31	<0.001	0.16	0.3	17.03	1.2	67.3	8.13	4	1.4	<0.2
2598120	Rock Pulp		16	0.20	0.043	8	30	0.09	28	0.002	3	0.33	0.006	0.23	0.5	4.52	2.0	4.1	2.21	1	8.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	AQ374	AQ374	AQ374
	Analyte	Cu	Zn	Ag
	Unit	%	%	gm/t
	MDL	0.001	0.01	2
2598091	Drill Core			
2598092	Drill Core			
2598093	Drill Core			
2598094	Drill Core			
2598095	Drill Core			
2598096	Drill Core			
2598097	Drill Core			
2598098	Drill Core			
2598099	Drill Core			
2598100	Rock Chip			
2598101	Drill Core			
2598102	Drill Core			
2598103	Drill Core			
2598104	Drill Core			
2598105	Drill Core			
2598106	Drill Core			
2598107	Drill Core			
2598108	Drill Core			
2598109	Drill Core			
2598110	Drill Core			
2598111	Drill Core			
2598112	Drill Core			
2598113	Drill Core			
2598114	Drill Core			
2598115	Drill Core			
2598116	Drill Core			
2598117	Drill Core			
2598118	Drill Core	0.010	0.07	103
2598119	Drill Core	0.041	2.08	856
2598120	Rock Pulp			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
2598121	Drill Core	2.70	1960	<3	2	6.0	127.0	549.4	>10000	>100	27.4	11.2	683	4.23	>10000	303.9	2.1	19	71.4	726.4	0.2
2598122	Drill Core	3.21	1050	<3	4	5.9	83.2	1174.4	5313	81.1	35.7	13.3	1181	4.30	8342.6	221.6	1.9	65	38.9	1376.2	0.2
2598123	Drill Core	1.76				0.3	16.1	48.6	343	2.3	1.7	3.7	1668	1.32	402.6	23.0	1.1	42	3.1	36.2	<0.1
2598124	Drill Core	0.73				0.2	6.8	17.5	597	2.2	1.9	3.6	1184	1.85	2776.6	200.3	1.0	9	4.6	32.3	<0.1
2598125	Drill Core	6.38				0.2	7.2	14.1	115	1.0	1.3	3.7	1324	1.42	1852.7	113.7	0.9	46	0.7	22.2	<0.1
2598126	Drill Core	3.50				0.2	9.8	45.2	471	2.4	1.4	3.6	1790	1.32	395.3	29.5	1.0	50	4.7	32.0	<0.1
2598127	Drill Core	0.71	234	<3	3	6.7	37.9	19.3	557	8.8	24.1	7.2	2462	2.41	1550.1	4.7	2.4	93	4.6	54.7	0.2
2598128	Drill Core	2.74	27	<3	3	9.0	89.9	15.9	232	0.8	29.3	8.7	1072	2.11	515.9	2.4	3.6	52	2.4	39.7	0.3
2598129	Drill Core	5.51	27	<3	<2	17.0	75.0	52.8	137	2.0	26.8	8.1	1578	1.99	650.2	1.4	2.5	49	0.8	84.9	0.2
2598130	Drill Core	4.76				9.1	84.4	618.2	748	2.1	26.2	9.2	3438	2.31	1195.1	2.3	2.1	26	8.1	324.1	0.3
2598131	Drill Core	4.97				3.5	85.8	11.1	86	0.4	23.6	8.7	1047	2.20	1913.7	1.1	2.1	35	0.4	26.2	0.2
2598132	Drill Core	2.14				2.3	32.3	9.8	54	0.4	29.2	10.2	758	1.75	192.4	0.9	1.6	83	0.2	13.7	0.1
2598133	Drill Core	6.30				1.6	50.9	6.5	112	0.2	127.8	37.6	1363	5.68	119.3	<0.5	2.6	327	0.6	4.4	<0.1
2598134	Drill Core	5.77				1.1	43.9	4.7	96	<0.1	111.3	31.9	1409	5.77	233.9	0.9	2.7	350	0.2	3.6	<0.1
2598135	Drill Core	2.95				0.1	28.4	3.4	110	<0.1	55.9	27.7	1142	6.20	221.2	<0.5	3.2	158	0.2	4.6	<0.1
2598136	Drill Core	2.60				13.2	71.8	9.9	87	0.3	30.5	9.5	598	2.22	64.5	<0.5	2.3	55	0.5	5.0	0.2
2598137	Drill Core	2.47				14.0	76.5	10.0	106	0.3	27.9	10.4	480	2.24	20.4	<0.5	2.1	97	0.7	3.2	0.3
2598138	Drill Core	5.03				5.9	63.8	9.9	82	0.2	34.0	12.2	701	2.59	18.6	<0.5	2.3	135	0.4	2.1	0.2
2598139	Drill Core	2.12				5.4	47.9	39.1	217	5.6	18.3	6.2	595	1.62	352.3	2.1	1.6	299	1.3	40.8	0.2
2598140	Rock Chip	0.74				0.2	1.4	3.4	25	<0.1	2.0	0.4	96	0.13	2.3	2.3	0.2	225	0.2	1.0	<0.1
2598141	Drill Core	3.45				1.5	4.3	4.4	40	<0.1	1.6	4.8	641	2.20	16.9	<0.5	10.2	142	<0.1	1.2	0.1
2598142	Drill Core	4.30				1.3	12.2	3.9	31	<0.1	1.3	4.5	727	2.00	8.9	1.0	10.5	186	<0.1	1.1	<0.1
2598143	Drill Core	2.38				9.6	54.7	26.3	85	0.5	22.8	7.4	1129	1.96	132.5	<0.5	2.0	143	0.5	6.7	0.2
2598144	Drill Core	3.08				2.0	68.0	5.4	65	0.2	22.7	6.7	379	1.84	19.3	0.8	2.0	27	0.3	2.6	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2598121	Drill Core	5	0.62	0.040	5	3	0.17	29	<0.001	4	0.26	0.002	0.18	0.3	5.00	2.1	16.8	4.24	2	1.7	<0.2
2598122	Drill Core	7	1.85	0.083	5	4	0.55	45	<0.001	3	0.30	0.003	0.19	0.5	4.23	3.1	18.5	4.10	1	2.6	<0.2
2598123	Drill Core	2	2.02	0.044	6	1	0.42	115	<0.001	4	0.48	0.007	0.29	0.2	0.62	1.4	3.3	0.49	<1	<0.5	<0.2
2598124	Drill Core	<2	0.50	0.041	4	1	0.13	88	<0.001	4	0.34	0.008	0.24	1.1	1.04	0.8	4.4	1.76	<1	<0.5	<0.2
2598125	Drill Core	<2	2.41	0.048	4	1	0.37	104	<0.001	4	0.41	0.012	0.23	<0.1	0.55	1.0	2.5	0.69	<1	<0.5	<0.2
2598126	Drill Core	<2	2.45	0.045	5	1	0.40	178	<0.001	4	0.35	0.012	0.24	<0.1	0.44	1.1	2.0	0.54	<1	<0.5	<0.2
2598127	Drill Core	7	3.45	0.025	7	4	0.51	42	<0.001	3	0.23	0.002	0.10	0.3	1.80	4.5	6.6	2.13	<1	2.8	<0.2
2598128	Drill Core	8	1.28	0.032	11	4	0.45	97	<0.001	4	0.24	0.003	0.15	0.5	0.93	3.9	5.1	1.48	<1	1.4	<0.2
2598129	Drill Core	8	1.75	0.065	7	4	0.46	108	<0.001	3	0.26	0.002	0.14	0.4	0.94	2.8	5.8	1.35	<1	1.8	<0.2
2598130	Drill Core	6	1.54	0.030	5	3	0.36	99	<0.001	4	0.22	0.002	0.17	0.2	1.41	2.3	11.6	1.53	<1	1.7	<0.2
2598131	Drill Core	6	1.01	0.057	6	4	0.48	126	<0.001	5	0.27	0.003	0.18	0.3	1.34	2.2	10.1	1.07	<1	1.2	<0.2
2598132	Drill Core	7	3.29	0.139	10	5	1.17	105	0.001	4	0.23	0.002	0.12	0.2	0.19	2.7	2.0	0.96	<1	1.3	<0.2
2598133	Drill Core	65	7.99	0.348	23	44	2.35	121	0.003	7	1.32	0.012	0.16	0.1	0.08	8.4	0.5	1.16	5	0.6	<0.2
2598134	Drill Core	61	8.54	0.322	25	44	2.77	122	0.003	6	1.34	0.013	0.11	0.1	0.07	8.2	0.5	0.48	5	<0.5	<0.2
2598135	Drill Core	34	5.99	0.397	31	12	2.57	126	0.002	10	0.72	0.008	0.22	0.3	0.13	4.6	0.8	0.26	3	<0.5	<0.2
2598136	Drill Core	9	1.55	0.067	7	5	0.65	133	<0.001	5	0.32	0.003	0.17	0.2	0.08	1.9	0.9	0.87	<1	2.9	<0.2
2598137	Drill Core	11	1.67	0.044	7	5	0.68	146	<0.001	4	0.44	0.003	0.15	<0.1	0.08	1.9	0.4	0.72	1	2.4	<0.2
2598138	Drill Core	17	3.28	0.105	10	11	1.09	162	0.001	3	0.59	0.004	0.15	<0.1	0.06	3.0	0.2	0.67	2	1.5	<0.2
2598139	Drill Core	7	9.39	0.047	5	5	0.63	128	<0.001	3	0.36	0.004	0.12	1.5	0.18	2.3	0.6	0.54	<1	1.0	<0.2
2598140	Rock Chip	10	15.97	0.015	<1	3	9.81	15	<0.001	1	0.05	0.281	0.02	0.2	<0.01	0.3	<0.1	0.42	<1	<0.5	<0.2
2598141	Drill Core	28	3.05	0.113	62	2	0.62	621	0.004	2	0.69	0.024	0.22	<0.1	<0.01	2.7	0.2	0.18	2	<0.5	<0.2
2598142	Drill Core	24	3.38	0.114	64	1	0.69	1205	0.004	3	0.61	0.019	0.24	<0.1	<0.01	2.6	0.1	0.11	1	<0.5	<0.2
2598143	Drill Core	9	4.20	0.048	7	4	0.64	152	<0.001	3	0.31	0.004	0.13	0.2	0.12	2.5	0.4	0.78	<1	2.0	<0.2
2598144	Drill Core	4	0.62	0.019	8	4	0.54	141	<0.001	4	0.24	0.003	0.14	0.1	0.04	1.8	0.3	0.34	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

CERTIFICATE OF ANALYSIS VAN17002507.1

	Method	AQ374	AQ374	AQ374
	Analyte	Cu	Zn	Ag
	Unit	%	%	gm/t
	MDL	0.001	0.01	2
2598121	Drill Core	0.011	1.03	155
2598122	Drill Core			
2598123	Drill Core			
2598124	Drill Core			
2598125	Drill Core			
2598126	Drill Core			
2598127	Drill Core			
2598128	Drill Core			
2598129	Drill Core			
2598130	Drill Core			
2598131	Drill Core			
2598132	Drill Core			
2598133	Drill Core			
2598134	Drill Core			
2598135	Drill Core			
2598136	Drill Core			
2598137	Drill Core			
2598138	Drill Core			
2598139	Drill Core			
2598140	Rock Chip			
2598141	Drill Core			
2598142	Drill Core			
2598143	Drill Core			
2598144	Drill Core			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		Method	WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
		Unit	kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
Pulp Duplicates																						
2598004	Drill Core		4.83				3.3	17.6	12.7	49	0.2	7.8	7.0	315	2.47	7.6	8.5	14.6	68	0.3	1.7	1.6
REP 2598004	QC						3.5	17.8	12.9	50	0.2	7.4	6.6	311	2.44	7.9	10.3	14.0	68	0.3	1.6	1.6
2598029	Drill Core		0.85	34	<3	<2	5.2	78.4	371.1	739	2.7	26.5	8.4	657	1.63	31.7	30.7	4.2	127	10.0	5.1	1.8
REP 2598029	QC			35	<3	2																
2598037	Drill Core		1.66	155	<3	<2	116.4	869.2	2246.4	2105	6.6	5.8	9.3	698	1.69	46.6	148.3	12.0	83	29.5	120.5	2.0
REP 2598037	QC						118.1	878.6	2222.6	2122	6.5	5.7	9.5	694	1.71	46.3	133.1	11.9	82	30.2	120.6	2.0
2598072	Drill Core		4.94				0.3	25.8	178.7	619	0.8	1.2	1.4	861	0.28	117.7	8.4	<0.1	235	19.5	99.4	1.6
REP 2598072	QC						0.3	25.5	183.2	612	0.8	1.2	1.5	867	0.29	124.1	11.2	0.1	253	20.7	106.5	1.7
2598076	Drill Core		3.36	263	3	2	2.6	796.4	5.6	303	3.0	10.2	31.9	1423	10.66	191.1	242.7	3.5	12	1.5	14.6	5.6
REP 2598076	QC			240	<3	<2																
2598078	Drill Core		2.18	1801	<3	5	5.7	2399.0	4181.6	>10000	>100	17.1	144.7	1204	28.50	4801.1	161.4	0.1	11	152.2	>2000	839.9
REP 2598078	QC																					
2598107	Drill Core		5.33				7.4	73.1	14.8	99	0.2	27.7	8.3	347	2.11	12.9	<0.5	2.7	41	0.6	2.5	0.3
REP 2598107	QC						7.5	75.6	15.0	106	0.2	28.0	8.6	353	2.10	13.7	<0.5	2.9	42	0.5	2.5	0.3
2598139	Drill Core		2.12				5.4	47.9	39.1	217	5.6	18.3	6.2	595	1.62	352.3	2.1	1.6	299	1.3	40.8	0.2
REP 2598139	QC						5.5	47.9	38.5	217	5.7	18.6	6.2	595	1.63	357.7	2.0	1.6	294	1.3	39.9	0.2
Core Reject Duplicates																						
2598022	Drill Core		6.21				1.2	64.6	21.0	52	0.3	4.9	4.5	603	2.14	22.9	12.5	16.0	118	0.4	7.7	3.0
DUP 2598022	QC						1.3	65.5	22.1	53	0.3	4.7	4.4	627	2.13	24.8	16.3	16.5	128	0.4	7.7	3.2
2598056	Drill Core		2.81				7.5	115.5	135.4	164	0.9	33.1	11.9	100	2.15	105.4	11.0	3.8	25	1.9	3.6	7.2
DUP 2598056	QC						7.5	119.3	141.1	157	1.0	34.5	12.2	108	2.17	105.1	12.7	3.8	25	1.9	3.7	7.4
2598090	Drill Core		4.90				7.6	72.7	14.9	99	0.3	26.9	11.3	460	2.73	24.8	0.6	3.5	65	0.6	1.8	0.4
DUP 2598090	QC						7.1	68.1	13.9	101	0.3	26.0	11.0	472	2.63	23.6	0.8	3.4	67	0.6	1.7	0.3
2598124	Drill Core		0.73				0.2	6.8	17.5	597	2.2	1.9	3.6	1184	1.85	2776.6	200.3	1.0	9	4.6	32.3	<0.1
DUP 2598124	QC						0.2	6.1	15.0	569	2.1	1.7	3.7	1177	1.89	2846.9	205.0	1.0	9	3.8	33.1	<0.1
Reference Materials																						
STD CDN-PGMS-19	Standard			222	108	478																
STD CDN-PGMS-19	Standard			238	104	494																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																					
2598004	Drill Core	29	1.65	0.110	45	9	0.65	79	0.020	1	0.62	0.031	0.10	0.2	<0.01	4.1	<0.1	1.70	3	0.5	0.5
REP 2598004	QC	29	1.65	0.112	44	9	0.65	74	0.019	<1	0.62	0.031	0.10	0.1	<0.01	4.0	<0.1	1.62	3	0.5	0.5
2598029	Drill Core	51	3.15	0.124	20	36	1.06	49	0.068	1	0.68	0.040	0.10	0.6	0.21	7.0	0.1	0.91	3	<0.5	0.2
REP 2598029	QC																				
2598037	Drill Core	42	2.69	0.136	33	5	0.47	69	0.121	2	0.40	0.036	0.11	1.4	0.45	3.9	0.9	1.40	3	1.2	0.7
REP 2598037	QC	43	2.70	0.136	33	5	0.47	67	0.128	1	0.40	0.035	0.11	1.5	0.44	4.2	0.9	1.39	3	1.5	0.7
2598072	Drill Core	12	37.21	0.028	5	9	0.29	48	<0.001	<1	0.04	<0.001	0.05	0.7	0.03	0.3	<0.1	<0.05	<1	<0.5	0.7
REP 2598072	QC	13	39.08	0.028	5	9	0.29	49	<0.001	<1	0.04	<0.001	0.06	0.8	0.03	0.3	<0.1	<0.05	<1	<0.5	0.7
2598076	Drill Core	23	12.93	0.172	8	18	0.36	28	0.020	1	0.99	0.002	0.04	36.9	0.01	1.9	0.2	1.04	9	3.0	1.3
REP 2598076	QC																				
2598078	Drill Core	4	2.95	0.048	<1	3	0.05	2	<0.001	<1	0.05	<0.001	0.02	7.9	3.13	0.1	4.3	>10	2	27.7	14.5
REP 2598078	QC																				
2598107	Drill Core	10	0.86	0.034	6	6	0.59	128	<0.001	4	0.45	0.009	0.17	<0.1	0.11	2.6	0.2	0.87	1	1.7	<0.2
REP 2598107	QC	10	0.85	0.035	7	5	0.58	143	<0.001	4	0.45	0.009	0.17	<0.1	0.13	2.6	0.2	0.87	1	1.8	<0.2
2598139	Drill Core	7	9.39	0.047	5	5	0.63	128	<0.001	3	0.36	0.004	0.12	1.5	0.18	2.3	0.6	0.54	<1	1.0	<0.2
REP 2598139	QC	7	9.17	0.047	5	5	0.63	128	<0.001	3	0.35	0.004	0.12	1.5	0.16	2.2	0.6	0.54	<1	1.3	<0.2
Core Reject Duplicates																					
2598022	Drill Core	21	1.94	0.108	53	3	0.56	43	0.003	1	0.44	0.038	0.12	0.2	0.09	4.7	0.1	1.87	2	1.1	1.0
DUP 2598022	QC	21	2.05	0.113	52	3	0.56	39	0.003	1	0.44	0.038	0.12	0.2	0.09	4.7	0.1	2.07	2	1.3	1.1
2598056	Drill Core	37	0.93	0.037	6	17	0.78	70	0.022	5	1.21	0.032	0.45	0.4	0.01	4.8	0.5	1.30	5	2.7	2.3
DUP 2598056	QC	37	0.96	0.038	7	18	0.78	72	0.022	4	1.24	0.034	0.46	0.4	0.02	4.9	0.5	1.35	5	2.5	2.2
2598090	Drill Core	13	1.55	0.074	14	6	0.88	90	0.001	5	0.49	0.016	0.24	<0.1	0.24	4.8	0.2	1.00	1	1.8	<0.2
DUP 2598090	QC	12	1.56	0.072	14	5	0.88	104	<0.001	4	0.44	0.015	0.21	<0.1	0.24	4.6	0.2	0.94	1	2.0	<0.2
2598124	Drill Core	<2	0.50	0.041	4	1	0.13	88	<0.001	4	0.34	0.008	0.24	1.1	1.04	0.8	4.4	1.76	<1	<0.5	<0.2
DUP 2598124	QC	<2	0.51	0.044	4	1	0.13	90	<0.001	3	0.37	0.010	0.26	1.0	1.05	0.8	4.5	1.82	<1	<0.5	<0.2
Reference Materials																					
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		Method	AQ374	AQ374	AQ374
		Analyte	Cu	Zn	Ag
		Unit	%	%	gm/t
		MDL	0.001	0.01	2
Pulp Duplicates					
2598004	Drill Core				
REP 2598004	QC				
2598029	Drill Core				
REP 2598029	QC				
2598037	Drill Core				
REP 2598037	QC				
2598072	Drill Core				
REP 2598072	QC				
2598076	Drill Core				
REP 2598076	QC				
2598078	Drill Core		0.255	1.49	382
REP 2598078	QC		0.253	1.49	380
2598107	Drill Core				
REP 2598107	QC				
2598139	Drill Core				
REP 2598139	QC				
Core Reject Duplicates					
2598022	Drill Core				
DUP 2598022	QC				
2598056	Drill Core				
DUP 2598056	QC				
2598090	Drill Core				
DUP 2598090	QC				
2598124	Drill Core				
DUP 2598124	QC				
Reference Materials					
STD CDN-PGMS-19	Standard				
STD CDN-PGMS-19	Standard				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
STD DS11	Standard					14.3	148.1	135.0	333	1.7	77.8	13.7	1025	3.07	41.6	65.8	7.7	67	2.3	8.8	11.7
STD DS11	Standard					14.2	160.7	139.9	331	1.7	84.1	14.7	991	3.12	43.2	60.9	8.0	64	2.6	7.5	12.0
STD DS11	Standard					15.3	163.6	142.1	349	1.7	82.3	14.3	1058	3.19	45.0	95.1	8.5	72	2.6	8.0	12.7
STD DS11	Standard					14.2	160.7	140.2	370	1.8	83.0	13.8	1095	3.16	47.5	85.5	8.2	73	2.6	8.5	12.7
STD DS11	Standard					14.6	159.5	136.3	342	1.7	79.6	14.2	986	3.09	44.0	80.3	8.0	68	2.6	7.7	12.5
STD DS11	Standard					12.8	147.6	137.1	340	1.7	75.6	13.6	1028	3.05	42.2	80.1	7.5	70	2.5	8.5	12.5
STD GC-7	Standard																				
STD OREAS133B	Standard																				
STD OXC129	Standard					1.3	26.2	5.9	39	<0.1	75.6	19.6	395	2.86	0.6	230.3	1.7	173	<0.1	<0.1	<0.1
STD OXC129	Standard					1.2	27.7	6.2	40	<0.1	78.9	20.8	418	3.00	<0.5	183.0	1.8	183	<0.1	<0.1	<0.1
STD OXC129	Standard					1.3	28.9	6.6	41	<0.1	83.5	21.8	434	3.12	0.8	201.5	2.0	194	<0.1	<0.1	<0.1
STD OXC129	Standard					1.2	29.6	6.4	43	<0.1	80.9	20.8	409	2.97	1.1	194.3	1.8	195	<0.1	<0.1	<0.1
STD OXC129	Standard					1.2	28.7	6.4	41	<0.1	81.1	20.2	400	2.97	0.6	187.3	1.8	186	<0.1	<0.1	<0.1
STD OXC129	Standard					1.3	27.1	6.2	42	<0.1	76.7	20.0	408	3.00	0.7	212.5	1.8	199	<0.1	<0.1	<0.1
STD CDN-PGMS-19 Expected			230	108	476																
STD OXC129 Expected						1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9				
STD DS11 Expected						14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2
STD GC-7 Expected																					
STD OREAS133B Expected																					
BLK	Blank		<2	<3	<2																
BLK	Blank		2	<3	<2																
BLK	Blank					<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1
BLK	Blank					<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1
BLK	Blank					<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1
BLK	Blank					<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1
BLK	Blank					<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1
BLK	Blank					<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1
BLK	Blank																				
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05	AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD DS11	Standard	49	1.04	0.069	19	59	0.82	358	0.094	7	1.15	0.075	0.40	2.8	0.26	3.4	5.0	0.28	5	2.6	4.8
STD DS11	Standard	49	1.07	0.069	20	61	0.84	371	0.096	7	1.18	0.075	0.41	2.8	0.25	3.3	4.8	0.29	5	1.9	4.2
STD DS11	Standard	51	1.10	0.072	21	62	0.86	380	0.101	7	1.24	0.078	0.42	2.8	0.25	3.4	5.1	0.29	5	2.3	4.6
STD DS11	Standard	51	1.09	0.079	19	60	0.89	380	0.098	5	1.20	0.074	0.41	2.9	0.26	3.3	4.9	0.29	5	2.6	4.6
STD DS11	Standard	50	1.06	0.071	19	59	0.84	371	0.094	8	1.15	0.074	0.41	2.9	0.26	3.3	4.8	0.28	5	2.1	4.9
STD DS11	Standard	47	1.07	0.073	18	57	0.83	353	0.092	7	1.14	0.074	0.41	2.8	0.26	3.2	4.8	0.29	5	2.7	4.6
STD GC-7	Standard																				
STD OREAS133B	Standard																				
STD OXC129	Standard	49	0.62	0.093	12	50	1.50	48	0.368	1	1.47	0.564	0.35	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	52	0.73	0.095	13	54	1.56	53	0.410	<1	1.61	0.590	0.37	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	0.75	0.103	13	56	1.62	53	0.429	2	1.70	0.614	0.38	0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	52	0.69	0.102	12	50	1.56	50	0.384	2	1.56	0.590	0.38	0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	50	0.61	0.102	12	50	1.53	49	0.383	1	1.49	0.575	0.35	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	49	0.68	0.099	12	52	1.55	50	0.408	1	1.58	0.586	0.36	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD CDN-PGMS-19 Expected																					
STD OXC129 Expected		51	0.684	0.102	12.5	52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
STD GC-7 Expected																					
STD OREAS133B Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																				
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		AQ374 Cu % 0.001	AQ374 Zn % 0.01	AQ374 Ag gm/t 2
STD DS11	Standard			
STD DS11	Standard			
STD DS11	Standard			
STD DS11	Standard			
STD DS11	Standard			
STD DS11	Standard			
STD GC-7	Standard	0.559	21.26	647
STD OREAS133B	Standard	0.032	10.89	106
STD OXC129	Standard			
STD OXC129	Standard			
STD OXC129	Standard			
STD OXC129	Standard			
STD OXC129	Standard			
STD OXC129	Standard			
STD CDN-PGMS-19 Expected				
STD OXC129 Expected				
STD DS11 Expected				
STD GC-7 Expected		0.555	22.06	624
STD OREAS133B Expected		0.032	11.12	104
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.001	<0.01	<2
Prep Wash				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust
Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		WGHT	FA330	FA330	FA330	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1
ROCK-VAN	Prep Blank					0.6	4.2	0.9	37	<0.1	0.9	4.3	543	1.65	1.4	<0.5	1.9	20	<0.1	<0.1	<0.1
ROCK-VAN	Prep Blank					0.7	5.2	1.0	38	<0.1	0.9	4.6	565	1.69	1.3	<0.5	1.8	20	<0.1	<0.1	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05	AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
ROCK-VAN	Prep Blank	21	0.68	0.040	6	2	0.51	38	0.065	2	0.88	0.050	0.06	<0.1	<0.01	2.4	<0.1	<0.05	3	<0.5	<0.2
ROCK-VAN	Prep Blank	21	0.68	0.038	5	2	0.52	40	0.066	2	0.93	0.068	0.07	<0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver British Columbia V6C 1Z7 Canada

Project: Lustdust

Report Date: December 06, 2017

QUALITY CONTROL REPORT VAN17002507.1

		AQ374 Cu % 0.001	AQ374 Zn % 0.01	AQ374 Ag gm/t 2
ROCK-VAN	Prep Blank			
ROCK-VAN	Prep Blank			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.