BC Geological Survey
Assessment Report
39342

ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: 2020 Diamond Drilling and IP Geophysical Survey Report

TOTAL COST: $ 3,428,905.23

AUTHOR(S): Lawrence Tsang, Paul Baxter
SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-1-743, June 15 to Oct 15 2020
STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): 5830968, Mar 11, 2021

YEAR OF WORK: 2020

PROPERTY NAME: Premier, Northern Lights, Big Missouri, Silver Coin (Tenajon, Silver Butte)

CLAIM NAME(S) (on which work was done):

COMMODITIES SOUGHT: Gold, Silver, Lead, Zinc, Copper

MINERAL INVENTORY MINFILE NUMBER(S),IF KNOWN: 104B 002, 104B 038, 104B 039, 104B 040, 104B 041, 104B 042, 104B 043, 104B 044, 104B 045, 104B 046, 104B 049, 104B 084, 104B 086, 104B 092, 104B 093, 104B 095, 104B 102, 104B 136, 104B 141, 104B 143, 104B 144, 104B 145, 104B 146, 104B 147, 104B 148, 104B 149, 104B 150, 104B 151, 104B 212, 104B 359, 104B 394, 104B 402

MINING DIVISION: Skeena
NTS / BCGS: 104B.01/02
LATITUDE: ___56_____° ____05_____’ ____N_____"
LONGITUDE: ____130_____° ____02_____’ _____W_____" (at centre of work)
UTM Zone:9 (NAD 83) EASTING: 436895 NORTHING: 6219098

OWNER(S): Ascot Resources Ltd.

MAILING ADDRESS: Ascot Resources Ltd.
#1050 1095 West Pender St.,
Vancouver, BC V6E 2M6

OPERATOR(S) [who paid for the work]: Ascot Resources Ltd.

MAILING ADDRESS: Ascot Resources Ltd.
#1050 1095 West Pender St.,
Vancouver, BC V6E 2M6

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)
Premier, Terminus, Big Missouri, Indian, Silver Hill, Silver Coin, Tenajon, Silver Butte, Lower-Middle Jurassic Hazelton Group, Unuk River Formation, Premier Porphyry, Upper Andesite, Upper siltstone, argillite, siliceous breccia, quartz stockwork, pyrite, sphalerite, galena, west dipping and subvertical structure, epithermal, tuffs, lapilli tuffs, andesite flow, flow breccia

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:
38850, 33267, 32357, 31489, 31000, 29918, 33401, 32699, 29383
.

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization	11.9 km 7 profiles	East Silver Coin, Silver Hill, West Premier	**$208,800.00**
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for …)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core	14,393.90m, 56 holes, NQ core, Premier Mill	Premier, Big Missouri, Woodbine, Silver Hill	**$1,663,042.10**
Non-core	Transportation, fuel, supply, accommodation, wages, food, surveys, and consultation		**$1,393,519.14**
RELATED TECHNICAL			
Sampling / Assaying	4,417 Samples/500 standards	ALS and WCM/CDN	**$163,543.99**
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other			
		TOTAL COST	**$3,428,905.23**

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The

Premier Property
Stewart, BC

107 Mineral Tenures
175 Crown Granted Claims

Skeena Mining Division

BCGS Map Sheets: 104A001/011,021,104B010/020/030

Latitude: 56° 05' North, Longitude: 130° 02' West

Owner(s):
Ascot Resources Ltd.

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol.
Lawrence Tsang, P.Geo.

March 3, 2021

Contents

1. Summary 5
2. Introduction 6
3. Location and Access 6
4. Physiography and Climate 6
5. Claim Information 8
6. History 18
7. Geological Setting 20
   7.1. Regional Geology 20
   7.2. Property Geology 20
   7.3. Structure 23
   7.4. Mineralization 24
8. 2020 Premier Exploration Program 26
   8.1. Induced Polarization Geophysical Survey Discussion 26
   8.2. Diamond Drill Core Handling Procedures 31
      8.2.1. Diamond Drill Core Handling, Geotech and Core Storage 31
      8.2.2. Quality Control 32
      8.2.3. Collar Survey and Downhole Survey 32
      8.2.4. Core Logging 32
   8.3. Drilling Results Summary 35
      8.3.1. Drill Hole Geology 35
      8.3.1.1. 609 Extension 35
      8.3.1.2. Woodbine 42
      8.3.1.3. Day Zone 46
      8.3.1.4. Silver Hill 50
9. Conclusions and Recommendations 53
10. References 55
11. Statement of Expenditures and Personnel 56
12. Statement of Qualifications 59

Appendices 61

Figures

Figure 1 Premier Property Location and Claim Map 7
Figure 2 Premier Gold Property Claim Map (Southern Portion) 16
Figure 3 Premier Gold Property Claim Map (Northern Portion) 17
Figure 4 Regional Geology Map 22
Figure 5 Premier Geology Map 25
Figure 6 IP Geophysical Survey 2018 to 2020 Profile Map (2020 profiles in brown) 27
Figure 7 Plan Map of the Premier Area in relation to the 609 Extension and the Woodbine Areas 36
Figure 8 609 Extension 2020 Drill Hole Plan Map 37
Figure 9 Premier West (609 Extension) Long Section 40
Figure 10 609 Extension A-A' Cross Section Looking Az 315 41
Figure 111 Woodbine 2020 Drill Hole Plan Map 44
Figure 122 Woodbine E-W Cross Section 6213025N (Pink - Tertiary Dyke) 45
Figure 13 6219328 E-W Cross Section of the Day Zone Drilling 47
Figure 14 Day Zone 2020 Drill Hole Plan Map 48
Figure 15 Silver Hill 2020 Drill Holes Plan Map 51
Figure 16 P20-2219 E-W Cross Section showing the 4.31g/t Au over 1.0m within the Bowser Group 53

Tables

Table 1 Premier Property Mineral Claims Table 8
Table 2 Premier Property Crown Grant Claims Table 10
Table 3 RPA PGP and RMP Mineral Resource Estimate January 2020 19
Table 4 Feasibility Study PGP Reserves, April 2020 19
Table 5 2018-2020 IP Geophysical Survey Profiles Summary Table 28
Table 6 2020 IP Geophysical Result Summary 30
Table 7 Ascot Structural Codes Summary 33
Table 8 Ascot Geological Core Logging Code Summary 34
Table 9 609 Extension Drill Site Location Summary 36
Table 10 609 Extension 2020 Drill Results 38
Table 11 Woodbine Drill Site Location Summary 42
Table 12 Woodbine 2020 Drill Results 44
Table 13 Day Zone Drill Site Location Summary 46
Table 14 Day Zone 2020 Drilling Results 48
Table 15 Silver Hill Drill Site Location Summary 50
Table 16 Silver Hill Drill Results 52

Appendices

A. Assay Data
   - Statement of Analytical Procedures (ALS)
   - WCM and CDN Certificates of Analysis (drilling standards)

B. Drill Logs
   Downhole Survey File

C. Analytical Data
   - Analytical Data – Drilling (ALS)

D. Assay Certificate
   - List of Assay Certificates
   - Assay Certificates (ALS)

E. Maps

F. Drilling Cross Sections

G. Reports and additional data
   Structural data
   2020 Geophysical Survey Report

1. Summary

The Premier Gold Project ("The Property") is located approximately 13km north of Stewart, BC. The Granduc road is the main access from Stewart to the Property. The Property is comprised of 175 crown granted claims and 107 mineral tenures and has a combined area of 8,126.76ha excluding overlaps.

Ascot first entered into an option agreement for the Dilworth property in 2007 and subsequently into a second option agreement to acquire the Big Missouri and the Premier properties in 2009. In 2018, Ascot Resources Ltd. (Ascot) completed the acquisition of the Silver Coin property from Jayden Resources Inc. and Mountain Boy Minerals Ltd and exercised the option agreement on the Premier property and completed the transfer of title from Boliden. Ascot now owns 100% of the Premier and the Silver Coin properties.

Exploration in the Stewart mining camp began in the latter part of the 19th century. The Big Missouri and the Silver Coin deposits were first staked in 1904 and the Premier deposit was staked in 1910. Westmin Resources Ltd (formerly Western Mines Ltd) acquired the Big Missouri property in 1978 from Tournigan Mines Ltd and the Silbak-Premier property in 1982. The Silbak-Premier Mine was in production for gold-silver-lead-zinc-copper ore from 1918 to 1968, and from 1976 to 1979, and again from 1989 to 1996 through open pit and limited underground mining with a total production of 5.6 million tons grading 0.331oz/t Au and 7.117oz/t Ag from 1918 to 1987 and 3 million tons grading 0.085oz/t Au and 1.67oz/t Ag from 1989 to 1996. The Silver Coin's Facecut-35 zone was mined underground in 1991 for a total of 102,539 tonnes grading 8.9g/t Au and 55.5g/t Ag. Ascot has completed 96 holes for a total of 13,446.79m on the Silver Coin property since its acquisition in 2018.

In April 2020, Ascot announced the results for an independent Feasibility Study for the Premier and Red Mountain gold projects. The study outlines a low capital plan to feed the Premier mill at 2,500 tonnes per day to produce approximately 1.1 million ounces of gold and 3.0 million ounces of silver over eight years. The study is based on proven and probable reserve of 6.2 million tonnes from the projects.

In the 2018 and 2019 seasons, a total of 25 profiles over 47.6km of ground induced polarization ("IP") geophysical survey were completed across the Property. In the 2020 season, an additional 7 profiles over 11.9km of ground IP geophysical survey were completed in the Silver Hill, Premier West extension, and the Silver Coin east areas.

Due to the Covid-19 pandemic, the 2020 field season started later than in previous years in mid-June and ended in mid-October. In the 2020 season, Ascot completed 14,393.90 m of exploration drilling in 56 diamond drill holes targeting the Premier West/609 Extension, the Day Zone, Woodbine, and Silver Hill.

Overall, the 2020 exploration program was successful at intercepting mineralized intervals in all areas listed above. Follow up drilling in the 4 targeted exploration areas is suggested for the 2021 field season to further expand the 4 zones and to improve the understanding of the geological setting of the 4 areas and controls of mineralization.

2. Introduction

This report summarizes the 2020 exploration work and results on the Property. A total of 56 diamond drill holes were completed across the Property for a total of 14,393.90m. The 2020 drill program was designed to drill test 4 exploration targets including the Premier West extension, the Day Zone, Woodbine, and Silver Hill. A ground Induced Polarization geophysical survey for a total of 11.9 line km over 7 profiles was carried out at the Premier West extension, at Silver Hill, and at Silver Coin East.

3. Location and Access

The Property is located in northwestern British Columbia within the Skeena Mining Division approximately 25km north of Stewart (Figure 1.), where accommodations and basic supplies are available. The Silver Coin target coordinates are centered at Latitude 56º 5'N, Longitude 130º 2'W.

Stewart is located close to the southernmost end of the Alaska-British Columbia border. Highway 37A and 37 are the main access roads to the closest main cities, Terrace and Smithers, BC. Stewart has a bulk port terminal for transporting logs and mineral concentrate; a new port is currently under construction. Also, Regional Power has developed the Long Lake Hydro Project with a contract with BC Hydro next to Ascot's property.

The Granduc Road is the main access to the property from Stewart. Old roads, haul roads and quad trails provide access around the property.

4. Physiography and Climate

The Property's topography is moderate with local steep slopes and deep gullies. Elevation at the Property generally ranges from about 400m to 1100m. The Property's vegetation consists of coniferous trees and thick low brush at lower elevations and shrubs at the top of the ridges. Small lakes and ponds are scattered around the area. Relatively cold and moderate to high snowfall winter conditions with an average of 128cm snowfall/month occur from November to February and temperate summer conditions with an average of 11 to 14^{o}C occur from May to September. Field work is usually possible from May to October.




Figure 1 Premier Property Location and Claim Map

5. Claim Information

The Property is comprised of 107 mineral tenures and 175 crown granted claims covering 8,126.76 ha. Of the 175 crown granted claims, 158 have mineral rights and 16 of them have both mineral and surface rights and 1 of them only has surface rights. Claims 250712 and 250713 are located on the eastern side of the Bear Ridge and are not contiguous with the rest of the Property. The overall Property claim map is illustrated in figure 1. The claim information is further illustrated in tables 1 and 2 and figures 2, 3, and 4 below.

Table 1 Premier Property Mineral Claims Table

Title Number	Claim Name	Claim Type	Issue Date	Good to Date	Area (ha)
407410	Helen	Mineral Claim	30-Dec-2003	22-Feb-2031	500.00
250767	Lindgren	Mineral Claim	30-Aug-1979	3-Mar-2031	450.00
252193	Chicago Fr.	Mineral Claim	11-Aug-1988	3-Mar-2031	25.00
255400	Forty Nine	Mineral Claim	4-Mar-1975	3-Mar-2031	25.00
255401	Oxedental	Mineral Claim	4-Mar-1975	3-Mar-2031	25.00
255402	Chicago	Mineral Claim	4-Mar-1975	3-Mar-2031	25.00
255403	Yellowstone	Mineral Claim	4-Mar-1975	3-Mar-2031	25.00
504666	Kicker	Mineral Claim	23-Jan-2005	3-Mar-2031	432.16
507105	Honda	Mineral Claim	14-Feb-2005	3-Mar-2031	630.55
507141	Zap	Mineral Claim	14-Feb-2005	3-Mar-2031	216.02
507143	Zip	Mineral Claim	14-Feb-2005	3-Mar-2031	108.01
507144	Zip 2	Mineral Claim	14-Feb-2005	3-Mar-2031	449.95
512200	Montana	Mineral Claim	7-May-2005	3-Mar-2031	378.52
517869	Dilworth North Extension	Mineral Claim	17-Jul-2005	3-Mar-2031	108.04
518844	Dills Extension	Mineral Claim	8-Aug-2005	3-Mar-2031	54.00
538639	Million Dollar Fr. (Fill in Cover)	Mineral Claim	3-Aug-2006	3-Mar-2031	72.09
410699	Dickens	Mineral Claim	18-May-2004	22-Feb-2031	100.00
1069567	Premier Fr 2	Mineral Claim	9-Jul-2019	9-Jul-2020	54.21
1069568	Premier Fr 3	Mineral Claim	9-Jul-2019	9-Jul-2020	54.23
1074092		Mineral Claim	23-Jan-2020	23-Jan-2021	271.03
1074094		Mineral Claim	23-Jan-2020	23-Jan-2021	361.16
1074095		Mineral Claim	23-Jan-2020	23-Jan-2021	216.73
1066175	Premier Fr 1	Mineral Claim	31-Jan-2019	31-Jan-2031	18.08
1066525		Mineral Claim	14-Feb-2019	14-Feb-2031	18.07
1063847	Premiere	Mineral Claim	17-Oct-2018	22-Feb-2031	90.37
250350		Mineral Claim	11-Aug-1975	3-Mar-2031	25.00
250351		Mineral Claim	11-Aug-1975	3-Mar-2031	25.00
250353		Mineral Claim	11-Aug-1975	3-Mar-2031	25.00
250354		Mineral Claim	11-Aug-1975	3-Mar-2031	25.00
250526		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00

250527		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250528		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250529		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250530		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250531		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250532		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250533		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250534		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250535		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250536		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250537		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250538		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250539		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250540		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250541		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250542		Mineral Claim	30-Aug-1978	3-Mar-2031	25.00
250666		Mineral Claim	4-Apr-1979	3-Mar-2031	25.00
250712		Mineral Claim	9-Jul-1979	3-Mar-2025	25.00
250713		Mineral Claim	9-Jul-1979	3-Mar-2025	25.00
250714		Mineral Claim	11-Jul-1979	3-Mar-2031	25.00
250770	Silver Lake	Mineral Claim	27-Aug-1979	3-Mar-2031	100.00
251067	Pam Fr.	Mineral Claim	28-Jul-1982	3-Mar-2031	25.00
251120	Melissa	Mineral Claim	29-Jun-1983	3-Mar-2031	75.00
251121	Mag Fr.	Mineral Claim	29-Jun-1983	3-Mar-2031	25.00
251122	Mush Fr.	Mineral Claim	29-Jun-1983	3-Mar-2031	25.00
251778		Mineral Claim	6-Apr-1987	3-Mar-2031	25.00
252194	Marie Rita	Mineral Claim	11-Aug-1988	3-Mar-2031	50.00
252201	Tiger Fr.	Mineral Claim	11-Aug-1988	3-Mar-2031	25.00
252952	Marie No. 2	Mineral Claim	21-Jul-1989	3-Mar-2031	200.00
255397		Mineral Claim	6-Jan-1975	3-Mar-2031	25.00
255398		Mineral Claim	6-Jan-1975	3-Mar-2031	25.00
255399		Mineral Claim	6-Jan-1975	3-Mar-2031	25.00
1067076	Melissa Fraction	Mineral Claim	8-Mar-2019	8-Mar-2031	54.17
404864	Fair	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404865	Idaho	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404866	Silver Coin	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404867	Storm	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404868	Silver Coin Fraction	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404869	Idaho Fraction	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404870	Petite Fraction	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404871	Storm Fraction	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00
404872	Dan Fraction	Mineral Claim	21-Jul-2003	22-Feb-2031	25.00

405601	Silver Coin 2	Mineral Claim	3-Oct-2003	22-Feb-2031	25.00
405602	Silver Coin 3	Mineral Claim	3-Oct-2003	22-Feb-2031	25.00
405603	Silver Coin 4	Mineral Claim	4-Oct-2003	22-Feb-2031	25.00
405604	Silver Coin 5	Mineral Claim	4-Oct-2003	22-Feb-2031	25.00
405872	Big Missouri	Mineral Claim	11-Oct-2003	22-Feb-2031	25.00
405873	Winer	Mineral Claim	10-Oct-2003	22-Feb-2031	25.00
405874	Packers	Mineral Claim	10-Oct-2003	22-Feb-2031	25.00
405902	Silver Coin 6	Mineral Claim	8-Oct-2003	22-Feb-2031	25.00
405903	Silver Coin 7	Mineral Claim	8-Oct-2003	22-Feb-2031	25.00
405904	Silver Coin 8	Mineral Claim	9-Oct-2003	22-Feb-2031	25.00
406212	INDI 9	Mineral Claim	27-Oct-2003	22-Feb-2031	225.00
406213	INDI 10	Mineral Claim	27-Oct-2003	22-Feb-2031	225.00
406214	INDI 11	Mineral Claim	27-Oct-2003	22-Feb-2031	150.00
406215	INDI 12	Mineral Claim	27-Oct-2003	22-Feb-2031	150.00
406223	Silver Coin 9	Mineral Claim	28-Oct-2003	22-Feb-2031	500.00
412700	Silver Coin 10	Mineral Claim	29-Jul-2004	22-Feb-2031	500.00
591672	BEAU	Mineral Claim	20-Sep-2008	22-Feb-2031	18.05
834945		Mineral Claim	3-Oct-2010	22-Feb-2031	18.05
834949		Mineral Claim	3-Oct-2010	22-Feb-2031	18.05
836214		Mineral Claim	19-Oct-2010	22-Feb-2031	18.05
836218		Mineral Claim	19-Oct-2010	22-Feb-2031	18.05
836219		Mineral Claim	19-Oct-2010	22-Feb-2031	18.05
836450	JR 18	Mineral Claim	22-Oct-2010	22-Feb-2031	18.05
842095		Mineral Claim	1-Jan-2011	22-Feb-2031	108.23
842100		Mineral Claim	1-Jan-2011	22-Feb-2031	54.14
842104		Mineral Claim	1-Jan-2011	22-Feb-2031	72.12
842997		Mineral Claim	14-Jan-2011	22-Feb-2031	36.09
1022577	JAYDEN 6	Mineral Claim	25-Sep-2013	22-Feb-2031	18.05
1034317	JAYDEN 2	Mineral Claim	23-Feb-2015	22-Feb-2031	126.37
1034319	JAYDEN 4	Mineral Claim	23-Feb-2015	22-Feb-2031	18.06
1034320	JAYDEN 1	Mineral Claim	23-Feb-2015	22-Feb-2031	18.05
1034321	JAYDEN 3	Mineral Claim	23-Feb-2015	22-Feb-2031	36.11
1034322	JAYDEN 5	Mineral Claim	23-Feb-2015	22-Feb-2031	18.06
1066178	Silver Coin Fr 1	Mineral Claim	31-Jan-2019	31-Jan-2031	18.05
1066179	Silver Coin Fr 2	Mineral Claim	31-Jan-2019	31-Jan-2031	18.05

Table 2 Premier Property Crown Grant Claims Table

Title Number	Claim Name	Mineral Rights	Title Number	Parcel Identification Number (PIN)	Map No (BCGS 20K)	Issue Date	Area (ha)
L1521	Martha Ellen	Mineral	TE25901	1621100	104B020	13-Nov-1991	19.38
L1522	Glacier	Mineral	TE25831	1621230	104B020	12-Nov-1991	17.80

L1525	Leckie Fraction	Mineral	TE25902	1621520	104B020	13-Nov-1991	2.67
L3208	Province	Mineral	TE25903	1644410	104B020	13-Nov-1991	20.60
L3210	Golden Crown	Mineral	TE25904	1644670	104B020	13-Nov-1991	20.90
L3211	J.P. Fraction	Mineral	TE25905	1644700	104B020	13-Nov-1991	3.13
L4036	Bella Coola	Mineral	TE25851	1670950	104B020	12-Nov-1991	16.80
L4037	Good Hope	Mineral	TE25832	1671020	104B020	12-Nov-1991	11.97
L4038	May P J	Mineral	TE25852	1671150	104B020	12-Nov-1991	13.97
L4039	Silver Leaf	Mineral	TE25853	1671280	104B020	12-Nov-1991	20.80
L4040	Ladybird No. 2	Mineral	TE25850	1671310	104B020	12-Nov-1991	20.90
L4127	Day No. 1	Mineral	TE25906	1721870	104B020	13-Nov-1991	11.18
L4129	Day No. 2	Mineral	TE25907	1722070	104B020	13-Nov-1991	20.79
L4130	Day No. 3	Mineral	TE25908	1722100	104B020	13-Nov-1991	8.99
L4131	Day No. 4	Mineral	TE25909	1722230	104B020	13-Nov-1991	19.64
L4132	Day Fraction	Mineral	TE25910	1722360	104B020	13-Nov-1991	18.91
L4163	September Fraction	Mineral	TE25854	1725410	104B020	12-Nov-1991	15.58
L4534	Unicorn	Mineral	TE25843	1853280	104B020	12-Nov-1991	13.89
L4535	Unicorn No. 2	Mineral	TE25844	1853310	104B020	12-Nov-1991	20.23
L4536	Unicorn No. 3	Mineral	TE25845	1853440	104B020	12-Nov-1991	17.70
L4537	Unity	Mineral	TE25846	1853570	104B020	12-Nov-1991	7.13
L4538	Good Hope	Mineral	TE25847	1853600	104B020	12-Nov-1991	20.39
L4539	Snow King	Mineral	TE25848	1853730	104B020	12-Nov-1991	15.60
L4541	H & W	Mineral	TE25849	1853990	104B020	12-Nov-1991	7.80
L4542	Unity Fraction	Mineral	TE25866	1854060	104B020	13-Nov-1991	0.62
L4543	V Fraction	Mineral	TE25867	1854190	104B020	13-Nov-1991	0.29
L4031	Yellowstone	Mineral		1670400	104B020		12.80
L4032	Old Timer	Mineral		1670530	104B020		12.57
L4033	Butte	Mineral		1670660	104B020		10.43
L0511	Brookland	Mineral	TD1467	1533910	104B010	2-Feb-1990	20.28
L0512	Forty-Five	Mineral	M2246	1534080	104B010	18-Feb-1983	18.53
L1843	Exchange No. 1	Mineral	TD3149	1698680	104B010	5-Mar-1990	1.18
L1844	Exchange No. 2	Mineral	TD3150	1698710	104B010	5-Mar-1990	4.25
L1845	Exchange No. 3	Mineral	TD3151	1698840	104B010	5-Mar-1990	16.36
L1846	Exchange No. 4	Mineral	TD3152	1698970	104B010	5-Mar-1990	8.49
L1847	Exchange No. 5	Mineral	20450I	1699040	104B010	6-Oct-1927	2.31
L1848	Exchange Fraction	Mineral	M9793	1699170	104B010	21-Jul-1983	0.14
L1979	Portland No. 2	Mineral	R1645	1710200	104B010	6-Feb-1986	11.85
L1980	Portland No. 1	Mineral	R1646	1710330	104B010	6-Feb-1986	13.74
L1981	Big Dick	Mineral	R1647	1710460	104B010	6-Feb-1986	16.26
L1982	Fritz	Mineral	R1648	1710590	104B010	6-Feb-1986	10.48
L2315	Boundary No. 2	Mineral	R1636	1760540	104B010	6-Feb-1986	19.08
L2316	Missing Link Fraction	Mineral	R1637	1760670	104B010	6-Feb-1986	13.10

L3591	Cascade Falls No. 8	Mineral	TE25926	1491130	104B010	13-Nov-1991	17.00
L3592	Simpson	Mineral	TE25927	1491260	104B010	13-Nov-1991	12.55
L3593	Essington	Mineral	TE25928	1491390	104B010	13-Nov-1991	19.04
L3594	Pat Fraction	Mineral	TE25929	1491420	104B010	13-Nov-1991	9.23
L3595	Dolly	Mineral	TE25930	1491550	104B010/104A001	13-Nov-1991	20.90
L3610	Forks	Mineral	TE25834	1493080	104B010	12-Nov-1991	15.70
L3611	Trites	Mineral	TE25875	1493110	104B010/104A001	13-Nov-1991	12.18
L3688	Premier Ex. No. 1	Mineral	TE25878	1496130	104A001	13-Nov-1991	15.75
L3689	Premier Ex. No. 2	Mineral	TE25879	1496260	104A001	13-Nov-1991	9.83
L3690	Premier Ex. No. 3	Mineral	TE25837	1496390	104A001	12-Nov-1991	18.41
L3691	Premier Ex. No. 4	Mineral	TE25880	1496420	104A001	13-Nov-1991	20.81
L3692	Extension Fraction	Mineral	TE25881	1496550	104A001	13-Nov-1991	11.19
L3693	True Blue	Mineral	TE25882	1496680	104B010/104A001	13-Nov-1991	2.71
L3838	Lesley M	Mineral	TE25918	1660030	104B010/104A001	13-Nov-1991	20.90
L3839	Lesley	Mineral	TE25868	1660160	104B010/104A001	13-Nov-1991	20.90
L3840	Limit	Mineral	TE25869	1660290	104B010	13-Nov-1991	20.90
L3841	Climax	Mineral	TE25919	1660320	104B010	13-Nov-1991	20.63
L3842	Bell	Mineral	TE25870	1660450	104B010	13-Nov-1991	16.38
L3843	Lesley No. 2	Mineral	TE25920	1660580	104B010/104A001	13-Nov-1991	20.46
L3844	Lesley No. 4	Mineral	TE25871	1660610	104B010	13-Nov-1991	11.53
L3845	Lesley No. 3	Mineral	TE25921	1660740	104A001	13-Nov-1991	16.68
L3846	Lesley No. 5	Mineral	TE25922	1660870	104A001	13-Nov-1991	15.86
L3847	Lesley No. 6	Mineral	TE25872	1660900	104B010	13-Nov-1991	20.82
L3848	Lesley Fraction	Mineral	TE25873	1661070	104B010	13-Nov-1991	12.74
L3849	Bell No. 2	Mineral	TE25923	1661100	104B010	13-Nov-1991	16.28
L3850	Mahood	Mineral	TE25874	1661230	104A001	13-Nov-1991	12.91
L3851	Ten Fraction	Mineral	TE25833	1661360	104B010/104A001	12-Nov-1991	16.44
L3852	Ax Fraction	Mineral	TE25924	1661490	104A001	13-Nov-1991	2.65
L3922	Cabin	Mineral	TC14585	1663760	104B010	21-Jul-1989	16.96
L3923	International Fraction	Mineral	TC14586	1663890	104B010	21-Jul-1989	11.25
L3930	Intern	Mineral	TE25876	1664540	104B010	13-Nov-1991	20.29
L3931	Wood Fraction	Mineral	TE25877	1664670	104B010	13-Nov-1991	6.84
L4016	Gun Fraction	Mineral	TE25925	1668920	104A001	13-Nov-1991	8.28
L4019	Hooligan	Mineral	TE25914	1669250	104B010	13-Nov-1991	20.85
L4020	Oakwood	Mineral	TE25915	1669380	104B010	13-Nov-1991	2.97
L4021	Oakville	Mineral	TE25916	1669410	104B010	13-Nov-1991	4.81
L4022	Oakville No. 2 Fraction	Mineral	TE25917	1669540	104B010	13-Nov-1991	8.06
L4047	Nor Light No. 2	Mineral	FB492649	1672060	104B010	30-Jul-2015	19.90
L4048	Nor Light No. 1 Fraction	Mineral	TE25856	1672190	104B010	12-Nov-1991	3.77

L4049	Nor Light No. 3	Mineral	TE25857	1672220	104B010	12-Nov-1991	12.12
L4050	Nor Light No. 4	Mineral	TE25858	1672350	104B010	12-Nov-1991	18.12
L4051	Nor Light No. 5	Mineral	FB492650	1672480	104B010	30-Jul-2015	14.12
L4052	Nor Light No. 6	Mineral	TE25860	1672510	104B010	13-Nov-1991	11.99
L4053	Cobalt	Mineral	TD1749	1672640	104B010	5-Feb-1990	9.60
L4054	Cobalt No. 2	Mineral	TD1750	1672770	104B010	5-Feb-1990	9.53
L4055	Nor Light No. 7	Mineral	TE25861	1672800	104B010	13-Nov-1991	15.27
L4056	Loser	Mineral	TE25862	1672930	104B010	13-Nov-1991	14.04
L4057	Nor Light Fraction	Mineral	TE25863	1673000	104B010	13-Nov-1991	8.49
L4058	Nor Light No. 1	Mineral	TE25864	1673130	104B010	13-Nov-1991	13.40
L4063	Nor Light No. 8	Mineral	TE25865	1673680	104B010	13-Nov-1991	1.80
L4064	Morn	Mineral	16715I	1673710	104B010	11-Jan-1924	17.52
L4116	Winner	Mineral	M2248	1720540	104B010	18-Feb-1983	6.21
L4119	Ruby Silver No. 1	Mineral	R1592	1720830	104B010	6-Feb-1986	18.23
L4120	Ruby Silver No. 2	Mineral	R1593	1720960	104B010	6-Feb-1986	16.10
L4123	Ruby Silver	Mineral	R1594	1721290	104B010	6-Feb-1986	20.89
L4133	Texada	Mineral	TE25911	1722490	104A001	13-Nov-1991	8.92
L4134	Texada Fraction	Mineral	TE25838	1722520	104B010/104A001	12-Nov-1991	12.63
L4135	Dixie	Mineral	TE25888	1722650	104A001	13-Nov-1991	3.57
L4136	Humbolt No. 2	Mineral	TE25912	1722780	104B010	13-Nov-1991	7.27
L4137	Humbolt Fraction	Mineral	TE25913	1722810	104B010/104A001	13-Nov-1991	13.22
L4138	Paul	Mineral	TE25883	1722940	104A001	13-Nov-1991	14.38
L4139	Joe Fraction	Mineral	TE25884	1723010	104A001	13-Nov-1991	18.92
L4140	Bluox	Mineral	TE25885	1723140	104A001	13-Nov-1991	20.90
L4141	Mountain	Mineral	TE25889	1723270	104B010	13-Nov-1991	20.90
L4142	Grandview	Mineral	TE25890	1723300	104B010	13-Nov-1991	11.76
L4143	Rincon	Mineral	TE25891	1723430	104B010	13-Nov-1991	10.68
L4144	U & I	Mineral	TE25892	1723560	104B010/104A001	13-Nov-1991	20.34
L4145	Simcoe	Mineral	TE25893	1723690	104B010	13-Nov-1991	9.95
L4148	Neill Fractional	Mineral	TE25839	1726980	104B010	12-Nov-1991	14.46
L4149	Mist No. 1	Mineral	TE25886	1724050	104A001	13-Nov-1991	20.77
L4150	Mist No. 2	Mineral	TE25887	1724180	104A001	13-Nov-1991	10.66
L4151	Mist Fraction	Mineral	TE25836	1724210	104A001	12-Nov-1991	20.83
L4165	Border	Mineral	BV474501	1725540	104B010	14-Nov-2003	9.64
L4194	Sunshine	Mineral	R521	1728270	104A001	15-Jan-1986	20.90
L4277	Bluebird	Mineral	R585	1732150	104B010	16-Jan-1986	16.09
L4278	Club Fraction	Mineral	TC14535	1732280	104B010	21-Jul-1989	6.44
L4279	Premier Fraction	Mineral	TE25835	1732310	104B010	12-Nov-1991	0.39
L4281	Lucky Fraction	Mineral	TC14533	1732570	104B010	21-Jul-1989	4.09
L4421	Glacier No. 7	Mineral	M9719	-	104B010	19-Jul-1983	9.33
L4423	A.C.C. Fraction	Mineral	TC14538	1741030	104B010	21-Jul-1989	10.29
L4426	Blue Jay Fraction	Mineral	R448	1741290	104B010	13-Jan-1983	10.91

L4427	B. X. No. 1	Mineral	TE25894	1741320	104A001	13-Nov-1991	20.90
L4428	B. X. No. 2	Mineral	TE25895	1741450	104A001	13-Nov-1991	20.87
L4429	B. X. No. 3	Mineral	TE25896	1741580	104A001	13-Nov-1991	20.90
L4430	B. X. No. 4	Mineral	TE25897	1741610	104A001	13-Nov-1991	17.98
L4431	B. X. No. 5	Mineral	TE25898	1741740	104B010/104A001	13-Nov-1991	13.07
L4432	B. X. No. 6 Fraction	Mineral	TE25899	1741870	104A001	13-Nov-1991	17.69
L4433	B. X. No. 7 Fraction	Mineral	TE25900	1741900	104A001	13-Nov-1991	14.74
L4434	B. X. No. 8 Fraction	Mineral	TE25840	1742070	104A001	12-Nov-1991	19.06
L4440	A.M. Fraction	Mineral	R1039	1742520	104B010	24-Jan-1986	1.87
L4441	O'Brien Fraction	Mineral	R1040	1742650	104B010	24-Jan-1986	15.34
L4442	Maggie Jiggs Fraction	Mineral	R1041	1742780	104B010	24-Jan-1986	2.74
L4447	Maple Leaf No. 5	Mineral	TD1746	1743140	104B010	5-Feb-1990	6.12
L4449	Maple Leaf No. 3	Mineral	TD1747	1743300	104B010/104A001	5-Feb-1990	20.19
L4450	Maple Leaf No. 2	Mineral	TD1748	1743430	104B010	5-Feb-1990	20.90
L4451	Maple Leaf No. 1	Mineral	M2247	1743560	104B010	18-Feb-1983	20.58
L4452	A.L. Fraction	Mineral	TD3254	1743690	104B010	7-Mar-1990	9.32
L4454	Northern Light No. 9 Fraction	Mineral	TE25841	1743850	104B010	12-Nov-1991	1.77
L4767	Pit	Mineral	TE25842	1492620	104B010	12-Nov-1991	0.04
L5180	X.10.U.8	Mineral	TD3255	1898730	104B010	7-Mar-1990	11.37
L5181	X.10.U.8 No. 2	Mineral	TD3256	1898860	104B010/104A001	7-Mar-1990	15.96
L5182	X.10.U.8 No. 3	Mineral	TD3257	1898990	104B010/104A001	7-Mar-1990	14.78
L5183	X.10.U.8 No. 4	Mineral	TD3258	1899060	104B010	7-Mar-1990	18.32
L5184	X.10.U.8 No. 5	Mineral	TD3259	1899190	104B010	7-Mar-1990	17.23
L5185	X.10.U.8 No. 6	Mineral	TD3260	1899220	104B010/104A001	7-Mar-1990	14.58
L5188	Three	Mineral	TD3261	1899350	104B010	7-Mar-1990	17.97
L5189	Three Fraction	Mineral	TD3262	1899480	104B010	7-Mar-1990	4.93
L5190	One Fraction	Mineral	TD3263	1899510	104B010	7-Mar-1990	8.72
L5191	Four Fraction	Mineral	TD3264	1899640	104B010	7-Mar-1990	20.78
L5192	Five Fraction	Mineral	TD3265	1899770	104B010	7-Mar-1990	11.39
L5193	Extra	Mineral	TD3266	1899800	104B010/104A001	7-Mar-1990	7.51
L5195	X.10.U.8 Fraction	Mineral	TD3267	1899930	104A001	7-Mar-1990	18.92
L5524	Pay Roll Number No. 3	Mineral	TD3861	1920270	104B010	19-Mar-1990	19.17
L5525	Pay Roll Number No. 4	Mineral	22416I	1920300	104B010	11-Sep-1929	18.71
L3218	Kansas	Mineral		1645450	104B010/104B020		19.50
L3213	Expluribus	Mineral & Surface	BW332683	1644960	104B020	7-Aug-2004	20.66
L3216	Unum	Mineral & Surface	BW332684	1645290	104B020	7-Aug-2004	4.68

L4540	Silver Creek Fraction	Mineral & Surface	BW332685	1853860	104B020	7-Aug-2004	5.12
L0272	Cascade Falls No. 5	Mineral & Surface	BW332670	1515440	104B010	7-Aug-2004	16.29
L3590	Cascade Falls No. 4	Mineral & Surface	BW332671	-	104B010	7-Aug-2004	12.95
L3596	Pictou	Mineral & Surface	BW332672	1491680	104B010	7-Aug-2004	20.89
L3597	Rupert	Mineral & Surface	BW332673	1491710	104B010	7-Aug-2004	20.12
L3603	Cascade Forks No. 1	Mineral & Surface	BW332674	1492330	104B010	7-Aug-2004	18.98
L3604	Cascade Forks No. 2	Mineral & Surface	BW332675	1492460	104B010	7-Aug-2004	11.39
L3605	Cascade Forks No. 3	Mineral & Surface	BW332676	1492590	104B010	7-Aug-2004	12.75
L3606	Cascade Forks No. 4	Mineral & Surface	BW332677	1492620	104B010	7-Aug-2004	8.09
L3607	Cascade Forks No. 5	Mineral & Surface	BW332678	1492750	104B010	7-Aug-2004	12.26
L3608	Cascade Forks No. 6	Mineral & Surface	BW332679	1492880	104B010	7-Aug-2004	15.66
L3609	Wood Fraction	Mineral & Surface	BW332680	1492910	104B010	7-Aug-2004	2.27
L4146	Halton	Mineral & Surface	BW332681	1723720	104B010	7-Aug-2004	13.48
L4147	Bush Fraction	Mineral & Surface	BW332682	1723850	104B010	7-Aug-2004	13.40
L3901	Midas	Surface	BW332669	1663050	104B010	7-Aug-2004	10.20




Figure 2 Premier Gold Property Claim Map (Southern Portion)




Figure 3 Premier Gold Property Claim Map (Northern Portion)

6. History

The Premier, Big Missouri, and Silver Coin deposits were first discovered in the early 1900s. Westmin Resources Ltd (formerly Western Mines Ltd) acquired the Big Missouri property in 1978 from Tournigan Mines Ltd and then the Silbak-Premier property in 1982. The Big Missouri deposit, located 8km north of the Premier Mine, produced 847,612 tons of ore underground from 1927 to 1942 with a recovery of 58,383 oz of gold, 52,676 oz of silver, 3,920 lbs of zinc, and 2,712 lbs of lead. The S1 and Dago zones at Big Missouri property were mined by Westmin in two small open pits. In the Dago pit, 384,000 tonnes of ore grading 1.2g/t gold and 10.0g/t silver were produced from 1988-1989. In 1990, a total of 304,000 tonnes of ore grading 2.4g/t gold and 10.0g/t silver were produced in the S1 pit.

The Silbak-Premier Mine was discovered in 1910 and produced gold-silver-lead-zinc-copper ore from 1918 to 1968, and from 1976 to 1979, and again from 1989 to 1996 through open pit and limited underground mining with a total recovery of 1,999,989 oz of gold, 42,854,225 oz of silver, 54,705,984 lbs of lead, 17,551,173 lbs of zinc, 4,085,388 lbs of copper, and 177,785 lbs of cadmium. Westmin conducted extensive exploration from 1979 to 1996 on the Premier and Big Missouri properties. A 2000 t/d mill facility was put into operation in 1989 until it was closed in1996 due to low metal prices. In total, Premier Gold produced 5,599,029 tons grading 0.331 oz/ton gold and 7.117 oz/ton silver from 1918 to 1987 and 3,039,680 tons grading 0.085 oz/t gold and 1.67 oz/t silver from 1989 to 1996. At the time of the mill closure in 1996, the property contained 350,140 tonnes of ore grading 7.19 g/t gold, 37.7 g/t silver and 1.6% zinc.

The Silver Coin deposit was discovered in 1904 and includes the historical Terminus, Silver Butte and Silver Coin properties. Esso Minerals Canada Ltd. (“Esso”), Tenajon Resources Corp. (“Tenajon”) and Westmin Resources Ltd (Westmin) did most of the exploration on the property from 1980 to 1995. This work included trenching, sampling, drilling, underground development and mining. In 1991, Westmin mined the Facecut-35 Zone producing 102,539 tonnes at an average grade of 8.9g/t Au and 55.50g/t Ag by sub-level retreat with a minor amount of benching.

Ascot published 3 open-pit bulk tonnage resources of Big Missouri, Martha Ellen, and Dilworth: in 2012 by Garth Kirkham, 2013 by P&E, and 2014 by Ron Simpson. Jayden Resources Ltd., the former owner of the Silver Coin deposit, published an underground resource for Silver Coin in 2013 by Mining Plus. RPA conducted the first high-grade underground resource for the Premier deposit in June 2018 followed by an updated high-grade resource estimate in Jan 2020 for 5 deposits at the Premier Gold Project (PGP), Premier, Big Missouri, Silver Coin, Martha Ellen, and Dilworth. The details of the January 2020 RPA Resource Estimate with the Red Mountain resource are listed in Table 3 below.

In April 2020, Ascot published a Feasibility Study that outlines a low capital restart plan to feed the Premier mill at 2,500 tonnes per day to produce approximately 1.1 million ounces of gold and 3.0 million ounces of silver over eight years. This study is based on proven and probable reserves of 6.2 million tonnes from the PGP and the Red Mountain project with 3.6 million tonnes originating at the PGP. A summary of the reserves is listed in Table 4 below.

Table 3 RPA PGP and RMP Mineral Resource Estimate January 2020

Class	Deposit	Tonnes (000's)	Average Grades		Contained Ounces (koz)	
			Au g/t	Ag g/t	Au	Ag
Measured	Red Mountain	1,920	8.81	28.3	544	1,747
Indicated	Premier/Northern Lights	1,298	8.46	64.2	353	2,680
	Big Missouri	1,116	8.36	16.9	300	607
	Silver Coin	1,597	7.61	23.0	390	1,181
	Martha Ellen	130	5.47	48.0	23	201
Indicated	Ascot All Zones	4,141	8.01	35.1	1,066	4,669
Indicated	Red Mountain All Zones	1271	5.85	10.0	239	409
Total Indicated	**All Above**	**5,412**	**7.50**	**29.21**	**1,305**	**5,077**
Total M&I	**Total**	**7,332**	**7.85**	**29.0**	**1,849**	**6,824**
Inferred	Premier/Northern Lights	1,753	6.72	39.8	379	2,243
	Big Missouri	1,897	8.34	14.7	508	896
	Silver Coin	523	7.03	23.2	118	390
	Martha Ellen	653	6.12	34.3	129	720
	Dilworth	235	6.13	56.0	46	424
Inferred	Ascot All Zones	5,061	7.25	28.7	1,180	4,673
Inferred	Red Mountain All Zones	405	5.32	7.3	69	96
Total Inferred	**All Above**	**5,467**	**7.11**	**27.1**	**1,250**	**4,769**

- Red Mountain Resources are reported at a 3.0g/t Au cut-off
- Please refer to Ascot's press release dated October 31, 2019 on SEDAR and Ascot's press release dated January 15, 2020 for Mineral Resource Estimate details and disclosure
- All Premier Resources are reported at a 3.5g/t AuEq cut-off
- Premier's gold equivalence was calculated using a ratio of 65:1 Ag:Au and Ag recovery of 45.2%
- Numbers may not sum due to rounding

Table 4 Feasibility Study PGP Reserves, April 2020

PGP Reserves

		Grade		Contained ounces	
	Tonnes	**Au**	**Ag**	**Au**	**Ag**
	kt	**g/t**	**g/t**	**koz**	**koz**
Total Probable	**3,632**	**5**	**19**	**637**	**2,231**

1. A mean bulk density of 2.85 t/m3 is used for Premier and of 2.80 t/m3 for all other deposit areas
2. The AuEq values were calculated using US$1,400/oz Au and a US$17/oz Ag and the following equation: AuEq(g/t) = Au(g/t)+ Ag(g/t) x 17 / 1,400
3. The following CoG based on AuEq grade were used to estimate the economic potential of the stopes: Longhole = 2.85 g/t, Inclined undercut Longhole = 3.44 g/t, cut and fill = 3.44 g/t, room & pillar = 3.82 g/t and development = 2.85 g/t

7. Geological Setting

7.1.Regional Geology

As summarized by Alldrick (1993), the Stewart mining camp is underlain by Upper Triassic to Lower Jurassic rocks of the Hazelton Group that formed in an island-arc setting. The volcanic pile largely comprises subaerial calc-alkaline basalts, andesites, and dacites with interbedded sedimentary rocks. Lateral variations in volcanic rock textures indicate that the district was a regional paleo-topographic high with a volcanic vent centered near Mount Dilworth. Early Jurassic calc-alkaline hornblende granodiorite plutons of the Texas Creek Plutonic Suite represent coeval, subsidiary magma chambers emplaced two to five kilometers below the stratovolcano. From these plutons, late-stage two-feldspar porphyritic dikes cut up through the volcanic sequence to feed surface flows (locally called Premier Porphyries). Following the cessation of volcanism and subsidence, this succession was capped unconformably by the Middle Jurassic Mt. Dilworth and Salmon River formations, followed by later Upper Jurassic-Cretaceous marine-basin turbidites of the Bowser Lake Group. Mid-Cretaceous tectonism was characterized by greenschist facies regional metamorphism, east-northeast compression, and deformation. It produced upright north-northwest trending en-echelon folds and later east verging, ductile reverse faults, and related foliation. Calc-alkaline biotite granodiorite of the Coast Plutonic Complex intruded the deformed arc rocks during the Mid-Tertiary. The batholith, stocks, and differentiated dikes of the Hyder Plutonic Suite were emplaced over a 30-million-year period from Early Eocene to Late Oligocene. Regional geology is illustrated in Figure 5.

7.2.Property Geology

The Property is dominated by a package of sedimentary, volcanic, and high-level intrusive rocks of the lower Jurassic Betty Creek Formation, which contains most of the mineralization. These rocks consisting of a series of argillite, dacite, andesites and rhyolites and are generally of calc-alkaline affinity; this Betty Creek Formation encountered in both the Premier Mine and the Big Missouri areas offers useful stratigraphic controls and correlation between the two areas that are about 6 km apart. The basal late Triassic Takla and Stuhini groups are not exposed on the properties. The Jurassic volcanic and intrusive rocks of the Property underwent a period of regional lower greenschist facies metamorphism characterized by the presence of sericite, chlorite, carbonate and pyrite. In surface exposures, rocks that underwent regional metamorphism tend to have green color in contrast to the altered rocks that tend to be light-grey and yellow.

The Upper Andesite package in the Betty Creek Formation displays a moderate west dipping stratigraphy in the Big Missouri and the Silver Coin areas whereas the stratigraphy in the Premier Mine area is yet to be determined; Big Missouri and Silver Coin are located on the west side of the property-wide Cascade Creek fault whereas the Premier is on the east side of the fault. The local Betty Creek formation is composed of fine grained plag +/- hornblende andesitic flow breccia, lapilli tuff, and tuff and local subtle quartz-sericite alteration and weak mineralization; pervasive and strong hematite alteration is present in the upper Betty Creek Formation in the Premier Mine and in the western extension of the Big Missouri areas. Continuing east and up-section are the Mount Dilworth and Salmon River Formations in faulted contact with the Bowser Lake Group. The Silver Hill showings and workings in the northeast part of the property are

situated near the contact between argillites and siltstones of the Bowser Lake Group, and volcaniclastics of the Hazelton Group.

The mudstone/argillite unit encountered along the Granduc Road is the Upper Siltstone Member of the Betty Creek Formation and was encountered consistently at depth in the Big Missouri area and in the southwest end of the Silver Coin area. Local traceable sedimentary mudstone/argillite layers could be correlated from hole to hole in both the Big Missouri and the Silver Coin areas; this unit is generally less than 10m in thickness with fragments of andesite locally and is part of the andesite flow package and thus this unit is logged and recorded separately from the argillite unit. This sedimentary layer was significant in the realization of the moderate west dipping stratigraphy crosscut by the silica breccia mineralization.




Figure 4 Regional Geology Map

Most of the drilling has been within the Upper Andesite Member of the Betty Creek Formation; it is a medium to dark green fine grained unaltered to weakly porphyritic andesitic flow breccia to lapilli tuff with minor pyroclastics. The main alterations in the Andesite are dominantly sericite-pyrite alteration overprinting pervasive chlorite and carbonate alterations. Local Eocene intrusions overprinted the andesite with a sericite alteration. Strong and pervasive hematite altered tuff within the Betty Creek formation can be observed locally. Other Andesite varieties include Andesitic flows, flow breccia, tuff, and lapilli tuff. Andesite hosted siliceous breccia intensities vary from simple single stage silicification to multi-stage silicification. A property geology map is illustrated in Figure 6.

7.3.Structure

The Premier deposit sits on the east side of the Cascade Creek fault and on the west side of the Long Lake-Fish Creek fault. The Big Missouri and Silver Coin deposits are located about 6km northwest of the Premier deposit on the west side of the Cascade Creek fault. The Big Missouri and Silver Coin deposits are further offset and rotated by the northwest-southeast striking Anomaly Creek fault and the north-south striking Escarpment fault. The Anomaly Creek fault is interpreted as a right-lateral, oblique-slip structure of unknown displacement. Since the merging of the Big Missouri and the Silver Coin properties, the drill data and surface mapping suggested the Escarpment fault at Silver Coin could be the continuation of the Jain fault at Big Missouri.

In the Big Missouri area, smaller zones like the Unicorn and the Dago zones are slightly offset by north-south striking moderate-west dipping thrust faults, the Jain fault, and the Union Creek fault. Similarly, the Silver Coin deposit is slightly offset by local west dipping thrust faults, the Gully and the North Gully faults. These thrust faults, the Jain, the Union Creek, the Gully, and the North Gully faults do not appear to have created much offset in the deposits based on the correlation of silica breccia across the faults. The Martha Ellen deposit is essentially the extension of the Big Missouri deposit towards the north where the two deposits are offset by a left lateral strike slip fault, the Hercules fault; this offset is demonstrated by both Westmin's soil geochemistry and geophysical data. The Dilworth and Martha Ellen deposits are separated by a kilometer-wide northwest-southeast striking Eocene Portland Canal dyke swarm.

For a long time, the Property was interpreted to be comprised of a thick package of homogeneous andesites which lack of reliable bedding or layering and regional mapping by Alldrick in 1993 and others indicated the Hazelton Group is a north-northwest striking steeply east dipping succession younging to the east. In recent drill campaigns, Ascot geologists attempted to identify and to distinguish subunits within the Andesite package. The Andesite (AXXX) was broken down into andesite flows (AFXX), flow breccias (ABXX), tuffs (ATXX), and sediments (ASXX). A traceable sedimentary mudstone layer that generally ranges from 5 to 10m wide has been observed consistently from hole to hole in both the Big Missouri and the Silver Coin areas along the contact of andesite flows and flow breccia. Oriented core and drill hole correlations suggest the mudstone layer dips to the west at about 65 degrees. The silica breccia bodies in the Big Missouri and the Silver Coin areas dip to the west at about 20-30 degrees. In other words, the silica breccia bodies crosscut the stratigraphy. The downhole structural data is attached in Appendix G.

7.4.Mineralization

In the Stewart mining camp, most of the gold is spatially and temporally associated with early Jurassic quartz-rich alkaline to calc-alkaline intrusions and volcanic centers. Alldrick (1993) and others have described two main styles of mineralization associated with the Jurassic mineralization in the district including high sulfide (>20% sulfide) base metal-rich silver-gold and low sulfide (<5% sulfide) silver-gold mineralization. A Tertiary aged mineralization has been identified in the northern portion of the property in the Unicorn and Silver Hill areas that crosscuts the Jurassic mineralization. The Tertiary mineralization is characterized by vuggy quartz veins and stockwork filled with coarse grained and euhedral galena, sphalerite, pyrite, polybasite, electrum, and native silver. The style of mineralization and its geochemical fingerprint may reflect either an overlap between geological times, physical zonation, or a combination of both factors.

Mineralization is mainly hosted in hydrothermal quartz breccia zones that can be traced over a strike length of 2km, a down-dip distance of 700m, and widths varying from 20 to 100 m. Quartz breccias can display multiple phases of silicification with up to five or six sequences of silicification noted in some breccias. Mineralization is structurally controlled, generally with strong chlorite and sericite wall rock alteration. The silica breccia halo consists of quartz veinlets and stockwork containing sphalerite, galena, pyrite, locally chalcopyrite, and sporadically distributed native gold. This halo often displays pervasive sericite alteration. The silica breccia zone is outlined by the geological unit, silica breccia/CBXX/QBXX, intercepted in the drill holes and the wireframes of the mineralization along the silica breccia zone is defined by gold values greater than 0.2 g/t Au compared to a background value of less than 0.1 g/t Au (Stone and Godden, 2007).

Gold is typically associated with silicification and locally with base metal and sulfide mineralization including pyrite, sphalerite, galena, chalcopyrite, and rarely tetrahedrite. The bulk of the gold mineralization present on the Property is of intermediate sulfidation epithermal character that is indicated by the presence of low-iron sphalerite and galena and the absence of covellite, enargite, arsenopyrite and pyrrhotite.




Figure 5 Premier Geology Map

8. 2020 Premier Exploration Program

Ascot conducted the 2020 drilling program from mid-June to mid-October with up to 2 drills in operation. A total of 56 diamond drill holes were completed across the Property for a total of 14,396.90m drill testing 4 exploration targets at the Premier West extension, the Day Zone, Woodbine, and Silver Hill. An Induced Polarization (IP) geophysical survey for a total of 11.9km over 7 profiles was focused on 3 exploration areas including the Premier West extension, the Silver Hill, and the Silver Coin east areas.

8.1.Induced Polarization Geophysical Survey Discussion

The gold mineralization at Premier and Big Missouri is associated with disseminated pyrite that can be detected using induced polarization (IP) geophysics. Simcoe Geoscience carried out IP geophysical surveys on the Property from 2018 to 2020 for a total of 59.2km over 32 lines summarized in Table 7 and illustrated in Figure 6 below. In the 2018 field season, several test traverses were carried out in the Premier area and these test traverses were able to outline the Premier mineralized structure. Subsequently, more profiles were designed across the Property in the hope of detecting previously unknown mineralization and testing the major geological trend.

From August 20th to October 18th, 2020 Simcoe Geoscience Limited completed 11.9 line km of Alpha IP (a Wireless Time Domain Distributed Induced Polarization survey) along 7 profile lines in three areas. The 2020 IP geophysical survey was completed at 50m station spacing using a "dipole-pole-dipole" configuration utilizing wireless IP transmitters and receivers. Most of the profiles were acquired with single deployment of up to 42 receiver dipoles, however longer traverses were completed with multiple receiver deployment and an overlap of at least 1km. A report from Simcoe documenting the procedures and results of the IP geophysical survey is included in Appendix G. Table 5 summarizes the location, length and azimuth of all the profiles from the 2018 to 2020 and the location of the profile lines are shown in figure 6.

The 2020 IP survey outlined 20 anomalous responses which are summarized in Table 6 and shown in figure 6. According to Simcoe's 2020 Geophysical IP Survey Report attached in Appendix G, "*The interpreted first priority ("S#") anomalous zones are generally small areas at shallow depths and the IP chargeability is commonly strong to well defined accompanied by a marked decrease in resistivity areas consistent with faults and shear zones with potential for structurally controlled gold mineralization. The interpreted second priority ("W#") anomalous zones are relatively larger area responses at shallow to moderate depths, where IP chargeability is well defined with moderate to high resistivity association. The interpreted third priority anomalous zones are generally deeper large area responses, where IP chargeability is poorly defined without definite resistivity signatures association*."




Figure 6 IP Geophysical Survey 2018 to 2020 Profile Map (2020 profiles in brown)

Table 5 2018-2020 IP Geophysical Survey Profiles Summary Table

Premier Dilworth Project (WGS84/UTM Zone 9 V)						
Prospect	**Line**	**Azimuth**	**Start UTM**	**End UTM**	**Line-km**	**Phase**
Premier/Northern Lights	Line 1	0°N	436850 mE 6209508 mN	436892 mE 6211957 mN	2.4	Phase II 2019
Premier/Northern Lights	Line 2	0°N	436700 mE 6209508 mN	436742 mE 6211957 mN	2.4	Phase II 2019
Premier/Northern Lights	Southern Traverse	0°N	436527 mE 6209473 mN	436610 mE 6212990 mN	3.5	Phase I 2018
Premier/Northern Lights	Line 3	0°N	436409 mE 6210008 mN	436442 mE 6211957 mN	1.9	Phase II 2019
Premier/Northern Lights	Line 4	0°N	436259 mE 6210008 mN	436292 mE 6211957 mN	1.9	Phase II 2019
Premier/Northern Lights	Line 11	37°N	436310 mE 6209873 mN	437077 mE 6210860 mN	1.2	Phase II 2019
Premier/Northern Lights	Line 12	37°N	436210 mE 6210042 mN	437032 mE 6211109 mN	1.3	Phase II 2019
Premier/Northern Lights	Line 13	37°N	436137 mE 6210207 mN	436931 mE 6211298 mN	1.3	Phase II 2019
Premier/Northern Lights	Test	36°N	436333 mE 6212320 mN	437006 mE 6213312 mN	1.2	Phase I 2018
Premier/Northern Lights	West 1	41°N	436096 mE 6212358 mN	436763 mE 6213156 mN	1	Phase I 2018
Sebakwe	Spread 3	14°N	436906 mE 6212455 mN	437437 mE 6214505 mN	2.1	Phase I 2018
Sebakwe	Line 5	14°N	436784 mE 6212500 mN	437247 mE 6214415 mN	1.9	Phase II 2019
Lesley Flat / Big	Northern	0°N	437367 mE	437180 mE	5.4	Phase I 2018

Missouri	Traverse		6213996 mN	6219408 mN		
Lesley Flat / Big Missouri	Line 6-7	0°N	437210 mE 6213975 mN	437210 mE 6217525 mN	3.5	Phase II 2019
Indian	Line 10	0°N	435800 mE 6214925 mN	435800 mE 6217075 mN	2.1	Phase II 2019
Indian	Line 17W	0°N	435600 mE 6214950 mN	435600 mE 6216999 mN	2	Phase I II 2019
Big Missouri	Line 8	24°N	436102 mE 6217898 mN	436739 mE 6219200 mN	1.4	Phase II 2019
Big Missouri	Line BM	24°N	436041 mE 6218085 mN	436600 mE 6219304 mN	1.3	Phase I 2018
Big Missouri	Line 9	24°N	435825 mE 6218048 mN	436470 mE 6219350 mN	1.4	Phase II 2019
Big Missouri	Line 14	145°N	435955 mE 6218690 mN	436432 mE 6217987 mN	0.8	Phase II 2019
Big Missouri	Line 15	145°N	436120 mE 6219023 mN	436597 mE 6218320 mN	0.8	Phase II 2019
Big Missouri	Line 16	145°N	436305 mE 6219380 mN	436782 mE 6218677 mN	0.8	Phase II 2019
Big Missouri/Long Lake	Line 20	33°N	435575 mE 6216600 mN	436640 mE 6218355 mN	2	Phase I II 2019
Long Lake	Line 18S	41°N	436490 mE 6220635 mN	437857 mE 6222162 mN	2	Phase I II 2019
Long Lake	Line 19N	41°N	436175 mE 6221015 mN	437542 mE 6222541 mN	2	Phase I II 2019
Big Missouri/Long Lake	Line 21	109oN	436115 mE 6217522 mN	437290 mE 6217098 mN	1.2	Phase IV 2020
Big Missouri/Long Lake	Line 22	90oN	436032 mE 6217841 mN	437481 mE 6217819 mN	1.4	Phase IV 2020
Silver Hill	Line 23SH	41oN	436665 mE	438299 mE	2.5	Phase IV 2020
			6220520 mN	6222411 mN		
Silver Hill	Line 24SH	41oN	436334 mE	438001 mE	2.5	Phase IV 2020

			6220869 mN	6222731 mN		
Premier/Northern	Line 25Pre	31oN	435700 mE	436465 mE	1.4	Phase IV 2020
Lights			6212036 mN	6213267 mN		
Premier/Northern	Line 26Pre	8.5 oN	435948 mE	436241 mE	1.4	Phase IV 2020
Lights			6212444 mN	6213806 mN		
Premier/Northern	Line 27Pre	29oN	435930 mE	436552 mE	1.2	Phase IV 2020
Lights			6212184 mN	6213268 mN		

Table 6 2020 IP Geophysical Result Summary

Area	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Big Missouri/Long Lake	Line 21	S1	1	Strong	Mod	150m	436330	6217448
		W1	2	Mod	Low	130m	436902	6217251
		S2	1	Strong	Low	70m	437106	6217181
	Line 22	S1	1	Strong	Low	150m	436218	6217841
		P1	3	Mod/Weak	Mod/High	235m	436713	6217841
		W1	2	Mod	Low	70m	437044	6217841
		S2	1	Strong	Low	120m	437255	6217841
Silver Hill	Line 23SH	W1	2	Mod/Weak	Mod/High	120m	436747	6220617
		S1	1	Strong	Mod/High	160m	437399	6221394
		S2	1	Strong	Low	50m	437665	6221712
		S3	1	Strong	Low	50m	437933	6222031
	Line 24SH	S1	1	Strong	Low	150m	437041	6221711
		S2	1	Strong	Low	70m	437400	6222139
		S3	1	Mod/Strong	Low	70m	437757	6222565
Premier/ Northern Light	Line 25Pre	S1	1	Strong	Low	220m	435974	6212492
		W1	2	Strong/Mod	Mod/Low	260m	436268	6212981
	Line 26Pre	S1	1	Strong/Mod	Low	220m	436086	6213095
		W1	2	Strong	Mod	120m	436162	6213450
	Line 27Pre	S1	1	Strong/Mod	Low	180	436251	6212769
		W1	2	Strong	Mod	220	436445	6213123

In the Premier area, line 27Pre has outlined a first priority target that is associated with the 609 Extension area. This anomaly does not appear to continue onto adjacent line 25Pre. As discussed in the drilling section below, the 609 Extension is a new area of gold-silver mineralization outlined in 2019 and 2020 drilling associated with coarse grained disseminated and veined pyrite. On line 25Pre, a first priority target has been outlined west of the Premier west trend in an area with little information and no previous drilling. On line 26Pre, a high priority target exists below the Power zone below the level of previous drilling. Towards the east ends of lines 25Pre, 26Pre and 27Pre, a second priority anomaly has been outlined that is potentially in excess of 400m long in an area that has seen limited drilling. The anomaly is open to the northeast on lines 25Pre and

27Pre and open to the northwest past line 26Pre. This anomaly could be significant as mineralization from the Northern Light zone projects into this area. Lines 25Pre and 27Pre should be extended to the northeast to fully define the target, additional lines are required to fill in between lines 25Pre and 26Pre and additional lines should be run northwest of line 26Pre.

In the Silver Hill area, two IP lines were completed to infill and to step out from two previous widely spaced IP lines completed in the 2019 IP program. In the resistivity profiles, both lines show a transition from highly conductive material in the north to more resistive rock types to the south that marks the northeast edge of a Tertiary aged dyke swarm. Both IP lines also identified two parallel trends of first priority chargeability targets that correlate with anomalies defined in 2019 and which now have continuity over 750m. These two trends were drill tested in the 2020 exploration program.

The third area of IP coverage (Line 21 and Line 22) is in an area of little information from the Silver Coin area to just east of the Big Missouri haul road. Both IP lines show very similar chargeability and resistivity features even though the two lines are 400-600m apart. At the west end of both IP lines, a first priority target has been partially defined in the footwall of the Escarpment fault that is approximately 150m deep and open to the west. There were two diamond drill holes from the 2004 and the 2011 in the area but the two holes did not drill test this feature. At the east end of both lines, a narrow high chargeability and low resistivity feature lies on the eastern flank of a resistivity high. The feature has a north-northeasterly trend and appears steep to easterly dipping. Westmin mapping of this area shows it to be underlain by Betty Creek hematitic andesites. The feature may also come to surface and should be ground checked. A 2018 drill hole 600m to the north of this target may have tested a continuation of this feature. The drill hole was entirely within Betty Creek andesites, no significant mineralization was intersected to explain the chargeability feature however it is possible the hole was drilled entirely within the footwall of the target.

8.2.Diamond Drill Core Handling Procedures

8.2.1. Diamond Drill Core Handling, Geotech and Core Storage

Diamond drilling services were provided by Discovery Diamond Drilling of Stewart, BC. Drill moves were completed by helicopter supplied by Yellowhead Helicopters from their Stewart, BC base. Drill core was transported to a warehouse in Stewart twice a day at shift change. Geotechnical logging, including footage block conversion, core recovery and RQD length recording, and geological logging were performed in the secured warehouse; data is then entered into Excel spreadsheets. The four-character geological rock codes adapted from the Westmin core logging were used for consistency with previous work. Core was photographed after being marked and tagged for samples in variable intervals depending on the mineralization and lithological contacts; sample tags were placed at the beginning of every sample interval. Long term core storage is located in an open area south of the Premier mill site.

NQ and HQ core were split with a diamond saw. Half the core was placed back in the wooden core box and the other split portion was placed in clear poly ore bags with the recorded sample tag. The samples were delivered to the ALS lab located in Terrace, BC

for preparation including crushing and pulverization. Prepared samples were then shipped to the ALS lab located in North Vancouver for fire assay and ICP multi-element analysis. The remaining core is stored near the Premier mill site. Pulps were shipped back from the lab to the warehouse in Stewart for storage once the analysis of the samples is completed. The rejects were discarded at the end of the year after the completion of the QA/QC.

8.2.2. Quality Control

One blank and one standard were inserted into the sample sequence for every set of twenty samples. Landscape rock (calcium carbonate) was used for the blank material. Gold standards of four different grades and one lead - zinc standard supplied from WCM Minerals and CDN Resources Lab were used as the quality control samples for the lab assays. The lab was also notified ahead of time for samples with native silver or gold or suspected higher-grade core; a metallic screen method would then be added for these samples. Internal QAQC check and summary was performed through the season. Certificates for standards are attached in appendix A.

8.2.3. Collar Survey and Downhole Survey

A handheld GPS was used to locate drill pads in the field. Drill sites with previously surveyed collars in proximity would be double checked with a tape measure occasionally. Once completed, the DDH collars were marked with a wooden post and labeled with a metal tag that contained the drill hole's number, azimuth, dip, and length. All drill holes from the 2020 season were surveyed by Bluebear Exploration Ltd., Smithers BC, using a Trimble R8 GNSS rover differential GPS system.

A down hole orientation survey was conducted on every drill hole at completion utilizing either a single shot or a multi-shot downhole survey tool provided by Reflex and Boart Longyear. Measurements were taken at the top of the hole just below the casing, at the end of the hole and at 30 to 60 meters increments. Depth, azimuth, dip, and magnetic strength were recorded in the master file. Magnetic declination is recorded and updated on an annual basis.

8.2.4. Core Logging

Ascot geologists adopted the four-character geological rock codes established by Westmin Resources Ltd for logging consistency and correlation with the historical data. Table 8 shows the simplified property geology with corresponding lithologic codes used during core logging.

The on-site geologists logged the core based on lithological boundaries and broke down the intervals further by styles of alteration and mineralization. Alteration and mineralization types, strengths and percentage were noted in the drill logs. All core logging data is entered and saved in Excel spreadsheets.

In the 2020 drilling program, most holes were completed with oriented core. Structural measurements were recorded in the drill log as alpha and beta. The alpha and beta measurements were then converted into the corrected azimuth and dip in Leapfrog. Table

7 summarizes the structural codes employed in the 2020 drill program. The structural measurement summary table is attached in Appendix G.

Table 7 Ascot Structural Codes Summary

Ascot Structural Data Code

Code	Description
BAND	banding
BDG	bedding
C/APP	contact Andesite and Premier Porphyry
C/ASB	contact Andesite and silica breccia
C/PPSB	contact Premier Porphyry and silica breccia
CONT	contact
FLT	fault
FOL	foliation
SHR	shear
V1	silica breccia vein
V1a	calcite breccia
V2	quartz-calcite-sulphides-vein
V2a	banded quartz-calcite-sulphides-vein
V3	calcite vein
V3a	coarse grained calcite vein
V4	VG vein
V5	bulk quartz-2nd chl +- rhodochrosite vein
VT	tertiary vein
CODE	rock code used in drill logs

Table 8 Ascot Geological Core Logging Code Summary

Era	Series	Group	Formation	Rock Type	Description	Geological Code
Cenozoic	Eocene	---	Hyder (Mount Welker) Dyke Swarm	dacite/granodiorite/andesite /lamprophyre/qtz rhyolite	aphanitic to porphyritic fine to medium grained plag/feldspar phenos	D/AX
			Hyder Batholith/Boundary Stock	Rhyodacite/Dacite/Granodiorite/Diorite	aphanitic to porphyritic fine to medium grained plag/hbl/magnetite/kspar	D/XX
Mesozoic	Middle Jurassic	Bowser Lake Group		Mudstone, siltstone, greywacke, minor limestone/dolomite and quartz pebble conglomerate		BAXX
		Hazelton Group	Mount Dilworth Formation	Welded Tuff	Dacitic grey to green welded ash flow tuffs to tuff breccias, can show both normal and reverse grading	R1XX
				Tuff	Ash tuffs, crystal tuffs, lapilli tuffs and breccias, carbonaceous tuff - tuff breccia	R2XX
				Rhyolite	Rhyolite to rhyodacite ash tuffs and lapilli tuffs	R3XX
	Lower Jurassic		**Unconformity**			
			Betty Creek Formation	Tuff	maroon, bright red and green volcaniclastic rocks with intercalated andesitic volcanic flow, pillow lavas, chert and carbonate lenses	LXXX
				Dacite Flow	light olive green to maroon green bedded, local plag phenos porphyritic texture, welded tuff to compressed pumice texture	MXXX
				Premier Porphyry	fine to coarse grained "potassium feldspar porphyry", "two-feldspar porphyry"	PXXX
				Upper Andesite	predominantly andesitic sequence of lava flows, pyroclastic rocks and epiclastic and clastic sedimentary rocks	AXXX
				Upper Siltstone	black to dark grey argillite/mudstones with local finely disseminated py and minor sph mineralized veins	SXXX
				Middle Andesite		
				Lower Siltstone		
				Lower Andesite		
	Late Triassic	Takla Group	---	Porphyritic Flow	pyroxene and pyroxene-feldspar porphyritic flow to sedimentary faces, overlain by feldspar porphyritic volcanic rocks with proximal volcaniclastic sedimentary facies	
		Stuhini Group		Basalt/Basaltic Andesite	pyroxene porphyritic basalts to basaltic andesites, bladed feldspar porphyry volcaniclastic rocks, and derived sedimentary rocks	

Modified after Aldrick, 1993 and Nelson et al, 2018

8.3.Drilling Results Summary

From mid-June to mid-October 2020, a total of 56 diamond drill holes were completed across the Property for a total of 14,393.90m. The 2020 drilling program was designed to drill test 4 exploration targets including the Premier West extension, the Day, the Woodbine, and the Silver Hill zones. The drill hole results, drill hole plan map and representative cross section, and the collar coordinates including Easting, Northing, elevation, azimuth, dip, and final depth are listed in figures and tables under each subsection. The drill logs are included in Appendix B, cross sections are included in Appendix F, and analytical certificates are included in Appendix C.

8.3.1. Drill Hole Geology

8.3.1.1. 609 Extension

The 609 Extension (previously called Sleepy Hallow) is in the Premier area between the 602 and the Power/Hope zones, figure 7. In 2019 a geotechnical drill hole, P19-2166, designed to drill test ground conditions for a potential new portal in the Premier area, intersected several specks of visible gold. An additional ten drill holes were completed in 2019 to further investigate this new gold occurrence (Tsang, 2020). In 2020, 25 NQ diamond drill holes totaling 7012.21 m were completed from one drill pad to further test this mineralization. Drill hole collar information is shown in table 9, drill pad location and drill hole traces are shown in figure 8 and in cross section in figure 9. Table 10 summarizes significant results from the 2020 drill program in the 609 Extension.

The 2020 drill holes collar into heterolithic hematite-stained Betty Creek fragmentals with meter scale intervals of coarse ash and crystal tuff showing graded bedding fining upwards. Towards the base of the Betty Creek fragmentals the lithology will sometimes lose the hematite staining, becomes dominated by non-porphyritic fragments, decreased abundance of fragments and finer grained groundmass. In the steeper inclined drill holes the base of the Betty Creek fragmentals is occupied by unit MFPX, a feldspar hornblende porphyritic dacite.

The contact between Betty Creek fragmentals/MFPX and the underlying Upper Andesites unit is often a lithified sheared fault which displays milled fragments including fragments of quartz veins within a fine lithified rock flour groundmass. The width of this contact can be 10-20cm to upwards of several meters and can be sericite altered with disseminated pyrite. Occasionally, sericite-pyrite alteration will extend into the Upper Andesites immediately below this contact.

Like previous drilling in the Premier area, the Upper Andesites that host mineralization are massive homogenous flows without stratigraphic variations. Of note in the 2020 drill program within the Upper Andesite, a unique porphyritic unit was intersected that is correlative across the drill fences. This unit is characterized by stubby dark green porphyritic chlorite altered mafic phenocrysts with some of them displaying a cross section resembling biotite. The unit is also feldspar porphyritic, but this texture is often only seen proximal to the upper and lower contacts. This unit may have an association with Premier Porphyry type intrusions. In 2020 the unit was first logged as PFPX (flow designation) and for consistency it has been coded as PFPX wherever it has been intersected. However, it is now thought to be of intrusive origin. The Upper Andesites are pervasively calcite altered with the calcite content disappearing within mineralized/silicified zones.

Figure 7 Plan Map of the Premier Area in relation to the 609 Extension and the Woodbine Areas




Table 9 609 Extension Drill Site Location Summary

Pad #	Hole_ID	Easting	Northing	Elev (m)	Az	Dip	Depth (m)
PW-01	P20-2181	436409.84	6212760.80	422.33	235	-63	279.2
PW-01	P20-2182	436410.06	6212760.90	422.34	235	-67	312.73
PW-01	P20-2183	436409.55	6212760.60	422.20	235	-55	276.45
PW-01	P20-2190	436409.04	6212760.39	422.15	235	-46	275.84
PW-01	P20-2191	436409.58	6212760.21	422.26	220	-48	270.05
PW-01	P20-2192	436409.83	6212760.44	422.35	220	-55	230.73
PW-01	P20-2193	436410.00	6212760.59	422.39	220	-60	285.6
PW-01	P20-2194	436410.15	6212760.70	422.39	220	-65	285.6
PW-01	P20-2195	436409.99	6212760.12	422.38	205	-46	199.95
PW-01	P20-2196	436409.12	6212761.27	422.12	256	-46	254.51
PW-01	P20-2197	436409.82	6212761.34	422.28	256	-53	291.39
PW-01	P20-2198	436409.90	6212761.36	422.31	256	-60	331.01
PW-01	P20-2199	436410.12	6212761.29	422.35	256	-65	352.35
PW-01	P20-2200	436410.24	6212761.18	422.34	256	-70	331.01
PW-01	P20-2201	436409.03	6212760.44	422.17	245	-46	268.83

PW-01	P20-2202	436409.47	6212760.76	422.22	245	-55	266.09
PW-01	P20-2203	436409.88	6212760.97	422.34	245	-65	270.05
PW-01	P20-2204	436410.08	6212761.13	422.30	245	-69	315.77
PW-01	P20-2205	436410.36	6212761.30	422.35	245	-73	315.77
PW-01	P20-2206	436408.75	6212762.18	422.12	271	-50	299.92
PW-01	P20-2206A	436409.42	6212761.37	422.12	256	-50	48.15
PW-01	P20-2207	436409.08	6212762.14	422.22	271	-55	300.23
PW-01	P20-2208	436409.37	6212762.15	422.30	271	-60	334.37
PW-01	P20-2209	436409.49	6212762.08	422.31	271	-65	331.32
PW-01	P20-2210	436409.02	6212761.85	422.20	265	-55	285.29

Figure 8 609 Extension 2020 Drill Hole Plan Map




Table 10 609 Extension 2020 Drill Results

Hole #	azimuth/dip	From (m)	To (m)	Width (m)	Au (g/t)	Ag (g/t)	Cu %	Pb %	Zn %
P20-2181	235/-63	205	205.95	0.95	7.11	10.8	0.03	0.34	9.12
and		235	237	2	6.19	23.4	0.04	0.26	3.04
and		255.8	257.8	2	3.31	4.9	0.01	0.02	0.05
P20-2182	235/-67	263.8	265.8	2	0.85	64.8	0.01	0.03	0.06
P20-2183	235/-55	199.8	211.75	11.95	3.23	12.4	0.05	0.25	2.57
incl.		200.8	201.8	1	8.85	19.4	0.16	0.08	5.27
incl.		210.8	211.75	0.95	11.80	14.0	0.04	0.23	3.92
and		223.7	225.7	2	11.55	11.4	0.01	0.31	0.79
incl.		224.7	225.7	1	21.70	18.9	0.01	0.40	1.05
and		231.9	237.9	6	9.21	6.9	0.01	0.02	0.34
incl.		234.9	235.9	1	29.20	16.1	0.00	0.02	0.03
P20-2190	235/-46	no significant intercept							
P20-2191	220/-48	168.4	171.85	3.45	13.33	78.6	0.01	0.10	0.30
incl.		170.6	171.85	1.25	28.50	172.0	0.02	0.21	0.48
P20-2192	220/-55	201.6	209.7	8.1	4.72	88.5	0.70	0.02	0.30
incl.		206.9	207.9	1	9.23	114.0	0.45	0.05	0.09
P20-2193	220/-60	199.2	215.2	16	2.79	13.6	0.05	0.46	2.11
incl.		213.2	215.2	2	9.66	12.2	0.02	0.25	0.57
and		227.5	230.73	3.23	20.06	39.7	0.11	0.27	0.96
incl.		227.5	228.55	1.05	32.30	63.5	0.25	0.15	1.67
P20-2194	220/-65	215	217	2	1.08	1.6	0.00	0.05	0.13
and		234.45	235.7	1.25	1.50	15.0	0.01	0.35	1.56
P20-2195	205/-46	176.95	177.85	0.9	0.90	8.1	0.02	0.01	0.35
P20-2196	256/-46	248.58	249.58	1	6.76	3.6	0.01	0.00	0.10
P20-2197	256/-53	236.95	238	1.05	1.28	2.7	0.00	0.01	0.08
and		240	241	1	1.58	1.5	0.00	0.00	0.15
and		243	254.75	11.75	8.42	16.4	0.04	0.02	0.20
incl.		249	253.5	4.5	15.75	27.9	0.04	0.02	0.16
and		251.95	253.5	1.55	28.15	62.2	0.15	0.03	0.45
P20-2198	256/-60	235.7	236.2	0.5	4.34	22.1	0.11	0.14	8.41
and		239.5	240.5	1	2.51	5.2	0.02	0.12	2.35
and		250.65	252.65	2	4.19	3.4	0.01	0.07	0.36
and		286.1	287.3	1.2	3.59	13.0	0.02	0.06	0.90
and		300.6	302.6	2	4.34	3.5	0.02	0.01	0.37
P20-2199	256/-65	280.5	283.75	3.25	1.59	35.9	0.02	0.24	1.42
and		296.2	297.4	1.2	2.31	6.9	0.04	0.04	1.06
and		329.6	330.6	1	2.89	9.0	0.11	0.15	8.24
P20-2200	256/-70	242	244	2	3.55	2.6	0.01	0.05	0.45
P20-2201	245/-46	251.25	253.25	2	4.99	5.1	0.02	0.01	1.34
P20-2202	245/-55	228.85	239.55	10.7	6.87	4.7	0.01	0.02	0.37
incl.		237.55	239.55	2	21.30	10.6	0.01	0.02	0.40
and		244.90	253.00	8.10	31.61	138.3	0.39	0.29	1.14
incl.		244.9	246.25	1.35	97.60	72.9	0.07	0.16	0.27
and		248.25	249.25	1	61.10	88.0	0.25	0.29	5.29
P20-2203	245/-65	235.6	239.85	4.25	9.91	7.8	0.03	0.56	1.17
incl.		237.7	239.85	2.15	16.15	8.7	0.04	0.69	1.11

and		255.85	270.05	14.2	2.37	5.4	0.02	0.28	0.72
incl.		255.85	259.85	4	5.76	7.0	0.04	0.54	1.30
P20-2204	245/-69	264.75	265.75	1	1.13	3.3	0.01	0.02	0.07
P20-2205	245/-73	261	262.5	1.5	1.31	2.5	0.01	0.04	0.35
and		278	279	1	1.52	3.3	0.02	0.01	0.57
P20-2206	271/-50	No significant intercept							
P20-2207	271/-55	282.5	284	1.5	1.56	10.9	0.04	0.21	2.75
P20-2208	271/-60	No significant intercept							
P20-2209	271/-65	268	274	6	3.53	10.3	0.08	0.05	2.24
P20-2210	265/-55	263.35	265.75	2.4	1.15	7.8	0.07	0.14	1.89

Drill holes in the vicinity of the 2019 gold intercepts show a unique style of quartz-pyrite veining and disseminated pyrite. The pyrite tends to be coarser grained and occurs both as disseminations within andesite and within quartz-calcite veining and has been described as buckshot pyrite. These veins tend to have diffuse edges. Vein widths vary from 2-3cm to 10s of cm and can reach meter scale of massive pyrite with lesser chalcopyrite and sphalerite. This style of coarse pyrite mineralization may be a late event in the hydrothermal system as it has been noted cross cutting silica breccias. Orientation measurements of coarse pyrite veining are generally oblique to the overall trend of the mineralization with steep northwest dipping and steep southeast dipping orientations dominating. The andesites that host this coarse pyrite mineralization are moderately to strongly chlorite altered with a chlorite alteration halo extending outwards from the areas of stronger mineralization. Base metal veining occurs throughout the area of interest as mm scale wispy to discontinuous red brown, tan and dark grey sphalerite veinlets and fine mm scale galena rich veinlets.

The chlorite-quartz-coarse pyrite alteration/mineralization was intersected mostly within the shallower dipping drill holes. Steeper dipping drill holes will still have a zone of silica breccia and or shearing/deformation/mineralization with chlorite alteration that is marking the downdip continuation of the chlorite-quartz-coarse pyrite alteration/mineralization. Coarse buckshot pyrite however is lacking or very low in abundance and pyrite present is finer grained. Overall, the chlorite-quartz-coarse pyrite veining and its downdip equivalent define a steeply east dipping structural zone. Footwall to the steep structural zone is an unaltered andesite fragmental that has been intersected many times in previous drill campaigns in the Premier area.

A Premier porphyry unit, PIPX, has been intersected in many of the steeper dipping drill holes as a flat to shallow west dipping body that intersects the steeply dipping structural trend noted above. Alteration/mineralization away from the steep structural zone is weak with <1% disseminated pyrite and very weak fine sphalerite-galena veinlets. However, the Premier porphyry does become chlorite altered as the intrusive approaches the steep structural zone with increase sulfide contents. The Premier porphyry bodies also show silica breccia development along some of their contacts.

High grade gold mineralization in the 609 Extension is hosted within chlorite altered andesite and occasionally Premier porphyry bodies as quartz-calcite-coarse grained pyrite veining and disseminations, and silica breccias with semi-massive to massive pyrite with lesser sphalerite and chalcopyrite. Mineralization has been intersected over an area 100m long by 100m vertical defining a steep northeasterly dipping orientation. Within this structure, thicker and higher-

grade mineralization appears to be focused between an elevation of 200-220m. This high sulfide gold mineralization is occasionally associated with elevated copper values to several thousand ppm, elevated arsenic to several hundred ppm and sometimes elevated antimony. However, high sulfide concentrations are not always indicative of gold mineralization. Drill holes P20-2183, 2193, 2197 and 2202 are excellent examples of this style of high-grade gold mineralization associated with chlorite-high sulfide alteration/mineralization. This style of mineralization is open to the northwest and exploration potential is highlighted by a chargeability anomaly on an IP line immediately northwest and down plunge of the 609 Extension.

From 10-20m into the footwall to the flat lying Premier Porphyry bodies, narrow silica breccia bodies with low sulfide contents occur that are weakly gold mineralized between one and two g/t gold. The silica breccias may be correlative to the 602 zone with shallow dips, low sulfide contents and low overall arsenic contents. Examples of this style of mineralization is seen in drill holes P20-2205. Previous drilling in 2018 and 2014 has intersected a possible extension of this mineralization 90m to the southeast of the 2020 drilling that returned 1-2m intervals of 5-12 g/t gold.

Figure 10 below is a long section showing the plunge of Premier Porphyry and silica breccia along the Premier deposit's west limb starting at the Gloryhole from the right to the Lunchroom zone, the 609 zone, and the 609 extension to the left. The 609 Extension represents a high priority target to add additional gold resources. More drilling is required to fully outline the aerial extent and content of gold mineralization to define additional resource blocks.




Figure 9 Premier West (609 Extension) Long Section




Figure 10 609 Extension A-A' Cross Section Looking Az 315

8.3.1.2. Woodbine

The Woodbine prospect is located approximately 800m to the west of the Premier mill on the west side of the Cascade Creek fault. Small underground workings exist at two elevations dating back to the 1920's. In 1929, 5 tons of ore was shipped or treated that returned 8 ounces of gold, 80 ounces of silver and 292 pounds of lead, (Grove, 1971).

Drill holes from 1988 by Westmin intersected two areas of gold and silver mineralization. An upper zone as defined by Westmin hole P88CH506 that returned 65.69 g/t Au, 121.71 g/t Ag, 0.08% Pb and 0.31% Zn over 1.4m at an andesite – Premier porphyry contact and a lower zone intersected by Westmin hole P88CH503 that intersected 5.85 g/t Au, 37.71 g/t Ag, 0.71% Pb and 1.70% Zn over 3.1m within silica breccia at an andesite – Premier porphyry contact. Westmin also defined several multi-element soil anomalies in steep terrain north and west of areas drill tested.

In 2020, Ascot completed nine NQ sized diamond drill holes totaling 1990.75m from two drill pads. Drill hole collar information is shown in table 11, drill hole locations and traces are shown in figure 10 and in cross section in figure 11. Table 12 summarizes significant results from the 2020 Woodbine drill program.

The 2020 Woodbine drilling intersected a sequence of Upper Andesites comprised of massive undifferentiated andesite flows with minor intervals of feldspar phyric andesite, fragmentally textured andesite and minor andesite tuffs intruded by several varieties of pre- and post-mineralization Premier porphyry intrusive. This package of Jurassic lithologies is intruded by two northwest trending southwest dipping Tertiary/Eocene aged granodiorite dyke swarms and faulting that separates Woodbine into three structural panels. Due to a lack of a diagnostic marker horizon, displacements across these Tertiary structures is unknown.

Several varieties of Premier porphyry were intersected in the 2020 Woodbine drilling, some of which can be dated as pre- and post-mineralization. Varieties of Premier porphyry with common quartz eyes appear to be post mineralization whereas Premier porphyry bodies that may or may not be K feldspar porphyritic/megacrystic with no quartz eyes or only <1-1% quartz eyes are earlier and predate mineralization.

Pervasive sericite alteration in several westerly directed drill holes drilled from the lower pad (WB-01), intersected long intervals of beige sericite altered andesite and Premier porphyry. The long intersections of sericite alteration may suggest drill holes were oriented subparallel or shallow to nearby structures along which this alteration occurred. This alteration may be related to younger Tertiary events similar to the alteration seen in the Unicorn area discussed in the 2019 assessment report (Tsang 2020).

Table 11 Woodbine Drill Site Location Summary

Pad #	Hole_ID	Easting	Northing	Elev (m)	Az	Dip	Depth (m)
WB-01	P20-2293	435568.00	6213053.00	330.00	270	-50	150.88
WB-01	P20-2294	435568.00	6213053.00	330.00	290	-50	150.88
WB-01	P20-2295	435568.00	6213053.00	330.00	180	-50	151.49
WB-02	P20-2296	435389.00	6212972.00	394.00	52	-47	302.67

WB-02	P20-2297	435389.00	6212972.00	394.00	52	-60	272.8
WB-01	P20-2298	435568.00	6213053.00	330.00	290	-65	151.18
WB-02	P20-2299	435389.00	6212972.00	394.00	232	-60	288.34
WB-02	P20-2300	435389.00	6212972.00	394.00	20	-48	240.27
WB-02	P20-2301	435389.00	6212972.00	394.00	20	-85	282.24

Within the middle structural panel, two styles of mineralization have been intersected. Drill hole P20-2293 intersected the highest gold grades in the 2020 Woodbine drilling with 29.6 g/t Au and 32.7 g/t Ag over 1.74m with low base metal values at an andesite-Premier porphyry contact. The Premier porphyry may be a post mineralization phase at this contact. The majority of the mineralization intersected within the middle panel occurs as fine pyrite-sphalerite-galena-chalcopyrite veinlets predominantly within altered Premier porphyry bodies, to a lesser extent within andesites and within quartz breccias with semi-massive sulfides. This style of mineralization was intersected within holes P20-2293 to P20-2296 and P20-2300 and may correlate with mineralization intersected in Westmin hole P88CH503. The mineralization tends to show elevated silver and base metal values illustrated by the intersections in holes P20-2294 that intersected 0.52 g/t Au, 100.9 g/t Ag, 0.24% Cu, 0.45% Pb and 2.13% Zn over 10m and P20-2295 that intersected 1.75 g/t Au, 148.3 g/t Ag, 0.12% Cu, 0.15% Pb and 2.02% Zn over 8.7m. To date, poly metallic silver enriched mineralization within the middle structural panel has been traced over approximately 140m dip length in a gentle northwest dipping direction. The relationship between the polymetallic mineralization and the high gold - low base metal mineralization is unknown at this time. Additional diamond drilling is required to test the mineralization within this middle structural panel, however locating suitable drill pad locations on the steep Woodbine hillside will be challenging.

Drilling from the upper Woodbine drill pad (WB-02) intersected near surface mineralization within the western structural panel defining an upper zone of mineralization. Mineralization occurs within chlorite altered andesite with variable disseminated and veinlet pyrite and locally massive pyrite that occurs in the hanging wall of a moderate northwest dipping post mineralization quartz eye Premier porphyry. 2020 diamond drilling intersections of this style of mineralization include P20-2297 that intersected 5.25 g/t Au, 8.5 g/t Ag over 2.0m and P20-2301 that intersected 1.11 g/t Au, 38.0 g/t Ag, 0.62% Pb and 1.14% Zn over 3.85m including 0.85m of massive pyrite that returned 1.72 g/t Au, 94.7 g/t Ag, 1.38% PB and 2.03% Zn. These intersections are not quite the same tenor as Westmin drill hole P88CH506 that returned 65.69 g/t Au, 121.71 g/t Ag, 0.08% Pb and 0.31% Zn over 1.4m. Other drill holes within this area intersected andesites with weakly elevated silver, arsenic +/- weakly elevated lead and zinc. Due to the limited drilling in this area, this target has only been tested with a small area of roughly 30m by 40m and further drill testing will require drill platforms located at higher elevations up the steep slope to the northwest.

Figure 111 Woodbine 2020 Drill Hole Plan Map





Table 12 Woodbine 2020 Drill Results

Hole #	azimuth/dip	From (m)	To (m)	Width (m)	Au (g/t)	Ag (g/t)	Cu %	Pb %	Zn %
P20-2293	270/-50	59.2	60.94	1.74	29.60	32.70	0.00	0.01	0.02
and		99.2	105.2	6.00	0.09	27.00	0.06	0.04	1.18
P20-2294	290/-50	102.55	112.55	10.00	0.52	100.9	0.24	0.45	2.13
incl.		102.55	104.55	2.00	1.08	66.7	0.14	0.46	1.12
and		105.55	106.55	1.00	0.47	196.00	0.49	1.48	4.50
and		110.55	111.55	1.00	0.60	189.00	0.24	0.23	1.91
P20-2295	180/-50	28.9	37.6	8.70	1.75	148.3	0.12	0.15	2.02
incl.		28.9	29.9	1.00	3.45	179.00	0.31	0.47	3.14
and		32.9	33.9	1.00	1.39	407.00	0.10	0.20	1.94

and		35.8	36.7	0.90	7.85	28.50	0.07	0.07	1.47
and		50.25	56.25	6.00	0.47	94.4	0.34	0.56	3.95
P20-2296	52/-47	181	183	2.00	0.25	19.20	0.05	0.03	1.36
P20-2297	52/-60	25	33	8.00	2.02	8.2	0.00	0.08	0.07
incl.		31	33	2.00	5.25	8.50	0.01	0.04	0.08
and		41	45.35	4.35	0.72	47.59	0.04	0.09	0.14
P20-2298	290/-65	23.05	24.4	1.35	2.41	21.10	0.02	0.31	0.81
P20-2299	232/-60	no significant intercept							
P20-2300	20/-48	216.15	220.15	4.00	0.58	32.6	0.02	1.57	2.15
P20-2301	20/-85	11.1	14.95	3.85	1.11	38.0	0.02	0.62	1.14
incl.		11.1	11.95	0.85	1.72	94.70	0.06	1.38	2.03
and		106.1	107.65	1.55	1.41	12.20	0.07	0.01	0.48

Figure 122 Woodbine E-W Cross Section 6213025N (Pink - Tertiary Dyke)



8.3.1.3. Day Zone

The Day zone is located 300m west of the planned underground development of the Big Missouri deposit and 5km north of the Premier mill. The areas potential was identified in 1980's drilling by Westmin Resources that intersected gold mineralization within silica breccia similar to that of the Big Missouri area.

In 2020, sixteen NQ diamond drill holes totaling 3622.22m were completed from three drill pads to test mineralization in the Day Zone. Drill hole collar information is shown in table 13, drill hole locations and traces are shown in figure 14 and in cross section in figure 13. Table 14 summarizes significant results from the 2020 Day Zone drill program.

Table 13 Day Zone Drill Site Location Summary

Pad #	Hole_ID	Easting	Northing	Elev (m)	Az	Dip	Depth (m)
Day-01	P20-2212	436003.84	6219367.50	1006.08	260	-45	221.59
Day-01	P20-2213	436004.13	6219367.49	1006.00	260	-52	217.93
Day-01	P20-2214	436004.63	6219367.58	1006.02	260	-75	275.84
Day-01	P20-2215	436003.93	6219367.97	1005.99	285	-45	231.04
Day-01	P20-2216	436004.78	6219365.44	1005.96	238	-45	233.48
Day-01	P20-2217	436008.94	6219367.44	1005.81	90	-62	303.89
Day-01	P20-2245	436008.64	6219367.36	1005.89	90	-80	264.57
Day-02	P20-2262	435945.39	6219487.52	1005.54	270	-55	200.25
Day-02	P20-2263	435945.62	6219487.46	1005.52	270	-60	200.25
Day-02	P20-2271	435945.38	6219487.27	1005.54	260	-50	225.55
Day-02	P20-2272	435945.61	6219487.22	1005.52	260	-60	236.83
Day-02	P20-2273	435950.16	6219489.43	1005.63	45	-45	150.24
Day-03	P20-2274	436090.02	6219366.25	1028.66	240	-55	150.88
Day-03	P20-2275	436090.02	6219366.25	1028.66	0	-70	280.11
Day-03	P20-2276	436090.02	6219366.25	1028.66	120	-55	149.96
Day-03	P20-2277	436090.02	6219366.25	1028.66	180	-73	279.81

The 2020 Day Zone drilling was successful in outlining further gold-silver mineralization and correlating the geology and mineralization of the Big Missouri area with that of the Day Zone area. In the Big Missouri area, previous drilling has defined a moderate west dipping stratigraphy that is cross-cut by shallow west dipping silica breccias and quartz stockworks hosting gold-silver mineralization. In the Big Missouri area three parallel structural zones are known: an upper structure called Province, a middle structure which is the Big Missouri zone and a lower less defined structural zone known as Deep. The Big Missouri structure separates a hanging wall stratigraphy dominated by thick porphyritic andesite flows and flow breccias from a footwall stratigraphy of non-porphyritic andesite flows, flow breccias and volcaniclastics. From the 2020 Day zone drilling, this simplified geologic model can be projected west into the Day Zone area and is illustrated in figure 13. High grade gold mineralization intersected in hole P20-2245 (11.33 g/t Au, 18.3 g/t Ag over 8.60m at 167m) is correlative with the Big Missouri structure whereas high grade mineralization in hole P20-2217 (16.59 g/t Au, 8.6 g/t Ag over 3.62m at 251m) may be correlative with the Deep structural zone. Faulting within hole P20-2214 and the upper parts of

holes P20-2212, 2213, 2217 and 2245 is interpreted to offset the geology and Big Missouri structure. Mineralized intervals within hole P20-2214 at 78.8m and 132.75m may represent an upward shuffling of gold mineralization of the Big Missouri structure within this postulated fault zone. The result of this offset means the high-grade gold mineralization in holes P20-2212 (20.62 g/t Au, 7.9 g/t Ag over 4.1m), P20-2213 (54.60 g/t Au, 29.3 g/t Ag over 2.05m), P20-2216 (9.03 g/t Au, 8.8 g/t Ag over0.75m) and P20-2263 (23.2 g/t Au, 9.6 g/t Ag over 2.00m) of the Day Zone is possibly correlative with the "Deep" structure further to the east. Near surface mineralization as in hole P20-2212 at 42.25m (6.97 g/t Au, 9.1 g/t Ag over 2.0m) and <1-2 g/t Au mineralization within silica breccias and andesites with quartz stockwork at the top of holes drilled westerly from pads Day 1 and Day 2 may be correlative with the Big Missouri structure.

High-grade intersections in holes P20-2245, 2217 and those of the Day Zone are significant for their proximity to planned underground development in the Big Missouri area. Additional drilling is required to outline the extent and continuity of higher gold grades, definition of resource blocks for mine planning and confirm the geological and structural correlation to the Big Missouri area.

Figure 13 6219328 E-W Cross Section of the Day Zone Drilling




Figure 14 Day Zone 2020 Drill Hole Plan Map




Table 14 Day Zone 2020 Drilling Results

Hole #	azimuth/dip	From (m)	To (m)	Width (m)	Au (g/t)	Ag (g/t)	Cu %	Pb %	Zn %
P20-2212	260/-45	25.95	27.10	1.15	1.71	5.9	0.00	0.27	0.20
and		42.25	44.25	2.00	6.97	9.1	0.00	0.16	0.26
and		148.50	149.50	1.00	3.84	11.5	0.00	0.02	0.39
and		154.90	159.00	4.10	20.62	7.9	0.01	0.03	0.96
and		165.05	169.00	3.95	2.70	4.8	0.01	0.06	0.46
P20-2213	260/-52	34.15	36.15	2.00	2.68	4.0	0.01	0.01	0.02

and		151.50	153.55	2.05	1.11	6.1	0.01	0.05	0.46
and		155.70	157.30	1.60	1.12	6.8	0.01	0.02	0.86
and		161.45	163.50	2.05	54.60	29.3	0.01	0.04	0.27
and		167.80	169.80	2.00	3.14	2.6	0.01	0.03	0.15
P20-2214	260/-75	73.60	75.20	1.60	2.08	2.5	0.00	0.00	0.01
and		78.80	80.80	2.00	8.17	5.9	0.00	0.00	0.02
and		132.75	134.35	1.60	3.88	4.7	0.00	0.04	0.21
P20-2215	285/-45	181.25	182.95	1.70	4.28	2.8	0.00	0.02	0.31
and		225.30	231.04	5.74	1.03	6.3	0.01	0.05	0.09
incl.		229.30	231.04	1.74	1.79	3.4	0.01	0.04	0.06
P20-2216	238/-45	169.00	172.04	3.04	2.55	9.2	0.02	0.10	1.49
incl.		171.29	172.04	0.75	9.03	8.8	0.02	0.02	1.06
P20-2217	90/-62	251.00	265.50	14.50	5.34	3.6	0.01	0.07	0.21
incl.		251.00	254.62	3.62	16.59	8.6	0.01	0.03	0.19
and		263.50	265.50	2.00	4.99	3.3	0.02	0.13	0.51
and		269.50	273.00	3.50	1.06	2.9	0.01	0.11	0.38
P20-2245	90/-80	101.00	103.00	2.00	6.57	4.6	0.01	0.05	0.09
and		167.00	175.60	8.60	11.33	18.3	0.04	0.14	0.38
incl.		169.00	174.60	5.60	15.31	19.2	0.05	0.19	0.47
P20-2262	270/-55	16.50	18.00	1.50	2.41	3.4	0.00	0.00	0.01
and		49.53	52.38	2.85	0.76	109.8	0.00	0.02	0.03
and		166.33	168.33	2.00	1.98	6.1	0.03	0.17	2.83
and		176.67	177.67	1.00	0.22	318.0	0.14	0.13	0.43
P20-2263	270/-60	155.53	157.53	2.00	23.20	9.6	0.01	0.13	0.26
P20-2271	260/-50	38.12	39.12	1.00	1.10	4.6	0.00	0.01	0.01
and		175.97	179.84	3.87	3.12	190.4	0.04	0.64	0.81
incl.		177.97	179.84	1.87	3.84	389.0	0.07	1.22	0.98
P20-2272	260/-60	192.94	194.94	2.00	1.55	6.9	0.02	1.07	0.99
P20-2273	45/-45	136.03	140.62	4.59	1.75	4.5	0.00	0.02	0.03
P20-2274	240/-55	105.36	110.48	5.12	1.15	3.1	0.00	0.01	0.06
and		147.40	148.44	1.04	1.02	2.4	0.00	0.01	0.04
P20-2275	360/-70	144.40	145.40	1.00	1.95	3.2	0.00	0.00	0.01
and		159.89	160.96	1.07	2.13	336.0	0.00	0.00	0.01
and		210.91	212.71	1.80	1.07	10.6	0.01	0.17	0.40
and		234.43	236.43	2.00	1.73	7.4	0.01	0.16	0.69
and		267.36	268.36	1.00	1.16	1.6	0.00	0.00	0.02
P20-2276	120/-55	No Significant Intercept							
P20-2277	180/-73	181.49	182.73	1.24	1.08	5.9	0.01	0.06	0.17
and		255.57	257.57	2.00	1.65	10.9	0.02	0.05	1.21
and		267.30	268.76	1.46	2.15	10.8	0.01	0.16	0.88
and		277.81	278.81	1.00	1.42	8.2	0.02	0.06	0.68

8.3.1.4. Silver Hill

In 2020, Ascot completed six, NQ sized diamond drill holes totaling 1768.72m from three drill pads. Drill hole collar information is shown in table 15 and drill hole locations and traces are shown in figure 15 and in cross section in figure 16. Table 16 summarizes significant results from the 2020 Silver Hill drill program. Two additional IP geophysical lines totaling 5km were also completed as discussed in section 8.2.

The 2020 Silver Hill drilling tested the stratigraphic sequence of Upper Jurassic – Lower Cretaceous marine-basin turbidites of the Bowser Lake Group overlying Middle Jurassic Mount Dilworth dacites which overly Lower Jurassic Betty Creek andesite fragmentals. This sedimentary/volcanic sequence is intruded by Tertiary/Eocene aged granodiorite and rhyodacite of the Hyder dyke swarm. Historically, the Silver Hill area is known for hosting Tertiary/Eocene aged high-grade silver mineralization represented by the Silver Tip prospect, (Grove, 1971).

The 2020 Silver Hill diamond drilling tested for mineralization responsible for IP chargeability and resistivity anomalies that could be located proximal to the sediment/volcanic contact between Bowser Formation sediments and Mount Dilworth dacites. Drilling also tested near surface narrow silver rich Tertiary/Eocene quartz veining exposed in nearby trenches and drill tested in 2019 drilling.

The best gold results from the Silver Hill drill program are found in hole P20-2219 within a 1.0m sample starting at 111.8m of silica breccia with disseminated pyrite and sphalerite that assayed 4.31 g/t Au, 16.4 g/t Ag and 0.15% Zn. The silica breccia cuts Bowser Formation mudstones indicating a silica breccia event that is younger than the Premier/Big Missouri mineralization and which looks different from the Tertiary/Eocene quartz-silver veining.

Table 15 Silver Hill Drill Site Location Summary

Pad #	Hole_ID	Easting	Northing	Elev (m)	Az	Dip	Depth (m)
Silver Hill 1	P20-2211	437236	6221477	1198	45	-45	443.18
Silver Hill 1	P20-2218	437236	6221477	1198	45	-65	62.79
Silver Hill 1	P20-2219	437236	6221477	1198	90	-45	251.76
Silver Hill 1	P20-2220	437236	6221477	1198	225	-70	247.77
Silver Hill 2	P20-2230	437458	6221866	1189	45	-45	448.06
	P20-2236	437106	6221123	1145	45	-50	315.16

Figure 15 Silver Hill 2020 Drill Holes Plan Map




Table 16 Silver Hill Drill Results


Hole #	azimuth/dip	From (m)	To (m)	Width (m)	Au (g/t)	Ag (g/t)	Cu %	Pb %	Zn %
P20-2211	45/-45	9.30	10.30	1.00	0.09	283.0	0.01	0.12	1.43
and		14.40	15.40	1.00	0.20	1320.0	0.02	0.21	0.41
and		109.50	115.50	6.00	0.04	33.7	0.00	0.03	0.07
incl.		113.50	115.50	2.00	0.07	74.1	0.00	0.06	0.13
and		159.80	161.50	1.70	0.04	55.4	0.01	0.03	0.03
P20-2218	45/-65	17.79	21.55	3.76	0.01	14.6	0.00	0.02	0.06
P20-2219	90/-45	10.98	13.98	3.00	0.19	279.8	0.01	0.11	0.32
incl.		11.98	12.98	1.00	0.05	446.0	0.02	0.18	0.65
and		16.34	16.94	0.60	0.02	55.3	0.00	0.41	0.77
and		111.80	112.80	1.00	4.31	16.4	0.00	0.07	0.15
and		125.65	129.65	4.00	0.06	15.4	0.00	0.03	0.06
and		223.82	224.82	1.00	0.44	42.7	0.01	0.06	0.06
P20-2220	225/-70	100.54	107.66	7.12	0.28	154.3	0.00	0.25	0.29
incl.		101.54	102.54	1.00	1.58	739.0	0.01	0.89	0.85
P20-2230	45/-45	343.46	344.46	1.00	0.03	11.9	0.05	0.09	0.68
P20-2236	45/-50	70.81	72.28	1.47	0.01	14.1	0.00	0.04	0.06
and		123.50	125.50	2.00	0.13	26.5	0.00	0.15	0.15

High grade silver mineralization from several hundred g/t silver up to 1320 g/t silver was intersected in drill holes P20-2211, 2219 and 2220 and represents narrow centimeter scale Tertiary/Eocene quartz-carbonate polybasite-sphalerite-galena-electrum veining diluted to 1.0m sample widths. Drill hole P20-2211 intersected the highest silver grades assaying 0.20 g/t Au, 1320 g/t Ag over 1.0m at 14.4m downhole. Drill hole P20-2220 intersected the widest interval of this style of veining assaying 7.12m of 0.28 g/t Au and 154.3 g/t Ag from 100.54m including a 1.0m sample that assayed 1.58 g/t Au, 739 g/t Ag, 0.89% Pb and 0.85% Zn within a Tertiary sericite altered granodiorite dyke with numerous quartz-calcite veinlets.

The Silver Hill IP geophysical survey has outlined two chargeability features that cross all four lines of the survey. Drill holes P20-2211, 2219, 2220 and 2236 tested the southerly of the two chargeability features. Drill holes P20-2211 intersected maroon Betty Creek andesite from 273.5-293.55 with fine hairline pyrite, quartz-pyrite veinlets and stockwork that is located at the base of the chargeability feature and may explain the chargeability anomaly. Geochemically, there are no significant results from this interval. High silver values were intersected in P20-2211 near the top of the drill hole related to 0.5-1.5cm quartz-carbonate-pyrite +/- galena-sphalerite Tertiary veinlets mentioned above and within Bowser Formation mudstone breccias from 109.5-115.5m that assayed 33.7 g/t Ag. Hole P20-2219 intersected Bowser Group mudstone with pyritic siltstone interbeds that may be responsible for an IP chargeability response. Hole P20-2219 intersected the highest gold grade in the silver hill drilling as mentioned above and intersected a narrow Eocene silica breccia that assayed 0.44 g/t Au, 42.7 g/t Ag over 1.0m at 223.82m. Hole P20-2220 did not intersect any significant mineralization except for a narrow Eocene silica breccia

containing up to 4% pyrite at 134.04m that did not assay any significant values. Drill hole P20-2236 did not intersect any significant sulfides within the hole to explain the chargeability feature and the source of the chargeability feature may be north of the hole.

Figure 16 P20-2219 E-W Cross Section showing the 4.31g/t Au over 1.0m within the Bowser Group



Drill hole P20-2230 tested the large northerly IP chargeability feature that extends a minimum of 775m across four IP lines. The chargeability feature may be caused by sericite and silicified welded rhyolites that contain 3-4% diss and fine veinlet py from 228.75-242.46m and 324.42-389.63m. Geochemically, there is no significant gold-silver mineralization within the two intervals and the best result was only 11.9 g/t Ag over a 1.0m sample length at 343.46m.

9. Conclusions and Recommendations

In 2020, 56 NQ diamond drill holes totaling 14,393.90m were completed testing four target areas and seven profile lines of Alpha IP totaling 11.9 line km were completed in three target areas. The 2020 diamond drilling program was successful in intersecting gold silver mineralization and advancing the geological understanding of the targets tested. Significant high-grade gold-silver mineralization was intersected at the 609 Extension and Day zone. The geologic setting of the Day zone was linked to the geology of the Big Missouri area. At Woodbine, additional gold-silver mineralization was intersected and the geologic setting of the mineralization has been refined. At Silver Hill, new gold-silver mineralization was intersected in silica breccias cutting Bowser

Group sediments and additional high-grade silver mineralization of Tertiary/Eocene age was also intersected.

The IP geophysical survey was successful in supporting the down plunge potential of the 609 Extension and identified a deep chargeability feature under the Power zone that has not been drill tested. In the Northern Light area, an open-ended chargeability feature was identified that has been poorly tested which may represent the northwest extension of Northern Light mineralization. In the Silver Hill area, the IP survey filled in large gaps between previous IP lines and showed continuity of chargeability anomalies across 775m that is still open. Two IP lines east of the Silver Coin area outlined an open-ended deeper chargeability feature in the footwall of the Escarpment fault that has not been drill tested. On the east end of these same two lines a narrow first priority chargeability feature has been outlined. The two anomalies are open to the north and south.

Recommendations to follow up the successful 2020 exploration program are as follows:

- Continue to drill test the 609 Extension to define resource blocks.
- Conduct exploration drilling northwest of the 609 Extension testing the down-plunge projection of mineralization and determine the relationship if any between the Hope zone and 609 Extension.
- Drill test the Northern Light western extension based on application of the successful exploration model for the 609 Extension drilling in the 2020 program.
- Continue the northwesterly exploration of the lower mineralized zone at Woodbine.
- Continue to test the Woodbine upper zone along strike and down-dip.
- Drill test additional Woodbine gold-silver-lead-zinc soil anomalies uphill to the northwest of the 2020 drill program.
- At the Day Zone significant drilling is required to fully outline gold-silver mineralization for resource block definition and to fully assess the potential of the poorly tested area between the Big Missouri deposit and the Day zone.
- Prospect the western ridge of the Silver Coin area to assess the potential of a Day zone equivalent zone on the Silver Coin western end.
- Follow up drilling of Silica Breccia hosted gold mineralization within Bowser sediments in the Silver Hill area.
- Additional IP coverage in the Norther Light area extending the 2020 survey lines to the northeast and infill to the northwest prior to drill testing.
- Extend the two IP lines of the Big Missouri/Long Lake IP profiles to the west to close off the partially defined first priority anomalies and infill IP coverage between the two 2020 IP lines prior to drill testing.
- Ground truth the first priority chargeability feature on the east ends of the two Big Missouri/Long Lake IP profiles.

10. References

Alldrick, Dani J., 1993, Geology and Metallogeny of the Stewart Mining Camp, Northwestern British Columbia, Mineral Resources Division, Geological Survey Branch, British Columbia Ministry of Energy, Mines, and Petroleum Resources, Bulletin 85, 105 p.

Ascot Resources Ltd. Alpha IP - a wireless time domain induced polarisation (IP) Survey Premier Dilworth Project. (2020). Simcoe Geoscience.

Baxter. P., Tsang, L., 2019, 2018 Diamond Drilling, IP Geophysical Survey and Metallurgical Report, Technical Report Prepared for Ascot Resources Ltd., Feb 8, 2020.

Butler, S., Mroczek, M., and Collins, J., 2013, NI 43-101 Technical Report on the Silver Coin Project, Technical Report Prepared for Jayden Resources Inc., August 23, 2013, 133 p.

Clark, J., 2011, Silver Coin Gold Deposit, Stewart, British Columbia, Canada, NI 43-101 Technical Report for Jayden Resources Inc. by Minarco-MinConsult, April 13, 2011, 118 p.

Grove, Edward W., 1971, Geology and Mineral Deposits of the Stewart Area Northwestern British Columbia. British Columbia Department of Mines and Petroleum Resources, Bulletin 58.

Nelson, J., Waldron, J., van Straaten, B., Zagorevski, A., and Rees, C., 2018. Revised stratigraphy of the Hazelton Group in the Iskut River region, northwestern British Columbia. In: Geological Fieldwork 2017, British Columbia Ministry of Energy, Mines and Petroleum Resources, British Columbia Geological Survey Paper 2018-1, pp. 15-38.

Stone, D.M.R., and Godden, S.J., 2007, Updated Technical Report and Preliminary Economic Assessment on the Silver Coin Property, Stewart, British Columbia, Minefill Services, Inc. for Pinnacle Mines, Ltd., Vancouver, B.C., April 27, 2007, 160 p.

Tsang, L., 2020, 2019 Diamond Drilling, IP Geophysical Survey and Diamond Drilling Technical Report Prepared for Ascot Resources Ltd., Jan 30, 2020.

Tsang, L., 2013, 2012 Diamond Drilling Assessment Report on the Premier and Dilworth Properties, Stewart, B.C., Assessment Report Prepared for Ascot Resources Ltd., May 31, 2013.

Westmin Resources Ltd, 1997, Confidential Information Memorandum Premier Gold Operations. Internal report prepared by Westmin Resources Ltd. and Midland Walwyn.

11. Statement of Expenditures and Personnel

Field Employees	Position	Field Days	Days	Rate		Subtotal
Allen Owens	Shop Assistant	Jul 29 - Oct 14	53.0	$275.00	$	14,575.00
Amy Rediker	Geotech	Jun 20 - Oct 27	88.0	$275.00	$	24,200.00
Carolyn Smith-Levesque	First Aid	Jun 20 - Oct 23	74.0	$350.00	$	25,900.00
Cateal Watson	Shop Geotech	Jul 29 - Nov 1	36.0	$275.00	$	9,900.00
Cateal Watson	Field Geotech	Jul 29 - Nov 1	25.0	$350.00	$	8,750.00
Chris Smith	Geo	Jun 18 - Oct 12	71.0	$400.00	$	28,400.00
Colin Stevens	Labourer	Aug 6 - Aug 18	9.0	$300.00	$	2,700.00
Crystal Ramsay	First Aid	Sep 4 - Sep 15	4.0	$350.00	$	1,400.00
Daniel Schrader	Geo	Aug 31 - Oct 25	39.0	$400.00	$	15,600.00
David Zeko	Geo	Sep 28 - Oct 25	20.0	$400.00	$	8,000.00
Donalda Partridge	First Aid	May 27 - Oct 30	102.0	$375.00	$	38,250.00
Douglas Brooks	Labourer	Sep 22 - Oct 29	12.0	$275.00	$	3,300.00
Ed Chatelaine	Labourer/Alternate Supervisor	Jul 14 - Oct 29	73.0	$450.00	$	32,850.00
George Alexcee	First Aid	Jun 11 - Jul 13	20.0	$325.00	$	6,500.00
George Stevens	Core Cutter	Jun 9 - Aug 19	40.0	$250.00	$	10,000.00
Krystal Haaland	Shop Geotech	Jun 6 - Sep 29	83.0	$275.00	$	22,825.00
Krystal Haaland	Field Geotech	Jun 6 - Sep 29	11.0	$350.00	$	3,850.00
Lawrence Tsang	Geo	Jun 8 - Oct 24	76.0	$540.00	$	41,040.00
Lea Zhecheva	First Aid	Jun 28 - Aug 21	7.0	$350.00	$	2,450.00
Martin Robinson	Core Cutter	Jun 9 - Oct 25	77.0	$250.00	$	19,250.00
Neil Johnson	First Aid	Jul 22 - Oct 21	63.0	$325.00	$	20,475.00
Paul Baxter	Geo	Jun 8 - Oct 26	65.0	$600.00	$	39,000.00
Perry Terrell	Labourer	Aug 6 - Oct 6	42.0	$300.00	$	12,600.00
Robert Moore	Core Cutter	Aug 21 - Oct 25	14.0	$250.00	$	3,500.00
Robert Moore	Labourer	Aug 21 - Oct 25	33.0	$300.00	$	9,900.00
Tony Stevens	Labourer	Jun 15 - Oct 25	86.0	$300.00	$	25,800.00
Troy Lincoln	Apprentice Miner	Jun 15 - Sep 1	46.0	$350.00	$	16,100.00
Tyler Moore	Labourer	Jun 15 - Oct 25	65.0	$300.00	$	19,500.00
Tyler Moore	First Aid	Jun 15 - Oct 25	18.0	$325.00	$	5,850.00
				Total	**$**	**472,465.00**

Assays/Storage	Description	Notes		Subtotal
ALS Canada	Analytical Work	4,417 samples	$	159,630.75
CDN Resource Labs	Assays Standards		$	1,958.53
WCM Minerals	Assays Standards		$	1,954.71
		Total	**$**	**163,543.99**

Accommodation	Description	Notes		Subtotal
BC Hydro	Warehouses and house hydro		$	11,668.85

House Rental	Wendy Behnsen, Desiree Hartford, Ragan Smith		$	21,170.00
King Edward Hotel	Room rental	2 units: Jun to oct	$	12,711.48
Pacific Place Apartments	Room rental	5 units: Jun to Oct	$	20,878.00
Stewart World Port	Room rental		$	3,226.60
Sienna Network	Internet		$	2,055.05
		Total	**$**	**71,709.97**

Consultants/Casual Labour/Contractors	**Description**	**Notes**		**Subtotal**
Ascar North Contracting	Tree Cutting		$	10,395.20
Crystal Ramsay	First Aid Attendant		$	1,022.00
Discovery Drilling	Drilling Contractor	56 DDH; total 14,393.90m	$	1,663,042.10
Hyder Community Association	Road clearing/maintenance		$	8,314.76
Kasum Tractor	Road clearing/maintenance		$	16,320.98
Kral Geoservices	Geochem		$	12,483.00
McCardal Holdings	Underground mapping, core logging		$	1,642.50
Mike Koslowski	Loader work		$	1,679.00
Moose Mountain Technical Services	Geotechnical		$	16,103.80
Robin Sudo	Land administration		$	1,084.50
		Total	**$**	**1,732,087.83**

Fuel	**Description**	**Notes**		**Subtotal**
Granmac Services	Fuel for vehicle		$	16,709.93
Northwest Fuels	Fuel for drills		$	82,152.32
		Total	**$**	**98,862.26**

Geophysics	**Description**	**Notes**		**Subtotal**
Simcoe Geosciences	included accommodation and meal	7 profiles over 11.9km	$	208,800.00
		Total	**$**	**208,800.00**

Survey	**Description**	**Notes**		**Subtotal**
Blue Bear Exploration	Collar Survey	Premier, Silver Coin, and Big Missouri	$	3,333.36
Boart Longyear	TruShot, TruCore rental	1 downhole survey and 1 orientation tools	$	5,154.87

Reflex Instrument	downhole survey and orientation tools rental	1 downhole survey and 1 orientation tools		$ 20,838.66
			Total	**$ 29,326.90**

Transportations/Rentals	Description	Notes		Subtotal
Driving Force	Trucks, flat deck, pick up, first aid truck rentals	6 units/6 months	$	45,259.28
Kamloops Communication	Repeater rental	2 Repeaters	$	6,307.38
Local Rental Solutions	Fork lift rental	1 Zoom Boom	$	13,122.27
North Country Rentals	Fork lift rental	1 Forklift	$	6,717.83
Praxair Canada	Oxygen tank rental	2 tanks	$	638.31
Yellowhead Helicopters	Drill moves, cores transportation, fuel transportation, etc.		$	362,729.26
		Total	**$**	**434,774.33**

Freight	Description	Notes		Subtotal
Bandstra	Shipping samples from Stewart to Terrace ALS lab		$	13,264.56
Bayview Industrial Supply	Shipping		$	49.93
Soucie Construction	Drill and equipment moves between Stewart and the mine site		$	13,133.36
		Total	**$**	**26,447.85**

Supplies/Misc.	Description	Notes		Subtotal
Bill Rediker Mobile Tire	Tires replacement/fix		$	5,214.68
Disposal King	Rejects material disposal		$	14,299.61
Field Supply/Misc.	Wood/saw blades/core boxes/grocery/stationery		$	157,539.13
Field First Aid	First aid and Covid supply		$	9,078.56
Travel Expenses	Airline/vehicles rental/fuel		$	4,755.13
		Total	**$**	**190,887.10**

Total Expenditures	**$**	**3,428,905.23**

12. Statement of Qualifications

I, **Paul Baxter**, P. Geol. do hereby certify that:

I am a Geologist with a residence at 480 Pevero Place, in the City of Kamloops, British Columbia, Canada, V2H 1S1.

I graduated from the University of Alberta with a Bachelor of Science Degree, Honours in Geology in 1985.

I am a member of the Association of Professional Engineers and Geoscientists of Alberta.

I have worked as a geologist continuously since my graduation from university in 1985.

In 2020 I was employed as a Geologist by Ascot Resources to supervise the diamond drilling program and core log the resulting cores from this program.

Observations, conclusions and recommendations contained in this report are based on field examinations and the compilation of results of the exploration program completed by the operator.

Paul Baxter, P. Geol.
February 16, 2021

For: **Lawrence Fan Hong Tsang** of 15827 28 Avenue Surrey BC V3Z 0E5, hereby certify that:

I graduated from University of British Columbia with a Bachelor of Science Degree in Geology and a minor in Economics (2008);

I have been practicing my profession as a geologist in mineral exploration and mining continuously since 2007;

I am a registered member in good standing as Professional Geoscientist (P. Geo) with the Association of Professional Engineers and Geoscientists of British Columbia (APEG BC);

The observations, conclusions and recommendations contained in the report are based on field examinations, personal surveying and the evaluation of results of the exploration program completed by the operator of the property.

(Signed and Dated)
Original provided upon request
_____

Lawrence Fan Hong Tsang, B. Sc., P. Geo

Appendices

(Attached to report)

A. Assay Data
   - Statement of Analytical Procedures (ALS)
   - WCM and CDN Certificates of Analysis (drilling standards)

B. Drill Logs
   Downhole Survey File

C. Analytical Data
   - Analytical Data – Drilling (ALS)

D. Assay Certificate
   - List of Assay Certificates
   - Assay Certificates (ALS)

E. Maps

F. Drilling Cross Sections

G. Reports and additional data
   Structural data
   2020 Geophysical Survey Report

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The

Premier Property
Stewart, BC

APPENDIX A

Assay Data

- Statement of Analytical Procedures (SGS Canada)
- WCM and CDN Certificates of Analysis (drilling standards)

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol
Lawrence Tsang, P. Geo

Right Solutions · Right Partner
alsglobal.com



SCHEDULE OF SERVICES & FEES

Geochemistry

USD





2021

ALS GEOCHEMISTRY APP
track samples & receive alerts.

Available on the iPhone App Store

ANDROID APP ON Google play

Table of Contents

Mine Site Laboratory Services 2
Advances in Gold Technology 3
Digital Solutions 4
Hyperspectral Imaging & Processing 5

SAMPLE PREPARATION

Core Services 7
ALS CoreViewer™ 7
Sample Submission 8
Storage 8
Specific Gravity & Bulk Density 9
Sample Preparation Packages 9
Individual Sample Preparation Methods 10
pXRF on Prepared Pulps 11

PRECIOUS METALS ANALYSIS

Gold by Fire Assay, Metallic Screening 13
Silver, Platinum Group Elements 14
Gold Cyanidation, Process Samples, Bulk Leach Extractable Gold 15
Super Trace Gold and Aqua Regia Multi-Element Methods 16
Precious Metals in Concentrates and Bullion 17

GENERATIVE EXPLORATION

Four Acid Super Trace Analysis and Portable XRF for Lithogeochemistry 19
Aqua Regia Super Trace Analysis 20
Halogen Analysis and Ionic Leach™ 21
Hydrogeochemistry, Super Trace Au and Pathfinders 22
Biogeochemistry 23

TARGETED EXPLORATION

Ultra Trace Methods 25
Trace and Intermediate Level Methods 26
Halogens and Loss on Ignition 28
Isotopic Analysis and Geochronology 28

WHOLE ROCK, LITHOGEOCHEMISTRY, SULPHUR & CARBON 30


SPECIFIC ORES AND COMMODITIES


Copper and Iron Ore 35
Bauxite, Laterites & Other Commodities 36
Lithium 37
Uranium, Rare Earths, Uncommon Metals & Potash 38
Ore Grade Basemetals 39

ARD AND CONCENTRATES

Acid-Base Accounting 42
Concentrate Methods & Industrial Minerals 43

ALS Mineralogy 44
Quality Accreditations 45
Terms & Conditions 46
Global Geochemistry Locations 47











ALS reserves the right to alter listed prices at any time.

SERVICE • SCIENCE • ASSURANCE

PURPOSE

ALS Geochemistry is the world's most trusted testing service dedicated to high-value geologic data support for the exploration and mining community. ALS is committed to supplying verifiable, traceable, and defendable data using reliable testing methods and effective data-workflow solutions for our clients.



Mine Site Laboratory Services

No matter how remote, on-site laboratories are digitally connected to the ALS lab network allowing for unparalleled monitoring.

Supply of mine site labs:

- Containerised preparation facilities
- Customised analytical laboratories and methods

Core services in-lab or on-site:

- Core sawing & sampling
- Core photography
- Hyperspectral mapping & interpretation
- CoreViewer™

Key features that set ALS's laboratory information management system (LIMS) above competitors are:

- Global interconnectivity to allow for offsite quality management and oversight.
- Webtrieve™ access for real-time tracking and monitoring.
- Client specific Application Program Interfaces (API) to automate routine data transfer tasks.
- Process Control Alerts™ to monitor routinely collected and analysed samples.
- Overlimit Alert™ for notifications when results trigger a user defined overlimit assay.

Partnering with ALS on a mine site laboratory project provides peace of mind that design, commissioning and daily laboratory operations will be completed to the high standards characteristic of ALS.



Advances in Technology

Fire Assay for Gold

ALS brings new, advanced technology to an ancient method. With the implementation of in-house developed technology, significant precision and accuracy improvements have been achieved.

- **Consistent and low detection levels**, down to 1 ppb Au
- **Interference free and robust** for variable sample matrices.
- **Applicable** to all scales of projects from exploration to mining.
- **Flexible capacity**, easily scalable as demands change.
- **Useful** assays on fully pulverized samples that allows for additional analyses.
- **Reliable** outcomes regardless of climate extremes or remoteness.

ALS Method	Sample size (g)	Detection limit (ppm)
Au-ICP21	30	0.001
Au-ICP22	50	0.001
Au-AA23	30	0.005
Au-AA24	50	0.005
Au-AA25	30	0.01
Au-AA26	50	0.01



Unrivalled Detection Limits

ALS continues to lead the way with innovations in ICP-MS methodology to provide leading edge detection limits for gold and key pathfinder elements; allowing for superior discrimination of anomaly versus background.

Aqua Regia Au + Multi-element Methods with new, improved Industry Leading Detection Limits

Methods	Sample size (g)	Analyte	Detection limits (ppm)
AuME-ST43™	25	Au	0.0001
AuME-ST44™	50	As	0.01
		Bi	0.0005
		Re	0.0002
		Se	0.002
		Te	0.001
		Tl	0.0005

Lowest Detection Limits for Au from Cyanide Leach / ICP-MS

Methods	Sample size (g)	Analyte	Detection limits (ppm)
Au-CN43™	25	Au	0.00002
Au-CN44™	50		


ALS's lowest Au detection limit is possible due to the stability of Au-CN complexes coupled with ICP-MS instrumentation optimised for Au sensitivity.

Selected analytes listed. See page 16 for full multi-element listing.

Digital Solutions

to Simplify Your Life


Build a bridge between Webtrieve™ and your data repository with
a customised API (Application Program Interface) for routine data transfer.



- Real time data loading with no need to check for updated data.
- Reduced requirement for production staff to load new results.
- Standardised workflow
- Automated sample submittal directly to ALS.
- Extra security for sensitive data

An API is a software intermediary that makes it possible for application programs to interact with each other and share data.

Contact your local client services representative to arrange for a meeting to discuss options.



Sample tracking at your fingertips with the **ALS Geochemistry App**

Track samples and receive alerts with the ALS Geochemistry App that includes:

- **Process Control Alert™** where user-defined limits can be set up to monitor grade control, mill processing and environmental samples. An out of bound result prompts an alert so that the situation can be addressed quickly.
- **Overlimit Alert™** delivered by SMS and/or email when a sample triggers an overlimit assay. Results available graphically with overlimits highlighted.
- **Dashboard** with workorder progress.
- **Geochem results**, workorder info and mine control data.
- Access to the Geochemistry **Schedule of Services and Fees**.
- **Lab locator** and contact info.

DOWNLOAD
ALS GEOCHEMISTRY APP
<<< App Store | Google play >>>

CUTTING EDGE

Hyperspectral Imaging & Processing

TERRACORE
GEOSPECTRAL IMAGING

TerraCore is the only company in the industry with commercially available LWIR spectral imaging as well as the standard VNIR & SWIR spectral range to deliver the full spectrum required for rock characterisation. Results are delivered via CoreViewer™ and IntelliCore®.



CODE	DESCRIPTION	PRICE
Various	Core cleaning, core box preparation, and labour may be provided by ALS or TerraCore.	By Quotation
COREIM-10 COREIM-11 COREIM-12	VNIR-SWIR or SWIR hyperspectral imaging of core boxes and chip trays using TerraCore Core Imaging Systems. Pricing applies to in-lab services.	**$6.40** / *foot* **$20.80** / *metre* **$5.75** / *chip sample*
COREIM-10L COREIM-11L COREIM-12L	LWIR and VNIR-SWIR hyperspectral imaging of core boxes and chip trays using TerraCore Core Imaging Systems. Pricing applies to in-lab services.	**$8.55** / *foot* **$28.10** / *metre* **$8.10** / *chip sample*

*Minimum charge of $6750.00

Skeletonised core boxes have custom pricing. Please enquire.

*Chip trays must be black plastic. ALS can transfer samples to black trays for a fee.

Services include **high resolution true colour RGB core photographs**, mineral assemblage maps and spectral parameters as image displays, numerical mineralogical parameters and products averaged over 10cm intervals across the length of the core.



AUSSPEC
spectral geology made easy

aiSIRIS™ by AusSpec brings a generational leap forward in AI interpretation of TerraSpec® spectral data. Systematic collection of spectral data on dry, coarse crushed rock and drill core can be easily integrated with existing workflows with routine interpretation enabling delivery of large volumes at fast turnaround times.

CODE	DESCRIPTION	DELIVERABLES	PRICE PER SAMPLE	
HYP-PKG	An economical package combining TerraSpec® 4 HR scanning and aiSIRIS™ expert spectral interpretation. The value of hyperspectral mineralogy in exploration and geometallurgy increases substantially with larger sample volumes. Discounts are available for large submittals covering entire drilling campaigns.	Raw spectral files in ASD or ASCII format, and spreadsheet with mineral assemblages and spectral parameters related to the project geology.	300 samples minimum*	**$6.40**
INTERP-11	Rapid and accurate interpretation of hyperspectral scans by the aiSIRIS™ expert software.	Spreadsheet with mineral assemblages and spectral parameters related to the project geology.	300 samples minimum*	**$3.95**
TRSPEC-20	Spectral scan using the TerraSpec® 4 HR spectrometer. Crushed reject or RC chips are recommended as the optimal sample type.	Raw spectral files in ASD or ASCII format.	**$4.30**	

*Discounts may apply for higher volumes of samples.

The original ASD files as well as the aiSIRIS™ output are reported on every sample for one-to-one comparison.

Contact client services to arrange for access to the aiSIRIStm App.

More information about aiSIRIS™, TerraSpec® and TerraCore can be obtained from any ALS client services group.

Sample Preparation

Sample preparation is designed to produce a representative, homogenous sub-sample from the original raw sample. Many variations on the methods and packages in the following pages are available, and sample preparation schemes can be customised to suit any particular project requirement. We have a wide range of expertise available within ALS to help you with any questions you might have.

Samples may be submitted to any of the locations listed on the back pages of this schedule. We can also offer advice on shipping to any of our laboratories by ground, air cargo and air express.

Sample submission forms are available online from alsglobal.com and on request.



Core Services

Our Core Services encompass core handling and warehouse management, core sawing and sampling, and core photography, all within secure and comfortable logging facilities. They may be bundled in any combination at ALS facilities or on-site at your project as needed. These prices reflect in-lab services; for custom on-site quotes, please contact minesitelab@alsglobal.com.

Our highly-trained core sawing technicians use state of the art computerised saws for precision cutting of most rock types. Friable core may be sawn manually to preserve material in the interval.

CODE	DESCRIPTION OF SERVICE	PRICE / UNIT
LOG-COREBX	Log in core box for processing.	**$2.35** */box*
SAW-01 SAW-01FT	Automated high speed core sawing. Cut sheet/details provided by client.	**$10.50** */m* **$3.30** */ft*
SAWM-01 SAWM-01FT	Manual sawing for friable core. Cut sheet/details provided by client.	**$13.50** */m* **$4.10** */ft*
SAM-COR01	Sampling core based on client instructions. Includes bagging sample for further preparation.	**$4.30** */sample*
SAM-COR01F	Surcharge for friable core. Sampling core based on client instructions. Includes bagging sample for further preparation.	**$5.95** */sample*
LOG-COR10	Daily rental of secure core logging facilities with full spectrum lights and other amenities.	**$62.40** */day*
PHO-WET PHO-DRY	High resolution core photography. Delivery via secure file transfer or ALS CoreViewer™ (see below). Core may be photographed wet or dry based on client preference and requirements.	**$4.65** */box*
STO-COR10	Long-term storage of core boxes in ALS warehouses.	**$1.30** */box/month*

CoreViewer™

Photo archive, core logging support tool, and data integration platform. Integration with major 3D modelling software.

CoreViewer™ is a fast and secure core photo archive, core logging support tool, and data integration platform accessible over the web via computers and touch-screen tablets.

Using core photos taken by ALS or provided by you over a secure connection, we create continuous depth-registered downhole core image strips. The box photos and core strips are available to you through CoreViewer™, where you can search for specific intervals and graph any kind of downhole geochemical, mineralogical, or geophysical data for comparison against the images.

Your core photos can be accessed in perpetuity using your secure Webtrieve™ login. For those companies using acQuire GIM Suite, CoreViewer™ is available right inside the acQuire Neo application, correlated with drill holes and all associated information in the database.

CoreViewer™ also integrates with major 3D modelling software, including Sequent Leapfrog Geo, Maptek Vulcan and Micromine for deep investigation and verification of exploration, resource and geometallurgical models.



CODE PRC-PHOCLW & PRC-PHOCLD | **PRICE** $5.75/box


Sample Submission

Confidence and security in the chain of custody for your samples as they pass through our system are paramount. Your samples are given a barcode and logged into our proprietary global laboratory information management system on receipt. We encourage clients to barcode samples prior to sending them to our laboratories. Our system will accommodate all major barcode formats.

Sample pick-up services

May be arranged from any of our locations. Please contact your nearest ALS office and mention **code PKP-21**.

CODE	DESCRIPTION	APPLICATION	PRICE PER SAMPLE
BAT-01	Workorder/administration fee applied per processing batch.	Single charge for each batch of samples processed.	**$31.55** */processed batch*
LOG-21	Samples received with barcode labels attached to sample bag. Multi-part barcoded sample tags may be purchased from your local lab.	Weigh raw sample and log into global tracking system.	**$0.75**
LOG-22	Samples received without barcode labels attached.		**$1.45**
LOG-23	Pulps received with barcode labels attached to sample bag.	Weigh pulp and log into global tracking system. At least one out of every 50 samples is selected at random for routine QC tests (LOG-QC). The default specification is 85% passing 75 microns.	**$0.75**
LOG-24	Pulps received without barcode labels attached.		**$1.45**
LEV-01	Levy for disposal of all types of laboratory waste.	Required for relevant samples in certain jurisdictions.	**$0.80**
QAR-01	Quarantine charge. AQIS-approved heat treatment and storage.	Required for relevant samples imported into Australia. Additional charges apply for samples over 500g.	**$0.85**



Sample Storage

Materials submitted for analysis are retained free of charge at our laboratories for a limited time, starting from the day we issue the final Certificate of Analysis. Reasonable monthly charges will apply to samples archived for longer periods in our facilities. ALS sample storage facilities provide a secure and organised environment protected from the elements, and all archive locations are included in the laboratory tracking system.

CODE	DESCRIPTION	APPLICATION	PRICE PER SAMPLE
STO-REJ STO-BLK	Monthly archive of coarse rejects. Monthly archive of pulps >250g.	Longer term archiving of coarse rejects and large pulps.	**$0.85** *> 45 days*
STO-PUL	Monthly archive of pulps <250g.	Longer term storage of master pulps.	**$0.40** *> 90 days*
STO-SCR	Monthly archive of screening reject fractions.	Longer term storage of screening reject fractions.	**$0.40** *> 45 days*
RET-21	Handling and retrieval of archived samples.	Stored samples.	**By Quotation**
DIS-21	Disposal of pulps and coarse fractions.	Pulps and coarse fractions.	**By Quotation**
RTN-21	Return of samples to client.	Returned samples.	**By Quotation**



Specific Gravity & Bulk Density

Specific gravity and bulk density of ores are important parameters that are often under-characterised in the determination of grade and tonnage of deposits.

CODE	DESCRIPTION	RANGE	PRICE PER SAMPLE
OA-GRA08	Specific Gravity on solid objects.	Reported as a ratio.	**$14.20**
OA-GRA08b	Specific Gravity on pulps using pycnometer.	Reported as a ratio.	**$14.20**
OA-GRA09	Bulk Density by water displacement.	0.01 – 20g/cm^3	**$14.20**
OA-GRA09A	Bulk Density after wax coating (wax removal not included).	0.01 – 20g/cm^3	**$22.70**

Drill Core, Rocks and Chips Preparation Packages

All packages include sample login to the laboratory tracking system and weighing. Excessively wet samples may require additional drying for a surcharge. It is very helpful to advise us of mineralised samples that may require special equipment cleaning cycles.

CODE	DESCRIPTION	APPLICATION	PRICE PER SAMPLE
CRU-21	Coarse crushing of rock chip and drill samples.	Used as a preliminary step before fine crushing of larger sample sizes. No QC is performed for this method. If QC if required request CRU-21q for >70% passing 6mm.	**$3.20** *+ $0.65 /kg*
PREP-31*	Crush to 70% less than 2mm, riffle split off 250g, pulverise split to better than 85% passing 75 microns.	Drill core, rock and chip samples.	**$8.70** *+ $0.95 /kg*
PREP-31Y*	Crusher/rotary splitter combo - Crush to 70% less than 2mm, rotary split off 250g, pulverise split to better than 85% passing 75 microns.		**$8.70** *+ $0.95 /kg*
PREP-31B*	Crush to 70% less than 2mm, riffle split off 1kg, pulverise split to better than 85% passing 75 microns.		**$10.00** *+ $0.95 /kg*
PREP-31BY*	Crusher/rotary splitter combo - Crush to 70% less than 2mm, rotary split off 1kg, pulverise split to better than 85% passing 75 microns.		**$10.00** *+ $0.95 /kg*
PREP-31D*	Crush to 90% less than 2mm, riffle split off 1kg, pulverise split to better than 85% passing 75 microns.	Drill core and rocks containing high-grade or coarse gold and/or silver.	**$15.70** *+ $2.20 /kg*
PREP-22*	Coarse crush sample, pulverise entire sample to better than 85% passing 75 microns.	Drill core, rock and chip samples up to 3kg.	**$11.40** *+ $0.35 /kg*
PREP-32*	Crush to >70% less than 2mm, riffle split, pulverise 1.5kg to 85% passing 75 microns.	Drill core, rock and chip samples.	**$12.75** *+ $1.30 /kg*

* Packages with common split size and particle fineness are listed. Please contact your local client services for alternatives.

Individual Sample Preparation Procedures

The following procedures can be used either separately or combined in a package in order to meet specific needs regarding sample size and composition. Most of these procedures are charged at a rate that is based on sample weight.

Multiple screen sizes and screening methods are available. Please contact your local client services group for options.

A variety of different pulverising bowls made of diverse media are available on request. All ALS equipment is standardised as low Cr-steel, however, substitution of bowls may be required when specific element contamination is a concern. Bowls available include tungsten carbide, agate and zirconium.

Other options are available for all stages of sample preparation. Please contact ALS with your specific requirements.

Drying

CODE	DESCRIPTION	APPLICATION	PRICE PER SAMPLE
DRY-21	Drying of excessively wet samples in drying ovens.	Default drying procedure for most rock chip and drill samples.	**$2.90** *+ $0.65 /kg*
DRY-22	Drying of excessively wet samples in drying ovens that are controlled to a maximum temperature of 60°C.	Most soil and sediment samples that are analysed for volatile elements.	**$3.05** *+ $0.70 /kg*
DRY-23	Air-drying of samples.	Selective Leach procedures and others.	**$3.05** *+ $0.70 /kg*

Crushing

CODE	DESCRIPTION	APPLICATION	PRICE PER SAMPLE
CRU-21	Coarse crushing of rock chip and drill samples.	Used as a preliminary step before fine crushing of larger sample sizes. No QC is performed for this method. If QC if required request CRU-21q for >70% passing 6mm	**$3.20** *+ $0.65 /kg*
CRU-31	Fine crushing of rock chip and drill samples to 70% passing 2mm.	Standard preparation procedure for samples where a representative split will be pulverised.	**$3.20** *+ $0.60 /kg*
CRU-36	Fine crushing of rock chip and drill samples to 85% passing 2mm.	Option for when a finer crush is desired.	**$3.60** *+ $1.20 /kg*
CRU-32	Fine crushing of rock chip and drill samples to 90% passing 2mm.	Option for when a finer crush is desired.	**$4.25** *+ $1.40 /kg*

Note: Methods with common fineness requirements listed. Additional options available.

Splitting

CODE	DESCRIPTION	APPLICATION	PRICE PER SAMPLE
SPL-21*	Split sample using a riffle splitter.	Standard splitting procedure.	**$2.15** *+ $0.45 /kg*
SPL-22*	Split sample using a rotary splitter.	Rotary splitting procedure.	**$3.20** *+ $1.10 /kg*
SPL-22Y	Split sample using a Boyd crusher/rotary splitter combination.		**$2.15** *+ $0.45 /kg*
SPL-34	Split a received pulp sample for various analysis.	Pulp splitting procedure.	**$0.85**

*Note: For sample splitting and return or archive without analysis add suffix X to the codes above. Additional costs are incurred.

Pulverising

CODE	DESCRIPTION	APPLICATION	PRICE PER SAMPLE
PUL-31*	Pulverise a split or total sample up to 250g to 85% passing 75 microns.	Default procedure for samples that are finely crushed and split to 250g or less.	**$5.10**
PUL-32*	Pulverise a 1,000g split to 85% passing 75 microns.	Large sample size to mitigate nugget effect.	**$7.25**
PUL-32a*	Pulverise a 1,000g split to 90% passing 75 microns.		**$8.80**
PUL-21*	Pulverise entire sample to 85% passing 75 microns.	Appropriate for samples up to 3kg.	**$11.70**
PUL-23*	Pulverise up to 3kg to 85% passing 75 microns. For samples >3kg additional costs are incurred to split the sample prior to pulverising and retaining the remainder.	Appropriate for RC drill chip samples not requiring crushing.	**$8.60**
PUL-24*	Pulverise up to 3kg to 85% passing 75 microns. For samples >3kg an additional cost is incurred to split the sample prior to pulverising. The remainder is discarded.		**$8.60**
PUL-51*	Pulverise up to 100g concentrate sample to 85% passing 75 microns.	Cost includes careful cleaning of the pulverizing bowl after grinding.	**$21.30**
PUL-34*	Pulverise 200g to 85% passing 75 microns.	Applicable for high grade material.	**$21.30**

* Surcharges may apply to samples requiring excessively long pulverisation times required for some sample types.

Soil & Sediment Preparation Package

Drying temperature is kept low to avoid the loss of mercury.

CODE	DESCRIPTION	PRICE PER SAMPLE
PREP-41	Dry at <60°C/140°F, sieve sample to -180 micron (80 mesh). Retain both fractions. Application: Soil or sediment samples.	**$1.85** */sample*
	Additional	**$3.05** */kg*

Clay Separation

The clay fraction in soils acts as a trap for elements migrating to the surface from depth, and may be used to enhance subtle anomalies.

CODE	DESCRIPTION	PRICE PER SAMPLE
SCR-CLAY	Separation of the -10 micron fraction from soils. **Minimum 300g of sieved soil required.**	**$24.30**

Note: Clay samples may require drying and screening (-180 micron or -106 micron) prior to clay separation on the minus fraction. Please discuss suitable options for your program with local client services staff.

Miscellaneous Procedures

These procedures may be used when specialised preparation or sample compositing is required. An hourly labour charge may apply to time-intensive projects.

CODE	DESCRIPTION	APPLICATION	PRICE / UNIT
CMP-21	Compositing of two or more samples. May be done by volume/core length (CMP-21) or by weight (CMP-22).	As requested.	**$2.45** */sample*
CMP-22			**$4.65** */sample*
WSH-21	Clean crushers with "barren" material after each, or designated samples..	As required. Barren material inserted between samples as an additional cleaning step between mineralised samples.	**$2.75** */sample*
WSH-22	Clean pulverisers with "barren" material after each, or designated samples.		**$3.60** */sample*
TRA-21	Transfer sample to drying tray or new sample bag.	As required for samples received in containers unsuitable for laboratory storage, or requiring tray drying.	**$1.45** */sample*
BAG-01	Bagging large pulps for storage.	For large pulps/bulk masters.	**$1.45** */sample*
HOM-01	Homogenise stored or composited samples by light pulverizing.	As required.	**$6.35** */sample*
SCR-51	Screening of samples to any number of standard size fractions, as specified by the client. Weight of undersize fraction reported for each screen size.	Fraction sizing or custom screening as requested.	**$7.10** */screen size*

Portable XRF on Prepared Pulps

ALS offers portable XRF analysis on pulps immediately after sample preparation at the prep lab closest to your project. **15g sample required for pXRF analysis.**

CODE	ANALYTES & LOWER LIMITS (PPM)	PRICE / SAMPLE
pXRF-30	**As** 50 **Ca** 0.5% **Cr** 100 **Cu** 50 **Fe** 0.5% **Mn** 100 **Ni** 50 **Pb** 50 **S** 0.1% **Zn** 50	**$5.40**
pXRF-34	Portable XRF scan of an unmineralised pulverised sample. Ranges: **Si** 0.5%-47% **Ti** 0.1%-60% **Zr** 5ppm-5%	**$4.05**

*pXRF methods available as an add-on to multi-element analysis only.



Portable XRF for Indicative Analysis

Portable XRF is useful for screening large numbers of intermediate to ore grade elements quickly and cost effectively while awaiting standard lab analyses. It can also be used to determine Si and acid-resistive Ti and Zr as a complement to multi-element methods and a proxy for rock characterisation.

For a successful pXRF scan it is important that calibration is matched to specific sample suites on an individual project basis to minimise inaccurate results. ALS offers custom calibration for pXRF on project-specific sample suites, with our rigorous quality standards and XRF expertise ensuring accurate, reliable results. The pXRF instrument can be located in the prep lab nearest your project, or on-site if the project is remote. Contact your local client services team for more information.

Precious Metals Analysis

The unique chemical properties of gold, silver, and the platinum group elements pose challenges in geochemical analysis. They often occur heterogeneously in geological materials, at scales ranging from micron-sized inclusions in minerals to large nuggets. As a result, large analytical charge weights are required to accurately represent content in the overall sample. Solvent digestions can also lose gold to adsorption on the original sample when certain forms of carbon and sulphide minerals are present, in a process called preg robbing.

ALS has decades of expertise in reliable and reproducible precious metals analysis by fire assay, cyanide leach and aqua regia digestion at parts per billion to percent levels.

Please submit at least three times nominal sample weight for efficient service.



Gold by Fire Assay

An optimal fire assay flux recipe and rigorous quality control program easily handle problem materials including chromite, base metal sulphides and oxides, selenides, and tellurides.

Choice of crushing fineness, splitting technique and pulp size can all affect the analytical outcome of fire assay gold methods. Discuss with your local ALS laboratory for more information.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Trace Level				
Au-ICP21	Au	0.001-10	Au by fire assay and ICP-AES. **30g sample**	**$19.25**
Au-ICP22			**50g sample**	**$22.70**
Au-AA23		0.005-10	Au by fire assay and AAS. **30g sample**	**$18.50**
Au-AA24			**50g sample**	**$22.00**
Ore Grade				
Au-AA25	Au	0.01-100	Au by fire assay and AAS. **30g sample**	**$19.25**
Au-AA26			**50g sample**	**$22.70**
Au-GRA21		0.05-10,000	Au by fire assay and gravimetric finish. **30g sample**	**$24.00**
Au-GRA22			**50g sample**	**$29.05**

Metallic Screening

When samples contain coarse gold, the metallic screening procedure is recommended for accurate results.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Au_SCR21	Au	0.05-100,000 (0.01-1000 mg)	**1kg pulp** screened to 100 microns. Other screen sizes available. Duplicate **30g** assay on screen undersize. Assay of entire oversize fraction.	**$64.05**
Au_SCR24	Au		**1kg pulp** screened to 100 microns. Other screen sizes available. Duplicate **50g** assay on screen undersize. Assay of entire oversize fraction.	**$71.05**
Au_SCR24B	Au		**1-2kg pulp** screened to 100 microns. Duplicate **50g** assay on screen undersize. Assay of entire oversize fraction.	**$96.65**
Au_SCR24C	Au		**2-3kg pulp** screened to 100 microns. Duplicate **50g** assay on screen undersize. Assay of entire oversize fraction.	**$122.05**

* Options available for various sample weights, screen sizes and undersize assays.





Silver

Trace level and low-grade silver samples may be analysed by acid digestion for maximum sensitivity and precision. Multi-element packages including Ag are listed in the Targeted Exploration section.

Because silver can suffer from nugget effect, occasional duplicate analysis may help detect sampling error at these low levels. At higher grades, fire assay with larger nominal weights may be preferable.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Trace Level				
Ag-ICP41 (Ag-AA45)	Ag	0.2-100	Ag by aqua regia digestion and AAS. **0.5g sample**	**$7.25**
Ag-ICP61 (Ag-AA61)		0.5-100	Ag by HF-HNO_3-$HClO_4$ digestion, HCl leach and AAS. **0.25g sample**	**$9.95**
Ore Grade				
Ag-OG46 (Ag-AA46)	Ag	1-1,500	Ag by aqua regia digestion, ICP-AES or AAS finish. **0.5g sample**	**$12.75**
Ag-OG62 (Ag-AA62)		1-1,500	Ag by HF-HNO_3-$HClO_4$ digestion with HCl leach, ICP-AES or AAS finish. **0.4g sample**	**$15.70**
Ag-GRA21		5-10,000	Ag by fire assay and gravimetric finish. **30g sample**	**$25.50**
Ag-GRA22			**50g sample**	**$30.45**
ME-GRA21	Au Ag	0.05-10,000 5-10,000	Au and Ag by fire assay and gravimetric finish. **30g sample**	**$31.30**
ME-GRA22			**50g sample**	**$36.20**

Platinum Group Elements

Platinum, palladium, rhodium and gold may be determined by standard lead oxide collection fire assay and ICP-MS or ICP-AES finish. For the full list of platinum group elements, nickel sulphide collection fire assay must be used for a quantitative analysis.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Trace Level				
PGM-MS23L	Pt Pd Au	0.0001-1 0.0002-1 0.001-1	Super trace Pt, Pd and Au by fire assay and ICP-MS finish. **30g nominal sample weight**	**$25.75**
PGM-MS23	Pt Pd Au	0.0005-1 0.001-1 0.001-1	Pt, Pd and Au by fire assay and ICP-MS finish. **30g nominal sample weight**	**$22.40**
PGM-MS24			**50g nominal sample weight**	**$25.75**
Rh-MS25	Rh	0.001-1	Rh by fire assay, gold collection and ICP-MS. **30g nominal sample weight**	**$26.35**
PGM-MS25NS	Pt, Pd Au, Rh Ir Os Ru	0.002-15 0.002-5 0.001-5 0.002-1 0.003-5	Au, Pt, Pd, Ir, Os, Rh, Ru by nickel sulphide collection fire assay and ICP-MS finish. **30g nominal sample weight.**	**$177.60**
PGM-ICP23	Pt Pd Au	0.005-10 0.001-10 0.001-10	Pt, Pd and Au by fire assay and ICP-AES finish. **30g nominal sample weight**	**$21.30**
PGM-ICP24			**50g nominal sample weight**	**$24.55**
Ore Grade				
PGM-ICP27	Pt Pd Au	0.01-100 0.01-100 0.01-100	Pt, Pd and Au by fire assay and ICP-AES finish. **30g nominal sample weight**	**$23.05**

Gold Cyanidation

In mining and exploration applications, cyanide leach tests are used to establish the potential cyanide extraction efficiency for gold and silver.

High concentrations of some sulphides, particularly chalcopyrite, can negatively impact gold extraction. For samples that are expected to contain high copper sulphide concentration please contact ALS for suggestions.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Au-AA13 Ag-AA13 Cu-AA13	Au Ag Cu	0.03-50 0.03-350 0.1-2,000	Au, Ag, Cu by cyanide leach with AAS finish. **30g sample**	**$11.40** + *$5.65 /element*
Au-AA14	Au	0.01-200	Au by cyanide leach with AAS finish. 12hr Leach. **Up to 1kg sample**	**$35.50**
Au-AA15a Au-AA15b Au-AA15c Au-AA15d	Au	0.001-125	Au by accelerated cyanide leach using LeachWELL Assay Tabs™ with AAS finish. 4hr Leach. **500g sample request Au-AA15a** **For 1kg request Au-AA15b** **For 2kg request Au-AA15c** **For 3kg request Au-AA15d**	**$41.35** *(500g)* **$44.45** *(1kg)* **$46.00** *(2kg)* **$50.70** *(3kg)*
Au-AA31 Au-AA31a	Au	0.03-500	Au Preg Rob Leach with Gold Spike. Au Preg Rob Leach without Gold Spike. **10g sample per method**	**$12.75** *each*

Note: Cyanide disposal fees apply in some countries. For Super Trace Au with cyanide leach see methods on page 16.

Process Samples

Includes gold in cyanide liquors or captured on activated carbon.

Minimum sample weight required varies, contact your local lab.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Au-AA16	Au	0.001-2,500mg/L	Au in cyanide liquor by extraction with AAS finish.	**$25.55**
Au-AA44	Au	1-10,000	Au on carbon by ashing, aqua regia digestion and AAS. Duplicate analysis.	**$45.45**

Bulk Leach Extractable Gold

BLEG is used where cyanide leaching from a stream sediment sample may detect gold anomalies that would otherwise go unnoticed.

Prices for cyanide leaching of samples over 1kg by quotation.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Au-CN12* Au-AA12**	Au	0.0001-10	BLEG – ICP-MS finish. BLEG – extraction AA finish. **Up to 1kg sample**	**$42.65**
Au-CN11* Au-AA11	Au	0.001-10	BLEG – ICP-MS finish. BLEG – extraction AA finish. **Up to 500g sample**	**$28.50**

* Silver and copper may also be reported by these methods for an additional fee.
** Silver, Copper, Lead and Zinc may also be reported for an additional fee.



Super Trace Gold and Multi-Element in Soils & Sediments

ALS offers the lowest detection limits in the industry for gold in soils and sediments by both cyanide and aqua regia digestion, using our innovative super trace analytical methodology.

Full multi-element geochemical suites may be read from the same digest solution as our aqua regia and ICP-MS super trace gold method. This package mirrors our ME-MS41L™ method, with slight adjustments made to accommodate the larger nominal sample weight necessary for representative gold analysis.

CODE	ANALYTE	RANGE	DESCRIPTION	PRICE PER SAMPLE
Au-CN43™	Au	0.02ppb-1ppm	Au by cyanide extraction with ICP-MS finish. **25g sample**	**$23.80**
Au-CN44™			**50g sample**	**$26.55**
Au-ST43™	Au	0.1ppb-0.1ppm	Au by aqua regia extraction with ICP-MS finish. **25g sample**	**$19.85**
Au-ST44™			**50g sample**	**$22.10**

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
AuME-ST43™ **25g sample**	Au	0.0001-1	Cu	0.01-10000	Nb	0.002-500	Ta	0.005-500	**$40.55**
	Ag	0.001-100	Fe	0.001-50 %	Ni	0.02-10000	Te	0.001-500	
	Al	0.01-25 %	Ga	0.004-10000	P	0.0005-1 %	Th	0.0005-10000	
	As	0.01-10000	Ge	0.005-500	Pb	0.005-10000	Ti	0.0001-10 %	
	B	2-10000	Hf	0.002-500	Pd	0.001-100	Tl	0.0005-10000	
	Ba	0.05-10000	Hg	0.002-10000	Pt	0.001-100	U	0.0005-2500	
	Be	0.005-1000	In	0.005-500	Rb	0.005-10000	V	0.05-10000	
AuME-ST44™ **50g sample**	Bi	0.0005-10000	K	0.01-10 %	Re	0.0002-50	W	0.001-10000	**$42.95**
	Ca	0.01-25 %	La	0.002-10000	S	0.002-10 %	Y	0.001-5000	
	Cd	0.001-2000	Li	0.1-10000	Sb	0.002-10000	Zn	0.1-10000	
	Ce	0.001-10000	Mg	0.01-25 %	Sc	0.005-10000	Zr	0.01-500	
	Co	0.001-10000	Mn	0.1-50000	Se	0.002-1000			
	Cr	0.01-10000	Mo	0.002-10000	Sn	0.01-500			
	Cs	0.001-500	Na	0.001-10 %	Sr	0.01-10000			

Low Level Gold and Multi-Element in Soils & Sediments

Our trace level methods by aqua regia digestion and ICP-MS finish are excellent for regolith, where gold anomalies indicating mineralisation below surface are well-characterised. Aqua regia dissolves native gold as well as gold bound in sulphide minerals; however, depending on the composition of the soil, gold determined by this method may or may not match recovery from fire assay methods.

As with our super trace methods, multi-element packages can be read from the same digestion solution as trace level gold for a complete exploration tool.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Trace Level				
Au-TL43	Au	0.001-1	Au by aqua regia extraction with ICP-MS finish. **25g sample**	**$17.35**
Au-TL44			**50g sample**	**$19.35**
Intermediate Grade				
Au-OG43	Au	0.01-100	Au by aqua regia extraction with ICP-MS finish. **25g sample**	**$16.60**
Au-OG44			**50g sample**	**$18.55**

CODE	ANALYTES & RANGES (ppm)										PRICE PER SAMPLE
AuME-TL43™ **25g sample**	Au	0.001-1	Co	0.1-10000	La	0.2-10000	Re	0.001-50	Tl	0.02-10000	**$28.60**
	Ag	0.01-100	Cr	1-10000	Li	0.1-10000	S	0.01-10%	U	0.05-10000	
	Al	0.01-25%	Cs	0.05-500	Mg	0.01-25%	Sb	0.05-10000	V	1-10000	
	As	0.1-10000	Cu	0.2-10000	Mn	5-50000	Sc	0.1-10000	W	0.05-10000	
	B	10-10000	Fe	0.01-50%	Mo	0.05-10000	Se	0.2-1000	Y	0.05-5000	
	Ba	10-10000	Ga	0.05-10000	Na	0.01-10%	Sn	0.2-500	Zn	2-10000	
AuME-TL44™ **50g sample**	Be	0.05-1000	Ge	0.05-500	Nb	0.05-500	Sr	0.2-10000	Zr	0.5-500	**$31.05**
	Bi	0.01-10000	Hf	0.02-500	Ni	0.2-10000	Ta	0.01-500			
	Ca	0.01-25%	Hg	0.01-10000	P	10-10000	Te	0.01-500			
	Cd	0.01-2000	In	0.005-500	Pb	0.2-10000	Th	0.2-10000			
	Ce	0.02-10000	K	0.01-10%	Rb	0.1-10000	Ti	0.005-10%			



Precious Metals in Concentrates and Bullion

High precision analysis and umpire assay of precious metals in concentrates and bullion are performed by the most senior fire assay technicians and checked by certified assayers to ensure accuracy.

Minimum sample weight required varies, contact your local lab.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Concentrates				
Au-CON01 Ag-CON01	Au Ag	0.07-999,985 0.7-995,000	Au and Ag by fire assay and gravimetric finish.	**$103.00** *each*
Pt-CON01 Pd-CON01 Rh-CON01	Pt, Pd, Rh	0.07-1,000,000	Pt, Pd and Rh by fire assay and AAS finish.	**$103.00** *each*
Bullion				
Au-GRA24 Ag-GRA24	Au Ag	0.01-1,000 fineness 0.01-1,000 fineness	Routine bullion assays by fire assay with gravimetric finish.	**$150.40** *each*
Au-UMP20 Ag-UMP20	Au Ag	0.07-1,000,000 0.7-1,000,000	Umpire assay for bullion samples by fire assay with gravimetric finish.	**$236.25** *each*
Pt-UMP20 Pd-UMP20 Rh-UMP20	Pt, Pd, Rh	0.07-1,000,000	Umpire assay for bullion samples by fire assay with gravimetric finish.	**$236.25** *each*

Generative Exploration

All of the ICP-MS methods listed in the following section involves some aspect of our innovative methodology for super trace analysis. Detection limits have been pushed orders of magnitude below average crustal abundance for the majority of elements, enabling excellent precision at geochemical background levels and clearly defined geochemical anomalies. Digestion methods appropriate for any sample medium are available - soils, sediments, regolith, vegetation, water, rocks, and drill core. ALS remains committed to solving long-standing analytical challenges in exploration geochemistry by making use of new instrumentation and fresh ideas from our team of expert analytical chemists and geochemists.

Please submit at least three to four times the nominal sample weight for efficient service.





Four Acid Super Trace Analysis

This super trace package is suitable for regional drilling, trenching and hand samples in unmineralised rocks, and can also be used effectively in areas of thick regolith for bedrock mapping. ALS has lowered the detection limits on key pathfinder elements such as As, Sb, Se and Tl to near or below average crustal abundance, revealing anomalous patterns at levels previously unattainable due to technical limitations.

The rare earth elements and lead isotopes are available as add-ons to expand the utility of the method in greenfields exploration.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE	
ME-MS61L™ **0.25g sample**	Ag	0.002-100	Cu	0.02-10,000	Na	0.001%-10%	Sr	0.02-10,000	**$40.75**	
	Al	0.01%-50%	Fe	0.002%-50%	Nb	0.005-500	Ta	0.01-500		
	As	0.02-10,000	Ga	0.05-10,000	Ni	0.08-10,000	Te	0.005-500		
	Ba	1-10,000	Ge	0.05-500	P	0.001%-1%	Th	0.004-10,000		
	Be	0.02-1,000	Hf	0.004-500	Pb	0.01-10,000	Ti	0.001%-10%		
	Bi	0.002-10,000	In	0.005-500	Rb	0.02-10,000	Tl	0.002-10,000		
	Ca	0.01%-50%	K	0.01%-10%	Re	0.0004-50	U	0.01-10,000		
	Cd	0.005-1,000	La	0.005-10,000	S	0.01%-10%	V	0.1-10,000		
	Ce	0.01-500	Li	0.2-10,000	Sb	0.02-10,000	W	0.008-10,000		
	Co	0.005-10,000	Mg	0.01%-50%	Sc	0.01-10,000	Y	0.01-500		
	Cr	0.3-10,000	Mn	0.2-100,000	Se	0.006-1000	Zn	0.2-10,000		
	Cs	0.01-500	Mo	0.02-10,000	Sn	0.02-500	Zr	0.1-500		
MS61L-REE™	Dy	0.005-1000	Ho	0.002-1000	Sm	0.004-1000			**$6.85**	*Add-on only*
	Er	0.004-1000	Lu	0.002-1000	Tb	0.002-1000				
	Eu	0.004-1000	Nd	0.005-1000	Tm	0.002-1000				
	Gd	0.005-1000	Pr	0.004-1000	Yb	0.004-1000				
MS61L-PbIS™	^{204}Pb	0.01-10000	^{206}Pb	0.01-10000	^{207}Pb	0.01-10000			**$10.80**	*Add-on only*
	^{208}Pb	0.01-10000								

Portable XRF for Lithogeochemistry

The crucial lithogeochemical elements - silicon, titanium, and zirconium - may be added to any ALS four acid method for a more complete element suite.

CODE	DESCRIPTION	PRICE PER SAMPLE	
pXRF-34	Portable XRF scan of an unmineralised pulverised sample. Ranges: Si 0.5%-47% Ti 0.1%-60% Zr 5ppm-5% **15g sample**	**$4.05**	*Add-on to multi-element analysis only*



Aqua Regia Super Trace Analysis

Aqua regia digestion with super trace ICP-MS analysis provides extremely low detection limits for the analysis of soils and sediments; useful for regional and deep cover exploration.

The rare earth elements and lead isotope concentrations add new dimensions to super trace data. REEs may be useful pathfinders despite reflecting only the labile component, while Pb isotopic signatures can be used in fingerprinting and hydrothermal fluid history.

CODE	ANALYTES & RANGES (ppm)										PRICE PER SAMPLE
ME-MS41L™* **0.5g sample**	Ag	0.001-100	Co	0.001-10,000	La	0.002-10,000	Pt	0.002-25	Th	0.002-10,000	**$33.40**
	Al	0.01%-25%	Cr	0.01-10,000	Li	0.1-10,000	Rb	0.005-10,000	Ti	0.001%-10%	
	As	0.01-10,000	Cs	0.005-500	Mg	0.01%-25%	Re	0.0002-50	Tl	0.001-10,000	
	Au	0.0002-25	Cu	0.01-10,000	Mn	0.1-50,000	S	0.01%-10%	U	0.005-10,000	
	B	10-10,000	Fe	0.001%-50%	Mo	0.01-10,000	Sb	0.005-10,000	V	0.1-10,000	
	Ba	0.5-10,000	Ga	0.004-10,000	Na	0.001%-10%	Sc	0.005-10,000	W	0.001-10,000	
	Be	0.01-1000	Ge	0.005-500	Nb	0.002-500	Se	0.003-1000	Y	0.003-500	
	Bi	0.0005-10,000	Hf	0.002-500	Ni	0.04-10,000	Sn	0.01-500	Zn	0.1-10,000	
	Ca	0.01%-25%	Hg	0.004-10,000	P	0.001%-1%	Sr	0.01-10,000	Zr	0.01-500	
	Cd	0.001-1000	In	0.005-500	Pb	0.005-10,000	Ta	0.005-500			
	Ce	0.003-500	K	0.01%-10%	Pd	0.001-25	Te	0.003-500			
MS41L-REE™	Dy	0.002-1000	Ho	0.001-1000	Sm	0.002-1000					**$6.85** *Add-on only*
	Er	0.002-1000	Lu	0.001-1000	Tb	0.001-1000					
	Eu	0.002-1000	Nd	0.002-1000	Tm	0.001-1000					
	Gd	0.002-1000	Pr	0.002-1000	Yb	0.002-1000					
MS41L-PbIS™	^{204}Pb	0.005-10000	^{206}Pb	0.005-10000	^{207}Pb	0.005-10000					**$10.80** *Add-on only*
	^{208}Pb	0.005-10000									

* Gold determinations by this method are semi-quantitative due to the small sample weight used. A weak aqua regia (1:1 ratio $HCl:HNO_3$) digestion is also available, use code ME-MS41W™.For Au with multi-element using a 25g or 50g charge please use AuME-ST43™ or AuME-ST44™.

Selenium in Soils

Se at this level holds information for exploration vectoring as well as environmental baselines.

CODE	ANALYTE & RANGE (ppm)		DESCRIPTION	PRICE PER SAMPLE
Se-MS46	Se	0.003-100	Aqua regia digestion and ICP-MS analysis. **25g sample**	**$19.85**

Conductivity, pH and Neutralisation

These methods provide crucial information for mineral processing, environmental assessment and exploration.

CODE	ANALYTES & RANGES		DESCRIPTION	PRICE PER SAMPLE
OA-GRA04	Acid Insoluble	0.01%-100%	Acid insoluble content. **1g sample.**	**$17.10**
OA-ELE03	pH	0.1-14	pH on 1:10 sample to water ratio. **5g sample**	**$11.40**
OA-ELE04	Conductivity	1-100,000µS/cm	Specific conductivity on 1:10 sample to water ratio. **5g sample**	**$14.20**
OA-ELE05	Soil pH	0.1-14	Soil pH on 1:1 sample to water ratio. **20g sample**	**$14.20**
OA-ELE05AP	Soil pH and soil acid neutralization	0.1-14	Add on to Soil pH. Addition of HCl and pH re-measured.	**$5.40** *add-on to soil pH only*
OA-ELE06	Soil Conductivity	1-100,000µS/cm	Soil conductivity on 1:1 sample to water ratio. **20g sample**	**$10.00**
OA-ELE07	Paste pH	0.1-14	Paste pH on **10g sample** saturated with water.	**$8.60**
OA-ELE07AP	Paste pH and soil acid neutralisation	0.1-14	Add on to Paste pH. Addition of HCl to paste and pH re-measured.	**$5.40** *add-on to Paste pH only*

Halogen Analysis

Fluorine, chlorine, bromine and iodine hold significant promise in exploration, since many metals are transported through the crust as halide complexes in hydrothermal fluids.

Soil, vegetation or water may be analysed by this method.

CODE	DESCRIPTION	PRICE PER SAMPLE
VEG-ASH01	Vegetation sample is ashed at 475°C for 24 hours. Pre- and post-ashing weights are reported. Average ash yields are 2-4% for species commonly used in exploration surveys. **Minimum sample weight required 100g.**	**$9.45**
HAL-PREP01	Sample pre-treatment for super trace halogens analysis. Required for soils. **Minimum sample weight required varies, contact your local lab to discuss your project.**	**$12.75**

CODE	ANALYTES & DETECTION LIMITS (ppm)				DESCRIPTION	PRICE PER SAMPLE
ME-HAL01™	F	0.05	Cl	0.1	De-ionised water leach with ICP-MS & ion chromatograph analysis.	**$37.85**
	Br	0.02	I	0.002		

For halogen analysis on vegetation use code ME-HAL01a™ and for water use code ME-HAL01w™.

Ionic Leach™

Ionic Leach™ is designed to enhance the most subtle labile geochemical anomalies for a wide range of commodities. It is a static sodium cyanide leach using the chelating agents ammonium chloride, citric acid and EDTA with the leachant buffered at an alkaline pH of 8.5.

Nominal sample weight is 50g (wet weight, no screening).

CODE	ANALYTES & DETECTION LIMITS (ppb)								PRICE PER SAMPLE	
ME-MS23™	Ag	0.1	Eu	0.1	Nb	0.1	Tb	0.1	**$44.95**	
	As	0.5	Fe	0.1ppm	Nd	0.1	Te	0.5		
	Au	0.02	Ga	0.5	Ni	1	Th	0.02		
	Ba	10	Gd	0.1	Pb	0.1	Ti	5		
	Be	0.2	Ge	0.1	Pd	0.05	Tl	0.05		
	Bi	0.3	Hf	0.05	Pr	0.1	Tm	0.1		
	Br	0.05ppm	Hg	0.1	Pt	0.1	U	0.05		
	Ca	0.2ppm	Ho	0.1	Rb	0.1	V	0.2		
	Cd	0.2	I	0.01ppm	Re	0.01	W	0.1		
	Ce	0.1	In	0.1	Sb	0.5	Y	0.1		
	Co	0.3	La	0.1	Sc	1	Yb	0.1		
	Cr	1	Li	0.2	Se	2	Zn	10		
	Cs	0.1	Lu	0.1	Sm	0.1	Zr	0.1		
	Cu	1	Mg	0.01ppm	Sn	0.2				
	Dy	0.1	Mn	0.01ppm	Sr	1				
	Er	0.1	Mo	0.5	Ta	0.05				
MS23-PbIS™	^{204}Pb	0.01	^{206}Pb	0.01	^{207}Pb	0.01	^{208}Pb	0.02	**$10.80**	*Add-on only*



Other Selective Leaches

In addition to Ionic Leach™, ALS offers a variety of standard partial leaches targeting particular soil fractions. They can be done individually or in sequence to best suit project needs.

Minimum sample size is 5g for each leach or for any combination in sequence.

Please enquire for more details.

Hydrogeochemistry

Water that has interacted with rock will take on trace elements which are then transported with the water, producing a larger footprint diagnostic of that rock. Where collection of traditional media such as soils is difficult or impossible such as in swamps, in areas with significant transported cover, and areas where invasive sampling is not possible, hydrogeochemistry provides a direct detection tool on the same scale as stream sediment sampling.

ALS offers multiple reliable and cost-effective water analysis packages to suit your exploration program.

Trace elements and metals analyses require at least 50mL of water. Au requires a minimum of 100mL of water. Anions and physical parameters require a minimum of 150mL of water.

Please contact ALS for information on sampling methodology and preservation if needed. Sampling kits may be purchased at some locations, please enquire.

CODE	DESCRIPTION	PRICE PER SAMPLE
WAT-PREP02	Filter water samples to <0.45um and acidify with nitric acid before analysis. Required when field filtering and acidification has not been performed.	**$5.80**
WAT-PREP03	Filter water samples to <0.45um before analysis. Required when water has not been filtered before submittal.	**$3.85**
WAT-PREP04	Acidify water samples with nitric acid before analysis. Required when samples have not been acidified before submittal.	**$2.00**
WAT-PREP05	Chemical treatment of water samples to desorb Au from containers before analysis.	**$3.00**

CODE	ANALYTES & DETECTION LIMITS (µg/L)								PRICE PER SAMPLE	
ME-MS14L™	Au	0.002	Cu	0.1	Ni	0.2	Ta	0.01	**$61.60**	
	Ag	0.005	Fe	0.003mg/L	P	0.005mg/L	Te	0.01		
	Al	3	Ga	0.05	Pb	0.05	Th	0.005		
	As	0.05	Hf	0.005	Pd	0.005	Ti	0.2		
	B	3	Hg	0.05	Pt	0.005	Tl	0.002		
	Ba	0.05	In	0.01	Rb	0.01	U	0.002		
	Be	0.005	K	0.01mg/L	Re	0.002	V	0.05		
	Bi	0.01	La	0.005	S	0.2mg/L	W	0.01		
	Ca	0.02mg/L	Li	0.1	Sb	0.01	Y	0.005		
	Cd	0.005	Mg	0.005mg/L	Sc	0.01	Zn	0.5		
	Ce	0.005	Mn	0.05	Se	0.05	Zr	0.02		
	Co	0.005	Mo	0.05	Si	0.03mg/L				
	Cr	0.5	Na	0.01mg/L	Sn	0.05				
	Cs	0.005	Nb	0.005	Sr	0.05				
MS14L-REE™	Dy	0.005	Gd	0.005	Nd	0.005	Tb	0.005		
	Er	0.005	Ho	0.005	Pr	0.005	Tm	0.005	**$18.20**	*Add-on only*
	Eu	0.005	Lu	0.005	Sm	0.005	Yb	0.005		
MS14L-ANPH™	Br	0.05mg/L	NO_3	0.005mg/L	pH	0.1 units	Conductivity	2µS/cm		
	Cl	0.5mg/L	SO_4	0.5mg/L	TDS	3mg/L	Total Alkalinity	1mg/L	**$52.45**	*Add-on only**
	F	0.02mg/L								

* Speciated alkalinity (bicarbonate, hydroxide and carbonate ion) and density can also be determined at additional cost. For brines and high TDS water please use ME-MS14 or ME-ICP15.

Super Trace Au and Pathfinders

Our new super trace gold and pathfinder package offers industry leading detection limits for exploration of many gold bearing ore systems. Suitable for surface and ground waters.

CODE	ANALYTES & DETECTION LIMITS (µg/L)								PRICE PER SAMPLE
Au-PATH14L™	Au	0.0002-10	Co	0.005-1000	Pt	0.01-100	Tl	0.005-1000	
	Ag	0.005-100	Pd	0.005-100	Sb	0.02-1000	W	0.02-1000	**$46.20**
	As	0.2-1000							





Biogeochemistry

Plants selectively absorb trace elements from soil, bedrock and water at depth and incorporate them into their tissue. Analyses of plant tissues can therefore be used as a large-scale geochemical sampling device in areas where the rocks of interest are covered by transported cover and non-prospective lithologies. Careful selection of plant species, tissue type and growth age are important factors to be considered as the geochemical response will vary with these factors.

ALS provides multiple digestion and preparation methods for explorers using this sample media. Preparation methods can include the separation of the tissue of interest from other plant parts, milling and ashing.

Ashing results in the concentration of many elements of interest to explorers and when calculated back to the original pre-ashed weight has the effect of dropping detection limits of many elements by an order of magnitude. Please contact your local lab to discuss your specific project goals.

CODE	DESCRIPTION	PRICE PER SAMPLE
VEG-MILL01	Milling of dry plant tissue to 100% passing 1mm. Produces a homogenous and representative pulp that can be subsampled for analysis.	**$9.45**
VEG-ASH01	Vegetation sample is ashed at 475°C for 24 hours. Pre- and post-ashing weights are reported. Average ash yields are 2-4% for species commonly used in exploration surveys. **Minimum recommended sample weight is 100g.**	**$9.45**

CODE	ANALYTES & DETECTION LIMITS (ppm)								PRICE PER SAMPLE
ME-VEG41™ unashed ME-VEG41a™ ashed **1g sample**	Ag	0.001	Cu	0.01	Nb	0.002	Ta	0.001	**$28.40**
	Al	0.01%	Fe	1	Ni	0.04	Te	0.005	
	As	0.01	Ga	0.004	P	0.001%	Th	0.002	
	Au	0.0002	Ge	0.005	Pb	0.01	Ti	0.001%	
	B	1	Hf	0.002	Pd	0.001	Tl	0.002	
	Ba	0.1	Hg	0.001	Pt	0.001	U	0.005	
	Be	0.01	In	0.005	Rb	0.01	V	0.05	
	Bi	0.001	K	0.01%	Re	0.001	W	0.01	
	Ca	0.01%	La	0.002	S	0.01%	Y	0.003	
	Cd	0.001	Li	0.1	Sb	0.01	Zn	0.1	
	Ce	0.003	Mg	0.001%	Sc	0.01	Zr	0.02	
	Co	0.002	Mn	0.1	Se	0.005			
	Cr	0.01	Mo	0.01	Sn	0.01			
	Cs	0.005	Na	0.001%	Sr	0.02			
VEG41-REE™ unashed VEG41a-REE™ ashed	Dy	0.002	Gd	0.002	Nd	0.001	Tb	0.001	**$6.85** *Add-on only*
	Er	0.002	Ho	0.001	Pr	0.002	Tm	0.001	
	Eu	0.002	Lu	0.001	Sm	0.003	Yb	0.003	
VEG41a-FAC™ Detection limits when back-calculated using the original pre-ash weight of the sample	Ag	0.00005	Cu	0.0005	Nb	0.0001	Ta	0.00005	**$28.40**
	Al	0.0005%	Fe	0.05	Ni	0.002	Te	0.0003	
	As	0.0005	Ga	0.0002	P	0.00005%	Th	0.0001	
	Au	0.00001	Ge	0.0003	Pb	0.0005	Ti	0.00005%	
	B	0.05	Hf	0.0001	Pd	0.00005	Tl	0.0001	
	Ba	0.005	Hg	0.00005	Pt	0.0001	U	0.0003	
	Be	0.0005	In	0.0003	Rb	0.0005	V	0.003	
	Bi	0.00005	K	0.0005%	Re	0.00005	W	0.0005	
	Ca	0.0005%	La	0.0001	S	0.0005%	Y	0.0002	
	Cd	0.00005	Li	0.005	Sb	0.0005	Zn	0.005	
	Ce	0.0002	Mg	0.00005%	Sc	0.0005	Zr	0.001	
	Co	0.0001	Mn	0.005	Se	0.0003			
	Cr	0.0005	Mo	0.0005	Sn	0.0005			
	Cs	0.0003	Na	0.00005%	Sr	0.001			
VEGFAC-REE™	Dy	0.0001	Gd	0.0001	Nd	0.00005	Tb	0.00005	**$6.85** *Add-on only*
	Er	0.0001	Ho	0.00005	Pr	0.0001	Tm	0.00005	
	Eu	0.0001	Lu	0.00005	Sm	0.0002	Yb	0.0002	

Targeted Exploration

No single method covers all types of geological materials for all geochemically-relevant elements at all concentrations. Sample type, commodity of interest, geochemical pathfinders and expected concentration of target elements should all be considered when selecting appropriate methods for your project.

Broadly, aqua regia readily dissolves many sulphide, oxide and carbonate minerals, as well as retaining mercury, a particularly volatile element. Four acid digestions quantitatively dissolve nearly all minerals, but it may sometimes be necessary to use even stronger techniques such as fusions in order to fully digest barite, rare earth oxides, and tin, tungsten, niobium and tantalum minerals.

The choice between various instrument finishes should be informed by the expected concentrations of the elements of interest in the sample.

Please submit at least four times the nominal sample weight for efficient service.



Aqua Regia With ICP-MS Finish

Method selection can be key to achieving exploration success. Sample type, target commodity, and pathfinder elements should all be considered when selecting the most appropriate method for your project.

Aqua regia is an excellent exploration tool for various deposit types that involve gold, silver and base metals hosted in sulphide and carbonate minerals.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS41™ **0.5g sample**	Ag	0.01-100	Cs	0.05-500	Mo	0.05-10,000	Sr	0.2-10,000	**$26.70**
	Al	0.01-25%	Cu	0.2-10,000	Na	0.01%-10%	Ta	0.01-500	
	As	0.1-10,000	Fe	0.01%-50%	Nb	0.05-500	Te	0.01-500	
	Au*	0.02-25	Ga	0.05-10,000	Ni	0.2-10,000	Th	0.2-10,000	
	B	10-10,000	Ge	0.05-500	P	10-10,000	Ti	0.005%-10%	
	Ba	10-10,000	Hf	0.02-500	Pb	0.2-10,000	Tl	0.02-10,000	
	Be	0.05-1,000	Hg	0.01-10,000	Rb	0.1-10,000	U	0.05-10,000	
	Bi	0.01-10,000	In	0.005-500	Re	0.001-50	V	1-10,000	
	Ca	0.01%-25%	K	0.01%-10%	S	0.01%-10%	W	0.05-10,000	
	Cd	0.01-1,000	La	0.2-10,000	Sb	0.05-10,000	Y	0.05-500	
	Ce	0.02-500	Li	0.1-10,000	Sc	0.1-10,000	Zn	2-10,000	
	Co	0.1-10,000	Mg	0.01%-25%	Se	0.2-1,000	Zr	0.5-500	
	Cr	1-10,000	Mn	5-50,000	Sn	0.2-500			

* Gold determinations by this method are semi-quantitative due to the small sample weight used. For Au with multi-element using a 25g or 50g charge please use AuME-TL43™ or AuME-TL44™.

Single Elements by Aqua Regia

When analytical results for one or only a few elements with low detection limits are required. More elements are available on request.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS42™ **0.5g sample**	Ag	0.01-25	Hg	0.005-25	Se	0.2-250	U	0.05-250	**$14.20**
	As	0.1-250	Re	0.001-250	Te	0.01-250			+ *$1.45 /element*
	Bi	0.01-250	Sb	0.05-250	Tl	0.02-250			

Request specific elements.

Four Acid Digestion With ICP-MS Finish

Four acid digestion quantitatively dissolves nearly all minerals in the majority of geological materials. However, barite, rare earth oxides, columbite-tantalite, and titanium, tin and tungsten minerals may not be fully digested.

Despite the potentially incomplete digestion of REEs, the leachable portion of these elements may hold important exploration vectoring information and can be chosen as an add-on.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS61™ **0.25g sample**	Ag	0.01-100	Cu	0.2-10,000	Na	0.01%-10%	Sr	0.2-10,000	**$32.00**
	Al	0.01%-50%	Fe	0.01%-50%	Nb	0.1-500	Ta	0.05-500	
	As	0.2-10,000	Ga	0.05-10,000	Ni	0.2-10,000	Te	0.05-500	
	Ba	10-10,000	Ge	0.05-500	P	10-10,000	Th	0.01-10,000	
	Be	0.05-1,000	Hf	0.1-500	Pb	0.5-10,000	Ti	0.005%-10%	
	Bi	0.01-10,000	In	0.005-500	Rb	0.1-10,000	Tl	0.02-10,000	
*ME-MS61m™ **0.75g sample**	Ca	0.01%-50%	K	0.01%-10%	Re	0.002-50	U	0.1-10,000	**$43.90**
	Cd	0.02-1,000	La	0.5-10,000	S	0.01%-10%	V	1-10,000	
	Ce	0.01-500	Li	0.2-10,000	Sb	0.05-10,000	W	0.1-10,000	
	Co	0.1-10,000	Mg	0.01%-50%	Sc	0.1-10,000	Y	0.1-500	
	Cr	1-10,000	Mn	5-100,000	Se	1-1,000	Zn	2-10,000	
	Cs	0.05-500	Mo	0.05-10,000	Sn	0.2-500	Zr	0.5-500	
ME-MS61r™	Dy	0.05-1,000	Gd	0.05-1,000	Nd	0.1-1,000	Tb	0.01-1,000	**$40.00** Full suite
	Er	0.03-1,000	Ho	0.01-1,000	Pr	0.03-1,000	Tm	0.01-1,000	
	Eu	0.03-1,000	Lu	0.01-1,000	Sm	0.03-1,000	Yb	0.03-1,000	

* Note: To include Hg by a separate method in the suite of elements above, please request ME-MS61m™ instead of ME-MS61™.

Single Elements by Four Acid

When analytical results for one or only a few elements with low detection limits are required. More elements are available on request.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS62™ **0.25g sample**	Ag	0.01-100	Ga	0.05-500	Se	1-500	Tl	0.02-500	**$17.10**
	As	0.2-500	Mo	0.05-500	Sn	0.2-500	U	0.1-500	+ *$1.45 / element*
	Bi	0.01-500	Re	0.002-100	Te	0.05-500	W	0.1-500	
	Cd	0.02-500	Sb	0.05-500	Th	0.01-500			

Request specific elements.

Aqua Regia With ICP-AES Finish

These methods are economical tools for first pass exploration geochemistry. Data reported from an aqua regia digestion should be considered as representing only the leachable portion of the particular analyte.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-ICP41 **0.5g sample**	Ag	0.2-100	Co	1-10,000	Mn	5-50,000	Sr	1-10,000	**$13.20** *full package* *or $6.40* + *$0.85 /element*
	Al	0.01%-25%	Cr	1-10,000	Mo	1-10,000	Th	20-10,000	
	As	2-10,000	Cu	1-10,000	Na	0.01%-10%	Ti	0.01%-10%	
	B	10-10,000	Fe	0.01%-50%	Ni	1-10,000	Tl	10-10,000	
	Ba	10-10,000	Ga	10-10,000	P	10-10,000	U	10-10,000	
*ME-ICP41m **1g sample**	Be	0.5-1,000	Hg	1-10,000	Pb	2-10,000	V	1-10,000	**$20.05**
	Bi	2-10,000	K	0.01%-10%	S	0.01%-10%	W	10-10,000	
	Ca	0.01%-25%	La	10-10,000	Sb	2-10,000	Zn	2-10,000	
	Cd	0.5-1,000	Mg	0.01%-25%	Sc	1-10,000			

*To include Hg to a lower detection limit of 0.005ppm by a separate method, please request package ME-ICP41m.

Four Acid Digestion With ICP-AES Finish

Four acid digestions are able to dissolve most minerals, but although the term "near-total" is used, not all elements are quantitatively extracted in some sample matrices.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-ICP61 **0.25g sample**	Ag	0.5-100	Cr	1-10,000	Na	0.01%-10%	Ti	0.01%-10%	**$17.10** *full package* *or $9.10* + *$0.85 /element*
	Al	0.01%-50%	Cu	1-10,000	Ni	1-10,000	Tl	10-10,000	
	As	5-10,000	Fe	0.01%-50%	P	10-10,000	U	10-10,000	
	Ba	10-10,000	Ga	10-10,000	Pb	2-10,000	V	1-10,000	
	Be	0.5-1,000	K	0.01%-10%	S	0.01%-10%	W	10-10,000	
*ME-ICP61m **0.75g sample**	Bi	2-10,000	La	10-10,000	Sb	5-10,000	Zn	2-10,000	**$29.00**
	Ca	0.01%-50%	Mg	0.01%-50%	Sc	1-10,000			
	Cd	0.5-1,000	Mn	5-100,000	Sr	1-10,000			
	Co	1-10,000	Mo	1-10,000	Th	20-10,000			

* To include Hg in the suite of elements above, please request method ME-ICP61m

Mercury

Aqua regia quantitatively dissolves Hg and uses a digestion temperature low enough to avoid fuming off this volatile element.

CODE	ANALYTE & RANGES (ppm)		DESCRIPTION	PRICE PER SAMPLE
Hg-MS42	Hg	0.005-100	Trace level Hg by aqua regia and ICP-MS. **0.5g sample**	**$11.90**
Hg-ICP42	Hg	1-100,000	High grade Hg by aqua regia and ICP-AES. **0.5g sample**	**$11.35**
Hg-CON01	Hg	1-10,000	Hg in ores by acid digestion and ICP-AES. **2g sample**	**$85.30**

Resistive Elements By Fusion

The lithium borate fusion & ICP-MS finish allows analysis of the most resistive elements at trace levels. Additional elements are available on request.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS85™ **0.1g sample**	Ce	0.1-10,000	Rb	0.2-10,000	Ta	0.1-2,500	W	1-10,000	**$19.05** + *$1.45 /element*
	La	0.1-10,000	Sn	1-10,000	Th	0.05-1,000	Y	0.1-10,000	
	Nb	0.1-2,500	Sr	0.1-10,000	U	0.05-1,000	Zr	2-10,000	

Note: For high-grade range request ME-MS85h

Portable XRF for Lithogeochemistry

The crucial lithogeochemical elements - silicon, titanium and zirconium - may be added to any ALS four acid method for a more complete element suite.

CODE	ANALYTES & RANGES	PRICE PER SAMPLE
pXRF-34	Portable XRF scan of an unmineralised pulverised sample. Ranges: Si 0.5%-47% Ti 0.1%-60% Zr 5ppm-5% **15g sample**	**$4.05** *Add-on to multi-element analysis only.*

Intermediate Level Aqua Regia


These packages can be used as an economical alternative to analysing low grade ore or samples with known mineralisation. Data reported from an aqua regia digestion should be considered as representing only the leachable portion of the particular analyte.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-ICP41a **0.4g sample**	Ag	1-200	Cr	5-50,000	Mo	5-50,000	Th	100-50,000	**$21.30** *full package* *or $12.75* *+ $2.75 /element*
	Al	0.05%-50%	Cu	5-50,000	Na	0.05%-50%	Ti	0.05%-50%	
	As	10-100,000	Fe	0.05%-50%	Ni	5-50,000	Tl	50-50,000	
	Ba	50-50,000	Ga	50-50,000	P	50-50,000	U	50-50,000	
	Be	5-500	Hg	5-50,000	Pb	10-50,000	V	5-50,000	
	Bi	10-50,000	K	0.05%-50%	S	0.05%-10%	W	50-50,000	
	Ca	0.05%-50%	La	50-50,000	Sb	10-50,000	Zn	10-50,000	
	Cd	5-2,500	Mg	0.05%-50%	Sc	5-50,000			
	Co	5-50,000	Mn	25-50,000	Sr	5-50,000			

Intermediate Level Four Acid Digestion

These packages can be used as an economical alternative to analysing low grade ore or samples with known mineralisation. Four acid digestions are able to dissolve most minerals, but not all elements are quantitatively extracted in some samples.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-ICP61a **0.4g sample**	Ag	1-200	Cr	10-100,000	Na	0.05%-30%	Ti	0.05%-30%	**$24.20** *full package* *or $15.65* *+ $2.75 /element*
	Al	0.05%-30%	Cu	10-100,000	Ni	10-100,000	Tl	50-50,000	
	As	50-100,000	Fe	0.05%-50%	P	50-100,000	U	50-50,000	
	Ba	50-50,000	Ga	50-50,000	Pb	20-100,000	V	10-100,000	
	Be	10-10,000	K	0.1%-30%	S	0.05%-10%	W	50-50,000	
	Bi	20-50,000	La	50-50,000	Sb	50-50,000	Zn	20-100,000	
	Ca	0.05%-50%	Mg	0.05%-50%	Sc	10-50,000			
	Cd	10-10,000	Mn	10-100,000	Sr	10-100,000			
	Co	10-50,000	Mo	10-50,000	Th	50-50,000			



Halogens

Elemental analysis of the halide minerals containing chlorine and fluorine generally require fusions that will retain the elements in solution, as well as specific instrumentation for analysis.

CODE	ANALYTES & RANGES (ppm)		DESCRIPTION		PRICE PER SAMPLE
Cl-IC881	Cl	50-20,000	KOH fusion and ion chromatography.	**0.2g sample**	**$23.80**
Cl-ELE81a	Cl	50-20,000	Specific to Cl in phosphates only. KOH fusion and ion selective electrode.	**1g sample**	**$21.30**
Cl-XRF20	Cl	0.001%-6%	Lithium borate fusion and XRF.	**0.7g sample**	**$21.30**
Cl-VOL66	Cl	0.01-65%	Nitric acid digestion and titration.	**1g sample**	**$35.95**
F-IC881	F	20-20,000	KOH fusion and ion chromatography.	**0.2g sample**	**$23.80**
F-ELE81a	F	20-20,000	KOH fusion and ion selective electrode.	**0.2g sample**	**$21.30**
F-ELE82	F	0.01-100%	Na_2O_2 fusion, citric acid leach and ion selective electrode.	**0.1g sample**	**$31.55**
ME-IC881	Cl F	50-20,000 20-20,000	KOH fusion and ion chromatography.	**0.2g sample**	**$33.30**

Loss On Ignition

LOI measures the content of a sample lost as gases when subjected to high temperatures, often including water and CO_2. Many more temperatures and ignition times are available, please enquire.

CODE	ANALYTES & RANGES (%)		DESCRIPTION	PRICE PER SAMPLE
OA-GRA10	H_2O (Moisture)	0.01-100	Gravimetric procedure after drying at 105°C. 2 hours (normal samples). 24 hours (hygroscopic samples). **5g sample**	**$17.10**
OA-GRA11				**$17.95** *QAQC samples inserted for monitoring*
OA-IR06	H_2O + (Water of Crystallization)	0.01-100	Combustion furnace and infrared spectrometry. **1g sample**	**$17.10**
OA-GRA05xf	LOI @ 500°C	0.01-100	Loss on Ignition at 500ºC after sample is pre-dried at 105ºC. **1g sample.**	**$14.20**
OA-GRA05	LOI @ 1000°C	0.01-100	Loss on Ignition at 1000ºC on an as received basis. **1g sample.**	**$10.05**



Stable Isotopes

Many important parameters of mineralising fluids may be determined from stable isotope ratios. The isotopic alteration halo may extend beyond visible mineralogy changes, creating a larger deposit footprint for easier exploration vectoring.

CODE	ANALYTE	DESCRIPTION	PRICE PER SAMPLE
LS-ISTP01	C and O in Carbonate Minerals MDRU Mineral Deposit Research Unit	Offered in partnership with the Mineral Deposit Research Unit (MDRU) at the University of British Columbia. Carbon and oxygen isotopic composition is determined specifically on carbonate minerals in whole-rock pulps using laser spectroscopy. **0.5g sample**	**$39.35**
O-ISTP01	O and H in Silicate Minerals	Specific to clays and silicate minerals. Determination using a complex gas collection procedure and IRMS. Sample must be supplied as a single-mineral separate. TAT is 30 days.	**$140.00** *each*
H-ISTP01			
S-ISTP01	Sulphur	Specific to sulphide and sulphate minerals. Determination using TC/EA and IRMS. Sample must be supplied as a single-mineral separate. TAT is 30 days.	**$72.00**
CO-ISTP01	Carbon and Oxygen	Specific to minerals containing carbon and/or oxygen. Determination using acid digestion and IRMS. Sample must be supplied as a single-mineral separate. TAT is 30 days.	**$52.00**

Pb Isotope Ratios For Exploration

This fast, low-cost analysis of Pb isotope ratios in pulps allows fingerprinting of different lithologies and hydrothermal fluid flow pathways, providing a new vector to ore deposits.

CODE	ANALYTE	DESCRIPTION	PRICE PER SAMPLE
PbIS-RAT41	Six isotope ratios including ^{204}Pb, ^{206}Pb, ^{207}Pb, and ^{208}Pb isotopes	Pb isotope ratios by acid digestion and ICP-MS analysis. Total Pb content of the sample is required in advance. May be run on whole rock pulps. **0.5g sample**	**$38.15**
PbIS-RAT61		For Aqua Regia Digestion request PbIS-RAT41 For Four Acid Digestion request PbIS-RAT61	**$41.75**

NOTE: Samples must contain >2ppm Pb for analysis to be viable

Radiogenic Isotopes

These methods provide insight into provenance and character of hydrothermal fluids and rock genesis, helping unravel geological history for a more sophisticated understanding of your ore body.

CODE	ANALYTE	DESCRIPTION	PRICE PER SAMPLE
Pb-ISTP01	Pb/Pb	May be done on whole rock pulps or on specific Pb-bearing minerals. Measurement by acid digestion and HR-ICP-MS. Samples may require Hg separation at an additional cost. TAT is 30 days.	**$335.00**
Nd-ISTP01	Sm/Nd	Performed on whole rock pulps. Measurement by column separation and HR-ICP-MS. Total Sm and Nd content is required in advance. TAT is 30 days.	**$613.00**

Geochronology

These methods may be used to date the ages of specific minerals, hydrothermal alteration events, and emplacement of volcanic-plutonic units. Age constraints on important events can help refine the deposit model and identify alteration that did not contribute to mineralisation.

Sample sizes required for most isotopic analysis methods vary depending on mineralogy and purpose; please contact client services for more information.

CODE	ANALYTE	DESCRIPTION	PRICE PER SAMPLE
Ar-ISTP01	Ar/Ar	Done on targeted minerals. Rock and drill core should be submitted intact or crushed only, as sample prep is included in the price. Measurement by irradiation and step heating in a mass spectrometer. Price includes sample preparation. Turnaround time approximately 12 months.	**$1,934.40**
Re-ISTP01	Re/Os	Specific to molybdenite. Rock or drill core must be received whole as steel jaw crushing will contaminate the sample with Re. Age can only be determined for rocks of >0.5 Ma, and the molybdenite separate must contain >100ppm Re. Price includes mineral separation, solvent extraction, column separation and TIMS analysis. TAT is 70 days.	**$1,954.95**
U-ISTP02 U-ISTP03	U/Pb	U-Pb dating by LA-ICP-MS of igneous rocks using zircon and monazite. Age of the sample is reported. Analysis includes a standard set of 30 elements, including REE. Price includes preparation of up to 1kg of sample.	**$980.00** */20 grains**
		U-Pb dating of detrital grains by LA-ICP-MS. Age probability distribution in the sample is reported. Analysis includes a standard set of 30 elements, including REE. Preparation of 2kg of sample included in price.	**$1,625.00** */60 grains**

* larger numbers of grains can be analyed at an increased cost.

Mineral Chemistry

ALS has partnered with CODES Analytical Laboratories, at the University of Tasmania, to provide state of the art mineral analyses for exploration, mining and metallurgical applications.

CODES Analytical Laboratories

CODES

CODE	ANALYTE	DESCRIPTION	PRICE PER SAMPLE
LA-MIN	Laser ablation mineral analyses	Quantitative analyses of in situ minerals. Advantage of small spot size (15-80 micron). Trace and major element compositions are reported.	**$40.00** */analysis*
MIN-MOUNT	Mineral mounts	Preparation of 25 mm round mounts for in-situ mineral analyses in rock samples (no crushing, mineral separation and grain mounting).	**$54.00** */mount*
SEM-IMG	Grain imaging	CL imaging of grains for isotopic dating using SEM. Cost dependent on number of grains or amount of time taken for mineral relationship imaging.	**$145.00** */30 grains*
PREP-THINP PREP-THINS	Thin section preparation	Preparation of thin sections for both reflected light microscopy and SEM analysis, and for transmitted light microscopy only.	**$108.00** *per section/ Reflected light, SEM* **$54.00** *per section/ transmitted light*

Whole Rock Analysis, Litho-geochemistry, Sulphur and Carbon

The investigation of geological and ore forming processes is enhanced by targeted lithogeochemical analyses that are often carried out on a sub-set of samples during a thorough geochemical program. They are used to fully characterise rock type, along with trace element changes due to metamorphism, alteration and mineralisation. As there is no single analytical method that can fully define the full range of elements that are required for effective lithogeochemical investigations, ALS offers packaged combinations of analytical methods most appropriate for every element and designed to provide comprehensive information for, essentially, complete rock characterisation.

A wide variety of sulphur and carbon minerals and compounds are often found associated with ore deposits. These minerals can impact ore processing and how waste can be stored during mining. Identifying what form these elements are present in has important implications for ore and waste characterisation. These methods are also powerful tools when combined with large geochemical data sets for geometallurgy investigations.

Please submit at least four times the nominal sample weight for efficient service.



Whole Rock Analysis

Both X-Ray fluorescence (XRF) and ICP-AES instrument finishes can be used effectively for the major rock-forming elements following a fusion. These methods are not suitable for samples with base or precious metals mineralisation.

Specific commodities such as iron ore, bauxite, and base metal sulphides should be analysed with packages designed for those sample types. Please see the Ores & Commodities section for more whole rock analysis options.

CODE	ANALYTES AND RANGES (%)								DESCRIPTION	PRICE PER SAMPLE
ME_XRF26* **2g sample**	Al_2O_3	0.01-100	Fe_2O_3	0.01-100	Na_2O	0.01-10	SrO	0.01-1.5	Fused disc XRF, LOI by furnace or TGA	**$35.50**
	BaO	0.01-66	K_2O	0.01-15	P_2O_5	0.01-46	TiO_2	0.01-30		
	CaO	0.01-60	MgO	0.01-50	SO_3	0.01-34	LOI	0.01-100		
	Cr_2O_3	0.01-10	MnO	0.01-39	SiO_2	0.01-100				

* For unmineralised samples with moderate sulphide content, please request ME_XRF06.
For mineralised and/or high sulphide content >4%, please request ME-XRF15c. Performed on dried sample therefore expected to report slightly higher than ME_XRF06.

CODE	ANALYTES AND RANGES (%)								DESCRIPTION	PRICE PER SAMPLE
ME_ICP06* **2g sample**	Al_2O_3	0.01-100	Fe_2O_3	0.01-100	Na_2O	0.01-100	TiO_2	0.01-100	Fused bead, acid digestion and ICP-AES. LOI by furnace or TGA	**$35.50**
	BaO	0.01-100	K_2O	0.01-100	P_2O_5	0.01-100	LOI	0.01-100		
	CaO	0.01-100	MgO	0.01-100	SiO_2	0.01-100				
	Cr_2O_3	0.002-100	MnO	0.01-100	SrO	0.01-100				

*For mineralised and/or high sulphide content >4%, please request ME-XRF15c.

Both the ME_XRF26 and ME_ICP06 packages include LOI by furnace or TGA.

Trace Elements by Li Borate Fusion

A lithium borate fusion prior to acid dissolution and ICP-MS analysis provides the most quantitative analytical approach for a broad suite of trace elements. Options for adding the whole rock elements from an ICP-AES analysis on the same fusion, or base metals from a separate four acid digestion, are available.

CODE	ANALYTES AND RANGES (ppm)								DESCRIPTION	PRICE PER SAMPLE
ME-MS81™ **2g sample**	Ba	0.5-10,000	Hf	0.1-10,000	Sn	1-10,000	Y	0.1-10,000	Fused bead, acid digestion and ICP-MS	**$35.60**
	Ce	0.1-10,000	Ho	0.01-1,000	Sr	0.1-10,000	Yb	0.03-1,000		
	Cr	10-10,000	La	0.1-10,000	Ta	0.1-2,500	Zr	2-10,000		
	Cs	0.01-10,000	Lu	0.01-1,000	Tb	0.01-1,000				
	Dy	0.05-1,000	Nb	0.1-2,500	Th	0.05-1,000				
	Er	0.03-1,000	Nd	0.1-10,000	Tm	0.01-1,000				
	Eu	0.02-1,000	Pr	0.02-1,000	U	0.05-1,000				
	Ga	0.1-1,000	Rb	0.2-10,000	V	5-10,000				
	Gd	0.05-1,000	Sm	0.03-1,000	W	1-10,000				
ME-MS81d™	Combination of Rare Earth & Trace Elements from method ME-MS81™ plus whole rock package by method ME-ICP06.									**$49.75**
ME-4ACD81 **0.25g sample**	Ag	0.5-100	Co	1-10,000	Mo	1-10,000	Sc	1-10,000	Four acid digestion and ICP-AES	**$8.55** Add on to borate fusion methods only
	As	5-10,000	Cu	1-10,000	Ni	1-10,000	Tl	10-10,000		
	Cd	0.5-1,000	Li	10-10,000	Pb	2-10,000	Zn	2-10,000		





Complete Characterisation Packages

By combining a number of methods into one cost effective package, a complete sample characterisation is obtained. These packages combine whole rock analysis, trace elements by fusion, aqua regia digestion for the volatile trace elements, carbon and sulphur by combustion analysis, and several detection limit options for the base metals.

Other method combinations are available for complete characterisation. Please enquire with your local client services team for more information.

These packages are suitable only for unmineralised samples. To add gold analysis, please see the Precious Metals section.

Minimum sample size is 10g.

CODE	ANALYTES AND RANGES (ppm)								PRICE PER SAMPLE
ME-ICP06	SiO_2	0.01-100%	MgO	0.01-100%	TiO_2	0.01-100%	BaO	0.01-100%	Sold only as complete packages. CCP-PKG01 **$86.05** CCP-PKG03 **$97.35** Includes ME-XRF26 instead of ME-ICP06
	Al_2O_3	0.01-100%	Na_2O	0.01-100%	MnO	0.01-100%	LOI	0.01-100%	
	Fe_2O_3	0.01-100%	K_2O	0.01-100%	P_2O_5	0.01-100%			
	CaO	0.01-100%	Cr_2O_3	0.002-100%	SrO	0.01-100%			
ME-IR08	C	0.01-50%	S	0.01-50%					
ME-MS81™	Ba	0.5-10,000	Gd	0.05-1,000	Sm	0.03-1,000	W	1-10,000	
	Ce	0.1-10,000	Hf	0.1-10,000	Sn	1-10,000	Y	0.1-10,000	
	Cr	10-10,000	Ho	0.01-1,000	Sr	0.1-10,000	Yb	0.03-1,000	
	Cs	0.01-10,000	La	0.1-10,000	Ta	0.1-2,500	Zr	2-10,000	
	Dy	0.05-1,000	Lu	0.01-1,000	Tb	0.01-1,000			
	Er	0.03-1,000	Nb	0.1-2,500	Th	0.05-1,000			
	Eu	0.02-1,000	Nd	0.1-10,000	Tm	0.01-1,000			
	Ga	0.1-1,000	Pr	0.02-1,000	U	0.05-1,000			
	Ge	5-1,000	Rb	0.2-10,000	V	5-10,000			
ME-MS42™*	As	0.1-250	In	0.005-250	Se	0.2-250			
	Bi	0.01-250	Re	0.001-250	Te	0.01-250			
	Hg	0.005-25	Sb	0.05-250	Tl	0.02-250			
ME-4ACD81	Ag	0.5-100	Cu	1-10,000	Ni	1-10,000	Zn	2-10,000	
	Cd	0.5-1,000	Li	10-10,000	Pb	2-10,000			
	Co	1-10,000	Mo	1-10,000	Sc	1-10,000			
ME-MS61™	Ag	0.01-100	Cu	0.2-10,000	Ni	0.2-10,000	Zn	2-10,000	CCP-PKG05 **$100.30** Includes ME-MS61™ instead of ME-4ACD81
	Cd	0.02-1,000	Li	0.2-10,000	Pb	0.5-10,000			
	Co	0.1-10,000	Mo	0.05-10,000	Sc	0.1-10,000			
ME-MS61L™	Ag	0.002-100	Cu	0.02-10,000	Ni	0.08-10,000	Zn	0.2-10,000	CCP-PKG06 **$113.50** Includes ME-MS61L™ with super trace detection limits.
	Cd	0.005-1,000	Li	0.2-10,000	Pb	0.01-10,000			
	Co	0.005-10,000	Mo	0.02-10,000	Sc	0.01-10,000			

*Other customisable options such as super trace detection limits ME-MS42L™ available for substitution of ME-MS42™

Sulphur Methods

Accurate sulphur speciation can be crucial to early identification of recovery and environmental issues on many projects. Variations on the most common speciation methods can be implemented to suit your project's specific mineralogy; please contact client services in your region for more information.

CODE	ANALYTES & RANGES (%)		DESCRIPTION	PRICE PER SAMPLE
S-IR08	S (Total)	0.01%-50%	Total sulphur by induction furnace/IR **0.1g sample**	**$17.10**
S-GRA07	S (Elemental)	0.01%-100%	Solvent leach with remaining elemental sulphur analysed by gravimetric finish. **3g sample**	**$38.30**
S-GRA06a	S (Sulphate)	0.01%-50%	HCl (15%) leach of soluble sulphates, precipitation as barium sulphate and gravimetric finish. Note: little to no dissolution of barite/celestite. **1g sample**	**$31.30**
S-IR06a	S (Sulphide)	0.01%-50%	HCl (25%) leach to remove sulphates; induction furnace/IR. Note: little to no dissolution of barite/ celestite. **0.1g sample**	**$22.70**
S-GRA06	S (Sulphate)	0.01%-40%	$NaCO_3$ leach of sulphates, precipitation as barium sulphate and gravimetric finish. **1g sample**	**$35.50**
S-IR07	S (Sulphide)	0.01%-50%	$NaCO_3$ leach of sulphates, induction furnace/IR. **0.1g sample**	**$35.50**

Carbon Methods

Carbon has important metallurgical and environmental implications for many types of mineral deposits. Carbonates may consume acid, impacting leach process design and mine waste remediation, while preg robbing by organic carbon can interfere with the cyanidation of gold and silver ores.


CODE	ANALYTES & RANGES (%)		DESCRIPTION	PRICE PER SAMPLE
C-IR07	C (Total)	0.01%-50%	Total carbon by induction furnace/IR. **0.1g sample**	**$17.10**
C-IR06a	C (Non-Carbonate)	0.01%-50%	HCl (25%) leach at high temperature for 1 hour to evolve carbonates with analysis by induction furnace/IR. **0.1g sample**	**$22.95**
C-GAS05	CO_2 (Carbonate)	0.2%-50%	$HClO_4$ digestion and CO_2 coulometer. **0.1g sample**	**$24.00**
C-IR18	C (Graphite)	0.02%-50%	HCl (50%) leach of carbonates, roasting to remove organic carbon, induction furnace/IR. **0.1g sample**	**$36.95**
C-IR17	C (Non-Carbonate)	0.02%-100%	Slow and repeated addition of HCl (50%) to volatilise inorganic carbon phases; induction furnace/IR. **0.1g sample**	**$35.50**
C-CAL15	C (Carbonate)	0.02%-100%	Carbonate carbon calculated by difference. Requires C-IR07, C-IR17.	**$0.00**

Sulphur and Carbon Packages

These elements are often determined together, so ALS provides several economic packages for convenience.

CODE	ANALYTES & RANGES (%)		DESCRIPTION	PRICE PER SAMPLE
ME-IR08	C (Total) and S (Total)	0.01%-50% 0.01%-50%	Total carbon and sulphur by induction furnace/ IR. **0.1g sample**	**$23.75**
ME-IR06a	C (Organic) and S (Sulphide)*	0.01%-50% 0.01%-50%	Non-Carbonate carbon and sulphide sulphur by HCl (25%) leach to remove carbonates and sulphates, induction furnace/IR. **0.1g sample**	**$31.75**

*Sulphide sulphur may be overstated if $BaSO_4$ or $SrSO_4$ are present as they are insoluble with the HCl leach.



Specific Ores & Commodities

Procedures for the evaluation of ores and high grade materials are optimised for accuracy, precision and recovery of the target element. No single digestion or analytical method is suitable for all cases, and ALS provides a wide variety of procedures so the most appropriate method can be selected. Choices include acid digestions with ICP-AES finish; fusion and XRF determination for resistive elements and bulk commodities; specialised solvent digestions for uncommon ores; and classical volumetric methods for very high grade base metals.

Please submit at least four times the nominal sample weight for efficient service.



Copper Mineral Selective Leaches

These methods may be performed alone or in sequence to semi-quantitatively identify potential recovery by various ore processing methods. ALS can also provide custom methods based on metallurgical requirements.

CODE	ANALYTES & RANGES (%)		DESCRIPTION	PRICE PER SAMPLE
Cu-AA04	Cu	0.01-10	Citric acid leach and AAS finish. **0.25g sample**	**$14.20**
Cu-AA05	Cu	0.001-10	Sulphuric acid leach and AAS finish. **1g sample**	**$14.20**
Cu-AA07n	Cu	0.001-100	Sulphuric acid/Na sulfite leach and AAS finish. **1g sample**	**$14.20**
Cu-AA08q	Cu	0.001-100	Sulphuric acid/ferric sulphate leach and AAS finish. **1g sample**	**$15.25**
Cu-AA17	Cu	0.001-10	Cyanide leach and AAS finish. **2g sample**	**$20.65**
Cu-PKG06LI	Cu	Various	Sequential leach for oxide, sulphide and residual Cu. Various options available. **1g sample**	**$42.65**

Total Copper

Aqua regia is an effective solvent for copper oxides and sulphides, but copper occurring with other commodities like molybdenum can be analysed by four acid digestion for consistency across data sets.

CODE	ANALYTES & RANGES (%)		DESCRIPTION	PRICE PER SAMPLE
Cu-ICP41	Trace Cu	1-10,000 ppm	Aqua regia digestion and ICP finish. **0.5g sample**	**$7.25**
Cu-ICP61	Trace Cu	1-10,000 ppm	Four acid digestion and ICP finish. **0.25g sample**	**$9.95**
Cu-OG46	Cu Assay	0.001-50	Aqua regia digestion and ICP finish. **0.4g sample**	**$12.75**
Cu-OG62	Cu Assay	0.001-50	Four acid digestion and ICP finish. **0.4g sample**	**$15.70**
Cu_SCR21	Native Cu	0.01-100	Screen **1kg sample** to 100 microns, duplicate assay on 0.25g of undersize fraction and assay of entire oversize fraction by four acid digestion and AAS finish.	**$138.50**
Cu-VOL61	Cu Concentrate	0.01-100	HNO_3-HCl-HF-H_2SO_4 acid digestion followed by titration. Cu-CON02 done in duplicate. **2g sample**	**$49.75**
Cu-CON02				**$85.30**

Iron Ore Analysis

Lithium borate fusion and XRF finish is the industry method of choice for the analysis of oxide iron ores. Single or multi-temperature LOI is available, customisable as required.


CODE	ANALYTES & RANGES (%)						DESCRIPTION	PRICE PER SAMPLE
ME_XRF21u (unnormalised) ME_XRF21n (normalised) **0.7g sample**	Al_2O_3	0.01-100	K_2O	0.001-6.3	Sn	0.001-1.5	Fused disc XRF.	**$51.50** LOI included as part of this procedure
	As	0.001-1.5	MgO	0.01-40	Sr	0.001-1.5		
	Ba	0.001-10	Mn	0.001-25	TiO_2	0.01-30		
	CaO	0.01-40	Na_2O	0.005-8	V	0.001-5		
	Cl	0.001-6	Ni	0.001-8	Zn	0.001-1.5		
	Co	0.001-5	P	0.001-10	Zr	0.001-1		
	Cr_2O_3	0.001-10	Pb	0.001-2	Total	0.01-110		
	Cu	0.001-1.5	S	0.001-5				
	Fe	0.01-75	SiO_2	0.01-100				
OA-GRA05x ME-GRA05	Loss on Ignition **1g sample**						Furnace or Thermogravimetric Analyser (TGA)	

Davis Tube Recovery

ALS recommends discussion to determine optimum protocol for your particular ore type. Grind curve confirmation tests, laser sizing, cyclosizing and wet screening are also available.

CODE	DESCRIPTION	PRICE PER SAMPLE
DTR_PREP	Multi-stage sieving and pulverising.	**$62.65**
DTR_REC	Wash time and mass recovery.	By Quotation
WT_DTR	Weight of DTR fractions.	By Quotation
DTR_FeRec	DTR iron recovery.	By Quotation
ME_XRF21h/c/t	XRF analysis on various DTR fractions (head, concentrate, tailing). **0.7g sample each**	**$51.50** *each*
OA-GRA05xh/xc/xt	Loss on Ignition reported as part of this method.	
Fe-VOL05	Ferrous iron by titration (FeO; 0.01-100%). **1g sample**	**$25.30**
MAG-DTR	Recovery of magnetic fraction by DTR	**$41.60**
MAG-SUS	Magnetic susceptibility.	**$14.15**

*Note: These methods are not suitable for samples with base or precious metals mineralisation.



Bauxite Analysis

XRF is the industry-standard analytical method for bauxite analysis. Results are reported on a dry weight (110°C) basis by default. Additional characterisation methods such as organic carbon, reactive silica and available alumina comply fully with CETEM performance criteria. Multi-screen sizing to determine the optimum screen size for recovery and subsequent wet beneficiation are also available.

CODE	ANALYTES & RANGES (%)						DESCRIPTION	PRICE PER SAMPLE
ME_XRF13u (unnormalised) ME_XRF13n (normalised)	Al_2O_3	0.01-100	MgO	0.01-40	SrO	0.01-1.5	Fused disc XRF. **0.7g sample.**	**$51.50** LOI included as part of this procedure
	BaO	0.01-10	MnO	0.01-31	TiO_2	0.01-30		
	CaO	0.01-40	Na_2O	0.01-5.3	V_2O_5	0.01-8		
	Cr_2O_3	0.01-10	P_2O_5	0.01-23	Zn	0.01-1.6		
	Fe_2O_3	0.01-100	SiO_2	0.05-100	ZrO_2	0.01-1.5		
	K_2O	0.001-6.3	SO_3	0.01-12.5	Total	0.01-110		
OA-GRA05x ME-GRA05	Loss on Ignition. **1g sample**						Furnace or Thermo-gravimetric Analyser (TGA).	
C-IR17	Total Organic Carbon (Non-Carbonate Carbon), 0.02%-100%. **0.1g sample**						TOC by Combustion.	**$35.50**
ME-LICP01	Reactive Silica and Available Alumina, 0.1-100%. Standard digestion temperature 145°C. Alternative temperatures, caustic strength and sample/caustic weight ratio may be requested by the client. **1g sample**						Microwave digestion, chemical separation and ICP-AES analysis.	**$34.50**
ME-LICP02	Reactive Silica and Available Alumina, 0.1-100%. Standard digestion temperature 235°C. Alternative temperatures, caustic strength and sample/caustic weight ratio may be requested by the client. **1g sample**						Microwave digestion, chemical separation and ICP-AES analysis.	**$37.95**
*Si-NIR07	Kaolinitic Silica, 0.4%-100%. **2g sample**						Fourier Transform infrared (FT-NIR).	**$5.30**

*Si-NIR07 requires calibration to be set up with multiple samples from the same deposit that have been analysed by an alternative technique for Kaolinitic Silica to set up a chemometric algorithm.

Nickel Laterite

The elements listed are reported by default, but others are available if they are significant in your deposit. Loss on Ignition (LOI) is an important component of the total analysis.

CODE	ANALYTES & RANGES (%)								DESCRIPTION	PRICE PER SAMPLE
ME_XRF12u* (unnormalised) ME_XRF12n* (normalised) **0.7g sample**	Al_2O_3	0.01-100	Fe_2O_3	0.01-100	Ni	0.005-7.8	Zn	0.001-1.6	Fused disc XRF.	**$51.50** LOI included as part of this procedure
	CaO	0.01-40	K_2O	0.01-6.3	P_2O_5	0.005-23	Total	0.01-110		
	Co	0.001-7	MgO	0.01-50	Pb	0.005-1.8				
	Cr_2O_3	0.005-10	MnO	0.005-30	SiO_2	0.05-100				
	Cu	0.001-1.6	Na_2O	0.01-5.3	TiO_2	0.01-30				
OA-GRA05x ME-GRA05	Loss on Ignition **1g sample**								Furnace or Thermogravimetric Analyser (TGA)	

*Scandium may be added for an additional cost.

Phosphates

The elements listed are reported by default, but others are available if they are significant in your deposit. Loss on Ignition (LOI) is an important component of the total analysis.

CODE	ANALYTES & RANGES (%)								DESCRIPTION	PRICE PER SAMPLE
ME_XRF24* **0.7g sample**	Al_2O_3	0.01-100	K_2O	0.01-10	Na_2O	0.01-11	TiO_2	0.01-30	Fused disc XRF.	**$51.50** LOI included as part of this procedure
	CaO	0.01-60	MgO	0.01-50	P_2O_5	0.01-50	Total	0.01-110		
	Fe_2O_3	0.01-100	MnO_2	0.01-48	SiO_2	0.01-100				
OA-GRA05x ME-GRA05	Loss on Ignition **1g sample**								Furnace or Thermogravimetric Analyser (TGA).	

*Fluorine may be added for an additional cost.

Chromite and Manganese Ores

The elements listed are reported by default, but others are available if they are significant in your deposit. Loss on Ignition (LOI) is an important component of the total analysis.

CODE	ANALYTES & RANGES (%)								DESCRIPTION	PRICE PER SAMPLE
ME_XRF26s 0.7g sample	Al_2O_3	0.01-100	Fe_2O_3	0.01-100	Na_2O	0.01-10	TiO_2	0.01-30	Fused disc XRF.	**$51.50** LOI included as part of this procedure
	BaO	0.01-66	K_2O	0.01-15	P_2O_5	0.01-46	Total	0.01-110		
	CaO	0.01-60	MgO	0.01-50	SO_3	0.01-34				
	Cr_2O_3	0.01-60	MnO	0.01-80	SiO_2	0.05-100				
OA-GRA05x ME-GRA05	Loss on Ignition **1g sample**								Furnace or Thermogravimetric Analyser (TGA).	

Trace Level Lithium Exploration

Lithium hosted in pegmatites and jadarite can occur with economic grades of rare earths and other trace metals such as boron and cesium. A sodium peroxide fusion is required for complete recovery in these deposits.

Silica is not reportable by ME-MS89L due to the use of HF during digestion and interaction with glassware. Si and elements from ME-ICP81 may be added to ME-MS89L for an additional fee.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS89L™ **0.2g sample**	Ag	5-12,500	Eu	0.03-25,000	Nb	0.8-25,000	Te	0.5-25,000	**$42.75**
	As	4-25,000	Fe	0.05%-25%	Nd	0.07-25,000	Th	0.1-25,000	
	B*	8-25,000	Ga	0.5-25,000	Ni	10-25,000	Ti	0.005%-25%	
	Ba	2-25,000	Gd	0.03-25,000	Pb	0.5-25,000	Tl	0.02-25,000	
	Be	0.4-25,000	Ge	0.5-25,000	Pr	0.03-25,000	Tm	0.01-25,000	
	Bi	0.1-25,000	Ho	0.01-25,000	Rb	0.5-25,000	U	0.2-25,000	
*B-MS89L	Ca	0.1%-25%	In	0.3-25,000	Re	0.01-25,000	V	1-25,000	*$5.75
	Cd	0.8-25,000	K	0.05%-25%	Sb	0.3-25,000	W	0.3-25,000	
	Ce	0.2-25,000	La	0.08-25,000	Se	3-25,000	Y	0.2-25,000	
	Co	0.5-25,000	Li	2-25,000	Sm	0.04-25,000	Yb	0.02-25,000	
	Cs	0.1-25,000	Lu	0.05-25,000	Sn	3-25,000	Zn	10-25,000	
	Cu	20-25,000	Mg	0.01%-30%	Sr	20-25,000			
	Dy	0.03-25,000	Mn	10-25,000	Ta	0.04-25,000			
	Er	0.02-25,000	Mo	2-25,000	Tb	0.01-25,000			

Add-on only

*B-MS89L - Glassless digestion and analysis to eliminate boron from labware

Intermediate and Ore Grade Lithium

More elements may be added to these methods, and they may be packaged with ICP-MS finishes for associated pegmatite-hosted commodities at trace levels.

CODE	ANALYTES & RANGES (%)								PRICE PER SAMPLE
ME-ICP89 **0.2g sample**	Al_2O_3	0.02%-100%	Cu	0.01%-50%	MnO	0.01%-50%	TiO_2	0.02%-83%	**$42.60**
	As	0.01%-10%	Fe_2O_3	0.01%-100%	Ni	0.005%-30%	Zn	0.01%-60%	
	CaO	0.07%-70%	K_2O	0.06%-60%	Pb	0.01%-30%			
	Co	0.005%-30%	Li	0.001%-10%	S	0.01%-60%			
	Cr_2O_3	0.01%-88%	MgO	0.01%-50%	SiO_2	0.2%-100%			
MS91-PKG	This package combines ME-ICP89 with ICP-MS determination of Nb, Ta, Sn, W, U and Th for an extended pegmatite exploration suite. **0.2g sample**								**$57.55**
ME-ICP82b	Li	0.001%-10%	Assay grade lithium and/or boron by Na_2O_2 fusion and ICP-AES. Our highest precision method for Li and B resource determination in known deposits. **0.2g sample**						**$20.70** one element
	B	0.02%-50%							**$24.15** both elements

Lithium In Sedimentary Deposits

In many cases, aqua regia provides better recovery of Li than four acid digestions due to complex chemical reactions. Roasting samples prior to four acid digestions, particularly hectorite, may mitigate this effect.

CODE	ANALYTES & RANGES		DESCRIPTION	PRICE PER SAMPLE
Li-ICP41	Li	10ppm-1%	Aqua regia and ICP-AES finish. Multi-element package also available. **0.5g sample**	**$7.25**
Li-ICP61	Li	10ppm-1%	Four acid and ICP-AES finish. Multi-element package also available. **0.25g sample**	**$9.95**
Li-OG63	Li	0.005%-10%	Ore grade Li by specialised four-acid digestion and ICP-AES finish. Best suited to Li-bearing silicate sediments. **0.4g sample**	**$14.00**
RST-21	Dry roasting pre-treatment		Roasting samples prior to analysis may increase Li recovery due to excess water content promoting insoluble salt formation.	**$8.60**

Lithium Brines

ALS analyses brine samples after settling of suspended particles. If the samples require acidification or filtration in the lab, please indicate this prominently on the sample submittal form.

CODE	ANALYTES & RANGES (mg/L)								PRICE PER SAMPLE
ME-MS14™	Li	0.01-10	Includes a suite of 46 elements relevant to brine exploration in addition to Li. **Requires 50mL brine.**						**$56.85**
ME-ICP15 **Requires 100mL brine**	Ag	0.5-100	Cd	0.2-100	Mg	5-10,000	S	5-50,000	**$41.20**
	Al	5-10,000	Co	1-1,000	Mn	0.5-1,000	Sb	5-1,000	
	As	5-1,000	Cr	1-1,000	Mo	0.5-1,000	Sc	0.05-2,000	
	B	5-10,000	Cu	0.5-1,000	Na	100-150,000	Sr	2-5,000	
	Ba	0.5-1,000	Fe	50-50,000	Ni	2-1,000	Ti	0.5-1,000	
	Be	0.05-100	K	100-150,000	P	5-1,000	V	0.5-1,000	
	Ca	10-150,000	Li	0.5-20,000	Pb	5-1,000	Zn	0.5-1,000	
Li-BrPKG	pH, Conductivity, TDS, Alkalinity		Physical parameters and alkalinity of lithium brines. **Requires 100mL brine.**						**$31.20**

Uranium

ALS is qualified and experienced in handling NORM samples in every area with active uranium exploration and mining, with added lab certification in certain jurisdictions.

CODE	ANALYTE	PRICE PER SAMPLE
UEXP-PKG01	An exploration package targeted at unconformity-hosted uranium deposits where the ore is in the basin sedimentary rocks. **1g sample** Includes full 62 element suite from ME-MS41L™. Includes REEs and Pb isotope concentrations. ^{204}Pb, ^{206}Pb, ^{207}Pb, ^{208}Pb – 0.005-250ppm Also includes ultra-trace boron by fusion from B-MS82L. B – 5-10,000ppm	**$60.60**
ME-MS61u™	Full 48 element suite from ME-MS61™, optimised for U with specific CRMs for superior quality control. **0.25g sample**	**$48.05**
U-XRF10*	Ore grade U assay (0.01%-15%). **2g sample**	**$21.30**
U-XRF15b	Ore grade U assay (0.01%- 51%). Fusion with oxidising flux. **0.5g sample**	**$37.55**

*For samples with >4% sulphide choose method U-XRF15b.

Ore Grade Rare Earth Elements

Many REEs occur in minerals resistant to acid digestion, so fusion is the preferred method of decomposition. ALS offers ICP-MS/ICP-AES and XRF determinations. These methods are most appropriate for known ores; see the Whole Rock Analysis & Lithogeochemistry section for trace level methods.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS81h™ **0.1g sample**	Ce*	3-50,000	Ho	0.05-5,000	Rb	1-50,000	Tm	0.05-5,000	**$56.40**
	Dy*	0.3-5,000	La*	3-50,000	Sm*	0.2-5,000	U	0.3-5,000	
	Er	0.2-5,000	Lu	0.05-5,000	Sn	5-50,000	W	5-50,000	
	Eu	0.2-5,000	Nb	1-5,000	Ta	0.5-5,000	Y	3-50,000	
	Gd*	0.3-5000	Nd*	0.5-50,000	Tb*	0.05-5,000	Yb	0.2-5,000	
	Hf	1-50,000	Pr*	0.2-5,000	Th	0.3-5,000	Zr	10-50,000	

*These elements may be determined up to 30% by ME-OGREE.

CODE	ANALYTES & RANGES (%)						PRICE PER SAMPLE
ME_XRF30 **0.7g sample**	CeO_2	0.01-50	Ho_2O_2	0.01-10	Sm_2O_3	0.01-10	**$43.85** LOI included as part of this procedure.
	Dy_2O_3	0.01-10	La_2O_3	0.01-50	Tb_4O_7	0.01-10	
	Er_2O_3	0.01-10	Lu_2O_3	0.01-10	Tm_2O_3	0.01-10	
	Eu_2O_3	0.01-10	Nd_2O_3	0.01-10	Y	0.01-10	
	Gd_2O_3	0.01-10	Pr_6O_{11}	0.01-10	Yb_2O_3	0.01-10	
OA-GRA05x ME-GRA05	Loss on Ignition			Furnace or Thermogravimetric Analyser (TGA) **1g sample**			

Uncommon Metals

These elements have many high-tech applications in electronics, engineering and pharmaceuticals. They require specialised digestions and instrument methods for precise and accurate measurement.

CODE	ANALYTE RANGE (ppm)		DESCRIPTION	PRICE PER SAMPLE
Be-ICP81	Be	0.01%-100%	Sodium peroxide fusion and ICP-AES finish. **0.2g sample**	**$20.70**
B-MS82L	B	5-10,000	NaOH fusion and ICP-MS finish for super trace B. **0.5g sample**	**$23.20**
ME-ICP82b	B Li	0.02%-50% 0.001%-10%	Na_2O_2 fusion and ICP-AES finish. B and/or Li may be reported. **0.2g sample**	**$20.70** *one element* **$24.15** *both elements*
Ge-MS66	Ge	1-500	HNO_3-HF digestion with orthophosphoric acid leach and ICP-MS finish. **0.5g sample**	**$35.50**

Potash

This package is designed for potash exploration to report total chemical composition of samples as well as the proportion of analytes that can be leached with water. ME-XRF26k is a fusion-XRF method that reports total content where ME-ICP03k is a water-leach method that reports soluble elements. OA-GRA04k provides the percentage of residue insoluble in water using a gravimetric method.

CODE	ANALYTES & RANGES (%)						PRICE PER SAMPLE
ME-XRF26k	Al_2O_3	0.01-100	Fe_2O_3	0.01-100	P_2O_5	0.01-46	**$69.30** *ME-POTPKG* *Sold only as a complete package*
	BaO	0.01-66	K_2O	0.01-65	SO_3	0.01-71	
	CaO	0.01-60	MgO	0.01-50	SiO_2	0.05-100	
	Cl	0.01-65	MnO	0.01-39	SrO	0.01-1.5	
	Cr_2O_3	0.01-10	Na_2O	0.01-55	TiO_2	0.01-30	
OA-GRA05x	LOI	0.01-100	Fe_2O_3	0.01-100	P_2O_5	0.01-46	
ME-ICP03k	Ca	0.01 - 25	K	0.01 - 55	Na	0.01 - 42	
	Fe	0.01 - 50	Mg	0.01 - 25	S	0.01 - 30	
OA-GRA04k	Water Insoluble			0.5-100			

Aqua Regia Overlimit Methods

Aqua regia is a powerful solvent for sulphides, silver and base metals. This method may be triggered as an overrange method automatically on multi-element geochemistry packages.

CODE	ANALYTES & RANGES (%)								PRICE PER SAMPLE
(+)-OG46 **0.4g sample**	Ag	1-1,500ppm	Co	0.0005-30	Mn	0.01-60	Pb	0.001-20	**$10.00**
	As	0.001-60	Cu	0.001-50	Mo	0.001-10	S	0.01-10	*+$2.75 /element*
	Cd	0.001-10	Fe	0.01-100	Ni	0.001-30	Zn	0.001-30	

Four Acid Overlimit Methods

Four acid digestion breaks down most silicates and all but the most resistive minerals. This method may be triggered as an overrange method automatically on multi-element geochemistry packages.

CODE	ANALYTES & RANGES (%)								PRICE PER SAMPLE
(+)-OG62 **0.4g sample**	Ag	1-1,500ppm	Co	0.0005-30	Mg	0.01-50	Pb	0.001-20	
	As	0.001-30	Cr	0.002-30	Mn	0.01-60	S	0.01-50	**$12.95**
	Bi	0.001-30	Cu	0.001-50	Mo	0.001-10	Zn	0.001-30	*+$2.75 /element*
	Cd	0.001-10	Fe	0.01-100	Ni	0.001-30			

Titration Methods

Certain ore deposits naturally have extremely high (>30%) base metal content over short intervals. Specialised digestions and classical chemistry methods are required to analyse these samples.

CODE	ANALYTES & RANGES (%)		DESCRIPTION	PRICE PER SAMPLE
Cu-VOL61	Cu	0.01-100	Cu by Titration. **0.5g sample**	**$49.75**
Zn-VOL50	Zn	0.01-100	Zn by Titration. **1g sample**	**$28.50**
Pb-VOL70	Pb	0.01-100	Pb by Titration. **1g sample**	**$42.65**
Fe-VOL51	Fe	0.01-100	Total Fe in Concentrates by titration. **1g sample**	**$50.80**
Fe-VOL05	FeO	0.01-100	Ferrous Iron (FeO) by titration. **1g sample**	**$25.30**

Intermediate Level Oxidising Digestion

A strong oxidising digestion utilising HNO_3, $KClO_3$ and HBr with aqua regia is applicable to basemetal ores and particularly suitable for massive sulphides.

CODE	ANALYTES & RANGES (%)								PRICE PER SAMPLE
ME-ICPORE	Ag	1-1500ppm	Co	0.001-20	Mn	0.005-50	S	0.05-50	
	As	0.005-30	Cu	0.001-40	Mo	0.001-10	Sb	0.005-100	
	Bi	0.005-30	Fe	0.01-100	Ni	0.001-30	Tl	0.005-1	**$28.75**
	Ca	0.01-50	Hg	8-10000ppm	P	0.01-20	Zn	0.002-100	
	Cd	0.001-10	Mg	0.01-50	Pb	0.005-30			

Sodium Peroxide Fusion & ICP-AES

Na_2O_2 fusions are used for sulphides, arsenides, chromite, rutile, ilmenite and titanite. This selection is designed for nickel sulphides, but elements are also available individually.

CODE	ANALYTES & RANGES (%)								PRICE PER SAMPLE
ME-ICP81 **0.2g sample**	Al	0.01-50	Cr	0.01-30	Mg	0.01-30	S	0.01-60	**$43.90** *full package*
	As	0.01-10	Cu	0.002-30	Mn	0.01-50	Si	0.1-50	or *$14.20*
	Ca	0.05-50	Fe	0.05-70	Ni	0.002-30	Ti	0.01-30	+ *$2.75* */element*
	Co	0.002-30	K	0.1-30	Pb	0.01-30	Zn	0.002-30	

Oxidising Fusion & XRF Finish

Samples are analysed by XRF following a lithium borate fusion with the addition of strong oxidising agents to decompose sulphide-rich ores.

Other elements are available to report on request. LOI may be optionally added to this method, but it is not used to normalise results.

CODE	ANALYTES & RANGES (%)								PRICE PER SAMPLE
ME-XRF15b* **0.5g sample**	Al_2O_3	0.01-100	Fe	0.01-75	P_2O_5	0.01-25	Th	0.002-5	
	As	0.01-10	HfO_2	0.01-10	Pb	0.005-20	TiO_2	0.01-30	
	BaO	0.01-66	K_2O	0.01-6.3	Rb	0.005-5	U	0.001-5	
	Bi	0.01-5	La_2O_3	0.01-50	S	0.01-20	V	0.01-5.6	
	CaO	0.01-40	MgO	0.01-40	Sb	0.005-20	W	0.001-15.9	**$37.55**
	CeO_2	0.01-50	Mn	0.01-30	SiO_2	0.01-100	Zn	0.005-20	+ *$3.95* */element*
	Co	0.01-7	Mo	0.005-2	Sn	0.005-20	Zr	0.01-20	
	Cr	0.01-10	Nb	0.005-20	Sr	0.01-5			
	Cu	0.005-20	Ni	0.005-20	Ta	0.002-16.4			
OA-GRA05x ME-GRA05	Loss on Ignition**			Furnace or Thermogravimetric Analyser (TGA). **1g sample**					**$6.30** + *$3.75* */temperature*

*Na is not reportable due to the oxidising flux used in sample preparation. **LOI is required as part of the ME-XRF15b method.

Base Metal Concentrates By XRF

Samples are analysed by XRF following a lithium borate fusion with the addition of strong oxidising agents to decompose sulphide concentrates.

Other elements are available to report on request. LOI may be optionally added to this method, but it is not used to normalise results.

CODE	ANALYTES & RANGES (%)						PRICE PER SAMPLE
ME-XRF15c* **0.25g sample**	Al_2O_3	0.01-100	MgO	0.01-40	Sn	0.01-79	
	As	0.01-10	Mn	0.01-30	Ta	0.01-41	
	Ba	0.01-50	Mo	0.01-60	TiO_2	0.01-50	
	Bi	0.01-5	Nb	0.01-35	V	0.01-5.6	
	CaO	0.01-40	Ni	0.01-50	WO_3	0.01-100	**$48.40**
	Co	0.01-7	P	0.01-10	Zn	0.01-50	+ *$3.95* */element*
	Cr	0.01-10	Pb	0.01-32	Zr	0.01-20	
	Cu	0.01-50	S	0.01-40	Total	0.01-110	
	Fe	0.01-75	Sb	0.01-80			
	K_2O	0.01-6.3	SiO_2	0.01-100			
OA-GRA05x ME-GRA05	Loss on Ignition**			Furnace or Thermogravimetric Analyser (TGA). **1g sample**			**$6.30** + *$3.75* */temperature*

*Na is not reportable due to the oxidising flux used in sample preparation. **LOI is required as part of the ME-XRF15c method.

XRF For Resistive Minerals

Some resistive minerals, particularly those containing Sn, W, Nb or Ta, require a fusion for complete recovery. This method is only suitable for samples with <4% sulphides.

CODE	ANALYTES & RANGES (%)						PRICE PER SAMPLE
(+)-XRF10 **2g sample**	Ba	0.009-45	Sn	0.01-60	W	0.01-50	
	Nb	0.01-10	Ta	0.01-50	Zr	0.01-50	**$17.10**
	Sb	0.01-50	Th	0.01-15			+ *$4.20* */element*

+ Add element symbol as prefix to method code. NOTE: This method is suitable for elements reporting over-range by ME-MS81

ARD & Concentrates

A mine in development or production needs a specialised set of analyses for mine products, and to characterise mine waste behaviour. These include geochemical methods designed for concentrates and high-grade samples; and those used to monitor process metallurgy and umpire assay of bulk concentrates. In the following section methods developed to determine a material's acid mine drainage potential are also outlined. These methods cover a range of requirements which will vary between regions and mineralisation types.

Please submit at least four times the nominal sample weight for efficient service.





Acid-Base Accounting

Acid-base accounting (ABA), also called static testing, calculates a net neutralization potential (NNP) representing the ability of a body of rock to produce acid rock drainage or to neutralize free acid.

The choice of package will depend on the method of determining the neutralizing potential that is required by law in your region, this information can be obtained from your local regulatory agency.

Minimum sample size for all ABA packages is 100g.

Sulphide is determined by calculation in these packages. If you would prefer sulphide determined by analysis, add A to the package code. (additional cost.)

PARAMETERS	ABA-PKG01(M/S)	ABA-PKG04(M/S)	ABA-PKG05(M/S/B)	ABA-PKG06E*
Net Neutralization Potential (NNP)	√	√	√	
Maximum Potential Acidity (MPA)	√	√	√	
Neutralization Potential (NP) & Fizz	√	√	√	
Ratio (NP : MPA)	√	√	√	
Neutralization Potential (EN 15875 NP)				√
Acid Potential (EN 15875 AP)				√
Maximum Acid Potential (EN 15875 AP Max)				√**
Neutralization Potential Ratio (EN 15875 NPR)				√
Net Neutralization Potential (EN 15875 NNP)				√
Paste pH	√	√	√	
Sulphate by ICP				√
HCl-leachable Sulphate		√	√	
Total Sulphate (Carbonate Leach)			√	
Sulphide (calculated)		√	√	√
Sulphide (analysed)	√**	√**	√**	
Total Sulphur	√	√	√	√
Inorganic Carbon (CO2)		√	√	
Inorganic Carbon (calculated)				√
Organic Carbon				√
Total Carbon				√
Sobek Method	√	√	√	
Modified Sobek (M) Option	√	√	√	
Siderite Correction (S) Option	√	√	√	
MEND Method (B) Option			√	
EN 15875 Method Option				√

* meets EU regulations. ** optional parameter. **See client services for pricing.**

Net Acid Generation

NAG provides a quantitative estimation of the acid that can be generated by mine waste.

CODE	DESCRIPTION	PRICE PER SAMPLE
OA-VOL11	Net Acid Generation. Hydrogen peroxide is used to rapidly oxidise sulphides. NAG is reported in kg H_2SO_4/tonne at pH 4.5 and pH 7.0. **2.5g sample**	**$142.05**

Humidity Cells & Metal Leaching

Tests to quantify metal leaching from mine waste under meteoric conditions can range from simple shake flask analysis to long term column leaches. Many analytical options are possible on the leaches; prices will vary based on analytical package requested.

CODE	DESCRIPTION	PRICE PER SAMPLE
OA-HCTSET	Humidity cell set-up and maintenance fees.	**By Quotation**
OA-HCT01	Periodic analysis of humidity cell leachate. Many instrument finishes, particle sizes and sample weights are available; please enquire.	

Various Elements in Concentrates

All control assays are overseen by experienced certified assayers and analysed in duplicate at a minimum to assure quality. Umpire assays are also available – please enquire.

Precious metals in concentrates and bullion are found in the Precious Metals section.

CODE	ANALYTES & RANGES (%)			DESCRIPTION	PRICE PER SAMPLE
(+)-CON02	Zn Cu Pb	Mo Co Ni	0.01%-100%	Appropriate digestion and titration or gravimetric finish. **4g sample**	**$85.30** */each*
As-CON01	As	0.01%-15%		Four acid digestion and AAS finish. **1g sample**	**$85.30**
Hg-CON01	Hg	1-10,000ppm		HCl digestion and ICP-AES finish. **1g sample**	**$85.30**
F-CON01	F	20-20,000ppm		KOH fusion and ion selective electrode. **0.2g sample**	**$103.00**

+ Add element symbol as prefix to method code. More elements are available. Please enquire.

High-Grade Multi-Element Analysis

This is a four acid multi-element procedure specifically designed for major, minor and trace elements in high-grade samples and concentrates. Extra care is taken with senior staff reviewing the results in detail.

Aqua regia/ICP-MS and oxidizing fusion/XRF options are also available.

CODE	ANALYTES & RANGES (ppm)								PRICE PER SAMPLE
ME-MS61c™ **0.4g sample**	Ag	0.1-1,000	Fe	0.02%-100%	Ni	2-100,000	Th	2-5,000	**$284.20**
	Al	0.02%-100%	Ga	0.5-5,000	P	100-100,000	Ti	0.01%-100%	
	As	2-100,000	Ge	0.5-5,000	Pb	5-100,000	Tl	0.2-5,000	
	Ba	50-100,000	Hf	1-5,000	Rb	1-5,000	U	1-10,000	
	Be	0.5-10,000	In	0.05-2,500	Re	0.02-500	V	5-100,000	
	Bi	0.1-100,000	K	0.02%-100%	S	0.05%-10%	W	1-100,000	
	Ca	0.05%-100%	La	5-5,000	Sb	0.5-10,000	Y	1-5,000	
	Cd	0.2-5,000	Li	2-5,000	Sc	1-10,000	Zn	20-100,000	
	Ce	0.1-5,000	Mg	0.02%-100%	Se	10-10,000	Zr	5-5,000	
	Co	1-100,000	Mn	10-100,000	Sn	2-5,000			
	Cr	10-100,000	Mo	0.5-100,000	Sr	2-100,000			
	Cs	0.5-5,000	Na	0.02%-100%	Ta	0.5-1,000			
	Cu	2-100,000	Nb	1-5,000	Te	0.5-5,000			

Industrial Minerals

Industrial minerals commonly have highly refractory components requiring aggressive digestions. These methods are designed to completely dissolve the analytical sub-sample, leaving no inhomogenous residual material behind.

CODE	ORE/PRODUCT	ANALYTES	DESCRIPTION	PRICE PER SAMPLE
ME_XRF26	Cementitious Materials	Al_2O_3, CaO, Fe_2O_3, K_2O, LOI, MgO, MnO, Na_2O, SiO_2, SO_3, TiO_2 and LOI	Fusion, XRF **0.7g sample**	**$35.50**
ME_XRF26s	Chromite and Manganese Ore	Al_2O_3, BaO, CaO, Cr_2O_3 Fe_2O_3, K_2O, MgO, MnO, Na_2O, P_2O_5, SO_3, SiO_2, TiO_2 and LOI	Fusion, XRF **0.33g sample**	**$51.50**
ME-ICP86	Limestone, Dolomite, Magnesite, Magnesia	CaO, MgO, Al_2O_3, Fe_2O_3, SiO_2, LOI	Fusion, ICP-AES **0.1g sample**	**$50.15**

ALS Mineralogy

ALS Mineralogy has a market leading position in the range and capabilities of our automated mineralogy equipment, which includes the **Mineral Liberation Analyser (MLA), QEMSCAN®, X-Ray Diffraction, TIMA and HyLogger™.**

Quantitative mineralogical data are an essential component in a range of applications such as processing mineralogy, plant surveys, ore characterisation, precious metal and trace mineral characterisation, and geometallurgy analyses.

Access to state-of-the art technology and a highly trained technical team ensures that your requirements are met with high-quality data fit for your purpose.

Contact us to determine methods and pricing specific for your project.

CODE	ANALYSIS	RANGE OF SERVICE
BMA	QEMSCAN Bulk Mineral Analysis	Mineral composition, elemental deportment and assay reconciliation.
BMAL	QEMSCAN Bulk Mineral Analysis with Liberation	Mineral composition, estimate of the liberation, elemental deportment and assay reconciliation.
MIN-CORE	MLA Core Plug Analysis plus Images	Mineral list and abundances by X-Ray point counting, with elemental distributions, and calculated assay; plus high-resolution images of entire surface (both greyscale and processed). Suitable for core plugs or thin sections.
MIN-GXMAP	MLA Bulk Mineral and Textural Analysis with X-Ray Mapping	XBSE analysis with additional X-Ray mapping of similar-appearing gangue or minerals of interest to improve grain segmentation (for texturally complex or finely intergrown samples)
MIN-SPL	MLA Sparse phases - Au, Ag, PGE, U minerals etc. present at ppm to ppt levels or losses of minerals of interest to tails	Data for requested minerals only - does not include bulk mineralogy data - Mineral List and relative abundances, elemental distributions, particle size and grain size distributions, mineral liberation, locking and association data, particle image line ups, - includes high resolution photomicrographs of typical minerals of interest.
MIN-XBSE	MLA Bulk Mineral and Textural Analysis	Mineral List and abundances (to <0.5 Wt%), elemental distributions, particle size and grain size distributions, mineral liberation, locking and association data, grade recovery curves, particle image line ups, assay reconciliation - includes spread sheet reporting - additional reporting options available.
MIN-XMOD	MLA Bulk Mineral Analysis by X-Ray Point Counting	Mineral List and abundances (to ~0.5-1 Wt%), elemental distributions, chemical assay reconciliation - includes basic spreadsheet reporting.
PMA	QEMSCAN Particle Mineral Analysis	Mineral composition, abundance, liberation, locking, association, elemental deportment and assay reconciliation. Typically includes 4-5 size fractions.
TMS	QEMSCAN Trace Mineral Search	Trace mineral characterisation includes liberation, locking, association and size. Cost is dependent on grade and desired number of grains for analysis.
XRDQ	Quantitative XRD	Fully quantitative XRD, including the quantification of the amorphous material present.
XRDSQ	Semi-quantitative XRD	Mineral abundance, normalised over the crystalline content, excluding the quantification of amorphous material.


All prices are by quotation. Please contact ALS for more information.


Additional reporting options are also available on request.
Mineralogical data available from our range of technologies include:


- Mineral species, compositions, and abundances
- Elemental deportment
- Mineral grain and particle size distribution
- Grain size and grain texture data
- Mineral liberation including association and locking
- Mineral grade and element grade recovery curves
- Colour-coded particle maps and minerals line-ups
- Annotated high-resolution maps and mineral line-ups
- SEM backscatter images
- SEM particle maps
- Cathodoluminescence imaging
- Mineral X-Ray and wavelength spectra summary
- XRD analyses of all crystalline materials

















Americas

Kamloops
2957 Bowers Place,
Kamloops BC V1S 1W5
T +1 250 828 6157
F +1 250 828 6159
metallurgy.kamloops@alsglobal.com

Australia

Perth
6 MacAdam Place, Balcatta
Western Australia 6021
T +61 8 9344 2416
F +61 8 9345 4688
metallurgy@alsglobal.com

Brisbane
32 Shand St, Stafford
Queensland 4053
T +61 7 3243 7152
F +61 7 3243 7218
mineralogy@alsglobal.com

Quality Management Systems

Providing exceptional quality assays to our clients is one of the cornerstones of ALS's business model. We achieve this via a global quality program that has been strategically designed to integrate quality requirements into every process from sample preparation through analysis. It is an integral part of day-to-day activities, involves all levels of ALS staff, and is monitored at top management levels. The global quality program includes inter-laboratory test programs and regularly scheduled internal audits that meets all requirements of ISO/IEC 17025:2017 and ISO 9001:2015.

All ALS Geochemistry hub and many multi-purpose laboratories are accredited to ISO/IEC 17025:2017 for specific analytical procedures.

The physical sample preparation involving accredited test methods as listed on an analytical laboratory's ISO/IEC 17025:2017 Scope of Accreditation may be performed at that location, or at off-site sample preparation laboratories that are monitored regularly for quality control and quality assurance practices. In certain instances an ISO/IEC accreditation body may allow for these off-site sample preparation facilities to be listed on the laboratory's Scope.

* Please contact us for details regarding ISO/IEC 17025:2017 accreditation and scopes of accreditation; or ISO 9001:2015 certification at individual labs.

ISO/IEC 17025:2017 Accredited Methods in North America*

ISO/IEC 17025:2017 Accredited Methods in Romania*

ISO/IEC 17025:2017 Accredited Methods in Turkey*

ISO/IEC 17025:2017 Accredited Methods in Laos*

ISO/IEC 17025:2017 Accredited Methods and ISO 9001:2015 Registration in Peru*

ISO/IEC 17025:2017 Accredited Methods in Ireland

ISO 9001:2015 Registration in Spain*

ISO/IEC 17025:2017 Accredited Methods and ISO 9001:2015 Registration in Australia*

ISO/IEC 17025:2017 Accredited Methods in Zambia*

ISO/IEC 17025:2017 Accredited Methods in South Africa and Ghana*

ISO/IEC 17025:2017 Accredited Methods and ISO 9001:2015 Registration in China*

ISO/IEC 17025:2017 Accredited Methods in Mongolia*

ISO/IEC 17025:2017 Accredited Methods in Kazakhstan*

ISO/IEC 17025:2017 Accredited Methods in Russia*

Open Lab™ Initiative

The Open Lab™ Initiative is about enabling complete confidence in the accuracy of data produced by ALS through transparency in the laboratory process.

Through the Open Lab™ Initiative, we provide access to all of your results in perpetuity and the ability to track sample status in real time through Webtrieve™, our on-line interface to laboratory data. Webtrieve™ also displays complete chain of custody audit trails, important QC data, and standard reference material control charts relevant to your samples. Please ask your local laboratory to have a Webtrieve™ account set up for you.



Selected Terms & Conditions

1. Terms and Conditions

Complete Terms and conditions of service are included with each service quotation provided to clients. The following lists some of the key terms and conditions that will be applicable to every quotation for work.

2. Provision of Services

a) The Client acknowledges that it is the Client's sole responsibility to make its own assessment of the suitability for any purpose of the Services, detection limits and confidence intervals inherent in ALS's standard testing methodology, the ALS Report and its contents.

b) If the Client requires the Services to be performed by specific test method, or requires detection limits and/or confidence intervals different to those inherent in ALS's standard testing methodology, then the Client must instruct ALS of such a variation prior to ALS performing the Services.

c) ALS may transfer samples within its laboratory network to maximise efficiencies and improve turnaround of the samples. No additional cost will be charged to the client for this service optimisation measure.

3. Fees and Payment

a) ALS reserves the right to review prices at any time if significant changes to ALS's costs are incurred that are beyond ALS's control. Such changes may include, but are not limited to, changes in legislative requirements, Client variations to sample numbers, analytes requested, turnaround required, or reporting requirements.

b) Payment terms, subject to approved credit, are payment in full, 30 days from the date of invoice (Due Date), unless otherwise agreed in writing prior to the placement of an order or submission of samples.

c) All prices quoted by ALS are exclusive of GST (or other value added tax if relevant) unless stated otherwise.

d) All fees due and payable after the Due Date (Outstanding Amount) will be subject to the payment of interest at a rate of 1.5% per month of the Outstanding Amount from the Due Date up to and including the date of payment, unless ALS and the Client otherwise agree in writing.

e) The Client will indemnify ALS for any fees incurred by ALS to recover the Outstanding Amount, including any solicitor fees, or collection agency fees.

4. Limitation of Liability

a) To the full extent permitted by law, ALS excludes all warranties, terms, conditions or undertakings (Terms), whether expressed or implied, in relation to the Services, the ALS Report, or its contents. Where any legislation implies any Terms in this Agreement that cannot be modified or excluded then, such Terms shall deem to be included. However, to the full extent permitted by law, ALS's liability to the Client for any breach of any Terms that cannot be excluded by law is limited at ALS's option to the re-performance of the Services or the refund of the fee for the Services.

b) The Client hereby releases and indemnifies and shall continue to release and indemnify ALS, its officers, employees and agents from and against all actions, claims (actual or threatened), proceedings or demands (including any costs and expenses in defending or servicing same) which may be brought against it or them, in respect of any loss (including Consequential Loss), death, injury, illness or damage to persons or property, and whether direct or indirect and in respect of any breach of any industrial or intellectual property rights, howsoever arising out of the use of, reliance on, or benefit of, the Services or any ALS Report, except to the extent that the loss, death, injury, illness or damage to persons or property was directly caused by the negligence, willful acts or omissions of ALS or its employees.

c) Notwithstanding any other provision in this Agreement, the cumulative liability of ALS under this Agreement to the Client and any third party is limited for any claim for loss or damage whatsoever, whether arising in tort or contract or any other cause of action, to the value of the Services provided by ALS to the Client.

d) The Client acknowledges that during the performance of the Services, any samples supplied by, or on behalf of, the Client or parts thereof may be altered, lost, damaged or destroyed. ALS will not be liable whatsoever to the Client or any third party for any samples so altered, lost, damaged or destroyed.

5. Termination

a) ALS may suspend or terminate its obligations under this Agreement if (a) monies payable to ALS by the client are outstanding 60 days or more (unless otherwise agreed) after the date of invoice, (b) other substantial breach by the Client of their obligations under the Agreement, which breach is not remedied within 30 days of written notice from ALS requiring the breach to be remedied, (c) by giving the Client 60 days written notice of ALS's intention to terminate.

b) The Client may terminate its obligations under this Agreement in the event of a substantial breach by ALS of its obligations under the Agreement, which breach has not been remedied within 30 days of written notice from the Client to ALS requiring the breach to be remedied.

c) If ALS, acting reasonably, suspects that the Client is insolvent or is having difficulties paying its debts as and when they become due, or the Client is insolvent, ALS may give written notice to the Client of ALS's intention to immediately suspend or terminate is obligations under this Agreement.

d) In the event of termination, ALS is entitled to be paid for all work performed before the date of termination and for any unavoidable commitments entered into by ALS before the date of termination.

6. Confidential Information

a) Neither ALS nor the Client will disclose Confidential Information of the other party to any third party without the prior written consent of the other party, unless required by law or the rules of a relevant stock exchange.

b) ALS and the Client will only use Confidential Information of the other party for the purpose of the supply of the Services.

7. Intellectual Property

a) All ALS Intellectual Property will remain the property of ALS.

b) ALS grants to the Client a world-wide, non-exclusive, royalty free licence to use ALS Intellectual Property for the purpose agreed to between the Client and ALS to the extent that it is needed for the benefit of the Services.

c) ALS Intellectual Property means all intellectual property and proprietary rights (whether registered or unregistered) owned by ALS prior to performance of the Services, developed by ALS in performance of the Services, or developed by ALS outside of, or after, performance of the Services, and without limitation includes business names, trade or service marks, any right to have information kept confidential, patents, patent applications, drawings, discoveries, inventions, improvements, trade secrets, technical data, formulae, databases, know-how, logos, designs, design rights, copyright and similar industrial or intellectual property rights.

Please refer to the ALS Website for full Terms and Conditions

Global Geochemistry locations



Our integrated network of **over 70 laboratories** around the world ensures consistent quality and dependable client service wherever we might meet you.

Our services are available through any one of the many general service laboratories listed on these pages.
We also provide custom services for on-site laboratory and sample preparation facilities, as well as mobile laboratories and sample preparation installations.

Visit our website for complete location details at
alsglobal.com/locations

ARGENTINA

Mendoza
+54 261 431 9880
alsgeo.mendoza@alsglobal.com

AUSTRALIA

WESTERN REGION
csgph@alsglobal.com

EASTERN REGION
csgbr@alsglobal.com

Adelaide
+61 8 8359 0890
alsgeo.adelaide@alsglobal.com

Brisbane
+61 7 3243 7222
alsgeo.brisbane@alsglobal.com

Burnie
+61 3 6431 6333
alsgeo.burnie@alsglobal.com

Kalgoorlie
+61 8 9021 1457
alsgeo.kalgoorlie@alsglobal.com

Mount Isa
+61 7 4740 1700
alsgeo.mtisa@alsglobal.com

Orange
+61 2 6393 1100
alsgeo.orange@alsglobal.com

Perth
+61 8 9347 3222
alsgeo.perth@alsglobal.com

Townsville
+61 7 4796 0600
alsgeo.townsville@alsglobal.com

BOLIVIA

Oruro
+591 2 527 8235
alsgeo.oruro@alsglobal.com

BRAZIL

Belo Horizonte
+55 31 3045 8400
alsgeo.belohorizonte@alsglobal.com

Goiânia
+55 62 3088 4800
alsgeo.goiania@alsglobal.com

BURKINA FASO

Ouagadougou
+226 5035 6077
alsgeo.ouagadougou@alsglobal.com

CAMBODIA

Phnom Penh
+855 99 434 534
alsgeo.phnompenh@alsglobal.com

CANADA

ClientServicesECAN@alsglobal.com
ClientServicesWCAN@alsglobal.com

Kamloops
+1 250 573 5700
alsgeo.kamloops@alsglobal.com

Lebel-sur-Quévillon
+1 819 755-3775
alsgeo.lebel@alsglobal .com

Moncton
+1 506 855 4269
alsgeo.moncton@alsglobal.com

Rouyn-Noranda
+1 819 797 2810
alsgeo.rouyn-noranda@alsglobal.com

Sudbury
+1 705 560 7225
alsgeo.sudbury@alsglobal.com

Terrace
+1 250 635 3309
alsgeo.terrace@alsglobal.com

Thunder Bay
+1 807 475 3329
alsgeo.thunderbay@alsglobal.com

Timmins
+1 705 360 1987
alsgeo.timmins@alsglobal .com

Val d'Or
+1 819 825 0178
alsgeo.valdor@alsglobal.com

Vancouver
+1 604 984 0221
alsgeo.vancouver@alsglobal.com

Whitehorse
+1 867 633 4746
alsgeo.whitehorse@alsglobal.com

Yellowknife
+1 867 873 5159
alsgeo.yellowknife@alsglobal.com

CHILE

Copiapó
+56 52 254 3570
alsgeo.copiapo@alsglobal.com

La Serena
+56 51 267 2783
alsgeo.laserena@alsglobal.com

Santiago
+56 2 2654 6100
alsgeo.santiago@alsglobal.com

CHINA

Guangzhou
+86 20 3687 5966
alsgeo.guangzhou@alsglobal.com

COLOMBIA

Medellin
+57 4 306 9122
alsgeo.medellin@alsglobal.com

ECUADOR

Quito
+59 32 513 0891
alsgeo.quito@alsglobal.com

EGYPT

Marsa Alam
+20 128 650 6524
alsgeo.marsaalam@alsglobal.com

ETHIOPIA

Addis Ababa
+251 9121 18 453
alsgeo.addisababa@alsglobal.com

FINLAND

Outokumpu
+358 50 415 2812
alsgeo.outokumpu@alsglobal.com

Sodankylä
+358 50 570 7141
alsgeo.sodankyla@alsglobal.com

GHANA

Kumasi
+233 544 444449
alsgeo.kumasi@alsglobal.com

IRELAND

Loughrea
+353 91 841 741
alsgeo.loughrea@alsglobal.com

IVORY COAST

Yamoussoukro
+225 071 74445
alsgeo.yamoussoukro@alsglobal.com

KAZAKHSTAN

Ust-Kamenogorsk
+7 7232 527 096
+7 7057 954 756
alsgeo.ustkamenogorsk@alsglobal.com

Karaganda
+7 7212 98 11 16
+7 771 840 68 86
alsgeo.karaganda@alsglobal.com

LAOS

Pakse
+856 20 2271 1091
alsgeo.pakse@alsglobal.com

Vientiane
+856 21 31 3438
alsgeo.vientiane@alsglobal.com

MALI

Bamako
+223 223 6949
alsgeo.bamako@alsglobal.com

MEXICO

ClientServicesMEX@alsglobal.com

Chihuahua
+52 614 417 9728
alsgeo.chihuahua@alsglobal.com

Guadalajara
+52 33 3619 7438
alsgeo.guadalajara@alsglobal.com

Hermosillo
+52 662 2607586
alsgeo.hermosillo@alsglobal.com

Zacatecas
+52 492 768 1474
alsgeo.zacatecas@alsglobal.com

MONGOLIA

Ulaanbaatar
+976 11 343882
alsgeo.ulaanbaatar@alsglobal.com

MYANMAR

Mandalay
+95 9 447367745
alsgeo.mandalay@alsglobal.com

NAMIBIA

Okahandja
+264 62 504098
alsgeo.okahandja@alsglobal.com

PERU

Arequipa
+51 54 46 3649
alsgeo.arequipa@alsglobal.com

Lima
+51 1 574 5700
alsgeo.lima@alsglobal.com

Cajamarca
+51 947 737 799
alsgeo.cajamarca@alsglobal.com

ROMANIA

Rosia Montana
+40 258 780 395
alsgeo.rosiamontana@alsglobal.com

RUSSIA

Chita
+7 3022 283050
alsgeo.chita@alsglobal.com

Moscow
+7 495 419 0474
+7 905 798 6553
alsgeo.moscow@alsglobal.com

SAUDI ARABIA

Jeddah
+966 12 636 2111
alsgeo.jeddah@alsarabia.com

SERBIA

Bor
+381 648243340
+381 648243347
alsgeo.bor@alsglobal.com

SOUTH AFRICA

ClientServicesAfrica@alsglobal.com

Johannesburg
+27 11 608 0555
alsgeo.johannesburg@alsglobal.com

SPAIN

Seville
+34 9555 13 035
alsgeo.seville@alsglobal.com

SUDAN

Atbara
+249 96 296 3096
alsgeo.atbara@alsglobal.com

SURINAME

Paramaribo
+597 453057
ALSPERU@alsglobal.com

SWEDEN

Malå
+46 911 65 800
alsgeo.mala@alsglobal.com

Piteå
+46 911 65 800
alsgeo.pitea@alsglobal.com

TURKEY

Izmir
+90 232 281 71 10
alsgeo.izmir@alsglobal.com

UZBEKISTAN

Almalyk
+998 900098353
alsgeo.almalyk@alsglobal.com

USA

ClientServicesUSA@alsglobal.com

Elko
+1 775 738 2054
alsgeo.elko@alsglobal.com

Fairbanks
+1 907 452 2188
alsgeo.fairbanks@alsglobal.com

Reno
+1 775 356 5395
alsgeo.reno@alsglobal.com

Tucson
+1 520 747 3218
alsgeo.tucson@alsglobal.com

Twin Falls
TBA
TBA

ZAMBIA

Ndola
+260 979 376284
alsgeo.ndola@alsglobal.com

PERIODIC TABLE OF ELEMENTS

Reactive nonmetal · Alkali metal · Alkaline earth metal · Transition metal · Lanthanide · Actinide · Metalloid · Post-transition metal · Noble gas · Unknown chemical properties

PREFERRED METHODS OF DECOMPOSITION FOR GEOLOGICAL MATERIALS

More than two digestion methods are available for most elements.

Atomic number
Atomic weight — 100.00 104
Element symbol — Xx
Isotopic analysis available
Primary analysis method
Secondary analysis method

- Lithium borate fusion
- Sodium peroxide fusion
- Fire assay *(lead or nickel sulfide collection methods)*
- Aqua regia
- Four acid
- Other *(combustion, specialty)*

1.008 [1.0078, 1.0082] 1 **H** HYDROGEN																	4.0026 2 **He** HELIUM
6.94 [6.938, 6.997] 3 **Li** LITHIUM	9.0122 4 **Be** BERYLLIUM											10.81 [10.806, 10.821] 5 **B** BORON	12.011 [12.009, 12.012] 6 **C** CARBON	14.007 [14.006, 14.008] 7 **N** NITROGEN	15.999 [15.999, 16.000] 8 **O** OXYGEN	18.998 9 **F** FLUORINE	20.180 10 **Ne** NEON
22.990 11 **Na** SODIUM	24.305 [24.304, 24.307] 12 **Mg** MAGNESIUM											26.982 13 **Al** ALUMINIUM	28.085 [28.084, 28.086] 14 **Si** SILICON	30.974 15 **P** PHOSPHORUS	32.06 [32.059, 32.076] 16 **S** SULFUR	35.45 [35.446, 35.457] 17 **Cl** CHLORINE	39.95 [39.792, 39.963] 18 **Ar** ARGON
39.098 19 **K** POTASSIUM	40.078(4) 20 **Ca** CALCIUM	44.956 21 **Sc** SCANDIUM	47.867 22 **Ti** TITANIUM	50.942 23 **V** VANADIUM	51.996 24 **Cr** CHROMIUM	54.938 25 **Mn** MANGANESE	55.845(2) 26 **Fe** IRON	58.933 27 **Co** COBALT	58.693 28 **Ni** NICKEL	63.546(3) 29 **Cu** COPPER	65.38(2) 30 **Zn** ZINC	69.723 31 **Ga** GALLIUM	72.630(8) 32 **Ge** GERMANIUM	74.922 33 **As** ARSENIC	78.971(8) 34 **Se** SELENIUM	79.904 [79.901, 79.907] 35 **Br** BROMINE	83.798(2) 36 **Kr** KRYPTON
85.468 37 **Rb** RUBIDIUM	87.62 38 **Sr** STRONTIUM	88.906 39 **Y** YTTRIUM	91.224(2) 40 **Zr** ZIRCONIUM	92.906 41 **Nb** NIOBIUM	95.95 42 **Mo** MOLYBDENUM	(98) 43 **Tc** TECHNETIUM	101.07(2) 44 **Ru** RUTHENIUM	102.91 45 **Rh** RHODIUM	106.42 46 **Pd** PALLADIUM	107.87 47 **Ag** SILVER	112.41 48 **Cd** CADMIUM	114.82 49 **In** INDIUM	118.71 50 **Sn** TIN	121.76 51 **Sb** ANTIMONY	127.60(3) 52 **Te** TELLURIUM	126.90 53 **I** IODINE	131.29 54 **Xe** XENON
132.91 55 **Cs** CAESIUM	137.33 56 **Ba** BARIUM	57-71 lanthanoids	178.49(2) 72 **Hf** HAFNIUM	180.95 73 **Ta** TANTALUM	183.84 74 **W** TUNGSTEN	186.21 75 **Re** RHENIUM	190.23(3) 76 **Os** OSMIUM	192.22 77 **Ir** IRIDIUM	195.08 78 **Pt** PLATINUM	196.97 79 **Au** GOLD	200.59 80 **Hg** MERCURY	204.38 [204.38, 204.39] 81 **Tl** THALLIUM	207.20 82 **Pb** LEAD	208.98 83 **Bi** BISMUTH	(209) 84 **Po** POLONIUM	(210) 85 **At** ASTATINE	(222) 86 **Rn** RADON
(223) 87 **Fr** FRANCIUM	(226) 88 **Ra** RADIUM	89-103 actinoids	138.91 57 **La** LANTHANUM	140.12 58 **Ce** CERIUM	140.91 59 **Pr** PRASEODYMIUM	144.24 60 **Nd** NEODYMIUM	(145) 61 **Pm** PROMETHIUM	150.36(2) 62 **Sm** SAMARIUM	151.96 63 **Eu** EUROPIUM	157.25(3) 64 **Gd** GADOLINIUM	158.93 65 **Tb** TERBIUM	162.50 66 **Dy** DYSPROSIUM	164.93 67 **Ho** HOLMIUM	167.26 68 **Er** ERBIUM	168.93 69 **Tm** THULIUM	173.05 70 **Yb** YTTERBIUM	174.97 71 **Lu** LUTETIUM
			(227) 89 **Ac** ACTINIUM	232.04 90 **Th** THORIUM	231.04 91 **Pa** PROTACTINIUM	238.03 92 **U** URANIUM	(237) 93 **Np** NEPTUNIUM	(244) 94 **Pu** PLUTONIUM	(243) 95 **Am** AMERICIUM	(247) 96 **Cm** CURIUM	(247) 97 **Bk** BERKELIUM	(251) 98 **Cf** CALIFORNIUM	(252) 99 **Es** EINSTEINIUM	(257) 100 **Fm** FERMIUM	(258) 101 **Md** MENDELEVIUM	(259) 102 **No** NOBELIUM	(262) 103 **Lr** LAWRENCIUM

CONVERSION FACTORS:

ppb	1	100	10,000	—	—
ppm = g/ton = µg/g	0.001	0.1	10	10,000	34.2857
oz/ton	0.00003	0.00292	0.29167	—	1
%	—	—	—	1	—

carat	1
mg/g	41.666

ton (avdp.)	1
kg	907.18474

oz (troy)	1
g	31.1035

ALS Methods:
ME-MS41™
ME-ICP41
ME-MS61™
ME-ICP61
AuME-TL43™
AuME-TL44™
AuME-ST43™
AuME-ST44™

Aqua Regia or 4 acid digestion?

Which method is right for your project?



ALS's extensive experience in geochemical analysis can help guide clients through exploration questions. Often, a primary query is which of ALS's comprehensive multi-element packages is suitable for a project. The technical team at ALS has a deep understanding of the behaviour of elements and minerals through digestion and instrumentation processes and can assist with method selection.

When deciding upon a multi-element package the choice is often between a four-acid or aqua regia digestion. Each method has its advantages and ideal uses that need to be considered against drawbacks. In general, aqua regia is a partial digestion therefore analyses only represent the portion of the sample extracted, four-acid digests a larger portion of the sample producing a "near-total" analysis for many mineral types and analytes.

Why Aqua Regia?

Aqua Regia is a partial digestion using nitric and hydrochloric acid at a 1:3 ratio. The digestion is carried out at relatively low temperatures which allows Hg, which is volatile at higher temperatures, to be analysed at the same time as the multi-element suite. ALS offers aqua regia methods from both small (0.4-0.5g) and large (25g and 50g) sample sizes allowing for a more representative, semi-quantitative reporting of Au. An aqua regia leach is ideal for dissolution of sulphide minerals and to release elements adsorbed on clay particles; or trapped in manganese and iron oxides and oxyhydroxides. This can be particularly useful in areas with cover where mineral coatings are of more interest than the mechanically transported silicate minerals.

This digestion is effective at dissolving metal sulphides, most sulphates, carbonates, phosphates, organically bound metals, Au, Pt, Pd, tellurides, selenides and arsenides. Some silicates and alumino-silicate minerals are partially attacked by the digestion, but most remain undissolved so do not form part of the reported results.

Why Four-Acid Digestion?

A four-acid digestion utilises a combination of nitric, perchloric, and hydrofluoric acid with a final dissolution stage using hydrochloric acid. This digestion breaks down most silicate and oxide minerals allowing for the "near-total" analyses of most minerals and analytes. Proprietary ALS techniques minimise the loss of elements generally considered volatile in four-acid digestions such as As, Se, Sb, Te, and Tl. Even with care to prevent volatilisation, the higher digestion temperature used in this method means that Hg cannot be reported. A specific method for the determination of Hg can be paired with a four-acid analyses where necessary. If Ge is required, a digestion specialised to prevent the loss of volatile Ge species should be requested as it is lost during the standard procedure. Due to the very small aliquot of sample used for the four-acid digestion (0.25-0.4g) Au is not reported.

Four acid multi-element analysis is an effective tool in mineral exploration because of its ability to provide a full pathfinder element suite as well as a cost-effective proxy for mineralogy. When combined with a pXRF analyses to determine Si (not reported by four acid) and other elements not fully recovered (Zr, Ti) it is a powerful tool for alteration, lithology and geometallurgical investigations. For those interested in interpretation using four-acid digestion data please refer to the ALS Technical note: Four Acid Digest and Advanced ICP-MS Technology- Providing robust datasets for use in lithogeochemical mapping.

Even the four-acid digestion will not fully dissolve some minerals such as barite, chromite, columbite – tantalite, cassiterite, celestite, rutile, scheelite, wolfram and zircon. If the elements of interest are hosted in these minerals a fusion method may be needed to break down all minerals.

Which detection level to choose?

A general rule of thumb is that a detection level for analyses should be 10 times lower than the expected concentration of an element of interest in order to effectively characterise background values. ALS offers a range of detection limits from both aqua regia and four-acid digests to suit all needs. Our industry leading super trace detection limits from our ME-MS41L™ and ME-MS61L™ methods provide detection levels below or close to crustal abundance for most elements.

ALS METHOD CODE	DESCRIPTION AQUA REGIA METHODS
ME-MS41L™	Aqua regia digestion of 0.5g sample, paired with new ICP-MS technologies that provide ALS's lowest, industry-leading detection limits. Suitable for stream and soil samples.
MS41L-REE™	Add-on only, to the ME-MS41L™ method for rare earth element analyses
MS41L-PbIS™	Add-on only, to the ME-MS41L™ method for Pb isotope analyses.
AuME-TL43™	Aqua regia digestion of 25g sample, followed by trace Au and multi-element analyses by ICP-MS and ICP-AES.
ME-MS41™	Aqua regia digestion of 0.5g sample analysed by a combination of ICP-MS and ICP-AES for trace level, exploration samples.
AuME-ST43™	Aqua regia digestion of 25g sample, followed by trace Au and multi-element analyses by ICP-MS and ICP-AES providing ALS's lowest, industry-leading detection limits.
AuME-ST44™	Aqua regia digestion of 50g sample, followed by trace Au and multi-element analyses by ICP-MS and ICP-AES providing ALS's lowest, industry-leading detection limits.
AuME-TL44™	Aqua regia digestion of 50g sample, followed by trace Au and multi-element analyses by ICP-MS and ICP-AES.
ME-ICP41	Aqua regia digestion on a 0.5g sample with ICP-AES analyses and detection limits.
ME-ICP41a	Aqua regia digest on 0.4g sample for low grade mineralisation.

ALS METHOD CODE	DESCRIPTION FOUR ACID METHODS
ME-MS61L™	0.25g sample digested with HNO_3-$HClO_4$-HF and HCl leach, dissolves nearly all minerals in most geological samples, paired with new ICP-MS technologies that provide ALS's lowest, industry-leading detection limits. Suitable for stream and soil samples.
MS61L-REE™	Add-on only, to the ME-MS61L™ method for rare earth element analyses.
MS61L-PbIS™	Add-on only, to the ME-MS61L™ method for Pb isotope analyses.
ME-MS61™	Four-acid digestion of 0.25g sample paired with ICP-MS and ICP-AES analyses for trace level, exploration samples.
ME-MS61m™	Package including ME-MS61™ with the addition of Hg determined by aqua regia digestion.
ME-MS61r™	Four-acid digestion paired with ICP-MS and ICP-AES with REE analytes included. Some REE's are only partially recovered with a four-acid digestion.
ME-ICP61	0.25g sample digestion with ICP-AES analysis and detection limits.
ME-ICP61m	Package including ME-ICP with additional Hg determined by aqua regia digestion.
ME-ICP61a	Four-acid digestion on 0.4g of sample with ICP-AES analyses. Method suitable for low grade ore analyses.

ALS provides a wide range of specialised testing services covering all stages of your project's life cycle.

Please visit **alsglobal.com** for more information on our services and specialties.

Right Solutions · Right Partner

alsglobal.com

GEOCHEMISTRY CLIENT SERVICES

Australia/Asia — Brisbane
T +61 7 3243 7222
E CSGBR@alsglobal.com

Australia/Asia — Perth
T +61 8 9347 3222
E CSGPH@alsglobal.com

Africa — Johannesburg
T +27 11 608 0555
E ClientServicesAfrica@alsglobal.com

Brazil — Belo Horizonte
T +55 31 3045 8400
E ALSBH.ClientServMin@alsglobal.com

Canada — Vancouver
T +1 604 984 0221
E ClientServicesWCAN@alsglobal.com

Chile — Santiago
T +56 2 2654 6100
E Santiago.MineralServices@alsglobal.com

Europe — Loughrea
T +353 91 841 741
E ALSM.Loughrea@alsglobal.com

Europe — Seville
T +34 955 513 035
E alssv@alsglobal.com

Mexico — Hermosillo
T +52 662 260 7586
E ClientServicesMEX@alsglobal.com

Peru — Lima
T +51 1 574 57 00
E ServicioAlClientePeru@ALSGlobal.com

Ecuador-Quito
T: +593 2 513 0891
E: ALSEcuadorMin@ALSGlobal.com

USA — Reno
T +1 775 356 5395
E ClientServicesUSA@alsglobal.com

ALS Methods*
Au-SCR21
Au-SCR24
Au-SCR22AA

**Other options available*



Gold Screen Fire Assays

Understanding the process and the potential benefits for gold projects

Gold is found in many deposit styles, as disseminated fine-grained gold or as coarse gold; it can be visible to the naked eye or bound in minerals. These variations are the result of the prevailing physical and chemical conditions during deposit formation and can lead to significant variations in gold deportment. Due to these variations in ore, characterisation of gold mineralisation is an important step that should be carried out early in a project.

Improve knowledge of gold occurrence and distribution within your deposit

A well-designed screen fire assay program paired with robust geology and resource models can aid in determining the proportion and location of coarse gold within a deposit. This information can also aid in planning appropriate sampling programs, and feed into resource modelling to better understand the deposit's internal domains. Screen fire assay data can provide early indications of process methodology for gold exploration projects, such as an indication of the proportion of gravity recoverable gold present within a deposit; which in turn can impact a project's economics and potential development timescale.

Screen fire assays explained

Traditionally, fire assays are undertaken on a 30-50g aliquot of a pulverised sample. The key difference with a screen fire assay lies in the larger volume of sample (typically 1kg), and screening (usually to -106 micron) to separate coarse gold particles from fine material.

After screening, two aliquots of the fine fraction are analysed using the traditional fire assay method. The fine fraction is expected to be reasonably homogenous and well represented by the duplicate analyses. The entire coarse fraction is assayed to determine the contribution of the coarse gold.

To aid in distinguishing the proportion of coarse and fine gold within the sample the following results are included in a screen fire assay report:

- The results of both fine fraction assays, plus the mean of the results.
- The coarse fraction gold assay.
- Weights of both the fine and coarse fractions.
- A "total" gold calculation for the 1kg sample based on the weighted average of the coarse and fine fractions.

DETERMINATION	DESCRIPTION	RANGE
Au Total (+)(-) Combined	Total weight-averaged gold content in the 1kg sample.	0.05-1000 ppm
Au (+) Fraction	Gold content of plus fraction.	0.05-100000 ppm
Au (+) mg	Weight of gold in plus fraction.	0.001-1000 mg
Au (-) Fraction	Gold content of minus fraction. Reported as mean of two subsamples.	0.05-1000 ppm
Au-AA25/26*	Gold content of first minus fraction subsample.	0.05-100 ppm
Au-AA25D/26D*	Gold content of second minus fraction subsample.	0.05-100 ppm
WT. (+) Fraction Entire	Weight of plus fraction.	up to 1000 g
WT. (-) Fraction Entire	Weight of minus fraction.	**1000g

** Method codes depend on option chosen (eg: 30g subsample or 50g subsample)*
***Dependent on method chosen*

Total Au in the sample is calculated as below:

$$\text{AuTotal(g/t)} = \frac{(\text{Au-avg(g/t)} \times \text{Wt.Minus(g)} \times 10^{-6}\ \text{t/g}) + (\text{Weight Au in Plus(mg)} \times 10^{-3}\ \text{g/mg})}{(\text{Wt.Minus(g)} + \text{Wt.Plus(g)}) \times 10^{-6}\ \text{t/g}}$$

Where $\bar{\text{Au}}\text{avg} = \frac{\bar{\text{Au}}\ (1) + \bar{\text{Au}}\ (2)}{2}$

Fire assay explained

Fire assay has been used for centuries as a total decomposition technique to determine the amount of gold present within a sample. Homogenised and pulverised samples are mixed with flux composed of PbO and SiO_2 with variable amounts of borax, soda ash and other reagents. The flux and sample are mixed, then heated at high temperature (>1000°C) to decompose rock lattices and allow gold within the sample to be collected into a lead button. The button is placed in a porous cupel and heated again in an oxidising environment to convert lead to lead oxide that is absorbed into the cupel, leaving the precious metals behind as a doré bead or prill. The gold content of the prill is then determined either gravimetrically or spectroscopically.

Sampling and preparation

Coarse gold in a deposit creates sampling issues, and unless these are overcome, the sample that is submitted for assaying will not provide a representative and repeatable result no matter what assay technique is used. Therefore, both sampling and sample preparation techniques should be critically evaluated in the case of coarse gold deposits. Sample crushing and pulverising fineness, as well as the sample size, should be considered.

Alternatives to screen fire assays

If gold is present in multiple forms, such as free gold and sulphide hosted gold, a customised program which can include bulk leaching and fire assaying residual material can be designed for your project. Other approaches include requesting multiple fire assays on a single sample or assaying a sample to extinction.

METHOD CODE	DESCRIPTION
Au-SCR21	**1kg pulp** dry screened to **-106 microns**. Duplicate **30g** assay on undersize. Assay of entire oversize fraction **gravimetrically.**
Au-SCR24	**1kg pulp** dry screened to **-75 microns**. Duplicate **50g assay** on undersize. Assay of entire oversize fraction **gravimetrically.**
Au-SCR22AA	**1kg pulp dry or wet** screened to **-75 microns**. Duplicate **50g assays** on undersize. Assay of entire oversize fraction by **spectroscopy**.

** Note: Various options available for pulp and screen sizes, and undersize assays.*



ALS provides a wide range of specialised testing services covering all stages of your project's life cycle.

Please visit **alsglobal.com** for more information on our services and specialties.

Right Solutions · Right Partner

alsglobal.com

GEOCHEMISTRY CLIENT SERVICES

Australia/Asia — Brisbane
T +61 7 3243 7222
E CSGBR@alsglobal.com

Australia/Asia — Perth
T +61 8 9347 3222
E CSGPH@alsglobal.com

Africa — Johannesburg
T +27 11 608 0555
E ClientServicesAfrica@alsglobal.com

Brazil — Belo Horizonte
T +55 31 3045 8400
E ALSBH.ClientServMin@alsglobal.com

Canada — Vancouver
T +1 604 984 0221
E ClientServicesWCAN@alsglobal.com

Chile — Santiago
T +56 2 2654 6100
E Santiago.MineralServices@alsglobal.com

Europe — Loughrea
T +353 91 841 741
E ALSM.Loughrea@alsglobal.com

Europe — Seville
T +34 955 513 035
E alssv@alsglobal.com

Mexico — Hermosillo
T +52 662 260 7586
E ClientServicesMEX@alsglobal.com

Peru — Lima
T +51 1 574 57 00
E ServicioAlClientePeru@ALSGlobal.com

Ecuador-Quito
T: +593 2 513 0891
E: ALSEcuadorMin@ALSGlobal.com

USA — Reno
T +1 775 356 5395
E ClientServicesUSA@alsglobal.com

WCM Minerals

CERTIFICATE OF ANALYSIS

CU 190

Copper, Molybdenum, Silver, Gold Reference Material

LAB	LAB 1	LAB 1	LAB 1	LAB 1	LAB 2	LAB 2	LAB 2	LAB 2	LAB 3	LAB 3	LAB 3	LAB 3
Replicate	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**
1	0.667	0.037	10	0.662	0.647	0.032	9	0.675	0.663	0.034	10	0.665
2	0.655	0.031	9	0.672	0.652	0.032	10	0.660	0.661	0.034	10	0.696
3	0.648	0.031	9	0.681	0.650	0.031	10	0.702	0.669	0.034	9	0.645
4	0.692	0.032	10	0.678	0.654	0.033	10	0.686	0.663	0.034	9	0.675
5	0.627	0.031	9	0.678	0.646	0.031	10	0.672	0.667	0.034	9	0.674
6	0.665	0.032	9	0.686	0.648	0.032	9	0.669	0.661	0.034	8	0.705
Average	0.6590	0.0323	9.333	0.6762	0.6495	0.0318	9.667	0.6773	0.6640	0.0340	9.167	0.6767
Std Dev.	0.0217	0.0023	0.5164	0.0083	0.0031	0.0008	0.5164	0.0147	0.0033	0.0000	0.7528	0.0216
Average T	0.651	0.0323	9.4	0.677								
Std Dev.	0.0188	0.0013	0.7580	0.0279								
Recommended	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**								
Value	**0.65**	**0.032**	**9**	**0.68**								

Country of Origin - Canada

Legal Notice:
WCM Sales Ltd. (***WCM* Minerals**) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd., 7729 Patterson Avenue, Burnaby, BC, Canada V5J 3P4

E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

WCM Minerals

CERTIFICATE OF ANALYSIS

CU 190

Copper, Molybdenum, Silver, Gold Reference Material

LAB	LAB 4	LAB 4	LAB 4	LAB 4	LAB 5	LAB 5	LAB 5	LAB 5	LAB 6	LAB 6	LAB 6	LAB 6
Replicate	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**
1	0.6346	0.0313	8.5	0.65	0.669	0.0310	10.0	0.737	0.683	0.031	8.8	0.623
2	0.6362	0.0313	8.7	0.66	0.664	0.0312	10.5	0.717	0.642	0.031	9.2	0.660
3	0.6347	0.0320	9.4	0.66	0.664	0.0319	10.5	0.743	0.620	0.032	9.5	0.659
4	0.6252	0.0311	9.4	0.67	0.667	0.0313	10.5	0.728	0.640	0.032	8.3	0.629
5	0.6302	0.0327	9.0	0.66	0.669	0.0318	11.0	0.710	0.623	0.033	8.5	0.653
6	0.6044	0.0325	9.7	0.64	0.664	0.0321	11.0	0.706	0.640	0.033	8.5	0.669
Average	0.6276	0.0318	9.117	0.6567	0.6662	0.0316	10.583	0.7235	0.6413	0.0320	8.800	0.6488
Std Dev.	0.0120	0.0007	0.4622	0.0103	0.0025	0.0004	0.3764	0.0149	0.0225	0.0009	0.4648	0.0185
Recommended	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**								
Value	**0.65**	**0.032**	**9**	**0.68**								

Country of Origin - Canada

Legal Notice:
WCM Sales Ltd. (***WCM* Minerals**) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd., 7729 Patterson Avenue, Burnaby, BC, Canada V5J 3P4

E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Ave, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-1Z

Recommended value and the "Between Laboratory" two standard deviations

Gold	**1.155 g/t ± 0.095 g/t**	**Certified value**	**30g, FA / Instrumental**
Silver	**89.5 g/t ± 4.4 g/t**	**Certified value**	**4 Acid / Instrumental**

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee, PhD, P Geo
DATE OF CERTIFICATION: June 27th, 2019

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-1Z was prepared by combining 4000 kg of a low-grade Au, Cu ore blended with 40 kg of high-grade gold ore supplied by Teuton Resources from their Clone gold property in B.C., Canada and blended with 45 kg of ore provided by Hecla Green Creek property.

Low-grade Au, Cu ore was provided from a copper gold porphyry project, located in south-central British Columbia. The deposit represents a large regional depositional belt commonly dominated by alkalic volcanic units and related volcaniclastic lithologies and hosts both alkaline and calc-alkaline porphyry copper+/-gold+/-molybdenum deposits.

In this large regional depositional belt alkali-porphyry deposits typically are hosted in basalts and andesitic flows, fragmental rocks and alkalic intrusive complexes. They are generally mineralized with gold and copper and do not have large quantities of pyrite. Sulfide mineralization is developed adjacent to and within concentrically-zoned alkalic plutons.

Mineralization of Clone gold property is localized within highly silicified semi-massive to massive specular hematite.
Gold occurs as fine disseminations and is associated with the oxide mineralization. The major lithology is light grey to green andesitic pyroclastic intercalated with fine grained to aphanitic andesite.

The Greens Creek deposit is a polymetallic, stratiform, massive sulfide deposit. The host rock consists of predominantly marine sedimentary, and mafic to ultramafic volcanic and plutonic rocks, which have been subjected to multiple periods of deformation. Mineralization occurs discontinuously along the contact between a structural hanging wall of quartz mica carbonate phyllites, and a structural footwall of graphitic and calcareous argillite.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270-mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying.

ASSAY PROCEDURES:

Au: 30 gr Fire assay pre-concentration, Instrumental finish.
Ag: 4 Acid Digestion with Instrumental finish.

Whole rock analysis and 30 element ICP analysis (4-acid digestion) were also conducted on 10 samples.

APPROXIMATE CHEMICAL COMPOSITION (by whole rock analysis):

	Percent		Percent
SiO2	53.8	**Na2O**	3.0
Al2O3	16	**MgO**	3.3
Fe2O3	6.6	**K2O**	1.9
CaO	7.5	**TiO2**	0.6
MnO	<0.2	**LOI**	5.9
Total S	1.0	**Total C**	1.0

STATISTICAL PROCEDURES:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Our certified gold values are based on 30 g Fire Assay determinations. For optimal results, we strongly recommend you assay our standards with similar methods using "at least" 30 g of material. Using a smaller sample weight may result in erratic values.

RESULTS FROM ROUND ROBIN ASSAYING:

Sample	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Au by Fire Assay, 30g sample size and Instrumental finish														
GS-1Z-1	1.125	1.200	1.200	1.080	1.190	1.18	1.194	1.121	1.145	1.225	1.144	1.206	1.12	1.142	1.150
GS-1Z-2	1.100	1.120	1.135	1.095	1.180	1.19	1.193	1.145	1.150	1.301	1.225	1.184	1.15	1.245	1.190
GS-1Z-3	1.220	1.120	1.170	1.180	1.205	1.19	1.227	1.139	1.136	1.182	1.229	1.146	1.06	1.176	1.100
GS-1Z-4	1.180	1.105	1.260	1.140	1.110	1.20	1.223	1.118	1.102	1.234	1.139	1.135	1.06	1.136	1.135
GS-1Z-5	1.140	1.175	1.220	1.090	1.165	1.18	1.139	1.147	1.107	1.297	1.127	1.103	1.19	1.262	1.140
GS-1Z-6	1.250	1.090	1.125	1.140	1.255	1.19	1.200	1.136	1.106	1.290	1.151	1.130	1.11	1.230	1.150
GS-1Z-7	1.145	1.190	1.060	1.090	1.135	1.18	1.171	1.157	1.086	1.251	1.221	1.140	1.14	1.240	1.160
GS-1Z-8	1.180	1.110	1.160	1.105	1.200	1.22	1.104	1.133	1.109	1.176	1.124	1.182	1.15	1.249	1.105
GS-1Z-9	1.120	1.195	1.045	1.080	1.155	1.17	1.140	1.140	1.100	1.239	1.137	1.161	1.24	1.143	1.180
GS-1Z-10	1.165	1.215	1.205	1.110	1.125	1.20	1.167	1.126	1.128	1.214	1.221	1.073	1.18	1.215	1.185
GS-1Z-11	1.195	1.195	1.115	1.105	1.135	1.13	1.190	1.154	1.083	1.239	1.181	1.112	1.19	1.177	1.115
GS-1Z-12	1.060	1.130	1.035	1.080	1.130	1.23	1.068	1.135	1.086	1.181	1.201	1.173	1.14	1.169	1.100
GS-1Z-13	1.160	1.235	1.175	1.120	1.145	1.18	1.166	1.134	1.099	1.227	1.223	1.159	1.10	1.200	1.125
GS-1Z-14	1.295	1.355	1.195	1.090	1.120	1.17	1.178	1.137	1.118	1.201	1.209	1.111	1.06	1.175	1.085
GS-1Z-15	1.160	1.115	1.055	1.080	1.145	1.19	1.157	1.161	1.088	1.189	1.149	1.258	1.12	1.088	1.090
Mean	1.166	1.170	1.144	1.106	1.160	1.19	1.168	1.139	1.110	1.230	1.179	1.152	1.13	1.190	1.134
Std. Devn.	0.059	0.069	0.070	0.029	0.040	0.023	0.042	0.012	0.022	0.042	0.041	0.046	0.053	0.050	0.035
% RSD	5.04	5.91	6.12	2.60	3.41	1.93	3.64	1.09	1.95	3.38	3.47	3.99	4.64	4.23	3.07

Ag by 4 Acid digestion /Instrumental finish															
GS-1Z-1	89	86	95	91	89	89.0	90	82.2	87	89.0	90.6	91	95	93.0	92
GS-1Z-2	90	89	95	91	89	90.0	90	82.6	89	90.8	90.3	88	99	94.9	87
GS-1Z-3	90	88	96	90	87	90.5	89	82.1	85	88.4	89.3	88	97	95.4	89
GS-1Z-4	90	88	96	90	85	92.5	89	82.2	86	86.9	90.6	90	96	93.9	88
GS-1Z-5	93	87	91	88	89	92.5	86	82.6	86	88.9	89.1	88	93	96.8	91
GS-1Z-6	90	88	93	91	89	92.0	87	81.9	89	86.4	88.8	87	96	94.5	90
GS-1Z-7	91	88	93	90	90	91.5	89	82.0	89	87.5	88.5	91	94	93.5	89
GS-1Z-8	91	88	91	89	90	92.0	88	82.2	90	85.4	88.7	89	98	94.7	91
GS-1Z-9	92	87	94	89	86	91.0	88	82.0	88	88.8	90.3	87	97	97.6	89
GS-1Z-10	89	87	93	90	87	91.0	90	82.1	86	88.1	89.4	89	99	95.1	89
GS-1Z-11	90	87	88	91	84	91.5	88	82.2	87	84.7	88.4	86	93	94.1	89
GS-1Z-12	89	89	90	93	85	89.5	89	82.6	88	88.9	90.4	88	99	96.8	90
GS-1Z-13	92	88	94	94	86	91.5	89	82.5	89	89.2	89.9	90	96	94.8	91
GS-1Z-14	91	90	94	89	90	89.5	87	82.1	89	88.8	87.6	89	95	95.6	90
GS-1Z-15	90	89	94	90	91	90.5	88	82.5	86	87.2	89.7	91	98	95.0	89
Mean	90	88	93	90	88	91.0	88	82.3	88	87.9	89.4	89	96	95.0	90
Std. Devn.	1.187	1.033	2.264	1.549	2.210	1.109	1.187	0.242	1.549	1.594	0.919	1.568	2.059	1.265	1.298
% RSD	1.31	1.17	2.43	1.71	2.52	1.22	1.34	0.29	1.77	1.81	1.03	1.77	2.14	1.33	1.45

****Note: Ag results from Lab. 3 were removed for failing the t test.**


PARTICIPATING LABORATORIES: (not in same order as table of assays)

ALS Santiago, Chile	Certimin S.A., Lima, Peru
ALS Reno, Nevada, USA	SGS, Lima, Peru
ALS Canada, North Vancouver, BC, Canada	SGS, Lakefield, Ontario, Canada
ALS, Loughrea, Ireland	SGS, Vancouver, BC, Canada
ALS, Lima, Peru	Skyline Assayers & Laboratories, AZ, USA
ALS, Perth, Australia	MS Analytical, Langley, BC, Canada
Bureau Veritas, Perth, Australia	TSL Laboratories Ltd., Saskatoon, SK, Canada
Bureau Veritas, Vancouver, BC, Canada	

LEGAL NOTICE:

This certificate and the reference material described in it have been prepared with due care and attention. However, CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by



Duncan Sanderson, Certified Assayer of B.C.

Geochemist



Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Ave, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-ME-1807

Recommended values and the "Between Lab" Two Standard Deviations

Gold	**7.88 gpt**	**±**	**0.42 gpt**	**30 g FA, instrumental**	**Certified value**
Gold	**7.91 gpt**	**±**	**0.42 gpt**	**30 g FA, gravimetric**	**Certified value**
Silver	**327 ppm**	**±**	**20 ppm**	**4-Acid / ICP**	**Certified value**
Silver	**324 ppm**	**±**	**15 ppm**	**30 g FA, gravimetric**	**Certified value**
Copper	**0.200 %**	**±**	**0.006 %**	**4 Acid / ICP**	**Certified value**
Lead	**2.34 %**	**±**	**0.10 %**	**4 Acid / ICP**	**Certified value**
Zinc	**2.43 %**	**±**	**0.08 %**	**4 Acid / ICP**	**Certified value**

Note 1: Standards with an RSD of near or less than 5% are certified; RSD's of between 5% and 15% are Provisional; RSD's over 15% are Indicated. Provisional and Indicated values cannot be used to monitor accuracy with a high degree of certainty.

Note 2: Standard CDN-ME-1807 is a high sulphide sample and has been pre-packaged in kraft bags which have been individually vacuum-sealed in nylon bags in either 60g or 100g quantities. It is available for purchase in lots of either 10 x 60g or 10 x 100g. High sulphide samples will stay valid indefinitely while vacuum sealed and should stay that way until the lab is ready to analyse the standard. After opening we cannot guarantee their accuracy for any length of time but resealing and storing in a cold dark place should reduce the oxidation rate.

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: September 10, 2018

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-ME-1807 was prepared by combining miscellaneous ores.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270-mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone mixer. Splits were taken and sent to 15 commercial laboratories for round robin assaying.

Approximate chemical composition (from whole rock analysis) is as follows:

	Percent		Percent
SiO2	53.0	**Na2O**	1.4
Al2O3	10.0	**MgO**	4.2
Fe2O3	8.8	**K2O**	1.8
CaO	6.7	**TiO2**	0.3
MnO	0.1	**LOI**	6.0
S	4.8	**C**	1.4

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The means and standard deviations were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Assay Procedures:

Au: 30 gr. fire assay pre-concentration, AA or ICP finish.
Au and Ag: 30 gr. fire assay pre-concentration, gravimetric finish.
Ag, Cu, Pb, Zn: 4-acid digestion, AA or ICP finish.

Results from round-robin assaying:

Fire Assay Instrumental	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
ME-1807-1	7.96	7.86	8.06	6.97	7.67		7.85	7.72	8.05	7.69	7.65	8.11	7.87	7.67	7.78
ME-1807-2	7.67	7.82	7.87	6.94	7.70		8.06	7.98	8.74	7.48	7.79	7.90	8.23	7.62	7.78
ME-1807-3	8.06	8.24	7.73	6.94	7.76		8.19	7.87	7.92	7.64	7.92	7.81	8.02	7.57	7.94
ME-1807-4	8.06	7.88	7.96	7.03	7.88		8.19	7.98	8.15	7.65	7.81	7.97	8.16	7.71	7.89
ME-1807-5	8.07	7.62	7.57	7.03	8.01		8.23	7.70	8.38	7.50	7.97	8.01	8.01	7.70	8.12
ME-1807-6	8.45	7.85	7.96	7.07	7.92		8.28	7.72	8.15	7.48	7.76	7.84	8.06	7.59	7.77
ME-1807-7	7.51	7.44	7.54	6.93	7.81		7.93	7.75	8.41	7.49	8.01	7.66	8.13	7.68	8.17
ME-1807-8	7.92	7.94	7.61	7.03	8.03		7.85	7.71	8.33	7.42	8.23	7.83	8.30	7.95	8.08
ME-1807-9	7.94	7.71	7.78	6.99	7.74		8.19	7.98	8.56	7.49	8.33	7.90	7.95	7.89	8.02
ME-1807-10	7.83	7.78	7.91	7.02	7.97		8.13	7.92	7.79	7.53	7.91	8.10	8.02	7.73	8.41
Mean	7.95	7.81	7.80	7.00	7.85		8.09	7.83	8.25	7.54	7.94	7.91	8.08	7.71	8.00
Std. Dev.	0.253	0.209	0.182	0.048	0.131		0.157	0.124	0.291	0.089	0.211	0.140	0.130	0.123	0.206
% RSD	3.18	2.68	2.33	0.69	1.67		1.95	1.58	3.53	1.19	2.66	1.77	1.61	1.59	2.58

Gravimetric	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
ME-1807-1	7.84	7.80	7.48		7.91	7.92	7.79	7.95		7.52	7.67	7.93	7.97	7.84	8.26
ME-1807-2	8.43	7.71	7.84		7.97	7.82	7.85	8.00		7.67	7.86	7.81	8.06	7.79	8.25
ME-1807-3	8.59	7.60	8.13		7.76	8.37	8.03	7.85		7.65	8.14	7.70	7.39	8.09	8.38
ME-1807-4	8.15	7.98	7.65		7.93	7.89	7.97	7.95		7.77	7.98	8.08	7.86	7.74	8.06
ME-1807-5	8.33	7.78	8.01		7.73	7.75	7.89	7.90		7.81	8.14	7.81	7.99	7.93	7.92
ME-1807-6	8.13	7.63	8.21		7.92	7.99	7.97	8.05		7.71	8.13	7.71	7.74	7.69	8.11
ME-1807-7	8.08	7.58	7.69		7.75	7.61	8.01	7.90		7.83	7.80	7.76	7.36	8.19	8.36
ME-1807-8	8.30	7.75	7.71		8.07	7.68	8.23	7.90		7.66	7.84	8.05	7.91	7.50	8.23
ME-1807-9	8.23	7.98	8.39		8.14	7.51	7.94	7.90		7.59	7.49	8.11	7.38	7.77	7.90
ME-1807-10	8.41	7.81	7.71		7.90	7.23	8.05	7.95		7.83	8.10	7.95	7.65	8.30	8.13
Mean	8.25	7.76	7.88		7.91	7.78	7.97	7.94		7.70	7.91	7.89	7.73	7.88	8.16
Std. Dev.	0.212	0.141	0.290		0.135	0.306	0.122	0.058		0.106	0.223	0.154	0.272	0.245	0.167
% RSD	2.57	1.82	3.68		1.70	3.93	1.53	0.73		1.37	2.82	1.95	3.52	3.11	2.04

Instrumental 4 Acid	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t
ME-1807-1	332	335	318	314	348		314		335	305	316.1	337	318	320	336
ME-1807-2	331	336	323	333	355		317		339	316	323.6	336	320	310	332
ME-1807-3	333	334	331	336	343		318		345	325	330.2	334	328	300	330
ME-1807-4	336	333	316	329	357		313		347	309	325.8	336	320	310	332
ME-1807-5	334	333	328	329	352		318		344	313	320.8	334	328	300	339
ME-1807-6	337	335	323	336	359		321		343	314	331.3	332	322	320	333
ME-1807-7	332	342	313	318	354		318		341	314	323.2	338	321	310	332

ME-1807-8	332	327	313	329	340		330		334	319	326.7	337	319	310	333
ME-1807-9	343	341	321	310	338		322		342	309	321.7	342	323	310	332
ME-1807-10	336	328	321	310	351		321		340	308	319.2	336	325	310	334
Mean	335	334	321	324	350		319		341	313	323.9	336	322	310	333
Std. Dev.	3.596	4.766	5.945	10.384	7.243		4.780		4.163	5.884	4.759	2.700	3.565	6.667	2.541
% RSD	1.07	1.43	1.85	3.20	2.07		1.50		1.22	1.88	1.47	0.80	1.11	2.15	0.76
Gravimetric	**Lab 1**	**Lab 2**	**Lab 3**	**Lab 4**	**Lab 5**	**Lab 6**	**Lab 7**	**Lab 8**	**Lab 9**	**Lab 10**	**Lab 11**	**Lab 12**	**Lab 13**	**Lab 14**	**Lab 15**
	Ag g/t	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**	**Ag g/t**
ME-1807-1	317	323	322		321	322	314	334		321	321.3	328	304	327	321
ME-1807-2	332	330	360		322	324	336	334		327	324.5	324	313	330	325
ME-1807-3	326	323			323	328	319	336		330	326.0	331	308	329	330
ME-1807-4	296	321	332		318	319	320	337		321	333.5	325	307	344	318
ME-1807-5	315	316	329		320	313	313	335		325	328.2	326	315	323	323
ME-1807-6	326	331	333		316	320	321	338		322	329.8	333	305	324	320
ME-1807-7	305	340	316		323	318	319	335		324	327.4	333	309	336	313
ME-1807-8	309	331	316		315	327	331	335		322	324.7	325	310	325	327
ME-1807-9	312	334	319		320	333	314	335		334	329.1	326	311	311	320
ME-1807-10	335	331	323		319	330	319	335		327	330.6	327	305	321	313
Mean	317	328	328		320	323	321	335		325	327.5	328	309	327	321
Std. Dev.	12.419	7.102	13.673		2.751	6.150	7.442	1.265		4.270	3.520	3.272	3.622	8.844	5.538
% RSD	3.91	2.17	4.17		0.86	1.90	2.32	0.38		1.31	1.07	1.00	1.17	2.70	1.73

Instrumental 4 Acid	**Lab 1**	**Lab 2**	**Lab 3**	**Lab 4**	**Lab 5**	**Lab 6**	**Lab 7**	**Lab 8**	**Lab 9**	**Lab 10**	**Lab 11**	**Lab 12**	**Lab 13**	**Lab 14**	**Lab 15**
	% Cu	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**	**% Cu**
ME-1807-1	0.198	0.201	0.199	0.20	0.190	0.20	0.202	0.202	0.200	0.202	0.185	0.199	0.200	0.19	0.200
ME-1807-2	0.197	0.198	0.201	0.20	0.195	0.20	0.200	0.202	0.203	0.202	0.197	0.199	0.199	0.20	0.197
ME-1807-3	0.199	0.201	0.206	0.20	0.192	0.21	0.197	0.203	0.207	0.206	0.202	0.208	0.202	0.19	0.198
ME-1807-4	0.199	0.200	0.198	0.20	0.193	0.21	0.196	0.205	0.204	0.199	0.196	0.199	0.206	0.19	0.198
ME-1807-5	0.196	0.200	0.203	0.20	0.188	0.20	0.201	0.206	0.202	0.202	0.202	0.200	0.209	0.19	0.199
ME-1807-6	0.199	0.203	0.202	0.20	0.198	0.21	0.199	0.205	0.199	0.203	0.201	0.201	0.206	0.20	0.198
ME-1807-7	0.200	0.205	0.194	0.20	0.194	0.21	0.200	0.200	0.198	0.205	0.198	0.200	0.203	0.20	0.198
ME-1807-8	0.194	0.200	0.197	0.20	0.200	0.21	0.202	0.202	0.203	0.202	0.196	0.199	0.205	0.20	0.197
ME-1807-9	0.202	0.206	0.199	0.20	0.194	0.20	0.203	0.206	0.202	0.198	0.196	0.203	0.201	0.19	0.198
ME-1807-10	0.198	0.197	0.197	0.20	0.196	0.21	0.199	0.205	0.199	0.197	0.197	0.199	0.203	0.18	0.198
Mean	0.198	0.201	0.200	0.20	0.194	0.21	0.200	0.204	0.202	0.202	0.197	0.201	0.203	0.19	0.198
Std. Dev.	0.002	0.003	0.003	0.000	0.004	0.005	0.002	0.002	0.003	0.003	0.005	0.003	0.003	0.007	0.001
% RSD	1.11	1.42	1.74	0.00	1.83	2.51	1.12	1.01	1.40	1.43	2.52	1.43	1.52	3.50	0.44
Instrumental 4 Acid	**Lab 1**	**Lab 2**	**Lab 3**	**Lab 4**	**Lab 5**	**Lab 6**	**Lab 7**	**Lab 8**	**Lab 9**	**Lab 10**	**Lab 11**	**Lab 12**	**Lab 13**	**Lab 14**	**Lab 15**
	% Pb	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**	**% Pb**
ME-1807-1	2.34	2.39	2.33	2.46	2.30	2.44	2.29	2.30	2.37	2.25	2.21	2.33	2.42	2.36	2.35
ME-1807-2	2.34	2.34	2.33	2.41	2.37	2.46	2.30	2.34	2.40	2.29	2.27	2.31	2.48	2.38	2.34
ME-1807-3	2.35	2.35	2.38	2.42	2.38	2.43	2.24	2.33	2.39	2.35	2.31	2.34	2.31	2.32	2.34
ME-1807-4	2.35	2.35	2.29	2.43	2.39	2.45	2.26	2.32	2.40	2.28	2.27	2.33	2.40	2.31	2.37
ME-1807-5	2.34	2.35	2.36	2.45	2.40	2.43	2.29	2.34	2.38	2.28	2.26	2.30	2.50	2.35	2.35
ME-1807-6	2.35	2.38	2.34	2.41	2.41	2.41	2.28	2.33	2.37	2.31	2.31	2.34	2.29	2.31	2.34
ME-1807-7	2.35	2.39	2.26	2.41	2.40	2.45	2.25	2.34	2.36	2.30	2.29	2.34	2.53	2.34	2.37
ME-1807-8	2.29	2.33	2.28	2.40	2.39	2.42	2.35	2.35	2.39	2.29	2.28	2.31	2.38	2.34	2.33
ME-1807-9	2.38	2.41	2.31	2.39	2.35	2.41	2.33	2.32	2.38	2.27	2.25	2.35	2.25	2.32	2.34
ME-1807-10	2.34	2.28	2.28	2.41	2.42	2.41	2.27	2.34	2.41	2.22	2.28	2.32	2.40	2.34	2.34
Mean	2.34	2.36	2.32	2.42	2.38	2.43	2.29	2.33	2.38	2.28	2.27	2.33	2.40	2.34	2.35
Std. Dev.	0.022	0.037	0.039	0.022	0.035	0.019	0.034	0.014	0.019	0.035	0.030	0.016	0.092	0.023	0.013
% RSD	0.94	1.59	1.67	0.90	1.46	0.76	1.50	0.62	0.79	1.52	1.30	0.70	3.85	0.97	0.57

Instrumental 4 Acid	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn	% Zn
ME-1807-1	2.43	2.47	2.46	2.41	2.36	2.46	2.43	2.44	2.51	2.38	2.30	2.38	2.48	2.41	2.42
ME-1807-2	2.41	2.44	2.47	2.42	2.37	2.50	2.42	2.47	2.60	2.45	2.42	2.40	2.33	2.43	2.40
ME-1807-3	2.44	2.47	2.55	2.41	2.37	2.45	2.36	2.46	2.58	2.52	2.50	2.43	2.35	2.36	2.40
ME-1807-4	2.43	2.46	2.42	2.43	2.37	2.47	2.35	2.44	2.52	2.45	2.44	2.44	2.41	2.32	2.42
ME-1807-5	2.41	2.47	2.51	2.43	2.37	2.46	2.41	2.47	2.52	2.43	2.44	2.40	2.40	2.41	2.42
ME-1807-6	2.42	2.51	2.52	2.43	2.43	2.45	2.43	2.43	2.53	2.45	2.48	2.39	2.42	2.33	2.41
ME-1807-7	2.45	2.52	2.37	2.43	2.41	2.45	2.43	2.46	2.49	2.45	2.45	2.40	2.41	2.31	2.43
ME-1807-8	2.36	2.45	2.40	2.42	2.40	2.42	2.45	2.48	2.57	2.42	2.42	2.44	2.40	2.40	2.39
ME-1807-9	2.46	2.53	2.46	2.44	2.44	2.44	2.44	2.46	2.50	2.45	2.42	2.41	2.45	2.32	2.42
ME-1807-10	2.41	2.41	2.40	2.44	2.42	2.43	2.45	2.46	2.56	2.40	2.42	2.43	2.40	2.39	2.40
Mean	2.42	2.47	2.46	2.43	2.39	2.45	2.42	2.46	2.54	2.44	2.43	2.41	2.41	2.37	2.41
Std. Dev.	0.028	0.037	0.059	0.011	0.030	0.022	0.035	0.016	0.038	0.037	0.052	0.021	0.043	0.045	0.013
% RSD	1.148	1.514	2.391	0.443	1.233	0.902	1.447	0.638	1.482	1.533	2.139	0.891	1.788	1.907	0.534

Notes:

Labs 4 and 9 did not report Au and Ag assayed by fire assay with gravimetric finish.
Lab 6 did not report Au and Ag assayed by 4 Acid digestion with instrumental finish methods.
Au results by Instrumental finish from Lab 4 were removed for failing the t test.
Ag results assayed by 4 Acid digestion method from Lab 5 were removed for failing the t test.
Cu results from Lab 6 were removed for failing the t test.


Participating Laboratories: (not in same order as table of assays)

Argetest, Ankara, Turkey	Intertek, Genalysis, Western Australia
ALS Canada, North Vancouver, BC, Canada	MS Analytical, Langley, BC, Canada
ALS, Loughrea, Ireland	SGS, Vancouver, BC, Canada
ALS, Lima, Peru	SGS, Lima, Peru
ALS, Perth Australia	SGS, Lakefield, Ontario, Canada
Bureau Veritas, Perth, Australia	Skyline Assayers & Laboratories, AZ, USA
Bureau Veritas, Vancouver, BC, Canada	TSL Laboratories Ltd., Saskatoon, SK, Canada
Certimin S.A., Lima, Peru	

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. or Barry Smee accept no liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by



Duncan Sanderson, Certified Assayer of B.C.

Geochemist



Dr. Barry Smee, Ph.D., P. Geo.

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The

Premier Property
Stewart, BC

APPENDIX B

- Drill Logs
- Downhole Survey File

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol
Lawrence Tsang, P. Geo

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2181

Easting:	436408	**Azi (deg):**	235	**Start:**	12-Jun-20
Northing:	6212758	**Dip (deg):**	-63	**Finish:**	14-Jun-20
Elev (m):	421	**Length (m):**	279.2	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.22	**Analysis:**	ALS
Zone:	602 Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
0.00	1.22	WCAS	Casing														72527	198.15	200.15	2.00	CORE	<0.005	0.3	
																	72528	200.15	201.15	1.00	CORE	0.007	0.5	
1.22	53.00	LLXX	Betty Creek, Andesite Lapilli Tuff														72529	201.15	202.15	1.00	CORE	1.795	14.7	
			Mix of light to med green and maroon stained andesite fragmental, lapilli tuff, variable from fragment supported to groundmass supported, minor thin tuffaceous beds but with variable contacts with no inconsistent orientation. Heterolithic with porphyritic and non-porph fragments, groundmass varies from coarse crystal rich to finer grained ash tuff. Patchy hematite staining as outlined below. fragment flattening/foliation at 25-40 dgs tca.													72530	202.15	202.15	0.00	BLK	<0.005	<0.2	
			6.60 10.00 weak hem staining														72531	202.15	203.15	1.00	CORE	1.49	9.1	
			16.30 21.00 weak hem staining														72532	203.15	204.00	0.85	CORE	0.377	16.6	
			24.80 43.20 weak hem staining														72533	204.00	205.00	1.00	CORE	0.117	4.6	
			53.00 lower contact within broken rubbly core with oxidized fractures.														72534	205.00	205.95	0.95	CORE	7.11	10.8	
																	72535	205.95	206.95	1.00	CORE	0.108	0.9	
53.00	64.65	MFPX	Feldspar Hornblend Porphyritic Dacitic Flow, Fragmental														72536	206.95	209.00	2.05	CORE	0.15	1	
			Light green, cloudy indistinct mm fsp, <1-1% chl altered porph hbl phenos, <1% qtz eyes, rare megacrystic fsp phenos, weak to mod foliated, weak ser,														72537	209.00	211.00	2.00	CORE	0.298	0.5	
			58.30 59.20 sheared with rounded milled dacite fragments, increasing ser alt, 1-2% py														72538	211.00	213.00	2.00	CORE	0.225	0.6	
			59.20 64.65 weak to mod perv ser, 2-3% diss py, <1% diss sp-gn, weak calc, qtz-calc veining with traces of sp-gn.														72539	213.00	215.00	2.00	CORE	0.097	1.5	
																	72540	215.00	215.00	0.00	GS1Z	1.165	85.4	
64.65	117.20	AXXX	Andesite								1						72541	215.00	217.00	2.00	CORE	0.017	0.7	
			Medium green, fine to med grained abundandt fine indistinct fsp phenos, patchy fine green streaky appearance from fine mm scale flattened streaky chl alt grains (Hbl), mod perv calc, very weak calc veining.														72542	217.00	219.00	2.00	CORE	0.152	1.7	
			64.65 66.80 Upper contact rubbly broken core, brecciated faut gouge groundmass.														72543	219.00	221.00	2.00	CORE	0.073	1.5	
			99.70 104.75 fine dark green streaky chl alt grains (hbl)														72544	221.00	225.00	4.00	CORE	0.376	3.1	POOR RECOVERY
			108.00 117.20 fine dark green streaky chl alt grains (hbl)														72545	225.00	227.00	2.00	CORE	0.487	3.6	
																	72546	227.00	229.00	2.00	CORE	0.031	0.8	
117.20	128.60	PFPX	Hornblend Porphyritic Latite-Dacite						2		tr	tr					72547	229.00	231.00	2.00	CORE	0.032	0.6	
			Light grey green, fine grained, weak fol, unit characterized by 1-3%, 1-4mm dark green chl altered stubby equant porphyritic phenocrysts (hbl, possibly alt biot??) in a light grey green groundmass with probable fine-med grained altered fsp phenos. fsp phenos most evident at upper contact. Weak perv ser, <1% diss py. Unit looks more felsic than previous andesite.													72548	231.00	233.00	2.00	CORE	0.756	4	
																	72549	233.00	235.00	2.00	CORE	0.546	1.9	
128.60	201.15	AXXX	Massive Andesite							2	1	tr					72550	235.00	235.00	0.00	BLK	0.007	<0.2	
			medium to dark green, fine to med grained with indistinct altered fsp phenos, weakly foliated to massive homogenous andesite, weak to mod perv calcite, very minor calc veining increasing to weak calc veining below 180m														72551	235.00	237.00	2.00	CORE	6.19	23.4	
			128.60 130.00 <1-2% diss py and py-chl veinlets														72552	237.00	239.00	2.00	CORE	0.271	3.3	
																	72553	239.00	240.65	1.65	CORE	0.195	2.2	
201.15	205.95	AXXY	Altered Andesite with Sphalerite Veining.				2		2	3	2	3	2				72554	240.65	241.65	1.00	CORE	0.267	0.6	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
			Medium to dark green, fine grained, massive, weak to patchy mod perv chl, non-calcareous, Dominant style of mineralization is red brown sp veining +/-py-gn with calcite, calc qtz veining. Locally 7-8% sp over 50cm widths<1-2% coarse diss py to discontinous veiny py-chl.														72555	241.65	242.55	0.90	CORE	0.035	1	POOR RECOVERY
			201.15 201.75 interval of 4-5% diss and veinlet py-chl +/- trace cpy. Same interval also contains the red-brown sp-calc-qtz veining with <1% gn.														72556	242.55	244.00	1.45	CORE	0.11	4.9	
																	72557	244.00	246.00	2.00	CORE	0.41	1.8	
205.95	241.65	PIPZ	Altered Feldspar Hornblend Premier Porphyry.						2	1	1	3	tr				72558	246.00	248.00	2.00	CORE	0.357	4.2	
			Light grey, massive, 2-3% 2-4mm chl altered porph hbl phenos, <1% Kspar megacrysts, rare fine mm qtz eyes. Weak to mod perv ser, weak chl alt as irregular patches and pseudo veins with indistinct edges, patchy diss py-red sp with chl veining, 2-4% fine diss py throughout.														72559	248.00	250.00	2.00	CORE	0.818	2.5	
			205.95 upper contact fragmentally textured with chl altered groundmass. First 30cm of unit strongest chl-ser alteration and diss py mineralization.														72560	250.00	250.00	0.00	ME1807	8.05	329	
			225.00 241.65 increased chlorite alteration as chloritic fractures and chlorite vein selveges, increased pervasive ser alteration. Minor 1-2cm wide qtz-py-sp-gn veins very shallow to core axis, minor qtz veins with chl selveges, 4-5% diss py, <1 to local 1% diss to wispy red and light brown sp.						3	3		5	1	0.5			72561	250.00	252.00	2.00	CORE	1.075	5.2	
			221.50 225.00 possible fault zone, <50% core recovery, rubbly broken core with FeOx staining of fractures.														72562	252.00	253.80	1.80	CORE	0.422	22.6	
241.65	242.55	CBXX	Silica Breccia			4	4			1		1					72563	253.80	255.80	2.00	CORE	0.803	4.4	
			Mottled pale green and lessor milky white silica, silica breccia, darker green chloritic inclusions/clots, veinlets, <1-1% py diss and discontinuous fine py-chl veins. Rubbly core, approx 35% recovery.														72564	255.80	257.80	2.00	CORE	3.31	4.9	
																	72565	257.80	259.80	2.00	CORE	0.203	1.1	
242.55	253.80	AXXY	Altered Andesite with Qtz Stockwork			2	2.5		4	4		6	1	tr			72566	259.80	261.80	2.00	CORE	0.009	1	
			Medium to dark green, fine grained, massive, mod pervasive ser, mod to str perv chl, two styles of qtz veining. Most abundant style is 1-3mm irregular wispy horsetails and stockworks of qtz, second style is up to 2.5cm creamy pale green brecciated qtz veins. 5-6% diss to discontinuous veins/clots with chl, <1-2% wispy discontinuous sp veinlets to diss, bulk of sulfides are within andesite, qtz veins contain on average <1% sulfides.														72567	261.80	263.80	2.00	CORE	0.266	1.8	
			253.80 sharp lower contact, sharp colour change from dark green chl/ser altered to light grey green ser altered with decreased sulfide content																					
253.80	266.80	AXXX	Andesite			1			1	1	2	0.5	tr	tr										
			light to med green, grey green, fine grained, massive, weakly foliated, weak irregular calc veingin, minor calc-qtz veining, <1% diss py, trace py-sp-gn calc-qtz veinlets, weak to mod perv calcite alteration																					
266.80	279.20	ALXX	Andesite Fragmental, Lapilli Tuff								1	tr												
			med green, fine grained to weakly fsp porph andesite fragments generally <2cm but up to 8cm in size in a lighter green fine grained andesite groundmass. Groundmass supported, angular to rounded fragments. Weak to mod perv calcite alteration, trace diss py. Very minor calc veining.																					
			EOH																					

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2182

Easting:	436408	**Azi (deg):**	235	**Start:**	14-Jun-20
Northing:	6212758	**Dip (deg):**	-67	**Finish:**	16-Jun-20
Elev (m):	421	**Length (m):**	312.73	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.22	**Analysis:**	ALS
Zone:	602 Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calc Vns**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
																	72568	204.65	206.15	1.50	CORE	0.018	0.4
0.00	1.22	WCAS	Casing														72569	206.15	207.55	1.40	CORE	0.104	2.9
																	72570	207.55	207.55	0.00	BLK	<0.005	<0.2
1.22	43.20	LLXX	Betty Creek Andesite Lapilli Tuff weak marroon green, heterolith, mix of non-porph and fsp-hbl porph fragments in a fine to coarse grained ash and crystal tuff groundmass. Grading suggest tops uphole, local bedding distorted, not planar, possible transposing into foliation,														72571	207.55	209.00	1.45	CORE	0.021	0.5
																	72572	238.80	240.80	2.00	CORE	0.054	0.7
																	72573	240.80	242.80	2.00	CORE	0.053	1.1
43.20	47.40	LLXX	Monolithic Lapilli Tuff darker green monolithic non-porphyritic andesite fragments some looking baked and with reaction rims in a creamy light green granular tuffaceous/hyaloclatic? Groundmass. Weak perv ser, weak to mod fol,														72574	242.80	243.75	0.95	CORE	0.35	52.8
																	72575	243.75	245.75	2.00	CORE	0.083	2.9
																	72576	245.75	247.75	2.00	CORE	0.011	1
47.40	48.45	D/AX	Andesite Dyke Med olive green, fine grained to finely fsp speckled, massive, non magnetic, rubbly broken, dark brown oxidized fractures.														72577	247.75	249.75	2.00	CORE	0.019	1.3
																	72578	249.75	251.75	2.00	CORE	0.008	0.8
																	72579	251.75	253.75	2.00	CORE	<0.005	0.8
48.45	66.25	MFPX	Feldspar Hornblend Porphyritic Dacitic Flow 15-20% up to 4mm subhedral to anhedral cloudy porph fsp phenos, <1-2% chl and clay altered porph hbl phenos, massive to weakly foliated, weak calc veining. Weak perv calc. lower contact sheared appearance over 40cm at 45 dgs tca.						2		1						72580	253.75	253.75	0.00	CU190	0.67	9.4
																	72581	253.75	255.75	2.00	CORE	0.011	2.1
			48.45 58.50 broken core recovery with oxidized fracture coatings.														72582	255.75	257.75	2.00	CORE	0.172	8
66.25	97.90	AXXX	Andesite														72583	257.75	259.75	2.00	CORE	0.107	3
			Medium green massive to weakly foliated, finely fsp phyric, weak calc veinlets, trace py														72584	259.75	261.80	2.05	CORE	0.054	4.8
			84.25 88.40 light green weakly hbl phyric as wispy darker green phenos, possible syn volc dyke or hbl porph flow??														72585	261.80	263.80	2.00	CORE	0.672	6
			91.00 97.90 increasing ser alteration approaching lower contact, increasingly soft, 1-5% py as weak fine grained stockwork and increase in finely disseminated.														72586	263.80	265.80	2.00	CORE	0.852	64.8
																	72587	265.80	267.80	2.00	CORE	0.068	2.6
97.90	107.20	PFPX	Hornblend Porphyritic Latite-Dacite Light grey green, fine grained, weak fol, unit characterized by 1-3%, 1-4mm dark green chl altered stubby equant porphyritic phenocrysts (hbl, possibly alt biot??) in a light grey green groundmass with probable fine-med grained altered fsp phenos. Weak perv ser, <1% diss py. Unit looks more felsic than previous andesite. Same unit as intersected in hole 2181 from 117.2-128.7														72588	267.80	269.80	2.00	CORE	0.619	4.2
																	72589	269.80	271.80	2.00	CORE	0.681	5.5
																	72590	271.80	271.80	0.00	BLK	<0.005	<0.2
107.20	222.40	AXXX	Andesite								1	0.5					72591	271.80	273.80	2.00	CORE	0.508	4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green, thick massive homogenous unit, common <1mm calc altered ghosted fsp grains, minor <1mm green chl wisps after hbl. Patchy faint pseudo-fragmental texture. Minor <1-5cm calc veins, <1% diss py, minor patches of 2-3% diss py.														72592	273.80	275.80	2.00	CORE	0.942	5.3
			107.20 110.10 mod <1cm drk green chl stockwork. Stockwork is pulled into the foliation, foliation/shearing strongest within first 40cm of interval.														72593	275.80	277.80	2.00	CORE	0.473	3.5
			206.15 207.55 Fault breccia, shear zone. <8mm angular fragments of andesite, calc vein, calc-qtz veins and trace of silica veins in a grey green groundmass, mod to str foliation/shear at 20-30 dgs tca. Top contact at 65 dgs tca with up to 3cm fragments of green silica AND discontinuous veins of calc-qtz-py-sp, lower contact vein fragments and discontinuous veins of calc-py-sp. lower contacty at 65 dgs tca				1		2		2	2	tr				72594	277.80	279.80	2.00	CORE	0.426	3.7
			213.60 216.80 flattened stretched chlorite, chl-calc amygdules														72595	279.80	281.80	2.00	CORE	0.189	2.4
			221.60 222.40 sheared lower contact at 35 dgs tca. <0.5-1.5cm andesite fragments and minor calc vein fragments, sheared and flattened, in a light grey green groundmass.														72596	281.80	283.80	2.00	CORE	0.691	4.2
																	72597	283.80	285.50	1.70	CORE	0.458	3.7
222.40	242.80	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry Light green grey, <1-1% megacrystic Kspar, 2-5% chl alt porph hbl phenos, <1% fine qtz eyes, weak perv ser/chl, very minor calc, qtz calc and salmon calcite veining, <1% diss py						2	2	1	0.5					72598	285.50	287.50	2.00	CORE	0.23	0.7
																	72599	287.50	289.50	2.00	CORE	0.008	0.3
																	72600	289.50	289.50	0.00	ME1807	8.23	321
242.80	243.75	PIPZ	Silicified Sericite Altered Premier Porphyry			3	2		4			2	tr	tr									
			242.80 243.10 strong silicification strong to intense ser alt obliterating primary textures, mod fol, mod grey qtz veining with <1% diss sp-gn-py. Foliation/shearing at 35-45 dgs tca																				
			243.10 243.75 mod to strong ser alteration, weak silicification decreasing downhole, weak qtz-calc veining, 1-2% diss py																				
243.75	267.80	AXXX	Andesite Medium green, fine grained, massive to weakly foliated, weak fragmental texture at top of interval, fine indistinct altered fsp and hbl phenos, weak qtz-calc irregular veinlets, stronger within first 80cm of unit. Several 20-30cm intervals noted below of well foliated/sheared andesite with mod to str ser alt, grey qtz veining and up to 20% py.				1		2	2	1	tr	tr											
			255.80 23cm interval of str ser alt, weak qtz veining, 7-8% py and <1% sp. Foliated/sheared at 35 dgs tca																				
			258.35 20cm ser/chl alterd, grey qtz veining, 2-3% py, <1% sp																				
			262.80 25cm ser chl alt, 15-20% py, siliceous/grey qtz veined. Foliation, shearing at 40 dgs tca																				
267.80	285.50	AXXY	Altered Andesite with Qtz Veining Medium to dark green, medium grey green, fine grained, mod fine <1cm wormy irregular qtz, qtz-calc veining 35-50 dgs tca, mod perv ser/chl wth patches of strong chl towards end of unit and patches of stronger ser. 1-4% diss to veinlet py, <1-2% sp within qtz veins and wispy diss within andesite. Lower contact gradational over two metres of decreased alteration and veining.				2.5		3	3	1	3	1											
285.50	312.73	ALXX	Andesite Fragmental cm scale dark green flattened/stretched non-porph andesite fragments in a lighter grey green fine grained andesite groundmass, <1-3% coarse diss py-chl, weak perv ser/chl. Very weak calc, calc-qtz veinlets						1	1	1	0.5											

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			312.73 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2183

Easting:	436408	**Azi (deg):**	235	**Start:**	16-Jun-20
Northing:	6212758	**Dip (deg):**	-55	**Finish:**	18-Jun-20
Elev (m):	421	**Length (m):**	276.45	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	602 Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														72601	196.80	198.80	2.00	CORE	0.035	0.9
																	72602	198.80	199.80	1.00	CORE	0.01	1.1
3.05	42.45	LLXX	Betty Creek Heterolithic Andesite Block and Lapilli Tuff														72603	199.80	200.80	1.00	CORE	2.83	14.2
			up to 20cm fragments of Porphyritic and non-porphyritic andesite fragments in a fine to coarse ash and crystal tuff groundmass, medium green becoming light marroon stained downhole, fragment flattening at 30-40 dgs tca														72604	200.80	201.80	1.00	CORE	8.85	19.4
																	72605	201.80	202.80	1.00	CORE	2.17	4.1
42.45	57.45	LLXX	Monolithic Lapilli Tuff						2			1					72606	202.80	203.80	1.00	CORE	1.57	5
			darker green monolithic non-porphyritic andesite fragments, minor hbl porph andesite fragments, fragments stretched and flatted to irregular jagged outlined in a creamy light green very fine granular tuffaceous/hyaloclatic? Groundmass. Weak perv ser, weak to mod fol, similar unit to hole 2182 from 43.2 - 47.4														72607	203.80	204.80	1.00	CORE	2.32	14.2
																	72608	204.80	205.80	1.00	CORE	3.71	23.1
57.45	60.90	MFPX	Feldspar Hornblend Porphyritic Dacite				1		2			1					72609	205.80	206.80	1.00	CORE	0.34	7.7
			Light to med pale green, 3-4mm cloudy anhedral fsp, chl alt hbl, blocky fragmental and brecciated appearance, weak pale green qtz veining. <1-2% py														72610	206.80	206.80	0.00	BLK	0.015	0.3
																	72611	206.80	207.80	1.00	CORE	0.412	6.9
60.90	70.45	AXXX	Andesite								1						72612	207.80	208.80	1.00	CORE	1.845	9.9
			Medium to dark green, fine grained, massive homogenous to local weak pseudofragmental texture, very weak calc veinlets														72613	208.80	209.80	1.00	CORE	1.035	18.9
																	72614	209.80	210.80	1.00	CORE	2.25	11.4
70.45	81.95	AFXX	Andesite Flow							2	1	tr					72615	210.80	211.75	0.95	CORE	11.8	14
			Medium green, 10-12% 1-2mm darker green soft anhedral to subhedral grains in a light to med green groundmass. Unit also characterized by fine dark green chl stockwork.														72616	211.75	212.80	1.05	CORE	0.552	9.5
																	72617	212.80	213.80	1.00	CORE	0.266	5.5
81.95	115.90	AXXX	Andesite														72618	213.80	214.80	1.00	CORE	0.343	6.7
			Medium green, fine to med grained, massive homogenous unit, minor up to 20cm coarse grained white and salmon colored calcite veining,														72619	214.80	215.80	1.00	CORE	0.458	3
			81.95 85.00 strong foliated sheared, weak banded/layering at 20 dgs tca, mod ser with 2-4% diss py,														72620	215.80	215.80	0.00	GS1Z	1.185	90.7
			86.10 88.00 Tertiary mafic dyke, broken rubbly core recovery, oxidized fractures, gougy upper and lower contacts														72621	215.80	216.80	1.00	CORE	0.089	1.8
																	72622	216.80	217.80	1.00	CORE	0.16	3.8
115.90	144.00	AFXX	Andesite Flow								1	tr					72623	217.80	218.80	1.00	CORE	0.361	3.7
			Similar appearance as from 70.45-81.95 with 10-15% 1-3mm subhedral to anhedal dark green phenocrysts in a light to med green groundmass, much weaker chl network than in previous AFXX unit, weak calc veining														72624	218.80	219.80	1.00	CORE	0.57	4.4
			115.90 30cm at upper contact of broken fragmented calc veins, weak fragmental texture,														72625	219.80	220.80	1.00	CORE	0.367	7.4
			123.00 124.65 Tertiary mafic dyke														72626	220.80	221.80	1.00	CORE	0.021	2.1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
144.00	152.25	PFPX	Hornblend Porphyritic Latite-Dacite Light grey green, fine grained, weak fol, unit characterized by 1-3%, 1-4mm dark green chl altered stubby equant porphyritic phenocrysts (hbl, possibly alt biot??) in a light grey green groundmass with probable fine-med grained altered fsp phenos. Weak perv ser, <1% diss py. Unit looks more felsic than previous andesite. Same unit as intersected in hole 2181 from 117.2-128.7 and in hole 2182 from 97.9-107.2														72627	221.80	222.80	1.00	CORE	0.54	2.3
																	72628	222.80	223.70	0.90	CORE	0.943	0.5
																	72629	223.70	224.70	1.00	CORE	1.395	3.8
																	72630	224.70	224.70	0.00	BLK	<0.005	<0.2
152.25	199.80	AXXX	Andesite								1						72631	224.70	225.70	1.00	CORE	21.7	18.9
			Medium green, fine grained, minor fine speckled from dark green hbl phenos and light creamy green fsp phenos, foliated, minor calc veining														72632	225.70	226.70	1.00	CORE	0.202	9.2
			162.00 172.50 mod fractured with orange brown Fe-Ox stained fractures, weak patchy beige bleaching around some carb veins (tertiary)														72633	226.70	227.70	1.00	CORE	0.373	5.7
			177.30 178.90 patchy beige bleaching selveges on carbonate veining (Tert). Fe-Ox stained fractures.														72634	227.70	228.70	1.00	CORE	0.302	6.1
			184.00 below 184 begin to see minor pale green and white silica veining.														72635	228.70	229.70	1.00	CORE	0.118	2.7
			199.80 sharp lower contact at 55 dgs tca														72636	229.70	230.73	1.03	CORE	0.242	2.8
																	72637	230.73	231.90	1.17	CORE	0.947	13.7
199.80	211.75	AXXZ	Altered Andesite with Sulfide Veining			2	2		3	3		5	3	1			72638	231.90	232.90	1.00	CORE	7.1	7.8
			Mottled grey green and dark green, fine grained mod foliated andesite with patchy faint preserved 1-3mm porph hbl phenos and 1mm fsp phenos, mod foliated at 35 dgs tca accentuated by discontinuous sulfide veinlets parallel to fol, patchy mod to str ser-diss py alteration overprinting drk green chl alt, weak to mod patchy irregular silica veining/silicification. Variable sulfide content, silicified-ser alt areas can have up to 15% fine diss and veinlet py-sp, patchy 5-15cm banded massive py-sp veining, 2-5% mm scale wispy discontinuous py-sp veinlets,														72639	232.90	233.90	1.00	CORE	0.561	2.8
			199.80 sharp upper contact to mineralized zone at 55 dgs tca along FeOx stained fracture														72640	233.90	233.90	0.00	ME1807	7.73	331
																	72641	233.90	234.90	1.00	CORE	2.07	1.9
211.75	231.90	PIPZ	Altered Premier Porphyry				1		2	1		1	0.5	tr			72642	234.90	235.90	1.00	CORE	29.2	16.1
			light to med grey, <1% porph to megacrystic K fsp, 2-5% 1-4mm chl alt porph hbl, weak to mod perv ser, chl alt fractures, upper contact strongly fractured with FeOx stained fractures. Dominant mineralized style is <5mm discontinuous to planar red brown sp veinlets +/- py-gn, <1-1% diss py within PIPZ														72643	235.90	236.90	1.00	CORE	9.2	7
			223.70 224.00 pale green, cream silica breccia with coarse buckshot py veining at 15 dgs tca														72644	236.90	237.90	1.00	CORE	7.15	5.9
																	72645	237.90	238.90	1.00	CORE	1.27	14.3
231.90	241.05	PIPZ	Altered Premier Porphyry with Coarse Py Veining			3	3		2	3	1	10	tr	tr	tr		72646	238.90	239.90	1.00	CORE	0.113	1.7
			Continuation of Premier Porphyry from previous unit, increasing silicification and chlorite alteration, protolith becoming more obscured below238m, Mineralization dominated by 2-5cm wide qtz-coarse grained py veins with chlorite vein selveges and late calcite infillings, py veining shallow to core axis, 15 dgs tca, <1% red sp within coarse py veins and as diss and fine wisps, trace cpy.														72647	239.90	241.05	1.15	CORE	0.489	2.5
			241.05 lower contact in rubbly broken core														72648	241.05	242.10	1.05	CORE	1.12	4.2
																	72649	242.10	243.20	1.10	CORE	0.021	0.8
241.05	245.40	CBXX	Silica Breccia			5					1	3	0.5	tr	tr		72650	243.20	243.20	0.00	BLK	<0.005	<0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Mottled pale green grey pervasive silicification, silica veining with relict fragments of silicified Premier Porph and silicified andesite fragments (andesite fragments more dominant downhole). <5% total sulfides, mainly diss py, minor py veining, minor diss to fine veinlet sp+/-gn, trace cpy														72651	243.20	244.30	1.10	CORE	0.031	2.9
																	72652	244.30	245.40	1.10	CORE	0.024	3.2
245.40	248.70	AXXZ	Altered Andesite with Pyrite Veining				1		4	4	1	7	tr	tr			72653	245.40	246.40	1.00	CORE	0.065	8.6
			Medium to dark grey and green, str ser and chl altered andesite with coarse grained diss to veined py, py veining not as abundant or as massive or as coarse grained as py within interval from 231.9-241.05.														72654	246.40	247.55	1.15	CORE	0.07	5.4
																	72655	247.55	248.70	1.15	CORE	0.127	2.8
248.70	276.45	ALXX	Andesite Fragmental						2		1	tr					72656	248.70	250.70	2.00	CORE	<0.005	0.5
			Medium green, fine grained, mix of massive to weakly foliated homogenous andesite and patches with darker green flattened non-porph fragments in a med green fine grained groundmass. Minor calc, calc qtz veinlets,														72657	250.70	252.70	2.00	CORE	0.01	1.1
			248.70 255.10 minor up to 10cm qtz-py veining with 15% med grained py similar to veining in previous unit. Weak qtz, qtz-calc veining				2				1	3					72658	252.70	254.70	2.00	CORE	0.05	2.1
																	72659	254.70	256.70	2.00	CORE	0.043	1.5
			276.45 EOH														72660	256.70	256.70	0.00	CU190	0.671	10
																	72661	256.70	258.70	2.00	CORE	0.009	0.7
																	72662	258.70	260.70	2.00	CORE	0.007	0.5

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2190

Easting:	436408	**Azi (deg):**	235	**Start:**	18-Jun-20
Northing:	6212758	**Dip (deg):**	-48	**Finish:**	20-Jun-20
Elev (m):	421	**Length (m):**	275.84	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														72663	62.25	63.25	1.00	CORE	0.034	2.9
																	72664	63.25	65.60	2.35	CORE	0.065	3.7
3.05	63.25	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														72665	65.60	66.60	1.00	CORE	<0.005	0.7
			Mix of fsp-hbl porph and non-porph andesite fragments in a coarse crystal and ash tuff groundmass, medium green with patchy light marroon red hematite staining. Weakly foliated, trace carbonate veining														72666	117.20	119.20	2.00	CORE	0.006	0.7
																	72667	119.20	120.80	1.60	CORE	0.025	2.3
63.25	65.60	FXSX	Shear Zone	shr	30		1		3			3					72668	120.80	122.40	1.60	CORE	0.015	2
			Light to med grey. Fragments of andesite, silica veining, sil andesite with qtz stockwork, fragments often rounded and milled, matrix of fine grained ser-py altered material, locally 5-7% very fine grained py veining, broken rubbly recovery, Fe-Ox stained. shearing at 30-35 dgs tca. Very sharp knife edge lower contact at 30 dgs tca.													72669	122.40	124.00	1.60	CORE	0.075	13
																	72670	124.00	124.00	0.00	BLK	<0.005	<0.2
65.60	119.20	AXXX	Andesite								1						72671	124.00	126.00	2.00	CORE	0.008	1
			Medium green, massive, homogenous unit, fine grained to finely green speckled with some euhedral phenocrysts of hbl and fsp, weak calcite veining, trace py.														72672	188.00	190.00	2.00	CORE	0.006	1.4
			91.80 95.20 weak creamy irregular to planar qtz, qtz-calc veinng														72673	190.00	192.00	2.00	CORE	0.013	1.9
			97.40 111.00 weak fine dark green chlorite stockwork/network aligned shallow to core axis.														72674	192.00	194.00	2.00	CORE	0.005	0.5
			112.00 progressing downhole texture changing from massive to more foliated at <30 dgs tca														72675	210.90	212.90	2.00	CORE	0.005	0.5
																	72676	212.90	214.90	2.00	CORE	<0.005	0.9
119.20	124.00	FXSX	Shear Zone, Fault Breccia	shr	20				1		2	1					72677	214.90	216.90	2.00	CORE	<0.005	0.8
			poly lithic fragmentally textured unit, dominantly non-porph andesite fragments, minor porph andesite and light green very fine grained sed? in a ser alt rock flour and calcite matrix, minor milled rounded frragments of qtz, fragment supported, sheared fabric at 20 dgs tca														72678	216.90	218.90	2.00	CORE	<0.005	0.6
																	72679	218.90	220.90	2.00	CORE	0.049	1.7
124.00	154.00	AXXX	Andesite								1	tr					72680	220.90	220.90	0.00	CU190	0.666	10.2
			Medium green, fine grained, finely fsp and hbl phyric, massive becoming increasingly broken approaching lower contact, minor calc veining.														72681	220.90	222.90	2.00	CORE	0.063	2.6
																	72682	222.90	224.90	2.00	CORE	0.007	0.9
154.00	161.00	FXXX	Fault Zone														72683	224.90	226.90	2.00	CORE	<0.005	0.7
			Massive fine grained andesite lithology, strongly fractured and broken core recovery, weakly calc-qtz veined <15 dgs tca, weak thin cm scale ser-py altered shears parallel with veining,	flt	10		1		2		1	2	tr				72684	226.90	228.90	2.00	CORE	0.007	0.5
																	72685	228.90	230.90	2.00	CORE	0.009	0.9
161.00	214.90	AXXX	Andesite														72686	230.90	232.90	2.00	CORE	0.02	1.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green, fine grained massive andesite, finely fsp speckled, weak calc, calc-qtz veining, <1% py														72687	232.90	234.90	2.00	CORE	0.013	1.3
			161.00 173.00 mod fractured sub-parallel to core axis.														72688	234.90	236.90	2.00	CORE	0.01	1.1
			173.00 181.95 mod calc, calc-qtz irregular veining, traces of py and red sp within veining, patchy weak ser proximal to areas of stronger veining														72689	236.90	238.90	2.00	CORE	0.026	1.9
			190.00 192.00 <5mm red brown sp veining subparallel to core axis, anastamosing mm scale ser/py veining subparallel to core axis, weak patchy dark green silicification and irregular veining.														72690	238.90	238.90	0.00	BLK	<0.005	<0.2
																	72691	238.90	240.90	2.00	CORE	0.012	1.8
214.90	244.70	AXXZ	Altered Andesite				2		2	2	2	1	0.5				72692	240.90	242.90	2.00	CORE	0.006	0.9
			Medium green, patchy dark green, patchy green grey, fine grained massive andesite, weak to mod patchy perv ser/chl alteration, weak irregular to wispy <5mm qtz-calc, qtz veinlets generally <30 dgs tca. <1-1% diss py within andesite, <1% py within qtz veins, <1% red and honey brown sp veinlets														72693	242.90	244.70	1.80	CORE	0.022	2.1
																	72694	244.70	246.70	2.00	CORE	0.033	2.4
244.70	263.00	ALXX	Andesite Fragmental								1	tr											
			Darker green fine grained non-porph subrounded to flattened angular andesite fragments in a med green fine grained andesite groundmass. Groundmass supported, weak calc veinlets, trace py																				
263.00	275.84	AXXX	Massive Andesite								1	tr											
			Medium grey green, fine grained, massive homogenous unit, trace calc, qtz-calc veining, trace py.																				
			275.84 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2191

Easting:	436408	**Azi (deg):**	220	**Start:**	20-Jun-20
Northing:	6212758	**Dip (deg):**	-46	**Finish:**	23-Jun-20
Elev (m):	421	**Length (m):**	270.05	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
0.00	3.05	WCAS	Casing														72695	49.65	51.65	2.00	CORE	0.021	2.7	
																	72696	51.65	53.65	2.00	CORE	0.013	2	
3.05	51.65	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														72697	53.65	55.70	2.05	CORE	0.011	2.1	
			heterolithic lapilli to block sized fragments of non porph and porph andesite fragments in a fine to coarse grained crystal and ash tuff groundmass. Fragment abundance and size decreasing below30m with decreasing groundmass grainsize, med green with patchy light marroon hematitic staining.														72698	55.70	57.70	2.00	CORE	0.007	1.5	
	51.65		Sheared lower contact over 40cm														72699	157.90	159.90	2.00	CORE	0.015	0.6	
																	72700	159.90	159.90	0.00	ME1807	7.86	343	
51.65	55.70	MFPZ	Altered Hornblend Qtz Porphyritic Latite-Dacite			2			4		2	3					72701	159.90	161.20	1.30	CORE	0.017	1	
			Pale light green, rare dark green chl altered phenocrysts, rare quartz eyes and probable ghosted outlined fsp phenos, strong fine shattered appearance with local larger patches and veining of calcite, str perv ser, patchy silicification, patchy irregular very fine dark py veining,														72702	161.20	162.40	1.20	CORE	0.015	0.8	
	51.65	52.70	calcite healed breccia with fragments of both hbl-qtz eye dacite porph and dark green andesite healed by a calcite vein cement.														72703	162.40	164.40	2.00	CORE	0.007	0.6	
																	72704	164.40	166.40	2.00	CORE	0.01	0.9	
55.70	98.00	AXXX	Andesite								1						72705	166.40	167.40	1.00	CORE	0.01	0.7	
			Medium green, fine grained, massive homogeneous andesite, minor calc veining increasing below 89m and veining looking more sheared and shallower to core axis.														72706	167.40	168.40	1.00	CORE	0.012	1.4	
																	72707	168.40	169.47	1.07	CORE	9.38	30.7	
98.00	103.40	FXXX	Fault Zone, Fault Breccia								1						72708	169.47	170.60	1.13	CORE	0.29	20.6	
			Host rock is massive fine grained andesite as in previous unit. Andesite is strongly fractured sub-parallel to core axis, minor gouge along fractures, minor surface FeOx along fractures. Local brecciated fragmental fault breccia texture.														72709	170.60	171.85	1.25	CORE	28.5	172	
																	72710	171.85	171.85	0.00	BLK	0.015	0.3	
103.40	114.60	AXXX	Andesite								1						72711	171.85	173.20	1.35	CORE	0.09	6.4	
			Medium green, fine grained, massive to weakly foliated, weak calc veining, weak fine chl, chl-py network/stockwork.														72712	173.20	175.20	2.00	CORE	0.012	1.5	
																	72713	175.20	177.20	2.00	CORE	0.008	4.1	
114.60	120.30	FXXX	Fault Breccia								1						72714	177.20	178.60	1.40	CORE	0.007	1.6	
	114.60	118.00	localized intervals of large andesite fragments in a calcite vein matrix														72715	178.60	181.66	3.06	CORE	0.012	2.6	POOR RECOVERY
	118.00	120.30	andesite fragments, minor calcite vein fragments in an andesite groundmass, mod sheared foliated appearance at 20 dgs tca. Minor Fe-Ox along fracture planes.														72716	181.66	184.40	2.74	CORE	0.007	1.4	
																	72717	184.40	186.40	2.00	CORE	0.012	0.8	
120.30	159.90	AXXX	Andesite														72718	186.40	188.40	2.00	CORE	0.005	0.8	
			Medium green, fine grained, massive homogeneous andesite weak calcite veining. Weak thin chl network/stockwork. Trace py.														72719	188.40	190.40	2.00	CORE	0.068	4	
	159.90		sharp irregular lower contact														72720	190.40	190.40	0.00	GS1Z	1.165	91.8	
																	72721	190.40	192.40	2.00	CORE	0.023	2.2	
159.90	168.40	PIPZ	Altered Premier Porphyry						4	3		2					72722	192.40	194.40	2.00	CORE	0.018	3.8	
			Light grey, <1-1% calcite altered K fsp megacrysts, 1-2% quartz eyes, 1-2% str chl altered porph hbl, mod to str perv ser alt, 2-4% diss py.														72723	194.40	196.40	2.00	CORE	0.02	3.6	
	163.50	168.40	core becoming increasingly fractured subparallel to core axis.														72724	196.40	198.40	2.00	CORE	0.027	2.8	
	168.20	168.40	lower contact 20cm sheared gougy at 10-15 dgs tca.														72725	198.40	200.40	2.00	CORE	0.039	3.2	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
168.40	171.85	CBSS	Silica Breccia														72726	200.40	202.40	2.00	CORE	0.169	3.8
																	72727	202.40	204.40	2.00	CORE	0.116	1.7
			168.40 170.20 Light green, finely brecciated shattered andesite, 7-10% qtz-coarse py veining with <1-1% honey sp. Veining <15 dgs tca				2		2	2	1	10	0.5				72728	204.40	206.40	2.00	CORE	0.01	2.2
			170.20 171.85 Strong qtz veining <15 dgs tca to subparallel to core axis withing ser sil altered light green andesite protolith, later brecciation healed by calcite, 15-20 coarse py veining, <1-1% wispy honey sp veining. Overall py content increases downhole.				4		3		3	15	0.5				72729	206.40	208.40	2.00	CORE	0.039	2.5
			170.85 171.15 several occurrences of VG intergrown with py including a 1mm x 2cm vein of vg.														72730	208.40	208.40	0.00	BLK	<0.005	<0.2
																	72731	208.40	210.40	2.00	CORE	0.017	3.1
171.85	188.40	AXXX	Massive Andesite								1	0.5					72732	210.40	212.40	2.00	CORE	0.026	3.8
			Medium green, fine grained, massive uniform lithology. Weak calcite veining, <1% diss py. Strong coarse grained calcite veining from top of unit to 173.4m.														72733	212.40	214.40	2.00	CORE	0.074	5.1
			173.60 186.20 strongly fractured shallow to core axis, rubbly core recovery, minor gouge, fault zone??														72734	214.40	216.40	2.00	CORE	0.108	3.9
																	72735	216.40	218.40	2.00	CORE	0.164	1.9
188.40	240.60	AXXZ	Andesite with Weak qtz-py Veining and Sp veining				2.5		2	2	1	5	1	tr			72736	218.40	220.40	2.00	CORE	0.06	1.9
			Medium green, fine grained massive homogenous andesite, moderate fine brecciation healed by irregular to wispy qtz-calc veining, qtz-calc py, qtz-calc-sp veining <20 to subparallel to core axis. 2-4% diss py within andesite, 1-2% reddish brown to honey brown sp within qtz veins and less commonly as sp only veinlets														72737	220.40	222.40	2.00	CORE	0.046	2
																	72738	222.40	224.40	2.00	CORE	0.202	3.8
240.60	270.05	AXXX	Andesite								1	1					72739	224.40	226.40	2.00	CORE	0.166	5.7
			Medium green, fine grained, massive homogenous lithology becoming weak fragmentally textured below 256.85m weak clac veining, rare qtz-calc-red sp veining,														72740	226.40	226.40	0.00	CU190	0.698	9.7
			254.65 256.85 Tertiary andesite dyke at 20 dgs tca														72741	226.40	228.40	2.00	CORE	0.114	1.3
			264.30 265.60 Fe carb veined shear zone at 10 dgs tca														72742	228.40	230.40	2.00	CORE	0.402	2.4
			265.60 268.85 light grey green, weak ser, ser-py altered weak qtz-calc veining.														72743	230.40	232.40	2.00	CORE	0.07	3
			270.05 EOH														72744	232.40	234.40	2.00	CORE	0.074	3.3
																	72745	234.40	236.40	2.00	CORE	0.142	2.9
																	72746	236.40	238.40	2.00	CORE	0.144	2.4
																	72747	238.40	240.60	2.20	CORE	<0.005	1.2
																	72748	240.60	242.60	2.00	CORE	0.007	0.9
																	72749	242.60	244.60	2.00	CORE	<0.005	1.3
																	72750	244.60	244.60	0.00	BLK	<0.005	<0.2
																	72751	244.60	246.60	2.00	CORE	0.006	1.1
																	72752	246.60	248.70	2.10	CORE	0.023	1.9
																	72753	248.70	250.70	2.00	CORE	0.111	4.4
																	72754	250.70	252.70	2.00	CORE	0.014	1.9

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2192

Easting:	436408	**Azi (deg):**	220	**Start:**	23-Jun-20
Northing:	6212758	**Dip (deg):**	-55	**Finish:**	25-Jun-20
Elev (m):	421	**Length (m):**	230.73	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)						SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.52	WCAS	Casing														72755	181.20	182.70	1.50	CORE	0.049	0.5
																	72756	182.70	184.10	1.40	CORE	0.088	5.4
1.52	48.55	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														72757	184.10	185.80	1.70	CORE	0.078	3.4
			Dominantly andesitic porphyritic and non porphyritic fragments, rare more felsic fsp porph fragments in an ash and crystal tuff groundmass. Weak marroon hematite staining, rare calc veining.														72758	185.80	187.60	1.80	CORE	0.027	4.2
			45.80 46.90 fault zone. Broken rubbly core recovery, gougy fracture coatings, surface oxide stained.														72759	187.60	189.60	2.00	CORE	0.259	4.8
																	72760	189.60	189.60	0.00	ME1807	8.01	324
48.55	55.00	LLXX	Lapilli Tuff				tr										72761	189.60	191.60	2.00	CORE	0.543	5.8
			Fragments dominated by non-porph andesite, lessor fsp porph andesite fragments, increased component of more dacitic fragments. Weak qtz, qtz-calc irregular veining some with very fine grained dark py veining.														72762	191.60	193.60	2.00	CORE	0.782	5
																	72763	193.60	195.60	2.00	CORE	0.691	4.4
55.00	56.40	FXSX	Shear Zone				1				1	2					72764	195.60	197.60	2.00	CORE	0.578	3.4
			streaky light to med mottled green, strong fol/sheared appearance at 35-40 dgs tca. Streakly chl rich and ser rich alteration, weak patchy relict hematite staining, Primary protolith unknown. Weak relict pale to med green silica veins that are shattered and healed by calcite. 2-3% wispy py. surface FeOX staining at lower contact.														72765	197.60	199.60	2.00	CORE	0.687	5.7
																	72766	199.60	201.60	2.00	CORE	1.065	3.6
56.40	57.85	MFPZ	Hornblend Porphyritic Dacite				2		2			2					72767	201.60	202.70	1.10	CORE	5.85	3.6
			Light green , strong surface oxidation staining within first 60cm. Faint outlined chl altered porph hbl, weak perv sil, massive. 1-3% very fine diss py.														72768	202.70	203.80	1.10	CORE	5.51	23.8
																	72769	203.80	204.85	1.05	CORE	4.4	161
57.85	60.90	AXXZ	Altered Andesite						4		3	5					72770	204.85	204.85	0.00	BLK	0.014	0.4
			Light to med grey, fine grained, strong perv ser altered with 5-7% finely diss py and fine dark veinlets, mod calc, calc-qtz veining, sheared/boudined calc veining at 10-20 dgs tca. Lower contact 1.2m of coarse grained white and pinkish salmon calc veining.														72771	204.85	205.90	1.05	CORE	5.23	259
																	72772	205.90	206.90	1.00	CORE	1.5	89.1
60.90	87.20	AXXX	Massive Andesite														72773	206.90	207.90	1.00	CORE	9.23	114
			Medium green, fine grained, massive homogenous lithology, fine <1mm dark ghosted altered phenocrysts (fsp and hbl), weakly fol, weak irregular calc veining, minor fine chl stockwork.														72774	207.90	208.90	1.00	CORE	1.94	14.6
																	72775	208.90	209.70	0.80	CORE	3.71	35.3
87.20	94.25	FXXX	Fault Zone Within Andesite														72776	209.70	210.90	1.20	CORE	0.848	7.2
			Medium green fine grained andesite, mod foliated, broken fractured core recovery, surface oxidation along fracture surfaces,														72777	210.90	212.10	1.20	CORE	0.327	7.2
			87.20 50cm of strong shearing at upper contact at 10 dgs tca														72778	212.10	213.25	1.15	CORE	0.589	9.5

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			92.65 93.45 Tertiary andesite dyke, gougy upper contact at 20 dgs tca. Lower contact at 20 dgs tca														72779	213.25	214.25	1.00	CORE	0.113	3.1
			93.45 94.25 strong fol/shearing at lower contact at 15-20 dgs tca, includes sheared/ boudined calc veins														72780	214.25	214.25	0.00	GS1Z	1.245	89.6
																	72781	214.25	216.25	2.00	CORE	0.13	2.6
94.25	102.45	AXXX	Massive Andesite						2		2	3					72782	216.25	218.25	2.00	CORE	0.101	1.8
			Light to med green patchy light grey green, fine grained, fine <1mm dark ghosted euhedral to anhedral phenocryst outlines, patchy weak to mod perv ser alt with 7-8% diss py. Weak calc veining														72783	218.25	220.25	2.00	CORE	0.138	5.1
																	72784	220.25	222.25	2.00	CORE	0.017	1.6
102.45	132.00	AXXZ	Altered Andesite						3.5			7					72785	222.25	224.25	2.00	CORE	0.122	2.5
			Light grey, light grey green, fine grained, massive, moderate to strong pervasive ser-py alteration with 5-8% fine diss py, patchy light green less altered areas, rare qtz veins														72786	224.25	226.25	2.00	CORE	0.042	1.2
																	72787	226.25	228.25	2.00	CORE	0.188	2.8
132.00	150.40	FXXX	Fault Zone														72788	228.25	230.73	2.48	CORE	0.083	2
			Host lithology is massive fine grained andesite with minor calc veining. Interval is mod to strongly fractured, rubbly core recovery, surface oxidation along fractures																				
			132.00 133.20 Tertiary andesite dyke at 20 dgs tca																				
			145.40 148.10 interval of strong fracturing subparallel to core axis, minor gouge along fracturing																				
			148.10 149.60 Tertiary andesite dyke																				
			149.60 150.40 poor rubbly recovery, chloritic fractured pieces of core.																				
150.40	181.20	AXXX	Andesite								1	0.5											
			Medium green, fine grained, massive uniform lithology, common <20 dgs tca fracturing and calc veining, common FeOx stained fractures, weak calc veining, patchy narrow ser-py alt.																				
181.20	184.10	PFPZ	Sericite Altered Hornblend Porphyritic Latite-Dacite						3			1	tr										
			Light grey, fine grained, 1-3% 1-3mm dark green porph chl altered phenocrysts some of which are definite hbl and some are possibly altered biot, <1% qtz eyes. mod perv ser, <1-1% diss py. qtz-calc-py-sp veining in last 30cm. Upper contact at 20 dgs tca, Lower contact at 30 dgs tca. Unit looks to be correlative with PFPX intersected in holes 2183, 2184 and 2185 rather than PIPX seen in hole 2191																				
184.10	203.80	AXXY	Altered Andesite with Qtz-Py Veining				2			3		7	0.5										
			Medium to dark green massive fine grained andesite, mod brecciated distorted appearance, weak to locally mod irregular creamy and minor pale green qtz veining, weak 2cm-10cm qtz-coarse py veining as irregular masses and planar veins at 30-45 dgs tca, Increasing pervasive chlorite alteration downhole, <1-1% discontinuous wispy tan sp veins and disseminations, 5-8% py diss, discontinuous veins and qtz-py veins/patches. frequency of qtz-py veining increasing in lower 2m.																				
203.80	205.90	SLMA	Massive Sulfides				3			3		60	2		5								
			Irregular quartz-massive coarse grained py veining with lessor cpy and sp hosted by chlorite altered andesite. Veining more regular approaching lower contact at 15 dgs tca. Sharp lower contact with sharp decrease in sulfide content																				
205.90	209.70	CBSM	Silica Breccia with Massive Pyrite				5					40	2		1								

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Pervasive silicification/qtz veining hosting 40% med to coarse pyrite and minor sp and cpy. Massive in texture, no veining orientations possible, lower contact between silica py zone and andesite-py zone appears <10 dgs tca																				
209.70	213.25	SLSM	Semi Massive Pyrite in Altered Andesite Chlorite altered andesite hosting med - coarse grained diss py and 2-5cm wide irregular qtz-coarse py veining and irregular patches. 25cm of qtz-py veining at lower contact. Weak fabric within veining shallow to core axis			2	3			3	1	25	tr										
213.25	230.73	AXXX	Andesite Medium green, fine grained, massive with rare darker green andesite fragments, weak to mod perv chl, 2-3% diss coarse py, weak qtz-calc coarse py veining, weak fine irregular to wispy qtz-sp veinlets				1			2	2	3	tr										
			230.73 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2193

Easting:	436408	**Azi (deg):**	220	**Start:**	25-Jun-20
Northing:	6212758	**Dip (deg):**	-60	**Finish:**	27-Jun-20
Elev (m):	421	**Length (m):**	285.6	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														72789	191.55	193.55	2.00	CORE	0.011	0.7
																	72790	193.55	193.55	0.00	BLK	<0.005	<0.2
3.05	46.00	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														72791	193.55	195.55	2.00	CORE	0.016	0.5
			Large >10cm rounded fragments to <3cm flattened fragments of porph and non-porph andesite in a med to coarse grained ash and crystal tuff groundmass. Patchy weak marroon hematite staining.														72792	195.55	197.20	1.65	CORE	0.365	1.8
			8.20 11.90 Unique heterolithic lapilli tuff composed of <2cm fragments of porph and non-porph green andesite and pale green-cream rhyolite fragments, groundmass supported														72793	197.20	199.20	2.00	CORE	0.252	3.3
																	72794	199.20	201.20	2.00	CORE	2.99	11.9
46.00	52.00	LLXX	Andesite Lapilli Tuff						2			1					72795	201.20	203.20	2.00	CORE	2.25	7.5
			Fragments dominated by non-porph andesite, groundmass much lighter green and finer grained than previous unit with weak ser alteration and local very fine grained dark py. Some fragments appear to have a darker green reaction rim.														72796	203.20	205.20	2.00	CORE	2.32	8
																	72797	205.20	207.20	2.00	CORE	0.956	12.8
52.00	58.30	MFPX	Feldspar Hornblend Porphyritic Dacite														72798	207.20	209.20	2.00	CORE	0.476	7.9
			Light green, poorly outlined altered porph fsp phenos to 4mm, 2-3% dark green chl alt porph hbl. K fsp megacrystic below 56m. Mod ser, rare qtz-fine py veining,														72799	209.20	211.20	2.00	CORE	1.31	23.1
			55.00 56.00 rubbly fractured core, dark surface oxidation along fractures.														72800	211.20	211.20	0.00	CU190	0.715	9.9
																	72801	211.20	213.20	2.00	CORE	2.34	25.3
58.30	69.00	AXXX	Andesite								1						72802	213.20	215.20	2.00	CORE	9.66	12.2
			Medium green, fine grained, massive homogenous lithology, weak to mod fractured with surface oxidation along fractures, weak calc veining, increasingly broken and rubbly approaching lower contact														72803	215.20	217.20	2.00	CORE	0.326	7.7
																	72804	217.20	219.20	2.00	CORE	0.173	3.5
69.00	72.70	D/AN	Andesite Dyke														72805	219.20	220.85	1.65	CORE	0.517	3.6
			medium olive green, fine grained, massive, weakly magnetic, strongly fractured broken recovery with surface oxidation along fractures.														72806	220.85	222.50	1.65	CORE	0.392	4.5
																	72807	222.50	224.50	2.00	CORE	0.1	5.4
72.70	75.60	AXXX	Andesite						2								72808	224.50	225.50	1.00	CORE	0.837	10.7
			grey green, fine grained, massive, weak fine dark green chl network, weak perv ser alt, rubbly fractured recovery.														72809	225.50	226.50	1.00	CORE	0.032	2.8
																	72810	226.50	226.50	0.00	BLK	<0.005	<0.2
75.60	84.90	AXXZ	Altered Andesite						4			5					72811	226.50	227.50	1.00	CORE	0.251	1.3
			Light grey, fine grained, massive, strong pervasive ser alteration with 5% diss py, rare calc veining														72812	227.50	228.55	1.05	CORE	32.3	63.5
																	72813	228.55	229.60	1.05	CORE	11.55	31.1
84.90	124.45	AXXX	Andesite								1						72814	229.60	230.73	1.13	CORE	16.6	25.7
			Medium green, fine grained, locally fine fsp and hbl phyric, massive to weakly fol, weak calc veining, several fractured oxidized intervals as noted below														72815	230.73	231.80	1.07	CORE	0.707	8.6
			84.90 88.00 mod fractured with surface oxidation on fractures														72816	231.80	232.85	1.05	CORE	1.055	13.7
			112.40 115.00 mod to strongly fractured with surface oxidation on fractures.														72817	232.85	233.90	1.05	CORE	0.702	10
			120.70 122.20 brecciated with thin gougy network, fractured at <30 dgs tca with surface oxidation along fractures.														72818	233.90	234.95	1.05	CORE	0.625	6.7
			123.00 124.45 stretched wispy dark green chlorite network approaching lower contact.														72819	234.95	236.05	1.10	CORE	1.71	6.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
124.45	132.75	PFPX	Hornblend Porphyritic Latite-Dacite Light grey green, fine grained, mod foliated at 20 dgs tca. Unit characterized by 1-2% 1-2mm and occassionally to 4mm dark green chlorite altered porphyritic phenocrysts - hbl or some could be altered biotite. Top contact also shows a porphyritic fsp component which is obscurred through most of the unit., very weak calc veining, trace py, weak to mod perv ser.														72820	236.05	236.05	0.00	ME1807	7.49	335	
																	72821	236.05	237.30	1.25	CORE	0.213	6.3	
																	72822	237.30	238.55	1.25	CORE	0.229	5	
																	72823	238.55	239.90	1.35	CORE	0.121	3.8	POOR RECOVERY
132.75	195.55	AXXX	Massive Andesite														72824	239.90	240.90	1.00	CORE	1.9	8.8	
			Medium green fine grained, massive homogenous lithology with <1mm calcite altered fsp phenos. Weak calc veining, trace py, weak perv chl alteration,														72825	240.90	241.90	1.00	CORE	0.079	9.4	
			132.75 136.00 dark green fine chloritic network stretched parallel to foliation….could this be a fragmental (flow top fragmental?) with a chlorite altered interfragmental groundmass that stretched into the foliation?														72826	241.90	242.93	1.03	CORE	0.063	1.6	
			132.75 139.00 patchy weak light grey ser-py alteration														72827	242.93	243.90	0.97	CORE	0.028	2.1	
			195.55 lower contact marked by sharp increase in alteration and mineralization.														72828	243.90	245.97	2.07	CORE	0.047	2.5	
																	72829	245.97	248.00	2.03	CORE	0.01	0.9	
195.55	213.20	AXXZ	Altered Andesite				2		2	3		5	2	1	tr		72830	248.00	248.00	0.00	BLK	<0.005	<0.2	
			Light grey and med to dark green, fine grained massive andesite, weak perv ser alteration changing to chl dominated alteration below 199m. Weak qtz-calc veining with 2-5% py-red sp-gn, 2-4% diss py within andestie, 1 to locally 5% wispy tan and dark sp veining being drawn into the foliation. weak pale green creamy qtz veining														72831	248.00	250.00	2.00	CORE	0.035	1.7	
213.20	227.50	PIPZ	Altered Premier Porphyry, Feldspar Hornblend Porphyry Light grey, 1-2% kspar megacrysts, 1-3% dark ser/chl altered porph hbl, rare qtz eyes, mod to str perv ser, mod chl as chlorite altered phenos and as indistinct discontinuous fine veinlets (+/-py) and as qtz -chl veining. 1-2% diss py, <1-2% diss to wispy veinlet red and tan sp, <1% gn, very weak creamy pale green qtz veining +/- red sp.				1		3	2		2	1	tr	tr									
227.50	230.73	CBSS	Silica Breccia with Semi-Massive Sulfides mottled green grey silicificiation/silica veining/silica breccia, fragments of PIPZ at top of unit, 15-20% coarse buckshot py, 1-3% sp-gn +/- cpy veinlets, weak late calcite veining and calcite infilling between late stage qtz crystals. Banding within py veining at top of unit at 20dgs tca			4	4				2	17	2	tr	tr								
230.73	236.05	FXSX	Shear Zone, Fault Breccia, Syn-Post mineralization medium to dark green, mod sheared appearance cm scale fragments of sil andesite, andesite, multistage qtz veins, ser/chl-fine py altered groundmass. Shearing appears to be post qtz-coarse py veining.			2	2		3	3		10	1	tr									
236.05	242.93	CBXX	Silica Breccia																					
			236.05 238.55 mottled pale green multistage silica breccia, some fragmentation of silica breccia adjacent to previous shear zone/fault breccia. 5-6% fine to med grained py veining, <1% sp			4	4					5	tr										
			238.55 239.90 Poor rubbly highly fractured core recovery of mainly late bull qtz-chl veining							3		2	tr										
			239.90 242.93 mottled grey green multistage silica breccia, 7-10% med to coarse py. 30cm of 30% py veining with tan sp at 239.9m followed by 45cm of late white bull qtz-chl veining. <1% diss tan brown sp, rare qtz veining with red hematite.			4	4					8	0.5										
242.93	255.10	ALXX	Andesite Fragmental				1		2		1	1												

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Darker green non-porph andesite fragments in a med green fine grained andesite groundmass. Groundmass supported, fragments often flattened into foliation. Weak greenish cream massive qtz veins up to 20cm in width, weak ser alt, <1-2% very fine py within sheared groundmass																				
	245.60		255.10 Fault zone. Gouge upper contact at 25 dgs tca, rubbly fractured core recovery of foliated sheared andesite with <2cm fragments																				
255.10	274.80	AXXX	Massive Andesite							2	1												
			Medium green, fine grained, massive homogenous lithology, speckled with fine creamy green fsp phenos, weak irregular calc veining,																				
274.80	285.60	ALXX	Andesite Fragmental																				
			darker green cm scale non-porph andesite fragments, stretched and flattened at 40 dgs tca, weak calc veining, trace py,																				
	285.60		EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2194

Easting:	436408	**Azi (deg):**	220	**Start:**	26-Jun-20
Northing:	6212758	**Dip (deg):**	-65	**Finish:**	29-Jun-20
Elev (m):	421	**Length (m):**	285.6	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)						SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.52	WCAS	Casing														72832	209.00	211.00	2.00	CORE	0.014	0.5
																	72833	211.00	213.00	2.00	CORE	0.01	0.6
																	72834	213.00	215.00	2.00	CORE	0.168	1.2
1.52	44.70	LLXX	Betty Creek Block and Lapilli Tuff														72835	215.00	217.00	2.00	CORE	1.075	1.6
			green and marroon stained fsp porph and non-porph andesite fragments in a granular lithic and crystal ash tuff. Several intervals of 20cm to 2m of fine coarse grained lithic crystal ash tuff, grading suggests tops uphole, no bedding angles														72836	217.00	219.00	2.00	CORE	0.209	2
			8.25 11.30 Interval correlative with previous hole of heterolithic lapilli tuff that includes white rhyolite fragments.														72837	219.00	221.00	2.00	CORE	0.188	2.1
																	72838	221.00	223.00	2.00	CORE	0.791	2.5
44.70	51.40	MFPX	Feldspar Hornblend Porphyritic Dacite														72839	223.00	225.00	2.00	CORE	0.722	2.1
			Light grey green, 15-20% 2-4mm cloudy indistinct anhedral porph fsp, faint indistinct sometimes flattened and wispy porph hbl, rare qtz eyes, weak ser, weak fol, 40cm fault gouge lower contact.														72840	225.00	225.00	0.00	CU190	0.699	9.6
																	72841	225.00	227.00	2.00	CORE	0.064	1.8
51.40	54.25	D/AN	Andesite Dyke														72842	227.00	229.00	2.00	CORE	0.14	1.3
			Olive green, fine grained, weakly magnetic, strngly fractured, very broken rubbly core recovery, oxidized fracture surfaces,														72843	229.00	231.00	2.00	CORE	0.072	1.6
																	72844	231.00	232.00	1.00	CORE	0.144	7.6
54.25	63.25	MFPX	Feldspar Hornblend Porphyritic Dacite														72845	232.00	233.20	1.20	CORE	0.147	2.9
			Continuation of previous MFPX, rare kspar megacryst, weak calc veining,														72846	233.20	234.45	1.25	CORE	0.689	19.9
			58.40 63.25 mod ser alt with 3% fine diss py														72847	234.45	235.70	1.25	CORE	1.5	15
			63.25 10cm pale green silica veining at lower contact at 50 dgs tca														72848	235.70	237.00	1.30	CORE	0.431	10.3
																	72849	237.00	238.00	1.00	CORE	0.762	7.5
63.25	70.60	AXXZ	Altered Andesite						2		1	5					72850	238.00	238.00	0.00	BLK	0.006	<0.2
			light green, grey green, fine grained, massive, weak perv ser alt with 5-7% diss py, minor calc veinlets														72851	238.00	240.00	2.00	CORE	0.614	9.4
																	72852	240.00	242.00	2.00	CORE	0.442	2.6
70.60	101.60	AXXX	Massive Andesite														72853	242.00	244.00	2.00	CORE	0.994	15.1
			Medium to dark green, fine grained, massive homogenous lithology, very minor calc veining, patchy possibly calc-chl filled amygdules (spots),														72854	244.00	246.00	2.00	CORE	0.517	5.7
																	72855	246.00	248.00	2.00	CORE	0.46	4.5
101.60	107.50	PFPX	Feldspar Hornblend Porphyritic Latite-Dacite														72856	248.00	250.00	2.00	CORE	0.083	2.7
			Light grey green, fine grained, Unit characterized by 1-2% 1-2mm and occassionally to 4mm dark green chlorite altered porphyritic phenocrysts - hbl or some could be altered biotite. Patches with 2-3mm porph fsp, fine grained weakly fol groundmass. Top contact also shows a porphyritic fsp component which is obscurred through most of the unit., trace py, weak perv ser.														72857	250.00	252.00	2.00	CORE	0.063	1.1
																	72858	252.00	254.00	2.00	CORE	0.166	6.5
107.50	215.00	AXXX	Massive Andesite														72859	254.00	256.00	2.00	CORE	0.052	1.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			medium to dark green, fine grained, fine <1-1mm phenocrysts of anhedral strongly calcite altered fsp, massive homogenous unit, weak calc veining,														72860	256.00	256.00	0.00	GS1Z	1.145	86.4
			107.50 110.20 dark green chloritic network gives pseudofragmental texture. This texture is seen in most holes at this same contact between PFPX and underlying AXXX														72861	256.00	258.00	2.00	CORE	0.033	3.5
			114.90 116.70 fault gouge and broken fractured core, stained by suface FeOx.														72862	258.00	260.00	2.00	CORE	0.155	2.8
			190.70 192.00 fault zone, fault gouge, strongly fractured core, minor FeOx along fractures. Faulting at 20-30 dgs tca.														72863	260.00	262.00	2.00	CORE	0.44	4.7
			200.00 Below 200m, irregular calc and calc-qtz veining increasing in abundance.														72864	262.00	264.00	2.00	CORE	0.091	8.2
			215.00 irregular lower contact at approx 65 dgs tca														72865	264.00	265.50	1.50	CORE	0.622	17.6
																	72866	265.50	267.20	1.70	CORE	0.509	16.6
215.00	232.00	PIPX	Feldspar Hornblend Porphyry, Premier Porphyry Light grey, <1-2% porph to megacrystic calcite altered K fsp, 1-3% chl alt porph hbl, <1% qtz eyes, weak to mod perv ser, <1-1% diss py, very minor pale green silica veining +/- sp, trace sp veining as mm veinlets. Sp veing increasing below 230.7m. lower contact marked by increased silica veining and increased sp-gn veining.				1		2	2	1	0.5	tr	tr			72867	267.20	268.90	1.70	CORE	0.527	34.3
																	72868	268.90	270.35	1.45	CORE	0.585	27.6
																	72869	270.35	271.35	1.00	CORE	0.296	13.3
232.00	234.45	PIPZ	Feldspar Hornblend Porphyry, Premier Porphyry Continuation of previous unit but with increased mottled pale green creamy silica veining and increased red-brown sp-gn veinlets.				3		2	2		1	3	0.5			72870	271.35	271.35	0.00	BLK	<0.005	<0.2
																	72871	271.35	273.05	1.70	CORE	0.854	7
																	72872	273.05	274.75	1.70	CORE	0.306	7.4
234.45	237.00	AXXZ	Andesite with Qtz-Calcite-Sphalerite Veining Med green, and light grey ser and chl altered andesite early pale green silica veining overprinted by later qtz-calc-red sp-py-gn veining, 1-2% diss py within andesite but 4-5% diss py within ser alt andesite, 3-4% red brown sp within qtz-calc veining. calcite within qtz-calc veining post dates qtz-sp phase and infills open spaces.				3		2	3	2	2	4	1			72873	274.75	276.45	1.70	CORE	0.647	8.3
																	72874	276.45	278.15	1.70	CORE	0.655	3.2
			235.15 <0.5mm fleck of visible gold in contact with sp and gn.														72875	278.15	280.15	2.00	CORE	0.256	1.3
																	72876	280.15	282.15	2.00	CORE	0.069	2.9
237.00	268.90	AXXZ	Andesite with Weak Qtz Veining med green, grey green, fine grained, massive homogenous lithology with weak perv chl, patchy mod perv chl, weak to local mod qtz veining as <1cm pale green and creamy irregular and wispy qtz veining +/- red brown sp and fine gn veining, 20-30cm intervals of shattered andesite healed by fine qtz veining = qtz breccia. <1-1% diss py within andesite,				2		2	2	1	1	0.5	tr			72877	282.15	284.15	2.00	CORE	0.029	2.5
																	72878	284.15	285.60	1.45	CORE	0.04	1.7
			237.00 244.30 1-3% diss py, <1-2% py-sp+/-gn veining																				
			244.30 265.50 <1% sp veining																				
			265.50 268.90 1-2% red brown sp veinng with coarse grained galena																				
268.90	270.35	CBXX	Silica Breccia, Mottled pale green silica veining, silica breccia, silicification within andesite host, 5% diss and veined py, 2-3% thin wispy sp-gn veinlets				4				1	5	2	0.5									
270.35	278.15	FXSX	Shear Zone				3		3	4		5	tr	tr	tr								

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Dark green, fine grained mod to strongly chlorite altered andesite protolith, brecciated more massive appearance becoming fol/sheared appearance at 30-55 dgs tca below 275.5m. Weakly silicified, weak to mod ser, mod to str chl altered, weak to mod fine irregular wispy qtz veining and cm scale pale green qtz veining. 4-5% very fine diss py, <1% fine grained massive dark sp-gn veins drawn into foliation, rare patches of qtz-coarse py.																				
			270.35 275.45 more massive less sheared appearance, strongest shearing below 275.45																				
278.15	285.60	AXXX	Andesite Medium olive green, fine grained, massive, weak fine brecciation with fine py-sp veining, weak perv ser/chl, 2-3% diss py within andesite				1		2	2	1	2	0.5	tr									
			285.60 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2195

Easting:	436408	**Azi (deg):**	205	**Start:**	29-Jun-20
Northing:	6212758	**Dip (deg):**	-46	**Finish:**	30-Jun-20
Elev (m):	421	**Length (m):**	199.95	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.52	WCAS	Casing														72879	157.00	158.50	1.50	CORE	0.009	2.3
																	72880	158.50	158.50	0.00	CU190	0.696	9.2
1.52	47.45	LLXX	Betty Creek Andesite Block and Lapilli Tuff														72881	158.50	160.20	1.70	CORE	0.013	0.6
			rounded to flattened porph and non-porph andesite fragments in a coarse ash and xstal tuff groundmass. Light green becoming weak hematite marroon stained below 8.5m. Groundmass supported, several metre scale intervals of massive ash/xstal tuff														72882	160.20	162.20	2.00	CORE	0.058	1.6
			16.40 17.35 drill hole cores through old drill hole. (from 2018?)														72883	162.20	163.85	1.65	CORE	0.01	0.5
			40.10 47.75 fragments dominated by non-porph green andesite, rare interbeds of fsp-hbl dacite xstal tuff, increasing ser alteration downhole with patchy py.														72884	163.85	165.50	1.65	CORE	0.011	0.4
																	72885	165.50	167.50	2.00	CORE	<0.005	0.4
47.45	51.20	LLXZ	Altered Lapilli Tuff														72886	167.50	169.50	2.00	CORE	0.01	1.3
			light green indistinct flattened fragments, light green str fol finer grained groundmass, weakly silicified, weak to mod ser, brecciated and healed by white and pink calc veining, 2-4% diss to fine wispy fol parallel veinlts														72887	169.50	171.50	2.00	CORE	0.012	4
			50.60 51.20 strongest shearing within groundmass at 40 dgs tca.														72888	171.50	173.50	2.00	CORE	0.113	15.1
																	72889	173.50	175.57	2.07	CORE	0.017	0.9
51.20	120.70	AXXX	Andesite														72890	175.57	175.57	0.00	BLK	<0.005	<0.2
			Medium green fine grained, massive homogenous lithology, fine indistinct fsp and hbl phenos as fine dark grey and dark green grains, weak calc veining, weak perv calcite alteration.														72891	175.57	176.95	1.38	CORE	0.182	15.8
			60.10 62.20 strongly sheared subparallel to core axis.														72892	176.95	177.85	0.90	CORE	0.901	8.1
			79.55 81.40 Hbl porphyritic Jurassic Andesite-Dacitic Dyke with diagnostic 2-3mm dark green porph hbl phenos.. Sharp lower contact at 10 dgs tca.														72893	177.85	178.85	1.00	CORE	0.081	13.2
			100.00 101.00 Tertiary andesite dyke. Broken fractured recovery with weak FeOx along fractures.														72894	178.85	179.85	1.00	CORE	0.141	13.7
			120.70 lower contact in broken core, contact possibly shallow to core axis.														72895	179.85	180.85	1.00	CORE	0.171	6.4
																	72896	180.85	181.85	1.00	CORE	0.384	6.5
120.70	148.80	AXXZ	Altered Andesite						3			5					72897	181.85	182.85	1.00	CORE	0.184	4.7
			Light grey green, fine grained, massive andesite, weak perv calcite alteration, weak to mod ser-py alteration with 3-5% diss py, patchy lighter green less altered intervals,														72898	182.85	183.85	1.00	CORE	0.14	6.4
			148.80 Lower contact sharp at 15 dgs tca														72899	183.85	184.85	1.00	CORE	0.039	2.5
																	72900	184.85	184.85	0.00	GS1Z	1.34	83
148.80	158.50	AXXX	Andesite								1	tr					72901	184.85	185.85	1.00	CORE	0.527	17
			Medium green fine grained massive homogenous lithology, weakly fractured sub-parallel to core axis, weak perv calc alteration, very minor calc veinlets.														72902	185.85	186.85	1.00	CORE	0.092	7.5
			158.50 sharp lower contact at 20 dgs tca														72903	186.85	187.85	1.00	CORE	0.086	4.3
																	72904	187.85	188.85	1.00	CORE	0.124	22.1
158.50	162.20	PIPX	Feldspar Hornblend Porphyrytic Premier Porphyry						3			1					72905	188.85	189.85	1.00	CORE	0.109	8.1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey, <1-1% calcite altered porph to megacrystic K fsp, 1-2% chl altered porph hbl, rare qtz eyes, weak-mod perv ser alt, weak perv calc alteration, trace calc-qtz veining. 1% diss py														72906	189.85	190.85	1.00	CORE	0.186	5.7
	162.20		lower contact sharp at 20 dgs tca														72907	190.85	191.90	1.05	CORE	0.284	3.8
																	72908	191.90	192.90	1.00	CORE	0.027	1.8
162.20	176.95	PIPX	Feldspar Hornblend Quartz Porphyritic Premier Porphyry						3	2		1					72909	192.90	194.90	2.00	CORE	0.069	3.2
			Similar to previous PIPX but with less Kspar megacrysts and this unit contains 3-4% 1-3mm qtz eyes. Patchy mottled dark green chl alteration, mod perv ser alt, weak perv calc alteration, 1% diss py														72910	194.90	194.90	0.00	BLK	0.005	<0.2
	175.00	176.95	faulted lower contact, rubbly fractured broken core, minor clay along fracture planes, milled fault gouge at lower contact at 20 dgs tca														72911	194.90	196.90	2.00	CORE	0.087	2
																	72912	196.90	198.40	1.50	CORE	0.038	1.5
176.95	180.85	AXXX	Andesite				2			2	2	2	tr		tr		72913	198.40	199.95	1.55	CORE	0.076	0.8
			Medium to dark green, fine grained, massive, weakly brecciated except for stronger brecciation proximal to contacts. Weak to mod perv chl, 1-3% diss to fine veinlet py, trace veinlet sp, trace diss cpy.																				
	176.95		brecciated qtz veining over 20cm at upper contact																				
	179.80		brecciated and healed by fine qtz-calc veining.																				
180.85	191.90	AXXY	Andesite with Qtz-Py Veining.				3		2	3	1	8											
			med to dark green, grey green, fine grained, massive, mod perv chl alteration. Mod planar qtz-coarse py-calc veining and lessor irregular veins and patches. 1-3% diss py within andesite, 7-8% py within qtz veining. Lower contact marked by end of qtz-py veining. Veining at 20-30 dgs tca																				
191.90	199.95	AXXX	Andesite				1		2	2	2	4											
			Medium to dark grey green, fine grained, massive, weak perv ser/chl alteration, weak wispy calc veining, rare qtz-coarse py veining, 3-5% diss py.																				
	199.95		EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2196

Easting:	436408	**Azi (deg):**	256	**Start:**	04-Jul-20
Northing:	6212758	**Dip (deg):**	-46	**Finish:**	04-Jul-20
Elev (m):	421	**Length (m):**	254.51	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	72914	208.00	210.00	2.00	CORE	<0.005	0.4
0.00	3.05	WCAS	Casing														72915	210.00	212.00	2.00	CORE	0.015	0.4
																	72916	212.00	214.00	2.00	CORE	0.013	1
3.05	4.88	LLXX	Betty Creek Lapilli Tuff								Tr						72917	214.00	216.00	2.00	CORE	<0.005	0.5
			Light green with mottled pinkish marroon clasts, <2m intervals of feldspar hornblende-phyric dacite fragments in a fine grained andesitic tuffaceous groundmass														72918	216.00	218.00	2.00	CORE	0.005	0.6
																	72919	218.00	220.00	2.00	CORE	<0.005	0.6
4.88	7.96	D/AN	Andesite Dyke														72920	220.00	220.00	0.00	ME1807	8.19	325
			Greyish-green, fine grained, weakly magnetic, locally fractured with oxidized surfaces.														72921	220.00	222.00	2.00	CORE	<0.005	0.9
																	72922	222.00	224.00	2.00	CORE	<0.005	0.8
7.96	73.90	LLXX	Betty Creek Block and Lapilli Tuff								Tr						72923	224.00	225.06	1.06	CORE	<0.005	1.2
			Light green with mottled pinkish marroon clasts, <1.5m blocks of feldspar hornblende-phyric dacite fragments (light grey green, wk ser alt, local wk qtz alt, 15-20% anhedral feldspar-phyric, locally acicular hornblende-phyric) in a fg andesitic tuffaceous groundmass, local weak foliation.														72924	225.06	226.06	1.00	CORE	0.022	4.5
			20.13 23.07 Heterolithic lapilli-tuff with <1cm sub-angular white rhylotic clasts														72925	226.06	227.06	1.00	CORE	0.067	7.5
																	72926	227.06	228.06	1.00	CORE	0.029	3.1
73.90	76.74	MFPX	Feldspar+Hornblende-phyric Dacite								Tr						72927	228.06	229.06	1.00	CORE	0.027	3.7
			Light grey green, 15-20% 2-4mm cloudy indistinct anhedral porph fsp, faint indistinct sometimes flattened and wispy porph hbl, rare qtz eyes, weak ser, weak fol, 40cm fault gouge lower contact.														72928	229.06	230.06	1.00	CORE	0.015	1.2
																	72929	230.06	231.06	1.00	CORE	0.012	2.4
76.74	79.20	D/AN	Andesite Dyke														72930	231.06	231.06	0.00	BLK	<0.005	<0.2
			Greyish-green, fine grained, weakly magnetic, locally fractured with oxidized surfaces.														72931	231.06	232.06	1.00	CORE	0.012	1.4
																	72932	232.06	233.06	1.00	CORE	0.016	1.8
79.20	81.17	FZXX	Brittle Deformation Zone														72933	233.06	233.96	0.90	CORE	0.062	6.8
			Blocky core, low angle oxidized fractures, heterolithic fragments bearing <1.5cm rounded to wispy clasts (plag-phyric black groundmass, white vein fragments) aligned along moderate foliation.														72934	233.96	234.73	0.77	CORE	0.318	12.5
																	72935	234.73	235.58	0.85	ORIG	0.339	8.8
81.17	94.97	AXXZ	Altered Andesite						2		1						72936	234.73	235.58	0.85	DUP	0.035	1.5
			light green, grey green, fine grained, massive, weak perv ser alt with 2-3% diss py, minor calc veinlets with trace hematite alteration														72937	235.58	236.58	1.00	CORE	0.052	1.6
																	72938	236.58	237.58	1.00	CORE	0.015	6.2
94.97	97.16	FZXX	Brittle Deformation Zone overprinting annealed Shear						2		1						72939	237.58	238.58	1.00	CORE	0.055	2.8
			Blocky core, low angle oxidized fractures, heterolithic fragments bearing <1.5cm rounded to wispy white vein clasts in a weakly foliated andesitic groundmass. Local <1.5cm gougey fragments, <1cm clayey ser altered bands associated with increased vein fragment modality	SHR	15												72940	238.58	238.58	0.00	CU190	0.677	9.9
																	72941	238.58	239.50	0.92	CORE	0.023	2.6
97.16	104.87	AXXX	Massive Andesite								1						72942	239.50	240.58	1.08	CORE	0.023	6.4
			Medium to dark green, fine grained andesite, trace to weak calcite veining														72943	240.58	241.58	1.00	CORE	0.04	3.5
																	72944	241.58	242.58	1.00	CORE	0.005	3.5
104.87	108.37	FZXX	Shear Zone with Brittle Reactivation at lower contact						2		1						72945	242.58	243.58	1.00	CORE	0.01	2

					Greyish-green, mod foliation planes characterized by <4mm ser+py bands, mod ser+py alteration, <5mm quartz vein fragments aligned along foliation, oxidized gougey blocky core fragments at lower contact	SHR	25										72946	243.58	244.58	1.00	CORE	0.007	1.8
																	72947	244.58	245.58	1.00	CORE	<0.005	1.3
108.37	130.67	AFXX	Flow banded Andesite								1						72948	245.58	246.58	1.00	CORE	0.011	2.1
					Medium to dark green, fine grained andesite, trace to weak calcite veining; low angle banding at 5-10 degrees to core axis (poss. Bedding planes)	BDG	7										72949	246.58	247.58	1.00	CORE	0.025	2.1
			116.10	116.20	Oxidized, dark grey to black trace gouge-bearing fractures along core fragments, fault	FLT	30										72950	247.58	247.58	0.00	BLK	0.009	<0.2
			120.30	120.83	Light grey green, fine grained, <5% <2mm subhedral to anhedral calcite altered plagioclase phenocrysts, fg andesitic groundmass. <3% disseminated py and py stringers (possilble top of bed?)					2		2	3				72951	247.58	248.58	1.00	CORE	0.209	2.8
																	72952	248.58	249.58	1.00	CORE	6.76	3.6
130.67	138.12	AXPX	Feldspar+Hornblende-phyric Andesite								2						72953	249.58	251.58	2.00	CORE	0.058	2.3
					Light grey green, fine grained, <5% <2mm subhedral to anhedral calcite altered plagioclase phenocrysts, fg andesitic groundmass.												72954	251.58	253.58	2.00	CORE	0.042	1.7
																	72955	253.58	254.51	0.93	CORE	0.015	2.9
138.12	139.66	FZXX	Brittle Deformation Zone																				
					Blocky core, low angle oxidized fractures, heterolithic fragments bearing <1.5cm rounded to wispyvein fragment clasts in an andesitic groundmass, grey clayey gouge seams																		
139.66	167.97	AXPX	Feldspar+Hornblende-phyric Andesite								2												
					Light grey green, fine grained, <5% <2mm subhedral to anhedral calcite altered plagioclase phenocrysts, fg andesitic groundmass.																		
167.97	175.75	FZXX	Brittle Deformation Zone																				
					Blocky core, low angle oxidized fractures, local low angle grey clayey gouge, weak infill carbonate veinlets, patchy weak ser alt, fg massive andesite; gougey fractures at 17 to CA	FLT	17			2		2											
175.75	196.60	AXXX	Massive Andesite																				
					medium to dark green, fine grained, fine <1-1mm phenocrysts of anhedral strongly calcite altered fsp, massive homogenous unit, weak calc veining,																		
			190.50	191.16	Fault zone, fault gouge, strongly fractured core, iron oxide stainging along fractures.																		
196.60	199.36	FZXX	Brittle Deformation Zone																				
					Blocky to highly fractured core, low angle oxidized fractures, local low angle grey clayey gouge, weak infill carbonate veinlets, fg massive andesite																		
199.36	201.41	AXXX	Massive Andesite						1		1		1	2									
					medium to dark green, patchy mod qtz alt, pervasive weak ser alt, fine grained, massive andesite, weak calc veining, <2% mg disseminated cubic py																		
201.41	205.65	FZXX	Brittle Deformation Zone						1		1		1										
					Blocky to highly fractured core, low angle clayey gouge-bearing fractures, weak infill carbonate veinlets, local dark green to black chl aleration on fractures, fg massive andesite fragments, mg disseminated py-cubes					2		2											
205.65	226.06	AXXX	Massive Andesite						1		1		1	2									
					medium to dark green, pervasive weak ser alt, <1mm carbonate replaced reabsorbed plag phenocrysts, fine grained, massive andesite, weak calc veining, <2% mg disseminated cubic py																		
226.06	233.96	AXXZ	Andesite with Qtz-Calcite-Sphalerite Veining							2		2		1	2	1							
					Med green, light grey patchy altered andesite, local overprinting green chlorite alt, early pale green sil+ser veining overprinted by rusty red sph+py, qtz-calc veining, 1-2% diss cubic py within andesite but 2-3% diss py within ser alt andesite, 1% rusty red sphalerite within qtz-calc veining																		
233.96	235.58	CBSS	Semi-massive pyrite-bearing Silica Breccia,							4				1	25								

				Light green to white, wk to mod silica flooded, subangular to rounded ser+sil altered fg andesite clasts, white rounded qtz vein clasts with <cg cubic disseminated py, 20-25% mg coarse grained py cubes with vfg blebby disseminated py in crude bands at 20 to CA.	BND	20																		
235.58	254.51	AXXZ	Andesite with Qtz-Calcite-Sphalerite Veining Med green, light grey patchy altered andesite, local overprinting green chlorite alt, early pale green sil+ser veining overprinted by py+sph, qtz-calc veining, 3% diss cubic py within andesite but 2-3% diss py within ser alt patches				2		2		1	3	Tr											
	254.51		EOH																						

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2197

Easting:	436408	**Azi (deg):**	256	**Start:**	03-Jul-20
Northing:	6212758	**Dip (deg):**	-53	**Finish:**	05-Jul-20
Elev (m):	421	**Length (m):**	291.39	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)						SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														72956	230.00	232.00	2.00	CORE	0.013	0.5
																	72957	232.00	234.00	2.00	CORE	0.014	0.2
3.05	49.45	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														72958	234.00	235.95	1.95	CORE	0.01	0.8
			Rounded to angular block and lapilli sized fragments of fsp porph and non-porph andesite fragments in a coarse ash and crystal tuff groundmass. Weak patchy hematite staining.														72959	235.95	236.95	1.00	CORE	0.015	1.2
																	72960	236.95	236.95	0.00	GS1Z	1.105	89.1
49.45	59.00	LLXX	Betty Creek Monolithic Lapilli Tuff														72961	236.95	238.00	1.05	CORE	1.275	2.7
			Lapilli tuff dominated by dark green non-porph andesite fragments in a finer grained dark green groundmass.														72962	238.00	239.00	1.00	CORE	0.318	1.5
																	72963	239.00	240.00	1.00	CORE	0.191	0.8
59.00	75.20	LLXX	Betty Creek Heterolithic Lapilli Tuff														72964	240.00	241.00	1.00	CORE	1.58	1.5
			Mix of fsp porph and non-porph andesite frgments in a coarse crystal and ash tuff groundmass.														72965	241.00	242.00	1.00	CORE	0.563	2.2
			65.80 71.00 broken fractured core, dark brown oxidized fracture coatings.														72966	242.00	243.00	1.00	CORE	0.861	0.8
																	72967	243.00	244.00	1.00	CORE	5.63	9
75.20	80.40	LLXX	Betty Creek Monolithic Lapilli Tuff														72968	244.00	245.00	1.00	CORE	10.7	13.2
			dark green non-porph rounded andesite fragments in a med green fine grained andesite groundmass.														72969	245.00	246.00	1.00	CORE	3.28	3
																	72970	246.00	246.00	0.00	BLK	0.042	<0.2
80.40	85.65	LLXX	Sheared Betty Creek Monolithic Lapilli Tuff														72971	246.00	247.00	1.00	CORE	0.877	2
			sharp change from previous lapilli tuff to this unit with strong shearing/foliation and milling within ser altered groundmass, rare qtz veining, patchy very fine diss py and very fine py within veins, strongest alteration within lower 30cm of interval at contact with AXXX.														72972	247.00	248.00	1.00	CORE	1.84	2.5
																	72973	248.00	249.00	1.00	CORE	2.09	5.1
85.65	94.50	AXXZ	Altered Andesite						3		1	4					72974	249.00	250.10	1.10	CORE	11.9	9
			light pale grey green, fine grained, massive, mod perv ser with 3-5% diss py.														72975	250.10	251.00	0.90	CORE	5.8	8.3
																	72976	251.00	251.95	0.95	CORE	9.38	12.5
94.50	104.50	AXXX	Massive Andesite								1						72977	251.95	253.50	1.55	ORIG	30.3	60.3
			Medium green, fine grained, massive homogenous lithology, weak calc veining, weak perv calcite														72978	251.95	253.50	1.55	DUP	26	64
																	72979	253.50	254.75	1.25	CORE	2.97	25.9
104.50	105.70	D/AN	Andesite Dyke														72980	254.75	254.75	0.00	ME1807	8.14	327
			Olive green, fine grained, banded proximal to contacts at 20 dgs tca														72981	254.75	255.95	1.20	CORE	0.322	65
																	72982	255.95	257.30	1.35	CORE	0.096	13.2
105.70	107.70	FXXX	Fault Zone														72983	257.30	258.65	1.35	CORE	0.058	3.7
			Very poor broken recovery of andesite with massive white bull qtz-calc veining, minor gouge recovered.														72984	258.65	259.75	1.10	CORE	0.048	2.2
																	72985	259.75	260.85	1.10	CORE	0.066	4.2
107.70	133.70	AFPX	Massive Feldspar Phyric Andesite								1						72986	260.85	261.95	1.10	CORE	0.124	4.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green, abundant 1-1.5mm green altered fsp phenos, fine grained groundmass, massive homogenous unit, minor calcite veining, rare salmon coloured calc veining,														72987	261.95	263.05	1.10	CORE	0.093	5.5
																	72988	263.05	264.20	1.15	CORE	0.078	2.9
133.70	140.10	AXXX	Andesite								1						72989	264.20	265.30	1.10	CORE	0.028	5.9
			Medium green, fine grained, massive, weakly foliated, upper contact shows rare indistinct dark green fragments up to 1cm with 4-5% dark green indistinct grains - phenos?														72990	265.30	265.30	0.00	BLK	0.008	<0.2
																	72991	265.30	266.40	1.10	CORE	0.064	6.4
140.10	142.60	D/AN	Andesite Dyke														72992	266.40	267.50	1.10	CORE	0.054	6.2
			medium olive green to brown green, massive, mod magnetic,														72993	267.50	268.60	1.10	CORE	0.046	2.3
																	72994	268.60	269.70	1.10	CORE	0.031	2.8
142.60	195.90	AXXX	Andesite							3	1						72995	269.70	270.80	1.10	CORE	0.107	2.8
			Medium green grey green grading to dark green down hole. Fine grained, finely speckled with fsp and hbl phenos, faint reddish hematite colouration, patchy but regular fine dark green chlorite stockwork/network over 10cm widths with overall alignment at 20 dgs tca, regulary spaced chlorite network possibly suggestive of pillowed andesites?? increasing pervasive chlorite alteration approaching lower contact. weak perv calc. 2-4% fine diss py proximal to lower contact.														72996	270.80	271.90	1.10	CORE	0.108	14.4
																	72997	271.90	273.10	1.20	CORE	0.051	2.5
195.90	199.00	FXSX	Shear Zone, Fault Zone														72998	273.10	274.25	1.15	CORE	0.074	1.2
			medium chloritic andesite with sheared calc-pale green qtz veining sub-parallel to core axis. Interval includes 20cm sheared qtz-calc veining and sil andesite sheared at 20 dgs tca														72999	274.25	275.40	1.15	CORE	0.086	3.2
																	73000	275.40	275.40	0.00	CU190	0.679	10.4
199.00	236.95	AXXX	Massive Andesite								1						73001	275.40	276.55	1.15	CORE	0.05	4.5
			Medium green, grey green, fine grained massive andesite, weak hematite staining, weak-mod perv calc, weak fine calc veining, trace qtz veining with ser-py halos, 5% fine diss py adjacent to upper contact. below 231m distinctive spotted appearance from 4-5% up to 1cm in long direction flattened lighter green spots with no distinctive boundary - alteration spots.														73002	276.55	277.75	1.20	CORE	0.053	3.9
			236.95 sharp lower contact at 18 dgs tca														73003	277.75	278.75	1.00	CORE	0.169	3.2
																	73004	278.75	279.75	1.00	CORE	0.073	2.2
236.95	250.10	AXXY	Altered Andesite with Qtz-Coarse Py Veining				1		2	3	2	10	tr				73005	279.75	280.75	1.00	ORIG	0.061	7.7
			Medium to dark green, grey green, fine grained, massive, patchy brecciation healed by irregular calcite and minor pale green qtz, weak irregular creamy qtz veining, mod pervasive ser/ch, non-calcareous, mod 2-10cm qtz-coarse py - calcite veining with chlorite fine py vein halos, over all 8-12% py. 2-3% py diss within andesite, 7-10% as coarse grained py within veins and within chlorite altered halo.														73006	279.75	280.75	1.00	DUP	0.065	9.9
																	73007	280.75	281.70	0.95	CORE	0.093	1.7
250.10	251.95	CBSS	Silica Breccia With Coarse Py Veining			4						10					73008	281.70	282.65	0.95	CORE	0.066	1.2
			Pale green silicification/silica breccia with 10% dark green chl and silicified andesite fragments, 10 py as coarse grained irregular veins with diffuse boundaries+ calcite cross-cutting (post dating) silica breccia														73009	282.65	283.65	1.00	CORE	0.046	1
																	73010	283.65	283.65	0.00	BLK	<0.005	<0.2
251.95	253.50	CBMS	Massive Pyrite			4						60					73011	283.65	285.65	2.00	CORE	0.053	2.9
			40-70% coarse grained pyrite in a grey silica groundmass, massive, weak late calcite veining, gradational contacts.														73012	285.65	287.65	2.00	CORE	0.038	2.3
																	73013	287.65	289.65	2.00	CORE	0.042	1.9
253.50	258.65	CBSS	Silica Breccia With Coarse Py Veining			4				3		20					73014	289.65	291.39	1.74	CORE	0.018	2.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			253.50 254.10 Post Py veining shearing/brecciation. Fragments of silica breccia and qtz-py veining, trace cpy intergrown with py. 254.10 255.40 grey pervasive silicification with a 15-20 dgs tca foliation with 5-25% med grained py. 255.40 255.95 50-60% med to coarse grained py in a grey silica groundmass. 255.95 258.65 creamy pale green silica veining, silica breccia with fragments of dark green chl-silica-py altered andesite. 10-15% med to coarse grained py veining with diffuse boundaries.																					
258.65	264.20	AXXZ	Altered Andesite with Qtz-Coarse Py Veining green and grey ser altered andesite non-calcareous, overprinted by qtz-coarse grained py -calcite veining, veining has diffuse edges grading outward to finer grained py, Overall 15% py diss and veining.			3	4		4	2	1	15	tr										
264.20	273.10	AXXY	Altered Andesite with Qtz-Coarse Py Veining Med to dark green massive fine grained non-calcareous andesite with weak calc veining and decreased qtz-coarse py-calcite veining. 2% diss py within unveined andesite, 10% py within qtz-coarse grained py-calcite veining, veins have diffuse edges, 2cm-20cm wide 270.80 271.45 30% py.			1	2		2	2	1	10	tr										
273.10	277.75	AXXX	Andesite Medium green, fine grained, massive, weakly fol, weak cm scale light green silica veining, weak crackle brecciation healed by grey qtz, patchy ser alt, patchy silicification, 2-3% diss py, 1% red brown fine sp veinlets, 2-4% py as coarse diss and forming indistinct veining.				1		2			4		1	tr								
277.75	282.65	AXXZ	Altered Andesite Mottle med and light green, fine grained massive andesite, disrupted appearance with mottled light grey green silica veining, patches, silicification, brecciated fragmentally textured andesite and qtz veining, 5-7% fine to coarse grained diss py, weak perv ser/chl, trace honey tan sp and trace gn.				2		2	3		6	tr		tr								
282.65	291.39	ABXX	Andesite Fragmental Dark green fine grained non-porph angular fragments some with cuspate edges in a med green fine grained andesite groundmass, possible flow breccia. Weak to mod chl alt, 4-5% diss to poorly developed veinlet py, <1-2% qtz-red brown sp veinlets at 20-30 dgs tca, fol at 20-30 dgs tca. 291.39 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2198

Easting:	436408	**Azi (deg):**	256	**Start:**	05-Jul-20
Northing:	6212758	**Dip (deg):**	-60	**Finish:**	07-Jul-20
Elev (m):	421	**Length (m):**	331.01	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														73015	232.70	234.70	2.00	CORE	0.01	0.6
																	73016	234.70	235.70	1.00	CORE	0.025	2.4
3.05	43.90	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														73017	235.70	236.20	0.50	CORE	4.34	22.1
			Rounded block and lapilli sized fsp porph and non-porph hem stained fragements in a med to coarse grained hem stained ash and crystal tuff groundmass. Fragment supported, patchy finer grained groundmass rich areas showing tops uphole and rare bedding at 40 dgs tca.														73018	236.20	237.35	1.15	CORE	0.551	8.1
																	73019	237.35	238.50	1.15	CORE	0.087	1.7
43.90	52.20	LLXX	Betty Creek Monolithic Lapilli Tuff														73020	238.50	238.50	0.00	GS1Z	1.17	96.6
			Dark green fine grained non-porph rounded to flattened andesite fragments in a lighter green fine grained groundmass.														73021	238.50	239.50	1.00	CORE	1.76	27.8
																	73022	239.50	240.50	1.00	CORE	2.51	5.2
52.20	53.85	D/AN	Andesite Dyke														73023	240.50	241.65	1.15	CORE	0.089	3.7
			Olive green, fine grained, weakly magnetic, massive, banded at upper contact at 35 dgs tca, lower contact at 60 dgs tca														73024	241.65	242.80	1.15	CORE	0.485	9
																	73025	242.80	244.80	2.00	CORE	0.147	4.2
53.85	54.40	LLXX	Betty Creek Monolithic Lapilli Tuff														73026	244.80	246.80	2.00	CORE	0.063	1.4
			Continuation of previous lapilli tuff lithology. Rubbly broken core at lower contact														73027	246.80	248.80	2.00	CORE	0.089	1.4
																	73028	248.80	250.65	1.85	CORE	0.179	5.5
54.40	56.90	MFPX	Feldspar Porphyritic Dacite														73029	250.65	252.65	2.00	CORE	4.19	3.4
			10-15% up to 5mm white porph fsp, <1% altered indistinct hbl phenos, light grey green fine grained groundmass, weak perv ser,														73030	252.65	252.65	0.00	BLK	<0.005	<0.2
																	73031	252.65	254.65	2.00	CORE	1.37	1.2
56.90	62.80	D/AN	Andesite Dyke														73032	254.65	256.65	2.00	CORE	0.076	1.7
			Olive green, fine grained, massive, weak to mod magnetic, mod fractured with surface oxidation along fracture planes,														73033	256.65	258.65	2.00	CORE	0.034	0.8
																	73034	258.65	260.70	2.05	CORE	0.097	0.6
62.80	81.08	MFPX	Feldspar Hornblend Porphyritic Dacite														73035	260.70	262.75	2.05	CORE	0.038	0.5
			15-20% 2-4mm subhedral porph fsp phenos, up to 3% porph altered hbl, weak fol, mod late massive white bull qtz veining, <1-1% diss to fine veinlet py.														73036	262.75	264.80	2.05	CORE	0.012	0.3
			79.00 81.08 strong fol/sheared appearance at 35-45 dgs tca, pseudofragmental appearance														73037	264.80	266.85	2.05	CORE	0.045	1.8
																	73038	266.85	268.90	2.05	CORE	0.066	1.3
81.08	90.00	AXXZ	Altered Andesite						4			4					73039	268.90	269.90	1.00	CORE	0.138	1.3
			Light grey, fine grained, massive, weakly fol, mod to str perv ser with 4-5% very fine diss py. Weak perv calcite. Rare creamy grey qtz veining														73040	269.90	269.90	0.00	CU190	0.687	9.3
																	73041	269.90	270.90	1.00	CORE	0.105	0.7
90.00	123.75	AXXX	Massive Andesite								1						73042	270.90	271.90	1.00	CORE	0.175	0.5
			Medium to dark green, fine grained, massive, weak perv calcite, weak calc veining, sharp lower contact at 30 dgs tca.														73043	271.90	272.90	1.00	CORE	0.352	1.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			90.00 100.40 Possible flow top? Spotted appearance with 7-8% <1-3mm anhedral dark green anhedral to subhedral chloritic spots and fine dark green chloritic veinlet network/stockwork.														73044	272.90	273.90	1.00	ORIG	0.698	0.8
																	73045	272.90	273.90	1.00	DUP	0.921	1.5
123.75	132.95	PFPX	Feldspar Hornblend Porphyritic Dacite								1						73046	273.90	274.90	1.00	CORE	0.708	6.7
			Light grey green, 1-3% dark green, 1-4mm green chl altered porph phenocrysts and 15-20% wispy fsp phenos aligned at 30 dgs tca, weak perv ser, <1% diss py. Weak FeOx along fractures.														73047	274.90	275.90	1.00	CORE	0.804	2.2
																	73048	275.90	276.80	0.90	CORE	0.304	2
132.95	135.25	FXSX	Shear Zone								4						73049	276.80	277.80	1.00	CORE	0.168	4
			Striped green/cream foliated sheared chl/ser altered protolith minor fragments of pale green qtz, strong sheared fragmented calc veining and strong perv calcite. Fol/shear at 30 dgs tca, minor FeOx stained gouge proximal to lower contact. Sharp lower contact at 25 dgs tca.														73050	277.80	277.80	0.00	BLK	<0.005	<0.2
																	73051	277.80	278.80	1.00	CORE	0.154	3.1
135.25	235.70	AXXX	Massive Andesite								2	1					73052	278.80	279.70	0.90	CORE	0.074	3.6
			Medium green, fine grained to finely fsp phyric, massive to weakly fol, weak calc, calc-hem veining, weak FeOx fracture stainings,														73053	279.70	280.70	1.00	CORE	0.219	4.7
			171.90 172.25 sheared calc, calc-qtz veining and sheared andesite at 20 dgs tca														73054	280.70	281.80	1.10	CORE	0.445	4.3
			194.00 199.50 mod late 2-5cm wide bull qtz - chl veining.														73055	281.80	282.90	1.10	CORE	0.363	4.1
			232.00 235.70 fragmentally textured. Dark green andesite fragments speckled white with diss calcite in a med green groundmass.														73056	282.90	284.00	1.10	CORE	0.129	5
																	73057	284.00	285.10	1.10	CORE	0.479	4.2
235.70	242.80	AXXZ	Andesite with Sp-Gn Veinlets			1			2	2	1	4	3	2	tr		73058	285.10	286.10	1.00	CORE	0.146	1.9
			Med green fine grained, weaky fol andesite, weak perv ser/chl altered, 2-4% <5mm tan sp-gn veining, 2-3% diss py														73059	286.10	287.30	1.20	CORE	3.59	13
			235.70 236.05 15-20% tan and red sp-gn-py veining at 45 dgs tca. Trace cpy														73060	287.30	287.30	0.00	ME1807	7.99	318
			239.80 240.45 3-4% wispy sp veining, 2-3% fine diss py.														73061	287.30	288.00	0.70	CORE	0.07	6.3
																	73062	288.00	289.00	1.00	CORE	0.066	10.9
242.80	250.65	AXXZ	Weakly Altered Andesite				1		4	2	1	3	0.5	tr			73063	289.00	290.00	1.00	CORE	0.106	12.1
			Med green grey to dark grey, fine grained, massive, mod perv ser alteration weak to mod fine grey py veinlets with ser halos, increasing ser alt approaching lower contact, weak perv calcite, weak calc veining, weak qtz veining mainly below 248m with chl margins. sharp decrease in sp-gn veining from previous unit, sp within fine qtz veinlets and lessor wispy veinlets, 2-4% py diss and as fine to med gr veinlets														73064	290.00	291.10	1.10	CORE	0.163	2.4
			250.65 qtz-calc veining along lower contact at 20 dgs tca.														73065	291.10	292.30	1.20	ORIG	0.124	1.9
																	73066	291.10	292.30	1.20	DUP	0.113	2.1
250.65	269.90	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry				1		2	2	1	2	tr				73067	292.30	293.40	1.10	CORE	0.043	2.2
			Light grey, 1% white calcite altered porph to megacrystic K feldspar, 2-3% porph chl altered hbl, <1% qtz eyes, fine grained groundmass, very minor creamy green irregular silica veining with chl margins and rare diss sp, rare qtz-calc-coarse py veining, rare med grained py - chl veining with diffuse vein margins, weak perv ser, <1% diss py,														73068	293.40	294.55	1.15	CORE	0.059	3
																	73069	294.55	295.55	1.00	CORE	0.062	0.7
269.90	279.70	PIPZ	Altered Premier Porphyry			2	2		3	3	1	5	tr	tr			73070	295.55	295.55	0.00	BLK	0.006	<0.2
			Continuation of previous unit with increasing mottled patchy dark green chl alteration, 3-5% med grained py-chl veining and patches, weak silica veining, patchy silicification, overall disrupted appearance														73071	295.55	296.55	1.00	CORE	0.05	4.2
																	73072	296.55	298.55	2.00	CORE	0.034	4.4
279.70	286.10	AXXZ	Altered Andesite			2	3		2	3		2	0.5	tr			73073	298.55	300.60	2.05	CORE	0.024	1.5

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green, fine grained andesite, brecciated, disrupted, local shearing with tan beige sericitic fol planes, patchy green grey silicification, silica veining, veining often itself is brecciated, mod perv chl/ser alt, >1-2% diss fine py, <1% sp-gn veinlets often disrupted and discontinuous														73074	300.60	302.60	2.00	CORE	4.34	3.5
																	73075	302.60	304.60	2.00	CORE	0.041	2.1
286.10	290.00	FXSX	Shear Zone Within Andesite			3	3		3	3		1	tr	tr			73076	304.60	306.63	2.03	CORE	0.02	0.3
			Continuation of previous andesite, intensity of shearing increases significantly, milled rolled fragments of andesite and silica, tan beige sericitic fol surfaces, mod to str perv chl/ser, 1-2% diss py, trace relict veinlet sp-gn.														73077	306.63	308.60	1.97	CORE	0.008	0.3
	286.90	287.30	qtz veining with 15% fine to med grained py, tr cpy.																				
290.00	292.30	CBXX	Silica Breccia			4	4					15	tr										
			grey green silica/silica breccia, strong fine shattered appearance, 10 to locally 20% fine to coarse grained diss to vein py, trace tan sp,																				
292.30	294.55	AXXZ	Altered Andesite			2	2		3	2	1	10											
			Grey green fine grained andesite, mod to patchy strong perv ser with fine diss py, patchy perv chl, weak silica veining and silicification, fine tan ser defining fol surfaces, 10% py diss and coarser grained veining with diffuse borders																				
294.55	304.60	AXXZ	Altered Andesite				1		2	2	3	1	tr										
			med green, olive green, fine grained, massive, weak to mod brecciated appearance healed by irregular calc, qtz-calc veining with local coarse py, trace red brown sp, patchy perv calc, patchy mod chl, weak perv ser. Weak pale green silica veining.																				
304.60	314.90	AXXX	Andesite								1	0.5											
			Med green, fine grained, massive to weakly fol, weak calc veining, weak perv calcite alt,																				
	313.90	314.90	sheared lower contact at 40 dgs tca																				
314.9	331.01	ALXX	Andesite Fragmental																				
			dark green angular to flattened non-porph andesite fragments in a med green fine grained andesite groundmass, minor calc veining, weak perv calcite																				
	331.01		EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2199

Easting:	436408	**Azi (deg):**	256	**Start:**	07-Jul-20
Northing:	6212758	**Dip (deg):**	-65	**Finish:**	09-Jul-20
Elev (m):	421	**Length (m):**	352.35	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														73078	233.20	235.20	2.00	CORE	0.023	0.3
																	73079	235.20	237.20	2.00	CORE	0.009	0.3
3.05	43.40	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														73080	237.20	237.20	0.00	CU190	0.715	9.5
			Block and Lapiili sized subrounded fragments of porph and non-porph andesite in a coarse xstal and ash tuff groundmass, generally fragment dominated, local meter scale intervals of massive ash and crystal tuff but with no bedding. Weak marroon hematite staining throughout														73081	237.20	239.20	2.00	CORE	0.048	0.4
																	73082	239.20	241.20	2.00	CORE	0.024	1.4
43.40	53.45	LLXX	Betty Creek Monolithic Lapilli Tuff														73083	241.20	243.20	2.00	CORE	0.392	3
			Medium green, fragment population dominated by non-porph andesite fragments, larger groundmass component, mod fractured with FeOx along fractures														73084	243.20	245.20	2.00	CORE	0.174	1.1
																	73085	245.20	248.00	2.80	CORE	0.125	0.7
53.45	78.95	MFPX	Feldspar Hornblend Porphyritic Dacite														73086	248.00	250.00	2.00	CORE	0.049	0.4
			15-20% subhedral 2-4mm porph fsp phenos, indistinct light to med green altered porph hbl phenos, fine grained, med to light green groundmass, massive uniform lithology, weak perv ser, patchy stronger ser alt with 2-3% fine py veinlets														73087	250.00	252.00	2.00	CORE	0.05	<0.2
			53.45 53.85 40cm fault gouge at upper contact														73088	252.00	253.30	1.30	CORE	0.015	<0.2
																	73089	253.30	254.70	1.40	CORE	<0.005	<0.2
78.95	81.90	FXSX	Shear Zone, Fault Breccia														73090	254.70	254.70	0.00	BLK	0.005	<0.2
			Milled rolled rounded to angular fragments of andesite and qtz vein in a light green lithified rock flour groundmass. Shearing at 20-30 dgs tca, shear sense indicators suggest this is a reverse fault.														73091	254.70	256.10	1.40	CORE	0.017	0.5
																	73092	256.10	257.50	1.40	CORE	0.018	0.5
81.90	108.70	AFXX	Andesite flow?														73093	257.50	259.50	2.00	CORE	0.299	1.2
			81.90 89.50 medium to light green, fine grained, weakly foliated, 4-5% wispy diffuse 1-2mm green spots, weak chl network, weak calc veining														73094	259.50	261.50	2.00	CORE	0.143	0.6
			89.50 103.40 becoming massive, fine grained, finely fsp phyric with light green wispy fsp and darker green poss hbl														73095	261.50	263.50	2.00	CORE	0.059	1.8
			103.40 108.70 becoming foliated, streaky green rhymically banded dark green mm chl laminations parallel with foliation, weakly spotted. Rubbly lower contact with FeOx stained fracture surfaces.														73096	263.50	265.50	2.00	CORE	0.027	1.1
																	73097	265.50	267.50	2.00	CORE	0.067	0.8
108.70	116.10	PFPX	Feldspar Hornblend Porphyritic Latite-Dacite														73098	267.50	269.50	2.00	CORE	0.055	1.8
			Light green, weakly foliated, weak fragmental texture over 15cm at upper contact and over 10cm at lower contact, 7-10% 1-3mm porph fsp phenos, 1-2% dark green chl altered porph phenos = hbl but could also have a significant biotite component.														73099	269.50	270.95	1.45	CORE	0.113	2.1
																	73100	270.95	270.95	0.00	GS1Z	1.18	88
116.10	239.20	AXXX	Massive Andesite								2	tr					73101	270.95	272.40	1.45	CORE	0.012	0.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium to dark green, weakly speckled green, fine grained with fine phenocrysts of plag and hbl, massive uniform lithology, weak perv calc, weak <1cm calcite veining, occassional whtie and pink calcite veining, weakly foliated, weak hematite within fsp phenos below 200m imparts weak bearly noticeable reddish hue.														73102	272.40	274.50	2.10	CORE	0.215	2.3
			116.10 116.60 streaky dark green chl.														73103	274.50	276.50	2.00	CORE	0.369	3.4
			166.10 2cm qtz-coarse py-calcite vein at 20 dgs tca														73104	276.50	278.50	2.00	CORE	0.126	5
			229.50 6cm qtz-sp-gn-py vein at 60 dgs tca.														73105	278.50	280.50	2.00	CORE	0.27	5.4
			237.85 239.20 mod perv chl alteration, 1-2% fine diss py.														73106	280.50	281.60	1.10	CORE	1.295	72.5
			238.65 238.90 qtz-tan brown ser veining.														73107	281.60	282.65	1.05	CORE	1.745	13.5
			239.20 lower contact at 40 dgs tca.														73108	282.65	283.75	1.10	CORE	1.725	20.8
																	73109	283.75	284.75	1.00	CORE	0.138	2.7
239.20	254.70	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry.						2	2	1	0.5					73110	284.75	284.75	0.00	BLK	<0.005	<0.2
			Light grey, gine grained weak ser/chl alt groundmass hosting 1-2% calcite altered megacrystic K feldspar and chl altered porphyritic hbl. Weakly fol, <1% diss py														73111	284.75	286.75	2.00	CORE	0.053	1.7
			245.20 245.65 calc-chl-hem veining shallow to core axis														73112	286.75	288.75	2.00	CORE	0.098	1.7
																	73113	288.75	290.75	2.00	CORE	<0.005	0.4
254.70	269.50	AXXX	Massive Andesite				1		2	2	2	0.5					73114	290.75	292.75	2.00	CORE	0.008	0.7
			Medium green, grey green, fine grained, aphyric massive, weak perv calc, weak perv ser/chl, patchy stronger perv ser with fine py veining over 30cm, weak irregular calc veining, minor pale green qtz veining,														73115	292.75	294.45	1.70	CORE	0.057	1.6
																	73116	294.45	296.20	1.75	CORE	0.2	2
269.50	272.40	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry						2	2		0.5					73117	296.20	297.40	1.20	CORE	2.31	6.9
			<1% calc altered k feldspar megacrysts, 2-3% fine porph hbl, finer porph plag, weak perv ser/chl, <1-1% py.														73118	297.40	298.55	1.15	CORE	0.305	7.4
																	73119	298.55	300.00	1.45	CORE	0.341	2.6
272.40	283.75	AXXZ	Andesite with Weak Sulfide Veining				1		2	3	1	3	0.5	tr			73120	300.00	300.00	0.00	ME1807	7.84	316
			Med green fine grained to finely spotted with drk green chl alt grains, weakly fol, mod perv chl alt, weak perv calcite alt, weak perv ser, weak fine <5mm sp-gn py veinlets, rare coarse py veining.														73121	300.00	301.50	1.50	ORIG	0.175	8.6
			280.50 283.75 interval of strongest sulfide veining. Fine qtz-red and tan sp - py-gn veining														73122	300.00	301.50	1.50	DUP	0.156	11.6
																	73123	301.50	302.50	1.00	CORE	0.041	0.9
283.75	294.45	AXXZ	Altered Andesite						2	2	1	1					73124	302.50	304.50	2.00	CORE	0.038	0.8
			Med green, fine grained to finely fsp phyric, weakly foliated, weak to mod perv ser/chl, weak perv calcite, weak calc veining, <1-2% diss py, trace sp.														73125	304.50	306.50	2.00	CORE	0.033	1
			294.25 294.45 lithified milled, sheared lower contact at 30 dgs tca.														73126	328.60	329.60	1.00	CORE	0.013	0.4
																	73127	329.60	330.60	1.00	CORE	2.89	9
294.45	296.20	ALXZ	Altered Andesite Fragmental						3.5	3.5	1	2	tr	tr			73128	330.60	331.60	1.00	CORE	0.033	0.7
			Darker green chlorite altered flattened 1-2cm non-porph andesite fragments in a med grey green fine grained andesite groundmass. Mod perv ser/chl becoming stronger approaching lower contact, weak fol/flattening becoming strongly fol/sheared approaching lower contact, weak perv calcite, minor qtz veining brecciated by shearing. 2-4% diss py, <1% sp-py-gn veining.																				
296.20	298.55	FXSZ	Altered Shear Zone				1		4	4		3	tr	tr									
			Dark grey green, strongly deformed andesitic protolith, strong pervasive chl/ser, milled fragmented texture in strongly chl alt groundmass, weak brecciated fragmented pale green qtz veining, <1% discontinuous sp veining																				
298.55	301.50	AXXZ	Silicified Andesite with Qtz-Sp-Py-Gn veining			3	3		3	3	2	3	0.5	0.5	tr								

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium to light green andesite, mod silicified/qtz veining, strongly brecciated deformed healed by fine calcite, mod perv ser/chl decreasing downhole. Below 300m <1-2cm qtz-sp-py-gn-cpy veining at average of 50-55 dgs tca																				
301.50	327.30	ALXX	Andesite Fragmental.						2	2	1	1											
			Darker green <1-7cm subangular to subrounded sometimes flattened, chl alt non-porph andesite fragments in a med green andesite groundmass, groundmass supported, weak calc veining, weak perv calcite, weak to mod perv ser/chl. <1-1% diss py																				
327.30	352.35	AXXX	Andesite																				
			Medium green, fine grained, weakly fol, weak perv calcite, weak calc veining, <1% diss py, faint fragmental texture from 334.55 - 338,65,																				
			329.60 330.00 qtz-red brown sp - py veining, 15% sp, veining at 40 dgs tca.																				
			330.00 330.60 <1-1% <5mm qtz-sp-gn veinlets																				
			342.95 343.50 Tertiary andesite dyke at 50 dgs tca.																				
			352.35 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2200

Easting:	436408	**Azi (deg):**	256	**Start:**	09-Jul-20
Northing:	6212758	**Dip (deg):**	-70	**Finish:**	11-Jul-20
Elev (m):	421	**Length (m):**	331.01	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)						SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														73129	218.45	220.45	2.00	CORE	0.007	0.3
																	73130	220.45	220.45	0.00	BLK	<0.005	0.3
3.05	40.55	LLXX	Betty Creek Heterolithic Block and Lapilli tuff														73131	220.45	222.00	1.55	CORE	0.038	0.6
			Up to 20cm rounded fragments of fsp hbl porph andesite, <10cm fragments of non-porph andesite in a coarse grained crystal and ash groundmass, several meter scale intervals of only crystal/ash groundmass but no internal bedding,														73132	222.00	224.00	2.00	CORE	0.027	0.6
																	73133	224.00	226.00	2.00	CORE	0.022	0.7
40.55	42.50	D/AN	Andesite Dyke														73134	226.00	228.00	2.00	CORE	0.017	1.5
			Olive green, fine grained, mod magnetic, fine white calcite amygdules, weak to mod fractured with minor surface oxidation along fractures.														73135	228.00	230.00	2.00	CORE	<0.005	0.5
																	73136	230.00	232.00	2.00	CORE	0.048	2.1
42.50	48.75	LLXX	Betty Creek Monolithic Lapilli Tuff														73137	232.00	234.00	2.00	CORE	0.208	4.4
			Darker green fine grained non-porph andesite fragments in a med green fine grained groundmass. Strongly fractured with brown surface oxidation along fracture planes.														73138	234.00	236.00	2.00	CORE	0.668	6.2
																	73139	236.00	238.00	2.00	CORE	0.01	0.8
48.75	72.00	MFPX	Feldspar Hornblend Porphyritic Dacite														73140	238.00	238.00	0.00	CU190	0.707	9.5
			15-20% suhedral cloudy up to 4mm porph plag, very indistinct <1-2% green clay altered wispy to subhedral porph hbl phenos, fine grained light green groundmass, rare K feldspar megacryst, <1% diss py.														73141	238.00	239.80	1.80	CORE	0.018	0.8
																	73142	239.80	242.00	2.20	CORE	0.033	1.6
72.00	76.00	LLXX	Betty Creek Andesite Lapilli Tuff														73143	242.00	244.00	2.00	CORE	3.55	2.6
			Fragments dominated by cm scale dark green subrounded to subangular drk green non-porph andesite, 5-10% fsp-hbl porph fragments, light green fine to coarse grained poorly sorted groundmass of ash, crystal and lithic grains.														73144	244.00	246.00	2.00	CORE	0.024	2.2
			75.50 20cm shearing milling approaching lower contact.														73145	246.00	248.00	2.00	CORE	0.024	0.5
			76.00 30cm late qtz-chl calc veining at lower contact														73146	248.00	250.00	2.00	CORE	0.006	0.4
																	73147	250.00	252.00	2.00	CORE	0.056	1.2
76.00	89.10	AXXX	Andesite								1						73148	252.00	254.00	2.00	CORE	<0.005	1
			Med green to light olive green, fine grained, patchy fine spotted green appearance from dark green chl alt grains and possible hbl phenos, weakly foliated, patchy weak streaky appearance, minor calc veining														73149	254.00	256.00	2.00	CORE	0.051	0.5
																	73150	256.00	256.00	0.00	BLK	<0.005	0.2
89.10	95.85	PFPX	Feldspar Hornblend? Porphyritic Latite to Dacite														73151	256.00	258.00	2.00	CORE	0.034	0.3
			Unit characterized by 2-3% 1-3mm dark green stubby chl altered mafic porphyritic phenos some which could be hbl some which could be biot, porph fsp nature evident proximal to top and bottom contacts, weak creamy beige qtz veining, minor late qtz-chl veining, <1-1% diss py.														73152	258.00	260.00	2.00	CORE	0.035	1.6
																	73153	260.00	261.40	1.40	CORE	0.019	0.8
95.85	202.00	AXXX	Massive Andesite														73154	261.40	262.80	1.40	CORE	0.046	1.8

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium to dark green, fine grained, massive uniform lithology, weak <1-5cm calc veining, locally white and pink coarse calc+/-qtz veining to 40cm, local reddish hue from fine hem stained grains/phenos,														73155	262.80	263.96	1.16	CORE	0.606	6.5
			100.00 104.00 broken fractured core recovery, brown surface ox along fracture surfaces														73156	263.96	265.15	1.19	CORE	0.025	0.7
			146.55 148.35 Bleached tan beige colour, weak carb veining, orange brown oxidation along fracture surfaces (Tertiary alteration)														73157	265.15	267.15	2.00	CORE	0.039	1.2
			185.00 below 185m, weak fragmental appearance. Fragments distinguished by hosting fine white speckled calcite.														73158	267.15	269.15	2.00	CORE	0.243	2.5
			199.55 202.00 mod fractured with orange brown oxidation along fractures														73159	269.15	271.15	2.00	CORE	0.015	1.3
																	73160	271.15	271.15	0.00	GS1Z	1.085	91.2
202.00	213.10	FXXX	Fault Zone														73161	271.15	272.75	1.60	CORE	0.084	1.1
			Med to drk green fine grained chlor alt andesite, rubbly broken core recovery, minor clay gouge, reduced core recovery.														73162	272.75	273.75	1.00	CORE	0.169	2.4
																	73163	273.75	274.90	1.15	CORE	0.629	3.7
213.10	220.45	AXPX	Feldspar Porphyritic Andesite							3							73164	274.90	276.05	1.15	CORE	0.314	2.5
			Med green, fairly massive, characterized by 7-8% up to 3mm cream green subhedral porph fsp, mod perv chl, weak <1cm planar late white qtz veins.														73165	276.05	277.25	1.20	CORE	0.437	11.9
																	73166	277.25	278.45	1.20	ORIG	0.193	7
220.45	239.80	AXXZ	Altered Massive Andesite				2		2	3	1	0.5	tr	tr			73167	277.25	278.45	1.20	DUP	0.249	7.6
			Med greenish grey, fine grained, massive uniform lithology, mod perv calcite, weak to mod perv ser/chl, patchy stronger ser with diss py, weak irregular calc veining, weak creamy green silica veining. Minor qtz-sp and qtz-coarse py veining <3cm														73168	278.45	279.45	1.00	CORE	0.246	2.7
																	73169	279.45	280.45	1.00	CORE	0.626	3.7
239.80	262.80	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry						2			0.5	tr	tr			73170	280.45	280.45	0.00	BLK	<0.005	0.3
			Light to med grey, 1% calcite altered K feldspar megacrysts, 1-2% chloritized porph hbl to 3mm, chl altered biotite, rare qtz eyes, weak perv ser, weak perv calcite, <1-2% diss py, rare <5mm qtz-sp veinlet														73171	280.45	281.45	1.00	CORE	0.265	6.8
																	73172	281.45	282.45	1.00	CORE	0.174	3.3
262.80	271.15	AXXY	Altered Andesite				1		2	3	2	0.5	tr	tr			73173	282.45	283.45	1.00	CORE	0.161	1.7
			Medium to dark green, fine grained, weakly fol, mod perv chl, weak calc veining parallel with fol, very minor qtz veining, <1% diss py, trace <5mm sp veining.														73174	283.45	284.60	1.15	CORE	0.109	1.8
																	73175	284.60	286.60	2.00	CORE	0.286	0.8
271.15	273.75	FXSY	Chloritized Sheared Andesite														73176	286.60	288.60	2.00	CORE	0.035	0.6
			Med to dark green, fine grained, brecciated and healed by fine calc veining pulled parallel to mod to str fol/shearing at 50 dgs tca, mod perv calc, mod to str perv ser/chl, <1% diss py, <1% fine wispy veinlet py parallel with shearing,														73177	288.60	290.60	2.00	CORE	0.047	1.4
																	73178	290.60	292.60	2.00	CORE	0.238	2.5
273.75	278.45	CBXX	Silica Breccia			3	4					7	2	1	tr		73179	292.60	294.60	2.00	CORE	0.017	1.6
			mottle grey green silica/silica breccia/silica veining with strong crackled brecciated fragmented and milled appearance partially healed by calcite partially healed by green rock flour, 7-8% diss med grained py, 2-3% sp-gn disseminations, irregular clots, broken veinlets with trace cpy,														73180	294.60	294.60	0.00	CU190	0.725	9.9
278.45	284.60	AXXY	Altered Andesite				2		2	3	2	4	1	tr	tr								
			Medium to dark green, fine grained, weakly fol, weak irregular wispy qtz-calc veining with med grained py and within 1-2m of upper contact qtz-py-sp-gn veining, mod to str perv chl, weak calc veining, patchy perv weak calc.																				
284.60	289.00	AXXX	Andesite						1	2	1	3											

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green fine grained, massive, weak perv calcite, weak fine calc veinlets, 2-4% diss py																				
289.00	294.70	ALXX	Andesite Fragmental 5-10% dark green, fine grained, non-porph <1-5cm andesite fragments in a med green fine grained groundmass, weak calc veining, rare qtz-sp-py-gn veining.				1				1	2	tr	tr									
294.70	314.40	AXXX	Andesite Med olive green, fine grained fairly uniform lithology, weak irregular qtz-calc veining with rare sp-gn, weak perv calcite, weak calc veining				1				2	1	tr	tr									
			302.55 303.65 Tertiary andesite dyke																				
314.40	331.01	ALXX	Andesite Fragmental 5-20% <2cm and rarely to 6cm dark green non-porph andesite fragments in a med green and groundmass, weak carb veining with rare red-brown sp, occassional grey ser-py intervals to 15cm, weak pale green to med green brecciated qtz veins healed by calc, <1% med grained diss py.				1				2	0.5	tr	tr									
			331.01 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2201

Easting:	436408	**Azi (deg):**	245	**Start:**	11-Jul-20
Northing:	6212758	**Dip (deg):**	-46	**Finish:**	15-Jul-20
Elev (m):	421	**Length (m):**	268.83	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														73181	183.00	185.00	2.00	CORE	0.008	0.6
																	73182	185.00	186.54	1.54	CORE	0.008	<0.2
3.05	70.50	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														73183	186.54	188.30	1.76	CORE	0.049	1.4
			Fragments dominantly non-porph andesite with lessor fsp-hbl porph andesite and local creamy rhyolite fragments in an ash and crystal tuff groundmass.mod to strongly fractured at <15 dgs tca.														73184	188.30	190.30	2.00	CORE	0.025	2.2
			13.45 17.25 Groundmass supported, 15-20% cm scale fragments, dominated by non-porph andesite with minor creamy rhyolite fragments														73185	190.30	192.30	2.00	CORE	0.008	1
			61.50 70.50 weak ser altered with 1-3% diss to short veinlets of py														73186	192.30	194.30	2.00	CORE	0.008	1.6
																	73187	194.30	196.30	2.00	CORE	0.007	1
70.50	73.60	FXSX	Fault Zone, Shear Zone Healed Fault Breccia														73188	196.30	198.30	2.00	CORE	0.009	1.4
			Broken rubbly strongly fractured recovery, minor gouge recovered, Lithology is strongly foliated, siliceous/ser altered milled rounded fragments in fine grained lithified rock flour groundmass. Lower contact at 25 dgs tca														73189	198.30	200.30	2.00	CORE	0.01	0.6
																	73190	200.30	200.30	0.00	BLK	<0.005	<0.2
73.60	83.40	AXXX	Andesite								2	0.5					73191	200.30	202.30	2.00	CORE	0.009	1.4
			Medium green, fine grained, massive, weak fine calc veining rare larger coarse grained calc veining, patchy sil-ser-py altered shears over 50cm, <1% diss py														73192	202.30	204.30	2.00	CORE	0.297	2.7
																	73193	204.30	206.30	2.00	CORE	0.157	2.1
83.40	100.30	FXSX	Fault Zone, Shear Zone, lithified Fault Breccia														73194	206.30	207.87	1.57	CORE	0.037	1.3
			Protolith is med green fine grained massive to foliated andesite, strongly fractured shallow to subparallel to core axis, moderate pervasive FeOx staining, patchy grey silica-ser-py flooding within lithified fault breccias, locally rounded milled qtz fragments in a lithified grey rock flour groundmass, minor clay fault gouge,														73195	207.87	209.65	1.78	CORE	0.184	4.9
																	73196	209.65	210.92	1.27	CORE	0.047	3.8
100.30	149.70	AXXX	Massive Andesite								2						73197	210.92	211.92	1.00	CORE	0.031	2.7
			Medium green, patchy grey green, fine grained to finely fsp phyric, weakly foliated, weak -mod perv calc, weak calc veining, rare qtz veining, <1% diss py, FeOx along fractures to 132m														73198	211.92	213.90	1.98	CORE	0.034	2.4
			112.10 119.00 grey light green, 1-2mm wide fine grained py veinlets, 5% total py.														73199	213.90	215.90	2.00	CORE	0.014	2.1
																	73200	215.90	215.90	0.00	ME1807	8.94	325
149.70	163.00	FXXX	Fault Zone														73201	215.90	217.90	2.00	CORE	0.038	3
			Protolith is med green fine grained massive andesite. Rubbly broken core recovery, clay fault gouge developed from 159 - 161, weak FeOx staining of fractures.														73202	217.90	219.90	2.00	CORE	0.051	2.7
																	73203	219.90	221.90	2.00	CORE	0.027	2.7
163.00	185.00	AXXX	Andesite								1						73204	221.90	223.90	2.00	CORE	0.082	3.7

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green becoming grey green below 179m. Fine grained to finely fsp phyric, massive, weak perv calcite, weak fine calc veining, weak chl along fractures, weak ser below 179m with 2-4% very fine diss py. Lower contact in broken core.														73205	223.90	225.90	2.00	CORE	0.025	3.2
																	73206	225.90	227.90	2.00	CORE	0.044	3.4
185.00	188.30	PIPZ	Altered Feldspar Hornblend Porphyry, Premier Porphyry						3.5			2	tr				73207	227.90	230.05	2.15	CORE	0.019	2
			light grey, faintly outlined altered K feldspar porphyritic phenos, <1-2% chl alt hbl phenos, rare qtz eyes, mod to str perv ser, weak perv calc, 1-2% diss py, trace diss sp, mod to str fractured. Sheared lower contact at 15 dgs tca.														73208	230.05	232.25	2.20	CORE	0.043	2.6
																	73209	232.25	234.05	1.80	CORE	0.049	3.8
188.30	209.65	AXPX	Feldspar Phyric to Porphyritic Andesite and Andesite Fragmental				1		1	1	1	0.5	0.5	tr			73210	234.05	234.05	0.00	BLK	<0.005	<0.2
			Medium green to olive green, fine grained, Patchy 15-20% <1-2mm light green sub to euhedral fsp phenos, patchy drk green fragmental texture, brecciated and sheared adjacent to upper contact to 194m with weak qtz-calc veining. Minor qtz and calc veining, rare yellow cream <5mm carb veining with coarse grained sp. <1% wispy fol fine grained red and tan sp-gn veinlets. increased ser alteration with diss py and sp veining in last 2m of interval within broken rubbly core.														73211	234.05	236.05	2.00	CORE	0.021	1.9
																	73212	236.05	237.05	1.00	CORE	0.035	0.9
209.65	210.92	CBXX	Silica Breccia, Silica Stockwork				4			4		1	0.5	tr	tr		73213	237.05	238.05	1.00	CORE	0.096	1.7
			Med to dark green chlorite altered andesite fragments in green grey silica veining. Overall veining is at 10 dgs tca..exaggerated thickness due to shallow angel of intersection. Top of intersection <1cm wide massive dark grey sp-gn-cpy veining, overall <1-1% py and <1% red tan sp within unit.														73214	238.05	239.05	1.00	CORE	0.034	1.3
																	73215	239.05	240.05	1.00	CORE	0.107	2.5
210.92	239.05	AXXZ	Andesite and Andesite Fragmental				2		2	2	2	3	1	tr	tr		73216	240.05	241.15	1.10	ORIG	0.028	1.3
			Medium green, olive green, fine grained to patchy finely fsp phyric similar to previous AXPX, fragmentally textured below 232.75. weak perv ser/chl, patchy mod chl. 2-4% diss fine to med grained py, <1-2% wispy fol red-tan and dark grey sp+/- fine gn veinlets, weak qtz, qtz-calc veinlets +/-sp.														73217	240.05	241.15	1.10	DUP	0.032	1.8
																	73218	241.15	242.25	1.10	CORE	0.015	1.1
239.05	242.25	CBXX	Andesite Fragment Silica Matrix Breccia, Silica Stockwork			2	4		3	2		1	1	tr			73219	242.25	243.25	1.00	CORE	0.136	5.6
			up to 20cm fragments of ser/chl/sil altered andesite with a creamy light green silica groundmass. Overall silica veining is shallow to core axis <20 dgs tca giving an exagerated width. <1-2% diss py within andesite, <1-1% diss and veinlet tan, red and dark sp diss within and cross cutting silica veining.														73220	243.25	243.25	0.00	GS1Z	1.31	88.7
																	73221	243.25	245.25	2.00	CORE	0.247	3.3
242.25	268.83	AXXY	Chlorite Altered Andesite				2		2	3.5		2	2	tr	tr		73222	245.25	247.25	2.00	CORE	0.091	1.8
			Medium to dark green fine grained massive uniform lithology, mod to strong pervasive chl, patchy weak fine white and pale green qtz stockwork, <1-4% diss med grained py, 1-4% red, tan and dark sp veinlets with and without qtz +/- gn, cpy. Minor late massive white bull qtz veining.														73223	247.25	249.25	2.00	CORE	0.049	2.8
																	73224	249.25	251.25	2.00	CORE	0.177	4.2
			268.83 EOH														73225	251.25	253.25	2.00	CORE	4.99	5.1
																	73226	253.25	255.25	2.00	CORE	0.154	1.6
																	73227	255.25	257.25	2.00	CORE	0.101	2.4
																	73228	257.25	259.10	1.85	CORE	0.011	1.7
																	73229	259.10	261.10	2.00	CORE	0.067	2.8
																	73230	261.10	261.10	0.00	BLK	<0.005	<0.2
																	73231	261.10	263.10	2.00	CORE	0.112	4.5
																	73232	263.10	265.10	2.00	CORE	0.052	1.9
																	73233	265.10	267.10	2.00	CORE	0.168	3.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	73234	267.10	268.83	1.73	CORE	0.513	3.4

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2202

Easting:	436408	**Azi (deg):**	245	**Start:**	15-Jul-20
Northing:	6212758	**Dip (deg):**	-55	**Finish:**	17-Jul-20
Elev (m):	421	**Length (m):**	266.09	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														73235	220.85	222.85	2.00	CORE	0.127	3.1
																	73236	222.85	224.85	2.00	CORE	0.006	0.5
3.05	68.00	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														73237	224.85	226.85	2.00	CORE	0.26	0.6
			Up to 40cm rounded fsp-hbl porph fragments and non-porph andesite fragments in an ash and crystal tuff groundmass. Overall fragment size and abundance decreases below 32.5m, weak hematite staining disappears below 38.7m, below 55m FeOx along fractures														73238	226.85	228.85	2.00	CORE	0.116	1.8
			62.00 68.00 light green, weak to mod ser alt, 2-4% fine diss py, increasing foliation/shearing at 20-30 dgs tca.														73239	228.85	230.45	1.60	CORE	8.19	5
			68.00 lower contact within broken core.														73240	230.45	230.45	0.00	CU190	0.729	10.9
																	73241	230.45	232.00	1.55	CORE	3.84	2.9
68.00	115.55	AXXX	Hornblend Phyric Andesite							2	1						73242	232.00	233.55	1.55	CORE	1.53	2.8
			light to med green, fine grained, weakly foliated, abundant <1-3mm dark green subhedral to euhedral phenocrysts (hbl), weak diss hematite, weak to mod perv calc, minor calc veinlets +/- hematite, weak dark green fine chl network. Patchy fragmental texture over 10cm widths could be suggestive of interpillow material														73243	233.55	235.55	2.00	CORE	0.535	2.4
			75.00 76.50 weak ser alt, mod fol/sheared, 3-5% finely diss py, brecciated fragmented calcite veins.														73244	235.55	237.55	2.00	CORE	4.22	3.6
			95.40 96.40 gougy broken rubbly core recovery, faulting at 20 dgs tca														73245	237.55	239.55	2.00	CORE	21.3	10.6
																	73246	239.55	241.55	2.00	CORE	0.101	2.6
115.55	129.15	AXXX	Andesite														73247	241.55	243.55	2.00	CORE	0.379	3.3
			Light to med green, fine grained, massive homogenous lithology, weakly fol, minor calc veining, weak diss hem, weak perv calc,														73248	243.55	244.90	1.35	CORE	0.845	28.6
																	73249	244.90	246.25	1.35	CORE	97.6	72.9
129.15	133.70	D/AN	Andesite Dyke														73250	246.25	246.25	0.00	BLK	0.056	0.2
			medium grey olive green, fine grained, aphyric, mod magnetic, includes several screens of AXXX, FeOx on fracture surfaces.														73251	246.25	247.25	1.00	CORE	6.34	5.5
																	73252	247.25	248.25	1.00	CORE	7.69	6.1
133.70	163.10	AXXX	Andesite								2	tr					73253	248.25	249.25	1.00	CORE	61.1	88
			medium green, fine grained, massive homogenous lithology, weakly fol, weak perv calc, weak irregular and planar calc veining +/- qtz, patchy weak FeOx along fracture surfaces, trace diss py														73254	249.25	249.80	0.55	CORE	31.6	239
																	73255	249.80	250.90	1.10	CORE	18.55	174
163.10	178.00	PFPX	Hornblend Porphyritic Latite-Dacite														73256	250.90	252.00	1.10	ORIG	9.33	44.3
			Medium to light green, fine grained, unit characterized by 1-2% up to 3mm dark green chl altered porph phenocrysts, fsp phyric to fsp porph but fsp phenos are typically very difficult to see and when visible are anhedral cloudy calcite altered phenos. massive uniform texture, rare calc veining. sharp lower contact with minor shearing and gouge at 15 dgs tca														73257	250.90	252.00	1.10	DUP	9.06	40.3
																	73258	252.00	253.00	1.00	CORE	1.28	553

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
178.00	228.85	AXXX	Massive Andesite Medium green patchy grey green, fine grained, finely indistinct fsp and hbl phyric, massive homogenous lithology becoming fol fractured at <20 dgs tca downhole, weak calc veining irregular to <20 dgs tca, weak perv calc, increasing perv ser alt withn last two metres of interval.														73259	253.00	254.35	1.35	CORE	0.354	18
																	73260	254.35	254.35	0.00	ME1807	8.14	334
																	73261	254.35	255.75	1.40	CORE	0.191	11.1
228.85	243.55	AXXY	Altered Andesite with Weak Qtz-Coarse Py Veining Medium to patchy dark green, patchy light grey, fine grained, finely fsp and hbl phyric which is very pronounced within light grey soft ser/clay altered intervals. Weak qtz-coarse py veining as <10cm qtz-py veins with up to 50% coarse py within veins, weak pervasive ser/chl, patchy strong ser, patchy stronger chl. <1-2% diss py within andesite, 3-4% py within qtz veins, <1% red brown sp within qtz veins				1		2	2	1	5	tr				73262	255.75	256.75	1.00	CORE	0.044	2.3
																	73263	256.75	257.75	1.00	CORE	0.026	1.5
																	73264	257.75	259.20	1.45	CORE	0.028	2.9
243.55	249.25	AXXY	Altered Andesite with Qtz-Coarse Py Veining Continuation of previous unit but with a marked increase in diss vein py, increased perv chl alteration, patchy irregular yellow cream carbonate veining, minor red hematite within qtz veins. 3-5% med to coarse diss py, 10-15% 1-15 cm wide coarse py veining at <15 dgs tca, 5% sp veining within last one metre of unit. cannot orient core, core orientation marks out by 80 degrees from mark to mark.			2				4	2	12	2				73265	259.20	260.65	1.45	CORE	0.151	1.6
																	73266	260.65	261.75	1.10	CORE	0.141	4.4
																	73267	261.75	262.85	1.10	CORE	0.125	5.6
249.25	249.80	CBMS	Massive Sulfides coarse massive py intergrown with cpy and sp. Upper vein contact at 15 dgs tca, lower vein contact at 20 dgs tca. Unable to orient core as orientation marks are out by 80 degrees from mark to mark.			4						75	5		7		73268	262.85	264.65	1.80	CORE	0.037	0.9
																	73269	264.65	266.09	1.44	CORE	0.145	2.4
																	73270	266.09	266.09	0.00	BLK	0.006	0.4
249.80	253.00	CBMS	Silica Breccia with Massive Pyrite med grey silica with 40% fine to coarse grained massive to poorly banded pyrite, minor diss cpy.			5						40	tr		0.5								
253.00	255.75	CBSS	Silica Breccia with Pyrite Veining Pervasive med grey silicification with patchy indistinct breccia texture hosting 20% med to coarse grained diss and vein py, <1% sp			5						20	tr										
255.75	266.09	AXXY	Chlorite Altered Andesite with Qtz-Coarse Pyrite-Sphalerite Veining Med to dark green to grey green fine grained andesite, mod irregular fine qtz veining with patchy perv silicification hosting qtz-coarse py-red sp veining and minor late calcite infillings, 2-3% diss py, mod pervasive chlorite, veining generally <20 dgs tca. 264.65 266.09 decrease in sulfide content, only 1-2% diss py. 266.09 EOH			2	2		2	3		8	2										

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2203

Easting:	436408	**Azi (deg):**	245	**Start:**	17-Jul-20
Northing:	6212758	**Dip (deg):**	-65	**Finish:**	18-Jul-20
Elev (m):	421	**Length (m):**	270.05	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														73271	215.70	217.70	2.00	CORE	0.006	<0.2
																	73272	217.70	219.70	2.00	CORE	0.011	0.7
3.05	49.10	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														73273	219.70	221.30	1.60	CORE	0.366	6.3
			up to 25cm rounded to subangular fsp porph and non-porph andesite fragments in a fine to coarse grained poorly sorted ash and crystal tuff groundmass, weak perv hem staining decreasing below 35.4m. Fragment supported becoming more matrix supported below 35.4m. below 45m broken rubbly recovery approaching lower contact with weak brown surface oxidation along fractures.														73274	221.30	222.90	1.60	CORE	0.415	7.1
																	73275	222.90	225.00	2.10	CORE	0.011	0.5
49.10	53.80	D/AN	Andesite Dyke														73276	225.00	227.00	2.00	CORE	0.016	0.2
			medium olive greenish grey, fine grained, massive, fine calc amygdules, weakly magnetic, rubbly broken faulted lower contact with surface oxidation along fractures.														73277	227.00	229.00	2.00	CORE	0.024	0.4
																	73278	229.00	231.00	2.00	CORE	0.291	0.3
53.80	70.20	MFPX	Feldspar Hornblend Porphyritic Dacite														73279	231.00	232.25	1.25	CORE	0.082	0.3
			Light green, massive to weakly foliated, 10-15% 2-3mm weakly calc altered subhedral to cloudy anhedral porph fsp phenos, 2-3% light green altered porph hbl phenos, rare fsp to 7mm,														73280	232.25	232.25	0.00	GS1Z	1.18	88.9
			68.70 69.20 massive white late bull qtz-chl vein														73281	232.25	233.50	1.25	CORE	0.017	0.2
			69.20 70.20 mod to str fol/sheared at 35 dgs tca.														73282	233.50	235.60	2.10	CORE	0.066	2.4
																	73283	235.60	237.70	2.10	CORE	3.53	6.9
70.20	108.90	AXXX	Andesite														73284	237.70	239.85	2.15	CORE	16.15	8.7
			Medium to light green, fine grained to finely hbl phyric, weak to mod perv calcite, weak chlorite as fine stockwork/network often subparallel to weak foliation, weak calc+/-hem veining, minor chl-calc-coarse py veining up to 4cm wide, minor late white qtz-calcite veining,														73285	239.85	241.85	2.00	CORE	0.436	4.6
			70.20 75.00 weak perv ser with 1-3% diss py adjacent to upper contact.														73286	241.85	243.85	2.00	CORE	1.135	3.9
																	73287	243.85	245.85	2.00	CORE	0.197	3.5
108.90	114.40	PFPX	Feldspar Hornblend Porphyritic Latite to Dacite														73288	245.85	247.85	2.00	CORE	0.045	0.5
			medium green, abundant 1-2mm subhedral to anhedral porph fsp phenos most evident proximal to contacts, 1-3% dark green stubby chl alt porph mafic phenocrysts some of which could also be biot. Weakly fol, weak late qtz-chl veining, weak perv calc. weakly fractued with surface oxidation along fractures.														73289	247.85	249.85	2.00	CORE	0.427	2.4
																	73290	249.85	249.85	0.00	BLK	<0.005	<0.2
114.40	219.70	AXXX	Andesite								1	tr					73291	249.85	251.85	2.00	CORE	0.097	1.7
			Medium green, fine grained, patchy fine indistinct fsp and hbl phyric, massive homogenous lithology, weak to mod perv calcite, patchy light grey with diss hem, weak calc veining, <1% diss py,														73292	251.85	253.85	2.00	CORE	0.022	0.9
			114.40 117.10 streaky green chl altered, minor calc-hem veining, patchy fragmental texture over 10cm widths with lighter green andesite fragments in a darker green chl alt andesitic groundmass.														73293	253.85	255.85	2.00	CORE	0.025	0.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
219.70	222.90	FXSX	Shearing Within Andesite fine grained massive med green andesite with 10-30cm intervals of shearing at 30 dgs tca. Weak qtz-py-sp-gn veining, weak mm scale gn, gn-sp veinlets generally parallel with shearing, weak fine grained wispy py veinlets, weak ser alt, <1-1% diss py within unsheared andesite, weak perv calc.				1		2		1	5	0.5	1			73294	255.85	257.85	2.00	CORE	5.97	9.6
																	73295	257.85	259.85	2.00	ORIG	1.445	3.6
																	73296	257.85	259.85	2.00	DUP	9.65	5
																	73297	259.85	261.25	1.40	CORE	0.248	1.3
222.90	233.50	AXXX	Massive Andesite Medium green, fine grained, massive, weak perv calcite, weak fine irregular calc veining, rare qtz veining, <1% diss py. Weak perv ser/chl.						2	2	1	0.5					73298	261.25	262.25	1.00	CORE	1.15	3.8
																	73299	262.25	263.25	1.00	CORE	1.15	3.4
																	73300	263.25	263.25	0.00	CU190	0.704	9.3
233.50	243.85	AXXY	Altered Andesite with Fine Galena-Sphalerite Veinlets Medium to dark green, fine grained massive andesite, increased pervasive chlorite alteration. Weak qtz-calc-py-sp-gn+/-cpy veining, weak <5mm dark gn-sp veinlets, minor creamy green silica veining, <1-1% diss py within host andesite, weak perv calc.				1		2	4	1	1	0.5	0.5	tr		73301	263.25	264.25	1.00	CORE	0.207	3.1
																	73302	264.25	266.10	1.85	CORE	0.178	5
			243.00 243.85 lower contact brecciated, weakly silicified, weak fine qtz veining.														73303	266.10	268.10	2.00	CORE	1.7	5.6
																	73304	268.10	270.05	1.95	CORE	2.06	8.2
243.85	262.25	PIPZ	Altered Feldspar Hornblend Porphyritic Premier Porphyry Light grey, <1-1% porph to megacrystic calc altered K spar, indistinct plag phenos, 2-4% strongly chl altered porph hbl phenos, weak perv calc, weak irregular qtz +/- calc veining with chloritic vein selveges and with galena-sphalerite-pyrite+/-chalcopyrite. lower contact sharp at 40 dgs tca.				2		2	3	1	0.5	0.5	0.5	tr									
262.25	270.05	AXXY	Altered Andesite dark grey green, fine grained, finely brecciated healed by fine qtz veining, qtz veining most common proximal to upper contact 3-4% diss py, weak qtz-py-sp veining, mod perv chl, weak patchy perv silicification.			2	2			3	1	3	tr	tr									
			266.10 60cm clay fault gouge at 10 dgs tca.																				
			270.05 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2204

Easting:	436408	**Azi (deg):**	245	**Start:**	18-Jul-20
Northing:	6212758	**Dip (deg):**	-69	**Finish:**	20-Jul-20
Elev (m):	421	**Length (m):**	315.77	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														73305	212.00	213.00	1.00	CORE	0.02	0.6
																	73306	213.00	214.00	1.00	CORE	0.102	2
3.05	44.25	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff														73307	214.00	216.00	2.00	CORE	0.007	0.4
			Up to 40cm rounded fsp-hbl porph and non-porph andesite fragments in a med-coarse grained ash and crystal tuff groundmass. Weak marroon hematite staining, patchy non-hem colouration. Lower contact rubbly broken core with oxidation along fractures.														73308	216.00	217.00	1.00	CORE	0.012	0.8
																	73309	217.00	218.50	1.50	CORE	0.638	3.7
44.25	46.60	D/AN	Andesite Dyke														73310	218.50	218.50	0.00	BLK	<0.005	0.3
			med grey olive green, fine grained, massive, fine white calc amygdules, mod magnetic. Faulted lower contact at 40 dgs tca.														73311	218.50	219.50	1.00	CORE	0.018	0.3
																	73312	219.50	221.60	2.10	CORE	0.025	1.9
46.60	69.20	MFPX	Feldspar Hornblend Porphyritic Dacite														73313	221.60	223.70	2.10	CORE	0.022	0.4
			Light grey green, 20% 1-3mm anhedral to subhedral calc altered cloudy to poorly outlined porph fsp phenos, <1-2% light green altered hbl phenos, massive homgenous lithology, trace qtz veining with py along selveges.														73314	223.70	225.70	2.00	CORE	0.177	0.5
			46.60 49.00 faulted upper contact, sheared gouge developed, FeOx stained, includes open voids noted by drillers.														73315	225.70	227.70	2.00	CORE	0.038	0.7
																	73316	227.70	229.70	2.00	CORE	0.021	0.7
69.20	69.80	FXSX	Shear Zone														73317	229.70	231.70	2.00	CORE	0.02	0.7
			streaky green and med to dark grey, 10% generally <1cm but up to 3cm fragments of dacite, andesite and qtz vein, angular to milled in a sheared lithified rock flour ground mass. Patchy perv dark grey ser-py with 3-4% diss fine py. Minor late massive qtz-chl veining that post dates shearing.	shr	55												73318	231.70	233.70	2.00	CORE	0.007	0.6
																	73319	233.70	235.70	2.00	CORE	0.068	0.8
69.80	73.50	AXXZ	Altered Andesite						4			6					73320	235.70	235.70	0.00	CU190	0.701	11
			Light grey fine grained, massive, fsp phyric, weak perv calcite, mod to str perv ser with 5-7% very fine diss py, weak calc veining.														73321	235.70	237.70	2.00	CORE	0.248	5.4
																	73322	237.70	239.70	2.00	CORE	0.309	4.1
73.50	95.60	AXXX	Andesite								1						73323	239.70	241.70	2.00	CORE	0.03	0.5
			Med green, fine grained, fine wispy dark green chl alt grains aligned with fol, massive, weak calc veining, rare fine py-chl veinlets. 20cm sheared milled lower contact at 35 dgs tca.														73324	241.70	243.70	2.00	CORE	0.061	0.2
																	73325	243.70	245.70	2.00	CORE	0.032	0.4
95.60	102.00	PFPX	Feldspar Hornblend Porphyritic Latite to Dacite														73326	245.70	247.70	2.00	CORE	0.048	0.4
			light to med green, unit characterized by 1-3% <1-3mm dark green stubby chl altered porph phenocrysts, fsp porph nature only evident proximal to upper and lower contacts, weak FeOx staining, very weak perv calc.														73327	247.70	249.70	2.00	CORE	0.167	0.4
																	73328	249.70	251.70	2.00	CORE	0.111	0.3
102.00	235.70	AXXX	Massive Andesite				1				1						73329	251.70	253.70	2.00	CORE	0.022	0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green, fine grained, massive homogenous lithology, finely speckled as fine fsp and poss hbl phenos, calc alt of phenos, weak to mod perv calc, minor calc and qtz veining. 148-160m patchy reddish hue from fine diss hem.														73330	253.70	253.70	0.00	BLK	<0.005	<0.2
	102.00	104.00	streaky beige green and med green, foliated/sheared at 15 dgs tca.														73331	253.70	255.70	2.00	CORE	0.007	0.2
	149.20	152.00	Patchy orange brown FeOx staining of core and along fracture surfaces, minor beige tan bleaching with yellow cream carbonate veining.														73332	255.70	257.70	2.00	CORE	0.007	<0.2
	174.50	176.50	fractured core recovery, FeOx stained fractures.														73333	257.70	259.70	2.00	CORE	0.061	0.9
	213.00		4cm qtz vein with <1cm gn rich veining. Veining at 25 dgs tca														73334	259.70	261.70	2.00	CORE	0.343	0.5
	217.05	217.30	25cm qtz veining/silica breccia, 5-7% py 1% sp mainly over 5cm width of vein.														73335	261.70	263.70	2.00	CORE	0.118	2.8
	218.20	218.45	irregular crackle qtz veining, wispy fine gn-sp-py veining, minor coarser diss py. Veining at 25 dgs tca.														73336	263.70	264.75	1.05	CORE	0.425	8.5
																	73337	264.75	265.75	1.00	CORE	1.13	3.3
235.70	264.75	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry				1		2	2		0.5	tr	tr			73338	265.75	267.75	2.00	CORE	0.015	1.2
			Light grey, green grey, massive, 1-2% calc altered K fsp megacrysts, 1-2% dark green porph euhedral chl altered hbl, <1-1% qtz eyes, indistinct cloudy anhedral plag, weak perv ser, weak irregular chl alt and chl alt on fractures, <1% diss py, rare fine py-sp-gn veinlets with chl selveges, rare qtz veining.														73339	267.75	269.75	2.00	CORE	0.136	1.5
																	73340	269.75	269.75	0.00	GS1Z	1.26	91.5
264.75	264.95	CBXX	Sfilica Breccia			5	4					1					73341	269.75	271.75	2.00	CORE	0.017	0.7
			2-3phase brecciation and silica veining, mottled creamy green, late crackle brecciation healed by calcite, 1% diss py. Upper contact with PIPX at 15 dgs tca. Lower contact at 35 dgs tca with sheared andesite.														73342	271.75	273.75	2.00	CORE	0.044	0.7
																	73343	273.75	275.75	2.00	CORE	0.017	0.5
264.95	277.60	AXXX	Andesite							3	2	1					73344	275.75	277.60	1.85	CORE	0.008	1
			medium to dark green, fine grained, massive to weakly fol, weak calc veining, weak perv calcite, weak to mod perv chl, <1-2% diss py.														73345	277.60	279.40	1.80	CORE	0.087	2.8
	264.95		upper contact with silica breccia, 20cm sheared and fragmented andesite.														73346	279.40	281.20	1.80	CORE	0.162	1.5
																	73347	281.20	283.00	1.80	CORE	0.154	3
277.60	290.95	AXXZ	Sheared Altered Andesite			3	3		2	3	2	3	tr	tr	tr		73348	283.00	284.90	1.90	CORE	0.089	2.3
			Medium to dark green and grey green, strong deformed appearance from wispy horsetail veining to fragmented qtz veins to sheared/fol appearance. Mod to str perv chl/ser, patchy weak sil, weak to mod irregular grey and cream green fine qtz veining														73349	284.90	286.90	2.00	CORE	0.15	5.4
	277.60	284.90	3-4% fine to med grained diss py, trace vine sp-gn veinltes														73350	286.90	286.90	0.00	BLK	<0.005	<0.2
	284.90	290.95	3-4% diss py and increased fine sp, sp-gn veinlets with trace cpy.														73351	286.90	288.90	2.00	ORIG	0.34	5.6
																	73352	286.90	288.90	2.00	DUP	0.339	3.1
290.95	315.77	ALXX	Andesite Fragmental								2	tr					73353	288.90	290.95	2.05	CORE	0.146	4
			<10% darker green fine grained non-porph andesite fragments in a med green groundmass, patchy mottled med and dark green colouration not related to fragments, patchy beige colouration, weak calc veining, patchy shearing over 20cm widths, minor <5mm cream carbonate veinlets with bleached halos, <1% diss py.														73354	290.95	293.00	2.05	CORE	0.021	0.5
																	73355	293.00	295.00	2.00	CORE	0.007	0.4
	315.77		EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2205

Easting:	436408	**Azi (deg):**	245.00	**Start:**	22-Jul-20
Northing:	6212758	**Dip (deg):**	-73.00	**Finish:**	23-Jul-20
Elev (m):	421	**Length (m):**	315.77	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle (TCA1)	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calcite veins	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	*3.05*	WCAS	**Casing**														73356	241.63	244.00	2.37	CORE	0.849	2.4
																	73357	244.00	246.00	2.00	CORE	0.015	0.4
3.05	40.16	LBXM	**Maroon Flow Breccia**									tr					73358	246.00	248.00	2.00	CORE	<0.005	0.3
			maroon pervasive hem altered angular to subangular fragments and lapilli flow breccia with local weak cal veinings, spotty py in groundmass, local tuff bands, faulted Lct														73359	248.00	249.74	1.74	CORE	<0.005	1
40.16	44.00	FXXX	**late fault**														73360	249.74	249.74	0.00	CU190	0.695	9.4
			gougey gravel and chips with oxidized fractures, late fault														73361	249.74	251.00	1.26	CORE	0.412	3.2
44.00	70.29	MFPX	**Porphyritic Flow**														73362	251.00	253.00	2.00	CORE	0.383	1.2
			green fine to med grained plag phenos porphyritic andesite/dacite flow w/ local bull quartz veinings w/ 2nd chl infractures, local py infilled fractures, local rusty fractures, finer grained towards Lct w/ subtle ser alt at Lct														73363	253.00	255.00	2.00	CORE	0.069	1.2
70.29	87.34	AXXX	**Andesite**				1			1		1					73364	255.00	256.50	1.50	CORE	0.44	3.5
			medium green to green fine grained Andesite w/wk cal veining and local py along veins selvages up to 2%, fractured Lct														73365	256.50	258.00	1.50	CORE	0.505	3
87.34	89.22	FXXX	**late fault**														73366	258.00	259.50	1.50	CORE	0.234	0.8
			oxidized gougey rubbles and chip late fault														73367	259.50	261.00	1.50	CORE	0.677	0.9
89.22	95.35	PFPX	**porphyritic PP dyke/flow**				1			1							73368	261.00	262.50	1.50	CORE	1.31	2.5
			light pale greyish green med grained chloritized mafic phenos to local feldspar phenos porphyritic PP dyke/flow, weak cal veinings,local chl alt, Lct @ 40 dgstca														73369	262.50	264.00	1.50	CORE	0.381	3.7
95.35	211.85	AXXX	**Andesite**				1			1	1	tr					73370	264.00	264.00	0.00	BLK	<0.005	<0.2
			med green fine grained homogeneous Andesite w/ weak quartz veinings, local veins with minor hem, dissem fine grained py in groundmass in patches, uniform interval, gradational Lct														73371	264.00	266.00	2.00	CORE	0.01	0.7
			124.50 130.70 mod quartz veinings @ 30-40 dgs tca w/ lenses of py up to 4-5%, dissem fine grained py in groundmass														73372	266.00	268.00	2.00	CORE	0.021	0.8
211.85	215.76	ABXX	**Flow Breccia**	shr			2			2	1	1					73373	268.00	270.00	2.00	CORE	0.057	1.4
			med green patchy angular to subangular flow breccia w/ foliation, patchy sheared text with tension gouges, wk to mod qtz-cal veinings, local py infilled fractures, gradational Lct														73374	270.00	271.98	1.98	CORE	0.03	5.6
215.76	226.72	AXXX	**Andesite**				1			1	1	tr					73375	271.98	273.00	1.02	CORE	0.617	2.4
			med green fine grained Andesite, wk cal-qtz veinings, tr py in groundmass and veins, gradational Lct														73376	273.00	274.00	1.00	CORE	0.567	4.1
226.72	232.71	AFXX	**Andesite Flow**				1			1	1	1					73377	274.00	275.00	1.00	CORE	0.439	4.7
			med green local fine grained plag phenos andesite flow, weak foliation in phenos and local lapilli, weak qtz-cal veinings, chilled irregular Lct														73378	275.00	276.00	1.00	CORE	0.218	2.4
232.71	249.74	PIKX	**Premier Porphyry**			1	1		1	1	1	1					73379	276.00	277.00	1.00	CORE	0.411	5.6
			grey to greyish green med and spotty mega feldspar premier porphyry, pervasive subtle sericite alteration, local weak foliation, local hbl phenos, local cal-qtz veins w/ chl alt and cubic py up to 4-5%, sheared and pepperitic w/ chl alt, chilled and irregular Lct														73380	277.00	277.00	0.00	GS1Z	1.21	93.2
249.74	271.98	AXXY	**Altered Andesite with stockworkc**			1	3		1	4	1	4	2	tr			73381	277.00	278.00	1.00	CORE	0.444	9.8

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle (TCA1)	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calcite veins	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			med to dark green fine grained patchy strongly chlaltered Andesite w/ mod to strong qtz stk and local narrow 10-20cm wide crackle bx, stringers of py and sph in veins and bx, dissem fine grained py in groundmass, overprinting cal veinings, grad Lct														73382	278.00	279.00	1.00	CORE	1.52	3.3
271.98	282.08	CBXX	**Silica Breccia**			3	5		2	2	2	10	4	1	tr		73383	279.00	280.00	1.00	CORE	0.295	4.4
			light green to green fine grained weak to patchy mod ser altered andesite hosted patchy 1-2 staged silica breccia, more sheared and crackle brecciz at the top and became more prominent 2 staged bx w/ stringers of py/sph and local gal, local x-cut by cal veins w/ mega cpy/sph, dissem fine grained py in groundmass, grad Lct														73384	280.00	281.00	1.00	ORIG	0.297	4.9
282.08	292.00	AXXY	**Altered Andesite with stockwork**				2		1	4	1	2	2	tr			73385	280.00	281.00	1.00	DUP	0.694	8.6
			med to dark green patchy strong chl altered Andesite w/ mod qtz veinings w/ stringers of sph/pyand tr gal up to 3-5%, dissem py in groundmass, weakened mnlzn and alt towards the end, local lapilli txt, grad Lct														73386	281.00	282.08	1.08	CORE	0.133	6.7
292.00	307.23	AXXX	**Andesite**				1			1	1	tr					73387	282.08	284.00	1.92	CORE	0.171	3.5
			med green fine grained Andesite w/ wk qtz and cal veinings, local py in veins, grad Lct														73388	284.00	286.00	2.00	CORE	0.015	1.4
307.23	308.31	D/AX	**Andesite Dyke**														73389	286.00	288.00	2.00	CORE	0.444	2.8
			beige to grey aphanitic andesite dyke														73390	288.00	288.00	0.00	BLK	<0.005	<0.2
308.31	315.77	ASXZ	**Sheared Andesite**				2		1	3	2	2					73391	288.00	290.00	2.00	CORE	0.315	1.9
			med to local dark green fine grained patchy strong chl altered Andesite w/ tension gouges and sheared qtz-cal stk, dissem fine grained py in groundmass, stringers of py in stk														73392	290.00	292.00	2.00	CORE	0.73	3.9
																	73393	292.00	294.00	2.00	CORE	0.006	2.6
EOH=315.77m																	73394	294.00	296.00	2.00	CORE	0.01	1.8
																	73395	296.00	298.00	2.00	CORE	0.007	1.7
																	73396	298.00	300.00	2.00	CORE	0.039	1.4
																	73397	300.00	302.00	2.00	CORE	0.118	2.2
																	73398	302.00	304.00	2.00	CORE	0.013	2.4
																	73399	304.00	306.00	2.00	CORE	<0.005	0.5
																	73400	306.00	306.00	0.00	CU190	0.702	9.5
																	73401	306.00	308.31	2.31	CORE	0.017	0.7
																	73402	308.31	310.00	1.69	CORE	0.052	1.5
																	73403	310.00	312.00	2.00	CORE	0.022	1.9
																	73404	312.00	314.00	2.00	CORE	0.272	1.2
																	73405	314.00	315.77	1.77	CORE	0.086	0.7

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2206

Easting:	436408	**Azi (deg):**	271.00	**Start:**	24-Jul-20
Northing:	6212758	**Dip (deg):**	-50.00	**Finish:**	27-Jul-20
Elev (m):	421	**Length (m):**	299.92	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	West Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle (TCA1)**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calcite veins**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	*1.52*	WCAS	**Casing**														73406	159.81	161.42	1.61	CORE	<0.005	<0.2
																	73407	161.42	164.00	2.58	CORE	0.014	0.2
1.52	13.91	LFPX	**Porphyritic Flow**														73408	164.00	166.00	2.00	CORE	0.017	<0.2
			green fine grained plag/hbl phenos porphyritic flow w/local bx and hem alt, heterolithic autoclastic txt, wk veining, grad Lct														73409	166.00	168.00	2.00	CORE	0.013	0.4
13.91	43.15	LBPM	**Maroon Porphyritic Flow Breccia**														73410	168.00	168.00	0.00	BLK	<0.005	<0.2
			maroon per hem altered plag/hbl and hem alt phenos porphyritic flow angular to subangular autobreccia w/ fol @ 20-30 dgs tca, grad less brecciated towards the end, grad Lct														73411	168.00	170.00	2.00	CORE	0.025	7.1
43.15	53.30	LLXX	**Flow Breccia**														73412	170.00	172.00	2.00	CORE	0.008	0.2
			pale green to local pale maroon hem alt to unaltered andesitic flow to flow bx, grad Lct														73413	172.00	174.00	2.00	CORE	<0.005	0.2
53.30	60.55	LXXX	**Andesite**														73414	174.00	176.00	2.00	CORE	0.023	0.5
			green fine grained Andesite w/ local cal veins, Lct @ 20 dgs tca														73415	176.00	178.00	2.00	CORE	<0.005	0.2
60.55	67.58	D/AX	**Andesite dyke**														73416	178.00	180.00	2.00	CORE	0.005	0.2
			aphanitic andesite dyke, Lct @ 30 dgs tca														73417	180.00	182.00	2.00	CORE	<0.005	0.3
67.58	71.43	LFXM	**Maroon Flow**														73418	182.00	184.00	2.00	CORE	0.008	<0.2
			maroon hem altered andesitic flow, local hem alt, fol @ 30dgs tca, elongated angular fragments, fractured Lct														73419	184.00	186.00	2.00	CORE	0.01	<0.2
71.43	75.78	FXXX	**Late Fault**														73420	186.00	186.00	0.00	ME180	8	321
			rubbles gougey late fault @ 10-20 dgs tca														73421	186.00	188.00	2.00	CORE	0.007	0.3
75.78	92.15	LXXX	**Andesite**														73422	188.00	190.00	2.00	CORE	0.012	0.2
			green fine grained Andesitic flow, local qtz and cal veins, grad Lct														73423	190.00	192.00	2.00	ORIG	<0.005	0.2
92.15	116.00	MFPX	**Porphyritic Andesitic Flow**														73424	190.00	192.00	2.00	DUP	0.007	<0.2
			light green med grained plag phenos porphyritic Andesite flow w/ wk bull qtz veinings, local fol of phenos ! 20-30 dgs tca, sheared Lct and gougey clay seam @ 20 dgs tca														73425	192.00	194.00	2.00	CORE	<0.005	<0.2
			115.84 **116.00** Lct w/ Andesite, bull qtz w/ clay seam														73426	194.00	196.00	2.00	CORE	<0.005	<0.2
116.00	136.67	AXXX	**Andesite**														73427	196.00	198.00	2.00	CORE	0.008	0.3
			med green fine grained Andesite, wk cal veinings, local qtz veins, grad Lct														73428	198.00	200.00	2.00	CORE	<0.005	0.2
136.67	137.60	FSXX	**Sheared zone**	20													73429	200.00	202.00	2.00	CORE	<0.005	0.2
			sheared andesite w/ sericite alt fractures and gougey fractures,														73430	202.00	202.00	0.00	BLK	<0.005	<0.2
137.60	161.42	AXXX	**Andesite**														73431	202.00	204.00	2.00	CORE	0.007	<0.2
			med greenfine grained andesite w/ patchy fine grained plag phenos porphyritic txt, wk qtz veins and local pink to white bull qtz,grad Lct														73432	204.00	206.00	2.00	CORE	0.006	<0.2
161.42	217.87	AXXA	**Andesite w/ late Tertiary? Veinings**				3		1	1	3	1	1	1	1	3	73433	206.00	208.00	2.00	CORE	0.006	<0.2
			green to med green fine grained Andesite w/ moderate to strong bull qtz 5-20cm wide veins infilled by white to pink cal/rhodochrasite and epi alt halo in veins and wallrock w/ cpy/sph/gal/polybasites up to 5-8% locally, tr py in groundmass,localtensiongouges, grad Lct														73434	208.00	210.00	2.00	CORE	0.008	<0.2
217.87	261.79	AXXZ	**Andesite w/ stk**			1	2		1	1	3	2					73435	210.00	212.00	2.00	CORE	0.006	<0.2

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle (TCA1)	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calcite veins	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			med green to green fine grained Andesite w/ mod qtz veinings and wk bull qtz veinings and cal/rhodochrasite, local qtz/cal veins w/ stringers of py along fractures, local sheared txt, variable intervavl, in and out of stk, more cal than qtz														73436	212.00	214.00	2.00	CORE	0.008	<0.2
			241.00 243.00 sheared qtz/cal veinings @ 5 dgs tca w/ py in fractures, gougey fractures														73437	214.00	216.00	2.00	CORE	<0.005	0.2
			222.00 231.93 weakerstk, more sheared cal/qtz veinings				1		1	1	2	1					73438	216.00	217.87	1.87	CORE	<0.005	0.2
261.79	286.29	AXXX	**Andesite**														73439	217.87	220.00	2.13	CORE	0.025	0.4
			med green fine grained Andesite, patchy porphyritic txt, local qtz-cal veins w/ dissempy, local sheared qtz bands and tension gouges, chilled and brecciated Lct with PP														73440	220.00	220.00	0.00	CU190	0.669	9.3
286.29	299.92	PIKX	**Premier Porphyry**				1			1	1	tr					73441	220.00	222.00	2.00	CORE	0.009	<0.2
			green fine to med grained plag/hbl and locak maga feldspar phenos premierporphyry, local py in fractures and groundmass														73442	222.00	224.00	2.00	CORE	0.006	<0.2
																	73443	224.00	226.00	2.00	CORE	<0.005	0.2
EOH=299.92m																	73444	226.00	228.00	2.00	CORE	0.011	<0.2
																	73445	228.00	230.00	2.00	ORIG	0.012	0.2
																	73446	228.00	230.00	2.00	DUP	0.012	0.2
																	73446D					0.009	0.2
																	73447	230.00	231.93	1.93	CORE	0.012	0.2
																	73448	231.93	234.00	2.07	CORE	0.01	0.3
																	73449	234.00	236.00	2.00	CORE	0.014	0.4
																	73450	236.00	236.00	0.00	BLK	<0.005	<0.2
																	73451	236.00	238.00	2.00	CORE	0.01	0.3
																	73452	238.00	240.00	2.00	CORE	0.036	1.2
																	73453	240.00	242.00	2.00	CORE	0.024	0.8
																	73454	242.00	244.00	2.00	CORE	0.01	0.5
																	73455	244.00	246.00	2.00	CORE	0.007	0.4
																	73456	246.00	248.00	2.00	CORE	0.017	0.6
																	73457	248.00	250.00	2.00	CORE	0.01	0.4
																	73458	250.00	252.00	2.00	CORE	<0.005	<0.2
																	73459	252.00	254.00	2.00	CORE	<0.005	<0.2
																	73460	254.00	254.00	0.00	GS1Z	1.3	90.5
																	73461	254.00	256.00	2.00	CORE	<0.005	0.3
																	73462	256.00	258.00	2.00	CORE	<0.005	<0.2
																	73463	258.00	260.00	2.00	CORE	<0.005	<0.2
																	73464	260.00	261.79	1.79	CORE	0.012	0.3
																	73465	261.79	264.00	2.21	CORE	<0.005	<0.2
																	73466	264.00	266.00	2.00	CORE	<0.005	0.2
																	73467	266.00	268.00	2.00	CORE	<0.005	<0.2
																	73468	268.00	270.00	2.00	CORE	0.011	0.2
																	73469	270.00	272.00	2.00	CORE	0.01	<0.2
																	73470	272.00	272.00	0.00	BLK	<0.005	<0.2
																	73471	272.00	274.00	2.00	CORE	0.007	0.3
																	73472	274.00	276.00	2.00	CORE	0.012	0.7
																	73473	276.00	278.00	2.00	CORE	0.009	0.5
																	73474	278.00	280.00	2.00	CORE	0.007	1.4
																	73475	280.00	282.00	2.00	CORE	0.058	2.2
																	73476	282.00	284.00	2.00	CORE	0.015	0.6
																	73477	284.00	286.29	2.29	CORE	0.015	0.9
																	73478	286.29	288.00	1.71	CORE	0.007	0.7

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2206A

drilled the wrong aziumth for 160ft

Easting:	436408	**Azi (deg):**	256.00	**Start:**	24-Jul-20
Northing:	6212758	**Dip (deg):**	-50.00	**Finish:**	24-Jul-20
Elev (m):	421	**Length (m):**	48.15	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	2.74	**Analysis:**	ALS
Zone:	West Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle (TCA1)**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calcite veins**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	*2.74*	WCAS	**Casing**																				
2.74	48.15	LLXM	**Maroon Andesite Flow Breccia** maroon to green patchy fine to med grained plag and feldspar +- hbl porphyritic flow with patches of angular flow breccia +- hem alt, local tuff fractures, fol @ 20-30 dgs tca																				
EOH 48.15m																							

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2207

Easting:	436408	**Azi (deg):**	271.00	**Start:**	27-Jul-20
Northing:	6212758	**Dip (deg):**	-55.00	**Finish:**	30-Jul-20
Elev (m):	421	**Length (m):**	300.23	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	1.83	**Analysis:**	ALS
Zone:	West Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle (TCA1)**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calcite veins**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**	
0.00	*1.83*	WCAS	**Casing**														73479	205.00	207.00	2.00	CORE	0.011	0.3	
																	73480	207.00	207.00	0.00	CU190	0.655	9.8	
1.83	10.55	LFPX	**Porphyritic Flow**														73481	207.00	209.00	2.00	CORE	0.009	<0.2	
			green fine to med grained plag phenos porphyritic flow, rusty fractures, weak cal veinings, grad lct														73482	209.00	211.00	2.00	CORE	0.018	0.2	
10.55	53.28	LBPM	**Maroon Porphyritic Flow Breccia**														73483	211.00	213.00	2.00	CORE	0.006	0.2	
			maroon to green hem altered porphyritic flow and flow breccia, weak cal veinings, grad became porphyritic and less breccia towards the end w/ less hem alt, grad Lct														73484	213.00	215.00	2.00	CORE	0.008	0.2	
53.28	58.37	LFPX	**Porphyriitic Flow**														73485	215.00	217.00	2.00	CORE	0.006	0.2	
			med green spotty fine grained porphyritic flow, rusty Lct @ 10 dgs tca														73486	217.00	219.00	2.00	CORE	0.012	<0.2	
58.37	61.36	D/AX	**Andesite Dyke**														73487	219.00	221.00	2.00	CORE	<0.005	0.2	
			green aphanitic Andesite dyke Lct @ 20 dgs tca														73488	221.00	223.00	2.00	CORE	<0.005	0.2	
61.36	70.00	LFPX	**Porphyritic Flow**														73489	223.00	225.00	2.00	CORE	<0.005	0.2	
			greenfine grained plag phenos and patchy flow bx porphyritic flow, weak fol @ 20 dgs tca, faulted Lct														73490	225.00	225.00	0.00	BLK	0.008	<0.2	
70.00	72.68	FXXX	**Late Fault**														73491	225.00	227.00	2.00	CORE	<0.005	0.2	
			gougey clay rusty fault zone, late faulting @ 20-25 dgs tca														73492	227.00	229.00	2.00	CORE	0.011	0.2	
72.68	92.44	LFXX	**Andesite Flow**														73493	229.00	231.00	2.00	CORE	<0.005	0.2	
			green fine grained Andesite flow w/ local lapilli, gradational Lct														73494	231.00	233.00	2.00	CORE	0.006	0.2	
92.44	119.78	MFPX	**Porphyritic Flow**														73495	233.00	235.00	2.00	ORIG	0.006	0.2	
			fine to med grained plag phenos porphyritic flow, weak qtzveings, weak fol of phenos @ 20 dgs tca, gougey clay Lct														73496	233.00	235.00	2.00	DUP	0.005	<0.2	
119.78	127.90	ASXX	**Sheared Andesite**														73497	235.00	237.00	2.00	CORE	<0.005	0.2	
			sheared and fol Andesite @ 10-20 dgs tca, mod bull qtz/2nd chl veinings, wk cal veinings, rusty Lct														73498	237.00	239.00	2.00	CORE	0.005	0.3	
127.90	170.00	AXXX	**Andesite**				1			1	1						73499	239.00	241.00	2.00	CORE	<0.005	<0.2	
			med green fine grained Andesite w/ wk qtz veining, local weak chl alt, grad Lct														73500	241.00	241.00	0.00	GS1Z	1.225	91.7	
170.00	255.00	AXXA	**Andesite with Tertiary veining**				3			1	3	tr	tr		tr		55151	241.00	243.00	2.00	CORE	0.005	<0.2	sample series changed
			med green to green fine grained Andesite w/ moderate bull quartz veins w/ white to pink calcite/rhodochrasite,veins w/ mod to strong epi alteration, local veins w/ py in fractures +- sph/cpy in trace amounts, grad Lct														55152	243.00	245.00	2.00	CORE	<0.005	0.2	
			241.00 247.00 strong bull qtz/cal veins and crackle breccia w/ tr sulphides														55153	245.00	247.00	2.00	CORE	<0.005	<0.2	
255.00	279.34	AXXX	**Andesite**				2			2	2	1					55154	247.00	249.00	2.00	CORE	<0.005	0.2	
			green to med green fine grained Andesite w/wk to mod sheared qtz-cal veinings, local veins w/ py, minor tertiary veinings w/ epi and bull qtz, grad Lct														55155	249.00	251.00	2.00	CORE	0.008	0.2	
279.34	288.94	CBXY	**Altered Andesite w/ patchy SB**			1	3			3	2	4	1	1			55156	251.00	253.00	2.00	CORE	0.008	0.3	
			med to dark green fine grained chl altered andesite w/ moderate quartz veinings and patchy 1 staged silica flooding and breccia overprinted by bull qtz/2nd chl veins and bands, veins with stringesr and bands of cubic py, bx and silica altered bands w/sph/gal/py up to 5-6%, dissem fine grained py in groundmass, chilled Lct @ 40 dgs tca														55157	253.00	255.00	2.00	CORE	0.006	<0.2	
288.94	300.23	PIKX	**Premier Porphyry**				1		1	1	1	1					55158	255.00	257.00	2.00	CORE	0.011	0.3	
			greyish green med grained plag/hbl phenos and mega feldspar premier porphyry, subtle sericite alt, wk to mod qtz-cal tension gouges, local veins w/ stringers of py														55159	257.00	259.00	2.00	CORE	0.009	0.2	
																	55160	259.00	259.00	0.00	GS1Z	1.2	91.7	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle (TCA1)	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calcite veins	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
EOH=300.23m																	55161	259.00	261.00	2.00	CORE	0.008	0.2
																	55162	261.00	263.00	2.00	CORE	0.006	<0.2
																	55163	263.00	265.00	2.00	CORE	0.017	0.5
																	55164	265.00	267.00	2.00	CORE	0.017	0.5
																	55165	267.00	269.00	2.00	CORE	0.015	0.6
																	55166	269.00	271.00	2.00	CORE	0.016	0.6
																	55167	271.00	273.00	2.00	CORE	0.008	0.4
																	55168	273.00	275.00	2.00	CORE	<0.005	0.6
																	55169	275.00	277.50	2.50	CORE	<0.005	0.3
																	55170	277.50	277.50	0.00	BLK	<0.005	<0.2
																	55171	277.50	279.34	1.84	CORE	0.016	1.3
																	55172	279.34	281.00	1.66	ORIG	0.12	9.4
																	55173	279.34	281.00	1.66	DUP	0.208	9
																	55174	281.00	282.50	1.50	CORE	0.095	5.7
																	55175	282.50	284.00	1.50	CORE	1.56	10.9
																	55176	284.00	285.50	1.50	CORE	0.077	3.4
																	55177	285.50	287.00	1.50	CORE	0.037	2.6
																	55178	287.00	288.94	1.94	CORE	0.233	4.2
																	55179	288.94	291.00	2.06	CORE	0.655	3.9
																	55180	291.00	291.00	0.00	ME1807	7.94	327
																	55181	291.00	293.00	2.00	CORE	0.357	2.6
																	55182	293.00	295.00	2.00	CORE	0.192	2
																	55183	295.00	297.00	2.00	CORE	0.037	1.5
																	55184	297.00	299.00	2.00	CORE	0.023	1
																	55185	299.00	300.23	1.23	CORE	0.127	1.8

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2208

Easting:	436408	**Azi (deg):**	271.00	**Start:**	30-Jul-20
Northing:	6212758	**Dip (deg):**	-60.00	**Finish:**	02-Aug-20
Elev (m):	421	**Length (m):**	334.37	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	2.13	**Analysis:**	ALS
Zone:	West Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle (TCA1)**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calcite veins**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	*2.13*	WCAS	**Casing**														55186	209.00	211.00	2.00	CORE	0.012	0.3
																	55187	211.00	213.00	2.00	CORE	0.006	0.2
2.13	10.74	LFPX	**Porphyritic Flow**														55188	213.00	215.00	2.00	CORE	0.006	0.3
			green fine to med grained plag/chloritized phenos porphyritic flow w/ local fragments, foliated @ 30 dgs tca														55189	215.00	217.00	2.00	CORE	0.017	0.5
10.74	19.42	LBXM	**Maroon Flow Bx**														55190	217.00	217.00	0.00	BLK	0.006	<0.2
			maroon angular flow bx, hem alt groundmass, wk cal veins, patchy porphyritic flow txt														55191	217.00	219.00	2.00	CORE	0.038	0.3
19.42	24.27	LFPX	**Porphyritic Flow**														55192	219.00	221.00	2.00	CORE	0.012	0.2
			green med grained plag phenos and patchy coarse grained feldspar phenos, foliated @ 30 dgs tca, grad Lct														55193	221.00	223.00	2.00	CORE	0.012	0.4
24.27	51.06	LBXM	**Maroon Flow Bx**														55194	223.00	225.00	2.00	CORE	0.009	0.3
			maroon hem altered patchy porphyritic flow to flow bx, foliated @ 30 dgs tca, weak cal veinings, fractured Lct														55195	225.00	226.93	1.93	CORE	0.007	0.3
51.06	54.20	D/AP	**Andesite Dyke**														55196	226.93	228.50	1.57	CORE	0.023	0.6
			grey spotty fine grained feldspar Andesite dyke, gougey clay faulted contacts @30 dgs tca														55197	228.50	230.00	1.50	ORIG	0.044	1.3
54.20	59.94	LFXX	**Flow**														55198	228.50	230.00	1.50	DUP	0.039	1.2
			fractured interval, sheared w/ subrounded bx txt around Uct, local foliated fragments,														55199	230.00	231.50	1.50	CORE	0.028	0.7
			59.37 59.64 gougey clay fault @ 30 dgs tca														55200	231.50	231.50	0.00	GS1Z	1.16	87.4
59.94	77.75	LBXM	**Maroon Flow Bx**														55201	231.50	233.00	1.50	CORE	0.025	0.7
			Maroon subrounded flow bx w/ patchy porphyritic flow, foliation @ 30 dgs tca, sheared Lct														55202	233.00	234.50	1.50	CORE	0.014	0.7
			76.51 77.75 sheared contact@ 30 dgs tca														55203	234.50	236.00	1.50	CORE	0.014	0.6
77.75	105.94	MFPX	**Porphyritic Flow**				1				1	tr					55204	236.00	237.50	1.50	CORE	0.013	0.5
			greyish green med grained plag phenos porphyritic flow, mod bull qtz/2nd chl veins, tr py in groundmass and fractures, subtle foliation @ 30 dgs tca, Lct @ 10 dgs tca														55205	237.50	238.68	1.18	CORE	0.01	0.5
			74.61 84.47 rusty vuggy silica/cal altered interval														55206	238.68	240.00	1.32	CORE	<0.005	0.2
105.94	108.29	LBXM	**Maroon Flow Bx**								1	tr					55207	240.00	242.00	2.00	CORE	0.01	0.3
			Maroon flow bx, sheared contacts w/ rusty fractures @ 10-20 dgs tca, tr py in fractures														55208	275.00	277.00	2.00	CORE	0.011	0.5
108.29	114.11	MFPX	**Porphyritic Flow**														55209	277.00	279.00	2.00	CORE	0.007	0.6
			fine to med grained feldspar porphyritic flow, gougey rusty fractures @ 10-20 dgs tca, cal veinings w/ tr py, Lct @ 40 dgs tca														55210	279.00	279.00	0.00	BLK	<0.005	<0.2
114.11	119.41	AXXX	**Andesite**				1				1	tr					55211	279.00	281.00	2.00	ORIG	0.007	0.4
			fractured interval w/ local rubbles and gougey rusty fractures, green fine grained Andesite, wk qtz veinings, cal tension gouges w/ local tr py in fractures, fractured Lct														55212	279.00	281.00	2.00	DUP	0.007	0.5
119.41	125.87	PFPX	**Mafic Premier Porphyry**				1				1	tr					55213	281.00	283.00	2.00	CORE	0.014	0.5
			fine grained plag and local mafic phenos premier porphyry, gougey rusty fractured/faulted locally @ 10-20 dgs tca, mainly cal veinings and tension gouges, faulted Lct @30 dgs tca														55214	283.00	285.00	2.00	CORE	0.012	0.7
125.87	154.84	AXXX	**Andesite**				1				1	tr					55215	285.00	286.73	1.73	CORE	0.047	1.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle (TCA1)	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calcite veins	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			med green to green fine grained Andesite, localweak to moderate vuggy quartz/cal veins @ 30-40 dgs tca, grad Lct														55216	286.73	289.00	2.27	CORE	0.16	3.6
154.84	205.10	AXXA	**Andesite w/ Tertiary Veins** green fine grained Andesite w/ local cal veins @ 20-25 dgs tca x-cut by strong bull qtz/cal +- 2nd chl veinings @ 30-35 dgs tca, locally bull qtz veins w/ epi alt in halo and grey tabular hematite in fractures up to 15%, local bull qtz w/ coarse grained specks of py and cpy, few bull qtz w/ rhodocrhasite overprint, grad Lct				3			1	2	tr	tr		tr		55217	289.00	291.00	2.00	CORE	0.03	1.4
																	55218	291.00	293.00	2.00	CORE	0.064	0.4
205.10	226.93	AXXX	**Andesite** green fine grained Andesite w/ cal to bull qtz veins, local tr py inveins and selvages, grad Lct				1			1	1	tr					55219	293.00	295.00	2.00	CORE	0.008	0.3
																	55220	295.00	295.00	0.00	ME1807	8.1	329
226.93	238.68	AXXZ	**Andesite w/ stk** green fine grained Andesite w/ cal stk and patchy narrow crackle breccia w/ stringers of py up to 5-10%, tr py in groundmass, weak chl alt in groundmass, minor hem in cal veins, grad Lct				1			1	4	5					55221	295.00	297.00	2.00	CORE	0.015	0.3
																	55222	297.00	299.00	2.00	CORE	0.017	0.2
238.68	286.73	AXXX	**Andesite** green fine grained Andesite w/cal-qtz veins, local veins w/ dissem py, veins @ 20-30 dgs tca,more qtz veins to the end w/dissem py, chilled irregular Lct				1			1	2	1					55223	299.00	301.00	2.00	CORE	0.046	0.3
																	55224	301.00	303.00	2.00	CORE	0.022	0.7
			277.00 286.73 section w/ mod qtz-cal veinings w/ local dissem py in groundmass				2		1	1	1	1					55225	303.00	305.00	2.00	CORE	0.095	4.1
286.73	309.91	PIKX	**Premier Porphyry** grey to greyish green med grained feldspar/hbl phenos premier porphyry, weak sericite alt, wk cal veinings, local qtz veins w/ sph/py up to2-3%, dissem fine grained py in groundmass, mineralized cal/qtz veins @ 5-10 dgs tca, chilled/irregular Lct				1		1	1	1	1	1	tr			55226	305.00	307.00	2.00	CORE	0.031	2
																	55227	307.00	308.65	1.65	CORE	0.063	0.4
			308.65 309.91 gougey flt and sheared Lct														55228	308.65	309.91	1.26	CORE	0.028	0.2
309.91	334.37	AXXZ	**Andesite w/stk** green fine grained Andesite w/ mod to strong qtz veinings @ 20-30 dgs tca w/ stringers of py, local chl alt along veinings, local wk silica alt along veins selvages			1	3		1	2	2	2					55229	309.91	312.00	2.09	CORE	0.011	1.7
																	55230	312.00	312.00	0.00	BLK	0.005	0.2
																	55231	312.00	314.00	2.00	CORE	<0.005	0.8
EOH=334.37m																	55232	314.00	316.00	2.00	CORE	<0.005	0.3
																	55233	316.00	318.00	2.00	CORE	<0.005	0.3
																	55234	318.00	320.00	2.00	CORE	<0.005	0.4
																	55235	320.00	322.00	2.00	ORIG	0.06	1.3
																	55236	320.00	322.00	2.00	DUP	0.039	1.8
																	55237	322.00	324.00	2.00	CORE	0.163	2.6
																	55238	324.00	326.00	2.00	CORE	<0.005	0.3
																	55239	326.00	328.00	2.00	CORE	0.014	0.5
																	55240	328.00	328.00	0.00	CU190	0.714	10.1
																	55241	328.00	330.00	2.00	CORE	<0.005	0.4
																	55242	330.00	332.00	2.00	CORE	0.014	0.8
																	55243	332.00	334.37	2.37	CORE	0.017	0.6

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2209

Easting:	436408	**Azi (deg):**	271.00	**Start:**	02-Aug-20
Northing:	6212758	**Dip (deg):**	-65.00	**Finish:**	05-Aug-20
Elev (m):	421	**Length (m):**	331.32	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	West Extension	**Pad:**	PW-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle (TCA1)	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calcite veins	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	*3.05*	WCAS	**Casing**														55244	184.00	185.77	1.77	CORE	0.018	0.3
																	55245	185.77	187.00	1.23	CORE	0.039	0.3
3.05	8.65	LFPX	**Porphyritic Flow**														55246	187.00	189.00	2.00	CORE	0.011	0.5
			green fine to med grained feldspar phenos porphyritic flow w/ patchy flow bx, vuggy groundmass, grad Lct														55247	189.00	191.00	2.00	CORE	0.042	1.9
8.65	19.05	LBPM	**Maroon Flow Bx**														55248	191.00	193.00	2.00	CORE	0.021	1
			marron porphyritic flow bx and porphyritic flow @ 30 dgs tca, wk cal and rhodochrasite veinings, grad Lct														55249	193.00	195.00	2.00	CORE	0.011	0.5
19.05	21.98	LBPX	**Flow Bx**														55250	195.00	195.00	0.00	BLK	0.006	0.2
			green med grained plag phenos porphyritic flow bx, wk cal veinings, grad Lct														55251	195.00	197.00	2.00	CORE	0.01	0.6
21.98	46.41	LBPM	**Maroon Flow bx**														55252	197.00	199.00	2.00	ORIG	0.012	0.3
			same as 8.65 to19.05m rusty and fractured Lct														55253	197.00	199.00	2.00	DUP	0.009	0.3
46.41	47.89	D/AX	**Andesite dyke**														55254	199.00	201.00	2.00	CORE	<0.005	0.4
			grey aphanitic andesite dyke, rusty fractured Lct														55255	201.00	203.00	2.00	CORE	<0.005	0.5
47.89	51.28	FXXX	**late fault**														55256	203.00	205.00	2.00	CORE	0.008	0.3
			gougeyclay gravel fault @ 30 dgs tca														55257	205.00	207.00	2.00	CORE	0.009	<0.2
51.28	68.01	LBPX	**porphyritic flow**														55258	207.00	209.50	2.50	CORE	0.01	<0.2
			greenfine tomed grained and foliated plag phenos porphyritic flow and flow bx, wk to mod cal veinings around contacts and local late bull qtz veins @ 90 dgs tca, fol @ 30 dgs tca, faulted Lct														55259	257.81	259.00	1.19	CORE	0.007	0.7
68.01	69.45	FXXX	**late fault**														55260	259.00	259.00	0.00	CU190	0.683	8.9
			rusty rubbles gougey fault @ 20 dgs tca														55261	259.00	261.00	2.00	CORE	0.008	0.5
69.45	95.22	MFPX	**porphyriitc flow**														55262	261.00	263.00	2.00	CORE	0.013	0.5
			green med grained plag/feldspar/hbl phenos porphyritic flow, wk qtz-cal veinings w/ local dissem fine grained py along halo, grad Lct														55263	263.00	264.60	1.60	CORE	0.006	0.4
95.22	99.91	LSPX	**Sheared flow bx**														55264	264.60	266.00	1.40	CORE	0.008	0.4
			sheared flow bx and porphyritic flow @ 20-30 dgstca, local tuff bands, fractured Lct														55265	266.00	268.00	2.00	CORE	0.077	3.1
99.91	106.68	FXXX	**late fault**														55266	268.00	270.00	2.00	CORE	2.5	12.4
			rusty gougey gravel fault zone of Andesite @ 10-20 dgs tca														55267	270.00	272.00	2.00	CORE	4.89	9.9
106.68	114.11	PFPX	**Premier Porphyry**								1						55268	272.00	274.00	2.00	CORE	3.19	8.5
			green fine to med grained plag and mafic phenos premier porphyry, weakcal veinings, Lct @ 30 dgs tca														55269	274.00	276.00	2.00	CORE	0.125	3.3
114.11	167.30	AXXA	**Andesite w/ tertiary veinings**				2			1	2	tr					55270	276.00	276.00	0.00	BLK	0.006	0.2
			green fine grained Andesite w/ wk to local mod qtz-cal/rhodochrasite tertiary veinings, more cal than qtz, grad Lct														55271	276.00	278.00	2.00	CORE	0.012	0.6
167.30	185.77	AXXX	**Andesite**				1			1	1	tr					55272	278.00	280.00	2.00	CORE	0.06	7.3
			med green fine grained Andesite weak cal-qtz veinings, tr py in groundmass, grad Lct														55273	280.00	282.00	2.00	CORE	0.035	4.1
185.77	201.00	AXXY	**Altered Andesite w/ stk**				1			2	4	4					55274	282.00	284.00	2.00	ORIG	0.081	1.3

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle (TCA1)	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calcite veins	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			green to med green fine grained Andesite w/ strong calcite veinings and crackle breccia w/ wk qtz selvages, most cal veins w/ stringers of py and minor hem up to 8-10%, local chl alt along veins selvages, grad Lct														55275	282.00	284.00	2.00	DUP	0.032	1.3
201.00	264.60	AXXX	**Andesite**				1			1	1	tr					55276	284.00	286.00	2.00	CORE	0.009	2
			green fine grained Andesite w/ wk to local mod cal veinings, local tr py in groundmass, local veins w/ tr py, Lct @ 35 dgs tca														55277	286.00	288.00	2.00	CORE	0.014	1
			220.00 224.00 cal filled vuggs in groundmass														55278	288.00	289.35	1.35	CORE	0.037	3.8
			256.00 259.00 ff fractured interval														55279	289.35	290.72	1.37	CORE	0.587	7.5
264.60	294.12	PIKZ	**Altered Premier Porphyry w/ stk**				2		2	1	3	2	4	1	tr		55280	290.72	290.72	0.00	GS1Z	1.165	91.4
			grey to greyish green med to mega feldspar phenos Premier Porphyry, wk sericite alteration, weak foliation of phenos @ 30 dgstca, stringers of sph/gal/py and local cpy in cal-qtz veins and fractures upto 5-6%, dissem py in groundmass, Lct @ 30dgs tca														55281	290.72	292.50	1.78	CORE	0.541	3.7
			290.20 290.72 cal-qtz crackle bx @ 40 dgs tca w/ specks of py														55282	292.50	294.12	1.62	CORE	0.461	3.9
294.12	315.41	AXXZ	**Andesite w/ veinings**				3			2	2	1	tr	tr			55283	294.12	296.00	1.88	CORE	0.051	9.9
			green fine grained Andesite w/ mod to strong qtz crackle bx and veinings w/ local cal veinings, local qtz veins w/ py and sph, specks of cubic py in groundmass, shearing txt along veins														55284	296.00	298.00	2.00	CORE	0.028	2.4
			selvages,fractured Lct in contact w/ dyke @ 40 dgs tca																				
315.41	321.90	D/AP	**Andesite dyke**														55285	298.00	300.00	2.00	CORE	0.076	3.6
			andesite dyke, aphanitic w/ spotty plag phenos, lct @ 20 dgsd tca														55286	300.00	302.00	2.00	CORE	0.018	1.8
321.90	331.32	AXXZ	**Andesite w/ veinings**				2			2	2	1					55287	302.00	304.00	2.00	CORE	0.008	0.8
			similar to 294.12 to 315.41m, cal-qtz crackle bx w/ dissem py, local graphite in fractures and bands of strong chl alt														55288	304.00	306.00	2.00	CORE	0.042	1.1
																	55289	306.00	308.00	2.00	CORE	0.029	1.1
EOH=331.32m																	55290	308.00	308.00	0.00	BLK	0.009	<0.2
																	55291	308.00	310.00	2.00	CORE	0.024	0.5
																	55292	310.00	312.00	2.00	CORE	0.014	0.6
																	55293	312.00	314.00	2.00	CORE	0.039	0.5
																	55294	314.00	315.41	1.41	CORE	0.15	1.7
																	55295	321.90	324.00	2.10	CORE	0.038	1.9
																	55296	324.00	326.00	2.00	CORE	0.08	2.8
																	55297	326.00	328.00	2.00	CORE	0.175	3.2
																	55298	328.00	329.50	1.50	CORE	0.055	1.8
																	55299	329.50	331.32	1.82	CORE	0.426	1.6
																	55300	331.32	331.32	0.00	ME1807	8.16	313

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2210

Easting:	436408	**Azi (deg):**	260	**Start:**	
Northing:	6212758	**Dip (deg):**	-55	**Finish:**	06-Aug-20
Elev (m):	421	**Length (m):**	285.29	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.83	**Analysis:**	ALS
Zone:	West Extension	**Pad:**		**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)						SAMPLES							
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other		Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.83	WCAS	Casing															55301	242.50	244.50	2.00	CORE	0.006	0.6
																		55302	244.50	246.50	2.00	CORE	0.016	0.7
1.83	45.85	LLXX	Betty Creek Heterolithic Block and Lapilli Tuff															55303	246.50	247.50	1.00	CORE	0.006	0.6
			Medium green becoming light marroon below 26m. Rounded block and lapilli sized fragments dominated by fsp porph andesite with lessor non-porph andesite. Fragment dominated,															55304	247.50	248.65	1.15	CORE	0.374	2.6
																		55305	248.65	249.70	1.05	CORE	0.078	7.3
45.85	66.35	LLXX	Betty Creek Lapilli Tuff															55306	249.70	250.80	1.10	CORE	0.285	10.3
			Medium green, groundmass dominated, lapilli sized fragments more angular and a greater proportion of non-porph fragments.															55307	250.80	251.85	1.05	CORE	0.122	3.1
																		55308	251.85	252.85	1.00	CORE	0.005	0.3
66.35	70.50	MFPX	Feldspar Porphyritic Dacite															55309	252.85	254.90	2.05	CORE	<0.005	0.3
			Light grey green, abundant 1-3mm calc altered porph fsp phenos, weakly fol, weak surface oxidation along fractures.															55310	254.90	254.90	0.00	BLK	<0.005	<0.2
			67.20 68.35 Tertiary andesite dyke															55311	254.90	256.95	2.05	CORE	0.009	0.4
																		55312	256.95	259.00	2.05	CORE	0.02	0.5
70.50	81.10	D/AN	Andesite Dyke															55313	259.00	261.10	2.10	CORE	0.012	0.6
			Medium olive grey green, fine grained, massive, strongly fractured with surface oxidation along fractures, weak calc amygdules, . Lower contact very rubbly broken core recovery.															55314	261.10	262.10	1.00	CORE	0.023	0.8
			78.00 81.10 <10% core recovery at lower contact.															55315	262.10	263.35	1.25	CORE	0.05	4.5
																		55316	263.35	264.55	1.20	CORE	1.585	12.1
81.10	105.10	MFPX	Feldspar Porphyritic Dacite															55317	264.55	265.75	1.20	ORIG	1.06	4
			Light green, fine grained, abndant altered fsp phenos, patchy fragmental texture, foliated, weak perv ser, occassional <1m late qtz-calc-chl veining, minor cm scale irregular qtz-calc veining with py+/-sp. Below 99m increasing ser, increasing brecciation, minor milling and fragmentation of dacite and pale green silica veining. sharp lower contact at 35 dgs tca															55318	264.55	265.75	1.20	DUP	0.379	2.8
			81.10 84.10 Upper contact strongly fractured and broken, surface oxidation along fractures															55319	265.75	266.75	1.00	CORE	0.006	0.5
																		55320	266.75	266.75	0.00	GS1Z	1.15	93.1
105.10	136.85	AXXX	Andesite															55321	266.75	268.75	2.00	CORE	0.006	0.3
			Medium green, fine grained, locally fine fsp and hbl phyric, massive to weakly fol, thick homogenous lithology. Weak calc veining, weak perv calc.															55322	268.75	270.75	2.00	CORE	0.005	0.3
																		55323	270.75	272.75	2.00	CORE	<0.005	<0.2
136.85	139.40	PFPX	Feldspar Hornblend Porphyritic Latite to Dacite															55324	272.75	274.75	2.00	CORE	0.007	0.3
			Light green, foliated streaky alignment of anhedral calc alt fsp, dark green stubby chl alt porph mafic phenos not as abundant or as obvious as in previous holes.															55325	274.75	276.75	2.00	CORE	0.023	0.3
																		55326	276.75	278.75	2.00	CORE	0.006	0.3
139.40	247.50	AXXX	Andesite								1	tr						55327	278.75	280.60	1.85	CORE	0.01	0.3
			Medium green, fine grained, massive homogenous lithology, weak calc veining, rare <20cm gougy shears															55328	280.60	281.60	1.00	CORE	0.008	0.3
			143.85 145.10 weak streaky ser-py, mod sheared at 30 dgs tca.															55329	281.60	282.60	1.00	CORE	0.021	1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
247.50	262.10	AXXY	Andesite Medium green, fine grained, massive, weak generally <1cm qtz-calc-py+/-sp veining and minor hairline py-chl-calc veinlets.				1			2		3	tr				55330 55331 55332	282.60 282.60 283.90	282.60 283.90 285.29	0.00 1.30 1.39	BLK CORE CORE	0.006 0.005 0.011	<0.2 0.6 0.8
262.10	263.35	AXXY	Sheared Andesite mottle med to dark grey green, fine grained, weakly sheared, mod perv chl/ser, weak qtz veining sometimes boudined into fragments, 2-3% diss py, <1% red sp within qtz veins				1		2	3	1	3	tr										
263.35	265.75	PIPY	Feldspar Hornblend Porphyriti Premier Porphyry with Qtz-Calcite-Chl-Py-Sp veining Light grey, weakly fol/sheared, 1-2% porph to megacrystic fsp phenos, minor dark green porph hbl phenos, weak perv ser, mod chl within qtz-calc-chl veining with py-sp+/-cpy. Gradational lower contact of decreased py-chl.				2		2	3	2	5	1	tr									
265.75	281.60	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry Light grey, green grey, massive, porph to megacrystic calc altered kspr, 2-4% 1-4mm dark green chl altered hbl, minor mm scale qtz eyes, trace qtz-calc veining, <1% diss py.						1	1		tr											
281.60	285.29	AXXX	Andesite medium to dark green, massive, weak spotted appearance from beige green altered fsp/hbl phenos, weak fol/shearing adjacent to upper contact with minor qtz-ser-chl-py veining, weak calc veining, weak shearing in last 60cm.						1	1	2	tr											
			285.29 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2211

Easting:	437236	**Azi (deg):**	45	**Start:**	07-Aug-20
Northing:	6221477	**Dip (deg):**	-45	**Finish:**	
Elev (m):	1198	**Length (m):**	443.18	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	2.13	**Analysis:**	ALS
Zone:	Silver Hill	**Pad:**	Silver Hill 1	**Area:**	Silver Hill
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	2.13	WCAS	Casing														73801	2.13	4.27	2.14	CORE	0.007	0.4
																	73802	4.27	5.30	1.03	CORE	<0.005	0.4
2.13	4.27	D/GR	Feldspar Porphyritic Granodiorite Dyke														73803	5.30	6.30	1.00	CORE	<0.005	0.6
			porphyritic creamy to light green ser alt fsp phenos in a pinkish tan aphanitic groundmass. Massive, FeOx stained, no veining.														73804	6.30	7.30	1.00	CORE	<0.005	0.6
																	73805	7.30	8.30	1.00	CORE	<0.005	2.3
4.27	15.15	D/R2	Quartz Feldspar Porphyritic Dacite Dyke				1		3				tr				73806	8.30	9.30	1.00	CORE	0.006	8.4
			20% porphyritic phenos of qtz and white fsp in a greenish tan beige fine grained aphyric groundmass, masive, mod FeOx staining away from fractures,														73807	9.30	10.30	1.00	CORE	0.088	283
			9.30 15.15 weak 2-6cm wide vuggy qtz veining, most veins have no sulfides except for veining from 9.3 - 9.8 with traces of coarse grained sp and possible polybasite. Veining at 25-40 dgs tca														73808	10.30	11.30	1.00	CORE	<0.005	0.7
			14.40 14.85 dark grey hairline fine sulfide veinlets with silver yellow clots of electrum.														73809	11.30	12.30	1.00	CORE	<0.005	1.7
																	73810	12.30	12.30	0.00	ME1807	7.71	316
15.15	19.75	BAXX	Mudstone									tr	tr	tr		tr	73811	12.30	13.30	1.00	CORE	<0.005	3.2
			black with minor med grey laminations, massive, weakly graphitic, weakly bxd with fine qtz-carb veinlets. <1% 5mm py veinlets and irregular py clots														73812	13.30	14.40	1.10	CORE	<0.005	0.9
			15.23 2cm wide med grey qtz vein with py-sp-gn-electrum at 70 dgs tca														73813	14.40	15.40	1.00	CORE	0.2	1320
																	73814	15.40	16.40	1.00	CORE	<0.005	17.4
19.75	22.00	D/GR	Altered Feldspar Porph Granodiorite						3								73815	16.40	17.40	1.00	CORE	0.008	2.8
			abundant 2-3mm chalky porph fsp phenos in a fine grained tan groundmass, <1% diss py. Trace <1cm qtz veinlets with no sulfides.														73816	17.40	19.75	2.35	CORE	0.01	4.3
																	73817	19.75	21.75	2.00	CORE	<0.005	0.4
22.00	22.20	FXXX	Graphitic Fault Gouge, Mudstone														73818	21.75	23.75	2.00	CORE	<0.005	0.4
			black graphitic fault gouge and black mudstone wedge between two dykes														73819	23.75	25.75	2.00	CORE	<0.005	<0.2
																	73820	25.75	25.75	0.00	BLK	<0.005	0.2
22.20	29.50	D/R1	Quartz Eye Dacite Dyke														73821	25.75	27.75	2.00	CORE	<0.005	0.2
			2-3% <1.5mm qtz eyes, 2-3% white anhedral chalky anhedral mm fsp in a tan aphanitic groundmass. Rare <1cm vuggy qtz +/- carb+/- fine crystaline py lining vugs. Veining often very shallow to core axis.														73822	27.75	29.50	1.75	CORE	<0.005	0.2
																	73823	46.10	48.10	2.00	CORE	0.007	2.2
29.50	30.60	BAXX	Mudstone														73824	48.10	50.10	2.00	CORE	<0.005	0.9
			black massive poorly fol graphitic mudstone, weak fine carb veining.														73825	50.10	52.10	2.00	CORE	<0.005	0.8
																	73826	107.15	109.50	2.35	CORE	0.007	6.8
30.60	35.50	D/R2	Quartz Feldspar Porphyritic Dacite Dyke														73827	109.50	111.50	2.00	CORE	0.021	15.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			5-8% 2-4mm qtz eyes, 5-7% 2-4mm white chalky porph fsp phenos, tan aphanitic groundmass, trace hairline qtz veinlets, trace 5mm vuggy qtz veinlet. Upper contact at 25, lower contact at 40 dgs tca														73828	111.50	113.50	2.00	CORE	0.019	11.7
																	73829	113.50	115.50	2.00	CORE	0.071	74.1
35.50	38.60	BAXX	Mudstone, Siltstone														73830	115.50	115.50	0.00	CU190	0.742	9.8
			black mudstone with light grey siltstone laminations at 40 dgs tca. As well as folde laminations. Trace calc veinlets. Weakly graphitic														73831	115.50	117.50	2.00	CORE	0.039	7.6
																	73832	117.50	119.50	2.00	CORE	0.013	4.8
38.60	46.10	D/GR	Feldspar Porphyritic Granodiorite Dyke						3								73833	119.50	121.50	2.00	CORE	0.012	3.4
			Abundant pale green ser alt porph fsp phenos, 2-3% anhedral to subhedral darker green finer grained hbl phenos, fine grained brownish beige groundmass. Weak fine carb veinlets, trace qtz veinlets. Irregular upper contact, lower contact at 60 dgs														73834	121.50	123.50	2.00	CORE	0.016	2.6
																	73835	123.50	125.45	1.95	CORE	0.013	7.1
46.10	52.10	D/R1	Quartz Eye Dacite Dyke														73836	125.45	126.55	1.10	CORE	0.005	4.9
			pale greenish beige, 1-3% qtz eyes, aphanitic groundmass, flow banded adjacent to contacts at 65 dgs at upper contact and 50 dgs at lower contact.. Trace hairline qtz veinlets and up to 1cm wide vuggy qtz veinlets. <1% diss py within dacite dyke groundmass.														73837	126.55	127.90	1.35	CORE	0.008	13.1
																	73838	127.90	129.25	1.35	CORE	0.021	20.8
52.10	57.45	D/GR	Feldspar Hornblend Porphyritic Granodiorite						2								73839	129.25	131.25	2.00	CORE	0.006	3.9
			up to 7mm porphyritic fsp phenos, 7-8% 1-2mm anhedral hbl phenos, pinkish grey fine grainded groundmass, patchy tan beige alteration masking porphyriti texture. Lower contact at 50 dgs tca														73840	131.25	131.25	0.00	BLK	<0.005	<0.2
																	73841	131.25	133.25	2.00	CORE	0.005	3.6
57.45	58.00	BAXX	Mudstone														73842	133.25	135.33	2.08	CORE	0.005	3.2
			black and grey streaky foliated mudstone. Weak qtz-carb-py veinlets., minor graphitic gouge, lower contact at 50 dgs tca.														73843	135.33	136.33	1.00	CORE	0.232	9.4
																	73844	136.33	138.38	2.05	CORE	0.007	6
58.00	62.85	D/GR	Granodiorite														73845	138.38	140.40	2.02	CORE	<0.005	2.8
			Finer grained version of previous dyke. 1-2mm fsp phenos, <1mm green hbl flecks, massive, pinkish grey fine grained groundmass. Lower contact at 60 dgs tca.														73846	140.40	142.40	2.00	CORE	<0.005	3.1
			60.60 60.90 screen of black mudstone.														73847	142.40	144.50	2.10	CORE	<0.005	2.2
																	73848	144.50	145.50	1.00	CORE	0.005	2.3
62.85	65.65	BAXX	Mudstone, Siltstone														73849	145.50	147.00	1.50	CORE	0.04	22.1
			laminated black mudstone and lighter grey silstone, laminated at 50 dgs tca, rare qtz veining.														73850	147.00	147.00	0.00	GS1Z	1.25	90.2
																	73851	147.00	147.40	0.40	CORE	<0.005	1.8
65.65	68.90	D/R1	Quartz Eye Dacite Dyke														73852	147.40	149.40	2.00	CORE	<0.005	0.2
			<1-1% quartz eyes in a mottled fine grained groundmass, flow banded from 35 dgrs at top of unit to 55 dgs at lower contact. Trace mm qtz and calc veinlets														73853	149.40	151.40	2.00	CORE	<0.005	0.2
																	73854	151.40	153.50	2.10	CORE	<0.005	1.5
68.90	100.10	BAXX	Mudstone														73855	153.50	155.15	1.65	CORE	0.006	12.4
			Black massive poorly bedded fine grained sediment, very minor brecciation healed by fine carbonate.														73856	155.15	156.80	1.65	CORE	<0.005	0.8
			95.70 99.10 patchy graphitic gouge, increased brecciation and fine carb ad qtz veining,														73857	156.80	158.80	2.00	CORE	<0.005	0.6
			99.10 100.10 mudstone breccia. <2cm fragments of grey to tan mudstone in a mudstone/siltstone groundmass. Massive.														73858	158.80	159.80	1.00	CORE	<0.005	0.7
			100.10 lower contact at 65 dgs tca														73859	159.80	160.50	0.70	CORE	0.073	95.9
																	73860	160.50	160.50	0.00	BLK	<0.005	0.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
100.10	107.15	D/GR	Altered Granodiorite Dyke 1-2mm ser altered fsp phenos, <1% mm green hbl phenos in a tan ser alt groundmass. Trace fine qtz veinlets.														73861	160.50	161.50	1.00	CORE	0.011	27
																	73862	161.50	163.50	2.00	CORE	<0.005	1.9
																	73863	163.50	165.50	2.00	CORE	<0.005	1.2
107.15	125.45	BAXX	Mudstone Fragment Debris Flow				1					tr	tr	tr			73864	217.35	218.35	1.00	CORE	<0.005	1
			Heterolithic fragments of mudstone/siltsone with lessor fragments of andesite and rare rhyolite, clast supported, massive, fragments generally <2cm, weak 5mm - 1.5cm wide qtz-carb-py+/-sp-gn veinlets. Lower contact at 60 dgs tca.														73865	218.35	219.35	1.00	CORE	0.006	2.5
																	73866	219.35	220.35	1.00	CORE	<0.005	0.3
125.45	126.55	D/GR	Altered Granodiorite Dyke						3								73867	220.35	221.85	1.50	CORE	<0.005	0.6
			Beige, fine grained, faint pale green altered weakly porph fsp phenos, fine beige tan altered phenos poss hbl. Trace carb veinlets. Irregular lower contact.														73868	221.85	222.85	1.00	CORE	0.065	8.3
																	73869	222.85	223.85	1.00	CORE	<0.005	1.6
126.55	135.33	BAXX	Mudstone Andesite Debris Flow				1					tr	tr				73870	223.85	223.85	0.00	CU190	0.647	9.6
			generally <1cm subrounded fragments of mudstone, siltstone and andesite in a muddy and in part greenish andesitic groundmass. Weak <1cm grey qtz-carb veins and lessor white vuggy qtz veins, both veins with traces of py and sp. Gradational lower contact														73871	223.85	224.45	0.60	CORE	<0.005	0.3
																	73872	224.45	225.45	1.00	CORE	<0.005	0.4
135.33	147.40	R1XX	Rhyolite/Dacite Pyroclastic Ignimbrite									tr	tr				73873	225.45	226.85	1.40	CORE	<0.005	0.5
			Dark grey, mottled grey green and pale creamy green. Fragments of fine lithic grains, irregular wispy fragments of altered glass and or pumice, local relict irregular shaped gas pockets, general coarsening downwards appearance, rare qtz and carbonate veinlets except as noted.														73874	226.85	228.85	2.00	CORE	<0.005	0.4
			135.60 135.85 8cm of vuggy white qtz vein with rhyolite fragments followed by brecciated rhyolite with qtz stockwork. Trace sp-gn. Sharp upper contact at 35 dgs tca														73875	228.85	230.85	2.00	CORE	0.006	0.8
			145.50 145.70 sheeted grey and vuggy white qtz veining at 65 dgs tca, <1% py-sp-gn														73876	230.85	231.85	1.00	CORE	<0.005	0.8
			146.80 147.00 vuggy white qtz veining at 80 dgs tca, <1% sp-py-gn														73877	231.85	232.85	1.00	CORE	0.029	21.3
																	73878	232.85	234.85	2.00	CORE	0.026	1.5
147.40	153.50	D/GR	Feldspar Hornblend Porphyritic Granodiorite Dyke														73879	234.85	236.85	2.00	CORE	<0.005	0.4
			Abundant 1-4mm greenish cream porph fsp phenos, 2-3% mm green hbl phenos, pinkish grey fine grained potassic fsp groundmass. Trace qtz and carb veinlets.														73880	236.85	236.85	0.00	BLK	<0.005	<0.2
																	73881	273.50	275.50	2.00	CORE	<0.005	1.7
153.50	159.80	R1XX	Rhyolite/Dacite Pyroclastic Ignimbrite														73882	275.50	277.50	2.00	CORE	<0.005	0.2
			Continuation of previous volcaniclastic unit, mottled creamy green with dark grey/black irregular spots, 5-7% <1cm wispy glass? Fragments, trace fine qtz and carb veinlets														73883	277.50	279.50	2.00	CORE	0.011	2.4
																	73884	279.50	281.50	2.00	CORE	0.042	11
159.80	169.85	R3XX	Dacite Ash and Crystal Tuff														73885	281.50	283.50	2.00	CORE	0.007	1.6
			Light grey green, fine to coarse ash, fsp xstals, 1mm black possible lithic grains, rare lapilli sized fragments. Massive, possible bedding at 168.3 at 55 dgs tca. Weak creamy yellow fine carb veining.														73886	283.50	285.50	2.00	CORE	0.01	1.3
			159.80 160.25 grey white qtz veining with black fragments to white stockwork within grey ash tuff, <1% py within qtz veining.														73887	285.50	287.50	2.00	CORE	0.011	1.2
			160.25 161.50 weak fine qtz veinlets and minor 1cm wide qtz veinlets.														73888	287.50	289.50	2.00	CORE	0.024	4.2
			169.55 169.85 lower contact 30cm of dark grey fine grained massive mudstone, siltstone. Contact at 70 dgs tca.														73889	289.50	291.50	2.00	CORE	0.016	3.7
																	73890	291.50	291.50	0.00	GS1Z	1.17	85.2
169.85	210.80	LLPX	Andesite Feldspar Crystal and Lapilli Tuff														73891	291.50	293.55	2.05	CORE	<0.005	0.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Mottled med to dark grey, pale green, med to coarse ash, crystal and <2cm andesite and lithic lapilli, abundant white fsp crystals, massive, patchy mottled dark grey/black fine intergranular network, rare <1-1cm white vuggy qtz veins +/- coarse grained sp-gn-cpy. minor fine creamy yellow carb veinlets.																		
			201.85 203.60 fsp porph granodiorite dyke, mottled olive green groundmass.																				
210.80	245.00	LLPX	Andesite Feldspar Crystal and Lapilli Tuff with Pumice Fragments continuation of previous coarse ash, crystal and lapilli tuff but with 1-5% dark green wispy flattened pumice fragments. 212.20 247.00 Variable tan beige Tertiary style bleaching/alteration 220.35 226.85 interval of strongest most pervasive Tertiary bleaching, weak carb veining. 221.95 222.30 creamy white and grey qtz veining with clots of massive gn and coarse diss grains of gn, py and sp.. Veining at 60-70 dgs tca. 218.45 5cm of qtz veinlets with sp-gn 232.70 15cm white qtz stockwork with massive clots of py-sp-gn																				
245.00	273.50	LLXX	Andesite Pumice Lapilli Tuff Medium green, unit characterized by 10-15% dark green, irregular wispy and flattened generally <1cm pumice and glass fragments in a med green fine grained aphyric groundmass. Weak calcite +/- chl, hem veining. 255.10 256.65 fsp porphyritic andesite dyke. 268.90 273.50 faint pink pervasive hematite staining overprinted by beige clay rich bleaching																				
273.50	293.55	LLXM	Maroon Andesite Lapilli and Crystal Tuff Light dark maroon hematite colouration, generally <5mm but up to 1cm rounded dark green lithic? Lapilli, 7-10% 1-2mm altered fsp crystals in a finer grained ash tuff groundmass. Common hairline py, qtz-py veinlets to weak stockwork - is this the IP chargeability cause?? weak <1cm qtz+/-carb+/-py veinlets. rare 1-2cm vuggy qtz veinlets with coarse py-sp-gn				1				1	3	tr	tr									
293.55	297.70	LLXX	Andesite Lapilli and Crystal Tuff Continuation of previous unit without the hematite staining. Below 297m, becoming dark grey fine grained mudstone, tuffaceous mudstone.																				
297.70	302.85	D/R1	Quartz Eye Rhydacite Dyke Tan beige green, 7-10% 1-2mm qtz eyes, 3-5% 1-2mm white fsp phenos in an aphanitic groundmass. Weak <5mm cryptocrystaline qtz veinlets with no sulfides. Lower contact at 70 dgs tca																				
302.85	305.60	D/AN	Andesite Dykes multiple dark olive green fine grained andesite dykes, screens of andesite crystal tuff, minor fine grained granodiorite dyke.																				
305.60	307.95	D/GR	Granodiorite Dyke pinkish grey green, pale green porphyritic fsp phenos, 1-2% dark grey green altered mafic phenos, fine grained potassic fsp groundmass. Upper contact at 40 dgs tca, lower contact at 65 dgs tca.																				
307.95	316.50	D/R1	Quartz Eye Rhyodacite Dyke																				

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Tan beige, 1-3% 1mm qtz eyes, 1-2% white fsp phenos, aphanitic flow banded groundmass. Trace qtz and carb veinlets																				
316.50	317.25	LXXX	Betty Creek Andesite green and maroon gougy andesite																				
317.25	333.45	D/GR	Granodiorite Dyke tannish green beige. Tannish green porph fsp phenos, 3-4% anhedral mafic grains, weakly magnetic, weak calc chl veinlets. Unit is multiple granodiorite intrusions with 10-40cm screens of deep red hem stained ash tuff between dykes.																				
333.45	369.65	LTPX	Betty Creek Andesite Feldspar Crystal Tuff speckled med to dark green, abundant 1-3mm white fsp phenocrysts, <5% <1cm lapilli, massive, patchy weak hematite staining, weak fine qtz and calc veinlts, rare barren white vuggy qtz veinlts, patchy beige bleaching over <50cm widths																				
369.65	374.55	D/R1	Quartz Eye Rhyodacite Dyke 5% 1-2mm qtz eyes, 7-8% 1-3mm white fsp phenocrysts, beige tan aphanitic groundmass. Very weak qtz veining				1																
374.55	388.25	LTPX	Betty Creek Andesite Feldspar Crystal Tuff Continuation of previous LTPX, weak calcite+/- chl hem veinlets.																				
388.25	391.25	D/AN	Andesite Dyke Olive grey, fine grained, fine anhedral mm scale dark green clots, mod magnetic, <1% fine white calc amygdules.																				
391.25	404.25	LLPX	Betty Creek Lapilli, Crystal and Ash Tuff Sequence an overall fining downhole sequence beginning with lapilli and crystal tuffs grading downhole to crystal dominated tuffs, grading downhole to bedded ash tuffs and ending in massive fine to aphanitic ash tuff. Bedding at 75-80 dgs tca. Erosional scouring within bedded portion also supports a tops downhole interpretation.																				
404.25	409.70	LLXX	Heterolithic Lapilli Tuff 20-30% <2cm subangular hematite stained heterolithic lapilli, fine to medium grained ash tuff groundmass. Weak calc veining																				
409.70	415.30	D/R2	Quartz Feldspar Porph Dacite Dyke 7-8% qtz eyes, 10% 103mm white porph fsp, beige green aphanitic groundmass, massive, minor vuggy <1cm qtz veinlets																				
415.30	417.25	LTPX	Andesite Feldspar Crystal and Lapilli Tuff 7-10% 1-2mm white fsp crystals, <10% lapilli, med green groundmass,																				
417.25	424.30	D/R1	Quartz Eye Dacite Dyke 3-5% 1mm qtz eyes, patchy 2-3% white fsp phenos, beige aphanitic groundmass, flow banded at 75 dgs tca at upper contact and at 60 dgs at lower contact. Weak <1cm vuggy qtz veinlets +/- sp, py and a fine black sooty sulfide.																				
424.30	443.18	LTPX	Andesite Feldspar Crystal and Lapilli Tuff																				

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			abundant 1-4mm white fsp phenos, <5% lapilli, patchy weak maroon hem stain, and hem veinlets, minor late 30-40cm bull qtz veining.																				
			443.18 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2212

Easting:	436006	**Azi (deg):**	260	**Start:**	
Northing:	6219369	**Dip (deg):**	-45	**Finish:**	08-Aug-20
Elev (m):	1006	**Length (m):**	221.59	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	Day Zone	**Pad:**	Day-01	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	55333	3.40	5.60	2.20	CORE	0.209	2.1
0.00	1.52	WCAS	Casing														55334	5.60	7.60	2.00	CORE	0.131	3
																	55335	7.60	9.60	2.00	CORE	0.013	0.7
1.52	22.60	AFXX	Hornblend Phyric Andesite Flow				1				2.5	2					55336	9.60	11.60	2.00	CORE	0.047	0.7
			Medium olive green, fine grained, 5-7% mm <1-2mm dark green anhedral hbl phenos, patchy cream green 2mm fsp phenos, local fragmental texture, weak to mod calcite, qtz-calcite stockwork veining. <1-3% diss py, trace py within veining.														55337	11.60	13.60	2.00	CORE	0.065	0.9
			2.15 2.95 tertiary andesite dyke														55338	13.60	15.60	2.00	CORE	0.051	0.7
			6.20 6.80 Qtz-calcite vein breccia, 5% py, upper contact at 20, lower contact at 30 dgs tca.														55339	15.60	17.60	2.00	CORE	0.027	0.8
																	55340	17.60	17.60	0.00	CU190	0.716	9.9
22.60	24.40	CBXX	Silica Breccia			2	4		3			4	tr				55341	17.60	19.60	2.00	CORE	0.117	1.2
			creamy qtz veining with 30-40% dark black/green and grey green andesite fragments, 3-5% py clots within qtz and diss within fragments, includes a 40cm interval of poorly veined andesite.														55342	19.60	21.60	2.00	CORE	0.16	1
																	55343	21.60	22.60	1.00	CORE	0.096	1.1
24.40	50.45	AFXZ	Andesite with Quartz-Calcite Stockwork				3		3	2	2	5	tr	tr			55344	22.60	23.50	0.90	CORE	0.374	1.9
			Medium olive green to patchy drk grey green, fine grained andesite with hbl phenocrysts, massive, patchy weak fragmental texture, mod qtz, qtz-calc stockwork to local strong qtz stockwork with silicification, <1-2% diss py within andesite with patchy 10-15% very fine diss py, <1-7% py within qtz stockwork, <1% sp gn veining. patchy silicification increasing in areas of greater stockwork density, weak to mod perv ser, selective replacement of hbl phenos by chl, minor mottled patchy chl alt. Increasing calc veining and stockwork downhole.																55345	23.50	24.40	0.90	CORE	0.395	2.1
																	55346	24.40	25.95	1.55	CORE	0.104	1.1
50.45	54.15	CBXX	Silicified Healed Shear, Fault Breccia			3	3				3	2					55347	25.95	27.10	1.15	CORE	1.71	5.9
			50.45 51.95 dark grey fine grained siliceous groundmass, fragments of calc vein, qtz-calc vein. Massive coarse calc veining at top of unit, carbonaceous at lower contact, 1-2% coarse grained py, faulting possibly at 20-25 dgs tca														55348	27.10	28.25	1.15	CORE	0.373	2.8
			51.95 53.45 andesite dyke, light grey green, 3-5% chloritized phenos, <1-1% diss py. Is this an older andesite dyke?														55349	28.25	30.25	2.00	CORE	0.348	1.8
			53.45 54.15 Carbonaceous calcareous shearing/brecciation healing, calc veining														55350	30.25	30.25	0.00	BLK	0.008	<0.2
																	55351	30.25	32.25	2.00	CORE	0.325	1.4
54.15	83.60	AFXC	Hornblend Phyric Andesite with Calcite Stockwork				1		2		3.5	tr					55352	32.25	34.25	2.00	CORE	0.14	1.1
			Medium olive green, fine grained massive andesite with fine dark green chloritized hbl phenocrysts. Moderate to strong calcite stockwork with minor qtz, patchy ser/py alteration over <1m widths, rare coarse py veinlets,														55353	34.25	35.25	1.00	CORE	0.108	1.1
																	55354	35.25	36.25	1.00	CORE	0.721	2.8
83.60	107.10	AFXX	Andesite Flow						1		1	tr					55355	36.25	38.25	2.00	CORE	0.193	1.1

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium olive green, fine grained, finely hbl phyric, patchy fsp? Phyric as anhedral creamy green clots, patchy primary brecciation, weak calc veining, patchy weak to mod qtz-ser-py,														55356	38.25	40.25	2.00	CORE	0.146	1
			87.20 90.50 strongly fractured, FeOx fracture coated.														55357	40.25	42.25	2.00	CORE	0.23	0.9
107.10	127.25	AFBX	Andesite Fragmental, Flow Breccia, Hyaloclastite														55358	42.25	44.25	2.00	CORE	6.97	9.1
			darker green angular fsp-hbl phyric andesite fragments in a lighter grey green groundmass, groundmass supported, trace calc veinlets. Overall massive texture														55359	44.25	46.25	2.00	CORE	0.202	1.2
																	55360	46.25	46.25	0.00	ME1807	7.83	320
127.25	131.50	ALXX	Andesite Lapilli Tuff														55361	46.25	48.35	2.10	CORE	0.063	1
			Streaky light to dark green. Dark green andesite fragments, mainly aphyric in a streaky foliated fine grained lighter grey green groundmass, <1% py as irregular clots of py, trace calc veining. Foliation and possibly bedding at 40 dgs tca.														55362	48.35	50.45	2.10	CORE	0.086	1
																	55363	50.45	51.95	1.50	CORE	0.215	1.3
131.50	140.75	AFBX	Andesite Fragmental, Flow Breccia								1						55364	51.95	53.45	1.50	CORE	0.014	0.3
			Darker green fine grained generally aphyric angular andesite fragments in a lighter grey green fine grained groundmass.minor calc veining, trace py.														55365	53.45	54.15	0.70	CORE	0.134	2
																	55366	54.15	56.00	1.85	CORE	0.217	1.4
140.75	152.85	AFBZ	Andesite Fragmental with Qtz Veining, Qtz Breccia				2		2		2	4	1	tr			55367	56.00	58.00	2.00	CORE	0.083	0.7
			Continuation of previous fragmentally textured andesite with increased brecciation healed by fine calcite network, weak qtz veining as 30-70cm wide intervals of cream and pale green qtz veining/qtz breccia. Weak fine mm scale qtz veinlets. <1-2% brick red sp within qtz breccia intervals, <1% mm scale red and tan sp veinlets and irregular clots. 2-5% py as fine qtz-py veinlets and diss within qtz breccia intervals. patchy pervasive weak ser,														55368	58.00	60.00	2.00	CORE	0.037	0.6
																	55369	60.00	62.00	2.00	CORE	0.03	0.5
152.85	165.05	AFBX	Andesite Fragmental, Flow Breccia				1		1		1	2	0.5	tr			55370	62.00	62.00	0.00	BLK	<0.005	<0.2
			Continuation of fragmental lithology with patchy beige ser+/- py alteration, weak 1-2cm calc veins, weak <10cm qtz-py-red sp veining,														55371	62.00	64.00	2.00	CORE	0.027	0.7
																	55372	64.00	66.00	2.00	CORE	0.042	0.6
165.05	184.80	AFXZ	Andesite With Qtz Veining			2	2.5		2	2	2	3	0.5	tr			55373	66.00	68.00	2.00	CORE	0.063	0.7
			med grey green, fine grained massive andesite, moderate brecciated, jumbled, deformed appearance. Fine calcite and qtz veinlet networks, weak 20-70cm wide intervals of silicification and cream grey qtz veining and qtz stockwork, patchy grey beige ser alt, patchy silicification. Patchy dark green weak to mod perv chl. 2-4% py diss within andesite and within qtz veins. <1% red brown sp +/- trace gn within qtz veining.														55374	68.00	70.00	2.00	CORE	0.254	1
																	55375	70.00	72.00	2.00	CORE	0.062	0.6
184.80	213.45	AFXX	Andesite Flow, Patchy Fragmental				1		1		1	0.5	tr				55376	72.00	74.00	2.00	CORE	0.074	0.7
			Medium green, patchy grey green, fine grained, massive, patchy fragmental texture, patchy grey green perv ser with fine diss py and fine py veinlets, weak irregular wispy fine qtz-calc veinlets, <1% diss and veinlet py and <1% red sp veinlets														55377	74.00	76.00	2.00	CORE	0.065	0.6
			211.95 213.20 brecciated andesite with calc veining, irregular inclusions of black argillite														55378	76.00	78.00	2.00	CORE	0.081	0.5
			213.20 213.45 Silica breccia. Grey silica veining, silica breccia with 5-6% py. Brecciated and healed by calcite veining. Lower contact at 35 dgs tca.														55379	78.00	80.00	2.00	CORE	0.041	0.9
																	55380	80.00	80.00	0.00	CU190	0.68	8.8
213.45	221.59	SAXX	Argillite				1				3	5					55381	80.00	82.00	2.00	CORE	0.055	1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Black and dark grey mudstone/siltstone, massive but strong disrupted appearance, brecciated with qtz-py and calcite veining. Strongest deformation adjacent to upper contact with py veining, qtz-py veining and diss py. Trace <1cm sp-gn veining.														55382	82.00	84.00	2.00	CORE	0.326	2.1
																	55383	136.75	138.75	2.00	CORE	0.115	1.3
																	55384	138.75	140.75	2.00	CORE	0.051	1.9
																	55385	140.75	142.30	1.55	CORE	0.198	4.5
																	55386	142.30	143.80	1.50	CORE	0.599	4.6
																	55387	143.80	145.30	1.50	CORE	0.442	2.6
																	55388	145.30	146.50	1.20	CORE	0.586	3.4
																	55389	146.50	147.50	1.00	CORE	0.858	3.5
																	55390	147.50	147.50	0.00	BLK	<0.005	<0.2
																	55391	147.50	148.50	1.00	CORE	0.804	2.7
																	55392	148.50	149.50	1.00	CORE	3.84	11.5
																	55393	149.50	150.60	1.10	CORE	0.801	3.2
																	55394	150.60	151.85	1.25	CORE	0.04	1.4
																	55395	151.85	152.85	1.00	CORE	0.674	13.5
																	55396	152.85	154.90	2.05	CORE	0.237	2.4
																	55397	154.90	157.00	2.10	CORE	11.6	7.4
																	55398	157.00	159.00	2.00	CORE	30.1	8.4
																	55399	159.00	161.00	2.00	CORE	0.246	2.1
																	55400	161.00	161.00	0.00	GS1Z	1.28	92.2
																	55401	161.00	163.00	2.00	CORE	0.635	5.3
																	55402	163.00	165.05	2.05	CORE	0.102	1
																	55403	165.05	167.00	1.95	CORE	2.86	4.5
																	55404	167.00	169.00	2.00	CORE	2.54	5.1
																	55405	169.00	171.00	2.00	CORE	0.683	4.9
																	55406	171.00	173.00	2.00	CORE	0.872	4
																	55407	173.00	175.00	2.00	CORE	0.522	2.9
																	55408	175.00	177.00	2.00	CORE	0.337	3.6
																	55409	177.00	179.00	2.00	CORE	0.196	3
																	55410	179.00	179.00	0.00	BLK	<0.005	<0.2
																	55411	179.00	180.80	1.80	CORE	0.189	2.3
																	55412	180.80	182.60	1.80	CORE	0.139	1.4
																	55413	182.60	183.80	1.20	CORE	0.189	1.3
																	55414	183.80	184.80	1.00	CORE	0.037	1.1
																	55415	184.80	185.80	1.00	CORE	0.048	1.4
																	55416	185.80	187.80	2.00	CORE	0.029	1.3
																	55417	187.80	189.80	2.00	CORE	0.01	0.6
																	55418	189.80	191.80	2.00	CORE	0.018	0.7
																	55419	191.80	193.80	2.00	CORE	0.199	1.1
																	55420	193.80	193.80	0.00	CU190	0.691	9.5
																	55421	193.80	195.80	2.00	CORE	0.272	3.4
																	55422	195.80	197.80	2.00	CORE	0.203	2
																	55423	197.80	199.80	2.00	CORE	0.006	1
																	55424	199.80	201.80	2.00	CORE	0.019	0.6
																	55425	201.80	203.80	2.00	CORE	0.065	2.3
																	55426	203.80	205.80	2.00	CORE	0.137	1.4
																	55427	205.80	207.80	2.00	CORE	0.072	0.7
																	55428	207.80	209.80	2.00	CORE	0.035	1.1
																	55429	209.80	211.95	2.15	CORE	0.039	0.7
																	55430	211.95	211.95	0.00	BLK	<0.005	<0.2
																	55431	211.95	213.20	1.25	CORE	0.053	1
																	55432	213.20	214.20	1.00	CORE	0.267	2.2
																	55433	214.20	215.20	1.00	CORE	0.141	5.3
																	55434	215.20	217.20	2.00	CORE	0.077	7.5
																	55435	217.20	219.20	2.00	CORE	0.061	8.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	55436	219.20	221.59	2.39	CORE	0.042	2.3

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2213

Easting:	436006	**Azi (deg):**	260	**Start:**	
Northing:	6219369	**Dip (deg):**	-52	**Finish:**	
Elev (m):	1006	**Length (m):**	217.93	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	Day Zone	**Pad:**	Day-01	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calc Vns**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	1.52	WCAS															55437	1.52	2.80	1.28	CORE	0.116	2.2
																	55438	2.80	4.57	1.77	CORE	<0.005	0.2
1.52	2.80	AFXX	Andesite				1					3					55439	4.57	6.30	1.73	CORE	<0.005	0.2
			Medium green. Fine grained, fine dark green chl flecks, wk <5mm qtz-py veining														55440	6.30	6.30	0.00	CU190	0.677	9.5
																	55441	6.30	6.85	0.55	CORE	0.085	1.3
2.80	6.30	D/AN	Andesite Dyke														55442	6.85	8.00	1.15	CORE	0.282	4
			Dark grey, fine grained, white speckled with <5mm calc amygdules														55443	8.00	9.20	1.20	CORE	0.077	3.5
																	55444	9.20	10.20	1.00	CORE	0.082	1.1
6.30	9.20	AFXZ	Andesite with Qtz-Py veining				3		3			5					55445	10.20	12.20	2.00	CORE	0.104	1.4
			Light grey, fine grained, mod to str perv ser-py, mod brecciated to banded qtz-py veining shallow to core axis at 15-20 dgs tca.														55446	12.20	14.20	2.00	CORE	0.133	1.2
																	55447	14.20	16.20	2.00	CORE	0.037	1
9.20	21.65	AFPX	Feldspar Porphyritic Andesite				1		2	2	3	4					55448	16.20	18.20	2.00	CORE	0.051	1.3
			Medium green, Patchy fsp porph with 10% 1-3mm fsp phenos, hbl phyric as fine <1-1mm dark green chl alt hbl. Massive, weak to local mod calc veining+/- qtz.. Patchy dark green perv chl, 2-4% diss and fine veinlet py														55449	18.20	19.90	1.70	CORE	0.161	1.2
																	55450	19.90	19.90	0.00	BLK	<0.005	<0.2
21.65	26.15	AFPZ	Andesite with weak qtz veining			2	3		2		1	5					55451	19.90	21.65	1.75	CORE	0.208	1.6
			massive andesite as in previous unit with several 20-30cm wide intervals of silicification+py and qtz-py veining. Weak ser-py alt between veined intervals														55452	21.65	23.15	1.50	CORE	0.202	1.7
																	55453	23.15	24.70	1.55	CORE	0.083	1.2
26.15	44.10	AFBX	Andesite Fragmental, Flow Breccia with Calcite Veining														55454	24.70	26.15	1.45	CORE	0.261	10.8
			Medium to dark green angular fragments in a med green groundmass. Groundmass supported, massive. Weak calcite veining as fine <1cm veinlets and local coarse grained calcite veins to 30cm.														55455	26.15	28.15	2.00	CORE	0.132	1.4
																	55456	28.15	30.15	2.00	CORE	0.043	0.9
44.10	46.60	CBXX	Silica Breccia			3	1		3		1	5					55457	30.15	32.15	2.00	CORE	0.059	1
			medium grey massive silicification, local fine breccia texture over 10-20cm intervals, 5-7% diss med to coarse py, weak calc veining, weak qtz veining, mod perv ser														55458	32.15	34.15	2.00	CORE	0.374	1.6
																	55459	34.15	36.15	2.00	CORE	2.68	4
46.60	48.10	D/AN	Andesite Dyke														55460	36.15	36.15	0.00	GS1Z	1.085	90.1
			Light to med green, fine grained, fine irregular darker green clots, <1% diss py, FeOx stained fractures. Faulted lower contact with missing core.														55461	36.15	38.15	2.00	CORE	0.252	1.5
																	55462	38.15	40.15	2.00	CORE	0.044	1.1
48.10	49.35	AFXZ	Altered Andesite			2	2		3			7					55463	40.15	42.15	2.00	CORE	0.123	2
			Light grey to grey green, fine grained massive andesite with mod perv qtz-ser-py, minor light to dark grey silica veining at 30 dgs tca														55464	42.15	44.10	1.95	CORE	0.108	1.3
																	55465	44.10	45.30	1.20	CORE	0.099	1.5
49.35	66.40	AFXX	Massive Andesite With Calcite Veining								3	tr					55466	45.30	46.60	1.30	CORE	0.116	1.8
			Med green, fine grained to finely fsp and hbl phyric, massive with local coarse brecciation (primary). Mod to strong calcite stockwork,														55467	46.60	48.10	1.50	CORE	0.044	0.7
																	55468	48.10	49.35	1.25	CORE	0.114	1.6
66.40	73.50	AFXX	Massive Andesite								1						55469	49.35	51.35	2.00	CORE	0.106	1.9
			Medium green, fine grained, finely speckled with <1mm dark green hbl flecks. Weak calc veining														55470	51.35	51.35	0.00	BLK	<0.005	<0.2
																	55471	51.35	53.35	2.00	CORE	0.066	0.8
73.50	81.60	AFXZ	Altered Andesite with Qtz-Red Sp Veining				2		3		1	7					55472	53.35	55.35	2.00	CORE	0.069	1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
			light grey green to med green, fine grained, fine chl flecked, massive, mod perv ser-py alteration decreasing down hole, weak fine dark hairline chl/py network, patchy weak <10cm wide qtz-py-red sp veining														55473	55.35	57.35	2.00	CORE	0.053	1	
			80.77 81.50 continuous interval of silicification, qtz-sp veining at lower contact.														55474	57.35	59.35	2.00	CORE	0.038	0.5	
																	55475	59.35	61.35	2.00	CORE	0.264	0.9	
81.60	107.05	AFXX	Massive Andesite						1		1	1					55476	61.35	63.35	2.00	CORE	0.045	0.5	
			Medium green fine grained, finely fsp and hbl phenos, patchy 1-2% porph fsp, weak calc veining, 1-3% diss py														55477	63.35	64.90	1.55	CORE	0.164	1.8	
			96.80 98.50 weak to mod perv ser-py														55478	64.90	66.40	1.50	CORE	0.074	0.8	
																	55479	66.40	67.90	1.50	CORE	0.048	0.9	
107.05	108.90	AFXZ	Altered Andesite			2			3.5			10					55480	67.90	67.90	0.00	ME1807	7.9	310	
			continuation of previous andesite but with mod to strong perv ser-py alteration														55481	67.90	69.50	1.60	CORE	0.079	1	
																	55482	69.50	71.50	2.00	CORE	0.03	1.6	
108.90	110.95	CBXX	Silica Breccia and Sericite Altered Andesite			3	3		4			7					55483	71.50	73.50	2.00	CORE	0.049	0.7	
			light to med grey mottled silicification-sericite alteration and mottled grey qtz veining, mod late calcite veining,														55484	73.50	75.50	2.00	CORE	0.085	1.5	
																	55485	75.50	77.50	2.00	CORE	0.286	2.5	
110.95	153.55	AFBX	Andesite Fragmental, Flow Breccia				1				1	0.5	tr				55486	77.50	79.60	2.10	CORE	0.589	3	
			Darker green fsp phyric angular andesite fragments in a med green fsp phyric andesite groundmass. Groundmass supported, widely space 1-2cm wide calcite-qtz-red sp veinlets, very weak calc+/-qtz veinlets. <1% diss py.														55487	79.60	80.60	1.00	CORE	0.511	1.2	
																	55488	80.60	81.60	1.00	CORE	0.702	11.9	
153.55	167.80	AFBZ	Altered Andesite Fragmental, Flow Breccia				2		2		1	2	1				55489	81.60	82.60	1.00	CORE	0.079	0.7	
			Continuation of andesite fragmental. Increased density of white qtz veining with red and dark sp, weak to patchy mod perv ser, 1-3% py as fine veinlets and diss, <1-2% sp within qtz veins and as fine veinlets.														55490	82.60	82.60	0.00	BLK	<0.005	<0.2	
			153.55 154.70 gradational upper contact. Increased bleaching														55491	82.60	84.60	2.00	CORE	0.199	1.1	
			154.70 155.30 brecciated and re-healed. Fault zone containing brecciated fragmented qtz veins with diss sp.														55492	105.05	107.05	2.00	CORE	0.049	0.8	
																	55493	107.05	108.90	1.85	CORE	0.081	1.5	
167.80	178.25	AFBX	Andesite Fragmental, Flow Breccia				1				1	0.5	tr				55494	108.90	109.90	1.00	CORE	0.131	1.2	
			Continuation of andesite fragmental with very minor fine sp and py qtz veinlets, minor qt and calc veining,mweak ser														55495	109.90	110.95	1.05	CORE	0.246	1.3	
			173.60 174.00 possible fault, FeOx stained, poor recovery, rubbly, minor gouge.														55496	110.95	113.00	2.05	CORE	0.035	0.7	
																	55497	113.00	115.00	2.00	CORE	0.025	0.5	
178.25	179.55	AFXZ	Altered Andesite and Qtz veining			2	3		3		1	2	2				55498	135.50	137.50	2.00	CORE	0.343	1.4	
			Med grey ser and sil altered andesite with 45cm grey white qtz veinng with 2-3% sp. 2-4% diss py with ser/sil alteration. Weak late calc veining														55499	137.50	139.50	2.00	CORE	0.101	1.4	
																	55500	139.50	139.50	0.00	CU190	0.709	9.6	
179.55	217.93	AFBX	Andesite Fragmental (Could be Lapilli Tuff vs Flow Bx)														51051	139.50	141.50	2.00	CORE	0.062	0.6	SEQUENCE CHANGE
			Up to 30cm rounded fragments of speckled dark green fsp phyric andesite in a fsp phyric andesite groundmass. Groundmass supported. Fragments in this unit appear to be more rounded in nature than previous, weak heterolithic appearance from occassional lighter colored fragments and finer grained fragments. still have some angular fragments, some rounded fragments could have weak reaction rims, weak calc and qtz veining, <1-1% fine qtz-sp veinlets, <1-2% fine py veinlets,														51052	141.50	143.50	2.00	CORE	0.089	1	
			195.20 195.65 Qtz-sp-py veining, 4-5% sp, 3-4% py														51053	143.50	145.50	2.00	CORE	0.102	1.2	
			195.65 197.80 weak to mod calc and qtz-calc veined with 5% py														51054	145.50	147.50	2.00	CORE	0.057	1.8	
																	51055	147.50	149.50	2.00	CORE	0.432	3.3	
			217.93 EOH														51056	149.50	151.50	2.00	CORE	0.175	3.2	
																	51057	151.50	153.55	2.05	CORE	1.11	6.1	
																	51058	153.55	154.70	1.15	CORE	0.178	4	
																	51059	154.70	155.70	1.00	CORE	0.696	10.2	
																	51060	155.70	155.70	0.00	BLK	<0.005	0.2	
																	51061	155.70	157.30	1.60	CORE	1.115	6.8	
																	51062	157.30	159.30	2.00	CORE	0.365	5.2	
																	51063	159.30	161.45	2.15	CORE	0.344	3.1	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
																	51064	161.45	163.50	2.05	CORE	54.6	29.3	
																	51065	163.50	165.60	2.10	CORE	0.173	2	
																	51066	165.60	167.80	2.20	CORE	0.771	1.7	
																	51067	167.80	169.80	2.00	CORE	3.14	2.6	
																	51068	169.80	171.80	2.00	CORE	0.531	1.5	
																	51069	171.80	174.00	2.20	CORE	0.357	3.2	
																	51070	174.00	174.00	0.00	GS1Z	1.1	89.6	
																	51071	174.00	176.10	2.10	CORE	0.029	1.7	
																	51072	176.10	178.25	2.15	CORE	0.187	2.7	
																	51073	178.25	179.55	1.30	CORE	0.302	3	
																	51074	179.55	181.55	2.00	CORE	0.038	1	
																	51075	181.55	183.55	2.00	CORE	0.035	0.9	
																	51076	183.55	185.55	2.00	CORE	0.025	1.2	
																	51077	185.55	187.55	2.00	CORE	0.084	3.5	
																	51078	187.55	189.55	2.00	CORE	0.166	1.4	
																	51079	189.55	191.50	1.95	CORE	0.357	5	
																	51080	191.50	191.50	0.00	BLK	<0.005	0.2	
																	51081	191.50	193.50	2.00	CORE	0.173	2.8	
																	51082	193.50	195.20	1.70	CORE	0.122	1.8	
																	51083	195.20	196.50	1.30	CORE	0.251	10.7	
																	51084	196.50	197.80	1.30	CORE	0.288	1.4	
																	51085	197.80	199.80	2.00	CORE	0.147	2.2	
																	51086	199.80	201.80	2.00	CORE	0.058	1.4	
																	51087	201.80	203.80	2.00	CORE	0.072	0.8	
																	51088	203.80	205.80	2.00	CORE	0.101	0.8	
																	51089	205.80	207.80	2.00	CORE	0.019	0.6	
																	51090	207.80	207.80	0.00	ME1807	7.92	330	
																	51091	207.80	209.80	2.00	CORE	0.009	0.5	
																	51092	209.80	211.84	2.04	CORE	0.03	1.2	
																	51093	211.84	213.90	2.06	CORE	0.088	5.4	
																	51094	213.90	215.90	2.00	CORE	0.113	2.2	
																	51095	215.90	217.93	2.03	CORE	0.055	1.5	
																	51246	133.50	135.50	2.00	CORE	0.143	2.8	OUT OF SEQUENCE SAMPLE

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2214

Easting:	436006	**Azi (deg):**	260	**Start:**	
Northing:	6219369	**Dip (deg):**	-75	**Finish:**	11-Aug-20
Elev (m):	1006	**Length (m):**	275.84	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	Day Zone	**Pad:**	Day-01	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.52	WCAS	Casing														51096	1.52	2.50	0.98	CORE	0.017	1.3
																	51097	2.50	3.50	1.00	CORE	0.099	1.7
1.52	3.50	AFXX	Andesite						2			2					51098	3.50	4.50	1.00	CORE	0.381	2
			Med green, fine grained, fine pale green alt phenocrysts of fsp and possible hbl, weakly fol, minor late qtz veins, weak perv ser becoming stronger below 2.5m with increased diss py.														51099	4.50	5.50	1.00	CORE	0.136	3.3
																	51100	5.50	5.50	0.00	BLK	<0.005	<0.2
3.50	12.20	AFXZ	Sericite Altered Andesite with Qtz Stockwork			2	4		4			7					51101	5.50	6.50	1.00	CORE	0.204	4.5
			Light greenish grey fine grained anesite with relict fsp phenos, strong perv ser-py, patchy silicification, strong qtz stockwork veining with 2-4% py within veining and 3-5% diss py within ser alt andesite.														51102	6.50	7.50	1.00	CORE	0.695	2.1
																	51103	7.50	8.50	1.00	ORIG	0.189	3.9
12.20	19.80	AFXX	Hornblend Phyric Andesite						2			1					51104	7.50	8.50	1.00	DUP	0.149	3.7
			Medium green, fine grained, fine green speckled with 7-8% <1mm dark green chl alt hbl phenos, massive, patche weak perv ser and patchy dark ser/py hairline network. 1-3% py														51105	8.50	9.50	1.00	CORE	0.277	2
			17.80 19.80 25cm of andesite dyke followed by rubbly broken highly fractured andesite with surface oxidation along fractures.														51106	9.50	10.50	1.00	CORE	0.205	2
																	51107	10.50	12.20	1.70	CORE	0.13	2.9
19.80	20.45	D/AN	Andesite Dyke														51108	12.20	14.05	1.85	CORE	0.062	1.8
			Dark grey, fine grained, spotted with 1mm anhedral hem stained spots, lower contact at 25 dgs tca														51109	14.05	15.90	1.85	CORE	0.081	1.7
																	51110	15.90	15.90	0.00	CU190	0.687	9.1
20.45	23.80	AFXZ	Sericite Altered Hornblend Phyric Andesite						3			5					51111	15.90	17.80	1.90	CORE	0.079	2.5
			Light green fine grained massive andesite with fine green chloritized hbl phenos, weak to mod perv ser, mod dark fine py stockwork, 4-7% total py content, weak calc veining some with dark halos of chl,														51112	17.80	19.80	2.00	CORE	0.078	1.6
																	51113	19.80	20.45	0.65	CORE	0.01	0.3
23.80	27.05	CBXX	Silica Breccia and Sericite Altered Andesite			3	4		4		2	4	0.5	0.5			51114	20.45	22.15	1.70	CORE	0.08	2.7
			Multi-phase brecciation and quartz veining within pale grey silicified sericite altered andesite overprinted by late coarse grained white calcite. 5-7% diss and veinlet py within ser alt andesite, Quartz veining generally sulfide poor except for one phase of quartz that carries sp-gn-py.														51115	22.15	23.80	1.65	CORE	0.052	1.4
																	51116	23.80	24.90	1.10	ORIG	0.166	3.7
27.05	28.25	AXXZ	Altered Andesite				1					1					51117	23.80	24.90	1.10	DUP	0.14	2.5
			mottled green probable hbl phyric andesite, mod ser altered over 25cm adjacent to upper contact, patchy dark grey crypto-crystalline silica veining, mod brecciated jumbled appearance, 1-2% coarse grained py.														51118	24.90	26.00	1.10	CORE	0.343	4.1
																	51119	26.00	27.05	1.05	CORE	0.475	3.3
28.25	31.65	CBXX	Silicified Lithified Fault Breccia			4	1		3			1					51120	27.05	27.05	0.00	BLK	<0.005	0.2
			mottled grey green to dark grey silicified healed fault breccia centred from 28.6-29.15 at 45-50 dgs tca														51121	27.05	28.25	1.20	CORE	0.077	1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			30.15 30.70 andesite dyke. Pale green, fine grained, ser altered, 5% dark green spots, brecciated with fine calcite, <1% py														51122	28.25	29.25	1.00	CORE	0.097	1
			30.70 31.65 Fault breccia texture but with less silicification, ser altered with 2-4% py														51123	29.25	30.15	0.90	CORE	0.102	1
																	51124	30.15	30.70	0.55	CORE	0.021	0.5
31.65	43.55	AFXZ	Feldspar Hornblend Phyric Andesite with Calcite Veining.				1		2		4	1	tr				51125	30.70	31.65	0.95	CORE	0.24	1.9
			Medium green fsp and hbl phyric massive andesite, patchy dark grey fsp? Porphyritic intervals with islands/inclusions of fsp-hbl phyric andesite. Mod to strong calcite veining including coarse calcite veining with carbonaceous stylolites.														51126	31.65	32.65	1.00	CORE	0.202	1.6
			42.80 43.55 lithified fault zone, strong fragmental appearance, includes 25cm of coarse calcite veining with fragments of qtz-sp and qtz-py veining.														51127	32.65	34.65	2.00	CORE	0.093	1.8
																	51128	34.65	36.65	2.00	CORE	0.075	2.3
43.55	68.40	AFBX	Feldspar Hornblend Phyric Andesite Fragmental, Flow Breccia						1		1	1					51129	36.65	38.65	2.00	CORE	0.073	3.2
			Darker green fine grained fsp-hbl phyric to fsp porph andesite fragments in a light grey green hbl phyric weakly ser alt andesite groundmass. Weak calc veining. <1-2% diss py.														51130	38.65	38.65	0.00	GS1Z	1.175	85.9
																	51131	38.65	40.65	2.00	CORE	0.079	1.1
68.40	71.00	CBXX	Silica Breccia and Sericite-Pyrite Altered Andesite			3	4		4			7	2				51132	40.65	42.55	1.90	CORE	0.07	1
			Mottled grey white multiphase qtz veining with red sp and py mixed with light grey silicified sericite pyrite altered andesite. Silica breccia intervals 40-50cm wide at top and lower contacts with altered andesite and minor qtz veining between sil bx inervals.														51133	42.55	43.55	1.00	CORE	0.21	3.7
																	51134	43.55	45.05	1.50	CORE	0.078	1.1
71.00	85.50	AFBX	Feldspar Hornblend Phyric Andesite Fragmental, Flow Breccia				1		1		1	1	tr				51135	45.05	47.00	1.95	CORE	0.017	0.5
			Continuation of fragmentally textured fsp-hbl phyric andesite (flow Bx) hbl and fsp phenos locally porphyritic. weak calcite and weak <10cm qtz veins +/- py-sp, weak perv ser adjacent to upper and lower contacts.														51136	47.00	49.00	2.00	CORE	0.01	0.2
																	51137	49.00	51.00	2.00	CORE	0.026	0.2
85.50	86.75	CBXC	Calcite Quartz Breccia				3		3		4	2					51138	51.00	53.00	2.00	CORE	0.018	0.3
			mottled creamy white calcite and creamy grey qtz with common black carbonaceous network, <20cm intervals of ser py alt andesite with fine qtz veinlets and black carbonaceous network. 2-3% diss py within andesite, trace py within qtz-calc veining														51139	53.00	55.00	2.00	CORE	0.027	0.3
																	51140	55.00	55.00	0.00	BLK	<0.005	0.2
86.75	88.15	AFXZ	Shattered Carbonaceous Sericite Altered Andesite				1		4		1	7	0.5				51141	55.00	57.10	2.10	CORE	0.019	0.5
			light to med grey silicified ser py altered andesite, shattered, crackle brecciated healed by fine black carbonaceous network. Weak qtz veining as minor fragments within crackle brecciation, 5-8% fine diss py, <1-1% diss and veinlet red brown sp.														51142	57.10	59.20	2.10	CORE	0.025	0.6
																	51143	59.20	61.30	2.10	CORE	0.023	0.6
88.15	97.55	AFBX	Feldspar Hornblend Phyric Andesite Flow Breccia				1		2		1	1					51144	61.30	63.40	2.10	CORE	0.469	1.6
			fsp-hbl phyric to hbl porphyritic fragments in a green hbl phyric andesite groundmass. Weak qtz-calc veining, patchy qtz-ser-py adjacent to 25cm silica breccia at 91m.														51145	63.40	65.40	2.00	CORE	0.489	1.6
			93.20 97.55 possible fault zone. Fractured rubbly core recovery, FeOx staining of fractures. Upper contact at 30 dgs tca, fracturing <30 dgs tca.														51146	65.40	67.40	2.00	CORE	0.532	1.3
																	51147	67.40	68.40	1.00	CORE	0.144	1
97.55	99.35	CBXX	Quartz-Calcite Veining, Sericite Altered Andesite			3	3		4		3	8	tr	tr			51148	68.40	69.70	1.30	CORE	0.663	3.6
			mottled creamy greenish grey silica, silicification, medium to dark grey cryptocrystalline silica, late coarse white calcite and light grey silicified strongly ser-py altered andesite. 7-10% diss py within qtz and andesite, <1% sp and gn diss and veining in last 25cm														51149	69.70	71.00	1.30	CORE	0.228	3.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
99.35	124.70	AFXX	Hornblend Phyric Andesite Medium green, fine grained, finely hbl +/- fsp phyric, massive, weak fine wispy irregular qtz and calc veinlets +/- py-sp. Patchy weak ser alt				1		1		1	tr					51150	71.00	71.00	0.00	ME1807	7.91	330
																	51151	71.00	72.00	1.00	CORE	0.215	1.2
																	51152	72.00	73.60	1.60	CORE	0.191	1.5
			99.35 100.10 mod ser-py altered adjacent to upper contact.														51153	73.60	75.20	1.60	CORE	2.08	2.5
			104.00 105.50 broken fractured core with FeOx staining of fractures.														51154	75.20	76.80	1.60	CORE	0.667	1.6
																	51155	76.80	78.80	2.00	CORE	0.083	1.4
124.70	126.10	CBXX	Siica Matrix Breccia med to dark grey sil ser py altered andesite fragments in a light grey siliceous groundmass. Cross cut by late coarse grained calcite veining. <1% red tan sp veining.			3	3		4		1	5	tr				51156	78.80	80.80	2.00	CORE	8.17	5.9
																	51157	80.80	82.80	2.00	CORE	0.386	1.8
																	51158	82.80	83.80	1.00	CORE	0.397	1.9
126.10	132.75	AFXZ	Hornblend Phyric Andesite with Weak Qtz Stockwork med grey green fine grained massive andesite, 2-5% <1-1mm dark phenocrysts of poss hbl, weak irregular <1cm light grey silica veinlets +/- sp, local silica matrix breccia with andesite fragments over 10cm widths. Brecciation increasing in last 40cm approaching lower contact,				2				1	0.5	tr				51159	83.80	85.50	1.70	CORE	0.737	2.5
																	51160	85.50	85.50	0.00	BLK	<0.005	<0.2
																	51161	85.50	86.75	1.25	CORE	0.459	2.2
132.75	134.35	CBXX	Silica Breccia multistage brecciation and qtz veining, fragments of relatively fresh andesite at top of interval changing over to dominantly qtz fragments downhole, 2-3% py and trace sp in lower 1m of interval.			4	4					2	tr				51162	86.75	88.15	1.40	CORE	0.326	2.7
																	51163	88.15	89.15	1.00	CORE	0.094	1.3
																	51164	89.15	90.70	1.55	CORE	0.116	0.9
134.35	145.85	AFBX	Andesite Fragmental, Possible Flow Breccia Dark green angular non-porphyritic andesite fragments, many with cuspate edges, in a lighter grey green fine grained groundmass. Trace red sp veining below 144m, weak fine calc veining								1		tr				51165	90.70	91.70	1.00	CORE	0.06	0.9
																	51166	91.70	93.20	1.50	CORE	0.015	0.7
																	51167	93.20	95.20	2.00	CORE	0.015	0.9
145.85	159.90	ATXX	Andesite Tuff, Crystal Tuff Medium grey green, massive, fine granular texture, probable fsp crystals, <5% up to 2cm lapilli,						1								51168	95.20	96.55	1.35	CORE	0.313	1.3
																	51169	96.55	97.55	1.00	CORE	0.06	0.9
																	51170	97.55	97.55	0.00	GS1Z	1.185	89.5
159.90	181.90	ALXX	Andesite Fragmental, Lapilli Tuff, Block and Lapilli Tuff subrounded to angular fsp phyric to fsp porph andesite fragments, grey aphanitic fragments more abundant at top of interva, overall uphole fining. Large fsp porphyritic blocks begin appearing below 176m. Weak calc veining, weak ser						1		1	tr					51171	97.55	99.35	1.80	CORE	0.163	3
																	51172	99.35	100.35	1.00	CORE	0.109	2.5
																	51173	100.35	102.35	2.00	CORE	0.127	1
181.90	196.30	ALXZ	Altered Andesite Lapilli Tuff bleached beige tan green overprint of lapilli tuff, crystal and ash tuff, weak to mod <1cm planar creamy yellow carbonate (dolomite, Fe Carb?) veining, Bleached appearance could have a tertiary origin. <1-1% diss py, qtz-py-sp veining noted below, gradational contacts.														51174	102.35	104.00	1.65	CORE	0.063	1.5
																	51175	104.00	105.70	1.70	CORE	0.035	1.5
			187.30 187.80 silica breccia with 5% diss py-sp-gn														51176	105.70	107.70	2.00	CORE	0.087	3.3
			188.60 188.90 mottled creamy grey silica breccia with 1-2% py														51177	107.70	109.70	2.00	CORE	0.012	0.8
																	51178	109.70	111.70	2.00	CORE	0.108	0.9
196.30	230.40	AXBX	Andesite Fragmental, Possible Flow Breccia, Hyaloclastite or Volcaniclastic?? 10-15% up to 15cm angular, ragged edged outlined fsp phyric andesitic fragments, some with cuspate edges, rare aphyric massive green frags. Granular fsp phyric light grey green groundmass. Rare 1-2cm qtz-py veinlets,								1	tr	tr				51179	111.70	113.70	2.00	CORE	0.038	0.8
																	51180	113.70	113.70	0.00	BLK	<0.005	0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			224.00 230.40 increasing brecciation, weak fine qtz veining, minor qtz veining to 20cm, <1% mm fine sp veinlets,														51181	113.70	115.70	2.00	CORE	0.035	0.8
																	51182	115.70	117.70	2.00	CORE	0.017	1
230.40	234.00	CBXX	Silica Breccia			4	4					1	tr	tr			51183	117.70	119.70	2.00	CORE	0.15	1
			50-60% <1cm white and grey white qtz vein fragments in a pale green white siliceous groundmass, <1-2% diss py, trace diss sp and gn, several intervals of more massive mottle green silica with fine crackle brecciation of grey silica.														51184	119.70	121.70	2.00	CORE	0.192	0.8
																	51185	121.70	123.70	2.00	CORE	0.093	1.5
234.00	270.25	AXBX	Andesite Fragmental, Possible Flow Breccia, Hyaloclastite or Volcaniclastic??				1				1	1	tr	tr	tr	tr	51186	123.70	124.70	1.00	CORE	0.129	2.1
			Darker green fsp phyric, minor fsp porph and aphyric angular andesite fragments, granular fsp phyric groundmass, groundmass supported, massive. Weak irregular qtz and calcite veining, <1% <5mm qtz-red sp-py veinlets +/- po and rare veinlets with aspy.														51187	124.70	126.10	1.40	CORE	0.396	3.1
			245.20 10cm wide grey qtz-py-aspy+/-sp-gn-cpy vein														51188	126.10	127.10	1.00	CORE	0.269	2.1
			266.00 increased brecciation and calcite veining below 266m approaching lower contact. Patchy <20cm brecciated silicified, silica breccia intervals.														51189	127.10	128.25	1.15	CORE	0.185	1.9
																	51190	128.25	128.25	0.00	CU190	0.684	9.6
270.25	271.50	CBXX	Qtz Veining, Silicified Andesite, Healed Silicified Breccia			3	3		4			1	tr	tr		tr	51191	128.25	129.40	1.15	CORE	0.16	1.4
			mottled pale green silicification, silicified brecciated fragmented andesite, light grey cream qtz stockwork, sericite matrix breccias with andesite clasts. 1-2% py-sp-po diss and discontinous veinlets, traces diss aspy with py.														51192	129.40	130.55	1.15	CORE	0.394	1.7
			271.50 irregular lower contact, <1cm grey silica with 5mm qtz clasts,														51193	130.55	131.75	1.20	CORE	0.615	2.2
																	51194	131.75	132.75	1.00	CORE	0.221	1.7
271.50	275.84	SXXX	Deformed Argillite				1				3	2					51195	132.75	134.35	1.60	CORE	3.88	4.7
			massive dark grey to black fine grained mudstone/argillite, fragmental texture of pyritic fragments, crackle brecciated dark grey siliceous fragments, common <1cm long hairline white calcite crackle gash fillings, weak ribbon banded to more massive white qtz veining 10-15cm wide at 60 dgs tca.														51196	134.35	135.35	1.00	CORE	0.281	1.4
																	51197	135.35	137.35	2.00	CORE	0.101	0.9
			275.84 EOH														51198	137.35	139.35	2.00	CORE	0.043	0.7
																	51199	181.90	183.70	1.80	CORE	0.084	1.2
																	51200	183.70	183.70	0.00	BLK	<0.005	<0.2
																	51201	183.70	185.50	1.80	CORE	0.153	1.4
																	51202	185.50	187.30	1.80	CORE	0.287	1.9
																	51203	187.30	188.90	1.60	CORE	0.31	3.4
																	51204	188.90	190.80	1.90	CORE	0.029	0.7
																	51205	190.80	192.70	1.90	CORE	0.046	0.7
																	51206	192.70	194.60	1.90	CORE	0.02	0.5
																	51207	194.60	196.50	1.90	CORE	0.199	4
																	51208	220.40	222.40	2.00	CORE	0.025	1.1
																	51209	222.40	224.40	2.00	CORE	0.072	1.3
																	51210	224.40	224.40	0.00	ME1807	7.85	315
																	51211	224.40	226.40	2.00	CORE	0.157	4.2
																	51212	226.40	228.40	2.00	CORE	0.285	1.8
																	51213	228.40	230.40	2.00	CORE	0.491	2.1
																	51214	230.40	231.60	1.20	ORIG	0.269	1.1
																	51215	230.40	231.60	1.20	DUP	0.178	0.8
																	51216	231.60	232.80	1.20	CORE	0.445	1.2
																	51217	232.80	234.00	1.20	CORE	0.621	1.7
																	51218	234.00	236.00	2.00	CORE	0.197	1.6
																	51219	236.00	238.00	2.00	CORE	0.107	1.3
																	51220	238.00	238.00	0.00	BLK	<0.005	0.2
																	51221	238.00	240.00	2.00	CORE	0.239	1.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	51222	240.00	242.00	2.00	CORE	0.074	0.9
																	51223	242.00	244.00	2.00	CORE	0.034	1
																	51224	244.00	245.00	1.00	CORE	0.127	1.3
																	51225	245.00	246.00	1.00	CORE	0.112	29.7
																	51226	246.00	248.00	2.00	CORE	0.013	0.6
																	51227	248.00	250.00	2.00	CORE	0.129	2.6
																	51228	250.00	252.00	2.00	CORE	0.037	1.3
																	51229	252.00	254.00	2.00	CORE	0.102	0.8
																	51230	254.00	254.00	0.00	GS1Z	1.29	94.8
																	51231	254.00	256.00	2.00	CORE	0.171	6.4
																	51232	256.00	257.90	1.90	CORE	0.135	2.4
																	51233	257.90	260.00	2.10	CORE	0.225	3.4
																	51234	260.00	262.00	2.00	CORE	0.86	7.1
																	51235	262.00	264.00	2.00	CORE	0.046	1.6
																	51236	264.00	266.00	2.00	CORE	0.211	2.2
																	51237	266.00	267.25	1.25	CORE	0.246	3.2
																	51238	267.25	268.25	1.00	CORE	0.638	2.9
																	51239	268.25	269.25	1.00	CORE	0.154	1.6
																	51240	269.25	269.25	0.00	BLK	<0.005	0.2
																	51241	269.25	270.25	1.00	CORE	0.204	7.8
																	51242	270.25	271.50	1.25	CORE	0.234	3.2
																	51243	271.50	272.50	1.00	CORE	0.085	3.9
																	51244	272.50	274.50	2.00	CORE	0.05	5.3
																	51245	274.50	275.84	1.34	CORE	0.048	5.8

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2215

Easting:	436006	**Azi (deg):**	285	**Start:**	
Northing:	6219369	**Dip (deg):**	-45	**Finish:**	14-Aug-20
Elev (m):	1006	**Length (m):**	231.04	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	2.13	**Analysis:**	ALS
Zone:	Day Zone	**Pad:**	Day-01	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	2.13	WCAS	Casing														51247	5.35	7.35	2.00	CORE	0.038	1.7
																	51248	7.35	9.35	2.00	CORE	0.022	1.2
2.13	4.45	D/AN	Andesite Dyke														51249	9.35	10.85	1.50	CORE	0.152	2.1
			Dark grey to black, massive, fine hem stained clots/phenos, mod magnetic														51250	10.85	10.85	0.00	CU190	0.668	10.1
																	51251	10.85	12.45	1.60	CORE	0.295	2.3
4.45	9.35	AFBX	Hornblend Phyric Andesite Flow Breccia								1	tr					51252	12.45	13.65	1.20	CORE	0.068	1
			Mottled med and light green, med green fsp and hbl phyric andesite fragments, indistinct outlines, lighter grey hbl phyric groundmass, very minor calc+/- qtz veinlets														51253	13.65	14.85	1.20	CORE	0.061	0.8
																	51254	14.85	17.30	2.45	CORE	0.021	0.5
9.35	12.45	AFBZ	Altered Hornblend Phyric Andesite with Weak Qtz Veining				2		3			5					51255	17.30	19.30	2.00	CORE	0.038	1.2
			light green to pale olive green bleached andesite, patchy less altered hbl phyric andesite, weak grey qtz-py veining and weak grey white, creamy green qtz -py veining, 4-5% total py content.														51256	19.30	21.30	2.00	CORE	<0.005	0.3
																	51257	21.30	23.30	2.00	CORE	0.02	0.6
																	51258	23.30	25.30	2.00	CORE	0.017	0.5
12.45	14.85	AFBX	Hornblend Phyric Andesite Flow Breccia				1				1	3					51259	25.30	27.00	1.70	CORE	0.354	2.2
			med grey green hbl phyric andesite fragments with 5-7% 1-2mm hbl phenos in a lighter grey green groundmass, minor fine wormy grey qtz veinlets, weak calc veinlets, 2-3% diss py.														51260	27.00	27.00	0.00	BLK	<0.005	<0.2
																	51261	27.00	29.00	2.00	CORE	0.063	0.6
14.85	25.30	AFXX	Hornblend Phyric Andesite - Flow														51262	29.00	31.00	2.00	CORE	0.069	1.1
			Light olive green, fine grained massive. Top of unit <5mm irregular chlorite and calcite filled amygdules, grading downhole amygdules reduced in size and abundance. 2-3% 2-4mm porph hbl phenos. Hbl phenos becoming creamy altered colour approaching lower contact.. trace qtz-sp-gn veinlets.														51263	31.00	32.15	1.15	CORE	0.108	1.1
																	51264	32.15	33.35	1.20	CORE	0.241	3.2
25.30	32.15	AFXX	Hornblend Porphyritic Andesite Flow				1		1		1	3					51265	33.35	34.55	1.20	CORE	0.226	1.8
			Light to med olive green, fine grained massive with up to 4mm porph hbl phenos. Increased brecciation from previous unit, patchy crackle brecciation with carbanaceous network, weak grey qtz veining with graphitic material, 2-4% fine py network Weak calc veinlet network,														51266	34.55	35.75	1.20	CORE	0.093	1.5
																	51267	35.75	36.90	1.15	CORE	0.138	1.4
32.15	36.90	AFXC	Altered Hornblend Porphyritic Andesite with Calcite Veining			2	1		4		4	6	tr	tr			51268	36.90	38.15	1.25	CORE	0.153	5.4
			Medium to dark grey strong perv ser altered hbl andesite, weak grey qtz veining, perv silicification, strong overprinting calcite veining, 5-7% total py mostly concentrated within patches of 10-15% py, 2-3% diss py within most andesite, minor relict py veinlets, trace sp-gn diss in areas of strong diss py and traces associated with qtz and calc veining														51269	38.15	39.40	1.25	CORE	0.242	2.4
																	51270	39.40	39.40	0.00	GS1Z	1.17	91.3
36.90	41.50	CBXC	Silica and Calcite Breccia			1	1		3		5	1	tr	tr			51271	39.40	40.60	1.20	CORE	0.082	0.8

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Fragments of qtz vein, qtz bx, sil andesite, ser alt andesite, irregular veining to fragments of grey cryptocrystalline silica. Groundmass supported by mottle creamy grey coarse grained calcite.														51272	40.60	41.50	0.90	CORE	0.232	1.4
			40.60 41.20 strong breccia texture, mix of ser-py alt andesite fragments and qtz fragments, dark grey siliceous groundmass.														51273	41.50	42.70	1.20	CORE	0.005	0.2
			41.35 41.50 black carbonaceous material with wispy brecciated qtz-calc veining as faulted lower contact.														51274	42.70	44.70	2.00	CORE	0.242	1.2
																	51275	44.70	46.70	2.00	CORE	0.178	1.2
41.50	42.70	AIXX	Andesite Dyke														51276	46.70	48.70	2.00	CORE	0.096	0.7
			Pale green fine grained, massive, weakly brecciated with fine calcite veinlets, 1-3% indistinct chl altered porphyritic hbl phenocrysts. Old andesite dyke within carbonaceous fault zone.														51277	48.70	50.70	2.00	CORE	0.315	1.7
																	51278	50.70	52.70	2.00	CORE	0.088	0.9
42.70	44.70	AXXZ	Carbonaceous Altered Andesite			1	1		3			4	tr	tr			51279	52.70	54.70	2.00	CORE	0.054	0.5
			Streaky grey green. Fine grained andesite flow to flow breccia with fine black streaky carbonaceous network with prefered orientation at 40 dgs tca, patchy light grrey silicification, mod perv ser-py alteration of andesite, 2-5% py, trace sp-gn														51280	54.70	54.70	0.00	BLK	<0.005	<0.2
			42.70 42.85 15cm wide carbonaceous fault zone with fragmented qtqz veining. Qtz vein fragments aligned at 50 dgs tca..														51281	54.70	56.70	2.00	CORE	0.035	0.5
																	51282	56.70	58.70	2.00	CORE	0.421	1.5
44.70	72.65	AFXX	Hornblend Phyric Andesite						1		2	tr	tr				51283	58.70	60.70	2.00	CORE	0.209	0.9
			Medium green, fine grained, unit characterized by <1-1mm anhedral dark green chl clots/grains possible hbl phenos, <1% irregular calcite clots - possible amygdules, massive, weak calc veining, rare <10cm qtz veins, patchy light grey ser-py,														51284	60.70	62.70	2.00	CORE	0.124	0.9
			71.00 71.40 fine carbonaceous network at 40-50 dgs tca.														51285	62.70	64.70	2.00	CORE	0.052	0.8
																	51286	64.70	66.70	2.00	CORE	0.025	0.6
72.65	74.40	AFXZ	Sericite Altered Andesite with Qtz Veining														51287	66.70	68.70	2.00	CORE	0.037	0.9
			72.65 73.40 light grey green, mod perv ser-py alt, 5% diss py, 1% veinlet py, <1% sp, minor wormy qtz veinlts.				1		3			5	tr				51288	68.70	70.70	2.00	CORE	0.031	0.5
			73.40 74.40 creamy white qtz veining, qtz stockwork with 5-7% py and <1-1% sp.				4		3			7	1				51289	70.70	72.65	1.95	CORE	0.022	0.4
																	51290	72.65	72.65	0.00	ME1807	8.16	326
74.40	78.40	AFXX	Hornblend Phyric Andesite				1		1		1	0.5					51291	72.65	73.40	0.75	CORE	0.063	2.4
			Continuation of massive hbl phyric andesite, minor perv ser alt, <1% diss and veinlet py														51292	73.40	74.40	1.00	CORE	0.522	3.9
																	51293	74.40	76.40	2.00	CORE	0.217	0.8
78.40	79.85	AFXZ	Altered Hbl Phyric Andesite			1	3		3			5	tr				51294	76.40	78.40	2.00	CORE	0.108	0.8
			light grey green hbl phyric andesite with mod perv ser, 4-5% diss and veinlet py, mod qtz veining with patchy silicification.														51295	78.40	79.85	1.45	CORE	0.369	3.4
																	51296	79.85	81.85	2.00	CORE	0.275	0.9
79.85	92.40	AFBX	Hornblend Phyric Andesite Fragmental, Flow Breccia				1				1	1	tr	tr			51297	81.85	83.85	2.00	CORE	0.418	1.3
			darker green angular fsp-hbl phyric andesite fragments, some with cuspate edges, lighter green fine grrained, fine granular groundmass, patchy perv ser-py, weak qtz-calc veinlets with traces py-sp-gn														51298	121.50	123.50	2.00	CORE	0.371	1.4
																	51299	123.50	124.50	1.00	CORE	0.785	1.3
92.40	124.50	AFXX	Hornblend Phyric Andesite				1		1		1	1	tr	tr			51300	124.50	124.50	0.00	BLK	<0.005	<0.2
			Medium green, fine grained, finely flecked by dark green <1-1mm chl alt grains, patchy fragmental texture. Weak <1cm calc and qtz-calc veining, rare <20cm qtz-calc veining with py-sp, patchy weak ser-py alt.														51301	124.50	125.70	1.20	CORE	0.276	2.3
			101.00 106.00 fractured with FeOx along fractures shallow to core axis, strongest feox staining and weak gouge at 104.7-105.2														51302	125.70	126.90	1.20	CORE	0.507	5.8
																	51303	126.90	128.80	1.90	CORE	0.448	3.4
124.50	126.90	CBXX	Vuggy Quartz Veining				4		2			2	tr	tr			51304	128.80	130.70	1.90	CORE	0.076	1.9

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			light green andesite with 1-2% py hosting white qtz-calcite veining, local banded crustiform appearance, local open spaces with fine drusy qtz cystals, very minor yellowish carbonate infillings. <1% very fine diss sulfides and <1% red brown sp-gn. Overall, veining may be Tertiary is age.														51305	130.70	132.70	2.00	CORE	0.087	1.6
																	51306	132.70	133.60	0.90	CORE	0.105	1.3
126.90	132.70	AXXZ	Sericite Altered Andesite, tuff and Lapilli Tuff?						3		1	3					51307	133.60	134.50	0.90	CORE	0.205	1.5
			light green, fine grained, massive to local fragmental texture, fragments weakly aligned at 50 dgs tca, weak to mod perv ser-py alt increasing downhole, weak calc+/-qtz veining,														51308	134.50	136.50	2.00	CORE	0.14	1.6
			130.60 132.70 increasing intensity of ser-py alteration approaching qtz-calc-ser-py structure downhole														51309	136.50	138.50	2.00	CORE	0.254	1.9
																	51310	138.50	138.50	0.00	CU190	0.673	8.4
132.70	134.50	FXSZ	Sericite Pyrite Altered Calcite Veined Structure				1		4		4	10					51311	138.50	140.60	2.10	CORE	0.158	1.8
			strong to intense perv ser-py and py veined alteration of andesite protolith. Strongly brecciated and calcite veined, and post brecciation of calc veinng. Sharp upper and lower contacts at 20 and 15 dgs tca respectively. 10-12% diss and veinlet py.														51312	140.60	142.65	2.05	CORE	0.25	2.1
																	51313	142.65	144.70	2.05	CORE	0.851	2.2
134.50	144.70	AXXZ	Sericite Altered Andesite, Tuffs, Lapilli Tuffs						4			7					51314	144.70	146.45	1.75	CORE	0.283	6.4
			Light grey fine grained massive to weakly foliated. Mod to strong ser-py alteration masking primary protolith, local pseudofragmental appearance may represent primary lapilli tuff intervals, Rare pebble conglomerate beds to 20cm defining bedding at 25-30 dgs tca. 7-10% fine diss py, weak calc and qtz-calc veining, Veining at 25 dgs tca which is 90 dgs to bedding.														51315	146.45	148.45	2.00	CORE	0.044	0.9
																	51316	148.45	150.45	2.00	CORE	0.021	0.9
144.70	181.25	AFBX	Andesite fragmental, Flow Breccia				1		1		1	1	tr	tr			51317	150.45	152.45	2.00	CORE	0.084	1.4
			10-15% cm scale dark green fine grained to fsp phyric angular to subrounded andesite fragments, many with cuspate fractured edges, lighter green fine granular groundmass, weak qtz-calc-red sp veining, weak calcite veining except where noted.														51318	152.45	154.45	2.00	CORE	0.207	1.2
			144.70 146.45 patchy mod qtz veining + ser-py and diss py, 5-7% diss py, <1% sp														51319	154.45	156.45	2.00	CORE	0.163	1.1
			169.00 174.00 mod calcite veining														51320	156.45	156.45	0.00	BLK	<0.005	<0.2
																	51321	156.45	158.45	2.00	CORE	0.251	0.8
181.25	186.30	CBXX	Silica Breccia														51322	158.45	160.45	2.00	CORE	0.775	0.6
			181.25 182.95 well developed multi-phase mottled pale green creamy silica breccia with minor relict andesite fragments. 4-5% py, <1% sp			4	5					4	tr	tr			51323	160.45	162.45	2.00	CORE	0.105	1.1
			182.95 183.65 fine fragmental texture of grey silica fragments in a greenish grey siliceous andesitic groundmass			3	3					2	tr	tr			51324	162.45	164.45	2.00	CORE	0.021	0.8
			183.65 184.60 fragmentally textured andesite, flow breccia with weak qtz and mod calcite veining/stockwork,				1				3	1	tr	tr			51325	164.45	166.45	2.00	CORE	0.028	0.9
			184.60 186.30 multiphase creamy silica breccia with 3-4% py and <1% sp.			4	4				1	3	tr	tr			51326	166.45	168.45	2.00	CORE	0.069	1.1
																	51327	168.45	169.80	1.35	CORE	0.131	0.9
186.30	215.00	ALXX	Andesite fragmental, Lapilli Tuff and Ash Tuff				1				2	1	tr				51328	169.80	171.20	1.40	CORE	0.253	1
			mix of granular ash tuff and sections of lapilli tuff. Lapilli tuff composed of darker green subrounded to subangular andesite fragments, weak alignment of fragments, lighter green granular ash tuff groundmass.														51329	171.20	173.20	2.00	CORE	0.105	0.6
			186.30 201.50 patchy creamy beige bleaching, carbonate alteration which could be a tertiary overpring. Patchy weak tz-py-sp veining														51330	173.20	173.20	0.00	GS1Z	1.195	81.7
																	51331	173.20	175.20	2.00	CORE	0.166	1.1
215.00	225.30	ATXX	Andesite Ash, Tuffaceous sediments				1				2	1	tr	tr			51332	175.20	177.20	2.00	CORE	0.059	1.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green, fine to med grained ash tuffs and very fine grained tuffaceous sediments, minor dark grey to black massive fine grained sediemtns, massive poorly with local bedding, patchy fine laminations. Erosional features at 219.2 suggest tops are downhole. Bedding generally at 35-45 dgs tca, locally up to 70 dgs tca. weak coarse crackle brecciation with calcite veining, minor qtz-calc-py-sp veining, and fine sp veinlets																				
225.30	231.04	SAXX	Mudstone, Siltstone black, dark grey, minor green grey at top of unit. Massive mudstone, siltstone with nodules/replaced fragments of very fine py, no apparent bedding, brecciated proximal to upper contact with fe-carb veining and minor py veining, 3-5% diss py, 2-3% py as fine py replaced fragments.								2						51334	179.22	181.25	2.03	CORE	0.181	2.6
																	51335	181.25	182.95	1.70	ORIG	7.89	3.2
																	51336	181.25	182.95	1.70	DUP	0.679	2.3
																	51337	182.95	183.65	0.70	CORE	0.487	4
			231.04 EOH														51338	183.65	184.60	0.95	CORE	0.318	3
																	51339	184.60	186.30	1.70	CORE	0.631	3.1
																	51340	186.30	186.30	0.00	BLK	<0.005	<0.2
																	51341	186.30	187.30	1.00	CORE	0.041	2.8
																	51342	187.30	189.30	2.00	CORE	0.058	2.2
																	51343	189.30	191.30	2.00	CORE	0.07	1.9
																	51344	191.30	193.30	2.00	CORE	0.051	2.5
																	51345	193.30	195.30	2.00	CORE	0.11	1.9
																	51346	195.30	197.30	2.00	CORE	0.316	1.5
																	51347	197.30	199.30	2.00	CORE	0.046	1.2
																	51348	199.30	201.30	2.00	CORE	0.047	1.2
																	51349	201.30	203.30	2.00	CORE	0.049	0.5
																	51350	203.30	203.30	0.00	ME1807	8.26	335
																	51351	203.30	205.30	2.00	CORE	0.01	0.5
																	51352	205.30	207.00	1.70	CORE	0.049	1.6
																	51353	207.00	208.50	1.50	CORE	0.036	0.3
																	51354	208.50	210.00	1.50	CORE	0.054	0.4
																	51355	210.00	212.00	2.00	CORE	0.033	0.5
																	51356	212.00	214.00	2.00	CORE	0.024	0.4
																	51357	214.00	215.00	1.00	CORE	0.055	0.7
																	51358	215.00	216.00	1.00	CORE	0.245	3.6
																	51359	216.00	217.00	1.00	CORE	0.13	2.2
																	51360	217.00	217.00	0.00	BLK	<0.005	<0.2
																	51361	217.00	219.00	2.00	CORE	0.161	2.9
																	51362	219.00	221.00	2.00	CORE	0.048	2.4
																	51363	221.00	223.00	2.00	CORE	0.044	2.4
																	51364	223.00	225.30	2.30	CORE	0.021	0.9
																	51365	225.30	227.30	2.00	CORE	1.285	4
																	51366	227.30	229.30	2.00	CORE	0.12	11
																	51367	229.30	231.04	1.74	CORE	1.79	3.4

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2216

Easting:	436006	**Azi (deg):**	238	**Start:**	06-Sep-20
Northing:	6219369	**Dip (deg):**	-45	**Finish:**	08-Sep-20
Elev (m):	1006	**Length (m):**	233.48	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	2.13	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-01	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	2.13	WCAS	casing														51469	2.13	4.75	2.62	CORE	0.094	1.7
																	51470	4.75	4.75	0.00	BLK	<0.005	<0.2
2.13	4.75	AXPX	porphyritic andesite				1		1	1	1	1					51471	4.75	6.60	1.85	CORE	0.236	2.3
			green to light greyish green spotty fine to med grained cal to plag phenos, subtle ser alteration, weak to mod qtz to cal veinings w/ dissem py in veins, rusty fractures														51472	6.60	9.00	2.40	CORE	0.075	0.8
4.75	6.60	CBXC	calcite silica bx			2	4				3	3					51473	9.00	11.00	2.00	CORE	0.051	1
			silica crackle breccia w strong calcite bands and veinings overprinting with stringers of py along fractures and selvages, hosted rock of argillaceous andesite to porphyritic andesite, dissem fine grained py in bx and host rock groundmass, low ca of sulphides bands @ 5-10 dgs tca, grad Lct														51474	11.00	13.00	2.00	CORE	0.023	0.9
6.60	17.97	AXPX	porphyritic andesite				1		1	1	1	1					51475	13.00	15.50	2.50	CORE	0.011	0.4
			same as 2.13 to 4.75m														51476	15.50	17.97	2.47	CORE	0.049	0.8
17.97	19.62	CBXC	calcite silica bx			3	2				3	2					51477	17.97	19.62	1.65	CORE	0.391	1.6
			silica crackle breccia with mod cal bands and replacement, specks to stringers of py in bx and fractures, grad Lctg														51478	19.62	22.00	2.38	CORE	0.122	1.2
19.62	33.63	AFPX	porphyritic andesite flow				1			1	1	1					51479	22.00	24.00	2.00	CORE	0.171	1.1
			green med grained plag-cal-local hbl phenos porphyritic andesite flow, local fragments and lapilli, wk to mod qtz-cal veinings, dissem fine grained py to stringers of py in veins and groundmass, fractured Lct														51480	24.00	24.00	0.00	CU190	0.684	9.9
			33.00 33.63 rusty cc fracture														51481	24.00	26.00	2.00	CORE	0.073	2.1
33.63	37.01	D/RQ	dacite dyke														51482	26.00	28.00	2.00	ORIG	0.101	0.6
			dark grey med grained plag/hbl phenos dacite dyke, rusty fractured Lct														51483	26.00	28.00	2.00	DUP	0.113	0.7
37.01	52.84	AFPZ	porphyritic andesite flow w/ stk				3		1	1	2	2					51484	28.00	30.00	2.00	CORE	0.076	0.8
			green to light greyish green fine to med grianed plag-cal porphyritic andesite flow w/ local fragments and lapilli, mod qtz-cal stk and local narrow crackle bx, dissem cubic py in groundmass, veins and crackle bx with py, grad Lct														51485	30.00	32.00	2.00	CORE	0.119	0.9
52.84	74.80	AFPX	porphyritic andesite flow				1		1	1	1	tr					51486	32.00	33.63	1.63	CORE	0.008	0.3
			green fine grained plag and chl-cal phenos with wk cal-qtz veins and local py, local chl alt halo of veins, local rusty fractures, Lct @ 60 dgs tca														51487	33.63	35.36	1.73	CORE	0.006	<0.2
74.80	76.19	D/RD	rhyodacite dyke														51488	35.36	37.01	1.65	CORE	<0.005	0.2
			green med grained plag phenos rhyodacite dyke, fault and healed fault with gougey clay fractures and chilled margins														51489	37.01	39.00	1.99	CORE	0.068	1
76.19	85.52	CBXC	calcite silica bx			3	3		3	1	5	5	tr				51490	39.00	39.00	0.00	BLK	<0.005	0.2
			grey sericite altered andesite, carbonaceous andesite at upper contact, strong calcite overprinted silica bx by late qtz flooding and bulk qtz-2nd chl overprinting, local qtz veins w/ py +- tr sph, local blobs of py in qtz bx clasts, grad Lct														51491	39.00	41.00	2.00	CORE	0.138	1
85.52	103.50	AFPZ	porphyritic andesite flow with stk				2		1	1	3	1	1				51492	41.00	43.00	2.00	CORE	0.059	0.6
			green to greyish green fine to med grained chl-cal-plag phenos porphyritic andesite flow, local fragments and lapilli, mod qtz-cal stk and local crackle bx, local qtz veins w/ sph and py, dissem fine grained py in groundmass, grad Lct														51493	43.00	45.00	2.00	CORE	0.193	1
103.50	110.72	ABPX	flow bx andesite				1			1	2	tr					51494	45.00	47.00	2.00	CORE	0.129	1.1
			green fine to med grained plag phenos porphyritic flow bx w/ fragments and clasts, mod cal veinings @ 5-10 dgs tca, local veins with py, grad Lct														51495	47.00	49.00	2.00	CORE	0.087	1.1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
110.72	116.10	ATXX	tuffaceous andesite green fine grained tuffaceous andesite, wk cal veinings, Lct @ 5 dgs tca							1	1	tr					51496 51497	49.00 51.00	51.00 52.84	2.00 1.84	CORE CORE	0.149 0.585	1.2 10	
116.10	117.98	D/RQ	dacite dyke dark grey med grained dacite dyke, cal veins x-cutting w/ sph and py near Lct														51498 51499	52.84 55.00	55.00 57.46	2.16 2.46	CORE CORE	0.018 0.039	0.6 0.6	
117.98	131.34	AXXX	andesite green fine grained andesite, local chl phenos, mod qtz stk and crackle bx overprinted by cal veinings, local qtz veins w/ sph and py, Lct @ 20 dgs tca				2			1	2	1	tr				51500 25104	57.46 76.19	57.46 78.00	0.00 1.81	GS1Z CORE	1.155 0.116	96.9 1.1	
131.34	133.02	D/RQ	dacite dyke dacite dyke, aphanitic contacts														25105 25106	78.00 80.00	80.00 82.00	2.00 2.00	CORE CORE	0.25 0.127	1.5 1.2	change of series
133.02	139.05	AXXX	andesite green to greyish green fine grained andesite, local fine grained chl phenos, subtle ser alt, specks of py in groundmass, local weak to mod qtz-cal veinings with py and sph, fol Lct				2		1	2	2	1	tr				25107 25108	82.00 84.00	84.00 85.52	2.00 1.52	CORE CORE	0.12 0.276	1.2 2.4	
139.05	143.01	ABXZ	flow bx andesite with stk dark green fine grained flow bx andesite with large fragments, mod qtz-cal stk and crackle bx, dissem fine grained py in veins and groundmass, grad Lct				3		2	2	1	3	tr				25109 25110	85.52 87.50	87.50 87.50	1.98 0.00	CORE BLK	0.24 0.005	1.1 <0.2	
143.01	164.09	ABXY	flow bx andesite dull green angular to subangular clasts flow bx with patchy chl alt in groundmass, less flow bx towards contacts, weak to mod qtz-cal veins @ 10-30 dgs tca with red sph and py up to 3-5% locally, dissem fine grained py in groundmass, local gal with py, grad Lct				2			4	2	2	1				25111 25112	87.50 89.50	89.50 91.50	2.00 2.00	CORE CORE	0.074 0.159	0.8 1.4	
164.09	170.00	CBXX	silica bx grey to green fine grained ser and chl altered andesite flow to flow bx with patchy silica bx overprinted by qtz-cal stk, local argillite fragments in bx, dissem fine grained py in groundmass and bx and local stringers and bands of sph +- gal up to 8-10%, grad Lct			4	3		2	2	2	5	5	tr			25113 25114	91.50 93.50	93.50 95.50	2.00 2.00	CORE CORE	0.08 0.07	0.8 0.5	
170.00	174.56	AFXZ	andesite flow with stk greyish green to green fine grained andesite flow with local small fragments, mod qtz-cal veinings @ 5-20 dgs tca with sph and py and local tr gal, specks of py in groundmass, fractured Lct				2		2	2	2	3	1	tr			25115 25116	95.50 97.50	97.50 99.50	2.00 2.00	CORE CORE	0.164 0.244	1.6 3.4	
			171.29 172.04 2-3cm wide banded qtz-cal veins w/ sph and py along selvages and a 1cm blob of VG @ 0-5 dgs tca, x-cut by cal-ba veins @ 10-20 dgs tca														25117	99.50	101.50	2.00	CORE	0.982	4.1	
174.56	176.00	FBXX	sheared bx late gougey fault of sheared and healed fault bx with argillaceous fractures of silica bx, stringers of py in fractures			2	2		2	1	1	1					25118 25119	101.50 103.50	103.50 105.50	2.00 2.00	CORE CORE	0.445 0.044	2.2 0.7	
176.00	211.24	ABXZ	flow bx andesite green to greyish green ser to chl altered flow bx andesite, angular to subrounded clasts, mod to strong qtz stk and local silica floodining, dissem fine grained py to local sph and tr gal, wk cal veinings overprint, argillaceous fractures around Lct @ 5-10 dgs tca			1	3		2	2	1	3	1	tr			25120 25121	105.50 105.50	105.50 107.50	0.00 2.00	ME1807 ORIG	8.56 0.165	320 1	
211.24	214.59	FBXX	fault bx healed fault and sheared zone with silica flooding and argillaceous fractures @ 5-10 dgs tca, stringesr of py and sph along selvages, rubbles section			4	2		3	1	2	2	2				25122 25123	105.50 107.50	107.50 109.50	2.00 2.00	DUP CORE	0.17 0.078	0.9 1.7	
214.59	218.18	AXXZ	altered andesite grey to greenis grey fine grained andesite with wk ser alt and patchy tuffaceous and argillaceous clasts, mod qtz-cal veinings with sph and py, Lct @ 60 dgs tca				2		2	1	1	1	tr				25124 25125	109.50 111.50	111.50 113.50	2.00 2.00	CORE CORE	0.153 0.063	2.2 1	
218.18	229.76	SAXZ	andesite and argillite argilite and andesite mixed with fragmental andesite and argillite clasts, white qtz veins with py and po and local sph, grad Lct				3		1	1	2	4	tr			tr	25126 25127	113.50 116.10	116.10 117.98	2.60 1.88	CORE CORE	0.035 <0.005	0.5 0.2	
229.76	233.48	SXXX	argillite black fine grained argillite, local wk qtz vienings, local py in groundmass				1				1	1					25128 25129	117.98 120.00	120.00 122.00	2.02 2.00	CORE CORE	0.126 0.145	1.5 0.9	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	25130	122.00	122.00	0.00	BLK	<0.005	<0.2
EOH 233.48m																	25131	122.00	124.00	2.00	CORE	0.183	1.4
																	25132	124.00	126.00	2.00	CORE	0.522	1.9
																	25133	126.00	128.00	2.00	CORE	0.426	1.3
																	25134	128.00	130.00	2.00	CORE	0.308	1.5
																	25135	130.00	131.34	1.34	CORE	0.233	0.9
																	25136	131.34	133.02	1.68	CORE	0.005	<0.2
																	25137	133.02	135.00	1.98	CORE	0.184	1.7
																	25138	135.00	137.00	2.00	CORE	0.393	1.2
																	25139	137.00	139.05	2.05	CORE	0.3	0.7
																	25140	139.05	139.05	0.00	CU190	0.728	9.2
																	25141	139.05	141.00	1.95	ORIG	0.057	1.2
																	25142	139.05	141.00	1.95	DUP	0.04	1
																	25143	141.00	143.01	2.01	CORE	0.209	2.6
																	25144	143.01	145.00	1.99	CORE	0.13	2.4
																	25145	145.00	147.00	2.00	CORE	0.164	1.9
																	25146	147.00	149.00	2.00	CORE	0.165	2.3
																	25147	149.00	151.00	2.00	CORE	0.401	2.5
																	25148	151.00	153.00	2.00	CORE	0.059	2.1
																	25149	153.00	155.00	2.00	CORE	0.031	1.8
																	25150	155.00	155.00	0.00	BLK	<0.005	<0.2
																	25151	155.00	157.00	2.00	CORE	0.025	1.7
																	25152	157.00	159.00	2.00	CORE	0.058	1.4
																	25153	159.00	161.00	2.00	CORE	0.023	1
																	25154	161.00	163.00	2.00	CORE	0.084	2
																	25155	163.00	164.09	1.09	CORE	0.319	3.2
																	25156	164.09	165.00	0.91	CORE	0.62	10.4
																	25157	165.00	166.00	1.00	CORE	0.353	4.7
																	25158	166.00	167.00	1.00	CORE	0.174	3.4
																	25159	167.00	168.00	1.00	CORE	0.397	2.8
																	25160	168.00	168.00	0.00	GS1Z	1.12	94.2
																	25161	168.00	169.00	1.00	CORE	0.275	3.5
																	25162	169.00	170.00	1.00	CORE	0.745	18
																	25163	170.00	171.29	1.29	CORE	0.176	2.6
																	25164	171.29	172.04	0.75	CORE	8.28	8.8
																	25165	172.04	172.04	0.00	BLK	0.016	<0.2
																	25166	172.04	173.43	1.39	CORE	0.563	2.6
																	25167	173.43	174.56	1.13	CORE	0.12	1.5
																	25168	174.56	176.00	1.44	CORE	0.402	2.5
																	25169	176.00	178.00	2.00	CORE	0.12	1.2
																	25170	178.00	178.00	0.00	BLK	<0.005	<0.2
																	25171	178.00	180.00	2.00	CORE	0.323	1.9
																	25172	180.00	182.00	2.00	CORE	0.104	2.5
																	25173	182.00	184.00	2.00	CORE	0.156	3.1
																	25174	184.00	186.00	2.00	CORE	0.253	4.9
																	25175	186.00	188.00	2.00	CORE	0.191	2
																	25176	188.00	189.83	1.83	CORE	0.315	1.6
																	25177	189.83	192.00	2.17	ORIG	0.086	1
																	25178	189.83	192.00	2.17	DUP	0.08	1
																	25179	192.00	194.00	2.00	CORE	0.157	1.8
																	25180	194.00	194.00	0.00	ME1807	8.18	327
																	25181	194.00	196.00	2.00	CORE	0.154	2.4
																	25182	196.00	198.00	2.00	CORE	0.247	1.6
																	25183	198.00	200.00	2.00	CORE	0.23	2.7
																	25184	200.00	202.00	2.00	CORE	0.11	1.6
																	25185	202.00	204.00	2.00	CORE	0.087	1.6
																	25186	204.00	206.00	2.00	CORE	0.147	4.5
																	25187	206.00	208.00	2.00	CORE	0.1	0.6
																	25188	208.00	210.00	2.00	CORE	0.073	1.8
																	25189	210.00	211.24	1.24	CORE	0.122	1.1
																	25190	211.24	211.24	0.00	BLK	<0.005	<0.2
																	25191	211.24	213.00	1.76	CORE	0.255	1.5
																	25192	213.00	214.59	1.59	CORE	0.184	2.8

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	25193	214.59	216.50	1.91	CORE	0.123	0.7
																	25194	216.50	218.18	1.68	CORE	0.234	0.8
																	25195	218.18	220.00	1.82	CORE	0.075	0.9
																	25196	220.00	222.00	2.00	CORE	0.278	2.1
																	25197	222.00	224.00	2.00	CORE	0.224	1.5
																	25198	224.00	226.00	2.00	CORE	0.175	3.7
																	25199	226.00	228.00	2.00	CORE	0.117	2.6
																	25200	228.00	228.00	0.00	CU190	0.684	9.8
																	25201	228.00	229.76	1.76	CORE	0.102	0.3
																	25202	229.76	231.50	1.74	CORE	0.036	0.3
																	25203	231.50	233.48	1.98	CORE	0.05	1.3

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P19-2217

Easting:	436006	**Azi (deg):**	90	**Start:**	09-Sep-20
Northing:	6219369	**Dip (deg):**	-62	**Finish:**	11-Sep-20
Elev (m):	1006	**Length (m):**	303.89	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	0.91	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-01	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Cal Stk**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	0.91	WCAS	Casing														25204	4.00	6.00	2.00	CORE	0.025	1.6
																	25205	6.00	8.14	2.14	CORE	0.088	1.2
0.91	8.14	ATPX	Tuffaceous andesite				1		1	1	1	1					25206	8.14	9.11	0.97	CORE	0.363	9.7
			green fine grained tuffaceous andesite graded into porphyritic andesite to the end, rusty fractures with rubbles, weak qtz-cal veinings w/ tr py, dissem fine grained py in groundmass and wk ser alt around Lct														25207	9.11	11.00	1.89	CORE	0.028	1.2
8.14	9.11	CBXC	cal-qtz bx			3	2				2	8				1	25208	11.00	13.00	2.00	CORE	<0.005	0.3
			banded cal-qtz bx @ 30 dgs tca w/ argillaceous bands and stringers of py and po, overprinted by bulk qtz veins														25209	13.00	15.00	2.00	CORE	0.005	0.4
9.11	30.55	ABPZ	porphyritic flow to flow bx andesite				3		2	1	2	3					25210	15.00	15.00	0.00	BLK	<0.005	<0.2
			green to grey fine grained plag phenos porphyritic flow to angular flow bx andesite with local ser alt in groundmass and matrix, mod qtz-cal veinings and local crackle bx with stringers of py, dissem fine grained py in groundmass, Lct @ 60 dgs tca														25211	15.00	17.00	2.00	CORE	0.009	0.4
30.55	32.13	FBXG	graphitic fault bx			2	2				2	2					25212	17.00	19.00	2.00	CORE	0.02	1.1
			gougey rusty ff faulted fragments with healed argillaceous fractures andesite with local silica clasts, dissem fine grained py, local andesite dyke x-cut														25213	19.00	21.00	2.00	CORE	0.045	2.1
32.13	33.79	CBXX	qtz bx			4	3				2	2					25214	21.00	23.00	2.00	CORE	0.021	0.9
			2-3 staged qtz bx, mod qtz and cal overprinting, dissem fine grained py, local healed fault bx txt, grad Lct														25215	23.00	25.00	2.00	CORE	0.037	1
33.79	52.12	ABPZ	porphyritc flow to flow bx andesite				2		2	2	2	3					25216	25.00	27.00	2.00	CORE	0.034	1.1
			same as 9.11 to 30.55m, grad Lct														25217	27.00	29.00	2.00	CORE	0.054	1.9
52.12	57.59	CBXG	graphitic qtz bx			2	3		3	2	4	5					25218	29.00	30.55	1.55	CORE	0.088	1.3
			crackle to qtz bx with strong graphitic infill fractures, mod to str cal stk overprinting, host rock with flow bx txt, dissem fine to med grained py, patchy mod ser alt, grad Lct														25219	30.55	32.13	1.58	CORE	0.119	1.5
57.59	99.67	ABPX	porphyritic andesitc flow bx				1		1	1	1	1					25220	32.13	32.13	0.00	CU190	0.701	9.3
			green fine grained matrix w/ local fine grained plag phenos and chl-ser altered phenos and patchy angular to subangular flow bx clasts, dissem fine to med cubic py in groundmass, wk cal-qtz veins and local healed bx bands by silica, dissem fine grained py in qtz viens,														25221	32.13	33.79	1.66	ORIG	0.305	1.9
			77.61 86.27 wk to mod sericite alt in matrix, angular breccia, local fine grained plag phenos, wk to mod qtz-cal veinings and dissem fine grained py														25222	32.13	33.79	1.66	DUP	0.372	2.3
			93.40 94.62 silica flooded and healed bx with dissem fine grained py														25223	33.79	36.00	2.21	CORE	0.051	0.9
99.67	124.68	AXPX	porphyritic andesite flow				1		1	1	1	tr					25224	36.00	38.00	2.00	CORE	0.071	0.6
			green fine grained local fine grained tuff to porphyritic plag phenos andesite flow, local wk qtz-cal veinings, dissem fine grained py in groundmass, grad Lct														25225	38.00	40.00	2.00	CORE	0.016	0.7
			105.94 106.92 silica flooded and healed bx with dissem fine grained py														25226	40.00	42.00	2.00	CORE	0.039	1.3
124.68	139.67	ABPX	flow bx andesite				1		1	2	1	tr					25227	42.00	44.00	2.00	CORE	0.05	3.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			green patchy fine grained plag phenos porphyritic angular to subangular flow bx, wk qtz-cal veinings, local wk ser alt in matrix, dissem fine to med grained cubic py in groundmass and clasts, grad Lct														25228	44.00	46.00	2.00	CORE	0.033	1.2
139.67	156.00	AXXZ	altered andesite			1	2		3		1	2					25229	46.00	48.00	2.00	CORE	0.017	0.6
			grey to greenish grey fine grained pervasive sericite altered andesite, weak to mod qtz veinings @ 0-10 to 70-80 dgs tca, local narrow qtz bx w/ fine grained py and stringers, grad Lct														25230	48.00	48.00	0.00	BLK	<0.005	<0.2
156.00	166.54	ABPX	porphyritic flow bx				1		1	2	1	tr					25231	48.00	50.00	2.00	CORE	0.034	1.2
			green fine grained plag phenos angular flow breccia, local flow banding, wk qtz veinings, local py in viens and matrix around clasts, chl alt clasts, grad Lct														25232	50.00	52.12	2.12	CORE	0.039	0.9
166.54	189.14	AFXX	andesite flow				1		2	2	1	1					25233	52.12	54.00	1.88	CORE	0.109	1.1
			green fine grained patchy tuff to porphyritic plag phenos andesite flow, minor clasts/lapilli, weak to mod qtz-cal veinings with sph and py, dissem fine grained py in groundmass, chl altrered matrix locally around clasts/lapilli,														25234	54.00	56.00	2.00	CORE	0.456	1.6
			181.00 189.14 local patchy wk to mod ser altered matrix with dissem py, local chl alt along qtz-cal selvages,														25235	56.00	57.59	1.59	CORE	0.3	2.8
189.14	199.34	ABXZ	flow bx altered andesite with stockwork			1	5		3	2	1	5	2				25236	57.59	59.50	1.91	CORE	0.056	1.2
			grey to green fine grained selective SP altered andesite with mod to strong qtz stk overprinted by local cal veinings, chl altered selvages of veins, sph and py stringers in veins, stronger stk towards the end with crackle bx, Lct @ 30 dgs tca														25237	59.50	61.50	2.00	CORE	0.094	0.9
199.34	208.78	CBXX	qtz bx			5	4		2	1	2	3	1				25238	61.50	63.50	2.00	CORE	0.088	1
			prominent and prevasive qtz bx and crackle bx, rounded silica and andesite clasts in bx, overprinted by mod qtz stk and cal veinings @ 0-10 dgs tca, dissem fine grained py in bx w local sph specks in qtz stk,														25239	63.50	66.00	2.50	CORE	0.105	0.9
208.78	209.78	CBSS	semi massive sulphide qtz bx			5	4		2	1	2	10	5				25240	66.00	66.00	0.00	GS1Z	1.095	91.8
			same as the qtz bx above but with stringers and bands of sph and py up to 30-35% locally, cal bands overprinting mineralization, grad Lct														25241	77.61	80.00	2.39	CORE	0.26	1
209.78	216.90	AXXZ	andesite with stockwork			1	3		2	2	1	4	2				25242	80.00	82.00	2.00	CORE	0.014	0.6
			green to local grey fine grained patchy SP altered andesite with mod qtz stk and local silica alt, dissem fine grained py in groundmass, stringers of py/sph in veins and stk, Lct @ 30 dgs tca														25243	82.00	84.00	2.00	CORE	0.036	0.6
216.90	223.80	D/RD	rhyodacite dyke														25244	84.00	86.27	2.27	CORE	0.237	1.2
			green med grained rhyodacite dyke w/ local kspar, fractured Lct														25245	93.40	94.62	1.22	CORE	0.108	1.4
223.80	234.74	ALXZ	lapilli andesite with stk				2		2	2	2	2	tr				25246	105.94	106.92	0.98	CORE	0.095	1.8
			green fine grained andesite with local subrounded lapilli, tension gouges and fractures, weak to mod qtz stk, SP altered interval, local veins with py and sph, fractured Lct														25247	137.50	139.67	2.17	CORE	0.047	0.7
234.74	236.31	FXXX	fault														25248	139.67	141.50	1.83	CORE	0.138	1.1
			young late gougey clay cc fault														25249	141.50	143.50	2.00	CORE	0.184	2.2
236.31	247.23	ALXX	lapilli andesite				2		1	2	1	1	tr				25250	143.50	143.50	0.00	BLK	<0.005	<0.2
			green subrounded lapilli andesite, wk to mod qtz stk and veinings, wk sp alteration in groundmass, local veins w/ sph and py, grad Lct														25251	143.50	145.87	2.37	CORE	0.117	2
247.23	254.62	ALXZ	altered lapilli andesite				2		3	2	1	3	1				25252	145.87	148.00	2.13	CORE	0.009	0.6
			green to greyish green fine grained pervasive SP altered lapilli andesite, wk to mod qtz stk with sph and py, local cal veinings, grad Lct														25253	148.00	150.00	2.00	CORE	0.048	0.9
254.62	255.68	CBXX	qtz bx			5	3		3		1	4	tr				25254	150.00	152.00	2.00	CORE	0.272	1.5
			grey ser and py altered silica bx, specks of sph in bx, stronger py overprinted in remnant andesite clasts, wk to mod qtz-cal stk overprinting, grad Lct														25255	152.00	154.00	2.00	CORE	0.027	0.8

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
255.68	271.29	ALXZ	altered lapilli andesite green fine grained to greyish green pervasive SP altered andesite with mod qtz veinings and stk, local qtz veins with sph, gal, py, and cpy, local chl altered veins selvages, grad Lct				3		2	2	1	2	1	tr	tr		25256	154.00	156.00	2.00	CORE	0.04	0.8
																	25257	156.00	158.00	2.00	CORE	0.031	0.8
271.29	279.02	AXGZ	altered argillaceous andesite beige bleached sericite altered argillaceous andesite, patchy argillaceous fractures, mod qtz stk and tension gouges, specks of py in veins and groundmass, local chl alt selvages, fractured Lct				2		3	2	1	1					25258	168.50	171.21	2.71	CORE	0.023	0.8
																	25259	171.21	173.00	1.79	CORE	0.298	1.6
279.02	282.92	ALXZ	altered lapilli andesite grey to grey fine grained SP altered lapilli andesite w/ mod to str stk and patchy silica alt, fractured and faulted interval with gougey cc fractured interval, specks to blebs of py and sph in stk, chilled Lct			1	4		3	2	1	3	tr				25260	173.00	173.00	0.00	CU190	0.664	9.9
																	25261	173.00	175.00	2.00	ORIG	0.06	1.1
282.92	303.89	SAXZ	altered andesite/argillite dominatly black dary grey argillite with pyrite and sericite altered clasts to porphyritic andesite clasts, mod cal stk and crackle breccia with local qtz stk, weakened alteration of sericite/pyrite in clasts towards the end with larger clasts and bomb				2		2		2	6					25262	173.00	175.00	2.00	DUP	0.046	1.3
																	25263	175.00	177.00	2.00	CORE	0.008	0.7
																	25264	177.00	179.00	2.00	CORE	0.007	0.4
EOH 303.89m																	25265	179.00	181.00	2.00	CORE	0.012	0.5
																	25266	181.00	183.00	2.00	CORE	0.024	0.6
																	25267	183.00	185.00	2.00	CORE	0.03	1.2
																	25268	185.00	187.00	2.00	CORE	0.051	1.7
																	25269	187.00	189.14	2.14	CORE	0.049	3.4
																	25270	189.14	189.14	0.00	BLK	<0.005	<0.2
																	25271	189.14	191.00	1.86	CORE	0.055	4.2
																	25272	191.00	193.00	2.00	CORE	0.282	13.7
																	25273	193.00	195.00	2.00	CORE	0.618	60.7
																	25274	195.00	197.00	2.00	ORIG	0.363	6.2
																	25275	195.00	197.00	2.00	DUP	0.528	6.2
																	25276	197.00	199.34	2.34	CORE	0.695	3.9
																	25277	199.34	200.50	1.16	CORE	0.854	1.5
																	25278	200.50	201.50	1.00	CORE	0.234	0.7
																	25279	201.50	202.50	1.00	CORE	0.197	0.8
																	25280	202.50	202.50	0.00	GS1Z	1.11	92.7
																	25281	202.50	203.50	1.00	CORE	0.259	0.9
																	25282	203.50	204.50	1.00	CORE	0.598	2.3
																	25283	204.50	205.50	1.00	CORE	0.546	2.2
																	25284	205.50	206.50	1.00	CORE	0.448	2
																	25285	206.50	207.50	1.00	CORE	0.286	1.5
																	25286	207.50	208.78	1.28	CORE	0.229	1.3
																	25287	208.78	209.78	1.00	CORE	0.977	21.5
																	25288	209.78	211.50	1.72	CORE	1.1	6.3
																	25289	211.50	213.50	2.00	CORE	0.381	3
																	25290	213.50	213.50	0.00	BLK	0.006	<0.2
																	25291	213.50	215.50	2.00	ORIG	0.518	5
																	25292	213.50	215.50	2.00	DUP	0.662	5.3
																	25293	215.50	216.90	1.40	CORE	0.166	7.5
																	25294	216.90	219.50	2.60	CORE	0.007	0.2
																	25295	219.50	221.50	2.00	CORE	<0.005	0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	25296	221.50	223.80	2.30	CORE	0.007	0.3
																	25297	223.80	226.00	2.20	CORE	0.38	2.7
																	25298	226.00	228.00	2.00	CORE	0.113	3.2
																	25299	228.00	230.00	2.00	CORE	0.046	3.2
																	25300	230.00	230.00	0.00	ME1807	8.54	327
																	25301	230.00	232.00	2.00	CORE	0.41	3.5
																	25302	232.00	233.50	1.50	CORE	0.274	2.4
																	25303	233.50	234.74	1.24	CORE	0.127	2.2
																	25304	234.74	236.31	1.57	CORE	0.027	1.5
																	25305	236.31	238.50	2.19	CORE	0.07	1.5
																	25306	238.50	240.50	2.00	CORE	0.087	1.7
																	25307	240.50	242.50	2.00	CORE	0.159	1.4
																	25308	242.50	244.50	2.00	CORE	0.262	1.2
																	25309	244.50	247.23	2.73	CORE	1	1
																	25310	247.23	247.23	0.00	BLK	<0.005	<0.2
																	25311	247.23	249.00	1.77	CORE	0.176	0.9
																	25312	249.00	251.00	2.00	ORIG	0.674	4.1
																	25313	249.00	251.00	2.00	DUP	0.861	3.4
																	25314	251.00	253.00	2.00	CORE	12.05	5.9
																	25315	253.00	254.62	1.62	CORE	22.2	12
																	25316	254.62	255.68	1.06	CORE	0.489	1.6
																	25317	255.68	257.50	1.82	CORE	0.659	1.3
																	25318	257.50	259.50	2.00	CORE	0.537	1.5
																	25319	259.50	261.50	2.00	CORE	1.17	3.1
																	25320	261.50	261.50	0.00	CU190	0.694	9.7
																	25321	261.50	263.50	2.00	CORE	1.125	0.9
																	25322	263.50	265.50	2.00	CORE	4.99	3.3
																	25323	265.50	267.50	2.00	CORE	0.232	2.6
																	25324	267.50	269.50	2.00	CORE	0.653	5
																	25325	269.50	271.29	1.79	CORE	1.005	3.4
																	25326	271.29	273.00	1.71	CORE	1.115	2.3
																	25327	273.00	275.00	2.00	CORE	0.104	1.5
																	25328	275.00	277.00	2.00	CORE	0.163	1.7
																	25329	277.00	279.02	2.02	CORE	0.559	3.3
																	25330	279.02	279.02	0.00	BLK	<0.005	0.3
																	25331	279.02	281.00	1.98	CORE	0.202	0.8
																	25332	281.00	282.92	1.92	CORE	0.085	1.3
																	25333	282.92	285.00	2.08	CORE	0.041	3.1
																	25334	285.00	287.00	2.00	CORE	0.036	2.6
																	25335	287.00	289.00	2.00	CORE	0.055	2.5
																	25336	289.00	291.00	2.00	CORE	0.046	3.2
																	25337	291.00	293.00	2.00	CORE	0.077	3.3
																	25338	293.00	295.00	2.00	CORE	0.054	3.2
																	25339	295.00	297.00	2.00	CORE	0.035	2.9
																	25340	297.00	297.00	0.00	GS1Z	1.13	89.7
																	25341	297.00	299.00	2.00	ORIG	0.03	2.5
																	25342	297.00	299.00	2.00	DUP	0.028	2.6
																	25343	299.00	301.50	2.50	CORE	0.01	1.9
																	25344	301.50	303.89	2.39	CORE	0.016	1.9

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2218

Easting:	437236	**Azi (deg):**	45	**Start:**	20-Aug-20
Northing:	6221477	**Dip (deg):**	-65	**Finish:**	
Elev (m):	1198	**Length (m):**	62.79	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	2.13	**Analysis:**	ALS
Zone:	Silver Hill	**Pad:**	Silver Hill 1	**Area:**	Silver Hill
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	2.13	WCAS	Casing														73892	2.13	3.63	1.50	CORE	<0.005	<0.2
																	73893	3.63	4.79	1.16	CORE	<0.005	<0.2
2.13	4.79	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke				1		3		2	tr					73894	4.79	5.44	0.65	CORE	<0.005	0.9
			Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from fractures														73895	5.44	7.44	2.00	CORE	<0.005	0.3
																	73896	7.44	9.44	2.00	CORE	<0.005	<0.2
4.79	5.44	BAXX	Mudstone								1	tr					73897	9.44	11.44	2.00	CORE	<0.005	<0.2
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots														73898	11.44	12.44	1.00	CORE	<0.005	<0.2
																	73899	12.44	13.44	1.00	CORE	0.005	5.6
5.44	17.79	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke			2	2		2		1	1	Tr			Tr	73900	13.44	13.44	0.00	BLK	<0.005	<0.2
			Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from fractures														73901	13.44	14.44	1.00	ORIG	<0.005	0.4
			11.20 11.30 FLT; rusty fractures infilled with tan clayey gouge at 30 to CA	VE-2 FLT	30												73902	13.44	14.44	1.00	DUP	<0.005	0.7
			13.09 13.38 VE2; two <2cm TT, Py+sph+polybasite?-bearing vuggy quartz veins		30							1	Tr			Tr	73903	14.44	16.44	2.00	CORE	<0.005	4.5
																	73904	16.44	17.79			<0.005	4.1
17.79	19.55	BAXX	Mudstone								1						73905	17.79	19.55	1.76	CORE	0.01	12.5
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots														73906	19.55	21.55	2.00	CORE	0.007	16.5
																	73907	21.55	23.55	2.00	CORE	<0.005	0.3
19.55	25.12	D/R1	Quartz Eye-bearing Dacitic Dyke			2			2		1						73908	23.55	25.12	1.57	CORE	<0.005	0.2
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veinlets, veining at 35 to CA	VE-1	35											73909	25.12	26.12	1.00	CORE	0.007	1.4
																	73910	26.12	26.12	0.00	ME1807	8.04	329
25.12	29.03	BAXX	Mudstone								1												
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots																				
29.03	32.43	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke			2			2														
			Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass																				
32.43	33.22	BAXX	Mudstone								2	1											
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots																				
33.22	42.67	D/GR	Plagioclase-phyric Granodioritic Dyke			2			2		1												

				Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill on fractures																								
42.67	42.88	BAXX	Mudstone											1	1															
				black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots																								
42.88	47.60	D/R1	Quartz Eye-bearing	Dacitic Dyke								2		2		1	Tr													
				Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veinlets, veining at 40 to CA																								
	42.68	42.88	BAXX; Screen of Black Mudstone																											
47.60	48.31	BAXX	Mudstone											2	1															
				black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots																								
48.31	52.40	D/GR	Plagioclase-phyric	Granodioritic Dyke								2		2		1														
				Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill on fractures																								
52.40	54.62	BAXX	Mudstone											2	1															
				black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots																								
54.62	57.48	D/R1	Quartz Eye-bearing	Dacitic Dyke								2		2			Tr													
				Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veinlets, veining at 40 to CA																								
57.48	62.79	BAXX	Mudstone											1	1															
				black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots																								
	62.79		EOH																											

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2219

Easting:	437236	**Azi (deg):**	90	**Start:**	21-Aug-20
Northing:	6221477	**Dip (deg):**	-45	**Finish:**	
Elev (m):	1198	**Length (m):**	251.76	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	5.18	**Analysis:**	ALS
Zone:	Silver Hill	**Pad:**	Silver Hill 1	**Area:**	Silver Hill
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	5.18	WCAS	Casing														73931	5.32	7.32	2.00	CORE	<0.005	0.3
																	73932	7.32	9.39	2.07	CORE	<0.005	1.6
																	73933	9.39	10.98	1.59	CORE	<0.005	2.4
5.18	9.39	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from fractures			2			2		1						73934	10.98	11.98	1.00	ORIG	0.005	26.7
																	73935	10.98	11.98	1.00	DUP	<0.005	99.8
9.39	10.98	BAXX	Mudstone black with minor med grey laminations, massive, weakly graphitic, 2% blebby py; strong oxidation on fractures; blocky core								1	4					73936	11.98	12.98	1.00	CORE	0.049	446
																	73937	12.98	13.98	1.00	CORE	0.515	330
																	73938	13.98	14.98	1.00	CORE	<0.005	5.6
																	73939	14.98	16.34	1.36	CORE	0.005	3.3
10.98	16.34	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from fractures			2	2		2		1						73940	16.34	16.34	0.00	BLK	<0.005	<0.2
																	73941	16.34	16.94	0.60	CORE	0.023	55.3
			9.30 15.15 weak 2-6cm wide vuggy qtz veining, most veins have no sulfides except for veining from 9.3 - 9.8 with traces of coarse grained sp and pyrargyrite or proustite (greyish black with metallic luster, with red colour observed on cleavage plane); 3 blebs of highly reflective silver yellow electrum observed	VE2	20							2	2	1		1	73942	16.94	18.94	2.00	CORE	<0.005	21.6
16.34	16.94	FZXX	Brittle Deformation Zone Blocky core, strong VE3 (vuggy quartz stockwork), fractures contain fe-oxidized clayey gouge infill; black fg mudstone gouge			1			1								73943	18.94	20.94	2.00	CORE	<0.005	0.7
																	73944	71.03	72.00	0.97	CORE	<0.005	<0.2
																	73945	72.00	73.00	1.00	CORE	<0.005	0.3
16.94	21.16	D/GR	Plagioclase-phyric Granodioritic Dyke Light tan to medium grey, strong pervasive sil+ser bleaching, unaltered window from 20.00-20.71 qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and weak-mod fe-oxidation on fractures			3			3								73946	73.00	74.00	1.00	CORE	<0.005	1.5
																	73947	74.00	75.00	1.00	CORE	<0.005	<0.2
																	73948	95.67	96.67	1.00	CORE	<0.005	1.7
21.16	26.74	D/R2	Quartz Feldspar Porphyritic Dacite Dyke Greenish Tan mottled, sil+ser altered 20% anhedral quartz-eyes and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from fractures; weak green chl alteration bands at upper and lower contact; weak carbonate veining			1			1	1	1						73949	96.67	97.67	1.00	CORE	<0.005	1.3
																	73950	97.67	97.67	0.00	GSZ1	1.105	84.7
																	73951	97.67	98.77	1.10	CORE	<0.005	1.1
26.74	31.42	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands weak clean VE1 stockwork at 60+ to CA with creamy carbonate infill on selvages.	VE1	60	2			2	1	1						73952	98.77	100.22	1.45	CORE	<0.005	0.8
																	73953	100.22	102.22	2.00	CORE	<0.005	<0.2
																	73954	104.42	106.42	2.00	CORE	<0.005	<0.2
31.42	35.85	BAXX	Mudstone, Siltstone								2	2					73955	106.42	108.42	2.00	CORE	0.005	2.2

				black mudstone with light grey siltstone laminations at 50 dgs tca. As well as folde laminations. Trace calc veinlets. Weakly graphitic; 3% py preferentially in siltstone beds	BDG	50											73956	108.42	110.42	2.00	CORE	0.011	4.4
35.85	39.24	D/R2	Quartz Feldspar Porphyritic Dacite Dyke				2			3							73957	110.42	111.80	1.38	CORE	0.087	6.4
			Greenish Tan mottled, sil+ser altered 20% anhedral quartz-eyes and		C/DMS	60											73958	111.80	112.80	1.00	CORE	4.31	16.4
																	73959	112.80	113.80	1.00	CORE	0.006	0.3
39.24	40.20	BAXX	Mudstone, Siltstone														73960	113.80	113.80	0.00	BLK	<0.005	<0.2
				black mudstone with light grey siltstone with irregular laminations. As well as folde laminations. Trace calc veinlets. Weakly graphitic; 2% fg disseminated py, preferential py in siltstone beds							2	2					73961	113.80	115.92	2.12	CORE	0.041	<0.2
																	73962	115.92	117.92	2.00	CORE	0.005	1.7
40.20	45.03	D/GR	Plagioclase-phyric Granodioritic Dyke				2			2		1					73963	117.92	119.92	2.00	CORE	0.049	14.3
				Light tan to medium grey, Patchy qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill on fractures												73964	119.92	121.92	2.00	CORE	0.023	0.9
																	73965	121.92	123.92	2.00	CORE	0.05	0.5
45.03	57.45	BAXX	Mudstone							2							73966	123.92	125.65	1.73	CORE	0.005	2.3
				black, weak carbonate veinlet bearing, <2% py as blebs and fg disseminated replacing <5mm rounded siltstone clasts supported in a black vfg crudely laminated mudstone													73967	125.65	127.65	2.00	ORIG	0.023	19.5
																	73968	125.65	127.65	2.00	DUP	0.017	9
57.45	62.57	D/R1	Quartz Eye-bearing Dacitic Dyke				2			2	1	1					73969	127.65	129.65	2.00	CORE	0.091	16.5
				Greenish Tan mottled, light green alteration bands; <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass; cross cut by 3mm grey quartz veinlets and annealed carbonate infilled fractures												73970	129.65	129.65	0.00	ME1807	7.99	328
62.57	63.23	BAXX	Mudstone							2							73971	129.65	131.15	1.50	CORE	0.007	0.5
				black, weak carbonate veinlet bearing, <2% py as blebs and fg disseminated replacing <5mm rounded siltstone clasts supported in a black vfg crudely laminated mudstone													73972	131.15	132.13	0.98	CORE	0.005	3.4
63.23	83.66	D/GR	Plagioclase-phyric Granodioritic Dyke				2			2		1					73973	132.13	134.13	2.00	CORE	<0.005	0.6
				Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill on fractures; local blocky core; broken core and fault gouge at lower contact												73974	221.82	223.82	2.00	CORE	0.01	2.4
			73.00 73.56	FLT; vfg white clayey rock flour on fractures; 1x 1.5cm sph+py+polybasite vein proximal to upper selvage													73975	223.82	224.82	1.00	CORE	0.44	42.7
			83.94 83.66	FLT; vfg white clayey gouge infill, <2cm bleached angular D/GR fragments													73976	224.82	225.91	1.09	CORE	0.161	4.7
83.66	93.26	BAXX	Mudstone									2					73977	225.91	227.91	2.00	ORIG	0.006	0.6
				Black massive poorly bedded fine grained sediment, very minor brecciation healed by fine carbonate. Blocky core over most of interval; local chalk white rock flour on fractures; <5cm of local gouge infill													73978	225.91	227.91	2.00	DUP	0.007	0.5
			87.17 87.47	FLT; rounded lithic fragments suspended in in light grey clayey gouge; faulted dyke screen													73979	227.91	229.91	2.00	CORE	<0.005	0.3
			91.88 92.10	FLT; <1cm mudstone lithic fragments suspended by black clayey gouge.													73980	229.91	229.91	0.00	BLK	<0.005	<0.2
																	73981	229.91	231.91	2.00	CORE	<0.005	0.2
93.26	95.67	FZXX	Faulted Mudstone									2					73982	231.91	233.91	2.00	CORE	0.022	1.5
				Black massive poorly bedded fine grained mudstone fragments suspended in black clayey gouge; smooth greasy graphite on fracture selvage; weak white carbonate rock flour on fractures													73983	233.91	234.91	1.00	CORE	0.008	0.7
95.67	98.77	BAXX	Pyrite-bearing Mudstone					2				2	5				73984	234.91	236.91	2.00	CORE	0.005	0.4
				Black to dark grey; <1cm partial to completely pyritized siltstone beds interbedded with black vfg mudstone beds, <2.5cm pyrite-bearing quartz veins													73985	236.91	238.91	2.00	CORE	0.011	3
98.77	106.42	D/GR	Plagioclase-phyric Granodioritic Dyke				1			1		1	1				73986	238.91	240.91	2.00	CORE	<0.005	0.3
				Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures												73987	240.91	242.91	2.00	CORE	<0.005	0.3

106.42	111.80	BAXX	Pyrite-bearing Mudstone								2			2	5					73988	242.91	244.91	2.00	CORE	0.005	1
			Black to dark grey; <1cm partial to completely pyritized siltstone beds interbedded with black vfg mudstone beds, <2.5cm pyrite-bearing quartz veins															73989	244.91	246.91	2.00	CORE	<0.005	2.1
111.80	132.13	BAXX	Heterolithic Sedimentary Fragment Debris Flow								2		1		2	2				73990	246.91	246.91	0.00	CU190	0.675	9.3
			dark grey to dark tan patchy ser+py alt <2cm heterolithic siltsone and mudstone, trace andesite and one rhyolite lithic fragment observed; matrix supported at beginning of interval grading to clast supported down hole, local <20cm sph+py-bearing grey quartz vein breccia with <1cm angular mudstone clasts. <1cm sph+py-bearing veins,		VE2	37											73991	246.91	248.91	2.00	CORE	0.041	1.4
			115.92 125.65 Increase in qtz+sericite alteration, medium grey pervasive ser alteration				1			2			Tr					73992	248.91	250.91	2.00	CORE	0.008	0.2
132.13	141.04	D/GR	Altered Granodiorite Dyke				1			1			Tr					73993	250.91	251.76	0.85	CORE	<0.005	0.4
			Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by creamy white quartz+carbonate veins;																						
			138.93 139.95 Blocky core; clean fractures																						
141.04	159.69	BAXX	Mudstone Andesite Debris Flow								1		1		1												
			greenish grey; weak pervasive ser alt; local patchy mod ser alt; <1cm subrounded mudstone, siltstone and andesitic fragments, greenish-grey fg andesitic groundmass. Weak <3cm grey to crudely banded graphitc, py-bearing qtz-carb veins																						
			157.45 159.69 Broken core; trace rock flour on fragments																						
159.69	175.45	R1XX	Rhyolite/Dacite Pyroclastic Ignimbrite				1		1				Tr		1												
			Dark grey, mottled white. Weak patchy silica alteration <1cm rounded white rhyolitic fragments, chl altered wispy glass/pumic fragments, supported in a vfg fused rhyolitic ash-tuffaceous groundmass; cross-cut by creamy white carbonate veins; strong bleaching at upper contact proximal to fault; vfg disseminated py local to <1mm graphitic stringers and grey quatyz veins																						
			163.37 164.00 FLT; Blocky core to rubble zone; High angle gouge seam at lower contact; trace rock flour and gouge on fractures; increase in veining								2														
			173.30 174.19 Broken core; crudely banded graphitic grey quartz+carbonate vein fragments								3			3											
175.45	187.04	R3XX	Andesite Feldspar Crystal and Lapilli Tuff								2				1												
			Light and dark grey, pale green associated with banded mod sil+ser bleaching, <lapilli sized dark green rounded lithic fragments in a light grey altered massive andesitic groundmass, massive, dark grey quartz veins to graphitic stinger webs associated with bleaching proximal to fault; trace vfg disseminated py; silica breccia at lower contact overprinted by dike																						
			175.45 178.43 Broken Blocky core; clean fractures, trace drusey chl on fractures											1	2										
			181.96 183.35 FLT; gouge-bearing fractures; silica bleached strong graphitic banding on tuffaeous fragments; graphitic stringer network; trace fe-oxidized creamy carbonate veining				2								3										
			186.86 187.04 Low angle, tuffaceous clast supported; graphitic quartz breccia; overprinted by D/GR																						
187.04	192.98	D/GR	Altered Granodiorite Dyke				1			1			Tr													
			Light tan to medium grey, Pervasiveqtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by creamy white quartz+carbonate veins;																						
192.98	195.02	R3XX	Andesitic Ash and Crystal Tuff				2			2																
			Light and dark grey, pale green associated with banded mod sil+ser bleaching, <lapilli sized dark green rounded lithic fragments in a light grey altered massive andesitic groundmass, massive, dark grey quartz veins to graphitic stingers; trace drusey chl on carbonate infilled fractures																						
195.02	206.77	D/GR	Altered Granodiorite Dyke				1			1			Tr													

			Light tan to medium grey, Pervasiveqtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by creamy white quartz+carbonate veins;																									
206.77	207.59	D/AN	Andesitic Dyke Light grey, red hematic replacement of fg phenocrysts; calcite infilled amygdale-bearing fg andesitic dyke, with D/GR wedge from 206.98-207.07m																									
207.59	219.64	D/GR	Altered Granodiorite Dyke Light tan to medium grey, Pervasiveqtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by creamy white quartz+carbonate veins;			1			1		Tr																
219.64	223.82	R3XX	Andesitic Ash and Crystal Tuff Light and dark grey, pale green associated with banded mod sil+ser bleaching, <lapilli sized dark green rounded lithic fragments in a light grey altered massive andesitic groundmass, massive, dark grey quartz veins to graphitic stingers; trace drusey chl on carbonate infilled fractures			2			2																		
223.82	225.91	CBXA	Eocene Silica Breccia Black and White mottled; silica flooded, bleached prophyritc andesite bearing graphitic silica breccia; <4% fg disseminated py	C/RSB	45	4 4			2 2			4 4														
225.91	251.76	LLPX	Andesite Pumice Lapilli Tuff Light greenish grey to Medium green, 10-15% <lapilli-sized dark green, chlorite replaced flattened pumacious and glass-fragment clasts, fine grained aphyric groundmass. Weak calcite +/- chl, hem veining, rare dark green plagioclase-phyric rounded andesitic bomb-sized clast; <3cm crudely banded fg disseminated py bearing graphitic quartz veining; <2% fg disseminated py in groundmass			1	1		1	1		2														
	251.76	EOH																												

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2220

Easting:	437236	**Azi (deg):**	225	**Start:**	23-Aug-20
Northing:	6221477	**Dip (deg):**	-70	**Finish:**	28-Aug-20
Elev (m):	1198	**Length (m):**	247.77	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	Silver Hill	**Pad:**	Silver Hill 1	**Area:**	Silver Hill
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calc Vns**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**	
0.00	3.05	WCAS	Casing														73911	3.35	5.35	2.00	CORE	<0.005	0.6	
																	73912	5.35	7.35	2.00	CORE	<0.005	<0.2	
3.05	8.75	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke			2			2		1						73913	7.35	8.75	1.40	CORE	<0.005	<0.2	
			Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from fractures; weak carbonate veinlets														73914	8.75	9.51	0.76	CORE	0.011	3	
	4.80	5.10	D/RD; fine grained aphanitic dacitic dyke screen														73915	9.51	11.51	2.00	CORE	<0.005	<0.2	
8.75	9.51	BAXX	Mudstone								1	4					73916	11.51	13.51	2.00	CORE	<0.005	<0.2	
			black with minor med grey laminations, massive, weakly graphitic, 4% 5mm py veinlets and irregular py clots; vfg mudstone														73917	13.51	15.51	2.00	CORE	<0.005	<0.2	
																	73918	15.51	17.51	2.00	CORE	<0.005	<0.2	
9.51	19.27	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke			2			2		1						73919	17.51	19.27	1.76	CORE	<0.005	1	
			Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from fractures														73920	19.27	19.27	0.00	BLK	<0.005	<0.2	
																	73921	19.27	20.77	1.50	CORE	<0.005	2.1	
19.27	26.82	D/R1	Quartz Eye-bearing Dacitic Dyke			2			2		1	1	Tr			Tr	73922	20.77	21.94	1.17	CORE	<0.005	0.7	
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, fe-oxidized vuggy quartz +/- carb veinlets, local py+sph+polybasite bearing stockwork														73923	21.94	23.06			0.016	18.8	
	19.64	19.70	D/R2 dyke screen														73924	23.06	24.56	1.50	ORIG	<0.005	0.6	
	21.94	23.06	VE2; stockwork of <3.5cm TT, Py+sph+polybasite, vuggy quartz veins; Average attitude of 15 to CA	VE2	15		3					3	1			1	73925	23.06	24.56	1.50	DUP	<0.005	0.4	
																	73926	24.56	25.82	1.26	CORE	<0.005	1.7	
26.82	30.45	BAXX	Mudstone								3	2					73927	25.82	26.82	1.00	CORE	<0.005	1.6	
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots														73928	26.82	28.82	2.00	CORE	0.005	2.1	
																	73929	28.82	30.45	1.63	CORE	<0.005	0.9	
30.45	32.23	D/GR	Plagioclase-phyric Granodioritic Dyke			1			1		1	1					73930	30.45	30.45	0.00	CU190	0.669	9.2	
			Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures														73994	92.55	94.54	1.99	CORE	<0.005	0.7	*SEQUENCE CHANGE
																	73995	94.54	96.54	2.00	CORE	0.006	2.3	
32.23	37.87	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke			2			2		1	1					73996	96.54	97.54	1.00	CORE	0.007	1.9	
			Greenish Tan mottled, 20% anhedral quartz and subhedral plagioclase phenocrysts in a greenish tan aphanitic massive groundmass, mod iron-oxide staining emanating as halos from carbonate fractures														73997	97.54	98.54	1.00	CORE	<0.005	0.4	
																	73998	98.54	99.54	1.00	CORE	<0.005	0.2	
37.87	41.60	D/GR	Plagioclase-phyric Granodioritic Dyke			1			1		1	1					73999	99.54	100.54	1.00	CORE	0.006	1.8	
			Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill on fractures at 5-15 to CA														74000	100.54	100.54	0.00	BLK	<0.005	<0.2	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
41.60	47.07	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands	VE1	5	2			2	1	1						74001	100.54	101.54	1.00	ORIG	0.089	84.6
																	74002	100.54	101.54	1.00	DUP	0.024	29
47.07	59.86	D/GR	Plagioclase-phyric Granodioritic Dyke Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill on fractures			2			2		1						74003	101.54	102.54	1.00	CORE	1.575	739
																	74004	102.54	103.54	1.00	CORE	0.055	34.5
			55.74 58.90 Blocky Core, Carbonate +/- graphitic infill on fractures														74005	103.54	104.74	1.20	CORE	0.048	70.3
59.86	70.85	BAXX	Mudstone								2	2					74006	104.74	105.74	1.00	CORE	0.064	22
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots														74007	105.74	106.74	1.00	CORE	0.085	87.2
70.85	81.25	D/GR	Plagioclase-phyric Granodioritic Dyke Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures			1			1		1	1					74008	106.74	107.66	0.92	CORE	0.078	81.2
																	74009	107.66	108.62	0.96	CORE	0.045	13.4
81.25	85.67	BAXX	Interbedded Mudstone/Siltstone								2	2					74010	108.62	108.62	0.00	GS1Z	1.23	86.6
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets. <1% 5mm py veinlets and irregular py clots	BDG	50												74011	108.62	109.62	1.00	CORE	0.03	2.8
85.67	91.07	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands weak clean VE1 stockwork at 60+ to CA with creamy carbonate infill on selvages.			2			2	1	1						74012	109.62	110.62	1.00	CORE	0.022	3.7
																	74013	110.62	111.62	1.00	CORE	<0.005	1.1
91.07	92.55	BAXX	Mudstone								2	2					74014	111.62	112.62	1.00	CORE	<0.005	0.6
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets (local carbonate vein-supported breccia with angular mudstone clasts). <1% 5mm py veinlets and irregular py clots														74015	112.62	114.62	2.00	CORE	<0.005	0.2
92.55	94.54	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands			2			2	1	1						74016	114.62	116.19	1.57	CORE	<0.005	0.3
																	74017	116.19	117.19	1.00	CORE	<0.005	0.5
94.54	97.54	FZXX	Fault Zone														74018	117.19	118.06	0.87	CORE	0.012	0.6
			Blocky to rubbly core; black gouge, <3cm pyrite clots; mudstone and pyrite bearing bull quartz fragments; local white rock flour on fractures														74019	118.06	119.27	1.21	CORE	<0.005	0.5
97.54	107.65	D/GR	Plagioclase-phyric Granodioritic Dyke Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures <1.5 py+sph+silvery mineral (polybasite?)-bearing vuggy quartz veins	VE2	18	1	2		1		1	2	1			Tr	74020	119.27	119.27	0.00	BLK	<0.005	<0.2
																	74021	119.27	121.27	2.00	CORE	0.072	3.5
			103.68 104.74 Blocky Core; Granodioritic Dyke and Vein fragments			1	3		1		1	1	1			Tr	74022	121.27	123.27	2.00	CORE	<0.005	0.7
107.65	117.19	BAXA	Heterolithic Sedimentary Fragment Debris Flow				2		1			3	2				74023	123.27	125.10	1.83	CORE	<0.005	0.7
			dark grey to dark tan patchy ser+py alt <2cm heterolithic siltsone and mudstone, trace andesite and one rhyolite lithic fragment observed; matrix supported at beginning of interval grading to clast supported down hole, <1cm sph+py-bearing veins, cross-cut by carbonate veins	VE2	18												74024	125.10	127.10	2.00	CORE	0.005	1.4
			108.73 108.86 Altered granadioritic dyke screen														74025	127.10	128.34	1.24	CORE	0.01	3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			111.06 111.23 Altered granadioritic dyke screen														74026	128.34	129.34	1.00	CORE	0.033	7.4
117.19	118.06	BAXX	Heterolithic Debris Flow														74027	129.34	131.34	2.00	CORE	0.005	0.6
			dark grey to dark tan patchy ser+py alt <2cm heterolithic siltsone and mudstone, trace andesite and one rhyolite lithic fragment observed; matrix supported at beginning of interval grading to clast supported down hole, cross-cut by carbonate veins														74028	131.34	132.52	1.18	CORE	<0.005	<0.2
118.06	119.27	D/GR	Plagioclase-phyric Granodioritic Dyke			1			1		1	1					74029	132.52	134.04	1.52	CORE	<0.005	0.2
			Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beig e to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures														74030	134.04	134.04	0.00	ME1807	7.87	329
119.27	125.10	R3XX	Andesitic Ash Tuff			2			1								74031	134.04	135.04	1.00	CORE	0.014	1.4
			Light and dark grey, pale green associated with banded mod sil+ser bleaching, a light grey altered massive andesitic tuffaceous groundmass, massive, dark grey quartz veins to graphitic stingers; trace drusey chl on carbonate infilled fractures														74032	135.04	136.04	1.00	CORE	0.012	0.7
			119.27 121.27 FLT; Blocky Core; low angle fractures on rhylotic fragments; local gouge														74033	136.04	137.04	1.00	CORE	<0.005	0.2
125.10	129.34	R3XX	Andesite Feldspar Crystal and Lapilli Tuff														74034	137.04	138.04	1.00	CORE	<0.005	0.2
			Light and dark grey, pale green associated with banded mod sil+ser bleaching, <lapilli sized dark green rounded lithic fragments in a light grey altered massive andesitic groundmass, massive, dark grey quartz veins to graphitic stingers;														74035	138.04	139.60	1.56	CORE	0.012	0.7
129.34	132.52	LLPX	Andesite Pumice Lapilli Tuff			1	1		1	1		2		1			74036	139.60	141.26	1.66	CORE	<0.005	0.2
			7.5cm TT py+gal-bearing, andesitic clast bearing quartz vein breccia at upper contact. Light and dark grey, pale green associated with banded mod sil+ser bleaching, <lapilli sized bleached light grey subangular to rounded lithic fragments in a light grey altered massive andesitic groundmass, massive, dark grey quartz veins to graphitic stingers; trace drusey chl on carbonate infilled fractures														74037	141.26	143.26	2.00	CORE	<0.005	0.3
132.52	134.04	D/GR	Altered Granodiorite Dyke			3			3	1	2						74038	143.26	145.26	2.00	CORE	<0.005	0.2
			Light tan to medium grey, Pervasive qtz+sericite alteration, flecks of chl possibly replacing hb phenos, preferential ser alteration in plagioclase phenocrysts (ghosted plag); aphanitic beige to medium grey groundmass; cross-cut by creamy white quartz+carbonate veins; Cross-cuts clasts and texture at lower contact with silica breccia														74039	145.26	147.26	2.00	CORE	<0.005	0.4
134.04	139.60	CBXA	Graphitic Silica Breccia			4	3		3			4					74040	147.26	147.26	0.00	BLK	<0.005	<0.2
			Mottled dark grey and white; silica flooded, strong graphitic quartz stockwork bearing; <15cm rounded, bleached LLPX clasts, and quartz vein clasts in a dark grey graphitic silica matrix; cross-cut by vuggy quartz veins; <4% fg py disseminated in graphitic matrix; <1cm local py veinlets														74041	147.26	149.26	2.00	CORE	<0.005	0.2
139.60	157.67	LLPX	Andesitic Lapilli Tuff			1	1		1	1		2					74042	149.26	151.26	2.00	CORE	<0.005	0.4
			Light and dark grey, pale green associated with banded mod sil+ser bleaching, <lapilli sized bleached light grey subangular to rounded lithic fragments, <3mm subhedral reabsorbed plagioclase phenocrysts, in a light grey altered massive andesitic groundmass, massive, dark grey quartz veins to graphitic stingers; trace drusey chl on carbonate infilled fractures														74043	151.26	153.26	2.00	CORE	<0.005	<0.2
157.67	168.29	LLPX	Bleached Andesitic Lapilli Tuff			3	1		3			1					74044	153.26	155.26	2.00	CORE	<0.005	<0.2
			Light cream greenish grey, mod pervasive ser+sil altered, 10-15% <lapilli-sized dark green, chlorite replaced flattened pumacious and glass-fragment clasts, fine grained aphyric groundmass. Weak black graphitic py-bearing quartz stockwork.														74045	155.26	156.76	1.50	CORE	<0.005	0.2
168.29	169.94	FZXX	Gouge-bearing Brittle Deformation Zone														74046	156.76	157.67	0.91	CORE	<0.005	0.4
			Fractured fragments of sil+ser altered LLPX; <4cm intervals of light grey clayey gouge, <8cm fragments of clean bull quartz			2	2		2								74047	157.67	159.67	2.00	CORE	<0.005	0.8
169.94	171.18	D/AP	Plagioclase-phryic Andesitic Dyke								2						74048	159.67	161.67	2.00	CORE	<0.005	<0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey, <4mm tabular plagioclase phenocrysts; in fg andesitic cement; cross-cut by carbonate veining; carbonate infill on fractures														74049	161.67	163.67	2.00	CORE	<0.005	0.2
171.18	182.67	LLPX	Andesitic Lapilli Tuff			2	1		2	1		Tr					74050	163.67	163.67	0.00	CU190	0.699	8.6
			Light greenish grey to Medium green, patchy mod bleaching sil+ser alt, 10-15% <lapilli-sized dark green, <3mm subhedral reabsorbed plagioclase phenocrysts, fine grained aphyric groundmass. Weak calcite +/- chl, veining,														74051	163.67	165.67	2.00	CORE	<0.005	0.3
182.67	188.23	LIXI	Hemetic Altered Andesitic Lapilli Tuff														74052	165.67	167.17	1.50	CORE	<0.005	0.4
			Light greenish grey to Medium green with patchy hematite alteration associated with veining, 10-15% <lapilli-sized dark green, <3mm subhedral reabsorbed plagioclase phenocrysts, fine grained aphyric groundmass. Strong chl+carb+hem veining														74053	167.17	168.29	1.12	CORE	<0.005	<0.2
188.23	196.55	LLXX	Andesitic Lapilli Tuff			3	1		2	1		Tr					74054	168.29	169.94	1.65	CORE	<0.005	<0.2
			Light grey; bleached (sil+ser),10-15% <lapilli-sized bleached clasts, and subhedral to anhedral plagioclase phenocryst clasts, fine grained aphanitic groundmass. Trace py associated with trace quartz veining.														74055	169.94	171.18	1.24	CORE	<0.005	<0.2
			188.23 191.15 Blocky Core; Bleached Andesitic Porphyritic Lappili Tuff fragments, local vein fragments; local rock flour on fractures														74056	171.18	173.18	2.00	CORE	<0.005	0.3
196.55	202.69	LXPM	Andesite Pumice Lapilli Tuff			1	3		1	1		Tr					74057	173.18	175.18	2.00	CORE	<0.005	<0.2
			Maroon, 10-15% <lapilli-sized dark green, patchy green chlorite alteration associated with chlorite replaced flattened pumacious and glass-fragment clasts, fine grained aphanitic groundmass. Weak calcite +/- chl, hem veining, <3cm low angle crudely banded fg disseminated py bearing graphitic vuggy quartz veining; 2% fg disseminated py in groundmass														74058	175.18	177.17	1.99	CORE	<0.005	0.2
202.69	216.07	D/GR	Altered Granodiorite Dyke			2			2			Tr					74059	177.17	179.17	2.00	CORE	<0.005	<0.2
			Light tan to medium grey, Pervasive qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by creamy white quartz+carbonate veins;														74060	179.17	179.17	0.00	BLK	<0.005	<0.2
			209.47 210.10 Broken to Rubbly core, light grey clayey gouge; low angle fractures with fg crystalline carbonate infill								3						74061	179.17	181.67	2.50	CORE	0.007	0.8
																	74062	181.67	182.67	1.00	ORIG	<0.005	<0.2
216.07	217.28	LXPM	Maroon Andesite-bearing Lapilli Tuff			1	3		1	1		Tr					74063	181.67	182.67	1.00	DUPL	<0.005	<0.2
			Maroon, 10-15% <lapilli-sized dark green, patchy green chlorite alteration associated with chlorite replaced flattened pumacious and glass-fragment clasts, fine grained aphanitic groundmass. Weak calcite +/- chl, hem veining,														74064	182.67	184.67	2.00	CORE	<0.005	0.2
217.28	222.83	D/GR	Altered Granodiorite Dyke			2			2			Tr					74065	184.67	186.67	2.00	CORE	<0.005	0.2
			Light tan to medium grey, Pervasive qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by creamy white quartz+carbonate veins;														74066	186.67	188.23	1.56	CORE	<0.005	0.2
222.83	227.82	LXPM	Maroon Andesite-bearing Lapilli Tuff			1	3		1	1		Tr					74067	188.23	190.23	2.00	CORE	<0.005	0.3
			Maroon, 10-15% <lapilli-sized dark green, patchy green chlorite alteration associated with lapilli to bomb-sized dark green sil+ser altered plagioclase-phyric andesitic clasts, supported in a fine grained aphanitic groundmass. Weak calcite +/- chl, hem veining														74068	190.23	192.23	2.00	CORE	<0.005	0.4
227.82	231.04	D/R1	Quartz Eye-bearing Dacitic Dyke			3			3	1	1						74069	192.23	194.23	2.00	CORE	<0.005	<0.2
			Greenish Tan mottled, mod pervasive quartz+sericite alteration, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at 32 TCA	VT	32											74070	194.23	194.23	0.00	GS1Z	1.085	86.8
231.04	237.72	D/R3	Quartz Feldspar Porphyritic Dacitic Dyke			3	3		3		1	1					74071	194.23	195.55	1.32	CORE	<0.005	0.6
			Dark grey to Greenish Tan mottled when altered, patchy strong quartz sericite alteration overprinting primary textures; 20% anhedral quartz and <4mm euhedral tabular plagioclase phenocrysts in a dark grey aphanitic massive groundmass, <5cm clean to chloritic bull quartz stockwork														74072	195.55	196.55	1.00	CORE	<0.005	0.5
237.72	244.89	FZXX	Fault Zone														74073	196.55	198.55	2.00	CORE	<0.005	0.8

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
			Rubble zone with subangular to rounded core fragments and dark grey to light grey clayey gouge; Dacitic dyke and quartz vein fragments; increase in dark grey to black graphitic fragments over course of interval. Significant core loss.														74074	198.55	200.55	2.00	ORIG	0.021	4.6	
244.89	247.77	D/GR	Altered Granodiorite Dyke			2			2		1	Tr					74075	198.55	200.55	2.00	DUP	0.016	2.3	
			Light tan to medium grey, Pervasive qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by <2mm carbonate infilled fractures														74076	200.55	201.69	1.14	CORE	<0.005	0.5	
	247.77		EOH														74077	201.69	202.69	1.00	CORE	<0.005	0.3	
																	74078	202.69	204.69	2.00	CORE	0.005	0.2	
																	74079	204.69	206.69	2.00	CORE	0.005	<0.2	
																	74080	206.69	206.69	0.00	BLK	<0.005	<0.2	
																	74081	206.69	208.69	2.00	CORE	<0.005	<0.2	
																	74082	208.69	210.69	2.00	CORE	<0.005	<0.2	
																	74083	210.69	212.69	2.00	CORE	<0.005	0.2	
																	74084	212.69	214.69	2.00	CORE	<0.005	<0.2	
																	74085	214.69	216.07	1.38	CORE	<0.005	0.2	
																	74086	216.07	217.28	1.21	CORE	<0.005	0.3	
																	74087	217.28	219.28	2.00	CORE	<0.005	0.2	
																	74088	219.28	221.83	2.55	CORE	<0.005	0.3	
																	74089	221.83	222.83	1.00	CORE	<0.005	<0.2	
																	74090	222.83	222.83	0.00	ME1807	7.86	332	
																	74091	222.83	224.83	2.00	CORE	0.005	0.4	
																	74092	224.83	225.83	1.00	CORE	<0.005	0.6	
																	74093	225.83	227.22	1.39	CORE	<0.005	<0.2	
																	74094	227.22	229.22	2.00	CORE	<0.005	0.3	
																	74095	229.22	231.04	1.82	CORE	<0.005	0.8	
																	74096	231.04	233.04	2.00	CORE	0.006	0.7	
																	74097	233.04	235.04	2.00	CORE	<0.005	0.3	
																	74098	235.04	236.72	1.68	CORE	<0.005	0.3	
																	74099	236.72	237.72	1.00	CORE	<0.005	0.3	
																	74100	237.72	237.72	0.00	BLK	<0.005	<0.2	
																	74101	237.72	240.00	2.28	CORE	<0.005	0.3	Poor Recovery due to fault
																	74102	240.00	244.89	4.89	CORE	<0.005	0.6	Very poor Recovery due to fault
																	74103	244.89	246.77	1.88	CORE	<0.005	0.2	
																	74104	246.77	247.77	1.00	CORE	<0.005	0.4	

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2230

Easting:	437458	**Azi (deg):**	45	**Start:**	02-Sep-20
Northing:	6221866	**Dip (deg):**	-45	**Finish:**	06-Sep-20
Elev (m):	1189	**Length (m):**	448.06	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	30.48	**Analysis:**	ALS
Zone:	Silver Hill	**Pad:**	Silver Hill 2	**Area:**	Silver Hill
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	C00074105	134.80	136.80	2.00	CORE	0.006	0.9
0.00	30.48	WCAS	Casing														C00074106	136.80	137.82	1.02	CORE	0.006	0.9
																	C00074107	137.82	139.49	1.67	CORE	<0.005	0.3
30.48	32.90	BAXX	Graphitic Mudstone								1	2					C00074108	139.49	140.62	1.13	CORE	<0.005	0.2
			black with minor med grey laminations, massive, graphitic, 2% coarse blebs of diagenetic pyrite; vfg mudstone; slippery graphitic infill on fracture selvages														C00074109	140.62	142.41	1.79	CORE	<0.005	0.5
			31.42 31.62 FLT; black rubble suspended in a black clayey gouge														C00074110	142.41	142.41	0.00	CU190	0.657	9.3
																	C00074111	142.41	144.41	2.00	CORE	0.005	0.3
32.90	34.18	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074112	144.41	145.15	0.74	CORE	<0.005	0.2
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands														C00074113	145.15	147.15	2.00	CORE	<0.005	0.4
																	C00074114	147.15	149.15	2.00	CORE	<0.005	0.4
34.18	36.52	D/GR	Plagioclase-phyric Granodioritic Dyke			1			1		1						C00074115	149.15	151.15	2.00	ORIG	<0.005	0.6
			Medium grey, weak qtz+sericite alteration, <3mm subhedral plagioclase phenocrysts, <1mm subhedral hornblende phenocrysts in an aphanitic medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; local carbonate infill on fractures														C00074116	149.15	151.15	2.00	DUP	<0.005	0.8
																	C00074117	151.15	152.48	1.33	CORE	<0.005	1
36.52	71.90	BAXX	Graphitic Mudstone								1	2					C00074118	152.48	154.48	2.00	CORE	<0.005	0.3
			black with minor med grey laminations, massive, graphitic, 2% coarse blebs of diagenetic pyrite; vfg mudstone; slippery graphitic infill on fracture selvages	BDG	45												C00074119	164.14	166.19	2.05	CORE	<0.005	<0.2
			48.03 50.31 Broken fractured core; trace black graphitic gouge; several blocked tube blocks														C00074120	166.19	166.19	0.00	BLK	<0.005	<0.2
			66.60 67.00 Broken fractured core; trace black graphitic gouge; several blocked tube blocks														C00074121	166.19	167.57	1.38	CORE	<0.005	0.4
71.90	74.70	D/GR	Plagioclase-phyric Granodioritic Dyke			1			1		1						C00074122	167.57	169.51	1.94	ORIG	<0.005	1.9
			Medium grey, weak qtz+sericite alteration, <3mm subhedral plagioclase phenocrysts, <1mm subhedral hornblende phenocrysts in an aphanitic medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; local carbonate infill on fractures														C00074123	167.57	169.51	1.94	DUP	<0.005	1.4
																	C00074124	169.51	171.51	2.00	CORE	<0.005	0.4
74.70	88.41	BAXX	Interbedded Siltstone and Mudstone								1	2					C00074125	171.51	173.05	1.54	CORE	<0.005	0.7
			black with minor med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets. <1% 5mm py veinlets along bedding and irregular py clots; broken blocky core throughout interval with slippery graphitic fracture selvages	BDG	52												C00074126	173.05	175.05	2.00	CORE	<0.005	0.5
																	C00074127	175.05	177.14	2.09	CORE	<0.005	0.6
88.41	88.80	D/AN	Andesitic Dyke														C00074128	177.14	179.14	2.00	CORE	<0.005	0.3
			Medium to light grey, unaltered, massive, fine grained andesitic dyke with chilled margins														C00074129	179.14	181.00	1.86	CORE	<0.005	0.3
																	C00074130	181.00	181.00	0.00	GS1Z	1.115	91.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
88.80	126.90	BAXX	Interbedded Siltstone and Mudstone black with med grey laminations, massive, weakly graphitic, cross-cut by carbonate veinlets. <1% 5mm py veinlets along bedding and irregular py clots; broken blocky core throughout interval with slippery graphitic fracture selvages								1	2					C00074131 C00074132	181.00 182.00	182.00 184.00	1.00 2.00	CORE CORE	<0.005 <0.005	0.2 <0.2
126.90	128.66	D/AN	Andesitic Dyke Medium to light grey, unaltered, massive, fine grained andesitic dyke with chilled margins														C00074133 C00074134	184.00 185.46	185.46 187.46	1.46 2.00	CORE CORE	<0.005 <0.005	0.2 0.2
128.66	130.52	BAXX	Graphitic Mudstone black with minor med grey laminations, massive, graphitic, 2% coarse blebs of diagenetic pyrite; vfg mudstone; slippery graphitic infill on fracture selvages								1	2					C00074135 C00074136	187.46 188.87	188.87 189.87	1.41 1.00	CORE CORE	<0.005 <0.005	<0.2 0.3
130.52	131.26	D/AN	Andesitic Dyke Medium to light grey, unaltered, massive, fine grained andesitic dyke with chilled margins														C00074137 C00074138	189.87 191.87	191.87 193.22	2.00 1.35	CORE CORE	<0.005 <0.005	<0.2 <0.2
131.26	132.97	D/R3	Dark grey, chloritic, dacitic Dyke Dark greenish-grey, weak perv sil+ser alteration, patchy to banded mod sil+ser alteration, 2% <4mm tabular feldspar phenocrysts; 3% <5mm quartz eyes, 4% dark green subhedral chlorite replaced phenocrysts; in a dark grey dacitic groundmass. Mod to Strong sil+ser alteration at lower contact.			2			2		1						C00074139 C00074140	193.22 195.22	195.22 195.22	2.00 0.00	CORE BLK	<0.005 <0.005	0.7 <0.2
132.97	133.16	BAXX	Graphitic Mudstone black with minor med grey laminations, massive, graphitic, 2% coarse blebs of diagenetic pyrite; vfg mudstone; slippery graphitic infill on fracture selvages								1	2					C00074141 C00074142	195.22 197.22	197.22 199.22	2.00 2.00	CORE CORE	<0.005 <0.005	0.2 0.2
133.16	134.74	D/GR	Plagioclase-phyric Granodioritic Dyke Medium grey, weak qtz+sericite alteration, <3mm subhedral plagioclase phenocrysts, <1mm subhedral hornblende phenocrysts in an aphanitic medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; local carbonate infill on fractures			1			1		1						C00074143 C00074144	199.22 199.22	201.22 201.22	2.00 2.00	ORIG DUP	<0.005 <0.005	0.2 <0.2
134.74	134.80	BAXX	Graphitic Mudstone black with minor med grey laminations, massive, graphitic, 2% coarse blebs of diagenetic pyrite; vfg mudstone; slippery graphitic infill on fracture selvages								1	2					C00074145 C00074146	201.22 203.22	203.22 205.22	2.00 2.00	CORE CORE	<0.005 <0.005	<0.2 0.3
134.80	137.82	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands			2	2		2	1	1	Tr					C00074147 C00074148	205.22 207.22	207.22 209.22	2.00 2.00	CORE CORE	<0.005 <0.005	0.4 0.5
137.82	139.49	FZXX	Annealed white clayey gouge-bearing fault zone Light grey, mod perv sil, weak perv ser altered, graphitic stringer-bearing annealed fault zone with chalk-white clayey gouge infilled fractures at 30 to CA	FLT	30	3			2								C00074149 C00074150	209.22 211.22	211.22 211.22	2.00 0.00	CORE ME1807	<0.005 7.5	0.5 321
139.49	140.62	D/AN	Andesitic Dyke Medium to light grey, unaltered, massive, fine grained andesitic dyke with chilled margins														C00074151 C00074152	211.22 213.22	213.22 215.22	2.00 2.00	CORE CORE	0.044 0.014	0.9 1.4
140.62	142.41	RTXX	Rhyolite/Dacite Pyroclastic Welded Tuff Dark grey, mottled grey green and pale creamy green. Fragments of fine lithic grains, irregular wispy fragments of altered glass and or pumice, local relict irregular shaped gas pockets, general coarsening downwards appearance, rare qtz and carbonate veinlets except as noted. weak graphitic stringer/quartz stockwork with blebby clots of py			2			2			2	Tr				C00074153 C00074154	215.22 217.22	217.22 219.22	2.00 2.00	CORE CORE	0.017 0.008	1.6 0.5
142.41	145.15	D/AN	Andesitic Dyke Medium to light grey, unaltered, massive, fine grained andesitic dyke with chilled margins														C00074155 C00074156	219.22 221.22	221.22 222.19	2.00 0.97	CORE CORE	<0.005 <0.005	0.3 0.6
145.15	152.48	RTXX	Rhyolite/Dacite Pyroclastic Welded Tuff			2			2			2	Tr				C00074157	222.19	224.00	1.81	CORE	<0.005	0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Dark grey, mottled grey green and pale creamy green. Fragments of fine lithic grains, irregular wispy fragments of altered glass and or pumice, local relict irregular shaped gas pockets, general coarsening downwards appearance, rare qtz and carbonate veinlets . weak graphitic stringer/quartz stockwork with blebby clots of py														C00074158	224.00	226.00	2.00	CORE	<0.005	<0.2
152.48	156.86	D/GR	Plagioclase-phyric Granodioritic Dyke Medium grey, weak qtz+sericite alteration, <3mm subhedral plagioclase phenocrysts, <1mm subhedral hornblende phenocrysts in an aphanitic medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; local carbonate infill on fractures			1			1		1						C00074159 C00074160	226.00 227.00	227.00 227.00	1.00 0.00	CORE BLK	<0.005 <0.005	0.6 <0.2
156.86	166.19	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands			2	2		2	1	1	Tr					C00074161 C00074162	227.00 228.75	228.75 230.25	1.75 1.50	CORE CORE	<0.005 0.005	0.7 1.2
166.19	167.57	D/GR	Plagioclase-phyric Granodioritic Dyke Medium grey, weak qtz+sericite alteration, <3mm subhedral plagioclase phenocrysts, <1mm subhedral hornblende phenocrysts in an aphanitic medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; local carbonate infill on fractures			1			1		1						C00074163 C00074164	230.25 231.87	231.87 232.87	1.62 1.00	CORE CORE	<0.005 <0.005	0.5 0.3
167.57	169.24	RTXX	Rhyolite/Dacite Pyroclastic Welded Tuff Dark grey, mottled grey green and pale creamy green. Fragments of fine lithic grains, irregular wispy fragments of altered glass and or pumice, local relict irregular shaped gas pockets, general coarsening downwards appearance, weak graphitic stringer/quartz stockwork with blebby clots of py			2			2			2					C00074165 C00074166	232.87 234.87	234.87 235.95	2.00 1.08	CORE CORE	<0.005 <0.005	0.3 0.3
169.24	169.51	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands			2	2		2	1	1	Tr					C00074167 C00074168	235.95 237.95	237.95 239.95	2.00 2.00	CORE CORE	<0.005 <0.005	0.3 0.6
169.51	173.05	RLXX	Rhyo-dacitic Feldspar Crystal and Lapilli Tuff (3A/3Az) Light and dark grey, pale medium gray banded mod to strong sil+ser overprinting, <lapilli sized dark grey subangular prophyritic lithic fragments (RXPX), subangular to rounded light grey to bleach white aphanitic felsic clasts, in a light grey altered massive rhyo-dacitic groundmass, massive, dark grey quartz veins to graphitic stingers;			3			3			1					C00074169 C00074170	239.95 241.26	241.26 241.26	1.31 0.00	CORE CU190	<0.005 0.668	0.2 9.6
173.05	177.68	RLXA	Quartz+Sericite Altered Rhyo-dacitic Feldspar Crystal and Lapilli Tuff (3A/3Az) Light and dark grey, pale medium gray pervasive mod to strong sil+ser overprinting, <lapilli sized dark grey subangular prophyritic lithic fragments (RXPX), subangular to rounded light grey to bleach white aphanitic felsic clasts, in a light grey altered massive rhyo-dacitic groundmass, massive, dark grey quartz veins to graphitic stingers; <2% vfg blebby py in groundmass			4			4			2					C00074171 C00074172	241.26 241.26	242.26 242.26	1.00 1.00	ORIG DUP	<0.005 <0.005	0.2 0.2
			177.14 177.68 <30cm strong silica flooded band; cherty appearance with black graphitic spots														C00074173	242.26	244.26	2.00	CORE	<0.005	0.2
																	C00074174 C00074175	244.26 246.26	246.26 248.26	2.00 2.00	CORE CORE	<0.005 <0.005	0.2 0.2
177.68	182.00	RLXX	Rhyo-dacitic Feldspar Crystal and Lapilli Tuff (3A/3Az)			3			3			1					C00074176	248.26	250.26	2.00	CORE	<0.005	0.2

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light and dark grey, pale medium gray banded mod to strong sil+ser overprinting, <lapilli sized dark grey subangular prophyritic lithic fragments (RXPX), subangular to rounded light grey to bleach white aphanitic felsic clasts, in a light grey altered massive rhyo-dacitic groundmass, massive, dark grey quartz veins to graphitic stingers; Blocky core throughout interval														C00074177	250.26	251.51	1.25	CORE	<0.005	0.2
182.00	185.96	RLXA	Quartz+Sericite Altered Rhyo-dacitic Feldspar Crystal and Lapilli Tuff (3A/3Az)			4			4			2					C00074178	251.51	253.51	2.00	CORE	<0.005	0.4
			Fragments of Light and dark grey, pale medium gray pervasive mod to strong silica flooded laminated cherty-looking bands, sil+ser overprinting, <lapilli sized dark grey subangular prophyritic lithic fragments (RXPX), subangular to rounded light grey to bleach white aphanitic felsic clasts, in a light grey altered massive rhyo-dacitic groundmass, massive, dark grey quartz veins to graphitic stingers; <2% vfg blebby py in groundmass; Blocky core throughout interval.														C00074179	253.51	255.05	1.54	CORE	<0.005	0.4
185.96	189.87	RTXX	Rhyolite/Dacite Pyroclastic Welded Tuff			2			2			1					C00074180	255.05	255.05	0.00	BLK	<0.005	<0.2
			light to medium grey, mottled grey green and pale creamy green. Fragments of fine lithic grains, irregular wispy fragments of altered glass and or pumice, in an aphanitic dacitic groundmass														C00074181	255.05	257.05	2.00	CORE	<0.005	0.4
189.87	193.22	D/RD	Aphanitic Dacitic Dyke														C00074182	257.05	258.60	1.55	CORE	<0.005	0.3
			Light grey, unaltered, trace carbonate infilled amygdales, aphanitic andesitic dyke; chilled margin on undulating upper contact at 25 TCA	DK	25												C00074183	258.60	259.60	1.00	CORE	<0.005	0.2
193.22	222.19	RTXX	Rhyolite/Dacite Pyroclastic Welded Tuff			2			2			1					C00074184	259.60	260.60	1.00	CORE	<0.005	0.2
			Light-medium grey, mottled grey green and pale creamy green. Fragments of fine lithic grains, irregular wispy fragments of altered glass and or pumice, local relict irregular shaped gas pockets, general coarsening downwards appearance, weak graphitic stringer/quartz stockwork with blebby clots of py														C00074185	260.60	262.47	1.87	CORE	<0.005	0.2
			194.66 197.07 Hematic replacement of phenocrysts in interval			2			2								C00074186	262.47	263.18	0.71	CORE	<0.005	0.3
222.19	226.00	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074187	263.18	265.18	2.00	CORE	<0.005	0.5
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins at low angle to core axis; light green chlorite alteration bands														C00074188	265.18	267.18	2.00	CORE	<0.005	0.4
226.00	228.75	FZXX	Brittle Deformation Zone														C00074189	267.18	268.42	1.24	CORE	<0.005	0.2
			Blocky to Rubbly, RXPX lithic fragments with abundant bleached rhyolitic clasts in a dark grey dacitic groundmass, local rock floor and gouge infill in fractures; weak quartz carbonate stockwork				2										C00074190	268.42	268.42	0.00	GS1Z	1.125	92.5
228.75	232.87	RLPA	Welded Latite Crystal Tuff Flow Breccia			2			2			3					C00074191	268.42	269.42	1.00	CORE	0.005	1
			Dark grey, patchy weak ser+sil alteration; 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey in a dark grey to black fg groundmass; 1% py as wispy stringers and 2% py as vfg disseminated blebs; weak quartz carbonate stockwork locally with <2cm RLPZ clast-bearing quartz carbonate veins														C00074192	269.42	271.42	2.00	CORE	<0.005	0.5
232.87	235.95	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074193	271.42	272.87	1.45	ORIG	<0.005	<0.2

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins; light green chlorite alteration bands															C00074194	271.42	272.87	1.45	DUP	<0.005	<0.2
235.95	242.46	RLPA	Welded Latite Crystal Tuff Flow Breccia			2			3			3					C00074195	272.87	274.00	1.13	CORE	<0.005	<0.2
			Dark grey, patchy mod ser, wk sil alteration; 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey in a dark grey to black fg groundmass; 1% py as wispy stringers and 2% py as vfg disseminated blebs; weak quartz carbonate stockwork locally with <2cm RLPZ clast-bearing quartz carbonate veins													C00074196	274.00	276.00	2.00	CORE	<0.005	0.2
242.46	251.51	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074197	276.00	277.96	1.96	CORE	<0.005	0.4
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins ; light green chlorite alteration bands; fractured with white greasy micaceous gouge on fractures													C00074198	277.96	279.96	2.00	CORE	<0.005	0.3
251.51	255.05	RXPX	Welded Latite Crystal Tuff Flow			1	1		1		1	1					C00074199	279.96	281.96	2.00	CORE	<0.005	0.2
			Dark grey, patchy weak ser, wk sil alteration overall but elevated to mod at upper and lower contact with dacitic dykes; 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey in a dark grey to black fg groundmass; 1% py as vfg disseminated blebs; weak quartz carbonate stockwork; reddish white pyrite-bearing red zeolite?-bearing veinlet; local micaceous greasy gouge on fractures.													C00074200	281.96	281.96	0.00	BLK	<0.005	<0.2
255.05	259.6	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074201	281.96	283.13	1.17	CORE	<0.005	0.3
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins ; light green chlorite alteration bands; fractured with white greasy micaceous gouge on fractures													C00074202	283.13	285.13	2.00	CORE	<0.005	0.4
259.6	262.47	RLPX	Welded Latite Crystal Tuff Flow Breccia			1	1		1		1	1					C00074203	285.13	286.51	1.38	CORE	<0.005	0.2
			Dark grey, patchy weak ser, wk sil alteration overall but elevated to mod at upper and lower contact with dacitic dykes; 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey in a dark grey to black fg groundmass; 1% py as vfg disseminated blebs; weak quartz carbonate stockwork; reddish white pyrite-bearing red zeolite?-bearing veinlet; local micaceous greasy gouge on fractures.													C00074204	286.51	287.51	1.00	CORE	<0.005	0.5
262.47	263.18	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074205	287.51	288.85	1.34	CORE	<0.005	0.3
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins, black graphitic stringers, fractured with white greasy micaceous gouge on fractures													C00074206	288.85	290.15	1.30	CORE	<0.005	0.2
263.18	272.87	RLPX	Welded Latite Crystal Tuff Flow Breccia			1	1		1		1	1					C00074207	290.15	291.55	1.40	CORE	<0.005	0.2

Depth (m) From	To	Code	DESCRIPTION	STRUCTURE Type	Angle	ALTERATION (1-5) Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	MINERALIZATION (%) Py	Sph	Gn	Cpy	Other	SAMPLES Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Dark grey, patchy weak ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey in a dark grey to black fg groundmass; 1% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos local micaceous greasy gouge on fractures; <10cm dacitic dyke screens proximal to lower contact.														C00074208	291.55	293.24	1.69	CORE	<0.005	0.2
			269.42 269.72 D/R1 screen; Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins, black graphitic stringers			2	2		2	1	1	Tr					C00074209	293.24	294.18	0.94	CORE	<0.005	<0.2
272.87	274	D/R3	Dark grey, chloritic, dacitic Dyke Dark greenish-grey, weak perv sil+ser alteration, patchy to banded mod sil+ser alteration, 2% <4mm tabular feldspar phenocrysts; 3% <5mm quartz eyes, 4% dark green subhedral chlorite replaced phenocrysts; in a dark grey dacitic groundmass. Mod to Strong sil+ser alteration at lower contact.			2			2		1						C00074210 C00074211	294.18 294.18	294.18 295.45	0.00 1.27	CORE CORE	8 0.006	314 0.3
																	C00074212	295.45	296.45	1.00	CORE	<0.005	0.2
274	277.96	RLPX	Welded Latite Crystal Tuff Flow Breccia Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey in a dark grey to black fg groundmass; 1% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos local micaceous greasy gouge on fractures; <10cm dacitic dyke screens proximal to lower contact.			1	1		1		1	1					C00074213 C00074214	296.45 297.63	297.63 298.25	1.18 0.62	CORE CORE	<0.005 <0.005	0.2 <0.2
			277.40 277.53 D/R1 screen; Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins, black graphitic stringers														C00074215	298.25	299.79	1.54	CORE	<0.005	0.2
277.96	283.13	D/R2	Quartz Feldspar Porphyritic Dacitic Dyke			3			3	1		1					C00074216	299.79	300.79	1.00	CORE	<0.005	0.3
			Light tan, mod ser+sil altered, 10% 7mm quartz eyes, 10% 7mm subhedral tabular paritally altered plagioclase phenocrysts; 5% angular rhyolitic lapilli-sized lithic fragments, vfg chloritic flecks throughout groundmass; strong flow banding textures; <1% vfg py												C00074217	300.79	302.79	2.00	CORE	<0.005	<0.2
283.13	288.85	RXPX	Welded Latite Crystal Tuff Flow Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey lithic fragments in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos .			3			3		1	2					C00074218 C00074219	302.79 304.80	304.80 306.80	2.01 2.00	CORE CORE	<0.005 <0.005	0.3 <0.2
288.85	291.55	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074220	306.80	306.80	0.00	BLK	<0.005	<0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins, black graphitic stringers, fractured with white greasy micaceous gouge on fractures													C00074221	306.80	308.80	2.00	CORE	<0.005	<0.2
			290.85 291.15 D/AN, beige altered calcite amygdale-bearing, magnetic, aphanitic andesitic dyke screen														C00074222	308.80	310.80	2.00	CORE	<0.005	<0.2
291.55	293.24	D/AN	Andesitic Dyke														C00074223	310.80	311.70	0.90	CORE	<0.005	0.7
			Medium to dark green, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074224	311.70	313.70	2.00	ORIG	<0.005	0.2
293.24	295.45	D/R1	Quartz Eye-bearing Dacitic Dyke			2	2		2	1	1	Tr					C00074225	311.70	313.70	2.00	DUP	<0.005	0.3
			Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins, black graphitic stringers, fractured with white greasy micaceous gouge on fractures														C00074226	313.70	315.06	1.36	CORE	<0.005	0.5
			294.02 294.18 D/AN screen														C00074227	315.06	317.06	2.00	CORE	<0.005	<0.2
295.45	297.63	RXPX	Welded Latite Crystal Tuff Flow			2			2		1	2					C00074228	317.06	319.06	2.00	CORE	<0.005	<0.2
			Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey lithic fragments in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos .													C00074229	319.06	321.06	2.00	CORE	<0.005	<0.2
297.63	298.25	D/AN	Andesitic Dyke								1						C00074230	321.06	321.06	0.00	CU190	0.687	10.3
			Medium to dark green, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074231	321.06	323.06	2.00	CORE	<0.005	0.2
298.25	300.79	RLPX	Welded Latite Crystal Tuff Flow Breccia			2			2		1	2					C00074232	323.06	324.42	1.36	CORE	<0.005	0.2
			Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey lithic fragments in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos .													C00074233	324.42	326.13	1.71	CORE	<0.005	0.3
300.79	311.7	D/GR	Plagioclase-phyric Granodioritic Dyke			1			1		1	1					C00074234	326.13	327.13	1.00	CORE	0.005	0.9
			Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures														C00074235	327.13	329.13	2.00	CORE	0.005	0.6
311.7	315.06	RLPX	Welded Latite Crystal Tuff Flow Breccia			2	2		2		3	2					C00074236	329.13	330.46	1.33	CORE	<0.005	<0.2

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of plagioclase-phyric dark grey lithic fragments in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; mod quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos .trace hemetic quartz veinlets													C00074237	330.46	332.46	2.00	CORE	0.008	0.4
315.06	324.42	D/GR	Plagioclase-phyric Granodioritic Dyke Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures			1			1		1	1					C00074238 C00074239	332.46 334.46	334.46 336.46	2.00 2.00	CORE CORE	<0.005 <0.005	0.2 0.3
324.42	327.13	RXPX	Welded Latite Crystal Tuff Flow Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos, 2% py-infill in quartz carbonate veinlets			2			2		1	4					C00074240 C00074241	336.46 336.46	336.46 337.46	0.00 1.00	BLK CORE	<0.005 0.022	<0.2 <0.2
327.13	330.46	D/GR	Plagioclase-phyric Granodioritic Dyke Light tan to medium grey, Patchy to banded qtz+sericite alteration, preferential ser alteration in plagioclase phenocrysts (ghosted plag); 3% subhedral to anhedral hornblende phenocrysts in an aphanitic beige to medium grey groundmass; cross-cut by trace clean quartz+carbonate veins; carbonate infill and strong fe-oxidation on fractures			1			1		1	1					C00074242 C00074243	337.46 338.46	338.46 339.46	1.00 1.00	CORE CORE	<0.005 <0.005	0.3 0.2
330.46	361.44	RXPX	Welded Latite Crystal Tuff Flow Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos, 2% py-infill in quartz carbonate veinlets			2	2		2		1	4					C00074244 C00074245	339.46 340.46	340.46 341.46	1.00 1.00	CORE CORE	0.006 0.005	0.9 0.8
361.44	369.97	D/R1	Quartz Eye-bearing Dacitic Dyke Greenish Tan mottled, <5% <2mm quartz eyes, 3% white subhedral to anhedral 1mm plagioclase phenocrysts in a tan aphanitic groundmass. Cross-cut by <1cm vfg disseminated py-bearing, vuggy quartz +/- carb veins, black graphitic stringers, fractured with white greasy micaceous gouge on fractures			2	2		2	1	1	Tr					C00074246 C00074247	341.46 341.46	342.46 342.46	1.00 1.00	ORIG DUP	<0.005 <0.005	0.3 0.5
369.97	374.51	RLPA	Quartz+Sericite Altered Welded Latite Crystal Tuff Flow Dark grey, patchy mod sil+ser alteration; 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of RXPX plagioclase-phyric dark grey in a dark grey to black fg groundmass; 1% py as wispy stringers and 2% py as vfg disseminated blebs; weak quartz carbonate stockwork locally with py+cpy?-bearing quartz carbonate veins			2	2		3			4					C00074248 C00074249	342.46 343.46	343.46 344.46	1.00 1.00	CORE CORE	0.005 0.028	0.8 11.9

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
374.51	376.2	RXPX	Welded Latite Crystal Tuff Flow			2	2		2		1	3					C00074250	344.46	344.46	0.00	GS1Z	1.11	95.8
			Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos, 2% py-infill in quartz carbonate veinlets												C00074251	344.46	345.46	1.00	CORE	<0.005	0.2
376.2	382.79	RLPA	Quartz+Sericite Altered Welded Latite Crystal Tuff Flow Breccia			3			3			3					C00074252	345.46	346.47	1.01	CORE	<0.005	0.4
			Dark grey, patchy mod ser+sil alteration; 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of unaltered RXPX plagioclase-phyric dark grey in a tan altered, medium grey fresh, fg groundmass; 1% py as wispy stringers and 2% py as vfg disseminated blebs; weak quartz carbonate stockwork locally with <2cm RLPZ clast-bearing quartz carbonate veins												C00074253	346.47	347.47	1.00	CORE	0.005	<0.2
382.79	386.13	RXPX	Welded Latite Crystal Tuff Flow			2	2		2		1	3					C00074254	347.47	348.47	1.00	CORE	<0.005	<0.2
			Dark grey to creamy beige, patchy strong (texture destroying) ser, wk sil alteration, patchy creamy quartz carbonate alteration halos around quartz carbonate veinlets, 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; in a dark grey to black fg groundmass; 2% py as vfg disseminated blebs; weak quartz carbonate stockwork; local graphitic stringers associated with creamy white alteration halos, 2% py-infill in quartz carbonate veinlets												C00074255	348.47	350.47	2.00	CORE	<0.005	<0.2
386.13	389.63	RLPA	Quartz+Sericite Altered Welded Latite Crystal Tuff Flow Breccia			3			3			3					C00074256	350.47	352.47	2.00	CORE	<0.005	0.2
			Dark grey, patchy mod ser+sil alteration; 20% eroded subhedral plagioclase-crystal clasts (liberated crystals), angular to subangular lithic fragment clasts of light grey aphanitic fg felsic volcanics; Clasts of unaltered RXPX plagioclase-phyric dark grey in a tan altered, medium grey fresh, fg groundmass; 1% py as wispy stringers and 2% py as vfg disseminated blebs; weak quartz carbonate stockwork locally with <2cm RLPZ clast-bearing quartz carbonate veins												C00074257	352.47	354.47	2.00	CORE	<0.005	0.2
389.63	390.01	D/AN	Andesitic Dyke								1						C00074258	354.47	356.47	2.00	CORE	0.01	0.2
			Medium to dark green, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074259	356.47	358.47	2.00	CORE	0.005	0.2
390.01	399.87	MXX1	Foliated Lattite Flow and Welded Tuff			2			1		1	Tr					C00074260	358.47	358.47	0.00	BLK	<0.005	<0.2
																	C00074261	358.47	359.47	1.00	CORE	<0.005	0.3
			20cm interval of bull quartz and bull quartz vein fragments at upper contact, strong silica flooding emanating from quartz vein until 390.68m; Light green, sil+ser altered, <0.8mm, plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local light green vfg welded tuff with a prominent foliation at 65 to CA																				
			393.44 395.14														C00074262	359.47	360.47	1.00	CORE	<0.005	0.2
			Welded tuff, light green foliated, ser+sil altered dacitic welded tuff			1			1														
			398.21 398.67 D/AN; Medium to dark green, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074263	360.47	361.44	0.97	CORE	<0.005	0.3
																	C00074264	361.44	363.44	2.00	CORE	<0.005	<0.2
																	C00074265	363.44	365.44	2.00	CORE	<0.005	<0.2
399.87	400.83	D/AN	Andesitic Dyke								1						C00074266	365.44	367.44	2.00	CORE	<0.005	0.2
			Medium to dark green, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074267	367.44	368.81	1.37	CORE	<0.005	0.3
400.83	402.75	MXX1	Foliated Lattite Flow and Welded Tuff			1			1		1	Tr					C00074268	368.81	369.97	1.16	CORE	<0.005	0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light green, sil+ser altered, <0.8mm, plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local light green vfg welded tuff with a prominent foliation at 65 TCA														C00074269	369.97	370.74	0.77	CORE	<0.005	0.5
402.75	407	FZXX	Brittle Deformation Zone							1	1						C00074270	370.74	370.74	0.00	ME1807	7.74	315
			Blocky to rubbly core MXX1 core fragments (Light green, sil+ser altered, <0.8mm, plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass.), fresh to trace rock flour on fractures; local carbonate+/-chlorite infill on fractures														C00074271	370.74	371.74	1.00	CORE	<0.005	0.6
407	410.86	MXX1	Foliated Lattite Flow and Welded Tuff			1			1		1	Tr					C00074272	371.74	372.74	1.00	CORE	<0.005	0.4
			Light green, sil+ser altered, <0.8mm, plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local light green vfg welded tuff with a prominent foliation at														C00074273	372.74	374.51	1.77	CORE	0.005	0.3
410.86	414.35	D/AN	Andesitic Dyke								1						C00074274	374.51	376.20	1.69	CORE	<0.005	<0.2
			Medium to dark green, dark greenish-grey chilled margins, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074275	376.20	377.20	1.00	CORE	<0.005	0.2
414.35	420.88	D/GR	Plagioclase-phyric Granodioritic Dyke			Tr			Tr	2	Tr						C00074276	377.20	378.20	1.00	ORIG	<0.005	<0.2
			medium grey, 15% <2mm plagioclase phenocrysts; 3% subhedral to anhedral chlorite-replaced, hornblende phenocrysts in an greenish grey groundmass; <6cm subangular microdioritic xenoliths, <2cm subangular plagioclase phyric andesitic clasts, in a medium grey groundmass														C00074277	377.20	378.20	1.00	DUP	<0.005	<0.2
420.88	426.65	D/AN	Andesitic Dyke								1						C00074278	378.20	379.20	1.00	CORE	<0.005	0.4
			Medium to dark green, dark greenish-grey chilled margins, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074279	379.20	380.20	1.00	CORE	<0.005	0.2
426.65	431.53	MXXA	Quartz+Sericite Stockwork-bearing Lattite Flow and Welded Tuff			3	2		3		2						C00074280	380.20	380.20	0.00	BLK	<0.005	<0.2
			Beige tan to light green, patchy mod sil+ser altered, weak carbonate alteration <0.8mm, local ghosted plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local light green to tan patchy mod sil+ser altered vfg welded tuff; High Angle dark grey pyrite-bearing quartz veins; dark grey to black graphitic stringers associated with creamy-white quartz+sericite+/-carb alt.														C00074281	380.20	381.20	1.00	CORE	<0.005	<0.2
431.53	432.94	D/AN	Andesitic Dyke								1						C00074282	381.20	382.79	1.59	CORE	<0.005	<0.2
			Medium to dark green, dark greenish-grey chilled margins, calcite amygdale-bearing, aphanitic andesitic dyke, cross-cut by carbonate veining.														C00074283	382.79	383.79	1.00	CORE	<0.005	<0.2
432.94	433.69	MXXA	Quartz+Sericite Stockwork-bearing Lattite Flow and Welded Tuff			3	2		3		2						C00074284	383.79	384.79	1.00	CORE	0.023	0.2
			Beige tan to light green, patchy mod sil+ser altered, weak carbonate alteration <0.8mm, local ghosted plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local light green to tan patchy mod sil+ser altered vfg welded tuff; High Angle dark grey pyrite-bearing quartz veins; dark grey to black graphitic stringers associated with creamy-white quartz+sericite+/-carb alt.														C00074285	384.79	386.13	1.34	CORE	<0.005	0.2
433.69	434.68	D/AP	Plagioclase and Hornblende-phyric Andesitic Dyke								Tr						C00074286	386.13	387.13	1.00	CORE	<0.005	0.3
			Dark grey, mottled, <4% subhedral tabular plagioclase phenocrysts, 3% anhedral dark green hornblende phenocrysts, <3mm calcite infilled amygdales, in an aphanitic andesitic groundmass; cross-cut by carbonate veinlets														C00074287	387.13	388.63	1.50	CORE	<0.005	<0.2
434.68	444.08	MXX1	Foliated Lattite Flow and Welded Tuff			1			1		1	Tr					C00074288	388.63	390.01	1.38	CORE	<0.005	0.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light green, locally maroon, sil+ser altered, <0.8mm, plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local beige/maroon vfg welded dacitic tuff with a prominent foliation at 60 TCA, layer of coarse lithic fragment to fine grained tuff partitioned by maroon tuffaceous beds (fining upwards within bed, volcanic activity waning over course of individual bed, possible tops uphole)	BDG	60												C00074289	390.01	391.00	0.99	CORE	<0.005	0.2
444.08	445.13	MXXA	Quartz+Sericite Stockwork-bearing Lattite Flow and Welded Tuff			3	1		3		2						C00074290	391.00	391.00	0.00	CU190	0.675	9.4
			White to Beige tan, patchy mod sil+ser altered, weak carbonate alteration <0.8mm, local ghosted plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local light green to tan patchy mod sil+ser altered vfg welded tuff; dark grey pyrite-bearing quartz vein stockwork cross-cut by clean high angle quartz veinlets, bull quartz hydrothermal breccia at upper contact													C00074291	391.00	393.00	2.00	CORE	<0.005	<0.2
445.13	448.06	MXX1	Foliated Lattite Flow and Welded Tuff		1				1		1	Tr					C00074292	393.00	395.00	2.00	CORE	<0.005	0.2
			Light green, sil+ser altered, <0.8mm, plagioclase-phyric, dacitic flow clasts that are oriented along foliation, supported in a light green dacitic fg groundmass. Local light green vfg welded tuff with a prominent foliation at														C00074293	395.00	397.00	2.00	CORE	<0.005	<0.2
			448.06 EOH														C00074294	397.00	398.67	1.67	CORE	<0.005	0.3
																	C00074295	398.67	399.87	1.20	CORE	<0.005	<0.2
																	C00074296	399.87	400.83	0.96	CORE	<0.005	<0.2
																	C00074297	400.83	402.75	1.92	CORE	<0.005	<0.2
																	C00074298	402.75	405.00	2.25	CORE	<0.005	<0.2
																	C00074299	405.00	407.00	2.00	CORE	<0.005	<0.2
																	C00074300	407.00	407.00	0.00	BLK	<0.005	<0.2
																	C00074301	407.00	409.00	2.00	CORE	<0.005	<0.2
																	C00074302	409.00	410.86	1.86	CORE	<0.005	0.2
																	C00074303	410.86	413.00	2.14	CORE	<0.005	0.4
																	C00074304	413.00	414.35	1.35	CORE	<0.005	0.4
																	C00074305	414.35	416.35	2.00	CORE	<0.005	<0.2
																	C00074306	416.35	418.35	2.00	CORE	<0.005	<0.2
																	C00074307	418.35	419.87	1.52	ORIG	<0.005	0.2
																	C00074308	418.35	419.87	1.52	DUP	<0.005	<0.2
																	C00074309	419.87	420.88	1.01	CORE	<0.005	<0.2
																	C00074310	420.88	420.88	0.00	GS1Z	1.205	89.4
																	C00074311	420.88	422.88	2.00	CORE	<0.005	0.2
																	C00074312	422.88	424.88	2.00	CORE	<0.005	<0.2
																	C00074313	424.88	426.65	1.77	CORE	<0.005	<0.2
																	C00074314	426.65	428.65	2.00	CORE	0.013	0.7
																	C00074315	428.65	429.65	1.00	CORE	0.019	2.8
																	C00074316	429.65	431.53	1.88	CORE	<0.005	0.3
																	C00074317	431.53	432.94	1.41	CORE	<0.005	<0.2
																	C00074318	432.94	434.68	1.74	CORE	<0.005	0.3
																	C00074319	434.68	436.60	1.92	CORE	<0.005	<0.2
																	C00074320	436.60	436.60	0.00	BLK	<0.005	<0.2
																	C00074321	436.60	438.60	2.00	CORE	<0.005	<0.2
																	C00074322	438.60	440.60	2.00	CORE	<0.005	<0.2
																	C00074323	440.60	442.60	2.00	CORE	<0.005	<0.2
																	C00074324	442.60	444.08	1.48	CORE	<0.005	0.3
																	C00074325	444.08	445.13	1.05	CORE	0.009	0.9
																	C00074326	445.13	446.13	1.00	CORE	0.006	0.3
																	C00074327	446.13	448.06	1.93	CORE	<0.005	1

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2236

Easting:	437106	**Azi (deg):**	45	**Start:**	09-Sep-20
Northing:	6221123	**Dip (deg):**	-50	**Finish:**	11-Sep-20
Elev (m):	1145	**Length (m):**	315.16	**Logged by:**	DS
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	Silver Hill	**Pad:**	SH-01	**Area:**	Silver Hill
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

D

Depth (m) From	Depth (m) To	Code	DESCRIPTION	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5) Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	MINERALIZATION (%) Py	Sph	Gn	Cpy	Other	SAMPLES Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	C00074328	3.94	5.95	2.01	CORE	0.022	2.3
0.00	3.05	WCAS	**Casing**														C00074329	5.95	8.00	2.05	ORIG	0.006	3.3
			Overburden														C00074330	8.00	8.00	0	ME1807	7.46	328
3.05	3.94	D/AX	**Massive Andesitic Dyke**														C00074331	5.95	8.00	2.05	DUP	0.006	3.3
			Med gry, vfg, massive, weakly chl and sil altered dykke. Fg chl and carb flecks. Top and base of unit are bleached, weakly silicified. 1% carbonate veinlets and hairline stringers, planar to undulating. FeOx on fractures. LCT chilled, bleached, FeOx stained. No orientation line for lower contact.	LCT	83	1				1							C00074332	8.00	10.00	2.00		0.006	0.4
3.94	8.00	BAXX	**Graphitic Pebble-Bearing Gravel Conglomerate with Dykes**														C00074333	58.81	60.81	2.00	CORE	<0.005	1
			Dark grey, poorly-sorted, subrounded, gravel to clay sized, foliated, graphitic pebble-bearing conglomerate. Clasts appear to have been flattened, bedding not visible, lighter gry, primarily qz. Matrix-supported. Core fairly broken, FeOx on fracture surfaces. Unit cut by numerous andesitic dykes identical to previous unit. 10% veining, primarily multistage dark grey to white qz-carb veining, also md gry carb veining occurring disarticulated to undulating. 3% py, fg to vfg, euhedral to subhedral mostly disseminated in lith metallic to submetallic (likely diagenetic). Some blebs and aggregates of metallic py in CVs and QCVs. Tr anhedral tan sph accompanied by metallic vfg gn in multistage, vuggy, QCV. LCT uneven, jagged, irregular.			1	1			1	1	3	Tr	Tr			C00074334	60.81	62.81	2.00	CORE	0.026	2.1
	5.00	5.44	Andesite dyke	LCT	42												C00074335	62.81	64.81	2.00	CORE	0.006	1.2
	5.44	5.65	Minor fault, str FeOx staining, fault breccia, short interval B/AXX within unit	LCT	74												C00074336	64.81	66.81	2.00	CORE	<0.005	0.5
	5.65	5.95	Buff, heavily bleached, 30% multistage qcvs. Earlier stage of dyke?	LCT	60	1	2				1						C00074337	66.81	68.81	2.00	CORE	<0.005	0.8
	6.80	7.57	Dyke, bleached, upper contact jagged, irregular. Hard white nodules, minor effervescense with addition of acid. Later stage of dyke?	LCT	53	2	1				1						C00074338	68.81	70.81	2.00	CORE	<0.005	<0.2
8.00	24.63	D/GR	**Porphyritic Feldspar-Phyric Granodiorite Dyke**														C00074339	70.81	72.28	1.47	CORE	0.009	14.1
			Mottled Tan to buff to pale salmon with dark green flecks, mg to vfg, porphyritic, fp-qz-phyric, weakly silicified, granodiorite dyke. Bleached intervals throughout unit. Vfg K-spar in matrix gives dyke salmon color. Plag white to light gry, mg to fg, euhedral to anhedral, 10% of unit. Dark green chloritic flecks throughout, fg, likely replacing hbl. . 2% veining, mostly white to light gry hairline cvs and veinlets disarticulated to planar also planar to undulating white and medium gry qcvs. FeOx on fracture surfaces. Lower contact is a baked dyke contact where dyke has been intruded by another dyke.		24.63	1	1			1	1						C00074340	72.28	72.28	0.00	BLK	<0.005	<0.2
24.63	25.69	D/R1	**Flow-Banded Quartz-Eye bearing Dacitic Dyke**														C00074341	72.28	74.08	1.80	CORE	<0.005	0.8

					Tan to cream, to light pastel green to light purplish brown, mg to vfg, flow banded, quartz-eye bearing, weak to moderately ser-sil altered weak chl altered dacitic dyke. Alteration is banded. Flow banding gives dyke texture similar in appearance to surface of Jupiter. 8% qz-eye, subrounded to rounded, mg to fg. <1% veining, primarily planar light grey carb veinlets, some Tr vfg metallic py disseminated in lith. Manganese dendrites on fracture surfaces. Lower contact planar, , chilled.		2			2	1	1	Tr				C00074342	74.08	75.88	1.80	CORE	<0.005	0.2
25.69	27.03	D/GR	**Porphyritic Fp-Phyric Granodiorite Dyke**												C00074343	75.88	77.68	1.80	CORE	<0.005	0.2
					Medium brownish gry, mg to fg, porphyritic, wk ser-sil and chl altered, fp-phyric granodiorite dyke. Plag is white to med grey, mg to fg, euhedral to anhedral, occasionally showing twinning, making up 6% of unit. Grn chl flecks likely replacing hbl make up 1% of unit. Ser alt strongest at base of unit. <1% veining, primarily hairline carb stringers. Lower contact chilled.		1			1	1					C00074344	77.68	79.30	1.62	CORE	<0.005	0.6
27.03	28.80	BAXX	**Graphitic Pebble-Bearing Gravel Conglomerate**												C00074345	79.30	81.30	2.00	CORE	0.007	1.2
					Dk gry to black, clay to pebble sized, poorly sorted, subrounded, foliated, pebble bearing gravel carbonaceous conglomerate. Clasts flattened. Bedding overprinted by foliation. Clasts lighter grey, primarily qz. Chl rims around some clasts. 1% multiphase lt gry carb and qz-carb veining, occurring planar to boudinaged. 1% submetallic aggregates of py, in lith, and within veining. Lower contact uneven, irregular.					1	1	1				C00074346	81.30	83.30	2.00	CORE	0.005	1
28.80	43.49	D/R2	**Porphyritic Quartz-Feldspar-Phyric Dacitic Dyke**												C00074347	83.30	85.26	1.96	CORE	<0.005	0.5
					Light tan to cream, mg to vfg, porphyritic, wk ser altered qz-feldspar-phyric dacitic dyke. 5% fp, mg to fg, white to lt gry, euhedral to anhedral. Qz is transluscent, fg to mg, euhedral to anhedral, making up 7% of unit. Ser alt in vein halos. FeOx staining on fractures. 1% veining, primarily reddish-brown stained vuggy quartz-carb veining. Possible vfg metallic sulfosalts within qz-carb vein. Chloritic hairline veinlets. Tr vfg metallic py disseminated in lith. Lower contact irregular, chilled.			1		1	1	1	Tr			C00074348	85.26	87.30	2.04	CORE	0.006	0.9
			28.90	29.31	Bleached, wk to moderately sil altered, massive, hbl-phyric andesitic dyke. Wk pervasive chl alt where not bleached. Hbl blk, fg, rare, euhedral o anhedral, chl replaced.		2				1	1				C00074349	87.30	89.30	2.00	CORE	0.011	0.9
43.49	47.47	BAXX	**Graphitic Gravel-Bearing Argillite**												C00074350	89.30	89.30	0.00	CU190	0.708	9.1
					Black to med grey, foliated, moderately sorted, subrounded foliated, med sand to gravel-bearing graphitic argillite. Polymictic, clasts lighter gry than surrounding matrix or black, darker grey than surrounding matrix. Light gry carbonate splotches up to 2 cm, effervess vigorously with addition of acid. 20% veining. Lower contact overprinted by large multistage white to med-gry low angle to core axis multistage quartz-carb vein. Also white to light gry planar to undulating carb veining.		2				2					C00074351	89.30	91.30	2.00	ORIG	0.005	1
			46.84	47.47	Large low angle to core axis, med-gry, qz-carb vein.											C00074352	89.30	91.30	2.00	DUP	0.009	0.5
47.47	62.81	RTXX	**Rhyolitic/Dacitic Lapilli Bearing Ash Tuff**												C00074353	91.30	93.30	2.00	CORE	<0.005	0.7
					Light to medium to dark gry, moderately well sorted, foliated, lapilli bearing Dilsworth ash tuff. Lapilli are black, aligned, surbrounded to subangular, porphyritic with light gry specks likely anhedral fp. Wk chl alt associated with veining. Patch of wk to mod eocene silicification associated with multistage qz-carb vein. 3% veining, planar to undulating yellowish white qz-carb veining. Also light to dark gry undulating to disarticulated carb-veining and vuggy light gry to white carb veining. Possible sulfosalts in vuggy qz-veining, occurring black, submetallic, dendritic with py. Tr anhedral tan wispy sph in qz-carb-chl vein likely remobilized. Tr blebby anhedral metallic py in qz-carb vein. Base of unit lighter gry, moderately ser altered, dyke contact. LCT approximate, Bx 15 was dropped.		1	1		1	1	1	Tr	Tr		C00074354	93.30	95.30	2.00	CORE	0.014	2.4
			55.69	56.08	Patch of wk to mod eocene silicification associated with multistage qz-carb vein.		2									C00074355	95.30	97.30	2.00	CORE	0.024	3.1

62.81	79.30	D/GR	**Bleached Feldspar-Phyric Granodiorite Dyke**																						
			Buff to mottled tan to greenish tan, vfg to mg, porphyritic, wk to moderately silicified feldspar-phyric granodiorite dyke. Chl flecks, likely replacing hbl. Bleaching and moderate sil pervasive through most of unit. Tr sph and Gn, occurring in qz and qz-carb veining. Sph is fg, tan, anhedral, blebby. Gn occurrs around sph. Tr blebby Mo in two white to med gry to light pink qz-carb veins. Sph, and blebby metallic py also in vein. Some blebby fg anhedral metallic py in other quartz and quartz-carb veins. 3% veining, mostly bleached white carb veining occurring planar to disarticulated, Also undulating to sheared med grey to yellowish white qz-carb veins occurring irregular to brecciated to planar to sheared. Lower contact is a chilled dyke contact.																						
				62.81	63.27	Andesitic dyke, base of dyke bleached, silicified, pervasive wk chl alt. 2% white qz veining.																			
				64.69	64.95	Speckled, wk to mod chl alt.																			
79.30	85.26	RLPX	**Weak to Moderately Stockwork Veined Dilsworth Welded Lapilli Tuff**																						
			Black to med grey, poorly sorted, polyclastic, subangular, feldspar-phyric welded lapilli tuff. Occasional purplish brown agglomerate sized pyroclasts. Clast supported, matrix black. Euhedral to subhedral light gry feldspars crystallized in groundmass. Pyroclasts weakly aligned. 15% veining, primarily late stage bull qz-carb-chl veining. Also dark grey to med grey multistage qz-carb veining, and light grey to yellowish white carb veining. Some mulitstage veining. Tr vfg metallic blebby py in qz veining. Possible dendritic black submetallic sulfosalts within qz-veining, occurring with blebby py. Lower contact where eocene bleaching intensity picks up.																						
85.26	131.50	RLPA	**Bleached Dilsworth Welded Lapilli Tuff**																						
			Bleached light grey to med grey, poorly sorted, polylithic, sub-angular to subrounded, clast-supported, wk to moderately pervasive ser-sil altered, wk stockwork veined, fp-phyric Dilsworth lapilli tuff. Occasional dark grey agglomerate sized pyroclasts. Some chl altered clasts. Bands up to 20 cm enriched in white, subangular hard lapilli. Euhedral to subhedral light gry feldspars crystallized in groundmass. 12% veining, primarily late stage qz-carb-chl veining, stockwork strongest at top and base of unit. Some black carbonaceous crackle veining. Also white to dk grey carb veining. Tr metallic gn and wispy tan sph occurring in qz veins. Tr fg to vfg blebby anhedral metallic py in qz veins, occasionally mineralizing with sph and gn. LCT is a fault contact																						
				127.38	129.16	Core fairly broken, minor faults.																			
131.50	137.76	FXXA	**Fault Zone**																						
			Broken core, only 10% of unit competent, similar in composition to prior unit. 5% gouge. Tr vfg disseminated metallic py in lith, occasional pink lapilli sized clasts within lith.																						
137.76	143.62	RLXA	**Bleached Dilsworth Welded Lapilli - Ash Tuff**																						
			Light to med greenish grey, poorly sorted, polylithic, subangular to subrounded, 50% clast supported, wk to moderately pervasively sil-ser altered, feldspar-phyric Dilsworth welded lapilli-Ash tuff. Occasional chl alteration of clasts. Pinkish red lapilli sized fragments increasing in prevalence indicating hem alt. 2% veining. Pink to light gry qz-carb veining, vuggy bearing tr fg anhedral tan sph and vfg blebby metallic gn. White to med gry qz-carb veining. One sulfide vein that is entirely tan anhedral blebby sphalerite with metallic vfg gn around crystal margins. Tr vfg metallic py disseminated in lith. Lower contact is with fault zone.																						
143.62	149.92	FXXA	**Fault Zone**																						
			40% competent rock similar to above and below units. 20% broken rock, 20% rock chips, 10% gouge. Tr vfg metallic py blebby in veinlets. Lower contact is a fault contact coated in gouge.																						
149.92	164.52	RLPA	**Bleached Dilsworth Welded Lapilli-Ash Tuff With Minor Faults**																						

				2	1			1	1	Tr	Tr	Tr		C00074356	97.30	99.30	2.00	CORE	0.019	2.3					
														C00074357	99.30	101.30	2.00	CORE	0.006	1.1					
				1	1			1						C00074358	101.30	103.30	2.00	CORE	0.024	3.6					
								2						C00074359	103.30	105.30	2.00	CORE	0.011	2.6					
														C00074360	105.30	105.30	0.00	BLK	<0.005	<0.2					
				1	2			1	2	Tr				C00074361	105.30	107.35	2.05	CORE	<0.005	0.2					
														C00074362	107.35	109.40	2.05	CORE	<0.005	0.2					
				2	2		2	1	2	Tr	Tr	Tr		C00074363	109.40	111.45	2.05	CORE	<0.005	0.7					
														C00074364	111.45	113.50	2.05	CORE	<0.005	0.3					
														C00074365	113.50	115.50	2.00	CORE	<0.005	0.4					
				2	1			1	1	Tr				C00074366	115.50	117.50	2.00	CORE	0.006	1.6					
														C00074367	117.50	119.50	2.00	CORE	<0.005	1.3					
				2	1		2	1	1	Tr	Tr	Tr		C00074368	119.50	121.50	2.00	ORIG	<0.005	0.6					
														C00074369	119.50	121.50	2.00	DUP	<0.005	0.4					
				2	1		2	1	1	Tr				C00074370	121.50	121.50	0.00	ME1807	7.82	320					
														C00074371	121.50	123.50	2.00	CORE	0.022	1.5					

					Light to med greenish grey, poorly sorted, polylithic, subangular to subrounded, 50% clast supported, wk to moderately pervasively sil-ser altered, feldspar-phyric Dilsworth welded Lapilli-Ash tuff. Crosscut by multiple short, moderately bleached massive andesite dykes. Occasional chl alteration of clasts. Pinkish red lapilli sized fragments indicating hem alt. 4% veining. Pink to light gry qz-carb veining, vuggy bearing tr fg anhedral tan sph and vfg blebby metallic gn. White to med gry qz-carb veining. Tr vfg metallic py disseminated in lith. Lower contact is a baked dyke contact, more heavily sericitized than the rest of the unit.																									
			149.92	152.04	More competent																									
164.52	169.75	D/GR	**Bleached Porphyritic Feldspar-Quartz Phyric Granodiorite Dyke**																													
					Beige to medium greenish gry, vfg to cg, porphyritic, wk to moderately ser-sil altered plag-qz-phyric granodiorite. 40% plag, white to tan, euhedral to anhedral, cg to fg. 20% qz, cg to fg, euhedral to anhedral, vitreous. Minor faults with white gouge throughout unit. Some short greener intervals showing chl alt. 1% QCVs, white to dark gry, unmineralized. Base of unit is moderately sericitized RLXX, possibly a xenolith, immediately prior to fault zone.																									
			164.52	165.50	D/R1, moderately sericitized, weak to moderately silicified, bleached																									
			169.50	169.75	RLXX, Lapilli bearing ash tuff, sericitization and shearing overprints most primary textures.																									
169.75	175.67	FXXA	**Bleached Fault Zone**																											
					Much of fault zone healed by white qz-carb veining, with brecciated relict D/GR and D/R1. 40% veining. Minor gouge, broken rock component. No competent rock in interval other than fault breccia. Wk chl, ser, sil alt of brecciated rock.																									
175.67	191.43	D/R1	**Quartz-Eye Bearing Plag-Phyric Dacitic Dyke**																											
					Light greenish beige to beige to tan, fg to vfg, porphyritic to massive, wk to moderately ser-sil altered rhyolitic dyke. Fp fg, euhedral to anhedral, white, making up 3% of unit. Qz-eye is transluscent, fg making up 2% of unit. Short intervals of Upper Betty, and numerous <1m intervals of D/R2 within unit showing chilled margins with D/R2 and baked . Hem alt of upper betty. Minor faults cross-cut unit. Ser-sil alt banded. 4% veining, hairline undulating qz stringers and veinlets, light grey to white qz-carb veins cross-cutting hairline cvs. Tr vfg metallic py disseminated in lith, and metallic anhedral blebby within qz-veining. Lower contact overprinted my med grey qz vein.																									
			181.25	181.60	Short interval Upper Betty lapilli tuff. Clast supported, clasts aligned, pink. Xenolith?																									
191.43	192.66	D/R2	**Quartz-Feldspar Porphyritic Dacite Dyke**																											
					Tan, cg to vfg, porphyritic, mod ser alt, wk to mod sil altd qz-feldspar-phyric dacitic dyke. Moderate ser, wk to mod sil alt of matrix. Qz is euhedral to subhedral, cg to fg, transluscent, occasionally displaying twinning, making up 3% of unit. Fps are cream to light gry, fg to mg, anhedral to euhedral making up 4% of unit. 1% planar, vuggy QCVs. Tr fg metallic anhedral py in veins. Lower contact overprinted by QCV.																									
192.66	194.90	D/R1	**Flow-Banded Quartz-Eye Bearing Plag-Phyric Dacitic Dyke**																											

			2	1		2	1	1	Tr				C00074372	123.50	125.50	2.00	CORE	0.134	26.5											
													C00074373	125.50	127.50	2.00	CORE	0.005	0.4											
													C00074374	127.50	129.50	2.00	CORE	<0.005	0.2											
			1	2		2	1	1					C00074375	129.50	131.50	2.00	CORE	0.006	0.4											
			2	1		3		1					C00074376	131.50	133.50	2.00	CORE	<0.005	0.3											
			1			3	1	1					C00074377	133.50	135.60	2.10	CORE	0.006	1.1											
													C00074378	135.60	137.76	2.16	CORE	<0.005	0.3											
			1	3		1	1	3					C00074379	137.76	139.70	1.94	CORE	<0.005	0.6											
													C00074380	139.70	139.70	0.00	BLK	<0.005	<0.2											
			2	1		2	1	1	Tr				C00074381	139.70	141.70	2.00	CORE	0.007	1.2											
													C00074382	141.70	143.62	1.92	CORE	0.015	2.5											
													C00074383	143.62	145.62	2.00	CORE	0.005	1.8											
			2	1		3	1	1	Tr																					

| | | |

| | | |

			Light greyish green, moderately sorted, foliated to massive, monomictic, subrounded, strong to moderately silicified, andesite lapilli tuff. Possible xenolith rafted within dyke. Strong to Moderate silicification is due to granodiorite dykes on both sides of unit, overprinting most primary textures. Wk chl alt of lapilli 0.5% blebby metallic fg anhedral py, in lith and in qcvs. 5% veining, med gry to white to dk grey qcvs. Rare, red, hemetic material within veining. Lower contact is gouge filled minor fault.			4	1			1	1	0.5													
299.84	315.16	D/GR	**Weak to Moderately Silicified Porphyritic Hornblende-Quartz-Plagioclase-Phyric Granodiorite Dyke** Med brownish grey to beige, mg to vfg, porphyritic, weak to moderately silicified hbl-qz-fp-phyric granodiorite dyke. Pervasive wk to mod sil alt. Mod sil alt in vein haloes, bleaching unit, absent in rest of unit. 25% feldspar, mg to fg, euhedral to anhedral, white to med grey. 5% qz, euhedral to anhedral, fg to mg, vitreous med grey. 3% hbl, fg, euhedral to anhedral, generally chl replaced but not always. Phenos increase in prevalence towards base of unit. 5% QCVs, yellowish white to med grey. Occasional chloritic veinlets. Tr py, fg to vfg, metallic, anhedral, blebby in veining. Lower contact is end of hole.			2	1			1	1	Tr													
			315.16- End of Hole																								

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P19-2245

Easting:	436006	**Azi (deg):**	90	**Start:**	12-Sep-20
Northing:	6219369	**Dip (deg):**	-80	**Finish:**	15-Sep-20
Elev (m):	1006	**Length (m):**	264.5	**Logged by:**	LT
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-01	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D1	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Cal Stk**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	1.52	WCAS	Casing														25345	1.52	4.00	2.48	CORE	0.019	0.6
																	25346	4.00	6.05	2.05	CORE	0.032	1.1
1.52	6.05	ATXX	tuffaceous andesite				1				1	tr					25347	6.05	7.20	1.15	CORE	0.294	2.5
			green to greyish green fine grained tuffaceous andesite, rusty ff fractured interval, wk qtz-cal veinings, grad Lct														25348	7.20	8.42	1.22	CORE	0.314	5.6
6.05	8.42	CBXC	vuggy cal-qtz bx			3	3		3	1	2	4					25349	8.42	10.50	2.08	CORE	0.028	1
			grey fine grained tuffaceous andesite with patchy cal-qtz bx and qtz stk with stringers of py, vuggy rusty fractures through interval, SP altered groundmass, grad Lct														25350	10.50	10.50	0.00	BLK	<0.005	<0.2
8.42	24.31	AFPX	porphyritic andesite flow				1		2	2	2	2					25351	10.50	12.50	2.00	CORE	0.019	0.8
			greyish green fine grained plag phenos porphyritic txt and local lapilli andesite, wk tp mod SP alt in groundmass, mod cal veinings and local qtz veins, wk chl alt along veins selvages, veins w/ py, grad Lct														25352	12.50	14.50	2.00	CORE	0.035	0.8
24.31	33.15	CBGC	graphitic silica qtz to fault bx			3	3		3	1	3	4					25353	14.50	16.50	2.00	CORE	0.03	0.5
			silica to cal qtz bx with strong graphitic fractures, mod to str cal and qtz stk overprinting, patchy healed fault bx w/ silica clasts, pervasive SP alteration, local blobs of py in bx, grad Lct														25354	16.50	18.50	2.00	CORE	0.016	0.6
29.45	29.65		dacite dyke w/ rusty fractures														25355	18.50	20.50	2.00	CORE	0.037	0.7
33.15	54.72	AFPX	porphyritic andesite flow				1		1	1	1	1	tr				25356	20.50	22.50	2.00	CORE	0.032	0.9
			green fine grained plag phenos porphyritic andesite flow, local SP alt in groundmass, weak qtz-cal veinings, local qtz veins with sph and py, local lapilli to flow bx txt, grad Lct														25357	22.50	24.31	1.81	CORE	0.055	1.4
54.72	69.85	AFPZ	porphyritic andesite flow with stockwork			2	2		2	1	1	3	2				25358	24.31	26.50	2.19	CORE	0.117	2.1
			green fine grained plag phenos porphyritic andesite with wk to mod qtz and cal veinings and patchy silica to crackle bx with sph and py up to 8-10%, local wk SP alt in groundmass, grad Lct														25359	26.50	28.50	2.00	CORE	0.112	1.4
69.85	74.04	CBXX	silica bx			4	4		5		1	4					25360	28.50	28.50	0.00	CU190	0.708	9.2
			grey to whitish grey fine grained pervasive QSP altered andesite with patchy strong stk to qtz bx, stringers of py in veins and selvages of clasts, local late qtz overprint, grad Lct														25361	28.50	30.00	1.50	CORE	0.113	0.9
74.04	83.60	ALXX	lapilli tuff andesite				1			1	3	1	tr				25362	30.00	31.50	1.50	CORE	0.185	1.5
			green local lapilli to lapilli tuff andesite, mod cal +- ba veinings and local qtz veins w/ sph and py, fractured Lct														25363	31.50	33.15	1.65	ORIG	0.126	1.4
83.60	85.37	FBXX	fault bx														25364	31.50	33.15	1.65	DUP	0.139	1.5
			white qtz crackle bx with healed fragments and cal tension gouges of andesite, wk SP altered groundmass, gougey rusty fractures @ 10-20 dgs tca														25365	33.15	35.00	1.85	CORE	0.026	0.4
85.37	114.00	ABXZ	altered andesite flow bx with stockwork			2	2		2	1	2	5	3	tr			25366	35.00	37.00	2.00	CORE	0.017	0.5
			green to greyish green patchy selective SP altered matrix flow bx with angular to subangular small to large clasts, patchy silica bx and to strong qtz stk with py and sph mineralization, later cal +- ba veinings @ 50-60 dgs tca overprinting, grad Lct														25367	37.00	39.00	2.00	CORE	0.02	0.8
105.54	107.92		strong qtz stk and crackle breccia bands with sph and py and tr gal, QSP altered groundmass, @ 30-40 dgs tca														25368	39.00	41.00	2.00	CORE	0.032	0.6
114.00	135.83	ABXX	flow bx andesite				2		1	2	1	tr	r				25369	41.00	43.00	2.00	CORE	0.209	0.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			green fine grained patchy angular to subangular clasts to lapilli flow bx andesite, wk to mod bulk qtz stk, local qtz veins with py/sph every 3-5m apart, local SP alt in groundmass, fractured Lct														25370	43.00	43.00	0.00	BLK	<0.005	0.3
135.83	140.62	FXXX	fault														25371	43.00	45.00	2.00	CORE	0.054	0.6
			gougey young cc ff fault fracture zone of andesite to andesite flow														25372	45.00	47.00	2.00	CORE	0.054	1.1
140.62	157.01	AFXX	andesite flow				2		1	2	1	1	tr				25373	47.00	49.00	2.00	CORE	0.145	1.5
			green fine grained andesite flow, weak to local mod qtz veins and stk, gradationally strongers stk towards the end, wk SP alt in groundmass, local veins w/ sph and py towards Lct, grad Lct														25374	49.00	51.00	2.00	CORE	0.128	0.7
157.01	171.60	AFXZ	altered andesite flow			2	3		4	1	1	3	1	1			25375	51.00	53.00	2.00	CORE	0.366	1.5
			grey to beige fine grained pervasive SP altered andesite flow with mod to strong stk and patchy silica flooding and crackle bx, sph/py/gal in veins x-cut by bulk qtz-cal veinings, grad Lct														25376	53.00	54.72	1.72	CORE	0.061	0.7
171.60	178.61	CBXX	silica bx			5	4		3	1	1	5	2	2			25377	54.72	56.50	1.78	CORE	0.413	1.3
			white to greyish green silica bx with local remnant andesite fragments, strong and prominent pervasive silica flooding with strong qtz-cal stk overprinted by bulk qtz-2nd chl veins, stringers of py/sph/gal in stk, QSP altered, more crackle breccia towards the end, grad Lct														25378	56.50	58.50	2.00	CORE	0.271	2.3
178.61	182.00	AFXX	andesite flow				1		1	1	1	1					25379	58.50	60.50	2.00	CORE	0.113	0.5
			green fine grained andesite flow with weak qtz stk and local py in veins, chl altered, local wk SP alt in groundmass, grad Lct														25380	60.50	60.50	0.00	GS1Z	1.165	93.6
182.00	209.86	ABXX	flow bx andesite				1		2	1	1	tr	tr				25381	60.50	62.50	2.00	CORE	0.24	1.4
			green fine grained matrix with angular to subangular flow bx andesite with weak qtz and cal veinings, local mod sericite alt groundmass, local chl alt bands, local veins with sph and py, Lct @ 60 dgs tca														25382	62.50	64.50	2.00	CORE	0.094	0.9
209.86	213.18	SAXZ	argillite/andesite with stockwork			2	2		1	1	2	4					25383	64.50	66.50	2.00	CORE	0.054	1
			black dark grey argillite with andesite fragments, mod to strong qtz-cal veinings and crackle bx, stringers of py infilled fractures, fractured Lct														25384	66.50	68.50	2.00	CORE	0.331	2
213.18	233.96	ABXX	flow bx				1		1	2	1	tr					25385	68.50	69.85	1.35	CORE	0.505	1.7
			green to light green fine grained matrix and fine to coarse angular to subangular flow bx andesite, weak qtz veins, local wk SP altgroundmass, grad Lct														25386	69.85	71.00	1.15	CORE	0.44	1.7
233.96	237.84	ATXZ	altered tuffacoue to lapilli andesite			2	2		5		1	4				tr	25387	71.00	72.50	1.50	ORIG	0.266	1.1
			grey to beige altered tuff and altered lapilli andesite with strong qtz-cal bands, strong SP alt groundmass, veins with py and po, grad Lct														25388	71.00	72.50	1.50	DUP	0.255	1
237.84	253.92	ABXX	flow bx to lapili			1	1		1	1	1	2				tr	25389	72.50	74.04	1.54	CORE	0.233	2
			same as 213.18 to 233.96m, more rounded clasts, more SP altered towards the end, local veins with py/po, fractured Lct														25390	74.04	74.04	0.00	BLK	<0.005	<0.2
253.92	256.45	SAXZ	argillite/andesite altered			2	3		4	1	1	5	tr			tr	25391	74.04	76.00	1.96	CORE	0.074	1.3
			black dark grey argillite and SP altered andesite with strong qtz stk and silica alt in bands, stringers of py in veins and local sph and po, grad Lct														25392	76.00	78.00	2.00	CORE	0.017	0.8
256.45	264.57	SXXZ	argillite with stk				3		1	1	2	5				tr	25393	78.00	80.00	2.00	CORE	0.043	1.3
			black dark grey argillite with fragments and clasts replaced by py and po, mod to strong qtz-cal stk with tr py along selvages and local 2nd chl														25394	80.00	82.00	2.00	CORE	0.102	1.7
																	25395	82.00	83.60	1.60	CORE	0.068	1.6
EOH=264.57m																	25396	83.60	85.37	1.77	CORE	0.111	1.7
																	25397	85.37	87.00	1.63	CORE	0.064	0.7
																	25398	87.00	89.00	2.00	CORE	0.165	0.9
																	25399	89.00	91.00	2.00	CORE	0.366	1.7
																	25400	91.00	91.00	0.00	ME1807	7.86	328

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	25401	91.00	93.00	2.00	CORE	0.291	2
																	25402	93.00	95.00	2.00	CORE	0.904	2.5
																	25403	95.00	97.00	2.00	CORE	0.042	0.5
																	25404	97.00	99.00	2.00	CORE	0.108	0.8
																	25405	99.00	101.00	2.00	CORE	0.481	1.5
																	25406	101.00	103.00	2.00	CORE	6.57	4.6
																	25407	103.00	104.50	1.50	CORE	0.27	1.6
																	25408	104.50	105.54	1.04	CORE	0.078	0.8
																	25409	105.54	106.50	0.96	CORE	0.023	0.8
																	25410	106.50	106.50	0.00	BLK	<0.005	<0.2
																	25411	106.50	107.92	1.42	CORE	0.206	2.2
																	25412	107.92	110.00	2.08	CORE	0.041	0.9
																	25413	110.00	112.00	2.00	CORE	0.021	0.6
																	25414	112.00	114.00	2.00	CORE	0.095	1.3
																	25415	114.00	116.00	2.00	CORE	0.194	1.2
																	25416	151.00	153.00	2.00	CORE	0.066	0.7
																	25417	153.00	155.00	2.00	CORE	0.104	1.1
																	25418	155.00	157.01	2.01	CORE	0.028	0.7
																	25419	157.01	159.00	1.99	CORE	0.224	2
																	25420	159.00	159.00	0.00	GS1Z	1.205	91.7
																	25421	159.00	161.00	2.00	ORIG	0.197	0.8
																	25422	159.00	161.00	2.00	DUP	0.222	0.9
																	25423	161.00	163.00	2.00	CORE	0.165	1.2
																	25424	163.00	165.00	2.00	CORE	0.256	1.8
																	25425	165.00	167.00	2.00	CORE	1.025	4.2
																	25426	167.00	169.00	2.00	CORE	3.69	22.6
																	25427	169.00	170.50	1.50	CORE	9.71	11.9
																	25428	170.50	171.60	1.10	CORE	16.9	16.6
																	25429	171.60	172.60	1.00	CORE	26.6	33.6
																	25430	172.60	172.60	0.00	BLK	0.044	<0.2
																	25431	172.60	173.60	1.00	CORE	13.3	20.4
																	25432	173.60	174.60	1.00	CORE	12.7	17.4
																	25433	174.60	175.60	1.00	CORE	4.34	4.6
																	25434	175.60	176.60	1.00	CORE	0.867	2.2
																	25435	176.60	177.60	1.00	CORE	0.584	1.6
																	25436	177.60	178.61	1.01	CORE	0.594	1.8
																	25437	178.61	180.00	1.39	CORE	0.207	5.5
																	25438	180.00	182.00	2.00	CORE	0.045	1.3
																	25439	182.00	184.00	2.00	CORE	0.045	1.3
																	25440	184.00	184.00	0.00	ME1807	7.72	326
																	25441	184.00	186.02	2.02	CORE	0.23	1.3
																	25442	205.49	207.50	2.01	CORE	0.071	1.5
																	25443	207.50	209.86	2.36	CORE	0.017	1.1
																	25444	209.86	212.18	2.32	CORE	0.11	1.4
																	25445	212.18	213.18	1.00	CORE	0.31	1.6
																	25446	213.18	215.50	2.32	CORE	0.114	1.4
																	25447	233.96	236.00	2.04	CORE	0.713	4.9
																	25448	236.00	237.84	1.84	CORE	0.452	2
																	25449	237.84	240.00	2.16	CORE	0.035	1.4
																	25450	240.00	240.00	0.00	BLK	<0.005	<0.2
																	25451	240.00	242.00	2.00	CORE	0.032	0.8
																	25452	242.00	244.00	2.00	CORE	0.075	1
																	25453	244.00	246.00	2.00	CORE	0.143	1.6
																	25454	246.00	248.00	2.00	CORE	0.068	1.1
																	25455	248.00	250.00	2.00	CORE	0.053	1.3
																	25456	250.00	252.00	2.00	CORE	0.204	2
																	25457	252.00	253.92	1.92	CORE	0.254	2.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	25458	253.92	256.45	2.53	CORE	0.477	3.5
																	25459	256.45	258.50	2.05	CORE	0.096	2.3
																	25460	258.50	258.50	0.00	CU190	0.684	9
																	25461	258.50	260.50	2.00	CORE	0.107	2.3
																	25462	260.50	262.50	2.00	CORE	0.038	2.4
																	25463	262.50	264.57	2.07	CORE	0.17	3

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2262

Easting:	435944	**Azi (deg):**	270	**Start:**	18-Sep-20
Northing:	6219492	**Dip (deg):**	-55	**Finish:**	20-Sep-20
Elev (m):	1006	**Length (m):**	200.25	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	1.22	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-02	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Cal Stk**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	1.22	CSG	Casing														B0028701	1.22	2.54	1.32	CORE	0.009	0.6
																	B0028702	2.54	4.00	1.46	CORE	0.139	1.8
1.22	2.54	AFXX	Andesitic Flow														B0028703	4.00	5.50	1.50	CORE	0.032	1.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures			Tr			Tr			Tr					B0028704	5.50	7.00	1.50	CORE	0.126	1.6
2.54	12.00	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow																				
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets commonly at 40-50 TCA; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	V2	45	1	3		2		1	2					B0028705	7.00	8.50	1.50	CORE	0.563	2.5
																	B0028706	8.50	10.00	1.50	CORE	0.113	2.8
12.00	12.80	AFXZ	Strong QSP-altered Stockwork-bearing Andesitic Flow																				
			Light grey, Pervasive mod to strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Strong py-bands at 45 TCA associated with veining; 7% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	V2	45	3	4		2			7					B0028707	10.00	11.00	1.00	CORE	0.063	1.6
																	B0028708	11.00	12.00	1.00	CORE	0.742	2.4
12.80	20.81	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow																				
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets; 3% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); Py-bearing veins are cross-cut by high angle clean quartz+carbonate veins			2	3		2		1	3					B0028709	12.00	12.80	0.80	CORE	0.239	1.6
																	B0028710	12.80	12.80	0.00	CU190	0.678	8.8
20.81	22.75	AFXX	Andesitic Flow														B0028711	12.80	14.00	1.20	CORE	0.053	1.1
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; one high angle pyrite-bearing veinlet cross-cut by a grey quartz veinlet at 10 TCA			Tr	Tr		Tr			Tr					B0028712	14.00	15.50	1.50	CORE	0.16	1.1
22.75	29.60	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow														B0028713	15.50	16.50	1.00	CORE	0.244	1.5
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets commonly at 40-50 TCA; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	V2	45	1	3		2		1	2					B0028714	16.50	18.00	1.50	CORE	2.41	3.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			22.75 23.22 Strong quartz+sericite+pyrite alteration band at upper contact; strong texture destroying sil+ser alteration; high angle white and grey quartz veins <5% py as clots withing veinlets and as vfg disseminated blebs in groundmass	V2	30	3	4		3			5					B0028715	18.00	19.50	1.50	CORE	0.481	1.9
																	B0028716	19.50	20.81	1.31	CORE	0.346	2
29.60	32.90	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028717	20.81	22.75	1.94	CORE	0.093	2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; low angle carbonate veinlets and anealed tension gashes subparallel TCA; trace py as vfg disseminate blebs associated with grey quartz veinlets													B0028718	22.75	23.75	1.00	CORE	0.405	2
32.90	39.35	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	3					B0028719	23.75	25.25	1.50	CORE	0.102	1.8
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets cross-cute by white to dark grey high angle py-bearing grey quartz veins and <4cm high angle clean quartz carbonate veins; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0028720	25.25	25.25	0.00	BLK	0.014	<0.2
39.35	49.53	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028721	25.25	26.75	1.50	CORE	0.147	1.7
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; low angle carbonate veinlets and anealed tension gashes subparallel TCA; trace py as vfg disseminate blebs associated with grey quartz veinlets; local rusty fractures and broken core													B0028722	26.75	28.60	1.85	CORE	0.198	2.1
			41.70 41.83 Fe-oxidation halo emanating from fractured core														B0028723	28.60	29.60	1.00	CORE	0.1	1.7
			42.50 43.10 Broken core; low angle oxidized fractures with vuggy quartz carbonate vein fragments														B0028724	29.60	31.60			0.022	0.6
49.53	52.38	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	2					B0028725	31.60	32.90	1.30	CORE	0.015	0.7
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets cross-cute by white to dark grey high angle py-bearing grey quartz veins and <4cm high angle clean quartz carbonate veins; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0028726	32.90	33.90	1.00	ORIG	0.095	1.6
52.38	104.56	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028727	32.90	33.90	1.00	DUP	0.084	1.4
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins													B0028728	33.90	34.90	1.00	CORE	0.143	2
			71.25 71.55 Broken core; low angle (15-20 TCA) oxidized fractures with trace rock flour and gouge	FLT	15												B0028729	34.90	35.90	1.00	CORE	0.29	4.3
104.56	105.93	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	2					B0028730	35.90	35.90	0.00	GS1Z	1.165	87.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)												B0028731	35.90	36.90	1.00	CORE	0.116	2.4
105.93	138.44	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028732	36.90	37.90	1.00	CORE	0.122	1.8
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins												B0028733	37.90	39.35	1.45	CORE	0.276	1.8
138.44	142.44	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	2					B0028734	39.35	40.35	1.00	CORE	0.202	1.4
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <10cm crudely banded pyrite bearing grey quartz carbonate veins and veinlets 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)												B0028735	40.35	41.85	1.50	CORE	0.046	1.1
142.44	152.73	AFXX	Andesitic Flow			1	Tr		1			2					B0028736	41.85	43.35	1.50	CORE	0.054	1.1
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, 1% py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins												B0028737	43.35	44.85	1.50	CORE	0.055	0.9
152.73	166.33	AFXZ	Feldspar Phyric Andesitic Flow, Strong Quartz Stockwork				4		2			2	2	3	1		B0028738	44.85	46.35	1.50	CORE	0.028	0.9
			Med to pale grey green moderately sericite altered fine grained andesitic flow. Strong Quartz+/-Carbonate stockwork.3% blebby rusty sphalerite blebs, 1% blebby galena, 2% blebby to diss PY surrounding stockwork. Stock cut by late coarse white to grey CC veins.												B0028739	46.35	47.85	1.50	CORE	0.021	1.1
166.33	170.46	CBXX	Silica Breccia			5						1	8	2	1	Tr	B0028740	47.85	47.85	0.00	BLK	<0.005	<0.2
			Light grey, silica flooded zone,. 8% disseminated to semimassive pyrite. Galena and rusty sphalerite as disseminated blebs and partial infill in veinlets, trace blebs of red reflective proustite-pyrargarite. Local strong stockworking. Local white to tan carbonate veins overprinting and locally brecciating the silica matrix.	C/ASB	20											B0028741	47.85	49.53	1.68	CORE	0.199	2.1
170.46	177.67	AFXZ	Quartz Stockwork bearing Andesitic Flow				4		2			2	2	3	1		B0028742	49.53	50.53	1.00	CORE	1.555	98.4
			Med to pale grey green moderately sericite altered fine grained andesitic flow. Strong Quartz+/-Carbonate stockwork.3% blebby rusty sphalerite blebs, 1% blebby galena, 2% blebby to diss PY surrounding stockwork. Stock cut by late coarse white to grey CC veins.												B0028743	50.53	51.53	1.00	CORE	0.15	2.9
177.67	185.26	AFBX	Feldspar Phyric Andesitic Flow Breccia			2			2			2	1	Tr			B0028744	51.53	52.38	0.85	CORE	0.553	249
			Med grey green to grey, angular to subangular, monolithic dark green clasts supported by a light greenish grey andesitic flow groundmass. Overprinted by annealed carbonate infilled fractures, Minor pyrite+sph in local QTZ veins. Minor euhedral disseminated py in groundmass. .												B0028745	52.38	54.38	2.00	CORE	0.027	1.2
185.26	190.08	AFSM	Semi-massive pyrite+sphalerite stockwork-bearing, argillite clast bearing, Andesitic Flow Breccia			2	4		2			2	6	4	1	Tr	B0028746	54.38	56.38	2.00	CORE	0.025	0.7

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Med grey green to grey, angular to subangular, monolithic argillite clasts supported by a light greenish grey andesitic flow groundmass. Overprinted by annealed carbonate infilled fractures, Semi-massive tan to rusty red sphalerite+py+galena+/-Proustite-Pyrargyrite bearing quartz stockwork.. Minor euhedral disseminated py in groundmass. .	C/AS	25												B0028747	56.38	58.38	2.00	CORE	0.009	0.5
190.08	200.25	SXXX	Black Argillite																				
			Very fine grained massive black sediments, <1cm blebs of pyrite. Strong low angle pyrite-bearing (disseminated to partial infill) quartz carbonate veinlets.	C/AS	35		3					1	4				B0028748	98.56	100.56	2.00	CORE	0.01	0.5
																	B0028749	100.56	102.56	2.00	CORE	0.015	0.5
			200.25 EOH														B0028750	102.56	102.56	0.00	ME1807	7.85	311
																	B0028751	102.56	104.56	2.00	CORE	0.077	1.4
																	B0028752	104.56	105.93	1.37	CORE	0.175	0.9
																	B0028753	105.93	107.93	2.00	CORE	<0.005	0.3
																	B0028754	107.93	109.93	2.00	CORE	0.025	1.4
																	B0028755	109.93	111.93	2.00	ORIG	0.008	0.8
																	B0028756	109.93	111.93	2.00	DUP	0.01	0.9
																	B0028757	111.93	113.93	2.00	CORE	0.015	0.2
																	B0028758	132.44	134.44	2.00	CORE	0.009	0.5
																	B0028759	134.44	136.44	2.00	CORE	<0.005	0.6
																	B0028760	136.44	136.44	0.00	BLK	<0.005	<0.2
																	B0028761	136.44	138.44	2.00	CORE	0.033	0.8
																	B0028762	138.44	139.44	1.00	CORE	0.055	1.2
																	B0028763	139.44	140.44	1.00	CORE	0.185	1.8
																	B0028764	140.44	141.44	1.00	CORE	0.045	0.9
																	B0028765	141.44	142.44	1.00	CORE	0.079	1.2
																	B0028766	142.44	144.44	2.00	CORE	0.069	1
																	B0028767	144.44	146.44	2.00	CORE	0.023	0.9
																	B0028768	146.44	148.44	2.00	CORE	0.055	1.3
																	B0028769	148.44	150.44	2.00	CORE	0.021	0.9
																	B0028770	150.44	150.44	0.00	CU190	0.677	9.4
																	B0028771	150.44	151.49	1.05	CORE	0.036	0.7
																	B0028772	151.49	152.73	1.24	ORIG	0.216	1.4
																	B0028773	151.49	152.73	1.24	DUP	0.188	1.1
																	B0028774	152.73	154.73	2.00	CORE	0.87	1.5
																	B0028775	154.73	156.73	2.00	CORE	0.313	1.6
																	B0028776	156.73	158.73	2.00	CORE	0.082	1
																	B0028777	158.73	160.63	1.90	CORE	0.123	1
																	B0028778	160.63	162.63	2.00	CORE	0.566	0.8
																	B0028779	162.63	164.63	2.00	CORE	0.452	1.4
																	B0028780	164.63	164.63	0.00	BLK	<0.005	<0.2
																	B0028781	164.63	166.33	1.70	CORE	0.586	2.1
																	B0028782	166.33	167.33	1.00	CORE	2.03	9.4
																	B0028783	167.33	168.33	1.00	CORE	1.925	2.7
																	B0028784	168.33	169.33	1.00	CORE	0.694	1.9
																	B0028785	169.33	170.46	1.13	CORE	0.711	4.1
																	B0028786	170.46	171.46	1.00	CORE	0.132	0.9
																	B0028787	171.46	173.46	2.00	CORE	0.107	2
																	B0028788	173.46	175.46	2.00	CORE	0.082	0.7
																	B0028789	175.46	176.67	1.21	CORE	0.083	0.4
																	B0028790	176.67	176.67	0.00	GS1Z	1.22	87.1
																	B0028791	176.67	177.67	1.00	CORE	0.221	318
																	B0028792	177.67	178.67	1.00	CORE	0.024	1.2
																	B0028793	178.67	180.67	2.00	CORE	0.046	0.8
																	B0028794	180.67	182.67	2.00	CORE	0.042	0.4
																	B0028795	182.67	184.26	1.59	CORE	0.07	0.9
																	B0028796	184.26	185.26	1.00	CORE	0.044	1.9

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	B0028797	185.26	186.26	1.00	CORE	0.574	6.2
																	B0028798	186.26	187.26	1.00	CORE	0.101	2.3
																	B0028799	187.26	188.26	1.00	CORE	0.019	1.5
																	B0028800	188.26	188.26	0.00	BLK	<0.005	<0.2
																	B0028801	188.26	189.26	1.00	CORE	0.143	2.3
																	B0028802	189.26	190.08	0.82	CORE	0.312	3.1
																	B0028803	190.08	191.08	1.00	CORE	0.177	2
																	B0028804	191.08	192.08	1.00	CORE	0.106	2
																	B0028805	192.08	193.08	1.00	CORE	0.221	2.5
																	B0028806	193.08	194.08	1.00	CORE	0.138	2.5
																	B0028807	194.08	195.08	1.00	CORE	0.175	3.7
																	B0028808	195.08	196.08	1.00	CORE	0.268	3.6
																	B0028809	196.08	197.08	1.00	CORE	0.047	3.9
																	B0028810	197.08	197.08	0.00	ME1807	7.64	332
																	B0028811	197.08	198.08	1.00	CORE	0.057	3.6
																	B0028812	198.08	199.08	1.00	CORE	0.035	3.1
																	B0028813	199.08	200.25	1.17	CORE	0.031	2.9

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2263

Easting:	435944	**Azi (deg):**	270	**Start:**	20-Sep-20
Northing:	6219492	**Dip (deg):**	-60	**Finish:**	21-Sep-20
Elev (m):	1006	**Length (m):**	200.25	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	1.22	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-02	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Cal Stk**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	0.61	CSG	Casing														B0028814	0.61	1.61	1.00	CORE	0.068	2
																	B0028815	1.61	2.62	1.01	CORE	0.037	1.7
0.61	2.62	AFXX	Andesitic Flow			Tr			Tr			Tr					B0028816	2.62	3.62	1.00	CORE	0.061	2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures														B0028817	3.62	4.93	1.31	CORE	0.341	2.3
2.62	6.40	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0028818	4.93	6.40	1.47	CORE	0.318	2.2
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <1cm pyrite clot bearing quartz carbonate veins and veinlets; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)														B0028819	6.40	7.40	1.00	CORE	0.027	0.9
6.40	10.98	AFXX	Andesitic Flow			Tr			Tr			Tr					B0028820	7.40	7.40	0.00	BLK	0.005	<0.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures														B0028821	7.40	9.40	2.00	CORE	0.042	1.3
10.98	27.25	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	3					B0028822	9.40	10.98	1.58	CORE	0.114	1.2
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets; 3% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); Py-bearing veins are cross-cut by low angle grey quartz veinlets and veins; local rusty brown oxidation on fracutres proximal to lower contact														B0028823	10.98	11.98	1.00	ORIG	0.212	1.5
27.25	44.42	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028824	10.98	11.98	1.00	DUP	0.145	1.7
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;														B0028825	11.98	12.98	1.00	CORE	0.366	1.6
44.42	47.94	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow	V2	45	1	3		2		1	2					B0028826	12.98	13.98	1.00	CORE	0.21	1.7
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets commonly at 40-50 TCA; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)														B0028827	13.98	14.98	1.00	CORE	0.214	1.8
																	B0028828	14.98	15.98	1.00	CORE	0.096	1.5
47.94	76.97	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028829	15.98	16.98	1.00	CORE	0.229	1.5

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; low angle carbonate veinlets;														B0028830	16.98	16.98	0.00	CU190	0.707	9.1
76.97	79.03	FZXX	Fault Zone			2	3		2		1	3					B0028831	16.98	17.98	1.00	CORE	0.205	1.6
			Broken core fragments of Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; low angle carbonate veinlets; Dark brown rusty Fe-Ox on Fractures; Rubbly core and gouge at bottom contact; sharp fracture at bottom contact at 15 TCA.	FLT	15											B0028832	17.98	18.98	1.00	CORE	0.884	1.7
79.03	139.40	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028833	18.98	19.98	1.00	CORE	0.042	2.3
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; low angle carbonate veinlets;														B0028834	19.98	20.98	1.00	CORE	0.204	2
			100.42 139.40 Many of the boxes of the interval 100.42-139.40 were dropped during heli-transport by the driller and helper, core within the interval was mixed. An attempt was made to best put the core together in sequence; however the lack of perfect locks between fragments made this a challenge														B0028835	20.98	21.98	1.00	CORE	0.07	1.3
139.40	169.50	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	2					B0028836	21.98	22.98	1.00	CORE	0.055	1
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets cross-cute by white to dark grey high angle py-bearing grey quartz veins and <4cm high angle clean quartz carbonate veins; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); local multistage silica breccia with blebby Py and tan sphalerite; rusty red sphalerite overprint													B0028837	22.98	23.98	1.00	CORE	0.101	1.2
																	B0028838	23.98	24.98	1.00	CORE	0.8	3.8
169.50	172.60	CBXX	Silica Breccia			5						1	8	2	1		B0028839	24.98	25.98	1.00	CORE	0.271	1.4
			Light grey, silica flooded zone,. 8% disseminated to semimassive pyrite. Galena and rusty sphalerite as disseminated blebs and partial infill in veinlets, trace blebs of red reflective proustite-pyrargarite. Local strong stockworking. Local white to tan carbonate veins overprinting and locally brecciating the silica matrix.	C/ASB	20											B0028840	25.98	25.98	0.00	BLK	0.011	<0.2
172.60	182.25	AFBX	Feldspar Phyric Andesitic Flow Breccia			2			2			2	1	Tr			B0028841	25.98	27.25	1.27	CORE	0.166	2.3
			Med grey green to grey, angular to subangular, monolithic dark green clasts supported by a light greenish grey andesitic flow groundmass. Overprinted by annealed carbonate infilled fractures, Minor pyrite+sph in local QTZ veins. Minor euhedral disseminated py in groundmass. .														B0028842	27.25	29.25	2.00	CORE	0.034	1.1
182.25	200.25	SXXX	Black Argillite				3					1	4				B0028843	29.25	31.25	2.00	CORE	0.026	0.3
			Very fine grained massive black sediments, <1.5cm blebs of pyrite. Strong low angle pyrite-bearing (disseminated to partial infill) quartz carbonate veinlets.	C/AS	35												B0028844	31.25	33.25	2.00	CORE	0.019	<0.2
			200.25 EOH														B0028845	33.25	35.25	2.00	CORE	0.01	0.2
																	B0028846	35.25	37.25	2.00	CORE	0.023	0.4
																	B0028847	37.25	39.25	2.00	CORE	0.014	0.6
																	B0028848	39.25	41.25	2.00	CORE	0.013	0.6
																	B0028849	41.25	43.25	2.00	CORE	0.034	1.5
																	B0028850	43.25	43.25	0.00	GS1Z	1.18	93
																	B0028851	43.25	44.42	1.17	CORE	0.02	1.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	B0028852	44.42	45.42	1.00	CORE	0.038	1.5
																	B0028853	45.42	46.42	1.00	CORE	0.061	1.6
																	B0028854	46.42	47.94	1.52	CORE	0.224	2.8
																	B0028855	47.94	49.94	2.00	CORE	0.056	1.5
																	B0028856	49.94	51.94	2.00	CORE	0.021	1
																	B0028857	51.94	53.94	2.00	CORE	0.025	0.7
																	B0028858	133.40	135.40	2.00	CORE	0.058	0.7
																	B0028859	135.40	137.40	2.00	CORE	0.057	0.8
																	B0028860	137.40	137.40	0.00	BLK	0.0025	0.2
																	B0028861	137.40	139.40	2.00	CORE	0.023	0.6
																	B0028862	139.40	141.40	2.00	CORE	0.063	1.2
																	B0028863	141.40	143.40	2.00	CORE	0.15	1.9
																	B0028864	143.40	145.40	0.00	CORE	0.184	2
																	B0028865	145.40	147.40	2.00	CORE	0.648	2.1
																	B0028866	147.40	149.40	2.00	CORE	0.278	2.2
																	B0028867	149.40	151.40	2.00	CORE	0.217	1.3
																	B0028868	151.40	153.40	2.00	CORE	0.221	1.7
																	B0028869	153.40	155.53	2.13	CORE	0.395	1.4
																	B0028870	155.53	155.53	0.00	ME1807	7.73	329
																	B0028871	155.53	157.53	2.00	CORE	23.2	9.6
																	B0028872	157.53	159.53	2.00	CORE	0.487	1.3
																	B0028873	159.53	161.53	2.00	CORE	0.438	1.4
																	B0028874	161.53	163.53	2.00	CORE	0.504	4.5
																	B0028875	163.53	165.53	2.00	CORE	0.528	1.4
																	B0028876	165.53	167.53	2.00	CORE	0.305	1.7
																	B0028877	167.53	169.50	1.97	CORE	0.496	3.4
																	B0028878	169.50	170.50	1.00	CORE	0.353	5.2
																	B0028879	170.50	171.50	1.00	CORE	0.293	2.5
																	B0028880	171.50	171.50	0.00	BLK	0.0025	<0.2
																	B0028881	171.50	172.60	1.10	CORE	0.231	0.7
																	B0028882	172.60	173.60	1.00	ORIG	0.076	0.9
																	B0028883	172.60	173.60	1.00	DUP	0.065	1
																	B0028884	173.60	175.60	2.00	CORE	0.04	0.8
																	B0028885	175.60	177.60	2.00	CORE	0.032	0.7
																	B0028886	177.60	179.60	2.00	CORE	0.024	0.7
																	B0028887	179.60	181.60	2.00	CORE	0.03	1.3
																	B0028888	181.60	182.25	0.65	CORE	0.021	1.3
																	B0028889	182.25	184.25	2.00	CORE	0.171	4.4
																	B0028890	184.25	184.25	0.00	CU190	0.683	10.1
																	B0028891	184.25	186.25	2.00	CORE	0.06	4.2
																	B0028892	186.25	188.25	2.00	CORE	0.235	3.1
																	B0028893	188.25	190.25	2.00	CORE	0.469	0.9
																	B0028894	190.25	192.25	2.00	CORE	0.108	2.4
																	B0028895	192.25	194.25	2.00	CORE	0.034	2
																	B0028896	194.25	196.25	2.00	CORE	0.041	2.9
																	B0028897	196.25	198.25	2.00	CORE	0.03	1.8
																	B0028898	198.25	200.25	2.00	CORE	0.034	1.4

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P19-2271

Easting:	435944	**Azi (deg):**	260	**Start:**	21-Sep-20
Northing:	6219492	**Dip (deg):**	-50	**Finish:**	23-Sep-20
Elev (m):	1006	**Length (m):**	225.55	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	0.91	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-02	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Cal Stk**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	0.91	CSG	Casing														B0028899	0.91	3.07	2.16	CORE	0.033	0.9
																	B0028900	3.07	3.07	0.00	BLK	0.0025	<0.2
0.91	3.07	AFXX	Andesitic Flow														B0028901	3.07	5.06	1.99	CORE	0.063	2.1
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures			Tr			Tr			Tr					B0028902	5.06	7.06	2.00	CORE	0.051	1.6
3.07	12.74	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0028903	7.06	9.06	2.00	CORE	0.112	1.8
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets commonly at 40-50 TCA; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	V2	45											B0028904	9.06	11.13	2.07	CORE	0.207	1.8
12.74	14.64	CBXX	Silica breccia overprinted Strong QSP-altered Stockwork			3	4		2			7					B0028905	11.13	12.74	1.61	CORE	0.071	1.5
			Light grey to mottled white, Multi-stage pervasive mod to strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Strong py-bands associated with veining; 7% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	C/ASB	40											B0028906	12.74	13.74	1.00	CORE	0.263	1.8
14.64	21.40	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	3					B0028907	13.74	14.64	0.90	CORE	0.564	1.6
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets; 3% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); Py-bearing veins are cross-cut by high angle clean quartz+carbonate veins													B0028908	14.64	15.64	1.00	CORE	0.032	1.3
21.40	24.80	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028909	15.64	16.64	1.00	CORE	0.046	1.6
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;														B0028910	16.64	16.64	0.00	GS1Z	1.12	92.9
24.80	32.56	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0028911	16.64	17.64	1.00	CORE	0.069	1.3
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets commonly at 40-50 TCA; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0028912	17.64	18.64	1.00	ORIG	0.345	1.4
			32.46 32.56 Strong quartz+sericite+pyrite alteration halo at lower contact; strong texture destroying sil+ser alteration; high angle white and grey quartz veins <5% py as clots withing veinlets and as vfg disseminated blebs in groundmass	V2	30	3	4		3			5					B0028913	17.64	18.64	1.00	DUP	0.27	2
																	B0028914	18.64	19.64	1.00	CORE	0.362	2.2
32.56	34.30	CBXX	Silica breccia overprinted Strong QSP-altered Stockwork			3	4		2			7					B0028915	19.64	20.64	1.00	CORE	0.748	2.1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey to mottled white, Multi-stage pervasive mod to strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts and rounded white quartz vein clasts supported in a light greyish-green groundmass, Strong py-bands associated with veining; 7% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	C/ASB	30												B0028916	20.64	21.40	0.76	CORE	0.547	2.1
34.30	52.29	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	3					B0028917	21.40	22.90	1.50	CORE	0.093	1.6
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets cross-cute by white to dark grey high angle py-bearing grey quartz veins and <4cm high angle clean quartz carbonate veins; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)												B0028918	22.90	23.80	0.90	CORE	0.035	1.8
			38.12 43.20 Strong texture destorying silica alteration, increased vein density, strong overprinting pyrite alteration			3	4		2		1	5					B0028919	23.80	24.80	1.00	CORE	0.023	1.7
																	B0028920	24.80	24.80	0.00	BLK	0.0025	<0.2
52.29	58.66	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028921	24.80	25.80	1.00	CORE	0.1	1.7
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; low angle carbonate veinlets and anealed tension gashes subparallel TCA; trace py as vfg disseminate blebs associated with grey quartz veinlets; local rusty fractures and broken core												B0028922	25.80	26.80	1.00	CORE	0.222	2.8
			53.64 54.26 Fe-oxidation halo emanating from fractured core and brownish-grey fe-oxidized gouge														B0028923	26.80	27.80	1.00	CORE	0.069	2.3
																	B0028924	27.80	28.80	1.00	CORE	0.067	2.2
58.66	69.87	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	2					B0028925	28.80	29.80		CORE	0.06	2.2
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets cross-cute by white to dark grey high angle py-bearing grey quartz veins and <4cm high angle clean quartz carbonate veins; 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)												B0028926	29.80	30.80	1.00	CORE	0.129	3.8
69.87	109.08	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028927	30.80	31.80	1.00	CORE	0.119	4.3
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins												B0028928	31.80	32.56	0.76	CORE	0.146	3.8
109.08	110.67	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	2					B0028929	32.56	33.56	1.00	CORE	0.524	1.5
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)												B0028930	33.56	33.56	0.00	ME1807	7.64	326
110.67	142.21	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028931	33.56	34.30	0.74	CORE	0.3	2.3
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins												B0028932	34.30	35.30	1.00	CORE	0.206	2.8
			139.49 141.37 Blocky Broken core; low angle (15-20 TCA) oxidized fractures with trace rock flour and gouge												B0028933	35.30	36.12	0.82	CORE	0.151	2.1
142.21	144.04	D/AN	Andesitic Dyke								1						B0028934	36.12	37.12	1.00	CORE	0.35	3.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light green fg andesitic dyke; <8mm annealed carbonate infilled fractures; low angle fe-ox-bearing fracture														B0028935	37.12	38.12	1.00	CORE	0.334	4.5
144.04	154.71	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028936	38.12	39.12	1.00	CORE	1.095	4.6
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins													B0028937	39.12	40.12	1.00	CORE	0.17	3.2
154.71	174.97	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	4	2				B0028938	40.12	41.12	1.00	CORE	0.187	2.3
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <10cm crudely banded pyrite+sphalerite bearing grey quartz carbonate veins and veinlets 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0028939	41.12	42.12	1.00	CORE	0.327	2.3
174.97	179.64	CBXX	Silica Breccia			5			3			5	3	1			B0028940	42.12	42.12	0.00	BLK	0.0025	0.2
			Light grey,patchy strong pale green ser alteration, strong pervasive silica flooded zone,. 5% disseminated pyrite. tan sphalerite stringers and blebs overprinted by rusty red sphalerite blebs. Galena and rusty sphalerite as disseminated blebs forming crude bands in veins and veinlets, very fine py stringers locally associated with patchy graphitic stringers and alteration	C/ASB	40											B0028941	42.12	43.20	1.08	CORE	0.37	1.2
179.64	181.90	AFXZ	Feldspar Phyric Andesitic Flow, Strong Quartz Stockwork				4		2			2	2	Tr			B0028942	43.20	44.20	1.00	CORE	0.073	1.6
			Med to pale greyish-green moderately sericite altered fine grained andesitic flow. Strong Quartz+/-Carbonate stockwork.3% blebby rusty sphalerite blebs, 2% blebby to diss PY surrounding stockwork. Stock cut by late coarse white to grey CC veins.													B0028943	44.20	45.20	1.00	CORE	0.068	1.3
181.90	189.20	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0028944	45.20	47.20	2.00	CORE	0.245	1.6
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins													B0028945	47.20	49.20	2.00	CORE	0.014	1.1
189.20	202.62	SXXX	Black Argillite				3				2	1	4				B0028946	49.20	51.20	2.00	CORE	0.051	1.4
			Very fine grained massive black sediments, <1.5cm blebs of pyrite. Strong low angle pyrite-bearing (disseminated to partial infill) quartz carbonate veinlets.													B0028947	51.20	52.29	1.09	ORIG	0.246	2
202.62	204.07	FZXX	Brittle Deformation Zone														B0028948	51.20	52.29	1.09	DUP	0.258	1.8
			Blocky to broken argillite core fragments, Strong Fe-Ox on fractures; black rubble suspended in clayey gouge at bottom contact at 50 TCA	FLT	50											B0028949	52.29	54.26	1.97	CORE	0.02	1.1
204.07	205.83	SXXX	Black Argillite				3				2	4					B0028950	54.26	54.26	0.00	CU190	0.704	9.1
			Very fine grained massive black sediments, <1.5cm blebs of pyrite. Strong low angle pyrite-bearing (disseminated to partial infill) quartz carbonate veinlets.													B0028951	54.26	56.26	2.00	CORE	0.04	0.7
205.83	208.77	SXXZ	Black Argillite			2	4				2	6	1				B0028952	56.26	57.66	1.40	CORE	0.061	0.9
			Very fine grained massive black sediments, <1.5cm blebs of pyrite. Strong low angle pyrite-bearing (disseminated to partial infill) quartz carbonate veinlets. <3cm TT crudely banded to disseminated blebby py and rusty red sphalerite clot-bearing quartz stockwork													B0028953	57.66	58.66	1.00	CORE	0.064	0.8
208.77	223.48	SXXX	Black Argillite				3				2	4					B0028954	58.66	60.66	2.00	CORE	0.099	0.8
			Very fine grained massive black sediments, <1.5cm blebs of pyrite. Strong low angle pyrite-bearing (disseminated to partial infill) quartz carbonate veinlets.													B0028955	60.66	62.59	0.00	CORE	0.051	0.9
			216.62 217.32 Light to medium grey fg sandstone bed in argillite. UC at 45 TCA	BDG	45											B0028956	62.59	63.59	1.00	CORE	0.309	1.8
			222.83 223.48 Rubbly black argillite and white quartz+carbonate vein core fragments			2	4					2					B0028957	63.59	64.59	1.00	CORE	0.059	1.6
223.48	224.74	D/AN	Andesitic Dyke									Tr					B0028958	64.59	65.59	1.00	CORE	0.17	1.6
			Light greenish-grey to dark grey, local py-overprint, andesitic dyke; Blocky to broken core fragments														B0028959	65.59	66.59	1.00	CORE	0.31	2.7
224.74	225.55	FZXX	Brittle Deformation Zone			2	3				2	2					B0028960	66.59	66.59	0.00	BLK	0.008	<0.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
			2cm crudely banded py-bearing vuggy quartz vein at upper contact; broken to blocky quartz carbonate-bearing fg argillite and bleached andesitic dyke core fragments														B0028961	66.59	67.59	1.00	CORE	0.63	3.1	
	225.55		EOH														B0028962	67.59	68.59	1.00	CORE	0.116	2.4	
																	B0028963	68.59	69.87	1.28	CORE	0.079	1.8	
																	B0028964	69.87	70.87	1.00	CORE	0.013	0.8	
																	B0028965	70.87	71.87	1.00	CORE	0.011	0.6	
																	B0028966	71.87	73.87	2.00	CORE	0.02	0.7	
																	B0028967	73.87	75.87	2.00	CORE	0.01	0.5	
																	B0028968	75.87	77.87	2.00	CORE	0.017	0.4	
																	B0028969	102.08	104.08	2.00	CORE	0.015	0.2	
																	B0028970	104.08	104.08	0.00	GS1Z	1.215	90.1	
																	B0028971	104.08	106.08	2.00	CORE	0.059	1	
																	B0028972	106.08	108.08	2.00	CORE	0.014	0.5	
																	B0028973	108.08	110.67	2.59	CORE	0.048	1.9	
																	B0028974	110.67	112.67	2.00	CORE	0.024	0.4	
																	B0028975	112.67	114.67	2.00	ORIG	0.025	0.4	
																	B0028976	112.67	114.67	2.00	DUP	0.02	0.4	
																	B0028977	114.67	116.67	2.00	CORE	0.037	0.3	
																	B0028978	145.71	147.71	2.00	CORE	0.016	<0.2	
																	B0028979	147.71	149.71	2.00	CORE	0.062	0.4	
																	B0028980	149.71	149.71	0.00	BLK	0.011	<0.2	
																	B0028981	149.71	151.71	2.00	CORE	0.068	0.6	
																	B0028982	151.71	153.71	2.00	CORE	0.022	0.2	
																	B0028983	153.71	154.71	1.00	CORE	0.048	0.3	
																	B0028984	154.71	155.71	1.00	ORIG	0.03	0.3	
																	B0028985	154.71	155.71	1.00	DUP	0.03	0.4	
																	B0028986	155.71	156.71	1.00	CORE	0.051	0.6	
																	B0028987	156.71	157.71	1.00	CORE	0.148	2.3	
																	B0028988	157.71	158.71	1.00	CORE	0.036	0.4	
																	B0028989	158.71	159.71	1.00	CORE	0.345	0.9	
																	B0028990	159.71	159.71	0.00	ME1807	8.27	332	
																	B0028991	159.71	160.71	1.00	CORE	0.21	0.8	
																	B0028992	160.71	161.71	1.00	CORE	0.06	0.5	
																	B0028993	161.71	162.71	1.00	CORE	0.045	0.4	
																	B0028994	162.71	163.71	1.00	CORE	0.064	0.4	
																	B0028995	163.71	164.71	1.00	CORE	0.024	<0.2	
																	B0028996	164.71	165.71	1.00	CORE	0.206	2.2	
																	B0028997	165.71	166.71	1.00	CORE	0.048	0.7	
																	B0028998	166.71	167.71	1.00	CORE	0.278	1.7	
																	B0028999	167.71	168.71	1.00	CORE	0.023	0.3	
																	B0029000	168.71	168.71	0.00	BLK	0.011	<0.2	
																	B0029501	168.71	169.71	1.00	CORE	0.084	2.8	
																	B0029502	169.71	170.71	1.00	CORE	0.031	0.3	
																	B0029503	170.71	171.71	1.00	CORE	0.233	1.6	*SEQUENCE CHANGE*
																	B0029504	171.71	172.71	1.00	CORE	0.249	1.9	
																	B0029505	172.71	173.71	1.00	CORE	0.153	2.2	
																	B0029506	173.71	174.97	1.26	CORE	0.813	1.2	
																	B0029507	174.97	175.97	1.00	CORE	0.435	1.6	
																	B0029508	175.97	176.97	1.00	CORE	1.32	4.9	
																	B0029509	176.97	177.97	1.00	CORE	3.58	4.6	
																	B0029510	177.97	177.97	0.00	CU190	0.701	8.7	
																	B0029511	177.97	179.84	1.87	CORE	3.84	389	
																	B0029512	179.84	180.84	1.00	CORE	0.572	2.1	
																	B0029513	180.84	181.90	1.06	CORE	0.964	2.6	
																	B0029514	181.90	182.90	1.00	CORE	0.049	0.4	
																	B0029515	182.90	184.90	2.00	CORE	0.031	0.3	
																	B0029516	184.90	186.90	2.00	CORE	0.013	0.4	
																	B0029517	186.90	188.20	1.30	CORE	0.05	0.5	
																	B0029518	188.20	189.20	1.00	CORE	0.066	0.9	
																	B0029519	189.20	191.20	2.00	CORE	0.074	3.1	
																	B0029520	191.20	191.20	0.00	BLK	0.009	<0.2	
																	B0029521	191.20	193.20	2.00	CORE	0.186	3	
																	B0029522	193.20	195.20	2.00	CORE	0.031	2.4	
																	B0029523	195.20	197.20	2.00	CORE	0.072	2.8	
																	B0029524	197.20	199.20	2.00	CORE	0.115	6.2	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	B0029525	199.20	201.20	2.00	CORE	0.044	2.5
																	B0029526	201.20	202.62	1.42	CORE	0.058	3.5
																	B0029527	202.62	204.07	1.45	CORE	0.034	2.9
																	B0029528	204.07	205.83	1.76	CORE	0.063	3.2
																	B0029529	205.83	206.83	1.00	CORE	0.034	2.9
																	B0029530	206.83	206.83	0.00	GS1Z	1.06	90.9
																	B0029531	206.83	207.83	1.00	CORE	0.052	2.8
																	B0029532	207.83	208.77	0.94	CORE	0.072	2.9
																	B0029533	208.77	209.77	1.00	ORIG	0.038	2.8
																	B0029534	208.77	209.77	1.00	DUP	0.053	3.1
																	B0029535	209.77	211.77	2.00	CORE	0.048	2.7
																	B0029536	211.77	213.77	2.00	CORE	0.06	4.3
																	B0029537	213.77	215.62	1.85	CORE	0.044	2.3
																	B0029538	215.62	216.62	1.00	CORE	0.063	3.6
																	B0029539	216.62	217.32	0.70	CORE	0.057	4.7
																	B0029540	217.32	217.32	0.00	BLK	0.006	0.2
																	B0029541	217.32	219.32	2.00	CORE	0.042	2.8
																	B0029542	219.32	221.32	2.00	CORE	0.044	2.2
																	B0029543	221.32	223.48	2.16	CORE	0.027	2.4
																	B0029544	223.48	225.55	2.07	CORE	0.015	0.5

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P19-2272

Easting:	435944	**Azi (deg):**	260	**Start:**	21-Sep-20
Northing:	6219492	**Dip (deg):**	-60	**Finish:**	23-Sep-20
Elev (m):	1006	**Length (m):**	236.83	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	0.91	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-02	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	0.91	CSG	Casing														B0029545	0.91	2.91	2.00	CORE	0.051	2
																	B0029546	2.91	3.89	0.00	CORE	0.044	1.8
0.91	3.89	AFXX	Andesitic Flow														B0029547	3.89	4.89	1.00	CORE	0.169	1.9
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures			Tr			Tr			Tr					B0029548	4.89	5.89	1.00	CORE	0.102	2
3.89	9.15	AFXZ	Strong QSP-altered Stockwork-bearing Andesitic Flow			3	4		2			5					B0029549	5.89	6.89	1.00	CORE	0.21	1.8
			Light grey, Pervasive mod to strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Strong py-bearing veinlets and local pyrite-bearing silica breccia, 5% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0029550	6.89	6.89	0.00	CU190	0.723	10
9.15	16.05	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0029551	6.89	7.89	1.00	CORE	0.277	2.1
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0029552	7.89	9.15	1.26	CORE	0.155	2.2
16.05	18.38	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0029553	9.15	10.15	1.00	CORE	0.156	2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;														B0029554	10.15	11.15	1.00	CORE	0.263	2.3
18.38	22.98	AFXZ	Strong QSP-altered Stockwork-bearing Andesitic Flow			3	4		2			5					B0029555	11.15	12.15	1.00	CORE	0.097	1.8
			Light grey, Pervasive mod to strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Strong py-bearing veinlets and local pyrite-bearing silica breccia, 5% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	V2	20											B0029556	12.15	13.15	1.00	CORE	0.182	2.3
																	B0029557	13.15	14.15	1.00	CORE	0.266	2.2
22.98	28.90	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0029558	14.15	15.15	1.00	CORE	0.28	2.2
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork; 2% PY as blebby disseminated clots or as partial infill in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); stockwork cross-cut by grey quartz veins	V2	45											B0029559	15.15	16.05	0.90	CORE	0.098	1.6
28.90	46.50	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0029560	16.05	16.05	0.00	BLK	0.008	0.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;														B0029561	16.05	17.05	1.00	CORE	0.022	1
			39.54 39.90 Broken core, dark brown oxidation on low angle fractures														B0029562	17.05	18.38	1.33	CORE	0.089	1.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			45.86 46.18 Broken core, dark brown oxidation on low angle fractures														B0029563	18.38	19.38	1.00	CORE	0.193	1.6
46.50	51.20	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0029564	19.38	20.38	1.00	CORE	0.307	1.9
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork; 2% PY as blebby disseminated clots or as partial infill in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); stockwork cross-cut by grey quartz veins	V2	45											B0029565	20.38	21.38	1.00	CORE	0.31	2
																	B0029566	21.38	22.38	1.00	CORE	0.363	2.4
51.20	52.96	AFXZ	Strong QSP-altered Stockwork-bearing Andesitic Flow			3	4		2			5					B0029567	22.38	22.98	0.60	CORE	0.483	1.9
			Light grey, Pervasive mod to strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Strong py-bearing veinlets and local pyrite-bearing silica breccia, 5% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)	V2	20											B0029568	22.98	23.98	1.00	CORE	0.147	1.6
52.96	115.16	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0029569	23.98	24.98	1.00	CORE	0.199	1.4
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins													B0029570	24.98	24.98	0.00	GS1Z	1.125	87
115.16	116.40	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	2					B0029571	24.98	25.98	1.00	ORIG	0.105	1.5
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate veins and veinlets 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0029572	24.98	25.98	1.00	DUP	0.083	1.4
116.40	146.64	AFXX	Andesitic Flow			Tr	Tr		Tr			Tr					B0029573	25.98	27.98	2.00	CORE	0.171	1.7
			Mottled Green, trace patchy sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Trace py as <mg euhedral cubes localized in subrounded dark green andesitic flow clasts; local high angle dark-grey to white quartz carbonate veins													B0029574	27.98	28.90	0.92	CORE	0.202	2.6
																	B0029575	28.90	30.90	2.00	CORE	0.046	0.6
146.64	150.10	AFXZ	Strong QSP-altered Stockwork-bearing Andesitic Flow			3	4		2			5					B0029576	30.90	32.90	2.00	CORE	0.035	0.3
			Light grey, Pervasive strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Strong py-bearing veinlets and local pyrite-bearing silica breccia, 5% PY as blebby disseminated clots or partial infill in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); textures cross-cut by pyrite stringers and <3cm grey quartz veins													B0029577	32.90	34.90	2.00	CORE	0.008	0.4
150.10	159.41	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		2		1	4	2				B0029578	34.90	36.90	2.00	CORE	0.005	0.4
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <10cm crudely banded pyrite+sphalerite bearing grey quartz carbonate veins and veinlets 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)													B0029579	36.90	38.90	2.00	CORE	0.01	0.7
159.41	174.25	AFBX	Feldspar Phyric Andesitic Flow Breccia			Tr	Tr		Tr			Tr					B0029580	38.90	38.90	0.00	BLK	0.0025	<0.2
			Med grey green to grey, angular to subangular, monolithic dark green clasts supported by a light greenish grey andesitic flow groundmass. Overprinted by annealed carbonate infilled fractures, Minor pyrite+sph in local QTZ veins. Minor euhedral disseminated py in groundmass. .													B0029581	38.90	40.90	2.00	CORE	0.017	0.8
174.25	180.94	AFBZ	Feldspar Phyric Andesitic Flow Breccia			2			2			2	1				B0029582	40.90	42.90	2.00	CORE	0.115	1.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Med grey green to grey, angular to subangular, monolithic dark green clasts and angular bleached fg sediment clasts, and <2.5cm subangular quartz vein clasts, supported by a light greenish grey andesitic flow groundmass. Overprinted by annealed carbonate infilled fractures, Minor blebby pyrite+sph in local QTZ veins and in groundmass Minor euhedral disseminated py in groundmass. .													B0029583	42.90	44.90	2.00	CORE	0.049	1.5
180.94	236.83	SXXX	Black Argillite			2	3				2	1	4				B0029584	44.90	46.50	1.60	CORE	0.056	1.6
			Black, silica altered, Very fine grained massive black sediments, <1.5cm blebs of pyrite. Strong low angle pyrite-bearing (disseminated to partial infill) quartz carbonate veinlets. <4cm pyritized subangular sandstone clasts suspended in a black fg mudstone cement													B0029585	46.50	48.50	2.00	CORE	0.124	1.9
																	B0029586	48.50	50.20	1.70	CORE	0.053	1.7
	236.83		EOH														B0029587	50.20	51.20	1.00	CORE	0.046	1.2
																	B0029588	51.20	52.96	1.76	CORE	0.084	1.5
																	B0029589	52.96	53.96	1.00	CORE	0.25	2.4
																	B0029590	53.96	53.96	0.00	ME1807	7.91	317
																	B0029591	53.96	54.96	1.00	CORE	0.056	2
																	B0029592	54.96	55.96	1.00	CORE	0.04	1.5
																	B0029593	55.96	56.96	1.00	CORE	0.073	1.9
																	B0029594	56.96	57.96	1.00	CORE	0.294	2.8
																	B0029595	57.96	58.96	1.00	CORE	0.148	1.9
																	B0029596	58.96	59.96	1.00	CORE	0.023	2
																	B0029597	59.96	60.96	1.00	CORE	0.018	1.4
																	B0029598	60.96	61.96	1.00	CORE	0.094	1.4
																	B0029599	61.96	63.50	1.54	CORE	0.354	1.3
																	B0029600	63.50	63.50	0.00	BLK	0.0025	<0.2
																	B0029601	63.50	65.50	0.00	CORE	0.294	1.2
																	B0029602	65.50	67.50	2.00	CORE	0.018	0.7
																	B0029603	67.50	69.50	2.00	CORE	0.007	0.5
																	B0029604	69.50	71.50	2.00	CORE	0.0025	0.3
																	B0029605	71.50	73.50	2.00	CORE	0.007	0.4
																	B0029606	110.16	112.16	2.00	CORE	0.006	0.7
																	B0029607	112.16	114.16	2.00	CORE	0.007	0.9
																	B0029608	114.16	115.16	1.00	CORE	0.02	0.4
																	B0029609	115.16	116.40	1.24	CORE	0.89	3.8
																	B0029610	116.40	116.40	0.00	CU190	0.713	9.7
																	B0029611	116.40	117.40	1.00	CORE	0.071	1
																	B0029612	117.40	119.40	2.00	CORE	0.052	0.5
																	B0029613	140.64	142.64	2.00	CORE	0.015	0.8
																	B0029614	142.64	144.64	2.00	CORE	0.02	0.9
																	B0029615	144.64	145.64	1.00	CORE	0.045	0.8
																	B0029616	145.64	146.64	1.00	CORE	0.093	0.9
																	B0029617	146.64	147.64	1.00	CORE	0.339	2.1
																	B0029618	147.64	148.64	1.00	CORE	0.219	1.7
																	B0029619	148.64	150.10	1.46	CORE	0.495	1.6
																	B0029620	150.10	150.10	0.00	BLK	0.0025	<0.2
																	B0029621	150.10	151.10	1.00	CORE	0.08	1.1
																	B0029622	151.10	152.10	1.00	CORE	0.091	1.5
																	B0029623	152.10	153.10	1.00	CORE	0.389	2.1
																	B0029624	153.10	154.10	1.00	CORE	0.415	3.5
																	B0029625	154.10	155.00	0.90	CORE	0.704	3.3
																	B0029626	155.00	156.00	1.00	CORE	0.419	1.9
																	B0029627	156.00	157.00	1.00	CORE	0.027	1.3
																	B0029628	157.00	158.00	1.00	CORE	0.166	1.9
																	B0029629	158.00	159.41	1.41	CORE	0.226	4.4
																	B0029630	159.41	159.41	0.00	GS1Z	1.185	92.7
																	B0029631	159.41	160.41	1.00	CORE	0.06	1.7
																	B0029632	160.41	161.41	1.00	CORE	0.015	1.1
																	B0029633	161.41	163.41	2.00	CORE	0.045	1.8
																	B0029634	163.41	165.41	2.00	CORE	0.065	1.3
																	B0029635	165.41	167.41	2.00	CORE	0.25	1.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	B0029636	167.41	169.41	2.00	CORE	0.169	0.9
																	B0029637	169.41	170.41	1.00	CORE	0.007	0.6
																	B0029638	170.41	171.41	1.00	CORE	0.13	1.7
																	B0029639	171.41	172.41	1.00	CORE	0.024	0.8
																	B0029640	172.41	172.41	0.00	BLK	0.005	<0.2
																	B0029641	172.41	173.31	0.90	CORE	0.0025	0.3
																	B0029642	173.31	174.25	0.94	CORE	0.005	1
																	B0029643	174.25	175.25	1.00	CORE	0.109	1.6
																	B0029644	175.25	176.25	1.00	CORE	0.075	0.5
																	B0029645	176.25	177.25	1.00	CORE	0.058	1.6
																	B0029646	177.25	178.25	1.00	CORE	0.676	2.6
																	B0029647	178.25	179.25	1.00	CORE	0.311	2.2
																	B0029648	179.25	180.94	1.69	CORE	0.058	1.1
																	B0029649	180.94	181.94	1.00	CORE	0.464	1.6
																	B0029650	181.94	181.94	0.00	ME1807	7.76	333
																	B0029651	181.94	182.94	1.00	CORE	0.139	3.3
																	B0029652	182.94	184.94	2.00	CORE	0.171	4.9
																	B0029653	184.94	186.94	2.00	CORE	0.109	4.3
																	B0029654	186.94	188.94	2.00	CORE	0.052	6.4
																	B0029655	188.94	190.94	2.00	CORE	0.041	2.1
																	B0029656	190.94	192.94	2.00	CORE	0.058	3.1
																	B0029657	192.94	194.94	2.00	CORE	1.55	6.9

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P19-2273

Easting:	435944	**Azi (deg):**	45	**Start:**	26-Sep-20
Northing:	6219492	**Dip (deg):**	-45	**Finish:**	27-Sep-20
Elev (m):	1006	**Length (m):**	150.24	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	0.91	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-02	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.83	CSG															B0029658	1.83	2.83	1.00	CORE	0.14	2.2
																	B0029659	2.83	3.49	0.00	CORE	0.115	3.1
1.83	3.49	FZXX	Brittle Deformation Zone			3			2			1					B0029660	3.49	3.49	0.00	BLK	0.0025	<0.2
			Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 3% py clots in veins and as disseminated blebs in groundmass														B0029661	3.49	4.50	1.01	CORE	0.143	2.4
																	B0029662	4.50	5.74	1.24	CORE	0.046	1
3.49	5.74	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0029663	5.74	7.81	2.07	CORE	0.149	3.9
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)														B0029664	7.81	9.41	1.60	CORE	0.383	1.9
5.74	7.81	FZXX	Brittle Deformation Zone			3			2			2					B0029665	9.41	10.75	1.34	CORE	0.064	0.9
			Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 3% py clots in veins and as disseminated blebs in groundmass														B0029666	10.75	12.67	1.92	CORE	0.011	1.2
7.81	9.41	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	3	1				B0029667	12.67	13.67	1.00	CORE	0.022	1.3
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 3% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); 1% rusty red sphalerite overprinting tan sphalerite blebs in vein stockwork														B0029668	13.67	15.42	1.75	CORE	0.072	1.6
9.41	12.67	FZXX	Brittle Deformation Zone			3			2			1					B0029669	15.42	16.18	0.76	CORE	0.082	1
			Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 1% disseminated py blebs in groundmass														B0029670	16.18	16.18	0.00	CU190	0.679	9.2
																	B0029671	16.18	17.18	1.00	CORE	0.038	1.4
12.67	16.18	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	2					B0029672	17.18	18.18	1.00	CORE	0.105	1.2
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)														B0029673	18.18	19.36	1.18	CORE	0.142	1.6
16.18	19.36	AFXZ	Strong QSP-altered Stockwork-bearing Andesitic Flow			3	4		2			5					B0029674	19.36	20.76	1.40	CORE	0.367	4.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
			Light grey, Pervasive mod to strong sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, Strong py-bearing veinlets and local pyrite-bearing silica breccia, 5% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)														B0029675	20.76	22.15	1.39	CORE	0.24	3	
19.36	22.15	FZXX	Brittle Deformation Zone Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; Local screens of carbonate infilled amydale-bearing fg andesitic dyke, blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 1% disseminated py blebs in groundmass			3			2			1					B0029676 B0029677	22.15 23.15	23.15 25.15	1.00 2.00	CORE CORE	0.076 0.056	1.3 1	
22.15	26.66	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)			1	3		2		1	2					B0029678 B0029679	25.15 26.66	26.66 28.66	1.51 2.00	CORE CORE	0.075 0.027	1.3 0.5	
26.66	28.66	AFXX	Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;			Tr	Tr		Tr			Tr					B0029680 B0029681	28.66 28.66	28.66 30.27	0.00 1.61	BLK CORE	0.0025 0.073	<0.2 0.7	
28.66	31.27	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)			1	3		2		1	2					B0029682 B0029683	30.27 31.27	31.27 33.27	1.00 2.00	CORE CORE	0.166 0.051	1.4 0.5	
31.27	43.89	AFXX	Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;			Tr	Tr		Tr			Tr					B0029684 B0029685	33.27 35.27	35.27 37.27	2.00 2.00	CORE CORE	0.022 0.344	0.6 1.5	
43.89	45.10	FZXX	Brittle Deformation Zone Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 1% disseminated py blebs in groundmass			3			2			1					B0029686 B0029687	37.27 39.27	39.27 41.27	2.00 2.00	CORE CORE	0.031 0.246	0.7 1.8	
45.10	46.03	AFXX	Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;			Tr	Tr		Tr			Tr					B0029688 B0029689	41.27 43.27	43.27 46.40	2.00 3.13	CORE CORE	0.086 0.052	1.2 0.8	
46.03	46.94	FZXX	Brittle Deformation Zone Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 1% disseminated py blebs in groundmass			3			2			1					B0029690 B0029691	46.40 46.40	46.40 47.94	0.00 1.54	GS1Z CORE	1.155 0.313	89.4 1	Poor Recovery
46.94	85.28	D/AP	Faulted Porphyritic Andesitic Dyke Mottled Green, 5% subhedral carbonate replaced plagioclase phenocrysts, in an aphanitic greenish grey groundmass; Sharp angular fracture planes, local chlorite and carbonate infill 58.56 58.83 Broken Core, trace carbonate and fe-ox on fractures of angular core fragments			Tr	Tr		Tr			Tr					B0029692 B0029693 B0029694	47.94 49.96 51.96	49.96 51.96 53.96	2.02 2.00 2.00	CORE CORE CORE	0.012 0.009 0.015	0.8 0.5 0.5	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			60.47 61.53 Broken Core, trace carbonate and fe-ox on fractures of angular core fragments														B0029695	81.28	83.28	2.00	CORE	0.192	0.9
			71.74 72.55 Broken and Blocky core														B0029696	83.28	85.28	2.00	CORE	0.17	1
																	B0029697	85.28	87.28	2.00	CORE	0.039	0.8
85.28	91.35	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt)			1	3		2		1	2					B0029698	87.28	89.31	2.03	CORE	0.132	1
																	B0029699	89.31	91.35	2.04	CORE	0.229	1.1
91.35	104.45	AFXX	Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;			Tr	Tr		Tr			Tr					B0029700	91.35	91.35	0.00	BLK	0.0025	<0.2
																	B0029701	91.35	93.35	2.00	CORE	0.228	1.2
104.45	110.25	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow Light grey to mottled green, Patchy bands of strong sil+ser alteration associated with py-bearing quartz stockwork and pyrite stringers at ; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite blebs in veinlets			1	3		2		1	2	Tr	Tr			B0029702	93.35	95.35	2.00	CORE	0.108	0.9
																	B0029703	95.35	97.35	2.00	CORE	0.146	1.3
110.25	114.25	AFXX	Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;			Tr	Tr		Tr			Tr					B0029704	97.35	99.35	2.00	CORE	0.055	0.9
																	B0029705	99.35	101.35	2.00	CORE	0.039	0.7
114.25	137.39	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow Light grey to mottled green, Patchy bands of strong sil+ser alteration associated with py-bearing quartz stockwork and pyrite stringers at ; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite blebs and trace galena in veinlets			1	3		2		1	2	Tr	Tr			B0029706	101.35	103.35	2.00	CORE	0.046	1
																	B0029707	103.35	104.45	1.10	CORE	0.769	2.8
137.39	140.62	CBXX	Silica Breccia Light grey, silica flooded zone,. 8% disseminated to semimassive pyrite. Galena and rusty sphalerite as disseminated blebs and partial infill in veinlets, trace blebs of red reflective proustite-pyrargarite. Local strong stockworking. Local white to tan carbonate veins overprinting and locally brecciating the silica matrix.			5						1	8	2	1		B0029708	104.45	105.45	1.00	CORE	0.879	2.6
																	B0029709	105.45	107.45	2.00	CORE	0.212	1.9
140.62	146.77	AFBX	Feldspar Phyric Andesitic Flow Breccia Med grey green to grey, angular to subangular, monolithic dark green clasts supported by a light greenish grey andesitic flow groundmass. Overprinted by annealed carbonate infilled fractures, Minor pyrite+sph in local QTZ veins. Minor euhedral disseminated py in groundmass. .			Tr	Tr		Tr			Tr					B0029710	107.45	107.45	0.00	ME1807	8.23	328
																	B0029711	107.45	109.00	1.55	CORE	0.136	1.4
146.77	150.24	D/AP	Faulted Porphyritic Andesitic Dyke Mottled Green, Strong Fe-Ox, 5% subhedral carbonate replaced plagioclase phenocrysts, in an aphanitic greenish grey groundmass; Sharp angular fracture planes, local chlorite and carbonate infill			Tr	Tr		Tr			Tr					B0029712	109.00	110.25	0.00	ORIG	0.222	1.5
																	B0029713	109.00	110.25	1.25	DUP	0.314	1.7
			150.24 EOH														B0029714	110.25	112.25	2.00	CORE	0.257	2.4
																	B0029715	112.25	114.25	2.00	CORE	0.07	1.3
																	B0029716	114.25	116.25	2.00	CORE	0.161	1.6
																	B0029717	116.25	118.25	2.00	CORE	0.184	1.3
																	B0029718	118.25	120.03	1.78	CORE	0.105	0.7
																	B0029719	120.03	121.03	1.00	CORE	0.185	0.9

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	B0029720	121.03	121.03	0.00	BLK	0.0025	<0.2
																	B0029721	121.03	123.03	2.00	CORE	0.369	2.4
																	B0029722	123.03	124.03	1.00	CORE	0.374	1.7
																	B0029723	124.03	125.03	1.00	CORE	0.416	2.5
																	B0029724	125.03	126.03	1.00	CORE	0.102	1.3
																	B0029725	126.03	127.03	1.00	CORE	0.089	1.4
																	B0029726	127.03	128.03	1.00	CORE	0.38	2
																	B0029727	128.03	129.03	1.00	CORE	0.681	1.8
																	B0029728	129.03	130.03	1.00	CORE	0.484	2.5
																	B0029729	130.03	131.03	1.00	CORE	0.405	2.4
																	B0029730	131.03	131.03	0.00	CU190	0.688	9.3
																	B0029731	131.03	132.03	1.00	CORE	0.693	2.9
																	B0029732	132.03	133.03	1.00	CORE	0.938	3.2
																	B0029733	133.03	134.03	1.00	CORE	0.53	2.7
																	B0029734	134.03	135.03	1.00	CORE	0.659	3.5
																	B0029735	135.03	136.03	1.00	CORE	0.742	3.2
																	B0029736	136.03	137.39	1.36	CORE	2.83	7.1
																	B0029737	137.39	138.39	1.00	CORE	1.215	3.9
																	B0029738	138.39	139.39	1.00	CORE	1.625	3.4
																	B0029739	139.39	140.62	1.23	CORE	1.095	3
																	B0029740	140.62	140.62	0.00	BLK	0.006	<0.2
																	B0029741	140.62	141.62	1.00	CORE	0.139	0.8
																	B0029742	141.62	142.62	1.00	CORE	0.087	0.7
																	B0029743	142.62	143.62	1.00	CORE	0.038	0.6
																	B0029744	143.62	144.62	1.00	CORE	0.013	0.4
																	B0029745	144.62	145.62	1.00	CORE	0.011	0.4
																	B0029746	145.62	146.77	1.15	CORE	0.018	0.5
																	B0029747	146.77	147.77	1.00	CORE	0.071	0.7
																	B0029748	147.77	150.24	2.47	CORE	0.105	0.6

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P19-2274

Easting:	436092	**Azi (deg):**	240	**Start:**	28-Sep-20
Northing:	6219372	**Dip (deg):**	-55	**Finish:**	01-Oct-20
Elev (m):	1006	**Length (m):**	150.88	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	2.3	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-03	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	2.30	CSG															B0029749	2.30	4.30	2.00	CORE	0.119	0.7
																	B0029750	4.30	4.30	0.00	GS1Z	1.135	93.3
2.30	8.35	AXXX	Massive Andesite			2			2			1					B0029751	4.30	6.30	2.00	CORE	0.007	0.4
			Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; Trace vfg disseminated py halo proximal to contact with stockwork-bearing andesitic unit. Local oxidized low angle oxidized fractures, Cross-cut by carbonate veining locally weathered to dark brown.													B0029752	6.30	7.35	1.05	CORE	0.025	0.8
8.35	9.78	AXPZ	QSP-altered Stockwork-bearing Massive Andesite			3	4		2		1	5					B0029753	7.35	8.35	1.00	CORE	0.127	1.5
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <6cm coarse pyrite-clot bearing grey V1 multistage silica breccia veins at 30 TCA	V1	30											B0029754	8.35	9.78	1.43	CORE	0.339	3.1
9.78	29.60	AFPX	Andesitic Flow			Tr	Tr		Tr			Tr					B0029755	9.78	11.28	1.50	ORIG	0.016	0.6
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix												B0029756	9.78	11.28	1.50	DUP	0.016	0.5
29.60	33.21	AXXZ	Quartz+Sericite Stockwork-bearing Massive Andesite.			1	3		2		1	3	1				B0029757	11.28	12.50	1.22	CORE	0.006	0.3
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 3% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); trace rusty red sphalerite clots in py-bearing vein stockwork cross-cut by vfg discontinuous py-stringers; local graphitic high angle TCA graphitic veinlets												B0029758	12.50	14.50	2.00	CORE	0.008	0.3
33.21	37.68	AXXX	Massive Andesite			2			2			1					B0029759	14.50	16.50	2.00	CORE	0.0025	0.3
			Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; Trace vfg disseminated py halo proximal to contact with stockwork-bearing andesitic unit. Local oxidized low angle oxidized fractures, Cross-cut by carbonate veining locally weathered to dark brown.												B0029760	16.50	16.50	0.00	BLK	0.0025	<0.2
37.68	40.00	AXXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	4	1				B0029761	16.50	18.50	2.00	CORE	0.006	0.2
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 4% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); 1% rusty red sphalerite overprinting tan sphalerite blebs in vein stockwork												B0029762	18.50	20.50	2.00	CORE	0.0025	0.2
40.00	41.74	AXXX	Massive Andesite			2			2			1					B0029763	20.50	22.50	2.00	CORE	0.023	0.4
			Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; Trace vfg disseminated py halo proximal to contact with stockwork-bearing andesitic unit. Local oxidized low angle oxidized fractures, Cross-cut by carbonate veining locally weathered to dark brown.												B0029764	22.50	24.50	2.00	CORE	0.012	0.3

41.74	43.60	CBXX	Silica Breccia Light grey, silica flooded zone, light green apple green 8% disseminated to semimassive pyrite. Galena and rusty sphalerite as disseminated blebs and partial infill in veinlets, trace blebs of red reflective proustite-pyrargarite. Local strong stockworking. Local white to tan carbonate veins overprinting and locally brecciating the silica matrix.			5		4			8	2	1		B0029765	24.50	26.50	2.00	CORE	0.021	0.6
															B0029766	26.50	28.50	2.00	CORE	0.03	0.5
															B0029767	28.50	29.60	1.10	CORE	0.017	0.4
43.60	50.55	AFPX	Plag-phyric clast-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix			Tr	Tr	Tr			Tr				B0029768	29.60	31.10	1.50	CORE	0.023	0.6
															B0029769	31.10	32.10	1.00	CORE	0.062	1.5
50.55	51.32	FZXX	Brittle Deformation Zone Subparallel fractures to core axis, infilled with greyish-green clayey gouge, Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, fg massive andesite; 1% disseminated py blebs in groundmass			3		2			1				B0029770	32.10	32.10	0.00	ME1807	8.06	328
															B0029771	32.10	33.21	1.11	CORE	0.03	1.1
51.32	56.54	AFPX	Plag-phyric clast-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix			Tr	Tr	Tr			Tr				B0029772	33.21	34.21	1.00	CORE	0.013	0.6
															B0029773	34.21	36.21	2.00	CORE	0.015	0.7
56.54	63.30	AXPZ	Weak QSP-altered Stockwork-bearing Andesitic Flow Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); crudely banded, disseminated py-bearing bands with strong disseminated pyrite halos at 50 TCA, and blebby disseminated quartz carbonate veins and veinlets at 30 TCA	V2	50	1	2	2	1	2				B0029774	36.21	37.68	1.47	CORE	0.013	0.5
															B0029775	37.68	38.68	1.00	CORE	0.027	0.7
63.30	66.84	AFPX	Plag-phyric clast-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;			Tr	Tr	Tr							B0029776	38.68	40.00	1.32	CORE	0.255	1.6
															B0029777	40.00	41.74	1.74	CORE	0.048	0.9
66.84	76.95	AXPZ	QSP-altered Stockwork-bearing Massive Andesite Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <6cm coarse pyrite-clot bearing grey V1 multistage silica breccia veins at 30 TCA	V1	30	1	3	2	1	4				B0029778	41.74	42.60	0.86	CORE	0.21	2.6
															B0029779	42.60	43.60	1.00	CORE	0.317	4.8
76.95	87.62	AFPX	Plag-phyric clast-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli sized dark green rounded clasts supported by a light greyish-green fine grained andestic groundmass, high angle carbonate annealed fractures;			Tr	Tr	Tr							B0029780	43.60	43.60	0.00	BLK	0.005	<0.2
															B0029781	43.60	44.60	1.00	CORE	0.037	1.5
87.62	94.02	AFXZ	QSP-altered Stockwork-bearing Massive Andesite Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm TT py-clot bearing quartz veins and veinlets; local graphitic clast supported crackle breccia.	V2	30	1	2	2	1	3				B0029782	44.60	46.60	2.00	CORE	0.02	0.9
															B0029783	46.60	48.60	2.00	CORE	0.011	0.6
90.89	91.08		ABHX; light grey, <1cm heterolithic subangular clast-bearing groundmass supported breccia;			2	3	1	1						B0029784	48.60	50.55	1.95	CORE	0.011	0.5
94.02	99.29	FZXX	Brittle Deformation Zone Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, local light grey rubble zone supported in gouge, fg massive andesite; blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 1% disseminated py blebs in groundmass			2		1			1				B0029785	50.55	51.32	0.77	CORE	0.034	1.4
															B0029786	51.32	53.32	2.00	CORE	0.015	0.5
99.29	106.50	AFXX	Andesitic Flow			Tr	Tr	Tr		2					B0029787	53.32	55.32	2.00	CORE	0.0025	0.5

				Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, <3cm intervals of carbonate hydrothermal breccia (green angular andesitic clasts suspended in a white carbonate cement.)														B0029788	55.32	56.54	1.22	CORE	0.017	0.6
			103.36	104.00	FLT; rubbly lithic fragments suspended in gouge seam within fracture at 30 TCA at start of interval, broken angular core fragments throughout interval with weak oxidation on fractures	GGE	30	Tr		Tr	2					B0029789	56.54	58.54	2.00	CORE	0.038	1.3
106.50	107.31	FZXX	Brittle Deformation Zone					3	2	1	2	2				B0029790	58.54	58.54	0.00	CU190	0.685	9.4
					Light greenish grey; mod to strong patchy sil+ser alteration, local light grey rubble zone supported in gouge, fg massive andesite; blocky core with low angle gouge infilled fractures at 25 TCA; 2% disseminated py blebs in groundmass; <2cm TT pyrite-bearing weakly graphitic quartz vein-bearing lithic fragments											B0029791	58.54	60.54	2.00	CORE	0.051	0.8
107.31	122.28	AFXZ	QSP-altered Stockwork-bearing Massive Andesite					2	3	2	1	4				B0029792	60.54	62.30	1.76	CORE	0.018	0.8
					Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm TT py-clot bearing stockwork of quartz veins and veinlets; <6cm coarse pyrite-clot bearing grey V1 multistage silica breccia veins at 45 TCA; local low angle discontinous py stringers	V1	45									B0029793	62.30	63.30	1.00	CORE	0.309	2.4
			110.98	111.62	Broken core, weak oxidized rock flour,											B0029794	63.30	65.30	2.00	CORE	0.02	1.1
																B0029795	65.30	66.84	1.54	CORE	0.022	1
122.28	128.52	AFXX	Andesitic Flow					Tr	Tr	Tr	2	1				B0029796	66.84	68.84	2.00	CORE	0.057	2
					Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, high angle <1cm quartz carbonate veins, <2% vfg increasing in abundace over interval											B0029797	68.84	70.84	2.00	CORE	0.096	1.1
128.52	129.27	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow					1	3	2	1	2	Tr			B0029798	70.84	72.84	2.00	CORE	0.026	1.1
					Light grey to mottled green, Patchy bands of strong sil+ser alteration associated with py-bearing quartz stockwork and pyrite stringers at ; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite clots in veinlets											B0029799	72.84	73.60	0.76	CORE	0.055	1.5
129.27	144.90	AFXX	Andesitic Flow					Tr	Tr	Tr	2	1				B0029800	73.60	73.60	0.00	BLK	0.0025	<0.2
					Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, high angle <1cm quartz carbonate veins, <2% vfg increasing in abundace over interval											B0029801	73.60	74.60	1.00	ORIG	0.177	1.9
144.90	147.40	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow					1	3	2	1	2	2			B0029802	73.60	74.60	1.00	DUP	0.179	2
					Light grey to mottled green, Patchy bands of strong sil+ser alteration associated with py-bearing quartz stockwork and pyrite stringers at ; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite blebs in veinlets											B0029803	74.60	75.60	1.00	CORE	0.093	1.7
147.40	148.44	CBXX	Silica Breccia					5	3			5				B0029804	75.60	76.95	1.35	CORE	0.037	1.5
					Light grey, silica flooded zone, trace patchy chl alteration,. 8% disseminated to semimassive pyrite localized to bleached andesitic clasts. Local strong stockworking with graphitic stringers on selvage trace to no pyrite in overprinting veining. Local white to tan carbonate veins overprinting and locally brecciating the silica matrix.											B0029805	76.95	79.95	3.00	CORE	0.017	1.1
148.44	150.88	AFXX	Andesitic Flow					Tr	Tr	Tr	2	1				B0029806	79.95	81.95	2.00	CORE	0.02	1
					Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, high angle <1cm quartz carbonate veins, <2% vfg increasing in abundace over interval											B0029807	81.95	83.95	2.00	CORE	0.044	1.2
				150.88	EOH											B0029808	83.95	85.95	2.00	CORE	0.015	0.9
																B0029809	85.95	87.68	1.73	CORE	0.022	1
																B0029810	87.68	87.68	0.00	GS1Z	1.12	86.7
																B0029811	87.68	88.63	0.95	CORE	0.033	1.8
																B0029812	88.63	89.90	1.27	CORE	0.219	3.2
																B0029813	89.90	90.89	0.00	CORE	0.037	1.3
																B0029814	90.89	91.89	1.00	ORIG	0.176	2.2

| | | |

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P19-2275

Easting:	436092	**Azi (deg):**	0	**Start:**	01-Oct-20
Northing:	6219372	**Dip (deg):**	-70	**Finish:**	04-Oct-20
Elev (m):	1006	**Length (m):**	280.11	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	0.91	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-03	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Cal Stk**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	0.91	CSG															29858	4.65	6.65	2.00	CORE	0.022	0.6
																	29859	6.65	8.65	0.00	CORE	0.031	0.4
0.91	8.65	AFPX	Andesitic Flow			Tr	Tr		Tr			Tr					29860	8.65	8.65	0.00	BLK	0.0025	<0.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix													29861	8.65	10.65	2.00	CORE	0.088	1.1
			7.33 7.55 Broken core, low angle rusty fractures														29862	10.65	12.65	2.00	CORE	0.023	0.7
8.65	36.90	AFXZ	QSP-altered Stockwork-bearing Massive Andesite			3	4		2		1	3					29863	12.65	14.65	2.00	CORE	0.075	0.6
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local strong patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and veinlets													29864	14.65	16.65	2.00	CORE	0.07	0.7
			9.70 10.92 Broken to rubbly subangular core fragments, dark brown oxidation on fractures														29865	16.65	18.65	2.00	CORE	0.015	0.8
			19.16 19.20 Oxidized rubbly core fragments														29866	18.65	20.65	2.00	CORE	0.008	0.5
			30.72 33.50 Mod Pervasive bleaching QSP alteration <6% cg blebby pyrite			3			3		1	6					29867	20.65	22.65	2.00	CORE	0.012	0.5
36.90	42.48	CBXA	Vuggy Quartz Silica Breccia			5	4		5		3	5					29868	22.65	24.65	2.00	CORE	0.018	0.7
			mottled dark grey to white, strong pervasive QSP altered andesite clasts and rounded vein clasts supported in a multi-stage vuggy quartz matrix, overprinted by a graphitic crackle breccia, banding at 50 to CA 5% dissimentated py and py stringers; No orientation line marks in run or proximal runs, alpha angle 50 at lower contact.	V1	50											29869	24.65	26.65	2.00	CORE	0.016	0.6
42.48	48.18	D/AN	Andesitic Dyke								1						29870	26.65	26.65		GS1Z	1.145	88.7
			Light greyish-green, fg andesitic dyke, cross-cut by carbonate infilled fractures; lower contact at 30 TCA	DK	30												29871	26.65	28.65		CORE	0.034	0.8
48.18	68.65	AFPX	Andesitic Flow			Tr	Tr		Tr			Tr					29872	28.65	30.72		CORE	0.014	0.6
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix													29873	30.72	32.72		ORIG	0.045	1
68.65	72.85	FZXX	Brittle Deformation Zone			2			1			1					29874	30.72	32.72	2.00	DUP	0.042	0.9
			Medium greyish green; mod to strong patchy sil+ser alteration, dark green patchy chlorite alteration overprint, local light grey rubble zone supported in gouge, fg massive andesite; blocky core with high angle fractures perpindicular to core axis and strong fe-ox halos emanating from fracture planes. 1% disseminated py blebs in groundmass													29875	32.72	34.72	2.00	CORE	0.018	0.6
72.85	89.75	AFPX	Porphyritic clast-bearing Andesitic Flow			Tr			Tr			1					29876	34.72	36.90	2.18	CORE	0.087	1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix													29877	36.90	37.90	1.00	CORE	0.035	1.7
																	29878	37.90	38.90	1.00	CORE	0.076	1.8
89.75	96.84	AFPZ	QSP-altered Stockwork-bearing Andesitic Flow			3	4		2		1	3					29879	38.90	39.90	1.00	CORE	0.534	3.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local strong patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and veinlets													29880	39.90	39.90	0.00	BLK	0.0025	<0.2
			90.66 91.60 Mod Pervasive bleaching QSP alteration <7% cg pyrite clots to partial infill in local hydrothermal breccia			4			3		1	7					29881	39.90	40.90	1.00	CORE	0.093	1.3
96.84	106.68	AXXZ	QSP-altered Stockwork bearing Massive Andesite			2	3		2			3	Tr				29882	40.90	42.48	1.58	CORE	0.041	0.8
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, and fg andesitic clasts supported in a light greyish-green fg andesitic groundmass groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; patchy strong quartz + 3% cg pyrite stockwork, local sph clots in veins	V2	15											29883	42.48	44.48	2.00	CORE	0.0025	<0.2
106.68	113.83	AXPX	Plag-phyric clast-bearing Andesitic Flow			Tr			Tr			1					29884	44.48	46.48	2.00	CORE	0.005	<0.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix													29885	46.48	48.16	1.68	CORE	0.035	0.4
113.83	136.86	AXXX	Massive andesite			Tr	Tr		Tr			Tr					29886	83.75	85.75	2.00	CORE	0.019	0.4
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands, vfg light greyish-green andesitic groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix														29887	85.75	87.75	2.00	CORE	0.026	0.4
136.86	154.20	AXPZ	Weak QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	4					29888	87.75	89.75	2.00	CORE	0.025	0.7
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt); crudely banded, disseminated py-bearing bands with strong disseminated pyrite halos at 50 TCA, local <20cm blebby disseminated py-bearing silica breccia veins at 45 to CA, and blebby disseminated quartz carbonate veins and veinlets at 30 TCA	V1	45											29889	89.75	90.66	0.91	CORE	0.081	1.8
154.20	156.89	ATXX	Plag-phyric clast-bearing Andesitic Flow			Tr	Tr		Tr								29890	90.66	90.66	0.00	ME1807	8.22	316
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <bomb-sized dark green vfg to fg andesitic tuffaceous clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures;														29891	90.66	91.60	0.94	CORE	0.229	2.5
156.89	160.96	AFXZ	QSP-altered Stockwork-bearing Massive Andesite			1	3		2		1	4					29892	91.60	92.60	1.00	CORE	0.015	0.3
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm coarse pyrite-clot bearing grey V2 multistage crudely banded to disseminated py-bearing veins at 20 TCA cross-cut by py infilled veinlets at 50 to CA	V2	20											29893	92.60	93.60	1.00	CORE	0.1	0.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
160.96	176.12	AFPX	Plag-phyric clast-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli sized dark green rounded clasts supported by a light greyish-green fine grained andestic groundmass, high angle carbonate annealed fractures;			Tr	Tr		Tr								29894	93.60	94.60	1.00	CORE	0.135	0.9
																	29895	94.60	95.60	1.00	CORE	0.202	1.4
176.12	177.35	AFXZ	QSP-altered Stockwork-bearing Andesite Flow Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized subangular medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm TT py+ tan sphalerite-clot bearing weak patchy chlorite-bearing quartz veins and veinlets; local graphitic clast supported crackle breccia.	V2	60	1	2		2		1	1	Tr				29896	95.60	96.84	1.24	CORE	0.09	1.2
																	29897	96.84	97.84	1.00	CORE	0.131	1.6
177.35	186.13	AFXX	Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, local trace-py bearing quartz carbonate veinlet at 60 TCA, one disseminated py + rusty red sphalerite clot-bearing quartz veinlet at 60 TCA.			Tr	Tr		Tr		2	Tr	Tr				29898	97.84	98.84	1.00	CORE	0.021	0.7
																	29899	98.84	99.84	1.00	CORE	0.037	1
186.13	189.23	AFXZ	QSP-altered Stockwork-bearing Andesite Flow Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized subangular medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm TT py+ tan sphalerite-clot bearing weak patchy chlorite-bearing quartz veins and veinlets; local graphitic clast supported crackle breccia.	V2	60	1	2		2		1	1	Tr				29900	99.84	99.84	0.00	BLK	0.0025	<0.2
																	29901	99.84	100.84	1.00		0.109	2.2
																	29902	100.84	101.84	1.00	ORIG	0.104	1.8
189.23	204.91	AFPX	Plag-phyric clast-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli sized dark green rounded clasts supported by a light greyish-green fine grained andestic groundmass, high angle carbonate annealed fractures;			Tr	Tr		Tr								29903	100.84	101.84	1.00	DUP	0.086	1.7
																	29904	101.84	102.84	1.00	CORE	0.049	1.1
204.91	217.50	AFXZ	QSP-altered Stockwork-bearing Massive Andesite Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts with strong preferental QSP alteration, supported in a light greyish-green groundmass, <2cm TT py-clot bearing stockwork of quartz veins and veinlets, overprinted by tan sphalerite stringers and over printed by rusty red sphalerite clots; local strong network of pyrite stringers.			2	4		2		1	5					29905	102.84	103.84	1.00	CORE	0.031	0.9
																	29906	103.84	104.82	0.98	CORE	0.069	1.1
			110.98 111.62 Broken core, weak oxidized rock flour,														29907	104.82	105.68	0.86	CORE	0.014	0.5
																	29908	105.68	106.68	1.00	CORE	0.006	0.4
217.50	222.43	AFXX	Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, high angle <1cm quartz carbonate veins, <2% vfg increasing in abundace over interval			Tr	Tr		Tr		2	1					29909	130.86	132.86	2.00	CORE	0.064	0.4
																	29910	132.86	132.86	0.00	CU190	0.684	9.5
222.43	241.05	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow Light grey to mottled green, Patchy bands of strong sil+ser alteration associated with py-bearing quartz stockwork and pyrite stringers at ; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite clots in veinlets, and overprinting tan sphalerite blebs in groundmass; local disseminated py-bearing silica breccia			1	3		2		1	3	1				29911	132.86	134.86	2.00	CORE	0.011	0.4
																	29912	134.86	136.86	2.00	CORE	0.039	0.5
241.05	267.36	AFXX	Andesitic Flow			Tr	Tr		Tr		2	1					29913	136.86	138.40	1.54	CORE	0.105	0.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, high angle <1cm quartz carbonate veins, <2% vfg increasing in abundace over interval														29914	138.40	139.40	1.00	CORE	0.505	2
267.36	269.57	FSXX	Annealed Shear Zone			3			2		2	3					29915	139.40	140.40	1.00	CORE	0.24	1.5
			Dark to medium green, mod sil altered, weak ser altered, rounded bleached andesitic clasts and rounded quartz vein clasts in a vfg andesitic cataclastite cement; 2% vfg py throughout cataclastic cement														29916	140.40	141.40	1.00	CORE	0.596	1.9
269.57	278.30	AFGZ	Carbonaceous graphitic altered Andesitic Flow			Tr	Tr		Tr		4	2	3				29917	141.40	142.40	1.00	CORE	0.209	1.3
			Dark grey to black, mod patchy sil+ser alteration, strong pervasive carbonate alteration, <lapilli-sized bleached rounded to subrounded fg andesitic clasts; fg to vfg dark grey to black graphitic groundmass, high angle <1cm quartz carbonate veins, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite clots in veinlets, and overprinting tan sphalerite blebs and stringers in groundmass;												29918	142.40	143.40	1.00	CORE	0.121	0.8
278.30	280.11	FSXX	Annealed Shear			2			2		3	2					29919	143.40	144.40	1.00	CORE	0.019	0.5
			Dark to medium green with patches of dark grey, mod sil altered, weak ser altered, patchy graphitc carbonate alteration, rounded bleached andesitic clasts and rounded quartz vein clasts in a vfg andesitic cataclastite cement; 2% vfg py throughout cataclastic cement														29920	144.40	144.40	0.00	BLK	0.0025	<0.2
	280.11		EOH														29921	144.40	145.40	1.00	CORE	1.95	3.2
																	29922	145.40	146.40	1.00	CORE	0.175	2
																	29923	146.40	147.40	1.00	CORE	0.392	1.9
																	29924	147.40	148.40	1.00	CORE	0.041	0.8
																	29925	148.40	149.40	1.00	ORIG	0.035	0.4
																	29926	148.40	149.40	1.00	DUP	0.035	0.7
																	29927	149.40	150.40	0.00	CORE	0.032	0.4
																	29928	150.40	151.40	1.00	CORE	0.284	2.5
																	29929	151.40	152.40	1.00	CORE	0.135	0.8
																	29930	152.40	152.40	0.00	GS1Z	1.17	90.8
																	29931	152.40	153.40	1.00	CORE	0.048	0.8
																	29932	153.40	154.20	0.80	CORE	0.113	0.8
																	29933	154.20	155.20	1.00	CORE	0.094	0.6
																	29934	155.20	156.89	1.69	CORE	0.03	0.7
																	29935	156.89	157.89	1.00	CORE	0.191	1.3
																	29936	157.89	158.89	1.00	CORE	0.135	1.5
																	29937	158.89	159.89	1.00	CORE	0.053	2
																	29938	159.89	160.96	1.07	CORE	2.13	336
																	29939	160.96	162.96	2.00	CORE	0.118	1.6
																	29940	162.96	162.96	0.00	BLK	0.0025	<0.2
																	29941	162.96	164.96	2.00	CORE	0.029	0.8
																	29942	164.96	166.96	2.00	CORE	0.022	0.4
																	29943	166.96	168.96	2.00	CORE	0.007	0.2
																	29944	168.96	170.96	2.00	CORE	0.024	0.5
																	29945	170.96	172.96	2.00	CORE	0.284	1.2
																	29946	172.96	174.96	2.00	CORE	0.067	0.8
																	29947	174.96	176.12	1.16	CORE	0.081	1.4
																	29948	176.12	177.35	1.23	CORE	0.213	1.8
																	29949	177.35	179.35	2.00	CORE	0.09	1.2
																	29950	179.35	179.35	0.00	ME1807	7.77	332
																	29951	179.35	181.35	2.00	CORE	0.028	0.8
																	29952	181.35	182.35	1.00	CORE	0.114	1.6
																	29953	182.35	184.35	2.00	CORE	0.07	1.5
																	29954	184.35	186.13	1.78	CORE	0.168	1.5
																	29955	186.13	187.13	1.00	CORE	0.174	1.9
																	29956	187.13	189.23	2.10	CORE	0.274	3.4
																	29957	189.23	191.24	2.01	CORE	0.085	1.8
																	29958	191.24	193.24	2.00	CORE	0.139	1.8

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
																	29959	193.24	195.24	2.00	CORE	0.211	2.2	
																	29960	195.24	195.24	0.00	CU190	0.684	9.7	
																	29961	195.24	197.24	2.00	CORE	0.206	4.5	
																	29962	197.24	199.24	2.00	CORE	0.034	0.8	
																	29963	199.24	201.24	2.00	CORE	0.027	0.6	
																	29964	201.24	203.24	2.00	CORE	0.062	1	
																	29965	203.24	204.91	1.67	CORE	0.044	1.2	
																	29966	204.91	206.91	2.00	CORE	0.116	2.5	
																	29967	206.91	208.91	2.00	CORE	0.034	1.8	
																	29968	208.91	210.91	2.00	CORE	0.171	2.5	
																	29969	210.91	212.71	1.80	CORE	1.07	10.6	
																	29970	212.71	212.71	0.00	BLK	0.0025	<0.2	
																	29971	212.71	214.71	2.00	ORIG	0.06	1.8	
																	29972	212.71	214.71	2.00	DUP	0.051	1.8	
																	29973	214.71	216.71	2.00	CORE	0.082	1.7	
																	29974	216.71	217.50	0.79	CORE	0.042	2.3	
																	29975	217.50	219.50	2.00	CORE	0.118	2.4	
																	29976	219.50	221.50	2.00	CORE	0.175	2.3	
																	29977	221.50	222.43	0.93	CORE	0.061	1.8	
																	29978	222.43	224.43	2.00	CORE	0.142	3.2	
																	29979	224.43	226.43	2.00	CORE	0.345	4.5	
																	29980	226.43	226.43	0.00	GS1Z	1.125	91.3	
																	29981	226.43	228.43	2.00	CORE	0.226	3.7	
																	29982	228.43	230.43	2.00	CORE	0.173	2.6	
																	29983	230.43	232.43	2.00	CORE	0.241	3.3	
																	29984	232.43	234.43	2.00	CORE	0.199	4.3	
																	29985	234.43	236.43	2.00	CORE	1.725	7.4	
																	29986	236.43	238.37	1.94	CORE	0.095	4	
																	29987	238.37	240.55	2.18	CORE	0.157	2.4	
																	29988	240.55	241.05	0.50	CORE	0.107	1	
																	29989	241.05	243.05	2.00	CORE	0.033	1.2	
																	29990	243.05	243.05	0.00	BLK	0.0025	<0.2	
																	29991	243.05	245.05	2.00	CORE	0.053	1.8	
																	29992	245.05	247.05	2.00	CORE	0.071	1	
																	29993	247.05	249.05	2.00	CORE	0.158	1.2	
																	29994	249.05	251.05	2.00	CORE	0.047	1.1	
																	29995	251.05	253.05	2.00	CORE	0.118	1.4	
																	29996	253.05	255.05	2.00	CORE	0.109	1.5	
																	29997	255.05	257.05	2.00	CORE	0.02	0.7	
																	29998	257.05	259.05	2.00	CORE	0.039	0.8	
																	29999	259.05	261.05	2.00	CORE	0.278	1	
																	30000	261.05	261.05	0.00	ME1807	8.38	326	
																	29001	261.05	263.05	2.00	CORE	0.336	1.1	*SEQUENCE CHANGE*
																	29002	263.05	265.05	2.00	CORE	0.167	1.1	
																	29003	265.05	267.36	2.31	CORE	0.215	1.4	
																	29004	267.36	268.36	1.00	CORE	1.155	1.6	
																	29005	268.36	269.57	1.21	CORE	0.852	1	
																	29006	269.57	270.57	1.00	CORE	0.081	3.1	
																	29007	270.57	271.57	1.00	CORE	0.061	1	
																	29008	271.57	272.57	1.00	CORE	0.143	1.5	
																	29009	272.57	273.57	1.00	CORE	0.253	1.5	
																	29010	273.57	273.57	0.00	BLK	0.0025	0.2	
																	29011	273.57	274.57	1.00	CORE	0.137	1.5	
																	29012	274.57	275.57	1.00	CORE	0.187	2.3	
																	29013	275.57	276.57	1.00	CORE	0.079	1.6	
																	29014	276.57	277.57	1.00	CORE	0.281	1.8	
																	29015	277.57	278.30	0.73	CORE	0.119	1.1	
																	29016	278.30	279.30	1.00	CORE	0.07	1.3	
																	29017	279.30	280.11	0.81	CORE	0.042	1.5	

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P19-2276

Easting:	436092	**Azi (deg):**	120	**Start:**	04-Oct-20
Northing:	6219372	**Dip (deg):**	-55	**Finish:**	06-Oct-20
Elev (m):	1006	**Length (m):**	149.96	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	2.13	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-03	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Cal Stk**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**	
0.00	2.13	CSG															29018	13.55	15.32	1.77	CORE	0.0025	<0.2	
																	29019	15.32	17.32	2.00	CORE	0.02	0.4	
2.13	10.18	AFPX	Plagioclase-phyric Andesitic Flow			Tr	Tr		Tr			Tr					29020	17.32	17.32	0.00	CU190	0.725	9.3	
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix												29021	17.32	19.32	2.00	CORE	0.023	0.6	
																	29022	19.32	21.32	2.00	CORE	0.029	0.7	
10.18	13.55	FZXX	Brittle Deformation Zone			Tr	Tr		1			1					29023	21.32	23.32	2.00	CORE	0.019	0.7	
			Medium greyish green; weak pervasive sil+ser alteration, dark green patchy chlorite alteration overprint, local light grey rubble zone supported in gouge, fg massive andesite; blocky to rubbley core strong fe-ox fracture selvages, 1% disseminated py blebs in groundmass														29024	23.32	25.03	1.71	CORE	0.059	1.1	
13.55	19.32	AFPX	Plagioclase-phyric Andesitic Flow			Tr	Tr		Tr			Tr					29025	25.03	26.03	1.00	CORE	0.073	1	
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix												29026	26.03	28.83	2.80	CORE	0.277	2.1	
19.32	26.03	AFPZ	QSP-altered Stockwork-bearing Andesitic Flow			2	3		1		1	2					29027	28.83	30.83	2.00	ORIG	0.02	0.8	
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and py stringers associated with mod patchy QSP alteration												29028	28.83	30.83	2.00	DUP	0.018	0.6	
26.03	28.83	FXXX	Brittle Deformation Zone			3	3		2			3					29029	30.83	32.83	2.00	CORE	0.01	0.7	
			Blocky to rubbley core fragments, angular light grey gouge infilled low angle fractures, weak oxidation on fractures, core fragments are light grey, mod pervasive silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and py stringers												29030	32.83	32.83	0.00	BLK	0.0025	0.2	
28.83	35.10	AFPX	Plagioclase-phyric Andesitic Flow			Tr	Tr		Tr			Tr					29031	32.83	35.10	2.27	CORE	0.012	0.5	
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix												29032	35.10	36.00	0.90	CORE	0.007	0.5	

POOR RECOVERY

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
35.10	37.00	FZXX	Brittle Deformation Zone Blocky to rubbley core fragments, angular light grey gouge infilled low angle fractures, weak oxidation on fractures, core fragments are light grey, mod pervasive silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and py stringers			3	3		2			3					29033	36.00	37.00	1.00	CORE	0.0025	0.4
																	29034	37.00	39.01	2.01	CORE	0.011	0.4
37.00	54.04	AFPZ	QSP-altered Stockwork-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and py stringers associated with mod patchy QSP alteration			2	3		1		1	2					29035	39.01	40.41	1.40	CORE	0.023	0.6
																	29036	40.41	43.00	2.59	CORE	0.008	0.3
																	29037	43.00	45.00	2.00	CORE	0.0025	0.3
54.04	55.00	CBXA	Graphitic Quartz Silica Breccia mottled dark grey to white, strong pervasive QSP altered andesite clasts and rounded vein clasts supported in a multi-stage vuggy quartz matrix, overprinted by a graphitic crackle breccia, banding at 50 to CA 5% dissimentated py and py stringers; No orientation line marks in run or proximal runs, alpha angle 20 at lower contact.	V1	20	5	4		5		3	5					29038	45.00	47.00	2.00	CORE	0.017	0.5
																	29039	47.00	49.00	2.00	CORE	0.008	0.2
																	29040	49.00	49.00	0.00	GS1Z	1.25	88.9
55.00	77.90	AXPZ	QSP-altered Stockwork-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, carbonate annealed fractures; Local pyrite-bearing graphitic silica breccia veining <20cm with grey quartz matrix; crudely banded low angle undulating py clot-bearing to fully infilled veins and py stringers associated with mod patchy QSP alteration	V2	5	2	3		1		1	2					29041	49.00	51.00	2.00	CORE	0.017	0.4
																	29042	51.00	53.00	2.00	CORE	0.017	0.5
77.90	83.55	AXPX	Plagioclase-phyric Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix			Tr	Tr		Tr			Tr					29043	53.00	54.04	1.04	CORE	0.024	0.5
																	29044	54.04	55.00	0.96	CORE	0.028	0.8
83.55	91.43	AXPZ	QSP-altered Stockwork-bearing Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, carbonate annealed fractures; Local graphitic crackle breccia, and clean quartz carbonate veining; 1cm TT low angle py-clot-bearing undulating quartz veins			2	3		1		1	2					29045	55.00	57.00	2.00	CORE	0.026	0.8
																	29046	57.00	59.00	2.00	CORE	0.033	0.9
91.43	101.30	AFPX	Plagioclase-phyric Andesitic Flow Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix			Tr	Tr		Tr								29047	59.00	61.00	2.00	CORE	0.036	0.8
																	29048	61.00	62.50	1.50	CORE	0.025	0.7
101.30	112.65	AFXZ	QSP-altered Stockwork-bearing Massive Andesite			1	2		2		1	2					29049	62.50	64.50	2.00	CORE	0.059	1.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm local coarse pyrite-clot bearing to disseminated py-bearing grey quartz veins. local graphitic stringers													29050	64.50	64.50	0.00	BLK	0.0025	0.2
112.65	133.58	AFPX	Plag-phyric clast-bearing Andesitic Flow			1	Tr		1			1					29051	64.50	66.50	2.00	CORE	0.032	0.8
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alt, <lapilli sized dark green rounded clasts supported by a light greyish-green fine grained andestic groundmass, high angle carbonate annealed fractures;														29052	66.50	68.50	2.00	CORE	0.023	0.9
133.58	149.96	AFXZ	QSP-altered Stockwork-bearing Andesite Flow			1	2		2		1	1	Tr				29053	68.50	70.50	2.00	CORE	0.026	0.9
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized subangular medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm TT py-clot bearing weak patchy chlorite-bearing quartz veins and veinlets;													29054	70.50	72.25	1.75	CORE	0.032	0.9
	149.96		EOH														29055	72.25	74.10	1.85	CORE	0.048	0.9
																	29056	74.10	75.10	1.00	CORE	0.045	0.9
																	29057	75.10	76.10	1.00	CORE	0.016	0.6
																	29058	76.10	77.90	1.80	CORE	0.013	0.5
																	29059	77.90	79.90	2.00	CORE	0.029	0.7
																	29060	79.90	79.90	0.00	ME1807	7.78	308
																	29061	79.90	81.90	2.00	CORE	0.022	0.9
																	29062	81.90	83.55	1.65	CORE	0.022	0.8
																	29063	83.55	85.55	2.00	CORE	0.028	1.1
																	29064	85.55	87.55	2.00	CORE	0.022	1
																	29065	87.55	89.55	2.00	CORE	0.018	1.1
																	29066	89.55	91.43	1.88	CORE	0.017	0.9
																	29067	91.43	93.43	2.00	CORE	0.012	0.7
																	29068	93.43	95.43	2.00	CORE	0.0025	0.3
																	29069	95.43	97.43	2.00	CORE	0.011	0.6
																	29070	97.43	97.43	0.00	BLK	0.0025	0.2
																	29071	97.43	99.43	2.00	CORE	0.017	0.6
																	29072	99.43	101.30	1.87	CORE	0.011	0.7
																	29073	101.30	103.30	2.00	CORE	0.017	0.9
																	29074	103.30	105.30	2.00	CORE	0.031	1.2
																	29075	105.30	107.30	2.00	CORE	0.091	1.2
																	29076	107.30	109.30	2.00	CORE	0.068	1
																	29077	109.30	111.30	2.00	CORE	0.068	1
																	29078	111.30	112.65	1.35	CORE	0.031	0.8
																	29079	112.65	114.65	2.00	CORE	0.028	0.5
																	29080	114.65	114.65	0.00	CU190	0.693	8.9
																	29081	114.65	116.65	2.00	CORE	0.022	0.5
																	29082	116.65	118.65	2.00	CORE	0.032	0.4
																	29083	118.65	120.65	2.00	CORE	0.009	0.2
																	29084	120.65	122.65	2.00	CORE	0.013	0.4
																	29085	122.65	124.65	2.00	CORE	0.011	0.5
																	29086	124.65	126.65	2.00	CORE	0.008	0.3
																	29087	126.65	128.65	2.00	CORE	0.01	0.5
																	29088	128.65	130.65	2.00	CORE	0.026	0.8
																	29089	130.65	132.65	2.00	CORE	0.038	1.3
																	29090	132.65	132.65	0.00	BLK	0.0025	0.2
																	29091	132.65	133.65	1.00	CORE	0.026	0.7
																	29092	133.65	135.58	1.93	CORE	0.057	1.2
																	29093	135.58	137.58	2.00	CORE	0.143	2.4
																	29094	137.58	139.60	2.02	CORE	0.007	0.7
																	29095	139.60	141.65	2.05	CORE	0.007	0.5
																	29096	141.65	143.65	2.00	CORE	0.012	0.6
																	29097	143.65	145.65	2.00	CORE	0.024	0.7
																	29098	145.65	147.65	2.00	CORE	0.081	0.8
																	29099	147.65	148.65	1.00	CORE	0.03	0.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	29100	148.65	148.65	0.00	GS1Z	1.235	85.2
																	29101	148.65	149.96	1.31	CORE	0.019	0.7

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P19-2277

Easting:	436092	**Azi (deg):**	180	**Start:**	06-Oct-20
Northing:	6219372	**Dip (deg):**	-73	**Finish:**	
Elev (m):	1006	**Length (m):**	279.81	**Logged by:**	CS
Core Size:	NQ	**Casing (m):**	2.13	**Analysis:**	ALS
Zone:	Day	**Pad:**	Day-03	**Area:**	Big Missouri
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	2.13	CSG															29102	15.46	17.46	2.00	CORE	0.043	0.6
																	29103	17.46	19.46	2.00	CORE	0.029	0.6
2.13	22.46	AFPX	Plagioclase-phyric Andesitic Flow			Tr	Tr		Tr			Tr					29104	19.46	21.00	1.54	CORE	0.006	0.3
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix													29105	21.00	22.46	1.46	CORE	0.014	0.5
																	29106	22.46	23.46	1.00	CORE	0.233	1.9
22.46	34.90	AFXZ	QSP-altered Stockwork-bearing Massive Andesite			3	4		2		1	3					29107	23.46	24.46	1.00	CORE	0.32	3.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local strong patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and veinlets													29108	24.46	25.46	1.00	CORE	0.157	1.3
34.90	36.48	FXXX	Brittle Deformation Zone			3	3		2			3					29109	25.46	26.46	1.00	CORE	0.066	1.7
			Blocky to rubbley core fragments, angular light grey gouge infilled low angle fractures, weak oxidation on fractures, core fragments are light grey, mod pervasive silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and py stringers													29110	26.46	26.46	0.00	BLK	<0.005	0.2
36.48	38.38	CBXX	Silica Breccia			5	3		2			5		3			29111	26.46	27.46	1.00	CORE	0.091	1.7
			Light grey, silica flooded zone, trace patchy chl alteration,. 8% disseminated to semimassive pyrite+galena localized to bleached andesitic clasts. Local strong stockworking with graphitic stringers on selvage trace to no pyrite in overprinting veining. Local white to tan carbonate veins overprinting and locally brecciating the silica matrix.													29112	27.46	28.46	1.00	CORE	0.175	1.8
38.38	48.16	FXXX	Brittle Deformation Zone			3	3		2			3					29113	28.46	29.46	1.00	CORE	0.084	0.9
			Blocky to rubbley core fragments, angular light grey gouge infilled low angle fractures, weak oxidation on fractures, core fragments are light grey, mod pervasive silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and py stringers													29114	29.46	30.46	1.00	ORIG	0.057	1.7
48.16	56.10	AFPX	Plagioclase-phyric Andesitic Flow			Tr	Tr		Tr			Tr					29115	29.46	30.46	1.00	DUP	0.054	1.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix													29116	30.46	31.46	1.00	CORE	0.028	1.1
56.10	58.31	AFXZ	QSP-altered Stockwork-bearing Massive Andesite			3	4		2		1	3					29117	31.46	32.46	1.00	CORE	0.025	0.6
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local strong patchy silica+ser alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and veinlets													29118	32.46	33.49	1.03	CORE	0.062	1.3
																	29119	33.49	34.90	1.41	CORE	0.165	2.1
58.31	61.54	FXXX	Brittle Deformation Zone			3	3		2			3					29120	34.90	34.90	0.00	ME1807	7.7	337
			Blocky to rubbley core fragments, angular light grey gouge infilled low angle fractures, weak oxidation on fractures, core fragments are light grey, mod pervasive silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix; crudely banded py clot-bearing to fully infilled veins and py stringers													29121	34.90	36.42	1.52	CORE	0.024	0.9
																	29122	36.42	38.38	1.96	CORE	0.265	2
61.54	71.90	AXXX	Massive Andesite			1	1		1		1	Tr					29123	38.38	40.01	1.63	CORE	0.053	0.6
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix	V1												29124	40.01	41.08	1.07	CORE	0.017	0.6
71.90	78.03	AXXA	QSP-altered Vuggy Quartz Stockwork-bearing Andesitic Flow			2	3		1		1	2					29125	41.08	42.08	1.00	CORE	0.247	2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, carbonate annealed fractures; Local pyrite-bearing graphitic silica breccia veining <20cm with grey quartz matrix; crudely banded low angle undulating vuggy quartz veins													29126	42.08	43.60	1.52	CORE	0.139	1.8
78.03	78.88	CBXA	Graphitic Quartz Silica Breccia			5	4		5		3	5					29127	43.60	45.11	1.51	CORE	0.016	0.8
			mottled dark grey to white, strong pervasive QSP altered andesite clasts and rounded vein clasts supported in a multi-stage vuggy quartz matrix, overprinted by a graphitic crackle breccia, banding at 50 to CA 5% dissimentated py and py stringers; No orientation line marks in run or proximal runs, alpha angle 20 at lower contact.	V1	20											29128	45.11	47.11	2.00	CORE	0.015	0.7
78.88	91.55	AXXX	Massive Andesite			2	1		1		1	Tr					29129	47.11	48.16	1.05	CORE	0.009	0.5
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alteration bands, weak chlorite alteration of lapilli-sized clasts, greyish-green groundmass, carbonate annealed fractures; Local graphitic crackle breccia, and clean quartz carbonate veining; 1cm TT low angle py-clot-bearing undulating quartz veins													29130	48.16	48.16	0.00	BLK	<0.005	0.2
91.55	95.00	AXXZ	QSP-altered Stockwork-bearing Massive Andesite			1	2		2		1	2					29131	48.16	50.16	2.00	CORE	0.024	0.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, <2cm local coarse pyrite-clot bearing to disseminated py-bearing grey quartz veins. local graphitic stringers													29132	50.16	52.16	2.00	CORE	0.013	0.7
95.00	114.61	AXXX	Massive Andesite			2	1		1		1	Tr					29133	52.16	54.16	2.00	CORE	<0.005	0.2
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser+py alteration bands, weak chlorite alteration of fg mafics, greyish-green groundmass, carbonate annealed fractures; Local graphitic crackle breccia, and clean quartz carbonate veining;														29134	54.16	56.10	1.94	CORE	<0.005	0.3
114.61	141.08	AFPZ	Plag-phyric clast-bearing Andesitic Flow			1	Tr		1			1					29135	56.10	57.30	1.20	CORE	0.026	1
			Mottled Green, mod pervasive sil+ser+py (QSP) alteration in groundmass, local mod patchy silica+ser+py alt with local sericite "ghosted" plagioclase phenocryst, <bomb sized rounded to subrounded plagioclase phyric clasts; <lapilli sized angular dark green rounded clasts supported by a light greyish-green fine grained andestic groundmass, high angle carbonate annealed fractures;													29136	57.30	58.31	1.01	CORE	0.062	2.7
141.08	158.89	AFPZ	QSP-altered Stockwork-bearing Massive Andesite			1	2		2		1	2					29137	58.31	60.31	2.00	CORE	0.029	1
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, patchy <2cm local coarse pyrite-clot bearing to disseminated py-bearing grey quartz veins. local graphitic stringers													29138	60.31	61.54	1.23	CORE	0.027	0.7
158.89	172.49	AFPX	Plagioclase-phyric Andesitic Flow			Tr	Tr		Tr			Tr					29139	61.54	63.40	1.86	CORE	0.03	1.7
			Mottled Green, weak pervasive sil+ser alteration in groundmass, local mod patchy silica+ser alteration bands with sericite altered "ghosted" feldspar phenocrysts, weak chlorite alteration of lapilli-sized clasts, <bomb-sized dark green plagioclase-phyric fg andesitic clasts supported in a light greyish-green groundmass, high angle carbonate annealed fractures; Local crackle breccia with clean grey quartz matrix													29140	63.40	63.40	0.00	CU190	0.683	9.2
172.49	182.73	AFPZ	QSP-altered Stockwork-bearing Massive Andesite			1	2		2		1	3	1				29141	63.40	64.40	1.00	CORE	0.052	1.7
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts supported in a light greyish-green groundmass, patchy <2cm local coarse pyrite-clot bearing to disseminated py-bearing grey quartz veins. <1cm rusty red sphalerite clot bearing quartz veinlets at 30 TCA, <20cm white to light grey bleached andesite-clast bearing clean vein breccias; local graphitic stringers	V2	30											29142	64.40	65.40	1.00	CORE	0.036	0.8
182.73	188.72	CBXX	Silica Breccia			5	3					5					29143	65.40	66.40	1.00	CORE	0.031	0.9
			Light grey, silica flooded zone, trace patchy chl alteration,. 8% disseminated to semimassive pyrite localized to bleached andesitic clasts. Local strong stockworking with graphitic stringers on selvage trace to no pyrite in overprinting veining. Local white to tan carbonate veins overprinting and locally brecciating the silica matrix.													29144	66.40	67.40	1.00	CORE	0.013	0.5
188.72	208.34	AXXX	Andesitic Flow			Tr	Tr		Tr		2	2					29145	67.40	69.40	2.00	CORE	0.018	0.9
			Mottled Green, weak pervasive sil+ser alteration, light greyish-green groundmass, high angle <1cm quartz carbonate veins, ; local py-infilled veinlets, 1% py as euhedral disseminated fg cubes														29146	69.40	70.90	1.50	CORE	0.044	2
208.34	219.14	ALHX	Heterolithic Andesitic Lapilli-Tuff			Tr	1		Tr		2						29147	70.90	71.90	1.00	CORE	0.03	2.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Medium green, rounded to subrounded heterolithic lapilli pyroclasts supported in a tuffaceous groundmass, three predominant clast populations; <2cm subrounded to rounded dark green fg andesitic clasts; <1cm light grey to white bleached subangular andesitic clasts; <3cm light grey, sil+ser altered, plagioclase-phyric andesitic clasts, in a medium greyish green andesitic tuffaceous groundmass; one crudely banded disseminated py+sph bearing vein at 50 TCA;	V2	50													29148	71.90	72.90	1.00	CORE	0.053	2.8
219.14	220.74	FZXX	Brittle Deformation Zone			Tr			Tr	1	1						29149	72.90	73.90	1.00	CORE	0.064	2.5
			Strongly Fractured, blocky angular core fragments, medium grey rock flour on fractures;AXXX core fragments with a light greyish-green, pervasive silica altered fine grained andesitic groundmass; dark green slickenslide-bearing chlorite infilled fractures														29150	73.90	73.90	0.00	BLK	<0.005	<0.2
220.74	247.57	ALHX	Heterolithic Andesitic Lapilli-Tuff			Tr	1		Tr		2						29151	73.90	75.08	1.18	CORE	0.087	1.2
			Medium green, rounded to subrounded heterolithic lapilli pyroclasts supported in a tuffaceous groundmass, three predominant clast populations; <2cm subrounded to rounded dark green fg andesitic clasts; <1cm light grey to white bleached subangular andesitic clasts; <3cm light grey, sil+ser altered, plagioclase-phyric andesitic clasts, in a medium greyish green andesitic tuffaceous groundmass; one crudely banded disseminated py+sph bearing vein at 50 TCA;	V2	50												29152	75.08	76.08	1.00	CORE	0.027	0.8
247.57	265.30	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	3	1				29153	76.08	77.03	0.95	CORE	0.029	0.6
			Light grey to mottled green, Patchy bands of strong sil+ser alteration associated with py-bearing quartz stockwork and pyrite stringers at ; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite clots in veinlets, and overprinting tan sphalerite blebs in groundmass; local disseminated py-bearing silica breccia													29154	77.03	78.03	1.00	CORE	0.123	1.6
265.30	269.76	AFXZ	QSP-altered Stockwork-bearing Massive Andesite			2	4		2		1	5	1				29155	78.03	78.88	0.85	CORE	0.052	1.2
			Light grey to mottled green, Patchy mod sil+ser alteration associated with py-bearing quartz stockwork; local silica flooding. <lapilli-sized medium greyish green fg andesitic clasts with strong preferental QSP alteration, supported in a light greyish-green groundmass, <2cm TT py-clot bearing stockwork of quartz veins and veinlets, overprinted by tan sphalerite stringers and over printed by rusty red sphalerite clots; local strong network of pyrite stringers.													29156	78.88	79.88	1.00	CORE	0.03	0.7
269.76	272.69	AFXX	Andesitic Flow			Tr	Tr		Tr		2	1					29157	79.88	80.88	1.00	ORIG	0.108	1.3
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, high angle <1cm quartz carbonate veins, <2% vfg increasing in abundace over interval														29158	79.88	80.88	1.00	DUP	0.138	1.2
272.69	277.81	AFXZ	QSP-altered Stockwork-bearing Andesitic Flow			1	3		2		1	3	1				29159	80.88	81.88	1.00	CORE	0.133	2
			Light grey to mottled green, Patchy bands of strong sil+ser alteration associated with py-bearing quartz stockwork and pyrite stringers at ; <bomb-sized dark green fg andesitic clasts supported in a light greyish-green groundmass, <3cm pyrite bearing quartz carbonate stockwork, 2% PY as blebby disseminated clots in stockwork and as fg disseminated blebs in groundmass (associated with Quartz+sericite Alt) Trace rusty red sphalerite clots in veinlets, and overprinting tan sphalerite blebs in groundmass; local disseminated py-bearing silica breccia													29160	81.88	81.88	0.00	GS1Z	1.265	91
277.81	279.81	AFXX	Andesitic Flow			Tr	Tr		Tr		2	1					29161	81.88	82.88	1.00	CORE	0.082	1.9
			Mottled Green, weak pervasive sil+ser alteration in groundmass, <lapilli-sized medium greyish green fg andesitic clasts; supported in a light greyish-green groundmass, high angle <1cm quartz carbonate veins, 1% vfg disseminated py																				

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			279.81 EOH														29162	82.88	83.88	1.00	CORE	0.029	0.5
																	29163	83.88	84.88	1.00	CORE	0.124	2.1
																	29164	84.88	85.88	1.00	CORE	0.036	1.3
																	29165	85.88	86.88	1.00	CORE	0.561	1.6
																	29166	86.88	87.88	1.00	CORE	0.06	0.9
																	29167	87.88	88.88	1.00	CORE	0.046	0.7
																	29168	88.88	89.88	1.00	CORE	0.058	0.7
																	29169	89.88	91.55	1.67	CORE	0.074	0.6
																	29170	91.55	91.55	0.00	BLK	<0.005	<0.2
																	29171	91.55	92.55	1.00	ORIG	0.089	0.8
																	29172	91.55	92.55	1.00	DUP	0.075	0.7
																	29173	92.55	93.55	1.00	CORE	0.032	0.6
																	29174	93.55	95.00	1.45	CORE	0.051	0.7
																	29175	95.00	96.00	1.00	CORE	0.091	0.6
																	29176	96.00	98.00	2.00	CORE	0.041	0.8
																	29177	98.00	100.00	2.00	CORE	0.018	0.7
																	29178	100.00	102.00	2.00	CORE	0.043	0.6
																	29179	102.00	104.00	2.00	CORE	0.02	0.6
																	29180	104.00	104.00	0.00	ME1807	8.02	321
																	29181	104.00	106.00	2.00	CORE	0.04	0.5
																	29182	106.00	108.00	2.00	CORE	0.017	0.3
																	29183	108.00	110.00	2.00	CORE	0.045	0.4
																	29184	110.00	112.00	2.00	CORE	0.027	0.7
																	29185	112.00	113.61	1.61	CORE	0.017	0.7
																	29186	113.61	114.61	1.00	CORE	0.026	0.7
																	29187	114.61	116.61	2.00	CORE	0.032	0.6
																	29188	116.61	118.61	2.00	CORE	0.008	0.3
																	29189	118.61	120.61	2.00	CORE	0.008	0.3
																	29190	120.61	120.61	0.00	BLK	<0.005	0.2
																	29191	120.61	122.61	2.00	CORE	0.043	0.5
																	29192	122.61	124.61	2.00	CORE	0.006	0.2
																	29193	124.61	126.61	2.00	CORE	0.006	0.2
																	29194	126.61	128.61	2.00	CORE	0.005	0.2
																	29195	128.61	130.61	2.00	CORE	<0.005	0.3
																	29196	130.61	132.61	2.00	CORE	0.012	0.3
																	29197	132.61	134.61	2.00	CORE	<0.005	0.3
																	29198	134.61	136.61	2.00	CORE	0.006	0.3
																	29199	136.61	138.61	2.00	CORE	<0.005	0.3
																	29200	138.61	138.61	0.00	CU190	0.708	10
																	29201	138.61	140.08	1.47	CORE	0.006	0.5
																	29202	140.08	141.08	1.00	CORE	0.017	0.6
																	29203	141.08	143.08	2.00	CORE	0.033	0.5
																	29204	143.08	145.08	2.00	CORE	<0.005	0.2
																	29205	145.08	147.08	2.00	CORE	0.029	0.5
																	29206	147.08	149.08	2.00	CORE	0.005	0.3
																	29207	149.08	151.08	2.00	CORE	0.051	0.7
																	29208	151.08	153.08	2.00	CORE	0.013	0.4
																	29209	153.08	155.08	2.00	CORE	0.346	1.5
																	29210	155.08	155.08	0.00	BLK	<0.005	<0.2
																	29211	155.08	157.08	2.00	CORE	0.007	0.5
																	29212	157.08	158.89	1.81	CORE	0.018	0.5
																	29213	158.89	160.89	2.00	CORE	0.067	0.8
																	29214	160.89	162.89	2.00	CORE	0.059	0.9
																	29215	162.89	164.89	2.00	CORE	0.031	0.7
																	29216	164.89	166.89	2.00	CORE	0.023	0.7
																	29217	166.89	168.89	2.00	CORE	0.056	0.9
																	29218	168.89	170.89	2.00	CORE	0.019	0.6
																	29219	170.89	172.49	1.60	CORE	0.017	0.8
																	29220	172.49	172.49	0.00	GS1Z	1.23	92.8
																	29221	172.49	174.49	2.00	ORIG	0.094	1.2
																	29222	172.49	174.49	2.00	DUP	0.096	1
																	29223	174.49	176.49	2.00	CORE	0.086	1.1
																	29224	176.49	178.49	2.00	CORE	0.156	1.8
																	29225	178.49	180.49	2.00	CORE	0.142	1.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	29226	180.49	181.49	1.00	CORE	0.219	1.2
																	29227	181.49	182.73	1.24	CORE	1.075	5.9
																	29228	182.73	183.73	1.00	CORE	0.832	6
																	29229	183.73	184.73	1.00	CORE	0.525	2.2
																	29230	184.73	184.73	0.00	BLK	<0.005	<0.2
																	29231	184.73	185.73	1.00	CORE	0.855	3.3
																	29232	185.73	186.73	1.00	CORE	0.52	1.5
																	29233	186.73	187.73	1.00	CORE	0.368	1
																	29234	187.73	188.72	0.99	CORE	0.423	1.7
																	29235	188.72	189.72	1.00	CORE	0.347	2
																	29236	189.72	190.72	1.00	CORE	0.097	2.4
																	29237	190.72	192.72	2.00	CORE	0.286	2.1
																	29238	192.72	194.72	2.00	CORE	0.168	1.5
																	29239	194.72	196.72	2.00	CORE	0.278	1.3
																	29240	196.72	196.72	0.00	ME1807	7.78	324
																	29241	196.72	198.72	2.00	ORIG	0.072	1.2
																	29242	196.72	198.72	2.00	DUP	0.079	1.1
																	29243	198.72	200.72	2.00	CORE	0.081	1.5
																	29244	200.72	202.72	2.00	CORE	0.127	1.5
																	29245	202.72	204.72	2.00	CORE	0.338	2
																	29246	204.72	206.72	2.00	CORE	0.108	2.1
																	29247	206.72	208.34	1.62	CORE	0.09	2.5
																	29248	208.34	210.34	2.00	CORE	0.088	1.4
																	29249	210.34	212.34	2.00	CORE	0.065	1.3
																	29250	212.34	212.34	0.00	BLK	<0.005	0.2
																	29251	212.34	214.34	2.00	CORE	0.022	0.9
																	29252	214.34	216.34	2.00	CORE	0.03	1.8
																	29253	216.34	218.34	2.00	CORE	0.028	1.3
																	29254	218.34	219.14	0.80	CORE	0.04	1.1
																	29255	219.14	220.74	1.60	CORE	0.062	1
																	29256	220.74	222.74	2.00	CORE	0.021	1.2
																	29257	222.74	224.74	2.00	CORE	0.261	1.2
																	29258	224.74	226.74	2.00	CORE	0.011	0.8
																	29259	226.74	228.74	2.00	CORE	0.029	0.9
																	29260	228.74	228.74	0.00	CU190	0.68	9.3
																	29261	228.74	230.74	2.00	CORE	0.024	0.9
																	29262	230.74	232.74	2.00	CORE	0.053	0.7
																	29263	232.74	234.74	2.00	CORE	0.03	1
																	29264	234.74	236.74	2.00	CORE	0.059	1.1
																	29265	236.74	238.74	2.00	CORE	0.081	1.7
																	29266	238.74	240.74	2.00	CORE	0.039	1.3
																	29267	240.74	242.74	2.00	CORE	0.086	1
																	29268	242.74	244.74	2.00	CORE	0.038	1.1
																	29269	244.74	246.74	2.00	CORE	0.034	1.5
																	29270	246.74	246.74	0.00	BLK	<0.005	<0.2
																	29271	246.74	247.57	0.83	CORE	0.126	1
																	29272	247.57	249.57	2.00	CORE	0.188	2.3
																	29273	249.57	251.57	2.00	CORE	0.358	1.6
																	29274	251.57	253.57	2.00	CORE	0.793	3.1
																	29275	253.57	255.57	2.00	CORE	0.592	4.9
																	29276	255.57	257.57	2.00	CORE	1.645	10.9
																	29277	257.57	259.57	2.00	CORE	0.092	1.9
																	29278	259.57	261.57	2.00	CORE	0.046	1.7
																	29279	261.57	263.57	2.00	CORE	0.085	2.4
																	29280	263.57	263.57	0.00	GS1Z	1.13	93.5
																	29281	263.57	265.30	1.73	CORE	0.219	3.1
																	29282	265.30	266.30	1.00	CORE	0.935	5.7
																	29283	266.30	267.30	1.00	CORE	0.783	4.4
																	29284	267.30	268.76	1.46	CORE	2.15	10.8
																	29285	268.76	270.76	2.00	ORIG	0.158	2.6
																	29286	268.76	270.76	2.00	DUP	0.14	2.6
																	29287	270.76	271.76	1.00	CORE	0.087	2
																	29288	271.76	272.69	0.93	CORE	0.137	2.2
																	29289	272.69	273.64	0.95	CORE	0.504	3.7

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	29290	273.64	273.64	0.00	BLK	<0.005	<0.2
																	29291	273.64	274.71	1.07	CORE	0.681	3.1
																	29292	274.71	275.71	1.00	CORE	0.347	3.1
																	29293	275.71	276.71	1.00	CORE	0.268	2.3
																	29294	276.71	277.81	1.10	CORE	0.061	2.2
																	29295	277.81	278.81	1.00	CORE	1.415	8.2
																	29296	278.81	279.81	1.00	CORE	0.119	1.8

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Cal Stk	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2293

Easting:	435568	**Azi (deg):**	270	**Start:**	11-Oct-20
Northing:	6213053	**Dip (deg):**	-50	**Finish:**	14-Oct-20
Elev (m):	330	**Length (m):**	150.88	**Logged by:**	DS
Core Size:	NQ	**Casing (m):**	3.63	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-01	**Area:**	Woodbine
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	B0029297	3.63	4.67	1.04	CORE	0.087	1.1
0.00	3.63	WCAS	**Casing**														B0029298	4.67	6.67	2.00	CORE	0.153	4.9
			Overburden														B0029299	6.67	8.67	2.00	CORE	0.062	2.5
3.63	18.67	AXXZ	**Weak to Moderate QSP-Altered Andesite**														B0029300	8.67	8.67	0.00	ME1807	7.54	323
			Light greenish grey to light grey, vfg, massive, weak to moderately QSP-altered, aphyric, andesite. Short intervals less QSP-altered, showing wk chl alt. 3% veining, light to medium grey undulating to disarticulated qz-carbonate veining. A couple of undulating bleached qz veins. One undulating qz-carbonate vein bearing metallic py intergrown with anhedral fg to vfg metallic to submetallic gn. 4% py, vfg, metallic disseminated in lith. Lower contact at undulating disarticulated qz-carbonate vein, where QSP-alt suddenly decreases.			2	1		2	1	2	4		Tr			B0029301	8.67	10.67	2.00	CORE	0.066	1.7
			6.61 **6.85** Undulating to disarticulated, low angle, white to med-grey qz-carb vein. Some pinkish material within vein. Vein is 5% fg to vfg submetallic to metallic gn and 10% fg to vfg metallic anhedral blebby py. No mark.	V2	15												B0029302	10.67	12.67	2.00	CORE	0.04	1.6
			13.87 **14.72** Rubble zone, minor fault.	FLT	65												B0029303	12.67	14.67	2.00	CORE	0.085	1.8
18.67	36.44	AXXX	**Andesite**														B0029304	14.67	16.67	2.00	CORE	0.12	1.6
			Medium greenish grey to medium grey to light grey, vfg, massive, weak patchy QSP-altered, weak patchy chl altered, andesite. Matrix effervesses with acid. Bands of ser alt in unit, possible altered flow banding? Finely mottled white and chloritic texture locally. Fg white flecks locally, lathlike, likely feldspars. Feldspars make up 10-15% of lith where present. 2% veining, a couple of v5s, undulating to disarticulated qz and qz-carb veining. SOme bleached, disarticulated veining. One disarticulated to undulating qz-carb vein bearing vfg aggregated metallic to submetallic gn intergrown with wispy tan sph as well as fg to vfg metallic py. 3% py, fg to vfg, euhedral to anhedral disseminated n lith, and blebby to aggregated within veining. LCT broken, undulating.	LCT	20	1	1		1	1	1	3	Tr	Tr			B0029305	16.67	18.67	2.00	ORIG	0.154	1.8
			24.36 **27.00** Weak to moderate QSP altered. More broken than rest of unit. 4% py, vfg, metallic. 3% qz and qz-carb veining.			2	1		2		1	4					B0029306	16.67	18.67	2.00	DUP	0.14	1.9
			30.13 **30.50** Disarticulated qz-carb veining bearing 3% submetallic to metallic vfg gn, 1% tan to cream wispy sph, and 5% py, fg to vfg, metallic to submetallic aggregated. No mark	V2	30							5	3	1			B0029307	18.67	20.50	1.83	CORE	0.081	1.6
			32.61 **34.93** Weak to moderate QSP altered. More broken than rest of unit. 4% py, vfg, metallic. 2% veining.			2	1		2		1	4					B0029308	20.50	22.50	2.00	CORE	0.077	1.3

36.44	41.22	FSXX	**Fault/Shear Zone**																										
			Moderate developed fault/shear zozne. Foliation to broken, splintered rock, low angle. Broken rock is weak to moderately QSP-altered. Weak patchy chl alt. 2% veining, medium grey to white carbonate veining. 4% py, vfg metallic. LCT is broken.			3	1		3	1	1	4				B0029309	22.50	24.50	2.00	CORE	0.023	0.7
																	B0029310	24.50	24.50	0.00	BLK	0.0025	<0.2
41.22	60.94	AXXZ	**Weak to Moderately QSP-Altered Andesite**														B0029311	24.50	26.50	2.00	CORE	0.064	0.9
			Medium grey to light grey to light greenish grey, fg to vfg, massive, weak to moderately QSP-altered andesite. Weak patchy chl alt. 7% veining, medium to light grey qz-carbonate veining undulating to disarticulated. Multistage qz veining with fuzzy margins, boundaries of veining difficult to distinguish from wallrock. Evidence that ser came in after veining? Tr fg to vfg submetallic to metallic gn blebby, occurring with py vfg to fg metallic euhedral to anhedral, and blebby fg to vfg orange anhedral sph. 4% py, fg to vfg, metallic, disseminated in lith and blebby within veining, euhedral to anhedral. LCT low angle very irregular.			2	1		2	1	1	4	Tr	Tr		B0029312	26.50	28.50	2.00	CORE	0.086	0.7
			46.70 **48.84** Minor fault, fairly broken														B0029313	28.50	30.50	2.00	CORE	0.059	4.4
			48.84 **53.75** Moderately QSP-altered. Fairly broken towards base of interval. 5% py, fg to vfg, metallic euhedral disseminated in lith. 9% veining, primarily qz. Tr blebby and daggregated vfg gn.			3	1		3	1	1	5		Tr		B0029314	30.50	32.50	2.00	CORE	0.042	1.1
60.94	61.80	PIPX	**Weak to Moderately Sericite Altered Premier Porphyry**														B0029315	32.50	34.50	2.00	CORE	0.04	0.9
			Medium grey, cg to vfg, porphyritic, weak to moderately ser altered, K spar-phyric premier porphyry. K-spar phenos euhedral to anhedral up to 2cm. No veining. Tr chl alt. 3% py, fg to vfg, metallic disseminated and aggregated in lith. LCT is broken.	LCT	31				2	1		3				B0029316	34.50	36.44	1.94	CORE	0.052	0.9
61.80	64.67	FXXX	**Fault Zone**														B0029317	36.44	38.04	1.60	CORE	0.082	1
			Well developed fault zone. Lith same as above. Weak to mod sil-ser alt. Tr patchy chl. Slickensides on fracture surfaces. Tr py, vfg metallic. Tr qz-carb vein material. LCT broken.	LCT	31	2	1		2	1	1	Tr				B0029318	38.04	39.64	1.60	CORE	0.058	1.4
64.67	113.20	PIPX	**Premier Porphyry**														B0029319	39.64	41.22	1.58	CORE	0.052	1
			Mottled medium greenish grey to medium grey, cg to vfg, porphyritic, weak to moderately patchy sil-ser altered, weak patchy chl altered, k-spar-phyric premier porphyry. K-spar phenos euhedral to anhedral, up to 2.5cm, scattered. 3% veining. Medium grey to white undlating to disarticulated qz and qz-carbonate veining. A couple of V5s. Undulating bleached qz-carbonate veining. One brecciated mottled grey carbonate vein bearing blebby mg to fg anhedral brown sph intergrown with vfg submetallic gn. Euhedral metallic py also in vein. 3% py metallic disseminated in lith, fg to vfg anhedral metallic blebby within veining. LCT gradational over 70cm.			2	1		1	1	1	3	Tr	Tr		B0029320	41.22	41.22	0.00	CU190	0.702	9.5
			80.89 **81.51** Minor fault, broken core, crushed rock.														B0029321	41.22	43.20	1.98	CORE	0.089	4.3
			92.31 **92.82** Minor fault, broken rock, crushed rock, clay gouge, rock chips.														B0029322	43.20	45.20	2.00	CORE	0.112	2.1
			93.54 **93.74** Minor fault, broken rock, crushed rock														B0029323	45.20	47.20	2.00	CORE	0.065	1.5
			102.92 **103.48** Brecciated mottled grey carbonate vein bearing blebby cg to fg brown sph, anhedral and vfg submetallic aggregated around sph grains. 3% sph, 1% gn, tr py. Contacts irregular.									tr	3	1		B0029324	47.20	49.20	2.00	CORE	0.124	5.6
113.20	150.88	PIPZ	**Weak to Moderately QSP-Altered Premier Porphyry**														B0029325	49.20	51.20	2.00	ORIG	0.306	3.6

| | | |

| | | |

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2294

Easting:	435568	**Azi (deg):**	290	**Start:**	
Northing:	6213053	**Dip (deg):**	-50	**Finish:**	
Elev (m):	330	**Length (m):**	150.88	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.66	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.66	WCAS	Casing														29388	44.00	46.10	2.10	CORE	0.114	4.3
																	29389	46.10	48.30	2.20	CORE	0.049	0.6
3.66	15.75	AXXZ	Sericite-Pyrite Altered Andesite				1		3		2	3					29390	48.30	48.30	0.00	BLK	0.0025	<0.2
			beige grey, fine grained, massive, patchy strong brecciation healed by fine calcite/qtz, weak cream yellow calcite/dolomite carbonate veining subparallel to core axis. Mod to str perv ser, 2-4% fine diss py.														29391	48.30	50.50	2.20	CORE	0.072	0.8
																	29392	50.50	52.50	2.00	CORE	0.057	1.2
15.75	22.50	AXXX	Andesite						1			0.5					29393	52.50	54.45	1.95	CORE	0.027	1.2
			Light grey green, fine grained, massive, weak brecciation and fine calcite infilling, fine planar veining at 30-40 dgs tca., very weak ser, <1% diss py.														29394	54.45	56.45	2.00	CORE	0.113	0.8
																	29395	56.45	58.45	2.00	CORE	0.11	1.3
22.50	39.70	AXXZ	Sericite-Pyrite Altered Andesite				1		3		1	3					29396	58.45	59.44	0.99	CORE	0.105	1.1
			beige grey, fine grained, massive, weak cream yellow carbonate veining subparallel to core axis, weak patchy crackle qtz-calc veining, mod to strong perv ser, 2-3% diss py.														29397	59.44	60.75	1.31	CORE	0.138	3.3
			31.75 32.50 healed fault zone. Milled andesite and qtz vein fragments in a rock flour groundmass, faulting at 40 dgs tca														29398	60.75	62.10	1.35	CORE	0.324	1.9
			32.80 35.15 interval of very weak ser alt, light grey green colour														29399	62.10	63.80	1.70	CORE	0.101	1.1
			37.00 39.00 fault zone, rubbly broken highly fractured core recovery, minor gouge														29400	63.80	63.80	0.00	GS1Z	1.15	89.5
																	29401	63.80	65.75	1.95	CORE	0.059	1.9
39.70	44.00	AXXX	Andesite						1			2					29402	65.75	67.30	1.55	CORE	0.161	3.6
			light grey green, fine grained, massive, weak fine crackle breciation, qtz/calc infilling, weak perv ser, 1-2% diss py.														29403	67.30	68.50	1.20	CORE	0.078	1.2
																	29404	68.50	69.65	1.15	CORE	0.01	1
44.00	52.50	AXXZ	Sericite-Pyrite Altered Andesite				2		3			2	tr	tr			29405	69.65	70.95	1.30	CORE	0.392	7.7
			beige green grey, fine grained, massive, weak to mod perv ser, 1-2% diss py, weak qtz stockwork with late crackle calcite infilling, <1% py clots and diss sp-gn within qtz stockwork.														29406	70.95	72.20	1.25	CORE	0.04	1.3
																	29407	72.20	73.40	1.20	CORE	0.012	0.6
52.50	59.44	AXXX	Andesite				1		1		1	2	tr	tr			29408	73.40	75.40	2.00	CORE	0.0025	0.5
			grey green, fine grained, massive, weak patchy perv ser, 1-2% fine diss py, weak patchy fine crackle qtz-calc, minor <1cm wide white qtz veining with traces of py-sp-gn increasing in abundance downhole.														29409	75.40	77.40	2.00	CORE	0.009	0.6
																	29410	77.40	77.40	0.00	BLK	0.007	<0.2
59.44	62.10	CBXX	Quartz Stockwork in Andesite, silica Breccia				4		3		1	5	tr	tr			29411	77.40	79.40	2.00	CORE	0.009	0.5
			grey ser altered andesite hosting mod to strong qtz stockwork veining with 1 to locally 5% coarser grained pyrite and traces of sp and gn.														29412	79.40	81.40	2.00	CORE	0.0025	0.4
																	29413	81.40	83.40	2.00	CORE	0.0025	0.4
62.10	67.30	AXXZ	Sericite-Pyrite Altered Andesite				2		3		1	5	tr	tr			29414	83.40	85.40	2.00	CORE	0.006	0.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			beige grey fine grained massive andesite, 3-5% diss and veinlet py, weak generally <1cm white to grey qtz veining generally with <1% py-sp-gn														29415	85.40	87.45	2.05	CORE	0.179	2.4
																	29416	87.45	89.55	2.10	CORE	0.12	1.9
67.30	85.40	PIPZ	Sericite Altered Feldspar Porphyry, Premier Porphyry						2.5			tr					29417	89.55	90.55	1.00	CORE	0.04	1.4
			Beige grey, 2-3% porphyritic to megacrystic beige cream Kspar phenos, 1-2% coarse qtz eyes, 2-4% dark 1-3mm altered porph hbl phenos, patchy porph plag, massive, mod perv ser, <1% diss py, trace late massive bull qtz veining. Fractured lowered contact possibly at 25 dgs tca.														29418	90.55	91.55	1.00	CORE	0.202	2.5
																	29419	91.55	92.55	1.00	CORE	0.069	7.7
85.40	90.55	AXXZ	Sericite-Pyrite Altered Andesite				2		3	1		4					29420	92.55	92.55	0.00	CU190	0.693	9.5
			beige grey, fine grained, massive becoming mod qtz veined and brecciated, grey cream qtz veining, 2-5% fine diss py within andesite, <1% py within qtz veining, patchy fine chlorite stockwork approaching lower contact.														29421	92.55	93.55	1.00	CORE	0.123	11.9
																	29422	93.55	94.55	1.00	CORE	0.154	25.4
90.55	118.50	PIPZ	Sericite Altered Premier Porphyry with Qtz and Py-SP-Gn-Cpy Veining				3		4			5	2	1	tr		29423	94.55	95.55	1.00	CORE	0.317	48.5
			med to dark grey strongly ser altered Premier Porphyry with mod to strong green, white and gray qtz veining/silicification and fragments of qtz veining/silicification. 5-10% total sulfides as diss py and fine wispy veining of py- dark grey sp-gn-cpy. Locally 10-12% total sulfides.														29424	95.55	96.55	1.00	CORE	0.134	10.6
																	29425	96.55	97.55	1.00	CORE	0.124	24.2
118.50	150.10	D/GR	Granodiorite Dyke														29426	97.55	98.55	1.00	CORE	0.076	13.2
			speckled white grey pink, up to 5mm porph plag phenos in a groundmass of irregular dark green mafics and grey, pinkish grey fsp. Entire unit strongly fractured, rubbly broken recovery, local chlorite and hematite fracture coatings. Fault gouge between 135.64 and 137.6. strongly chl fractured from 137,6-144.8														29427	98.55	99.55	1.00	CORE	0.053	8.8
																	29428	99.55	100.55	1.00	CORE	0.174	29
150.10	150.88	PIPZ	Sericite Altered Premier Porphyry						3			1					29429	100.55	101.55	1.00	CORE	0.107	22.3
			Beige grey, relict porphyritic phenos of yellowish green beige hbl and creamy Kspar, mottled grey ser, qtz-ser altered groundmass, 1-2% py														29430	101.55	101.55	0.00	BLK	0.006	0.2
																	29431	101.55	102.55	1.00	CORE	0.084	5.8
			150.88 EOH														29432	102.55	103.55	1.00	CORE	1.035	46.9
																	29433	103.55	104.55	1.00	CORE	1.115	86.5
																	29434	104.55	105.55	1.00	CORE	0.503	76.1
																	29435	105.55	106.55	1.00	CORE	0.468	196
																	29436	106.55	107.55	1.00	CORE	0.619	123
																	29437	107.55	108.55	1.00	CORE	0.176	78.1
																	29438	108.55	109.55	1.00	ORIG	0.18	76
																	29439	108.55	109.55	1.00	DUP	0.213	112
																	29440	109.55	109.55	0.00	ME1807	7.29	335
																	29441	109.55	110.55	1.00	CORE	0.22	64.4
																	29442	110.55	111.55	1.00	CORE	0.6	189
																	29443	111.55	112.55	1.00	CORE	0.223	54.5
																	29444	112.55	113.55	1.00	CORE	0.133	26.5
																	29445	113.55	114.55	1.00	CORE	0.145	31.5
																	29446	114.55	115.55	1.00	CORE	0.124	15.3
																	29447	115.55	116.55	1.00	CORE	0.126	5.2
																	29448	116.55	117.55	1.00	CORE	0.183	8.2
																	29449	117.55	118.50	0.95	CORE	0.303	4.1
																	29450	118.50	118.50	0.00	BLK	0.006	<0.2
																	29451	118.50	120.50	2.00	CORE	0.017	0.5

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2295

Easting:	435568	**Azi (deg):**	180	**Start:**	
Northing:	6213053	**Dip (deg):**	-50	**Finish:**	
Elev (m):	330	**Length (m):**	151.49	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.83	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.83	WCAS	Casing														350965	1.83	2.80	0.97	CORE	0.07	1.3
																	350966	2.80	3.80	1.00	CORE	0.059	1.4
1.83	7.80	AXXZ	Andesite with Quartz-Calcite Veining				3		3		2	5	tr	tr			350967	3.80	4.80	1.00	CORE	0.094	1.9
			light to med green, fine grained, strongly brecciated to milled andesite, moderate qtz veining strongly brecciated and fragmented with calcite infilling. Weak to mod perv ser alt of andesite with 2-3% diss py. Up to 1-2% sp-gn and 7% py within qtz veins.														350968	4.80	5.80	1.00	CORE	0.192	13.5
			7.80 bleaching adjacent to lower contact. 2cm gouge at lower contact at 55 dgs tca.														350969	5.80	6.80	1.00	CORE	0.1	1.6
																	350970	6.80	6.80	0.00	ME1807	7.36	319
7.80	27.90	PIPX	Quartz Eye Feldspar Hornblend Porphyritic Premier Porphyry (Post Mineralization Dyke)														350971	6.80	7.80	1.00	CORE	0.088	1.7
			<1-1% porph to megacrystic K fsp, 1-2% chloritized hbl, 1-2% drk green grey altered phenos of unknown type, <1% qtz eyes. Weak bleaching adjacent to upper contact grading downhole below 16.5m to med grey fresh PIPX. Weak calc veinlets, minor late coarse qtz-calc veining. lower contact at 75 dgs tca.														350972	7.80	9.80	2.00	CORE	0.006	0.5
																	350973	9.80	11.80	2.00	CORE	0.015	1.6
27.90	37.60	PIPZ	Feldspar Hornblend Porphyritic Premier Porphyry with Quartz-Sulfide Veining.			3	2		4		1	7	1	1	tr		350974	11.80	13.90	2.10	CORE	0.037	3.5
			Mottled light creamy grey, strong sil/ser alteration masking primary PIPX texture, mottled brecciated appearance, 3-5% diss py and 5-6% vein related py-sp-gn-cpy.														350975	13.90	15.90	2.00	CORE	0.013	1.4
																	350976	15.90	17.90	2.00	CORE	0.007	1.1
37.60	66.00	PIPZ	Feldspar Hornblend Porphyritic Premier Porphyry with Sulfide Stockwork Veining.				2		2		1	5	2	2	0.5		350977	17.90	19.90	2.00	CORE	0.071	2.2
			Light grey, PIPX protolith much fresher, more massive less brecciated looking than previous unit. 1% porph to megacrystic K fsp, dark blue grey green altered poprh phenos (plag??) chl alt hbl, no qtz eyes. Weak perv ser, 2-4% diss py, <1% diss sp, 4-7% sulfides as mm scale to cm scale massive py-sp-gn-cpy veining stockwork. Minor late bull qtz veining containing remobilizing coarse grains of sp gn cpy.														350978	19.90	21.90	2.00	CORE	0.01	6.7
																	350979	21.90	23.90	2.00	CORE	0.005	1
66.00	70.75	CBXX	Silica Breccia			3	4		2			4	0.5	0.5	tr		350980	23.90	23.90	0.00	GS1Z	1.235	90.6
			Mottled, jumbled, brecciated creamy green, greenish grey silicification and qtz veining, Premier Porph host rock, 2-3% diss py, 1-2% veinlet sp-gn+/-cpy. Sharp lower contact at 50 dgs tca.														350981	23.90	25.90	2.00	CORE	0.01	1
																	350982	25.90	26.90	1.00	CORE	0.075	3.8
70.75	84.90	PIPZ	Feldspar Hornblend Porphyritic Premier Porphyry			3	1		3			2	tr	tr			350983	26.90	27.90	1.00	CORE	0.012	3.8
			Light grey, light green, indistinct porph plag, <1% porph white K fsp, mafic phenos ghosted becoming chl altered downhole. Strong texture destructive alteration at top of unit decreasing downhole. Weak pale green silica veining. 1-2% diss sulfides, Py>Sp. trace hairline sp veinlets														350984	27.90	28.90	1.00	CORE	0.445	29.8
			70.75 74.90 Light grey, mod to strong per sil, mod perv ser, 1-2% diss py, trace diss sp														350985	28.90	29.90	1.00	ORIG	2.82	158

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			82.70 becoming bleached approaching lower faulted contact.														350986	28.90	29.90	1.00	DUP	4.07	200
			84.60 84.90 faulted lower contact. Milled sil/ser altered PIPZ fragments in a fault gouge groundmass. Faulting possibly at 20 dgs tca.														350987	29.90	30.90	1.00	CORE	0.442	36.8
																	350988	30.90	31.90	1.00	CORE	1.195	77.2
84.90	89.35	AXXZ	Bleached Andesite						3			2					350989	31.90	32.90	1.00	CORE	0.907	104
			mottled bleached beige green, fine grained, brecciated highlighted by light to med grey ser rich veinlet stockwork, 1-3% diss py, weak fine carb veinlets.														350990	32.90	32.90	0.00	ME1807	7.68	326
																	350991	32.90	33.90	1.00	CORE	1.385	407
89.35	103.15	PIPZ	Bleached Feldspar Hornblend Premier Porphyry						3			2					350992	33.90	34.90	1.00	CORE	0.314	96
			mottled tan grey grading downhole to perv beige, <1% k fsp porph phenos, blue grey grading downhole to creamy white porph plag, pinkish brown to yellowish brown altered porph hbl phenos. <1% qtz eyes. Brecciated with grey ser network at top of unit changing below 92m to more massive. two inclusions of altered andesite or altered D/AN <1m wide,														350993	34.90	35.80	0.90	CORE	0.195	38
			97.10 5cm fault gouge at 25 dgs tca.														350994	35.80	36.70	0.90	CORE	7.85	28.5
																	350995	36.70	37.60	0.90	CORE	0.333	367
103.15	106.85	D/AN	Andesite Dyke, Micro-diorite Dyke														350996	37.60	38.60	1.00	CORE	0.219	19.6
			Med grey, green grey, fine grained, massive, minor amygdules near contacts, slightly coarser grained core of dyke with fine ep coloured fsp phenos. Relatively fresh compared to surrounding host rocks. - post alteration dyke. Lower contact at 25 dgs tca.														350997	38.60	39.60	1.00	CORE	0.206	23.5
																	350998	39.60	40.60	1.00	CORE	0.072	13.2
106.85	109.15	AXXZ	Epidote Altered Andesite							2		3					350999	40.60	41.60	1.00	CORE	0.107	21.2
			light grey, green grey, fine grained, finely fsp phyric, mottled brecciated appearance from weak to mod epidote as diss, veinlets and irregular patches, weak albite patchy perv and veining, weak chl with ep-alb veining, 3-4% diss and veinlet py														351000	41.60	41.60	0.00	GS1Z	1.215	92.9
																	351001	41.60	42.75	1.15	CORE	0.077	9.5
109.15	115.40	AXPZ	Feldspar Phyric Andesite?, Possible AIPX?			3			3			10					351002	42.75	43.90	1.15	CORE	0.232	14.8
			light pistachio green and grey, fine grained massive relatively uniform lithology, mod to str perv sil/ser/ep masking primary textures of fine fsp phyric nature. Patchy coarser grained fsp phyric areas some looking like rounded fragments or possible xenoliths. 7-10 diss py, 2-3% veinlet py with qtz veinlets														351003	43.90	45.05	1.15	CORE	0.095	5.8
																	351004	45.05	46.20	1.15	CORE	0.09	12
115.40	123.75	D/AN	Andesite Dyke, Micro-diorite Dyke														351005	46.20	47.25	1.05	CORE	0.163	7.4
			light to med green, fine grained, finely fsp and hbl phyric, massive, fresh, weakly amygdaloidal slightly coarser grained in core of dyke. Sharp chilled upper contact at 60 dgs tca. Irregular chilled lower contact at approx 30 dgs tca.														351006	47.25	48.25	1.00	CORE	0.134	8.4
																	351007	48.25	49.25	1.00	CORE	0.126	7.6
123.75	147.20	AXPX	Crowded Feldspar Phyric Andesite, Possible AIPX?			1						3					351008	49.25	50.25	1.00	CORE	0.061	6
			light to med green grey, patchy pistachio green, fine to med grained, crowded fsp phyric to finely fsp porphyritic with abundant 1-3mm subhedral to euhedral fsp, massive uniform lithology. Weak diss ep alteration, weak ep-qtz-calc veinlets, minor patchy epidote rich balls, 2-4% diss py, rare chl-py veining														351009	50.25	51.25	1.00	CORE	0.499	242
																	351010	51.25	51.25	0.00	ME1807	8.09	330
147.20	151.49	AXXX	Andesite				1		2		1	3					351011	51.25	52.25	1.00	CORE	0.743	39.6
			light to med pale green, fine grained, massive with weak-mod brecciated appearance healed by <1-2cm qtz-calc-py veining and stockwork and fine py, py-chl networks, 1-2% and locally 5% diss py. Minor planar qtz veinlets mod perv ser														351012	52.25	53.25	1.00	CORE	0.701	51.6
																	351013	53.25	54.25	1.00	CORE	0.2	53.4
			151.49 EOH														351014	54.25	55.25	1.00	CORE	0.436	104

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	351015	55.25	56.25	1.00	CORE	0.226	75.5
																	351016	56.25	57.25	1.00	CORE	0.119	21.7
																	351017	57.25	58.25	1.00	CORE	0.458	37.5
																	351018	58.25	59.25	1.00	CORE	0.126	16.3
																	351019	59.25	60.25	1.00	CORE	0.17	4.9
																	351020	60.25	60.25	0.00	GS1Z	1.22	89.1
																	351021	60.25	61.25	1.00	CORE	0.14	6
																	351022	61.25	62.20	0.95	CORE	0.1	3.5
																	351023	62.20	63.10	0.90	CORE	0.092	3.3
																	351024	63.10	64.00	0.90	CORE	0.098	13.5
																	351025	64.00	65.00	1.00	CORE	0.087	2
																	351026	65.00	66.00	1.00	CORE	0.123	1.7
																	351027	66.00	67.00	1.00	CORE	0.059	0.9
																	351028	67.00	68.00	1.00	ORIG	0.182	17.3
																	351029	67.00	68.00	1.00	DUP	0.12	11.7
																	351030	68.00	68.00	0.00	ME1807	7.72	317
																	351031	68.00	69.00	1.00	CORE	0.065	4.1
																	351032	69.00	69.90	0.90	CORE	0.059	1.3
																	351033	69.90	70.75	0.85	CORE	0.064	2.8
																	351034	70.75	71.75	1.00	CORE	0.057	1.6
																	351035	71.75	73.75	2.00	CORE	0.04	1.5
																	351036	73.75	75.75	2.00	CORE	0.065	1.9
																	351037	75.75	77.75	2.00	CORE	0.07	0.8
																	351038	77.75	79.75	2.00	CORE	0.059	2.5
																	351039	79.75	81.75	2.00	CORE	0.613	3
																	351040	81.75	81.75	0.00	GS1Z	1.195	91.4
																	351041	81.75	83.30	1.55	CORE	0.045	0.7
																	351042	83.30	84.90	1.60	CORE	0.048	1.5
																	351043	84.90	87.10	2.20	CORE	0.042	2.8
																	351044	87.10	89.35	2.25	CORE	0.018	0.7
																	351045	89.35	91.20	1.85	CORE	0.029	1
																	351046	91.20	93.20	2.00	CORE	0.018	0.8
																	351047	93.20	95.20	2.00	CORE	0.018	0.6
																	351048	95.20	97.10	1.90	CORE	0.015	0.5
																	351049	97.10	99.10	2.00	CORE	0.015	0.9
																	351050	99.10	99.10	0.00	ME1807	7.87	327
																	351051	99.10	101.10	2.00	CORE	0.024	0.4
																	351052	101.10	103.15	2.05	CORE	0.017	0.3
																	351053	103.15	105.00	1.85	CORE	0.0025	<0.2
																	351054	105.00	106.85	1.85	CORE	0.0025	<0.2
																	351055	106.85	109.15	2.30	CORE	0.026	0.9
																	351056	109.15	111.20	2.05	CORE	0.012	0.6
																	351057	111.20	113.30	2.10	CORE	0.009	0.2
																	351058	113.30	115.40	2.10	CORE	0.01	0.3

Downhole Tests		
Depth (m)	**Az (°)**	**Dip (°)**
Refer to survey master file		

P20-2296

Easting:	435389	**Azi (deg):**	52	**Start:**	
Northing:	6212972	**Dip (deg):**	-47	**Finish:**	
Elev (m):	394	**Length (m):**	302.67	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	2.6	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-02	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	**To**	**Code**	**DESCRIPTION**	**Type**	**Angle**	**Si Flood**	**Qtz Stk**	**Potassic**	**Sericite**	**Chlorite**	**Calc Vns**	**Py**	**Sph**	**Gn**	**Cpy**	**Other**	**Samp No.**	**From**	**To**	**Width**	**Type**	**Au (g/t)**	**Ag (g/t)**
0.00	2.60	WCAS	Casing														29452	2.60	4.60	2.00	CORE	0.028	0.6
																	29453	4.60	6.60	2.00	CORE	0.037	0.5
2.60	16.75	AXXZ	Sericite Altered Undifferentiated Andesite						2.5	2		3					29454	6.60	8.60	2.00	CORE	0.126	1.8
			light grey green, fine grained, massive except as noted below, weak to mod perv ser, 2-4% fine py as fine hairline veinlets and patchy diss with stronger perv ser.														29455	8.60	10.60	2.00	CORE	0.264	4
			7.40 9.00 possible tuffaceous interval with alteration banding/laminations (bedding?) at 40 dgs tca														29456	10.60	12.60	2.00	CORE	0.136	3
			9.00 14.00 dark green fine chl network +/-py cutting ser alt andesite.														29457	12.60	14.60	2.00	CORE	0.074	2.5
																	29458	14.60	16.75	2.15	CORE	0.082	2.5
16.75	49.85	AXXX	Undifferentiated Andesite, In Par Fragmental Andesite						1	1		1					29459	16.75	18.70	1.95	CORE	0.031	1.4
			light to med green, grey green, fine grained, massive to fragmental texture with local darker green or lighter green fragments, rare black mudstone fragments, weak perv ser, weak chl, patchy lighter grey very fine grained/aphanitic irregular mudstone? <1-2% py, patchy vein clots, patchy diss														29460	18.70	18.70	0.00	CU190	0.623	9
49.85	78.25	PIPX	Quartz Eye Premier Feldspar Porphyry.						2								29461	18.70	20.70	2.00	CORE	0.029	1.5
			Light grey. Common 2-7mm cloudy subhed plag, <1% chl alt porph hbl. Common 1-5mm qtz eyes. Porph is lacking the porph to megacrystic Kspar. Patchy perv ser alteration masking fsp porph texture and highlighting Qtz eye content. No sig sulfides, No qtz or calc veining.														29462	20.70	22.70	2.00	CORE	0.037	1.8
																	29463	22.70	24.70	2.00	CORE	0.032	1.4
78.25	81.10	AXXX	Undifferentiated Andesite						2			tr					29464	24.70	26.70	2.00	CORE	0.048	1.9
			Light to med green, grey green, patchy mottled, fine grained, possibly tuffaceous with fine granular lapilli or coarse ash grains, weak perv ser, <1% diss py, patchy 1-2% py.														29465	26.70	28.70	2.00	CORE	0.053	3.4
																	29466	28.70	30.70	2.00	CORE	0.064	3.9
																	29467	30.70	32.70	2.00	CORE	0.029	2
81.10	87.55	PIPX	Quartz Eye Premier Feldspar Porphyry						2			tr					29468	32.70	34.70	2.00	ORIG	0.111	5.1
			Similar to previous PIPX however less qtz eye content and lacking any porph to megacrystic Kspar. Weak ser, <1-1% diss py, no veining														29469	32.70	34.70	2.00	DUP	0.123	4.6
																	29470	34.70	34.70	0.00	BLK	0.0025	0.2
87.55	137.30	D/GR	Granodiorite Dyke														29471	34.70	36.70	2.00	CORE	0.074	3.4
			Speckled white/grey/pink. Abundant porph white plag phenos, irregular chl alt mafic aggregates, grey pink kspar groundmass. Occassionally cut by green fine grained andesite dykes and finer grained granodiorite dykes.														29472	36.70	38.70	2.00	CORE	0.027	1.6
137.30	139.50	PIPZ	Quartz Eye Premier Porphyry						4			1					29473	38.70	40.70	2.00	CORE	0.034	2.5
			Light grey, massive but mod brecciated with chlorite infilling. Mod to str ser obliterating fsp and hbl porph texture, 2-3% 2-5mm qtz eyes, <1-1% diss py														29474	40.70	42.70	2.00	CORE	0.058	2.4
																	29475	42.70	44.70	2.00	CORE	0.069	3.4
																	29476	44.70	46.70	2.00	CORE	0.098	4.1
139.50	143.65	D/AN	Andesite Dyke														29477	46.70	48.55	1.85	CORE	0.289	4.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light to med beige green, fine grained, massive, weak to mod fine dark green hairline stockwork, very weak cream yellow carbonate veinlets and gash infillings.														29478	48.55	49.85	1.30	CORE	0.438	4.8
																	29479	49.85	51.00	1.15	CORE	0.162	2.6
143.65	151.80	PIPZ	Altered Premier Porphyry, Quartz Eye Porphyry						4			1					29480	51.00	51.00	0.00	GS1Z	1.14	92
			Light grey, mod to str perv ser masking porph texture, 1-2% qtz eyes, weak fine carb veinlets, <1-2% diss py.														29481	51.00	53.00	2.00	CORE	0.006	0.9
			147.50 149.30 mod fractured with minor clay gouge along fractures														29482	53.00	55.00	2.00	CORE	0.005	0.4
																	29483	55.00	57.00	2.00	CORE	0.005	0.9
151.80	154.70	AXXZ	Altered Andesite						2	2		1					29484	57.00	59.00	2.00	CORE	0.014	1.4
			med green, grey green, fine grained, brecciated, milled texture, healed fault zone?. Weak to mod chl, weak to mod ser, weak cream yellow carb veining/gash fillings.														29485	59.00	61.00	2.00	CORE	0.0025	0.5
																	29486	61.00	63.00	2.00	CORE	0.005	0.3
154.70	183.00	PIPZ	Altered Quartz Feldspar Premier Porphyry				1		4	2		5	tr	tr	tr		29487	63.00	65.00	2.00	CORE	0.005	0.3
			Light grey, <1-2% qtz eyes, <1-1% porph to megacrystic creamy yellow white Kspar, plag and hbl obliterated by alteration, patchy qtz-chl veining, 3-7% diss fine to med grained py, <1% py-sp-gn-cpy veinlets, locally 10 % over 10cm widths. Strong perv ser.														29488	65.00	67.00	2.00	CORE	0.008	0.6
			154.70 162.40 stronger ser alteration masking pseudofragmental texture, milled healed fault texture? Interval lacking qtz-chl veining														29489	67.00	69.00	2.00	CORE	0.007	0.6
																	29490	69.00	69.00	0.00	BLK	0.0025	0.2
183.00	199.75	PIPZ	Altered Quartz Feldspar Premier Porphyry				2		3.5	2		5	tr	tr	tr		29491	69.00	71.00	2.00	CORE	0.007	0.4
			Continuation of previous QFP with decreased perv ser content, increased occurrences of qtz-chl veining														29492	71.00	73.00	2.00	CORE	0.007	0.4
			197.70 199.75 increasing qtz-chl veining														29493	73.00	75.00	2.00	CORE	0.005	0.5
																	29494	75.00	77.00	2.00	CORE	0.006	0.6
199.75	204.25	CBXX	Silica Breccia			3	3		3	2		3	tr				29495	77.00	78.25	1.25	CORE	0.007	0.6
			Mottled green-white and med grey, host rock is Premier Porph with silicification and mottle green cream qtz, qtz-chl veining/stockwork, 3-4% diss py, tr diss sp.														29496	78.25	79.65	1.40	CORE	0.066	1.8
																	29497	79.65	81.10	1.45	CORE	0.016	1.1
204.25	210.40	D/AN	Andesite Dyke														29498	81.10	82.70	1.60	CORE	0.026	0.7
			light to med green, fine grained, massive, patchy bleaching, weakly chilled margins.														29499	82.70	84.30	1.60	CORE	0.017	0.5
			207.00 208.18 strongly silicified protolith, possible Premier Porph with 2-3% diss py.														29500	84.30	84.30	0.00	ME1807	7.9	326
																	350651	84.30	85.90	1.60	CORE	0.0025	0.5
210.40	235.75	D/GR	Granodiorite Dyke														350652	85.90	87.55	1.65	CORE	0.019	1.4
			abundant subhedral to anhedral porph plag, irregular inter plag mafic clots, pinkish grey kspar groundmass. Locally shattered, brecciated healed by clay gouge, locally cut by andesite dykes.														350653	137.30	139.50	2.20	CORE	0.042	1.3
																	350654	139.50	141.60	2.10	CORE	0.0025	0.3
235.75	237.55	PIPX	Feldspar Hornblend Quartz Porphyry, Premier Porphyry.						2	2		1					350655	141.60	143.65	2.05	CORE	0.0025	0.4
			Light grey, 1-2% porph to megacrystic Kspar, 3-4% chloritized hbl, <1% qtz eyes, weak to mod perv ser, weak chl, 1% diss py														350656	143.65	145.70	2.05	CORE	0.017	0.5
																	350657	145.70	147.70	2.00	CORE	0.008	0.6
237.55	242.20	D/AN	Andesite Dyke, Micro Diorite														350658	147.70	149.80	2.10	CORE	0.091	2.9
			Med grey to finely speckled white grey, fine grained, massive, fine mafic phenos, weakly magnetic.														350659	149.80	151.80	2.00	CORE	0.038	2.9
																	350660	151.80	151.80	0.00	GS1Z	1.225	88.8
242.20	248.65	PIPX	Feldspar Porphyry, Premier Porphyry??							2		tr					350661	151.80	153.30	1.50	CORE	0.094	4.1
			Unit not typical of usual Premier Porphyry. Greenish grey, common 2 3mm porph fsp, 2-5% finely porph chl altered hbl and possible biot, 7-10% diss to fine patches of epidote, rare porph to megacrystic Kspar mainly within first meter of unit. Trace py. irregular lower contact at 40 dgs tca.														350662	153.30	154.70	1.40	CORE	0.063	3.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
248.65	275.05	ALXZ	Chlorite Epidote Sericite Altered Andesite Fragmental, Lapilli Tuff Med to dark green, heterolithic, up to 4cm rounded dominantly andesite fragments. Variable alteration - epidote-chl altered related to nearby granodiorite and andesite dykes at top of unit becoming mod perv ser-py alteration downhole. 1-3% diss py. No sig veining.						2	3		2					350663	154.70	156.70	2.00	CORE	0.048	3.2
																	350664	156.70	158.70	2.00	CORE	0.063	5.5
																	350665	158.70	160.70	2.00	CORE	0.053	3.8
																	350666	160.70	162.35	1.65	CORE	0.042	3.8
275.05	289.95	PIPX	Feldspar Hornblend Porphyry, Premier Porphyry Med grey, 2-5% porph hbl, 1% porph to weakly megacrystic Kspar, trace qtz and calc veinlets, trace red sp witin qtz veinlets.						1			1	tr				350667	162.35	163.70	1.35	CORE	0.087	7.5
																	350668	163.70	165.00	1.30	CORE	0.095	5
																	350669	165.00	167.00	2.00	CORE	0.071	3.8
289.95	302.67	AXXX	Undifferentiated Andesite, In Part Feldspar Phyric med grey green, fine grained, patchy fsp phyric where accentuated by ser alteration of groundmass, massive but mottled ser/chl alteration weak calc veining, 1-3% diss py						2	2	2	1					350670	167.00	167.00	0.00	CU190	0.72	9.4
																	350671	167.00	169.00	2.00	CORE	0.131	7.1
																	350672	169.00	171.00	2.00	CORE	0.162	8.5
																	350673	171.00	173.00	2.00	CORE	0.093	6.3
																	350674	173.00	175.00	2.00	CORE	0.064	4.7
																	350675	175.00	177.00	2.00	CORE	0.115	5.2
																	350676	177.00	179.00	2.00	CORE	0.128	14.7
																	350677	179.00	181.00	2.00	CORE	0.101	4.7
																	350678	181.00	183.00	2.00	CORE	0.249	19.2
																	350679	183.00	184.50	1.50	CORE	0.125	12.3
																	350680	184.50	184.50	0.00	GS1Z	1.28	96
																	350681	184.50	186.10	1.60	CORE	0.059	8.3
																	350682	186.10	187.70	1.60	CORE	0.07	4.3
																	350683	187.70	189.70	2.00	CORE	0.066	4.5
																	350684	189.70	191.70	2.00	CORE	0.113	14.5
																	350685	191.70	193.70	2.00	CORE	0.082	5.2
																	350686	193.70	195.70	2.00	CORE	0.098	16
																	350687	195.70	197.70	2.00	CORE	0.041	3.1
																	350688	197.70	198.75	1.05	CORE	0.092	2.1
																	350689	198.75	199.75	1.00	CORE	0.058	2.4
																	350690	199.75	199.75	0.00	GS1Z	1.19	95.8
																	350691	199.75	200.85	1.10	CORE	0.078	7.3
																	350692	200.85	201.95	1.10	ORIG	0.074	4.6
																	350693	200.85	201.95	1.10	DUP	0.085	5.1
																	350694	201.95	203.10	1.15	CORE	0.048	2.5
																	350695	203.10	204.25	1.15	CORE	0.05	2.8
																	350696	204.25	205.00	0.75	CORE	0.009	0.5
																	350697	205.00	207.00	2.00	CORE	0.0025	<0.2
																	350698	207.00	208.18	1.18	CORE	0.037	3.1
																	350699	208.18	210.40	2.22	CORE	0.0025	0.2
																	350700	210.40	210.40	0.00	ME1807	8.18	319

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2297

Easting:	435389	**Azi (deg):**	52	**Start:**	
Northing:	6212972	**Dip (deg):**	-60	**Finish:**	
Elev (m):	394	**Length (m):**	272.8	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-02	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														350701	3.05	5.00	1.95	CORE	0.027	0.7
																	350702	5.00	7.00	2.00	CORE	0.016	0.7
3.05	27.00	AXXZ	Altered Andesite						3	2	2	3					350703	7.00	9.00	2.00	CORE	0.285	4.3
			med green grey, fine grained, fragmentally textured at top of hole to 7m. More massive downhole. Weak to mod perv ser, ser decreasing downhole. Mod brecciated appearance accentuated by hairline chlorite stockwork and fine py veinlet stockwork. Minor cm scale calc chl coarse py veining mainly from 12.4-15.4m. 2-5% diss py.														350704	9.00	11.00	2.00	CORE	0.272	3.5
			7.00 8.05 foliated to laminated possible tuffaceous banding at 40-55 dgs tca.														350705	11.00	12.40	1.40	CORE	0.122	3
																	350706	12.40	13.90	1.50	CORE	0.394	16.8
27.00	45.35	AXXX	Andesite						2		2	1					350707	13.90	15.40	1.50	CORE	0.32	12.9
			med green, light grey green, fine grained, massive, patchy weak brecciation with fine py veinlets, weak qtz and qtz-calc veining, weak dark grey calc veining, weak perv ser, 1-2% py. Lower contact at 55 dgs tca.														350708	15.40	17.00	1.60	CORE	0.173	4.4
																	350709	17.00	19.00	2.00	CORE	0.474	5.1
45.35	96.90	PIPX	Quartz Eye Feldpar Hornblend Premier Porphyry.						2.5		tr	tr					350710	19.00	19.00	0.00	GS1Z	1.24	88.9
			common 1-5mm qtz eyes, dark blue green altered hbl, <1% chl alt biot, rare alt Kspar porph to megacrystic phenos. Fine grained ser altered groundmass. Weak to mod perv ser, trace diss py, trace calc veining.														350711	19.00	21.00	2.00	CORE	0.106	3.9
			63.05 contact with coarser grained PIPX downhole with porph plag and decreased ser alt.														350712	21.00	23.00	2.00	CORE	0.094	3.8
																	350713	23.00	25.00	2.00	CORE	0.096	3.4
96.90	140.00	D/GR	Granodiorite Dyke														350714	25.00	27.00	2.00	CORE	1.615	7.6
			common white speckled porph plag, irregular mafic clots in a pinkish grey aphanitic groundmass. Multiple pulses of dyke intrusion with finer grained margins and coaser grained cores,														350715	27.00	29.00	2.00	CORE	0.456	5.1
			120.40 130.20 fault zone. Brecciated and highly fractured core, minor clay gouge, chloritic fracture coatings, mod beige tan bleaching.														350716	29.00	31.00	2.00	CORE	0.76	11.4
																	350717	31.00	33.00	2.00	CORE	5.25	8.5
140.00	147.70	PIPZ	Altered Premier Porphyry						2	3		4					350718	33.00	35.00	2.00	CORE	0.315	7.7
			Dark green grey to light grey. Adjacent to D/GR uphole PIPX is darker green grey with 3-5% dark altered porph phenos (hbl) no evident plag or kspar, no qtz eyes, 3-5% coarser grained diss and veinlet py. Below 144 m becoming lighter grey, porph plag and kspar becoming evident, 1-4% diss py and veinlet py +/-chl.														350719	35.00	37.00	2.00	CORE	0.681	6.8
																	350720	37.00	37.00	0.00	ME1807	8.02	330
147.70	150.55	D/GR	Granodiorite Dyke														350721	37.00	39.00	2.00	CORE	0.263	4.3
			Med to dark grey, pinkish grey, fine grained, finely fsp and hbl phyric, massive, bleached lower contact with cream yellow carb veining.														350722	39.00	41.00	2.00	CORE	0.256	16.4
																	350723	41.00	43.15	2.15	CORE	1.035	39.6
150.55	158.60	PIPZ	Altered Feldspar Hornblend Porphyry, Premier Porphyry						4	1		2					350724	43.15	45.35	2.20	CORE	0.406	55.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey, <1% porph to megacrystic K fsp, patchy relict porph plag, 5-8% dark semi-translucent altered porph mafic phenos, no qtz eyes, massive, mod to str perv ser, patchy weak fine chl veinlets, 1-3% py diss and discont veinlets														350725	45.35	47.35	2.00	CORE	0.02	2
																	350726	47.35	49.35	2.00	CORE	0.006	0.7
158.60	164.75	AXXZ	Sericite Chlorite Altered Andesite						3	3		4					350727	49.35	51.35	2.00	CORE	0.007	0.5
			med grey green, fine grained, massive, weak to mod perv ser, mod chl as <1cm veining/stockwork usually with py, weak irregular patches of chl.														350728	51.35	53.35	2.00	CORE	0.005	0.3
																	350729	138.50	140.00	1.50	CORE	0.0025	0.4
164.75	180.65	AXXZ	Sericite Altered Andesite						3	1		3					350730	140.00	140.00	0.00	GS1Z	1.2	93.9
			light grey, fine grained, possible fragmental or pseudofragmental due to alteration. Mod perv ser, weak chl as irregular patches, minor fracture veinlets and weak chl calc py veinlets. 2-4% py diss and hairline fracture veinlets.														350731	140.00	142.00	2.00	CORE	0.098	4
																	350732	142.00	144.00	2.00	CORE	0.109	3.3
180.65	210.45	PIPZ	Sericite Altered Feldspar Hornblend Porphyry, Premier Porphyry						4			3					350733	144.00	146.00	2.00	CORE	0.024	1.2
			Light beige grey, 1-2% porph to megacrystic K fsp, 2-5% alt mafics mainly hbl and possible biot, no qtz eyes, str perv ser decreasing in last several meters adjacent to lower contact. 2-4% diss to discontinous fine veinlet py. Possible faulting at lower contact.														350734	146.00	147.70	1.70	CORE	0.008	0.6
																	350735	147.70	149.20	1.50	CORE	0.0025	0.2
210.45	241.30	AXXX	Andesite							1		1					350736	149.20	150.55	1.35	CORE	0.0025	0.2
			Medium green, grey green, fine grained, finely fsp phyric, massive, patchy fragmental texture, weak calc veinlets, patchy weak chl, <1-1% py.														350737	150.55	152.55	2.00	CORE	0.036	3.5
			222.30 224.90 Fine grained granodiorite to microdiorite dyke.														350738	152.55	154.60	2.05	CORE	0.044	2.7
			224.90 240.65 increased epidote alteration below dyke as selective replacement of fsp grains and as irregular epidote rich rounded patches and minor veins														350739	154.60	156.60	2.00	CORE	0.039	3.9
																	350740	156.60	156.60	0.00	CU190	0.657	9.7
241.30	253.15	D/GR	Granodiorite Dkes														350741	156.60	158.60	2.00	CORE	0.013	0.8
			mix of fine grained equigranular granodiorite and fsp, fsp-hbl porph granodiorite dykes. Contacts at 70-80 dgs tca														350742	158.60	160.60	2.00	CORE	0.03	1
			246.75 249.00 raft of epidote altered andesite.														350743	160.60	162.60	2.00	CORE	0.01	0.9
																	350744	162.60	164.75	2.15	CORE	0.016	1.9
253.15	255.70	AXXX	Andesite														350745	164.75	166.70	1.95	CORE	0.0025	0.4
			Medium grey green, fine grained, massive, weak diss, vein and patchy epidote, trace qtz veinlets, minor late bull qtz, <1% py														350746	166.70	168.70	2.00	CORE	0.009	0.8
																	350747	168.70	170.70	2.00	CORE	0.009	0.8
255.70	266.70	PIPX	Feldspar Hornblend Porphyry, Premier Porphyry						2	1		tr	tr				350748	170.70	172.70	2.00	CORE	0.018	1.7
			Light grey, <1% megacrystic Kspar, 3-4% semi translucent altered hbl, no qtz eyes, weak perv ser, <1% diss py. Trace chl-calc +/- sp veinlets														350749	172.70	174.70	2.00	CORE	0.011	1
																	350750	174.70	174.70	0.00	ME1807	8.37	334
266.70	268.15	AXXX	Andesite														350751	174.70	176.70	2.00	CORE	0.011	3.7
			grey green, fine grained, mod perv diss epidote and patchy perv epidote, <1% diss py. Lower contact at 60 dgs tca														350752	176.70	178.70	2.00	CORE	0.017	0.9
																	350753	178.70	180.65	1.95	CORE	0.025	1.5
268.15	272.80	D/GR	Feldspar Hornblend Porphyritic Granodiorite Dyke														350754	180.65	182.60	1.95	CORE	0.014	0.8
			common up to 4mm white porph plag, 3-5% 1-2mm porph hbl in a med grey fine grained groundmass. Fresh, minor epidote and chl along fracture surfaces														350755	182.60	184.60	2.00	CORE	0.006	1
																	350756	184.60	186.60	2.00	CORE	0.025	0.9
			272.80 EOH														350757	186.60	188.60	2.00	CORE	0.014	0.7
																	350758	188.60	190.60	2.00	CORE	0.011	0.8
																	350759	190.60	192.60	2.00	CORE	0.017	0.5

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	350760	192.60	192.60	0.00	GS1Z	1.29	94.5
																	350761	192.60	194.60	2.00	CORE	0.018	1
																	350762	194.60	196.60	2.00	CORE	0.031	0.5
																	350763	196.60	198.60	2.00	CORE	0.029	0.8
																	350764	198.60	200.60	2.00	CORE	0.021	0.5
																	350765	200.60	202.60	2.00	CORE	0.011	0.2
																	350766	202.60	204.60	2.00	CORE	0.019	0.5
																	350767	204.60	206.60	2.00	CORE	0.021	0.5
																	350768	206.60	208.55	1.95	CORE	0.018	0.5
																	350769	208.55	210.45	1.90	CORE	0.014	0.5
																	350770	210.45	210.45	0.00	ME1807	8.05	335
																	350771	210.45	212.45	2.00	CORE	0.006	0.8
																	350772	212.45	214.45	2.00	CORE	0.016	1.5
																	350773	214.45	216.45	2.00	CORE	0.007	0.6

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2298

Easting:	435568	**Azi (deg):**	290	**Start:**	
Northing:	6213053	**Dip (deg):**	-65	**Finish:**	
Elev (m):	330	**Length (m):**	151.18	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-01	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														350927	3.05	5.00	1.95	CORE	0.03	1
																	350928	5.00	7.00	2.00	CORE	0.047	0.7
3.05	16.85	AXXX	Andesite				1		2		1	2					350929	7.00	9.00	2.00	CORE	0.046	1.1
			Med green, patchy grey green, fine grained, finely fsp phyric, massive, patchy mod grey ser-py alteration, minor qtz, qtz-calc veinlets, weak overall bxd appearance														350930	9.00	9.00	0.00	ME1807	7.99	331
																	350931	9.00	11.00	2.00	CORE	0.07	1.3
16.85	26.21	AXXZ	Brecciated, Sheared Andesite with Quartz Veining				3		3		2	3	tr	tr			350932	11.00	13.00	2.00	CORE	0.037	1
			16.85 17.05 milled and healed fault zone, fragments of andesite and qtz vein in a dark fine grained matrix. Shearing at 35 dgs tca														350933	13.00	15.00	2.00	CORE	0.046	1.2
			17.05 23.05 med grey green fine grained andesite, weak perv fol/shearing, mod fragmented, brecciated greenish and light grey qtz veins shattered and infilled by calcite, 2-3% diss py within host andesite, trace py within qtz veins														350934	15.00	16.85	1.85	CORE	0.044	0.8
			23.05 24.40 interval of strongest most continuous qtz-py-sp-gn veining. Approx 70% total veining. 2-3% total sulfides within qtz veins.														350935	16.85	18.00	1.15	CORE	0.105	1.5
																	350936	18.00	19.00	1.00	CORE	0.097	1.3
26.21	63.70	PIPX	Feldspar Quartz Hornblend Porphyritic Premier Porphyry (Post Mineralization Dyke)						1		1	tr					350937	19.00	20.00	1.00	CORE	0.092	1.3
			Medium grey. Indistinct porph plag, 2% white porph to megacrystic K fsp, 2-4% porph chl alt hbl, <1-2% porph qtz eyes, massive, minor calc and carbonate veining, minor gougy fractures at 20 dgs tca. Trace py														350938	20.00	21.00	1.00	ORIG	0.088	1.1
			26.21 29.10 beige tan grey weak ser and carb alt proximal to upper contact grading downhole to fresh PIPX														350939	20.00	21.00	1.00	DUP	0.116	1
																	350940	21.00	21.00	0.00	GS1Z	1.11	83.9
63.70	74.60	D/GR	Granodiorite Dyke														350941	21.00	22.00	1.00	CORE	0.05	1.4
			Porphyritic white plag phenos, <1% porph hbl, common anhedral mafic patches, fine grey, pink grey groundmass. Strongly fractured														350942	22.00	23.05	1.05	CORE	0.122	1.4
			67.70 69.70 raft of andesite with weak chl-py network, hornfels, minor red jasper.														350943	23.05	24.40	1.35	CORE	2.41	21.1
			73.50 74.60 faulted lower contact at 20 dgs tca														350944	24.40	26.20	1.80	CORE	0.071	1.6
																	350945	26.20	28.20	2.00	CORE	0.011	1.3
74.60	86.50	D/AN	Andesite Dyke														350946	28.20	30.20	2.00	CORE	0.015	0.6
			med grey green, fine grained, massive, much less fractured than previous D/GR, broken fractured lower contact.														350947	30.20	32.20	2.00	CORE	0.015	2.3
																	350948	115.90	118.00	2.10	CORE	0.007	0.9
86.50	91.50	D/GR	Granodiorite Dyke														350949	118.00	120.00	2.00	CORE	0.012	1.3
			similar to previous D/GR, strongly fractured, minor gouge along fractures.														350950	120.00	120.00	0.00	ME1807	7.81	324
																	350951	120.00	122.00	2.00	CORE	0.008	0.5
91.50	100.60	D/AN	Andesite Dyke														350952	122.00	124.00	2.00	CORE	0.012	0.8
			Med olive green, fine grained, massive, less fractured than previous dyke, narrow chill margin at upper contact														350953	124.00	126.15	2.15	CORE	0.005	0.5
																	350954	126.15	128.30	2.15	CORE	0.017	0.9
100.60	106.00	D/GR	Granodiorite Dyke														350955	128.30	130.50	2.20	CORE	0.01	1.2

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			similar to previous D/GR, mod bleached, str fractured with chl coated fractures, minor gougy sections and gouge coated fractures														350956	130.50	132.50	2.00	CORE	0.01	0.9
																	350957	132.50	134.50	2.00	CORE	0.015	0.8
106.00	115.90	D/AN	Andesite Dyke														350958	134.50	136.50	2.00	CORE	0.014	1.1
			med olive green, fine grained, mod fractured, patchy beige bleaching away from fractures, weak calc veinlets														350959	136.50	138.50	2.00	CORE	0.012	0.7
																	350960	138.50	138.50	0.00	GS1Z	1.085	93.9
115.90	130.50	PIPZ	Clay/Sericite Altered Feldspar Hornblend Porphyritic Premier Porphyry						3	1	1	1					350961	138.50	140.20	1.70	CORE	0.009	0.6
			Light to med grey, beige grey, dark ghosted porph phenocrysts of plag and hbl changing downhole to more pronounced white plag phenos and green grey altered hbl. <1-1% megacrystic K fsp, <1-1% porph qtz eyes, trace chl-py veining, mod perv ser, clay/ser, 1-2% diss py, minor calc veining. mod fractured, minor chl along fractures														350962	140.20	141.50	1.30	CORE	0.0025	0.2
			115.90 118.10 Protolith unknown but assumed to be part of the altered PIPZ unit														350963	141.50	143.50	2.00	CORE	0.011	0.8
																	350964	143.50	145.60	2.10	CORE	0.014	0.6
130.50	145.60	AXXX	Andesite																				
			Beige green grading downhole below 133m to med green. Fine grained, massive, weak fragmental texture in part due to patchy grey sil/ser alteration and in part primary with <1cm dark green fragments. Massive, minor calc veinlets, trace chl-py veining, minor epidote approaching lower contact.																				
			140.20 141.50 granodiorite dyke D/GR																				
145.60	151.18	D/GR	Feldspar Hornblend Porphyritic Granodiorite Dyke																				
			1-4mm white porph plag, 1mm finely porph hbl, irregular ep-chl mafic grains/patches, grey aphanitic groundmass.																				
			151.18 EOH																				

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2299

Easting:	435389	**Azi (deg):**	232	**Start:**	
Northing:	6212972	**Dip (deg):**	-60	**Finish:**	16-Oct-20
Elev (m):	394	**Length (m):**	288.34	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-02	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	3.05	WCAS	Casing														350774	40.30	42.35	2.05	CORE	0.0025	0.2
																	350775	42.35	44.35	2.00	CORE	0.005	0.3
3.05	11.60	AXXX	Undifferentiated Andesite						2			1					350776	44.35	46.10	1.75	CORE	0.077	1.7
			Medium green fine grained, massive to indistinctly fragmental. Weak ser increasing to mod ser below 8.7m. <1% diss py increasing to 2-3% py below 8.7m with increasing ser content. No veining														350777	46.10	47.95	1.85	CORE	0.107	2.2
			10.80 11.60 thinly banded at 25 dgs tca. Same tuffaceous interval as seen at the top of hole in holes 2296 and 2297.														350778	47.95	50.00	2.05	CORE	0.029	0.8
																	350779	50.00	52.00	2.00	CORE	0.031	0.9
11.60	44.35	PIPX	Quartz Eye Premier Porphyry						2			tr					350780	52.00	52.00	0.00	GS1Z	1.1	91.9
			Light grey, <1-1% up to 7mm qtz eyes, <1% calcite altered k feldspar megacrysts, indistinct porph plag, 2-3% chl altered porph hbl and possible biot. Massive, weak ser, <1% diss py. Lower contact at 35 dgs tca.														350781	68.15	70.15	2.00	CORE	0.039	1.3
																	350782	70.15	71.70	1.55	CORE	0.037	2.4
44.35	47.95	AXXX	Brecciated Milled Andesite, Healed Structure						3			2					350783	71.70	73.70	2.00	CORE	0.022	0.7
			Light to mediium green, grey green, fine grained andesite, pseudofragmental milled texture, weak greenish grey cream qtz veining, 2-3% diss py. Lithology looks to be brecciated, milled and healed. Irregular lower contact.														350784	73.70	75.70	2.00	CORE	0.028	1
																	350785	75.70	77.20	1.50	CORE	0.075	2.5
47.95	70.15	PIPX	Feldspar Megacrystic Feldspar - Hornblend Premier Porphyry						2			0.5					350786	77.20	78.55	1.35	CORE	0.068	1.6
			Light grey, unit characterized by 2-3% calc altered K fsp megacrysts. Common semi-translucent ser alt porph plag, 1-2% porph chl alt hbl and poss biot, only trace qtz eyes to no qtz eyes. Weak perv ser, <1-1% diss py. Increasing ser approaching lower contact														350787	78.55	80.30	1.75	CORE	0.005	0.5
																	350788	80.30	82.00	1.70	CORE	0.0025	0.2
70.15	75.70	PIPZ	Sericite Altered Premier Porphyry						3.5			1					350789	82.00	84.00	2.00	CORE	0.065	1.3
			Light grey, no megacrystic K fsp, trace qtz eyes, very indistinct plag, faint chl/ser alt mafic phenos, mod perv ser, 1-2% diss py. Lowed contact <10 dgs tca.														350790	84.00	84.00	0.00	ME1807	7.95	318
																	350791	84.00	86.00	2.00	CORE	0.095	5.2
75.70	78.55	FXSX	Shear Zone, Possible Andesitic Protolith						3			1					350792	86.00	87.60	1.60	CORE	0.023	2
			beige tan green, fine grained, foliated ser rich bands possibly within andesite or very finely fsp phyric Premier Porph. Mod to str perv ser, <1-3% diss py, minor late qtz-calc veining.														350793	87.60	89.15	1.55	CORE	0.024	1.6
																	350794	89.15	91.00	1.85	CORE	0.014	0.4
78.55	82.00	PIPX	Premier Porphyry Dyke						2								350795	91.00	93.00	2.00	CORE	0.034	0.5
			light to med grey, fine grained, finely fsp and hbl porph, massive, weak ser, chilled glassy irregular lower contact, Dyke post dates any shear fabric developed in shear zones above and below this unit.														350796	93.00	95.00	2.00	CORE	0.007	0.5
																	350797	95.00	96.70	1.70	CORE	0.0025	0.4
82.00	89.15	FXSX	Shear Zone, Andesite Protolith						2	2		1					350798	96.70	98.55	1.85	CORE	0.008	0.4

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			medium green, fine grained, patchy brecciation, healed fragmentation, patchy sheared/foliated appearance with milled inclusions of andesite, veining and poss porphyry. Strongest shearing from 83.9-84.8 @ 40-45 dgs tca. Weak to mod ser/chl, <1-2% py														350799	98.55	99.75	1.20	CORE	0.015	1.5
																	350800	99.75	99.75	0.00	GS1Z	1.205	94.4
89.15	95.00	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry						2			0.5					350801	99.75	101.10	1.35	CORE	0.016	1.9
			light to med green grey, No qtz eyes, no K fsp megacrysts, weak to mod ser alt, <1% py														350802	101.10	103.10	2.00	CORE	0.013	1.2
																	350803	103.10	105.10	2.00	CORE	0.05	1.6
95.00	98.55	PIPZ	Altered Feldspar Hornblend Porph Premier Porph						3			0.5					350804	105.10	107.10	2.00	CORE	0.014	0.9
			coarser grained and K fsp megacrystic, trace qtz eyes, increasing clay/ser alt downhole, minor clay gouge, <1% py														350805	107.10	109.10	2.00	CORE	0.008	0.5
																	350806	109.10	111.10	2.00	CORE	0.009	0.6
98.55	113.10	AXXZ	Altered Andesite						4			0.5					350807	111.10	113.10	2.00	CORE	0.012	1
			light grey beige tan, fine grained strongly clay/ser altered andesite protolith, brecciated areas, local gouge developed, <1-1% py														350808	113.10	115.00	1.90	CORE	0.02	1.1
			98.55 98.75 young brecciation and gouge development														350809	115.00	117.00	2.00	CORE	0.021	0.6
			101.10 102.00 fault gouge developed at 30 dgs tca.														350810	117.00	117.00	0.00	ME1807	7.93	329
			102.00 106.50 brecciated appearance with dark semi translucent clay/ser rich infilling.														350811	117.00	119.00	2.00	CORE	0.02	0.8
			111.70 113.10 healed brecciated appearance														350812	119.00	121.00	2.00	CORE	0.02	0.6
																	350813	121.00	123.00	2.00	CORE	0.03	2.4
113.10	156.50	PIPZ	Altered Feldspar Hornblend Premier Porphyry				2		4	1		5					350814	123.00	125.00	2.00	CORE	0.021	0.8
			beige, rare K fsp megacrysts, common semi translucent dark altered porph plag, faint beige altered porph mafic phenos, strong perv ser, weak fine qtz-py and chl py stockwork, 5% total py.														350815	125.00	127.00	2.00	CORE	0.03	9.4
																	350816	127.00	129.00	2.00	CORE	0.018	0.8
156.50	159.20	AXXZ	Altered Andesite				3		4			5					350817	129.00	131.00	2.00	CORE	0.02	0.9
			Beige, fine grained, mod to strong fine brecciation healed by fine hairline qtz-py stockwork. Strong perv ser/clay alteration, 5% total sulfides mainly as fine py stockwork														350818	131.00	133.00	2.00	CORE	0.026	1.5
																	350819	133.00	135.00	2.00	CORE	0.034	7.1
159.20	163.80	PIPZ	Altered Feldspar Hornblend Porphyritic Premier Porphyry				2		4			2					350820	135.00	135.00	0.00	GS1Z	1.12	95.8
			beige with dark semi-translucent relict plag phenos, rare relict mafic phenos, rare relict K spar, strong perv ser, weak fine qtz-py stockwork														350821	135.00	137.00	2.00	CORE	0.022	0.8
																	350822	137.00	139.00	2.00	CORE	0.025	1.4
163.80	173.60	AXXZ	Altered Andesite						3			2					350823	139.00	141.00	2.00	CORE	0.026	1.3
			Beige tan, fine grained, alteration accentuates fine fsp phyric nature of andesite. Mod decreasing to weak downhole of fine qtz-py stockwork. Becoming brecciated with creamy carbonate veining approaching lower contact														350824	141.00	143.00	2.00	CORE	0.018	0.9
																	350825	143.00	145.00	2.00	CORE	0.017	1.3
173.60	257.86	PIPZ	Altered Feldspar Hornblend Porphyritic Premier Porphyry.			3			5			5					350826	145.00	147.00	2.00	ORIG	0.019	1.8
			Beige grey becoming light grey below 200m. Strong to intense QSP overprinting primary textures, 2-5% relict altered mafic phenos, <1-1% relict porph to megacrystic altered K spar, trace qtz eyes, strong pervasive qtz-ser alteration, weak fine qtz-center line py veinlets some with late calcite, 5% total py as veinlets, diss grains and fine clots of diss grains, rare cm scale ser-py veins with up to 25% coarse py and trace cpy. Probably multiple intrusive pulses as noted by changes in megacrystic K fsp content decreased from 216.5-241m															350827	145.00	147.00	2.00	DUP	0.018	1.9
			173.60 175.40 Fault zone. Strongly fractured core recovery, minor gouge. Faulting possibly at 25 dgs tca.														350828	147.00	149.00	2.00	CORE	0.022	2.6

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			197.80 201.25 several 2-7cm wide sericite-coarse py veins +/- cpy														350829	149.00	151.00	2.00	CORE	0.02	1.1
																	350830	151.00	151.00	0.00	ME1807	8.21	321
257.86	264.90	PIPY	Sericite Altered Premier Porphyry with Chlorite-Quartz-Pyrite Veining						4	3		8	tr		tr		350831	151.00	153.00	2.00	CORE	0.022	1.6
			Continuation of quartz-ser-py altered Premier Porphyry with chlorite-quartz-coarse pyrite veining. Bulk of the chl-qtz-py veining is between 257.86 - 259.15 and 263.85-264.9. <1% cpy intergrown with py, trace sp within veining. Patchy grey white wormy qtz veining														350832	153.00	154.70	1.70	CORE	0.028	1.6
																	350833	154.70	156.50	1.80	CORE	0.015	0.9
264.90	273.00	PIPZ	Altered Premier Porphyry						4			5					350834	156.50	157.85	1.35	CORE	0.029	1.3
			Light grey, <1% relict K fsp megacrysts, sel replacement of mafic phenos by py, str perv ser, 5% py diss and weak fine py veinlets, weak calc veining. Sharp but irregular lower contact.														350835	157.85	159.20	1.35	CORE	0.017	1.2
																	350836	159.20	160.70	1.50	CORE	0.021	1.2
273.00	288.34	PIPX	Feldspar Hornblend Porphyritic Premier Porphyry						2	1		0.5					350837	160.70	162.20	1.50	CORE	0.033	1
			light to med grey green, common porph plag, 1-2% porph to megacrystic white K fsp, chl and chl-py altered porph hbl, trace qtz eyes, <1% py. Sharp decrease in alteration and py mineralization = Post alteration/mineralization PIPX dyke														350838	162.20	163.80	1.60	CORE	0.024	0.9
																	350839	163.80	165.80	2.00	CORE	0.04	1.1
			288.34 EOH														350840	165.80	165.80	0.00	GS1Z	1.21	91.5
																	350841	165.80	167.80	2.00	CORE	0.029	1.4
																	350842	167.80	169.80	2.00	CORE	0.028	2.3
																	350843	169.80	171.80	2.00	CORE	0.08	10.3
																	350844	171.80	173.60	1.80	CORE	0.052	6.9
																	350845	173.60	175.40	1.80	CORE	0.027	1.4
																	350846	175.40	177.70	2.30	CORE	0.024	1.5
																	350847	177.70	180.00	2.30	CORE	0.021	1.9
																	350848	180.00	182.00	2.00	CORE	0.028	1.8
																	350849	182.00	184.00	2.00	CORE	0.033	1.2
																	350850	184.00	184.00	0.00	ME1807	7.94	318
																	350851	184.00	186.00	2.00	CORE	0.031	1.4
																	350852	186.00	188.00	2.00	CORE	0.028	1
																	350853	188.00	190.00	2.00	CORE	0.035	0.7
																	350854	190.00	192.00	2.00	CORE	0.028	0.9
																	350855	192.00	194.00	2.00	CORE	0.017	0.7
																	350856	194.00	196.00	2.00	CORE	0.023	0.5
																	350857	196.00	197.80	1.80	CORE	0.016	0.7
																	350858	197.80	199.50	1.70	CORE	0.291	3.1
																	350859	199.50	201.25	1.75	CORE	0.18	8
																	350860	201.25	201.25	0.00	GS1Z	1.245	88.9
																	350861	201.25	203.00	1.75	CORE	0.045	1.4
																	350862	203.00	205.00	2.00	CORE	0.023	1.2
																	350863	205.00	207.00	2.00	CORE	0.023	0.7
																	350864	207.00	209.00	2.00	CORE	0.12	1.1
																	350865	209.00	211.00	2.00	CORE	0.069	1
																	350866	211.00	213.00	2.00	CORE	0.028	0.4
																	350867	213.00	215.00	2.00	CORE	0.023	0.4
																	350868	215.00	217.00	2.00	CORE	0.027	0.5
																	350869	217.00	219.00	2.00	CORE	0.022	0.3
																	350870	219.00	219.00	0.00	ME1807	7.53	328
																	350871	219.00	221.00	2.00	CORE	0.023	0.5
																	350872	221.00	223.00	2.00	CORE	0.025	0.7
																	350873	223.00	225.00	2.00	CORE	0.016	0.5
																	350874	225.00	227.00	2.00	CORE	0.019	0.5
																	350875	227.00	229.00	2.00	CORE	0.012	0.3
																	350876	229.00	231.00	2.00	CORE	0.016	0.3
																	350877	231.00	233.00	2.00	CORE	0.018	0.3

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
																	350878	233.00	235.00	2.00	CORE	0.022	0.4
																	350879	235.00	237.00	2.00	CORE	0.06	0.8
																	350880	237.00	237.00	0.00	GS1Z	1.14	91.9
																	350881	237.00	239.00	2.00	CORE	0.043	1
																	350882	239.00	241.00	2.00	CORE	0.026	0.5
																	350883	241.00	243.00	2.00	CORE	0.022	0.9
																	350884	243.00	245.00	2.00	CORE	0.029	0.5
																	350885	245.00	247.00	2.00	CORE	0.041	0.4
																	350886	247.00	249.00	2.00	CORE	0.05	0.3
																	350887	249.00	251.00	2.00	CORE	0.054	0.4
																	350888	251.00	253.00	2.00	CORE	0.023	0.4
																	350889	253.00	255.00	2.00	CORE	0.036	0.7
																	350890	255.00	255.00	0.00	ME1807	8.1	320
																	350891	255.00	256.86	1.86	CORE	0.044	2
																	350892	256.86	257.86	1.00	CORE	0.088	0.8
																	350893	257.86	259.15	1.29	CORE	0.143	6.6
																	350894	259.15	260.30	1.15	CORE	0.052	1.5
																	350895	260.30	261.45	1.15	CORE	0.317	7.6
																	350896	261.45	262.60	1.15	CORE	0.122	1.8
																	350897	262.60	263.70	1.10	CORE	0.03	1.5
																	350898	263.70	264.90	1.20	ORIG	0.122	3.4
																	350899	263.70	264.90	1.20	DUP	0.154	3.7
																	350900	264.90	264.90	0.00	GS1Z	1.23	90.2
																	350901	264.90	265.90	1.00	CORE	0.017	0.8
																	350902	265.90	267.00	1.10	CORE	0.024	0.9
																	350903	267.00	269.00	2.00	CORE	0.017	<0.2
																	350904	269.00	271.00	2.00	CORE	0.013	0.2
																	350905	271.00	273.00	2.00	CORE	0.018	0.7
																	350906	273.00	275.00	2.00	CORE	0.0025	<0.2
																	350907	275.00	277.00	2.00	CORE	0.005	0.2

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2300

Easting:	435389	**Azi (deg):**	20	**Start:**	16-Oct-20
Northing:	6212972	**Dip (deg):**	-48	**Finish:**	18-Oct-20
Elev (m):	394	**Length (m):**	240.27	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	3.05	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-02	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES							
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)	
0.00	3.05	WCAS	CASING														350908	46.20	48.20	2.00	CORE	0.03	1.1	
																	350909	48.20	50.20	2.00	CORE	0.047	7.1	
3.05	93.60	AXXX	Andesite														350910	50.20	50.20	0.00	ME1807	7.47	325	
			light to med green, grey green, fine grained, weakly foliated, patchy fragmental - lapilli tuff appearance, Patchy grey weak to mod perv ser-py alteration with very fine diss py, minor calc+/-py veinlets														350911	50.20	52.20	2.00	CORE	0.026	1.3	
	26.80	33.00	possible tuffaceous interval similar to previous drill holes from this location. Green and grey banding/laminations at 35-40 dgs tca but also as low as 15 dgs tca.														350912	52.20	54.20	2.00	CORE	0.023	1	
	54.20	58.60	weak qtz-calc-py-sp-gn veining as irregular cm scale veining.														350913	54.20	55.30	1.10	CORE	0.89	6.6	
	67.20		alteration and py content decreasing.														350914	55.30	56.40	1.10	CORE	0.113	3.7	
																	350915	56.40	57.50	1.10	CORE	0.455	5.6	
93.60	146.60	D/GR	Granodiorite														350916	57.50	58.60	1.10	CORE	0.312	8.9	
			abundant porph white porph plag, fine porph hbl and anhedral patches of mafics, fine to aphanitic grey k groundmass with patchy colouration. Occassional andesite dykes and finer grained granodiorite dykes. Moderately fractured. Irregular upper contact, sharp lower contact at 70 dgs tca														350917	58.60	60.60	2.00	CORE	0.08	3	
	138.40	139.40	fault gouge														350918	60.60	62.60	2.00	CORE	0.203	4.9	
																	350919	62.60	64.60	2.00	CORE	0.089	4.3	
146.60	149.35	ATXX	Andesite Tuff, Lapilli Tuff				1		2	1	1	2					350920	64.60	64.60	0.00	GS1Z	1.12	90	
			medium green, fine grained, weak fragmental texture from <1cm dark green chl altered frags (fiammee?) and rare dark grey mudstone lithic fragments. Massive, weak ser, minor calc, calc-qtz veining, 2-3% diss py														350921	64.60	65.90	1.30	CORE	0.1	5.7	
																	350922	65.90	67.20	1.30	CORE	0.052	3.9	
149.35	154.05	PIPX	Feldspar Porphyritic Premier Porphyry						1			tr					350923	67.20	69.20	2.00	CORE	0.241	8.3	
			Light to med green, common 1-2mm anhedral porph plag, <1-2% porph hbl, No porph or megacrystic K fsp, no qtz eyes, massive, weak ser, trace py. Does not look like typical Premier Porph - finer grained version? Is post alteration/mineralization. Upper contact at 40 dgs tca.														350924	69.20	71.20	2.00	CORE	0.104	4.7	
																	350925	71.20	73.20	2.00	CORE	0.05	3	
154.05	159.10	D/AN	Andesite, Microdiorite Dyke														350926	73.20	75.20	2.00	CORE	0.026	2.6	
			Light green, fine grained equigranular to finely hbl porph, massive, weak selective epidote alteration of fsp giving pistachio green colour to dyke. Chilled dark grey to dark brown contacts. Upper contact at 60 lower contact at 35 dgs tca.														351059	181.65	183.65	2.00	CORE	0.02	1.5	
																								SEQUENCE CHANGE
																	351060	183.65	183.65	0.00	GS1Z	1.1	87.8	
159.10	178.70	PIPX	Feldspar Porphyritic Premier Porphyry				1		1		1	0.5					351061	183.65	185.65	2.00	CORE	0.029	3.2	
			Continuation of PIPX from above dyke, common 1-3mm calc altered porph plag, rare porph to megacrystic calc altered K fsp, fine chloritized porph hbl, minor <1cm qtz, qtz-calc veinlets, <1% diss py. Increasing ser alteration in last 75cm of unit. Sharp lower contact at 40 dgs tca.														351062	185.65	187.40	1.75	CORE	0.13	15.8	
																	351063	187.40	189.20	1.80	CORE	0.072	7.8	
178.70	185.65	ALXX	Andesite Fragmental, Lapilli Tuff						2	2	1	1					351064	189.20	191.00	1.80	CORE	0.09	3.6	
			med grey green, indistinct rounded generally <1.5cm heterolithic fragments, fine grained groundmass, weak perv ser/chl, weak calc veinlets, <1-2% diss py, py more common approaching lower contact.														351065	191.00	193.00	2.00	CORE	0.098	3.8	

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
185.65	189.20	FXSX	Shear Zone within Andesite green grey, mod foliated with sheared to anastamosing ser, ser/chl bands at 25-35 dgs tca, patchy strong milled fragmented texture, weak brecciated fragmented qtz and qtz-calc veining, 2-3% diss py.				2		3	2	1	2					351066	193.00	195.00	2.00	CORE	0.032	2.7
																	351067	195.00	197.00	2.00	CORE	0.085	4.2
																	351068	197.00	199.00	2.00	CORE	0.186	3.3
																	351069	199.00	201.00	2.00	CORE	0.431	5.9
189.20	199.00	ALXZ	Andesite Fragmental, Lapilli Tuff Med grey, dark green and light green fragments to 2cm, weakly foliated, mod perv ser increasing to med to dark grey stronger ser below 193m with increased diss py and increasd foliation. Up to 5% fine diss py, minor calc, qtz-calc veinlets				1		3.5		1	4					351070	201.00	201.00	0.00	ME1807	7.74	315
																	351071	201.00	203.00	2.00	CORE	0.707	2.2
																	351072	203.00	205.00	2.00	CORE	0.255	1
199.00	215.10	AXXX	Andesite Light to med green, fine grained, fine dark green chl specks, massive uniform lithology, weak perv ser, patchy grey discoloration, weak calc veining,						2		1	1					351073	205.00	207.00	2.00	CORE	0.435	1.1
																	351074	207.00	209.00	2.00	CORE	0.58	1.5
			213.90 215.10 increasing ser approaching lower contact														351075	209.00	211.00	2.00	CORE	0.196	1
																	351076	211.00	213.00	2.00	CORE	0.056	1.1
215.10	221.75	CBSS	Silica Breccia with Semi Massive Sulfides multiphase grey and creamy grey silicification, veining, with strongly diss to stockwork to more massive sulfide veining, pyrite dominated, fine wispy honey sp veinlets, local massive gn-sp veining of cm scale.			4	4					15	3	1			351077	213.00	214.10	1.10	CORE	0.075	1.9
																	351078	214.10	215.10	1.00	CORE	0.137	2.1
			215.10 216.15 lower sulfide content, <5% total sulfides, contact with stronger sulfides at 35 dgs tca														351079	215.10	216.15	1.05	CORE	0.258	5.9
			216.15 219.05 interval of strongest py-sp-gn veining, includes 3cm massive galena-sphalerite vein at top of interval. Total sulfides 25-30%														351080	216.15	216.15	0.00	GS1Z	1.19	87.2
			219.05 221.75 7-10% total sulfides														351081	216.15	217.15	1.00	CORE	0.487	45.2
																	351082	217.15	218.15	1.00	CORE	0.325	29.9
221.75	224.40	FXSX	Shear Zone Within Andesite beige grey ser/clay altered andesite grading downhole to strongly foliated/sheared carbonate veined andesite, foliation/shearing at 45-60 dgs tca, weak qtz +/- traces py-sp veins, vein fragments. Minor gouge proximal to lower contact at 55 dgs tca.				1		3		2	1	tr				351083	218.15	219.15	1.00	ORIG	0.799	25.1
																	351084	218.15	219.15	1.00	DUP	0.861	30.2
																	351085	219.15	220.15	1.00	CORE	0.67	27.8
224.40	240.27	D/GR	Granodiorite Dyke white porph fsp phenos, 2-4% porph mafic phenos and irregular mafic patches, fine grained grey groundmass, patchy pale beige, pinkish beige bleaching, clay alt with chl veining/fracture veinlets														351086	220.15	220.95	0.80	CORE	0.25	6.9
																	351087	220.95	221.75	0.80	CORE	0.224	4.5
			224.40 227.15 brecciated and healed by chlorite and carbonate stockwork.														351088	221.75	223.00	1.25	CORE	0.226	5
			239.20 1-2cm wide chlorite fault breccia at 10 dgs tca that separates D/GR uphole from D/AN downhole. Beige bleaching around fault structure.														351089	223.00	224.40	1.40	CORE	0.057	1.4
																	351090	224.40	224.40	0.00	ME1807	7.87	317
			240.27 EOH														351091	224.40	226.40	2.00	CORE	0.0025	0.5

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
Refer to survey master file		

P20-2301

Easting:	435389	**Azi (deg):**	20	**Start:**	18-Oct-20
Northing:	6212972	**Dip (deg):**	-85	**Finish:**	20-Oct-20
Elev (m):	394	**Length (m):**	282.24	**Logged by:**	PB
Core Size:	NQ	**Casing (m):**	1.52	**Analysis:**	ALS
Zone:	Woodbine	**Pad:**	WB-02	**Area:**	Premier
UTM:	NAD83, Zone 9N	**Drill Rig:**	D2	**Drillers:**	Discovery

Depth (m)				STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To	Code	DESCRIPTION	Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
0.00	1.52	WCAS	Casing														351092	1.52	3.15	1.63	CORE	0.01	0.4
																	351093	3.15	5.15	2.00	CORE	0.041	0.6
1.52	11.10	ALXX	Andesite Fragmental, Lapilli Tuff						3	1		5					351094	5.15	7.15	2.00	CORE	0.009	0.6
			<10% darker green weakly aligned fine grained aphyric andesite fragments in a light to med green fine grained massive weakly granular groundmass. Weak calc veinlets, <1-1% py														351095	7.15	8.80	1.65	CORE	0.26	4.3
			7.15 8.80 mod fol, laminated at 50-65 dgs tca, mod ser-py altered														351096	8.80	9.90	1.10	CORE	0.205	3.2
			8.80 11.10 mod ser, 5-7% diss fine grained py and 2-3% coarser grained clots of py and py chl veinlets.														351097	9.90	11.10	1.20	CORE	0.297	7.1
																	351098	11.10	11.95	0.85	CORE	1.715	94.7
11.10	11.95	CBMS	Massive Pyrite				2		3	2		35	1	tr			351099	11.95	13.00	1.05	CORE	0.947	24
			30-40% med to coarse grained pyrite, <1% straw sp and x-cutting red brown sp veinlets cutting ser/chl altered andesite. sharp upper contact at 45 dgs tca														351100	13.00	13.00	0.00	GS1Z	1.21	93.1
																	351101	13.00	14.00	1.00	CORE	1.13	25.4
11.95	15.85	AXXZ	Andesite with Weak Pyrite Veining				1			3		12	tr				351102	14.00	14.95	0.95	CORE	0.735	16
			Mottled med green, fine grained brecciated crackled appearance with fine green chl network, 10-15% med to coarse grained py stockwork, minor qtz and calcite vein fragments. Sharp lower contact at 30 dgs tca														351103	14.95	15.85	0.90	CORE	0.53	5.7
																	351104	15.85	16.85	1.00	CORE	0.008	0.5
15.85	21.80	PIPX	Post Mineral Quartz Eye Feldspar Hornblend Porphyritic Premier Porphyry						2			tr					351105	16.85	18.85	2.00	CORE	0.0025	0.5
			Light grey, <1% calcite altered megacrystic K fsp, <1-1% quartz eyes, 1% 2mm dark green chl altered hbl and possible biot. Weak to mod perv ser, trace py. Sheared milled lower contact at 75 dgs tca.														351106	18.85	20.35	1.50	CORE	0.005	0.5
																	351107	20.35	21.80	1.45	CORE	0.0025	0.4
21.80	25.85	AXXX	Andesite			1				2	1	2					351108	21.80	23.80	2.00	CORE	0.245	2.9
			Medium green, fine grained, deformed, disrupted and milled appearance, weak shearing at 45 dgs tca. Weak to mod chl, minor fragmented qtz, qtz/calc veins, 1-2% py. Sharp lower contact at 65 dgs tca.														351109	23.80	25.85	2.05	CORE	0.545	2.4
																	351110	25.85	25.85	0.00	ME1807	7.99	323
25.85	99.25	PIPX	Post Mineral Quartz Eye Feldspar Hornblend Porphyritic Premier Porphyry						2			tr					351111	25.85	27.85	2.00	CORE	0.012	0.7
			Light grey, <1% megacrystic calcite altered K fsp, cloudy indistinct porph plag, variable quartz eye content from <1-2% but do not see any sharp boundaries between qtz eye rich and poor areas, <1-1% 2mm dark green chl altered hbl and possible biot. Weak to mod perv ser, trace py. overall impression is K fsp megacrysts are becoming fresher below 80m.														351112	104.10	106.10	2.00	CORE	0.107	3.8
			92.70 93.70 mod fractured, minor clay gouge along fractures														351113	106.10	107.65	1.55	CORE	1.41	12.2
			98.00 99.25 lighter grey, mod fractured approaching lower contact														351114	107.65	109.65	2.00	CORE	0.065	5.8
			99.25 10cm faulted lower contact with minor gouge at 55 dgs tca.														351115	191.55	193.55	2.00	CORE	0.024	1.3
																	351116	193.55	195.50	1.95	CORE	0.028	1

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
99.25	107.65	PIPZ	Altered Premier Porphyry mottled grey, beige grey, <1% relict k fsp megacrysts, 1-2% dark green, blue green altered mafic phenos, no qtz eyes, trace diss and veinlet py-chl-sp, broken highly fractured, minor gouge along fractures.						4			3					351117	195.50	197.50	2.00	CORE	0.101	1.4
																	351118	197.50	199.50	2.00	CORE	0.022	1.1
			106.10 107.65 coarsely brecciated with rounded clasts in a chloritic groundmass, 15cm coarse py veining at 106.1, trace py-sp veining.														351119	199.50	201.50	2.00	CORE	0.029	1
																	351120	201.50	201.50	0.00	GS1Z	1.225	95.3
107.65	118.60	AXXZ	Altered Andesite						3	3		2					351121	201.50	203.50	2.00	CORE	0.036	1.3
			Mottled beige green, fine grained, possibly fsp phyric, mod to str beige ser/clay? Discolouration/alteration with relict green patches, mod fractured with minor chl along fractures, patchy weak chl network, minor fine py, qtz-ser-py veinlets at top of unit, <1-1% py downhole.														351122	203.50	205.50	2.00	CORE	0.224	1.3
			114.40 114.60 clay gouge														351123	205.50	207.50	2.00	CORE	0.063	0.6
			114.60 116.60 decreasing beige discolouration, minor py-chl veining, minor epidote network, weak to mod mottled sil/ep and poss albite alt.														351124	207.50	209.50	2.00	CORE	0.042	0.5
			116.60 117.30 small dyke of tan PIPZ														351125	209.50	211.50	2.00	CORE	0.051	0.5
																	351126	211.50	213.50	2.00	CORE	0.04	0.6
118.60	121.05	PIPZ	Altered Premier Porphyry Beige, mottled green beige, indistinct porph fsp and darker grey and green ghosted outlines of mafic phenos, carb veined subparallel to core axis, mod brecciated with chl-hem veinlet network, <1-1% py						3	2		1					351127	213.50	215.50	2.00	CORE	0.053	1
																	351128	215.50	217.50	2.00	CORE	0.036	0.6
																	351129	217.50	219.50	2.00	CORE	0.245	1.4
121.05	127.70	D/GR	Granodiorite Dyke														351130	219.50	219.50	0.00	ME1807	7.86	326
			common white porph plag, 3-5% finely porph hbl, irregular mafic patches, patchy perv beige bleaching becoming strong perv bleaching adjacent to lower contact. Weak fine chl veinlets, patchy pinkish hematitic staining.														351131	219.50	221.50	2.00	CORE	0.046	1.2
																	351132	221.50	223.50	2.00	CORE	0.043	1
127.70	131.70	FXXX	Fault Breccia														351133	223.50	225.50	2.00	CORE	0.057	1.4
			Rounded milled fragments of bleached fsp porph granodiorite and fine grained bleached granodiorite dyke in a bleached clay and chl/ser alt groundmass. Sharp lower contact at 15-20 dgs tca.														351134	225.50	227.50	2.00	CORE	0.031	1.2
																	351135	227.50	229.50	2.00	CORE	0.024	1.4
131.70	137.40	D/GR	Granodiorite Dyke														351136	229.50	231.50	2.00	CORE	0.045	1.7
			Beige grading to grey green downhole, fine grained, massive, finely hbl phyric, mod fractured/brecciated with fine chl network and fracture coatings														351137	231.50	233.50	2.00	CORE	0.037	1.4
																	351138	233.50	235.50	2.00	CORE	0.018	0.9
137.40	172.75	D/GR	Feldspar Hornblend Porph Granodiorite Dyke														351139	235.50	237.50	2.00	CORE	0.012	0.8
			abundant 1-3mm white porph plag, 5-7% porph plag and green mafic patches, fine grained grey groundmass, fresh, no bleaching or discolouration.														351140	237.50	237.50	0.00	GS1Z	1.19	89.5
			166.25 167.20 PIPX with weak ep-py veinlets														351141	237.50	239.50	2.00	CORE	0.024	0.9
			167.20 167.85 chl altered andesite with mod ep-py veinlets														351142	239.50	241.70	2.20	CORE	0.075	1.1
																	351143	241.70	243.70	2.00	CORE	0.023	0.9
172.75	179.20	AXXX	Hornfels Andesite							2	1	1					351144	243.70	245.70	2.00	CORE	0.011	0.7
			Medium green grading downhole to light cream green, fine grained massive, weak fine ep-chl-calc-py veinlets, <1-1% diss py, icreasing bleaching approaching lower contact, 10cm vuggy calc veining at lower contact.														351145	274.40	276.40	2.00	CORE	0.044	4.7
																	351146	276.40	278.40	2.00	CORE	0.006	0.5
179.20	184.10	PIPX	Feldspar Hornblend Premier Porphyry.						2			1					351147	278.40	280.30	1.90	CORE	0.043	3.5

Depth (m)		Code	DESCRIPTION	STRUCTURE		ALTERATION (1-5)						MINERALIZATION (%)					SAMPLES						
From	To			Type	Angle	Si Flood	Qtz Stk	Potassic	Sericite	Chlorite	Calc Vns	Py	Sph	Gn	Cpy	Other	Samp No.	From	To	Width	Type	Au (g/t)	Ag (g/t)
			Light grey, patchy indistinct porph plag, traces of porph to megacrystic K fsp, grey ghosted outlines of porph hbl, no qtz eyes, weak to mod bleached adjacent to upper contact, mod ser, minor chl, chl py veinlets, <1-1% diss and fine veinlet py														351148	280.30	282.24	1.94	ORIG	0.07	5.4
																	351149	280.30	282.24	1.94	DUP	0.067	7.5
184.10	186.50	AXXX	Andesite						2	1		1	tr				351150	282.24	282.24	0.00	GS1Z	1.3	93.8
			Light to med green to light grey towards lower contact. Fine grained, massive, weak perv ser, weak chl, chl-py veinlets, trace red sp veinlets.																				
186.50	191.55	D/AN	Andesite, Microdiorite Dyke																				
			med olive green, fine grained finely fsp and hbl phyric, massive, weak ep colouration, dark grey chilled contacts																				
191.55	241.70	AXXZ	Quartz-Sericite-Pyrite Altered Andesite				1		4	2		7											
			light grey, green grey, fine grained, massive, pseudofragmental texture from light green cm scale patches ser/chl/py patches, mod to str perv ser, 7-8% py diss and fine ser/chl/py veinlets, qtz/py and py veinlets, rare dark greenish ser/chl/coarse py veining over 20cm widths, local sheeted qtz-py veinlets at 65 dgs tca, locally up to 10% diss py.																		
			228.10 233.20 strongly fractured. Sharp clay coated lower contact to fracture zone at 35 dgs tca																				
			238.70 239.15 fracture zone																				
			241.70 faulted lower contact with fault gouge at 65 dgs tca.																				
241.70	249.40	ALXX	Andesite Lapilli Tuff						2	1	1	1											
			Light to med grey green, faint indistinct green lapilli, fine grained granular groundmass,weak crackle calc, calc qtz veinlets, weak perv ser/chl, weak fine py veinlets with ser selveges, <1-1% py. Sharp lower contact at 75 dgs tca																				
			241.70 245.50 bleached beige green adjacent to upper faulted contact																				
			244.50 5cm fault gouge, milling at 55 dgs tca																				
249.40	271.40	PIPX	Feldspar Hornblend Porphyry, Premier Porphyry				1		2	2		tr											
			Light grey, cloudy indistinct porph plag, <1% megacrystic K fsp, 1-3% chl alt hbl, trace qtz eyes, weak perv ser/chl obscures most phenocrysts except for K fsp, weak qtz-calc veinlets and late qtz-chl veins, trace py.																				
			254.10 255.20 raft of med green mass chloritic andesite																				
271.40	282.24	ALXX	Andesite Lapilli Tuff																				
			med green rounded <1-2cm andesite fragments in a lighter green ash tuff groundmass, weak to mod perv ser/chl, <1% diss py, weak <1cm calc veinlets.																				
			278.40 282.24 increasing ser/chl alteration, 3-5% fine diss py, weak qtz-calc veining with 3-5% py and trace sp-gn																				
			282.24 EOH																				

Hole_ID	Depth	Dip	Az
P20-2181	0	-61.1	234.6
P20-2181	3.66	-61.1	234.6
P20-2181	34.14	-62.3	233.3
P20-2181	64.62	-63.8	228.8
P20-2181	95.1	-65.2	226.8
P20-2181	125.58	-67.2	225.1
P20-2181	156.06	-69.1	224.3
P20-2181	186.54	-70.2	223.5
P20-2181	217.02	-71.3	222.8
P20-2181	247.5	-73.5	220.4
P20-2181	277.98	-74.8	218
P20-2182	0	-67.7	236.1
P20-2182	7.92	-67.7	236.1
P20-2182	38.4	-68.8	234.5
P20-2182	68.88	-69.7	233.2
P20-2182	99.36	-71	231.5
P20-2182	129.84	-72.5	229.2
P20-2182	160.32	-74	227.6
P20-2182	190.8	-75.3	227
P20-2182	221.28	-76.8	225.1
P20-2182	251.76	-78.3	224.9
P20-2182	282.24	-79.1	224.2
P20-2182	312.72	-79.7	225.6
P20-2183	0	-54.5	235.4
P20-2183	2.13	-54.5	235.4
P20-2183	32.61	-56	231.9
P20-2183	63.09	-59.2	228
P20-2183	93.57	-61.6	225.5
P20-2183	124.05	-64.5	222.9
P20-2183	154.53	-67.1	221.3
P20-2183	185.01	-68.6	219.6
P20-2183	215.49	-70.1	216.4
P20-2183	245.97	-70.4	216.5
P20-2183	276.45	-70.6	216.5
P20-2190	0	-46.1	237
P20-2190	1.52	-46.1	237
P20-2190	32	-47	234.7
P20-2190	62.48	-48.4	233.7
P20-2190	92.96	-49.4	233.1
P20-2190	123.44	-50.3	233.8
P20-2190	153.92	-51	234.2
P20-2190	184.4	-51.2	234.7
P20-2190	214.88	-51.3	235.2
P20-2190	245.36	-51.4	236.4
P20-2190	275.84	-51.6	237.3
P20-2191	0	-48.5	220.9

P20-2191	26.21	-48.5	220.9
P20-2191	56.69	-49.2	221.1
P20-2191	87.17	-49.4	221.3
P20-2191	117.65	-50	222
P20-2191	148.13	-50.5	222.5
P20-2191	178.61	-50.6	223
P20-2191	209.09	-50.7	223.6
P20-2191	239.57	-50.7	224.5
P20-2191	270.05	-50.9	224.1
P20-2192	0	-55	222.1
P20-2192	16.76	-55	222.1
P20-2192	47.24	-56	221.5
P20-2192	77.72	-56.3	222.1
P20-2192	108.2	-57.2	221.7
P20-2192	138.68	-57.9	221.9
P20-2192	169.16	-58.3	222.1
P20-2192	199.64	-60.1	221.6
P20-2192	230.12	-59.5	223.3
P20-2193	0	-60.6	222.7
P20-2193	11.28	-60.6	222.7
P20-2193	41.76	-61.3	222.6
P20-2193	72.24	-62.1	222.2
P20-2193	102.72	-62.7	222.5
P20-2193	133.2	-63.3	222
P20-2193	163.68	-63.6	223.5
P20-2193	194.16	-64.1	224.4
P20-2193	224.64	-64.3	224.2
P20-2193	255.12	-64.7	223.8
P20-2193	285.6	-65.1	223.8
P20-2194	0	-65.6	219.5
P20-2194	11.28	-65.6	219.5
P20-2194	41.76	-66.5	220.3
P20-2194	72.24	-68.8	217.5
P20-2194	102.72	-68.8	219.3
P20-2194	133.2	-70.1	219.2
P20-2194	163.68	-70.9	220.4
P20-2194	194.16	-71.8	223.9
P20-2194	224.64	-73.5	219
P20-2194	255.12	-74	219.3
P20-2194	285.6	-74.1	220.4
P20-2195	0	-46.6	206.6
P20-2195	17.07	-46.6	206.6
P20-2195	47.55	-46.9	206.6
P20-2195	78.03	-47.5	206.2
P20-2195	108.51	-47.9	207.2
P20-2195	138.99	-48.6	208.1
P20-2195	169.47	-48.7	208.8

P20-2195	199.95	-48.8	209.6
P20-2196	0	-47.1	258.5
P20-2196	10.67	-47.1	258.5
P20-2196	41.15	-47.7	258
P20-2196	71.63	-48.7	258.4
P20-2196	102.11	-49.6	259.3
P20-2196	132.59	-50.1	260.7
P20-2196	163.07	-51.3	262.2
P20-2196	193.55	-53	263.9
P20-2196	224.03	-54.2	264.5
P20-2196	254.51	-54.9	265.8
P20-2197	0	-53.6	257.5
P20-2197	17.07	-53.6	257.5
P20-2197	47.55	-55.3	255.5
P20-2197	78.03	-55	258.3
P20-2197	108.51	-55.7	258.3
P20-2197	138.99	-57.1	259.8
P20-2197	169.47	-57.5	259.8
P20-2197	199.95	-58.6	260.7
P20-2197	230.43	-59.6	260.4
P20-2197	260.91	-59.9	261.4
P20-2197	291.39	-60.6	262.3
P20-2198	0	-61.5	256.1
P20-2198	26.21	-61.5	256.1
P20-2198	56.69	-64	255.7
P20-2198	87.17	-64.7	258.1
P20-2198	117.65	-65.3	259.4
P20-2198	148.13	-66.1	261.2
P20-2198	178.61	-67	262.2
P20-2198	209.09	-67.8	266.5
P20-2198	239.57	-68.8	266.8
P20-2198	270.05	-69.8	269
P20-2198	300.53	-70.4	271
P20-2198	331.01	-71.2	273.6
P20-2199	0	-64.9	258.7
P20-2199	17.07	-64.9	258.7
P20-2199	47.55	-66.9	258.7
P20-2199	78.03	-67.5	259.9
P20-2199	108.51	-69.4	261.1
P20-2199	138.99	-70.1	263.7
P20-2199	169.47	-71.2	263.9
P20-2199	199.95	-72.9	269.6
P20-2199	230.43	-75.5	275.2
P20-2199	260.91	-76.5	278.2
P20-2199	291.39	-77.7	284.1
P20-2199	321.87	-78.6	293.7
P20-2200	0	-72.2	256.4

P20-2200	26.21	-72.2	256.4
P20-2200	56.69	-74.1	257.7
P20-2200	87.17	-74.9	258.3
P20-2200	117.65	-75.4	263.7
P20-2200	148.13	-76.2	264.4
P20-2200	178.61	-76.8	267
P20-2200	209.09	-77.5	271.4
P20-2200	239.57	-79.6	280.1
P20-2200	270.05	-81.4	293.8
P20-2200	300.53	-82.3	306
P20-2200	331.01	-82.8	318.1
P20-2201	0	-46.5	243.5
P20-2201	24.99	-46.5	243.5
P20-2201	55.47	-48.6	241.5
P20-2201	85.95	-49.9	239.6
P20-2201	116.43	-52.2	237.7
P20-2201	146.91	-54.4	236.4
P20-2201	177.39	-54.9	234.6
P20-2201	207.87	-55.7	234.2
P20-2201	238.35	-55.7	235
P20-2201	268.83	-55.7	236.8
P20-2202	0	-55.3	245.1
P20-2202	19.2	-55.3	245.1
P20-2202	49.68	-57.4	245
P20-2202	80.16	-58.3	247.2
P20-2202	110.64	-59.2	247.7
P20-2202	141.12	-60.3	249.3
P20-2202	171.6	-61.5	250.8
P20-2202	202.08	-62.4	252.7
P20-2202	232.56	-63	254.8
P20-2202	263.04	-63.1	256
P20-2203	0	-65.8	243.9
P20-2203	26.21	-65.8	243.9
P20-2203	56.69	-67.1	246.3
P20-2203	87.17	-67.7	247.3
P20-2203	117.65	-68.6	249.6
P20-2203	148.13	-69.4	248.9
P20-2203	178.61	-70.3	250.4
P20-2203	209.09	-71.2	251.6
P20-2203	239.57	-71.9	252.5
P20-2203	270.05	-72.2	254.2
P20-2204	0	-68.5	245.8
P20-2204	10.97	-68.5	245.8
P20-2204	41.45	-70.4	244.9
P20-2204	71.93	-70.8	245.7
P20-2204	102.41	-71.2	246.6
P20-2204	132.89	-71.5	246.8

P20-2204	163.37	-71.8	248
P20-2204	193.85	-72	248.6
P20-2204	224.33	-72.3	249.8
P20-2204	254.81	-72.6	251
P20-2204	285.29	-72.6	252.3
P20-2204	315.77	-72.9	253.3
P20-2205	0	-73	245.8
P20-2206	0	-53.9	275.6
P20-2206	25.6	-53.9	275.6
P20-2206	56.08	-59	276.6
P20-2206	86.56	-60.1	279.4
P20-2206	117.04	-61.2	282.3
P20-2206	147.52	-62	286
P20-2206	178	-62.2	292.9
P20-2206	208.48	-62.3	293.2
P20-2206	238.96	-62.3	293.2
P20-2206	269.44	-62.2	294.6
P20-2206	299.92	-62.2	295.8
P20-2206A	0	-53.9	275.6
P20-2207	0	-55.8	275.8
P20-2207	25.91	-55.8	275.8
P20-2207	56.39	-56.6	277.8
P20-2207	86.87	-57.1	279.3
P20-2207	117.35	-57.5	281
P20-2207	147.83	-57.9	282
P20-2207	178.31	-58.2	284
P20-2207	208.79	-58.1	286.2
P20-2207	239.27	-58.1	287.9
P20-2207	269.75	-58.1	288.3
P20-2207	300.23	-57.9	290.2
P20-2208	0	-60	277
P20-2208	29.57	-60	277
P20-2208	60.05	-60.8	278.2
P20-2208	90.53	-61	280.7
P20-2208	121.01	-61.4	282.6
P20-2208	151.49	-61.5	283.5
P20-2208	181.97	-61.4	288.2
P20-2208	212.45	-61.4	287.2
P20-2208	242.93	-61.5	289
P20-2208	273.41	-61.7	292.2
P20-2208	303.89	-61.8	293.4
P20-2208	334.37	-61.8	294.7
P20-2209	0	-64.2	276.6
P20-2209	26.52	-64.2	276.6
P20-2209	57	-64.8	279.2
P20-2209	87.48	-65.2	281.6
P20-2209	117.96	-65.8	283.2

P20-2209	148.44	-66.1	285.8
P20-2209	178.92	-66.8	291.6
P20-2209	209.4	-67.2	296.2
P20-2209	239.88	-67.7	302.5
P20-2209	270.36	-68.2	306.9
P20-2209	300.84	-68.5	311.9
P20-2209	331.32	-68.6	315
P20-2210	0	-54.5	265.5
P20-2210	10.97	-54.5	265.5
P20-2210	41.45	-57.7	264.2
P20-2210	71.93	-61.6	264.7
P20-2210	102.41	-62.4	264.5
P20-2210	132.89	-66.9	269.2
P20-2210	163.37	-70.3	274.8
P20-2210	193.85	-73.3	284.9
P20-2210	224.33	-76	297.8
P20-2210	254.81	-77.5	317.7
P20-2210	285.29	-77	331.7
P20-2211	0	-45.3	46.2
P20-2211	13.41	-45.3	46.2
P20-2211	43.89	-45.7	46
P20-2211	74.37	-46.2	47.6
P20-2211	104.85	-46.8	48.7
P20-2211	135.33	-46.6	49.2
P20-2211	165.81	-47	49.9
P20-2211	196.29	-47.1	50.9
P20-2211	226.77	-47.5	51.7
P20-2211	257.25	-47.8	52.8
P20-2211	287.73	-48	52.8
P20-2211	318.21	-48	53.8
P20-2211	348.69	-48	54.8
P20-2211	379.17	-47.6	55.7
P20-2211	409.65	-47.4	56.7
P20-2211	440.13	-47	57.7
P20-2212	0	-45	255
P20-2213	0	-52	255
P20-2214	0	-74.5	255
P20-2214	4.57	-74.5	255
P20-2214	32	-74.3	257.3
P20-2214	92.96	-75	262.9
P20-2214	153.92	-75.9	265.8
P20-2214	214.88	-76.8	268
P20-2214	275.84	-77.5	270.4
P20-2215	0	-45.4	276.9
P20-2215	8.53	-45.4	276.9
P20-2215	39.01	-45.4	276.9
P20-2215	99.97	-45.9	281.4

P20-2215	160.93	-45.9	282.8
P20-2216	0	-46.4	228.1
P20-2216	20.12	-46.4	228.1
P20-2216	50.6	-46.8	228.4
P20-2216	81.08	-47.2	228.2
P20-2216	111.56	-47.5	228.2
P20-2216	142.04	-47.6	228.8
P20-2216	172.52	-47.6	228.4
P20-2216	203	-47.6	228.9
P20-2216	233.48	-47.7	229.4
P20-2217	0	-61.8	82.8
P20-2217	26.52	-61.8	82.8
P20-2217	57	-62.1	83.1
P20-2217	87.48	-61.9	83.1
P20-2217	117.96	-61.9	83.4
P20-2217	148.44	-61.9	83.3
P20-2217	178.92	-61.6	83.5
P20-2217	209.4	-61.7	84.1
P20-2217	239.88	-61.7	83.2
P20-2217	270.36	-61.4	83.6
P20-2217	300.84	-61.2	83.9
P20-2218	0	-64.6	48.9
P20-2218	4.27	-64.6	48.9
P20-2218	28.65	-64.8	47.9
P20-2218	53.04	-65	48.6
P20-2219	0	-44.7	87.8
P20-2219	7.92	-44.7	87.8
P20-2219	38.4	-45	90.8
P20-2219	68.88	-45.3	92.7
P20-2219	99.36	-45.3	93.5
P20-2219	129.84	-45.3	94.4
P20-2219	160.32	-45.3	95.4
P20-2219	190.8	-46	96.8
P20-2219	221.28	-45.8	97.1
P20-2219	251.76	-45.7	98.4
P20-2220	0	-69.9	222.8
P20-2220	8.53	-69.9	222.8
P20-2220	39.01	-70.4	225.1
P20-2220	69.49	-70.7	226
P20-2220	99.97	-70.7	227
P20-2220	130.45	-71.2	228.5
P20-2220	160.93	-71.9	230.6
P20-2220	191.41	-72.2	233.1
P20-2220	221.89	-71.9	233.9
P20-2230	0	-45.6	44.2
P20-2230	45.72	-45.6	44.2
P20-2230	76.2	-45.6	43.1

P20-2230	106.68	-42.2	35.9
P20-2230	137.16	-47.7	46
P20-2230	167.64	-48.5	50.8
P20-2230	198.12	-48.9	48.5
P20-2230	228.6	-49.6	49.4
P20-2230	259.08	-49.5	51
P20-2230	289.56	-49.4	51.8
P20-2230	320.04	-49.4	53.6
P20-2230	350.52	-49.3	54.7
P20-2230	381	-48.9	57.3
P20-2230	411.48	-48.9	63.8
P20-2230	441.96	-48.9	59.5
P20-2236	0	-46.3	50.6
P20-2236	31.7	-46.3	50.6
P20-2236	62.18	-46.5	51.4
P20-2236	92.66	-46.8	52
P20-2236	123.14	-47.2	52.8
P20-2236	153.62	-47.2	54.5
P20-2236	184.1	-47.3	55.3
P20-2236	214.58	-47.5	57
P20-2236	245.06	-47.7	57.7
P20-2236	275.54	-47.6	58.6
P20-2236	306.02	-47.6	59.2
P20-2245	0	-78.7	80
P20-2245	20.73	-78.7	80
P20-2245	51.21	-78.5	78.7
P20-2245	81.69	-78.5	77.8
P20-2245	112.17	-78.4	77
P20-2245	142.65	-78.2	77.3
P20-2245	173.13	-78.1	75.4
P20-2245	203.61	-77.8	75.1
P20-2245	234.09	-77.3	75
P20-2245	255.42	-76.9	75.7
P20-2262	0	-55	273.5
P20-2262	17.37	-55	273.5
P20-2262	47.85	-55.7	274.1
P20-2262	78.33	-56.3	275.1
P20-2262	108.81	-56.6	275.3
P20-2262	139.29	-56.8	275.5
P20-2262	169.77	-57	275.8
P20-2262	200.25	-57.2	275.3
P20-2263	0	-60.3	273.6
P20-2263	17.37	-60.3	273.6
P20-2263	47.85	-60.7	274.8
P20-2263	78.33	-61	276.2
P20-2263	108.81	-60.8	276.5
P20-2263	139.29	-60.9	276.9

P20-2263	169.77	-61	276.9
P20-2263	200.25	-61	276.7
P20-2271	0	-50.2	261.1
P20-2271	10.97	-50.2	261.1
P20-2271	41.45	-50.8	263.7
P20-2271	71.93	-51.1	264.3
P20-2271	102.41	-51.2	264.8
P20-2271	132.89	-51.5	265.2
P20-2271	163.37	-51.4	265.8
P20-2271	193.85	-51.5	265.8
P20-2271	224.33	-51.7	266.2
P20-2272	0	-60	261.1
P20-2273	0	-44.8	44.4
P20-2273	29.57	-44.8	44.4
P20-2273	59.74	-44.9	44.8
P20-2273	89.92	-45	45.2
P20-2273	120.09	-45	45.6
P20-2273	149.35	-44.6	45.7
P20-2274	0	-55.2	241.4
P20-2274	30.18	-55.2	241.4
P20-2274	60.35	-55.5	242
P20-2274	90.53	-55.5	242.7
P20-2274	120.7	-55.3	243.4
P20-2274	150.88	-55.6	244.5
P20-2275	0	-72.1	8.6
P20-2275	5.49	-72.1	8.6
P20-2275	35.97	-72.1	8.5
P20-2275	66.45	-72	8.6
P20-2275	96.93	-72	8.5
P20-2275	127.41	-72.2	8.5
P20-2275	157.89	-72.1	8.6
P20-2275	188.37	-72.1	8.6
P20-2275	218.85	-72.2	8.5
P20-2275	249.33	-72.2	8.5
P20-2275	279.81	-72.1	8.5
P20-2276	0	-56.1	120.4
P20-2276	28.04	-56.1	120.4
P20-2276	58.22	-56.1	119.9
P20-2276	88.39	-55.9	119.8
P20-2276	118.57	-56	119.1
P20-2276	148.74	-56.1	119
P20-2277	0	-73	180
P20-2293	0	-50	270
P20-2294	0	-49.8	293.4
P20-2294	30.18	-49.8	293.4
P20-2294	60.35	-50	295.3
P20-2294	90.53	-50.2	297.4

P20-2294	120.7	-49.9	298.7
P20-2294	150.88	-49.9	299.3
P20-2295	0	-51.3	185.5
P20-2295	0.61	-51.3	185.5
P20-2295	30.78	-51.4	185.5
P20-2295	60.96	-51.6	186.2
P20-2295	91.14	-51.8	186.8
P20-2295	121.31	-51.8	189.1
P20-2295	151.49	-51.8	187.8
P20-2296	0	-47.5	56.2
P20-2296	10	-47.5	56.2
P20-2296	90	-48.6	58.2
P20-2297	0	-59.3	57.1
P20-2297	3.05	-59.3	57.1
P20-2297	25.91	-59.4	57.6
P20-2297	53.34	-59.4	58.5
P20-2297	80.77	-59.1	58.8
P20-2297	108.2	-59.4	61.3
P20-2297	135.64	-59.4	61.9
P20-2297	163.07	-59.7	61.3
P20-2297	190.5	-59.6	62
P20-2297	217.93	-59.6	62.6
P20-2297	245.36	-59.5	63.7
P20-2297	272.8	-59.6	64.6
P20-2298	0	-64.6	297.4
P20-2298	30.48	-64.6	297.4
P20-2298	60.66	-65.2	299.4
P20-2298	90.83	-65.3	301.8
P20-2298	121.01	-65.4	302.3
P20-2298	151.18	-65.5	302.6
P20-2299	0	-58.7	237.9
P20-2299	3.05	-58.7	237.9
P20-2299	14.02	-58.9	238.5
P20-2299	41.45	-60.1	238.7
P20-2299	68.88	-60.5	239.4
P20-2299	96.32	-61.6	239
P20-2299	123.75	-62.3	238.9
P20-2299	151.18	-62.7	239.3
P20-2299	178.61	-63.3	239.9
P20-2299	206.04	-63.4	241
P20-2299	233.48	-64	241.6
P20-2299	260.91	-64.3	242.5
P20-2299	288.34	-64.6	242.7
P20-2300	0	-47.8	29.9
P20-2300	3.05	-47.8	29.9
P20-2300	19.51	-48	26.3
P20-2300	46.94	-48.3	27.6

P20-2300	74.37	-49.2	29.3
P20-2300	101.8	-48.6	31.1
P20-2300	129.24	-48.6	32
P20-2300	156.67	-48.6	31.8
P20-2300	184.1	-48.8	32.5
P20-2300	211.53	-48.9	33.2
P20-2300	238.96	-49	34.4
P20-2301	0	-82.5	30.4
P20-2301	32.31	-82.5	30.4
P20-2301	59.74	-81.2	35.3
P20-2301	87.17	-80.7	37.3
P20-2301	114.6	-80.7	38.8
P20-2301	142.04	-80.7	41.7
P20-2301	169.47	-80.7	42
P20-2301	196.9	-80.5	41.4
P20-2301	224.33	-80.3	42.3
P20-2301	251.76	-80	43.3
P20-2301	279.2	-79.8	44.8

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The

Premier Property
Stewart, BC

APPENDIX C

- Analytical Data - Drilling (SGS Canada)

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol
Lawrence Tsang, P. Geo

Assayer	Certificate Number	Metallic Centric DDH	AlS #	Sample Name	From	To	Interval	Type	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ag %	Au Total (oz)	Cu %	Pb %	Zn %	Ag %	Au Total (oz)	Au (+) Fraction	Au (-) Fraction	Au (+) mg	WT. + Frac WT. - Frac	Ente	Au
AUS	TB20134501		P20-2181	0000072527	72527	198.15	200.15	2.00	CORE	<0.005	0.3	2.11	16	<10	220	<0.5	<2	5.22	0.8	15	2	49	4.35	<5	<1	0.34	10	1.1	2190	1	<0.01	4	1350	7	0.32	2	3	209	<20	<0.01	<10	<10	27	<10	119																
AUS	TB20134501		P20-2181	0000072528	72528	200.15	201.15	1.00	CORE	0.007	0.5	2.25	28	<10	210	<0.5	<2	3.78	0.5	18	2	53	5.01	<5	<1	0.31	10	1.27	2300	<1	<0.01	3	1450	56	0.53	<2	3	147	<20	<0.01	<10	<10	30	<10	150																
AUS	TB20134501		P20-2181	0000072529	72529	201.15	202.15	1.00	CORE	1.795		14.7	1.63	96	<10	30	<0.5	4	2.73	380	15	1	412	7.14	<5	6	0.3	<10	0.72	2070	2	<0.01	2	1210	6230	6.71	15	2	112	<20	0.01	<10	<10	27	<10	>100000		3.5														
AUS	TB20134501		P20-2181	0000072530	72530	202.15	203.15	1.00	BLK	<0.005	<0.005	<2	0.01	6	<10	10	<0.5	<2	>25.0	0.6	<1	1	9	0.13	<2	<1	0.01	10	0.89	160	<1	<0.01	2	60	9	0.01	<2	<1	90	<20	<0.01	<10	<10	4	<10	53																
AUS	TB20134501		P20-2181	0000072531	72531	202.15	203.15	1.00	CORE	1.49	9.1	1.98	52	<10	50	<0.5	11	2.64	192.5	17	2	407	6.38	<5	4	0.31	10	0.84	2330	1	<0.01	3	1380	2360	3.62	3	2	92	<20	0.01	<10	<10	30	<10	>100000		1.775														
AUS	TB20134501		P20-2181	0000072532	72532	203.15	204.00	0.85	CORE	0.377		16.6	1.95	42	<10	50	<0.5	3	2.13	206	18	2	376	6.55	<5	3	0.3	10	0.83	2240	2	<0.01	3	1430	7120	3.88	10	2	73	<20	0.01	<10	<10	30	<10	>100000		1.8														
AUS	TB20134501		P20-2181	0000072533	72533	204.00	205.00	1.00	CORE	0.117		4.6	2.34	40	<10	180	<0.5	<2	1.73	45.5	18	1	51	6.32	10	1	0.3	10	1.01	2420	1	<0.01	3	1500	2610	1.78	3	1	59	<20	0.02	<10	<10	35	<10	4180																
AUS	TB20134501		P20-2181	0000072534	72534	205.00	205.95	0.95	CORE	7.11		10.8	2.3	56	<10	40	<0.5	4	2.54	965	9	1	303	7.55	10	14	0.2	<10	0.99	3400	1	<0.01	2	890	3270	7.11	4	2	113	<20	0.02	<10	<10	36	10	>100000		9.12														
AUS	TB20134501		P20-2181	0000072535	72535	205.95	206.95	1.00	CORE	0.108		0.9	0.64	7	<10	180	<0.5	<2	2.48	11.7	5	1	13	2.39	<5	1	0.02	10	0.37	1580	<1	<0.01	2	710	427	1.9	<2	1	131	<20	0.01	<10	<10	5	<10	1095																
AUS	TB20134501		P20-2181	0000072536	72536	206.95	209.00	2.05	CORE	0.15		1	0.57	16	<10	210	<0.5	<2	4.03	11.1	3	1	8	1.79	<5	1	0.31	10	0.15	1725	2	<0.01	<1	650	593	1.31	<2	1	175	<20	0.01	<10	<10	6	<10	1110																
AUS	TB20134501		P20-2181	0000072537	72537	209.00	211.00	2.00	CORE	0.089		0.5	0.67	13	<10	210	<0.5	<2	3.21	5.2	4	1	13	1.76	<5	1	0.37	10	0.15	1535	1	0.01	1	680	195	1.25	<2	1	162	<20	0.01	<10	<10	5	<10	5470																
AUS	TB20134501		P20-2181	0000072538	72538	211.00	213.00	2.00	CORE	0.225		0.6	0.57	34	<10	130	<0.5	<2	3.49	3.5	3	1	12	1.96	<5	1	0.35	10	0.09	1770	<1	0.02	1	630	303	1.49	<2	1	203	<20	0.01	<10	<10	4	<10	376																
AUS	TB20134501		P20-2181	0000072539	72539	213.00	215.00	2.00	CORE	0.097	1.5	0.68	0.67	18	<10	140	<0.5	<2	2.66	16.7	3	1	31	2.31	<5	<1	0.35	10	0.13	1575	1	0.01	<1	600	1030	1.59	2	1	157	<20	0.01	<10	<10	5	<10	1615																
AUS	TB20134501		P20-2181	0000072540	72540	215.00	215.00	0.00	GS12	1.165		85.4	1.58	31	10	180	<0.5	<2	3.22	8.4	16	18	937	3.5	10	1	0.14	10	1.4	897	12	0.11	10	1000	4520	1.01	65	6	151	<20	0.07	<10	<10	92	<10	1080																
AUS	TB20134501		P20-2181	0000072541	72541	215.00	217.00	2.00	CORE	0.017		0.7	0.63	12	<10	430	<0.5	<2	3.34	7.3	3	1	13	1.35	<5	1	0.37	10	0.1	1635	1	0.01	1	670	580	0.65	<2	1	190	<20	0.01	<10	<10	5	<10	673																
AUS	TB20134501		P20-2181	0000072542	72542	217.00	219.00	2.00	CORE	0.152		1.7	0.79	25	<10	140	<0.5	<2	3.16	29.6	4	1	29	2.47	<5	1	0.34	10	0.18	1795	1	0.01	<1	580	1480	1.52	2	1	108	<20	0.01	<10	<10	6	<10	2640																
AUS	TB20134501		P20-2181	0000072543	72543	219.00	221.00	2.00	CORE	0.073		1.5	0.55	18	<10	120	<0.5	<2	3.16	29.6	4	1	16	1.55	<5	1	0.36	10	0.08	1500	1	0.01	<1	630	951	1.2	2	1	164	<20	0.01	<10	<10	4	<10	2670																
AUS	TB20134501		P20-2181	0000072544	72544	221.00	225.00	4.00	CORE	0.376		3.1	0.79	40	<10	120	<0.5	<2	4.18	52.1	7	5	127	2.92	<5	<1	0.15	<10	0.56	2360	<1	0.01	2	460	492	0.71	2	1	157	<20	0.01	<10	<10	18	<10	542																
AUS	TB20134501		P20-2181	0000072545	72545	225.00	227.00	2.00	CORE	0.487		3.6	0.81	38	<10	130	<0.5	<2	3.15	97.3	4	2	63	2.67	<5	1	0.32	10	0.17	1335	<1	0.01	1	610	1810	1.77	<2	1	112	<20	<0.01	<10	<10	5	<10	8970																
AUS	TB20134501		P20-2181	0000072546	72546	227.00	229.00	2.00	CORE	0.093		0.8	0.58	15	<10	130	<0.5	<2	5.51	6	3	1	10	1.16	<5	1	0.38	10	0.09	2180	1	0.01	<1	660	308	0.47	<2	1	292	<20	0.01	<10	<10	4	<10	593																
AUS	TB20134501		P20-2181	0000072547	72547	229.00	231.00	2.00	CORE	0.032		0.6	0.54	7	<10	600	<0.5	<2	5.04	5	3	1	19	1.17	<5	1	0.36	10	0.09	2330	1	0.01	<1	650	335	0.57	<2	1	270	<20	0.01	<10	<10	4	<10	491																
AUS	TB20134501		P20-2181	0000072548	72548	231.00	233.00	2.00	CORE	0.756		4	0.71	33	<10	70	<0.5	<2	4.68	59.3	4	2	26	2.32	<5	1	0.35	10	0.14	1590	3	0.01	1	540	2270	1.73	3	1	133	<20	0.01	<10	<10	5	<10	5470																
AUS	TB20134501		P20-2181	0000072549	72549	233.00	235.00	2.00	CORE	0.546		1.9	0.53	31	<10	100	<0.5	<2	2.15	46.5	3	1	15	1.61	<5	1	0.35	10	0.08	1130	<1	0.01	1	600	1510	1.41	<2	1	102	<20	0.01	<10	<10	4	<10	4190																
AUS	TB20134501		P20-2181	0000072550	72550	235.00	235.00	0.00	DUP	0.007	<0.2	0.2	0.03	<2	<10	20	<0.5	<2	>25.0	0.6	<1	<1	1	0.01	<5	<1	0.01	<10	0.13	115	<1	0.01	<1	80	5	0.01	<2	<1	83	<20	<0.01	<10	<10	<1	<10	9																
AUS	TB20134501		P20-2181	0000072551	72551	235.00	237.00	2.00	CORE	6.19		23.4	0.53	29	<10	60	<0.5	2	4.39	328	3	1	363	1.9	<5	2	0.14	10	0.09	1955	1	0.01	<1	530	2560	2.85	3	<1	223	<20	0.01	<10	<10	4	<10	>100000		3.04														
AUS	TB20134501		P20-2181	0000072552	72552	237.00	239.00	2.00	CORE	0.271		3.3	0.7	27	<10	130	<0.5	<2	3	50.5	4	1	28	1.92	<5	<1	0.39	10	0.12	1405	2	0.01	1	590	2050	1.36	<2	1	105	<20	0.01	<10	<10	5	<10	4450																
AUS	TB20134501		P20-2181	0000072553	72553	239.00	240.85	1.85	CORE	0.035		2.2	0.83	20	<10	200	<0.5	<2	1.86	12.7	3	1	12	2.26	<5	1	0.44	10	0.18	1005	2	0.01	<1	480	1450	1.17	2	1	63	<20	0.01	<10	<10	6	<10	3410																
AUS	TB20134501		P20-2181	0000072554	72554	240.65	241.65	1.00	CORE	0.267		0.6	1.25	14	<10	210	<0.5	<2	1.18	14.8	4	2	6	3.49	<5	1	0.33	10	0.32	1535	2	0.01	1	570	158	0.99	3	1	74	<20	0.01	<10	<10	10	<10	1365																
AUS	TB20134501		P20-2181	0000072555	72555	241.65	242.55	0.90	CORE	0.035		1	1.15	20	<10	170	<0.5	<2	0.59	5.9	7	5	157	2.92	<5	<1	0.15	<10	0.56	2360	<1	0.01	2	460	492	0.71	2	1	157	<20	0.01	<10	<10	18	<10	542																
AUS	TB20134501		P20-2181	0000072556	72556	242.55	244.00	1.45	CORE	0.111		4.9	2.71	20	<10	80	<0.5	3	2.15	97.3	4	2	63	2.67	<5	1	0.32	10	0.17	1335	<1	0.01	1	610	1810	1.77	<2	1	112	<20	<0.01	<10	<10	5	<10	8970																
AUS	TB20134501		P20-2181	0000072557	72557	244.00	246.00	2.00	CORE	0.443		1.8	2.24	40	<10	60	<0.5	<2	0.86	46.7	3	2	28	0.79	<5	<1	0.24	<10	0.84	3450	2	0.01	2	870	271	2.97	3	2	46	<20	0.03	<10	<10	36	<10	4660																
AUS	TB20134501		P20-2181	0000072558	72558	246.00	248.00	2.00	CORE	0.357		4.2	1.66	72	<10	40	<0.5	2	0.93	49.8	18	3	39	6.89	<5	1	0.26	<10	0.69	3260	4	0.01	4	750	1740	4.14	4	2	49	<20	0.01	<10	<10	29	<10	4610																
AUS	TB20134501		P20-2181	0000072559	72559	248.00	250.00	2.00	CORE	0.818		2.5	2.33	50	<10	60	<0.5	2	1.2	51.1	18	3	40	5.01	<5	1	0.24	<10	1.17	5090	2	0.01	3	830	291	3.45	5	3	136	<20	0.01	<10	<10	40	<10	640																
AUS	TB20134501		P20-2181	0000072560	72560	250.00	250.00	0.00	ME1607	8.05	>100	1.58	638	10	20	<0.5	<2	3.8	132	17	45	2130	5.22	10	16	0.21	10	1.45	781	55	0.07	220	630	>10000	4.16	730	3	54	0.24	0.05	10	<10	62	20	>10000	329		2.39	2.52															
AUS	TB20134501		P20-2181	0000072561	72561	250.00	252.00	2.00	CORE	1.075		5.2	1.75	65	<10	30	<0.5	2	3.09	15.9	17	4	34	6.19	<5	1	0.28	<10	0.85	4300	2	0.01	4	900	362	3.07	4	3	173	<20	0.01	<10	<10	35	<10	1555																
AUS	TB20134501		P20-2181	0000072562	72562	252.00	253.80	1.80	CORE	0.422		22.6	2.07	40	<10	60	<0.5	3	3.75	84.8	3	1	186	6.82	<5	1	0.28	10	1.17	4730	1	0.01	4	1070	821	3.14	3	3	171	<20	<0.01	<10	<10	28	<10	8520																
AUS	TB20134501		P20-2181	0000072563	72563	253.80	255.80	2.00	CORE	0.803		4.4	1.51	16	<10	250	<0.5	<2	4.33	19.4	14	1	99	4.34	<5	<1	0.34	10	0.64	1940	<1	0.01	2	1300	204	1.88	<2	2	161	<20	<0.01	<10	<10	16	<10	1880																
AUS	TB20134501		P20-2181	0000072564	72564	255.80	257.85	2.05	CORE	0.313		3.1	4.9	12	<10	150	<0.5	<2	5.33	7.9	7	1	107	4.21	<5	1	0.32	10	0.79	3910	1	0.01	2	1290	152	1.11	<2	2	183	<20	0.01	<10	<10	9	<10	447																
AUS	TB20134501		P20-2181	0000072565	72565	257.80	259.80	2.00	CORE	0.203		1.1	2.09	12	<10	190	<0.5	<2	6.35	4.3	14	1	45	4.71	<5	1	0.29	10	0.98	4520	<1	0.01	3	1300	38	0.76	<2	2	214	<20	0.01	<10	<10	23	<10	449																
AUS	TB20134501		P20-2181	0000072566	72566	259.80	261.80	2.00	CORE	0.069		1	2.21	16	<10	170	<0.5	<2	5.59	1	21	1	48	4.65	<5	<1	0.28	10	0.94	4030	2	0.01	3	1300	18	0.62	2	3	190	<20	0.01	<10	<10	30	<10	222																
AUS	TB20134501		P20-2181	0000072567	72567	261.80	263.80	2.00	CORE	0.266		1.8	2.62	23	<10	150	<0.5	<2	4.28	42.2	14	1	93	6.47	10	1	0.27	10	1.29	4390	1	0.01	3	1340	24	1.63	4	2	160	<20	0.01	<10	<10	33	<10	3780																
AUS	TB20134501		P20-2181	0000072568	72568	263.80	266.15	2.35	CORE	0.018		0.4	2.03	17	<10	250	<0.5	<2	0.85	46.7	3	1	61	2.64	<5	<1	0.39	10	1.03	2180	<1	0.01	1	1410	20	0.69	2	2	197	<20	0.03	<10	<10	36	<10	155																
AUS	TB20134501		P20-2181	0000072569	72569	266.15	267.55	1.40	CORE	0.104		2.9	1.71	36	<10	140	<0.5	2	4.85	51.2	16	1	136	4.79	<5	1	0.29	10	0.9	2310	2	0.01	2	1300	847	2.19	4	2	159	<20	0.01	<10	<10	19	<10	4620																
AUS	TB20134501		P20-2181	0000072570	72570	267.55	267.55	0.00	CORE	<0.005	<0.2	0.7	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	1	0.01	<5	<1	0.01	<10	0.81	145	<1	0.01	1	80	3	0.01	<2	<1	88	<20	<0.01	<10	<10	<1	<10	9																
AUS	TB20134501		P20-2181	0000072571	72571	267.55	269.00	1.45	CORE	0.021		0.5	2.2	15	<10	150	<0.5	<2	6.94	1	17	1	59	4.78	<5	<1	0.28	10	1.13	3390	1	0.01	4	1260	74	0.6	3	3	259	<20	0.01	<10	<10	27	<10	299																
AUS	TB20134501		P20-2181	0000072572	72572	268.80	269.80	2.00	CORE	0.054		0.7	0.55	11	<10	160	<0.5	<2	5.3	12.4	3	1	7	1.21	<5	<1	0.34	10	0.09	1835	1	0.01	<1	590	306	0.6	<2	1	250	<20	0.01	<10	<10	3	<10	1075																
AUS	TB20134501		P20-2181	0000072573	72573	269.80	271.80	2.00	CORE	0.063		1.1	0.59	9	<10	140	<0.5	<2	4.25	10	3	1	14	1.25	<5	1	0.34	10	0.11	1645	1	0.02	2	610	331	0.45	2	1	171	<20	0.01	<10	<10	4	<10	1015																
AUS	TB20134501		P20-2181	0000072574	72574	271.80	273.80	2.00	CORE	0.574		5.5	2.53	65	<10	80	<0.5	3	1.16	111	17	4	92	7.57	10	1	0.27	<10	1.14	4440	2	0.01	5	900	2100	2.97	6	2	56	<20	0.03	<10	<10	44	<10	>100000		1.035														
AUS	TB20134501		P20-2181	0000072575	72575	273.80	275.80	2.00	CORE	0.03	<0.2	0.2	<0.01	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1	0.11	<5	<1	0.01	<10	0.78	147	<1	0.01	<1	70	6	0.01	<2	<1	81	<20	<0.01	<10	<10	<1	<10	6																
AUS	TB20134501		P20-2181	0000072576	72576	275.80	277.80	2.00	CORE	0.508		4	2.12	53	<10	150	<0.5	<2	1.84	48	13	2	51	5.77	10	1	0.31	10	0.92	4450	2	0.01	4	1070	2530	1.88	4	2	94	<20	0.04	<10	<10	42	<10	4460																
AUS	TB20134501		P20-2181	0000072577	72577	277.80	279.80	2.00	CORE	0.942		5.3	2.35	46	<10	120	<0.5	<2	2.81	87.6	15	3	46	6.5	10	1	0.27	<10	1.04	5420	<1	0.01	4	950	1560	2.4	4	3	117	<20	0.01	<10	<10	45	<10	7660																
AUS	TB20134501		P20-2181	0000072578	72578	279.80	281.80	2.00	CORE	0.473		3.5	2.39	53	<10	110	<0.5	<2	2.82	67.6	12	2	39	6.59	10	1	0.27	<10	1.22	5580	1	0.01	4	970	1940	2.1	3	3	143	<20	0.01	<10	<10	36	<10	5720																
AUS	TB20134501		P20-2181	0000072579	72579	281.80	283.80	2.00	CORE	0.426		3.7	2.21	19	<10	270	<0.5	<2	2.91	47.9	16	2	90	5.56	10	1	0.39	10	0.92	3950	1	0.02	4	1440	1290	1.48	4	3	126	<20	0.03	<10	<10	33	<10	4590																
AUS	TB20134501		P20-2181	0000072580	72580	283.80	285.80	2.00	CORE	0.189		2.4	2.7	19	<10	190	<0.5	<2	2.96	47.9	16	2	90	7.14	10	1	0.33	10	0.82	4090	1	0.02	4	1270	705	1.75	2	3	118	<20	0.04	<10	<10	39	<10	4870																
AUS	TB20134501		P20-2181	0000072596	72596	281.80	283.80	2.00	CORE	0.691		4.2	2.28	26	<10	100	<0.5	5	2.2	52	13	1	165	7.13	10	1	0.32	<10	0.93	4090	1	0.01	3	990	358	2.6	3	2	111	<20	0.03	<10	<10	29	<10	4850																
AUS	TB20134501		P20-2181	0000072597	72597	283.80	285.35	1.55	CORE	0.458		3.7	1.6	44	<10	110	<0.5	<2	5.64	15.9	22	2	258	5.32	10	1	0.36	10	0.9	3110	2	0.02	3	1260	350	2.35	<2	2	181	<20	0.02	<10	<10	27	<10	4670																
AUS	TB20134501		P20-2181	0000072598	72598	285.50	287.50	2.00	CORE	0.23		0.7	1.86	14	<10	210	<0.5	<2	3.6	1.5	13	1	38	4.05	10	1	0.32	10	1.11	2910	<1	0.03	4	1370	28	0.68	<2	2	211	<20	0.03	<10	<10	27	<10	236																
AUS	TB20134501		P20-2181	0000072599	72599	287.50	289.50	2.00	CORE	0.038		0.3	1.6	23	<10	230	<0.5	<2	5.07	<0.5	13	1	19	3.69	<5	1	0.39	10	0.8	3010	<1	0.02	3	1360	6	0.39	<2	2	266	<20	0.03	<10	<10	20	<10	102																
AUS	TB20134501		P20-2181	0000072600	72600	289.50	289.50	0.00	ME1607	8.23	>100	1.5	617	<10	20	<0.5	7	3.66	127.5	18	43	2090	5.05	10	15	0.2	<10	1.39	758	54	0.07	218	610	>10000	4.03	730	3	42	0.25	0.05	10	<10	57	20	>10000	321		2.31	2.37															
AUS	TB20134501		P20-2181	0000072601	72601	184.65	188.80	4.15	CORE	0.01		0.9	0.8	6	<10	310	<0.5	<2	0.45	1.1	3	1	6	4.08	10	1	0.4	<10	0.8	1935	1	0.02	2	1460	120	0.67	3	1	203	<20	0.01	<10	<10	35	<10	158		3.01														
AUS	TB20134501		P20-2181	0000072602	72602	188.80	188.80	0.00	CORE	0.01		1.1	2.9	22	<10	330	<0.5	<2	5.42	1.8	24	4	76	5.26	10	1	0.28	10	1	2780	1	0.02	6	1540	101	0.49	4	4	234	<20	0.01	<10	<10	40	<10	280																
AUS	TB20134501		P20-2181	0000072603	72603	189.80	192.80	3.00	CORE	2.83		14.2	1.11	122	<10	20	<0.5	4	3.78	217	16	2	521	10.75	<5	3	0.29	<10	0.42	2510	1	0.01	3	930	7300	>10.0	11	2	186	<20	0.01	<10	<10	21	<10	>100000		2.1														
AUS	TB20134501		P20-2181	0000072604	72604	192.80	195.80	3.00	CORE	0.884		19.4	1.3	76	<10	60	<0.5	13	1.47	579	12	3	1575	9.85	<5	8	0.32	<10	0.45	2180	2	0.01	4	810	774	>10.0	4	3	77	<20	<0.01	<10	<10	3	<10	>100000		5.27														
AUS	TB20134501		P20-2181	0000072605	72605	201.80	202.80	1.00	CORE	2.17		4.1	1.73	48	<10	30	<0.5	4	0.99	255	18	2	218	7.88	<5	2	0.4	<10	0.

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

| | | |

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The

Premier Property
Stewart, BC

APPENDIX D

Assay Certificate

- **Assay Certificates (ALS)**
- **Screen Metallics Certificates (ALS)**

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol
Lawrence Tsang, P. Geo

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

CERTIFICATE TR20134501

Project: Premier

This report is for 92 Drill Core samples submitted to our lab in Terrace, BC, Canada on 24-JUN-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00073758		0.85	0.588	>100	0.26	107	<10	10	<0.5	60	0.02	>1000	<1	3	4030	9.53
C00073759		1.91	0.034	2.0	0.29	21	<10	30	<0.5	<2	2.95	15.3	1	13	248	1.66
D00072527		4.62	<0.005	0.3	2.11	16	<10	220	<0.5	<2	5.22	0.8	15	2	49	4.35
D00072528		2.18	0.007	0.5	2.25	28	<10	210	<0.5	<2	3.78	0.5	18	2	53	5.01
D00072529		2.48	1.795	14.7	1.63	96	<10	30	<0.5	4	2.73	380	15	1	412	7.14
D00072530		1.04	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	0.6	<1	1	1	0.12
D00072531		2.12	1.490	9.1	1.98	52	<10	50	<0.5	11	2.64	192.5	17	2	407	6.38
D00072532		2.07	0.377	16.6	1.95	42	<10	50	<0.5	3	2.13	206	18	2	376	6.55
D00072533		2.32	0.117	4.6	2.34	40	<10	180	<0.5	<2	1.73	45.5	18	1	51	6.32
D00072534		2.19	7.11	10.8	2.30	56	<10	40	<0.5	4	2.54	965	9	1	303	7.55
D00072535		2.42	0.108	0.9	0.64	47	<10	180	<0.5	2	3.48	11.7	5	1	13	2.39
D00072536		4.16	0.150	1.0	0.57	36	<10	220	<0.5	<2	4.03	11.1	3	1	8	1.79
D00072537		4.22	0.298	0.5	0.67	33	<10	230	<0.5	<2	3.21	1.2	4	1	9	1.85
D00072538		4.55	0.225	0.6	0.57	34	<10	130	<0.5	<2	3.49	3.5	3	1	12	1.96
D00072539		4.22	0.097	1.5	0.68	28	<10	130	<0.5	<2	2.66	16.7	3	1	11	2.31
D00072540		0.13	1.165	85.4	1.58	31	10	180	<0.5	<2	3.22	8.4	16	18	937	3.50
D00072541		4.30	0.017	0.7	0.63	12	<10	430	<0.5	<2	3.34	7.3	3	1	13	1.35
D00072542		4.63	0.152	1.7	0.79	25	<10	140	<0.5	<2	2.00	27.3	4	1	29	2.47
D00072543		4.47	0.073	1.5	0.55	18	<10	120	<0.5	<2	3.16	29.6	4	1	16	1.55
D00072544		4.10	0.376	3.1	0.79	40	<10	120	<0.5	<2	2.18	56.1	4	2	49	2.33
D00072545		4.08	0.487	3.6	0.81	38	<10	130	<0.5	3	2.15	97.3	4	2	63	2.67
D00072546		3.97	0.031	0.8	0.58	5	<10	530	<0.5	<2	5.51	6.0	3	1	10	1.16
D00072547		4.14	0.032	0.6	0.54	7	<10	600	<0.5	<2	5.04	5.0	3	1	19	1.17
D00072548		4.44	0.756	4.0	0.71	31	<10	70	<0.5	<2	2.69	59.3	4	2	26	2.32
D00072549		4.18	0.546	1.9	0.53	31	<10	100	<0.5	<2	2.15	46.5	3	1	15	1.61
D00072550		0.87	0.007	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	<1	0.11
D00072551		4.51	6.19	23.4	0.53	29	<10	60	<0.5	2	4.39	328	3	1	363	1.90
D00072552		4.39	0.271	3.3	0.70	27	<10	130	<0.5	<2	2.00	50.5	4	1	28	1.92
D00072553		3.58	0.195	2.2	0.83	20	<10	200	<0.5	<2	1.06	37.4	4	1	12	2.26
D00072554		2.08	0.267	0.6	1.25	14	<10	230	<0.5	<2	1.18	14.8	4	2	6	3.49
D00072555		0.74	0.035	1.0	1.15	20	<10	270	<0.5	<2	2.79	5.9	7	5	17	2.92
D00072556		3.34	0.110	4.9	2.71	20	<10	80	<0.5	2	0.69	73.6	17	4	38	7.20
D00072557		4.51	0.410	1.8	2.04	60	<10	50	<0.5	<2	0.85	49.7	17	2	28	6.79
D00072558		5.22	0.357	4.2	1.66	72	<10	40	<0.5	2	0.93	49.8	18	3	39	6.89
D00072559		4.31	0.818	2.5	2.33	92	<10	40	<0.5	2	2.00	4.6	17	3	14	8.31
D00072560		0.14	8.05	>100	1.58	638	10	20	<0.5	2	3.80	132.0	17	45	2130	5.22
D00072561		4.19	1.075	5.2	1.75	65	<10	30	<0.5	2	3.09	15.9	17	4	34	6.19
D00072562		3.92	0.422	22.6	2.07	45	<10	50	<0.5	3	3.75	84.4	17	1	186	6.82
D00072563		4.73	0.803	4.4	1.51	16	<10	250	<0.5	<2	4.33	19.4	14	1	99	4.34
D00072564		4.89	3.31	4.9	1.76	12	<10	230	<0.5	<2	5.33	3.9	14	1	107	4.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00073758		<10	7	0.12	<10	0.08	147	2	<0.01	<1	80	3960	>10.0	9	<1	2
C00073759		<10	1	0.06	<10	0.11	2070	1	<0.01	1	70	151	1.11	<2	<1	98
D00072527		<10	<1	0.34	10	1.10	2190	1	<0.01	4	1350	7	0.32	2	3	209
D00072528		<10	<1	0.31	10	1.27	2300	<1	<0.01	3	1450	56	0.53	<2	3	147
D00072529		<10	6	0.30	<10	0.72	2070	2	<0.01	2	1210	6230	6.71	15	2	112
D00072530		<10	1	0.01	<10	0.89	160	<1	<0.01	2	60	9	0.01	<2	<1	90
D00072531		<10	4	0.31	10	0.84	2330	1	<0.01	3	1380	2360	3.62	3	2	92
D00072532		<10	3	0.30	10	0.83	2240	2	<0.01	3	1430	7120	3.88	10	2	73
D00072533		10	1	0.30	10	1.01	2420	1	<0.01	3	1500	2610	1.78	3	3	59
D00072534		10	14	0.20	<10	0.99	3400	1	<0.01	2	890	3370	7.11	4	2	113
D00072535		<10	1	0.32	10	0.17	1580	4	<0.01	1	710	427	1.90	<2	1	131
D00072536		<10	1	0.31	10	0.15	1725	2	<0.01	<1	650	593	1.31	<2	1	175
D00072537		<10	1	0.37	10	0.15	1535	1	0.01	1	680	195	1.25	<2	1	162
D00072538		<10	1	0.35	10	0.09	1770	<1	0.02	1	630	303	1.49	<2	1	203
D00072539		<10	<1	0.35	10	0.13	1575	1	0.01	<1	600	1030	1.59	2	1	157
D00072540		10	1	0.14	10	1.40	897	12	0.11	10	1000	4520	1.01	65	6	151
D00072541		<10	1	0.37	10	0.10	1635	1	0.01	1	670	580	0.65	<2	1	190
D00072542		<10	1	0.34	10	0.18	1295	3	0.01	<1	580	1480	1.52	2	1	108
D00072543		<10	1	0.36	10	0.08	1500	1	0.01	<1	630	951	1.20	2	1	164
D00072544		<10	1	0.36	10	0.17	1270	7	0.01	1	650	2310	1.51	2	1	101
D00072545		<10	1	0.32	10	0.17	1335	<1	0.01	1	610	1810	1.77	<2	1	112
D00072546		<10	1	0.38	10	0.09	2380	1	0.01	<1	660	308	0.47	<2	1	292
D00072547		<10	1	0.36	10	0.09	2320	1	0.01	<1	650	335	0.57	<2	1	270
D00072548		<10	1	0.35	10	0.14	1590	3	0.01	<1	540	2370	1.73	3	1	133
D00072549		<10	1	0.35	10	0.08	1130	<1	0.01	1	600	1510	1.41	<2	1	102
D00072550		<10	<1	0.01	<10	0.72	111	<1	0.01	<1	80	5	0.01	<2	<1	83
D00072551		<10	2	0.34	10	0.09	1955	1	0.01	<1	530	2560	2.85	3	<1	223
D00072552		<10	<1	0.39	10	0.12	1405	2	0.01	1	590	2050	1.36	<2	1	105
D00072553		<10	1	0.34	10	0.18	1005	2	0.01	1	600	1450	1.17	2	1	63
D00072554		<10	1	0.33	10	0.32	1535	2	0.01	1	570	158	0.99	3	1	74
D00072555		<10	<1	0.15	<10	0.56	2360	<1	0.01	2	460	492	0.71	2	1	157
D00072556		10	1	0.27	<10	1.21	3900	<1	0.01	6	1110	2420	1.93	2	3	48
D00072557		<10	<1	0.24	<10	0.86	3450	2	0.01	3	870	271	2.97	3	2	46
D00072558		<10	1	0.26	<10	0.69	3260	4	0.01	4	750	1740	4.14	4	2	49
D00072559		10	<1	0.21	<10	1.17	5090	2	0.01	3	830	291	3.45	5	3	136
D00072560		10	16	0.21	10	1.45	781	55	0.07	220	630	>10000	4.16	730	3	54
D00072561		<10	1	0.28	<10	0.85	4300	2	0.01	4	900	363	3.07	4	3	173
D00072562		<10	1	0.28	10	1.17	4730	1	0.01	4	1070	821	3.14	3	3	171
D00072563		<10	<1	0.34	10	0.64	3940	<1	0.01	2	1300	204	1.88	<2	2	161
D00072564		<10	1	0.32	10	0.79	3910	1	0.01	2	1290	152	1.11	2	2	183

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00073758		<20	<0.01	<10	<10	2	10	>10000	129		18.20
C00073759		<20	<0.01	<10	<10	2	<10	1615			
D00072527		<20	0.01	<10	<10	27	<10	119			
D00072528		<20	<0.01	<10	<10	30	<10	150			
D00072529		<20	0.01	<10	<10	27	<10	>10000			3.50
D00072530		<20	<0.01	<10	<10	<1	<10	53			
D00072531		<20	0.01	<10	<10	30	<10	>10000			1.775
D00072532		<20	0.01	<10	<10	30	<10	>10000			1.800
D00072533		<20	0.02	<10	<10	35	<10	4380			
D00072534		<20	0.02	<10	<10	36	10	>10000			9.12
D00072535		<20	0.01	<10	<10	5	<10	1095			
D00072536		<20	0.01	<10	<10	4	<10	1110			
D00072537		<20	0.01	<10	<10	5	<10	133			
D00072538		<20	0.01	<10	<10	4	<10	376			
D00072539		<20	0.01	<10	<10	5	<10	1635			
D00072540		<20	0.07	<10	<10	92	<10	1080			
D00072541		<20	0.01	<10	<10	5	<10	673			
D00072542		<20	0.01	<10	<10	6	<10	2640			
D00072543		<20	0.01	<10	<10	4	<10	2670			
D00072544		<20	<0.01	<10	<10	6	<10	4980			
D00072545		<20	<0.01	<10	<10	5	<10	8970			
D00072546		<20	0.01	<10	<10	4	<10	593			
D00072547		<20	0.01	<10	<10	4	<10	491			
D00072548		<20	0.01	<10	<10	5	<10	5470			
D00072549		<20	0.01	<10	<10	4	<10	4190			
D00072550		<20	<0.01	<10	<10	<1	<10	9			
D00072551		<20	0.01	<10	<10	4	<10	>10000			3.04
D00072552		<20	0.01	<10	<10	5	<10	4450			
D00072553		<20	0.01	<10	<10	6	<10	3410			
D00072554		<20	0.01	<10	<10	10	<10	1365			
D00072555		<20	0.01	<10	<10	18	<10	542			
D00072556		<20	0.05	<10	<10	45	<10	6760			
D00072557		<20	0.03	<10	<10	36	<10	4660			
D00072558		<20	0.01	<10	<10	29	<10	4610			
D00072559		<20	0.01	<10	<10	40	<10	540			
D00072560		<20	0.05	10	<10	62	20	>10000	329	2.39	2.52
D00072561		<20	0.01	<10	<10	35	<10	1555			
D00072562		<20	<0.01	<10	<10	28	<10	8020			
D00072563		<20	<0.01	<10	<10	16	<10	1880			
D00072564		<20	0.01	<10	<10	19	<10	447			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00072565		4.93	0.203	1.1	2.09	12	<10	190	<0.5	<2	6.35	4.3	14	1	45	4.71
D00072566		4.70	0.009	1.0	2.21	16	<10	170	<0.5	<2	5.59	1.0	21	1	48	4.93
D00072567		4.62	0.266	1.8	2.62	23	<10	150	<0.5	2	4.28	42.2	14	1	93	6.47
D00072568		3.59	0.018	0.4	2.03	7	<10	250	<0.5	<2	5.63	<0.5	18	1	61	4.51
D00072569		3.35	0.104	2.9	1.71	36	<10	140	<0.5	2	4.85	51.2	16	1	136	4.79
D00072570		1.26	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1	0.11
D00072571		3.41	0.021	0.5	2.20	15	<10	150	<0.5	<2	6.94	1.0	17	1	59	4.78
D00072572		4.66	0.054	0.7	0.55	11	<10	160	<0.5	<2	5.30	12.4	3	1	7	1.21
D00072573		4.58	0.053	1.1	0.59	9	<10	470	<0.5	<2	4.25	10.0	4	1	14	1.25
D00072574		2.31	0.350	52.8	0.33	24	<10	40	<0.5	<2	4.47	33.8	4	1	12	1.37
D00072575		3.91	0.083	2.9	1.53	78	<10	240	<0.5	<2	3.63	7.9	17	2	51	4.32
D00072576		4.41	0.011	1.0	1.85	18	<10	300	<0.5	<2	4.51	<0.5	17	2	56	4.03
D00072577		4.30	0.019	1.3	2.19	25	<10	390	<0.5	<2	6.20	<0.5	18	2	84	4.50
D00072578		4.42	0.008	0.8	2.19	19	<10	220	<0.5	2	6.00	<0.5	20	2	37	4.72
D00072579		4.47	<0.005	0.8	2.28	18	<10	230	<0.5	<2	5.64	<0.5	22	3	34	4.78
D00072580		0.13	0.670	9.4	1.20	790	10	100	<0.5	23	3.15	6.1	45	24	6570	3.60
D00072581		4.95	0.011	2.1	2.02	23	<10	230	<0.5	<2	6.54	2.4	19	2	51	4.45
D00072582		4.43	0.172	8.0	2.11	52	<10	170	<0.5	<2	5.56	45.9	24	3	100	6.12
D00072583		4.78	0.107	3.0	1.76	59	<10	150	<0.5	<2	4.37	1.4	22	2	36	5.19
D00072584		4.56	0.054	4.8	1.99	23	<10	220	<0.5	<2	6.57	8.4	19	3	53	4.80
D00072585		4.79	0.672	6.0	1.96	74	<10	100	<0.5	2	4.17	12.0	20	2	44	6.57
D00072586		4.46	0.852	64.8	2.16	24	<10	280	<0.5	2	5.15	6.1	21	2	88	4.90
D00072587		4.64	0.068	2.6	2.43	28	<10	290	<0.5	<2	4.10	18.8	22	3	89	5.59
D00072588		3.92	0.619	4.2	2.21	62	<10	80	<0.5	2	2.89	52.6	14	2	55	6.95
D00072589		2.46	0.681	5.5	2.53	65	<10	80	<0.5	3	1.16	111.0	17	4	92	7.57
D00072590		0.83	<0.005	<0.2	0.03	2	<10	20	<0.5	2	>25.0	<0.5	1	<1	1	0.11
D00072591		4.57	0.508	4.0	2.12	53	<10	150	<0.5	<2	1.84	48.0	13	2	51	5.77
D00072592		4.54	0.942	5.3	2.25	46	<10	120	<0.5	2	2.30	87.6	15	3	46	6.50
D00072593		4.63	0.473	3.5	2.39	53	<10	190	<0.5	2	2.85	67.6	17	2	19	6.59
D00072594		4.70	0.426	3.7	2.21	19	<10	270	<0.5	2	2.91	47.9	16	2	90	5.56
D00072595		4.62	0.189	2.4	2.70	23	<10	220	<0.5	2	2.85	49.1	16	2	96	7.14
D00072596		4.67	0.691	4.2	2.28	26	<10	100	<0.5	5	2.20	52.0	13	1	165	7.13
D00072597		3.68	0.458	3.7	1.78	24	<10	110	<0.5	4	2.54	54.4	16	2	258	5.32
D00072598		5.00	0.230	0.7	1.86	14	<10	220	<0.5	<2	3.60	1.5	13	1	38	4.05
D00072599		4.62	0.008	0.3	1.60	3	<10	230	<0.5	<2	5.07	<0.5	13	1	40	3.19
D00072600		0.13	8.23	>100	1.50	617	<10	20	<0.5	7	3.66	127.5	18	43	2090	5.05
C00073760		2.34	3.57	65.5	1.93	472	<10	30	<0.5	2	3.37	84.5	3	2	119	12.70
C00073761		3.14	3.30	>100	1.72	1230	<10	20	<0.5	2	2.01	212	2	1	328	22.1
C00073762		2.35	3.69	>100	2.72	4800	<10	10	<0.5	6	3.94	214	3	1	264	22.4
C00073763		1.17	0.065	1.2	2.25	32	<10	90	<0.5	2	0.87	1.9	16	1	77	6.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00072565		<10	1	0.29	10	0.98	4520	<1	0.01	3	1300	38	0.76	<2	2	214
D00072566		<10	<1	0.28	10	1.04	4030	2	0.01	3	1590	18	0.62	2	3	190
D00072567		10	1	0.27	10	1.29	4390	1	0.01	3	1340	24	1.63	4	2	140
D00072568		<10	1	0.29	10	1.03	2380	<1	0.01	3	1410	20	0.69	2	3	197
D00072569		<10	1	0.29	10	0.90	2310	2	0.01	2	1300	847	2.19	4	2	159
D00072570		<10	1	0.01	<10	0.81	145	<1	0.01	1	80	3	0.01	<2	<1	88
D00072571		<10	<1	0.28	10	1.13	3390	1	0.01	4	1260	74	0.60	3	3	259
D00072572		<10	<1	0.34	10	0.09	1835	1	0.01	<1	590	306	0.60	<2	1	250
D00072573		<10	1	0.34	10	0.11	1645	1	0.02	2	610	331	0.45	2	1	171
D00072574		<10	1	0.25	10	0.05	1630	2	0.01	1	520	1090	1.33	4	<1	200
D00072575		<10	<1	0.28	10	0.64	2600	2	0.01	3	1290	398	1.43	3	2	140
D00072576		10	1	0.29	10	0.94	3120	<1	0.01	6	1150	10	0.53	<2	2	171
D00072577		10	1	0.29	10	1.23	4080	<1	0.01	8	1070	10	0.38	2	3	276
D00072578		10	1	0.31	10	1.14	3390	1	0.02	8	1160	10	0.27	<2	3	275
D00072579		10	1	0.32	10	1.15	3100	1	0.02	8	1170	5	0.09	2	3	280
D00072580		10	1	0.15	10	0.42	619	288	0.13	22	640	71	1.20	16	2	130
D00072581		10	1	0.31	<10	0.96	4050	1	0.01	8	1130	34	0.30	<2	3	290
D00072582		10	1	0.32	10	0.98	4870	10	0.01	9	1130	723	2.29	5	3	242
D00072583		<10	1	0.32	10	0.77	3950	2	0.01	8	1130	130	1.95	4	2	166
D00072584		10	1	0.33	10	0.91	5370	1	0.01	7	1150	603	0.98	4	3	237
D00072585		10	1	0.35	<10	0.90	3980	1	0.01	8	1110	598	3.19	5	2	161
D00072586		10	1	0.37	10	1.01	4890	1	0.02	8	1180	257	0.88	9	3	215
D00072587		10	1	0.34	10	1.26	5610	1	0.02	7	1210	377	1.14	3	3	204
D00072588		10	1	0.23	<10	1.02	5570	1	0.01	4	690	1480	2.82	4	2	143
D00072589		10	1	0.27	<10	1.14	4440	2	0.01	5	900	2100	2.97	6	2	56
D00072590		<10	1	0.01	<10	0.78	147	<1	0.01	<1	70	6	0.01	2	<1	81
D00072591		10	1	0.31	10	0.92	4450	2	0.01	4	1070	2530	1.88	4	2	94
D00072592		10	1	0.27	<10	1.04	5420	<1	0.01	4	950	3360	2.40	4	3	117
D00072593		10	1	0.27	<10	1.12	5580	1	0.01	4	970	1940	2.10	2	3	143
D00072594		10	1	0.39	10	0.92	3950	1	0.02	4	1440	1290	1.48	4	3	126
D00072595		10	1	0.33	10	1.22	4580	1	0.02	6	1270	592	1.75	2	3	118
D00072596		10	1	0.32	<10	0.93	4090	1	0.01	3	990	358	2.60	3	2	111
D00072597		10	1	0.36	10	0.90	3110	1	0.02	3	1360	350	2.35	<2	2	181
D00072598		10	1	0.32	10	1.11	2910	<1	0.03	4	1370	28	0.68	<2	2	211
D00072599		<10	1	0.39	10	0.80	3010	<1	0.02	2	1360	4	0.39	<2	2	266
D00072600		10	15	0.20	<10	1.39	758	54	0.07	218	610	>10000	4.03	730	3	42
C00073760		<10	5	0.02	<10	0.28	3380	3	0.01	<1	230	9010	7.82	22	2	105
C00073761		<10	13	0.02	<10	0.22	1585	5	0.01	<1	210	>10000	>10.0	32	2	91
C00073762		<10	16	0.01	<10	0.49	2730	7	0.01	<1	360	>10000	>10.0	78	4	177
C00073763		10	1	0.27	10	1.85	1090	3	0.03	5	1490	192	3.26	2	5	44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072565		<20	0.01	<10	<10	23	<10	449			
D00072566		<20	0.01	<10	<10	30	<10	222			
D00072567		<20	0.01	<10	<10	33	<10	3780			
D00072568		<20	0.01	<10	<10	25	<10	155			
D00072569		<20	0.01	<10	<10	19	<10	4620			
D00072570		<20	<0.01	<10	<10	<1	<10	9			
D00072571		<20	0.01	<10	<10	27	<10	299			
D00072572		<20	0.01	<10	<10	3	<10	1075			
D00072573		<20	0.01	<10	<10	4	<10	1015			
D00072574		<20	<0.01	<10	<10	3	<10	2830			
D00072575		<20	0.02	<10	<10	23	<10	813			
D00072576		<20	0.02	<10	<10	26	<10	111			
D00072577		<20	0.01	<10	<10	35	<10	99			
D00072578		<20	0.08	<10	<10	37	<10	98			
D00072579		<20	0.10	<10	<10	41	<10	90			
D00072580		<20	0.08	<10	<10	43	<10	1000			
D00072581		<20	0.06	<10	<10	33	<10	282			
D00072582		<20	0.05	<10	<10	34	<10	4210			
D00072583		<20	0.03	<10	<10	28	<10	212			
D00072584		<20	0.05	<10	<10	33	<10	878			
D00072585		<20	0.04	<10	<10	31	<10	1210			
D00072586		<20	0.06	<10	<10	37	<10	638			
D00072587		<20	0.06	<10	<10	43	<10	1940			
D00072588		<20	0.03	<10	<10	41	<10	5030			
D00072589		<20	0.03	<10	<10	44	<10	>10000			1.035
D00072590		<20	<0.01	<10	10	<1	<10	16			
D00072591		<20	0.04	<10	<10	42	<10	4460			
D00072592		<20	0.01	<10	<10	45	<10	7660			
D00072593		<20	0.01	<10	<10	51	<10	5720			
D00072594		<20	0.03	<10	<10	33	<10	4590			
D00072595		<20	0.04	<10	<10	39	<10	4870			
D00072596		<20	0.03	<10	<10	29	<10	4850			
D00072597		<20	0.02	<10	<10	27	<10	4870			
D00072598		<20	0.03	<10	<10	27	<10	236			
D00072599		<20	0.03	<10	<10	20	<10	102			
D00072600		<20	0.05	10	<10	57	20	>10000	321	2.31	2.37
C00073760		<20	0.01	<10	<10	14	<10	>10000			1.225
C00073761		<20	0.01	<10	<10	14	<10	>10000	124	2.23	3.07
C00073762		<20	0.01	<10	<10	33	<10	>10000	136	2.04	3.13
C00073763		<20	0.13	<10	<10	55	<10	301			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00072601		4.75	0.035	0.9	1.80	14	<10	310	<0.5	<2	4.65	1.1	18	1	66	4.08
D00072602		2.07	0.010	1.1	2.29	22	<10	330	<0.5	<2	5.42	1.8	24	4	76	5.26
D00072603		2.47	2.83	14.2	1.11	122	<10	20	<0.5	4	3.78	217	16	2	521	10.75
D00072604		2.58	8.85	19.4	1.23	76	<10	20	<0.5	13	1.47	579	12	2	1575	9.85
D00072605		2.41	2.17	4.1	1.73	48	<10	30	<0.5	4	0.99	255	18	2	318	7.88
D00072606		2.45	1.570	5.0	1.70	49	<10	20	<0.5	4	1.93	231	18	3	215	8.38
D00072607		2.40	2.32	14.2	2.21	59	<10	30	<0.5	7	1.14	180.5	20	4	265	8.52
D00072608		2.37	3.71	23.1	2.58	41	<10	30	<0.5	14	0.81	455	22	3	791	8.77
D00072609		2.42	0.340	7.7	2.32	26	<10	70	<0.5	<2	1.68	102.0	20	3	174	6.83
D00072610		1.30	0.015	0.3	0.03	<2	<10	20	<0.5	<2	>25.0	0.7	<1	<1	2	0.11
D00072611		2.32	0.412	6.9	2.92	50	<10	90	<0.5	2	1.41	150.0	20	4	232	8.37
D00072612		2.28	1.845	9.9	2.74	24	<10	30	<0.5	8	1.26	231	15	4	304	8.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00072601		10	1	0.40	<10	0.80	1935	1	0.02	2	1460	120	0.67	3	3	203
D00072602		10	1	0.39	10	1.00	2780	1	0.02	6	1540	101	0.49	4	4	234
D00072603		<10	3	0.29	<10	0.42	2510	1	0.01	3	930	7300	>10.0	11	2	186
D00072604		<10	8	0.32	<10	0.45	2180	2	0.01	3	810	774	>10.0	4	1	77
D00072605		<10	2	0.40	<10	0.58	2350	1	0.01	5	1280	80	6.59	2	2	49
D00072606		<10	2	0.34	<10	0.65	2940	<1	0.01	7	900	118	7.17	3	2	99
D00072607		<10	1	0.33	<10	0.94	2970	1	0.01	9	1240	480	5.51	4	3	55
D00072608		10	4	0.38	<10	1.10	3140	<1	0.01	9	1210	5920	6.26	11	3	45
D00072609		<10	1	0.36	<10	1.00	3510	1	0.01	8	1180	2930	2.67	5	3	86
D00072610		<10	<1	0.01	<10	0.73	136	<1	0.01	<1	70	16	0.01	<2	<1	85
D00072611		10	<1	0.35	<10	1.25	4140	<1	0.01	9	1250	2350	2.94	3	4	62
D00072612		10	<1	0.30	<10	1.19	3830	<1	0.01	7	900	3410	4.01	5	3	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072601		<20	0.01	<10	<10	25	<10	158			
D00072602		<20	0.01	<10	<10	40	<10	280			
D00072603		<20	0.01	<10	<10	21	<10	>10000			2.10
D00072604		<20	<0.01	<10	<10	21	<10	>10000			5.27
D00072605		<20	0.02	<10	<10	28	<10	>10000			2.28
D00072606		<20	0.01	<10	<10	26	<10	>10000			2.02
D00072607		<20	0.01	<10	<10	35	<10	>10000			1.655
D00072608		<20	0.01	<10	<10	42	<10	>10000			3.97
D00072609		<20	0.01	<10	<10	39	<10	9380			
D00072610		<20	<0.01	<10	<10	1	<10	61			
D00072611		<20	0.01	<10	<10	46	<10	>10000			1.375
D00072612		<20	0.01	<10	<10	42	<10	>10000			2.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20134501

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

CERTIFICATE TR20140108

Project: Premier Gold Project

This report is for 88 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00072613		2.00	1.035		18.9	2.77	20	<10	80	<0.5	16	1.46	181.0	16	4	575
D00072614		1.84	2.25		11.4	2.61	43	<10	40	<0.5	6	1.39	377	18	4	465
D00072615		1.82	>10.0	11.80	14.0	0.91	35	<10	50	<0.5	2	2.81	428	4	2	416
D00072616		1.55	0.552		9.5	1.38	34	<10	90	<0.5	3	2.68	136.0	7	2	179
D00072617		1.88	0.266		5.5	0.80	13	<10	260	<0.5	<2	2.28	71.5	4	1	68
D00072618		2.15	0.343		6.7	0.62	17	<10	150	<0.5	2	1.80	113.5	3	1	111
D00072619		2.41	0.458		3.0	0.70	22	<10	120	<0.5	2	1.70	111.0	3	2	79
D00072620		0.13	1.185		90.7	1.68	32	10	180	<0.5	2	3.30	8.7	17	18	971
D00072621		2.25	0.089		1.8	0.83	13	<10	230	<0.5	<2	2.01	52.2	4	1	26
D00072622		2.27	0.160		3.8	0.67	17	<10	150	<0.5	<2	2.47	44.3	4	2	46
D00072623		2.19	0.361		3.7	0.68	19	<10	130	<0.5	2	2.37	111.0	3	2	141
D00072624		2.16	0.570		4.4	0.69	10	<10	180	<0.5	<2	1.59	64.4	3	2	104
D00072625		2.20	0.367		7.4	0.71	8	<10	370	<0.5	<2	2.30	62.3	3	3	166
D00072626		2.11	0.021		2.1	0.88	7	<10	560	<0.5	2	2.28	20.9	3	2	39
D00072627		1.96	0.540		2.3	0.86	6	<10	330	<0.5	<2	1.91	44.3	3	2	61
D00072628		1.99	0.943		0.5	0.81	9	<10	360	<0.5	<2	1.54	6.6	3	3	5
D00072629		2.12	1.395		3.8	1.02	43	<10	40	<0.5	3	1.99	61.1	3	6	36
D00072630		1.09	<0.005		<0.2	0.05	3	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1
D00072631		2.16	>10.0	21.7	18.9	0.88	6	<10	200	<0.5	2	1.85	133.0	3	2	92
D00072632		2.18	0.202		9.2	0.69	5	<10	300	<0.5	<2	1.74	82.0	3	2	112
D00072633		2.68	0.373		5.7	0.64	10	<10	200	<0.5	<2	1.69	92.9	3	2	120
D00072634		2.28	0.302		6.1	0.74	10	<10	190	<0.5	2	2.03	122.5	4	2	194
D00072635		2.42	0.118		2.7	0.80	6	<10	240	<0.5	3	2.07	67.0	4	2	104
D00072636		2.55	0.242		2.8	0.76	3	<10	350	<0.5	<2	2.75	53.8	4	2	83
D00072637		2.52	0.947		13.7	0.72	12	<10	50	<0.5	4	3.59	439	2	2	1045
D00072638		2.74	7.10		7.8	0.88	203	<10	30	<0.5	4	3.07	27.5	4	2	88
D00072639		2.33	0.561		2.8	0.88	14	<10	70	<0.5	3	1.15	94.7	3	2	141
D00072640		0.14	7.73		>100	1.54	631	10	20	<0.5	4	3.76	130.0	18	45	2070
D00072641		2.28	2.07		1.9	1.41	49	<10	40	<0.5	3	0.99	13.3	4	2	12
D00072642		2.72	>10.0	29.2	16.1	1.65	299	<10	20	<0.5	9	3.16	2.3	5	2	20
D00072643		2.32	>10.0	9.20	7.0	1.10	94	<10	40	<0.5	3	1.30	46.6	7	3	49
D00072644		2.73	7.15		5.9	0.99	65	<10	50	<0.5	2	6.01	38.9	5	3	68
D00072645		1.84	1.270		14.3	0.73	19	<10	120	<0.5	2	6.62	96.9	3	3	760
D00072646		1.97	0.113		1.7	0.68	13	<10	240	<0.5	3	2.01	44.4	3	2	39
D00072647		2.63	0.489		2.5	1.10	38	<10	60	<0.5	<2	9.1	28.0	5	2	91
D00072648		1.86	1.120		4.2	0.61	57	<10	70	<0.5	<2	7.4	16.8	6	6	54
D00072649		2.36	0.021		0.8	0.52	17	<10	270	<0.5	<2	3.14	18.3	4	7	27
D00072650		1.23	<0.005		<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1
D00072651		2.27	0.031		2.9	0.52	34	<10	60	<0.5	<2	2.60	74.0	6	5	146
D00072652		2.64	0.024		3.2	0.65	30	<10	50	<0.5	<2	6.83	61.1	6	4	111

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072613		8.85	10	1	0.31	<10	1.27	4320	1	<0.01	7	980	1765	3.05	<2	5
D00072614		8.86	<10	2	0.28	<10	1.16	3460	1	<0.01	7	990	2190	4.63	<2	5
D00072615		3.36	<10	1	0.33	10	0.32	2470	3	<0.01	<1	540	2280	3.41	<2	1
D00072616		4.78	<10	1	0.33	10	0.52	2450	2	<0.01	2	670	3860	2.45	2	2
D00072617		1.80	<10	1	0.45	10	0.17	1665	3	<0.01	1	720	1405	1.00	<2	1
D00072618		1.75	<10	1	0.39	10	0.10	1285	2	<0.01	1	660	2890	1.55	3	1
D00072619		2.21	<10	1	0.36	10	0.13	1145	2	<0.01	<1	600	1200	1.67	2	1
D00072620		3.67	10	<1	0.15	10	1.46	908	13	0.10	11	1030	4640	1.07	63	6
D00072621		2.04	<10	<1	0.41	10	0.17	1115	1	<0.01	<1	680	719	0.96	<2	1
D00072622		2.11	<10	<1	0.36	10	0.15	1275	<1	<0.01	1	550	1285	1.34	2	1
D00072623		2.12	<10	1	0.34	10	0.13	1140	<1	<0.01	<1	530	2080	1.62	2	1
D00072624		1.86	<10	1	0.36	10	0.13	936	<1	0.01	1	590	2230	1.12	4	1
D00072625		1.73	<10	1	0.41	10	0.12	1270	<1	<0.01	<1	590	2970	0.89	2	1
D00072626		1.84	<10	<1	0.45	10	0.14	1335	<1	<0.01	<1	670	971	0.53	3	1
D00072627		1.88	<10	<1	0.42	10	0.15	1135	1	<0.01	1	610	839	0.75	3	1
D00072628		2.18	<10	<1	0.31	10	0.15	1005	5	<0.01	1	430	78	0.67	2	1
D00072629		5.00	<10	1	0.37	<10	0.18	1400	<1	<0.01	1	450	2140	3.56	<2	1
D00072630		0.14	<10	<1	0.01	<10	1.30	128	<1	0.01	4	80	9	0.02	2	<1
D00072631		2.03	<10	1	0.41	10	0.16	1180	1	<0.01	1	640	3980	1.25	6	1
D00072632		1.57	<10	1	0.39	10	0.12	1000	1	<0.01	<1	590	6070	1.08	3	1
D00072633		1.65	<10	1	0.38	10	0.10	1035	1	<0.01	1	580	4370	1.37	3	1
D00072634		2.01	<10	1	0.39	10	0.16	1280	1	<0.01	1	560	5420	1.48	5	1
D00072635		1.90	<10	<1	0.43	10	0.16	1320	<1	<0.01	1	680	1670	0.98	3	1
D00072636		1.58	<10	<1	0.43	10	0.14	1640	1	<0.01	1	630	1770	0.69	2	1
D00072637		2.51	<10	2	0.35	10	0.15	2480	1	<0.01	1	490	2900	3.20	3	1
D00072638		8.08	<10	<1	0.38	<10	0.18	2350	2	<0.01	<1	550	336	7.28	2	1
D00072639		2.96	<10	<1	0.35	10	0.15	1075	2	<0.01	1	530	94	1.79	3	1
D00072640		5.08	10	14	0.20	10	1.42	758	54	0.06	218	630	>10000	4.09	730	3
D00072641		6.33	<10	<1	0.34	10	0.29	1385	15	<0.01	1	520	95	3.48	<2	1
D00072642		20.4	<10	<1	0.25	<10	0.36	2530	5	<0.01	2	360	241	>10.0	<2	1
D00072643		6.28	<10	<1	0.35	10	0.23	1275	4	<0.01	1	550	232	4.70	<2	1
D00072644		5.20	<10	<1	0.30	<10	0.24	3090	2	<0.01	2	420	182	3.70	<2	1
D00072645		3.40	<10	<1	0.27	10	0.19	3580	1	<0.01	1	400	141	2.52	3	1
D00072646		2.10	<10	1	0.32	10	0.13	1150	2	<0.01	1	490	165	1.28	2	1
D00072647		4.46	<10	<1	0.24	10	0.30	4510	2	<0.01	2	530	139	2.24	<2	1
D00072648		3.61	<10	<1	0.17	<10	0.21	3980	1	0.01	2	380	238	2.36	<2	1
D00072649		1.86	<10	<1	0.17	<10	0.15	1850	1	<0.01	1	340	59	0.92	<2	1
D00072650		0.12	<10	<1	<0.01	<10	1.00	128	<1	0.01	2	70	<2	<0.01	<2	<1
D00072651		3.42	<10	<1	0.23	<10	0.14	1455	1	0.01	1	540	148	3.24	<2	1
D00072652		4.31	<10	<1	0.20	<10	0.33	4820	1	<0.01	1	460	393	3.70	<2	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072613		57	<20	0.01	<10	<10	45	<10	>10000			1.795
D00072614		78	<20	0.01	<10	<10	48	<10	>10000			3.46
D00072615		101	<20	<0.01	<10	<10	8	<10	>10000			3.92
D00072616		144	<20	0.01	<10	<10	16	<10	>10000			1.290
D00072617		104	<20	<0.01	<10	<10	6	<10	6390			
D00072618		85	<20	0.01	<10	<10	4	<10	>10000			1.010
D00072619		95	<20	0.01	<10	<10	5	<10	9790			
D00072620		161	<20	0.07	<10	<10	96	<10	1130			
D00072621		120	<20	<0.01	<10	<10	6	<10	4730			
D00072622		147	<20	<0.01	<10	<10	6	<10	4000			
D00072623		129	<20	0.01	<10	<10	6	<10	>10000			1.000
D00072624		88	<20	0.01	<10	<10	5	<10	5860			
D00072625		153	<20	0.01	<10	<10	5	<10	5620			
D00072626		122	<20	0.01	<10	<10	6	<10	2010			
D00072627		93	<20	0.01	<10	<10	6	<10	4310			
D00072628		92	<20	0.01	<10	<10	6	<10	661			
D00072629		106	<20	0.01	<10	<10	8	<10	5290			
D00072630		84	<20	<0.01	<10	<10	1	<10	14			
D00072631		96	<20	0.01	<10	<10	6	<10	>10000			1.050
D00072632		91	<20	0.01	<10	<10	5	<10	6650			
D00072633		87	<20	0.01	<10	<10	5	<10	7650			
D00072634		111	<20	0.01	<10	<10	5	<10	>10000			1.040
D00072635		115	<20	0.01	<10	<10	6	<10	5900			
D00072636		173	<20	0.01	<10	<10	6	<10	4760			
D00072637		207	<20	0.01	<10	<10	6	<10	>10000			3.92
D00072638		177	<20	0.01	<10	<10	5	<10	2590			
D00072639		67	<20	0.01	<10	<10	6	<10	8770			
D00072640		51	<20	0.05	10	<10	60	20	>10000	331	2.33	2.38
D00072641		53	<20	0.01	<10	<10	10	<10	1230			
D00072642		179	<20	0.01	<10	<10	12	<10	316			
D00072643		55	<20	0.01	<10	<10	7	<10	4020			
D00072644		208	<20	0.01	<10	<10	6	<10	3520			
D00072645		229	<20	0.01	<10	<10	6	<10	8280			
D00072646		108	<20	0.01	<10	<10	5	<10	4350			
D00072647		351	<20	<0.01	<10	<10	11	<10	2620			
D00072648		336	<20	<0.01	<10	<10	9	10	1615			
D00072649		160	<20	<0.01	<10	<10	7	<10	1655			
D00072650		82	<20	<0.01	<10	<10	<1	<10	6			
D00072651		88	<20	<0.01	<10	<10	7	<10	6790			
D00072652		242	<20	<0.01	<10	<10	8	<10	5880			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
D00072653		2.79	0.065		8.6	1.82	67	<10	30	<0.5	<2	2.06	96.5	14	2	266
D00072654		2.77	0.070		5.4	2.32	70	<10	50	<0.5	<2	2.47	27.9	13	1	227
D00072655		2.50	0.127		2.8	2.61	98	<10	30	<0.5	2	2.24	13.9	13	1	46
D00072656		4.78	<0.005		0.5	2.07	13	<10	370	<0.5	<2	5.58	0.5	14	1	38
D00072657		4.60	0.010		1.1	1.83	21	<10	150	<0.5	<2	4.70	3.3	14	1	130
D00072658		4.57	0.050		2.1	1.55	54	<10	90	<0.5	<2	4.47	21.0	16	1	69
D00072659		4.56	0.043		1.5	2.21	33	<10	160	<0.5	<2	4.22	13.4	15	1	62
D00072660		0.13	0.671		10.0	1.22	803	20	100	<0.5	19	3.19	6.1	44	24	6610
D00072661		4.18	0.009		0.7	1.87	21	<10	180	<0.5	<2	5.60	<0.5	18	1	55
D00072662		4.74	0.007		0.5	2.18	12	<10	210	<0.5	<2	6.08	1.0	17	1	52
D00072663		2.17	0.034		2.9	1.99	37	<10	260	<0.5	<2	0.49	<0.5	14	1	98
D00072664		3.75	0.065		3.7	1.19	56	<10	180	<0.5	<2	0.75	0.8	15	2	23
D00072665		2.42	<0.005		0.7	3.06	6	<10	100	<0.5	<2	4.00	<0.5	15	1	36
D00072666		4.32	0.006		0.7	2.69	19	<10	140	<0.5	<2	5.45	<0.5	18	2	57
D00072667		2.82	0.025		2.3	1.37	78	<10	100	<0.5	<2	5.07	<0.5	17	2	47
D00072668		3.19	0.015		2.0	1.51	26	<10	130	<0.5	<2	5.49	0.7	18	1	35
D00072669		3.74	0.075		13.0	1.33	136	<10	110	<0.5	<2	5.36	<0.5	19	2	55
D00072670		0.99	<0.005		<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	1
D00072671		4.23	0.008		1.0	1.92	24	<10	180	<0.5	<2	5.74	0.5	18	2	54
D00072672		4.49	0.006		1.4	2.20	24	<10	250	<0.5	<2	2.48	29.1	15	1	47
D00072673		4.67	0.013		1.9	1.87	19	<10	170	<0.5	<2	3.01	107.5	14	1	79
D00072674		5.02	0.005		0.5	1.83	12	<10	240	<0.5	<2	5.59	1.8	13	1	34
D00072675		4.86	0.005		0.5	2.11	19	<10	200	<0.5	<2	4.77	0.6	18	7	58
D00072676		4.45	<0.005		0.9	2.22	16	<10	180	<0.5	<2	4.41	<0.5	21	7	146
D00072677		4.46	<0.005		0.8	1.93	17	<10	230	<0.5	<2	4.41	1.5	20	2	47
D00072678		4.76	<0.005		0.6	2.63	14	<10	230	<0.5	<2	4.71	20.4	17	2	42
D00072679		5.13	0.049		1.7	1.15	51	<10	260	<0.5	<2	6.69	14.1	21	1	75
D00072680		0.12	0.666		10.2	1.20	800	20	100	<0.5	20	3.14	6.3	44	24	6610
D00072681		5.04	0.063		2.6	2.16	63	<10	200	<0.5	2	4.17	32.4	18	2	61
D00072682		4.43	0.007		0.9	2.29	16	<10	220	<0.5	<2	4.72	8.0	21	2	74
D00072683		4.30	<0.005		0.7	2.39	22	<10	220	<0.5	<2	5.04	0.7	21	2	131
D00072684		4.72	0.007		0.5	2.23	21	<10	200	<0.5	<2	6.08	2.2	20	2	24
D00072685		4.73	0.009		0.9	2.88	17	<10	180	<0.5	<2	4.63	11.0	20	3	47
D00072686		4.78	0.020		1.2	3.19	23	<10	200	<0.5	<2	3.61	17.9	21	3	27
D00072687		4.73	0.013		1.3	2.87	31	<10	220	<0.5	<2	3.87	29.9	19	3	54
D00072688		4.75	0.010		1.1	1.98	29	<10	210	<0.5	<2	3.57	36.7	14	2	49
D00072689		4.69	0.026		1.9	2.13	19	<10	260	<0.5	<2	3.09	53.7	15	2	139
D00072690		0.97	<0.005		<0.2	0.03	3	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1
D00072691		4.47	0.012		1.8	1.89	26	<10	210	<0.5	<2	3.61	14.2	16	2	72
D00072692		4.30	0.006		0.9	1.98	16	<10	210	<0.5	<2	4.83	2.5	18	3	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072653		8.22	<10	<1	0.24	<10	0.87	3300	<1	0.01	3	1030	2010	6.23	2	2
D00072654		8.91	10	<1	0.22	10	1.22	4160	<1	0.01	2	1130	1100	5.00	3	2
D00072655		12.35	10	<1	0.19	<10	1.37	4180	<1	<0.01	3	990	699	8.59	<2	2
D00072656		4.18	<10	<1	0.25	10	1.44	3800	<1	0.01	2	1260	29	0.40	<2	3
D00072657		4.84	<10	<1	0.26	10	1.22	3350	<1	0.01	3	1320	155	1.18	<2	3
D00072658		7.50	<10	<1	0.29	10	1.13	3270	<1	0.01	3	1350	569	4.47	2	2
D00072659		6.34	<10	<1	0.26	10	1.26	2900	1	0.01	3	1470	362	2.39	2	2
D00072660		3.61	<10	<1	0.15	10	0.44	625	289	0.12	23	670	72	1.22	17	2
D00072661		4.42	<10	<1	0.26	10	0.88	2720	1	0.01	3	1370	20	0.96	<2	2
D00072662		4.56	10	<1	0.26	10	1.24	2870	1	0.01	3	1280	28	0.65	<2	2
D00072663		5.26	<10	<1	0.19	20	0.82	1550	2	0.01	3	800	18	0.82	2	2
D00072664		4.42	<10	<1	0.18	10	0.49	1120	6	0.01	3	1000	40	1.41	4	1
D00072665		5.31	10	<1	0.16	10	1.97	2590	<1	0.01	3	1340	7	0.18	<2	3
D00072666		5.73	10	<1	0.19	10	1.58	2240	<1	0.01	4	1360	6	0.82	3	3
D00072667		4.80	<10	<1	0.21	10	0.74	1530	3	0.01	5	1190	16	2.74	5	2
D00072668		4.63	<10	<1	0.24	10	0.80	1960	2	0.01	4	1260	23	2.17	3	2
D00072669		5.07	<10	<1	0.26	10	0.68	1730	1	0.01	5	1280	27	3.50	4	2
D00072670		0.10	<10	<1	<0.01	<10	0.54	120	<1	0.01	2	80	<2	<0.01	3	<1
D00072671		4.39	<10	<1	0.25	10	0.96	1920	1	0.01	3	1390	7	0.96	<2	2
D00072672		5.03	10	<1	0.29	10	1.27	2820	1	0.02	1	1390	208	1.06	<2	2
D00072673		4.53	<10	2	0.31	10	1.01	2870	<1	0.01	1	1350	117	1.65	<2	2
D00072674		4.21	<10	<1	0.25	10	1.03	3750	1	0.02	1	1310	51	0.82	<2	2
D00072675		5.02	10	<1	0.24	10	1.38	3770	<1	0.02	11	1140	47	1.42	<2	5
D00072676		5.19	10	<1	0.22	10	1.71	4110	<1	0.02	13	1230	11	0.76	<2	5
D00072677		5.79	<10	<1	0.32	10	2.03	4630	<1	0.01	8	1260	52	0.54	2	6
D00072678		6.17	10	<1	0.31	10	1.76	5240	<1	<0.01	8	1180	70	0.50	<2	5
D00072679		3.87	<10	<1	0.36	10	0.43	3280	1	0.01	6	1240	463	2.01	2	4
D00072680		3.58	<10	<1	0.15	10	0.43	620	284	0.12	23	650	72	1.21	14	2
D00072681		6.04	<10	<1	0.31	10	1.17	3710	1	<0.01	6	1230	686	2.19	<2	4
D00072682		5.17	10	<1	0.28	10	1.45	3900	<1	0.01	7	1360	303	1.00	<2	4
D00072683		5.06	<10	<1	0.29	10	1.54	3740	1	0.01	9	1380	56	0.76	<2	4
D00072684		5.49	<10	<1	0.28	10	1.38	4810	1	0.01	8	1240	169	1.49	<2	4
D00072685		6.26	10	<1	0.25	10	1.97	5280	<1	0.01	8	1180	272	0.93	2	5
D00072686		7.00	10	<1	0.28	10	2.23	4960	<1	0.01	8	1220	346	1.31	<2	5
D00072687		6.64	10	<1	0.26	10	1.91	4830	<1	0.01	6	1220	291	1.42	<2	5
D00072688		5.77	<10	1	0.29	10	1.27	4480	<1	0.01	4	1340	28	1.68	<2	3
D00072689		5.95	10	<1	0.33	10	1.37	4400	<1	0.01	4	1490	37	1.26	<2	3
D00072690		0.13	<10	<1	<0.01	<10	1.38	140	<1	0.01	2	60	<2	<0.01	<2	<1
D00072691		4.94	<10	<1	0.30	10	1.14	4070	<1	0.01	3	1500	305	1.59	3	3
D00072692		4.88	<10	1	0.27	10	1.17	3790	<1	0.01	6	1220	100	1.17	2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072653		85	<20	<0.01	<10	<10	22	<10	8960			
D00072654		105	<20	<0.01	<10	<10	31	<10	2630			
D00072655		112	<20	0.01	<10	<10	34	<10	1370			
D00072656		231	<20	<0.01	<10	<10	27	<10	120			
D00072657		150	<20	<0.01	<10	<10	21	<10	361			
D00072658		181	<20	<0.01	<10	<10	23	<10	1775			
D00072659		146	<20	<0.01	<10	<10	30	<10	1210			
D00072660		135	<20	0.08	<10	<10	43	10	997			
D00072661		206	<20	0.01	<10	<10	24	<10	96			
D00072662		248	<20	0.01	<10	<10	32	<10	194			
D00072663		18	<20	<0.01	<10	<10	22	<10	143			
D00072664		25	<20	<0.01	<10	<10	13	<10	108			
D00072665		147	<20	0.02	<10	<10	46	<10	194			
D00072666		211	<20	0.01	<10	<10	38	<10	109			
D00072667		153	<20	0.01	<10	<10	18	<10	63			
D00072668		186	<20	0.01	<10	<10	21	<10	76			
D00072669		171	<20	0.03	<10	<10	20	<10	70			
D00072670		87	<20	<0.01	<10	<10	<1	<10	2			
D00072671		201	<20	0.02	<10	<10	25	<10	89			
D00072672		164	<20	0.01	<10	<10	33	<10	2850			
D00072673		179	<20	0.03	<10	<10	24	<10	9980			
D00072674		319	<20	0.06	<10	<10	29	<10	266			
D00072675		265	<20	0.02	<10	<10	62	<10	170			
D00072676		255	<20	0.01	<10	<10	58	<10	150			
D00072677		257	<20	<0.01	<10	<10	44	<10	250			
D00072678		227	<20	0.01	<10	<10	52	<10	2130			
D00072679		289	<20	0.02	<10	<10	25	<10	1385			
D00072680		135	<20	0.08	<10	<10	43	10	980			
D00072681		191	<20	0.03	<10	<10	42	<10	3210			
D00072682		235	<20	0.03	<10	<10	46	<10	879			
D00072683		233	<20	0.04	<10	<10	46	<10	213			
D00072684		305	<20	0.04	<10	<10	45	<10	346			
D00072685		257	<20	0.04	<10	<10	65	<10	1250			
D00072686		200	<20	0.03	<10	<10	71	<10	1890			
D00072687		223	<20	0.03	<10	<10	64	<10	3230			
D00072688		218	<20	0.01	<10	<10	35	<10	3560			
D00072689		168	<20	0.01	<10	<10	46	<10	5190			
D00072690		80	<20	<0.01	<10	<10	<1	<10	15			
D00072691		202	<20	0.01	<10	<10	37	<10	1500			
D00072692		252	<20	0.01	<10	<10	37	<10	325			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
D00072693		4.31	0.022		2.1	2.36	31	<10	190	<0.5	<2	2.96	66.8	21	5	80
D00072694		4.75	0.033		2.4	2.42	32	<10	210	<0.5	<2	4.41	6.8	21	1	37
D00072695		4.50	0.021		2.7	1.69	26	<10	130	<0.5	<2	0.58	0.5	11	1	111
D00072696		4.49	0.013		2.0	0.80	41	<10	90	<0.5	<2	3.49	<0.5	9	2	9
D00072697		3.70	0.011		2.1	0.70	22	<10	180	<0.5	<2	3.50	<0.5	7	2	9
D00072698		5.17	0.007		1.5	2.67	56	<10	130	<0.5	<2	4.59	0.5	16	1	35
D00072699		4.55	0.015		0.6	1.66	23	<10	160	<0.5	<2	4.75	<0.5	12	1	33
D00072700		0.14	7.86		>100	1.52	633	<10	20	<0.5	3	3.75	130.5	17	45	2080

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072693		5.82	<10	1	0.30	10	1.53	3190	<1	0.01	7	1360	230	1.91	<2	3
D00072694		6.07	10	<1	0.29	10	1.57	3280	<1	0.01	4	1540	287	1.93	3	4
D00072695		4.14	<10	<1	0.19	10	0.69	1425	1	0.01	3	860	33	1.00	<2	2
D00072696		2.93	<10	<1	0.19	10	0.32	1640	3	0.01	2	760	26	2.09	2	1
D00072697		2.20	<10	<1	0.18	10	0.28	1625	4	0.01	1	710	24	1.39	<2	1
D00072698		4.97	10	<1	0.18	10	1.59	2620	<1	0.01	2	1510	13	0.46	2	3
D00072699		3.91	<10	<1	0.28	10	0.81	1750	1	0.01	2	1320	10	0.94	<2	2
D00072700		5.08	10	14	0.20	10	1.44	758	54	0.07	218	640	>10000	4.17	751	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072693		196	<20	0.02	<10	<10	44	<10	6350			
D00072694		226	<20	0.06	<10	<10	50	<10	738			
D00072695		17	<20	<0.01	<10	<10	17	<10	196			
D00072696		83	<20	<0.01	<10	<10	7	<10	49			
D00072697		92	<20	<0.01	<10	<10	7	<10	29			
D00072698		140	<20	0.10	<10	<10	33	<10	97			
D00072699		171	<20	<0.01	<10	<10	15	<10	77			
D00072700		48	<20	0.05	10	<10	59	20	>10000	343	2.38	2.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS TR20140108

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

CERTIFICATE TR20140109

Project: Premier

This report is for 131 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00072701		3.22	0.017		1.0	1.22	14	<10	210	<0.5	<2	6.12	<0.5	10	2	35
D00072702		2.90	0.015		0.8	0.66	9	<10	220	<0.5	<2	3.80	0.5	5	1	12
D00072703		4.19	0.007		0.6	0.52	10	<10	170	<0.5	<2	4.52	1.9	4	1	4
D00072704		3.99	0.010		0.9	0.64	18	<10	230	<0.5	<2	3.96	1.9	4	1	8
D00072705		2.27	0.010		0.7	0.69	14	<10	220	<0.5	<2	3.57	0.5	4	1	9
D00072706		2.56	0.012		1.4	0.70	18	<10	200	<0.5	<2	3.78	5.7	4	2	16
D00072707		2.54	>10.0	9.38	30.7	1.04	95	<10	30	<0.5	8	6.96	31.1	13	2	90
D00072708		2.84	0.290		20.6	1.04	117	<10	20	<0.5	9	4.62	14.2	12	3	60
D00072709		3.17	>10.0	25.5	>100	0.28	158	<10	10	<0.5	30	6.55	55.7	8	2	178
D00072710		1.68	0.015		0.3	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	3
D00072711		3.02	0.090		6.4	1.32	17	<10	170	<0.5	<2	20.3	29.5	9	1	92
D00072712		4.66	0.012		1.5	2.15	18	<10	240	<0.5	<2	8.6	4.3	18	2	76
D00072713		5.16	0.008		4.1	2.44	15	<10	210	<0.5	<2	5.76	0.9	19	2	329
D00072714		4.17	0.007		1.6	2.57	20	<10	210	<0.5	<2	4.68	<0.5	21	2	113
D00072715		4.06	0.012		2.6	2.09	35	<10	190	<0.5	<2	5.24	5.0	21	2	174
D00072716		3.87	0.007		1.4	2.38	26	<10	140	<0.5	2	4.25	9.4	22	2	83
D00072717		2.13	0.012		0.8	2.68	28	<10	260	<0.5	<2	4.02	10.1	20	3	38
D00072718		4.32	0.005		0.8	4.19	14	<10	260	<0.5	<2	2.34	13.8	19	16	23
D00072719		4.51	0.068		4.0	3.72	31	<10	60	<0.5	4	1.77	108.5	27	5	106
D00072720		0.14	1.165		91.8	1.70	31	10	190	<0.5	<2	3.31	8.6	18	18	963
D00072721		4.35	0.023		2.2	3.81	16	<10	270	<0.5	<2	2.58	58.7	20	14	84
D00072722		4.93	0.018		3.8	3.98	14	<10	230	<0.5	<2	1.86	145.0	19	25	102
D00072723		4.70	0.020		3.6	3.20	22	<10	220	<0.5	<2	3.24	70.8	16	18	100
D00072724		5.07	0.027		2.8	2.20	22	<10	220	<0.5	<2	3.84	25.1	15	3	40
D00072725		4.71	0.039		3.2	2.99	22	<10	170	<0.5	<2	2.24	94.3	18	5	95
D00072726		5.12	0.169		3.8	2.72	36	<10	150	<0.5	2	3.24	93.0	22	6	131
D00072727		5.01	0.116		1.7	3.01	23	<10	210	<0.5	<2	2.94	28.3	19	2	51
D00072728		4.65	0.010		2.2	3.36	9	<10	250	<0.5	<2	1.62	49.7	17	2	125
D00072729		4.55	0.039		2.5	2.93	18	<10	220	<0.5	<2	2.44	68.2	18	1	117
D00072730		1.07	<0.005		<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1
D00072731		4.77	0.017		3.1	2.42	28	<10	210	<0.5	2	5.52	38.0	19	5	95
D00072732		5.05	0.026		3.8	2.67	48	<10	170	<0.5	<2	4.56	74.1	23	7	152
D00072733		4.98	0.074		5.1	2.23	53	<10	170	<0.5	4	4.46	52.5	20	6	80
D00072734		4.80	0.108		3.9	2.44	71	<10	70	<0.5	<2	3.14	51.3	22	3	63
D00072735		4.89	0.164		1.9	2.87	73	<10	90	<0.5	<2	1.96	6.8	20	2	46
D00072736		4.51	0.060		1.9	2.87	73	<10	170	<0.5	<2	1.80	43.8	18	1	48
D00072737		4.81	0.046		2.0	2.82	34	<10	240	<0.5	<2	2.41	44.2	20	2	99
D00072738		4.74	0.202		3.8	3.28	61	<10	70	<0.5	<2	1.78	63.5	23	2	165
D00072739		4.69	0.166		5.7	2.20	47	<10	80	<0.5	4	3.05	88.1	17	3	221
D00072740		0.13	0.698		9.7	1.30	810	20	110	<0.5	20	3.23	6.2	45	24	6660

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072701		2.90	<10	<1	0.30	10	0.56	2130	2	0.01	3	880	34	0.89	<2	2
D00072702		1.93	<10	<1	0.33	10	0.25	1320	1	0.01	1	710	51	1.22	2	1
D00072703		1.66	<10	<1	0.31	10	0.18	1650	2	<0.01	1	620	28	1.24	<2	1
D00072704		1.95	<10	<1	0.33	10	0.22	1395	5	0.01	1	680	72	1.37	2	1
D00072705		1.93	<10	<1	0.33	10	0.21	1285	4	0.01	<1	660	40	1.23	2	1
D00072706		1.95	<10	<1	0.32	10	0.21	1635	3	0.01	1	580	117	1.28	<2	1
D00072707		9.00	<10	<1	0.24	10	0.44	3820	2	0.01	5	710	620	8.91	2	2
D00072708		12.00	<10	<1	0.22	<10	0.44	2780	4	0.01	5	640	277	>10.0	2	2
D00072709		11.55	<10	<1	0.15	<10	0.10	3010	5	0.01	3	290	2070	>10.0	9	1
D00072710		0.14	<10	<1	<0.01	<10	0.96	138	<1	0.01	2	70	5	0.01	<2	<1
D00072711		3.58	<10	<1	0.16	10	0.76	9740	<1	0.01	4	610	50	1.14	<2	3
D00072712		5.08	10	<1	0.27	10	1.16	5420	1	0.01	6	1340	18	0.98	<2	4
D00072713		5.71	10	<1	0.24	10	1.54	4070	1	0.02	7	1450	15	1.26	<2	4
D00072714		5.59	10	<1	0.25	10	1.79	3640	1	0.02	7	1540	16	1.03	<2	4
D00072715		5.71	<10	<1	0.29	10	1.30	3710	1	0.01	7	1550	62	2.28	<2	3
D00072716		6.18	<10	<1	0.29	10	1.42	4000	1	0.01	7	1620	71	1.76	<2	4
D00072717		6.55	10	<1	0.30	10	1.52	4200	<1	0.01	7	1530	22	1.32	<2	4
D00072718		8.91	10	<1	0.24	10	2.61	3950	<1	<0.01	17	1280	19	0.73	<2	7
D00072719		9.64	10	1	0.27	10	2.16	4370	2	0.01	12	1410	85	2.96	<2	6
D00072720		3.64	<10	<1	0.15	10	1.45	915	13	0.11	12	1060	4660	1.08	64	6
D00072721		8.55	10	<1	0.27	10	2.31	4850	<1	0.01	15	1230	40	1.40	<2	7
D00072722		8.89	10	2	0.21	10	2.51	4720	<1	0.01	17	1030	38	1.65	<2	8
D00072723		7.82	10	1	0.27	10	1.79	5030	1	0.01	15	1140	31	1.77	2	6
D00072724		5.69	10	1	0.38	10	1.07	4050	<1	0.01	8	1290	224	1.96	<2	3
D00072725		8.00	10	2	0.32	10	1.39	3840	<1	0.01	11	1300	47	2.22	<2	4
D00072726		8.21	10	2	0.30	10	1.24	4100	<1	0.01	12	1080	54	3.03	<2	4
D00072727		7.84	10	1	0.27	10	1.60	4230	1	<0.01	5	1200	22	1.91	<2	5
D00072728		7.65	10	1	0.28	10	1.86	3620	2	0.01	5	1460	17	0.94	<2	5
D00072729		7.35	10	<1	0.27	10	1.52	3720	1	0.01	5	1430	24	1.61	<2	5
D00072730		0.15	<10	1	0.01	<10	0.86	134	<1	0.01	1	60	<2	<0.01	<2	<1
D00072731		7.14	10	1	0.32	10	1.18	4940	1	0.01	8	1010	186	2.69	<2	4
D00072732		7.53	10	1	0.31	10	1.53	4310	1	0.01	14	1260	147	3.12	<2	5
D00072733		6.61	10	1	0.34	10	1.18	4320	1	0.01	12	1150	1085	3.09	3	4
D00072734		7.87	10	1	0.31	10	1.25	4050	1	0.01	8	1280	652	3.67	<2	4
D00072735		8.52	10	<1	0.25	10	1.58	3820	1	0.01	4	1320	49	2.94	<2	5
D00072736		7.62	10	<1	0.25	10	1.70	3460	1	0.01	5	1360	42	2.36	<2	5
D00072737		6.60	10	1	0.29	10	1.73	3400	1	0.01	4	1450	46	1.52	<2	5
D00072738		9.49	10	1	0.25	10	1.99	3670	1	0.01	4	1320	86	3.52	<2	5
D00072739		6.51	10	2	0.36	10	1.01	3120	<1	0.01	3	1470	289	2.74	<2	4
D00072740		3.69	<10	1	0.16	10	0.43	628	289	0.13	23	680	71	1.25	14	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00072701		225	<20	<0.01	<10	<10	12	<10	72				
D00072702		155	<20	<0.01	<10	<10	5	<10	67				
D00072703		177	<20	<0.01	<10	<10	4	<10	114				
D00072704		160	<20	<0.01	<10	<10	4	<10	158				
D00072705		141	<20	<0.01	<10	<10	5	<10	57				
D00072706		148	<20	<0.01	<10	<10	5	<10	535				
D00072707		295	<20	<0.01	<10	<10	18	<10	2840				
D00072708		211	<20	0.01	<10	<10	19	<10	1290				
D00072709		345	<20	<0.01	<10	<10	4	<10	4820	172			
D00072710		81	<20	<0.01	<10	<10	<1	<10	11				
D00072711		664	<20	<0.01	<10	<10	23	<10	2800				
D00072712		424	<20	<0.01	<10	<10	43	<10	513				
D00072713		335	<20	0.01	<10	<10	57	<10	162				
D00072714		285	<20	<0.01	<10	<10	57	<10	150				
D00072715		333	<20	<0.01	<10	<10	39	<10	565				
D00072716		306	<20	<0.01	<10	<10	47	<10	1020				
D00072717		213	<20	<0.01	<10	<10	46	<10	902				
D00072718		118	<20	0.01	<10	<10	87	<10	1445				
D00072719		107	<20	0.01	<10	<10	72	<10	>10000				1.040
D00072720		165	<20	0.07	<10	<10	97	<10	1120				
D00072721		148	<20	0.06	<10	<10	80	<10	5570				
D00072722		124	<20	0.06	<10	<10	106	<10	>10000				1.420
D00072723		183	<20	0.06	<10	<10	67	<10	6660				
D00072724		187	<20	0.05	<10	<10	38	<10	2440				
D00072725		112	<20	0.07	<10	<10	52	<10	8790				
D00072726		176	<20	0.05	<10	<10	49	<10	8630				
D00072727		176	<20	0.05	<10	<10	65	<10	2750				
D00072728		87	<20	0.08	<10	<10	75	<10	4700				
D00072729		120	<20	0.06	<10	<10	65	<10	6230				
D00072730		87	<20	<0.01	<10	<10	<1	<10	19				
D00072731		267	<20	0.05	<10	<10	50	<10	3690				
D00072732		222	<20	0.05	<10	<10	53	<10	7020				
D00072733		227	<20	0.05	<10	<10	40	<10	5130				
D00072734		145	<20	0.06	<10	<10	53	<10	4940				
D00072735		111	<20	0.05	<10	<10	69	<10	802				
D00072736		102	<20	0.08	<10	<10	71	<10	4060				
D00072737		133	<20	0.09	<10	<10	68	<10	4150				
D00072738		103	<20	0.07	<10	<10	82	<10	5960				
D00072739		143	<20	0.04	<10	<10	53	<10	8210				
D00072740		142	<20	0.08	<10	<10	45	10	983				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
D00072741		4.82	0.114		1.3	2.01	53	<10	250	<0.5	<2	4.17	16.6	17	2	62
D00072742		4.69	0.402		2.4	2.61	28	<10	270	<0.5	<2	2.83	70.4	17	3	112
D00072743		4.90	0.070		3.0	2.77	20	<10	130	<0.5	<2	2.11	212	17	2	140
D00072744		4.70	0.074		3.3	2.36	17	<10	270	<0.5	<2	4.31	117.0	13	2	198
D00072745		4.70	0.142		2.9	2.14	30	<10	260	<0.5	2	3.47	48.1	15	2	118
D00072746		4.70	0.144		2.4	2.67	33	<10	240	<0.5	<2	3.99	33.1	14	2	79
D00072747		5.07	<0.005		1.2	2.95	28	<10	200	<0.5	<2	4.98	<0.5	23	1	70
D00072748		4.65	0.007		0.9	2.10	18	<10	230	<0.5	<2	4.11	1.1	13	2	39
D00072749		4.76	<0.005		1.3	2.72	26	<10	210	<0.5	<2	4.66	<0.5	22	1	67
D00072750		0.99	<0.005		<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	1
D00072751		4.46	0.006		1.1	2.84	30	<10	460	<0.5	<2	4.56	2.0	22	1	64
D00072752		4.87	0.023		1.9	1.62	27	<10	290	<0.5	<2	5.11	19.6	13	1	93
D00072753		4.55	0.111		4.4	1.22	86	<10	210	<0.5	<2	11.2	90.4	10	1	116
D00072754		4.65	0.014		1.9	1.61	23	<10	220	<0.5	2	3.52	11.7	12	1	63
D00072755		3.15	0.049		0.5	0.64	35	<10	240	<0.5	<2	6.50	<0.5	4	1	9
D00072756		2.90	0.088		5.4	0.67	48	<10	70	<0.5	<2	4.80	46.7	5	1	108
D00072757		3.84	0.078		3.4	1.63	29	<10	70	<0.5	2	3.13	70.6	12	3	118
D00072758		4.13	0.027		4.2	2.29	22	<10	160	<0.5	2	2.80	68.3	16	3	179
D00072759		3.82	0.259		4.8	1.82	59	<10	30	<0.5	6	2.13	57.3	18	4	95
D00072760		0.14	8.01		>100	1.50	625	<10	20	<0.5	3	3.62	128.0	17	43	2070
D00072761		4.48	0.543		5.8	2.26	52	<10	40	<0.5	8	1.22	21.4	20	5	61
D00072762		4.20	0.782		5.0	2.37	40	<10	40	<0.5	4	1.00	50.5	11	12	117
D00072763		4.13	0.691		4.4	2.85	33	<10	40	<0.5	5	0.72	49.5	13	5	60
D00072764		4.28	0.578		3.4	3.18	65	<10	30	<0.5	5	0.58	2.6	16	5	20
D00072765		4.79	0.687		5.7	2.58	64	<10	50	<0.5	7	1.05	24.7	17	5	149
D00072766		4.84	1.065		3.6	2.79	37	<10	60	<0.5	3	1.46	24.7	17	6	32
D00072767		2.49	5.85		3.6	3.43	35	<10	60	<0.5	2	1.59	40.7	16	6	16
D00072768		2.66	5.51		23.8	2.97	110	<10	30	<0.5	6	1.47	23.2	17	6	300
D00072769		2.93	4.40		>100	1.54	248	<10	10	<0.5	12	0.69	24.9	21	4	>10000
D00072770		0.91	0.014		0.4	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	45
D00072771		3.60	5.23		>100	0.70	306	<10	10	<0.5	23	1.08	16.9	4	2	>10000
D00072772		2.68	1.500		89.1	0.59	182	<10	20	<0.5	12	6.7	6.5	20	2	7540
D00072773		2.90	9.23		>100	0.49	215	<10	10	<0.5	17	0.94	11.1	63	3	4530
D00072774		2.84	1.940		14.6	0.63	173	<10	20	<0.5	9	1.74	9.5	37	4	212
D00072775		2.19	3.71		35.3	1.33	246	<10	10	<0.5	11	0.67	170.0	46	5	2560
D00072776		3.29	0.848		7.2	2.49	205	<10	10	<0.5	6	0.42	5.9	51	12	55
D00072777		2.92	0.327		7.2	1.89	181	<10	20	<0.5	6	1.33	5.8	35	7	61
D00072778		3.09	0.589		9.5	2.54	188	<10	20	<0.5	3	2.23	2.0	52	5	72
D00072779		2.49	0.113		3.1	3.15	59	<10	80	<0.5	<2	1.76	3.9	24	3	37
D00072780		0.13	1.245		89.6	1.60	33	10	170	<0.5	<2	3.19	8.6	17	18	953

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072741		5.38	10	<1	0.36	10	0.91	3270	1	0.01	3	1510	58	1.82	2	4
D00072742		6.29	10	1	0.30	10	1.39	3540	<1	0.01	3	1460	110	1.51	<2	4
D00072743		7.06	10	3	0.30	10	1.49	3260	<1	0.01	4	1460	51	2.58	2	4
D00072744		5.05	10	1	0.34	10	1.17	3820	<1	0.01	3	1300	61	1.02	2	3
D00072745		5.42	10	1	0.34	10	0.98	3330	<1	0.01	4	1310	109	1.57	<2	3
D00072746		5.98	10	1	0.31	10	1.54	3410	<1	0.01	3	1270	45	1.20	<2	3
D00072747		5.90	10	<1	0.31	10	1.72	2730	2	0.02	5	1540	5	0.23	<2	5
D00072748		3.94	10	<1	0.31	10	1.14	2640	<1	0.02	3	1270	13	0.22	<2	2
D00072749		5.63	10	<1	0.31	10	1.63	2660	1	0.02	5	1490	119	0.13	2	5
D00072750		0.13	<10	1	0.01	<10	1.17	135	<1	0.01	2	80	2	<0.01	2	<1
D00072751		6.29	10	<1	0.32	10	1.60	3510	2	0.01	5	1540	37	0.68	<2	4
D00072752		4.19	<10	1	0.32	10	0.68	3310	1	0.02	2	1360	54	1.24	<2	3
D00072753		4.26	<10	1	0.26	10	0.60	5630	1	0.02	2	910	143	2.57	<2	2
D00072754		4.34	<10	<1	0.26	10	0.71	2470	1	0.02	4	1280	89	1.32	2	2
D00072755		1.75	<10	<1	0.31	10	0.19	2410	3	0.01	1	640	17	1.02	<2	1
D00072756		3.33	<10	<1	0.28	10	0.23	2720	2	0.01	2	650	1675	2.92	<2	1
D00072757		5.46	<10	<1	0.27	<10	0.77	3680	1	0.01	3	970	196	2.84	<2	2
D00072758		6.27	<10	<1	0.26	10	1.21	4560	1	0.01	4	1270	145	2.11	2	3
D00072759		8.01	<10	1	0.26	<10	0.85	3180	1	0.01	7	940	118	5.06	<2	2
D00072760		5.03	10	14	0.19	10	1.40	737	53	0.07	219	620	>10000	4.12	740	3
D00072761		8.19	<10	<1	0.21	<10	1.07	3250	2	0.01	8	870	135	3.68	<2	3
D00072762		8.00	10	<1	0.13	<10	1.26	3400	1	<0.01	5	600	170	3.10	<2	3
D00072763		9.76	10	<1	0.14	<10	1.35	3840	1	0.01	6	740	64	3.37	<2	4
D00072764		11.15	10	<1	0.17	<10	1.52	3690	<1	0.01	8	840	102	4.00	<2	4
D00072765		10.15	10	<1	0.21	<10	1.21	3780	<1	0.01	8	920	254	4.69	<2	4
D00072766		9.00	10	<1	0.20	<10	1.40	4420	<1	0.01	8	1030	48	2.89	<2	5
D00072767		11.55	10	1	0.14	<10	1.62	4920	<1	0.01	8	820	39	3.66	<2	4
D00072768		14.95	10	<1	0.16	<10	1.35	4600	<1	0.01	7	820	33	9.29	2	4
D00072769		27.7	<10	<1	0.08	<10	0.63	2100	<1	0.01	4	360	140	>10.0	3	3
D00072770		0.21	<10	<1	<0.01	<10	1.12	127	<1	0.01	2	60	<2	0.07	2	<1
D00072771		27.1	<10	<1	0.07	<10	0.28	1500	1	0.01	2	160	116	>10.0	<2	1
D00072772		17.40	<10	<1	0.13	<10	0.25	4170	2	0.01	2	250	368	>10.0	6	1
D00072773		24.4	<10	<1	0.13	<10	0.17	966	1	0.01	2	190	532	>10.0	9	1
D00072774		19.05	<10	<1	0.12	<10	0.27	1770	<1	0.01	2	200	203	>10.0	<2	1
D00072775		23.4	<10	<1	0.10	<10	0.57	1735	1	0.01	3	310	190	>10.0	2	2
D00072776		21.3	<10	<1	0.13	<10	1.17	2210	<1	0.01	9	570	116	>10.0	<2	4
D00072777		16.75	<10	<1	0.15	<10	0.86	2640	<1	0.01	8	610	69	>10.0	2	3
D00072778		20.7	<10	<1	0.13	<10	1.23	3580	1	0.01	7	610	106	>10.0	<2	3
D00072779		10.10	10	<1	0.27	<10	1.99	3620	<1	0.01	4	1350	48	3.71	<2	3
D00072780		3.60	<10	<1	0.14	10	1.44	901	13	0.10	11	1020	4640	1.06	63	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00072741		223	<20	0.04	<10	<10	44	<10	1625				
D00072742		155	<20	0.05	<10	<10	64	<10	6570				
D00072743		129	<20	0.04	<10	<10	64	<10	>10000				1.920
D00072744		210	<20	0.04	<10	<10	42	<10	>10000				1.175
D00072745		165	<20	0.04	<10	<10	40	<10	4750				
D00072746		173	<20	0.03	<10	<10	48	<10	3170				
D00072747		269	<20	0.03	<10	<10	71	<10	123				
D00072748		198	<20	0.02	<10	<10	32	<10	173				
D00072749		258	<20	0.01	<10	<10	67	<10	110				
D00072750		92	<20	<0.01	<10	<10	<1	<10	4				
D00072751		229	<20	0.02	<10	<10	58	<10	338				
D00072752		346	<20	0.03	<10	<10	28	<10	1900				
D00072753		584	<20	0.01	<10	<10	18	<10	8600				
D00072754		181	<20	0.02	<10	<10	26	<10	1165				
D00072755		260	<20	<0.01	<10	<10	4	<10	39				
D00072756		243	<20	<0.01	<10	<10	5	<10	4600				
D00072757		175	<20	<0.01	<10	<10	25	<10	6830				
D00072758		145	<20	0.03	<10	<10	54	<10	6620				
D00072759		113	<20	0.02	<10	<10	33	<10	5190				
D00072760		48	<20	0.05	10	<10	58	20	>10000	324		2.33	2.38
D00072761		69	<20	0.03	<10	<10	38	<10	2000				
D00072762		52	<20	0.02	<10	<10	61	<10	4750				
D00072763		53	<20	0.01	<10	<10	52	<10	4670				
D00072764		36	<20	0.02	<10	<10	45	<10	408				
D00072765		71	<20	0.04	<10	<10	42	<10	2420				
D00072766		104	<20	0.04	<10	<10	72	<10	2420				
D00072767		112	<20	0.05	<10	<10	62	<10	4010				
D00072768		88	<20	0.04	<10	<10	63	<10	2230				
D00072769		58	<20	0.02	<10	<10	33	<10	2100	161	1.955		
D00072770		82	<20	<0.01	<10	<10	<1	<10	9				
D00072771		84	<20	0.01	<10	<10	15	<10	1345	259	2.05		
D00072772		289	<20	<0.01	<10	<10	7	<10	477				
D00072773		71	<20	<0.01	<10	<10	6	<10	941	114			
D00072774		133	<20	0.01	<10	<10	8	<10	803				
D00072775		53	<20	0.01	<10	<10	24	<10	>10000				1.470
D00072776		28	<20	0.03	<10	<10	46	<10	580				
D00072777		95	<20	0.01	<10	<10	30	<10	509				
D00072778		157	<20	0.02	<10	<10	39	<10	313				
D00072779		98	<20	0.01	<10	<10	45	<10	575				
D00072780		156	<20	0.06	<10	<10	92	<10	1100				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
D00072781		5.00	0.130		2.6	2.04	30	<10	70	<0.5	<2	3.29	13.5	14	2	78
D00072782		4.74	0.101		1.8	2.37	23	<10	110	<0.5	<2	2.48	20.3	18	4	55
D00072783		4.83	0.138		5.1	2.34	34	<10	90	<0.5	2	2.48	11.0	18	3	114
D00072784		4.60	0.017		1.6	2.63	10	<10	310	<0.5	2	2.63	19.3	15	2	35
D00072785		4.47	0.122		2.5	3.21	35	<10	100	<0.5	<2	2.19	7.9	17	3	21
D00072786		4.68	0.042		1.2	3.73	8	<10	270	<0.5	<2	1.65	10.2	13	2	28
D00072787		4.80	0.188		2.8	3.11	43	<10	120	<0.5	<2	1.56	14.6	18	2	35
D00072788		5.40	0.083		2.0	2.73	30	<10	100	<0.5	<2	2.51	27.6	17	3	85
D00072789		4.70	0.011		0.7	1.99	11	<10	320	<0.5	<2	5.71	10.4	18	2	60
D00072790		1.17	<0.005		<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	3
D00072791		4.42	0.016		0.5	2.12	6	<10	240	<0.5	<2	5.52	9.0	17	2	43
D00072792		4.19	0.365		1.8	1.24	32	<10	90	<0.5	<2	5.91	27.6	16	2	102
D00072793		4.79	0.252		3.3	1.47	38	<10	110	<0.5	<2	5.52	36.3	16	2	92
D00072794		4.29	2.99		11.9	1.98	32	<10	40	<0.5	8	1.57	334	19	4	717
D00072795		4.79	2.25		7.5	2.86	28	<10	40	<0.5	2	1.79	295	18	5	407
D00072796		4.70	2.32		8.0	2.61	25	<10	60	<0.5	5	1.11	201	16	4	200
D00072797		4.91	0.956		12.8	2.80	38	<10	50	<0.5	8	0.98	212	18	4	388
D00072798		5.02	0.476		7.9	1.79	39	<10	60	<0.5	3	1.81	79.9	22	4	161
D00072799		4.54	1.310		23.1	2.01	38	<10	40	<0.5	8	1.15	343	19	3	554
D00072800		0.13	0.715		9.9	1.25	813	20	100	<0.5	20	3.20	6.7	45	24	6840
D00072801		4.66	2.34		25.3	2.00	42	<10	50	<0.5	4	2.44	314	16	4	1100
D00072802		4.45	9.66		12.2	0.85	19	<10	90	<0.5	2	1.24	67.2	4	4	197
D00072803		5.15	0.326		7.7	0.70	20	<10	150	<0.5	<2	1.10	81.2	4	3	98
D00072804		4.68	0.173		3.5	0.55	35	<10	130	<0.5	<2	3.74	61.2	4	3	34
D00072805		4.31	0.517		3.6	0.59	19	<10	110	<0.5	<2	1.83	97.1	4	3	40
D00072806		3.95	0.392		4.5	0.69	25	<10	60	<0.5	<2	1.93	127.5	5	3	126
D00072807		4.12	0.100		5.4	0.61	15	<10	160	<0.5	<2	2.83	62.9	4	2	118
D00072808		2.78	0.837		10.7	0.71	19	<10	150	<0.5	4	2.62	64.2	4	2	222
D00072809		2.42	0.032		2.8	0.67	18	<10	200	<0.5	<2	4.32	23.9	3	2	51
D00072810		0.93	<0.005		<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	1
D00072811		2.05	0.251		1.3	0.70	19	<10	170	<0.5	2	4.45	16.3	3	2	20
D00072812		2.80	>10.0	32.3	63.5	0.75	249	<10	20	<0.5	51	5.40	168.5	6	3	2510
D00072813		2.81	>10.0	11.55	31.1	0.74	278	<10	10	<0.5	15	4.23	32.7	6	4	741
D00072814		3.33	>10.0	16.60	25.7	0.80	235	<10	10	<0.5	11	3.87	96.0	6	4	148
D00072815		2.69	0.707		8.6	1.73	34	<10	110	<0.5	2	2.22	51.0	13	4	157
D00072816		2.50	1.055		13.7	1.86	87	<10	30	<0.5	6	1.87	54.9	19	3	242
D00072817		2.58	0.702		10.0	2.20	58	<10	40	<0.5	7	1.78	65.6	23	3	220
D00072818		2.67	0.625		6.7	3.16	62	<10	40	<0.5	7	1.00	71.6	22	3	146
D00072819		2.40	1.710		6.4	2.31	74	<10	30	<0.5	5	1.45	53.2	17	4	90
D00072820		0.14	7.49		>100	1.49	612	10	20	<0.5	5	3.59	125.5	17	43	2020

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072781		6.36	<10	<1	0.40	10	1.19	4120	<1	0.01	2	1300	55	1.88	3	3
D00072782		6.88	10	<1	0.27	10	1.46	3360	<1	0.01	5	1410	37	2.17	<2	3
D00072783		6.34	<10	<1	0.28	10	1.46	3090	<1	0.02	5	1530	34	2.13	<2	4
D00072784		6.31	10	<1	0.33	10	1.82	4000	<1	0.01	3	1370	34	1.27	<2	3
D00072785		8.82	10	<1	0.26	10	1.98	4080	<1	0.01	4	1220	60	2.59	<2	3
D00072786		8.18	10	<1	0.24	10	2.44	4410	<1	0.01	4	1320	26	0.92	<2	4
D00072787		7.64	10	<1	0.31	10	1.92	3740	<1	0.01	4	1380	81	1.89	<2	3
D00072788		8.05	10	<1	0.28	10	1.52	4100	1	0.01	3	1360	68	2.69	<2	3
D00072789		4.62	<10	<1	0.35	10	0.99	2370	<1	0.01	4	1340	113	0.90	<2	3
D00072790		0.13	<10	1	0.01	<10	0.94	126	<1	<0.01	4	70	2	0.02	3	<1
D00072791		5.03	<10	1	0.33	10	1.02	2870	<1	0.02	3	1350	66	0.69	<2	3
D00072792		4.84	<10	1	0.40	10	0.53	3350	1	<0.01	4	1320	231	2.94	<2	2
D00072793		5.16	<10	1	0.43	10	0.63	3730	1	<0.01	5	1250	1275	2.65	<2	3
D00072794		7.87	<10	2	0.35	<10	0.98	3070	<1	<0.01	8	1090	1685	4.70	<2	3
D00072795		9.96	10	2	0.30	<10	1.36	4920	<1	<0.01	7	900	1940	4.57	<2	4
D00072796		8.75	10	2	0.30	<10	1.34	4040	1	<0.01	7	950	1585	3.17	<2	4
D00072797		8.22	<10	1	0.33	<10	1.23	3260	1	<0.01	6	1090	4690	3.22	2	3
D00072798		6.34	<10	1	0.39	<10	0.74	3050	<1	<0.01	8	1270	3190	2.87	2	3
D00072799		6.34	<10	2	0.38	<10	0.75	2520	1	<0.01	8	1160	>10000	3.77	6	3
D00072800		3.72	<10	<1	0.16	10	0.44	625	288	0.12	23	660	78	1.25	14	2
D00072801		6.86	<10	3	0.34	<10	0.77	3100	1	<0.01	7	920	9570	4.08	13	2
D00072802		3.16	<10	<1	0.36	10	0.17	836	1	0.01	1	520	2470	1.91	4	1
D00072803		2.06	<10	<1	0.37	10	0.12	637	1	<0.01	1	500	3800	1.45	<2	1
D00072804		1.96	<10	<1	0.42	10	0.06	1545	<1	0.01	2	500	3730	1.83	4	1
D00072805		1.79	<10	1	0.39	10	0.08	902	<1	<0.01	1	520	2920	1.56	3	1
D00072806		2.73	<10	1	0.45	10	0.09	1065	1	0.01	1	570	2110	2.54	2	1
D00072807		1.66	<10	<1	0.44	10	0.07	1215	2	<0.01	1	610	2140	1.44	4	1
D00072808		1.91	<10	<1	0.45	10	0.09	1150	3	<0.01	1	570	2770	1.47	5	1
D00072809		1.94	<10	<1	0.38	10	0.11	2170	1	<0.01	<1	540	1180	1.09	3	1
D00072810		0.09	<10	<1	0.01	<10	0.54	115	<1	<0.01	4	60	7	0.02	2	<1
D00072811		2.65	<10	<1	0.34	10	0.11	2020	2	<0.01	<1	500	70	1.62	<2	1
D00072812		19.60	<10	1	0.10	<10	0.18	2370	1	<0.01	1	100	1530	>10.0	<2	1
D00072813		19.50	<10	<1	0.09	<10	0.18	1875	2	<0.01	2	120	2090	>10.0	3	1
D00072814		19.75	<10	<1	0.11	<10	0.18	1840	1	<0.01	2	110	4260	>10.0	<2	1
D00072815		5.92	<10	1	0.32	<10	0.54	2370	1	<0.01	4	1040	1510	2.60	3	2
D00072816		10.75	<10	<1	0.30	<10	0.65	2590	2	<0.01	6	930	1620	8.17	2	3
D00072817		11.15	<10	1	0.30	<10	0.86	3060	1	<0.01	7	1200	1025	7.62	2	4
D00072818		12.30	10	1	0.24	<10	1.26	3190	1	<0.01	7	1140	422	6.26	<2	5
D00072819		11.00	<10	1	0.20	<10	0.90	2700	1	<0.01	5	870	490	7.02	<2	4
D00072820		4.95	10	14	0.19	10	1.39	728	52	0.06	214	620	>10000	3.99	697	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00072781		196	<20	0.02	<10	<10	30	<10	1400				
D00072782		171	<20	0.01	<10	<10	40	<10	2170				
D00072783		163	<20	0.01	<10	<10	45	<10	1235				
D00072784		161	<20	0.01	<10	<10	43	<10	1930				
D00072785		119	<20	0.01	<10	<10	48	<10	867				
D00072786		97	<20	0.01	<10	<10	59	<10	1150				
D00072787		98	<20	0.01	<10	<10	44	<10	1515				
D00072788		190	<20	0.01	<10	<10	43	<10	2700				
D00072789		296	<20	0.01	<10	<10	31	<10	1075				
D00072790		90	<20	<0.01	<10	<10	<1	<10	9				
D00072791		295	<20	0.02	<10	<10	36	<10	978				
D00072792		269	<20	0.01	<10	<10	23	<10	2760				
D00072793		227	<20	0.01	<10	<10	28	<10	3400				
D00072794		76	<20	<0.01	<10	<10	39	<10	>10000				3.05
D00072795		91	<20	0.01	<10	<10	39	10	>10000				2.73
D00072796		51	<20	0.01	<10	<10	41	<10	>10000				1.925
D00072797		48	<20	0.01	<10	<10	43	<10	>10000				1.970
D00072798		95	<20	0.01	<10	<10	28	<10	7250				
D00072799		61	<20	0.01	<10	<10	31	<10	>10000			1.165	3.05
D00072800		138	<20	0.08	<10	<10	44	10	1050				
D00072801		137	<20	0.02	<10	<10	26	<10	>10000				2.90
D00072802		85	<20	0.01	<10	<10	7	<10	5660				
D00072803		74	<20	0.01	<10	<10	5	<10	7330				
D00072804		191	<20	0.01	<10	<10	5	<10	5300				
D00072805		90	<20	0.01	<10	<10	5	<10	8210				
D00072806		97	<20	0.01	<10	<10	6	<10	>10000				1.100
D00072807		137	<20	0.01	<10	<10	5	<10	5730				
D00072808		133	<20	0.01	<10	<10	5	<10	5950				
D00072809		196	<20	0.01	<10	<10	5	<10	2250				
D00072810		92	<20	<0.01	<10	<10	<1	<10	14				
D00072811		162	<20	0.01	<10	<10	5	<10	1540				
D00072812		205	<20	<0.01	<10	<10	9	<10	>10000				1.665
D00072813		130	<20	<0.01	<10	<10	8	<10	3280				
D00072814		133	<20	<0.01	<10	<10	10	<10	8990				
D00072815		83	<20	0.01	<10	<10	24	<10	4950				
D00072816		68	<20	0.01	<10	<10	33	<10	5380				
D00072817		69	<20	0.01	<10	<10	45	<10	6480				
D00072818		41	<20	0.01	<10	<10	63	<10	7070				
D00072819		54	<20	0.01	<10	<10	48	<10	5200				
D00072820		47	<20	0.05	10	<10	57	20	>10000	335		2.36	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
D00072821		2.83	0.213		6.3	1.07	54	<10	50	<0.5	3	1.87	45.5	9	5	73
D00072822		2.97	0.229		5.0	0.73	50	<10	80	<0.5	2	3.85	21.3	6	6	64
D00072823		1.68	0.121		3.8	0.93	32	<10	50	<0.5	2	7.1	35.4	4	8	101
D00072824		2.56	1.900		8.8	1.10	91	<10	30	<0.5	3	4.77	153.5	13	6	256
D00072825		2.45	0.079		9.4	1.21	67	<10	20	<0.5	5	1.87	5.1	9	10	574
D00072826		2.38	0.063		1.6	0.93	63	<10	40	<0.5	2	1.55	2.8	7	10	24
D00072827		2.10	0.028		2.1	1.32	33	<10	110	<0.5	<2	1.83	46.4	11	6	74
D00072828		4.33	0.047		2.5	1.59	43	<10	160	<0.5	<2	4.86	20.4	12	4	103
D00072829		4.21	0.010		0.9	1.84	11	<10	390	<0.5	<2	4.84	1.9	10	2	41
D00072830		0.87	<0.005		<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	1	1	10
D00072831		4.68	0.035		1.7	1.74	18	<10	190	<0.5	<2	5.62	11.9	19	2	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072821		5.70	<10	<1	0.23	<10	0.37	1950	2	<0.01	3	500	434	4.00	3	1
D00072822		4.55	<10	<1	0.18	<10	0.24	2790	2	<0.01	2	370	199	3.20	2	1
D00072823		4.38	<10	<1	0.10	<10	0.42	4750	1	<0.01	2	270	528	2.16	<2	2
D00072824		10.00	<10	1	0.18	<10	0.39	3390	2	<0.01	2	420	522	9.62	<2	2
D00072825		6.94	<10	<1	0.22	<10	0.43	1770	2	<0.01	2	560	721	4.49	2	2
D00072826		6.57	<10	<1	0.15	<10	0.35	1525	1	0.01	2	360	76	4.76	<2	1
D00072827		4.23	<10	1	0.35	10	0.38	1515	4	0.01	3	1110	244	1.88	<2	2
D00072828		5.54	<10	1	0.34	10	0.57	3310	1	0.01	4	1220	305	2.41	2	2
D00072829		4.32	<10	1	0.39	10	0.74	2770	1	0.01	4	1410	143	0.84	<2	3
D00072830		0.19	<10	1	0.01	<10	0.57	103	<1	0.01	3	90	<2	0.05	2	<1
D00072831		4.07	<10	1	0.37	10	0.66	2810	2	0.01	4	1190	227	1.23	2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00072821		66	<20	<0.01	<10	<10	17	<10	4250				
D00072822		134	<20	<0.01	<10	<10	11	<10	2000				
D00072823		411	<20	<0.01	<10	<10	17	<10	3410				
D00072824		274	<20	<0.01	<10	<10	18	<10	>10000				1.530
D00072825		86	<20	<0.01	<10	<10	16	<10	489				
D00072826		99	<20	<0.01	<10	<10	12	<10	303				
D00072827		89	<20	<0.01	<10	<10	13	<10	4270				
D00072828		240	<20	<0.01	<10	<10	21	<10	1980				
D00072829		186	<20	<0.01	<10	<10	28	<10	242				
D00072830		91	<20	0.01	<10	<10	1	<10	6				
D00072831		174	<20	<0.01	<10	<10	25	<10	1105				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140109

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	Cu-OG46
	ME-ICP41	ME-OG46	Pb-OG46	Zn-OG46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

CERTIFICATE TR20145250

Project: Premier

This report is for 128 Drill Core samples submitted to our lab in Terrace, BC, Canada on 9-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
W749501		2.57	0.020	1.4	2.18	36	<10	370	<0.5	<2	2.36	1.0	12	5	21	4.55
W749502		3.01	0.015	1.7	2.05	306	<10	190	<0.5	<2	0.46	<0.5	12	12	15	5.45
W749503		1.21	0.011	5.4	0.76	18	<10	230	<0.5	<2	13.1	<0.5	7	1	28	2.16
W749504		2.64	0.192	>100	1.89	87	<10	30	<0.5	6	0.17	815	9	5	2140	7.82
D00072832		4.72	0.014	0.5	2.13	6	<10	400	<0.5	<2	6.34	1.0	16	2	56	4.25
D00072833		4.37	0.010	0.6	2.28	5	<10	230	<0.5	2	5.10	0.7	18	2	59	4.71
D00072834		4.19	0.168	1.2	2.44	13	<10	340	<0.5	<2	6.15	7.4	15	3	53	5.68
D00072835		4.73	1.075	1.6	0.94	35	<10	290	<0.5	<2	3.44	12.9	5	2	27	2.42
D00072836		4.69	0.209	2.0	0.91	27	<10	370	<0.5	<2	2.14	24.1	4	1	41	2.15
D00072837		4.66	0.188	2.1	0.79	25	<10	210	<0.5	<2	2.13	43.8	4	4	32	2.00
D00072838		4.68	0.791	2.5	0.97	39	<10	280	<0.5	<2	2.07	40.7	4	2	36	2.56
D00072839		4.81	0.722	2.1	0.80	40	<10	230	<0.5	<2	2.59	59.7	4	2	49	1.89
D00072840		0.13	0.699	9.6	1.30	795	20	120	<0.5	21	3.21	6.1	44	24	6720	3.70
D00072841		4.46	0.064	1.8	0.79	32	<10	290	<0.5	<2	3.03	32.6	3	2	23	1.98
D00072842		4.52	0.140	1.3	0.80	29	<10	360	<0.5	<2	2.87	13.1	3	2	21	1.90
D00072843		4.56	0.072	1.6	0.85	19	<10	500	<0.5	<2	2.57	16.9	4	2	10	1.92
D00072844		2.28	0.144	7.6	0.91	26	<10	160	<0.5	<2	2.95	97.6	3	2	66	2.71
D00072845		2.90	0.147	2.9	0.67	20	<10	230	<0.5	<2	2.36	184.0	2	6	49	2.24
D00072846		3.30	0.689	19.9	0.73	24	<10	60	<0.5	2	3.18	423	3	5	206	2.96
D00072847		2.72	0.717	15.0	1.63	32	<10	90	<0.5	2	4.11	163.5	11	4	104	5.39
D00072848		3.49	0.431	10.3	1.68	42	<10	90	<0.5	11	4.60	215	12	4	230	5.30
D00072849		2.28	0.762	7.5	1.99	31	<10	50	<0.5	2	2.18	91.2	16	4	127	6.13
D00072850		1.03	0.006	<0.2	0.02	<2	<10	30	<0.5	<2	>25.0	0.5	<1	1	1	0.13
D00072851		3.98	0.614	9.4	1.48	35	<10	70	<0.5	10	3.33	204	15	3	570	4.75
D00072852		4.89	0.442	2.6	2.19	56	<10	60	<0.5	3	2.40	30.5	22	3	29	7.68
D00072853		4.87	0.994	15.1	1.95	36	<10	120	<0.5	3	3.70	128.0	13	3	210	5.40
D00072854		4.75	0.517	5.7	2.66	38	<10	200	<0.5	<2	2.18	91.0	13	4	146	6.71
D00072855		4.99	0.460	4.5	3.17	41	<10	370	<0.5	2	3.31	26.4	22	10	109	7.11
D00072856		4.63	0.083	2.7	2.22	48	<10	370	<0.5	<2	3.87	12.9	20	2	74	4.97
D00072857		4.68	0.063	1.1	2.07	42	<10	360	<0.5	<2	4.92	0.7	21	3	63	4.82
D00072858		4.65	0.166	6.5	2.38	32	<10	360	<0.5	<2	4.16	38.5	19	3	81	5.66
D00072859		4.63	0.052	1.3	2.17	34	<10	520	<0.5	<2	6.31	8.4	18	3	55	4.61
D00072860		0.13	1.145	86.4	1.57	31	10	180	<0.5	<2	3.03	8.1	16	17	930	3.44
D00072861		4.58	0.033	3.5	2.50	52	<10	380	<0.5	2	3.35	16.7	21	3	57	5.70
D00072862		4.87	0.155	2.8	2.26	32	<10	320	<0.5	2	4.56	16.6	18	4	66	4.97
D00072863		4.79	0.440	4.7	2.65	31	<10	340	<0.5	<2	3.13	38.1	18	4	106	5.82
D00072864		4.28	0.091	8.2	2.75	21	<10	230	<0.5	<2	2.42	88.3	17	4	115	6.09
D00072865		2.77	0.622	17.6	2.15	21	<10	270	<0.5	<2	1.81	53.2	14	5	89	5.13
D00072866		3.69	0.509	16.6	2.16	48	<10	190	<0.5	<2	2.65	86.5	15	6	72	5.62
D00072867		3.82	0.527	34.3	2.11	34	<10	210	<0.5	<2	2.68	98.1	13	5	103	5.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
W749501		10	1	0.25	10	1.14	1680	2	0.01	3	1340	23	0.56	<2	3	85
W749502		10	<1	0.21	10	1.36	816	2	0.01	6	1300	7	1.31	<2	4	11
W749503		<10	1	0.16	10	0.37	4800	4	<0.01	1	530	78	0.86	10	1	397
W749504		10	4	0.22	<10	1.00	2560	5	<0.01	1	700	770	7.84	133	2	5
D00072832		<10	1	0.38	10	0.93	2600	<1	<0.01	3	1350	7	0.30	4	3	239
D00072833		<10	<1	0.36	10	1.04	2580	<1	<0.01	4	1430	7	0.39	<2	3	196
D00072834		10	<1	0.35	10	1.08	3680	<1	<0.01	3	1290	336	0.90	4	3	247
D00072835		<10	<1	0.42	10	0.20	1660	3	<0.01	<1	650	531	1.24	2	1	146
D00072836		<10	<1	0.42	10	0.17	1270	1	<0.01	1	650	891	0.92	3	1	117
D00072837		<10	<1	0.41	10	0.13	1080	<1	<0.01	1	590	795	1.19	2	1	102
D00072838		<10	<1	0.37	10	0.22	1260	<1	0.01	1	550	799	1.16	<2	1	119
D00072839		<10	<1	0.45	10	0.15	1590	1	0.01	1	670	618	1.28	3	1	128
D00072840		<10	<1	0.16	10	0.43	642	286	0.12	22	670	71	1.23	16	2	142
D00072841		<10	<1	0.42	10	0.14	1560	1	0.01	1	650	860	1.11	2	1	156
D00072842		<10	<1	0.47	10	0.16	1480	<1	0.01	1	670	613	0.89	5	1	168
D00072843		<10	<1	0.42	10	0.17	1540	<1	0.01	1	670	626	0.66	<2	1	161
D00072844		<10	<1	0.40	10	0.18	2160	<1	<0.01	<1	580	2620	1.50	3	1	187
D00072845		<10	1	0.22	<10	0.13	1570	<1	<0.01	1	290	243	1.54	2	1	182
D00072846		<10	3	0.25	<10	0.14	1730	1	<0.01	1	310	547	3.24	4	<1	227
D00072847		<10	1	0.31	10	0.42	2960	2	<0.01	3	990	3500	2.45	5	2	231
D00072848		<10	1	0.35	<10	0.51	3930	1	<0.01	3	1000	1820	2.77	5	2	202
D00072849		<10	<1	0.35	10	0.72	3580	1	<0.01	3	1320	4000	2.68	8	3	149
D00072850		<10	2	0.01	<10	1.04	143	<1	<0.01	3	70	12	0.02	2	<1	88
D00072851		<10	1	0.36	10	0.42	3320	3	<0.01	4	1030	1230	2.68	4	2	168
D00072852		<10	<1	0.33	<10	0.71	3550	<1	<0.01	4	1180	1130	3.17	<2	3	120
D00072853		<10	1	0.31	10	0.79	4710	4	<0.01	3	1080	4480	2.09	4	3	169
D00072854		10	<1	0.25	<10	1.37	4880	2	0.01	4	1210	799	1.69	2	5	120
D00072855		10	1	0.26	10	1.84	6180	1	0.01	9	1310	1350	1.15	<2	9	164
D00072856		<10	1	0.42	10	0.98	4370	1	<0.01	5	1340	948	1.00	3	4	188
D00072857		<10	<1	0.42	10	0.81	4060	1	<0.01	7	1200	67	1.03	<2	3	222
D00072858		<10	1	0.43	10	0.99	4400	<1	<0.01	7	1160	2430	1.29	3	3	216
D00072859		<10	1	0.38	10	1.05	5460	<1	0.01	7	1110	280	0.76	<2	3	321
D00072860		10	<1	0.14	10	1.35	877	12	0.10	11	980	4390	1.05	61	5	154
D00072861		10	1	0.43	10	1.10	4350	2	0.01	8	1270	1330	1.18	3	4	170
D00072862		<10	<1	0.35	10	1.05	5460	1	0.01	7	1090	1020	0.82	2	3	208
D00072863		10	1	0.30	10	1.42	5310	<1	0.01	7	1120	2330	1.03	3	4	145
D00072864		10	1	0.23	10	1.54	5400	1	0.01	9	1140	3070	1.18	9	4	115
D00072865		<10	<1	0.24	<10	1.06	4230	<1	<0.01	6	860	>10000	1.26	13	3	109
D00072866		10	<1	0.20	<10	1.21	4620	1	0.01	7	850	5120	1.98	8	3	114
D00072867		<10	1	0.23	<10	1.14	4660	1	0.01	7	830	2690	1.67	12	3	107

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
W749501		<20	0.08	<10	<10	28	<10	185			
W749502		<20	0.19	<10	<10	41	<10	55			
W749503		<20	<0.01	<10	<10	6	<10	41			
W749504		<20	<0.01	<10	<10	34	<10	>10000	147		7.90
D00072832		<20	0.01	<10	<10	33	<10	164			
D00072833		<20	0.01	<10	<10	43	<10	148			
D00072834		<20	0.02	<10	<10	50	<10	787			
D00072835		<20	0.01	<10	<10	7	<10	1245			
D00072836		<20	0.01	<10	<10	6	<10	2240			
D00072837		<20	0.01	<10	<10	6	<10	3830			
D00072838		<20	0.01	<10	<10	8	<10	3730			
D00072839		<20	0.01	<10	<10	6	<10	5240			
D00072840		<20	0.09	<10	<10	45	10	984			
D00072841		<20	0.01	<10	<10	6	<10	3020			
D00072842		<20	0.01	<10	<10	6	<10	1270			
D00072843		<20	0.01	<10	<10	7	<10	1595			
D00072844		<20	0.01	<10	<10	8	<10	8690			
D00072845		<20	0.01	<10	<10	12	<10	>10000			1.625
D00072846		<20	0.01	<10	<10	14	<10	>10000			3.73
D00072847		<20	0.03	<10	<10	30	<10	>10000			1.560
D00072848		<20	0.04	<10	<10	37	<10	>10000			1.985
D00072849		<20	0.04	<10	<10	50	<10	8280			
D00072850		<20	<0.01	<10	<10	<1	<10	44			
D00072851		<20	0.04	<10	<10	29	<10	>10000			1.895
D00072852		<20	0.05	<10	<10	45	<10	2740			
D00072853		<20	0.07	<10	<10	42	<10	>10000			1.215
D00072854		<20	0.08	<10	<10	74	<10	8480			
D00072855		<20	0.10	<10	<10	106	<10	2750			
D00072856		<20	0.09	<10	<10	45	<10	1270			
D00072857		<20	0.07	<10	<10	35	<10	173			
D00072858		<20	0.06	<10	<10	42	<10	3740			
D00072859		<20	0.06	<10	<10	40	<10	886			
D00072860		<20	0.07	<10	<10	90	<10	1025			
D00072861		<20	0.08	<10	<10	48	<10	1540			
D00072862		<20	0.09	<10	<10	44	<10	1750			
D00072863		<20	0.09	<10	<10	66	<10	3550			
D00072864		<20	0.04	<10	<10	70	<10	8240			
D00072865		<20	0.02	<10	<10	44	<10	4820		1.060	
D00072866		<20	0.03	<10	<10	58	<10	7910			
D00072867		<20	0.04	<10	<10	50	<10	8960			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00072868		3.28	0.585	27.6	0.97	164	<10	90	<0.5	<2	4.03	60.6	13	5	63	5.39
D00072869		1.97	0.296	13.3	1.73	51	<10	240	<0.5	<2	3.03	15.2	16	2	73	4.54
D00072870		1.16	<0.005	<0.2	0.02	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1	0.11
D00072871		4.18	0.854	7.0	1.95	63	<10	110	<0.5	<2	2.36	36.4	17	3	81	5.44
D00072872		3.82	0.306	7.4	1.92	71	<10	100	<0.5	<2	2.39	34.4	19	2	51	6.26
D00072873		4.05	0.647	8.3	2.07	62	<10	150	<0.5	2	3.05	64.6	15	3	112	6.01
D00072874		3.91	0.655	3.2	2.16	31	<10	210	<0.5	<2	2.91	33.3	12	2	28	5.56
D00072875		4.72	0.256	1.3	2.01	27	<10	230	<0.5	<2	3.98	4.7	12	2	47	5.06
D00072876		4.98	0.069	2.9	1.91	60	<10	50	<0.5	<2	3.23	83.1	13	1	161	5.47
D00072877		4.64	0.029	2.5	1.73	23	<10	240	<0.5	<2	3.34	29.0	12	1	99	4.42
D00072878		3.57	0.040	1.7	1.48	36	<10	80	<0.5	<2	2.83	36.5	13	1	107	4.49
D00072879		3.44	0.009	2.3	2.45	21	<10	210	<0.5	<2	4.95	<0.5	18	2	101	5.19
D00072880		0.12	0.696	9.2	1.25	795	20	110	<0.5	21	3.08	5.8	44	23	6730	3.68
D00072881		3.64	0.013	0.6	0.96	14	<10	200	<0.5	<2	6.10	<0.5	4	1	18	1.89
D00072882		4.60	0.058	1.6	0.73	26	<10	240	<0.5	<2	6.9	<0.5	4	1	13	1.99
D00072883		4.02	0.010	0.5	0.83	19	<10	210	<0.5	<2	5.47	<0.5	4	1	6	1.74
D00072884		3.47	0.011	0.4	0.80	21	<10	310	<0.5	<2	3.32	<0.5	4	2	7	1.58
D00072885		4.43	<0.005	0.4	1.02	6	<10	280	<0.5	<2	3.96	<0.5	4	2	8	1.89
D00072886		4.42	0.010	1.3	0.86	18	<10	310	<0.5	<2	3.48	<0.5	5	2	8	1.86
D00072887		4.68	0.012	4.0	0.68	22	<10	300	<0.5	<2	3.98	0.9	5	1	8	1.53
D00072888		4.57	0.113	15.1	0.76	26	<10	340	<0.5	<2	4.02	1.6	4	2	14	1.63
D00072889		4.40	0.017	0.9	0.66	20	<10	350	<0.5	<2	3.78	0.7	4	2	7	1.43
D00072890		1.04	<0.005	<0.2	0.02	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	<1	0.13
D00072891		3.22	0.182	15.8	0.47	38	<10	160	<0.5	<2	3.07	20.3	4	2	105	1.81
D00072892		2.14	0.901	8.1	1.94	35	<10	70	<0.5	2	3.05	37.2	16	4	171	5.99
D00072893		2.29	0.081	13.2	2.16	27	<10	100	<0.5	2	2.50	58.3	17	4	364	6.61
D00072894		2.50	0.141	13.7	2.34	23	<10	130	<0.5	3	2.61	35.8	17	5	176	7.41
D00072895		2.17	0.171	6.4	1.50	25	<10	80	<0.5	<2	4.84	9.2	10	2	74	5.11
D00072896		2.95	0.384	6.5	3.10	110	<10	40	<0.5	2	1.39	<0.5	26	5	13	15.45
D00072897		2.41	0.184	4.7	3.21	65	<10	40	<0.5	2	2.96	<0.5	20	5	11	14.50
D00072898		2.54	0.140	6.4	2.36	141	<10	40	<0.5	3	1.88	5.9	13	5	15	13.60
D00072899		2.29	0.039	2.5	2.72	24	<10	230	<0.5	<2	1.71	0.8	11	6	13	7.34
D00072900		0.13	1.340	83.0	1.49	31	10	180	<0.5	<2	3.00	8.1	16	16	940	3.41
D00072901		2.84	0.527	17.0	1.66	158	<10	30	<0.5	6	2.00	<0.5	17	4	22	20.2
D00072902		2.50	0.092	7.5	2.15	92	<10	30	<0.5	3	1.69	<0.5	12	4	11	15.05
D00072903		2.37	0.086	4.3	2.24	54	<10	40	<0.5	<2	1.33	<0.5	12	5	13	9.91
D00072904		2.32	0.124	22.1	2.33	62	<10	50	<0.5	2	2.81	0.9	13	4	61	11.30
D00072905		2.54	0.109	8.1	2.70	117	<10	40	<0.5	2	1.31	<0.5	12	5	10	13.15
D00072906		2.65	0.186	5.7	2.43	31	<10	40	<0.5	3	1.03	18.3	13	4	43	9.90
D00072907		2.84	0.284	3.8	3.02	58	<10	40	<0.5	5	0.80	<0.5	15	5	13	15.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00072868		<10	<1	0.18	<10	0.38	3560	4	<0.01	4	350	1990	3.99	12	1	138
D00072869		<10	1	0.37	<10	0.67	2790	1	<0.01	5	1070	740	1.63	4	2	95
D00072870		<10	2	0.01	<10	0.61	111	<1	<0.01	2	70	4	0.01	2	<1	90
D00072871		<10	<1	0.38	<10	0.87	3250	1	<0.01	5	1120	1250	2.52	3	2	87
D00072872		<10	<1	0.33	<10	0.88	3580	1	0.01	6	1420	1380	3.25	4	3	88
D00072873		<10	<1	0.32	<10	0.91	4020	2	<0.01	4	1050	1250	2.41	3	3	109
D00072874		<10	<1	0.32	10	0.93	4120	1	<0.01	4	1090	932	1.45	<2	3	105
D00072875		<10	<1	0.36	10	0.95	3770	<1	0.01	3	1230	208	1.60	2	2	152
D00072876		<10	<1	0.31	10	1.03	3280	<1	0.01	3	1220	656	2.77	2	2	161
D00072877		<10	<1	0.38	10	0.78	3150	<1	0.01	3	1320	792	1.67	2	2	153
D00072878		<10	<1	0.42	10	0.56	2840	<1	0.01	3	1430	452	2.24	2	1	156
D00072879		<10	<1	0.37	10	0.97	2110	3	<0.01	4	1460	20	0.34	3	3	182
D00072880		<10	<1	0.15	10	0.42	619	281	0.12	23	660	69	1.22	14	2	140
D00072881		<10	<1	0.33	10	0.31	1950	5	<0.01	1	670	14	0.47	2	1	225
D00072882		<10	<1	0.36	10	0.18	2390	3	<0.01	2	580	73	1.28	2	1	244
D00072883		<10	<1	0.32	10	0.24	1910	1	<0.01	1	580	15	0.55	2	1	238
D00072884		<10	<1	0.40	10	0.18	1180	1	<0.01	1	650	13	0.64	2	1	159
D00072885		<10	<1	0.36	10	0.29	1470	1	<0.01	1	620	9	0.23	2	1	209
D00072886		<10	<1	0.39	10	0.20	1250	3	<0.01	1	650	20	0.82	2	1	195
D00072887		<10	<1	0.38	10	0.14	1440	2	<0.01	1	620	38	0.83	2	1	188
D00072888		<10	<1	0.41	10	0.16	1580	1	<0.01	1	630	50	0.83	3	1	181
D00072889		<10	<1	0.40	10	0.13	1710	1	<0.01	1	640	47	0.79	2	1	187
D00072890		<10	<1	0.01	<10	1.13	116	<1	<0.01	1	60	<2	0.01	2	<1	83
D00072891		<10	<1	0.34	10	0.07	1410	1	<0.01	1	570	1160	1.73	3	1	158
D00072892		<10	<1	0.31	<10	0.73	2470	3	<0.01	5	1050	112	2.32	2	3	147
D00072893		<10	<1	0.30	10	0.82	2720	2	0.01	5	1300	74	2.29	2	3	148
D00072894		10	1	0.26	10	0.97	3090	2	<0.01	5	1060	117	2.48	2	4	130
D00072895		<10	<1	0.23	<10	0.58	3780	2	<0.01	4	560	69	2.07	<2	2	216
D00072896		10	<1	0.24	<10	1.32	3150	1	<0.01	7	720	48	9.70	<2	4	84
D00072897		10	1	0.19	<10	1.44	4240	1	<0.01	8	680	32	8.09	<2	4	151
D00072898		10	<1	0.31	<10	1.00	2880	1	<0.01	7	830	40	>10.0	<2	3	126
D00072899		10	<1	0.27	<10	1.34	3350	<1	<0.01	8	910	14	1.46	2	3	142
D00072900		<10	<1	0.14	10	1.33	871	12	0.09	11	980	4370	1.01	59	5	149
D00072901		10	<1	0.22	<10	0.71	2600	1	<0.01	5	490	120	>10.0	2	2	130
D00072902		<10	<1	0.21	<10	0.99	2920	1	<0.01	6	590	76	>10.0	<2	2	116
D00072903		10	<1	0.28	<10	1.05	2830	<1	<0.01	8	790	36	5.90	<2	3	89
D00072904		10	<1	0.24	<10	1.07	3660	1	<0.01	6	750	83	7.12	<2	3	144
D00072905		10	1	0.23	<10	1.19	3090	3	<0.01	7	720	47	8.14	<2	3	78
D00072906		10	<1	0.29	<10	1.10	2840	2	<0.01	8	860	97	4.98	<2	3	58
D00072907		10	<1	0.24	<10	1.43	3200	1	<0.01	7	710	97	9.76	<2	3	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072868		<20	0.01	<10	<10	17	<10	5990			
D00072869		<20	0.02	<10	<10	26	<10	1610			
D00072870		<20	<0.01	<10	<10	<1	<10	11			
D00072871		<20	0.03	<10	<10	34	<10	3750			
D00072872		<20	0.04	<10	<10	35	<10	3330			
D00072873		<20	0.04	<10	<10	34	<10	5890			
D00072874		<20	0.04	<10	<10	33	<10	2980			
D00072875		<20	0.01	<10	<10	31	<10	560			
D00072876		<20	0.02	<10	<10	29	<10	7280			
D00072877		<20	0.03	<10	<10	26	<10	2610			
D00072878		<20	0.02	<10	<10	20	<10	3330			
D00072879		<20	0.01	<10	<10	34	<10	107			
D00072880		<20	0.08	<10	<10	44	10	962			
D00072881		<20	<0.01	<10	<10	6	<10	46			
D00072882		<20	<0.01	<10	<10	5	<10	50			
D00072883		<20	<0.01	<10	<10	5	<10	53			
D00072884		<20	<0.01	<10	<10	6	<10	47			
D00072885		<20	<0.01	<10	<10	7	<10	52			
D00072886		<20	<0.01	<10	<10	6	<10	53			
D00072887		<20	<0.01	<10	<10	5	<10	99			
D00072888		<20	<0.01	<10	<10	5	<10	162			
D00072889		<20	<0.01	<10	<10	5	<10	66			
D00072890		<20	<0.01	<10	10	<1	<10	2			
D00072891		<20	<0.01	<10	<10	4	<10	2020			
D00072892		<20	0.01	<10	<10	38	<10	3480			
D00072893		<20	0.02	<10	<10	44	<10	5650			
D00072894		<20	0.04	<10	<10	56	<10	3530			
D00072895		<20	0.02	<10	<10	24	<10	965			
D00072896		<20	0.03	<10	<10	46	<10	209			
D00072897		<20	0.04	<10	<10	51	<10	194			
D00072898		<20	0.03	<10	<10	31	<10	559			
D00072899		<20	0.01	<10	<10	34	<10	238			
D00072900		<20	0.06	<10	<10	86	<10	1030			
D00072901		<20	0.02	<10	<10	25	<10	135			
D00072902		<20	0.02	<10	<10	29	<10	148			
D00072903		<20	0.03	<10	<10	30	<10	161			
D00072904		<20	0.03	<10	<10	40	<10	225			
D00072905		<20	0.03	<10	<10	36	<10	204			
D00072906		<20	0.03	<10	<10	32	<10	1675			
D00072907		<20	0.03	<10	<10	45	<10	238			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00072908		2.39	0.027	1.8	2.57	13	<10	140	<0.5	4	1.17	0.9	17	4	10	7.68
D00072909		4.64	0.069	3.2	2.85	24	<10	80	<0.5	3	1.33	0.7	15	4	8	8.95
D00072910		1.02	0.005	<0.2	0.03	<2	<10	40	<0.5	<2	>25.0	<0.5	<1	1	<1	0.11
D00072911		4.93	0.087	2.0	2.56	29	<10	70	<0.5	<2	1.87	<0.5	16	4	15	8.12
D00072912		3.61	0.038	1.5	2.63	51	<10	60	<0.5	3	2.76	5.8	13	2	19	8.81
D00072913		3.39	0.076	0.8	2.59	15	<10	250	<0.5	<2	3.08	0.6	12	2	15	6.99
D00072914		4.58	<0.005	0.4	2.92	2	<10	160	<0.5	<2	4.79	<0.5	19	4	62	5.32
D00072915		4.91	0.015	0.4	2.37	3	<10	230	<0.5	<2	7.4	<0.5	16	3	60	4.67
D00072916		4.63	0.013	1.0	2.47	29	<10	230	<0.5	<2	5.25	7.5	25	3	57	5.45
D00072917		4.79	<0.005	0.5	2.63	6	<10	190	<0.5	<2	5.08	<0.5	21	1	61	5.12
D00072918		4.29	0.005	0.6	2.52	10	<10	190	<0.5	<2	5.52	<0.5	22	1	60	5.33
D00072919		4.79	<0.005	0.6	2.30	4	<10	230	<0.5	<2	6.16	<0.5	18	1	60	4.74
D00072920		0.13	8.19	>100	1.49	619	<10	30	<0.5	5	3.49	128.0	16	42	2100	5.04
D00072921		4.51	<0.005	0.9	2.59	10	<10	200	<0.5	<2	5.81	<0.5	20	1	58	5.22
D00072922		4.66	<0.005	0.8	2.79	16	<10	230	<0.5	<2	4.96	<0.5	20	1	63	5.63
D00072923		2.41	<0.005	1.2	2.19	13	<10	250	<0.5	<2	6.06	<0.5	21	1	71	4.71
D00072924		2.88	0.022	4.5	2.22	21	<10	210	<0.5	<2	4.65	34.2	17	1	111	5.75
D00072925		2.08	0.067	7.5	2.11	54	<10	60	<0.5	2	2.76	100.0	19	3	187	7.29
D00072926		2.24	0.029	3.1	2.20	30	<10	240	<0.5	<2	5.35	9.9	17	3	62	5.20
D00072927		2.47	0.027	3.7	2.42	27	<10	250	<0.5	<2	5.39	7.1	18	4	78	5.63
D00072928		2.10	0.015	1.2	2.54	24	<10	230	<0.5	2	4.62	<0.5	20	4	27	5.42
D00072929		2.16	0.012	2.4	2.82	26	<10	230	<0.5	<2	5.11	11.5	20	5	57	5.93
D00072930		1.17	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1	0.10
D00072931		2.07	0.012	1.4	2.31	26	<10	270	<0.5	<2	7.8	<0.5	19	4	17	5.19
D00072932		2.69	0.016	1.8	2.18	26	<10	230	<0.5	<2	6.76	6.5	18	5	35	5.66
D00072933		2.06	0.062	6.8	1.33	23	<10	200	<0.5	<2	15.5	9.0	7	1	73	4.36
D00072934		2.06	0.318	12.5	1.39	139	<10	30	<0.5	9	2.76	8.3	28	2	98	18.70
D00072935		2.60	0.339	8.8	2.78	155	<10	30	<0.5	5	1.75	0.7	33	3	209	23.3
D00072936		1.19	0.035	1.5	2.94	38	<10	30	<0.5	<2	2.40	1.3	21	3	35	10.25
D00072937		1.15	0.052	1.6	2.94	40	<10	40	<0.5	2	3.02	1.7	19	3	35	10.35
D00072938		2.52	0.015	6.2	2.69	17	<10	110	<0.5	2	3.32	72.1	16	3	329	6.94
D00072939		2.66	0.055	2.8	2.55	39	<10	40	<0.5	<2	2.89	13.4	17	3	115	8.02
D00072940		0.12	0.677	9.9	1.28	846	20	110	<0.5	23	3.38	6.5	47	25	7020	3.84
D00072941		2.23	0.023	2.6	2.47	28	<10	110	<0.5	<2	2.43	13.6	19	4	132	6.27
D00072942		2.22	0.023	6.4	2.85	36	<10	70	<0.5	<2	2.22	19.5	18	16	360	7.96
D00072943		2.49	0.040	3.5	3.47	130	<10	30	<0.5	2	3.78	6.4	26	2	58	14.85
D00072944		2.13	0.005	3.5	3.52	10	<10	270	<0.5	<2	0.92	33.1	14	8	222	7.04
D00072945		2.50	0.010	2.0	3.94	39	<10	100	<0.5	<2	2.90	3.3	12	13	65	9.97
D00072946		2.33	0.007	1.8	3.80	10	<10	240	<0.5	<2	0.79	13.1	12	16	105	7.76
D00072947		2.17	<0.005	1.3	2.74	18	<10	240	<0.5	<2	1.39	18.0	17	9	57	5.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00072908		10	<1	0.28	<10	1.24	3120	<1	<0.01	8	900	47	2.39	<2	3	68
D00072909		10	<1	0.28	<10	1.36	3500	1	<0.01	7	980	79	3.01	<2	3	70
D00072910		<10	2	0.01	<10	1.03	101	<1	<0.01	1	70	<2	0.02	4	<1	90
D00072911		10	<1	0.28	<10	1.25	3270	<1	<0.01	6	970	25	2.87	<2	3	84
D00072912		10	<1	0.31	<10	1.24	3260	<1	<0.01	4	1130	29	3.42	<2	3	98
D00072913		10	<1	0.33	<10	1.21	3750	<1	<0.01	4	1170	13	1.54	<2	4	199
D00072914		10	<1	0.30	10	1.84	2180	<1	<0.01	8	1180	4	0.04	<2	4	204
D00072915		<10	<1	0.31	10	1.37	2660	<1	<0.01	7	1100	14	0.31	<2	3	299
D00072916		10	<1	0.34	10	1.44	2160	<1	<0.01	7	1300	106	1.21	2	3	233
D00072917		10	<1	0.33	10	1.47	1870	1	<0.01	5	1470	3	0.21	<2	4	216
D00072918		10	<1	0.31	10	1.30	1800	1	<0.01	5	1410	5	0.45	<2	4	227
D00072919		10	<1	0.33	10	1.13	1910	1	<0.01	4	1400	2	0.12	2	4	267
D00072920		10	13	0.19	<10	1.36	743	52	0.06	213	620	>10000	4.03	710	3	46
D00072921		10	<1	0.32	10	1.32	2040	1	0.01	5	1400	21	0.06	<2	4	266
D00072922		10	1	0.33	10	1.40	2190	1	<0.01	4	1460	7	0.04	3	4	225
D00072923		<10	<1	0.38	10	1.03	2500	1	<0.01	5	1470	14	0.62	<2	4	264
D00072924		10	1	0.33	10	1.06	2530	1	<0.01	4	1390	402	1.84	4	3	217
D00072925		<10	2	0.32	<10	1.03	2240	3	<0.01	8	1210	403	4.06	8	3	128
D00072926		<10	<1	0.34	10	1.09	3250	1	<0.01	7	1220	127	1.32	4	3	239
D00072927		<10	1	0.32	<10	1.33	3750	<1	<0.01	9	1120	203	1.30	2	4	291
D00072928		<10	<1	0.32	10	1.46	3360	<1	<0.01	8	1160	42	0.90	<2	4	265
D00072929		10	<1	0.30	10	1.70	3850	<1	<0.01	9	1190	135	0.84	4	4	282
D00072930		<10	1	0.01	<10	0.54	101	<1	0.01	2	60	2	0.01	3	<1	76
D00072931		<10	<1	0.31	<10	1.29	4650	<1	<0.01	8	1080	81	0.96	4	4	398
D00072932		<10	1	0.34	<10	1.11	4150	<1	<0.01	8	1160	85	1.77	4	4	350
D00072933		<10	<1	0.25	<10	0.63	7740	<1	<0.01	4	660	159	1.82	4	2	602
D00072934		<10	<1	0.24	<10	0.63	2790	1	<0.01	3	480	373	>10.0	<2	2	166
D00072935		10	<1	0.18	<10	1.24	3310	1	<0.01	4	720	69	>10.0	<2	3	114
D00072936		10	<1	0.30	10	1.51	3970	<1	<0.01	5	1510	21	4.60	<2	3	153
D00072937		10	<1	0.28	<10	1.52	4430	<1	<0.01	3	1460	20	4.66	<2	3	189
D00072938		10	1	0.33	10	1.48	4200	<1	<0.01	4	1680	16	2.12	<2	3	223
D00072939		10	<1	0.33	10	1.43	3550	<1	<0.01	4	1590	22	3.52	<2	3	177
D00072940		10	<1	0.15	10	0.46	663	310	0.12	24	710	73	1.32	14	2	144
D00072941		10	<1	0.34	10	1.40	3160	1	0.01	5	1830	9	1.84	<2	3	164
D00072942		10	<1	0.25	10	1.71	3470	<1	0.01	12	1290	10	2.73	<2	5	131
D00072943		10	<1	0.23	<10	2.10	5010	<1	<0.01	4	860	22	9.47	<2	4	248
D00072944		10	<1	0.26	10	2.29	3120	<1	0.01	10	1230	3	0.32	<2	5	61
D00072945		10	<1	0.22	<10	2.65	4640	<1	<0.01	13	1250	11	2.52	<2	5	159
D00072946		10	<1	0.23	10	2.47	3260	1	0.01	16	1430	2	0.19	<2	6	43
D00072947		10	<1	0.23	10	1.69	2680	<1	0.02	10	1430	6	0.21	<2	5	77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072908		<20	0.03	<10	<10	38	<10	242			
D00072909		<20	0.03	<10	<10	48	<10	241			
D00072910		<20	<0.01	<10	<10	<1	<10	3			
D00072911		<20	0.02	<10	<10	45	<10	185			
D00072912		<20	0.02	<10	<10	48	<10	623			
D00072913		<20	0.02	<10	<10	48	<10	214			
D00072914		<20	0.01	<10	<10	43	<10	149			
D00072915		<20	0.01	<10	<10	34	<10	155			
D00072916		<20	0.02	<10	<10	36	<10	752			
D00072917		<20	0.03	<10	<10	41	<10	142			
D00072918		<20	0.05	<10	<10	41	<10	99			
D00072919		<20	0.06	<10	<10	36	<10	78			
D00072920		<20	0.05	10	<10	57	20	>10000	325	2.38	2.36
D00072921		<20	0.06	<10	<10	44	<10	99			
D00072922		<20	0.05	<10	<10	45	<10	104			
D00072923		<20	0.04	<10	<10	33	<10	117			
D00072924		<20	0.04	<10	<10	35	<10	3270			
D00072925		<20	0.02	<10	<10	35	<10	9390			
D00072926		<20	0.03	<10	<10	35	<10	1015			
D00072927		<20	0.01	<10	<10	42	<10	728			
D00072928		<20	0.01	<10	<10	47	<10	165			
D00072929		<20	0.01	<10	<10	55	<10	1145			
D00072930		<20	<0.01	<10	<10	1	<10	4			
D00072931		<20	0.01	<10	<10	42	<10	167			
D00072932		<20	0.01	<10	<10	36	<10	708			
D00072933		<20	0.01	<10	<10	19	<10	917			
D00072934		<20	0.01	<10	<10	23	<10	919			
D00072935		<20	0.02	<10	<10	45	<10	361			
D00072936		<20	0.01	<10	<10	44	<10	293			
D00072937		<20	0.01	<10	<10	43	<10	325			
D00072938		<20	0.02	<10	<10	41	<10	6810			
D00072939		<20	0.02	<10	<10	44	<10	1405			
D00072940		<20	0.08	<10	<10	46	10	1080			
D00072941		<20	0.03	<10	<10	47	<10	1405			
D00072942		<20	0.04	<10	<10	66	<10	1985			
D00072943		<20	0.04	<10	<10	75	<10	813			
D00072944		<20	0.04	<10	<10	87	<10	3140			
D00072945		<20	0.04	<10	<10	108	<10	530			
D00072946		<20	0.04	<10	<10	108	<10	1405			
D00072947		<20	0.04	<10	<10	71	<10	1880			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00072948		2.41	0.011	2.1	2.37	12	<10	310	<0.5	2	3.23	20.9	15	3	120	5.33
D00072949		2.13	0.025	2.1	2.49	29	<10	50	<0.5	2	2.27	2.6	14	3	88	8.30
D00072950		1.12	0.009	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	<1	0.12
D00072951		2.85	0.209	2.8	2.69	68	<10	30	<0.5	2	1.58	11.5	20	2	104	11.20
D00072952		2.38	6.76	3.6	2.61	29	<10	50	<0.5	2	2.05	9.1	18	2	59	8.48
D00072953		4.49	0.058	2.3	2.76	27	<10	70	<0.5	<2	2.95	9.7	15	2	92	8.26
D00072954		4.31	0.042	1.7	3.59	26	<10	80	<0.5	2	2.07	2.9	17	2	40	9.88
D00072955		2.14	0.015	2.9	3.02	8	<10	190	<0.5	<2	1.45	21.5	13	3	149	7.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00072948		10	<1	0.31	10	1.28	3500	<1	0.01	4	1530	6	0.79	<2	4	189
D00072949		10	<1	0.28	<10	1.27	3280	<1	0.01	4	1450	7	3.44	<2	4	141
D00072950		<10	<1	<0.01	<10	0.90	131	<1	<0.01	<1	60	<2	<0.01	<2	<1	84
D00072951		10	<1	0.32	<10	1.34	2920	1	<0.01	4	1450	22	6.78	<2	3	84
D00072952		10	<1	0.34	<10	1.31	2890	<1	<0.01	3	1660	12	3.58	<2	3	98
D00072953		10	<1	0.25	10	1.47	3900	<1	0.01	2	1340	10	2.78	<2	4	158
D00072954		10	<1	0.28	<10	2.08	4100	<1	<0.01	3	1360	16	2.78	<2	4	116
D00072955		10	<1	0.29	10	1.76	3150	<1	<0.01	4	1540	6	1.11	<2	4	129

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072948		<20	0.04	<10	<10	51	<10	2120			
D00072949		<20	0.04	<10	<10	53	<10	421			
D00072950		<20	<0.01	<10	<10	1	<10	5			
D00072951		<20	0.03	<10	<10	43	<10	1210			
D00072952		<20	0.03	<10	<10	45	<10	948			
D00072953		<20	0.04	<10	<10	56	<10	1080			
D00072954		<20	0.04	<10	<10	60	<10	474			
D00072955		<20	0.01	<10	<10	54	<10	2120			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145250

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

CERTIFICATE TR20148679

Project: Premier Gold

This report is for 122 Drill Core samples submitted to our lab in Terrace, BC, Canada on 13-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00072956		4.21	0.013		0.5	2.22	4	<10	240	<0.5	<2	3.59	<0.5	17	2	46
D00072957		4.72	0.014		0.2	2.48	10	<10	260	<0.5	<2	3.86	<0.5	16	3	6
D00072958		4.49	0.010		0.8	2.07	24	<10	280	<0.5	<2	3.88	<0.5	17	2	64
D00072959		2.24	0.015		1.2	1.99	30	<10	100	<0.5	<2	3.89	10.4	18	2	55
D00072960		0.13	1.105		89.1	1.56	30	10	170	<0.5	3	3.03	8.1	17	17	952
D00072961		2.64	1.275		2.7	2.52	46	<10	40	<0.5	4	2.41	7.1	22	8	16
D00072962		2.70	0.318		1.5	2.64	42	<10	50	<0.5	4	2.64	2.4	17	5	12
D00072963		2.42	0.191		0.8	2.84	18	<10	110	<0.5	<2	2.49	9.3	16	5	9
D00072964		2.48	1.580		1.5	2.39	17	<10	80	<0.5	3	4.98	14.3	15	5	43
D00072965		2.19	0.563		2.2	2.38	28	<10	100	<0.5	<2	5.83	67.6	13	5	37
D00072966		2.34	0.861		0.8	2.55	14	<10	230	<0.5	<2	8.6	0.6	12	5	8
D00072967		2.75	5.63		9.0	2.55	120	<10	20	<0.5	5	1.75	3.3	20	4	95
D00072968		2.76	>10.0	10.70	13.2	2.58	151	<10	20	<0.5	6	3.25	4.1	19	4	422
D00072969		2.44	3.28		3.0	3.27	39	<10	40	<0.5	3	1.27	<0.5	20	4	12
D00072970		1.00	0.042		<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1
D00072971		2.47	0.877		2.0	2.37	48	<10	40	<0.5	4	1.98	<0.5	18	4	12
D00072972		2.23	1.840		2.5	2.25	46	<10	60	<0.5	2	2.08	8.7	16	5	19
D00072973		2.68	2.09		5.1	2.97	93	<10	30	<0.5	6	0.90	<0.5	21	5	14
D00072974		2.64	>10.0	11.90	9.0	2.45	82	<10	30	<0.5	5	0.93	12.3	18	5	12
D00072975		2.44	5.80		8.3	1.96	111	<10	20	<0.5	4	1.28	0.5	10	6	14
D00072976		2.67	9.38		12.5	1.69	122	<10	10	<0.5	3	2.11	1.3	10	4	31
D00072977		2.06	>10.0	30.3	60.3	0.67	266	<10	20	<0.5	13	2.67	51.3	11	3	1490
D00072978		2.04	>10.0	26.0	64.0	0.56	270	<10	20	<0.5	14	2.72	40.7	11	3	1560
D00072979		3.18	2.97		25.9	0.40	147	<10	10	<0.5	9	2.06	99.3	11	4	1000
D00072980		0.13	8.14		>100	1.54	627	<10	20	<0.5	5	3.52	125.0	18	42	2150
D00072981		2.95	0.322		65.0	0.62	222	<10	10	<0.5	9	1.82	35.3	31	5	3210
D00072982		3.07	0.096		13.2	0.86	174	<10	20	<0.5	6	1.86	0.9	27	6	224
D00072983		3.10	0.058		3.7	1.60	68	<10	70	<0.5	3	2.93	0.6	15	6	45
D00072984		2.51	0.048		2.2	2.41	56	<10	80	<0.5	4	2.48	<0.5	16	6	38
D00072985		2.69	0.066		4.2	1.91	101	<10	30	<0.5	5	3.39	<0.5	26	5	59
D00072986		2.74	0.124		4.3	2.33	136	<10	20	<0.5	5	1.57	<0.5	43	3	19
D00072987		3.24	0.093		5.5	2.19	151	<10	20	<0.5	6	1.89	2.0	59	4	34
D00072988		2.79	0.078		2.9	2.70	114	<10	30	<0.5	4	2.00	1.6	39	3	23
D00072989		2.57	0.028		5.9	2.33	54	<10	140	<0.5	<2	2.59	83.7	17	2	303
D00072990		1.29	0.008		<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	2
D00072991		3.13	0.064		6.4	1.74	101	<10	70	<0.5	2	6.11	42.7	15	3	199
D00072992		2.65	0.054		6.2	2.41	94	<10	90	<0.5	<2	2.36	58.8	18	3	238
D00072993		2.52	0.046		2.3	2.41	105	<10	70	<0.5	<2	5.91	2.8	23	2	27
D00072994		2.79	0.031		2.8	2.69	82	<10	50	<0.5	<2	2.16	3.6	24	3	32
D00072995		2.57	0.107		2.8	2.87	118	<10	50	<0.5	2	3.59	1.0	20	3	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072956		5.01	<10	<1	0.36	10	2.02	1940	<1	0.02	3	1370	16	0.39	2	4
D00072957		5.12	10	<1	0.30	10	1.58	2150	<1	0.02	3	1390	11	0.04	<2	4
D00072958		4.96	<10	<1	0.32	10	1.31	2200	<1	0.02	3	1390	10	1.07	<2	3
D00072959		5.36	<10	<1	0.42	10	1.11	2340	1	<0.01	4	1470	51	2.47	5	3
D00072960		3.49	<10	1	0.14	<10	1.38	869	12	0.09	12	1000	4480	1.04	65	5
D00072961		11.50	<10	<1	0.30	<10	1.24	3040	2	<0.01	8	1350	78	7.55	<2	5
D00072962		10.95	<10	1	0.29	<10	1.20	3660	1	<0.01	7	920	43	5.64	<2	4
D00072963		8.89	10	<1	0.28	<10	1.32	3990	<1	<0.01	7	1000	25	2.93	<2	4
D00072964		7.54	<10	1	0.26	<10	1.11	4810	<1	<0.01	7	890	38	2.64	2	4
D00072965		8.77	<10	1	0.26	10	1.18	6050	<1	<0.01	6	810	52	3.80	<2	4
D00072966		7.80	<10	<1	0.23	10	1.16	6400	<1	<0.01	6	790	14	2.28	2	5
D00072967		18.45	<10	<1	0.23	<10	1.07	3460	2	<0.01	6	730	95	>10.0	<2	3
D00072968		24.2	<10	<1	0.16	<10	1.05	4570	2	<0.01	5	530	139	>10.0	6	4
D00072969		14.35	10	<1	0.24	<10	1.37	3900	<1	<0.01	7	890	51	7.92	<2	4
D00072970		0.19	<10	1	<0.01	<10	0.81	122	<1	<0.01	2	70	<2	0.06	<2	<1
D00072971		10.90	<10	<1	0.23	<10	0.99	3460	<1	<0.01	6	740	50	6.53	2	3
D00072972		8.73	<10	<1	0.30	<10	0.88	3270	1	<0.01	7	960	29	4.10	<2	3
D00072973		15.20	<10	<1	0.30	<10	1.16	3130	1	<0.01	9	990	88	9.98	3	4
D00072974		12.60	<10	<1	0.31	<10	0.94	2740	1	<0.01	8	990	77	8.62	<2	3
D00072975		14.40	<10	<1	0.16	<10	0.75	2480	1	<0.01	3	410	102	>10.0	<2	2
D00072976		15.75	<10	<1	0.11	<10	0.66	2370	1	<0.01	2	300	160	>10.0	<2	2
D00072977		25.7	<10	1	0.10	<10	0.21	1600	<1	<0.01	1	120	323	>10.0	6	1
D00072978		26.6	<10	1	0.10	<10	0.17	1530	1	<0.01	<1	100	363	>10.0	6	1
D00072979		11.30	<10	1	0.24	<10	0.10	1340	4	<0.01	3	410	655	>10.0	3	1
D00072980		5.08	10	14	0.20	<10	1.39	730	52	0.06	219	630	>10000	4.12	714	3
D00072981		17.55	<10	<1	0.23	<10	0.21	1495	2	<0.01	4	420	904	>10.0	8	1
D00072982		14.25	<10	<1	0.13	<10	0.36	1915	1	<0.01	1	240	93	>10.0	3	1
D00072983		8.96	<10	<1	0.14	<10	0.74	3280	1	<0.01	2	390	86	6.58	3	2
D00072984		10.05	<10	<1	0.14	<10	1.17	4160	1	<0.01	3	510	46	4.79	<2	5
D00072985		12.80	<10	<1	0.20	<10	0.98	4200	3	<0.01	5	610	79	9.28	2	5
D00072986		16.45	<10	<1	0.16	<10	0.99	3020	1	<0.01	3	550	70	>10.0	<2	3
D00072987		18.50	<10	1	0.19	<10	0.89	3060	2	<0.01	2	580	124	>10.0	<2	3
D00072988		15.05	10	<1	0.19	<10	1.14	3280	1	<0.01	2	870	62	>10.0	2	3
D00072989		7.04	<10	<1	0.41	<10	0.93	3070	1	<0.01	6	1530	38	3.07	<2	3
D00072990		0.15	<10	<1	<0.01	<10	0.67	113	<1	0.01	3	70	<2	0.01	<2	<1
D00072991		8.75	<10	<1	0.36	<10	0.67	4130	2	<0.01	3	1180	122	6.59	<2	2
D00072992		9.87	<10	<1	0.40	<10	1.00	3060	<1	0.01	3	1440	94	5.89	<2	3
D00072993		12.95	10	<1	0.28	<10	1.03	4750	<1	<0.01	4	1070	69	9.18	<2	3
D00072994		13.95	10	<1	0.34	<10	1.09	3490	<1	<0.01	3	1190	92	9.65	<2	3
D00072995		15.90	10	<1	0.25	<10	1.19	4240	<1	0.01	3	960	73	>10.0	<2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072956		220	<20	0.01	<10	<10	40	<10	118			
D00072957		208	<20	0.01	<10	<10	44	<10	100			
D00072958		218	<20	0.02	<10	<10	37	<10	90			
D00072959		227	<20	0.05	<10	<10	32	<10	974			
D00072960		152	<20	0.06	<10	<10	88	<10	1055			
D00072961		169	<20	0.05	<10	<10	65	<10	806			
D00072962		139	<20	0.04	<10	<10	44	<10	364			
D00072963		126	<20	0.04	<10	<10	48	<10	925			
D00072964		241	<20	0.04	<10	<10	41	<10	1480			
D00072965		298	<20	0.03	<10	<10	48	<10	6530			
D00072966		273	<20	0.05	<10	<10	50	<10	180			
D00072967		111	<20	0.03	<10	<10	43	<10	429			
D00072968		225	<20	0.03	<10	<10	38	<10	531			
D00072969		69	<20	0.04	<10	<10	45	<10	168			
D00072970		84	<20	<0.01	<10	<10	<1	<10	3			
D00072971		105	<20	0.04	<10	<10	32	<10	156			
D00072972		106	<20	0.04	<10	<10	31	<10	868			
D00072973		55	<20	0.04	<10	<10	52	<10	252			
D00072974		57	<20	0.04	<10	<10	48	<10	1090			
D00072975		80	<20	0.02	<10	<10	33	<10	182			
D00072976		116	<20	0.01	<10	<10	27	<10	260			
D00072977		169	<20	0.01	<10	<10	11	<10	5000			
D00072978		180	<20	<0.01	<10	<10	9	<10	4000			
D00072979		116	<20	0.01	<10	<10	8	<10	9910			
D00072980		46	<20	0.05	10	<10	57	20	>10000	327	2.39	2.39
D00072981		104	<20	0.01	<10	<10	11	<10	3560			
D00072982		110	<20	<0.01	<10	<10	12	<10	144			
D00072983		146	<20	0.01	<10	<10	23	<10	119			
D00072984		118	<20	0.01	<10	<10	40	<10	147			
D00072985		155	<20	0.01	<10	<10	36	<10	139			
D00072986		83	<20	0.01	<10	<10	30	<10	168			
D00072987		89	<20	0.02	<10	<10	31	<10	336			
D00072988		90	<20	0.02	<10	<10	34	<10	323			
D00072989		106	<20	0.03	<10	<10	34	<10	8040			
D00072990		89	<20	<0.01	<10	<10	<1	<10	18			
D00072991		194	<20	0.02	<10	<10	24	<10	4110			
D00072992		82	<20	0.03	<10	<10	34	<10	5560			
D00072993		171	<20	0.03	<10	<10	34	<10	351			
D00072994		81	<20	0.04	<10	<10	38	<10	433			
D00072995		119	<20	0.03	<10	<10	39	<10	223			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00072996		3.10	0.108		14.4	1.75	315	<10	20	<0.5	4	1.13	6.6	36	4	185
D00072997		2.84	0.051		2.5	2.27	75	<10	60	<0.5	2	1.29	3.0	22	2	23
D00072998		2.73	0.074		1.2	2.85	56	<10	170	<0.5	2	1.63	<0.5	9	3	9
D00072999		2.66	0.086		3.2	3.02	82	<10	170	<0.5	2	1.32	76.8	14	2	55
D00073000		0.12	0.679		10.4	1.36	865	20	110	<0.5	20	3.53	6.7	50	26	7220
D00073001		3.02	0.050		4.5	3.45	59	<10	210	<0.5	<2	2.09	93.6	14	2	79
D00073002		2.78	0.053		3.9	3.15	63	<10	170	<0.5	<2	2.56	87.1	14	2	68
D00073003		2.37	0.169		3.2	3.41	85	<10	60	<0.5	2	1.35	<0.5	18	3	12
D00073004		2.38	0.073		2.2	2.74	60	<10	140	<0.5	<2	1.46	1.0	14	3	14
D00073005		1.02	0.061		7.7	2.48	61	<10	120	<0.5	3	1.24	14.1	14	4	172
D00073006		1.10	0.065		9.9	2.32	69	<10	120	<0.5	<2	1.50	45.9	13	3	210
D00073007		2.11	0.093		1.7	2.97	46	<10	130	<0.5	2	1.48	1.1	11	4	9
D00073008		2.28	0.066		1.2	3.40	62	<10	160	<0.5	<2	1.71	0.5	14	5	9
D00073009		2.39	0.046		1.0	3.33	53	<10	190	<0.5	<2	1.68	0.9	12	3	11
D00073010		1.13	<0.005		<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	<1
D00073011		4.62	0.053		2.9	3.26	73	<10	210	<0.5	<2	1.72	31.1	14	2	54
D00073012		4.61	0.038		2.3	3.43	61	<10	190	<0.5	2	2.03	38.8	14	3	61
D00073013		4.62	0.042		1.9	3.45	59	<10	210	<0.5	<2	1.98	34.5	13	3	56
D00073014		4.42	0.018		2.2	2.16	63	<10	290	<0.5	2	3.56	46.6	12	1	70
D00073015		4.91	0.010		0.6	2.22	4	<10	190	<0.5	<2	6.34	0.6	18	2	88
D00073016		2.50	0.025		2.4	2.36	19	<10	200	<0.5	<2	5.42	15.4	20	2	72
D00073017		1.38	4.34		22.1	1.99	79	<10	60	<0.5	12	2.87	897	11	1	1135
D00073018		2.78	0.551		8.1	2.21	41	<10	140	<0.5	<2	2.25	166.5	17	1	214
D00073019		3.03	0.087		1.7	2.00	45	<10	200	<0.5	<2	4.08	17.7	19	1	87
D00073020		0.13	1.170		96.6	1.70	31	10	190	<0.5	<2	3.39	8.9	18	18	1010
D00073021		2.33	1.760		27.8	1.51	60	<10	110	<0.5	<2	2.91	215	23	2	496
D00073022		2.43	2.51		5.2	2.49	43	<10	120	<0.5	<2	2.99	256	14	2	202
D00073023		2.66	0.089		3.7	1.63	15	<10	140	<0.5	<2	4.65	10.6	25	1	188
D00073024		2.85	0.485		9.0	2.06	19	<10	170	<0.5	<2	4.33	85.4	22	1	171
D00073025		4.84	0.147		4.2	2.48	8	<10	240	<0.5	<2	3.24	85.6	15	3	134
D00073026		4.92	0.063		1.4	1.71	8	<10	180	<0.5	<2	4.44	13.8	20	2	76
D00073027		4.50	0.089		1.4	1.92	8	<10	230	<0.5	<2	3.27	6.8	18	2	57
D00073028		3.85	0.179		5.5	2.36	13	<10	210	<0.5	<2	2.63	43.1	16	2	172
D00073029		4.81	4.19		3.4	1.24	11	<10	300	<0.5	<2	2.47	37.7	4	3	81
D00073030		0.94	<0.005		<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1
D00073031		4.47	1.370		1.2	1.05	17	<10	180	<0.5	<2	2.03	13.1	4	2	24
D00073032		4.85	0.076		1.7	1.10	2	<10	480	<0.5	2	1.84	27.7	4	2	22
D00073033		4.76	0.034		0.8	1.11	6	<10	510	<0.5	<2	2.40	17.1	4	2	14
D00073034		4.99	0.097		0.6	1.04	9	<10	380	<0.5	<2	3.62	8.4	4	2	10
D00073035		4.52	0.038		0.5	1.10	3	<10	470	<0.5	<2	2.38	12.1	3	3	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00072996		24.2	<10	<1	0.17	<10	0.70	2100	<1	<0.01	2	480	198	>10.0	<2	2
D00072997		10.80	<10	<1	0.24	<10	0.96	2670	<1	<0.01	2	750	65	6.84	<2	2
D00072998		7.87	10	<1	0.30	10	1.24	3180	<1	<0.01	2	930	32	2.24	<2	2
D00072999		8.38	10	1	0.36	10	1.34	2980	<1	0.01	3	1170	62	2.94	3	2
D00073000		3.96	<10	<1	0.17	10	0.47	677	309	0.13	23	720	77	1.32	16	2
D00073001		8.47	10	1	0.35	10	1.61	3710	5	0.01	4	1150	42	2.16	<2	3
D00073002		8.47	10	1	0.32	10	1.48	3750	4	0.01	2	1060	47	2.75	2	2
D00073003		11.95	10	<1	0.23	<10	1.65	3630	2	<0.01	3	780	77	5.18	<2	3
D00073004		8.38	10	<1	0.30	10	1.26	3100	1	<0.01	4	1020	61	3.22	<2	2
D00073005		7.72	<10	<1	0.29	<10	1.12	2830	1	<0.01	5	940	398	3.11	7	2
D00073006		7.59	<10	<1	0.26	<10	1.05	2830	1	<0.01	4	820	1105	3.39	9	2
D00073007		8.38	10	<1	0.22	<10	1.41	3530	3	<0.01	4	680	66	2.42	<2	2
D00073008		9.68	10	<1	0.28	10	1.58	3910	1	<0.01	4	1040	25	2.90	<2	3
D00073009		8.88	10	<1	0.32	10	1.48	3710	1	0.01	3	1220	27	2.23	2	3
D00073010		0.15	<10	<1	<0.01	<10	1.05	124	<1	0.01	3	70	<2	0.01	<2	<1
D00073011		8.23	10	<1	0.36	10	1.45	3610	1	0.01	4	1310	47	2.02	<2	3
D00073012		8.89	10	<1	0.32	10	1.60	3950	1	<0.01	4	1250	28	2.29	<2	3
D00073013		8.78	10	<1	0.34	10	1.60	4010	1	0.01	5	1320	20	2.10	<2	3
D00073014		5.20	<10	<1	0.44	10	0.86	3370	<1	0.01	2	1200	18	1.68	<2	2
D00073015		4.63	<10	<1	0.38	10	0.97	2700	<1	<0.01	3	1340	27	0.59	<2	3
D00073016		6.15	<10	<1	0.41	10	0.98	2470	1	0.01	3	1450	853	2.05	2	3
D00073017		9.81	<10	14	0.28	<10	0.83	2230	6	<0.01	3	920	1405	>10.0	<2	2
D00073018		6.11	<10	2	0.36	10	0.94	1990	2	<0.01	3	1290	1800	2.90	<2	2
D00073019		5.41	<10	<1	0.39	10	0.82	2460	1	<0.01	3	1510	253	2.07	2	3
D00073020		3.75	10	<1	0.15	10	1.51	947	13	0.11	11	1080	4730	1.09	63	6
D00073021		6.75	<10	1	0.41	<10	0.54	1820	4	<0.01	4	1320	>10000	6.07	16	2
D00073022		8.29	<10	3	0.33	<10	1.14	2760	2	<0.01	3	1170	1150	4.87	2	3
D00073023		5.52	<10	<1	0.46	10	0.64	2210	2	0.01	5	1590	893	3.35	4	3
D00073024		6.30	<10	1	0.45	10	0.97	2740	2	0.01	4	1380	4160	3.01	5	3
D00073025		5.77	<10	1	0.40	10	1.00	3250	1	<0.01	3	1430	2340	1.17	<2	2
D00073026		4.73	<10	<1	0.38	10	0.74	3010	1	<0.01	4	1460	525	1.84	<2	2
D00073027		5.09	<10	<1	0.38	10	0.86	2910	1	<0.01	3	1460	421	1.73	<2	2
D00073028		6.14	10	<1	0.36	10	1.12	3260	1	<0.01	4	1410	2030	1.58	<2	3
D00073029		3.20	<10	<1	0.31	10	0.46	2760	1	<0.01	1	530	691	0.96	<2	1
D00073030		0.14	<10	<1	0.01	<10	0.94	126	<1	0.01	3	80	4	0.03	<2	<1
D00073031		2.77	<10	<1	0.38	10	0.31	2160	1	0.01	1	560	910	1.07	<2	1
D00073032		2.46	<10	<1	0.39	10	0.34	2080	1	<0.01	1	620	1830	0.69	<2	1
D00073033		2.33	<10	<1	0.39	10	0.34	2360	<1	0.01	1	640	1060	0.52	<2	1
D00073034		2.45	<10	<1	0.32	10	0.34	2850	2	0.01	1	630	712	0.64	<2	1
D00073035		2.36	<10	<1	0.38	10	0.35	2040	1	0.01	1	630	480	0.52	<2	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
D00072996		45	<20	0.01	<10	<10	20	<10	655			
D00072997		43	<20	0.02	<10	<10	23	<10	359			
D00072998		65	<20	0.03	<10	<10	30	<10	164			
D00072999		47	<20	0.04	<10	<10	33	<10	6680			
D00073000		150	<20	0.08	<10	<10	47	10	1080			
D00073001		74	<20	0.03	<10	<10	36	<10	8710			
D00073002		82	<20	0.03	<10	<10	35	<10	8170			
D00073003		49	<20	0.03	<10	<10	37	<10	220			
D00073004		52	<20	0.03	<10	<10	30	<10	196			
D00073005		49	<20	0.03	<10	<10	29	<10	1270			
D00073006		54	<20	0.03	<10	<10	27	<10	3750			
D00073007		50	<20	0.03	<10	<10	30	<10	227			
D00073008		53	<20	0.03	<10	<10	36	<10	190			
D00073009		54	<20	0.04	<10	<10	37	<10	237			
D00073010		92	<20	<0.01	<10	<10	<1	<10	3			
D00073011		66	<20	0.04	<10	<10	42	<10	2790			
D00073012		71	<20	0.04	<10	<10	45	<10	3660			
D00073013		72	<20	0.04	<10	<10	45	<10	3320			
D00073014		120	<20	0.03	<10	<10	22	<10	4480			
D00073015		208	<20	0.01	<10	<10	29	<10	168			
D00073016		163	<20	0.01	<10	<10	31	<10	1560			
D00073017		113	<20	0.02	<10	<10	29	10	>10000			8.41
D00073018		82	<20	0.01	<10	<10	32	<10	>10000			1.560
D00073019		142	<20	0.01	<10	<10	29	<10	1780			
D00073020		164	<20	0.07	<10	<10	97	<10	1170			
D00073021		99	<20	0.02	<10	<10	23	<10	>10000		1.215	1.770
D00073022		104	<20	0.01	<10	<10	33	10	>10000			2.35
D00073023		183	<20	0.01	<10	<10	26	<10	986			
D00073024		158	<20	0.03	<10	<10	32	<10	7490			
D00073025		139	<20	0.01	<10	<10	39	<10	7600			
D00073026		182	<20	0.01	<10	<10	25	<10	1280			
D00073027		130	<20	0.01	<10	<10	29	<10	718			
D00073028		183	<20	0.05	<10	<10	41	<10	4040			
D00073029		149	<20	0.01	<10	<10	10	<10	3570			
D00073030		92	<20	<0.01	<10	<10	<1	<10	11			
D00073031		132	<20	0.02	<10	<10	6	<10	1260			
D00073032		117	<20	0.01	<10	<10	7	<10	2550			
D00073033		156	<20	0.01	<10	<10	7	<10	1630			
D00073034		204	<20	0.01	<10	<10	8	<10	829			
D00073035		138	<20	0.02	<10	<10	8	<10	1220			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00073036		4.33	0.012		0.3	0.94	7	<10	420	<0.5	<2	2.30	5.4	4	3	5
D00073037		4.46	0.045		1.8	1.18	8	<10	370	<0.5	2	1.77	22.4	4	3	21
D00073038		4.61	0.066		1.3	0.65	25	<10	70	<0.5	<2	2.90	13.9	3	2	15
D00073039		2.59	0.138		1.3	0.71	41	<10	110	<0.5	<2	1.28	13.7	4	4	11
D00073040		0.13	0.687		9.3	1.22	803	20	100	<0.5	22	3.08	6.0	45	23	6680
D00073041		2.24	0.105		0.7	0.81	34	<10	80	<0.5	<2	1.40	5.1	4	3	11
D00073042		2.24	0.175		0.5	0.72	43	<10	60	<0.5	<2	1.69	2.8	3	4	9
D00073043		2.71	0.352		1.4	0.75	32	<10	70	<0.5	<2	1.53	11.7	3	3	30
D00073044		1.14	0.698		0.8	0.76	35	<10	40	<0.5	<2	2.13	0.5	3	3	90
D00073045		1.09	0.921		1.5	0.77	35	<10	30	<0.5	<2	2.19	1.0	3	3	155
D00073046		2.39	0.708		6.7	0.75	31	<10	60	<0.5	<2	2.02	50.1	7	2	726
D00073047		2.62	0.804		2.2	0.68	33	<10	60	<0.5	2	2.04	62.5	3	4	143
D00073048		1.98	0.304		2.0	0.91	31	<10	50	<0.5	<2	2.78	18.4	3	3	25
D00073049		1.88	0.168		4.0	1.19	9	<10	260	<0.5	2	1.63	49.3	4	3	63
D00073050		1.08	<0.005		<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	3	<1
D00073051		2.42	0.154		3.1	1.06	9	<10	310	<0.5	2	1.76	66.1	3	4	70
D00073052		1.68	0.074		3.6	1.32	8	<10	400	<0.5	3	1.92	64.2	3	2	64
D00073053		2.33	0.219		4.7	2.71	54	<10	90	<0.5	<2	1.89	67.0	16	2	102
D00073054		2.78	0.445		4.3	1.98	15	<10	270	<0.5	<2	1.37	38.1	9	3	36
D00073055		2.56	0.363		4.1	1.92	21	<10	120	<0.5	2	2.07	49.2	15	4	62
D00073056		2.70	0.129		5.0	1.85	19	<10	200	<0.5	2	2.64	45.3	11	2	64
D00073057		2.74	0.479		4.2	2.34	21	<10	130	<0.5	<2	2.11	59.9	14	2	56
D00073058		2.30	0.146		1.9	2.69	24	<10	250	<0.5	<2	2.23	12.5	14	2	15
D00073059		2.73	3.59		13.0	1.19	66	<10	50	<0.5	5	5.86	91.6	10	2	161
D00073060		0.14	7.99		>100	1.52	640	<10	30	<0.5	5	3.65	128.5	17	43	2120
D00073061		1.95	0.070		6.3	2.44	47	10	180	<0.5	<2	5.82	17.2	26	20	127
D00073062		2.33	0.066		10.9	2.48	55	10	160	<0.5	2	5.06	22.4	24	11	94
D00073063		2.14	0.106		12.1	1.67	65	10	70	<0.5	<2	4.14	48.4	19	3	223
D00073064		2.45	0.163		2.4	0.67	76	<10	40	<0.5	2	3.28	19.2	14	3	31
D00073065		1.29	0.124		1.9	1.61	80	<10	40	<0.5	2	1.99	8.1	15	3	25
D00073066		1.39	0.113		2.1	1.53	88	<10	30	<0.5	3	1.93	7.0	18	3	27
D00073067		2.71	0.043		2.2	2.27	84	<10	50	<0.5	<2	2.28	10.5	16	3	35
D00073068		2.82	0.059		3.0	2.38	86	<10	50	<0.5	3	2.75	17.1	17	2	56
D00073069		2.25	0.062		0.7	1.57	30	<10	220	<0.5	2	4.73	2.3	13	1	12
D00073070		0.98	0.006		<0.2	0.03	<2	10	20	<0.5	<2	>25.0	<0.5	<1	<1	2
D00073071		2.21	0.050		4.2	2.48	39	<10	150	<0.5	2	8.1	76.7	20	2	191
D00073072		5.00	0.034		4.4	2.03	26	<10	230	<0.5	2	6.01	30.9	16	1	170
D00073073		4.75	0.024		1.5	2.41	23	<10	260	<0.5	<2	6.43	<0.5	18	2	105
D00073074		4.40	4.34		3.5	2.01	27	<10	200	<0.5	<2	3.97	38.4	14	1	151
D00073075		4.91	0.041		2.1	1.83	25	<10	170	<0.5	<2	3.12	65.9	9	2	164

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00073036		2.13	<10	<1	0.36	10	0.28	1770	5	0.01	1	650	252	0.53	<2	1
D00073037		2.68	<10	<1	0.39	10	0.37	1820	1	0.01	1	600	1380	0.73	<2	1
D00073038		1.83	<10	<1	0.39	10	0.14	2090	1	<0.01	1	620	781	1.10	<2	1
D00073039		2.00	<10	1	0.42	10	0.14	1140	<1	<0.01	<1	640	804	1.31	<2	1
D00073040		3.64	<10	<1	0.15	10	0.43	614	284	0.12	22	640	74	1.26	14	2
D00073041		3.15	<10	<1	0.36	10	0.21	1390	1	<0.01	1	490	317	2.01	2	1
D00073042		3.06	<10	<1	0.36	10	0.16	1490	<1	<0.01	1	480	188	2.17	<2	1
D00073043		3.15	<10	<1	0.32	10	0.20	1720	<1	<0.01	1	430	741	2.05	2	1
D00073044		3.90	<10	<1	0.32	<10	0.19	2120	<1	<0.01	1	390	190	2.83	<2	1
D00073045		4.18	<10	<1	0.33	<10	0.19	2230	<1	<0.01	1	370	408	3.04	2	1
D00073046		4.32	<10	<1	0.36	<10	0.21	2240	<1	<0.01	1	380	3410	3.26	<2	1
D00073047		2.97	<10	<1	0.33	10	0.19	1890	<1	<0.01	1	380	862	2.02	<2	1
D00073048		3.16	<10	<1	0.29	10	0.33	2550	<1	<0.01	1	420	588	1.80	<2	1
D00073049		3.12	<10	<1	0.31	10	0.40	1870	1	<0.01	1	540	2180	1.01	2	1
D00073050		0.13	<10	<1	0.01	<10	0.89	122	<1	0.01	2	70	6	0.03	<2	<1
D00073051		2.77	<10	<1	0.30	10	0.34	1900	1	<0.01	1	500	2250	1.02	2	1
D00073052		2.97	<10	<1	0.32	10	0.47	2330	2	0.01	1	650	2450	0.89	<2	1
D00073053		7.25	10	<1	0.28	<10	1.36	3940	1	<0.01	4	1190	2950	2.28	<2	3
D00073054		4.99	<10	1	0.28	<10	1.04	3540	<1	<0.01	3	880	2110	1.23	<2	2
D00073055		5.73	10	<1	0.25	<10	0.93	3920	<1	<0.01	5	780	2870	1.90	<2	2
D00073056		5.18	<10	<1	0.29	<10	0.79	4540	<1	<0.01	3	800	3260	1.82	4	2
D00073057		6.47	10	<1	0.26	<10	1.07	4910	<1	<0.01	4	880	2150	1.98	<2	2
D00073058		6.87	10	<1	0.27	<10	1.35	5170	<1	<0.01	4	940	706	1.70	<2	3
D00073059		5.97	<10	<1	0.24	<10	0.59	6090	<1	<0.01	4	650	623	4.67	6	2
D00073060		5.11	10	14	0.20	<10	1.40	761	52	0.06	213	620	>10000	4.18	683	3
D00073061		6.51	<10	<1	0.22	<10	1.47	6570	2	<0.01	15	950	741	1.53	3	7
D00073062		6.72	10	1	0.27	<10	1.41	6020	2	<0.01	10	1290	1990	1.75	8	5
D00073063		6.55	<10	<1	0.39	<10	1.13	4710	2	<0.01	5	1230	2210	2.77	9	3
D00073064		7.70	<10	<1	0.21	<10	0.34	3320	1	<0.01	2	390	82	7.15	<2	1
D00073065		10.10	<10	<1	0.20	<10	0.78	3300	1	<0.01	2	620	127	7.73	<2	2
D00073066		10.90	<10	<1	0.18	<10	0.75	3250	1	<0.01	2	610	137	8.94	<2	2
D00073067		10.15	10	<1	0.26	<10	1.13	4140	1	<0.01	3	1030	250	5.83	<2	2
D00073068		8.92	10	<1	0.27	<10	1.20	4620	3	<0.01	4	1290	337	4.31	2	3
D00073069		4.08	<10	<1	0.30	10	0.70	3940	1	<0.01	3	1230	35	1.26	<2	2
D00073070		0.13	<10	<1	0.01	<10	0.70	116	<1	<0.01	3	80	3	0.20	<2	<1
D00073071		7.00	10	<1	0.31	<10	1.20	5680	8	<0.01	4	1240	108	2.59	<2	3
D00073072		4.98	<10	<1	0.32	10	0.94	4420	2	<0.01	4	1350	329	1.48	<2	3
D00073073		5.24	<10	<1	0.37	10	1.14	4680	2	<0.01	4	1300	25	0.69	<2	3
D00073074		5.53	<10	<1	0.32	10	0.86	3290	2	<0.01	3	1380	46	1.67	<2	2
D00073075		5.07	<10	<1	0.32	10	0.79	3000	1	<0.01	3	950	38	1.74	<2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073036		137	<20	0.02	<10	<10	7	<10	559			
D00073037		115	<20	0.02	<10	<10	9	<10	2170			
D00073038		191	<20	0.01	<10	<10	5	<10	1330			
D00073039		81	<20	0.02	<10	<10	5	<10	1260			
D00073040		134	<20	0.08	<10	<10	42	10	1010			
D00073041		82	<20	0.01	<10	<10	7	<10	511			
D00073042		92	<20	0.01	<10	<10	8	<10	275			
D00073043		105	<20	0.01	<10	<10	10	<10	1080			
D00073044		136	<20	0.01	<10	<10	14	<10	92			
D00073045		140	<20	0.01	<10	<10	14	<10	139			
D00073046		134	<20	0.01	<10	<10	20	<10	4590			
D00073047		138	<20	0.01	<10	<10	20	<10	5570			
D00073048		207	<20	<0.01	<10	<10	13	<10	1710			
D00073049		109	<20	0.02	<10	<10	9	<10	4340			
D00073050		80	<20	<0.01	<10	<10	<1	<10	10			
D00073051		109	<20	0.01	<10	<10	8	<10	5870			
D00073052		109	<20	<0.01	<10	<10	9	<10	5740			
D00073053		100	<20	0.01	<10	<10	41	<10	6360			
D00073054		76	<20	0.01	<10	<10	32	<10	3540			
D00073055		96	<20	0.01	<10	<10	31	<10	4410			
D00073056		118	<20	0.01	<10	<10	29	<10	3990			
D00073057		107	<20	0.01	<10	<10	41	<10	5340			
D00073058		106	<20	0.01	<10	<10	44	<10	1320			
D00073059		274	<20	<0.01	<10	<10	19	<10	8980			
D00073060		49	<20	0.05	10	<10	57	20	>10000	318	2.32	2.37
D00073061		243	<20	0.01	<10	<10	69	<10	1785			
D00073062		196	<20	0.01	<10	<10	56	<10	2220			
D00073063		172	<20	0.01	<10	<10	32	<10	4590			
D00073064		119	<20	<0.01	<10	<10	11	<10	1775			
D00073065		75	<20	0.01	<10	<10	26	<10	825			
D00073066		72	<20	0.01	<10	<10	24	<10	726			
D00073067		89	<20	0.01	<10	<10	33	<10	1060			
D00073068		107	<20	0.01	<10	<10	36	<10	1725			
D00073069		172	<20	0.01	<10	<10	19	<10	299			
D00073070		88	<20	<0.01	<10	<10	<1	<10	5			
D00073071		282	<20	0.01	<10	<10	37	<10	7390			
D00073072		202	<20	0.01	<10	<10	29	<10	2960			
D00073073		222	<20	0.01	<10	<10	36	<10	163			
D00073074		131	<20	0.02	<10	<10	26	<10	3700			
D00073075		112	<20	0.01	<10	<10	21	<10	6140			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00073076		4.61	0.020		0.3	2.23	5	<10	170	<0.5	<2	5.02	0.9	13	2	36
D00073077		4.80	0.008		0.3	2.05	<2	<10	220	<0.5	<2	5.01	<0.5	14	2	38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00073076		4.75	<10	<1	0.29	10	1.18	2840	<1	0.01	3	1290	9	0.30	<2	2
D00073077		4.25	<10	<1	0.39	10	0.92	2360	<1	0.01	3	1270	21	0.27	<2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073076		166	<20	0.01	<10	<10	28	<10	243			
D00073077		167	<20	0.01	<10	<10	26	<10	163			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20148679

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

CERTIFICATE TR20149658

Project: Premier Gold

This report is for 115 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073078		4.39	0.023	0.3	2.07	35	<10	190	<0.5	<2	7.3	<0.5	17	2	49	4.28
D00073079		4.77	0.009	0.3	2.18	38	<10	540	<0.5	<2	5.72	<0.5	15	2	49	4.58
D00073080		0.12	0.715	9.5	1.16	810	10	100	<0.5	22	3.03	6.2	44	23	6400	3.53
D00073081		4.41	0.048	0.4	1.99	50	<10	230	<0.5	<2	5.31	<0.5	16	2	44	4.58
D00073082		4.63	0.024	1.4	0.96	4	<10	210	<0.5	<2	4.91	21.2	3	3	34	1.92
D00073083		4.34	0.392	3.0	0.90	5	<10	260	<0.5	<2	4.59	29.4	5	2	37	2.00
D00073084		4.24	0.174	1.1	0.92	3	<10	240	<0.5	<2	3.96	14.2	3	2	16	1.96
D00073085		3.78	0.125	0.7	1.01	8	<10	280	<0.5	<2	5.20	11.2	5	3	23	2.33
D00073086		4.30	0.049	0.4	0.81	6	<10	250	<0.5	<2	4.40	3.5	4	2	15	1.66
D00073087		5.17	0.050	<0.2	0.81	6	<10	280	<0.5	<2	5.82	<0.5	3	1	5	1.39
D00073088		2.81	0.015	<0.2	0.76	7	<10	380	<0.5	<2	3.17	0.8	4	1	5	1.38
D00073089		3.17	<0.005	<0.2	1.14	3	<10	330	<0.5	<2	3.71	<0.5	4	2	12	2.11
D00073090		0.88	0.005	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	<1	0.11
D00073091		3.12	0.017	0.5	2.36	69	<10	290	<0.5	<2	4.76	<0.5	19	2	34	4.99
D00073092		3.34	0.018	0.5	2.00	37	<10	470	<0.5	<2	4.81	<0.5	17	2	31	4.26
D00073093		4.85	0.299	1.2	2.19	87	<10	270	<0.5	<2	4.12	2.6	18	2	29	5.57
D00073094		4.59	0.143	0.6	2.24	39	<10	300	<0.5	<2	4.51	2.4	18	2	30	5.24
D00073095		4.66	0.059	1.8	2.28	49	<10	310	<0.5	<2	2.67	5.2	18	2	38	5.12
D00073096		4.68	0.027	1.1	2.54	16	<10	280	<0.5	<2	3.74	8.5	19	2	58	5.57
D00073097		4.86	0.067	0.8	2.76	29	<10	300	<0.5	<2	3.70	16.6	19	2	48	5.99
D00073098		4.73	0.055	1.8	2.55	47	<10	310	<0.5	<2	2.42	8.8	17	3	23	5.95
D00073099		3.13	0.113	2.1	1.09	5	<10	350	<0.5	2	2.87	19.4	4	2	32	2.15
D00073100		0.13	1.180	88.0	1.52	30	10	180	<0.5	3	3.10	8.4	16	17	908	3.44
D00073101		3.11	0.012	0.4	0.96	5	<10	310	<0.5	<2	2.75	1.1	4	2	5	1.94
D00073102		4.84	0.215	2.3	2.41	15	<10	460	<0.5	3	3.59	39.5	15	3	94	5.12
D00073103		4.40	0.369	3.4	2.45	21	<10	210	<0.5	2	2.76	41.0	15	3	77	6.30
D00073104		5.25	0.126	5.0	2.54	11	<10	250	<0.5	2	2.59	34.5	14	3	79	6.28
D00073105		4.81	0.270	5.4	2.57	25	<10	180	<0.5	3	1.77	50.9	13	4	93	6.86
D00073106		2.70	1.295	72.5	2.57	38	<10	110	<0.5	3	2.21	193.5	15	4	97	6.98
D00073107		2.26	1.745	13.5	2.71	21	<10	180	<0.5	2	2.01	95.3	15	3	155	6.82
D00073108		2.62	1.725	20.8	2.32	68	<10	70	<0.5	5	3.14	222	17	3	426	7.38
D00073109		2.49	0.138	2.7	1.59	35	<10	260	<0.5	2	5.35	7.6	18	2	105	3.99
D00073110		0.98	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.12
D00073111		4.23	0.053	1.7	2.05	30	<10	240	<0.5	<2	5.88	0.9	17	2	156	4.32
D00073112		4.68	0.098	1.7	1.79	134	<10	200	<0.5	2	4.09	0.5	24	2	78	5.27
D00073113		4.62	<0.005	0.4	2.12	13	<10	200	<0.5	<2	4.84	<0.5	16	1	46	4.73
D00073114		4.17	0.008	0.7	1.98	29	<10	520	<0.5	<2	5.13	1.2	21	2	57	4.32
D00073115		3.87	0.057	1.6	1.98	34	<10	210	<0.5	<2	6.01	17.3	18	3	92	4.61
D00073116		4.68	0.200	2.0	1.43	21	<10	220	<0.5	<2	4.94	68.2	9	1	123	3.81
D00073117		2.72	2.31	6.9	1.60	41	<10	170	<0.5	7	4.56	129.5	9	1	417	4.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073078		<10	<1	0.34	10	1.11	2320	<1	0.01	2	1250	6	0.52	2	2	273
D00073079		<10	<1	0.36	10	1.07	2220	<1	0.01	3	1390	3	0.48	<2	3	210
D00073080		<10	<1	0.15	10	0.42	599	280	0.12	21	650	69	1.22	16	2	132
D00073081		<10	<1	0.37	10	0.90	2420	2	0.01	3	1340	21	0.94	2	2	191
D00073082		<10	<1	0.34	10	0.27	1950	1	0.01	1	640	791	0.35	<2	1	201
D00073083		<10	<1	0.36	10	0.23	1755	<1	0.01	1	610	1395	0.73	<2	1	191
D00073084		<10	<1	0.36	10	0.24	1640	1	0.01	<1	610	724	0.43	<2	1	161
D00073085		<10	<1	0.33	10	0.35	2380	<1	0.01	1	570	260	0.46	<2	1	292
D00073086		<10	<1	0.38	10	0.21	1700	<1	0.01	1	660	228	0.36	<2	1	193
D00073087		<10	<1	0.42	10	0.18	2260	<1	0.01	1	650	38	0.29	<2	1	230
D00073088		<10	<1	0.39	10	0.16	1385	1	0.01	<1	730	70	0.32	<2	1	138
D00073089		<10	<1	0.38	10	0.34	1650	3	0.02	<1	710	21	0.23	<2	1	178
D00073090		<10	<1	0.01	<10	0.99	100	<1	0.01	2	60	<2	<0.01	<2	<1	86
D00073091		<10	<1	0.40	10	1.01	2650	2	0.01	3	1480	15	0.58	<2	3	175
D00073092		<10	<1	0.37	10	0.88	2510	1	0.01	3	1470	12	0.64	3	2	177
D00073093		<10	<1	0.37	10	0.93	2610	1	0.01	3	1340	99	1.47	2	3	180
D00073094		<10	<1	0.39	10	0.89	3080	1	0.01	3	1350	141	0.89	<2	3	220
D00073095		<10	<1	0.40	10	0.95	2490	1	0.01	3	1390	796	0.76	2	3	137
D00073096		<10	<1	0.34	10	1.22	3690	<1	0.01	3	1350	242	0.63	<2	3	204
D00073097		<10	<1	0.34	10	1.36	3930	1	0.01	3	1400	123	0.69	<2	3	200
D00073098		<10	<1	0.32	10	1.19	3190	1	0.01	3	1270	413	0.91	<2	2	125
D00073099		<10	<1	0.36	10	0.30	1975	3	0.03	1	660	463	0.37	<2	1	170
D00073100		<10	<1	0.14	10	1.37	872	13	0.10	11	1000	4400	1.03	65	5	150
D00073101		<10	<1	0.33	10	0.26	1790	3	0.03	2	710	102	0.25	<2	1	162
D00073102		<10	<1	0.44	10	0.99	4170	<1	0.02	3	1440	295	0.61	<2	3	192
D00073103		10	<1	0.35	10	1.05	4800	1	0.02	3	1350	696	1.55	<2	3	169
D00073104		10	<1	0.33	10	1.16	5100	<1	0.02	3	1280	1615	1.37	4	3	153
D00073105		10	<1	0.28	10	1.17	4550	1	0.02	4	1210	354	1.85	<2	3	114
D00073106		10	<1	0.32	10	1.16	5190	<1	0.03	3	1150	3120	2.60	11	3	156
D00073107		10	<1	0.27	10	1.31	4910	1	0.02	3	1310	1540	1.82	5	3	111
D00073108		10	<1	0.29	<10	1.05	5200	2	0.02	5	1100	2410	3.85	6	3	163
D00073109		<10	<1	0.36	<10	0.68	3670	1	0.01	6	1110	239	1.45	<2	2	210
D00073110		<10	<1	<0.01	<10	0.66	104	<1	0.01	2	60	<2	<0.01	<2	<1	83
D00073111		<10	<1	0.34	10	0.99	3600	<1	0.02	7	1110	29	0.59	2	3	239
D00073112		<10	<1	0.37	<10	0.79	2410	1	0.01	8	1140	45	2.39	3	3	157
D00073113		<10	<1	0.36	10	1.16	3020	<1	0.01	3	1390	10	0.17	2	3	198
D00073114		<10	<1	0.37	<10	0.91	3170	1	0.01	9	1180	31	0.53	3	3	210
D00073115		<10	<1	0.37	<10	0.82	3740	1	0.01	8	1040	271	1.10	3	3	221
D00073116		<10	<1	0.38	<10	0.49	3580	<1	0.01	3	1050	336	1.87	<2	1	188
D00073117		<10	<1	0.30	<10	0.58	3690	<1	0.01	2	840	367	2.22	5	2	176

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073078		<20	0.02	<10	<10	29	<10	78			
D00073079		<20	0.01	<10	<10	38	<10	91			
D00073080		<20	0.07	<10	<10	42	10	978			
D00073081		<20	0.01	<10	<10	28	<10	137			
D00073082		<20	<0.01	<10	<10	6	<10	1910			
D00073083		<20	0.01	<10	<10	5	<10	2630			
D00073084		<20	0.01	<10	<10	6	<10	1305			
D00073085		<20	<0.01	<10	<10	8	<10	1065			
D00073086		<20	0.01	<10	<10	5	<10	317			
D00073087		<20	0.01	<10	<10	5	<10	58			
D00073088		<20	<0.01	<10	<10	5	<10	90			
D00073089		<20	<0.01	<10	<10	8	<10	67			
D00073090		<20	<0.01	<10	<10	<1	<10	<2			
D00073091		<20	0.01	<10	<10	49	<10	128			
D00073092		<20	0.01	<10	<10	44	<10	96			
D00073093		<20	0.01	<10	<10	44	<10	282			
D00073094		<20	0.01	<10	<10	48	<10	288			
D00073095		<20	0.01	<10	<10	71	<10	550			
D00073096		<20	0.01	<10	<10	77	<10	902			
D00073097		<20	0.01	<10	<10	67	<10	1775			
D00073098		<20	0.02	<10	<10	68	<10	993			
D00073099		<20	0.01	<10	<10	9	<10	1790			
D00073100		<20	0.06	<10	<10	88	<10	1060			
D00073101		<20	0.02	<10	<10	8	<10	136			
D00073102		<20	0.03	<10	<10	43	<10	3690			
D00073103		<20	0.04	<10	<10	44	<10	3830			
D00073104		<20	0.04	<10	<10	45	<10	3280			
D00073105		<20	0.04	<10	<10	56	<10	4730			
D00073106		<20	0.04	<10	<10	57	<10	>10000			1.325
D00073107		<20	0.05	<10	<10	53	<10	9010			
D00073108		<20	0.03	<10	<10	45	<10	>10000			2.01
D00073109		<20	0.01	<10	<10	24	<10	675			
D00073110		<20	<0.01	<10	<10	<1	<10	5			
D00073111		<20	0.01	<10	<10	31	<10	166			
D00073112		<20	0.01	<10	<10	27	<10	117			
D00073113		<20	0.02	<10	<10	27	<10	126			
D00073114		<20	0.01	<10	<10	30	<10	222			
D00073115		<20	0.01	<10	<10	28	<10	1745			
D00073116		<20	0.01	<10	<10	12	<10	6340			
D00073117		<20	0.01	<10	<10	19	<10	>10000			1.060

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
D00073118		2.80	0.305	7.4	1.74	41	<10	200	<0.5	2	3.34	64.5	16	2	74	4.77
D00073119		3.31	0.341	2.6	1.25	43	<10	160	<0.5	<2	8.7	40.6	9	2	91	4.74
D00073120		0.14	7.84	>100	1.42	593	<10	20	<0.5	4	3.50	122.0	17	40	1945	4.79
D00073121		1.54	0.175	8.6	1.04	94	<10	80	<0.5	4	5.77	174.5	8	2	353	5.10
D00073122		1.72	0.156	11.6	1.12	89	<10	70	<0.5	3	5.98	170.0	7	2	592	5.41
D00073123		2.42	0.041	0.9	1.48	23	<10	230	<0.5	<2	4.21	6.0	7	1	71	3.28
D00073124		4.65	0.038	0.8	1.32	15	<10	280	<0.5	<2	4.21	29.7	7	1	65	3.03
D00073125		4.55	0.033	1.0	1.04	41	<10	210	<0.5	<2	4.99	2.6	6	1	40	2.39
D00073126		2.16	0.013	0.4	1.08	8	<10	160	<0.5	<2	5.01	<0.5	6	1	12	2.39
D00073127		2.29	2.89	9.0	1.65	27	<10	80	<0.5	<2	4.33	864	12	2	1085	4.68
D00073128		2.32	0.033	0.7	2.67	6	<10	150	<0.5	<2	4.35	5.5	18	2	91	5.19
D00073129		4.52	0.007	0.3	3.50	2	<10	120	<0.5	<2	5.01	0.9	24	3	45	6.40
D00073130		1.14	<0.005	0.3	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	1	<1	1	0.13
D00073131		3.43	0.038	0.6	2.40	54	<10	170	<0.5	<2	5.22	0.5	20	2	40	5.61
D00073132		4.76	0.027	0.6	1.90	77	<10	200	<0.5	<2	2.05	<0.5	19	2	36	4.60
D00073133		4.96	0.022	0.7	1.61	69	<10	150	<0.5	<2	1.75	<0.5	18	2	43	3.98
D00073134		4.59	0.017	1.5	1.99	46	<10	160	<0.5	2	4.05	4.5	16	2	37	4.47
D00073135		4.90	<0.005	0.5	2.38	15	<10	190	<0.5	<2	5.40	<0.5	16	2	28	4.73
D00073136		4.55	0.048	2.1	1.46	167	<10	160	<0.5	<2	2.08	14.9	16	3	42	4.55
D00073137		4.91	0.208	4.4	2.01	105	<10	190	<0.5	2	4.48	55.4	19	1	136	5.12
D00073138		4.97	0.668	6.2	2.13	100	<10	180	<0.5	6	4.24	51.7	20	2	89	5.78
D00073139		4.59	0.010	0.8	2.46	19	<10	220	<0.5	<2	4.98	<0.5	18	2	74	4.87
D00073140		0.13	0.707	9.5	1.22	791	20	100	<0.5	19	3.18	6.0	45	23	6590	3.62
D00073141		3.92	0.018	0.8	2.24	35	<10	310	<0.5	<2	4.22	<0.5	19	2	51	4.77
D00073142		4.96	0.033	1.6	1.02	6	<10	310	<0.5	<2	3.69	12.6	4	1	30	1.74
D00073143		4.62	3.55	2.6	1.02	8	<10	450	<0.5	<2	3.24	47.6	4	1	69	1.96
D00073144		4.47	0.024	2.2	1.03	8	<10	320	<0.5	<2	3.00	26.8	4	1	49	1.92
D00073145		4.60	0.024	0.5	0.88	5	<10	320	<0.5	<2	4.01	<0.5	4	1	13	1.50
D00073146		4.34	0.006	0.4	0.90	5	<10	340	<0.5	<2	3.83	0.6	4	1	21	1.45
D00073147		4.07	0.056	1.2	0.90	7	<10	310	<0.5	<2	3.80	3.8	5	2	33	1.66
D00073148		4.78	<0.005	1.0	0.81	3	<10	310	<0.5	<2	4.19	17.9	5	1	45	1.31
D00073149		4.52	0.051	0.5	0.96	4	<10	290	<0.5	<2	3.90	4.2	5	2	23	1.73
D00073150		0.91	<0.005	0.2	0.02	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	5	0.10
D00073151		4.67	0.034	0.3	0.92	4	<10	260	<0.5	<2	4.02	2.0	4	1	13	1.65
D00073152		4.65	0.035	1.6	0.96	4	<10	250	<0.5	<2	4.46	2.2	4	1	24	1.71
D00073153		3.31	0.019	0.8	1.01	3	<10	250	<0.5	<2	3.79	7.7	4	1	18	1.76
D00073154		3.18	0.046	1.8	0.95	9	<10	240	<0.5	<2	4.08	33.0	5	1	64	1.79
D00073155		2.82	0.606	6.5	2.60	20	<10	200	<0.5	2	4.53	70.0	17	2	219	6.28
D00073156		2.91	0.025	0.7	1.96	8	<10	240	<0.5	<2	5.88	<0.5	14	1	46	3.96
D00073157		4.56	0.039	1.2	1.87	48	<10	280	<0.5	<2	5.46	1.9	19	1	37	4.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073118		<10	<1	0.33	<10	0.58	3040	1	0.01	6	1130	3590	1.74	8	3	125
D00073119		<10	<1	0.29	<10	0.48	4530	<1	0.01	3	680	453	2.33	4	2	296
D00073120		10	13	0.18	<10	1.33	707	49	0.06	205	580	>10000	3.94	698	3	42
D00073121		<10	1	0.30	<10	0.40	3540	1	0.02	2	710	2650	4.54	7	1	224
D00073122		<10	1	0.31	<10	0.43	3740	1	0.02	2	710	3730	4.70	6	1	238
D00073123		<10	<1	0.39	10	0.63	2980	<1	0.03	2	1000	36	1.08	<2	1	178
D00073124		<10	<1	0.36	10	0.50	2650	<1	0.02	1	1020	62	1.14	<2	1	146
D00073125		<10	<1	0.45	10	0.26	2650	<1	0.02	2	1040	80	1.12	<2	1	151
D00073126		<10	<1	0.36	10	0.31	2660	1	0.01	2	920	80	0.85	<2	1	146
D00073127		<10	5	0.29	<10	0.68	3350	4	0.01	3	1040	1510	5.94	5	1	137
D00073128		<10	<1	0.32	10	1.50	3720	1	0.02	5	1510	127	0.37	2	3	139
D00073129		10	<1	0.25	10	2.41	2190	<1	0.02	6	1430	11	0.03	<2	7	186
D00073130		<10	<1	0.01	<10	0.83	118	<1	0.01	3	70	<2	0.03	<2	<1	86
D00073131		<10	<1	0.37	10	1.26	2140	2	0.01	5	1380	12	1.49	<2	3	296
D00073132		<10	<1	0.35	10	0.87	1300	4	0.01	5	1360	48	1.40	2	2	70
D00073133		<10	<1	0.33	10	0.71	995	7	0.01	4	1360	31	1.39	2	2	64
D00073134		<10	<1	0.34	<10	1.06	1585	1	0.02	3	1190	496	1.18	2	2	127
D00073135		<10	<1	0.38	<10	1.28	2340	<1	0.02	5	1310	11	0.40	<2	3	196
D00073136		<10	<1	0.37	<10	0.62	1230	1	0.01	3	1120	968	2.44	6	2	81
D00073137		<10	<1	0.38	<10	0.92	2510	<1	0.01	4	1360	1385	2.07	8	2	141
D00073138		<10	<1	0.37	<10	0.86	2730	1	0.01	5	1330	603	2.21	3	3	143
D00073139		<10	<1	0.41	10	1.14	2680	1	0.01	5	1390	10	0.28	2	3	177
D00073140		10	<1	0.15	10	0.43	612	287	0.13	23	650	70	1.24	16	2	135
D00073141		<10	<1	0.37	10	1.03	2190	1	0.02	4	1300	10	0.56	<2	3	154
D00073142		<10	<1	0.42	10	0.25	1610	5	0.01	2	700	382	0.37	<2	1	138
D00073143		<10	1	0.44	10	0.23	1425	1	0.02	2	690	509	0.69	2	1	133
D00073144		<10	<1	0.43	10	0.23	1355	<1	0.02	2	680	533	0.55	3	1	119
D00073145		<10	<1	0.42	10	0.18	1875	<1	0.02	2	700	60	0.32	2	1	146
D00073146		<10	<1	0.44	10	0.18	1465	<1	0.02	1	700	68	0.20	2	1	143
D00073147		<10	<1	0.41	10	0.20	1425	<1	0.02	1	680	302	0.35	<2	1	148
D00073148		<10	<1	0.43	10	0.15	1585	<1	0.02	1	670	206	0.34	2	1	151
D00073149		<10	<1	0.43	10	0.21	1565	1	0.02	2	680	50	0.27	<2	1	147
D00073150		<10	<1	0.01	<10	0.66	116	<1	0.01	3	60	<2	<0.01	2	<1	85
D00073151		<10	<1	0.39	10	0.22	1520	1	0.01	1	670	112	0.30	<2	1	149
D00073152		<10	<1	0.38	10	0.26	1635	<1	0.02	1	660	770	0.26	4	1	172
D00073153		<10	<1	0.40	10	0.26	1555	<1	0.01	2	680	229	0.27	<2	1	156
D00073154		<10	<1	0.40	10	0.24	1770	2	0.01	1	660	538	0.62	<2	1	147
D00073155		10	1	0.35	10	1.00	3660	1	0.01	4	1310	1150	1.20	<2	3	141
D00073156		<10	<1	0.39	10	0.76	3340	<1	0.01	3	1350	34	0.31	<2	2	179
D00073157		<10	<1	0.35	10	0.78	2920	2	0.01	4	1210	84	1.07	<2	2	174

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073118		<20	0.01	<10	<10	28	<10	5950			
D00073119		<20	0.01	<10	<10	16	<10	3870			
D00073120		<20	0.04	10	<10	54	20	>10000	316	2.30	2.29
D00073121		<20	<0.01	<10	<10	10	<10	>10000			1.650
D00073122		<20	<0.01	<10	<10	11	<10	>10000			1.665
D00073123		<20	0.01	<10	<10	13	<10	560			
D00073124		<20	0.01	<10	<10	9	<10	2570			
D00073125		<20	0.01	<10	<10	8	<10	257			
D00073126		<20	0.01	<10	<10	7	<10	98			
D00073127		<20	0.01	<10	<10	20	<10	>10000			8.24
D00073128		<20	0.01	<10	<10	36	<10	690			
D00073129		<20	0.14	<10	<10	78	<10	215			
D00073130		<20	<0.01	<10	<10	1	<10	16			
D00073131		<20	0.02	<10	<10	34	<10	244			
D00073132		<20	0.02	<10	<10	35	<10	128			
D00073133		<20	0.01	<10	<10	32	<10	115			
D00073134		<20	0.04	<10	<10	35	<10	314			
D00073135		<20	0.01	<10	<10	43	<10	128			
D00073136		<20	0.02	<10	<10	30	<10	1350			
D00073137		<20	0.04	<10	<10	34	<10	5050			
D00073138		<20	0.05	<10	<10	31	<10	4840			
D00073139		<20	0.09	<10	<10	37	<10	108			
D00073140		<20	0.08	<10	<10	43	10	991			
D00073141		<20	0.06	<10	<10	40	<10	99			
D00073142		<20	0.01	<10	<10	7	<10	1160			
D00073143		<20	<0.01	<10	<10	7	<10	4500			
D00073144		<20	0.01	<10	<10	6	<10	2470			
D00073145		<20	0.01	<10	<10	6	<10	86			
D00073146		<20	0.01	<10	<10	6	<10	86			
D00073147		<20	0.01	<10	<10	6	<10	373			
D00073148		<20	0.01	<10	<10	5	<10	1685			
D00073149		<20	0.01	<10	<10	6	<10	408			
D00073150		<20	<0.01	<10	<10	<1	<10	3			
D00073151		<20	0.01	<10	<10	6	<10	193			
D00073152		<20	0.01	<10	<10	6	<10	253			
D00073153		<20	0.02	<10	<10	6	<10	734			
D00073154		<20	0.01	<10	<10	6	<10	3180			
D00073155		<20	0.03	<10	<10	45	<10	6470			
D00073156		<20	0.05	<10	<10	26	<10	150			
D00073157		<20	0.04	<10	<10	27	<10	256			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073158		4.90	0.243	2.5	1.85	15	<10	280	<0.5	<2	7.29	43.1	14	2	160	3.98
D00073159		4.42	0.015	1.3	2.22	15	<10	310	<0.5	<2	5.96	9.9	14	2	66	4.57
D00073160		0.13	1.085	91.2	1.60	31	10	180	<0.5	<2	3.23	8.4	18	17	951	3.55
D00073161		3.64	0.084	1.1	1.90	56	<10	350	<0.5	<2	6.89	3.5	14	2	40	4.28
D00073162		2.32	0.169	2.4	2.38	41	<10	270	<0.5	<2	4.33	11.9	21	1	65	5.69
D00073163		2.82	0.629	3.7	1.43	39	<10	120	<0.5	6	3.19	34.2	12	2	140	5.54
D00073164		2.78	0.314	2.5	1.49	26	<10	130	<0.5	2	2.34	25.4	11	2	110	5.34
D00073165		2.89	0.437	11.9	0.82	56	<10	40	<0.5	10	4.46	188.5	12	3	1045	5.88
D00073166		1.23	0.193	7.0	0.59	63	<10	20	<0.5	3	6.00	126.5	15	3	624	6.30
D00073167		1.39	0.249	7.6	0.54	66	<10	20	<0.5	4	5.91	140.5	14	3	719	6.30
D00073168		2.38	0.246	2.7	1.53	23	<10	60	<0.5	2	2.89	109.5	14	2	171	5.79
D00073169		2.32	0.626	3.7	1.61	11	<10	80	<0.5	2	3.45	142.0	13	1	188	4.37
D00073170		1.05	<0.005	0.3	0.02	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	2	0.11
D00073171		2.29	0.265	6.8	1.93	16	<10	130	<0.5	2	4.51	61.4	11	2	287	5.23
D00073172		2.43	0.174	3.3	2.14	11	<10	140	<0.5	<2	2.54	68.5	12	2	349	5.42
D00073173		2.25	0.161	1.7	2.08	12	<10	160	<0.5	<2	1.85	35.3	12	1	161	5.17
D00073174		2.73	0.109	1.8	1.97	38	<10	120	<0.5	<2	1.72	72.2	14	1	113	5.60
D00073175		4.49	0.286	0.8	1.88	10	<10	350	<0.5	<2	3.42	8.3	12	2	40	4.11
D00073176		4.77	0.035	0.6	1.95	9	<10	280	<0.5	<2	3.93	2.1	12	1	25	4.14
D00073177		4.86	0.047	1.4	1.95	11	<10	350	<0.5	2	3.12	11.1	11	1	93	4.02
D00073178		5.36	0.238	2.5	1.73	18	<10	270	<0.5	<2	3.40	42.1	11	2	170	4.28
D00073179		4.50	0.017	1.6	1.99	10	<10	270	<0.5	2	4.22	8.4	13	1	75	4.32
D00073180		0.13	0.725	9.9	1.24	820	20	110	<0.5	22	3.27	6.3	47	24	6690	3.69
W749505		1.64	0.016	1.9	1.21	18	<10	70	<0.5	<2	1.46	<0.5	16	1	23	5.58
W749506		1.56	0.006	0.3	2.87	3	<10	180	<0.5	<2	4.16	<0.5	14	2	20	5.40
W749507		2.06	0.016	1.0	1.17	15	<10	170	<0.5	<2	3.34	<0.5	16	1	16	4.50
W749508		2.14	0.016	1.2	0.52	34	<10	160	<0.5	<2	2.09	<0.5	7	1	3	2.45
W749509		1.69	0.075	5.6	0.59	62	<10	50	<0.5	2	2.10	6.8	10	2	36	4.58
W749510		0.12	0.691	9.1	1.14	759	20	100	<0.5	15	3.01	5.9	43	22	6260	3.44
W749511		1.26	0.740	36.7	0.63	157	<10	50	<0.5	5	10.7	49.1	3	2	550	5.73
W749512		2.08	0.034	3.6	0.49	18	<10	50	<0.5	<2	1.88	12.0	1	9	188	2.20
W749513		2.57	0.054	2.0	2.00	29	<10	210	<0.5	<2	0.29	11.5	8	7	22	5.14
W749514		1.62	1.245	79.6	1.18	112	<10	60	<0.5	<2	1.95	204	6	4	1145	6.62
W749515		4.63	0.019	3.3	0.91	125	<10	120	<0.5	<2	4.22	1.4	13	3	39	4.61
W749516		2.17	0.769	3.6	0.94	161	<10	60	<0.5	<2	4.45	32.0	10	3	202	8.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073158		<10	<1	0.40	<10	0.71	3380	<1	0.01	3	1230	259	0.86	2	3	214
D00073159		<10	<1	0.39	<10	1.01	3470	<1	0.02	4	1330	255	0.61	<2	3	192
D00073160		10	<1	0.14	<10	1.41	898	12	0.11	11	1010	4560	1.05	64	5	153
D00073161		<10	<1	0.38	<10	0.77	4560	<1	0.02	5	1050	172	0.99	3	2	238
D00073162		<10	<1	0.39	<10	1.02	3480	1	0.01	6	1610	653	1.41	<2	3	182
D00073163		<10	<1	0.27	<10	0.56	3000	<1	0.01	2	680	162	3.15	<2	2	136
D00073164		<10	<1	0.27	<10	0.59	2640	1	0.01	3	780	128	2.76	<2	1	93
D00073165		<10	1	0.22	<10	0.30	3240	<1	0.01	2	430	264	6.09	3	1	182
D00073166		<10	<1	0.16	<10	0.24	3120	<1	0.02	2	380	69	6.75	2	1	225
D00073167		<10	1	0.16	<10	0.22	3050	1	0.02	1	330	80	7.03	3	1	220
D00073168		<10	<1	0.32	<10	0.66	2690	<1	0.02	3	1100	108	3.86	2	1	136
D00073169		<10	<1	0.38	10	0.65	3140	<1	0.01	2	1330	271	2.46	<2	1	146
D00073170		<10	<1	0.01	<10	0.67	105	<1	0.01	3	60	<2	0.01	<2	<1	84
D00073171		<10	<1	0.33	10	0.91	4420	<1	0.01	3	1130	130	2.10	6	1	187
D00073172		<10	<1	0.35	10	1.02	3230	1	0.02	3	1240	100	1.92	<2	1	121
D00073173		<10	<1	0.40	10	0.92	2700	<1	0.02	3	1430	48	1.78	2	1	107
D00073174		<10	<1	0.32	10	0.86	2660	1	0.01	3	1110	47	2.32	<2	1	83
D00073175		<10	<1	0.37	10	0.91	3400	<1	0.03	3	1330	134	1.25	<2	2	154
D00073176		10	<1	0.31	10	1.05	3680	<1	0.05	4	1350	80	1.06	<2	2	154
D00073177		<10	<1	0.38	10	0.97	3660	<1	0.02	3	1280	235	1.06	<2	2	139
D00073178		<10	<1	0.37	10	0.78	3580	<1	0.03	4	1290	406	1.83	3	2	138
D00073179		<10	<1	0.37	10	0.99	3740	<1	0.03	4	1380	458	1.16	<2	2	164
D00073180		10	<1	0.16	10	0.44	630	290	0.13	24	660	73	1.26	16	2	139
W749505		<10	1	0.22	10	0.52	809	7	0.02	3	1290	16	3.86	2	2	34
W749506		10	<1	0.23	10	1.44	1400	2	0.02	2	1260	4	0.27	<2	4	110
W749507		<10	<1	0.28	10	0.58	1990	3	0.02	3	1340	14	2.71	2	3	107
W749508		<10	<1	0.40	10	0.07	767	2	0.01	1	740	8	2.35	<2	1	87
W749509		<10	<1	0.40	<10	0.16	1395	3	0.01	2	1090	74	4.56	2	2	76
W749510		<10	<1	0.14	10	0.41	576	267	0.12	23	620	69	1.18	16	2	129
W749511		<10	<1	0.13	<10	0.36	5950	2	0.01	1	230	561	4.91	13	1	359
W749512		<10	<1	0.08	<10	0.21	1605	<1	0.01	1	100	41	1.16	<2	<1	59
W749513		10	<1	0.36	10	1.07	1510	4	0.01	2	1090	53	1.58	<2	2	10
W749514		<10	<1	0.26	<10	0.52	2860	3	0.01	1	430	113	4.92	38	1	82
W749515		<10	<1	0.24	<10	0.31	1915	7	0.01	3	960	73	3.54	5	1	122
W749516		<10	<1	0.18	<10	0.55	3240	1	0.01	1	230	46	7.97	<2	1	167

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073158		<20	0.01	<10	<10	25	<10	4250			
D00073159		<20	0.01	<10	<10	31	<10	1045			
D00073160		<20	0.06	<10	<10	91	<10	1090			
D00073161		<20	0.03	<10	<10	29	<10	450			
D00073162		<20	0.07	<10	<10	34	<10	1115			
D00073163		<20	0.03	<10	<10	22	<10	3000			
D00073164		<20	0.02	<10	<10	20	<10	2320			
D00073165		<20	0.01	<10	<10	11	<10	>10000			1.605
D00073166		<20	0.01	<10	<10	8	<10	>10000			1.135
D00073167		<20	0.01	<10	<10	8	<10	>10000			1.260
D00073168		<20	0.03	<10	<10	17	<10	>10000			1.060
D00073169		<20	0.02	<10	<10	19	<10	>10000			1.380
D00073170		<20	<0.01	<10	<10	1	<10	33			
D00073171		<20	0.02	<10	<10	23	<10	6090			
D00073172		<20	0.01	<10	<10	25	<10	6540			
D00073173		<20	0.04	<10	<10	24	<10	3400			
D00073174		<20	0.03	<10	<10	21	<10	6530			
D00073175		<20	0.05	<10	<10	26	<10	873			
D00073176		<20	0.08	<10	<10	31	<10	287			
D00073177		<20	0.06	<10	<10	22	<10	1100			
D00073178		<20	0.04	<10	<10	23	<10	4120			
D00073179		<20	0.02	<10	<10	28	<10	914			
D00073180		<20	0.08	<10	<10	44	10	1020			
W749505		<20	<0.01	<10	<10	18	<10	94			
W749506		<20	0.01	<10	<10	43	<10	103			
W749507		<20	<0.01	<10	<10	17	<10	70			
W749508		<20	<0.01	<10	<10	5	<10	15			
W749509		<20	<0.01	<10	<10	9	<10	333			
W749510		<20	0.07	<10	<10	41	10	957			
W749511		<20	<0.01	<10	<10	7	<10	3950			
W749512		<20	<0.01	<10	<10	4	<10	1065			
W749513		<20	<0.01	<10	<10	32	<10	1025			
W749514		<20	<0.01	<10	<10	12	<10	>10000			2.05
W749515		<20	<0.01	<10	<10	13	<10	177			
W749516		<20	<0.01	<10	<10	8	<10	2810			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 4-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20149658

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

CERTIFICATE TR20156148

Project: Premier Gold

This report is for 131 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00073181		4.29	0.008		0.6	2.15	23	<10	430	<0.5	<2	4.55	<0.5	14	2	19
D00073182		3.37	0.008		<0.2	0.89	13	<10	480	<0.5	<2	3.74	<0.5	5	1	5
D00073183		3.87	0.049		1.4	0.82	29	<10	260	<0.5	<2	4.50	12.1	7	1	20
D00073184		4.13	0.025		2.2	2.81	35	<10	220	<0.5	<2	5.54	31.4	22	4	76
D00073185		4.67	0.008		1.0	2.81	15	<10	380	<0.5	<2	4.26	17.8	16	4	37
D00073186		4.90	0.008		1.6	2.96	20	<10	340	<0.5	2	4.24	72.1	17	9	105
D00073187		4.45	0.007		1.0	2.79	11	<10	360	<0.5	<2	2.79	18.6	16	10	55
D00073188		4.62	0.009		1.4	2.95	12	<10	270	<0.5	<2	2.86	49.6	18	4	69
D00073189		3.00	0.010		0.6	2.74	11	<10	360	<0.5	<2	1.83	31.4	16	3	25
D00073190		0.93	<0.005		<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	1	1	<1
D00073191		3.76	0.009		1.4	2.94	11	<10	400	<0.5	<2	2.32	57.1	21	8	90
D00073192		3.39	0.297		2.7	2.74	11	<10	390	<0.5	<2	3.79	53.4	20	9	204
D00073193		4.08	0.157		2.1	3.16	8	<10	290	<0.5	<2	2.11	40.0	20	8	140
D00073194		1.74	0.037		1.3	1.96	13	<10	330	<0.5	<2	4.03	30.0	18	5	46
D00073195		2.63	0.184		4.9	1.68	138	<10	140	<0.5	3	5.45	44.8	16	3	152
D00073196		2.87	0.047		3.8	2.29	18	<10	220	<0.5	3	4.43	103.0	16	3	175
D00073197		2.57	0.031		2.7	3.49	47	<10	190	<0.5	<2	2.51	63.0	22	3	106
D00073198		4.49	0.034		2.4	3.42	39	<10	150	<0.5	2	2.15	46.8	23	3	104
D00073199		4.26	0.014		2.1	3.10	18	<10	190	<0.5	2	2.15	53.6	24	4	125
D00073200		0.11	8.94		>100	1.43	600	<10	30	<0.5	5	3.50	129.5	17	42	1985
D00073201		4.58	0.038		3.0	2.87	54	<10	160	<0.5	<2	2.90	62.8	22	3	91
D00073202		3.00	0.051		2.7	2.74	120	<10	160	<0.5	2	3.31	110.0	23	3	50
D00073203		4.60	0.027		2.7	2.96	60	<10	200	<0.5	2	2.59	102.0	24	3	134
D00073204		5.54	0.082		3.7	3.29	62	<10	210	<0.5	3	2.65	142.5	23	3	167
D00073205		4.81	0.025		3.2	3.13	36	<10	260	<0.5	<2	3.41	38.7	25	4	196
D00073206		4.95	0.044		3.4	2.50	13	<10	250	<0.5	2	4.62	74.1	22	3	186
D00073207		5.74	0.019		2.0	2.50	13	<10	280	<0.5	<2	3.72	57.7	22	5	91
D00073208		5.08	0.043		2.6	3.20	19	<10	190	<0.5	2	2.38	84.6	18	10	110
D00073209		4.07	0.049		3.8	2.22	80	<10	150	<0.5	2	2.38	188.5	14	1	127
D00073210		0.99	<0.005		<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	1	<1	<1
D00073211		5.26	0.021		1.9	2.40	25	<10	260	<0.5	<2	2.45	58.3	14	1	55
D00073212		2.57	0.035		0.9	1.99	43	<10	230	<0.5	<2	3.48	17.5	11	2	18
D00073213		2.41	0.096		1.7	1.60	88	<10	170	<0.5	2	4.43	9.0	11	2	18
D00073214		2.33	0.034		1.3	1.89	65	<10	210	<0.5	<2	1.50	16.8	11	2	22
D00073215		2.73	0.107		2.5	1.50	74	<10	160	<0.5	3	3.29	23.4	11	4	17
D00073216		1.21	0.028		1.3	1.83	28	<10	260	<0.5	<2	3.02	40.3	9	2	34
D00073217		1.16	0.032		1.8	1.76	35	<10	190	<0.5	3	2.64	36.8	8	2	39
D00073218		2.46	0.015		1.1	1.20	15	<10	270	<0.5	<2	3.24	49.8	6	3	16
D00073219		2.19	0.136		5.6	1.59	97	<10	70	<0.5	3	2.49	19.4	12	3	36
D00073220		0.11	1.310		88.7	1.57	30	10	170	<0.5	<2	3.14	8.6	18	18	961

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00073181		3.98	<10	<1	0.48	10	0.99	1970	<1	<0.01	3	1110	22	0.83	<2	2
D00073182		1.77	<10	1	0.42	10	0.24	1450	1	<0.01	<1	690	24	0.63	<2	1
D00073183		2.43	<10	1	0.40	10	0.23	2070	4	<0.01	1	700	115	1.70	2	1
D00073184		6.89	10	1	0.36	10	1.46	5040	1	<0.01	8	1210	33	2.08	<2	5
D00073185		5.60	10	1	0.43	10	1.59	4610	<1	<0.01	8	1200	16	1.02	<2	4
D00073186		5.89	10	2	0.35	10	1.87	4910	<1	<0.01	11	1100	17	1.15	<2	4
D00073187		5.64	10	1	0.35	10	1.70	3690	<1	0.02	13	1260	17	1.01	<2	4
D00073188		6.37	10	1	0.30	10	2.04	4270	<1	0.02	4	1430	27	1.41	<2	4
D00073189		5.88	10	1	0.30	10	2.19	3760	<1	0.02	4	1410	16	0.81	3	5
D00073190		0.12	<10	1	0.01	<10	0.71	129	<1	0.01	5	80	<2	<0.01	<2	1
D00073191		6.78	10	1	0.31	10	2.44	4140	<1	0.02	13	1240	29	0.98	2	6
D00073192		6.10	10	1	0.34	10	2.12	3700	<1	0.01	13	1160	23	0.99	3	5
D00073193		7.11	10	1	0.36	10	2.42	4150	<1	0.01	12	1240	29	1.18	3	6
D00073194		6.36	<10	<1	0.41	10	1.80	4790	<1	0.01	10	1220	22	1.15	<2	6
D00073195		6.04	<10	1	0.49	10	0.63	4640	<1	0.01	8	1120	47	3.30	2	4
D00073196		6.26	10	1	0.41	<10	0.92	4670	<1	<0.01	6	990	27	2.05	2	5
D00073197		9.29	10	1	0.40	10	1.70	4100	<1	<0.01	8	1320	27	2.55	<2	6
D00073198		8.81	10	1	0.32	10	2.03	3840	<1	0.01	7	1300	28	2.59	<2	7
D00073199		7.28	10	1	0.28	10	1.99	3730	<1	0.01	7	1370	24	1.68	3	7
D00073200		4.77	10	13	0.18	10	1.33	747	51	0.06	207	600	>10000	3.86	688	3
D00073201		7.58	10	1	0.36	10	1.74	4000	<1	0.01	7	1280	49	2.97	3	7
D00073202		7.79	10	2	0.41	10	1.61	3710	1	0.01	7	1300	42	3.66	<2	6
D00073203		7.39	10	2	0.42	10	1.73	3290	<1	0.01	7	1360	34	2.58	<2	6
D00073204		8.08	10	2	0.36	10	1.93	3940	<1	0.01	8	1310	64	2.55	2	7
D00073205		7.23	10	1	0.38	10	1.96	4010	1	0.02	8	1350	58	1.88	<2	7
D00073206		6.80	10	1	0.43	10	1.41	4860	<1	0.01	7	1200	130	1.88	<2	6
D00073207		6.41	10	1	0.40	10	1.54	4370	<1	0.01	10	1190	94	1.48	2	6
D00073208		7.62	10	1	0.38	10	1.73	4090	<1	0.01	11	1280	41	1.64	<2	6
D00073209		5.75	10	2	0.43	10	1.15	3020	<1	0.01	2	1110	41	2.80	2	3
D00073210		0.13	<10	1	0.01	<10	0.71	122	<1	0.01	5	60	<2	<0.01	<2	1
D00073211		6.19	10	<1	0.41	10	1.23	3590	<1	0.01	2	1210	24	1.84	<2	4
D00073212		5.41	10	1	0.38	10	0.91	3060	<1	0.01	2	1000	16	1.95	<2	3
D00073213		5.25	10	1	0.35	10	0.75	3370	1	0.01	1	880	21	2.61	<2	2
D00073214		5.22	10	<1	0.37	10	0.97	2280	<1	0.01	2	1120	20	2.09	<2	2
D00073215		5.20	<10	1	0.34	10	0.66	3110	<1	0.01	1	700	67	2.91	2	2
D00073216		4.81	<10	1	0.31	10	0.81	2820	<1	<0.01	1	900	19	1.50	<2	2
D00073217		4.79	<10	<1	0.28	10	0.81	2460	1	<0.01	2	950	20	1.58	3	2
D00073218		3.30	<10	1	0.22	10	0.51	2610	<1	<0.01	2	630	16	1.02	3	2
D00073219		5.58	<10	<1	0.42	10	0.77	3080	1	<0.01	3	1160	443	2.58	<2	2
D00073220		3.47	10	<1	0.14	10	1.40	890	12	0.09	11	1030	4540	1.03	63	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00073181		183	<20	0.01	<10	<10	28	<10	100				
D00073182		165	<20	<0.01	<10	<10	6	<10	41				
D00073183		187	<20	<0.01	<10	<10	9	<10	1150				
D00073184		296	<20	0.01	<10	<10	58	<10	3160				
D00073185		223	<20	0.01	<10	<10	46	<10	1790				
D00073186		275	<20	0.01	<10	<10	51	<10	6760				
D00073187		194	<20	0.01	<10	<10	60	<10	1920				
D00073188		232	<20	0.01	<10	<10	64	<10	4780				
D00073189		121	<20	0.01	<10	<10	64	<10	3050				
D00073190		86	<20	<0.01	<10	<10	1	<10	26				
D00073191		144	<20	0.01	<10	<10	76	<10	5370				
D00073192		135	<20	0.01	<10	<10	65	<10	5160				
D00073193		129	<20	0.01	<10	<10	74	<10	3850				
D00073194		266	<20	0.01	<10	<10	43	<10	2810				
D00073195		266	<20	0.01	<10	<10	35	<10	4300				
D00073196		252	<20	0.03	<10	<10	45	<10	9580				
D00073197		134	<20	0.04	<10	<10	75	<10	6030				
D00073198		126	<20	0.04	<10	<10	78	<10	4590				
D00073199		130	<20	0.05	<10	<10	95	<10	5150				
D00073200		43	<20	0.04	10	<10	55	20	>10000	325		2.33	2.38
D00073201		179	<20	0.04	<10	<10	77	<10	5780				
D00073202		200	<20	0.06	<10	<10	74	<10	>10000				1.025
D00073203		177	<20	0.03	<10	<10	80	<10	9490				
D00073204		176	<20	0.04	<10	<10	98	<10	>10000				1.290
D00073205		231	<20	0.02	<10	<10	91	<10	3780				
D00073206		307	<20	0.02	<10	<10	65	<10	7230				
D00073207		245	<20	0.01	<10	<10	63	<10	5520				
D00073208		144	<20	0.02	<10	<10	79	<10	7990				
D00073209		155	<20	0.02	<10	<10	44	<10	>10000				1.760
D00073210		79	<20	<0.01	<10	<10	1	<10	39				
D00073211		170	<20	0.02	<10	<10	55	<10	5520				
D00073212		166	<20	0.04	<10	<10	36	<10	1700				
D00073213		236	<20	0.03	<10	<10	29	<10	944				
D00073214		117	<20	0.03	<10	<10	35	<10	1630				
D00073215		251	<20	0.02	<10	<10	29	<10	2240				
D00073216		162	<20	0.03	<10	<10	31	<10	3710				
D00073217		135	<20	0.03	<10	<10	29	<10	3390				
D00073218		225	<20	0.01	<10	<10	21	<10	4620				
D00073219		196	<20	0.02	<10	<10	26	<10	1835				
D00073220		153	<20	0.06	<10	<10	91	<10	1095				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00073221		4.93	0.247		3.3	1.82	94	<10	70	<0.5	2	2.00	38.8	10	2	55
D00073222		4.51	0.091		1.8	2.98	56	<10	60	<0.5	2	1.68	18.3	18	8	18
D00073223		5.05	0.049		2.8	2.97	27	<10	70	<0.5	4	3.21	69.1	14	5	80
D00073224		4.98	0.177		4.2	3.52	25	<10	160	<0.5	3	2.03	185.5	23	11	253
D00073225		5.23	4.99		5.1	3.33	19	<10	120	<0.5	3	1.47	136.5	21	8	169
D00073226		5.24	0.154		1.6	2.45	9	<10	200	<0.5	2	1.04	45.5	11	2	59
D00073227		4.90	0.101		2.4	3.43	12	<10	260	<0.5	3	1.87	90.7	16	6	149
D00073228		4.61	0.011		1.7	2.79	14	<10	310	<0.5	2	1.86	30.5	13	4	124
D00073229		5.37	0.067		2.8	1.96	45	<10	100	<0.5	3	2.69	88.7	14	7	127
D00073230		1.06	<0.005		<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1
D00073231		4.56	0.112		4.5	3.38	30	<10	60	<0.5	5	1.33	181.0	24	8	282
D00073232		5.30	0.052		1.9	2.31	67	<10	80	<0.5	2	8.8	12.5	31	6	80
D00073233		5.09	0.168		3.4	3.25	23	<10	120	<0.5	3	2.55	161.0	20	8	233
D00073234		4.23	0.513		3.4	3.22	40	<10	100	<0.5	6	3.23	197.5	19	8	176
D00073235		4.07	0.127		3.1	3.78	15	<10	160	<0.5	3	1.95	185.0	19	9	236
D00073236		4.44	0.006		0.5	3.00	<2	<10	310	<0.5	2	5.24	0.8	24	7	81
D00073237		5.31	0.260		0.6	2.30	11	<10	460	<0.5	<2	5.50	<0.5	18	2	59
D00073238		4.57	0.116		1.8	1.46	33	<10	90	<0.5	2	4.93	10.9	17	2	73
D00073239		3.66	8.19		5.0	2.10	55	<10	40	<0.5	4	1.81	30.1	16	4	35
D00073240		0.11	0.729		10.9	1.18	789	10	100	<0.5	19	3.00	5.9	44	23	6390
D00073241		4.03	3.84		2.9	2.29	40	<10	50	<0.5	5	2.05	15.8	18	6	39
D00073242		4.03	1.530		2.8	2.55	17	<10	80	<0.5	3	2.67	35.7	19	5	38
D00073243		4.18	0.535		2.4	2.61	22	<10	60	<0.5	4	1.57	51.7	23	5	40
D00073244		4.49	4.22		3.6	2.78	15	<10	100	<0.5	3	1.92	55.2	19	6	86
D00073245		4.65	>10.0	21.3	10.6	2.71	24	<10	100	<0.5	4	1.72	41.4	21	5	49
D00073246		4.60	0.101		2.6	2.07	24	<10	170	<0.5	<2	2.64	45.1	18	4	150
D00073247		4.14	0.379		3.3	1.86	21	<10	150	<0.5	2	2.71	18.4	18	4	195
D00073248		3.63	0.845		28.6	1.88	54	<10	40	<0.5	33	2.16	94.9	22	4	771
D00073249		2.83	>10.0	97.6	72.9	1.52	141	<10	30	<0.5	29	2.58	26.9	13	3	676
D00073250		1.13	0.056		0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	3
D00073251		2.15	6.34		5.5	2.19	63	<10	50	<0.5	5	1.68	2.6	12	3	24
D00073252		2.42	7.69		6.1	2.09	73	<10	60	<0.5	4	2.23	21.7	9	3	46
D00073253		2.80	>10.0	61.1	88.0	1.81	239	<10	20	<0.5	21	1.21	558	7	1	2470
D00073254		1.74	>10.0	31.6	>100	0.45	327	<10	10	<0.5	44	0.91	141.0	5	3	>10000
D00073255		3.34	>10.0	18.55	>100	0.40	359	<10	<10	<0.5	165	0.92	118.0	7	5	2920
D00073256		1.20	9.33		44.3	0.23	604	<10	10	<0.5	37	1.11	55.1	8	5	1720
D00073257		1.35	9.06		40.3	0.29	542	<10	10	<0.5	30	0.92	55.4	7	5	1245
D00073258		2.77	1.280		>100	0.71	326	<10	10	<0.5	17	0.64	81.8	49	6	4530
D00073259		3.53	0.354		18.0	0.32	199	<10	10	<0.5	17	0.65	24.1	53	8	420
D00073260		0.12	8.14		>100	1.50	637	<10	30	<0.5	6	3.61	128.5	17	43	2070

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00073221		5.56	<10	<1	0.39	10	0.78	2550	<1	<0.01	2	1110	74	2.59	3	2
D00073222		7.86	10	<1	0.28	10	1.69	3090	2	<0.01	6	1240	41	2.16	5	8
D00073223		6.87	10	1	0.30	10	1.71	3850	4	<0.01	4	1150	59	1.58	5	6
D00073224		8.29	10	2	0.30	10	2.08	4330	2	<0.01	9	1510	89	2.02	3	10
D00073225		8.06	10	2	0.27	10	1.91	3900	1	<0.01	7	1310	70	2.06	<2	8
D00073226		5.64	10	1	0.30	10	1.34	2790	<1	<0.01	2	1130	25	1.16	2	3
D00073227		7.48	10	1	0.21	10	2.12	4040	<1	0.01	6	1250	69	1.13	4	8
D00073228		6.13	10	1	0.27	10	1.62	3430	<1	0.02	4	1230	21	0.88	3	5
D00073229		6.09	10	1	0.32	10	0.85	3170	2	<0.01	4	870	44	2.71	3	3
D00073230		0.11	<10	1	0.01	<10	0.77	120	<1	<0.01	1	70	<2	0.01	2	<1
D00073231		9.01	10	2	0.38	10	1.52	3630	<1	<0.01	8	1540	58	2.79	6	7
D00073232		6.34	10	1	0.37	10	1.44	3130	2	<0.01	9	1400	649	2.74	5	7
D00073233		7.78	10	1	0.38	10	1.46	4250	1	<0.01	8	1550	87	1.77	2	7
D00073234		8.41	10	2	0.31	10	1.48	3480	1	<0.01	7	1340	37	2.43	3	7
D00073235		8.97	10	3	0.31	10	1.94	5310	1	<0.01	8	1510	22	1.77	2	8
D00073236		5.68	10	1	0.39	10	2.00	1930	1	0.01	9	1480	5	0.06	3	8
D00073237		4.94	10	<1	0.45	10	1.30	2830	<1	<0.01	4	1380	23	0.96	3	3
D00073238		4.57	<10	<1	0.48	10	0.60	2520	1	<0.01	3	1370	162	2.34	3	3
D00073239		9.97	10	<1	0.33	<10	0.90	3590	<1	<0.01	5	810	83	6.92	<2	3
D00073240		3.45	<10	<1	0.14	10	0.41	594	279	0.11	21	650	68	1.19	17	2
D00073241		9.28	10	<1	0.31	<10	1.02	3880	1	<0.01	6	770	106	5.04	6	3
D00073242		7.10	10	<1	0.40	10	1.20	4360	<1	<0.01	6	1040	185	2.49	3	4
D00073243		7.83	10	1	0.40	<10	1.23	3620	2	<0.01	8	1130	106	3.18	2	4
D00073244		7.25	10	1	0.39	10	1.33	4090	<1	<0.01	8	1190	267	2.07	4	4
D00073245		7.58	10	1	0.33	10	1.26	4050	1	<0.01	8	1070	190	2.17	4	4
D00073246		5.39	<10	<1	0.45	10	1.07	5000	<1	<0.01	7	1240	157	1.29	5	4
D00073247		5.79	<10	<1	0.44	10	1.20	5200	<1	<0.01	7	1150	174	1.42	5	4
D00073248		8.00	10	1	0.34	<10	0.84	3380	2	<0.01	8	840	2290	5.15	4	4
D00073249		13.25	<10	<1	0.25	<10	0.91	4220	<1	<0.01	4	530	1570	>10.0	5	2
D00073250		0.12	<10	1	0.01	<10	0.57	111	<1	<0.01	<1	70	8	0.03	<2	<1
D00073251		9.66	10	<1	0.23	<10	1.05	4040	<1	<0.01	4	630	118	5.24	3	3
D00073252		9.66	<10	<1	0.27	<10	1.00	3370	<1	<0.01	5	760	107	5.02	2	3
D00073253		20.3	<10	2	0.16	<10	0.70	2550	<1	0.01	2	370	2900	>10.0	6	2
D00073254		28.0	<10	<1	0.06	<10	0.15	1055	<1	<0.01	<1	70	6890	>10.0	24	<1
D00073255		27.3	<10	<1	0.11	<10	0.15	881	<1	<0.01	<1	90	>10000	>10.0	55	<1
D00073256		27.4	<10	<1	0.10	<10	0.13	898	1	<0.01	<1	100	1915	>10.0	16	<1
D00073257		25.8	<10	<1	0.11	<10	0.11	742	<1	<0.01	<1	130	1500	>10.0	19	1
D00073258		24.9	<10	<1	0.24	<10	0.27	930	3	<0.01	2	410	372	>10.0	601	1
D00073259		18.10	<10	<1	0.17	<10	0.11	683	<1	<0.01	<1	150	633	>10.0	9	1
D00073260		4.93	10	15	0.19	10	1.37	729	53	0.06	215	640	>10000	4.10	704	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00073221		111	<20	0.03	<10	<10	31	<10	3610				
D00073222		95	<20	0.06	<10	<10	89	<10	1740				
D00073223		215	<20	0.04	<10	<10	67	<10	6400				
D00073224		130	<20	0.06	<10	<10	118	<10	>10000				1.730
D00073225		91	<20	0.07	<10	<10	101	<10	>10000				1.340
D00073226		62	<20	0.06	<10	<10	46	<10	4270				
D00073227		112	<20	0.06	<10	<10	96	<10	8560				
D00073228		126	<20	0.04	<10	<10	61	<10	2970				
D00073229		155	<20	0.02	<10	<10	34	<10	8100				
D00073230		89	<20	<0.01	<10	<10	<1	<10	24				
D00073231		80	<20	0.06	<10	<10	89	<10	>10000				1.660
D00073232		557	<20	0.01	<10	<10	50	<10	1065				
D00073233		154	<20	0.06	<10	<10	80	<10	>10000				1.515
D00073234		99	<20	0.05	<10	<10	77	<10	>10000				1.905
D00073235		139	<20	0.04	<10	<10	97	<10	>10000				1.865
D00073236		390	<20	0.01	<10	<10	70	<10	159				
D00073237		309	<20	0.01	<10	<10	33	<10	130				
D00073238		310	<20	0.01	<10	<10	24	<10	1080				
D00073239		110	<20	0.02	<10	<10	35	<10	2830				
D00073240		132	<20	0.07	<10	<10	42	10	956				
D00073241		120	<20	0.03	<10	<10	40	<10	1545				
D00073242		156	<20	0.04	<10	<10	51	<10	3410				
D00073243		90	<20	0.03	<10	<10	53	<10	4760				
D00073244		120	<20	0.05	<10	<10	55	<10	5140				
D00073245		115	<20	0.04	<10	<10	59	<10	3950				
D00073246		156	<20	0.02	<10	<10	41	<10	4220				
D00073247		159	<20	0.02	<10	<10	39	<10	1860				
D00073248		162	<20	0.01	<10	<10	41	<10	9130				
D00073249		169	<20	<0.01	<10	<10	26	<10	2680				
D00073250		90	<20	<0.01	<10	<10	<1	<10	21				
D00073251		132	<20	0.01	<10	<10	36	<10	324				
D00073252		57	<20	0.01	<10	<10	27	<10	1975				
D00073253		72	<20	0.01	<10	<10	22	<10	>10000				5.29
D00073254		54	<20	<0.01	<10	<10	6	<10	9800	239	3.40		
D00073255		42	<20	<0.01	<10	<10	5	10	>10000	174		1.115	1.295
D00073256		47	<20	<0.01	<10	<10	4	<10	5610				
D00073257		39	<20	<0.01	<10	<10	5	<10	5600				
D00073258		25	<20	0.01	<10	<10	11	<10	7630	553			
D00073259		26	<20	<0.01	<10	<10	4	<10	2180				
D00073260		49	<20	0.05	10	<10	58	20	>10000	334		2.41	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00073261		3.11	0.191		11.1	0.71	147	<10	20	<0.5	10	1.79	40.5	28	6	81
D00073262		2.14	0.044		2.3	3.64	37	<10	130	<0.5	5	2.60	3.8	16	6	16
D00073263		2.35	0.026		1.5	3.22	36	<10	190	<0.5	4	1.85	8.5	18	3	15
D00073264		3.39	0.028		2.9	3.11	41	<10	200	<0.5	7	1.23	24.3	17	2	13
D00073265		3.24	0.151		1.6	2.64	87	<10	110	<0.5	2	1.80	1.5	11	2	16
D00073266		2.87	0.141		4.4	2.57	154	<10	30	<0.5	7	1.40	54.0	22	3	62
D00073267		2.69	0.125		5.6	1.97	191	<10	10	<0.5	9	1.88	170.0	33	3	88
D00073268		4.49	0.037		0.9	2.81	28	<10	200	<0.5	2	1.72	1.3	11	2	5
D00073269		3.34	0.145		2.4	2.82	121	<10	70	<0.5	4	1.77	29.4	16	3	18
D00073270		1.24	0.006		0.4	2.16	2	<10	170	<0.5	<2	6.38	<0.5	16	1	59
D00073271		4.58	0.006		<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	1
D00073272		4.65	0.011		0.7	2.26	<2	<10	200	<0.5	<2	6.29	0.8	19	2	57
D00073273		3.85	0.366		6.3	2.18	30	<10	160	<0.5	3	6.63	112.0	16	1	226
D00073274		3.88	0.415		7.1	2.59	29	<10	150	<0.5	6	3.19	135.5	17	2	141
D00073275		4.89	0.011		0.5	2.43	13	<10	190	<0.5	<2	4.47	0.7	19	2	51
D00073276		4.74	0.016		0.2	2.56	20	<10	250	<0.5	<2	5.60	<0.5	18	2	19
D00073277		4.29	0.024		0.4	2.24	61	<10	210	<0.5	<2	6.51	<0.5	19	2	27
D00073278		4.37	0.291		0.3	2.35	2	<10	240	<0.5	<2	6.07	0.5	18	2	15
D00073279		2.71	0.082		0.3	2.28	3	<10	220	<0.5	2	6.07	<0.5	17	2	20
D00073280		0.11	1.180		88.9	1.57	30	<10	170	<0.5	<2	3.12	8.4	18	17	957
D00073281		3.01	0.017		0.2	2.37	3	<10	230	<0.5	<2	5.11	1.0	14	2	9
D00073282		5.13	0.066		2.4	2.64	6	<10	220	<0.5	2	3.19	45.5	19	2	112
D00073283		5.25	3.53		6.9	2.76	22	<10	120	<0.5	3	2.32	125.5	18	2	152
D00073284		5.94	>10.0	16.15	8.7	3.03	12	<10	230	<0.5	3	2.67	108.0	18	2	424
D00073285		5.29	0.436		4.6	2.86	11	<10	290	<0.5	<2	3.06	48.9	15	1	104
D00073286		4.54	1.135		3.9	2.47	32	<10	240	<0.5	2	4.58	46.8	13	2	68
D00073287		4.45	0.197		3.5	0.80	23	<10	350	<0.5	<2	4.88	41.5	3	1	40
D00073288		4.06	0.045		0.5	0.93	4	<10	470	<0.5	<2	4.23	6.2	4	1	14
D00073289		4.72	0.427		2.4	0.86	11	<10	420	<0.5	2	3.53	48.2	3	1	48
D00073290		1.16	<0.005		<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	<1
D00073291		4.13	0.097		1.7	0.68	20	<10	380	<0.5	<2	2.27	4.9	3	1	76
D00073292		4.44	0.022		0.9	0.80	7	<10	650	<0.5	<2	2.87	12.5	3	1	22
D00073293		4.64	0.025		0.4	0.78	5	<10	680	<0.5	<2	3.14	3.4	3	1	13
D00073294		4.82	5.97		9.6	0.86	10	<10	200	<0.5	<2	2.71	169.5	5	2	536
D00073295		1.94	1.445		3.6	0.76	13	<10	170	<0.5	<2	2.93	104.0	4	1	253
D00073296		2.07	>10.0	9.65	5.0	0.76	15	<10	190	<0.5	<2	3.01	92.7	5	1	174
D00073297		3.19	0.248		1.3	0.94	15	<10	280	<0.5	2	2.03	32.2	4	1	27
D00073298		2.34	1.150		3.8	0.81	10	<10	280	<0.5	<2	2.22	54.2	3	3	36
D00073299		2.43	1.150		3.4	2.00	50	<10	130	<0.5	2	1.72	19.2	15	2	33
D00073300		0.11	0.704		9.3	1.18	798	10	100	<0.5	18	3.04	6.0	44	23	6660

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00073261		11.80	<10	<1	0.13	<10	0.40	1895	1	<0.01	2	190	1155	>10.0	6	1
D00073262		11.25	10	<1	0.19	10	1.74	4250	1	<0.01	4	1060	90	2.88	4	7
D00073263		8.91	10	<1	0.25	10	1.46	3930	1	<0.01	4	1330	36	1.78	2	4
D00073264		8.80	10	<1	0.29	10	1.43	3510	34	<0.01	3	1420	50	1.84	3	4
D00073265		8.97	10	<1	0.26	<10	1.32	3750	2	<0.01	2	1150	40	3.18	4	3
D00073266		14.85	10	<1	0.22	<10	1.23	3390	<1	<0.01	1	690	133	>10.0	5	2
D00073267		17.55	<10	<1	0.19	<10	0.89	3170	<1	<0.01	1	640	210	>10.0	3	2
D00073268		7.01	10	<1	0.25	<10	1.36	4050	<1	<0.01	3	1160	22	1.41	3	3
D00073269		10.05	10	<1	0.24	<10	1.33	4120	<1	<0.01	3	1050	70	4.63	4	3
D00073270		4.06	<10	<1	0.33	10	1.12	2010	<1	<0.01	3	1350	4	0.01	2	3
D00073271		0.13	<10	<1	0.01	<10	0.57	118	<1	<0.01	<1	60	<2	0.01	<2	<1
D00073272		4.70	<10	<1	0.37	10	1.06	2290	1	<0.01	4	1430	106	0.55	2	3
D00073273		6.00	<10	3	0.30	10	1.13	3080	2	<0.01	2	1150	2950	2.77	4	3
D00073274		6.87	10	3	0.31	10	1.25	2490	2	<0.01	3	1320	2040	2.79	6	3
D00073275		5.05	10	<1	0.33	10	1.23	2630	<1	<0.01	4	1470	20	0.60	2	3
D00073276		4.86	10	<1	0.36	10	1.33	3070	<1	<0.01	3	1470	15	0.19	<2	3
D00073277		4.45	10	<1	0.33	10	1.08	3400	<1	<0.01	3	1440	13	0.23	4	3
D00073278		4.68	10	<1	0.39	10	1.13	3730	<1	<0.01	3	1420	20	0.37	2	3
D00073279		4.70	<10	<1	0.35	10	1.12	3770	<1	<0.01	2	1450	16	0.50	2	3
D00073280		3.45	10	<1	0.14	10	1.39	885	13	0.09	10	1050	4510	1.03	58	5
D00073281		4.59	10	<1	0.36	10	1.18	3530	<1	<0.01	2	1400	54	0.19	3	3
D00073282		6.14	10	1	0.32	10	1.29	2990	<1	<0.01	3	1450	1045	1.31	3	3
D00073283		7.14	10	2	0.34	10	1.34	3150	1	<0.01	3	1430	4220	2.68	3	3
D00073284		7.28	10	1	0.36	10	1.47	3810	<1	<0.01	3	1410	6920	2.10	10	3
D00073285		6.44	10	<1	0.36	10	1.31	4040	<1	<0.01	4	1350	4980	1.11	7	3
D00073286		6.46	10	<1	0.31	10	1.08	4270	1	<0.01	2	1070	1870	1.78	4	3
D00073287		1.72	<10	<1	0.43	10	0.16	2620	1	<0.01	1	680	2500	1.06	<2	1
D00073288		1.54	<10	<1	0.48	10	0.17	1930	1	<0.01	<1	760	189	0.36	<2	1
D00073289		1.87	<10	<1	0.40	10	0.17	1710	<1	<0.01	<1	660	879	0.66	<2	1
D00073290		0.08	<10	1	0.01	<10	0.65	102	<1	<0.01	<1	70	4	<0.01	<2	<1
D00073291		1.31	<10	<1	0.41	10	0.14	1055	<1	<0.01	1	680	203	0.70	<2	1
D00073292		1.42	<10	<1	0.45	10	0.14	1440	2	<0.01	1	680	667	0.45	<2	1
D00073293		1.36	<10	<1	0.40	10	0.15	1620	1	<0.01	<1	660	288	0.27	3	1
D00073294		2.19	<10	1	0.33	10	0.21	1635	<1	<0.01	1	500	6820	1.59	5	1
D00073295		1.80	<10	1	0.37	10	0.15	1805	1	<0.01	1	590	3550	1.27	2	1
D00073296		1.83	<10	<1	0.38	10	0.14	1855	<1	<0.01	1	590	4600	1.32	2	1
D00073297		2.12	<10	<1	0.40	10	0.19	1540	1	<0.01	1	660	998	0.79	<2	1
D00073298		1.83	<10	<1	0.39	10	0.14	1760	6	<0.01	1	590	2790	0.89	3	1
D00073299		6.10	10	<1	0.31	10	0.60	2470	2	<0.01	2	920	625	1.92	4	2
D00073300		3.47	<10	1	0.14	10	0.42	594	278	0.10	22	670	68	1.19	15	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00073261		121	<20	<0.01	<10	<10	9	<10	3840				
D00073262		197	<20	0.01	<10	<10	63	<10	516				
D00073263		82	<20	0.01	<10	<10	47	<10	897				
D00073264		58	<20	0.01	<10	<10	44	<10	2310				
D00073265		72	<20	0.01	<10	<10	39	<10	270				
D00073266		54	<20	0.01	<10	<10	33	<10	5010				
D00073267		73	<20	0.01	<10	<10	25	10	>10000				1.695
D00073268		66	<20	0.01	<10	<10	36	<10	248				
D00073269		62	<20	0.01	<10	<10	36	<10	2720				
D00073270		234	<20	0.01	<10	<10	25	<10	88				
D00073271		84	<20	<0.01	<10	<10	<1	<10	10				
D00073272		214	<20	0.01	<10	<10	27	<10	191				
D00073273		276	<20	0.01	<10	<10	28	<10	9850				
D00073274		109	<20	0.01	<10	<10	40	<10	>10000				1.270
D00073275		151	<20	0.01	<10	<10	43	<10	181				
D00073276		195	<20	0.01	<10	<10	41	<10	155				
D00073277		242	<20	0.01	<10	<10	37	<10	145				
D00073278		231	<20	0.01	<10	<10	38	<10	193				
D00073279		223	<20	0.01	<10	<10	33	<10	149				
D00073280		154	<20	0.06	<10	<10	90	<10	1085				
D00073281		198	<20	0.01	<10	<10	34	<10	236				
D00073282		127	<20	0.02	<10	<10	34	<10	4410				
D00073283		102	<20	0.03	<10	<10	41	<10	>10000				1.225
D00073284		121	<20	0.04	<10	<10	44	<10	>10000				1.110
D00073285		137	<20	0.02	<10	<10	38	<10	4670				
D00073286		216	<20	0.01	<10	<10	37	<10	4620				
D00073287		238	<20	0.01	<10	<10	6	<10	3700				
D00073288		220	<20	0.01	<10	<10	7	<10	599				
D00073289		204	<20	<0.01	<10	<10	6	<10	4380				
D00073290		84	<20	<0.01	<10	<10	<1	<10	12				
D00073291		144	<20	<0.01	<10	<10	5	<10	428				
D00073292		162	<20	0.01	<10	<10	6	<10	1170				
D00073293		189	<20	0.01	<10	<10	6	<10	349				
D00073294		153	<20	0.01	<10	<10	6	<10	>10000				1.660
D00073295		163	<20	0.01	<10	<10	5	<10	9970				
D00073296		169	<20	0.01	<10	<10	5	<10	8860				
D00073297		116	<20	0.01	<10	<10	8	<10	3130				
D00073298		148	<20	0.01	<10	<10	7	<10	5080				
D00073299		106	<20	0.02	<10	<10	37	<10	1910				
D00073300		132	<20	0.07	<10	<10	42	10	958				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
D00073301		2.45	0.207		3.1	2.02	112	<10	60	<0.5	2	2.27	20.5	20	2	37
D00073302		3.51	0.178		5.0	2.25	18	<10	200	<0.5	2	2.22	56.3	15	1	187
D00073303		3.79	1.700		5.6	2.27	43	<10	50	<0.5	6	6.16	23.3	14	3	74
D00073304		4.98	2.06		8.2	2.58	29	<10	80	<0.5	4	3.40	118.0	13	3	141
W749517		2.50	0.027		1.2	0.81	27	<10	100	<0.5	<2	1.97	7.9	8	2	22
W749518		2.73	0.027		1.9	1.19	67	<10	150	<0.5	2	2.15	3.0	8	3	51
W749519		1.99	0.076		1.8	0.70	57	<10	60	<0.5	2	0.14	1.5	3	2	49
W749520		0.86	0.006		<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1
W749521		1.55	0.017		1.1	0.33	19	<10	170	<0.5	<2	0.29	<0.5	3	2	11
W749522		1.62	0.021		0.6	0.94	25	<10	110	<0.5	<2	1.34	0.9	10	2	39
W749523		2.04	0.014		0.4	1.08	22	<10	150	<0.5	<2	3.91	0.9	6	2	38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
D00073301		6.52	<10	<1	0.31	10	0.69	2700	4	<0.01	3	1130	1310	2.51	5	2
D00073302		5.69	<10	<1	0.39	10	0.95	2690	<1	<0.01	2	1440	3600	1.36	4	3
D00073303		6.99	10	<1	0.20	10	1.25	6340	3	<0.01	3	820	1340	2.57	4	4
D00073304		6.53	10	1	0.30	10	1.19	5790	4	<0.01	4	1240	989	2.05	5	3
W749517		2.86	<10	<1	0.37	10	0.39	1585	2	<0.01	1	1050	30	2.29	<2	1
W749518		3.19	<10	<1	0.34	10	0.71	1555	1	<0.01	2	1080	129	1.75	3	2
W749519		4.30	<10	<1	0.30	10	0.23	514	8	<0.01	1	620	27	3.32	<2	1
W749520		0.10	<10	<1	0.01	<10	0.58	94	<1	<0.01	<1	60	3	<0.01	2	<1
W749521		2.23	<10	<1	0.26	10	0.02	89	3	<0.01	2	580	13	1.25	<2	1
W749522		3.44	<10	<1	0.38	10	0.50	790	3	0.01	2	1340	6	2.62	<2	2
W749523		2.71	<10	<1	0.31	10	0.57	1180	3	0.01	1	1030	8	1.17	<2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Cu	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	0.001
D00073301		122	<20	0.01	<10	<10	36	<10	2020				
D00073302		166	<20	0.01	<10	<10	38	<10	5340				
D00073303		393	<20	0.01	<10	<10	47	<10	2240				
D00073304		178	<20	0.02	<10	<10	44	<10	>10000				1.140
W749517		94	<20	0.03	<10	<10	11	<10	492				
W749518		104	<20	0.02	<10	<10	20	<10	297				
W749519		6	<20	<0.01	<10	<10	6	<10	169				
W749520		85	<20	<0.01	<10	<10	<1	<10	4				
W749521		16	<20	<0.01	<10	<10	4	<10	26				
W749522		53	<20	0.01	<10	<10	22	<10	87				
W749523		236	<20	<0.01	<10	<10	14	<10	69				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20156148

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	Cu-OG46
	ME-ICP41	ME-OG46	Pb-OG46	Zn-OG46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

CERTIFICATE TR20159410

Project: Premier

This report is for 51 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159410

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073305		2.61	0.020	0.6	2.14	4	<10	200	<0.5	<2	5.04	<0.5	17	1	65	4.64
D00073306		2.60	0.102	2.0	1.94	12	<10	190	<0.5	<2	4.70	25.2	19	1	115	4.56
D00073307		4.79	0.007	0.4	1.98	3	<10	190	<0.5	<2	5.22	<0.5	17	1	52	3.87
D00073308		2.36	0.012	0.8	1.75	6	<10	190	<0.5	<2	5.55	<0.5	14	1	93	3.81
D00073309		3.84	0.638	3.7	2.04	31	<10	150	<0.5	<2	8.7	69.9	13	1	176	6.18
D00073310		1.10	<0.005	0.3	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	1	<1	2	0.12
D00073311		2.08	0.018	0.3	2.35	9	<10	170	<0.5	<2	5.38	0.7	15	1	40	4.92
D00073312		3.74	0.025	1.9	2.30	7	<10	190	<0.5	<2	5.85	23.3	17	2	168	4.98
D00073313		5.18	0.022	0.4	2.38	10	<10	230	<0.5	<2	7.0	<0.5	16	2	67	4.52
D00073314		5.05	0.177	0.5	2.15	22	<10	240	<0.5	<2	6.9	<0.5	16	1	40	4.48
D00073315		4.90	0.038	0.7	2.24	58	<10	230	<0.5	<2	4.55	<0.5	18	1	53	4.56
D00073316		4.08	0.021	0.7	2.19	83	<10	270	<0.5	<2	5.41	<0.5	17	1	47	5.08
D00073317		4.90	0.020	0.7	2.21	66	<10	260	<0.5	<2	5.09	<0.5	14	1	78	4.89
D00073318		4.85	0.007	0.6	2.29	21	<10	250	<0.5	<2	5.42	<0.5	18	1	59	4.76
D00073319		4.39	0.068	0.8	1.90	96	<10	250	<0.5	<2	5.13	<0.5	17	1	35	4.46
D00073320		0.13	0.701	11.0	1.24	818	20	100	<0.5	18	3.36	6.1	45	24	6380	3.62
D00073321		5.07	0.248	5.4	0.98	15	<10	260	<0.5	2	4.39	46.9	5	1	96	2.04
D00073322		4.56	0.309	4.1	1.11	11	<10	290	<0.5	<2	3.17	71.5	5	1	97	2.32
D00073323		4.81	0.030	0.5	1.04	7	<10	270	<0.5	<2	3.66	7.2	5	1	17	1.89
D00073324		4.51	0.061	0.2	1.02	5	<10	290	<0.5	<2	4.04	<0.5	5	1	13	1.76
D00073325		4.71	0.032	0.4	1.02	6	<10	310	<0.5	<2	3.65	2.3	5	1	13	1.83
D00073326		4.56	0.048	0.4	1.03	5	<10	320	<0.5	<2	4.10	1.5	4	1	12	1.71
D00073327		4.89	0.167	0.4	0.93	7	<10	440	<0.5	<2	4.50	<0.5	4	1	7	1.60
D00073328		4.45	0.111	0.3	0.76	7	<10	360	<0.5	<2	6.56	0.5	4	1	5	1.27
D00073329		4.93	0.022	0.2	1.05	6	<10	270	<0.5	<2	6.75	<0.5	5	1	8	1.85
D00073330		1.07	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	1	0.10
D00073331		4.60	0.007	0.2	1.32	5	<10	510	<0.5	<2	5.13	<0.5	5	1	4	2.31
D00073332		4.75	0.007	<0.2	1.07	6	<10	270	<0.5	<2	4.19	<0.5	4	1	8	1.87
D00073333		4.77	0.061	0.9	0.90	5	<10	520	<0.5	<2	4.71	1.3	4	1	12	1.45
D00073334		4.70	0.343	0.5	0.80	9	<10	330	<0.5	<2	4.14	1.9	4	1	5	1.52
D00073335		4.29	0.118	2.8	0.97	18	<10	330	<0.5	<2	2.58	33.4	5	1	45	2.11
D00073336		2.57	0.425	8.5	1.15	17	<10	290	<0.5	<2	1.73	91.5	4	1	113	2.48
D00073337		2.38	1.130	3.3	1.91	44	<10	270	<0.5	<2	5.06	6.9	17	2	59	4.10
D00073338		5.25	0.015	1.2	1.92	17	<10	260	<0.5	<2	5.16	0.6	21	1	71	4.56
D00073339		3.95	0.136	1.5	2.34	7	<10	260	<0.5	<2	4.74	9.8	20	1	72	4.86
D00073340		0.13	1.260	91.5	1.59	32	10	180	<0.5	<2	3.24	8.6	18	18	946	3.57
D00073341		4.75	0.017	0.7	2.16	30	<10	210	<0.5	<2	6.62	<0.5	21	1	27	4.46
D00073342		5.67	0.044	0.7	2.27	18	<10	220	<0.5	<2	5.26	<0.5	23	2	18	4.68
D00073343		4.42	0.017	0.5	2.70	10	<10	240	<0.5	<2	5.41	<0.5	21	4	23	5.10
D00073344		4.58	0.008	1.0	2.67	6	<10	220	<0.5	<2	5.34	<0.5	21	4	112	5.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159410

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073305		<10	<1	0.37	<10	1.05	1975	<1	0.01	3	1280	17	0.71	<2	3	156
D00073306		<10	1	0.42	<10	0.92	1820	<1	0.01	3	1350	1370	1.41	<2	3	140
D00073307		<10	<1	0.42	10	0.93	2170	<1	0.01	3	1350	6	0.26	2	3	156
D00073308		<10	<1	0.42	<10	0.85	2240	<1	0.01	2	1320	10	0.71	<2	3	162
D00073309		<10	1	0.30	<10	1.30	3750	1	0.01	4	860	1160	2.50	5	3	326
D00073310		<10	<1	0.01	<10	1.20	153	<1	0.01	<1	70	4	0.02	<2	<1	79
D00073311		<10	<1	0.38	<10	1.34	2810	<1	0.01	2	1390	13	0.77	2	3	188
D00073312		<10	1	0.36	<10	1.45	3140	<1	0.01	3	1340	1145	0.88	<2	3	193
D00073313		<10	<1	0.36	<10	1.50	3140	<1	0.01	3	1350	6	0.40	<2	3	211
D00073314		<10	<1	0.38	<10	1.21	3170	<1	0.01	3	1350	14	0.95	2	3	197
D00073315		<10	<1	0.40	10	1.21	2510	<1	0.01	3	1410	29	0.76	2	3	141
D00073316		<10	<1	0.39	<10	1.14	2740	<1	0.01	3	1310	25	1.52	4	3	179
D00073317		<10	<1	0.40	<10	1.07	2700	<1	0.01	3	1400	8	0.97	3	3	157
D00073318		<10	<1	0.41	<10	1.15	2900	<1	0.01	2	1470	11	0.70	2	3	186
D00073319		<10	<1	0.42	<10	0.86	2460	2	0.01	2	1360	70	1.56	5	3	176
D00073320		10	<1	0.16	10	0.44	636	291	0.12	20	670	72	1.26	16	2	135
D00073321		<10	1	0.40	10	0.30	1965	2	0.01	<1	650	1850	0.96	<2	1	169
D00073322		<10	<1	0.42	10	0.34	1605	1	0.01	<1	670	1415	1.06	4	1	134
D00073323		<10	<1	0.40	10	0.30	1680	<1	0.01	<1	680	302	0.38	<2	1	151
D00073324		<10	<1	0.40	10	0.30	1785	<1	0.01	<1	690	19	0.29	<2	1	177
D00073325		<10	<1	0.42	10	0.29	1745	<1	0.01	<1	670	229	0.43	<2	1	159
D00073326		<10	<1	0.44	10	0.28	1720	<1	0.01	<1	680	115	0.30	<2	1	164
D00073327		<10	<1	0.43	10	0.23	1710	<1	0.01	<1	670	348	0.40	<2	1	169
D00073328		<10	<1	0.42	10	0.16	2560	<1	0.01	1	610	48	0.37	<2	1	233
D00073329		<10	<1	0.39	10	0.34	2390	4	0.01	<1	700	10	0.21	<2	1	272
D00073330		<10	<1	0.01	<10	0.88	142	<1	0.01	<1	70	<2	0.01	<2	<1	80
D00073331		<10	<1	0.39	10	0.47	2080	2	0.02	<1	740	10	0.14	2	1	214
D00073332		<10	<1	0.39	10	0.33	1665	1	0.02	1	690	7	0.23	2	1	165
D00073333		<10	<1	0.43	10	0.21	1705	<1	0.01	<1	690	10	0.23	2	1	171
D00073334		<10	<1	0.45	10	0.15	1750	1	0.01	<1	650	249	0.70	<2	1	177
D00073335		<10	<1	0.44	<10	0.24	1500	4	0.01	1	660	1585	1.04	<2	1	113
D00073336		<10	1	0.44	10	0.34	1490	7	0.01	<1	680	3180	1.33	3	1	84
D00073337		<10	<1	0.39	<10	0.84	3710	1	0.01	6	1000	226	0.72	2	3	203
D00073338		<10	<1	0.42	<10	0.84	2920	<1	0.01	5	1160	34	1.53	<2	3	210
D00073339		<10	<1	0.42	<10	1.23	3130	<1	0.01	4	1110	244	0.84	<2	3	205
D00073340		10	1	0.15	<10	1.43	915	13	0.10	12	1010	4530	1.04	65	6	151
D00073341		10	1	0.35	<10	1.26	4100	<1	0.01	8	1040	14	0.88	<2	3	252
D00073342		10	1	0.35	<10	1.36	3840	<1	0.01	8	1110	15	0.97	3	3	198
D00073343		10	1	0.35	<10	1.61	4300	<1	0.01	10	1240	19	0.36	2	4	210
D00073344		10	1	0.33	<10	1.55	4730	<1	0.01	9	1180	28	0.77	2	4	215

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159410

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	LOD	20	0.01	10	10	1	10	2	0.001
D00073305		<20	0.01	<10	<10	26	<10	196	
D00073306		<20	0.01	<10	<10	26	<10	1740	
D00073307		<20	0.01	<10	<10	25	<10	103	
D00073308		<20	0.01	<10	<10	23	<10	134	
D00073309		<20	0.01	<10	<10	25	<10	6380	
D00073310		<20	<0.01	<10	<10	1	<10	21	
D00073311		<20	0.01	<10	<10	43	<10	324	
D00073312		<20	0.01	<10	<10	52	<10	2000	
D00073313		<20	0.01	<10	<10	49	<10	108	
D00073314		<20	0.01	<10	<10	43	<10	108	
D00073315		<20	0.02	<10	<10	46	<10	116	
D00073316		<20	0.03	<10	<10	47	<10	140	
D00073317		<20	0.02	<10	<10	48	<10	112	
D00073318		<20	0.02	<10	<10	44	<10	136	
D00073319		<20	0.02	<10	<10	35	<10	132	
D00073320		<20	0.08	<10	<10	44	10	1020	
D00073321		<20	0.01	<10	<10	7	<10	4170	
D00073322		<20	0.01	<10	<10	7	<10	6290	
D00073323		<20	0.01	<10	<10	7	<10	647	
D00073324		<20	0.01	<10	<10	7	<10	74	
D00073325		<20	0.01	<10	<10	7	<10	233	
D00073326		<20	0.01	<10	<10	7	<10	166	
D00073327		<20	0.01	<10	<10	6	<10	59	
D00073328		<20	0.01	<10	<10	5	<10	68	
D00073329		<20	0.01	<10	<10	9	<10	55	
D00073330		<20	<0.01	<10	<10	1	<10	3	
D00073331		<20	0.01	<10	<10	11	<10	56	
D00073332		<20	0.01	<10	<10	8	<10	54	
D00073333		<20	0.01	<10	<10	6	<10	127	
D00073334		<20	0.01	<10	<10	6	<10	186	
D00073335		<20	0.01	<10	<10	7	<10	2960	
D00073336		<20	0.01	<10	<10	8	<10	8170	
D00073337		<20	0.01	<10	<10	32	<10	678	
D00073338		<20	0.01	<10	<10	27	<10	139	
D00073339		<20	0.01	<10	<10	32	<10	724	
D00073340		<20	0.07	<10	<10	92	<10	1125	
D00073341		<20	0.01	<10	<10	27	<10	115	
D00073342		<20	0.01	<10	<10	30	<10	114	
D00073343		<20	0.01	<10	<10	35	<10	150	
D00073344		<20	0.02	<10	<10	35	<10	175	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159410

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073345		3.38	0.087	2.8	2.35	55	<10	170	<0.5	3	3.31	21.4	18	2	20	6.21
D00073346		4.79	0.162	1.5	2.25	39	<10	250	<0.5	<2	2.73	14.7	18	2	33	5.24
D00073347		4.25	0.154	3.0	1.90	75	<10	130	<0.5	4	3.21	40.0	16	2	85	5.55
D00073348		4.58	0.089	2.3	2.09	36	<10	190	<0.5	3	2.66	88.8	11	1	154	5.40
D00073349		4.86	0.150	5.4	2.41	46	<10	190	<0.5	2	2.00	191.0	9	1	412	5.98
D00073350		0.86	<0.005	<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	1.1	<1	<1	3	0.12
D00073351		2.18	0.340	5.6	2.21	38	<10	150	<0.5	3	2.48	239	11	1	472	5.75
D00073352		2.26	0.339	3.1	2.19	34	<10	200	<0.5	2	2.52	138.5	9	1	195	5.45
D00073353		4.70	0.146	4.0	1.65	34	<10	150	<0.5	4	2.97	72.6	10	1	215	4.86
D00073354		4.56	0.021	0.5	1.38	18	<10	190	<0.5	<2	4.29	2.1	7	2	48	2.54
D00073355		4.67	0.007	0.4	1.11	11	<10	280	<0.5	<2	4.49	<0.5	6	<1	29	1.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159410

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073345		10	1	0.34	<10	1.18	4760	1	0.01	6	1090	951	2.13	5	3	128
D00073346		10	1	0.35	10	1.16	4230	1	0.01	5	1210	204	1.41	3	3	105
D00073347		10	1	0.30	<10	0.91	4360	2	<0.01	5	940	663	2.47	5	3	122
D00073348		10	1	0.36	10	0.88	3760	2	0.01	3	1030	39	1.88	3	2	96
D00073349		10	2	0.32	10	1.09	3660	3	0.01	2	930	49	2.06	7	2	79
D00073350		<10	2	0.02	<10	1.10	149	<1	<0.01	<1	80	2	0.02	3	<1	82
D00073351		10	3	0.33	10	0.97	3660	3	0.01	2	840	60	2.54	4	2	93
D00073352		10	2	0.35	10	0.95	3530	3	0.01	2	930	46	1.90	3	2	92
D00073353		<10	1	0.36	10	0.66	2780	1	0.01	2	770	159	2.42	3	1	106
D00073354		<10	1	0.41	10	0.55	2210	<1	0.01	4	1100	10	0.46	<2	1	135
D00073355		<10	1	0.48	10	0.31	1780	<1	0.01	2	1090	4	0.18	2	1	146

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159410

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	LOD	20	0.01	10	10	1	10	2	0.001
D00073345		<20	0.02	<10	<10	36	<10	2110	
D00073346		<20	0.03	<10	<10	36	<10	1540	
D00073347		<20	0.02	<10	<10	32	<10	3880	
D00073348		<20	0.03	<10	<10	23	<10	8200	
D00073349		<20	0.03	<10	<10	26	<10	>10000	1.835
D00073350		<20	<0.01	<10	10	<1	<10	107	
D00073351		<20	0.03	<10	<10	23	<10	>10000	2.22
D00073352		<20	0.03	<10	<10	24	<10	>10000	1.255
D00073353		<20	0.01	<10	<10	15	<10	6620	
D00073354		<20	0.02	<10	<10	11	<10	273	
D00073355		<20	0.01	<10	<10	8	<10	96	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 14-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159410

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Au-AA23	ME-ICP41	ME-OG46	Zn-OG46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-AUG-2020
Account: ASCRES

CERTIFICATE TR20159425

Project: Premier

This report is for 2 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
PUL-21	Pulverize entire sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159425

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
W749524		2.27	>10.0	110.0	>100	0.23	2660	<10	110	<0.5	28	2.53	25.6	6	14	880
W749525		2.27	>10.0	225	>100	0.37	1260	<10	80	<0.5	11	6.06	20.7	8	14	818

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159425

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
W749524		6.37	<10	3	0.06	<10	0.18	2050	48	0.01	44	240	2650	1.62	146	1
W749525		5.62	<10	3	0.06	<10	0.32	510	11	0.01	24	240	2360	2.68	2070	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159425

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Ag-GRA21
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	1	20	0.01	10	10	1	10	2	1	5
W749524		65	<20	0.01	<10	<10	22	<10	3710	979	
W749525		368	<20	0.02	<10	<10	63	<10	2350	>1500	1985

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20159425

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
CRU-31	CRU-QC	LOG-21	PUL-21
PUL-QC	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Ag-GRA21	Ag-OG46	Au-AA23	Au-GRA21
ME-ICP41	ME-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

CERTIFICATE TR20165071

Project: Premier Gold

This report is for 124 Drill Core samples submitted to our lab in Terrace, BC, Canada on 1-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073356		5.57	0.849	2.4	0.87	17	<10	330	<0.5	2	4.80	11.9	5	1	41	1.82
D00073357		4.50	0.015	0.4	0.82	8	<10	890	<0.5	<2	4.55	<0.5	4	1	10	1.30
D00073358		4.67	<0.005	0.3	0.82	8	<10	390	<0.5	<2	4.30	0.6	4	1	9	1.18
D00073359		3.99	<0.005	1.0	0.86	4	<10	320	<0.5	<2	4.83	5.9	4	1	22	1.39
D00073360		0.13	0.695	9.4	1.19	804	10	100	<0.5	22	3.06	6.1	45	23	6530	3.57
D00073361		2.80	0.412	3.2	2.59	25	<10	420	<0.5	<2	3.88	50.6	18	2	130	5.75
D00073362		4.79	0.383	1.2	2.40	24	<10	270	<0.5	2	5.37	11.1	19	3	76	5.17
D00073363		4.35	0.069	1.2	2.35	34	<10	420	<0.5	3	4.08	3.5	20	3	78	4.92
D00073364		3.13	0.440	3.5	2.89	31	<10	300	<0.5	2	4.18	63.8	23	7	168	6.45
D00073365		3.93	0.505	3.0	2.99	36	<10	220	<0.5	2	2.74	20.8	25	7	55	6.87
D00073366		3.53	0.234	0.8	3.68	19	<10	270	<0.5	2	1.57	32.0	19	10	18	7.86
D00073367		3.57	0.677	0.9	2.72	33	<10	190	<0.5	3	2.51	12.1	18	9	24	7.19
D00073368		3.62	1.310	2.5	2.82	39	<10	190	<0.5	2	2.21	36.0	18	6	61	7.69
D00073369		3.41	0.381	3.7	2.14	26	<10	310	<0.5	2	4.26	37.4	17	1	85	5.02
D00073370		0.65	<0.005	<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	2	0.16
D00073371		4.89	0.010	0.7	2.31	19	<10	360	<0.5	<2	5.02	0.5	19	1	71	4.59
D00073372		5.08	0.021	0.8	2.31	83	<10	310	<0.5	2	4.81	<0.5	22	1	77	4.88
D00073373		4.02	0.057	1.4	2.02	31	<10	350	<0.5	<2	6.45	6.1	19	2	49	4.66
D00073374		4.43	0.030	5.6	2.45	21	<10	320	<0.5	<2	5.71	54.9	21	3	74	5.82
D00073375		2.28	0.617	2.4	1.40	35	<10	100	<0.5	2	3.41	41.9	10	2	112	4.75
D00073376		2.53	0.567	4.1	1.36	66	<10	60	<0.5	4	2.89	71.1	12	2	227	6.39
D00073377		2.77	0.439	4.7	1.22	53	<10	60	<0.5	7	2.51	64.0	7	2	350	5.38
D00073378		2.13	0.218	2.4	1.35	19	<10	90	<0.5	2	3.29	123.0	9	2	163	4.28
D00073379		2.41	0.411	5.6	1.65	30	<10	90	<0.5	3	1.71	118.0	12	2	466	5.91
D00073380		0.13	1.210	93.2	1.62	30	10	190	<0.5	2	3.27	8.8	18	18	960	3.63
D00073381		2.35	0.444	9.8	1.28	24	<10	90	<0.5	2	2.94	105.0	9	5	1220	5.14
D00073382		2.37	1.520	3.3	2.28	30	<10	60	<0.5	3	1.61	60.3	11	2	199	8.08
D00073383		2.44	0.295	4.4	1.96	18	<10	130	<0.5	3	1.21	77.4	13	1	371	6.19
D00073384		1.17	0.297	4.9	1.61	19	<10	110	<0.5	2	3.55	42.6	12	2	450	5.69
D00073385		1.09	0.694	8.6	1.55	21	<10	80	<0.5	<2	3.33	61.3	12	3	804	5.50
D00073386		2.58	0.133	6.7	1.87	27	<10	50	<0.5	5	2.81	405	14	1	334	7.48
D00073387		4.43	0.171	3.5	1.93	9	<10	210	<0.5	<2	3.28	59.4	13	1	152	4.77
D00073388		5.01	0.015	1.4	1.76	10	<10	340	<0.5	2	3.65	6.2	12	1	68	3.81
D00073389		5.13	0.444	2.8	1.90	14	<10	270	<0.5	2	3.33	36.0	11	1	94	4.51
D00073390		0.78	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	2	0.12
D00073391		4.61	0.315	1.9	1.64	25	<10	240	<0.5	<2	3.55	47.7	14	1	119	4.09
D00073392		4.72	0.730	3.9	1.43	20	<10	200	<0.5	3	5.61	109.5	14	<1	298	3.73
D00073393		4.70	0.006	2.6	2.06	10	<10	220	<0.5	<2	4.85	13.5	13	2	61	4.05
D00073394		5.04	0.010	1.8	2.57	20	<10	190	<0.5	<2	3.27	21.8	19	2	101	4.80
D00073395		4.78	0.007	1.7	2.06	12	<10	230	<0.5	<2	4.64	13.9	14	1	94	4.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073356		<10	1	0.48	10	0.18	1790	1	0.02	1	670	466	0.82	<2	1	182
D00073357		<10	1	0.46	10	0.16	1710	1	0.03	1	660	28	0.32	<2	1	159
D00073358		<10	1	0.48	10	0.16	1995	2	0.02	2	680	42	0.26	<2	1	138
D00073359		<10	<1	0.45	10	0.20	2180	1	0.02	2	680	267	0.33	<2	1	173
D00073360		<10	1	0.15	10	0.42	610	285	0.12	23	630	71	1.22	13	2	130
D00073361		10	2	0.37	<10	1.11	3640	1	0.02	5	1120	646	0.91	<2	3	139
D00073362		10	1	0.37	<10	1.13	4770	<1	0.02	7	1140	183	0.81	<2	3	204
D00073363		10	1	0.40	<10	1.11	3930	<1	0.02	7	1170	200	0.79	<2	3	172
D00073364		10	2	0.33	<10	1.58	5060	<1	0.02	8	1110	598	1.37	2	4	179
D00073365		10	1	0.32	10	1.75	5500	1	0.02	11	1170	1095	1.68	<2	4	154
D00073366		10	2	0.22	10	2.47	6320	<1	0.02	10	1130	65	1.32	<2	5	122
D00073367		10	1	0.20	<10	1.63	6150	<1	0.03	9	910	132	2.22	<2	6	128
D00073368		10	2	0.22	<10	1.50	5830	<1	0.02	7	900	350	2.29	<2	4	116
D00073369		10	1	0.37	<10	1.04	4610	1	0.02	6	1130	1030	1.55	4	3	188
D00073370		<10	2	0.01	<10	1.35	187	<1	0.02	<1	70	5	0.02	<2	<1	77
D00073371		<10	1	0.38	<10	1.18	4260	<1	0.02	6	1100	63	0.61	<2	3	230
D00073372		10	1	0.37	<10	1.25	3550	<1	0.02	5	1140	31	1.05	<2	3	206
D00073373		<10	2	0.40	<10	0.97	4660	<1	0.02	6	1140	453	1.36	<2	4	287
D00073374		10	2	0.37	<10	1.12	5560	1	0.02	8	1290	2720	1.44	<2	4	354
D00073375		<10	1	0.30	<10	0.57	3890	<1	0.01	2	780	109	2.49	<2	2	181
D00073376		<10	1	0.31	<10	0.53	3460	1	0.02	1	760	152	4.53	<2	2	155
D00073377		<10	1	0.27	<10	0.52	2870	1	0.02	1	590	109	3.79	<2	1	125
D00073378		<10	2	0.29	10	0.60	3360	1	0.02	2	770	59	2.55	<2	1	138
D00073379		<10	2	0.29	<10	0.79	2500	<1	0.02	1	1090	68	3.68	<2	2	97
D00073380		10	1	0.15	<10	1.44	940	13	0.12	11	1030	4690	1.08	64	6	152
D00073381		<10	1	0.24	<10	0.59	3300	<1	0.02	2	670	90	3.47	<2	1	168
D00073382		10	1	0.32	<10	0.95	2920	<1	0.01	2	1100	79	4.08	<2	1	75
D00073383		10	1	0.38	10	0.67	2140	<1	0.02	2	1180	69	2.91	<2	1	58
D00073384		<10	1	0.29	<10	0.55	2940	<1	0.02	2	980	108	2.80	<2	2	131
D00073385		<10	<1	0.30	<10	0.52	2860	<1	0.01	2	880	107	2.90	2	2	133
D00073386		<10	3	0.27	<10	0.69	3730	<1	0.02	2	820	310	5.89	<2	1	132
D00073387		<10	1	0.41	10	0.77	4110	<1	0.02	3	1420	546	1.62	<2	2	175
D00073388		<10	1	0.37	10	0.80	4100	<1	0.02	1	1340	341	0.92	<2	2	155
D00073389		<10	1	0.39	10	0.76	3620	6	0.02	3	1180	158	1.33	<2	2	123
D00073390		<10	1	0.01	<10	1.18	136	<1	0.01	<1	60	4	0.02	2	<1	73
D00073391		<10	1	0.40	10	0.55	2860	3	0.02	3	1260	171	1.49	<2	2	122
D00073392		<10	1	0.35	10	0.49	3370	2	0.01	4	1220	688	1.67	3	2	183
D00073393		10	1	0.39	10	1.03	2900	2	0.01	4	1380	773	0.46	2	2	180
D00073394		10	<1	0.33	10	1.64	2760	2	0.02	4	1490	696	0.35	<2	3	129
D00073395		10	1	0.41	10	0.90	3820	1	0.01	4	1430	659	0.53	3	2	179

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073356		<20	0.01	<10	<10	6	<10	1120			
D00073357		<20	0.01	<10	<10	5	<10	69			
D00073358		<20	0.01	<10	<10	5	<10	95			
D00073359		<20	0.01	<10	<10	6	<10	511			
D00073360		<20	0.07	<10	<10	43	10	981			
D00073361		<20	0.03	<10	<10	42	<10	5100			
D00073362		<20	0.05	<10	<10	38	<10	1225			
D00073363		<20	0.03	<10	<10	39	<10	485			
D00073364		<20	0.03	<10	<10	51	<10	6260			
D00073365		<20	0.06	<10	<10	63	<10	2160			
D00073366		<20	0.05	<10	<10	85	<10	3040			
D00073367		<20	0.05	<10	<10	84	<10	1290			
D00073368		<20	0.04	<10	<10	62	<10	3540			
D00073369		<20	0.02	<10	<10	38	<10	3470			
D00073370		<20	<0.01	<10	10	<1	<10	23			
D00073371		<20	0.02	<10	<10	32	<10	156			
D00073372		<20	0.01	<10	<10	31	<10	136			
D00073373		<20	0.02	<10	<10	30	<10	575			
D00073374		<20	0.04	<10	<10	39	<10	4930			
D00073375		<20	0.02	<10	<10	23	<10	3790			
D00073376		<20	0.01	<10	<10	23	<10	6410			
D00073377		<20	0.01	<10	<10	21	<10	5670			
D00073378		<20	0.02	<10	<10	22	<10	>10000			1.135
D00073379		<20	0.02	<10	<10	30	<10	>10000			1.150
D00073380		<20	0.07	<10	<10	94	<10	1150			
D00073381		<20	0.02	<10	<10	18	<10	9750			
D00073382		<20	0.03	<10	<10	27	<10	5700			
D00073383		<20	0.04	<10	<10	23	<10	7120			
D00073384		<20	0.03	<10	<10	22	<10	4120			
D00073385		<20	0.03	<10	<10	22	<10	5900			
D00073386		<20	0.02	<10	<10	25	<10	>10000			4.03
D00073387		<20	0.03	<10	<10	27	<10	5850			
D00073388		<20	0.04	<10	<10	23	<10	693			
D00073389		<20	0.03	<10	<10	23	<10	3560			
D00073390		<20	<0.01	<10	10	<1	<10	16			
D00073391		<20	0.03	<10	<10	20	<10	4490			
D00073392		<20	0.02	<10	<10	17	<10	>10000			1.055
D00073393		<20	0.07	<10	<10	28	<10	1295			
D00073394		<20	0.08	<10	<10	38	<10	1965			
D00073395		<20	0.03	<10	<10	27	<10	1305			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
D00073396		4.63	0.039	1.4	1.76	24	<10	210	<0.5	2	4.70	8.2	14	1	85	4.10
D00073397		4.84	0.118	2.2	2.38	16	<10	200	<0.5	<2	4.35	22.4	21	3	256	5.17
D00073398		4.84	0.013	2.4	3.15	6	<10	170	<0.5	2	5.29	<0.5	24	9	303	6.18
D00073399		5.11	<0.005	0.5	1.83	4	<10	250	<0.5	<2	5.44	<0.5	13	1	50	3.66
D00073400		0.13	0.702	9.5	1.17	798	20	100	<0.5	20	3.09	6.0	45	23	6630	3.60
D00073401		5.70	0.017	0.7	1.78	26	<10	290	<0.5	2	4.26	0.9	14	8	35	3.95
D00073402		4.12	0.052	1.5	1.73	22	<10	220	<0.5	2	4.26	9.9	15	1	59	4.24
D00073403		4.94	0.022	1.9	2.65	14	<10	150	<0.5	<2	5.15	9.8	25	3	77	6.32
D00073404		5.11	0.272	1.2	1.90	14	<10	150	<0.5	<2	5.01	14.5	17	1	65	4.72
D00073405		4.16	0.086	0.7	1.64	11	<10	190	<0.5	<2	5.60	4.0	14	<1	105	4.08
D00073406		4.05	<0.005	<0.2	1.69	8	<10	220	<0.5	3	4.36	<0.5	16	2	2	3.40
D00073407		6.16	0.014	0.2	1.96	4	<10	420	<0.5	2	5.62	<0.5	16	3	38	3.73
D00073408		4.66	0.017	<0.2	2.35	4	<10	460	<0.5	2	4.18	<0.5	18	2	34	4.37
D00073409		4.65	0.013	0.4	1.92	4	<10	770	<0.5	2	5.99	<0.5	16	2	81	4.05
D00073410		0.74	<0.005	<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	2	0.10
D00073411		4.72	0.025	7.1	2.26	8	<10	260	<0.5	2	4.94	<0.5	18	3	1060	4.77
D00073412		4.72	0.008	0.2	1.89	6	<10	120	<0.5	2	5.13	<0.5	15	4	29	4.30
D00073413		4.51	<0.005	0.2	1.81	3	<10	70	<0.5	2	4.65	<0.5	13	6	13	3.63
D00073414		4.62	0.023	0.5	3.14	3	<10	120	<0.5	<2	4.95	<0.5	26	5	69	6.61
D00073415		4.85	<0.005	0.2	2.31	2	<10	130	<0.5	<2	3.41	<0.5	17	3	50	4.80
D00073416		4.55	0.005	0.2	2.70	4	<10	140	<0.5	2	4.78	<0.5	22	4	32	5.84
D00073417		4.70	<0.005	0.3	1.65	2	<10	160	<0.5	<2	5.80	<0.5	12	4	93	3.44
D00073418		4.05	0.008	<0.2	2.23	2	<10	320	<0.5	<2	5.14	<0.5	17	3	32	4.79
D00073419		5.05	0.010	<0.2	2.51	3	<10	190	<0.5	2	5.07	<0.5	19	2	11	4.80
D00073420		0.14	8.00	>100	1.48	623	10	20	<0.5	7	3.66	129.5	18	43	2050	5.06
D00073421		4.83	0.007	0.3	2.08	3	<10	170	<0.5	<2	3.71	<0.5	14	3	56	4.25
D00073422		4.50	0.012	0.2	2.13	9	<10	180	<0.5	2	5.63	<0.5	18	2	59	4.58
D00073423		2.00	<0.005	0.2	3.01	2	<10	170	<0.5	2	4.00	<0.5	24	2	17	5.49
D00073424		2.18	0.007	<0.2	2.66	2	<10	130	<0.5	2	4.50	<0.5	22	2	20	4.91
D00073425		4.74	<0.005	<0.2	2.38	2	<10	210	<0.5	2	4.09	<0.5	19	5	23	5.32
D00073426		4.78	<0.005	<0.2	2.69	4	<10	130	<0.5	<2	4.53	<0.5	20	3	7	5.43
D00073427		4.84	0.008	0.3	2.63	4	<10	100	<0.5	<2	4.18	<0.5	19	3	42	5.08
D00073428		4.70	<0.005	0.2	2.47	2	<10	580	<0.5	2	3.10	<0.5	18	3	33	4.62
D00073429		4.80	<0.005	0.2	2.48	2	<10	180	<0.5	<2	3.12	<0.5	18	3	52	4.50
D00073430		0.62	<0.005	<0.2	0.05	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	3	0.12
D00073431		5.01	0.007	<0.2	2.39	2	<10	500	<0.5	<2	3.93	<0.5	18	3	32	4.27
D00073432		4.73	0.006	<0.2	2.31	2	<10	170	<0.5	<2	3.79	<0.5	18	3	37	4.42
D00073433		4.55	0.006	<0.2	2.20	2	<10	220	<0.5	<2	4.38	<0.5	17	2	42	4.47
D00073434		5.11	0.008	<0.2	2.03	3	<10	160	<0.5	<2	5.21	<0.5	17	2	38	4.34
D00073435		4.72	0.006	<0.2	1.94	2	<10	250	<0.5	<2	4.64	<0.5	17	2	41	4.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073396		<10	1	0.39	10	0.78	3470	<1	0.01	4	1320	454	1.14	<2	2	175
D00073397		10	1	0.34	10	1.28	3710	2	0.01	7	1320	254	0.81	2	4	175
D00073398		10	2	0.29	10	2.11	4260	2	0.01	9	1370	33	0.41	<2	6	205
D00073399		10	<1	0.38	10	0.77	2820	1	0.01	3	1290	12	0.26	<2	2	207
D00073400		10	1	0.15	10	0.43	607	282	0.12	23	630	70	1.20	18	2	130
D00073401		10	1	0.34	10	0.93	2120	3	0.02	5	1770	106	0.83	<2	2	193
D00073402		<10	<1	0.35	10	0.69	2830	4	0.01	4	1150	584	1.17	<2	2	131
D00073403		10	1	0.36	<10	1.25	4350	1	0.01	7	1230	896	1.38	3	4	159
D00073404		10	<1	0.35	10	0.79	3530	<1	0.01	4	1260	398	1.31	2	2	138
D00073405		<10	1	0.41	10	0.59	3440	<1	0.01	4	1430	186	1.34	2	2	162
D00073406		<10	1	0.26	10	1.49	1210	<1	0.03	3	1440	2	0.02	<2	3	152
D00073407		10	<1	0.26	<10	1.64	1405	<1	0.04	5	1370	2	<0.01	2	3	186
D00073408		10	1	0.23	<10	1.97	1335	<1	0.04	3	1440	2	<0.01	<2	3	164
D00073409		10	1	0.20	<10	1.46	1365	<1	0.06	3	1320	3	0.01	3	4	300
D00073410		<10	1	0.01	<10	0.87	133	<1	0.01	<1	70	<2	<0.01	3	<1	83
D00073411		10	1	0.22	10	1.50	1315	<1	0.05	3	1450	3	0.04	2	5	279
D00073412		10	1	0.19	10	1.14	1190	<1	0.04	4	1340	2	<0.01	2	4	314
D00073413		10	<1	0.13	<10	0.98	1120	<1	0.03	5	840	4	<0.01	<2	5	413
D00073414		10	1	0.22	<10	2.03	1675	<1	0.03	8	1580	<2	<0.01	<2	6	352
D00073415		10	<1	0.22	10	1.44	1105	<1	0.05	4	1300	<2	<0.01	2	4	171
D00073416		10	1	0.22	10	1.82	1355	<1	0.03	4	1510	2	<0.01	<2	7	203
D00073417		<10	<1	0.27	<10	0.96	1225	<1	0.03	2	1170	<2	<0.01	2	3	340
D00073418		10	1	0.27	<10	1.52	1330	<1	0.03	4	1410	2	<0.01	2	3	274
D00073419		10	1	0.32	<10	1.59	1400	<1	0.02	4	1420	3	<0.01	<2	3	310
D00073420		10	15	0.19	<10	1.40	756	53	0.06	212	620	>10000	4.07	778	3	45
D00073421		10	<1	0.29	10	1.27	1055	<1	0.03	4	1430	17	<0.01	3	3	259
D00073422		10	1	0.25	<10	1.29	1350	<1	0.03	3	1280	6	0.28	<2	3	348
D00073423		10	1	0.24	<10	2.12	1390	<1	0.03	5	1650	<2	<0.01	2	5	230
D00073424		10	<1	0.20	<10	1.85	1345	<1	0.03	4	1520	2	<0.01	2	5	278
D00073425		10	1	0.25	10	1.63	1325	<1	0.05	5	1450	<2	<0.01	2	5	242
D00073426		10	1	0.21	10	1.76	1455	<1	0.04	5	1470	3	0.01	<2	4	329
D00073427		10	1	0.16	10	1.78	1345	<1	0.05	4	1520	2	<0.01	3	4	308
D00073428		10	<1	0.12	10	1.78	1180	<1	0.07	4	1360	4	0.02	2	4	607
D00073429		10	<1	0.24	10	1.63	1155	1	0.05	3	1360	2	<0.01	<2	4	209
D00073430		<10	1	0.01	<10	0.52	144	<1	0.02	<1	80	3	<0.01	3	<1	87
D00073431		10	1	0.22	10	1.54	1285	<1	0.05	3	1350	4	0.01	2	4	402
D00073432		10	<1	0.23	10	1.51	1375	<1	0.05	4	1340	3	0.02	<2	4	221
D00073433		10	1	0.29	10	1.42	1370	<1	0.04	3	1340	3	<0.01	<2	3	195
D00073434		10	1	0.25	10	1.31	1455	<1	0.04	4	1300	2	<0.01	<2	3	177
D00073435		10	<1	0.31	10	1.19	1240	1	0.04	3	1360	2	<0.01	2	3	157

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073396		<20	0.03	<10	<10	22	<10	814			
D00073397		<20	0.07	<10	<10	46	<10	2220			
D00073398		<20	0.10	<10	<10	73	<10	189			
D00073399		<20	0.03	<10	<10	20	<10	99			
D00073400		<20	0.07	<10	<10	42	10	987			
D00073401		<20	0.02	<10	<10	27	<10	166			
D00073402		<20	0.01	<10	<10	21	<10	976			
D00073403		<20	0.03	<10	<10	48	<10	1075			
D00073404		<20	0.02	<10	<10	26	<10	1385			
D00073405		<20	0.02	<10	<10	22	<10	370			
D00073406		<20	0.04	<10	<10	51	<10	85			
D00073407		<20	0.08	<10	<10	55	<10	88			
D00073408		<20	0.09	<10	<10	54	<10	102			
D00073409		<20	0.12	<10	<10	63	<10	80			
D00073410		<20	<0.01	<10	<10	<1	<10	2			
D00073411		<20	0.09	<10	<10	68	<10	94			
D00073412		<20	0.09	<10	<10	54	<10	73			
D00073413		<20	0.08	<10	<10	59	<10	63			
D00073414		<20	0.07	<10	<10	77	<10	125			
D00073415		<20	0.05	<10	<10	65	<10	90			
D00073416		<20	0.01	<10	<10	80	<10	112			
D00073417		<20	0.08	<10	<10	42	<10	61			
D00073418		<20	0.06	<10	<10	56	<10	84			
D00073419		<20	0.05	<10	<10	53	<10	94			
D00073420		<20	0.05	10	<10	57	20	>10000	321	2.30	2.36
D00073421		<20	0.03	<10	<10	49	<10	91			
D00073422		<20	0.01	<10	<10	54	<10	84			
D00073423		<20	0.07	<10	<10	72	<10	116			
D00073424		<20	0.05	<10	<10	65	<10	102			
D00073425		<20	0.01	<10	<10	75	<10	94			
D00073426		<20	0.06	<10	<10	71	<10	106			
D00073427		<20	0.15	<10	<10	76	<10	102			
D00073428		<20	0.16	<10	<10	75	<10	99			
D00073429		<20	0.14	<10	<10	61	<10	103			
D00073430		<20	<0.01	<10	10	1	<10	3			
D00073431		<20	0.11	<10	<10	59	<10	93			
D00073432		<20	0.09	<10	<10	57	<10	96			
D00073433		<20	0.05	<10	<10	53	<10	95			
D00073434		<20	0.11	<10	<10	50	<10	92			
D00073435		<20	0.06	<10	<10	49	<10	86			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073436		4.91	0.008	<0.2	1.93	3	<10	200	<0.5	2	5.24	<0.5	16	3	48	4.39
D00073437		4.66	<0.005	0.2	2.64	<2	<10	140	<0.5	<2	4.18	<0.5	19	2	52	4.80
D00073438		4.73	<0.005	0.2	2.61	<2	<10	200	<0.5	<2	4.19	<0.5	19	1	40	4.78
D00073439		4.99	0.025	0.4	2.37	23	<10	290	<0.5	<2	1.56	<0.5	23	2	56	4.52
D00073440		0.13	0.669	9.3	1.18	778	20	100	<0.5	19	3.07	5.9	45	23	6500	3.49
D00073441		5.03	0.009	<0.2	2.17	3	<10	220	<0.5	2	3.80	<0.5	17	2	57	4.39
D00073442		4.69	0.006	<0.2	2.56	2	<10	350	<0.5	<2	4.89	<0.5	19	2	43	4.78
D00073443		4.40	<0.005	0.2	2.24	<2	<10	190	<0.5	<2	4.51	<0.5	16	2	57	4.43
D00073444		4.89	0.011	<0.2	2.52	2	<10	180	<0.5	<2	4.22	<0.5	18	2	43	4.84
D00073445		2.00	0.012	0.2	2.55	<2	<10	210	<0.5	<2	5.00	<0.5	17	3	40	4.86
D00073446		2.16	0.012	0.2	2.59	2	<10	210	<0.5	<2	4.49	<0.5	17	2	37	4.92
D00073446D		<0.02	0.009	0.2	2.65	<2	<10	210	<0.5	<2	4.58	<0.5	18	2	36	4.98
D00073447		4.41	0.012	0.2	2.42	<2	<10	300	<0.5	<2	4.82	<0.5	18	2	41	4.77
D00073448		4.72	0.010	0.3	2.25	7	<10	420	<0.5	<2	4.82	<0.5	17	2	52	4.66
D00073449		3.90	0.014	0.4	2.69	5	<10	320	<0.5	<2	4.78	<0.5	22	2	44	5.44
D00073450		0.70	<0.005	<0.2	0.04	<2	10	20	<0.5	<2	>25.0	<0.5	1	<1	2	0.14
D00073451		4.57	0.010	0.3	2.26	3	<10	280	<0.5	<2	4.64	<0.5	18	2	42	4.84
D00073452		5.15	0.036	1.2	1.90	5	<10	50	<0.5	<2	4.41	<0.5	22	2	63	5.15
D00073453		4.88	0.024	0.8	1.63	4	<10	160	<0.5	<2	7.7	<0.5	17	1	39	3.93
D00073454		4.75	0.010	0.5	1.69	2	<10	300	<0.5	<2	8.3	<0.5	14	1	59	3.61
D00073455		4.93	0.007	0.4	1.86	5	<10	200	<0.5	<2	4.59	<0.5	16	2	51	3.95
D00073456		4.55	0.017	0.6	1.86	3	<10	210	<0.5	<2	4.85	<0.5	19	1	51	4.56
D00073457		4.66	0.010	0.4	2.20	2	<10	180	<0.5	2	4.19	<0.5	22	1	65	4.62
D00073458		4.59	<0.005	<0.2	2.17	5	<10	240	<0.5	<2	6.73	<0.5	17	1	57	4.30
D00073459		4.41	<0.005	<0.2	2.00	<2	<10	160	<0.5	<2	6.06	<0.5	16	2	50	4.03
D00073460		0.13	1.300	90.5	1.55	30	10	170	<0.5	2	3.18	8.6	17	18	940	3.46
D00073461		4.85	<0.005	0.3	2.09	<2	<10	380	<0.5	<2	5.55	<0.5	17	2	77	4.06
D00073462		4.42	<0.005	<0.2	2.31	<2	<10	1100	<0.5	<2	4.92	<0.5	18	2	42	4.37
D00073463		4.81	<0.005	<0.2	2.03	<2	<10	1410	<0.5	<2	6.13	<0.5	16	1	55	3.92
D00073464		4.39	0.012	0.3	2.20	5	<10	310	<0.5	<2	5.71	<0.5	18	2	54	4.97
D00073465		5.49	<0.005	<0.2	2.14	<2	<10	370	<0.5	2	5.04	<0.5	17	2	40	4.13
D00073466		4.91	<0.005	0.2	2.24	<2	<10	270	<0.5	<2	5.33	<0.5	17	3	58	4.14
D00073467		4.75	<0.005	<0.2	2.14	<2	<10	710	<0.5	2	5.15	<0.5	18	2	73	3.80
D00073468		4.64	0.011	0.2	1.95	<2	<10	1090	<0.5	<2	5.61	<0.5	15	1	37	3.54
D00073469		5.03	0.010	<0.2	1.70	<2	<10	1100	<0.5	<2	5.50	<0.5	16	1	29	3.36
D00073470		0.66	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	>25.0	<0.5	1	<1	2	0.13
D00073471		4.79	0.007	0.3	1.62	<2	<10	770	<0.5	2	6.02	<0.5	15	1	22	3.75
D00073472		4.45	0.012	0.7	2.22	4	<10	530	<0.5	2	6.42	0.8	16	1	136	4.10
D00073473		4.87	0.009	0.5	2.34	17	<10	220	<0.5	<2	4.85	0.6	18	2	31	4.80
D00073474		4.65	0.007	1.4	3.15	4	<10	220	<0.5	3	3.85	3.7	19	3	67	6.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073436		10	<1	0.31	10	1.17	1405	1	0.04	3	1350	3	0.04	<2	3	243
D00073437		10	1	0.24	<10	1.77	1445	1	0.04	4	1390	3	<0.01	<2	3	122
D00073438		10	<1	0.27	<10	1.67	1485	<1	0.04	2	1390	<2	<0.01	<2	3	114
D00073439		10	1	0.37	<10	1.43	1030	2	0.02	4	1740	5	0.35	<2	2	55
D00073440		10	<1	0.15	10	0.41	598	275	0.12	23	630	70	1.17	15	2	127
D00073441		10	1	0.28	<10	1.29	1135	2	0.04	4	1350	5	0.02	<2	3	148
D00073442		10	<1	0.25	10	1.57	1515	1	0.04	3	1390	5	0.19	2	4	195
D00073443		10	1	0.25	<10	1.39	1285	1	0.04	3	1250	3	0.01	<2	3	155
D00073444		10	1	0.26	10	1.58	1385	1	0.04	3	1390	5	0.14	<2	4	132
D00073445		10	<1	0.26	10	1.55	1525	1	0.04	4	1350	4	0.06	<2	4	192
D00073446		10	<1	0.27	10	1.58	1440	1	0.04	3	1340	3	0.06	<2	4	170
D00073446D		10	1	0.28	10	1.61	1470	1	0.04	4	1360	3	0.06	<2	4	172
D00073447		10	<1	0.27	10	1.51	1420	1	0.04	3	1380	5	0.28	<2	4	159
D00073448		10	1	0.29	10	1.34	1385	1	0.04	3	1370	9	0.37	<2	3	157
D00073449		10	1	0.27	<10	1.70	1555	1	0.04	5	1320	11	0.76	<2	4	183
D00073450		<10	1	0.01	<10	1.13	145	<1	0.01	<1	80	2	<0.01	2	<1	73
D00073451		10	<1	0.29	10	1.36	1345	1	0.04	4	1410	6	0.84	2	3	161
D00073452		10	1	0.34	10	1.04	1140	2	0.03	3	1430	14	2.23	<2	3	149
D00073453		<10	1	0.32	10	0.84	1445	1	0.03	4	1240	9	1.45	2	2	248
D00073454		<10	1	0.34	10	0.82	1670	1	0.02	3	1240	6	0.71	2	2	295
D00073455		10	<1	0.38	10	0.90	1155	1	0.03	3	1450	3	0.54	<2	2	182
D00073456		10	1	0.33	10	0.89	1345	3	0.04	5	1380	10	1.49	<2	3	162
D00073457		10	<1	0.27	10	1.19	1355	2	0.04	4	1270	5	0.51	<2	3	158
D00073458		10	<1	0.30	10	1.24	1550	<1	0.03	2	1170	3	0.04	<2	2	233
D00073459		10	<1	0.35	10	1.08	1415	1	0.03	3	1330	2	<0.01	<2	3	195
D00073460		10	<1	0.14	<10	1.39	899	13	0.11	10	1000	4440	1.01	65	5	146
D00073461		10	<1	0.34	10	1.15	1385	1	0.03	3	1340	5	0.01	<2	3	215
D00073462		10	<1	0.33	10	1.39	1375	<1	0.05	4	1340	2	0.02	<2	3	249
D00073463		10	<1	0.36	10	1.14	1440	1	0.05	4	1310	4	0.03	<2	3	300
D00073464		10	1	0.36	10	1.33	1575	1	0.03	3	1310	19	0.71	<2	3	276
D00073465		10	<1	0.37	10	1.23	1395	<1	0.03	4	1390	2	0.01	<2	3	224
D00073466		10	1	0.38	10	1.35	1420	<1	0.03	4	1380	<2	0.01	<2	3	206
D00073467		10	<1	0.37	10	1.33	1395	<1	0.03	4	1350	<2	0.02	<2	3	276
D00073468		<10	<1	0.37	10	1.25	1315	<1	0.04	4	1320	2	0.03	<2	2	470
D00073469		<10	<1	0.37	10	1.18	1220	<1	0.04	3	1340	2	0.03	<2	3	391
D00073470		<10	1	0.01	<10	1.23	151	<1	0.01	<1	70	3	<0.01	2	<1	77
D00073471		<10	1	0.39	10	1.23	1720	<1	0.03	3	1310	5	0.07	<2	3	387
D00073472		10	1	0.40	10	1.20	2500	1	0.02	2	1310	39	0.21	<2	3	275
D00073473		10	1	0.37	<10	1.30	2790	1	0.02	4	1400	115	0.98	<2	3	176
D00073474		10	<1	0.36	10	1.83	3250	1	0.02	4	1460	439	1.00	<2	3	137

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073436		<20	0.01	<10	<10	47	<10	80			
D00073437		<20	0.04	<10	<10	50	<10	99			
D00073438		<20	0.10	<10	<10	48	<10	93			
D00073439		<20	0.08	<10	<10	38	<10	98			
D00073440		<20	0.07	<10	<10	42	10	989			
D00073441		<20	0.10	<10	<10	47	<10	93			
D00073442		<20	0.06	<10	<10	61	<10	102			
D00073443		<20	0.08	<10	<10	56	<10	88			
D00073444		<20	0.08	<10	<10	62	<10	96			
D00073445		<20	0.04	<10	<10	63	<10	101			
D00073446		<20	0.04	<10	<10	64	<10	101			
D00073446D		<20	0.04	<10	<10	65	<10	103			
D00073447		<20	0.08	<10	<10	53	<10	97			
D00073448		<20	0.10	<10	<10	47	<10	93			
D00073449		<20	0.10	<10	<10	59	<10	108			
D00073450		<20	<0.01	<10	10	<1	<10	2			
D00073451		<20	0.01	<10	<10	42	<10	94			
D00073452		<20	0.01	<10	<10	33	<10	91			
D00073453		<20	<0.01	<10	<10	29	<10	78			
D00073454		<20	<0.01	<10	<10	26	<10	80			
D00073455		<20	0.01	<10	<10	31	<10	91			
D00073456		<20	0.08	<10	<10	35	<10	107			
D00073457		<20	0.03	<10	<10	45	<10	126			
D00073458		<20	0.02	<10	<10	36	<10	99			
D00073459		<20	0.01	<10	<10	36	<10	86			
D00073460		<20	0.06	<10	<10	89	<10	1110			
D00073461		<20	0.02	<10	<10	36	<10	87			
D00073462		<20	0.01	<10	<10	38	<10	93			
D00073463		<20	0.01	<10	<10	40	<10	78			
D00073464		<20	0.01	<10	<10	41	<10	96			
D00073465		<20	0.03	<10	<10	41	<10	85			
D00073466		<20	0.06	<10	<10	38	<10	88			
D00073467		<20	0.04	<10	<10	34	<10	87			
D00073468		<20	0.03	<10	<10	40	<10	77			
D00073469		<20	0.01	<10	<10	35	<10	77			
D00073470		<20	<0.01	<10	10	<1	<10	2			
D00073471		<20	0.01	<10	<10	30	<10	76			
D00073472		<20	<0.01	<10	<10	39	<10	192			
D00073473		<20	0.01	<10	<10	41	<10	325			
D00073474		<20	0.03	<10	<10	54	<10	634			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073475		4.93	0.058	2.2	2.63	17	<10	230	<0.5	<2	5.04	11.6	20	2	67	6.27
D00073476		4.51	0.015	0.6	2.27	5	<10	260	<0.5	<2	6.06	<0.5	15	2	52	4.42
D00073477		5.47	0.015	0.9	2.24	22	<10	320	<0.5	<2	5.97	1.3	19	2	36	4.77
D00073478		4.28	0.007	0.7	1.07	6	<10	810	<0.5	<2	4.81	2.8	5	1	13	1.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073475		10	1	0.37	10	1.38	3210	1	0.02	4	1350	902	1.91	<2	3	180
D00073476		10	<1	0.39	10	1.11	3130	1	0.02	4	1370	31	0.65	<2	3	201
D00073477		10	1	0.39	10	1.06	3150	2	0.02	4	1330	146	1.01	<2	3	209
D00073478		<10	<1	0.43	10	0.31	1805	3	0.03	2	690	216	0.50	2	1	208

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073475		<20	0.01	<10	<10	40	<10	1050			
D00073476		<20	0.02	<10	<10	56	<10	134			
D00073477		<20	0.04	<10	<10	36	<10	230			
D00073478		<20	0.02	<10	<10	7	<10	265			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 24-AUG-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20165071

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-21d
	LOG-23	PUL-31	PUL-31d	PUL-QC
	SPL-21	SPL-21d	WEI-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

CERTIFICATE TR20173226

Project: Premier

This report is for 115 Drill Core samples submitted to our lab in Terrace, BC, Canada on 11-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
D00073479		4.81	0.011	0.3	2.27	2	<10	220	<0.5	<2	3.36	<0.5	18	4	44	4.80
D00073480		0.12	0.655	9.8	1.30	815	20	110	<0.5	20	3.22	6.2	47	25	6790	3.72
D00073481		4.73	0.009	<0.2	2.04	6	<10	210	<0.5	2	4.49	<0.5	17	5	30	5.25
D00073482		4.63	0.018	0.2	2.38	2	<10	210	<0.5	2	3.68	<0.5	18	2	46	4.85
D00073483		5.09	0.006	0.2	2.44	6	<10	170	<0.5	<2	4.27	<0.5	17	2	21	4.77
D00073484		4.80	0.008	0.2	2.24	4	<10	250	<0.5	2	4.20	<0.5	18	3	38	4.67
D00073485		4.98	0.006	0.2	1.97	2	<10	510	<0.5	<2	4.39	<0.5	17	3	46	4.42
D00073486		4.49	0.012	<0.2	2.42	2	<10	2540	<0.5	<2	4.56	<0.5	18	3	38	4.63
D00073487		5.00	<0.005	0.2	2.60	2	<10	150	<0.5	<2	3.01	<0.5	18	4	44	4.75
D00073488		4.98	<0.005	0.2	2.66	<2	<10	220	<0.5	<2	4.16	<0.5	19	2	45	5.02
D00073489		4.36	<0.005	0.2	3.20	2	<10	450	<0.5	<2	2.83	<0.5	21	2	39	6.00
D00073490		0.71	0.008	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	1	0.20
D00073491		4.70	<0.005	0.2	2.79	<2	<10	720	<0.5	<2	5.73	<0.5	18	2	52	5.15
D00073492		4.78	0.011	0.2	2.61	2	<10	240	<0.5	3	4.31	<0.5	18	3	44	4.93
D00073493		4.92	<0.005	0.2	2.78	5	<10	220	<0.5	<2	4.72	<0.5	20	3	61	5.28
D00073494		5.10	0.006	0.2	2.63	2	<10	460	<0.5	<2	3.89	<0.5	18	3	52	4.93
D00073495		4.90	0.006	0.2	2.76	3	<10	540	<0.5	<2	3.13	<0.5	18	4	37	4.90
D00073496		2.11	0.005	<0.2	2.24	2	<10	1370	<0.5	<2	4.31	<0.5	16	5	14	4.36
D00073497		2.48	<0.005	0.2	2.25	<2	<10	1030	<0.5	2	3.86	<0.5	17	5	16	4.48
D00073498		4.78	0.005	0.3	2.76	<2	<10	260	<0.5	<2	4.11	<0.5	19	3	51	5.25
D00073499		5.01	<0.005	<0.2	2.71	4	<10	180	<0.5	<2	3.86	<0.5	18	4	25	4.97
D00073500		0.13	1.225	91.7	1.66	31	10	180	<0.5	<2	3.25	8.8	17	18	973	3.63
E00055151		4.94	0.005	<0.2	2.44	2	<10	180	<0.5	2	4.87	<0.5	18	4	36	5.08
E00055152		4.43	<0.005	0.2	2.46	<2	<10	310	<0.5	<2	5.59	<0.5	15	4	67	4.78
E00055153		5.02	<0.005	<0.2	2.98	2	<10	130	<0.5	<2	6.38	<0.5	20	2	21	5.92
E00055154		5.05	<0.005	0.2	2.75	2	<10	170	<0.5	<2	3.63	<0.5	19	3	41	5.13
E00055155		5.03	0.008	0.2	2.60	2	<10	160	<0.5	<2	3.36	<0.5	20	3	54	4.98
E00055156		4.92	0.008	0.3	2.32	2	<10	200	<0.5	<2	4.09	<0.5	18	3	44	4.85
E00055157		4.60	0.006	<0.2	2.54	<2	<10	180	<0.5	<2	3.91	<0.5	18	3	47	5.23
E00055158		5.25	0.011	0.3	2.97	5	<10	340	<0.5	<2	3.46	<0.5	26	3	46	5.82
E00055159		4.55	0.009	0.2	2.59	<2	<10	450	<0.5	<2	3.55	<0.5	19	3	58	5.24
E00055160		0.13	1.200	91.7	1.66	32	10	180	<0.5	<2	3.28	8.7	17	19	989	3.67
E00055161		4.46	0.008	0.2	2.35	2	<10	230	<0.5	<2	5.05	<0.5	18	3	51	4.75
E00055162		4.99	0.006	<0.2	2.18	2	<10	260	<0.5	<2	5.66	<0.5	17	2	38	4.57
E00055163		4.21	0.017	0.5	2.16	4	<10	240	<0.5	<2	4.66	<0.5	20	2	52	5.03
E00055164		5.01	0.017	0.5	1.82	4	<10	190	<0.5	<2	3.82	<0.5	20	2	44	4.68
E00055165		4.65	0.015	0.6	1.97	3	<10	200	<0.5	<2	4.83	0.7	16	2	64	4.16
E00055166		4.55	0.016	0.6	1.89	2	<10	180	<0.5	3	5.49	<0.5	16	2	46	4.12
E00055167		4.64	0.008	0.4	1.97	2	<10	210	<0.5	<2	5.17	<0.5	16	2	53	4.01
E00055168		4.58	<0.005	0.6	2.40	2	<10	320	<0.5	<2	3.85	<0.5	23	2	101	4.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D00073479		10	1	0.22	<10	1.41	1135	<1	0.05	5	1340	5	0.01	3	4	289
D00073480		10	1	0.16	10	0.43	651	299	0.13	24	640	73	1.23	15	2	136
D00073481		10	1	0.15	10	1.41	1275	1	0.06	4	1360	5	0.09	2	5	300
D00073482		10	<1	0.27	10	1.67	1365	<1	0.04	4	1350	4	0.03	<2	4	324
D00073483		10	1	0.23	10	1.65	1435	<1	0.04	4	1380	4	0.23	2	4	331
D00073484		10	<1	0.25	10	1.42	1290	1	0.05	5	1350	4	0.13	<2	4	324
D00073485		10	1	0.25	10	1.21	1270	1	0.05	5	1340	4	0.02	3	5	346
D00073486		10	<1	0.19	10	1.47	1295	<1	0.04	5	1310	5	0.09	2	5	943
D00073487		10	1	0.18	10	1.79	1215	<1	0.05	4	1370	4	<0.01	2	5	255
D00073488		10	<1	0.28	10	1.83	1320	<1	0.04	5	1390	3	0.01	<2	5	222
D00073489		10	1	0.24	10	2.20	1470	1	0.04	5	1570	2	0.02	<2	5	93
D00073490		<10	1	<0.01	<10	1.64	139	<1	0.01	3	70	<2	0.01	2	<1	71
D00073491		10	1	0.22	10	1.93	1685	<1	0.06	3	1300	2	0.02	2	5	181
D00073492		10	1	0.30	10	1.75	1275	<1	0.04	4	1380	3	0.01	2	5	169
D00073493		10	<1	0.33	<10	1.66	1450	4	0.04	4	1430	6	0.07	<2	4	282
D00073494		10	1	0.28	10	1.67	1295	<1	0.06	4	1400	2	0.02	2	6	264
D00073495		10	1	0.20	10	1.80	1185	1	0.07	4	1400	5	0.02	2	6	253
D00073496		10	1	0.21	10	1.39	1255	1	0.05	4	1190	4	0.03	<2	4	309
D00073497		10	<1	0.21	10	1.42	1235	1	0.06	4	1230	3	0.03	<2	4	283
D00073498		10	<1	0.34	10	1.66	1385	1	0.05	4	1500	3	0.01	<2	5	290
D00073499		10	1	0.30	10	1.66	1315	<1	0.05	5	1430	5	0.02	<2	5	291
D00073500		10	1	0.15	<10	1.43	930	13	0.11	12	990	4620	1.05	64	6	154
E00055151		10	1	0.30	10	1.61	1445	1	0.05	5	1320	8	0.02	3	6	353
E00055152		10	<1	0.29	10	1.44	1545	<1	0.06	3	1370	5	0.04	2	6	419
E00055153		10	1	0.21	10	1.89	1715	<1	0.05	4	1170	5	0.02	<2	5	359
E00055154		10	1	0.28	10	1.82	1350	<1	0.05	4	1450	3	<0.01	<2	6	233
E00055155		10	1	0.25	10	1.79	1280	<1	0.05	5	1430	3	<0.01	3	5	257
E00055156		10	<1	0.27	10	1.58	1245	<1	0.06	3	1360	4	<0.01	<2	5	217
E00055157		10	1	0.26	10	1.75	1365	1	0.05	3	1390	3	0.01	<2	5	264
E00055158		10	1	0.33	10	1.90	1360	2	0.04	5	1630	13	0.66	<2	5	639
E00055159		10	1	0.40	10	1.64	1365	<1	0.04	3	1490	3	0.04	2	5	277
E00055160		10	1	0.15	<10	1.44	951	13	0.11	12	1010	4650	1.06	63	6	156
E00055161		10	1	0.45	10	1.33	1615	1	0.03	6	1370	8	0.14	<2	3	235
E00055162		10	1	0.40	10	1.20	1630	1	0.03	4	1330	6	0.07	<2	3	226
E00055163		10	1	0.44	10	1.04	1565	2	0.03	5	1400	15	1.25	<2	3	177
E00055164		10	<1	0.36	10	0.88	1305	2	0.03	6	1350	14	1.55	3	2	135
E00055165		10	<1	0.42	10	0.93	1520	1	0.02	4	1360	13	0.66	2	3	163
E00055166		<10	1	0.37	10	0.99	1585	1	0.02	4	1340	9	0.89	3	3	191
E00055167		10	1	0.40	10	0.97	1480	1	0.02	4	1320	4	0.21	2	3	181
E00055168		10	<1	0.33	10	1.31	1520	1	0.03	4	1360	2	0.16	2	3	140

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
D00073479		<20	0.08	<10	<10	67	<10	90			
D00073480		<20	0.08	<10	<10	44	<10	1040			
D00073481		<20	0.07	<10	<10	93	<10	86			
D00073482		<20	0.04	<10	<10	64	<10	91			
D00073483		<20	0.02	<10	<10	61	<10	97			
D00073484		<20	0.06	<10	<10	64	<10	90			
D00073485		<20	0.13	<10	<10	59	<10	84			
D00073486		<20	0.06	<10	<10	69	<10	92			
D00073487		<20	0.18	<10	<10	69	<10	102			
D00073488		<20	0.02	<10	<10	58	<10	105			
D00073489		<20	0.01	<10	<10	68	<10	141			
D00073490		<20	<0.01	<10	<10	<1	<10	3			
D00073491		<20	0.08	<10	<10	62	<10	105			
D00073492		<20	0.15	<10	<10	62	<10	104			
D00073493		<20	0.07	<10	<10	63	<10	110			
D00073494		<20	0.16	<10	<10	78	<10	100			
D00073495		<20	0.13	<10	<10	80	<10	105			
D00073496		<20	0.06	<10	<10	74	<10	88			
D00073497		<20	0.07	<10	<10	68	<10	90			
D00073498		<20	0.02	<10	<10	79	<10	107			
D00073499		<20	0.03	<10	<10	71	<10	105			
D00073500		<20	0.07	<10	<10	94	<10	1145			
E00055151		<20	0.04	<10	<10	75	<10	102			
E00055152		<20	0.01	<10	<10	67	<10	92			
E00055153		<20	0.01	<10	<10	74	<10	125			
E00055154		<20	0.16	<10	<10	81	<10	111			
E00055155		<20	0.20	<10	<10	74	<10	110			
E00055156		<20	0.12	<10	<10	76	<10	98			
E00055157		<20	0.03	<10	<10	73	<10	103			
E00055158		<20	0.01	<10	<10	65	<10	116			
E00055159		<20	0.01	<10	<10	58	<10	109			
E00055160		<20	0.07	<10	<10	95	<10	1160			
E00055161		<20	0.01	<10	<10	58	<10	95			
E00055162		<20	0.02	<10	<10	59	<10	96			
E00055163		<20	0.02	<10	<10	63	<10	97			
E00055164		<20	0.04	<10	<10	41	<10	91			
E00055165		<20	0.11	<10	<10	33	<10	148			
E00055166		<20	0.10	<10	<10	33	<10	94			
E00055167		<20	0.10	<10	<10	34	<10	80			
E00055168		<20	0.11	<10	<10	41	<10	101			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E00055169		5.73	<0.005	0.3	2.30	<2	<10	320	<0.5	<2	5.04	<0.5	16	2	48	4.23
E00055170		0.81	<0.005	<0.2	0.04	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	2	0.12
E00055171		4.95	0.016	1.3	2.10	4	<10	310	<0.5	<2	3.75	4.8	17	2	68	4.34
E00055172		1.78	0.120	9.4	1.64	28	<10	80	<0.5	6	6.04	104.5	16	2	291	6.15
E00055173		1.63	0.208	9.0	2.03	27	<10	70	<0.5	6	4.78	98.3	15	6	363	6.67
E00055174		3.71	0.095	5.7	1.95	15	<10	170	<0.5	<2	5.04	35.9	15	3	74	4.89
E00055175		3.72	1.560	10.9	2.64	22	<10	50	<0.5	4	3.20	302	18	3	391	7.18
E00055176		3.41	0.077	3.4	2.61	26	<10	100	<0.5	2	3.52	50.7	19	3	120	6.77
E00055177		3.98	0.037	2.6	2.29	47	<10	120	<0.5	<2	4.41	3.3	19	2	43	5.56
E00055178		4.92	0.233	4.2	2.46	31	<10	150	<0.5	2	2.24	50.0	22	3	86	5.86
E00055179		5.23	0.655	3.9	1.15	24	<10	70	<0.5	<2	1.99	125.5	5	2	131	3.05
E00055180		0.14	7.94	>100	1.51	621	<10	20	<0.5	5	3.55	129.5	17	45	2070	5.02
E00055181		4.80	0.357	2.6	0.88	15	<10	130	<0.5	<2	2.44	56.9	5	2	76	1.91
E00055182		4.61	0.192	2.0	1.14	5	<10	470	<0.5	<2	3.64	59.0	4	3	66	2.09
E00055183		4.82	0.037	1.5	1.16	6	<10	780	<0.5	<2	3.07	32.4	4	2	46	2.12
E00055184		4.43	0.023	1.0	1.35	5	<10	630	<0.5	2	2.12	22.3	4	2	31	2.64
E00055185		2.91	0.127	1.8	1.50	4	<10	310	<0.5	<2	1.54	90.0	4	2	87	3.17
E00055186		4.80	0.012	0.3	2.05	3	<10	280	<0.5	<2	6.84	<0.5	15	2	38	4.43
E00055187		4.79	0.006	0.2	2.95	2	<10	330	<0.5	<2	4.35	<0.5	19	3	43	5.31
E00055188		4.77	0.006	0.3	3.21	2	<10	190	<0.5	<2	3.68	<0.5	19	2	54	5.36
E00055189		5.15	0.017	0.5	2.55	10	<10	240	<0.5	2	4.54	<0.5	22	2	45	4.89
E00055190		0.79	0.006	<0.2	0.04	<2	10	10	<0.5	<2	>25.0	<0.5	<1	1	1	0.15
E00055191		4.71	0.038	0.3	2.25	9	<10	440	<0.5	<2	5.97	<0.5	18	2	33	4.47
E00055192		4.50	0.012	0.2	2.48	4	<10	540	<0.5	<2	5.30	<0.5	18	2	46	4.78
E00055193		4.56	0.012	0.4	2.47	3	<10	250	<0.5	<2	4.90	<0.5	18	2	57	4.78
E00055194		4.93	0.009	0.3	2.33	3	<10	200	<0.5	<2	5.93	<0.5	19	4	38	4.66
E00055195		4.41	0.007	0.3	2.66	2	<10	230	<0.5	<2	4.54	<0.5	17	2	53	4.99
E00055196		3.73	0.023	0.6	2.28	7	<10	160	<0.5	<2	4.32	<0.5	23	4	45	5.83
E00055197		1.64	0.044	1.3	1.69	8	<10	60	<0.5	<2	5.80	<0.5	30	2	58	5.65
E00055198		1.60	0.039	1.2	1.84	7	<10	70	<0.5	<2	5.62	<0.5	27	2	57	5.96
E00055199		3.61	0.028	0.7	2.17	4	<10	130	<0.5	<2	4.28	<0.5	20	2	39	5.37
E00055200		0.13	1.160	87.4	1.54	30	10	170	<0.5	<2	3.03	8.3	17	18	930	3.44
E00055201		3.64	0.025	0.7	1.82	3	<10	200	<0.5	<2	4.16	<0.5	20	2	21	4.14
E00055202		3.28	0.014	0.7	1.86	5	<10	270	<0.5	<2	4.04	<0.5	20	2	39	4.12
E00055203		3.60	0.014	0.6	1.94	3	<10	210	<0.5	<2	4.55	<0.5	20	3	43	4.72
E00055204		3.79	0.013	0.5	1.69	3	<10	160	<0.5	<2	5.29	<0.5	18	2	41	4.12
E00055205		3.01	0.010	0.5	1.92	<2	<10	250	<0.5	<2	4.27	<0.5	17	4	51	4.11
E00055206		3.03	<0.005	0.2	1.88	9	<10	220	<0.5	2	5.50	<0.5	16	3	65	4.49
E00055207		4.64	0.010	0.3	2.38	<2	<10	410	<0.5	<2	4.43	<0.5	17	3	46	4.78
E00055208		5.16	0.011	0.5	2.26	67	<10	360	<0.5	<2	4.40	<0.5	21	2	70	4.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E00055169		10	1	0.40	10	1.28	1770	1	0.03	5	1300	6	0.05	<2	3	205
E00055170		<10	1	0.01	<10	0.60	114	<1	0.01	3	80	3	0.02	4	<1	79
E00055171		10	1	0.44	10	1.05	2220	1	0.02	4	1430	243	0.66	2	2	135
E00055172		<10	3	0.32	10	0.73	2860	3	0.01	5	1290	2860	3.91	5	2	312
E00055173		<10	3	0.42	10	0.89	2770	3	0.01	4	1200	3350	3.62	4	3	257
E00055174		10	2	0.53	10	0.77	2790	2	0.01	4	1370	1840	1.91	2	3	227
E00055175		10	7	0.52	10	1.07	3160	3	0.01	4	1190	2100	3.52	4	3	117
E00055176		10	2	0.49	10	1.17	3320	2	0.01	5	1400	492	2.31	<2	3	129
E00055177		10	<1	0.56	10	0.99	3120	1	0.01	5	1430	292	1.96	3	3	176
E00055178		10	1	0.46	10	1.12	2960	1	0.01	7	1150	629	1.65	2	3	103
E00055179		<10	1	0.52	10	0.27	1410	4	0.01	1	600	293	2.08	3	1	96
E00055180		10	15	0.20	<10	1.36	752	55	0.07	218	590	>10000	4.06	732	3	47
E00055181		<10	1	0.53	10	0.15	1145	1	0.01	2	590	285	1.24	2	1	103
E00055182		<10	1	0.58	10	0.22	2010	<1	0.02	2	620	233	0.71	2	1	205
E00055183		<10	1	0.53	10	0.24	1875	1	0.03	1	640	222	0.45	<2	1	168
E00055184		<10	<1	0.50	10	0.31	1385	1	0.05	2	670	140	0.45	<2	1	119
E00055185		<10	1	0.49	10	0.38	1405	1	0.03	<1	650	111	0.86	<2	1	92
E00055186		10	1	0.37	10	1.07	1570	1	0.05	4	1240	8	0.22	2	3	203
E00055187		10	<1	0.29	<10	1.96	1705	<1	0.06	4	1330	6	0.19	<2	5	144
E00055188		10	<1	0.36	<10	2.20	1670	1	0.05	4	1350	9	0.11	2	5	108
E00055189		10	<1	0.44	10	1.33	1495	1	0.03	4	1380	8	0.48	3	3	133
E00055190		<10	1	0.01	<10	0.87	154	<1	0.01	3	70	<2	0.01	3	<1	81
E00055191		10	1	0.47	<10	1.10	1530	1	0.03	3	1300	7	0.74	<2	3	205
E00055192		10	1	0.47	10	1.24	1515	<1	0.03	4	1350	3	0.24	<2	3	183
E00055193		10	<1	0.42	<10	1.31	1420	1	0.03	5	1300	6	0.56	<2	3	142
E00055194		10	1	0.44	<10	1.25	1490	1	0.03	4	1250	7	0.86	4	3	176
E00055195		10	1	0.43	<10	1.49	1420	<1	0.02	5	1360	5	0.50	<2	3	136
E00055196		10	1	0.43	10	1.15	1255	2	0.03	5	1340	11	2.25	3	3	134
E00055197		<10	1	0.40	10	0.80	1320	3	0.03	7	1260	21	3.41	3	3	181
E00055198		<10	<1	0.43	10	0.87	1310	2	0.03	7	1280	22	3.36	2	3	178
E00055199		10	1	0.44	10	1.07	1260	2	0.03	7	1370	16	1.98	3	3	141
E00055200		10	<1	0.14	<10	1.34	889	12	0.10	12	950	4370	1.01	61	5	145
E00055201		10	1	0.43	10	0.80	1120	2	0.04	4	1330	12	1.38	2	3	116
E00055202		10	<1	0.47	10	0.77	1105	1	0.04	5	1410	9	1.19	3	3	141
E00055203		10	1	0.45	10	0.80	1190	1	0.05	5	1350	8	1.31	<2	3	146
E00055204		10	1	0.42	10	0.67	1150	1	0.05	4	1340	29	1.50	2	3	161
E00055205		10	<1	0.46	10	0.82	1085	1	0.06	5	1390	8	0.58	<2	4	134
E00055206		10	<1	0.45	10	0.90	1190	1	0.04	4	1320	3	0.07	<2	3	198
E00055207		10	1	0.41	10	1.42	1285	<1	0.05	4	1320	2	0.02	<2	5	272
E00055208		10	<1	0.52	10	1.26	1655	1	0.02	4	1330	6	0.81	2	3	176

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
E00055169		<20	0.11	<10	<10	48	<10	109			
E00055170		<20	<0.01	<10	10	<1	<10	3			
E00055171		<20	0.10	<10	<10	47	<10	621			
E00055172		<20	0.07	<10	<10	29	<10	9960			
E00055173		<20	0.07	<10	<10	38	<10	9350			
E00055174		<20	0.03	<10	<10	29	<10	3470			
E00055175		<20	0.03	<10	<10	38	<10	>10000			2.75
E00055176		<20	0.09	<10	<10	35	<10	4920			
E00055177		<20	0.06	<10	<10	33	<10	475			
E00055178		<20	0.01	<10	<10	32	<10	4790			
E00055179		<20	<0.01	<10	<10	8	<10	>10000			1.120
E00055180		<20	0.05	10	<10	58	20	>10000	327	2.38	2.47
E00055181		<20	<0.01	<10	<10	7	<10	5190			
E00055182		<20	<0.01	<10	<10	7	<10	5510			
E00055183		<20	<0.01	<10	<10	7	<10	3070			
E00055184		<20	<0.01	<10	<10	10	<10	2110			
E00055185		<20	<0.01	<10	<10	10	<10	8450			
E00055186		<20	0.03	<10	<10	51	<10	104			
E00055187		<20	0.15	<10	<10	70	<10	128			
E00055188		<20	0.18	<10	<10	64	<10	115			
E00055189		<20	0.10	<10	<10	45	<10	102			
E00055190		<20	<0.01	<10	10	<1	<10	4			
E00055191		<20	0.01	<10	<10	45	<10	85			
E00055192		<20	0.01	<10	<10	43	<10	99			
E00055193		<20	0.05	<10	<10	43	<10	94			
E00055194		<20	0.07	<10	<10	46	<10	88			
E00055195		<20	0.10	<10	<10	61	<10	100			
E00055196		<20	0.11	<10	<10	51	<10	86			
E00055197		<20	0.11	<10	<10	40	<10	70			
E00055198		<20	0.13	<10	<10	45	<10	76			
E00055199		<20	0.13	<10	<10	45	<10	98			
E00055200		<20	0.07	<10	<10	88	<10	1100			
E00055201		<20	0.14	<10	<10	41	<10	78			
E00055202		<20	0.09	<10	<10	41	<10	83			
E00055203		<20	0.16	<10	<10	60	<10	97			
E00055204		<20	0.12	<10	<10	52	<10	79			
E00055205		<20	0.18	<10	<10	49	<10	97			
E00055206		<20	0.09	<10	<10	44	<10	86			
E00055207		<20	0.16	<10	<10	66	<10	93			
E00055208		<20	0.01	<10	<10	40	<10	85			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E00055209		4.77	0.007	0.6	2.56	4	<10	270	<0.5	<2	4.20	0.6	18	3	54	5.29
E00055210		0.62	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	2	0.12
E00055211		2.11	0.007	0.4	2.47	3	<10	220	<0.5	2	5.39	<0.5	22	2	35	5.69
E00055212		2.04	0.007	0.5	2.32	3	<10	210	<0.5	<2	5.21	<0.5	19	2	39	5.32
E00055213		4.89	0.014	0.5	2.02	8	<10	230	<0.5	2	6.03	<0.5	21	2	16	5.02
E00055214		4.77	0.012	0.7	2.18	6	<10	230	<0.5	<2	5.92	1.0	17	2	40	5.13
E00055215		4.16	0.047	1.2	1.49	60	<10	120	<0.5	<2	4.37	9.1	18	2	46	4.25
E00055216		5.62	0.160	3.6	0.96	10	<10	300	<0.5	2	3.02	40.5	4	1	82	2.14
E00055217		4.36	0.030	1.4	0.81	9	<10	320	<0.5	<2	3.39	12.6	3	1	28	1.82
E00055218		4.60	0.064	0.4	0.65	11	<10	300	<0.5	<2	3.70	<0.5	4	1	7	1.62
E00055219		4.80	0.008	0.3	0.77	8	<10	290	<0.5	<2	3.93	<0.5	4	1	5	1.65
E00055220		0.14	8.10	>100	1.47	615	<10	20	<0.5	6	3.58	128.5	17	43	2050	4.98
E00055221		4.64	0.015	0.3	0.92	6	<10	260	<0.5	<2	3.28	<0.5	4	1	3	1.87
E00055222		4.78	0.017	0.2	0.81	6	<10	260	<0.5	<2	4.65	<0.5	4	1	4	1.69
E00055223		4.77	0.046	0.3	0.92	5	<10	290	<0.5	<2	3.55	3.0	4	1	15	1.85
E00055224		4.37	0.022	0.7	0.90	4	<10	270	<0.5	2	3.88	12.4	4	1	24	1.86
E00055225		4.54	0.095	4.1	1.01	4	<10	260	<0.5	2	3.88	75.1	5	1	98	2.35
E00055226		4.31	0.031	2.0	0.74	6	<10	290	<0.5	<2	5.26	11.0	3	1	19	1.60
E00055227		3.66	0.063	0.4	0.64	8	<10	410	<0.5	<2	5.42	0.9	3	1	5	1.40
E00055228		3.06	0.028	0.2	0.74	8	<10	570	<0.5	<2	5.36	0.5	3	1	5	1.54
E00055229		4.93	0.011	1.7	1.77	24	<10	410	<0.5	3	4.82	5.0	18	2	107	4.05
E00055230		0.69	0.005	0.2	0.02	<2	<10	20	<0.5	2	>25.0	<0.5	<1	<1	1	0.14
E00055231		5.44	<0.005	0.8	2.05	3	<10	210	<0.5	<2	5.24	<0.5	17	1	109	4.20
E00055232		5.32	<0.005	0.3	2.57	2	<10	230	<0.5	<2	4.57	<0.5	20	1	36	5.04
E00055233		5.08	<0.005	0.3	2.42	7	<10	610	<0.5	<2	5.24	<0.5	20	1	28	4.63
E00055234		4.98	<0.005	0.4	2.07	6	<10	220	<0.5	<2	4.73	<0.5	22	1	26	4.45
E00055235		2.43	0.060	1.3	1.78	19	<10	240	<0.5	<2	4.98	12.0	18	1	57	4.53
E00055236		1.98	0.039	1.8	1.81	20	<10	230	<0.5	<2	4.34	14.9	18	1	84	4.66
E00055237		5.46	0.163	2.6	2.47	13	<10	230	<0.5	<2	3.53	29.5	16	1	55	6.05
E00055238		5.29	<0.005	0.3	1.87	14	<10	260	<0.5	<2	5.16	<0.5	19	1	58	4.15
E00055239		4.97	0.014	0.5	1.49	12	<10	270	<0.5	<2	6.46	<0.5	18	1	47	3.69
E00055240		0.13	0.714	10.1	1.21	785	20	100	<0.5	19	3.12	6.0	44	24	6560	3.62
E00055241		4.96	<0.005	0.4	2.10	13	<10	240	<0.5	<2	5.29	<0.5	21	1	60	4.77
E00055242		5.20	0.014	0.8	1.44	12	<10	250	<0.5	<2	6.96	<0.5	21	1	45	3.87
E00055243		5.63	0.017	0.6	1.85	14	<10	280	<0.5	2	5.43	<0.5	19	1	63	4.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E00055209		10	<1	0.40	<10	1.40	2630	<1	0.01	6	1350	25	0.62	<2	4	205
E00055210		<10	1	0.01	<10	0.72	137	<1	0.01	3	80	3	0.01	2	<1	82
E00055211		10	1	0.32	<10	1.28	3160	<1	0.01	6	1380	22	1.12	<2	3	237
E00055212		10	1	0.30	<10	1.21	3080	<1	0.01	5	1330	20	0.97	<2	3	224
E00055213		<10	1	0.31	<10	0.96	3260	<1	0.01	5	1330	40	1.24	<2	3	222
E00055214		10	1	0.29	<10	1.09	3520	1	0.02	5	1270	85	0.94	2	3	244
E00055215		<10	<1	0.37	<10	0.62	2480	14	0.01	4	1320	173	1.96	4	2	169
E00055216		<10	1	0.34	10	0.29	1495	9	0.02	1	690	1130	0.76	4	1	146
E00055217		<10	<1	0.37	10	0.20	1425	3	0.01	1	680	396	0.72	<2	1	154
E00055218		<10	1	0.32	10	0.16	1445	1	0.02	1	650	35	0.77	2	1	157
E00055219		<10	<1	0.34	10	0.21	1520	<1	0.01	2	680	20	0.45	<2	1	178
E00055220		10	15	0.19	<10	1.35	747	54	0.07	216	590	>10000	4.04	721	3	44
E00055221		<10	<1	0.31	10	0.27	1315	<1	0.02	2	660	37	0.26	2	1	170
E00055222		<10	1	0.32	10	0.23	1880	<1	0.02	1	630	32	0.31	2	1	212
E00055223		<10	<1	0.34	10	0.25	1540	<1	0.02	2	650	121	0.30	2	1	177
E00055224		<10	1	0.34	10	0.25	1655	1	0.02	1	630	223	0.41	2	1	190
E00055225		<10	1	0.34	10	0.27	1730	1	0.01	1	620	2150	0.76	3	1	177
E00055226		<10	<1	0.38	10	0.15	2080	1	0.01	2	620	1370	0.54	<2	1	195
E00055227		<10	<1	0.35	10	0.16	2500	2	0.02	2	630	35	0.61	2	1	210
E00055228		<10	<1	0.34	10	0.21	2410	3	0.02	3	640	61	0.51	2	1	215
E00055229		<10	<1	0.30	<10	0.79	2720	2	0.02	6	1000	191	0.77	<2	2	209
E00055230		<10	1	0.01	<10	0.91	139	<1	0.01	3	70	2	0.01	3	<1	77
E00055231		<10	1	0.29	<10	1.05	2850	<1	0.01	6	1050	5	0.18	<2	3	229
E00055232		10	<1	0.30	10	1.49	2960	1	0.01	8	1120	2	0.02	<2	3	209
E00055233		10	1	0.29	<10	1.46	3440	<1	0.02	7	1090	5	0.12	<2	3	223
E00055234		10	<1	0.32	<10	1.17	3300	<1	0.01	6	1090	13	0.87	<2	3	203
E00055235		<10	<1	0.34	<10	0.71	4570	<1	0.01	5	1040	496	1.22	<2	2	216
E00055236		10	1	0.32	<10	0.74	4010	<1	<0.01	6	1100	611	1.21	<2	2	179
E00055237		10	1	0.30	<10	1.04	4740	1	<0.01	6	1110	1530	0.87	3	2	173
E00055238		<10	1	0.33	10	0.77	4330	1	<0.01	5	1160	14	0.42	2	2	216
E00055239		<10	1	0.32	<10	0.58	4340	<1	<0.01	5	1110	21	0.88	<2	2	246
E00055240		<10	1	0.15	10	0.42	615	286	0.12	22	630	67	1.20	15	2	131
E00055241		<10	2	0.34	10	0.93	4190	1	<0.01	6	1150	3	0.50	2	2	230
E00055242		<10	1	0.32	<10	0.56	4040	2	<0.01	5	1060	13	1.16	2	2	281
E00055243		10	1	0.34	10	0.76	3210	<1	<0.01	6	1170	7	0.74	<2	2	230

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
E00055209		<20	0.01	<10	<10	39	<10	198			
E00055210		<20	<0.01	<10	10	<1	<10	3			
E00055211		<20	0.01	<10	<10	36	<10	167			
E00055212		<20	0.01	<10	<10	34	<10	161			
E00055213		<20	0.01	<10	<10	27	<10	159			
E00055214		<20	0.01	<10	<10	31	<10	243			
E00055215		<20	0.01	<10	<10	24	<10	944			
E00055216		<20	0.01	<10	<10	6	<10	3810			
E00055217		<20	0.01	<10	<10	5	<10	1205			
E00055218		<20	0.01	<10	<10	4	<10	50			
E00055219		<20	0.01	<10	<10	5	<10	52			
E00055220		<20	0.05	10	<10	56	20	>10000	329	2.32	2.40
E00055221		<20	0.01	<10	<10	6	<10	76			
E00055222		<20	0.01	<10	<10	5	<10	71			
E00055223		<20	0.02	<10	<10	6	<10	325			
E00055224		<20	0.01	<10	<10	6	<10	1150			
E00055225		<20	0.01	<10	<10	6	<10	7060			
E00055226		<20	0.02	<10	<10	5	<10	1010			
E00055227		<20	0.01	<10	<10	4	<10	94			
E00055228		<20	0.01	<10	<10	5	<10	76			
E00055229		<20	0.06	<10	<10	24	<10	564			
E00055230		<20	<0.01	<10	10	<1	<10	3			
E00055231		<20	0.02	<10	<10	25	<10	85			
E00055232		<20	0.02	<10	<10	30	<10	112			
E00055233		<20	0.03	<10	<10	27	<10	137			
E00055234		<20	0.04	<10	<10	26	<10	121			
E00055235		<20	0.05	<10	<10	26	<10	1230			
E00055236		<20	0.05	<10	<10	27	<10	1490			
E00055237		<20	0.05	<10	<10	35	<10	2900			
E00055238		<20	0.05	<10	<10	25	<10	116			
E00055239		<20	0.04	<10	<10	21	<10	83			
E00055240		<20	0.07	<10	<10	43	10	1010			
E00055241		<20	0.06	<10	<10	29	<10	102			
E00055242		<20	0.03	<10	<10	19	<10	65			
E00055243		<20	0.03	<10	<10	24	<10	90			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-AUG-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20173226

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

CERTIFICATE TR20174575

Project: Premier

This report is for 139 Drill Core samples submitted to our lab in Terrace, BC, Canada on 13-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E00055244		4.30	0.018	0.3	2.14	2	<10	150	<0.5	2	5.77	<0.5	16	2	52	4.41
E00055245		3.01	0.039	0.3	1.80	3	<10	190	<0.5	<2	5.01	<0.5	18	2	46	4.72
E00055246		4.91	0.011	0.5	1.73	4	<10	160	<0.5	<2	4.57	<0.5	20	1	44	4.09
E00055247		4.54	0.042	1.9	1.53	10	<10	130	<0.5	<2	4.54	<0.5	36	1	100	5.95
E00055248		4.61	0.021	1.0	1.69	7	<10	170	<0.5	<2	4.36	<0.5	26	1	56	4.26
E00055249		4.52	0.011	0.5	2.28	2	<10	270	<0.5	<2	5.71	<0.5	18	2	57	4.74
E00055250		0.61	0.006	0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	1	0.11
E00055251		4.54	0.010	0.6	2.27	3	<10	320	<0.5	<2	6.02	<0.5	16	2	54	4.81
E00055252		1.92	0.012	0.3	2.17	<2	<10	1200	<0.5	<2	6.96	<0.5	16	2	50	4.66
E00055253		1.93	0.009	0.3	2.22	<2	<10	840	<0.5	<2	6.50	<0.5	16	2	52	4.83
E00055254		4.42	<0.005	0.4	2.18	<2	<10	160	<0.5	<2	6.10	<0.5	17	2	76	4.33
E00055255		4.47	<0.005	0.5	2.44	2	<10	160	<0.5	2	5.12	<0.5	17	2	114	4.52
E00055256		4.46	0.008	0.3	2.42	<2	<10	460	<0.5	<2	5.53	<0.5	17	2	106	4.46
E00055257		4.64	0.009	<0.2	2.02	<2	<10	1410	<0.5	<2	5.25	<0.5	16	2	1	4.05
E00055258		5.39	0.010	<0.2	2.45	<2	<10	220	<0.5	<2	5.03	<0.5	18	2	10	4.61
E00055259		2.68	0.007	0.7	2.75	23	<10	500	<0.5	<2	5.53	<0.5	25	4	110	5.89
E00055260		0.12	0.683	8.9	1.20	784	20	100	<0.5	19	3.15	5.9	44	23	6380	3.49
E00055261		4.68	0.008	0.5	2.08	10	<10	240	<0.5	<2	6.13	<0.5	17	2	47	4.18
E00055262		4.18	0.013	0.5	2.03	13	<10	230	<0.5	<2	5.37	<0.5	16	2	53	4.14
E00055263		3.49	0.006	0.4	2.25	11	<10	220	<0.5	<2	5.07	<0.5	17	1	46	4.62
E00055264		2.98	0.008	0.4	2.13	11	<10	230	<0.5	<2	5.94	<0.5	16	2	48	4.41
E00055265		4.16	0.077	3.1	1.48	15	<10	280	<0.5	2	3.25	60.6	9	1	203	3.66
E00055266		4.55	2.50	12.4	1.20	12	<10	120	<0.5	5	1.94	258	5	3	1015	3.41
E00055267		4.35	4.89	9.9	1.20	8	<10	190	<0.5	7	1.12	223	4	1	694	3.02
E00055268		4.75	3.19	8.5	1.26	12	<10	130	<0.5	5	2.08	255	5	2	574	3.16
E00055269		4.64	0.125	3.3	1.13	7	<10	320	<0.5	<2	2.84	88.3	3	1	123	2.41
E00055270		0.77	0.006	0.2	0.02	<2	<10	20	<0.5	2	>25.0	<0.5	<1	<1	2	0.14
E00055271		3.97	0.012	0.6	1.12	5	<10	350	<0.5	2	3.45	2.9	3	1	10	2.08
E00055272		4.29	0.060	7.3	1.25	6	<10	380	<0.5	<2	2.34	57.1	4	1	100	2.58
E00055273		4.57	0.035	4.1	1.01	3	<10	460	<0.5	<2	4.13	43.6	4	1	77	1.80
E00055274		2.09	0.081	1.3	0.98	7	<10	410	<0.5	<2	4.17	22.1	4	1	45	1.85
E00055275		2.30	0.032	1.3	0.86	6	<10	360	<0.5	<2	4.18	23.4	4	1	48	1.66
E00055276		4.74	0.009	2.0	1.04	3	<10	490	<0.5	<2	3.25	15.8	4	2	17	1.66
E00055277		4.70	0.014	1.0	0.82	4	<10	360	<0.5	<2	3.78	4.7	4	1	17	1.59
E00055278		3.16	0.037	3.8	1.21	3	<10	380	<0.5	2	2.93	28.2	4	1	73	2.22
E00055279		2.90	0.587	7.5	0.92	10	<10	250	<0.5	<2	6.28	89.0	3	2	92	2.19
E00055280		0.13	1.165	91.4	1.54	31	10	180	<0.5	<2	3.21	8.6	17	18	937	3.48
E00055281		3.92	0.541	3.7	1.31	7	<10	320	<0.5	<2	2.23	71.3	5	2	106	2.73
E00055282		4.16	0.461	3.9	1.26	13	<10	330	<0.5	<2	2.50	28.6	4	2	47	2.66
E00055283		4.67	0.051	9.9	2.60	22	<10	280	<0.5	<2	2.54	49.8	19	3	106	5.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E00055244		10	1	0.32	10	0.96	1440	<1	0.02	3	1310	4	0.19	<2	3	174
E00055245		<10	1	0.36	<10	0.69	1235	1	0.02	2	1350	7	1.45	<2	2	145
E00055246		<10	1	0.34	10	0.72	1170	1	0.02	2	1370	6	1.23	2	2	125
E00055247		<10	1	0.36	<10	0.68	1060	3	0.02	8	1290	49	4.12	3	2	123
E00055248		<10	1	0.33	<10	0.83	1020	2	0.02	6	1420	13	1.81	4	3	125
E00055249		<10	2	0.37	10	0.97	1520	1	0.02	3	1340	3	0.48	2	3	158
E00055250		<10	2	0.01	<10	0.71	108	<1	0.01	<1	60	<2	<0.01	3	<1	76
E00055251		10	1	0.36	<10	0.93	1500	1	0.02	3	1270	2	0.44	3	3	188
E00055252		10	1	0.30	10	0.94	1530	1	0.04	2	1270	3	0.38	<2	3	264
E00055253		10	1	0.35	<10	0.93	1500	1	0.04	4	1280	6	0.55	<2	3	247
E00055254		10	1	0.34	<10	0.98	1410	1	0.02	1	1320	<2	0.03	2	3	185
E00055255		10	1	0.39	<10	1.21	1385	1	0.02	3	1360	<2	0.01	<2	3	157
E00055256		10	2	0.34	10	1.33	1405	1	0.02	3	1330	<2	0.02	2	3	190
E00055257		10	1	0.34	<10	1.13	1275	<1	0.01	4	1350	2	0.06	<2	3	279
E00055258		10	1	0.34	<10	1.33	1365	<1	0.02	3	1350	2	<0.01	3	3	158
E00055259		10	1	0.35	10	1.47	1675	2	0.02	6	1510	3	0.30	3	6	251
E00055260		<10	1	0.15	10	0.41	613	278	0.12	21	630	68	1.16	17	2	128
E00055261		10	1	0.40	10	1.01	1760	2	0.01	4	1310	7	0.22	<2	3	263
E00055262		10	1	0.44	10	0.87	1480	1	0.01	2	1350	5	0.22	<2	3	209
E00055263		10	1	0.40	10	1.01	1755	<1	0.01	3	1380	2	0.17	<2	3	194
E00055264		10	1	0.42	10	0.87	2270	1	0.01	4	1350	4	0.28	3	3	205
E00055265		<10	2	0.43	10	0.45	1725	1	0.01	<1	910	554	1.50	2	1	117
E00055266		<10	4	0.44	10	0.27	1135	2	0.01	2	580	337	2.54	<2	1	69
E00055267		<10	3	0.39	10	0.30	886	4	0.01	<1	610	678	1.94	5	1	46
E00055268		<10	4	0.44	10	0.31	1185	2	0.01	1	580	539	2.21	4	1	72
E00055269		<10	2	0.41	10	0.27	1265	<1	0.01	2	650	896	1.04	2	1	119
E00055270		<10	2	0.01	<10	1.12	139	<1	0.01	2	60	8	<0.01	2	<1	79
E00055271		<10	1	0.43	10	0.27	1365	<1	0.01	1	640	186	0.36	<2	1	147
E00055272		<10	2	0.45	10	0.30	1150	<1	0.01	1	620	3750	0.85	5	1	84
E00055273		<10	1	0.43	10	0.22	1550	<1	0.02	<1	620	2030	0.51	4	1	154
E00055274		<10	1	0.46	10	0.20	1690	1	0.02	1	610	390	0.58	2	1	179
E00055275		<10	1	0.41	10	0.19	1685	<1	0.01	1	620	328	0.55	2	1	183
E00055276		<10	1	0.51	10	0.21	1450	1	0.02	1	650	981	0.39	2	1	153
E00055277		<10	1	0.44	10	0.24	1640	<1	0.01	1	620	349	0.30	2	1	163
E00055278		<10	1	0.49	10	0.32	1715	<1	0.01	1	660	1405	0.53	4	1	132
E00055279		<10	2	0.32	<10	0.27	2840	1	0.01	2	430	3790	1.07	7	1	224
E00055280		10	1	0.14	10	1.40	908	12	0.10	11	990	4530	1.02	67	5	148
E00055281		<10	2	0.43	10	0.40	1625	1	0.02	1	640	714	0.84	<2	1	105
E00055282		<10	2	0.39	10	0.39	1970	3	0.02	1	650	494	0.59	2	1	120
E00055283		10	2	0.42	10	1.08	2770	2	0.01	3	1390	1710	1.09	4	3	103

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
E00055244		<20	0.04	<10	<10	39	<10	83			
E00055245		<20	0.06	<10	<10	31	<10	70			
E00055246		<20	0.10	<10	<10	48	<10	74			
E00055247		<20	0.08	<10	<10	30	<10	88			
E00055248		<20	0.11	<10	<10	29	<10	103			
E00055249		<20	0.08	<10	<10	41	<10	91			
E00055250		<20	<0.01	<10	<10	<1	<10	3			
E00055251		<20	0.10	<10	<10	37	<10	82			
E00055252		<20	0.09	<10	<10	35	<10	78			
E00055253		<20	0.10	<10	<10	37	<10	77			
E00055254		<20	0.06	<10	<10	38	<10	80			
E00055255		<20	0.11	<10	<10	42	<10	90			
E00055256		<20	0.08	<10	<10	42	<10	93			
E00055257		<20	0.12	<10	<10	38	<10	79			
E00055258		<20	0.13	<10	<10	42	<10	92			
E00055259		<20	0.01	<10	<10	56	<10	109			
E00055260		<20	0.08	<10	<10	42	10	963			
E00055261		<20	0.02	<10	<10	35	<10	79			
E00055262		<20	0.04	<10	<10	37	<10	78			
E00055263		<20	0.07	<10	<10	44	<10	95			
E00055264		<20	0.05	<10	<10	48	<10	94			
E00055265		<20	0.01	<10	<10	16	<10	5540			
E00055266		<20	0.02	<10	<10	8	<10	>10000			2.54
E00055267		<20	0.01	<10	<10	7	<10	>10000			1.780
E00055268		<20	0.01	<10	<10	8	<10	>10000			2.41
E00055269		<20	0.01	<10	<10	7	<10	8060			
E00055270		<20	<0.01	<10	<10	<1	<10	34			
E00055271		<20	0.01	<10	<10	7	<10	322			
E00055272		<20	0.01	<10	<10	8	<10	5050			
E00055273		<20	0.01	<10	<10	6	<10	3890			
E00055274		<20	<0.01	<10	<10	7	<10	2030			
E00055275		<20	<0.01	<10	<10	6	<10	2120			
E00055276		<20	<0.01	<10	<10	7	<10	1510			
E00055277		<20	0.01	<10	<10	6	<10	490			
E00055278		<20	0.01	<10	<10	8	<10	2680			
E00055279		<20	<0.01	<10	<10	6	<10	8060			
E00055280		<20	0.06	<10	<10	90	<10	1105			
E00055281		<20	0.01	<10	<10	9	<10	6430			
E00055282		<20	0.01	<10	<10	9	<10	2670			
E00055283		<20	0.03	<10	<10	42	<10	4410			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E00055284		4.87	0.028	2.4	2.20	34	<10	250	<0.5	<2	6.38	2.9	16	2	86	4.69
E00055285		4.92	0.076	3.6	2.68	12	<10	370	<0.5	<2	6.38	10.1	19	3	62	5.22
E00055286		4.65	0.018	1.8	2.32	4	<10	220	<0.5	<2	8.5	2.6	16	2	59	4.76
E00055287		4.58	0.008	0.8	2.26	4	<10	230	<0.5	<2	7.2	<0.5	15	2	53	4.62
E00055288		4.39	0.042	1.1	2.28	4	<10	230	<0.5	<2	5.19	2.5	16	2	78	4.46
E00055289		4.78	0.029	1.1	2.54	7	<10	240	<0.5	<2	5.64	5.8	17	2	69	5.37
E00055290		0.82	0.009	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	1	0.12
E00055291		4.27	0.024	0.5	2.70	3	<10	250	<0.5	<2	4.74	5.2	17	3	21	5.28
E00055292		4.77	0.014	0.6	2.49	7	<10	260	<0.5	<2	5.90	1.1	19	2	42	5.24
E00055293		4.21	0.039	0.5	1.84	5	<10	340	<0.5	<2	4.76	<0.5	15	1	36	3.79
E00055294		3.81	0.150	1.7	2.33	56	<10	270	<0.5	<2	2.51	31.2	23	5	144	5.37
E00055295		4.60	0.038	1.9	2.42	12	<10	360	<0.5	<2	3.24	12.1	16	2	117	4.83
E00055296		4.80	0.080	2.8	2.78	10	<10	310	<0.5	<2	3.10	31.2	17	4	114	6.17
E00055297		5.10	0.175	3.2	2.19	7	<10	380	<0.5	<2	4.14	34.5	17	3	107	5.47
E00055298		3.71	0.055	1.8	2.87	11	<10	370	<0.5	<2	2.66	30.7	18	4	78	6.46
E00055299		3.78	0.426	1.6	3.41	18	<10	320	<0.5	<2	2.56	37.4	14	4	33	8.00
E00055300		0.14	8.16	>100	1.51	623	<10	30	<0.5	4	3.63	129.5	17	43	2060	5.04
E00055301		4.80	0.006	0.6	2.67	<2	<10	150	<0.5	<2	5.52	<0.5	18	1	60	4.93
E00055302		4.41	0.016	0.7	2.50	4	<10	170	<0.5	<2	5.87	1.7	18	1	68	5.01
E00055303		2.61	0.006	0.6	2.39	4	<10	170	<0.5	<2	5.62	<0.5	21	1	66	4.84
E00055304		2.64	0.374	2.6	1.98	27	<10	160	<0.5	<2	5.28	22.8	18	2	59	5.79
E00055305		2.30	0.078	7.3	2.31	15	<10	160	<0.5	<2	3.36	123.0	16	2	264	6.06
E00055306		2.80	0.285	10.3	2.42	9	<10	150	<0.5	2	3.25	125.0	16	3	350	6.15
E00055307		2.64	0.122	3.1	2.54	7	<10	160	<0.5	3	4.33	79.6	15	3	142	5.54
E00055308		2.65	0.005	0.3	2.75	6	<10	130	<0.5	<2	4.56	<0.5	17	3	49	5.47
E00055309		4.24	<0.005	0.3	2.77	5	<10	110	<0.5	<2	4.60	<0.5	18	4	54	5.50
E00055310		1.12	<0.005	<0.2	0.02	<2	<10	20	<0.5	2	>25.0	<0.5	<1	<1	1	0.14
E00055311		4.83	0.009	0.4	2.34	6	<10	200	<0.5	<2	4.86	<0.5	18	3	68	4.95
E00055312		4.83	0.020	0.5	2.26	39	<10	240	<0.5	2	4.63	<0.5	18	2	46	4.95
E00055313		4.91	0.012	0.6	2.36	18	<10	270	<0.5	<2	4.06	<0.5	17	2	50	4.89
E00055314		2.28	0.023	0.8	2.34	49	<10	250	<0.5	<2	3.55	1.0	18	2	63	5.30
E00055315		3.24	0.050	4.5	2.19	90	<10	250	<0.5	2	1.44	13.5	20	2	53	5.43
E00055316		3.03	1.585	12.1	1.60	31	<10	90	<0.5	11	3.22	325	5	2	1125	5.58
E00055317		1.22	1.060	4.0	1.52	31	<10	150	<0.5	2	2.01	85.0	5	2	256	5.05
E00055318		1.20	0.379	2.8	1.55	28	<10	150	<0.5	2	1.90	81.5	4	2	217	4.69
E00055319		2.49	0.006	0.5	1.17	3	<10	300	<0.5	<2	3.20	3.4	4	1	11	1.90
E00055320		0.13	1.150	93.1	1.65	31	10	190	<0.5	<2	3.31	8.9	17	18	975	3.62
E00055321		4.69	0.006	0.3	1.11	4	<10	370	<0.5	<2	4.07	<0.5	4	1	5	1.80
E00055322		4.85	0.005	0.3	1.06	4	<10	290	<0.5	<2	4.99	<0.5	3	1	5	1.66
E00055323		4.05	<0.005	<0.2	1.05	2	<10	270	<0.5	<2	3.98	<0.5	4	1	3	1.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E00055284		10	1	0.37	10	1.06	3930	1	0.01	2	1280	187	0.61	3	3	238
E00055285		10	2	0.40	10	1.50	4170	1	0.01	3	1330	835	0.59	3	3	241
E00055286		10	2	0.36	10	1.31	5190	<1	0.01	3	1240	253	0.72	3	3	288
E00055287		10	2	0.36	<10	1.39	4230	<1	0.01	2	1160	28	0.84	<2	3	264
E00055288		10	2	0.36	10	1.37	3500	<1	0.01	2	1260	64	0.72	2	3	211
E00055289		10	1	0.38	<10	1.58	4310	<1	0.01	4	1230	210	1.25	<2	3	235
E00055290		<10	2	0.01	<10	0.70	133	<1	0.01	<1	60	2	<0.01	2	<1	81
E00055291		10	1	0.39	10	1.67	3960	<1	0.01	4	1390	166	0.78	2	3	216
E00055292		10	2	0.39	<10	1.37	3520	<1	0.01	5	1360	52	0.82	2	3	243
E00055293		<10	1	0.51	10	0.80	2410	<1	0.01	3	1230	23	0.78	<2	2	242
E00055294		10	1	0.41	10	1.27	1750	1	0.01	7	1230	39	1.37	3	4	120
E00055295		10	1	0.50	10	1.18	2840	1	0.02	5	1350	415	0.62	2	4	103
E00055296		10	1	0.40	10	1.41	4060	<1	0.02	7	1160	1055	0.92	3	5	115
E00055297		10	2	0.39	<10	1.14	5880	<1	0.01	6	1060	1190	0.96	4	3	199
E00055298		10	2	0.36	10	1.47	5640	<1	0.02	6	1070	483	0.84	<2	4	134
E00055299		10	1	0.32	10	1.84	6640	1	0.02	5	1050	590	1.15	3	5	106
E00055300		10	15	0.20	<10	1.39	762	54	0.07	215	610	>10000	4.08	755	3	43
E00055301		10	2	0.34	<10	1.48	2150	<1	0.01	4	1220	36	0.10	2	3	185
E00055302		10	1	0.36	10	1.31	2430	1	0.01	3	1200	210	0.50	2	3	184
E00055303		10	1	0.36	10	1.14	2380	<1	0.01	4	1260	16	0.37	<2	3	174
E00055304		<10	1	0.37	<10	0.84	2270	3	0.01	3	1310	1200	2.67	3	3	193
E00055305		10	3	0.35	10	1.00	2310	1	0.01	3	1440	2640	2.24	5	3	115
E00055306		10	3	0.32	10	1.08	2560	1	0.02	2	1370	4690	2.12	8	3	107
E00055307		10	3	0.29	10	1.25	2890	1	0.03	3	1370	1045	0.94	4	3	159
E00055308		10	1	0.19	10	1.70	2090	1	0.05	3	1390	19	0.05	2	6	212
E00055309		10	1	0.14	10	1.87	1620	1	0.06	3	1330	13	0.06	2	7	261
E00055310		<10	1	0.01	<10	1.11	154	<1	0.01	<1	70	2	<0.01	4	<1	79
E00055311		10	1	0.30	10	1.14	1840	1	0.04	3	1430	13	0.26	<2	4	197
E00055312		10	1	0.38	10	1.03	1640	1	0.02	3	1380	11	0.65	<2	3	193
E00055313		10	2	0.45	10	0.97	1880	1	0.02	4	1530	6	0.37	3	3	165
E00055314		10	1	0.43	10	0.97	2530	1	0.01	2	1500	55	0.96	2	3	133
E00055315		<10	2	0.41	10	0.85	1690	6	0.01	2	1420	2090	1.46	6	2	59
E00055316		<10	4	0.39	10	0.50	2400	1	0.01	2	580	1935	4.29	7	1	134
E00055317		<10	2	0.40	10	0.46	1685	1	0.01	1	590	988	2.86	5	1	80
E00055318		<10	2	0.43	10	0.47	1625	1	0.01	1	600	699	2.41	2	1	76
E00055319		<10	1	0.48	10	0.28	1530	<1	0.01	2	700	221	0.22	<2	1	141
E00055320		10	1	0.15	10	1.44	941	14	0.11	10	1020	4600	1.04	68	6	155
E00055321		<10	1	0.45	10	0.27	1615	<1	0.02	1	690	20	0.13	<2	1	200
E00055322		<10	1	0.45	10	0.25	1820	<1	0.02	1	680	10	0.06	<2	1	235
E00055323		<10	1	0.43	10	0.24	1445	<1	0.02	1	670	6	0.03	3	1	188

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
E00055284		<20	0.03	<10	<10	34	<10	311			
E00055285		<20	0.02	<10	<10	43	<10	942			
E00055286		<20	0.02	<10	<10	41	<10	402			
E00055287		<20	0.01	<10	<10	51	<10	205			
E00055288		<20	0.01	<10	<10	38	<10	394			
E00055289		<20	0.01	<10	<10	66	<10	745			
E00055290		<20	<0.01	<10	<10	<1	<10	5			
E00055291		<20	0.01	<10	<10	57	<10	716			
E00055292		<20	0.01	<10	<10	41	<10	245			
E00055293		<20	0.01	<10	<10	27	<10	119			
E00055294		<20	0.01	<10	<10	43	<10	2580			
E00055295		<20	0.06	<10	<10	52	<10	1275			
E00055296		<20	0.06	<10	<10	60	<10	3100			
E00055297		<20	0.05	<10	<10	40	<10	3440			
E00055298		<20	0.06	<10	<10	59	<10	3240			
E00055299		<20	0.08	<10	<10	74	<10	3650			
E00055300		<20	0.05	10	<10	58	20	>10000	313	2.30	2.35
E00055301		<20	0.04	<10	<10	36	<10	190			
E00055302		<20	0.01	<10	<10	36	<10	269			
E00055303		<20	0.01	<10	<10	32	<10	160			
E00055304		<20	0.01	<10	<10	31	<10	2060			
E00055305		<20	0.01	<10	<10	38	<10	>10000			1.075
E00055306		<20	0.01	<10	<10	45	<10	>10000			1.085
E00055307		<20	0.07	<10	<10	53	<10	7070			
E00055308		<20	0.13	<10	<10	91	<10	146			
E00055309		<20	0.08	<10	<10	116	<10	131			
E00055310		<20	<0.01	<10	<10	<1	<10	13			
E00055311		<20	0.12	<10	<10	56	<10	120			
E00055312		<20	0.04	<10	<10	46	<10	101			
E00055313		<20	0.02	<10	<10	44	<10	101			
E00055314		<20	0.01	<10	<10	38	<10	194			
E00055315		<20	0.02	<10	<10	51	<10	1270			
E00055316		<20	0.01	<10	<10	10	<10	>10000			3.06
E00055317		<20	0.01	<10	<10	9	<10	7450			
E00055318		<20	0.01	<10	<10	9	<10	7060			
E00055319		<20	0.01	<10	<10	7	<10	351			
E00055320		<20	0.07	<10	<10	96	<10	1145			
E00055321		<20	0.01	<10	<10	8	<10	60			
E00055322		<20	0.01	<10	<10	7	<10	57			
E00055323		<20	0.01	<10	<10	7	<10	51			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E00055324		4.50	0.007	0.3	0.99	15	<10	340	<0.5	<2	5.43	<0.5	6	1	8	1.43
E00055325		3.88	0.023	0.3	1.11	9	<10	350	<0.5	<2	4.69	<0.5	4	1	3	1.70
E00055326		5.07	0.006	0.3	1.12	10	<10	350	<0.5	<2	4.92	<0.5	4	1	5	1.59
E00055327		4.08	0.010	0.3	1.12	7	<10	330	<0.5	<2	4.42	<0.5	5	1	5	1.63
E00055328		2.61	0.008	0.3	1.25	9	<10	320	<0.5	2	4.69	<0.5	4	1	11	1.92
E00055329		2.47	0.021	1.0	2.63	71	<10	260	<0.5	<2	6.49	<0.5	25	5	82	6.02
E00055330		1.05	0.006	<0.2	0.02	<2	10	10	<0.5	2	>25.0	<0.5	1	<1	2	0.12
E00055331		3.20	0.005	0.6	3.54	41	<10	250	<0.5	<2	7.1	<0.5	28	7	75	7.05
E00055332		3.30	0.011	0.8	2.62	29	<10	320	<0.5	<2	5.84	0.9	21	2	64	5.18
E00055333		3.30	0.209	2.1	1.77	208	<10	130	0.7	<2	1.74	0.5	16	13	33	4.46
E00055334		4.60	0.131	3.0	1.03	177	<10	80	0.6	<2	3.05	<0.5	14	4	18	5.12
E00055335		4.58	0.013	0.7	3.25	36	<10	180	<0.5	<2	4.02	<0.5	19	7	19	7.07
E00055336		4.99	0.047	0.7	2.96	36	<10	210	<0.5	<2	3.97	<0.5	19	7	22	6.38
E00055337		4.64	0.065	0.9	2.76	105	10	230	<0.5	<2	5.20	<0.5	20	27	32	6.27
E00055338		4.75	0.051	0.7	2.64	46	<10	290	<0.5	<2	4.88	<0.5	19	25	24	5.58
E00055339		4.48	0.027	0.8	2.76	40	<10	250	<0.5	<2	5.17	<0.5	19	27	32	5.68
E00055340		0.13	0.716	9.9	1.33	847	20	110	<0.5	22	3.40	6.3	47	25	6910	3.79
E00055341		4.61	0.117	1.2	2.54	164	<10	230	<0.5	2	4.68	0.8	19	25	40	5.90
E00055342		4.39	0.160	1.0	2.53	205	<10	200	<0.5	<2	4.53	<0.5	18	28	32	5.74
E00055343		2.37	0.096	1.1	2.47	143	<10	200	<0.5	2	3.77	<0.5	19	19	26	6.23
E00055344		2.06	0.374	1.9	0.67	215	<10	150	<0.5	<2	4.31	<0.5	8	7	19	2.68
E00055345		2.10	0.395	2.1	0.66	321	<10	100	<0.5	<2	1.96	0.8	11	7	20	3.21
E00055346		3.57	0.104	1.1	2.15	103	<10	170	0.5	<2	2.23	0.6	17	6	36	4.60
E00055347		2.72	1.710	5.9	1.14	410	<10	100	<0.5	<2	5.16	16.5	14	4	32	5.34
E00055348		2.79	0.373	2.8	0.89	345	<10	130	<0.5	<2	5.42	3.8	13	6	26	4.17
E00055349		4.46	0.348	1.8	1.61	448	<10	140	<0.5	<2	2.52	<0.5	15	4	20	5.10
E00055350		1.08	0.008	<0.2	0.02	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	4	0.17
E00055351		4.60	0.325	1.4	1.73	435	<10	120	<0.5	<2	2.07	<0.5	17	4	16	5.31
E00055352		4.59	0.140	1.1	1.79	246	<10	140	<0.5	<2	4.59	<0.5	17	4	17	5.08
E00055353		2.25	0.108	1.1	2.48	174	<10	120	<0.5	2	1.82	0.5	19	6	25	6.49
E00055354		2.17	0.721	2.8	1.23	416	<10	110	<0.5	<2	2.55	14.7	14	5	28	4.74
E00055355		4.47	0.193	1.1	2.01	289	<10	150	<0.5	2	4.84	<0.5	16	5	15	5.42
E00055356		4.71	0.146	1.0	2.07	284	<10	110	<0.5	<2	2.96	<0.5	17	5	25	5.63
E00055357		4.49	0.230	0.9	1.92	265	<10	140	<0.5	<2	3.13	1.6	15	6	26	5.25
E00055358		4.47	6.97	9.1	1.67	281	<10	60	<0.5	<2	3.84	21.4	16	5	30	6.26
E00055359		4.16	0.202	1.2	0.81	119	<10	130	<0.5	<2	11.4	4.7	10	3	10	3.92
E00055360		0.14	7.83	>100	1.43	608	<10	20	<0.5	6	3.50	126.0	18	42	1980	4.81
E00055361		4.70	0.063	1.0	1.39	85	<10	180	<0.5	2	9.7	0.5	12	4	11	3.88
E00055362		4.98	0.086	1.0	1.30	89	<10	160	<0.5	2	9.6	0.5	10	3	23	3.72
E00055363		3.28	0.215	1.3	0.33	172	<10	130	<0.5	3	10.6	1.3	7	2	17	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E00055324		<10	1	0.50	10	0.21	1890	<1	0.02	1	650	13	0.15	3	1	224
E00055325		<10	1	0.51	10	0.25	1845	1	0.02	1	670	33	0.20	2	1	207
E00055326		<10	1	0.54	10	0.23	1935	<1	0.02	1	690	20	0.13	<2	1	193
E00055327		<10	1	0.52	10	0.24	1795	4	0.02	<1	700	9	0.17	<2	1	195
E00055328		<10	1	0.50	10	0.35	2090	3	0.02	1	730	47	0.13	2	1	189
E00055329		10	2	0.37	10	1.28	2710	1	0.01	6	1220	16	0.95	2	6	290
E00055330		<10	2	0.01	<10	1.05	152	<1	0.01	<1	60	<2	<0.01	2	<1	87
E00055331		10	1	0.36	10	1.97	2930	<1	0.01	9	1370	6	0.23	2	10	285
E00055332		10	1	0.45	10	1.29	2610	1	0.01	2	1430	54	0.33	4	6	265
E00055333		10	1	0.37	10	1.14	972	1	0.03	12	1240	24	1.96	5	4	75
E00055334		<10	3	0.34	10	0.45	981	2	0.01	4	990	16	4.06	20	3	108
E00055335		10	1	0.30	10	1.69	1935	3	0.02	3	1180	10	0.76	3	6	113
E00055336		10	1	0.38	10	1.51	1610	1	0.02	2	1340	9	1.18	2	6	106
E00055337		10	1	0.40	10	1.35	1900	1	0.02	4	1290	10	1.39	2	7	152
E00055338		10	1	0.44	10	1.28	1885	1	0.02	4	1250	10	1.01	5	7	148
E00055339		10	1	0.42	10	1.38	2270	1	0.03	2	1300	25	0.70	4	8	172
E00055340		10	1	0.16	10	0.44	663	301	0.13	24	670	72	1.25	17	2	140
E00055341		10	1	0.45	10	1.17	2290	2	0.02	3	1350	36	1.71	5	7	129
E00055342		10	2	0.39	10	1.23	2170	1	0.02	3	1270	14	1.42	4	7	133
E00055343		10	1	0.38	10	1.20	1825	2	0.02	5	1220	14	2.11	5	6	103
E00055344		<10	1	0.22	<10	0.27	1355	2	0.01	<1	570	16	1.99	2	1	127
E00055345		<10	1	0.32	10	0.23	795	2	0.01	3	860	22	2.78	4	2	61
E00055346		10	1	0.39	10	1.17	1710	1	0.01	4	1310	19	1.27	4	4	71
E00055347		<10	1	0.35	10	0.54	2050	1	0.01	2	1030	2740	4.44	9	3	162
E00055348		<10	<1	0.32	10	0.35	1905	1	0.01	3	990	785	3.54	9	2	117
E00055349		<10	<1	0.38	10	0.85	1250	1	0.01	2	1310	16	3.23	7	4	75
E00055350		<10	2	0.01	<10	0.93	136	<1	0.01	<1	70	2	0.01	3	<1	76
E00055351		<10	1	0.37	10	0.90	1120	1	0.01	2	1270	10	3.21	6	4	67
E00055352		10	1	0.31	10	0.92	1660	1	0.01	4	1160	10	2.38	7	3	103
E00055353		10	1	0.30	10	1.40	1420	1	0.01	4	1560	16	2.36	6	5	70
E00055354		<10	1	0.28	<10	0.63	1245	1	<0.01	4	1020	272	3.31	11	3	82
E00055355		10	1	0.31	10	1.13	2030	1	0.01	4	1230	12	2.42	7	4	128
E00055356		10	1	0.30	10	1.17	1930	1	0.01	4	1380	19	2.40	5	4	109
E00055357		10	1	0.29	10	1.04	2280	1	0.01	3	1240	80	2.23	4	4	97
E00055358		10	1	0.23	10	0.94	2910	1	0.01	3	1100	1560	3.87	8	3	91
E00055359		<10	1	0.23	<10	0.40	3340	1	<0.01	2	760	189	3.11	6	2	224
E00055360		10	15	0.18	<10	1.32	732	52	0.06	207	600	>10000	3.89	713	3	41
E00055361		10	2	0.25	10	0.69	3790	1	0.01	2	1000	39	1.67	5	3	380
E00055362		<10	<1	0.26	10	0.63	2470	<1	0.01	4	990	27	1.82	6	3	179
E00055363		<10	1	0.22	<10	0.08	2760	1	<0.01	2	580	70	2.46	6	2	311

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
E00055324		<20	0.01	<10	<10	7	<10	42			
E00055325		<20	0.01	<10	<10	7	<10	49			
E00055326		<20	0.01	<10	<10	7	<10	52			
E00055327		<20	0.01	<10	<10	7	<10	49			
E00055328		<20	0.01	<10	<10	9	<10	55			
E00055329		<20	0.01	<10	<10	65	<10	122			
E00055330		<20	<0.01	<10	10	<1	<10	3			
E00055331		<20	0.01	<10	<10	95	<10	144			
E00055332		<20	0.01	<10	<10	54	<10	165			
E00055333		<20	0.01	<10	<10	38	<10	111			
E00055334		<20	<0.01	<10	<10	20	<10	63			
E00055335		<20	0.01	<10	<10	85	<10	91			
E00055336		<20	0.01	<10	<10	65	<10	89			
E00055337		<20	0.01	<10	<10	75	<10	93			
E00055338		<20	0.01	<10	<10	69	<10	92			
E00055339		<20	0.01	<10	<10	78	<10	98			
E00055340		<20	0.09	<10	<10	46	10	1045			
E00055341		<20	0.01	<10	<10	69	<10	162			
E00055342		<20	0.01	<10	<10	68	<10	102			
E00055343		<20	0.01	<10	<10	60	<10	101			
E00055344		<20	<0.01	<10	<10	12	<10	66			
E00055345		<20	<0.01	<10	<10	13	<10	111			
E00055346		<20	<0.01	<10	<10	34	<10	124			
E00055347		<20	<0.01	<10	<10	22	<10	1950			
E00055348		<20	<0.01	<10	<10	19	<10	503			
E00055349		<20	<0.01	<10	<10	30	<10	96			
E00055350		<20	<0.01	<10	<10	<1	<10	2			
E00055351		<20	<0.01	<10	<10	31	<10	82			
E00055352		<20	<0.01	<10	<10	32	<10	84			
E00055353		<20	<0.01	<10	<10	49	<10	118			
E00055354		<20	<0.01	<10	<10	25	<10	1760			
E00055355		<20	<0.01	<10	<10	42	<10	91			
E00055356		<20	<0.01	<10	<10	41	<10	103			
E00055357		<20	<0.01	<10	<10	44	<10	261			
E00055358		<20	<0.01	<10	<10	41	<10	2570			
E00055359		<20	<0.01	<10	<10	16	<10	621			
E00055360		<20	0.05	10	<10	55	20	>10000	320	2.35	2.41
E00055361		<20	<0.01	<10	<10	29	<10	102			
E00055362		<20	<0.01	<10	<10	26	<10	113			
E00055363		<20	<0.01	<10	<10	8	<10	163			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E00055364		3.18	0.014	0.3	1.52	21	<10	90	<0.5	<2	3.61	<0.5	8	7	8	3.10
E00055365		1.48	0.134	2.0	0.47	171	<10	110	<0.5	<2	13.2	1.9	8	2	14	2.60
E00055366		4.46	0.217	1.4	1.70	131	<10	160	<0.5	2	4.10	3.4	15	6	26	4.55
E00055367		4.56	0.083	0.7	1.45	124	<10	110	<0.5	<2	6.12	0.6	13	7	17	4.10
E00055368		4.65	0.037	0.6	1.93	31	<10	140	<0.5	<2	4.79	0.5	14	6	22	4.51
E00055369		4.93	0.030	0.5	2.14	42	<10	150	<0.5	2	4.31	<0.5	14	6	15	4.71
E00055370		1.32	<0.005	<0.2	0.02	<2	<10	10	<0.5	2	>25.0	<0.5	1	<1	1	0.13
E00055371		4.45	0.027	0.7	2.08	41	<10	210	<0.5	<2	4.61	<0.5	14	8	30	4.83
E00055372		4.35	0.042	0.6	1.85	40	<10	200	<0.5	<2	3.39	0.6	15	7	22	4.85
E00055373		4.95	0.063	0.7	1.69	41	<10	190	<0.5	<2	9.4	<0.5	13	6	20	4.33
E00055374		4.47	0.254	1.0	1.48	83	<10	160	<0.5	2	4.96	1.1	14	6	22	4.56
E00055375		4.35	0.062	0.6	1.84	46	<10	150	<0.5	4	4.28	<0.5	14	7	17	4.68
E00055376		4.36	0.074	0.7	2.00	40	<10	170	<0.5	<2	4.03	<0.5	14	8	36	4.82
E00055377		5.47	0.065	0.6	1.53	29	<10	160	<0.5	<2	9.0	<0.5	13	6	19	4.20
E00055378		4.52	0.081	0.5	1.88	34	<10	160	<0.5	2	7.7	<0.5	13	9	17	4.34
E00055379		4.93	0.041	0.9	1.91	45	<10	160	<0.5	2	4.88	<0.5	14	7	21	4.70
E00055380		0.12	0.680	8.8	1.09	756	10	100	<0.5	21	2.83	5.6	42	22	6090	3.32
E00055381		4.43	0.055	1.0	1.68	51	<10	140	<0.5	<2	6.56	<0.5	13	7	31	4.10
E00055382		4.73	0.326	2.1	2.12	110	<10	150	<0.5	2	3.78	2.4	15	6	32	5.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
E00055364		10	1	0.21	10	0.97	750	1	0.03	3	1210	12	0.51	3	3	277
E00055365		<10	1	0.14	<10	0.23	2440	1	<0.01	2	580	68	2.05	10	2	451
E00055366		<10	1	0.25	10	0.85	1530	2	<0.01	3	1190	192	1.70	4	3	134
E00055367		10	1	0.19	10	0.80	1435	1	0.01	3	1050	15	1.74	5	3	128
E00055368		10	1	0.21	10	1.09	1290	2	0.01	4	1120	9	1.03	<2	4	109
E00055369		10	1	0.22	10	1.31	1310	1	0.01	5	1170	7	0.78	4	4	112
E00055370		<10	1	<0.01	<10	1.08	145	<1	<0.01	<1	60	<2	<0.01	2	<1	75
E00055371		10	<1	0.20	10	1.24	1420	2	0.02	4	1160	8	0.95	4	4	98
E00055372		10	1	0.21	10	1.07	1215	2	0.02	5	1190	9	1.52	<2	4	84
E00055373		10	1	0.18	10	1.04	2160	1	0.01	3	1060	15	1.50	5	3	155
E00055374		<10	1	0.23	10	0.83	1540	2	0.01	6	1120	42	2.27	4	3	117
E00055375		10	1	0.21	10	1.11	1775	1	0.01	3	1180	12	1.58	3	4	129
E00055376		10	1	0.19	10	1.24	1910	2	0.02	5	1160	11	1.37	4	4	114
E00055377		10	1	0.19	10	0.95	2540	1	0.02	4	1020	20	1.80	3	3	182
E00055378		10	1	0.20	10	1.15	2320	2	0.02	3	1050	7	1.10	4	4	198
E00055379		10	1	0.23	10	1.31	1230	1	0.02	5	1120	10	1.69	5	4	172
E00055380		<10	1	0.14	10	0.39	571	260	0.10	21	600	65	1.12	15	2	120
E00055381		10	1	0.18	10	1.19	1285	2	0.01	3	1020	7	1.44	5	4	188
E00055382		10	1	0.25	<10	1.34	2360	3	<0.01	2	1190	212	1.64	<2	4	173

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
E00055364		<20	<0.01	<10	<10	40	<10	81			
E00055365		<20	<0.01	<10	<10	10	<10	166			
E00055366		<20	<0.01	<10	<10	34	<10	451			
E00055367		<20	<0.01	<10	<10	36	<10	86			
E00055368		<20	<0.01	<10	<10	43	<10	95			
E00055369		<20	<0.01	<10	<10	43	<10	90			
E00055370		<20	<0.01	<10	10	<1	<10	2			
E00055371		<20	<0.01	<10	<10	50	<10	124			
E00055372		<20	<0.01	<10	<10	48	<10	123			
E00055373		<20	0.01	<10	<10	42	<10	87			
E00055374		<20	0.04	<10	<10	38	<10	175			
E00055375		<20	0.03	<10	<10	50	<10	99			
E00055376		<20	0.02	<10	<10	54	<10	97			
E00055377		<20	0.03	<10	<10	41	<10	78			
E00055378		<20	0.04	<10	<10	51	<10	85			
E00055379		<20	0.04	<10	<10	46	<10	84			
E00055380		<20	0.07	<10	<10	40	<10	919			
E00055381		<20	0.01	<10	<10	42	<10	86			
E00055382		<20	<0.01	<10	<10	47	<10	347			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 1-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20174575

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

CERTIFICATE TR20177343

Project: Premier

This report is for 167 Drill Core samples submitted to our lab in Terrace, BC, Canada on 17-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C00073801		4.24	0.007		0.4	0.44	<2	<10	560	0.9	<2	2.15	<0.5	7	4	9
C00073802		2.31	<0.005		0.4	0.33	<2	<10	80	0.5	<2	0.36	0.6	1	4	1
C00073803		2.01	<0.005		0.6	0.33	<2	<10	100	<0.5	<2	0.22	1.3	1	3	1
C00073804		2.26	<0.005		0.6	0.33	<2	<10	80	<0.5	<2	0.17	0.8	1	4	1
C00073805		2.61	<0.005		2.3	0.28	<2	<10	70	0.5	<2	0.34	1.1	1	5	2
C00073806		1.81	0.006		8.4	0.27	<2	<10	80	0.5	<2	0.42	1.1	1	5	14
C00073807		1.75	0.088		>100	0.31	3	<10	90	<0.5	<2	0.12	172.0	3	5	52
C00073808		2.18	<0.005		0.7	0.30	<2	<10	60	<0.5	<2	0.28	0.5	1	5	2
C00073809		2.22	<0.005		1.7	0.27	2	<10	60	<0.5	<2	0.32	0.9	1	5	9
C00073810		0.13	7.71		>100	1.44	604	<10	30	<0.5	5	3.49	126.0	17	42	1940
C00073811		2.13	<0.005		3.2	0.30	<2	<10	60	<0.5	<2	0.50	0.7	1	4	1
C00073812		2.31	<0.005		0.9	0.30	<2	<10	60	<0.5	<2	0.47	1.1	1	4	1
C00073813		1.93	0.247		>100	0.34	19	<10	70	0.6	<2	0.92	46.4	5	5	216
C00073814		2.23	<0.005		17.4	1.15	33	<10	90	0.9	<2	1.15	4.5	19	36	60
C00073815		2.26	0.008		2.8	0.54	39	<10	80	0.8	<2	1.12	0.8	17	17	54
C00073816		1.74	0.010		4.3	0.44	40	<10	130	0.7	<2	0.84	1.1	14	18	40
C00073817		3.06	<0.005		0.4	0.44	3	<10	870	0.6	<2	3.08	0.8	6	4	8
C00073818		4.29	<0.005		0.4	0.36	7	<10	460	0.5	<2	1.12	<0.5	3	5	6
C00073819		4.28	<0.005		<0.2	0.33	<2	<10	240	0.5	<2	0.45	<0.5	<1	7	3
C00073820		1.05	<0.005		0.2	0.01	<2	<10	10	<0.5	<2	>25.0	<0.5	1	<1	2
C00073821		4.51	<0.005		0.2	0.27	<2	<10	50	<0.5	<2	0.69	<0.5	<1	8	1
C00073822		3.53	<0.005		0.2	0.31	<2	<10	50	<0.5	<2	0.62	<0.5	1	4	1
C00073823		4.33	0.007		2.2	0.29	2	<10	50	<0.5	<2	0.41	3.2	<1	4	9
C00073824		4.18	<0.005		0.9	0.29	<2	<10	50	<0.5	<2	0.50	2.0	<1	7	2
C00073825		4.29	<0.005		0.8	0.31	<2	<10	60	<0.5	<2	0.08	1.6	<1	6	1
C00073826		5.69	0.007		6.8	1.45	6	<10	180	0.7	<2	2.61	7.2	13	6	20
C00073827		4.36	0.021		15.4	1.65	5	<10	120	0.6	<2	4.71	2.4	13	6	25
C00073828		5.09	0.019		11.7	1.48	7	<10	150	0.6	<2	3.18	2.1	12	7	23
C00073829		4.80	0.071		74.1	1.00	7	<10	160	0.6	<2	2.07	14.3	12	5	35
C00073830		0.12	0.742		9.8	1.20	823	20	100	<0.5	19	3.12	6.1	46	24	6540
C00073831		5.07	0.039		7.6	0.89	3	10	240	0.6	<2	3.29	2.0	11	5	19
C00073832		4.49	0.013		4.8	0.55	10	<10	210	0.7	<2	0.88	4.2	12	3	50
C00073833		4.60	0.012		3.4	0.58	8	<10	230	0.6	<2	0.78	5.1	11	4	43
C00073834		4.67	0.016		2.6	0.83	9	<10	180	0.7	<2	0.86	5.3	14	5	40
C00073835		4.29	0.013		7.1	0.62	12	<10	200	0.8	<2	0.90	9.7	13	3	38
C00073836		2.81	0.005		4.9	0.40	5	<10	70	0.6	<2	2.21	3.0	5	3	5
C00073837		3.19	0.008		13.1	1.74	3	<10	140	0.7	<2	1.68	7.1	12	12	23
C00073838		3.12	0.021		20.8	0.97	7	<10	170	0.8	<2	0.69	7.6	8	5	45
C00073839		4.77	0.006		3.9	0.89	5	<10	170	0.7	<2	0.51	5.8	8	5	31
C00073840		1.68	<0.005		<0.2	0.02	<2	<10	10	<0.5	2	>25.0	<0.5	<1	1	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C00073801		2.21	<10	<1	0.34	20	0.45	996	1	0.04	6	890	29	0.05	<2	3
C00073802		0.98	<10	<1	0.27	20	0.05	327	1	0.05	1	170	31	0.03	<2	<1
C00073803		0.75	<10	<1	0.27	20	0.04	267	2	0.04	1	170	23	0.02	<2	<1
C00073804		0.85	<10	<1	0.26	20	0.03	238	1	0.04	3	170	17	0.02	<2	1
C00073805		0.83	<10	<1	0.26	20	0.02	237	2	0.05	1	170	21	0.02	2	1
C00073806		0.80	<10	<1	0.26	20	0.02	316	1	0.04	2	160	43	0.03	2	1
C00073807		0.66	<10	2	0.30	10	0.03	343	2	0.02	1	130	1170	0.76	23	<1
C00073808		0.78	<10	<1	0.30	20	0.05	273	2	0.04	1	160	20	0.05	<2	<1
C00073809		0.65	<10	<1	0.30	20	0.04	308	2	0.02	1	140	38	0.04	<2	<1
C00073810		4.81	10	14	0.19	<10	1.34	721	52	0.06	207	600	>10000	3.91	692	3
C00073811		0.77	<10	<1	0.33	20	0.06	442	2	0.03	1	160	50	0.03	<2	<1
C00073812		0.76	<10	<1	0.30	20	0.06	436	2	0.03	2	150	57	0.04	<2	<1
C00073813		1.52	<10	2	0.29	10	0.17	1140	6	0.02	12	330	2050	0.63	69	1
C00073814		4.18	<10	<1	0.28	10	1.05	1050	2	0.02	98	980	173	0.65	4	4
C00073815		3.92	<10	<1	0.30	10	0.89	631	3	0.01	91	910	37	0.76	4	3
C00073816		3.29	<10	<1	0.29	10	0.59	822	3	0.01	69	860	50	0.56	7	3
C00073817		2.11	<10	1	0.31	10	0.82	794	1	0.04	6	730	135	0.16	<2	2
C00073818		1.00	<10	<1	0.33	10	0.24	382	2	0.02	8	170	49	0.14	<2	1
C00073819		0.42	<10	<1	0.33	10	0.02	219	1	0.03	1	10	26	0.04	<2	<1
C00073820		0.08	<10	<1	<0.01	<10	0.77	108	<1	0.01	<1	60	2	0.01	<2	<1
C00073821		0.44	<10	<1	0.31	10	0.01	302	<1	0.06	<1	10	26	0.02	<2	<1
C00073822		0.46	<10	<1	0.33	10	0.05	328	2	0.05	<1	20	30	0.03	<2	<1
C00073823		0.41	<10	<1	0.31	10	0.02	394	1	0.06	1	20	247	0.12	<2	<1
C00073824		0.47	<10	<1	0.34	10	0.01	628	2	0.04	<1	10	93	0.03	<2	<1
C00073825		0.48	<10	<1	0.36	10	0.02	342	1	0.04	<1	20	90	0.07	<2	<1
C00073826		5.96	10	1	0.35	10	0.47	1270	1	0.03	7	1460	123	0.17	<2	6
C00073827		5.39	10	<1	0.30	10	0.40	1410	<1	0.03	7	1390	122	0.14	<2	6
C00073828		6.77	10	1	0.33	10	0.40	1430	1	0.04	7	1450	112	0.15	2	6
C00073829		6.20	<10	1	0.39	10	0.40	2120	1	0.03	6	1400	545	0.22	3	6
C00073830		3.63	10	<1	0.15	10	0.43	625	278	0.12	23	660	73	1.22	16	2
C00073831		6.97	<10	<1	0.39	20	0.30	1300	1	0.05	7	1540	129	0.06	<2	7
C00073832		6.39	<10	<1	0.47	10	0.28	2410	1	0.03	7	1450	269	0.39	<2	5
C00073833		6.12	<10	1	0.47	10	0.29	2360	1	0.03	5	1390	300	0.27	2	5
C00073834		6.97	<10	<1	0.46	10	0.34	2380	1	0.03	7	1500	236	0.23	3	6
C00073835		6.02	<10	1	0.48	10	0.32	2120	1	0.03	6	1470	174	0.42	<2	4
C00073836		1.81	<10	1	0.33	10	0.40	904	2	0.04	3	760	143	0.20	<2	2
C00073837		5.48	10	1	0.33	20	0.64	1170	2	0.02	8	1280	354	0.19	<2	4
C00073838		4.75	<10	<1	0.38	20	0.49	1130	5	0.02	6	1160	355	0.50	4	3
C00073839		5.02	<10	1	0.33	30	0.51	666	1	0.03	7	1050	170	0.17	2	3
C00073840		0.12	<10	1	0.01	<10	0.76	119	<1	0.01	<1	60	2	0.01	<2	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46	Ag-GRA21
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn	Ag
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	5
C00073801		107	<20	<0.01	<10	<10	10	<10	80				
C00073802		20	<20	<0.01	<10	<10	1	<10	75				
C00073803		12	<20	<0.01	<10	<10	1	<10	110				
C00073804		11	<20	<0.01	<10	<10	1	<10	97				
C00073805		19	<20	<0.01	<10	<10	1	<10	123				
C00073806		20	<20	<0.01	<10	<10	1	<10	116				
C00073807		8	<20	<0.01	<10	<10	1	<10	>10000	283		1.425	
C00073808		17	<20	<0.01	<10	<10	1	<10	62				
C00073809		21	<20	<0.01	<10	<10	1	<10	88				
C00073810		41	<20	0.05	10	<10	55	20	>10000	316	2.24	2.25	
C00073811		31	<20	<0.01	<10	<10	1	<10	83				
C00073812		27	<20	<0.01	<10	<10	1	<10	109				
C00073813		55	<20	<0.01	<10	<10	3	<10	4050	>1500			1320
C00073814		72	<20	<0.01	<10	<10	20	<10	496				
C00073815		84	<20	<0.01	<10	<10	13	<10	202				
C00073816		95	<20	<0.01	<10	<10	14	<10	148				
C00073817		227	<20	<0.01	<10	<10	5	<10	204				
C00073818		76	<20	<0.01	<10	<10	2	<10	92				
C00073819		35	<20	<0.01	<10	<10	1	<10	23				
C00073820		80	<20	<0.01	<10	10	<1	<10	<2				
C00073821		43	<20	<0.01	<10	<10	<1	<10	25				
C00073822		43	<20	<0.01	<10	<10	<1	<10	46				
C00073823		37	<20	<0.01	<10	<10	<1	<10	391				
C00073824		40	<20	<0.01	<10	<10	<1	<10	221				
C00073825		9	<20	<0.01	<10	<10	1	<10	156				
C00073826		170	<20	<0.01	<10	<10	33	<10	783				
C00073827		290	<20	<0.01	<10	<10	36	<10	345				
C00073828		206	<20	<0.01	<10	<10	37	<10	291				
C00073829		124	<20	<0.01	<10	<10	21	<10	1310				
C00073830		132	<20	0.07	<10	<10	44	10	1020				
C00073831		170	<20	0.01	<10	<10	22	<10	295				
C00073832		72	<20	<0.01	<10	<10	11	<10	411				
C00073833		64	<20	0.01	<10	<10	10	<10	481				
C00073834		72	<20	<0.01	<10	<10	19	<10	542				
C00073835		84	<20	<0.01	<10	<10	12	<10	894				
C00073836		142	<20	<0.01	<10	<10	4	<10	272				
C00073837		97	<20	<0.01	<10	<10	37	<10	718				
C00073838		66	<20	<0.01	<10	<10	17	<10	746				
C00073839		83	<20	<0.01	<10	<10	20	<10	576				
C00073840		83	<20	<0.01	<10	10	<1	<10	3				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C00073841		5.09	0.005		3.6	1.44	<2	<10	250	0.6	<2	0.64	1.5	7	7	24
C00073842		4.81	0.005		3.2	1.69	3	<10	170	0.7	<2	0.67	0.6	11	7	26
C00073843		2.31	0.232		9.4	1.10	4	<10	520	0.7	<2	0.64	2.7	5	7	31
C00073844		5.31	0.007		6.0	1.39	2	<10	180	0.8	<2	0.62	2.7	6	9	16
C00073845		4.34	<0.005		2.8	1.30	2	<10	180	0.8	<2	0.40	2.4	6	5	19
W749526		5.71	>10.0	21.4	>100	0.51	862	10	20	<0.5	2	0.45	5.2	25	3	173
W749527		6.61	>10.0	21.7	13.1	0.43	450	10	10	<0.5	6	0.47	0.6	15	3	617
W749528		2.75	0.504		3.4	1.89	1070	10	70	<0.5	4	0.65	67.8	17	11	149
W749529		3.48	>10.0	30.7	>100	1.27	498	10	40	<0.5	<2	0.71	11.6	20	7	636
E00055383		4.93	0.115		1.3	1.89	36	<10	170	<0.5	<2	4.64	0.6	21	2	57
E00055384		4.59	0.051		1.9	1.89	18	<10	200	0.5	2	3.00	4.9	16	3	47
E00055385		3.19	0.198		4.5	2.21	144	<10	120	<0.5	3	3.02	46.0	17	2	53
E00055386		3.41	0.599		4.6	1.94	75	<10	190	<0.5	2	2.08	51.4	15	2	70
E00055387		3.45	0.442		2.6	1.21	214	<10	170	<0.5	<2	3.82	4.7	19	1	32
E00055388		2.83	0.586		3.4	1.23	353	<10	140	<0.5	<2	3.88	2.4	16	2	42
E00055389		2.11	0.858		3.5	0.75	518	<10	140	<0.5	<2	3.36	19.7	10	3	34
E00055390		0.91	<0.005		<0.2	0.03	2	<10	10	<0.5	2	20.4	<0.5	1	<1	1
E00055391		2.48	0.804		2.7	1.30	242	<10	190	<0.5	<2	4.09	5.2	16	3	52
E00055392		2.35	3.84		11.5	1.62	261	<10	150	<0.5	2	2.35	34.0	20	2	41
E00055393		2.31	0.801		3.2	1.80	154	<10	130	<0.5	4	1.75	86.8	11	3	144
E00055394		3.15	0.040		1.4	2.82	88	<10	260	<0.5	<2	2.22	2.2	27	1	61
E00055395		2.44	0.674		13.5	0.99	439	<10	80	<0.5	5	2.75	256	15	4	1115
E00055396		5.14	0.237		2.4	1.63	262	<10	130	<0.5	2	2.16	16.3	16	1	41
E00055397		5.03	>10.0	11.60	7.4	1.76	98	<10	240	<0.5	<2	3.91	116.0	17	1	146
E00055398		4.64	>10.0	30.1	8.4	1.84	160	<10	190	<0.5	2	3.32	53.9	16	1	52
E00055399		4.66	0.246		2.1	1.86	114	<10	290	<0.5	<2	2.28	16.3	16	1	77
E00055400		0.13	1.280		92.2	1.56	30	10	180	<0.5	2	3.19	8.6	18	18	928
E00055401		5.07	0.635		5.3	1.14	248	<10	140	<0.5	<2	3.16	10.5	16	1	65
E00055402		4.98	0.102		1.0	1.42	70	<10	340	<0.5	<2	2.94	2.2	15	1	35
E00055403		4.23	2.86		4.5	1.10	892	<10	160	<0.5	<2	3.51	43.9	14	1	71
E00055404		5.06	2.54		5.1	0.75	2800	<10	100	<0.5	<2	3.32	32.8	18	1	67
E00055405		4.69	0.683		4.9	1.05	268	<10	50	<0.5	<2	2.93	72.6	16	1	140
E00055406		4.50	0.872		4.0	1.27	202	<10	90	<0.5	3	2.64	31.3	15	1	112
E00055407		4.78	0.522		2.9	0.76	108	<10	80	<0.5	<2	4.13	20.7	15	2	85
E00055408		5.04	0.337		3.6	1.24	82	<10	70	<0.5	2	3.62	20.2	16	1	61
E00055409		4.83	0.196		3.0	1.29	72	<10	120	<0.5	<2	2.93	17.8	13	1	56
E00055410		1.12	<0.005		<0.2	0.03	<2	<10	<10	<0.5	<2	18.8	<0.5	<1	<1	1
E00055411		4.04	0.189		2.3	1.53	106	<10	130	<0.5	2	2.46	7.3	14	1	28
E00055412		4.07	0.139		1.4	1.25	73	<10	60	<0.5	3	5.92	<0.5	13	3	6
E00055413		3.52	0.189		1.3	1.07	57	<10	70	<0.5	<2	7.8	1.2	9	2	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C00073841		4.60	10	<1	0.27	30	0.57	260	1	0.05	8	910	65	0.07	<2	3
C00073842		5.25	10	<1	0.29	30	0.62	283	1	0.04	9	960	39	0.24	<2	3
C00073843		3.42	<10	<1	0.30	20	0.35	520	6	0.03	6	760	132	0.29	2	2
C00073844		3.97	10	<1	0.31	30	0.38	518	1	0.05	7	720	84	0.10	<2	2
C00073845		3.50	10	<1	0.33	30	0.35	510	<1	0.04	5	590	64	0.10	<2	2
W749526		10.95	<10	1	0.34	10	0.04	46	1	0.02	15	1460	178	>10.0	80	2
W749527		15.50	<10	<1	0.27	<10	0.04	50	1	0.02	12	1230	47	>10.0	78	2
W749528		6.54	10	1	0.20	10	2.30	929	2	0.03	11	1390	230	4.81	39	6
W749529		9.76	<10	1	0.34	<10	0.98	1490	1	0.02	12	1410	642	>10.0	317	4
E00055383		4.42	10	1	0.34	10	0.58	2310	1	0.02	6	1310	24	0.88	3	4
E00055384		4.22	10	1	0.36	10	0.63	1850	1	0.02	5	1460	94	0.81	2	3
E00055385		6.35	10	<1	0.33	10	0.80	3070	2	0.01	6	1160	492	2.29	3	3
E00055386		4.96	10	1	0.35	10	0.65	2450	1	0.01	5	1210	316	1.47	2	3
E00055387		4.56	<10	1	0.35	<10	0.33	2680	3	0.01	5	1130	193	2.78	4	2
E00055388		5.03	<10	<1	0.38	10	0.30	2090	1	0.01	2	1410	105	3.29	5	2
E00055389		3.43	<10	<1	0.29	<10	0.17	1690	1	0.01	2	880	291	2.59	5	1
E00055390		0.14	<10	1	0.01	<10	12.20	127	<1	0.01	<1	20	5	0.02	2	<1
E00055391		4.34	<10	<1	0.39	10	0.35	2130	1	0.02	3	1380	158	2.30	5	2
E00055392		5.30	<10	<1	0.31	<10	0.58	2190	1	0.01	4	940	208	2.56	4	3
E00055393		5.25	<10	<1	0.19	<10	0.80	2830	2	0.01	3	640	173	2.09	3	3
E00055394		7.03	10	<1	0.35	10	1.06	3650	1	0.02	7	1500	120	0.97	3	4
E00055395		5.98	<10	2	0.30	<10	0.31	2330	1	0.02	4	520	1470	5.94	8	1
E00055396		5.20	<10	1	0.40	10	0.46	2180	2	0.02	4	1540	409	2.55	4	2
E00055397		4.41	10	1	0.38	10	0.47	2770	1	0.02	2	1380	369	1.61	4	2
E00055398		5.08	10	1	0.38	10	0.49	2640	1	0.02	2	1450	280	1.78	4	3
E00055399		4.82	10	1	0.40	10	0.54	2540	1	0.02	3	1560	500	0.96	3	3
E00055400		3.53	10	1	0.14	<10	1.42	923	12	0.11	12	1010	4600	1.04	63	5
E00055401		4.85	<10	<1	0.43	10	0.42	2550	1	0.02	3	1500	396	1.90	6	4
E00055402		4.26	<10	1	0.45	10	0.42	2460	1	0.03	2	1670	134	0.91	2	4
E00055403		3.90	<10	1	0.36	10	0.30	2200	4	0.02	2	1330	565	2.18	5	2
E00055404		3.60	<10	1	0.39	10	0.16	1540	2	0.02	2	1380	716	2.94	11	2
E00055405		5.19	<10	1	0.37	<10	0.34	2040	1	0.01	3	1240	497	3.82	5	3
E00055406		5.02	<10	1	0.33	<10	0.41	2390	1	0.01	3	1210	336	3.11	4	2
E00055407		4.25	<10	1	0.35	<10	0.20	2200	3	0.01	4	1170	425	3.67	4	2
E00055408		4.87	<10	1	0.33	<10	0.40	2350	2	0.01	1	1150	513	2.98	3	3
E00055409		4.86	<10	1	0.29	<10	0.49	2870	2	0.01	2	930	651	2.37	<2	3
E00055410		0.12	<10	1	0.01	<10	11.30	120	<1	0.01	<1	20	2	<0.01	3	<1
E00055411		5.25	<10	1	0.28	<10	0.58	2630	1	0.01	2	950	186	2.12	3	3
E00055412		4.32	<10	1	0.23	<10	0.73	3880	1	0.01	1	770	79	1.83	3	4
E00055413		4.02	<10	1	0.23	<10	0.50	3930	1	0.01	1	610	35	1.52	2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46	Ag-GRA21
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn	Ag
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	5
C00073841		85	<20	<0.01	<10	<10	24	<10	238				
C00073842		79	<20	<0.01	<10	<10	28	<10	181				
C00073843		65	<20	<0.01	<10	<10	16	<10	316				
C00073844		55	<20	<0.01	<10	<10	14	<10	330				
C00073845		41	<20	<0.01	<10	<10	13	<10	289				
W749526		11	<20	0.02	<10	<10	15	<10	388	182			
W749527		23	<20	0.02	<10	<10	13	<10	68				
W749528		28	<20	0.01	<10	<10	175	<10	5330				
W749529		40	<20	<0.01	<10	<10	48	<10	1035	286			
E00055383		149	<20	0.01	<10	<10	49	<10	127				
E00055384		95	<20	<0.01	<10	<10	42	<10	671				
E00055385		98	<20	<0.01	<10	<10	49	<10	5740				
E00055386		73	<20	<0.01	<10	<10	46	<10	6210				
E00055387		119	<20	<0.01	<10	<10	26	<10	603				
E00055388		107	<20	<0.01	<10	<10	18	<10	319				
E00055389		96	<20	<0.01	<10	<10	12	<10	2350				
E00055390		50	<20	<0.01	<10	<10	<1	<10	15				
E00055391		203	<20	<0.01	<10	<10	19	<10	622				
E00055392		117	<20	<0.01	<10	<10	33	<10	3910				
E00055393		63	<20	<0.01	<10	<10	37	<10	9660				
E00055394		82	<20	<0.01	<10	<10	55	<10	349				
E00055395		88	<20	<0.01	<10	<10	19	<10	>10000			2.60	
E00055396		82	<20	0.01	<10	<10	27	<10	1880				
E00055397		142	<20	0.01	<10	<10	30	<10	>10000			1.270	
E00055398		115	<20	0.01	<10	<10	33	<10	6320				
E00055399		83	<20	<0.01	<10	<10	42	<10	1875				
E00055400		150	<20	0.06	<10	<10	92	<10	1110				
E00055401		146	<20	<0.01	<10	<10	28	<10	1260				
E00055402		129	<20	<0.01	<10	<10	32	<10	330				
E00055403		125	<20	<0.01	<10	<10	27	<10	5210				
E00055404		164	<20	<0.01	<10	<10	18	<10	3940				
E00055405		154	<20	<0.01	<10	<10	30	<10	8440				
E00055406		101	<20	<0.01	<10	<10	31	<10	3630				
E00055407		139	<20	<0.01	<10	<10	18	<10	2230				
E00055408		123	<20	<0.01	<10	<10	31	<10	2330				
E00055409		182	<20	<0.01	<10	<10	29	<10	2060				
E00055410		46	<20	<0.01	<10	<10	<1	<10	8				
E00055411		91	<20	<0.01	<10	<10	40	<10	887				
E00055412		205	<20	<0.01	<10	<10	34	<10	95				
E00055413		329	<20	<0.01	<10	<10	22	<10	198				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
E00055414		2.10	0.037		1.1	1.80	12	<10	610	<0.5	<2	8.4	1.3	8	1	7
E00055415		2.29	0.048		1.4	1.48	34	<10	220	<0.5	<2	4.28	0.9	10	<1	30
E00055416		4.65	0.029		1.3	1.66	19	<10	220	<0.5	3	4.13	4.2	11	1	32
E00055417		4.16	0.010		0.6	1.50	10	<10	220	<0.5	<2	3.33	2.8	8	<1	11
E00055418		5.31	0.018		0.7	1.59	18	10	260	<0.5	2	3.86	5.5	7	<1	18
E00055419		4.40	0.199		1.1	1.57	998	10	270	<0.5	<2	4.53	4.0	7	<1	28
E00055420		0.13	0.691		9.5	1.18	798	10	100	<0.5	20	2.95	5.9	44	23	6330
E00055421		4.74	0.272		3.4	0.92	217	<10	90	<0.5	2	3.59	16.0	9	1	37
E00055422		4.64	0.203		2.0	1.02	170	<10	170	<0.5	<2	4.38	5.4	8	<1	14
E00055423		4.62	0.006		1.0	1.82	16	<10	250	<0.5	<2	3.21	7.7	8	1	12
E00055424		4.26	0.019		0.6	1.64	40	<10	230	<0.5	<2	3.80	1.0	8	1	13
E00055425		4.49	0.065		2.3	1.77	129	<10	240	<0.5	<2	3.61	9.8	9	1	69
E00055426		4.75	0.137		1.4	1.76	72	<10	220	<0.5	<2	3.51	8.9	7	1	20
E00055427		4.61	0.072		0.7	1.59	18	<10	220	<0.5	<2	3.20	0.9	9	1	8
E00055428		4.39	0.035		1.1	1.71	37	<10	330	<0.5	<2	3.83	2.3	11	1	19
E00055429		3.94	0.039		0.7	1.31	39	<10	220	<0.5	2	3.26	0.6	11	1	12
E00055430		0.86	<0.005		<0.2	0.03	<2	<10	10	<0.5	2	19.4	<0.5	<1	<1	1
E00055431		2.61	0.053		1.0	1.03	55	<10	140	<0.5	<2	4.92	0.5	9	1	16
E00055432		2.44	0.267		2.2	1.18	132	<10	110	<0.5	<2	2.96	1.2	14	7	22
E00055433		2.00	0.141		5.3	1.95	187	<10	130	<0.5	2	3.37	31.8	19	23	74
E00055434		4.92	0.077		7.5	1.93	89	<10	140	<0.5	<2	6.49	26.0	19	22	76
E00055435		4.65	0.061		8.6	1.70	134	<10	140	<0.5	<2	8.3	45.5	19	19	136
E00055436		5.27	0.042		2.3	1.27	46	<10	160	<0.5	2	10.4	1.5	18	16	47
E00055437		2.36	0.116		2.2	1.57	252	<10	90	0.5	<2	0.48	0.9	17	4	46
E00055438		3.61	<0.005		0.2	2.77	10	<10	550	0.6	2	3.29	<0.5	29	66	57
E00055439		3.98	<0.005		0.2	2.60	18	<10	230	0.6	<2	3.69	<0.5	28	69	54
E00055440		0.13	0.677		9.5	1.21	807	20	100	<0.5	20	2.97	6.1	45	24	6380
E00055441		1.22	0.085		1.3	1.93	137	<10	180	0.5	<2	2.50	<0.5	13	4	33
E00055442		2.76	0.282		4.0	0.60	271	<10	30	<0.5	<2	3.45	<0.5	12	4	19
E00055443		2.76	0.077		3.5	0.69	190	<10	20	0.7	<2	1.02	<0.5	17	2	24
E00055444		2.40	0.082		1.1	2.20	102	<10	120	0.5	<2	3.90	<0.5	15	5	33
E00055445		5.08	0.104		1.4	2.08	204	<10	140	<0.5	<2	3.89	<0.5	17	14	43
E00055446		4.72	0.133		1.2	2.61	176	<10	200	<0.5	<2	4.68	<0.5	20	28	45
E00055447		4.60	0.037		1.0	2.74	92	<10	230	<0.5	<2	4.77	<0.5	20	29	34
E00055448		4.58	0.051		1.3	2.63	87	<10	220	<0.5	2	5.39	<0.5	19	24	35
E00055449		3.77	0.161		1.2	2.31	144	<10	160	<0.5	<2	5.42	<0.5	17	23	38
E00055450		1.06	<0.005		<0.2	0.04	<2	<10	10	<0.5	2	19.5	<0.5	<1	<1	1
E00055451		3.76	0.208		1.6	1.95	229	<10	150	<0.5	<2	3.62	<0.5	16	5	31
E00055452		3.38	0.202		1.7	2.23	214	<10	150	<0.5	<2	3.23	<0.5	19	4	30
E00055453		3.71	0.083		1.2	1.70	117	<10	180	<0.5	<2	3.15	1.3	13	4	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E00055414		4.32	10	1	0.32	10	0.80	4580	1	0.02	3	950	31	0.42	<2	3
E00055415		3.64	<10	1	0.36	10	0.55	2120	1	0.02	2	1200	28	0.62	<2	3
E00055416		3.70	<10	1	0.39	10	0.50	2120	1	0.02	2	1090	153	0.29	<2	3
E00055417		3.65	<10	1	0.40	10	0.37	2020	1	0.02	1	1190	138	0.23	<2	3
E00055418		3.51	<10	1	0.45	10	0.33	2310	<1	0.02	<1	1200	104	0.28	<2	2
E00055419		3.46	<10	1	0.48	10	0.29	2510	<1	0.02	2	1140	159	0.52	8	2
E00055420		3.50	10	<1	0.14	10	0.40	613	269	0.12	21	630	68	1.18	17	2
E00055421		3.84	<10	1	0.42	10	0.15	1780	8	0.01	2	1000	412	2.67	3	2
E00055422		3.00	<10	1	0.41	10	0.19	1710	1	0.02	2	1020	223	1.58	3	1
E00055423		3.68	<10	1	0.40	10	0.39	1820	1	0.03	1	1050	329	0.17	<2	2
E00055424		3.46	<10	<1	0.39	10	0.34	1930	1	0.03	2	1050	58	0.29	<2	2
E00055425		3.97	10	<1	0.40	10	0.37	2420	1	0.03	3	1030	471	0.42	2	2
E00055426		4.20	<10	1	0.41	10	0.41	2680	<1	0.03	2	1050	356	0.72	<2	2
E00055427		3.55	10	1	0.40	10	0.34	1660	1	0.02	3	1140	69	0.34	<2	2
E00055428		4.32	10	1	0.38	10	0.39	1790	1	0.02	2	1060	102	0.70	<2	3
E00055429		3.86	<10	1	0.39	10	0.34	1560	1	0.02	3	1140	21	0.72	2	2
E00055430		0.12	<10	2	0.01	<10	11.75	125	<1	0.01	<1	20	<2	<0.01	2	<1
E00055431		2.84	<10	1	0.39	10	0.51	2030	1	0.01	2	980	31	0.86	<2	2
E00055432		4.83	<10	<1	0.35	<10	0.48	1800	1	0.01	6	1050	77	3.35	2	3
E00055433		5.80	10	1	0.36	<10	0.97	2980	1	0.01	11	1490	1860	2.74	3	6
E00055434		5.35	10	1	0.27	<10	1.15	2980	1	0.01	13	1390	1000	2.07	2	8
E00055435		5.25	10	2	0.27	<10	1.07	3670	1	0.01	12	1230	1670	2.63	4	8
E00055436		4.40	<10	1	0.28	<10	1.06	3170	1	0.01	11	1280	49	1.57	4	9
E00055437		5.17	<10	1	0.37	10	0.73	460	1	0.01	5	1210	25	3.04	7	3
E00055438		6.17	10	1	0.08	20	3.80	984	<1	0.22	58	2270	8	0.13	2	13
E00055439		5.89	10	<1	0.09	20	3.46	1000	<1	0.24	59	2290	7	0.16	2	14
E00055440		3.55	10	1	0.15	10	0.41	618	281	0.12	21	640	68	1.20	17	2
E00055441		4.12	10	<1	0.35	10	1.05	1280	1	0.01	4	1190	10	1.19	2	4
E00055442		4.78	<10	2	0.28	<10	0.19	927	3	0.01	5	620	23	4.64	21	2
E00055443		5.10	<10	1	0.42	10	0.22	465	2	0.01	5	1220	17	5.09	17	3
E00055444		5.68	10	1	0.38	10	1.04	1640	1	0.01	2	1360	11	2.19	<2	5
E00055445		5.46	10	1	0.35	10	0.97	1590	3	0.02	4	1230	23	2.27	2	5
E00055446		6.05	10	1	0.37	10	1.23	1930	1	0.02	5	1240	11	1.81	2	7
E00055447		6.24	10	1	0.39	10	1.29	2090	1	0.02	5	1270	12	1.54	2	8
E00055448		5.84	10	1	0.43	10	1.18	2320	1	0.02	3	1240	9	1.39	5	7
E00055449		5.62	10	1	0.31	10	1.10	2450	2	0.02	4	1110	9	1.47	2	7
E00055450		0.14	<10	1	0.02	<10	11.80	135	<1	0.01	<1	20	<2	<0.01	3	<1
E00055451		5.32	10	1	0.37	10	0.98	1650	1	0.01	6	1120	14	2.38	5	4
E00055452		5.92	10	1	0.36	10	1.10	1770	1	0.01	5	1020	16	2.60	3	3
E00055453		3.95	<10	1	0.38	10	0.79	1660	<1	0.01	4	1040	55	1.75	3	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46	Ag-GRA21
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn	Ag
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	5
E00055414		540	<20	<0.01	<10	<10	29	<10	208				
E00055415		192	<20	<0.01	<10	<10	22	<10	125				
E00055416		154	<20	<0.01	<10	<10	28	<10	529				
E00055417		116	<20	<0.01	<10	<10	21	<10	360				
E00055418		161	<20	<0.01	<10	<10	23	<10	663				
E00055419		173	<20	<0.01	<10	<10	20	<10	477				
E00055420		127	<20	0.07	<10	<10	42	10	989				
E00055421		126	<20	<0.01	<10	<10	10	<10	1940				
E00055422		120	<20	<0.01	<10	<10	12	<10	673				
E00055423		97	<20	<0.01	<10	<10	28	<10	987				
E00055424		115	<20	<0.01	<10	<10	26	<10	154				
E00055425		140	<20	<0.01	<10	<10	30	<10	1080				
E00055426		144	<20	<0.01	<10	<10	30	<10	996				
E00055427		93	<20	<0.01	<10	<10	27	<10	127				
E00055428		120	<20	<0.01	<10	<10	30	<10	295				
E00055429		90	<20	<0.01	<10	<10	21	<10	117				
E00055430		46	<20	<0.01	<10	<10	<1	<10	4				
E00055431		238	<20	<0.01	<10	<10	12	<10	88				
E00055432		118	<20	<0.01	<10	<10	30	<10	155				
E00055433		140	<20	<0.01	<10	<10	48	<10	3520				
E00055434		237	<20	<0.01	<10	<10	48	<10	3000				
E00055435		359	<20	<0.01	<10	<10	45	<10	5310				
E00055436		309	<20	<0.01	<10	<10	34	<10	197				
E00055437		12	<20	<0.01	<10	<10	27	<10	153				
E00055438		251	<20	0.34	<10	<10	170	<10	109				
E00055439		239	<20	0.43	<10	<10	169	<10	111				
E00055440		130	<20	0.08	<10	<10	43	10	993				
E00055441		66	<20	<0.01	<10	<10	26	<10	91				
E00055442		121	<20	<0.01	<10	<10	10	<10	38				
E00055443		42	<20	<0.01	<10	<10	14	<10	65				
E00055444		109	<20	<0.01	<10	<10	47	<10	91				
E00055445		112	<20	0.01	<10	<10	52	<10	91				
E00055446		140	<20	0.01	<10	<10	76	<10	98				
E00055447		146	<20	0.01	<10	<10	68	<10	102				
E00055448		161	<20	0.01	<10	<10	64	<10	92				
E00055449		145	<20	0.01	<10	<10	75	<10	95				
E00055450		50	<20	<0.01	<10	<10	1	<10	3				
E00055451		119	<20	<0.01	<10	<10	30	<10	105				
E00055452		81	<20	<0.01	<10	<10	35	<10	84				
E00055453		69	<20	<0.01	<10	<10	24	<10	193				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
E00055454		3.28	0.261		10.8	0.94	333	<10	60	<0.5	2	2.60	4.4	14	4	616
E00055455		4.25	0.132		1.4	1.86	162	<10	140	0.7	<2	1.94	0.6	15	5	27
E00055456		4.55	0.043		0.9	2.55	89	<10	190	0.5	3	2.46	<0.5	17	6	20
E00055457		4.46	0.059		1.0	1.97	110	<10	190	<0.5	<2	6.57	<0.5	14	7	25
E00055458		5.28	0.374		1.6	2.33	147	<10	210	<0.5	<2	4.34	1.8	16	10	41
E00055459		4.66	2.68		4.0	2.10	116	<10	160	0.5	<2	3.19	1.5	15	5	69
E00055460		0.13	1.085		90.1	1.58	32	10	180	<0.5	<2	3.07	8.4	17	18	927
E00055461		4.77	0.252		1.5	1.77	236	<10	160	0.5	2	2.94	0.7	14	5	20
E00055462		4.73	0.044		1.1	2.24	93	<10	220	0.6	<2	2.49	0.6	15	6	19
E00055463		4.78	0.123		2.0	1.66	133	<10	180	<0.5	2	7.8	27.1	12	4	35
E00055464		4.80	0.108		1.3	1.44	137	<10	180	<0.5	2	5.25	3.6	13	4	10
E00055465		2.85	0.099		1.5	0.64	184	<10	70	<0.5	<2	3.38	1.7	13	2	15
E00055466		3.47	0.116		1.8	0.57	156	<10	150	<0.5	<2	5.72	2.3	10	2	19
E00055467		2.25	0.044		0.7	1.54	51	<10	160	0.5	<2	3.58	0.5	10	6	11
E00055468		3.06	0.114		1.6	0.58	119	<10	50	<0.5	<2	5.66	2.3	12	2	18
E00055469		4.45	0.106		1.9	1.44	87	<10	180	<0.5	<2	8.1	7.0	11	4	17
E00055470		1.03	<0.005		<0.2	0.03	<2	<10	<10	<0.5	<2	19.6	<0.5	<1	<1	1
E00055471		4.99	0.066		0.8	1.70	63	<10	170	<0.5	2	8.6	0.8	14	4	20
E00055472		4.22	0.069		1.0	2.47	49	<10	180	<0.5	2	5.99	0.7	15	5	22
E00055473		4.33	0.053		1.0	2.45	66	<10	210	<0.5	<2	5.32	<0.5	16	5	22
E00055474		4.36	0.038		0.5	2.18	47	<10	230	<0.5	2	8.0	<0.5	14	5	21
E00055475		4.64	0.264		0.9	1.97	157	<10	230	<0.5	2	8.5	<0.5	14	5	18
E00055476		4.71	0.045		0.5	2.25	30	<10	200	<0.5	2	5.49	<0.5	16	7	22
E00055477		3.21	0.164		1.8	1.97	102	<10	240	<0.5	<2	3.97	2.7	17	10	37
E00055478		3.32	0.074		0.8	0.97	47	<10	210	<0.5	2	14.2	<0.5	10	4	15
E00055479		3.30	0.048		0.9	2.45	36	<10	160	<0.5	<2	2.40	0.7	15	8	32
E00055480		0.14	7.90		>100	1.48	642	10	20	<0.5	7	3.50	128.0	17	44	2000
E00055481		3.99	0.079		1.0	2.36	38	<10	160	<0.5	<2	3.67	0.6	16	7	26
E00055482		4.30	0.030		1.6	2.50	28	<10	210	<0.5	<2	2.88	0.5	17	7	22
E00055483		5.13	0.049		0.7	2.01	53	<10	190	<0.5	<2	6.19	0.5	15	6	32
E00055484		4.75	0.085		1.5	1.23	131	<10	70	<0.5	2	4.70	14.9	13	4	29
E00055485		4.90	0.286		2.5	1.66	165	<10	80	<0.5	2	4.56	31.1	14	5	77
E00055486		4.43	0.589		3.0	2.20	187	<10	90	<0.5	<2	4.26	20.9	15	10	38
E00055487		2.23	0.511		1.2	1.95	903	<10	100	<0.5	<2	3.91	0.7	16	5	41
E00055488		2.36	0.702		11.9	0.85	240	<10	40	<0.5	10	3.40	287	10	4	867
E00055489		2.06	0.079		0.7	2.23	105	<10	220	<0.5	<2	4.38	1.0	15	3	19
E00055490		0.63	<0.005		<0.2	0.03	<2	<10	10	<0.5	<2	19.3	0.5	<1	<1	2
E00055491		4.71	0.199		1.1	2.45	112	<10	140	<0.5	<2	3.12	3.3	15	4	17
E00055492		4.53	0.049		0.8	1.50	77	<10	140	<0.5	2	6.30	0.7	14	2	20
E00055493		4.33	0.081		1.5	0.74	127	<10	70	<0.5	<2	4.87	4.7	14	2	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E00055454		4.96	<10	1	0.38	10	0.32	952	1	0.01	4	920	197	4.50	22	2
E00055455		4.32	<10	<1	0.39	10	0.89	1130	<1	0.01	6	1180	12	1.87	4	3
E00055456		5.24	10	1	0.38	10	1.39	1610	<1	0.01	5	1210	8	1.29	3	4
E00055457		4.35	10	1	0.37	10	0.98	2470	1	0.01	5	1060	11	1.44	4	4
E00055458		5.42	10	1	0.40	10	1.18	2410	1	0.02	6	1200	123	1.97	3	4
E00055459		4.91	10	1	0.36	10	1.14	2030	1	0.01	4	1110	75	1.80	3	4
E00055460		3.49	10	1	0.14	10	1.35	910	12	0.11	10	990	4460	1.02	60	5
E00055461		4.44	10	1	0.34	10	0.99	1500	1	0.02	4	1090	21	2.08	3	3
E00055462		4.73	10	1	0.37	10	1.30	1460	<1	0.02	4	1210	16	1.49	2	4
E00055463		4.19	10	2	0.36	10	0.90	3070	<1	0.02	4	1010	322	2.27	3	3
E00055464		4.90	<10	1	0.34	10	0.62	2530	<1	0.02	4	1080	293	3.08	3	3
E00055465		3.93	<10	1	0.36	10	0.14	1100	2	0.01	3	960	77	3.99	5	2
E00055466		3.10	<10	1	0.32	<10	0.13	1490	1	0.01	3	810	72	3.08	5	2
E00055467		3.48	10	1	0.35	10	0.75	1150	1	0.03	3	1190	21	1.20	<2	3
E00055468		4.13	<10	1	0.31	<10	0.12	1240	1	0.01	2	980	48	4.19	4	2
E00055469		3.81	<10	1	0.31	10	0.58	3150	1	0.01	3	980	360	1.80	<2	3
E00055470		0.13	<10	1	0.01	<10	11.70	130	<1	0.01	<1	10	2	0.01	2	<1
E00055471		4.67	10	1	0.31	10	0.77	2340	2	0.02	1	1140	25	2.29	2	4
E00055472		5.42	10	1	0.26	10	1.34	1880	1	0.03	3	1310	11	1.10	<2	5
E00055473		5.57	10	2	0.33	10	1.29	1680	2	0.03	2	1370	9	1.68	3	5
E00055474		4.92	10	1	0.30	10	1.10	2340	2	0.03	2	1220	10	1.38	2	5
E00055475		4.74	10	1	0.30	10	0.95	2390	1	0.03	4	1150	15	1.69	2	4
E00055476		5.11	10	1	0.30	10	1.11	1630	2	0.03	2	1290	11	1.32	2	5
E00055477		4.91	10	1	0.36	10	1.01	1450	1	0.02	4	1270	23	1.84	2	5
E00055478		2.73	<10	1	0.19	10	0.50	2710	1	0.02	5	830	15	1.39	4	4
E00055479		5.33	10	1	0.24	10	1.40	1550	1	0.04	4	1310	16	0.91	<2	6
E00055480		4.88	10	15	0.19	<10	1.33	748	53	0.07	209	600	>10000	3.98	698	3
E00055481		5.07	10	1	0.24	10	1.41	1730	2	0.03	5	1250	30	0.89	<2	5
E00055482		5.36	10	1	0.33	10	1.57	1280	1	0.03	4	1310	15	1.30	2	4
E00055483		4.50	10	1	0.29	10	1.09	1990	2	0.02	4	1180	13	1.26	2	4
E00055484		4.20	<10	1	0.35	10	0.54	1810	2	0.01	4	1100	459	3.06	4	3
E00055485		4.90	10	1	0.30	10	0.92	2160	1	0.01	4	1130	1370	2.98	3	3
E00055486		6.03	10	1	0.29	10	1.49	2870	2	0.02	9	1110	1460	2.88	6	4
E00055487		5.44	10	1	0.33	10	1.12	2130	1	0.01	4	1270	46	2.83	3	3
E00055488		4.12	<10	5	0.26	<10	0.37	1470	2	0.01	2	740	4330	4.97	4	2
E00055489		5.11	10	1	0.33	10	1.09	2690	2	0.02	2	1310	24	1.44	3	4
E00055490		0.13	<10	2	0.01	<10	11.75	126	<1	0.01	<1	20	9	0.01	3	<1
E00055491		5.71	10	1	0.35	10	1.25	2590	1	0.02	3	1390	243	1.74	2	4
E00055492		5.12	10	1	0.32	10	0.78	1940	2	0.01	4	1230	98	3.51	<2	3
E00055493		5.36	<10	1	0.32	<10	0.31	1420	1	0.01	1	1220	213	5.25	3	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46	Ag-GRA21
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn	Ag
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	5
E00055454		53	<20	<0.01	<10	<10	16	<10	511				
E00055455		43	<20	<0.01	<10	<10	29	<10	137				
E00055456		69	<20	<0.01	<10	<10	35	<10	89				
E00055457		158	<20	<0.01	<10	<10	29	<10	87				
E00055458		135	<20	<0.01	<10	<10	42	<10	275				
E00055459		131	<20	<0.01	<10	<10	31	<10	229				
E00055460		150	<20	0.06	<10	<10	91	<10	1080				
E00055461		102	<20	<0.01	<10	<10	26	<10	133				
E00055462		90	<20	<0.01	<10	<10	35	<10	125				
E00055463		207	<20	<0.01	<10	<10	26	<10	3540				
E00055464		225	<20	<0.01	<10	<10	29	<10	419				
E00055465		101	<20	<0.01	<10	<10	15	<10	224				
E00055466		175	<20	<0.01	<10	<10	12	<10	328				
E00055467		221	<20	<0.01	<10	<10	33	<10	101				
E00055468		124	<20	<0.01	<10	<10	13	<10	279				
E00055469		308	<20	<0.01	<10	<10	31	<10	879				
E00055470		48	<20	<0.01	<10	<10	<1	<10	5				
E00055471		168	<20	<0.01	<10	<10	45	<10	136				
E00055472		125	<20	<0.01	<10	<10	62	<10	144				
E00055473		110	<20	0.01	<10	<10	59	<10	100				
E00055474		151	<20	0.01	<10	<10	55	<10	87				
E00055475		161	<20	0.01	<10	<10	51	<10	95				
E00055476		107	<20	0.01	<10	<10	54	<10	98				
E00055477		127	<20	0.01	<10	<10	50	<10	423				
E00055478		260	<20	<0.01	<10	<10	25	<10	82				
E00055479		63	<20	0.01	<10	<10	60	<10	172				
E00055480		43	<20	0.05	10	<10	57	20	>10000	310	2.21	2.19	
E00055481		110	<20	0.01	<10	<10	56	<10	153				
E00055482		101	<20	0.01	<10	<10	47	<10	130				
E00055483		138	<20	<0.01	<10	<10	40	<10	109				
E00055484		124	<20	<0.01	<10	<10	24	<10	1740				
E00055485		139	<20	<0.01	<10	<10	34	<10	3780				
E00055486		119	<20	<0.01	<10	<10	49	<10	2540				
E00055487		134	<20	<0.01	<10	<10	38	<10	147				
E00055488		133	<20	<0.01	<10	<10	18	<10	>10000			3.52	
E00055489		130	<20	<0.01	<10	<10	40	<10	193				
E00055490		47	<20	<0.01	<10	<10	<1	<10	46				
E00055491		110	<20	0.01	<10	<10	40	<10	478				
E00055492		171	<20	<0.01	<10	<10	26	<10	180				
E00055493		154	<20	<0.01	<10	<10	14	<10	699				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
E00055494		2.48	0.131		1.2	0.34	221	<10	100	<0.5	<2	7.3	0.9	8	2	8
E00055495		2.25	0.246		1.3	0.36	284	<10	110	<0.5	<2	12.3	0.8	8	2	9
E00055496		4.60	0.035		0.7	1.26	41	<10	110	<0.5	<2	6.01	1.0	14	5	18
E00055497		4.59	0.025		0.5	1.31	45	<10	90	<0.5	2	4.61	2.4	11	2	15
E00055498		4.62	0.343		1.4	2.46	142	<10	160	<0.5	<2	2.96	6.3	14	5	15
E00055499		4.28	0.101		1.4	2.56	36	<10	170	<0.5	3	3.20	17.7	13	4	19
E00055500		0.13	0.709		9.6	1.23	813	20	100	<0.5	20	3.00	6.0	45	24	6460

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E00055494		3.75	<10	1	0.25	<10	0.06	1350	9	0.01	3	610	44	4.06	4	1
E00055495		2.54	<10	1	0.20	<10	0.13	2520	14	0.01	2	510	37	2.50	5	2
E00055496		4.52	<10	1	0.33	10	0.57	1830	2	0.01	3	1180	52	3.10	3	4
E00055497		4.52	<10	<1	0.34	10	0.58	1770	<1	0.01	2	1230	82	3.04	<2	2
E00055498		6.05	10	2	0.27	10	1.43	2780	2	0.04	3	1300	108	2.06	3	5
E00055499		5.76	10	1	0.28	10	1.42	2550	<1	0.03	1	1260	222	1.35	<2	5
E00055500		3.57	10	1	0.15	10	0.41	623	276	0.12	23	640	69	1.20	15	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46	Ag-GRA21
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn	Ag
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001	5
E00055494		175	<20	<0.01	<10	<10	7	<10	122				
E00055495		301	<20	<0.01	<10	<10	7	<10	115				
E00055496		187	<20	0.01	<10	<10	20	<10	189				
E00055497		141	<20	0.01	<10	<10	17	<10	344				
E00055498		94	<20	0.01	<10	<10	59	<10	846				
E00055499		111	<20	0.01	<10	<10	53	<10	2220				
E00055500		132	<20	0.08	<10	<10	43	10	989				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177343

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-GRA21	Ag-OG46	Au-AA23	Au-GRA21
	ME-ICP41	ME-OG46	Pb-OG46	Zn-OG46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

CERTIFICATE TR20177344

Project: Premier

This report is for 85 Drill Core samples submitted to our lab in Terrace, BC, Canada on 17-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	Au-GRA21 Au Check ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
F00051051		4.27	0.062			0.6	2.25	34	<10	180	<0.5	<2	3.18	5.5	10	3
F00051052		4.61	0.089			1.0	2.09	117	<10	170	<0.5	2	4.32	3.1	11	3
F00051053		4.82	0.102			1.2	2.06	138	<10	160	<0.5	<2	3.13	5.1	10	3
F00051054		4.55	0.057			1.8	2.12	49	<10	180	<0.5	<2	3.57	17.8	11	2
F00051055		4.93	0.432			3.3	1.90	191	<10	130	<0.5	<2	2.81	9.5	20	2
F00051056		4.25	0.175			3.2	2.13	123	<10	220	<0.5	2	4.08	2.2	32	2
F00051057		4.61	1.110			6.1	1.87	248	<10	120	<0.5	3	2.16	38.1	18	2
F00051058		2.66	0.178			4.0	1.31	152	<10	60	<0.5	2	17.4	29.3	13	1
F00051059		2.25	0.696			10.2	1.03	408	<10	40	<0.5	4	10.0	97.1	19	1
F00051060		0.50	<0.005			0.2	0.03	2	<10	10	<0.5	3	21.1	<0.5	<1	<1
F00051061		3.57	1.115			6.8	0.70	333	<10	60	<0.5	<2	6.9	75.4	16	2
F00051062		4.17	0.365			5.2	1.15	150	<10	160	<0.5	<2	4.86	28.7	16	1
F00051063		4.52	0.344			3.1	1.23	142	<10	140	<0.5	2	4.05	51.1	15	2
F00051064		5.28	>10.0	54.6	56.5	29.3	1.44	128	<10	170	<0.5	<2	4.66	23.1	14	1
F00051065		5.48	0.173			2.0	1.20	118	<10	140	<0.5	2	3.01	2.0	15	2
F00051066		5.72	0.771			1.7	1.30	139	<10	200	<0.5	<2	4.60	5.1	14	1
F00051067		4.75	3.14			2.6	1.79	70	<10	250	<0.5	<2	3.86	11.8	14	1
F00051068		4.21	0.531			1.5	1.58	80	<10	230	<0.5	2	4.74	6.2	13	1
F00051069		4.63	0.357			3.2	1.35	98	<10	90	<0.5	2	3.43	33.7	13	1
F00051070		0.14	1.100			89.6	1.57	31	10	170	<0.5	3	3.26	8.4	17	17
F00051071		4.59	0.029			1.7	2.34	14	<10	470	<0.5	2	4.97	15.8	15	1
F00051072		4.48	0.187			2.7	1.75	17	<10	430	<0.5	<2	2.68	18.1	11	1
F00051073		3.00	0.302			3.0	0.54	214	<10	90	<0.5	<2	3.99	15.8	7	3
F00051074		4.04	0.038			1.0	1.30	31	<10	240	<0.5	<2	4.34	1.1	10	1
F00051075		4.96	0.035			0.9	1.58	24	<10	220	<0.5	3	7.2	4.9	7	1
F00051076		4.62	0.025			1.2	1.59	21	<10	240	<0.5	2	4.45	6.4	9	1
F00051077		4.46	0.084			3.5	1.43	48	<10	240	<0.5	2	3.81	23.6	8	2
F00051078		5.00	0.166			1.4	1.80	15	<10	250	<0.5	<2	2.95	8.3	8	1
F00051079		4.07	0.357			5.0	2.17	46	<10	220	<0.5	4	4.15	67.2	9	2
F00051080		0.65	<0.005			0.2	0.03	<2	<10	10	<0.5	2	20.7	<0.5	1	<1
F00051081		3.95	0.173			2.8	2.44	14	<10	240	<0.5	3	3.52	30.2	9	2
F00051082		3.69	0.122			1.8	2.10	9	<10	210	<0.5	<2	7.4	16.0	9	1
F00051083		3.23	0.251			10.7	1.20	270	<10	40	<0.5	4	5.42	191.5	15	2
F00051084		3.08	0.288			1.4	0.96	780	<10	160	<0.5	<2	12.7	1.4	8	1
F00051085		4.36	0.147			2.2	1.74	115	<10	220	<0.5	2	5.31	19.1	9	2
F00051086		4.71	0.058			1.4	1.96	40	<10	260	<0.5	<2	3.08	10.4	9	1
F00051087		4.35	0.072			0.8	1.59	135	<10	270	<0.5	<2	4.41	2.4	9	2
F00051088		4.90	0.101			0.8	2.44	196	<10	210	<0.5	<2	5.07	1.7	13	1
F00051089		4.04	0.019			0.6	1.84	78	<10	220	<0.5	<2	5.42	0.7	10	2
F00051090		0.14	7.92			>100	1.52	623	<10	20	<0.5	7	3.77	128.0	17	44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOD	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
F00051051		8	5.06	10	<1	0.29	10	1.26	2050	1	0.02	2	1230	58	0.88	2
F00051052		9	4.92	10	<1	0.31	10	1.16	2230	1	0.02	3	1210	117	1.17	3
F00051053		18	5.00	10	<1	0.31	10	1.17	1985	<1	0.02	2	1220	108	1.48	3
F00051054		38	4.67	10	<1	0.39	10	1.10	2030	1	0.01	2	1230	115	1.01	2
F00051055		52	5.66	10	<1	0.39	<10	0.63	2070	4	0.01	3	1240	171	2.09	2
F00051056		70	5.87	10	<1	0.43	10	0.57	2830	3	0.01	7	1210	86	1.40	3
F00051057		79	5.80	10	<1	0.40	<10	0.52	1900	2	0.01	3	1350	513	2.26	<2
F00051058		127	4.39	10	1	0.38	10	0.36	8220	<1	<0.01	1	1140	318	2.20	3
F00051059		418	6.09	<10	1	0.37	<10	0.26	4580	4	<0.01	1	1260	678	5.20	7
F00051060		1	0.15	<10	1	0.01	<10	12.45	135	<1	<0.01	<1	20	4	<0.01	2
F00051061		128	4.47	<10	1	0.37	<10	0.13	2220	2	<0.01	3	1020	217	4.25	4
F00051062		108	3.90	<10	<1	0.49	10	0.35	1835	1	0.01	3	1500	255	2.63	6
F00051063		61	4.17	<10	<1	0.42	10	0.28	1730	1	0.01	2	1270	128	2.46	3
F00051064		67	4.07	<10	1	0.44	10	0.36	1985	1	0.01	1	1320	350	1.65	3
F00051065		35	4.17	<10	<1	0.43	10	0.27	1125	<1	<0.01	3	1370	85	2.16	3
F00051066		34	4.24	<10	<1	0.44	10	0.32	1785	1	<0.01	4	1330	87	1.69	3
F00051067		56	4.91	10	<1	0.42	10	0.53	2290	<1	<0.01	3	1410	262	1.04	<2
F00051068		46	4.02	<10	<1	0.43	10	0.41	1995	1	0.01	2	1370	179	1.02	<2
F00051069		92	4.21	<10	1	0.40	10	0.39	2380	1	<0.01	2	1420	607	1.79	3
F00051070		948	3.60	10	<1	0.14	<10	1.43	885	12	0.10	11	1010	4400	1.03	65
F00051071		37	6.05	10	<1	0.36	10	0.87	3490	1	0.01	5	1150	838	0.58	<2
F00051072		44	4.76	<10	<1	0.43	10	0.54	2220	1	0.01	2	1190	661	0.67	2
F00051073		16	3.37	<10	<1	0.38	<10	0.05	1150	2	<0.01	1	870	869	3.29	2
F00051074		13	3.56	<10	<1	0.44	10	0.35	1985	1	0.01	1	1170	37	1.17	2
F00051075		8	3.97	<10	<1	0.40	10	0.71	2810	1	0.01	1	1000	176	0.29	3
F00051076		13	4.21	<10	<1	0.45	10	0.45	2420	1	0.01	2	1110	145	0.46	<2
F00051077		31	3.80	<10	<1	0.41	10	0.36	2390	1	0.01	1	1030	890	0.95	2
F00051078		11	4.08	<10	<1	0.41	10	0.44	2250	1	0.02	3	1130	382	0.37	<2
F00051079		87	5.31	10	<1	0.33	10	0.91	3640	1	0.01	1	860	769	1.28	2
F00051080		1	0.13	<10	1	0.01	<10	12.15	121	<1	<0.01	<1	20	4	<0.01	3
F00051081		22	5.01	10	1	0.34	10	1.16	2710	1	0.02	1	1060	588	0.53	2
F00051082		15	4.15	10	<1	0.37	10	0.97	3140	1	0.02	2	1000	832	0.41	<2
F00051083		486	4.68	<10	1	0.37	<10	0.34	2620	1	0.01	1	860	405	3.84	8
F00051084		10	3.34	<10	<1	0.31	<10	0.28	3660	1	0.01	1	680	130	1.74	11
F00051085		13	4.23	10	<1	0.38	10	0.56	2580	1	0.01	2	980	632	1.06	4
F00051086		19	4.29	10	<1	0.45	10	0.53	2080	<1	0.02	2	1160	321	0.44	<2
F00051087		16	3.67	10	<1	0.44	10	0.36	1795	1	0.02	2	1110	111	0.65	3
F00051088		17	6.20	10	<1	0.36	10	0.60	2470	3	0.02	3	950	48	0.62	2
F00051089		12	4.33	10	<1	0.39	10	0.42	2190	<1	0.02	1	1090	22	0.39	2
F00051090		2080	5.18	10	14	0.21	<10	1.43	755	54	0.07	213	630	>10000	4.16	755

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	1	20	0.01	10	10	1	10	2	1	0.001	0.001
F00051051		4	96	<20	0.01	<10	<10	42	<10	728			
F00051052		3	129	<20	0.01	<10	<10	38	<10	439			
F00051053		3	96	<20	0.01	<10	<10	36	<10	682			
F00051054		3	123	<20	0.01	<10	<10	35	<10	2240			
F00051055		3	98	<20	0.01	<10	<10	39	<10	1195			
F00051056		5	162	<20	0.02	<10	<10	52	<10	291			
F00051057		2	81	<20	<0.01	<10	<10	35	<10	4560			
F00051058		2	1120	<20	<0.01	<10	<10	20	<10	3710			
F00051059		2	490	<20	<0.01	<10	<10	16	<10	>10000			1.245
F00051060		<1	50	<20	<0.01	<10	<10	<1	<10	19			
F00051061		1	180	<20	<0.01	<10	<10	11	<10	8570			
F00051062		2	201	<20	<0.01	<10	<10	18	<10	3480			
F00051063		2	114	<20	<0.01	<10	<10	20	<10	5760			
F00051064		3	161	<20	<0.01	<10	<10	23	<10	2740			
F00051065		3	91	<20	<0.01	<10	<10	22	<10	217			
F00051066		3	164	<20	<0.01	<10	<10	24	<10	639			
F00051067		4	154	<20	<0.01	<10	<10	32	<10	1500			
F00051068		3	145	<20	<0.01	<10	<10	31	<10	782			
F00051069		3	134	<20	<0.01	<10	<10	26	<10	4180			
F00051070		5	147	<20	0.06	<10	<10	90	<10	1085			
F00051071		4	281	<20	<0.01	<10	<10	45	<10	1940			
F00051072		3	127	<20	<0.01	<10	<10	28	<10	2150			
F00051073		1	108	<20	<0.01	<10	<10	6	<10	1825			
F00051074		2	229	<20	<0.01	<10	<10	14	<10	138			
F00051075		3	333	<20	<0.01	<10	<10	16	<10	609			
F00051076		3	207	<20	<0.01	<10	<10	19	<10	803			
F00051077		2	133	<20	<0.01	<10	<10	18	<10	2750			
F00051078		2	83	<20	<0.01	<10	<10	28	<10	1020			
F00051079		2	130	<20	<0.01	<10	<10	28	<10	7920			
F00051080		<1	49	<20	<0.01	<10	<10	<1	<10	8			
F00051081		2	107	<20	<0.01	<10	<10	32	<10	3750			
F00051082		2	178	<20	<0.01	<10	<10	28	<10	2060			
F00051083		1	155	<20	<0.01	<10	<10	14	<10	>10000			2.18
F00051084		1	270	<20	<0.01	<10	<10	11	<10	171			
F00051085		2	145	<20	<0.01	<10	<10	22	<10	2330			
F00051086		2	93	<20	<0.01	<10	<10	29	<10	1315			
F00051087		2	119	<20	<0.01	<10	<10	25	<10	318			
F00051088		3	134	<20	<0.01	<10	<10	61	<10	246			
F00051089		3	137	<20	<0.01	<10	<10	39	<10	126			
F00051090		3	47	<20	0.05	10	<10	59	20	>10000	330	2.38	2.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	Au-GRA21 Au Check ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
F00051091		4.31	0.009			0.5	2.02	18	10	290	<0.5	2	5.47	<0.5	9	2
F00051092		5.40	0.030			1.2	1.62	180	<10	210	<0.5	<2	4.51	0.9	9	2
F00051093		4.41	0.088			5.4	1.74	44	<10	180	<0.5	2	3.69	12.5	11	2
F00051094		5.15	0.113			2.2	1.33	80	<10	200	<0.5	<2	5.07	1.2	15	1
F00051095		4.71	0.055			1.5	1.45	612	<10	210	<0.5	<2	5.39	1.4	9	2
F00051096		3.23	0.017			1.3	2.19	46	<10	180	0.6	<2	0.66	<0.5	14	6
F00051097		2.15	0.099			1.7	1.10	226	<10	70	0.6	<2	1.10	0.6	13	3
F00051098		2.05	0.381			2.0	0.44	412	<10	50	0.5	<2	0.78	0.5	11	4
F00051099		2.33	0.136			3.3	0.44	185	<10	80	0.5	<2	1.44	<0.5	11	4
F00051100		0.73	<0.005			<0.2	0.03	<2	<10	<10	<0.5	2	21.5	<0.5	1	<1
F00051101		2.14	0.204			4.5	0.46	275	<10	30	0.5	<2	1.29	0.8	11	4
F00051102		2.38	0.695			2.1	0.49	753	<10	30	0.6	<2	1.36	0.5	16	3
F00051103		1.11	0.189			3.9	0.45	264	<10	60	0.5	<2	0.92	1.4	11	4
F00051104		1.07	0.149			3.7	0.41	226	<10	60	0.5	<2	0.89	1.8	10	3
F00051105		2.32	0.277			2.0	0.30	273	<10	90	<0.5	<2	2.67	0.9	7	6
F00051106		2.21	0.205			2.0	0.47	232	<10	60	<0.5	<2	1.70	0.5	11	4
F00051107		4.09	0.130			2.9	0.62	224	<10	50	<0.5	<2	2.17	<0.5	12	4
F00051108		4.11	0.062			1.8	1.45	74	<10	90	0.5	2	2.61	1.7	15	4
F00051109		4.08	0.081			1.7	1.88	145	<10	150	0.5	2	2.91	<0.5	15	4
F00051110		0.13	0.687			9.1	1.24	786	20	100	<0.5	21	3.25	5.8	43	23
F00051111		4.15	0.079			2.5	1.70	157	<10	140	0.6	3	1.65	<0.5	16	5
F00051112		2.81	0.078			1.6	2.72	42	<10	290	0.6	2	1.67	0.9	19	23
F00051113		1.48	0.010			0.3	3.83	25	<10	700	0.6	<2	5.17	<0.5	32	71
F00051114		3.75	0.080			2.7	1.28	162	<10	60	0.6	<2	3.30	0.5	14	3
F00051115		3.88	0.052			1.4	1.05	113	<10	100	0.5	<2	6.26	<0.5	13	3
F00051116		1.16	0.166			3.7	0.27	161	<10	130	<0.5	<2	10.5	4.8	7	4
F00051117		0.93	0.140			2.5	0.28	183	<10	110	<0.5	<2	10.2	10.6	8	3
F00051118		2.79	0.343			4.1	0.49	177	<10	100	<0.5	2	6.55	23.0	9	5
F00051119		2.61	0.475			3.3	0.44	110	<10	140	<0.5	<2	18.1	23.3	7	3
F00051120		0.69	<0.005			0.2	0.02	2	<10	<10	<0.5	<2	21.2	<0.5	<1	<1
F00051121		2.93	0.077			1.0	1.26	126	<10	170	<0.5	<2	5.02	1.2	11	6
F00051122		2.30	0.097			1.0	0.54	178	<10	120	<0.5	<2	4.39	0.5	8	3
F00051123		2.11	0.102			1.0	0.85	184	<10	120	<0.5	2	4.36	<0.5	11	3
F00051124		1.11	0.021			0.5	1.45	47	<10	110	<0.5	2	5.17	0.5	8	6
F00051125		2.37	0.240			1.9	1.07	232	<10	130	<0.5	<2	5.74	4.1	13	4
F00051126		2.59	0.202			1.6	1.29	75	<10	120	<0.5	2	5.74	<0.5	15	4
F00051127		4.58	0.093			1.8	1.69	74	<10	170	<0.5	4	9.1	1.3	14	5
F00051128		4.66	0.075			2.3	1.68	49	<10	170	<0.5	3	8.1	0.5	16	6
F00051129		4.43	0.073			3.2	1.62	39	<10	180	<0.5	2	7.34	<0.5	14	4
F00051130		0.13	1.175			85.9	1.48	31	10	160	<0.5	3	3.14	7.9	16	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOD	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
F00051091		14	4.34	10	<1	0.53	10	0.42	1940	1	0.03	2	1050	21	0.35	2
F00051092		23	3.71	10	<1	0.42	10	0.36	1685	1	0.02	3	1090	74	0.51	4
F00051093		266	4.47	10	<1	0.34	10	0.47	1715	1	0.03	2	1010	664	0.94	5
F00051094		22	3.66	<10	<1	0.39	10	0.28	1755	17	0.01	3	1080	65	1.22	2
F00051095		24	3.54	10	<1	0.41	10	0.31	1915	1	0.01	3	980	256	0.85	7
F00051096		33	4.88	10	<1	0.36	10	1.27	1045	1	0.01	6	1210	10	0.79	2
F00051097		28	4.36	<10	<1	0.39	10	0.47	551	3	<0.01	5	1110	21	3.04	4
F00051098		7	4.57	<10	<1	0.30	10	0.05	250	1	<0.01	5	870	15	4.57	6
F00051099		8	3.91	<10	<1	0.32	10	0.04	344	1	<0.01	3	860	14	3.96	13
F00051100		1	0.16	<10	1	0.01	<10	12.60	127	<1	<0.01	<1	10	<2	0.02	3
F00051101		11	4.42	<10	1	0.34	10	0.05	400	1	<0.01	4	880	26	4.54	22
F00051102		10	7.10	<10	<1	0.35	10	0.10	263	2	<0.01	7	1100	17	7.93	8
F00051103		13	4.11	<10	<1	0.33	10	0.04	232	1	<0.01	4	840	149	4.25	18
F00051104		15	3.95	<10	1	0.30	10	0.03	222	1	<0.01	4	820	173	4.04	14
F00051105		7	3.05	<10	<1	0.22	<10	0.03	673	1	<0.01	2	490	11	2.87	7
F00051106		22	3.79	<10	<1	0.34	10	0.05	364	1	<0.01	3	990	15	3.86	7
F00051107		28	4.42	<10	<1	0.39	10	0.11	574	1	<0.01	5	980	20	4.37	17
F00051108		17	5.15	<10	<1	0.37	10	0.81	1040	1	<0.01	6	1150	269	3.43	4
F00051109		24	4.84	10	<1	0.37	10	1.11	1165	1	0.01	6	1210	15	2.23	5
F00051110		6560	3.66	10	<1	0.16	10	0.42	613	276	0.12	22	630	66	1.21	15
F00051111		30	4.55	<10	<1	0.37	10	0.94	1160	2	<0.01	6	1230	13	2.10	4
F00051112		37	5.36	10	<1	0.31	10	2.06	1290	<1	0.06	27	1460	16	0.48	2
F00051113		50	6.71	20	1	0.13	20	3.84	1655	<1	0.28	73	2140	6	0.38	<2
F00051114		21	4.81	<10	1	0.39	10	0.66	1470	3	<0.01	4	1120	19	3.43	7
F00051115		25	4.39	<10	<1	0.35	10	0.49	1720	1	<0.01	5	1000	14	3.42	7
F00051116		192	2.78	<10	<1	0.19	<10	0.06	2750	1	0.01	1	390	646	2.76	7
F00051117		28	3.08	<10	<1	0.20	<10	0.07	2590	1	0.01	2	440	1150	3.10	5
F00051118		58	3.09	<10	1	0.26	<10	0.17	2240	1	0.01	3	620	2760	2.93	6
F00051119		62	2.64	<10	1	0.20	10	0.18	5650	1	<0.01	1	470	1020	2.48	9
F00051120		1	0.16	<10	<1	0.01	<10	12.30	135	<1	<0.01	<1	20	6	0.02	2
F00051121		24	3.92	<10	<1	0.32	10	0.62	1670	1	0.01	3	890	45	2.12	4
F00051122		10	2.93	<10	<1	0.30	<10	0.23	1035	1	<0.01	2	720	18	2.69	5
F00051123		14	3.62	<10	<1	0.27	<10	0.38	991	1	<0.01	3	850	17	2.62	5
F00051124		8	3.39	10	<1	0.27	10	0.83	985	1	0.03	3	1150	17	1.08	2
F00051125		33	4.23	<10	<1	0.30	10	0.50	1205	2	<0.01	2	1010	194	2.87	4
F00051126		18	4.42	<10	1	0.38	10	0.56	1395	1	0.01	2	1200	19	2.71	5
F00051127		21	4.39	10	<1	0.30	10	0.85	2030	1	0.01	2	1040	38	1.48	3
F00051128		17	4.73	10	<1	0.29	10	0.87	1680	2	0.01	2	1140	16	1.82	3
F00051129		16	4.67	10	<1	0.32	10	0.94	1615	1	0.02	2	1180	15	2.17	2
F00051130		922	3.48	10	<1	0.14	<10	1.38	859	12	0.09	11	980	4270	1.01	64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	1	20	0.01	10	10	1	10	2	1	0.001	0.001
F00051091		3	125	<20	<0.01	<10	<10	39	<10	83			
F00051092		2	105	<20	<0.01	<10	<10	32	<10	146			
F00051093		2	133	<20	<0.01	<10	<10	34	<10	1490			
F00051094		2	116	<20	<0.01	<10	<10	25	<10	162			
F00051095		2	121	<20	<0.01	<10	<10	22	<10	192			
F00051096		4	33	<20	<0.01	<10	<10	33	<10	100			
F00051097		3	55	<20	<0.01	<10	<10	18	<10	124			
F00051098		2	24	<20	<0.01	<10	<10	8	<10	76			
F00051099		1	48	<20	<0.01	<10	<10	8	<10	76			
F00051100		<1	48	<20	<0.01	<10	<10	<1	<10	3			
F00051101		1	32	<20	<0.01	<10	<10	8	<10	109			
F00051102		2	32	<20	<0.01	<10	<10	10	<10	78			
F00051103		1	22	<20	<0.01	<10	<10	8	<10	142			
F00051104		1	22	<20	<0.01	<10	<10	8	<10	195			
F00051105		1	72	<20	<0.01	<10	<10	6	<10	111			
F00051106		2	47	<20	<0.01	<10	<10	9	<10	90			
F00051107		2	59	<20	<0.01	<10	<10	11	<10	70			
F00051108		3	78	<20	<0.01	<10	<10	19	<10	252			
F00051109		3	88	<20	<0.01	<10	<10	27	<10	90			
F00051110		2	128	<20	0.08	<10	<10	43	<10	960			
F00051111		3	65	<20	<0.01	<10	<10	25	<10	61			
F00051112		6	90	<20	0.02	<10	<10	70	<10	140			
F00051113		13	419	<20	0.10	<10	<10	168	<10	115			
F00051114		3	120	<20	<0.01	<10	<10	21	<10	79			
F00051115		3	183	<20	<0.01	<10	<10	18	<10	77			
F00051116		1	293	<20	<0.01	<10	<10	5	<10	599			
F00051117		1	297	<20	<0.01	<10	<10	6	<10	1300			
F00051118		1	188	<20	<0.01	<10	<10	9	<10	2750			
F00051119		2	318	<20	<0.01	<10	<10	8	<10	2730			
F00051120		<1	48	<20	<0.01	<10	<10	<1	<10	10			
F00051121		2	165	<20	<0.01	<10	<10	20	<10	192			
F00051122		2	125	<20	<0.01	<10	<10	10	<10	76			
F00051123		2	141	<20	<0.01	<10	<10	17	<10	78			
F00051124		3	366	<20	<0.01	<10	<10	35	<10	102			
F00051125		3	153	<20	<0.01	<10	<10	24	<10	524			
F00051126		3	118	<20	<0.01	<10	<10	29	<10	89			
F00051127		4	166	<20	<0.01	<10	<10	38	<10	191			
F00051128		4	198	<20	<0.01	<10	<10	41	<10	86			
F00051129		4	196	<20	<0.01	<10	<10	36	<10	100			
F00051130		5	141	<20	0.06	<10	<10	85	<10	1050			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	Au-GRA21 Au Check ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
F00051131		4.87	0.079			1.1	1.46	70	<10	190	<0.5	3	11.8	<0.5	12	5
F00051132		4.59	0.070			1.0	1.12	84	<10	170	<0.5	3	13.5	0.6	11	4
F00051133		2.36	0.210			3.7	0.83	248	<10	80	<0.5	2	8.4	72.5	12	4
F00051134		3.33	0.078			1.1	1.00	138	<10	60	<0.5	<2	3.21	7.0	14	3
F00051135		3.98	0.017			0.5	2.09	26	<10	170	<0.5	2	2.76	<0.5	14	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOD	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
F00051131		19	4.04	10	<1	0.28	10	0.77	2810	1	0.01	2	960	28	1.60	4
F00051132		18	3.47	10	<1	0.23	10	0.56	2730	1	0.01	1	860	14	1.75	5
F00051133		90	4.37	<10	1	0.26	<10	0.37	2120	3	<0.01	2	760	234	3.81	9
F00051134		19	5.11	<10	<1	0.33	<10	0.38	1200	5	<0.01	3	1000	326	4.08	2
F00051135		29	5.42	10	<1	0.32	10	1.00	1390	3	0.01	2	1090	18	1.67	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	1	20	0.01	10	10	1	10	2	1	0.001	0.001
F00051131		3	287	<20	<0.01	<10	<10	34	<10	100			
F00051132		2	226	<20	<0.01	<10	<10	23	<10	99			
F00051133		2	144	<20	<0.01	<10	<10	18	<10	8940			
F00051134		3	91	<20	<0.01	<10	<10	19	<10	799			
F00051135		4	58	<20	0.01	<10	<10	40	<10	90			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177344

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

CERTIFICATE TR20179743

Project: Premier

This report is for 157 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00073846		4.74	<0.005	3.1	1.13	4	<10	150	0.7	<2	1.00	2.3	6	6	18	3.00
C00073847		4.80	<0.005	2.2	1.46	4	<10	190	0.7	<2	2.03	1.4	5	7	18	3.31
C00073848		2.21	0.005	2.3	0.91	6	<10	160	0.7	<2	0.29	1.6	5	4	36	2.12
C00073849		3.73	0.040	22.1	0.88	8	<10	80	0.7	<2	0.68	5.3	5	5	37	2.46
C00073850		0.13	1.250	90.2	1.54	32	10	170	<0.5	<2	3.13	8.6	17	18	966	3.45
C00073851		0.92	<0.005	1.8	1.30	4	<10	80	1.4	<2	2.80	2.1	6	5	24	3.46
C00073852		4.67	<0.005	0.2	0.91	<2	<10	610	0.6	<2	2.20	<0.5	6	11	4	1.95
C00073853		5.16	<0.005	0.2	0.95	<2	<10	450	0.6	<2	2.32	<0.5	5	10	<1	1.85
C00073854		4.71	<0.005	1.5	0.84	<2	<10	270	0.6	<2	1.57	<0.5	5	8	7	1.69
C00073855		4.04	0.006	12.4	1.26	6	<10	70	0.7	<2	1.54	5.7	6	5	56	2.88
C00073856		4.24	<0.005	0.8	1.95	3	<10	80	0.8	<2	2.07	<0.5	6	7	18	3.45
C00073857		4.80	<0.005	0.6	1.63	4	<10	90	1.0	<2	1.29	<0.5	6	5	20	2.93
C00073858		2.61	<0.005	0.7	2.08	3	10	90	1.0	<2	1.23	<0.5	6	7	24	3.82
C00073859		1.57	0.073	95.9	0.60	6	<10	60	0.5	<2	0.66	8.3	7	4	65	1.90
C00073860		0.88	<0.005	0.3	0.04	<2	<10	<10	<0.5	<2	20.4	<0.5	<1	<1	6	0.14
C00073861		2.20	0.011	27.0	0.50	5	<10	90	1.0	<2	0.73	0.6	8	2	63	1.33
C00073862		4.82	<0.005	1.9	1.89	3	<10	120	0.8	2	1.00	1.6	16	4	20	3.99
C00073863		4.74	<0.005	1.2	1.39	6	<10	130	0.9	<2	0.66	<0.5	14	5	26	4.27
C00073864		2.42	<0.005	1.0	0.85	3	<10	320	1.0	<2	1.98	2.0	9	<1	13	2.42
C00073865		2.59	0.006	2.5	0.94	6	<10	200	0.8	<2	3.20	5.7	7	1	11	2.11
C00073866		2.48	<0.005	0.3	1.00	7	<10	220	0.6	<2	3.30	<0.5	6	1	9	2.13
C00073867		3.75	<0.005	0.6	0.51	5	<10	280	0.8	<2	2.38	0.5	4	1	7	1.28
C00073868		2.50	0.065	8.3	0.50	3	<10	160	0.8	<2	1.04	1.5	3	1	33	1.46
C00073869		2.25	<0.005	1.6	0.46	4	<10	600	0.7	<2	1.77	<0.5	5	1	10	1.60
C00073870		0.13	0.647	9.6	1.25	822	20	110	<0.5	22	3.17	6.1	46	24	6730	3.60
C00073871		1.30	<0.005	0.3	0.44	3	<10	450	0.6	<2	2.23	0.5	4	1	12	1.62
C00073872		1.42	<0.005	0.4	0.45	2	<10	150	0.6	<2	1.55	<0.5	4	2	9	1.62
C00073873		2.98	<0.005	0.5	0.53	2	<10	280	0.8	<2	1.06	<0.5	4	1	8	1.69
C00073874		4.86	<0.005	0.4	0.78	3	<10	210	0.9	<2	0.82	<0.5	5	1	9	1.83
C00073875		4.23	0.006	0.8	0.68	2	<10	200	1.0	<2	1.25	<0.5	5	1	25	1.59
C00073876		2.62	<0.005	0.8	0.87	3	<10	210	0.7	<2	0.98	<0.5	5	5	9	1.54
C00073877		2.25	0.029	21.3	0.83	4	<10	80	<0.5	<2	0.91	19.6	5	8	13	2.03
C00073878		4.74	0.026	1.5	0.71	2	<10	320	0.8	<2	1.31	<0.5	4	1	12	1.12
C00073879		4.23	<0.005	0.4	1.05	2	<10	490	0.6	<2	1.26	<0.5	6	1	10	1.54
C00073880		0.90	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	19.4	<0.5	<1	<1	1	0.12
C00073881		4.50	<0.005	1.7	0.90	5	<10	500	1.0	<2	2.03	<0.5	17	4	18	4.06
C00073882		4.54	<0.005	0.2	0.74	3	<10	880	0.9	<2	1.98	0.6	16	4	18	4.19
C00073883		4.61	0.011	2.4	1.70	8	<10	430	0.6	<2	1.30	<0.5	21	5	45	4.41
C00073884		5.52	0.042	11.0	1.45	7	<10	410	0.6	2	1.42	0.6	18	5	42	4.81
C00073885		4.92	0.007	1.6	1.64	6	<10	480	0.6	<2	2.03	0.6	19	5	36	4.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00073846		<10	<1	0.26	30	0.32	532	1	0.03	5	530	59	0.18	<2	2	77
C00073847		10	1	0.25	30	0.42	492	1	0.03	6	540	54	0.10	<2	2	129
C00073848		<10	<1	0.32	30	0.22	496	5	0.01	5	520	77	0.26	<2	1	38
C00073849		<10	1	0.29	20	0.27	829	8	<0.01	4	370	240	0.37	4	1	55
C00073850		10	1	0.14	<10	1.39	912	13	0.09	10	1010	4500	1.00	64	5	147
C00073851		<10	1	0.39	30	0.46	1330	1	<0.01	7	580	99	0.17	<2	2	120
C00073852		10	1	0.25	20	0.57	340	1	0.05	4	830	8	0.01	<2	2	171
C00073853		10	1	0.24	20	0.57	327	<1	0.05	5	840	11	0.01	<2	2	189
C00073854		10	<1	0.29	20	0.48	533	1	0.04	3	830	23	0.04	<2	2	117
C00073855		<10	<1	0.28	30	0.70	1035	1	0.02	6	490	233	0.10	<2	2	83
C00073856		10	<1	0.24	30	1.09	1100	<1	0.02	7	500	15	0.01	<2	2	100
C00073857		10	1	0.32	30	1.00	754	<1	0.01	8	500	24	0.04	<2	2	75
C00073858		10	<1	0.32	30	1.34	889	<1	<0.01	10	530	27	0.02	<2	2	79
C00073859		<10	<1	0.27	10	0.35	1100	3	<0.01	4	30	265	0.36	7	2	59
C00073860		<10	2	0.02	<10	12.30	130	1	<0.01	<1	20	2	<0.01	3	<1	47
C00073861		<10	<1	0.34	20	0.29	699	2	<0.01	5	110	360	0.31	<2	2	92
C00073862		10	1	0.29	20	1.08	830	<1	<0.01	6	220	36	0.03	<2	3	94
C00073863		<10	1	0.32	20	0.78	979	<1	<0.01	7	440	24	0.05	<2	4	79
C00073864		<10	1	0.38	20	0.92	1270	1	0.01	2	620	72	0.13	<2	2	235
C00073865		<10	1	0.38	20	0.69	1400	2	0.01	2	590	203	0.09	2	2	189
C00073866		<10	1	0.38	20	0.63	1090	2	0.01	2	570	24	0.06	3	2	184
C00073867		<10	<1	0.39	20	0.53	968	<1	0.01	1	610	38	0.01	<2	2	196
C00073868		<10	<1	0.39	10	0.37	1160	4	0.01	1	620	6400	0.39	4	1	120
C00073869		<10	1	0.37	20	0.63	1180	<1	0.01	<1	550	51	0.01	<2	2	257
C00073870		10	<1	0.15	10	0.43	629	291	0.11	23	660	71	1.21	17	2	134
C00073871		<10	<1	0.36	10	0.66	1270	1	0.01	2	480	32	0.01	2	2	255
C00073872		<10	<1	0.32	10	0.52	976	1	<0.01	<1	550	27	0.02	<2	1	191
C00073873		<10	<1	0.39	20	0.50	776	<1	0.01	1	650	21	0.07	<2	2	149
C00073874		<10	<1	0.38	20	0.54	627	<1	0.02	1	630	26	0.02	<2	2	131
C00073875		<10	<1	0.37	20	0.52	1030	1	0.01	1	630	30	0.13	<2	1	148
C00073876		<10	<1	0.29	20	0.64	672	<1	0.04	1	720	27	0.02	<2	1	140
C00073877		<10	1	0.16	20	0.65	784	1	0.05	1	520	583	0.28	2	1	120
C00073878		<10	1	0.39	20	0.42	565	1	0.01	1	610	26	0.06	<2	1	211
C00073879		<10	<1	0.38	20	0.54	432	<1	0.02	2	590	15	0.01	2	2	302
C00073880		<10	2	0.01	<10	11.70	119	<1	<0.01	<1	10	2	<0.01	2	<1	47
C00073881		<10	1	0.40	10	1.41	1720	<1	0.01	6	1220	15	0.19	4	7	257
C00073882		<10	<1	0.38	10	0.88	1120	<1	0.03	6	1590	26	0.06	3	10	342
C00073883		<10	<1	0.37	10	1.73	1390	<1	0.03	7	1480	10	0.54	<2	5	124
C00073884		<10	<1	0.40	10	1.46	1340	<1	0.02	7	1130	17	0.66	2	6	137
C00073885		<10	<1	0.39	10	1.65	1500	<1	0.02	7	900	35	0.26	3	7	265

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00073846		<20	<0.01	<10	<10	11	<10	287			
C00073847		<20	<0.01	<10	<10	15	<10	210			
C00073848		<20	<0.01	<10	<10	9	<10	195			
C00073849		<20	<0.01	<10	<10	7	<10	481			
C00073850		<20	0.06	<10	<10	90	<10	1105			
C00073851		<20	<0.01	<10	<10	10	<10	250			
C00073852		<20	0.01	<10	<10	23	<10	39			
C00073853		<20	<0.01	<10	<10	25	<10	42			
C00073854		<20	<0.01	<10	<10	17	<10	45			
C00073855		<20	<0.01	<10	<10	14	<10	502			
C00073856		<20	<0.01	<10	<10	20	<10	151			
C00073857		<20	<0.01	<10	<10	11	<10	133			
C00073858		<20	<0.01	<10	<10	13	<10	168			
C00073859		<20	<0.01	<10	<10	4	<10	697			
C00073860		<20	<0.01	<10	<10	1	<10	4			
C00073861		<20	<0.01	<10	<10	5	<10	58			
C00073862		<20	<0.01	<10	<10	13	<10	212			
C00073863		<20	<0.01	<10	<10	14	<10	120			
C00073864		<20	<0.01	<10	<10	7	<10	202			
C00073865		<20	<0.01	<10	<10	10	<10	508			
C00073866		<20	<0.01	<10	<10	12	<10	47			
C00073867		<20	<0.01	<10	<10	6	<10	52			
C00073868		<20	<0.01	<10	<10	6	<10	124			
C00073869		<20	<0.01	<10	<10	6	<10	62			
C00073870		<20	0.08	<10	<10	44	10	1005			
C00073871		<20	<0.01	<10	<10	7	<10	61			
C00073872		<20	<0.01	<10	<10	7	<10	57			
C00073873		<20	<0.01	<10	<10	6	<10	41			
C00073874		<20	<0.01	<10	<10	9	<10	54			
C00073875		<20	<0.01	<10	<10	8	<10	50			
C00073876		<20	<0.01	<10	<10	17	<10	44			
C00073877		<20	<0.01	<10	<10	21	<10	1700			
C00073878		<20	<0.01	<10	<10	7	<10	45			
C00073879		<20	0.01	<10	<10	14	<10	43			
C00073880		<20	<0.01	<10	<10	<1	<10	3			
C00073881		<20	0.01	<10	<10	28	<10	107			
C00073882		<20	0.02	<10	<10	38	<10	99			
C00073883		<20	0.01	<10	<10	30	<10	113			
C00073884		<20	0.01	<10	<10	31	<10	96			
C00073885		<20	0.01	<10	<10	30	<10	97			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00073886		4.50	0.010	1.3	1.42	7	<10	280	0.6	<2	1.39	<0.5	17	3	41	4.03
C00073887		4.78	0.011	1.2	1.07	7	<10	330	0.7	<2	1.31	<0.5	15	4	30	4.70
C00073888		4.96	0.024	4.2	1.42	9	<10	220	0.7	<2	1.24	0.6	18	5	123	4.49
C00073889		4.97	0.016	3.7	1.80	3	<10	400	0.6	<2	1.64	0.7	16	4	52	3.70
C00073890		0.13	1.170	85.2	1.48	29	10	160	<0.5	<2	3.05	8.1	15	16	907	3.39
C00073891		5.51	<0.005	0.6	2.50	4	<10	860	0.5	<2	2.77	<0.5	19	6	34	5.06
F00051136		4.39	0.010	0.2	2.79	28	<10	210	<0.5	<2	4.20	0.6	16	6	11	5.97
F00051137		4.58	0.026	0.2	2.58	38	<10	220	<0.5	<2	3.75	<0.5	17	6	6	5.47
F00051138		4.82	0.018	0.3	2.56	20	<10	210	<0.5	<2	2.95	<0.5	16	5	27	5.78
F00051139		4.98	0.027	0.3	2.61	28	<10	170	<0.5	<2	4.65	<0.5	16	6	21	5.85
F00051140		0.85	<0.005	0.2	0.04	<2	<10	10	<0.5	<2	21.2	<0.5	<1	<1	1	0.15
F00051141		5.24	0.019	0.5	2.68	47	<10	180	<0.5	<2	4.01	<0.5	16	6	28	5.99
F00051142		5.29	0.025	0.6	2.55	35	<10	200	<0.5	<2	3.77	<0.5	16	5	31	5.56
F00051143		4.53	0.023	0.6	2.60	38	<10	210	<0.5	<2	4.68	<0.5	16	5	21	5.73
F00051144		4.89	0.469	1.6	1.30	287	<10	80	<0.5	<2	5.14	5.8	14	4	54	5.27
F00051145		5.08	0.489	1.6	1.67	237	<10	100	<0.5	<2	3.93	1.7	17	4	37	5.85
F00051146		4.60	0.532	1.3	2.00	270	<10	170	<0.5	<2	3.95	1.1	16	5	22	5.07
F00051147		2.48	0.144	1.0	1.95	141	<10	180	<0.5	<2	4.60	2.3	16	5	21	5.34
F00051148		3.05	0.663	3.6	0.60	420	<10	50	<0.5	<2	3.15	212	13	3	88	4.58
F00051149		3.05	0.228	3.4	0.36	280	<10	40	<0.5	<2	2.44	55.8	9	4	84	3.90
F00051150		0.14	7.91	>100	1.58	636	<10	20	<0.5	3	3.83	134.0	18	45	2120	5.28
F00051151		2.46	0.215	1.2	1.25	163	<10	90	0.5	<2	6.24	1.4	15	3	20	4.90
F00051152		3.45	0.191	1.5	2.27	162	<10	160	<0.5	<2	5.07	1.1	16	5	23	5.59
F00051153		3.63	2.08	2.5	1.69	940	<10	140	<0.5	<2	4.57	0.8	15	4	24	5.31
F00051154		3.85	0.667	1.6	1.87	419	<10	150	<0.5	<2	5.66	0.6	14	4	18	5.18
F00051155		4.59	0.083	1.4	2.53	116	<10	170	<0.5	<2	4.28	0.6	19	5	32	6.02
F00051156		4.80	8.17	5.9	2.00	442	<10	150	<0.5	<2	4.59	1.5	15	5	27	5.38
F00051157		4.85	0.386	1.8	1.96	262	<10	150	<0.5	<2	4.05	0.8	16	4	29	5.52
F00051158		2.23	0.397	1.9	1.88	329	<10	100	<0.5	<2	3.42	27.3	14	4	28	5.37
F00051159		3.97	0.737	2.5	1.08	506	<10	140	<0.5	<2	5.88	5.8	11	5	28	3.85
F00051160		0.91	<0.005	<0.2	0.04	2	<10	10	<0.5	<2	20.5	<0.5	<1	<1	<1	0.15
F00051161		2.89	0.459	2.2	0.20	136	<10	70	<0.5	<2	10.9	1.4	3	5	8	1.23
F00051162		3.11	0.326	2.7	0.52	157	<10	60	<0.5	<2	5.76	20.9	13	3	25	4.08
F00051163		2.48	0.094	1.3	1.14	135	<10	110	<0.5	<2	6.14	4.8	13	3	18	4.26
F00051164		3.59	0.116	0.9	1.74	67	<10	80	<0.5	<2	4.18	0.6	18	7	24	5.56
F00051165		2.40	0.060	0.9	0.87	103	<10	100	<0.5	<2	7.2	0.7	13	3	12	4.33
F00051166		3.50	0.015	0.7	2.57	34	<10	190	0.5	<2	4.17	0.5	17	8	16	5.57
F00051167		3.99	0.015	0.9	2.64	38	<10	210	0.5	3	2.93	1.5	16	6	19	5.61
F00051168		2.32	0.313	1.3	2.09	105	<10	190	<0.5	<2	3.19	0.8	14	5	18	4.87
F00051169		2.77	0.060	0.9	1.94	96	<10	160	<0.5	<2	3.97	0.9	14	4	22	4.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00073886		<10	<1	0.40	10	1.25	1170	<1	0.03	5	1220	7	0.70	<2	5	109
C00073887		<10	<1	0.44	10	1.02	1170	<1	0.02	7	850	10	0.72	<2	5	125
C00073888		<10	<1	0.42	10	1.21	1380	<1	0.01	8	980	102	0.98	<2	5	114
C00073889		<10	<1	0.41	10	1.46	1410	<1	0.01	5	960	1275	0.33	2	5	184
C00073890		<10	<1	0.13	<10	1.35	865	11	0.09	11	1010	4440	1.01	64	5	143
C00073891		10	<1	0.37	10	1.68	1520	1	0.03	7	1170	9	0.22	<2	6	462
F00051136		10	<1	0.29	10	1.60	1700	<1	0.01	2	1200	6	0.84	3	5	102
F00051137		10	<1	0.31	10	1.52	1450	<1	0.01	2	1260	5	0.95	3	5	90
F00051138		10	<1	0.30	10	1.34	1350	<1	0.02	2	1300	14	1.10	<2	5	74
F00051139		10	<1	0.28	10	1.46	1590	<1	0.01	3	1380	13	1.06	2	5	109
F00051140		<10	1	0.01	<10	12.80	133	<1	0.01	2	20	3	0.01	2	<1	54
F00051141		10	<1	0.28	10	1.60	1600	1	0.02	3	1380	10	1.21	3	5	97
F00051142		10	<1	0.29	10	1.52	1530	<1	0.01	2	1280	7	1.05	3	5	84
F00051143		10	<1	0.29	10	1.54	1710	<1	0.01	3	1320	9	1.16	<2	5	110
F00051144		<10	<1	0.32	<10	0.62	1910	2	0.01	2	1200	192	3.93	4	3	129
F00051145		<10	<1	0.33	<10	0.84	1890	1	0.01	3	1340	68	3.74	4	4	95
F00051146		<10	<1	0.34	10	1.08	2010	1	0.01	3	1390	58	2.07	2	4	95
F00051147		<10	<1	0.40	10	0.99	2390	1	0.01	3	1460	98	2.59	2	4	106
F00051148		<10	4	0.33	<10	0.15	1200	1	0.01	2	1100	208	6.06	3	2	77
F00051149		<10	1	0.27	<10	0.03	660	26	<0.01	2	780	82	4.55	3	1	69
F00051150		10	15	0.21	<10	1.46	781	55	0.07	223	680	>10000	4.33	775	3	49
F00051151		<10	<1	0.35	<10	0.55	2020	3	0.01	2	1360	50	3.64	3	3	189
F00051152		10	<1	0.33	10	1.23	2310	<1	0.01	2	1410	45	1.86	2	4	126
F00051153		<10	<1	0.34	<10	0.85	1910	<1	0.01	2	1260	21	2.91	5	3	113
F00051154		<10	<1	0.33	<10	0.92	1990	<1	0.01	2	1210	14	2.24	4	4	129
F00051155		10	<1	0.39	10	1.38	1990	<1	0.01	2	1490	17	1.91	3	5	116
F00051156		10	<1	0.37	10	1.07	2210	<1	0.01	2	1340	44	2.38	3	4	122
F00051157		<10	<1	0.37	10	1.05	2010	1	0.01	2	1410	27	2.69	4	3	117
F00051158		<10	<1	0.39	10	0.96	2110	1	0.01	2	1350	101	2.78	3	3	111
F00051159		<10	<1	0.34	<10	0.46	2010	1	0.01	2	1020	98	2.75	4	2	155
F00051160		<10	<1	0.01	<10	12.05	128	<1	<0.01	2	20	<2	0.01	<2	<1	50
F00051161		<10	<1	0.14	<10	0.05	2640	<1	0.01	1	290	80	1.13	<2	1	293
F00051162		<10	<1	0.33	<10	0.13	1485	1	<0.01	3	980	289	4.52	5	2	172
F00051163		<10	<1	0.34	<10	0.50	1500	1	<0.01	3	1180	46	3.31	3	3	142
F00051164		<10	<1	0.37	<10	0.84	1230	1	<0.01	3	1420	18	3.42	4	4	88
F00051165		<10	<1	0.33	<10	0.35	1705	4	<0.01	2	1120	21	3.86	5	3	203
F00051166		10	<1	0.34	10	1.32	1735	<1	<0.01	2	1550	10	1.08	2	5	117
F00051167		10	<1	0.34	10	1.38	1750	<1	<0.01	2	1450	23	0.80	3	5	71
F00051168		<10	<1	0.31	10	1.12	1605	1	<0.01	3	1330	18	1.23	3	3	97
F00051169		<10	<1	0.31	<10	0.98	1725	2	<0.01	3	1290	16	1.74	2	3	160

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00073886		<20	0.01	<10	<10	26	<10	80			
C00073887		<20	0.01	<10	<10	27	<10	81			
C00073888		<20	<0.01	<10	<10	24	<10	117			
C00073889		<20	0.01	<10	<10	25	<10	117			
C00073890		<20	0.06	<10	<10	84	<10	1050			
C00073891		<20	0.02	<10	<10	37	<10	118			
F00051136		<20	0.01	<10	<10	51	<10	107			
F00051137		<20	<0.01	<10	<10	45	<10	92			
F00051138		<20	<0.01	<10	<10	48	<10	106			
F00051139		<20	0.01	<10	<10	56	<10	106			
F00051140		<20	<0.01	<10	<10	1	<10	4			
F00051141		<20	0.01	<10	<10	54	<10	104			
F00051142		<20	0.01	<10	<10	48	<10	98			
F00051143		<20	0.01	<10	<10	46	<10	102			
F00051144		<20	<0.01	<10	<10	24	<10	709			
F00051145		<20	<0.01	<10	<10	38	<10	208			
F00051146		<20	0.01	<10	<10	38	<10	169			
F00051147		<20	<0.01	<10	<10	40	<10	330			
F00051148		<20	<0.01	<10	<10	14	<10	>10000			2.44
F00051149		<20	<0.01	<10	<10	8	<10	6750			
F00051150		<20	0.05	10	<10	60	20	>10000	330	2.33	2.33
F00051151		<20	<0.01	<10	<10	23	<10	169			
F00051152		<20	<0.01	<10	<10	38	<10	147			
F00051153		<20	<0.01	<10	<10	31	<10	93			
F00051154		<20	0.01	<10	<10	36	<10	91			
F00051155		<20	0.01	<10	<10	50	<10	103			
F00051156		<20	<0.01	<10	<10	39	<10	194			
F00051157		<20	<0.01	<10	<10	36	<10	123			
F00051158		<20	<0.01	<10	<10	35	<10	3490			
F00051159		<20	<0.01	<10	<10	22	<10	654			
F00051160		<20	<0.01	<10	<10	1	<10	12			
F00051161		<20	<0.01	<10	<10	4	<10	180			
F00051162		<20	<0.01	<10	<10	12	<10	2570			
F00051163		<20	<0.01	<10	<10	22	<10	621			
F00051164		<20	<0.01	<10	<10	36	<10	112			
F00051165		<20	<0.01	<10	<10	17	<10	101			
F00051166		<20	0.01	<10	<10	51	<10	101			
F00051167		<20	0.01	<10	<10	45	<10	268			
F00051168		<20	<0.01	<10	<10	38	<10	184			
F00051169		<20	0.01	<10	<10	35	<10	121			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
F00051170		0.13	1.185	89.5	1.58	31	10	170	<0.5	<2	3.17	8.7	17	17	923	3.48
F00051171		3.86	0.163	3.0	0.30	150	<10	100	<0.5	<2	14.0	34.2	6	3	28	2.62
F00051172		2.50	0.109	2.5	0.78	159	<10	40	<0.5	<2	6.79	4.2	15	2	19	4.71
F00051173		4.77	0.127	1.0	2.25	56	<10	200	<0.5	<2	4.92	1.8	15	6	29	4.87
F00051174		3.57	0.063	1.5	2.31	57	<10	160	<0.5	<2	3.59	28.7	17	6	30	5.62
F00051175		3.95	0.035	1.5	2.03	60	<10	150	<0.5	<2	3.48	2.9	13	8	12	4.46
F00051176		3.92	0.087	3.3	2.83	20	<10	220	<0.5	<2	3.75	1.8	16	11	36	5.35
F00051177		4.81	0.012	0.8	2.85	18	<10	180	<0.5	<2	3.95	<0.5	17	10	29	5.59
F00051178		4.84	0.108	0.9	2.15	84	<10	160	<0.5	<2	3.70	0.5	15	12	17	5.30
F00051179		4.44	0.038	0.8	2.60	44	<10	200	<0.5	<2	3.98	0.8	17	10	31	5.38
F00051180		0.93	<0.005	0.2	0.04	<2	<10	10	<0.5	<2	21.2	<0.5	1	<1	1	0.16
F00051181		4.99	0.035	0.8	2.79	39	<10	190	<0.5	<2	3.61	1.4	16	9	26	5.64
F00051182		5.17	0.017	1.0	2.69	25	<10	170	<0.5	<2	2.98	4.1	16	10	26	5.48
F00051183		4.82	0.150	1.0	2.24	21	<10	170	<0.5	<2	3.43	10.7	14	8	31	5.04
F00051184		5.25	0.192	0.8	2.52	27	<10	170	<0.5	<2	4.37	4.5	14	9	31	5.23
F00051185		4.49	0.093	1.5	2.62	21	<10	190	<0.5	<2	4.28	16.3	13	9	35	5.45
F00051186		2.64	0.129	2.1	2.23	58	<10	160	<0.5	<2	3.96	7.5	15	8	26	5.25
F00051187		3.14	0.396	3.1	0.65	336	<10	50	<0.5	<2	8.2	28.5	11	3	25	4.24
F00051188		2.28	0.269	2.1	1.78	137	<10	120	<0.5	<2	2.41	13.7	14	7	32	4.72
F00051189		2.39	0.185	1.9	2.09	74	<10	200	<0.5	<2	4.04	7.5	14	8	42	5.00
F00051190		0.12	0.684	9.6	1.15	782	10	100	<0.5	21	3.07	5.9	43	23	6450	3.52
F00051191		2.43	0.160	1.4	1.49	69	<10	170	<0.5	<2	4.66	7.5	10	6	30	3.99
F00051192		2.67	0.394	1.7	1.85	126	<10	110	<0.5	<2	3.10	9.8	12	9	23	4.97
F00051193		2.94	0.615	2.2	1.92	55	<10	180	<0.5	2	2.87	24.8	12	9	31	4.59
F00051194		2.46	0.221	1.7	2.16	37	<10	160	<0.5	<2	1.67	12.4	14	9	43	4.75
F00051195		3.84	3.88	4.7	0.98	152	<10	100	<0.5	<2	2.01	19.0	9	6	41	3.77
F00051196		2.31	0.281	1.4	0.92	112	<10	220	<0.5	<2	5.95	4.8	7	1	25	2.52
F00051197		4.68	0.101	0.9	1.32	80	<10	200	<0.5	<2	5.61	2.3	10	1	17	3.23
F00051198		4.84	0.043	0.7	1.60	158	<10	170	<0.5	<2	6.50	2.0	11	1	18	3.26
F00051199		4.48	0.084	1.2	1.10	24	10	240	<0.5	2	4.37	1.9	10	1	44	2.46
F00051200		0.88	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	19.8	<0.5	<1	<1	2	0.12
F00051201		4.27	0.153	1.4	1.23	32	<10	190	<0.5	<2	3.78	3.6	12	1	55	3.18
F00051202		4.43	0.287	1.9	0.78	172	<10	240	<0.5	<2	5.36	1.8	11	1	39	2.28
F00051203		3.82	0.310	3.4	0.54	171	<10	140	<0.5	<2	2.28	19.6	14	2	69	3.60
F00051204		5.02	0.029	0.7	0.62	25	10	200	<0.5	<2	3.57	<0.5	12	1	7	2.52
F00051205		3.99	0.046	0.7	0.62	20	10	190	<0.5	<2	3.80	<0.5	12	1	9	3.65
F00051206		4.75	0.020	0.5	0.63	24	<10	200	<0.5	<2	3.82	0.6	9	1	9	2.93
F00051207		4.15	0.199	4.0	0.81	24	<10	190	<0.5	<2	3.54	<0.5	10	<1	20	3.25
F00051208		4.63	0.025	1.1	1.58	15	<10	200	<0.5	<2	4.11	4.5	9	1	16	3.52
F00051209		4.82	0.072	1.3	1.82	25	<10	200	<0.5	<2	4.06	2.6	10	<1	14	4.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
F00051170		10	<1	0.14	<10	1.42	891	12	0.10	11	1060	4630	1.06	62	5	155
F00051171		<10	1	0.20	<10	0.10	3850	2	<0.01	1	510	351	2.82	3	1	267
F00051172		<10	<1	0.32	<10	0.32	2150	77	<0.01	3	1200	161	4.48	6	2	218
F00051173		<10	<1	0.35	10	1.23	2390	2	0.01	4	1340	62	1.26	4	4	167
F00051174		10	<1	0.36	10	1.29	2060	1	0.01	4	1360	41	2.18	4	4	123
F00051175		<10	<1	0.29	10	1.21	2330	1	0.01	4	1130	28	0.99	<2	4	143
F00051176		10	<1	0.29	10	1.92	3290	1	0.01	5	1350	84	0.41	<2	6	139
F00051177		10	<1	0.31	10	1.81	3190	1	0.02	4	1340	20	0.39	<2	6	167
F00051178		10	<1	0.23	10	1.41	2620	1	0.03	4	1270	29	1.66	<2	6	172
F00051179		10	<1	0.27	10	1.75	3310	1	0.02	5	1340	45	0.83	4	6	179
F00051180		<10	<1	0.01	<10	12.35	137	<1	<0.01	1	30	3	0.02	2	<1	55
F00051181		10	<1	0.32	10	1.74	3360	1	0.02	3	1360	91	0.64	<2	6	253
F00051182		10	<1	0.31	10	1.64	3310	1	0.01	5	1380	82	0.65	2	6	142
F00051183		10	<1	0.34	10	1.54	3760	1	0.01	3	1240	105	0.48	<2	6	150
F00051184		10	<1	0.29	10	1.56	4310	1	0.01	4	1260	80	0.61	3	6	224
F00051185		10	<1	0.29	10	1.78	4940	1	0.01	4	1230	230	0.64	3	6	191
F00051186		10	<1	0.31	10	1.32	4220	2	<0.01	4	1230	128	1.56	5	5	158
F00051187		<10	<1	0.29	<10	0.25	3210	5	<0.01	3	830	365	4.27	7	2	193
F00051188		10	<1	0.33	10	0.93	2440	2	0.01	4	1260	250	2.04	3	4	100
F00051189		10	<1	0.29	10	1.21	3380	1	0.01	5	1170	150	1.45	2	6	172
F00051190		10	<1	0.15	10	0.41	596	277	0.11	22	620	70	1.18	15	2	127
F00051191		<10	<1	0.27	10	1.03	3890	2	<0.01	2	970	117	1.15	3	6	228
F00051192		10	<1	0.25	10	1.15	3680	2	<0.01	4	1030	209	1.98	4	5	113
F00051193		10	<1	0.21	10	1.25	3950	3	<0.01	4	1020	358	1.41	3	5	117
F00051194		10	<1	0.27	10	1.30	3310	1	<0.01	4	1180	417	0.94	<2	5	82
F00051195		<10	<1	0.31	<10	0.45	1905	1	0.01	3	760	366	2.60	3	2	103
F00051196		<10	<1	0.45	10	0.24	2750	1	0.01	1	1130	195	1.35	2	1	372
F00051197		<10	<1	0.46	10	0.33	2450	<1	0.01	2	1220	46	1.16	2	2	185
F00051198		<10	1	0.42	10	0.50	2850	1	<0.01	3	1200	62	0.40	5	3	205
F00051199		<10	<1	0.43	10	0.32	2230	2	0.02	3	1260	122	0.47	3	3	168
F00051200		<10	1	0.01	<10	11.55	123	<1	<0.01	<1	20	5	<0.01	3	<1	48
F00051201		<10	1	0.41	10	0.44	2190	1	0.02	3	1200	221	0.57	2	3	178
F00051202		<10	1	0.45	10	0.26	2380	1	0.01	3	1160	67	1.19	4	3	218
F00051203		<10	1	0.38	<10	0.24	1295	1	0.01	4	930	356	2.67	6	2	119
F00051204		<10	1	0.45	10	0.30	1370	1	0.01	2	1280	10	0.68	3	3	225
F00051205		<10	<1	0.43	10	0.32	1785	1	0.01	2	1210	10	0.58	3	3	234
F00051206		<10	1	0.46	10	0.27	1765	1	0.01	1	1290	23	0.35	3	3	133
F00051207		<10	1	0.42	10	0.26	1810	1	0.01	2	1050	22	0.40	2	2	102
F00051208		<10	1	0.38	10	0.35	1760	1	0.01	2	1200	201	0.50	2	2	108
F00051209		<10	1	0.40	10	0.42	2010	2	0.01	2	1220	115	0.86	3	2	90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
F00051170		<20	0.06	<10	<10	91	<10	1090			
F00051171		<20	<0.01	<10	<10	7	<10	4030			
F00051172		<20	<0.01	<10	<10	14	<10	478			
F00051173		<20	0.01	<10	<10	39	<10	289			
F00051174		<20	0.01	<10	<10	40	<10	3440			
F00051175		<20	<0.01	<10	<10	41	<10	278			
F00051176		<20	0.01	<10	<10	76	10	305			
F00051177		<20	0.01	<10	<10	80	<10	133			
F00051178		<20	0.01	<10	<10	83	<10	128			
F00051179		<20	0.01	<10	<10	76	<10	189			
F00051180		<20	<0.01	<10	<10	1	<10	6			
F00051181		<20	0.01	<10	<10	76	<10	277			
F00051182		<20	0.01	<10	<10	75	<10	646			
F00051183		<20	0.01	<10	<10	63	<10	1470			
F00051184		<20	0.01	<10	<10	70	<10	666			
F00051185		<20	<0.01	<10	<10	68	<10	2210			
F00051186		<20	0.01	<10	<10	63	<10	1050			
F00051187		<20	<0.01	<10	<10	15	<10	3420			
F00051188		<20	<0.01	<10	<10	53	<10	1730			
F00051189		<20	0.01	<10	<10	70	<10	1010			
F00051190		<20	0.07	<10	<10	42	<10	968			
F00051191		<20	<0.01	<10	<10	49	<10	988			
F00051192		<20	<0.01	<10	<10	69	<10	1300			
F00051193		<20	<0.01	<10	<10	74	<10	3080			
F00051194		<20	<0.01	<10	<10	72	<10	1580			
F00051195		<20	<0.01	<10	<10	28	<10	2080			
F00051196		<20	<0.01	<10	<10	9	<10	572			
F00051197		<20	<0.01	<10	<10	19	<10	291			
F00051198		<20	<0.01	<10	<10	24	<10	291			
F00051199		<20	<0.01	<10	<10	24	<10	262			
F00051200		<20	<0.01	<10	<10	1	<10	5			
F00051201		<20	<0.01	<10	<10	29	<10	450			
F00051202		<20	<0.01	<10	<10	14	<10	218			
F00051203		<20	<0.01	<10	<10	9	<10	2240			
F00051204		<20	<0.01	<10	<10	8	<10	47			
F00051205		<20	<0.01	<10	<10	10	<10	59			
F00051206		<20	<0.01	<10	<10	9	<10	90			
F00051207		<20	<0.01	<10	<10	10	<10	87			
F00051208		<20	<0.01	<10	<10	24	<10	578			
F00051209		<20	<0.01	<10	<10	28	<10	380			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
F00051210		0.14	7.85	>100	1.51	631	10	30	<0.5	5	3.60	130.5	17	44	2070	4.94
F00051211		4.21	0.157	4.2	1.25	317	<10	210	<0.5	<2	4.63	13.1	7	1	25	3.45
F00051212		4.57	0.285	1.8	1.81	24	<10	230	<0.5	<2	2.60	27.8	7	1	51	4.39
F00051213		4.67	0.491	2.1	2.04	44	<10	220	<0.5	2	2.67	26.6	8	1	65	5.50
F00051214		1.19	0.269	1.1	0.92	71	<10	130	<0.5	2	3.91	<0.5	4	5	4	3.20
F00051215		1.14	0.178	0.8	0.81	69	<10	120	<0.5	<2	4.10	<0.5	4	4	3	3.03
F00051216		2.59	0.445	1.2	0.95	103	<10	170	<0.5	2	3.83	<0.5	4	3	5	3.78
F00051217		3.00	0.621	1.7	0.88	156	<10	170	<0.5	2	3.79	5.3	6	4	9	3.49
F00051218		4.99	0.197	1.6	1.54	110	10	190	<0.5	<2	3.72	3.4	10	1	14	3.83
F00051219		4.79	0.107	1.3	1.87	61	<10	180	<0.5	<2	4.01	1.2	10	1	21	4.42
F00051220		0.95	<0.005	0.2	0.04	<2	<10	10	<0.5	<2	19.4	<0.5	1	<1	1	0.13
F00051221		4.47	0.239	1.7	1.55	57	<10	170	<0.5	2	3.75	2.1	8	1	14	3.34
F00051222		4.46	0.074	0.9	1.81	42	10	170	<0.5	<2	3.93	0.5	9	1	15	3.92
F00051223		4.42	0.034	1.0	1.91	23	<10	190	<0.5	<2	3.59	0.9	9	1	13	4.07
F00051224		2.38	0.127	1.3	1.48	16	<10	160	<0.5	<2	3.63	0.7	8	1	22	2.97
F00051225		2.36	0.112	29.7	1.88	4200	<10	160	<0.5	<2	4.38	10.1	8	1	28	4.07
F00051226		4.61	0.013	0.6	2.06	28	10	170	<0.5	<2	3.79	0.7	9	1	9	4.30
F00051227		4.94	0.129	2.6	1.82	713	<10	150	<0.5	<2	5.16	16.4	8	1	21	3.95
F00051228		4.68	0.037	1.3	1.67	30	<10	150	<0.5	<2	3.67	3.4	8	1	15	3.43
F00051229		4.55	0.102	0.8	1.69	405	10	170	<0.5	<2	3.98	0.7	9	1	15	3.37
F00051230		0.13	1.290	94.8	1.58	33	10	180	<0.5	<2	3.11	8.8	17	18	961	3.50
F00051231		4.75	0.171	6.4	1.60	694	10	170	<0.5	<2	3.81	10.5	8	1	22	3.41
F00051232		4.37	0.135	2.4	2.27	348	<10	190	<0.5	<2	6.07	9.6	8	1	14	4.38
F00051233		5.09	0.225	3.4	1.65	192	<10	260	<0.5	<2	4.17	9.7	9	1	26	4.13
F00051234		4.67	0.860	7.1	1.54	164	<10	180	<0.5	<2	2.38	36.6	8	1	44	3.84
F00051235		4.71	0.046	1.6	1.59	28	<10	200	<0.5	<2	3.46	4.1	9	1	16	3.53
F00051236		4.68	0.211	2.2	1.74	172	10	190	<0.5	<2	3.68	12.9	8	1	21	3.78
F00051237		2.97	0.246	3.2	1.90	52	<10	170	<0.5	<2	1.97	37.2	9	1	30	4.42
F00051238		2.36	0.638	2.9	1.50	25	<10	150	<0.5	<2	5.97	26.0	7	1	18	3.63
F00051239		2.21	0.154	1.6	1.32	46	10	160	<0.5	<2	4.44	1.6	8	2	11	3.82
F00051240		0.86	<0.005	0.2	0.03	<2	<10	10	<0.5	2	19.5	<0.5	<1	<1	1	0.12
F00051241		2.42	0.204	7.8	1.43	313	<10	150	<0.5	<2	3.04	46.5	9	1	15	3.61
F00051242		2.71	0.234	3.2	0.90	571	<10	160	<0.5	<2	4.32	1.9	4	1	12	3.03
F00051243		2.44	0.085	3.9	0.66	160	<10	120	<0.5	<2	5.96	2.6	14	5	39	3.00
F00051244		4.21	0.050	5.3	1.17	242	<10	90	<0.5	2	8.7	2.4	16	26	69	3.89
F00051245		2.86	0.048	5.8	1.78	480	<10	110	<0.5	<2	5.71	2.7	21	45	121	4.90
F00051246		4.41	0.143	2.8	2.68	153	<10	170	<0.5	3	2.73	16.8	14	4	21	5.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
F00051210		10	15	0.19	<10	1.37	755	55	0.06	215	610	>10000	4.03	734	3	46
F00051211		<10	1	0.41	10	0.26	2340	1	0.01	2	970	562	1.44	5	2	104
F00051212		10	1	0.40	10	0.42	2940	2	0.02	3	1210	299	0.86	2	3	73
F00051213		10	1	0.42	10	0.52	3070	1	0.01	1	1080	305	1.46	3	3	113
F00051214		<10	1	0.37	<10	0.21	2400	2	0.01	1	450	26	1.70	3	1	94
F00051215		<10	1	0.35	<10	0.18	2420	2	<0.01	1	440	21	1.79	4	1	96
F00051216		<10	<1	0.47	<10	0.20	2270	1	0.01	1	780	34	2.67	2	1	120
F00051217		<10	1	0.40	<10	0.19	2120	1	<0.01	2	740	140	2.43	3	1	145
F00051218		<10	1	0.40	10	0.33	2090	1	0.01	2	1090	97	1.17	3	2	99
F00051219		10	<1	0.39	10	0.41	2260	1	0.01	3	1140	50	0.69	<2	3	114
F00051220		<10	1	0.02	<10	11.65	126	<1	<0.01	<1	20	3	<0.01	4	<1	47
F00051221		<10	1	0.38	10	0.40	1835	1	0.01	2	1080	171	0.66	2	2	99
F00051222		10	<1	0.40	10	0.42	1970	1	0.01	2	1150	26	0.46	<2	2	95
F00051223		10	<1	0.39	10	0.41	1750	1	0.01	3	1230	61	0.22	<2	3	88
F00051224		<10	<1	0.38	10	0.32	1625	1	0.01	2	1130	20	0.18	<2	2	101
F00051225		<10	1	0.35	10	0.54	2250	1	0.01	2	1020	534	0.42	21	2	94
F00051226		10	1	0.36	10	0.54	2140	1	0.02	3	1140	43	0.11	<2	3	98
F00051227		<10	1	0.38	10	0.50	2620	1	0.01	1	990	380	0.52	5	2	226
F00051228		<10	<1	0.37	10	0.49	1970	1	0.02	1	1060	210	0.41	3	2	196
F00051229		<10	<1	0.42	10	0.44	1900	1	0.01	2	1150	35	0.33	5	2	173
F00051230		10	1	0.14	<10	1.40	911	13	0.10	11	1000	4490	1.03	66	5	150
F00051231		<10	1	0.39	10	0.40	1875	1	0.02	3	1060	297	0.47	5	2	111
F00051232		10	1	0.37	10	0.91	3150	1	0.01	3	970	339	0.37	5	2	150
F00051233		<10	1	0.39	10	0.41	2090	2	0.01	4	1000	344	1.13	4	2	101
F00051234		<10	1	0.38	10	0.37	1695	1	0.01	4	1060	699	1.09	7	2	61
F00051235		<10	1	0.41	10	0.36	2000	1	0.02	1	1150	172	0.51	<2	2	83
F00051236		10	1	0.40	10	0.45	2380	1	0.02	2	1120	405	0.56	4	2	86
F00051237		10	1	0.37	10	0.64	2050	1	0.01	3	1060	548	1.14	4	2	64
F00051238		<10	1	0.32	<10	0.60	2820	1	<0.01	2	770	411	1.34	4	1	132
F00051239		<10	1	0.36	<10	0.41	1760	1	0.01	1	960	76	1.69	2	2	104
F00051240		<10	1	0.01	<10	11.65	127	1	<0.01	<1	10	8	0.03	4	<1	51
F00051241		<10	1	0.35	<10	0.56	1760	1	<0.01	2	940	982	1.60	8	1	72
F00051242		<10	<1	0.45	<10	0.25	1745	1	0.01	2	800	87	1.71	6	1	92
F00051243		<10	<1	0.32	<10	0.17	1625	2	<0.01	7	1030	79	2.54	6	3	128
F00051244		<10	1	0.27	<10	1.12	2490	1	0.01	14	1030	58	0.99	6	9	313
F00051245		10	1	0.26	<10	1.11	2510	2	<0.01	21	1320	82	1.73	6	11	168
F00051246		10	1	0.29	10	1.50	2690	1	0.02	2	1330	673	1.19	<2	4	103

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
F00051210		<20	0.05	10	<10	58	20	>10000	315	2.26	2.35
F00051211		<20	<0.01	<10	<10	17	<10	1595			
F00051212		<20	0.01	<10	<10	29	<10	3110			
F00051213		<20	0.01	<10	<10	32	<10	3040			
F00051214		<20	<0.01	<10	<10	11	<10	73			
F00051215		<20	<0.01	<10	<10	10	<10	50			
F00051216		<20	<0.01	<10	<10	14	<10	71			
F00051217		<20	<0.01	<10	<10	14	<10	688			
F00051218		<20	<0.01	<10	<10	23	<10	457			
F00051219		<20	<0.01	<10	<10	33	<10	205			
F00051220		<20	<0.01	<10	<10	<1	<10	4			
F00051221		<20	<0.01	<10	<10	22	<10	307			
F00051222		<20	<0.01	<10	<10	29	<10	125			
F00051223		<20	<0.01	<10	<10	34	<10	160			
F00051224		<20	<0.01	<10	<10	21	<10	131			
F00051225		<20	<0.01	<10	<10	23	<10	1285			
F00051226		<20	0.01	<10	<10	34	<10	145			
F00051227		<20	<0.01	<10	<10	27	<10	2050			
F00051228		<20	<0.01	<10	<10	26	<10	435			
F00051229		<20	<0.01	<10	<10	24	<10	129			
F00051230		<20	0.06	<10	<10	92	<10	1120			
F00051231		<20	<0.01	<10	<10	24	<10	1330			
F00051232		<20	<0.01	<10	<10	26	<10	1310			
F00051233		<20	<0.01	<10	<10	24	<10	1265			
F00051234		<20	0.01	<10	<10	23	<10	4600			
F00051235		<20	0.01	<10	<10	26	<10	553			
F00051236		<20	0.01	<10	<10	28	<10	1640			
F00051237		<20	0.01	<10	<10	28	<10	4600			
F00051238		<20	<0.01	<10	<10	16	<10	3300			
F00051239		<20	<0.01	<10	<10	19	<10	244			
F00051240		<20	<0.01	<10	<10	<1	<10	15			
F00051241		<20	<0.01	<10	<10	17	<10	5630			
F00051242		<20	<0.01	<10	<10	12	<10	282			
F00051243		<20	<0.01	<10	<10	18	<10	306			
F00051244		<20	<0.01	<10	<10	55	<10	296			
F00051245		<20	<0.01	<10	<10	95	<10	370			
F00051246		<20	0.01	<10	<10	50	<10	2040			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20179743

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

CERTIFICATE TR20183800

Project: Premier

This report is for 58 Drill Core samples submitted to our lab in Terrace, BC, Canada on 24-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20183800

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
F00051247		4.71	0.038	1.7	2.11	47	<10	190	0.7	<2	1.97	0.8	14	5	30	4.52
F00051248		4.99	0.022	1.2	1.89	36	<10	190	0.6	<2	1.69	1.4	15	5	26	4.55
F00051249		3.01	0.152	2.1	0.76	180	<10	60	0.5	<2	1.51	<0.5	13	3	25	3.86
F00051250		0.12	0.668	10.1	1.18	803	20	100	<0.5	21	3.07	6.1	44	23	6430	3.54
F00051251		3.27	0.295	2.3	1.09	228	<10	80	0.5	<2	2.89	0.6	17	5	43	4.90
F00051252		2.64	0.068	1.0	1.66	160	<10	160	<0.5	<2	3.49	0.5	13	4	27	4.63
F00051253		3.07	0.061	0.8	2.36	119	<10	150	<0.5	<2	3.96	<0.5	17	8	26	6.18
F00051254		6.07	0.021	0.5	2.85	68	<10	160	<0.5	<2	5.41	0.6	19	30	32	6.19
F00051255		4.96	0.038	1.2	2.28	52	<10	190	<0.5	<2	6.84	5.1	16	21	41	5.08
F00051256		4.30	<0.005	0.3	2.91	21	<10	160	<0.5	<2	5.11	<0.5	19	27	30	5.97
F00051257		4.85	0.020	0.6	2.36	33	<10	180	<0.5	<2	6.90	0.6	21	15	28	5.43
F00051258		3.76	0.017	0.5	2.33	46	<10	200	<0.5	<2	3.77	0.6	18	8	25	5.41
F00051259		4.21	0.354	2.2	0.86	374	<10	50	<0.5	<2	2.69	1.8	18	7	27	4.72
F00051260		0.84	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	20.2	<0.5	<1	<1	<1	0.14
F00051261		4.67	0.063	0.6	2.31	89	<10	210	<0.5	<2	3.38	<0.5	19	17	28	5.43
F00051262		5.03	0.069	1.1	2.20	149	<10	160	<0.5	<2	3.82	0.7	19	13	36	5.71
F00051263		3.07	0.108	1.1	1.87	292	<10	120	<0.5	<2	2.73	0.5	22	17	36	5.93
F00051264		2.86	0.241	3.2	0.63	390	<10	110	<0.5	<2	12.1	15.0	11	5	43	4.33
F00051265		2.84	0.226	1.8	0.52	190	<10	60	<0.5	<2	12.8	10.7	11	3	36	5.13
F00051266		2.86	0.093	1.5	0.46	96	<10	110	<0.5	<2	19.2	8.2	6	2	15	3.13
F00051267		2.74	0.138	1.4	0.85	244	<10	130	<0.5	<2	13.4	6.8	8	2	46	3.72
F00051268		2.87	0.153	5.4	0.39	225	<10	120	<0.5	2	14.6	44.0	7	2	72	3.01
F00051269		3.33	0.242	2.4	0.17	112	<10	100	<0.5	<2	16.1	6.4	4	1	54	2.01
F00051270		0.13	1.170	91.3	1.59	34	10	170	<0.5	2	3.14	8.5	17	17	949	3.57
F00051271		2.59	0.082	0.8	0.18	107	<10	120	<0.5	<2	17.2	3.7	5	2	10	1.75
F00051272		1.90	0.232	1.4	0.54	301	<10	90	<0.5	<2	4.27	2.9	12	3	34	4.16
F00051273		2.89	0.005	0.2	1.72	6	<10	150	<0.5	<2	4.06	<0.5	8	8	6	3.32
F00051274		5.20	0.242	1.2	0.95	210	<10	130	<0.5	<2	5.34	1.1	11	4	19	3.80
F00051275		4.51	0.178	1.2	1.87	250	<10	180	<0.5	<2	4.67	0.6	14	6	23	4.66
F00051276		4.98	0.096	0.7	2.04	74	<10	150	<0.5	<2	4.56	0.6	15	8	23	4.80
F00051277		4.81	0.315	1.7	1.36	201	<10	110	<0.5	2	2.98	6.2	15	6	18	4.50
F00051278		4.66	0.088	0.9	1.61	58	<10	160	<0.5	<2	6.29	<0.5	14	6	23	4.49
F00051279		4.84	0.054	0.5	2.48	55	<10	220	<0.5	2	3.01	<0.5	17	9	24	5.34
F00051280		0.82	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.7	<0.5	<1	<1	<1	0.12
F00051281		4.46	0.035	0.5	2.49	67	<10	230	<0.5	<2	4.12	0.7	16	9	23	5.42
F00051282		5.11	0.421	1.5	1.14	256	<10	90	<0.5	<2	5.01	1.1	15	4	30	4.55
F00051283		4.88	0.209	0.9	1.52	94	<10	130	<0.5	<2	5.60	1.6	15	6	22	4.65
F00051284		4.57	0.124	0.9	2.32	61	<10	220	<0.5	<2	3.21	1.3	16	9	24	5.12
F00051285		4.54	0.052	0.8	2.42	25	<10	210	<0.5	<2	3.98	0.5	16	9	25	5.16
F00051286		5.21	0.025	0.6	2.22	20	<10	150	<0.5	<2	4.10	<0.5	16	9	23	4.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20183800

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
F00051247		10	<1	0.32	10	1.14	1245	1	0.01	4	1200	18	1.10	4	4	67
F00051248		<10	<1	0.32	10	1.05	1315	1	0.01	4	1240	14	1.59	6	3	54
F00051249		<10	<1	0.37	10	0.25	585	1	<0.01	5	1110	12	3.48	14	3	56
F00051250		<10	1	0.15	10	0.42	597	282	0.11	22	640	70	1.22	15	2	132
F00051251		<10	1	0.30	10	0.49	1130	2	<0.01	4	1030	15	3.55	11	3	106
F00051252		<10	1	0.28	10	0.84	1470	1	0.01	3	1330	12	2.09	3	4	92
F00051253		10	<1	0.25	10	1.28	1755	1	0.01	3	1190	14	2.02	5	5	116
F00051254		10	<1	0.30	10	1.54	2260	1	0.01	4	1250	9	0.83	3	8	181
F00051255		10	<1	0.32	10	1.11	2810	1	0.01	2	1190	172	1.00	4	6	178
F00051256		10	<1	0.31	10	1.51	2340	1	0.01	4	1260	9	0.27	2	9	184
F00051257		10	<1	0.28	10	1.19	2290	2	0.01	3	1190	12	1.11	6	5	217
F00051258		10	<1	0.37	10	1.12	1905	1	0.01	3	1430	9	1.22	3	5	138
F00051259		<10	<1	0.32	10	0.29	980	2	<0.01	4	1110	73	4.06	9	3	72
F00051260		<10	1	0.01	<10	12.05	129	<1	<0.01	1	20	2	0.01	<2	<1	52
F00051261		10	1	0.34	10	1.11	1820	1	<0.01	4	1320	12	1.48	6	5	126
F00051262		10	<1	0.33	10	1.24	2050	1	<0.01	5	1260	25	2.15	8	5	150
F00051263		<10	<1	0.37	10	1.09	1735	1	<0.01	5	1430	18	2.69	4	6	130
F00051264		<10	<1	0.25	10	0.45	2710	1	<0.01	2	820	1405	3.90	9	3	461
F00051265		<10	1	0.25	10	0.49	3080	2	0.01	2	770	455	4.69	6	2	311
F00051266		<10	<1	0.15	10	0.36	3850	1	0.01	2	540	560	2.93	6	2	554
F00051267		<10	1	0.22	10	0.61	3440	1	0.01	2	700	246	2.67	4	3	560
F00051268		<10	2	0.19	10	0.16	4160	1	0.01	1	580	3030	3.14	7	2	473
F00051269		<10	<1	0.14	10	0.05	2940	1	0.01	1	350	331	2.15	5	1	467
F00051270		10	<1	0.14	10	1.41	893	13	0.10	12	1040	4540	1.06	66	5	155
F00051271		<10	1	0.14	10	0.06	1640	1	0.01	1	500	85	1.97	4	1	361
F00051272		<10	<1	0.33	10	0.11	799	1	0.01	3	1060	91	4.26	4	2	159
F00051273		10	<1	0.25	10	0.99	796	1	0.04	3	1240	9	0.48	3	4	346
F00051274		<10	<1	0.28	10	0.37	1275	2	0.01	3	950	73	2.72	4	3	209
F00051275		10	<1	0.27	10	0.92	1415	1	0.01	3	1220	12	1.60	4	4	124
F00051276		10	<1	0.28	10	1.06	1700	1	0.01	5	1230	10	1.42	3	4	114
F00051277		<10	<1	0.31	10	0.66	1350	3	<0.01	5	1210	377	2.80	4	3	89
F00051278		<10	<1	0.28	10	0.88	1945	1	0.02	4	1130	14	2.08	4	3	157
F00051279		10	<1	0.27	10	1.62	1690	2	0.02	4	1290	16	1.10	2	4	114
F00051280		<10	<1	0.01	10	12.20	119	<1	<0.01	<1	20	<2	0.01	<2	<1	49
F00051281		10	<1	0.27	10	1.52	1715	2	0.02	3	1290	16	1.10	2	5	129
F00051282		<10	<1	0.29	10	0.70	1445	2	0.01	4	1140	52	3.34	6	3	143
F00051283		10	<1	0.28	10	0.89	1855	2	0.01	6	1110	63	2.58	5	3	168
F00051284		10	<1	0.29	10	1.51	1730	3	0.02	5	1280	68	1.27	3	5	149
F00051285		10	<1	0.25	10	1.63	1850	2	0.02	5	1220	19	1.16	<2	5	143
F00051286		10	1	0.21	10	1.58	1640	2	0.02	7	1190	12	1.10	<2	5	136

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20183800

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
F00051247		<20	<0.01	<10	<10	32	<10	166			
F00051248		<20	<0.01	<10	<10	27	<10	173			
F00051249		<20	<0.01	<10	<10	13	<10	70			
F00051250		<20	0.07	<10	<10	42	10	983			
F00051251		<20	<0.01	<10	<10	19	<10	98			
F00051252		<20	<0.01	<10	<10	33	<10	80			
F00051253		<20	0.01	<10	<10	62	<10	91			
F00051254		<20	0.01	<10	<10	74	<10	93			
F00051255		<20	0.01	<10	<10	57	<10	619			
F00051256		<20	0.01	<10	<10	79	<10	92			
F00051257		<20	0.01	<10	<10	54	<10	84			
F00051258		<20	<0.01	<10	<10	54	<10	94			
F00051259		<20	<0.01	<10	<10	21	<10	211			
F00051260		<20	<0.01	<10	<10	1	<10	3			
F00051261		<20	<0.01	<10	<10	51	<10	97			
F00051262		<20	<0.01	<10	<10	40	<10	126			
F00051263		<20	<0.01	<10	<10	47	<10	101			
F00051264		<20	<0.01	<10	<10	16	<10	1865			
F00051265		<20	<0.01	<10	<10	13	<10	1355			
F00051266		<20	<0.01	<10	<10	7	<10	1120			
F00051267		<20	<0.01	<10	<10	16	<10	790			
F00051268		<20	<0.01	<10	<10	7	<10	5620			
F00051269		<20	<0.01	<10	<10	3	<10	814			
F00051270		<20	0.06	<10	<10	90	<10	1070			
F00051271		<20	<0.01	<10	<10	4	<10	467			
F00051272		<20	<0.01	<10	<10	12	<10	305			
F00051273		<20	<0.01	<10	<10	43	<10	79			
F00051274		<20	<0.01	<10	<10	18	<10	144			
F00051275		<20	<0.01	<10	<10	34	<10	91			
F00051276		<20	<0.01	<10	<10	40	<10	99			
F00051277		<20	<0.01	<10	<10	25	<10	741			
F00051278		<20	<0.01	<10	<10	32	<10	116			
F00051279		<20	0.01	<10	<10	57	<10	105			
F00051280		<20	<0.01	<10	<10	1	<10	3			
F00051281		<20	0.01	<10	<10	60	<10	122			
F00051282		<20	0.01	<10	<10	25	<10	145			
F00051283		<20	0.02	<10	<10	37	<10	196			
F00051284		<20	0.05	<10	<10	59	<10	196			
F00051285		<20	0.02	<10	<10	62	<10	115			
F00051286		<20	0.02	<10	<10	62	<10	115			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20183800

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
F00051287		4.74	0.037	0.9	2.06	26	<10	220	<0.5	<2	6.43	0.6	14	8	22	4.66
F00051288		4.61	0.031	0.5	2.36	18	<10	180	<0.5	<2	3.37	<0.5	16	8	25	4.99
F00051289		4.48	0.022	0.4	1.84	40	<10	130	<0.5	<2	4.15	<0.5	16	6	21	4.96
F00051290		0.14	8.16	>100	1.42	600	10	20	<0.5	5	3.52	127.0	17	42	1955	4.76
F00051291		1.93	0.063	2.4	1.36	98	<10	60	<0.5	3	2.45	46.1	14	5	39	5.76
F00051292		2.63	0.522	3.9	0.53	257	<10	30	<0.5	4	2.92	93.6	13	5	111	4.05
F00051293		4.90	0.217	0.8	1.99	573	<10	140	<0.5	2	4.30	1.2	16	8	25	4.99
F00051294		4.64	0.108	0.8	2.32	120	<10	150	<0.5	<2	4.53	<0.5	17	8	26	4.92
F00051295		3.48	0.369	3.4	1.19	280	<10	90	<0.5	<2	3.93	7.8	11	3	20	4.50
F00051296		4.91	0.275	0.9	2.27	171	<10	170	<0.5	<2	4.44	0.6	16	3	25	5.74
F00051297		4.78	0.418	1.3	1.23	293	<10	90	<0.5	<2	4.13	0.6	15	2	17	4.68
F00051298		4.64	0.371	1.4	2.17	73	<10	170	<0.5	4	3.66	6.5	13	3	36	4.97
F00051299		2.22	0.785	1.3	2.14	98	<10	170	<0.5	<2	2.95	1.4	15	4	17	5.25
F00051300		1.11	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	21.6	<0.5	1	<1	1	0.18
F00051301		3.00	0.276	2.3	0.67	135	<10	100	<0.5	<2	2.44	6.4	9	6	62	3.00
F00051302		2.77	0.507	5.8	0.59	263	<10	100	<0.5	2	0.90	6.4	11	5	32	3.23
F00051303		4.81	0.448	3.4	0.94	186	<10	60	<0.5	<2	4.99	<0.5	18	3	58	4.93
F00051304		4.57	0.076	1.9	0.95	67	<10	70	0.5	<2	3.45	<0.5	16	2	49	4.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20183800

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
F00051287		10	1	0.22	10	1.40	2020	1	0.02	3	1070	11	1.07	2	5	190
F00051288		10	1	0.28	10	1.56	1340	1	0.02	4	1210	9	0.93	<2	5	161
F00051289		10	1	0.29	10	1.11	1655	2	0.01	5	1220	14	2.19	<2	4	165
F00051290		10	15	0.18	<10	1.33	728	51	0.06	205	590	>10000	3.87	685	3	43
F00051291		10	2	0.28	10	0.80	1580	2	<0.01	5	1100	583	4.35	4	3	81
F00051292		<10	3	0.23	<10	0.20	1190	2	<0.01	4	700	737	4.14	5	1	80
F00051293		10	<1	0.28	10	1.15	2110	3	0.01	4	1190	53	1.80	2	4	135
F00051294		10	1	0.29	10	1.42	2190	1	0.01	5	1180	18	0.99	4	4	154
F00051295		<10	1	0.29	<10	0.59	2370	<1	0.01	3	1040	224	2.88	5	2	149
F00051296		10	<1	0.30	10	1.25	2510	1	0.01	2	1410	18	1.84	<2	4	134
F00051297		<10	<1	0.33	<10	0.56	1575	2	0.01	4	1340	17	3.19	4	3	138
F00051298		10	1	0.29	10	1.17	2040	1	0.02	3	1200	293	1.05	<2	3	113
F00051299		10	1	0.32	10	1.17	2040	<1	0.02	2	1330	79	1.28	<2	4	114
F00051300		<10	1	0.01	<10	13.00	139	<1	<0.01	<1	20	3	<0.01	3	<1	53
F00051301		<10	<1	0.23	<10	0.40	1355	1	0.01	3	650	387	1.55	<2	1	113
F00051302		<10	1	0.27	<10	0.26	520	1	<0.01	4	720	214	2.42	3	1	34
F00051303		<10	1	0.35	<10	0.24	1680	1	<0.01	6	1160	19	3.69	5	3	159
F00051304		<10	1	0.34	10	0.23	1170	1	<0.01	6	1080	19	2.98	4	2	92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20183800

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
F00051287		<20	0.03	<10	<10	54	<10	147			
F00051288		<20	0.04	<10	<10	55	<10	108			
F00051289		<20	0.02	<10	<10	41	<10	105			
F00051290		<20	0.05	10	<10	55	20	>10000	326	2.33	2.38
F00051291		<20	0.01	<10	<10	25	<10	5480			
F00051292		<20	<0.01	<10	<10	14	<10	>10000			1.105
F00051293		<20	0.01	<10	<10	42	<10	212			
F00051294		<20	0.01	<10	<10	42	<10	118			
F00051295		<20	<0.01	<10	<10	26	<10	967			
F00051296		<20	0.01	<10	<10	34	<10	144			
F00051297		<20	0.01	<10	<10	19	<10	115			
F00051298		<20	0.01	<10	<10	41	<10	859			
F00051299		<20	<0.01	<10	<10	41	<10	255			
F00051300		<20	<0.01	<10	<10	<1	<10	6			
F00051301		<20	<0.01	<10	<10	13	<10	751			
F00051302		<20	<0.01	<10	<10	14	<10	738			
F00051303		<20	<0.01	<10	<10	22	<10	82			
F00051304		<20	<0.01	<10	<10	16	<10	82			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20183800

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

CERTIFICATE TR20185892

Project: Premer Gold

This report is for 176 Drill Core samples submitted to our lab in Terrace, BC, Canada on 26-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00073892		3.51	<0.005	<0.2	0.51	2	<10	100	0.6	<2	0.60	<0.5	3	3	2	1.12
C00073893		2.11	<0.005	<0.2	0.45	2	<10	130	0.6	<2	0.64	<0.5	3	4	3	1.32
C00073894		1.66	<0.005	0.9	1.82	42	<10	150	1.4	<2	0.38	<0.5	13	52	53	4.65
C00073895		4.46	<0.005	0.3	0.33	2	<10	130	0.5	<2	0.44	1.0	3	6	3	0.93
C00073896		4.64	<0.005	<0.2	0.32	<2	<10	110	0.6	<2	0.70	<0.5	3	8	7	0.97
C00073897		4.87	<0.005	<0.2	0.35	<2	<10	100	0.5	<2	0.68	<0.5	3	6	5	0.93
C00073898		2.45	<0.005	<0.2	0.31	<2	<10	60	0.6	2	0.83	<0.5	2	5	3	0.88
C00073899		2.03	0.005	5.6	0.32	3	<10	70	0.5	<2	0.53	129.0	5	5	18	0.85
C00073900		0.96	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.6	<0.5	<1	1	1	0.12
C00073901		1.21	<0.005	0.4	0.34	3	<10	70	<0.5	<2	0.43	1.1	4	5	5	0.79
C00073902		1.18	<0.005	0.7	0.32	2	<10	60	<0.5	<2	0.44	0.9	4	5	5	0.78
C00073903		4.02	<0.005	4.5	0.39	4	<10	210	0.5	<2	0.44	3.5	4	5	15	1.00
C00073904		3.06	<0.005	4.1	0.39	3	<10	110	<0.5	<2	0.70	7.6	4	5	8	1.16
C00073905		3.27	0.010	12.5	0.62	63	<10	200	0.9	2	1.87	9.8	19	19	50	4.33
C00073906		4.65	0.007	16.5	0.40	2	<10	540	<0.5	<2	0.11	3.1	1	4	6	0.42
C00073907		4.41	<0.005	0.3	0.40	3	<10	810	<0.5	<2	0.15	0.6	1	4	2	0.32
C00073908		3.06	<0.005	0.2	0.40	3	<10	80	<0.5	<2	0.18	0.8	1	3	2	0.34
C00073909		5.43	0.007	1.4	1.03	41	<10	120	0.7	<2	1.33	0.5	17	34	50	4.20
C00073910		0.14	8.04	>100	1.53	646	10	30	<0.5	4	3.77	135.5	17	45	2080	5.02
C00073911		3.43	<0.005	0.6	0.50	3	<10	960	0.5	<2	0.89	0.5	5	4	6	1.54
C00073912		4.66	<0.005	<0.2	0.50	2	<10	60	0.6	<2	1.03	<0.5	3	3	3	1.13
C00073913		3.15	<0.005	<0.2	0.41	<2	<10	180	0.5	<2	0.97	<0.5	3	3	3	1.16
C00073914		1.80	0.011	3.0	0.63	66	<10	150	1.0	2	0.25	0.9	16	20	64	4.47
C00073915		3.82	<0.005	<0.2	0.49	<2	<10	50	<0.5	<2	0.07	<0.5	3	4	2	0.75
C00073916		4.67	<0.005	<0.2	0.46	<2	<10	90	0.5	<2	0.75	<0.5	2	5	1	0.86
C00073917		4.84	<0.005	<0.2	0.43	<2	<10	150	0.5	<2	0.75	<0.5	3	5	2	0.88
C00073918		3.89	<0.005	<0.2	0.46	<2	<10	40	<0.5	<2	0.10	<0.5	3	3	2	0.75
C00073919		4.20	<0.005	1.0	0.42	<2	<10	100	<0.5	<2	0.07	1.2	3	4	3	0.71
C00073920		0.85	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	19.6	<0.5	<1	<1	<1	0.11
C00073921		3.63	<0.005	2.1	0.47	<2	<10	50	0.5	2	1.09	3.3	4	3	9	1.58
C00073922		2.88	<0.005	0.7	0.47	<2	<10	170	<0.5	<2	0.78	4.2	4	3	5	1.26
C00073923		2.59	0.016	18.8	0.39	<2	<10	80	<0.5	3	0.05	373	5	5	8	0.57
C00073924		1.61	<0.005	0.6	0.52	<2	<10	60	0.5	<2	0.08	2.1	2	3	3	0.52
C00073925		1.46	<0.005	0.4	0.48	<2	<10	50	0.5	<2	0.07	2.3	2	4	2	0.50
C00073926		2.35	<0.005	1.7	0.40	<2	<10	150	<0.5	<2	0.07	4.9	1	3	11	0.47
C00073927		2.43	<0.005	1.6	0.39	<2	<10	70	<0.5	<2	0.12	3.8	1	4	3	0.72
C00073928		4.68	0.005	2.1	0.62	42	<10	100	0.8	<2	1.65	1.3	16	18	47	3.85
C00073929		4.41	<0.005	0.9	1.08	26	<10	130	0.6	3	1.48	1.3	15	40	62	3.84
C00073930		0.13	0.669	9.2	1.32	838	20	110	<0.5	20	3.28	6.0	44	24	6870	3.70
C00073931		4.03	<0.005	0.3	0.45	<2	<10	130	0.5	<2	0.73	<0.5	3	4	7	1.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00073892		<10	1	0.29	20	0.13	306	2	0.02	2	290	12	0.06	<2	1	30
C00073893		<10	<1	0.27	20	0.12	321	2	0.04	2	280	13	0.11	<2	1	32
C00073894		<10	<1	0.33	20	0.78	339	3	0.02	81	1620	16	0.07	<2	4	39
C00073895		<10	<1	0.28	20	0.04	304	1	0.05	4	170	18	0.03	2	1	26
C00073896		<10	<1	0.26	20	0.06	308	2	0.06	5	170	14	0.01	<2	1	39
C00073897		<10	<1	0.30	20	0.05	313	1	0.05	3	170	16	0.01	2	1	44
C00073898		<10	1	0.28	20	0.05	344	2	0.05	3	170	15	0.01	<2	1	44
C00073899		<10	2	0.28	10	0.05	399	2	0.04	3	150	1075	0.62	4	<1	35
C00073900		<10	<1	0.01	10	12.45	122	<1	0.01	5	10	3	<0.01	<2	<1	59
C00073901		<10	<1	0.34	20	0.06	440	2	0.03	3	160	47	0.02	<2	<1	30
C00073902		<10	<1	0.34	20	0.07	410	2	0.03	2	160	50	0.03	2	<1	28
C00073903		<10	<1	0.36	10	0.09	679	4	0.02	2	270	182	0.16	6	<1	50
C00073904		<10	1	0.33	10	0.14	988	4	0.01	2	390	856	0.09	7	1	32
C00073905		<10	<1	0.36	10	1.00	1370	3	0.01	93	1160	340	1.12	6	4	184
C00073906		<10	<1	0.39	10	0.04	230	2	0.01	1	10	125	0.09	2	<1	17
C00073907		<10	<1	0.40	10	0.02	89	5	0.01	1	20	38	0.09	<2	<1	16
C00073908		<10	<1	0.41	10	0.04	154	1	0.01	1	20	45	0.04	<2	<1	16
C00073909		<10	<1	0.31	10	1.22	660	2	0.02	99	1060	37	1.01	3	4	131
C00073910		10	15	0.20	10	1.42	759	54	0.07	219	640	>10000	4.17	766	3	51
C00073911		<10	<1	0.29	20	0.16	491	2	0.01	3	580	22	0.09	3	1	44
C00073912		<10	<1	0.30	20	0.17	377	2	0.01	2	330	17	0.05	<2	1	53
C00073913		<10	<1	0.29	20	0.19	425	3	0.02	3	300	20	0.07	<2	1	59
C00073914		<10	<1	0.39	10	0.06	222	5	0.01	83	1040	123	1.48	7	3	24
C00073915		<10	<1	0.33	20	0.04	172	3	0.01	2	160	15	0.02	<2	<1	7
C00073916		<10	<1	0.32	20	0.05	273	1	0.03	2	160	12	0.01	<2	1	40
C00073917		<10	<1	0.30	20	0.05	330	1	0.03	1	160	17	0.01	<2	1	42
C00073918		<10	<1	0.31	20	0.04	273	1	0.01	1	170	13	0.02	<2	<1	8
C00073919		<10	<1	0.34	20	0.03	327	7	0.01	2	140	35	0.03	3	<1	8
C00073920		<10	<1	0.01	<10	12.00	114	<1	0.01	2	10	<2	<0.01	<2	<1	49
C00073921		<10	<1	0.42	20	0.24	1515	6	0.01	2	680	118	0.04	6	1	46
C00073922		<10	<1	0.41	20	0.18	840	3	<0.01	2	680	91	0.09	3	1	32
C00073923		<10	4	0.30	10	0.03	366	6	0.01	2	30	2950	1.68	2	<1	7
C00073924		<10	<1	0.35	10	0.03	333	1	0.01	1	20	99	0.03	2	<1	11
C00073925		<10	<1	0.34	10	0.03	324	<1	0.01	1	10	89	0.03	<2	<1	10
C00073926		<10	<1	0.37	10	0.02	303	1	0.01	1	10	197	0.03	4	<1	8
C00073927		<10	<1	0.39	10	0.05	608	1	0.03	1	20	167	0.04	2	<1	14
C00073928		<10	<1	0.37	10	1.07	940	2	0.02	75	840	58	0.23	<2	3	144
C00073929		<10	<1	0.35	10	1.23	705	5	0.03	87	900	70	0.23	<2	4	135
C00073930		<10	<1	0.16	10	0.45	623	290	0.13	22	670	74	1.25	15	2	139
C00073931		<10	<1	0.30	20	0.10	368	2	0.03	2	300	15	0.02	2	1	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00073892		<20	<0.01	<10	<10	2	<10	25			
C00073893		<20	<0.01	<10	<10	1	<10	33			
C00073894		<20	<0.01	<10	<10	38	<10	164			
C00073895		<20	<0.01	<10	<10	1	<10	75			
C00073896		<20	<0.01	<10	<10	2	<10	34			
C00073897		<20	<0.01	<10	<10	1	<10	34			
C00073898		<20	<0.01	<10	<10	1	<10	37			
C00073899		<20	<0.01	<10	<10	1	<10	>10000			1.190
C00073900		<20	<0.01	<10	<10	<1	<10	21			
C00073901		<20	<0.01	<10	<10	1	<10	106			
C00073902		<20	<0.01	<10	<10	1	<10	82			
C00073903		<20	<0.01	<10	<10	1	<10	311			
C00073904		<20	<0.01	<10	<10	2	<10	622			
C00073905		<20	<0.01	<10	<10	15	<10	975			
C00073906		<20	<0.01	<10	<10	<1	<10	307			
C00073907		<20	<0.01	<10	<10	<1	<10	54			
C00073908		<20	<0.01	<10	<10	<1	<10	92			
C00073909		<20	<0.01	<10	<10	22	<10	152			
C00073910		<20	0.05	10	<10	60	20	>10000	329	2.31	2.40
C00073911		<20	<0.01	<10	<10	3	<10	62			
C00073912		<20	<0.01	<10	<10	2	<10	23			
C00073913		<20	<0.01	<10	<10	1	<10	39			
C00073914		<20	<0.01	<10	<10	16	<10	230			
C00073915		<20	<0.01	<10	<10	1	<10	26			
C00073916		<20	<0.01	<10	<10	1	<10	22			
C00073917		<20	<0.01	<10	<10	1	<10	28			
C00073918		<20	<0.01	<10	<10	1	<10	18			
C00073919		<20	<0.01	<10	<10	1	<10	123			
C00073920		<20	<0.01	<10	<10	1	<10	3			
C00073921		<20	<0.01	<10	<10	3	<10	324			
C00073922		<20	<0.01	<10	<10	3	<10	398			
C00073923		<20	<0.01	<10	<10	<1	<10	>10000			3.36
C00073924		<20	<0.01	<10	<10	<1	<10	190			
C00073925		<20	<0.01	<10	<10	<1	<10	221			
C00073926		<20	<0.01	<10	<10	<1	<10	498			
C00073927		<20	<0.01	<10	<10	<1	<10	367			
C00073928		<20	<0.01	<10	<10	14	<10	203			
C00073929		<20	<0.01	<10	<10	31	<10	267			
C00073930		<20	0.08	<10	<10	45	<10	1030			
C00073931		<20	<0.01	<10	<10	2	<10	42			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00073932		4.97	<0.005	1.6	0.60	8	<10	330	0.8	<2	2.20	1.5	9	4	35	2.33
C00073933		2.39	<0.005	2.4	1.97	35	<10	190	1.0	<2	0.30	1.0	13	57	64	4.32
C00073934		1.18	0.005	26.7	0.47	<2	<10	150	0.5	<2	0.65	24.6	4	5	10	1.18
C00073935		0.89	<0.005	99.8	0.48	<2	<10	190	0.5	<2	0.80	16.8	3	3	8	1.04
C00073936		2.28	0.049	>100	0.44	6	<10	80	<0.5	<2	0.22	77.5	4	6	155	1.04
C00073937		2.38	0.515	>100	0.42	13	<10	40	<0.5	<2	0.13	13.9	2	5	88	0.97
C00073938		2.26	<0.005	5.6	0.39	2	<10	120	<0.5	<2	0.24	1.6	3	5	5	0.80
C00073939		2.58	0.005	3.3	0.30	<2	<10	40	<0.5	<2	0.08	1.2	4	7	6	0.71
C00073940		1.00	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.0	<0.5	<1	1	<1	0.12
C00073941		1.06	0.023	55.3	0.40	24	<10	60	0.5	2	0.30	87.0	12	10	28	2.34
C00073942		4.73	<0.005	21.6	0.46	<2	<10	160	0.5	<2	2.10	15.2	6	3	7	1.80
C00073943		4.82	<0.005	0.7	0.51	<2	<10	200	0.6	<2	2.09	0.7	7	5	7	1.87
C00073944		2.32	<0.005	<0.2	1.01	<2	<10	160	0.5	<2	2.48	<0.5	9	13	3	2.36
C00073945		2.58	<0.005	0.3	0.61	<2	<10	1210	0.6	<2	2.36	<0.5	8	6	3	2.25
C00073946		2.21	<0.005	1.5	0.58	<2	<10	90	0.5	<2	2.52	19.2	8	6	6	2.24
C00073947		2.39	<0.005	<0.2	0.51	<2	<10	590	0.6	<2	2.88	<0.5	8	4	1	2.22
C00073948		2.39	<0.005	1.7	0.39	46	<10	100	0.5	2	3.03	2.2	7	8	41	2.74
C00073949		2.26	<0.005	1.3	0.63	26	<10	100	<0.5	<2	1.33	1.9	9	9	48	3.21
C00073950		0.13	1.105	84.7	1.51	28	10	160	<0.5	<2	3.01	8.0	16	16	899	3.37
C00073951		2.48	<0.005	1.1	1.07	27	<10	90	<0.5	3	3.43	1.4	12	11	75	3.91
C00073952		3.70	<0.005	0.8	1.01	19	<10	120	0.5	2	2.94	1.3	11	6	26	2.62
C00073953		4.77	<0.005	<0.2	0.98	<2	<10	440	0.5	2	2.81	<0.5	9	7	3	2.31
C00073954		4.61	<0.005	<0.2	0.52	8	<10	190	0.6	<2	3.05	<0.5	8	3	7	2.23
C00073955		4.23	0.005	2.2	0.40	41	<10	110	<0.5	<2	6.71	4.3	6	6	34	2.90
C00073956		4.37	0.011	4.4	0.48	37	<10	130	0.7	<2	6.25	4.0	8	5	39	3.47
C00073957		3.45	0.087	6.4	0.38	31	<10	120	0.5	<2	4.20	3.1	6	6	36	2.57
C00073958		2.47	4.31	16.4	0.77	34	<10	80	<0.5	2	1.88	13.9	27	7	21	3.73
C00073959		2.36	0.006	0.3	2.59	3	<10	150	0.7	<2	3.00	<0.5	6	9	17	7.51
C00073960		1.06	<0.005	<0.2	0.04	<2	<10	<10	<0.5	<2	20.0	<0.5	<1	<1	<1	0.14
C00073961		5.25	0.041	<0.2	2.27	<2	<10	170	0.7	<2	4.32	0.5	9	9	14	7.02
C00073962		4.66	0.005	1.7	1.33	<2	<10	190	0.6	<2	4.31	0.6	12	7	17	6.33
C00073963		5.14	0.049	14.3	1.31	10	<10	210	0.6	<2	2.63	3.5	11	6	31	6.12
C00073964		4.71	0.023	0.9	1.03	11	<10	230	<0.5	<2	6.99	1.6	14	8	29	5.45
C00073965		4.55	0.050	0.5	1.06	18	<10	250	0.6	<2	3.63	1.2	11	6	23	6.53
C00073966		4.26	0.005	2.3	1.57	<2	<10	270	0.7	<2	3.61	1.6	11	7	21	6.19
C00073967		2.19	0.023	19.5	0.56	10	<10	180	0.7	<2	1.10	8.2	11	3	28	5.86
C00073968		2.25	0.017	9.0	0.57	8	<10	240	0.7	2	1.27	3.2	13	3	27	5.59
C00073969		4.73	0.091	16.5	0.63	9	<10	210	0.7	<2	1.56	4.6	11	4	24	5.64
C00073970		0.14	7.99	>100	1.46	611	<10	20	<0.5	7	3.46	124.5	17	41	1970	4.79
C00073971		3.76	0.007	0.5	1.09	8	<10	240	0.9	2	4.90	0.9	12	5	21	5.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00073932		<10	<1	0.39	20	0.57	992	3	0.04	7	930	63	0.13	5	3	117
C00073933		10	<1	0.33	10	0.88	305	2	0.02	91	1210	27	0.46	2	4	29
C00073934		<10	<1	0.27	20	0.15	618	3	0.03	6	210	538	0.14	4	1	40
C00073935		<10	1	0.30	20	0.14	641	3	0.02	2	170	307	0.11	4	<1	47
C00073936		<10	1	0.35	10	0.07	855	1	0.01	2	150	1770	0.41	72	<1	12
C00073937		<10	2	0.37	10	0.04	260	17	0.01	2	140	1050	0.52	62	<1	8
C00073938		<10	<1	0.33	20	0.06	393	2	0.01	2	140	65	0.02	6	<1	12
C00073939		<10	<1	0.26	10	0.03	204	6	0.01	4	90	193	0.02	5	<1	6
C00073940		<10	1	0.01	<10	12.15	115	<1	0.01	1	20	<2	<0.01	<2	<1	50
C00073941		<10	1	0.31	10	0.12	458	8	0.01	35	590	4100	1.58	18	2	19
C00073942		<10	<1	0.37	10	0.49	1410	1	0.01	3	740	392	0.15	5	2	102
C00073943		<10	<1	0.31	20	0.50	947	1	0.04	4	770	27	0.05	<2	2	121
C00073944		<10	<1	0.24	20	0.86	448	<1	0.05	9	930	7	0.04	<2	3	149
C00073945		<10	<1	0.32	20	0.78	523	<1	0.04	6	920	17	0.06	<2	3	187
C00073946		<10	<1	0.30	10	0.76	729	<1	0.04	7	910	69	0.17	<2	3	177
C00073947		<10	<1	0.33	20	0.83	474	<1	0.04	5	910	7	0.08	<2	3	204
C00073948		<10	<1	0.26	<10	0.32	759	10	0.02	34	770	15	1.86	<2	3	343
C00073949		<10	<1	0.30	<10	0.34	609	9	0.02	32	810	14	2.01	2	3	101
C00073950		10	<1	0.13	10	1.37	848	12	0.09	10	980	4540	1.02	65	5	143
C00073951		<10	<1	0.27	10	0.69	1495	15	0.02	29	900	185	0.85	<2	5	229
C00073952		<10	<1	0.30	10	0.71	662	8	0.04	14	830	48	0.46	<2	4	234
C00073953		<10	<1	0.29	20	0.79	357	1	0.05	5	920	13	0.08	<2	4	263
C00073954		<10	<1	0.33	20	0.70	447	1	0.04	4	900	13	0.18	<2	4	256
C00073955		<10	<1	0.27	<10	0.40	1485	7	0.01	30	830	15	1.74	2	4	566
C00073956		<10	<1	0.30	<10	0.50	1555	8	0.01	30	1390	27	2.09	6	6	513
C00073957		<10	<1	0.25	<10	0.20	1210	18	0.01	26	740	64	1.81	4	3	400
C00073958		<10	<1	0.26	10	0.19	775	51	0.01	17	1310	687	2.23	4	3	168
C00073959		10	<1	0.27	10	0.48	725	<1	0.03	6	1470	20	0.18	<2	5	174
C00073960		<10	<1	0.01	<10	11.95	119	<1	0.01	2	20	<2	<0.01	<2	<1	56
C00073961		10	<1	0.25	20	0.39	904	1	0.03	7	1430	32	0.08	<2	6	244
C00073962		10	<1	0.29	20	0.36	1105	1	0.04	5	1380	55	0.05	<2	7	287
C00073963		<10	<1	0.40	10	0.31	1495	1	0.02	6	1380	532	0.22	<2	4	213
C00073964		<10	<1	0.25	10	0.21	1100	1	0.05	6	1240	378	0.22	2	5	454
C00073965		<10	<1	0.31	10	0.28	1290	1	0.05	6	1380	80	0.22	<2	6	270
C00073966		10	<1	0.34	20	0.39	955	1	0.04	6	1470	102	0.09	<2	6	265
C00073967		<10	<1	0.39	10	0.40	2140	3	0.03	6	1430	379	0.50	3	4	121
C00073968		<10	<1	0.41	10	0.39	2210	3	0.03	6	1450	262	0.52	4	4	137
C00073969		<10	<1	0.43	10	0.46	1960	3	0.01	5	1350	272	0.58	2	4	144
C00073970		10	14	0.18	<10	1.36	712	52	0.06	207	600	>10000	4.02	709	3	45
C00073971		<10	<1	0.35	10	0.38	1050	1	0.02	6	1370	84	0.17	<2	6	543

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00073932		<20	<0.01	<10	<10	10	<10	253			
C00073933		<20	<0.01	<10	<10	38	<10	214			
C00073934		<20	<0.01	<10	<10	2	<10	2140			
C00073935		<20	<0.01	<10	<10	1	<10	1455			
C00073936		<20	<0.01	<10	<10	1	<10	6500	446		
C00073937		<20	<0.01	<10	<10	1	<10	1160	330		
C00073938		<20	<0.01	<10	<10	1	<10	176			
C00073939		<20	<0.01	<10	<10	1	<10	131			
C00073940		<20	<0.01	<10	<10	1	<10	5			
C00073941		<20	<0.01	<10	<10	7	<10	7720			
C00073942		<20	<0.01	<10	<10	4	<10	1365			
C00073943		<20	<0.01	<10	<10	13	<10	191			
C00073944		<20	<0.01	<10	<10	32	<10	50			
C00073945		<20	<0.01	<10	<10	19	<10	68			
C00073946		<20	<0.01	<10	<10	14	<10	1755			
C00073947		<20	<0.01	<10	<10	11	<10	42			
C00073948		<20	<0.01	<10	<10	16	<10	146			
C00073949		<20	<0.01	<10	<10	25	<10	119			
C00073950		<20	0.05	<10	<10	86	<10	1030			
C00073951		<20	<0.01	<10	<10	42	<10	127			
C00073952		<20	<0.01	<10	<10	26	<10	117			
C00073953		<20	<0.01	<10	<10	31	<10	51			
C00073954		<20	<0.01	<10	<10	16	<10	40			
C00073955		<20	<0.01	<10	<10	19	<10	222			
C00073956		<20	<0.01	<10	<10	20	<10	230			
C00073957		<20	<0.01	<10	<10	14	<10	279			
C00073958		<20	<0.01	<10	<10	16	<10	1460			
C00073959		<20	<0.01	<10	<10	54	<10	145			
C00073960		<20	<0.01	<10	<10	1	<10	5			
C00073961		<20	0.01	<10	<10	44	<10	163			
C00073962		<20	0.01	<10	<10	30	<10	176			
C00073963		<20	0.01	<10	<10	24	<10	521			
C00073964		<20	0.01	<10	<10	27	<10	307			
C00073965		<20	0.01	<10	<10	27	<10	239			
C00073966		<20	0.01	<10	<10	29	<10	307			
C00073967		<20	<0.01	<10	<10	15	<10	824			
C00073968		<20	<0.01	<10	<10	15	<10	385			
C00073969		<20	<0.01	<10	<10	12	<10	583			
C00073970		<20	0.04	10	<10	55	20	>10000	328	2.27	2.37
C00073971		<20	<0.01	<10	<10	21	<10	212			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00073972		2.33	0.005	3.4	0.98	6	<10	170	0.8	2	3.12	2.8	10	5	26	5.25
C00073973		4.64	<0.005	0.6	0.44	<2	<10	190	0.6	<2	1.90	<0.5	5	3	14	1.64
C00073974		5.07	0.010	2.4	1.63	3	<10	110	0.6	<2	0.30	0.9	11	6	36	3.67
C00073975		2.59	0.440	42.7	0.21	11	<10	40	<0.5	7	0.15	8.0	7	5	88	1.64
C00073976		2.56	0.161	4.7	0.32	6	<10	70	<0.5	<2	0.76	8.7	8	7	50	1.89
C00073977		1.71	0.006	0.6	1.04	3	<10	160	1.1	<2	0.41	<0.5	8	1	12	2.28
C00073978		1.86	0.007	0.5	1.02	4	<10	160	1.0	<2	0.50	<0.5	8	1	11	2.08
C00073979		4.79	<0.005	0.3	1.53	3	<10	260	1.2	<2	0.63	<0.5	7	1	16	2.29
C00073980		0.83	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	19.7	<0.5	<1	<1	<1	0.12
C00073981		5.42	<0.005	0.2	1.22	4	<10	170	0.9	<2	2.72	0.9	8	1	9	2.38
C00073982		4.37	0.022	1.5	1.04	2	<10	400	1.0	<2	2.66	0.8	7	1	34	1.96
C00073983		2.84	0.008	0.7	0.84	<2	<10	190	1.1	2	2.27	0.8	7	1	10	2.07
C00073984		4.92	0.005	0.4	0.99	3	<10	180	1.0	<2	3.64	1.0	5	1	8	1.92
C00073985		4.38	0.011	3.0	1.33	2	<10	380	1.0	2	3.11	0.6	6	1	11	2.38
C00073986		5.17	<0.005	0.3	0.98	3	<10	230	0.8	<2	1.50	<0.5	6	1	11	1.56
C00073987		4.45	<0.005	0.3	1.77	3	<10	230	0.7	2	1.84	<0.5	8	1	12	3.09
C00073988		5.01	0.005	1.0	1.15	2	<10	370	1.0	<2	1.99	<0.5	7	1	21	2.13
C00073989		5.54	<0.005	2.1	1.21	3	<10	250	0.7	<2	2.23	0.8	6	1	14	2.11
C00073990		0.13	0.675	9.3	1.27	821	20	100	<0.5	20	3.12	5.9	45	24	6670	3.62
C00073991		3.63	0.041	1.4	1.24	7	<10	270	0.8	<2	1.74	<0.5	8	1	20	2.20
C00073992		5.37	0.008	0.2	1.31	4	<10	280	0.6	<2	1.38	<0.5	6	1	16	1.92
C00073993		2.15	<0.005	0.4	1.00	2	<10	380	0.9	<2	1.71	0.6	5	1	33	1.32
C00073994		4.44	<0.005	0.7	0.45	<2	<10	40	<0.5	<2	0.05	<0.5	1	2	4	0.45
C00073995		3.53	0.006	2.3	0.42	97	<10	160	0.6	<2	1.58	1.0	9	12	77	2.86
C00073996		2.00	0.007	1.9	0.47	18	<10	90	<0.5	<2	1.50	0.6	10	6	70	1.76
C00073997		2.11	<0.005	0.4	0.48	<2	<10	240	0.5	<2	2.32	<0.5	4	3	4	1.43
C00073998		2.21	<0.005	0.2	0.52	<2	<10	160	0.5	<2	2.15	<0.5	5	3	5	1.67
C00073999		2.13	0.006	1.8	0.50	3	<10	270	0.5	<2	2.00	0.8	5	2	9	1.65
C00074000		0.77	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	20.3	<0.5	<1	1	<1	0.12
C00074001		1.23	0.089	84.6	0.49	<2	<10	90	<0.5	<2	2.10	4.3	5	3	8	1.98
C00074002		1.06	0.024	29.0	0.48	3	<10	190	<0.5	<2	2.07	4.2	5	2	6	1.71
C00074003		2.58	1.575	>100	0.43	7	<10	90	<0.5	<2	1.80	93.0	7	3	76	3.10
C00074004		2.59	0.055	34.5	0.46	<2	<10	80	<0.5	<2	1.89	47.3	3	3	21	1.56
C00074005		1.90	0.048	70.3	0.48	3	<10	80	0.5	<2	1.46	15.3	3	3	12	1.51
C00074006		2.43	0.064	22.0	0.36	15	<10	60	<0.5	<2	1.01	25.9	3	6	34	1.57
C00074007		2.32	0.085	87.2	0.46	6	<10	270	<0.5	<2	1.59	7.1	5	5	21	1.68
C00074008		2.04	0.078	81.2	0.44	<2	<10	70	0.5	<2	1.53	34.2	5	3	14	1.74
C00074009		2.55	0.045	13.4	0.58	16	<10	120	0.7	<2	0.55	16.1	7	7	67	3.50
C00074010		0.13	1.230	86.6	1.61	30	10	180	<0.5	2	3.15	8.3	16	18	937	3.51
C00074011		2.54	0.030	2.8	0.52	20	<10	110	0.7	<2	1.47	5.6	7	3	33	3.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00073972		<10	<1	0.37	10	0.37	1275	1	0.02	5	1320	218	0.14	<2	5	394
C00073973		<10	<1	0.30	20	0.38	583	1	0.04	2	700	51	0.10	2	2	178
C00073974		<10	<1	0.29	10	0.85	743	1	0.01	10	140	69	0.19	<2	2	44
C00073975		<10	<1	0.17	<10	0.10	167	51	0.01	3	100	629	1.19	10	1	32
C00073976		<10	<1	0.24	10	0.36	498	2	0.01	2	370	186	0.71	2	1	126
C00073977		<10	<1	0.32	20	0.69	615	<1	0.01	2	700	19	0.07	2	1	79
C00073978		<10	<1	0.34	20	0.66	642	<1	0.01	2	700	20	0.09	<2	1	90
C00073979		<10	<1	0.37	20	0.91	747	<1	0.01	3	680	30	0.06	<2	1	101
C00073980		<10	<1	0.01	<10	11.95	112	<1	0.01	1	20	<2	<0.01	<2	<1	55
C00073981		<10	<1	0.36	20	1.11	1955	<1	0.01	<1	620	64	0.01	<2	1	228
C00073982		<10	<1	0.36	20	0.92	1195	<1	0.01	2	630	44	0.09	<2	2	238
C00073983		<10	<1	0.37	20	0.81	1610	1	0.01	1	590	68	0.22	<2	2	217
C00073984		<10	<1	0.36	20	0.89	1220	<1	0.02	1	540	81	0.03	<2	2	266
C00073985		<10	<1	0.34	20	1.01	1240	<1	0.01	1	530	37	0.10	<2	2	205
C00073986		<10	<1	0.34	20	0.61	880	1	0.02	1	570	26	0.02	2	1	146
C00073987		<10	<1	0.32	20	1.05	1050	<1	0.01	1	600	30	0.11	<2	2	133
C00073988		<10	<1	0.40	20	0.65	1210	1	0.01	1	610	33	0.14	<2	2	234
C00073989		<10	<1	0.41	20	0.64	1045	<1	0.02	2	630	54	0.05	<2	2	155
C00073990		<10	<1	0.15	10	0.44	609	281	0.12	22	650	74	1.23	17	2	135
C00073991		<10	<1	0.38	20	0.66	964	2	0.02	2	610	40	0.19	<2	2	140
C00073992		<10	<1	0.38	20	0.64	749	<1	0.02	2	600	22	0.07	<2	2	161
C00073993		<10	<1	0.35	20	0.54	1210	1	0.02	1	640	40	0.03	<2	1	149
C00073994		<10	<1	0.27	20	0.04	100	1	0.01	1	20	36	0.05	<2	<1	24
C00073995		<10	<1	0.27	10	0.35	795	6	0.01	37	620	32	1.24	3	3	122
C00073996		<10	<1	0.27	10	0.33	669	16	0.01	9	580	42	0.60	3	2	93
C00073997		<10	<1	0.34	20	0.40	504	3	0.02	2	840	17	0.05	<2	2	146
C00073998		<10	<1	0.36	20	0.46	482	2	0.02	2	840	8	0.11	<2	2	130
C00073999		<10	<1	0.35	10	0.41	1225	3	0.02	1	800	48	0.19	<2	1	109
C00074000		<10	<1	0.01	<10	12.40	114	<1	0.01	3	20	<2	<0.01	<2	<1	54
C00074001		<10	<1	0.37	10	0.45	1355	2	0.02	1	830	623	0.57	11	2	116
C00074002		<10	<1	0.37	20	0.44	1375	3	0.02	1	820	135	0.25	8	2	114
C00074003		<10	4	0.34	10	0.37	1610	3	0.02	3	750	8850	2.67	78	1	105
C00074004		<10	<1	0.37	10	0.37	1675	3	0.02	1	750	4650	0.55	5	1	104
C00074005		<10	<1	0.37	10	0.31	1605	6	0.01	1	750	1000	0.32	14	1	87
C00074006		<10	<1	0.31	10	0.23	1425	16	0.01	1	500	1310	0.65	8	1	62
C00074007		<10	<1	0.37	10	0.31	2150	3	0.01	2	660	535	0.39	18	1	84
C00074008		<10	<1	0.39	10	0.31	2190	2	0.01	2	740	608	0.42	9	1	84
C00074009		<10	<1	0.44	10	0.28	1555	5	0.01	4	1200	658	0.96	7	3	47
C00074010		10	<1	0.14	10	1.42	880	12	0.10	11	1010	4680	1.05	65	5	152
C00074011		<10	<1	0.40	20	0.48	1770	5	0.02	6	840	145	0.37	2	3	75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00073972		<20	<0.01	<10	<10	21	<10	418			
C00073973		<20	<0.01	<10	<10	6	<10	79			
C00073974		<20	<0.01	<10	<10	7	<10	143			
C00073975		<20	<0.01	<10	<10	4	<10	636			
C00073976		<20	<0.01	<10	<10	8	<10	657			
C00073977		<20	<0.01	<10	<10	12	<10	64			
C00073978		<20	<0.01	<10	<10	12	<10	56			
C00073979		<20	<0.01	<10	<10	14	<10	63			
C00073980		<20	<0.01	<10	<10	1	<10	3			
C00073981		<20	<0.01	<10	<10	15	<10	117			
C00073982		<20	<0.01	<10	<10	10	<10	96			
C00073983		<20	<0.01	<10	<10	10	<10	98			
C00073984		<20	<0.01	<10	<10	9	<10	112			
C00073985		<20	<0.01	<10	<10	10	<10	72			
C00073986		<20	<0.01	<10	<10	12	<10	47			
C00073987		<20	<0.01	<10	<10	14	<10	90			
C00073988		<20	<0.01	<10	<10	9	<10	65			
C00073989		<20	<0.01	<10	<10	10	<10	96			
C00073990		<20	0.07	<10	<10	43	<10	1010			
C00073991		<20	<0.01	<10	<10	11	<10	79			
C00073992		<20	0.01	<10	<10	12	<10	57			
C00073993		<20	<0.01	<10	<10	10	<10	87			
C00073994		<20	<0.01	<10	<10	<1	<10	17			
C00073995		<20	<0.01	<10	<10	13	<10	101			
C00073996		<20	<0.01	<10	<10	6	<10	70			
C00073997		<20	<0.01	<10	<10	3	<10	36			
C00073998		<20	<0.01	<10	<10	4	<10	35			
C00073999		<20	<0.01	<10	<10	3	<10	80			
C00074000		<20	<0.01	<10	<10	1	<10	3			
C00074001		<20	<0.01	<10	<10	3	<10	388			
C00074002		<20	<0.01	<10	<10	3	<10	374			
C00074003		<20	<0.01	<10	<10	3	<10	8530	739		
C00074004		<20	<0.01	<10	<10	3	<10	4220			
C00074005		<20	<0.01	<10	<10	3	<10	1400			
C00074006		<20	<0.01	<10	<10	3	<10	2210			
C00074007		<20	<0.01	<10	<10	3	<10	611			
C00074008		<20	<0.01	<10	<10	3	<10	3130			
C00074009		<20	<0.01	<10	<10	12	<10	1380			
C00074010		<20	0.06	<10	<10	91	<10	1070			
C00074011		<20	<0.01	<10	<10	8	<10	557			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074012		2.23	0.022	3.7	0.34	15	<10	370	<0.5	3	0.60	7.0	5	5	23	2.55
C00074013		2.47	<0.005	1.1	0.43	6	<10	140	0.6	<2	0.38	1.1	6	3	18	2.84
C00074014		2.33	<0.005	0.6	0.66	10	<10	110	0.7	<2	0.80	0.6	6	3	22	3.37
C00074015		5.08	<0.005	0.2	0.65	5	<10	140	0.6	<2	1.77	<0.5	6	3	16	3.27
C00074016		3.52	<0.005	0.3	0.74	4	<10	110	0.6	<2	2.79	0.6	6	3	18	3.27
C00074017		2.53	<0.005	0.5	1.70	4	<10	90	0.7	<2	3.02	3.1	9	5	16	4.68
C00074018		2.12	0.012	0.6	0.49	3	<10	90	0.9	<2	2.12	1.2	7	2	22	2.61
C00074019		3.16	<0.005	0.5	0.55	5	<10	100	0.7	<2	3.80	<0.5	12	11	17	3.73
C00074020		0.86	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.4	<0.5	<1	<1	<1	0.12
C00074021		3.68	0.072	3.5	0.36	39	<10	310	0.5	<2	1.56	9.2	9	3	37	3.27
C00074022		5.27	<0.005	0.7	1.09	2	<10	120	0.7	<2	1.68	0.9	15	3	12	5.04
C00074023		5.42	<0.005	0.7	1.22	<2	<10	310	0.7	2	1.02	0.7	13	2	12	4.30
C00074024		4.78	0.005	1.4	1.80	4	<10	150	0.8	2	0.95	1.5	15	4	27	4.79
C00074025		3.33	0.010	3.0	1.54	3	<10	110	0.7	2	1.03	4.3	13	3	43	4.19
C00074026		2.42	0.033	7.4	0.92	9	<10	90	0.7	2	1.31	7.4	16	6	51	4.23
C00074027		5.03	0.005	0.6	0.41	6	<10	130	0.5	<2	0.83	2.4	7	2	7	2.46
C00074028		1.93	<0.005	<0.2	0.41	4	<10	190	0.5	2	1.36	2.0	6	3	4	2.36
C00074029		3.71	<0.005	0.2	0.48	<2	<10	420	0.9	2	3.80	<0.5	8	2	7	2.94
C00074030		0.14	7.87	>100	1.47	594	<10	20	<0.5	5	3.66	125.5	16	42	2050	4.97
C00074031		2.66	0.014	1.4	0.39	18	<10	120	0.5	<2	1.16	2.0	7	3	10	1.77
C00074032		3.19	0.012	0.7	0.43	14	<10	140	0.6	<2	1.55	1.3	7	2	7	2.11
C00074033		2.83	<0.005	0.2	0.55	7	<10	180	0.7	<2	1.10	<0.5	6	2	8	1.87
C00074034		2.58	<0.005	0.2	0.67	10	<10	190	0.8	<2	2.42	<0.5	5	4	5	1.66
C00074035		3.85	0.012	0.7	0.49	14	<10	120	0.5	<2	1.70	1.0	5	5	6	1.79
C00074036		4.11	<0.005	0.2	0.49	5	<10	180	0.6	<2	1.02	<0.5	7	3	6	2.35
C00074037		5.66	<0.005	0.3	0.50	6	<10	210	0.9	<2	2.34	0.5	7	1	15	2.39
C00074038		4.29	<0.005	0.2	0.47	6	<10	170	0.9	<2	2.34	1.1	7	1	9	1.96
C00074039		5.19	<0.005	0.4	0.47	6	<10	160	0.9	2	2.27	1.6	8	1	13	1.84
C00074040		0.80	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.8	<0.5	1	<1	<1	0.13
C00074041		5.40	<0.005	0.2	0.49	6	<10	180	0.9	<2	2.93	1.1	6	1	8	2.06
C00074042		5.17	<0.005	0.4	0.51	8	<10	280	0.9	<2	3.80	0.9	5	1	9	1.66
C00074043		5.43	<0.005	<0.2	0.58	7	<10	240	0.8	<2	5.87	<0.5	5	1	15	1.86
C00074044		4.77	<0.005	<0.2	0.56	6	<10	310	1.0	<2	3.54	<0.5	7	1	12	2.32
C00074045		3.64	<0.005	0.2	0.57	5	<10	820	1.2	<2	2.97	1.6	6	<1	16	2.53
C00074046		2.25	<0.005	0.4	0.56	4	<10	570	1.2	<2	1.96	1.2	7	1	11	2.74
C00074047		4.97	<0.005	0.8	0.62	5	<10	180	1.2	<2	2.55	4.0	7	1	20	2.04
C00074048		4.91	<0.005	<0.2	0.65	6	<10	290	1.0	<2	2.50	<0.5	6	1	11	1.94
C00074049		5.10	<0.005	0.2	0.66	6	<10	450	0.8	<2	3.31	<0.5	6	1	13	2.02
C00074050		0.12	0.699	8.6	1.27	773	20	100	<0.5	21	3.25	5.8	43	23	6560	3.65
C00074051		5.15	<0.005	0.3	0.76	15	<10	320	0.7	<2	2.60	2.0	10	1	26	2.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074012		<10	1	0.29	20	0.28	685	5	0.01	5	440	189	0.59	2	1	49
C00074013		<10	<1	0.34	20	0.36	665	1	0.01	5	550	32	0.11	<2	1	40
C00074014		<10	<1	0.35	30	0.50	541	<1	0.01	5	550	25	0.12	<2	2	62
C00074015		<10	<1	0.30	30	0.57	537	<1	0.02	6	520	18	0.06	<2	2	110
C00074016		<10	<1	0.29	30	0.63	852	<1	0.02	5	490	37	0.09	<2	2	177
C00074017		<10	<1	0.28	30	1.00	1245	<1	0.01	9	530	77	0.05	<2	3	188
C00074018		<10	<1	0.33	50	0.80	1165	<1	0.01	8	460	40	0.06	<2	2	194
C00074019		<10	<1	0.25	10	1.49	1010	1	0.01	11	1290	14	0.09	2	4	483
C00074020		<10	<1	0.01	<10	12.00	114	<1	0.01	3	20	<2	<0.01	<2	<1	50
C00074021		<10	1	0.26	10	0.70	1165	1	0.01	4	110	314	0.66	2	2	274
C00074022		<10	<1	0.27	20	1.43	1515	<1	0.01	5	480	37	0.02	<2	4	240
C00074023		<10	<1	0.27	20	1.12	1095	<1	0.01	4	350	58	0.03	<2	3	166
C00074024		<10	<1	0.30	20	1.11	1100	<1	0.01	9	880	70	0.07	<2	3	103
C00074025		<10	<1	0.34	10	0.95	1085	<1	0.01	7	790	92	0.12	<2	3	94
C00074026		<10	<1	0.31	10	0.73	1645	7	0.02	9	510	307	0.56	3	3	105
C00074027		<10	<1	0.26	10	0.31	810	2	0.06	2	570	117	0.21	<2	1	73
C00074028		<10	<1	0.30	20	0.37	925	1	0.05	2	540	115	0.06	<2	1	92
C00074029		<10	<1	0.34	10	0.98	1220	1	0.02	5	1440	15	0.12	<2	4	278
C00074030		10	15	0.19	10	1.39	737	55	0.07	214	600	>10000	4.08	783	3	47
C00074031		<10	<1	0.31	10	0.28	637	10	0.01	2	910	131	0.75	<2	1	93
C00074032		<10	<1	0.31	10	0.40	1100	3	0.01	2	1080	125	0.36	<2	1	134
C00074033		<10	<1	0.39	10	0.30	608	1	0.01	1	1410	16	0.11	<2	1	97
C00074034		<10	<1	0.42	20	0.41	803	1	0.01	1	4260	27	0.02	<2	1	167
C00074035		<10	<1	0.33	10	0.38	817	4	0.01	2	2270	51	0.28	<2	1	130
C00074036		<10	<1	0.33	10	0.46	928	<1	0.01	2	690	21	0.08	<2	1	96
C00074037		<10	<1	0.39	20	0.69	1285	<1	0.01	2	660	40	0.01	<2	2	209
C00074038		<10	<1	0.36	20	0.64	1510	<1	0.01	1	680	83	0.04	2	2	189
C00074039		<10	<1	0.36	20	0.59	1315	<1	0.01	1	800	109	0.09	<2	2	201
C00074040		<10	<1	0.01	<10	12.40	122	<1	0.01	3	10	<2	<0.01	<2	<1	51
C00074041		<10	<1	0.37	20	0.77	1500	<1	0.01	1	680	122	0.01	<2	2	234
C00074042		<10	<1	0.38	20	0.79	1215	1	0.01	1	650	64	0.02	2	2	246
C00074043		<10	<1	0.40	20	0.61	915	<1	0.02	2	1160	15	0.01	2	2	272
C00074044		<10	<1	0.40	20	0.77	876	<1	0.02	<1	790	23	0.01	<2	2	276
C00074045		<10	<1	0.40	20	0.67	1145	1	0.01	2	740	109	0.03	<2	2	241
C00074046		<10	<1	0.41	20	0.69	1225	1	0.02	2	720	83	0.03	2	2	203
C00074047		<10	<1	0.44	20	0.66	1235	<1	0.02	2	720	349	0.04	2	2	229
C00074048		<10	<1	0.42	20	0.78	1050	<1	0.02	1	710	20	0.01	2	2	229
C00074049		<10	<1	0.43	20	1.10	1155	<1	0.02	1	1180	61	0.02	<2	2	448
C00074050		<10	<1	0.15	10	0.43	620	292	0.13	22	630	71	1.21	15	2	132
C00074051		<10	<1	0.39	20	0.85	1140	1	0.02	2	1160	55	0.04	<2	3	235

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074012		<20	<0.01	<10	<10	5	<10	646			
C00074013		<20	<0.01	<10	<10	6	<10	161			
C00074014		<20	<0.01	<10	<10	7	<10	139			
C00074015		<20	<0.01	<10	<10	6	<10	137			
C00074016		<20	<0.01	<10	<10	6	<10	158			
C00074017		<20	<0.01	<10	<10	9	<10	409			
C00074018		<20	<0.01	<10	<10	5	<10	169			
C00074019		<20	<0.01	<10	<10	22	<10	92			
C00074020		<20	<0.01	<10	<10	1	<10	3			
C00074021		<20	<0.01	<10	<10	6	<10	928			
C00074022		<20	<0.01	<10	<10	18	<10	172			
C00074023		<20	<0.01	<10	<10	11	<10	153			
C00074024		<20	<0.01	<10	<10	18	<10	229			
C00074025		<20	<0.01	<10	<10	10	<10	530			
C00074026		<20	<0.01	<10	<10	16	<10	783			
C00074027		<20	<0.01	<10	<10	9	<10	308			
C00074028		<20	<0.01	<10	<10	6	<10	274			
C00074029		<20	<0.01	<10	<10	8	<10	76			
C00074030		<20	0.05	10	<10	55	20	>10000	329	2.33	2.47
C00074031		<20	<0.01	<10	<10	4	<10	255			
C00074032		<20	<0.01	<10	<10	6	<10	162			
C00074033		<20	<0.01	<10	<10	6	<10	45			
C00074034		<20	<0.01	<10	<10	7	<10	48			
C00074035		<20	<0.01	<10	<10	5	<10	123			
C00074036		<20	<0.01	<10	<10	6	<10	72			
C00074037		<20	<0.01	<10	<10	5	<10	74			
C00074038		<20	<0.01	<10	<10	4	<10	164			
C00074039		<20	<0.01	<10	<10	4	<10	197			
C00074040		<20	<0.01	<10	<10	<1	<10	3			
C00074041		<20	<0.01	<10	<10	4	<10	154			
C00074042		<20	<0.01	<10	<10	5	<10	111			
C00074043		<20	<0.01	<10	<10	7	<10	49			
C00074044		<20	<0.01	<10	<10	7	<10	61			
C00074045		<20	<0.01	<10	<10	7	<10	255			
C00074046		<20	<0.01	<10	<10	7	<10	216			
C00074047		<20	<0.01	<10	<10	7	<10	559			
C00074048		<20	<0.01	<10	<10	7	<10	72			
C00074049		<20	<0.01	<10	<10	8	<10	81			
C00074050		<20	0.08	<10	<10	43	<10	1030			
C00074051		<20	<0.01	<10	<10	9	<10	408			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074052		3.60	<0.005	0.4	0.69	9	<10	340	0.6	<2	2.56	<0.5	8	2	14	2.35
C00074053		2.67	<0.005	<0.2	0.46	4	<10	200	0.5	<2	2.48	<0.5	5	1	12	1.67
C00074054		3.34	<0.005	<0.2	0.77	2	<10	80	0.6	<2	2.20	<0.5	5	3	6	1.90
C00074055		3.10	<0.005	<0.2	1.36	2	<10	420	0.7	<2	2.74	<0.5	6	4	7	2.21
C00074056		3.72	<0.005	0.3	1.67	6	<10	220	0.7	<2	1.75	<0.5	9	3	18	2.50
C00074057		4.74	<0.005	<0.2	1.52	3	<10	180	0.6	2	1.56	<0.5	6	1	10	2.38
C00074058		5.07	<0.005	0.2	1.03	5	<10	240	0.6	<2	1.64	<0.5	5	1	20	1.26
C00074059		3.62	<0.005	<0.2	1.54	3	<10	350	0.5	2	2.24	0.7	9	2	11	2.08
C00074060		0.92	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	21.6	<0.5	<1	<1	<1	0.14
C00074061		4.48	0.007	0.8	1.20	12	<10	430	0.5	3	1.70	0.5	6	1	37	1.77
C00074062		1.97	<0.005	<0.2	1.14	3	<10	290	0.5	<2	1.49	<0.5	4	2	11	1.36
C00074063		1.55	<0.005	<0.2	1.23	2	<10	290	0.5	<2	1.51	<0.5	6	1	11	1.49
C00074064		4.82	<0.005	0.2	0.84	4	<10	220	0.6	<2	2.91	<0.5	6	2	10	1.77
C00074065		4.75	<0.005	0.2	0.80	4	<10	580	0.5	<2	1.59	<0.5	6	3	12	1.53
C00074066		3.16	<0.005	0.2	1.14	<2	<10	300	<0.5	<2	1.67	<0.5	7	2	10	2.18
C00074067		3.82	<0.005	0.3	0.45	3	<10	200	<0.5	<2	7.2	<0.5	6	3	16	1.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074052		<10	1	0.37	20	0.81	1125	11	0.03	2	850	31	0.02	3	3	235
C00074053		<10	<1	0.29	20	0.59	761	1	0.04	1	590	9	0.01	2	3	196
C00074054		<10	<1	0.29	20	0.51	631	1	0.01	2	710	17	0.06	<2	2	179
C00074055		<10	<1	0.26	20	0.61	605	1	0.01	3	840	17	0.06	<2	2	181
C00074056		<10	<1	0.35	20	1.20	1075	<1	0.01	3	630	18	0.09	<2	3	121
C00074057		<10	<1	0.32	20	1.03	1130	<1	0.02	2	580	25	0.02	<2	2	145
C00074058		<10	<1	0.36	20	0.56	647	<1	0.01	1	580	25	0.05	<2	2	113
C00074059		<10	<1	0.31	20	0.98	959	<1	0.01	2	690	15	0.06	<2	2	139
C00074060		<10	<1	0.01	<10	12.80	124	<1	0.01	3	20	<2	0.01	<2	<1	52
C00074061		<10	<1	0.35	20	0.59	691	<1	0.01	2	830	17	0.13	<2	2	142
C00074062		<10	<1	0.34	20	0.70	693	<1	0.02	1	710	6	0.03	<2	2	139
C00074063		<10	<1	0.36	20	0.72	739	<1	0.02	1	730	6	0.03	<2	2	147
C00074064		<10	<1	0.31	20	0.81	1145	<1	0.01	2	630	13	0.04	<2	2	378
C00074065		<10	1	0.28	20	0.56	733	<1	0.03	2	690	5	0.15	<2	1	246
C00074066		<10	<1	0.24	20	0.91	1030	<1	0.03	1	660	5	0.04	<2	2	198
C00074067		<10	<1	0.25	10	0.52	1335	1	0.01	3	620	11	0.15	2	2	321

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074052		<20	<0.01	<10	<10	10	<10	61			
C00074053		<20	<0.01	<10	<10	8	<10	43			
C00074054		<20	<0.01	<10	<10	7	<10	70			
C00074055		<20	<0.01	<10	<10	13	<10	68			
C00074056		<20	<0.01	<10	<10	13	<10	113			
C00074057		<20	<0.01	<10	<10	12	<10	63			
C00074058		<20	<0.01	<10	<10	6	<10	46			
C00074059		<20	<0.01	<10	<10	12	<10	143			
C00074060		<20	<0.01	<10	<10	1	<10	3			
C00074061		<20	<0.01	<10	<10	12	<10	89			
C00074062		<20	<0.01	<10	<10	9	<10	64			
C00074063		<20	<0.01	<10	<10	10	<10	64			
C00074064		<20	<0.01	<10	<10	7	<10	71			
C00074065		<20	<0.01	<10	<10	8	<10	43			
C00074066		<20	<0.01	<10	<10	12	<10	55			
C00074067		<20	<0.01	<10	<10	5	<10	35			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-SEP-2020
Account: ASCRES

Project: Premer Gold

CERTIFICATE OF ANALYSIS TR20185892

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

CERTIFICATE TR20200307

Project: Premier Gold

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 10-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074104		2.14	<0.005	0.4	0.73	2	<10	520	0.5	<2	2.67	<0.5	7	6	26	1.95
C00074105		3.98	0.006	0.9	0.41	9	<10	40	0.5	2	0.58	1.5	<1	6	9	0.77
C00074106		2.20	0.006	0.9	0.33	7	<10	40	<0.5	3	0.73	0.5	1	6	9	0.61
C00074107		3.12	<0.005	0.3	1.18	4	<10	40	<0.5	<2	1.05	0.6	3	5	12	2.46
C00074108		2.83	<0.005	0.2	1.18	3	<10	1640	0.8	2	2.99	<0.5	12	15	13	3.86
C00074109		4.05	<0.005	0.5	1.08	5	<10	90	0.7	<2	1.69	0.9	4	4	14	1.87
C00074110		0.12	0.657	9.3	1.29	809	20	110	<0.5	22	3.16	5.9	45	23	6570	3.64
C00074111		5.01	0.005	0.3	1.18	4	<10	1610	0.8	<2	2.70	<0.5	10	15	15	3.07
C00074112		1.78	<0.005	0.2	1.13	2	<10	1440	0.7	<2	2.52	<0.5	10	14	15	3.16
C00074113		4.70	<0.005	0.4	0.94	8	<10	60	<0.5	<2	1.96	<0.5	4	6	21	1.82
C00074114		4.41	<0.005	0.4	0.99	6	<10	70	0.7	<2	1.97	0.6	5	3	13	1.78
C00074115		2.13	<0.005	0.6	1.08	7	<10	90	0.7	<2	1.88	1.6	6	2	16	1.88
C00074116		2.20	<0.005	0.8	1.03	6	<10	90	0.8	2	2.25	1.8	6	2	19	1.78
C00074117		2.92	<0.005	1.0	1.14	4	<10	110	0.9	2	2.74	1.1	4	3	56	2.10
C00074118		5.14	<0.005	0.3	0.61	3	<10	1150	0.6	<2	2.96	<0.5	6	6	15	1.56
C00074119		4.81	<0.005	<0.2	0.28	2	<10	30	0.5	2	0.59	<0.5	<1	6	1	0.48
C00074120		1.58	<0.005	<0.2	0.02	<2	<10	<10	<0.5	3	19.7	<0.5	<1	<1	1	0.12
C00074121		3.24	<0.005	0.4	0.53	2	<10	830	1.3	<2	2.92	<0.5	5	3	2	1.70
C00074122		2.02	<0.005	1.9	1.16	7	<10	720	1.1	<2	2.27	1.0	5	2	18	2.46
C00074123		2.01	<0.005	1.4	1.17	7	<10	630	1.0	<2	1.92	0.6	5	2	17	2.35
C00074124		4.63	<0.005	0.4	1.47	5	<10	160	0.6	<2	1.88	<0.5	5	2	9	2.10
C00074125		3.42	<0.005	0.7	1.30	4	<10	150	0.6	2	2.04	1.2	4	1	13	1.88
C00074126		4.42	<0.005	0.5	1.53	17	<10	160	0.6	<2	1.73	<0.5	6	1	12	2.37
C00074127		5.77	<0.005	0.6	1.47	14	<10	180	0.6	3	1.57	<0.5	4	1	7	1.80
C00074128		4.57	<0.005	0.3	1.65	16	<10	190	0.7	2	1.49	<0.5	5	1	9	2.07
C00074129		4.15	<0.005	0.3	1.51	3	<10	160	0.6	2	0.94	<0.5	4	1	5	1.88
C00074130		0.13	1.115	91.3	1.67	32	10	190	<0.5	2	3.22	8.5	18	18	966	3.63
C00074131		2.43	<0.005	0.2	1.66	3	<10	130	0.5	<2	1.29	<0.5	4	2	5	2.39
C00074132		4.66	<0.005	<0.2	1.33	3	<10	100	<0.5	<2	0.86	<0.5	4	4	6	1.96
C00074133		3.30	<0.005	0.2	1.23	4	<10	90	<0.5	<2	0.97	<0.5	5	6	6	1.70
C00074134		4.83	<0.005	0.2	1.90	5	<10	750	0.6	<2	2.81	<0.5	10	4	18	3.79
C00074135		3.52	<0.005	<0.2	1.60	2	<10	1650	0.7	2	3.50	<0.5	10	9	3	3.16
C00074136		2.29	<0.005	0.3	1.67	3	<10	890	0.7	<2	3.32	<0.5	11	5	25	3.39
C00074137		4.62	<0.005	<0.2	1.61	<2	<10	2610	0.7	2	3.21	<0.5	11	7	29	3.28
C00074138		3.11	<0.005	<0.2	1.69	<2	<10	1400	0.7	2	3.38	<0.5	11	7	28	3.29
C00074139		4.82	<0.005	0.7	1.60	6	<10	290	0.8	2	2.12	<0.5	14	16	25	3.33
C00074140		1.19	<0.005	<0.2	0.02	<2	<10	10	<0.5	2	20.3	<0.5	<1	<1	2	0.12
C00074141		3.25	<0.005	0.2	0.63	4	<10	160	0.6	<2	2.57	<0.5	5	1	7	1.93
C00074142		5.29	<0.005	0.2	1.43	2	<10	210	0.5	<2	1.34	<0.5	5	1	6	2.04
C00074143		2.15	<0.005	0.2	1.45	2	<10	230	0.5	2	1.22	<0.5	5	1	8	1.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074104		<10	1	0.32	20	0.55	691	1	0.04	4	840	28	0.13	<2	2	184
C00074105		<10	<1	0.34	10	0.02	510	1	0.03	2	10	95	0.09	<2	<1	69
C00074106		<10	1	0.29	10	0.01	347	1	0.06	1	10	51	0.08	<2	<1	75
C00074107		<10	1	0.12	20	0.70	844	1	0.04	1	650	28	0.03	<2	1	92
C00074108		10	1	0.30	30	1.20	825	2	0.05	9	2410	10	0.14	<2	3	321
C00074109		<10	<1	0.18	20	0.52	720	1	0.04	<1	630	126	0.07	<2	1	114
C00074110		10	<1	0.16	10	0.42	629	283	0.13	21	630	69	1.19	16	2	134
C00074111		10	1	0.29	40	0.94	464	3	0.06	6	1600	11	0.12	<2	3	346
C00074112		10	1	0.23	40	0.96	512	3	0.06	7	1530	12	0.14	<2	3	331
C00074113		<10	1	0.10	20	0.50	586	1	0.04	3	450	26	0.17	<2	1	134
C00074114		<10	<1	0.14	20	0.56	662	1	0.03	2	560	76	0.06	2	1	119
C00074115		<10	1	0.18	20	0.63	687	<1	0.02	2	450	331	0.06	<2	1	132
C00074116		<10	<1	0.19	20	0.60	707	1	0.02	2	470	194	0.05	<2	1	137
C00074117		<10	1	0.25	10	0.69	878	1	0.02	1	500	90	0.08	<2	1	199
C00074118		<10	<1	0.29	20	0.60	464	1	0.05	5	650	24	0.06	<2	3	413
C00074119		<10	<1	0.31	10	0.01	218	<1	0.06	2	10	26	0.01	<2	<1	54
C00074120		<10	2	0.01	<10	11.75	121	<1	<0.01	<1	10	2	<0.01	2	<1	47
C00074121		<10	<1	0.35	10	0.63	777	4	0.04	3	630	8	0.04	<2	2	249
C00074122		<10	1	0.31	20	0.97	1150	1	0.04	1	680	171	0.08	<2	1	221
C00074123		<10	<1	0.30	20	0.92	1020	1	0.04	1	660	159	0.07	<2	1	192
C00074124		<10	<1	0.27	20	0.91	885	<1	0.02	1	540	13	0.04	<2	1	109
C00074125		<10	1	0.27	20	0.82	824	<1	0.02	1	400	35	0.03	<2	1	119
C00074126		<10	<1	0.28	20	0.89	1035	<1	0.03	2	520	83	0.11	<2	1	101
C00074127		<10	<1	0.31	20	0.94	698	<1	0.02	1	460	62	0.02	<2	1	107
C00074128		<10	1	0.31	30	1.08	709	<1	0.03	1	520	28	0.01	<2	1	97
C00074129		<10	1	0.27	30	1.02	618	<1	0.04	1	320	34	<0.01	<2	1	74
C00074130		10	1	0.15	10	1.42	924	13	0.10	11	1020	4480	1.04	67	6	154
C00074131		10	1	0.20	20	1.08	771	<1	0.05	1	250	28	0.01	<2	1	73
C00074132		10	<1	0.09	20	0.96	749	<1	0.08	2	250	16	0.05	<2	1	50
C00074133		10	<1	0.09	20	0.93	814	<1	0.09	1	300	16	0.02	<2	1	50
C00074134		10	1	0.29	20	0.89	1135	1	0.07	3	940	6	0.08	<2	4	174
C00074135		10	<1	0.32	30	0.98	646	1	0.05	10	1550	7	0.04	<2	4	402
C00074136		10	<1	0.32	20	1.02	604	2	0.06	9	1630	20	0.21	<2	4	572
C00074137		10	1	0.33	30	1.01	545	3	0.05	9	1620	12	0.09	2	3	427
C00074138		10	1	0.30	30	1.07	593	2	0.04	11	1670	5	0.11	<2	4	304
C00074139		10	1	0.22	20	1.73	984	<1	0.04	21	1140	25	0.08	2	5	391
C00074140		<10	1	0.01	<10	12.15	119	1	<0.01	<1	20	<2	<0.01	3	<1	49
C00074141		<10	<1	0.27	10	1.15	1180	<1	0.01	3	420	16	0.01	<2	1	283
C00074142		<10	<1	0.28	20	1.20	924	<1	0.03	3	540	8	0.01	<2	1	114
C00074143		<10	<1	0.30	20	1.14	904	<1	0.03	2	550	16	0.04	<2	1	99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074104		<20	<0.01	<10	<10	14	<10	57			
C00074105		<20	<0.01	<10	<10	<1	<10	292			
C00074106		<20	<0.01	<10	<10	<1	<10	112			
C00074107		<20	<0.01	<10	<10	13	<10	160			
C00074108		<20	0.01	<10	<10	34	<10	117			
C00074109		<20	<0.01	<10	<10	13	<10	205			
C00074110		<20	0.08	<10	<10	44	<10	1030			
C00074111		<20	0.01	<10	<10	37	<10	84			
C00074112		<20	0.01	<10	<10	33	<10	77			
C00074113		<20	<0.01	<10	<10	13	<10	81			
C00074114		<20	<0.01	<10	<10	10	<10	134			
C00074115		<20	<0.01	<10	<10	9	<10	336			
C00074116		<20	<0.01	<10	<10	8	<10	301			
C00074117		<20	<0.01	<10	<10	9	<10	215			
C00074118		<20	<0.01	<10	<10	13	<10	62			
C00074119		<20	<0.01	<10	<10	<1	<10	13			
C00074120		<20	<0.01	<10	<10	<1	<10	3			
C00074121		<20	<0.01	<10	<10	9	<10	38			
C00074122		<20	0.01	<10	<10	14	<10	347			
C00074123		<20	0.01	<10	<10	14	<10	263			
C00074124		<20	0.01	<10	<10	12	<10	60			
C00074125		<20	0.01	<10	<10	8	<10	275			
C00074126		<20	0.01	<10	<10	16	<10	76			
C00074127		<20	0.01	<10	<10	9	<10	113			
C00074128		<20	0.01	<10	<10	11	<10	109			
C00074129		<20	0.01	<10	<10	9	<10	72			
C00074130		<20	0.07	<10	<10	95	<10	1160			
C00074131		<20	0.01	<10	<10	18	<10	65			
C00074132		<20	0.01	<10	<10	25	<10	61			
C00074133		<20	0.01	<10	<10	34	<10	56			
C00074134		<20	0.01	<10	<10	43	<10	79			
C00074135		<20	0.01	<10	<10	34	<10	53			
C00074136		<20	0.01	<10	<10	37	<10	66			
C00074137		<20	0.01	<10	<10	42	<10	66			
C00074138		<20	<0.01	<10	<10	34	<10	63			
C00074139		<20	0.01	<10	<10	52	<10	67			
C00074140		<20	<0.01	<10	<10	<1	<10	4			
C00074141		<20	<0.01	<10	<10	9	<10	58			
C00074142		<20	<0.01	<10	<10	11	<10	55			
C00074143		<20	0.01	<10	<10	10	<10	52			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074144		2.07	<0.005	<0.2	1.49	<2	<10	260	0.5	<2	1.20	<0.5	5	1	7	1.83
C00074145		5.27	<0.005	<0.2	1.41	2	<10	270	0.7	2	0.87	<0.5	4	1	6	1.72
C00074146		4.72	<0.005	0.3	1.52	3	<10	220	0.8	<2	1.22	<0.5	6	1	10	2.38
C00074147		4.49	<0.005	0.4	1.46	5	<10	110	0.6	<2	0.79	<0.5	9	2	12	3.37
C00074148		3.49	<0.005	0.5	1.07	3	<10	100	0.5	2	1.00	<0.5	7	4	18	2.29
C00074149		4.86	<0.005	0.5	1.08	5	<10	190	0.8	<2	1.45	0.5	7	2	9	2.56
C00074150		0.13	7.50	>100	1.54	630	10	30	<0.5	7	3.68	133.0	18	45	2110	5.16
C00074151		4.66	0.044	0.9	0.76	4	<10	160	0.8	<2	0.97	<0.5	6	1	12	2.49
C00074152		4.44	0.014	1.4	1.11	3	<10	160	0.9	3	1.48	<0.5	7	1	12	3.10
C00074153		4.82	0.017	1.6	0.89	6	<10	170	1.0	3	1.37	<0.5	6	1	29	2.49
C00074154		4.70	0.008	0.5	0.61	7	<10	170	1.0	2	1.73	<0.5	8	1	11	3.00
C00074155		4.92	<0.005	0.3	0.63	8	<10	180	1.1	<2	2.25	<0.5	9	1	8	3.26
C00074156		2.10	<0.005	0.6	0.45	5	<10	110	0.7	2	3.24	2.6	7	2	27	3.06
C00074157		3.12	<0.005	0.2	0.52	2	<10	50	<0.5	<2	0.42	<0.5	2	4	2	0.41
C00074158		3.69	<0.005	<0.2	0.61	3	<10	100	0.5	<2	1.07	<0.5	2	3	3	0.66
C00074159		1.93	<0.005	0.6	0.42	3	<10	240	<0.5	2	4.28	0.6	4	2	11	1.80
C00074160		0.71	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.5	<0.5	1	<1	1	0.12
C00074161		2.26	<0.005	0.7	0.44	5	<10	40	<0.5	<2	2.14	1.2	5	3	20	1.98
C00074162		4.09	0.005	1.2	0.53	9	<10	100	0.5	<2	1.38	2.0	6	2	35	2.38
C00074163		3.25	<0.005	0.5	0.48	4	<10	720	0.7	<2	0.78	0.7	6	3	10	2.11
C00074164		2.15	<0.005	0.3	0.46	3	<10	1220	0.6	<2	1.21	<0.5	5	2	6	2.03
C00074165		4.70	<0.005	0.3	0.40	4	<10	460	<0.5	2	0.73	<0.5	2	4	4	0.54
C00074166		2.36	<0.005	0.3	0.34	2	<10	110	<0.5	<2	0.75	<0.5	3	4	6	0.51
C00074167		4.65	<0.005	0.3	0.51	3	<10	2510	0.8	<2	1.12	2.4	6	3	14	1.74
C00074168		4.53	<0.005	0.6	0.60	4	<10	230	0.6	<2	1.39	0.6	6	3	15	2.10
C00074169		3.19	<0.005	0.2	0.55	2	<10	190	0.7	<2	1.59	<0.5	6	2	7	2.08
C00074170		0.12	0.668	9.6	1.28	799	20	110	<0.5	20	3.19	6.2	46	24	6610	3.69
C00074171		1.04	<0.005	0.2	0.54	2	<10	470	0.8	<2	1.45	<0.5	7	2	15	2.01
C00074172		1.11	<0.005	0.2	0.53	3	<10	200	0.8	<2	1.50	<0.5	6	2	11	2.06
C00074173		4.67	<0.005	0.2	0.53	<2	<10	1480	0.6	2	3.08	<0.5	7	2	9	1.93
C00074174		4.77	<0.005	0.2	0.53	3	<10	800	0.6	2	2.81	<0.5	7	2	1	1.92
C00074175		4.39	<0.005	0.2	0.53	2	<10	1170	0.6	2	2.98	<0.5	7	3	1	1.93
C00074176		5.03	<0.005	0.2	0.53	<2	<10	1350	0.6	<2	2.83	<0.5	7	3	1	1.98
C00074177		3.64	<0.005	0.2	0.54	<2	<10	1870	0.6	<2	3.06	<0.5	7	3	1	1.99
C00074178		3.41	<0.005	0.4	0.57	3	<10	350	0.8	<2	1.39	<0.5	5	1	19	1.98
C00074179		3.18	<0.005	0.4	0.58	3	<10	200	0.6	<2	1.29	0.8	5	3	13	2.05
C00074180		1.00	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	20.6	<0.5	<1	<1	1	0.12
C00074181		4.40	<0.005	0.4	0.53	3	<10	1010	0.6	<2	2.41	<0.5	5	3	14	1.65
C00074182		3.29	<0.005	0.3	0.48	<2	<10	950	0.6	<2	2.57	<0.5	5	2	3	1.62
C00074183		2.51	<0.005	0.2	0.54	<2	<10	1430	0.7	<2	2.72	<0.5	5	4	8	1.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074144		<10	<1	0.34	20	1.13	889	<1	0.03	1	540	17	0.01	<2	1	98
C00074145		<10	<1	0.39	30	1.16	812	<1	0.03	2	470	18	<0.01	<2	1	81
C00074146		<10	1	0.37	30	1.46	1365	<1	0.04	2	640	32	0.01	<2	1	141
C00074147		10	1	0.26	20	1.54	1260	<1	0.05	2	690	61	0.02	<2	2	101
C00074148		<10	<1	0.24	20	1.10	1145	1	0.04	3	680	46	0.05	<2	2	109
C00074149		<10	<1	0.33	20	1.24	1165	<1	0.04	2	660	42	0.03	<2	2	188
C00074150		10	15	0.20	<10	1.41	777	56	0.06	223	630	>10000	4.12	750	3	49
C00074151		<10	<1	0.34	20	1.09	948	1	0.03	2	630	78	0.09	2	1	125
C00074152		<10	1	0.36	20	1.66	1315	<1	0.03	3	690	40	0.02	<2	2	193
C00074153		<10	<1	0.37	20	1.31	1090	1	0.02	1	600	168	0.06	<2	2	167
C00074154		<10	<1	0.38	20	1.22	1120	<1	0.01	2	640	17	0.01	<2	3	274
C00074155		<10	1	0.38	20	1.55	1290	<1	0.01	3	580	16	<0.01	<2	2	319
C00074156		<10	1	0.23	10	1.42	2780	2	0.03	1	460	150	0.09	<2	1	302
C00074157		<10	<1	0.30	20	0.06	177	1	0.01	3	20	44	0.03	<2	<1	87
C00074158		<10	<1	0.29	10	0.13	366	1	0.01	4	30	26	0.03	<2	<1	136
C00074159		<10	<1	0.13	10	0.60	1215	3	0.05	2	350	119	0.03	2	1	268
C00074160		<10	2	0.01	<10	12.35	121	<1	<0.01	<1	20	<2	<0.01	<2	<1	51
C00074161		<10	<1	0.10	10	0.60	1105	13	0.06	1	410	56	0.02	3	2	203
C00074162		<10	<1	0.21	20	0.42	966	2	0.07	2	500	248	0.10	<2	1	99
C00074163		<10	<1	0.29	20	0.32	556	<1	0.07	3	480	710	0.04	<2	1	97
C00074164		<10	1	0.30	10	0.45	1030	4	0.07	3	480	94	0.09	2	1	143
C00074165		<10	<1	0.31	20	0.03	351	1	0.06	2	20	155	0.07	<2	<1	99
C00074166		<10	<1	0.30	20	0.03	370	1	0.05	3	30	45	0.02	<2	<1	83
C00074167		<10	<1	0.32	10	0.33	633	1	0.04	2	470	68	0.09	<2	1	189
C00074168		<10	<1	0.28	20	0.33	526	<1	0.06	3	470	62	0.02	2	1	93
C00074169		<10	<1	0.27	20	0.34	582	<1	0.05	2	480	13	0.01	<2	1	123
C00074170		10	1	0.16	10	0.43	636	298	0.12	23	660	74	1.21	16	2	136
C00074171		<10	<1	0.32	20	0.38	526	1	0.05	4	510	13	0.02	3	2	149
C00074172		<10	<1	0.31	20	0.40	543	<1	0.06	3	500	22	0.02	<2	2	155
C00074173		<10	1	0.37	10	0.79	594	1	0.03	4	780	16	0.06	<2	4	219
C00074174		<10	<1	0.36	10	0.79	655	<1	0.04	3	790	13	0.07	<2	4	221
C00074175		<10	<1	0.35	10	0.70	565	<1	0.05	3	790	11	0.09	<2	4	260
C00074176		<10	<1	0.36	10	0.64	460	<1	0.05	4	790	13	0.06	<2	4	279
C00074177		<10	<1	0.37	10	0.72	549	1	0.03	3	790	10	0.07	<2	4	280
C00074178		<10	<1	0.33	10	0.44	636	1	0.05	1	510	15	0.02	6	2	195
C00074179		<10	1	0.29	20	0.33	559	<1	0.05	2	490	76	0.03	2	1	119
C00074180		<10	1	0.01	<10	12.25	124	<1	<0.01	<1	20	2	<0.01	<2	<1	50
C00074181		<10	<1	0.40	20	0.61	553	1	0.06	3	760	36	0.04	6	2	229
C00074182		<10	<1	0.38	20	0.65	586	1	0.05	4	750	52	0.03	2	3	230
C00074183		<10	<1	0.36	20	0.67	690	1	0.05	4	750	33	0.04	3	3	273

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074144		<20	0.01	<10	<10	10	<10	53			
C00074145		<20	<0.01	<10	<10	9	<10	52			
C00074146		<20	<0.01	<10	<10	17	<10	75			
C00074147		<20	<0.01	<10	<10	28	<10	79			
C00074148		<20	<0.01	<10	<10	20	<10	76			
C00074149		<20	<0.01	<10	<10	15	<10	96			
C00074150		<20	0.05	10	<10	61	20	>10000	321	2.32	2.37
C00074151		<20	<0.01	<10	<10	10	<10	91			
C00074152		<20	<0.01	<10	<10	18	<10	93			
C00074153		<20	<0.01	<10	<10	11	<10	74			
C00074154		<20	<0.01	<10	<10	13	<10	74			
C00074155		<20	<0.01	<10	<10	14	<10	77			
C00074156		<20	<0.01	<10	<10	16	<10	299			
C00074157		<20	<0.01	<10	<10	1	<10	18			
C00074158		<20	<0.01	<10	<10	1	<10	25			
C00074159		<20	<0.01	<10	<10	11	<10	141			
C00074160		<20	<0.01	<10	<10	<1	<10	4			
C00074161		<20	<0.01	<10	<10	16	<10	212			
C00074162		<20	<0.01	<10	<10	12	<10	390			
C00074163		<20	<0.01	<10	<10	8	<10	151			
C00074164		<20	<0.01	<10	<10	6	<10	62			
C00074165		<20	<0.01	<10	<10	1	<10	45			
C00074166		<20	<0.01	<10	<10	<1	<10	34			
C00074167		<20	<0.01	<10	<10	8	<10	292			
C00074168		<20	<0.01	<10	<10	11	<10	106			
C00074169		<20	<0.01	<10	<10	11	<10	54			
C00074170		<20	0.08	<10	<10	45	10	1050			
C00074171		<20	<0.01	<10	<10	9	<10	51			
C00074172		<20	<0.01	<10	<10	10	<10	52			
C00074173		<20	<0.01	<10	<10	9	<10	47			
C00074174		<20	<0.01	<10	<10	10	<10	55			
C00074175		<20	<0.01	<10	<10	13	<10	59			
C00074176		<20	<0.01	<10	<10	18	<10	52			
C00074177		<20	<0.01	<10	<10	15	<10	55			
C00074178		<20	<0.01	<10	<10	9	<10	60			
C00074179		<20	<0.01	<10	<10	11	<10	132			
C00074180		<20	<0.01	<10	<10	<1	<10	3			
C00074181		<20	<0.01	<10	<10	6	<10	87			
C00074182		<20	<0.01	<10	<10	5	<10	57			
C00074183		<20	<0.01	<10	<10	6	<10	55			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074184		2.67	<0.005	0.2	0.71	2	<10	770	0.8	<2	2.27	<0.5	5	2	5	2.07
C00074185		4.23	<0.005	0.2	0.61	2	<10	1360	0.8	<2	1.06	<0.5	6	4	12	2.06
C00074186		2.10	<0.005	0.3	0.45	<2	<10	580	0.7	<2	2.86	<0.5	6	2	8	1.88
C00074187		2.31	<0.005	0.5	0.48	2	<10	330	0.6	2	0.97	1.1	5	3	46	1.95
C00074188		4.65	<0.005	0.4	0.52	3	<10	640	0.7	<2	1.16	0.7	6	2	15	2.10
C00074189		2.48	<0.005	0.2	0.43	<2	<10	1220	0.7	<2	0.98	<0.5	5	2	7	1.94
C00074190		0.12	1.125	92.5	1.62	30	10	180	<0.5	2	3.19	8.6	17	18	980	3.65
C00074191		2.50	0.005	1.0	0.51	10	<10	1180	1.1	2	3.31	0.5	10	8	20	2.29
C00074192		4.43	<0.005	0.5	0.54	5	<10	1510	1.1	2	2.11	<0.5	8	5	19	2.15
C00074193		1.39	<0.005	<0.2	0.46	<2	<10	190	0.7	<2	1.04	<0.5	6	4	9	1.94
C00074194		1.73	<0.005	<0.2	0.49	<2	<10	210	0.7	<2	1.02	<0.5	5	4	7	1.95
C00074195		2.84	<0.005	<0.2	1.85	<2	<10	560	0.8	<2	3.21	<0.5	22	65	23	5.06
C00074196		5.10	<0.005	0.2	0.44	3	<10	300	0.7	4	1.26	<0.5	5	3	9	1.79
C00074197		4.58	<0.005	0.4	0.47	6	<10	950	0.8	3	1.73	<0.5	9	9	13	2.43
C00074198		4.49	<0.005	0.3	0.35	9	<10	280	0.6	2	1.66	<0.5	8	7	10	1.61
C00074199		4.41	<0.005	0.2	0.32	<2	<10	90	<0.5	<2	0.53	<0.5	3	4	3	0.93
C00074200		0.86	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.7	<0.5	<1	<1	1	0.12
C00074201		2.65	<0.005	0.3	0.32	<2	<10	140	0.5	2	0.87	<0.5	3	5	4	1.10
C00074202		4.23	<0.005	0.4	0.42	2	<10	360	0.9	2	1.73	<0.5	5	3	4	1.78
C00074203		3.50	<0.005	0.2	0.40	2	<10	230	0.9	<2	2.10	<0.5	5	3	11	1.58
C00074204		2.58	<0.005	0.5	0.54	<2	<10	110	1.5	<2	1.02	1.1	4	2	10	1.71
C00074205		3.64	<0.005	0.3	0.42	3	<10	130	1.4	2	0.95	<0.5	3	2	7	1.81
C00074206		3.26	<0.005	0.2	0.29	5	<10	620	<0.5	<2	0.32	<0.5	2	4	11	0.58
C00074207		3.27	<0.005	0.2	0.55	4	<10	190	0.7	3	1.92	<0.5	8	7	11	2.14
C00074208		4.44	<0.005	0.2	2.19	<2	<10	430	0.8	2	3.48	<0.5	23	22	23	5.88
C00074209		2.36	<0.005	<0.2	0.37	2	<10	50	0.6	<2	1.31	<0.5	5	5	6	1.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074184		<10	<1	0.32	20	0.35	600	<1	0.04	3	500	17	0.02	2	2	136
C00074185		<10	<1	0.27	20	0.34	543	<1	0.04	3	480	16	0.04	<2	2	124
C00074186		<10	<1	0.31	10	0.77	603	1	0.04	4	750	35	0.05	<2	3	277
C00074187		<10	<1	0.23	10	0.45	1040	1	0.04	2	540	60	0.10	2	1	132
C00074188		<10	<1	0.25	20	0.47	895	1	0.04	3	480	53	0.07	<2	1	148
C00074189		<10	<1	0.21	10	0.34	668	<1	0.07	2	460	39	0.05	<2	1	188
C00074190		10	<1	0.14	<10	1.42	922	13	0.10	12	1020	4650	1.03	66	6	153
C00074191		<10	<1	0.29	10	1.13	847	1	0.05	10	660	29	0.22	4	5	399
C00074192		<10	<1	0.29	10	0.72	667	<1	0.03	8	640	31	0.08	2	3	320
C00074193		<10	<1	0.21	20	0.35	457	<1	0.06	3	430	10	0.01	<2	1	93
C00074194		<10	<1	0.22	20	0.35	459	<1	0.06	2	420	9	0.01	<2	1	103
C00074195		10	<1	0.19	20	2.03	825	1	0.07	44	1770	6	0.04	<2	8	246
C00074196		<10	<1	0.28	20	0.41	553	<1	0.04	3	450	14	0.04	3	1	153
C00074197		<10	<1	0.29	10	0.87	665	1	0.06	9	670	9	0.24	<2	3	222
C00074198		<10	<1	0.26	10	0.60	527	2	0.05	10	440	18	0.22	<2	3	160
C00074199		<10	<1	0.27	10	0.15	338	4	0.04	3	180	23	0.03	<2	1	67
C00074200		<10	1	0.01	<10	12.40	121	<1	<0.01	<1	20	<2	<0.01	3	<1	52
C00074201		<10	<1	0.25	10	0.22	442	2	0.05	4	220	22	0.04	<2	1	85
C00074202		<10	<1	0.30	20	0.60	745	1	0.05	2	580	17	0.02	<2	2	162
C00074203		<10	1	0.31	20	0.55	432	1	0.04	2	790	30	0.02	<2	2	165
C00074204		<10	<1	0.32	20	0.44	690	1	0.02	2	390	24	0.01	<2	1	100
C00074205		<10	<1	0.33	20	0.41	830	1	0.02	3	400	23	0.01	2	1	113
C00074206		<10	<1	0.28	10	0.03	189	1	0.06	2	20	20	0.07	2	<1	41
C00074207		<10	<1	0.31	20	0.58	516	<1	0.05	6	630	35	0.08	2	3	143
C00074208		10	1	0.22	20	1.93	861	1	0.08	17	1980	6	0.03	<2	9	230
C00074209		<10	<1	0.31	10	0.31	376	<1	0.05	4	360	23	0.02	<2	2	109

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074184		<20	<0.01	<10	<10	16	<10	62			
C00074185		<20	<0.01	<10	<10	14	<10	74			
C00074186		<20	<0.01	<10	<10	5	<10	50			
C00074187		<20	<0.01	<10	<10	9	<10	192			
C00074188		<20	<0.01	<10	<10	8	<10	135			
C00074189		<20	<0.01	<10	<10	9	<10	68			
C00074190		<20	0.07	<10	<10	94	<10	1150			
C00074191		<20	<0.01	<10	<10	14	<10	81			
C00074192		<20	<0.01	<10	<10	14	<10	80			
C00074193		<20	<0.01	<10	<10	11	<10	52			
C00074194		<20	<0.01	<10	<10	11	<10	59			
C00074195		<20	0.01	<10	<10	64	<10	117			
C00074196		<20	<0.01	<10	<10	8	<10	59			
C00074197		<20	<0.01	<10	<10	17	<10	51			
C00074198		<20	<0.01	<10	10	9	<10	28			
C00074199		20	<0.01	<10	10	1	<10	19			
C00074200		<20	<0.01	<10	<10	<1	<10	3			
C00074201		<20	<0.01	<10	10	1	<10	22			
C00074202		<20	<0.01	<10	<10	5	<10	50			
C00074203		<20	<0.01	<10	<10	5	<10	81			
C00074204		<20	<0.01	<10	<10	6	<10	173			
C00074205		<20	<0.01	<10	<10	5	<10	74			
C00074206		<20	<0.01	<10	<10	<1	<10	46			
C00074207		<20	<0.01	<10	<10	13	<10	71			
C00074208		<20	0.01	<10	<10	80	<10	110			
C00074209		<20	<0.01	<10	<10	5	<10	28			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 10-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200307

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

CERTIFICATE TR20200310

Project: Premier Gold

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 10-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074210		0.14	8.00	>100	1.61	634	10	30	<0.5	4	3.70	136.5	18	47	2110	5.11
C00074211		2.25	0.006	0.3	0.45	3	<10	90	0.5	<2	0.81	<0.5	1	5	5	0.45
C00074212		2.48	<0.005	0.2	0.98	4	<10	130	1.2	<2	1.57	1.1	5	2	9	1.89
C00074213		2.77	<0.005	0.2	0.94	2	<10	100	0.8	<2	1.75	1.0	4	2	15	1.76
C00074214		1.78	<0.005	<0.2	2.36	4	<10	380	0.6	2	3.32	<0.5	22	27	23	5.33
C00074215		4.08	<0.005	0.2	1.23	2	<10	130	0.8	<2	1.20	<0.5	5	2	19	1.93
C00074216		2.43	<0.005	0.3	1.13	3	<10	120	1.0	<2	1.43	<0.5	5	1	8	1.50
C00074217		5.06	<0.005	<0.2	0.83	2	<10	520	0.7	<2	2.44	<0.5	8	5	2	2.08
C00074218		5.06	<0.005	0.3	0.56	2	<10	620	0.8	<2	2.53	<0.5	6	4	38	1.75
C00074219		4.93	<0.005	<0.2	0.61	2	<10	680	0.8	<2	2.56	<0.5	6	3	7	1.75
C00074220		0.76	<0.005	<0.2	0.03	2	<10	<10	<0.5	<2	20.2	<0.5	<1	<1	1	0.12
C00074221		4.70	<0.005	<0.2	0.45	<2	<10	680	0.6	<2	2.66	<0.5	7	3	1	1.87
C00074222		4.94	<0.005	<0.2	0.65	<2	<10	1010	0.6	<2	2.57	<0.5	8	4	7	1.93
C00074223		2.02	<0.005	0.7	0.68	5	<10	360	0.9	<2	1.38	0.5	7	2	29	1.70
C00074224		2.34	<0.005	0.2	0.89	6	<10	460	0.6	<2	0.87	<0.5	8	2	19	1.94
C00074225		2.36	<0.005	0.3	1.01	5	<10	260	0.6	<2	0.88	0.7	9	1	21	2.16
C00074226		3.62	<0.005	0.5	0.50	6	<10	160	0.5	<2	1.36	<0.5	7	3	18	1.54
C00074227		4.30	<0.005	<0.2	0.48	<2	<10	780	0.6	<2	2.65	<0.5	6	5	3	1.72
C00074228		4.51	<0.005	<0.2	0.55	2	<10	560	0.6	<2	2.34	<0.5	6	6	1	1.66
C00074229		5.39	<0.005	<0.2	0.46	<2	<10	630	0.6	<2	2.44	<0.5	5	3	1	1.57
C00074230		0.12	0.687	10.3	1.24	797	10	110	<0.5	20	3.17	6.3	46	24	6660	3.58
C00074231		4.49	<0.005	0.2	0.47	2	<10	900	0.6	<2	2.17	<0.5	5	2	7	1.55
C00074232		3.31	<0.005	0.2	0.43	<2	<10	1060	0.6	<2	2.67	<0.5	5	2	1	1.49
C00074233		4.21	<0.005	0.3	0.46	4	<10	130	0.5	<2	1.04	<0.5	7	4	31	1.81
C00074234		2.31	0.005	0.9	0.44	19	<10	150	0.6	<2	1.10	0.6	9	3	167	1.95
C00074235		4.55	0.005	0.6	0.48	2	<10	1290	0.6	<2	2.31	<0.5	8	2	19	1.72
C00074236		3.29	<0.005	<0.2	0.48	<2	<10	1640	0.7	<2	2.86	<0.5	6	2	5	1.65
C00074237		4.60	0.008	0.4	0.61	4	<10	130	0.6	<2	0.93	1.0	4	3	20	1.71
C00074238		4.45	<0.005	0.2	0.87	5	<10	130	0.5	<2	0.94	0.6	6	3	10	1.87
C00074239		5.11	<0.005	0.3	0.90	5	<10	130	0.5	<2	0.91	0.8	4	3	11	1.72
C00074240		0.88	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	19.1	<0.5	<1	<1	1	0.11
C00074241		2.52	0.022	<0.2	0.92	4	<10	130	0.5	<2	0.88	0.7	4	4	5	1.89
C00074242		2.36	<0.005	0.3	0.73	5	<10	120	0.5	<2	1.48	1.0	3	3	12	1.36
C00074243		2.53	<0.005	0.2	0.86	3	<10	160	0.5	<2	1.59	<0.5	3	5	14	1.55
C00074244		2.49	0.006	0.9	0.87	4	<10	100	<0.5	2	0.48	<0.5	4	6	5	1.62
C00074245		2.29	0.005	0.8	0.98	5	<10	130	0.5	<2	1.17	3.6	5	4	38	2.04
C00074246		1.29	<0.005	0.3	0.86	5	<10	140	<0.5	<2	0.82	1.1	6	3	20	1.82
C00074247		1.12	<0.005	0.5	0.89	5	<10	110	<0.5	<2	0.91	1.2	6	4	28	1.91
C00074248		2.27	0.005	0.8	0.69	6	<10	110	0.5	<2	1.26	2.5	5	3	68	1.98
C00074249		2.24	0.028	11.9	0.65	29	<10	110	0.5	9	1.71	50.4	13	2	525	2.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074210		10	15	0.21	<10	1.43	777	56	0.06	216	650	>10000	4.12	722	3	51
C00074211		<10	<1	0.39	10	0.04	257	3	0.07	3	20	45	0.06	<2	<1	79
C00074212		<10	1	0.46	20	0.55	1040	1	0.03	2	420	22	0.02	2	1	116
C00074213		<10	<1	0.43	20	0.58	764	1	0.04	1	400	14	0.02	<2	1	125
C00074214		10	1	0.17	20	1.85	879	2	0.16	16	1830	5	0.05	<2	9	268
C00074215		<10	<1	0.39	20	0.58	574	1	0.03	2	430	17	0.03	<2	1	86
C00074216		<10	<1	0.46	20	0.69	736	1	0.01	2	480	23	0.02	<2	1	132
C00074217		<10	1	0.33	20	0.62	529	1	0.05	4	930	15	0.08	<2	3	227
C00074218		<10	1	0.34	20	0.56	452	1	0.05	4	890	23	0.04	<2	2	248
C00074219		<10	1	0.40	20	0.57	522	1	0.05	3	900	25	0.04	<2	2	254
C00074220		<10	1	0.01	<10	12.05	121	<1	<0.01	<1	20	<2	0.01	<2	<1	50
C00074221		<10	<1	0.33	20	0.60	522	<1	0.05	4	890	16	0.03	<2	2	272
C00074222		<10	1	0.37	20	0.60	390	<1	0.06	2	880	20	0.06	<2	3	256
C00074223		<10	<1	0.39	20	0.43	577	1	0.02	3	610	32	0.08	<2	2	173
C00074224		<10	<1	0.31	20	0.58	1040	<1	0.04	2	480	16	0.03	2	1	120
C00074225		<10	<1	0.30	20	0.69	1150	<1	0.04	3	490	19	0.03	<2	1	136
C00074226		<10	1	0.26	20	0.46	651	3	0.07	2	480	19	0.05	2	1	178
C00074227		<10	1	0.31	20	0.53	361	<1	0.05	3	790	17	0.04	2	3	302
C00074228		<10	1	0.32	20	0.52	334	<1	0.05	4	780	9	0.03	<2	3	253
C00074229		<10	1	0.35	20	0.53	372	<1	0.05	2	780	9	0.03	<2	3	238
C00074230		10	1	0.15	10	0.42	623	291	0.12	22	670	70	1.22	16	2	136
C00074231		<10	<1	0.39	20	0.47	495	1	0.04	2	800	26	0.08	2	2	211
C00074232		<10	<1	0.36	20	0.46	398	<1	0.05	2	780	12	0.05	<2	2	278
C00074233		<10	<1	0.29	20	0.26	497	1	0.06	3	450	11	0.05	<2	1	105
C00074234		<10	<1	0.31	20	0.23	416	5	0.05	3	480	36	0.39	<2	1	103
C00074235		<10	<1	0.40	20	0.50	476	2	0.05	3	770	11	0.29	3	2	212
C00074236		<10	<1	0.39	20	0.52	498	1	0.02	3	780	22	0.12	<2	2	279
C00074237		<10	<1	0.33	20	0.25	439	1	0.04	2	540	36	0.10	<2	1	68
C00074238		<10	<1	0.32	20	0.31	509	<1	0.04	3	520	21	0.05	<2	1	72
C00074239		<10	<1	0.30	20	0.32	463	1	0.04	2	500	23	0.05	<2	1	61
C00074240		<10	2	0.01	<10	11.70	116	<1	<0.01	<1	10	<2	0.01	2	<1	46
C00074241		<10	<1	0.25	20	0.35	529	1	0.04	1	500	42	0.03	<2	1	72
C00074242		<10	<1	0.26	20	0.26	461	<1	0.02	1	520	26	0.03	<2	1	57
C00074243		<10	1	0.26	20	0.35	608	<1	0.03	1	460	11	0.02	<2	1	61
C00074244		<10	<1	0.22	20	0.33	475	<1	0.06	2	480	30	0.02	<2	1	49
C00074245		<10	<1	0.26	20	0.38	696	<1	0.04	2	520	81	0.05	<2	1	59
C00074246		<10	1	0.26	20	0.34	478	<1	0.05	3	480	23	0.03	2	1	62
C00074247		<10	1	0.27	20	0.35	526	<1	0.05	2	490	29	0.03	<2	1	69
C00074248		<10	1	0.26	20	0.38	739	1	0.04	1	490	39	0.07	<2	1	105
C00074249		<10	1	0.32	10	0.32	897	2	0.03	3	490	925	0.60	<2	1	91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074210		<20	0.06	10	<10	63	20	>10000	314	2.30	2.39
C00074211		<20	<0.01	<10	<10	1	<10	34			
C00074212		<20	<0.01	<10	<10	11	<10	165			
C00074213		<20	<0.01	<10	<10	10	<10	176			
C00074214		<20	0.02	<10	<10	83	<10	109			
C00074215		<20	<0.01	<10	<10	15	<10	89			
C00074216		<20	<0.01	<10	<10	13	<10	78			
C00074217		<20	<0.01	<10	<10	24	<10	59			
C00074218		<20	<0.01	<10	<10	13	<10	60			
C00074219		<20	<0.01	<10	<10	13	<10	59			
C00074220		<20	<0.01	<10	<10	<1	<10	4			
C00074221		<20	<0.01	<10	<10	15	<10	58			
C00074222		<20	0.01	<10	<10	19	<10	55			
C00074223		<20	<0.01	<10	<10	10	<10	75			
C00074224		<20	<0.01	<10	<10	10	<10	69			
C00074225		<20	<0.01	<10	<10	11	<10	100			
C00074226		<20	<0.01	<10	<10	8	<10	39			
C00074227		<20	0.01	<10	<10	17	<10	42			
C00074228		<20	0.01	<10	<10	21	<10	33			
C00074229		<20	<0.01	<10	<10	11	<10	29			
C00074230		<20	0.08	<10	<10	45	10	1020			
C00074231		<20	<0.01	<10	<10	6	<10	35			
C00074232		<20	<0.01	<10	<10	5	<10	29			
C00074233		<20	<0.01	<10	<10	7	<10	51			
C00074234		<20	<0.01	<10	<10	6	<10	100			
C00074235		<20	<0.01	<10	<10	6	<10	28			
C00074236		<20	<0.01	<10	<10	9	<10	34			
C00074237		<20	<0.01	<10	<10	8	<10	129			
C00074238		<20	<0.01	<10	<10	12	<10	94			
C00074239		<20	<0.01	<10	<10	13	<10	125			
C00074240		<20	<0.01	<10	<10	<1	<10	3			
C00074241		<20	<0.01	<10	<10	13	<10	124			
C00074242		<20	<0.01	<10	<10	9	<10	147			
C00074243		<20	<0.01	<10	<10	11	<10	71			
C00074244		<20	<0.01	<10	<10	15	<10	58			
C00074245		<20	<0.01	<10	<10	16	<10	554			
C00074246		<20	<0.01	<10	<10	12	<10	192			
C00074247		<20	<0.01	<10	<10	12	<10	216			
C00074248		<20	<0.01	<10	<10	9	<10	379			
C00074249		<20	<0.01	<10	<10	8	<10	6790			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074250		0.13	1.110	95.8	1.61	32	10	180	<0.5	<2	3.22	8.9	18	18	975	3.55
C00074251		2.61	<0.005	0.2	0.69	4	<10	120	0.5	<2	0.80	0.7	4	3	8	1.61
C00074252		2.60	<0.005	0.4	0.46	5	<10	220	0.5	<2	0.70	<0.5	4	5	10	1.40
C00074253		2.31	0.005	<0.2	0.79	3	<10	100	<0.5	<2	0.78	<0.5	5	6	4	1.87
C00074254		2.44	<0.005	<0.2	0.78	2	<10	130	<0.5	<2	1.12	<0.5	5	5	5	1.77
C00074255		4.81	<0.005	<0.2	0.43	4	<10	1140	0.5	<2	0.80	<0.5	4	4	5	1.65
C00074256		4.87	<0.005	0.2	0.39	5	<10	110	<0.5	<2	0.63	1.9	5	6	7	1.59
C00074257		4.71	<0.005	0.2	0.83	4	<10	250	0.5	<2	0.87	0.5	5	4	8	1.74
C00074258		4.31	0.010	0.2	0.84	5	<10	140	0.5	<2	1.20	0.9	5	3	13	1.69
C00074259		4.95	0.005	0.2	0.63	3	<10	150	<0.5	<2	1.23	<0.5	4	4	11	1.76
C00074260		0.98	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	19.7	<0.5	<1	1	1	0.12
C00074261		2.56	<0.005	0.3	0.89	2	<10	180	0.5	<2	0.59	<0.5	3	5	6	1.80
C00074262		2.22	<0.005	0.2	0.69	3	<10	120	0.5	<2	4.20	<0.5	3	4	10	1.45
C00074263		2.77	<0.005	0.3	0.45	2	<10	120	0.5	<2	0.85	<0.5	8	5	20	1.54
C00074264		5.03	<0.005	<0.2	0.52	<2	<10	2070	0.6	<2	2.91	<0.5	7	2	1	1.59
C00074265		4.60	<0.005	<0.2	0.48	<2	<10	1720	0.6	<2	2.40	<0.5	6	2	1	1.58
C00074266		4.91	<0.005	0.2	0.41	<2	<10	1880	0.6	<2	2.64	<0.5	8	2	3	1.73
C00074267		3.82	<0.005	0.3	0.48	2	<10	2200	0.6	<2	2.63	<0.5	6	2	8	1.75
C00074268		2.69	<0.005	0.2	0.46	2	<10	930	0.5	<2	2.68	<0.5	7	2	3	1.76
C00074269		2.44	<0.005	0.5	0.43	2	<10	200	0.6	<2	1.21	<0.5	5	3	22	1.71
C00074270		0.14	7.74	>100	1.53	629	<10	20	<0.5	3	3.74	132.0	18	44	2160	5.06
C00074271		2.09	<0.005	0.6	0.53	7	<10	250	0.7	<2	0.85	<0.5	6	2	6	1.73
C00074272		2.27	<0.005	0.4	0.51	5	<10	470	0.6	<2	0.92	<0.5	6	5	5	1.38
C00074273		4.14	0.005	0.3	0.46	3	<10	240	0.5	2	1.06	<0.5	4	6	5	1.57
C00074274		3.78	<0.005	<0.2	0.57	2	<10	100	<0.5	<2	0.73	<0.5	5	8	7	1.77
C00074275		2.99	<0.005	0.2	0.61	5	<10	1120	0.5	<2	1.92	0.7	4	5	6	1.39
C00074276		1.16	<0.005	<0.2	0.59	4	<10	180	<0.5	<2	1.14	<0.5	6	4	8	1.46
C00074277		1.18	<0.005	<0.2	0.56	5	<10	190	<0.5	<2	1.74	<0.5	5	4	7	1.40
C00074278		2.51	<0.005	0.4	0.57	8	<10	230	<0.5	<2	1.87	<0.5	5	4	46	1.53
C00074279		2.35	<0.005	0.2	0.56	4	<10	190	<0.5	<2	1.64	<0.5	5	5	7	1.32
C00074280		0.97	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	19.8	<0.5	<1	<1	1	0.12
C00074281		2.42	<0.005	<0.2	0.50	4	<10	520	<0.5	<2	1.07	<0.5	5	6	5	1.38
C00074282		3.59	<0.005	<0.2	0.63	5	<10	190	<0.5	<2	0.86	<0.5	6	9	6	1.65
B0025071		3.64	0.017	0.6	1.38	15	<10	640	<0.5	<2	4.16	<0.5	7	3	15	2.65
B0025072		3.47	0.473	6.2	1.72	9	<10	540	<0.5	<2	5.20	<0.5	8	2	596	3.37
B0025073		4.00	0.035	2.5	2.10	7	<10	300	<0.5	<2	3.56	<0.5	10	2	223	4.02
B0025074		4.18	0.010	0.4	2.04	12	<10	450	<0.5	<2	4.63	<0.5	8	2	18	3.09
B0025075		3.57	0.062	4.1	1.16	91	<10	200	<0.5	<2	2.03	<0.5	11	2	20	3.15
B0025076		4.56	0.073	7.1	1.05	112	<10	180	<0.5	<2	1.96	<0.5	11	2	18	3.25
B0025077		3.71	0.007	0.3	2.81	13	<10	220	<0.5	<2	3.91	<0.5	8	2	5	4.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074250		10	1	0.14	<10	1.42	921	13	0.10	12	1050	4510	1.06	61	6	156
C00074251		<10	<1	0.33	20	0.27	522	1	0.04	1	450	24	0.02	<2	1	55
C00074252		<10	<1	0.32	20	0.23	553	2	0.04	2	430	29	0.03	<2	1	67
C00074253		<10	<1	0.23	20	0.40	759	<1	0.06	2	470	17	0.01	<2	1	54
C00074254		<10	<1	0.22	20	0.34	750	<1	0.06	2	440	19	0.01	<2	1	72
C00074255		<10	<1	0.29	20	0.24	575	<1	0.08	2	450	11	0.04	<2	1	85
C00074256		<10	<1	0.27	20	0.19	479	2	0.06	2	410	77	0.12	<2	1	69
C00074257		<10	1	0.30	20	0.27	527	1	0.07	1	450	27	0.04	<2	1	82
C00074258		<10	1	0.29	20	0.31	573	1	0.05	3	480	30	0.04	<2	1	84
C00074259		<10	1	0.24	20	0.36	777	1	0.07	4	430	23	0.02	<2	1	98
C00074260		<10	1	0.01	<10	11.75	118	<1	0.01	<1	20	2	<0.01	<2	<1	48
C00074261		<10	1	0.29	20	0.38	674	1	0.05	1	480	19	0.01	<2	1	50
C00074262		<10	1	0.27	20	0.29	551	1	0.04	<1	360	5	0.01	<2	1	57
C00074263		<10	<1	0.27	10	0.25	389	1	0.04	2	350	36	0.33	<2	1	97
C00074264		<10	1	0.40	20	0.53	452	1	0.04	2	730	17	0.10	2	3	309
C00074265		<10	<1	0.39	20	0.50	414	<1	0.05	2	720	27	0.11	2	3	255
C00074266		<10	1	0.34	20	0.59	442	2	0.04	3	700	24	0.13	2	3	239
C00074267		<10	<1	0.38	20	0.63	447	3	0.05	3	730	20	0.12	<2	3	264
C00074268		<10	<1	0.38	20	0.65	525	2	0.06	2	730	27	0.14	<2	3	207
C00074269		<10	1	0.29	20	0.34	635	<1	0.04	2	550	27	0.03	3	1	113
C00074270		10	15	0.20	<10	1.40	773	57	0.07	226	620	>10000	4.12	768	3	45
C00074271		<10	<1	0.32	10	0.30	664	<1	0.05	2	950	30	0.03	<2	1	112
C00074272		<10	<1	0.29	20	0.27	495	<1	0.05	1	700	19	0.02	<2	1	73
C00074273		<10	<1	0.26	20	0.25	532	1	0.05	2	800	17	0.03	<2	1	79
C00074274		<10	<1	0.15	20	0.29	571	3	0.09	3	500	15	0.03	<2	1	57
C00074275		<10	<1	0.32	20	0.22	451	1	0.06	2	1440	52	0.12	2	1	88
C00074276		<10	<1	0.24	20	0.25	442	<1	0.05	2	480	12	0.05	<2	1	60
C00074277		<10	<1	0.25	20	0.24	493	<1	0.05	2	500	12	0.04	<2	1	72
C00074278		<10	<1	0.28	20	0.25	533	1	0.04	1	370	25	0.24	2	1	99
C00074279		<10	1	0.28	20	0.23	498	<1	0.05	3	360	26	0.01	3	1	72
C00074280		<10	1	0.01	<10	11.90	123	<1	0.01	<1	10	<2	<0.01	2	<1	45
C00074281		<10	<1	0.25	20	0.24	398	<1	0.06	2	350	15	0.02	<2	1	76
C00074282		<10	<1	0.21	20	0.27	432	1	0.06	3	350	12	0.03	<2	1	52
B0025071		<10	1	0.33	10	0.61	1795	3	0.04	2	800	11	0.56	<2	2	139
B0025072		10	1	0.36	10	0.87	2710	<1	0.03	2	1260	14	0.43	<2	3	148
B0025073		10	1	0.36	10	1.08	2280	<1	0.03	2	1320	17	0.33	2	4	109
B0025074		10	1	0.36	10	0.82	2000	1	0.03	2	940	5	0.40	<2	2	107
B0025075		<10	<1	0.34	10	0.39	840	3	0.02	3	920	10	2.31	2	2	47
B0025076		<10	1	0.34	10	0.33	743	3	0.02	4	1010	15	2.65	2	2	57
B0025077		10	1	0.32	10	1.40	1960	<1	0.02	1	1390	5	0.40	2	3	87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074250		<20	0.06	<10	<10	94	<10	1170			
C00074251		<20	<0.01	<10	<10	8	<10	108			
C00074252		<20	<0.01	<10	<10	4	<10	62			
C00074253		<20	<0.01	<10	<10	12	<10	44			
C00074254		<20	<0.01	<10	<10	13	<10	48			
C00074255		<20	<0.01	<10	<10	6	<10	43			
C00074256		<20	<0.01	<10	<10	5	<10	195			
C00074257		<20	<0.01	<10	<10	11	<10	86			
C00074258		<20	<0.01	<10	<10	10	<10	115			
C00074259		<20	<0.01	<10	<10	12	<10	74			
C00074260		<20	<0.01	<10	<10	<1	<10	4			
C00074261		<20	<0.01	<10	<10	16	<10	93			
C00074262		<20	<0.01	<10	<10	9	<10	41			
C00074263		<20	<0.01	<10	<10	6	<10	28			
C00074264		<20	<0.01	<10	<10	7	<10	32			
C00074265		<20	<0.01	<10	<10	6	<10	37			
C00074266		<20	<0.01	<10	<10	6	<10	35			
C00074267		<20	<0.01	<10	<10	7	<10	37			
C00074268		<20	<0.01	<10	<10	6	<10	40			
C00074269		<20	<0.01	<10	<10	5	<10	56			
C00074270		<20	0.05	10	<10	60	20	>10000	315	2.25	2.37
C00074271		<20	<0.01	<10	<10	5	<10	55			
C00074272		<20	<0.01	<10	<10	5	<10	36			
C00074273		<20	<0.01	<10	<10	7	<10	33			
C00074274		<20	<0.01	<10	<10	16	<10	41			
C00074275		<20	<0.01	<10	<10	7	<10	74			
C00074276		<20	<0.01	<10	<10	9	<10	34			
C00074277		<20	<0.01	<10	<10	9	<10	33			
C00074278		<20	<0.01	<10	<10	7	<10	33			
C00074279		<20	<0.01	<10	<10	6	<10	38			
C00074280		<20	<0.01	<10	<10	<1	<10	3			
C00074281		<20	<0.01	<10	<10	6	<10	28			
C00074282		<20	<0.01	<10	<10	8	<10	28			
B0025071		<20	<0.01	<10	<10	14	<10	56			
B0025072		<20	<0.01	<10	<10	22	<10	77			
B0025073		<20	0.01	<10	<10	28	<10	84			
B0025074		<20	0.01	<10	<10	19	<10	68			
B0025075		<20	<0.01	<10	<10	13	<10	31			
B0025076		<20	<0.01	<10	<10	13	<10	26			
B0025077		<20	<0.01	<10	<10	32	<10	101			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0025078		4.06	0.031	4.7	2.54	8	<10	210	<0.5	<2	4.95	<0.5	9	2	13	4.12
B0025079		3.89	0.037	0.7	2.18	18	<10	200	<0.5	<2	4.20	<0.5	10	2	16	4.30
B0025080		0.95	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	19.7	<0.5	<1	<1	1	0.12
B0025081		3.44	0.045	2.3	1.85	53	<10	130	<0.5	<2	3.60	<0.5	11	2	19	4.53
B0025082		3.72	0.091	8.4	0.40	75	<10	30	<0.5	<2	1.88	22.0	11	9	233	2.42
B0025083		4.68	0.147	6.4	0.91	139	<10	70	<0.5	2	1.51	<0.5	13	2	30	5.04
B0025084		3.56	0.044	1.5	1.16	50	<10	170	<0.5	<2	3.24	<0.5	10	2	22	3.46
B0025085		2.94	0.057	2.0	1.03	63	<10	130	<0.5	2	2.16	<0.5	15	1	28	4.27
B0025086		1.71	<0.005	0.5	2.27	3	<10	410	<0.5	<2	3.70	<0.5	14	23	5	4.48
B0025087		3.79	0.049	1.3	1.45	44	<10	150	<0.5	<2	3.31	<0.5	11	1	19	4.35
B0025088		4.70	0.100	2.3	0.88	81	<10	130	<0.5	<2	2.45	<0.5	13	2	27	3.71
B0025089		4.24	0.741	3.9	1.44	106	<10	130	<0.5	<2	3.32	<0.5	11	1	177	3.74
B0025090		0.13	1.260	89.6	1.52	31	10	170	<0.5	2	3.10	8.5	17	17	966	3.47
B0025091		2.35	0.109	1.9	1.77	78	<10	140	<0.5	<2	3.64	<0.5	11	1	22	4.27
B0025092		4.16	0.069	1.4	2.02	53	<10	210	<0.5	2	2.69	<0.5	11	1	11	4.65
B0025093		4.07	0.066	3.4	1.77	21	<10	170	<0.5	<2	2.24	<0.5	10	2	170	3.97
B0025094		3.98	0.260	5.6	0.84	45	<10	150	<0.5	<2	3.15	<0.5	10	2	211	3.07
B0025095		1.74	0.038	1.8	1.01	14	<10	300	<0.5	<2	3.57	4.3	5	2	79	1.85
B0025096		2.93	<0.005	0.2	2.30	3	<10	1590	<0.5	<2	3.37	<0.5	14	26	12	4.66
B0025097		3.15	0.124	1.6	1.38	21	<10	160	<0.5	<2	3.68	<0.5	10	3	57	2.81
B0025098		2.14	0.024	0.8	1.83	24	<10	160	<0.5	2	0.86	<0.5	12	2	12	3.89
B0025099		1.68	0.010	0.2	0.17	5	<10	40	<0.5	<2	2.63	<0.5	3	8	7	0.62
B0025100		1.13	<0.005	<0.2	0.03	2	<10	10	<0.5	2	19.5	<0.5	<1	<1	1	0.13
B0025101		3.18	0.173	2.7	1.33	39	<10	160	<0.5	<2	1.57	1.1	11	2	34	3.37
B0025102		4.52	0.016	1.6	1.71	18	<10	160	<0.5	<2	4.19	<0.5	8	3	15	3.27
B0025103		3.50	0.073	2.8	1.22	49	<10	160	<0.5	<2	6.87	<0.5	9	2	45	3.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0025078		10	1	0.29	10	1.22	2360	<1	0.02	2	1260	6	0.24	2	3	122
B0025079		10	1	0.30	10	0.95	1925	1	0.02	2	1230	10	0.89	<2	3	112
B0025080		<10	1	0.01	<10	11.85	124	<1	0.01	<1	20	<2	0.01	2	<1	46
B0025081		10	1	0.34	10	0.79	1510	1	0.02	1	1340	18	2.21	2	3	119
B0025082		<10	1	0.22	<10	0.06	548	6	0.01	4	550	277	2.49	5	1	125
B0025083		<10	<1	0.25	<10	0.35	646	3	<0.01	4	1210	20	4.32	2	1	49
B0025084		<10	<1	0.24	10	0.49	1325	2	<0.01	2	1180	14	1.95	<2	2	91
B0025085		<10	<1	0.23	<10	0.44	981	2	0.01	3	1250	12	3.07	<2	2	71
B0025086		10	1	0.17	20	1.50	1040	2	0.04	11	2800	4	0.14	<2	3	152
B0025087		<10	1	0.24	10	0.63	1530	3	0.01	4	1370	10	2.24	3	2	93
B0025088		<10	<1	0.25	<10	0.31	1055	5	0.01	2	1280	13	2.85	<2	1	63
B0025089		<10	<1	0.23	10	0.62	1680	1	<0.01	2	1280	29	1.54	2	2	92
B0025090		10	1	0.14	<10	1.39	911	12	0.09	12	1000	4410	1.02	59	5	147
B0025091		<10	<1	0.25	10	0.78	1990	<1	0.01	2	1400	8	1.33	<2	2	141
B0025092		10	1	0.23	10	0.96	1665	1	0.01	2	1460	9	1.18	2	2	82
B0025093		<10	1	0.24	10	0.83	1435	<1	<0.01	3	1370	10	1.07	3	2	77
B0025094		<10	<1	0.25	<10	0.32	1350	2	0.01	2	1190	13	2.25	<2	1	88
B0025095		<10	1	0.25	10	0.44	1300	1	0.01	1	960	21	0.45	3	1	93
B0025096		10	1	0.13	20	1.57	1085	2	0.04	12	2750	2	0.08	<2	3	166
B0025097		<10	<1	0.24	10	0.65	1595	1	0.01	3	1060	23	0.75	<2	2	104
B0025098		<10	<1	0.25	10	0.91	1020	2	0.01	3	1610	8	1.08	<2	1	34
B0025099		<10	<1	0.05	<10	0.07	1030	1	<0.01	1	240	3	0.22	<2	1	85
B0025100		<10	1	0.01	<10	11.80	121	<1	<0.01	<1	10	<2	0.01	3	<1	47
B0025101		<10	<1	0.26	10	0.63	995	3	0.01	2	1210	112	1.59	<2	1	57
B0025102		<10	1	0.22	10	0.87	2230	2	0.01	2	1060	40	0.50	<2	2	135
B0025103		<10	1	0.21	<10	0.56	2930	1	0.01	2	890	19	1.41	2	1	207

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0025078		<20	0.01	<10	<10	29	<10	88			
B0025079		<20	0.01	<10	<10	29	<10	118			
B0025080		<20	<0.01	<10	<10	<1	<10	3			
B0025081		<20	0.01	<10	<10	24	<10	118			
B0025082		<20	<0.01	<10	<10	7	<10	1340			
B0025083		<20	<0.01	<10	<10	11	<10	53			
B0025084		<20	<0.01	<10	<10	15	<10	72			
B0025085		<20	<0.01	<10	<10	13	<10	57			
B0025086		<20	0.01	<10	<10	50	<10	140			
B0025087		<20	<0.01	<10	<10	18	<10	74			
B0025088		<20	<0.01	<10	<10	11	<10	36			
B0025089		<20	<0.01	<10	<10	17	<10	74			
B0025090		<20	0.06	<10	<10	88	<10	1120			
B0025091		<20	<0.01	<10	<10	20	<10	82			
B0025092		<20	<0.01	<10	<10	24	<10	133			
B0025093		<20	<0.01	<10	<10	19	<10	116			
B0025094		<20	<0.01	<10	<10	9	<10	59			
B0025095		<20	<0.01	<10	<10	10	<10	519			
B0025096		<20	0.05	<10	<10	59	<10	157			
B0025097		<20	<0.01	<10	<10	15	<10	85			
B0025098		<20	<0.01	<10	<10	17	<10	84			
B0025099		<20	<0.01	<10	<10	2	<10	6			
B0025100		<20	<0.01	<10	<10	<1	<10	3			
B0025101		<20	<0.01	<10	<10	12	<10	114			
B0025102		<20	<0.01	<10	<10	15	<10	78			
B0025103		<20	<0.01	<10	<10	13	<10	46			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 11-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20200310

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

CERTIFICATE TR20204780

Project: Premier Gold

This report is for 58 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20204780

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074283		2.37	<0.005	<0.2	0.73	4	<10	90	<0.5	<2	0.75	<0.5	7	11	10	2.06
C00074284		2.52	0.023	0.2	0.75	6	<10	70	<0.5	<2	1.90	1.0	5	8	16	2.79
C00074285		3.59	<0.005	0.2	0.52	4	<10	70	<0.5	<2	1.12	1.4	4	9	8	1.74
C00074286		2.29	<0.005	0.3	0.48	4	<10	100	<0.5	2	1.25	0.6	3	11	11	1.43
C00074287		3.45	<0.005	<0.2	0.82	5	<10	100	0.6	<2	1.48	<0.5	5	10	4	1.78
C00074288		3.42	<0.005	0.7	0.85	3	<10	1210	1.0	2	1.24	<0.5	4	2	4	1.82
C00074289		2.28	<0.005	0.2	1.00	3	<10	110	<0.5	2	1.24	<0.5	3	8	3	1.56
C00074290		0.12	0.675	9.4	1.22	801	20	110	<0.5	19	3.13	6.0	45	24	6670	3.59
C00074291		4.80	<0.005	<0.2	2.67	19	<10	150	0.5	2	2.03	<0.5	13	2	18	4.83
C00074292		5.66	<0.005	0.2	2.17	21	<10	200	0.5	2	1.28	<0.5	10	3	28	3.47
C00074293		5.22	<0.005	<0.2	2.05	5	<10	340	0.6	<2	1.15	<0.5	7	1	10	2.31
C00074294		4.23	<0.005	0.3	2.42	17	<10	370	0.7	<2	2.32	<0.5	13	21	22	3.17
C00074295		3.01	<0.005	<0.2	2.18	4	<10	480	0.6	<2	1.50	<0.5	6	2	6	2.09
C00074296		2.59	<0.005	<0.2	2.81	11	<10	310	0.6	2	3.04	<0.5	27	58	33	5.10
C00074297		4.27	<0.005	<0.2	2.18	5	<10	610	0.6	2	1.40	<0.5	8	9	25	2.52
C00074298		5.33	<0.005	<0.2	1.80	2	<10	340	0.6	2	1.35	<0.5	6	3	6	2.24
C00074299		3.79	<0.005	<0.2	1.98	2	<10	660	0.6	<2	1.50	<0.5	6	2	4	2.23
C00074300		0.87	<0.005	<0.2	0.04	3	<10	20	<0.5	<2	20.4	<0.5	<1	<1	1	0.14
C00074301		5.28	<0.005	<0.2	1.84	<2	<10	860	0.6	<2	1.72	<0.5	7	5	7	2.25
C00074302		5.14	<0.005	0.2	2.03	<2	<10	720	0.6	<2	2.22	<0.5	6	2	25	2.22
C00074303		5.21	<0.005	0.4	2.49	15	<10	120	0.6	<2	3.13	<0.5	31	77	36	5.48
C00074304		2.57	<0.005	0.4	2.49	12	<10	280	0.6	2	3.08	<0.5	24	68	26	4.70
C00074305		5.26	<0.005	<0.2	1.80	6	<10	360	0.5	<2	2.56	<0.5	18	49	32	4.07
C00074306		4.96	<0.005	<0.2	1.87	7	<10	50	0.5	3	2.71	<0.5	20	63	24	4.02
C00074307		1.76	<0.005	0.2	1.86	9	<10	50	<0.5	<2	2.89	<0.5	20	56	59	3.94
C00074308		1.66	<0.005	<0.2	1.85	8	<10	50	<0.5	<2	3.08	<0.5	21	56	30	3.88
C00074309		2.20	<0.005	<0.2	1.81	7	<10	100	<0.5	<2	2.86	<0.5	14	46	53	3.17
C00074310		0.12	1.205	89.4	1.60	31	10	180	<0.5	2	3.20	8.6	17	18	953	3.52
C00074311		4.76	<0.005	0.2	2.54	11	<10	270	0.5	2	3.11	<0.5	28	74	31	5.32
C00074312		4.95	<0.005	<0.2	2.49	7	<10	360	0.6	<2	2.86	<0.5	25	75	27	5.00
C00074313		5.09	<0.005	<0.2	2.45	7	<10	760	0.5	4	3.81	<0.5	31	97	37	5.99
C00074314		4.32	0.013	0.7	0.81	6	<10	220	0.8	2	1.55	<0.5	8	3	8	2.13
C00074315		2.41	0.019	2.8	0.51	13	<10	130	0.5	<2	1.33	<0.5	17	9	11	3.02
C00074316		4.60	<0.005	0.3	0.82	3	<10	550	0.8	<2	1.58	<0.5	9	5	10	2.25
C00074317		4.01	<0.005	<0.2	1.74	3	<10	510	0.7	3	2.34	<0.5	15	39	18	3.16
C00074318		3.89	<0.005	0.3	1.22	4	<10	560	0.8	2	2.23	<0.5	19	34	23	3.75
C00074319		5.00	<0.005	<0.2	1.40	<2	<10	650	0.7	<2	1.83	<0.5	6	2	7	1.78
C00074320		0.88	<0.005	<0.2	0.04	<2	<10	20	<0.5	2	20.1	<0.5	<1	<1	1	0.13
C00074321		4.84	<0.005	<0.2	1.87	<2	<10	1210	0.6	<2	1.70	<0.5	5	2	6	1.90
C00074322		5.04	<0.005	<0.2	1.73	2	<10	740	0.6	<2	1.63	<0.5	5	2	6	1.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20204780

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074283		<10	1	0.11	20	0.41	561	6	0.10	4	490	11	0.01	<2	1	75
C00074284		<10	1	0.08	20	0.57	1420	17	0.10	3	580	77	0.16	<2	2	150
C00074285		<10	1	0.10	10	0.35	695	15	0.11	3	440	53	0.11	<2	1	97
C00074286		<10	1	0.18	20	0.36	695	3	0.06	2	990	69	0.06	<2	1	128
C00074287		<10	<1	0.21	20	0.81	821	2	0.03	2	470	16	0.03	<2	1	176
C00074288		<10	1	0.29	20	0.85	665	1	0.04	2	470	51	0.04	<2	1	185
C00074289		<10	1	0.15	20	1.06	674	3	0.09	2	210	12	0.01	<2	1	235
C00074290		<10	1	0.15	10	0.43	629	291	0.12	22	650	71	1.23	14	2	134
C00074291		10	1	0.14	20	1.79	1375	1	0.06	1	1070	10	0.02	<2	5	139
C00074292		10	1	0.25	20	1.22	881	<1	0.10	2	1120	10	0.05	<2	4	96
C00074293		10	<1	0.35	20	1.61	848	<1	0.04	2	590	9	<0.01	<2	2	134
C00074294		10	1	0.31	20	2.34	936	1	0.06	25	930	16	0.13	<2	4	163
C00074295		10	<1	0.53	20	1.68	754	<1	0.07	1	610	20	0.04	<2	2	221
C00074296		10	<1	0.34	20	2.74	703	1	0.18	64	1620	8	0.12	<2	9	217
C00074297		10	1	0.38	10	1.81	852	<1	0.07	9	670	11	0.09	<2	3	140
C00074298		10	1	0.33	10	1.16	834	<1	0.09	1	600	12	0.03	<2	2	457
C00074299		10	1	0.36	20	1.61	909	<1	0.07	2	610	11	0.01	<2	2	212
C00074300		<10	2	0.01	<10	12.35	129	<1	<0.01	<1	20	2	<0.01	2	<1	53
C00074301		10	<1	0.42	20	1.59	924	<1	0.06	6	670	7	0.04	<2	2	214
C00074302		10	1	0.40	20	1.72	1065	<1	0.04	2	640	6	0.05	<2	2	198
C00074303		10	1	0.30	20	2.46	823	5	0.18	72	1920	6	0.79	<2	9	229
C00074304		10	1	0.27	20	2.32	904	2	0.12	49	1820	8	0.40	<2	8	163
C00074305		10	1	0.12	20	1.79	649	1	0.08	33	1660	10	0.13	2	8	301
C00074306		10	1	0.08	20	2.01	478	1	0.05	42	1970	7	0.11	<2	5	111
C00074307		10	1	0.09	10	1.92	480	1	0.06	37	1960	6	0.14	<2	5	114
C00074308		10	1	0.09	10	1.88	497	1	0.07	37	1880	6	0.11	<2	5	120
C00074309		10	1	0.14	10	1.16	616	1	0.11	26	1680	7	0.14	<2	5	211
C00074310		10	1	0.14	<10	1.41	915	13	0.10	11	1010	4570	1.05	60	6	151
C00074311		10	1	0.41	20	2.42	669	1	0.20	58	2150	8	0.23	<2	7	175
C00074312		10	1	0.26	20	2.56	822	1	0.12	56	1710	4	0.24	<2	7	168
C00074313		10	1	0.16	20	3.06	920	2	0.12	86	1950	4	0.27	<2	10	239
C00074314		<10	1	0.39	20	0.72	778	2	0.02	5	900	10	0.08	<2	2	184
C00074315		<10	1	0.30	10	0.73	465	46	0.01	28	870	25	1.41	2	2	160
C00074316		<10	<1	0.45	20	0.96	661	4	0.03	6	860	11	0.11	<2	2	214
C00074317		10	1	0.38	20	1.69	761	<1	0.07	30	970	5	0.06	2	5	264
C00074318		<10	1	0.44	20	1.59	739	1	0.03	45	1210	7	0.08	<2	6	268
C00074319		<10	1	0.45	20	0.79	697	<1	0.07	2	590	5	0.03	<2	2	353
C00074320		<10	1	0.02	<10	11.90	121	<1	<0.01	<1	20	2	<0.01	<2	<1	52
C00074321		10	1	0.36	20	1.37	902	1	0.07	2	550	16	0.02	<2	2	288
C00074322		<10	1	0.35	10	0.96	723	<1	0.07	2	640	6	0.01	<2	2	397

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20204780

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	20	0.01	10	10	1	10	2
C00074283		<20	<0.01	<10	<10	23	<10	36
C00074284		<20	<0.01	<10	<10	29	<10	113
C00074285		<20	<0.01	<10	<10	19	<10	124
C00074286		<20	<0.01	<10	<10	10	<10	69
C00074287		<20	<0.01	<10	<10	11	<10	38
C00074288		<20	<0.01	<10	<10	7	<10	51
C00074289		<20	<0.01	<10	<10	20	<10	39
C00074290		<20	0.07	<10	<10	43	10	1040
C00074291		<20	0.06	<10	<10	83	<10	94
C00074292		<20	0.05	<10	<10	44	<10	75
C00074293		<20	0.01	<10	<10	21	<10	58
C00074294		<20	0.05	<10	<10	46	<10	73
C00074295		<20	0.01	<10	<10	22	<10	56
C00074296		<20	0.35	<10	<10	106	<10	81
C00074297		<20	0.11	<10	<10	36	<10	68
C00074298		<20	0.08	<10	<10	30	<10	60
C00074299		<20	0.03	<10	<10	34	<10	63
C00074300		<20	<0.01	<10	<10	<1	<10	3
C00074301		<20	0.04	<10	<10	35	<10	59
C00074302		<20	<0.01	<10	<10	35	<10	62
C00074303		<20	0.19	<10	<10	88	<10	95
C00074304		<20	0.11	<10	<10	87	<10	96
C00074305		<20	0.27	<10	<10	96	<10	80
C00074306		<20	0.27	<10	<10	96	<10	79
C00074307		<20	0.27	<10	<10	94	<10	75
C00074308		<20	0.28	<10	<10	92	<10	73
C00074309		<20	0.20	<10	<10	75	<10	50
C00074310		<20	0.06	<10	<10	92	<10	1105
C00074311		<20	0.33	<10	<10	111	<10	103
C00074312		<20	0.18	<10	<10	106	<10	90
C00074313		<20	0.21	<10	<10	103	<10	97
C00074314		<20	<0.01	<10	<10	18	<10	57
C00074315		<20	<0.01	<10	<10	10	<10	55
C00074316		<20	<0.01	<10	<10	17	<10	56
C00074317		<20	0.02	<10	<10	44	<10	61
C00074318		<20	<0.01	<10	<10	28	<10	66
C00074319		<20	0.02	<10	<10	19	<10	49
C00074320		<20	<0.01	<10	<10	<1	<10	3
C00074321		<20	0.01	<10	<10	23	<10	57
C00074322		<20	0.03	<10	<10	21	<10	54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20204780

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074323		4.85	<0.005	<0.2	1.40	2	<10	500	0.6	<2	1.94	<0.5	5	3	12	1.50
C00074324		3.14	<0.005	0.3	1.79	2	<10	530	0.6	<2	2.27	<0.5	10	4	24	2.19
C00074325		2.71	0.009	0.9	0.43	3	<10	150	<0.5	<2	1.14	<0.5	4	8	11	1.33
C00074326		2.34	0.006	0.3	1.74	<2	<10	740	0.7	2	1.68	<0.5	5	2	18	1.91
C00074327		4.37	<0.005	1.0	1.53	<2	<10	860	0.7	4	2.39	<0.5	5	1	41	1.91
B0025104		3.80	0.116	1.1	0.73	151	<10	140	<0.5	2	14.8	0.6	8	2	14	3.08
B0025105		4.41	0.250	1.5	0.26	156	<10	120	<0.5	<2	19.3	2.0	4	1	12	1.99
B0025106		4.61	0.127	1.2	0.18	114	<10	130	<0.5	2	16.2	1.1	5	2	11	1.75
B0025107		4.10	0.120	1.2	0.24	92	<10	190	<0.5	<2	16.6	0.8	5	2	21	1.74
B0025108		3.54	0.276	2.4	0.49	187	<10	110	<0.5	<2	8.3	1.1	6	5	224	3.20
B0025109		4.85	0.240	1.1	1.46	92	<10	70	<0.5	4	4.70	0.9	16	5	24	4.94
B0025110		0.54	0.005	<0.2	0.02	<2	<10	20	<0.5	<2	20.5	<0.5	<1	<1	1	0.13
B0025111		4.86	0.074	0.8	1.38	66	<10	130	<0.5	3	7.9	0.5	14	4	25	4.38
B0025112		4.61	0.159	1.4	1.01	103	<10	120	<0.5	2	13.2	1.3	11	3	32	3.62
B0025113		4.32	0.080	0.8	1.69	68	<10	190	<0.5	<2	9.5	<0.5	14	5	61	4.71
B0025114		4.56	0.070	0.5	1.84	31	<10	200	<0.5	<2	10.1	<0.5	14	6	9	4.79
B0025115		5.14	0.164	1.6	1.56	157	<10	140	<0.5	5	7.8	<0.5	16	5	11	5.19
B0025116		4.46	0.244	3.4	1.46	322	<10	50	<0.5	5	5.01	8.5	18	5	30	5.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20204780

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074323		<10	1	0.35	20	0.84	750	<1	0.04	2	630	8	0.05	<2	2	362
C00074324		<10	1	0.33	10	1.25	909	<1	0.03	4	850	5	0.01	<2	4	383
C00074325		<10	<1	0.30	10	0.40	335	6	0.01	2	380	13	0.35	<2	1	159
C00074326		<10	1	0.29	20	1.60	905	<1	0.03	2	610	7	0.02	<2	2	225
C00074327		<10	1	0.34	20	1.14	947	1	0.03	1	620	17	0.05	<2	2	265
B0025104		<10	1	0.21	<10	0.34	3520	1	0.01	1	750	36	2.19	5	2	601
B0025105		<10	2	0.13	<10	0.15	4990	1	0.01	<1	340	135	1.85	8	2	668
B0025106		<10	1	0.12	<10	0.08	3360	1	<0.01	1	390	49	1.82	4	1	348
B0025107		<10	1	0.12	<10	0.12	3740	1	<0.01	<1	400	39	1.60	3	1	312
B0025108		<10	1	0.11	<10	0.29	2680	2	<0.01	3	370	50	2.60	4	2	320
B0025109		<10	1	0.21	<10	0.72	1410	11	<0.01	2	1190	36	2.64	2	3	102
B0025110		<10	1	0.01	<10	12.25	130	<1	0.01	<1	10	2	0.01	<2	<1	50
B0025111		<10	1	0.20	10	0.70	2050	3	0.01	2	1010	19	2.26	3	3	116
B0025112		<10	1	0.18	<10	0.50	3270	1	0.01	<1	820	67	2.20	4	3	217
B0025113		<10	<1	0.20	10	0.91	2300	1	0.01	2	1080	10	1.82	3	4	135
B0025114		<10	<1	0.21	10	1.01	2520	1	0.01	2	1070	9	1.55	2	4	168
B0025115		<10	<1	0.23	10	0.81	1885	1	<0.01	3	1090	22	2.73	4	3	125
B0025116		<10	<1	0.28	10	0.77	1995	1	<0.01	2	1310	206	3.52	5	3	118

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20204780

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	20	0.01	10	10	1	10	2
C00074323		<20	0.05	<10	<10	19	<10	51
C00074324		<20	0.07	<10	<10	35	<10	69
C00074325		<20	<0.01	<10	<10	9	<10	25
C00074326		<20	0.01	<10	<10	15	<10	66
C00074327		<20	0.01	<10	<10	12	<10	76
B0025104		<20	<0.01	<10	<10	12	<10	116
B0025105		<20	<0.01	<10	<10	5	<10	293
B0025106		<20	<0.01	<10	<10	4	<10	160
B0025107		<20	<0.01	<10	<10	5	<10	110
B0025108		<20	<0.01	<10	<10	9	<10	156
B0025109		<20	<0.01	<10	<10	25	<10	168
B0025110		<20	<0.01	<10	<10	<1	<10	3
B0025111		<20	<0.01	<10	<10	24	<10	108
B0025112		<20	<0.01	<10	<10	18	<10	207
B0025113		<20	<0.01	<10	<10	30	<10	90
B0025114		<20	<0.01	<10	<10	32	<10	94
B0025115		<20	<0.01	<10	<10	28	<10	92
B0025116		<20	<0.01	<10	<10	30	<10	1085

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20204780

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
	Au-AA23	ME-ICP41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

CERTIFICATE TR20207022

Project: Premier Gold

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 17-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0025117		4.87	0.982	4.1	1.69	142	<10	50	<0.5	5	4.06	37.5	15	7	76	5.01
B0025118		4.30	0.445	2.2	1.46	270	<10	80	<0.5	<2	5.71	3.9	15	4	26	4.84
B0025119		4.74	0.044	0.7	2.21	45	<10	160	<0.5	2	4.28	0.7	17	8	15	5.18
B0025120		0.15	8.56	>100	1.53	622	10	20	<0.5	5	3.71	130.5	17	44	2110	4.97
B0025121		2.25	0.165	1.0	2.13	122	<10	100	<0.5	<2	3.94	1.0	19	6	34	5.65
B0025122		2.40	0.170	0.9	2.22	119	<10	130	<0.5	<2	4.12	0.8	18	6	30	5.78
B0025123		5.25	0.078	1.7	1.87	52	<10	130	<0.5	<2	8.8	1.2	15	4	28	4.84
B0025124		4.58	0.153	2.2	1.60	62	<10	150	<0.5	<2	10.1	1.3	13	5	34	4.06
B0025125		4.94	0.063	1.0	1.92	50	<10	200	<0.5	<2	4.85	0.8	15	6	23	4.69
B0025126		6.69	0.035	0.5	2.47	43	<10	230	0.5	<2	3.50	0.6	19	19	25	5.07
B0025127		4.67	<0.005	0.2	3.22	9	<10	350	0.5	<2	4.59	1.9	35	68	59	6.14
B0025128		4.99	0.126	1.5	1.15	51	<10	320	<0.5	<2	10.2	9.1	9	7	16	2.85
B0025129		4.84	0.145	0.9	0.92	71	<10	120	<0.5	<2	18.7	1.3	9	4	14	2.63
B0025130		0.75	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	3	0.12
B0025131		4.54	0.183	1.4	1.41	118	<10	130	<0.5	<2	9.3	1.0	14	5	22	3.94
B0025132		4.54	0.522	1.9	1.41	154	<10	80	<0.5	<2	5.64	1.1	14	7	27	4.11
B0025133		4.72	0.426	1.3	1.79	167	<10	80	<0.5	<2	4.37	4.2	14	9	32	4.70
B0025134		4.84	0.308	1.5	1.79	103	<10	120	<0.5	<2	7.9	11.0	13	10	42	4.32
B0025135		2.95	0.233	0.9	2.12	65	<10	190	<0.5	<2	4.79	2.3	15	9	27	4.74
B0025136		3.85	0.005	<0.2	2.99	11	<10	270	<0.5	<2	4.20	<0.5	34	74	56	6.23
B0025137		4.72	0.184	1.7	2.13	86	<10	160	<0.5	<2	4.77	5.3	15	8	34	4.88
B0025138		4.72	0.393	1.2	1.93	95	<10	170	<0.5	<2	5.11	1.3	18	21	42	4.72
B0025139		5.14	0.300	0.7	2.41	40	<10	210	<0.5	<2	4.03	1.7	17	9	29	5.39
B0025140		0.13	0.728	9.2	1.22	789	20	100	<0.5	19	3.09	5.8	45	23	6530	3.55
B0025141		2.17	0.057	1.2	2.13	79	<10	150	<0.5	<2	2.19	2.2	28	2	77	5.65
B0025142		2.10	0.040	1.0	2.06	62	<10	150	<0.5	<2	2.42	2.4	25	2	59	5.46
B0025143		5.10	0.209	2.6	1.59	108	<10	70	<0.5	<2	3.69	7.6	18	2	51	4.99
B0025144		5.11	0.130	2.4	1.48	54	<10	90	<0.5	<2	4.94	5.8	25	2	61	4.71
B0025145		4.69	0.164	1.9	1.33	72	<10	60	<0.5	<2	4.44	4.6	18	3	48	4.75
B0025146		4.82	0.165	2.3	1.77	40	<10	120	<0.5	<2	2.84	14.7	20	6	65	4.97
B0025147		5.27	0.401	2.5	2.00	25	<10	150	<0.5	<2	4.02	36.9	25	3	71	5.41
B0025148		4.94	0.059	2.1	2.20	26	<10	190	<0.5	<2	3.38	4.7	26	3	63	5.89
B0025149		4.77	0.031	1.8	2.33	29	<10	160	<0.5	<2	4.55	2.4	23	3	44	6.37
B0025150		0.41	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	19.2	<0.5	<1	1	1	0.16
B0025151		4.77	0.025	1.7	1.98	32	<10	140	<0.5	<2	3.67	2.0	25	2	39	5.25
B0025152		5.17	0.058	1.4	1.86	29	<10	130	<0.5	<2	8.1	1.7	17	2	33	4.87
B0025153		4.77	0.023	1.0	2.22	24	<10	150	<0.5	<2	3.75	1.7	20	3	57	5.12
B0025154		4.74	0.084	2.0	2.06	37	<10	150	<0.5	<2	5.63	10.0	21	2	40	5.56
B0025155		2.79	0.319	3.2	0.98	187	<10	70	<0.5	<2	3.14	13.8	18	3	64	4.08
B0025156		2.21	0.620	10.4	0.76	187	<10	60	<0.5	<2	1.56	254	16	7	161	3.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0025117		<10	1	0.30	10	0.88	2110	1	<0.01	3	1220	457	2.66	2	3	98
B0025118		<10	<1	0.28	10	0.75	1715	<1	<0.01	4	1210	146	2.74	3	3	109
B0025119		10	<1	0.26	10	1.34	1595	1	0.01	4	1340	22	1.32	<2	5	103
B0025120		10	14	0.20	10	1.40	738	54	0.06	217	630	>10000	4.08	706	3	46
B0025121		10	<1	0.27	10	1.30	1355	1	0.01	4	1430	49	2.29	<2	5	109
B0025122		10	<1	0.27	10	1.35	1440	1	0.01	4	1470	45	2.23	2	5	114
B0025123		<10	<1	0.27	10	1.08	2030	1	0.01	4	1240	40	1.88	3	4	175
B0025124		<10	<1	0.23	10	0.82	2010	4	<0.01	4	1070	38	1.44	3	3	199
B0025125		<10	<1	0.27	10	0.98	1260	2	<0.01	5	1240	11	1.33	<2	3	113
B0025126		10	<1	0.29	10	1.94	1115	2	0.05	18	1420	12	1.04	<2	6	151
B0025127		10	<1	0.09	20	3.99	1065	1	0.32	123	2260	13	0.19	<2	12	478
B0025128		<10	<1	0.19	10	0.78	2650	1	0.01	5	1000	66	0.73	<2	3	252
B0025129		<10	<1	0.17	10	0.53	4320	1	<0.01	4	690	37	1.24	<2	2	349
B0025130		<10	<1	0.01	<10	0.84	144	<1	<0.01	2	80	2	0.02	<2	<1	89
B0025131		<10	<1	0.24	10	0.78	2310	1	<0.01	5	1030	54	1.83	<2	3	194
B0025132		<10	<1	0.22	10	0.86	2080	1	<0.01	4	1030	62	1.96	2	3	185
B0025133		10	<1	0.20	10	1.22	2190	1	<0.01	3	1110	172	1.86	<2	4	149
B0025134		10	<1	0.18	10	1.19	2960	1	<0.01	4	1010	364	1.39	2	3	177
B0025135		10	<1	0.28	10	1.35	2170	1	0.01	4	1180	74	1.19	<2	4	120
B0025136		10	<1	0.10	20	4.10	1220	<1	0.21	93	2240	6	0.26	<2	11	317
B0025137		10	<1	0.27	10	1.33	2200	1	0.02	5	1200	492	1.48	<2	5	115
B0025138		10	<1	0.23	10	1.55	1940	1	0.01	17	1270	142	1.45	<2	5	148
B0025139		10	<1	0.25	10	1.35	2100	1	0.01	4	1310	71	1.02	<2	5	111
B0025140		<10	<1	0.15	10	0.42	597	282	0.11	22	650	70	1.20	13	2	137
B0025141		10	<1	0.28	10	0.83	1745	1	<0.01	8	1270	139	1.55	2	4	51
B0025142		10	1	0.27	10	0.81	1815	<1	<0.01	8	1190	77	1.44	2	4	55
B0025143		<10	<1	0.31	10	0.61	2150	1	<0.01	5	1210	226	2.30	<2	3	129
B0025144		<10	<1	0.31	10	0.49	2450	5	0.01	9	1190	154	2.18	<2	3	127
B0025145		<10	<1	0.32	10	0.43	2220	8	<0.01	7	1140	121	2.58	<2	3	103
B0025146		<10	<1	0.27	10	0.71	2430	4	0.01	7	1360	232	1.80	<2	3	81
B0025147		10	<1	0.30	10	0.69	2950	3	0.01	7	1340	181	1.62	<2	4	156
B0025148		10	<1	0.32	10	0.74	2690	3	0.01	8	1360	118	1.39	<2	4	103
B0025149		10	<1	0.31	10	0.78	3050	6	0.01	8	1360	142	1.53	<2	5	160
B0025150		<10	<1	0.01	<10	11.40	128	<1	<0.01	2	20	<2	0.01	<2	<1	52
B0025151		10	<1	0.29	10	0.70	2330	2	0.01	8	1260	140	1.22	<2	4	141
B0025152		<10	<1	0.25	10	0.69	2770	1	0.01	6	1070	71	1.14	2	4	187
B0025153		10	<1	0.32	10	0.89	2400	<1	0.01	6	1420	64	0.75	<2	5	120
B0025154		<10	<1	0.30	10	0.83	2610	<1	<0.01	7	1240	135	1.62	<2	4	143
B0025155		<10	<1	0.30	10	0.32	1405	4	<0.01	6	1220	211	2.89	4	2	80
B0025156		<10	1	0.20	<10	0.27	1250	1	<0.01	5	690	298	3.79	<2	1	51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0025117		<20	<0.01	<10	<10	38	<10	4480			
B0025118		<20	<0.01	<10	<10	30	<10	436			
B0025119		<20	0.01	<10	<10	55	<10	93			
B0025120		<20	0.05	10	<10	59	20	>10000	320	2.36	2.35
B0025121		<20	0.01	<10	<10	50	<10	122			
B0025122		<20	0.01	<10	<10	52	<10	118			
B0025123		<20	<0.01	<10	<10	35	<10	120			
B0025124		<20	<0.01	<10	<10	33	<10	98			
B0025125		<20	<0.01	<10	<10	32	<10	97			
B0025126		<20	0.02	<10	<10	71	<10	90			
B0025127		<20	0.20	<10	<10	155	<10	311			
B0025128		<20	<0.01	<10	<10	33	<10	1130			
B0025129		<20	<0.01	<10	<10	20	<10	193			
B0025130		<20	<0.01	<10	<10	<1	<10	3			
B0025131		<20	<0.01	<10	<10	29	<10	186			
B0025132		<20	<0.01	<10	<10	35	<10	177			
B0025133		<20	<0.01	<10	<10	55	<10	536			
B0025134		<20	<0.01	<10	<10	46	<10	1385			
B0025135		<20	<0.01	<10	<10	47	<10	359			
B0025136		<20	0.17	<10	<10	170	<10	112			
B0025137		<20	0.01	<10	<10	55	<10	745			
B0025138		<20	0.01	<10	<10	59	<10	227			
B0025139		<20	<0.01	<10	<10	52	<10	288			
B0025140		<20	0.07	<10	<10	43	10	993			
B0025141		<20	<0.01	<10	<10	49	<10	326			
B0025142		<20	<0.01	<10	<10	48	<10	364			
B0025143		<20	<0.01	<10	<10	35	<10	936			
B0025144		<20	<0.01	<10	<10	35	<10	714			
B0025145		<20	<0.01	<10	<10	31	<10	584			
B0025146		<20	<0.01	<10	<10	48	<10	1800			
B0025147		<20	0.01	<10	<10	57	<10	4060			
B0025148		<20	0.01	<10	<10	59	<10	623			
B0025149		<20	0.01	<10	<10	61	<10	331			
B0025150		<20	<0.01	<10	<10	1	<10	5			
B0025151		<20	<0.01	<10	<10	55	<10	284			
B0025152		<20	<0.01	<10	<10	50	<10	278			
B0025153		<20	<0.01	<10	<10	58	<10	267			
B0025154		<20	<0.01	<10	<10	49	<10	1255			
B0025155		<20	<0.01	<10	<10	21	<10	1680			
B0025156		<20	<0.01	<10	<10	15	<10	>10000			2.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0025157		2.04	0.353	4.7	1.45	114	<10	80	<0.5	<2	3.55	85.8	17	4	88	4.64
B0025158		2.42	0.174	3.4	1.89	120	<10	150	<0.5	<2	2.20	26.0	15	5	67	5.53
B0025159		2.41	0.397	2.8	1.79	48	<10	150	<0.5	<2	4.05	11.8	17	3	56	4.99
B0025160		0.13	1.120	94.2	1.64	32	10	180	<0.5	<2	3.33	8.8	17	18	986	3.58
B0025161		1.89	0.275	3.5	1.46	114	<10	90	<0.5	<2	4.43	15.0	18	3	42	5.42
B0025162		2.56	0.745	18.0	0.87	74	<10	70	<0.5	5	4.84	267	8	5	415	3.40
B0025163		3.14	0.176	2.6	1.95	22	<10	150	<0.5	<2	3.41	45.0	13	4	128	5.07
B0025164		1.96	8.28	8.8	1.92	26	<10	90	<0.5	<2	5.53	90.0	11	4	160	5.74
B0025165		0.49	0.016	<0.2	0.03	<2	<10	<10	<0.5	<2	20.3	<0.5	<1	1	1	0.14
B0025166		3.29	0.563	2.6	1.98	41	<10	150	<0.5	<2	1.30	43.6	15	4	96	5.48
B0025167		2.54	0.120	1.5	2.55	54	<10	130	<0.5	<2	1.72	15.8	20	3	45	6.76
B0025168		3.71	0.402	2.5	1.09	169	<10	60	<0.5	<2	4.16	20.9	19	2	47	4.88
B0025169		4.93	0.120	1.2	1.53	24	<10	160	<0.5	<2	5.63	11.4	16	1	34	4.29
B0025170		0.59	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.2	<0.5	<1	1	1	0.14
B0025171		4.78	0.323	1.9	1.43	60	<10	140	<0.5	<2	4.07	21.9	13	2	78	4.04
B0025172		4.67	0.104	2.5	1.34	41	<10	160	<0.5	<2	6.49	10.0	12	1	57	4.11
B0025173		4.52	0.156	3.1	1.30	36	<10	50	<0.5	<2	4.16	21.7	14	1	61	4.24
B0025174		4.96	0.253	4.9	1.31	55	<10	70	<0.5	<2	6.21	39.4	15	1	118	4.94
B0025175		3.67	0.191	2.0	0.96	75	<10	40	<0.5	<2	6.80	11.2	9	3	38	4.21
B0025176		4.22	0.315	1.6	0.42	92	<10	120	<0.5	<2	8.3	2.1	7	3	14	2.48
B0025177		2.00	0.086	1.0	1.13	35	<10	120	<0.5	<2	6.38	1.4	11	1	37	3.18
B0025178		2.27	0.080	1.0	1.24	31	<10	120	<0.5	<2	8.2	1.5	11	1	37	3.29
B0025179		4.84	0.157	1.8	1.09	88	<10	80	<0.5	<2	4.85	4.6	12	1	32	4.71
B0025180		0.14	8.18	>100	1.57	644	10	20	<0.5	5	3.79	131.5	18	45	2140	5.09
B0025181		5.03	0.154	2.4	0.91	92	<10	60	<0.5	<2	3.52	9.2	7	2	32	4.15
B0025182		4.54	0.247	1.6	1.30	45	<10	150	<0.5	<2	3.71	16.0	5	2	46	3.88
B0025183		5.04	0.230	2.7	0.71	133	<10	110	<0.5	<2	7.7	10.8	7	2	23	4.07
B0025184		4.78	0.110	1.6	1.12	62	<10	150	<0.5	<2	4.98	7.5	6	1	13	3.09
B0025185		4.58	0.087	1.6	1.38	22	<10	220	<0.5	<2	4.51	10.4	8	1	27	3.35
B0025186		3.88	0.147	4.5	1.96	10	<10	310	<0.5	<2	6.21	52.0	9	1	126	4.42
B0025187		4.96	0.100	0.6	1.67	29	<10	170	<0.5	<2	4.04	13.5	8	2	41	4.45
B0025188		5.22	0.073	1.8	1.36	28	<10	140	<0.5	<2	4.58	24.7	12	1	38	4.02
B0025189		2.80	0.122	1.1	0.65	67	<10	70	<0.5	<2	3.34	4.6	12	1	30	3.86
B0025190		0.73	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1	0.11
B0025191		3.76	0.255	1.5	0.40	87	<10	110	<0.5	<2	4.55	23.1	10	2	19	2.68
B0025192		2.94	0.184	2.8	1.18	124	<10	110	<0.5	<2	5.91	25.7	11	1	53	4.04
B0025193		4.60	0.123	0.7	1.02	65	<10	110	<0.5	<2	5.25	1.9	9	1	25	3.24
B0025194		3.72	0.234	0.8	1.45	232	<10	100	<0.5	<2	8.4	1.2	12	1	9	4.32
B0025195		4.56	0.075	0.9	1.63	60	<10	100	<0.5	<2	6.16	1.7	10	3	30	3.79
B0025196		4.45	0.278	2.1	1.59	1300	<10	120	<0.5	<2	3.32	3.5	16	8	58	4.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0025157		<10	<1	0.25	10	0.51	2350	1	<0.01	6	1020	423	2.35	<2	2	103
B0025158		10	<1	0.23	10	0.64	2320	2	0.01	7	980	345	1.70	<2	3	80
B0025159		<10	<1	0.25	10	0.70	2390	2	<0.01	6	1160	215	1.60	<2	3	161
B0025160		<10	<1	0.14	10	1.45	927	12	0.10	12	1060	4670	1.07	62	6	160
B0025161		<10	<1	0.25	10	0.55	1985	1	<0.01	6	1100	234	3.02	<2	3	105
B0025162		<10	2	0.13	<10	0.36	2630	1	<0.01	3	420	2110	3.15	<2	1	121
B0025163		<10	<1	0.23	10	0.66	2870	2	<0.01	5	970	509	1.08	<2	2	66
B0025164		<10	<1	0.20	10	0.66	3480	3	<0.01	5	830	169	2.09	<2	3	124
B0025165		<10	<1	0.01	<10	12.10	133	<1	<0.01	2	20	4	0.01	<2	<1	56
B0025166		10	<1	0.27	10	0.63	2330	1	<0.01	6	1030	385	1.54	<2	3	42
B0025167		10	<1	0.23	10	1.00	2870	2	<0.01	6	1270	157	1.34	<2	4	44
B0025168		<10	<1	0.24	<10	0.42	2780	1	<0.01	4	1110	322	2.59	3	3	124
B0025169		<10	<1	0.29	10	0.45	2580	<1	<0.01	3	1480	170	1.39	<2	2	139
B0025170		<10	<1	0.01	<10	12.10	135	<1	<0.01	1	20	2	0.01	<2	<1	54
B0025171		<10	<1	0.26	10	0.43	2130	1	<0.01	3	1200	571	1.26	<2	2	114
B0025172		<10	<1	0.28	10	0.50	2520	1	<0.01	3	1220	190	1.60	4	2	234
B0025173		<10	<1	0.31	10	0.44	2150	1	<0.01	2	1430	495	2.00	<2	2	145
B0025174		<10	<1	0.30	10	0.45	2350	1	<0.01	3	1460	886	2.82	<2	3	229
B0025175		<10	<1	0.23	10	0.34	2560	1	<0.01	2	950	113	2.64	2	2	231
B0025176		<10	<1	0.23	10	0.12	1830	2	<0.01	1	630	94	2.19	2	1	226
B0025177		<10	1	0.28	10	0.47	1695	1	<0.01	4	1030	51	1.51	<2	2	143
B0025178		<10	<1	0.28	10	0.54	2000	1	<0.01	4	1000	49	1.41	<2	2	162
B0025179		<10	<1	0.29	10	0.35	1545	1	<0.01	4	1010	177	3.14	2	2	121
B0025180		10	14	0.20	10	1.43	759	55	0.06	221	640	>10000	4.16	709	3	49
B0025181		<10	<1	0.29	10	0.28	1615	1	<0.01	2	780	240	2.80	<2	1	131
B0025182		<10	<1	0.34	10	0.45	1740	<1	<0.01	2	810	127	1.69	<2	1	154
B0025183		<10	<1	0.29	10	0.20	2550	1	<0.01	2	770	914	3.35	<2	1	247
B0025184		<10	<1	0.28	10	0.44	2050	<1	<0.01	2	1030	583	1.53	<2	1	183
B0025185		<10	<1	0.29	10	0.51	2280	1	0.01	3	1130	530	1.07	<2	1	223
B0025186		<10	<1	0.29	10	0.72	3460	1	0.01	2	1080	2930	0.79	<2	2	264
B0025187		<10	1	0.34	10	0.51	2860	1	0.01	3	1170	321	1.14	<2	2	149
B0025188		<10	<1	0.26	10	0.47	2020	1	<0.01	3	990	659	1.64	<2	2	158
B0025189		<10	<1	0.29	10	0.20	1285	1	<0.01	3	1070	297	3.23	<2	1	113
B0025190		<10	<1	0.01	<10	0.62	149	<1	<0.01	1	70	2	0.01	<2	<1	85
B0025191		<10	<1	0.23	<10	0.12	1635	3	<0.01	3	650	701	2.54	2	1	185
B0025192		<10	<1	0.28	10	0.53	2570	2	<0.01	3	900	1940	2.52	<2	2	259
B0025193		<10	<1	0.25	10	0.37	1865	1	<0.01	3	1000	27	1.79	<2	1	171
B0025194		<10	1	0.22	10	0.86	3000	1	<0.01	3	900	66	2.10	<2	2	310
B0025195		<10	<1	0.22	10	0.79	2640	1	<0.01	4	1120	83	1.10	<2	2	217
B0025196		<10	<1	0.26	10	0.60	2110	1	<0.01	9	1090	179	1.84	4	3	101

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0025157		<20	<0.01	<10	<10	35	<10	>10000			1.025
B0025158		<20	<0.01	<10	<10	55	<10	2950			
B0025159		<20	<0.01	<10	<10	45	<10	1425			
B0025160		<20	0.06	<10	<10	94	<10	1130			
B0025161		<20	<0.01	<10	<10	34	<10	1755			
B0025162		<20	<0.01	<10	<10	17	<10	>10000			3.07
B0025163		<20	<0.01	<10	<10	43	<10	5150			
B0025164		<20	<0.01	<10	<10	43	<10	>10000			1.060
B0025165		<20	<0.01	<10	<10	1	<10	22			
B0025166		<20	<0.01	<10	<10	44	<10	4960			
B0025167		<20	<0.01	<10	<10	65	<10	1930			
B0025168		<20	<0.01	<10	<10	24	<10	2470			
B0025169		<20	<0.01	<10	<10	25	<10	1370			
B0025170		<20	<0.01	<10	<10	1	<10	12			
B0025171		<20	<0.01	<10	<10	23	<10	2560			
B0025172		<20	<0.01	<10	<10	23	<10	1220			
B0025173		<20	<0.01	<10	<10	24	<10	2580			
B0025174		<20	<0.01	<10	<10	26	<10	4700			
B0025175		<20	<0.01	<10	<10	23	<10	1310			
B0025176		<20	<0.01	<10	<10	7	<10	252			
B0025177		<20	<0.01	<10	<10	17	<10	171			
B0025178		<20	<0.01	<10	<10	19	<10	166			
B0025179		<20	<0.01	<10	<10	23	<10	513			
B0025180		<20	0.05	10	<10	61	20	>10000	327	2.35	2.48
B0025181		<20	<0.01	<10	<10	11	<10	1100			
B0025182		<20	<0.01	<10	<10	15	<10	1740			
B0025183		<20	<0.01	<10	<10	10	<10	1260			
B0025184		<20	<0.01	<10	<10	13	<10	874			
B0025185		<20	<0.01	<10	<10	19	<10	1135			
B0025186		<20	<0.01	<10	<10	28	<10	5680			
B0025187		<20	<0.01	<10	<10	29	<10	1535			
B0025188		<20	<0.01	<10	<10	20	<10	3020			
B0025189		<20	<0.01	<10	<10	8	<10	549			
B0025190		<20	<0.01	<10	<10	<1	<10	4			
B0025191		<20	<0.01	<10	<10	5	<10	2640			
B0025192		<20	<0.01	<10	<10	14	<10	2860			
B0025193		<20	<0.01	<10	<10	12	<10	271			
B0025194		<20	<0.01	<10	<10	21	<10	150			
B0025195		<20	<0.01	<10	<10	18	<10	197			
B0025196		<20	<0.01	<10	<10	30	<10	379			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0025197		4.31	0.224	1.5	1.47	811	<10	100	<0.5	<2	1.33	0.8	14	13	53	5.07
B0025198		4.13	0.175	3.7	1.32	158	<10	110	0.5	<2	2.54	10.8	20	4	61	4.85
B0025199		4.26	0.117	2.6	1.35	105	<10	120	<0.5	<2	3.71	5.7	12	11	30	5.14
B0025200		0.13	0.684	9.8	1.20	774	20	100	<0.5	17	3.03	5.9	44	23	6490	3.50
B0025201		3.83	0.102	0.3	1.30	82	<10	100	<0.5	<2	3.96	<0.5	6	15	12	4.91
B0025202		4.19	0.036	0.3	2.42	74	<10	80	<0.5	<2	4.04	<0.5	11	24	6	6.13
B0025203		4.38	0.050	1.3	2.19	82	<10	80	<0.5	<2	3.65	4.2	19	23	27	6.72
B0025204		4.72	0.025	1.6	1.39	96	<10	70	0.5	<2	0.38	<0.5	15	4	21	4.74
B0025205		4.70	0.088	1.2	1.34	155	<10	90	0.5	<2	1.41	<0.5	15	3	22	4.47
B0025206		2.69	0.363	9.7	0.42	1210	<10	30	<0.5	<2	4.25	0.5	10	3	18	7.28
B0025207		3.93	0.028	1.2	1.67	103	<10	130	0.6	<2	2.05	<0.5	15	4	27	4.54
B0025208		5.02	<0.005	0.3	2.44	21	<10	130	<0.5	<2	3.72	<0.5	15	4	32	4.63
B0025209		5.26	0.005	0.4	2.15	39	<10	130	<0.5	<2	2.67	<0.5	15	4	27	4.33
B0025210		0.77	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	1	0.15
B0025211		4.79	0.009	0.4	2.22	22	<10	130	<0.5	<2	2.98	<0.5	15	5	27	4.66
B0025212		5.27	0.020	1.1	1.43	64	<10	120	0.5	<2	3.61	<0.5	15	4	28	4.16
B0025213		5.13	0.045	2.1	1.45	136	<10	70	<0.5	<2	2.82	<0.5	15	6	25	5.09
B0025214		4.57	0.021	0.9	1.63	123	<10	110	<0.5	<2	4.00	0.6	15	6	24	4.60
B0025215		5.15	0.037	1.0	1.39	129	<10	120	<0.5	<2	5.41	<0.5	13	5	28	4.37
B0025216		4.50	0.034	1.1	1.60	79	<10	100	0.5	<2	2.98	0.7	15	6	27	4.68
B0025217		4.44	0.054	1.9	1.24	210	<10	90	<0.5	<2	4.31	<0.5	13	6	19	4.68
B0025218		3.69	0.088	1.3	0.91	130	<10	100	<0.5	<2	4.74	0.7	11	3	16	3.36
B0025219		3.42	0.119	1.5	0.56	138	<10	90	<0.5	<2	3.70	1.3	11	5	20	3.64
B0025220		0.13	0.701	9.3	1.25	799	20	100	<0.5	17	3.17	6.1	45	24	6660	3.61
B0025221		1.65	0.305	1.9	0.20	295	<10	60	<0.5	<2	4.95	1.4	9	5	21	3.41
B0025222		1.73	0.372	2.3	0.19	301	<10	60	<0.5	<2	4.34	1.9	9	6	17	3.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0025197		<10	<1	0.29	10	0.47	1490	1	<0.01	9	1050	20	2.47	<2	5	53
B0025198		<10	<1	0.28	10	0.65	1945	1	<0.01	12	1470	2300	2.41	<2	3	118
B0025199		<10	<1	0.28	10	0.81	3500	1	<0.01	9	1880	1260	1.37	3	5	143
B0025200		<10	<1	0.15	10	0.41	588	279	0.11	23	630	69	1.19	13	2	135
B0025201		<10	<1	0.37	10	0.56	3350	1	<0.01	6	1200	16	1.69	<2	6	128
B0025202		10	1	0.31	10	1.11	3800	1	<0.01	12	2060	15	1.20	<2	10	140
B0025203		10	<1	0.27	10	1.42	3650	1	<0.01	13	1820	309	2.20	<2	9	196
B0025204		<10	<1	0.26	10	0.79	459	1	<0.01	6	1200	11	2.71	5	3	16
B0025205		<10	<1	0.26	10	0.80	795	1	<0.01	5	1160	10	2.35	3	3	89
B0025206		<10	3	0.18	<10	0.19	2640	2	<0.01	4	650	39	8.22	77	2	73
B0025207		<10	1	0.27	10	1.11	1045	1	<0.01	6	1160	9	1.58	4	4	106
B0025208		10	<1	0.23	10	1.39	1320	<1	<0.01	5	1230	6	0.27	<2	4	108
B0025209		<10	<1	0.25	10	1.23	1045	1	<0.01	6	1170	7	0.58	<2	3	72
B0025210		<10	<1	0.01	<10	1.30	123	<1	<0.01	2	70	2	0.01	<2	<1	84
B0025211		10	<1	0.23	10	1.23	1155	<1	<0.01	5	1090	7	0.66	<2	3	79
B0025212		<10	<1	0.24	10	0.70	1205	1	<0.01	5	1130	14	2.02	6	3	138
B0025213		<10	1	0.27	10	0.75	941	1	<0.01	5	1240	13	3.27	18	3	85
B0025214		<10	<1	0.24	10	0.92	1330	1	<0.01	5	1230	10	2.31	4	3	115
B0025215		<10	<1	0.25	10	0.76	1515	1	<0.01	4	1130	10	2.62	5	3	118
B0025216		<10	<1	0.23	10	0.90	1025	1	<0.01	4	1200	20	2.38	2	3	106
B0025217		<10	<1	0.25	10	0.68	1165	1	<0.01	4	1020	14	3.10	8	3	134
B0025218		<10	<1	0.20	10	0.47	1085	1	<0.01	3	860	20	2.24	4	2	123
B0025219		<10	<1	0.23	10	0.25	792	4	<0.01	3	1000	57	3.13	2	2	140
B0025220		<10	<1	0.15	10	0.42	616	287	0.12	23	660	70	1.22	14	2	138
B0025221		<10	<1	0.16	10	0.03	841	2	<0.01	2	590	57	3.70	4	1	139
B0025222		<10	<1	0.14	10	0.04	760	2	<0.01	2	570	100	3.83	4	1	118

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0025197		<20	<0.01	<10	<10	34	<10	109			
B0025198		<20	<0.01	<10	<10	25	<10	1180			
B0025199		<20	<0.01	<10	<10	34	<10	735			
B0025200		<20	0.07	<10	<10	42	10	972			
B0025201		<20	<0.01	<10	<10	37	<10	72			
B0025202		<20	<0.01	<10	<10	72	<10	149			
B0025203		<20	<0.01	<10	<10	66	<10	605			
B0025204		<20	<0.01	<10	<10	24	<10	81			
B0025205		<20	<0.01	<10	<10	21	<10	79			
B0025206		<20	<0.01	10	<10	6	<10	34			
B0025207		<20	<0.01	<10	<10	27	<10	87			
B0025208		<20	<0.01	<10	<10	35	<10	92			
B0025209		<20	<0.01	<10	<10	30	<10	86			
B0025210		<20	<0.01	<10	<10	<1	<10	2			
B0025211		<20	<0.01	<10	<10	31	<10	85			
B0025212		<20	<0.01	<10	<10	22	<10	69			
B0025213		<20	<0.01	<10	<10	26	<10	71			
B0025214		<20	<0.01	<10	<10	25	<10	125			
B0025215		<20	<0.01	<10	<10	22	<10	79			
B0025216		<20	<0.01	<10	<10	27	<10	117			
B0025217		<20	<0.01	<10	<10	22	<10	61			
B0025218		<20	<0.01	<10	<10	15	<10	116			
B0025219		<20	<0.01	<10	<10	13	<10	165			
B0025220		<20	0.07	<10	<10	44	10	1010			
B0025221		<20	<0.01	<10	<10	5	<10	164			
B0025222		<20	<0.01	<10	<10	4	<10	234			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 23-OCT-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207022

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE TR20207023

This report is for 123 Drill Core samples submitted to our lab in Terrace, BC, Canada on 17-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074328		4.64	0.022	2.3	0.79	11	<10	130	0.8	2	6.23	3.1	13	21	30	4.50
C00074329		1.87	0.006	3.3	1.02	18	<10	120	0.9	2	3.84	4.9	17	28	26	4.68
C00074330		0.14	7.46	>100	1.62	658	<10	20	<0.5	7	3.76	136.0	19	47	2160	5.22
C00074331		1.88	0.006	3.3	1.03	21	<10	150	0.9	2	4.05	5.5	17	29	28	4.78
C00074332		4.20	0.006	0.4	0.85	<2	<10	390	0.6	<2	2.38	0.5	6	13	5	2.07
C00074333		4.89	<0.005	1.0	1.79	8	<10	110	0.6	<2	1.22	0.8	13	10	31	4.25
C00074334		5.74	0.026	2.1	0.95	6	<10	80	0.6	<2	0.94	1.0	11	7	31	3.36
C00074335		4.50	0.006	1.2	0.85	6	<10	390	0.8	<2	3.01	0.6	13	18	32	3.38
C00074336		5.10	<0.005	0.5	0.45	2	<10	400	0.6	<2	3.05	0.5	7	6	3	2.26
C00074337		4.15	<0.005	0.8	0.36	2	<10	160	0.5	<2	2.89	2.6	6	5	5	2.03
C00074338		4.55	<0.005	<0.2	0.47	<2	<10	490	0.5	<2	2.82	<0.5	7	6	1	2.10
C00074339		3.93	0.009	14.1	0.39	3	<10	130	0.6	<2	2.68	6.2	6	4	3	1.97
C00074340		1.06	<0.005	<0.2	0.02	2	<10	10	<0.5	<2	>25.0	<0.5	1	<1	2	0.12
C00074341		3.68	<0.005	0.8	0.33	2	<10	180	0.5	<2	3.00	1.1	6	3	1	1.91
C00074342		4.49	<0.005	0.2	0.40	<2	<10	580	0.6	<2	2.72	<0.5	6	4	1	1.88
C00074343		4.31	<0.005	0.2	0.42	<2	<10	320	0.6	<2	2.82	<0.5	7	4	1	2.05
C00074344		4.08	<0.005	0.6	0.45	<2	<10	250	0.5	<2	3.09	0.9	8	5	2	2.04
C00074345		4.04	0.007	1.2	0.38	6	<10	80	<0.5	<2	1.42	3.3	5	4	12	1.93
C00074346		4.89	0.005	1.0	0.51	7	<10	80	0.5	<2	1.22	1.1	5	4	10	2.12
C00074347		4.74	<0.005	0.5	0.78	7	<10	90	<0.5	<2	1.24	1.0	6	5	9	2.52
C00074348		4.88	0.006	0.9	0.39	10	<10	90	0.5	<2	1.38	2.0	6	4	33	1.93
C00074349		4.83	0.011	0.9	0.38	8	<10	160	0.6	<2	1.11	3.6	5	3	8	2.14
C00074350		0.13	0.708	9.1	1.18	772	20	100	<0.5	19	3.03	5.9	43	23	6310	3.50
C00074351		2.16	0.005	1.0	0.44	5	<10	410	0.5	<2	0.94	8.7	6	3	22	1.99
C00074352		2.08	0.009	0.5	0.40	5	<10	350	0.5	<2	0.80	3.3	5	4	10	1.82
C00074353		4.70	<0.005	0.7	0.63	4	<10	130	0.7	<2	1.22	2.6	7	2	11	2.18
C00074354		4.46	0.014	2.4	0.58	6	<10	130	0.6	<2	0.77	3.5	8	3	34	2.36
C00074355		5.06	0.024	3.1	0.47	3	<10	160	0.5	<2	0.54	3.7	8	4	43	2.38
C00074356		4.70	0.019	2.3	0.40	4	<10	440	0.6	<2	1.47	13.6	6	2	30	2.21
C00074357		4.73	0.006	1.1	0.26	2	<10	1350	<0.5	<2	1.07	1.8	5	11	9	1.23
C00074358		5.07	0.024	3.6	0.37	4	<10	220	0.5	<2	1.74	1.7	6	3	13	1.83
C00074359		4.94	0.011	2.6	0.39	4	<10	180	0.5	<2	1.56	4.0	7	2	56	2.55
C00074360		1.25	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	1	<1	1	0.12
C00074361		5.05	<0.005	0.2	0.86	2	<10	300	0.6	<2	1.58	1.1	7	3	9	2.58
C00074362		4.92	<0.005	0.2	0.69	3	<10	160	0.8	<2	2.85	0.7	7	2	9	2.46
C00074363		4.94	<0.005	0.7	0.48	4	<10	160	1.0	<2	2.66	1.5	7	1	14	2.27
C00074364		5.01	<0.005	0.3	0.45	6	<10	240	1.0	<2	2.74	1.2	8	1	11	2.46
C00074365		4.98	<0.005	0.4	0.39	6	<10	1490	0.9	<2	2.10	1.3	7	1	9	2.13
C00074366		5.21	0.006	1.6	0.37	5	<10	140	0.9	<2	2.61	2.3	6	2	67	2.16
C00074367		4.47	<0.005	1.3	0.38	3	<10	310	0.9	<2	2.80	3.3	5	2	31	2.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074328		<10	1	0.30	10	1.01	2230	2	0.03	24	1190	75	0.99	4	6	275
C00074329		<10	1	0.32	20	1.38	2180	7	0.02	38	1210	201	0.97	4	5	219
C00074330		10	16	0.21	<10	1.44	803	57	0.07	227	630	>10000	4.17	760	3	51
C00074331		<10	1	0.32	20	1.41	2300	7	0.03	44	1240	197	0.97	4	6	222
C00074332		10	1	0.24	20	0.69	489	1	0.05	6	770	24	0.03	<2	2	134
C00074333		10	<1	0.22	20	0.93	783	1	0.01	12	340	44	0.06	2	4	67
C00074334		<10	<1	0.27	10	0.63	700	1	<0.01	9	170	47	0.12	<2	3	69
C00074335		<10	1	0.32	20	1.23	947	1	0.03	21	1320	32	0.18	<2	4	256
C00074336		<10	1	0.31	10	0.76	1020	1	0.03	6	950	35	0.12	<2	3	223
C00074337		<10	1	0.30	10	0.63	1425	1	0.02	3	850	99	0.15	<2	3	176
C00074338		<10	<1	0.27	20	0.73	637	<1	0.04	4	900	19	0.05	<2	3	244
C00074339		<10	<1	0.30	10	0.60	1220	1	0.02	4	860	376	0.19	<2	3	190
C00074340		<10	1	0.01	<10	1.10	127	<1	<0.01	1	60	2	0.01	<2	<1	73
C00074341		<10	1	0.28	10	0.62	1050	<1	0.02	5	880	56	0.11	<2	3	184
C00074342		<10	1	0.28	20	0.67	517	<1	0.03	4	830	14	0.03	<2	3	221
C00074343		<10	1	0.30	20	0.71	621	<1	0.03	4	900	13	0.05	<2	4	230
C00074344		<10	1	0.29	10	0.69	1035	1	0.03	5	870	41	0.04	<2	3	253
C00074345		<10	<1	0.27	10	0.26	1435	1	0.03	1	770	52	0.35	<2	1	85
C00074346		<10	<1	0.24	10	0.27	790	2	0.04	1	690	52	0.16	<2	1	77
C00074347		<10	1	0.22	20	0.32	765	<1	0.05	1	590	60	0.03	<2	2	94
C00074348		<10	<1	0.29	20	0.29	879	2	0.03	1	570	55	0.07	<2	1	111
C00074349		<10	<1	0.35	20	0.27	1170	1	0.03	2	650	107	0.20	<2	1	78
C00074350		10	1	0.15	10	0.41	597	283	0.11	20	620	66	1.15	14	2	127
C00074351		<10	<1	0.38	20	0.24	962	1	0.03	2	660	262	0.09	<2	1	72
C00074352		<10	<1	0.34	20	0.21	776	<1	0.02	2	620	101	0.06	<2	1	63
C00074353		<10	1	0.34	20	0.36	830	<1	0.03	2	660	83	0.04	<2	1	90
C00074354		<10	<1	0.32	20	0.29	873	1	0.03	2	670	176	0.25	<2	1	54
C00074355		<10	<1	0.28	20	0.24	540	1	0.05	1	670	459	0.19	<2	1	41
C00074356		<10	1	0.35	20	0.33	1490	1	0.03	2	730	282	0.19	3	2	95
C00074357		<10	<1	0.26	10	0.21	875	1	0.02	3	430	67	0.14	2	1	80
C00074358		<10	1	0.33	20	0.34	1560	1	0.03	2	730	189	0.17	<2	2	95
C00074359		<10	<1	0.33	20	0.36	1355	1	0.04	2	700	243	0.12	10	2	84
C00074360		<10	1	0.01	<10	1.23	159	<1	<0.01	1	60	<2	0.01	<2	<1	74
C00074361		<10	<1	0.23	20	0.56	781	1	0.05	3	650	28	0.02	<2	2	134
C00074362		<10	<1	0.27	20	0.58	1265	1	0.02	1	560	22	0.01	<2	2	260
C00074363		<10	<1	0.32	20	0.51	1120	1	0.01	3	610	73	0.03	<2	2	206
C00074364		<10	<1	0.33	20	0.54	820	1	0.01	2	690	44	0.02	<2	2	186
C00074365		<10	<1	0.32	20	0.59	931	1	0.01	1	690	50	0.05	<2	2	234
C00074366		<10	<1	0.32	10	0.55	1855	1	0.01	2	620	99	0.07	<2	2	182
C00074367		<10	1	0.32	10	0.57	2000	1	0.01	1	590	142	0.07	<2	2	204

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074328		<20	0.01	<10	<10	24	<10	352			
C00074329		<20	<0.01	<10	<10	27	<10	551			
C00074330		<20	0.06	10	<10	64	20	>10000	328	2.37	2.44
C00074331		<20	<0.01	<10	<10	27	<10	619			
C00074332		<20	<0.01	<10	<10	24	<10	100			
C00074333		<20	<0.01	<10	<10	11	<10	165			
C00074334		<20	<0.01	<10	<10	9	<10	148			
C00074335		<20	<0.01	<10	<10	25	<10	101			
C00074336		<20	<0.01	<10	<10	9	<10	73			
C00074337		<20	<0.01	<10	<10	6	<10	254			
C00074338		<20	<0.01	<10	<10	15	<10	57			
C00074339		<20	<0.01	<10	<10	8	<10	568			
C00074340		<20	<0.01	<10	10	<1	<10	2			
C00074341		<20	<0.01	<10	<10	5	<10	130			
C00074342		<20	<0.01	<10	<10	11	<10	46			
C00074343		<20	<0.01	<10	<10	10	<10	48			
C00074344		<20	<0.01	<10	<10	11	<10	124			
C00074345		<20	<0.01	<10	<10	6	<10	287			
C00074346		<20	<0.01	<10	<10	12	<10	129			
C00074347		<20	<0.01	<10	<10	20	<10	140			
C00074348		<20	<0.01	<10	<10	4	<10	214			
C00074349		<20	<0.01	<10	<10	5	<10	335			
C00074350		<20	0.07	<10	<10	42	<10	955			
C00074351		<20	<0.01	<10	<10	7	<10	743			
C00074352		<20	<0.01	<10	<10	7	<10	298			
C00074353		<20	<0.01	<10	<10	12	<10	275			
C00074354		<20	<0.01	<10	<10	11	<10	341			
C00074355		<20	<0.01	<10	<10	10	<10	363			
C00074356		<20	<0.01	<10	<10	6	<10	1265			
C00074357		<20	<0.01	<10	<10	3	<10	162			
C00074358		<20	<0.01	<10	<10	5	<10	168			
C00074359		<20	<0.01	<10	<10	6	<10	376			
C00074360		<20	<0.01	<10	10	<1	<10	2			
C00074361		<20	<0.01	<10	<10	16	<10	135			
C00074362		<20	<0.01	<10	<10	11	<10	100			
C00074363		<20	<0.01	<10	<10	7	<10	141			
C00074364		<20	<0.01	<10	<10	7	<10	127			
C00074365		<20	<0.01	<10	<10	5	<10	150			
C00074366		<20	<0.01	<10	<10	4	<10	216			
C00074367		<20	<0.01	<10	<10	4	<10	303			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074368		2.11	<0.005	0.6	0.39	6	<10	220	0.9	<2	2.63	4.0	6	1	12	1.74
C00074369		2.43	<0.005	0.4	0.39	5	<10	280	0.9	<2	2.76	2.9	5	1	21	1.73
C00074370		0.14	7.82	>100	1.50	645	20	20	<0.5	2	3.62	130.0	17	43	2100	4.92
C00074371		5.01	0.022	1.5	0.44	5	<10	390	1.0	<2	2.05	0.8	6	1	14	2.09
C00074372		4.24	0.134	26.5	0.48	6	<10	320	0.8	<2	1.05	17.3	8	3	21	2.35
C00074373		3.84	0.005	0.4	0.49	6	<10	130	0.7	<2	1.25	0.9	6	1	7	1.54
C00074374		4.00	<0.005	0.2	0.62	4	<10	350	0.6	<2	1.01	<0.5	6	1	10	2.10
C00074375		4.64	0.006	0.4	0.64	6	<10	610	0.5	<2	1.66	0.5	6	4	18	2.22
C00074376		3.45	<0.005	0.3	0.62	4	<10	470	0.5	<2	1.40	0.7	4	2	11	1.24
C00074377		3.28	0.006	1.1	0.46	10	<10	280	0.6	<2	3.06	0.7	14	6	17	2.67
C00074378		2.11	<0.005	0.3	0.31	3	<10	210	0.5	<2	1.62	0.6	5	1	7	1.20
C00074379		4.26	<0.005	0.6	0.38	3	<10	350	0.5	<2	1.21	5.4	4	1	19	1.16
C00074380		1.21	<0.005	<0.2	0.02	2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.10
C00074381		4.42	0.007	1.2	0.40	3	<10	250	0.5	<2	1.39	7.3	4	1	31	1.13
C00074382		4.76	0.015	2.5	0.41	4	<10	390	0.6	<2	1.16	31.2	5	1	73	1.23
C00074383		1.87	0.005	1.8	0.35	4	<10	200	0.5	<2	0.92	5.8	4	1	32	1.16
C00074384		8.45	0.028	0.6	1.97	37	<10	160	<0.5	<2	3.57	0.5	14	3	19	4.69
C00074385		9.13	0.033	0.6	1.73	49	<10	130	<0.5	<2	3.97	<0.5	12	3	16	4.65
C00074386		9.10	0.017	0.7	2.32	36	<10	140	<0.5	<2	4.72	<0.5	13	3	66	5.51
C00074387		8.88	0.020	0.3	1.92	50	<10	130	<0.5	<2	2.71	<0.5	11	4	16	4.50
C00074388		3.82	0.021	0.6	2.18	121	<10	140	<0.5	<2	3.10	2.4	13	2	19	5.08
C00074389		4.47	0.025	0.5	2.13	119	<10	160	<0.5	<2	2.78	1.2	14	2	13	4.91
C00074390		0.13	1.170	91.8	1.60	32	10	170	<0.5	<2	3.21	8.7	17	18	979	3.54
C00074391		8.81	0.048	0.9	2.01	28	<10	150	<0.5	<2	3.88	4.5	11	3	37	4.85
C00074392		8.97	0.053	1.0	1.88	36	<10	160	<0.5	<2	4.21	12.1	12	3	43	4.31
C00074393		8.46	0.060	0.9	2.09	34	<10	180	<0.5	<2	3.98	11.4	13	3	31	5.08
C00074394		9.17	0.051	0.6	1.98	18	<10	130	<0.5	<2	3.65	5.5	13	3	15	4.78
C00074395		8.76	0.035	2.4	1.98	29	<10	170	<0.5	<2	2.07	13.2	12	3	27	4.97
C00074396		7.66	0.159	6.7	0.51	99	<10	90	<0.5	<2	15.4	5.7	2	2	39	1.67
C00074397		8.26	0.434	2.8	0.65	114	<10	80	<0.5	<2	3.93	33.0	3	6	41	2.35
C00074398		7.85	0.585	2.3	1.21	232	<10	120	<0.5	<2	2.82	4.4	4	4	16	3.80
C00074399		8.31	0.406	2.2	2.10	169	<10	140	<0.5	<2	1.45	9.7	8	3	35	5.53
C00074400		1.43	0.007	<0.2	0.02	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.12
C00074401		8.45	0.273	3.7	2.21	87	<10	140	<0.5	<2	2.68	25.5	12	5	44	5.22
C00074402		9.29	0.309	3.2	2.74	56	<10	110	<0.5	<2	1.70	24.0	14	2	58	6.18
C00074403		8.22	0.113	2.1	2.33	61	<10	130	<0.5	<2	3.55	5.0	14	1	21	5.33
C00074404		9.06	0.222	13.6	1.82	114	<10	130	<0.5	<2	3.03	7.2	12	2	41	4.71
C00074405		8.47	0.455	6.5	1.59	202	<10	120	<0.5	<2	1.96	31.8	10	5	39	4.82
C00074406		9.01	0.100	2.6	1.90	120	<10	150	<0.5	<2	2.23	15.1	13	3	36	5.01
C00074407		8.59	0.075	2.3	2.42	77	<10	130	<0.5	<2	1.71	17.8	12	2	20	5.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074368		<10	<1	0.31	20	0.55	1265	1	0.01	3	600	162	0.04	<2	2	212
C00074369		<10	<1	0.30	20	0.58	1250	1	0.01	1	620	140	0.03	2	2	234
C00074370		10	14	0.19	<10	1.39	757	54	0.07	220	640	>10000	4.06	740	3	46
C00074371		<10	<1	0.32	20	0.59	928	2	0.01	2	650	163	0.11	<2	2	263
C00074372		<10	<1	0.34	10	0.47	1030	4	0.01	2	570	1460	0.25	6	1	85
C00074373		<10	<1	0.33	20	0.38	1265	1	<0.01	1	700	59	0.09	<2	1	96
C00074374		<10	1	0.31	20	0.45	962	<1	0.01	2	710	22	0.03	<2	2	91
C00074375		<10	1	0.26	10	0.55	1060	1	0.03	4	710	62	0.15	<2	2	187
C00074376		<10	<1	0.26	20	0.25	506	<1	0.01	2	730	120	0.08	3	2	128
C00074377		<10	<1	0.30	10	0.95	1815	2	<0.01	17	1140	42	0.32	2	5	264
C00074378		<10	<1	0.26	20	0.45	988	<1	<0.01	1	620	23	0.02	<2	2	144
C00074379		<10	<1	0.33	20	0.36	659	1	<0.01	1	620	65	0.05	2	2	151
C00074380		<10	2	0.01	<10	0.78	140	<1	0.01	1	80	<2	<0.01	2	<1	86
C00074381		<10	<1	0.34	20	0.30	784	<1	<0.01	1	620	412	0.11	2	2	126
C00074382		<10	<1	0.33	20	0.30	892	<1	<0.01	1	630	588	0.30	5	2	106
C00074383		<10	<1	0.27	20	0.26	823	<1	<0.01	1	680	193	0.11	<2	1	70
C00074384		<10	1	0.30	10	0.85	2480	<1	0.01	1	1350	9	0.96	2	3	126
C00074385		<10	<1	0.26	10	0.74	2560	<1	0.01	1	1270	10	1.39	<2	3	135
C00074386		10	1	0.28	10	1.06	3160	<1	0.01	2	1370	5	0.80	<2	4	205
C00074387		<10	<1	0.24	10	0.91	2240	2	0.01	1	1420	17	0.68	<2	3	114
C00074388		<10	<1	0.26	10	1.05	2470	3	<0.01	2	1420	35	0.78	<2	3	113
C00074389		<10	<1	0.30	10	1.00	2280	1	<0.01	2	1470	24	0.81	2	3	103
C00074390		10	<1	0.14	10	1.43	933	13	0.10	12	1040	4650	1.05	63	6	157
C00074391		<10	1	0.28	10	0.97	3200	<1	0.01	2	1310	276	1.07	4	3	142
C00074392		<10	<1	0.30	10	0.81	3160	<1	0.01	1	1390	506	0.65	3	4	178
C00074393		10	1	0.30	10	0.98	3040	1	0.01	2	1340	669	1.07	2	4	194
C00074394		<10	<1	0.24	10	0.99	3240	2	0.01	2	1330	317	0.91	<2	3	173
C00074395		<10	1	0.31	10	0.85	2590	1	0.01	2	1390	826	1.26	3	3	89
C00074396		<10	1	0.12	<10	0.22	6960	1	<0.01	1	420	259	0.72	4	1	421
C00074397		<10	1	0.29	<10	0.15	2490	1	0.01	<1	320	171	1.35	3	1	136
C00074398		<10	<1	0.27	<10	0.49	2740	1	<0.01	1	680	121	1.67	3	2	104
C00074399		10	<1	0.20	<10	1.23	3400	2	<0.01	1	1170	137	1.75	<2	3	87
C00074400		<10	1	0.01	<10	1.47	144	<1	0.01	1	80	<2	<0.01	2	<1	86
C00074401		10	1	0.21	<10	1.33	4190	1	0.01	1	1170	676	1.25	2	4	141
C00074402		10	<1	0.20	10	1.65	4120	3	0.01	1	1380	656	0.98	<2	5	74
C00074403		10	<1	0.27	10	1.28	3530	3	0.01	1	1410	347	0.99	4	4	146
C00074404		<10	1	0.19	<10	1.03	3550	5	<0.01	1	1220	494	1.52	7	3	147
C00074405		<10	1	0.23	<10	0.73	3000	3	0.01	4	1070	2040	2.13	8	3	108
C00074406		10	<1	0.20	10	0.97	3760	3	0.01	2	1800	636	1.53	4	3	110
C00074407		10	1	0.18	10	1.40	4130	2	<0.01	1	1270	468	1.20	3	4	79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074368		<20	<0.01	<10	<10	5	<10	368			
C00074369		<20	<0.01	<10	<10	5	<10	275			
C00074370		<20	0.05	10	<10	57	20	>10000	320	2.28	2.38
C00074371		<20	<0.01	<10	<10	5	<10	77			
C00074372		<20	<0.01	<10	<10	5	<10	1480			
C00074373		<20	<0.01	<10	<10	4	<10	106			
C00074374		<20	<0.01	<10	<10	6	<10	86			
C00074375		<20	<0.01	<10	<10	11	<10	80			
C00074376		<20	<0.01	<10	<10	7	<10	68			
C00074377		<20	<0.01	<10	<10	8	<10	82			
C00074378		<20	<0.01	<10	<10	4	<10	60			
C00074379		<20	<0.01	<10	<10	4	<10	458			
C00074380		<20	<0.01	<10	<10	<1	<10	2			
C00074381		<20	<0.01	<10	<10	5	<10	627			
C00074382		<20	<0.01	<10	<10	4	<10	2630			
C00074383		<20	<0.01	<10	<10	4	<10	486			
C00074384		<20	<0.01	<10	<10	32	<10	107			
C00074385		<20	<0.01	<10	<10	29	<10	90			
C00074386		<20	<0.01	<10	<10	51	<10	107			
C00074387		<20	<0.01	<10	<10	29	<10	111			
C00074388		<20	<0.01	<10	<10	28	<10	294			
C00074389		<20	<0.01	<10	<10	28	<10	178			
C00074390		<20	0.06	<10	<10	91	<10	1115			
C00074391		<20	<0.01	<10	<10	31	<10	636			
C00074392		<20	<0.01	<10	<10	39	<10	1475			
C00074393		<20	<0.01	<10	<10	41	<10	1450			
C00074394		<20	<0.01	<10	<10	41	<10	709			
C00074395		<20	<0.01	<10	<10	42	<10	1725			
C00074396		<20	<0.01	<10	<10	8	<10	872			
C00074397		<20	<0.01	<10	<10	11	<10	4110			
C00074398		<20	<0.01	<10	<10	29	<10	585			
C00074399		<20	<0.01	<10	<10	60	<10	1335			
C00074400		<20	<0.01	<10	<10	<1	<10	4			
C00074401		<20	0.01	<10	<10	60	<10	3220			
C00074402		<20	0.01	<10	<10	75	<10	2690			
C00074403		<20	0.01	<10	<10	44	<10	723			
C00074404		<20	<0.01	<10	<10	39	<10	1050			
C00074405		<20	<0.01	<10	<10	39	<10	3710			
C00074406		<20	0.01	<10	<10	47	<10	2000			
C00074407		<20	0.01	<10	<10	66	<10	2420			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074408		8.27	0.077	4.0	2.06	112	<10	140	<0.5	<2	2.90	20.5	11	2	35	5.32
C00074409		4.06	0.212	3.5	2.36	74	<10	130	<0.5	<2	1.65	50.5	15	2	29	5.96
C00074410		0.12	0.653	9.2	1.14	799	10	100	<0.5	18	2.97	6.1	44	23	6530	3.45
C00074411		4.25	0.355	6.6	2.27	73	<10	120	<0.5	<2	1.54	73.5	13	1	52	5.76
C00074412		9.43	0.084	3.1	2.15	88	<10	130	<0.5	<2	3.05	35.0	12	1	38	5.77
C00074413		8.51	2.26	5.0	0.72	324	<10	100	<0.5	<2	4.19	5.2	14	3	20	3.95
C00074414		8.93	0.598	4.0	1.68	381	<10	50	<0.5	<2	2.69	3.1	22	2	66	7.02
C00074415		9.30	0.089	3.1	1.08	84	<10	130	<0.5	<2	1.81	3.6	22	1	67	3.95
C00074416		8.61	0.053	3.3	1.37	56	<10	160	<0.5	<2	1.95	12.9	16	2	47	3.95
C00074417		8.55	0.273	3.2	1.91	70	<10	120	<0.5	<2	2.00	9.7	15	2	37	5.50
C00074418		8.45	0.050	4.4	2.78	75	<10	140	<0.5	<2	1.91	13.8	20	1	84	8.40
C00074419		9.98	0.065	4.1	1.95	43	<10	140	<0.5	<2	1.50	33.8	20	1	83	6.06
C00074420		1.57	<0.005	<0.2	0.03	2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.12
C00074421		9.03	0.029	4.0	1.91	35	<10	140	<0.5	<2	1.82	32.1	19	2	78	5.92
C00074422		8.21	0.067	3.6	1.85	36	<10	140	<0.5	<2	2.28	33.7	17	2	101	5.48
C00074423		8.55	0.023	2.4	1.41	27	<10	160	<0.5	<2	3.62	2.3	16	2	67	4.33
C00074424		8.12	0.025	2.7	1.72	26	<10	190	<0.5	<2	2.69	5.9	17	2	71	4.91
C00074425		9.99	0.050	3.6	1.51	35	<10	170	<0.5	<2	2.52	9.2	20	1	65	4.59
C00074426		8.76	0.038	5.8	2.13	41	<10	130	<0.5	<2	1.95	9.0	26	3	129	6.87
C00074427		9.00	0.157	22.8	1.51	99	<10	140	<0.5	<2	4.62	17.2	20	3	151	5.09
C00074428		8.44	0.026	4.7	1.45	36	<10	170	<0.5	<2	1.80	9.6	21	3	104	4.28
C00074429		8.81	0.031	3.3	1.15	47	<10	170	<0.5	<2	2.68	1.9	18	2	69	3.95
C00074430		0.13	1.105	88.9	1.54	31	10	160	<0.5	<2	3.09	8.5	17	17	953	3.44
C00074431		8.87	0.150	4.5	1.31	24	<10	170	<0.5	<2	2.18	21.8	18	1	107	4.08
C00074432		9.02	0.037	4.1	2.23	61	<10	100	<0.5	<2	3.23	0.9	24	2	89	8.19
C00074433		4.21	0.060	5.2	1.49	57	<10	70	<0.5	<2	2.35	20.1	25	1	73	6.28
C00074434		4.12	0.066	5.6	1.52	63	<10	60	<0.5	<2	2.82	35.9	26	1	87	6.16
C00074435		9.65	0.043	4.4	1.82	34	<10	100	<0.5	<2	2.82	4.4	24	1	99	7.05
C00074436		9.55	0.108	8.4	2.03	48	<10	70	<0.5	<2	2.42	38.3	30	1	158	7.19
C00074437		7.64	0.033	2.8	2.02	35	<10	160	<0.5	<2	3.33	3.0	24	<1	70	6.77
C00074438		9.07	0.051	3.7	1.84	48	<10	190	<0.5	<2	3.38	6.0	23	1	69	6.03
C00074439		10.12	1.160	5.2	2.33	63	<10	150	<0.5	<2	3.58	5.5	22	1	84	7.92
C00074440		1.15	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.12
C00074441		9.02	0.081	5.1	1.35	73	<10	60	<0.5	<2	2.15	16.7	25	1	93	6.24
C00074442		9.16	0.070	4.8	1.08	113	<10	40	<0.5	<2	2.70	8.3	23	1	71	6.05
C00074443		8.76	0.059	4.2	1.10	48	<10	40	<0.5	<2	1.44	6.7	25	2	83	5.89
C00074444		9.10	0.246	5.3	0.86	54	<10	40	<0.5	<2	1.53	9.6	25	2	143	4.87
C00074445		9.36	0.122	6.8	1.69	96	<10	50	<0.5	<2	1.36	28.0	28	2	71	7.20
C00074446		8.96	0.323	4.7	1.45	144	<10	100	<0.5	3	2.49	10.0	18	3	89	5.62
C00074447		8.97	0.099	2.8	2.06	87	<10	160	<0.5	<2	1.55	12.8	18	1	100	6.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074408		10	<1	0.17	<10	1.20	4710	2	<0.01	1	1190	940	1.62	5	4	149
C00074409		10	2	0.22	<10	1.33	3810	6	0.01	<1	1510	526	1.86	3	4	90
C00074410		<10	<1	0.14	10	0.42	604	284	0.11	22	650	68	1.19	14	2	132
C00074411		10	2	0.22	<10	1.27	3590	3	<0.01	1	1460	660	1.99	6	3	81
C00074412		10	1	0.20	10	1.08	4180	2	0.01	1	1340	602	1.76	5	4	147
C00074413		<10	1	0.18	<10	0.30	2150	10	<0.01	3	860	354	3.05	9	2	140
C00074414		<10	<1	0.24	<10	0.50	3320	4	0.01	8	950	242	3.67	5	3	104
C00074415		<10	<1	0.29	10	0.27	1940	3	<0.01	8	1470	201	2.14	3	2	93
C00074416		<10	<1	0.31	10	0.39	2510	2	<0.01	5	1350	479	1.42	5	2	91
C00074417		<10	1	0.22	<10	0.65	3240	2	<0.01	5	1330	258	1.39	<2	4	91
C00074418		10	1	0.24	10	0.85	4130	2	0.01	7	1220	745	2.06	4	6	80
C00074419		<10	1	0.26	10	0.56	3100	2	0.01	6	1410	652	1.94	4	4	76
C00074420		<10	1	0.01	<10	1.05	148	<1	0.01	1	70	<2	0.01	2	<1	85
C00074421		<10	<1	0.24	10	0.57	3160	2	0.01	6	1130	890	1.81	4	4	104
C00074422		<10	1	0.26	10	0.52	3350	2	0.01	7	1130	497	1.59	4	4	116
C00074423		<10	1	0.27	10	0.34	2780	2	0.01	5	1210	105	1.36	5	3	129
C00074424		<10	<1	0.29	10	0.42	2690	2	0.01	6	1010	294	1.19	2	4	104
C00074425		<10	1	0.26	10	0.40	2640	2	0.01	7	1180	378	1.45	5	3	102
C00074426		<10	<1	0.30	<10	0.57	2780	2	0.01	8	1370	526	2.25	5	5	84
C00074427		<10	<1	0.23	<10	0.45	3780	2	0.01	6	960	355	1.81	5	4	253
C00074428		<10	1	0.34	10	0.37	2030	2	0.01	7	1510	476	1.49	6	3	81
C00074429		<10	<1	0.30	10	0.26	2100	2	0.01	5	1630	85	1.90	3	2	111
C00074430		<10	1	0.13	10	1.39	903	13	0.10	11	1020	4540	1.02	65	5	151
C00074431		<10	<1	0.29	10	0.32	2400	2	0.01	5	1410	526	1.62	3	2	107
C00074432		10	<1	0.30	10	0.57	3540	3	0.01	6	1300	49	3.22	8	5	121
C00074433		<10	<1	0.28	<10	0.38	2740	3	0.01	6	1300	347	3.50	4	3	101
C00074434		<10	1	0.32	<10	0.38	3060	3	0.01	5	1290	393	3.51	4	3	121
C00074435		<10	<1	0.26	<10	0.48	3380	3	0.01	5	1330	214	3.30	6	4	117
C00074436		<10	1	0.29	<10	0.54	3340	3	0.01	8	1400	1080	2.98	7	4	103
C00074437		<10	1	0.26	10	0.50	3560	1	0.01	5	1350	91	2.17	3	5	136
C00074438		<10	<1	0.31	10	0.46	3490	2	0.01	4	1470	265	2.24	5	4	138
C00074439		10	<1	0.24	10	0.63	4170	3	0.01	4	1110	223	2.50	5	5	143
C00074440		<10	2	0.01	<10	1.55	139	<1	0.01	1	70	<2	0.01	2	<1	85
C00074441		<10	<1	0.34	<10	0.32	2320	3	0.01	5	1450	641	4.14	4	3	132
C00074442		<10	1	0.37	10	0.23	2430	4	0.01	8	1300	579	4.85	5	2	135
C00074443		<10	<1	0.32	<10	0.26	1745	4	0.01	9	1440	389	4.50	5	3	82
C00074444		<10	<1	0.38	10	0.16	1690	5	0.01	8	1450	392	4.22	5	2	84
C00074445		<10	<1	0.30	<10	0.52	3100	9	0.01	8	1330	1425	4.41	7	3	99
C00074446		<10	<1	0.27	<10	0.47	3230	3	0.01	4	1020	290	3.06	4	3	118
C00074447		<10	1	0.29	10	0.65	3430	4	0.01	3	1470	291	1.74	2	4	92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074408		<20	<0.01	<10	<10	72	<10	2430			
C00074409		<20	<0.01	<10	<10	61	<10	6190			
C00074410		<20	0.07	<10	<10	41	10	972			
C00074411		<20	<0.01	<10	<10	54	<10	8930			
C00074412		<20	<0.01	<10	<10	46	<10	4410			
C00074413		<20	<0.01	<10	<10	19	<10	611			
C00074414		<20	0.01	<10	<10	46	<10	425			
C00074415		<20	<0.01	<10	<10	24	<10	425			
C00074416		<20	<0.01	<10	<10	32	<10	1535			
C00074417		<20	<0.01	<10	<10	47	<10	1185			
C00074418		<20	0.01	<10	<10	87	<10	1740			
C00074419		<20	0.01	<10	<10	56	<10	3920			
C00074420		<20	<0.01	<10	<10	<1	<10	8			
C00074421		<20	0.01	<10	<10	58	<10	3730			
C00074422		<20	0.01	<10	<10	48	<10	3800			
C00074423		<20	0.01	<10	<10	34	<10	264			
C00074424		<20	0.01	<10	<10	39	<10	678			
C00074425		<20	0.01	<10	<10	34	<10	1130			
C00074426		<20	0.01	<10	<10	62	<10	1100			
C00074427		<20	0.01	<10	<10	41	<10	2220			
C00074428		<20	0.01	<10	<10	37	<10	1115			
C00074429		<20	0.01	<10	<10	25	<10	239			
C00074430		<20	0.06	<10	<10	88	<10	1080			
C00074431		<20	0.01	<10	<10	30	<10	2570			
C00074432		<20	0.01	<10	<10	62	<10	151			
C00074433		<20	0.01	<10	<10	41	<10	2320			
C00074434		<20	0.01	<10	<10	42	<10	4230			
C00074435		<20	0.01	<10	<10	47	<10	522			
C00074436		<20	0.01	<10	<10	51	<10	4580			
C00074437		<20	0.01	<10	<10	54	<10	357			
C00074438		<20	0.01	<10	<10	42	<10	718			
C00074439		<20	0.02	<10	<10	57	<10	705			
C00074440		<20	<0.01	<10	<10	1	<10	4			
C00074441		<20	0.01	<10	<10	32	<10	1975			
C00074442		<20	<0.01	<10	<10	24	<10	947			
C00074443		<20	0.01	<10	<10	25	<10	835			
C00074444		<20	0.01	<10	<10	20	<10	1195			
C00074445		<20	0.01	<10	<10	42	<10	3140			
C00074446		<20	<0.01	<10	<10	36	<10	1230			
C00074447		<20	0.01	<10	<10	47	<10	1575			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C00074448		9.17	0.156	2.9	2.20	90	<10	190	<0.5	<2	2.23	20.1	18	3	56	6.34
C00074449		8.62	0.163	2.9	2.25	134	<10	160	<0.5	<2	2.55	2.5	23	2	131	6.48
C00074450		0.14	7.96	>100	1.49	623	<10	20	<0.5	2	3.55	128.5	17	42	2080	4.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C00074448		<10	<1	0.32	<10	0.69	4120	1	0.01	4	1440	422	1.74	2	5	100
C00074449		<10	<1	0.28	10	0.71	4350	3	0.01	4	1490	164	1.51	2	5	107
C00074450		10	15	0.19	<10	1.37	748	54	0.06	216	630	>10000	4.03	732	3	45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C00074448		<20	0.01	<10	<10	62	<10	2460			
C00074449		<20	0.02	<10	<10	61	<10	357			
C00074450		<20	0.05	10	<10	57	20	>10000	319	2.27	2.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 27-OCT-2020
Account: ASCRES

CERTIFICATE OF ANALYSIS TR20207023

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

CERTIFICATE TR20212825

Project: Premier

This report is for 80 Drill Core samples submitted to our lab in Terrace, BC, Canada on 23-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20212825

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0025295		4.99	<0.005		0.2	1.51	4	<10	260	<0.5	<2	3.52	<0.5	8	7	5
B0025296		5.62	0.007		0.3	1.53	2	<10	540	<0.5	<2	3.61	<0.5	8	7	9
B0025297		5.30	0.380		2.7	2.40	27	<10	170	<0.5	3	4.87	37.6	16	1	75
B0025298		5.33	0.113		3.2	2.34	63	<10	170	<0.5	3	4.54	28.6	18	1	83
B0025299		4.84	0.046		3.2	2.25	31	<10	160	<0.5	<2	4.05	40.0	18	1	75
B0025300		0.14	8.54		>100	1.49	627	10	30	<0.5	5	3.60	131.5	18	44	2030
B0025301		4.76	0.410		3.5	1.61	98	<10	120	<0.5	2	3.49	30.7	19	2	61
B0025302		3.66	0.274		2.4	2.39	29	<10	130	<0.5	<2	4.38	23.8	14	1	45
B0025303		2.93	0.127		2.2	1.32	88	<10	110	0.5	2	5.87	13.1	15	1	67
B0025304		2.35	0.027		1.5	1.78	109	<10	110	0.5	<2	5.43	1.9	18	1	57
B0025305		5.37	0.070		1.5	1.80	39	<10	140	0.5	<2	6.14	2.1	18	1	53
B0025306		4.74	0.087		1.7	2.28	31	<10	130	<0.5	<2	5.66	1.6	19	1	51
B0025307		4.69	0.159		1.4	2.27	34	<10	140	<0.5	<2	4.58	10.9	20	1	50
B0025308		5.11	0.262		1.2	2.40	46	<10	130	<0.5	<2	6.61	11.8	19	1	61
B0025309		6.74	1.000		1.0	2.40	45	<10	160	<0.5	<2	5.31	3.2	20	1	47
B0025310		0.68	<0.005		<0.2	0.03	<2	10	10	<0.5	<2	>25.0	<0.5	<1	<1	2
B0025311		4.79	0.176		0.9	2.18	64	<10	150	<0.5	<2	5.48	2.2	18	1	45
B0025312		2.10	0.674		4.1	1.83	144	<10	130	<0.5	6	5.05	34.8	21	1	81
B0025313		2.19	0.861		3.4	1.84	131	<10	140	<0.5	3	5.17	23.2	19	1	55
B0025314		5.34	>10.0	12.05	5.9	2.14	110	<10	130	<0.5	2	2.91	16.9	17	1	55
B0025315		3.86	>10.0	22.2	12.0	2.20	115	<10	120	<0.5	<2	2.79	12.9	21	1	58
B0025316		2.74	0.489		1.6	0.39	235	<10	80	<0.5	<2	1.65	8.0	13	3	29
B0025317		4.44	0.659		1.3	2.14	59	<10	170	<0.5	2	2.38	9.6	8	2	113
B0025318		5.00	0.537		1.5	2.31	54	<10	190	<0.5	2	2.37	6.2	11	2	83
B0025319		4.83	1.170		3.1	2.54	23	<10	200	<0.5	<2	2.52	23.6	10	2	287
B0025320		0.13	0.694		9.7	1.21	792	20	100	<0.5	21	3.05	6.1	45	24	6600
B0025321		4.80	1.125		0.9	2.31	17	<10	200	<0.5	<2	3.00	12.0	11	2	45
B0025322		4.84	4.99		3.3	2.39	13	<10	190	<0.5	2	3.87	42.1	12	2	229
B0025323		3.92	0.232		2.6	2.38	40	<10	180	<0.5	2	2.66	32.3	14	2	84
B0025324		4.35	0.653		5.0	2.52	19	<10	170	<0.5	3	1.33	44.8	13	2	186
B0025325		4.79	1.005		3.4	2.20	14	<10	360	<0.5	3	3.18	42.4	11	1	194
B0025326		3.94	1.115		2.3	2.24	17	<10	170	<0.5	3	2.89	22.2	12	1	72
B0025327		4.33	0.104		1.5	1.80	38	<10	190	<0.5	<2	2.94	14.6	14	1	40
B0025328		4.78	0.163		1.7	1.50	55	<10	190	<0.5	<2	2.56	14.7	15	1	32
B0025329		4.38	0.559		3.3	2.26	94	<10	190	<0.5	2	3.96	11.5	18	1	55
B0025330		0.69	<0.005		0.3	0.02	2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	2
B0025331		4.82	0.202		0.8	1.58	34	<10	270	<0.5	<2	3.08	2.5	9	2	18
B0025332		4.29	0.085		1.3	1.94	26	<10	170	<0.5	2	2.00	18.4	8	2	27
B0025333		3.96	0.041		3.1	1.65	84	<10	110	<0.5	<2	4.01	2.7	23	46	59
B0025334		5.20	0.036		2.6	1.47	92	<10	100	<0.5	2	4.67	1.2	22	30	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20212825

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0025295		3.12	10	1	0.23	10	0.97	1055	1	0.05	4	1230	6	0.31	<2	3
B0025296		3.21	10	1	0.22	10	1.02	702	1	0.05	3	1270	7	0.25	<2	3
B0025297		6.11	10	1	0.31	10	0.96	4680	1	0.02	3	1340	341	1.46	<2	4
B0025298		5.97	10	2	0.31	10	0.89	4220	1	0.02	5	1400	539	1.47	2	4
B0025299		5.95	10	1	0.32	10	0.79	3410	1	0.02	5	1460	841	1.69	<2	4
B0025300		4.96	10	15	0.19	<10	1.37	765	55	0.07	210	610	>10000	4.08	734	3
B0025301		5.99	<10	1	0.33	10	0.52	2480	2	0.01	3	1450	501	3.47	<2	3
B0025302		6.01	10	1	0.30	10	0.81	3200	1	0.02	4	1520	459	1.12	<2	3
B0025303		4.51	<10	1	0.30	10	0.43	2520	1	0.01	2	1520	227	2.38	2	2
B0025304		4.45	10	1	0.31	10	0.64	2260	<1	0.01	4	1650	65	1.06	<2	2
B0025305		4.88	10	1	0.35	10	0.61	2220	<1	0.02	2	1570	118	1.75	2	3
B0025306		5.48	10	1	0.30	10	0.88	2500	<1	0.01	3	1380	63	0.95	2	3
B0025307		5.47	10	1	0.32	10	0.87	2260	<1	0.02	2	1660	100	1.06	2	3
B0025308		5.68	10	1	0.30	10	0.93	2720	1	0.02	4	1620	104	0.95	<2	3
B0025309		5.74	10	1	0.30	10	0.96	2360	1	0.02	3	1600	37	1.06	<2	3
B0025310		0.14	<10	2	0.01	<10	0.73	129	<1	0.02	1	70	2	0.01	2	<1
B0025311		5.85	10	1	0.30	10	0.88	2670	1	0.02	3	1640	45	1.89	<2	3
B0025312		6.11	10	2	0.27	<10	0.72	2940	1	0.01	5	1340	657	2.98	3	3
B0025313		5.99	10	2	0.29	10	0.71	3020	1	0.02	4	1330	472	2.86	2	3
B0025314		6.24	10	1	0.28	10	0.87	2610	<1	0.01	3	1340	339	2.25	2	3
B0025315		6.98	10	1	0.26	10	0.94	2570	<1	0.01	3	1310	246	2.54	2	3
B0025316		4.59	<10	<1	0.24	<10	0.08	952	2	0.01	4	830	235	4.62	4	1
B0025317		6.12	10	1	0.29	10	0.81	3760	2	0.02	4	1140	373	1.79	<2	3
B0025318		6.37	10	1	0.28	10	0.94	4180	<1	0.02	4	1210	620	1.61	<2	3
B0025319		6.26	10	1	0.27	10	1.02	4750	1	0.03	3	1370	2240	0.95	2	4
B0025320		3.59	10	1	0.15	10	0.42	624	299	0.13	23	650	72	1.22	16	2
B0025321		5.41	10	1	0.26	10	0.92	4570	1	0.03	4	1330	259	0.45	<2	4
B0025322		5.46	10	1	0.28	10	0.96	4740	<1	0.03	3	1320	1250	0.59	2	4
B0025323		6.10	10	2	0.24	10	0.90	4270	2	0.03	5	1420	639	1.12	2	4
B0025324		5.70	10	1	0.24	10	1.11	3630	2	0.03	4	1490	1610	0.64	<2	4
B0025325		5.01	10	1	0.27	10	0.96	4050	<1	0.03	3	1520	1590	0.57	<2	4
B0025326		5.18	10	1	0.25	10	0.90	3450	1	0.03	3	1590	552	0.47	<2	4
B0025327		4.97	10	1	0.28	10	0.76	3130	2	0.03	3	1520	202	0.78	<2	3
B0025328		4.50	10	1	0.32	10	0.67	3260	1	0.03	4	1530	304	0.92	2	3
B0025329		6.87	10	1	0.31	10	1.00	4350	1	0.02	6	1400	222	1.42	<2	4
B0025330		0.15	<10	1	0.01	<10	1.32	133	<1	0.02	<1	70	3	0.01	<2	<1
B0025331		4.24	10	1	0.33	10	0.58	3360	1	0.01	4	1150	58	0.94	<2	2
B0025332		4.95	10	1	0.27	10	0.78	2500	1	0.01	3	1030	451	0.79	<2	3
B0025333		5.84	<10	1	0.22	<10	1.45	3180	12	<0.01	18	1320	135	2.70	4	7
B0025334		5.60	<10	<1	0.24	<10	1.28	2780	10	<0.01	16	1400	39	3.01	5	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20212825

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0025295		208	<20	<0.01	<10	<10	40	<10	77			
B0025296		216	<20	<0.01	<10	<10	43	<10	72			
B0025297		144	<20	0.01	<10	<10	54	<10	4600			
B0025298		139	<20	0.01	<10	<10	55	<10	3360			
B0025299		119	<20	0.01	<10	<10	51	<10	4970			
B0025300		48	<20	0.05	10	<10	58	20	>10000	327	2.35	2.37
B0025301		109	<20	<0.01	<10	<10	34	<10	3630			
B0025302		138	<20	0.01	<10	<10	45	<10	2800			
B0025303		197	<20	<0.01	<10	<10	23	<10	1520			
B0025304		192	<20	<0.01	<10	<10	33	<10	260			
B0025305		176	<20	0.01	<10	<10	37	<10	281			
B0025306		133	<20	<0.01	<10	<10	44	<10	259			
B0025307		117	<20	0.01	<10	<10	40	<10	1375			
B0025308		172	<20	0.01	<10	<10	42	<10	1485			
B0025309		139	<20	0.01	<10	<10	44	<10	424			
B0025310		79	<20	<0.01	<10	<10	<1	<10	4			
B0025311		145	<20	0.01	<10	<10	36	<10	294			
B0025312		133	<20	<0.01	<10	<10	40	<10	4100			
B0025313		137	<20	<0.01	<10	<10	40	<10	2820			
B0025314		75	<20	<0.01	<10	<10	47	<10	2150			
B0025315		76	<20	<0.01	<10	<10	46	<10	1680			
B0025316		53	<20	<0.01	<10	<10	10	<10	969			
B0025317		74	<20	<0.01	<10	<10	48	<10	1230			
B0025318		70	<20	0.01	<10	<10	52	<10	820			
B0025319		77	<20	0.01	<10	<10	68	<10	2560			
B0025320		131	<20	0.07	<10	<10	43	<10	1010			
B0025321		107	<20	0.01	<10	<10	68	<10	1580			
B0025322		127	<20	0.01	<10	<10	67	<10	5070			
B0025323		113	<20	0.01	<10	<10	74	<10	3930			
B0025324		56	<20	0.01	<10	<10	62	<10	5320			
B0025325		134	<20	0.01	<10	<10	54	<10	4780			
B0025326		100	<20	0.01	<10	<10	60	<10	2750			
B0025327		113	<20	<0.01	<10	<10	43	<10	1800			
B0025328		133	<20	<0.01	<10	<10	40	<10	1880			
B0025329		155	<20	<0.01	<10	<10	60	<10	1550			
B0025330		70	<20	<0.01	<10	<10	<1	<10	8			
B0025331		133	<20	<0.01	<10	<10	34	<10	398			
B0025332		111	<20	<0.01	<10	<10	37	<10	2250			
B0025333		250	<20	<0.01	<10	<10	65	<10	342			
B0025334		201	<20	<0.01	<10	<10	50	<10	136			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20212825

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0025335		5.19	0.055		2.5	1.23	135	<10	110	<0.5	2	6.40	2.4	20	27	52
B0025336		4.57	0.046		3.2	1.30	124	<10	120	<0.5	<2	6.37	2.2	20	18	89
B0025337		5.44	0.077		3.3	0.90	203	<10	110	<0.5	<2	8.2	3.1	16	8	42
B0025338		5.06	0.054		3.2	1.39	161	<10	100	<0.5	<2	8.0	2.0	16	11	53
B0025339		4.82	0.035		2.9	1.57	104	<10	110	<0.5	<2	6.55	1.3	18	14	61
B0025340		0.13	1.130		89.7	1.55	30	10	170	<0.5	2	3.16	8.5	17	17	945
B0025341		2.16	0.030		2.5	1.67	80	<10	100	<0.5	<2	6.81	1.8	17	17	64
B0025342		2.08	0.028		2.6	1.68	85	<10	100	<0.5	2	6.86	1.9	19	17	67
B0025343		6.55	0.010		1.9	2.15	47	<10	210	<0.5	<2	6.47	2.2	18	23	74
B0025344		5.01	0.016		1.9	1.91	44	<10	100	<0.5	2	6.53	1.6	18	20	67
B0025345		4.43	0.019		0.6	2.19	59	<10	250	<0.5	<2	1.14	<0.5	14	6	22
B0025346		4.83	0.032		1.1	1.69	161	<10	90	<0.5	<2	0.70	<0.5	14	4	32
B0025347		2.64	0.294		2.5	0.40	356	<10	60	<0.5	2	1.39	<0.5	8	9	14
B0025348		2.70	0.314		5.6	0.97	259	<10	50	0.5	<2	0.61	1.8	12	3	129
B0025349		4.57	0.028		1.0	2.15	93	<10	160	0.5	<2	0.83	<0.5	15	5	27
B0025350		0.56	<0.005		<0.2	0.03	<2	<10	10	<0.5	2	20.0	<0.5	<1	<1	2
B0025351		4.50	0.019		0.8	1.95	57	<10	140	0.5	<2	2.35	<0.5	15	4	21
B0025352		4.60	0.035		0.8	2.02	84	<10	130	<0.5	<2	3.31	<0.5	17	4	29
B0025353		4.60	0.030		0.5	1.83	66	<10	130	<0.5	<2	3.96	<0.5	15	5	26
B0025354		4.64	0.016		0.6	2.19	43	<10	160	<0.5	<2	5.04	<0.5	14	5	32
B0025355		4.53	0.037		0.7	2.01	79	<10	160	<0.5	<2	5.30	<0.5	14	5	30
B0025356		5.01	0.032		0.9	1.98	71	<10	140	0.6	<2	3.91	<0.5	15	5	22
B0025357		4.36	0.055		1.4	1.69	117	<10	130	0.5	3	3.82	0.5	15	5	19
B0025358		5.16	0.117		2.1	0.46	186	<10	90	<0.5	2	8.2	8.8	9	3	25
B0025359		4.67	0.112		1.4	1.01	155	<10	120	<0.5	2	4.79	0.6	12	3	20
B0025360		0.12	0.708		9.2	1.17	765	10	100	<0.5	22	3.02	5.8	43	23	6340
B0025361		3.86	0.113		0.9	0.65	142	<10	110	<0.5	<2	6.80	0.7	12	3	17
B0025362		3.92	0.185		1.5	1.04	133	<10	130	<0.5	<2	9.1	0.8	11	3	23
B0025363		1.53	0.126		1.4	1.48	80	<10	150	<0.5	<2	8.4	4.0	13	5	23
B0025364		1.49	0.139		1.5	1.55	100	<10	120	<0.5	3	7.2	4.2	14	6	25
B0025365		4.18	0.026		0.4	2.30	31	<10	200	<0.5	<2	3.41	<0.5	17	6	18
B0025366		5.12	0.017		0.5	2.17	55	<10	190	<0.5	<2	4.33	<0.5	15	6	11
B0025367		4.96	0.020		0.8	2.48	37	<10	190	<0.5	<2	4.18	<0.5	17	6	25
B0025368		5.01	0.032		0.6	2.30	50	<10	170	<0.5	<2	5.13	<0.5	15	7	19
B0025369		4.97	0.209		0.7	2.19	115	<10	170	<0.5	<2	3.53	<0.5	15	7	21
B0025370		0.64	<0.005		0.3	0.03	<2	<10	<10	<0.5	<2	20.0	<0.5	<1	<1	1
B0025371		4.52	0.054		0.6	2.46	72	<10	180	<0.5	<2	3.52	<0.5	16	6	17
B0025372		5.21	0.054		1.1	2.62	109	<10	170	<0.5	<2	4.63	<0.5	18	8	14
B0025373		4.75	0.145		1.5	2.15	200	<10	140	<0.5	<2	3.08	2.7	18	5	19
B0025374		5.14	0.128		0.7	2.29	73	<10	280	<0.5	<2	4.33	<0.5	16	7	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20212825

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0025335		5.05	<10	<1	0.27	<10	0.76	2310	2	<0.01	12	1510	75	3.23	6	5
B0025336		4.99	<10	1	0.28	<10	0.78	2160	3	<0.01	10	1570	53	3.04	6	5
B0025337		4.66	<10	1	0.25	<10	0.50	1975	2	<0.01	9	1360	90	3.74	6	4
B0025338		4.94	<10	1	0.24	<10	0.84	2260	2	<0.01	9	1360	84	2.94	4	4
B0025339		4.88	<10	1	0.25	<10	0.91	1820	2	<0.01	8	1430	48	2.38	4	4
B0025340		3.53	10	1	0.14	<10	1.41	899	13	0.10	11	990	4520	1.04	61	5
B0025341		4.76	<10	1	0.25	<10	0.98	1860	2	<0.01	9	1530	62	1.95	5	4
B0025342		5.01	<10	1	0.24	<10	1.00	1935	2	<0.01	10	1480	65	2.17	5	5
B0025343		5.09	10	1	0.25	<10	1.28	2100	2	<0.01	11	1490	98	1.15	3	5
B0025344		4.94	10	1	0.26	<10	1.10	1840	2	<0.01	10	1540	67	1.62	4	5
B0025345		4.52	10	<1	0.33	10	1.21	1030	1	0.01	4	1250	10	0.40	4	3
B0025346		4.85	<10	1	0.32	10	0.98	651	1	<0.01	4	1190	11	1.90	5	3
B0025347		3.68	<10	<1	0.17	<10	0.24	599	1	<0.01	5	420	25	3.37	10	1
B0025348		4.22	<10	<1	0.27	10	0.54	526	1	<0.01	4	950	971	2.95	7	3
B0025349		4.97	10	<1	0.25	10	1.28	829	<1	0.01	5	1210	11	1.04	<2	3
B0025350		0.14	<10	1	0.01	<10	12.15	121	<1	<0.01	<1	20	3	0.03	3	<1
B0025351		4.80	10	<1	0.25	10	1.20	1055	1	0.01	6	1130	9	1.43	3	3
B0025352		5.24	10	1	0.27	10	1.26	1215	1	0.01	4	1220	8	1.96	2	3
B0025353		4.84	10	1	0.26	10	1.12	1270	<1	0.01	5	1120	8	1.90	3	3
B0025354		4.50	10	1	0.32	10	1.30	1695	1	<0.01	4	1110	9	0.79	4	3
B0025355		4.48	10	1	0.27	10	1.22	1655	1	0.01	4	1050	9	1.02	5	3
B0025356		4.66	10	1	0.29	10	1.15	1510	1	0.01	5	1170	9	1.42	3	3
B0025357		4.59	<10	1	0.27	10	0.93	1475	2	0.01	4	1080	10	1.86	4	3
B0025358		3.62	<10	1	0.22	<10	0.18	1880	2	<0.01	3	680	401	3.41	6	2
B0025359		3.85	<10	<1	0.25	10	0.50	1290	1	<0.01	2	1030	23	2.56	5	2
B0025360		3.50	10	1	0.15	10	0.41	600	286	0.12	23	610	70	1.16	14	2
B0025361		4.04	<10	2	0.24	<10	0.30	1270	2	0.01	2	970	24	3.55	4	2
B0025362		3.53	<10	1	0.25	10	0.56	2340	1	<0.01	1	890	39	1.94	4	2
B0025363		4.13	<10	1	0.23	10	0.81	1855	1	0.01	<1	990	55	1.65	4	3
B0025364		4.51	10	1	0.22	10	0.87	1695	1	0.01	1	990	73	1.88	4	3
B0025365		5.31	10	1	0.28	10	1.35	1320	1	0.02	2	1350	8	1.02	2	5
B0025366		4.97	10	<1	0.25	10	1.29	1550	1	0.02	2	1270	5	0.83	3	5
B0025367		5.78	10	1	0.27	10	1.29	1970	1	0.03	4	1270	9	1.06	2	5
B0025368		5.19	10	<1	0.27	10	1.19	1570	<1	0.04	2	1230	7	0.96	2	6
B0025369		5.37	10	1	0.28	10	1.20	1225	1	0.04	<1	1380	9	1.61	3	5
B0025370		0.14	<10	2	0.01	<10	12.10	128	<1	0.01	1	10	4	<0.01	3	<1
B0025371		5.62	10	1	0.28	10	1.41	1260	1	0.03	2	1360	9	1.20	3	5
B0025372		6.02	10	1	0.28	10	1.69	1815	1	0.03	3	1310	12	1.76	5	6
B0025373		5.80	10	1	0.30	10	1.32	1690	1	0.02	3	1340	55	2.36	6	5
B0025374		5.29	10	1	0.28	10	1.26	2060	<1	0.03	1	1230	15	1.33	2	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20212825

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0025335		221	<20	<0.01	<10	<10	32	<10	253			
B0025336		214	<20	<0.01	<10	<10	31	<10	246			
B0025337		252	<20	<0.01	<10	<10	19	<10	311			
B0025338		219	<20	<0.01	<10	<10	25	<10	228			
B0025339		205	<20	<0.01	<10	<10	28	<10	161			
B0025340		148	<20	0.06	<10	<10	90	<10	1115			
B0025341		242	<20	<0.01	<10	<10	34	<10	228			
B0025342		249	<20	<0.01	<10	<10	35	<10	233			
B0025343		252	<20	<0.01	<10	<10	44	<10	301			
B0025344		241	<20	<0.01	<10	<10	39	<10	208			
B0025345		48	<20	<0.01	<10	<10	40	<10	92			
B0025346		22	<20	<0.01	<10	<10	28	<10	90			
B0025347		77	<20	<0.01	<10	<10	9	<10	63			
B0025348		29	<20	<0.01	<10	<10	17	<10	238			
B0025349		22	<20	<0.01	<10	<10	29	<10	102			
B0025350		48	<20	<0.01	<10	<10	<1	<10	4			
B0025351		59	<20	<0.01	<10	<10	27	<10	88			
B0025352		83	<20	<0.01	<10	<10	29	<10	92			
B0025353		109	<20	<0.01	<10	<10	29	<10	86			
B0025354		132	<20	<0.01	<10	<10	33	<10	85			
B0025355		145	<20	<0.01	<10	<10	34	<10	91			
B0025356		102	<20	<0.01	<10	<10	35	<10	91			
B0025357		154	<20	<0.01	<10	<10	29	<10	87			
B0025358		263	<20	<0.01	<10	<10	9	<10	1125			
B0025359		130	<20	<0.01	<10	<10	16	<10	103			
B0025360		128	<20	0.07	<10	<10	41	<10	993			
B0025361		229	<20	<0.01	<10	<10	17	<10	104			
B0025362		248	<20	<0.01	<10	<10	19	<10	135			
B0025363		173	<20	<0.01	<10	<10	34	<10	536			
B0025364		157	<20	<0.01	<10	<10	36	<10	555			
B0025365		112	<20	0.01	<10	<10	56	<10	98			
B0025366		125	<20	0.01	<10	<10	61	<10	90			
B0025367		116	<20	0.01	<10	<10	71	<10	102			
B0025368		138	<20	0.01	<10	<10	67	<10	94			
B0025369		99	<20	0.01	<10	<10	60	<10	94			
B0025370		46	<20	<0.01	<10	<10	<1	<10	4			
B0025371		111	<20	0.01	<10	<10	56	<10	94			
B0025372		130	<20	0.01	<10	<10	61	<10	98			
B0025373		105	<20	0.01	<10	<10	48	<10	375			
B0025374		140	<20	0.01	<10	<10	54	<10	91			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20212825

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

CERTIFICATE TR20221190

Project: Premier

This report is for 154 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0028847		4.66	0.014		0.6	1.90	37	<10	130	<0.5	2	5.21	<0.5	15	2	39
B0028848		4.19	0.013		0.6	1.88	23	<10	120	<0.5	<2	4.69	<0.5	15	2	39
B0028849		4.88	0.034		1.5	1.45	58	<10	130	<0.5	<2	4.00	<0.5	16	1	45
B0028850		0.13	1.180		93.0	1.54	32	10	180	<0.5	2	3.28	8.9	19	18	980
B0028851		2.82	0.020		1.4	1.58	39	<10	110	<0.5	<2	4.62	<0.5	14	2	39
B0028852		2.38	0.038		1.5	0.96	98	<10	90	<0.5	<2	3.34	0.7	13	1	33
B0028853		2.38	0.061		1.6	0.49	95	<10	90	<0.5	<2	4.76	0.7	12	2	28
B0028854		3.48	0.224		2.8	0.32	187	<10	60	<0.5	<2	5.37	3.0	9	3	20
B0028855		4.88	0.056		1.5	1.50	56	<10	110	<0.5	<2	2.82	0.8	15	2	42
B0028856		4.29	0.021		1.0	1.81	55	<10	100	<0.5	<2	3.96	<0.5	16	2	41
B0028857		4.34	0.025		0.7	2.09	59	10	120	<0.5	<2	4.42	<0.5	16	2	47
B0028858		4.63	0.058		0.7	1.82	47	<10	140	<0.5	3	4.19	0.7	18	1	34
B0028859		4.62	0.057		0.8	1.82	43	<10	200	<0.5	2	4.68	6.7	15	2	48
B0028860		1.11	<0.005		0.2	0.03	2	<10	<10	<0.5	3	23.1	<0.5	1	<1	1
B0028861		4.56	0.023		0.6	2.50	41	<10	160	<0.5	2	5.47	0.8	19	2	37
B0028862		4.55	0.063		1.2	1.13	128	<10	160	<0.5	3	5.36	2.8	20	1	49
B0028863		4.39	0.150		1.9	0.62	276	<10	150	<0.5	<2	8.6	5.8	16	2	41
B0028864		4.48	0.184		2.0	0.88	157	<10	120	<0.5	<2	4.46	11.4	16	2	40
B0028865		2.35	0.648		2.1	1.59	166	<10	180	<0.5	<2	4.03	6.6	14	2	49
B0028866		6.55	0.278		2.2	1.47	109	<10	170	<0.5	3	4.65	5.3	15	2	35
B0028867		4.51	0.217		1.3	1.73	78	<10	210	<0.5	2	5.27	3.8	17	2	43
B0028868		4.59	0.221		1.7	1.75	115	<10	200	<0.5	2	4.18	5.7	16	2	38
B0028869		4.93	0.395		1.4	1.44	98	<10	230	<0.5	3	3.50	5.8	14	2	38
B0028870		0.14	7.73		>100	1.59	657	<10	20	<0.5	6	3.87	140.0	18	47	2190
B0028871		4.49	>10.0	23.2	9.6	1.63	195	<10	200	<0.5	<2	4.00	21.5	16	2	48
B0028872		4.52	0.487		1.3	1.50	127	<10	190	<0.5	2	6.14	2.6	15	2	33
B0028873		4.64	0.438		1.4	1.53	932	<10	190	<0.5	<2	6.03	3.9	15	2	50
B0028874		3.98	0.504		4.5	1.17	144	<10	120	<0.5	3	3.64	56.1	11	2	81
B0028875		4.63	0.528		1.4	1.02	419	<10	150	<0.5	2	3.97	15.2	8	3	18
B0028876		3.93	0.305		1.7	1.29	162	<10	170	<0.5	2	4.54	6.2	14	2	47
B0028877		4.64	0.496		3.4	0.56	254	<10	60	<0.5	<2	2.79	45.0	8	2	50
B0028878		2.16	0.353		5.2	0.31	149	<10	50	<0.5	<2	4.17	78.5	6	6	82
B0028879		2.48	0.293		2.5	0.16	127	<10	40	<0.5	<2	4.50	30.2	4	7	31
B0028880		1.05	<0.005		<0.2	0.01	2	<10	<10	<0.5	4	20.5	<0.5	<1	1	1
B0028881		2.52	0.231		0.7	0.18	143	<10	60	<0.5	<2	5.67	0.9	4	5	5
B0028882		1.55	0.076		0.9	1.01	78	<10	110	0.6	<2	4.08	2.7	10	1	11
B0028883		1.39	0.065		1.0	1.11	80	<10	130	0.6	<2	4.27	3.7	11	1	12
B0028884		4.79	0.040		0.8	1.54	41	<10	100	0.5	<2	4.17	3.9	10	1	14
B0028885		4.70	0.032		0.7	1.94	46	<10	110	0.5	<2	5.48	1.6	12	1	16
B0028886		4.19	0.024		0.7	1.11	26	<10	110	<0.5	<2	4.47	1.7	9	1	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028847		4.76	10	<1	0.28	10	0.62	1465	<1	0.01	3	1480	8	0.72	<2	3
B0028848		4.66	10	<1	0.23	10	0.58	1355	<1	0.01	3	1350	8	0.48	<2	3
B0028849		4.18	<10	<1	0.30	10	0.54	1260	<1	0.01	2	1340	11	1.67	<2	2
B0028850		3.58	10	<1	0.14	<10	1.46	947	13	0.10	12	1040	4660	1.06	66	6
B0028851		3.95	<10	<1	0.28	10	0.59	1610	<1	<0.01	2	1250	12	1.01	<2	2
B0028852		4.25	<10	<1	0.23	<10	0.30	1100	<1	<0.01	2	1260	15	2.82	2	2
B0028853		3.37	<10	<1	0.23	<10	0.11	1310	1	<0.01	1	1080	21	3.00	<2	1
B0028854		3.24	<10	<1	0.18	<10	0.06	1390	4	<0.01	2	710	93	3.18	4	1
B0028855		4.17	<10	<1	0.26	10	0.42	1025	4	<0.01	2	1360	10	1.18	<2	2
B0028856		5.00	<10	<1	0.24	10	0.50	1430	1	0.01	3	1390	9	1.06	<2	3
B0028857		5.22	10	<1	0.27	10	0.56	1540	<1	0.01	2	1480	11	0.57	<2	3
B0028858		4.86	10	<1	0.26	10	0.51	2160	1	0.01	3	1420	36	0.65	<2	3
B0028859		4.52	10	<1	0.29	10	0.53	2130	<1	0.01	2	1450	271	0.58	<2	3
B0028860		0.15	<10	<1	0.01	<10	13.95	142	<1	<0.01	2	30	<2	0.01	2	<1
B0028861		6.32	10	<1	0.30	10	0.80	2510	1	0.02	3	1570	40	0.66	<2	4
B0028862		4.77	<10	<1	0.32	10	0.29	2130	1	<0.01	3	1570	126	3.02	<2	2
B0028863		4.60	<10	<1	0.31	<10	0.12	2320	1	<0.01	3	1270	205	4.29	<2	2
B0028864		4.72	<10	1	0.28	<10	0.21	1820	<1	<0.01	3	1250	532	3.53	<2	2
B0028865		4.99	<10	<1	0.33	10	0.49	2520	<1	0.01	2	1420	422	1.87	<2	2
B0028866		5.08	<10	<1	0.30	10	0.42	2730	<1	0.01	3	1420	307	2.24	<2	2
B0028867		5.02	<10	<1	0.33	10	0.51	2910	<1	0.01	3	1530	314	1.53	<2	3
B0028868		5.41	10	<1	0.34	10	0.53	2310	1	0.01	3	1430	350	2.04	2	3
B0028869		4.07	<10	<1	0.33	10	0.40	1810	1	0.01	2	1470	304	1.37	<2	2
B0028870		5.41	10	14	0.21	<10	1.52	820	60	0.07	231	670	>10000	4.39	789	3
B0028871		5.21	<10	<1	0.34	<10	0.49	2600	1	0.01	4	1410	1315	2.14	<2	2
B0028872		4.73	<10	<1	0.30	<10	0.44	2820	<1	0.01	2	1320	184	1.71	<2	2
B0028873		4.59	<10	<1	0.30	<10	0.45	2750	1	0.01	3	1360	214	1.42	3	2
B0028874		5.12	<10	<1	0.29	<10	0.34	1880	1	0.01	1	1100	1125	3.34	2	2
B0028875		4.76	<10	<1	0.39	<10	0.22	2310	1	<0.01	2	940	65	2.94	<2	2
B0028876		4.47	<10	<1	0.29	10	0.36	2120	1	<0.01	3	1490	379	2.11	<2	2
B0028877		4.07	<10	<1	0.30	<10	0.10	1290	1	0.01	1	900	1200	3.84	3	1
B0028878		3.12	<10	<1	0.16	<10	0.08	2040	<1	<0.01	1	260	3000	3.02	2	<1
B0028879		2.40	<10	<1	0.11	<10	0.03	1860	1	<0.01	1	200	1765	2.17	2	<1
B0028880		0.13	<10	<1	0.01	<10	12.50	119	<1	<0.01	<1	10	5	<0.01	<2	<1
B0028881		2.00	<10	<1	0.15	<10	0.04	1930	<1	<0.01	1	420	49	1.74	2	1
B0028882		3.51	<10	<1	0.25	<10	0.26	1540	1	0.01	2	1100	75	1.76	<2	1
B0028883		3.86	<10	<1	0.29	<10	0.28	1675	1	0.01	1	1130	95	1.99	<2	1
B0028884		4.36	<10	<1	0.26	10	0.44	1760	2	0.01	1	1060	101	1.19	<2	2
B0028885		5.49	<10	<1	0.28	10	0.55	2160	1	0.01	1	1050	69	1.23	<2	3
B0028886		3.22	<10	<1	0.29	10	0.34	1805	1	0.01	1	1140	58	0.68	2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028847		148	<20	<0.01	<10	<10	35	<10	85			
B0028848		112	<20	<0.01	<10	<10	37	<10	84			
B0028849		99	<20	<0.01	<10	<10	23	<10	74			
B0028850		155	<20	0.06	<10	<10	93	<10	1145			
B0028851		105	<20	<0.01	<10	<10	26	<10	69			
B0028852		74	<20	<0.01	<10	<10	16	<10	106			
B0028853		136	<20	<0.01	<10	<10	9	<10	100			
B0028854		122	<20	<0.01	<10	<10	6	<10	359			
B0028855		61	<20	<0.01	<10	<10	31	<10	158			
B0028856		94	<20	<0.01	<10	<10	36	<10	82			
B0028857		116	<20	<0.01	<10	<10	41	<10	108			
B0028858		142	<20	<0.01	<10	<10	35	<10	150			
B0028859		148	<20	<0.01	<10	<10	36	<10	852			
B0028860		60	<20	<0.01	<10	<10	1	<10	5			
B0028861		194	<20	0.01	<10	<10	47	<10	170			
B0028862		170	<20	<0.01	<10	<10	20	<10	368			
B0028863		274	<20	<0.01	<10	<10	11	<10	680			
B0028864		156	<20	<0.01	<10	<10	17	<10	1285			
B0028865		148	<20	<0.01	<10	<10	31	<10	785			
B0028866		168	<20	<0.01	<10	<10	29	<10	681			
B0028867		168	<20	<0.01	<10	<10	35	<10	513			
B0028868		138	<20	<0.01	<10	<10	35	<10	715			
B0028869		113	<20	<0.01	<10	<10	26	<10	713			
B0028870		49	<20	0.05	10	<10	64	20	>10000	329	2.34	2.43
B0028871		165	<20	<0.01	<10	<10	32	<10	2580			
B0028872		221	<20	<0.01	<10	<10	30	<10	357			
B0028873		212	<20	<0.01	<10	<10	31	<10	505			
B0028874		121	<20	<0.01	<10	<10	19	<10	6690			
B0028875		114	<20	<0.01	<10	<10	16	<10	1785			
B0028876		149	<20	<0.01	<10	<10	24	<10	735			
B0028877		77	<20	<0.01	<10	<10	7	<10	5160			
B0028878		113	<20	<0.01	<10	<10	3	<10	8860			
B0028879		139	<20	<0.01	<10	<10	2	<10	3420			
B0028880		50	<20	<0.01	<10	<10	1	<10	10			
B0028881		149	<20	<0.01	<10	<10	2	<10	90			
B0028882		140	<20	<0.01	<10	<10	10	<10	283			
B0028883		155	<20	<0.01	<10	<10	11	<10	379			
B0028884		138	<20	<0.01	<10	<10	22	<10	422			
B0028885		139	<20	<0.01	<10	<10	31	<10	207			
B0028886		120	<20	<0.01	<10	<10	14	<10	202			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0028887		4.73	0.030		1.3	1.54	67	<10	110	<0.5	<2	4.77	3.1	13	1	21
B0028888		1.53	0.021		1.3	1.12	66	<10	110	0.6	<2	5.16	1.9	12	1	16
B0028889		5.04	0.171		4.4	1.85	160	<10	80	<0.5	<2	4.21	58.2	21	19	95
B0028890		0.13	0.683		10.1	1.20	825	20	100	<0.5	19	3.21	6.2	46	24	6520
B0028891		4.59	0.060		4.2	2.36	88	<10	80	<0.5	2	6.77	26.9	23	36	53
B0028892		4.63	0.235		3.1	2.17	70	<10	80	<0.5	3	4.31	39.0	15	33	62
B0028893		4.56	0.469		0.9	0.98	110	<10	90	<0.5	<2	5.17	0.6	7	12	7
B0028894		4.70	0.108		2.4	2.48	131	<10	90	<0.5	<2	6.10	9.0	22	18	50
B0028895		4.45	0.034		2.0	2.07	47	<10	90	<0.5	<2	10.1	6.9	19	17	51
B0028896		4.58	0.041		2.9	1.50	75	<10	100	<0.5	<2	8.1	18.3	19	13	65
B0028897		4.69	0.030		1.8	2.17	54	<10	100	<0.5	<2	6.17	10.1	18	16	57
B0028898		4.48	0.034		1.4	3.21	57	<10	80	<0.5	<2	8.6	3.8	18	21	71
B0028899		5.87	0.033		0.9	1.64	46	<10	120	<0.5	<2	3.99	<0.5	17	2	37
B0028900		0.86	<0.005		<0.2	0.02	2	<10	<10	<0.5	2	20.7	<0.5	<1	<1	1
B0028901		4.94	0.063		2.1	0.92	323	<10	120	<0.5	<2	10.7	<0.5	12	1	30
B0028902		4.44	0.051		1.6	1.72	117	<10	120	<0.5	<2	4.03	<0.5	17	2	47
B0028903		4.98	0.112		1.8	1.54	145	<10	120	<0.5	<2	3.80	<0.5	16	2	41
B0028904		4.99	0.207		1.8	0.95	432	<10	100	<0.5	<2	5.17	<0.5	17	2	41
B0028905		3.98	0.071		1.5	1.46	200	<10	130	<0.5	<2	2.61	<0.5	16	2	45
B0028906		2.04	0.263		1.8	0.27	765	<10	70	<0.5	<2	4.82	<0.5	14	3	22
B0028907		2.56	0.564		1.6	0.27	2190	<10	80	<0.5	<2	10.7	<0.5	15	3	27
B0028908		2.49	0.032		1.3	1.73	148	<10	130	0.5	<2	3.53	<0.5	21	2	50
B0028909		2.48	0.046		1.6	1.55	111	<10	130	<0.5	<2	3.06	0.6	18	2	42
B0028910		0.13	1.120		92.9	1.55	32	10	170	<0.5	2	3.32	8.8	17	18	953
B0028911		2.25	0.069		1.3	1.21	106	<10	150	<0.5	<2	3.73	0.5	15	1	30
B0028912		1.02	0.345		1.4	0.56	357	<10	90	<0.5	<2	5.16	0.8	13	2	19
B0028913		0.92	0.270		2.0	0.67	403	<10	100	<0.5	<2	4.00	<0.5	15	3	20
B0028914		2.29	0.362		2.2	0.63	348	<10	110	<0.5	<2	4.48	1.8	13	2	29
B0028915		2.44	0.748		2.1	0.73	764	<10	120	<0.5	<2	5.13	0.5	12	2	37
B0028916		1.62	0.547		2.1	0.51	901	<10	100	<0.5	<2	3.81	0.6	14	3	32
B0028917		3.78	0.093		1.6	1.68	68	<10	140	<0.5	<2	5.50	<0.5	19	2	44
B0028918		2.39	0.035		1.8	1.87	47	<10	130	<0.5	<2	4.43	<0.5	18	3	42
B0028919		2.13	0.023		1.7	1.95	61	10	180	0.5	<2	4.69	<0.5	17	2	45
B0028920		1.15	<0.005		<0.2	0.03	<2	<10	<10	<0.5	2	21.8	<0.5	<1	1	1
B0028921		2.07	0.100		1.7	0.67	225	<10	120	0.5	<2	5.89	<0.5	24	2	52
B0028922		2.50	0.222		2.8	0.97	272	<10	80	<0.5	2	4.04	<0.5	18	2	47
B0028923		2.41	0.069		2.3	1.41	154	<10	110	<0.5	<2	4.06	<0.5	17	2	60
B0028924		2.60	0.067		2.2	0.88	134	<10	110	<0.5	3	6.53	<0.5	20	2	82
B0028925		2.44	0.060		2.2	1.24	146	<10	110	<0.5	<2	4.59	<0.5	21	2	77
B0028926		2.55	0.129		3.8	1.62	134	<10	90	<0.5	2	3.39	<0.5	28	2	108

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028887		4.93	<10	<1	0.29	10	0.51	2310	1	0.01	2	1130	108	1.62	4	3
B0028888		3.46	<10	<1	0.31	10	0.37	2040	2	0.01	3	1250	76	1.61	<2	2
B0028889		6.72	<10	1	0.24	<10	0.96	2930	6	0.01	12	1660	571	3.87	4	5
B0028890		3.61	10	<1	0.15	10	0.44	630	295	0.12	22	660	71	1.20	15	2
B0028891		6.60	10	1	0.20	<10	1.53	4190	2	0.01	14	1550	1555	2.77	4	8
B0028892		6.16	10	<1	0.26	<10	1.20	3800	1	0.01	10	1580	714	2.47	4	8
B0028893		4.32	<10	<1	0.39	<10	0.23	2980	<1	0.01	4	1040	20	2.39	2	4
B0028894		6.49	10	<1	0.21	<10	1.43	3560	1	0.01	11	1500	574	1.99	<2	6
B0028895		5.16	<10	<1	0.21	<10	1.17	3580	1	0.01	11	1420	419	1.46	<2	7
B0028896		4.96	<10	<1	0.23	<10	0.81	2770	1	0.01	11	1420	1010	2.70	5	5
B0028897		5.31	<10	<1	0.22	<10	1.25	2710	1	0.01	12	1530	603	1.49	3	7
B0028898		6.77	10	1	0.17	<10	2.19	3550	<1	0.01	10	1610	325	0.89	3	9
B0028899		4.20	<10	<1	0.27	10	0.41	1400	1	0.01	3	1330	7	0.74	4	2
B0028900		0.14	<10	<1	0.01	<10	12.65	123	<1	0.01	1	20	<2	<0.01	<2	<1
B0028901		3.31	<10	<1	0.24	10	0.27	3160	1	0.01	3	1100	7	1.11	5	2
B0028902		4.98	<10	<1	0.26	10	0.45	1370	2	0.01	3	2110	9	1.36	5	2
B0028903		4.88	<10	<1	0.27	10	0.40	1340	<1	0.01	2	1500	7	1.81	2	2
B0028904		4.66	<10	<1	0.24	<10	0.24	1370	<1	0.01	3	1390	11	3.20	7	2
B0028905		4.84	<10	<1	0.29	10	0.39	1090	2	0.01	2	1550	8	2.13	4	2
B0028906		4.20	<10	<1	0.18	10	0.03	1105	3	0.01	2	870	13	4.41	11	1
B0028907		2.93	<10	<1	0.17	<10	0.05	2160	2	0.01	3	640	12	2.80	19	1
B0028908		4.89	<10	<1	0.27	10	0.51	1300	5	0.01	3	1620	8	1.41	3	3
B0028909		5.52	<10	<1	0.29	10	0.52	1470	2	0.01	2	1340	13	2.06	4	2
B0028910		3.51	10	<1	0.14	<10	1.45	928	13	0.10	11	1030	4620	1.03	64	5
B0028911		3.90	<10	<1	0.29	10	0.31	1270	<1	0.01	3	1530	19	1.88	3	2
B0028912		3.60	<10	<1	0.22	<10	0.14	1510	2	0.01	3	1110	28	3.01	5	1
B0028913		4.21	<10	<1	0.28	<10	0.15	1090	2	<0.01	3	1150	205	3.59	5	1
B0028914		3.86	<10	<1	0.29	10	0.14	1295	1	<0.01	2	1270	52	3.37	5	1
B0028915		3.36	<10	<1	0.29	10	0.16	1340	1	0.01	2	1370	20	2.57	7	2
B0028916		3.48	<10	<1	0.27	<10	0.08	951	2	0.01	3	1230	17	3.28	10	1
B0028917		4.86	10	<1	0.32	10	0.46	1775	1	0.01	3	1490	10	1.72	2	3
B0028918		4.99	<10	<1	0.27	10	0.55	1650	2	0.01	3	1550	7	1.15	2	3
B0028919		4.82	<10	<1	0.31	10	0.58	1720	1	0.01	3	1510	9	0.98	<2	3
B0028920		0.15	<10	<1	0.01	<10	13.20	133	<1	<0.01	2	20	<2	<0.01	<2	<1
B0028921		4.12	<10	<1	0.33	<10	0.15	1785	2	<0.01	6	1300	14	3.85	3	2
B0028922		6.67	<10	<1	0.25	<10	0.30	1525	2	<0.01	5	1100	17	5.99	2	3
B0028923		6.00	<10	<1	0.26	<10	0.51	1645	5	0.01	4	1240	12	3.87	<2	3
B0028924		4.67	<10	<1	0.26	<10	0.29	2020	9	<0.01	5	1440	22	3.89	3	3
B0028925		5.86	<10	<1	0.28	<10	0.45	1705	2	0.01	5	1460	17	4.31	2	4
B0028926		7.50	<10	<1	0.26	<10	0.64	1595	8	<0.01	6	1610	25	5.17	2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028887		159	<20	<0.01	<10	<10	27	<10	344			
B0028888		136	<20	<0.01	<10	<10	14	<10	209			
B0028889		109	<20	<0.01	<10	<10	46	<10	6550			
B0028890		134	<20	0.07	<10	<10	44	10	1010			
B0028891		173	<20	<0.01	<10	<10	75	<10	3320			
B0028892		107	<20	<0.01	<10	<10	66	<10	4750			
B0028893		130	<20	<0.01	<10	<10	28	<10	103			
B0028894		184	<20	<0.01	<10	<10	72	<10	1155			
B0028895		292	<20	<0.01	<10	<10	61	<10	908			
B0028896		246	<20	<0.01	<10	<10	44	<10	2190			
B0028897		198	<20	<0.01	<10	<10	64	<10	1325			
B0028898		268	<20	<0.01	<10	<10	97	<10	520			
B0028899		95	<20	<0.01	<10	<10	28	<10	74			
B0028900		52	<20	<0.01	<10	<10	1	<10	4			
B0028901		246	<20	<0.01	<10	<10	14	<10	54			
B0028902		84	<20	<0.01	<10	<10	30	<10	87			
B0028903		86	<20	<0.01	<10	<10	24	<10	83			
B0028904		136	<20	<0.01	<10	<10	14	<10	72			
B0028905		75	<20	<0.01	<10	<10	27	<10	93			
B0028906		72	<20	<0.01	<10	<10	4	<10	51			
B0028907		215	<20	<0.01	<10	<10	4	<10	34			
B0028908		90	<20	<0.01	<10	<10	35	<10	94			
B0028909		80	<20	<0.01	<10	<10	25	<10	132			
B0028910		151	<20	0.06	<10	<10	91	<10	1105			
B0028911		90	<20	<0.01	<10	<10	19	<10	97			
B0028912		121	<20	<0.01	<10	<10	9	<10	114			
B0028913		101	<20	<0.01	<10	<10	12	<10	84			
B0028914		118	<20	<0.01	<10	<10	11	<10	241			
B0028915		135	<20	<0.01	<10	<10	12	<10	94			
B0028916		94	<20	<0.01	<10	<10	8	<10	94			
B0028917		120	<20	<0.01	<10	<10	32	<10	91			
B0028918		115	<20	<0.01	<10	<10	36	<10	102			
B0028919		125	<20	<0.01	<10	<10	36	<10	92			
B0028920		56	<20	<0.01	<10	<10	1	<10	3			
B0028921		143	<20	<0.01	<10	<10	10	<10	70			
B0028922		96	<20	<0.01	<10	<10	19	<10	98			
B0028923		91	<20	<0.01	<10	<10	31	<10	92			
B0028924		169	<20	<0.01	<10	<10	18	<10	131			
B0028925		100	<20	<0.01	<10	<10	26	<10	124			
B0028926		81	<20	<0.01	<10	<10	41	<10	151			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0028927		2.71	0.119		4.3	0.92	180	<10	70	<0.5	<2	3.28	1.7	21	2	104
B0028928		1.93	0.146		3.8	0.48	217	<10	40	<0.5	2	2.02	2.8	22	2	106
B0028929		2.61	0.524		1.5	0.26	173	<10	70	<0.5	<2	6.09	0.6	8	3	9
B0028930		0.14	7.64		>100	1.59	647	<10	20	<0.5	6	3.81	135.5	19	46	2120
B0028931		1.80	0.300		2.3	0.46	166	<10	80	<0.5	<2	2.05	1.2	17	2	40
B0028932		2.16	0.206		2.8	0.63	208	<10	70	<0.5	<2	2.62	1.6	23	1	80
B0028933		2.17	0.151		2.1	0.55	201	<10	40	<0.5	2	2.07	1.3	20	2	61
B0028934		2.71	0.350		3.3	0.70	564	<10	80	<0.5	<2	4.93	0.5	22	2	56
B0028935		2.58	0.334		4.5	1.46	700	<10	110	<0.5	<2	2.22	0.9	26	2	101
B0028936		2.49	1.095		4.6	0.19	549	<10	90	<0.5	2	12.4	0.9	7	3	13
B0028937		2.65	0.170		3.2	0.45	609	<10	80	<0.5	<2	5.22	<0.5	18	2	53
B0028938		2.42	0.187		2.3	0.34	1070	<10	110	<0.5	<2	8.0	1.2	13	2	25
B0028939		2.25	0.327		2.3	0.26	535	<10	100	<0.5	2	4.86	0.5	10	7	10
B0028940		1.28	<0.005		0.2	0.02	<2	<10	<10	<0.5	2	20.7	<0.5	1	1	<1
B0028941		3.04	0.370		1.2	0.34	458	<10	100	<0.5	2	6.22	<0.5	11	3	24
B0028942		2.23	0.073		1.6	0.93	172	<10	110	<0.5	2	4.53	<0.5	17	1	48
B0028943		2.44	0.068		1.3	1.28	118	<10	130	<0.5	2	6.24	<0.5	15	2	42
B0028944		5.07	0.245		1.6	1.97	123	<10	140	<0.5	<2	4.66	<0.5	18	2	49
B0028945		4.26	0.014		1.1	2.33	45	<10	140	<0.5	2	4.66	<0.5	19	2	45
B0028946		5.52	0.051		1.4	2.01	81	<10	130	<0.5	2	5.07	<0.5	19	2	50
B0028947		1.32	0.246		2.0	1.60	293	<10	150	<0.5	2	5.61	<0.5	19	2	53
B0028948		1.10	0.258		1.8	1.48	189	<10	140	<0.5	<2	5.78	<0.5	19	1	55
B0028949		4.80	0.020		1.1	2.08	53	<10	150	<0.5	<2	3.29	0.6	14	2	42
B0028950		0.13	0.704		9.1	1.12	786	10	100	<0.5	18	2.91	5.9	43	22	6320
B0028951		5.00	0.040		0.7	2.11	35	<10	180	<0.5	<2	4.40	<0.5	16	2	53
B0028952		3.40	0.061		0.9	2.18	37	<10	110	<0.5	<2	5.17	0.6	19	2	71
B0028953		2.43	0.064		0.8	1.96	54	<10	110	<0.5	<2	4.19	1.6	16	2	42
B0028954		5.18	0.099		0.8	1.97	66	<10	100	<0.5	<2	4.66	2.6	16	1	45
B0028955		3.90	0.051		0.9	1.64	76	<10	120	<0.5	<2	4.79	0.8	14	2	36
B0028956		2.43	0.309		1.8	0.84	2050	<10	80	<0.5	<2	4.98	1.4	12	1	37
B0028957		2.62	0.059		1.6	2.04	102	<10	120	<0.5	<2	4.83	0.9	17	2	48
B0028958		2.24	0.170		1.6	1.83	158	<10	100	<0.5	<2	5.19	0.6	17	1	40
B0028959		2.70	0.310		2.7	1.08	2710	<10	120	<0.5	<2	5.97	0.7	13	1	29
B0028960		1.23	0.008		<0.2	0.02	6	<10	<10	<0.5	<2	20.8	<0.5	<1	1	1
B0028961		2.43	0.630		3.1	0.30	6280	<10	70	<0.5	<2	9.9	0.9	8	2	14
B0028962		2.79	0.116		2.4	0.50	177	<10	100	<0.5	<2	3.70	1.8	13	1	21
B0028963		3.05	0.079		1.8	0.54	99	<10	110	<0.5	<2	9.1	1.3	16	2	48
B0028964		2.54	0.013		0.8	2.22	30	<10	120	<0.5	<2	5.47	<0.5	18	1	44
B0028965		2.50	0.011		0.6	2.11	23	<10	130	<0.5	<2	4.68	<0.5	15	2	45
B0028966		4.92	0.020		0.7	2.09	23	<10	140	<0.5	<2	6.00	0.5	16	1	50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028927		6.47	<10	<1	0.29	<10	0.28	1275	2	<0.01	4	1590	32	6.11	5	3
B0028928		6.40	<10	<1	0.28	<10	0.06	548	1	<0.01	5	1350	59	7.14	5	3
B0028929		3.38	<10	1	0.19	<10	0.04	1640	2	<0.01	3	590	26	3.45	2	2
B0028930		5.26	10	14	0.21	<10	1.48	792	57	0.07	223	650	>10000	4.27	758	3
B0028931		5.07	<10	<1	0.30	<10	0.06	579	2	<0.01	6	1160	71	5.29	3	2
B0028932		5.44	<10	<1	0.28	<10	0.14	841	2	<0.01	6	1250	49	5.31	3	3
B0028933		6.23	<10	<1	0.30	<10	0.07	616	3	<0.01	6	1160	54	6.81	3	3
B0028934		6.18	<10	<1	0.27	<10	0.16	1720	2	<0.01	6	1160	45	6.12	4	3
B0028935		5.51	<10	<1	0.33	<10	0.43	1230	3	0.01	8	1660	37	3.26	7	3
B0028936		2.14	<10	<1	0.15	<10	0.02	3670	1	<0.01	3	440	53	2.14	4	1
B0028937		5.39	<10	<1	0.31	<10	0.04	1280	1	0.01	5	1390	24	6.08	4	1
B0028938		4.05	<10	<1	0.25	<10	0.04	2060	1	<0.01	2	1110	57	4.24	4	1
B0028939		3.91	<10	<1	0.19	<10	0.02	1210	2	<0.01	3	740	31	4.00	5	1
B0028940		0.14	<10	<1	0.01	<10	12.70	125	<1	<0.01	2	20	<2	0.01	2	<1
B0028941		4.12	<10	1	0.23	<10	0.06	1450	<1	<0.01	3	980	12	4.33	4	1
B0028942		4.78	<10	<1	0.28	10	0.23	1125	1	0.01	3	1550	10	3.71	3	2
B0028943		4.52	<10	1	0.30	10	0.32	1630	1	0.01	3	1450	10	2.47	<2	2
B0028944		5.30	<10	<1	0.30	10	0.51	1575	2	0.01	3	1650	8	1.27	<2	3
B0028945		5.67	10	<1	0.30	10	0.62	1650	<1	0.02	3	1610	6	0.51	<2	4
B0028946		5.12	10	<1	0.30	10	0.52	1635	<1	0.01	4	1570	10	0.89	<2	3
B0028947		4.61	<10	<1	0.33	10	0.39	1575	1	0.01	3	1580	10	1.71	2	3
B0028948		4.08	<10	<1	0.29	10	0.37	1665	1	0.01	3	1630	8	1.30	2	2
B0028949		5.04	<10	1	0.24	10	0.56	1795	<1	0.01	3	1500	9	0.28	2	3
B0028950		3.44	<10	<1	0.14	10	0.41	586	281	0.10	22	650	69	1.20	15	2
B0028951		5.01	<10	<1	0.25	10	0.57	1775	1	0.01	3	1530	9	0.38	2	3
B0028952		5.34	10	<1	0.24	10	0.61	2400	<1	0.01	2	1530	16	0.51	<2	3
B0028953		4.87	<10	<1	0.26	10	0.54	1990	<1	0.01	2	1460	106	0.69	<2	3
B0028954		5.04	<10	1	0.23	10	0.56	2310	<1	0.01	2	1430	138	0.79	<2	3
B0028955		4.38	<10	<1	0.29	10	0.44	2210	2	<0.01	2	1500	46	1.20	<2	2
B0028956		3.76	<10	<1	0.21	10	0.22	1830	2	<0.01	2	1120	68	2.46	6	2
B0028957		5.12	<10	<1	0.26	10	0.59	2070	1	<0.01	2	1580	32	0.76	<2	3
B0028958		4.53	<10	<1	0.23	10	0.53	1950	1	<0.01	3	1540	25	0.75	<2	3
B0028959		3.55	<10	1	0.26	10	0.28	1700	3	<0.01	2	1450	31	1.75	9	2
B0028960		0.14	<10	<1	0.01	<10	12.30	126	<1	<0.01	<1	20	<2	<0.01	<2	<1
B0028961		2.77	<10	1	0.17	10	0.08	2760	2	<0.01	<1	670	37	2.37	17	1
B0028962		2.55	<10	<1	0.23	10	0.10	973	5	<0.01	2	1300	42	2.27	2	1
B0028963		3.73	<10	<1	0.24	10	0.11	1750	7	0.01	3	1160	65	3.44	4	2
B0028964		5.26	<10	<1	0.24	10	0.68	1640	3	0.01	2	1540	10	0.45	<2	3
B0028965		4.85	<10	<1	0.27	10	0.63	1460	2	0.01	2	1560	8	0.32	<2	3
B0028966		4.87	<10	<1	0.24	10	0.65	1775	2	0.01	2	1460	10	0.38	<2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028927		70	<20	<0.01	<10	<10	23	<10	271			
B0028928		49	<20	<0.01	<10	<10	13	<10	368			
B0028929		157	<20	<0.01	<10	<10	5	<10	82			
B0028930		51	<20	0.06	10	<10	63	20	>10000	326	2.35	2.41
B0028931		55	<20	<0.01	<10	<10	12	<10	162			
B0028932		63	<20	<0.01	<10	<10	14	<10	196			
B0028933		50	<20	<0.01	<10	<10	14	<10	171			
B0028934		107	<20	<0.01	<10	<10	18	<10	99			
B0028935		57	<20	<0.01	<10	<10	34	<10	167			
B0028936		275	<20	<0.01	<10	<10	3	<10	138			
B0028937		148	<20	<0.01	<10	<10	8	<10	88			
B0028938		211	<20	<0.01	<10	<10	6	<10	172			
B0028939		135	<20	<0.01	<10	<10	5	<10	81			
B0028940		53	<20	<0.01	<10	<10	<1	<10	3			
B0028941		137	<20	<0.01	<10	<10	6	<10	58			
B0028942		122	<20	<0.01	<10	<10	14	<10	74			
B0028943		174	<20	<0.01	<10	<10	20	<10	72			
B0028944		132	<20	<0.01	<10	<10	35	<10	90			
B0028945		141	<20	0.01	<10	<10	44	<10	92			
B0028946		149	<20	<0.01	<10	<10	37	<10	86			
B0028947		143	<20	<0.01	<10	<10	28	<10	81			
B0028948		139	<20	<0.01	<10	<10	25	<10	77			
B0028949		95	<20	<0.01	<10	<10	38	<10	130			
B0028950		126	<20	0.07	<10	<10	41	10	974			
B0028951		120	<20	<0.01	<10	<10	40	<10	92			
B0028952		131	<20	<0.01	<10	<10	40	<10	118			
B0028953		116	<20	<0.01	<10	<10	36	<10	244			
B0028954		120	<20	<0.01	<10	<10	35	<10	377			
B0028955		135	<20	<0.01	<10	<10	28	<10	120			
B0028956		118	<20	<0.01	<10	<10	14	<10	158			
B0028957		124	<20	<0.01	<10	<10	36	<10	137			
B0028958		144	<20	<0.01	<10	<10	37	<10	120			
B0028959		170	<20	<0.01	<10	<10	19	<10	92			
B0028960		55	<20	<0.01	<10	<10	<1	<10	4			
B0028961		223	<20	<0.01	<10	<10	4	<10	87			
B0028962		86	<20	<0.01	<10	<10	8	<10	189			
B0028963		292	<20	<0.01	<10	<10	9	<10	204			
B0028964		146	<20	<0.01	<10	<10	39	<10	98			
B0028965		134	<20	<0.01	<10	<10	39	<10	83			
B0028966		171	<20	<0.01	<10	<10	37	<10	83			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
B0028967		5.11	0.010		0.5	2.07	34	<10	130	<0.5	<2	4.49	<0.5	15	2	44
B0028968		4.64	0.017		0.4	1.93	27	<10	110	<0.5	<2	6.47	<0.5	14	1	41
B0028969		5.18	0.015		0.2	2.23	17	<10	160	<0.5	<2	5.65	<0.5	17	2	51
B0028970		0.13	1.215		90.1	1.56	31	<10	170	<0.5	2	3.15	8.6	17	17	976
B0028971		4.76	0.059		1.0	2.18	21	<10	150	<0.5	<2	4.06	13.0	17	2	60
B0028972		4.85	0.014		0.5	2.21	44	<10	120	<0.5	<2	4.41	5.7	17	2	51
B0028973		6.23	0.048		1.9	2.05	20	<10	150	<0.5	2	3.99	36.5	15	2	66
B0028974		4.84	0.024		0.4	1.92	16	<10	130	<0.5	<2	3.56	3.7	15	1	30
B0028975		2.26	0.025		0.4	1.88	12	<10	150	<0.5	<2	3.74	3.7	14	2	44
B0028976		2.20	0.020		0.4	1.87	12	<10	140	<0.5	<2	3.82	3.3	16	1	41
B0028977		5.07	0.037		0.3	1.97	10	<10	160	<0.5	<2	3.10	3.7	13	2	26
B0028978		5.12	0.016		<0.2	2.04	18	<10	180	<0.5	<2	4.54	<0.5	16	2	40
B0028979		5.02	0.062		0.4	2.13	35	<10	200	<0.5	<2	4.43	3.0	14	2	39
B0028980		1.17	0.011		<0.2	0.03	<2	<10	<10	<0.5	<2	21.2	<0.5	<1	<1	<1
B0028981		4.54	0.068		0.6	1.99	31	<10	190	<0.5	<2	4.30	13.4	15	2	51
B0028982		4.52	0.022		0.2	1.78	33	<10	190	<0.5	<2	3.95	0.5	17	2	41
B0028983		2.44	0.048		0.3	1.77	38	<10	200	<0.5	<2	4.81	1.0	14	2	41
B0028984		1.28	0.030		0.3	1.12	46	<10	140	<0.5	<2	4.47	0.9	16	1	35
B0028985		0.99	0.030		0.4	1.16	50	<10	130	<0.5	<2	4.46	1.1	17	2	36
B0028986		2.49	0.051		0.6	0.97	66	<10	150	<0.5	<2	4.68	1.8	16	1	38
B0028987		2.35	0.148		2.3	1.72	152	<10	210	<0.5	<2	3.49	40.8	18	1	54
B0028988		2.43	0.036		0.4	2.13	42	<10	210	<0.5	<2	4.39	2.0	19	1	36
B0028989		2.29	0.345		0.9	1.79	134	<10	210	<0.5	<2	3.09	7.8	14	2	23
B0028990		0.14	8.27		>100	1.59	669	<10	20	<0.5	3	3.72	132.0	17	44	2200
B0028991		2.40	0.210		0.8	1.84	116	<10	250	<0.5	<2	4.61	2.0	12	2	14
B0028992		2.41	0.060		0.5	2.14	48	<10	210	<0.5	<2	3.77	6.7	15	1	34
B0028993		2.49	0.045		0.4	2.20	39	<10	220	<0.5	<2	3.78	1.0	18	1	42
B0028994		2.59	0.064		0.4	2.29	46	<10	190	<0.5	<2	3.80	1.5	22	1	55
B0028995		2.50	0.024		<0.2	2.18	39	<10	240	<0.5	<2	3.24	0.9	16	2	24
B0028996		2.69	0.206		2.2	1.78	107	<10	130	<0.5	2	2.31	137.0	21	1	111
B0028997		2.39	0.048		0.7	2.33	39	<10	240	<0.5	<2	2.47	10.5	17	1	30
B0028998		4.74	0.278		1.7	1.44	153	<10	170	<0.5	<2	3.02	13.4	14	2	41
B0028999		2.59	0.023		0.3	2.29	35	<10	240	<0.5	<2	4.09	1.5	16	1	43
B0029000		1.08	0.011		<0.2	0.03	<2	<10	<10	<0.5	<2	21.3	<0.5	<1	1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028967		4.91	<10	<1	0.26	10	0.64	1390	<1	0.01	2	1470	9	0.53	<2	3
B0028968		4.37	<10	<1	0.23	10	0.64	1665	<1	0.01	2	1340	9	0.29	<2	3
B0028969		4.97	<10	1	0.24	10	0.79	1985	1	0.01	2	1460	8	0.21	<2	3
B0028970		3.53	10	<1	0.14	10	1.41	903	13	0.10	11	1060	4590	1.07	64	5
B0028971		5.17	10	1	0.24	10	0.76	1840	1	0.02	3	1360	653	0.47	2	3
B0028972		5.21	<10	<1	0.24	10	0.74	1970	<1	0.02	3	1530	297	0.37	<2	3
B0028973		4.99	<10	<1	0.25	10	0.67	1990	1	0.02	2	1410	1615	0.64	3	3
B0028974		5.00	<10	<1	0.26	10	0.58	1775	<1	0.01	2	1640	292	0.46	<2	3
B0028975		4.46	<10	1	0.27	10	0.52	1865	2	0.02	3	1480	236	0.19	<2	3
B0028976		4.50	<10	<1	0.24	10	0.52	1860	1	0.01	2	1450	168	0.23	<2	3
B0028977		4.68	<10	<1	0.28	10	0.52	1675	1	0.01	2	1450	222	0.38	<2	3
B0028978		5.02	10	<1	0.26	10	0.58	2390	<1	0.02	2	1490	13	0.31	<2	3
B0028979		5.32	<10	<1	0.29	10	0.59	2590	1	0.02	2	1500	198	0.39	<2	3
B0028980		0.13	<10	<1	0.01	<10	12.60	134	<1	<0.01	<1	20	<2	<0.01	<2	<1
B0028981		5.48	<10	<1	0.29	10	0.54	2170	1	0.01	3	1430	241	1.06	<2	3
B0028982		4.73	<10	<1	0.28	10	0.44	1935	<1	0.01	2	1530	21	0.75	<2	3
B0028983		4.99	<10	1	0.30	10	0.44	2120	1	0.01	2	1500	44	1.20	<2	3
B0028984		4.90	<10	<1	0.28	10	0.28	1710	1	0.01	2	1460	39	3.05	<2	2
B0028985		4.98	<10	<1	0.34	10	0.27	1655	2	0.01	5	1620	46	3.23	<2	2
B0028986		4.50	<10	<1	0.31	10	0.22	1760	1	0.01	3	1600	49	3.20	<2	2
B0028987		5.45	<10	1	0.34	10	0.46	2360	1	0.01	3	1580	863	2.18	<2	2
B0028988		5.63	<10	<1	0.31	10	0.60	2930	<1	0.01	3	1790	126	0.92	<2	4
B0028989		5.28	<10	<1	0.37	10	0.49	2750	1	0.01	3	1600	250	1.57	<2	3
B0028990		5.24	10	15	0.21	10	1.44	770	56	0.07	232	680	>10000	4.33	776	3
B0028991		5.67	<10	<1	0.35	10	0.50	3680	<1	0.01	2	1650	45	1.85	<2	3
B0028992		5.57	10	<1	0.31	10	0.63	3040	1	0.01	2	1670	225	0.84	<2	3
B0028993		5.72	10	<1	0.31	10	0.62	2580	1	0.02	3	1680	66	0.78	<2	4
B0028994		6.00	10	<1	0.26	10	0.67	2680	1	0.02	2	1690	101	0.75	2	4
B0028995		5.38	10	<1	0.33	10	0.63	2330	1	0.02	2	1750	67	0.60	<2	4
B0028996		5.38	<10	1	0.28	10	0.53	2290	2	0.02	2	1560	907	2.38	<2	3
B0028997		6.02	10	<1	0.33	10	0.72	2800	<1	0.02	2	1810	378	1.06	<2	4
B0028998		5.33	<10	<1	0.28	10	0.44	2700	2	0.01	3	1360	332	2.57	<2	3
B0028999		5.60	10	<1	0.32	10	0.69	3260	1	0.02	3	1690	125	0.50	<2	4
B0029000		0.13	<10	1	0.01	<10	12.60	129	<1	<0.01	<1	20	<2	<0.01	<2	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028967		123	<20	<0.01	<10	<10	37	<10	89			
B0028968		163	<20	<0.01	<10	<10	32	<10	76			
B0028969		159	<20	<0.01	<10	<10	38	<10	88			
B0028970		149	<20	0.06	<10	<10	89	<10	1125			
B0028971		124	<20	<0.01	<10	<10	42	<10	1515			
B0028972		127	<20	<0.01	<10	<10	41	<10	777			
B0028973		116	<20	<0.01	<10	<10	38	10	4340			
B0028974		113	<20	<0.01	<10	<10	35	<10	545			
B0028975		131	<20	<0.01	<10	<10	34	<10	505			
B0028976		129	<20	<0.01	<10	<10	34	<10	464			
B0028977		90	<20	<0.01	<10	<10	36	<10	538			
B0028978		148	<20	0.01	<10	<10	43	<10	102			
B0028979		173	<20	0.01	<10	<10	46	<10	432			
B0028980		52	<20	<0.01	<10	<10	<1	<10	5			
B0028981		149	<20	0.01	<10	<10	41	<10	1645			
B0028982		137	<20	0.01	<10	<10	38	<10	106			
B0028983		162	<20	0.01	<10	<10	38	<10	167			
B0028984		151	<20	0.01	<10	<10	23	<10	119			
B0028985		147	<20	0.01	<10	<10	24	<10	131			
B0028986		155	<20	<0.01	<10	<10	19	<10	213			
B0028987		127	<20	<0.01	<10	<10	33	10	4990			
B0028988		149	<20	0.01	<10	<10	41	<10	316			
B0028989		131	<20	<0.01	<10	<10	41	<10	994			
B0028990		47	<20	0.05	10	<10	60	30	>10000	332	2.36	2.43
B0028991		212	<20	<0.01	<10	<10	51	<10	391			
B0028992		151	<20	0.01	<10	<10	50	<10	901			
B0028993		134	<20	0.01	<10	<10	52	<10	239			
B0028994		151	<20	0.01	<10	<10	54	<10	280			
B0028995		124	<20	0.01	<10	<10	46	<10	174			
B0028996		123	<20	0.01	<10	<10	41	<10	>10000			1.665
B0028997		120	<20	0.02	<10	<10	50	<10	1345			
B0028998		136	<20	0.01	<10	<10	36	<10	1680			
B0028999		155	<20	0.02	<10	<10	49	<10	259			
B0029000		56	<20	<0.01	<10	<10	<1	<10	5			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221190

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

CERTIFICATE TR20221193

Project: Premier

This report is for 160 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029338		4.32	0.111	6.0	0.59	74	<10	30	<0.5	<2	1.03	6.3	5	2	105	4.02
B0029339		4.99	0.094	15.9	0.53	53	<10	40	<0.5	3	1.58	26.5	4	4	641	4.43
B0029340		0.09	1.170	89.3	1.59	31	10	180	<0.5	3	3.21	8.6	17	18	964	3.53
B0029341		4.09	0.065	5.0	0.56	51	<10	60	<0.5	<2	1.58	2.5	5	3	53	4.32
B0029342		4.51	0.110	14.5	0.60	58	<10	20	<0.5	4	1.16	7.8	5	2	144	5.29
B0029343		4.41	0.102	11.8	0.76	36	<10	80	<0.5	4	1.68	9.3	4	3	154	3.35
B0029344		2.15	0.060	5.0	0.84	54	<10	30	<0.5	3	1.59	2.3	5	3	20	4.74
B0029345		1.81	0.062	4.9	0.85	54	<10	30	<0.5	<2	1.40	0.8	5	3	19	5.03
B0029346		3.92	0.074	2.3	0.50	55	<10	50	<0.5	2	2.14	<0.5	4	4	9	4.28
B0029347		5.02	0.205	7.6	0.38	74	<10	30	<0.5	<2	2.16	9.6	6	3	110	5.73
B0029348		4.53	0.068	5.9	0.73	54	<10	50	<0.5	<2	2.26	4.3	7	3	100	4.58
B0029349		4.24	0.189	8.6	0.54	58	<10	50	<0.5	<2	2.41	8.0	8	3	118	4.47
B0029350		1.05	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	20.6	<0.5	1	1	1	0.14
B0029351		4.44	0.088	6.3	1.10	60	<10	60	<0.5	<2	2.07	3.5	8	3	74	5.55
B0029352		5.64	0.073	15.4	0.88	56	<10	70	<0.5	<2	2.88	19.3	9	2	388	4.57
B0029353		3.49	0.098	12.6	0.67	81	<10	80	<0.5	<2	3.06	8.0	12	1	118	5.77
B0029354		4.96	0.064	22.7	0.53	49	<10	70	<0.5	<2	2.00	133.0	8	3	341	3.75
B0029355		5.07	0.062	9.8	0.53	52	<10	160	<0.5	<2	2.63	29.9	6	2	97	2.87
B0029356		4.83	0.088	17.9	0.98	84	<10	40	<0.5	2	4.75	13.7	13	1	106	6.39
B0029357		4.81	0.132	45.3	0.70	52	<10	50	<0.5	2	2.92	79.2	7	1	492	3.64
B0029358		4.82	0.064	22.2	0.79	57	<10	40	<0.5	3	4.98	144.0	6	1	851	4.32
B0029359		4.61	0.059	13.5	0.55	59	<10	100	<0.5	2	2.92	150.0	9	2	499	3.78
B0029360		0.10	7.69	>100	1.57	644	<10	30	<0.5	5	3.76	134.0	18	45	2100	5.16
B0029361		5.15	0.045	9.4	0.43	34	<10	30	<0.5	<2	0.68	92.4	6	3	205	4.59
B0029362		4.82	0.038	3.8	0.45	41	<10	30	<0.5	<2	0.86	19.8	8	2	43	5.21
B0029363		4.49	0.049	4.3	0.86	35	<10	40	<0.5	<2	0.99	2.4	7	4	18	6.13
B0029364		5.24	0.026	3.1	0.51	28	<10	50	<0.5	<2	1.65	39.5	9	2	107	5.20
B0029365		5.21	0.017	2.6	0.52	35	<10	40	<0.5	2	5.33	9.8	23	15	51	5.88
B0029366		2.42	0.019	1.7	0.53	24	<10	30	<0.5	<2	4.62	6.0	29	19	24	6.91
B0029367		2.16	0.021	2.2	0.47	25	<10	40	<0.5	3	4.27	8.3	33	16	33	7.06
B0029368		4.69	0.040	1.6	0.48	12	<10	30	<0.5	<2	1.76	31.1	9	2	52	4.16
B0029369		4.75	0.031	1.3	0.36	10	<10	70	<0.5	<2	1.32	10.7	6	2	17	3.12
B0029370		0.89	0.006	<0.2	0.03	<2	<10	<10	<0.5	<2	21.7	<0.5	1	<1	1	0.13
B0029371		4.05	0.044	1.3	0.31	10	<10	90	<0.5	<2	1.66	7.6	5	2	29	2.84
B0029372		4.63	0.022	0.5	0.37	7	<10	110	<0.5	<2	2.17	0.9	6	1	4	2.07
B0029373		4.35	0.012	0.5	0.34	6	<10	180	<0.5	<2	2.31	2.1	4	2	5	1.86
B0029374		4.98	0.019	0.8	0.40	22	<10	100	<0.5	<2	1.60	2.0	5	2	9	2.32
B0029375		4.81	0.013	0.8	0.33	10	<10	140	<0.5	<2	2.32	<0.5	6	2	12	2.36
B0029376		5.03	0.013	0.8	0.40	9	<10	90	<0.5	<2	1.89	1.4	6	2	11	2.05
B0029377		5.07	0.016	0.9	0.28	11	<10	200	<0.5	<2	1.90	3.9	4	4	8	1.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029338		<10	1	0.29	<10	0.38	1300	2	<0.01	2	550	167	2.87	<2	1	70
B0029339		<10	1	0.23	<10	0.37	1610	2	<0.01	1	410	134	3.40	4	1	96
B0029340		10	1	0.14	<10	1.41	938	13	0.09	11	1010	4530	1.04	60	5	151
B0029341		<10	1	0.26	<10	0.35	1660	2	<0.01	2	490	130	3.38	2	1	101
B0029342		<10	1	0.26	<10	0.33	1275	2	<0.01	1	530	238	4.52	<2	1	74
B0029343		<10	1	0.26	10	0.48	1855	1	<0.01	1	530	277	1.70	2	1	110
B0029344		<10	1	0.25	<10	0.50	1805	2	<0.01	2	590	147	3.20	2	1	101
B0029345		<10	1	0.26	<10	0.50	1725	2	<0.01	2	570	176	3.55	2	1	91
B0029346		<10	1	0.24	<10	0.43	2140	1	<0.01	2	450	47	3.02	<2	1	147
B0029347		<10	<1	0.27	<10	0.53	2130	3	<0.01	2	540	420	4.30	<2	1	158
B0029348		<10	<1	0.29	<10	0.72	2530	3	<0.01	2	820	222	2.29	<2	2	179
B0029349		<10	<1	0.30	<10	0.70	2320	3	<0.01	1	770	358	2.37	<2	2	240
B0029350		<10	<1	0.01	<10	12.45	126	<1	<0.01	2	20	3	<0.01	<2	<1	54
B0029351		<10	<1	0.25	<10	0.91	2620	3	<0.01	2	760	176	2.69	<2	2	143
B0029352		<10	<1	0.34	10	0.93	3000	1	<0.01	2	1080	189	2.06	2	2	180
B0029353		<10	<1	0.38	<10	1.02	3250	1	<0.01	3	1380	125	3.05	5	2	218
B0029354		<10	<1	0.29	<10	0.47	1785	3	<0.01	3	730	107	3.24	6	1	166
B0029355		<10	<1	0.30	<10	0.41	2020	5	<0.01	2	630	111	2.12	<2	1	150
B0029356		<10	<1	0.32	<10	1.09	4540	1	<0.01	4	1270	200	3.83	<2	2	263
B0029357		<10	<1	0.31	<10	0.50	2340	5	<0.01	1	620	883	2.60	6	1	157
B0029358		<10	<1	0.28	<10	0.64	3690	3	<0.01	2	680	202	3.10	2	1	260
B0029359		<10	1	0.29	<10	0.50	2490	3	<0.01	3	670	141	3.29	<2	1	142
B0029360		10	14	0.20	<10	1.43	772	55	0.07	221	640	>10000	4.15	731	3	52
B0029361		<10	1	0.26	<10	0.26	826	2	<0.01	1	580	55	4.52	<2	1	58
B0029362		<10	<1	0.33	<10	0.22	971	2	<0.01	2	770	33	5.02	<2	1	72
B0029363		<10	<1	0.26	<10	0.57	1550	2	<0.01	1	620	24	4.63	<2	1	79
B0029364		<10	<1	0.31	<10	0.51	1210	1	<0.01	2	930	13	4.72	<2	1	141
B0029365		<10	1	0.26	<10	2.12	3590	1	<0.01	29	1040	10	3.63	<2	6	604
B0029366		<10	<1	0.32	<10	1.74	3180	1	<0.01	39	1350	18	5.10	3	7	550
B0029367		<10	1	0.32	<10	1.55	3010	1	<0.01	41	1360	18	5.85	<2	7	502
B0029368		<10	1	0.29	<10	0.55	1135	1	0.02	3	1030	9	3.75	<2	1	148
B0029369		<10	<1	0.31	10	0.14	636	5	0.01	1	770	12	3.19	<2	1	130
B0029370		<10	<1	0.01	<10	13.20	128	<1	0.01	1	20	2	0.01	<2	<1	55
B0029371		<10	<1	0.25	<10	0.16	665	3	0.01	1	710	20	3.00	<2	1	135
B0029372		<10	<1	0.28	10	0.34	817	1	0.01	1	760	9	1.86	<2	1	167
B0029373		<10	<1	0.27	10	0.38	1000	1	0.02	2	750	5	1.47	<2	1	165
B0029374		<10	<1	0.29	<10	0.22	699	2	0.01	3	770	8	2.19	<2	1	170
B0029375		<10	<1	0.25	<10	0.39	925	1	0.01	3	760	8	2.02	<2	1	167
B0029376		<10	<1	0.29	10	0.35	769	1	0.01	3	780	7	1.76	<2	1	178
B0029377		<10	<1	0.24	<10	0.14	716	2	0.01	1	680	9	1.38	<2	1	187

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029338		<20	<0.01	<10	<10	5	<10	633			
B0029339		<20	<0.01	<10	<10	4	<10	2610			
B0029340		<20	0.06	<10	<10	91	<10	1130			
B0029341		<20	<0.01	<10	<10	5	<10	270			
B0029342		<20	<0.01	<10	<10	5	<10	822			
B0029343		<20	<0.01	<10	<10	7	<10	901			
B0029344		<20	<0.01	<10	<10	8	<10	237			
B0029345		<20	<0.01	<10	<10	8	<10	126			
B0029346		<20	<0.01	<10	<10	5	<10	62			
B0029347		<20	<0.01	<10	<10	5	<10	914			
B0029348		<20	<0.01	<10	<10	8	<10	422			
B0029349		<20	<0.01	<10	<10	8	<10	729			
B0029350		<20	<0.01	<10	<10	1	<10	5			
B0029351		<20	<0.01	<10	<10	12	<10	381			
B0029352		<20	<0.01	<10	<10	10	<10	1920			
B0029353		<20	<0.01	<10	<10	9	<10	823			
B0029354		<20	<0.01	<10	<10	6	<10	>10000			1.200
B0029355		<20	<0.01	<10	<10	5	<10	2630			
B0029356		<20	<0.01	<10	<10	12	<10	1300			
B0029357		<20	<0.01	<10	<10	5	<10	7710			
B0029358		<20	<0.01	<10	<10	7	<10	>10000			1.410
B0029359		<20	<0.01	<10	<10	7	<10	>10000			1.350
B0029360		<20	0.05	10	<10	60	20	>10000	322	2.33	2.37
B0029361		<20	<0.01	<10	<10	4	<10	7990			
B0029362		<20	<0.01	<10	<10	4	<10	1680			
B0029363		<20	<0.01	<10	<10	8	<10	299			
B0029364		<20	<0.01	<10	<10	6	<10	3550			
B0029365		<20	<0.01	<10	<10	18	<10	981			
B0029366		<20	<0.01	<10	<10	21	<10	615			
B0029367		<20	<0.01	<10	<10	19	<10	812			
B0029368		<20	<0.01	<10	<10	7	<10	2690			
B0029369		<20	<0.01	<10	<10	4	<10	950			
B0029370		<20	<0.01	<10	<10	1	<10	7			
B0029371		<20	<0.01	<10	<10	3	<10	661			
B0029372		<20	<0.01	<10	<10	4	<10	95			
B0029373		<20	<0.01	<10	<10	4	<10	201			
B0029374		<20	<0.01	<10	<10	4	<10	194			
B0029375		<20	<0.01	<10	<10	3	<10	21			
B0029376		<20	<0.01	<10	<10	4	<10	115			
B0029377		<20	<0.01	<10	<10	3	<10	311			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029378		4.46	0.018	0.7	0.38	12	<10	120	<0.5	<2	1.39	1.8	6	3	9	2.77
B0029379		4.55	0.021	0.8	0.42	12	<10	130	<0.5	<2	1.94	1.4	6	2	16	2.69
B0029380		0.12	0.692	9.3	1.23	810	20	110	<0.5	20	3.14	6.1	46	24	6540	3.62
B0029381		5.16	0.023	0.7	0.43	9	<10	170	<0.5	<2	2.90	<0.5	6	2	26	2.36
B0029382		5.18	0.013	0.9	0.84	11	<10	150	<0.5	<2	2.28	<0.5	10	3	60	3.13
B0029383		4.73	0.026	16.1	0.69	11	<10	30	<0.5	<2	2.44	1.1	7	2	749	3.37
B0029384		4.52	0.013	1.0	0.82	11	<10	80	<0.5	2	2.51	3.7	8	4	24	2.94
B0029385		5.21	0.019	1.8	0.52	27	<10	110	<0.5	<2	3.09	2.3	8	3	11	3.01
B0029386		1.78	0.025	6.4	0.45	18	<10	50	<0.5	<2	3.03	15.8	8	3	49	3.46
B0029387		1.68	0.023	5.1	0.42	23	<10	60	<0.5	3	2.98	4.3	7	2	25	3.54
B0029388		5.12	0.114	4.3	0.53	102	<10	60	<0.5	<2	3.74	18.2	12	2	32	4.09
B0029389		4.99	0.049	0.6	0.77	83	<10	60	<0.5	2	4.25	0.8	16	1	28	4.54
B0029390		0.90	<0.005	<0.2	0.03	<2	<10	20	<0.5	2	20.1	<0.5	<1	<1	1	0.14
B0029391		5.08	0.072	0.8	0.63	93	<10	80	<0.5	2	4.65	2.1	12	1	16	3.67
B0029392		4.49	0.057	1.2	0.65	87	<10	110	<0.5	<2	5.37	1.1	13	1	18	3.90
B0029393		4.78	0.027	1.2	1.59	43	<10	180	<0.5	<2	3.66	0.5	16	1	53	4.68
B0029394		4.87	0.113	0.8	0.62	153	<10	50	<0.5	<2	2.76	<0.5	14	3	14	3.80
B0029395		5.22	0.110	1.3	0.71	157	<10	40	<0.5	<2	3.43	7.6	14	2	18	4.23
B0029396		2.42	0.105	1.1	1.47	142	<10	40	<0.5	<2	2.04	9.7	13	2	16	5.43
B0029397		3.20	0.138	3.3	0.71	97	<10	40	<0.5	2	2.76	13.5	10	3	83	5.22
B0029398		2.94	0.324	1.9	0.29	83	<10	20	<0.5	2	1.87	5.8	7	5	15	4.08
B0029399		3.90	0.101	1.1	0.36	72	<10	30	<0.5	<2	2.72	1.6	11	2	8	4.01
B0029400		0.09	1.150	89.5	1.62	32	10	180	<0.5	2	3.15	8.5	17	18	967	3.54
B0029401		4.46	0.059	1.9	0.40	49	<10	20	<0.5	2	3.57	0.9	19	2	20	4.58
B0029402		4.21	0.161	3.6	0.61	64	<10	20	<0.5	2	3.06	5.8	14	2	28	4.62
B0029403		3.10	0.078	1.2	0.44	26	<10	320	<0.5	<2	2.72	1.0	9	2	25	2.07
B0029404		2.49	0.010	1.0	0.42	26	<10	970	<0.5	<2	3.70	<0.5	6	2	28	1.90
B0029405		2.71	0.392	7.7	0.30	87	<10	40	<0.5	<2	4.50	7.0	12	2	37	4.19
B0029406		2.91	0.040	1.3	0.46	51	<10	280	<0.5	<2	4.72	1.3	7	2	16	1.80
B0029407		2.81	0.012	0.6	0.39	30	<10	520	<0.5	<2	4.05	<0.5	6	2	9	1.55
B0029408		4.79	<0.005	0.5	0.43	11	<10	350	<0.5	<2	4.04	<0.5	5	2	6	1.96
B0029409		4.57	0.009	0.6	0.39	23	<10	290	<0.5	<2	3.49	<0.5	6	2	9	1.89
B0029410		0.97	0.007	<0.2	0.02	<2	<10	10	<0.5	<2	20.4	<0.5	<1	<1	1	0.15
B0029411		4.48	0.009	0.5	0.37	16	<10	710	<0.5	<2	3.66	<0.5	6	2	11	1.64
B0029412		4.58	<0.005	0.4	0.53	12	<10	710	<0.5	<2	2.69	<0.5	5	2	7	1.96
B0029413		5.05	<0.005	0.4	0.55	6	<10	1630	<0.5	2	3.06	<0.5	5	2	10	1.88
B0029414		3.96	0.006	0.4	0.65	8	<10	480	<0.5	<2	3.23	<0.5	5	2	12	1.91
B0029415		4.60	0.179	2.4	0.62	153	<10	50	<0.5	<2	3.34	1.6	15	1	41	4.30
B0029416		5.21	0.120	1.9	0.44	109	<10	30	<0.5	<2	4.19	2.5	13	2	37	4.22
B0029417		2.41	0.040	1.4	0.51	67	<10	60	<0.5	<2	3.38	1.0	15	1	41	4.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029378		<10	<1	0.27	<10	0.30	634	2	0.02	2	740	10	2.45	<2	1	171
B0029379		<10	<1	0.26	<10	0.34	787	1	0.02	2	760	9	2.29	<2	1	163
B0029380		<10	<1	0.15	10	0.43	629	292	0.12	23	660	69	1.21	12	2	136
B0029381		<10	<1	0.32	10	0.18	849	2	0.02	3	910	8	2.19	<2	1	219
B0029382		<10	<1	0.36	10	0.61	1070	2	0.01	4	990	8	1.99	<2	2	163
B0029383		<10	1	0.30	<10	0.66	1355	2	<0.01	2	920	13	2.23	4	1	197
B0029384		<10	1	0.34	10	0.55	1360	3	0.01	3	990	8	1.80	2	2	172
B0029385		<10	1	0.29	<10	0.36	1320	3	0.01	3	920	15	2.48	2	1	198
B0029386		<10	1	0.31	<10	0.51	1335	3	<0.01	3	940	43	2.92	<2	2	196
B0029387		<10	1	0.29	<10	0.48	1310	2	<0.01	2	950	38	3.03	<2	1	196
B0029388		<10	1	0.29	<10	0.39	2240	3	<0.01	1	930	1305	3.47	<2	2	247
B0029389		<10	1	0.30	10	0.96	2780	<1	<0.01	3	1120	40	2.35	2	3	295
B0029390		<10	2	0.01	<10	11.95	131	<1	<0.01	1	20	2	<0.01	2	<1	50
B0029391		<10	1	0.29	<10	0.78	2820	<1	<0.01	4	1020	65	2.12	<2	2	357
B0029392		<10	1	0.31	<10	0.51	2980	<1	0.01	3	1040	166	2.72	<2	2	462
B0029393		10	1	0.26	10	0.98	2990	<1	0.02	2	1230	28	1.58	<2	3	299
B0029394		<10	1	0.32	<10	0.28	1910	1	<0.01	3	990	23	2.98	<2	1	265
B0029395		<10	1	0.32	<10	0.55	2500	<1	<0.01	3	1110	205	3.03	2	2	293
B0029396		<10	1	0.29	<10	1.04	2640	<1	<0.01	2	1070	113	3.05	2	2	149
B0029397		<10	1	0.23	<10	0.60	2560	1	<0.01	2	780	762	4.16	<2	1	227
B0029398		<10	1	0.20	<10	0.23	1260	2	<0.01	4	560	373	3.69	<2	1	172
B0029399		<10	1	0.27	<10	0.29	1620	<1	<0.01	3	1070	124	3.77	<2	1	208
B0029400		10	1	0.14	<10	1.41	941	13	0.10	12	1010	4520	1.04	57	6	152
B0029401		<10	1	0.28	<10	0.40	2230	1	<0.01	5	1150	81	3.90	<2	2	338
B0029402		<10	1	0.32	<10	0.51	2170	1	<0.01	4	1130	378	3.27	3	2	241
B0029403		<10	<1	0.39	10	0.48	1630	2	0.01	4	1000	53	0.42	<2	1	233
B0029404		<10	1	0.37	10	0.47	1940	1	0.01	3	820	25	0.30	<2	1	307
B0029405		<10	1	0.25	<10	0.35	2330	2	<0.01	3	870	1295	3.47	2	2	325
B0029406		<10	1	0.36	10	0.31	1970	2	<0.01	2	750	74	0.54	<2	1	341
B0029407		<10	1	0.34	10	0.27	1635	1	<0.01	3	780	14	0.38	<2	1	281
B0029408		<10	1	0.35	10	0.49	1760	1	0.01	2	760	6	0.15	<2	1	269
B0029409		<10	1	0.33	10	0.47	1550	1	0.01	3	770	6	0.20	<2	1	228
B0029410		<10	2	0.01	<10	12.30	139	<1	<0.01	1	10	<2	<0.01	2	<1	55
B0029411		<10	1	0.35	10	0.37	1545	1	0.01	2	760	9	0.21	<2	1	240
B0029412		<10	1	0.34	10	0.52	1365	1	0.02	3	760	6	0.11	<2	1	185
B0029413		<10	1	0.33	10	0.52	1685	1	0.01	2	770	10	0.14	<2	1	243
B0029414		<10	1	0.37	10	0.50	2180	1	0.01	2	790	19	0.09	<2	2	251
B0029415		<10	1	0.33	<10	0.62	2760	2	<0.01	3	1100	226	2.67	3	2	237
B0029416		<10	1	0.34	<10	0.80	3130	1	<0.01	4	1070	154	1.91	2	2	285
B0029417		<10	<1	0.31	<10	0.84	3050	1	<0.01	4	1220	74	1.83	2	3	244

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029378		<20	<0.01	<10	<10	4	<10	177			
B0029379		<20	<0.01	<10	<10	4	<10	143			
B0029380		<20	0.08	<10	<10	43	10	1010			
B0029381		<20	<0.01	<10	<10	5	<10	18			
B0029382		<20	<0.01	<10	<10	11	<10	49			
B0029383		<20	<0.01	<10	<10	6	<10	130			
B0029384		<20	<0.01	<10	<10	13	<10	364			
B0029385		<20	<0.01	<10	<10	8	<10	235			
B0029386		<20	<0.01	<10	<10	8	<10	1500			
B0029387		<20	<0.01	<10	<10	7	<10	424			
B0029388		<20	<0.01	<10	<10	9	<10	2030			
B0029389		<20	<0.01	<10	<10	14	<10	158			
B0029390		<20	<0.01	<10	<10	<1	<10	4			
B0029391		<20	<0.01	<10	<10	11	<10	274			
B0029392		<20	<0.01	<10	<10	11	<10	184			
B0029393		<20	0.01	<10	<10	37	<10	129			
B0029394		<20	<0.01	<10	<10	10	<10	41			
B0029395		<20	<0.01	<10	<10	11	<10	896			
B0029396		<20	<0.01	<10	<10	24	<10	1160			
B0029397		<20	<0.01	<10	<10	12	<10	1560			
B0029398		<20	<0.01	<10	<10	6	<10	610			
B0029399		<20	<0.01	<10	<10	7	<10	195			
B0029400		<20	0.06	<10	<10	92	<10	1140			
B0029401		<20	<0.01	<10	<10	9	<10	122			
B0029402		<20	<0.01	<10	<10	13	<10	655			
B0029403		<20	<0.01	<10	<10	5	<10	144			
B0029404		<20	<0.01	<10	<10	5	<10	69			
B0029405		<20	<0.01	<10	<10	6	<10	754			
B0029406		<20	<0.01	<10	<10	5	<10	149			
B0029407		<20	<0.01	<10	<10	4	<10	29			
B0029408		<20	<0.01	<10	<10	5	<10	37			
B0029409		<20	<0.01	<10	<10	5	<10	34			
B0029410		<20	<0.01	<10	<10	<1	<10	4			
B0029411		<20	<0.01	<10	<10	4	<10	34			
B0029412		<20	<0.01	<10	<10	6	<10	39			
B0029413		<20	<0.01	<10	<10	6	<10	43			
B0029414		<20	<0.01	<10	<10	6	<10	63			
B0029415		<20	<0.01	<10	<10	12	<10	209			
B0029416		<20	<0.01	<10	<10	13	<10	351			
B0029417		<20	<0.01	<10	<10	16	<10	191			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029418		3.16	0.202	2.5	0.44	126	<10	30	<0.5	<2	2.53	5.2	11	2	38	3.28
B0029419		2.17	0.069	7.7	0.30	44	<10	20	<0.5	<2	2.21	10.2	8	3	96	3.94
B0029420		0.12	0.693	9.5	1.28	804	20	110	<0.5	22	3.23	6.1	46	24	6650	3.66
B0029421		2.25	0.123	11.9	0.35	58	<10	30	<0.5	<2	1.52	34.9	8	3	166	4.48
B0029422		2.37	0.154	25.4	0.33	67	<10	60	<0.5	2	2.64	10.3	8	3	302	6.07
B0029423		2.33	0.317	48.5	0.32	77	<10	50	<0.5	3	3.07	11.1	6	3	524	6.60
B0029424		1.73	0.134	10.6	0.41	51	<10	80	<0.5	<2	2.33	2.2	4	6	60	4.70
B0029425		2.33	0.124	24.2	0.79	53	<10	110	<0.5	<2	2.63	2.5	5	4	871	6.01
B0029426		2.58	0.076	13.2	0.62	61	<10	40	<0.5	2	1.33	14.1	8	3	206	4.93
B0029427		2.29	0.053	8.8	0.39	46	<10	60	<0.5	<2	1.36	17.1	8	1	46	3.79
B0029428		2.31	0.174	29.0	0.32	65	<10	20	<0.5	<2	2.84	27.8	7	3	358	4.16
B0029429		2.22	0.107	22.3	0.33	68	<10	30	<0.5	<2	0.87	45.9	7	3	204	4.20
B0029430		0.98	0.006	0.2	0.02	<2	<10	10	<0.5	2	20.7	<0.5	1	1	1	0.13
B0029431		2.17	0.084	5.8	0.32	54	<10	40	<0.5	<2	2.37	4.8	6	2	55	3.23
B0029432		2.25	1.035	46.9	0.30	74	<10	60	<0.5	3	1.61	76.2	7	2	989	4.22
B0029433		2.93	1.115	86.5	0.39	77	<10	60	<0.5	7	1.16	159.0	8	2	1775	5.48
B0029434		2.48	0.503	76.1	0.37	100	<10	50	<0.5	4	1.64	132.5	12	2	1890	6.27
B0029435		2.50	0.468	>100	0.28	73	<10	90	<0.5	28	2.03	467	7	3	4850	4.78
B0029436		1.64	0.619	>100	0.27	83	<10	60	<0.5	10	1.36	194.5	8	4	2180	5.05
B0029437		2.40	0.176	78.1	0.32	66	<10	40	<0.5	8	1.64	462	7	3	5470	4.84
B0029438		1.20	0.180	76.0	0.26	79	<10	90	<0.5	5	3.25	259	8	3	2310	5.36
B0029439		0.94	0.213	>100	0.29	83	<10	60	<0.5	5	2.94	378	8	2	3170	5.70
B0029440		0.10	7.29	>100	1.57	631	10	30	<0.5	4	3.70	131.5	18	45	2070	5.10
B0029441		2.33	0.220	64.4	0.28	48	<10	110	<0.5	2	1.38	121.0	4	8	1080	3.21
B0029442		1.92	0.600	>100	0.68	78	<10	100	<0.5	<2	1.68	192.0	7	5	2400	5.40
B0029443		1.75	0.223	54.5	0.50	37	<10	60	<0.5	<2	1.59	107.0	5	6	751	4.54
B0029444		2.28	0.133	26.5	0.62	55	<10	110	<0.5	<2	1.47	9.7	5	3	993	4.64
B0029445		2.08	0.145	31.5	0.95	58	<10	60	<0.5	<2	1.66	63.9	6	3	1300	5.55
B0029446		2.40	0.124	15.3	0.84	50	<10	60	<0.5	2	2.32	106.5	8	1	487	4.87
B0029447		2.40	0.126	5.2	0.64	47	<10	140	<0.5	<2	3.07	25.1	7	2	217	4.36
B0029448		1.84	0.183	8.2	0.66	40	<10	100	<0.5	<2	2.40	132.0	5	2	659	3.57
B0029449		2.25	0.303	4.1	0.60	45	<10	100	<0.5	<2	2.08	66.3	4	4	250	3.24
B0029450		1.07	0.006	<0.2	0.02	<2	<10	<10	<0.5	<2	20.4	<0.5	1	<1	4	0.13
B0029451		4.53	0.017	0.5	1.14	2	<10	560	<0.5	<2	2.86	1.1	9	19	19	2.83
B0029452		7.57	0.028	0.6	2.47	23	<10	140	<0.5	<2	4.40	<0.5	15	1	18	5.05
B0029453		4.02	0.037	0.5	2.60	43	<10	150	<0.5	2	4.57	<0.5	14	2	18	5.19
B0029454		5.09	0.126	1.8	1.96	136	<10	160	<0.5	<2	4.63	2.2	14	2	22	4.69
B0029455		4.54	0.264	4.0	1.09	347	<10	80	<0.5	<2	2.66	3.8	15	2	28	4.95
B0029456		4.54	0.136	3.0	1.42	382	<10	110	<0.5	<2	1.31	1.9	16	2	14	4.78
B0029457		5.01	0.074	2.5	1.48	172	<10	150	<0.5	2	2.59	0.8	12	2	12	4.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029418		<10	1	0.32	<10	0.45	1940	9	<0.01	4	970	151	2.28	2	2	178
B0029419		<10	<1	0.24	<10	0.38	1590	22	<0.01	3	610	258	3.23	<2	1	170
B0029420		10	<1	0.15	10	0.43	636	292	0.12	22	660	70	1.21	14	2	138
B0029421		<10	<1	0.26	<10	0.29	1155	6	<0.01	2	690	477	4.15	<2	1	109
B0029422		<10	<1	0.24	<10	0.35	1985	4	<0.01	1	630	535	5.20	<2	1	186
B0029423		<10	<1	0.20	<10	0.44	2420	4	<0.01	1	440	802	5.53	4	1	216
B0029424		<10	<1	0.15	<10	0.50	2300	2	<0.01	2	250	224	2.71	<2	1	170
B0029425		<10	<1	0.16	<10	0.65	3060	2	<0.01	2	280	224	3.07	<2	1	182
B0029426		<10	<1	0.25	<10	0.29	1340	8	<0.01	3	710	506	4.09	<2	1	104
B0029427		<10	<1	0.32	<10	0.08	748	5	<0.01	1	1000	698	4.06	2	1	172
B0029428		<10	1	0.21	<10	0.13	1635	3	<0.01	2	540	1215	4.19	2	1	224
B0029429		<10	<1	0.26	<10	0.09	575	3	<0.01	3	600	1295	4.47	2	<1	70
B0029430		<10	<1	0.01	<10	12.60	127	<1	<0.01	1	20	3	0.01	<2	<1	53
B0029431		<10	<1	0.26	<10	0.07	1235	4	<0.01	2	610	351	3.44	<2	<1	113
B0029432		<10	<1	0.25	<10	0.17	1090	3	<0.01	1	600	3140	4.60	3	<1	105
B0029433		<10	1	0.29	<10	0.34	1270	3	<0.01	2	580	6040	5.74	9	1	83
B0029434		<10	1	0.26	<10	0.56	1760	3	<0.01	2	820	2910	5.15	6	1	118
B0029435		<10	2	0.17	<10	0.55	2140	5	<0.01	<1	300	>10000	5.25	22	<1	125
B0029436		<10	1	0.21	<10	0.42	1500	6	<0.01	2	440	8960	4.73	26	1	96
B0029437		<10	1	0.21	<10	0.40	1780	6	<0.01	2	420	1580	5.79	16	1	108
B0029438		<10	1	0.19	<10	0.54	2940	9	<0.01	2	380	2120	5.19	10	1	177
B0029439		<10	1	0.21	<10	0.55	2840	9	<0.01	2	370	3590	6.47	17	1	162
B0029440		10	14	0.20	<10	1.41	769	55	0.07	216	640	>10000	4.07	727	3	53
B0029441		<10	1	0.11	<10	0.31	1585	4	<0.01	3	200	632	2.77	17	<1	99
B0029442		<10	1	0.15	<10	0.63	2200	5	<0.01	2	390	2330	4.03	61	1	110
B0029443		<10	<1	0.20	<10	0.55	2300	6	<0.01	2	380	1565	2.95	5	1	138
B0029444		<10	<1	0.22	<10	0.46	1935	6	<0.01	<1	440	484	2.90	<2	1	102
B0029445		<10	<1	0.22	<10	0.68	2280	3	<0.01	2	660	140	3.44	2	1	128
B0029446		<10	1	0.30	10	0.87	2900	2	<0.01	2	1040	94	2.79	<2	1	241
B0029447		<10	<1	0.26	<10	0.80	2790	4	<0.01	3	750	50	2.06	<2	1	259
B0029448		<10	1	0.22	<10	0.52	1785	5	<0.01	2	570	100	2.41	<2	1	216
B0029449		<10	<1	0.21	<10	0.28	1280	5	<0.01	2	360	68	2.44	<2	1	127
B0029450		<10	<1	0.01	<10	12.35	125	<1	<0.01	1	20	<2	0.01	<2	<1	54
B0029451		<10	<1	0.23	10	1.10	860	2	0.03	7	850	11	0.23	<2	3	249
B0029452		10	<1	0.19	10	1.34	1490	1	0.01	2	1460	6	0.92	<2	3	154
B0029453		10	<1	0.21	10	1.49	1545	1	0.01	2	1560	10	1.01	<2	3	167
B0029454		<10	<1	0.23	10	1.18	1720	3	0.01	3	1360	136	1.36	2	3	200
B0029455		<10	<1	0.21	10	0.47	1015	5	<0.01	5	1210	553	3.74	2	1	95
B0029456		<10	<1	0.23	10	0.59	905	4	<0.01	2	1310	366	2.80	5	2	47
B0029457		<10	<1	0.22	10	0.64	1280	3	<0.01	2	1250	255	2.12	2	2	86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029418		<20	<0.01	<10	<10	9	<10	576			
B0029419		<20	<0.01	<10	<10	5	<10	1070			
B0029420		<20	0.08	<10	<10	44	10	1005			
B0029421		<20	<0.01	<10	<10	5	<10	3300			
B0029422		<20	<0.01	<10	<10	4	<10	1025			
B0029423		<20	<0.01	<10	<10	4	<10	1110			
B0029424		<20	<0.01	<10	<10	6	<10	216			
B0029425		<20	<0.01	<10	<10	9	<10	283			
B0029426		<20	<0.01	<10	<10	7	<10	1335			
B0029427		<20	<0.01	<10	<10	4	<10	1560			
B0029428		<20	<0.01	<10	<10	3	<10	2510			
B0029429		<20	<0.01	<10	<10	3	<10	4270			
B0029430		<20	<0.01	<10	<10	1	<10	12			
B0029431		<20	<0.01	<10	<10	3	<10	422			
B0029432		<20	<0.01	<10	<10	3	<10	7050			
B0029433		<20	<0.01	<10	<10	5	<10	>10000			1.535
B0029434		<20	<0.01	<10	<10	8	<10	>10000			1.340
B0029435		<20	<0.01	<10	<10	4	<10	>10000	196	1.475	4.50
B0029436		<20	<0.01	<10	<10	3	<10	>10000	123		1.860
B0029437		<20	<0.01	<10	<10	4	<10	>10000			4.28
B0029438		<20	<0.01	<10	<10	3	<10	>10000			2.43
B0029439		<20	<0.01	<10	<10	4	<10	>10000	112		3.49
B0029440		<20	0.05	10	<10	61	20	>10000	335	2.41	2.47
B0029441		<20	<0.01	<10	<10	4	<10	>10000			1.140
B0029442		<20	<0.01	<10	<10	10	<10	>10000	189		1.905
B0029443		<20	<0.01	<10	<10	5	<10	>10000			1.060
B0029444		<20	<0.01	<10	<10	6	<10	986			
B0029445		<20	<0.01	<10	<10	9	<10	6150			
B0029446		<20	<0.01	<10	<10	12	<10	>10000			1.060
B0029447		<20	<0.01	<10	<10	9	<10	2420			
B0029448		<20	<0.01	<10	<10	8	<10	>10000			1.245
B0029449		<20	<0.01	<10	<10	6	<10	6070			
B0029450		<20	<0.01	<10	<10	<1	<10	23			
B0029451		<20	<0.01	<10	<10	31	<10	159			
B0029452		<20	0.01	<10	<10	33	<10	89			
B0029453		<20	<0.01	<10	<10	37	<10	91			
B0029454		<20	<0.01	<10	<10	26	<10	301			
B0029455		<20	<0.01	<10	<10	12	<10	498			
B0029456		<20	<0.01	<10	<10	17	<10	262			
B0029457		<20	<0.01	<10	<10	18	<10	174			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029458		4.91	0.082	2.5	1.29	212	<10	80	<0.5	2	3.03	<0.5	16	3	21	5.13
B0029459		4.56	0.031	1.4	3.03	143	<10	130	<0.5	<2	4.54	<0.5	15	2	16	5.86
B0029460		0.14	0.623	9.0	1.18	771	20	100	<0.5	20	3.06	6.0	44	23	6230	3.42
B0029461		4.79	0.029	1.5	2.79	88	<10	160	<0.5	2	5.01	<0.5	14	2	29	5.32
B0029462		4.85	0.037	1.8	2.72	90	<10	180	<0.5	2	4.54	<0.5	14	2	25	5.35
B0029463		4.86	0.032	1.4	2.35	80	<10	170	<0.5	2	5.00	<0.5	13	1	18	4.94
B0029464		4.69	0.048	1.9	2.81	134	<10	160	<0.5	2	3.50	<0.5	15	2	19	5.70
B0029465		4.92	0.053	3.4	2.53	191	<10	160	<0.5	2	4.66	<0.5	16	2	30	5.28
B0029466		4.97	0.064	3.9	2.70	206	<10	190	<0.5	<2	5.06	1.0	14	2	58	5.18
B0029467		4.98	0.029	2.0	2.60	136	<10	180	<0.5	2	5.49	<0.5	15	1	20	5.21
B0029468		2.23	0.111	5.1	2.32	176	<10	170	<0.5	<2	5.06	1.0	16	3	47	5.31
B0029469		2.41	0.123	4.6	2.30	181	<10	150	<0.5	2	5.15	1.7	16	3	47	5.03
B0029470		0.92	<0.005	0.2	0.03	<2	<10	<10	<0.5	2	21.6	<0.5	2	<1	1	0.13
B0029471		4.41	0.074	3.4	2.92	92	<10	140	<0.5	3	3.56	1.1	15	8	26	5.54
B0029472		4.86	0.027	1.6	3.17	67	<10	150	<0.5	3	3.21	<0.5	15	3	17	5.61
B0029473		5.13	0.034	2.5	2.97	177	<10	140	<0.5	<2	3.69	<0.5	16	3	39	5.64
B0029474		5.02	0.058	2.4	2.91	142	<10	140	<0.5	<2	4.93	1.4	17	3	25	5.71
B0029475		4.48	0.069	3.4	2.37	104	<10	160	<0.5	3	4.40	<0.5	16	2	50	4.92
B0029476		4.53	0.098	4.1	2.36	100	<10	170	<0.5	2	4.08	<0.5	14	2	83	4.99
B0029477		4.07	0.289	4.6	2.45	60	<10	180	<0.5	<2	3.77	1.2	14	2	52	5.03
B0029478		3.24	0.438	4.8	2.15	49	<10	230	<0.5	<2	3.64	1.7	13	3	47	4.68
B0029479		2.67	0.162	2.6	1.55	20	<10	210	<0.5	<2	4.43	0.7	9	4	29	3.34
B0029480		0.09	1.140	92.0	1.60	30	10	180	<0.5	3	3.22	8.6	18	18	953	3.55
B0029481		4.57	0.006	0.9	1.34	4	<10	200	<0.5	<2	3.00	0.8	7	4	22	2.46
B0029482		4.53	0.005	0.4	1.13	12	<10	230	<0.5	<2	3.94	<0.5	7	3	10	2.06
B0029483		4.82	0.005	0.9	1.13	5	<10	390	<0.5	<2	3.56	<0.5	7	4	13	2.03
B0029484		4.73	0.014	1.4	1.24	9	<10	300	<0.5	<2	3.42	<0.5	7	4	10	2.24
B0029485		5.24	<0.005	0.5	1.17	2	<10	330	<0.5	2	3.66	<0.5	7	4	11	2.09
B0029486		4.46	0.005	0.3	1.15	<2	<10	250	<0.5	<2	3.15	<0.5	7	4	11	1.97
B0029487		4.29	0.005	0.3	1.09	3	<10	310	<0.5	<2	3.20	<0.5	7	3	10	1.93
B0029488		4.31	0.008	0.6	1.12	3	<10	230	<0.5	2	3.75	<0.5	7	4	12	1.98
B0029489		4.20	0.007	0.6	1.15	10	<10	220	<0.5	2	3.90	<0.5	7	4	13	1.98
B0029490		0.69	<0.005	0.2	0.02	<2	<10	<10	<0.5	<2	20.9	<0.5	1	<1	1	0.13
B0029491		5.14	0.007	0.4	1.16	9	<10	190	<0.5	<2	3.43	<0.5	7	3	12	2.12
B0029492		4.46	0.007	0.4	1.20	13	<10	190	<0.5	<2	3.67	<0.5	8	3	12	2.15
B0029493		4.41	0.005	0.5	1.28	22	<10	150	<0.5	2	3.48	<0.5	8	4	14	2.34
B0029494		4.86	0.006	0.6	1.42	25	<10	170	<0.5	<2	3.48	<0.5	8	4	13	2.43
B0029495		2.91	0.007	0.6	1.52	31	<10	170	<0.5	<2	3.73	<0.5	8	4	10	2.83
B0029496		3.24	0.066	1.8	1.65	534	<10	170	<0.5	<2	3.18	0.5	12	3	15	3.92
B0029497		3.57	0.016	1.1	1.93	508	<10	180	<0.5	<2	2.32	<0.5	14	4	13	4.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029458		<10	<1	0.24	10	0.59	1350	3	0.01	2	1260	108	3.51	<2	2	99
B0029459		10	<1	0.18	10	1.81	2900	2	<0.01	1	1690	78	0.58	<2	3	161
B0029460		<10	<1	0.14	10	0.41	602	281	0.11	21	630	69	1.17	16	2	130
B0029461		10	<1	0.20	10	1.67	3010	2	0.01	1	1690	54	0.59	2	3	189
B0029462		10	<1	0.21	10	1.60	2810	2	<0.01	2	1710	56	0.78	<2	3	177
B0029463		10	<1	0.19	10	1.29	2690	2	0.01	1	1680	70	0.95	<2	3	177
B0029464		10	<1	0.19	10	1.73	2410	2	0.01	2	1780	123	1.08	2	3	128
B0029465		10	<1	0.19	<10	1.59	2470	5	<0.01	2	1700	301	1.25	4	3	157
B0029466		10	<1	0.24	10	1.55	2880	4	0.01	2	1750	339	0.69	6	3	192
B0029467		10	<1	0.20	10	1.49	3050	3	<0.01	2	1770	80	0.85	2	3	202
B0029468		10	<1	0.21	10	1.32	2830	2	0.01	2	1480	270	1.53	7	3	177
B0029469		10	<1	0.19	10	1.32	2820	3	0.01	3	1500	238	1.23	3	3	184
B0029470		<10	<1	0.01	<10	13.05	128	<1	<0.01	2	20	2	<0.01	<2	<1	56
B0029471		10	<1	0.18	10	1.95	2540	2	0.01	5	1530	273	0.78	2	3	146
B0029472		10	<1	0.19	10	2.19	2580	2	0.01	2	1660	117	0.54	<2	4	149
B0029473		10	<1	0.18	10	1.98	2840	3	0.01	3	1650	120	0.74	<2	4	153
B0029474		10	<1	0.19	10	1.85	3260	2	0.01	3	1510	92	0.93	<2	4	186
B0029475		10	<1	0.21	10	1.55	3120	1	<0.01	2	1620	52	0.78	<2	4	178
B0029476		10	<1	0.22	10	1.51	3530	1	<0.01	2	1480	114	1.04	<2	3	156
B0029477		<10	<1	0.22	10	1.24	3400	1	0.01	3	1560	265	0.50	2	3	165
B0029478		10	<1	0.25	10	0.96	2820	2	0.01	2	1420	311	0.61	<2	3	162
B0029479		<10	<1	0.18	10	0.70	2210	2	0.02	3	960	163	0.19	<2	2	232
B0029480		10	<1	0.14	<10	1.43	922	13	0.10	11	1030	4630	1.05	60	6	154
B0029481		<10	<1	0.22	10	0.70	1100	<1	0.02	3	830	37	0.08	<2	1	152
B0029482		<10	<1	0.25	10	0.57	1145	<1	0.02	2	790	12	0.16	<2	1	192
B0029483		<10	<1	0.21	10	0.61	1150	<1	0.02	3	780	10	0.09	2	1	191
B0029484		<10	<1	0.24	10	0.68	1220	<1	0.02	3	790	23	0.14	<2	1	175
B0029485		<10	<1	0.23	10	0.65	1195	<1	0.02	3	820	15	0.09	<2	1	183
B0029486		<10	<1	0.29	10	0.58	1020	<1	0.02	2	830	8	0.03	<2	1	167
B0029487		<10	<1	0.22	10	0.59	1090	<1	0.02	3	790	11	0.04	<2	1	175
B0029488		<10	<1	0.26	10	0.55	1305	<1	0.02	3	820	41	0.04	<2	1	215
B0029489		<10	<1	0.24	10	0.63	1225	<1	0.01	3	860	59	0.06	<2	1	208
B0029490		<10	<1	0.01	<10	12.75	126	<1	<0.01	2	20	<2	<0.01	2	<1	53
B0029491		<10	<1	0.22	10	0.60	1145	<1	0.01	4	820	22	0.10	<2	1	160
B0029492		<10	<1	0.25	10	0.62	1155	1	0.01	3	820	20	0.15	2	1	177
B0029493		<10	<1	0.20	10	0.74	1305	1	0.01	4	830	31	0.17	<2	1	186
B0029494		<10	<1	0.22	10	0.86	1450	3	0.01	3	800	30	0.19	<2	1	144
B0029495		<10	<1	0.21	10	0.90	1640	2	<0.01	4	820	36	0.30	<2	1	153
B0029496		<10	<1	0.23	10	1.01	1800	4	<0.01	2	1170	53	1.41	3	2	141
B0029497		<10	<1	0.21	10	1.23	1655	4	0.01	2	1240	40	1.34	2	2	114

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029458		<20	<0.01	<10	<10	16	<10	97			
B0029459		<20	0.01	<10	<10	41	<10	140			
B0029460		<20	0.07	<10	<10	42	10	974			
B0029461		<20	0.01	<10	<10	39	<10	111			
B0029462		<20	0.01	<10	<10	37	<10	114			
B0029463		<20	0.05	<10	<10	36	<10	99			
B0029464		<20	0.05	<10	<10	44	<10	119			
B0029465		<20	0.03	<10	<10	33	<10	123			
B0029466		<20	0.07	<10	<10	38	<10	216			
B0029467		<20	0.09	<10	<10	35	<10	111			
B0029468		<20	0.07	<10	<10	37	<10	183			
B0029469		<20	0.07	<10	<10	36	<10	219			
B0029470		<20	<0.01	<10	<10	1	<10	3			
B0029471		<20	0.05	<10	<10	46	<10	172			
B0029472		<20	0.02	<10	<10	50	<10	123			
B0029473		<20	0.01	<10	<10	50	<10	143			
B0029474		<20	0.01	<10	<10	48	<10	208			
B0029475		<20	0.01	<10	<10	40	<10	168			
B0029476		<20	<0.01	<10	<10	33	<10	163			
B0029477		<20	0.01	<10	<10	35	<10	281			
B0029478		<20	0.01	<10	<10	30	<10	336			
B0029479		<20	<0.01	<10	<10	19	<10	184			
B0029480		<20	0.06	<10	<10	92	<10	1130			
B0029481		<20	0.01	<10	<10	12	<10	138			
B0029482		<20	0.02	<10	<10	10	<10	50			
B0029483		<20	0.03	<10	<10	9	<10	51			
B0029484		<20	0.02	<10	<10	11	<10	55			
B0029485		<20	0.02	<10	<10	9	<10	54			
B0029486		<20	0.02	<10	<10	9	<10	52			
B0029487		<20	0.01	<10	<10	8	<10	57			
B0029488		<20	0.02	<10	<10	9	<10	92			
B0029489		<20	0.03	<10	<10	9	<10	72			
B0029490		<20	<0.01	<10	<10	1	<10	3			
B0029491		<20	0.02	<10	<10	9	<10	64			
B0029492		<20	0.02	<10	<10	9	<10	55			
B0029493		<20	0.02	<10	<10	12	<10	71			
B0029494		<20	0.02	<10	<10	11	<10	74			
B0029495		<20	0.02	<10	<10	12	<10	85			
B0029496		<20	0.04	<10	<10	17	<10	118			
B0029497		<20	0.03	<10	<10	23	<10	115			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221193

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

CERTIFICATE TR20221194

Project: Premier

This report is for 160 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B0029498		3.75	0.026	0.7	1.48	71	<10	190	<0.5	<2	2.97	<0.5	8	5	15	2.94
B0029499		3.54	0.017	0.5	1.38	39	<10	230	<0.5	2	3.71	<0.5	8	5	11	2.60
B0029500		0.09	7.90	>100	1.48	622	<10	30	<0.5	5	3.59	128.5	17	44	2000	4.92
B0029501		2.55	0.084	2.8	2.01	51	<10	230	<0.5	4	3.15	61.9	14	1	125	5.19
B0029502		2.20	0.031	0.3	1.97	42	<10	220	<0.5	<2	3.89	1.2	16	1	40	5.13
B0029503		2.02	0.233	1.6	1.65	84	<10	110	<0.5	2	2.71	67.8	20	1	55	6.60
B0029504		2.36	0.249	1.9	0.96	103	<10	40	<0.5	2	4.14	130.0	19	1	58	5.67
B0029505		2.24	0.153	2.2	1.17	108	<10	110	<0.5	3	3.10	49.0	21	2	32	4.73
B0029506		2.72	0.813	1.2	1.82	57	<10	190	<0.5	2	3.27	25.7	14	2	49	4.93
B0029507		2.47	0.435	1.6	0.57	187	<10	110	<0.5	2	2.73	13.1	9	10	30	3.42
B0029508		2.54	1.320	4.9	0.51	232	<10	80	<0.5	4	2.50	81.9	11	4	286	4.03
B0029509		2.49	3.58	4.6	0.86	157	<10	100	<0.5	3	3.31	33.2	7	3	40	4.52
B0029510		0.12	0.701	8.7	1.19	790	20	100	<0.5	20	3.03	6.0	44	23	6380	3.49
B0029511		2.28	3.84	>100	0.64	134	<10	120	<0.5	3	4.86	120.5	8	2	726	5.10
B0029512		2.30	0.572	2.1	0.60	114	<10	170	<0.5	<2	3.30	10.8	10	1	24	5.04
B0029513		2.88	0.964	2.6	0.87	215	<10	120	<0.5	<2	2.15	12.9	9	2	22	4.41
B0029514		2.25	0.049	0.4	1.56	44	<10	150	<0.5	3	4.73	2.1	9	1	7	3.86
B0029515		4.38	0.031	0.3	1.47	17	<10	160	<0.5	<2	3.45	4.5	6	1	13	3.46
B0029516		5.56	0.013	0.4	1.54	10	<10	200	<0.5	2	4.81	5.8	6	1	11	3.39
B0029517		3.06	0.050	0.5	1.34	68	<10	150	0.5	2	6.75	1.6	8	1	8	3.40
B0029518		2.36	0.066	0.9	1.30	56	<10	140	0.6	2	4.93	1.7	9	2	14	3.59
B0029519		4.85	0.074	3.1	1.58	89	<10	110	<0.5	3	3.99	5.5	19	19	65	4.97
B0029520		1.17	0.009	<0.2	0.02	2	<10	<10	<0.5	3	20.6	<0.5	1	<1	1	0.14
B0029521		4.99	0.186	3.0	1.41	69	<10	100	<0.5	2	9.6	3.1	16	17	62	4.28
B0029522		4.18	0.031	2.4	2.65	32	<10	90	<0.5	3	7.3	1.6	21	33	50	5.56
B0029523		5.28	0.072	2.8	2.36	98	<10	100	<0.5	4	9.4	3.1	22	32	44	6.37
B0029524		4.86	0.115	6.2	1.08	146	<10	100	<0.5	<2	7.0	33.4	16	15	157	4.60
B0029525		4.87	0.044	2.5	1.67	47	<10	180	<0.5	2	7.0	6.5	16	12	60	4.35
B0029526		3.49	0.058	3.5	1.18	67	<10	130	<0.5	2	6.44	2.1	18	9	62	4.60
B0029527		3.64	0.034	2.9	1.35	41	<10	120	<0.5	<2	6.58	5.7	15	8	71	3.87
B0029528		4.68	0.063	3.2	1.24	87	<10	100	<0.5	2	7.2	1.4	19	10	64	4.94
B0029529		2.42	0.034	2.9	1.73	33	<10	100	<0.5	<2	8.4	0.5	20	14	52	4.69
B0029530		0.13	1.060	90.9	1.58	33	10	170	<0.5	2	3.19	8.6	18	18	950	3.54
B0029531		2.48	0.052	2.8	1.51	57	<10	90	<0.5	<2	9.7	2.2	20	11	55	4.91
B0029532		1.96	0.072	2.9	1.18	112	<10	80	<0.5	2	12.6	17.9	12	9	56	4.57
B0029533		1.06	0.038	2.8	1.37	50	<10	130	0.6	2	4.54	1.7	18	14	56	4.94
B0029534		0.91	0.053	3.1	1.33	67	<10	120	0.6	2	4.67	4.2	20	14	62	5.44
B0029535		5.14	0.048	2.7	1.20	69	<10	120	<0.5	<2	5.92	4.2	19	10	56	4.88
B0029536		5.27	0.060	4.3	2.38	74	<10	100	<0.5	4	7.5	49.0	21	18	99	6.38
B0029537		4.21	0.044	2.3	1.66	45	<10	110	<0.5	3	7.6	5.7	21	14	58	5.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029498		<10	<1	0.23	10	0.85	1195	4	0.03	4	860	16	0.71	<2	2	153
B0029499		<10	<1	0.24	10	0.79	1110	<1	0.03	4	810	14	0.54	<2	2	183
B0029500		10	13	0.19	<10	1.35	747	54	0.06	210	610	>10000	4.09	724	3	47
B0029501		<10	<1	0.32	10	0.58	2720	1	0.01	2	1420	1050	1.28	<2	3	133
B0029502		<10	<1	0.31	10	0.55	2660	4	0.01	2	1570	50	0.98	<2	3	151
B0029503		<10	<1	0.30	<10	0.47	2370	1	<0.01	2	1520	534	3.98	<2	3	115
B0029504		<10	<1	0.33	<10	0.25	2610	1	<0.01	2	1340	590	5.62	2	2	167
B0029505		<10	<1	0.27	<10	0.37	2610	1	<0.01	2	1140	892	3.08	<2	2	121
B0029506		<10	<1	0.32	<10	0.56	3330	<1	<0.01	2	1290	656	1.52	2	2	142
B0029507		<10	<1	0.25	<10	0.15	1765	1	<0.01	3	570	80	2.74	<2	1	183
B0029508		<10	<1	0.26	<10	0.11	1380	1	<0.01	2	700	861	4.01	3	1	136
B0029509		<10	<1	0.36	<10	0.28	2620	1	<0.01	1	830	954	2.98	4	2	128
B0029510		<10	1	0.14	10	0.41	609	285	0.11	22	630	71	1.20	14	2	130
B0029511		<10	<1	0.43	<10	0.29	3060	1	<0.01	1	630	>10000	3.95	385	2	333
B0029512		<10	<1	0.34	10	0.38	3200	1	<0.01	2	1120	775	2.49	4	2	132
B0029513		<10	<1	0.33	10	0.25	1820	1	<0.01	1	1090	798	3.26	5	1	89
B0029514		<10	<1	0.29	10	0.47	2880	1	<0.01	<1	1200	157	0.51	<2	2	146
B0029515		<10	<1	0.31	10	0.36	2370	1	0.01	2	1260	223	0.24	<2	2	111
B0029516		<10	<1	0.32	10	0.39	2680	1	0.01	1	1270	126	0.16	<2	2	175
B0029517		<10	<1	0.29	10	0.39	2790	<1	<0.01	1	1140	77	0.86	<2	2	190
B0029518		<10	<1	0.30	10	0.37	2410	1	<0.01	2	1200	66	1.18	<2	2	221
B0029519		<10	<1	0.26	<10	0.75	1825	<1	<0.01	13	1780	337	2.54	3	6	114
B0029520		<10	<1	0.01	<10	12.25	126	<1	<0.01	1	20	<2	<0.01	<2	<1	52
B0029521		<10	1	0.21	<10	0.77	2900	1	<0.01	11	1270	116	2.06	4	6	321
B0029522		<10	<1	0.18	<10	1.72	2550	1	<0.01	15	1610	74	0.96	3	9	240
B0029523		10	1	0.17	<10	1.62	3090	1	<0.01	15	1520	154	2.61	<2	9	264
B0029524		<10	<1	0.20	<10	0.65	2430	<1	<0.01	10	1390	1830	3.49	<2	5	180
B0029525		<10	<1	0.21	<10	1.01	3030	2	<0.01	9	1400	263	1.24	2	7	182
B0029526		<10	1	0.25	<10	0.87	2940	1	<0.01	9	1570	127	1.99	2	7	232
B0029527		<10	<1	0.26	<10	0.80	2580	1	<0.01	11	1490	338	1.03	<2	5	286
B0029528		<10	<1	0.24	<10	0.95	2390	1	<0.01	14	1510	88	2.14	<2	7	307
B0029529		<10	<1	0.21	<10	1.13	2670	1	<0.01	12	1530	33	0.88	3	8	357
B0029530		10	1	0.14	<10	1.39	921	13	0.10	12	1020	4650	1.06	63	5	154
B0029531		<10	<1	0.20	<10	1.11	3150	2	<0.01	11	1410	104	1.64	2	7	399
B0029532		<10	<1	0.18	<10	0.91	4980	1	<0.01	9	1160	259	2.29	3	6	633
B0029533		<10	<1	0.28	<10	1.35	1885	2	<0.01	15	1540	75	1.46	<2	6	173
B0029534		<10	1	0.28	<10	1.29	1860	2	<0.01	17	1570	80	2.19	4	6	183
B0029535		<10	<1	0.26	<10	1.20	1975	2	<0.01	14	1400	170	2.03	2	6	247
B0029536		10	<1	0.20	<10	1.86	2670	1	<0.01	12	1450	2460	2.23	3	8	251
B0029537		<10	<1	0.23	<10	1.41	2890	1	<0.01	14	1560	342	1.70	3	7	303

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029498		<20	0.01	<10	<10	22	<10	71			
B0029499		<20	0.01	<10	<10	17	<10	61			
B0029500		<20	0.05	10	<10	58	20	>10000	326	2.34	2.39
B0029501		<20	0.01	<10	<10	43	<10	7070			
B0029502		<20	0.02	<10	<10	45	<10	217			
B0029503		<20	0.01	<10	<10	36	<10	8470			
B0029504		<20	<0.01	<10	<10	18	<10	>10000			1.605
B0029505		<20	<0.01	<10	<10	22	<10	5770			
B0029506		<20	0.01	<10	<10	32	<10	3220			
B0029507		<20	<0.01	<10	<10	13	<10	1485			
B0029508		<20	<0.01	<10	<10	14	<10	9200			
B0029509		<20	<0.01	<10	<10	10	<10	3680			
B0029510		<20	0.07	<10	<10	42	10	997			
B0029511		<20	<0.01	<10	<10	10	<10	9840	389	1.220	
B0029512		<20	<0.01	<10	<10	11	<10	1200			
B0029513		<20	<0.01	<10	<10	10	<10	1375			
B0029514		<20	<0.01	<10	<10	17	<10	261			
B0029515		<20	<0.01	<10	<10	20	<10	536			
B0029516		<20	<0.01	<10	<10	20	<10	650			
B0029517		<20	<0.01	<10	<10	13	<10	205			
B0029518		<20	<0.01	<10	<10	16	<10	213			
B0029519		<20	<0.01	<10	<10	45	<10	660			
B0029520		<20	<0.01	<10	<10	1	<10	4			
B0029521		<20	<0.01	<10	<10	38	<10	354			
B0029522		<20	<0.01	<10	<10	69	<10	237			
B0029523		<20	<0.01	<10	<10	69	<10	388			
B0029524		<20	<0.01	<10	<10	30	<10	3890			
B0029525		<20	<0.01	<10	<10	44	<10	742			
B0029526		<20	<0.01	<10	<10	31	<10	279			
B0029527		<20	<0.01	<10	<10	30	<10	760			
B0029528		<20	<0.01	<10	<10	36	<10	192			
B0029529		<20	<0.01	<10	<10	49	<10	109			
B0029530		<20	0.06	<10	<10	91	<10	1095			
B0029531		<20	<0.01	<10	<10	41	<10	262			
B0029532		<20	<0.01	<10	<10	34	<10	2130			
B0029533		<20	<0.01	<10	<10	32	<10	219			
B0029534		<20	<0.01	<10	<10	35	<10	477			
B0029535		<20	<0.01	<10	<10	33	<10	527			
B0029536		<20	<0.01	<10	<10	65	<10	6410			
B0029537		<20	<0.01	<10	<10	45	<10	756			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029538		2.45	0.063	3.6	1.96	95	<10	120	<0.5	4	5.19	30.8	23	19	83	6.36
B0029539		1.86	0.057	4.7	1.18	82	<10	140	<0.5	5	6.13	43.0	21	17	87	4.71
B0029540		0.94	0.006	0.2	0.03	4	<10	<10	<0.5	2	21.1	<0.5	1	1	1	0.15
B0029541		4.34	0.042	2.8	1.90	33	<10	120	<0.5	2	6.78	7.1	23	18	69	5.70
B0029542		4.33	0.044	2.2	1.31	47	<10	160	0.5	<2	5.90	17.9	20	12	64	5.04
B0029543		4.28	0.027	2.4	0.94	22	<10	150	0.7	2	5.32	5.1	19	10	56	4.94
B0029544		4.26	0.015	0.5	2.57	26	<10	760	0.6	<2	4.50	<0.5	27	78	35	5.49
B0029545		4.86	0.051	2.0	1.49	86	<10	120	<0.5	<2	3.83	<0.5	26	2	54	4.97
B0029546		3.03	0.044	1.8	1.43	87	<10	120	0.5	<2	2.80	<0.5	22	1	48	4.56
B0029547		2.31	0.169	1.9	2.13	184	<10	130	<0.5	3	3.79	<0.5	21	2	60	6.97
B0029548		2.78	0.102	2.0	1.00	173	<10	100	<0.5	2	3.78	<0.5	19	1	40	4.25
B0029549		2.29	0.210	1.8	0.44	250	<10	70	<0.5	<2	8.1	<0.5	11	2	21	2.40
B0029550		0.13	0.723	10.0	1.25	829	20	110	<0.5	24	3.28	6.3	48	25	6840	3.79
B0029551		2.18	0.277	2.1	1.04	311	<10	70	<0.5	3	8.6	<0.5	17	2	37	4.31
B0029552		2.87	0.155	2.2	1.58	281	<10	70	<0.5	2	10.2	<0.5	19	2	42	5.27
B0029553		2.75	0.156	2.0	2.49	311	<10	140	<0.5	2	4.00	<0.5	29	1	49	7.36
B0029554		2.12	0.263	2.3	2.01	380	<10	120	<0.5	3	4.54	<0.5	29	1	51	7.21
B0029555		2.66	0.097	1.8	1.41	93	<10	130	<0.5	2	6.21	<0.5	18	1	38	4.42
B0029556		2.28	0.182	2.3	1.20	257	<10	120	<0.5	2	8.1	0.6	20	2	44	5.81
B0029557		2.23	0.266	2.2	1.04	408	<10	130	<0.5	<2	4.01	1.9	17	1	47	4.35
B0029558		2.51	0.280	2.2	0.91	334	<10	90	<0.5	<2	5.19	1.0	18	1	31	4.34
B0029559		1.98	0.098	1.6	0.51	294	<10	80	<0.5	2	14.4	<0.5	9	1	28	2.63
B0029560		1.31	0.008	0.2	0.02	2	<10	<10	<0.5	6	21.0	<0.5	1	<1	1	0.12
B0029561		2.24	0.022	1.0	1.29	40	<10	110	<0.5	2	4.17	<0.5	15	1	40	4.05
B0029562		3.28	0.089	1.6	1.09	44	<10	140	<0.5	3	4.83	<0.5	17	1	41	4.36
B0029563		2.46	0.193	1.6	0.47	534	<10	90	<0.5	<2	4.23	<0.5	19	1	42	4.53
B0029564		2.05	0.307	1.9	0.30	886	<10	80	<0.5	<2	3.05	<0.5	18	2	19	5.15
B0029565		2.30	0.310	2.0	0.39	336	<10	80	<0.5	<2	1.80	0.8	18	2	22	4.58
B0029566		2.55	0.363	2.4	0.37	740	<10	60	<0.5	2	1.21	1.2	15	2	27	5.33
B0029567		1.81	0.483	1.9	0.32	833	<10	80	<0.5	<2	2.36	0.6	12	3	18	3.99
B0029568		2.40	0.147	1.6	1.25	292	<10	120	<0.5	2	4.69	<0.5	17	2	42	5.21
B0029569		2.48	0.199	1.4	1.33	237	<10	130	<0.5	<2	4.04	<0.5	15	2	37	4.65
B0029570		0.13	1.125	87.0	1.49	33	10	160	<0.5	<2	3.18	8.4	17	17	929	3.42
B0029571		0.92	0.105	1.5	1.32	145	<10	100	<0.5	<2	3.73	<0.5	15	2	36	4.50
B0029572		0.82	0.083	1.4	1.48	119	<10	110	<0.5	<2	4.02	<0.5	14	1	36	4.62
B0029573		4.21	0.171	1.7	1.45	224	<10	120	<0.5	<2	4.56	4.7	16	2	55	4.82
B0029574		2.24	0.202	2.6	1.09	211	<10	110	<0.5	<2	5.10	4.4	13	2	38	4.70
B0029575		4.66	0.046	0.6	1.73	36	<10	110	<0.5	<2	6.32	<0.5	14	2	29	4.52
B0029576		5.03	0.035	0.3	2.05	23	<10	120	<0.5	<2	5.23	<0.5	16	1	37	5.02
B0029577		5.08	0.008	0.4	1.89	29	<10	120	<0.5	<2	5.97	<0.5	15	1	45	4.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029538		<10	<1	0.23	<10	1.63	2680	1	<0.01	13	1670	1635	2.64	6	8	198
B0029539		<10	<1	0.29	<10	0.94	2870	<1	<0.01	11	1710	1765	2.86	2	6	239
B0029540		<10	<1	0.01	<10	12.85	137	<1	<0.01	1	20	9	0.01	<2	<1	56
B0029541		<10	<1	0.22	<10	1.69	2760	1	<0.01	14	1610	331	1.31	<2	9	314
B0029542		<10	1	0.26	<10	1.52	2220	2	<0.01	13	1510	422	1.40	<2	7	256
B0029543		<10	<1	0.27	10	1.64	2020	1	0.01	13	1440	206	1.30	<2	8	324
B0029544		10	<1	0.18	30	3.28	1120	1	0.25	66	2760	105	0.44	<2	13	556
B0029545		<10	<1	0.26	10	0.38	1445	3	<0.01	7	1260	17	2.00	4	2	88
B0029546		<10	<1	0.27	10	0.36	1225	2	<0.01	6	1210	14	1.66	4	2	62
B0029547		10	<1	0.23	<10	0.59	1805	1	<0.01	5	1040	9	1.93	<2	4	88
B0029548		<10	<1	0.25	<10	0.31	1440	1	<0.01	4	1100	10	1.83	5	3	77
B0029549		<10	<1	0.18	10	0.09	2160	1	<0.01	2	670	9	1.89	4	1	137
B0029550		10	<1	0.16	10	0.45	653	307	0.12	24	680	74	1.27	15	2	143
B0029551		<10	<1	0.16	<10	0.26	2900	2	<0.01	3	580	14	2.15	5	2	173
B0029552		<10	<1	0.17	10	0.40	3630	2	<0.01	3	630	11	1.54	6	4	179
B0029553		10	<1	0.25	10	0.64	2200	2	0.01	5	1230	9	1.54	<2	4	105
B0029554		10	<1	0.22	<10	0.52	2070	4	<0.01	6	1120	15	2.78	5	3	112
B0029555		<10	<1	0.27	10	0.35	1965	1	0.01	3	1460	11	1.71	3	2	125
B0029556		<10	<1	0.23	10	0.31	2310	2	<0.01	5	1150	27	3.75	8	2	150
B0029557		<10	<1	0.28	10	0.25	1270	1	0.01	3	1690	24	2.81	5	2	107
B0029558		<10	<1	0.25	10	0.23	1600	1	<0.01	4	1220	26	2.92	7	2	118
B0029559		<10	<1	0.20	<10	0.12	3400	1	0.01	3	850	9	2.14	3	2	223
B0029560		<10	<1	0.01	<10	12.75	127	<1	<0.01	3	20	<2	<0.01	<2	<1	53
B0029561		<10	<1	0.26	10	0.34	1285	<1	0.01	3	1390	7	1.58	<2	2	103
B0029562		<10	<1	0.26	10	0.28	1470	1	0.01	5	1470	9	2.59	<2	2	109
B0029563		<10	<1	0.28	<10	0.06	997	1	0.01	3	1420	13	4.71	4	1	99
B0029564		<10	<1	0.23	<10	0.02	625	2	<0.01	3	1030	16	5.61	10	1	65
B0029565		<10	<1	0.28	<10	0.02	435	5	<0.01	3	1240	14	5.00	4	1	43
B0029566		<10	<1	0.26	<10	0.03	273	6	<0.01	2	1230	29	6.06	6	1	32
B0029567		<10	<1	0.23	<10	0.02	667	5	<0.01	2	1090	23	4.29	8	1	49
B0029568		<10	<1	0.29	<10	0.33	1480	1	0.01	2	1390	18	3.17	3	2	109
B0029569		<10	<1	0.26	<10	0.36	1515	2	0.01	4	1330	11	2.20	3	2	95
B0029570		10	<1	0.14	<10	1.39	884	14	0.10	11	1010	4470	1.00	65	5	146
B0029571		<10	<1	0.25	<10	0.34	1470	1	0.01	3	1360	17	2.02	3	2	86
B0029572		<10	1	0.28	<10	0.37	1595	<1	0.01	2	1390	13	1.89	5	2	94
B0029573		<10	<1	0.28	<10	0.38	1905	1	0.01	2	1300	264	2.09	7	2	98
B0029574		<10	<1	0.29	<10	0.32	1890	<1	0.01	3	1230	662	3.09	6	2	117
B0029575		10	<1	0.26	10	0.60	1875	<1	0.02	4	1370	24	1.18	2	3	141
B0029576		10	<1	0.26	10	0.70	1540	<1	0.02	2	1400	4	0.74	<2	3	124
B0029577		<10	1	0.25	10	0.63	1545	<1	0.02	3	1380	6	0.42	<2	3	129

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029538		<20	<0.01	<10	<10	58	<10	3900			
B0029539		<20	<0.01	<10	<10	41	<10	5440			
B0029540		<20	<0.01	<10	<10	1	<10	26			
B0029541		<20	<0.01	<10	<10	55	<10	920			
B0029542		<20	<0.01	<10	<10	36	<10	2280			
B0029543		<20	<0.01	<10	<10	32	<10	668			
B0029544		<20	0.08	<10	<10	139	<10	105			
B0029545		<20	<0.01	<10	<10	25	<10	70			
B0029546		<20	<0.01	<10	<10	27	<10	54			
B0029547		<20	<0.01	<10	<10	49	<10	93			
B0029548		<20	<0.01	<10	<10	19	<10	70			
B0029549		<20	<0.01	<10	<10	7	<10	51			
B0029550		<20	0.08	<10	<10	45	10	1040			
B0029551		<20	<0.01	<10	<10	15	<10	54			
B0029552		<20	<0.01	<10	<10	39	<10	77			
B0029553		<20	<0.01	<10	<10	54	<10	114			
B0029554		<20	<0.01	<10	<10	43	<10	106			
B0029555		<20	<0.01	<10	<10	28	<10	92			
B0029556		<20	<0.01	<10	<10	23	<10	103			
B0029557		<20	<0.01	<10	<10	17	<10	258			
B0029558		<20	<0.01	<10	<10	15	<10	161			
B0029559		<20	<0.01	<10	<10	8	<10	57			
B0029560		<20	<0.01	<10	<10	1	<10	3			
B0029561		<20	<0.01	<10	<10	22	<10	74			
B0029562		<20	<0.01	<10	<10	19	<10	74			
B0029563		<20	<0.01	<10	<10	8	<10	78			
B0029564		<20	<0.01	<10	<10	6	<10	58			
B0029565		<20	<0.01	<10	<10	7	<10	156			
B0029566		<20	<0.01	<10	<10	7	<10	167			
B0029567		<20	<0.01	<10	<10	6	<10	79			
B0029568		<20	<0.01	<10	<10	23	<10	105			
B0029569		<20	<0.01	<10	<10	24	<10	76			
B0029570		<20	0.06	<10	<10	88	<10	1065			
B0029571		<20	<0.01	<10	<10	23	<10	77			
B0029572		<20	<0.01	<10	<10	26	<10	82			
B0029573		<20	<0.01	<10	<10	26	<10	581			
B0029574		<20	<0.01	<10	<10	20	<10	581			
B0029575		<20	<0.01	<10	<10	31	<10	111			
B0029576		<20	<0.01	<10	<10	38	<10	84			
B0029577		<20	<0.01	<10	<10	33	<10	76			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029578		4.63	0.005	0.4	1.92	17	<10	120	<0.5	<2	6.42	<0.5	14	1	39	4.29
B0029579		4.52	0.010	0.7	2.02	24	<10	120	<0.5	<2	6.52	<0.5	16	1	40	4.88
B0029580		1.00	<0.005	<0.2	0.03	<2	<10	<10	<0.5	2	20.8	<0.5	1	<1	1	0.15
B0029581		5.02	0.017	0.8	2.12	37	<10	170	0.5	<2	4.36	<0.5	17	2	43	4.92
B0029582		4.73	0.115	1.6	1.11	129	<10	100	0.5	<2	4.97	<0.5	18	1	45	5.44
B0029583		4.08	0.049	1.5	0.80	108	<10	100	0.5	<2	4.02	0.5	15	1	46	4.40
B0029584		3.85	0.056	1.6	0.99	123	<10	100	<0.5	<2	3.17	<0.5	16	1	36	5.12
B0029585		4.59	0.124	1.9	0.53	163	<10	80	<0.5	<2	4.40	<0.5	15	2	29	4.59
B0029586		3.68	0.053	1.7	0.90	95	<10	80	<0.5	<2	5.88	0.9	12	1	28	3.89
B0029587		2.60	0.046	1.2	1.08	58	<10	90	<0.5	<2	5.08	0.6	13	2	34	4.88
B0029588		4.27	0.084	1.5	0.38	153	<10	90	<0.5	2	6.40	0.9	12	2	18	3.63
B0029589		2.37	0.250	2.4	0.64	229	<10	90	<0.5	<2	3.65	1.2	17	2	30	4.30
B0029590		0.14	7.91	>100	1.52	654	<10	20	<0.5	4	3.88	137.5	18	46	2070	5.08
B0029591		2.38	0.056	2.0	0.69	92	<10	100	<0.5	<2	4.53	1.7	13	2	34	3.46
B0029592		2.10	0.040	1.5	1.20	55	<10	100	<0.5	<2	4.05	1.5	16	2	38	4.19
B0029593		2.40	0.073	1.9	0.95	122	<10	100	<0.5	<2	4.58	3.7	15	2	34	3.83
B0029594		2.45	0.294	2.8	0.85	214	<10	100	<0.5	<2	3.55	9.1	12	2	23	3.85
B0029595		2.39	0.148	1.9	0.43	251	<10	80	<0.5	<2	3.17	1.5	9	3	19	3.03
B0029596		2.43	0.023	2.0	1.11	54	<10	270	<0.5	<2	2.47	0.9	11	2	38	3.27
B0029597		2.45	0.018	1.4	1.19	50	<10	150	<0.5	<2	3.17	0.6	12	2	31	3.48
B0029598		2.53	0.094	1.4	1.48	102	<10	180	<0.5	<2	5.35	0.6	12	2	28	4.37
B0029599		3.33	0.354	1.3	1.22	161	<10	120	<0.5	<2	4.69	1.2	12	1	26	3.70
B0029600		1.21	<0.005	<0.2	0.03	3	<10	<10	<0.5	2	20.8	<0.5	<1	<1	1	0.13
B0029601		4.54	0.294	1.2	1.93	490	<10	110	<0.5	<2	4.65	0.9	15	1	45	5.15
B0029602		4.52	0.018	0.7	1.97	25	<10	140	<0.5	<2	5.56	<0.5	16	1	42	4.62
B0029603		5.02	0.007	0.5	1.90	22	<10	200	<0.5	<2	6.04	<0.5	15	1	36	4.57
B0029604		4.95	<0.005	0.3	2.05	18	<10	130	<0.5	<2	5.69	<0.5	15	1	45	4.68
B0029605		4.62	0.007	0.4	2.22	22	<10	220	<0.5	<2	6.26	<0.5	17	1	50	4.99
B0029606		4.30	0.006	0.7	2.18	24	<10	160	<0.5	<2	4.88	<0.5	16	1	42	5.05
B0029607		3.98	0.007	0.9	2.17	20	<10	180	0.5	<2	3.48	0.7	16	1	57	4.92
B0029608		3.04	0.020	0.4	1.92	33	<10	150	<0.5	<2	4.05	<0.5	14	2	31	4.40
B0029609		1.89	0.890	3.8	1.60	297	<10	130	<0.5	<2	7.8	26.0	18	3	83	6.24
B0029610		0.13	0.713	9.7	1.23	831	20	110	<0.5	19	3.29	6.3	47	24	6540	3.68
B0029611		2.29	0.071	1.0	2.14	51	<10	240	<0.5	<2	3.36	7.9	13	1	50	5.25
B0029612		4.79	0.052	0.5	2.12	42	<10	190	<0.5	<2	5.74	0.8	17	1	48	5.06
B0029613		6.28	0.015	0.8	1.92	19	<10	170	<0.5	<2	5.43	0.9	17	1	43	4.68
B0029614		4.65	0.020	0.9	2.01	19	<10	190	<0.5	<2	5.77	6.7	15	1	45	4.93
B0029615		2.45	0.045	0.8	1.88	30	<10	170	<0.5	<2	5.68	<0.5	16	1	35	4.80
B0029616		2.37	0.093	0.9	1.11	59	<10	160	<0.5	<2	4.82	0.8	16	1	39	4.67
B0029617		2.15	0.339	2.1	0.46	318	<10	80	<0.5	<2	2.44	7.2	15	2	31	4.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029578		<10	<1	0.26	10	0.63	1740	1	0.02	1	1370	2	0.27	<2	3	123
B0029579		<10	<1	0.25	10	0.67	1700	<1	0.02	3	1350	5	0.62	<2	3	133
B0029580		<10	<1	0.01	<10	12.50	128	<1	0.01	1	20	2	<0.01	<2	<1	52
B0029581		10	<1	0.29	10	0.72	1590	<1	0.02	3	1520	6	0.49	<2	3	87
B0029582		<10	<1	0.29	<10	0.34	1445	1	0.01	3	1460	13	4.03	2	2	130
B0029583		<10	<1	0.28	10	0.20	1130	1	0.01	2	1500	13	3.55	<2	2	117
B0029584		<10	<1	0.27	10	0.27	939	<1	0.01	2	1400	12	3.62	5	2	60
B0029585		<10	<1	0.26	<10	0.10	938	1	0.01	2	1200	18	4.52	7	1	77
B0029586		<10	<1	0.26	10	0.29	1520	1	0.01	3	1200	32	2.88	5	2	88
B0029587		<10	<1	0.25	10	0.39	1415	1	0.01	2	1340	25	3.50	2	2	117
B0029588		<10	<1	0.23	<10	0.06	1545	1	0.01	2	940	45	3.73	4	1	145
B0029589		<10	1	0.27	10	0.13	942	1	0.01	3	1550	71	3.99	4	2	71
B0029590		10	13	0.20	<10	1.46	779	56	0.07	218	650	>10000	4.13	754	3	45
B0029591		<10	<1	0.27	<10	0.15	1230	1	0.01	2	1320	64	2.85	4	1	85
B0029592		<10	<1	0.26	10	0.34	1350	1	0.01	3	1350	88	2.16	3	2	78
B0029593		<10	<1	0.28	10	0.25	1595	1	0.01	2	1240	191	2.50	5	2	86
B0029594		<10	<1	0.28	<10	0.25	1385	1	0.01	1	1090	209	2.52	5	2	76
B0029595		<10	<1	0.22	<10	0.11	979	2	0.01	2	750	61	2.55	<2	1	59
B0029596		<10	<1	0.27	10	0.29	1010	<1	0.01	2	1310	28	0.73	2	3	62
B0029597		<10	<1	0.26	<10	0.34	1125	<1	0.01	2	1080	25	1.15	<2	2	71
B0029598		<10	<1	0.27	10	0.40	1655	2	0.01	2	1160	33	1.58	<2	3	117
B0029599		<10	<1	0.27	10	0.32	1395	2	0.01	1	1350	43	1.54	3	2	105
B0029600		<10	<1	0.01	<10	12.80	125	1	0.01	<1	20	<2	<0.01	<2	<1	51
B0029601		<10	<1	0.27	10	0.57	1550	1	0.01	2	1360	40	1.14	<2	3	112
B0029602		<10	<1	0.27	10	0.59	1610	<1	0.01	2	1490	9	0.41	2	3	130
B0029603		10	<1	0.27	10	0.55	1600	<1	0.02	2	1440	13	0.49	<2	3	150
B0029604		10	<1	0.28	10	0.60	1480	<1	0.02	3	1460	4	0.31	<2	3	150
B0029605		10	1	0.28	10	0.66	1545	<1	0.02	3	1430	4	0.16	<2	3	153
B0029606		10	<1	0.29	10	0.64	1800	<1	0.02	2	1440	8	0.34	2	3	140
B0029607		10	<1	0.30	10	0.61	1630	<1	0.02	2	1550	19	0.24	<2	3	96
B0029608		10	1	0.27	10	0.52	1645	1	0.02	1	1480	18	0.20	<2	3	110
B0029609		<10	<1	0.25	<10	0.45	3330	11	0.01	3	900	758	3.24	2	2	222
B0029610		10	<1	0.16	10	0.44	642	296	0.12	24	670	71	1.22	13	2	137
B0029611		10	<1	0.28	10	0.60	1990	1	0.02	1	1550	291	0.68	<2	3	101
B0029612		10	<1	0.30	10	0.62	2570	1	0.02	1	1480	35	0.49	<2	3	157
B0029613		<10	<1	0.29	10	0.57	2060	<1	0.02	2	1390	32	0.37	<2	3	159
B0029614		<10	1	0.33	10	0.59	2360	1	0.01	2	1500	105	0.62	<2	3	177
B0029615		10	<1	0.31	10	0.57	2240	1	0.02	3	1470	13	0.75	<2	3	165
B0029616		<10	<1	0.36	10	0.29	1540	1	0.01	2	1550	47	3.15	<2	2	146
B0029617		<10	<1	0.32	<10	0.05	790	1	0.01	2	1230	161	4.45	4	1	90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029578		<20	<0.01	<10	<10	34	<10	73			
B0029579		<20	<0.01	<10	<10	36	<10	79			
B0029580		<20	<0.01	<10	<10	1	<10	4			
B0029581		<20	<0.01	<10	<10	37	<10	126			
B0029582		<20	<0.01	<10	<10	19	<10	82			
B0029583		<20	<0.01	<10	<10	13	<10	86			
B0029584		<20	<0.01	<10	<10	17	<10	89			
B0029585		<20	<0.01	<10	<10	9	<10	84			
B0029586		<20	<0.01	<10	<10	15	<10	122			
B0029587		<20	<0.01	<10	<10	19	<10	109			
B0029588		<20	<0.01	<10	<10	7	<10	85			
B0029589		<20	<0.01	<10	<10	11	<10	150			
B0029590		<20	0.05	10	<10	60	20	>10000	317	2.29	2.33
B0029591		<20	<0.01	<10	<10	13	<10	206			
B0029592		<20	<0.01	<10	<10	25	<10	215			
B0029593		<20	<0.01	<10	<10	17	<10	454			
B0029594		<20	<0.01	<10	<10	15	<10	1090			
B0029595		<20	<0.01	<10	<10	8	<10	199			
B0029596		<20	<0.01	<10	<10	19	<10	134			
B0029597		<20	<0.01	<10	<10	22	<10	88			
B0029598		<20	<0.01	<10	<10	29	<10	100			
B0029599		<20	<0.01	<10	<10	25	<10	143			
B0029600		<20	<0.01	<10	<10	1	<10	4			
B0029601		<20	<0.01	<10	<10	38	<10	131			
B0029602		<20	<0.01	<10	<10	38	<10	87			
B0029603		<20	<0.01	<10	<10	35	<10	84			
B0029604		<20	<0.01	<10	<10	37	<10	77			
B0029605		<20	<0.01	<10	<10	41	<10	85			
B0029606		<20	<0.01	<10	<10	39	<10	83			
B0029607		<20	<0.01	<10	<10	39	<10	118			
B0029608		<20	<0.01	<10	<10	33	<10	98			
B0029609		<20	<0.01	<10	<10	27	<10	3310			
B0029610		<20	0.08	<10	<10	45	10	1025			
B0029611		<20	<0.01	<10	<10	37	<10	1010			
B0029612		<20	<0.01	<10	<10	37	<10	158			
B0029613		<20	<0.01	<10	<10	39	<10	152			
B0029614		<20	0.01	<10	<10	39	<10	825			
B0029615		<20	0.01	<10	<10	40	<10	89			
B0029616		<20	0.01	<10	<10	22	<10	112			
B0029617		<20	<0.01	<10	<10	9	<10	957			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029618		2.49	0.219	1.7	0.64	226	<10	70	<0.5	<2	3.12	1.1	17	1	39	4.34
B0029619		3.68	0.495	1.6	0.57	171	<10	70	<0.5	<2	4.20	4.2	18	2	45	4.61
B0029620		1.27	<0.005	<0.2	0.03	2	<10	10	<0.5	2	21.3	<0.5	1	1	4	0.14
B0029621		2.22	0.080	1.1	1.73	35	<10	190	<0.5	<2	5.32	0.9	17	1	51	4.23
B0029622		2.57	0.091	1.5	2.08	77	<10	190	<0.5	<2	5.20	12.3	17	1	42	5.34
B0029623		2.32	0.389	2.1	1.88	138	<10	320	<0.5	<2	6.66	17.6	16	2	42	4.92
B0029624		2.01	0.415	3.5	1.61	235	<10	120	<0.5	2	5.05	40.8	15	1	26	4.71
B0029625		2.11	0.704	3.3	0.87	252	<10	60	<0.5	2	3.55	36.0	11	2	29	4.66
B0029626		2.04	0.419	1.9	1.09	111	<10	160	<0.5	<2	5.28	72.5	8	4	72	3.70
B0029627		2.13	0.027	1.3	1.45	14	<10	190	<0.5	<2	2.57	18.6	8	1	19	3.19
B0029628		2.62	0.166	1.9	0.88	86	<10	200	<0.5	<2	3.09	20.6	10	2	16	2.93
B0029629		3.56	0.226	4.4	2.14	36	<10	180	<0.5	2	3.52	72.1	10	2	97	5.35
B0029630		0.13	1.185	92.7	1.59	34	10	180	<0.5	2	3.35	9.1	18	19	951	3.59
B0029631		2.47	0.060	1.7	2.19	13	<10	190	<0.5	<2	2.75	59.5	11	1	39	5.08
B0029632		2.24	0.015	1.1	1.60	11	<10	190	<0.5	<2	3.22	24.7	7	1	20	3.33
B0029633		4.64	0.045	1.8	1.98	27	<10	180	<0.5	<2	3.06	42.2	9	1	26	4.63
B0029634		4.58	0.065	1.3	1.79	38	<10	200	<0.5	<2	3.56	28.8	10	1	23	3.96
B0029635		4.51	0.250	1.6	1.70	30	<10	220	<0.5	<2	3.80	30.4	9	1	29	3.75
B0029636		4.62	0.169	0.9	1.54	11	<10	200	<0.5	<2	3.96	13.9	8	2	32	3.22
B0029637		2.35	0.007	0.6	2.62	14	<10	180	<0.5	<2	6.29	4.5	11	1	24	5.70
B0029638		2.47	0.130	1.7	2.60	15	<10	150	<0.5	<2	6.46	39.1	10	2	81	5.63
B0029639		2.89	0.024	0.8	2.03	14	<10	170	<0.5	<2	4.34	12.5	9	1	18	4.56
B0029640		0.90	0.005	<0.2	0.03	<2	<10	10	<0.5	2	21.4	<0.5	1	<1	1	0.14
B0029641		1.91	<0.005	0.3	2.04	15	<10	170	<0.5	<2	3.73	3.1	10	1	14	4.53
B0029642		2.38	0.005	1.0	1.96	11	<10	170	<0.5	<2	4.07	13.6	8	1	13	4.26
B0029643		2.53	0.109	1.6	1.47	80	<10	170	<0.5	2	5.22	23.6	11	1	43	4.40
B0029644		2.46	0.075	0.5	1.76	69	<10	150	<0.5	<2	4.04	14.6	8	2	16	5.23
B0029645		2.25	0.058	1.6	1.11	56	<10	160	<0.5	<2	2.78	21.7	9	1	52	4.98
B0029646		2.50	0.676	2.6	1.08	180	<10	180	<0.5	<2	3.92	31.5	6	1	39	4.11
B0029647		2.52	0.311	2.2	1.16	53	<10	220	<0.5	<2	4.07	8.3	7	1	37	3.47
B0029648		4.03	0.058	1.1	1.78	32	<10	160	<0.5	<2	4.12	9.6	9	1	19	4.00
B0029649		2.40	0.464	1.6	1.89	63	<10	140	<0.5	<2	5.82	1.9	19	12	75	4.87
B0029650		0.14	7.76	>100	1.52	650	<10	20	<0.5	3	3.69	133.0	17	44	2140	5.08
B0029651		2.28	0.139	3.3	1.40	131	<10	120	<0.5	<2	3.98	10.7	17	19	62	4.55
B0029652		4.91	0.171	4.9	1.68	213	<10	110	<0.5	<2	6.9	24.0	20	24	54	6.07
B0029653		4.58	0.109	4.3	2.23	172	<10	100	<0.5	<2	7.06	40.3	19	30	82	6.01
B0029654		4.49	0.052	6.4	3.62	83	<10	90	<0.5	<2	3.87	55.3	22	44	83	7.49
B0029655		4.72	0.041	2.1	2.74	56	<10	120	<0.5	<2	5.80	8.8	21	39	42	6.16
B0029656		4.71	0.058	3.1	2.89	62	<10	150	<0.5	<2	4.36	36.0	20	41	87	6.73
B0029657		5.21	1.550	6.9	2.72	121	<10	120	<0.5	<2	3.20	90.0	20	41	238	7.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029618		<10	<1	0.39	10	0.08	921	1	0.01	1	1540	39	4.26	4	2	99
B0029619		<10	<1	0.36	<10	0.07	1160	5	0.01	2	1400	215	4.65	2	2	126
B0029620		<10	<1	0.01	<10	12.85	129	<1	0.01	<1	20	2	0.01	<2	<1	53
B0029621		<10	<1	0.35	10	0.49	2310	<1	0.01	3	1600	41	0.70	<2	3	149
B0029622		10	<1	0.34	10	0.64	2700	<1	0.01	3	1480	317	0.96	<2	3	159
B0029623		10	<1	0.34	10	0.56	3430	<1	0.01	3	1460	589	1.12	<2	3	236
B0029624		<10	<1	0.39	10	0.45	2760	<1	0.01	3	1560	994	2.01	<2	2	187
B0029625		<10	<1	0.41	<10	0.17	2170	1	0.01	1	980	829	3.71	3	1	143
B0029626		<10	<1	0.32	<10	0.28	3260	1	0.01	1	1010	171	1.93	<2	2	234
B0029627		<10	<1	0.37	10	0.38	1995	1	0.01	2	1220	521	0.42	<2	2	81
B0029628		<10	1	0.37	10	0.29	1935	1	0.01	2	1230	593	1.39	<2	2	95
B0029629		<10	1	0.32	10	0.72	3210	<1	0.01	2	1040	1515	1.07	3	2	134
B0029630		10	<1	0.15	<10	1.47	938	13	0.10	12	1050	4640	1.05	64	6	154
B0029631		10	<1	0.35	10	0.63	2440	1	0.01	1	1150	326	0.64	<2	3	68
B0029632		<10	<1	0.35	10	0.47	2430	1	0.01	1	1120	262	0.29	<2	2	104
B0029633		<10	1	0.33	10	0.68	2630	1	0.01	2	1080	538	0.63	<2	2	88
B0029634		<10	<1	0.34	10	0.62	2700	1	0.01	2	1090	328	0.70	<2	2	112
B0029635		<10	<1	0.37	10	0.48	2560	<1	0.01	1	1160	349	0.60	<2	2	110
B0029636		<10	<1	0.34	10	0.47	2700	<1	0.01	1	1090	193	0.29	<2	2	118
B0029637		10	<1	0.31	10	0.95	3890	1	0.02	2	1140	235	0.09	<2	3	168
B0029638		10	<1	0.27	10	1.07	4510	1	0.02	1	1000	242	0.35	<2	3	189
B0029639		10	<1	0.30	10	0.67	3150	<1	0.02	1	1150	318	0.27	<2	2	134
B0029640		<10	<1	0.01	<10	12.95	136	<1	0.01	<1	20	<2	<0.01	<2	<1	54
B0029641		10	1	0.31	10	0.63	2540	1	0.01	3	1160	143	0.20	2	3	89
B0029642		<10	<1	0.31	10	0.65	2730	1	0.01	2	1140	648	0.21	<2	2	101
B0029643		<10	<1	0.34	10	0.45	2810	6	0.01	1	1170	663	1.60	<2	2	111
B0029644		<10	<1	0.33	10	0.60	3100	2	0.01	2	1080	61	1.22	<2	2	105
B0029645		<10	<1	0.38	10	0.67	2750	1	0.01	1	1100	438	0.83	<2	2	76
B0029646		<10	<1	0.37	10	0.55	2850	<1	<0.01	1	1020	268	1.21	2	2	208
B0029647		<10	<1	0.37	10	0.52	2570	1	<0.01	2	1060	195	1.02	3	3	219
B0029648		<10	1	0.35	10	0.66	2330	2	<0.01	2	1190	231	0.57	<2	2	118
B0029649		<10	<1	0.28	10	0.81	2980	1	<0.01	10	1850	127	1.27	<2	7	150
B0029650		10	14	0.20	10	1.42	769	55	0.06	225	660	>10000	4.20	765	3	44
B0029651		<10	<1	0.27	<10	0.81	2050	2	<0.01	12	1680	528	2.74	14	6	119
B0029652		<10	<1	0.24	10	1.17	3090	3	<0.01	14	1570	1365	4.17	17	7	187
B0029653		<10	<1	0.22	10	1.57	3370	1	<0.01	13	1480	1720	2.98	5	8	206
B0029654		10	<1	0.18	10	2.78	3490	1	<0.01	17	1650	3560	1.97	7	10	132
B0029655		10	<1	0.25	10	1.77	3460	1	<0.01	15	1800	581	1.62	<2	9	192
B0029656		10	<1	0.25	10	1.78	3780	1	<0.01	13	1740	2620	1.91	2	9	140
B0029657		10	1	0.22	<10	1.68	4270	2	<0.01	14	1550	>10000	3.03	13	8	112

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029618		<20	<0.01	<10	<10	11	<10	156			
B0029619		<20	<0.01	<10	<10	10	<10	525			
B0029620		<20	<0.01	<10	<10	1	<10	6			
B0029621		<20	<0.01	<10	<10	32	<10	143			
B0029622		<20	<0.01	<10	<10	39	<10	1540			
B0029623		<20	<0.01	<10	<10	37	<10	2160			
B0029624		<20	<0.01	<10	<10	30	<10	4920			
B0029625		<20	<0.01	<10	<10	15	<10	4300			
B0029626		<20	<0.01	<10	<10	16	<10	8010			
B0029627		<20	<0.01	<10	<10	21	30	2190			
B0029628		<20	<0.01	<10	<10	10	<10	2380			
B0029629		<20	<0.01	<10	<10	27	<10	8560			
B0029630		<20	0.07	<10	<10	95	<10	1130			
B0029631		<20	<0.01	<10	<10	35	<10	7000			
B0029632		<20	<0.01	<10	<10	21	<10	2850			
B0029633		<20	<0.01	<10	<10	26	<10	4930			
B0029634		<20	<0.01	<10	<10	21	<10	3380			
B0029635		<20	<0.01	<10	<10	24	<10	3480			
B0029636		<20	<0.01	<10	<10	20	<10	1650			
B0029637		<20	<0.01	<10	<10	39	<10	624			
B0029638		<20	<0.01	<10	<10	37	<10	4810			
B0029639		<20	<0.01	<10	<10	32	<10	1575			
B0029640		<20	<0.01	<10	<10	1	<10	13			
B0029641		<20	<0.01	<10	<10	33	<10	435			
B0029642		<20	<0.01	<10	<10	27	<10	1760			
B0029643		<20	<0.01	<10	<10	21	<10	2840			
B0029644		<20	<0.01	<10	<10	29	<10	1735			
B0029645		<20	<0.01	<10	<10	16	<10	2670			
B0029646		<20	<0.01	<10	<10	14	<10	3360			
B0029647		<20	<0.01	<10	<10	15	<10	928			
B0029648		<20	<0.01	<10	<10	24	<10	1175			
B0029649		<20	<0.01	<10	<10	55	<10	223			
B0029650		<20	0.05	10	<10	59	20	>10000	333	2.39	2.47
B0029651		<20	<0.01	<10	<10	38	<10	1205			
B0029652		<20	<0.01	<10	<10	46	<10	2740			
B0029653		<20	<0.01	<10	<10	60	<10	4560			
B0029654		<20	<0.01	<10	<10	95	10	6650			
B0029655		<20	0.01	<10	<10	71	<10	1090			
B0029656		<20	<0.01	<10	<10	77	<10	4280			
B0029657		<20	<0.01	<10	<10	75	10	9900		1.070	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20221194

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

CERTIFICATE TR20224529

Project: Premier

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 5-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029658		2.36	0.140	2.2	1.92	183	<10	130	0.6	2	1.91	1.0	18	2	77	5.89
B0029659		2.17	0.115	3.1	1.87	214	<10	130	0.6	<2	0.83	1.2	17	2	73	6.21
B0029660		0.99	<0.005	<0.2	0.03	<2	<10	10	<0.5	4	20.1	<0.5	<1	<1	1	0.14
B0029661		2.66	0.143	2.4	1.67	51	<10	150	0.5	<2	3.88	7.9	19	1	93	5.11
B0029662		3.15	0.046	1.0	2.20	21	<10	150	0.5	<2	4.17	<0.5	17	6	37	5.55
B0029663		5.90	0.149	3.9	1.20	88	<10	140	<0.5	<2	2.82	6.4	13	2	41	4.27
B0029664		3.38	0.383	1.9	1.66	45	<10	160	<0.5	<2	4.33	9.6	11	3	62	4.29
B0029665		3.80	0.064	0.9	2.30	39	<10	200	<0.5	<2	1.54	2.3	15	3	30	5.62
B0029666		2.73	0.011	1.2	2.26	35	<10	260	0.5	<2	1.15	1.0	18	1	88	6.01
B0029667		2.27	0.022	1.3	1.80	54	<10	140	<0.5	<2	2.98	<0.5	19	2	67	5.47
B0029668		1.91	0.072	1.6	1.48	68	<10	100	<0.5	<2	2.16	0.6	22	2	60	5.74
B0029669		2.40	0.082	1.0	1.45	95	<10	140	<0.5	<2	4.99	0.5	12	3	32	4.01
B0029670		0.12	0.679	9.2	1.21	787	20	110	<0.5	20	3.12	6.1	44	23	6610	3.62
B0029671		2.50	0.038	1.4	1.13	66	<10	110	<0.5	<2	3.15	3.7	10	3	26	3.90
B0029672		2.49	0.105	1.2	0.74	283	<10	80	<0.5	<2	3.36	2.9	10	1	22	4.20
B0029673		2.65	0.142	1.6	0.78	804	<10	90	<0.5	2	3.35	0.7	11	1	30	3.96
B0029674		1.92	0.367	4.6	0.81	376	<10	110	<0.5	<2	0.65	3.7	13	1	85	4.42
B0029675		1.58	0.240	3.0	1.32	185	<10	60	0.6	<2	2.11	1.1	20	1	71	6.03
B0029676		2.40	0.076	1.3	1.28	127	<10	120	<0.5	2	3.08	1.8	14	2	38	5.07
B0029677		3.73	0.056	1.0	1.46	370	<10	140	<0.5	<2	6.66	1.0	11	3	30	4.12
B0029678		3.64	0.075	1.3	1.69	103	<10	130	<0.5	<2	4.87	0.8	14	4	22	4.69
B0029679		4.44	0.027	0.5	2.45	42	<10	150	<0.5	<2	4.29	<0.5	15	4	9	5.39
B0029680		0.92	<0.005	<0.2	0.03	<2	<10	10	<0.5	2	20.5	<0.5	<1	<1	1	0.14
B0029681		3.13	0.073	0.7	1.22	77	<10	160	<0.5	<2	7.6	1.0	10	2	15	3.45
B0029682		2.61	0.166	1.4	1.50	111	<10	140	<0.5	<2	4.24	0.8	11	3	22	4.14
B0029683		4.66	0.051	0.5	2.40	25	<10	140	<0.5	<2	4.14	0.6	14	3	23	5.08
B0029684		4.87	0.022	0.6	2.49	29	<10	110	<0.5	2	4.41	0.7	15	6	23	5.47
B0029685		4.26	0.344	1.5	1.65	81	<10	150	0.5	<2	4.03	2.1	12	3	24	4.70
B0029686		4.68	0.031	0.7	2.21	38	<10	140	<0.5	<2	3.11	0.5	13	3	2	4.89
B0029687		3.73	0.246	1.8	1.70	172	<10	140	<0.5	<2	3.59	0.7	14	3	25	4.87
B0029688		4.74	0.086	1.2	1.88	98	<10	140	<0.5	<2	3.29	0.6	13	2	10	5.08
B0029689		6.18	0.052	0.8	1.91	53	<10	170	0.6	<2	3.21	1.3	13	2	21	4.93
B0029690		0.13	1.155	89.4	1.57	31	10	180	<0.5	<2	3.22	8.6	17	17	958	3.55
B0029691		2.60	0.313	1.0	2.21	65	<10	160	<0.5	2	5.18	<0.5	15	6	28	5.39
B0029692		3.36	0.012	0.8	2.49	24	<10	160	<0.5	2	4.05	13.6	16	6	35	5.18
B0029693		3.50	0.009	0.5	2.66	20	<10	160	<0.5	<2	4.15	<0.5	16	12	23	5.49
B0029694		4.94	0.015	0.5	2.71	24	<10	120	<0.5	<2	3.72	<0.5	17	13	25	5.63
B0029695		4.27	0.192	0.9	2.62	50	<10	130	<0.5	<2	3.27	0.5	16	9	32	5.76
B0029696		4.27	0.170	1.0	2.46	73	<10	100	<0.5	<2	4.36	0.9	16	8	20	5.46
B0029697		4.86	0.039	0.8	2.42	67	<10	140	<0.5	<2	4.78	0.6	16	7	23	5.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029658		10	1	0.25	10	0.57	1490	2	0.02	7	1010	24	1.69	6	4	45
B0029659		<10	<1	0.27	10	0.53	1290	2	0.02	6	1160	45	1.61	2	4	18
B0029660		<10	2	0.01	<10	12.10	125	<1	0.02	<1	10	2	<0.01	3	<1	48
B0029661		<10	1	0.30	<10	0.50	1800	7	0.02	6	1510	301	1.90	4	3	83
B0029662		10	1	0.30	10	0.94	1800	3	0.03	4	1380	11	1.24	3	5	102
B0029663		<10	1	0.33	10	0.45	2110	3	0.03	4	1020	811	2.09	3	3	112
B0029664		10	1	0.27	10	0.90	1840	1	0.04	3	1110	563	1.37	5	4	108
B0029665		10	1	0.27	10	1.17	1875	1	0.03	4	1380	18	0.61	2	4	50
B0029666		10	<1	0.26	10	0.55	1785	2	0.03	8	1410	7	0.39	<2	5	31
B0029667		<10	<1	0.25	10	0.44	1835	5	0.03	8	1170	9	1.44	2	4	84
B0029668		<10	1	0.28	10	0.38	1235	2	0.03	7	1420	15	2.91	3	3	58
B0029669		<10	1	0.27	10	0.62	1985	1	0.03	4	1020	18	1.60	3	2	136
B0029670		10	1	0.15	10	0.43	626	298	0.14	23	640	72	1.21	15	2	132
B0029671		<10	<1	0.27	10	0.46	1635	2	0.03	4	1050	639	2.16	2	2	93
B0029672		<10	1	0.30	10	0.23	1295	1	0.03	3	1160	174	3.64	4	2	90
B0029673		<10	1	0.30	10	0.25	1255	2	0.03	3	1100	32	3.22	7	2	88
B0029674		<10	<1	0.31	10	0.18	608	2	0.02	3	1570	90	2.35	4	3	20
B0029675		<10	1	0.28	10	0.42	1555	2	0.02	6	1500	26	3.22	5	4	62
B0029676		<10	<1	0.27	10	0.49	1275	2	0.03	3	1190	36	2.55	3	3	89
B0029677		10	1	0.24	10	0.70	2030	<1	0.03	2	1050	51	1.66	4	3	123
B0029678		10	1	0.24	10	0.90	2260	<1	0.03	4	1160	36	1.76	<2	3	119
B0029679		10	1	0.27	10	1.36	2190	<1	0.03	3	1310	13	0.80	3	4	121
B0029680		<10	2	0.01	<10	12.35	131	<1	0.02	<1	40	2	<0.01	3	<1	48
B0029681		10	2	0.25	10	0.57	2400	<1	0.03	1	870	32	1.21	4	2	145
B0029682		<10	<1	0.25	10	0.74	1660	1	0.03	3	990	48	1.59	2	3	107
B0029683		10	1	0.24	10	1.35	1730	<1	0.03	3	1260	15	0.46	2	4	119
B0029684		10	1	0.21	10	1.51	2100	<1	0.03	2	1300	38	0.75	2	5	126
B0029685		10	<1	0.26	10	0.90	2350	1	0.03	2	1270	53	1.59	2	3	159
B0029686		10	1	0.23	10	1.30	1455	<1	0.03	3	1280	9	0.46	<2	4	107
B0029687		10	1	0.27	10	0.98	1740	<1	0.03	2	1230	29	1.92	3	3	121
B0029688		10	1	0.28	10	1.13	1660	<1	0.03	3	1360	48	1.12	<2	4	99
B0029689		10	1	0.27	10	1.03	1710	1	0.03	5	1360	15	0.74	<2	4	93
B0029690		10	1	0.14	<10	1.41	914	13	0.12	12	1000	4570	1.03	57	5	149
B0029691		10	1	0.29	10	1.31	2320	1	0.03	3	1260	18	1.37	<2	5	151
B0029692		10	1	0.27	10	1.58	2130	1	0.03	4	1330	32	0.49	<2	5	134
B0029693		10	1	0.18	10	1.92	1575	1	0.05	3	1230	12	0.43	2	7	148
B0029694		10	<1	0.16	10	2.02	1360	1	0.02	3	1300	12	0.52	<2	7	125
B0029695		10	<1	0.21	10	1.78	1905	1	0.02	3	1460	27	0.74	<2	7	128
B0029696		10	<1	0.19	10	1.74	2240	1	0.02	2	1330	36	0.79	2	6	161
B0029697		10	<1	0.24	10	1.54	2490	1	0.01	2	1330	33	0.85	<2	6	135

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029658		<20	<0.01	<10	<10	37	<10	164			
B0029659		<20	<0.01	<10	<10	38	<10	131			
B0029660		<20	<0.01	<10	<10	<1	<10	3			
B0029661		<20	<0.01	<10	<10	34	<10	1005			
B0029662		<20	<0.01	<10	<10	39	<10	93			
B0029663		<20	<0.01	<10	<10	21	<10	777			
B0029664		<20	<0.01	<10	<10	31	<10	1225			
B0029665		<20	0.01	<10	<10	40	<10	443			
B0029666		<20	<0.01	<10	<10	58	<10	318			
B0029667		<20	<0.01	<10	<10	41	<10	104			
B0029668		<20	<0.01	<10	<10	35	<10	123			
B0029669		<20	<0.01	<10	<10	24	<10	79			
B0029670		<20	0.08	<10	<10	43	10	1020			
B0029671		<20	<0.01	<10	<10	18	<10	439			
B0029672		<20	<0.01	<10	<10	13	<10	411			
B0029673		<20	<0.01	<10	<10	14	<10	112			
B0029674		<20	<0.01	<10	<10	20	<10	477			
B0029675		<20	<0.01	<10	<10	27	<10	207			
B0029676		<20	<0.01	<10	<10	25	<10	195			
B0029677		<20	<0.01	<10	<10	27	<10	147			
B0029678		<20	<0.01	<10	<10	30	<10	138			
B0029679		<20	0.01	<10	<10	42	<10	113			
B0029680		<20	<0.01	<10	<10	<1	<10	3			
B0029681		<20	<0.01	<10	<10	18	<10	161			
B0029682		<20	0.01	<10	<10	25	<10	139			
B0029683		<20	0.01	<10	<10	49	<10	139			
B0029684		<20	0.01	<10	<10	61	<10	165			
B0029685		<20	<0.01	<10	<10	30	<10	272			
B0029686		<20	0.01	<10	<10	41	<10	135			
B0029687		<20	0.01	<10	<10	32	<10	136			
B0029688		<20	<0.01	<10	<10	35	<10	126			
B0029689		<20	<0.01	<10	<10	31	<10	152			
B0029690		<20	0.06	<10	<10	90	<10	1120			
B0029691		<20	0.01	<10	<10	45	<10	117			
B0029692		<20	0.01	<10	<10	58	<10	1670			
B0029693		<20	0.03	<10	<10	92	<10	95			
B0029694		<20	0.01	<10	<10	90	<10	106			
B0029695		<20	0.06	<10	<10	87	<10	158			
B0029696		<20	0.02	<10	<10	77	<10	194			
B0029697		<20	0.03	<10	<10	68	<10	130			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029698		4.32	0.132	1.0	2.22	98	<10	110	<0.5	<2	3.40	1.0	16	8	18	5.55
B0029699		4.75	0.229	1.1	2.23	127	<10	110	<0.5	<2	3.73	0.6	16	7	27	5.39
B0029700		1.11	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.3	<0.5	<1	<1	<1	0.12
B0029701		4.85	0.228	1.2	2.23	126	<10	130	<0.5	<2	5.37	1.1	15	6	41	5.24
B0029702		4.79	0.108	0.9	2.31	164	<10	130	<0.5	<2	3.85	0.9	16	8	33	5.39
B0029703		4.78	0.146	1.3	2.10	132	<10	170	<0.5	<2	3.83	2.5	17	6	25	5.49
B0029704		4.82	0.055	0.9	2.37	89	<10	110	<0.5	<2	3.56	1.9	16	8	20	5.55
B0029705		4.45	0.039	0.7	2.27	66	<10	170	<0.5	<2	3.99	1.1	15	6	27	5.51
B0029706		4.33	0.046	1.0	1.69	51	<10	140	<0.5	<2	4.50	1.4	15	4	19	5.23
B0029707		2.50	0.769	2.8	1.90	53	<10	220	<0.5	<2	6.38	0.7	14	4	14	4.73
B0029708		2.41	0.879	2.6	0.38	331	<10	80	<0.5	<2	5.23	0.9	11	2	12	4.16
B0029709		4.89	0.212	1.9	2.59	61	<10	140	<0.5	<2	2.40	18.9	15	9	32	5.73
B0029710		0.13	8.23	>100	1.46	623	10	30	<0.5	4	3.60	128.5	17	42	2080	4.94
B0029711		3.84	0.136	1.4	1.99	106	<10	140	<0.5	<2	2.09	11.8	16	7	31	5.26
B0029712		0.99	0.222	1.5	1.87	106	<10	100	<0.5	<2	2.48	2.8	17	6	20	5.27
B0029713		1.16	0.314	1.7	1.88	133	<10	120	<0.5	<2	2.80	5.9	17	6	22	5.42
B0029714		4.28	0.257	2.4	2.42	74	<10	150	<0.5	<2	1.34	23.8	15	8	30	5.91
B0029715		4.39	0.070	1.3	2.45	67	<10	120	<0.5	<2	2.87	8.2	14	10	24	5.65
B0029716		4.48	0.161	1.6	1.99	150	<10	100	<0.5	<2	4.85	2.2	15	6	29	5.64
B0029717		6.30	0.184	1.3	2.48	150	<10	120	<0.5	<2	2.61	2.5	15	5	25	6.38
B0029718		1.89	0.105	0.7	2.93	181	<10	130	<0.5	<2	4.36	1.0	19	4	27	7.41
B0029719		2.41	0.185	0.9	2.33	212	<10	100	<0.5	<2	4.42	0.7	16	4	26	6.10
B0029720		0.97	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.5	<0.5	<1	<1	<1	0.14
B0029721		3.78	0.369	2.4	1.23	267	<10	100	<0.5	<2	3.50	1.4	12	5	21	5.00
B0029722		2.68	0.374	1.7	1.40	267	<10	90	<0.5	<2	4.31	1.1	14	3	16	5.56
B0029723		2.21	0.416	2.5	1.18	288	<10	80	<0.5	<2	3.27	1.0	15	3	21	5.76
B0029724		2.24	0.102	1.3	1.87	165	<10	120	<0.5	<2	2.76	0.5	16	4	29	5.49
B0029725		2.34	0.089	1.4	2.24	95	<10	130	<0.5	<2	4.27	0.6	15	4	24	5.74
B0029726		2.38	0.380	2.0	1.53	291	<10	100	<0.5	<2	3.72	0.5	15	3	20	5.48
B0029727		2.03	0.681	1.8	1.62	313	<10	110	<0.5	<2	3.69	0.8	14	4	12	5.56
B0029728		2.16	0.484	2.5	1.05	346	<10	90	<0.5	<2	3.55	2.2	13	4	15	5.44
B0029729		2.15	0.405	2.4	1.17	324	<10	80	<0.5	<2	2.06	1.0	15	4	20	5.51
B0029730		0.13	0.688	9.3	1.16	772	20	100	<0.5	19	2.95	5.7	43	22	6390	3.41
B0029731		2.39	0.693	2.9	0.58	348	<10	80	<0.5	<2	4.22	1.5	12	3	30	4.41
B0029732		2.66	0.938	3.2	0.53	389	<10	80	<0.5	<2	3.52	5.8	11	4	13	4.88
B0029733		2.16	0.530	2.7	0.80	331	<10	120	<0.5	<2	4.88	2.7	12	3	31	4.20
B0029734		2.01	0.659	3.5	0.24	220	<10	90	<0.5	<2	2.95	22.2	7	5	18	2.68
B0029735		2.09	0.742	3.2	0.42	305	<10	50	<0.5	<2	2.03	6.7	12	5	21	4.99
B0029736		2.82	2.83	7.1	0.61	241	<10	80	<0.5	<2	1.39	4.2	9	6	24	4.14
B0029737		2.70	1.215	3.9	0.30	358	<10	70	<0.5	<2	1.07	<0.5	11	5	15	4.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029698		10	<1	0.18	10	1.54	1735	2	0.01	3	1360	35	1.37	<2	6	95
B0029699		10	<1	0.21	10	1.51	2040	1	0.01	3	1340	27	1.26	<2	6	122
B0029700		<10	<1	0.01	<10	12.15	120	<1	<0.01	<1	20	<2	<0.01	<2	<1	51
B0029701		10	<1	0.21	10	1.52	2640	1	0.01	2	1290	53	1.29	4	5	126
B0029702		10	<1	0.21	10	1.57	2630	1	0.01	3	1400	71	1.05	2	6	103
B0029703		10	<1	0.26	10	1.45	2460	1	0.01	3	1420	57	1.22	<2	7	191
B0029704		10	<1	0.20	10	1.59	3050	1	0.01	3	1360	130	1.00	<2	6	104
B0029705		10	<1	0.26	10	1.58	2790	1	0.01	2	1410	34	0.88	2	7	138
B0029706		<10	<1	0.25	10	1.42	2590	1	0.01	2	1340	86	1.03	<2	6	223
B0029707		10	<1	0.24	10	1.12	2750	1	0.01	1	1210	23	1.15	2	4	144
B0029708		<10	<1	0.16	10	0.17	1510	2	<0.01	1	990	60	4.09	4	2	178
B0029709		10	<1	0.22	10	1.78	2820	1	0.01	4	1320	526	1.05	<2	6	92
B0029710		10	14	0.19	10	1.38	737	56	0.06	214	620	>10000	4.10	739	3	48
B0029711		10	<1	0.25	10	1.32	2600	1	<0.01	3	1310	164	1.63	<2	5	109
B0029712		10	<1	0.20	10	1.22	2000	1	0.01	3	1340	73	1.58	3	5	116
B0029713		10	<1	0.23	10	1.20	1990	1	0.01	3	1360	96	1.80	<2	5	109
B0029714		10	<1	0.15	10	1.72	2420	1	0.02	4	1390	367	1.07	<2	8	87
B0029715		10	<1	0.09	10	1.74	3140	1	0.03	3	1320	217	0.98	<2	10	87
B0029716		10	<1	0.16	10	1.26	3150	1	0.02	2	1340	83	2.02	<2	5	173
B0029717		10	<1	0.20	10	1.65	3560	1	0.01	3	1340	168	1.77	<2	6	116
B0029718		10	<1	0.20	10	1.84	3680	1	<0.01	2	1420	24	1.48	<2	6	155
B0029719		10	<1	0.22	10	1.43	3210	1	0.01	2	1320	27	1.61	<2	5	206
B0029720		<10	<1	0.01	<10	12.05	128	<1	<0.01	<1	20	<2	<0.01	<2	<1	52
B0029721		10	<1	0.16	10	0.77	2350	2	<0.01	2	1040	129	2.94	3	4	260
B0029722		10	<1	0.22	10	0.87	1980	1	<0.01	2	1300	33	3.40	3	3	152
B0029723		<10	<1	0.27	10	0.66	1610	1	<0.01	2	1350	65	4.19	2	3	128
B0029724		10	<1	0.23	10	1.14	1880	1	<0.01	2	1330	27	2.15	2	4	103
B0029725		10	<1	0.26	10	1.44	2200	1	0.01	2	1370	59	1.70	<2	5	119
B0029726		<10	<1	0.21	10	1.00	1755	2	<0.01	2	1340	27	3.06	2	3	134
B0029727		10	<1	0.22	10	1.10	2120	1	<0.01	2	1290	72	3.07	4	4	169
B0029728		<10	1	0.18	10	0.71	1810	1	<0.01	2	1200	88	4.07	6	3	129
B0029729		10	<1	0.22	10	0.76	1715	1	<0.01	2	1290	53	3.93	4	3	94
B0029730		<10	<1	0.14	10	0.41	602	274	0.11	24	610	70	1.15	14	2	126
B0029731		<10	<1	0.20	10	0.29	1570	2	<0.01	2	1060	112	4.00	6	2	183
B0029732		<10	<1	0.19	10	0.22	1960	1	<0.01	2	1040	296	4.50	6	2	162
B0029733		<10	<1	0.23	10	0.40	2470	1	<0.01	3	1170	198	3.27	5	3	265
B0029734		<10	<1	0.12	<10	0.09	1330	1	<0.01	2	630	864	2.63	5	1	74
B0029735		<10	<1	0.18	10	0.15	1130	2	<0.01	3	1110	171	4.72	7	3	79
B0029736		<10	<1	0.17	<10	0.30	1480	2	<0.01	1	720	276	3.34	4	2	62
B0029737		<10	<1	0.20	10	0.13	775	1	<0.01	2	1000	141	4.53	7	2	53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029698		<20	0.04	<10	<10	82	<10	170			
B0029699		<20	0.08	<10	<10	77	<10	135			
B0029700		<20	<0.01	<10	<10	<1	<10	5			
B0029701		<20	0.07	<10	<10	74	<10	191			
B0029702		<20	0.06	<10	<10	70	<10	196			
B0029703		<20	0.01	<10	<10	56	<10	388			
B0029704		<20	0.04	<10	<10	73	<10	333			
B0029705		<20	0.01	<10	<10	59	<10	187			
B0029706		<20	<0.01	<10	<10	44	<10	239			
B0029707		<20	<0.01	<10	<10	46	<10	116			
B0029708		<20	<0.01	<10	<10	12	<10	107			
B0029709		<20	0.01	<10	<10	81	<10	2400			
B0029710		<20	0.05	10	<10	56	20	>10000	328	2.31	2.36
B0029711		<20	<0.01	<10	<10	55	<10	1460			
B0029712		<20	<0.01	<10	<10	50	<10	397			
B0029713		<20	<0.01	<10	<10	51	<10	807			
B0029714		<20	<0.01	<10	<10	100	<10	2900			
B0029715		<20	0.01	<10	<10	141	<10	1140			
B0029716		<20	0.01	<10	<10	77	<10	353			
B0029717		<20	0.01	<10	<10	93	<10	395			
B0029718		<20	0.01	<10	<10	94	<10	198			
B0029719		<20	0.01	<10	<10	76	<10	146			
B0029720		<20	<0.01	<10	<10	1	<10	4			
B0029721		<20	<0.01	<10	<10	62	<10	195			
B0029722		<20	<0.01	<10	<10	44	<10	161			
B0029723		<20	<0.01	<10	<10	40	<10	148			
B0029724		<20	<0.01	<10	<10	48	<10	115			
B0029725		<20	0.01	<10	<10	60	<10	153			
B0029726		<20	<0.01	<10	<10	39	<10	99			
B0029727		<20	<0.01	<10	<10	55	<10	110			
B0029728		<20	<0.01	<10	<10	46	<10	276			
B0029729		<20	<0.01	<10	<10	54	<10	140			
B0029730		<20	0.07	<10	<10	40	10	945			
B0029731		<20	<0.01	<10	<10	30	<10	209			
B0029732		<20	<0.01	<10	<10	25	<10	719			
B0029733		<20	<0.01	<10	<10	41	<10	363			
B0029734		<20	<0.01	<10	<10	16	<10	2620			
B0029735		<20	0.01	<10	<10	48	<10	780			
B0029736		<20	<0.01	<10	<10	30	<10	507			
B0029737		<20	<0.01	<10	<10	16	<10	54			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029738		2.26	1.625	3.4	0.13	272	<10	90	<0.5	<2	2.09	<0.5	9	6	43	3.40
B0029739		2.19	1.095	3.0	0.70	354	<10	70	<0.5	<2	0.66	2.9	13	6	16	5.19
B0029740		1.19	0.006	<0.2	0.02	<2	<10	<10	<0.5	<2	19.2	<0.5	<1	1	<1	0.11
B0029741		1.97	0.139	0.8	2.23	170	<10	110	<0.5	<2	2.98	0.6	17	6	16	5.71
B0029742		2.64	0.087	0.7	2.32	135	<10	100	<0.5	<2	3.95	<0.5	17	6	20	5.70
B0029743		2.37	0.038	0.6	2.46	79	<10	120	<0.5	<2	3.49	<0.5	17	7	20	5.67
B0029744		2.43	0.013	0.4	2.57	46	<10	110	<0.5	<2	4.01	<0.5	17	7	21	5.69
B0029745		2.27	0.011	0.4	2.40	31	<10	140	<0.5	<2	4.34	<0.5	15	6	19	5.42
B0029746		2.57	0.018	0.5	2.27	44	<10	120	<0.5	2	4.09	<0.5	18	6	24	5.91
B0029747		2.67	0.071	0.7	0.68	116	<10	200	<0.5	<2	3.98	0.7	16	2	37	4.99
B0029748		3.72	0.105	0.6	1.89	121	<10	120	<0.5	<2	1.92	0.8	16	6	19	5.71
B0029749		4.85	0.119	0.7	1.88	138	<10	140	<0.5	<2	2.03	0.9	16	5	20	5.78
B0029750		0.13	1.135	93.3	1.61	32	10	170	<0.5	2	3.16	8.4	17	18	968	3.56
B0029751		5.84	0.007	0.4	3.09	47	<10	130	0.5	<2	1.52	<0.5	18	8	29	6.61
B0029752		2.64	0.025	0.8	1.88	124	<10	110	<0.5	<2	1.01	<0.5	18	5	26	6.37
B0029753		2.15	0.127	1.5	1.50	292	<10	100	<0.5	<2	1.18	<0.5	16	5	22	5.73
B0029754		3.48	0.339	3.1	0.49	823	<10	80	<0.5	<2	3.24	0.5	12	4	18	4.90
B0029755		1.48	0.016	0.6	2.44	78	<10	140	<0.5	<2	2.20	<0.5	16	7	16	5.65
B0029756		1.68	0.016	0.5	2.53	72	<10	120	<0.5	<2	2.13	<0.5	17	7	13	5.89
B0029757		3.05	0.006	0.3	2.35	39	<10	150	<0.5	<2	2.86	<0.5	16	7	10	5.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029738		<10	<1	0.14	<10	0.03	965	1	<0.01	1	640	153	3.54	6	1	85
B0029739		<10	<1	0.19	<10	0.44	943	2	<0.01	2	920	164	4.37	5	2	36
B0029740		<10	<1	0.01	<10	12.00	119	<1	<0.01	2	20	<2	0.01	<2	<1	51
B0029741		10	<1	0.21	10	1.63	2240	3	0.01	2	1280	53	1.93	<2	5	119
B0029742		10	<1	0.18	10	1.65	2460	1	0.01	2	1300	28	1.43	<2	6	156
B0029743		10	<1	0.20	10	1.69	1980	1	0.01	3	1270	20	0.91	2	6	150
B0029744		10	<1	0.19	10	1.75	1910	1	0.01	2	1260	6	0.53	<2	6	162
B0029745		10	<1	0.23	10	1.65	1920	3	0.02	3	1240	5	0.46	<2	7	169
B0029746		10	<1	0.22	10	1.74	2140	2	0.01	2	1280	8	0.68	<2	7	158
B0029747		<10	<1	0.31	10	0.92	2080	1	0.01	2	1290	18	1.15	<2	6	200
B0029748		<10	<1	0.20	10	1.29	1250	1	0.01	2	1230	19	1.20	3	5	67
B0029749		10	<1	0.26	10	1.22	1320	1	0.01	2	1280	23	1.21	3	6	71
B0029750		10	<1	0.14	10	1.43	926	13	0.10	11	1010	4470	1.05	61	5	153
B0029751		10	<1	0.26	10	1.91	1090	1	<0.01	3	1420	9	0.92	3	6	42
B0029752		<10	<1	0.22	10	1.06	805	7	<0.01	2	1240	14	3.29	5	3	43
B0029753		<10	<1	0.25	10	0.74	713	1	<0.01	3	1100	14	3.56	12	3	35
B0029754		<10	2	0.16	<10	0.21	1110	2	<0.01	2	660	20	4.57	32	2	103
B0029755		10	<1	0.27	10	1.34	1040	1	0.01	2	1340	8	1.30	4	5	69
B0029756		10	<1	0.23	10	1.47	1020	1	0.01	2	1380	8	1.26	4	5	55
B0029757		10	<1	0.25	10	1.29	1110	1	0.01	3	1340	8	1.19	2	5	70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029738		<20	<0.01	<10	<10	5	<10	45			
B0029739		<20	<0.01	<10	<10	39	<10	379			
B0029740		<20	<0.01	<10	<10	<1	<10	4			
B0029741		<20	0.01	<10	<10	67	<10	161			
B0029742		<20	0.01	<10	<10	65	<10	126			
B0029743		<20	0.01	<10	<10	70	<10	136			
B0029744		<20	0.01	<10	<10	69	<10	100			
B0029745		<20	0.01	<10	<10	66	<10	93			
B0029746		<20	0.01	<10	<10	64	<10	116			
B0029747		<20	<0.01	<10	<10	21	<10	142			
B0029748		<20	<0.01	<10	<10	37	<10	208			
B0029749		<20	<0.01	<10	<10	39	<10	191			
B0029750		<20	0.06	<10	<10	90	<10	1130			
B0029751		<20	<0.01	<10	<10	56	<10	122			
B0029752		<20	<0.01	<10	<10	35	<10	92			
B0029753		<20	<0.01	<10	<10	25	<10	87			
B0029754		<20	<0.01	<10	<10	9	<10	65			
B0029755		<20	<0.01	<10	<10	48	<10	96			
B0029756		<20	<0.01	<10	<10	48	<10	103			
B0029757		<20	0.01	<10	<10	49	<10	102			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224529

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

CERTIFICATE TR20224530

Project: Premier

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 5-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029758		5.04	0.008	0.3	2.36	44	<10	160	0.5	<2	2.64	<0.5	18	9	29	6.15
B0029759		4.73	<0.005	0.3	2.29	15	<10	190	<0.5	<2	4.54	<0.5	17	7	45	5.75
B0029760		1.12	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	19.9	<0.5	<1	1	1	0.13
B0029761		4.39	0.006	0.2	2.24	41	<10	210	<0.5	<2	4.94	<0.5	16	8	18	4.91
B0029762		4.73	<0.005	0.2	2.59	17	<10	190	<0.5	<2	4.08	<0.5	18	8	22	5.48
B0029763		4.32	0.023	0.4	2.61	52	<10	170	<0.5	<2	2.68	<0.5	20	8	14	6.48
B0029764		5.11	0.012	0.3	2.30	41	<10	170	<0.5	<2	2.27	<0.5	18	7	17	6.34
B0029765		4.76	0.021	0.6	2.28	67	<10	130	<0.5	<2	3.24	<0.5	21	20	45	6.57
B0029766		4.98	0.030	0.5	2.56	63	<10	180	<0.5	<2	5.35	<0.5	21	30	31	6.61
B0029767		2.28	0.017	0.4	2.24	45	<10	210	<0.5	<2	3.37	<0.5	21	27	45	6.21
B0029768		3.90	0.023	0.6	2.41	161	<10	190	<0.5	<2	1.40	<0.5	23	23	38	6.29
B0029769		2.39	0.062	1.5	1.56	292	<10	120	<0.5	<2	3.34	<0.5	18	18	15	6.21
B0029770		0.14	8.06	>100	1.51	599	<10	30	<0.5	7	3.53	125.5	18	43	2050	5.03
B0029771		2.41	0.030	1.1	2.08	135	<10	170	<0.5	<2	2.31	2.5	22	26	27	6.34
B0029772		2.57	0.013	0.6	2.35	83	<10	220	<0.5	<2	0.83	<0.5	21	20	33	5.54
B0029773		4.06	0.015	0.7	1.83	134	<10	190	<0.5	<2	2.01	<0.5	23	13	34	4.60
B0029774		3.37	0.013	0.5	2.69	117	<10	230	<0.5	2	2.67	<0.5	22	21	36	6.43
B0029775		2.65	0.027	0.7	2.31	187	<10	160	<0.5	<2	2.74	<0.5	21	18	28	6.34
B0029776		3.22	0.255	1.6	1.33	366	<10	80	<0.5	<2	4.85	<0.5	19	10	30	5.86
B0029777		4.11	0.048	0.9	1.68	230	<10	80	<0.5	<2	1.20	<0.5	23	12	35	5.36
B0029778		2.02	0.210	2.6	0.30	279	<10	70	<0.5	<2	2.14	<0.5	9	7	9	4.17
B0029779		2.30	0.317	4.8	0.36	467	<10	50	<0.5	<2	0.70	0.9	13	4	15	4.35
B0029780		1.24	0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	19.3	<0.5	<1	1	<1	0.13
B0029781		2.24	0.037	1.5	1.76	145	<10	140	<0.5	<2	0.51	0.9	16	5	85	4.66
B0029782		5.06	0.020	0.9	2.36	51	<10	150	0.5	<2	1.96	<0.5	15	8	38	5.75
B0029783		4.83	0.011	0.6	2.46	28	<10	170	0.5	<2	3.16	<0.5	16	8	28	5.58
B0029784		4.50	0.011	0.5	2.49	27	<10	200	0.5	2	2.86	<0.5	16	8	18	5.81
B0029785		1.93	0.034	1.4	2.26	126	<10	140	0.5	<2	1.67	<0.5	17	7	23	6.14
B0029786		5.19	0.015	0.5	2.61	53	<10	210	0.5	2	2.99	<0.5	18	7	35	5.75
B0029787		5.15	<0.005	0.5	2.56	16	<10	200	<0.5	2	4.24	<0.5	17	7	56	5.55
B0029788		2.30	0.017	0.6	2.33	53	<10	170	0.5	2	2.82	<0.5	16	7	45	5.25
B0029789		4.25	0.038	1.3	1.95	120	<10	150	<0.5	<2	6.57	0.5	19	16	35	5.56
B0029790		0.13	0.685	9.4	1.20	794	10	100	<0.5	20	3.11	6.4	45	24	6610	3.64
B0029791		4.46	0.051	0.8	2.34	106	<10	140	<0.5	<2	4.81	<0.5	19	20	36	5.82
B0029792		4.18	0.018	0.8	2.66	82	<10	180	<0.5	<2	4.93	<0.5	21	20	31	6.08
B0029793		2.63	0.309	2.4	2.05	229	<10	90	<0.5	<2	4.40	<0.5	23	16	48	6.35
B0029794		5.04	0.020	1.1	2.23	64	<10	210	<0.5	<2	1.57	<0.5	19	18	32	5.20
B0029795		3.75	0.022	1.0	1.92	61	<10	180	<0.5	<2	1.14	<0.5	20	15	35	4.86
B0029796		4.37	0.057	2.0	1.37	226	<10	90	<0.5	<2	2.90	0.8	19	16	41	4.80
B0029797		4.90	0.096	1.1	2.10	214	<10	120	<0.5	<2	2.93	<0.5	20	24	38	5.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029758		10	1	0.28	10	1.30	1080	1	0.01	5	1410	10	1.73	4	6	77
B0029759		10	<1	0.27	10	1.45	1600	1	0.01	3	1320	7	0.49	2	8	158
B0029760		<10	<1	0.01	<10	12.25	129	<1	<0.01	1	20	<2	0.01	<2	<1	53
B0029761		10	<1	0.21	10	1.19	1730	1	0.01	3	1170	5	0.23	2	6	144
B0029762		10	<1	0.29	10	1.45	1380	<1	0.01	3	1370	5	0.29	2	7	120
B0029763		10	<1	0.26	10	1.47	1150	<1	0.02	4	1470	9	1.20	3	7	83
B0029764		10	<1	0.26	10	1.48	1250	<1	0.02	4	1410	8	1.73	2	6	95
B0029765		10	<1	0.23	10	1.43	1770	<1	0.02	5	1320	11	2.38	3	7	103
B0029766		10	<1	0.27	10	1.56	3290	<1	0.02	5	1260	15	1.45	4	7	237
B0029767		10	<1	0.25	10	1.34	3240	1	0.02	6	1280	13	0.99	2	8	148
B0029768		10	<1	0.32	10	1.33	2460	<1	0.01	6	1280	30	1.63	5	5	62
B0029769		<10	<1	0.24	10	1.10	3160	1	0.01	6	1020	42	3.02	10	3	171
B0029770		10	14	0.19	10	1.36	754	52	0.06	211	600	>10000	4.01	692	3	53
B0029771		10	<1	0.27	10	1.24	2670	1	0.02	6	1260	160	2.25	5	6	100
B0029772		10	<1	0.36	10	1.14	1340	2	<0.01	5	1320	26	1.11	5	5	41
B0029773		<10	<1	0.36	10	0.91	1400	1	0.01	5	1340	14	1.23	9	5	77
B0029774		10	<1	0.34	10	1.32	1610	3	0.01	6	1320	9	1.19	4	6	102
B0029775		<10	<1	0.31	10	1.11	1710	2	0.01	5	1280	10	1.98	5	5	94
B0029776		<10	1	0.28	10	0.59	2210	28	<0.01	5	1070	33	3.88	17	4	165
B0029777		<10	<1	0.33	10	0.78	909	2	<0.01	4	1380	11	2.64	6	4	60
B0029778		<10	1	0.20	<10	0.07	779	4	<0.01	3	490	17	4.08	16	2	108
B0029779		<10	1	0.25	10	0.06	246	1	<0.01	3	890	31	4.38	17	2	31
B0029780		<10	<1	0.01	<10	11.60	117	<1	<0.01	1	10	<2	0.01	<2	<1	52
B0029781		<10	1	0.31	10	0.90	665	1	<0.01	3	1420	30	1.70	5	3	27
B0029782		10	<1	0.31	10	1.28	1250	2	0.01	4	1310	16	1.21	3	5	81
B0029783		10	<1	0.27	10	1.38	1670	<1	0.01	3	1290	7	0.76	<2	6	109
B0029784		10	<1	0.29	10	1.37	1560	1	0.01	4	1320	8	1.04	2	6	94
B0029785		10	<1	0.28	10	1.38	1250	5	0.01	4	1450	12	1.54	5	5	94
B0029786		10	<1	0.31	10	1.42	1480	1	0.01	4	1360	6	0.74	<2	5	108
B0029787		10	<1	0.27	10	1.40	1990	1	0.01	3	1240	5	0.34	<2	6	161
B0029788		<10	<1	0.34	10	1.21	1550	1	0.01	3	1400	10	0.93	2	4	95
B0029789		<10	<1	0.26	10	0.97	2630	2	<0.01	6	1260	15	2.03	4	5	217
B0029790		<10	<1	0.15	10	0.43	609	295	0.11	23	670	75	1.25	12	2	134
B0029791		<10	1	0.24	10	1.32	2380	1	<0.01	4	1260	12	1.59	<2	5	198
B0029792		10	<1	0.27	10	1.48	2630	2	0.01	4	1260	12	0.96	3	6	197
B0029793		<10	<1	0.28	10	1.01	2150	1	<0.01	3	1330	22	2.67	<2	5	161
B0029794		<10	<1	0.32	10	1.02	1415	2	<0.01	4	1320	12	0.89	6	4	57
B0029795		<10	<1	0.30	10	0.81	1185	2	<0.01	5	1300	20	1.18	4	3	34
B0029796		<10	1	0.29	10	0.63	1570	2	<0.01	3	1200	24	2.59	7	3	67
B0029797		10	<1	0.27	10	1.19	1660	1	<0.01	3	1380	10	2.31	2	5	96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029758		<20	0.01	<10	<10	51	<10	102			
B0029759		<20	<0.01	<10	<10	51	<10	95			
B0029760		<20	<0.01	<10	<10	<1	<10	3			
B0029761		<20	0.01	<10	<10	49	<10	84			
B0029762		<20	0.01	<10	<10	58	<10	102			
B0029763		<20	<0.01	<10	<10	55	<10	103			
B0029764		<20	0.01	<10	<10	55	<10	103			
B0029765		<20	0.01	<10	<10	66	<10	100			
B0029766		<20	0.01	<10	<10	73	<10	182			
B0029767		<20	<0.01	<10	<10	68	<10	129			
B0029768		<20	<0.01	<10	<10	61	<10	130			
B0029769		<20	<0.01	<10	<10	46	<10	167			
B0029770		<20	0.05	10	<10	59	20	>10000	328	2.33	2.38
B0029771		<20	<0.01	<10	<10	63	<10	442			
B0029772		<20	<0.01	<10	<10	56	<10	125			
B0029773		<20	<0.01	<10	<10	42	<10	96			
B0029774		<20	0.01	<10	<10	69	<10	104			
B0029775		<20	<0.01	<10	<10	54	<10	100			
B0029776		<20	<0.01	<10	<10	32	<10	74			
B0029777		<20	<0.01	<10	<10	39	<10	98			
B0029778		<20	<0.01	<10	<10	8	<10	54			
B0029779		<20	<0.01	<10	<10	9	<10	133			
B0029780		<20	<0.01	<10	<10	<1	<10	3			
B0029781		<20	<0.01	<10	<10	38	<10	168			
B0029782		<20	<0.01	<10	<10	53	<10	98			
B0029783		<20	<0.01	<10	<10	54	<10	90			
B0029784		<20	<0.01	<10	<10	61	<10	91			
B0029785		<20	<0.01	<10	<10	54	<10	93			
B0029786		<20	<0.01	<10	<10	52	<10	94			
B0029787		<20	0.01	<10	<10	61	<10	87			
B0029788		<20	<0.01	<10	<10	44	<10	94			
B0029789		<20	<0.01	<10	<10	45	<10	100			
B0029790		<20	0.07	<10	<10	43	10	1010			
B0029791		<20	<0.01	<10	<10	56	<10	98			
B0029792		<20	0.01	<10	<10	66	<10	95			
B0029793		<20	<0.01	<10	<10	49	<10	103			
B0029794		<20	<0.01	<10	<10	50	<10	98			
B0029795		<20	<0.01	<10	<10	42	<10	102			
B0029796		<20	<0.01	<10	<10	32	<10	133			
B0029797		<20	<0.01	<10	<10	50	<10	103			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029798		4.43	0.026	1.1	2.23	154	<10	150	<0.5	<2	1.99	<0.5	18	26	35	5.98
B0029799		1.79	0.055	1.5	2.17	211	<10	100	<0.5	<2	1.55	<0.5	21	23	37	5.78
B0029800		1.19	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.6	<0.5	<1	1	<1	0.14
B0029801		1.12	0.177	1.9	1.05	255	<10	100	<0.5	<2	1.82	1.0	14	4	22	4.49
B0029802		1.24	0.179	2.0	1.19	299	<10	80	<0.5	<2	1.01	0.8	15	5	23	4.95
B0029803		2.05	0.093	1.7	1.71	264	<10	60	0.5	<2	1.79	0.5	18	5	24	5.75
B0029804		3.14	0.037	1.5	2.48	108	<10	120	0.5	<2	0.52	<0.5	20	8	14	5.99
B0029805		4.78	0.017	1.1	2.33	71	<10	130	0.5	<2	1.69	<0.5	17	7	12	5.47
B0029806		7.35	0.020	1.0	2.39	54	<10	170	<0.5	<2	1.99	<0.5	18	22	31	5.92
B0029807		4.59	0.044	1.2	2.30	108	<10	160	<0.5	<2	1.81	<0.5	20	26	38	5.92
B0029808		4.85	0.015	0.9	2.18	80	<10	170	<0.5	<2	0.85	<0.5	21	26	32	5.20
B0029809		4.11	0.022	1.0	2.28	48	<10	200	<0.5	<2	0.63	0.6	20	28	29	5.53
B0029810		0.13	1.120	86.7	1.52	31	10	170	<0.5	<2	3.14	8.5	16	18	903	3.43
B0029811		2.70	0.033	1.8	1.64	47	<10	160	<0.5	<2	2.56	1.7	13	21	53	4.19
B0029812		2.49	0.219	3.2	1.20	319	<10	70	<0.5	<2	1.83	0.6	18	14	37	5.46
B0029813		3.08	0.037	1.3	1.64	83	<10	130	<0.5	<2	1.10	<0.5	15	7	63	5.08
B0029814		1.11	0.176	2.2	1.41	228	<10	40	<0.5	<2	1.08	0.8	15	11	34	5.57
B0029815		0.87	0.199	2.2	1.30	205	<10	50	<0.5	<2	1.33	0.7	15	12	35	5.40
B0029816		2.60	0.164	2.3	0.78	207	<10	90	<0.5	<2	1.43	0.7	15	4	32	4.37
B0029817		4.37	0.041	1.8	1.28	112	<10	80	0.5	<2	2.40	<0.5	15	4	18	4.72
B0029818		3.02	0.047	1.8	1.46	104	<10	100	0.5	<2	2.32	1.8	16	5	26	5.10
B0029819		2.62	0.089	1.9	0.64	97	<10	90	0.5	<2	2.01	3.1	15	3	26	4.57
B0029820		1.37	<0.005	<0.2	0.02	2	<10	<10	<0.5	<2	21.7	<0.5	<1	1	<1	0.13
B0029821		2.91	0.030	0.7	2.05	38	<10	130	<0.5	<2	3.78	1.0	14	8	30	4.79
B0029822		4.00	0.034	0.9	1.96	52	<10	150	<0.5	<2	2.78	<0.5	14	7	20	4.64
B0029823		4.16	0.045	1.8	2.02	42	<10	140	<0.5	<2	3.30	0.5	15	8	22	4.85
B0029824		4.31	0.056	1.4	1.96	46	<10	170	<0.5	<2	3.36	1.8	15	7	24	4.54
B0029825		4.60	1.845	2.7	1.26	156	<10	120	<0.5	<2	3.05	2.1	14	5	25	4.40
B0029826		4.49	0.601	3.5	1.00	337	<10	90	<0.5	<2	1.72	9.9	14	5	27	4.54
B0029827		2.55	0.932	3.0	1.60	214	<10	130	<0.5	<2	2.42	1.6	13	8	35	4.68
B0029828		2.85	0.091	1.3	1.30	99	<10	170	<0.5	<2	6.86	0.9	13	5	20	3.85
B0029829		4.61	0.106	1.8	1.59	82	<10	150	<0.5	<2	6.50	0.6	13	6	17	4.35
B0029830		0.14	7.54	>100	1.50	622	<10	20	<0.5	6	3.62	127.5	17	43	2060	4.98
B0029831		4.84	0.297	2.0	1.89	100	<10	140	<0.5	<2	3.86	2.1	15	7	39	4.73
B0029832		4.76	0.043	2.3	2.29	47	<10	130	<0.5	<2	2.95	8.9	18	9	77	5.46
B0029833		4.28	0.023	1.5	2.35	33	<10	150	<0.5	<2	3.00	8.9	17	9	37	5.13
B0029834		2.31	0.341	1.6	1.89	158	<10	120	<0.5	<2	3.03	4.7	15	8	24	5.20
B0029835		3.21	0.255	1.6	0.96	242	<10	110	<0.5	<2	11.9	3.7	11	5	16	4.12
B0029836		1.70	0.553	3.5	0.66	364	<10	70	<0.5	<2	1.50	18.1	10	7	70	4.42
B0029837		2.27	0.206	3.3	1.85	190	<10	130	<0.5	<2	2.88	8.3	16	8	87	5.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029798		<10	<1	0.31	10	1.21	1530	1	0.01	5	1390	12	1.97	<2	5	59
B0029799		<10	<1	0.27	10	1.21	1215	2	<0.01	4	1360	11	1.89	3	5	48
B0029800		<10	<1	0.01	10	12.25	123	<1	<0.01	1	20	3	<0.01	<2	<1	54
B0029801		<10	<1	0.23	10	0.63	897	2	<0.01	2	1100	19	3.12	7	3	59
B0029802		<10	<1	0.25	10	0.68	626	1	<0.01	3	1170	19	3.36	9	3	41
B0029803		<10	<1	0.24	10	1.07	1025	1	<0.01	3	1410	18	3.05	3	4	88
B0029804		10	<1	0.23	10	1.68	953	<1	0.01	4	1290	11	1.73	2	4	28
B0029805		10	<1	0.23	10	1.56	1125	1	0.01	3	1350	10	1.38	<2	5	63
B0029806		10	<1	0.24	10	1.33	1285	1	0.01	4	1250	14	1.35	5	6	71
B0029807		10	<1	0.28	10	1.11	1440	1	<0.01	4	1250	18	1.40	6	5	54
B0029808		<10	<1	0.32	10	0.98	1105	2	<0.01	6	1330	20	0.94	5	5	29
B0029809		10	1	0.28	10	1.07	1125	3	<0.01	4	1320	40	1.02	<2	5	25
B0029810		<10	<1	0.13	10	1.37	877	12	0.09	10	1010	4440	1.03	55	5	146
B0029811		<10	<1	0.30	10	0.72	1620	3	<0.01	3	1110	292	1.25	4	5	57
B0029812		<10	<1	0.26	10	0.59	1160	37	<0.01	4	1040	60	3.54	10	4	55
B0029813		<10	<1	0.27	10	0.97	1170	3	<0.01	3	1350	20	1.41	<2	5	43
B0029814		<10	<1	0.28	10	0.68	1000	4	<0.01	3	1230	79	3.06	5	4	51
B0029815		<10	<1	0.25	10	0.76	1290	4	<0.01	3	1190	77	2.82	4	4	55
B0029816		<10	1	0.27	10	0.46	1075	16	<0.01	3	1110	65	2.92	5	3	52
B0029817		<10	<1	0.28	10	0.80	1400	1	<0.01	3	1310	35	2.82	7	3	89
B0029818		<10	<1	0.30	10	0.80	1350	1	<0.01	2	1320	130	2.90	7	3	72
B0029819		<10	<1	0.27	10	0.54	1050	5	<0.01	3	1280	254	3.12	5	3	99
B0029820		<10	<1	0.01	10	12.95	122	<1	<0.01	<1	10	<2	<0.01	<2	<1	52
B0029821		10	<1	0.22	10	1.28	1515	2	0.01	4	1230	24	0.90	<2	4	105
B0029822		10	<1	0.22	10	1.25	1075	2	0.01	4	1190	8	1.18	<2	4	86
B0029823		10	1	0.24	10	1.25	1200	3	0.01	5	1270	10	1.28	4	4	111
B0029824		10	1	0.28	10	1.12	1940	2	<0.01	4	1280	83	1.14	<2	3	119
B0029825		<10	<1	0.24	10	0.68	1465	2	<0.01	5	1120	59	2.43	3	3	89
B0029826		<10	<1	0.27	10	0.50	1040	1	<0.01	5	1140	94	3.39	5	2	51
B0029827		<10	<1	0.24	10	0.93	1560	1	<0.01	5	1200	80	1.95	3	3	91
B0029828		<10	<1	0.24	10	0.70	2200	1	<0.01	4	1030	31	1.70	2	3	142
B0029829		<10	<1	0.24	10	0.91	2620	1	0.01	3	1040	24	1.57	2	3	205
B0029830		10	14	0.19	10	1.40	751	53	0.06	216	610	>10000	4.00	695	3	45
B0029831		<10	<1	0.25	10	1.15	2210	2	0.01	5	1220	106	1.39	3	3	141
B0029832		10	<1	0.24	10	1.44	2390	2	0.01	5	1220	379	1.25	<2	4	103
B0029833		10	<1	0.26	10	1.49	2170	1	0.01	5	1260	32	0.71	<2	4	129
B0029834		<10	<1	0.23	10	1.21	2520	2	<0.01	5	1200	74	1.90	<2	3	119
B0029835		<10	<1	0.18	10	0.62	5800	1	<0.01	3	800	73	2.57	3	2	745
B0029836		<10	<1	0.20	10	0.36	1385	2	<0.01	4	810	796	3.71	4	2	65
B0029837		<10	<1	0.25	10	1.15	2420	2	<0.01	6	1270	278	2.09	3	3	168

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029798		<20	<0.01	<10	<10	56	<10	100			
B0029799		<20	<0.01	<10	<10	50	<10	110			
B0029800		<20	<0.01	<10	<10	1	<10	4			
B0029801		<20	<0.01	<10	<10	20	<10	126			
B0029802		<20	<0.01	<10	<10	24	<10	107			
B0029803		<20	<0.01	<10	<10	33	<10	105			
B0029804		<20	<0.01	<10	<10	53	<10	106			
B0029805		<20	<0.01	<10	<10	49	<10	94			
B0029806		<20	<0.01	<10	<10	66	<10	94			
B0029807		<20	<0.01	<10	<10	54	<10	94			
B0029808		<20	<0.01	<10	<10	55	<10	91			
B0029809		<20	<0.01	<10	<10	61	<10	148			
B0029810		<20	0.06	<10	<10	88	<10	1075			
B0029811		<20	<0.01	<10	<10	40	<10	243			
B0029812		<20	<0.01	<10	<10	30	<10	111			
B0029813		<20	<0.01	<10	<10	36	<10	96			
B0029814		<20	<0.01	<10	<10	33	<10	128			
B0029815		<20	<0.01	<10	<10	33	<10	147			
B0029816		<20	<0.01	<10	<10	17	<10	126			
B0029817		<20	<0.01	<10	<10	24	<10	98			
B0029818		<20	<0.01	<10	<10	27	<10	235			
B0029819		<20	<0.01	<10	<10	14	<10	353			
B0029820		<20	<0.01	<10	<10	<1	<10	3			
B0029821		<20	<0.01	<10	<10	47	<10	184			
B0029822		<20	<0.01	<10	<10	44	<10	101			
B0029823		<20	<0.01	<10	<10	47	<10	97			
B0029824		<20	<0.01	<10	<10	41	<10	263			
B0029825		<20	<0.01	<10	<10	26	<10	291			
B0029826		<20	<0.01	<10	<10	22	<10	1195			
B0029827		<20	<0.01	<10	<10	36	<10	274			
B0029828		<20	<0.01	<10	<10	27	<10	153			
B0029829		<20	<0.01	<10	<10	35	<10	126			
B0029830		<20	0.05	10	<10	57	20	>10000	329	2.36	2.46
B0029831		<20	<0.01	<10	<10	44	<10	326			
B0029832		<20	<0.01	<10	<10	56	<10	1165			
B0029833		<20	0.01	<10	<10	58	<10	1225			
B0029834		<20	<0.01	<10	<10	53	<10	675			
B0029835		<20	<0.01	<10	<10	24	<10	534			
B0029836		<20	<0.01	<10	<10	26	<10	2180			
B0029837		<20	<0.01	<10	<10	45	<10	1105			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029838		2.32	0.134	1.2	2.46	40	<10	140	<0.5	<2	2.88	7.4	16	11	56	5.33
B0029839		4.20	0.696	0.9	2.22	74	<10	140	<0.5	<2	4.25	3.5	15	10	39	5.26
B0029840		1.42	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	19.7	<0.5	<1	1	1	0.14
B0029841		3.28	0.297	0.7	2.33	49	<10	130	<0.5	<2	3.02	<0.5	17	9	24	5.38
B0029842		2.40	0.098	0.9	2.09	89	<10	120	<0.5	<2	2.24	1.8	15	10	25	5.55
B0029843		2.19	0.665	2.9	0.53	424	<10	70	<0.5	<2	1.65	3.5	14	4	40	4.51
B0029844		4.80	0.082	1.1	2.24	71	<10	210	<0.5	<2	3.28	2.6	15	9	32	5.16
B0029845		4.63	0.229	1.8	1.88	218	<10	140	<0.5	<2	2.97	1.0	17	7	29	5.26
B0029846		4.57	0.058	1.2	2.30	244	<10	160	<0.5	<2	3.20	0.7	16	8	33	5.25
B0029847		5.30	0.285	4.0	2.11	246	<10	140	<0.5	<2	3.23	1.3	16	8	32	5.48
B0029848		4.24	0.193	2.0	1.91	266	<10	120	<0.5	<2	2.95	<0.5	17	8	29	5.30
B0029849		5.40	0.228	2.0	1.79	271	<10	120	<0.5	<2	3.47	1.5	18	7	21	5.39
B0029850		0.12	0.696	9.3	1.23	800	20	100	<0.5	21	3.17	5.9	45	23	6610	3.63
B0029851		5.12	0.034	2.0	2.15	57	<10	140	0.5	<2	3.61	1.3	18	8	70	5.14
B0029852		3.83	0.014	1.5	2.15	194	<10	190	0.5	<2	3.93	<0.5	18	8	39	5.00
B0029853		2.06	0.044	1.8	1.58	73	<10	130	0.5	<2	2.95	0.9	17	6	92	4.77
B0029854		3.05	0.763	1.9	0.71	201	<10	20	<0.5	<2	3.21	3.9	20	3	57	5.88
B0029855		2.20	1.020	2.4	0.19	260	<10	70	<0.5	<2	1.99	3.7	8	6	15	3.29
B0029856		2.40	0.051	1.6	1.30	108	<10	110	<0.5	<2	3.28	9.7	16	4	50	5.67
B0029857		3.68	0.100	1.3	1.86	116	<10	120	<0.5	<2	4.57	0.9	15	5	29	5.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029838		10	<1	0.25	10	1.65	2540	1	0.01	6	1290	275	0.79	<2	5	128
B0029839		10	<1	0.23	10	1.44	2490	1	0.01	5	1240	78	1.17	<2	5	148
B0029840		<10	<1	0.01	<10	12.30	133	<1	<0.01	<1	20	<2	<0.01	<2	<1	51
B0029841		10	<1	0.24	10	1.53	2170	2	0.02	5	1300	35	0.99	2	5	117
B0029842		10	<1	0.21	10	1.43	2370	3	0.02	6	1270	73	1.89	2	4	82
B0029843		<10	<1	0.25	10	0.20	948	1	<0.01	5	1060	129	4.24	5	2	58
B0029844		10	<1	0.28	10	1.43	2240	1	0.01	5	1250	41	1.10	2	4	133
B0029845		<10	<1	0.27	10	1.15	1760	2	0.01	5	1270	60	2.05	4	3	105
B0029846		10	<1	0.30	10	1.39	2050	1	0.01	6	1300	26	1.07	2	4	128
B0029847		<10	<1	0.24	10	1.31	1980	1	0.01	6	1280	53	1.85	3	3	128
B0029848		<10	<1	0.26	10	1.20	1845	1	0.01	5	1260	31	2.19	5	3	111
B0029849		<10	<1	0.27	10	1.12	1710	1	0.01	6	1280	50	2.72	5	3	97
B0029850		<10	<1	0.15	10	0.43	627	291	0.12	23	640	69	1.19	15	2	133
B0029851		<10	<1	0.26	10	1.20	1920	2	0.01	6	1310	67	1.16	3	4	119
B0029852		<10	<1	0.33	10	1.07	1930	1	<0.01	5	1270	15	1.04	<2	4	110
B0029853		<10	<1	0.27	10	0.70	1455	20	<0.01	5	1390	26	2.00	2	3	78
B0029854		<10	<1	0.27	10	0.25	1140	4	<0.01	5	1270	162	5.32	2	2	98
B0029855		<10	<1	0.14	<10	0.03	743	25	<0.01	2	420	105	3.20	3	1	81
B0029856		<10	<1	0.28	10	0.62	1715	5	<0.01	5	1320	140	3.85	2	3	115
B0029857		<10	<1	0.22	10	1.02	2640	1	<0.01	3	1240	47	2.05	<2	3	166

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029838		<20	0.01	<10	<10	68	<10	1070			
B0029839		<20	0.01	<10	<10	65	<10	563			
B0029840		<20	<0.01	<10	<10	1	<10	5			
B0029841		<20	0.01	<10	<10	60	<10	144			
B0029842		<20	0.01	<10	<10	64	<10	351			
B0029843		<20	<0.01	<10	<10	15	<10	425			
B0029844		<20	0.01	<10	<10	54	<10	359			
B0029845		<20	<0.01	<10	<10	41	<10	186			
B0029846		<20	0.01	<10	<10	49	<10	164			
B0029847		<20	0.01	<10	<10	46	<10	234			
B0029848		<20	<0.01	<10	<10	42	<10	111			
B0029849		<20	<0.01	<10	<10	40	<10	246			
B0029850		<20	0.07	<10	<10	43	10	988			
B0029851		<20	<0.01	<10	<10	44	<10	228			
B0029852		<20	<0.01	<10	<10	39	<10	110			
B0029853		<20	<0.01	<10	<10	27	<10	153			
B0029854		<20	<0.01	<10	<10	14	<10	477			
B0029855		<20	<0.01	<10	<10	4	<10	437			
B0029856		<20	<0.01	<10	<10	21	<10	1260			
B0029857		<20	<0.01	<10	<10	32	<10	182			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20224530

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

CERTIFICATE TR20239679

Project: Premier

This report is for 90 Drill Core samples submitted to our lab in Terrace, BC, Canada on 20-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C350536		8.33	0.060		3.8	0.48	78	<10	110	<0.5	<2	0.86	2.3	8	9	25
C350537		6.97	0.146		5.0	0.71	117	<10	80	<0.5	<2	1.08	1.9	9	7	22
C350538		8.83	0.048		2.3	0.99	61	<10	140	0.5	<2	1.56	1.7	9	5	20
C350539		9.16	0.536		3.5	0.89	70	<10	110	<0.5	<2	0.98	2.2	8	6	26
C350540		0.10	8.00		>100	1.50	620	<10	30	<0.5	5	3.58	130.0	17	44	2060
C350541		9.12	0.952		3.9	0.55	103	<10	90	<0.5	<2	1.20	1.4	5	10	15
C350542		11.92	1.705		8.2	0.80	101	<10	130	<0.5	<2	1.54	3.1	8	7	24
C350543		8.07	7.09		11.6	0.63	85	<10	130	<0.5	<2	3.22	9.2	7	3	22
C350544		4.39	0.664		6.1	0.44	88	<10	130	<0.5	<2	2.61	2.9	7	5	19
C350545		3.84	0.483		6.5	0.44	110	<10	120	<0.5	<2	2.20	2.7	7	5	27
C350546		4.46	>10.0	175.0	>100	0.22	1145	<10	10	<0.5	<2	0.78	160.5	7	10	726
C350547		4.44	>10.0	17.30	>100	0.16	215	<10	80	<0.5	<2	16.4	24.4	3	4	51
C350548		7.32	>10.0	15.80	>100	0.37	216	<10	70	<0.5	<2	2.40	19.8	6	6	41
C350549		5.29	9.28		40.3	0.21	114	<10	110	<0.5	<2	7.2	11.8	5	5	20
C350550		0.83	0.009		0.2	0.02	<2	<10	<10	<0.5	<2	19.5	<0.5	<1	1	<1
C350551		7.54	>10.0	37.4	>100	0.22	186	<10	70	<0.5	<2	9.4	54.3	5	4	108
C350552		9.31	0.730		8.3	0.44	186	<10	150	<0.5	<2	4.88	1.0	8	3	97
C350553		9.47	0.125		2.9	0.55	65	<10	160	<0.5	<2	4.03	0.5	8	2	42
C350554		9.42	0.359		2.3	0.42	94	<10	90	0.6	<2	3.67	<0.5	8	2	15
C350555		9.83	0.079		2.1	0.42	58	<10	70	0.7	<2	3.53	1.2	9	2	18
C350556		4.55	0.298		3.4	0.31	198	<10	70	<0.5	<2	6.15	0.5	9	6	10
C350557		9.45	0.362		5.6	0.30	271	<10	50	<0.5	<2	6.38	1.3	9	4	10
C350558		8.25	0.368		4.2	0.22	222	<10	100	<0.5	<2	10.5	1.3	5	3	14
C350559		8.14	0.931		5.9	0.15	160	<10	90	<0.5	<2	17.6	2.9	3	2	18
C350560		0.09	1.205		89.9	1.60	32	10	170	<0.5	2	3.14	8.5	17	18	975
C350561		7.63	0.247		3.1	0.26	113	<10	120	<0.5	2	10.6	1.3	7	3	63
C350562		8.16	0.185		3.4	0.38	131	<10	30	<0.5	<2	7.2	2.0	7	4	52
C350563		3.64	0.518		4.7	0.30	94	<10	130	<0.5	<2	2.13	0.9	7	8	18
C350564		3.91	0.296		3.3	0.35	143	<10	80	<0.5	<2	5.29	1.9	8	4	43
C350565		9.03	0.296		3.2	0.37	131	<10	90	<0.5	<2	5.49	2.0	9	6	39
C350566		8.23	0.331		2.8	0.32	65	<10	90	<0.5	<2	1.60	0.8	7	9	18
C350567		7.50	0.470		5.0	0.27	115	<10	80	<0.5	<2	2.00	3.9	7	9	37
C350568		8.43	0.223		3.5	0.23	92	<10	150	<0.5	<2	4.69	3.2	6	8	21
C350569		8.89	0.431		5.3	0.29	193	<10	100	<0.5	<2	2.87	4.7	6	10	85
C350570		0.98	<0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	19.8	<0.5	<1	1	1
C350571		7.98	0.198		2.6	0.57	109	<10	110	<0.5	<2	2.36	1.4	8	7	45
C350572		9.20	0.572		6.5	0.38	102	<10	80	<0.5	<2	2.09	2.1	9	5	15
C350573		8.92	0.237		6.0	0.45	93	<10	140	<0.5	<2	3.94	1.7	8	5	19
C350574		6.99	0.160		7.2	0.37	112	<10	80	<0.5	<2	3.07	2.0	8	7	35
C350575		8.42	0.128		5.7	0.38	97	<10	90	<0.5	<2	2.11	2.2	8	7	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350536		2.68	<10	<1	0.28	10	0.27	1120	1	<0.01	2	910	141	1.79	4	2
C350537		3.33	<10	1	0.27	10	0.31	1370	1	<0.01	2	960	107	2.43	5	2
C350538		3.04	<10	<1	0.31	10	0.52	2630	1	<0.01	2	980	53	1.45	2	3
C350539		2.81	<10	<1	0.30	10	0.38	1470	1	<0.01	2	940	97	1.48	3	2
C350540		4.85	10	14	0.19	10	1.38	763	53	0.06	212	600	>10000	3.95	703	3
C350541		2.88	<10	1	0.22	10	0.28	1190	1	<0.01	2	650	190	2.13	5	1
C350542		3.23	<10	1	0.30	10	0.35	1460	<1	<0.01	2	1000	204	2.04	13	2
C350543		3.10	<10	1	0.28	10	0.40	2140	<1	<0.01	1	970	602	2.06	6	2
C350544		2.48	<10	<1	0.26	10	0.27	1550	6	<0.01	1	870	207	1.82	6	2
C350545		2.45	<10	1	0.27	10	0.24	1330	7	<0.01	1	850	155	1.87	7	2
C350546		11.45	<10	5	0.15	<10	0.11	669	1	<0.01	2	400	9700	>10.0	157	1
C350547		2.45	<10	1	0.12	10	0.11	8650	<1	<0.01	3	330	2730	2.49	4	1
C350548		3.52	<10	1	0.23	<10	0.16	1820	1	<0.01	2	780	1650	3.31	3	2
C350549		2.75	<10	1	0.19	<10	0.29	3570	<1	<0.01	2	640	825	2.30	2	2
C350550		0.13	<10	<1	0.01	<10	11.95	132	<1	<0.01	2	20	3	<0.01	<2	<1
C350551		3.80	<10	2	0.19	10	0.17	4320	<1	<0.01	2	530	3150	4.03	8	1
C350552		2.82	<10	<1	0.31	10	0.25	2430	1	<0.01	3	990	56	2.15	3	2
C350553		2.57	<10	<1	0.33	10	0.37	2350	<1	<0.01	1	950	27	1.44	2	3
C350554		2.89	<10	<1	0.32	10	0.51	2290	<1	<0.01	2	1010	43	1.76	<2	2
C350555		2.93	<10	<1	0.32	10	0.56	2310	<1	<0.01	2	1030	59	1.80	<2	3
C350556		3.13	<10	<1	0.24	10	0.68	2860	2	0.01	8	1110	46	1.82	2	2
C350557		3.19	<10	<1	0.24	10	0.33	2620	3	<0.01	8	1100	270	2.73	3	2
C350558		2.63	<10	<1	0.19	10	0.19	4160	<1	<0.01	2	710	155	2.36	4	2
C350559		2.88	<10	<1	0.13	10	0.23	8690	<1	<0.01	2	390	478	2.81	3	2
C350560		3.50	10	<1	0.14	10	1.41	926	12	0.09	11	990	4450	1.02	60	5
C350561		2.84	<10	<1	0.22	10	0.55	4590	<1	<0.01	2	720	79	1.88	<2	2
C350562		3.05	<10	<1	0.26	10	0.50	3350	<1	<0.01	3	810	135	2.10	5	3
C350563		3.03	<10	<1	0.25	10	0.56	1720	<1	<0.01	1	840	81	1.72	<2	2
C350564		3.32	<10	<1	0.28	10	0.56	2990	<1	<0.01	2	910	136	2.28	2	3
C350565		3.46	<10	<1	0.28	10	0.56	2800	<1	<0.01	2	890	139	2.34	<2	3
C350566		2.78	<10	<1	0.23	10	0.46	1620	1	<0.01	1	700	55	1.61	<2	2
C350567		2.65	<10	<1	0.23	10	0.39	1540	<1	<0.01	2	730	373	1.95	2	2
C350568		2.61	<10	<1	0.20	<10	0.52	2180	<1	<0.01	1	610	59	1.74	2	1
C350569		2.77	<10	<1	0.21	20	0.33	1150	<1	<0.01	2	650	175	2.05	2	1
C350570		0.13	<10	<1	0.01	<10	12.20	127	<1	<0.01	2	10	<2	<0.01	<2	<1
C350571		3.11	<10	<1	0.26	10	0.72	1770	<1	<0.01	1	880	147	1.58	<2	3
C350572		3.01	<10	<1	0.32	10	0.38	1590	<1	<0.01	1	980	221	2.00	2	2
C350573		3.16	<10	<1	0.30	10	0.34	2380	<1	<0.01	2	940	116	2.26	2	2
C350574		2.73	<10	<1	0.29	10	0.18	1560	<1	<0.01	2	910	124	2.36	3	2
C350575		2.59	<10	<1	0.29	10	0.21	1320	1	<0.01	2	870	152	1.93	2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350536		88	<20	<0.01	<10	<10	12	<10	311			
C350537		88	<20	<0.01	<10	<10	14	<10	282			
C350538		110	<20	<0.01	<10	<10	16	<10	263			
C350539		83	<20	<0.01	<10	<10	16	<10	288			
C350540		49	<20	0.05	10	<10	58	20	>10000	331	2.35	2.41
C350541		103	<20	<0.01	<10	<10	10	<10	199			
C350542		87	<20	<0.01	<10	<10	16	<10	479			
C350543		143	<20	<0.01	<10	<10	12	<10	1350			
C350544		172	<20	<0.01	<10	<10	8	<10	430			
C350545		138	<20	<0.01	<10	<10	8	<10	408			
C350546		69	<20	<0.01	<10	<10	4	<10	>10000	1450		2.52
C350547		713	<20	<0.01	<10	<10	2	<10	3860	317		
C350548		138	<20	<0.01	<10	<10	7	<10	2980	138		
C350549		445	<20	<0.01	<10	<10	4	<10	1845			
C350550		52	<20	<0.01	<10	<10	<1	<10	8			
C350551		437	<20	<0.01	<10	<10	4	10	8240	628		
C350552		283	<20	<0.01	<10	<10	7	<10	191			
C350553		252	<20	<0.01	<10	<10	8	<10	110			
C350554		243	<20	<0.01	<10	<10	7	<10	50			
C350555		261	<20	<0.01	<10	<10	7	<10	190			
C350556		400	<20	<0.01	<10	<10	7	<10	62			
C350557		392	<20	<0.01	<10	<10	5	<10	165			
C350558		545	<20	<0.01	<10	<10	3	<10	195			
C350559		719	<20	<0.01	<10	<10	2	<10	400			
C350560		150	<20	0.06	<10	<10	90	<10	1115			
C350561		530	<20	<0.01	<10	<10	5	<10	201			
C350562		336	<20	<0.01	<10	<10	8	<10	272			
C350563		190	<20	<0.01	<10	<10	6	<10	145			
C350564		314	<20	<0.01	<10	<10	7	<10	239			
C350565		331	<20	<0.01	<10	<10	7	<10	245			
C350566		157	<20	<0.01	<10	<10	7	<10	131			
C350567		174	<20	<0.01	<10	<10	5	<10	527			
C350568		341	<20	<0.01	<10	<10	4	<10	546			
C350569		157	<20	<0.01	<10	<10	6	<10	691			
C350570		53	<20	<0.01	<10	<10	<1	<10	6			
C350571		199	<20	<0.01	<10	<10	12	<10	185			
C350572		122	<20	<0.01	<10	<10	13	<10	351			
C350573		180	<20	<0.01	<10	<10	13	<10	266			
C350574		185	<20	<0.01	<10	<10	8	<10	251			
C350575		137	<20	<0.01	<10	<10	10	<10	315			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350576		7.61	0.396		4.3	0.38	65	<10	160	<0.5	<2	3.68	2.5	6	8	20
C350577		8.13	2.93		11.7	0.48	106	<10	130	<0.5	<2	6.67	10.5	6	6	14
C350578		5.17	0.858		8.1	0.29	104	<10	120	<0.5	<2	5.79	3.5	6	5	12
C350579		8.58	>10.0	20.4	83.3	0.15	435	<10	50	<0.5	<2	1.38	75.3	5	12	499
C350580		0.09	1.210		91.1	1.67	33	10	180	<0.5	2	3.21	8.7	18	19	998
C350581		8.13	>10.0	26.2	>100	0.33	259	<10	20	<0.5	<2	0.91	91.9	6	9	864
C350582		8.19	0.856		28.5	0.42	115	<10	120	<0.5	<2	0.54	2.8	7	6	43
C350583		7.22	1.910		24.6	0.35	122	<10	140	<0.5	<2	0.67	1.9	8	6	23
C350584		6.21	>10.0	29.6	36.4	0.24	185	<10	90	<0.5	<2	0.99	8.8	6	17	36
C350585		9.03	0.240		6.7	0.42	163	<10	80	<0.5	<2	0.80	2.0	9	5	24
C350586		7.60	0.160		8.4	0.27	174	<10	80	<0.5	<2	8.0	2.1	7	4	16
C350587		8.93	0.115		9.4	0.29	113	<10	70	<0.5	<2	3.42	1.3	7	6	14
C350588		8.90	0.142		12.5	0.35	145	<10	70	<0.5	<2	0.67	3.3	9	8	24
C350589		8.50	0.085		9.4	0.52	132	<10	120	<0.5	<2	0.91	3.1	9	6	22
C350590		0.68	<0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	19.8	<0.5	<1	1	<1
C350591		9.01	0.165		7.2	0.57	90	<10	120	<0.5	<2	1.01	1.9	8	6	24
C350592		8.97	0.814		5.6	0.37	86	<10	70	<0.5	<2	1.97	1.9	7	5	22
C350593		6.39	0.244		4.0	0.38	78	<10	110	<0.5	<2	0.62	2.1	6	6	25
C350594		9.09	0.227		4.1	0.56	119	<10	120	<0.5	<2	0.80	2.5	7	9	19
C350595		6.50	0.202		3.1	0.58	98	<10	100	<0.5	<2	0.69	1.3	6	10	15
C350596		8.09	0.178		2.6	0.95	76	<10	130	<0.5	<2	0.79	2.3	8	5	15
C350597		9.41	0.056		1.7	1.14	120	<10	180	<0.5	<2	1.35	1.2	8	4	19
C350598		6.90	0.064		1.3	1.04	68	<10	120	<0.5	<2	1.33	0.5	9	4	18
C350599		9.03	0.339		4.1	0.68	178	<10	110	<0.5	<2	0.72	1.5	7	6	17
C350600		0.10	7.95		>100	1.61	641	<10	20	<0.5	6	3.66	133.0	17	46	2140
C350601		10.38	1.465		70.8	0.45	156	<10	50	<0.5	<2	1.39	3.9	7	6	24
C350602		5.84	1.590		7.7	0.34	120	<10	110	<0.5	<2	2.45	11.5	6	7	27
C350603		5.56	>10.0	18.00	37.5	0.24	400	<10	30	<0.5	<2	1.01	36.1	7	8	74
C350604		9.39	0.321		4.6	0.44	140	<10	110	<0.5	<2	1.66	2.9	7	8	17
C350605		4.24	>10.0	20.4	>100	0.42	283	<10	60	<0.5	<2	1.21	27.8	8	5	78
C350606		4.39	>10.0	11.95	>100	0.42	177	<10	70	<0.5	<2	1.71	19.5	7	3	51
C350607		6.48	2.75		14.8	0.29	412	<10	70	<0.5	<2	3.62	5.9	7	5	33
C350608		9.63	7.49		54.5	0.35	117	<10	30	0.5	<2	5.56	18.0	6	4	38
C350609		9.53	0.820		4.1	0.36	61	<10	150	0.5	<2	5.53	1.1	7	2	15
C350610		0.81	<0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	18.9	<0.5	<1	1	<1
C350611		3.76	1.125		4.2	0.69	48	<10	130	0.5	<2	2.92	2.2	8	3	21
C350612		7.27	5.82		22.9	0.11	182	<10	50	<0.5	<2	15.7	9.3	2	2	27
C350613		8.98	0.278		2.9	0.32	130	<10	50	<0.5	<2	4.32	1.4	7	2	25
C350614		8.79	1.625		11.5	0.16	465	<10	50	<0.5	<2	11.6	2.8	5	2	49
C350615		8.49	0.169		4.4	0.45	128	<10	50	<0.5	<2	3.20	1.6	9	3	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350576		2.33	<10	<1	0.26	<10	0.31	2140	1	<0.01	2	760	137	1.32	2	2
C350577		3.38	<10	1	0.23	<10	0.34	3100	<1	<0.01	1	700	643	2.54	6	3
C350578		3.27	<10	<1	0.22	<10	0.42	2930	<1	<0.01	2	800	206	2.46	2	3
C350579		5.31	<10	2	0.15	<10	0.09	610	1	<0.01	2	340	4380	6.15	10	1
C350580		3.59	10	<1	0.15	10	1.45	933	13	0.10	11	1020	4600	1.04	62	6
C350581		6.19	<10	1	0.23	<10	0.14	697	<1	<0.01	2	560	>10000	7.12	7	1
C350582		2.62	<10	1	0.29	10	0.25	755	1	<0.01	2	870	175	1.42	5	2
C350583		2.65	<10	<1	0.30	10	0.21	740	<1	<0.01	1	900	122	1.75	2	2
C350584		2.75	<10	<1	0.22	<10	0.22	857	1	<0.01	1	590	343	2.28	4	1
C350585		2.91	<10	<1	0.33	10	0.19	719	<1	<0.01	2	1010	126	2.31	3	2
C350586		3.16	<10	3	0.23	<10	0.04	3430	6	<0.01	2	750	101	3.37	30	1
C350587		2.61	<10	1	0.25	10	0.03	1330	<1	<0.01	2	810	135	2.76	7	1
C350588		2.65	<10	1	0.28	10	0.07	394	1	<0.01	2	810	181	2.56	9	1
C350589		2.83	<10	<1	0.31	10	0.28	1040	<1	<0.01	2	890	194	1.87	6	2
C350590		0.11	<10	<1	0.01	<10	12.10	121	<1	<0.01	2	20	<2	<0.01	<2	<1
C350591		2.52	<10	<1	0.29	10	0.27	1340	<1	<0.01	2	840	131	1.70	3	2
C350592		2.60	<10	<1	0.28	10	0.09	1050	1	<0.01	1	830	103	2.59	5	1
C350593		2.28	<10	<1	0.24	10	0.16	838	1	<0.01	2	670	105	1.88	2	1
C350594		2.44	<10	1	0.25	10	0.28	1050	1	<0.01	2	750	128	1.60	5	2
C350595		2.64	<10	<1	0.24	10	0.25	961	<1	<0.01	2	710	102	1.87	3	1
C350596		2.86	<10	<1	0.32	10	0.39	1590	<1	<0.01	2	1030	90	1.53	2	2
C350597		3.08	<10	<1	0.35	10	0.55	2540	<1	<0.01	2	1100	34	1.23	2	3
C350598		2.96	<10	<1	0.35	10	0.44	2220	1	<0.01	2	1030	17	1.38	2	2
C350599		2.71	<10	1	0.29	10	0.26	1030	1	<0.01	2	930	100	1.82	10	2
C350600		5.15	10	14	0.21	10	1.43	784	55	0.07	220	630	>10000	4.12	723	3
C350601		3.95	<10	3	0.24	<10	0.26	1280	1	<0.01	4	830	280	3.44	21	2
C350602		2.25	<10	<1	0.19	<10	0.13	1490	4	<0.01	2	640	514	1.97	8	1
C350603		4.69	<10	1	0.17	<10	0.13	714	6	<0.01	2	530	2510	4.74	15	1
C350604		2.45	<10	<1	0.26	10	0.14	1040	1	<0.01	2	920	154	2.05	4	1
C350605		3.37	<10	1	0.27	10	0.11	855	<1	<0.01	1	920	1950	3.38	5	1
C350606		2.93	<10	1	0.25	10	0.13	1090	<1	<0.01	2	920	1470	2.84	4	2
C350607		3.96	<10	<1	0.19	<10	0.16	1970	1	<0.01	2	530	548	3.72	8	1
C350608		2.91	<10	<1	0.26	10	0.26	2780	1	<0.01	2	780	1310	2.45	4	2
C350609		2.65	<10	<1	0.28	10	0.32	2790	1	<0.01	2	940	140	1.82	2	2
C350610		0.12	<10	<1	0.01	<10	11.45	129	<1	<0.01	2	10	2	<0.01	<2	<1
C350611		2.95	<10	<1	0.30	10	0.34	2400	<1	<0.01	2	970	139	1.75	<2	2
C350612		2.48	<10	<1	0.10	10	0.20	7790	1	<0.01	2	240	772	2.35	3	1
C350613		2.52	<10	<1	0.27	10	0.25	2380	<1	<0.01	2	900	69	1.93	2	2
C350614		3.89	<10	<1	0.15	10	0.13	4780	1	<0.01	2	440	816	3.98	3	1
C350615		4.52	<10	1	0.28	10	0.24	1460	<1	<0.01	2	1050	97	4.23	5	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350576		230	<20	<0.01	<10	<10	10	<10	281			
C350577		672	<20	<0.01	<10	<10	10	<10	1675			
C350578		478	<20	<0.01	<10	<10	7	<10	589			
C350579		120	<20	<0.01	<10	<10	7	10	>10000			1.040
C350580		156	<20	0.07	<10	<10	94	<10	1140			
C350581		65	<20	<0.01	<10	<10	10	<10	>10000	105	1.055	1.225
C350582		55	<20	<0.01	<10	<10	12	<10	350			
C350583		62	<20	<0.01	<10	<10	11	<10	305			
C350584		82	<20	<0.01	<10	<10	7	<10	1375			
C350585		63	<20	<0.01	<10	<10	11	<10	270			
C350586		260	<20	<0.01	10	<10	9	<10	277			
C350587		142	<20	<0.01	10	<10	9	<10	258			
C350588		48	<20	<0.01	<10	<10	10	<10	437			
C350589		75	<20	<0.01	<10	<10	13	<10	335			
C350590		50	<20	<0.01	<10	<10	<1	<10	4			
C350591		72	<20	<0.01	<10	<10	14	<10	314			
C350592		99	<20	<0.01	<10	<10	11	<10	385			
C350593		54	<20	<0.01	<10	<10	11	<10	381			
C350594		69	<20	<0.01	<10	<10	14	<10	319			
C350595		58	<20	<0.01	<10	<10	14	<10	182			
C350596		69	<20	<0.01	<10	<10	18	<10	291			
C350597		119	<20	<0.01	<10	<10	17	<10	228			
C350598		105	<20	<0.01	<10	<10	15	<10	165			
C350599		60	<20	<0.01	<10	<10	12	<10	241			
C350600		49	<20	0.05	10	<10	61	20	>10000	330	2.30	2.37
C350601		101	<20	<0.01	10	<10	8	<10	635			
C350602		107	<20	<0.01	<10	<10	7	<10	1620			
C350603		80	<20	<0.01	<10	<10	5	<10	4880			
C350604		111	<20	<0.01	<10	<10	7	<10	321			
C350605		87	<20	<0.01	<10	<10	8	<10	3720	335		
C350606		112	<20	<0.01	<10	<10	8	<10	2590	128		
C350607		218	<20	<0.01	<10	<10	4	<10	967			
C350608		300	<20	<0.01	<10	<10	6	<10	2710			
C350609		301	<20	<0.01	<10	<10	6	<10	176			
C350610		52	<20	<0.01	<10	<10	<1	<10	5			
C350611		163	<20	<0.01	<10	<10	9	<10	372			
C350612		685	<20	<0.01	<10	<10	3	<10	1390			
C350613		248	<20	<0.01	<10	<10	5	<10	207			
C350614		528	<20	<0.01	<10	<10	3	<10	407			
C350615		171	<20	<0.01	10	<10	9	<10	234			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350616		8.95	0.152		1.7	0.36	104	<10	100	<0.5	<2	11.2	0.6	6	3	28
C350617		6.28	0.185		1.8	0.43	150	<10	100	<0.5	<2	10.2	0.7	6	3	17
C350618		9.17	0.149		2.6	0.65	92	<10	30	<0.5	<2	5.83	1.5	8	3	24
C350619		9.33	0.755		4.8	0.48	96	<10	60	<0.5	<2	4.44	1.8	6	6	45
C350620		0.12	0.710		10.1	1.21	785	20	100	<0.5	21	2.94	5.8	44	23	6580
C350621		9.51	0.274		4.9	0.76	90	<10	50	<0.5	<2	2.18	0.7	8	7	20
C350622		8.40	0.203		3.0	0.74	107	<10	80	<0.5	<2	0.76	1.0	7	7	21
C350623		8.39	0.108		3.2	1.01	85	<10	150	<0.5	<2	1.11	2.0	9	6	24
C350624		6.37	1.565		4.8	0.61	172	<10	60	<0.5	<2	1.24	1.9	6	9	37
C350625		5.73	1.010		10.2	0.20	187	<10	60	<0.5	<2	2.27	2.6	5	9	74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350616		2.08	<10	<1	0.23	10	0.23	3570	<1	<0.01	2	780	28	1.59	2	2
C350617		3.13	<10	<1	0.23	10	0.44	3840	<1	<0.01	3	800	56	2.12	2	2
C350618		2.98	<10	<1	0.27	10	0.57	2720	<1	<0.01	2	990	79	2.02	2	3
C350619		2.42	<10	<1	0.24	10	0.37	1930	<1	<0.01	1	760	133	1.69	2	2
C350620		3.53	<10	<1	0.15	10	0.41	604	281	0.11	22	630	68	1.18	14	2
C350621		2.88	<10	<1	0.26	10	0.57	1380	1	<0.01	1	860	75	1.83	<2	2
C350622		2.73	<10	<1	0.22	<10	0.51	1030	<1	<0.01	1	860	135	1.65	<2	1
C350623		2.76	<10	<1	0.27	10	0.65	1350	<1	<0.01	2	1040	173	1.34	<2	2
C350624		3.41	<10	<1	0.21	<10	0.42	1180	<1	<0.01	2	730	123	2.54	<2	1
C350625		3.20	<10	1	0.17	10	0.22	1140	1	<0.01	1	530	148	2.93	11	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350616		518	<20	<0.01	<10	<10	6	<10	106			
C350617		590	<20	<0.01	<10	<10	7	<10	97			
C350618		380	<20	<0.01	<10	<10	12	<10	193			
C350619		294	<20	<0.01	<10	<10	10	<10	226			
C350620		131	<20	0.07	<10	<10	42	10	991			
C350621		158	<20	<0.01	<10	<10	14	<10	170			
C350622		84	<20	<0.01	<10	<10	14	<10	212			
C350623		95	<20	<0.01	<10	<10	17	<10	320			
C350624		110	<20	<0.01	<10	<10	10	<10	204			
C350625		139	<20	<0.01	<10	<10	5	<10	316			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20239679

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

CERTIFICATE TR20249043

Project: Premier

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350651		3.07	<0.005	0.5	1.35	17	<10	190	<0.5	<2	3.42	<0.5	8	4	15	2.45
C350652		3.96	0.019	1.4	1.29	42	<10	270	<0.5	<2	3.10	1.4	9	4	10	2.74
C350653		4.44	0.042	1.3	0.89	24	<10	590	<0.5	2	4.20	0.6	8	2	54	1.98
C350654		5.04	<0.005	0.3	1.23	<2	<10	1720	0.7	<2	4.50	<0.5	13	6	31	3.76
C350655		4.24	<0.005	0.4	1.06	3	<10	1410	0.7	<2	4.48	<0.5	13	5	30	3.76
C350656		4.59	0.017	0.5	0.59	23	<10	560	<0.5	<2	3.16	<0.5	6	1	12	1.52
C350657		4.16	0.008	0.6	0.56	17	<10	490	<0.5	<2	3.22	0.7	7	1	14	1.79
C350658		3.35	0.091	2.9	0.52	47	<10	80	<0.5	<2	3.58	11.5	8	1	28	3.40
C350659		4.40	0.038	2.9	0.40	49	<10	70	<0.5	<2	3.66	9.0	4	2	20	2.90
C350660		0.08	1.225	88.8	1.54	31	<10	170	<0.5	<2	3.13	8.5	17	17	943	3.42
C350661		3.04	0.094	4.1	1.24	114	<10	50	<0.5	2	3.29	2.9	13	2	42	6.22
C350662		3.53	0.063	3.3	0.95	86	<10	80	<0.5	<2	3.64	3.7	8	1	32	5.82
C350663		4.72	0.048	3.2	0.63	62	<10	120	<0.5	<2	2.23	1.9	7	2	27	4.06
C350664		4.73	0.063	5.5	0.37	39	<10	70	<0.5	<2	2.50	8.4	6	1	33	2.77
C350665		4.79	0.053	3.8	0.38	45	<10	60	<0.5	2	2.89	9.0	6	2	34	3.27
C350666		3.32	0.042	3.8	0.47	59	<10	30	<0.5	<2	2.38	6.1	7	1	44	4.19
C350667		3.15	0.087	7.5	0.83	74	<10	50	<0.5	3	2.17	8.0	6	2	58	5.35
C350668		3.46	0.095	5.0	0.80	76	<10	40	<0.5	<2	1.45	45.4	4	3	92	4.92
C350669		5.06	0.071	3.8	0.58	59	<10	110	<0.5	2	1.07	14.7	5	3	51	3.46
C350670		0.12	0.720	9.4	1.25	800	20	110	<0.5	21	3.26	6.0	47	24	6650	3.67
C350671		4.62	0.131	7.1	0.45	110	<10	70	<0.5	2	1.88	15.7	5	4	77	3.84
C350672		4.60	0.162	8.5	0.44	142	<10	60	<0.5	3	0.73	12.0	6	4	114	4.52
C350673		4.96	0.093	6.3	0.40	111	<10	60	<0.5	4	0.80	14.2	5	3	67	4.14
C350674		4.87	0.064	4.7	0.40	105	<10	80	<0.5	3	0.72	18.1	5	4	45	3.82
C350675		4.37	0.115	5.2	0.46	114	<10	30	<0.5	3	0.52	8.3	5	2	66	4.82
C350676		4.92	0.128	14.7	0.58	193	<10	40	<0.5	6	0.85	40.3	5	4	210	5.44
C350677		4.69	0.101	4.7	0.42	115	<10	60	<0.5	3	0.81	30.3	6	3	85	4.77
C350678		4.56	0.249	19.2	0.47	136	<10	30	<0.5	2	0.87	147.5	4	4	480	5.83
C350679		3.52	0.125	12.3	0.53	108	<10	50	<0.5	2	0.66	23.9	5	3	386	5.10
C350680		0.09	1.280	96.0	1.67	32	10	190	<0.5	3	3.35	8.8	19	19	986	3.68
C350681		3.84	0.059	8.3	0.46	85	<10	100	<0.5	<2	1.00	12.5	4	6	214	3.85
C350682		3.51	0.070	4.3	0.54	85	<10	60	<0.5	3	0.69	21.7	6	3	157	4.01
C350683		4.71	0.066	4.5	0.59	78	<10	80	<0.5	2	1.08	25.6	4	3	213	3.98
C350684		4.71	0.113	14.5	0.59	87	<10	70	<0.5	4	1.28	25.3	5	3	874	4.50
C350685		5.01	0.082	5.2	0.39	78	<10	80	<0.5	3	1.61	22.9	4	2	199	3.74
C350686		4.62	0.098	16.0	0.44	66	<10	20	<0.5	4	1.22	32.7	5	2	355	4.63
C350687		4.75	0.041	3.1	0.43	69	<10	50	<0.5	2	1.41	31.4	5	2	72	3.98
C350688		2.41	0.092	2.1	0.41	89	<10	120	<0.5	3	3.67	12.5	5	4	32	4.40
C350689		2.43	0.058	2.4	0.43	78	<10	10	<0.5	<2	1.43	15.7	7	2	50	4.93
C350690		0.09	1.190	95.8	1.70	31	10	190	<0.5	<2	3.41	8.9	19	19	998	3.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350651		10	1	0.23	10	0.80	1110	<1	0.04	5	830	10	0.19	<2	1	202
C350652		<10	<1	0.25	10	0.82	1070	2	0.02	4	870	146	0.75	<2	2	159
C350653		<10	<1	0.35	10	0.36	1220	7	<0.01	3	890	26	0.48	<2	2	259
C350654		<10	<1	0.31	20	1.23	1120	1	0.01	11	2230	8	0.13	<2	5	312
C350655		<10	<1	0.29	20	1.26	1090	1	0.01	11	2220	10	0.21	<2	5	320
C350656		<10	<1	0.38	10	0.36	1270	3	0.01	2	810	10	0.38	<2	2	176
C350657		<10	1	0.34	10	0.42	1555	1	<0.01	2	830	36	0.43	<2	2	229
C350658		<10	<1	0.31	10	0.67	2140	2	<0.01	1	910	97	1.93	2	2	242
C350659		<10	<1	0.25	10	0.51	2560	2	<0.01	<1	550	23	1.62	<2	1	315
C350660		10	1	0.14	10	1.39	887	12	0.09	10	1030	4510	1.03	63	5	146
C350661		<10	<1	0.33	10	1.02	3310	1	<0.01	2	1450	35	2.69	<2	3	218
C350662		<10	<1	0.29	10	1.02	3600	3	<0.01	1	1070	17	2.24	<2	2	239
C350663		<10	<1	0.31	10	0.65	2240	2	<0.01	1	910	20	1.90	<2	2	135
C350664		<10	<1	0.31	10	0.31	1480	2	<0.01	1	770	403	2.36	<2	1	155
C350665		<10	<1	0.29	10	0.30	1775	2	<0.01	1	720	108	2.89	<2	1	167
C350666		<10	<1	0.27	10	0.55	2060	4	<0.01	1	820	74	2.98	<2	2	139
C350667		<10	<1	0.30	<10	0.80	2860	3	<0.01	1	570	142	2.90	<2	1	167
C350668		<10	<1	0.24	<10	0.47	2040	2	<0.01	1	430	186	3.50	<2	1	100
C350669		<10	<1	0.32	10	0.24	1260	1	<0.01	2	540	213	2.90	2	1	66
C350670		10	<1	0.16	10	0.43	638	291	0.12	23	650	71	1.23	13	2	139
C350671		<10	<1	0.32	<10	0.17	1830	2	<0.01	3	520	482	3.62	5	1	192
C350672		<10	<1	0.33	<10	0.16	770	2	<0.01	1	570	705	4.38	7	1	81
C350673		<10	<1	0.31	<10	0.13	741	2	<0.01	1	510	507	4.12	4	1	70
C350674		<10	<1	0.34	10	0.07	538	2	<0.01	1	600	395	4.00	2	1	45
C350675		<10	1	0.31	<10	0.14	856	3	<0.01	1	500	353	4.68	2	1	34
C350676		<10	<1	0.26	<10	0.27	1385	2	<0.01	1	420	361	4.82	4	1	53
C350677		<10	<1	0.31	<10	0.13	798	2	<0.01	2	530	81	4.79	<2	1	44
C350678		<10	<1	0.26	<10	0.20	1190	2	<0.01	1	400	333	6.43	11	<1	87
C350679		<10	<1	0.27	<10	0.23	936	2	<0.01	1	510	145	4.81	3	1	49
C350680		10	<1	0.15	10	1.48	954	14	0.10	12	1050	4690	1.08	63	6	163
C350681		<10	<1	0.26	10	0.18	1380	1	<0.01	2	460	134	3.38	<2	1	105
C350682		<10	<1	0.31	10	0.19	1185	1	<0.01	2	570	114	3.66	<2	1	52
C350683		<10	1	0.32	10	0.22	1420	2	<0.01	<1	580	171	3.55	2	1	63
C350684		<10	<1	0.25	10	0.35	1960	1	<0.01	1	510	191	3.59	3	1	89
C350685		<10	<1	0.31	10	0.20	1630	1	<0.01	2	570	136	3.44	<2	1	101
C350686		<10	<1	0.28	<10	0.26	1580	2	<0.01	1	520	158	4.14	<2	1	91
C350687		<10	<1	0.32	<10	0.21	1420	4	<0.01	1	650	196	3.82	<2	1	97
C350688		<10	<1	0.21	<10	0.39	3470	4	<0.01	<1	380	94	3.30	<2	1	170
C350689		<10	<1	0.29	<10	0.36	1810	4	<0.01	2	650	138	4.10	<2	1	112
C350690		10	<1	0.16	10	1.52	969	13	0.11	11	1080	4840	1.10	67	6	168

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350651		<20	0.01	<10	<10	13	<10	66			
C350652		<20	<0.01	<10	<10	15	<10	135			
C350653		<20	<0.01	<10	<10	9	<10	61			
C350654		<20	<0.01	<10	<10	21	<10	85			
C350655		<20	<0.01	<10	<10	20	<10	82			
C350656		<20	<0.01	<10	<10	7	<10	35			
C350657		<20	<0.01	<10	<10	6	<10	87			
C350658		<20	<0.01	<10	<10	9	<10	1095			
C350659		<20	<0.01	<10	<10	5	<10	792			
C350660		<20	0.06	<10	<10	88	<10	1100			
C350661		<20	<0.01	<10	<10	19	<10	344			
C350662		<20	<0.01	<10	<10	13	<10	355			
C350663		<20	<0.01	<10	<10	8	<10	185			
C350664		<20	<0.01	<10	<10	4	<10	818			
C350665		<20	<0.01	<10	<10	4	<10	866			
C350666		<20	<0.01	<10	<10	7	<10	598			
C350667		<20	<0.01	<10	<10	8	<10	834			
C350668		<20	<0.01	<10	<10	7	<10	4230			
C350669		<20	<0.01	<10	<10	5	<10	1395			
C350670		<20	0.08	<10	<10	45	10	1010			
C350671		<20	<0.01	<10	<10	4	<10	1505			
C350672		<20	<0.01	<10	<10	4	<10	1105			
C350673		<20	<0.01	<10	<10	3	<10	1325			
C350674		<20	<0.01	<10	<10	4	<10	1700			
C350675		<20	<0.01	<10	<10	4	<10	787			
C350676		<20	<0.01	<10	<10	5	<10	3780			
C350677		<20	<0.01	<10	<10	4	<10	2880			
C350678		<20	<0.01	<10	<10	5	<10	>10000			1.355
C350679		<20	<0.01	<10	<10	6	<10	2260			
C350680		<20	0.07	<10	<10	98	<10	1150			
C350681		<20	<0.01	<10	<10	5	<10	1115			
C350682		<20	<0.01	<10	<10	6	<10	2020			
C350683		<20	<0.01	<10	<10	6	<10	2430			
C350684		<20	<0.01	<10	<10	7	<10	2440			
C350685		<20	<0.01	<10	<10	4	<10	2190			
C350686		<20	<0.01	<10	<10	4	<10	3010			
C350687		<20	<0.01	<10	<10	4	<10	2970			
C350688		<20	<0.01	<10	<10	6	<10	1080			
C350689		<20	<0.01	<10	<10	6	<10	1485			
C350690		<20	0.08	<10	<10	100	<10	1160			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350691		2.70	0.078	7.3	0.46	77	<10	30	<0.5	2	1.46	81.5	5	4	287	4.93
C350692		1.12	0.074	4.6	0.85	86	<10	50	<0.5	<2	1.44	3.0	14	4	96	6.25
C350693		1.37	0.085	5.1	0.85	92	<10	50	<0.5	2	1.47	1.8	13	3	152	6.30
C350694		2.54	0.048	2.5	1.34	71	<10	120	<0.5	3	2.09	<0.5	15	5	52	6.30
C350695		2.44	0.050	2.8	0.68	62	<10	30	<0.5	4	1.87	19.9	11	4	66	5.53
C350696		1.92	0.009	0.5	0.97	6	<10	690	<0.5	2	2.91	3.0	11	2	12	3.40
C350697		3.88	<0.005	<0.2	1.43	3	<10	1670	<0.5	2	4.17	<0.5	9	3	3	3.32
C350698		2.79	0.037	3.1	0.70	55	<10	20	<0.5	3	2.90	12.7	18	3	240	6.66
C350699		5.58	<0.005	0.2	1.65	3	<10	1240	<0.5	<2	3.94	<0.5	11	4	7	3.43
C350700		0.09	8.18	>100	1.57	643	10	30	<0.5	9	3.87	138.0	19	48	2150	5.30
C350701		6.45	0.027	0.7	2.80	32	<10	160	<0.5	<2	5.02	<0.5	15	2	27	5.60
C350702		4.41	0.016	0.7	3.25	41	<10	270	<0.5	3	4.75	<0.5	18	2	20	6.79
C350703		4.68	0.285	4.3	1.28	298	<10	120	<0.5	2	3.58	6.3	11	2	38	4.70
C350704		4.53	0.272	3.5	1.00	343	<10	100	<0.5	<2	2.33	2.6	14	2	24	4.73
C350705		3.23	0.122	3.0	1.45	331	<10	150	<0.5	2	2.18	1.0	14	2	13	4.92
C350706		3.77	0.394	16.8	1.80	1460	<10	130	<0.5	2	3.48	17.3	13	3	25	6.45
C350707		3.48	0.320	12.9	1.60	477	<10	90	<0.5	<2	2.62	20.3	13	2	32	6.76
C350708		4.05	0.173	4.4	1.57	712	<10	190	<0.5	<2	5.70	5.7	9	2	16	4.47
C350709		5.01	0.474	5.1	1.77	1000	<10	200	<0.5	<2	7.1	5.2	12	2	33	4.44
C350710		0.09	1.240	88.9	1.53	32	10	180	<0.5	<2	3.14	8.7	17	18	919	3.40
C350711		4.70	0.106	3.9	1.26	176	<10	210	<0.5	2	4.84	1.2	11	2	16	3.69
C350712		4.53	0.094	3.8	1.30	179	<10	210	<0.5	<2	3.89	0.5	13	2	15	4.09
C350713		4.45	0.096	3.4	2.34	182	<10	200	<0.5	<2	5.67	0.5	15	2	20	4.99
C350714		4.73	1.615	7.6	2.21	146	<10	210	<0.5	<2	4.83	6.0	14	3	25	4.89
C350715		5.00	0.456	5.1	2.03	153	<10	250	<0.5	<2	4.17	2.0	13	3	19	4.74
C350716		4.69	0.760	11.4	1.70	767	<10	230	<0.5	<2	5.53	8.9	16	3	44	4.76
C350717		4.40	5.25	8.5	1.74	148	<10	240	<0.5	<2	5.96	5.0	13	1	47	4.13
C350718		4.33	0.315	7.7	2.13	159	<10	220	<0.5	<2	7.9	0.5	12	1	96	4.61
C350719		4.52	0.681	6.8	2.27	180	<10	230	<0.5	2	8.3	2.9	14	1	82	4.72
C350720		0.13	8.02	>100	1.58	660	<10	20	<0.5	5	3.88	142.0	18	47	2110	5.19
C350721		4.73	0.263	4.3	1.84	141	<10	220	<0.5	2	5.30	1.0	13	3	43	4.17
C350722		4.74	0.256	16.4	1.87	162	<10	220	<0.5	<2	6.88	3.1	14	2	245	4.47
C350723		4.86	1.035	39.6	1.51	126	<10	180	<0.5	<2	6.78	15.7	11	1	630	5.04
C350724		4.57	0.406	55.4	1.86	99	<10	210	<0.5	<2	4.90	5.1	13	2	201	4.98
C350725		4.56	0.020	2.0	0.97	47	<10	270	<0.5	<2	4.01	5.4	7	3	15	2.11
C350726		4.38	0.006	0.7	0.89	30	<10	300	<0.5	<2	3.16	<0.5	7	2	9	1.82
C350727		4.42	0.007	0.5	0.90	22	<10	320	<0.5	<2	3.60	<0.5	7	3	7	1.71
C350728		5.26	0.005	0.3	0.87	17	<10	300	<0.5	<2	3.70	<0.5	6	2	9	1.69
C350729		3.55	<0.005	0.4	0.98	4	<10	790	<0.5	<2	2.28	3.3	6	9	38	2.50
C350730		0.09	1.200	93.9	1.61	33	10	180	<0.5	<2	3.31	9.2	18	19	952	3.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350691		<10	<1	0.22	<10	0.42	2180	2	<0.01	2	430	134	4.06	2	1	108
C350692		<10	<1	0.24	<10	0.81	2710	2	<0.01	4	730	65	4.26	<2	2	102
C350693		<10	<1	0.25	<10	0.79	2760	2	<0.01	4	720	59	4.37	<2	2	102
C350694		<10	<1	0.24	<10	1.00	3610	2	<0.01	5	720	39	3.71	<2	2	239
C350695		<10	<1	0.22	<10	0.66	2040	1	<0.01	2	560	67	3.98	<2	2	160
C350696		<10	<1	0.35	10	1.03	1210	1	0.01	6	1350	10	0.47	<2	3	217
C350697		<10	<1	0.34	10	1.30	1460	<1	0.01	5	1390	5	0.06	<2	3	294
C350698		<10	<1	0.31	<10	0.54	1255	14	<0.01	3	910	79	6.16	<2	3	174
C350699		10	1	0.31	20	1.27	959	1	0.02	8	1340	4	0.14	<2	3	220
C350700		10	15	0.21	<10	1.49	805	58	0.07	226	660	>10000	4.32	773	3	51
C350701		10	<1	0.21	10	1.73	1630	2	<0.01	2	1540	13	0.87	<2	3	170
C350702		10	<1	0.21	10	2.17	1725	2	0.01	2	1650	12	1.48	<2	4	195
C350703		<10	<1	0.24	10	0.58	1310	4	0.01	5	1210	550	3.16	4	2	150
C350704		<10	<1	0.23	10	0.39	938	4	0.01	3	1230	357	3.73	2	1	82
C350705		<10	<1	0.27	10	0.55	1115	3	0.01	3	1340	306	2.90	2	2	67
C350706		<10	2	0.25	10	0.64	1765	4	<0.01	2	1190	3030	3.69	15	2	125
C350707		<10	1	0.26	10	0.52	1480	2	<0.01	2	1180	2180	4.48	11	2	94
C350708		<10	1	0.24	10	0.52	2410	3	<0.01	2	1140	572	1.78	7	2	180
C350709		<10	<1	0.24	10	0.62	2870	5	<0.01	2	1110	637	1.20	14	2	227
C350710		10	<1	0.14	10	1.39	901	13	0.10	10	1010	4510	1.02	61	5	148
C350711		<10	1	0.24	10	0.48	1905	2	<0.01	2	1220	183	1.80	4	2	174
C350712		<10	<1	0.23	10	0.57	1865	2	<0.01	1	1170	73	2.17	4	2	152
C350713		10	1	0.24	10	1.20	2930	3	<0.01	1	1540	150	0.98	6	3	219
C350714		<10	<1	0.23	10	1.19	2660	8	<0.01	3	1320	976	1.30	8	3	172
C350715		<10	<1	0.27	10	0.87	2470	6	<0.01	2	1280	572	1.20	7	2	155
C350716		<10	<1	0.26	10	0.65	2580	6	<0.01	3	1260	1225	1.79	29	2	221
C350717		<10	<1	0.26	10	0.76	2770	3	<0.01	1	1640	421	1.27	6	3	245
C350718		<10	<1	0.23	10	1.07	3400	4	0.01	<1	1650	478	0.93	9	3	294
C350719		<10	<1	0.26	10	1.11	3640	5	<0.01	1	1760	441	0.88	5	3	267
C350720		10	16	0.20	10	1.47	791	57	0.07	220	670	>10000	4.30	778	3	48
C350721		<10	1	0.24	10	0.88	2760	2	0.01	2	1470	180	1.11	4	3	202
C350722		<10	1	0.24	10	0.88	3520	2	<0.01	2	1580	440	1.33	9	3	259
C350723		<10	<1	0.23	10	0.74	3620	4	<0.01	1	1300	1470	2.85	12	2	262
C350724		<10	<1	0.25	10	1.20	3370	1	<0.01	2	1500	423	1.82	10	3	195
C350725		<10	<1	0.30	10	0.43	1645	5	<0.01	3	820	246	0.59	<2	1	196
C350726		<10	<1	0.30	10	0.37	1100	3	<0.01	2	820	14	0.52	<2	1	185
C350727		<10	<1	0.31	10	0.38	1210	3	<0.01	3	860	9	0.31	<2	1	204
C350728		<10	<1	0.29	10	0.44	1260	2	<0.01	2	770	14	0.22	<2	1	182
C350729		<10	<1	0.24	20	0.72	868	2	0.03	2	700	10	0.29	3	2	221
C350730		10	<1	0.14	10	1.46	940	13	0.10	11	1080	4750	1.07	63	6	156

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350691		<20	<0.01	<10	<10	6	<10	7590			
C350692		<20	<0.01	<10	<10	17	<10	297			
C350693		<20	<0.01	<10	<10	17	<10	228			
C350694		<20	<0.01	<10	<10	28	<10	118			
C350695		<20	<0.01	<10	<10	14	<10	1920			
C350696		<20	<0.01	<10	<10	12	<10	322			
C350697		<20	<0.01	<10	<10	19	<10	84			
C350698		<20	<0.01	<10	<10	13	<10	1070			
C350699		<20	<0.01	<10	<10	29	<10	94			
C350700		<20	0.05	10	<10	63	20	>10000	319	2.34	2.41
C350701		<20	0.01	<10	<10	42	<10	101			
C350702		<20	0.01	<10	<10	55	<10	128			
C350703		<20	<0.01	<10	<10	15	<10	775			
C350704		<20	<0.01	<10	<10	12	<10	334			
C350705		<20	<0.01	<10	<10	17	<10	143			
C350706		<20	0.01	<10	<10	21	<10	2290			
C350707		<20	0.01	<10	<10	19	<10	2790			
C350708		<20	0.01	<10	<10	18	<10	847			
C350709		<20	0.01	<10	<10	19	<10	707			
C350710		<20	0.06	<10	<10	90	<10	1090			
C350711		<20	0.01	<10	<10	15	<10	154			
C350712		<20	<0.01	<10	<10	15	<10	89			
C350713		<20	0.02	<10	<10	30	<10	161			
C350714		<20	0.01	<10	<10	30	<10	599			
C350715		<20	0.02	<10	<10	23	<10	265			
C350716		<20	0.02	<10	<10	22	10	1060			
C350717		<20	0.05	<10	<10	23	<10	750			
C350718		<20	0.05	<10	<10	31	<10	124			
C350719		<20	0.03	<10	<10	30	<10	319			
C350720		<20	0.05	20	<10	62	20	>10000	330	2.35	2.40
C350721		<20	0.02	<10	<10	27	<10	194			
C350722		<20	0.01	<10	<10	28	<10	454			
C350723		<20	<0.01	<10	<10	18	<10	2070			
C350724		<20	0.01	<10	<10	28	<10	724			
C350725		<20	<0.01	<10	<10	7	<10	460			
C350726		<20	<0.01	<10	<10	6	<10	40			
C350727		<20	<0.01	<10	<10	6	<10	43			
C350728		<20	<0.01	<10	<10	6	<10	58			
C350729		<20	0.01	<10	<10	25	<10	322			
C350730		<20	0.06	<10	<10	95	<10	1135			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350731		4.91	0.098	4.0	1.24	33	<10	100	<0.5	4	2.07	13.0	4	4	109	4.27
C350732		4.52	0.109	3.3	1.39	37	<10	130	<0.5	2	1.56	0.5	8	8	27	4.49
C350733		5.26	0.024	1.2	0.87	18	<10	220	<0.5	<2	2.87	3.1	7	3	37	2.50
C350734		4.04	0.008	0.6	0.71	12	<10	50	<0.5	2	2.41	<0.5	8	3	46	2.83
C350735		2.43	<0.005	0.2	2.11	4	<10	820	<0.5	<2	3.24	<0.5	17	30	22	4.63
C350736		3.55	<0.005	0.2	1.71	4	<10	1640	0.5	<2	3.90	<0.5	16	20	19	3.91
C350737		4.67	0.036	3.5	0.39	32	<10	50	<0.5	<2	1.55	1.8	6	2	12	2.54
C350738		5.07	0.044	2.7	0.35	29	<10	50	<0.5	<2	2.31	8.2	7	2	19	2.77
C350739		4.39	0.039	3.9	0.30	13	<10	60	<0.5	<2	2.06	11.9	6	1	37	2.46
C350740		0.12	0.657	9.7	1.24	832	20	110	<0.5	20	3.25	6.9	47	25	6620	3.66
C350741		4.96	0.013	0.8	0.41	14	<10	140	<0.5	<2	1.89	2.9	5	2	18	2.23
C350742		5.00	0.030	1.0	1.13	26	<10	50	<0.5	<2	2.97	0.6	15	1	50	5.45
C350743		5.13	0.010	0.9	1.38	11	<10	130	<0.5	<2	3.58	1.5	16	1	73	5.17
C350744		5.38	0.016	1.9	1.64	17	<10	50	<0.5	3	2.36	12.9	22	3	107	6.87
C350745		4.22	<0.005	0.4	1.04	5	<10	180	<0.5	<2	2.30	0.6	8	4	21	2.64
C350746		5.18	0.009	0.8	1.24	7	<10	80	<0.5	<2	2.20	<0.5	11	2	26	4.36
C350747		4.70	0.009	0.8	1.20	7	<10	100	<0.5	2	2.45	1.2	9	2	22	4.37
C350748		4.20	0.018	1.7	0.88	7	<10	100	<0.5	<2	3.43	0.9	12	1	32	4.12
C350749		6.19	0.011	1.0	0.73	7	<10	70	<0.5	2	3.53	<0.5	10	2	17	3.88
C350750		0.13	8.37	>100	1.59	668	10	30	<0.5	4	3.81	140.0	18	47	2130	5.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350731		<10	1	0.31	10	0.61	1900	3	0.01	<1	600	48	2.37	<2	1	90
C350732		10	<1	0.24	10	0.73	1075	3	0.01	4	790	29	2.12	<2	2	79
C350733		<10	<1	0.32	10	0.36	1165	2	0.01	1	870	12	1.46	<2	1	115
C350734		<10	<1	0.26	10	0.38	688	12	0.02	1	910	25	2.32	<2	1	103
C350735		10	<1	0.13	30	1.59	1020	2	0.05	15	2350	5	0.30	<2	5	272
C350736		10	<1	0.26	30	1.39	921	<1	0.04	13	2450	5	0.21	<2	4	368
C350737		<10	<1	0.28	10	0.18	663	3	<0.01	2	810	28	2.38	<2	1	141
C350738		<10	<1	0.29	<10	0.12	1055	2	<0.01	1	800	32	2.89	<2	1	209
C350739		<10	<1	0.27	10	0.07	734	2	<0.01	1	800	32	2.69	4	1	175
C350740		<10	<1	0.15	10	0.45	640	300	0.12	23	690	75	1.28	16	2	137
C350741		<10	<1	0.26	10	0.25	779	2	0.01	<1	760	27	2.00	<2	1	142
C350742		<10	1	0.32	<10	0.83	1370	1	0.01	2	1490	17	4.21	<2	2	212
C350743		<10	<1	0.31	<10	1.00	1665	1	0.01	2	1550	8	3.56	<2	2	263
C350744		<10	<1	0.30	<10	1.20	1555	1	0.01	4	1410	21	5.01	2	2	199
C350745		<10	1	0.23	10	0.79	1100	<1	0.02	3	990	6	1.25	2	1	288
C350746		<10	<1	0.24	10	0.96	979	<1	0.03	3	1200	9	3.05	2	1	188
C350747		<10	<1	0.20	10	0.97	1105	1	0.03	2	1140	9	3.07	3	1	171
C350748		<10	<1	0.28	10	0.64	962	2	0.02	3	1200	24	3.70	<2	1	253
C350749		<10	<1	0.26	10	0.52	954	2	0.02	2	1130	12	3.70	<2	1	293
C350750		10	15	0.21	10	1.47	788	57	0.07	220	670	>10000	4.35	764	3	51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350731		<20	0.01	<10	<10	17	<10	1240			
C350732		<20	0.01	<10	<10	22	<10	90			
C350733		<20	<0.01	<10	<10	10	<10	308			
C350734		<20	<0.01	<10	<10	12	<10	42			
C350735		<20	0.08	<10	<10	73	<10	125			
C350736		<20	0.01	<10	<10	39	<10	93			
C350737		<20	<0.01	<10	<10	4	<10	130			
C350738		<20	<0.01	<10	<10	3	<10	680			
C350739		<20	<0.01	<10	<10	2	<10	991			
C350740		<20	0.08	<10	<10	45	10	1050			
C350741		<20	<0.01	<10	<10	4	<10	214			
C350742		<20	<0.01	<10	<10	22	<10	64			
C350743		<20	0.01	<10	<10	30	<10	149			
C350744		<20	0.01	<10	<10	35	<10	1190			
C350745		<20	<0.01	<10	<10	14	<10	104			
C350746		<20	0.01	<10	<10	21	<10	75			
C350747		<20	0.01	<10	<10	21	<10	157			
C350748		<20	0.02	<10	<10	15	<10	103			
C350749		<20	0.01	<10	<10	12	<10	40			
C350750		<20	0.05	10	<10	62	20	>10000	334	2.35	2.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249043

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

CERTIFICATE TR20249045

Project: Premier

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350751		4.59	0.011	3.7	0.54	11	<10	120	<0.5	3	2.29	1.1	10	6	47	3.48
C350752		4.68	0.017	0.9	0.42	9	<10	80	<0.5	<2	2.12	1.3	13	4	22	4.09
C350753		5.20	0.025	1.5	0.60	33	<10	80	<0.5	<2	2.68	4.3	12	3	34	4.55
C350754		4.58	0.014	0.8	0.46	16	<10	70	<0.5	<2	2.76	1.5	8	2	14	3.13
C350755		4.28	0.006	1.0	0.44	9	<10	50	<0.5	<2	2.32	2.1	9	1	32	2.84
C350756		4.36	0.025	0.9	0.38	14	<10	100	<0.5	<2	2.63	0.7	8	2	13	2.29
C350757		4.34	0.014	0.7	0.36	19	<10	90	<0.5	<2	2.54	0.5	7	2	8	2.25
C350758		4.79	0.011	0.8	0.39	19	<10	100	<0.5	<2	2.69	4.9	9	2	17	2.80
C350759		5.29	0.017	0.5	0.35	24	<10	100	<0.5	<2	3.11	0.9	9	2	6	2.09
C350760		0.09	1.290	94.5	1.69	34	10	190	<0.5	<2	3.27	9.0	18	19	983	3.71
C350761		4.81	0.018	1.0	0.44	24	<10	70	<0.5	<2	2.53	2.9	8	2	52	2.55
C350762		5.21	0.031	0.5	0.39	22	<10	150	<0.5	<2	2.64	2.2	7	2	19	2.25
C350763		4.96	0.029	0.8	0.38	40	<10	130	<0.5	<2	2.76	4.2	8	2	16	3.07
C350764		5.02	0.021	0.5	0.53	38	<10	110	<0.5	<2	3.36	1.6	7	3	9	3.05
C350765		4.66	0.011	0.2	0.74	24	<10	160	<0.5	<2	3.26	0.5	8	3	12	3.01
C350766		5.05	0.019	0.5	0.53	31	<10	140	<0.5	<2	6.03	0.8	7	2	18	2.75
C350767		4.89	0.021	0.5	0.72	28	<10	110	<0.5	<2	3.66	<0.5	8	3	14	2.98
C350768		4.26	0.018	0.5	0.85	33	<10	120	<0.5	<2	2.72	<0.5	8	4	12	3.18
C350769		4.16	0.014	0.5	0.95	20	<10	140	<0.5	<2	3.08	1.8	9	4	11	3.18
C350770		0.09	8.05	>100	1.61	659	<10	20	<0.5	6	3.81	139.0	18	46	2150	5.32
C350771		4.72	0.006	0.8	2.07	11	<10	180	<0.5	<2	2.72	3.8	11	3	24	4.32
C350772		4.63	0.016	1.5	1.76	27	<10	140	<0.5	2	2.68	46.5	11	3	188	4.74
C350773		4.90	0.007	0.6	1.85	14	<10	160	<0.5	<2	3.46	7.7	15	3	65	4.56
C350774		5.17	<0.005	0.2	0.98	7	<10	270	<0.5	<2	4.08	<0.5	8	3	20	1.73
C350775		4.96	0.005	0.3	0.95	21	<10	240	<0.5	<2	3.82	<0.5	7	2	13	1.81
C350776		4.37	0.077	1.7	1.72	111	<10	180	<0.5	2	4.53	0.5	15	1	20	4.98
C350777		4.27	0.107	2.2	1.47	132	<10	190	<0.5	<2	4.42	2.0	13	1	15	4.57
C350778		5.19	0.029	0.8	1.06	56	<10	190	<0.5	<2	4.10	1.2	7	3	16	2.46
C350779		4.57	0.031	0.9	1.06	52	<10	200	<0.5	<2	4.34	1.9	7	3	20	2.35
C350780		0.09	1.100	91.9	1.63	33	10	180	<0.5	2	3.19	8.9	18	18	972	3.63
C350781		5.07	0.039	1.3	0.78	58	<10	200	<0.5	<2	3.67	1.4	8	3	19	2.53
C350782		3.50	0.037	2.4	0.63	69	<10	180	<0.5	<2	5.07	7.1	8	2	27	2.41
C350783		4.47	0.022	0.7	0.80	68	<10	190	<0.5	<2	4.02	0.9	7	2	17	2.44
C350784		5.00	0.028	1.0	0.90	58	<10	190	<0.5	<2	4.11	0.5	8	3	18	2.53
C350785		3.78	0.075	2.5	0.62	146	<10	160	<0.5	<2	4.61	4.5	11	5	35	3.64
C350786		3.57	0.068	1.6	1.06	86	<10	170	<0.5	<2	9.2	1.7	12	1	36	3.83
C350787		3.79	0.005	0.5	0.77	13	<10	290	<0.5	<2	3.85	<0.5	5	1	8	1.46
C350788		4.18	<0.005	0.2	0.77	15	<10	230	<0.5	<2	3.30	<0.5	5	1	8	1.43
C350789		5.26	0.065	1.3	1.09	120	<10	180	<0.5	<2	4.69	1.0	14	1	41	3.72
C350790		0.14	7.95	>100	1.60	650	10	30	<0.5	5	3.70	137.0	17	46	2140	5.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350751		<10	<1	0.25	10	0.42	766	<1	0.02	3	1050	29	3.25	3	1	201
C350752		<10	<1	0.29	<10	0.36	808	<1	0.02	3	1090	15	4.01	<2	1	181
C350753		<10	<1	0.30	<10	0.41	1060	<1	0.01	4	1260	18	4.43	<2	2	256
C350754		<10	<1	0.32	10	0.39	1040	1	0.01	1	920	14	2.85	2	2	224
C350755		<10	<1	0.35	10	0.57	1120	2	0.01	2	1000	12	2.06	<2	2	201
C350756		<10	<1	0.29	10	0.38	1070	56	0.01	2	1020	16	1.91	<2	2	209
C350757		<10	<1	0.28	10	0.49	1200	2	0.01	1	1000	15	1.72	<2	2	193
C350758		<10	<1	0.30	10	0.37	1105	2	0.01	2	1020	10	2.52	2	1	178
C350759		<10	1	0.29	10	0.20	1040	3	0.01	2	1090	8	2.13	<2	1	221
C350760		<10	1	0.15	10	1.47	932	14	0.11	12	1070	4770	1.10	65	6	163
C350761		<10	<1	0.30	10	0.44	1085	2	0.01	2	1020	18	2.31	<2	2	190
C350762		<10	1	0.27	10	0.54	1080	3	0.02	4	1010	25	1.86	2	2	174
C350763		<10	<1	0.31	10	0.25	987	2	0.01	2	1010	35	3.14	3	1	187
C350764		<10	<1	0.30	10	0.39	1225	9	0.01	2	970	16	2.88	<2	1	201
C350765		<10	<1	0.28	10	0.65	1285	2	0.02	2	1010	7	1.76	<2	2	211
C350766		<10	<1	0.27	10	0.51	2240	1	0.01	2	910	8	1.96	<2	2	284
C350767		<10	<1	0.29	10	0.57	1325	4	0.01	2	980	9	2.29	<2	2	208
C350768		<10	<1	0.25	10	0.59	1000	4	0.02	2	960	12	2.47	2	1	172
C350769		<10	<1	0.29	10	0.59	1205	2	0.01	2	980	8	1.97	<2	2	270
C350770		10	15	0.21	10	1.47	779	56	0.07	222	670	>10000	4.34	767	3	50
C350771		10	<1	0.28	10	1.48	2000	1	0.02	4	1060	38	1.09	3	2	158
C350772		<10	<1	0.32	10	1.17	1795	<1	0.01	4	1040	8	2.21	<2	2	154
C350773		<10	<1	0.28	10	1.26	1760	<1	0.02	5	1160	6	1.78	2	3	187
C350774		<10	<1	0.32	10	0.39	1440	2	0.01	12	800	17	0.17	2	1	220
C350775		<10	<1	0.28	10	0.40	1795	1	<0.01	3	820	19	0.35	<2	1	207
C350776		<10	1	0.28	10	0.91	3030	1	<0.01	3	1440	85	2.31	<2	2	285
C350777		<10	<1	0.26	10	0.80	3470	1	0.01	2	1400	186	2.45	3	2	354
C350778		<10	<1	0.28	10	0.44	2310	3	0.01	2	860	64	0.82	<2	1	217
C350779		<10	<1	0.28	10	0.46	2220	1	0.01	1	860	63	0.68	2	1	245
C350780		10	<1	0.15	10	1.44	918	13	0.10	11	1070	4710	1.07	63	6	159
C350781		<10	<1	0.32	10	0.42	2090	2	0.01	2	920	95	0.93	2	1	212
C350782		<10	<1	0.31	10	0.37	2680	2	<0.01	1	850	231	1.07	4	1	259
C350783		<10	1	0.36	10	0.43	2330	2	0.01	3	880	59	0.65	<2	2	256
C350784		<10	<1	0.34	10	0.41	2360	1	<0.01	2	940	56	0.93	<2	1	229
C350785		<10	<1	0.28	10	0.38	2370	2	<0.01	2	970	176	2.22	<2	1	329
C350786		<10	<1	0.29	10	0.60	3770	1	0.01	2	1240	48	1.48	3	2	335
C350787		<10	<1	0.33	10	0.27	1495	1	0.01	1	590	43	0.20	<2	1	176
C350788		<10	<1	0.30	10	0.28	1425	1	0.01	1	580	25	0.13	<2	1	157
C350789		<10	<1	0.33	10	0.48	2470	2	<0.01	2	1350	29	1.83	<2	1	187
C350790		10	15	0.21	10	1.45	778	56	0.07	223	660	>10000	4.31	769	3	49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350751		<20	<0.01	<10	<10	11	<10	104			
C350752		<20	<0.01	<10	<10	8	<10	100			
C350753		<20	<0.01	<10	<10	12	<10	365			
C350754		<20	<0.01	<10	<10	6	<10	138			
C350755		<20	<0.01	<10	<10	5	<10	179			
C350756		<20	<0.01	<10	<10	5	<10	59			
C350757		<20	<0.01	<10	<10	5	<10	57			
C350758		<20	<0.01	<10	<10	5	<10	428			
C350759		<20	<0.01	<10	<10	4	<10	78			
C350760		<20	0.07	<10	<10	97	<10	1125			
C350761		<20	<0.01	<10	<10	7	<10	278			
C350762		<20	<0.01	<10	<10	6	<10	194			
C350763		<20	<0.01	<10	<10	5	<10	342			
C350764		<20	<0.01	<10	<10	9	<10	126			
C350765		<20	<0.01	<10	<10	13	<10	57			
C350766		<20	<0.01	<10	<10	8	<10	70			
C350767		<20	<0.01	<10	<10	12	<10	40			
C350768		<20	0.01	<10	<10	15	<10	33			
C350769		<20	<0.01	<10	<10	16	<10	150			
C350770		<20	0.05	10	<10	62	20	>10000	335	2.37	2.44
C350771		<20	0.01	<10	<10	32	<10	441			
C350772		<20	<0.01	<10	<10	26	10	4130			
C350773		<20	0.02	<10	<10	42	<10	679			
C350774		<20	<0.01	<10	<10	6	<10	50			
C350775		<20	0.01	<10	<10	6	<10	44			
C350776		<20	0.02	<10	<10	29	<10	130			
C350777		<20	0.03	<10	<10	22	<10	291			
C350778		<20	0.02	<10	<10	10	<10	176			
C350779		<20	0.01	<10	<10	12	<10	251			
C350780		<20	0.06	<10	<10	93	<10	1115			
C350781		<20	<0.01	<10	<10	9	<10	204			
C350782		<20	<0.01	<10	<10	7	<10	946			
C350783		<20	<0.01	<10	<10	8	<10	129			
C350784		<20	<0.01	<10	<10	9	<10	109			
C350785		<20	<0.01	<10	<10	8	<10	527			
C350786		<20	<0.01	<10	<10	11	<10	211			
C350787		<20	<0.01	<10	<10	4	<10	56			
C350788		<20	<0.01	<10	<10	4	<10	62			
C350789		<20	<0.01	<10	<10	11	<10	125			
C350790		<20	0.05	10	<10	61	30	>10000	318	2.30	2.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350791		5.05	0.095	5.2	1.25	157	<10	160	<0.5	<2	4.46	16.0	11	1	61	4.08
C350792		4.05	0.023	2.0	1.41	42	<10	200	<0.5	<2	4.89	3.6	9	1	21	3.76
C350793		3.82	0.024	1.6	1.38	63	<10	330	<0.5	<2	5.20	3.1	9	1	25	3.49
C350794		3.99	0.014	0.4	0.71	17	<10	410	<0.5	<2	5.05	<0.5	4	2	9	1.63
C350795		4.48	0.034	0.5	0.62	44	<10	230	<0.5	<2	3.53	1.1	5	1	8	1.70
C350796		4.35	0.007	0.5	1.24	38	<10	310	<0.5	<2	4.02	<0.5	8	3	13	2.51
C350797		3.93	<0.005	0.4	1.04	43	<10	410	<0.5	<2	3.98	<0.5	7	2	11	2.50
C350798		3.83	0.008	0.4	1.09	138	<10	530	<0.5	<2	4.05	0.5	8	3	19	2.92
C350799		3.18	0.015	1.5	0.56	55	<10	150	<0.5	<2	5.31	7.2	14	1	35	4.11
C350800		0.09	1.205	94.4	1.69	33	10	180	<0.5	<2	3.28	9.1	18	19	987	3.71
C350801		3.42	0.016	1.9	0.38	33	<10	170	<0.5	<2	5.00	0.5	9	1	24	3.76
C350802		4.64	0.013	1.2	0.40	34	<10	40	<0.5	<2	4.55	0.6	10	1	35	3.92
C350803		4.79	0.050	1.6	0.54	81	<10	100	<0.5	<2	5.23	1.5	12	1	111	4.64
C350804		4.66	0.014	0.9	0.90	52	<10	70	<0.5	<2	4.34	<0.5	15	1	57	4.52
C350805		4.69	0.008	0.5	1.46	52	<10	130	<0.5	<2	5.56	<0.5	16	1	22	4.49
C350806		5.02	0.009	0.6	1.42	40	<10	150	<0.5	2	4.66	<0.5	16	2	48	4.84
C350807		5.15	0.012	1.0	0.60	47	<10	30	<0.5	<2	4.11	0.8	16	1	39	4.69
C350808		4.38	0.020	1.1	0.35	17	<10	90	<0.5	<2	3.23	1.1	5	1	45	2.59
C350809		4.83	0.021	0.6	0.33	13	<10	140	<0.5	<2	3.53	0.6	4	2	10	2.37
C350810		0.14	7.93	>100	1.53	625	<10	20	<0.5	6	3.55	130.5	17	44	2050	5.05
C350811		4.35	0.020	0.8	0.36	14	<10	110	<0.5	<2	3.22	<0.5	6	2	14	2.50
C350812		4.79	0.020	0.6	0.60	14	<10	100	<0.5	<2	3.45	<0.5	8	3	13	3.19
C350813		5.78	0.030	2.4	0.41	24	<10	80	<0.5	2	2.98	0.5	8	2	105	3.59
C350814		4.97	0.021	0.8	0.35	16	<10	100	<0.5	<2	3.47	0.7	7	1	8	3.11
C350815		5.21	0.030	9.4	0.29	23	<10	90	<0.5	<2	3.18	22.1	7	1	332	3.72
C350816		5.17	0.018	0.8	0.25	13	<10	100	<0.5	<2	3.84	0.7	4	2	9	2.36
C350817		4.75	0.020	0.9	0.34	16	<10	50	<0.5	<2	3.08	0.8	6	2	29	2.50
C350818		5.28	0.026	1.5	0.51	22	<10	90	<0.5	<2	3.09	5.1	8	3	140	3.17
C350819		4.93	0.034	7.1	0.64	35	<10	50	<0.5	<2	2.81	28.7	8	2	552	4.15
C350820		0.09	1.120	95.8	1.67	32	10	170	<0.5	<2	3.23	9.1	18	18	999	3.70
C350821		5.03	0.022	0.8	0.50	17	<10	60	<0.5	<2	3.07	<0.5	9	3	93	3.20
C350822		4.98	0.025	1.4	0.39	19	<10	60	<0.5	<2	2.76	4.8	9	2	158	3.29
C350823		5.31	0.026	1.3	0.57	20	<10	120	<0.5	<2	3.15	<0.5	9	3	114	3.81
C350824		5.20	0.018	0.9	0.43	27	<10	70	<0.5	<2	3.56	<0.5	8	2	52	3.26
C350825		4.58	0.017	1.3	0.48	36	<10	90	<0.5	<2	3.06	<0.5	8	4	83	3.51
C350826		2.71	0.019	1.8	0.68	29	<10	110	<0.5	<2	3.04	0.6	8	3	113	3.09
C350827		1.91	0.018	1.9	0.67	28	<10	120	<0.5	<2	2.96	<0.5	8	4	116	3.11
C350828		4.99	0.022	2.6	0.66	32	<10	130	<0.5	<2	2.33	5.0	9	3	178	2.92
C350829		4.62	0.020	1.1	0.46	21	<10	50	<0.5	<2	2.95	<0.5	9	2	104	3.11
C350830		0.13	8.21	>100	1.59	647	<10	20	<0.5	5	3.72	135.5	18	45	2130	5.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350791		<10	<1	0.29	10	0.59	2940	2	0.01	3	1220	875	2.09	4	1	217
C350792		<10	<1	0.33	10	0.66	3190	<1	<0.01	2	1260	431	1.38	2	1	214
C350793		<10	<1	0.29	10	0.61	2850	2	0.01	2	1230	294	1.01	<2	1	214
C350794		<10	<1	0.32	10	0.25	2080	2	<0.01	1	680	16	0.53	<2	1	265
C350795		<10	<1	0.31	10	0.18	1335	3	<0.01	1	650	50	0.88	2	1	174
C350796		<10	<1	0.34	10	0.51	1495	2	0.01	1	1010	17	0.29	<2	2	199
C350797		<10	<1	0.33	10	0.53	1605	3	<0.01	1	1010	13	0.26	<2	2	189
C350798		<10	<1	0.31	10	0.54	1600	3	0.01	8	1010	14	0.55	<2	2	197
C350799		<10	<1	0.35	10	1.00	2410	2	0.01	4	1410	23	1.94	2	3	287
C350800		10	<1	0.15	10	1.48	932	13	0.11	12	1080	4800	1.10	67	6	163
C350801		<10	<1	0.32	10	0.82	2130	1	0.01	1	1300	15	2.14	2	2	244
C350802		<10	<1	0.32	10	0.72	1795	1	<0.01	3	1380	11	2.77	3	2	236
C350803		<10	<1	0.33	10	0.99	2420	1	0.01	3	1300	15	2.58	3	2	226
C350804		<10	1	0.34	10	1.03	1995	1	0.01	5	1450	11	2.40	<2	2	202
C350805		<10	<1	0.30	10	1.33	2560	1	0.02	5	1340	13	1.53	<2	3	253
C350806		<10	<1	0.32	10	1.42	2340	1	0.01	5	1320	14	1.81	2	3	245
C350807		<10	<1	0.34	10	0.81	1950	3	0.01	6	1370	11	3.17	2	2	206
C350808		<10	<1	0.31	10	0.15	1145	4	<0.01	1	710	45	2.62	<2	1	186
C350809		<10	<1	0.30	10	0.10	1145	1	0.01	1	680	35	2.44	<2	1	210
C350810		10	14	0.20	10	1.38	742	54	0.07	210	650	>10000	4.12	729	3	47
C350811		<10	<1	0.28	10	0.22	1100	5	0.01	1	740	31	2.44	<2	1	195
C350812		<10	<1	0.30	10	0.50	1285	4	0.01	2	890	12	2.67	2	1	197
C350813		<10	<1	0.29	<10	0.31	1110	6	<0.01	1	920	21	3.52	2	1	164
C350814		<10	<1	0.29	<10	0.29	1245	3	<0.01	2	930	24	3.08	2	1	195
C350815		<10	<1	0.26	<10	0.05	1060	4	<0.01	2	860	944	4.23	3	1	181
C350816		<10	<1	0.22	10	0.03	1215	4	<0.01	1	600	30	2.57	<2	1	207
C350817		<10	<1	0.27	10	0.20	1255	9	<0.01	1	770	28	2.27	<2	1	178
C350818		<10	<1	0.30	10	0.41	1505	26	<0.01	2	960	9	2.35	2	1	179
C350819		<10	<1	0.29	10	0.65	1565	15	<0.01	2	870	17	2.97	<2	1	170
C350820		<10	<1	0.15	10	1.47	932	13	0.11	12	1070	4770	1.10	62	6	163
C350821		<10	<1	0.31	10	0.49	1505	15	<0.01	1	960	8	2.24	<2	2	184
C350822		<10	<1	0.29	10	0.47	1390	21	0.01	2	970	7	2.70	2	1	196
C350823		<10	<1	0.32	10	0.51	1445	12	<0.01	2	1080	9	3.17	<2	2	205
C350824		<10	<1	0.28	10	0.36	1500	9	<0.01	1	950	11	2.90	<2	1	228
C350825		<10	<1	0.24	10	0.44	1415	7	<0.01	1	940	7	3.12	<2	1	199
C350826		<10	<1	0.26	10	0.48	1430	9	<0.01	2	940	8	2.28	<2	2	185
C350827		<10	<1	0.26	10	0.47	1370	12	<0.01	2	890	8	2.31	<2	2	178
C350828		<10	<1	0.26	10	0.44	1105	14	<0.01	1	910	51	2.28	2	1	159
C350829		<10	<1	0.30	10	0.45	1280	15	<0.01	1	1020	8	2.41	<2	1	197
C350830		10	15	0.20	10	1.45	774	56	0.07	221	670	>10000	4.26	750	3	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350791		<20	<0.01	<10	<10	12	<10	1785			
C350792		<20	<0.01	<10	<10	11	<10	518			
C350793		<20	<0.01	<10	<10	11	<10	393			
C350794		<20	<0.01	<10	<10	4	<10	46			
C350795		<20	<0.01	<10	<10	4	<10	124			
C350796		<20	<0.01	<10	<10	11	<10	53			
C350797		<20	<0.01	<10	<10	8	<10	46			
C350798		<20	<0.01	<10	<10	10	<10	70			
C350799		<20	<0.01	<10	<10	8	<10	584			
C350800		<20	0.07	<10	<10	96	<10	1130			
C350801		<20	<0.01	<10	<10	5	<10	86			
C350802		<20	<0.01	<10	<10	5	<10	57			
C350803		<20	<0.01	<10	<10	9	<10	127			
C350804		<20	<0.01	<10	<10	15	<10	51			
C350805		<20	<0.01	<10	<10	25	<10	59			
C350806		<20	<0.01	<10	<10	26	<10	63			
C350807		<20	<0.01	<10	<10	11	<10	86			
C350808		<20	<0.01	<10	<10	3	<10	91			
C350809		<20	<0.01	<10	<10	3	<10	46			
C350810		<20	0.05	10	<10	58	20	>10000	329	2.33	2.40
C350811		<20	<0.01	<10	<10	4	<10	37			
C350812		<20	<0.01	<10	<10	9	<10	28			
C350813		<20	<0.01	<10	<10	5	<10	43			
C350814		<20	<0.01	<10	<10	4	<10	37			
C350815		<20	<0.01	<10	<10	3	<10	2000			
C350816		<20	<0.01	<10	<10	2	<10	47			
C350817		<20	<0.01	<10	<10	4	<10	58			
C350818		<20	<0.01	<10	<10	9	<10	462			
C350819		<20	<0.01	<10	<10	10	<10	2590			
C350820		<20	0.06	<10	<10	95	<10	1135			
C350821		<20	<0.01	<10	<10	7	<10	26			
C350822		<20	<0.01	<10	<10	7	<10	420			
C350823		<20	<0.01	<10	<10	9	<10	26			
C350824		<20	<0.01	<10	<10	7	<10	25			
C350825		<20	<0.01	<10	<10	11	<10	24			
C350826		<20	<0.01	<10	<10	14	<10	48			
C350827		<20	<0.01	<10	<10	13	<10	39			
C350828		<20	<0.01	<10	<10	12	<10	447			
C350829		<20	<0.01	<10	<10	7	<10	35			
C350830		<20	0.05	10	<10	61	20	>10000	321	2.33	2.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350831		4.58	0.022	1.6	0.56	25	<10	90	<0.5	<2	2.93	0.5	11	2	126	3.50
C350832		4.27	0.028	1.6	0.51	22	<10	60	<0.5	<2	3.28	0.5	9	2	166	3.16
C350833		4.31	0.015	0.9	0.53	19	<10	110	<0.5	<2	3.85	<0.5	8	2	111	2.91
C350834		3.32	0.029	1.3	0.67	22	<10	40	<0.5	2	4.83	0.7	17	2	228	4.63
C350835		3.68	0.017	1.2	0.45	20	<10	60	<0.5	<2	4.83	0.8	15	6	210	3.76
C350836		3.64	0.021	1.2	0.40	24	<10	100	<0.5	<2	3.78	<0.5	9	5	175	2.93
C350837		2.90	0.033	1.0	0.41	12	<10	120	<0.5	<2	3.27	<0.5	9	3	137	3.06
C350838		3.95	0.024	0.9	0.37	16	<10	30	<0.5	<2	3.30	<0.5	9	3	149	3.42
C350839		5.08	0.040	1.1	0.43	24	<10	110	<0.5	<2	4.05	0.6	9	1	185	3.07
C350840		0.09	1.210	91.5	1.62	32	10	170	<0.5	<2	3.11	8.7	18	18	947	3.58
C350841		4.05	0.029	1.4	0.38	28	<10	30	<0.5	<2	2.30	1.1	7	3	140	2.73
C350842		5.19	0.028	2.3	0.32	30	<10	40	<0.5	<2	2.50	6.9	5	2	108	2.20
C350843		3.85	0.080	10.3	0.31	39	<10	50	<0.5	<2	4.39	11.0	5	2	419	2.55
C350844		3.88	0.052	6.9	0.39	41	<10	60	<0.5	<2	4.71	24.7	14	11	173	3.75
C350845		2.76	0.027	1.4	0.45	44	<10	20	<0.5	2	4.49	3.0	8	2	145	3.44
C350846		6.34	0.024	1.5	0.32	35	<10	90	<0.5	<2	3.93	1.0	12	2	123	3.25
C350847		5.38	0.021	1.9	0.32	22	<10	50	<0.5	2	3.55	0.6	12	3	200	3.05
C350848		4.84	0.028	1.8	0.31	17	<10	40	<0.5	3	3.62	<0.5	11	3	176	3.24
C350849		4.68	0.033	1.2	0.32	17	<10	50	<0.5	<2	3.19	<0.5	11	3	149	3.31
C350850		0.14	7.94	>100	1.54	651	<10	30	<0.5	5	3.88	138.5	18	47	2140	5.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350831		<10	<1	0.32	10	0.54	1300	10	<0.01	3	1130	40	2.66	2	2	195
C350832		<10	<1	0.32	10	0.40	1460	17	<0.01	2	1020	22	2.41	<2	1	187
C350833		<10	<1	0.31	10	0.42	1440	7	<0.01	1	1020	7	1.90	2	1	207
C350834		<10	<1	0.32	10	0.63	1670	12	0.01	7	1270	13	3.39	<2	2	290
C350835		<10	<1	0.31	10	0.54	1610	13	<0.01	31	1100	13	2.95	2	2	310
C350836		<10	<1	0.31	10	0.45	1425	7	<0.01	16	900	12	2.10	<2	1	237
C350837		<10	<1	0.29	10	0.46	1235	8	<0.01	2	1110	11	2.43	<2	1	177
C350838		<10	<1	0.28	10	0.41	1075	7	<0.01	4	1120	10	2.98	<2	1	189
C350839		<10	<1	0.31	10	0.39	1375	5	0.01	2	1050	15	2.32	<2	1	243
C350840		10	1	0.14	10	1.41	900	12	0.10	11	1030	4610	1.06	60	6	159
C350841		<10	<1	0.29	10	0.31	1005	9	<0.01	2	770	33	2.11	<2	1	178
C350842		<10	<1	0.30	10	0.15	885	9	<0.01	1	660	300	2.12	<2	1	180
C350843		<10	<1	0.28	10	0.13	1460	12	<0.01	2	650	25	2.55	<2	1	258
C350844		<10	<1	0.29	10	0.78	1905	13	<0.01	60	970	886	2.66	<2	2	360
C350845		<10	<1	0.27	10	0.38	1670	5	<0.01	3	950	18	2.79	2	1	222
C350846		<10	<1	0.29	10	0.19	1275	4	<0.01	5	1020	16	3.23	<2	1	238
C350847		<10	<1	0.29	<10	0.25	1120	4	<0.01	3	1010	11	2.85	<2	1	217
C350848		<10	<1	0.29	<10	0.34	1125	4	<0.01	1	1090	16	2.91	2	1	230
C350849		<10	<1	0.30	<10	0.30	872	4	<0.01	2	1070	10	3.17	<2	1	201
C350850		10	14	0.21	<10	1.48	805	57	0.06	226	650	>10000	4.32	778	3	51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350831		<20	<0.01	<10	<10	11	<10	63			
C350832		<20	<0.01	<10	<10	7	<10	55			
C350833		<20	<0.01	<10	<10	6	<10	29			
C350834		<20	<0.01	<10	<10	14	<10	57			
C350835		<20	<0.01	<10	<10	8	<10	70			
C350836		<20	<0.01	<10	<10	5	<10	40			
C350837		<20	<0.01	<10	<10	5	<10	37			
C350838		<20	<0.01	<10	<10	4	<10	27			
C350839		<20	<0.01	<10	<10	5	<10	47			
C350840		<20	0.06	<10	<10	92	<10	1080			
C350841		<20	<0.01	<10	<10	4	<10	96			
C350842		<20	<0.01	<10	<10	2	<10	594			
C350843		<20	<0.01	<10	<10	2	<10	931			
C350844		<20	<0.01	<10	<10	8	<10	2330			
C350845		<20	<0.01	<10	<10	6	<10	262			
C350846		<20	<0.01	<10	<10	4	<10	101			
C350847		<20	<0.01	<10	<10	4	<10	55			
C350848		<20	<0.01	<10	<10	4	<10	60			
C350849		<20	<0.01	<10	<10	5	<10	33			
C350850		<20	0.05	10	<10	62	20	>10000	318	2.31	2.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249045

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

CERTIFICATE TR20249048

Project: Premier

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350851		5.03	0.031	1.4	0.36	14	<10	100	<0.5	2	2.87	0.5	9	2	122	3.05
C350852		4.80	0.028	1.0	0.35	14	<10	110	<0.5	<2	3.63	<0.5	8	3	136	3.08
C350853		5.03	0.035	0.7	0.38	18	<10	80	<0.5	<2	2.79	<0.5	10	3	108	3.43
C350854		4.68	0.028	0.9	0.37	17	<10	90	<0.5	<2	3.17	<0.5	8	2	145	3.41
C350855		5.22	0.017	0.7	0.35	11	<10	60	<0.5	<2	2.93	5.4	6	2	77	2.60
C350856		4.33	0.023	0.5	0.34	13	<10	120	<0.5	<2	2.58	0.6	5	2	43	2.37
C350857		4.84	0.016	0.7	0.32	14	<10	110	<0.5	<2	3.68	<0.5	6	1	46	2.21
C350858		4.21	0.291	3.1	0.29	116	<10	50	<0.5	3	5.64	1.4	6	2	205	5.82
C350859		4.35	0.180	8.0	0.30	153	<10	40	<0.5	2	2.04	0.7	6	2	509	5.48
C350860		0.08	1.245	88.9	1.59	29	10	180	<0.5	<2	3.20	8.4	18	18	957	3.52
C350861		4.37	0.045	1.4	0.32	33	<10	70	<0.5	<2	1.82	0.8	5	2	33	3.40
C350862		4.58	0.023	1.2	0.29	15	<10	130	<0.5	<2	2.57	1.1	6	2	57	2.39
C350863		4.65	0.023	0.7	0.29	12	<10	110	<0.5	<2	2.79	<0.5	5	2	47	2.56
C350864		4.34	0.120	1.1	0.28	33	<10	100	<0.5	<2	2.29	7.6	6	2	80	3.14
C350865		5.05	0.069	1.0	0.32	49	<10	80	<0.5	<2	2.23	5.0	5	2	29	3.89
C350866		5.16	0.028	0.4	0.27	11	<10	110	<0.5	<2	3.07	1.8	6	3	12	2.21
C350867		5.04	0.023	0.4	0.31	32	<10	100	<0.5	<2	2.27	<0.5	7	2	9	3.40
C350868		4.94	0.027	0.5	0.28	23	<10	100	<0.5	<2	1.97	<0.5	6	1	11	2.94
C350869		4.60	0.022	0.3	0.29	10	<10	120	<0.5	<2	2.27	<0.5	5	1	15	2.45
C350870		0.13	7.53	>100	1.54	619	20	30	<0.5	5	3.71	132.0	18	44	2070	5.10
C350871		4.43	0.023	0.5	0.40	30	<10	70	<0.5	<2	3.04	0.7	9	15	13	3.03
C350872		5.07	0.025	0.7	0.39	55	<10	80	<0.5	2	3.46	0.8	9	9	13	4.39
C350873		4.68	0.016	0.5	0.38	16	<10	100	<0.5	<2	3.39	<0.5	7	3	29	3.31
C350874		5.15	0.019	0.5	0.42	20	<10	100	<0.5	<2	2.38	<0.5	7	5	27	3.16
C350875		4.45	0.012	0.3	0.31	7	<10	90	<0.5	<2	2.56	0.7	6	2	23	3.08
C350876		4.85	0.016	0.3	0.29	10	<10	110	<0.5	<2	2.49	<0.5	6	2	17	2.60
C350877		4.57	0.018	0.3	0.29	14	<10	120	<0.5	<2	2.75	<0.5	6	2	12	2.47
C350878		4.69	0.022	0.4	0.27	16	<10	120	<0.5	<2	3.53	<0.5	6	2	12	2.67
C350879		4.56	0.060	0.8	0.26	21	<10	90	<0.5	<2	2.62	<0.5	6	2	57	3.08
C350880		0.08	1.140	91.9	1.64	32	10	180	<0.5	<2	3.27	8.8	18	18	985	3.63
C350881		5.00	0.043	1.0	0.31	26	<10	110	<0.5	2	2.13	3.3	5	3	18	3.26
C350882		4.67	0.026	0.5	0.30	20	<10	110	<0.5	<2	3.40	0.5	5	2	13	2.55
C350883		4.96	0.022	0.9	0.32	31	<10	110	<0.5	<2	2.94	1.0	5	2	21	2.30
C350884		5.09	0.029	0.5	0.29	11	<10	110	<0.5	<2	2.77	<0.5	5	2	22	1.99
C350885		5.12	0.041	0.4	0.32	12	<10	110	<0.5	<2	3.11	<0.5	8	2	15	2.33
C350886		2.75	0.050	0.3	0.30	13	<10	120	<0.5	<2	2.67	<0.5	7	2	15	2.28
C350887		4.12	0.054	0.4	0.31	18	<10	110	<0.5	<2	2.37	1.2	5	2	24	2.64
C350888		5.08	0.023	0.4	0.29	13	<10	120	<0.5	<2	0.84	<0.5	4	1	21	1.97
C350889		4.68	0.036	0.7	0.35	29	<10	110	<0.5	<2	0.91	0.6	4	2	89	2.81
C350890		0.13	8.10	>100	1.45	630	<10	30	<0.5	6	3.62	128.0	16	42	2090	5.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350851		<10	<1	0.30	<10	0.27	745	7	0.01	2	1010	13	3.04	<2	1	199
C350852		<10	<1	0.30	<10	0.32	1010	6	0.01	2	1000	8	2.97	<2	1	209
C350853		<10	<1	0.31	<10	0.40	709	11	0.01	3	990	10	3.34	<2	1	190
C350854		<10	<1	0.31	<10	0.30	688	10	0.01	2	1030	10	3.47	<2	1	211
C350855		<10	<1	0.30	10	0.15	594	9	0.01	2	840	10	2.78	<2	1	190
C350856		<10	<1	0.30	10	0.20	647	25	0.01	1	710	10	2.22	<2	1	174
C350857		<10	<1	0.28	10	0.15	821	11	0.01	2	670	6	2.20	<2	1	244
C350858		<10	<1	0.27	<10	0.15	1265	13	<0.01	2	560	46	6.49	<2	1	271
C350859		<10	<1	0.27	<10	0.10	506	6	<0.01	2	600	30	6.14	<2	1	153
C350860		10	<1	0.14	10	1.41	904	13	0.10	12	1010	4540	1.04	61	6	154
C350861		<10	<1	0.29	<10	0.05	422	9	<0.01	2	640	22	3.69	<2	1	106
C350862		<10	<1	0.26	10	0.04	569	12	<0.01	1	660	11	2.68	<2	1	149
C350863		<10	<1	0.25	10	0.03	595	65	0.01	2	660	7	2.83	<2	1	162
C350864		<10	<1	0.25	<10	0.03	525	13	<0.01	2	600	11	3.52	<2	<1	125
C350865		<10	<1	0.29	<10	0.04	487	7	<0.01	2	650	16	4.30	<2	1	141
C350866		<10	<1	0.23	<10	0.03	586	10	0.01	4	670	6	2.48	<2	1	179
C350867		<10	<1	0.26	<10	0.04	432	13	0.01	3	650	8	3.73	<2	1	129
C350868		<10	<1	0.24	10	0.04	340	7	0.01	2	660	10	3.28	<2	1	130
C350869		<10	<1	0.24	10	0.05	313	6	0.02	2	660	6	2.75	<2	1	160
C350870		10	13	0.20	<10	1.42	764	55	0.06	216	630	>10000	4.20	742	3	50
C350871		<10	<1	0.27	<10	0.25	469	31	0.01	37	760	20	3.30	<2	1	194
C350872		<10	<1	0.29	<10	0.13	567	177	0.01	31	630	17	4.85	<2	1	195
C350873		<10	<1	0.25	<10	0.21	554	9	0.01	7	870	9	3.61	<2	1	211
C350874		<10	<1	0.30	<10	0.15	387	17	0.02	10	1040	14	3.41	<2	1	137
C350875		<10	<1	0.25	<10	0.05	432	9	0.01	2	680	17	3.44	<2	1	135
C350876		<10	<1	0.24	10	0.05	405	11	0.02	2	630	12	2.89	<2	1	134
C350877		<10	<1	0.24	<10	0.04	478	8	0.01	2	610	6	2.79	<2	1	151
C350878		<10	<1	0.23	<10	0.04	683	4	0.01	2	600	10	2.96	<2	1	182
C350879		<10	<1	0.22	<10	0.03	511	5	0.01	2	590	9	3.44	<2	<1	154
C350880		10	<1	0.15	<10	1.46	936	14	0.10	12	1060	4690	1.08	62	6	159
C350881		<10	<1	0.26	<10	0.03	488	19	<0.01	1	610	52	3.58	<2	<1	115
C350882		<10	<1	0.25	<10	0.05	676	3	<0.01	1	650	38	2.85	<2	1	171
C350883		<10	<1	0.26	10	0.11	533	4	0.02	2	730	87	2.43	3	1	269
C350884		<10	<1	0.23	<10	0.13	504	8	0.02	1	700	7	2.12	<2	1	174
C350885		<10	<1	0.26	<10	0.07	606	7	0.02	2	680	8	2.55	<2	1	229
C350886		<10	<1	0.25	<10	0.06	525	7	0.01	1	680	9	2.53	<2	1	181
C350887		<10	<1	0.26	<10	0.16	548	3	0.01	1	590	27	2.65	<2	1	142
C350888		<10	<1	0.26	10	0.12	211	2	0.01	1	630	13	1.99	<2	1	59
C350889		<10	<1	0.31	10	0.16	273	2	0.01	2	650	16	2.76	<2	1	61
C350890		10	13	0.19	10	1.39	744	54	0.06	221	620	>10000	4.07	717	3	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350851		<20	<0.01	<10	<10	5	<10	48			
C350852		<20	<0.01	<10	<10	6	<10	41			
C350853		<20	<0.01	<10	<10	7	<10	41			
C350854		<20	<0.01	<10	<10	6	<10	26			
C350855		<20	<0.01	<10	<10	4	<10	451			
C350856		<20	<0.01	<10	<10	4	<10	61			
C350857		<20	<0.01	<10	<10	3	<10	36			
C350858		<20	<0.01	<10	<10	3	<10	135			
C350859		<20	<0.01	<10	<10	3	<10	72			
C350860		<20	0.06	<10	<10	92	<10	1105			
C350861		<20	<0.01	<10	<10	3	<10	73			
C350862		<20	<0.01	<10	<10	3	<10	114			
C350863		<20	<0.01	<10	<10	4	<10	17			
C350864		<20	<0.01	<10	<10	3	<10	677			
C350865		<20	<0.01	<10	<10	3	<10	429			
C350866		<20	<0.01	<10	<10	3	<10	155			
C350867		<20	<0.01	<10	<10	3	<10	34			
C350868		<20	<0.01	<10	<10	3	<10	35			
C350869		<20	<0.01	<10	<10	3	<10	36			
C350870		<20	0.05	10	<10	61	20	>10000	328	2.37	2.45
C350871		<20	<0.01	<10	<10	7	<10	61			
C350872		<20	<0.01	<10	<10	6	<10	71			
C350873		<20	<0.01	<10	<10	9	<10	28			
C350874		<20	<0.01	<10	<10	11	<10	28			
C350875		<20	<0.01	<10	<10	3	<10	56			
C350876		<20	<0.01	<10	<10	3	<10	28			
C350877		<20	<0.01	<10	<10	3	<10	24			
C350878		<20	<0.01	<10	<10	3	<10	32			
C350879		<20	<0.01	<10	<10	3	<10	45			
C350880		<20	0.07	<10	<10	94	<10	1140			
C350881		<20	<0.01	<10	<10	3	<10	300			
C350882		<20	<0.01	<10	<10	3	<10	56			
C350883		<20	<0.01	<10	<10	4	<10	85			
C350884		<20	<0.01	<10	<10	4	<10	21			
C350885		<20	<0.01	<10	<10	4	<10	19			
C350886		<20	<0.01	<10	<10	3	<10	19			
C350887		<20	<0.01	<10	<10	3	<10	91			
C350888		<20	<0.01	<10	<10	4	<10	20			
C350889		<20	<0.01	<10	<10	4	<10	47			
C350890		<20	0.05	10	<10	56	20	>10000	320	2.36	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350891		4.61	0.044	2.0	0.28	65	<10	90	<0.5	2	3.07	2.1	3	2	124	3.66
C350892		2.59	0.088	0.8	0.40	37	<10	110	<0.5	<2	1.25	2.0	4	2	53	3.49
C350893		3.05	0.143	6.6	1.27	316	<10	80	<0.5	<2	1.74	14.0	4	2	1370	8.18
C350894		2.62	0.052	1.5	0.26	36	<10	110	<0.5	2	5.19	0.6	3	2	282	3.22
C350895		3.16	0.317	7.6	0.25	265	<10	70	<0.5	3	2.79	2.4	3	2	1370	6.98
C350896		3.79	0.122	1.8	0.38	74	<10	50	<0.5	<2	3.45	0.7	5	4	252	5.08
C350897		2.70	0.030	1.5	0.20	65	<10	30	<0.5	3	2.18	1.0	4	3	84	4.49
C350898		1.49	0.122	3.4	0.63	265	<10	20	<0.5	6	1.85	1.3	4	3	429	12.55
C350899		1.44	0.154	3.7	0.74	373	<10	20	<0.5	8	2.13	1.4	5	2	330	16.25
C350900		0.09	1.230	90.2	1.52	32	10	170	<0.5	<2	3.17	8.5	17	17	981	3.54
C350901		2.03	0.017	0.8	0.33	22	<10	100	<0.5	<2	1.88	0.8	6	2	151	2.91
C350902		2.95	0.024	0.9	0.32	32	<10	70	<0.5	2	1.90	2.0	6	2	74	3.25
C350903		4.63	0.017	<0.2	0.34	11	<10	110	<0.5	<2	4.68	<0.5	5	3	3	2.33
C350904		4.83	0.013	0.2	0.46	22	<10	120	<0.5	<2	3.42	<0.5	5	2	13	2.14
C350905		4.75	0.018	0.7	0.44	25	<10	100	<0.5	2	2.14	1.4	5	2	24	2.40
C350906		4.66	<0.005	<0.2	1.04	9	<10	390	<0.5	<2	3.42	<0.5	7	1	11	2.18
C350907		5.35	0.005	0.2	0.86	13	<10	180	<0.5	<2	3.30	<0.5	7	1	19	1.89
C350908		4.79	0.030	1.1	3.42	47	<10	160	<0.5	<2	3.44	<0.5	15	3	17	6.19
C350909		5.03	0.047	7.1	2.95	108	<10	150	<0.5	<2	4.32	5.0	14	2	130	5.53
C350910		0.13	7.47	>100	1.51	647	<10	30	<0.5	4	3.72	131.0	17	43	2140	5.15
C350911		4.61	0.026	1.3	3.28	60	<10	150	<0.5	<2	3.83	0.5	14	2	24	5.86
C350912		5.49	0.023	1.0	3.49	95	<10	150	<0.5	<2	3.04	<0.5	17	2	18	6.62
C350913		2.59	0.890	6.6	3.06	54	<10	200	<0.5	<2	3.35	13.6	14	2	153	5.51
C350914		2.66	0.113	3.7	2.77	74	<10	220	<0.5	<2	3.87	0.9	16	2	138	5.26
C350915		2.56	0.455	5.6	2.17	144	<10	140	<0.5	<2	3.02	6.8	12	2	180	5.36
C350916		3.06	0.312	8.9	2.02	114	<10	200	<0.5	<2	5.59	5.4	12	2	294	4.78
C350917		5.37	0.080	3.0	1.80	158	<10	100	<0.5	<2	3.47	1.0	15	2	22	6.82
C350918		5.36	0.203	4.9	1.36	124	<10	70	<0.5	<2	4.25	0.7	13	2	23	5.77
C350919		4.60	0.089	4.3	1.59	102	<10	150	<0.5	<2	3.94	<0.5	12	2	16	4.32
C350920		0.09	1.120	90.0	1.55	31	10	170	<0.5	<2	3.16	8.4	17	17	979	3.54
C350921		3.13	0.100	5.7	1.36	95	<10	170	<0.5	<2	3.64	<0.5	13	2	21	4.23
C350922		3.34	0.052	3.9	1.61	74	<10	240	<0.5	<2	3.93	<0.5	12	2	17	3.44
C350923		4.90	0.241	8.3	2.20	98	<10	200	<0.5	<2	5.59	1.6	12	3	45	3.97
C350924		5.43	0.104	4.7	2.21	47	<10	190	<0.5	<2	4.13	0.5	11	3	23	4.28
C350925		5.31	0.050	3.0	2.05	48	<10	200	<0.5	<2	4.47	0.5	11	3	31	4.12
C350926		4.49	0.026	2.6	2.15	42	<10	220	<0.5	<2	4.04	0.6	12	4	25	4.37
C350927		3.05	0.030	1.0	0.71	49	<10	120	<0.5	<2	3.34	1.7	12	4	49	3.82
C350928		4.58	0.047	0.7	0.67	70	<10	210	<0.5	<2	5.09	<0.5	14	1	53	3.72
C350929		4.69	0.046	1.1	0.66	65	<10	160	<0.5	<2	4.48	<0.5	16	1	37	4.08
C350930		0.14	7.99	>100	1.46	585	10	20	<0.5	4	3.48	119.0	16	40	1955	4.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350891		<10	<1	0.27	10	0.26	737	1	<0.01	1	680	81	3.48	2	1	377
C350892		<10	<1	0.33	10	0.24	478	1	<0.01	1	660	22	2.97	<2	1	84
C350893		<10	<1	0.24	<10	0.83	1020	1	<0.01	1	460	24	5.43	<2	1	126
C350894		<10	<1	0.25	<10	0.24	928	5	<0.01	1	520	16	2.90	2	1	367
C350895		<10	<1	0.23	<10	0.17	634	3	<0.01	1	470	82	7.94	<2	1	245
C350896		<10	<1	0.27	<10	0.24	685	5	<0.01	3	580	20	4.90	<2	1	176
C350897		<10	<1	0.21	<10	0.04	406	8	<0.01	1	440	92	4.79	<2	<1	256
C350898		<10	<1	0.24	<10	0.46	569	3	<0.01	2	380	92	>10.0	<2	1	129
C350899		<10	<1	0.22	<10	0.58	670	3	<0.01	2	340	118	>10.0	2	1	150
C350900		<10	<1	0.14	10	1.42	903	12	0.10	11	1030	4580	1.05	62	5	150
C350901		<10	<1	0.27	<10	0.16	418	1	0.01	1	670	32	2.92	<2	1	116
C350902		<10	<1	0.27	<10	0.11	375	2	0.01	1	680	66	3.42	<2	1	146
C350903		<10	<1	0.24	10	0.15	731	1	0.02	2	610	8	2.32	<2	1	263
C350904		<10	<1	0.25	10	0.25	653	2	0.01	1	630	10	1.91	<2	1	194
C350905		<10	<1	0.27	10	0.17	536	3	0.01	1	700	95	2.28	<2	1	131
C350906		<10	<1	0.30	10	0.45	959	2	0.02	1	940	8	0.23	<2	1	206
C350907		<10	<1	0.36	10	0.32	983	2	0.01	1	950	11	0.20	<2	1	211
C350908		10	<1	0.18	10	2.40	3430	1	<0.01	3	1590	170	0.52	<2	4	131
C350909		10	<1	0.19	10	2.06	3280	3	<0.01	2	1560	1350	0.77	7	3	161
C350910		10	15	0.20	10	1.43	760	56	0.07	228	640	>10000	4.18	739	3	48
C350911		10	1	0.19	10	2.31	3290	2	0.01	2	1620	140	0.46	2	4	138
C350912		10	<1	0.19	10	2.53	3310	2	0.01	3	1710	83	0.92	<2	4	132
C350913		10	<1	0.20	10	2.17	3190	6	<0.01	3	1660	1105	0.65	4	3	127
C350914		10	<1	0.19	10	1.88	3390	2	<0.01	2	1640	381	0.69	2	3	145
C350915		<10	1	0.18	10	1.44	2690	1	<0.01	2	1410	621	1.94	3	3	123
C350916		<10	<1	0.20	10	1.37	4030	2	<0.01	1	1320	704	1.67	9	3	226
C350917		<10	2	0.24	10	1.08	2510	14	0.01	3	1440	91	4.26	2	3	140
C350918		<10	1	0.21	10	0.74	2150	10	0.02	3	1160	180	4.09	3	2	169
C350919		<10	1	0.23	10	0.92	2120	4	0.01	3	1200	67	2.04	3	2	166
C350920		10	1	0.14	10	1.43	908	13	0.11	11	1000	4490	1.01	62	5	152
C350921		<10	1	0.24	10	0.77	1720	2	0.01	3	1210	46	2.46	3	2	140
C350922		<10	<1	0.23	10	0.97	1985	2	0.01	2	1160	75	1.08	3	2	178
C350923		<10	<1	0.22	10	1.34	3020	5	0.01	4	1210	549	0.62	10	2	226
C350924		10	<1	0.21	10	1.19	2860	2	0.02	2	1100	425	0.48	5	2	189
C350925		<10	<1	0.20	10	1.05	2820	2	0.02	2	1110	383	0.55	<2	3	218
C350926		<10	<1	0.20	10	1.14	2430	2	0.02	2	1190	338	0.61	4	3	200
C350927		<10	<1	0.29	10	0.69	1820	1	0.01	5	1000	56	2.00	<2	3	142
C350928		<10	<1	0.35	10	0.61	2480	<1	0.01	2	1110	9	1.81	<2	3	296
C350929		<10	<1	0.28	10	0.87	2280	<1	0.01	2	1060	12	2.37	<2	2	233
C350930		10	13	0.19	10	1.28	708	51	0.07	200	580	>10000	3.78	672	3	50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350891		<20	<0.01	<10	<10	3	<10	188			
C350892		<20	<0.01	<10	<10	4	<10	167			
C350893		<20	<0.01	<10	<10	9	<10	1130			
C350894		<20	<0.01	<10	<10	2	<10	44			
C350895		<20	<0.01	<10	<10	2	<10	181			
C350896		<20	<0.01	<10	<10	4	<10	45			
C350897		<20	<0.01	<10	<10	2	<10	66			
C350898		<20	<0.01	<10	<10	6	<10	108			
C350899		<20	<0.01	<10	<10	6	<10	132			
C350900		<20	0.06	<10	<10	88	<10	1135			
C350901		<20	<0.01	<10	<10	3	<10	70			
C350902		<20	<0.01	<10	<10	3	<10	150			
C350903		<20	<0.01	<10	<10	4	<10	9			
C350904		<20	<0.01	<10	<10	7	<10	16			
C350905		<20	<0.01	<10	<10	5	<10	158			
C350906		<20	0.01	<10	<10	11	<10	54			
C350907		<20	0.01	<10	<10	9	<10	46			
C350908		<20	0.08	<10	<10	56	<10	165			
C350909		<20	0.04	<10	<10	45	<10	306			
C350910		<20	0.05	10	<10	58	20	>10000	325	2.32	2.37
C350911		<20	0.02	<10	<10	51	<10	181			
C350912		<20	0.01	<10	<10	54	<10	157			
C350913		<20	0.01	<10	<10	45	<10	1595			
C350914		<20	0.01	<10	<10	43	<10	213			
C350915		<20	<0.01	<10	<10	28	<10	799			
C350916		<20	<0.01	<10	<10	26	<10	487			
C350917		<20	<0.01	<10	<10	26	<10	124			
C350918		<20	0.01	<10	<10	18	<10	130			
C350919		<20	0.01	<10	<10	19	<10	91			
C350920		<20	0.06	<10	<10	89	<10	1125			
C350921		<20	0.02	<10	<10	15	<10	83			
C350922		<20	0.02	<10	<10	18	<10	126			
C350923		<20	0.03	<10	<10	23	<10	250			
C350924		<20	0.04	<10	<10	28	<10	176			
C350925		<20	0.07	<10	<10	27	<10	166			
C350926		<20	0.08	<10	<10	31	<10	145			
C350927		<20	<0.01	<10	<10	13	<10	234			
C350928		<20	<0.01	<10	<10	11	<10	64			
C350929		<20	<0.01	<10	<10	10	<10	66			
C350930		<20	0.05	10	<10	55	20	>10000	331	2.39	2.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350931		4.34	0.070	1.3	0.96	92	<10	110	<0.5	<2	4.07	<0.5	17	1	28	4.08
C350932		5.24	0.037	1.0	0.99	58	<10	110	<0.5	<2	4.73	0.5	14	1	22	3.88
C350933		4.41	0.046	1.2	1.44	57	<10	200	<0.5	<2	4.28	6.6	13	1	27	3.98
C350934		5.13	0.044	0.8	1.16	61	<10	120	<0.5	<2	4.09	<0.5	16	1	40	3.90
C350935		2.60	0.105	1.5	0.82	112	<10	110	<0.5	<2	4.66	0.8	12	1	21	3.59
C350936		2.59	0.097	1.3	0.90	98	<10	150	<0.5	2	4.95	0.7	14	1	43	3.49
C350937		2.68	0.092	1.3	0.59	82	<10	40	<0.5	<2	3.64	2.4	13	1	27	3.75
C350938		1.32	0.088	1.1	0.64	81	<10	80	<0.5	<2	3.39	1.0	14	2	27	3.95
C350939		1.33	0.116	1.0	0.58	76	<10	40	<0.5	<2	4.12	1.1	13	1	22	3.54
C350940		0.08	1.110	83.9	1.52	29	10	160	<0.5	<2	3.05	7.7	15	16	892	3.25
C350941		2.15	0.050	1.4	0.77	49	<10	80	<0.5	<2	4.29	2.6	14	1	27	3.86
C350942		2.93	0.122	1.4	0.67	80	<10	110	<0.5	<2	4.16	2.7	11	2	19	3.33
C350943		3.19	2.41	21.1	0.34	56	<10	30	<0.5	<2	4.38	72.4	6	4	206	3.92
C350944		3.61	0.071	1.6	0.66	64	<10	50	<0.5	<2	3.96	2.7	11	1	25	3.76
C350945		4.76	0.011	1.3	0.39	36	<10	700	<0.5	<2	3.92	0.9	6	2	11	1.61
C350946		4.68	0.015	0.6	0.66	8	<10	1030	<0.5	<2	3.03	<0.5	5	2	8	1.98
C350947		4.56	0.015	2.3	0.66	48	<10	530	<0.5	<2	3.94	<0.5	5	2	5	1.62
C350948		4.55	0.007	0.9	0.52	7	<10	30	<0.5	<2	2.02	<0.5	11	1	40	3.62
C350949		5.39	0.012	1.3	0.55	6	<10	30	<0.5	<2	2.05	1.5	6	2	192	2.42
C350950		0.10	7.81	>100	1.46	590	10	20	<0.5	5	3.49	119.0	15	41	1945	4.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350931		<10	<1	0.30	10	0.72	2060	1	0.01	3	1100	26	2.62	<2	2	217
C350932		<10	<1	0.30	10	0.56	2330	1	0.01	2	1060	55	2.58	2	2	310
C350933		<10	<1	0.32	10	0.73	2350	<1	0.01	2	1110	219	1.63	<2	2	283
C350934		<10	<1	0.30	10	0.61	2240	1	0.01	2	1100	36	2.19	<2	2	260
C350935		<10	<1	0.29	<10	0.47	2380	1	0.01	2	1020	258	2.60	<2	2	261
C350936		<10	1	0.30	<10	0.56	2780	1	0.01	2	1020	131	2.29	2	2	329
C350937		<10	<1	0.29	<10	0.32	1930	<1	0.01	2	1000	189	3.35	2	2	217
C350938		<10	<1	0.30	<10	0.38	1770	1	0.01	3	1080	75	3.45	2	2	187
C350939		<10	<1	0.27	<10	0.35	2070	1	0.01	2	1000	80	3.07	2	2	231
C350940		<10	<1	0.13	10	1.30	842	12	0.10	11	930	4300	0.95	56	5	143
C350941		<10	<1	0.30	10	0.47	2370	1	0.01	2	1060	134	3.03	2	2	275
C350942		<10	<1	0.27	<10	0.41	2190	1	0.01	2	960	171	2.72	<2	1	246
C350943		<10	1	0.20	<10	0.22	2070	<1	0.01	2	540	3050	4.13	4	1	255
C350944		<10	<1	0.30	<10	0.58	2280	<1	0.01	2	1020	123	2.55	<2	2	276
C350945		<10	<1	0.34	10	0.38	1770	<1	0.01	1	700	114	0.39	<2	2	249
C350946		<10	<1	0.28	10	0.54	1370	<1	0.02	2	720	35	0.14	<2	2	212
C350947		<10	<1	0.33	10	0.37	1680	<1	0.01	2	690	32	0.38	<2	1	250
C350948		<10	<1	0.35	<10	0.51	747	1	0.01	2	1100	14	2.89	<2	1	192
C350949		<10	<1	0.31	10	0.43	673	2	0.01	1	660	6	2.03	<2	2	149
C350950		10	13	0.19	10	1.29	702	50	0.06	200	560	>10000	3.76	660	3	49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350931		<20	<0.01	<10	<10	13	<10	73			
C350932		<20	<0.01	<10	<10	13	<10	90			
C350933		<20	<0.01	<10	<10	19	<10	815			
C350934		<20	<0.01	<10	<10	15	<10	95			
C350935		<20	<0.01	<10	<10	13	<10	112			
C350936		<20	<0.01	<10	<10	16	<10	108			
C350937		<20	<0.01	<10	<10	10	<10	280			
C350938		<20	<0.01	<10	<10	11	<10	122			
C350939		<20	<0.01	<10	<10	10	<10	136			
C350940		<20	0.06	<10	<10	85	<10	1035			
C350941		<20	<0.01	<10	<10	11	<10	286			
C350942		<20	<0.01	<10	<10	11	<10	317			
C350943		<20	<0.01	<10	<10	5	<10	8050			
C350944		<20	<0.01	<10	<10	10	<10	361			
C350945		<20	<0.01	<10	<10	5	<10	115			
C350946		<20	<0.01	<10	<10	7	<10	85			
C350947		<20	<0.01	<10	<10	6	<10	43			
C350948		<20	<0.01	<10	<10	8	<10	55			
C350949		<20	<0.01	<10	<10	9	<10	156			
C350950		<20	0.05	10	<10	55	20	>10000	324	2.34	2.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249048

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

CERTIFICATE TR20249049

Project: Premier

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350951		4.98	0.008	0.5	0.85	8	<10	110	<0.5	2	2.62	<0.5	7	3	12	3.31
C350952		4.59	0.012	0.8	1.01	13	<10	30	<0.5	2	2.81	3.1	10	3	21	3.61
C350953		5.00	0.005	0.5	0.62	7	<10	280	<0.5	<2	3.26	0.5	9	2	37	2.92
C350954		5.35	0.017	0.9	0.51	15	<10	140	<0.5	<2	3.07	4.8	9	2	39	3.29
C350955		5.55	0.010	1.2	0.90	10	<10	150	<0.5	<2	2.54	6.8	7	4	34	3.18
C350956		5.16	0.010	0.9	0.78	9	<10	130	<0.5	<2	3.19	7.3	10	1	10	4.11
C350957		5.11	0.015	0.8	1.15	17	<10	120	<0.5	<2	3.49	2.0	8	2	40	3.45
C350958		4.85	0.014	1.1	1.37	18	<10	150	<0.5	<2	3.14	7.2	11	2	31	4.32
C350959		4.97	0.012	0.7	1.66	14	<10	90	<0.5	2	3.63	5.3	9	2	14	4.52
C350960		0.08	1.085	93.9	1.61	31	10	180	<0.5	<2	3.27	8.6	17	18	970	3.53
C350961		4.08	0.009	0.6	1.59	11	<10	230	<0.5	2	3.79	1.3	8	3	11	3.78
C350962		3.13	<0.005	0.2	1.33	<2	<10	700	<0.5	<2	2.52	<0.5	9	23	7	2.79
C350963		4.92	0.011	0.8	1.43	12	<10	100	<0.5	<2	4.38	2.4	7	2	37	3.46
C350964		5.11	0.014	0.6	1.78	15	<10	80	0.5	<2	5.44	<0.5	19	4	75	4.35
C350965		2.12	0.070	1.3	1.02	90	<10	150	<0.5	<2	4.02	<0.5	14	1	24	3.87
C350966		1.70	0.059	1.4	0.52	74	<10	130	<0.5	<2	5.06	1.1	13	1	20	3.58
C350967		1.93	0.094	1.9	0.75	110	<10	100	<0.5	<2	5.77	3.0	12	2	29	4.21
C350968		2.17	0.192	13.5	0.74	167	<10	70	<0.5	<2	5.05	22.7	13	2	90	5.27
C350969		1.83	0.100	1.6	0.90	120	<10	120	<0.5	<2	4.08	0.5	14	2	41	4.04
C350970		0.11	7.36	>100	1.51	602	<10	20	<0.5	5	3.68	128.5	18	44	2090	4.97
C350971		1.91	0.088	1.7	0.63	70	<10	80	<0.5	<2	4.22	4.8	12	2	22	3.82
C350972		4.77	0.006	0.5	0.86	15	<10	510	<0.5	<2	3.62	<0.5	6	3	10	2.39
C350973		5.01	0.015	1.6	0.70	30	<10	460	<0.5	<2	4.00	<0.5	7	3	22	2.03
C350974		5.41	0.037	3.5	0.59	49	<10	300	<0.5	<2	3.94	0.5	6	2	19	1.84
C350975		4.78	0.013	1.4	0.44	31	<10	320	<0.5	<2	4.70	<0.5	5	3	17	1.69
C350976		4.92	0.007	1.1	0.61	22	<10	210	<0.5	<2	4.68	<0.5	6	4	18	1.60
C350977		5.07	0.071	2.2	0.89	24	<10	210	<0.5	<2	3.96	4.6	6	3	30	1.75
C350978		4.49	0.010	6.7	0.84	138	<10	490	<0.5	<2	4.16	1.0	6	3	15	1.77
C350979		5.03	0.005	1.0	0.89	38	<10	200	<0.5	<2	4.14	<0.5	6	3	21	1.71
C350980		0.09	1.235	90.6	1.53	31	10	170	<0.5	<2	3.21	8.4	17	17	949	3.45
C350981		5.00	0.010	1.0	1.03	50	<10	190	<0.5	2	3.93	<0.5	6	3	13	1.85
C350982		2.61	0.075	3.8	0.96	30	<10	160	<0.5	<2	5.93	12.0	5	2	68	1.60
C350983		2.56	0.012	3.8	1.18	26	<10	170	<0.5	<2	5.40	5.6	6	4	58	2.04
C350984		2.46	0.445	29.8	0.99	160	<10	90	<0.5	5	9.6	109.0	6	3	446	4.93
C350985		1.11	2.82	>100	0.77	120	<10	50	<0.5	12	7.9	380	4	3	3800	6.71
C350986		1.41	4.07	>100	0.74	114	<10	70	<0.5	9	9.3	220	3	3	2390	6.00
C350987		2.09	0.442	36.8	0.40	91	<10	90	<0.5	3	5.75	78.8	4	4	811	3.76
C350988		2.73	1.195	77.2	0.19	99	<10	90	<0.5	<2	2.54	35.8	3	5	208	3.25
C350989		2.55	0.907	>100	0.25	87	<10	80	<0.5	2	4.56	59.1	5	3	379	3.15
C350990		0.10	7.68	>100	1.51	613	10	30	<0.5	6	3.68	128.0	18	44	2060	4.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350951		<10	<1	0.38	10	0.72	1130	2	0.01	2	910	5	2.02	<2	2	201
C350952		<10	<1	0.35	10	0.68	872	2	0.01	4	1030	16	2.06	<2	2	213
C350953		<10	<1	0.36	10	0.82	1365	2	0.02	2	940	9	1.04	<2	2	338
C350954		<10	<1	0.33	10	0.57	1380	2	0.01	3	950	12	2.31	<2	2	260
C350955		<10	<1	0.34	10	0.66	1355	2	0.01	2	960	7	1.80	<2	2	213
C350956		<10	<1	0.32	10	0.81	1765	<1	0.02	3	1300	8	2.64	<2	1	223
C350957		<10	<1	0.36	10	0.76	1910	1	0.02	3	1210	5	1.52	<2	1	226
C350958		<10	<1	0.28	10	0.86	1920	1	0.02	3	1390	6	2.21	2	1	176
C350959		10	<1	0.31	10	1.04	2010	<1	0.02	3	1590	8	2.01	<2	2	193
C350960		<10	1	0.14	10	1.44	926	13	0.10	11	1010	4480	1.04	62	6	152
C350961		10	<1	0.27	10	1.02	1635	<1	0.04	3	1400	32	1.34	<2	2	164
C350962		10	<1	0.18	10	1.05	643	2	0.04	9	810	17	0.06	<2	3	114
C350963		<10	<1	0.38	10	0.72	1290	<1	0.03	2	1270	269	1.60	<2	2	177
C350964		10	<1	0.34	10	1.10	1565	4	0.04	4	1280	13	1.54	<2	4	290
C350965		<10	<1	0.29	10	0.67	2180	<1	<0.01	1	1120	31	2.41	<2	2	239
C350966		<10	<1	0.24	<10	0.31	2600	1	<0.01	2	990	67	3.16	<2	2	323
C350967		<10	<1	0.24	<10	0.46	2820	<1	<0.01	2	900	195	3.42	<2	2	294
C350968		<10	1	0.24	<10	0.43	2470	<1	<0.01	2	930	3300	4.77	4	1	254
C350969		<10	<1	0.28	10	0.54	2270	1	<0.01	2	1180	77	2.95	<2	2	256
C350970		10	15	0.19	10	1.41	761	55	0.06	212	610	>10000	4.08	691	3	47
C350971		<10	<1	0.25	<10	0.50	2230	1	<0.01	1	980	161	2.80	2	2	223
C350972		<10	<1	0.25	10	0.66	1785	<1	0.01	3	800	25	0.30	<2	2	191
C350973		<10	<1	0.32	10	0.49	1795	<1	0.01	3	760	42	0.25	<2	1	275
C350974		<10	<1	0.29	10	0.42	1695	<1	0.01	3	740	63	0.26	2	1	233
C350975		<10	<1	0.35	10	0.31	1985	1	<0.01	2	710	64	0.29	2	1	228
C350976		<10	<1	0.33	10	0.32	1880	1	<0.01	3	770	59	0.29	<2	1	334
C350977		<10	<1	0.36	10	0.37	1645	<1	0.01	3	750	265	0.20	2	1	182
C350978		<10	<1	0.33	10	0.34	1710	<1	0.01	3	760	118	0.32	4	1	179
C350979		<10	<1	0.38	10	0.32	1575	<1	<0.01	3	740	62	0.30	<2	1	159
C350980		10	1	0.13	10	1.41	899	13	0.09	11	1000	4430	1.04	60	5	148
C350981		<10	<1	0.36	10	0.47	1650	<1	<0.01	3	750	31	0.23	2	1	159
C350982		<10	<1	0.30	10	0.56	2570	<1	<0.01	3	760	251	0.28	4	1	333
C350983		<10	<1	0.31	10	0.78	2740	2	<0.01	3	800	239	0.29	3	1	270
C350984		<10	1	0.15	<10	0.58	4330	6	<0.01	<1	440	817	3.87	8	1	345
C350985		<10	3	0.12	<10	0.41	3530	2	<0.01	<1	250	4960	8.11	25	1	273
C350986		<10	2	0.12	<10	0.41	4300	2	<0.01	<1	290	4420	6.49	32	1	331
C350987		<10	1	0.20	<10	0.14	2900	4	<0.01	1	370	729	3.80	7	1	226
C350988		<10	<1	0.17	<10	0.03	1250	2	<0.01	2	370	1520	3.55	68	<1	147
C350989		<10	<1	0.22	<10	0.05	2100	3	<0.01	2	440	1470	3.55	94	<1	159
C350990		10	14	0.20	10	1.41	750	53	0.06	213	620	>10000	4.09	703	3	49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350951		<20	<0.01	<10	<10	13	<10	79			
C350952		<20	<0.01	<10	<10	16	<10	357			
C350953		<20	<0.01	<10	<10	10	<10	106			
C350954		<20	<0.01	<10	<10	7	<10	466			
C350955		<20	<0.01	<10	<10	13	<10	637			
C350956		<20	<0.01	<10	<10	9	<10	693			
C350957		<20	<0.01	<10	<10	15	<10	243			
C350958		<20	<0.01	<10	<10	19	<10	737			
C350959		<20	0.01	<10	<10	27	<10	575			
C350960		<20	0.07	<10	<10	92	<10	1135			
C350961		<20	0.01	<10	<10	31	<10	212			
C350962		<20	0.01	<10	<10	39	<10	80			
C350963		<20	0.02	<10	<10	22	<10	259			
C350964		<20	0.02	<10	<10	49	<10	72			
C350965		<20	<0.01	<10	<10	16	<10	89			
C350966		<20	<0.01	<10	<10	9	<10	146			
C350967		<20	<0.01	<10	<10	13	<10	349			
C350968		<20	<0.01	<10	<10	10	<10	2400			
C350969		<20	<0.01	<10	<10	17	<10	110			
C350970		<20	0.05	10	<10	58	20	>10000	319	2.30	2.39
C350971		<20	<0.01	<10	<10	11	<10	584			
C350972		<20	<0.01	<10	<10	11	<10	79			
C350973		<20	<0.01	<10	<10	7	<10	68			
C350974		<20	<0.01	<10	<10	6	<10	89			
C350975		<20	<0.01	<10	<10	4	<10	77			
C350976		<20	<0.01	<10	<10	5	<10	61			
C350977		<20	<0.01	<10	<10	7	<10	475			
C350978		<20	<0.01	<10	<10	6	<10	148			
C350979		<20	<0.01	<10	<10	6	<10	76			
C350980		<20	0.06	<10	<10	89	<10	1115			
C350981		<20	0.01	<10	<10	8	<10	65			
C350982		<20	<0.01	<10	<10	7	<10	1230			
C350983		<20	<0.01	<10	<10	9	<10	635			
C350984		<20	<0.01	<10	<10	11	<10	>10000			1.140
C350985		<20	<0.01	<10	<10	7	<10	>10000	158		4.00
C350986		<20	<0.01	<10	<10	7	<10	>10000	200		2.27
C350987		<20	<0.01	<10	<10	4	<10	8030			
C350988		<20	<0.01	<10	<10	2	<10	3540			
C350989		<20	<0.01	<10	<10	3	<10	5990	104		
C350990		<20	0.05	10	<10	58	20	>10000	326	2.33	2.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C350991		2.44	1.385	>100	0.53	86	<10	70	<0.5	3	4.05	183.5	4	4	987	4.10
C350992		2.11	0.314	>100	0.40	91	<10	80	<0.5	2	3.16	41.7	4	4	280	3.85
C350993		2.23	0.195	38.0	0.35	67	<10	70	<0.5	4	1.74	191.0	4	3	1125	3.10
C350994		2.08	7.85	28.5	0.43	66	<10	60	<0.5	4	1.92	147.5	4	3	673	3.51
C350995		2.45	0.333	>100	0.33	107	<10	20	<0.5	5	2.07	876	2	3	3140	4.32
C350996		2.36	0.219	19.6	0.32	72	<10	20	<0.5	3	2.25	50.9	8	4	171	5.90
C350997		2.39	0.206	23.5	0.79	106	<10	40	<0.5	3	2.57	24.3	9	4	86	6.59
C350998		2.61	0.072	13.2	1.11	96	<10	50	<0.5	2	1.84	70.9	9	3	454	6.38
C350999		2.48	0.107	21.2	0.80	106	<10	50	<0.5	3	1.76	119.5	8	5	406	5.42
C351000		0.09	1.215	92.9	1.54	31	10	170	<0.5	2	3.23	8.5	17	18	961	3.47
C351001		2.66	0.077	9.5	0.89	82	<10	70	<0.5	3	3.16	27.4	10	2	146	4.53
C351002		2.88	0.232	14.8	0.61	69	<10	50	<0.5	3	1.78	197.0	4	6	526	4.12
C351003		3.02	0.095	5.8	0.68	64	<10	80	<0.5	2	1.44	63.2	7	4	231	3.50
C351004		3.03	0.090	12.0	0.85	71	<10	120	<0.5	3	2.54	55.8	7	4	307	3.32
C351005		2.74	0.163	7.4	1.07	74	<10	140	<0.5	<2	2.43	39.5	7	4	183	3.65
C351006		2.77	0.134	8.4	1.00	78	<10	90	<0.5	3	1.18	62.7	7	4	256	3.65
C351007		2.38	0.126	7.6	0.89	54	<10	110	<0.5	3	1.78	173.5	4	9	324	3.50
C351008		2.22	0.061	6.0	0.93	41	<10	100	<0.5	2	2.57	37.0	6	5	128	3.67
C351009		2.70	0.499	>100	1.02	140	<10	40	<0.5	9	5.49	626	3	4	6730	8.55
C351010		0.10	8.09	>100	1.42	592	10	20	<0.5	5	3.46	123.5	16	40	2010	4.80
C351011		2.50	0.743	39.6	1.39	99	<10	40	<0.5	9	1.23	835	3	5	4340	8.80
C351012		2.43	0.701	51.6	1.09	60	<10	60	<0.5	19	1.21	359	5	5	2650	5.48
C351013		2.39	0.200	53.4	0.61	82	<10	70	<0.5	17	7.28	186.0	5	3	2130	4.34
C351014		2.43	0.436	>100	0.60	80	<10	80	<0.5	18	4.45	109.0	5	3	2910	3.94
C351015		2.59	0.226	75.5	0.63	101	<10	70	<0.5	29	3.78	127.0	5	4	1510	4.12
C351016		2.63	0.119	21.7	0.76	103	<10	40	<0.5	6	1.93	29.4	4	4	1430	4.77
C351017		2.60	0.458	37.5	0.71	103	<10	50	<0.5	15	2.37	60.4	4	5	1925	5.00
C351018		2.59	0.126	16.3	0.54	98	<10	30	<0.5	6	2.41	29.6	5	4	666	4.47
C351019		2.65	0.170	4.9	0.76	132	<10	30	<0.5	<2	0.78	2.9	4	5	584	5.58
C351020		0.09	1.220	89.1	1.53	30	10	160	<0.5	<2	3.13	8.3	17	17	964	3.47
C351021		2.41	0.140	6.0	0.66	102	<10	50	<0.5	2	2.66	11.2	5	4	186	4.00
C351022		2.27	0.100	3.5	0.61	107	<10	60	<0.5	2	3.31	7.5	4	2	171	3.73
C351023		2.34	0.092	3.3	0.63	119	<10	50	<0.5	<2	3.69	18.0	4	3	189	3.97
C351024		2.24	0.098	13.5	0.54	106	<10	90	<0.5	3	3.67	28.8	4	4	414	3.69
C351025		2.41	0.087	2.0	0.73	131	<10	90	<0.5	<2	1.52	4.0	3	5	24	3.73
C351026		2.24	0.123	1.7	0.55	169	<10	60	<0.5	<2	0.60	6.2	4	3	31	4.21
C351027		1.87	0.059	0.9	0.68	65	<10	70	<0.5	<2	0.69	0.9	2	11	11	3.71
C351028		1.27	0.182	17.3	0.84	64	<10	60	<0.5	2	1.19	248	3	7	1010	4.75
C351029		1.01	0.120	11.7	0.92	60	<10	70	<0.5	<2	0.93	119.5	3	8	698	4.76
C351030		0.10	7.72	>100	1.47	599	10	20	<0.5	6	3.55	125.0	17	41	2050	4.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C350991		<10	1	0.18	<10	0.29	2550	2	<0.01	1	260	1950	4.46	112	<1	179
C350992		<10	<1	0.15	<10	0.22	2140	2	<0.01	1	350	832	3.73	74	<1	156
C350993		<10	1	0.24	<10	0.15	1250	3	<0.01	2	450	801	3.82	20	<1	94
C350994		<10	1	0.26	<10	0.30	1295	2	<0.01	2	500	673	3.85	23	<1	114
C350995		<10	5	0.25	<10	0.40	1825	1	<0.01	2	420	839	7.67	504	<1	149
C350996		<10	1	0.21	<10	0.62	2750	2	<0.01	1	790	311	4.60	6	1	162
C350997		<10	<1	0.24	10	0.52	2900	2	<0.01	1	810	529	5.64	7	1	128
C350998		<10	1	0.20	10	0.75	2550	1	<0.01	<1	980	97	5.20	2	1	97
C350999		<10	1	0.21	<10	0.45	1775	3	<0.01	1	790	254	4.99	5	1	126
C351000		10	<1	0.13	10	1.42	907	13	0.09	11	1000	4470	1.03	60	5	149
C351001		<10	<1	0.24	10	0.52	2830	2	<0.01	3	1100	235	3.69	3	1	175
C351002		<10	2	0.17	<10	0.33	1705	2	<0.01	2	600	362	4.19	<2	1	170
C351003		<10	<1	0.27	<10	0.33	1255	3	<0.01	2	790	197	3.13	<2	1	74
C351004		<10	1	0.22	10	0.52	2240	2	<0.01	1	770	570	2.51	<2	1	137
C351005		<10	<1	0.22	10	0.65	2530	1	<0.01	2	760	316	2.23	3	1	115
C351006		<10	<1	0.21	10	0.60	1615	2	<0.01	1	790	404	2.46	2	1	60
C351007		<10	<1	0.15	<10	0.52	2200	1	0.01	2	510	488	2.58	<2	1	171
C351008		<10	<1	0.17	<10	0.58	2630	2	<0.01	1	680	435	2.35	2	1	199
C351009		<10	2	0.14	<10	0.58	5220	1	<0.01	1	420	753	>10.0	111	3	696
C351010		10	14	0.18	<10	1.31	721	52	0.06	210	600	>10000	4.02	680	3	48
C351011		<10	2	0.15	<10	0.77	2510	1	<0.01	2	500	1090	>10.0	2	1	54
C351012		<10	1	0.14	<10	0.60	2400	1	<0.01	2	550	2540	5.30	6	1	66
C351013		<10	1	0.17	<10	0.31	4550	2	<0.01	1	320	4370	4.55	14	1	275
C351014		<10	1	0.19	<10	0.29	2650	1	<0.01	1	380	>10000	3.96	55	<1	158
C351015		<10	1	0.19	<10	0.27	2340	2	<0.01	1	350	5400	3.90	20	<1	119
C351016		<10	<1	0.18	<10	0.34	2080	1	<0.01	1	440	544	3.75	8	<1	90
C351017		<10	<1	0.17	<10	0.31	2220	1	<0.01	2	380	4490	4.14	9	<1	99
C351018		<10	<1	0.19	<10	0.21	2010	2	<0.01	1	480	2390	3.97	7	<1	107
C351019		<10	<1	0.24	<10	0.28	1300	1	<0.01	1	450	66	4.47	3	<1	37
C351020		<10	<1	0.14	10	1.40	908	13	0.10	10	990	4420	1.03	52	5	148
C351021		<10	<1	0.23	<10	0.26	1900	1	<0.01	1	490	837	3.22	2	<1	99
C351022		<10	<1	0.23	10	0.24	2130	1	<0.01	1	550	42	3.05	<2	<1	114
C351023		<10	<1	0.25	<10	0.23	2080	1	<0.01	1	550	83	3.39	<2	1	113
C351024		<10	<1	0.18	<10	0.22	2380	1	<0.01	1	380	1235	3.14	7	<1	136
C351025		<10	<1	0.21	<10	0.30	1710	1	<0.01	1	380	245	2.60	<2	<1	68
C351026		<10	<1	0.24	<10	0.19	1050	2	<0.01	2	470	32	3.68	<2	<1	33
C351027		<10	<1	0.15	<10	0.29	1230	1	<0.01	1	230	20	2.34	<2	<1	42
C351028		<10	1	0.14	<10	0.40	1980	1	<0.01	2	270	84	4.03	2	<1	63
C351029		<10	<1	0.15	<10	0.42	1860	1	<0.01	1	270	38	3.31	<2	<1	52
C351030		10	14	0.19	<10	1.36	748	51	0.06	211	600	>10000	3.96	648	3	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C350991		<20	<0.01	<10	<10	5	<10	>10000	407		1.935
C350992		<20	<0.01	<10	<10	5	<10	4030	96		
C350993		<20	<0.01	<10	<10	3	<10	>10000			1.930
C350994		<20	<0.01	<10	<10	4	<10	>10000			1.465
C350995		<20	<0.01	<10	<10	3	<10	>10000	367		8.10
C350996		<20	<0.01	<10	<10	6	<10	4670			
C350997		<20	<0.01	<10	<10	16	<10	2450			
C350998		<20	<0.01	<10	<10	26	10	6780			
C350999		<20	<0.01	<10	<10	12	10	>10000			1.185
C351000		<20	0.06	<10	<10	89	<10	1120			
C351001		<20	0.01	<10	<10	16	10	2750			
C351002		<20	<0.01	<10	<10	9	<10	>10000			1.885
C351003		<20	0.01	<10	<10	10	10	5480			
C351004		<20	0.01	<10	<10	13	10	5530			
C351005		<20	0.01	<10	<10	19	10	3870			
C351006		<20	0.01	<10	<10	17	10	5960			
C351007		<20	<0.01	<10	<10	15	<10	>10000			1.715
C351008		<20	0.01	<10	<10	17	10	3590			
C351009		<20	<0.01	<10	<10	17	10	>10000	242		6.91
C351010		<20	0.04	10	<10	54	20	>10000	330	2.37	2.49
C351011		<20	0.01	<10	<10	22	<10	>10000			8.70
C351012		<20	0.01	<10	<10	20	<10	>10000			3.70
C351013		<20	<0.01	<10	<10	6	<10	>10000			2.00
C351014		<20	<0.01	<10	<10	5	<10	>10000	104	1.940	1.155
C351015		<20	<0.01	<10	<10	6	<10	>10000			1.250
C351016		<20	0.01	<10	<10	7	<10	2940			
C351017		<20	0.01	<10	<10	8	<10	6040			
C351018		<20	0.02	<10	<10	6	<10	2880			
C351019		<20	0.02	<10	<10	6	<10	302			
C351020		<20	0.06	<10	<10	87	<10	1130			
C351021		<20	0.02	<10	<10	7	<10	1160			
C351022		<20	0.02	<10	<10	6	<10	770			
C351023		<20	0.01	<10	<10	7	<10	1830			
C351024		<20	0.01	<10	<10	4	<10	2840			
C351025		<20	<0.01	<10	<10	6	<10	347			
C351026		<20	<0.01	<10	<10	5	<10	612			
C351027		<20	<0.01	<10	<10	5	<10	114			
C351028		<20	<0.01	<10	<10	7	<10	>10000			2.50
C351029		<20	<0.01	<10	<10	8	<10	>10000			1.200
C351030		<20	0.05	10	<10	56	20	>10000	317	2.36	2.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C351031		2.67	0.065	4.1	0.55	27	<10	100	<0.5	<2	1.40	50.1	2	8	182	2.79
C351032		2.04	0.059	1.3	0.22	34	<10	70	<0.5	<2	2.11	2.1	2	6	10	1.91
C351033		1.78	0.064	2.8	0.41	36	<10	90	<0.5	<2	1.57	25.4	2	7	109	2.37
C351034		2.45	0.057	1.6	0.46	42	<10	40	<0.5	2	1.99	6.2	4	3	15	2.38
C351035		5.12	0.040	1.5	0.43	35	<10	100	<0.5	<2	2.09	7.5	4	2	25	2.27
C351036		4.52	0.065	1.9	0.51	36	<10	140	<0.5	<2	1.73	14.3	4	2	37	2.34
C351037		5.24	0.070	0.8	0.60	35	<10	170	<0.5	<2	1.88	3.4	4	3	15	2.23
C351038		4.63	0.059	2.5	0.73	33	<10	90	<0.5	<2	1.64	39.8	4	3	89	2.78
C351039		5.03	0.613	3.0	0.83	25	<10	130	<0.5	<2	1.62	34.6	5	3	66	2.60
C351040		0.09	1.195	91.4	1.55	31	10	160	<0.5	<2	3.16	8.7	17	18	977	3.46
C351041		3.34	0.045	0.7	0.58	20	<10	170	<0.5	<2	2.12	2.9	4	3	16	2.11
C351042		3.02	0.048	1.5	0.30	34	<10	90	<0.5	<2	2.44	3.5	4	2	20	1.97
C351043		4.67	0.042	2.8	0.51	34	<10	50	<0.5	<2	4.25	3.4	13	2	80	3.71
C351044		5.69	0.018	0.7	0.62	23	<10	30	<0.5	<2	3.92	<0.5	17	1	54	4.53
C351045		4.79	0.029	1.0	0.36	24	<10	30	<0.5	<2	3.81	<0.5	8	2	15	2.83
C351046		4.75	0.018	0.8	0.33	30	<10	60	<0.5	<2	3.49	<0.5	8	2	16	2.96
C351047		4.35	0.018	0.6	0.36	18	<10	80	<0.5	<2	2.79	<0.5	7	2	22	2.62
C351048		4.87	0.015	0.5	0.32	13	<10	60	<0.5	<2	3.37	<0.5	7	2	17	2.62
C351049		4.26	0.015	0.9	0.41	22	<10	50	<0.5	<2	3.18	0.5	8	2	192	2.81
C351050		0.10	7.87	>100	1.46	612	<10	20	<0.5	6	3.50	126.5	17	42	2050	4.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C351031		<10	<1	0.14	<10	0.28	1510	1	<0.01	1	210	35	1.57	2	<1	73
C351032		<10	<1	0.13	<10	0.11	1330	1	<0.01	1	180	20	1.28	<2	<1	112
C351033		<10	<1	0.12	<10	0.20	1340	3	<0.01	1	170	29	1.44	<2	<1	86
C351034		<10	<1	0.23	10	0.22	1450	2	<0.01	1	530	111	1.72	<2	1	116
C351035		<10	<1	0.28	10	0.20	1340	3	<0.01	2	600	114	1.71	<2	1	119
C351036		<10	<1	0.25	10	0.24	1240	20	<0.01	2	570	188	1.55	<2	1	92
C351037		<10	<1	0.25	10	0.30	1240	8	<0.01	1	580	45	1.24	<2	1	107
C351038		<10	<1	0.23	10	0.40	1270	3	<0.01	1	640	123	1.76	<2	1	96
C351039		<10	<1	0.26	10	0.44	1360	2	<0.01	1	650	147	1.25	<2	1	141
C351040		10	1	0.13	10	1.44	930	13	0.09	11	1000	4530	1.02	61	5	147
C351041		<10	<1	0.26	10	0.29	1210	3	<0.01	2	600	45	1.15	<2	1	116
C351042		<10	<1	0.25	<10	0.09	972	13	<0.01	1	620	105	1.85	<2	<1	130
C351043		<10	1	0.32	<10	0.53	2220	14	<0.01	3	1230	107	3.05	<2	2	239
C351044		<10	<1	0.31	10	1.01	2270	4	<0.01	4	1490	7	3.24	<2	3	252
C351045		<10	<1	0.27	<10	0.25	1190	2	<0.01	1	870	13	2.70	<2	2	192
C351046		<10	<1	0.26	<10	0.24	1090	2	<0.01	2	930	23	2.99	<2	1	170
C351047		<10	<1	0.28	10	0.30	898	4	0.01	2	870	9	2.45	<2	2	130
C351048		<10	<1	0.26	10	0.32	1280	2	<0.01	2	820	9	2.41	<2	1	196
C351049		<10	<1	0.29	10	0.49	1220	5	0.01	2	880	15	2.13	<2	2	171
C351050		10	14	0.19	<10	1.37	740	52	0.06	210	590	>10000	3.90	672	3	43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C351031		<20	<0.01	<10	<10	5	<10	4810			
C351032		<20	<0.01	<10	<10	2	<10	222			
C351033		<20	<0.01	<10	<10	4	<10	2510			
C351034		<20	<0.01	<10	<10	5	<10	645			
C351035		<20	<0.01	<10	<10	4	<10	779			
C351036		<20	<0.01	<10	<10	6	<10	1430			
C351037		<20	<0.01	<10	<10	7	<10	358			
C351038		<20	<0.01	<10	<10	9	<10	3890			
C351039		<20	<0.01	<10	<10	9	<10	3340			
C351040		<20	0.06	<10	<10	88	<10	1170			
C351041		<20	<0.01	<10	<10	6	<10	310			
C351042		<20	<0.01	<10	<10	3	<10	343			
C351043		<20	<0.01	<10	<10	8	<10	366			
C351044		<20	<0.01	<10	<10	11	<10	55			
C351045		<20	<0.01	<10	<10	4	<10	15			
C351046		<20	<0.01	<10	<10	4	<10	17			
C351047		<20	<0.01	<10	<10	5	<10	19			
C351048		<20	<0.01	<10	<10	4	<10	28			
C351049		<20	<0.01	<10	<10	5	<10	58			
C351050		<20	0.05	10	<10	55	20	>10000	327	2.32	2.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249049

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

CERTIFICATE TR20249051

Project: Premier

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C351051		4.88	0.024	0.4	0.39	11	<10	40	<0.5	<2	3.22	<0.5	7	1	12	2.80
C351052		5.38	0.017	0.3	0.83	12	<10	30	<0.5	<2	3.88	<0.5	14	2	26	4.23
C351053		4.96	<0.005	<0.2	2.11	3	<10	1220	<0.5	<2	3.76	<0.5	18	5	6	3.58
C351054		4.53	<0.005	<0.2	2.23	3	<10	260	<0.5	<2	2.93	<0.5	17	7	4	3.81
C351055		6.15	0.026	0.9	1.78	31	<10	50	<0.5	<2	4.71	<0.5	16	3	52	5.05
C351056		5.52	0.012	0.6	0.76	21	<10	80	<0.5	2	3.80	<0.5	8	1	42	3.34
C351057		5.57	0.009	0.2	0.64	24	<10	70	<0.5	<2	4.00	0.5	13	2	19	4.02
C351058		5.04	0.010	0.3	0.63	20	<10	70	<0.5	<2	3.13	<0.5	8	1	78	3.26
C351059		5.13	0.020	1.5	2.26	57	<10	120	<0.5	<2	5.73	<0.5	14	1	52	4.90
C351060		0.10	1.100	87.8	1.55	30	10	170	<0.5	2	3.10	8.3	17	17	946	3.45
C351061		5.04	0.029	3.2	2.39	63	<10	140	<0.5	<2	5.02	<0.5	14	2	94	5.27
C351062		4.54	0.130	15.8	1.28	95	<10	30	<0.5	<2	8.9	11.1	13	1	77	4.47
C351063		4.89	0.072	7.8	1.05	64	<10	40	<0.5	<2	6.27	4.8	15	2	44	4.62
C351064		4.78	0.090	3.6	1.39	79	<10	110	<0.5	<2	4.75	0.9	14	1	24	5.05
C351065		4.53	0.098	3.8	1.17	62	<10	50	<0.5	<2	4.87	2.7	12	2	44	4.46
C351066		5.03	0.032	2.7	0.85	21	<10	120	<0.5	<2	4.38	0.6	13	2	15	4.34
C351067		4.89	0.085	4.2	0.37	37	<10	50	<0.5	<2	2.76	0.8	14	1	20	4.28
C351068		4.99	0.186	3.3	0.54	106	<10	90	<0.5	<2	4.40	1.3	12	1	17	4.02
C351069		5.06	0.431	5.9	0.60	93	<10	80	<0.5	2	3.95	1.5	11	2	31	3.76
C351070		0.10	7.74	>100	1.49	617	<10	20	<0.5	4	3.55	124.5	16	42	2070	4.92
C351071		4.80	0.707	2.2	0.69	57	<10	130	<0.5	<2	3.72	1.0	11	2	37	3.82
C351072		4.94	0.255	1.0	0.88	37	<10	210	<0.5	<2	3.85	<0.5	10	2	17	3.84
C351073		4.38	0.435	1.1	0.78	77	<10	150	<0.5	<2	3.88	0.6	10	2	21	3.51
C351074		5.40	0.580	1.5	1.21	221	<10	210	<0.5	<2	3.76	0.6	11	2	29	3.77
C351075		5.14	0.196	1.0	1.20	337	<10	270	<0.5	<2	4.57	0.7	11	3	25	4.22
C351076		5.03	0.056	1.1	1.27	40	<10	150	<0.5	<2	3.87	<0.5	12	3	24	4.36
C351077		3.08	0.075	1.9	1.20	49	<10	180	<0.5	<2	5.02	<0.5	11	3	16	3.92
C351078		2.29	0.137	2.1	0.40	66	<10	30	<0.5	<2	4.00	1.0	11	2	22	3.89
C351079		2.78	0.258	5.9	0.21	76	<10	30	<0.5	<2	4.50	12.4	5	4	45	2.47
C351080		0.09	1.190	87.2	1.54	29	10	170	<0.5	<2	3.05	8.0	16	17	932	3.44
C351081		2.53	0.487	45.2	0.12	240	<10	20	<0.5	<2	5.58	357	1	3	288	12.95
C351082		2.72	0.325	29.9	0.14	260	<10	20	<0.5	<2	4.95	207	2	3	136	12.40
C351083		1.31	0.799	25.1	0.21	168	<10	20	<0.5	2	2.53	118.5	4	3	151	9.70
C351084		1.15	0.861	30.2	0.18	196	<10	20	<0.5	2	2.75	116.5	2	3	203	11.45
C351085		2.04	0.670	27.8	0.15	129	<10	40	<0.5	<2	5.60	72.3	3	3	204	6.64
C351086		2.04	0.250	6.9	0.11	196	<10	30	<0.5	<2	2.39	13.8	3	6	42	7.36
C351087		1.93	0.224	4.5	0.18	141	<10	30	<0.5	<2	1.74	13.6	4	4	24	5.60
C351088		2.02	0.226	5.0	0.37	88	<10	40	<0.5	<2	3.14	0.7	8	2	13	3.79
C351089		4.03	0.057	1.4	0.71	72	<10	60	<0.5	<2	3.90	0.5	15	1	34	4.03
C351090		0.10	7.87	>100	1.51	615	<10	20	<0.5	4	3.50	123.5	17	42	2060	4.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C351051		<10	<1	0.27	10	0.33	862	1	0.02	1	820	12	2.69	<2	1	139
C351052		<10	<1	0.39	10	0.65	1010	4	0.02	3	1220	13	3.71	<2	4	138
C351053		10	<1	0.24	10	1.33	677	<1	0.04	8	1380	3	0.30	2	3	228
C351054		10	<1	0.18	10	1.46	615	<1	0.05	9	1420	<2	0.21	2	4	75
C351055		<10	<1	0.38	<10	0.82	1215	2	0.08	6	1360	14	4.24	2	3	145
C351056		<10	<1	0.34	10	0.24	556	1	0.04	1	1330	9	3.40	<2	1	113
C351057		<10	<1	0.23	<10	0.27	525	2	0.04	5	1300	12	4.19	2	3	113
C351058		<10	<1	0.21	10	0.25	413	1	0.04	1	1400	10	3.24	<2	2	112
C351059		<10	1	0.20	10	1.51	2180	1	<0.01	3	1450	11	1.43	<2	3	228
C351060		<10	<1	0.14	10	1.38	893	12	0.10	11	1000	4400	1.01	56	5	150
C351061		10	<1	0.21	10	1.68	2110	1	<0.01	2	1480	11	1.72	2	3	221
C351062		<10	1	0.20	10	0.86	2810	2	<0.01	2	1320	306	3.05	11	2	371
C351063		<10	<1	0.22	10	0.67	2080	2	<0.01	2	1320	185	3.58	4	2	287
C351064		<10	1	0.21	10	0.94	1740	1	<0.01	3	1550	59	3.37	<2	3	219
C351065		<10	<1	0.21	10	0.76	1760	2	<0.01	2	1360	45	3.05	<2	3	210
C351066		<10	<1	0.23	10	0.66	1590	2	<0.01	2	1150	22	3.31	2	3	264
C351067		<10	<1	0.26	10	0.24	945	2	<0.01	3	1160	34	4.23	2	2	129
C351068		<10	<1	0.25	10	0.34	1760	1	<0.01	2	1080	59	3.50	<2	2	224
C351069		<10	<1	0.27	10	0.28	1670	3	<0.01	2	1110	106	2.92	2	2	208
C351070		10	13	0.19	10	1.36	736	52	0.06	209	610	>10000	3.97	677	3	50
C351071		<10	<1	0.28	10	0.51	2230	1	0.01	2	1110	49	1.80	<2	3	219
C351072		<10	<1	0.30	10	0.53	2390	1	<0.01	2	1100	15	1.37	<2	3	191
C351073		<10	1	0.28	10	0.46	2360	2	<0.01	3	1080	31	1.96	<2	2	209
C351074		<10	1	0.31	10	0.52	2730	1	<0.01	2	1170	36	1.56	<2	2	247
C351075		<10	1	0.25	10	1.04	3580	1	0.01	2	1150	33	1.11	<2	3	474
C351076		<10	<1	0.25	10	1.11	3130	2	0.01	3	1190	22	1.80	<2	3	288
C351077		<10	1	0.24	10	0.92	3170	2	0.01	2	1070	27	1.91	<2	3	317
C351078		<10	<1	0.29	10	0.74	2690	3	<0.01	2	1090	111	2.69	<2	2	298
C351079		<10	<1	0.16	<10	0.17	2520	4	<0.01	1	490	838	2.38	2	1	260
C351080		<10	<1	0.14	10	1.35	869	12	0.09	11	970	4310	1.00	61	5	150
C351081		<10	4	0.10	<10	0.06	3540	1	<0.01	1	150	>10000	>10.0	28	<1	427
C351082		<10	3	0.11	<10	0.11	3100	1	<0.01	<1	180	>10000	>10.0	15	<1	322
C351083		<10	2	0.17	<10	0.10	1760	2	<0.01	1	430	9370	>10.0	13	1	173
C351084		<10	2	0.15	<10	0.09	1960	1	<0.01	<1	310	9850	>10.0	23	1	205
C351085		<10	<1	0.13	<10	0.06	3570	2	<0.01	1	340	4340	8.16	10	1	250
C351086		<10	<1	0.09	<10	0.03	1040	1	<0.01	<1	140	1125	8.59	3	<1	195
C351087		<10	<1	0.14	<10	0.09	923	2	<0.01	1	300	633	5.74	2	<1	134
C351088		<10	<1	0.21	<10	0.55	2400	2	<0.01	2	780	45	2.66	<2	3	207
C351089		<10	<1	0.35	10	0.95	2720	1	<0.01	2	1210	33	1.69	2	4	305
C351090		10	13	0.19	10	1.36	734	52	0.06	211	600	>10000	3.99	668	3	47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C351051		<20	<0.01	<10	<10	4	<10	31			
C351052		<20	<0.01	<10	<10	15	<10	38			
C351053		<20	0.12	<10	<10	42	<10	79			
C351054		<20	0.18	<10	<10	49	<10	82			
C351055		<20	0.14	<10	<10	34	<10	42			
C351056		<20	0.09	<10	<10	17	<10	14			
C351057		<20	0.18	<10	<10	39	<10	27			
C351058		<20	0.11	<10	<10	22	<10	21			
C351059		<20	<0.01	<10	<10	33	<10	86			
C351060		<20	0.06	<10	<10	89	<10	1070			
C351061		<20	<0.01	<10	<10	35	<10	96			
C351062		<20	<0.01	<10	<10	16	<10	1220			
C351063		<20	<0.01	<10	<10	14	<10	423			
C351064		<20	<0.01	<10	<10	19	<10	109			
C351065		<20	<0.01	<10	<10	17	<10	281			
C351066		<20	<0.01	<10	<10	12	<10	83			
C351067		<20	<0.01	<10	<10	8	<10	90			
C351068		<20	<0.01	<10	<10	10	<10	181			
C351069		<20	<0.01	<10	<10	11	<10	227			
C351070		<20	0.05	10	<10	57	20	>10000	315	2.33	2.47
C351071		<20	<0.01	<10	<10	14	<10	135			
C351072		<20	<0.01	<10	<10	13	<10	69			
C351073		<20	<0.01	<10	<10	10	<10	98			
C351074		<20	<0.01	<10	<10	15	<10	109			
C351075		<20	<0.01	<10	<10	22	<10	123			
C351076		<20	<0.01	<10	<10	22	<10	88			
C351077		<20	<0.01	<10	<10	22	<10	91			
C351078		<20	<0.01	<10	<10	10	<10	152			
C351079		<20	<0.01	<10	<10	4	<10	1355			
C351080		<20	0.06	<10	<10	87	<10	1040			
C351081		<20	<0.01	<10	<10	1	10	>10000		3.36	3.96
C351082		<20	<0.01	<10	<10	2	10	>10000		1.515	2.34
C351083		<20	<0.01	<10	<10	2	<10	>10000			1.455
C351084		<20	<0.01	<10	<10	2	<10	>10000			1.405
C351085		<20	<0.01	<10	<10	2	<10	8830			
C351086		<20	<0.01	<10	<10	1	<10	1615			
C351087		<20	<0.01	<10	<10	2	<10	1560			
C351088		<20	<0.01	<10	<10	8	<10	78			
C351089		<20	<0.01	<10	<10	16	<10	68			
C351090		<20	0.05	10	<10	57	20	>10000	317	2.33	2.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C351091		5.06	<0.005	0.5	0.87	3	<10	1680	0.5	<2	3.44	<0.5	9	11	18	2.89
C351092		5.34	0.010	0.4	2.62	28	<10	140	<0.5	<2	4.63	<0.5	14	2	17	5.70
C351093		4.53	0.041	0.6	2.82	38	<10	120	<0.5	<2	5.05	<0.5	14	2	29	5.79
C351094		4.88	0.009	0.6	3.00	33	<10	120	<0.5	<2	5.77	<0.5	16	2	24	6.20
C351095		3.54	0.260	4.3	1.74	217	<10	130	<0.5	<2	4.40	6.0	16	1	30	5.45
C351096		2.83	0.205	3.2	1.22	319	<10	100	<0.5	<2	4.48	1.5	14	2	29	4.94
C351097		3.08	0.297	7.1	1.00	996	<10	30	<0.5	<2	2.29	16.2	15	2	47	6.89
C351098		2.64	1.715	94.7	0.68	4390	<10	10	<0.5	<2	2.55	140.5	1	4	583	24.3
C351099		1.85	0.947	24.0	1.98	1660	<10	50	<0.5	<2	5.24	56.8	4	4	99	10.05
C351100		0.09	1.210	93.1	1.61	30	10	180	<0.5	<2	3.28	8.8	18	18	990	3.62
C351101		2.56	1.130	25.4	2.15	535	<10	50	<0.5	<2	3.87	86.8	3	4	109	12.45
C351102		2.26	0.735	16.0	1.96	404	<10	30	<0.5	<2	3.91	45.8	7	3	86	10.90
C351103		2.03	0.530	5.7	1.96	95	<10	80	<0.5	<2	5.64	10.3	5	4	47	5.68
C351104		2.49	0.008	0.5	1.21	15	<10	210	<0.5	<2	3.70	<0.5	6	3	10	2.39
C351105		4.95	<0.005	0.5	1.31	39	<10	190	<0.5	<2	4.01	<0.5	6	4	12	2.48
C351106		3.39	0.005	0.5	1.33	45	<10	180	<0.5	<2	3.77	<0.5	8	3	16	2.54
C351107		3.51	<0.005	0.4	1.27	32	<10	190	<0.5	<2	5.15	<0.5	7	4	12	2.41
C351108		5.42	0.245	2.9	2.29	129	<10	160	<0.5	<2	3.89	0.5	10	2	96	5.58
C351109		5.17	0.545	2.4	2.46	129	<10	190	<0.5	<2	4.38	4.1	10	3	50	6.06
C351110		0.10	7.99	>100	1.55	627	10	20	<0.5	4	3.76	133.0	18	46	2150	5.20
C351111		5.16	0.012	0.7	1.23	39	<10	240	<0.5	<2	3.78	<0.5	7	3	13	2.27
C351112		5.29	0.107	3.8	0.53	49	<10	90	<0.5	<2	3.18	29.2	7	2	170	3.06
C351113		3.29	1.410	12.2	0.57	104	<10	30	<0.5	2	1.36	54.4	4	3	676	4.87
C351114		4.72	0.065	5.8	0.64	49	<10	60	<0.5	2	3.99	2.9	14	1	44	4.42
C351115		4.88	0.024	1.3	1.06	15	<10	100	<0.5	<2	4.48	0.6	10	2	22	3.85
C351116		4.74	0.028	1.0	0.57	37	<10	90	<0.5	<2	5.41	3.3	11	1	27	4.29
C351117		4.89	0.101	1.4	0.63	48	<10	70	<0.5	2	6.28	2.5	13	1	28	4.84
C351118		5.01	0.022	1.1	0.90	26	<10	70	<0.5	2	4.89	0.6	13	1	20	4.82
C351119		4.86	0.029	1.0	0.98	16	<10	90	<0.5	<2	4.37	<0.5	13	1	23	4.77
C351120		0.09	1.225	95.3	1.65	33	10	190	<0.5	<2	3.44	9.4	19	19	1020	3.70
C351121		4.71	0.036	1.3	0.80	26	<10	40	<0.5	<2	4.10	0.9	13	3	51	5.17
C351122		5.19	0.224	1.3	1.16	88	<10	30	<0.5	3	2.17	2.0	22	3	43	7.52
C351123		4.50	0.063	0.6	0.89	47	<10	70	<0.5	<2	4.06	2.5	18	2	43	5.43
C351124		4.47	0.042	0.5	1.04	45	<10	80	<0.5	<2	3.99	0.9	15	1	39	5.13
C351125		4.84	0.051	0.5	1.12	76	<10	80	<0.5	<2	4.74	<0.5	19	2	40	6.41
C351126		4.88	0.040	0.6	0.82	53	<10	60	<0.5	<2	4.82	0.6	19	1	28	5.68
C351127		4.58	0.053	1.0	1.10	65	<10	110	<0.5	2	5.10	0.9	15	2	61	5.01
C351128		3.97	0.036	0.6	1.34	16	<10	50	<0.5	<2	4.69	<0.5	18	5	59	5.14
C351129		4.00	0.245	1.4	1.27	44	<10	70	<0.5	<2	4.05	1.8	17	2	56	6.33
C351130		0.10	7.86	>100	1.45	607	10	30	<0.5	4	3.71	131.0	18	43	2060	4.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C351091		<10	<1	0.22	20	1.14	930	2	0.03	7	790	33	0.13	<2	4	391
C351092		10	<1	0.20	10	1.42	1590	1	0.01	3	1590	8	1.06	<2	3	168
C351093		10	1	0.16	10	1.81	1600	<1	0.01	3	1600	10	1.26	<2	3	190
C351094		10	<1	0.18	10	2.03	1935	1	0.01	5	1690	13	1.45	<2	3	236
C351095		<10	<1	0.22	10	1.04	1490	4	0.01	2	1510	588	2.83	2	3	184
C351096		<10	<1	0.25	10	0.54	1520	3	0.01	3	1360	262	3.41	4	2	157
C351097		<10	1	0.25	10	0.35	845	4	0.01	3	1360	958	6.67	6	2	78
C351098		<10	9	0.06	<10	0.18	1075	3	0.01	1	160	>10000	>10.0	65	1	119
C351099		<10	4	0.06	<10	0.39	2620	9	<0.01	1	310	4310	5.23	21	2	181
C351100		10	<1	0.15	10	1.45	929	13	0.10	12	1040	4700	1.09	64	6	156
C351101		<10	6	0.06	<10	0.33	2820	6	0.01	1	360	5010	8.39	16	2	135
C351102		<10	3	0.03	<10	0.31	2330	8	<0.01	<1	300	2840	6.77	11	2	140
C351103		<10	1	0.10	<10	0.51	2400	12	0.01	1	430	544	0.65	3	2	233
C351104		<10	<1	0.23	10	0.47	1245	2	0.01	3	810	31	0.16	<2	1	129
C351105		<10	<1	0.24	10	0.61	1240	1	0.02	3	840	19	0.22	<2	1	151
C351106		<10	<1	0.22	10	0.63	1185	1	0.01	4	830	18	0.24	2	1	141
C351107		<10	<1	0.24	10	0.58	1590	1	0.01	3	820	16	0.24	<2	1	200
C351108		10	<1	0.21	10	1.10	1965	2	0.01	2	920	174	1.06	<2	2	161
C351109		10	<1	0.23	10	1.19	2320	2	0.01	2	920	129	1.22	2	2	191
C351110		10	15	0.20	10	1.45	778	56	0.07	224	650	>10000	4.30	746	3	48
C351111		<10	<1	0.25	10	0.58	1260	1	0.01	3	830	36	0.19	<2	1	159
C351112		<10	<1	0.35	10	0.53	2030	3	<0.01	2	880	21	1.62	2	2	228
C351113		<10	1	0.29	10	0.40	1445	7	<0.01	1	570	78	3.71	<2	1	100
C351114		<10	<1	0.35	10	0.86	2010	4	0.01	4	1220	29	2.50	<2	2	224
C351115		<10	<1	0.48	10	0.37	1165	2	0.06	3	1440	27	3.90	<2	1	261
C351116		<10	<1	0.42	10	0.14	1590	5	0.01	3	1520	23	4.76	<2	1	251
C351117		<10	<1	0.40	10	0.23	2080	2	0.01	3	1890	23	5.63	2	1	271
C351118		<10	<1	0.40	10	0.55	1720	1	0.01	3	1830	23	4.84	<2	1	207
C351119		<10	<1	0.36	10	0.73	1515	1	0.01	3	1820	17	4.67	<2	1	190
C351120		10	<1	0.15	10	1.52	982	14	0.10	11	1080	4910	1.12	64	6	161
C351121		<10	<1	0.35	10	0.48	1455	1	0.01	4	1740	28	5.50	<2	2	194
C351122		<10	<1	0.32	<10	0.93	1305	3	<0.01	5	1360	27	7.88	<2	3	107
C351123		<10	<1	0.36	10	0.53	1755	27	0.01	5	1410	15	5.28	<2	2	196
C351124		<10	<1	0.35	10	0.70	1640	3	0.01	6	1430	14	4.68	<2	2	178
C351125		<10	<1	0.37	10	0.80	1985	4	0.01	6	1470	15	6.50	<2	2	243
C351126		<10	<1	0.38	10	0.47	1785	9	0.01	5	1590	18	6.27	<2	2	224
C351127		<10	<1	0.33	10	0.87	2020	3	0.01	5	1450	13	4.67	2	2	278
C351128		<10	<1	0.32	10	1.11	1605	1	0.03	7	1750	7	3.98	<2	3	258
C351129		<10	<1	0.33	10	1.07	1850	2	0.02	7	1510	12	5.84	<2	2	257
C351130		10	14	0.19	10	1.39	749	55	0.06	214	620	>10000	4.12	741	3	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C351091		<20	<0.01	<10	<10	25	<10	79			
C351092		<20	<0.01	<10	<10	39	<10	95			
C351093		<20	0.01	<10	<10	39	<10	94			
C351094		<20	0.01	<10	<10	43	<10	125			
C351095		<20	<0.01	<10	<10	22	<10	791			
C351096		<20	<0.01	<10	<10	14	<10	244			
C351097		<20	<0.01	<10	<10	13	<10	2480			
C351098		<20	<0.01	<10	<10	5	<10	>10000		1.375	2.03
C351099		<20	0.01	<10	<10	15	<10	7480			
C351100		<20	0.06	<10	<10	94	<10	1150			
C351101		<20	0.01	<10	<10	19	<10	>10000			1.275
C351102		<20	0.01	<10	<10	16	<10	6540			
C351103		<20	0.01	<10	<10	17	<10	1425			
C351104		<20	<0.01	<10	<10	9	<10	110			
C351105		<20	0.01	<10	<10	10	<10	62			
C351106		<20	0.01	<10	<10	10	<10	60			
C351107		<20	0.01	<10	<10	9	<10	59			
C351108		<20	0.04	<10	<10	28	<10	124			
C351109		<20	0.02	<10	<10	29	<10	388			
C351110		<20	0.05	10	<10	60	20	>10000	323	2.34	2.48
C351111		<20	0.01	<10	<10	9	<10	62			
C351112		<20	<0.01	<10	<10	7	<10	2570			
C351113		<20	<0.01	<10	<10	6	<10	4760			
C351114		<20	<0.01	<10	<10	12	<10	305			
C351115		<20	0.03	<10	<10	14	<10	59			
C351116		<20	0.02	<10	<10	7	<10	293			
C351117		<20	0.04	<10	<10	9	<10	241			
C351118		<20	0.08	<10	<10	14	<10	45			
C351119		<20	0.08	<10	<10	16	<10	51			
C351120		<20	0.07	<10	<10	97	<10	1205			
C351121		<20	0.08	<10	<10	17	<10	73			
C351122		<20	0.10	<10	<10	37	<10	198			
C351123		<20	0.08	<10	<10	19	<10	203			
C351124		<20	0.07	<10	<10	23	<10	81			
C351125		<20	0.04	<10	<10	24	<10	45			
C351126		<20	0.07	<10	<10	16	<10	40			
C351127		<20	0.10	<10	<10	23	<10	78			
C351128		<20	0.04	<10	<10	32	<10	66			
C351129		<20	0.02	<10	<10	32	<10	146			
C351130		<20	0.05	10	<10	58	20	>10000	326	2.34	2.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C351131		4.76	0.046	1.2	1.73	27	<10	80	<0.5	2	3.35	<0.5	19	3	83	5.47
C351132		4.35	0.043	1.0	1.25	24	<10	80	<0.5	<2	3.51	<0.5	17	2	66	4.62
C351133		5.10	0.057	1.4	0.71	54	<10	60	<0.5	2	3.89	0.9	18	1	61	6.07
C351134		4.83	0.031	1.2	0.92	26	<10	80	<0.5	<2	3.98	0.6	16	2	59	4.56
C351135		3.21	0.024	1.4	0.47	31	<10	80	<0.5	2	4.33	1.6	15	1	58	4.31
C351136		5.12	0.045	1.7	0.63	37	<10	70	<0.5	<2	4.54	4.3	16	1	68	4.79
C351137		4.31	0.037	1.4	0.57	44	<10	40	<0.5	2	3.55	2.2	15	1	49	4.63
C351138		4.52	0.018	0.9	0.70	16	<10	50	<0.5	<2	4.62	0.5	18	1	51	5.25
C351139		4.84	0.012	0.8	0.32	20	<10	80	<0.5	<2	6.96	0.8	16	1	27	4.53
C351140		0.09	1.190	89.5	1.49	29	10	160	<0.5	<2	3.16	8.3	17	17	923	3.37
C351141		4.10	0.024	0.9	0.38	15	<10	50	<0.5	<2	3.95	<0.5	18	2	28	4.56
C351142		4.86	0.075	1.1	0.55	18	<10	70	<0.5	2	3.87	<0.5	17	2	44	4.59
C351143		5.97	0.023	0.9	1.14	43	<10	80	<0.5	2	4.15	<0.5	14	4	46	4.70
C351144		5.80	0.011	0.7	0.73	30	<10	150	<0.5	<2	4.70	0.7	14	2	34	4.65
C351145		4.16	0.044	4.7	2.02	77	<10	110	<0.5	<2	4.29	0.8	16	4	57	5.21
C351146		4.15	0.006	0.5	2.05	38	<10	110	<0.5	<2	3.85	<0.5	15	4	62	4.50
C351147		3.98	0.043	3.5	1.92	58	<10	130	<0.5	<2	3.26	0.8	16	5	77	5.04
C351148		2.06	0.070	5.4	1.68	85	<10	90	<0.5	<2	5.70	1.9	14	3	46	4.78
C351149		2.27	0.067	7.5	1.66	83	<10	100	<0.5	<2	5.69	2.4	13	3	117	4.63
C351150		0.08	1.300	93.8	1.56	31	10	170	<0.5	<2	3.21	8.5	18	18	985	3.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C351131		<10	<1	0.23	<10	1.70	1860	<1	0.01	7	1370	19	3.94	<2	3	208
C351132		<10	1	0.27	<10	1.15	1580	1	0.01	5	1480	9	3.86	<2	2	213
C351133		<10	<1	0.26	<10	0.68	1395	2	0.01	4	1350	14	6.59	<2	2	237
C351134		<10	<1	0.28	<10	0.98	1135	3	0.01	6	1420	13	4.21	<2	2	229
C351135		<10	<1	0.28	<10	1.19	1385	5	0.01	5	1280	17	3.35	<2	2	357
C351136		<10	<1	0.32	<10	1.32	1620	1	0.01	5	1300	12	3.41	<2	3	310
C351137		<10	<1	0.30	<10	0.92	1215	1	0.02	3	1370	17	4.32	2	2	232
C351138		<10	1	0.28	<10	1.35	1050	1	0.01	5	1610	13	5.28	3	3	275
C351139		<10	<1	0.25	<10	0.23	1440	2	<0.01	4	1360	22	5.13	2	2	294
C351140		10	<1	0.13	10	1.38	886	13	0.09	11	1000	4490	1.03	60	5	146
C351141		<10	<1	0.25	<10	0.88	893	1	0.01	7	1320	18	4.74	<2	2	233
C351142		<10	<1	0.22	<10	1.05	1020	4	0.02	5	1260	9	3.75	<2	3	229
C351143		<10	<1	0.29	10	1.56	1965	2	0.01	8	1310	8	1.71	<2	4	267
C351144		<10	<1	0.29	10	1.22	2310	1	0.01	6	1120	7	1.55	<2	5	307
C351145		<10	<1	0.23	10	1.39	2130	1	0.02	7	1300	73	1.99	<2	3	160
C351146		<10	<1	0.23	10	1.48	1860	2	0.02	7	1420	18	1.22	2	2	146
C351147		<10	<1	0.31	10	1.37	1685	2	0.02	8	1760	25	2.49	2	2	111
C351148		<10	<1	0.27	10	1.17	2490	2	0.01	5	1230	211	2.80	2	2	170
C351149		<10	<1	0.27	10	1.15	2500	1	0.01	6	1170	1240	2.65	4	2	160
C351150		<10	<1	0.14	10	1.44	915	13	0.10	11	1020	4570	1.02	58	5	152

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
C351131		<20	0.01	<10	<10	46	<10	87			
C351132		<20	0.01	<10	<10	31	<10	46			
C351133		<20	<0.01	<10	<10	18	<10	55			
C351134		<20	<0.01	<10	<10	22	<10	63			
C351135		<20	<0.01	<10	<10	12	<10	158			
C351136		<20	<0.01	<10	<10	16	<10	399			
C351137		<20	<0.01	<10	<10	14	<10	198			
C351138		<20	<0.01	<10	<10	18	<10	42			
C351139		<20	<0.01	<10	<10	6	<10	32			
C351140		<20	0.06	<10	<10	88	<10	1095			
C351141		<20	<0.01	<10	<10	10	<10	38			
C351142		<20	<0.01	<10	<10	21	<10	34			
C351143		<20	<0.01	<10	<10	27	<10	91			
C351144		<20	<0.01	<10	<10	18	<10	113			
C351145		<20	0.07	<10	<10	39	<10	139			
C351146		<20	0.07	<10	<10	37	<10	84			
C351147		<20	0.08	<10	<10	34	<10	124			
C351148		<20	0.08	<10	<10	29	<10	220			
C351149		<20	0.08	<10	<10	29	<10	278			
C351150		<20	0.06	<10	<10	90	<10	1140			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20249051

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

CERTIFICATE TR20278736

Project: Premier

This report is for 41 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20278736

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0029297		2.89	0.087		1.1	0.46	113	<10	110	<0.5	<2	4.51	0.7	15	1	48
B0029298		3.71	0.153		4.9	0.47	123	<10	50	<0.5	<2	4.07	2.7	15	1	32
B0029299		4.85	0.062		2.5	0.46	86	<10	70	<0.5	<2	5.55	3.7	16	1	29
B0029300		0.09	7.54		>100	1.51	606	<10	20	<0.5	6	3.61	129.0	17	44	2090
B0029301		4.03	0.066		1.7	0.46	97	<10	130	<0.5	<2	4.54	<0.5	17	1	26
B0029302		4.23	0.040		1.6	0.88	73	<10	180	<0.5	<2	3.86	<0.5	14	1	33
B0029303		4.92	0.085		1.8	0.50	79	<10	100	<0.5	<2	8.5	<0.5	12	1	22
B0029304		4.24	0.120		1.6	0.60	143	<10	140	<0.5	<2	4.93	<0.5	15	1	32
B0029305		2.38	0.154		1.8	0.62	142	<10	140	<0.5	<2	5.23	<0.5	14	1	24
B0029306		1.87	0.140		1.9	0.56	148	<10	150	<0.5	<2	5.32	<0.5	13	2	25
B0029307		4.14	0.081		1.6	0.89	91	<10	160	<0.5	<2	5.09	<0.5	14	1	49
B0029308		4.42	0.077		1.3	0.90	90	<10	200	<0.5	<2	5.51	<0.5	14	1	47
B0029309		4.75	0.023		0.7	1.00	40	<10	110	<0.5	<2	5.00	<0.5	17	1	41
B0029310		0.91	<0.005		<0.2	0.03	2	<10	10	<0.5	<2	21.0	<0.5	<1	<1	<1
B0029311		4.42	0.064		0.9	0.47	96	<10	60	<0.5	<2	4.87	<0.5	15	1	27
B0029312		4.66	0.086		0.7	1.01	65	<10	150	<0.5	2	4.64	<0.5	16	1	51
B0029313		4.73	0.059		4.4	1.04	103	<10	40	<0.5	2	4.16	28.2	15	1	34
B0029314		4.48	0.042		1.1	0.77	65	<10	90	<0.5	<2	3.33	0.7	16	1	28
B0029315		4.49	0.040		0.9	0.58	79	<10	100	<0.5	2	4.83	<0.5	15	1	28
B0029316		4.82	0.052		0.9	0.98	68	<10	100	<0.5	<2	4.36	<0.5	14	1	31
B0029317		3.71	0.082		1.0	0.74	131	<10	60	<0.5	<2	5.83	<0.5	14	1	18
B0029318		3.76	0.058		1.4	0.42	83	<10	50	<0.5	<2	4.04	1.6	12	2	13
B0029319		3.73	0.052		1.0	1.13	60	<10	90	<0.5	3	3.70	<0.5	13	1	34
B0029320		0.12	0.702		9.5	1.19	772	20	100	<0.5	19	3.02	6.0	44	23	6440
B0029321		4.26	0.089		4.3	0.81	104	<10	40	<0.5	<2	3.63	6.6	12	2	31
B0029322		4.37	0.112		2.1	0.82	88	<10	30	<0.5	<2	4.75	5.4	12	2	42
B0029323		4.96	0.065		1.5	0.68	47	<10	30	<0.5	2	3.87	2.0	13	2	15
B0029324		4.50	0.124		5.6	0.78	72	<10	40	<0.5	2	4.16	13.9	17	1	56
B0029325		2.44	0.306		3.6	0.48	60	<10	30	<0.5	<2	2.93	9.8	15	1	50
B0029326		2.12	0.113		4.2	0.47	58	<10	50	<0.5	<2	3.27	9.3	13	1	50
B0029327		4.44	0.140		2.9	0.39	64	<10	60	<0.5	<2	4.02	6.1	8	2	28
B0029328		4.14	0.097		2.0	0.69	78	<10	40	<0.5	3	3.74	2.3	11	2	21
B0029329		4.49	0.076		1.0	0.58	104	<10	130	<0.5	<2	3.37	0.6	13	1	27
B0029330		0.84	<0.005		<0.2	0.02	<2	<10	<10	<0.5	2	20.3	<0.5	<1	<1	1
B0029331		4.63	0.044		1.6	0.52	68	<10	80	<0.5	<2	4.02	0.9	14	1	15
B0029332		4.20	>10.0	29.6	32.7	0.44	94	<10	40	<0.5	<2	4.51	1.4	15	2	24
B0029333		2.14	0.084		2.3	0.46	75	<10	120	<0.5	<2	3.04	2.3	10	1	19
B0029334		2.56	0.092		0.9	0.47	17	<10	850	<0.5	<2	2.65	<0.5	6	1	12
B0029335		1.61	0.019		2.4	0.53	28	<10	70	<0.5	<2	2.32	0.6	9	1	16
B0029336		4.60	0.102		5.2	0.43	38	<10	90	<0.5	<2	2.46	20.3	5	2	42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20278736

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0029297		3.71	<10	<1	0.35	10	0.66	2180	<1	<0.01	2	1140	20	2.13	<2	2
B0029298		4.05	<10	<1	0.35	10	0.45	1925	1	<0.01	2	1100	903	3.28	<2	2
B0029299		4.34	<10	<1	0.32	10	0.84	2740	<1	<0.01	2	1020	310	2.71	<2	2
B0029300		5.00	10	14	0.19	10	1.40	752	54	0.07	218	610	>10000	4.10	686	3
B0029301		4.24	<10	<1	0.34	10	0.75	2080	2	0.01	3	1120	35	3.11	3	2
B0029302		4.51	<10	<1	0.33	10	1.15	2010	<1	0.01	3	1160	12	2.36	<2	3
B0029303		3.54	<10	<1	0.30	10	0.75	3200	<1	0.01	2	900	14	2.36	<2	2
B0029304		3.70	<10	<1	0.35	10	0.49	2120	<1	0.01	3	1150	9	2.56	<2	2
B0029305		3.43	<10	<1	0.34	10	0.43	2210	<1	0.01	2	1000	12	2.55	<2	2
B0029306		3.28	<10	<1	0.32	10	0.38	2190	<1	<0.01	2	950	13	2.48	2	2
B0029307		4.07	<10	1	0.39	10	0.83	2430	<1	0.01	2	1170	7	2.03	2	3
B0029308		3.84	<10	<1	0.36	10	0.80	2590	<1	0.01	1	1110	8	1.70	<2	3
B0029309		4.34	<10	<1	0.42	10	0.92	2680	<1	0.01	3	1190	6	1.98	<2	3
B0029310		0.14	<10	1	0.01	10	12.60	132	<1	0.01	2	20	2	0.01	<2	<1
B0029311		3.93	<10	1	0.35	<10	0.50	2320	1	<0.01	3	1130	14	3.06	2	3
B0029312		4.30	<10	2	0.35	10	0.93	2650	<1	0.01	3	1160	6	1.97	2	3
B0029313		4.95	<10	1	0.35	<10	0.75	2550	<1	<0.01	4	1050	1340	3.44	2	2
B0029314		4.61	<10	1	0.37	<10	0.86	2170	<1	0.01	2	1190	61	2.71	2	3
B0029315		4.17	<10	1	0.36	<10	0.77	2770	<1	<0.01	2	1150	21	2.57	<2	3
B0029316		4.12	<10	1	0.33	<10	0.85	2580	<1	0.01	2	1090	7	2.30	2	2
B0029317		3.79	<10	1	0.34	<10	0.62	3200	<1	0.01	2	1040	14	2.52	<2	2
B0029318		3.27	<10	1	0.33	<10	0.18	1955	1	<0.01	3	890	63	3.22	<2	1
B0029319		3.70	<10	1	0.34	<10	0.67	2380	1	<0.01	4	960	24	2.02	<2	2
B0029320		3.48	10	1	0.15	10	0.41	616	287	0.11	21	630	69	1.19	16	2
B0029321		4.28	<10	1	0.35	<10	0.46	2280	3	<0.01	2	960	721	3.39	2	2
B0029322		3.74	<10	1	0.32	<10	0.62	2660	1	<0.01	3	950	266	2.33	2	2
B0029323		3.86	<10	1	0.36	<10	0.34	1975	1	<0.01	3	1100	129	3.32	2	2
B0029324		4.74	<10	1	0.37	<10	0.58	2710	1	<0.01	2	1210	1015	3.42	<2	3
B0029325		4.87	<10	1	0.37	<10	0.41	1985	1	<0.01	3	1230	693	4.08	<2	2
B0029326		4.14	<10	1	0.36	<10	0.36	2130	2	<0.01	2	1060	867	3.49	<2	2
B0029327		2.89	<10	2	0.32	<10	0.20	2040	2	<0.01	2	780	473	2.60	<2	1
B0029328		4.17	<10	1	0.30	<10	0.45	2260	1	<0.01	2	780	195	3.18	<2	2
B0029329		3.93	<10	1	0.37	<10	0.91	2590	<1	<0.01	2	1150	33	1.86	2	2
B0029330		0.13	<10	2	0.01	<10	12.25	126	<1	<0.01	2	20	<2	<0.01	2	<1
B0029331		3.97	<10	1	0.36	<10	0.60	2460	<1	<0.01	3	1060	77	2.95	3	2
B0029332		4.29	<10	1	0.33	<10	0.61	2880	1	<0.01	4	1100	68	3.36	2	3
B0029333		2.52	<10	1	0.39	<10	0.51	2280	1	<0.01	4	860	156	1.26	<2	2
B0029334		1.81	<10	1	0.40	10	0.53	2080	1	0.01	2	800	19	0.33	<2	2
B0029335		1.69	<10	1	0.41	10	0.25	1170	2	<0.01	4	880	32	0.91	<2	1
B0029336		2.61	<10	1	0.36	10	0.25	1545	1	<0.01	3	540	495	2.11	<2	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20278736

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029297		237	<20	<0.01	<10	<10	8	<10	89			
B0029298		244	<20	<0.01	<10	<10	8	<10	335			
B0029299		292	<20	<0.01	<10	<10	7	<10	496			
B0029300		46	<20	0.05	10	<10	58	20	>10000	323	2.33	2.45
B0029301		233	<20	<0.01	<10	<10	8	<10	49			
B0029302		166	<20	<0.01	<10	<10	15	<10	80			
B0029303		398	<20	<0.01	<10	<10	10	<10	46			
B0029304		299	<20	<0.01	<10	<10	11	<10	49			
B0029305		310	<20	<0.01	<10	<10	10	<10	45			
B0029306		310	<20	<0.01	<10	<10	10	<10	41			
B0029307		340	<20	<0.01	<10	<10	17	<10	75			
B0029308		413	<20	<0.01	<10	<10	16	<10	72			
B0029309		377	<20	<0.01	<10	<10	18	<10	74			
B0029310		53	<20	<0.01	<10	<10	<1	<10	4			
B0029311		280	<20	<0.01	<10	<10	10	<10	48			
B0029312		272	<20	<0.01	<10	<10	17	<10	81			
B0029313		272	<20	<0.01	<10	<10	13	<10	3220			
B0029314		211	<20	<0.01	<10	<10	14	<10	144			
B0029315		358	<20	<0.01	<10	<10	11	<10	79			
B0029316		350	<20	<0.01	<10	<10	16	<10	64			
B0029317		391	<20	<0.01	<10	<10	12	<10	51			
B0029318		300	<20	<0.01	<10	<10	7	<10	163			
B0029319		278	<20	<0.01	<10	<10	21	<10	82			
B0029320		128	<20	0.07	<10	<10	42	<10	979			
B0029321		263	<20	<0.01	<10	<10	14	<10	793			
B0029322		309	<20	<0.01	<10	<10	13	<10	646			
B0029323		365	<20	<0.01	<10	<10	12	<10	247			
B0029324		417	<20	<0.01	<10	<10	17	<10	1530			
B0029325		273	<20	<0.01	<10	<10	11	<10	1060			
B0029326		302	<20	<0.01	<10	<10	10	<10	1010			
B0029327		358	<20	<0.01	<10	<10	6	<10	662			
B0029328		277	<20	<0.01	<10	<10	12	<10	280			
B0029329		300	<20	<0.01	<10	<10	13	<10	131			
B0029330		47	<20	<0.01	<10	<10	<1	<10	3			
B0029331		328	<20	<0.01	<10	<10	9	<10	138			
B0029332		302	<20	<0.01	<10	<10	11	<10	180			
B0029333		193	<20	<0.01	<10	<10	7	<10	278			
B0029334		258	<20	<0.01	<10	<10	5	<10	64			
B0029335		208	<20	<0.01	<10	<10	5	<10	80			
B0029336		173	<20	<0.01	<10	<10	4	<10	1810			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20278736

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0029337		4.39	0.110		2.7	0.75	53	<10	90	<0.5	2	1.41	2.1	3	5	61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20278736

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0029337		3.98	<10	1	0.34	<10	0.53	1730	1	<0.01	2	520	221	2.26	<2	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20278736

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029337		105	<20	<0.01	<10	<10	7	<10	249			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-DEC-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20278736

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

CERTIFICATE YW20233889

Project: Premier Gold Project

This report is for 146 Drill Core samples submitted to our lab in Terrace, BC, Canada on 28-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0028701		3.25	0.009	0.6	1.53	22	<10	110	<0.5	<2	3.47	<0.5	15	1	40	3.89
B0028702		3.42	0.139	1.8	0.66	536	<10	80	<0.5	<2	12.2	<0.5	14	1	23	3.18
B0028703		2.92	0.032	1.2	1.15	61	<10	110	<0.5	<2	3.46	<0.5	17	4	36	3.86
B0028704		3.80	0.126	1.6	1.34	218	<10	100	<0.5	<2	2.62	<0.5	15	1	39	4.25
B0028705		3.32	0.563	2.5	0.99	778	<10	90	<0.5	<2	4.22	<0.5	15	1	44	4.67
B0028706		3.43	0.113	2.8	1.72	184	<10	100	<0.5	<2	3.49	<0.5	22	1	46	6.46
B0028707		2.26	0.063	1.6	1.68	86	<10	130	<0.5	<2	3.98	0.7	21	1	39	5.34
B0028708		2.29	0.742	2.4	1.02	638	<10	50	<0.5	<2	3.99	0.7	21	1	46	5.21
B0028709		2.04	0.239	1.6	0.35	363	<10	50	<0.5	<2	2.42	<0.5	14	2	21	4.95
B0028710		0.13	0.678	8.8	1.13	758	20	100	<0.5	18	3.00	5.7	43	22	6160	3.43
B0028711		2.51	0.053	1.1	1.43	66	<10	90	<0.5	<2	4.41	0.5	15	1	46	4.62
B0028712		3.62	0.160	1.1	0.34	180	<10	90	<0.5	<2	10.0	0.5	13	1	30	3.34
B0028713		2.62	0.244	1.5	0.50	460	<10	90	<0.5	<2	5.94	0.6	15	1	35	3.14
B0028714		3.28	2.41	3.4	0.60	939	<10	80	<0.5	<2	3.56	0.6	14	1	30	3.35
B0028715		3.31	0.481	1.9	0.69	813	<10	80	<0.5	<2	2.59	<0.5	12	2	31	4.07
B0028716		3.28	0.346	2.0	1.09	1070	<10	100	<0.5	<2	4.84	<0.5	14	2	39	4.05
B0028717		4.59	0.093	2.0	1.43	139	<10	120	<0.5	<2	3.52	0.5	16	1	44	4.54
B0028718		2.40	0.405	2.0	0.76	1275	<10	80	<0.5	<2	3.07	<0.5	13	1	33	3.91
B0028719		3.77	0.102	1.8	1.37	277	<10	100	<0.5	<2	3.96	<0.5	17	1	36	4.72
B0028720		0.98	0.014	<0.2	0.02	2	<10	<10	<0.5	<2	20.5	<0.5	<1	<1	<1	0.12
B0028721		3.22	0.147	1.7	1.33	125	<10	110	<0.5	<2	5.80	0.9	14	1	45	4.28
B0028722		4.23	0.198	2.1	0.89	210	<10	80	<0.5	<2	4.06	3.4	14	1	32	4.47
B0028723		2.19	0.100	1.7	1.44	96	<10	100	<0.5	<2	3.55	5.8	16	1	44	4.45
B0028724		4.66	0.022	0.6	1.77	35	<10	90	<0.5	<2	4.56	<0.5	14	1	39	4.54
B0028725		2.87	0.015	0.7	2.10	16	<10	120	<0.5	<2	4.52	<0.5	14	1	37	5.12
B0028726		1.14	0.095	1.6	0.78	107	<10	100	0.5	<2	4.51	0.8	14	1	41	4.21
B0028727		1.09	0.084	1.4	0.66	106	<10	90	0.5	<2	5.48	1.1	12	1	40	3.50
B0028728		2.16	0.143	2.0	0.42	164	<10	70	<0.5	<2	5.70	1.1	17	1	34	3.87
B0028729		2.00	0.290	4.3	0.42	1200	<10	70	<0.5	2	6.12	1.3	11	1	42	3.52
B0028730		0.13	1.165	87.3	1.52	30	10	170	<0.5	<2	3.21	8.3	17	17	902	3.46
B0028731		2.30	0.116	2.4	0.35	1005	<10	90	<0.5	<2	6.97	0.8	10	1	35	3.51
B0028732		2.24	0.122	1.8	0.40	257	<10	60	<0.5	<2	4.96	0.8	13	1	30	3.74
B0028733		3.13	0.276	1.8	0.46	223	<10	60	<0.5	<2	4.65	1.0	14	1	30	4.05
B0028734		2.42	0.202	1.4	1.12	86	<10	100	<0.5	<2	3.89	0.5	15	1	42	4.37
B0028735		2.75	0.046	1.1	0.79	76	<10	90	<0.5	<2	6.29	0.6	12	1	38	4.46
B0028736		3.30	0.054	1.1	0.84	84	<10	90	<0.5	<2	7.7	0.7	12	1	30	4.34
B0028737		3.31	0.055	0.9	1.15	55	<10	80	<0.5	<2	9.5	0.5	12	1	35	3.81
B0028738		3.77	0.028	0.9	1.69	61	<10	80	<0.5	<2	5.98	1.2	16	1	47	5.23
B0028739		3.58	0.021	1.1	1.73	84	<10	110	<0.5	<2	4.36	<0.5	17	1	41	4.92
B0028740		1.22	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	21.2	<0.5	<1	<1	<1	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0028701		<10	<1	0.23	10	0.39	1240	1	0.01	2	1360	3	0.59	<2	2	90
B0028702		<10	<1	0.16	10	0.19	3240	2	<0.01	4	760	13	1.75	5	2	286
B0028703		<10	<1	0.23	10	0.35	1220	1	<0.01	2	1330	5	1.01	<2	2	82
B0028704		<10	<1	0.24	10	0.35	1020	1	<0.01	3	1410	6	1.58	3	2	76
B0028705		<10	<1	0.20	10	0.26	1320	1	<0.01	4	1160	8	3.01	9	2	109
B0028706		<10	1	0.21	10	0.49	1580	1	<0.01	2	1260	10	2.70	5	4	82
B0028707		<10	<1	0.20	10	0.45	1680	1	<0.01	4	1220	10	1.66	3	4	79
B0028708		<10	<1	0.20	<10	0.27	1370	2	<0.01	4	1080	16	3.51	2	3	96
B0028709		<10	<1	0.19	<10	0.06	652	4	<0.01	1	1000	20	5.12	<2	1	61
B0028710		<10	<1	0.14	10	0.42	594	267	0.11	21	620	66	1.17	13	2	126
B0028711		<10	<1	0.22	10	0.43	1500	2	<0.01	1	1450	8	1.75	3	2	107
B0028712		<10	<1	0.21	10	0.06	2380	1	<0.01	1	1080	15	3.46	<2	1	190
B0028713		<10	<1	0.24	10	0.10	1370	1	<0.01	1	1390	15	2.94	<2	2	114
B0028714		<10	1	0.20	10	0.16	1100	1	<0.01	2	1030	21	2.67	3	1	84
B0028715		<10	<1	0.21	10	0.18	756	2	<0.01	1	1220	9	3.24	7	1	70
B0028716		<10	<1	0.21	10	0.31	1430	1	<0.01	1	1270	13	2.05	12	2	109
B0028717		<10	<1	0.25	10	0.42	1270	<1	<0.01	2	1460	12	1.77	2	2	82
B0028718		<10	<1	0.20	10	0.20	1000	<1	<0.01	1	1250	12	2.83	11	1	72
B0028719		<10	<1	0.22	10	0.40	1500	<1	<0.01	2	1370	9	2.10	4	2	78
B0028720		<10	1	0.01	<10	12.30	122	<1	<0.01	1	20	<2	0.01	<2	<1	49
B0028721		<10	<1	0.23	10	0.41	2000	<1	<0.01	2	1400	18	1.75	2	2	119
B0028722		<10	<1	0.23	10	0.27	1570	<1	<0.01	<1	1380	137	3.26	<2	1	101
B0028723		<10	<1	0.24	10	0.49	1480	<1	<0.01	1	1500	217	1.84	2	2	79
B0028724		<10	<1	0.20	10	0.64	1680	<1	0.01	2	1270	8	0.79	<2	2	95
B0028725		<10	1	0.24	10	0.82	1560	<1	0.01	1	1470	5	0.80	<2	3	96
B0028726		<10	<1	0.20	10	0.26	1380	1	<0.01	2	1310	16	3.07	<2	2	102
B0028727		<10	<1	0.20	10	0.20	1540	1	<0.01	<1	1290	17	2.61	<2	2	119
B0028728		<10	<1	0.20	10	0.10	1430	1	<0.01	2	1280	22	3.91	<2	1	139
B0028729		<10	<1	0.20	10	0.10	1600	1	<0.01	<1	1170	32	3.40	<2	1	136
B0028730		10	<1	0.14	10	1.41	914	12	0.09	9	990	4390	1.04	57	5	147
B0028731		<10	<1	0.20	10	0.10	1700	1	<0.01	1	1120	20	3.49	<2	2	189
B0028732		<10	<1	0.23	10	0.07	1180	1	<0.01	1	1410	15	3.93	<2	1	117
B0028733		<10	<1	0.20	10	0.10	1200	1	<0.01	1	1300	19	4.03	<2	1	110
B0028734		<10	<1	0.20	10	0.36	1190	<1	<0.01	2	1390	11	2.49	<2	2	93
B0028735		<10	<1	0.18	10	0.23	1550	1	<0.01	2	1230	8	3.34	<2	2	132
B0028736		<10	<1	0.19	10	0.23	2270	1	<0.01	1	1170	12	2.94	<2	2	129
B0028737		<10	<1	0.17	10	0.34	2610	<1	<0.01	2	1090	13	1.53	<2	2	155
B0028738		<10	<1	0.20	10	0.51	1930	1	0.01	1	1280	24	1.69	<2	2	162
B0028739		<10	<1	0.21	10	0.52	1630	1	0.01	2	1460	10	1.25	<2	3	120
B0028740		<10	<1	0.01	<10	12.80	123	<1	<0.01	1	10	<2	<0.01	<2	<1	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028701		<20	<0.01	<10	<10	25	<10	71			
B0028702		<20	<0.01	<10	<10	11	<10	40			
B0028703		<20	<0.01	<10	<10	18	<10	67			
B0028704		<20	<0.01	<10	<10	20	<10	74			
B0028705		<20	<0.01	<10	<10	15	<10	80			
B0028706		<20	<0.01	<10	<10	41	<10	90			
B0028707		<20	<0.01	<10	<10	38	<10	120			
B0028708		<20	<0.01	<10	<10	24	<10	97			
B0028709		<20	<0.01	<10	<10	5	<10	59			
B0028710		<20	0.07	<10	<10	41	10	935			
B0028711		<20	<0.01	<10	<10	28	<10	93			
B0028712		<20	<0.01	<10	<10	5	<10	64			
B0028713		<20	<0.01	<10	<10	8	<10	73			
B0028714		<20	<0.01	<10	<10	8	<10	95			
B0028715		<20	<0.01	<10	<10	11	<10	66			
B0028716		<20	<0.01	<10	<10	17	<10	81			
B0028717		<20	<0.01	<10	<10	24	<10	92			
B0028718		<20	<0.01	<10	<10	12	<10	71			
B0028719		<20	<0.01	<10	<10	24	<10	74			
B0028720		<20	<0.01	<10	<10	1	<10	3			
B0028721		<20	<0.01	<10	<10	23	<10	140			
B0028722		<20	<0.01	<10	<10	17	<10	411			
B0028723		<20	<0.01	<10	<10	23	<10	717			
B0028724		<20	<0.01	<10	<10	31	<10	84			
B0028725		<20	<0.01	<10	<10	32	<10	87			
B0028726		<20	<0.01	<10	<10	13	<10	120			
B0028727		<20	<0.01	<10	<10	10	<10	112			
B0028728		<20	<0.01	<10	<10	7	<10	129			
B0028729		<20	<0.01	<10	<10	7	<10	144			
B0028730		<20	0.06	<10	<10	88	<10	1070			
B0028731		<20	<0.01	<10	<10	5	<10	95			
B0028732		<20	<0.01	<10	<10	6	<10	97			
B0028733		<20	<0.01	<10	<10	7	<10	116			
B0028734		<20	<0.01	<10	<10	19	<10	93			
B0028735		<20	<0.01	<10	<10	13	<10	85			
B0028736		<20	<0.01	<10	<10	14	<10	82			
B0028737		<20	<0.01	<10	<10	18	<10	84			
B0028738		<20	<0.01	<10	<10	30	<10	192			
B0028739		<20	<0.01	<10	<10	31	<10	86			
B0028740		<20	<0.01	<10	<10	1	<10	3			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0028741		3.89	0.199	2.1	1.50	481	<10	80	<0.5	<2	6.71	0.6	15	1	40	5.14
B0028742		2.08	1.555	98.4	0.38	351	<10	70	<0.5	<2	3.79	2.6	10	1	30	4.21
B0028743		2.11	0.150	2.9	0.50	169	<10	60	<0.5	<2	2.98	1.2	9	2	23	3.04
B0028744		1.47	0.553	>100	0.16	1035	<10	40	<0.5	<2	8.1	3.1	7	2	23	2.75
B0028745		4.67	0.027	1.2	1.92	40	<10	100	<0.5	<2	5.00	0.8	14	1	40	4.86
B0028746		4.95	0.025	0.7	1.93	42	<10	100	<0.5	<2	5.62	0.5	15	1	36	4.71
B0028747		4.54	0.009	0.5	2.02	22	<10	110	<0.5	<2	4.81	<0.5	15	1	47	4.82
B0028748		4.34	0.010	0.5	2.16	8	<10	120	<0.5	2	4.48	1.4	15	1	39	5.03
B0028749		5.11	0.015	0.5	1.99	9	<10	100	<0.5	<2	3.98	3.1	14	1	21	4.84
B0028750		0.14	7.85	>100	1.43	590	<10	20	<0.5	5	3.62	123.5	16	42	1890	4.77
B0028751		4.85	0.077	1.4	1.96	64	<10	120	<0.5	<2	3.09	4.0	18	1	49	5.16
B0028752		3.30	0.175	0.9	1.57	89	<10	120	<0.5	<2	4.58	0.7	13	2	38	4.21
B0028753		4.36	<0.005	0.3	2.10	4	<10	120	<0.5	<2	4.96	<0.5	16	1	45	4.98
B0028754		4.90	0.025	1.4	2.07	20	<10	170	<0.5	<2	3.13	11.6	15	1	62	5.18
B0028755		2.44	0.008	0.8	2.04	11	<10	120	<0.5	<2	5.29	0.5	15	1	72	5.03
B0028756		1.99	0.010	0.9	2.08	16	<10	130	<0.5	2	4.18	0.6	16	1	70	5.22
B0028757		4.23	0.015	0.2	2.07	12	<10	130	<0.5	<2	4.82	0.5	16	1	43	4.97
B0028758		4.66	0.009	0.5	1.85	14	<10	180	<0.5	<2	5.46	<0.5	16	1	42	4.68
B0028759		4.40	<0.005	0.6	1.88	53	<10	150	<0.5	<2	4.85	<0.5	16	1	42	4.94
B0028760		1.23	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	21.3	<0.5	<1	1	<1	0.13
B0028761		4.70	0.033	0.8	1.76	707	<10	140	<0.5	<2	4.95	0.5	16	1	39	5.25
B0028762		2.21	0.055	1.2	1.29	236	<10	120	<0.5	<2	4.53	0.6	18	1	47	4.85
B0028763		2.41	0.185	1.8	0.64	945	<10	100	<0.5	<2	5.43	0.5	16	1	41	4.54
B0028764		2.38	0.045	0.9	0.88	249	<10	110	<0.5	<2	5.07	<0.5	15	1	53	4.70
B0028765		1.97	0.079	1.2	1.16	385	<10	110	<0.5	<2	5.67	0.5	14	1	69	4.28
B0028766		4.77	0.069	1.0	1.79	235	<10	190	<0.5	2	5.49	0.5	16	1	44	4.86
B0028767		4.09	0.023	0.9	1.99	215	<10	120	<0.5	<2	4.98	<0.5	18	1	41	5.47
B0028768		4.75	0.055	1.3	1.87	589	<10	140	<0.5	<2	5.75	<0.5	16	1	40	4.88
B0028769		4.63	0.021	0.9	1.92	43	<10	130	<0.5	2	6.06	<0.5	17	1	40	4.91
B0028770		0.13	0.677	9.4	1.28	820	20	100	<0.5	21	3.32	6.2	46	24	6550	3.71
B0028771		2.57	0.036	0.7	1.81	27	<10	130	<0.5	<2	5.78	<0.5	15	1	46	4.74
B0028772		1.31	0.216	1.4	1.45	327	<10	140	<0.5	<2	6.55	0.6	15	1	45	4.38
B0028773		1.23	0.188	1.1	1.31	239	<10	110	<0.5	<2	5.75	0.5	14	1	38	4.33
B0028774		4.86	0.870	1.5	0.61	630	<10	110	<0.5	<2	6.49	2.0	11	1	35	3.82
B0028775		4.81	0.313	1.6	0.97	167	<10	100	<0.5	<2	4.73	0.6	15	1	37	4.28
B0028776		4.42	0.082	1.0	1.65	74	<10	170	<0.5	2	4.78	0.6	16	1	37	4.73
B0028777		4.16	0.123	1.0	1.52	512	<10	180	<0.5	<2	5.54	0.5	17	1	44	4.56
B0028778		5.01	0.566	0.8	1.00	1950	<10	150	<0.5	<2	9.3	0.5	13	1	37	3.64
B0028779		4.12	0.452	1.4	1.09	1325	<10	180	<0.5	<2	5.20	4.1	15	1	54	3.76
B0028780		0.90	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.2	<0.5	<1	<1	<1	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0028741		<10	<1	0.19	10	0.48	1740	<1	<0.01	2	1230	17	2.13	<2	2	130
B0028742		<10	<1	0.21	10	0.07	1020	1	<0.01	<1	1160	191	4.37	<2	1	92
B0028743		<10	<1	0.17	<10	0.13	898	1	<0.01	1	900	32	2.52	<2	1	65
B0028744		<10	<1	0.12	<10	0.03	2220	1	<0.01	1	530	308	2.87	11	1	171
B0028745		<10	<1	0.20	10	0.59	1540	<1	<0.01	1	1440	16	0.63	<2	3	126
B0028746		<10	<1	0.21	10	0.58	1640	<1	0.01	1	1410	12	0.37	<2	3	139
B0028747		<10	1	0.22	10	0.61	1470	<1	0.01	2	1420	8	0.28	<2	3	127
B0028748		10	<1	0.21	10	0.77	2010	<1	0.01	1	1470	109	0.24	<2	3	148
B0028749		<10	<1	0.20	10	0.67	1890	<1	0.01	1	1410	188	0.45	<2	2	113
B0028750		10	14	0.19	10	1.37	729	50	0.07	202	590	>10000	3.99	676	3	48
B0028751		<10	<1	0.23	10	0.62	1730	2	0.01	2	1460	260	1.00	<2	2	88
B0028752		<10	<1	0.20	10	0.45	1880	<1	0.01	2	1290	24	0.77	<2	2	118
B0028753		<10	<1	0.22	10	0.66	2030	<1	0.01	2	1410	15	0.23	<2	3	139
B0028754		10	<1	0.24	10	0.69	2160	1	0.01	2	1510	356	0.67	<2	3	88
B0028755		10	1	0.21	10	0.64	2300	5	0.01	3	1500	28	0.28	<2	3	161
B0028756		10	<1	0.22	10	0.64	2210	11	0.01	1	1560	42	0.41	<2	3	114
B0028757		<10	<1	0.22	10	0.66	2110	1	0.01	2	1460	23	0.24	<2	3	142
B0028758		<10	<1	0.22	10	0.50	1730	<1	0.01	2	1390	11	0.25	<2	3	171
B0028759		<10	<1	0.24	10	0.48	1680	1	0.01	1	1440	9	0.50	<2	3	150
B0028760		<10	<1	0.01	<10	12.95	125	<1	<0.01	2	20	<2	<0.01	<2	<1	57
B0028761		<10	<1	0.26	10	0.50	1660	<1	0.01	2	1450	15	1.38	<2	3	153
B0028762		<10	<1	0.25	10	0.38	1540	2	0.01	2	1560	14	2.38	<2	2	137
B0028763		<10	<1	0.26	10	0.14	1270	1	<0.01	1	1350	20	4.05	<2	2	156
B0028764		<10	<1	0.25	10	0.24	1270	1	<0.01	1	1430	16	3.55	<2	2	160
B0028765		<10	<1	0.24	10	0.34	1490	<1	<0.01	1	1420	21	2.19	<2	2	176
B0028766		<10	<1	0.25	10	0.55	1860	<1	0.01	2	1430	10	0.96	<2	3	180
B0028767		<10	<1	0.24	10	0.62	1850	1	0.01	2	1470	13	1.06	<2	3	144
B0028768		<10	<1	0.27	10	0.57	2060	<1	0.01	1	1470	13	0.77	<2	3	157
B0028769		<10	<1	0.25	10	0.59	2040	4	0.01	<1	1430	6	0.52	<2	3	154
B0028770		<10	<1	0.15	10	0.45	655	291	0.13	22	660	71	1.25	11	2	138
B0028771		<10	<1	0.25	10	0.54	1810	2	0.01	1	1370	4	0.70	<2	3	168
B0028772		<10	<1	0.26	10	0.42	1980	<1	<0.01	2	1340	21	1.34	<2	2	174
B0028773		<10	<1	0.23	10	0.39	1780	1	<0.01	2	1240	18	1.53	<2	2	154
B0028774		<10	<1	0.23	10	0.15	1780	1	<0.01	2	1190	34	3.14	<2	1	160
B0028775		<10	<1	0.25	10	0.25	1490	1	<0.01	1	1370	17	2.72	<2	2	140
B0028776		<10	<1	0.27	10	0.45	1840	<1	<0.01	2	1510	11	1.08	<2	3	169
B0028777		<10	<1	0.26	10	0.41	2010	1	0.01	1	1430	12	1.32	<2	3	163
B0028778		<10	<1	0.23	10	0.27	3280	<1	<0.01	2	1110	16	1.56	2	2	254
B0028779		<10	<1	0.26	10	0.29	2310	<1	<0.01	1	1300	164	1.53	<2	2	213
B0028780		<10	<1	0.01	<10	12.40	120	<1	<0.01	1	10	<2	<0.01	<2	<1	51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028741		<20	<0.01	<10	<10	26	<10	103			
B0028742		<20	<0.01	<10	<10	6	<10	334			
B0028743		<20	<0.01	<10	<10	8	<10	128			
B0028744		<20	<0.01	<10	<10	2	<10	384	249		
B0028745		<20	<0.01	<10	<10	34	<10	114			
B0028746		<20	<0.01	<10	<10	34	<10	108			
B0028747		<20	<0.01	<10	<10	36	<10	77			
B0028748		<20	0.01	<10	<10	39	<10	233			
B0028749		<20	<0.01	<10	<10	35	<10	468			
B0028750		<20	0.05	10	<10	56	20	>10000	311	2.19	2.30
B0028751		<20	<0.01	<10	<10	33	<10	490			
B0028752		<20	<0.01	<10	<10	25	<10	113			
B0028753		<20	<0.01	<10	<10	37	<10	127			
B0028754		<20	<0.01	<10	<10	40	<10	1320			
B0028755		<20	<0.01	<10	<10	41	<10	131			
B0028756		<20	<0.01	<10	<10	41	<10	138			
B0028757		<20	0.01	<10	<10	40	<10	109			
B0028758		<20	<0.01	<10	<10	39	<10	91			
B0028759		<20	0.01	<10	<10	39	<10	80			
B0028760		<20	<0.01	<10	<10	1	<10	3			
B0028761		<20	<0.01	<10	<10	34	<10	92			
B0028762		<20	<0.01	<10	<10	24	<10	104			
B0028763		<20	<0.01	<10	<10	11	<10	107			
B0028764		<20	<0.01	<10	<10	15	<10	87			
B0028765		<20	<0.01	<10	<10	18	<10	122			
B0028766		<20	<0.01	<10	<10	32	<10	96			
B0028767		<20	<0.01	<10	<10	37	<10	82			
B0028768		<20	<0.01	<10	<10	35	<10	87			
B0028769		<20	<0.01	<10	<10	39	<10	78			
B0028770		<20	0.08	<10	<10	44	10	1020			
B0028771		<20	<0.01	<10	<10	36	<10	80			
B0028772		<20	<0.01	<10	<10	29	<10	94			
B0028773		<20	<0.01	<10	<10	28	<10	78			
B0028774		<20	<0.01	<10	<10	11	<10	246			
B0028775		<20	<0.01	<10	<10	19	<10	79			
B0028776		<20	<0.01	<10	<10	34	<10	87			
B0028777		<20	<0.01	<10	<10	30	<10	82			
B0028778		<20	<0.01	<10	<10	20	<10	68			
B0028779		<20	<0.01	<10	<10	25	<10	474			
B0028780		<20	<0.01	<10	<10	1	<10	3			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0028781		3.94	0.586	2.1	0.89	868	<10	70	<0.5	<2	4.61	32.4	15	1	39	4.66
B0028782		2.16	2.03	9.4	0.27	180	<10	50	<0.5	3	2.05	384	11	4	472	3.00
B0028783		2.42	1.925	2.7	0.49	130	<10	60	<0.5	2	2.81	104.5	13	3	93	4.11
B0028784		2.62	0.694	1.9	0.57	388	<10	50	<0.5	<2	2.43	99.6	15	3	55	5.97
B0028785		2.63	0.711	4.1	0.37	123	<10	80	<0.5	<2	4.74	156.0	7	3	267	3.68
B0028786		2.23	0.132	0.9	0.34	87	<10	140	<0.5	<2	2.68	4.8	9	1	16	2.38
B0028787		4.68	0.107	2.0	1.00	112	<10	130	<0.5	<2	2.09	19.3	10	1	22	4.20
B0028788		4.44	0.082	0.7	0.42	148	<10	130	<0.5	<2	3.11	3.7	10	1	14	2.99
B0028789		2.60	0.083	0.4	0.38	268	<10	170	<0.5	<2	3.80	2.4	10	<1	16	4.03
B0028790		0.13	1.220	87.1	1.49	31	10	160	<0.5	3	3.20	8.5	17	17	911	3.48
B0028791		2.51	0.221	>100	0.28	187	<10	110	<0.5	<2	2.86	65.2	16	1	1380	4.61
B0028792		2.30	0.024	1.2	0.51	24	<10	120	<0.5	<2	2.64	5.9	8	1	21	2.46
B0028793		4.58	0.046	0.8	0.87	85	<10	150	<0.5	<2	3.05	0.9	9	1	12	2.93
B0028794		4.54	0.042	0.4	0.98	54	<10	130	<0.5	<2	5.27	1.1	9	1	15	3.45
B0028795		3.74	0.070	0.9	0.82	62	<10	100	<0.5	<2	6.30	1.9	8	2	42	3.31
B0028796		2.43	0.044	1.9	1.31	40	<10	120	<0.5	<2	1.93	18.4	9	1	38	3.80
B0028797		2.79	0.574	6.2	1.68	221	<10	90	<0.5	2	4.47	116.0	20	7	111	7.22
B0028798		2.34	0.101	2.3	1.81	96	<10	110	<0.5	4	4.29	103.0	12	3	48	5.30
B0028799		2.50	0.019	1.5	1.15	32	<10	80	<0.5	2	4.96	21.0	8	4	54	3.38
B0028800		0.69	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.4	<0.5	<1	1	<1	0.13
B0028801		2.17	0.143	2.3	1.91	148	<10	70	<0.5	2	3.66	18.2	16	16	60	7.38
B0028802		2.40	0.312	3.1	1.64	280	<10	60	<0.5	4	3.79	7.5	18	13	36	8.82
B0028803		2.46	0.177	2.0	1.36	185	<10	70	<0.5	<2	1.23	3.1	19	10	66	5.56
B0028804		2.32	0.106	2.0	1.54	161	<10	100	<0.5	<2	2.14	1.2	21	10	92	4.93
B0028805		2.36	0.221	2.5	1.48	180	<10	70	<0.5	<2	6.16	5.6	18	9	64	4.97
B0028806		2.60	0.138	2.5	2.20	106	<10	90	<0.5	2	3.36	7.8	20	14	55	5.75
B0028807		2.46	0.175	3.7	1.39	195	<10	80	<0.5	<2	4.45	5.1	24	18	46	5.52
B0028808		2.51	0.268	3.6	0.99	274	<10	60	<0.5	2	3.77	5.1	12	13	141	5.05
B0028809		2.22	0.047	3.9	1.48	89	<10	80	<0.5	<2	6.15	4.6	23	19	139	4.90
B0028810		0.14	7.64	>100	1.43	602	<10	20	<0.5	5	3.44	125.5	15	42	1950	4.68
B0028811		2.24	0.057	3.6	1.57	91	<10	100	<0.5	<2	6.09	4.9	20	18	60	5.12
B0028812		2.19	0.035	3.1	1.47	57	<10	90	<0.5	<2	9.0	0.8	16	15	83	4.00
B0028813		2.36	0.031	2.9	2.56	45	<10	90	<0.5	<2	8.8	3.1	21	29	46	5.72
B0028814		2.90	0.068	2.0	1.13	114	<10	90	<0.5	<2	3.05	<0.5	25	1	36	4.72
B0028815		2.19	0.037	1.7	1.80	82	<10	90	<0.5	<2	3.41	<0.5	20	1	45	5.32
B0028816		2.31	0.061	2.0	0.81	187	<10	80	<0.5	2	3.69	<0.5	13	1	36	3.37
B0028817		2.76	0.341	2.3	1.30	276	<10	70	<0.5	<2	4.12	1.2	15	1	57	5.47
B0028818		3.26	0.318	2.2	1.37	645	<10	60	<0.5	<2	5.98	0.5	19	2	52	5.61
B0028819		2.41	0.027	0.9	2.45	41	<10	90	<0.5	<2	3.18	<0.5	18	<1	46	6.50
B0028820		1.02	0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	18.8	<0.5	<1	1	<1	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0028781		<10	<1	0.24	10	0.25	2170	1	<0.01	1	1240	232	3.32	<2	2	183
B0028782		<10	2	0.13	<10	0.08	1050	<1	<0.01	1	320	3090	4.61	<2	<1	72
B0028783		<10	1	0.20	<10	0.14	1670	1	<0.01	1	630	344	3.96	<2	1	131
B0028784		<10	1	0.21	<10	0.16	1640	1	<0.01	2	790	59	6.00	5	1	95
B0028785		<10	<1	0.23	<10	0.21	2430	1	<0.01	<1	470	558	3.24	<2	1	165
B0028786		<10	<1	0.28	10	0.14	1180	2	<0.01	2	1210	129	1.48	<2	1	75
B0028787		<10	<1	0.28	10	0.33	1500	1	<0.01	1	1110	684	1.92	<2	2	53
B0028788		<10	<1	0.30	10	0.27	1740	1	<0.01	1	1210	126	1.09	<2	2	71
B0028789		<10	<1	0.27	10	0.36	2170	1	<0.01	1	1100	91	1.22	<2	2	102
B0028790		10	<1	0.13	10	1.41	911	12	0.09	10	1000	4420	1.05	60	5	148
B0028791		<10	1	0.24	10	0.43	1760	1	<0.01	2	880	1250	2.75	873	3	171
B0028792		<10	<1	0.27	10	0.32	1510	2	<0.01	2	710	68	0.40	<2	2	103
B0028793		<10	<1	0.26	10	0.33	1520	2	<0.01	2	890	45	0.96	<2	2	91
B0028794		<10	<1	0.24	10	0.51	2190	<1	<0.01	2	970	44	1.10	<2	2	136
B0028795		<10	<1	0.21	10	0.27	2320	1	<0.01	3	860	77	1.97	<2	2	173
B0028796		<10	<1	0.23	10	0.44	1320	1	<0.01	2	1010	754	1.48	<2	1	60
B0028797		<10	1	0.24	10	0.68	2670	1	<0.01	8	1480	1565	4.83	<2	4	138
B0028798		<10	<1	0.25	10	0.77	3150	<1	<0.01	3	1020	216	2.27	<2	2	149
B0028799		<10	<1	0.20	10	0.53	3040	1	<0.01	3	900	231	1.20	<2	1	149
B0028800		<10	<1	0.01	<10	12.35	121	<1	<0.01	2	10	<2	<0.01	<2	<1	51
B0028801		<10	<1	0.16	<10	0.93	3290	<1	<0.01	9	1240	76	3.71	<2	5	116
B0028802		<10	<1	0.20	<10	0.74	3000	<1	<0.01	9	1400	344	6.42	3	5	109
B0028803		<10	1	0.25	<10	0.52	1160	<1	<0.01	10	2050	60	3.43	3	5	47
B0028804		<10	1	0.25	10	0.63	1630	<1	<0.01	10	2050	31	2.26	<2	5	63
B0028805		<10	<1	0.16	10	0.74	3110	<1	<0.01	8	1450	172	2.31	<2	5	153
B0028806		<10	<1	0.21	<10	1.14	2490	1	<0.01	9	1800	227	1.64	<2	6	83
B0028807		<10	<1	0.18	<10	0.71	2160	1	<0.01	13	1610	177	3.26	6	5	115
B0028808		<10	<1	0.15	<10	0.46	1760	<1	<0.01	8	1200	135	3.54	3	4	94
B0028809		<10	<1	0.18	<10	0.68	2500	1	<0.01	14	1480	162	2.41	4	6	166
B0028810		10	13	0.18	10	1.31	715	53	0.05	206	600	>10000	3.90	664	3	47
B0028811		<10	<1	0.21	10	0.73	2500	1	<0.01	13	1620	204	2.58	4	6	156
B0028812		<10	<1	0.17	10	0.71	3160	1	<0.01	11	1430	36	1.41	3	6	232
B0028813		<10	<1	0.15	10	1.39	4110	1	<0.01	15	1540	139	0.86	<2	8	198
B0028814		<10	<1	0.21	10	0.28	1080	2	<0.01	5	1200	21	2.71	2	2	74
B0028815		<10	<1	0.19	10	0.46	1480	1	<0.01	6	1060	14	1.49	4	3	77
B0028816		<10	<1	0.16	10	0.21	1345	2	<0.01	4	720	11	1.72	3	2	68
B0028817		<10	<1	0.15	<10	0.38	1605	1	<0.01	3	760	28	2.52	5	3	82
B0028818		<10	<1	0.13	10	0.40	2260	2	<0.01	4	650	10	2.26	8	3	111
B0028819		10	<1	0.19	10	0.59	2010	1	<0.01	3	1190	4	0.79	<2	5	89
B0028820		<10	<1	0.01	<10	11.50	113	<1	<0.01	4	20	<2	<0.01	<2	<1	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028781		<20	<0.01	<10	<10	23	10	3890			
B0028782		<20	<0.01	<10	<10	6	<10	>10000			4.41
B0028783		<20	<0.01	<10	<10	10	<10	>10000			1.255
B0028784		<20	<0.01	<10	<10	13	20	>10000			1.220
B0028785		<20	<0.01	<10	<10	7	10	>10000			1.885
B0028786		<20	<0.01	<10	<10	5	<10	519			
B0028787		<20	<0.01	<10	<10	14	<10	2300			
B0028788		<20	<0.01	<10	<10	7	<10	425			
B0028789		<20	<0.01	<10	<10	8	<10	256			
B0028790		<20	0.06	<10	<10	87	<10	1080			
B0028791		<20	<0.01	<10	<10	8	10	4290	318		
B0028792		<20	<0.01	<10	<10	6	<10	595			
B0028793		<20	<0.01	<10	<10	10	<10	108			
B0028794		<20	<0.01	<10	<10	11	<10	138			
B0028795		<20	<0.01	<10	<10	11	<10	224			
B0028796		<20	<0.01	<10	<10	17	<10	2110			
B0028797		<20	<0.01	<10	<10	29	10	>10000			1.365
B0028798		<20	<0.01	<10	<10	23	20	>10000			1.225
B0028799		<20	<0.01	<10	<10	14	<10	2210			
B0028800		<20	<0.01	<10	<10	1	<10	6			
B0028801		<20	<0.01	<10	<10	50	<10	2170			
B0028802		<20	<0.01	<10	<10	41	<10	905			
B0028803		<20	<0.01	<10	<10	42	<10	360			
B0028804		<20	<0.01	<10	<10	44	<10	135			
B0028805		<20	<0.01	<10	<10	44	<10	640			
B0028806		<20	<0.01	<10	<10	61	<10	973			
B0028807		<20	<0.01	<10	<10	36	<10	547			
B0028808		<20	<0.01	<10	<10	28	<10	569			
B0028809		<20	<0.01	<10	<10	37	<10	484			
B0028810		<20	0.05	10	<10	57	20	>10000	332	2.34	2.43
B0028811		<20	<0.01	10	<10	37	<10	552			
B0028812		<20	<0.01	<10	<10	36	<10	101			
B0028813		<20	<0.01	10	<10	68	<10	389			
B0028814		<20	<0.01	<10	<10	17	<10	64			
B0028815		<20	<0.01	10	<10	32	<10	65			
B0028816		<20	<0.01	<10	<10	15	<10	36			
B0028817		<20	<0.01	<10	<10	26	<10	151			
B0028818		<20	<0.01	<10	<10	33	<10	83			
B0028819		<20	<0.01	<10	<10	70	<10	98			
B0028820		<20	<0.01	<10	<10	1	<10	3			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0028821		4.46	0.042	1.3	1.94	62	<10	100	0.5	<2	3.32	<0.5	16	2	76	5.26
B0028822		3.28	0.114	1.2	1.95	104	<10	90	<0.5	<2	3.10	1.0	18	<1	49	6.06
B0028823		0.98	0.212	1.5	1.52	411	<10	100	<0.5	<2	3.29	0.8	23	1	49	5.46
B0028824		1.20	0.145	1.7	1.21	123	<10	90	<0.5	<2	2.66	1.3	21	2	52	4.61
B0028825		2.26	0.366	1.6	0.45	377	<10	70	<0.5	<2	4.21	0.8	14	1	40	4.18
B0028826		2.39	0.210	1.7	0.38	152	<10	80	<0.5	<2	6.5	0.7	10	1	32	2.96
B0028827		2.59	0.214	1.8	0.88	217	<10	90	<0.5	<2	4.67	0.5	13	1	39	4.13
B0028828		2.53	0.096	1.5	1.32	105	<10	100	<0.5	<2	3.63	0.5	17	1	44	4.57
B0028829		2.39	0.229	1.5	0.77	483	<10	90	<0.5	<2	2.41	0.5	15	1	37	3.90
B0028830		0.13	0.707	9.1	1.22	801	20	100	<0.5	20	3.05	6.2	43	24	6430	3.47
B0028831		2.29	0.205	1.6	0.25	307	<10	60	<0.5	<2	2.26	1.0	15	1	31	4.49
B0028832		2.66	0.884	1.7	0.32	658	<10	60	<0.5	<2	2.88	1.2	15	1	43	4.96
B0028833		2.45	0.042	2.3	0.37	395	<10	70	<0.5	<2	3.71	0.5	14	1	37	4.43
B0028834		2.33	0.204	2.0	0.41	485	<10	60	<0.5	<2	3.29	<0.5	13	1	31	4.97
B0028835		2.72	0.070	1.3	0.70	177	<10	90	<0.5	<2	5.08	<0.5	14	1	44	3.87
B0028836		2.09	0.055	1.0	1.31	31	<10	100	<0.5	<2	7.2	<0.5	13	1	38	3.96
B0028837		2.32	0.101	1.2	1.31	42	<10	100	<0.5	<2	5.42	0.7	13	1	40	4.45
B0028838		2.33	0.800	3.8	1.21	97	<10	110	<0.5	<2	3.68	29.0	13	1	188	4.37
B0028839		2.17	0.271	1.4	1.06	203	<10	90	<0.5	<2	2.36	3.8	14	2	51	4.60
B0028840		1.43	0.011	<0.2	0.02	<2	<10	<10	<0.5	<2	19.9	<0.5	<1	1	1	0.13
B0028841		2.99	0.166	2.3	1.03	145	<10	90	<0.5	<2	2.70	9.2	10	3	35	4.26
B0028842		3.93	0.034	1.1	1.77	44	<10	160	<0.5	<2	3.53	5.9	16	1	52	5.01
B0028843		4.39	0.026	0.3	1.62	24	<10	120	<0.5	<2	5.16	<0.5	13	1	36	4.28
B0028844		4.60	0.019	<0.2	1.77	34	<10	110	<0.5	<2	5.06	<0.5	14	1	38	4.35
B0028845		4.51	0.010	0.2	2.10	26	<10	150	<0.5	<2	5.27	<0.5	16	1	44	4.79
B0028846		4.69	0.023	0.4	2.05	29	<10	130	<0.5	<2	5.34	<0.5	16	1	49	4.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0028821		<10	<1	0.23	10	0.48	1725	1	<0.01	3	1230	8	0.88	<2	5	96
B0028822		<10	<1	0.20	10	0.48	1935	1	<0.01	4	1270	14	1.68	<2	4	84
B0028823		<10	<1	0.19	<10	0.37	1590	1	<0.01	3	930	16	2.34	5	3	74
B0028824		<10	<1	0.19	<10	0.29	1275	2	<0.01	5	1000	20	2.33	2	3	61
B0028825		<10	<1	0.19	<10	0.09	1265	1	<0.01	2	1150	21	4.04	<2	1	114
B0028826		<10	<1	0.20	10	0.06	1645	1	<0.01	3	1140	19	2.95	<2	1	128
B0028827		<10	<1	0.21	10	0.22	1355	1	<0.01	3	1340	12	2.86	2	1	117
B0028828		<10	<1	0.23	10	0.34	1210	1	<0.01	2	1370	10	2.22	2	2	96
B0028829		<10	<1	0.23	10	0.17	743	1	<0.01	2	1390	16	3.05	2	1	70
B0028830		<10	<1	0.15	10	0.41	603	287	0.11	21	640	69	1.18	13	2	134
B0028831		<10	<1	0.18	<10	0.02	595	3	<0.01	2	1060	26	4.94	3	1	52
B0028832		<10	<1	0.22	10	0.03	629	3	<0.01	2	1350	18	5.42	2	1	63
B0028833		<10	<1	0.20	<10	0.06	777	4	<0.01	2	1180	16	4.63	5	1	73
B0028834		<10	<1	0.22	10	0.06	945	2	<0.01	2	1260	15	5.20	3	1	76
B0028835		<10	<1	0.21	10	0.15	1005	4	<0.01	2	1560	10	3.17	<2	1	98
B0028836		<10	<1	0.20	10	0.33	2340	1	<0.01	2	1510	10	1.37	<2	2	114
B0028837		<10	<1	0.21	10	0.33	1915	1	<0.01	3	1390	13	1.95	<2	2	105
B0028838		<10	<1	0.22	10	0.31	1625	<1	<0.01	2	1390	1760	2.36	3	2	77
B0028839		<10	<1	0.22	10	0.26	1130	1	<0.01	2	1520	215	2.93	2	2	65
B0028840		<10	<1	0.01	10	12.10	119	<1	<0.01	3	10	<2	<0.01	<2	<1	50
B0028841		<10	<1	0.19	10	0.34	1430	1	<0.01	2	1300	608	2.25	<2	1	64
B0028842		<10	<1	0.22	10	0.60	1390	1	<0.01	2	1470	180	1.46	2	2	82
B0028843		<10	<1	0.24	10	0.53	1470	1	<0.01	2	1410	13	1.22	4	3	119
B0028844		<10	<1	0.22	10	0.58	1415	<1	0.01	2	1420	6	0.73	<2	3	120
B0028845		<10	<1	0.27	10	0.68	1560	<1	0.02	2	1520	6	0.46	<2	3	124
B0028846		<10	<1	0.27	10	0.66	1495	<1	0.01	3	1500	4	0.55	4	3	129

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028821		<20	<0.01	10	<10	45	<10	88			
B0028822		<20	<0.01	<10	<10	53	<10	150			
B0028823		<20	<0.01	<10	<10	40	<10	101			
B0028824		<20	<0.01	10	<10	30	<10	170			
B0028825		<20	<0.01	<10	<10	9	<10	97			
B0028826		<20	<0.01	<10	<10	5	<10	88			
B0028827		<20	<0.01	<10	<10	13	<10	78			
B0028828		<20	<0.01	<10	<10	20	<10	84			
B0028829		<20	<0.01	<10	<10	13	<10	76			
B0028830		<20	0.08	<10	<10	43	10	994			
B0028831		<20	<0.01	<10	<10	4	<10	112			
B0028832		<20	<0.01	<10	<10	5	<10	156			
B0028833		<20	<0.01	<10	<10	6	<10	70			
B0028834		<20	<0.01	<10	<10	6	<10	55			
B0028835		<20	<0.01	<10	<10	11	<10	72			
B0028836		<20	<0.01	<10	<10	23	<10	66			
B0028837		<20	<0.01	10	<10	23	<10	94			
B0028838		<20	<0.01	<10	<10	21	10	3250			
B0028839		<20	<0.01	10	<10	18	<10	450			
B0028840		<20	<0.01	<10	<10	<1	<10	5			
B0028841		<20	<0.01	<10	<10	19	<10	960			
B0028842		<20	<0.01	<10	<10	30	<10	586			
B0028843		<20	<0.01	<10	<10	26	<10	79			
B0028844		<20	<0.01	<10	<10	30	<10	76			
B0028845		<20	<0.01	<10	<10	38	<10	82			
B0028846		<20	<0.01	<10	<10	37	<10	83			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233889

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

CERTIFICATE YW20233891

Project: Premier Gold Project

This report is for 160 Drill Core samples submitted to our lab in Terrace, BC, Canada on 28-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-21	Crush entire sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0027716		7.76	0.064	2.2	0.35	39	<10	200	<0.5	<2	2.25	12.9	12	4	70	4.04
B0027717		10.77	0.926	5.8	0.36	56	<10	90	<0.5	2	1.67	21.1	11	3	91	4.63
B0027718		7.58	0.070	1.7	0.42	22	<10	290	0.5	<2	2.05	9.7	11	3	68	4.18
B0027719		10.15	0.132	1.1	0.39	33	<10	230	0.5	<2	2.27	10.6	12	3	41	4.19
B0027720		0.14	8.26	>100	1.48	607	10	20	<0.5	6	3.63	127.5	17	43	2000	4.92
B0027721		8.42	0.041	0.7	0.62	42	<10	190	0.5	<2	3.04	1.5	12	3	21	4.23
B0027722		4.18	0.023	0.9	0.83	52	<10	160	<0.5	2	3.93	0.8	10	3	20	3.55
B0027723		4.56	0.019	0.7	0.88	49	<10	130	<0.5	<2	3.19	<0.5	11	3	22	3.71
B0027724		8.53	0.106	1.4	0.76	32	<10	150	<0.5	<2	2.47	18.5	11	4	47	3.60
B0027725		8.53	0.660	2.9	1.00	75	<10	140	<0.5	<2	1.95	30.7	11	6	76	4.58
B0027726		8.77	0.170	1.4	1.29	35	<10	270	<0.5	<2	2.56	14.4	9	7	39	4.88
B0027727		8.84	0.052	2.0	0.38	31	<10	270	<0.5	<2	2.86	8.1	11	4	74	3.97
B0027728		8.02	0.261	3.2	0.42	25	<10	210	0.5	2	3.52	19.0	11	3	118	4.16
B0027729		6.34	0.418	2.2	0.11	61	<10	120	<0.5	<2	9.6	2.3	5	7	5	2.29
B0027730		0.90	0.005	<0.2	0.02	<2	<10	10	<0.5	<2	20.8	<0.5	<1	1	<1	0.13
B0027731		11.08	2.30	3.3	0.25	282	<10	60	<0.5	<2	3.12	1.5	12	6	6	4.71
B0027732		4.32	0.106	1.5	0.32	186	<10	90	<0.5	<2	3.89	2.9	11	2	6	4.69
B0027733		5.83	0.182	1.5	0.29	185	<10	50	<0.5	2	3.51	3.0	10	3	9	5.50
B0027734		9.11	0.080	1.7	0.50	138	<10	50	0.5	<2	4.53	0.5	13	3	17	5.25
B0027735		6.31	0.061	0.7	0.63	63	<10	210	0.6	<2	3.48	0.5	14	2	32	5.37
B0027736		7.90	0.252	1.2	1.19	121	<10	140	<0.5	3	3.86	0.9	13	4	21	5.17
B0027737		9.50	0.096	1.8	0.61	175	<10	70	<0.5	<2	3.32	7.5	13	3	26	5.02
B0027738		7.45	0.258	3.3	0.62	253	<10	60	<0.5	3	2.56	40.6	14	4	22	5.72
B0027739		4.24	0.364	2.4	0.63	242	<10	90	<0.5	<2	2.61	3.3	13	3	14	5.08
B0027740		0.13	0.693	9.3	1.22	775	20	100	<0.5	22	3.08	5.9	44	23	6410	3.56
B0027741		4.73	0.265	2.4	0.71	236	<10	90	<0.5	2	2.44	5.1	13	3	19	5.23
B0027742		8.16	0.272	1.7	0.98	132	<10	70	<0.5	<2	3.84	0.8	12	3	18	5.08
B0027743		9.27	0.035	0.8	1.46	100	<10	200	<0.5	<2	3.70	<0.5	14	3	33	5.11
B0027744		8.83	0.161	2.5	1.24	144	<10	60	<0.5	2	2.38	26.9	15	4	29	5.54
B0027745		8.89	0.101	1.4	0.94	172	<10	100	<0.5	2	3.41	3.9	11	4	18	4.51
B0027746		6.61	0.053	0.7	1.67	107	<10	140	<0.5	2	2.74	0.9	12	6	15	5.50
B0027747		8.77	0.064	0.9	1.53	95	<10	120	<0.5	2	3.41	1.8	13	5	22	4.74
B0027748		8.79	0.068	1.0	1.35	74	<10	150	<0.5	<2	3.49	2.9	14	3	23	5.04
B0027749		8.32	0.093	0.7	1.47	90	<10	140	<0.5	<2	3.73	4.5	13	5	8	5.15
B0027750		0.87	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	20.3	<0.5	<1	<1	<1	0.13
B0027751		5.99	0.026	0.6	0.88	64	<10	120	<0.5	<2	3.75	3.0	11	3	11	4.28
B0027752		9.60	0.023	0.9	1.15	60	<10	150	<0.5	<2	5.68	0.6	13	3	29	4.40
B0027753		7.80	0.031	0.9	1.90	76	<10	120	<0.5	2	3.49	2.4	17	6	27	5.73
B0027754		8.92	0.026	0.5	1.82	92	<10	150	<0.5	<2	4.21	0.8	16	5	33	5.75
B0027755		8.69	0.031	0.9	0.70	84	<10	70	0.5	<2	4.78	3.3	13	2	17	4.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0027716		<10	<1	0.25	10	0.86	3280	2	<0.01	4	1060	601	1.24	<2	3	162
B0027717		<10	<1	0.27	10	0.89	2790	2	<0.01	3	1080	1550	1.42	<2	3	140
B0027718		<10	<1	0.29	10	1.03	2960	1	<0.01	3	1060	370	0.82	<2	3	172
B0027719		<10	<1	0.28	10	1.14	3040	<1	<0.01	3	1080	124	0.93	<2	3	191
B0027720		10	14	0.19	<10	1.39	731	54	0.06	209	610	>10000	4.12	709	3	47
B0027721		<10	<1	0.29	10	1.25	3500	<1	<0.01	4	1160	54	0.63	<2	4	217
B0027722		<10	<1	0.26	10	1.01	2950	1	<0.01	4	980	57	0.65	<2	3	178
B0027723		<10	<1	0.27	10	1.07	2900	<1	<0.01	4	1030	48	0.65	<2	4	168
B0027724		<10	1	0.30	10	1.01	2720	1	<0.01	3	1070	127	0.66	<2	3	156
B0027725		<10	<1	0.25	10	1.13	2820	1	<0.01	4	990	353	1.54	<2	3	126
B0027726		<10	<1	0.21	10	1.49	3440	<1	0.01	4	980	177	0.73	<2	4	148
B0027727		<10	<1	0.26	10	1.01	2550	<1	0.01	3	1000	539	0.77	2	4	171
B0027728		<10	<1	0.30	10	1.09	3440	1	<0.01	3	1090	562	0.81	<2	5	208
B0027729		<10	<1	0.09	<10	0.58	4830	25	<0.01	1	210	92	0.90	<2	2	450
B0027730		<10	1	0.01	<10	12.35	129	<1	<0.01	1	20	2	<0.01	<2	<1	54
B0027731		<10	<1	0.20	<10	0.71	2770	6	<0.01	3	890	35	3.45	2	3	203
B0027732		<10	<1	0.25	10	1.02	3380	1	<0.01	1	1120	61	2.39	<2	3	261
B0027733		<10	<1	0.23	<10	1.04	3340	1	<0.01	2	1030	20	2.57	<2	3	242
B0027734		<10	<1	0.27	10	1.15	2860	1	<0.01	2	1190	24	2.25	<2	5	316
B0027735		<10	<1	0.30	10	1.09	1900	2	0.01	2	1230	17	1.14	<2	6	277
B0027736		<10	<1	0.27	10	0.95	1975	2	0.01	2	1110	29	1.86	<2	5	197
B0027737		<10	<1	0.29	10	1.01	2500	2	<0.01	3	1290	357	2.06	2	5	241
B0027738		<10	<1	0.25	10	0.81	2740	2	<0.01	2	1210	685	3.95	4	4	176
B0027739		<10	<1	0.28	10	0.87	2730	2	<0.01	2	1230	78	2.72	2	4	213
B0027740		<10	<1	0.15	10	0.42	600	284	0.12	22	640	66	1.22	12	2	134
B0027741		<10	<1	0.28	10	0.91	2630	2	<0.01	2	1250	87	2.63	3	4	196
B0027742		<10	<1	0.31	10	1.13	3560	2	<0.01	2	1240	80	1.64	<2	4	246
B0027743		<10	<1	0.31	10	1.08	2470	1	<0.01	2	1260	28	1.20	<2	5	186
B0027744		<10	<1	0.31	10	0.93	2880	2	<0.01	2	1220	442	2.29	<2	4	140
B0027745		<10	<1	0.27	10	0.67	2830	2	<0.01	2	1330	138	2.25	<2	4	144
B0027746		10	<1	0.27	10	1.19	3170	1	0.01	3	1310	45	1.77	<2	5	161
B0027747		10	<1	0.28	10	1.00	2800	2	0.01	2	1330	93	1.32	<2	4	149
B0027748		<10	<1	0.32	10	1.09	2820	2	0.01	2	1340	177	1.45	<2	4	191
B0027749		10	<1	0.27	10	1.10	4090	1	0.01	2	1290	91	1.65	<2	5	221
B0027750		<10	<1	0.01	<10	12.05	122	<1	<0.01	2	20	<2	<0.01	<2	<1	53
B0027751		<10	<1	0.27	10	1.02	3130	1	0.01	1	1190	72	1.21	<2	4	233
B0027752		<10	<1	0.32	10	0.96	2780	1	0.01	3	1220	46	1.32	<2	5	255
B0027753		10	<1	0.31	10	1.36	2910	3	0.01	3	1290	90	1.26	<2	6	178
B0027754		10	<1	0.32	10	1.42	3640	2	0.01	2	1350	35	1.36	<2	6	210
B0027755		<10	<1	0.32	10	1.09	3960	1	0.01	2	1250	69	1.17	<2	5	249

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0027716		<20	<0.01	<10	<10	10	<10	1670			
B0027717		<20	<0.01	<10	<10	10	<10	2650			
B0027718		<20	<0.01	<10	<10	10	<10	1320			
B0027719		<20	<0.01	<10	<10	9	<10	1420			
B0027720		<20	0.05	10	<10	58	20	>10000	326	2.33	2.42
B0027721		<20	<0.01	<10	<10	13	<10	247			
B0027722		<20	<0.01	<10	<10	15	<10	154			
B0027723		<20	<0.01	<10	<10	16	<10	105			
B0027724		<20	<0.01	<10	<10	15	<10	2210			
B0027725		<20	<0.01	<10	<10	22	<10	3850			
B0027726		<20	<0.01	<10	<10	28	<10	1980			
B0027727		<20	<0.01	<10	<10	10	<10	1040			
B0027728		<20	<0.01	<10	<10	10	<10	2280			
B0027729		<20	<0.01	<10	<10	5	<10	283			
B0027730		<20	<0.01	<10	<10	1	<10	5			
B0027731		<20	<0.01	<10	<10	8	<10	158			
B0027732		<20	<0.01	<10	<10	11	<10	363			
B0027733		<20	<0.01	<10	<10	13	<10	376			
B0027734		<20	<0.01	<10	<10	16	<10	101			
B0027735		<20	<0.01	<10	<10	25	<10	110			
B0027736		<20	<0.01	<10	<10	32	<10	166			
B0027737		<20	<0.01	<10	<10	20	<10	958			
B0027738		<20	<0.01	<10	<10	24	<10	4900			
B0027739		<20	<0.01	<10	<10	20	<10	448			
B0027740		<20	0.08	<10	<10	43	10	991			
B0027741		<20	<0.01	<10	<10	24	<10	690			
B0027742		<20	<0.01	<10	<10	29	<10	167			
B0027743		<20	<0.01	<10	<10	32	<10	114			
B0027744		<20	<0.01	<10	<10	32	<10	3320			
B0027745		<20	<0.01	<10	<10	24	<10	530			
B0027746		<20	<0.01	<10	<10	47	<10	206			
B0027747		<20	<0.01	<10	<10	39	<10	310			
B0027748		<20	<0.01	<10	<10	34	<10	433			
B0027749		<20	<0.01	<10	<10	44	<10	658			
B0027750		<20	<0.01	<10	<10	1	<10	5			
B0027751		<20	<0.01	<10	<10	27	<10	442			
B0027752		<20	<0.01	<10	<10	27	<10	115			
B0027753		<20	<0.01	<10	<10	48	<10	398			
B0027754		<20	<0.01	<10	<10	46	<10	196			
B0027755		<20	<0.01	<10	<10	20	<10	504			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0027756		10.35	0.029	0.8	0.54	90	<10	60	0.5	<2	4.57	4.7	13	3	17	4.77
B0027757		8.71	0.094	0.9	0.57	77	<10	120	0.5	2	3.99	3.7	15	2	20	5.40
B0027758		9.18	0.061	0.5	0.58	84	<10	210	0.5	<2	4.34	<0.5	13	2	18	5.12
B0027759		3.75	0.119	1.2	0.80	80	<10	160	<0.5	2	11.8	0.6	11	2	21	3.96
B0027760		0.13	1.230	89.5	1.60	29	10	170	<0.5	2	3.21	8.2	16	17	939	3.53
B0027761		4.13	0.056	1.0	0.84	77	<10	120	<0.5	2	11.4	<0.5	11	2	16	4.13
B0027762		8.34	0.144	3.0	0.78	130	<10	90	<0.5	<2	11.0	4.7	11	3	60	3.92
B0027763		9.08	0.149	1.5	1.95	173	<10	170	<0.5	2	3.71	0.5	15	4	35	5.51
B0027764		9.11	0.084	0.3	2.24	52	<10	190	<0.5	2	3.85	<0.5	15	5	9	5.31
B0027765		9.32	0.027	0.5	2.22	67	<10	180	<0.5	<2	4.46	<0.5	14	5	25	5.35
B0027766		8.81	0.028	1.6	2.10	65	<10	200	<0.5	<2	4.01	<0.5	15	5	31	5.26
B0027767		8.43	0.044	1.2	2.22	114	<10	140	<0.5	<2	4.20	<0.5	15	4	44	5.35
B0027768		8.82	0.070	1.0	2.30	102	<10	140	<0.5	<2	4.35	2.0	15	5	17	5.42
B0027769		9.03	0.034	1.2	2.24	62	<10	140	<0.5	2	4.27	2.2	14	5	27	5.27
B0027770		0.86	0.005	<0.2	0.04	<2	<10	<10	<0.5	<2	21.0	<0.5	<1	<1	<1	0.14
B0027771		7.52	0.130	1.0	2.29	163	<10	180	<0.5	<2	2.87	8.2	14	6	16	5.78
B0027772		8.45	0.295	1.2	1.90	156	<10	150	<0.5	<2	4.27	0.6	15	4	20	5.29
B0027773		8.71	0.032	1.0	1.80	83	<10	260	<0.5	<2	3.68	0.6	15	3	45	5.42
B0027774		9.17	0.077	0.8	1.53	139	<10	120	<0.5	<2	3.73	<0.5	14	4	30	5.35
B0027775		9.15	0.087	0.6	1.87	94	<10	250	<0.5	<2	3.89	0.7	14	4	23	5.52
B0027776		7.37	0.049	0.5	1.95	102	<10	100	<0.5	<2	3.47	<0.5	15	5	15	5.96
B0027777		8.89	0.054	1.0	0.93	185	<10	40	<0.5	<2	3.14	3.3	16	3	10	5.80
B0027778		8.56	0.033	0.7	1.07	161	<10	110	<0.5	<2	2.78	0.8	17	4	18	5.72
B0027779		9.55	0.090	1.7	1.37	157	<10	80	<0.5	2	1.81	16.1	15	5	14	5.92
B0027780		0.14	8.02	>100	1.62	628	20	20	<0.5	7	3.77	130.5	17	46	2100	5.21
B0027781		7.57	0.296	2.6	1.35	284	<10	50	<0.5	<2	1.96	25.2	15	6	20	6.10
B0027782		9.24	0.769	4.0	1.14	257	<10	50	<0.5	2	2.34	25.1	13	4	20	5.55
B0027783		3.74	0.453	3.1	0.45	277	<10	20	<0.5	2	2.41	30.3	14	3	9	5.77
B0027784		3.42	0.506	3.5	0.47	255	<10	50	<0.5	4	1.93	30.2	14	4	8	5.53
B0027785		6.36	0.270	3.5	0.28	140	<10	20	<0.5	3	2.16	71.5	8	8	16	3.79
B0027786		7.50	4.42	3.4	0.31	183	<10	50	<0.5	3	2.20	5.7	6	11	8	3.92
B0027787		9.00	0.149	2.2	0.70	159	<10	40	<0.5	3	7.3	7.6	14	4	10	5.69
B0027788		9.20	0.241	2.9	0.89	76	<10	90	<0.5	2	6.03	41.2	13	5	31	5.75
B0027789		8.85	0.165	1.4	1.67	114	<10	130	<0.5	<2	5.25	8.4	15	7	25	5.71
B0027790		0.80	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	21.3	<0.5	<1	<1	<1	0.14
B0027791		8.62	0.096	1.4	2.17	108	<10	150	<0.5	<2	2.66	7.6	17	11	15	6.29
B0027792		9.85	0.222	1.5	2.21	120	<10	170	<0.5	<2	4.02	6.0	17	13	48	5.96
B0027793		9.64	0.128	1.4	2.36	128	<10	130	<0.5	<2	3.15	4.4	18	9	62	6.03
B0027794		9.38	0.093	1.4	2.45	122	<10	150	<0.5	<2	3.02	4.9	17	10	83	6.27
B0027795		8.63	0.081	1.1	2.44	125	<10	130	<0.5	<2	3.05	5.7	16	10	37	6.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0027756		<10	<1	0.34	10	0.94	3300	1	0.01	2	1210	186	1.20	<2	4	238
B0027757		<10	<1	0.37	10	1.25	3220	3	0.01	2	1320	190	1.40	<2	5	255
B0027758		<10	<1	0.38	10	1.18	3080	<1	0.01	2	1330	10	1.28	<2	5	254
B0027759		<10	<1	0.27	10	0.82	3710	<1	0.01	3	980	200	0.90	3	4	231
B0027760		10	<1	0.14	10	1.41	883	13	0.10	12	1000	4590	1.05	57	6	154
B0027761		<10	<1	0.27	10	0.86	3380	<1	0.01	2	1030	38	0.92	<2	4	221
B0027762		<10	<1	0.27	10	0.84	3780	1	0.01	2	940	176	1.22	<2	4	263
B0027763		10	<1	0.33	10	1.32	2790	1	0.01	3	1360	112	1.42	<2	5	163
B0027764		10	<1	0.30	10	1.47	2570	1	0.02	3	1380	11	0.79	<2	6	174
B0027765		10	<1	0.29	10	1.46	2440	<1	0.01	2	1360	27	0.80	<2	5	199
B0027766		10	<1	0.33	10	1.35	2400	1	0.01	2	1330	216	0.72	<2	5	222
B0027767		10	<1	0.31	10	1.33	2280	1	0.01	3	1350	33	0.96	<2	5	184
B0027768		10	<1	0.32	10	1.33	1765	1	0.02	3	1370	110	0.92	<2	6	186
B0027769		10	<1	0.30	10	1.41	2420	1	0.01	2	1350	269	0.71	<2	6	189
B0027770		<10	<1	0.01	<10	12.35	124	<1	<0.01	2	20	<2	<0.01	<2	<1	55
B0027771		10	<1	0.34	10	1.56	3030	<1	0.01	3	1320	48	1.54	<2	6	181
B0027772		10	<1	0.31	10	1.48	1960	1	0.01	3	1330	50	1.32	<2	6	219
B0027773		10	<1	0.33	10	1.50	2130	1	0.01	2	1390	33	1.07	<2	6	225
B0027774		<10	<1	0.31	10	1.38	2890	<1	0.01	2	1340	13	1.51	<2	5	251
B0027775		10	<1	0.30	10	1.53	3190	1	0.01	2	1370	24	0.99	<2	6	260
B0027776		10	<1	0.24	10	1.66	3400	2	0.02	2	1350	25	1.43	<2	7	193
B0027777		<10	<1	0.29	10	1.18	3730	2	0.01	3	1360	209	3.04	<2	5	218
B0027778		<10	<1	0.29	10	1.23	3040	1	0.01	2	1360	40	2.24	<2	6	211
B0027779		10	1	0.26	10	1.29	2800	17	0.01	2	1330	241	2.65	<2	5	155
B0027780		10	14	0.21	10	1.45	758	56	0.07	217	630	>10000	4.28	737	3	54
B0027781		<10	<1	0.29	10	1.26	2860	2	<0.01	3	1370	246	3.12	<2	5	147
B0027782		<10	<1	0.31	10	0.98	2450	3	<0.01	2	1250	214	2.92	<2	4	150
B0027783		<10	1	0.28	<10	0.70	3500	2	<0.01	3	1100	268	3.82	<2	3	201
B0027784		<10	1	0.29	<10	0.60	2930	2	<0.01	3	1010	316	3.82	2	3	155
B0027785		<10	2	0.25	<10	0.31	1980	2	<0.01	2	560	255	3.17	2	2	151
B0027786		<10	1	0.27	<10	0.30	1940	2	<0.01	2	540	23	2.64	2	2	145
B0027787		<10	1	0.29	10	1.42	4890	2	0.01	3	1100	82	2.67	<2	6	375
B0027788		<10	<1	0.24	10	1.88	5700	1	<0.01	2	960	415	1.78	<2	6	452
B0027789		10	<1	0.21	10	1.47	4330	1	0.01	4	1270	363	1.70	<2	8	227
B0027790		<10	<1	0.01	<10	12.65	129	<1	<0.01	3	20	2	<0.01	<2	<1	54
B0027791		10	<1	0.23	10	1.71	4240	<1	0.01	3	1320	443	2.01	<2	8	164
B0027792		10	<1	0.22	10	1.61	4060	1	0.01	2	1330	195	1.61	<2	7	272
B0027793		10	<1	0.26	10	1.63	3590	<1	0.01	4	1420	250	1.52	<2	7	161
B0027794		10	<1	0.18	10	1.90	4060	<1	0.02	3	1370	172	1.35	<2	9	150
B0027795		10	<1	0.16	10	1.90	4380	<1	0.02	3	1280	76	1.84	<2	9	137

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0027756		<20	<0.01	<10	<10	16	<10	638			
B0027757		<20	<0.01	<10	<10	16	<10	567			
B0027758		<20	<0.01	<10	<10	17	<10	95			
B0027759		<20	<0.01	<10	<10	19	<10	127			
B0027760		<20	0.06	<10	<10	93	<10	1080			
B0027761		<20	<0.01	<10	<10	20	<10	97			
B0027762		<20	<0.01	<10	<10	19	<10	606			
B0027763		<20	0.01	<10	<10	42	<10	140			
B0027764		<20	0.01	<10	<10	47	<10	104			
B0027765		<20	<0.01	<10	<10	45	<10	99			
B0027766		<20	<0.01	<10	<10	45	<10	121			
B0027767		<20	0.01	<10	<10	45	<10	111			
B0027768		<20	0.01	<10	<10	47	<10	309			
B0027769		<20	<0.01	<10	<10	47	<10	335			
B0027770		<20	<0.01	<10	<10	1	<10	5			
B0027771		<20	0.01	<10	<10	62	<10	1120			
B0027772		<20	<0.01	<10	<10	43	<10	148			
B0027773		<20	<0.01	<10	<10	39	<10	139			
B0027774		<20	<0.01	<10	<10	37	<10	124			
B0027775		<20	<0.01	<10	<10	47	<10	194			
B0027776		<20	<0.01	<10	<10	58	<10	183			
B0027777		<20	<0.01	<10	<10	24	<10	459			
B0027778		<20	<0.01	<10	<10	29	<10	190			
B0027779		<20	<0.01	<10	<10	45	<10	1990			
B0027780		<20	0.06	10	<10	64	20	>10000	320	2.30	2.39
B0027781		<20	<0.01	<10	<10	43	<10	3150			
B0027782		<20	<0.01	<10	<10	33	<10	2750			
B0027783		<20	<0.01	<10	<10	17	<10	3810			
B0027784		<20	<0.01	<10	<10	18	<10	3620			
B0027785		<20	<0.01	<10	<10	8	<10	8520			
B0027786		<20	<0.01	<10	<10	11	<10	707			
B0027787		<20	<0.01	<10	<10	32	<10	1070			
B0027788		<20	<0.01	<10	<10	49	<10	4980			
B0027789		<20	<0.01	<10	<10	85	<10	1110			
B0027790		<20	<0.01	<10	<10	1	<10	8			
B0027791		<20	0.01	<10	<10	101	<10	1070			
B0027792		<20	0.01	<10	<10	107	<10	802			
B0027793		<20	<0.01	<10	<10	89	<10	543			
B0027794		<20	0.01	<10	<10	135	<10	640			
B0027795		<20	0.01	<10	<10	143	<10	803			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B0027796		10.39	0.206	2.3	2.17	159	<10	130	<0.5	<2	2.36	19.7	15	8	27	6.53
B0027797		7.78	0.030	0.6	1.43	26	<10	200	<0.5	<2	3.23	0.7	10	3	30	4.22
B0027798		8.66	0.033	0.5	1.59	29	<10	250	<0.5	<2	3.10	0.5	11	3	35	4.25
B0027799		10.33	0.097	1.7	1.37	46	<10	160	<0.5	<2	2.86	5.2	10	3	56	4.18
B0027800		0.12	0.685	9.5	1.31	827	20	110	<0.5	22	3.35	6.1	44	24	6610	3.69
B0027801		6.57	0.014	4.3	1.98	28	<10	150	<0.5	<2	3.42	1.5	13	3	29	4.70
B0027802		7.93	0.024	1.1	1.49	19	<10	210	0.7	<2	3.92	<0.5	12	2	65	4.86
B0027803		7.95	0.107	1.7	1.14	27	<10	220	0.5	<2	3.35	9.5	11	3	62	4.28
B0027804		7.37	0.062	3.7	1.27	66	<10	180	<0.5	<2	2.95	19.6	11	3	80	4.20
B0027805		9.02	0.015	0.3	1.89	33	<10	160	<0.5	<2	3.32	<0.5	11	3	22	5.56
B0027806		9.10	0.015	0.3	1.46	14	<10	140	<0.5	<2	4.17	<0.5	9	3	20	4.71
B0027807		9.59	0.011	0.4	1.01	19	<10	210	<0.5	<2	3.37	<0.5	10	2	25	4.27
B0027808		7.76	0.018	1.0	0.78	16	<10	180	<0.5	<2	3.46	<0.5	10	2	107	4.06
B0027809		7.93	0.048	0.8	0.59	19	<10	230	0.5	2	3.15	15.1	10	2	17	4.22
B0027810		0.58	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	21.3	<0.5	<1	<1	<1	0.15
B0027811		6.10	0.158	3.0	0.47	48	<10	100	0.5	<2	2.39	7.2	9	3	119	3.47
B0027812		7.62	1.045	3.0	0.23	40	<10	130	<0.5	<2	1.29	33.6	7	11	86	2.51
B0027813		8.13	0.281	3.1	0.28	71	<10	20	<0.5	<2	1.69	14.9	9	8	82	4.48
B0027814		10.78	0.263	4.0	0.43	141	<10	20	<0.5	2	1.48	62.6	14	10	108	5.25
B0027815		5.25	0.410	7.1	0.21	181	<10	60	<0.5	<2	0.79	148.0	9	7	163	3.38
B0027816		10.35	0.194	4.7	0.44	128	<10	60	<0.5	<2	1.52	32.9	15	3	250	5.31
B0027817		9.15	0.563	4.5	0.35	89	<10	80	<0.5	3	1.86	27.0	10	5	80	4.60
B0027818		9.14	0.442	4.6	0.37	196	<10	90	<0.5	<2	2.40	9.5	9	5	61	5.13
B0027819		7.68	1.185	3.9	0.43	144	<10	90	<0.5	<2	1.43	33.1	12	4	73	5.23
B0027820		0.13	1.205	88.8	1.66	31	10	180	<0.5	<2	3.28	8.6	17	18	949	3.60
B0027821		10.15	0.422	4.9	0.30	248	<10	30	<0.5	<2	1.24	91.7	11	6	68	4.66
B0027822		6.12	0.732	1.6	0.77	156	<10	50	<0.5	<2	1.34	18.1	11	5	37	5.75
B0027823		7.50	0.578	1.9	1.27	148	<10	60	<0.5	<2	0.88	28.0	11	6	35	5.65
B0027824		8.83	0.194	2.2	0.62	119	<10	40	<0.5	2	1.60	23.3	13	3	31	5.60
B0027825		8.64	0.526	2.0	0.78	142	<10	30	<0.5	<2	1.28	19.2	11	5	26	5.77
B0027826		8.45	0.491	4.9	1.06	306	<10	30	<0.5	<2	1.26	44.3	11	7	47	6.57
B0027827		8.06	0.396	1.4	0.34	54	<10	170	<0.5	<2	2.30	15.1	9	4	30	4.57
B0027828		5.84	0.224	2.1	0.38	67	<10	50	<0.5	<2	2.25	46.5	9	4	51	4.88
B0027829		6.90	0.412	2.0	0.69	35	<10	100	<0.5	<2	1.70	32.2	7	6	50	4.44
B0027830		0.61	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	20.3	<0.5	<1	<1	<1	0.13
B0027831		6.82	0.151	1.4	0.25	95	<10	90	<0.5	<2	5.00	12.2	6	4	13	3.90
B0027832		6.39	0.410	1.7	0.27	148	<10	80	<0.5	<2	4.11	7.4	7	5	12	4.09
B0027833		9.22	0.393	1.3	0.38	154	<10	60	<0.5	<2	3.65	8.5	12	3	12	5.43
B0027834		9.28	0.316	1.3	0.42	95	<10	100	<0.5	<2	3.73	11.0	11	4	14	5.26
B0027835		8.97	0.063	0.8	0.64	82	<10	210	0.5	<2	4.25	0.8	12	2	19	5.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0027796		10	1	0.18	10	1.85	4130	1	0.02	2	1240	335	2.00	2	8	240
B0027797		<10	<1	0.29	10	0.68	2900	<1	<0.01	2	1440	134	1.37	<2	3	103
B0027798		<10	<1	0.30	10	0.74	2760	1	<0.01	2	1440	36	0.98	<2	3	117
B0027799		<10	<1	0.28	10	0.65	2220	1	<0.01	1	1290	258	1.50	<2	3	112
B0027800		10	<1	0.16	10	0.44	636	295	0.13	22	690	67	1.28	15	2	140
B0027801		<10	<1	0.28	10	0.90	2150	3	0.01	3	1550	44	0.62	<2	4	135
B0027802		<10	<1	0.35	10	0.95	2800	<1	<0.01	2	1560	50	0.73	<2	4	196
B0027803		<10	<1	0.31	10	0.77	2680	1	<0.01	2	1390	429	1.15	<2	3	144
B0027804		<10	<1	0.29	10	0.87	2740	7	<0.01	2	1350	1440	1.17	2	3	109
B0027805		<10	<1	0.32	10	1.27	2590	1	<0.01	2	1500	18	0.96	<2	4	114
B0027806		<10	<1	0.30	10	1.04	2780	1	<0.01	2	1380	19	0.47	<2	4	140
B0027807		<10	<1	0.33	10	0.78	2830	1	<0.01	2	1390	25	0.79	<2	4	136
B0027808		<10	<1	0.37	10	0.71	3050	<1	<0.01	1	1480	14	0.44	<2	4	117
B0027809		<10	1	0.35	10	0.70	3090	<1	<0.01	1	1330	88	1.04	<2	3	154
B0027810		<10	<1	0.01	<10	12.80	131	<1	0.01	4	20	<2	<0.01	<2	<1	53
B0027811		<10	<1	0.28	10	0.47	2220	2	<0.01	2	1050	326	1.61	<2	3	133
B0027812		<10	1	0.16	<10	0.17	1095	2	<0.01	1	350	404	1.91	<2	1	67
B0027813		<10	<1	0.19	<10	0.51	2210	2	<0.01	3	550	348	3.14	2	2	127
B0027814		<10	1	0.16	<10	0.58	2280	2	<0.01	2	570	478	4.04	<2	2	84
B0027815		<10	1	0.16	<10	0.12	746	8	<0.01	2	570	1185	3.99	<2	1	48
B0027816		<10	1	0.31	10	0.97	2820	4	<0.01	2	1280	1435	2.18	<2	3	118
B0027817		<10	1	0.25	<10	0.87	2370	4	<0.01	1	980	636	1.87	3	2	149
B0027818		<10	2	0.27	10	1.04	3250	2	<0.01	1	1030	346	2.10	13	2	207
B0027819		<10	1	0.30	10	0.84	2830	1	<0.01	2	1210	549	2.59	2	3	129
B0027820		10	<1	0.15	10	1.43	895	12	0.11	11	1050	4360	1.09	62	6	158
B0027821		<10	1	0.22	10	0.55	2080	2	<0.01	2	780	658	3.86	6	2	113
B0027822		<10	<1	0.29	10	1.19	3640	1	0.01	2	1160	180	2.24	3	4	98
B0027823		<10	<1	0.25	10	1.25	3530	1	<0.01	3	1080	404	2.12	3	4	55
B0027824		<10	<1	0.29	10	1.18	3510	1	<0.01	4	1230	476	2.52	2	3	139
B0027825		<10	<1	0.21	10	0.94	2840	1	<0.01	2	910	145	3.29	<2	3	117
B0027826		<10	3	0.19	<10	1.04	2730	2	<0.01	3	860	111	3.65	21	3	147
B0027827		<10	<1	0.22	10	1.19	4130	1	<0.01	1	960	202	1.39	<2	4	256
B0027828		<10	<1	0.22	10	1.14	3640	1	<0.01	2	850	386	1.56	<2	3	187
B0027829		<10	<1	0.17	10	1.08	3140	1	<0.01	1	750	298	1.19	<2	3	134
B0027830		<10	<1	0.01	<10	12.25	128	<1	<0.01	3	20	<2	0.02	<2	<1	50
B0027831		<10	<1	0.19	10	0.94	4320	4	<0.01	2	670	74	1.61	<2	3	315
B0027832		<10	<1	0.23	10	0.72	3350	2	<0.01	2	710	45	2.26	<2	3	266
B0027833		<10	<1	0.26	10	1.19	3580	2	0.01	2	1160	91	2.18	<2	4	261
B0027834		<10	<1	0.26	10	1.21	3210	1	0.01	2	1120	171	1.54	<2	4	236
B0027835		<10	<1	0.33	10	1.17	3220	1	<0.01	2	1330	19	1.07	<2	5	299

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0027796		<20	<0.01	<10	<10	113	<10	2590			
B0027797		<20	<0.01	<10	<10	26	<10	152			
B0027798		<20	<0.01	<10	<10	29	<10	133			
B0027799		<20	<0.01	<10	<10	27	<10	695			
B0027800		<20	0.09	<10	<10	45	10	978			
B0027801		<20	<0.01	<10	<10	37	<10	328			
B0027802		<20	<0.01	<10	<10	25	<10	107			
B0027803		<20	<0.01	<10	<10	21	<10	1210			
B0027804		<20	<0.01	<10	<10	25	<10	2350			
B0027805		<20	<0.01	<10	<10	34	<10	110			
B0027806		<20	<0.01	<10	<10	27	<10	94			
B0027807		<20	<0.01	<10	<10	20	<10	87			
B0027808		<20	<0.01	<10	<10	16	<10	93			
B0027809		<20	<0.01	<10	<10	14	<10	1755			
B0027810		<20	<0.01	<10	<10	1	<10	6			
B0027811		<20	<0.01	<10	<10	11	<10	875			
B0027812		<20	<0.01	<10	<10	5	<10	3720			
B0027813		<20	<0.01	<10	<10	9	<10	1675			
B0027814		<20	<0.01	<10	<10	12	<10	7050			
B0027815		<20	<0.01	<10	<10	5	<10	>10000			1.570
B0027816		<20	<0.01	<10	<10	14	<10	3970			
B0027817		<20	<0.01	<10	<10	11	<10	3210			
B0027818		<20	<0.01	<10	<10	12	<10	1190			
B0027819		<20	<0.01	<10	<10	13	<10	4000			
B0027820		<20	0.07	<10	<10	96	<10	1075			
B0027821		<20	<0.01	<10	<10	9	<10	>10000			1.070
B0027822		<20	<0.01	<10	<10	18	<10	2290			
B0027823		<20	<0.01	<10	<10	30	<10	3430			
B0027824		<20	<0.01	<10	<10	15	<10	2900			
B0027825		<20	<0.01	<10	<10	26	<10	2270			
B0027826		<20	<0.01	<10	<10	34	<10	5290			
B0027827		<20	<0.01	<10	<10	11	<10	1900			
B0027828		<20	<0.01	<10	<10	13	<10	5440			
B0027829		<20	<0.01	<10	<10	24	<10	3710			
B0027830		<20	<0.01	<10	<10	1	<10	12			
B0027831		<20	<0.01	<10	<10	9	<10	1465			
B0027832		<20	<0.01	<10	<10	10	<10	870			
B0027833		<20	<0.01	<10	<10	14	<10	1055			
B0027834		<20	<0.01	<10	<10	16	<10	1420			
B0027835		<20	<0.01	<10	<10	21	<10	150			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0027836		6.60	0.027	0.9	1.47	68	<10	180	0.5	<2	3.16	<0.5	14	4	20	5.67
B0027837		7.19	0.075	1.1	0.82	177	<10	80	<0.5	<2	5.05	2.4	11	3	30	5.04
B0027838		8.33	0.054	1.1	1.10	82	<10	180	0.5	<2	4.12	2.0	12	4	38	4.96
B0027839		6.84	0.128	3.8	1.30	47	<10	270	0.6	<2	3.81	19.5	14	4	183	5.09
B0027840		0.14	7.87	>100	1.53	632	<10	20	<0.5	6	3.65	127.0	16	43	2070	5.08
B0027841		4.61	0.172	1.9	0.87	88	<10	80	<0.5	<2	3.57	17.8	12	3	52	4.98
B0027842		4.34	0.146	3.6	0.89	99	<10	50	<0.5	<2	3.53	32.8	13	3	73	4.92
B0027843		6.19	0.132	2.9	1.07	44	<10	140	<0.5	<2	3.81	20.8	14	3	142	5.40
B0027844		8.24	0.045	0.9	1.61	64	<10	170	<0.5	<2	5.06	1.9	13	5	21	5.28
B0027845		10.42	0.078	0.8	1.23	78	<10	190	<0.5	<2	5.93	1.0	13	5	23	5.28
B0027846		8.59	0.046	0.8	1.49	150	<10	110	<0.5	<2	4.61	0.9	14	4	20	5.47
B0027847		8.69	0.269	2.0	1.75	77	<10	170	<0.5	<2	4.45	11.9	15	5	27	5.54
B0027848		9.41	0.408	1.1	1.31	88	<10	70	<0.5	<2	5.15	6.4	12	4	15	5.12
B0027849		10.55	0.062	0.8	1.68	54	<10	140	<0.5	<2	4.02	3.2	13	5	18	5.08
B0027850		0.53	0.005	<0.2	0.03	<2	<10	10	<0.5	<2	20.3	<0.5	<1	<1	<1	0.13
B0027851		8.47	0.373	1.7	1.22	215	<10	100	<0.5	<2	3.58	0.9	15	4	14	5.46
B0027852		9.76	0.178	1.2	1.43	218	<10	130	<0.5	<2	4.25	<0.5	14	5	16	5.35
B0027853		8.85	0.115	1.2	1.98	136	<10	110	<0.5	<2	2.82	2.5	14	5	40	5.64
B0027854		9.08	0.029	0.5	1.94	49	<10	160	<0.5	<2	3.71	<0.5	13	5	20	5.35
B0027855		9.00	0.093	1.5	1.89	105	<10	110	<0.5	<2	4.40	0.8	12	5	27	4.93
B0027856		8.24	0.082	0.8	1.99	121	<10	150	<0.5	<2	3.05	1.1	14	6	15	5.65
B0027857		7.01	0.069	0.6	2.17	81	<10	110	<0.5	<2	2.11	0.6	15	6	14	5.76
B0027858		7.58	0.085	1.3	2.08	102	<10	160	<0.5	<2	1.67	3.1	14	6	32	5.46
B0027859		9.31	0.062	1.2	2.02	102	<10	160	<0.5	<2	2.57	1.1	13	5	23	5.42
B0027860		0.13	0.691	9.1	1.22	824	20	110	<0.5	21	3.26	6.2	45	24	6680	3.60
B0027861		6.11	0.035	0.6	2.23	53	<10	270	<0.5	<2	2.72	0.7	15	5	22	5.40
B0027862		8.67	0.144	1.2	1.81	170	<10	130	<0.5	<2	2.84	1.1	14	8	16	5.33
B0027863		4.56	0.650	10.4	1.19	162	<10	140	<0.5	<2	1.72	49.7	12	6	232	4.61
B0027864		5.03	0.213	3.6	1.40	153	<10	150	<0.5	<2	1.72	6.3	13	6	55	4.90
B0027865		6.77	2.75	12.6	0.30	292	<10	30	<0.5	<2	3.08	19.4	11	4	72	3.50
B0027866		13.82	0.969	7.2	0.36	256	<10	60	<0.5	<2	3.74	40.5	10	7	36	4.02
B0027867		8.03	0.172	2.6	1.21	162	<10	130	<0.5	<2	2.88	8.1	15	6	38	5.18
B0027868		9.27	1.530	6.9	0.87	283	<10	90	<0.5	<2	2.50	2.7	13	6	27	4.59
B0027869		8.71	2.49	7.4	0.32	351	<10	40	<0.5	<2	3.76	14.1	12	6	36	4.58
B0027870		0.66	0.007	<0.2	0.02	<2	<10	<10	<0.5	<2	21.0	<0.5	<1	1	<1	0.14
B0027871		8.90	5.37	3.2	1.46	208	<10	80	<0.5	2	2.92	3.5	14	7	34	5.36
B0027872		8.66	0.449	2.8	1.29	364	<10	110	<0.5	<2	3.32	3.9	14	7	38	5.47
B0027873		8.84	0.793	3.3	0.94	329	<10	80	<0.5	<2	2.60	8.0	14	5	44	5.55
B0027874		8.67	0.291	2.2	0.71	321	<10	40	<0.5	<2	2.24	20.0	13	5	13	5.40
B0027875		12.16	0.608	3.9	0.48	287	<10	50	<0.5	2	8.3	17.5	10	5	40	4.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0027836		<10	<1	0.32	10	1.30	2380	1	0.01	2	1350	24	1.34	3	6	172
B0027837		<10	<1	0.24	10	0.88	2690	1	0.01	2	1140	100	2.63	<2	5	227
B0027838		<10	<1	0.30	10	1.05	2730	1	0.01	2	1270	195	1.50	<2	5	183
B0027839		<10	<1	0.32	10	1.48	3440	1	<0.01	2	1350	1010	0.92	<2	6	244
B0027840		10	14	0.20	10	1.41	745	53	0.06	214	650	>10000	4.31	715	3	49
B0027841		<10	<1	0.31	10	1.10	3530	1	<0.01	2	1250	561	1.37	<2	5	234
B0027842		<10	<1	0.31	10	1.10	3400	1	<0.01	2	1250	642	1.49	<2	5	236
B0027843		<10	<1	0.30	10	1.45	3960	1	<0.01	2	1310	1075	1.06	<2	6	273
B0027844		10	<1	0.25	10	1.30	4200	1	0.01	2	1250	126	1.24	2	5	217
B0027845		<10	<1	0.26	10	1.24	4170	2	0.01	2	1240	43	1.46	2	5	269
B0027846		<10	<1	0.27	10	1.31	3720	2	0.01	3	1320	54	1.82	4	5	208
B0027847		10	<1	0.26	10	1.47	4470	1	0.01	2	1280	626	1.19	<2	6	239
B0027848		<10	1	0.28	10	1.42	4460	1	<0.01	2	1210	108	1.15	<2	5	267
B0027849		10	<1	0.24	10	1.51	4090	1	<0.01	2	1290	183	0.83	<2	6	186
B0027850		<10	<1	0.01	<10	12.10	122	<1	<0.01	4	20	3	0.02	<2	<1	55
B0027851		<10	<1	0.26	10	0.98	1905	2	<0.01	2	1320	53	3.31	2	4	169
B0027852		<10	<1	0.24	10	1.17	2510	4	<0.01	3	1230	17	2.45	<2	4	226
B0027853		10	<1	0.22	10	1.55	2630	3	0.01	2	1340	175	1.38	<2	5	157
B0027854		10	<1	0.27	10	1.49	2470	1	0.01	2	1330	18	0.85	3	6	189
B0027855		10	<1	0.24	10	1.34	3190	1	0.01	2	1180	295	1.11	2	5	213
B0027856		10	<1	0.25	10	1.48	3140	1	0.01	3	1320	76	1.36	3	6	165
B0027857		10	<1	0.15	10	1.72	3170	2	0.02	2	1370	27	1.17	2	7	118
B0027858		10	<1	0.25	10	1.49	2730	2	0.01	2	1300	154	1.32	<2	6	120
B0027859		10	<1	0.23	10	1.51	2740	13	0.01	3	1310	47	1.18	<2	6	125
B0027860		<10	<1	0.15	10	0.44	626	295	0.12	22	660	70	1.24	14	2	136
B0027861		10	<1	0.18	10	1.70	2780	1	0.01	2	1320	32	0.63	<2	6	133
B0027862		10	<1	0.18	10	1.52	2630	3	<0.01	3	1200	51	1.99	<2	5	142
B0027863		<10	2	0.17	10	1.18	2290	4	<0.01	1	1010	3230	2.17	4	3	149
B0027864		10	<1	0.20	10	1.34	2260	3	<0.01	1	1160	320	1.60	4	4	155
B0027865		<10	1	0.21	10	0.20	1520	2	<0.01	2	1060	1885	3.38	5	2	163
B0027866		<10	1	0.20	<10	0.22	1715	4	<0.01	2	890	1055	3.92	5	2	173
B0027867		<10	<1	0.22	10	1.42	3550	8	<0.01	2	1260	319	2.17	<2	5	226
B0027868		<10	<1	0.20	10	0.67	1965	2	<0.01	2	1070	255	3.16	3	3	126
B0027869		<10	<1	0.17	10	0.38	1975	3	<0.01	1	1000	1000	4.21	6	3	184
B0027870		<10	1	0.01	<10	11.90	120	<1	<0.01	3	10	<2	0.01	<2	<1	62
B0027871		10	<1	0.18	10	1.35	3320	1	<0.01	2	1210	310	2.62	3	5	171
B0027872		<10	<1	0.21	10	1.17	3330	1	<0.01	2	1280	102	3.27	3	5	275
B0027873		<10	<1	0.24	10	0.98	2590	2	<0.01	2	1260	487	3.69	2	4	192
B0027874		<10	<1	0.26	10	0.96	2830	1	<0.01	2	1210	392	3.65	3	4	179
B0027875		<10	1	0.18	<10	0.50	3820	2	<0.01	2	790	780	3.31	<2	3	464

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0027836		<20	<0.01	<10	<10	39	<10	106			
B0027837		<20	<0.01	<10	<10	22	<10	303			
B0027838		<20	<0.01	<10	<10	30	<10	315			
B0027839		<20	<0.01	<10	<10	36	<10	2300			
B0027840		<20	0.05	10	<10	60	20	>10000	324	2.30	2.33
B0027841		<20	<0.01	<10	<10	29	<10	2220			
B0027842		<20	<0.01	<10	<10	28	<10	3920			
B0027843		<20	<0.01	<10	<10	33	<10	2590			
B0027844		<20	<0.01	<10	<10	52	<10	350			
B0027845		<20	<0.01	<10	<10	36	<10	181			
B0027846		<20	<0.01	<10	<10	41	<10	193			
B0027847		<20	<0.01	<10	<10	49	<10	1520			
B0027848		<20	<0.01	<10	<10	38	<10	865			
B0027849		<20	<0.01	<10	<10	55	<10	497			
B0027850		<20	<0.01	<10	<10	1	<10	5			
B0027851		<20	<0.01	<10	<10	32	<10	204			
B0027852		<20	<0.01	<10	<10	47	<10	96			
B0027853		<20	<0.01	<10	<10	59	<10	364			
B0027854		<20	<0.01	<10	<10	45	<10	132			
B0027855		<20	<0.01	<10	<10	48	<10	175			
B0027856		<20	<0.01	<10	<10	57	<10	272			
B0027857		<20	<0.01	<10	<10	83	<10	230			
B0027858		<20	<0.01	<10	<10	65	<10	529			
B0027859		<20	<0.01	<10	<10	53	<10	263			
B0027860		<20	0.08	<10	<10	44	10	997			
B0027861		<20	<0.01	<10	<10	60	<10	287			
B0027862		<20	<0.01	<10	<10	73	<10	311			
B0027863		<20	<0.01	<10	<10	47	<10	5330			
B0027864		<20	<0.01	<10	<10	54	<10	823			
B0027865		<20	<0.01	<10	<10	9	<10	2360			
B0027866		<20	<0.01	<10	<10	11	<10	4850			
B0027867		<20	<0.01	<10	<10	42	<10	1060			
B0027868		<20	<0.01	<10	<10	30	<10	437			
B0027869		<20	<0.01	<10	<10	20	<10	1630			
B0027870		<20	<0.01	<10	<10	1	<10	7			
B0027871		<20	<0.01	<10	<10	69	<10	514			
B0027872		<20	<0.01	<10	<10	58	<10	500			
B0027873		<20	<0.01	<10	<10	35	<10	1010			
B0027874		<20	<0.01	<10	<10	28	<10	2370			
B0027875		<20	<0.01	<10	<10	17	<10	2120			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 8-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20233891

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-21	CRU-31	CRU-QC	LOG-21
	LOG-23	PUL-31	PUL-QC	SPL-21
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

CERTIFICATE YW20246502

Project: Premier Gold Project

This report is for 143 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-21	Crush entire sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350106		7.65	0.241		3.6	0.74	58	<10	110	<0.5	<2	0.38	2.7	7	8	25
C350107		7.77	0.251		2.6	0.82	47	<10	120	<0.5	2	0.43	2.3	8	8	17
C350108		8.54	0.112		3.1	0.78	51	<10	100	<0.5	<2	0.90	2.3	9	7	23
C350109		3.67	0.056		2.6	0.75	45	<10	120	<0.5	3	1.27	3.6	8	6	20
C350110		0.88	0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	21.1	<0.5	<1	1	<1
C350111		3.96	0.064		2.9	0.77	46	<10	120	<0.5	<2	1.26	3.7	7	5	26
C350112		8.94	0.055		2.9	0.67	50	<10	110	<0.5	2	1.13	7.5	7	5	29
C350113		8.46	0.042		1.9	0.79	47	<10	130	<0.5	2	1.62	2.1	8	6	22
C350114		8.10	0.118		3.5	0.64	60	<10	110	<0.5	<2	1.34	1.8	8	7	15
C350115		8.71	0.112		6.9	1.29	65	<10	210	<0.5	2	4.11	5.4	11	28	25
C350116		6.63	0.181		5.5	0.50	74	<10	90	<0.5	<2	1.66	2.8	9	6	15
C350117		8.22	0.163		5.1	0.56	101	<10	100	<0.5	<2	1.23	6.0	8	7	19
C350118		9.56	0.325		6.6	0.56	222	<10	100	<0.5	<2	1.41	5.5	7	6	46
C350119		6.72	0.172		2.9	0.31	189	<10	90	<0.5	<2	5.24	1.3	6	8	10
C350120		0.10	7.76		>100	1.54	641	10	20	<0.5	8	3.82	131.0	18	44	2100
C350121		6.32	0.207		4.2	0.28	225	<10	80	<0.5	<2	0.78	1.3	5	15	12
C350122		6.58	8.80		29.5	0.34	940	<10	30	<0.5	3	1.48	10.5	8	10	73
C350123		8.81	0.099		2.8	0.48	109	<10	130	<0.5	2	4.13	1.7	7	7	12
C350124		8.79	0.055		1.8	0.47	67	<10	140	<0.5	2	1.22	2.1	7	6	11
C350125		8.39	0.073		1.8	0.55	49	<10	120	<0.5	2	0.72	1.7	7	6	15
C350126		3.96	0.110		2.5	0.59	52	<10	60	<0.5	<2	0.74	2.0	9	6	18
C350127		4.19	0.083		2.4	0.60	61	<10	70	<0.5	<2	0.71	1.9	8	5	19
C350128		9.12	0.084		2.1	0.56	53	<10	80	<0.5	<2	2.64	1.6	7	5	8
C350129		8.29	0.153		2.4	0.55	131	<10	130	<0.5	2	3.65	1.5	7	5	20
C350130		0.89	0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	20.9	<0.5	<1	<1	<1
C350131		10.34	0.183		2.6	0.36	160	<10	90	<0.5	2	1.88	0.8	7	6	11
C350132		9.19	0.049		2.2	0.51	78	<10	100	<0.5	2	2.30	1.8	9	4	13
C350133		9.68	0.249		2.4	0.51	362	<10	100	<0.5	2	3.71	0.6	7	3	27
C350134		9.29	0.062		1.2	0.63	99	<10	130	<0.5	<2	0.73	<0.5	6	7	4
C350135		7.07	0.244		4.0	0.27	477	<10	70	<0.5	<2	0.58	1.3	4	7	11
C350136		7.61	0.449		5.6	0.29	346	<10	80	<0.5	2	2.46	12.7	4	7	48
C350137		7.70	0.472		4.9	0.36	313	<10	90	<0.5	2	1.56	10.5	5	4	28
C350138		6.78	0.643		4.3	0.33	137	<10	110	<0.5	<2	1.40	2.7	4	5	14
C350139		8.37	4.72		9.0	0.54	216	<10	90	<0.5	<2	1.15	13.3	6	5	33
C350140		0.12	0.666		9.7	1.26	836	20	110	<0.5	22	3.25	6.1	45	24	6720
C350141		8.84	0.750		5.0	0.64	115	<10	70	<0.5	<2	2.17	30.2	8	5	39
C350142		8.23	0.302		2.5	0.54	112	<10	50	<0.5	<2	0.95	5.8	7	6	9
C350143		8.52	0.324		3.0	0.53	128	<10	90	<0.5	2	0.66	3.0	7	6	21
C350144		12.00	0.080		1.8	1.01	40	<10	120	<0.5	2	2.91	1.1	7	5	41
C350145		8.39	0.067		2.3	1.00	84	<10	140	<0.5	<2	0.95	2.1	9	6	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350106		2.79	<10	<1	0.26	10	0.39	1240	1	<0.01	3	860	164	1.54	3	2
C350107		3.00	<10	<1	0.25	10	0.45	1345	<1	<0.01	3	920	138	1.58	3	2
C350108		3.11	<10	<1	0.26	10	0.43	1460	<1	<0.01	3	990	153	1.78	<2	2
C350109		2.89	<10	<1	0.25	10	0.42	2090	<1	0.01	2	950	390	1.62	4	2
C350110		0.12	<10	<1	0.01	<10	12.70	122	<1	0.01	1	20	<2	<0.01	<2	<1
C350111		2.89	<10	<1	0.25	10	0.45	2070	<1	<0.01	2	940	419	1.58	<2	2
C350112		2.86	<10	<1	0.25	10	0.40	1315	<1	<0.01	2	860	312	1.71	4	2
C350113		3.16	<10	<1	0.27	10	0.41	1890	<1	<0.01	1	910	118	1.83	<2	2
C350114		2.85	<10	1	0.25	10	0.29	1220	<1	<0.01	1	880	104	1.88	3	2
C350115		3.69	10	<1	0.28	10	1.06	1590	1	0.01	12	1080	284	1.60	3	5
C350116		3.38	<10	<1	0.25	10	0.19	808	<1	0.01	1	860	415	2.83	4	2
C350117		3.29	<10	<1	0.24	10	0.25	1065	2	0.01	2	840	317	2.53	6	2
C350118		3.58	<10	<1	0.28	10	0.21	807	1	0.01	2	950	333	3.03	5	2
C350119		2.67	<10	<1	0.18	10	0.16	2260	1	0.01	2	740	87	2.12	3	2
C350120		5.18	10	14	0.20	10	1.47	765	55	0.07	215	630	>10000	4.20	736	3
C350121		2.56	<10	<1	0.18	<10	0.11	578	1	0.01	3	530	76	2.08	4	1
C350122		7.11	<10	1	0.18	<10	0.13	1045	1	<0.01	2	490	989	7.40	35	1
C350123		2.59	<10	<1	0.21	10	0.21	2030	1	0.01	2	720	101	1.93	2	2
C350124		2.63	<10	<1	0.24	10	0.27	1195	<1	0.01	2	870	136	1.92	<2	2
C350125		2.50	<10	<1	0.27	10	0.22	882	<1	<0.01	2	910	81	1.83	2	2
C350126		2.93	<10	<1	0.28	10	0.22	821	<1	0.01	2	1050	74	2.33	4	2
C350127		3.05	<10	<1	0.31	10	0.21	777	<1	0.01	2	1050	80	2.53	2	2
C350128		3.59	<10	<1	0.27	10	0.78	2650	<1	<0.01	2	860	46	2.59	<2	2
C350129		3.07	<10	<1	0.29	10	0.46	2380	<1	0.01	2	840	76	2.06	5	2
C350130		0.12	<10	<1	0.01	<10	12.65	126	<1	0.01	1	10	<2	<0.01	<2	<1
C350131		2.93	<10	<1	0.21	<10	0.17	1145	1	0.01	1	810	39	2.66	7	1
C350132		3.03	<10	<1	0.28	10	0.23	1380	<1	0.01	2	1030	75	2.64	2	2
C350133		3.62	<10	<1	0.23	<10	0.41	2490	<1	0.01	2	830	35	2.93	2	2
C350134		2.45	<10	<1	0.21	10	0.32	784	5	<0.01	2	860	27	1.39	4	1
C350135		2.69	<10	2	0.15	<10	0.11	532	8	<0.01	2	380	86	2.42	24	1
C350136		2.65	<10	<1	0.17	<10	0.17	1530	6	0.01	<1	410	626	2.41	8	1
C350137		2.82	<10	<1	0.20	<10	0.16	853	2	<0.01	1	580	480	2.46	7	1
C350138		2.20	<10	<1	0.22	<10	0.13	782	4	0.01	2	610	231	1.88	6	1
C350139		3.35	<10	<1	0.23	10	0.21	627	4	<0.01	1	730	504	2.73	7	1
C350140		3.78	<10	<1	0.16	10	0.45	634	295	0.13	22	670	71	1.26	14	2
C350141		3.43	<10	<1	0.22	<10	0.31	1045	4	<0.01	1	790	907	2.65	3	2
C350142		3.15	<10	<1	0.21	<10	0.30	796	5	<0.01	2	700	181	2.37	5	1
C350143		3.05	<10	<1	0.21	<10	0.29	861	5	<0.01	1	700	206	2.20	10	1
C350144		3.15	<10	<1	0.22	<10	0.62	2200	8	<0.01	2	840	148	1.26	2	2
C350145		3.05	<10	<1	0.25	10	0.55	1230	1	0.01	2	960	132	0.96	8	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350106		40	<20	<0.01	<10	<10	21	<10	389			
C350107		44	<20	<0.01	<10	<10	23	<10	351			
C350108		83	<20	<0.01	<10	<10	18	<10	368			
C350109		113	<20	<0.01	<10	<10	16	<10	541			
C350110		50	<20	<0.01	<10	<10	1	<10	4			
C350111		109	<20	<0.01	<10	<10	17	<10	551			
C350112		129	<20	<0.01	<10	<10	15	<10	957			
C350113		131	<20	<0.01	<10	<10	21	<10	303			
C350114		114	<20	<0.01	<10	<10	19	<10	251			
C350115		338	<20	<0.01	<10	<10	43	<10	585			
C350116		127	<20	<0.01	<10	<10	13	<10	328			
C350117		116	<20	<0.01	<10	<10	13	<10	866			
C350118		120	<20	<0.01	<10	<10	11	<10	775			
C350119		302	<20	<0.01	<10	<10	7	<10	125			
C350120		47	<20	0.05	10	<10	59	20	>10000	322	2.32	2.41
C350121		67	<20	<0.01	<10	<10	6	<10	163			
C350122		128	<20	<0.01	<10	<10	7	<10	1400			
C350123		173	<20	<0.01	<10	<10	11	<10	207			
C350124		105	<20	<0.01	<10	<10	11	<10	241			
C350125		63	<20	<0.01	<10	<10	10	<10	244			
C350126		57	<20	<0.01	<10	<10	13	<10	245			
C350127		56	<20	<0.01	<10	<10	14	<10	237			
C350128		217	<20	<0.01	<10	<10	12	<10	256			
C350129		175	<20	<0.01	<10	<10	9	<10	194			
C350130		50	<20	<0.01	<10	<10	1	<10	3			
C350131		133	<20	<0.01	<10	<10	6	<10	144			
C350132		144	<20	<0.01	<10	<10	8	<10	218			
C350133		246	<20	<0.01	<10	<10	7	<10	148			
C350134		55	<20	<0.01	<10	<10	8	<10	116			
C350135		34	<20	<0.01	<10	<10	5	<10	201			
C350136		152	<20	<0.01	<10	<10	4	<10	1830			
C350137		70	<20	<0.01	<10	<10	5	<10	1495			
C350138		69	<20	<0.01	<10	<10	5	<10	408			
C350139		62	<20	<0.01	<10	<10	9	<10	1970			
C350140		139	<20	0.08	<10	<10	44	10	1020			
C350141		87	<20	<0.01	<10	<10	11	<10	3960			
C350142		66	<20	<0.01	<10	<10	10	<10	767			
C350143		50	<20	<0.01	<10	<10	10	<10	395			
C350144		168	<20	<0.01	<10	<10	20	<10	165			
C350145		61	<20	<0.01	<10	<10	20	<10	244			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350146		8.91	0.166		12.0	0.42	130	<10	110	<0.5	2	3.44	2.1	10	4	25
C350147		5.42	0.241		9.3	0.29	137	<10	140	<0.5	2	4.16	1.9	9	3	27
C350148		5.90	0.158		7.3	0.39	102	<10	100	<0.5	2	3.00	2.3	9	3	55
C350149		7.71	0.272		7.5	0.26	127	<10	50	<0.5	2	3.00	1.9	7	4	22
C350150		0.92	<0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	20.9	<0.5	<1	1	<1
C350151		8.88	0.217		11.8	0.30	135	<10	90	<0.5	2	1.64	1.6	8	4	13
C350152		4.27	2.67		25.1	0.26	169	<10	40	<0.5	3	1.94	8.4	8	6	43
C350153		7.32	3.40		15.0	0.49	94	<10	110	<0.5	2	3.49	5.5	7	4	35
C350154		9.98	9.30		>100	0.46	157	<10	80	<0.5	<2	0.49	3.7	7	8	45
C350155		4.60	1.285		14.5	0.15	98	<10	120	<0.5	<2	0.63	2.6	4	8	22
C350156		4.14	2.57		18.1	0.14	82	<10	90	<0.5	<2	0.52	3.3	4	14	23
C350157		8.93	1.895		15.9	0.19	95	<10	50	<0.5	<2	0.77	7.5	7	11	30
C350158		9.29	2.97		18.1	0.22	119	<10	70	<0.5	2	0.89	11.0	7	7	35
C350159		8.79	0.246		3.3	0.30	121	<10	120	<0.5	2	0.61	0.8	7	4	33
C350160		0.09	1.185		89.0	1.57	31	10	160	<0.5	2	3.25	8.4	17	18	957
C350161		8.45	0.186		3.5	0.31	112	<10	120	<0.5	<2	0.68	2.2	7	6	14
C350162		8.86	0.316		12.7	0.21	158	<10	90	<0.5	<2	0.58	3.9	6	8	42
C350163		8.30	0.837		17.3	0.30	178	<10	70	<0.5	2	0.42	4.1	12	9	32
C350164		8.66	0.643		3.4	0.61	119	<10	100	<0.5	2	0.60	3.7	8	10	25
C350165		8.51	2.34		3.8	0.72	72	<10	110	<0.5	2	1.03	2.5	9	6	30
C350166		8.43	0.787		2.8	0.65	52	<10	110	<0.5	<2	0.73	2.3	8	5	33
C350167		9.44	0.561		3.2	0.55	51	<10	110	<0.5	2	1.00	3.9	8	4	20
C350168		8.78	0.145		6.0	0.37	53	<10	110	<0.5	<2	1.40	2.8	8	6	43
C350169		9.21	0.105		5.5	0.37	64	<10	110	<0.5	2	0.56	2.0	7	7	28
C350170		0.83	<0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	20.6	<0.5	<1	<1	<1
C350171		6.10	0.809		6.1	0.15	173	<10	50	<0.5	<2	0.61	1.0	4	13	16
C350172		6.61	1.470		14.8	0.47	324	<10	70	<0.5	<2	7.2	6.0	8	12	68
C350173		8.83	0.186		5.3	0.27	61	<10	110	<0.5	<2	2.26	5.2	8	4	25
C350174		6.29	0.011		0.9	1.05	6	<10	290	<0.5	<2	3.88	<0.5	14	27	22
C350175		6.94	0.048		1.4	1.78	8	<10	100	<0.5	2	3.30	0.8	15	46	32
C350176		4.28	0.344		10.4	0.35	265	<10	60	<0.5	2	3.77	7.5	7	6	29
C350177		4.01	0.366		13.7	0.34	235	<10	50	<0.5	<2	4.17	9.1	6	5	37
C350178		9.47	0.350		9.9	0.18	362	<10	60	<0.5	<2	1.12	1.7	10	10	26
C350179		8.43	0.632		4.1	0.22	406	<10	60	<0.5	<2	1.93	4.8	9	6	24
C350180		0.10	8.16		>100	1.49	619	10	30	<0.5	6	3.56	130.5	18	43	2070
C350181		9.73	0.264		2.9	0.25	304	<10	70	<0.5	<2	0.65	<0.5	8	4	31
C350182		9.82	0.247		3.3	0.21	220	<10	90	<0.5	<2	1.96	<0.5	7	4	10
C350183		7.96	0.381		3.5	0.30	187	<10	90	<0.5	<2	4.33	1.9	8	4	28
C350184		6.54	0.046		2.8	0.31	126	<10	50	0.6	2	2.10	<0.5	11	1	30
C350185		6.43	0.049		2.5	0.35	153	<10	50	0.7	2	0.31	<0.5	10	1	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350146		3.30	<10	<1	0.25	<10	0.35	2200	<1	0.01	2	970	193	2.54	4	3
C350147		3.34	<10	<1	0.25	10	0.48	2990	<1	0.01	2	1000	207	2.33	2	4
C350148		3.39	<10	<1	0.29	10	0.38	2400	<1	0.01	2	1150	537	2.56	<2	3
C350149		3.05	<10	<1	0.23	10	0.36	1760	<1	<0.01	2	900	190	2.39	2	2
C350150		0.13	<10	<1	0.01	<10	12.70	125	<1	0.01	<1	20	<2	<0.01	<2	<1
C350151		2.99	<10	<1	0.21	<10	0.25	1030	1	<0.01	2	850	144	2.41	2	2
C350152		4.67	<10	<1	0.22	<10	0.34	1340	<1	<0.01	1	770	787	4.17	2	2
C350153		3.66	<10	<1	0.23	<10	0.34	1790	1	<0.01	1	850	494	2.75	2	2
C350154		4.18	<10	<1	0.21	<10	0.32	791	<1	<0.01	2	720	445	3.09	3	1
C350155		1.90	<10	<1	0.14	<10	0.15	584	1	0.01	2	450	168	1.50	3	1
C350156		1.90	<10	<1	0.12	<10	0.13	504	<1	<0.01	2	390	365	1.55	2	1
C350157		2.66	<10	<1	0.18	<10	0.20	869	1	<0.01	2	650	431	2.28	3	1
C350158		3.85	<10	<1	0.21	<10	0.23	1270	1	0.01	2	800	671	3.49	4	1
C350159		2.76	<10	<1	0.27	10	0.24	1120	<1	0.01	2	1050	51	1.78	3	2
C350160		3.61	<10	<1	0.14	10	1.45	903	13	0.11	11	1020	4500	1.05	61	5
C350161		2.60	<10	<1	0.25	10	0.23	877	<1	0.01	2	900	113	1.86	3	2
C350162		2.30	<10	<1	0.20	<10	0.13	612	1	0.01	2	710	235	2.04	5	1
C350163		3.45	<10	1	0.24	10	0.08	246	1	0.01	4	880	199	3.40	17	1
C350164		3.08	<10	<1	0.26	10	0.28	671	<1	0.01	2	1030	242	2.16	4	2
C350165		3.16	<10	<1	0.27	10	0.57	1895	<1	0.01	2	990	139	1.25	3	2
C350166		3.03	<10	<1	0.24	10	0.50	1625	<1	0.01	2	950	104	1.31	2	2
C350167		2.71	<10	<1	0.26	10	0.45	1480	<1	0.01	2	880	98	1.29	<2	2
C350168		2.63	<10	<1	0.22	10	0.45	1830	<1	0.01	2	840	114	1.33	2	2
C350169		2.29	<10	<1	0.23	10	0.21	851	<1	0.01	2	870	119	1.56	3	2
C350170		0.12	<10	<1	0.01	<10	12.45	115	<1	0.01	1	20	<2	<0.01	<2	<1
C350171		2.54	<10	<1	0.11	10	0.10	465	1	0.01	2	330	108	2.34	3	1
C350172		3.79	<10	1	0.11	10	0.51	1985	1	0.01	6	580	667	2.85	6	3
C350173		3.02	<10	<1	0.24	10	0.46	1590	<1	0.01	1	980	284	1.76	2	2
C350174		3.92	<10	<1	0.21	10	1.63	1485	1	0.02	19	1360	26	0.33	<2	6
C350175		4.26	10	<1	0.17	20	1.82	1025	1	0.03	24	1440	76	0.33	3	7
C350176		3.03	<10	<1	0.16	10	0.20	1265	2	0.01	3	660	851	2.68	8	2
C350177		2.67	<10	<1	0.15	10	0.18	1370	1	0.01	2	570	934	2.34	5	2
C350178		3.88	<10	3	0.14	10	0.07	465	2	<0.01	5	500	178	3.80	31	1
C350179		3.85	<10	1	0.20	<10	0.09	714	<1	<0.01	4	810	69	3.92	5	1
C350180		5.01	10	15	0.19	<10	1.36	759	55	0.06	213	610	>10000	3.98	705	3
C350181		3.12	<10	<1	0.22	<10	0.04	265	<1	<0.01	2	590	30	3.24	4	1
C350182		2.81	<10	1	0.19	<10	0.04	682	1	<0.01	2	440	25	2.92	13	1
C350183		2.99	<10	1	0.21	<10	0.15	1605	1	<0.01	2	640	195	2.75	6	2
C350184		4.33	<10	1	0.28	<10	0.07	669	1	<0.01	5	150	15	4.47	6	2
C350185		4.48	<10	<1	0.29	<10	0.06	158	1	<0.01	5	150	15	4.66	4	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350146		188	<20	<0.01	<10	<10	11	<10	251			
C350147		228	<20	<0.01	<10	<10	7	<10	302			
C350148		164	<20	<0.01	<10	<10	7	<10	397			
C350149		181	<20	<0.01	<10	<10	8	<10	255			
C350150		54	<20	<0.01	<10	<10	1	<10	3			
C350151		116	<20	<0.01	<10	<10	10	<10	240			
C350152		143	<20	<0.01	<10	<10	9	<10	1120			
C350153		188	<20	<0.01	<10	<10	13	<10	762			
C350154		41	<20	<0.01	<10	<10	17	<10	545	157		
C350155		56	<20	<0.01	<10	<10	6	<10	374			
C350156		47	<20	<0.01	<10	<10	5	<10	491			
C350157		82	<20	<0.01	<10	<10	6	<10	956			
C350158		69	<20	<0.01	<10	<10	5	<10	1345			
C350159		49	<20	<0.01	<10	<10	6	<10	208			
C350160		152	<20	0.06	<10	<10	89	<10	1085			
C350161		59	<20	<0.01	<10	<10	8	<10	302			
C350162		53	<20	<0.01	<10	<10	7	<10	435			
C350163		40	<20	<0.01	10	<10	8	<10	495			
C350164		61	<20	<0.01	<10	<10	13	<10	543			
C350165		113	<20	<0.01	<10	<10	19	<10	365			
C350166		88	<20	<0.01	<10	<10	21	<10	474			
C350167		117	<20	<0.01	<10	<10	14	<10	678			
C350168		159	<20	<0.01	<10	<10	11	<10	479			
C350169		61	<20	<0.01	<10	<10	12	<10	348			
C350170		52	<20	<0.01	<10	<10	1	<10	4			
C350171		49	<20	<0.01	<10	<10	6	<10	167			
C350172		329	<20	<0.01	<10	<10	20	<10	927			
C350173		218	<20	<0.01	<10	<10	8	<10	706			
C350174		397	<20	<0.01	<10	<10	37	<10	105			
C350175		314	<20	<0.01	<10	<10	68	<10	165			
C350176		246	<20	<0.01	<10	<10	8	<10	1160			
C350177		262	<20	<0.01	<10	<10	7	<10	1400			
C350178		81	<20	<0.01	10	<10	5	<10	241			
C350179		136	<20	<0.01	<10	<10	4	<10	811			
C350180		45	<20	0.05	10	<10	58	20	>10000	315	2.29	2.38
C350181		44	<20	<0.01	<10	<10	4	<10	98			
C350182		102	<20	<0.01	<10	<10	4	<10	80			
C350183		310	<20	<0.01	<10	<10	4	<10	356			
C350184		194	<20	<0.01	<10	<10	4	<10	54			
C350185		58	<20	<0.01	<10	<10	5	<10	39			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350186		6.55	0.087		2.2	0.46	80	<10	90	<0.5	3	8.1	0.8	5	5	9
C350187		6.40	0.401		4.4	0.13	159	<10	50	<0.5	2	6.16	4.6	2	6	38
C350188		3.96	1.480		93.5	0.07	713	<10	50	<0.5	<2	7.9	23.7	4	6	150
C350189		7.49	0.040		1.5	0.62	50	<10	110	<0.5	<2	5.84	1.3	7	3	6
C350190		1.14	0.005		0.3	0.02	<2	<10	<10	<0.5	2	19.6	<0.5	<1	1	1
C350191		7.21	0.096		2.1	0.48	108	<10	100	<0.5	<2	3.32	2.8	9	3	11
C350192		10.16	0.307		4.0	0.35	252	<10	100	<0.5	2	8.8	9.7	7	3	21
C350193		4.32	0.435		5.9	0.27	337	<10	50	<0.5	2	10.0	7.4	7	3	33
C350194		3.85	0.402		5.3	0.25	347	<10	40	<0.5	<2	10.0	6.3	7	3	26
C350195		8.96	0.221		2.9	0.29	83	<10	100	<0.5	3	17.5	1.7	4	2	26
C350196		9.42	7.88		16.4	0.24	190	<10	90	<0.5	2	21.5	6.2	3	1	98
C350197		8.89	0.143		1.3	1.05	26	<10	280	<0.5	2	4.67	3.0	9	5	19
C350198		8.41	0.115		2.2	0.84	70	<10	150	<0.5	<2	4.19	5.9	10	4	27
C350199		8.31	0.131		2.7	0.75	92	<10	160	<0.5	<2	8.9	5.3	7	4	28
C350200		0.13	0.681		9.4	1.24	813	20	100	<0.5	23	3.08	6.2	46	24	6650
C350201		8.40	0.059		2.5	0.96	57	<10	200	<0.5	2	3.77	2.3	9	5	31
C350202		8.76	0.181		6.5	0.62	165	<10	120	<0.5	2	3.30	5.9	8	5	44
C350203		8.30	0.137		3.2	0.90	67	<10	140	<0.5	<2	1.45	1.9	9	7	18
C350204		8.45	0.506		56.5	0.57	296	<10	110	<0.5	<2	3.43	15.0	7	7	116
C350205		8.41	0.468		9.5	0.85	34	<10	120	<0.5	<2	8.0	59.3	7	4	58
C350206		8.66	0.405		5.4	0.51	35	<10	100	<0.5	2	13.3	80.0	6	3	33
C350207		8.99	0.294		4.1	0.47	103	<10	100	<0.5	2	7.0	11.4	11	2	18
C350208		9.23	0.420		18.6	0.17	106	<10	70	<0.5	<2	4.30	3.0	6	7	17
C350209		9.81	0.144		7.3	0.27	128	<10	80	<0.5	2	1.71	2.3	10	5	18
C350210		0.94	<0.005		0.2	0.02	<2	<10	<10	<0.5	2	19.9	<0.5	<1	<1	1
C350211		8.07	0.130		5.3	0.28	142	<10	50	<0.5	2	2.13	2.1	9	5	18
C350212		6.85	>10.0	11.95	>100	0.33	130	<10	60	<0.5	2	1.35	20.8	7	4	29
C350213		8.62	0.375		5.1	0.41	45	<10	120	<0.5	2	3.72	2.2	7	4	7
C350214		8.86	0.072		16.8	0.62	29	<10	320	<0.5	2	4.56	1.3	7	5	12
C350215		4.57	0.064		3.7	0.72	36	<10	180	<0.5	<2	3.89	1.3	8	5	8
C350216		4.46	0.098		4.5	0.72	42	<10	160	<0.5	2	3.88	1.6	7	5	8
C350217		8.97	0.600		13.6	0.33	102	<10	90	<0.5	2	1.25	2.2	7	5	10
C350218		3.82	2.18		19.1	0.16	141	<10	80	<0.5	<2	0.30	7.1	5	11	15
C350219		5.12	3.61		52.2	0.19	207	<10	60	<0.5	<2	0.25	19.1	8	8	35
C350220		0.09	1.125		88.8	1.61	31	10	170	<0.5	2	3.12	8.5	17	17	938
C350221		5.67	4.58		89.6	0.19	124	<10	60	<0.5	<2	0.51	16.6	8	10	37
C350222		9.17	0.185		4.2	0.26	103	<10	150	<0.5	2	1.23	2.3	7	6	16
C350223		9.37	0.110		4.6	0.29	124	<10	130	<0.5	<2	0.94	2.7	7	5	19
C350224		9.59	0.059		2.9	0.27	66	<10	40	<0.5	<2	1.61	2.1	6	5	21
C350225		9.15	0.178		8.5	0.33	90	<10	130	<0.5	2	0.83	3.4	8	5	52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350186		2.44	<10	1	0.13	<10	0.30	3280	1	<0.01	2	540	96	1.57	3	3
C350187		1.81	<10	<1	0.06	<10	0.09	2730	1	<0.01	2	130	329	1.47	4	1
C350188		4.40	<10	1	0.06	<10	0.10	3930	1	<0.01	<1	130	3110	4.52	25	1
C350189		2.90	<10	1	0.20	<10	0.55	3100	<1	<0.01	1	780	73	1.45	2	3
C350190		0.13	<10	1	0.01	<10	11.75	124	<1	<0.01	<1	20	3	<0.01	3	<1
C350191		3.44	<10	<1	0.24	<10	0.58	2350	1	<0.01	2	910	105	1.99	5	3
C350192		3.61	<10	1	0.17	10	0.27	3290	1	<0.01	1	660	374	3.13	6	2
C350193		3.62	<10	2	0.15	30	0.28	3800	2	<0.01	1	560	834	3.03	18	2
C350194		3.41	<10	1	0.14	10	0.25	3720	2	<0.01	<1	510	592	2.86	18	2
C350195		2.13	<10	1	0.13	<10	0.26	6550	1	0.01	<1	520	135	1.54	4	2
C350196		2.71	<10	2	0.10	<10	0.28	8040	<1	<0.01	<1	380	644	2.27	4	2
C350197		3.06	<10	1	0.22	10	0.75	2820	<1	<0.01	2	880	201	0.79	2	3
C350198		3.19	<10	2	0.24	<10	0.58	2530	<1	<0.01	2	960	305	1.48	4	2
C350199		2.93	<10	1	0.21	<10	0.52	4220	<1	<0.01	1	840	306	1.36	3	3
C350200		3.72	10	<1	0.15	10	0.42	633	298	0.12	24	660	72	1.21	15	2
C350201		2.82	<10	1	0.25	10	0.52	2330	1	<0.01	2	960	123	1.01	2	2
C350202		3.18	<10	1	0.23	10	0.33	1640	1	<0.01	2	810	449	2.20	6	2
C350203		3.09	<10	1	0.24	10	0.50	1470	<1	<0.01	2	890	134	1.34	2	2
C350204		3.09	<10	4	0.19	70	0.28	1575	1	<0.01	5	630	1070	2.20	8	1
C350205		2.73	<10	10	0.21	<10	0.49	3410	<1	<0.01	1	790	1670	1.27	5	2
C350206		2.50	<10	6	0.19	<10	0.44	4990	<1	<0.01	1	660	1760	1.45	4	2
C350207		4.60	<10	1	0.26	<10	0.50	3610	20	<0.01	1	970	686	3.81	4	3
C350208		2.07	<10	1	0.17	<10	0.19	1760	<1	<0.01	1	700	359	1.69	4	2
C350209		2.62	<10	<1	0.26	<10	0.23	1020	<1	<0.01	2	1000	143	2.14	2	2
C350210		0.11	<10	1	0.01	<10	11.85	121	<1	<0.01	<1	10	3	<0.01	4	<1
C350211		3.16	<10	1	0.26	<10	0.28	1205	1	<0.01	3	1120	136	2.42	3	2
C350212		4.23	<10	2	0.24	<10	0.31	1090	<1	<0.01	3	850	1770	3.43	4	2
C350213		3.07	<10	1	0.25	<10	0.47	2700	1	<0.01	3	940	123	1.36	3	2
C350214		2.42	<10	<1	0.21	<10	0.43	2420	1	<0.01	2	820	58	0.85	3	2
C350215		2.85	<10	1	0.21	<10	0.47	2530	<1	<0.01	2	850	83	1.25	<2	2
C350216		3.03	<10	1	0.21	<10	0.55	2770	<1	<0.01	3	840	113	1.34	2	2
C350217		2.75	<10	1	0.19	<10	0.16	884	<1	<0.01	3	680	447	2.31	6	2
C350218		2.48	<10	5	0.15	<10	0.03	191	1	<0.01	2	480	373	2.55	40	1
C350219		3.86	<10	2	0.17	<10	0.04	153	1	<0.01	2	570	1470	4.12	14	1
C350220		3.56	10	1	0.14	<10	1.37	900	13	0.10	11	990	4450	1.02	59	6
C350221		3.32	<10	1	0.17	<10	0.11	327	2	<0.01	3	600	1050	3.31	11	1
C350222		2.56	<10	<1	0.23	<10	0.33	1020	<1	<0.01	3	880	145	1.65	3	1
C350223		2.49	<10	<1	0.25	10	0.28	740	<1	<0.01	3	950	141	1.74	2	1
C350224		2.53	<10	1	0.23	<10	0.45	1240	<1	<0.01	2	870	127	1.54	2	1
C350225		2.91	<10	<1	0.25	10	0.32	910	<1	<0.01	2	860	175	1.95	4	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350186		714	<20	<0.01	<10	<10	9	<10	121			
C350187		509	<20	<0.01	<10	<10	3	<10	674			
C350188		503	<20	<0.01	<10	<10	1	<10	3240			
C350189		414	<20	<0.01	<10	<10	16	<10	199			
C350190		48	<20	<0.01	<10	<10	6	<10	8			
C350191		253	<20	<0.01	<10	<10	11	<10	419			
C350192		322	<20	<0.01	<10	<10	8	<10	1325			
C350193		307	<20	<0.01	<10	<10	7	<10	980			
C350194		291	<20	<0.01	<10	<10	6	<10	830			
C350195		824	<20	<0.01	<10	<10	6	<10	237			
C350196		1060	<20	<0.01	<10	<10	4	<10	794			
C350197		228	<20	<0.01	<10	<10	19	<10	362			
C350198		199	<20	<0.01	<10	<10	15	<10	662			
C350199		434	<20	<0.01	<10	<10	13	<10	646			
C350200		134	<20	0.07	<10	<10	43	10	1030			
C350201		199	<20	<0.01	<10	<10	18	<10	393			
C350202		108	<20	<0.01	<10	<10	13	<10	746			
C350203		84	<20	<0.01	<10	<10	18	<10	343			
C350204		137	<20	<0.01	<10	<10	12	<10	1935			
C350205		426	<20	<0.01	<10	<10	15	<10	7470			
C350206		756	<20	<0.01	<10	<10	8	<10	>10000			1.050
C350207		368	<20	<0.01	<10	<10	10	<10	1715			
C350208		237	<20	<0.01	<10	<10	5	<10	417			
C350209		117	<20	<0.01	<10	<10	9	<10	338			
C350210		52	<20	<0.01	<10	<10	<1	<10	5			
C350211		168	<20	<0.01	<10	<10	6	<10	282			
C350212		108	<20	<0.01	<10	<10	9	<10	3190	96		
C350213		143	<20	<0.01	<10	<10	10	<10	317			
C350214		236	<20	<0.01	<10	<10	15	<10	281			
C350215		221	<20	<0.01	<10	<10	12	<10	231			
C350216		230	<20	<0.01	<10	<10	11	<10	276			
C350217		92	<20	<0.01	<10	<10	10	<10	346			
C350218		24	<20	<0.01	20	<10	4	<10	1155			
C350219		20	<20	<0.01	10	<10	4	<10	2680			
C350220		149	<20	0.07	<10	<10	92	<10	1105			
C350221		50	<20	<0.01	<10	<10	5	<10	2270			
C350222		108	<20	<0.01	<10	<10	7	<10	329			
C350223		84	<20	<0.01	<10	<10	7	<10	367			
C350224		137	<20	<0.01	<10	<10	6	<10	275			
C350225		75	<20	<0.01	<10	<10	9	<10	410			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350226		8.38	0.219		4.6	0.35	56	<10	50	<0.5	<2	0.63	2.0	8	6	24
C350227		8.54	0.124		4.1	0.18	58	<10	90	<0.5	<2	0.45	1.8	5	9	18
C350228		9.52	0.716		7.0	0.28	133	<10	80	<0.5	<2	0.64	6.3	8	8	40
C350229		9.25	0.343		17.4	0.27	367	<10	40	<0.5	2	0.86	3.3	11	7	31
C350230		0.90	<0.005		0.3	0.02	<2	<10	<10	<0.5	3	19.9	<0.5	<1	<1	1
C350231		8.66	0.120		5.4	0.30	117	<10	70	<0.5	<2	1.06	2.1	10	4	15
C350232		3.49	0.101		4.9	0.27	113	<10	40	<0.5	<2	0.53	1.8	11	4	15
C350233		3.51	0.184		4.5	0.28	95	<10	30	<0.5	<2	0.60	2.0	10	4	15
C350234		8.49	0.146		8.3	0.31	158	<10	30	<0.5	2	0.42	1.9	12	5	22
C350235		8.09	0.090		4.3	0.33	89	<10	110	<0.5	<2	1.76	2.5	8	5	27
C350236		8.64	0.236		4.6	0.27	153	<10	80	<0.5	2	0.44	2.6	7	6	21
C350237		8.49	1.990		6.3	0.15	370	<10	80	<0.5	2	2.62	1.5	5	9	22
C350238		8.61	0.444		6.8	0.29	151	<10	40	<0.5	3	2.44	2.1	7	4	15
C350239		9.64	0.583		4.4	0.35	223	<10	30	<0.5	2	1.02	1.5	7	4	22
C350240		0.10	8.17		>100	1.53	612	10	20	<0.5	5	3.51	128.0	18	44	2050
C350241		8.21	0.372		3.4	0.70	111	<10	140	<0.5	<2	3.05	1.7	8	4	17
C350242		8.68	0.251		2.8	0.73	69	<10	180	<0.5	2	2.67	1.2	8	3	30
C350243		8.59	0.563		3.0	0.66	65	<10	140	<0.5	2	4.13	1.3	8	2	18
C350244		7.63	0.513		2.6	0.53	66	<10	190	0.5	2	5.79	1.9	8	2	24
C350245		8.95	0.163		2.0	0.62	71	<10	140	<0.5	<2	4.56	<0.5	9	2	17
C350246		8.74	0.364		3.4	0.63	79	<10	130	<0.5	<2	7.22	2.3	7	2	22
C350247		8.86	0.798		3.2	0.58	124	<10	110	<0.5	<2	3.67	1.3	7	3	22
C350248		7.79	0.555		2.8	0.74	95	<10	130	<0.5	<2	5.15	2.2	8	11	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350226		2.64	<10	<1	0.23	10	0.20	598	<1	<0.01	2	800	99	2.09	2	1
C350227		1.69	<10	<1	0.17	<10	0.08	333	<1	<0.01	3	530	108	1.51	3	1
C350228		2.85	<10	1	0.24	10	0.09	484	2	<0.01	3	870	368	2.77	4	1
C350229		4.79	<10	13	0.21	<10	0.05	507	4	<0.01	4	750	197	4.94	103	1
C350230		0.13	<10	1	0.01	<10	11.95	126	<1	<0.01	<1	20	3	0.01	4	<1
C350231		3.22	<10	2	0.24	10	0.06	469	1	<0.01	3	940	97	3.30	11	1
C350232		3.25	<10	1	0.23	10	0.07	288	1	<0.01	3	990	70	3.29	9	1
C350233		3.18	<10	1	0.23	10	0.08	371	1	<0.01	2	1000	72	3.21	6	1
C350234		3.65	<10	4	0.25	10	0.05	227	2	<0.01	4	970	80	3.74	31	1
C350235		2.37	<10	1	0.24	10	0.08	901	<1	<0.01	2	830	97	2.25	5	1
C350236		2.43	<10	1	0.21	10	0.06	289	1	<0.01	2	820	153	2.40	6	1
C350237		2.67	<10	<1	0.14	<10	0.06	1475	1	<0.01	1	460	199	2.69	4	1
C350238		3.05	<10	1	0.24	<10	0.13	1495	1	<0.01	3	850	202	2.92	3	1
C350239		3.73	<10	<1	0.25	<10	0.17	844	1	<0.01	2	900	181	3.53	3	2
C350240		5.09	10	15	0.20	<10	1.36	755	54	0.06	216	600	>10000	3.99	688	3
C350241		2.90	<10	1	0.28	10	0.34	1840	1	<0.01	3	980	122	1.75	4	2
C350242		2.56	<10	<1	0.28	10	0.39	1530	<1	<0.01	2	950	56	1.39	2	2
C350243		2.59	<10	<1	0.29	10	0.40	2160	<1	<0.01	2	970	74	1.37	4	3
C350244		2.45	<10	1	0.28	<10	0.41	3010	1	<0.01	2	910	88	1.25	3	2
C350245		2.77	<10	<1	0.28	10	0.36	2440	<1	<0.01	3	980	16	1.62	3	2
C350246		2.74	<10	1	0.22	<10	0.31	3590	1	<0.01	2	710	118	1.79	4	2
C350247		2.51	<10	1	0.23	<10	0.28	1910	1	<0.01	3	790	134	1.77	4	2
C350248		3.14	<10	1	0.25	10	0.58	1955	1	0.01	7	870	106	1.91	8	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350226		58	<20	<0.01	<10	<10	9	<10	308			
C350227		40	<20	<0.01	<10	<10	5	<10	246			
C350228		59	<20	<0.01	<10	<10	7	<10	753			
C350229		74	<20	<0.01	50	<10	6	<10	494			
C350230		50	<20	<0.01	<10	<10	<1	<10	4			
C350231		63	<20	<0.01	10	<10	9	<10	311			
C350232		48	<20	<0.01	10	<10	7	<10	248			
C350233		55	<20	<0.01	<10	<10	7	<10	274			
C350234		39	<20	<0.01	20	<10	8	<10	243			
C350235		96	<20	<0.01	<10	<10	8	<10	278			
C350236		37	<20	<0.01	<10	<10	7	<10	216			
C350237		126	<20	<0.01	<10	<10	5	<10	190			
C350238		127	<20	<0.01	<10	<10	7	<10	274			
C350239		95	<20	<0.01	<10	<10	7	<10	234			
C350240		44	<20	0.05	10	<10	59	20	>10000	326	2.33	2.43
C350241		175	<20	<0.01	<10	<10	9	<10	251			
C350242		176	<20	<0.01	<10	<10	12	<10	209			
C350243		263	<20	<0.01	<10	<10	8	<10	289			
C350244		254	<20	<0.01	<10	<10	8	<10	337			
C350245		229	<20	<0.01	<10	<10	8	<10	111			
C350246		336	<20	<0.01	<10	<10	8	<10	418			
C350247		195	<20	<0.01	<10	<10	8	<10	227			
C350248		294	<20	0.01	<10	<10	22	<10	388			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 17-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246502

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-21	CRU-31	CRU-QC	LOG-21
	LOG-23	PUL-31	PUL-QC	SPL-21
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

CERTIFICATE YW20246503

Project: Premier Gold Project

This report is for 143 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-21	Crush entire sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C350249		9.63	0.394		4.6	0.72	144	<10	140	<0.5	<2	10.3	1.0	7	16	31
C350250		0.77	<0.005		<0.2	0.02	<2	<10	10	<0.5	<2	20.2	<0.5	<1	1	2
C350251		8.32	0.972		6.5	0.45	58	<10	170	<0.5	<2	5.13	2.0	6	4	21
C350252		8.80	0.088		1.0	0.66	87	<10	190	<0.5	<2	5.05	<0.5	7	4	9
C350253		9.50	0.102		1.5	0.79	102	<10	160	<0.5	<2	4.51	<0.5	8	5	34
C350254		9.57	0.052		1.2	0.91	57	<10	190	<0.5	<2	4.98	<0.5	8	5	15
C350255		9.31	0.113		1.6	0.93	64	<10	150	<0.5	<2	4.86	1.7	6	6	21
C350256		9.98	0.262		1.7	0.57	77	<10	180	<0.5	<2	8.0	1.2	6	5	9
C350257		5.95	0.180		1.6	0.47	36	<10	170	0.5	<2	4.32	2.0	8	3	31
C350258		7.35	0.051		2.3	0.62	47	<10	150	<0.5	<2	5.08	1.7	7	5	24
C350259		3.63	0.703		4.6	0.58	74	<10	140	<0.5	<2	3.94	3.8	8	4	45
C350260		0.12	0.690		9.6	1.35	800	20	120	<0.5	19	3.35	6.2	46	24	6860
C350261		3.19	0.134		3.0	0.65	56	<10	150	<0.5	<2	4.83	3.3	9	4	31
C350262		7.41	0.080		2.0	0.48	86	<10	190	<0.5	<2	4.55	1.0	9	3	28
C350263		3.96	0.065		2.6	0.34	83	<10	140	<0.5	<2	13.6	1.3	5	3	12
C350264		5.19	0.067		2.3	0.28	87	<10	130	<0.5	<2	13.0	1.0	8	3	9
C350265		6.67	0.240		7.2	0.35	107	<10	130	<0.5	<2	1.05	1.9	7	9	15
C350266		8.03	0.104		5.5	0.41	78	<10	50	<0.5	<2	1.70	3.2	9	5	13
C350267		8.20	0.339		14.1	0.35	144	<10	60	<0.5	<2	0.92	2.1	7	9	21
C350268		9.10	0.305		14.0	0.27	96	<10	60	<0.5	<2	0.91	1.9	5	10	20
C350269		4.35	0.367		12.4	0.32	163	<10	90	<0.5	<2	2.47	2.0	8	7	19
C350270		0.97	<0.005		<0.2	0.02	<2	<10	10	<0.5	<2	20.8	<0.5	<1	1	<1
C350271		9.01	0.435		7.6	0.35	94	<10	110	<0.5	<2	2.59	2.8	6	8	10
C350272		5.15	0.958		12.9	0.32	147	<10	30	<0.5	<2	5.29	6.2	6	5	8
C350273		4.21	2.98		>100	0.08	654	<10	70	<0.5	<2	24.5	10.3	2	2	98
C350274		1.97	0.813		13.2	0.09	128	<10	150	<0.5	<2	11.5	4.5	1	7	13
C350275		2.04	3.50		38.3	0.09	235	<10	70	<0.5	<2	15.0	18.1	2	7	48
C350276		8.35	0.304		7.6	0.45	75	<10	130	<0.5	<2	1.65	1.7	7	7	13
C350277		8.48	0.263		5.6	0.36	96	<10	50	<0.5	<2	0.61	1.7	9	8	10
C350278		3.74	0.518		5.1	0.26	61	<10	80	<0.5	<2	0.42	1.5	6	9	5
C350279		5.22	1.135		9.6	0.33	134	<10	110	<0.5	<2	0.86	5.1	7	9	54
C350280		0.09	1.190		92.3	1.68	31	10	180	<0.5	<2	3.32	8.8	17	19	981
C350281		10.17	0.301		7.2	0.68	106	<10	100	<0.5	<2	1.15	7.0	9	7	46
C350282		7.63	0.063		2.0	0.85	82	<10	180	<0.5	<2	1.92	1.5	9	5	26
C350283		9.83	0.161		3.8	0.71	137	<10	90	<0.5	<2	1.71	2.4	10	5	19
C350284		8.87	0.129		3.6	0.67	98	<10	130	<0.5	<2	1.00	1.6	9	7	21
C350285		6.80	0.102		4.0	0.69	89	<10	150	<0.5	<2	0.98	2.4	8	9	24
C350286		8.54	0.050		4.2	0.60	77	<10	60	0.5	<2	0.66	2.4	10	6	22
C350287		9.11	0.073		4.3	0.48	72	<10	60	<0.5	<2	0.83	2.4	10	7	16
C350288		7.95	0.117		7.5	0.39	117	<10	60	<0.5	<2	1.28	2.4	10	8	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350249		3.01	<10	<1	0.24	10	0.63	3730	<1	0.02	10	850	161	1.55	4	3
C350250		0.13	<10	<1	0.01	10	12.10	120	<1	<0.01	4	20	<2	<0.01	<2	<1
C350251		2.23	<10	<1	0.30	10	0.26	2430	1	<0.01	1	930	154	1.50	2	2
C350252		3.00	<10	<1	0.33	10	0.35	2450	1	<0.01	2	930	102	2.01	<2	2
C350253		2.97	<10	<1	0.30	10	0.43	2400	<1	<0.01	2	950	46	1.67	2	2
C350254		2.85	<10	<1	0.35	10	0.46	2780	1	<0.01	2	980	17	1.42	2	2
C350255		2.50	<10	<1	0.27	10	0.44	2970	1	<0.01	1	900	70	0.98	<2	2
C350256		2.98	<10	<1	0.29	10	0.42	3610	1	<0.01	1	880	94	1.77	4	2
C350257		3.04	<10	1	0.34	10	0.67	3020	<1	<0.01	1	1050	77	1.19	2	3
C350258		2.93	<10	<1	0.29	10	0.51	2710	1	<0.01	2	1200	69	1.42	4	3
C350259		3.06	<10	<1	0.32	10	0.51	2110	1	<0.01	2	1030	1110	1.62	4	3
C350260		3.69	10	<1	0.16	10	0.44	649	294	0.13	22	680	71	1.27	18	2
C350261		2.91	<10	<1	0.32	10	0.52	2330	1	<0.01	1	1050	468	1.44	3	3
C350262		2.60	<10	<1	0.37	10	0.54	2430	<1	<0.01	1	1180	44	1.48	2	3
C350263		3.67	<10	2	0.21	10	0.94	5860	1	<0.01	1	600	81	2.05	13	2
C350264		3.86	<10	1	0.23	10	0.83	6150	1	<0.01	2	670	51	2.52	11	2
C350265		2.53	<10	<1	0.28	10	0.24	803	1	<0.01	1	860	123	1.56	3	2
C350266		3.05	<10	<1	0.34	10	0.36	1560	<1	<0.01	2	1040	172	1.98	2	2
C350267		3.31	<10	<1	0.30	10	0.15	625	1	<0.01	1	820	246	2.94	3	2
C350268		2.10	<10	<1	0.24	10	0.11	608	1	<0.01	1	460	212	1.64	3	1
C350269		2.52	<10	<1	0.28	10	0.19	1080	1	<0.01	1	810	194	2.20	4	1
C350270		0.13	<10	<1	0.01	10	12.25	121	<1	<0.01	1	20	<2	<0.01	<2	<1
C350271		2.64	<10	<1	0.26	<10	0.26	1375	1	<0.01	1	750	151	1.91	3	2
C350272		4.57	<10	<1	0.27	<10	0.25	2660	<1	<0.01	2	770	472	4.60	4	2
C350273		5.72	<10	1	0.07	10	0.11	10950	1	<0.01	3	160	1555	6.70	22	1
C350274		1.97	<10	1	0.08	<10	0.12	4190	1	<0.01	1	110	503	1.65	6	1
C350275		3.63	<10	1	0.08	10	0.13	5810	1	<0.01	1	110	2120	3.78	10	1
C350276		2.71	<10	<1	0.27	10	0.33	1255	<1	<0.01	1	790	136	1.40	3	2
C350277		3.55	<10	1	0.30	10	0.11	324	2	<0.01	2	900	138	3.56	10	1
C350278		2.56	<10	<1	0.20	<10	0.07	330	2	<0.01	1	600	126	2.36	4	1
C350279		3.04	<10	<1	0.26	10	0.22	639	1	<0.01	1	750	398	2.46	5	1
C350280		3.54	10	<1	0.15	10	1.46	926	13	0.10	11	1050	4660	1.07	60	6
C350281		3.43	<10	<1	0.34	10	0.45	1455	1	<0.01	1	1030	444	2.13	3	2
C350282		3.37	<10	<1	0.36	10	0.64	3450	<1	<0.01	1	1160	61	1.64	3	3
C350283		3.32	<10	<1	0.34	10	0.54	2650	<1	<0.01	1	1010	104	2.00	4	3
C350284		3.15	<10	<1	0.30	10	0.41	1210	<1	<0.01	1	970	91	1.88	3	2
C350285		2.89	<10	<1	0.32	10	0.32	906	1	<0.01	2	1050	182	1.86	5	2
C350286		2.97	<10	<1	0.36	10	0.16	506	<1	<0.01	3	1160	135	2.70	3	2
C350287		3.38	<10	<1	0.31	10	0.12	542	1	<0.01	4	950	128	3.18	3	1
C350288		3.25	<10	3	0.26	10	0.10	821	2	<0.01	2	880	108	3.13	20	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350249		582	<20	0.01	<10	<10	23	<10	112			
C350250		51	<20	<0.01	<10	<10	<1	<10	4			
C350251		250	<20	<0.01	<10	<10	6	<10	255			
C350252		207	<20	<0.01	<10	<10	8	<10	60			
C350253		229	<20	<0.01	<10	<10	9	<10	58			
C350254		181	<20	<0.01	<10	<10	9	<10	86			
C350255		204	<20	<0.01	<10	<10	10	<10	166			
C350256		451	<20	<0.01	<10	<10	7	<10	155			
C350257		298	<20	<0.01	<10	<10	7	<10	236			
C350258		224	<20	<0.01	<10	<10	8	<10	213			
C350259		244	<20	<0.01	<10	<10	9	<10	499			
C350260		144	<20	0.09	<10	<10	45	10	1030			
C350261		244	<20	<0.01	<10	<10	9	<10	473			
C350262		303	<20	<0.01	<10	<10	7	<10	150			
C350263		748	<20	<0.01	10	<10	6	<10	190			
C350264		913	<20	<0.01	10	<10	5	<10	122			
C350265		70	<20	<0.01	<10	<10	16	<10	409			
C350266		113	<20	<0.01	<10	<10	14	<10	531			
C350267		62	<20	<0.01	<10	<10	11	<10	273			
C350268		58	<20	<0.01	<10	<10	11	<10	242			
C350269		99	<20	<0.01	<10	<10	10	<10	288			
C350270		55	<20	<0.01	<10	<10	<1	<10	4			
C350271		156	<20	<0.01	<10	<10	10	<10	391			
C350272		295	<20	<0.01	<10	<10	5	<10	945			
C350273		970	<20	<0.01	<10	<10	1	<10	1895	106		
C350274		382	<20	<0.01	<10	<10	8	<10	738			
C350275		556	<20	<0.01	<10	<10	8	<10	3140			
C350276		122	<20	<0.01	<10	<10	10	<10	271			
C350277		51	<20	<0.01	10	<10	6	<10	266			
C350278		35	<20	<0.01	<10	<10	5	<10	235			
C350279		74	<20	<0.01	<10	<10	9	<10	735			
C350280		159	<20	0.07	<10	<10	96	<10	1120			
C350281		89	<20	<0.01	<10	<10	16	<10	929			
C350282		131	<20	<0.01	<10	<10	13	<10	249			
C350283		116	<20	<0.01	<10	<10	14	<10	267			
C350284		86	<20	<0.01	<10	<10	15	<10	196			
C350285		87	<20	<0.01	<10	<10	16	<10	326			
C350286		53	<20	<0.01	<10	<10	14	<10	334			
C350287		78	<20	<0.01	<10	<10	12	<10	335			
C350288		100	<20	<0.01	10	<10	13	<10	363			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C350289		9.01	0.143		4.3	0.28	59	<10	50	<0.5	<2	0.67	2.9	7	9	20
C350290		1.04	<0.005		<0.2	0.02	<2	<10	20	<0.5	<2	21.3	<0.5	<1	1	<1
C350291		9.09	0.306		7.2	0.43	103	<10	40	<0.5	<2	0.65	2.5	10	8	21
C350292		3.44	0.362		12.8	0.35	80	<10	120	<0.5	<2	0.75	48.8	6	8	102
C350293		2.59	0.403		15.3	0.27	99	<10	100	<0.5	<2	0.69	43.2	6	8	80
C350294		9.19	0.115		3.9	0.82	73	<10	90	0.5	<2	0.75	2.2	9	7	20
C350295		9.36	0.039		2.6	0.78	193	<10	150	<0.5	<2	1.28	2.6	8	4	17
C350296		3.99	0.093		2.6	0.75	139	<10	130	<0.5	<2	0.84	1.1	7	5	26
C350297		3.81	0.061		3.1	0.75	116	<10	70	<0.5	<2	1.93	1.4	9	4	28
C350298		6.10	3.02		18.9	0.25	209	<10	70	<0.5	<2	0.39	7.6	5	9	57
C350299		4.85	0.997		5.1	0.23	420	<10	90	<0.5	<2	1.13	1.4	5	12	12
C350300		0.10	7.63		>100	1.58	627	<10	30	<0.5	4	3.73	131.0	17	45	2120
C350301		8.46	0.217		4.1	0.46	114	<10	110	<0.5	<2	0.82	1.5	6	10	18
C350302		6.75	0.070		1.6	0.62	75	<10	70	<0.5	<2	0.66	1.8	7	6	10
C350303		8.76	0.152		3.2	0.49	123	<10	70	<0.5	<2	0.92	1.7	7	5	31
C350304		6.92	3.57		30.1	0.52	117	<10	90	<0.5	<2	3.08	7.3	8	5	53
C350305		8.95	0.048		1.8	0.70	87	<10	200	<0.5	<2	2.73	<0.5	9	4	20
C350306		8.91	0.110		2.0	0.68	145	<10	150	<0.5	<2	3.80	<0.5	9	4	26
C350307		7.58	0.132		2.3	0.67	105	<10	180	<0.5	<2	5.57	<0.5	8	4	41
C350308		8.82	0.080		2.0	0.67	99	<10	150	<0.5	<2	4.43	<0.5	9	4	26
C350309		8.67	0.078		1.2	0.64	61	<10	160	<0.5	<2	4.49	<0.5	8	3	18
C350310		0.99	<0.005		<0.2	0.03	<2	<10	20	<0.5	<2	21.3	<0.5	<1	1	<1
C350311		4.24	0.194		1.9	0.60	83	<10	170	<0.5	<2	4.22	0.7	9	3	14
C350312		5.27	0.267		6.1	0.62	90	<10	130	<0.5	<2	1.49	1.3	7	5	34
C350313		6.42	0.290		3.4	0.51	170	<10	110	<0.5	<2	3.98	1.1	10	10	16
C350314		5.71	0.215		4.1	0.34	112	<10	120	<0.5	<2	9.1	1.4	8	3	29
C350315		6.90	0.162		3.4	0.30	85	<10	130	<0.5	<2	8.7	2.2	6	3	25
C350316		6.35	0.609		9.0	0.19	439	<10	90	<0.5	<2	4.56	1.6	5	7	56
C350317		5.43	0.218		3.9	0.22	197	<10	120	<0.5	<2	10.2	0.9	5	5	21
C350318		4.89	0.186		2.7	0.22	98	<10	100	<0.5	<2	18.7	1.8	4	2	28
C350319		8.60	0.206		3.1	0.27	177	<10	50	<0.5	<2	9.1	1.3	5	5	33
C350320		0.13	0.681		9.6	1.39	826	20	120	<0.5	21	3.37	6.2	47	25	7060
C350321		8.89	0.456		5.4	0.29	173	<10	30	<0.5	<2	2.67	1.9	7	9	27
C350322		8.69	1.235		5.0	0.29	143	<10	20	<0.5	<2	1.28	1.5	6	9	32
C350323		6.34	0.206		4.8	0.26	102	<10	30	<0.5	<2	4.63	2.5	6	7	34
C350324		4.66	0.565		6.0	0.44	149	<10	40	<0.5	<2	10.7	1.5	4	6	31
C350325		5.27	>10.0	25.2	38.0	0.15	465	<10	10	<0.5	<2	5.11	27.5	5	8	564
C350326		8.74	0.162		5.1	0.32	175	<10	20	<0.5	<2	1.36	2.3	9	6	24
C350327		3.84	0.184		3.2	0.38	125	<10	40	<0.5	<2	3.13	1.4	9	4	29
C350328		4.10	0.118		3.0	0.46	115	<10	30	<0.5	<2	2.51	1.5	9	4	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350289		2.44	<10	<1	0.24	10	0.07	488	1	<0.01	2	720	163	2.23	4	1
C350290		0.12	<10	<1	0.01	10	12.75	126	<1	0.01	1	10	<2	0.01	<2	<1
C350291		3.14	<10	<1	0.27	10	0.17	814	1	<0.01	2	820	167	2.80	4	1
C350292		2.55	<10	<1	0.24	10	0.20	1095	1	<0.01	1	680	2890	2.29	4	1
C350293		2.39	<10	<1	0.20	10	0.17	1055	1	<0.01	1	510	2570	2.11	3	1
C350294		2.95	<10	<1	0.34	10	0.33	1200	<1	<0.01	1	1050	102	1.85	2	2
C350295		2.77	<10	<1	0.35	10	0.38	1850	<1	<0.01	1	1030	63	1.57	3	3
C350296		2.66	<10	1	0.33	10	0.27	992	1	<0.01	1	1040	20	1.80	4	2
C350297		2.81	<10	1	0.34	10	0.24	1480	1	<0.01	1	1180	33	1.98	5	2
C350298		2.48	<10	1	0.20	<10	0.05	263	4	<0.01	1	600	417	2.25	11	1
C350299		2.63	<10	<1	0.18	<10	0.05	712	3	<0.01	1	490	181	2.40	5	1
C350300		5.03	10	14	0.21	10	1.43	750	54	0.07	213	640	>10000	4.21	710	3
C350301		2.26	<10	<1	0.25	10	0.16	765	1	<0.01	2	730	128	1.69	5	1
C350302		2.77	<10	<1	0.34	10	0.16	807	<1	0.01	1	1000	70	2.09	4	2
C350303		2.53	<10	<1	0.32	10	0.14	730	1	<0.01	2	1000	93	2.04	4	2
C350304		2.93	<10	<1	0.31	10	0.25	1600	1	<0.01	2	940	531	2.30	4	2
C350305		2.97	<10	<1	0.38	10	0.36	1495	1	<0.01	1	1060	11	1.69	3	3
C350306		3.03	<10	<1	0.35	10	0.43	2230	2	<0.01	2	1060	17	1.90	4	3
C350307		3.14	<10	<1	0.37	10	0.37	2400	1	<0.01	1	1020	18	2.10	3	3
C350308		3.22	<10	<1	0.36	10	0.38	2000	1	<0.01	2	1050	13	2.13	3	3
C350309		3.17	<10	<1	0.36	10	0.65	2570	<1	<0.01	1	1030	13	1.61	2	3
C350310		0.15	<10	<1	0.01	10	12.55	128	<1	0.01	2	20	2	0.01	<2	<1
C350311		3.11	<10	<1	0.35	10	0.60	2810	<1	0.01	2	1200	24	1.79	<2	3
C350312		2.74	<10	1	0.29	10	0.31	1305	<1	<0.01	1	950	69	1.85	4	2
C350313		3.26	<10	<1	0.29	10	0.45	1760	2	<0.01	9	1610	93	2.19	5	2
C350314		2.87	<10	<1	0.27	10	0.33	2850	1	<0.01	2	910	101	2.58	4	2
C350315		2.10	<10	<1	0.24	10	0.18	2820	1	<0.01	1	830	240	1.89	2	2
C350316		2.71	<10	<1	0.16	10	0.06	1285	1	<0.01	1	470	255	2.60	3	1
C350317		2.33	<10	<1	0.19	10	0.07	3030	1	<0.01	2	660	101	2.35	4	1
C350318		1.82	<10	<1	0.18	10	0.10	6020	<1	0.01	2	910	101	1.88	<2	2
C350319		2.42	<10	<1	0.22	10	0.15	2960	1	<0.01	1	690	94	2.23	<2	2
C350320		3.79	10	<1	0.16	10	0.44	652	298	0.14	22	690	74	1.31	15	2
C350321		3.81	<10	2	0.25	10	0.15	1095	2	0.01	2	710	72	3.58	9	1
C350322		3.17	<10	1	0.21	<10	0.12	740	1	<0.01	2	670	129	2.90	3	1
C350323		2.46	<10	<1	0.21	<10	0.04	790	2	<0.01	2	810	128	2.49	4	1
C350324		2.37	<10	2	0.29	<10	0.08	2560	2	<0.01	1	560	102	2.44	34	1
C350325		4.52	<10	1	0.14	<10	0.03	1440	2	<0.01	2	450	3780	4.89	8	1
C350326		2.71	<10	<1	0.28	10	0.05	582	1	<0.01	2	950	110	2.81	3	1
C350327		2.53	<10	<1	0.27	<10	0.15	1205	1	<0.01	3	960	54	2.44	2	2
C350328		2.54	<10	<1	0.28	<10	0.20	1100	<1	<0.01	2	1010	55	2.30	3	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350289		57	<20	<0.01	<10	<10	7	<10	358			
C350290		54	<20	<0.01	<10	<10	<1	<10	4			
C350291		51	<20	<0.01	<10	<10	11	<10	294			
C350292		57	<20	<0.01	<10	<10	9	<10	5480			
C350293		55	<20	<0.01	<10	<10	7	<10	4920			
C350294		63	<20	<0.01	<10	<10	18	<10	322			
C350295		109	<20	<0.01	<10	<10	13	<10	262			
C350296		78	<20	<0.01	<10	<10	12	<10	217			
C350297		119	<20	<0.01	<10	<10	12	<10	234			
C350298		37	<20	<0.01	<10	<10	5	<10	1075			
C350299		70	<20	<0.01	<10	<10	5	<10	191			
C350300		55	<20	0.06	10	<10	62	20	>10000	331	2.36	2.46
C350301		64	<20	<0.01	<10	<10	10	<10	245			
C350302		61	<20	<0.01	<10	<10	9	<10	182			
C350303		72	<20	<0.01	<10	<10	9	<10	220			
C350304		225	<20	<0.01	<10	<10	7	<10	1160			
C350305		125	<20	<0.01	<10	<10	9	<10	65			
C350306		186	<20	<0.01	<10	<10	8	<10	105			
C350307		209	<20	<0.01	<10	<10	9	<10	76			
C350308		202	<20	<0.01	<10	<10	9	<10	56			
C350309		291	<20	<0.01	<10	<10	10	<10	84			
C350310		57	<20	<0.01	<10	<10	<1	<10	6			
C350311		242	<20	<0.01	<10	<10	9	<10	167			
C350312		99	<20	<0.01	<10	<10	9	<10	231			
C350313		280	<20	<0.01	<10	<10	10	<10	201			
C350314		481	<20	<0.01	<10	<10	6	<10	171			
C350315		495	<20	<0.01	<10	<10	6	<10	276			
C350316		226	<20	<0.01	<10	<10	5	<10	216			
C350317		477	<20	<0.01	<10	<10	4	<10	148			
C350318		1135	<20	<0.01	<10	<10	3	<10	207			
C350319		521	<20	<0.01	<10	<10	4	<10	156			
C350320		149	<20	0.09	<10	<10	46	10	1030			
C350321		200	<20	<0.01	10	<10	5	<10	219			
C350322		124	<20	<0.01	<10	<10	6	<10	183			
C350323		142	<20	<0.01	<10	<10	5	<10	267			
C350324		300	<20	<0.01	10	<10	8	<10	152			
C350325		163	<20	<0.01	<10	<10	4	<10	3670			
C350326		90	<20	<0.01	10	<10	6	<10	207			
C350327		149	<20	<0.01	<10	<10	6	<10	182			
C350328		137	<20	<0.01	<10	<10	8	<10	201			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C350329		6.28	1.505		3.6	0.60	164	<10	40	<0.5	<2	5.91	2.2	9	4	41
C350330		1.11	<0.005		0.2	0.02	<2	<10	<10	<0.5	<2	20.0	<0.5	<1	<1	<1
C350331		6.53	2.22		6.1	0.50	208	<10	70	<0.5	<2	6.87	1.9	8	3	68
C350332		6.36	0.145		7.4	0.29	106	<10	30	<0.5	<2	1.43	1.9	8	6	14
C350333		6.65	0.205		8.1	0.26	108	<10	40	<0.5	<2	3.78	2.6	7	9	15
C350334		7.72	0.098		6.1	0.23	70	<10	50	<0.5	<2	7.41	1.7	6	5	11
C350335		6.16	6.84		39.3	0.23	117	<10	20	<0.5	<2	3.08	19.5	6	8	18
C350336		5.38	1.690		35.7	0.18	121	<10	20	<0.5	<2	4.67	2.7	6	7	12
C350337		9.72	0.102		4.7	0.35	60	<10	80	<0.5	<2	3.78	1.9	7	6	6
C350338		9.82	0.163		4.1	0.28	60	<10	110	<0.5	<2	3.05	1.7	6	7	5
C350339		8.49	0.451		9.2	0.27	53	<10	90	<0.5	<2	2.68	4.4	6	6	13
C350340		0.09	1.160		87.2	1.57	32	10	170	<0.5	<2	3.19	8.5	17	17	945
C350341		4.93	>10.0	16.25	>100	0.26	98	<10	50	<0.5	<2	0.53	7.9	10	8	70
C350342		8.45	0.119		5.6	0.50	123	<10	100	<0.5	<2	1.34	1.9	10	5	18
C350343		8.64	0.243		4.3	0.43	148	<10	110	<0.5	<2	1.66	1.7	8	6	13
C350344		9.10	0.096		3.8	0.42	78	<10	70	<0.5	<2	1.19	2.2	8	7	18
C350345		3.78	0.167		4.9	0.49	143	<10	100	<0.5	<2	2.20	3.0	9	5	28
C350346		3.91	0.255		6.3	0.47	164	<10	130	<0.5	<2	2.23	2.8	9	5	25
C350347		9.21	0.200		3.6	0.53	68	<10	140	<0.5	<2	4.40	2.5	7	6	24
C350348		8.79	0.098		4.6	0.48	60	<10	130	<0.5	<2	1.60	2.3	8	6	22
C350349		8.47	0.293		4.0	0.47	77	<10	120	<0.5	<2	0.73	2.1	8	7	23
C350350		1.02	<0.005		0.2	0.03	<2	<10	<10	<0.5	<2	20.0	<0.5	1	1	<1
C350351		8.25	0.073		3.5	0.38	107	<10	80	<0.5	<2	0.83	2.7	9	5	19
C350352		7.85	0.151		4.7	0.31	94	<10	20	<0.5	<2	0.93	1.7	8	6	18
C350353		9.15	0.093		5.5	0.28	100	<10	30	<0.5	<2	0.64	1.5	8	9	17
C350354		7.02	2.76		6.9	0.25	117	<10	50	<0.5	<2	0.42	4.1	7	10	22
C350355		8.78	0.470		5.7	0.29	93	<10	50	<0.5	<2	0.48	2.2	10	9	14
C350356		8.86	0.188		4.8	0.34	100	<10	30	<0.5	<2	1.45	3.0	9	5	29
C350357		8.64	0.580		6.5	0.30	88	<10	30	<0.5	<2	0.58	2.4	10	8	13
C350358		9.07	2.79		11.9	0.28	140	<10	100	<0.5	<2	4.14	4.8	6	7	30
C350359		9.10	0.199		2.5	0.84	53	<10	150	<0.5	<2	1.51	2.5	8	5	14
C350360		0.10	8.14		>100	1.56	640	10	20	<0.5	4	3.74	131.5	18	46	2110
C350361		7.52	0.111		3.0	1.17	59	<10	170	<0.5	<2	1.36	2.4	10	5	21
C350362		10.26	0.082		4.5	0.67	130	<10	130	<0.5	<2	1.16	2.4	9	6	27
C350363		4.69	0.569		5.2	0.27	184	<10	90	<0.5	<2	1.55	3.0	5	7	17
C350364		4.30	0.461		4.6	0.24	191	<10	90	<0.5	<2	2.50	2.1	6	8	13
C350365		9.24	0.076		1.8	0.41	58	<10	90	<0.5	<2	1.23	1.1	5	8	6
C350366		9.17	0.381		3.7	0.55	146	<10	80	<0.5	<2	2.95	1.3	8	6	17
C350367		6.88	0.073		2.4	0.81	71	<10	170	<0.5	<2	3.70	1.0	9	4	21
C350368		6.69	0.577		14.8	0.60	43	<10	130	<0.5	<2	7.2	2.2	7	3	104

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350329		2.97	<10	<1	0.27	<10	0.37	2750	<1	<0.01	1	950	200	2.30	<2	2
C350330		0.13	<10	<1	0.01	<10	11.40	123	<1	<0.01	<1	10	2	<0.01	<2	<1
C350331		3.07	<10	<1	0.28	<10	0.25	2880	<1	<0.01	1	990	174	2.58	3	2
C350332		2.65	<10	<1	0.25	<10	0.22	979	1	<0.01	3	890	154	2.01	2	1
C350333		2.58	<10	<1	0.23	<10	0.25	2260	1	<0.01	2	780	304	1.91	3	2
C350334		2.28	<10	<1	0.21	<10	0.34	4690	1	<0.01	1	690	97	1.39	2	2
C350335		3.57	<10	<1	0.20	<10	0.40	1985	2	<0.01	1	720	1170	2.77	3	2
C350336		4.29	<10	1	0.16	<10	0.80	3430	4	<0.01	2	530	343	2.54	2	2
C350337		3.25	<10	1	0.27	<10	0.30	2410	2	<0.01	1	920	106	2.07	9	2
C350338		2.46	<10	<1	0.24	<10	0.29	1925	<1	<0.01	2	780	123	1.41	<2	2
C350339		3.04	<10	<1	0.24	<10	0.52	1835	<1	<0.01	1	840	606	1.72	3	2
C350340		3.40	<10	<1	0.14	<10	1.37	908	12	0.09	11	1020	4660	1.03	50	5
C350341		3.64	<10	2	0.23	<10	0.10	324	2	<0.01	3	820	460	3.55	12	1
C350342		3.11	<10	<1	0.32	10	0.41	1495	1	<0.01	3	1050	128	1.88	3	3
C350343		3.05	<10	<1	0.30	10	0.42	2110	1	<0.01	2	1030	93	1.85	2	3
C350344		2.97	<10	<1	0.28	<10	0.40	1845	1	<0.01	2	940	82	1.66	4	2
C350345		2.99	<10	<1	0.27	<10	0.47	2370	1	<0.01	2	980	145	1.77	5	2
C350346		3.01	<10	1	0.26	<10	0.43	2370	1	<0.01	2	910	163	1.88	7	2
C350347		2.79	<10	<1	0.27	<10	0.41	3400	<1	<0.01	1	880	145	1.68	3	3
C350348		2.99	<10	<1	0.29	10	0.40	2420	<1	<0.01	2	950	92	1.53	2	3
C350349		2.72	<10	<1	0.28	10	0.33	1460	<1	<0.01	2	900	108	1.39	3	2
C350350		0.14	<10	<1	0.01	<10	11.50	124	<1	<0.01	1	20	<2	<0.01	<2	<1
C350351		2.91	<10	<1	0.31	10	0.27	975	<1	<0.01	3	1020	122	1.87	4	2
C350352		2.92	<10	<1	0.26	<10	0.19	693	1	<0.01	2	880	105	2.57	2	1
C350353		2.97	<10	1	0.24	<10	0.11	450	2	<0.01	3	820	93	2.79	8	1
C350354		2.76	<10	<1	0.22	<10	0.06	319	2	<0.01	2	760	261	2.63	5	1
C350355		3.04	<10	1	0.25	10	0.06	320	2	<0.01	2	860	103	2.99	8	1
C350356		3.24	<10	<1	0.29	10	0.10	1095	<1	<0.01	2	990	119	3.14	2	2
C350357		3.55	<10	1	0.26	10	0.07	364	1	<0.01	3	860	164	3.52	5	1
C350358		2.37	<10	<1	0.23	10	0.10	1565	1	<0.01	3	740	334	2.17	3	1
C350359		2.93	<10	<1	0.30	10	0.40	1330	<1	0.01	2	1080	103	1.49	3	3
C350360		5.03	10	14	0.19	<10	1.40	764	54	0.06	221	640	>10000	4.18	662	3
C350361		3.40	<10	<1	0.32	10	0.57	1615	1	0.01	3	1130	130	1.17	<2	3
C350362		3.08	<10	<1	0.28	10	0.40	1035	4	<0.01	2	970	142	1.51	9	2
C350363		2.26	<10	<1	0.18	<10	0.10	823	4	<0.01	2	570	144	1.83	7	1
C350364		2.20	<10	1	0.17	<10	0.09	1245	6	<0.01	3	570	124	1.86	10	1
C350365		2.26	<10	<1	0.23	<10	0.15	815	1	0.01	2	800	68	1.82	3	2
C350366		3.23	<10	<1	0.24	<10	0.34	2190	1	0.01	2	830	105	2.40	3	2
C350367		2.87	<10	1	0.32	10	0.40	2490	<1	<0.01	2	1040	41	1.65	5	3
C350368		2.39	<10	<1	0.25	<10	0.31	3250	1	<0.01	1	770	290	1.57	<2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350329		325	<20	<0.01	<10	<10	9	<10	363			
C350330		50	<20	<0.01	<10	<10	<1	<10	4			
C350331		400	<20	<0.01	<10	<10	7	<10	214			
C350332		103	<20	<0.01	<10	<10	10	<10	304			
C350333		243	<20	<0.01	<10	<10	7	<10	358			
C350334		473	<20	<0.01	<10	<10	7	<10	204			
C350335		223	<20	<0.01	<10	<10	5	<10	2850			
C350336		343	<20	<0.01	<10	<10	6	<10	352			
C350337		227	<20	<0.01	10	<10	7	<10	226			
C350338		177	<20	<0.01	<10	<10	7	<10	241			
C350339		212	<20	<0.01	<10	<10	6	<10	635			
C350340		153	<20	0.06	<10	<10	90	<10	1070			
C350341		48	<20	<0.01	10	<10	7	<10	1105	275		
C350342		130	<20	<0.01	<10	<10	12	<10	254			
C350343		151	<20	<0.01	<10	<10	10	<10	228			
C350344		98	<20	<0.01	<10	<10	10	<10	293			
C350345		173	<20	<0.01	<10	<10	10	<10	356			
C350346		167	<20	<0.01	<10	<10	10	<10	342			
C350347		254	<20	<0.01	<10	<10	11	<10	370			
C350348		141	<20	<0.01	<10	<10	12	<10	323			
C350349		70	<20	<0.01	<10	<10	11	<10	268			
C350350		51	<20	<0.01	<10	<10	<1	<10	4			
C350351		76	<20	<0.01	<10	<10	10	<10	351			
C350352		77	<20	<0.01	<10	<10	10	<10	246			
C350353		51	<20	<0.01	<10	<10	7	<10	199			
C350354		34	<20	<0.01	<10	<10	7	<10	527			
C350355		41	<20	<0.01	10	<10	8	<10	277			
C350356		84	<20	<0.01	<10	<10	8	<10	260			
C350357		52	<20	<0.01	<10	<10	8	<10	304			
C350358		180	<20	<0.01	<10	<10	7	<10	601			
C350359		126	<20	<0.01	<10	<10	17	<10	380			
C350360		47	<20	0.05	10	<10	60	20	>10000	331	2.38	2.46
C350361		132	<20	<0.01	<10	<10	25	<10	410			
C350362		103	<20	<0.01	<10	<10	15	<10	273			
C350363		113	<20	<0.01	<10	<10	6	<10	340			
C350364		154	<20	<0.01	<10	<10	5	<10	249			
C350365		108	<20	<0.01	<10	<10	8	<10	178			
C350366		193	<20	<0.01	<10	<10	9	<10	200			
C350367		217	<20	<0.01	<10	<10	12	<10	180			
C350368		537	<20	<0.01	<10	<10	9	<10	319			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350369		7.14	0.012		1.8	2.28	10	<10	100	<0.5	<2	3.56	<0.5	16	57	45
C350370		0.75	<0.005		0.2	0.02	<2	<10	<10	<0.5	<2	20.4	<0.5	<1	<1	1
C350371		7.50	1.640		12.2	0.60	184	<10	130	<0.5	<2	5.35	2.8	7	5	25
C350372		7.82	2.17		61.7	0.42	81	<10	140	<0.5	<2	7.9	3.4	6	3	9
C350373		8.59	1.350		22.4	0.36	48	<10	140	<0.5	<2	6.64	2.1	6	3	6
C350374		8.51	0.697		3.8	0.18	119	<10	130	<0.5	<2	14.3	1.7	3	2	11
C350375		8.51	4.20		5.6	0.17	123	<10	110	<0.5	<2	17.9	2.6	4	2	14
C350376		9.79	1.335		4.3	0.57	176	<10	130	<0.5	<2	6.35	3.8	8	4	49
C350377		9.58	0.220		3.5	0.41	110	<10	100	<0.5	<2	9.3	2.0	8	3	25
C350378		9.64	0.251		2.9	0.50	105	<10	150	<0.5	<2	10.2	1.7	8	3	14
C350379		7.31	0.984		9.2	0.11	210	<10	90	<0.5	<2	>25.0	4.7	1	1	54
C350380		0.13	0.718		9.9	1.26	796	20	100	<0.5	17	3.22	6.1	45	23	6660
C350381		8.19	7.74		27.1	0.05	365	<10	90	<0.5	<2	>25.0	13.2	1	1	133
C350382		7.66	0.787		4.0	0.11	52	<10	170	<0.5	<2	>25.0	2.5	<1	<1	29
C350383		6.83	1.175		3.2	0.13	160	<10	190	<0.5	<2	>25.0	0.8	<1	1	28
C350384		7.77	0.180		2.9	0.35	130	<10	130	<0.5	<2	4.24	2.9	9	3	52
C350385		7.43	0.116		2.1	0.38	126	<10	150	<0.5	<2	4.76	1.9	8	3	27
C350386		2.80	0.410		2.9	0.22	200	<10	130	<0.5	<2	11.0	1.7	6	2	24
C350387		3.14	0.266		2.2	0.30	163	<10	150	<0.5	<2	8.0	1.7	7	3	21
C350388		9.45	0.368		3.3	0.32	255	<10	30	<0.5	<2	8.9	2.8	7	2	34
C350389		8.92	0.146		5.3	0.28	108	<10	120	<0.5	<2	3.83	1.8	6	6	12
C350390		0.85	<0.005		0.2	0.02	<2	<10	10	<0.5	<2	20.9	<0.5	<1	<1	<1
C350391		9.09	0.536		5.9	0.36	98	<10	30	<0.5	<2	2.94	2.0	9	3	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350369		4.40	10	<1	0.18	20	1.95	992	1	0.04	26	1610	23	0.42	<2	6
C350370		0.13	<10	<1	0.01	<10	11.90	121	<1	<0.01	1	20	5	0.02	<2	<1
C350371		2.82	<10	<1	0.25	<10	0.26	2630	1	<0.01	2	710	524	2.15	3	2
C350372		2.42	<10	1	0.24	<10	0.24	4220	<1	0.01	1	780	241	1.85	4	2
C350373		2.36	<10	<1	0.26	<10	0.20	3540	<1	<0.01	1	860	216	1.99	2	2
C350374		2.19	<10	<1	0.16	<10	0.10	4950	1	<0.01	<1	480	151	2.18	9	1
C350375		1.94	<10	<1	0.15	<10	0.18	7360	<1	<0.01	<1	380	251	1.71	2	1
C350376		3.15	<10	<1	0.28	<10	0.44	3380	<1	<0.01	2	960	243	2.14	<2	3
C350377		3.03	<10	<1	0.28	<10	0.43	4310	<1	<0.01	2	960	73	2.20	2	3
C350378		3.05	<10	1	0.27	<10	0.37	4180	<1	0.01	1	940	122	2.23	<2	3
C350379		2.12	<10	1	0.08	<10	0.10	10050	<1	0.01	<1	180	371	2.37	9	1
C350380		3.53	<10	<1	0.15	10	0.42	631	297	0.12	24	650	73	1.23	15	2
C350381		2.02	<10	2	0.05	<10	0.06	8540	1	0.01	<1	120	1040	2.46	11	1
C350382		1.09	<10	<1	0.10	<10	0.10	9830	<1	0.01	<1	80	168	1.10	3	1
C350383		1.34	<10	<1	0.12	<10	0.14	9920	<1	0.01	<1	70	84	1.27	<2	1
C350384		3.18	<10	<1	0.31	<10	0.37	2280	<1	0.01	3	980	147	2.39	4	2
C350385		3.02	<10	1	0.30	<10	0.47	2510	<1	0.01	2	1030	59	1.65	2	2
C350386		2.61	<10	<1	0.20	10	0.49	4690	<1	0.01	1	710	87	1.70	4	2
C350387		2.73	<10	<1	0.25	10	0.45	3520	<1	0.01	1	860	77	1.76	3	2
C350388		3.35	<10	<1	0.27	<10	0.62	4730	<1	<0.01	1	1010	108	2.18	<2	3
C350389		2.60	<10	<1	0.24	<10	0.31	2060	1	<0.01	2	740	131	1.63	3	2
C350390		0.13	<10	1	0.01	<10	12.15	127	<1	0.01	<1	10	<2	0.02	<2	<1
C350391		3.06	<10	<1	0.31	<10	0.48	2210	<1	<0.01	2	1050	128	2.08	2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350369		166	<20	0.01	<10	<10	89	<10	109			
C350370		49	<20	<0.01	<10	<10	<1	<10	3			
C350371		260	<20	<0.01	<10	<10	7	<10	439			
C350372		354	<20	<0.01	<10	<10	5	<10	606			
C350373		402	<20	<0.01	<10	<10	5	<10	391			
C350374		561	<20	<0.01	<10	<10	3	<10	208			
C350375		961	<20	<0.01	<10	<10	3	<10	345			
C350376		304	<20	<0.01	<10	<10	11	<10	535			
C350377		507	<20	<0.01	<10	<10	7	<10	246			
C350378		519	<20	<0.01	<10	<10	9	<10	320			
C350379		1375	<20	<0.01	<10	<10	2	<10	823			
C350380		139	<20	0.08	<10	<10	43	10	994			
C350381		1390	<20	<0.01	<10	<10	1	<10	2100			
C350382		1780	<20	<0.01	<10	<10	2	<10	441			
C350383		1730	<20	<0.01	<10	<10	2	<10	139			
C350384		258	<20	<0.01	<10	<10	6	<10	354			
C350385		261	<20	<0.01	<10	<10	7	<10	182			
C350386		479	<20	<0.01	<10	<10	4	<10	185			
C350387		375	<20	<0.01	<10	<10	5	<10	195			
C350388		468	<20	<0.01	<10	<10	5	<10	325			
C350389		201	<20	<0.01	<10	<10	12	<10	291			
C350390		53	<20	<0.01	<10	<10	1	<10	4			
C350391		188	<20	<0.01	<10	<10	11	<10	309			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 15-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246503

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-21	CRU-31	CRU-QC	LOG-21
	LOG-23	PUL-31	PUL-QC	SPL-21
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

CERTIFICATE YW20246504

Project: Premier Gold Project

This report is for 144 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-21	Crush entire sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C350392		4.14	0.248		7.4	0.22	94	<10	120	<0.5	<2	0.87	1.5	8	5	18
C350393		6.93	0.218		7.7	0.20	119	<10	50	<0.5	<2	1.45	1.6	7	7	14
C350394		9.19	0.161		8.4	0.25	128	<10	40	<0.5	<2	1.50	2.9	9	4	24
C350395		4.58	1.190		13.2	0.25	175	<10	100	<0.5	<2	2.89	3.7	8	4	24
C350396		8.75	3.63		21.7	0.20	98	<10	80	<0.5	<2	5.69	11.4	7	3	8
C350397		8.41	1.865		18.5	0.16	321	<10	50	<0.5	<2	9.0	11.1	6	3	37
C350398		6.93	>10.0	19.50	72.3	0.20	532	<10	20	<0.5	<2	4.89	51.6	6	3	253
C350399		7.40	1.520		17.8	0.24	74	<10	50	<0.5	<2	0.67	5.4	8	6	10
C350400		0.09	1.130		91.2	1.53	31	10	170	<0.5	<2	3.18	8.8	16	17	950
C350401		7.09	3.90		85.2	0.41	95	<10	70	<0.5	<2	0.98	11.5	6	6	32
C350402		9.21	3.85		24.2	0.29	171	<10	90	<0.5	<2	1.21	4.3	8	6	28
C350403		5.10	1.445		15.2	0.20	166	<10	90	<0.5	<2	3.19	9.0	7	4	64
C350404		7.54	0.117		5.6	0.52	98	<10	110	<0.5	<2	1.34	2.7	9	3	19
C350405		9.17	0.103		5.8	0.56	139	<10	120	<0.5	<2	1.56	2.9	10	4	28
C350406		6.41	0.155		6.7	0.73	103	<10	130	<0.5	<2	3.44	2.8	7	6	15
C350407		5.69	0.067		5.9	0.32	92	<10	60	<0.5	<2	1.57	2.6	9	3	15
C350408		8.45	0.129		8.3	0.26	131	<10	60	<0.5	<2	2.76	3.2	10	4	22
C350409		8.86	0.155		9.3	0.26	141	<10	50	<0.5	<2	0.54	2.9	12	4	26
C350410		0.83	0.006		0.2	0.02	<2	<10	<10	<0.5	<2	22.2	<0.5	<1	<1	1
C350411		3.93	0.159		6.7	0.18	122	<10	70	<0.5	<2	0.85	2.4	10	5	18
C350412		4.39	0.126		6.4	0.19	116	<10	70	<0.5	<2	0.49	2.1	9	6	17
C350413		8.23	0.152		5.1	0.21	86	<10	30	<0.5	<2	0.52	3.1	9	5	18
C350414		4.72	0.322		5.2	0.51	82	<10	100	<0.5	<2	0.79	1.8	9	4	30
C350415		6.16	0.564		8.8	0.57	113	<10	100	<0.5	<2	0.84	1.8	10	5	23
C350416		7.31	0.898		10.0	0.22	101	<10	80	<0.5	<2	0.53	18.6	7	7	44
C350417		8.64	0.346		3.2	0.29	63	<10	90	<0.5	<2	1.07	1.4	8	4	17
C350418		8.82	0.051		2.1	0.54	54	<10	120	0.5	<2	1.14	1.7	9	3	19
C350419		6.42	0.118		2.6	0.46	54	<10	120	<0.5	<2	1.25	1.1	8	4	14
C350420		0.10	8.10		>100	1.53	645	<10	20	<0.5	6	3.80	135.5	19	44	2120
C350421		8.85	0.601		5.0	0.45	93	<10	90	<0.5	<2	1.01	2.5	8	4	16
C350422		8.88	0.914		4.8	0.32	96	<10	60	<0.5	<2	0.85	2.5	7	4	27
C350423		8.51	0.430		5.0	0.32	143	<10	80	<0.5	<2	0.86	6.0	8	6	15
C350424		6.76	0.112		3.2	0.35	151	<10	80	<0.5	<2	0.73	3.0	8	4	11
C350425		6.00	3.02		10.3	0.24	219	<10	70	<0.5	<2	1.31	11.9	7	6	41
C350426		3.76	2.78		23.2	0.18	245	<10	50	<0.5	<2	3.14	3.9	8	5	28
C350427		9.35	0.379		3.9	0.60	127	<10	90	<0.5	<2	3.87	0.9	9	3	28
C350428		8.70	0.152		3.8	0.59	108	<10	100	<0.5	<2	3.53	1.1	11	2	27
C350429		9.37	0.054		2.6	0.62	94	<10	130	<0.5	<2	7.0	0.9	9	2	14
C350430		0.98	<0.005		0.2	0.02	<2	<10	<10	<0.5	<2	22.0	<0.5	1	<1	<1
C350431		8.79	0.087		2.6	0.74	120	<10	140	<0.5	<2	5.06	1.0	10	2	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350392		2.25	<10	<1	0.22	<10	0.17	612	1	0.01	1	880	125	1.80	2	1
C350393		2.68	<10	<1	0.19	<10	0.21	861	1	0.01	1	720	115	2.23	3	1
C350394		2.60	<10	<1	0.24	<10	0.22	939	1	0.01	1	1000	181	2.04	2	2
C350395		3.00	<10	<1	0.23	<10	0.17	1455	1	0.01	1	920	285	2.57	4	2
C350396		3.36	<10	<1	0.19	<10	0.24	3010	<1	0.01	1	820	706	3.36	4	2
C350397		5.12	<10	<1	0.16	<10	0.17	3270	<1	0.01	2	640	1140	5.55	4	1
C350398		7.16	<10	2	0.16	<10	0.14	1905	<1	0.01	1	560	4120	8.62	7	1
C350399		3.11	<10	1	0.20	<10	0.15	494	2	0.01	2	770	364	2.92	7	1
C350400		3.41	10	<1	0.14	<10	1.41	909	13	0.10	12	1030	4610	1.05	64	5
C350401		2.85	<10	<1	0.18	<10	0.23	892	2	0.01	1	770	778	2.35	4	1
C350402		2.74	<10	<1	0.20	<10	0.18	1040	1	0.01	1	900	317	2.27	3	1
C350403		2.68	<10	<1	0.19	<10	0.16	1855	1	0.01	1	860	971	2.52	2	2
C350404		2.92	<10	<1	0.26	10	0.45	1405	<1	0.01	1	1110	144	1.82	2	2
C350405		2.88	<10	<1	0.22	10	0.49	1485	<1	0.01	1	1030	164	1.70	4	2
C350406		2.93	<10	<1	0.20	10	0.44	2000	<1	0.01	2	870	146	1.46	<2	2
C350407		2.90	<10	<1	0.22	<10	0.16	969	1	0.01	2	1010	110	2.76	3	1
C350408		2.94	<10	1	0.21	<10	0.08	1505	1	0.01	2	950	132	3.05	11	1
C350409		3.55	<10	1	0.24	10	0.06	268	1	0.01	2	1060	133	3.88	7	1
C350410		0.14	<10	<1	0.01	<10	12.75	128	<1	0.01	3	30	<2	0.01	<2	<1
C350411		2.52	<10	1	0.18	<10	0.06	342	1	0.01	2	730	91	2.55	9	1
C350412		2.45	<10	1	0.18	<10	0.04	243	1	0.01	1	730	75	2.48	9	1
C350413		2.69	<10	<1	0.19	<10	0.07	373	1	0.01	2	750	189	2.72	4	1
C350414		2.67	<10	<1	0.25	10	0.28	1170	<1	0.01	<1	1010	104	1.69	4	1
C350415		3.00	<10	<1	0.23	10	0.32	1295	<1	0.01	1	960	133	2.24	3	1
C350416		2.54	<10	<1	0.17	<10	0.13	811	1	0.01	1	650	769	2.30	<2	1
C350417		2.73	<10	<1	0.24	10	0.24	1450	1	0.01	1	970	62	2.11	3	1
C350418		2.93	<10	<1	0.30	10	0.40	2150	<1	0.01	1	1200	37	1.44	<2	2
C350419		2.77	<10	<1	0.26	10	0.40	2130	<1	0.01	2	1030	24	1.45	<2	3
C350420		5.01	10	14	0.20	<10	1.44	775	56	0.07	217	640	>10000	4.21	734	3
C350421		2.78	<10	<1	0.23	10	0.25	1190	2	0.01	1	1020	153	2.12	4	2
C350422		2.88	<10	<1	0.20	<10	0.22	1010	1	0.01	1	960	432	2.45	6	2
C350423		3.01	<10	<1	0.21	<10	0.23	946	2	0.01	2	1010	322	2.55	7	2
C350424		2.90	<10	<1	0.18	<10	0.21	967	4	0.01	1	800	97	2.49	11	2
C350425		3.46	<10	<1	0.17	<10	0.12	889	2	0.01	1	710	830	3.51	11	1
C350426		4.02	<10	<1	0.18	<10	0.11	1525	2	0.01	2	660	702	4.25	4	1
C350427		2.91	<10	<1	0.26	<10	0.33	1980	1	0.01	2	1080	46	2.05	3	2
C350428		3.38	<10	<1	0.27	<10	0.41	1945	1	0.01	3	1100	32	2.51	7	3
C350429		2.76	<10	<1	0.26	<10	0.54	2800	<1	0.01	3	1070	28	1.56	3	3
C350430		0.13	<10	<1	0.01	<10	12.70	126	<1	0.01	3	30	<2	<0.01	3	<1
C350431		2.94	<10	<1	0.29	10	0.43	2130	<1	0.01	2	1350	39	1.88	<2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350392		69	<20	<0.01	<10	<10	9	<10	307			
C350393		90	<20	<0.01	<10	<10	8	<10	229			
C350394		100	<20	<0.01	<10	<10	8	<10	427			
C350395		138	<20	<0.01	<10	<10	8	<10	490			
C350396		281	<20	<0.01	<10	<10	4	<10	1845			
C350397		364	<20	<0.01	<10	<10	3	<10	1705			
C350398		251	<20	<0.01	<10	<10	4	10	8440			
C350399		58	<20	<0.01	<10	<10	5	<10	798			
C350400		152	<20	0.06	<10	<10	89	<10	1115			
C350401		78	<20	<0.01	<10	<10	10	<10	1670			
C350402		86	<20	<0.01	<10	<10	8	<10	533			
C350403		170	<20	<0.01	<10	<10	5	<10	1255			
C350404		127	<20	<0.01	<10	<10	13	<10	334			
C350405		129	<20	<0.01	<10	<10	14	<10	399			
C350406		402	<20	<0.01	<10	<10	19	<10	410			
C350407		118	<20	<0.01	<10	<10	9	<10	370			
C350408		176	<20	<0.01	<10	<10	8	<10	482			
C350409		51	<20	<0.01	10	<10	7	<10	410			
C350410		57	<20	<0.01	<10	<10	<1	<10	5			
C350411		89	<20	<0.01	10	<10	5	<10	334			
C350412		44	<20	<0.01	<10	<10	6	<10	296			
C350413		51	<20	<0.01	<10	<10	5	<10	355			
C350414		62	<20	<0.01	<10	<10	13	<10	312			
C350415		66	<20	<0.01	<10	<10	13	<10	270			
C350416		51	<20	<0.01	<10	<10	6	<10	2030			
C350417		86	<20	<0.01	<10	<10	7	<10	203			
C350418		99	<20	<0.01	<10	<10	9	<10	222			
C350419		133	<20	<0.01	<10	<10	9	<10	197			
C350420		44	<20	0.05	10	<10	59	20	>10000	331	2.37	2.43
C350421		90	<20	<0.01	<10	<10	7	<10	387			
C350422		74	<20	<0.01	<10	<10	7	<10	327			
C350423		75	<20	<0.01	<10	<10	7	<10	783			
C350424		62	<20	<0.01	<10	<10	8	<10	363			
C350425		95	<20	<0.01	<10	<10	6	<10	1885			
C350426		194	<20	<0.01	<10	<10	4	<10	566			
C350427		251	<20	<0.01	<10	<10	9	<10	162			
C350428		214	<20	<0.01	<10	<10	8	<10	192			
C350429		412	<20	<0.01	<10	<10	9	<10	163			
C350430		53	<20	<0.01	<10	<10	<1	<10	4			
C350431		335	<20	<0.01	<10	<10	10	<10	210			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C350432		9.08	0.309		2.3	0.66	52	<10	170	<0.5	<2	4.08	0.6	10	2	26
C350433		8.32	0.103		1.6	0.60	49	<10	140	<0.5	<2	4.00	0.5	9	2	18
C350434		5.70	0.143		2.5	0.29	105	<10	110	<0.5	<2	4.82	0.8	8	2	15
C350435		4.27	0.017		1.8	2.01	10	<10	80	<0.5	<2	4.11	<0.5	17	51	41
C350436		4.18	0.226		4.4	0.31	154	<10	90	<0.5	<2	11.0	4.5	7	1	28
C350437		6.26	0.113		2.4	0.17	61	<10	120	<0.5	<2	19.1	1.8	3	1	20
C350438		8.75	1.065		3.3	0.08	188	<10	80	<0.5	<2	>25.0	1.3	<1	1	25
C350439		6.68	0.188		2.0	0.06	83	<10	70	<0.5	<2	>25.0	0.7	<1	<1	11
C350440		0.13	0.697		10.3	1.31	831	20	110	<0.5	21	3.39	6.4	47	25	6950
C350441		9.24	3.18		23.9	0.19	565	<10	70	<0.5	<2	8.3	8.6	7	2	120
C350442		8.89	0.325		4.3	0.20	138	<10	80	<0.5	<2	6.49	1.6	6	4	13
C350443		4.90	0.091		2.7	0.15	58	<10	30	<0.5	<2	12.3	0.6	4	2	5
C350444		7.03	0.271		5.2	0.20	149	<10	20	<0.5	<2	4.35	1.2	6	4	29
C350445		6.20	0.823		7.2	0.16	302	<10	70	<0.5	<2	2.40	2.6	6	4	48
C350446		4.32	0.156		3.2	0.23	75	<10	120	<0.5	<2	1.87	2.9	7	4	38
C350447		4.80	0.117		2.8	0.26	116	<10	100	<0.5	<2	4.54	1.2	10	3	12
C350448		4.33	0.216		3.2	0.19	115	<10	100	<0.5	<2	3.40	2.7	6	6	24
C350449		6.40	0.123		2.4	0.18	63	<10	50	<0.5	<2	3.38	1.8	7	5	19
C350450		0.75	<0.005		<0.2	0.02	<2	<10	<10	<0.5	2	21.6	<0.5	1	<1	1
C350451		9.20	0.254		3.0	0.35	104	<10	90	0.7	<2	3.40	2.3	9	2	25
C350452		6.63	0.144		3.0	0.32	86	<10	90	0.6	<2	1.87	1.1	8	3	32
C350453		6.07	4.20		13.3	0.44	167	<10	90	<0.5	<2	1.48	4.1	5	6	270
C350454		8.44	0.189		5.3	0.30	94	<10	100	<0.5	<2	4.27	1.2	6	4	10
C350455		9.67	0.095		3.6	0.40	70	<10	100	<0.5	<2	2.65	0.8	8	3	12
C350456		8.10	0.090		4.9	0.24	83	<10	70	<0.5	<2	1.62	1.2	7	4	12
C350457		4.19	0.453		9.3	0.21	190	<10	60	<0.5	<2	1.80	2.1	7	4	19
C350458		4.15	0.585		12.0	0.24	201	<10	30	<0.5	<2	1.23	2.3	9	5	22
C350459		8.26	0.372		9.3	0.26	116	<10	130	<0.5	<2	5.84	2.2	8	3	31
C350560		0.13	0.655		9.6	1.27	801	20	100	<0.5	19	3.16	6.1	45	23	6780
C350461		7.73	2.05		14.6	0.20	157	<10	90	<0.5	<2	6.46	7.7	5	4	34
C350462		8.95	0.472		8.0	0.28	161	<10	30	<0.5	<2	5.60	6.4	8	2	53
C350463		6.95	1.555		18.9	0.21	292	<10	20	<0.5	<2	3.45	13.8	7	5	76
C350464		5.48	>10.0	27.0	>100	0.18	528	<10	30	<0.5	<2	0.64	62.8	8	4	319
C350465		4.93	>10.0	92.6	>100	0.20	142	<10	40	<0.5	<2	0.78	170.5	7	4	1530
C350466		8.77	3.93		30.5	0.23	200	<10	30	<0.5	<2	1.10	18.1	8	4	113
C350467		7.36	1.000		17.7	0.25	171	<10	80	<0.5	<2	1.09	5.3	8	6	33
C350468		8.55	0.125		11.4	0.32	102	<10	120	<0.5	<2	1.21	2.3	8	3	26
C350469		8.67	0.189		13.0	0.24	167	<10	70	<0.5	<2	5.08	3.0	8	3	25
C350470		0.80	0.008		0.2	0.02	<2	<10	<10	<0.5	<2	21.2	<0.5	<1	1	4
C350471		9.68	0.121		7.3	0.26	140	<10	90	<0.5	<2	3.80	2.4	8	3	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350432		3.06	<10	<1	0.28	10	0.59	3140	<1	0.01	2	1080	14	1.50	2	3
C350433		2.80	<10	<1	0.27	10	0.50	3060	<1	0.01	2	1010	21	1.40	<2	3
C350434		2.64	<10	<1	0.23	<10	0.35	2440	<1	0.01	2	910	56	1.98	2	2
C350435		4.13	10	<1	0.16	10	1.91	1105	1	0.03	25	1510	13	0.37	<2	6
C350436		2.68	<10	<1	0.20	<10	0.32	3860	<1	0.01	2	810	172	2.01	<2	2
C350437		1.71	<10	<1	0.15	<10	0.19	6200	<1	0.01	2	500	67	1.37	2	2
C350438		1.27	<10	<1	0.09	<10	0.09	9120	<1	0.01	3	200	148	1.23	<2	1
C350439		0.90	<10	<1	0.07	<10	0.09	8850	<1	0.01	4	240	61	0.78	3	1
C350440		3.74	<10	<1	0.16	10	0.46	666	311	0.14	23	690	76	1.29	18	2
C350441		3.84	<10	<1	0.18	<10	0.08	2530	1	0.01	2	860	1025	4.22	5	1
C350442		2.76	<10	<1	0.19	<10	0.10	2070	2	0.01	2	780	145	2.72	3	1
C350443		1.99	<10	<1	0.13	<10	0.15	3830	1	0.01	2	630	63	1.87	6	1
C350444		2.85	<10	<1	0.16	<10	0.33	1825	3	0.01	3	630	101	2.47	5	1
C350445		2.86	<10	<1	0.15	10	0.14	809	1	0.01	1	610	216	2.82	2	1
C350446		2.28	<10	<1	0.20	<10	0.34	820	<1	0.01	1	810	199	1.56	2	2
C350447		3.56	<10	<1	0.22	<10	0.92	2070	2	0.01	5	1110	42	2.08	2	2
C350448		2.47	<10	<1	0.18	<10	0.29	1330	1	0.01	2	740	137	1.83	2	1
C350449		2.46	<10	<1	0.16	<10	0.66	1630	1	0.01	3	580	99	1.16	<2	1
C350450		0.13	<10	<1	0.01	<10	12.35	127	<1	0.01	2	10	<2	<0.01	<2	<1
C350451		2.93	<10	<1	0.30	10	0.59	2030	<1	0.01	2	1150	102	1.69	<2	3
C350452		2.56	<10	<1	0.28	<10	0.45	1385	<1	0.01	2	1020	71	1.60	<2	2
C350453		2.56	<10	<1	0.28	<10	0.16	490	1	0.01	1	620	340	2.39	3	1
C350454		2.84	<10	<1	0.20	<10	0.35	2020	1	0.01	2	860	100	1.71	3	2
C350455		2.91	<10	<1	0.22	<10	0.35	1810	<1	0.01	1	910	75	1.99	<2	2
C350456		2.73	<10	<1	0.21	<10	0.32	1115	<1	0.01	1	870	82	1.80	2	2
C350457		3.12	<10	<1	0.21	<10	0.14	921	1	0.01	2	770	287	3.01	3	2
C350458		3.43	<10	<1	0.23	<10	0.14	697	1	0.01	3	830	289	3.29	2	2
C350459		2.94	<10	<1	0.23	<10	0.32	3250	1	0.01	2	920	375	2.05	2	3
C350560		3.65	10	<1	0.16	10	0.44	628	294	0.13	23	670	70	1.24	17	2
C350461		2.91	<10	<1	0.19	<10	0.20	3000	4	0.01	2	600	602	2.61	5	2
C350462		3.89	<10	<1	0.23	<10	0.20	2970	<1	0.01	1	900	539	3.46	2	2
C350463		4.69	<10	<1	0.20	<10	0.17	1645	1	0.01	2	710	1095	4.81	2	2
C350464		7.00	<10	1	0.18	<10	0.10	396	2	0.01	1	580	4480	8.46	12	1
C350465		5.94	<10	3	0.20	<10	0.14	448	3	0.01	2	690	>10000	7.93	7	1
C350466		2.94	<10	<1	0.22	<10	0.22	879	1	0.01	1	870	1365	2.72	4	1
C350467		2.93	<10	<1	0.22	<10	0.22	785	1	0.01	1	960	416	2.64	2	1
C350468		2.63	<10	<1	0.27	10	0.32	1005	<1	0.01	2	1060	112	1.74	3	2
C350469		2.99	<10	5	0.22	<10	0.19	2070	2	0.01	2	850	126	2.86	43	1
C350470		0.13	<10	<1	0.01	<10	12.10	124	<1	0.01	2	20	<2	0.01	<2	<1
C350471		2.94	<10	<1	0.23	<10	0.09	1845	1	0.01	2	960	112	3.13	9	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350432		269	<20	<0.01	<10	<10	9	<10	172			
C350433		244	<20	<0.01	<10	<10	9	<10	139			
C350434		307	<20	<0.01	<10	<10	4	<10	112			
C350435		284	<20	0.01	<10	<10	78	<10	99			
C350436		663	<20	<0.01	<10	<10	6	<10	737			
C350437		973	<20	<0.01	<10	<10	3	<10	245			
C350438		1365	<20	<0.01	<10	<10	2	<10	159			
C350439		1700	<20	<0.01	<10	<10	2	<10	73			
C350440		146	<20	0.08	<10	<10	46	10	1045			
C350441		320	<20	<0.01	<10	<10	4	<10	1165			
C350442		344	<20	<0.01	<10	<10	3	<10	205			
C350443		475	<20	<0.01	<10	<10	2	<10	52			
C350444		256	<20	<0.01	<10	<10	4	<10	137			
C350445		121	<20	<0.01	<10	<10	3	<10	348			
C350446		140	<20	<0.01	<10	<10	5	<10	369			
C350447		421	<20	<0.01	<10	<10	7	<10	137			
C350448		242	<20	<0.01	<10	<10	4	<10	313			
C350449		289	<20	<0.01	<10	<10	6	<10	234			
C350450		51	<20	<0.01	<10	<10	<1	<10	4			
C350451		259	<20	<0.01	<10	<10	8	<10	259			
C350452		163	<20	<0.01	<10	<10	7	<10	246			
C350453		94	<20	<0.01	<10	<10	10	<10	446			
C350454		284	<20	<0.01	<10	<10	10	<10	203			
C350455		203	<20	<0.01	<10	<10	11	<10	145			
C350456		132	<20	<0.01	<10	<10	9	<10	234			
C350457		107	<20	<0.01	<10	<10	8	<10	323			
C350458		81	<20	<0.01	<10	<10	9	<10	358			
C350459		367	<20	<0.01	<10	<10	6	<10	323			
C350560		142	<20	0.08	<10	<10	44	10	991			
C350461		337	<20	<0.01	<10	<10	7	<10	1200			
C350462		285	<20	<0.01	<10	<10	6	<10	805			
C350463		192	<20	<0.01	<10	<10	5	<10	1905			
C350464		49	<20	<0.01	<10	<10	5	10	8190	144		
C350465		64	<20	<0.01	<10	<10	7	<10	>10000	196	1.780	2.22
C350466		95	<20	<0.01	<10	<10	6	<10	2460			
C350467		93	<20	<0.01	<10	<10	8	<10	718			
C350468		109	<20	<0.01	<10	<10	11	<10	339			
C350469		214	<20	<0.01	20	<10	8	<10	461			
C350470		53	<20	<0.01	<10	<10	<1	<10	4			
C350471		220	<20	<0.01	<10	<10	6	<10	350			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
C350472		8.76	0.110		7.8	0.25	131	<10	60	<0.5	<2	0.84	2.9	10	3	26
C350473		8.54	0.548		10.9	0.23	130	<10	40	<0.5	<2	0.60	2.2	8	5	19
C350474		9.43	0.251		7.3	0.20	115	<10	60	<0.5	<2	0.33	2.9	9	6	19
C350475		9.97	0.177		5.4	0.29	86	<10	40	<0.5	<2	0.49	2.4	10	5	21
C350476		4.46	0.442		5.5	0.25	71	<10	70	<0.5	<2	0.42	2.2	10	4	26
C350477		4.10	0.204		5.8	0.27	67	<10	70	<0.5	<2	0.44	2.2	10	6	28
C350478		8.16	0.805		5.9	0.32	116	<10	60	<0.5	<2	0.66	2.5	8	4	27
C350479		8.32	0.290		2.3	0.51	69	<10	110	<0.5	<2	1.24	1.3	8	4	19
C350480		0.10	8.17		>100	1.57	633	<10	20	<0.5	3	3.69	130.0	18	44	2130
C350481		7.85	1.055		3.4	0.42	67	<10	90	<0.5	<2	0.83	2.1	9	3	42
C350482		7.72	0.088		2.0	0.44	25	<10	130	<0.5	<2	1.49	1.8	7	4	17
C350483		7.68	0.159		4.7	0.31	135	<10	90	<0.5	<2	0.52	2.6	6	5	18
C350484		7.65	0.159		4.0	0.86	138	<10	90	<0.5	<2	0.62	3.1	10	4	22
C350485		7.89	0.210		5.7	0.75	212	<10	80	<0.5	<2	0.62	5.1	8	5	31
C350486		6.93	4.68		18.9	0.28	381	<10	30	<0.5	<2	0.56	5.9	9	5	30
C350487		6.43	0.276		8.6	0.23	248	<10	70	<0.5	<2	0.55	3.3	7	6	16
C350488		6.26	0.245		5.7	0.39	195	<10	90	<0.5	<2	0.89	2.4	6	4	17
C350489		5.37	8.46		25.0	0.19	110	<10	90	<0.5	<2	3.30	11.3	5	8	19
C350490		0.96	0.007		0.2	0.01	<2	<10	<10	<0.5	<2	20.8	<0.5	1	<1	<1
C350491		9.42	2.23		36.6	0.24	80	<10	130	<0.5	<2	1.76	2.5	5	6	21
C350492		9.57	0.233		5.4	0.40	116	<10	110	<0.5	<2	1.71	2.6	9	5	16
C350493		8.34	0.115		2.9	0.61	112	<10	130	<0.5	<2	4.94	2.2	10	3	16
C350494		9.04	0.286		2.0	0.42	60	<10	140	<0.5	<2	6.8	1.8	7	2	12
C350495		8.92	8.60		83.4	0.30	69	<10	60	0.5	<2	9.1	12.4	7	2	59
C350496		5.09	5.48		39.2	0.30	53	<10	80	<0.5	<2	8.2	7.1	10	4	62
C350497		7.63	0.352		2.2	0.37	21	<10	300	0.5	<2	7.11	1.2	12	6	30
C350498		9.60	0.519		3.2	0.17	151	<10	40	<0.5	<2	15.6	1.0	5	1	12
C350499		8.32	0.428		3.5	0.26	226	<10	110	<0.5	<2	11.7	0.8	7	2	23
C350500		0.12	0.700		8.9	1.16	758	20	100	<0.5	17	2.97	5.9	43	22	6350
C350501		4.14	0.616		2.8	0.23	198	<10	100	<0.5	<2	10.0	1.2	7	1	25
C350502		4.51	0.429		2.8	0.23	179	<10	110	<0.5	<2	9.9	0.9	8	2	24
C350503		8.68	0.116		1.6	0.30	79	<10	170	<0.5	<2	5.38	1.2	8	2	19
C350504		8.70	0.182		3.7	0.31	95	<10	50	0.5	<2	5.21	3.8	9	2	40
C350505		8.40	0.165		2.1	0.24	76	<10	40	<0.5	<2	8.8	2.0	7	1	33
C350506		8.93	0.991		6.3	0.23	213	<10	40	<0.5	<2	10.0	2.1	7	2	45
C350507		8.02	0.109		1.8	0.43	111	<10	70	<0.5	<2	9.4	1.3	7	2	21
C350508		8.81	0.213		3.2	0.25	95	<10	100	<0.5	<2	5.54	1.4	7	4	15
C350509		8.73	0.096		3.3	0.30	81	<10	100	0.5	<2	6.33	3.1	8	2	28
C350510		0.72	<0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	21.3	<0.5	1	<1	<1
C350511		8.56	0.448		8.0	0.19	267	<10	30	<0.5	<2	6.06	6.5	7	3	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350472		3.01	<10	1	0.23	<10	0.03	395	1	0.01	2	980	101	3.29	8	1
C350473		2.96	<10	<1	0.21	<10	0.03	285	1	0.01	2	820	117	3.14	6	1
C350474		2.80	<10	1	0.19	<10	0.04	175	1	0.01	2	680	127	2.91	11	1
C350475		2.73	<10	1	0.26	10	0.07	285	1	0.01	3	920	75	2.79	6	1
C350476		2.82	<10	<1	0.22	10	0.06	248	1	0.01	2	870	112	2.89	4	1
C350477		2.85	<10	<1	0.24	10	0.07	276	1	0.01	1	860	95	2.84	5	1
C350478		2.76	<10	<1	0.25	10	0.15	852	<1	0.01	1	910	198	2.37	3	2
C350479		2.94	<10	<1	0.30	10	0.34	1915	<1	0.01	2	1040	57	1.99	3	2
C350480		5.07	10	14	0.21	<10	1.43	756	55	0.07	217	630	>10000	4.18	724	3
C350481		2.88	<10	<1	0.27	10	0.28	1585	2	0.01	2	1090	94	2.00	4	2
C350482		2.74	<10	<1	0.28	10	0.42	1725	<1	0.01	2	1030	72	1.61	2	2
C350483		2.60	<10	1	0.20	10	0.17	539	1	0.01	1	880	172	2.14	9	2
C350484		3.48	<10	<1	0.27	10	0.40	772	3	0.01	2	1030	165	2.10	9	2
C350485		3.29	<10	1	0.21	10	0.36	738	5	0.01	2	830	248	2.14	13	2
C350486		3.81	<10	2	0.17	10	0.14	446	35	0.01	2	650	643	3.72	25	1
C350487		2.63	<10	1	0.16	<10	0.10	370	189	0.01	2	610	180	2.44	15	1
C350488		2.51	<10	1	0.20	<10	0.15	539	9	0.01	1	750	136	2.13	18	1
C350489		2.46	<10	<1	0.14	<10	0.11	1605	2	0.01	2	400	1125	2.25	4	1
C350490		0.11	<10	<1	0.01	<10	12.00	117	<1	0.01	3	20	<2	0.01	<2	<1
C350491		1.90	<10	<1	0.21	10	0.15	905	1	0.01	2	700	175	1.58	5	1
C350492		2.43	<10	<1	0.26	10	0.24	1340	1	0.01	2	950	137	1.81	3	2
C350493		2.80	<10	<1	0.27	<10	0.32	2250	1	0.01	2	990	121	1.90	6	2
C350494		2.66	<10	<1	0.24	<10	0.41	3330	<1	0.01	1	810	151	1.78	2	2
C350495		2.93	<10	<1	0.23	<10	0.32	4780	1	0.01	3	750	923	2.56	4	2
C350496		3.54	<10	<1	0.23	10	1.27	4140	1	0.02	13	1160	580	1.29	2	4
C350497		3.10	<10	<1	0.28	10	1.17	3580	1	0.02	15	1320	69	0.55	<2	4
C350498		2.30	<10	<1	0.17	<10	0.19	5020	1	0.01	3	620	115	2.09	2	2
C350499		3.03	<10	<1	0.24	<10	0.29	3560	1	0.01	3	790	91	2.75	9	2
C350500		3.41	<10	<1	0.15	10	0.41	588	277	0.12	23	630	71	1.18	15	2
C350501		2.96	<10	<1	0.22	<10	0.49	3780	1	0.01	2	800	88	2.33	5	3
C350502		2.99	<10	<1	0.22	<10	0.55	3790	<1	0.01	2	790	132	2.24	3	3
C350503		2.87	<10	<1	0.26	<10	0.62	3360	<1	0.01	2	990	62	1.42	<2	3
C350504		2.97	<10	<1	0.27	<10	0.69	3070	<1	0.01	2	1000	147	1.58	2	3
C350505		2.61	<10	<1	0.23	<10	0.52	3490	<1	0.01	2	900	110	1.73	2	3
C350506		3.69	<10	<1	0.21	<10	0.69	4640	<1	0.01	3	770	167	2.70	4	3
C350507		3.17	<10	<1	0.22	<10	0.77	4060	<1	0.01	2	830	41	1.69	4	3
C350508		2.34	<10	<1	0.20	<10	0.19	1725	3	0.01	2	690	72	2.08	7	1
C350509		2.40	<10	<1	0.26	<10	0.27	2340	1	0.01	2	1160	143	1.81	3	2
C350510		0.13	<10	<1	0.01	<10	12.15	123	<1	0.01	3	20	2	0.01	<2	<1
C350511		3.13	<10	<1	0.17	<10	0.23	2480	1	0.01	1	750	360	3.04	3	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350472		60	<20	<0.01	10	<10	7	<10	336			
C350473		35	<20	<0.01	<10	<10	8	<10	485			
C350474		31	<20	<0.01	10	<10	6	<10	414			
C350475		46	<20	<0.01	<10	<10	7	<10	303			
C350476		40	<20	<0.01	<10	<10	7	<10	297			
C350477		42	<20	<0.01	<10	<10	7	<10	294			
C350478		58	<20	<0.01	<10	<10	9	<10	331			
C350479		108	<20	<0.01	<10	<10	11	<10	202			
C350480		46	<20	0.05	10	<10	60	20	>10000	329	2.34	2.38
C350481		81	<20	<0.01	<10	<10	9	<10	269			
C350482		140	<20	<0.01	<10	<10	9	<10	249			
C350483		60	<20	<0.01	<10	<10	7	<10	294			
C350484		67	<20	<0.01	<10	<10	19	<10	337			
C350485		63	<20	<0.01	<10	<10	16	<10	589			
C350486		56	<20	<0.01	<10	<10	7	<10	794			
C350487		55	<20	<0.01	<10	<10	5	<10	419			
C350488		78	<20	<0.01	<10	<10	10	<10	265			
C350489		208	<20	<0.01	<10	<10	5	<10	1595			
C350490		53	<20	<0.01	<10	<10	<1	<10	5			
C350491		115	<20	<0.01	<10	<10	6	<10	344			
C350492		114	<20	<0.01	<10	<10	8	<10	270			
C350493		239	<20	<0.01	<10	<10	10	<10	262			
C350494		496	<20	<0.01	<10	<10	7	<10	236			
C350495		534	<20	<0.01	<10	<10	5	<10	1855			
C350496		655	<20	<0.01	<10	<10	8	<10	1120			
C350497		629	<20	<0.01	<10	<10	9	<10	198			
C350498		897	<20	<0.01	<10	<10	3	<10	129			
C350499		368	<20	<0.01	<10	<10	5	<10	164			
C350500		131	<20	0.07	<10	<10	42	10	951			
C350501		478	<20	<0.01	<10	<10	5	<10	209			
C350502		447	<20	<0.01	<10	<10	5	<10	161			
C350503		311	<20	<0.01	<10	<10	7	<10	254			
C350504		346	<20	<0.01	<10	<10	7	<10	534			
C350505		459	<20	<0.01	<10	<10	5	<10	259			
C350506		491	<20	<0.01	<10	<10	4	<10	338			
C350507		534	<20	<0.01	<10	<10	9	<10	237			
C350508		219	<20	<0.01	<10	<10	6	<10	245			
C350509		334	<20	<0.01	<10	<10	6	<10	358			
C350510		55	<20	<0.01	<10	<10	1	<10	5			
C350511		384	<20	<0.01	<10	<10	4	<10	743			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C350512		10.18	0.346		3.9	0.21	215	<10	60	<0.5	<2	5.54	1.6	7	3	18
C350513		10.08	0.116		3.7	0.24	74	<10	90	<0.5	<2	3.63	1.5	5	5	9
C350514		8.31	0.744		7.0	0.29	84	<10	120	<0.5	<2	3.69	1.8	7	5	11
C350515		6.29	0.429		7.1	0.24	100	<10	30	<0.5	<2	3.46	2.0	9	3	13
C350516		8.33	0.477		6.7	0.44	103	<10	110	<0.5	<2	3.78	1.9	8	5	21
C350517		8.96	0.311		15.4	0.24	212	<10	50	<0.5	<2	4.49	3.7	6	3	31
C350518		7.97	0.393		15.1	0.29	91	<10	110	<0.5	<2	3.93	5.2	5	4	29
C350519		8.86	4.18		19.6	0.29	150	<10	50	<0.5	<2	5.44	7.5	8	3	24
C350520		0.09	1.125		89.1	1.58	31	10	160	<0.5	<2	3.18	8.7	18	17	970
C350521		9.25	5.26		26.7	0.21	188	<10	20	<0.5	<2	1.78	5.7	7	6	23
C350522		8.67	3.01		31.2	0.20	187	<10	20	<0.5	<2	1.00	2.7	7	5	27
C350523		2.51	>10.0	83.1	>100	0.15	206	<10	60	<0.5	2	0.83	114.0	9	6	468
C350524		2.64	>10.0	54.2	>100	0.17	227	<10	30	<0.5	<2	0.90	91.7	8	5	385
C350525		8.88	1.490		14.3	0.33	117	<10	100	<0.5	<2	0.50	1.7	6	6	16
C350526		9.59	1.395		14.0	0.29	146	<10	80	<0.5	<2	0.75	1.6	7	6	13
C350527		6.09	1.500		12.2	0.21	112	<10	60	<0.5	<2	1.95	2.1	6	5	23
C350528		8.71	0.575		10.7	0.15	131	<10	100	<0.5	<2	12.6	2.2	5	2	16
C350529		8.76	0.174		10.8	0.23	103	<10	80	<0.5	<2	0.87	1.8	7	5	18
C350530		1.06	0.009		0.3	0.01	3	<10	<10	<0.5	<2	21.0	<0.5	<1	<1	1
C350531		7.87	0.265		15.5	0.20	105	<10	80	<0.5	<2	0.51	3.5	8	5	21
C350532		8.55	0.139		11.6	0.24	110	<10	90	<0.5	<2	1.34	1.9	8	4	20
C350533		8.69	0.132		6.3	0.26	96	<10	100	<0.5	<2	1.05	2.2	7	4	24
C350534		9.00	0.235		4.2	0.30	74	<10	70	<0.5	<2	1.44	2.4	9	3	22
C350535		9.69	0.081		3.4	0.57	85	<10	90	<0.5	<2	1.00	3.3	9	4	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C350512		2.61	<10	<1	0.19	<10	0.25	2140	1	0.01	2	860	83	2.30	5	1
C350513		2.17	<10	<1	0.18	<10	0.27	1805	1	0.01	1	630	91	1.32	<2	2
C350514		2.92	<10	<1	0.22	<10	0.40	2350	<1	0.01	1	860	108	2.02	<2	2
C350515		3.06	<10	<1	0.20	<10	0.30	1960	<1	0.01	2	930	212	2.51	2	2
C350516		2.89	<10	<1	0.22	<10	0.25	1720	1	0.01	2	910	173	2.29	2	2
C350517		2.98	<10	<1	0.20	<10	0.17	1955	<1	0.01	1	760	398	2.81	5	2
C350518		2.26	<10	<1	0.22	<10	0.24	2030	1	0.01	2	740	206	1.64	4	2
C350519		3.92	<10	<1	0.21	<10	0.38	2630	1	0.01	2	800	549	3.53	4	2
C350520		3.48	10	<1	0.14	<10	1.42	902	13	0.11	11	1020	4590	1.05	64	5
C350521		4.62	<10	<1	0.19	<10	0.16	837	1	0.01	1	670	644	4.67	2	1
C350522		3.69	<10	<1	0.18	<10	0.21	634	1	0.01	2	740	331	3.41	3	1
C350523		3.44	<10	2	0.14	<10	0.21	722	1	0.01	2	450	3880	3.86	6	1
C350524		3.54	<10	1	0.15	<10	0.24	698	1	0.01	2	510	3330	3.72	5	1
C350525		2.27	<10	<1	0.21	<10	0.17	571	1	0.01	1	730	116	1.64	3	1
C350526		2.56	<10	<1	0.18	<10	0.19	814	<1	0.01	2	660	131	2.03	2	1
C350527		2.44	<10	<1	0.20	<10	0.20	1250	1	0.01	2	760	158	1.93	3	2
C350528		2.34	<10	3	0.14	<10	0.05	4720	2	0.01	2	580	137	2.49	29	1
C350529		2.46	<10	<1	0.20	<10	0.03	401	1	0.01	2	780	100	2.49	3	1
C350530		0.12	<10	<1	0.01	<10	12.00	119	<1	0.01	3	20	<2	0.01	<2	<1
C350531		2.37	<10	1	0.18	<10	0.11	315	1	0.01	2	690	152	2.16	4	1
C350532		2.42	<10	<1	0.22	<10	0.30	943	<1	0.01	1	830	130	1.82	2	1
C350533		2.31	<10	<1	0.23	<10	0.23	868	1	0.01	2	830	100	1.80	3	1
C350534		2.75	<10	<1	0.26	<10	0.18	1100	<1	0.01	2	980	80	2.53	4	2
C350535		2.90	<10	<1	0.25	10	0.29	1300	1	0.01	1	910	99	2.14	3	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
C350512		265	<20	<0.01	<10	<10	4	<10	162			
C350513		189	<20	<0.01	<10	<10	9	<10	257			
C350514		197	<20	<0.01	<10	<10	10	<10	299			
C350515		178	<20	<0.01	<10	<10	8	<10	272			
C350516		141	<20	<0.01	<10	<10	13	<10	263			
C350517		227	<20	<0.01	<10	<10	7	<10	559			
C350518		205	<20	<0.01	<10	<10	7	<10	751			
C350519		312	<20	<0.01	<10	<10	6	<10	1190			
C350520		157	<20	0.06	<10	<10	90	<10	1105			
C350521		82	<20	<0.01	<10	<10	8	<10	834			
C350522		92	<20	<0.01	<10	<10	8	<10	400			
C350523		74	<20	<0.01	<10	<10	7	<10	>10000	197		1.620
C350524		79	<20	<0.01	<10	<10	7	<10	>10000	172		1.265
C350525		42	<20	<0.01	<10	<10	11	<10	251			
C350526		62	<20	<0.01	<10	<10	9	<10	244			
C350527		154	<20	<0.01	<10	<10	7	<10	348			
C350528		359	<20	<0.01	10	<10	5	<10	335			
C350529		49	<20	<0.01	<10	<10	9	<10	315			
C350530		52	<20	<0.01	<10	<10	<1	<10	4			
C350531		43	<20	<0.01	<10	<10	7	<10	501			
C350532		119	<20	<0.01	<10	<10	8	<10	301			
C350533		100	<20	<0.01	<10	<10	7	<10	270			
C350534		98	<20	<0.01	<10	<10	7	<10	282			
C350535		80	<20	<0.01	<10	<10	12	<10	429			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 20-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246504

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-21	CRU-31	CRU-QC	LOG-21
	LOG-23	PUL-31	PUL-QC	SPL-21
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

CERTIFICATE YW20246511

Project: Premier Gold Project

This report is for 188 Drill Core samples submitted to our lab in Terrace, BC, Canada on 7-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-21	Crush entire sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0028313		5.02	0.189		5.8	0.17	73	<10	100	<0.5	<2	1.33	1.8	5	9	10
B0028314		8.53	0.204		4.3	0.26	60	<10	70	<0.5	<2	5.73	2.4	7	5	14
B0028315		3.60	0.307		6.6	0.19	97	<10	50	<0.5	<2	2.67	2.4	8	5	19
B0028316		3.46	0.443		6.8	0.19	97	<10	40	<0.5	<2	2.46	2.5	7	6	14
B0028317		7.99	2.07		76.3	0.17	112	<10	30	<0.5	<2	2.65	9.7	5	8	39
B0028318		7.60	0.070		4.7	0.27	28	<10	90	<0.5	<2	2.47	2.0	7	4	16
B0028319		8.77	0.543		8.1	0.31	65	<10	40	<0.5	<2	2.27	21.8	9	4	19
B0028320		0.10	7.83		>100	1.52	615	10	30	<0.5	6	3.56	124.5	17	43	2050
B0028321		8.52	0.094		4.0	0.32	57	<10	100	<0.5	<2	1.99	1.9	8	4	15
B0028322		9.94	0.225		2.5	0.27	37	<10	60	<0.5	<2	3.09	1.3	7	3	5
B0028323		7.75	4.18		67.7	0.16	52	<10	170	<0.5	<2	6.69	4.5	3	5	23
B0028324		8.86	0.972		5.1	0.40	75	<10	100	<0.5	<2	0.84	2.7	8	6	17
B0028325		8.77	0.793		5.2	0.58	78	<10	130	<0.5	<2	1.18	4.9	9	4	44
B0028326		8.66	0.178		4.1	0.44	202	<10	100	<0.5	<2	0.76	2.4	9	4	17
B0028327		8.83	0.089		4.2	0.44	87	<10	100	<0.5	<2	0.94	2.3	8	7	26
B0028328		10.32	0.095		3.0	0.46	89	<10	70	<0.5	<2	0.65	2.6	8	6	19
B0028329		8.11	0.061		3.3	0.41	105	<10	90	<0.5	<2	0.83	2.6	7	6	14
B0028330		1.45	<0.005		0.2	0.02	2	<10	10	<0.5	<2	20.5	<0.5	1	1	<1
B0028331		6.61	0.257		7.2	0.27	142	<10	60	<0.5	<2	1.36	7.4	7	5	20
B0028332		8.61	0.126		2.2	0.53	55	<10	120	<0.5	<2	1.58	2.7	7	4	24
B0028333		9.12	0.102		2.1	0.48	98	<10	100	<0.5	<2	0.69	1.9	8	4	14
B0028334		8.00	0.082		2.3	0.34	58	<10	100	<0.5	<2	0.51	2.4	7	5	32
B0028335		9.12	0.178		4.4	0.42	60	<10	120	<0.5	<2	0.92	2.8	7	5	49
B0028336		3.99	0.240		4.0	0.31	66	<10	100	<0.5	<2	0.60	4.7	6	5	21
B0028337		3.99	0.404		4.1	0.34	57	<10	100	<0.5	<2	0.65	4.1	7	6	22
B0028338		8.42	0.069		3.0	0.53	96	<10	140	<0.5	<2	1.04	2.8	9	4	17
B0028339		8.71	0.093		3.6	0.54	65	<10	120	<0.5	<2	0.67	5.2	8	6	54
B0028340		0.13	0.713		9.5	1.29	822	20	110	<0.5	20	3.26	6.3	46	24	6650
B0028341		8.18	0.247		4.6	0.49	64	<10	120	<0.5	2	0.79	2.4	8	6	27
B0028342		8.67	4.20		23.7	0.19	137	<10	80	<0.5	<2	0.83	17.4	4	12	15
B0028343		8.80	1.645		28.0	0.22	226	<10	70	<0.5	<2	0.81	2.4	6	7	23
B0028344		9.69	0.075		2.7	0.71	141	<10	120	<0.5	<2	1.04	1.4	8	4	17
B0028345		9.00	0.096		1.4	0.98	72	<10	150	<0.5	<2	2.04	<0.5	10	4	14
B0028346		9.52	0.107		2.2	0.77	87	<10	140	<0.5	<2	1.79	<0.5	9	3	27
B0028347		8.72	1.365		7.1	0.41	224	<10	100	<0.5	<2	1.40	6.4	5	6	10
B0028348		9.51	0.052		2.1	0.46	90	<10	100	<0.5	<2	0.74	0.5	7	5	12
B0028349		9.02	0.196		4.5	0.45	131	<10	80	<0.5	<2	0.67	1.2	7	4	13
B0028350		1.16	<0.005		<0.2	0.02	<2	<10	<10	<0.5	3	20.3	<0.5	<1	<1	1
B0028351		9.11	8.15		86.2	0.42	403	<10	40	<0.5	<2	0.80	19.6	8	4	57
B0028352		8.39	0.388		7.5	0.31	215	<10	60	<0.5	<2	0.77	5.4	6	4	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028313		1.89	<10	<1	0.16	<10	0.21	713	1	<0.01	1	610	113	1.41	3	1
B0028314		2.62	<10	<1	0.24	<10	0.35	3100	<1	<0.01	2	1080	326	1.74	3	3
B0028315		2.40	<10	<1	0.20	<10	0.21	1330	1	<0.01	1	790	158	2.04	3	2
B0028316		2.76	<10	<1	0.19	<10	0.22	1265	1	<0.01	2	800	195	2.26	4	2
B0028317		3.35	<10	1	0.17	<10	0.43	1545	2	<0.01	1	650	903	2.50	4	1
B0028318		2.92	<10	<1	0.25	<10	0.57	1795	1	<0.01	1	940	118	0.97	3	2
B0028319		3.62	<10	1	0.28	<10	0.51	2010	1	<0.01	1	970	708	1.95	4	2
B0028320		5.13	10	13	0.20	<10	1.38	738	52	0.06	219	610	>10000	4.05	671	3
B0028321		3.09	<10	<1	0.29	<10	0.53	2330	1	<0.01	1	990	106	1.12	6	2
B0028322		2.89	<10	<1	0.23	<10	0.55	2450	<1	<0.01	1	820	79	1.23	2	2
B0028323		1.77	<10	1	0.13	<10	0.32	2620	2	<0.01	1	360	327	0.94	5	1
B0028324		3.13	<10	<1	0.24	10	0.37	1060	1	<0.01	2	910	194	1.60	6	2
B0028325		3.21	<10	<1	0.26	10	0.50	1720	1	<0.01	2	990	367	1.56	5	2
B0028326		2.79	<10	<1	0.23	<10	0.34	909	1	<0.01	2	860	163	1.94	6	2
B0028327		2.90	<10	<1	0.22	<10	0.40	1330	1	<0.01	1	800	159	1.71	4	2
B0028328		2.98	<10	<1	0.23	<10	0.33	1060	1	<0.01	2	910	163	1.78	3	2
B0028329		3.09	<10	<1	0.24	10	0.31	1150	1	<0.01	2	840	181	2.06	9	2
B0028330		0.13	<10	<1	0.01	<10	11.75	118	<1	<0.01	3	10	2	0.01	2	<1
B0028331		3.09	<10	1	0.19	<10	0.29	1415	1	<0.01	2	670	584	2.49	12	1
B0028332		2.48	<10	<1	0.25	10	0.35	1955	1	<0.01	1	910	118	1.51	5	2
B0028333		3.23	<10	<1	0.27	10	0.32	1635	1	<0.01	2	940	61	2.14	5	2
B0028334		2.68	<10	<1	0.25	10	0.19	889	1	<0.01	2	900	123	2.04	2	2
B0028335		2.42	<10	<1	0.24	10	0.21	1150	1	<0.01	2	930	196	1.80	2	2
B0028336		2.50	<10	<1	0.20	10	0.21	1130	1	<0.01	1	720	404	1.93	3	1
B0028337		2.48	<10	<1	0.22	10	0.22	1135	1	<0.01	2	810	300	1.86	2	1
B0028338		3.23	<10	<1	0.27	10	0.45	2350	1	<0.01	2	1060	278	1.79	3	2
B0028339		2.58	<10	<1	0.24	10	0.33	1340	1	<0.01	1	950	224	1.46	2	2
B0028340		3.74	10	1	0.16	10	0.44	641	293	0.13	23	670	71	1.25	16	2
B0028341		2.57	<10	<1	0.25	10	0.24	1160	1	<0.01	1	950	146	1.69	2	2
B0028342		3.16	<10	1	0.15	<10	0.11	665	1	<0.01	1	510	1595	3.08	3	1
B0028343		3.25	<10	1	0.17	<10	0.12	893	1	<0.01	2	570	455	3.09	5	1
B0028344		3.10	<10	<1	0.29	10	0.38	1315	1	<0.01	2	1040	43	2.09	3	2
B0028345		3.58	<10	<1	0.32	10	0.49	2060	<1	0.01	3	1110	15	1.74	2	3
B0028346		3.22	<10	<1	0.34	10	0.31	1640	<1	0.01	2	1120	18	1.96	2	3
B0028347		2.71	<10	<1	0.23	<10	0.13	860	1	<0.01	2	670	506	2.40	3	1
B0028348		2.53	<10	<1	0.28	10	0.14	612	1	<0.01	1	920	63	2.03	3	2
B0028349		2.90	<10	<1	0.31	10	0.11	438	<1	<0.01	2	1040	77	2.80	5	2
B0028350		0.12	<10	1	0.01	<10	12.30	115	<1	0.01	<1	20	2	0.01	2	<1
B0028351		4.41	<10	2	0.27	10	0.13	837	1	<0.01	3	920	1305	4.29	23	2
B0028352		3.10	<10	<1	0.24	10	0.16	638	<1	<0.01	2	870	241	2.81	3	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028313		103	<20	<0.01	<10	<10	7	<10	265			
B0028314		387	<20	<0.01	<10	<10	6	<10	320			
B0028315		182	<20	<0.01	<10	<10	4	<10	304			
B0028316		169	<20	<0.01	<10	<10	4	<10	305			
B0028317		182	<20	<0.01	<10	<10	5	<10	1185			
B0028318		191	<20	<0.01	<10	<10	6	<10	272			
B0028319		172	<20	<0.01	<10	<10	7	<10	3770			
B0028320		47	<20	0.05	10	<10	58	20	>10000	315	2.25	2.35
B0028321		177	<20	<0.01	<10	<10	7	<10	258			
B0028322		253	<20	<0.01	<10	<10	6	<10	209			
B0028323		263	<20	<0.01	<10	<10	6	<10	620			
B0028324		83	<20	<0.01	<10	<10	11	<10	423			
B0028325		126	<20	<0.01	<10	<10	12	<10	648			
B0028326		74	<20	<0.01	<10	<10	10	<10	258			
B0028327		81	<20	<0.01	<10	<10	10	<10	265			
B0028328		59	<20	<0.01	<10	<10	9	<10	254			
B0028329		73	<20	<0.01	<10	<10	8	<10	270			
B0028330		55	<20	<0.01	<10	<10	<1	<10	3			
B0028331		105	<20	<0.01	<10	<10	5	<10	706			
B0028332		111	<20	<0.01	<10	<10	9	<10	275			
B0028333		63	<20	<0.01	<10	<10	9	<10	259			
B0028334		49	<20	<0.01	<10	<10	7	<10	264			
B0028335		85	<20	<0.01	<10	<10	9	<10	302			
B0028336		57	<20	<0.01	<10	<10	7	<10	572			
B0028337		63	<20	<0.01	<10	<10	7	<10	481			
B0028338		99	<20	<0.01	<10	<10	10	<10	282			
B0028339		77	<20	<0.01	<10	<10	10	<10	517			
B0028340		138	<20	0.08	<10	<10	45	10	1040			
B0028341		72	<20	<0.01	<10	<10	11	<10	281			
B0028342		70	<20	<0.01	<10	<10	4	<10	2450			
B0028343		70	<20	<0.01	<10	<10	4	<10	338			
B0028344		98	<20	<0.01	<10	<10	12	<10	253			
B0028345		153	<20	<0.01	<10	<10	15	<10	120			
B0028346		144	<20	<0.01	<10	<10	12	<10	91			
B0028347		118	<20	<0.01	<10	<10	6	<10	1070			
B0028348		81	<20	<0.01	<10	<10	6	<10	136			
B0028349		79	<20	<0.01	<10	<10	6	<10	226			
B0028350		49	<20	<0.01	<10	<10	<1	<10	4			
B0028351		77	<20	<0.01	<10	<10	6	<10	2880			
B0028352		68	<20	<0.01	<10	<10	5	<10	842			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
B0028353		8.64	2.51		48.3	0.27	323	<10	80	<0.5	<2	0.58	6.2	6	4	26
B0028354		9.20	0.401		5.6	0.31	241	<10	90	<0.5	<2	0.82	7.2	6	4	20
B0028355		5.13	0.491		13.4	0.58	361	<10	80	<0.5	<2	2.17	17.1	7	9	86
B0028356		5.65	0.005		0.8	2.08	3	<10	150	<0.5	<2	3.74	<0.5	16	54	31
B0028357		3.71	0.057		4.5	0.81	52	<10	120	<0.5	<2	3.64	1.5	7	4	99
B0028358		3.79	0.055		3.7	0.87	62	<10	130	<0.5	<2	4.20	1.5	8	4	60
B0028359		7.85	0.108		2.5	0.59	212	<10	120	<0.5	<2	1.78	1.2	7	3	19
B0028360		0.13	1.100		90.6	1.63	31	10	180	<0.5	<2	3.25	8.8	17	18	943
B0028361		9.06	0.529		11.6	0.30	1110	<10	50	<0.5	<2	6.33	2.6	6	3	211
B0028362		8.23	0.040		1.3	0.63	40	<10	170	<0.5	<2	3.06	<0.5	8	3	18
B0028363		7.09	0.105		2.4	0.66	36	<10	200	<0.5	2	4.29	0.5	8	4	48
B0028364		7.07	0.388		6.8	0.19	85	<10	170	<0.5	<2	4.06	15.6	5	5	14
B0028365		7.65	0.364		8.5	0.19	97	<10	70	<0.5	<2	2.71	2.9	5	8	17
B0028366		8.32	0.134		2.7	0.24	42	<10	110	<0.5	<2	3.29	1.6	7	7	8
B0028367		8.45	0.579		5.2	0.34	56	<10	100	<0.5	<2	1.84	3.5	9	5	12
B0028368		8.35	1.135		5.3	0.32	34	<10	170	<0.5	2	1.62	3.0	8	5	11
B0028369		8.06	0.512		2.8	0.51	36	<10	120	<0.5	<2	1.36	1.6	8	4	10
B0028370		0.99	<0.005		0.4	0.02	<2	<10	20	<0.5	<2	20.1	<0.5	<1	<1	3
B0028371		8.16	0.385		4.5	0.54	42	<10	120	<0.5	<2	1.13	1.7	8	6	10
B0028372		8.87	0.399		4.3	0.41	35	<10	110	<0.5	<2	1.24	1.4	7	7	7
B0028373		9.08	0.104		2.5	0.61	59	<10	140	<0.5	<2	1.50	2.8	9	4	17
B0028374		6.11	0.308		3.6	0.79	109	<10	120	<0.5	<2	1.71	2.2	9	4	29
B0028375		8.49	0.236		2.6	0.76	73	<10	150	<0.5	<2	1.19	2.2	9	4	21
B0028376		8.26	0.771		6.6	0.59	89	<10	100	<0.5	<2	0.75	6.2	8	6	32
B0028377		8.60	1.305		7.5	0.32	74	<10	100	<0.5	<2	0.76	2.1	6	7	69
B0028378		4.00	0.123		4.3	0.35	55	<10	60	<0.5	<2	0.98	2.4	8	4	21
B0028379		4.13	0.297		4.9	0.32	58	<10	50	<0.5	<2	0.93	2.6	8	4	26
B0028380		0.10	8.20		>100	1.48	609	10	30	<0.5	7	3.62	128.5	17	43	2020
B0028381		10.49	0.085		4.5	0.41	99	<10	110	<0.5	<2	0.71	2.6	9	8	22
B0028382		9.09	0.084		4.2	0.57	126	<10	110	<0.5	<2	0.70	3.5	9	4	18
B0028383		8.56	0.096		4.6	0.60	91	<10	100	<0.5	<2	0.60	2.3	9	7	17
B0028384		9.15	0.060		4.0	0.48	93	<10	100	<0.5	<2	0.58	3.3	7	8	11
B0028385		6.02	0.119		5.5	0.34	135	<10	80	<0.5	<2	0.51	11.4	7	14	15
B0028386		8.05	0.097		4.4	0.32	144	<10	100	<0.5	<2	0.42	2.5	5	10	17
B0028387		8.38	0.048		3.1	0.35	102	<10	130	<0.5	<2	0.40	2.1	5	11	11
B0028388		8.69	0.074		3.3	0.58	48	<10	110	<0.5	<2	0.52	1.9	7	7	16
B0028389		8.99	0.065		4.1	0.83	35	<10	120	<0.5	<2	0.56	14.5	8	8	33
B0028390		1.15	0.006		0.2	0.02	<2	<10	10	<0.5	<2	19.8	<0.5	<1	<1	2
B0028391		7.68	0.061		4.4	0.61	55	<10	120	<0.5	<2	0.82	7.1	8	7	24
B0028392		8.83	0.391		7.5	0.29	103	<10	100	<0.5	<2	0.54	13.7	6	5	37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028353		3.35	<10	1	0.22	10	0.13	498	1	<0.01	2	800	495	3.15	9	1
B0028354		3.18	<10	1	0.23	10	0.18	766	1	<0.01	2	770	385	2.86	6	1
B0028355		3.88	<10	1	0.19	<10	0.32	1315	14	<0.01	4	680	1440	3.30	6	2
B0028356		4.27	10	1	0.15	20	2.00	1020	1	0.04	26	1520	13	0.17	<2	6
B0028357		2.62	<10	<1	0.23	10	0.46	2200	3	<0.01	2	850	373	1.26	2	2
B0028358		2.86	<10	<1	0.25	10	0.48	2570	2	0.01	2	910	171	1.50	4	2
B0028359		2.76	<10	1	0.23	10	0.24	1470	2	0.01	1	780	81	2.03	12	2
B0028360		3.63	10	<1	0.15	10	1.45	921	13	0.11	9	1050	4500	1.07	63	6
B0028361		5.89	<10	6	0.21	10	0.12	5470	1	<0.01	4	740	1205	6.52	64	1
B0028362		2.84	<10	1	0.29	10	0.44	2040	<1	0.01	2	980	18	1.67	4	3
B0028363		2.98	<10	1	0.29	10	0.44	2490	<1	0.01	2	940	89	1.73	3	3
B0028364		2.61	<10	1	0.18	<10	0.28	2490	<1	0.01	1	610	533	1.71	2	2
B0028365		2.86	<10	1	0.18	<10	0.35	1710	5	<0.01	2	600	288	2.00	3	2
B0028366		2.91	<10	<1	0.22	<10	0.48	2280	2	<0.01	2	840	113	1.34	2	2
B0028367		3.67	<10	1	0.25	10	0.47	1360	1	<0.01	3	980	261	1.93	<2	2
B0028368		3.51	<10	1	0.28	10	0.49	1450	<1	<0.01	2	960	238	1.65	<2	2
B0028369		3.25	<10	<1	0.28	10	0.52	1455	<1	<0.01	2	970	122	1.08	<2	3
B0028370		0.12	<10	1	0.01	<10	12.15	123	<1	<0.01	<1	20	4	<0.01	2	<1
B0028371		3.18	<10	1	0.22	10	0.49	1215	1	<0.01	1	940	101	1.13	<2	2
B0028372		2.80	<10	1	0.22	<10	0.47	1305	1	<0.01	2	830	78	0.92	<2	2
B0028373		3.16	<10	1	0.25	<10	0.54	2740	1	<0.01	1	1020	156	1.33	2	3
B0028374		3.09	<10	1	0.24	<10	0.52	2150	1	<0.01	2	930	87	1.51	3	3
B0028375		3.04	<10	<1	0.24	10	0.54	1785	<1	<0.01	1	950	105	1.19	2	2
B0028376		3.39	<10	1	0.23	<10	0.39	1160	1	<0.01	1	880	316	2.12	3	2
B0028377		2.50	<10	<1	0.19	<10	0.26	1195	1	<0.01	1	760	111	1.62	2	2
B0028378		2.66	<10	<1	0.24	10	0.31	1050	<1	<0.01	2	970	175	1.64	<2	2
B0028379		2.61	<10	<1	0.24	10	0.28	1105	1	<0.01	3	930	172	1.71	<2	2
B0028380		4.96	10	15	0.19	<10	1.37	745	54	0.06	211	610	>10000	3.99	700	3
B0028381		2.68	<10	1	0.23	10	0.30	1205	1	<0.01	1	910	121	1.75	4	2
B0028382		3.17	<10	1	0.22	10	0.39	1350	1	<0.01	2	970	144	1.92	7	2
B0028383		2.99	<10	1	0.21	10	0.29	998	2	<0.01	2	960	106	2.10	5	2
B0028384		2.70	<10	1	0.16	<10	0.24	986	1	<0.01	1	860	191	2.06	8	1
B0028385		3.21	<10	2	0.14	<10	0.17	884	1	<0.01	1	740	499	2.87	11	1
B0028386		2.10	<10	1	0.13	<10	0.18	749	1	<0.01	2	650	110	1.56	11	1
B0028387		1.91	<10	1	0.13	<10	0.20	953	1	<0.01	1	520	96	1.26	6	1
B0028388		2.62	<10	1	0.18	10	0.33	1510	1	<0.01	2	840	131	1.64	2	1
B0028389		3.07	<10	<1	0.22	10	0.43	1425	1	<0.01	1	940	483	1.78	<2	2
B0028390		0.12	<10	1	0.01	<10	12.05	119	1	<0.01	<1	20	4	<0.01	2	<1
B0028391		2.79	<10	<1	0.19	10	0.36	1740	<1	<0.01	2	830	344	2.01	2	2
B0028392		2.44	<10	2	0.17	10	0.14	755	1	<0.01	2	700	823	2.25	5	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028353		49	<20	<0.01	<10	<10	4	<10	951			
B0028354		80	<20	<0.01	<10	<10	5	<10	965			
B0028355		201	<20	<0.01	<10	<10	9	<10	1790			
B0028356		250	<20	0.01	<10	<10	90	<10	98			
B0028357		253	<20	<0.01	<10	<10	12	<10	200			
B0028358		285	<20	<0.01	<10	<10	11	<10	214			
B0028359		117	<20	<0.01	<10	<10	8	<10	210			
B0028360		152	<20	0.07	<10	<10	95	<10	1130			
B0028361		261	<20	<0.01	10	<10	4	<10	385			
B0028362		176	<20	<0.01	<10	<10	9	<10	111			
B0028363		219	<20	<0.01	<10	<10	10	<10	109			
B0028364		270	<20	<0.01	<10	<10	5	<10	1650			
B0028365		174	<20	<0.01	<10	<10	6	<10	388			
B0028366		220	<20	<0.01	<10	<10	7	<10	232			
B0028367		137	<20	<0.01	<10	<10	9	<10	495			
B0028368		136	<20	<0.01	<10	<10	8	<10	396			
B0028369		116	<20	<0.01	<10	<10	13	<10	280			
B0028370		48	<20	<0.01	<10	<10	<1	<10	5			
B0028371		105	<20	<0.01	<10	<10	16	<10	358			
B0028372		98	<20	<0.01	<10	<10	12	<10	327			
B0028373		103	<20	<0.01	<10	<10	13	<10	360			
B0028374		128	<20	<0.01	<10	<10	17	<10	404			
B0028375		90	<20	<0.01	<10	<10	16	<10	311			
B0028376		61	<20	<0.01	<10	<10	14	<10	866			
B0028377		69	<20	<0.01	<10	<10	9	<10	304			
B0028378		110	<20	<0.01	<10	<10	9	<10	372			
B0028379		101	<20	<0.01	<10	<10	8	<10	393			
B0028380		44	<20	0.05	10	<10	57	20	>10000	327	2.29	2.40
B0028381		68	<20	<0.01	<10	<10	10	<10	356			
B0028382		75	<20	<0.01	<10	<10	12	<10	293			
B0028383		46	<20	<0.01	<10	<10	16	<10	304			
B0028384		44	<20	<0.01	<10	<10	14	<10	414			
B0028385		42	<20	<0.01	<10	<10	9	<10	1315			
B0028386		40	<20	<0.01	<10	<10	7	<10	270			
B0028387		41	<20	<0.01	<10	<10	9	<10	194			
B0028388		56	<20	<0.01	<10	<10	16	<10	294			
B0028389		62	<20	<0.01	<10	<10	20	<10	1760			
B0028390		48	<20	<0.01	<10	<10	<1	<10	5			
B0028391		77	<20	<0.01	<10	<10	16	<10	815			
B0028392		69	<20	<0.01	<10	<10	8	<10	1675			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
B0028393		8.44	0.054		5.2	0.27	76	<10	80	<0.5	<2	0.66	6.1	5	7	11
B0028394		7.94	0.095		5.5	0.35	104	<10	100	<0.5	<2	0.42	1.5	6	5	12
B0028395		6.20	2.99		10.1	0.14	121	<10	60	<0.5	<2	0.35	13.6	2	13	56
B0028396		2.50	1.875		8.4	0.10	170	<10	60	<0.5	<2	12.2	5.5	2	4	31
B0028397		2.85	1.320		8.2	0.10	194	<10	60	<0.5	<2	11.3	6.8	2	5	32
B0028398		9.00	0.303		4.6	0.40	129	<10	110	<0.5	<2	2.95	1.4	6	5	18
B0028399		10.32	0.098		3.7	0.54	49	<10	120	<0.5	<2	0.90	5.5	7	7	18
B0028400		0.13	0.675		9.4	1.20	783	20	110	<0.5	22	3.11	6.1	45	23	6520
B0028401		6.23	0.043		2.2	0.48	41	<10	100	<0.5	<2	1.76	1.7	8	4	12
B0028402		9.11	0.054		1.8	0.55	50	<10	110	<0.5	<2	1.79	1.5	7	5	7
B0028403		6.09	1.920		6.8	0.12	139	<10	60	<0.5	<2	0.76	18.4	3	11	32
B0028404		10.68	0.106		3.5	0.49	58	<10	110	<0.5	<2	6.17	9.5	6	3	13
B0028405		8.49	0.007		1.2	2.16	9	<10	110	0.5	2	3.65	0.5	16	55	31
B0028406		6.05	0.449		15.8	0.36	231	<10	70	<0.5	<2	1.39	54.2	5	8	87
B0028407		9.22	0.103		4.0	0.68	116	<10	130	<0.5	<2	1.28	5.0	9	5	33
B0028408		8.24	0.112		2.2	0.67	107	<10	160	<0.5	<2	3.05	2.1	7	5	17
B0028409		9.17	0.059		2.1	0.68	96	<10	160	<0.5	<2	1.84	1.7	9	5	15
B0028410		1.21	0.007		<0.2	0.03	<2	<10	<10	<0.5	<2	20.9	<0.5	<1	<1	1
B0028411		7.99	0.076		2.1	0.65	86	<10	200	<0.5	<2	4.69	0.9	8	3	13
B0028412		8.15	0.351		5.0	0.85	110	<10	160	<0.5	<2	7.06	1.9	8	4	18
B0028413		8.37	0.133		3.0	0.77	154	<10	150	<0.5	<2	6.69	<0.5	7	3	13
B0028414		8.45	0.504		5.0	0.81	385	<10	130	<0.5	<2	8.0	5.0	7	3	45
B0028415		9.38	0.137		1.5	1.08	64	<10	140	<0.5	<2	4.56	<0.5	9	3	24
B0028416		4.14	0.182		1.7	1.06	35	<10	150	<0.5	<2	6.12	<0.5	8	4	23
B0028417		3.97	0.103		1.6	1.03	38	<10	130	<0.5	<2	5.88	<0.5	8	4	24
B0028418		4.60	0.024		1.2	0.75	20	<10	190	<0.5	<2	3.68	<0.5	8	4	18
B0028419		6.53	0.882		7.0	0.23	99	<10	60	<0.5	<2	2.52	13.6	4	6	13
B0028420		0.09	1.245		93.1	1.74	32	10	190	<0.5	3	3.38	8.8	18	19	941
B0028421		7.72	0.087		2.5	0.40	80	<10	140	<0.5	2	4.20	1.5	10	4	15
B0028422		9.67	0.301		6.8	0.31	151	<10	30	<0.5	<2	3.69	2.0	9	5	18
B0028423		8.67	0.269		7.7	0.24	80	<10	60	<0.5	<2	3.24	2.9	7	7	11
B0028424		9.50	2.13		23.6	0.20	116	<10	60	<0.5	<2	3.28	9.6	5	8	30
B0028425		7.69	0.172		6.8	0.29	94	<10	150	<0.5	<2	1.36	2.0	8	6	9
B0028426		8.43	0.142		5.8	0.31	108	<10	50	<0.5	<2	2.49	4.2	8	5	12
B0028427		5.95	0.211		5.7	0.37	164	<10	120	<0.5	<2	1.14	6.0	9	5	23
B0028428		11.86	0.135		4.0	0.29	47	<10	210	<0.5	<2	1.51	1.6	6	6	9
B0028429		8.71	0.126		4.0	0.27	50	<10	150	<0.5	<2	2.74	2.2	7	6	8
B0028430		1.10	<0.005		0.2	0.02	<2	<10	<10	<0.5	<2	21.2	<0.5	<1	<1	1
B0028431		6.69	9.87		23.2	0.26	96	<10	30	<0.5	<2	3.90	20.8	6	5	56
B0028432		8.45	0.169		4.0	0.33	127	<10	40	<0.5	<2	2.13	2.6	8	3	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028393		2.02	<10	1	0.18	10	0.16	828	1	<0.01	1	720	337	1.59	3	1
B0028394		2.43	<10	<1	0.20	10	0.13	453	1	<0.01	1	850	92	2.07	3	1
B0028395		1.64	<10	1	0.08	<10	0.07	435	1	<0.01	<1	210	510	1.42	6	1
B0028396		2.32	<10	1	0.06	<10	0.11	6560	1	<0.01	1	190	612	2.17	2	1
B0028397		2.43	<10	1	0.06	<10	0.11	6220	1	<0.01	2	190	576	2.31	2	1
B0028398		2.17	<10	<1	0.17	<10	0.19	1740	1	<0.01	1	670	119	1.56	2	1
B0028399		2.62	<10	1	0.21	10	0.26	1000	1	<0.01	1	860	431	1.85	2	2
B0028400		3.55	10	1	0.15	10	0.42	620	286	0.12	21	640	71	1.17	15	2
B0028401		3.29	<10	1	0.23	10	0.20	1485	1	<0.01	1	920	121	2.76	2	2
B0028402		3.10	<10	<1	0.24	10	0.24	1375	1	<0.01	1	900	103	2.43	<2	2
B0028403		1.95	<10	<1	0.11	<10	0.07	437	1	<0.01	1	280	646	1.87	2	1
B0028404		2.59	<10	<1	0.19	<10	0.26	2770	2	<0.01	<1	740	549	2.02	<2	2
B0028405		4.24	10	1	0.13	20	1.91	856	1	0.02	25	1520	18	0.27	2	6
B0028406		3.65	<10	2	0.13	<10	0.17	599	5	<0.01	4	440	1395	3.69	14	1
B0028407		2.98	<10	1	0.27	10	0.29	1235	1	<0.01	2	980	187	2.21	3	2
B0028408		2.98	<10	<1	0.26	10	0.36	2650	1	<0.01	2	900	144	1.76	3	3
B0028409		2.92	<10	1	0.27	10	0.41	1960	1	<0.01	2	960	76	1.71	5	3
B0028410		0.13	<10	1	0.01	<10	12.45	123	<1	<0.01	<1	10	2	0.01	3	<1
B0028411		3.02	<10	<1	0.27	10	0.46	2840	1	0.01	2	900	37	1.77	4	2
B0028412		2.90	<10	<1	0.24	10	0.49	4090	1	<0.01	1	860	91	1.81	2	2
B0028413		2.91	<10	1	0.24	10	0.43	3120	1	<0.01	3	860	27	1.98	5	2
B0028414		4.00	<10	1	0.24	10	0.42	4090	1	<0.01	2	800	384	2.97	3	2
B0028415		3.00	<10	1	0.28	10	0.50	2690	<1	<0.01	1	990	25	1.25	2	3
B0028416		2.84	<10	<1	0.29	10	0.47	2980	1	<0.01	2	980	16	1.15	3	2
B0028417		2.89	<10	<1	0.25	10	0.48	2870	<1	<0.01	2	980	13	1.18	<2	2
B0028418		2.99	<10	<1	0.32	10	0.41	2440	<1	0.01	2	960	21	1.91	2	2
B0028419		2.27	<10	<1	0.14	<10	0.14	1100	1	<0.01	1	370	486	2.07	3	1
B0028420		3.71	10	1	0.15	10	1.48	927	13	0.11	12	1040	4550	1.07	64	6
B0028421		3.32	<10	<1	0.33	<10	0.29	2410	<1	<0.01	2	1130	105	2.46	3	3
B0028422		3.40	<10	1	0.27	<10	0.36	2050	<1	<0.01	1	1000	168	2.78	2	2
B0028423		2.55	<10	<1	0.22	<10	0.23	1535	1	<0.01	2	790	171	2.12	4	2
B0028424		3.49	<10	1	0.18	<10	0.16	1460	1	<0.01	2	540	986	3.30	5	1
B0028425		2.83	<10	<1	0.24	10	0.33	1100	1	<0.01	1	900	114	1.65	5	2
B0028426		3.02	<10	<1	0.27	<10	0.45	1930	1	<0.01	2	920	235	1.77	4	3
B0028427		3.62	<10	1	0.30	10	0.37	1155	<1	<0.01	3	1080	321	1.87	4	2
B0028428		2.66	<10	1	0.24	10	0.42	1150	1	<0.01	1	830	73	1.09	<2	2
B0028429		2.88	<10	<1	0.23	<10	0.49	2110	1	<0.01	1	800	137	1.41	3	2
B0028430		0.14	<10	1	0.01	<10	12.55	128	<1	<0.01	1	10	2	0.01	3	<1
B0028431		3.20	<10	1	0.20	<10	0.57	3010	2	<0.01	2	670	1410	2.31	4	2
B0028432		3.18	<10	<1	0.26	10	0.57	2030	<1	<0.01	1	990	147	1.91	3	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028393		85	<20	<0.01	<10	<10	8	<10	654			
B0028394		47	<20	<0.01	<10	<10	12	<10	261			
B0028395		31	<20	<0.01	<10	<10	5	<10	1760			
B0028396		675	<20	<0.01	<10	<10	2	<10	970			
B0028397		654	<20	<0.01	<10	<10	2	<10	1155			
B0028398		178	<20	<0.01	<10	<10	9	<10	232			
B0028399		86	<20	<0.01	<10	<10	12	<10	780			
B0028400		130	<20	0.07	<10	<10	42	<10	1010			
B0028401		122	<20	<0.01	<10	<10	8	<10	213			
B0028402		159	<20	<0.01	<10	<10	9	<10	229			
B0028403		60	<20	<0.01	<10	<10	2	<10	2690			
B0028404		379	<20	<0.01	<10	<10	8	<10	1210			
B0028405		260	<20	0.01	<10	<10	76	<10	130			
B0028406		110	<20	<0.01	<10	<10	7	<10	6020			
B0028407		130	<20	<0.01	<10	<10	13	<10	621			
B0028408		350	<20	<0.01	<10	<10	11	<10	317			
B0028409		191	<20	<0.01	<10	<10	13	<10	272			
B0028410		52	<20	<0.01	<10	<10	<1	<10	4			
B0028411		298	<20	<0.01	<10	<10	11	<10	215			
B0028412		367	<20	<0.01	<10	<10	15	<10	327			
B0028413		401	<20	<0.01	<10	<10	12	<10	75			
B0028414		415	<20	<0.01	<10	<10	10	<10	928			
B0028415		233	<20	<0.01	<10	<10	15	<10	73			
B0028416		257	<20	<0.01	<10	<10	14	<10	71			
B0028417		257	<20	<0.01	<10	<10	14	<10	73			
B0028418		171	<20	<0.01	<10	<10	11	<10	117			
B0028419		185	<20	<0.01	<10	<10	4	<10	1820			
B0028420		160	<20	0.08	<10	<10	99	<10	1130			
B0028421		256	<20	<0.01	<10	<10	7	<10	207			
B0028422		204	<20	<0.01	<10	<10	8	<10	295			
B0028423		192	<20	<0.01	<10	<10	5	<10	358			
B0028424		148	<20	<0.01	<10	<10	5	<10	1300			
B0028425		106	<20	<0.01	<10	<10	9	<10	335			
B0028426		182	<20	<0.01	<10	<10	8	<10	600			
B0028427		85	<20	<0.01	<10	<10	10	<10	866			
B0028428		116	<20	<0.01	<10	<10	9	<10	337			
B0028429		205	<20	<0.01	<10	<10	8	<10	391			
B0028430		51	<20	<0.01	<10	<10	<1	<10	4			
B0028431		279	<20	<0.01	<10	<10	8	<10	3090			
B0028432		197	<20	<0.01	<10	<10	7	<10	264			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
B0028433		9.85	0.141		3.4	0.47	94	<10	110	<0.5	<2	1.51	2.8	9	5	25
B0028434		9.08	0.087		4.0	0.29	107	<10	130	<0.5	<2	0.71	2.4	7	10	18
B0028435		9.12	0.119		5.7	0.33	117	<10	90	<0.5	<2	0.49	4.2	9	7	26
B0028436		8.32	0.075		3.6	0.50	100	<10	110	<0.5	<2	0.64	1.9	7	7	16
B0028437		8.44	0.472		2.5	0.47	51	<10	150	<0.5	<2	2.50	1.7	7	7	16
B0028438		8.62	0.062		3.1	0.55	115	<10	120	<0.5	<2	0.55	2.2	8	6	29
B0028439		8.99	0.216		3.6	0.40	116	<10	90	<0.5	<2	0.88	5.1	7	8	18
B0028440		0.10	8.19		>100	1.62	637	10	20	<0.5	5	3.80	134.0	18	47	2060
B0028441		9.43	0.080		2.1	0.66	96	<10	50	0.5	<2	1.88	2.5	9	4	22
B0028442		9.62	0.191		2.9	0.48	88	<10	130	<0.5	<2	2.15	1.4	9	4	19
B0028443		9.18	0.098		3.5	0.35	167	<10	120	<0.5	<2	0.95	2.0	8	4	20
B0028444		3.94	0.112		3.5	0.35	117	<10	110	<0.5	<2	1.10	2.1	6	6	14
B0028445		4.30	0.144		4.0	0.31	136	<10	100	<0.5	<2	1.29	2.2	6	6	15
B0028446		9.63	0.187		3.1	0.50	68	<10	100	<0.5	<2	1.13	2.3	7	5	19
B0028447		8.48	2.05		48.8	0.26	123	<10	80	<0.5	<2	1.37	8.6	6	6	22
B0028448		9.59	0.111		3.3	0.37	89	<10	80	<0.5	<2	0.75	1.0	8	5	22
B0028449		8.13	0.314		2.7	0.32	156	<10	120	<0.5	<2	1.15	0.7	7	2	27
B0028450		0.94	<0.005		0.2	0.02	<2	<10	20	<0.5	2	20.0	<0.5	<1	<1	1
B0028451		8.22	0.843		6.7	0.34	134	<10	130	<0.5	<2	5.06	1.5	6	2	25
B0028452		8.38	0.170		4.3	0.27	134	<10	100	<0.5	<2	4.13	0.5	8	3	14
B0028453		9.76	6.11		21.3	0.25	108	<10	100	<0.5	<2	3.14	6.9	7	4	16
B0028454		7.90	3.49		21.6	0.13	102	<10	60	<0.5	<2	6.73	14.2	2	7	9
B0028455		7.85	0.114		6.1	0.67	105	<10	140	<0.5	2	3.78	0.9	8	3	11
B0028456		7.62	0.117		4.6	0.34	164	<10	130	<0.5	<2	4.61	1.8	7	3	10
B0028457		5.72	>10.0	10.75	46.3	0.20	871	<10	70	<0.5	<2	10.3	11.3	3	4	102
B0028458		7.16	0.501		7.5	0.66	149	<10	140	<0.5	2	4.04	4.8	8	3	38
B0028459		8.52	0.451		4.2	0.49	152	<10	140	<0.5	<2	4.14	4.4	7	3	16
B0028460		0.13	0.662		9.5	1.23	788	20	110	<0.5	21	3.17	6.1	46	24	6570
B0028461		8.43	0.051		5.3	0.55	77	<10	150	<0.5	<2	3.63	1.2	9	3	22
B0028462		9.33	0.027		1.4	0.86	42	<10	130	<0.5	<2	3.56	0.9	7	3	17
B0028463		7.80	0.071		2.1	0.70	46	<10	110	<0.5	<2	3.31	1.8	6	4	18
B0028464		8.40	0.006		0.9	2.07	5	<10	220	<0.5	<2	3.71	0.5	16	52	34
B0028465		4.22	0.332		2.9	0.81	138	<10	130	<0.5	<2	4.93	6.3	8	3	33
B0028466		4.01	0.358		3.4	0.74	139	<10	130	<0.5	<2	5.14	11.5	8	3	43
B0028467		7.22	0.027		0.8	0.77	60	<10	170	<0.5	<2	3.27	<0.5	9	3	7
B0028468		7.44	0.090		1.5	0.59	68	<10	150	<0.5	2	4.66	<0.5	8	3	21
B0028469		5.20	0.063		1.5	0.66	57	<10	160	<0.5	<2	4.58	0.6	8	3	15
B0028470		1.04	<0.005		0.2	0.03	<2	<10	20	<0.5	<2	19.5	<0.5	<1	<1	1
B0028471		8.77	0.550		1.8	0.56	41	<10	140	<0.5	<2	5.33	0.8	7	3	16
B0028472		6.75	0.117		4.4	0.23	94	<10	60	<0.5	2	4.99	2.0	8	3	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028433		3.15	<10	1	0.29	10	0.58	2030	1	<0.01	1	1020	105	1.49	2	2
B0028434		2.50	<10	<1	0.22	10	0.23	678	1	<0.01	1	750	150	1.86	5	1
B0028435		2.80	<10	<1	0.25	10	0.12	340	1	<0.01	1	820	234	2.59	5	1
B0028436		2.68	<10	<1	0.24	10	0.20	723	1	<0.01	2	850	120	2.06	4	1
B0028437		2.50	<10	<1	0.24	10	0.26	1410	<1	<0.01	3	800	316	1.65	3	1
B0028438		2.98	<10	<1	0.25	10	0.26	970	<1	<0.01	1	920	179	2.08	4	2
B0028439		2.92	<10	1	0.24	10	0.25	1365	1	<0.01	2	830	349	2.31	6	1
B0028440		5.24	10	15	0.21	<10	1.45	770	55	0.07	216	630	>10000	4.19	733	3
B0028441		3.25	<10	<1	0.32	10	0.56	2550	1	<0.01	2	1020	115	1.64	4	2
B0028442		3.00	<10	1	0.25	10	0.49	2380	1	<0.01	1	900	121	1.53	<2	2
B0028443		2.66	<10	<1	0.24	10	0.17	945	1	<0.01	1	870	48	2.05	8	1
B0028444		2.23	<10	1	0.18	<10	0.18	999	1	<0.01	2	650	99	1.67	4	1
B0028445		2.30	<10	1	0.17	<10	0.17	1030	1	<0.01	1	600	91	1.83	4	1
B0028446		2.80	<10	<1	0.27	10	0.28	1260	1	<0.01	2	950	104	2.14	2	2
B0028447		3.17	<10	<1	0.21	<10	0.15	940	1	<0.01	<1	680	696	2.94	4	1
B0028448		2.73	<10	<1	0.29	10	0.12	599	1	<0.01	1	1000	75	2.47	3	2
B0028449		2.42	<10	<1	0.28	10	0.13	844	1	<0.01	<1	950	53	2.01	5	2
B0028450		0.12	<10	1	0.01	<10	12.15	121	<1	<0.01	<1	10	3	<0.01	2	<1
B0028451		2.33	<10	1	0.23	<10	0.12	2430	1	<0.01	1	780	1100	2.08	2	1
B0028452		2.84	<10	<1	0.23	<10	0.22	2060	1	<0.01	2	840	64	2.59	4	2
B0028453		2.76	<10	1	0.21	<10	0.13	1285	1	<0.01	1	740	551	2.69	3	1
B0028454		2.33	<10	1	0.08	<10	0.11	2870	1	<0.01	1	200	1060	2.25	2	1
B0028455		3.06	<10	<1	0.25	<10	0.47	2870	<1	<0.01	1	920	79	1.91	<2	2
B0028456		2.66	<10	1	0.21	<10	0.43	2450	1	<0.01	2	710	96	2.07	8	2
B0028457		4.76	<10	1	0.13	10	0.13	5090	1	<0.01	2	390	1130	4.86	9	1
B0028458		2.87	<10	1	0.30	10	0.38	1765	1	<0.01	2	990	703	2.03	2	3
B0028459		2.66	<10	1	0.23	<10	0.40	1760	1	<0.01	1	820	117	1.92	3	2
B0028460		3.62	10	1	0.15	10	0.42	622	291	0.12	23	640	71	1.19	15	2
B0028461		2.80	<10	1	0.27	10	0.36	1760	1	<0.01	1	880	34	1.97	3	2
B0028462		2.53	<10	1	0.23	10	0.46	1995	1	<0.01	3	840	22	1.05	<2	2
B0028463		2.28	<10	1	0.20	10	0.42	2000	1	<0.01	<1	700	119	1.23	<2	2
B0028464		4.05	10	1	0.15	20	1.87	1075	1	0.03	23	1450	235	0.18	<2	6
B0028465		3.13	<10	1	0.26	10	0.48	3190	1	<0.01	2	940	205	1.91	<2	2
B0028466		3.05	<10	1	0.24	10	0.46	3420	<1	<0.01	<1	890	293	1.91	<2	2
B0028467		3.08	<10	1	0.31	10	0.72	2930	<1	<0.01	2	1050	8	1.26	<2	4
B0028468		2.74	<10	<1	0.27	10	0.58	3430	<1	<0.01	1	910	12	1.31	2	3
B0028469		2.94	<10	<1	0.28	10	0.54	3450	<1	<0.01	3	920	13	1.52	2	3
B0028470		0.15	<10	2	0.01	<10	11.90	128	<1	<0.01	<1	30	3	<0.01	<2	<1
B0028471		2.75	<10	1	0.24	<10	0.36	3560	1	<0.01	2	890	58	1.84	3	2
B0028472		2.78	<10	1	0.23	<10	0.37	2620	1	<0.01	1	830	108	1.95	<2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028433		177	<20	<0.01	<10	<10	10	<10	296			
B0028434		75	<20	<0.01	<10	<10	6	<10	252			
B0028435		47	<20	<0.01	<10	<10	7	<10	495			
B0028436		53	<20	<0.01	<10	<10	12	<10	276			
B0028437		352	<20	<0.01	<10	<10	9	<10	243			
B0028438		51	<20	<0.01	<10	<10	11	<10	231			
B0028439		74	<20	<0.01	<10	<10	7	<10	630			
B0028440		48	<20	0.06	10	<10	63	20	>10000	329	2.39	2.42
B0028441		154	<20	<0.01	<10	<10	12	<10	301			
B0028442		188	<20	<0.01	<10	<10	8	<10	218			
B0028443		65	<20	<0.01	<10	<10	8	<10	265			
B0028444		86	<20	<0.01	<10	<10	8	<10	201			
B0028445		90	<20	<0.01	<10	<10	7	<10	204			
B0028446		108	<20	<0.01	<10	<10	9	<10	396			
B0028447		105	<20	<0.01	<10	<10	5	<10	1230			
B0028448		71	<20	<0.01	<10	<10	6	<10	217			
B0028449		82	<20	<0.01	<10	<10	6	<10	192			
B0028450		50	<20	<0.01	<10	<10	<1	<10	4			
B0028451		290	<20	<0.01	<10	<10	5	<10	285			
B0028452		288	<20	<0.01	<10	<10	4	<10	100			
B0028453		187	<20	<0.01	<10	<10	4	<10	1140			
B0028454		320	<20	<0.01	<10	<10	2	<10	2310			
B0028455		242	<20	<0.01	<10	<10	10	<10	186			
B0028456		208	<20	<0.01	<10	<10	6	<10	258			
B0028457		393	<20	<0.01	<10	<10	3	<10	1945			
B0028458		216	<20	<0.01	<10	<10	9	<10	679			
B0028459		224	<20	<0.01	<10	<10	8	<10	467			
B0028460		132	<20	0.08	<10	<10	43	<10	1020			
B0028461		173	<20	<0.01	<10	<10	9	<10	183			
B0028462		210	<20	<0.01	<10	<10	13	<10	166			
B0028463		210	<20	<0.01	<10	<10	12	<10	266			
B0028464		197	<20	0.01	<10	<10	77	<10	121			
B0028465		271	<20	<0.01	<10	<10	9	<10	984			
B0028466		245	<20	<0.01	<10	<10	8	<10	1740			
B0028467		143	<20	<0.01	<10	<10	10	<10	65			
B0028468		157	<20	<0.01	<10	<10	8	<10	84			
B0028469		158	<20	<0.01	<10	<10	8	<10	126			
B0028470		48	<20	<0.01	<10	<10	1	<10	4			
B0028471		202	<20	<0.01	<10	<10	7	<10	145			
B0028472		292	<20	<0.01	<10	<10	5	<10	272			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
B0028473		5.13	0.215		5.8	0.18	66	<10	100	<0.5	<2	1.49	3.4	6	8	11
B0028474		8.92	0.365		5.6	0.18	62	<10	70	<0.5	<2	3.63	2.0	6	7	8
B0028475		7.85	0.268		10.9	0.23	115	<10	70	<0.5	<2	4.27	2.8	7	4	27
B0028476		9.58	0.163		6.6	0.23	87	<10	120	<0.5	<2	1.43	2.4	6	6	22
B0028477		9.19	0.462		6.0	0.25	77	<10	100	<0.5	<2	1.14	1.9	7	6	9
B0028478		9.20	0.050		2.0	0.35	36	<10	120	0.5	<2	2.70	1.1	8	2	5
B0028479		9.53	0.545		5.5	0.33	59	<10	190	<0.5	<2	6.65	3.9	6	2	15
B0028480		0.09	1.155		89.0	1.65	31	10	190	<0.5	<2	3.20	8.6	17	18	930
B0028481		9.77	0.603		6.0	0.31	85	<10	100	<0.5	<2	2.44	4.0	8	4	16
B0028482		8.94	1.960		14.6	0.39	84	<10	140	<0.5	<2	1.05	2.0	7	6	38
B0028483		9.83	1.270		10.0	0.35	147	<10	100	<0.5	<2	0.58	2.1	7	6	41
B0028484		8.97	0.135		5.8	0.29	131	<10	120	<0.5	<2	0.89	2.3	6	9	23
B0028485		6.97	0.052		2.4	0.39	72	<10	180	<0.5	<2	0.86	2.7	7	3	13
B0028486		3.88	0.118		3.5	0.65	158	<10	120	<0.5	<2	0.91	3.3	10	4	22
B0028487		4.74	0.380		3.6	0.64	155	<10	120	<0.5	<2	0.86	3.2	9	4	21
B0028488		8.38	0.202		4.8	0.37	104	<10	100	<0.5	<2	0.59	3.0	9	6	16
B0028489		9.19	0.092		4.2	0.29	92	<10	90	<0.5	<2	1.04	3.2	8	7	17
B0028490		1.16	<0.005		0.2	0.02	<2	<10	10	<0.5	2	20.0	<0.5	<1	<1	1
B0028491		8.92	0.067		2.3	0.57	70	<10	110	<0.5	<2	0.98	2.5	8	5	16
B0028492		9.07	0.365		3.9	0.44	85	<10	120	<0.5	<2	0.85	3.1	7	6	22
B0028493		7.59	0.107		3.9	0.34	82	<10	140	<0.5	<2	1.18	2.0	6	4	24
B0028494		8.55	0.039		1.8	0.38	35	<10	170	<0.5	2	1.30	2.0	7	3	18
B0028495		8.61	0.047		2.1	0.49	48	<10	120	<0.5	<2	1.44	2.1	7	3	21
B0028496		7.80	0.111		3.8	0.38	185	<10	110	<0.5	<2	1.79	2.2	8	5	13
B0028497		10.01	0.108		4.3	0.29	175	<10	90	<0.5	<2	1.02	1.9	8	7	10
B0028498		8.57	0.095		4.1	0.31	250	<10	90	<0.5	<2	1.46	1.9	8	7	8
B0028499		9.58	0.138		5.0	0.59	192	<10	110	<0.5	<2	1.20	2.5	8	5	20
B0028500		0.10	8.09		>100	1.61	632	10	20	<0.5	6	3.77	134.0	18	47	2070

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOD	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B0028473		1.81	<10	<1	0.18	<10	0.20	1045	1	<0.01	<1	590	94	1.26	<2	1
B0028474		2.39	<10	1	0.17	<10	0.32	2030	1	<0.01	1	790	115	1.63	2	2
B0028475		2.74	<10	1	0.21	<10	0.36	2360	1	<0.01	<1	820	252	1.78	3	2
B0028476		2.79	<10	<1	0.21	<10	0.37	1215	1	<0.01	<1	750	126	1.39	<2	2
B0028477		2.68	<10	1	0.21	<10	0.29	892	1	<0.01	1	740	101	1.68	8	2
B0028478		2.99	<10	<1	0.28	10	0.53	2530	1	<0.01	2	1000	56	1.73	2	3
B0028479		2.93	<10	1	0.24	<10	0.58	4320	<1	<0.01	2	830	212	1.44	3	3
B0028480		3.57	10	<1	0.15	10	1.42	909	13	0.10	11	1010	4440	1.04	64	6
B0028481		3.04	<10	1	0.23	<10	0.33	1770	1	<0.01	2	870	306	2.06	4	2
B0028482		2.57	<10	1	0.24	10	0.37	1285	<1	<0.01	2	920	106	1.38	3	2
B0028483		2.32	<10	1	0.24	10	0.19	632	1	<0.01	2	960	105	1.77	4	1
B0028484		2.60	<10	2	0.23	<10	0.23	915	1	<0.01	1	860	140	2.11	8	1
B0028485		2.81	<10	<1	0.26	10	0.37	1195	<1	<0.01	2	960	133	1.53	2	2
B0028486		2.92	<10	<1	0.29	10	0.44	1165	<1	<0.01	2	1060	112	1.60	4	2
B0028487		2.89	<10	<1	0.28	10	0.44	1110	1	<0.01	3	1040	117	1.58	2	2
B0028488		2.74	<10	<1	0.25	10	0.18	559	1	<0.01	2	890	179	2.38	4	2
B0028489		2.68	<10	1	0.24	10	0.28	1160	1	<0.01	3	800	164	2.09	4	1
B0028490		0.12	<10	1	0.01	<10	12.05	122	<1	<0.01	<1	10	4	0.01	2	<1
B0028491		2.85	<10	1	0.21	10	0.43	1945	<1	<0.01	3	910	99	1.68	5	2
B0028492		2.54	<10	<1	0.23	10	0.28	1345	1	<0.01	2	820	158	1.76	4	2
B0028493		2.29	<10	1	0.24	10	0.30	1200	1	<0.01	1	820	156	1.44	3	2
B0028494		2.89	<10	<1	0.30	10	0.37	2930	<1	<0.01	2	1050	73	1.57	<2	3
B0028495		2.63	<10	<1	0.27	10	0.31	1930	<1	<0.01	2	990	71	1.63	4	2
B0028496		3.00	<10	1	0.26	10	0.18	1305	1	<0.01	2	930	129	2.54	10	2
B0028497		2.97	<10	1	0.23	10	0.17	828	2	<0.01	3	820	113	2.67	12	1
B0028498		3.40	<10	2	0.21	<10	0.22	1005	2	<0.01	1	780	88	3.07	18	2
B0028499		3.21	<10	2	0.21	10	0.27	988	2	<0.01	1	850	266	2.49	15	2
B0028500		5.24	10	15	0.21	<10	1.45	777	55	0.07	217	640	>10000	4.20	752	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	1	20	0.01	10	10	1	10	2	1	0.001	0.001
B0028473		95	<20	<0.01	<10	<10	6	<10	477			
B0028474		267	<20	<0.01	<10	<10	4	<10	271			
B0028475		275	<20	<0.01	<10	<10	7	<10	401			
B0028476		101	<20	<0.01	<10	<10	8	<10	357			
B0028477		98	<20	<0.01	<10	<10	9	<10	320			
B0028478		167	<20	<0.01	<10	<10	6	<10	222			
B0028479		395	<20	<0.01	<10	<10	6	<10	650			
B0028480		154	<20	0.07	<10	<10	95	<10	1110			
B0028481		139	<20	<0.01	<10	<10	8	<10	546			
B0028482		95	<20	<0.01	<10	<10	11	<10	300			
B0028483		54	<20	<0.01	<10	<10	10	<10	329			
B0028484		88	<20	<0.01	<10	<10	6	<10	263			
B0028485		75	<20	<0.01	<10	<10	9	<10	302			
B0028486		90	<20	<0.01	<10	<10	12	<10	319			
B0028487		85	<20	<0.01	<10	<10	12	<10	325			
B0028488		59	<20	<0.01	<10	<10	9	<10	470			
B0028489		91	<20	<0.01	<10	<10	7	<10	414			
B0028490		48	<20	<0.01	<10	<10	<1	<10	5			
B0028491		85	<20	<0.01	<10	<10	11	<10	276			
B0028492		71	<20	<0.01	<10	<10	11	<10	335			
B0028493		101	<20	<0.01	<10	<10	9	<10	306			
B0028494		94	<20	<0.01	<10	<10	7	<10	267			
B0028495		119	<20	<0.01	<10	<10	10	<10	255			
B0028496		150	<20	<0.01	<10	<10	8	<10	243			
B0028497		85	<20	<0.01	<10	<10	6	<10	222			
B0028498		117	<20	<0.01	<10	<10	7	<10	298			
B0028499		110	<20	<0.01	<10	<10	16	<10	345			
B0028500		47	<20	0.06	10	<10	63	20	>10000	324	2.38	2.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 18-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246511

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-21	CRU-31	CRU-QC	LOG-21
	LOG-23	PUL-31	PUL-QC	SPL-21
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	Au-GRA21	ME-ICP41
	ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

CERTIFICATE YW20246513

Project: Premier Gold Project

This report is for 151 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029998		4.79	0.039	0.8	1.85	23	<10	120	<0.5	<2	4.86	1.4	16	1	45	4.34
B0029999		4.65	0.278	1.0	1.39	121	<10	140	<0.5	<2	3.98	4.7	12	2	37	4.00
B0030000		0.10	8.38	>100	1.38	571	<10	20	<0.5	5	3.49	119.0	17	41	1925	4.64
B0029001		5.15	0.336	1.1	1.72	98	<10	130	<0.5	<2	3.34	6.1	13	1	20	4.78
B0029002		4.66	0.167	1.1	2.39	17	<10	150	<0.5	<2	4.29	14.0	14	1	25	5.47
B0029003		5.56	0.215	1.4	2.36	18	<10	140	<0.5	<2	3.66	21.8	13	<1	48	5.44
B0029004		2.65	1.155	1.6	1.74	55	<10	150	<0.5	2	4.13	<0.5	6	1	5	4.63
B0029005		3.17	0.852	1.0	1.35	38	<10	130	<0.5	<2	3.77	5.2	8	1	8	4.50
B0029006		2.47	0.081	3.1	2.27	106	<10	90	<0.5	3	2.79	39.1	18	26	24	7.23
B0029007		2.45	0.061	1.0	2.22	102	<10	80	<0.5	<2	3.41	4.3	18	33	17	5.91
B0029008		2.35	0.143	1.5	2.06	106	<10	80	<0.5	<2	2.95	20.0	20	36	19	6.89
B0029009		1.75	0.253	1.5	2.31	126	<10	80	<0.5	2	2.47	41.3	23	32	37	7.34
B0029010		0.88	<0.005	0.2	0.02	2	<10	<10	<0.5	<2	21.7	<0.5	1	<1	1	0.13
B0029011		2.61	0.137	1.5	2.12	107	<10	80	<0.5	<2	3.73	17.5	25	35	46	7.33
B0029012		2.54	0.187	2.3	2.71	70	<10	70	<0.5	3	3.22	152.0	22	47	88	6.97
B0029013		2.66	0.079	1.6	2.91	59	<10	80	<0.5	<2	5.44	28.3	22	49	133	6.58
B0029014		2.50	0.281	1.8	2.97	71	<10	70	<0.5	<2	3.50	83.4	22	59	63	7.25
B0029015		1.36	0.119	1.1	2.89	43	<10	70	<0.5	<2	4.12	10.1	19	48	63	6.15
B0029016		2.46	0.070	1.3	1.93	120	<10	50	<0.5	2	8.2	1.6	25	108	56	4.32
B0029017		1.95	0.042	1.5	2.88	100	<10	50	<0.5	<2	6.81	<0.5	28	111	81	5.69
B0029018		4.41	<0.005	<0.2	2.57	20	<10	160	<0.5	<2	3.99	<0.5	18	7	21	5.66
B0029019		3.40	0.020	0.4	2.02	57	<10	120	<0.5	<2	3.25	<0.5	16	6	17	5.65
B0029020		0.13	0.725	9.3	1.27	795	20	100	<0.5	19	3.30	6.1	45	23	6720	3.65
B0029021		4.64	0.023	0.6	2.08	96	<10	120	<0.5	<2	2.91	<0.5	16	6	20	5.81
B0029022		5.38	0.029	0.7	2.02	169	<10	100	<0.5	2	2.93	<0.5	18	6	23	5.85
B0029023		4.80	0.019	0.7	2.36	102	<10	100	<0.5	<2	3.26	<0.5	17	7	23	5.90
B0029024		4.39	0.059	1.1	2.04	214	<10	120	<0.5	<2	3.90	<0.5	18	6	29	6.15
B0029025		3.02	0.073	1.0	2.04	229	<10	90	0.5	<2	3.99	<0.5	19	6	29	6.48
B0029026		5.27	0.277	2.1	1.56	231	<10	90	<0.5	<2	2.61	<0.5	17	4	24	5.72
B0029027		2.11	0.020	0.8	2.06	87	<10	140	<0.5	<2	5.82	<0.5	18	6	26	5.87
B0029028		2.33	0.018	0.6	2.05	87	<10	130	<0.5	<2	5.53	<0.5	18	6	30	5.85
B0029029		4.61	0.010	0.7	1.79	40	<10	120	<0.5	<2	4.08	<0.5	19	6	34	6.25
B0029030		1.11	<0.005	0.2	0.03	2	<10	<10	<0.5	<2	22.0	<0.5	1	2	1	0.14
B0029031		5.20	0.012	0.5	1.18	66	<10	160	<0.5	<2	4.36	<0.5	16	4	24	5.54
B0029032		2.26	0.007	0.5	1.45	19	<10	120	<0.5	<2	3.48	<0.5	18	5	29	5.88
B0029033		1.78	<0.005	0.4	2.16	14	<10	200	<0.5	<2	4.75	<0.5	19	8	26	6.24
B0029034		5.02	0.011	0.4	1.80	25	<10	170	<0.5	<2	5.36	<0.5	17	5	29	5.39
B0029035		4.65	0.023	0.6	0.82	43	<10	110	<0.5	<2	5.44	<0.5	15	4	22	5.50
B0029036		5.16	0.008	0.3	2.53	11	<10	120	<0.5	<2	4.56	<0.5	18	10	29	6.09
B0029037		4.71	<0.005	0.3	2.82	14	<10	140	<0.5	2	4.09	<0.5	20	11	27	6.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029998		<10	<1	0.27	10	0.74	2530	1	0.01	5	1330	44	0.38	<2	3	144
B0029999		<10	<1	0.27	10	0.44	2400	3	0.01	4	1120	177	1.29	2	2	113
B0030000		10	13	0.19	<10	1.31	698	52	0.06	203	580	>10000	3.85	681	3	45
B0029001		<10	<1	0.27	10	0.62	3180	2	0.01	2	1240	169	1.17	3	2	84
B0029002		10	<1	0.30	10	1.04	3960	1	0.02	2	1440	280	0.46	3	3	107
B0029003		10	<1	0.25	10	1.08	3720	1	0.02	2	1370	344	0.48	<2	3	96
B0029004		<10	<1	0.36	10	0.75	4090	<1	0.01	1	1100	39	1.18	<2	2	103
B0029005		<10	<1	0.30	10	0.78	4010	1	0.01	1	1080	109	0.89	3	3	106
B0029006		10	<1	0.18	<10	1.73	4180	2	0.01	12	1470	931	2.99	6	6	101
B0029007		10	<1	0.18	<10	1.67	3420	2	0.01	15	1470	268	2.16	6	7	104
B0029008		<10	<1	0.19	<10	1.53	3390	2	0.01	16	1530	539	3.88	8	6	82
B0029009		10	<1	0.19	<10	1.83	3370	3	0.01	16	1440	617	4.14	7	7	71
B0029010		<10	<1	0.01	<10	12.50	129	<1	0.01	<1	20	8	0.01	<2	<1	53
B0029011		<10	<1	0.18	<10	1.66	3400	6	0.01	17	1480	819	4.40	8	7	116
B0029012		10	1	0.16	<10	1.93	3760	10	0.01	17	1450	1110	2.89	5	8	89
B0029013		10	<1	0.17	<10	2.06	4450	4	0.01	18	1530	757	1.25	2	9	221
B0029014		10	<1	0.17	<10	2.13	4300	2	0.01	16	1520	522	2.30	3	9	107
B0029015		10	<1	0.19	10	2.07	3730	2	<0.01	17	1630	540	0.87	<2	9	142
B0029016		<10	<1	0.13	<10	1.67	2920	7	<0.01	27	950	65	1.38	4	9	209
B0029017		10	<1	0.13	<10	2.42	2550	2	<0.01	27	1170	34	0.84	4	11	204
B0029018		10	<1	0.24	10	1.54	1490	1	0.02	2	1330	10	0.10	<2	6	191
B0029019		<10	<1	0.20	10	1.50	1370	<1	0.01	2	1240	7	1.46	2	6	136
B0029020		<10	<1	0.16	10	0.44	635	293	0.13	23	640	73	1.24	17	2	138
B0029021		10	<1	0.21	10	1.54	1570	1	0.01	3	1270	5	1.85	3	5	89
B0029022		10	<1	0.21	10	1.35	1380	1	0.01	3	1290	8	2.38	4	4	85
B0029023		10	1	0.23	10	1.50	1600	<1	0.01	3	1290	7	1.50	3	5	90
B0029024		<10	<1	0.24	10	1.20	1700	1	0.01	3	1400	7	2.36	4	5	123
B0029025		<10	<1	0.23	10	1.20	1640	1	0.01	2	1440	10	2.63	4	6	133
B0029026		<10	<1	0.22	<10	0.95	1350	1	0.01	2	1350	14	2.93	6	5	121
B0029027		<10	<1	0.25	10	1.12	2090	<1	0.01	2	1340	8	1.74	<2	5	210
B0029028		<10	<1	0.24	10	1.12	2050	<1	0.01	2	1370	10	1.73	3	5	209
B0029029		10	<1	0.25	10	1.26	1580	<1	0.01	3	1460	6	1.67	2	6	166
B0029030		<10	<1	0.01	<10	12.75	126	<1	0.01	2	20	2	0.01	3	<1	53
B0029031		<10	<1	0.23	10	1.03	1710	<1	0.01	2	1360	6	1.92	<2	5	170
B0029032		<10	<1	0.23	10	1.20	1860	<1	0.02	2	1490	7	0.68	2	7	134
B0029033		10	<1	0.19	10	1.22	1860	<1	0.02	2	1270	6	1.17	2	6	120
B0029034		10	<1	0.23	10	1.16	2000	1	0.01	2	1240	10	1.27	<2	6	163
B0029035		<10	<1	0.21	<10	1.02	1810	1	0.01	2	1220	9	2.79	3	5	266
B0029036		10	<1	0.19	10	1.36	1810	<1	0.01	3	1310	5	0.61	2	7	129
B0029037		10	<1	0.21	10	1.51	1660	<1	0.02	3	1400	5	0.70	2	7	117

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029998		<20	<0.01	<10	<10	38	<10	210			
B0029999		<20	<0.01	<10	<10	23	<10	585			
B0030000		<20	0.05	10	<10	53	20	>10000	326	2.42	2.40
B0029001		<20	<0.01	<10	<10	36	<10	854			
B0029002		<20	0.01	<10	<10	52	<10	1870			
B0029003		<20	0.01	<10	<10	50	<10	2860			
B0029004		<20	<0.01	<10	<10	33	<10	150			
B0029005		<20	<0.01	<10	<10	28	<10	757			
B0029006		<20	<0.01	<10	<10	61	<10	4900			
B0029007		<20	<0.01	<10	<10	75	<10	653			
B0029008		<20	<0.01	<10	<10	71	<10	2630			
B0029009		<20	<0.01	<10	<10	74	<10	5210			
B0029010		<20	<0.01	<10	<10	1	<10	16			
B0029011		<20	<0.01	<10	<10	69	<10	2340			
B0029012		<20	0.01	<10	<10	91	<10	>10000			1.990
B0029013		<20	0.01	<10	<10	95	<10	3780			
B0029014		<20	0.01	<10	<10	104	<10	>10000			1.075
B0029015		<20	0.01	<10	<10	91	<10	1440			
B0029016		<20	0.01	<10	<10	75	<10	231			
B0029017		<20	0.01	<10	<10	108	<10	74			
B0029018		<20	<0.01	<10	<10	69	<10	98			
B0029019		<20	<0.01	<10	<10	43	<10	85			
B0029020		<20	0.08	<10	<10	43	10	1005			
B0029021		<20	<0.01	<10	<10	40	<10	93			
B0029022		<20	<0.01	<10	<10	39	<10	93			
B0029023		<20	<0.01	<10	<10	48	<10	95			
B0029024		<20	<0.01	<10	<10	42	<10	97			
B0029025		<20	<0.01	<10	<10	38	<10	102			
B0029026		<20	<0.01	<10	<10	31	<10	88			
B0029027		<20	<0.01	<10	<10	40	<10	88			
B0029028		<20	<0.01	<10	<10	40	<10	88			
B0029029		<20	<0.01	<10	<10	41	<10	98			
B0029030		<20	<0.01	<10	<10	1	<10	4			
B0029031		<20	<0.01	<10	<10	30	<10	79			
B0029032		<20	<0.01	<10	<10	39	<10	103			
B0029033		<20	0.01	<10	<10	53	<10	92			
B0029034		<20	<0.01	<10	<10	41	<10	89			
B0029035		<20	<0.01	<10	<10	21	<10	56			
B0029036		<20	0.01	<10	<10	63	<10	99			
B0029037		<20	0.01	<10	<10	75	<10	115			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029038		4.55	0.017	0.5	1.78	56	<10	120	<0.5	<2	5.04	<0.5	18	7	23	5.98
B0029039		5.20	0.008	0.2	2.44	14	<10	150	<0.5	<2	4.37	<0.5	17	10	29	5.85
B0029040		0.09	1.250	88.9	1.63	33	10	180	<0.5	<2	3.34	8.7	17	18	985	3.61
B0029041		4.57	0.017	0.4	2.44	16	<10	130	<0.5	<2	4.68	<0.5	17	8	19	5.71
B0029042		4.72	0.017	0.5	2.03	43	<10	150	<0.5	<2	5.52	<0.5	15	7	22	5.09
B0029043		2.56	0.024	0.5	2.32	47	<10	150	<0.5	<2	2.60	<0.5	17	7	26	5.69
B0029044		3.65	0.028	0.8	1.17	56	<10	120	<0.5	<2	8.8	0.5	11	4	21	3.97
B0029045		4.10	0.026	0.8	1.33	135	<10	130	<0.5	<2	5.66	0.6	18	3	19	5.61
B0029046		4.84	0.033	0.9	1.15	132	<10	120	<0.5	<2	6.9	0.9	16	3	14	5.27
B0029047		5.13	0.036	0.8	0.91	130	<10	120	<0.5	<2	9.0	1.0	12	3	13	4.64
B0029048		3.77	0.025	0.7	0.24	58	<10	80	<0.5	<2	22.4	1.3	6	2	7	2.77
B0029049		4.35	0.059	1.2	1.13	191	<10	100	<0.5	<2	4.46	1.0	16	3	17	5.34
B0029050		0.87	<0.005	0.2	0.03	<2	<10	<10	<0.5	<2	21.4	<0.5	2	<1	<1	0.13
B0029051		4.98	0.032	0.8	1.06	153	<10	90	<0.5	<2	5.91	0.8	16	3	23	5.60
B0029052		4.62	0.023	0.9	1.11	125	<10	90	<0.5	3	4.83	<0.5	17	3	27	5.87
B0029053		5.00	0.026	0.9	1.39	107	<10	70	<0.5	<2	3.10	0.9	18	3	18	6.00
B0029054		4.16	0.032	0.9	1.52	45	<10	140	<0.5	2	9.6	0.6	17	9	30	5.18
B0029055		4.36	0.048	0.9	0.83	61	<10	100	<0.5	<2	15.7	0.6	9	3	12	3.46
B0029056		4.34	0.045	0.9	1.91	76	<10	140	<0.5	2	3.84	2.3	17	5	24	5.89
B0029057		2.05	0.016	0.6	2.61	69	<10	150	<0.5	<2	2.72	<0.5	19	6	15	6.67
B0029058		2.39	0.013	0.5	2.10	47	<10	190	<0.5	<2	7.01	<0.5	16	5	15	5.41
B0029059		4.79	0.029	0.7	2.17	78	<10	150	<0.5	<2	3.75	<0.5	17	5	31	5.96
B0029060		0.18	7.78	>100	1.56	611	<10	20	<0.5	5	3.66	125.5	17	43	2150	5.19
B0029061		4.38	0.022	0.9	1.82	85	<10	160	<0.5	<2	4.47	0.6	17	5	33	5.43
B0029062		3.74	0.022	0.8	1.99	69	<10	150	<0.5	<2	4.31	<0.5	16	5	20	5.27
B0029063		4.98	0.028	1.1	1.66	96	<10	130	<0.5	2	6.41	<0.5	15	4	17	5.35
B0029064		4.97	0.022	1.0	1.92	106	<10	150	<0.5	<2	5.79	<0.5	17	5	28	6.03
B0029065		5.00	0.018	1.1	2.08	77	<10	180	<0.5	<2	4.03	<0.5	17	5	22	5.88
B0029066		3.62	0.017	0.9	2.34	60	<10	170	<0.5	<2	5.01	<0.5	17	6	27	6.07
B0029067		4.88	0.012	0.7	2.28	55	<10	190	<0.5	<2	4.27	<0.5	17	6	22	5.76
B0029068		4.54	<0.005	0.3	2.76	13	<10	230	<0.5	<2	4.55	<0.5	17	7	25	5.95
B0029069		5.02	0.011	0.6	2.07	50	<10	150	<0.5	<2	4.75	<0.5	16	5	22	6.10
B0029070		1.09	<0.005	0.2	0.02	<2	<10	<10	<0.5	<2	20.0	<0.5	1	<1	1	0.13
B0029071		4.50	0.017	0.6	2.37	57	<10	140	<0.5	2	4.19	<0.5	17	6	26	5.50
B0029072		4.71	0.011	0.7	2.30	63	<10	160	<0.5	<2	4.17	<0.5	17	7	27	5.48
B0029073		4.48	0.017	0.9	1.96	65	<10	140	<0.5	<2	5.49	<0.5	17	5	27	5.28
B0029074		4.85	0.031	1.2	1.97	37	<10	160	<0.5	<2	5.50	0.7	18	5	56	5.45
B0029075		4.49	0.091	1.2	1.91	77	<10	120	<0.5	2	3.60	1.6	18	5	19	5.97
B0029076		4.92	0.068	1.0	1.90	171	<10	130	<0.5	3	4.13	1.0	19	6	37	6.20
B0029077		4.79	0.068	1.0	1.89	178	<10	120	<0.5	<2	4.19	0.6	14	5	23	5.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029038		<10	<1	0.20	<10	0.95	1390	1	0.02	2	1290	8	2.90	5	5	142
B0029039		10	<1	0.20	10	1.34	1410	<1	0.02	2	1350	8	0.93	2	6	125
B0029040		10	<1	0.15	<10	1.47	931	13	0.11	11	1020	4770	1.07	64	6	159
B0029041		10	<1	0.18	10	1.50	1530	<1	0.02	2	1330	11	1.12	2	5	112
B0029042		10	<1	0.19	<10	1.44	2060	<1	0.01	3	1210	10	1.75	3	4	161
B0029043		10	<1	0.18	10	1.56	1140	1	0.01	2	1320	6	1.67	2	4	97
B0029044		<10	<1	0.17	<10	0.67	1870	1	0.01	3	990	18	2.19	5	3	324
B0029045		<10	<1	0.26	10	0.81	1470	1	0.01	2	1350	15	4.15	8	3	183
B0029046		<10	<1	0.24	10	0.73	2040	1	0.01	2	1300	24	4.10	6	3	215
B0029047		<10	<1	0.21	10	0.57	2510	1	0.01	1	1080	41	3.83	8	2	248
B0029048		<10	<1	0.11	<10	0.17	4280	1	0.01	1	500	39	2.93	7	2	949
B0029049		<10	1	0.25	10	0.67	1530	1	0.01	3	1360	32	4.35	6	3	152
B0029050		<10	<1	0.01	<10	12.30	128	<1	0.01	1	10	2	<0.01	2	<1	55
B0029051		<10	<1	0.24	10	0.68	1900	1	<0.01	3	1240	20	4.74	6	3	268
B0029052		<10	<1	0.23	10	0.71	1660	1	0.01	3	1300	18	4.89	7	3	210
B0029053		<10	<1	0.26	10	0.82	1290	1	0.01	3	1450	31	4.36	8	3	157
B0029054		<10	<1	0.23	<10	0.98	2840	1	0.01	3	1180	18	2.64	4	5	389
B0029055		<10	<1	0.17	<10	0.49	4530	1	0.01	2	740	26	2.22	3	3	569
B0029056		<10	<1	0.27	10	1.13	1550	<1	0.01	2	1320	145	2.78	<2	4	171
B0029057		10	<1	0.25	10	1.64	1230	<1	0.01	4	1570	10	1.87	2	5	109
B0029058		10	<1	0.22	10	1.28	2040	<1	0.01	2	1210	11	1.62	3	4	422
B0029059		10	<1	0.25	10	1.40	1320	<1	0.01	3	1320	8	2.30	<2	4	125
B0029060		10	14	0.21	<10	1.42	752	53	0.07	224	610	>10000	4.21	739	3	52
B0029061		<10	<1	0.26	10	1.11	1610	1	0.01	3	1280	31	2.50	3	4	161
B0029062		<10	<1	0.23	10	1.19	1590	1	0.01	3	1300	12	1.84	4	4	140
B0029063		<10	<1	0.20	10	0.95	1750	1	0.01	2	1150	16	2.52	8	4	193
B0029064		<10	<1	0.22	10	1.11	1740	1	0.02	3	1270	13	2.81	5	4	202
B0029065		10	<1	0.25	10	1.27	1550	1	0.02	2	1410	14	2.37	3	4	167
B0029066		10	<1	0.22	10	1.43	2020	1	0.02	3	1320	9	1.84	3	4	208
B0029067		10	<1	0.26	10	1.35	1750	1	0.02	2	1360	11	1.59	3	4	216
B0029068		10	<1	0.26	10	1.66	1750	1	0.02	3	1380	8	0.47	2	5	261
B0029069		10	<1	0.20	10	1.31	1720	1	0.02	2	1330	11	2.29	3	4	264
B0029070		<10	<1	0.01	<10	11.50	118	<1	<0.01	2	20	3	<0.01	<2	<1	53
B0029071		10	<1	0.20	10	1.44	1780	<1	0.02	3	1290	11	0.76	4	4	228
B0029072		10	<1	0.23	10	1.27	2060	1	0.02	3	1330	10	1.00	<2	4	183
B0029073		<10	<1	0.21	10	1.09	2180	1	0.01	3	1300	11	1.61	4	4	218
B0029074		<10	<1	0.23	10	1.04	2930	1	0.01	3	1290	39	1.74	6	4	196
B0029075		10	<1	0.18	10	1.22	2040	1	0.02	3	1310	91	2.85	5	4	127
B0029076		<10	<1	0.16	<10	1.31	1700	1	0.02	3	1250	48	3.15	5	4	164
B0029077		10	<1	0.17	<10	1.29	1520	1	0.02	3	1230	30	2.72	4	4	164

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029038		<20	<0.01	<10	<10	44	<10	88			
B0029039		<20	0.01	<10	<10	61	<10	106			
B0029040		<20	0.07	<10	<10	92	<10	1130			
B0029041		<20	0.01	<10	<10	48	<10	108			
B0029042		<20	0.01	<10	<10	36	<10	97			
B0029043		<20	<0.01	<10	<10	42	<10	114			
B0029044		<20	<0.01	<10	<10	23	<10	82			
B0029045		<20	<0.01	<10	<10	25	<10	92			
B0029046		<20	<0.01	<10	<10	22	<10	129			
B0029047		<20	<0.01	<10	<10	17	<10	144			
B0029048		<20	<0.01	<10	<10	4	<10	123			
B0029049		<20	<0.01	<10	<10	22	<10	118			
B0029050		<20	<0.01	<10	<10	<1	<10	4			
B0029051		<20	<0.01	<10	<10	21	<10	123			
B0029052		<20	<0.01	<10	<10	22	<10	100			
B0029053		<20	<0.01	<10	<10	29	<10	121			
B0029054		<20	<0.01	<10	<10	38	<10	114			
B0029055		<20	<0.01	<10	<10	17	<10	81			
B0029056		<20	<0.01	<10	<10	37	<10	385			
B0029057		<20	<0.01	<10	<10	45	<10	114			
B0029058		<20	<0.01	<10	<10	38	<10	80			
B0029059		<20	<0.01	<10	<10	39	<10	93			
B0029060		<20	0.06	10	<10	58	20	>10000	308	2.24	2.19
B0029061		<20	<0.01	<10	<10	36	<10	120			
B0029062		<20	<0.01	<10	<10	40	<10	83			
B0029063		<20	<0.01	<10	<10	35	<10	71			
B0029064		<20	<0.01	<10	<10	41	<10	80			
B0029065		<20	<0.01	<10	<10	44	<10	97			
B0029066		<20	0.01	<10	<10	52	<10	92			
B0029067		<20	<0.01	<10	<10	54	<10	88			
B0029068		<20	0.01	<10	<10	65	<10	90			
B0029069		<20	<0.01	<10	<10	48	<10	92			
B0029070		<20	<0.01	<10	<10	1	<10	4			
B0029071		<20	<0.01	<10	<10	54	<10	94			
B0029072		<20	0.01	<10	<10	52	<10	94			
B0029073		<20	<0.01	<10	<10	43	<10	96			
B0029074		<20	<0.01	<10	<10	41	<10	151			
B0029075		<20	<0.01	<10	<10	41	<10	262			
B0029076		<20	<0.01	<10	<10	42	<10	185			
B0029077		<20	<0.01	<10	<10	39	<10	122			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029078		3.06	0.031	0.8	1.74	102	<10	120	<0.5	<2	4.92	<0.5	15	5	21	5.88
B0029079		4.67	0.028	0.5	2.06	87	<10	140	<0.5	<2	4.00	<0.5	16	6	21	5.82
B0029080		0.12	0.693	8.9	1.15	773	10	100	<0.5	19	2.95	5.6	43	22	6630	3.56
B0029081		4.80	0.022	0.5	2.38	55	<10	170	<0.5	<2	4.21	<0.5	16	6	31	5.73
B0029082		4.97	0.032	0.4	2.42	63	<10	130	<0.5	<2	3.69	<0.5	16	7	18	6.01
B0029083		4.73	0.009	0.2	2.58	37	<10	140	<0.5	<2	3.01	<0.5	16	8	13	6.02
B0029084		4.73	0.013	0.4	2.51	31	<10	140	<0.5	2	3.57	<0.5	15	7	21	5.71
B0029085		4.82	0.011	0.5	2.48	46	<10	150	<0.5	<2	3.43	<0.5	17	7	41	5.97
B0029086		4.79	0.008	0.3	2.60	21	<10	140	<0.5	<2	3.86	<0.5	15	7	19	5.92
B0029087		4.49	0.010	0.5	2.56	40	<10	150	<0.5	2	3.87	<0.5	15	7	22	5.86
B0029088		4.40	0.026	0.8	2.01	90	<10	110	<0.5	<2	3.22	<0.5	16	5	26	6.16
B0029089		4.49	0.038	1.3	1.56	123	<10	70	<0.5	<2	3.23	0.6	16	3	30	5.92
B0029090		0.90	<0.005	0.2	0.03	<2	<10	<10	<0.5	<2	21.0	<0.5	1	<1	<1	0.15
B0029091		2.05	0.026	0.7	2.09	116	<10	120	<0.5	<2	3.28	<0.5	16	5	21	6.43
B0029092		4.36	0.057	1.2	1.67	69	<10	100	<0.5	2	3.65	0.5	16	4	29	6.12
B0029093		5.15	0.143	2.4	1.88	57	<10	110	<0.5	<2	4.25	1.4	17	4	45	6.14
B0029094		5.06	0.007	0.7	2.35	23	<10	150	<0.5	2	5.20	<0.5	16	5	22	5.41
B0029095		5.40	0.007	0.5	2.32	37	<10	160	<0.5	2	3.89	<0.5	18	5	23	5.33
B0029096		3.88	0.012	0.6	2.20	47	<10	120	<0.5	<2	4.03	<0.5	17	5	29	5.83
B0029097		4.67	0.024	0.7	1.66	56	<10	100	<0.5	<2	4.90	0.5	16	4	20	6.24
B0029098		5.01	0.081	0.8	1.69	165	<10	100	<0.5	<2	3.26	<0.5	14	4	29	5.67
B0029099		3.29	0.030	0.7	2.12	102	<10	130	<0.5	3	4.38	<0.5	15	4	27	5.99
B0029100		0.09	1.235	85.2	1.53	32	10	170	<0.5	<2	3.06	7.9	17	16	972	3.53
B0029101		2.95	0.019	0.7	1.94	69	<10	120	<0.5	<2	4.46	<0.5	14	4	22	5.76
B0029102		4.68	0.043	0.6	2.58	124	<10	130	<0.5	2	1.08	<0.5	20	8	26	6.51
B0029103		6.70	0.029	0.6	2.44	80	<10	120	<0.5	<2	2.46	<0.5	20	6	21	6.15
B0029104		1.60	0.006	0.3	2.56	39	<10	140	<0.5	2	3.68	<0.5	18	8	30	5.97
B0029105		2.78	0.014	0.5	2.10	118	<10	120	<0.5	<2	3.86	<0.5	18	6	21	6.02
B0029106		2.36	0.233	1.9	0.58	616	<10	80	<0.5	2	3.72	<0.5	15	2	18	5.83
B0029107		2.23	0.320	3.2	0.26	573	<10	70	<0.5	<2	3.92	<0.5	14	2	15	5.28
B0029108		2.52	0.157	1.3	0.61	412	<10	90	<0.5	<2	4.22	<0.5	16	2	21	4.73
B0029109		2.24	0.066	1.7	1.55	279	<10	80	<0.5	<2	1.09	1.4	20	4	26	6.75
B0029110		1.09	<0.005	0.2	0.02	2	<10	<10	<0.5	2	20.6	<0.5	1	<1	<1	0.15
B0029111		2.38	0.091	1.7	1.23	279	<10	80	<0.5	2	1.07	<0.5	22	4	28	6.34
B0029112		2.27	0.175	1.8	0.66	293	<10	80	<0.5	<2	1.55	<0.5	13	4	24	4.74
B0029113		2.35	0.084	0.9	1.22	242	<10	90	<0.5	<2	0.56	<0.5	18	4	17	5.36
B0029114		1.19	0.057	1.7	1.03	344	<10	80	<0.5	<2	1.12	<0.5	17	3	18	6.11
B0029115		1.24	0.054	1.6	1.02	281	<10	70	<0.5	2	0.98	<0.5	15	4	18	6.11
B0029116		2.49	0.028	1.1	1.02	110	<10	110	<0.5	<2	1.60	<0.5	18	4	18	4.82
B0029117		2.19	0.025	0.6	1.24	62	<10	200	<0.5	<2	5.37	<0.5	15	3	14	5.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029078		10	<1	0.17	10	1.29	1630	1	0.02	2	1240	17	2.94	4	4	196
B0029079		10	<1	0.17	10	1.50	1490	<1	0.02	3	1240	9	2.30	4	5	140
B0029080		<10	<1	0.15	10	0.42	586	279	0.12	23	620	69	1.22	16	2	133
B0029081		10	<1	0.20	10	1.61	1700	1	0.02	2	1300	7	1.53	<2	5	142
B0029082		10	<1	0.15	10	1.55	1760	<1	0.02	3	1230	9	1.56	2	5	133
B0029083		10	<1	0.17	10	1.65	1620	<1	0.02	3	1300	8	1.16	<2	5	106
B0029084		10	<1	0.16	10	1.68	1900	<1	0.02	3	1270	28	1.17	2	5	109
B0029085		10	<1	0.17	10	1.64	1540	1	0.02	2	1290	15	1.37	2	5	117
B0029086		10	<1	0.16	10	1.70	1580	<1	0.02	3	1270	12	0.91	<2	5	118
B0029087		10	<1	0.18	10	1.65	1540	<1	0.02	3	1350	8	1.06	2	5	123
B0029088		10	<1	0.18	<10	1.41	1310	<1	0.02	2	1370	17	3.00	4	4	109
B0029089		<10	<1	0.18	<10	1.08	1310	1	0.02	3	1320	26	3.78	4	3	112
B0029090		<10	<1	0.01	<10	12.05	123	<1	0.01	1	20	<2	0.01	<2	<1	53
B0029091		10	<1	0.17	<10	1.55	1570	<1	0.02	3	1310	10	3.15	<2	4	97
B0029092		<10	<1	0.19	<10	1.22	1590	<1	0.02	2	1310	25	3.92	4	4	105
B0029093		<10	<1	0.20	10	1.20	2290	1	0.01	2	1270	38	2.83	5	4	135
B0029094		10	<1	0.25	10	1.25	2980	1	0.01	2	1290	9	0.72	<2	4	213
B0029095		10	<1	0.24	10	1.29	2610	1	0.02	3	1400	11	0.79	2	4	167
B0029096		10	<1	0.20	10	1.33	2670	1	0.02	2	1330	11	1.82	3	4	130
B0029097		<10	<1	0.18	<10	1.14	2480	1	0.02	3	1300	15	3.90	4	4	178
B0029098		<10	<1	0.20	<10	1.21	1590	1	0.01	3	1200	14	3.27	4	3	96
B0029099		10	<1	0.22	10	1.38	2010	<1	0.01	2	1260	22	2.40	3	4	127
B0029100		10	<1	0.14	<10	1.40	877	12	0.10	11	980	4560	1.05	64	5	153
B0029101		10	<1	0.21	<10	1.21	2080	<1	0.01	3	1250	19	2.49	3	4	128
B0029102		10	<1	0.24	10	1.58	969	1	0.02	3	1400	12	1.78	5	5	41
B0029103		10	<1	0.23	10	1.43	1730	<1	0.01	3	1380	11	1.47	4	5	103
B0029104		10	<1	0.27	10	1.41	1790	1	0.02	3	1450	7	0.82	3	6	157
B0029105		<10	<1	0.25	10	1.25	1730	1	0.01	3	1450	8	2.16	4	5	133
B0029106		<10	<1	0.23	10	0.36	1160	1	<0.01	2	1150	13	5.39	10	3	150
B0029107		<10	<1	0.18	<10	0.19	1200	1	<0.01	2	940	15	5.91	11	3	160
B0029108		<10	<1	0.21	10	0.43	1330	1	<0.01	3	1100	10	3.82	10	3	136
B0029109		<10	<1	0.20	10	1.05	921	1	<0.01	3	1130	16	3.59	14	3	35
B0029110		<10	<1	0.01	<10	11.85	120	<1	<0.01	<1	20	2	0.02	2	<1	56
B0029111		<10	<1	0.23	10	1.03	978	7	<0.01	3	1190	15	3.38	14	4	35
B0029112		<10	<1	0.21	10	0.70	993	1	<0.01	2	1020	11	3.20	14	3	48
B0029113		<10	<1	0.22	10	0.87	714	1	0.01	3	1180	12	2.87	8	3	23
B0029114		<10	<1	0.22	<10	0.98	910	1	0.01	2	1110	17	3.80	23	4	51
B0029115		<10	<1	0.22	<10	0.92	857	2	0.01	3	1080	15	3.85	21	3	52
B0029116		<10	<1	0.27	10	1.08	1040	2	0.01	2	1270	15	1.58	8	5	77
B0029117		<10	<1	0.24	10	1.68	1870	1	0.01	2	1230	10	1.41	4	7	365

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029078		<20	<0.01	<10	<10	35	<10	88			
B0029079		<20	0.01	<10	<10	42	<10	90			
B0029080		<20	0.07	<10	<10	40	10	939			
B0029081		<20	0.01	<10	<10	49	<10	93			
B0029082		<20	0.01	<10	<10	50	<10	91			
B0029083		<20	0.01	<10	<10	52	<10	106			
B0029084		<20	0.01	<10	<10	51	<10	121			
B0029085		<20	0.01	<10	<10	52	<10	90			
B0029086		<20	0.01	<10	<10	57	<10	94			
B0029087		<20	0.01	<10	<10	57	<10	95			
B0029088		<20	0.01	<10	<10	43	<10	104			
B0029089		<20	<0.01	<10	<10	35	<10	125			
B0029090		<20	<0.01	<10	<10	1	<10	4			
B0029091		<20	<0.01	<10	<10	47	<10	92			
B0029092		<20	<0.01	<10	<10	34	<10	113			
B0029093		<20	<0.01	<10	<10	41	<10	275			
B0029094		<20	0.01	<10	<10	50	<10	94			
B0029095		<20	0.01	<10	<10	56	<10	100			
B0029096		<20	<0.01	<10	<10	49	<10	119			
B0029097		<20	<0.01	<10	<10	34	<10	104			
B0029098		<20	<0.01	<10	<10	31	<10	95			
B0029099		<20	<0.01	<10	<10	41	<10	115			
B0029100		<20	0.06	<10	<10	85	<10	1070			
B0029101		<20	<0.01	<10	<10	37	<10	124			
B0029102		<20	<0.01	<10	<10	55	<10	106			
B0029103		<20	<0.01	<10	<10	49	<10	98			
B0029104		<20	<0.01	<10	<10	54	<10	98			
B0029105		<20	<0.01	<10	<10	40	<10	91			
B0029106		<20	<0.01	<10	<10	12	<10	78			
B0029107		<20	<0.01	<10	<10	7	<10	74			
B0029108		<20	<0.01	<10	<10	13	<10	74			
B0029109		<20	<0.01	<10	<10	32	<10	238			
B0029110		<20	<0.01	<10	<10	<1	<10	5			
B0029111		<20	<0.01	<10	<10	31	<10	82			
B0029112		<20	<0.01	<10	<10	15	<10	70			
B0029113		<20	<0.01	<10	<10	22	<10	77			
B0029114		<20	<0.01	<10	<10	20	<10	61			
B0029115		<20	<0.01	<10	<10	19	<10	56			
B0029116		<20	<0.01	<10	<10	26	<10	98			
B0029117		<20	<0.01	<10	<10	30	<10	83			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029118		2.72	0.062	1.3	0.83	217	<10	70	<0.5	<2	2.22	<0.5	17	3	23	5.34
B0029119		3.23	0.165	2.1	0.73	342	<10	70	<0.5	<2	1.54	<0.5	16	3	25	5.78
B0029120		0.10	7.70	>100	1.55	622	10	30	<0.5	6	3.67	125.5	17	42	2190	5.24
B0029121		3.14	0.024	0.9	1.52	68	<10	90	<0.5	<2	2.50	<0.5	15	4	23	5.46
B0029122		3.09	0.265	2.0	0.28	394	<10	60	<0.5	<2	1.43	<0.5	12	3	10	5.35
B0029123		3.74	0.053	0.6	1.29	144	<10	100	<0.5	<2	2.60	<0.5	18	3	22	5.20
B0029124		2.28	0.017	0.6	1.32	37	<10	120	<0.5	2	3.45	<0.5	15	3	22	5.22
B0029125		2.43	0.247	2.0	0.19	342	<10	60	<0.5	<2	1.46	<0.5	10	3	10	4.72
B0029126		3.22	0.139	1.8	0.66	378	<10	80	<0.5	<2	2.48	<0.5	16	2	22	6.16
B0029127		2.91	0.016	0.8	1.28	132	<10	120	<0.5	<2	2.13	<0.5	16	3	28	4.85
B0029128		2.93	0.015	0.7	1.65	39	<10	120	<0.5	<2	4.12	<0.5	17	4	18	5.45
B0029129		2.21	0.009	0.5	2.00	19	<10	150	<0.5	<2	3.07	<0.5	17	6	32	5.02
B0029130		1.33	<0.005	0.2	0.02	<2	<10	<10	<0.5	<2	19.9	<0.5	1	<1	1	0.13
B0029131		5.07	0.024	0.6	2.17	68	<10	120	<0.5	<2	3.87	<0.5	16	6	25	5.52
B0029132		4.62	0.013	0.7	2.19	23	<10	120	<0.5	<2	4.24	<0.5	17	19	32	5.66
B0029133		5.20	<0.005	0.2	2.74	20	<10	140	<0.5	2	4.23	<0.5	21	25	31	6.46
B0029134		3.68	<0.005	0.3	2.27	20	<10	190	<0.5	<2	5.99	<0.5	20	18	31	5.39
B0029135		4.16	0.026	1.0	2.06	205	<10	170	<0.5	<2	4.12	<0.5	19	16	30	6.20
B0029136		2.88	0.062	2.7	0.97	1230	<10	80	<0.5	<2	1.42	<0.5	21	9	30	6.10
B0029137		3.13	0.029	1.0	2.48	87	<10	120	<0.5	<2	3.96	<0.5	21	10	30	6.56
B0029138		3.24	0.027	0.7	2.10	50	<10	130	<0.5	<2	3.48	<0.5	18	6	14	6.29
B0029139		2.46	0.030	1.7	1.83	45	<10	90	0.5	<2	2.52	<0.5	20	4	17	6.24
B0029140		0.12	0.683	9.2	1.22	779	20	100	<0.5	20	3.04	5.7	44	22	6740	3.66
B0029141		2.20	0.052	1.7	0.32	129	<10	120	<0.5	<2	6.14	<0.5	17	2	24	4.60
B0029142		2.26	0.036	0.8	0.91	40	<10	140	<0.5	<2	2.85	<0.5	24	12	31	5.94
B0029143		2.02	0.031	0.9	1.18	64	<10	130	<0.5	<2	3.35	0.5	23	13	26	5.83
B0029144		2.45	0.013	0.5	2.10	32	<10	140	<0.5	<2	4.39	0.5	20	25	26	5.49
B0029145		4.58	0.018	0.9	2.04	28	<10	160	<0.5	<2	4.65	<0.5	20	22	31	5.54
B0029146		3.85	0.044	2.0	1.13	105	<10	70	<0.5	<2	3.13	0.5	22	11	38	5.15
B0029147		2.45	0.030	2.2	1.33	124	<10	90	<0.5	<2	1.49	0.7	23	11	33	4.73
B0029148		2.04	0.053	2.8	1.05	80	<10	100	<0.5	<2	2.03	0.8	14	13	24	3.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029118		<10	<1	0.24	<10	0.68	1120	1	0.01	3	1170	14	3.92	7	4	204
B0029119		<10	<1	0.25	<10	0.65	763	1	0.01	3	1150	16	4.54	10	4	102
B0029120		10	13	0.21	<10	1.43	749	53	0.07	227	620	>10000	4.25	733	3	49
B0029121		<10	<1	0.23	10	1.40	1360	1	0.01	3	1180	21	1.61	5	6	146
B0029122		<10	<1	0.17	<10	0.18	456	1	0.01	2	610	17	5.36	13	2	79
B0029123		<10	<1	0.24	10	1.10	1310	1	0.01	3	1310	12	1.79	3	6	127
B0029124		<10	<1	0.21	10	1.31	1680	<1	0.01	2	1160	9	1.25	4	6	221
B0029125		<10	1	0.15	<10	0.36	581	1	<0.01	2	640	14	4.44	18	2	74
B0029126		<10	<1	0.25	<10	0.61	1120	2	0.01	3	1060	18	4.48	13	4	94
B0029127		<10	<1	0.23	10	0.83	921	1	0.01	4	1320	11	1.80	5	5	84
B0029128		<10	<1	0.24	10	1.09	1570	1	0.01	3	1310	11	1.31	4	6	214
B0029129		<10	<1	0.29	10	1.06	1440	<1	0.01	3	1340	7	0.51	<2	5	182
B0029130		<10	<1	0.01	<10	11.50	114	<1	<0.01	1	20	2	0.01	<2	<1	52
B0029131		10	<1	0.26	10	1.23	1470	<1	0.01	3	1300	15	0.95	<2	6	171
B0029132		10	<1	0.24	10	1.15	1670	<1	0.01	3	1200	15	1.13	2	6	135
B0029133		10	<1	0.24	10	1.35	1720	<1	0.01	5	1230	6	0.20	<2	8	214
B0029134		10	<1	0.28	10	1.04	1820	<1	0.01	4	1150	5	0.40	<2	7	229
B0029135		<10	1	0.26	10	0.92	1380	1	0.01	4	1160	9	1.83	10	6	192
B0029136		<10	12	0.24	<10	0.41	536	2	0.01	4	1200	15	4.71	70	4	56
B0029137		10	<1	0.24	10	1.46	1550	<1	0.01	4	1410	12	1.37	3	6	179
B0029138		<10	<1	0.22	10	1.36	1560	<1	0.01	3	1210	22	2.15	<2	6	193
B0029139		<10	<1	0.24	10	1.17	1300	<1	0.01	4	1260	13	2.20	2	6	134
B0029140		<10	<1	0.16	10	0.43	597	283	0.13	22	630	71	1.25	16	2	139
B0029141		<10	<1	0.27	<10	0.76	2660	1	0.01	4	1190	20	2.39	6	5	250
B0029142		<10	<1	0.29	<10	0.87	1250	1	0.01	6	1340	19	2.43	5	8	124
B0029143		<10	<1	0.30	10	0.87	1340	<1	<0.01	5	1290	16	2.85	4	8	141
B0029144		10	<1	0.22	10	1.23	2140	1	0.01	4	1300	7	0.96	3	8	176
B0029145		<10	<1	0.24	10	1.11	1980	1	0.01	5	1280	23	1.49	2	7	214
B0029146		<10	<1	0.30	10	0.50	1290	1	0.01	6	1330	23	3.76	8	4	165
B0029147		<10	<1	0.31	10	0.60	768	1	<0.01	5	1400	66	2.92	9	3	90
B0029148		<10	<1	0.17	<10	0.57	629	1	0.01	4	830	18	1.92	6	2	72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029118		<20	<0.01	<10	<10	22	<10	88			
B0029119		<20	<0.01	<10	<10	19	<10	84			
B0029120		<20	0.05	10	<10	57	20	>10000	337	2.43	2.41
B0029121		<20	<0.01	<10	<10	34	<10	88			
B0029122		<20	<0.01	<10	<10	7	<10	44			
B0029123		<20	<0.01	<10	<10	28	<10	90			
B0029124		<20	<0.01	<10	<10	29	<10	73			
B0029125		<20	<0.01	<10	<10	7	<10	55			
B0029126		<20	<0.01	<10	<10	17	<10	64			
B0029127		<20	<0.01	<10	<10	27	<10	86			
B0029128		<20	<0.01	<10	<10	35	<10	86			
B0029129		<20	<0.01	<10	<10	43	<10	91			
B0029130		<20	<0.01	<10	<10	1	<10	3			
B0029131		<20	<0.01	<10	<10	45	<10	88			
B0029132		<20	<0.01	<10	<10	49	<10	81			
B0029133		<20	0.01	<10	<10	62	<10	93			
B0029134		<20	0.01	<10	<10	58	<10	84			
B0029135		<20	<0.01	<10	<10	54	<10	80			
B0029136		<20	<0.01	10	<10	24	<10	61			
B0029137		<20	<0.01	<10	<10	51	<10	107			
B0029138		<20	<0.01	<10	<10	40	<10	110			
B0029139		<20	<0.01	<10	<10	35	<10	89			
B0029140		<20	0.08	<10	<10	41	10	959			
B0029141		<20	<0.01	<10	<10	11	<10	69			
B0029142		<20	<0.01	<10	<10	29	<10	92			
B0029143		<20	<0.01	<10	<10	33	<10	96			
B0029144		<20	<0.01	<10	<10	60	<10	96			
B0029145		<20	<0.01	<10	<10	58	<10	100			
B0029146		<20	<0.01	<10	<10	31	<10	106			
B0029147		<20	<0.01	<10	<10	32	<10	157			
B0029148		<20	<0.01	<10	<10	27	<10	112			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 13-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246513

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

CERTIFICATE YW20246515

Project: Premier Gold Project

This report is for 148 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	
Zn-OG46	Ore Grade Zn - Aqua Regia	
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029149		2.14	0.064	2.5	1.00	114	<10	70	<0.5	<2	2.02	0.5	20	12	27	4.35
B0029150		1.17	<0.005	<0.2	0.02	3	<10	<10	<0.5	<2	21.0	<0.5	1	1	<1	0.16
B0029151		2.62	0.087	1.2	1.38	159	<10	100	<0.5	<2	3.97	0.5	18	7	25	5.38
B0029152		2.17	0.027	0.8	1.51	85	<10	150	<0.5	<2	4.73	0.5	15	5	19	5.07
B0029153		1.99	0.029	0.6	1.65	47	<10	170	<0.5	<2	6.10	<0.5	13	5	21	4.22
B0029154		2.31	0.123	1.6	0.75	307	<10	60	<0.5	<2	3.48	<0.5	15	4	22	5.01
B0029155		2.07	0.052	1.2	0.22	75	<10	110	<0.5	<2	11.4	1.3	7	2	17	2.44
B0029156		2.36	0.030	0.7	1.72	39	<10	190	<0.5	<2	3.87	<0.5	15	4	13	4.38
B0029157		1.26	0.108	1.3	1.49	73	<10	150	<0.5	<2	3.29	0.5	13	3	23	3.85
B0029158		1.19	0.138	1.2	1.57	64	<10	170	<0.5	<2	2.74	<0.5	14	4	21	4.04
B0029159		2.42	0.133	2.0	1.61	121	<10	150	<0.5	<2	6.75	9.4	12	4	20	4.20
B0029160		0.09	1.265	91.0	1.66	34	10	180	<0.5	2	3.17	8.6	17	18	969	3.57
B0029161		2.35	0.082	1.9	1.69	156	<10	180	<0.5	<2	6.30	4.9	13	4	14	4.37
B0029162		2.34	0.029	0.5	2.31	43	<10	170	<0.5	<2	3.36	0.5	15	5	18	4.86
B0029163		2.36	0.124	2.1	1.54	187	<10	40	0.5	<2	2.51	0.7	15	3	25	4.69
B0029164		2.61	0.036	1.3	1.69	54	<10	160	0.5	<2	4.26	2.6	14	3	44	4.64
B0029165		1.40	0.561	1.6	1.43	194	<10	40	<0.5	<2	5.02	1.4	14	3	23	4.71
B0029166		2.31	0.060	0.9	1.15	54	<10	140	<0.5	<2	4.47	<0.5	11	4	18	3.92
B0029167		2.16	0.046	0.7	1.09	48	<10	160	<0.5	<2	6.54	<0.5	10	2	17	3.25
B0029168		2.25	0.058	0.7	0.68	51	<10	150	<0.5	<2	5.40	<0.5	9	3	16	3.26
B0029169		4.12	0.074	0.6	0.96	45	<10	150	<0.5	<2	5.84	<0.5	12	3	21	3.52
B0029170		1.32	<0.005	<0.2	0.02	2	<10	<10	<0.5	<2	20.6	<0.5	2	<1	<1	0.15
B0029171		1.33	0.089	0.8	0.54	24	<10	150	<0.5	<2	12.6	<0.5	8	2	16	2.95
B0029172		1.13	0.075	0.7	0.61	28	<10	160	<0.5	<2	12.1	<0.5	9	2	16	3.06
B0029173		2.33	0.032	0.6	0.98	22	<10	130	<0.5	<2	4.84	<0.5	13	4	22	4.24
B0029174		2.96	0.051	0.7	1.58	33	<10	190	<0.5	<2	4.85	<0.5	14	5	25	4.38
B0029175		2.56	0.091	0.6	1.36	48	<10	90	<0.5	<2	3.69	<0.5	15	4	25	4.71
B0029176		4.41	0.041	0.8	1.63	38	<10	180	<0.5	<2	5.17	<0.5	14	5	22	4.57
B0029177		4.41	0.018	0.7	2.12	12	<10	220	<0.5	<2	3.35	<0.5	14	6	27	4.47
B0029178		5.05	0.043	0.6	2.16	36	<10	170	<0.5	<2	3.84	<0.5	14	6	26	4.67
B0029179		4.91	0.020	0.6	2.20	50	<10	280	<0.5	<2	3.22	<0.5	14	6	22	4.62
B0029180		0.10	8.02	>100	1.50	621	10	20	<0.5	3	3.57	126.5	18	43	2060	4.92
B0029181		4.87	0.040	0.5	1.74	49	<10	140	<0.5	<2	3.96	<0.5	15	5	12	4.87
B0029182		4.48	0.017	0.3	1.70	31	<10	140	<0.5	<2	3.65	<0.5	15	5	6	4.83
B0029183		5.02	0.045	0.4	1.87	68	<10	150	<0.5	<2	3.53	<0.5	14	5	17	4.80
B0029184		4.10	0.027	0.7	2.68	38	<10	140	<0.5	<2	3.04	<0.5	18	6	80	6.09
B0029185		3.43	0.017	0.7	2.31	21	<10	230	<0.5	<2	3.63	<0.5	14	5	56	4.91
B0029186		2.10	0.026	0.7	2.03	47	<10	180	<0.5	<2	3.46	<0.5	14	5	39	4.67
B0029187		5.57	0.032	0.6	1.85	47	<10	180	<0.5	<2	3.32	0.7	14	4	22	4.68
B0029188		3.42	0.008	0.3	2.13	10	<10	200	<0.5	<2	3.48	<0.5	14	5	23	4.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029149		<10	<1	0.34	<10	0.38	583	3	<0.01	4	1190	15	3.22	7	3	58
B0029150		<10	<1	0.01	<10	12.20	131	<1	<0.01	2	20	<2	<0.01	<2	<1	54
B0029151		<10	1	0.27	<10	0.68	1050	2	0.01	4	1150	11	3.45	6	4	136
B0029152		<10	<1	0.29	<10	0.93	1070	1	0.01	2	1190	9	3.13	3	4	114
B0029153		<10	<1	0.29	<10	1.02	1190	<1	0.01	3	1120	8	2.08	4	4	133
B0029154		<10	<1	0.29	<10	0.31	665	1	<0.01	3	1060	14	4.58	9	2	82
B0029155		<10	<1	0.16	<10	0.08	2100	1	<0.01	3	580	64	2.39	7	1	368
B0029156		<10	<1	0.33	<10	0.95	1440	1	<0.01	5	1030	11	1.87	2	3	185
B0029157		<10	<1	0.38	<10	0.70	1270	1	0.01	4	1100	14	1.91	4	3	150
B0029158		<10	<1	0.37	<10	0.76	1160	1	0.01	5	1130	12	1.85	2	3	135
B0029159		<10	<1	0.26	10	0.92	2840	1	0.01	4	1100	578	1.83	2	3	265
B0029160		<10	<1	0.15	<10	1.43	912	13	0.10	11	1030	4540	1.03	64	6	160
B0029161		<10	<1	0.32	<10	0.90	3510	1	0.01	4	1000	304	1.85	3	3	254
B0029162		10	<1	0.31	10	1.27	2170	<1	<0.01	4	1210	39	0.84	2	3	172
B0029163		<10	<1	0.33	10	0.75	1350	1	<0.01	5	1170	24	2.51	4	3	135
B0029164		<10	<1	0.33	10	0.92	1900	4	<0.01	5	1130	160	2.09	<2	4	199
B0029165		<10	<1	0.27	<10	0.74	1960	<1	0.01	4	1010	75	2.63	4	3	231
B0029166		<10	<1	0.26	<10	0.60	1620	1	<0.01	4	890	12	2.22	3	3	156
B0029167		<10	<1	0.31	10	0.53	1700	1	<0.01	4	860	8	1.66	3	3	154
B0029168		<10	<1	0.27	10	0.30	1420	1	<0.01	4	780	9	2.52	3	2	147
B0029169		<10	<1	0.26	10	0.45	1400	1	0.01	4	890	7	2.41	2	2	140
B0029170		<10	<1	0.01	<10	11.95	129	<1	<0.01	2	20	<2	<0.01	2	<1	57
B0029171		<10	<1	0.24	10	0.27	2910	<1	<0.01	4	720	8	2.51	2	3	367
B0029172		<10	<1	0.27	10	0.29	2780	<1	0.01	4	760	8	2.56	4	3	299
B0029173		<10	<1	0.24	10	0.49	1310	1	0.01	5	980	6	3.06	2	3	157
B0029174		<10	<1	0.31	10	0.88	1590	1	0.02	5	1110	12	2.08	3	4	204
B0029175		<10	1	0.29	10	0.73	1270	1	0.01	5	1110	10	2.94	3	3	130
B0029176		<10	<1	0.26	10	0.98	1650	1	0.01	5	1080	14	2.16	2	3	159
B0029177		10	<1	0.27	10	1.33	1720	1	0.01	5	1160	11	0.84	2	4	180
B0029178		10	<1	0.24	10	1.36	1640	2	0.01	5	1170	16	0.87	2	3	165
B0029179		10	<1	0.26	10	1.30	1510	1	0.01	5	1190	9	0.75	3	4	137
B0029180		10	14	0.19	<10	1.38	744	54	0.06	216	620	>10000	3.96	709	3	46
B0029181		10	<1	0.23	10	1.01	1520	1	0.02	5	1130	27	2.24	<2	3	118
B0029182		<10	<1	0.22	10	1.12	1390	1	0.01	5	1100	12	2.41	2	3	102
B0029183		10	<1	0.23	10	1.23	1370	1	0.01	4	1110	9	1.95	<2	3	109
B0029184		10	<1	0.19	10	1.64	1830	2	0.01	4	1020	11	1.09	<2	4	101
B0029185		10	<1	0.22	10	1.40	1680	2	0.01	5	1110	8	0.77	2	3	108
B0029186		<10	<1	0.25	10	1.19	1730	<1	0.01	4	1100	6	1.17	2	3	104
B0029187		<10	1	0.28	10	1.09	1700	1	<0.01	5	1200	27	1.84	<2	3	101
B0029188		10	<1	0.24	10	1.26	1420	3	0.01	5	1070	9	0.56	<2	3	92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029149		<20	<0.01	<10	<10	26	<10	76			
B0029150		<20	<0.01	<10	<10	1	<10	4			
B0029151		<20	<0.01	<10	<10	33	<10	82			
B0029152		<20	<0.01	<10	<10	30	<10	81			
B0029153		<20	<0.01	<10	<10	33	<10	73			
B0029154		<20	<0.01	<10	<10	17	<10	78			
B0029155		<20	<0.01	<10	<10	6	<10	145			
B0029156		<20	<0.01	<10	<10	26	<10	86			
B0029157		<20	<0.01	<10	<10	22	<10	87			
B0029158		<20	<0.01	<10	<10	23	<10	87			
B0029159		<20	<0.01	<10	<10	23	<10	1160			
B0029160		<20	0.06	<10	<10	94	<10	1090			
B0029161		<20	<0.01	<10	<10	24	<10	631			
B0029162		<20	<0.01	<10	<10	30	<10	125			
B0029163		<20	<0.01	<10	<10	22	<10	97			
B0029164		<20	<0.01	<10	<10	26	<10	364			
B0029165		<20	<0.01	<10	<10	21	<10	241			
B0029166		<20	<0.01	<10	<10	18	<10	77			
B0029167		<20	<0.01	<10	<10	18	<10	60			
B0029168		<20	<0.01	<10	<10	12	<10	58			
B0029169		<20	<0.01	<10	<10	19	<10	59			
B0029170		<20	<0.01	<10	<10	<1	<10	3			
B0029171		<20	<0.01	<10	<10	10	<10	49			
B0029172		<20	<0.01	<10	<10	12	<10	54			
B0029173		<20	<0.01	<10	<10	22	<10	62			
B0029174		<20	<0.01	<10	<10	31	<10	88			
B0029175		<20	<0.01	<10	<10	26	<10	73			
B0029176		<20	<0.01	<10	<10	31	<10	79			
B0029177		<20	<0.01	<10	<10	41	<10	89			
B0029178		<20	<0.01	<10	<10	42	<10	104			
B0029179		<20	<0.01	<10	<10	39	<10	91			
B0029180		<20	0.05	10	<10	57	20	>10000	321	2.33	2.39
B0029181		<20	0.01	<10	<10	32	<10	90			
B0029182		<20	0.01	<10	<10	29	<10	84			
B0029183		<20	<0.01	<10	<10	35	<10	80			
B0029184		<20	0.01	<10	<10	56	<10	102			
B0029185		<20	<0.01	<10	<10	34	<10	87			
B0029186		<20	<0.01	<10	<10	28	<10	77			
B0029187		<20	<0.01	<10	<10	26	<10	119			
B0029188		<20	<0.01	<10	<10	31	<10	86			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029189		4.60	0.008	0.3	2.11	10	<10	220	<0.5	<2	3.50	<0.5	14	5	25	4.37
B0029190		0.97	<0.005	0.2	0.02	2	<10	<10	<0.5	3	20.1	<0.5	1	<1	<1	0.14
B0029191		4.46	0.043	0.5	2.18	49	<10	220	<0.5	<2	3.74	<0.5	15	5	40	4.77
B0029192		4.75	0.006	0.2	2.46	13	<10	240	<0.5	<2	3.50	0.5	15	5	26	4.91
B0029193		4.46	0.006	0.2	2.37	21	<10	220	<0.5	<2	3.43	<0.5	16	5	16	4.80
B0029194		4.62	0.005	0.2	2.17	17	<10	210	<0.5	<2	2.91	<0.5	14	5	18	4.58
B0029195		4.39	<0.005	0.3	2.56	19	<10	220	<0.5	<2	3.07	<0.5	17	5	20	5.17
B0029196		4.99	0.012	0.3	2.39	26	<10	200	<0.5	<2	2.37	<0.5	16	6	16	4.93
B0029197		4.97	<0.005	0.3	2.42	15	<10	200	<0.5	<2	2.89	<0.5	16	6	18	4.90
B0029198		4.35	0.006	0.3	2.49	24	<10	200	<0.5	<2	2.50	<0.5	16	6	29	5.17
B0029199		4.24	<0.005	0.3	2.44	11	<10	180	<0.5	<2	3.25	<0.5	16	6	27	4.91
B0029200		0.12	0.708	10.0	1.22	790	20	100	<0.5	19	3.04	5.9	45	23	6460	3.49
B0029201		3.61	0.006	0.5	2.47	14	<10	190	<0.5	<2	3.00	<0.5	17	6	36	4.97
B0029202		2.35	0.017	0.6	2.51	53	<10	170	<0.5	<2	2.86	<0.5	17	7	38	5.50
B0029203		4.61	0.033	0.5	2.39	85	<10	170	<0.5	<2	3.32	<0.5	15	8	20	5.09
B0029204		3.95	<0.005	0.2	2.48	16	<10	180	<0.5	<2	3.63	<0.5	14	9	16	5.26
B0029205		4.41	0.029	0.5	2.64	47	<10	190	<0.5	<2	3.03	<0.5	16	10	14	5.64
B0029206		4.17	0.005	0.3	2.52	18	<10	290	<0.5	<2	4.25	0.6	15	9	18	5.00
B0029207		4.49	0.051	0.7	2.26	63	<10	160	<0.5	<2	3.51	1.8	16	10	29	5.70
B0029208		4.42	0.013	0.4	2.53	36	<10	170	<0.5	<2	3.76	1.4	16	10	27	5.04
B0029209		5.07	0.346	1.5	2.25	43	<10	240	<0.5	<2	6.59	4.7	15	9	47	4.51
B0029210		1.23	<0.005	<0.2	0.02	2	<10	10	<0.5	<2	21.3	<0.5	<1	<1	<1	0.13
B0029211		4.58	0.007	0.5	2.70	24	<10	180	<0.5	<2	3.89	<0.5	17	10	24	5.27
B0029212		3.85	0.018	0.5	2.93	32	<10	140	<0.5	<2	2.75	1.0	18	12	24	6.00
B0029213		4.75	0.067	0.8	2.50	64	<10	160	<0.5	<2	2.81	1.0	18	10	19	5.83
B0029214		4.84	0.059	0.9	2.84	78	<10	170	<0.5	<2	3.42	0.8	18	11	21	5.88
B0029215		4.88	0.031	0.7	2.51	39	<10	170	<0.5	<2	4.25	0.9	15	10	30	4.89
B0029216		4.32	0.023	0.7	2.74	38	<10	180	<0.5	<2	3.54	0.6	17	10	30	5.53
B0029217		4.47	0.056	0.9	2.51	63	<10	180	<0.5	<2	2.98	1.1	16	9	26	5.46
B0029218		4.58	0.019	0.6	2.71	50	<10	160	<0.5	<2	3.40	0.5	16	10	23	5.65
B0029219		3.74	0.017	0.8	2.93	38	<10	170	<0.5	<2	3.14	0.9	19	10	32	5.72
B0029220		0.09	1.230	92.8	1.61	33	10	170	<0.5	<2	3.17	8.6	17	17	966	3.49
B0029221		2.44	0.094	1.2	1.72	115	<10	150	<0.5	<2	6.19	1.7	14	7	22	4.66
B0029222		2.12	0.096	1.0	1.88	99	<10	190	<0.5	<2	6.71	2.2	14	6	22	4.57
B0029223		4.82	0.086	1.1	1.70	101	<10	170	<0.5	<2	5.06	3.3	14	7	16	4.40
B0029224		4.70	0.156	1.8	2.35	98	<10	150	<0.5	<2	4.68	7.1	16	9	48	4.90
B0029225		4.90	0.142	1.7	2.39	50	<10	150	<0.5	<2	4.33	7.9	16	9	65	5.12
B0029226		2.22	0.219	1.2	1.75	62	<10	120	<0.5	<2	4.05	2.3	17	6	27	6.06
B0029227		2.70	1.075	5.9	0.87	78	<10	80	<0.5	<2	3.83	13.7	14	4	72	4.67
B0029228		2.37	0.832	6.0	0.28	204	<10	80	<0.5	2	3.20	38.6	9	6	66	4.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029189		10	<1	0.25	10	1.22	1500	<1	0.01	4	1080	6	0.62	<2	3	100
B0029190		<10	1	0.01	<10	11.70	121	<1	<0.01	2	10	<2	<0.01	2	<1	51
B0029191		10	<1	0.28	10	1.26	1700	1	0.01	4	1150	24	1.09	<2	3	116
B0029192		10	<1	0.27	10	1.45	1610	<1	0.02	4	1170	5	0.41	2	4	106
B0029193		10	1	0.25	10	1.39	1440	<1	0.01	5	1170	5	0.44	<2	4	105
B0029194		10	<1	0.23	10	1.33	1390	<1	0.02	4	1100	4	0.73	<2	3	95
B0029195		10	<1	0.25	10	1.57	1590	1	0.02	5	1220	6	0.58	<2	4	114
B0029196		10	<1	0.23	10	1.47	1450	<1	0.02	5	1210	6	0.67	<2	4	83
B0029197		10	<1	0.24	10	1.44	1420	<1	0.02	5	1180	6	0.52	2	4	89
B0029198		10	<1	0.24	10	1.43	1170	1	0.02	5	1250	5	0.53	<2	4	83
B0029199		10	<1	0.22	10	1.41	1480	1	0.02	5	1190	5	0.31	<2	4	109
B0029200		10	<1	0.15	10	0.42	611	282	0.11	23	650	68	1.17	14	2	134
B0029201		10	<1	0.23	10	1.43	1530	1	0.02	5	1230	4	0.50	<2	4	107
B0029202		10	<1	0.23	10	1.57	1490	1	0.02	6	1270	8	1.12	<2	4	120
B0029203		10	<1	0.22	10	1.53	1340	<1	0.02	4	1230	8	0.91	2	4	114
B0029204		10	<1	0.22	10	1.46	1420	2	0.02	3	1130	5	0.53	<2	5	121
B0029205		10	<1	0.25	10	1.62	1440	1	0.02	3	1290	8	0.97	2	5	101
B0029206		10	<1	0.27	10	1.53	2110	1	0.02	3	1190	14	0.50	<2	5	177
B0029207		10	<1	0.24	10	1.48	2140	3	0.02	4	1260	76	2.19	<2	4	113
B0029208		10	<1	0.27	10	1.59	2460	<1	0.01	4	1270	58	0.75	<2	5	119
B0029209		10	1	0.28	10	1.34	2280	1	0.01	3	1150	531	0.71	<2	4	236
B0029210		<10	<1	0.01	<10	12.45	130	<1	<0.01	1	10	2	<0.01	2	<1	55
B0029211		10	<1	0.29	10	1.66	2170	<1	0.01	4	1290	23	0.57	<2	5	123
B0029212		10	<1	0.21	10	1.95	2060	1	0.02	6	1270	58	0.86	2	5	78
B0029213		10	<1	0.24	10	1.68	1710	3	0.02	4	1270	68	1.87	2	5	81
B0029214		10	<1	0.24	10	1.90	1960	<1	0.02	5	1270	47	1.12	<2	5	86
B0029215		10	<1	0.29	10	1.62	2150	1	0.01	4	1250	38	0.78	<2	5	110
B0029216		10	<1	0.26	10	1.82	2110	<1	0.01	4	1320	41	0.91	3	5	109
B0029217		10	<1	0.28	10	1.65	2110	4	0.01	3	1300	65	1.40	2	4	77
B0029218		10	<1	0.26	10	1.78	2150	<1	0.01	4	1320	27	1.12	<2	5	82
B0029219		10	<1	0.28	10	1.95	1930	<1	0.01	4	1440	56	0.74	<2	5	77
B0029220		10	1	0.14	<10	1.43	918	13	0.10	11	1030	4580	1.02	63	5	156
B0029221		<10	<1	0.25	10	1.06	2640	1	<0.01	3	1070	104	2.09	2	4	142
B0029222		<10	<1	0.31	10	1.12	2920	<1	<0.01	4	1070	99	1.86	2	4	150
B0029223		<10	<1	0.26	10	1.08	2460	1	<0.01	3	1030	167	1.86	3	3	139
B0029224		10	<1	0.30	10	1.44	3010	1	<0.01	3	1260	484	1.10	2	4	128
B0029225		10	<1	0.30	10	1.47	3240	1	<0.01	3	1320	314	1.31	2	4	123
B0029226		<10	<1	0.27	<10	1.07	2430	6	<0.01	4	1170	195	3.54	5	3	114
B0029227		<10	<1	0.28	<10	0.46	2470	3	<0.01	3	1130	630	3.89	4	3	176
B0029228		<10	<1	0.19	<10	0.08	1590	3	<0.01	3	460	2200	4.40	7	1	123

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029189		<20	<0.01	<10	<10	30	<10	81			
B0029190		<20	<0.01	<10	<10	1	<10	3			
B0029191		<20	<0.01	<10	<10	32	<10	100			
B0029192		<20	0.01	<10	<10	38	<10	91			
B0029193		<20	0.01	<10	<10	37	<10	86			
B0029194		<20	0.01	<10	<10	37	<10	81			
B0029195		<20	0.01	<10	<10	42	<10	98			
B0029196		<20	0.01	<10	<10	40	<10	95			
B0029197		<20	0.01	<10	<10	41	<10	87			
B0029198		<20	0.01	<10	<10	43	<10	91			
B0029199		<20	0.01	<10	<10	41	<10	87			
B0029200		<20	0.07	<10	<10	43	10	971			
B0029201		<20	0.01	<10	<10	44	<10	97			
B0029202		<20	0.01	<10	<10	45	<10	107			
B0029203		<20	0.01	<10	<10	46	<10	90			
B0029204		<20	0.01	<10	<10	56	<10	76			
B0029205		<20	0.01	<10	<10	50	<10	91			
B0029206		<20	0.01	<10	<10	49	<10	98			
B0029207		<20	0.01	<10	<10	50	<10	270			
B0029208		<20	0.01	<10	<10	52	<10	232			
B0029209		<20	0.01	<10	<10	46	<10	641			
B0029210		<20	<0.01	<10	<10	1	<10	5			
B0029211		<20	0.01	<10	<10	55	<10	123			
B0029212		<20	0.01	<10	<10	66	<10	188			
B0029213		<20	0.01	<10	<10	49	<10	200			
B0029214		<20	0.01	<10	<10	57	<10	203			
B0029215		<20	0.01	<10	<10	55	<10	151			
B0029216		<20	0.01	<10	<10	54	<10	165			
B0029217		<20	0.01	<10	<10	48	<10	206			
B0029218		<20	0.01	<10	<10	52	<10	147			
B0029219		<20	0.01	<10	<10	51	<10	210			
B0029220		<20	0.06	<10	<10	92	<10	1110			
B0029221		<20	<0.01	<10	<10	34	<10	220			
B0029222		<20	<0.01	<10	<10	37	<10	288			
B0029223		<20	<0.01	<10	<10	30	<10	343			
B0029224		<20	<0.01	<10	<10	44	<10	943			
B0029225		<20	<0.01	<10	<10	44	<10	1060			
B0029226		<20	<0.01	<10	<10	28	<10	315			
B0029227		<20	<0.01	<10	<10	15	<10	1660			
B0029228		<20	<0.01	<10	<10	6	<10	4280			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
B0029229		2.04	0.525	2.2	0.85	140	<10	120	<0.5	<2	7.9	3.6	11	3	14	3.77
B0029230		1.30	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.0	<0.5	1	<1	<1	0.12
B0029231		2.43	0.855	3.3	0.53	172	<10	120	<0.5	<2	4.72	5.9	7	5	9	3.13
B0029232		1.92	0.520	1.5	0.39	830	<10	80	<0.5	<2	3.38	9.3	6	7	24	2.80
B0029233		1.89	0.368	1.0	0.34	103	<10	60	<0.5	<2	4.97	2.2	3	7	8	2.23
B0029234		2.24	0.423	1.7	0.45	175	<10	100	<0.5	2	3.48	4.8	8	6	10	3.51
B0029235		2.57	0.347	2.0	1.72	91	<10	150	<0.5	<2	2.64	11.2	12	3	40	5.30
B0029236		2.67	0.097	2.4	2.20	33	<10	160	<0.5	<2	2.15	29.9	16	1	89	5.70
B0029237		4.98	0.286	2.1	2.50	68	<10	140	<0.5	<2	3.09	22.4	20	1	65	6.27
B0029238		5.57	0.168	1.5	2.09	65	<10	160	<0.5	<2	4.00	20.6	19	2	58	5.64
B0029239		4.08	0.278	1.3	1.65	64	<10	180	<0.5	<2	5.59	2.7	17	1	44	4.61
B0029240		0.10	7.78	>100	1.42	592	<10	20	<0.5	5	3.38	119.0	17	40	1960	4.65
B0029241		2.36	0.072	1.2	1.78	55	<10	160	<0.5	<2	5.08	1.5	16	1	49	4.87
B0029242		1.92	0.079	1.1	1.77	68	<10	170	<0.5	<2	5.26	1.5	16	1	45	4.81
B0029243		4.23	0.081	1.5	2.07	53	<10	160	<0.5	<2	4.53	9.2	17	1	89	5.15
B0029244		5.49	0.127	1.5	1.99	100	<10	170	<0.5	<2	5.24	5.0	19	1	39	5.29
B0029245		4.88	0.338	2.0	1.96	43	<10	160	<0.5	<2	4.96	12.4	19	1	51	5.16
B0029246		5.00	0.108	2.1	1.70	95	<10	180	<0.5	<2	3.98	17.8	19	1	67	5.01
B0029247		3.48	0.090	2.5	1.77	86	<10	200	<0.5	<2	5.04	9.8	16	1	110	4.72
B0029248		4.82	0.088	1.4	1.76	82	<10	180	<0.5	<2	6.48	1.6	17	1	36	4.70
B0029249		4.58	0.065	1.3	1.88	69	<10	180	<0.5	<2	5.38	3.4	19	1	27	4.82
B0029250		1.00	<0.005	0.2	0.03	<2	<10	20	<0.5	3	19.6	<0.5	<1	<1	1	0.16
B0029251		4.94	0.022	0.9	2.27	31	<10	170	<0.5	<2	5.95	1.5	19	1	48	5.25
B0029252		4.43	0.030	1.8	2.24	37	<10	200	<0.5	<2	5.46	11.0	19	1	76	5.29
B0029253		4.49	0.028	1.3	2.03	62	<10	200	<0.5	2	6.94	4.2	17	1	48	4.58
B0029254		2.07	0.040	1.1	1.93	55	<10	200	<0.5	<2	5.07	1.2	20	1	57	5.04
B0029255		3.52	0.062	1.0	1.70	46	<10	300	<0.5	<2	6.09	2.0	17	1	47	4.42
B0029256		4.48	0.021	1.2	2.15	45	<10	180	<0.5	<2	5.93	0.5	19	1	54	5.24
B0029257		5.03	0.261	1.2	1.98	91	<10	170	<0.5	<2	5.57	1.2	20	1	47	5.19
B0029258		4.57	0.011	0.8	2.22	56	<10	150	<0.5	2	6.35	<0.5	19	1	47	5.24
B0029259		4.78	0.029	0.9	2.10	51	<10	140	<0.5	2	7.2	<0.5	17	1	51	5.13
B0029260		0.12	0.680	9.3	1.19	788	10	110	<0.5	20	3.06	6.0	44	23	6470	3.53
B0029261		4.48	0.024	0.9	2.28	29	<10	130	<0.5	<2	5.75	0.9	18	1	36	5.49
B0029262		4.86	0.053	0.7	2.40	29	<10	160	<0.5	<2	6.14	0.8	18	1	32	5.33
B0029263		5.41	0.030	1.0	2.16	54	<10	170	<0.5	2	6.89	1.0	19	1	42	4.96
B0029264		5.55	0.059	1.1	2.23	31	<10	150	<0.5	<2	6.23	1.4	18	1	36	5.16
B0029265		4.62	0.081	1.7	1.82	41	<10	190	<0.5	2	7.3	1.5	17	1	58	4.55
B0029266		4.30	0.039	1.3	1.79	53	<10	130	<0.5	<2	5.96	2.1	18	1	41	4.63
B0029267		4.20	0.086	1.0	2.05	37	<10	120	<0.5	<2	7.8	0.9	18	1	38	5.11
B0029268		5.29	0.038	1.1	1.86	48	<10	130	<0.5	<2	6.21	1.1	19	1	42	4.84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029229		<10	<1	0.19	<10	0.31	3590	2	<0.01	2	600	80	2.23	2	2	231
B0029230		<10	<1	0.01	<10	11.55	119	<1	<0.01	2	20	4	<0.01	<2	<1	50
B0029231		<10	<1	0.16	<10	0.17	2490	1	<0.01	2	490	51	2.14	<2	1	165
B0029232		<10	<1	0.17	<10	0.13	1740	1	<0.01	1	330	66	1.95	7	1	135
B0029233		<10	<1	0.20	<10	0.08	2400	<1	<0.01	2	220	30	1.45	<2	1	176
B0029234		<10	<1	0.29	<10	0.09	1580	2	<0.01	3	500	299	2.90	<2	1	126
B0029235		<10	<1	0.22	<10	0.77	3090	<1	<0.01	1	1190	98	1.86	2	2	120
B0029236		10	<1	0.30	10	0.95	2770	<1	0.01	2	1630	706	1.44	2	3	72
B0029237		10	<1	0.28	10	1.15	3210	<1	0.01	2	1620	643	1.41	2	4	101
B0029238		<10	<1	0.34	10	0.82	2730	1	0.01	3	1680	201	1.64	3	3	114
B0029239		<10	<1	0.38	10	0.58	2410	<1	0.01	3	1540	91	1.89	3	3	133
B0029240		10	13	0.18	<10	1.30	701	50	0.05	204	590	>10000	3.75	667	3	43
B0029241		<10	<1	0.32	10	0.72	2280	1	0.01	2	1600	86	1.59	3	3	126
B0029242		<10	<1	0.34	10	0.72	2300	<1	0.01	2	1580	78	1.58	2	3	129
B0029243		<10	<1	0.34	10	0.85	2480	<1	0.02	3	1620	139	1.22	2	4	139
B0029244		<10	<1	0.36	10	0.77	2610	1	0.01	2	1630	192	1.55	2	3	142
B0029245		<10	<1	0.35	10	0.77	3060	<1	0.01	2	1580	172	1.46	<2	3	135
B0029246		<10	<1	0.38	<10	0.62	2630	<1	<0.01	2	1610	208	2.14	2	2	118
B0029247		<10	<1	0.40	10	0.62	2690	1	<0.01	2	1480	126	1.71	3	3	141
B0029248		10	2	0.35	10	0.65	2750	1	0.01	3	1540	83	1.30	2	3	152
B0029249		10	1	0.36	10	0.74	2390	<1	0.01	2	1620	178	1.16	2	3	144
B0029250		<10	2	0.01	<10	11.90	133	<1	<0.01	<1	20	2	<0.01	2	<1	48
B0029251		10	2	0.32	10	1.00	2900	<1	0.01	3	1530	49	0.60	2	4	172
B0029252		10	1	0.39	10	0.91	2420	<1	0.01	3	1580	282	0.97	2	4	151
B0029253		10	1	0.42	10	0.79	3130	<1	0.01	2	1490	125	0.84	2	4	192
B0029254		10	1	0.35	10	0.73	2290	1	0.01	3	1680	28	1.17	3	3	126
B0029255		<10	2	0.36	10	0.65	2710	1	0.01	3	1560	104	0.95	2	4	203
B0029256		10	2	0.40	10	0.84	2340	<1	0.01	2	1600	33	1.09	2	4	143
B0029257		10	2	0.32	10	0.81	2070	<1	0.01	2	1700	68	1.13	3	4	151
B0029258		10	1	0.33	10	0.89	2390	<1	0.01	2	1570	14	0.60	4	4	188
B0029259		10	1	0.30	10	0.84	2480	1	0.01	2	1540	13	0.73	<2	4	189
B0029260		10	1	0.15	10	0.41	610	285	0.12	22	620	70	1.18	16	2	130
B0029261		10	1	0.29	10	0.92	2420	1	0.01	1	1600	82	0.64	<2	4	162
B0029262		10	1	0.34	10	0.98	2580	<1	0.02	3	1620	49	0.46	<2	4	172
B0029263		10	1	0.40	10	0.85	2990	1	0.01	2	1530	55	0.76	2	4	188
B0029264		10	1	0.35	10	0.90	2760	1	0.01	1	1570	92	0.78	2	4	164
B0029265		10	1	0.36	10	0.71	2520	<1	0.01	2	1550	99	1.16	2	3	167
B0029266		10	1	0.29	10	0.72	2460	1	0.01	3	1620	111	0.98	2	3	162
B0029267		10	1	0.26	10	0.86	3480	<1	0.01	2	1490	62	0.73	<2	3	196
B0029268		<10	1	0.28	10	0.73	2650	1	0.01	2	1600	46	1.07	<2	3	142

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029229		<20	<0.01	<10	<10	19	<10	441			
B0029230		<20	<0.01	<10	<10	<1	<10	5			
B0029231		<20	<0.01	<10	<10	13	<10	631			
B0029232		<20	<0.01	<10	<10	11	<10	1040			
B0029233		<20	<0.01	<10	<10	10	<10	269			
B0029234		<20	<0.01	<10	<10	13	<10	552			
B0029235		<20	<0.01	<10	<10	48	<10	1440			
B0029236		<20	0.01	<10	<10	51	<10	3780			
B0029237		<20	0.01	<10	<10	59	<10	2920			
B0029238		<20	0.01	<10	<10	47	<10	2580			
B0029239		<20	0.01	<10	<10	31	<10	369			
B0029240		<20	0.04	10	<10	54	20	>10000	324	2.32	2.36
B0029241		<20	<0.01	<10	<10	35	<10	236			
B0029242		<20	<0.01	<10	<10	34	<10	225			
B0029243		<20	0.01	<10	<10	45	<10	1160			
B0029244		<20	0.01	<10	<10	44	<10	657			
B0029245		<20	<0.01	<10	<10	42	<10	1500			
B0029246		<20	<0.01	<10	<10	36	<10	2240			
B0029247		<20	0.01	<10	<10	36	<10	1250			
B0029248		<20	0.01	<10	<10	36	<10	243			
B0029249		<20	0.01	<10	<10	34	<10	440			
B0029250		<20	<0.01	<10	<10	<1	<10	5			
B0029251		<20	0.01	<10	<10	39	<10	239			
B0029252		<20	0.01	<10	<10	44	<10	1455			
B0029253		<20	0.01	<10	<10	38	<10	531			
B0029254		<20	<0.01	<10	<10	36	<10	216			
B0029255		<20	<0.01	<10	<10	31	<10	296			
B0029256		<20	<0.01	<10	<10	44	<10	130			
B0029257		<20	<0.01	<10	<10	40	<10	194			
B0029258		<20	<0.01	<10	<10	43	<10	112			
B0029259		<20	<0.01	<10	<10	40	<10	101			
B0029260		<20	0.07	<10	<10	42	<10	976			
B0029261		<20	0.01	<10	<10	47	<10	186			
B0029262		<20	0.01	<10	<10	46	<10	171			
B0029263		<20	0.01	<10	<10	39	<10	180			
B0029264		<20	<0.01	<10	<10	44	<10	215			
B0029265		<20	<0.01	<10	<10	35	<10	219			
B0029266		<20	<0.01	<10	<10	35	<10	291			
B0029267		<20	<0.01	<10	<10	39	<10	173			
B0029268		<20	<0.01	<10	<10	34	<10	198			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B0029269		4.50	0.034	1.5	2.04	52	<10	130	<0.5	<2	5.27	0.7	23	1	107	4.99
B0029270		0.92	<0.005	<0.2	0.03	<2	<10	20	<0.5	3	20.5	<0.5	<1	<1	2	0.14
B0029271		1.73	0.126	1.0	1.81	48	<10	120	<0.5	2	7.10	5.4	16	1	34	5.34
B0029272		4.99	0.188	2.3	1.53	247	<10	130	<0.5	2	4.70	18.6	23	1	45	5.21
B0029273		4.97	0.358	1.6	1.80	1415	<10	120	<0.5	<2	5.61	2.6	18	1	52	5.22
B0029274		4.82	0.793	3.1	1.85	2100	<10	150	<0.5	<2	6.56	8.1	19	1	57	5.71
B0029275		5.04	0.592	4.9	2.15	59	<10	120	<0.5	3	4.17	46.3	16	1	89	6.05
B0029276		4.86	1.645	10.9	1.92	32	<10	120	<0.5	2	3.15	101.5	16	1	238	5.79
B0029277		4.60	0.092	1.9	1.87	58	<10	130	<0.5	2	5.44	11.8	16	1	52	5.49
B0029278		4.74	0.046	1.7	1.47	79	<10	120	<0.5	<2	6.71	0.5	17	1	48	5.18
B0029279		5.01	0.085	2.4	1.12	154	<10	120	<0.5	<2	5.46	8.4	18	1	55	5.22
B0029280		0.09	1.130	93.5	1.57	31	10	170	<0.5	<2	3.17	8.6	18	17	969	3.52
B0029281		4.37	0.219	3.1	0.98	301	<10	110	<0.5	<2	4.68	8.6	16	1	50	4.72
B0029282		2.28	0.935	5.7	0.72	341	<10	70	<0.5	3	2.45	65.8	11	2	97	5.17
B0029283		2.18	0.783	4.4	0.58	607	<10	80	<0.5	<2	5.65	21.9	20	1	62	5.48
B0029284		3.68	2.15	10.8	0.26	484	<10	70	<0.5	<2	4.66	70.7	14	2	114	4.94
B0029285		2.58	0.158	2.6	0.87	218	<10	90	<0.5	<2	4.03	2.3	19	1	47	5.24
B0029286		2.12	0.140	2.6	0.89	199	<10	100	<0.5	<2	3.62	2.5	18	1	48	5.24
B0029287		2.30	0.087	2.0	1.03	178	<10	90	<0.5	<2	2.77	0.5	20	1	43	5.23
B0029288		2.21	0.137	2.2	0.90	188	<10	110	0.5	<2	3.15	0.8	20	1	44	4.17
B0029289		2.63	0.504	3.7	0.43	262	<10	80	<0.5	<2	7.0	7.3	16	2	40	3.95
B0029290		0.82	<0.005	<0.2	0.02	<2	<10	<10	<0.5	<2	20.0	<0.5	1	1	1	0.13
B0029291		2.02	0.681	3.1	0.62	203	<10	70	<0.5	<2	6.72	2.1	18	1	21	4.02
B0029292		2.41	0.347	3.1	0.45	219	<10	50	<0.5	<2	6.40	3.6	16	1	33	3.59
B0029293		2.50	0.268	2.3	0.61	168	<10	80	<0.5	<2	7.1	3.5	7	1	33	3.32
B0029294		2.28	0.061	2.2	0.63	32	<10	120	0.5	<2	4.02	11.6	7	1	62	1.57
B0029295		2.31	1.415	8.2	1.50	107	<10	110	<0.5	<2	2.61	60.8	7	1	216	4.73
B0029296		2.22	0.119	1.8	1.32	59	<10	110	<0.5	<2	6.54	2.7	8	1	26	3.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B0029269		10	1	0.28	10	0.85	2410	<1	0.01	2	1630	34	0.74	3	3	127
B0029270		<10	1	0.01	<10	12.15	134	<1	<0.01	<1	20	2	<0.01	<2	<1	50
B0029271		<10	1	0.23	10	0.72	2810	<1	<0.01	3	1490	231	1.68	2	2	176
B0029272		<10	1	0.25	10	0.58	1885	1	<0.01	4	1460	442	2.42	3	2	137
B0029273		<10	1	0.25	10	0.66	1930	<1	0.01	3	1570	125	1.44	4	3	151
B0029274		<10	1	0.24	10	0.65	2790	1	<0.01	2	1470	273	1.76	5	2	199
B0029275		<10	1	0.26	10	0.76	2790	<1	0.01	2	1580	388	1.73	2	2	130
B0029276		<10	2	0.24	<10	0.68	2320	<1	0.01	3	1510	474	2.30	2	2	82
B0029277		<10	1	0.26	10	0.63	2320	1	0.01	2	1580	114	1.67	2	2	133
B0029278		<10	1	0.24	<10	0.48	2310	<1	<0.01	2	1500	19	2.39	4	2	171
B0029279		<10	1	0.27	<10	0.36	1740	1	<0.01	2	1620	116	3.55	7	2	135
B0029280		10	1	0.14	<10	1.39	908	13	0.10	11	1010	4470	1.03	54	5	151
B0029281		<10	1	0.26	10	0.31	1410	<1	<0.01	2	1540	404	3.37	6	2	105
B0029282		<10	1	0.22	<10	0.24	1155	1	<0.01	2	1200	660	4.66	8	1	60
B0029283		<10	1	0.23	<10	0.16	1720	<1	<0.01	2	1280	178	5.22	10	1	137
B0029284		<10	<1	0.21	<10	0.04	1800	2	<0.01	3	1070	1625	6.37	8	1	118
B0029285		<10	<1	0.24	10	0.27	1260	2	<0.01	3	1540	53	4.30	4	2	111
B0029286		<10	<1	0.25	10	0.27	1190	3	<0.01	2	1570	53	4.24	<2	2	99
B0029287		<10	<1	0.24	10	0.33	1110	2	<0.01	2	1620	18	3.85	3	2	75
B0029288		<10	<1	0.25	10	0.28	1045	4	<0.01	3	1640	24	3.00	2	2	73
B0029289		<10	<1	0.21	10	0.12	2290	3	<0.01	1	1250	183	3.98	3	1	207
B0029290		<10	<1	0.01	<10	12.05	132	<1	<0.01	<1	20	<2	<0.01	<2	<1	51
B0029291		<10	<1	0.20	10	0.22	2510	9	<0.01	2	1160	157	3.45	3	1	190
B0029292		<10	<1	0.21	10	0.13	2040	4	<0.01	2	1200	132	3.46	<2	1	170
B0029293		<10	<1	0.20	10	0.21	2140	1	<0.01	1	890	176	2.64	2	1	178
B0029294		<10	<1	0.28	10	0.17	1910	1	<0.01	1	1260	378	0.71	<2	1	131
B0029295		<10	1	0.31	10	0.52	2250	<1	<0.01	1	1110	573	2.02	3	1	88
B0029296		<10	<1	0.25	10	0.47	4010	<1	0.01	1	1100	155	1.11	2	2	279

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-OG46	Pb-OG46	Zn-OG46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	20	0.01	10	10	1	10	2	1	0.001	0.001
B0029269		<20	<0.01	<10	<10	35	<10	154			
B0029270		<20	<0.01	<10	<10	<1	<10	5			
B0029271		<20	0.01	<10	<10	32	<10	727			
B0029272		<20	<0.01	<10	<10	26	<10	2320			
B0029273		<20	<0.01	<10	<10	32	<10	330			
B0029274		<20	<0.01	<10	<10	32	<10	1060			
B0029275		<20	<0.01	<10	<10	38	<10	5860			
B0029276		<20	0.01	<10	<10	33	<10	>10000			1.205
B0029277		<20	<0.01	<10	<10	33	<10	1580			
B0029278		<20	<0.01	<10	<10	24	<10	104			
B0029279		<20	<0.01	<10	<10	17	<10	1095			
B0029280		<20	0.06	<10	<10	90	<10	1115			
B0029281		<20	<0.01	<10	<10	16	<10	1135			
B0029282		<20	<0.01	<10	<10	12	<10	7570			
B0029283		<20	<0.01	<10	<10	10	<10	2790			
B0029284		<20	<0.01	<10	<10	4	<10	8760			
B0029285		<20	<0.01	<10	<10	16	<10	305			
B0029286		<20	<0.01	<10	<10	16	<10	312			
B0029287		<20	<0.01	<10	<10	17	<10	88			
B0029288		<20	<0.01	<10	<10	16	<10	140			
B0029289		<20	<0.01	<10	<10	8	<10	825			
B0029290		<20	<0.01	<10	<10	<1	<10	6			
B0029291		<20	<0.01	<10	<10	12	<10	227			
B0029292		<20	<0.01	<10	<10	9	<10	388			
B0029293		<20	<0.01	<10	<10	9	<10	417			
B0029294		<20	<0.01	<10	<10	9	<10	1400			
B0029295		<20	<0.01	<10	<10	18	10	6750			
B0029296		<20	<0.01	<10	<10	19	<10	376			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold Project

CERTIFICATE OF ANALYSIS YW20246515

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Yellowknife located at # 8 – 3 Coronation Drive, X1A 0G5, Yellowknife, NT, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG46	Au-AA23	ME-ICP41	ME-OG46
	Pb-OG46	Zn-OG46		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 26-JUL-2020
Account: ASCRES

CERTIFICATE TR20140115

Project: Premier

This report is for 1 Crushed Rock sample submitted to our lab in Terrace, BC, Canada on 2-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
BAG-01	Bulk Master for Storage
LOG-21	Sample logging - ClientBarCode
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Dry Screen1kg to 106um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 to 106 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 26-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140115

Sample Description	Method	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOD	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
D00072709		28.5	355	16.10	12.808	36.09	944.7	14.85	17.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 26-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20140115

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:			
FND-03	LOG-21	SPL-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Au-AA25	Au-AA25D	Au-SCR21	BAG-01
PUL-32	SCR-21		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-JUL-2020
Account: ASCRES

CERTIFICATE TR20145251

Project: Premier

This report is for 1 Crushed Rock sample submitted to our lab in Terrace, BC, Canada on 9-JUL-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
BAG-01	Bulk Master for Storage
LOG-21	Sample logging - ClientBarCode
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Dry Screen1kg to 106um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 to 106 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145251

Sample Description	Method Analyte Units LOD	Au-SCR21 Au Total ppm 0.05	Au-SCR21 Au (+) F ppm 0.05	Au-SCR21 Au (-) F ppm 0.05	Au-SCR21 Au (+) m mg 0.001	Au-SCR21 WT. + Fr g 0.01	Au-SCR21 WT. - Fr g 0.1	Au-AA25 Au ppm 0.01	Au-AA25D Au ppm 0.01
D00072847		1.50	26.5	0.63	0.839	31.62	902.6	0.64	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 31-JUL-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20145251

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:			
FND-03	LOG-21	SPL-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Au-AA25	Au-AA25D	Au-SCR21	BAG-01
PUL-32	SCR-21		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-SEP-2020
Account: ASCRES

CERTIFICATE TR20177345

Project: Premier

This report is for 1 Crushed Rock sample submitted to our lab in Terrace, BC, Canada on 17-AUG-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
BAG-01	Bulk Master for Storage
LOG-21	Sample logging - ClientBarCode
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Dry Screen1kg to 106um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 to 106 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177345

Sample Description	Method Analyte Units LOD	Au-SCR21 Au Total ppm 0.05	Au-SCR21 Au (+) F ppm 0.05	Au-SCR21 Au (-) F ppm 0.05	Au-SCR21 Au (+) m mg 0.001	Au-SCR21 WT. + Fr g 0.01	Au-SCR21 WT. - Fr g 0.1	Au-AA25 Au ppm 0.01	Au-AA25D Au ppm 0.01
C00073813		0.20	1.57	0.15	0.060	38.17	901.4	0.14	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 16-SEP-2020
Account: ASCRES

Project: Premier

CERTIFICATE OF ANALYSIS TR20177345

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:			
FND-03	LOG-21	SPL-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Au-AA25	Au-AA25D	Au-SCR21	BAG-01
PUL-32	SCR-21		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

CERTIFICATE TR20207024

Project: Premier Gold

This report is for 1 Crushed Rock sample submitted to our lab in Terrace, BC, Canada on 17-SEP-2020.

The following have access to data associated with this certificate:

LARS BEGGEROW	ZOE PRATT	LAWRENCE TSANG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
BAG-01	Bulk Master for Storage
LOG-21	Sample logging - ClientBarCode
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Dry Screen1kg to 106um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 to 106 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207024

Sample Description	Method Analyte Units LOD	Au-SCR21 Au Total ppm 0.05	Au-SCR21 Au (+) F ppm 0.05	Au-SCR21 Au (-) F ppm 0.05	Au-SCR21 Au (+) m mg 0.001	Au-SCR21 WT. + Fr g 0.01	Au-SCR21 WT. - Fr g 0.1	Au-AA25 Au ppm 0.01	Au-AA25D Au ppm 0.01
B0025164		9.03	93.1	3.99	5.314	57.05	951.8	3.85	4.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **ASCOT RESOURCES LTD.**
1095 W. PENDER STREET
SUITE 1050
VANCOUVER BC V6E 2M6

Finalized Date: 12-NOV-2020
Account: ASCRES

Project: Premier Gold

CERTIFICATE OF ANALYSIS TR20207024

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:			
FND-03	LOG-21	SPL-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Au-AA25	Au-AA25D	Au-SCR21	BAG-01
PUL-32	SCR-21		

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The


Premier Property
Stewart, BC


APPENDIX E


Maps

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol
Lawrence Tsang, P. Geo


425000
430000
435000
440000
445000
6230000
6225000
6220000
6215000
6210000
6205000
6200000
N
Canada
USA
American Creek Trail
Glacier Hwy
access road
Glacier Hwy
Granduc Rd
19th Ave
Railway St
Dyke Rd
Stewart
Glacier Hwy
Legend
canada usa border
Road
Ascot Claims
Claim Type
Crown Grant
Mining Lease
Mineral Claim
0 1.5 3 6 9
km


435000
440000
6230000
6225000
6220000
N
507144
518844
507143
507141
517869
504666
250767
507105
410699
255402
252193
L4032
L4031
255403
538639
L4033
255400
255401
407410
512200
250351
252194
Grandbe Rd
250353
255398
255397
250354
250350
252201
L4036
L4163
255399
L4536
842104
L1522
L1521
302030
252952
L1525
L4535
L4039
L4038
L4543
L4534
L4040
L4037
L4537
L4541
L4538
L4539
L4542
L4540
L4131
L4130
842095
412700
L4127
L3208
L4129
L3211
L3213
251778
250666
L4132
L3216
L3901
406223
405874
405873
L3210
254532
405872
405601
1022577
405602
406215
842100
406212
836450
L3218
339945
405604
405603
250770
0
0.5
1
2
3
km
Legend
Road
Ascot Claims
Claim Type
Crown Grant
Mining Lease
Mineral Claim


435000
440000
6220000
6215000
6210000
N
Legend
Road
Ascot Claims
Claim Type
Crown Grant
Mining Lease
Mineral Claim
0 0.5 1 2 3
km
MS1499

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The

Premier Property
Stewart, BC


APPENDIX F

CROSS-SECTIONS PLAN MAPS DRILLING CROSS-SECTIONS

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol
Lawrence Tsang, P. Geo

609 Extension Cross Section Plan Map
25m Spacing



A

B

460

370

280

190

100

10

P19-2167

P19-2177

P19-2178

P19-2159

P20-2180

P20-2206

P20-2208

P20-2209

x: 436082
y: 6212604

x: 436146
y: 6212668

x: 436209
y: 6212732

x: 436273
y: 6212795

x: 436337
y: 6212859

x: 436400
y: 6212922

Legend

Geological Model

- AXXX
- Premier Porphyry
- Quartz Breccia

AUgpt

- < 0.3
- < 1
- ≤ 3
- ≤ 5
- ≤ 7
- > 7

Simplified_lith

- 1
- 10
- 11
- 12
- 13
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Scale: 1:500

Vertical exaggeration: 1x

0m

200m

609 Extension Cross Section (25m spacing looking at 315 Az) [-150]

Location

A: 436082, 6212604

B: 436436, 6212958

A

B

460

370

280

190

100

10

P19-2166

P19-2167

P19-2174

P19-2175

P19-2159

P19-2168

P19-2176

P19-2177

P20-2196

P20-2207

P20-2206

P20-2208

P20-2209

P19-2178

2.50
4.89
3.19

0.59
0.54

Legend

Geological Model

- AXXX
- Premier Porphyry
- Quartz Breccia

AUgpt

- < 0.3
- < 1
- ≤ 3
- ≤ 5
- ≤ 7
- > 7

Simplified_lith

- 1
- 10
- 11
- 12
- 13
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Scale: 1:500

Vertical exaggeration: 1x

0m

200m

609 Extension Cross Section (25m spacing looking at 315 Az) [-125]

Location

A: 436100, 6212587

B: 436453, 6212940

x: 436100
y: 6212587

x: 436163
y: 6212650

x: 436227
y: 6212714

x: 436291
y: 6212778

x: 436354
y: 6212841

x: 436418
y: 6212905

A

B

460

370

280

190

100

10

P18-1845

P18-1846

P19-2166

17.80

P19-2167

P19-2172

P19-2179

P19-2159

P19-2168

P20-2196

P20-220

P20-2206

P20-2208

P20-2209

1.94

P19-2175

0.56

P19-2176

P20-2197

0.37

1.58

0.72

0.12

P20-2210

0.44

P19-2177

4.34

P19-2178

P20-2198

2.31

0.30

0.34

0.59

3.77

4.17

P19-2180

2.89

P20-2199

Legend

Geological Model

- AXXX
- Premier Porphyry
- Quartz Breccia

AUgpt

- < 0.3
- < 1
- ≤ 3
- ≤ 5
- ≤ 7
- > 7

Simplified_lith

- 1
- 10
- 11
- 12
- 13
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Scale: 1:500

Vertical exaggeration: 1x

0m

200m

609 Extension Cross Section (25m spacing looking at 315 Az) [-100]

Location

A: 436118, 6212569

B: 436471, 6212922

x: 436118
y: 6212569

x: 436181
y: 6212633

x: 436245
y: 6212696

x: 436308
y: 6212760

x: 436372
y: 6212823

x: 436436
y: 6212887

A

B

460

370

280

190

100

10

P18-1845

P18-1846

P19-2179

P19-2172

P19-2175

P19-2176

P18-1812

P20-2201

P20-2196

P20-2197

P20-2199

P20-2204

P20-2210

P20-2207

P20-2208


P20-2209

P18-1811

P20-2200

P19-2177

P18-1745



Scale: 1:500

Vertical exaggeration: 1x

0m

200m

609 Extension Cross Section (25m spacing looking at 315 Az) [-75]

Location

A: 436135, 6212551

B: 436489, 6212905

x: 436135
y: 6212551

x: 436199
y: 6212615

x: 436262
y: 6212679

x: 436326
y: 6212742

x: 436390
y: 6212806

x: 436453
y: 6212869

A

B

460

370

280

190

100

10

x: 436153
y: 6212534

x: 436217
y: 6212597

x: 436280
y: 6212661

x: 436344
y: 6212724

x: 436407
y: 6212788

x: 436471
y: 6212852

P18-1845

P18-1846

P20-2190

P19-2179

P20-2201

P19-2172

P19-2175

P19-2176

P20-2205

P20-2203

P20-2204

P20-2202

P20-2196

P20-2197

P20-2198

P20-2199

P20-2200

P18-1811

P18-1814

P18-1745

P20-2209

1.53
1.35

0.49

0.85

0.31

0.64

0.37
0.41

0.56

0.89
0.38

0.34

0.45
1.13

0.68
1.31
0.38

0.41
0.38

0.44
0.51

0.65
0.47
0.41
0.41
1.52
0.50

0.44
0.32
0.73

1.35
2.43

0.52
0.32

0.65
2.27

0.80
0.34

23.35
0.79
2.38

4.25

Legend

Geological Model

- AXXX
- Premier Porphyry
- Quartz Breccia

AUgpt

- < 0.3
- < 1
- ≤ 3
- ≤ 5
- ≤ 7
- > 7

Simplified_lith

- 1
- 10
- 11
- 12
- 13
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Scale: 1:500

Vertical exaggeration: 1x

0m — 200m

609 Extension Cross Section (25m spacing looking at 315 Az) [-50]

Location

A: 436153, 6212534

B: 436506, 6212887

A

B

460

370

280

190

100

10

P18-1845

P20-2191

P18-1846

P20-2192

P19-2172

P19-2173

P20-2193

P20-2183

P20-2181

P20-2194

P20-2182

P18-1825

P18-1745

P18-1813

P20-2205

P20-2190
P20-2195

P20-220

P18-

P20-

P18-1810

206
207
2208
2209

Legend

Geological Model
- AXXX
- Quartz Breccia
- Premier Porphyry

AUgpt
- < 0.3
- ≤ 5
- < 1
- ≤ 7
- ≤ 3
- > 7

Simplified_lith
- 1
- 13
- 5
- 9
- 10
- 2
- 6
- 11
- 3
- 7
- 12
- 4
- 8

Scale: 1:500

Vertical exaggeration: 1x

0m

200m

609 Extension Cross Section (25m spacing looking at 315 Az) [-25]

Location

A: 436171, 6212516

B: 436524, 6212869

x: 436171
y: 6212516

x: 436234
y: 6212580

x: 436298
y: 6212643

x: 436361
y: 6212707

x: 436425
y: 6212770

x: 436489
y: 6212834

A

B

460

370

280

190

100

10

P18-1845

P18-1809

P18-1810

P19-2179

P18-1743

P18-1813

P18-1745

P18-1783

P19-2195

0.00
1.38
0.53
0.32
0.22
0.26
5.04
2.07
0.31
0.56
1.07
4.88
0.24
0.02
0.45
0.55
0.73
1.41
0.78
0.27
0.31
0.36
0.74
0.56
1.07
0.78
0.80
0.36
0.62
0.85
0.86
0.40
0.57
1.33
1.09
0.82
0.73

x: 436188
y: 6212498

x: 436252
y: 6212562

x: 436316
y: 6212626

x: 436379
y: 6212689

x: 436443
y: 6212753

x: 436506
y: 6212816

Legend

Geological Model

- AXXX
- Quartz Breccia
- Premier Porphyry

AUgpt

- < 0.3
- ≤ 5
- < 1
- ≤ 7
- ≤ 3
- > 7

Simplified_lith

- 1
- 13
- 5
- 9
- 10
- 2
- 6
- 11
- 3
- 7
- 12
- 4
- 8

Scale: 1:500

Vertical exaggeration: 1x

0m

200m


609 Extension Cross Section (25m spacing looking at 315 Az) [0]

Location

A: 436188, 6212498

B: 436542, 6212852

Day Zone Cross Section Plan Map
100m spacing



W

E

1000

900

800

700

DD-2275

DD-2262

DD-2263

DD-2271

DD-2275


435000

436000

436200

436400

436600



Scale: 1:450

Vertical exaggeration: 1x

0m

200m

6,219,500 North Day Zone E-W Cross Section (100m spacing)

W

E

1000

900

800

700

435000


436000

437000

438000

439000

440000



Scale: 1:490

Vertical exaggeration: 1x

0m

200m

6,219,400 North Day Zone E-W Cross Section (100m spacing)

W

E

1000

900

800

700

435000

436000

436200

436400

436600


DD-2276

DD-2277

DD-2012

DD-2013

DD-2216



Scale: 1:490


Vertical exaggeration: 1x


0m


200m


6,219,300 North Day Zone E-W Cross Section (100m spacing)


Silver Hill Cross Section Plan Map
100m spacing





A
B
1240
1170
1060
970
880
790
x: 436690
y: 6221599
x: 436982
y: 6221556
x: 437114
y: 6221538
x: 437126
y: 6221746
x: 437538
y: 6221952
x: 437750
y: 6222104
Legend
Geological Model
Betty Creek Formation
Bowser Formation
Skeorth Formation
Tertiary Dyke
Tertiary Dyke
Tertiary Dyke
AGgpt
≤ 10
≤ 50
< 100
≤ 300
> 300
Simplified_lith
1
10
11
12
13
2
3
4
5
6
7
8
9
11.00
Silver Hill Cross Section (100m spacing looking at 315Az) [-300]
Scale: 1:1,000
Vertical exaggeration: 1x
0m
300m
Location
A: 436690, 6221104
B: 437856, 6222270



A
B
1240
1170
1060
970
880
790
x: 436760
y: 6221033
x: 436972
y: 6221240
x: 437184
y: 6221457
x: 437397
y: 6221668
x: 437609
y: 6221882
x: 437821
y: 6222094
P20-2189
P20-2220
P20-2218
P20-2217
P20-2216
P20-2215
P20-2214
P20-2213
P20-2212
P20-2211
Legend
Geological Model
Betty Creek Formation
Bowser Formation
Skeuarth Formation
Tertiary Dyke
Tertiary Dyke
Tertiary Dyke
AGgpt
≤ 10
≤ 50
< 100
≤ 300
> 300
Simplified_lith
1
10
11
12
13
2
3
4
5
6
7
8
9
Silver Hill Cross Section (100m spacing looking at 315Az) [-200]
Scale: 1:1,000
Vertical exaggeration: 1x
0m
300m
Location
A: 436760, 6221033
B: 437927, 6222200



A
B
1240
1170
1060
970
880
790
P19-2169
P19-2183
P19-2165
P20-2219
P20-2211
Legend
Geological Model
Betty Creek Formation
Bowser Formation
Skeorth Formation
Tertiary Dyke
Tertiary Dyke
Tertiary Dyke
AGgpt
≤ 10
≤ 50
< 100
≤ 300
≤ 300
Simplified_lith
1
10
11
12
13
2
3
4
5
6
7
8
9
Silver Hill Cross Section (100m spacing looking at 315Az) [-100]
Scale: 1:1,000
Vertical exaggeration: 1x
0m
300m
Location
A: 436831, 6220962
B: 437998, 6221129
x: 436831
y: 6220962
x: 437040
y: 6221174
x: 437295
y: 6221387
x: 437467
y: 6221598
x: 437679
y: 6221811
x: 437882
y: 6222023


A
B
1240
1170
1080
975
880
795
x: 436902
y: 6220892
x: 437114
y: 6221104
x: 437326
y: 6221316
x: 437538
y: 6221528
x: 437750
y: 6221740
x: 437962
y: 6221952
A19
A20
A18
A17
A16
A15
A14
A13
A12
A11
A10
A9
A8
A7
A6
A5
A4
A3
A2
A1
P20-2225
P20-2209
P20-2226
Legend
Geological Model
Betty Creek Formation
Bowser Formation
Skeorth Formation
Tertiary Dyke
Tertiary Dyke
Tertiary Dyke
SH_dyke_r3
AGgpt
≤ 10
≤ 50
< 100
≤ 300
> 300
Simplified_Rh
1
10
11
12
13
2
3
4
5
6
7
8
9
Silver Hill Cross Section (100m spacing looking at 315Az) [0]
Scale: 1:1,000
Vertical exaggeration: 1x
0m
300m
Location
A: 436902, 6220892
B: 438068, 6222058

Woodbine Cross Section Plan Map
100m spacing




A
B
400
330
260
190
120
50
P20-2298
P20-2294
P20-2293
P20-2298
P20-2295
P20-2296
P20-2296
Legend
Geological Model
Andesite
Premier Porphyry
Tertiary Dyke
AUgpt
≤ 0.5
≤ 4
≤ 8
≤ 10
> 10
Simplified_Rh
1
12
5
9
10
2
6
11
3
7
12
4
8
Woodbine Coss Section (Looking at 315 Az 100m spacing) [-100]
Location
A: 435779, 6213237
B: 435213, 6212671
Scale: 1:500
Vertical exaggeration: 1x
0m
200m
x: 435779
y: 6213237
x: 435527
y: 6213096
x: 435496
y: 6212994
x: 435334
y: 6212853
x: 435213
y: 6212671


A
B
400
330
260
190
120
50
x: 435708
y: 6213308
x: 435566
y: 6213166
x: 435425
y: 6213025
x: 435284
y: 6212884
x: 435142
y: 6212742
FZD-2204
FZD-2203
FZD-2206
FZD-2208
FZD-2205
FZD-2207
FZD-2201
FZD-2209
Legend
Geological Model
Andesite
Premier Porphyry
Tertiary Dyke
AUgpt
≤ 0.5
≤ 4
≤ 8
≤ 10
> 10
Simplified_Rth
1
12
13
11
2
3
4
5
6
7
8
9
Woodbine Coss Section (Looking at 315 Az 100m spacing) [0]
Location
A: 435708, 6213308
B: 435142, 6212742
Scale: 1:500
Vertical exaggeration: 1x
0m
200m

2020 DIAMOND DRILLING and INDUCED POLARIZATION GEOPHYSICAL SURVEY REPORT

On The

Premier Property
Stewart, BC

APPENDIX G
Structural Data
2018-2020 Geophysical Survey Report

Prepared for:
Ascot Resources Ltd.
1050-1095 West Pender Street
Vancouver, BC V6E 2M6

Author:
Paul Baxter, P.Geol
Lawrence Tsang, P. Geo

hole id	from	dip	azimuth	polarity	code	alpha	beta	comments	Selection_2
P20-2181	235.05	52.657	292.078	1	V2	30	240	qtz-sp-py gn Vin	V2
P20-2181	235.3	69.644	348.305	1	V2	30	300	<5mm qtz-sp Vinlet	V2
P20-2181	235.6	40.899	22.578	1	V2	65	330	1cm qtz-sp Vinlet	V2
P20-2181	235.65	85.824	314.805	1	V2	5	272	1-2cm wide banded qtz-py-sp-gn Vin at 5 dgs tca. Beta angle swings oVr the 70cm length of the Vin from 272 to 347 dgs.	V2
P20-2181	236.3	78.14	208.113	1	V2	5	347	as aboV	V2
P20-2182	206.15	29.249	346.457	1	SHR	65	274	UPPER CONTACT OF SHEAR ZONE	SHR
P20-2182	207.5	82.658	22.405	1	SHR	20	335	SHEARING, FOLIATION WITHIN SHEAR ZONE	SHR
P20-2182	207.55	32.658	359.442	1	SHR	65	292	LOWER CONTACT OF SHEAR ZONE	SHR
P20-2182	222	65.444	9.723	1	SHR	35	320	sheared lower contact btw andesite and premier porph	SHR
P20-2182	242.9	65.694	18.257	1	SHR	35	330	shearing and qtz Vining within shear zone at lower contact of PIPZ	SHR
P20-2182	255.8	71.594	44.813	1	V2	30	0	chl-sp-py Vining	V2
P20-2182	255.9	60.985	27.377	1	V2	40	340	qtz-calc Vining	V2
P20-2182	262.9	56.121	32.765	1	V2	45	346	py Vining.	V2
P20-2182	272.4	59.947	343.845	1	V2	35	293	greenish grey qtz Vin	V2
P20-2182	272.8	54.549	342.34	1	V2	40	290		V2
P20-2182	273	60.973	2.511	1	V2	37	313	2-4mm qt-sp Vinlet	V2
P20-2182	275.8	63.147	3.872	1	V2	35	315	sp-gn Vin	V2
P20-2183	83.1	80.105	243.758	1	LAM	18	18	mm scale laminations, bedding? Foliation?	lam
P20-2183	83.3	80.797	226.384	1	LAM	20	0	mm scale laminations	lam
P20-2183	199.8	28.401	129.431	1	CONT	55	124	sharp contact between andesite and altered Vined andesite	Cont
P20-2183	200	47.064	142.389	1	V2	35	120	layering/banding in semi-massiV sulfide Vining	V2
P20-2183	200.15	39.345	170.241	1	V2	35	145	layering/banding in semi-massiV sulfide Vining	V2
P20-2183	201.15	30.512	123.881	1	V2	55	118	layering/banding in semi-massiV sulfide Vining	V2
P20-2183	201.8	56.145	318.158	1	V2	35	266	red sp Vining	V2
P20-2183	202.9	70.256	359.016	1	V2	35	314	wispy fine red sp Vining	V2
P20-2183	204.45	89.887	9.217	1	V2	18	330	<1-1cm qtz Vin with <1% sp	V2
P20-2183	205.4	88.899	15.964	1	V2	20	337	qtz-py-sp Vin	V2
P20-2183	208.1	58.116	322.613	1	V2	35	272	wispy <5mm sp and qtz sp Vining	V2
P20-2183	208.3	83.579	350.777	1	V2	20	310	wispy <5mm sp and qtz sp Vining	V2
P20-2183	208.4	89.12	18.435	1	V2	20	340	wispy <5mm sp and qtz sp Vining	V2
P20-2183	209.3	47.801	309.862	1	V2	40	255	6mm massiV sp-gn Vinlet	V2
P20-2183	216.8	62.13	269.451	1	V2	15	227	<5mm qtz-red sp Vinlet	V2
P20-2183	218	67.844	304.108	1	V2	20	260	<5mm qtz-red sp Vinlet	V2
P20-2183	223.7	64.448	155.142	1	V2	15	125	massiV buckshot py Vin within silica breccia	V2
P20-2183	234.8	83.439	196.784	1	V2	12	340	qtz-chl-coarse py Vining	V2
P20-2183	235.25	82.871	186.713	1	V2	10	330	qtz-chl-coarse py Vining	V2
P20-2183	235.55	88.032	348.702	1	V2	15	310	qtz-chl-coarse py Vining	V2
P20-2192	205.9	73.311	110.67	1	C/ASB	25	80	Contact btw massiV sulfides in andesite and silica breccia	C/ASB
P20-2192	210	83.186	178.723	1	V2	15	315	coarse brassy py Vining	V2
P20-2192	216.1	49.83	226.393	1	V2	10	183	brecciated qtz-calc Vinng, <1% py	V2
P20-2193	200.1	84.551	27.051	1	V2	30	340	1-2mm dark sp-gn Vinlet	V2
P20-2193	205.3	60.976	335.382	1	V2	35	275	1-2mm dark sp-gn Vinlet pulled into foliation	V2
P20-2193	205.6	45.283	316.076	1	V2	40	248	2cm qtz-py-sp-gn Vin	V2
P20-2193	205.7	42.494	346.211	1	V2	55	270	1cm qtz-py-sp-gn Vin	V2
P20-2193	227.6	63.419	143.271	1	V2	20	110	banding within py Vining top of CBSS	V2
P20-2194	221.9	81.16	201.396	1	V3	7	342	pale green qtz Vin	V3
P20-2194	223.3	54.573	242.465	1	V2	20	200	qtz-red sp Vining	V2
P20-2194	226.3	78.461	5.189	1	V2	25	323	red brown sp Vining	V2
P20-2195	176.95	69.303	219.042	1	C/APP	20	10	Faulted contact between Premier Porph and Andesite	C/APP
P20-2195	181.5	45.422	286.199	1	V2	25	230	qtz-coarse py Vin	V2
P20-2195	182.65	86.979	154.565	1	V2	20	300	qtz-coarse py Vin	V2
P20-2195	183.2	28.442	249.765	1	V2	25	200	qtz-coarse py Vin	V2
P20-2195	184.8	36.173	147.47	1	V2	25	145	qtz-coarse py Vin	V2
P20-2195	185.4	20.242	183.455	1	V2	30	170	qtz-coarse py Vin	V2
P20-2195	187.9	31.266	259.235	1	V2	25	206	qtz-coarse py Vin	V2
P20-2195	188.1	67.915	320.125	1	V2	30	270	qtz-coarse py Vin	V2
P20-2196	223.96	83.828	20.483	1	V1	20	288	Crude blebby pyrite in semi-massiV silica breccia	V1
P20-2196	238.49	76.114	247.706	1	V2	20	342	Light green crudely banded ser altered, mg diss py bearing (crude band) quartz Vin	V2
P20-2196	240.8	64.759	325.423	1	V2	5	232	1.5cm TT, subparallel to core axis, disseminated cg cubic py-bearing, disseminated rusty red sph-bearing, quartz carb Vin cross-cuts light green quartz Vins	V2
P20-2196	241.1	78.277	253.951	1	V2	23	348	Light green crudely banded ser altered, mg diss py bearing (crude band) quartz Vin	V2
P20-2196	241.97	72.825	306.756	1	V2	10	40	1cm TT, low angle, disseminate cg cubic py-bearing quartz carbonate Vinlet	V2
P20-2197	236.95	69.505	351.44	1	C/ASB	18	260	Contact between barren andesite and andesite with py Vining	C/ASB
P20-2197	237.2	36.387	45.438	1	V3	70	272	qtz-chl Vining	V3
P20-2197	237.9	46.219	28.143	1	V3	55	273	qtz-chl Vining	V3
P20-2197	238.1	51.948	346.026	1	V2	30	245	coarse py Vining	V2
P20-2197	244.1	54.998	269.37	1	V2	5	187	qtz-coarse py-calc Vining Vry shallow to core axis	V2
P20-2197	246	88.874	328.667	1	V2	10	70	qtz-coarse py-calc Vining Vry shallow to core axis	V2
P20-2197	248.7	88.22	29.79	1	V2	20	304	qtz-coarse py-calc Vining	V2
P20-2197	250.3	76.704	281.886	1	V2	15	21	qtz-coarse py-calc Vining	V2
P20-2197	250.4	87.863	102.538	1	V2	30	25	qtz-coarse py-calc Vining	V2
P20-2197	254.1	80.525	4.769	1	SHR	15	277	shearing within silicification	shr
P20-2197	254.55	45.203	302.652	1	BAND	20	210	banding within silicification and masiV py	BAND
P20-2197	255.6	42.274	326.779	1	BAND	30	225	banding within silicification and masiV py	BAND
P20-2197	262.1	62.129	320.017	1	V2	10	230	qtz-coarse py-calc Vining	V2
P20-2197	264.1	84.362	292.442	1	V2	20	33	qtz-coarse py-calc Vining	V2
P20-2197	264.5	71.983	261.504	1	V2	12	0	qtz-coarse py-calc Vining	V2
P20-2197	268.7	80.079	261.626	1	V2	20	0	qtz-coarse py-calc Vining	V2
P20-2197	269	76.057	276.562	1	V2	15	15	qtz-coarse py-calc Vining	V2
P20-2197	270.15	89.887	81.669	1	V2	30	0	qtz-coarse py-calc Vining	V2

P20-2198	37.5	76.316	60.316	1	BDG	40	340	bedding within fine to coarse grained ashes. Sharp alpha angle at 40 dgs. Beta angle poor confidence as ori mark not great.	BDG
P20-2199	79.5	68.548	17.102	1	SHR	30	287	shearing within fault breccia	shr
P20-2199	80.4	80.252	35.202	1	SHR	25	310	shearing within fault breccia	shr
P20-2199	81.9	81.087	22.1	1	SHR	20	297	lower contact of shear zone/fault breccia	shr
P20-2199	239.2	60.178	137.03	1	C/APP	40	48	upper contact of premier porph unit.	C/APP
P20-2200	273.1	45.844	71.559	1	SHR	50	310	sheared andesite adjacent to silica breccia	shr
P20-2201	85.95	43.9	239.6	1	SHR	6	180	silicified ser alt shearing subparallel to core axis, beta angle is a best estimate	shr
P20-2202	178	76.691	251.19	1	CONT	15	0	lower contact of hbl porph (PFPX) and andesite	cnt
P20-2203	220.8	48.738	36.169	1	SHR	55	310	shearing	Shr
P20-2203	220.9	76.364	45.481	1	V2	30	330	2mm galena sphalerite Vinlet	V2
P20-2203	222.2	76.337	45.516	1	SHR	30	330		Shr
P20-2203	222.8	86.884	95.432	1	V2	20	25	2mm galena sphalerite Vinlet	V2
P20-2203	222.7	72.548	54.915	1	SHR	35	340		Shr
P20-2205	215.19	67	65.8	1	fol	40	0	foliation in AFPX	fol
P20-2205	230	56.805	73.465	1	fol	50	10	foliation in AFPX	fol
P20-2205	271.9	24.609	213.934	1	V5	50	160		V5
P20-2205	283.2	38.919	148.919	1	V2	50	104		V2
P20-2207	190.45	50.575	190.086	1	V5	35	110	Tertiary Vin	V5
P20-2208	35.44	89.845	97.227	1	fol	30	0	foliation of fragments and flow	fol
P20-2208	105.94	53.279	256.807	1	CONT	10	160	Lct of MFPX and LXXX	CON
P20-2208	159.5	45.612	7.816	1	V5	35	240	bull qtz/2nd chl Vin	V5
P20-2208	160.6	78.202	72.366	1	V5	35	320	bull qtz/2nd chl Vin	V5
P20-2208	175.8	69.143	31.492	1	V3	25	272	cal Vin x-cut by bull qtz Vin	V3
P20-2208	187.6	28.343	1.23	1	V3	45	220	cal Vin x-cut by bull qtz Vin	V3
P20-2208	187.5	37.808	195.395	1	V5	45	120	bull qtz/2nd chl Vin	V5
P20-2210	105.1	79.285	60.221	1	CONT	35	330	Contact btw MFPX and AXXX	CNT
P20-2218	11.2	62.045	283.199	1	FLT	40	70	7cm oxidized stained fracture zone with tan gouge infill	FLT
P20-2218	13.09	63.3	316.068	1	V2	25	100	2cm TT, py+sph+polybasite bearing vuggy quartz Vin	V2
P20-2218	13.35	54.645	322.316	1	V2	30	110	1cm TT, py+sph- bearing vuggy quartz Vin	V2
P20-2218	14.26	63.299	316.025	1	V1	25	100	5mm TT, clean vuggy quartz Vinlet	V1
P20-2218	19.55	70.993	287.673	1	C/DMS	30	70	Sharp contact between Mudstone and D/R1	C/DMS
P20-2218	19.75	34.472	264.786	1	V1	70	80	<1cm trace py-bearing vuggy quartz Vin	V1
P20-2218	22.53	29.775	51.453	1	V1	35	182	12cm interval of intense vuggy quartz stwk predominant attitude measured	V1
P20-2218	32.43	36.8	260.455	1	C/DMS	70	70	Sharp contact between Mudstone and D/R1	C/DMS
P20-2218	46.28	60.993	308.97	1	V1	30	95	Two <1cm TT iron-oxide stained vuggy quartz Vinlets	V1
P20-2218	47.23	26.414	21.964	1	V1	40	165	<1cm clean quartz Vinlet	V1
P20-2219	13.34	65.679	100.711	1	V2	20	12	<2cm wide qtz py+sph+pyrargarite/proustite-bearing quartz Vin	V2
P20-2219	35.46	84.926	267.285	1	Bdg	50	355	bedding/laminations within mudstone/siltstone, 3 laminations measured within interval	Bdg
P20-2219	112.12	84.255	77.943	1	V2	37	340	25cm wide sph+py-bearing qtz Vin and stockwork with sharp upper and lower contact.	V2
P20-2220	11.2	59.072	100.049	1	FLT	40	70	7cm oxidized stained fracture zone with tan gouge infill	FLT
P20-2220	13.09	63.195	133.34	1	V2	25	100	2cm TT, py+sph+polybasite bearing vuggy quartz Vin	V2
P20-2220	13.35	55.167	140.656	1	V2	30	110	1cm TT, py+sph- bearing vuggy quartz Vin	V2
P20-2220	14.26	63.195	133.437	1	V1	25	100	5mm TT, clean vuggy quartz Vinlet	V1
P20-2220	19.55	68.334	104.742	1	C/DMS	30	70	Sharp contact between Mudstone and D/R1	C/DMS
P20-2220	19.75	30.313	85.497	1	V1	70	80	<1cm trace py-bearing vuggy quartz Vin	V1
P20-2220	22.53	35.15	226.689	1	V1	35	182	12cm interval of intense vuggy quartz stwk predominant attitude measured	V1
P20-2220	32.43	32.305	81.564	1	C/DMS	70	70	Sharp contact between Mudstone and D/R1	C/DMS
P20-2220	46.28	60.233	128.963	1	V1	30	95	Two <1cm TT iron-oxide stained vuggy quartz Vinlets	V1
P20-2220	47.23	31.452	203.008	1	V1	40	165	<1cm clean quartz Vinlet	V1
P20-2220	105.86	63.37	160.155	1	V2	18	120	<1cm py+sph bearing vuggy quartz Vinlet	V2
P20-2220	108.4	73.166	3.53	1	V1	30	310	Creamy carbonate selvage bearing vuggy quartz Vinlet	V1
P20-2220	108.57	55.284	145.508	1	V3	30	110	Crudely banded graphitic py-bearing grey quartz Vin at selvage of dike screen	V3
P20-2220	139.6	66.315	146.739	1	C/SBLL	20	105	Lower contact of graphitic silica breccia	C/SBLL
P20-2230	45.34	89.4	224.2	1	BDG	45	0	<5 mm light grey siltstone beds interbedded with black mudstone	BDG
P20-2230	79	82.693	222.404	1	BDG	52	0	<7 mm mm light grey siltstone beds interbedded with black mudstone	BDG
P20-2230	82.25	80.038	221.605	1	BDG	55	0	2 mm light grey siltstone beds interbedded with black mudstone	BDG
P20-2230	88.35	80.701	220.131	1	BDG	55	0	3 mm light grey siltstone beds interbedded with black mudstone	BDG
P20-2230	326.75	69.47	57.856	1	V2	20	4	Py-infilled quartz Vinlet proximal to quartz+sericite alteration band	V2
P20-2230	328.01	69.466	57.902	1	V2	20	4	Py-infilled quartz Vinlet proximal to quartz+sericite alteration band	V2
P20-2230	331.92	12.077	209.512	1	VT	60	190	3cm vuggy quartz Vin	VT
P20-2230	344.06	74.855	63.851	1	V2	25	10	1.5cm infill striated pyrite +cpy? Bearing Vinlet	V2
P20-2230	344.21	89.391	57.536	1	V2	40	4	1cm blebby pyrite-bearing Vinlet	V2
P20-2230	360.98	10.782	90.342	1	V2	40	188	2cm pyrite patial infill-bearing quartz cream-colored carbonate	V2
P20-2230	376.2	47.009	279.812	1	V2	60	95	5mm pyrite partial infill-bearing quartz carbonate Vinlet at contact	V2
P20-2230	376.28	60.827	256.914	1	VT	65	45	2mm clean quartz Vinlets cross-cutting altered groundmass	VT
P20-2230	428.65	24.405	205.456	1	V3	65	215	1cm disseminated blebby pyrite-bearing grey quartz Vin	V3
P20-2230	428.94	21.08	241.337	1	V3	70	180	1cm disseminated blebby pyrite-bearing grey quartz Vin	V3
P20-2230	429.01	25.449	217.876	1	V3	70	210	7mm disseminated blebby pyrite-bearing grey quartz Vinlet	V3
P20-2230	429.54	21.618	250.529	1	V3	70	170	5cm dark grey quartz Vin, <7mm rounded fg sil+ser altered dacitic clasts; fg disseminated py	V3
P20-2230	429.64	59.073	273.126	1	V4	60	65	1cm mottled white and grey clean quartz Vin	V4
P20-2230	441.62	76.014	236.595	1	BDG	55	355	Interbedded maroon, light green tuffaceous beds, local lithic fragments concentrated at lower contact of light green beds	BDG
P20-2236	25.69	45.607	196.29	1	CONT	66	262	Lower contact of DR1, orientation mark quality 3/10	
P20-2236	27.16	51.571	179.335	1	FOL	52	263	Foliation within BAXX, continues throughout unit, thickness avg 1mm, orientation mark quality 3/10	
P20-2236	43.48	40.881	156.558	1	CONT	42	238	Lower undulating contact of DR2. Orientation mark quality 4/10	
P20-2236	71.26	60.695	186.285	1	V3	51	280	Qz-carb Vin bearing 2% sph, 1% py, .5% gn, and trace blebby Mo, mark quality 1/10	V3
P20-2236	72.36	55.279	194.796	1	V2	60	280	Sulfide stringer enriched in sph and gn. Mark quality 1/10	V2
P20-2236	96.67	66.924	193.429	1	V2	51	294	Qz-carb Vin bearing 30% sph, 20% gn. Mark quality 2/10	V2
P20-2236	97.61	26.404	163.829	1	V3	50	220	40% sph, 5% gn, mark quality 2/10. Vin brecciated, angles might not be accurate	V3

P20-2236	131.5	17.317	198.2	1	FLT	60	200	Gouge coated upper contact of fault zone, mark 5/10	FLT
P20-2236	194.9	25.337	22.662	1	CONT	25	165	Lower contact of D/R2 with upper betty	
P20-2236	267.92	65.334	25.816	1	FLT	12	330	Graphitic fault zone, low angle to core axis. Rock chipped. Mark 5/10	FLT
P20-2236	270.02	86.876	34.221	1	FOL	35	330	Foliation within andesite lapilli tuff, continues throughout unit, may be due to shear from graphitic fault. AVrage 1mm thickness. Interval where foliation strong. Mark 5/10	
P20-2236	271.5	29.692	120.469	1	CONT	29	210	Upper contact of granodiorite dyke. Mark 5/10	
P20-2217	199.34	63.89	338.578	1	V1	30	90	qtz bx contact with andesite	V1
P20-2217	206.2	85.276	2.861	1	V3	0	100	calcite Vin oVrprinting in bx	V3
P20-2217	209	62.919	294.192	1	V5	50	44	late qtz Vin	V5
P20-2217	209.4	47.094	192.164	1	V2	45	260	sulfide stringer in bx	V2
P20-2217	213.5	2.585	134.628	1	V2	60	184	sulfide Vin	V2
P20-2217	268	68.577	263.569	1	BDG	50	0	finer down the hole from clasts to lapilli to tuff	BDG
P20-2245	164.2	35.675	202.28	1	V2	60	290	sph-py-gal qtz Vin	V2
P20-2245	166.7	35.68	202.135	1	V2	60	290	sph-py-gal qtz Vin	V2
P20-2245	166.9	35.681	202.123	1	V2	60	290	sph-py-gal qtz Vin	V2
P20-2245	167.1	44.867	195.711	1	V2	50	288	sph-py-gal qtz Vin	V2
P20-2245	167.8	57.067	331.812	1	V3	35	84	cal-ba Vin x-cut V2	V3
P20-2245	169.4	38.988	100.241	1	V2	40	200	sph-gal-py siliceous band	V2
P20-2262	104.56	47.926	154.89	1	V2	50	95	20cm TT, white to med grey, crude pyrite band-bearing, hydrothermal quartz carbonate Vin breccia	V2
P20-2262	140.08	45.401	158.26	1	V2	50	100	4cm TT, crudely banded white and dark grey, crude py band bearing, quartz carb Vin	V2
P20-2262	160.63	72.249	267.595	1	V2	15	352	<30cm TT, white to grey, crudely banded pyrite-bearing, quartz carbonate Vin	V2
P20-2262	166.33	87.57	229.671	1	C/ASB	20	310	Sharp contact between stockwork-bearing andesitic flow and silica flooded breccia	C/ASB
P20-2262	185.26	35.173	308.102	1	C/AS	25	200	upper contact of semi-massiV sulphide stockwork bearing argillite clast bearing andesitic flow breccia and andesitic flow	C/AS
P20-2262	190.68	23.143	296.676	1	C/AS	35	190	lower contact of semi-massiV sulphide stockwork bearing argillite clast bearing andesitic flow breccia and argillite	C/AS
P20-2263	169.5	81.66	170.933	1	C/ASB	15	80	Fractured along contact between andesite and silica breccia, fragments around contact were recoVred and perfectly locked with run from previous box.	C/ASB
P20-2263	182.25	78.917	92.917	1	C/AS	40	355	Sharp contact between brecciated andesitic flow and argillite	C/AS
P20-2271	9.63	54.359	141.187	1	V2	45	95	1cm TT Crudely banded disseminatated pyrite-bearing quartz Vin	V2
P20-2271	9.88	82.357	325.329	1	V2	10	65	8mm TT low angle undulating diseminated py-bearing quartz Vinlet	V2
P20-2271	12.74	26.57	155.316	1	C/ASB	50	138	Cruydely banded pyrite bearing quartz Vin at upper contact of silica breccia	C/ASB
P20-2271	14.64	42.24	180.706	1	C/ASB	30	130	Pyritic alteration band at lower contact of Silica breccia	C/ASB
P20-2271	156.56	26.169	138.956	1	V2	60	135	10cm dark grey, rounded 8mm Vin clasts suspended in a pyrite-bearing grey quartz matrix	V2
P20-2271	157	89.484	47.912	1	V2	30	315	2.5cm rusty red sphalerite bleb-bearing, fg disseminated pyrite-bearing crudely banded quartz Vin	V2
P20-2271	165.1	66.653	233.367	1	V2	10	330	2 cm banded semimassiV rusty red sphalerite+quartz Vin	V2
P20-2271	216.62	45.203	16.647	1	BDG	45	250	Sharp upper contact of fg sandstone bed within argillite interval	BDG
P20-2272	146.73	68.814	94.738	1	V2	50	20	1cm disseminated py-bearing quartz carbonate Vin	
P20-2272	146.96	89.623	89.749	1	V2	30	10	1cm disseminated py-bearing grey quartz Vin	
P20-2272	147.95	25.58	191.157	1	V2	45	145	1cm disseminated py-bearing grey quartz Vin	
P20-2272	148.6	29.085	156.24	1	V2	55	125	1cm disseminated py-bearing quartz carbonate Vin	
P20-2272	149.74	35.397	170.871	1	V2	45	125	8cm TT py-bearing crudely banded grey quartz + quartz carbonate Vin, <2cm QSP altered subrounded andesitic clasts supported in Vin matrix	
P20-2272	150.08	59.82	121.188	1	V2	50	60	1cm semimassiV pyrite+grey quartz Vin	
P20-2272	180.94	70.307	39.303	1	CONT	40	305	Sharp contact between brecciated andesite and argillite	
P20-2273	107.94	75.138	49.918	1	V2	30	5	1.5cm TT rusty red blebby sphalerite and disseminated py-bearing Vin	V2
P20-2273	137.39	72.368	283.49	1	C/ASB	35	80	Sharp contact between Stockwork-bearing andesite and silica breccia	C/ASB
P20-2274	43.44	88.679	93.893	1	C/ASB	30	38	Sharp lower contact of silica flooding, Strong pervasiV silica breccia changes to mod-strong py-stringer bearing bleached andesite	C/ASB
P20-2274	43.59	76.185	108.597	1	V2	35	60	Py-stringers, and crudely banded py-bearing quartz Vinlets proximal to silica breccia contact	V2
P20-2274	72.95	65.665	134.184	1	V2	30	90	Quartz Vinlets with py-center-infill and disseminated fg py cubes in quartz matrix	V2
P20-2274	73.82	80.054	122.155	1	V1	25	70	Light grey, strong silica flooded, patchy strong ser alt, <4cm rounded bleached grey sil+ser altered andesite clasts, patchy chl altered quartz matrix, weak patchy black graphitic alteration associated with patchy grey quartz Vins, annealed fractures with carbonate infill	V1
P20-2274	89.65	49.466	42.514	1	V2	70	310	5cm TT, disseminated blebby py in a bleached andesite clast bearing quartz carbonate Vin	V2
P20-2274	89.75	44.914	35.604	1	V2	70	290	2cm TT, disseminated blebby py in a bleached andesite clast bearing quartz carbonate Vin	V2
P20-2274	129	47.687	105.735	1	V2	60	82	5mm TT, disseminate blebby py -bearing quartz carbonate Vinlet	V2
P20-2274	129.09	52.006	100.302	1	V2	60	70	15cm TT bleached andesite clast bearing hydrothermal breccia with fg py-bearing quartz carbonate cement	V2
P20-2274	129.52	74.803	273.75	1	V2	15	30	2mm TT, disseminate py-clot bearing quartz carbonate Vinlet	V2
P20-2274	147.4	67.563	79.576	1	V1	55	25	Light grey, silica flooded zone, trace patchy chl alteration,. 8% disseminated to semimassiV pyrite localized to bleached andesitic clasts. Local strong stockworking with graphitic stringers on selvage trace to no pyrite in oVrprinting Vining. Local white to tan carbonate Vins oVrprinting and locally brecciating the silica matrix.	V1
P20-2275	99.98	59.702	351.518	1	V2	13	165	3.5 mm crudely banded, rounded bleached and Vin fragment clast supported 15% semi-masiV pyrite cement	V2
P20-2275	97.12	23.766	41.56	1	V2	50	200	5cm strong silica altered, andesite clast supported, 5% pyrite bearing quartz breccia	V2
P20-2275	138.4	19.658	81.358	1	V1	60	220	mottled white, andesite clast-bearing disseminated pyrite bearing silica breccia	V1
P20-2275	139.62	46.2	282.71	1	V2	40	110	1cm py-clot-bearing quartz Vin	V2
P20-2275	150.72	46.473	207.467	1	V2	60	28	3cm crudely banded py-bearing quartz Vin; trace galena at selvage	V2
P20-2275	151.2	26.347	121.679	1	V1	65	255	15cm crudely banded py-bearing quartz Vin, weak patchy chloritic alteration	V1
P20-2275	151.75	27.12	8.58	1	V2	45	180	8mm disseminated py-bearing quartz Vining	V2
P20-2275	177.88	67.845	192.734	1	V2	40	5	2cm rusty red disseminated mg sphalerite + vfg gal -bearing quartz carbonate Vin	V2
P20-2275	225.4	6.804	89.394	1	V1	70	200	12cm TT andesite clast-bearing disseminated py-bearing silica breccia	V1
P20-2275	266.96	29.592	331.261	1	V2	45	155	7mm rusty red center-line sphalerite-bearing quartz Vin	V2

P20-2275	275.06	25.845	55.998	1	V2	50	210	3cm TT pyrite-bearing carbonate hydrothermal breccia, <5mm angular andesitic clasts supported in a carbonate matrix	V2
P20-2275	275.3	39.64	108.253	1	V2	50	258	3cm TT, rusty red sphalerite clot bearing quartz Vin	V2
P20-2275	275.64	87.635	179.101	1	V2	20	350	5mm TT, rusty red sphalerite clot bearing quartz Vinlet	V2
P20-2275	275.81	24.145	133.07	1	V2	70	260	1cm py-clot-bearing quartz Vin	V2
P20-2275	269.57	21.414	177.963	1	C/AAG	85	310	Contact between andesitic flow and graphitic carbonaceous alteration lens	C/AAG
P20-2276	45.57	78.099	269.896	1	V2	40	320	5cm graphitic py clot-bearing quartz+carbonate Vin	V2
P20-2276	45.77	79.424	273.556	1	V2	40	325	2 - 1cm py-clot bearing quartz Vinlets	V2
P20-2276	47.6	50.155	44.848	1	V2	25	125	2cm crudely banded graphitic, disseminated py-bearing quartz Vin	V2
P20-2276	54.05	89.041	69.628	1	C/ASB	20	305	Contact between andesite and graphitic silica breccia	C/ASB
P20-2276	59.5	30.28	60.48	1	V1	35	148	15cm disseminated py-bearing graphitic andesite clast-bearing silica breccia Vin	V1
P20-2276	83.55	65.193	30.439	1	V2	20	105	5cm, disseminated py-bearing, weak sil+ser altered fg andesitic clast-bearing quartz +carbonate Vin	V2
P20-2277	71.9	55.027	335.437	1	VT	50	328	2cm disseminated py-bearing vuggy quartz Vin	VT
P20-2277	72.14	81.942	4.576	1	VT	25	5	3cm disseminated py-bearing vuggy quartz Vin	VT
P20-2277	78.03	75.601	337.798	1	C/ASB	30	335	Sharp contact between andesite and silica breccia	C/ASB
P20-2277	142.01	66.966	3.329	1	V2	40	4	1cm disseminated py-bearing quartz Vin	V2
P20-2277	143.77	56.735	78.43	1	V2	35	90	8mm andesite clast-bearing, blebby disseminated py-bearing Vinlet	V2
P20-2277	182.73	46.826	6.838	1	C/ASB	60	10	QSP Alteration halo and contact of silica breccia	C/ASB
P20-2277	264.81	50.729	44.759	1	V2	50	58	5mm disseminated py-bearing quartz Vinlet	V2
P20-2277	264.91	31.398	70.935	1	V2	60	100	4mm disseminated py-bearing quartz Vinlet	V2
P20-2277	265.3	55.484	21.484	1	V1	50	28	White, disseminated py-bearing, multi-stage quartz breccia	V1
P20-2277	265.79	56.222	344.663	1	V2	50	340	1cm py+sph clot-bearing quartz Vin	V2
P20-2277	265.91	20.595	295.641	1	V2	70	248	1cm py+sph clot-bearing quartz Vin	V2
P20-2277	266.18	22.375	78.6	1	V2	65	118	8mm andesite clast bearing, sphalerite+py clot-bearing quartz Vinlet	V2
P20-2277	266.66	44.772	24.664	1	V2	60	36	2cm disseminated py-bearing quartz Vin	V2
P20-2293	41.31	41.714	227.039	1	V2	15	152	Multistage medium grey qz Vin, contacts subplanar, bearing 6% blebby fg to vfg anhedral metallic py, tr blebby fg to vfg anhedral brown sph, and tr vfg metallic to submetallic blebby gn. Fuzzy margins oVr Vin boundaries, indicating that ser eVnt occurred after Vin emplacement? Mark quality poor, not correlatable to any other marks.	V2
P20-2293	71.42	42.611	224.49	1	V3	15	150	Large, undulating multistage medium grey qz Vin with chl material. Tr blebby anhedral fg to vfg metallic to submetallic py. Mark quality 3/10	V3
P20-2293	80.67	54.343	99.766	1	V3	74	30	White medium grey qz-carbonate Vin, multiple Vins with similar orientation in area.	V3
P20-2293	113.19	66.844	257.445	1	FLT	16	348	Minor fault, clay gouge, at contact. Mark quality poor, 40 deg off from previous mark	FLT
P20-2293	113.81	87.093	225.959	1	V3	25	310	Undulating multistage bleached qz Vin. Mark quality poor, 40 deg off from previous mark	V3
P20-2293	120.19	51.64	152.633	1	V3	45	100	White to medium grey qz-carbonate Vin bearing 20% py, fg metallic anhedral to euhedral. Somilar Vins occuring oVr next seVral meteres.	V3

Affordable Intelligent Solutions

SIMCOE GEOSCIENCE
www.SimcoeGeoscience.com

GEOPHYSICAL REPORT

ASCOT RESOURCES LIMITED

Alpha IP™ – a Wireless Time Domain Induced Polarisation (IP) Survey

Premier Dilworth Project (Phase IV 2020)
Stewart, BC, Canada

FEBRUARY 17, 2021 **PROJECT # SGL-20056**

Simcoe Geoscience Limited
13-11 Cardico Drive, Stouffville, ON, L4A 2G5
Phone: +1 (905) 235 7822 / Toll Free: +1 (844) 794 7822
Fax: +1 (905) 235 7821 / info@SimcoeGeoscience.com

Executive Summary

This report describes the data acquisition, processing and analysis of Alpha IP™ – a Wireless Time Domain Distributed Induced Polarization survey carried out by Simcoe Geoscience Limited (Simcoe) over the Premier Dilworth project (the Project or the Property), near Stewart, BC, on behalf of Ascot Resources Limited (Ascot). The data was acquired between August 20th and October 18th, 2020. A total of 11.9 line km data was acquired along seven (7) profiles. The survey profiles are of variable lengths and in different orientations as well as in three different areas. The geophysical reports of data acquired in 2019 and 2018 along twenty five (25) profiles are provided in the Appendix D: GEOPHYSICAL REPORTS 2019-2018

.

The survey profiles were designed by Ascot to cover major geological trends of interest over most of the known target zones at Premier Mine, Silver Hill and along Big Missouri Road areas. The Alpha IP™ data was acquired using 'dipole-pole-dipole' configuration with 50m station spacing and current injections at every 50m were made by adopting "reverse and forward" and "off-end" pattern for maximum depth penetration and highest resolution. Most of the profiles were acquired with single deployment of up to 42 receiver dipoles, however longer traverses were completed with multiple receiver deployment and an overlap to of at least 1000m. It is very important to note that Alpha IP™ survey at Premier is one of a kind where smaller "a" spacing of 50m and very large n 1-44 are used.

The Premier-Dilworth Gold-Silver Project consists of two principal areas: Premier and Big Missouri and is located in the Skeena Mining Division, in the Province of British Columbia, Canada. The Big Missouri deposit is located in the central part of the Property at Latitude 56° 7'N and Longitude 130° 1'W. UTM coordinates (WGS84, Zone 9V) are 437785 mE and 6219530 mN. The Property lies approximately 20 km north-northeast of Stewart, British Columbia, 190 km north of Prince Rupert, and approximately 900 km north-northwest of Vancouver, British Columbia. The southern part of the Property abuts the International boundary between British Columbia, Canada and Alaska, USA. The general location of the area is shown in the Figure 1-1.

At Premier-Dilworth Mine project (Phase IV), Alpha IP™ survey helped to resolve twenty (20) anomalous zones along seven (7) profiles, and are considered as significant targets for follow up from surface to ~500m+ depth. Out of twenty (20) anomalous zones, thirteen (13) are considered first priority, six (6) second and one (1) are third priority targets. The interpreted chargeability anomalous zones were prioritized and assigned an ID according to the anomaly amplitude, size, possible profile to profile continuation and multi-parameter (Resistivity and Chargeability) association. The anomalous zones consist of strong to moderate chargeability and their association with conductive to resistive zones. The Interpreted Anomalies with their relevant profiles are presented in Summary Table below. Premier-Dilworth Anomaly Map shows locations of 1st, 2nd and 3rd priority interpreted targets.

The interpreted first priority ("S#") anomalous zones are generally small areas at shallow depths and the IP chargeability is commonly strong to well defined accompanied by a marked decrease in resistivity areas consistent with faults and shear zones with potential for structurally controlled gold mineralization.

The interpreted second priority ("W#") anomalous zones are relatively larger area responses at shallow to moderate depths, where IP chargeability is well defined with moderate to high resistivity association.

The interpreted third priority ("P#") anomalous zones are generally deeper large area responses, where IP chargeability is poorly defined without definite resistivity signatures association.

The very low resistivity features with no IP response are generally near surface and are believed to be thick sedimentary units.

Alpha IP™ survey has also helped to map sub-vertical to vertical structures (faults and contacts). The faults and geological contacts are potentially associated with low resistivity and moderate to strong chargeability zones. The very low near surface resistivity with weak chargeability represents weathered and saturated rock layers. While some of the highly resistive units are potentially unaltered rock units from near surface to depths more than 300m.

Recommendations


The following are recommendations from the interpretation of the Alpha IP™ survey at the Premier Dilworth project:

1. Consider more parallel IP profiles along completed survey, the parallel profiles will help mapping the lateral extents of interpreted chargeability/resistivity anomalies and also help to enhance the understanding to geological modeling and interpretation.

2. Evaluate available geological and geochemical data in the vicinity of the priority target areas prior to drilling and commencing further exploration of these zones.

3. In order to understand the dip and strike of interpreted anomalous zones and the lateral extents, it is recommended to consider 3D IP survey over the high priority mineralized areas. The 3D IP survey will minimize the effect of three dimensional features and structures sub-parallel to the survey lines and will help to enhance the understanding to geological modeling and interpretation.

Interpreted Anomalies Summary Table								
Prospect	**Line #**	**Anomaly ID & #**	**Priority**	**IP Chargeability (Strong/Mod/Weak)**	**DC Resistivity (High/Mod/Low)**	**Depth to Core**	**Easting (UTM)**	**Northing (UTM)**
Big Missouri/Long Lake	Line 21	S1	1st	Strong	Mod	150m	436330	6217448
		W1	2nd	Mod	Low	130m	436902	6217251
		S2	1st	Strong	Low	70m	437106	6217181
Big Missouri/Long Lake	Line 22	S1	1st	Strong	Low	150m	436218	6217841
		P1	3rd	Mod/Weak	Mod/High	235m	436713	6217841
		W1	2nd	Mod	Low	70m	437044	6217841
		S2	1st	Strong	Low	120m	437255	6217841
Silver Hill	Line 23SH	W1	2nd	Mod/Weak	Mod/High	120m	436747	6220617
		S1	1st	Strong	Mod/ High	160m	437399	6221394
		S2	1st	Strong	Low	50m	437665	6221712
		S3	1st	Strong	Low	50m	437933	6222031
Silver Hill	Line 24SH	S1	1st	Strong	Low	150m	437041	6221711
		S2	1st	Strong	Low	70m	437400	6222139
		S3	1st	Mod/Strong	Low	70m	437757	6222565
Premier/ Northern Lights	Line 25Pre	S1	1st	Strong	Low	220m	435974	6212492
		W1	2nd	Strong/Mod	Mod/Low	260m	436268	6212981
Premier/ Northern Lights	Line 26Pre	S1	1st	Strong/Mod	Low	220m	436086	6213095
		W1	2nd	Strong	Mod	120m	436162	6213450
Premier/ Northern Lights	Line 26Pre	S1	1st	Strong/Mod	Low	180	436251	6212769
		W1	2nd	Strong	Mod	220	436445	6213123



Compilation of 1st, 2nd and 3rd priority interpreted targets.

Table of Contents

Executive Summary ii
1 Introduction 7
1.1 Objectives 8
1.2 Project Location, Access and Physiography 9
1.3 General Information 10
1.4 Survey Scope 11
2 Survey Methodology 13
IP Theory 13
Data Acquisition 15
Data Processing 20
2D Inversions 22
3 Results 25
Discussion of Results 25
Interpretation 27
Volumetric Presentation 33
Conclusions 35
Recommendations 35
4 Digital Archive 38
5 Certificate of Qualifications 39
Appendix A: Survey Logistics 40
A.1 Access 40
A.2 Survey Grid Area 40
A.3 Personnel 40
A.4 Instrumentation 41
A.5 Coverage and Production 41
A.6 Production Summary 42
Appendix B: Instrument Specifications 43
Appendix C: 2D Inversion Sections 46
Appendix D: GEOPHYSICAL REPORTS 2019-2018 53

Table of Figures

Figure 1-1: General project location. 8
Figure 1-2: Location and access road from Stewart to Premier Dilworth Project. 9
Figure 1-3: Location of Premier – Dilworth IP Survey Profiles. 12
Figure 2-1: Comparison of common array configuration with Dipole-Pole-Dipole (Reverse & Forward). 13
Figure 2-2: Time domain IP measurement with the normalized area under the decay curve. 13
Figure 2-3: Single Channel Current Recorder and duel Channel Voltage Receiver (Alphi). 14
Figure 2-4: Alpha IP Schematic of dipole-pole-dipole (Reverse & Forward) with single, double and triple spread setups. 15
Figure 2-5: Surveyed profiles showing data density along individual profiles multiple deployments. 16
Figure 2-6: Crew getting ready to move to survey grid from Stewart, BC. 17
Figure 2-7: Field setup of wireless IP receiver (Alphi), orange flag marks the location. Inset screen image shows full waveform signals. 17
Figure 2-8: Alphi with dipole wire and stainless steel electrodes, Honda Motor Generator MG 12A, 10 KW Transmitter used in the field. 18
Figure 2-9: Crew setting up the line and ready for current injections. 18
Figure 2-10: In field QA/QC and data retrieval from Alphi and current recorder 19
Figure 2-11: QA/QC of IP data and Rx – Tx synchronization with GPS time stamps. 20
Figure 2-12: Data processing images of IP data shown in different views from the ProSys processing software. 21
Figure 2-13: Post processing of data, resistivity (left) and chargeability (right) pseudo-sections. 21
Figure 2-14: Example of inversion misfit curves showing relaxation of the model. 22
Figure 2-15: Example of resistivity and chargeability mesh used for Premier Dilworth project. 23
Figure 2-16: Example of resistivity and chargeability mesh and inversion parameters. 24
Figure 2-17: Comparison of observed apparent data with predicted models. 24
Figure 3-1: Interpretation legend with symbols and color bars. 26
Figure 3-2: Line 21NW-SE interpreted resistivity and chargeability sections. 29
Figure 3-3: Line 22N interpreted resistivity and chargeability sections. 29
Figure 3-4: Line 23SH Long Lake interpreted resistivity and chargeability sections. 30
Figure 3-5: Line 24SH Long Lake interpreted resistivity and chargeability sections. 30
Figure 3-6: Line 25Pre interpreted resistivity and chargeability sections. 31
Figure 3-7: Line 26Pre interpreted resistivity and chargeability sections. 31
Figure 3-8: Line 27Pre interpreted resistivity and chargeability sections. 32
Figure 3-9: Isometric view of Premier Dilworth IP sections with power line. 33
Figure 3-10: Premier Dilworth IP sections looking northwest. 34
Figure 3-11: Premier Dilworth IP sections looking northwest with faults/contacts and power line. 34
Figure 3-12: Compilation of 1st, 2nd and 3rd priority interpreted targets. 37

1 INTRODUCTION

This report describes the data acquisition, processing and analysis of Alpha IPTM – a Wireless Time Domain Distributed Induced Polarization survey carried out by Simcoe Geoscience Limited (Simcoe) over the Premier Dilworth project (the Project or the Property), near Stewart, BC, on behalf of Ascot Resources Limited (Ascot). The data was acquired between August 20th and October 18th, 2020. A total of 11.9 line km data was acquired along seven (7) profiles. The survey profiles are of variable lengths and in different orientations as well as in three different areas. The geophysical reports of data acquired in 2019 and 2018 along twenty five (25) profiles are provided in the Appendix D: GEOPHYSICAL REPORTS 2019-2018

.

The survey profiles were designed by Ascot to cover major geological trends of interest over most of the known target zones at Premier Mine, Silver Hill and along Big Missouri Road areas. The Alpha IP^{TM} data was acquired using 'dipole-pole-dipole' configuration with 50m station spacing and current injections at every 50m were made by adopting "reverse and forward" and "off-end" pattern for maximum depth penetration and highest resolution. Most of the profiles were acquired with single deployment of up to 42 receiver dipoles, however longer traverses were completed with multiple receiver deployment and an overlap to of at least 1000m. It is very important to note that Alpha IP^{TM} survey at Premier is one of a kind where smaller "a" spacing of 50m and very large n 1-44 are used.

The Premier-Dilworth Gold-Silver Project consists of two principal areas: Premier and Big Missouri and is located in the Skeena Mining Division, in the Province of British Columbia, Canada. The Big Missouri deposit is located in the central part of the Property at Latitude 56° 7'N and Longitude 130° 1'W. UTM coordinates (WGS84, Zone 9V) are 437785 mE and 6219530 mN. The Property lies approximately 20 km north-northeast of Stewart, British Columbia, 190 km north of Prince Rupert, and approximately 900 km north-northwest of Vancouver, British Columbia. The southern part of the Property abuts the International boundary between British Columbia, Canada and Alaska, USA. The general location of the area is shown in the Figure 1-1.

This interpretation report consists of two parts. The geophysical data acquisition, methodology, survey parameters, inversion results and geophysical interpretation are presented in the first sections of the report (1 Introduction, 2 Survey Methodology, an 3 Results). A discussion of the targets, geophysical sections, and volumes are provided. This includes final inversion results for each line. The second part of the report contains the appendices including Appendix A: Survey Logistics, Appendix B: Instrument Specifications, and Appendix C: 2D Inversion Sections.




Figure 1-1: General project location.

1.1 Objectives

The exploration objectives of the Alpha IP™ survey at Premier Dilworth Project were to first complete a single test profile over known mineralization to evaluate the effectiveness of IP. If results show success, number of profiles to acquire over known and also untested areas to generate future drill targets.

Alpha IP™ – a Wireless Time Domain Distributed IP system was used to provide the following benefits:

- Detect and delineate zones and structures related to the emplacement of sulphide mineralization to depths of up to 500 meters with chargeability and resistivity.
- Mapping the resistivity and chargeability features related to mineralization, alteration, faults and lithologies.

The Alpha IP™ – a Wireless Time Domain Distributed System is the world first wireless IP system, where least amount of wire is being used and can be expanded to as many channels and eliminates the concept of limited "n" values. Alpha IP™ provides full waveform data with 24-bit digital sampling and advanced signal processing. The chargeability and resistivity components provide an excellent means of delineating target mineralization from surface to a depth of 1000+m when the profile is 4km, depth of investigation can be increased by adding more channels.

1.2 Project Location, Access and Physiography

The Premier-Dilworth Gold-Silver Project is located in the Skeena Mining Division, British Columbia, Canada. The Property lies approximately 20 km north-northeast of Stewart, BC. The project area was accessed from Stewart along Granduc Mining Road from Stewart, BC through the town of Hyder, Alaska and back into BC and the Premier Property. The Big Missouri deposit area is further on Granduc Mining Road. Additional access to the interior of the survey grid was through old haul and skidder roads that were accessible by ATV and hiking (Figure 1-2). The base of operations was setup in Stewart from where crew drove on daily basis to the survey grid. The elevation around the main exploration areas varies from 200 m to 1,100 m and the terrain is variable ranging from gently rolling to rugged. The lower elevations on the Property are moderately forested with hemlock and low brush. Mid-elevations are blanketed with heather and thick moss with some small trees. Higher elevations are mostly vegetation free with the exception of moss and lichens.




Figure 1-2: Location and access road from Stewart to Premier Dilworth Project.

1.3 General Information

Project Name:	Premier Dilworth Project
Simcoe's Project No.:	SGL-19037 (2019), SGL-18029 (Report 2018)
Client:	Ascot Resources Limited
Client Address	1050-1095 West Pender Street Vancouver, BC Canada, V6E 2M6
Client Representative:	Lars Beggerow Phone: 778-725-1060 Fax: 778-725-1070 Email: lbeggerow@ascotgold.com Website: https://www.ascotgold.com
Survey Type:	2D, 50m Dipole-Pole-Dipole Induced Polarization (IP)
Total Survey Period:	August 20th and October 18th, 2020, (Phase IV) May 08th to June 16th & October 2019 (Phase II, III) August 10th to September 16th, 2018 (Phase I)
Contractor:	Simcoe Geoscience Limited
Simcoe's Address:	13-11 Cardico Drive, Stouffville, ON, L4A 2G5 Tel: +1 (905) 235-7822 Toll Free: +1 (844) 794-7822 Fax: +1 (905) 235-7821 Email: info@simcoegeoscience.com Website: https://www.simcoegeoscience.com
Simcoe's Representative :	Riaz Mirza M.Sc., P.Geo Cell: +1 (905) 252-5922 Email: rmirza@simcoegeoscience.com

1.4 Survey Scope

Based on the exploration objectives, geological targets, size of targets and steep terrain, Simcoe has utilized its "state of the art" "Alpha IP™" – a Wireless Time Domain Distributed Induced Polarization technology, which is aimed to provide high resolution data and greater depths in difficult terrains and to resolve smaller targets which could be missed in conventional 2D IP surveys.

A total of seven (7) profiles were surveyed in the Phase IV. In the Phase I, six (6) profiles were completed, Phase II consists of fifteen (15) profiles and in the Phase III four (4) profiles were completed. The survey profiles are of variable lengths and in different orientations, which were designed by Ascot to cover major geological trends of interest over most of the known target zones at Premier Mine, Silver Coin, Silver Hill, Indian, Long Lake, Big Missouri and Martha Ellen areas. An area of 13km x 2km is surveyed in the last three years.

The Alpha IP™ data was acquired using 'dipole-pole-dipole' configuration with 50m station spacing and current injections at every 50m were made by adopting "reverse and forward" and "off-end" pattern for maximum depth penetration and highest resolution. Most of the profiles were acquired with single deployment of up to 42 receiver dipoles, however longer traverses were completed with multiple receiver deployment and an overlap to of at least 1000m.

The Table below shows Phase IV IP lines and their respective lengths with start and end coordinates. The detailed profile locations are shown in Figure 1-3.

Premier Dilworth Project (WGS84/UTM Zone 9 V)						
Prospect	**Line**	**Azimuth**	**Start UTM**	**End UTM**	**Line-km**	**Phase**
Big Missouri/Long Lake	Line 21	109°N	436115 mE 6217522 mN	437290 mE 6217098 mN	1.2	Phase IV 2020
Big Missouri/Long Lake	Line 22	90°N	436032 mE 6217841 mN	437481 mE 6217819 mN	1.4	Phase IV 2020
Silver Hill	Line 23SH	41°N	436665 mE 6220520 mN	438299 mE 6222411 mN	2.5	Phase IV 2020
Silver Hill	Line 24SH	41°N	436334 mE 6220869 mN	438001 mE 6222731 mN	2.5	Phase IV 2020
Premier/Northern Lights	Line 25Pre	31°N	435700 mE 6212036 mN	436465 mE 6213267 mN	1.4	Phase IV 2020
Premier/Northern Lights	Line 26Pre	8.5°N	435948 mE 6212444 mN	436241 mE 6213806 mN	1.4	Phase IV 2020
Premier/Northern Lights	Line 27Pre	29°N	435930 mE 6212184 mN	436552 mE 6213268 mN	1.2	Phase IV 2020




Figure 1-3: Location of Premier – Dilworth IP Survey Profiles.

2 SURVEY METHODOLOGY

IP Theory

Direct Current (DC) Resistivity and Induced Polarization (IP) is an electrical method that uses the injection of current and the measurement of voltage difference along with its rate of decay to determine the subsurface resistivity and chargeability respectively. Depth of investigation is mainly controlled by the array geometry, but may also be limited by the received signal, which is dependent on transmitted current, and ground resistivity. The chargeability parameter is particularly susceptible to cases with a low signal-to-noise ratio. The accuracy of dip and strike positions of structures is decreased (side shift) if only pole-dipole (PDR) or (PDL) used, combining the PDR and PDL overcome misleading positions of structures, so the choice of Dipole-Pole-Dipole configuration is highly recommended. The most common array configurations used in exploration are shown in Figure 2-1.




Figure 2-1: Comparison of common array configuration with Dipole-Pole-Dipole (Reverse & Forward).

Time Domain Induced polarization (IP) is a rather complex phenomenon, but easy to measure. When a voltage applied between two electrodes is abruptly interrupted, the electrodes used to monitor the voltage do not register an instantaneous drop to zero, but rather records a fast initial decay followed by a slower decay. If the current is switched on again, the voltage will first increase at a very high rate and then build up slowly. This phenomenon is known as induced polarization (Figure 2-2). The technique is mostly concerned with measuring the electrical surface polarization of metallic minerals.




Figure 2-2: Time domain IP measurement with the normalized area under the decay curve.

The purpose of resistivity and IP surveys is to determine the subsurface resistivity distribution by making measurements on the ground surface. From these measurements, the true resistivity of the subsurface can be estimated. The ground resistivity is related to various geological parameters such as the mineral and fluid content, porosity and degree of water saturation in the rock.

Disseminated sulphides have very good induced polarization responses. In theory, massive sulphides should have lower responses, but in practice they can have very good responses. This is due to the mineralization halo generally surrounding massive sulphides. Clay minerals may also produce significant IP responses, and the IP technique is often used to distinguish between clay and for example water saturated media which have similar resistivities, but different chargeabilities.

The data are acquired in a similar manner to resistivity, and resistivity is in fact measured by default during an IP survey. The same electrode configurations used for resistivity are also used for IP investigations. Various electrode layouts can be used (pole-dipole, dipole-dipole, etc.); varying the distance between the electrodes results in soundings to different depths, which may be used to map the variability of resistivity and chargeability with depth.

The Alpha IP™ system provides precise full waveform time series data including; Induced Polarization, Resistivity and SP measurements. Each receiver unit ("Alphi") is a dual channel system and continuously record at 10ms sample rate. The Alphi's are synchronized on the GPS PPS signal with transmitter and current recoding unit, allowing an easy process of the signal. Each Alphi is fully independent; incorporating its own power source, GPS module and digital memory for up to 3 months continuous recording. Data on the memory can be downloaded directly on a simple USB stick for post processing (Figure 2-3).

In its standard configuration (a = 100m / n = 0.5-40) Alpha IP surveys typically image resistivity to depths of 800-1000m, and the IP typically images to 700-1000m in sub-vertical tabular geologic settings and up to 50% more for sub-horizontal. The differences in penetration are a function of the relative property contrasts and relative signal-to-noise levels between the two measurements. Penetration also decreases or increases proportionally to the dipole-size (i.e., 400-600m for 50m dipoles, and 900-1200m for 200m dipoles) with good signal. A detailed introduction to Time Domain IP surveys is given in Telford, et al. (1976).



Figure 2-3: Single Channel Current Recorder and duel Channel Voltage Receiver (Alphi).

Data Acquisition

Simcoe used its "state of the art" Alpha IP™ - a Wireless Time Domain Distributed Induced Polarization system with the simultaneous deployment of 42 receiver dipoles (21 Alphi) along the 2100m spreads and 22 receiver dipoles (11 Alphi) along 1100m spreads in single deployments. The dipole length was 50m and n = 1-42. The current injection points were located at every 50m between the potential dipoles. Data were acquired with dipole-pole-dipole (Reverse & Forward) current injections configuration. Extra current injections were also made at the end of the lines for additional depth coverage. A schematic field setup with Alpha IP is described in Figure 2-4.




Figure 2-4: Alpha IP Schematic of dipole-pole-dipole (Reverse & Forward) with single, double and triple spread setups.

In its standard setup; each Alphi is a standalone receiver, which has a common electrode (P2) at the receiver. P1 and P2 are setup in opposite directions. The current recording unit, which sits in series between the injection electrode and transmitter records the injected current. GPS is used to synchronize an internal clock in order to accurately time stamps each record within an absolute accuracy of 250us. Detailed technical specifications are Alpha IP^{TM} system is provided in A.4 Instrumentation.

Figure 2-5 shows data density along multiple deployments at Premier. Approximately 60,000 data points along 32 profiles were acquired and a total of 32 profiles were completed in three years. An area of 13km x 2km was surveyed. Depth of investigation ranges from 350m for shorter profiles to 700m for longer profiles.




Figure 2-5: Surveyed profiles showing data density along individual profiles multiple deployments.

Simcoe was responsible for staking and positioning of the lines, prior to crew and gears arrival in Stewart (Figure 2-6), one of the crew members flagged the lines at every 25m intervals with two color flags to differentiate receiver and injection dipoles (Figure 2-7). Stainless Steel non-polarized electrodes were used for both receiver and injection electrodes. Because of the large area coverage and different orientations, numbers of infinite pole locations were prepared to cover all profiles. The infinite electrode distances ranged from 6-10 km and locations were prepared at least two days before data acquisition. The average daily production was 1km, which includes setup, data recording and move to next line. There was also line cutting involved along most of the profiles due to thick vegetation.



Figure 2-6: Crew getting ready to move to survey grid from Stewart, BC.



Figure 2-7: Field setup of wireless IP receiver (Alphi), orange flag marks the location. Inset screen image shows full waveform signals.

For this project, a 10 KW power transmitter (Walcer TX KW10) was used and powered by a Honda Motor Generator MG12A. The MG12A can output regulated 125V/220V AC, 20KVA maximum at 400 Hz/ 3

phase to the transmitter which then has an output of 100-3200V in 10 steps with regulated current ranges from 0.05 – 20 Amps. The switching can be set to 1sec, 2sec, 4sec, 8sec (Figure 2-8 & Figure 2-9).



Figure 2-8: Alphi with dipole wire and stainless steel electrodes, Honda Motor Generator MG 12A, 10 KW Transmitter used in the field.



Figure 2-9: Crew setting up the line and ready for current injections.

The data was acquired based on the following field parameters:

- **Survey Array:** Dipole-Pole-Dipole Array
- **Receiver Configuration:** 22 & 42 Rx = Continuous In-line voltages
- **Array Length:** Ranging from 1.0 km to 5.4km
- **Dipole length:** Rx = 50 meter
- **Sampling Interval:** Ex = 50 meters
- **Rx-Tx Separation:** N-spacing = 1-22 & 1-44
- **Tx. Current:** +/- 20 Amps.
- **Input Impedance:** 100 MOhms
- **Input Voltage:** 15V, automatic gain, input protection 1000V
- **Readings:** Full waveform 10ms (100Hz) sampling rate
- **Noise Rejection:** Power line rejection, SP linear drift correction
- **Transmitter Square wave Switching:** 2 sec., (2 sec. ON+, 2sec. OFF, 2 sec. ON-, 2sec. OFF)
- **Chargeability Windows:** 20 Programmable
- **Time-Series Stacking:** up to 100 cycles (full-waveform)
- **Read Time:** approx. 7.0 minutes per station
- **Time-Domain Decay Window:** 1600 ms
  - Integration Start Time 220 ms,
  - Integration End Time: 1820 ms

Infinite Pole Locations: UTM: 436316m E, 6212112m N (WGS 84/Zone 9 U)
UTM: 437200m E, 6217377m N (WGS 84/Zone 9 U)

At the end of each day data is retrieved from both current recorder and receiver units (Alphi) on USB sticks, which are binary format files contains GPS positions of each receiver and injection electrodes, input and output voltages and input currents for each single injections. Data is then dumped to a field computer and field QA/QC is performed. In the event of any injections needs to repeat, crew will be notified the injection locations otherwise line will be picked up and moved to next (Figure 2-10).



Figure 2-10: In field QA/QC and data retrieval from Alphi and current recorder

Data Processing

The final processing of Time Domain IP is complicated and performed in number of steps and different processing platforms are used. Infield QA/QC and processing is completed with proprietary software (FullWave Viewer). The software allows review of the full waveform raw data, the stacked readings and the chargeability decay (M) for each acquisition channel. The data is viewed, synchronized both current and voltage records, edited if necessary and processed. Data noise was rejected using an arithmetic algorithm to discard noisy half-cycles and to enhance Rx – Tx synchronisation (Figure 2-11).




Figure 2-11: QA/QC of IP data and Rx – Tx synchronization with GPS time stamps.

Post processing of the data is completed using ProSys Post Processing software and then input into the Oasis Montaj IP Module for further review.

Once the data is synchronized and GPS positions of both current injections and receiver dipoles are verified, data is exported to view in ProSys Post Processing software, where data can be displayed both numerically and graphically. Post-processing and conditioning of both resistivity and IP data involved adjustment of data errors and removal of poor quality data for inversions. Initially the individual transmits for the IP are viewed before stacking. Any problematic decays are noted for further review (Figure 2-12). Pseudo-sections of both the IP and Resistivity data, along with the stacking, current values, resistivity values, and decay curve repeatability are all reviewed (Figure 2-13). Should data from a single transmit not match the others at the same point, that individual transmit is rejected. Once the data was processed for each line, it was exported in UBC 2D DCIP format to run a 2D inversion.

In general, the quality of the raw data are excellent, the repeatability is excellent. Overall ground contacts were good very good currents were obtained on almost all lines.




Figure 2-12: Data processing images of IP data shown in different views from the ProSys processing software.




Figure 2-13: Post processing of data, resistivity (left) and chargeability (right) pseudo-sections.

2D Inversions

The primary exploration tool for evaluating the resistivity and IP data is through the inversion of the data in two-dimensions (2D). The goal of the inversion is to recover an earth model which acceptably reproduces the observed field data. Two inverse problems have to be resolved. In the first, the DC potentials are used to recover the electrical conductivity (σ), and for the second problem, the IP data are used to recover the chargeability (η). An inversion model depends not only on the data collected, but also on the associated data errors in the reading and the "model norm". It is also a good practice that inversion models must be reviewed in context with the observed data (raw pseudo-sections), model fit, and with an understanding of the model norm used. Importantly, the data are noise contaminated; therefore we don't want to fit them precisely as some noise contaminated data could lead to the introduction of inversion artifacts. A perfect fit in our case could be indicative that an incorrect or "forced" earth model is recovered as some features observed in the constructed model would assuredly be artifacts of the noise.

The error of each data point is adjusted for the inversion process using a general error equation similar to:

$$errors\begin{pmatrix} Vp \\ IP \end{pmatrix} = \mathrm{A}\% \left| \begin{matrix} Vp \\ IP \end{matrix} \right| + B \times \mathrm{Acq_Error}\begin{pmatrix} Vp \\ IP \end{pmatrix} + C\ (\mathrm{floor})$$

with the set of parameters $\{A, B, C\}$ adjusted (and large errors data points removed) for each dataset until we achieve convergence with relaxation of the resistivity or chargeability models (see example of Model Norm fit curve on (Figure 2-14).




Figure 2-14: Example of inversion misfit curves showing relaxation of the model.

The 2D inversions are carried out along each line to produce cross-sections of the resistivity and chargeability variations along the survey lines. The UBC ***DCIP2D*** (UBC-GIF) inversion suite[1] (Oldenburg & Li, 1994) is used for the 2D inversion of the DC and IP data:

1. DCINV2D: program to invert DC potentials to recover a 2D conductivity model.
2. IPINV2D: program to invert IP data to recover a 2D chargeability model.

[1] A comprehensive theory and methodology for 2D inversions for those programs is also available at www.eos.ubc.ca/ubcgif.

The programs use the potential difference (voltage) and apparent chargeability values as input data. Estimated errors (see above) on the resistivity and IP data are included in the inversion.

The resistivity data is inverted using an unconstrained 2D inversion with a homogenous half-space of average input data as starting model. The resistivity models are labeled as *2D Resistivity*. The IP inversions are calculated from the same data set and parameters; however these models[2] use a previously calculated *2D Resistivity* model as the reference model. They are labeled the *IP Chargeability* model.

In general, the use of the previously calculated *Resistivity* model as a starting model is considered to be theoretically better, but some features on the *Resistivity* model might introduce 'artifacts' or 'false anomalies' on the *IP Chargeability* models. For example, it can be shown that the UBC code tends to add a very strong IP anomalous response below a very conductive overburden where this is not supported by the data. This appears due to the strong resistivity contrast on the *Resistivity* model. In this situation it is also a good practice to consider the half space reference *IP Chargeability (HS)* model which uses a constant resistivity value close to the area average as this will be not 'constrain' the IP by any pre-defined (resistivity) structure. This allows comparison of models and this can be used to validate chargeability anomalies. For this study there were few models generated with a constant resistivity reference model as we observed no change between the two models giving us confidence of the validity of the presented models.

The *Resistivity* and *Chargeability* inversions use the same mesh. The horizontal mesh is set as 4 cells between electrodes. The vertical mesh is designed with a cell thickness from 10m for the first few hundred's meters to accommodate the topographic variation along the profile, and then it increases from 20 to 100m with depth (Figure 2-15). The inversions were generally run for a maximum of 100 iterations, Figure 2-16 shows parameter used for inversion and topo is included in the final inversion models.




Figure 2-15: Example of resistivity and chargeability mesh used for Premier Dilworth project.

[2] The reference model is used to calculate the sensitivity matrix used at each iteration for the IP inversion.




Figure 2-16: Example of resistivity and chargeability mesh and inversion parameters.

Before exporting the final inversion models for plotting, each inversion model is examined with observed apparent data with predicted results (Figure 2-17). The final inversion models are presented graphically in Geosoft plot format along with an interpretation overlay and comments on the most significant anomalous zones. Pseudo-sections and calculated models are included in Appendices **Error! Reference source not found.** & **Error! Reference source not found.**.




Figure 2-17: Comparison of observed apparent data with predicted models.

3 RESULTS

Discussion of Results

This section presents the resistivity and chargeability 2D inversion results in cross-sections, providing detailed descriptions of the interpreted geological contacts or faults, chargeability zones, conductive trends and selected anomalies (if any), on a profile by profile basis. The structure and lithology is interpreted mainly from the resistivity sections. IP chargeability can be an indicator of presence of disseminated sulfides that are associated with gold mineralization at Premier Dilworth property. Anomalous chargeability data are used to help target areas for further exploration work including detailed geological mapping and drilling.

The quality of the raw resistivity and IP data is good for all the surveyed profiles. Overall ground contacts were good and contact resistance at transmit and receiving dipoles were low. The range of current injected in the ground was between 1 amps to 5.5 amps with the exception of few locations where currents were as low as 1 amp. Generally the IP decay curves are clean, however some noisy decay curves were also noticed at larger n vales, which were removed from the final inversions. Each injections at Premier Dilworth project were 5-8 minutes to provide 80 and more stacks.

A total of twenty one (21) inversion models along seven (7) profiles were generated to present resistivity and chargeability results. Sections were gridded using the minimum curvature gridding algorithm, resistivity sections are plotted on log-linear scale while chargeability sections are on linear scale. The inversions were generally run with successive removal of poorly fitting data and error adjustment before arriving at the final 2D models. The 2D models along each profile are presented to a maximum depth of 350m for 1.2km and 750m for 3.0km profiles. A complete set of sections are included in Appendix .

It is also important to mention here, an effort was made to invert Premier Mine area and Big Missouri area Alpha IP™ profiles in 3D, although there were a good data coverage, however there were still not enough data density to make a geological plausible models out of those data points. One of the other reasons was steep terrain, which always requires denser data for 3D modeling.

In general the resistivity models resolve the structure and lithology of the subsurface by measuring the electric potential. Resistivity can be an indicator of metallic mineralization, but is more often than not controlled by rock porosity and is therefore an indirect indicator of alteration and mineral grain fabric. While IP measurements provide chargeability of the subsurface and chargeability is a near-direct indicator of the presence of sulphide mineralization, in both massive and disseminated forms. The gold mineralization in the area is associated with sulphide mineralization; hence the IP is a good tool. Chargeable mineralization is most commonly various sulphides and graphite, but also includes clay-type minerals potentially making it a useful tool for base-metals exploration.

The interpreted results do not necessarily represent mineralization, mineral grade, and/or the full extent of the sources of the anomaly; furthermore they are not intended for metal differentiation. Different geological, structural and mineral assemblages may produce anomalies with similar response amplitude, shape, orientation and size. All the above factors can be combined to yield alternative interpretations of the same geophysical response. Although all data are considered to be of good quality, Simcoe recommends caution in targeting deep anomalies based only on geophysics.

Due to large area coverage, the dynamic color ranges of both resistivity and chargeability varies and can be divided in to three areas. The Big Missouri/Long Lake profiles, Line 21 and Line 22, use consistent and constant color bar ranges from 0mV/v – 25mV/v for chargeability and 500Ωm – 10,000Ωm for resistivity. A dynamic color range of 0mV/v – 42mV/v for chargeability and 25Ωm – 20,000Ωm for resistivity are

used to present the Silver Hill profiles. A dynamic color range of 0mV/v – 15mV/v for chargeability and 250Ωm – 10,000Ωm for resistivity are used to present the Premier Mine profiles. The cool colors (blue) for resistivity represent high resistivity and hot colors (red) represent high conductivity, while in chargeability color bar, hot (red) represent high chargeability and cool (blue) low chargeability responses. The dynamic color ranges used in this report are all relative and specific to this survey area. The interpretation legend and color bars used in this interpretation are illustrated in Figure 3-1.




Figure 3-1: Interpretation legend with symbols and color bars.

The interpretation presented in this report is oriented to target resistivity and chargeability anomalous zones that might indicate the presence of gold mineralization, alteration zones and geological structures (faults, contacts, etc.). In addition the structural interpretation of the 2D sections explains the potential dip and extension of the faults and contacts at greater depth.

The characteristics and locations of the targets, along with the structural interpretation of the 2D sections are described in the following sections of the report. The interpreted resistivity and chargeability anomalous zones were classified according to the anomaly amplitude, size and multi-parameter (resistivity & chargeability) association as follows:

- *First priority targets (S#):*
    - Moderate to small area (>100x100m) anomalies exhibiting a strong increase in IP response, accompanied by a marked decrease in resistivity (<2000 Ωm); interpreted to be consistent with potential for gold mineralization and are at moderate depths.
- *Second priority targets (W#):*
    - Large to moderate area (200x200m) anomalies exhibiting a well-defined increase in IP response, by a marked resistivity decrease (<2000 Ωm); interpreted to be consistent with disseminated to semi-massive sulphide with potential for gold mineralization.
- *Third priority targets (P#):*
    - Large area anomalies (~300x300m) exhibiting a poorly defined IP response with no resistivity signature (>3000 Ωm); interpreted to be consistent with alteration zones with weak to disseminated sulphide mineralization and potential for gold.

The very low near surface resistivity with weak chargeability represents weathered and saturated rock layers. While some of the highly resistive units are potentially unaltered rock units from near surface to depths more than 300m.

Interpretation

The “stacked” section maps are an effective means of illustrating the major line-to-line features and trends that are apparent from the inverted data, but not necessarily obvious when viewing the individual line sections. Due to sparse line spacing and different orientation of profiles for this project, it was difficult to make a line to line correlation of local and regional geological trends and structures, however an effort was made to map the similar resistivity and chargeability signatures to the closest lines. The complete individual sections for the IP chargeability and resistivity are included in page-size print form in Appendix **Error! Reference source not found.**.

A line by line analysis of surveyed profiles shows that there are major differences in the chargeability signatures from south of Premier Mine to Silver Hill/Long Lake areas. The area can be divided in to three distinct chargeability zones (0 mV/v – 15 mV/v Premier Mine area), (0 mV/v – 25 mV/v Long Lake Big Missouri areas) and (0 mV/v – 45 mV/v Silver Hill/Long Lake area). The resistivity is somewhat similar over the whole area. This increase in chargeability could potentially be related to increase in sulphide percentage.

Good resolution of sub-vertical to vertical structures (faults and contacts) was achieved along each profile and are explained by the sub-vertical features and gradient zones interpreted from the 2D sections. The faults and geological contacts are potentially associated with low resistivity and moderate to strong chargeability zones. The data suggests that contact/fault zones and the major feature appears to be trending NE-SW with some local cross cutting faults.

A comprehensive interpretation of line by line sections (Figure 3-2 through **Error! Reference source not found.**) is presented in the next section to analyze both the lateral and vertical changes in resistivity distribution as well as chargeability responses. The interpreted sections illustrate the anomalous zones with possible structures present in the area based on geophysical data.

At Premier-Dilworth Mine project (Phase IV), Alpha IP^{TM} survey helped to resolve twenty (20) anomalous zones along seven (7) profiles, and are considered as significant targets for follow up from surface to ~500m+ depth. Out of twenty (20) anomalous zones, thirteen (13) are considered first priority, six (6) second and one (1) are third priority targets. The interpreted chargeability anomalous zones were prioritized and assigned an ID according to the anomaly amplitude, size, possible profile to profile continuation and multi-parameter (Resistivity and Chargeability) association. The anomalous zones consist of strong to moderate chargeability and their association with conductive to resistive zones. The Interpreted Anomalies with their relevant profiles are presented in Summary Table below. Premier-Dilworth Anomaly Map shows locations of 1st, 2nd and 3rd priority interpreted targets.

The interpreted first priority (“S#”) anomalous zones are generally small areas at shallow depths and the IP chargeability is commonly strong to well defined accompanied by a marked decrease in resistivity areas consistent with faults and shear zones with potential for structurally controlled gold mineralization.

The interpreted second priority (“W#”) anomalous zones are relatively larger area responses at shallow to moderate depths, where IP chargeability is well defined with moderate to high resistivity association.

The interpreted third priority anomalous zones are generally deeper large area responses, where IP chargeability is poorly defined without definite resistivity signatures association.

There are three additional non-anomalous zones that can be classified:

i. Very low resistivity features with no IP response are generally near surface and are believed to be thick sedimentary units.

ii. Very low near surface resistivity with weak chargeability represents weathered and saturated rock layers.

iii. Highly resistive units are potentially unaltered rock units from near surface to depths more than 650m.

The sections are displayed in the order of numbering and starting from Big Missouri/Long Lake, then Silver Hill/Long Lake areas and finally Premier Pit area.

Prospect	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Big Missouri/Long Lake	Line 21	S1	1st	Strong	Mod	150m	436330	6217448
		W1	2nd	Mod	Low	130m	436902	6217251
		S2	1st	Strong	Low	70m	437106	6217181




Figure 3-2: Line 21NW-SE interpreted resistivity and chargeability sections.

Prospect	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Big Missouri/Long Lake	Line 22	S1	1st	Strong	Low	150m	436218	6217841
		P1	3rd	Mod/Weak	Mod/High	235m	436713	6217841
		W1	2nd	Mod	Low	70m	437044	6217841
		S2	1st	Strong	Low	120m	437255	6217841




Figure 3-3: Line 22N interpreted resistivity and chargeability sections.

Prospect	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Silver Hill	Line 23SH	W1	2nd	Mod/Weak	Mod/High	120m	436747	6220617
		S1	1st	Strong	Mod/ High	160m	437399	6221394
		S2	1st	Strong	Low	50m	437665	6221712
		S3	1st	Strong	Low	50m	437933	6222031




Figure 3-4: Line 23SH Long Lake interpreted resistivity and chargeability sections.

Prospect	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Silver Hill	Line 24SH	S1	1st	Strong	Low	150m	437041	6221711
		S2	1st	Strong	Low	70m	437400	6222139
		S3	1st	Mod/Strong	Low	70m	437757	6222565




Figure 3-5: Line 24SH Long Lake interpreted resistivity and chargeability sections.

Prospect	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Premier/Northern Lights	Line 25Pre	S1	1st	Strong	Low	220m	435974	6212492
		W1	2nd	Strong/Mod	Mod/Low	260m	436268	6212981




Figure 3-6: Line 25Pre interpreted resistivity and chargeability sections.

Prospect	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Premier/ Northern Lights	Line 26Pre	S1	1st	Strong/Mod	Low	220m	436086	6213095
		W1	2nd	Strong	Mod	120m	436162	6213450




Figure 3-7: Line 26Pre interpreted resistivity and chargeability sections.

Prospect	Line #	Anomaly ID & #	Priority	IP Chargeability (Strong/Mod/Weak)	DC Resistivity (High/Mod/Low)	Depth to Core	Easting (UTM)	Northing (UTM)
Premier/Northern Lights	Line 27Pre	S1	1st	Strong/Mod	Low	180	436251	6212769
		W1	2nd	Strong	Mod	220	436445	6213123




Figure 3-8: Line 27Pre interpreted resistivity and chargeability sections.

Volumetric Presentation

The volumetric presentation of resistivity and chargeability models at Premier Dilworth project is presented to show correlation and continuation of chargeable and conductive responses. Even though there are not many parallel profiles, it is observed that chargeable and conductive responses are repetitive in all areas wherever there are parallel or cross cutting profiles. Figure 3-9 and Figure 3-10 show isometric views of chargeability sections.

Good resolution of sub-vertical to vertical structures (faults and contacts) was achieved along each profile and are explained by the sub-vertical features and gradient zones interpreted from the 2D sections. The faults and geological contacts are potentially associated with low resistivity and moderate to strong chargeability zones. The data suggests that contact/fault zones and the major feature appears to be trending NE-SW with some local cross cutting faults. Figure 3-11 shows faults and contacts are plotted on chargeability sections.

The volumetric presentation is also a good tool to view a posible dip and strike in 2D surveys and it also helps to understand the accurated positions of integrated geological and suface features data. It is always advised to consider 3D space for any drill plans and planned drill holes should always be plotted to eliminate the possibility of missing a target by few 10s of meters.

A high resolution digital version of volumetric presentations and geo-referenced sections are provided in the digital archives.




Figure 3-9: Isometric view of Premier Dilworth IP sections with power line.




Figure 3-10: Premier Dilworth IP sections looking northwest.




Figure 3-11: Premier Dilworth IP sections looking northwest with faults/contacts and power line.

Conclusions

At Premier-Dilworth Mine project (Phase IV), Alpha IP^{TM} survey helped to resolve twenty (20) anomalous zones along seven (7) profiles, and are considered as significant targets for follow up from surface to ~500m+ depth. Out of twenty (20) anomalous zones, thirteen (13) are considered first priority, six (6) second and one (1) are third priority targets. The interpreted chargeability anomalous zones were prioritized and assigned an ID according to the anomaly amplitude, size, possible profile to profile continuation and multi-parameter (Resistivity and Chargeability) association. The anomalous zones consist of strong to moderate chargeability and their association with conductive to resistive zones. The Interpreted Anomalies with their relevant profiles are presented in Summary Table below. Premier-Dilworth Anomaly Map shows locations of 1st, 2nd and 3rd priority interpreted targets.

The interpreted first priority ("S#") anomalous zones are generally small areas at shallow depths and the IP chargeability is commonly strong to well defined accompanied by a marked decrease in resistivity areas consistent with faults and shear zones with potential for structurally controlled gold mineralization.

The interpreted second priority ("W#") anomalous zones are relatively larger area responses at shallow to moderate depths, where IP chargeability is well defined with moderate to high resistivity association.

The interpreted third priority ("P#") anomalous zones are generally deeper large area responses, where IP chargeability is poorly defined without definite resistivity signatures association.

The very low resistivity features with no IP response are generally near surface and are believed to be thick sedimentary units.

Alpha IP^{TM} survey has also helped to map sub-vertical to vertical structures (faults and contacts). The faults and geological contacts are potentially associated with low resistivity and moderate to strong chargeability zones. The very low near surface resistivity with weak chargeability represents weathered and saturated rock layers. While some of the highly resistive units are potentially unaltered rock units from near surface to depths more than 300m.

Recommendations

The following are recommendations from the interpretation of the Alpha IP^{TM} survey at the Premier Dilworth project:

4. Consider more parallel IP profiles along completed survey, the parallel profiles will help mapping the lateral extents of interpreted chargeability/resistivity anomalies and also help to enhance the understanding to geological modeling and interpretation.
5. Evaluate available geological and geochemical data in the vicinity of the priority target areas prior to drilling and commencing further exploration of these zones.
6. In order to understand the dip and strike of interpreted anomalous zones and the lateral extents, it is recommended to consider 3D IP survey over the high priority mineralized areas. The 3D IP survey will minimize the effect of three dimensional features and structures sub-parallel to the survey lines and will help to enhance the understanding to geological modeling and interpretation.

Interpreted Anomalies Summary Table								
Prospect	**Line #**	**Anomaly ID & #**	**Priority**	**IP Chargeability (Strong/Mod/Weak)**	**DC Resistivity (High/Mod/Low)**	**Depth to Core**	**Easting (UTM)**	**Northing (UTM)**
Big Missouri/Long Lake	Line 21	S1	1st	Strong	Mod	150m	436330	6217448
		W1	2nd	Mod	Low	130m	436902	6217251
		S2	1st	Strong	Low	70m	437106	6217181
Big Missouri/Long Lake	Line 22	S1	1st	Strong	Low	150m	436218	6217841
		P1	3rd	Mod/Weak	Mod/High	235m	436713	6217841
		W1	2nd	Mod	Low	70m	437044	6217841
		S2	1st	Strong	Low	120m	437255	6217841
Silver Hill	Line 23SH	W1	2nd	Mod/Weak	Mod/High	120m	436747	6220617
		S1	1st	Strong	Mod/ High	160m	437399	6221394
		S2	1st	Strong	Low	50m	437665	6221712
		S3	1st	Strong	Low	50m	437933	6222031
Silver Hill	Line 24SH	S1	1st	Strong	Low	150m	437041	6221711
		S2	1st	Strong	Low	70m	437400	6222139
		S3	1st	Mod/Strong	Low	70m	437757	6222565
Premier/ Northern Lights	Line 25Pre	S1	1st	Strong	Low	220m	435974	6212492
		W1	2nd	Strong/Mod	Mod/Low	260m	436268	6212981
Premier/ Northern Lights	Line 26Pre	S1	1st	Strong/Mod	Low	220m	436086	6213095
		W1	2nd	Strong	Mod	120m	436162	6213450
Premier/ Northern Lights	Line 26Pre	S1	1st	Strong/Mod	Low	180	436251	6212769
		W1	2nd	Strong	Mod	220	436445	6213123




Figure 3-12: Compilation of 1st, 2nd and 3rd priority interpreted targets.

4 DIGITAL ARCHIVE

The final deliverables contain a complete set of copies of Proposal, Contract, Raw Field Data, Processed Data, Preliminary Field Results, Final Inversion Results, Geosoft Products (Database, Grids & Maps), Image Files and an electronic copy of this report (with all appendices).

Folder	Sub level 1	Sub level 2	Description
Proposal & Contract			Service Agreement_ Ascot Resources Limited _Premier Dilworth Project_ SGL-P-20200186 Phase IV 2020
Fields Results	Raw Data	Line ##	Raw data contains .VMN & IAB, time and date information.
Processed Data			DCIP Data in ASCII file format from IP Post Processing and Geosoft contain files Line##_complete.BIN, Line_complete.txt
Preliminary Results			PDF Presentation presented or emailed to client
Inversion	Line ##		raw data and error conditioning
			DC inversion
			IP with DC reference
Geosoft Products			Geosoft Files
	Base Maps		Base maps, location, etc.
	Database		Geosoft Database for each line
	Grid File		Geosoft Grid file for each sections
	Maps		Pseudo-sections (In-line DC Resistivity and IP Chargeability pseudo sections, posted, contoured (equal area zoning) and plotted in ground units) and 2D inversion sections
	Interpretation		Interpretation map files
Image Files	Pseudo-sections 2D Inversion Sections		Pseudo-sections plotted in Geosoft 2D inversion models plotted in Geosoft
Report			Final Report in PDF format

5 CERTIFICATE OF QUALIFICATIONS

I, Riaz Mirza, P.Geo., declare that

I am Director and Geoscientist with residence in Georgina, Ontario and I am presently employed in this capacity with Simcoe Geoscience Limited, Newmarket, Ontario, Canada;

I hold the following academic qualifications: Bachelor of Science Degree (B.Sc.), Applied Geology from University of the Punjab, Pakistan in 1997, a Master of Science Degree (M.Sc.), Geophysics, Seismic Methods, from Quaid-e-Azam University, Pakistan in 2000, and an Advanced Master of Science Degree (M.Sc.), Applied Environmental Geoscience from University of Tuebingen, Germany in 2003;

I am a registered geoscientist, since 2012, with license to practice in the Province of Ontario, (APGO License # 2154).

I am a member of the Society of Exploration Geophysicists (SEG) and the Canadian Exploration Geophysics Society (KEGS);

I have practiced my profession continuously since 1997 in Southeast Asia, Europe, and North America, South America, Middle East, Africa;

I have no interest, nor do I expect to receive any interest in the properties or securities of Ascot Resources Limited its clients, its subsidiaries or its joint-venture partners;

I am the Professional Geophysicist responsible for this project.

I was in charge of Phase I 2018, Phase II & III 2019 and Phase IV 2020 data acquisition, Quality Control and Assurance of the acquired data; I have analyzed the data and authored the survey the report, and can attest that these accurately and faithfully reflect the data acquired on site;

The statements made in this report represent my professional opinion in consideration of the information available to me at the time of writing this report.

Stouffville, Ontario

February 17, 2021



[signed and sealed]

Riaz Mirza, M.Sc., P.Geo. (ON)

Director & Geoscientist

Simcoe Geoscience Limited

APPENDIX A: SURVEY LOGISTICS

A.1 ACCESS

Base of Operation: Stewart, BC

Mode of Access to Grid: Trucks

Mode of Access to Lines: Trucks/Quads/Foot

A.2 SURVEY GRID AREA

Established by: Ascot Resources Limited

Coordinate Reference System: UTM Coordinates

Datum & Projection: WGS 84/Zone V 9

Grid Azimuth: Variable

Station Interval: 50m

Method of Chaining: Metric, points GPS surveyed

Surveyed Line- start and end point coordinates, Azimuth and Lengths.

Premier Dilworth Project (WGS84/UTM Zone 9 V)						
Prospect	**Line**	**Azimuth**	**Start UTM**	**End UTM**	**Line-km**	**Phase**
Big Missouri/Long Lake	Line 21	109°N	436115 mE 6217522 mN	437290 mE 6217098 mN	1.2	Phase IV 2020
Big Missouri/Long Lake	Line 22	90°N	436032 mE 6217841 mN	437481 mE 6217819 mN	1.4	Phase IV 2020
Silver Hill	Line 23SH	41°N	436665 mE 6220520 mN	438299 mE 6222411 mN	2.5	Phase IV 2020
Silver Hill	Line 24SH	41°N	436334 mE 6220869 mN	438001 mE 6222731 mN	2.5	Phase IV 2020
Premier/Northern Lights	Line 25Pre	31°N	435700 mE 6212036 mN	436465 mE 6213267 mN	1.4	Phase IV 2020
Premier/Northern Lights	Line 26Pre	8.5°N	435948 mE 6212444 mN	436241 mE 6213806 mN	1.4	Phase IV 2020
Premier/Northern Lights	Line 27Pre	29°N	435930 mE 6212184 mN	436552 mE 6213268 mN	1.2	Phase IV 2020

A.3 PERSONNEL

Project Manager: Luc Lafond

Responsible Geophysicist: Riaz Mirza
Data Processing (in office): Mirza Shahbaz
Crew Chief/Operations: Allen Boissoneu

IP operator Transmitter:	Sarah Lucas
IP operator Receiver:	
Field Technicians:	Stephen Robinson, Liam Murphy, Dallas Ronacher, Allen Boissoneu Jr.

A.4 INSTRUMENTATION

Receiver System:	Alpha IP Wireless x25 receiver: 50 channels max.
Transmitter:	Walcer TX KW10
Current Recorder	IRIS I-FullWaver x2
Power Supply:	*MG12A* Input: 125V line to neutral 400 Hz / 3 phase Output: 100 - 3200V in 10 steps 0.05 - 20 Amps
Transmit Electrodes	6 x 0.5 inch diameter 4 feet long stainless steel rods
Receiver Electrodes:	Ground contacts using stainless steel rods/ Porous Pots

A.5 COVERAGE AND PRODUCTION

Total Survey Period/days:	August 20th to October 20th, 2020 (Phase IV) 28 days
Survey Days (read time):	18 days
Mob/Demob:	6 days
Safety Inductions / Site visit:	2 day
No Helicopter/Down Days:	2 days
Number of Lines surveyed:	7
Survey Coverage:	11.9 km

A.6 PRODUCTION SUMMARY

SIMCOE GEOSCIENCE

PRODUCTION SUMMARY

Survey Specifications — **2D Induced Polarization and Resistivity Survey**

Client: ASCOT
Project: Premier ALPHA 2D IP Phase 4 2020
Project # SGL-202056

Equipment	
Alpha IP	20 x Receiver, 2 x Current Recorder, 1 x Tx, 1 x MG
Accessories	Stainless Steel Electrodes, Wire, etc.

Grid: ASCOT's Premier Mine property, 50m dipoles, 2km lines, Alpha IP 2D

ALPHA IP 2D IP Grid	10.0 km
Number of Dipoles	164
Total Number of Injections	178
Percentage Completed	#VALUE!


Crew Abbreviations:
RM = Riaz Mirza, Director
LL= Luc Lafond, Operations Manager (off site)
AB = Allen Boissoneu, Crew Chief
SL = Sarah Lucas, IP Operator
SR = Stephen Robinson, IP Line Operator
LM = Liam Murphy, Field Technician
DR = Dallas Ronacher, Field Technician
AB Jr. = Allen Boissoneu Junior, Field Technician

Day	Date	Description	Area	Dipoles	Injections	Total Injections	Completed Per Grid	Notes	Health status of the crew	Notes	General condition of the equipment	Notes
1	20-Aug-20	**Mobilization to Stewart from Toronto**	Stewart BC	****	****	****	****	**Crew arrived in Stewart on the night around 10:00pm**	ok			
2	21-Aug-20	SAFETY INDUCTION INFINITE SETUP LINE 21 SETUP	Stewart BC	****	****	****	****	Simcoe Safety meeting at 8:30am. Then we went to the ASCOT meeting at 10:00am. Got the safety inductions done for Crew. Waited for gears to arrive, arround 3:00pm gears were delivered at More Core, crew sorted out gears loaded trucks for next morning.	ok		ok	
3	22-Aug-20	LINE 21 SETUP	Silver Coin/Big Missouri Rd	24	****	****	Completed Infinite	Safety meeting at 7:00am. Drive to the grid and met with Medic Neil, took safety induction, pickup Ascot Radio, start laying infinite wire about 7km with one truck, other crew members flagged the line, and inspected the water crossing and took safety precaussions.	ok		ok	
4	23-Aug-20	LINE 21 SETUP	Silver Coin/Big Missouri Rd	24	****	****	Completed Line Setup	Safety meeting at 7:00am. Started setting up the line wires and receivers. Tested infinite and ready to acquire next day	ok		ok	
5	24-Aug-20	LINE 21 Acquire	Silver Coin/Big Missouri Rd	24	26	26	Line Completed	Safety meeting at 7:00am. Started injections at around 11:00am, found problem with wire, broken which was fixed and continue readings. Line completed data retrieved.	ok		ok	
6	25-Aug-20	LINE 21 Pick up Infinite extended	Silver Coin/Big Missouri Rd	****	****	****	Line Pickup	Line 21 picked up and infinite extended for line 22	ok		ok	
7	26-Aug-20	LINE 22 SETUP	Silver Coin/Big Missouri Rd	28	****	****	Line 22 setup	Safety meeting at 7:00am.	ok		ok	
8	27-Aug-20	LINE 22 Acquire	Silver Coin/Big Missouri Rd	28	30	56	Line 22 Completed	Safety Meeting at 7:00am. Started injections at around 1:00pm, and continue readings. Line completed data retrieved.	ok		ok	
9	28-Aug-20	LINE 22 Pick up Infinite extended	Silver Coin/S1	****	****	****	Line Pickup	Safety Meeting at 7:00am. Crew picked up line 22 and scouted road access to Silver Hill	ok		ok	
10	29-Aug-20	Line 23 Setup	Silver Hill	42	****	****	Line 23 setup	Safety Meeting at 7:00am. Crew setup the infinite to S1 Pit, extended power wire to line 23, Al Jr. joined the crew this morning, had safety induction at Ascot and headed to the grid	ok		ok	
11	30-Aug-20	Line 23 Setup	Silver Hill	42	****	****	Line 23 setup	Safety Meeting at 7:00am. Crew setup the line and completed half setup, side by side not available half day	ok			
12	31-Aug-20	Line 23 acquire	Silver Hill	42	46	102	Line 23 completed	Safety Meeting at 7:00am. Crew setup the line and completed full setup of the line, side by side not available half day and data was acquired	ok			
13	01-Sep-20	Line 24 setup	Silver Hill	42	****	****	Line 24 setup	Safety Meeting at 7:00am. Picked up line 23 and moved gears to line 24, no side by side available until half day	ok			
14	02-Sep-20	Line 24 setup	Silver Hill	42				Safety Meeting at 7:00am. Crew completed line 24 setup	ok			
15	03-Sep-20	Line 24 acquire	Silver Hill	42	46	148	Line 24 Completed	Safety Meeting at 7:00am. Data was acquired and line completed	ok			
16	04-Sep-20	Line 24 pickup	Silver Hill/Premier Mine/Mill	28	****	****	Line Pickup	Safety Meeting at 7:00am. Crew is picking up line 24 and moving all the gears down to Premier mine/mill location to setup line 25	ok			
17	05-Sep-20	Demob	Premier Mine/Mill	****	****	****	Pickup	Transmitter Malfunction, project put on hold for repairs, crew demob to YYZ.	ok			
18	10-Oct-20	Mobilization to Stewart from Toronto	Stewart BC	****	****	****	****	Simcoe Safety meeting at 8:30am. Then we went to the ASCOT meeting at 10:00am. Got the safety inductions done for Crew. Waited for gears to arrive, arround 3:00pm gears were delivered at More Core, crew sorted out gears loaded trucks for next morning.	ok			
19	11-Oct-20	Line 25 setup	Premier Mine/Mill	****	****	****	Line 25 setup	Safety meeting at 7:00am. Started setting up the line wires and receivers. Tested infinite and ready to acquire next day	ok			
20	12-Oct-20	Line 25 Acquire	Premier Mine/Mill	28	30	178	Line 25 read	Safety Meeting at 7:00am. Started injections at around 1:00pm, and continue readings. Line completed data retrieved.	ok			
21	13-Oct-20	Line 25 pickup	Premier Mine/Mill	****	****	****	Line 25 pick up	Safety Meeting at 7:00am. Crew is picking up line 25 and moving all the gears to next Line 26.	ok			
22	14-Oct-20	Line 26 setup	Premier Mine/Mill	****	****	****	Line 26 setup	Picked up all gears and setup line 26	ok			
23	15-Oct-20	Line 26 Acquire	Premier Mine/Mill	28	30	208	Line 26 read	Safety Meeting at 7:00am. Started injections at around 1:00pm, and continue readings. Line completed data retrieved.	ok			
24	16-Oct-20	Line 26 pickup	Premier Mine/Mill	****	****	****	Line 26 pick up	Safety Meeting at 7:00am. Crew is picking up line 26 and moving all the gears to next Line 27.	ok			
25	17-Oct-20	Line 27 setup	Premier Mine/Mill	****	****	****	Line 27 setup	Picked up all gears and setup line 27	ok			
26	18-Oct-20	Line 27 Acquire	Premier Mine/Mill	28	30	238	Line 27 read	Safety Meeting at 7:00am. Started injections at around 1:00pm, and continue readings. Line completed data retrieved.	ok			
27	19-Oct-20	Line 27 pickup	Premier Mine/Mill	****	****	****	Line 27 pick up	Safety Meeting at 7:00am. Crew is picking up line 27 and acqusition completed	ok			
28	20-Oct-20	Demob	Premier Mine/Mill	****	****	****	Pickup	Demobilization to YYZ	ok			

APPENDIX B: INSTRUMENT SPECIFICATIONS

Typical Alpha IP Current Recorder and Voltage Receiver (Alphi)







IP Receiver (V-Alpha) Characteristics	
Pulse duration	1s, 2s, 4s, or 8s
Channels	2 Channels
Input Impedance	100 MOhms
Induced Polarization	(Chargeability) measured every 10 milliseconds (200 IP windows for a 2 sec pulse)
Input Voltage	15V, Automatic Gain, Input Protection 1000V
Resolution / Accuracy	1 µV / 0.2%
Readings	Full Waveform 10ms (100Hz) Sampling Rate, Resistivity, Self-Potential
Noise Rejection	Power Line Rejection, SP Linear Drift Correction.
Storage	Up to 70 days, Stored on Solid State Memory
Low Pass Filter & Upper Cut Off Frequency	10 Hz – 50Hz
Frequency Resolution	Up to 34 micro Hz
Time Resolution	250 micro seconds (Time Stamped Samples)
Contact Resistance Check	Fast resistance check to improve the contacts
GPS	Internal GPS with PPS (one pulse per second), GPS Input for Coordinates and Synchronization
Display	LCD Display, Graphic and Alpha Numeric with 16 Lines of 40 Characters
Data Flash Memory	one month recording
After Acquisition	Data retrieval on a USB Key
Battery Test	In Field Test
Power supply	Internal Li-Ion Rechargeable Battery; Optional External 12V Standard Battery
Autonomy	80 Operating Hours with the Internal Li-Ion Battery
Operating Temperature	-20 °C to +70 °C, Weather proof IP 67
Dimensions	31 x 25 x 15 cm
Weight	2.8 kg
IP Current Recorder (I-Alphi) Characteristics	
Pulse duration	1s, 2s, 4s, or 8s
Channels	1 channel
Input current	+/- 25000mA (optional 50A)
Resolution / Accuracy	0.1mA / 0.1%
Protection	up to 50 A and 3 000 V
Sensor	Magnetic Sensor
Magnetization offset (offset memory)	up to 0.05%
Readings	full waveform 10ms (100Hz) sampling rate
Calibration	Offset Calibration
Storage	up to 70 days 2 channels full waveform, stored on solid state memory
Time Resolution	250 micro seconds (time stamped samples)
Battery Test	In field test
GPS	Internal GPS with PPS (one pulse per second), GPS input for coordinates and synchronization
Display	LCD display , graphic and alpha numeric with 4 lines of 20 characters
Data Flash Memory	one month recording
After Acquisition	Data retrieval on a USB key
Power supply	internal Li-Ion rechargeable battery; optional external 12V standard car battery can be also used
Autonomy	80 operating hours with the internal Li-Ion battery

Operating Temperature	-20 °C to +70 °C, Weather proof IP 67
Dimensions	31 x 25 x 15 cm
Weight	3.0 kg
IP Transmitter Characteristics	
Voltage Input	125V line to neutral, 400 Hz / 3 phase
Output	100 - 3200V in 10 steps, 0.05 - 20 Amps, Tested to 10.5 kVA
Switching	1 sec., 2 sec., 4 sec., 8 sec.
Metering	LED for line voltage and output current
Size	63cm. x 54cm. x 25cm.
Weight	44 kg.
IP Generator Characteristics	
Output	Self Excite / Regulated, 120 / 220V AC, 20 KVA Max, 400 Hz / 3 phase
Generator	Bendix Aircraft Type, Very durable, Forced Air Cooled
Engine	24 HP Honda, Electric Start
Gasoline Tank	External - to minimize, shipping problems with airlines
Size	79cm. x 61cm. x 48cm
Weight	89 kg.

APPENDIX C: 2D INVERSION SECTIONS






2D Inversion Section Plots

Line 22N

Simcoe's Dipole-Pole-Dipole Array



Survey Specifications

Alpha IP - a Wireless Time Domain Distributed IP System
Dipole Spacing: 50m, n =1-30
Generator: Honda MG 12A
Transmitter: Walcer TX KW10
Tx.Current/Freq.: 0.05-20 Amps./400Hz/3 Phase
V Input/output: 125V line to Neutral/100 - 3200V in 10 steps
Switching: 2 sec.,(1, 2, 4 & 8 sec. available)
Receiver: Alpha IP 2 Channel (15 Units)
Chargeability Windows: 20 Programmable
24 bit A/D converter per channel
Ground Resistance: Up to 1.6 Mohm
Signal Waveform: Time Domain (ON+, OFF, ON-, OFF)

Data Processing

Platform: Proprietary IP Post Processing / Oasis Montaj
Inversion Algorithm: UBC 2D DCIP, Model misfit, Max 100 iters

Data Plotting

Gridding: Min. Curvature, 10m Grid Cell Size
Contours: Resistivity 1 dec. log, Chargeability Linear
Color Zoning: Log (Resistivity.tbl), Linear (Color.tbl)

Scale 1:7500


100 0 100 200 300 400
(meters)

Ascot Resources Limited

ALPHA IP SURVEY
Premier-Dilworth Project
Line 22 N

2D Inversion Section Plots
Date: 28/08/2020
Project # SGL-20056

Simcoe Geoscience Limited



2D Inversion Section Plots
Line 23SH

Simcoe's Dipole-Pole-Dipole Array

Survey Specifications

Alpha IP - a Wireless Time Domain Distributed IP System
Dipole Spacing: 50m, n =1-46
Generator: Honda MG 12A
Transmitter: Walcer TX KW10
Tx.Current/Freq.: 0.05-20 Amps./400Hz/3 Phase
V Input/output: 125V line to Neutral/100 - 3200V in 16 steps
Switching: 2 sec.,(1, 2, 4 & 8 sec. available)
Receiver: Alpha IP 2 Channel (16 Units)
Chargeability Windows: 20 Programmable
24 bit A/D converter per channel
Ground Resistance: Up to 1.6 Mohm
Signal Waveform: Time Domain (ON+, OFF, ON-, OFF)

Data Processing

Platform: Proprietary IP Post Processing / Oasis Montaj
Inversion Algorithm: UBC 2D DCIP, Model misfit, Max 100 iters

Data Plotting

Gridding: Min. Curvature, 10m Grid Cell Size
Contours: Resistivity 1 dec. log, Chargeability Linear
Color Zoning: Log (Resistivity.tbl), Linear (Color.tbl)

Scale 1:7500


100 0 100 200 300 400
(meters)


Ascot Resources Limited

ALPHA IP SURVEY
Premier-Dilworth Project
Line 23SH

2D Inversion Section Plots
Date: 06/09/2020
Project # SGL-20056

Simcoe Geoscience Limited



2D Resistivity Model
SW
NE
Depth (m)
Elevation (m)
Resistivity
(Ohm-m)
15308
11716
8967
6863
5253
4021
3077
2355
1803
1380
1056
808
619
473
362
277
212
162
124
95
73
56
43
33
2D IP Chargeability Model
Chargeability
(mV/V)
39.0
38.1
37.1
36.1
35.1
34.2
33.2
32.2
31.2
30.3
29.3
28.3
27.3
26.4
25.4
24.4
23.4
22.5
21.5
20.5
19.5
18.6
17.6
16.6
15.6
14.7
13.7
12.7
11.7
10.8
9.8
8.8
7.8
6.9
5.9
4.9
3.9
3.0
Station Offset (m)
Geosoft Software for the Earth Sciences
2D Inversion Section Plots
Line 24SH
Simcoe's Dipole-Pole-Dipole Array
a
na
plot points
a = 50 m
Survey Specifications
Alpha IP - a Wireless Time Domain Distributed IP System
Dipole Spacing: 50m, n =1-4б
Generator: Honda MG 12A
Transmitter: Walcer TX KW10
Tx.Current/Freq.: 0.05-20 Amps./400Hz/3 Phase
V Input/output: 125V line to Neutral/100 - 3200V in 10 steps
Switching: 2 sec.,(1, 2, 4 & 8 sec. available)
Receiver: Alpha IP 2 Channel (16 Units)
Chargeability Windows: 20 Programmable
24 bit A/D converter per channel
Ground Resistance: Up to 1.5 Mohm
Signal Waveform: Time Domain (ON+, OFF, ON-, OFF)
Data Processing
Platform: Proprietary IP Post Processing / Oasis Montaj
Inversion Algorithm: UBC 2D DCIP, Model misfit, Max 100 iters
Data Plotting
Gridding: Min. Curvature, 10m Grid Cell Size
Contours: Resistivity 1 dec. log, Chargeability Linear
Color Zoning: Log (Resistivity.tbl), Linear (Color.tbl)
Scale 1:7500
100 0 100 200 300 400
(meters)
Ascot Resources Limited
ALPHA IP SURVEY
Line 24SH
Premier-Dilworth Project
2D Inversion Section Plots
Date: 17/02/2021
Project # SGL-20056
Simcoe Geoscience Limited



2D Inversion Section Plots

Line 25Pre

Simcoe's Dipole-Pole-Dipole Array



Survey Specifications

Alpha IP - a Wireless Time Domain Distributed IP System
Dipole Spacing: 100m, n =1-28
Generator: Honda MG 12A
Transmitter: Walcer TX KW10
Tx.Current/Freq.: 0.05-20 Amps./400Hz/3 Phase
V Input/output: 125V line to Neutral/100 - 3200V in 10 steps
Switching: 2 sec.,(1, 2, 4 & 8 sec. available)
Receiver: Alpha IP 2 Channel (15 Units)
Chargeability Windows: 20 Programmable
24 bit A/D converter per channel
Ground Resistance: Up to 1.6 Mohm
Signal Waveform: Time Domain (ON+, OFF, ON-, OFF)

Data Processing

Platform: Proprietary IP Post Processing / Oasis Montaj
Inversion Algorithm: UBC 2D DCIP, Model misfit, Max 100 iters

Data Plotting

Gridding: Min. Curvature, 10m Grid Cell Size
Contours: Resistivity 1 dec. log, Chargeability Linear
Color Zoning: Log (Resistivity.tbl), Linear (Color.tbl)

Scale 1:7500


100 0 100 200 300 400
(meters)

Ascot Resources Limited

ALPHA IP SURVEY
Line 25 Premier
Premier-Dilworth Project

2D Inversion Section Plots
Date: 23/10/2020
Project # SGL-20056

Simcoe Geoscience Limited




Geosoft Software for the Earth Sciences

2D Inversion Section Plots

Line 26Pre

Simcoe's Dipole-Pole-Dipole Array



Survey Specifications

Alpha IP - a Wireless Time Domain Distributed IP System
Dipole Spacing: 100m, n =1-28
Generator: Honda MG 12A
Transmitter: Walcer TX KW10
Tx.Current/Freq.: 0.05-20 Amps./400Hz/3 Phase
V Input/output: 125V line to Neutral/100 - 3200V in 10 steps
Switching: 2 sec.,(1, 2, 4 & 8 sec. available)
Receiver: Alpha IP 2 Channel (15 Units)
Chargeability Windows: 20 Programmable
24 bit A/D converter per channel
Ground Resistance: Up to 1.6 Mohm
Signal Waveform: Time Domain (ON+, OFF, ON-, OFF)

Data Processing

Platform: Proprietary IP Post Processing / Oasis Montaj
Inversion Algorithm: UBC 2D DCIP, Model misfit, Max 100 iters

Data Plotting

Gridding: Min. Curvature, 10m Grid Cell Size
Contours: Resistivity 1 dec. log, Chargeability Linear
Color Zoning: Log (Resistivity.tbl), Linear (Color.tbl)

Scale 1:7500


100 0 100 200 300 400
(meters)

Ascot Resources Limited

ALPHA IP SURVEY
Line 26 Premier
Premier-Dilworth Project

2D Inversion Section Plots
Date: 28/10/2020
Project # SGL-20056


Simcoe Geoscience Limited



2D Inversion Section Plots

Line 27Pre

Simcoe's Dipole-Pole-Dipole Array



Survey Specifications

Alpha IP - a Wireless Time Domain Distributed IP System
Dipole Spacing: 100m, n =1-24
Generator: Honda MG 12A
Transmitter: Walcer TX KW10
Tx.Current/Freq.: 0.05-20 Amps./400Hz/3 Phase
V Input/output: 125V line to Neutral/100 - 3200V in 10 steps
Switching: 2 sec.,(1, 2, 4 & 8 sec. available)
Receiver: Alpha IP 2 Channel (15 Units)
Chargeability Windows: 20 Programmable
24 bit A/D converter per channel
Ground Resistance: Up to 1.6 Mohm
Signal Waveform: Time Domain (ON+, OFF, ON-, OFF)

Data Processing

Platform: Proprietary IP Post Processing / Oasis Montaj
Inversion Algorithm: UBC 2D DCIP, Model misfit, Max 100 iters

Data Plotting

Gridding: Min. Curvature, 10m Grid Cell Size
Contours: Resistivity 1 dec. log, Chargeability Linear
Color Zoning: Log (Resistivity.tbl), Linear (Color.tbl)

Scale 1:7500

100 0 100 200 300 400
(meters)

Ascot Resources Limited

ALPHA IP SURVEY
Line 27 Premier
Premier-Dilworth Project

2D Inversion Section Plots
Date: 28/10/2020
Project # SGL-20056

Simcoe Geoscience Limited

APPENDIX D: GEOPHYSICAL REPORTS 2019-2018

Provided separate digital version of report.