REPORT ON

GEOLOGICAL, GEOCHEMICAL, AND GEOPHYSICAL SURVEYS

ON

CHARLIE GROUP

Covering: - Claims Jack 33-36 Jack Fraction 16 Ralph 10, 12 and 14 Jill 1-21 Jill Fraction 1, 2 5 - 10 and BA 9, 11 and 25

Located: - 11 - 1/2 miles east of Smithers, B.C. Latitude: 54° 47' N. Longitude: 126° 54' W.

| From June 15 - August 15, 1970 FOR BLUE ROCK MINING CORPORATIO BY C. C. McFall, Ph.D and J. G. Simpson, Ph.D., P.Eng. | • N | Contration of the sources | |
|--|------------------------------|---------------------------------|--|
| | Beγinds - − and - single φ.e | ా చ ా చ నిర్మి భిక్తిన | |
| | RECOR | ions Onica DEO 1971 | Note that the second secon |

CONTENTS

| | INTRODUCTION | 1 |
|-----|--|--------------------------|
| | LOCATION AND ACCESS | 1 |
| | CLAIMS | 1 |
| | GEOLOGICAL SETTING | 1 . |
| | GEOCHEMICAL SURVEY | 2 |
| . ' | Methods & Procedure | 2 |
| | <u>Results</u> | 2 |
| | GEOPHYSICAL SURVEY | 2 |
| | Methods & Procedure | 2 |
| | A. Line Cutting B. Induced Polarization Surveys C. Electromagnetic Surveys D. Magnetic Surveys | 2 3 3 4 |
| | Results | 4 |
| | DIAMOND DRILLING | 4 |
| | CONCLUSIONS AND RECOMMENDATIONS | 4 |
| | APPENDICES: | |
| | i Time and Cost Distribution ii Certificate | 5 7 |
| | MAPS AND FIGURES (Bound in Text) | SCALE |
| AA | ¹ Figure 1 Location map, Big Onion Prospect γ Figure 2 Geochemical survey, Burn area, | l'' = 4 miles |
| Jŧ | Big Onion Prospect 3 Figure 3 Line O North, Sabre I.P.traverse, | 1" = 500' |
| Д | H Grigure 4 H Figure 4 H Fig | 1'' = 400' 1'' = 400' |
| ¥ | (In pocket at end of Text) Map I Claim and Drillhde Map Big Opion Prospect | 1" = 600' |

PAGE

INTRODUCTION

Geological, geochemical, and geophysical surveys were carried out and the one short hole was drilled from June 15 to August 15, 1970 within the Charlie group of claims at the Big Onion Project in the Omineca mining district.

LOCATION AND ACCESS

The Charlie group is ll-l/2 air miles east of Smithers along the Babine Lake Road, an all-weather gravelled road.

CLAIMS

The 40 claims in the Charlie group are as follows:

| <u>Claim Name</u> | Record Number | | |
|--------------------|-----------------------|--|--|
| Jack 33-36 | 80813-16 | | |
| Jack Fraction 16 | 80780 | | |
| Ralph 10 | 33508 | | |
| Ralph 12 | 33510 | | |
| Ralph 14 | 33512 | | |
| Jill 1-21 | 88469 - 88489 | | |
| Jill Fraction 1-2 | 8849 0 - 88491 | | |
| Jill Fraction 5-10 | 88494 - 88499 | | |
| BA 9 | 78024 | | |
| BA 11 | 78026 | | |
| BA 25 | 78040 | | |

The work to be applied, as indicated on the accompanying B forms, is two years for each claim in the group.

GEOLOGICAL SETTING

Small intrusive quartz diorite plugs intruding gently to steeply dipping rocks of the Jurassic and Cretaceous Hazelton Group underlie an extensive veneer of Pleistocene glacial debris in the general area. The Hazelton rocks are andesite lavas and tuffs overlain by pyrite-bearing argillites and minor quartzites. The whole sequence dips generally southwest, but is offset along steep northeast trending reverse faults and is somewhat contorted by the igneous stocks. No stocks are known on the Charlie group but could be present under glacial cover or at depth in the Hazelton rocks.

GEOCHEMICAL SURVEY

Methods & Procedure

As plotted on accompanying Figure 2, 167 soil samples were taken within the Charlie Group in an area centering at 4S, 40E. Samples were taken from the B horizon with a mattock and placed in kraft wet-strength paper bags, partially air-dried and forwarded to North Vancouver for further treatment at Barringer Research Ltd. Laboratories. The samples were dried to completion in an air oven at 70° C and seived to 50 mesh on nylon screens from which two 0.2 gram samples were taken for analysis.

For copper the sample was digested in perchloric acid and diluted to 10 mls., the resultant being analysed using an atomic absorption spectometer. In the case of molybdenum the sample was fused with sodium bisulphate using zinc dithyol as a reagent and the resultant read colourmetrically.

The analyses were performed by Miss Yvonne Hazeldine, Senior Analyst for Barringer Research Limited.

Results

Considering the relatively small number of samples statistical treatment of the results was not attempted. Except for five samples molybdenum values were uniformly low at 2 ppm., the higher values being in the 4 - 10 range do not indicate significant mineralization.

The copper values represented by proportional circles on the accompanying figure, show a patchily anomoulous distribution with higher values in the 100 - 200 ppm range.

GEOPHYSICAL SURVEY

Methods & Procedure:

A. Line-Cutting: - The following lines, shown in PlateI, were cut by C & D Exploration Services led by Bob Carroll of Telkwa, B.C.

| <u>Line</u> | Interval | Footage |
|-------------|-------------|-------------|
| 12N | 36 E to 70E | 3400 |
| 4N | 15E to 70E | 5500 |
| 0 | 20E to 110E | 9000 |
| 4S | 17E to 70E | 5300 |
| 8S | 20E to 70E | 5000 |
| 12S | 18E to 70E | 5 200 |
| 20S | 20E to 70E | <u>5000</u> |
| | | 38400 feet |

or 7.3 miles

GEOPHYSICAL SURVEY (Cont'd)

B. <u>Induced Polarization Surveys</u>: In June 1970, McPhar Geophysics made frequency - domain 500 foot dipoledipole surveys of the following lines within the Charlie group: (See the accompanying McPhar report).

| Line | Interval | | - <u>Footage</u> |
|------|------------|----|------------------|
| 12N | 36E to 40E | | 400 |
| 4N | 15E to 40E | | 2500 |
| 4S | 17E to 40E | | 2300 |
| 12S | 20E to 50E | | 3000 |
| | | | 8200 |
| | | or | 2.2 miles |

Later in June, 1970 McPhar continued with the following lines at 200 foot dipole-dipole electrode spacings:

| Line | Interval | | <u>Footage</u> |
|------|-------------|----|----------------|
| 4 N | 20E to 78E | | 5800 |
| 0 | 20E to 118E | | 9800 |
| 4S | 20E to 78E | | 5800 |
| 8S | 20E to 78E | | 5800 |
| | | | 27,200 |
| | | | |
| | | or | 5.15 miles |

On June 18th, 1970 Evergreen Explorations of Smithers, B.C. made a timedomain (pulse type) induced polarization survey on Line 0 from 32E to 100E.

C. <u>Electromagnetic surveys</u>: During June Blue Rock Mining Corporation carried out the following east-west traverses using a Ronka EM-16 electromagnetic device centering at 4S-40E on the grid on Plate 1.

| Line | Interval | Footage |
|------|------------|---------|
| 0 | 0 to 12E | 1200 |
| 4S | 7W to 5E | 1200 |
| 6S | 7W to 10E | 1700 |
| 1 2S | 14W to 12E | 2600 |

On June 18th, 1970, Evergreen Explorations of Smithers carried out an electromagnetic survey on Line 0 from 32E to 100E using a Radem very-low-frequency instrument.

GEOPHYSICAL SURVEY (Cont'd)

D. <u>Magnetic Surveys</u>: During June 1970 Blue Rock Mining Corporation conducted magnetic surveys along the above mentioned Ronka EM-16 east-west traverses using aScintrex MF-1 magnetometer. On June 18, 1970, Evergreen Explorations made a magnetic survey along Line 0 from 32E to 100E using a similar portable magnetometer.

Results

The accompanying report by McPhar Geophysics Ltd. discusses the results of their extensive induced polarization survey which covers part of the Charlie group. An anamdous zone within the group indicated by this work was further tested by induced polarization, magnetometer and radem electromagnetic techniques.

Three distinct zones were outlined. The first zone corresponds to the one outlined by McPhar. The sabre pulse unit recorded moderate chargeabilities and resistivities over the first zone. There was no radem or mag response. A second zone was indicated by the sabre about 2,000 feet further east. This zone is only weakly chargeable and has slightly higher resistivities than the first zone. However, there was an adjacent moderate radem response. This could be a silicified and mineralized area with later fracturing. A third zone, about 3,000 feet east of the second, is quite narrow, only weakly chargeable, and is accompanied by higher resistivities, weak radem and a mag high. This anomaly is possibly due to a mineralized dyke.

DRILLING

On July 13th and 14th, 1970, a 102 foot BC diamond drill hole was drilled -45°S 30°E from 4S 39E on the grid shown on the accompanying Plate 1. The drilling contractor was D. W. Coates Enterprises of Smithers and Vancouver.

CONCLUSIONS AND RECOMMENDATIONS

The area of the Charlie group of claims has not been fully tested. However, the one shallow hole drilled to date together with the geological, geochemical and geophysical work done suggests that most of the area is underlain by argillites and quartzites with disseminated very fine grains of pyrite, with locally abundant pyrite along northeast-trending faults. The observed rock types and mineralization would explain the geochemical and geophysical responses obtained, although shallow borehole tests on the subsidiary I.P. anamolies are warrented, in view of the presence of mineralized intrusive on adjacent claim groups.

Respectfully submitted, < Freescer Dig Eac myoso 2 C C. C. McFall, Ph.D. -and-J. G. Simpson, Ph.D., P.Eng.

TIME AND COST DISTRIBUTION BLUE ROCK MINING CORPORATION CHARLIE GROUP OF CLAIMS BIG ONION PROJECT

A. Blue Rock Mining Corporation

| Personnel | <u>Occupation</u> | <u>Dates</u> | <u>Days</u> | <u>Rate</u> | <u>Total</u> |
|--|---------------------|---------------|-------------|-------------|-------------------|
| J. G. Simpson, P. Eng. | Project Supervisor | July 10-11 | 2 | \$150 | \$300 |
| C. C. McFall | Field Supervisor | June 4-23 | 12 | \$125 | \$1500 |
| C. Hoffman, Jr. | Soil Sampler | June 15-19 | 5 | \$ 50 | \$250 |
| Dan Olsen | Ronka EM-16 | June 19-25 | 4 | \$ 30 | \$120 |
| Joe Truscott | Magnetic Surveyor | June 19-25 | 4 | \$ 30 | \$120 |
| Neil MacDonald | Core Splitter | July 14 | 1/2 | \$ 26 | <u>\$ 13</u> |
| | • | | | | <u>\$2303</u> |
| B. Contractors for Blue | Rock Mining Corpora | <u>atio</u> n | | | |
| Coates Enterprises , 102' @ \$12/' BC core hole | | | | | \$1224.00 |
| C & D Exploration Services (Bob Carroll of Telkwa, B.C., line-cutting) 57,3 miles @ \$100/mi | | | | | \$ 730. 00 |
| McPhar Geophysics Ltd. 7.35 miles @ \$425/mi | | | | \$3123.75 | |
| Evergreen Explorations (IP Crew EM Survey & Mag. Survey) 1 day at \$300/day | | | | \$ 300.00 | |
| Drafting | | ~ | | | \$ 150.00 |

\$5527.75

TIME AND COST DISTRIBUTION (Cont'd)

C. <u>Assays</u>

| Barringer Research (V ncouver) geochem samples 167 @ \$1.20 + \$5.50 express charges | \$ 205.90 |
|---|------------------|
| TSL Smithers 5 @ \$8.50 (Cu + Mo) | \$ 42.50 |
| D. <u>Vehicle Rental</u> (Blue Rock only) | \$ 248.40 |
| 1 4 x 4 Toyota Landcruiser 12 days @ \$350/month | \$ 140.00 |
| E. Living Expenses (Blue Rock Only) | |
| Hotel Bills and meals 20 man days @ \$15/day | <u>\$ 300.00</u> |
| | \$8519.15 |

6

CERTIFICATE

I, John Glenn Simpson, of 720 Anderson Crescent, West Vancouver, British Columbia, do certify that

- I graduated from King's College, London University with a B.Sc. (Hons) Geology in 1958, and was awarded a Ph.D. (External) from London University in 1969.
- 2) I am a Fellow of the Geological Association of Canada and a registered Brofessional Engineer in the Province of British Columbia and have practiced my profession in Africa, Europe and Canada for the past 12 years.
- 3) As a salaried employee of Cyprus Exploration Corporation, Ltd., I have no direct or indirect interest in the property or securities of Blue Rock Mining Corporation.
- 4) The field work and preparation of reports was carried out by Dr. C. C. McFall under my overall supervision and direction.

Dated at Vancouver

This 9th day of December 1970.

Tompse,

J. G. Simpson, Ph.D., P.Eng.



Fig. 2







| 'igι | ıre | 3 |
|------|-----|---|
|------|-----|---|

APPENDIX (i)

TIME AND COST DISTRIBUTION

APPENDIX (ii) CERTIFICATE

n Mart yan tuga aya

