

# 4573

BALI EXPLORATION LTD. (N.P.L.)

ASSESSMENT REPORT

GEOLOGICAL - GEOCHEMICAL SURVEYS

G - GG MINERAL CLAIMS

BLACKWATER - MOUNTAIN-RIVER AREA

CARIBOO MINING DIVISION

BRITISH COLUMBIA

Latitude: 53° 11' North: Longitude: 122° 55' West

Geochemical Survey By: Weymark Engineering Ltd.

15 August 1973

Department of Mines and Petroleum Resources ASSESSMENT REPORT No. 4573 MAP
---

BALI EXPLORATION LTD. (N.P.L.)

ASSESSMENT REPORT

GEOLOGICAL - GEOCHEMICAL SURVEYS

G - GG MINERAL CLAIMS

BLACKWATER - MOUNTAIN-RIVER AREA

CARIBOO MINING DIVISION

BRITISH COLUMBIA

CONTENTS


	<u>Page</u>
1.0 Property .....	1
2.0 Location .....	1
3.0 Geology .....	2
4.0 Mineral Zones and Exploration Work .....	2
5.0 Geochemical Survey .....	2
Results .....	3
6.0 Conclusions and Recommendations.	3

APPENDICES

- Annex - A Barringer Research analysis Report No. 56-A  
Annex - A1 Barringer Research analysis Report No. 84-A

ILLUSTRATIONS

- Figure: 1# | Frontispiece, General Location  
Figure: 2# | Blackwater " G-GG Claims, Location  
Figure: 3# | Access and Topography  
Figure: 4# | Topography  
Figure: 5# | Regional Geology  
Figure: 5A# | Local Geology  
Figure: 6# | Cumulative-Frequency Graph - Copper-Nickel  
Figure: 7# | Geochemical Sampling - Copper  
Figure: 8# | Geochemical Sampling - Nickel



LOCATION  
 BALI EXPLORATION LTD. (N.P.L.)  
 BLACKWATER MOUNTAIN AREA  
 G-GG MINERAL CLAIMS GROUPS  
 CARIBOO MINING DIVISION  
 BRITISH COLUMBIA

4573 MI

**WEYMARK ENGINEERING LTD.**

*Consulting Engineers*  
3310 WESTMOUNT ROAD  
WEST VANCOUVER, B.C.  
CANADA

TELEPHONE  
922.1536

15 August 1973

Bali Exploration Ltd. (N.P.L.)  
Suite 711 - 475 Howe Street  
Vancouver 1, British Columbia

Gentlemen:

Re: Assessment Geological-Geochemical  
Report, G-GG Mineral Claims  
Blackwater Mountain-River Area  
Cariboo Mining Division  
British Columbia

I am pleased to submit for your information, this Assessment Geological-Geochemical Report of the results of the surveys completed on the 16<sup>th</sup> July 1973 in the field by Squamish Stone and Silica Co. Ltd., Geology by L. Miscovic and W. J. Weymark P. Eng.; soil sampling by L. Miscovic and Wm Chang M. Sc. all conducted on the Blackwater Mountain G-GG Minerals Claims Groups, Cariboo Mining Division, British Columbia.

Background technical references relating to the Blackwater Mountain G-GG Minerals Claims Groups are given in various Reports of the Minister of Mines of British Columbia, Map 49-1960, Geology, Prince George, Cariboo District, British Columbia by H. W. Tipper, Geological Survey of Canada and Preliminary Report R-RB: G-GG Mineral Claims Group dated 1 February 1973 by Weymark Engineering Ltd.

1.0 Property: The area covered by the geological-geochemical surveys involved the G-GG Mineral Claims Groups. Designation details are given in the following tabulation:

<u>Claim No.</u>	<u>Staking Date</u>	<u>Record Date</u>	<u>Record No.</u>
G 1 - 6	1 July 1972	17 July 1972	66997 - 7002
G 7 - 8	2 July 1972	17 July 1972	67003 - 7004
G 9 -10	2 July 1972	17 July 1972	67005 - 7006
GG 1 -10	2 July 1972	17 July 1972	67007 - 7016

Check surveys have not been made of the claim boundaries, tags, posts relative to conformity with the requirements of the Mineral Act of the Province of British Columbia.

The reference Mineral Claim Map of the British Columbia Department of Mines is : 93 G/2W.

2.0 Location: The Blackwater Mountain G-GG Mineral Claims Groups are situated about thirty miles northwesterly by road from Quesnel following the Bouchie Lake-Blackwater Road and on the southerly flank of Blackwater Mountain. The Geographic Reference is Longitude 122° 55' West and North Latitude 53° 11'. The Land District is Quesnel with Registry Office in Quesnel and the Mining District is Cariboo with Recording Office in Quesnel. See Figs: 1, 2, and 3.

Access to the claims is ready by automobile via the gravelled Quesnel - Blackwater - Prince George road which is maintained in good travelling conditions. It is also being improved this year. The distance from Quesnel is 30 miles. Logging roads also transect the claims area. Elevations on the claims range from 2700 to over 3000 feet above sea level.

The claims area is mostly covered with Jack Pine growth. There are however, marshy low areas, small ponds and creeks tributary to Charleson Creek. Most of the area is overburden covered with glacial drift and debris with scattered rock outcrops along the creek beds and slopes and ledges of prominent hills.

3.0 Geology: Geological references are Map 49-1960, Geology, Cariboo District, British Columbia of the Geological Survey of Canada, 1961, See Figure: 5.

Base formations are volcanics and sediments of various periods with the most widespread being of the Paleocene (?) to Oligocene periods. Intrusions are peridotites of Triassic age and granite - grano-diorites, diorites through to gabbros of the Lower Jurassic period.

Locally, see Figure 5A, the outcrops on the Northern section of the G claims are mostly volcanics, - basalts with some andesitic phases, breccia and sediments of Cache Creek formations. Along the bed of the creek, - a dioritic body is exposed with contained sulphides, pyrite, chalcopyrite and pyrrhotite. Due to the widespread overburden cover, detailed interpretation of the geological formations is restricted at this time. Significant outcrops are shown on Figure: 5A.

Structurally the strike trends westerly north with dips ranging from 60° to 85° to the north or alternatively to the south. As in most areas, the controlling structures are complex and so considerable investigation will have to be undertaken to determine attitudes.

4.0 Mineral Zones and Exploration Work: No mineral zones have been located, apart from the sulphides revealed in the dioritic mass in the creek bed. Aeromagnetic Map, Sheet 93 G/2, Map No 1547G, Cottonwood Canyon, B.C., Department of Mines and Technical Surveys reveals several anomalous zones within the claims area exhibiting a northwesterly trend and steep gradient shaping to the southeast. The exhibited magnetic lines are strong and could portray deep seated intrusions.

A Geochemical (trees) was carried out on the claim holdings located to the North by the locators. This as well as the SP Geophysical survey located several strong anomalous zones which correlate with the aerial geophysical pattern exhibit on Map 1547G.

As a basis for reference, the grid-lines pattern shown on Figure: 2 was established at the commencement of the geochemical and geological surveys.

5.0 Geochemical Survey: As part of the initial phase of the investigations for assessment of the metalliferous possibilities of the G-GG Mineral Claims, a geochemical testing of soils for copper and nickel was carried out under the direction of Weymark Engineering Ltd. Soil samples were taken every 500 feet, in accordance with the grid established, see Figure: 2. The record of the samples and assay results are given on Annex A. Chemical analyses were made by

Assessment Report - Geological-Geochemical Report: G-GG Claims

Barringer Research Limited using HClO4 and atomic absorption to test for Copper and Nickle. The results of the analyses are given on Annex A and Annex A-1. Plots of the results are given on Figs: 7 and 8 respectively for copper and nickel.

Results: A Cumulative-Frequency plot of the results for copper and nickel was prepared on probability paper. Support mathematical calculations yielded the following: See Fig: 6.

	<u>Copper</u>	<u>Nickel</u>	
Arithmetical Ave	15.2	35.6	PPM
50% CF curve	13.0	32.0	PPM
16% Sub Anomalous	8.0	24.0	PPM
Threshold			
Cu - 97.5%	30.0		PPM *
Ni - 95.0%		60.0	PPM *
Standard Deviation			
Cu -	9.0+		PPM
Ni -		16.6	PPM


\* Breaking Point of graph curve.

Reviewing the plots on Figs: 7 and 8, it will be noted that only one test area 25-20W - 5N-10N indicates significant anomalous conditions for copper. Five blocks are indicated for Nickel on Fig: 8, namely 40-35W, 10-15N; 25-20W, 10-15N; 45-40W, 10-15S; 35-30W, 15-10S; 15-10W, 75-70S; 5W-Ø, 75-70S for Nickel. The 35-30W, 20-15S block showed upper anomalous conditions with a recording of 91 ppm.

Considering the in general random nature of the anomalous results for both copper and nickel, it may be inferred that either there has been considerable shifting and sorting of the soils due to glacial action or the mineralized bedrock zones are narrow veinlike deposits. Recognition must be given to background glacial activity in the area, see GSC Bulletin 196, Glacial Geomorphology and Pleistocene History of Central British Columbia by H. W. Tipper, 1971.

6.0 Conclusions and Recommendations:

From analysis of the results obtained it is apparent that copper content recorded is not significant although widespread. The persistent Nickel values with a High of 91PPM is of interest, especially when viewed with the geological background. Further testing is warranted directed toward nickel containing rock bodies. The presence of manganese and its known relationship to nickel is a fundamental consideration.


  
 W. J. Weymark P. Eng.  
 President

CERTIFICATE

I William James Weymark P. Eng., Consulting Engineer, President of Weymark Engineering Ltd., of the District of West Vancouver of the Province of British Columbia, hereby certify that:

1. I am a graduate of Mining Engineering of Queen's University, Kingston, Ontario B. Sc., 1940 and have been practising my profession for twenty-five years.
2. I am a practising Consulting Engineer and reside at 3310 Westmount Road, West Vancouver, Province of British Columbia.
3. I am a member of the Association of Professional Engineers of the Province of British Columbia and also of the Consulting Engineers' Division of the Association of Professional Engineers of British Columbia.
4. I am a member of the Canadian Institute of Mining and Metallurgy, of the American Institute of Mining and Metallurgical and Petroleum Engineers and of the American Geophysical Union.
5. I have no direct or indirect interest whatsoever in Bali Exploration Ltd (NPL) or do I expect to receive any interest direct or indirect in the properties of Bali Exploration Ltd (NPL) or any affiliate or any security of the company or affiliate.
6. The findings of the accompanying report are based on my personal examinations and study of the geochemical, geological and geophysical data relating to the G-GC mineral claims and surrounding area.

Dated at West Vancouver, British Columbia this 15<sup>th</sup> day of August 1973.

  
William J. Weymark P. Eng.  
President  
Weymark Engineering Ltd




**BARRINGER RESEARCH LIMITED**

Geochemical

Laboratory  
Report

Weymark Engineering Limited,  
1063 Balfour Street,  
Vancouver,  
British Columbia.

304 CARLINGVIEW DRIVE  
REXDALE, ONTARIO, CANADA  
PHONE: 416-677-2491  
CABLE: BARESEARCH

DATE  
August 10, 1973

REPORT NUMBER

56 - A

Project: Bali Exp. *ymf*

SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm		SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm		SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm
0+0	65	25	5E	45S	16	40	15E	24S	13	26
0+5S	22	24		50S	14	31		30S	14	41
0+10S	7	62		55S	11	31		35S	8	24
0+15S	15	29		60S	9	30		40S	10	21
0+20S	11	36		65S	11	40		45S	14	38
0+25S	16	32		6950S	7	26		50S	15	35
0+30S	13	23	10E	15S	15	28		55S	13	32
0+35S	18	46		20S	11	42		60S	14	29
0+40S	11	28								
0+45S	13	35		25S	6	16		65S	9	31
0+50S	14	44		30S	15	41		70S	8	19
0+55S	14	44		35S	9	25	20E	15S	11	25
0+60S	11	30		40S	12	43		20S	7	18
0+65S	16	39		46S	9	18		25S	27	31
0+70S	20	61		50S	14	39		30S	14	36
5E 15S	25	160		55S	10	32		35S	11	39
20S	12	36		60S	12	33		40S	16	34
25S	11	22		65S	10	29		45S	11	35
30S	10	23		70S	14	39		50S	14	38
35S	11	22	15E	15S	10	26		55S	13	24
5E 40S	12	29		20S	12	39	20E	60S	9	27

- Cont'd/2



SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm		SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm		SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm
20E 65S	13	32	10W	50S	12	44	30W	10N	12	31
70S	10	23		55S	12	30		15N	15	28
5W +0	68	26		60S	21	41		5S	12	25
5S	15	26		65S	14	35		10S	12	24
10S	12	34		6945S	23	62		15S	52	91
15S	68	46	15W	5N	18	20	35W	+0	25	29
20S	11	27		10N	19	51		5N	23	32
25S	17	54		15N	17	43		10N	11	36
30S	17	33		0S	17	39		15N	20	66
35S	12	29		10S	20	37		5S	12	18
40S	14	41		15S	16	41		10S	9	18
45S	25	54	20W	+0	28	28		15S	35	50
50S	17	52		5N	20	27	40W	5N	15	39
55S	15	38		10N	39	41		10N	12	31
60S	13	38		15N	16	63		15N	16	32
65S	16	50		5S	9	18		+0	13	21
70S	17	49		10S	8	24		5S	15	24
10W +0S	29	25		14S	23	50		10S	12	21
5S	14	31	25W	+0	11	21		15S	58	69
10S	10	27		5N	17	31				
15S	15	35		10N	14	36				
20S	18	33		15N	15	28				
25S	16	30		5S	14	35				
30S	16	45		10S	15	44				
35S	12	34		15S	17	58				
40S	18	63	30W	+0	16	39				
10W 45S	14	38		5N	18	39				

# BARRINGER RESEARCH LIMITED

## Geochemical

## Laboratory Report

Weymark Engineering Limited,  
1063 Balfour Street,  
Vancouver, British Columbia.

304 CARLINGVIEW DRIVE  
REXDALE, ONTARIO, CANADA  
PHONE: 416-677-2491  
CABLE: BARESEARCH

DATE August 23, 1973

Project - ~~Chatterley~~ *Bali*

REPORT NUMBER 84 - A

SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm		SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm		SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm
10S - 20E	21	27		25S - 15W	13	54		25W	9	20
25E	27	31		20W	17	35		30W	15	36
30E	30	33		25W	9	30		35S - 25E	16	38
35E	16	31		30W	20	59		30E	14	29
40E	11	33		35W	15	47		35E	16	29
45E	10	17		25S - 25E	14	34		40E	11	29
15S - 25E	17	23		30E	13	26		45E	12	25
30E	11	40		33 & 50E	17	32		40S - 15W	12	47
35E	16	92		45E	10	22		20W	13	30
40E	10	38		30S - 25E	17	57		25W	19	41
45E	13	39		30E	11	28		40S - 25E	10	26
20S - 15W	15	34		35E	8	22		30E	10	22
20W	14	32		40E	9	21		35E	14	31
25W	17	46		45E	14	32		39E	13	29
30W	130	195		30S - 15W	11	22		45W - 5S	7	16
20S - 25E	21	56		20W	13	43		10S	11	25
30E	10	25		30S - 25W	12	31		45S - 15W	15	43
35E	74	45		30W	11	30		20W	9	25
20S - 40E	13	46		35S - 15W	12	27		25W	16	43
45E	13	28		20W	17	60		31W	27	49


SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm	SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm	SAMPLE NUMBER	HClO <sub>4</sub> Cu ppm	HClO <sub>4</sub> Ni ppm
45S- 25E	13	35	35E	14	50	70S- 30E	10	32
30E	17	36	40E	12	38	35E	11	27
35E	17	52	55W- OL	14	33	40E	10	23
45W- OL	19	27	55W- 5N	11	31	45E	11	41
45W- 5N	10	20	10N	12	24	70S- 15W	11	31
10N	11	28	15N	16	30			
15N	11	34	60W- OL	12	54			
50S- 15W	12	29	5N	11	29			
20W	10	33	10N	13	39			
25W	9	21	15N	17	38			
30W	21	42	60S- 15W	11	37			
50W- 5S	14	43	20W	15	47			
50W- 10S	10	29	25W	14	38			
50W- OL	15	22	60S- 25E	10	32			
50W- 5N	10	31	30E	8	24			
10N	13	25	35E	12	30			
15N	12	32	40E	9	23			
50S- 25E	14	40	45E	14	30			
30E	13	37	65S- 15W	13	48			
350E	17	56	20W	12	44			
40E	12	33	65S- 25E	12	32			
55S- 15W	12	31	65S- 30E	8	25			
20W	9	24	35E	11	40			
25W	11	47	40E	8	24			
30W	13	40	45E	11	27			
55S- 25E	11	29	70S- 14E	18	35			
30E	17	32	25E	10	38			

ANNEX - B


Cost Distribution

1. Barringer Research, Analysis ... \$390.00
2. Squamish Stone and Silica Co.,  
20 miles Grid Lines and  
geochemical soil sampling  
and transportation ..... 1500.00
3. Weymark Engineering Ltd,  
Assenbly, collation, plotting,  
fairdrawing and interpretation  
of data and preparation of  
Report ..... 750.00


Total \$2640.00

  
W. J. Weymark P. Eng.  
President









**BALI EXPLORATION LTD. (N.P.L.)  
& G-GG CLAIMS GROUP**

**BLACKWATER  
3503' M.T.N.**

NOTE: LOCATION OF CLAIMS IS APPROXIMATE.

**BALI EXPLORATION LTD. (N.P.L.)**


**WEYMARK ENGINEERING LTD.**

CONSULTING ENGINEERS  
WEST VANCOUVER, BRITISH COLUMBIA  
CANADA

R-RB & G-GG CLAIMS GROUP  
ACCESS & TOPOGRAPHY

DATE 11 JANUARY 1973 SCALE AS SHOWN  
SUBMITTED W.J.W. CHECKED W.J.W.  
DRAWN D. CRESDEE FILE No. BE-1  
TRACED D. CRESDEE CONTRACT BE-1

Scale 1:250,000 or approximately 1 Inch to 4 Miles




REFERENCE: NATIONAL TOPOGRAPHIC SYSTEM  
OF CANADA. FIRST STATUS EDITION, SHEET 93G,  
PRINCE GEORGE, B.C. DEPARTMENT OF LANDS,  
FORESTS & WATER RESOURCES, VICTORIA.

2 1/2 MILES TO QUESNEL 2 MILES TO QUESNEL

QUESNEL

**4573-M3**





BALI EXPLORATION LTD. (N.P.L.)  
G-GG CLAIMS GROUP

BLACKWATER MOUNTAIN

Scale 1:250,000 Échelle

REFERENCE: TOPOGRAPHY. SHEET 93G,  
EDITION 1 ASE, SERIES A502 PRINCE  
GEORGE, B.C. DEPARTMENT OF ENERGY,  
MINES & RESOURCES.

NOTE: LOCATION OF CLAIMS IS APPROXIMATE.

BALI EXPLORATION LTD. (NPL)

WEYMARK ENGINEERING LTD.

CONSULTING ENGINEERS  
WEST VANCOUVER, BRITISH COLUMBIA  
CANADA

R-RB & G-GG CLAIMS GROUP  
TOPOGRAPHY

DATE 11 JANUARY 1975  
SUBMITTED W.J.W  
DRAWN D. CRESOEE  
TRACED D. CRESOEE

SCALE AS SHOWN  
CHECKED W.J.W  
FILE No. BE-1  
CONTRACT BE-1

TO QUESNEL 2 MILES  
QUESNEL

4573

M4

FIG 4





**BALI EXPLORATION LTD. (N.P.L.)**  
**G-GG CLAIMS GROUP**

**LEGEND**

- PENNSYLVANIAN (?) AND PERMIAN CACHE CREEK GROUP**
- 3. Black to dark grey ribbon chert, black argillite
  - 4. Green to black basic volcanic rocks, grey limestone; minor argillite and chert; 4a, mainly grey limestone
- PALEOCENE (?) TO OLIGOCENE**
- 11 Andesite, basalt, breccia, and tuff; 11a, minor sediments
- QUATERNARY PLEISTOCENE AND RECENT**
- 14 Till, gravel, sand, clay, and silt

Department of  
 Mines and Petroleum Resources  
**ASSESSMENT REPORT**  
 NO. **4573** MAP #**5**

**NOTE: LOCATION OF CLAIMS SI APPROXIMATE.**

**REFERENCE: GEOLOGY, PRELIMINARY SERIES, ADVANCE EDITION, SHEET 93G, MAP No.49-1960 PRINCE GEORGE, CAROBOO DISTRICT, B.C. GEOLOGICAL SURVEY OF CANADA, OTTAWA.**

Scale: One Inch to Four Miles =  $\frac{1}{253,440}$   
 Miles




**BALI EXPLORATION LTD.(NPL)**

**WEYMARK ENGINEERING LTD.**  
 CONSULTING ENGINEERS  
 WEST VANCOUVER, BRITISH COLUMBIA  
 CANADA

**R-RB & G-GG CLAIMS GROUP**  
**GEOLOGY**

DATE 11 JANUARY 1973	SCALE AS SHOWN
SUBMITTED W.J.W.	CHECKED W.J.W.
DRAWN D.CRESDEE	FILE No. BE-1
TRACED D.CRESDEE	CONTRACT BE-1





**LEGEND**

- A - Basalt, Breccia, Tuff
- B - Cache Creek Group  
Cherts, Argillite, Volcanics
- C - Basic Intrusive - Diorite or  
Porphyritic Volcanics


Geology by: L. Miscovic

GEOLOGY

FIG:5A


4573-M5A







85W 80W 75W 70W 65W 60W 55W 50W 45W 40W 35W 30W 25W 20W 15W 10W 5W Q+ 5E 10E 15E 20E 25E 30E 35E 40E 45E 50E



**SCHEDULE**

30 Threshold\*

30 - 39 ppm

40 - 49 ppm

50 - 59 ppm

60 - 130 ppm

\* See Fig: 6

Department of  
Mines and Petroleum Resources  
ASSESSMENT REPORT  
NO. 4573 #7

**REFERENCES:** See Annex A for Analyses by Barringer Research Ltd


**NS** - Not Sampled due to disturbed ground conditions

**Sampling by:** R. Riepe, L. Misovic; W. Chang

GEOCHEMICAL SAMPLING  
COPPER  
FIG:7



15N 85W 80W 75W 70W 65W 60W 55W 50W 45W 40W 35W 30W 25W 20W 15W 10W 5W 0+ 5E 10E 15E 20E 25E 30E 35E 40E 45E 50E



**SCHEDULE**  
 Threshold \*  
 60  
 60 - 69 ppm  
 70 - 79 ppm  
 80 - 89 ppm  
 90 - 195 ppm  
 \*See Fig: 6

Department of  
 Mines and Petroleum Resources  
**ASSESSMENT REPORT**  
 NO. **4573** MAP **#8**

REFERENCES: See Annex A  
 for Analyses by Barringer  
 Research Ltd.  
 NS - Not Sampled due to  
 disturbed ground  
 conditions.  
 Sampling by: R. Riepe;  
 T. Micevic; W. Chang

GEOCHEMICAL SAMPLING  
 NICKEY  
 FIG: 8

G-6L  
 10 XJO to the North, 5th lines heavy  
 MAC IN CANADA

GCS  
 MICROGRAPH





DOMINION OF CANADA:  
PROVINCE OF BRITISH COLUMBIA.

In the Matter of A Geological-Geochemical Survey on Behalf of Bali Exploration Ltd. (N.P.L.), Blackwater - Mountain-River Area, G+GG Mineral Claims, Record Nos 66997-67000-67016, Cariboo Mining Division, British Columbia.

To Wit:

I, William J. Weymark P. Eng., President Weymark Engineering Ltd. of 3310 Westmount Road, West Vancouver, British Columbia

of

in the Province of British Columbia, do solemnly declare that a geological-geochemical survey was conducted on the G-GG Mineral Claims, respectively Nos 1 - 10 each, Record Nos: 66997-67006 and GG Nos 1-10, Record Nos 67007-16, Blackwater Mountain-River Area, Cariboo Mining Division, British Columbia:

The Following expenses were incurred:

- 1. Barringer Research - Analyses of Samples ..... \$390.00
- 2. Squamish Stone and Silica Co.,  
20 miles Grid Lines and geochemical soil sampling and transportation .... 1500.00
- 3. Weymark Engineering Ltd.  
Assembly, collation, plotting, analyses, fairdrawing and interpretation of data and preparation of Report ..... 750.00

Total \$2640.00

And I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath and by virtue of the "Canada Evidence Act."

Declared before me at the City of VANCOUVER, in the Province of British Columbia, this 5th day of SEPTEMBER 1973, A.D.

W. J. Weymark P. Eng. President, Weymark Engineering Ltd

A Commissioner for taking Affidavits within British Columbia or A Notary Public in and for the Province of British Columbia.