

5507

BRONSON MINES LIMITED (N.P.L.)

DIAMOND DRILLING

MOB GROUP

NICOLA MINING DIVISION

BRITISH COLUMBIA

92H/15E

SUMMARY

Five diamond drill holes with a 7/8 inch diameter core were drilled in May, 1975.

EXPENSES

Travel: Ford 250 four wheel drive truck 950 Miles at 25¢ per mile	\$ 237.50
Accommodations: Motel	172.50 ✓
Meals	144.93
Labour: 2 Men @ \$60 per day May 24 th to June 1, 1975 18 Man Days ✓	1,080.00 ✓
Diamond Drill Bits	760.57 ✓
Engineering	200.00
Supplies	10.00

TOTAL

\$2,605.50

Department of
Mines and Petroleum Resources
ASSESSMENT REPORT
1
No. 5507 MAP

DIAMOND DRILL HOLE 1MOB GROUP

Location: Line 1750 North, Station 11 West

Bearing East Dip 50° Length 34 Feet

Elevation 3,600 Feet Date May, 1975

<u>Footage</u>		<u>Description</u>
<u>From</u>	<u>To</u>	
0	5'	Fine grained granodiorite
5'	10'	Black fine grained andesite some epidote and pyrite
10'	20'	Fine grained pyritized granodiorite
20'	32'	Fine grained grey andesite some quartz stringers limonite in fractures
32'	34'	Fine grained granodiorite

DIAMOND DRILL HOLE 2MOB GROUP

Location: Line 1700 North, Station 11 West

Bearing West Dip 50° Length 39 Feet

Elevation 3,600 Feet Date May, 1975

<u>Footage</u>		<u>Description</u>
<u>From</u>	<u>To</u>	
0	12'	Massive granodiorite pyrite some epidote in stringers
12'	39'	Fine grained andesite pyritized with epidote in fractures

DIAMOND DRILL HOLE 3MOB GROUP

Location Line 2800 North, Station 0 plus 50 West

Bearing North Dip 50° Length 15 Feet

Elevation 3,600 Feet Date May, 1975

<u>Footage</u>		<u>Description</u>
<u>From</u>	<u>To</u>	
0	8'	Fractured diorite with fillings of pyrite and traces chalcopyrite
8'	15'	Fractured porphyritic andesite with pyrite in fractures

DIAMOND DRILL HOLE 4MOB GROUP

Location: Line 2800 North, Station 6 West

Bearing--Dip Vertically Length 45 Feet

Elevation 3,600 Feet Date May, 1975

<u>Footage</u>		<u>Description</u>
<u>From</u>	<u>To</u>	
0	45'	Fine grained fractured granodiorite some dark colored inclusions

DIAMOND DRILL HOLE 5MOB GROUP

Location: Line 1500 North, Station 27 East

Bearing--Dip Vertical Length 15 Feet

Elevation 3,600 Feet Date May, 1975

<u>Footage</u>		<u>Description</u>
<u>From</u>	<u>To</u>	
0	15'	Fine grained dark colored diorite fractured with epidote and pyrite in fractures

Report by



Vancouver, B.C.
June 24, 1975

Department of
Mines and Petroleum Resources
ASSESSMENT REPORT

5507 MP

MOB

ROAD

HORNET
LAKE

HIGHWAY

POWER LINE

5507
MAP 1

BRONSON MINES LTD.
LOCATION

Scale 1" = 50,000'

Date 15, 6, 75

ALLISON LAKE



