

REPORT

- on a -

5975

PERCUSSION DRILLING PROGRAMME

- on -

ROYAL GROUP I

KAMLOOPS MINING DIVISION

British Columbia

- for -

TRANS WEST MINERALS LTD.,

2060 Granville Square,
200 Granville Street,
VANCOUVER, B. C.

COVERING: Royal A.(Fr.), Royal B.(Fr.), Royal C.(Fr.), 2, 4,
6, 8, 10, 12 - 17 inclusive, 18 - 20 inclusive,
RC 1 - 4 inclusive, Cana 9 - 10 inclusive


WORK PERFORMED: May 23rd. - August 18th., 1976.

LOCATED:

- (1). 50° 27' N, 121° 04' W
- (2). NTS Map 92I/6E.
- (3). Two miles West of Lornex open pit mine.

Department of
Mines and Petroleum Resources
ASSESSMENT REPORT
NO. 5975 MAP

Prepared By:
KERR, DAWSON & ASSOCIATES LTD.,
#1-219 Victoria Street,
KAMLOOPS, B. C.
James M. Dawson, P. Eng.,
August 18th., 1976.



PROPERTY

The property consists of 43 contiguous, full-sized and fractional, located claims. The claims are recorded in two groups as follows:

Royal Group:I:

<u>Claim Name</u>	<u>Record No.</u>	<u>Work</u>	<u>Expiry Date</u>	
				<u>Rental</u>
Royal A Fraction	59221	Aug. 5th., 1979	Aug. 5th.,	1977
Royal B Fraction	65525	Aug. 7th., 1979	Aug. 7th.,	1977
Royal C Fraction	65524	Aug. 7th., 1979	Aug. 7th.,	1977
Royal 2	34820	Dec. 19th., 1978	Dec. 19th.,	1976
Royal 4	34822	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 6	34824	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 8	34826	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 10	34828	Dec. 19th., 1976	Dec. 19th.,	1976
Royal 12	34830	Dec. 19th., 1976	Dec. 19th.,	1976
Royal 13	34831	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 14	34832	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 15	34833	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 16	34834	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 17	34835	Dec. 19th., 1977	Dec. 19th.,	1976
Royal 18	34836	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 19	34837	Dec. 19th., 1977	Dec. 19th.,	1976
Royal 20	34838	Dec. 19th., 1977	Dec. 19th.,	1976
RC #1 - #4	51270- 51273	Aug. 19th., 1976	Aug. 19th.,	1976
Cana #9 - #10	34425- 34426	Oct. 7th., 1979	Oct. 7th.,	1976

In October, 1975 a total of 1,560 feet of percussion drilling in six holes was completed by Trans West Minerals Ltd.

The property is underlain primarily by Bethsaida Phase granodiorite-quartz monzonite of the Guichon Creek batholith. Some later quartz-porphyry dikes cut this rock in a few places. Minor occurrences of pyrite and chalcopyrite are found in the northeast corner of the property and over a small area east of OK Lake.

DRILLING PROGRAMME

Approximately 1/2 mile of road was constructed southeast from the existing road at the south end of OK Lake. Five drill holes were drilled from sites along this road (see figure 116-2).

The drill used was a standard, air-operated, rotary percussion rig, drilling 2.5 inch diameter vertical holes. All holes were drilled wet, rock chips being carried to the surface by water circulation.

Samples were taken at 10 foot intervals in all the holes, the return being passed through an electric rotating splitter and split to 1/8 of the original volume. Samples were collected in 5 gallon pails; most of the water was decanted off and then samples were packaged in plastic sample bags. Samples were submitted to Bondar, Clegg and Co. Ltd. for copper analysis. Results of analysis are shown in Appendix B.

All chips were visually examined by the geologist on site, Mr. W. Gilmour, and notes were taken on all 10 foot sections of each hole. Appendix A shows the summary of all drilling and the visual log of each hole.

DISCUSSION OF DRILLING RESULTS


In general the analytical results show very low copper content in the areas drilled. Values obtained by atomic absorption spectrophotometry vary from 1 PPM to 170 PPM but most of the values are less than 10 PPM (parts per million).

No further work is justified in this area.

Respectfully Submitted:

KERR, DAWSON & ASSOCIATES LTD.,




James M. Dawson, P. Eng.,
GEOLOGIST

KAMLOOPS, B. C.,

August 18, 1976

LOG PERCUSSION DRILL HOLE

P-76-1

LOGGED BY: William Gilmour, Geologist
DRILLED: July 20th., 1976.
TOTAL DEPTH: 300 ft.
ATTITUDE: Vertical
CO-ORDINATES: 42+80E @ 14+80N

<u>SAMPLE LENGTH</u>	<u>GEOLOGICAL DESCRIPTION</u>	<u>CU GEOCHEM (ppm)</u>
0 - 32	Overburden	40
32 - 40	Green granodiorite, chloritization of hornblende and biotite, minor hematite, muscovite, epidote and magnetite	
40 - 50	As above	8
50 - 60	As above	1
60 - 70	As above	1
70 - 80	70 - 75 As above 75 - 80 Fault zone - sheared and rusty	1
80 - 90	Fault-as above	1
90 - 100	90 - 95 Fault 95 - 100 Greenish granodiorite	1
100 - 110	Green granodiorite - chloritization of mafics	2
110 - 120	As above	26
120 - 130	As above	5
130 - 140	As above	2
140 - 150	As above	10

APPENDIX A

DRILL LOGS

REPORT

- on a -

5975

PERCUSSION DRILLING PROGRAMME

- on -

ROYAL GROUP I

KAMLOOPS MINING DIVISION

British Columbia

- for -

TRANS WEST MINERALS LTD.,

2060 Granville Square,
200 Granville Street,
VANCOUVER, B. C.

COVERING: Royal A.(Fr.), Royal B.(Fr.), Royal C.(Fr.), 2, 4,
6, 8, 10, 12 - 17 inclusive, 18 - 20 inclusive,
RC 1 - 4 inclusive, Cana 9 - 10 inc

WORK PERFORMED: May 23rd. - August 18th., 1976.

LOCATED:

- (1). 50° 27' N, 121° 04' W.
- (2). NTS Map 92I/6E.
- (3). Two miles West of Lornex open pit mine.

Department of
Mines and Petroleum Resources
ASSESSMENT REPORT
NO. 5975 MAP

Prepared By:
KERR, DAWSON & ASSOCIATES LTD.,
#1-219 Victoria Street,
KAMLOOPS, B. C.
James M. Dawson, P. Eng.,
August 18th., 1976.




TABLE OF CONTENTS

	<u>Page No.</u>
INTRODUCTION	1
PROPERTY	2
BACKGROUND INFORMATION	4
DRILLING PROGRAMME	5
DISCUSSION OF RESULTS.	6
APPENDIX A: DRILL LOGS	
APPENDIX B: ANALYTICAL RESULTS	
APPENDIX C: COST STATEMENT	
APPENDIX D: PERSONNEL	
APPENDIX E: AFFIDAVIT IN SUPPORT OF COST STATEMENT	
APPENDIX F: WRITER'S CERTIFICATE	
APPENDIX G: MAPS	
	-Figure 116 - 1: Locating Plan
	#/ Figure 116 - 2: Detailed Surface Plan showing claims and drill hole locations.



Tunkwa
Lake



To Ashcroft

To Savona

BETHLEHEM

OK
SYNDICATE

VALLEY COPPER

LORNEX

ROYAL
GROUP

To Kamloops

NORTHLODE

HIGHMONT

5975

TRANS WEST MINERALS LTD.

LOCATION MAP

ROYAL GROUP

KAMLOOPS MINING DIVISION
BRITISH COLUMBIA

Date: August, 1976

Scale: 1 : 125,000

Tech. Wk. By: KERR, DAWSON
& ASSOCS.

Dwg. No. 116 - 1

TO ACCOMPANY A REPORT BY J. M. DAWSON, P. Eng.

INTRODUCTION

This report is prepared at the request of Mr. D. L. Price of Trans West Minerals Ltd. It describes the results of a percussion drilling programme carried out on the Royal Claims during July, 1976.

⑤ A total of 1500 Feet of drilling was completed in six holes. Sample of cutting were collected at 10 foot intervals and were analysed by atomic absorption for copper only.

Visual logs and analytical results as well as a plan of the Royal property showing location of the subject drill holes are included with this report.

PROPERTY

The property consists of 43 contiguous, full-sized and fractional, located claims. The claims are recorded in two groups as follows:

Royal Group:I:

<u>Claim Name</u>	<u>Record No.</u>	<u>Work</u>	<u>Expiry Date</u>	
				<u>Rental</u>
Royal A Fraction	59221	Aug. 5th., 1979	Aug. 5th.,	1977
Royal B Fraction	65525	Aug. 7th., 1979	Aug. 7th.,	1977
Royal C Fraction	65524	Aug. 7th., 1979	Aug. 7th.,	1977
Royal 2	34820	Dec. 19th., 1978	Dec. 19th.,	1976
Royal 4	34822	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 6	34824	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 8	34826	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 10	34828	Dec. 19th., 1976	Dec. 19th.,	1976
Royal 12	34830	Dec. 19th., 1976	Dec. 19th.,	1976
Royal 13	34831	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 14	34832	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 15	34833	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 16	34834	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 17	34835	Dec. 19th., 1977	Dec. 19th.,	1976
Royal 18	34836	Dec. 19th., 1979	Dec. 19th.,	1976
Royal 19	34837	Dec. 19th., 1977	Dec. 19th.,	1976
Royal 20	34838	Dec. 19th., 1977	Dec. 19th.,	1976
RC #1 - #4	51270- 51273	Aug. 19th., 1976	Aug. 19th.,	1976
Cana #9 - #10	34425- 34426	Oct. 7th., 1979	Oct. 7th.,	1976

Royal Group II:

<u>Claim Name</u>	<u>Record No.</u>	<u>Work</u>	<u>Expiry Date</u>	
				<u>Rental</u>
Royal 21	67484	Dec. 28th., 1979		Dec. 28th., 1977
Royal 22	67485	Dec. 28th., 1979		Dec. 28th., 1977
Royal 23	67486	Dec. 28th., 1980		Dec. 28th., 1977
Royal 24	67487	Dec. 28th., 1980		Dec. 28th., 1977
Royal 25	67488	Dec. 28th., 1980		Dec. 28th., 1977
Royal 26	67489	Dec. 28th., 1980		Dec. 28th., 1977
Royal 27	67490	Dec. 28th., 1980		Dec. 28th., 1977
Royal 28	67491	Dec. 28th., 1980		Dec. 28th., 1977
Royal 29	67492	Dec. 28th., 1979		Dec. 28th., 1976
Royal 30	67493	Dec. 28th., 1980		Dec. 28th., 1977
Royal 31	67494	Dec. 28th., 1979		Dec. 28th., 1976
Royal 32	67495	Dec. 28th., 1980		Dec. 28th., 1977
Royal 33	67496	Dec. 28th., 1981		Dec. 28th., 1978
Royal 34	67497	Dec. 28th., 1979		Dec. 28th., 1976
Royal 35	68454	Mar. 11th., 1986		Mar. 11th., 1978
Royal 36	68455	Mar. 11th., 1986		Mar., 11th., 1978
Royal 37	68456	Mar. 11th., 1986		Mar. 11th., 1978
Royal 38	68457	Mar. 11th., 1986		Mar. 11th., 1978
Royal 39	68458	Mar. 11th., 1986		Mar. 11th., 1978
Royal 40	68459	Mar. 11th., 1986		Mar. 11th., 1977

The current work was all performed on the Royal Group I.

BACKGROUND INFORMATION

The property is located in the Highland Valley area, Kamloops Mining Division, British Columbia. It lies immediately west of the Lornex property and south of the Valley Copper property. It is road accessible by four-wheel drive vehicle, and is entirely tree covered with elevations varying from 5,000 to 5,500 feet A.S.L.

The subject area has been subjected to exploration since the early days of the Highland Valley camp. Since 1965 it has been controlled by Pan Ocean Oil Ltd. or its predecessor company, Royal Canadian Ventures Ltd. Exploration work carried out has included geological and geochemical surveys, a magnetometer survey and at least 2 induced polarization surveys.

Three diamond drill holes aggregating 1,240 feet were drilled by Royal Canadian Ventures in March, 1968 near the south end of OK Lake (see figure 116-2). Three additional diamond drill holes were drilled by Pan Ocean Oil Ltd. in August, 1972. Two percussion holes located in the northeast corner of the property were drilled by unknown parties sometime within the last 15 years.

In October, 1975 a total of 1,560 feet of percussion drilling in six holes was completed by Trans West Minerals Ltd.

The property is underlain primarily by Bethsaida Phase granodiorite-quartz monzonite of the Guichon Creek batholith. Some later quartz-porphyry dikes cut this rock in a few places. Minor occurrences of pyrite and chalcopyrite are found in the northeast corner of the property and over a small area east of OK Lake.

DRILLING PROGRAMME

Approximately 1/2 mile of road was constructed southeast from the existing road at the south end of OK Lake. Five drill holes were drilled from sites along this road (see figure 116-2).

The drill used was a standard, air-operated, rotary percussion rig, drilling 2.5 inch diameter vertical holes. All holes were drilled wet, rock chips being carried to the surface by water circulation.

Samples were taken at 10 foot intervals in all the holes, the return being passed through an electric rotating splitter and split to 1/8 of the original volume. Samples were collected in 5 gallon pails; most of the water was decanted off and then samples were packaged in plastic sample bags. Samples were submitted to Bondar, Clegg and Co. Ltd. for copper analysis. Results of analysis are shown in Appendix B.

All chips were visually examined by the geologist on site, Mr. W. Gilmour, and notes were taken on all 10 foot sections of each hole. Appendix A shows the summary of all drilling and the visual log of each hole.

DISCUSSION OF DRILLING RESULTS

In general the analytical results show very low copper content in the areas drilled. Values obtained by atomic absorption spectrophotometry vary from 1 PPM to 170 PPM but most of the values are less than 10 PPM (parts per million).

No further work is justified in this area.

Respectfully Submitted:

KERR, DAWSON & ASSOCIATES LTD.,



James M. Dawson
James M. Dawson, P. Eng.,
GEOLOGIST

KAMLOOPS, B. C.,
August 18, 1976

LOG PERCUSSION DRILL HOLE

P-76-1

LOGGED BY: William Gilmour, Geologist
DRILLED: July 20th., 1976.
TOTAL DEPTH: 300 ft.
ATTITUDE: Vertical
CO-ORDINATES: 42+80E @ 14+80N

<u>SAMPLE LENGTH</u>	<u>GEOLOGICAL DESCRIPTION</u>	<u>CU GEOCHEM (ppm)</u>
0 - 32	Overburden	40
32 - 40	Green granodiorite, chloritization of hornblende and biotite, minor hematite, muscovite, epidote and magnetite	
40 - 50	As above	8
50 - 60	As above	1
60 - 70	As above	1
70 - 80	70 - 75 As above 75 - 80 Fault zone - sheared and rusty	1
80 - 90	Fault-as above	1
90 - 100	90 - 95 Fault 95 - 100 Greenish granodiorite	1
100 - 110	Green granodiorite - chloritization of mafics	2
110 - 120	As above	26
120 - 130	As above	5
130 - 140	As above	2
140 - 150	As above	10

APPENDIX A

DRILL LOGS

Log Percussion Drill Hole - P-76-1 (continued) -----page two

150 - 160	Green granodiorite - chloritization of mafics	3
160 - 170	As above	2
170 - 180	As above	3
180 - 190	As above	8
190 - 200	As above	4
200 - 210	As above	39
210 - 220	As above	22
220 - 230	As above	3
230 - 240	As above	1
240 - 250	As above	3
250 - 260	As above	11
260 - 270	As above	20
270 - 280	As above	9
280 - 290	As above	13
290 - 300	As above	2
300	END OF HOLE	

LOG PERCUSSION DRILL HOLE

P-76-2

LOGGED BY: William Gilmour, Geologist
DRILLED: July 20/21, 1976
TOTAL DEPTH: 300 ft.
ATTITUDE: Vertical
CO-ORDINATES: 45+40E @ 11 + 30N

<u>SAMPLE LENGTH</u>	<u>GEOLOGICAL DESCRIPTION</u>	<u>CU GEOCHEM (ppm)</u>
0 - 42	Overburden	
42 - 60	Green granodiorite, chloritization of hornblende and biotite, minor hematite, muscovite, and epidote	5
60 - 70	As above	1
70 - 80	As above	1
80 - 90	As above	1
90 - 100	As above	1
100 - 110	As above	1
110 - 120	As above	1
120 - 130	120 - 125 Granodiorite, as above 125 - 130 Fault zone	5
130 - 140	130 - 135 Fault 135 - 140 Granodiorite	2
140 - 150	Green chloritized granodiorite	2
150 - 160	As above	3
160 - 170	As above	1

Log Percussion Drill Hole P-76-2 (continued) -----page two

170 - 180	Granodiorite as above	1
180 - 190	Granodiorite as above	2
190 - 200	Granodiorite as above	1
200 - 210	Granodiorite as above	1
210 - 220	Possible fault zone - rusting	5
220 - 230	Chloritized granodiorite	8
230 - 240	Fault zone - hematite common	15
240 - 250	240 - 245 Fault	4
	245 - 250 Granodiorite	
250 - 260	Chloritized green granodiorite	70
260 - 270	As above	23
270 - 280	As above	20
280 - 290	As above	54
290 - 300	As above	35
300	END OF HOLE	

LOG PERCUSSION DRILL HOLE

P-76-3

LOGGED BY William Gilmour, Geologist
DRILLED: July 21st., 1976
TOTAL DEPTH: 300 ft.
ATTITUDE: Vertical
CO-ORDINATES: 47 + 10E @ 8 + 70N

<u>SAMPLE LENGTH</u>	<u>GEOLOGICAL DESCRIPTION</u>	<u>CU GEOCHEM (ppm)</u>
0 - 45	Overburden	
45 - 50	Brown surface, weathering of chloritized and altered granodiorite	25
50 - 60	As above	20
60 - 70	Green chloritized granodiorite, mafic minerals highly altered, minor epidote and muscovite	23
70 - 80	As above	8
80 - 90	As above	2
90 - 100	As above	1
100 - 110	As above	8
110 - 120	As above	1
120 - 130	Fault zone - rusting (red-brown fragments)	8
130 - 140	Chloritized granodiorite	7
140 - 150	As above	1
150 - 160	As above	2

Log Percussion Drill Hole P-76-3 (continued) -----page two

160 - 170	Granodiorite, as above	1
170 - 180	Granodiorite, as above	1
180 - 190	Granodiorite, as above	1
190 - 200	Granodiorite, as above	8
200 - 210	Granodiorite, as above	8
210 - 220	Possible fault zone	9
220 - 230	Possible fault zone	11
230 - 240	Green chloritized granodiorite	4
240 - 250	As above	3
250 - 260	As above	5
260 - 270	Possible fault zone - rusting	5
270 - 280	Granodiorite	8
280 - 290	Granodiorite	48
290 - 300	Granodiorite	37
300	END OF HOLE	

LOG PERCUSSION DRILL HOLE

P-76-4

LOGGED BY: William Gilmour, Geologist
DRILLED: July 21/22, 1976
TOTAL DEPTH: 300 ft.
ATTITUDE: Vertical
CO-ORDINATES: 50 + 70E @ 14 + 80N

<u>SAMPLE LENGTH</u>	<u>GEOLOGICAL DESCRIPTION</u>	<u>CU GEOCHEM (ppm)</u>
0 - 35	Overburden	
35 - 50	Weathered altered granodiorite	15
50 - 60	Gray-green granodiorite, only moderate alteration of mafic minerals (dominantly biotite) Some minor muscovite and epidote	10
60 - 70	As above	7
70 - 80	As above	8
80 - 90	As above	3
90 - 100	As above	3
100 - 110	As above	9
110 - 120	As above	2
120 - 130	As above	2
130 - 140	As above	2
140 - 150	As above	1
150 - 160	As above	1

Log Percussion Drill Hole P-76-4 (continued) -----page two

160 - 170	Gray-green granodiorite, only moderate alteration of mafic minerals (dominantly biotite). Some minor muscovite and epidote.	2
170 - 180	As above	1
180 - 190	As above	2
190 - 200	As above	3
200 - 210	As above	1
210 - 220	As above	3
220 - 230	As above	1
230 - 240	As above	6
240 - 250	As above	1
250 - 260	As above	1
260 - 270	As above	1
270 - 280	As above	1
280 - 290	As above	2
290 - 300	As above	1
300	END OF HOLE	

LOG PERCUSSION DRILL HOLE

P-76-5

LOGGED BY: William Gilmour, Geologist
DRILLED: July 22/23, 1976
TOTAL DEPTH: 300'
ATTITUDE: Vertical
CO-ORDINATES: 55 + 80E @ 13 + 90N

<u>SAMPLE LENGTH</u>	<u>GEOLOGICAL DESCRIPTION</u>	<u>CU GEOCHEM (ppm)</u>
0 - 30	Overburden	
30 - 40	Grey granodiorite - minor secondary K-feldspar and chlorite after biotite. Weathered and rusting	1
40 - 50	Grey granodiorite, as above	1
50 - 60	Green chloritized granodiorite	1
60 - 70	Grey granodiorite, only minor alteration	1
70 - 80	As above	1
80 - 90	As above	1
90 - 100	As above	1
100 - 110	As above	1
110 - 120	As above	1
120 - 130	As above	1
130 - 140	As above	1
140 - 150	As above	1
150 - 160	As above	1

Log Percussion Drill Hole P-76-5 (continued) -----page two

160 - 170	160 - 165 Grey granodiorite as above 165 - 170 Chloritized granodiorite	1
170 - 180	Greenish-grey, moderately chloritized granodiorite, minor hematite	1
180 - 190	As above	1
190 - 200	As above	2
200 - 210	200 - 205 Green granodiorite 205 - 210 Grey granodiorite	1
210 - 220	Grey, relatively unaltered granodiorite	2
220 - 230	As above	19
230 - 240	As above	9
240 - 250	As above 245 - 250 Fault Zone	10
250 - 260	Greenish grey granodiorite	170
260 - 270	Grey relatively unaltered granodiorite	23
270 - 280	As above	45
280 - 290	As above	8
290 - 300	As above	19
300	END OF HOLE	

APPENDIX B

ANALYTICAL RESULTS



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 885-0681 TELEX: 04-54554

Geochemical Lab Report

traction Hot Aqua Regia Report No. 26 - 549 PROJECT: 116
 thod Atomic Absorption From Kerr-Dawson & Assoc. Ltd.
 action Used _____ Date July 29 19 76

SAMPLE NO.	Cu ppm			SAMPLE NO.	Cu ppm		
P-76-1 30-40	40			P-76-2 80-90	1		
40-50	8			90-100	1		
50-60	1			100-110	1		
60-70	1			110-120	1		
70-80	1			120-130	5		
80-90	1			130-140	2		
90-100	1			140-150	2		
100-110	2			150-160	3		
110-120	26			160-170	1		
120-130	5			170-180	1		
130-140	2			180-190	2		
140-150	10			190-200	1		
150-160	3			200-210	1		
160-170	2			210-220	5		
170-180	3			220-230	8		
180-190	8			230-240	15		
190-200	4			240-250	4		
200-210	39			250-260	70		
210-220	22			260-270	23		
220-230	3			270-280	20		
230-240	1			280-290	54		
240-250	3			290-300	35		
250-260	11			P-76-3 45-50	25		
260-270	20			50-60	20		
270-280	9			60-70	23		
280-290	13			70-80	8		
290-300	2			80-90	2		
P-76-2 42-60	5			90-100	1		
60-70	1			100-110	8		
70-80	1			110-120	1		

BONDAR-CLEGG & COMPANY LTD.

Geochemical Lab Report

Report No. 26 - 549

Page No. 2

SAMPLE NO.	Cu ppm			SAMPLE NO.	Cu ppm		
P-76-3 120-130	8			P-76-4 210-220	3		
130-140	7			220-230	1		
140-150	1			230-240	6		
150-160	2			240-250	1		
160-170	1			250-260	1		
170-180	1			260-270	1		
180-190	1			270-280	1		
190-200	8			280-290	2		
200-210	8			290-300	1		
210-220	9			P-76-5 25-40	1		
220-230	11			40-50	1		
230-240	4			50-60	1		
240-250	3			60-70	1		
250-260	5			70-80	1		
260-270	5			80-90	1		
270-280	8			90-100	1		
280-290	48			100-110	1		
290-300	37			110-120	1		
P-76-4 25-50	15			120-130	1		
50-60	10			130-140	1		
60-70	7			140-150	1		
70-80	8			150-160	1		
80-90	3			160-170	1		
90-100	3			170-180	1		
100-110	9			180-190	1		
110-120	2			190-200	2		
120-130	2			200-210	1		
130-140	2			210-220	2		
140-150	1			220-230	19		
150-160	1			230-240	9		
160-170	2			240-250	10		
170-180	1			250-260	170		
180-190	2			260-270	23		
190-200	3			270-280	45		
200-210	1			280-290	8		

APPENDIX C

COST STATEMENT

COST STATEMENT

(1). Labour:		
J.M. Dawson, P. Eng.		
4 days @ \$150.00/day	\$600.00	
J.R. Kerr, P. Eng.		
1 day @ \$150.00/day	\$150.00	
W. Gilmour, B. Sc.		
7 days @ \$110.00/day	\$770.00	
K. Bodden		
2 days @ \$100.00/day	<u>\$200.00</u>	\$1720.00
(2). Percussion Drilling (per enclosed invoice)		\$5320.00
(3). D - 7 Cat rental & mobilizstion (per enclosed invoice)		\$ 697.50
(4). Truck Rental		\$ 384.53
(5). Geochemical Analyses		\$ 176.85
(6). Room and Board		\$ 190.86
(7). Sample bags, freight, telephone, secretarial, power saw rental, etc.		\$ 116.80
(8). Drafting, blueprints, Xerox, etc.		<u>\$ 73.40</u>
	TOTAL COST HEREIN	\$8689.94

W. H. Miller Percussion Drilling Ltd.
Box 182 Kamboyan B.C. V6C 5K6.

At the D.L. Price

Phone 573-5230

Statement for drilling on W.K. Yohé property
Blair Valley July 20 - 22/76.

Well #	P. 76-1	-	300'
	P. 76-2	-	300'
	P. 76-3	-	300'
	P. 76-4	-	300
	P. 76-5	-	300
			<hr/>
			1500 ft @ \$3.50 per ft.

2 Batches AM9 grout = \$5250.00

@ 35.00 per bbl. =

70.00
\$5320.00 Total.

Thank you
W. H. Miller

W. H. Miller
#23

APPENDIX D

PERSONNEL

PERSONNEL

J.M. Dawson, P. Eng.	Geologist	May 23 July 7 1/2 day July 12(1/2 day) Aug. 17 <u>Aug. 18</u>
		Total - 4 days
J.R. Kerr, P. Eng.	Geologist	July 17 (1/2 day) <u>Aug. 2</u> (1/2 day)
		Total - 1 day
W. Gilmour, B Sc.	Geologist	July 12 July 13 July 19 July 20 July 21 July 22 <u>July 23</u>
		Total - 7 days
K. Bodden	Power Saw Operator	July 23 <u>July 24</u>
		Total - 2 days

APPENDIX E

AFFIDAVIT IN SUPPORT OF COST STATEMENT

C A N A D A

PROVINCE OF BRITISH COLUMBIA

TO WIT:

IN THE MATTER OF the Cost
Statement for drilling on the
Royal Claims in the Kamloops
Mining Division.

I, JAMES M. DAWSON, GEOLOGIST, OF 1523 ROBINSON
CRESCENT, IN THE CITY OF KAMLOOPS, IN THE PROVINCE OF BRITISH
COLUMBIA,

DO SOLEMNLY DECLARE:

- (1). That the Percussion Drilling Programme on the Royal Claims, Highland Valley Area was carried out under my direction.
- (2). That the Cost Statement set out in Appendix C of my report entitled "Report on a Percussion Drilling Programme carried out on the Royal Group I" dated May 23 - August 18, 1976, truly represents the amounts expended on drilling on the said claims.

AND I make this solemn Declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath, and by virtue of the Canada Evidence Act.

Declared before me at the City
of Kamloops in the Province of
British Columbia this 18th.
Day of August, A.D., 1976

K. Bays
Commissioner for Taking Affidavits
within British Columbia

A Commissioner for taking
Affidavits for British Columbia

James M. Dawson

APPENDIX F

WRITER'S CERTIFICATE

**JAMES M. DAWSON, P. ENG.
GEOLOGIST**

9-219 VICTORIA STREET
KAMLOOPS, B.C.


PHONE (604) 374-6427

CERTIFICATE

I, JAMES M. DAWSON, OF KAMLOOPS, B. C. HEREBY CERTIFY THAT:

- (1). I am a geologist residing at 2753 Sunset Drive, Kamloops, B. C. and employed by Kerr, Dawson and Associates Ltd. of Suite #1, 219 Victoria Street, Kamloops, B. C.
- (2). I am a graduate of the Memorial University of Newfoundland, B. Sc. (1960), M.Sc. (1963), a fellow of the Geological Association of Canada and a member of the Association of Professional Engineers of B. C. I have practised my profession for 12 years.
- (3). I am the author of this report which is based on a drilling programme carried out on the Royal Group of claims.
- (4). I have no beneficial interest in Trans West Minerals Ltd. or in the property discussed in this report, nor do I expect to receive any.


KERR, DAWSON & ASSOCIATES LTD.,


James M. Dawson, P. Eng.,
GEOLOGIST

Kamloops, B. C.,
~~October 30th., 1975~~
Aug 18, 1976



KERR, DAWSON AND ASSOCIATES LTD.
CONSULTING GEOLOGISTS AND ENGINEERS



- LEGEND -

- ROAD
- CLAIM POST
- PH ○ LOCATION OF PERCUSSION DRILL HOLE
- DDH ● LOCATION OF DIAMOND DRILL HOLE

TRANS WEST MINERALS LTD.
 2060 GRANVILLE SQUARE, 200 GRANVILLE ST, VANCOUVER, B.C.

SURFACE PLAN SHOWING
 LOCATION OF DRILL HOLES
ROYAL GROUP
 HIGHLAND VALLEY AREA
 KAMLOOPS MINING DIVISION
 BRITISH COLUMBIA



Tech. Work By: KERR, DAWSON & ASSOCIATES LTD.	Scale: 1 : 4800
Drawn By: T.V.	Date: August, 1976
Approved By: J. M. DAWSON, P. Eng.	Drawing No. 116 - 2

To Accompany A Report By J. M. DAWSON, P. Eng.

M-1

5975

Department of
 Mines and Petroleum Resources
 ASSESSMENT REPORT
 NO. 5975 MAP #1