

6100

REPORT ON PERCUSSION DRILLING

FOR

DUSTY MAC MINES LTD. (N.P.L.)

ON

DUSTY MAC #1 GROUP

OSOYOOS MINING DIVISION

Latitude - $49^{\circ} 22'$

Longitude - $119^{\circ} 33'$

82E/5E

James R. Glass, P. Eng.

October 21, 1976.

MAP
#1

GEOLOGICAL COMPILATION
(IN TICKET)

MINERAL RESOURCES BRANCH ASSESSMENT REPORT NO. 6100

PROPERTY

The property consists of 18 contiguous claims located around Production Lease No. 3, approximately one-half mile east of the village of Okanagan Falls in the Osoyoos Mining Division. The claims registered in the name of DUSTY MAC MINES LTD. (N.P.L.) are listed as follows:

<u>Name of Claim</u>	<u>Record No.</u>	<u>Free Miner's Certificate</u>
AU 2 Fr.	24347 (January)	143424
AU 5, 6, 7 Frs.	24349, 24350, 24351 (January)	
AU 9, 10, 11 Frs.	24353, 24354, 25355 (January)	
JG 1 to 4	21688 to 21691 (January)	
JG 8, 10 to 12	21695, 21697 to 21699 (January)	
JG 13	22403 (June)	
JG 14	22424 (July)	
At Last	19501 (April)	

PROGRAM

During the months of January to July, 1976, a program of percussion drilling was carried out over the favourable structure on the Dusty Mac claims.

The writer and two field assistants prepared grids, located drill holes, split and bagged all drill cuttings and marked the locations of the holes.

The drilling was carried out by H. D. Drilling Ltd. of Kamloops.

Assaying of drill cuttings was done at the Laboratory of Bondar-Clegg and Company, 1500 Pemberton Avenue, North Vancouver, B. C.

During the period fifty-four holes were completed with a total depth of 7,567 feet. All of this drilling was split into 5 foot sections and assayed for gold and silver.

A Map of scale 1" = 100' has been prepared showing the location of all drill holes on the Dusty Mac property, in relation to claim boundaries. This Map is included.

The holes are listed as follows:

HOLE:

Claim	Hole No.	Azimuth	Inclination	Elevation	Overburden	Hole Depth
JG 1	76-141		90°	1560	5'	135'
JG 3	76-135		90	1570		
	76-136		90	1578	5'	100'
	76-137		90	1570	5'	185'
	76-137 A		90	1570	5'	25'
	76-138		90	1587	5'	100'
	76-139		90	1600	5'	200'
	76-140		90	1555	5'	135'
	76-142		90	1567	7'	100'
	76-143	158°	60	1569	25'	100'
	76-144		90	1532	100'	230'
	76-145		90	1530	10'	200'
	76-146		90	1530	11'	200'
	76-147		90	1527	75'	225'
	76-149		90	1530	80'	230'
	76- 15	158	60	1576	4'	125'
	76- 16	158	60	1570	4'	80'
	76- 17	158	60	1575	10'	130'
	76- 18	158	60	1565	4'	65'
	76- 19	158	60	1565	7'	125'
	76-20	158	60	1560	7'	120'
	76-21	158	60	1555	10'	110'
	76- 22	158	60	1558	5'	25'
	76 - 23	158	60	1569	5'	20'
	76- 24	178	60	1545	2'	95'
	76- 25	176	60	1544	5'	62'
	76- 26	200	60	1545	2'	140'
	76- 27	200	60	1548	2'	200'
	76- 28	200	60	1552	2'	55'
	76- 29	200	60	1553	5'	190'
	76- 30	200	60	1550	5'	100'
	76- 31	200	60	1548	7'	75'
	76- 32	176	60	1440	4'	50'
	76- 33	164	60	1551	4'	140'
	76- 34	164	60	1563	5'	120'
	76-107	230	--60	1660	5'	170'
	76-108		--90	1660	5'	100'
	76-110	220	--60	1678	10'	100'
	76-111	220	--60	1670	5'	100'
	76-112	220	--60	1675	3'	190'
	76-113		90	1668	20'	200'
	76-114	215	60	1672	11'	300'
	76-115	220	60	1680	4'	200'
	76-116	220	60	1670	10'	200'
	76-117	220	60	1674	4'	100'
	76-118	220	60	1665	5'	200'
	76-119	292	60	1885	5'	150'
	76-120	282	55	1830	5'	200'
	76-121	270	55	1830	15'	200'
	76-122	250	60	1830	3'	155'
	76-123	282	60	1845	5'	200'
	76-124	282	60	1845	5'	150'
	76-125		90	1850	0	100'
	76-126	282	60	1855	5'	100'
AU 5Fr.	76-150		90	1525	122'	260'

STATEMENT OF COSTS:

James R. Glass, P. Eng. Vancouver, B. C.	65 dys. @ \$100.p/d	\$ 6,500.00
G. H. Laycraft Vancouver, B. C.	65 dys. @ \$ 60/p/d.	3,900.00
G. Plante Oliver, B. C.	2½ mos. @ \$600/p/m.	1,500.00
Food, Accomodation	110 dys. @ \$ 15.p/d.	1,650.00
Pick-up truck	60 dys. @ 35/p/d.	2,100.00
Bulldozer, drill set ups	2 dys.	500.00
H. D. Drilling, Kamloops, B. C. Drillers - H. Doucet L. St. Germaine		14,190.00
Bonder-Clegg & Company, North Vancouver, B. C.		<u>9,937.00</u>
		<u>\$40,277.00</u>

Respectfully submitted,

James R. Glass, P. Eng.



MINERAL RESOURCES BRANCH
 ASSESSMENT REPORT
 No. 6100

THE DUSTY MAC MINE


James R. White

LOCATION MAP
 THE DUSTY MAC MINE
 OKANAGAN FALLS, B.C.
 SCALE 1:50,000

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge samples.

MARKED	GOLD		SILVER								TOTAL VALUE PER TON (1000 LBS.)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-16 55 - 60	0.020		0.08								
60 - 65	0.035		0.13								
76-15 4 - 10	0.007		0.05								
10 - 15	0.020		0.04								
15 - 20	0.014		0.05								
20 - 25	0.013		0.07								
25 - 30	0.023		0.07								
30 - 35	0.036		0.10								
35 - 40	0.024		0.07								
40 - 45	0.017		0.06								
45 - 50	0.026		0.12								
50 - 55	0.037		0.13								
55 - 60	0.037		0.14								
60 - 65	0.039		0.12								
65 - 70	0.037		0.14								
70 - 75	0.035		0.12								
75 - 80	0.033		0.14								
80 - 85	0.023		0.14								
85 - 90	0.016		0.09								
90 - 95	0.024		0.07								
95 - 100	0.025		0.19								
100 - 105	0.029		0.07								
105 - 110	0.013		0.07								
110 - 115	0.010		0.07								
115 - 120	0.016		0.03								
120 - 125	0.015		0.09								
76-15 4 - 10	0.038		0.06								



 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge

MARKED	GOLD		SILVER								TOTAL PER (2000)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-16 10 - 15	0.007		0.14								
15 - 20	0.005		0.03								
20 - 25	0.008		0.03								
25 - 30	0.018		0.06								
30 - 35	0.012		0.07								
35 - 40	0.019		0.07								
40 - 45	0.013		0.05								
45 - 50	0.013		0.06								
50 - 55	0.025		0.11								
55 - 60	0.037		0.10								
60 - 65	0.049		0.16								
65 - 70	0.041		0.12								
70 - 75	0.031		0.13								
75 - 80	0.021		0.17								
76-17 10 - 15	0.021		0.07								
20 - 25	0.008		0.06								
25 - 30	0.017		0.10								
30 - 35	0.015		0.07								
35 - 40	0.022		0.10								
40 - 45	0.035		0.17								
45 - 50	0.68*		1.2*	107.40							
50 - 55	0.090		0.29	14.50							
55 - 60	0.037		0.13								
60 - 65	0.028		0.13								
65 - 70	0.027		0.07								
70 - 75	0.042		0.23	2.00							


* result to follow


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge

MARKED	GOLD		SILVER							TOTAL PER (2000)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	
76-17 75 - 80	0.012		0.06							
80 - 85	0.014		0.10							
85 - 90	0.007		0.05							
90 - 95	0.007		0.05							
95 - 100	0.005		0.03							
100 - 105	0.011		0.04							
105 - 110	0.002		0.03							
110 - 115	0.002		0.04							
115 - 120	0.008		0.05							
120 - 125	0.002		0.04							
125 - 130	0.003		0.04							
76-18 4 - 10	0.045		0.11							
10 - 15	0.090		0.41	\$15.00						
15 - 20	0.037		0.11	\$8.00						
20 - 25	0.050		0.16	\$12.75						
25 - 30	0.080		0.20							
30 - 35	0.026		0.10							
35 - 40	0.006		0.08							
40 - 45	0.032		0.14							
45 - 50	0.015		0.11							
50 - 55	0.028		0.11							
55 - 60	0.037		0.13							
60 - 65	0.014		0.08							
76-19 7 - 10	0.006		0.06							
10 - 15	0.005		0.05							
15 - 20	0.012		0.10							
15 - 20 A	0.010		0.11							


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge

MARKED	GOLD		SILVER								TOTAL PER (2000
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-19 20 - 25	0.035		0.14								
25 - 30	0.030		0.11								
30 - 35	0.030		0.07								
35 - 40	0.010		0.05								
40 - 45	0.023		0.10								
45 - 50	0.020		0.06								
50 - 55	0.017		0.05								
55 - 60	0.010		0.06								
60 - 65	0.023		0.19								
65 - 70	0.065		0.72								
70 - 75	0.008		0.10								
75 - 80	0.010		0.11								
80 - 85	0.014		0.09								
85 - 90	0.026		0.13								
90 - 95	0.10		0.14								
95 -100	0.017		0.09								
100 - 105	0.020		0.10								
105 - 110	0.009		0.06								
110 - 115	0.009		0.05								
115 - 120	0.006		0.03								
120 - 125	10.002		0.03								
76-20 7 - 10	0.002		0.03								
10 - 15	0.007		0.05								
15 - 20	0.007		0.03								
20 - 25	0.017		0.06								
25 - 30	0.007		0.04								

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge

MARKED	GOLD		SILVER								TOTAL PER (2000)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-20 30 - 35	0.005		0.04								
35 - 40	0.002		0.03								
40 - 45	0.016		0.06								
45 - 50	0.010		0.07								
50 - 55	0.017		0.07								
55 - 60	0.008		0.05								
60 - 65	0.012		0.05								
65 - 70	0.011		0.07								
70 - 75	0.052		0.17	<i>\$ 2.00</i>							
75 - 80	0.032		0.10								
80 - 85	0.014		0.07								
85 - 90	0.026		0.09								
90 - 95	0.045		0.09								
95 - 100	0.016		0.07								
100 - 105	0.013		0.07								
105 - 110	0.015		0.13								
110 - 115	0.035		0.28								
115 - 120	0.034		0.26								
76-21 10 - 15	0.009		0.07								
15 - 20	0.018		0.05								
20 - 25	0.020		0.07								
25 - 30	0.073		0.10	<i>\$ 16.50</i>							
30 - 35	0.065		0.23	<i>\$ 12.00</i>							
35 - 40	0.073		0.15	<i>\$ 5.00</i>							
40 - 45	0.046		0.14	<i>\$ 6.50</i>							
45 - 50	0.10		0.43								

[Signature]
 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge s:

MARKED	GOLD		SILVER								TOTAL PER (2000)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-21 50 - 55	0.030		0.10	4.75							
55 - 60	0.080		0.11	12.50							
60 - 65	0.009		0.05								
65 - 70	0.018		0.06								
70 - 75	0.007		0.05								
75 - 80	0.007		0.04								
80 - 85	0.015		0.05								
85 - 90	0.006		0.06								
90 - 95	0.004		0.06								
95 - 100	0.002		0.04								
100 - 105	0.010		0.06								
105 - 110	0.004		0.05								
76-22 5 - 10	0.014		0.10								
10 - 15	0.025		0.10								
15 - 20	0.026		0.14								
20 - 25	0.020		0.09								

L denotes 'less than'

MS
 Registered Assayer, Province of British Columbia

To: Casty Mac Mines Ltd.

REPORT No 26 - 25

PAGE No. 1

BONDAR-CLEGG & COMPANY LTD.

DATE: January 30, 197

433 - 355 Burrard Street
Vancouver, B.C.
V6C 2G8

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge samp

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-17 45 - 50	0.68		1.2								


Registered Assayer, Province of British Columbia


433 - 355 Burrard Street
Vancouver, B.C.

CERTIFICATE OF ASSAY

Samples submitted: January 22,
Results completed: January 30,

I hereby certify that the following are the results of assays made by us upon the herein described sludge & ore s.


MARKED	GOLD		SILVER								TOTAL PER (2000)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-23 5 - 10	0.012		0.07								
10 - 15	0.021		0.08								
15 - 20	0.006		0.07								
76-24 2 - 5	0.009		0.03								
5 - 10	0.003		0.05								
10 - 15	0.002		0.04								
15 - 20	0.003		0.03								
20 - 25	0.003		0.03								
25 - 30	0.002		0.03								
30 - 35	0.005		0.04								
35 - 40	0.11		0.15								
40 - 45	0.019		0.08								
45 - 50	0.018		0.08								
50 - 55	0.010		0.06								
55 - 60	0.012		0.07								
60 - 65	0.002		0.02								
65 - 70	10.002		0.02								
70 - 75	0.003		0.03								
75 - 80	0.002		0.02								
80 - 85	0.004		0.03								
85 - 90	0.002		0.03								
90 - 95	0.004		0.02								
76-25 5 - 10	0.003		0.03								
10 - 15	0.021		0.04								
15 - 20	0.005		0.02								
20 - 25	0.002		0.03								
25 - 30	0.003		0.02								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge & ore sa.

MARKED	GOLD		SILVER								TOTAL PER (2000)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-25	30 - 35		0.002								
	35 - 40		0.002								
	40 - 45		0.002								
	45 - 50		0.002								
	50 - 55		0.003								
	55 - 60		0.004								
76-26	60 - 62		0.002								
	2 - 5		0.002								
	5 - 10		0.002								
	10 - 15		0.002								
	15 - 20		0.002								
	20 - 25		0.002								
	25 - 30		0.002								
	30 - 35		0.002								
	35 - 40		0.003								
	40 - 45		0.004								
	45 - 50		0.005								
	50 - 55		0.012								
	55 - 60		0.034								
	60 - 65		0.016								
	65 - 70		0.016								
70 - 75		0.003									
75 - 80		0.010									
80 - 85		0.002									
85 - 90		0.004									
90 - 95		0.004									



 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge & ore s:

MARKED	GOLD		SILVER								TOTAL PER (2000)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-26 95 - 100	0.002		0.03								
100 - 105	0.004		0.03								
105 - 110	0.003		0.04								
110 - 115	0.006		0.05								
115 - 120	0.009		0.04								
120 - 125	0.002		0.03								
125 - 130	0.002		0.02								
130 - 135	0.002		0.02								
135 - 140	0.004		0.05								
Rock #1	L0.002		0.02								
2	L0.002		0.03								
3	L0.002		0.02								
Bulk	L0.002		0.02								

L denotes 'less than'
cc Dusty Mac - Okanagan Falls


Registered Assayer, Province of British Columbia

To: Cashy Mine Mills Ltd.

PAGE No. 1

BONDAR-CLEGG & COMPANY LTD.

RECEIVED REPORT No. 201-40
 FEB 18 1976 DATE: FEB. 11/76
 Ass'd. Samples submitted: Feb. 3/76
 Results completed: Feb. 11/76


433 - 355 Burrard Street
 Vancouver, B.C. V6C 2G3

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER	Percent	Percent	Percent	Percent	Percent	Percent	Percent	TOTAL VALUE PER TON (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton								
76-27 2 - 5	0.003		0.07								
5 - 10	0.003		0.05								
10 - 15	0.003		0.03								
15 - 20	0.006		0.04								
20 - 25	0.012		0.03								
25 - 30	0.003		0.02								
30 - 35	0.004		0.03								
35 - 40	0.005		0.02								
40 - 45	0.012		0.06								
45 - 50	0.057		0.03								
50 - 55	0.010		0.05								
55 - 60	0.011		0.05								
60 - 65	0.009		0.04								
65 - 70	0.004		0.03								
70 - 75	0.12		0.14								
75 - 80	0.005		0.03								
80 - 85	0.004		0.04								
85 - 90	0.004		0.03								
90 - 95	0.004		0.02								
95 - 100	0.004		0.03								
100 - 105	0.004		0.03								
105 - 110	0.005		0.03								
110 - 115	0.002		0.02								
115 - 120	0.002		0.02								
120 - 125	0.002		0.02								
125 - 130	0.004		0.03								

Registered Assayer, Province of British Columbia



CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described silica sample

MARKED	GOLD		SILVER								TOTAL VALUE PER TON (2000 LBS)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-27 130 - 135	0.012		0.02								
135 - 140	0.003		0.02								
140 - 145	0.007		0.05								
145 - 150	0.007		0.05								
150 - 155	10.002		0.02								
155 - 160	0.003		0.03								
160 - 165	0.003		0.04								
165 - 170	0.002		0.03								
170 - 175	0.002		0.02								
175 - 180	10.002		0.02								
180 - 185	0.002		0.02								
185 - 190	10.002		10.02								
190 - 195	10.002		0.02								
195 - 200	10.002		0.02								
76-28 2 - 5	0.021		0.06								
5 - 10	0.007		0.05								
10 - 15	0.007		0.03								
15 - 20	0.010		0.04								
20 - 25	0.013		0.04								
25 - 30	0.009		0.03								
30 - 35	0.016		0.06								
35 - 40	0.005		0.02								
40 - 45	0.007		0.03								
45 - 50	0.039		0.06								
50 - 55	0.010		0.05								
76-29 5 - 10	0.002		0.03								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY


I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA. PER TO. (2000 LB.)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-29 10 - 15	0.033		0.03								
15 - 20	0.014		0.06								
20 - 25	0.021		0.06								
25 - 30	0.043		0.11								
30 - 35	0.057		0.10								
35 - 40	0.040		0.16								
40 - 45	0.003		0.06								
45 - 50	0.014		0.05								
50 - 55	0.007		0.03								
55 - 60	0.009		0.03								
60 - 65	0.006		0.02								
65 - 70	0.006		0.03								
70 - 75	0.004		0.03								
75 - 80	0.002		0.04								
80 - 85	10.002		0.03								
85 - 90	0.002		0.02								
90 - 95	0.002		0.05								
95 - 100	0.003		0.05								
100 - 105	0.003		0.06								
105 - 110	0.005		0.04								
110 - 115	0.002		0.04								
115 - 120	0.003		0.03								
120 - 125	0.003		0.07								
125 - 130	10.002		0.04								
130 - 135	0.029		0.05								
135 - 140	0.005		0.03								

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED	GOLD		SILVER								TOTAL VA PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-29 140 - 145	0.003		0.05								
145 - 150	0.002		0.03								
150 - 155	LO.002		0.05								
155 - 160	LO.002		0.06								
160 - 165	LO.002		0.05								
165 - 170	LO.002		0.05								
170 - 175	0.002		0.04								
175 - 180	0.005		0.05								
180 - 185	0.002		0.05								
185 - 190	0.005		0.06								
76-30 5 - 10	0.024		0.09								
10 - 15	0.077		0.10								
15 - 20	0.014		0.05								
20 - 25	0.023		0.07								
25 - 30	0.12		0.20								
30 - 35	0.020		0.07								
35 - 40	0.009		0.03								
40 - 45	0.004		0.02								
45 - 50	0.003		0.02								
50 - 55	0.012		0.03								
55 - 60	0.016		0.04								
60 - 65	0.021		0.03								
65 - 70	0.010		0.05								
70 - 75	0.003		0.03								
75 - 80	0.004		0.03								
80 - 85	0.003		0.04								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample.

MARKED		GOLD		SILVER							TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	
76-30	85 - 90	0.002		0.03							
	90 - 95	0.003		0.05							
	95 - 100	0.004		0.03							
76-31	7 - 10	0.004		0.03							
	10 - 15	0.003		0.03							
	15 - 20	0.003		0.03							
	20 - 25	0.002		0.03							
	25 - 30	0.003		0.04							
	30 - 35	0.003		0.02							
	35 - 40	0.003		0.02							
	40 - 45	0.009		0.04							
	45 - 50	0.010		0.03							
	50 - 55	0.003		0.02							
	55 - 60	0.004		0.02							
	60 - 65	0.004		0.03							
65 - 70	0.003		0.03								
76-32	70 - 75	0.002		0.03							
	4 - 10	10.002		0.03							
	10 - 15	10.002		0.02							
	15 - 20	10.002		0.02							
	20 - 25	0.002		0.03							
	25 - 30	10.002		10.02							
	30 - 35	10.002		0.02							
35 - 40	0.002		0.03								
40 - 45	0.003		0.03								
45 - 50	0.002		0.03								



 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER							TOTAL VALUE PER TON (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	
75-33 4 - 10	0.003		0.03							
10 - 15	L0.002		0.02							
15 - 20	L0.002		0.02							
20 - 25	0.002		0.03							
25 - 30	L0.002		0.02							
30 - 35	L0.002		L0.02							
35 - 40	0.002		0.03							
40 - 45	0.005		0.03							
45 - 50	0.017		0.09							
50 - 55	0.005		0.05							
55 - 60	L0.002		0.06							
60 - 65	0.012		0.09							
65 - 70	0.005		0.05							
70 - 75	L0.002		0.02							
75 - 80	L0.002		0.02							
80 - 85	L0.002		0.02							
90 - 95	L0.002		0.02							
100 - 105	L0.002		0.03							

L denotes 'less than'



To: City Mac Mines Ltd.

PAGE No. 1

4-3 - 155 Burrard Street
Vancouver, B.C. V6C 2S3

BONDAR-CLEGG & COMPANY LTD.

CERTIFICATE OF ASSAY

RECEIVED
FEB 12 1975


REPORT No. 23 - 43

DATE: February 12,

Analysis completed: February 5,
Results completed: February 12,

I hereby certify that the following are the results of assays made by us upon the herein described single sample

MARKED	GOLD		SILVER	Percent	Percent	Percent	Percent	Percent	Percent	Percent	TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton								
76-33 85 - 90	L0.002		0.03								
95 - 100	L0.002		0.03								
105 - 110	L0.002		0.04								
110 - 115	L0.002		0.02								
115 - 120	L0.002		0.03								
120 - 125	0.003		0.04								
125 - 130	0.004		0.04								
130 - 135	0.004		0.04								
135 - 140	0.003		0.04								
76-34 5 - 10	L0.002		0.02								
10 - 15	L0.002		0.03								
15 - 20	L0.002		0.02								
20 - 25	L0.002		0.02								
25 - 30	0.004		0.02								
30 - 35	L0.002		0.02								
35 - 40	L0.002		0.03								
40 - 45	L0.002		0.02								
45 - 50	L0.002		0.03								
50 - 55	0.005		0.04								
55 - 60	0.005		0.07								
60 - 65	0.022		0.03								
65 - 70	0.009		0.07								
70 - 75	0.005		0.06								
75 - 80	0.007		0.06								
80 - 85	0.003		0.03								
85 - 90	0.003		0.04								


Registered Assayer, Province of British Columbia

To: Carly Mac Mine Ltd.

REPORT No 45

PAGE No. 2

BONDAR-CLEGG & COMPANY LTD.

DATE: Dec. 10/74

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-34 90 - 95	0.028		0.05								
95 - 100	0.026		0.06								
100 - 105	0.014		0.05								
105 - 110	0.023		0.07								
110 - 115	0.021		0.02								
115 - 120	0.011		0.02								
76-35 20 - 25	0.003		0.03								
25 - 30	10.002		0.03								
30 - 35	10.002		0.03								
35 - 40	0.003		0.05								
40 - 45	10.002		0.04								
45 - 50	10.002		0.04								
50 - 55	10.002		0.04								
55 - 60	10.002		0.04								
60 - 65	10.002		0.05								
65 - 70	10.002		0.05								
70 - 75	0.008		0.05								
75 - 80	0.035		0.07								
80 - 85	0.013		0.10								
85 - 90	0.70		1.0								
90 - 95	0.50		0.60								
95 - 100	0.095		0.13								
100 - 105	0.010		0.15								
105 - 110	0.050		0.04								
110 - 115	0.002		0.04								
115 - 120	0.002		0.04								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED	GOLD		SILVER							TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	
76 - 105	155 - 160	<0.002	0.03							
	160 - 165	<0.002	0.03							
	165 - 170	<0.002	0.04							
76 - 106	5 - 10	<0.002	0.02							
	10 - 15	<0.002	0.03							
	15 - 20	<0.002	0.02							
	20 - 25	<0.002	0.02							
	25 - 30	<0.002	0.03							
	30 - 35	0.090	0.91							
	35 - 40	0.070	1.1							
	40 - 45	0.002	0.08							
	45 - 50	0.002	0.06							
	50 - 55	0.035	1.5							
	60 - 65	0.003	0.10							
	65 - 70	<0.002	0.08							
	70 - 75	0.002	0.07							
	75 - 80	<0.002	0.08							
	80 - 85	0.043	0.92							
	85 - 90	0.002	0.06							
	90 - 95	<0.002	0.04							
	95 - 100	<0.002	0.05							
76 - 107	5 - 10	<0.002	0.03							
	10 - 15	<0.002	0.03							
	15 - 20	<0.002	0.02							
	20 - 25	<0.002	0.03							
	25 - 30	<0.002	0.03							


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL V/ PER TON (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76 - 107 30 - 35	<0.002		0.02								
35 - 40	<0.002		0.02								
40 - 45	<0.002		0.02								
45 - 50	<0.002		0.02								
50 - 55	<0.002		0.02								
55 - 60	<0.002		0.02								
60 - 65	<0.002		0.02								
65 - 70	<0.002		0.02								
70 - 75	<0.002		0.02								
75 - 80	<0.002		0.02								
80 - 85	<0.002		0.03								
85 - 90	<0.002		0.02								
90 - 95	<0.002		0.02								
95 - 100	<0.002		0.02								
100 - 105	<0.002		0.02								
105 - 110	<0.002		0.02								
110 - 115	<0.002		0.02								
120 - 125	<0.002		0.02								
125 - 130	<0.002		0.02								
130 - 135	<0.002		0.02								
135 - 140	<0.002		0.02								
140 - 145	<0.002		0.02								
145 - 150	<0.002		0.03								
150 - 155	<0.002		0.02								
160 - 165	<0.002		0.03								
165 - 170	<0.002		0.02								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76 - 108	5 - 10	<0.002	0.02								
	10 - 15	<0.002	0.03								
	15 - 20	<0.002	0.04								
	20 - 25	<0.002	0.03								
	25 - 30	<0.002	0.03								
	30 - 35	<0.002	0.03								
	35 - 40	<0.002	0.03								
	40 - 45	<0.002	0.03								
	45 - 50	<0.002	0.03								
	50 - 55	<0.002	0.03								
	55 - 60	<0.002	0.03								
	60 - 65	<0.002	0.03								
	65 - 70	<0.002	0.04								
	70 - 75	<0.002	0.03								
	75 - 80	<0.002	0.03								
	80 - 85	<0.002	0.03								
	85 - 90	<0.002	0.03								
	90 - 95	<0.002	0.03								
	95 - 100	<0.002	0.04								
76 - 109	7 - 10	<0.002	<0.02								
	10 - 15	<0.002	<0.02								
	15 - 20	<0.002	<0.02								
	20 - 25	<0.002	0.02								
	25 - 30	<0.002	0.02								
	30 - 35	<0.002	0.02								
	35 - 40	<0.002	0.03								

R. K. Rogers
Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL V/ PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76 - 109	40 - 45	<0.002	0.02								
	45 - 50	<0.002	0.02								
	50 - 55	<0.002	<0.02								
	55 - 60	<0.002	0.02								
	60 - 65	<0.002	0.02								
	65 - 70	<0.002	0.03								
	70 - 75	<0.002	0.03								
	75 - 80	<0.002	0.03								
	80 - 85	<0.002	0.04								
	85 - 90	<0.002	0.02								
	90 - 95	<0.002	<0.02								
	95 - 100	<0.002	<0.02								
	100 - 105	<0.002	<0.02								
	105 - 110	<0.002	<0.02								
	110 - 115	<0.002	0.02								
	115 - 120	<0.002	<0.02								
	120 - 125	<0.002	0.02								
	125 - 130	<0.002	0.02								
	130 - 135	<0.002	0.02								
	135 - 140	<0.002	0.02								
	140 - 145	<0.002	0.02								
	145 - 150	<0.002	0.03								
	150 - 155	<0.002	0.02								
	155 - 160	<0.002	0.03								
	160 - 165	<0.002	0.03								
	165 - 170	<0.002	0.03								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76 - 109170 - 175	<0.002		0.02								
175 - 180	<0.002		<0.02								
180 - 185	<0.002		0.02								
185 - 190	<0.002		0.02								
190 - 195	0.002		0.02								
195 - 200	<0.002		0.03								
76 - 110 10 - 15	<0.002		0.07								
15 - 20	<0.002		0.05								
20 - 25	<0.002		0.05								
25 - 30	<0.002		0.05								
30 - 35	<0.002		0.05								
35 - 40	<0.002		0.04								
40 - 45	<0.002		0.04								
45 - 50	<0.002		0.03								
50 - 55	<0.002		0.03								
55 - 60	<0.002		0.04								
60 - 65	<0.002		0.07								
65 - 70	<0.002		0.05								
70 - 75	<0.002		0.03								
75 - 80	<0.002		0.03								
80 - 85	<0.002		0.04								
85 - 90	<0.002		0.04								
90 - 95	<0.002		0.03								
95 - 100	<0.002		0.04								
76 - 111 5 - 10	<0.002		0.03								
10 - 15	<0.002		0.03								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described _____ sludge _____ sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76 - 111 15 - 20	<0.002		0.05								
20 - 25	<0.002		0.05								
25 - 30	<0.002		0.06								
30 - 35	<0.002		0.05								
35 - 40	<0.002		0.07								
40 - 45	0.004		0.07								
45 - 50	<0.002		0.06								
50 - 55	<0.002		0.05								
55 - 60	<0.002		0.04								
60 - 65	<0.002		0.03								
65 - 70	<0.002		0.02								
70 - 75	<0.002		0.03								
75 - 80	<0.002		0.04								
80 - 85	<0.002		0.03								
85 - 90	<0.002		0.03								
90 - 95	<0.002		0.03								
95 - 100	<0.002		0.03								
76 - 112 3 - 5	<0.002		0.04								
5 - 10	<0.002		0.04								
10 - 15	<0.002		0.03								
15 - 20	<0.002		0.03								
20 - 25	<0.002		0.05								
25 - 30	<0.002		0.04								
30 - 35	<0.002		0.04								
35 - 40	<0.002		0.04								
40 - 45	<0.002		0.03								



Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TO. (2000 LB.)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76 - 112	45 - 50	<0.002	0.03								
	50 - 55	<0.002	0.04								
	55 - 60	<0.002	0.04								
	60 - 65	<0.002	0.05								
	65 - 70	<0.002	0.05								
	70 - 75	<0.002	0.03								
	75 - 80	<0.002	0.04								
	80 - 85	<0.002	0.05								
	85 - 90	<0.002	0.04								
	90 - 95	<0.002	0.03								
	95 - 100	<0.002	0.03								
	100 - 105	<0.002	0.04								
	105 - 110	<0.002	0.03								
	110 - 115	<0.002	0.04								
	115 - 120	<0.002	0.03								
	120 - 125	<0.002	0.04								
	125 - 130	<0.002	0.04								
	130 - 135	<0.002	0.04								
	135 - 140	<0.002	0.04								
	140 - 145	<0.002	0.04								
	145 - 150	<0.002	0.03								
	150 - 155	<0.002	0.03								
	155 - 160	<0.002	0.04								
	160 - 165	<0.002	0.03								
	165 - 170	<0.002	0.03								
	170 - 175	<0.002	0.03								




Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76 - 112 175 - 180	<0.002		0.03								
180 - 185	<0.002		0.03								
185 - 190	<0.002		0.03								
cc O.K. Falls											


 Registered Assayer, Province of British Columbia


To: Cisty Mac Mines Ltd.

PAGE No. 1

433 - 355 Burrard Street
Vancouver, B.C.

BONDAR-CLEGG & COMPANY LTD.

CERTIFICATE OF ASSAY



REPORT No A26-133

DATE: April 29, 1976

Samples submitted: April 21, 1976
Results completed: April 29, 1976

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER	Percent	Percent	Percent	Percent	Percent	Percent	Percent	TOTAL VALUE PER TON (2000 LBS)
	Ounces per Ton	Value per Ton	Ounces per Ton								
76 - 105	<0.002		0.04								
170 - 175	<0.002		0.04								
175 - 180	<0.002		0.04								
180 - 185	<0.002		0.04								
185 - 190	<0.002		0.04								
76 - 113	<0.002		0.03								
20 - 25	<0.002		0.03								
25 - 30	<0.002		0.03								
30 - 35	<0.002		0.03								
35 - 40	<0.002		0.04								
40 - 45	<0.002		0.03								
45 - 50	<0.002		0.03								
50 - 55	<0.002		0.03								
55 - 60	<0.002		0.03								
60 - 65	<0.002		0.03								
65 - 70	<0.002		0.03								
70 - 75	<0.002		0.03								
75 - 80	<0.002		0.03								
80 - 85	<0.002		0.03								
85 - 90	<0.002		0.03								
90 - 95	<0.002		0.03								
95 - 100	<0.002		0.03								
100 - 105	<0.002		0.03								
110 - 115	<0.002		0.03								
115 - 120	<0.002		0.03								
120 - 125	<0.002		0.03								
125 - 130	<0.002		0.04								
76 - 113	<0.002		0.03								
135 - 140	<0.002		0.03								

R. J. Rogers
Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76 - 113 140 - 145	<0.002		0.03								
145 - 150	<0.002		0.03								
150 - 155	<0.002		0.04								
155 - 160	<0.002		0.04								
160 - 165	<0.002		0.03								
165 - 170	<0.002		0.03								
170 - 175	<0.002		0.03								
175 - 180	<0.002		0.03								
180 - 185	<0.002		0.04								
185 - 190	<0.002		0.04								
190 - 195	<0.002		0.04								
195 - 200	<0.002		0.04								
76 - 114 11 - 15	<0.002		0.03								
15 - 20	<0.002		0.04								
20 - 25	<0.002		0.04								
25 - 30	<0.002		0.04								
30 - 35	<0.002		0.04								
35 - 40	<0.002		0.04								
40 - 45	<0.002		0.04								
45 - 50	<0.002		0.04								
50 - 55	<0.002		0.03								
55 - 60	<0.002		0.03								
60 - 65	<0.002		0.03								
65 - 70	<0.002		0.03								
75 - 80	<0.002		0.03								
80 - 85	<0.002		0.03								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76 - 114	<0.002		0.03								
85 - 90	<0.002		0.03								
90 - 95	<0.002		0.03								
95 - 100	<0.002		0.03								
100 - 105	<0.002		0.03								
105 - 110	<0.002		0.03								
110 - 115	<0.002		0.03								
115 - 120	<0.002		0.03								
120 - 125	<0.002		0.03								
125 - 130	<0.002		0.03								
135 - 140	<0.002		0.03								
140 - 145	<0.002		0.03								
145 - 150	<0.002		0.03								
150 - 155	<0.002		0.03								
155 - 160	<0.002		0.03								
160 - 165	<0.002		0.04								
165 - 170	<0.002		0.03								
170 - 175	<0.002		0.03								
175 - 180	<0.002		0.03								
180 - 185	<0.002		0.05								
185 - 190	<0.002		0.04								
190 - 195	<0.002		0.05								
195 - 200	<0.002		0.03								
200 - 205	<0.002		0.03								
205 - 210	<0.002		0.03								
210 - 215	<0.002		0.03								
215 - 220	<0.002		0.03								

R. H. Ross
 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VALUE PER TON (2000 LBS)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76 - 114 220 - 225	<0.002		0.03								
225 - 230	<0.002		0.02								
230 - 235	<0.002		0.03								
235 - 240	<0.002		0.04								
240 - 245	<0.002		0.05								
245 - 250	<0.002		0.04								
250 - 255	<0.002		0.07								
255 - 260	<0.002		0.05								
260 - 265	<0.002		0.04								
265 - 270	<0.002		0.04								
270 - 275	<0.002		0.06								
275 - 280	<0.002		0.04								
280 - 285	0.003		0.04								
285 - 290	0.003		0.04								
290 - 295	<0.002		0.05								
295 - 300	<0.002		0.05								
No footage	<0.002		0.03								
76 - 115 4 - 10	<0.002		0.03								
10 - 15	<0.002		0.03								
15 - 20	<0.002		0.03								
20 - 25	<0.002		0.03								
25 - 30	<0.002		0.03								
30 - 35	<0.002		0.03								
35 - 40	<0.002		0.03								
40 - 45	<0.002		0.05								
45 - 50	<0.002		0.08								



Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76 - 115	50 - 55	<0.002	0.05								
	55 - 60	<0.002	0.06								
	60 - 65	<0.002	0.05								
	65 - 70	<0.002	0.06								
	70 - 75	<0.002	0.05								
	75 - 80	<0.002	0.05								
	80 - 85	<0.002	0.05								
	85 - 90	<0.002	0.04								
	90 - 95	<0.002	0.04								
	95 - 100	<0.002	0.04								
	100 - 105	<0.002	0.05								
	105 - 110	<0.002	0.04								
	110 - 115	<0.002	0.05								
	No number	<0.002	0.03								
	No number	<0.002	0.03								
cc O.K. Falls											



Registered Assayer, Province of British Columbia

To: C. J. Mac Millan Ltd.

REPORT No. 100

PAGE No. 1

BONDAR-CLEGG & COMPANY LTD.

DATE: May 17, 1976

430 - 395 Belmont Street
Vancouver, B.C. V6C 2G3

CERTIFICATE OF ASSAY

Samples submitted: May 6, 1976
Results released: May 17, 1976

I hereby certify that the following are the results of assays made by us upon the herein described silice sample

MARKED		GOLD		SILVER							TOTAL V PER T (2000 L)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	
76-115	120 - 125	<0.002		0.04							
	125 - 130	<0.002		0.05							
	130 - 135	<0.002		0.04							
	135 - 140	<0.002		0.04							
	140 - 145	<0.002		0.04							
	145 - 150	<0.002		0.03							
	150 - 155	<0.002		0.03							
	155 - 160	<0.002		0.03							
	160 - 165	<0.002		0.02							
	165 - 170	<0.002		0.02							
	170 - 175	<0.002		0.04							
	175 - 180	<0.002		0.04							
	180 - 185	<0.002		0.04							
	185 - 190	<0.002		0.04							
	190 - 195	<0.002		0.04							
	195 - 200	<0.002		0.03							
76-115	10 - 15	<0.002		0.07							
	15 - 20	<0.002		0.03							
	20 - 25	<0.002		0.02							
	25 - 30	0.011		3.35							
	30 - 35	0.005		0.60							
	35 - 40	<0.002		0.01							
	40 - 45	0.005		0.10							
	45 - 50	<0.002		0.01							
	50 - 55	0.001		0.01							
55 - 60	<0.002		0.01								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LE
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-116	60 - 65	<0.002	0.03								
	65 - 70	<0.002	0.04								
	70 - 75	0.002	0.09								
	75 - 80	<0.002	0.11								
	80 - 85	<0.002	0.07								
	85 - 90	<0.002	0.04								
	90 - 95	<0.002	0.03								
	95 - 100	<0.002	0.03								
	100 - 105	<0.002	0.02								
	105 - 110	<0.002	0.03								
	110 - 115	<0.002	0.02								
	115 - 120	<0.002	0.04								
	120 - 125	<0.002	0.03								
	125 - 130	<0.002	0.07								
	130 - 135	<0.002	0.05								
	135 - 140	<0.002	0.04								
	140 - 145	<0.002	0.03								
	145 - 150	<0.002	0.03								
	150 - 155	<0.002	0.02								
	155 - 160	<0.002	0.03								
	160 - 165	<0.002	0.02								
	165 - 170	<0.002	0.03								
	170 - 175	<0.002	0.03								
	175 - 180	<0.002	0.03								
	180 - 185	<0.002	0.03								
	185 - 190	<0.002	0.03								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-116	190 - 195	<0.002		0.03								
	195 - 200	<0.002		0.03								
76-117	4 - 10	<0.002		0.03								
	10 - 15	<0.002		0.04								
	15 - 20	0.002		0.03								
	20 - 25	0.010		0.05								
	25 - 30	<0.002		0.02								
	30 - 35	<0.002		0.02								
	40 - 45	<0.002		0.02								
	45 - 50	<0.002		0.03								
	50 - 55	0.002		0.03								
	55 - 60	<0.002		0.02								
	60 - 65	<0.002		0.02								
	65 - 70	<0.002		0.02								
	70 - 75	<0.002		0.02								
	75 - 80	<0.002		0.03								
	80 - 85	<0.002		0.03								
	85 - 90	<0.002		0.02								
	90 - 95	<0.002		0.03								
	95 - 100	<0.002		0.02								
76-118	5 - 10	<0.002		0.02								
	10 - 15	<0.002		0.02								
	15 - 20	<0.002		0.02								
	20 - 25	<0.002		<0.02								
	25 - 30	<0.002		0.02								
	30 - 35	<0.002		0.03								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-118	55 - 60	<0.002	0.03								
	60 - 65	<0.002	0.02								
	65 - 70A	<0.002	0.03								
	65 - 70B	<0.002	0.03								
	75 - 80	<0.002	0.03								
	80 - 85	<0.002	0.03								
	85 - 90	<0.002	0.03								
	90 - 95	<0.002	0.04								
	95 - 100	<0.002	0.03								
	100 - 105	<0.002	0.04								
	105 - 110	<0.002	0.03								
	110 - 115	<0.002	0.03								
	115 - 120	<0.002	0.03								
	120 - 125	<0.002	0.03								
	125 - 130	<0.002	0.03								
	130 - 135	<0.002	0.03								
	135 - 140	<0.002	0.02								
	140 - 145	<0.002	0.02								
	145 - 150	<0.002	0.02								
	150 - 155	<0.002	0.03								
	155 - 160	<0.002	0.03								
	160 - 165	<0.002	0.03								
	165 - 170	<0.002	0.03								
	170 - 175	<0.002	0.03								
	175 - 180	<0.002	0.03								
	180 - 185	<0.002	0.02								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER							TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	
76-113	185 - 190	<0.002		0.02							
	190 - 195	<0.002		0.02							
	195 - 200	<0.002		0.03							
76-119	5 - 10	<0.002		0.08							
	10 - 15	<0.002		0.05							
	15 - 20	<0.002		0.03							
	20 - 25	<0.002		0.06							
	25 - 30	<0.002		0.08							
	30 - 35	<0.002		0.09							
	35 - 40	<0.002		0.06							
	40 - 45	<0.002		0.05							
	45 - 50	<0.002		0.04							
	50 - 55	<0.002		0.03							
	55 - 60	<0.002		0.07							
	60 - 65	<0.002		0.09							
	65 - 70	<0.002		0.10							
	70 - 75	<0.002		0.05							
	75 - 80	<0.002		0.04							
	80 - 85	<0.002		0.04							
	85 - 90	<0.002		0.04							
	90 - 95	<0.002		0.04							
	95 - 100	<0.002		0.03							
	100 - 105	<0.002		0.03							
	105 - 110	<0.002		0.05							
	110 - 115	<0.002		0.05							
	115 - 120	<0.002		0.07							

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-119	120 - 125	<0.002		0.06								
	125 - 130	<0.002		0.04								
	130 - 135	0.002		0.04								
	135 - 140	<0.002		0.03								
	145 - 150	<0.002		0.03								
76-120	5 - 10	<0.002		0.04								
	10 - 15	<0.002		0.04								
	15 - 20	<0.002		0.04								
	20 - 25	<0.002		0.05								
	25 - 30	<0.002		0.04								
	30 - 35	<0.002		0.04								
	35 - 40	<0.002		0.04								
	40 - 45	<0.002		0.04								
	45 - 50	<0.002		0.05								
	50 - 55	<0.002		0.05								
	55 - 60	<0.002		0.04								
	60 - 65	<0.002		0.04								
	65 - 70	<0.002		0.04								
	70 - 75	<0.002		0.04								
	75 - 80	0.002		0.06								
	80 - 85	<0.002		0.03								
	85 - 90	<0.002		0.03								
	90 - 95	<0.002		0.06								
	95 - 100	<0.002		0.04								
	100 - 105	<0.002		0.04								
	105 - 110	<0.002		0.03								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER							TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	
76-120	110 - 115	<0.002		0.03							
	115 - 120	<0.002		0.04							
	120 - 125	<0.002		0.04							
	125 - 130	0.002		0.05							
	130 - 135	<0.002		0.03							
	135 - 140	0.002		0.04							
	140 - 145	0.014		0.10							
	145 - 150	0.002		0.04							
	150 - 155	<0.002		0.03							
	155 - 160	<0.002		0.03							
	160 - 165	<0.002		0.04							
	165 - 170	<0.002		0.03							
	170 - 175	<0.002		0.03							
	175 - 180	<0.002		0.04							
76-121	180 - 185	0.002		0.04							
	185 - 190	0.002		0.04							
	190 - 195	<0.002		0.02							
	195 - 200	<0.002		0.02							
	20 - 25	<0.002		0.03							
	25 - 30	<0.002		0.03							
	30 - 35	<0.002		0.04							
	35 - 40	<0.002		0.03							
	40 - 45	<0.002		0.05							
	45 - 50	<0.002		0.03							
50 - 55	<0.002		0.04								

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER								TOTAL VA PER TC (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-121	55 - 60	<0.002		0.03								
	60 - 65	<0.002		0.03								
	65 - 70	<0.002		0.03								
	70 - 75	<0.002		0.05								
	75 - 80	<0.002		0.05								
	80 - 85	<0.002		0.03								
	85 - 90	<0.002		0.04								
	90 - 95	<0.002		0.04								
	95 - 100	<0.002		0.03								
	100 - 105	<0.002		0.03								
	105 - 110	<0.002		0.05								
	110 - 115	<0.002		0.04								
	115 - 120	<0.002		0.04								
	120 - 125	<0.002		0.04								
	125 - 130	<0.002		0.03								
	130 - 135	<0.002		0.03								
	140 - 145	<0.002		0.07								
	145 - 150	<0.002		0.04								
	150 - 155	<0.002		0.03								
	155 - 160	<0.002		0.02								
	160 - 165	<0.002		0.03								
	165 - 170	<0.002		0.03								
	170 - 175	<0.002		0.03								
	175 - 180	<0.002		0.03								
	180 - 185	<0.002		0.03								
	185 - 190	<0.002		0.03								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sluice sample

MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-121	190 - 195	<0.002		0.03								
	195 - 200	<0.002		0.03								
76-122	3 - 10	<0.002		0.06								
	10 - 15	<0.002		0.05								
	15 - 20	<0.002		0.04								
	20 - 25	<0.002		0.03								
	25 - 30	<0.002		0.04								
	30 - 35	<0.002		0.03								
	35 - 40	0.002		0.04								
	40 - 45	<0.002		0.03								
	45 - 50	<0.002		0.03								
	50 - 55	<0.002		0.03								
	55 - 60	<0.002		0.03								
	60 - 65	<0.002		0.02								
	65 - 70	<0.002		0.03								
	70 - 75	<0.002		0.03								
	75 - 80	<0.002		0.04								
	80 - 85	<0.002		0.04								
	85 - 90	<0.002		0.03								
	90 - 95	<0.002		0.03								
	95 - 100	<0.002		0.03								
	100 - 105	<0.002		0.03								
	105 - 110	<0.002		0.04								
	110 - 115	<0.002		0.03								
	115 - 120	<0.002		0.03								
	120 - 125	<0.002		0.03								

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-122	125 - 130	∇0.002	0.03								
	130 - 135	∇0.002	0.03								
	135 - 140	∇0.002	0.03								
	140 - 145	∇0.002	0.03								
	145 - 150	∇0.002	0.03								
	150 - 155	∇0.002	0.03								
75-123	5 - 10	∇0.002	0.03								
	10 - 15	∇0.002	0.03								
	15 - 20	∇0.002	0.05								
	20 - 25	∇0.002	0.04								
	25 - 30	∇0.002	0.04								
	30 - 35	∇0.002	0.05								
	35 - 40	∇0.002	0.05								
	40 - 45	∇0.002	0.04								
	45 - 50	∇0.002	0.05								
	50 - 55	∇0.002	0.05								
	55 - 60	∇0.002	0.07								
	60 - 65	∇0.002	0.03								
	65 - 70	∇0.002	0.11								
	70 - 75	∇0.002	0.11								
	75 - 80	∇0.002	0.04								
	80 - 85	∇0.002	0.04								
	85 - 90	∇0.002	0.07								
	90 - 95	∇0.002	0.06								
	95 - 100	∇0.002	0.05								
	100 - 105	∇0.002	0.04								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described slimes sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
75-123	105 - 110	<0.002	0.05								
	110 - 115	<0.002	0.05								
	115 - 120	<0.002	0.05								
	120 - 125	<0.002	0.04								
	125 - 130	<0.002	0.07								
	130 - 135	<0.002	0.05								
	135 - 140	<0.002	0.07								
	140 - 145	<0.002	0.04								
	145 - 150	<0.002	0.06								
	150 - 155	<0.002	0.04								
	155 - 160	<0.002	0.04								
	160 - 165	0.002	0.03								
	165 - 170	0.002	0.11								
	170 - 175	0.002	0.07								
	175 - 180	<0.002	0.04								
	180 - 185	0.004	0.04								
	185 - 190	0.002	0.04								
	190 - 195	<0.002	0.05								
	195 - 200	<0.002	0.04								
76-124	5 - 10	<0.002	0.02								
	10 - 15	<0.002	0.02								
	15 - 20	<0.002	0.02								
	20 - 25	<0.002	0.13								
	25 - 30	<0.002	0.11								
	30 - 35	<0.002	0.02								
	35 - 40	<0.002	0.02								


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LE
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-124	40 - 45	0.002		0.02								
	45 - 50	0.002		0.02								
	50 - 55	0.002		0.02								
	55 - 60	0.002		0.02								
	60 - 65	0.002		0.02								
	65 - 70	0.002		0.02								
	70 - 75	0.002		0.02								
	75 - 80	0.002		0.02								
	80 - 85	0.002		0.02								
	85 - 90	0.002		0.02								
	90 - 95	0.002		0.02								
	95 - 100	0.002		0.02								
	100 - 105	0.002		0.02								
	105 - 110	0.002		0.02								
	110 - 115	0.002		0.02								
115 - 120	0.002		0.02									
120 - 125	0.002		0.02									
125 - 130	0.002		0.02									
130 - 135	0.002		0.02									
135 - 140	0.002		0.02									
140 - 145	0.002		0.02									
145 - 150	0.002		0.02									
76-125	0 - 5	0.002		0.02								
	5 - 10	0.002		0.02								
	10 - 15	0.002		0.02								
	15 - 20	0.002		0.02								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described silice sample samp

MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
75-125	20 - 25	<0.002		0.03								
	25 - 30	<0.002		0.02								
	30 - 35	<0.002		0.02								
	35 - 40	<0.002		0.02								
	40 - 45	<0.002		0.03								
	45 - 50	<0.002		0.03								
	50 - 55	<0.002		0.02								
	55 - 60	<0.002		0.05								
	60 - 65	<0.002		0.02								
	65 - 70	<0.002		0.02								
	70 - 75	<0.002		0.02								
	75 - 80	<0.002		0.03								
	80 - 85	<0.002		0.02								
	85 - 90	<0.002		0.02								
90 - 95	<0.002		0.02									
95 - 100	<0.002		0.03									
76-126	5 - 10	<0.002		0.02								
	10 - 15	<0.002		0.02								
	15 - 20	<0.002		0.03								
	20 - 25	<0.002		0.02								
	25 - 30	<0.002		0.02								
	30 - 35	<0.002		0.05								
	35 - 40	<0.002		0.05								
	40 - 45	<0.002		0.04								
	45 - 50	<0.002		0.03								
	50 - 55	<0.002		0.03								


 Registered Assayer, Province of British Columbia

BONDAR-CLEGG & COMPANY LTD.

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sluice sample

MARKED	GOLD		SILVER								TOTAL VALUE PER TON (2000 LBS)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-126	55 - 60	<0.002	0.02								
	60 - 65	<0.002	0.03								
	65 - 70	<0.002	0.03								
	70 - 75	<0.002	0.03								
	75 - 80	<0.002	0.03								
	80 - 85	<0.002	0.03								
	85 - 90	<0.002	0.03								
	90 - 95	<0.002	0.02								
76-127	95 - 100	<0.002	0.02								
	5 - 10	<0.002	0.13								
	10 - 15	<0.002	0.13								
	15 - 20	<0.002	0.14								
	20 - 25	<0.002	0.03								
	25 - 30	<0.002	0.03								
	30 - 35	<0.002	0.05								
	35 - 40	<0.002	0.03								
	40 - 45	<0.002	0.04								
	45 - 50	<0.002	0.04								
	50 - 55	<0.002	0.03								
	55 - 60	<0.002	0.03								
	60 - 65	<0.002	0.02								
	65 - 70	<0.002	0.03								
	70 - 75	<0.002	0.03								
	75 - 80	<0.002	0.04								
80 - 85	<0.002	0.03									
85 - 90	<0.002	0.04									


 Registered Assayer, Province of British Columbia

To: City Mac Mines Ltd.

REPORT No. 26 - 1

PAGE No. 1

BONDAR-CLEGG & COMPANY LTD.

DATE: June 4, 1976

433 - 355 Burrard Street
Vancouver, B.C. V6C 2G8

CERTIFICATE OF ASSAY

Samples submitted: May 27, 1976
Results completed: June 4, 1976

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER	Percent	Percent	Percent	Percent	Percent	Percent	Percent	TOTAL VALUE PER TON (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton								
76-134 100 - 105	<0.002		0.05								
105 - 110	0.002		0.04								
110 - 115	<0.002		0.04								
115 - 120	<0.002		0.05								
120 - 125	<0.002		0.04								
125 - 130	<0.002		0.03								
130 - 135	<0.002		0.03								
135 - 140	0.002		0.03								
140 - 145	<0.002		0.03								
145 - 150	<0.002		0.03								
150 - 155	<0.002		0.03								
155 - 160	<0.002		0.03								
160 - 165	<0.002		0.02								
165 - 170	<0.002		0.05								
170 - 175	<0.002		0.04								
175 - 180	0.002		0.03								
180 - 185	<0.002		0.03								
185 - 190	<0.002		0.04								
190 - 195	<0.002		0.03								
195 - 200	<0.002		0.03								
200 - 205	<0.002		0.03								
76-135 5 - 10	0.011		0.08								
10 - 15	0.007		0.05								
15 - 20	0.016		0.06								
20 - 25	0.014		0.11								
25 - 30	0.014		0.07								

RECEIVED
JUN 7 1976
Ass'd.....


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-135	30 - 35	0.003	0.08								
	35 - 40	0.005	0.10								
	40 - 45	0.003	0.04								
	45 - 50	0.018	0.09								
	50 - 55	0.012	0.05								
	55 - 60	0.004	0.05								
	60 - 65	0.004	0.06								
	65 - 70	0.014	0.08								
	70 - 75	0.032	0.11								
	75 - 80	0.016	0.08								
	80 - 85	0.018	0.12								
85 - 90	0.007	0.07									
90 - 95	0.014	0.08									
95 - 100	0.024	0.12									
76-136	5 - 10	0.019	0.06								
	10 - 15	0.004	0.06								
	15 - 20	0.002	0.05								
	20 - 25	0.002	0.05								
	25 - 30	0.003	0.04								
	30 - 35	0.005	0.03								
	35 - 40	0.009	0.05								
	40 - 45	0.012	0.07								
	45 - 50	0.015	0.04								
	50 - 55	0.020	0.08								
55 - 60A	0.022	0.11									
55 - 60B	0.011	0.07									

R. K. Rogers
Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VALUE PER TON (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-136	60 - 65	0.10	0.13								
	65 - 70	0.032	0.19								
	70 - 75	0.014	0.08								
	75 - 80	0.020	0.07								
	80 - 85	0.031	0.06								
	85 - 90	0.020	0.10								
	90 - 95	0.063	0.25								
	95 - 100	0.022	0.08								
76-137	5 - 10	0.011	0.10								
	10 - 15	0.008	0.04								
	15 - 20	0.003	0.04								
	20 - 25	0.007	0.05								
	25 - 30	0.006	0.05								
	30 - 35	0.009	0.04								
	35 - 40	0.006	0.04								
	40 - 45	0.003	0.03								
	45 - 50	0.006	0.04								
	50 - 55	0.022	0.13								
	55 - 60	0.029	0.08								
	60 - 65	0.005	0.04								
	65 - 70	0.008	0.04								
	70 - 75	0.007	0.04								
	75 - 80	0.007	0.05								
	80 - 85	0.005	0.06								
85 - 90	0.004	0.06									
90 - 95	0.005	0.05									


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY


I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LE
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-137	95 - 100	0.014	0.12								
	100 - 105	0.068	0.17								
	105 - 110	0.024	0.14								
	110 - 115	0.005	0.10								
	115 - 120	0.010	0.10								
	120 - 125	0.014	0.17								
	125 - 130	0.014	0.16								
	130 - 135	0.015	0.07								
	135 - 140	0.003	0.06								
	140 - 145	0.004	0.05								
	145 - 150	0.006	0.05								
	150 - 155	<0.002	0.05								
	155 - 160	<0.002	0.04								
	160 - 165	<0.002	0.03								
	165 - 170	<0.002	0.02								
	170 - 175	<0.002	0.02								
	175 - 180	<0.002	0.02								
180 - 185	<0.002	0.03									
76-137A	5 - 10	0.022	0.06								
	10 - 15	0.016	0.07								
76-138	15 - 20	0.012	0.08								
	20 - 25	0.011	0.06								
	5 - 10	0.009	0.05								
	15 - 20	0.040	0.22								
	30 - 35	0.008	0.06								
	35 - 40	0.004	0.06								

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER								TOTAL VA PER TO. (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-138	40 - 45	0.005		0.05								
	45 - 50	0.002		0.07								
	60 - 65	0.005		0.07								
	70 - 75	0.006		0.07								
	85 - 90	0.025		0.06								
	90 - 95	0.029		0.09								
	95 - 100	0.021		0.07								
76-139	5 - 10	0.008		0.06								
	10 - 15	0.005		0.05								
	15 - 20	0.002		0.06								
	20 - 25	0.004		0.06								
	25 - 30	0.019		0.09								
	30 - 35	0.010		0.10								
	35 - 40	0.003		0.07								
	40 - 45	0.003		0.06								
	45 - 50	0.005		0.05								
	50 - 55	0.007		0.06								
	55 - 60	0.010		0.06								
	60 - 65	0.005		0.05								
	65 - 70	0.002		0.04								
	70 - 75	0.006		0.07								
	75 - 80	0.004		0.06								
	80 - 85	0.002		0.04								
	85 - 90	0.002		0.04								
	90 - 95	0.002		0.03								
	95 - 100	<0.002		0.04								



Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge samp


MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-139	100 - 105	<0.002	0.04								
	105 - 110	<0.002	0.03								
	110 - 115	<0.002	0.03								
	115 - 120	<0.002	0.04								
	120 - 125	<0.002	0.04								
	125 - 130	<0.002	0.03								
	130 - 135	<0.002	0.02								
	135 - 140	<0.002	0.02								
	140 - 145	<0.002	0.02								
	145 - 150	<0.002	0.02								
	150 - 155	<0.002	0.02								
	155 - 160	<0.002	0.02								
	160 - 165	<0.002	<0.02								
	170 - 175A	<0.002	0.02								
	170 - 175B	<0.002	0.02								
	175 - 180	<0.002	<0.02								
180 - 185	<0.002	<0.02									
185 - 190	<0.002	<0.02									
190 - 195	<0.002	0.02									
195 - 200	<0.002	0.02									
76-140	5 - 10	0.009	0.08								
	10 - 15	0.007	0.05								
	15 - 20	0.014	0.12								
	20 - 25	0.005	0.05								
	25 - 30	0.022	0.12								
	30 - 35	0.028	0.19								

R. C. Clegg
 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge samp

MARKED	GOLD		SILVER								TOTAL VALUE PER TON (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-140	35 - 40	0.019	0.10								
	40 - 45	0.023	0.10								
	45 - 50	0.041	0.15								
	50 - 55	0.007	0.04								
	55 - 60	<0.002	0.08								
	60 - 65	<0.002	0.03								
	65 - 70	<0.002	0.05								
	70 - 75	<0.002	0.03								
	75 - 80	<0.002	0.06								
	80 - 85	<0.002	0.28								
	85 - 90	<0.002	0.09								
	90 - 95	0.002	0.09								
	95 - 100	0.005	0.05								
	100 - 105	0.014	0.07								
	105 - 110	0.010	0.06								
110 - 115	0.005	0.07									
115 - 120	0.008	0.04									
120 - 125	0.011	0.10									
125 - 130	0.011	0.12									
130 - 135	0.011	0.11									
76-141	5 - 10	0.006	0.03								
	10 - 15	0.007	0.03								
	15 - 20	0.010	0.03								
	20 - 25	0.002	0.04								
	25 - 30	0.003	0.03								
30 - 35	0.008	0.03									


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED	GOLD		SILVER								TOTAL VALUE PER TON (2000 LB.)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-141	35 - 40	0.008	0.03								
	40 - 45	0.006	0.04								
	45 - 50	0.002	0.04								
	50 - 55	<0.002	0.04								
	55 - 60	0.003	0.04								
	60 - 65	0.003	0.05								
	65 - 70	0.003	0.04								
	70 - 75	0.006	0.04								
	75 - 80	0.011	0.05								
	80 - 85	0.005	0.07								
76-142	85 - 90	0.012	0.08								
	90 - 95	0.006	0.07								
	95 - 100	0.005	0.06								
	7 - 10	<0.002	0.02								
	10 - 15	<0.002	0.03								
	15 - 20	<0.002	0.03								
	20 - 25	<0.002	0.06								
	25 - 30	<0.002	0.07								
	30 - 35	0.008	0.04								
	35 - 40	0.005	0.07								
40 - 45	0.007	0.04									
45 - 50	0.006	0.05									
50 - 55	0.017	0.05									
55 - 60	0.034	0.05									
60 - 65	0.018	0.04									
65 - 70	0.019	0.03									

R. K. Clegg
Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LE
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-142	70 - 75	0.007		0.04								
	75 - 80	0.012		0.06								
	85 - 90	0.006		0.04								
	90 - 95	0.013		0.05								
	95 - 100	<0.002		0.05								
76-145	10 - 15	0.005		0.06								
	15 - 20	0.040		0.04								
	20 - 25	0.035		0.06								
	25 - 30	0.002		0.07								
	30 - 35	<0.002		0.07								
	35 - 40	0.004		0.25								
	40 - 45	0.019		0.07								
	45 - 50	0.002		0.06								
	50 - 55	0.004		0.05								
	55 - 60	0.002		0.06								
	60 - 65	0.003		0.09								
	65 - 70	0.003		0.12								
	70 - 75	0.005		0.08								
	75 - 80	0.002		0.06								
	80 - 85	0.002		0.05								
	85 - 90	0.002		0.03								
	90 - 95	0.002		0.04								
	95 - 100	0.002		0.04								
	100 - 105	0.002		0.05								
	105 - 110	0.002		0.06								
	110 - 115	0.004		0.05								




Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-145 115 - 120	0.005		0.07								
120 - 125	0.006		0.09								
125 - 130	0.002		0.05								
130 - 135	<0.002		0.02								
135 - 140	<0.002		0.02								
140 - 145	<0.002		0.02								
145 - 150	<0.002		<0.02								
150 - 155	<0.002		<0.02								
155 - 160	<0.002		<0.02								
No Number	0.013		0.11								
cc Okanagan Falls											



Registered Assayer, Province of British Columbia

To: Canadian Mining Ltd.

REPORT No. 103-217

PAGE No. 1

BONDAR-CLEGG & COMPANY LTD.

DATE: June 11/75

707 - 355 Bernard Street
Vancouver, B.C. V5C 2G3

CERTIFICATE OF ASSAY

Samples submitted: June 3/75
Results completed: June 11/75

I hereby certify that the following are the results of assays made by us upon the herein described sluice sample

MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
75-133	10 - 15	0.055		0.36								
	20 - 25	0.023		0.13								
	25 - 30	0.021		0.07								
	50 - 55	0.007		0.17								
	55 - 60	0.010		0.02								
	65 - 70	0.006		0.07								
	75 - 80	0.019		0.03								
	80 - 85	0.003		0.10								
75-143	25 - 30	0.004		0.03								
	30 - 35	0.011		0.03								
	35 - 40	0.003		0.05								
	40 - 45	0.000		0.06								
	55 - 60	0.033		0.07								
	60 - 65	0.020		0.05								
	65 - 70	0.013		0.05								
	70 - 75	0.007		0.04								
75-164	75 - 80	0.010		0.04								
	80 - 85	0.003		0.04								
	85 - 90	0.004		0.03								
	90 - 95	0.002		0.03								
	95 - 100	0.002		0.04								
	100 - 105	0.002		0.04								
	110 - 115	0.002		0.05								
115 - 120	0.002		0.04									
	120 - 125	0.003		0.03								
	125 - 130	0.002		0.03								

RECEIVED
JUN 14 1975
Ass'd.

[Signature]
Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described slime sample

MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB.)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
75-144	130 - 135	<0.002	0.04								
	135 - 140	<0.002	0.04								
	140 - 145	<0.002	0.02								
	145 - 150	<0.002	0.03								
	150 - 155	0.003	0.04								
	155 - 160	0.004	0.04								
	160 - 170	0.003	0.04								
	170 - 175	0.007	0.05								
	175 - 180	0.016	0.05								
	180 - 185	0.003	0.04								
	185 - 190	0.003	0.05								
	190 - 195	0.002	0.04								
	195 - 200	<0.002	0.04								
	200 - 205	<0.002	0.03								
	205 - 210	<0.002	0.03								
	210 - 215	<0.002	0.04								
	215 - 220	<0.002	0.03								
	220 - 225	<0.002	0.03								
	225 - 230	<0.002	0.03								
	A	0.004	0.03								
B	0.002	0.02									
76-145	160 - 165	0.003	0.04								
	160 - 165A	<0.002	0.02								
	165 - 170	0.003	0.04								
	175 - 180	<0.002	0.05								
	180 - 185	0.003	0.04								

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described slag sample


MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-145	185 - 190	<0.002	0.02								
	190 - 195	<0.002	0.02								
	195 - 200	<0.002	0.03								
76-146	11 - 15	<0.002	0.02								
	15 - 20	0.009	0.04								
	20 - 25	<0.002	0.03								
	25 - 30	<0.002	0.03								
	30 - 35	<0.002	0.03								
	35 - 40	<0.002	0.03								
	40 - 45	<0.002	0.03								
	45 - 50	<0.002	0.03								
	50 - 55	<0.002	0.02								
	55 - 60	0.002	0.05								
	60 - 65	0.029	0.09								
	65 - 70	0.003	0.03								
	70 - 75	0.002	0.04								
	75 - 80	<0.002	0.03								
	80 - 85	<0.002	0.04								
	85 - 90	<0.002	0.03								
	90 - 95	<0.002	0.03								
	95 - 100	0.002	0.03								
	100 - 105	<0.002	0.03								
	105 - 110	<0.002	0.03								
	110 - 115	<0.002	0.02								
	115 - 120	<0.002	0.03								
	120 - 125	0.002	0.09								


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample


MARKED	GOLD		SILVER								TOTAL VA PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
76-146	125 - 130	0.002	0.07								
	135 - 140A	0.002	0.06								
	135 - 140B	0.002	0.02								
	140 - 145	0.002	0.03								
	145 - 150	0.002	0.02								
	150 - 155	0.002	0.02								
	155 - 160	0.002	0.03								
	160 - 165	0.002	0.03								
	165 - 170	0.003	0.04								
	170 - 175	0.003	0.04								
	175 - 180	0.003	0.06								
	180 - 185	0.002	0.04								
	185 - 190	0.002	0.03								
	190 - 195	0.002	0.03								
	195 - 200	0.002	0.03								
76-147	75 - 80	0.002	0.02								
	80 - 85	0.002	0.05								
	85 - 90	0.002	0.02								
	90 - 95	0.002	0.04								
	95 - 100	0.002	0.03								
	100 - 105	0.002	0.04								
	105 - 110	0.002	0.05								
	110 - 115	0.002	0.04								
	115 - 120	0.002	0.04								
120 - 125	0.002	0.03									
125 - 130	0.002	0.03									


 Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER								TOTAL VA PER TO (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-147	130 - 135	<0.002		0.04								
	135 - 140	<0.002		0.05								
	140 - 145	<0.002		0.05								
	145 - 150	<0.002		0.05								
	150 - 155	<0.002		0.06								
	155 - 160	<0.002		0.06								
	160 - 165	<0.002		0.05								
	165 - 170	<0.002		0.05								
	170 - 175	<0.002		0.05								
	175 - 180	<0.002		0.04								
	180 - 185	<0.002		0.05								
	185 - 190	<0.002		0.04								
	190 - 195	0.006		0.04								
	195 - 200	0.003		0.04								
	200 - 205	0.002		0.04								
210 - 215	0.002		0.04									
220 - 225	0.004		0.05									
76-148	70 - 75	<0.002		0.06								
	75 - 80	<0.002		0.07								
	80 - 85	<0.002		0.06								
	85 - 90	<0.002		0.05								
	90 - 95	0.002		0.03								
	95 - 100	<0.002		0.05								
	100 - 105	<0.002		0.05								
	105 - 110	<0.002		0.05								
110 - 115	<0.002		0.04									


 Registered Assayer - Province of British Columbia

To: CREPORT No 100 - 1PAGE No. 5


BONDAR-CLEGG & COMPANY LTD.

DATE: June 11/75

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described slates sample


MARKED	GOLD		SILVER								TOTAL VA PER TO (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
70-143	115 - 120	<0.002	0.05								
	120 - 125	<0.002	0.05								
	125 - 130	<0.002	0.04								
	130 - 135	<0.002	0.03								
	135 - 140	0.002	0.04								
	140 - 145	<0.002	0.05								
	145 - 150	<0.002	0.04								
	150 - 155	<0.002	0.05								
	155 - 160	<0.002	0.04								
	160 - 165	0.002	0.03								
	165 - 170	<0.002	0.03								
	170 - 175A	<0.002	0.03								
	170 - 175B	0.002	0.05								
	175 - 180A	<0.002	0.07								
	175 - 180B	<0.002	0.07								
	185 - 190	0.012	0.07								
	190 - 195	0.043	0.03								
195 - 200	0.012	0.06									
75-143	20 - 25	0.003	0.07								
	35 - 40	0.004	0.03								
	40 - 45	0.004	0.05								
	45 - 50	0.003	0.05								
	50 - 55	0.002	0.05								
	55 - 60	0.002	0.03								
	60 - 65	<0.002	0.05								
65 - 70	<0.002	0.04									


Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described sludge sample

MARKED		GOLD		SILVER								TOTAL VALUE PER TON (2000 LB)
		Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
76-149	120 - 125	<0.002		0.05								
	125 - 130	0.002		0.04								
	130 - 135A	<0.002		0.04								
	130 - 135B	<0.002		0.05								
	140 - 145	<0.002		0.05								
	145 - 150	<0.002		0.04								
	150 - 155	<0.002		0.04								
	155 - 160	<0.002		0.03								
	160 - 165	<0.002		0.03								
	165 - 170	<0.002		0.04								
	170 - 175	<0.002		0.04								
	175 - 180	0.002		0.04								
	180 - 185	<0.002		0.04								
	185 - 190	<0.002		0.04								
	190 - 195	<0.002		0.04								
	195 - 200	<0.002		0.04								
	200 - 205	<0.002		0.04								
	205 - 210A	<0.002		0.04								
205 - 210B	<0.002		0.03									
210 - 215	<0.002		0.12									
215 - 220	<0.002		0.04									
220 - 225	<0.002		0.03									
225 - 230	<0.002		0.03									
76-150	122 - 125	<0.002		0.02								
	125 - 130	<0.002		0.02								
	130 - 135	<0.002		0.02								




Registered Assayer, Province of British Columbia

CERTIFICATE OF ASSAY

I hereby certify that the following are the results of assays made by us upon the herein described quartz sample.

MARKED	GOLD		SILVER								TOTAL VA PER TON (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
70-150 135 - 140	0.002		0.03								
140 - 145	0.002		0.03								
145 - 150	0.002		0.03								
155 - 160	0.002		0.03								
160 - 165A	0.002		0.02								
160 - 165B	0.002		0.02								
165 - 170A	0.002		0.03								
165 - 170B	0.002		0.03								
170 - 175	0.002		0.02								
175 - 180	0.002		0.02								
180 - 185	0.002		0.02								
185 - 190	0.002		0.02								
190 - 195	0.002		0.03								
195 - 200	0.002		0.03								
200 - 205	0.002		0.02								
205 - 210	0.002		0.02								
210 - 215	0.002		0.03								
215 - 220	0.002		0.03								
220 - 225	0.002		0.03								
225 - 230	0.002		0.04								
230 - 235	0.002		0.03								
235 - 240	0.004		0.03								
240 - 245	0.007		0.09								
245 - 250	0.003		0.07								
250 - 255	0.003		0.03								
255 - 260	0.002		0.02								


 Registered Assayer, Province of British Columbia

To: _____

REPORT No. _____

PAGE No. 9

BONDAR-CLEGG & COMPANY LTD.

DATE: July 11/72

CERTIFICATE OF ASSAY


I hereby certify that the following are the results of assays made by us upon the herein described slates sample

MARKED	GOLD		SILVER								TOTAL VZ PER TC (2000 LB)
	Ounces per Ton	Value per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent		
74-2 85 - 90	0.002		0.04								
100 - 105	<0.002		0.04								
No Number 105 - 110	<0.002		0.05								
A	0.001		0.32								
B	0.005		0.14								
cc Okanagan Falls,											


 Registered Assayer, Province of British Columbia



GEOLOGY		EXPLANATION		SYMBOLS	
[Symbol]	Alluvium & Post-mineral cover	[Symbol]	Defined	[Symbol]	D.D.H.
[Symbol]	Quartz - andesite, andesite with strong quartz veining	[Symbol]	Approximate	[Symbol]	Percussion Drill Hole
[Symbol]	Andesite - quartz - breccia, andesite with moderate quartz veining	[Symbol]	Inferred	[Symbol]	Attitude of bedding
[Symbol]	Andesite, andesite porphyry	[Symbol]	Known fault	[Symbol]	Inferred fault
[Symbol]	Greywacke, siltstone, shale	[Symbol]	Outcrop	[Symbol]	Trench
[Symbol]	Lahar (pyroclastic & volcanic breccia)	[Symbol]	Survey point	[Symbol]	Survey point
[Symbol]		[Symbol]	Orebody	[Symbol]	Orebody
[Symbol]		[Symbol]	Potential Ore Zone	[Symbol]	Potential Ore Zone



6100

GEOLOGICAL COMPILATION
SHOWING
OREBODY & PERCUSSION HOLES DRILLED 1976

THE DUSTY MAC MINE
OKANAGAN FALLS, B.C.

MINERAL RESOURCES BRANCH
ASSESSMENT REPORT
NO. 6100
MAP NO. #1

SCALE: 1 INCH = 100 FEET

AMADEUS CONSULTANTS LTD. 76 Preliminary Report by J. G. S. S. AUGUST, 1973