



6239

ASSESSMENT REPORT
ON THE
HOWARD CLAIM GROUP
LILLOOET MINING DIVISION
GOLDBRIDGE, BRITISH COLUMBIA

PREPARED FOR
NEW CONGRESS RESOURCES LTD.

PREPARED BY
R.W. PHENDLER, P. ENG.





RESERVE MIN. & FLACR
% 22.1, 1-OCT-54
% 22.1, 1-OCT-54

RESERVE MIN. & FLACR
BELOW 2140' CONTOUR
RELEASE REQUIRED
% 20.0, 10. SEP. 60
% 11.0, 17. MAY 60
% 18.6, 9. AUG. 60

NEW CONGRESS RESOURCES LTD
LOCATION MAP
of
HOWARD GROUP, GOLD BRIDGE, B.C.
SCALE 1:50000 MARCH, 1977

Mar 31, 1977

Fig. 1

Between March 10 and March 20, 1977, a total of 497 feet of BQ (17/16" Core) diamond drilling was carried out in three holes as follows:

<u>D.H. No.</u>	<u>Azimuth</u>	<u>Inclination</u>	<u>Core Diameter</u>	<u>Elevation</u>
1	N 90° E	-45°	17/16"	2850'
2	N 90° E	-65°	17/16"	2850'
3	N 50° E	-45°	17/16"	2850'

The program was supervised by Mr. H.E. Derraugh and followed the recommendations of R.W. Phendler who split and sampled the mineralized zones, in Vancouver.


The core is presently stored at the drill site on the NAP 1 Claim (see Figures 2 and 3), except for the vein intersections which are stored at the home of R.W. Phendler in Vancouver (6175 Granville Street).

This assessment report is accompanied by the following:

1. An itemized cost statement, including a diamond drill contract and invoice. The statement also includes assay invoices and an invoice covering the cost of repairing 1400 feet of road.
2. Log sheets of Holes 1, 2 and 3.
3. Assay certificates from Acme Analytical Laboratories Ltd. and General Testing Laboratories Ltd.
4. A surface plan at a scale of 1"=100' (1:1200) showing hole locations in relation to claim unit boundaries and surface features.
5. An accurate index (location) map showing claim outlines, geographic features, etc.
6. A surface plan showing the section of road that was repaired, in relation to claim boundaries, drilling location and geographic features.

7. A statement of qualifications of the writer.
8. Invoices covering assaying of core samples.

B. W. Phendler, P. E.



April 1977

COST STATEMENT

1. Diamond drilling - Kendrick Drilling Ltd.	\$8,700.00
2. Road repairs - by bulldozer - Kalman Borsos	400.00
3. Assaying - General Testing Ltd.- Invoice V33200	180.00
4. Assaying - General Testing Ltd.- Invoice V33206	93.00
5. Acme Analytical Lab. Ltd. - Invoice 7113	<u>45.00</u>
Total	<u>\$9,418.00</u>

CONTRACT AGREEMENT

between NEW CONGRESS RESOURCES LTD., 100 - 626 West Pender Street, Vancouver, B. C., hereinafter referred to as the "Client", and KENDRICK DRILLING, 1825 Maple Street, Vancouver, B. C., hereinafter referred to as the "Contractor".

1. The Client guarantees a minimum of 600 feet of diamond drilling (core and casing) in a series of 3 holes, all holes to be drilled from the same set up with a minimum depth of 100 feet and maximum depth of 250 feet. All measurements to be taken from top of casing T.
2. The Contractor guarantees to sink with standard NW or BW Casing by Diamond Drill the specified minimum footage recovering BQ Wireline core approximately one and seven sixteenths inches (1.7/16") in diameter and to supply forthwith one (1) drill outfit along with the necessary associated equipment, industrial diamonds and labour to commence the work within the time limits specified by the Client at the following rates for casing and drilling in bedrock:

<u>Schedule of Rates for Diamond Drilling</u> <u>Depth of Hole Range</u>	<u>Size of Core</u> <u>BQ Wireline</u>
0 to 250 Feet	\$14.50 per foot

It is agreed by the Contractor that the contract price of \$14.50 per foot covers all costs including the supplying of water necessary for the drill program and casing to a depth of 40 feet. The only extra costs incurred by the Client are to be the cost of the core boxes plus those costs as hereinafter noted.

3. The Contractor agrees that all its necessary labour, tools, equipment, material and supplies including diamond wear and loss, except as hereinafter provided, shall be at its own cost and expense.

4. Field Cost

It is agreed that Field Cost shall be interpreted here and hereinafter to mean all direct labour at Eight Dollars (\$8.00) per man hour; casing lost or left in holes including shoe bits; machine and equipment rental at the rate of Five Dollars (\$5.00) per hour per machine.

5. Caves

In the event that cavities of loose and caving materials are encountered of a nature as to prevent the successful completion of any hole, the Contractor does not, under such conditions, guarantee to drill to a predetermined depth and, in the event that it becomes necessary to abandon the hole, the Client agrees to pay for such uncompleted holes at the rates herein specified for all footage completed.

In the event it becomes necessary to resort to cementing, reaming, casing or mud circulation in bedrock or overburden, the Client agrees to reimburse the Contractor to the extent of field cost, as hereinbefore defined, plus 15% of such field cost for such cementing, reaming, casing or mud circulation operations.

Wherever pipe or casing is lost or is left in a hole on the instructions of the Client or the Client's engineers or agents, the Client agrees to pay the Contractor for such pipe or casing at prevailing market prices, f.o.b. drill site. The Client agrees to pay the Contractor the cost of the diamond set casing shoe bits in addition to the cost of any casing left in the hole.

7. Transportation

Interim service trips in connection with the maintenance of drill camps and the drilling operation shall be at the Contractor's expense.

8. Waiting Time for Orders

It is understood and agreed that time lost waiting for orders from the Client's Resident Engineer, or Representative, shall be charged to the Client at field cost.

9. Core

The drilling shall be conducted so as to produce maximum core recovery with every reasonable precaution taken to prevent crushing, wearing or grinding of core. All cores recovered by the Contractor shall be delivered to the Client at the drill site and carefully marked and placed in receptacles to be supplied by the Contractor.

10. Sludge

The Contractor agrees to take sludge samples whenever instructed to do so. All sludge samples shall be placed by the Contractor's operators in containers provided by the Client and carefully marked by the Contractor.

11. The Contractor will not give out any information regarding drill results, or permit access to any drill core, to any person other than the Client's accredited Representatives, except upon specific permission of responsible officials of the Client.

12. Camps

The Contractor agrees to provide board and lodging to its drillers.

13. Discipline

The Contractor shall, at all times, enforce strict discipline and maintain good order among its employees, and shall not retain on the work any unfit person or anyone not skilled in the work assigned to him.

Any employees of the Contractor who are objectionable or unsatisfactory to the Client shall be removed from the work and replaced by an employee satisfactory to the Client.

14. Insurance

The Contractor shall maintain such insurance as will protect it from all claims and damage for personal injury, including death, resulting therefrom, and from claims for property damage arising from the operations under this Contract, in an amount not to exceed Five Hundred Thousand Dollars (\$500,000.00) inclusive, for all liabilities for any one accident or occurrence.

15. The Contractor shall be responsible for and will pay promptly all dues and assessments payable under any Workmen's Compensation Act, or other similar Act, whether Provincial or Dominion, in respect of its employees.

16. Payment

The Client agrees to set up a trust account at the Bank of Nova Scotia, 602 West Hastings Street, Vancouver, B. C., in the sum of ~~Eight Thousand Seven Hundred Dollars (\$8,700.00)~~ As the work progresses the Contractor's invoices will be paid out of this account with cheques signed by a duly authorised representative of the Client and a duly authorised representative of the Contractor.

4
4 *thousand*
thirty dollars
thirty cents
(10,040.30)
in advance

17. This agreement may be altered only by written consent of both parties hereto.

18. Time is of the essence in this agreement.

4
4 *thousand*
two hundred
thirty-nine
dollars - seventy
cents
(2,659.70)
in

DATED THIS DAY OF MARCH, 1977.

Signed:

Arnold Kendrick
KENDRICK DRILLING

[Signature]
NEW CONGRESS RESOURCES LTD.

Witness

Witness

[Signature]

[Signature]

Kendrick Drilling
1825 Maple Street
Vancouver, B.C.

March 21, 1977

New Congress Resources Ltd.
100-626 W. Pender St.
Vancouver, B.C.

Re: Billing for Completion of Drilling Contract

Costs for completion of drilling, per contract	\$8,700.00
Less: advance March 6, 1977	<u>2,659.70</u>
Balance	<u>\$6,040.30</u>

On behalf of Kendrick Drilling

Arnold Kendrick

Arnold Kendrick

Payment received in full, March 21, 1977

HLB

Ingenieros

Mar 21/77

1

11. NEW CONGRESS RESOURCES LTD.

626 WEST PENDER ST. VANCOUVER B.C.

In account with KALMAN BOGSON Box 612

Terms CASH

LILLOOET B.C.
VOK-100

ROAD REPAIRS

400 00

McLennan
Ferris

APPD. FOR PNT *Appd. [Signature]*
DATE PAID *Mar 14/77*
CHECK # *596*

TOTAL


400 00

Drill Hole Log

COMPANY **NEW CONGRESS** PROPERTY **GOLDBRIDGE** Section No. **HOLE No. 1**

Started MARCH 10/77	Bearing N 90 E	Lat.	Collar El. 2850'	Logged by H. DERRAUGH	Date MARCH 10/77
Completed MARCH 12/77	Angle from Horizon -45	Dep.	Bottom. El.	Remarks SAMPLED&SPLIT BY R. PHENDLER	
Driller KENDRICK DRILLING	Length 162-0'	Location	Level	MAR 14/77, ASSAYED BY ACME ANALYTICAL LAB	

FEET		Interval	RECOVERY		DESCRIPTION	Sample No.	From-To	Interval	ASSAY	
From	To			%					ozAU	ozAG
0	32.0		-	-	OVERBURDEN.					
32.0	46.0		-	-	TUFF-ANDESITIC, LITTLE PYRITE, MEDIUM GREEN, MEDIUM GRAINED.					
46.0	58.4		-	-	SAME AS ABOVE, BUT WEAKLY FRACTURED, BLOCKY, NUMEROUS SLIPS.					
58.4	79.6		-	-	TUFF, ANDESITIC, MEDIUM GREEN, GRANULAR.					
79.6	81.0		-	-	LIGHT COLOURED DYKE-APLITE, SILICEOUS, HARDNESS-6					
81.0	85.0		-	-	TUFF, ANDESITIC-DARK GREEN.					
85.0	90.0		-	-	LIGHT COLOURED DYKE, SOME PYRITE,					
90.0	94.0		-	-	TUFF, ANDESITIC-MEDIUM GREEN.					
94.0	99.5		-	-	VEIN, WELL MINERALIZED-SEE SAMPLES					
99.5	101.7		-	-	VEIN LIGHTLY MINERALIZED-" "					
					CB STRGS-BRECCIATED	12320	93.0-94.4	1.4	.001	0.27
					20% PYRITE, ARSENIC SPK	12321	94.4-96.0	1.6	.007	0.01
					20% qtz, ASP, BLEBS	12322	96.0-98.0	2.0	.195	0.02
					10% PY-CHLORITIC	12323	98.0-99.8	1.8	.022	0.01
101.7	104.5		-	-	VEIN, WELL MINERALIZED-SAME					
104.5	162.		-	-	ANDESITIC TUFF, PORPHYRYTIC, MEDIUM GRAINED, DARK GREEN.					
					WK CBS PY SPECKS	12324	99.8-102.5	2.7	.012	0.01
					20% PYRITE, CB VNLETS	12325	102.5-104.5	(2.0)	.028	0.01
162.0	-		-	-	END OF HOLE					



R. Phendler, P.E.

Mar 31, 1977

Drill Hole Log

COMPANY NEW CONGRESS PROPERTY GOLDBRIDGE Section No. HOLE No. 2

Started MARCH 14/77	Bearing N 90 E	Lat.	Collar El. 2850'	Logged by H. DERRAUGH	Date MAR 17/77
Completed MARCH 16/77	Angle from Horizon -65	Dep.	Bottom. El.	Remarks SPLIT & SAMPLED BY R. PHENDLER, PER	
Driller KENDRICK DRILLING	Length 143.0	Location	Level	MAR 23, 1977. ASSAYED BY GENL. TESTING	

FEET			RECOVERY		DESCRIPTION	Sample No.	From-To	Interval	ASSAY		
From	To	Interval	%	ozAU					ozAG	%SB	
0	24.0				OVERBURDEN.						
24.0	44.0				VERY SOFT MUDDY MATERIAL-PROBABLY SURFACE LEACHING,						
44.0	109.0				TUFF, ANDESITIC, MEDIUM GREEN, PORPHYRYTIC, MEDIUM GRAINED, BLOCKY.						
109.0	110.2				DYKE-APLITE-FINE GRAINED-SILICEOUS.						
110.2	119.0				ANDESITIC-SAME AS 44.0'-109.0',						
119.0	120.0				DYKE-APLITE-SAME AS 109.0'-110.2'-CROSSES 60° to CORE.						
120.0	123.5				ANDESITIC-TUFFACEOUS, MEDIUM GREEN-MEDIUM-COARSE GRAINED.						
123.5	133.0				VEIN-CROSSES AT 60° - SEE BEFORE ^{BELOW} FOR DETAILS.						
133.0	143.0				ANDESITIC-SAME AS 120.0-123.5						
143.0	-				END OF HOLE.						
					BRECCIATED, CHLORITE, SEMICITE ^{SEMICITE}	14551	123.6-124.8	1.2	006	TR	.012
					10% PY 5%qtz, Asp SPECKS	14552	124.8-127.7	2.9	078	TR	.013
					chl. sev py spks	14553	127.7-131.4	3.7	002	TR	.010
					5% PY, WK qtz	14554	131.4-132.6	1.2	094	TR	.011




Drill Hole Log

COMPANY New Congress Resources Ltd PROPERTY Goldbridge Section No. HOLE No. 3

Started <u>March 17/77</u>	Bearing <u>N 50 E</u>	Lat. <u> </u>	Collar El. <u>2850'</u>	Logged by <u>H. Derrrough</u>	Date <u>March 17, 1977</u>
Completed <u>March 20, 1977</u>	Angle from Horizon <u>-45</u>	Dep. <u> </u>	Bottom. El. <u> </u>	Remarks <u>Split & Sampled by R. Phendler, P. Eng</u>	
Driller <u>Kendrick Drillers</u>	Length <u>192.0'</u>	Location <u> </u>	Level <u> </u>	Assayed by <u>Genl. Testing Labs, Vancouver</u>	

Feet		Interval	RECOVERY		DESCRIPTION	Sample No.	From-To	Interval	ASSAY		
From	To			%					ozAU	ozAG	%SB
0.0	20.0				Overburden.						
20.0	38.0				Soft, Brownish in places, muddy material-surface leached,						
38.0	103.0				Andesite tuff-medium grained, green,						
103.0	103.5				Dyke-Aplite-Siliceous firm,						
103.5	110.6				Andesite tuff-medium grained,						
110.6	116.5				Vein in sheared zone-sericite,						
116.5	119.5				Andesite-dark green, Bx'd sericite, schist	14555	10.8-111.8	(1.0)	.002	TR	.012
					10%qtz, Asp spks, 10%Py	14556	11.8-113.6	(1.8)	.402	.10	.016
					5%Py in sericite	14557	13.6-115.6	(2.0)	.132	.05	.019
119.5	121.7				Vein material-some quartz,						
121.7	192.0				Andesite-medium grained,						
192.0					dark green.						
					END OF HOLE						
					Sheared ^{Sheared} WK, qtz, py blebs, Asp	14558	19.5-122.5	(2.0)	.084	.03	.015
					SLUDGE	14559	12.-112.5	0.5	.034	TR	.016
					SLUDGE	14660	118-121	3.0	.048	TR	.016

R. Phendler P. Eng


ACME ANALYTICAL LABORATORIES LTD.

Assaying & Trace Analysis

Telephone: 299-5242

6455 Laurel Street * Burnaby, B.C. V5B 3B4

To New Congress Resources

c/o Lau Wolfen
626 W. Pender St.
Vancouver, B.C.

File No. 7113
Type of Samples cores
Disposition _____

ASSAY CERTIFICATE

c.c. Roy Phendler, Cannon Eng. Ltd.

No.	Sample	Ag oz/ton	Au oz/ton				No.
1	12320	.27	.001				1
2	12321	.01	.007				2
3	12322	.02	.195				3
4	12323	.01	.022				4
5	12324	.01	.012				5
6	12325	.01	.028				6
7							7
8							8
9							9
10							10
11							11
12							12
13							13
14							14
15							15
16							16
17							17
18							18
19							19
20							20

All reports are the confidential property of clients.


DATE SAMPLES RECEIVED March 15, 1977

DATE REPORTS MAILED March 17, 1977

ASSAYER

Dean Toye

DEAN TOYE, B.Sc.
CHIEF CHEMIST
CERTIFIED B.C. ASSAYER



GENERAL TESTING LABORATORIES

DIVISION SUPERINTENDENCE COMPANY (CANADA) LTD.

1001 EAST PENDER ST., VANCOUVER, B.C., CANADA, V6A 1W2
PHONE (604) 254-1647 TELEX 04-507514 CABLE SUPERVISE

TO:
NEW CONGRESS RESOURCES
904 - 626 West Pender Street
Vancouver, B.C.
V6B 1V9
Attn: Mr. R. Phendler

CERTIFICATE OF ASSAY

No: 7703-2354 DATE: March 28/77

We hereby certify that the following are the results of assays on: **ONS**

MARKED	GOLD	SILVER	Antimony	XXX	XXX	XXX	XXX	XXX
	OZ/ST	OZ/ST	Sb (%)					
14551	0.006	trace	0.012					
14552	0.078	trace	0.013					
14553	0.002	trace	0.010					
14554	0.094	trace	0.011					
14555	0.002	trace	0.012					
14556	0.372	0.10	0.016					
14557	0.132	0.05	0.019					
14558	0.084	0.03	0.015					
14559	0.034	trace	0.016					
14560	0.048	trace	0.016					

NOTE: REJECTS RETAINED ONE MONTH. PULPS RETAINED THREE MONTHS. ON REQUEST PULPS AND REJECTS WILL BE STORED FOR A MAXIMUM OF ONE YEAR.

ALL REPORTS ARE THE CONFIDENTIAL PROPERTY OF CLIENTS. PUBLICATION OF STATEMENTS, CONCLUSION OR EXTRACTS FROM OR REGARDING OUR REPORTS IS NOT PERMITTED WITHOUT OUR WRITTEN APPROVAL. ANY LIABILITY ATTACHED THERETO IS LIMITED TO THE FEE CHARGED.

B. Given

B. GIVEN PROVINCIAL ASSAYER

COPY

Analytical and Consulting Chemists, Bulk Cargo Specialists, Surveyors, Inspectors, Samplers, Weighers

MEMBER American Society For Testing Materials • The American Oil Chemists' Society • Canadian Testing Association
REFREE AND OR OFFICIAL CHEMISTS FOR Vancouver Merchants Exchange • National Institute Of Or-seed Products • The American Oil Chemists' Society
OFFICIAL WIGHMASTERS FOR Vancouver Board Of Trade • Vancouver Merchants Exchange



GENERAL TESTING LABORATORIES

DIVISION SUPERINTENDENCE COMPANY (CANADA) LTD.

1001 EAST PENDER ST., VANCOUVER, B.C., CANADA, V6A 1W2
 PHONE (604) 254-1647 TELEX 04-507514 CABLE SUPERVISE

TO: **NEW CONGRESS RESOURCES LTD.**
 626 West Pender Street
 Vancouver, B.C.
 V6B 1V9

CERTIFICATE OF ASSAY

No. **7703-2553** DATE: **March 29/77**

We hereby certify that the following are the results of assays on: **Ore**

MARKED	GOLD	SILVER	Antimony	XXX	XXI	XX	XXX	XXI
	OZ/ST XXX	OZ/ST GR/MT						
			35 (50)					
<u>B-24808</u>								
12320	0.002		0.014					
12321	0.002		0.027					
12322	0.164		0.016					
12323	0.014		0.021					
12324	0.012		0.021					
12325	0.004		0.021					

NOTE: REJECTS RETAINED ONE MONTH. PULPS RETAINED THREE MONTHS. ON REQUEST PULPS AND REJECTS WILL BE STORED FOR A MAXIMUM OF ONE YEAR.

ALL REPORTS ARE THE CONFIDENTIAL PROPERTY OF CLIENTS. PUBLICATION OF STATEMENTS, CONCLUSION OR EXTRACTS FROM OR REGARDING OUR REPORTS IS NOT PERMITTED WITHOUT OUR WRITTEN APPROVAL. ANY LIABILITY ATTACHED THERETO IS LIMITED TO THE FEE CHARGED.

B. Given

B. GIVEN PROVINCIAL ASSAYER

COPY

Analytical and Consulting Chemists, Bulk Cargo Specialists, Surveyors, Inspectors, Samplers, Weighers

MEMBER American Society For Testing Materials • The American Oil Chemists' Society • Canadian Testing Association
 REFEREE AND/OR OFFICIAL CHEMISTS FOR Vancouver Merchants Exchange • National Institute Of Oil Seed Products • The American Oil Chemists' Society
 OFFICIAL WEIGHMASTERS FOR Vancouver Board Of Trade • Vancouver Merchants Exchange


Certification

I, Roy William Phendler of the City of Vancouver in the Province of British Columbia, hereby certify as follows:

1. That I am a registered Professional Engineer in the Province of British Columbia No. 4421.
2. That I am a graduate of McGill University, Montreal, Canada with a Bachelor of Science in Geology.
3. That I have practiced my profession as mine, exploration and consulting geologist continuously for the past twenty-two years in Canada, the U.S.A., Mexico and South America.
4. I have not received nor do I expect to receive any interest directly or indirectly in the Howard Claims property nor do I hold any interest in New Congress Resources Ltd.
5. That the information contained herein was compiled as a result of my examination of the Howard Claims between September 9-11, 1975, and my study of drill core on March 14 and March 23, 1977.

R. W. Phendler, P. Eng.

R.W. Phendler ~~PHENDLER~~ Eng.



March 31, 1977

General Testing Laboratories Division
 Superintendence Company (Canada) Ltd.
 1001 East Pender St.
 Vancouver, B.C. V6A 1W2
 Ph (604) 254-1647

INVOICE V33200
DATE March 28, 1977
JOB NO.
LAB NO. 7703-2354

TO: **NEW CONGRESS RESOURCES**

984 - 626 West Pender Street
 Vancouver, B.C.
 V6B 1V9

Attn: Mr. R. Phendler

To : Assaying submitted samples of Ore Nos. 14551 - 14560
 (as per enclosed report) for AuAgSb:

10 AuAgSb x 18.00 = \$ 180.00

*Copy received R. Phendler
 please make payment direct*

DUE AND PAYABLE ON RECEIPT OF INVOICE. 1½% PER MONTH (18%) PER ANNUM CHARGED ON OVERDUE ACCOUNTS.

INVOICE



General Testing Laboratories Division
 Superintendence Company (Canada) Ltd.

1001 East Pender St.
 Vancouver, B.C. V6A 1W2
 Ph (604) 254-1647

INVOICE	V33206
DATE	March 29, 1977
JOB NO.	
LAB NO.	7703-2553

NEW CONGRESS RESOURCES LTD.
 626 West Pender Street
 Vancouver, B.C.
 V6B 1V9

To : Assaying submitted samples of Ore Nos. 12320 - 12325
 (as per enclosed report) for AuSb:

6 AuSb x 15.50 = \$ 93.00

DUE AND PAYABLE ON RECEIPT OF INVOICE. 1½% PER MONTH (18%) PER ANNUM CHARGED ON OVERDUE ACCOUNTS.

ACME ANALYTICAL LABORATORIES LTD.

6455 LAUREL STREET, BURNABY, B.C. V5B 3B4

PHONE: 299-5242

File: 7113

March 17, 1977

New Congress Resources
 c/o Lau Wolfen
 626 W. Pender St.
 Vancouver, B.C.

TERMS:
 NET TWO WEEKS INTEREST AT
 1 1/2% PER MONTH CHARGED ON
 OVERDUE ACCOUNTS.

NUMBER	ASSAY	PRICE	AMOUNT
6	Assay for Ag and Au @	7.50	\$45.00

*Imp. cost
 - 6000
 2/23/77
 600*

SHIPPING CHARGES:

ACME ANALYTICAL LABORATORIES LTD - VANCOUVER

PLEASE PAY LAST AMOUNT

15									15
16									16
17									17
18									18
19									19
20									20

All reports are the confidential property of clients.


DATE SAMPLES RECEIVED March 15, 1977

DATE REPORTS MAILED March 17, 1977

ASSAYER *Dean Toy*

DEAN TOYE, B.Sc.
 CHIEF CHEMIST

2/23/77



NAP 1
98(5)

#6239



ACE 24
22026 M
Phendler, P. Eng
March 31, 1977

CANNON-HICKS ASSOCIATES LTD.
VANCOUVER B.C.

NEW CONGRESS RESOURCES
PROJECT GOLD BRIDGE No Fig 2
DRAWN by R. PHENDLER, P. ENG.
SCALE: 1" = 100' DATE MAR 30, 77

CH



NAP 1
98(5)

DAVID
FR-L 7241

DRILLING AREA

"B" ZONE
75'

"C" ZONE (BLUFF)

Sample No	oz Au	oz Ag	%Sb	width
12121	0.030	2.60	4.27	1.5'
12122	0.036	1.99	0.31	3.0'
12125	0.008	0.08	0.01	10.0'
12124	0.190	0.10	0.01	10.0'
12123	0.120	0.50	0.03	5.0'
12126	0.124	0.95	16.00	1.2'

UNDERGROUND WORKINGS
No 3 LEVEL

SECTION OF
ROAD REPAIRED

"A" ZONE
75'

Sample No	oz Au	oz Ag	%Sb	width
12132	0.130	-	-	7.0'
12129	0.012	-	-	11.0'
12134	0.280	-	-	2.0'
12135	0.510	-	-	3.5'
12136	3.528	0.40	0.02	3.0'
12137	0.020	-	-	6.0'

No 3 Adit
CONGRESS MINE

LILLOOET
57 MILES

NEW LOGGING
ROAD

ACE 24-22026M

#6239



NAP 4
10(6)

CARPENTER LAKE 2250'

HIGHWAY VEIN
#1138 0.21 oz Au / 0.5'

SHOWING CHIP SAMPLES AND GEOCHEMICAL
SAMPLING

- 0.0 - 0.01 ppm Au - BACKGROUND
- 0.02 - 0.08 ppm Au - THRESHOLD
- ⊙ GREATER THAN 0.09 ppm Au - ANOMALOUS
- - OUTERCROP
- ▤ - QUARTZ PERIPHERY
- ▥ - SHALE
- ▧ - VOLCANICS-ANDESITE, TUFF

CANNON-HICKS ASSOCIATES LTD.
VANCOUVER B.C.

NEW CONGRESS RESOURCES LTD.

PROJECT CONGRESS MINE No Fig 3
MAPPING by R.W. PHENDLER

SCALE: 1" = 400' DATE MAR 77

