6488

#### PROSPECTING REPORT

I started my prospecting on the KiK 200 and Kik 300 Claims on November 10-1976.

The distance from my home in Kamloops to the Claims is approximately 112 Kilometers. It took one labourer and I, 14 days to set up camp and do the prospecting and sampling. The rock types consisted of Granodiorite cut by Quartz diorite. Chief mineralization consists of Chalcopyrite, Borinite and Molybdenum.

On April 10-1977, we went back to Kik 200 and KiK 300 Claims but were unable to go far without building a bridge across Inkikuh Creek. We worked at prospecting and building the bridge until April 17-1977.

L.E. Peckham

MINERAL RESOURCES BRANCH
ASSESSMENT REPORT


NO.\_\_\_\_

# PROSPECTING EXPENSES FOR KIK 200 and 300 CLAIMS

1.	Bridge construction across	Inkikuh Creek	F
		Labour and materials	\$ 620.00
2.	Camp construction	Labour and materials	1100.00
3.	Rental for Utility Trailer		70.00
4.	Rental for Chain Saw		221.00
5.	Prospecting	Labour and materials	1008.00
6.	Car travel expenses		420.00
7.	Food		375.00
		Total	3814.00

#### MAP OF ASSAY SAMPLING & RESULTS

## KIK 200- TRENCH #1



### ASSAY VALUES

V

AG\_SILVER-Ounce CU-COPPER- Percent MO- Moly- Percent



## can test Itd.

1650 PANDORA STREET, VANCOUVER, B.C. V5L 1L6 • **TELEPHONE 254-7278** 

Telex 04-507737

Mr. L. E. Peckham,

**SEMI QUANTITATIVE SPECTROGRAPHIC ANALYSES CERTIFICATE** 

# 301 - 277 Arrowstone Drive,

File No. 4906 B


V2C 1T8

Date Nov. 10,1976.

Kamloops, B.C. KIK 200-TRENCH #2

He hereby Certify that the following are the results of semi quantitative spectrographic analyses made on Ore samples submitted.

		1	2	3	4	- 5	Sample Identification
Aluminum	Al	5.					Somple 1
Antimony	Sb	ND					Sample 1: <b>9612</b>
Arsenic	As	ND					Comple 0
Barium	Ва	0.3			]		Sample 2:
Beryllium	Be	ND	ĺ				
Do. y mam		ND .					Sample 3:
Bismuth	Bi	ND					
Boron	В	0.004					Sample 4:
Cadmium	Cd	ND					
Calcium	Ca	0.1		İ			Sample 5:
Chromium	Cr	0.002					
Chromium	Ci	0.002					D
	_	No. 1					Percentages of the various elements expressed in these analyses may be considered accurate to within plus or
Cobalt	Co	ND					minus 35 to 50% of the amount present.
Copper	Cu	0.2					Semi-quantitative spectrographic analytical results for
Gallium	Ga	ND					gold and silver are normally not of a sufficient degree
Gold	Au	TRACE					of precision to enable calculation of the true value of ores. Therefore, should exact values be required, it is
Iron	Fe	3.					recommended that these elements be assayed by the
							conventional Fire Assay Method. Quantitative and Fire
Lead	Pb	TRACE					Assays may be carried out on the retained pulp samples.
Magnesium	Mg	0.5					Silicon, aluminum, magnesium, calcium and iron are
Manganese	Mn	0.02					normal components of complex silicates.
Molybdenum	Мо	0.001					MATRIX - Major constituent
Niobium	Nb	ND					MAJOR — Above normal spectrographic range
			-				TRACE — Detected but minor amounts
Nickel	Ni	TRACE					N.D. — Not detected  * — Suggest assay (above 0.3%
Potassium	K	2.					1 1 3 3 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Silicon	Si	MATRIX				·	
Silver	Ag	TRACE					AH
Sodium	Na	5.	-				All results expressed as <b>Percent</b>
							Note: Pulps retained one week.
Strontium	Sr	0.03					
Tantalum	Ta	ND					
Thorium	Th	ND					
Tin	Sn	ND					
Titanium	Ti						ALL REPORTS ARE THE CONFIDENTIAL PROPERTY OF
·	• •	0.5					CLIENTS, PUBLICATION OF STATEMENTS, CONCLUSION OR
Tungsten	·W	ND					ALL REPORTS ARE THE CONFIDENTIAL PROPERTY OF CLIENTS. PUBLICATION OF STATEMENTS, CONCLUSION OR EXTRACTS FROM OR REGARDING OUR REPORTS IS NOT PERMITTED WITHOUT OUR WRITTEN APPROVAL. ANY LIABIL-
Tranium	U						ITY ATTACHED THERETO IS LIMITED TO THE FEE CHARGED.
adium	V	ND	1				
Zinc		0.02					
ZIIIU	Zn	ND			1		
							CAN TEST LTD.
							- 40 */
							0.KO
					1		
Form No. 12 L		L		<u> </u>	<u> </u>		Spectroscopist






PHOTO - MOSAIC BY PETER J. HAMAN PHD. JUNE 7- 1977