

GEOLOGICAL AND GEOCHEMICAL REPORT

- on the -

DOME CLAIM GROUPS

Clinton Mining Division,
British Columbia

- for -

BLACK DOME EXPLORATION LTD.,

#904-675 West Hastings Street,
VANCOUVER, B. C. V6B 1N2.

Covering: Dome #1, Dome #2, Dome #7, Dome #9,
Dome #3, Dome #6, Dome #8, Dome #10,
Black Dome #1-#4 inclusive.

Work Performed: May 1 to October 23, 1979.

Location: (1). 51°20'N; 122°29'W.

(2). NTS Maps 92 O/8W & 92O/7E.

(3). At Black Dome Mountain, 71 km.
WNW of Clinton, B. C.

PREPARED BY:

KERR, DAWSON & ASSOCIATES LTD.,
#1-219 Victoria Street,
KAMLOOPS, B. C.

James M. Dawson, P. Eng.,
December 14, 1979.

7512
2 of 2

TABLE OF CONTENTS

	<u>Page No.</u>
Introduction	1
Property	2
Location and Access	4
History	5
Geology	6
Mineralization	8
Geochemistry	11
Summary and Conclusions	14

APPENDIX A: PERSONNEL

APPENDIX B: STATEMENT OF EXPENDITURES

APPENDIX C: WRITER'S CERTIFICATE

APPENDIX D: MAPS


Figure 161-1 - Location Map

Figure 161-2 - Index Map

Figure 161-22 - Soil and Rock Geochemistry
- Ridge Zone

Figure 161-23 - Soil Geochemistry - Eldorado
Grid Area

Figures 161-24 to
161-27 - Detailed Geology - Ridge Zone



BLACK DOME EXPLORATION LTD.

LOCATION MAP
DOME CLAIMS

CLINTON MINING DIVISION, B.C.

Date: December, 1978

Scale: 1" = 64 Miles

Dwn by: W. G.

Dwg no. 161-1

INTRODUCTION

The Black Dome Property has been subjected to a systematic exploration programme since 1977.

The 1979 geological and geochemical surveys are part of an on-going programme to fully evaluate the economic potential of the property.

Results of these surveys are appended on a series of maps accompanying this report.

PROPERTY

The property consists of 8 contiguous, metric claims totalling 97 units, 4 old 2-Post claims and 10 crown granted claims. The metric claims overlie the other two sets of claims (see figure 161-2). Claim data is as follows:

(1). Metric Claims:Dome "C" Group

<u>Claim Name</u>	<u>Record No.</u>	<u>Tag No.</u>	<u>Expiry Date</u>
Dome #3	119	42762	August 16/83
Dome #6	120	36053	September 13/83
Dome #8	262	37041	October 27/79

Dome "D" Group

Dome #1	117	42615	August 16/85
Dome #2	118	42761	August 16/85
Dome #7	121	36054	September 13/85
Dome #9	263	37042	October 27/79

Ungrouped Claim

Dome #10	320	45470	April 11/80
----------	-----	-------	-------------

(2). Located 2-Post Claims:Black Dome Group

<u>Claim Name</u>	<u>Record No.</u>	<u>Expiry Date</u>
Black Dome #1	3925	May 15/85
Black Dome #2	6926	May 15/85

(2). Located 2-Post Claims (continued):Black Dome Group

<u>Claim Name</u>	<u>Record No.</u>	<u>Expiry Date</u>	
Black Dome #3	6927	May	15/85
Black Dome #4	6928	May	15/85

(3). Crown Granted Claims:

<u>Claim Name</u>	<u>Lot No.</u>	<u>Under Surface Rights No.</u>	<u>Taxes Due</u>
Moosehorn	7871	62224E	July 1/80
Saddle	7872	62227E	July 1/80
Whisky Pack	7873	62222E	July 1/80
Pinion Pine	7874	62223E	July 1/80
Electrum Fraction	7875	62226E	July 1/80
Bonanza	7876	62229E	July 1/80
Eldorado	7877	62228E	July 1/80
Black Dome	7878	62221E	July 1/80
Ptarmigan	7879	62220E	July 1/80
Sugar Bowl Fraction	7880	62225E	July 1/80


The work described in this report was carried out on portions of Dome "C" group, Dome "D" group and the Black Dome group.

LOCATION AND ACCESS

The property is located in south-central British Columbia about 70 kilometers west-northwest of the village of Clinton. The approximate center of the claim block is at 51°20' north latitude and 122°29' west longitude.

The area is accessible via about 160 kilometers of gravel road which leads west from Route 97 about 18 kilometers north of Clinton.

Most of the property is easily accessible along old cat roads or on foot through the fairly open bush.



BLACK DOME EXPLORATION LTD.

INDEX MAP
OF THE
DOME CLAIMS

CLINTON MINING DIVISION, B.C.

TECH. WORK BY: K.D.A.	SCALE: 1:50,000
DRAWN BY: W.G.	DATE: DEC., 1978.
APPROVED BY: J.M.D.	DRAWING NO. 161-2

HISTORY

Gold was discovered at Black Dome Mountain in the late 1940's and during the 1950's and early 1960's, a fairly detailed programme of mapping and sampling with limited drilling and tunnelling was carried out by Empire Valley Mines and Silver Standard Mines. Most of this work was confined to veins outcropping on the upper slopes of Black Dome Mountain.

In 1977 and 1978, Barrier Reef Resources Ltd. commenced a detailed re-evaluation of the gold mineralization at Black Dome Mountain. Extensions of the known mineralization were found to the south and detailed trenching and sampling was undertaken to more fully assess the potential of this area.

During the 1979 season, extensive mapping and soil and rock chip sampling was performed primarily south of the old showings in the area known as the Ridge Zone. Soil sampling was carried out north of the main peak of Black Dome Mountain in the vicinity of the Eldorado Vein (see figures 161-2 and 161-23).

GEOLOGY

The Black Dome District is underlain by a sequence of Tertiary volcanic rocks which range in composition from basalt to rhyolite. Total thickness of the section is unknown but certainly exceeds 600 meters. The rocks are domed into a shallow, gently north-northeasterly plunging anticline. Zones of tension fractures caused by this doming are the loci for epithermal silver-gold mineralization. Later block faulting has caused considerable dislocation of individual rock units.

Surface exposures suggest a natural, three-fold division into (1) a lowermost unit of rhyolitic flows, fragmentals and associated volcanoclastic sediments (2) a central unit consisting of fairly uniform porphyritic andesite and ? dacite and (3) an uppermost unit of basalt.

Detailed mapping was carried out along the Ridge zone (see figures 161-24 to 161-27) in an effort to relate areas of anomalous and ore-grade gold-silver mineralization to specific rock types and/or alteration.

North of the inferred cross fault, just north of Trench #4 (see figure 161-26), the geology is relatively simple - all trenches being in the main andesite unit. The trenches expose relatively uniform porphyritic andesite, altered to varying degrees and cut by a few later dacite to andesite dikes.

South of the above mentioned fault the bedrock consists of a chaotic mixture of rhyolite flows breccias and tuffs with frequent, irregular, intercalated lenses of volcanoclastic sediments. Some erosional remnants of the main andesitic horizon are preserved above the rhyolite-sediment melange and the frequent dacite-andesite dikes are interpreted to be related to this upper andesite and indeed some may be feeders to it.

MINERALIZATION

At Black Dome gold-silver mineralization is associated with a system of epithermal quartz veins traceable for about 5,000 meters along strike. A pronounced decrease in values is noticed over the northernmost 500 meters and the southernmost 800 meters of the vein systems. These two latter areas are taken to represent the most distal portions of the vein systems from the central heat and (?) metal source pluton.

The bulk of the 1979 exploration programme was carried out over a portion of the Number 1 vein system known as the Ridge Zone (Fox, 1979).

Mineralization is associated with a quartz vein or stockwork zone which varies from two to five meters wide, strikes approximately north-northeast and dips steeply to moderately to the northwest. The mineralized zone has been referred to as a vein or stockwork zone because it is seldom a discrete vein. More commonly it is a silicified breccia with up to 60% of the volume, highly altered country rock.

The main silicified breccia or vein stockwork zone is usually surrounded by an envelope of argillic alteration and frequent thin quartz stringers. This envelope may vary from less than 1 meter to more than 20 meters and is usually more extensive in the hanging wall. It is usually noted as zone of brownish discolouration or bleaching in the zone of oxidation. In unoxidized rock the alteration envelope is usually a blue gray, partly silicified rock with frequent, disseminated very fine grained pyrite.

In several places where the alteration envelope is more extensive and contains abundant quartz veinlets low grade gold-silver values may extend for 10 more more meters outside the main quartz vein or stockwork zone.

Actual gold-silver mineralization is rarely seen; however it was noted in trenches 1, 2, and 6 (and several drill holes) where very fine grained, irregular blebs of native gold, electrum and ?silver sulphosalts were identified. Usually the only metallic mineral seen is a minor amount of vary fine grained pyrite.

Extensive surface and drill core sampling (see Report on Drilling 1979) has indicated that the mineralization is very erratic. However a higher grade shoot appears to be developing between Trench #1 and Trench #4 (see figure 161-26).

GEOCHEMISTRY

Soil samples were collected from two grid areas on the property - a large one over the Ridge Zone and upper Fairless Creek and a small one in the vicinity of the Eldorado Vein; (see figure 161-2 for the extent of these areas in relation to the property boundaries.)

The purpose of these surveys was to locate additional mineralized zones obscured by overburden and to assess the geochemical response of known areas of mineralization.

Samples were collected from the "B" horizon where possible; however in many cases there is no well developed soil profile. Samples were taken from small pits approximately 15 to 30 cm. deep. Stations were marked with flagging and the appropriate grid co-ordinates. After collection, samples were stored and shipped in waterproof kraft envelopes.

A total of 1,073 soil samples were collected and analysed for gold at the Vancouver laboratories of Bondar-Clegg and Company Ltd. Samples were dried and sieved and an aliquot of the -80 mesh fraction obtained.

Extraction was accomplished by hot aqua regia with analysis by atomic absorption spectrophotometry.

The mean and standard deviation were computed and the data classified into the following categories:

Negative	0	-	Mean
Possibly Anomalous	Mean	-	(Mean + 1 Std. Dev.)
Probably Anomalous	(Mean + 1 Std.Dev.)	-	(Mean + 2 Std. Dev.)
Definitely Anomalous	>	-	(Mean + 2 Std. Dev.)

The values were plotted on 1:2,500 scale base maps and definitely anomalous, probably anomalous and possibly anomalous areas were outlined (see figures 161-22 and 161-23).

Results from soils on the Eldorado Grid indicate that the mineralized zone composed of the Eldorado vein and the three associated stringer or stockwork zones persists to the northeast along strike. In addition, a number of anomalous values at the south east end of this

grid suggests the presence of one or more mineralized veins at present masked by talus or overburden.

Results from soils on the Ridge Zone grid show that the bulk of anomalous values are associated with the Number One vein zone and known or suspected parallel veins or "horsetails" to the east of it. (See figure 161-22). West of the Ridge Zone in the Fairless Creek drainage basin there are only a few isolated anomalous values. Several can be related to extensions of Skiber's Vein to the northeast and southwest.

A total of 76 rock chip samples were taken from sub-crop and rubble occurrences near the central part of the Ridge Zone grid. These samples were analysed geochemically for gold and the values are plotted on figure 161-22.


The data from this rock chip survey confirm the erratic nature of the gold mineralization. There seems to be no correlation with gold in rock chips and soils.

SUMMARY AND CONCLUSIONS

- (1). The Black Dome Mountain property consists of 8 metric claims totalling 97 units, 4 old two-post claims and 10 crown granted claims which are now all under the common ownership of Black Dome Exploration Ltd. The property is located in moderate terrain at Black Dome Mountain, about 70 km. WNW of Clinton, B. C. and is road accessible.


- (2). Considerable work was done by junior companies and individuals in the 1950's in exploration and evaluation of the quartz veins at Black Dome Mountain. A detailed re-evaluation of the district was begun by the present owners in 1977 because of the dramatic rise in the price of precious metals and the similarity of this district with other Tertiary, subaerial environments where low grade, large tonnage gold-silver deposits have been developed.

- (3). The district is underlain by a succession of Tertiary volcanic rocks which range in composition from rhyolite to basalt. Doming of this succession has produced tension fractures which are the loci of epithermal gold-silver mineralization.
- (4). Previous work established submarginal gold-silver values over narrow widths in quartz veins or stockwork zones. The present programme has delineated a higher grade zone on the southern extension of the Number One vein zone (Ridge Zone) and exploration for bulk tonnage "Waterloo Type" deposits has continued.



Respectfully Submitted By:

KERR, DAWSON AND ASSOCIATES LTD.,


James M. Dawson, P. Eng.,
GEOLOGIST

Kamloops, B. C.,
December 14th., 1979.

7512
2 of 2

APPENDIX A

PERSONNEL

PERSONNEL

R. M. Blais, P. Eng.	Mining Engineer	- May 21-25, June 1-10.
A. F. Reeve, P. Eng.	Geological Engineer	- July 1-4, August 4-7.
W. Gruenwald, B. Sc.	Geologist	- May 22, June 28-30, July 8-11, July 16-23, August 13-17.
S. Williams	Bushman	- May 22, June 14-30, July 1-12, September 23-24.
M. Dawson	Bushman	- June 14-30, July 1-9, July 18-22, August 13-20.
L. P. Duquette	Prospector	- May 22-24, August 2-6.
W. Bullmer	Labourer	- August 28-30, Sept. 1-6.
F. Hart	Carpenter	- June 5-15 (92 hrs.) June 18-22 (52 hrs.) July 15-31 (50 hrs.)
T. Johns	Cook	- June 1-30.

APPENDIX B

STATEMENT OF EXPENDITURES

STATEMENT OF EXPENDITURES

A. PERSONNEL:

R. M. Blais, P. Eng. 15 days @ \$125.00/day	\$1,875.00	
A. F. Reeve, P. Eng., 8 days @ \$200.00/day	1,600.00	
W. Gruenwald, B. Sc., 21 days @ \$125.00/day	2,625.00	
S. Williams, 32 days @ \$75.00/day	2,400.00	
M. Dawson, 39 days @ \$90.00/day	3,510.00	
L. P. Duquette 8 days @ \$50.00/day	400.00	
W. Bullmer 9 days @ \$80.00/day	720.00	
F. Hart, 194 hrs. @ \$10.00/hr.	1,940.00	
T. Johns, 30 days @ \$40.00/day	<u>1,200.00</u>	\$16,270.00
B. ASSAYS AND GEOCHEMICAL ANALYSIS:		3,300.00
C. HELICOPTER SUPPORT:		900.00
D. TRAVEL:		543.67
E. TELEPHONE AND POSTAGE:		580.60
F. FREIGHT, EXPRESS AND DELIVERY:		409.91
G. PRINTING, SECRETARIAL, REPORTS, MAPS, AIR PHOTOS, STATIONERY, AND DRAFTING SUPPLIES:		440.00
H. MISCELLANEOUS GEOCHEMICAL AND SURVEYING SUPPLIES:		<u>370.00</u>
	CARRIED FORWARD	<u>\$22,814.18</u>

BROUGHT FORWARD \$22,814.18

I. CAMP SUPPLIES, TENTS, LUMBER, KITCHEN EQUIPMENT, HARDWARE TOOLS, ETC.:	2,315.23
J. FOOD:	2,250.00
K. EQUIPMENT AND INSTRUMENT RENTALS:	240.00
L. PETROLEUM PRODUCTS AND CONTAINERS:	1,172.11
M. TRUCK AND CAR EXPENSE:	2,150.00
N. CONTRACT BULLDOZER RENTAL:	<u>10,390.00</u>

TOTAL HEREIN \$41,330.92

APPENDIX C

WRITER'S CERTIFICATE

JAMES M. DAWSON, P. ENG.
GEOLOGIST


SUITE 1 - 219 VICTORIA STREET
KAMLOOPS, B.C.

PHONE (604) 374-6427

CERTIFICATE

I, JAMES M. DAWSON, OF KAMLOOPS, BRITISH COLUMBIA, DO HEREBY
CERTIFY THAT:


- (1). I am a geologist employed by Kerr, Dawson and Associates Ltd. of Suite #1, 219 Victoria Street, Kamloops, B. C.
- (2). I am a graduate of the Memorial University of Newfoundland - B. Sc. (1960), M. Sc. (1963), a fellow of the Geological Association of Canada and a member of the Association of Professional Engineers of British Columbia. I have practised my profession for 16 years.
- (3). I am the author of this report which is based on a programme of geological and geochemical exploration carried out under my supervision.



KERR, DAWSON AND ASSOCIATES LTD.,


James M. Dawson
James M. Dawson, M. Sc., P. Eng.,
GEOLOGIST

December 14th., 1979,
KAMLOOPS, B. C.



- LEGEND**
- TRENCH OUTLINE
 - ROAD
 - GRID LINE WITH 25 METR STATIONS
 - VEIN OR VEIN ZONE OUTLINE
 - ADIT
 - DIAMOND DRILL HOLE
 - GEOCHEMICAL SOIL SAMPLE SITE WITH VALUE GOLD VALUE IN PARTS PER BILLION (PPB)
 - GRID LOCATION OF RUBBLE CHIP SAMPLE WITH VALUE IN PARTS PER BILLION (PPB)
 - TRENCH NUMBER
- GEOCHEMICAL CATEGORIES**
- 0-12 NEGATIVE
 - 13-29 POSSIBLY ANOMALOUS
 - 30-46 PROBABLY ANOMALOUS
 - >46 DEFINITELY ANOMALOUS


7512
2 of 2



BLACKDOME EXPLORATION LTD.
GOLD IN SOILS
RIDGE ZONE
DOMES CLAIMS
CLINTON MINING DIVISION, B.C.

TECH. WORK BY: KERR-DAWSON ASSOCIATES LTD.	SCALE: 1:2500
DRAWN BY: J.M.D.	DATE: NOVEMBER, 1979
APPROVED BY: J.M. DAWSON, P. ENG.	DWG. No.: 161-22

TO ACCOMPANY A REPORT BY J.M. DAWSON, P. ENG.




LEGEND

- ₅ GEOCHEMICAL SOIL SAMPLE SITE WITH VALUE IN PPB (PARTS PER BILLION)
- ▭ TRENCH OR PIT
- /// VEIN OR STRINGER ZONE
- ROAD
- CABIN
- 2050— CONTOUR LINE (IN METERS)

GEOCHEMICAL CATEGORIES


- 0 - 15 NEGATIVE
- ⊕ 16 - 38 POSSIBLY ANOMALOUS
- 39 - 61 PROBABLY ANOMALOUS
- > 61 DEFINITELY ANOMALOUS

7512
2 of 2



BLACK DOME EXPLORATION LTD.	
GOLD IN SOILS ELDORADO GRID AREA	
DOME CLAIMS	
CLINTON MINING DIVISION BRITISH COLUMBIA	
TECHNICAL WORK BY: KERR, DAWSON & ASSOCIATES	SCALE: 1:2,500
DRAWN BY:	DATE: NOVEMBER, 1979
APPROVED BY: J.M. DAWSON, P. ENG.	DRAWING NO.: 161-23


TO ACCOMPANY A REPORT BY J.M. DAWSON, P. ENG.



LEGEND

- 1 GREEN GRAY PORPHYRITIC ANDESITE ; IN PLACES ALTERED, BLEACHED AND SILICIFIED TO VARYING DEGREES
- 2 DARK GRAY, PORPHYRITIC DACITE OR ANDESITE DIKES
- 3 SILICIFIED OR QUARTZ STOCKWORK ZONES
- DIAMOND DRILL HOLE LOCATION (PROJECTED TO SURFACE)
- △ SURVEY STATION AND TRAVERSE LINE
- == ROAD
- O.B. OVERBURDEN COVERED AREA IN TRENCH

2 of 2
7512




BLACKDOME EXPLORATION LTD.

**DETAILED GEOLOGY
RIDGE ZONE
DOME CLAIMS**

CLINTON MINING DIVISION, B. C.

TECHNICAL WORK BY KEMP, DAWSON & ASSOCIATES LTD.	SCALE: 1:500 0 5m 10 meters 20m
DRAWN BY: W. G.	DATE: NOVEMBER, 1979.
APPROVED BY: J. M. DAWSON, P. ENG.	DRAWING NO. 161-24


TO ACCOMPANY A REPORT BY J. M. LAWSON, P. ENG.



LEGEND

- 1 GREEN GRAY PORPHYRITIC ANDESITE, IN PLACES ALTERED, BLEACHED AND SILICIFIED TO VARYING DEGREES.
- 2 DARK GRAY, PORPHYRITIC DACITE OR ANDESITE DIKES
- 3 SILICIFIED OR QUARTZ STOCKWORK ZONES
- DIAMOND DRILL HOLE LOCATION (PROJECTED TO SURFACE)
- △ SURVEY STATION AND TRAVERSE LINE
- ROAD
- O.B. OVERBURDEN COVERED AREA IN TRENCH

2 of 2
7512




BLACKDOME EXPLORATION LTD.

DETAILED GEOLOGY
RIDGE ZONE
DOMES CLAIMS

CLINTON MINING DIVISION, B.C.

TECHNICAL WORK BY KEHR, DAWSON ASSOCIATES LTD.	SCALE: 1:500 0 5m 10 meters 20m
DRAWN BY: W.G.	DATE: NOVEMBER, 1979
APPROVED BY: J.M. DAWSON, P.ENG.	DRAWING NO: 161-25


TO ACCOMPANY A REPORT BY J.M. DAWSON, P.ENG.



LEGEND

- 1 GREEN GRAY TO BROWN, PORPHYRITIC ANDESITIC FLOWS.
- 2 DARK GRAY TO BLACK, DENSE, SOMETIMES PORPHYRITIC DACITE OR ANDESITE DIKES
- 3 SILICIFIED OR QUARTZ STOCKWORK ZONES.
- 4 PALE GREEN TO BROWNISH VOLCANICLASTIC SEDIMENTS
- 5 PALE BROWN TO WHITE AND LIMONITE STAINED RHYOLITE FLOWS, BRECCIAS AND ASH BEDS.
- DIAMOND DRILL HOLE LOCATION (PROJECTED TO SURFACE)
- △ SURVEY STATION AND TRAVERSE LINE
- ROAD
- O.B. OVERBURDEN COVERED AREA IN TRENCH



75122 of 2



BLACKDOME EXPLORATION LTD.
DETAILED GEOLOGY
 RIDGE ZONE
DOMES CLAIMS
 CLINTON MINING DIVISION, B. C.


TECHNICAL WORK BY: KEITH DAWSON & ASSOCIATES LTD. SCALE: 1:500
 DRAWN BY: W.G. DATE: NOVEMBER, 1979.
 APPROVED BY: J.M. DAWSON, P.ENG. DRAWING NO. 161-26

TO ACCOMPANY A REPORT BY J.M. DAWSON, P.ENG.



LEGEND

- 1 GREENISH GRAY TO BROWN, PORPHYRITIC ANDESITIC FLOWS.
- 2 DARK GRAY TO BLACK, DENSE, SOMETIMES PORPHYRITIC DACITE OR ANDESITE DIKES.
- 3 SILICIFIED OR QUARTZ STOCKWORK ZONES.
- 4 PALE GREEN TO BROWNISH VOLCANICLASTIC SEDIMENTS.
- 5 PALE BROWN TO WHITE AND LIMONITE STAINED RHYOLITE FLOWS, BRECCIAS AND ASH BEDS.
- DIAMOND DRILL HOLE LOCATION (PROJECTED TO SURFACE).
- △ SURVEY STATION AND TRAVERSE LINE.
- *** VEIN QUARTZ FLOAT
- O.B. OVERBURDEN COVERED AREA IN TRENCH



2 of 2 7512

BLACKDOME EXPLORATION LTD.
DETAILED GEOLOGY
 RIDGE ZONE
DOMES CLAIMS
 CLINTON MINING DIVISION, B.C.

TECHNICAL WORK BY: KERR, DAWSON & ASSOCIATES LTD.	SCALE: 1:500
DRAWN BY: W.G.	DATE: NOVEMBER, 1979.
APPROVED BY: J.M. DAWSON, P.ENG.	DRAWING NO. 161-27

TO ACCOMPANY A REPORT BY J.M. DAWSON, P.ENG.

VEIN LOCATION APPROXIMATE

SELECTED PIECES OF VEIN QUARTZ MATERIAL FROM MINERALIZED BOULDERS
 0.180 g/t Au
 0.60 g/t Ag

GRAB SAMPLE FROM VEIN QUARTZ BOULDERS
 0.070 g/t Au
 0.60 g/t Ag

GRAB SAMPLE FROM ALTERED ANDESITE BOULDERS WITH FREQUENT QUARTZ STOCKWORK
 0.080 g/t Au
 0.40 g/t Ag

GRAB SAMPLE FROM COLLECTION OF QUARTZ BOULDERS
 0.960 g/t Au
 0.80 g/t Ag

GRAB SAMPLE FROM SEVERAL PIECES OF VEIN QUARTZ FLOAT
 0.120 g/t Au
 1.1 g/t Ag

SELECTED CHIPS FROM QUARTZ VEIN OR STOCKWORK ZONE IN OUTCROP APPROX. 1 METRE WIDE
 0.130 g/t Au
 4.10 g/t Ag

TRENCH #21