



PLACER DEVELOPMENT LIMITED

ASSESSMENT REPORT

for the

SOIL GEOCHEMICAL SURVEY

on the

EWE 1,2,3, CLAIMS

in the


OMINECA MINING DISTRICT

NTS 93L2 E

Latitude 54°8'N Longitude 126°45'W

Owned by Placer Development Ltd.

Operated by Placer Development Ltd.



by

A.D. Clendenan

January, 1981

TABLE OF CONTENTS

	<u>Page</u>
List of figures	1
Itemized cost statement	2
Introduction	3
Location and access	3
Ownership, history	3
Control Grid	8
Surficial Geology	8
Geochemical Survey	
Sampling Method	8
Analysis Method	10
Statistics of the soils geochemical results.	10
Evaluation of the soils geochemical results.	11
Conclusion and Recommendation	12
Statement of Qualifications and Certification	13
Appendix	
List of soil samples locations and analyses	
In Pocket	
Soil geochemical maps, figures 6-10	

LIST OF FIGURES

		<u>Page</u>
Placefix Map	1:8,750,000	Fig. 1      4
Location Map	1:250,000	Fig. 2      5
Location Map	1:50000	Fig. 3      6
Access and Line Location Orthophoto	1:20000	Fig. 4      7
Surficial Geology Orthophoto	1,20000	Fig. 5      9
Soil Geochemistry Pb	1:5000	Fig. 6      In Pocket
Soil Geochemistry Zn	1:5000	Fig. 7      "
Soil Geochemistry Ag	1:5000	Fig. 8      "
Soil Geochemistry Cu	1:5000	Fig. 9      "
Soil Geochemistry Mo	1:5000	Fig. 10     "

ITEMIZED COST STATEMENT  
EWE 1 - 3 Claims

Line Cutting, 21 line Km.

-contracted to

Donegal Developments Ltd.

E. Mackenzie - party chief with crew of 3	
July 17 - 24; 34 mandays	5403.92
- Transportation	
1976 Chev 4x4 Surburban; 8 days @\$40/day	320.00
Astar Helicopter	
July 18-24; 5.25 hr. @\$3.50/hour	1837.50
	<u>7561.42</u>

Soil Sampling, 39 line km, 1410 samples

-wages

Clendenan July 6,8,10,12,17,18,19, Sept. 1,9, 9 days @\$170/day	1530.00
Dore July 12,14-19,21-25,31,13 days @\$65.45/day	850.85
Hanson July 30; 1 day @\$71.65/day	71.65
Hutchison July 10,12,14-19,21,22,24,28; 12 days @\$78/day	936.00
Jeffries July 6,8,10,12,14,15,19,21-25,28,31, Aug. 1,14,17,24; 18 days @\$78/day	1404.00
Robotham July 12-25,30, Sept. 9; 7 days @\$65.45/day	458.15
Sutherland July 23-25; 3 days @\$65.45/day	196.35
Thornton Sept 1; 1 day @\$170/day	170.00
-Room and Board	
Clendenan, Dore, Hutchison, Jeffries, Thornton 53 mandays @\$40/day	2120.00
-Transportation	
2x1980 Chevy 4x4 3/4T; 30 Vehicle days @\$40/day	1200.00
1980 Chev 4x4 3/4T surburban; 5 days @\$40/day	200.00
Astar Helicopter	
July 6-31, 18 hours @\$350/hour	6300.00
	<u>15437.00</u>

Analysis

1410 soil samples for Ag,PbZn, Cu, Mo @\$5.15 each	7261.50
32 soil samples for Ag, Au, As @\$9.50 each	304.00
	<u>7565.50</u>

Data Evaluation

Map preparation 9 days @\$180/day	1620.00
Report preparation 10 days @\$200/day	2000.00
	<u>3620.00</u>

TOTAL

34,183.92

### Introduction

The EWE 1,2, and 3 claims were staked on the basis of the B.C. Government rock geochemical data. The road building, line cutting and soils geochemistry portions of the 1980 exploration programme are contained in this report. In addition, a geophysical programme of H. EM (dual frequency), H.VLF, H. Mag, ground mag, ground VLF and CEM was carried out.


### Location and Access


The EWE 1-3 claims are located 30 kilometers south-south west ( $190^{\circ}$ T) of Houston in the rolling hills north-east of Owen Lake in NTS map area 93 L2E. See figures 1,2,3, and 4. Access for the majority of the work was by helicopter from Houston. Alternate access is via road from Houston. The turn off south to Owen Lake is 4 km. west of Houston on highway 16 west. Then 37 kilometers south on the Owen Lake road to the forestry camp site north of Owen Lake. The 4x4 trail to the south-east side of the EWE 1 claim starts from the gravel pit on the east side of the Owen Lake road (See figure 4). The entrance to this road was blocked by a gravel stock pile until September 1980. The trail is accessible only 1.5 km. to a point south of Winninyik hill as a result of a washout of a creek ford.

### Ownership, History

The EWE 1,2,3 claims, tag numbers 26885, 26901, 26889 respectively, were staked on 28 January, 1980 and recorded 4 February 1980 for Placer Development Ltd., Vancouver.

Portions of the EWE claim area were previously staked as the WINN and MISS claims for Marahaja minerals during 1968 to 1973. A soils geochemistry survey appears to have been carried out, however this data has not yet been located.







**FIGURE 2**  
PLACER DEVELOPMENT LIMITED  
 NTS 93 L


**EWE 1-3 CLAIMS**  
**LOCATION MAP**

0 5000 10000 15000  
 METRES

JAN, 1981.







### Control Grid

The 1980 soil sampling grid was laid out with east-west lines to cross the apparent trend of the geologic units. The control grid was established using the EWE 1 W2 boundary post as the south end of the 0+00 line. The north-south 0+00 line in the center of the property and the grid lines were established using silva compasses, hip chains and orthophotos. The grid lines are 200 meters apart and run east-west. The 0+00 line and alternate grid lines (21 line kilometers) were cut out with chainsaws. The cut-lines are therefore 400 meters apart. Samples were taken at flagged stations every 25 meters along all the lines. Figure 4.

### Surficial Geology

A surficial geology map was prepared to aid in the interpretation of soil geochemical results from areas which were glaciated and are totally or partially covered by glacial overburden. The surficial geology map of the EWE 1-3 claims was prepared by M. Gareau using 1979 B.C. Government stereo pairs and is presented as figure 5 on a 1:20000 scale orthophoto. Ground checks prior to photo mapping were carried out during August 1980. The photo mapping indicates that 90% of the property is covered by ground moraine with the remainder being mainly colluvium or organics. The ground moraine is typically less than 5 meters thick and the material is generally locally (0 to 1000 meters) derived. Therefore, except for a slight masking effect of the ground moraine on the underlying bedrock geochemistry, soils geochemistry appears to be an effective exploration tool on the claims.

### Geochemical Survey

#### Sampling Method

A total of 1410 soil samples were collected every 25 meters on east-west grid lines (200 meters apart), and a baseline (not the 0+00 line) for a total of 39 line kilometers. Samples were collected from the reddish-brown B horizon where available (95% of samples taken) from depths of 15 cm to 40 cm using a mattock. Notes were taken for each sample regarding line and station, soil composition, Building / 1030 West Georgia Street / Vancouver, B.C., Canada / V6E 3A8 (604) 682-7082 / Telex 04-55181

and colour, stream locations, road locations, claim post locations, sample depth, % residual and ground slope. Samples were collected in brown kraft paper bags and sent to Placer Development Ltd., Geochemistry Laboratory in Vancouver for analysis.

Analysis Method

The samples were dried in a hot air sample drying unit at 50°C and then the -80 mesh fraction was sieved out for analyses. The samples were analyzed for Pb, Zn, Ag, Cu, Mo by digesting 0.5 gram of the -80 mesh fraction in a concentrated perchloric/nitric acid mixture for four hours. The digested sample was then brought up to ten millilitres with the addition of distilled water and analyzed with a Perkins Elmer 603 Atomic Absorption Spectrophotometer. Background corrections using a simultaneous deturium were made for Pb and Ag. All analyses are in parts per million (ppm), see appendix.

The ranges of sensitivity using this method of analysis are Pb, 2-3000 ppm; Zn, 2-3000 ppm; Ag, 0.2-20 ppm; Cu, 2-4000 ppm; Mo, 1-1000 ppm.

Statistics of the Soils Geochemical Results

Lead background is 2-20 ppm with threshold values from 20-40 ppm. Values above 40 ppm are considered slightly anomalous while values greater than 100 ppm lead are considered to be significantly anomalous.

Zinc background is 2-150 ppm with threshold values from 150-200 ppm. Values above 200 ppm (mean + 2 standard deviations) are considered slightly anomalous while values greater than 450 ppm are considered to be significantly anomalous.

Silver background is 0.2 to 0.47 ppm with threshold values from 0.47-0.70 ppm. Values above 0.70 ppm (mean + 2 standard deviations) are considered slightly anomalous while values above 0.95 are considered anomalous. Values in excess of 2.0 ppm are considered to be significantly anomalous.

Copper background is 2-45 ppm with threshold values from 45-76 ppm. Values above 76 ppm (mean + 2 standard deviations) are considered anomalous while values above 100 ppm are considered significantly anomalous.

Molybdenum background is 1-4 ppm with threshold values from 4-6 ppm. Values above 6 ppm are considered anomalous while values greater than 10 ppm are considered to be significantly anomalous.

#### Evaluation of the Soils Geochemical Results

The contoured geochemical results and sample locations for Pb, Zn, Ag, Cu and Mo have been plotted on separate plan maps at a scale of 1:5000, see figures 6-10, in attached map pocket.

One area (Winninyik Hill) on the EWE 1 claim was found to have significant anomalous values in lead and zinc and to a lesser degree silver and copper (grid location L 14+50S 4 13+25W to 14+25W). Another line (L 13+50S) was sampled following discovery of the anomalous values on line 14+50S, however no anomalous values were found on this follow-up line. The anomaly is still open to the south and further soil sampling lines should be run to determine the extent of the anomalous values. The anomalous samples sites on line 14+50S are near the top of a 30° south facing slope so considerable down slope dispersion should be expected. Dr. N. Church of the B.C. Dept. of Mines indicated that there is a narrow lead-zinc vein on Winninyik hill, pers. comm. and B.C. D.M. perlim. map No. 11, May 1973. This vein was not located during resampling however a very few grains of galena were found in Tip Top Hill Pyroclastics beside two old hand trenches 15 meters upslope from the anomalous sample sites.


Coincident anomalous values of lead and zinc in soils were found at five other discrete sample sites. The sites are L 4+100S  $\Delta$  10+50E; L 6+00S  $\Delta$  8+75W; L 12+00S  $\Delta$  3+50E and  $\Delta$  11+00E. The sample taken at L 6+00S  $\Delta$  8+75W was also strongly anomalous in molybdenum, 39 ppm. All the anomalous soil samples were collected from the "B" horizon near either swamps or rock outcrops. Additional anomalous values for zinc only on lines adjoining the coincident lead-zinc anomalies may reflect the increased mobility of zinc in the low lying areas.

Generally the results of the soil sampling program are not encouraging. Almost all the statistically significantly anomalous values are discrete single point highs.

Conclusion and Recommendation

Limited prospecting and soil sampling in the areas of anomalous soil geochemical results should be carried out to locate, if possible, the cause and extent of the restricted soil anomalies.

Respectfully submitted,  
PLACER DEVELOPMENT LTD.

  
A.D. Clendenan,  
P. Geol., Alberta


DATED THIS 28<sup>th</sup> day of January , 1981  
Vancouver, British Columbia

STATEMENT OF QUALIFICATIONS AND CERTIFICATION

I, A.D. Clendenan, with a business address at 800-1030 West Georgia Street, Vancouver, British Columbia, V6E 3A8, DO HEREBY CERTIFY THAT:

1. I am a Professional Geologist registered in the Province of Alberta;
2. I am a graduate of the University of Alberta, Edmonton, Alberta with a B. Sc. (Geology) in 1973;
3. I have engaged in mineral exploration for ten years.
4. I have no direct, indirect or contingent interest in the EWE 1,2,3 or adjacent claim groups.
5. I personally carried out or supervised the work and have assessed the results of the work.
6. Written permission is required from the writer to publish this report or portions of it in any Prospectus or Statement of Material Facts.

Respectfully submitted,

  
A.D. Clendenan, B. Sc.,  
P. Geol., (Alta.)

DATED THIS 28<sup>th</sup> day of January, 1981  
Vancouver, British Columbia /

APPENDIX

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	M0	CU	PB	ZN	AG
6+00S	0+00E	0101	1	16	9	70	<0.2
6+00S	0+25E	0101	<1	11	10	129	<0.2
6+00S	0+50E	0101	<1	9	9	90	<0.2
6+00S	0+75E	0101	<1	11	8	59	<0.2
6+00S	1+00E	0101	<1	14	10	87	<0.2
6+00S	1+25E	0101	1	14	10	102	<0.2
6+00S	1+75E	0101	1	13	9	81	<0.2
6+00S	2+00E	0101	1	11	11	80	<0.2
6+00S	2+25E	0101	1	16	9	60	<0.2
6+00S	2+50E	0101	1	18	10	89	<0.2
6+00S	2+75E	0101	1	19	9	100	<0.2
6+00S	3+00E	0101	1	19	10	124	<0.2
6+00S	3+25E	0101	1	10	9	61	<0.2
6+00S	3+75E	0101	1	18	13	119	<0.2
6+00S	4+00E	0101	<1	9	10	114	<0.2
6+00S	4+25E	0101	<1	9	10	107	<0.2
6+00S	4+50E	0101	<1	10	8	87	<0.2
6+00S	4+75E	0101	<1	14	9	83	<0.2
6+00S	5+00E	0101	<1	10	10	95	<0.2
6+00S	5+25E	0101	<1	15	11	80	<0.2
6+00S	5+50E	0101	<1	10	10	106	<0.2
6+00S	5+75E	0101	<1	11	16	222	<0.2
6+00S	6+00E	0101	<1	19	11	111	<0.2
6+00S	6+50E	0101	1	9	7	121	<0.2
6+00S	6+75E	0101	1	11	9	96	<0.2
6+00S	7+00E	0101	<1	8	7	61	<0.2
6+00S	7+25E	0101	<1	8	7	73	<0.2
6+00S	7+50E	0101	<1	10	8	123	<0.2
6+00S	7+75E	0101	1	9	8	106	<0.2
6+00S	8+00E	0101	<1	8	7	100	<0.2
6+00S	8+25E	0101	1	13	6	136	<0.2
6+00S	8+50E	0101	1	8	6	53	<0.2
6+00S	8+75E	0101	1	10	7	75	<0.2
6+00S	9+00E	0101	1	6	5	48	<0.2
6+00S	9+25E	0101	<1	12	6	85	<0.2
6+00S	9+50E	0101	1	9	6	61	<0.2
6+00S	9+75E	0101	1	9	8	91	<0.2
6+00S	10+00E	0101	<1	8	9	108	<0.2
6+00S	10+25E	0101	<1	11	7	103	<0.2
6+00S	10+50E	0101	<1	9	7	102	<0.2
6+00S	10+75E	0101	1	10	7	43	<0.2
6+00S	11+00E	0101	1	8	8	110	<0.2
6+00S	11+25E	0101	1	13	9	220	0.2
6+00S	11+50E	0101	1	7	8	99	0.3
6+00S	11+75E	0101	1	5	5	84	<0.2
6+00S	12+00E	0101	1	7	7	151	<0.2
6+00S	12+25E	0101	1	7	9	137	<0.2
6+00S	12+50E	0101	1	4	4	74	<0.2
6+00S	12+75E	0101	1	6	6	154	<0.2
6+00S	13+00E	0101	1	8	7	118	<0.2
6+00S	13+25E	0101	<1	6	10	90	<0.2
6+00S	13+50E	0101	<1	17	17	152	<0.2
6+00S	13+75E	0101	<1	10	10	154	<0.2
6+00S	14+00E	0101	1	8	8	84	<0.2
6+00S	14+25E	0101	1	10	8	138	<0.2
6+00S	14+50E	0101	<1	8	9	152	<0.2
6+00S	14+75E	0101	1	10	8	92	<0.2
6+00S	15+00E	0101	<1	7	7	60	<0.2
6+00S	15+25E	0101	<1	8	8	68	<0.2
6+00S	15+50E	0101	1	26	10	72	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	Mo	Cu	Pb	Zn	Ag
6+00S	15+75E	0101	<1	11	9	72	<0.2
6+00S	16+00E	0101	1	9	8	72	<0.2
6+00S	16+25E	0101	<1	12	9	73	<0.2
6+00S	16+50E	0101	1	12	9	72	<0.2
6+00S	16+75E	0101	1	12	10	117	<0.2
6+00S	17+00E	0101	1	8	9	53	<0.2
6+00S	17+25E	0101	1	9	9	81	<0.2
6+00S	17+50E	0101	1	8	11	120	<0.2
6+00S	17+75E	0101	1	9	11	153	<0.2
6+00S	18+00E	0101	1	16	10	108	<0.2
6+00S	0+25W	0101	1	12	9	85	<0.2
6+00S	0+50W	0101	1	13	9	100	<0.2
6+00S	0+75W	0101	1	15	10	118	<0.2
6+00S	1+00W	0101	1	15	11	166	<0.2
6+00S	1+25W	0101	1	12	9	71	<0.2
6+00S	1+50W	0101	1	13	8	77	0.2
6+00S	1+75W	0101	1	11	10	137	<0.2
6+00S	2+00W	0101	1	9	9	101	<0.2
6+00S	2+50W	0101	1	8	9	125	<0.2
6+00S	2+75W	0101	1	6	9	93	<0.2
6+00S	3+00W	0101	1	12	8	63	<0.2
6+00S	3+25W	0101	1	9	9	99	<0.2
6+00S	3+50W	0101	1	8	8	101	<0.2
6+00S	3+75W	0101	1	7	9	92	<0.2
6+00S	4+00W	0101	1	9	8	78	<0.2
6+00S	4+25W	0101	1	9	9	70	<0.2
6+00S	4+50W	0101	1	12	9	82	<0.2
6+00S	4+75W	0101	1	6	8	51	<0.2
6+00S	5+00W	0101	<1	13	10	61	<0.2
6+00S	5+25W	0101	1	10	9	91	<0.2
6+00S	5+50W	0101	1	6	9	85	<0.2
6+00S	5+75W	0101	1	7	8	70	<0.2
6+00S	6+00W	0101	1	9	8	91	<0.2
6+00S	6+25W	0101	1	10	10	192	<0.2
6+00S	6+50W	0101	1	11	9	174	<0.2
6+00S	6+75W	0101	<1	10	9	115	<0.2
6+00S	7+00W	0101	<1	9	8	142	<0.2
6+00S	7+25W	0101	<1	11	9	133	<0.2
6+00S	7+50W	0101	<1	13	10	248	<0.2
6+00S	7+75W	0101	<1	15	6	45	<0.2
6+00S	8+50W	0101	<1	13	20	660	<0.2
6+00S	8+75W	0101	39	12	1080	360	<0.2
6+00S	9+00W	0101	<1	8	29	240	<0.2
6+00S	9+25W	0101	<1	7	10	131	<0.2
6+00S	9+50W	0101	<1	10	13	115	<0.2
6+00S	9+75W	0101	1	9	29	158	<0.2
6+00S	10+00W	0101	1	10	10	120	<0.2
6+00S	10+25W	0101	1	10	7	111	<0.2
6+00S	10+50W	0101	<1	8	7	95	<0.2
6+00S	10+75W	0101	<1	10	10	85	<0.2
6+00S	11+00W	0101	1	9	11	76	<0.2
6+00S	11+25W	0101	1	8	10	65	<0.2
6+00S	11+50W	0101	1	8	10	159	<0.2
6+00S	11+75W	0101	2	10	9	108	<0.2
6+00S	12+25W	0101	NSS	NSS	NSS	NSS	
6+00S	12+50W	0101	2	7	9	76	<0.2
6+00S	12+75W	0101	1	13	14	113	<0.2
6+00S	13+00W	0101	2	14	12	104	<0.2
6+00S	13+25W	0101	2	12	12	172	<0.2
6+00S	13+50W	0101	2	9	10	151	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
6+00S	13+75W	0101	2	12	10	152	<0.2
6+00S	14+00W	0101	2	12	9	142	<0.2
6+00S	14+25W	0101	1	8	9	127	<0.2
6+00S	14+50W	0101	1	9	10	103	<0.2
6+00S	14+75W	0101	2	13	10	132	<0.2
6+00S	15+00W	0101	2	15	9	190	<0.2
6+00S	15+25W	0101	1	12	10	141	<0.2
6+00S	15+50W	0101	2	14	16	152	<0.2
6+00S	15+75W	0101	2	17	15	243	<0.2
6+00S	16+00W	0101	2	43	11	126	<0.2
BL	0+75S	0101	1	11	9	71	<0.2
BL	1+00S	0101	1	10	8	100	<0.2
BL	2+00S	0101	1	8	8	70	<0.2
BL	3+00S	0101	<1	10	7	87	<0.2
BL	4+25S	0101	<1	11	6	77	<0.2
BL	5+00S	0101	<1	15	7	154	<0.2
BL	6+00S	0101	1	10	7	78	<0.2
BL	7+25S	0101	<1	9	6	119	<0.2
BL	8+00S	0101	<1	5	6	53	<0.2
BL	9+00S	0101	<1	7	8	136	<0.2
BL	10+00S	0101	<1	8	10	215	<0.2
BL	11+00S	0101	1	12	9	135	<0.2
BL	12+00S	0101	2	8	9	121	<0.2
BL	13+00S	0101	<1	8	7	78	<0.2
BL	14+00S	0101	<1	16	8	126	<0.2
BL	15+00S	0101	<1	11	10	246	<0.2
10+00S	0+00W	0101	1	17	9	112	<0.2
10+00S	0+25W	0101	1	6	10	75	<0.2
10+00S	0+50W	0101	1	8	7	78	<0.2
10+00S	0+75W	0101	<1	9	6	111	<0.2
10+00S	1+00W	0101	<1	8	7	70	<0.2
10+00S	1+25W	0101	1	27	6	139	<0.2
10+00S	1+50W	0101	1	39	12	190	<0.2
10+00S	1+75W	0101	2	40	13	166	<0.2
10+00S	2+00W	0101	1	10	10	106	<0.2
10+00S	2+50W	0101	1	23	5	73	<0.2
10+00S	2+75W	0101	1	47	6	126	<0.2
10+00S	3+00W	0101	1	8	6	82	<0.2
10+00S	3+25W	0101	1	6	6	80	<0.2
10+00S	3+50W	0101	1	34	5	225	<0.2
10+00S	3+75W	0101	1	8	11	108	<0.2
10+00S	4+00W	0101	1	7	8	240	<0.2
10+00S	4+25W	0101	1	8	9	162	<0.2
10+00S	4+50W	0101	1	7	7	140	<0.2
10+00S	4+75W	0101	1	15	9	71	<0.2
10+00S	5+00W	0101	<1	18	8	76	<0.2
10+00S	5+25W	0101	2	18	9	58	<0.2
10+00S	5+50W	0101	2	15	8	58	<0.2
10+00S	5+75W	0101	2	15	8	94	<0.2
10+00S	6+00W	0101	1	11	13	520	<0.2
10+00S	6+25W	0101	1	37	9	345	<0.2
10+00S	6+50W	0101	1	9	17	450	<0.2
10+00S	6+75W	0101	1	7	14	520	<0.2
10+00S	7+00W	0101	2	7	9	151	<0.2
10+00S	7+25W	0101	1	8	9	157	<0.2
10+00S	7+50W	0101	1	7	9	262	<0.2
10+00S	7+75W	0101	1	7	10	175	<0.2
10+00S	8+00W	0101	1	5	9	100	<0.2
10+00S	8+25W	0101	1	8	9	105	<0.2
10+00S	8+50W	0101	1	7	8	72	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	Mo	Cu	Pb	Zn	Ag
10+00S	10+25W	0101	1	12	9	187	<0.2
10+00S	10+50W	0101	2	12	9	168	<0.2
10+00S	10+75W	0101	2	14	8	89	<0.2
10+00S	11+00W	0101	1	14	8	132	<0.2
10+00S	11+25W	0101	1	12	9	116	<0.2
10+00S	11+50W	0101	2	14	8	90	<0.2
10+00S	11+75W	0101	2	13	8	77	<0.2
10+00S	12+00W	0101	2	14	7	89	<0.2
10+00S	12+25W	0101	1	12	7	63	<0.2
10+00S	12+50W	0101	1	7	6	60	<0.2
10+00S	12+75W	0101	1	8	7	69	<0.2
10+00S	13+00W	0101	1	9	6	48	<0.2
10+00S	13+25W	0101	2	11	13	152	<0.2
10+00S	13+50W	0101	1	9	11	177	<0.2
10+00S	13+75W	0101	1	8	10	100	<0.2
10+00S	14+00W	0101	1	6	7	120	<0.2
10+00S	14+25W	0101	1	7	13	264	<0.2
10+00S	14+50W	0101	1	7	8	138	<0.2
10+00S	14+75W	0101	1	6	10	123	<0.2
10+00S	15+00W	0101	1	5	13	122	<0.2
10+00S	15+25W	0101	1	6	11	88	<0.2
10+00S	15+50W	0101	1	5	15	91	<0.2
10+00S	15+75W	0101	1	6	10	138	<0.2
10+00S	16+00W	0101	2	7	10	138	<0.2
10+00S	16+25W	0101	2	8	10	137	<0.2
10+00S	16+50W	0101	1	8	8	174	<0.2
10+00S	16+75W	0101	1	8	7	133	<0.2
10+00S	17+00W	0101	<1	10	13	122	<0.2
10+00S	17+25W	0101	<1	7	11	97	<0.2
10+00S	17+50W	0101	<1	7	12	86	<0.2
10+00S	17+75W	0101	<1	6	11	160	<0.2
10+00S	18+00W	0101	<1	7	13	64	<0.2
10+00S	18+25W	0101	<1	9	13	145	<0.2
10+00S	18+50W	0101	1	8	13	106	<0.2
10+00S	18+75W	0101	1	13	15	203	<0.2
10+00S	19+00W	0101	<1	12	13	147	<0.2
10+00S	19+25W	0101	<1	9	11	95	<0.2
10+00S	19+50W	0101	<1	7	12	127	<0.2
10+00S	19+75W	0101	<1	8	10	157	<0.2
10+00S	20+00W	0101	<1	7	10	88	<0.2
10+50S	0+00	0101	1	13	10	125	<0.2
10+50S	0+25E	0101	1	9	9	155	<0.2
10+50S	0+50E	0101	1	6	6	112	<0.2
10+50S	0+75E	0101	1	7	5	106	<0.2
10+50S	1+00E	0101	1	6	7	72	<0.2
10+50S	1+25E	0101	1	8	7	118	<0.2
10+50S	1+50E	0101	1	6	6	92	<0.2
10+50S	1+75E	0101	1	8	8	203	<0.2
10+50S	2+00E	0101	1	6	7	92	<0.2
10+50S	2+25E	0101	1	7	6	82	<0.2
10+50S	2+50E	0101	1	7	8	84	<0.2
10+50S	2+75E	0101	1	10	8	129	<0.2
10+50S	3+00E	0101	1	6	8	123	<0.2
10+50S	3+25E	0101	1	7	7	107	<0.2
10+50S	3+50E	0101	<1	7	7	90	<0.2
10+50S	3+75E	0101	<1	7	9	97	<0.2
10+50S	4+00E	0101	<1	5	7	69	<0.2
10+50S	4+25E	0101	<1	8	6	71	<0.2
10+50S	4+50E	0101	1	7	8	95	<0.2
10+50S	4+75E	0101	1	12	10	102	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	Mo	Cu	Pb	Zn	Ag
10+50S	5+00E	0101	1	25	12	215	0.2
10+50S	5+25E	0101	<1	9	10	84	<0.2
10+50S	5+50E	0101	<1	15	11	102	<0.2
10+50S	5+75E	0101	1	9	9	73	<0.2
10+50S	6+00E	0101	1	8	9	86	<0.2
10+50S	6+25E	0101	<1	12	10	111	<0.2
10+50S	6+50E	0101	1	9	11	131	<0.2
10+50S	6+75E	0101	1	16	10	124	<0.2
10+50S	7+00E	0101	1	9	12	130	<0.2
10+50S	7+25E	0101	1	13	9	174	<0.2
10+50S	7+50E	0101	<1	14	12	159	<0.2
10+50S	7+75E	0101	<1	7	11	80	<0.2
10+50S	8+00E	0101	1	13	9	132	<0.2
10+50S	8+25E	0101	1	18	10	223	<0.2
10+50S	8+50E	0101	<1	15	10	146	<0.2
10+50S	8+75E	0101	1	28	15	214	<0.2
10+50S	9+25E	0101	1	51	15	157	<0.2
10+50S	9+50E	0101	1	14	13	171	<0.2
10+50S	9+75E	0101	1	11	9	75	<0.2
10+50S	10+00E	0101	<1	11	11	224	<0.2
10+50S	10+25E	0101	<1	10	8	204	<0.2
10+50S	10+50E	0101	<1	10	8	154	<0.2
10+50S	10+75E	0101	<1	16	10	226	<0.2
10+50S	11+00E	0101	<1	15	11	195	<0.2
10+50S	11+25E	0101	<1	8	9	152	<0.2
10+50S	11+50E	0101	<1	11	8	80	<0.2
10+50S	11+75E	0101	<1	9	6	101	<0.2
10+50S	12+00E	0101	<1	14	6	166	<0.2
10+50S	12+25E	0101	1	40	10	127	<0.2
10+50S	12+75E	0101	<1	35	9	110	<0.2
10+50S	13+25E	0101	1	12	7	76	<0.2
10+50S	13+50E	0101	<1	15	8	191	<0.2
10+50S	13+75E	0101	1	12	8	104	<0.2
10+50S	14+00E	0101	1	8	8	103	<0.2
10+50S	14+25E	0101	<1	19	32	500	<0.2
10+50S	14+50E	0101	<1	14	10	170	<0.2
10+50S	14+75E	0101	<1	4	6	71	<0.2
10+50S	15+00E	0101	1	12	10	140	<0.2
10+50S	15+25E	0101	1	11	9	123	<0.2
10+50S	15+50E	0101	1	7	7	108	<0.2
10+50S	15+75E	0101	1	16	9	90	<0.2
10+50S	16+00E	0101	1	14	8	80	<0.2
10+50S	16+25E	0101	1	8	9	71	<0.2
10+50S	16+50E	0101	1	14	10	132	<0.2
10+50S	16+75E	0101	1	31	12	148	0.2
10+50S	17+00E	0101	1	9	9	123	<0.2
10+50S	17+25E	0101	1	7	10	107	<0.2
10+50S	17+50E	0101	1	7	9	85	<0.2
10+50S	17+75E	0101	1	8	10	94	<0.2
10+50S	18+00E	0101	1	7	8	78	<0.2
10+50S	18+25E	0101	1	9	8	79	<0.2
10+50S	18+50E	0101	1	30	13	142	<0.2
10+50S	18+75E	0101	2	44	12	148	0.6
10+50S	19+00E	0101	2	31	12	142	0.2
10+50S	19+25E	0101	1	9	11	82	<0.2
10+50S	19+50E	0101	1	8	8	78	0.2
10+50S	19+75E	0101	1	16	11	81	<0.2
10+50S	20+00E	0101	1	19	12	110	0.2
10+50S	20+25E	0101	1	10	10	60	<0.2
10+50S	20+50E	0101	1	11	8	71	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
10+50S	20+75E	0101	1	16	8	81	<0.2
10+50S	21+00E	0101	1	18	10	96	<0.2
10+50S	21+25E	0101	1	14	10	76	<0.2
10+50S	21+50E	0101	1	12	10	53	<0.2
10+50S	21+75E	0101	1	11	9	90	<0.2
10+50S	22+00E	0101	1	9	8	108	<0.2
10+50S	22+25E	0101	1	9	8	156	<0.2
10+50S	22+50E	0101	2	17	9	90	<0.2
10+50S	22+75E	0101	2	11	8	115	<0.2
10+50S	23+00E	0101	1	9	8	138	<0.2
10+50S	23+25E	0101	1	10	8	212	<0.2
10+50S	23+50E	0101	2	12	10	94	<0.2
10+50S	23+75E	0101	2	15	9	79	0.2
10+50S	24+00E	0101	1	15	9	117	<0.2
10+50S	24+25E	0101	1	12	9	95	<0.2
10+50S	24+50E	0101	1	12	8	94	<0.2
10+50S	24+75E	0101	1	10	8	77	<0.2
10+50S	25+00E	0101	1	10	7	64	<0.2
10+50S	25+25E	0101	<1	10	9	65	<0.2
10+50S	25+50E	0101	<1	20	8	129	<0.2
10+50S	25+75E	0101	1	12	9	97	<0.2
10+50S	26+00E	0101	1	11	6	70	<0.2
10+50S	26+25E	0101	<1	14	9	90	<0.2
10+50S	26+50E	0101	<1	33	9	103	0.3
14+50S	0+00	0101	<1	19	11	161	<0.2
14+50S	0+25E	0101	<1	14	9	107	<0.2
14+50S	0+50E	0101	<1	20	20	138	<0.2
14+50S	0+75E	0101	<1	7	9	89	<0.2
14+50S	1+00E	0101	<1	8	11	136	<0.2
14+50S	1+25E	0101	<1	8	11	128	<0.2
14+50S	1+50E	0101	<1	9	12	160	<0.2
14+50S	1+75E	0101	<1	19	14	243	<0.2
14+50S	2+00E	0101	1	10	57	166	<0.2
14+50S	2+25E	0101	1	11	11	88	<0.2
14+50S	2+50E	0101	<1	9	9	85	<0.2
14+50S	2+75E	0101	1	33	17	145	<0.2
14+50S	3+00E	0101	1	8	12	89	<0.2
14+50S	3+25E	0101	1	9	9	147	<0.2
14+50S	3+50E	0101	1	7	8	78	<0.2
14+50S	3+75E	0101	1	7	9	99	<0.2
14+50S	4+00E	0101	1	6	8	97	<0.2
14+50S	4+25E	0101	1	7	7	64	<0.2
14+50S	4+50E	0101	1	8	9	71	<0.2
14+50S	4+75E	0101	<1	21	9	94	<0.2
14+50S	5+00E	0101	1	11	7	93	<0.2
14+50S	5+25E	0101	1	8	8	52	<0.2
14+50S	5+50E	0101	<1	8	8	70	<0.2
14+50S	5+75E	0101	1	9	9	78	<0.2
14+50S	6+00E	0101	1	9	12	78	<0.2
14+50S	6+25E	0101	<1	7	10	102	<0.2
14+50S	6+50E	0101	<1	8	10	90	<0.2
14+50S	6+75E	0101	<1	9	9	84	<0.2
14+50S	7+00E	0101	<1	10	10	74	<0.2
14+50S	7+25E	0101	<1	11	10	155	<0.2
14+50S	7+50E	0101	1	10	10	65	<0.2
14+50S	7+75E	0101	1	8	8	66	<0.2
14+50S	8+00E	0101	1	10	10	90	<0.2
14+50S	8+25E	0101	1	9	10	120	<0.2
14+50S	8+50E	0101	1	7	7	42	<0.2
14+50S	8+75E	0101	1	9	10	149	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
14+50S	9+00E	0101	1	10	10	132	<0.2
14+50S	9+25E	0101	1	8	13	218	<0.2
14+50S	9+50E	0101	1	16	18	196	<0.2
14+50S	9+75E	0101	2	7	12	148	<0.2
14+50S	10+00E	0101	1	10	17	300	0.2
14+50S	0+25W	0101	1	13	13	126	<0.2
14+50S	0+50W	0101	2	39	20	206	0.3
14+50S	0+75W	0101	1	34	15	204	<0.2
14+50S	1+00W	0101	1	15	10	141	0.2
14+50S	1+25W	0101	1	6	8	77	<0.2
14+50S	1+50W	0101	1	13	12	190	<0.2
14+50S	1+75W	0101	1	10	11	118	<0.2
14+50S	2+00W	0101	1	14	16	300	0.2
14+50S	2+25W	0101	1	13	11	125	<0.2
14+50S	2+50W	0101	1	31	15	257	0.3
14+50S	2+75W	0101	1	11	9	102	<0.2
14+50S	3+00W	0101	1	10	11	155	<0.2
14+50S	3+25W	0101	1	9	10	108	<0.2
14+50S	3+50W	0101	1	27	14	308	<0.2
14+50S	3+75W	0101	2	19	9	178	<0.2
14+50S	4+00W	0101	2	10	6	71	<0.2
14+50S	4+25W	0101	NSS	NSS	NSS	NSS	NSS
14+50S	4+50W	0101	1	8	17	156	0.2
14+50S	4+75W	0101	1	7	9	97	<0.2
14+50S	5+00W	0101	1	6	9	110	<0.2
14+50S	5+25W	0101	1	8	9	140	<0.2
14+50S	5+50W	0101	1	7	9	100	<0.2
14+50S	5+75W	0101	1	6	11	206	<0.2
14+50S	6+00W	0101	1	5	11	92	<0.2
14+50S	6+25W	0101	<1	9	11	144	<0.2
14+50S	6+50W	0101	<1	8	10	134	<0.2
14+50S	6+75W	0101	1	10	11	125	<0.2
14+50S	7+00W	0101	1	8	7	90	<0.2
14+50S	7+25W	0101	1	9	9	128	<0.2
14+50S	7+50W	0101	1	8	11	132	<0.2
14+50S	7+75W	0101	1	7	8	125	<0.2
14+50S	8+00W	0101	1	8	13	153	<0.2
14+50S	8+25W	0101	1	15	12	260	<0.2
14+50S	8+50W	0101	1	10	31	203	<0.2
14+50S	8+75W	0101	2	20	17	580	<0.2
14+50S	9+00W	0101	1	9	10	198	<0.2
14+50S	9+25W	0101	1	7	10	95	<0.2
14+50S	9+50W	0101	1	7	11	132	<0.2
14+50S	9+75W	0101	1	6	11	106	<0.2
14+50S	10+00W	0101	1	5	9	70	<0.2
14+50S	10+25W	0101	1	7	8	74	<0.2
14+50S	11+00W	0101	1	31	14	153	<0.2
14+50S	11+25W	0101	1	9	10	92	<0.2
14+50S	11+50W	0101	1	7	9	90	<0.2
14+50S	11+75W	0101	<1	11	10	118	<0.2
14+50S	12+00W	0101	<1	10	11	157	0.2
14+50S	12+25W	0101	<1	7	9	159	<0.2
14+50S	12+50W	0101	<1	7	8	149	0.2
14+50S	12+75W	0101	<1	7	10	90	0.2
14+50S	13+00W	0101	<1	6	15	360	0.2
14+50S	13+25W	0101	<1	30	2600	1900	3.1
14+50S	13+50W	0101	2	38	110	1400	<0.2
14+50S	13+75W	0101	3	25	64	1400	0.2
14+50S	14+00W	0101	2	56	7300	3400	2.0
14+50S	14+25W	0101	1	31	78	315	<0.2

LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
14+50S	14+50W	0101	<1	20	19	312	<0.2
14+50S	14+75W	0101	<1	17	9	188	<0.2
14+50S	15+00W	0101	<1	21	21	291	<0.2
14+50S	15+25W	0101	<1	21	38	520	<0.2
14+50S	15+50W	0101	<1	32	21	400	<0.2
14+50S	15+75W	0101	<1	17	16	220	<0.2
14+50S	16+00W	0101	<1	19	14	207	<0.2
14+50S	16+25W	0101	<1	13	12	102	0.2
14+50S	16+50W	0101	1	25	13	250	<0.2
14+50S	16+75W	0101	1	16	10	185	<0.2
14+50S	17+00W	0101	1	41	20	560	0.2
14+50S	17+25W	0101	1	26	16	510	<0.2
14+50S	17+50W	0101	1	18	13	420	<0.2
14+50S	17+75W	0101	1	16	57	470	<0.2
14+50S	18+00W	0101	1	17	16	380	<0.2
14+50S	18+25W	0101	1	39	13	1120	0.3
14+50S	18+50W	0101	1	15	14	660	<0.2
14+50S	18+75W	0101	<1	11	13	310	<0.2
14+50S	19+00W	0101	1	11	11	211	<0.2
14+50S	19+25W	0101	1	20	17	340	<0.2
14+50S	19+50W	0101	1	13	12	205	<0.2
14+50S	19+75W	0101	1	10	10	121	<0.2
14+50S	20+00W	0101	1	15	13	128	<0.2
93L-1E	51	0101	1	35	30	191	0.4
93L-1W	19	0101	<1	16	9	71	<0.2
93L-2E	51	0101	1	12	23	127	<0.2
93L-2E	52	0101	1	12	11	88	<0.2
93L-2E	321A	0101	<1	11	9	117	<0.2
GC	1	0101	4	1180	74	470	14.3
GC	2	0101	2	34	110	108	0.7
GC	3	0101	2	37	57	156	0.5
GC	4	0101	3	136	104	830	2.0
GC	5	0101	2	36	21	122	0.4
GC	6	0101	NSS	NSS	NSS	NSS	NSS
GC	7	0101	2	400	40	420	3.3
GC	8	0101	1	53	125	82	7.0
GC	9	0101	2	81	203	101	8.3
GC	10	0101	2	45	102	130	4.6
GC	11	0101	2	55	64	510	1.1
GC	12	0101	1	15	10	75	<0.2
0+00S	2+00E	0120	<1	8	9	82	<0.2
0+00S	2+25E	0120	<1	7	7	58	<0.2
0+00S	2+50E	0120	1	10	8	79	<0.2
0+00S	2+75E	0120	1	11	6	114	<0.2
0+00S	3+00E	0120	1	22	8	110	<0.2
0+00S	3+25E	0120	1	14	7	59	<0.2
0+00S	3+50E	0120	<1	7	5	75	<0.2
0+00S	3+75E	0120	<1	9	7	80	<0.2
0+00S	4+00E	0120	<1	8	7	90	<0.2
0+00S	4+25E	0120	1	15	6	134	0.2
0+00S	4+50E	0120	1	16	8	122	<0.2
0+00S	4+75E	0120	1	6	6	57	<0.2
0+00S	5+00E	0120	1	12	8	85	<0.2
0+00S	5+25E	0120	1	7	7	123	<0.2
0+00S	5+50E	0120	1	6	6	71	<0.2
0+00S	5+75E	0120	<1	5	7	68	<0.2
0+00S	6+00E	0120	1	8	8	61	<0.2
0+00S	6+50E	0120	1	8	8	139	<0.2
0+00S	6+75E	0120	<1	6	5	84	<0.2
0+00S	7+00E	0120	<1	5	6	87	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
0+00S	7+25E	0120	<1	11	8	69	<0.2
0+00S	7+50E	0120	1	11	8	58	<0.2
0+00S	7+75E	0120	1	12	8	106	<0.2
0+00S	8+00E	0120	1	8	7	76	<0.2
0+00S	8+25E	0120	1	9	7	90	<0.2
0+00S	8+50E	0120	1	9	8	105	<0.2
0+00S	8+75E	0120	1	10	7	71	<0.2
0+00S	9+00E	0120	1	6	8	59	<0.2
0+00S	9+25E	0120	1	6	6	58	<0.2
0+00S	9+50E	0120	1	7	6	96	<0.2
0+00S	9+75E	0120	1	7	5	50	<0.2
0+00S	10+00E	0120	1	7	5	53	<0.2
0+00S	10+25E	0120	2	46	13	120	0.8
0+00S	10+50E	0120	1	6	7	114	<0.2
0+00S	10+75E	0120	1	8	8	74	<0.2
0+00S	11+00E	0120	1	8	5	59	<0.2
0+00S	11+25E	0120	1	13	10	122	<0.2
0+00S	11+50E	0120	1	12	11	133	<0.2
0+00S	11+75E	0120	1	27	11	80	<0.2
0+00S	12+00E	0120	1	9	10	180	<0.2
0+00S	12+25E	0120	1	13	7	95	<0.2
0+00S	12+50E	0120	1	10	10	87	<0.2
0+00S	12+75E	0120	1	9	9	62	<0.2
0+00S	13+00E	0120	1	17	9	91	<0.2
0+00S	13+25E	0120	1	17	11	141	<0.2
0+00S	13+50E	0120	2	11	14	80	<0.2
0+00S	13+75E	0120	1	7	10	69	<0.2
0+00S	14+00E	0120	1	8	9	78	0.3
0+00S	14+25E	0120	1	9	10	107	<0.2
0+00S	14+50E	0120	1	6	6	48	<0.2
0+00S	14+75E	0120	1	7	8	58	<0.2
0+00S	15+00E	0120	1	7	9	67	<0.2
0+00S	15+25E	0120	1	7	9	91	<0.2
0+00S	15+50E	0120	1	7	8	65	<0.2
0+00S	15+75E	0120	1	7	7	90	<0.2
0+00S	16+00E	0120	1	7	12	130	<0.2
0+00S	16+25E	0120	1	9	12	155	<0.2
0+00S	16+50E	0120	1	8	9	103	<0.2
0+00S	16+75E	0120	1	8	6	85	<0.2
0+00S	17+00E	0120	1	7	8	96	<0.2
0+00S	17+25E	0120	1	9	8	95	<0.2
0+00S	17+50E	0120	1	11	8	89	<0.2
0+00S	17+75E	0120	1	6	9	102	<0.2
0+00S	18+00E	0120	2	15	16	164	<0.2
0+00S	18+25E	0120	2	11	10	118	<0.2
0+00S	18+50E	0120	2	20	8	27	<0.2
0+00S	18+75E	0120	1	13	10	73	<0.2
0+00S	19+00E	0120	1	15	10	92	<0.2
0+00S	19+25E	0120	1	11	8	131	0.2
0+00S	19+50E	0120	1	8	8	68	<0.2
0+00S	20+75E	0120	1	19	11	74	0.3
0+00S	21+00E	0120	1	8	11	50	<0.2
0+00S	21+25E	0120	2	14	11	194	<0.2
0+00S	21+50E	0120	1	11	11	63	<0.2
0+00S	22+00E	0120	1	11	10	90	<0.2
0+00S	22+25E	0120	1	12	9	98	0.2
0+00S	22+50E	0120	1	12	8	96	<0.2
0+00S	22+75E	0120	1	9	7	73	<0.2
0+00S	23+00E	0120	1	8	5	67	<0.2
0+00S	23+25E	0120	1	12	9	143	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
0+00S	23+50E	0120	1	7	7	64	<0.2
0+00S	23+75E	0120	1	6	6	91	<0.2
0+00S	24+00E	0120	1	11	9	90	<0.2
0+00S	24+25E	0120	1	12	10	91	<0.2
0+00S	24+50E	0120	1	7	6	87	<0.2
0+00S	24+75E	0120	1	11	8	147	<0.2
0+00S	25+00E	0120	1	9	9	165	<0.2
0+00S	1+50W	0120	2	32	10	180	<0.2
0+00S	1+75W	0120	<1	10	7	63	<0.2
0+00S	2+00W	0120	1	10	6	67	<0.2
0+00S	2+25W	0120	1	11	8	74	<0.2
0+00S	2+50W	0120	1	10	7	80	<0.2
0+00S	3+00W	0120	1	10	7	84	<0.2
0+00S	3+25W	0120	1	8	7	123	<0.2
0+00S	3+50W	0120	1	15	10	136	<0.2
0+00S	3+75W	0120	1	10	10	88	<0.2
0+00S	4+00W	0120	1	11	9	66	<0.2
0+00S	4+25W	0120	1	12	9	168	<0.2
0+00S	4+50W	0120	1	13	12	84	<0.2
0+00S	4+75W	0120	1	9	9	104	<0.2
0+00S	5+00W	0120	1	7	6	87	<0.2
0+00S	5+25W	0120	1	9	9	79	<0.2
0+00S	5+50W	0120	1	11	9	73	0.3
0+00S	5+75W	0120	1	13	9	74	<0.2
0+00S	6+00W	0120	<1	19	9	83	<0.2
0+00S	6+25W	0120	<1	13	9	120	<0.2
0+00S	6+50W	0120	1	11	8	106	<0.2
0+00S	6+75W	0120	1	10	8	170	0.2
0+00S	7+75W	0120	1	12	10	90	0.3
0+00S	8+25W	0120	1	13	9	111	0.2
0+00S	8+75W	0120	1	11	7	95	<0.2
0+00S	9+00W	0120	1	10	6	91	<0.2
0+00S	9+25W	0120	<1	6	7	97	<0.2
0+00S	9+50W	0120	1	11	8	105	<0.2
0+00S	9+75W	0120	1	18	8	195	<0.2
0+00S	10+00W	0120	1	20	8	132	<0.2
0+00S	10+25W	0120	1	15	7	80	<0.2
0+00S	10+50W	0120	1	10	6	101	0.2
0+00S	10+75W	0120	1	18	9	133	<0.2
0+00S	11+00W	0120	1	19	9	120	<0.2
0+00S	11+25W	0120	1	17	10	80	<0.2
0+00S	11+50W	0120	1	20	10	171	<0.2
0+00S	11+75W	0120	1	17	9	90	<0.2
0+00S	12+00W	0120	1	11	8	70	<0.2
0+00S	12+25W	0120	1	19	10	81	<0.2
0+00S	12+50W	0120	1	27	9	101	<0.2
0+00S	12+75W	0120	1	14	20	72	0.2
0+00S	13+00W	0120	1	19	9	101	<0.2
0+00S	13+25W	0120	1	8	7	103	<0.2
0+00S	13+50W	0120	1	10	9	61	<0.2
0+00S	13+75W	0120	1	14	7	61	<0.2
0+00S	15+00W	0120	1	12	9	135	<0.2
0+00S	15+25W	0120	1	12	8	101	<0.2
0+00S	15+50W	0120	1	9	8	120	<0.2
0+00S	15+75W	0120	1	10	9	76	<0.2
0+00S	16+00W	0120	<1	11	8	120	<0.2
0+00S	16+25W	0120	1	12	9	101	<0.2
0+00S	16+50W	0120	<1	11	10	142	<0.2
0+00S	16+75W	0120	<1	11	8	63	0.2
0+00S	17+00W	0120	1	16	7	209	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	M0	CU	PB	ZN	AG
0+00S	17+25W	0120	1	11	8	142	0.2
0+00S	17+50W	0120	1	14	9	164	0.2
0+00S	17+75W	0120	1	17	9	128	<0.2
0+00S	18+00W	0120	1	21	8	177	0.2
0+00S	18+25W	0120	1	28	11	228	0.2
0+00S	18+50W	0120	1	29	10	217	0.2
0+00S	18+75W	0120	1	23	9	62	<0.2
0+00S	19+00W	0120	1	20	10	72	<0.2
0+00S	19+25W	0120	1	19	9	97	<0.2
0+00S	19+50W	0120	2	39	8	135	<0.2
0+00S	19+75W	0120	2	15	7	76	<0.2
0+00S	20+00W	0120	1	27	11	180	<0.2
2+00S	0+50W	0120	1	16	10	83	<0.2
2+00S	0+75W	0120	2	15	10	180	<0.2
2+00S	1+00W	0120	1	11	9	75	<0.2
2+00S	1+25W	0120	2	10	10	97	<0.2
2+00S	1+50W	0120	1	12	12	104	<0.2
2+00S	1+75W	0120	1	12	9	76	<0.2
2+00S	2+00W	0120	1	10	7	67	<0.2
2+00S	2+50W	0120	1	10	7	110	<0.2
2+00S	2+75W	0120	1	18	9	107	<0.2
2+00S	3+00W	0120	1	11	10	142	<0.2
2+00S	3+25W	0120	1	10	8	114	<0.2
2+00S	3+50W	0120	1	10	12	780	<0.2
2+00S	3+75W	0120	1	14	12	398	<0.2
2+00S	4+00W	0120	1	12	8	820	<0.2
2+00S	4+25W	0120	1	14	7	860	<0.2
2+00S	4+50W	0120	1	13	7	200	<0.2
2+00S	4+75W	0120	1	12	6	227	<0.2
2+00S	5+00W	0120	1	19	7	139	<0.2
2+00S	5+25W	0120	1	12	5	96	<0.2
2+00S	5+50W	0120	<1	11	5	125	<0.2
2+00S	5+75W	0120	<1	9	4	153	<0.2
2+00S	6+00W	0120	<1	9	5	182	<0.2
2+00S	6+25W	0120	1	12	8	171	0.2
2+00S	6+50W	0120	1	10	11	100	0.2
2+00S	6+75W	0120	1	12	6	95	<0.2
2+00S	7+00W	0120	1	15	7	147	<0.2
2+00S	7+25W	0120	1	14	6	104	<0.2
2+00S	7+75W	0120	1	9	6	90	<0.2
2+00S	8+00W	0120	1	8	4	56	<0.2
2+00S	8+25W	0120	1	9	4	86	<0.2
2+00S	8+50W	0120	1	8	5	72	<0.2
2+00S	8+75W	0120	1	9	3	96	<0.2
2+00S	9+00W	0120	1	10	6	127	<0.2
2+00S	9+25W	0120	1	9	6	109	<0.2
2+00S	9+50W	0120	1	7	6	83	<0.2
2+00S	9+75W	0120	1	13	6	165	0.2
2+00S	10+00W	0120	1	11	5	73	<0.2
2+00S	10+25W	0120	1	8	7	121	<0.2
2+00S	10+50W	0120	1	20	12	208	<0.2
2+00S	10+75W	0120	1	7	4	89	<0.2
2+00S	11+00W	0120	1	7	3	91	<0.2
2+00S	11+25W	0120	1	8	5	70	<0.2
2+00S	11+50W	0120	1	9	6	95	<0.2
2+00S	11+75W	0120	1	9	6	56	<0.2
2+00S	12+00W	0120	1	12	6	85	<0.2
2+00S	12+25W	0120	1	7	4	64	<0.2
2+00S	12+50W	0120	1	8	5	53	<0.2
2+00S	12+75W	0120	1	11	7	91	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	Mo	Cu	Pb	Zn	Ag
2+00S	13+50W	0120	1	14	7	62	<0.2
2+00S	13+75W	0120	1	8	9	72	<0.2
2+00S	14+00W	0120	1	6	5	67	<0.2
2+00S	14+25W	0120	1	33	9	127	0.2
2+00S	14+50W	0120	1	13	9	103	<0.2
2+00S	14+75W	0120	1	7	8	68	<0.2
2+00S	15+00W	0120	1	10	10	101	<0.2
2+00S	15+25W	0120	1	64	9	167	0.4
2+00S	15+50W	0120	1	10	8	138	<0.2
2+00S	15+75W	0120	1	11	9	107	<0.2
2+00S	16+00W	0120	1	11	8	82	<0.2
2+00S	16+25W	0120	1	22	10	195	<0.2
2+00S	16+50W	0120	1	34	8	369	<0.2
2+00S	16+75W	0120	1	10	10	89	<0.2
2+00S	17+00W	0120	1	15	9	84	<0.2
2+00S	17+25W	0120	1	17	9	90	<0.2
2+00S	17+50W	0120	1	12	8	70	<0.2
2+00S	17+75W	0120	1	12	8	74	<0.2
2+00S	18+00W	0120	1	17	8	83	<0.2
2+00S	18+25W	0120	1	21	7	107	<0.2
2+00S	18+50W	0120	1	31	10	180	0.3
2+00S	18+75W	0120	1	45	11	266	<0.2
2+00S	19+00W	0120	1	26	12	216	0.3
2+00S	19+25W	0120	1	25	12	251	0.4
2+00S	19+50W	0120	1	19	11	223	0.3
2+00S	19+75W	0120	1	19	12	164	0.4
2+00S	20+00W	0120	1	15	9	111	0.2
2+00S	1+00E	0120	<1	14	9	74	<0.2
2+00S	1+25E	0120	<1	7	6	71	<0.2
2+00S	1+75E	0120	1	8	7	71	<0.2
2+00S	2+00E	0120	1	11	7	123	<0.2
2+00S	4+00E	0120	1	27	5	42	0.3
2+00S	4+25E	0120	1	9	8	121	<0.2
2+00S	4+50E	0120	<1	10	8	107	<0.2
2+00S	4+75E	0120	1	13	7	75	<0.2
2+00S	5+00E	0120	1	12	9	83	<0.2
2+00S	5+25E	0120	1	12	8	79	<0.2
2+00S	5+50E	0120	1	25	9	77	<0.2
2+00S	5+75E	0120	1	13	6	100	<0.2
2+00S	6+00E	0120	1	15	9	101	<0.2
2+00S	6+25E	0120	1	14	9	114	<0.2
2+00S	6+50E	0120	<1	17	10	126	<0.2
2+00S	6+75E	0120	1	9	7	101	<0.2
2+00S	7+00E	0120	1	10	7	69	<0.2
2+00S	7+25E	0120	<1	8	7	62	<0.2
2+00S	7+50E	0120	1	8	7	74	<0.2
2+00S	7+75E	0120	1	10	8	97	<0.2
2+00S	8+00E	0120	1	6	7	45	<0.2
2+00S	8+25E	0120	1	7	5	71	<0.2
2+00S	8+50E	0120	1	8	7	81	<0.2
2+00S	8+75E	0120	1	11	7	8	<0.2
2+00S	9+00E	0120	1	8	7	92	<0.2
2+00S	9+25E	0120	1	10	8	92	<0.2
2+00S	9+50E	0120	1	12	6	102	<0.2
2+00S	9+75E	0120	1	12	8	138	<0.2
2+00S	10+00E	0120	1	11	9	118	<0.2
2+00S	10+25E	0120	1	7	6	78	<0.2
2+00S	10+50E	0120	1	10	6	83	<0.2
2+00S	10+75E	0120	1	8	6	65	<0.2
2+00S	11+00E	0120	<1	10	9	70	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
2+00S	11+25E	0120	1	6	7	62	<0.2
2+00S	11+50E	0120	1	10	8	87	<0.2
2+00S	11+75E	0120	1	12	9	60	<0.2
2+00S	12+00E	0120	1	11	12	87	<0.2
2+00S	12+25E	0120	<1	8	7	56	<0.2
2+00S	13+75E	0120	1	10	6	58	<0.2
2+00S	14+00E	0120	1	15	9	86	<0.2
2+00S	14+25E	0120	1	8	8	59	<0.2
2+00S	14+50E	0120	1	9	9	44	<0.2
2+00S	14+75E	0120	1	10	8	79	<0.2
2+00S	15+00E	0120	1	7	9	82	<0.2
2+00S	15+25E	0120	1	19	10	99	<0.2
2+00S	15+50E	0120	1	9	9	77	<0.2
2+00S	15+75E	0120	1	8	9	96	<0.2
2+00S	16+00E	0120	1	7	6	50	<0.2
2+00S	16+25E	0120	1	8	10	69	<0.2
2+00S	16+50E	0120	1	9	10	70	<0.2
2+00S	16+75E	0120	<1	10	9	78	<0.2
2+00S	17+00E	0120	<1	7	9	77	<0.2
2+00S	17+25E	0120	1	7	10	77	<0.2
2+00S	17+50E	0120	1	8	8	116	<0.2
2+00S	17+75E	0120	1	9	9	96	<0.2
2+00S	18+00E	0120	<1	9	10	111	<0.2
2+00S	18+25E	0120	1	18	8	140	<0.2
2+00S	18+50E	0120	1	12	12	201	<0.2
2+00S	18+75E	0120	1	16	9	116	<0.2
2+00S	19+00E	0120	1	35	11	104	<0.2
2+00S	19+25E	0120	1	18	11	88	<0.2
2+00S	19+50E	0120	1	34	13	182	0.4
2+00S	19+75E	0120	1	12	9	217	<0.2
2+00S	20+00E	0120	1	33	13	152	0.2
2+00S	20+25E	0120	1	12	8	70	<0.2
2+00S	20+50E	0120	1	10	7	80	<0.2
2+00S	20+75E	0120	1	6	5	56	<0.2
2+00S	21+00E	0120	1	9	10	101	<0.2
2+00S	21+25E	0120	1	13	9	106	<0.2
2+00S	21+50E	0120	1	14	7	94	<0.2
2+00S	21+75E	0120	1	8	9	68	<0.2
2+00S	22+00E	0120	1	8	7	105	<0.2
2+00S	22+25E	0120	1	8	7	48	<0.2
2+00S	22+50E	0120	1	11	9	82	<0.2
2+00S	22+75E	0120	1	15	9	99	<0.2
2+00S	23+00E	0120	1	11	9	68	<0.2
2+00S	23+25E	0120	1	7	8	52	<0.2
2+00S	23+50E	0120	1	6	6	45	<0.2
2+00S	23+75E	0120	1	5	8	38	<0.2
2+00S	24+00E	0120	1	9	8	56	<0.2
2+00S	24+25E	0120	1	8	6	53	<0.2
2+00S	24+50E	0120	1	11	9	80	<0.2
2+00S	24+75E	0120	1	9	10	54	<0.2
2+00S	25+00E	0120	1	15	10	69	<0.2
4+00S	0+25W	0120	1	16	8	66	<0.2
4+00S	0+50W	0120	1	13	7	112	<0.2
4+00S	0+75W	0120	1	15	7	139	<0.2
4+00S	1+00W	0120	1	11	8	103	<0.2
4+00S	1+25W	0120	1	13	8	92	<0.2
4+00S	1+50W	0120	1	8	8	52	<0.2
4+00S	1+75W	0120	1	8	6	66	<0.2
4+00S	2+00W	0120	1	7	6	62	<0.2
4+00S	2+25W	0120	1	9	5	68	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	M0	CU	PB	ZN	AG
4+00S	2+50W	0120	1	9	6	62	<0.2
4+00S	2+75W	0120	1	9	7	57	<0.2
4+00S	3+00W	0120	1	12	7	70	<0.2
4+00S	3+25W	0120	1	13	6	68	<0.2
4+00S	3+50W	0120	1	12	6	64	<0.2
4+00S	3+75W	0120	1	11	5	70	<0.2
4+00S	4+00W	0120	1	7	6	116	<0.2
4+00S	4+25W	0120	1	9	6	116	<0.2
4+00S	4+50W	0120	1	11	7	65	<0.2
4+00S	5+25W	0120	1	11	6	162	<0.2
4+00S	5+50W	0120	1	11	5	152	<0.2
4+00S	5+75W	0120	1	11	2	134	<0.2
4+00S	6+00W	0120	1	8	6	110	<0.2
4+00S	6+25W	0120	1	13	6	179	<0.2
4+00S	6+50W	0120	1	8	5	130	<0.2
4+00S	6+75W	0120	1	7	5	68	<0.2
4+00S	7+00W	0120	1	9	6	108	<0.2
4+00S	7+25W	0120	1	7	5	91	<0.2
4+00S	7+50W	0120	1	8	6	160	<0.2
4+00S	7+75W	0120	1	8	6	105	<0.2
4+00S	8+00W	0120	1	9	5	87	<0.2
4+00S	8+25W	0120	1	8	4	74	<0.2
4+00S	8+50W	0120	1	9	7	59	<0.2
4+00S	8+75W	0120	1	7	4	66	<0.2
4+00S	9+00W	0120	1	9	6	71	<0.2
4+00S	9+25W	0120	1	48	7	74	1.1
4+00S	9+50W	0120	1	19	7	83	<0.2
4+00S	9+75W	0120	1	19	9	81	<0.2
4+00S	10+00W	0120	1	46	8	160	<0.2
4+00S	10+25W	0120	1	7	5	89	<0.2
4+00S	10+50W	0120	1	7	6	93	<0.2
4+00S	10+75W	0120	1	6	4	76	<0.2
4+00S	11+00W	0120	1	7	6	84	<0.2
4+00S	11+25W	0120	1	7	6	74	<0.2
4+00S	11+50W	0120	1	9	7	57	<0.2
4+00S	11+75W	0120	2	40	11	90	0.2
4+00S	12+25W	0120	1	26	11	88	0.4
4+00S	12+75W	0120	1	9	8	150	0.2
4+00S	13+00W	0120	1	8	8	91	<0.2
4+00S	13+25W	0120	1	14	10	122	<0.2
4+00S	13+50W	0120	1	10	11	85	0.2
4+00S	13+75W	0120	1	10	12	122	<0.2
4+00S	14+00W	0120	1	12	9	169	<0.2
4+00S	14+25W	0120	1	11	8	90	<0.2
4+00S	14+50W	0120	1	13	11	92	<0.2
4+00S	14+75W	0120	1	9	9	125	<0.2
4+00S	15+00W	0120	1	8	8	121	<0.2
4+00S	15+25W	0120	1	8	8	73	<0.2
4+00S	15+50W	0120	1	9	7	96	<0.2
4+00S	15+75W	0120	1	8	6	161	<0.2
4+00S	16+00W	0120	1	19	9	148	<0.2
4+00S	16+25W	0120	1	11	7	207	<0.2
4+00S	16+50W	0120	1	9	8	135	<0.2
4+00S	16+75W	0120	1	9	8	149	<0.2
4+00S	17+00W	0120	1	10	8	111	<0.2
4+00S	17+25W	0120	1	13	9	155	<0.2
4+00S	17+50W	0120	1	22	9	176	<0.2
4+00S	17+75W	0120	1	20	12	232	<0.2
4+00S	18+00W	0120	1	55	14	172	<0.2
4+00S	18+25W	0120	1	42	16	226	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	Mo	Cu	Pb	Zn	Ag
4+00S	18+50W	0120	1	13	9	84	<0.2
4+00S	18+75W	0120	1	17	10	226	<0.2
4+00S	19+00W	0120	1	19	10	281	<0.1
4+00S	19+25W	0120	<1	18	14	204	<0.2
4+00S	19+50W	0120	1	12	13	131	<0.2
4+00S	19+75W	0120	1	36	15	170	<0.2
4+00S	20+00W	0120	1	11	10	126	<0.2
4+00S	0+25E	0120	1	15	11	62	<0.2
4+00S	0+50E	0120	1	15	12	70	<0.2
4+00S	0+75E	0120	1	15	9	60	<0.2
4+00S	1+00E	0120	1	11	9	46	<0.2
4+00S	1+25E	0120	1	12	10	78	<0.2
4+00S	1+50E	0120	1	13	10	70	<0.2
4+00S	2+25E	0120	1	17	12	86	<0.2
4+00S	2+50E	0120	1	13	9	88	<0.2
4+00S	2+75E	0120	1	13	13	127	<0.2
4+00S	3+00E	0120	1	12	11	89	<0.2
4+00S	3+25E	0120	1	15	11	89	<0.2
4+00S	3+50E	0120	1	9	10	59	<0.2
4+00S	4+50E	0120	1	15	12	116	<0.2
4+00S	4+75E	0120	1	15	12	212	<0.2
4+00S	5+25E	0120	2	19	8	40	<0.2
4+00S	5+50E	0120	1	19	11	100	<0.2
4+00S	5+75E	0120	1	25	9	141	<0.2
4+00S	6+00E	0120	2	25	13	142	<0.2
4+00S	6+25E	0120	1	7	9	67	<0.2
4+00S	6+50E	0120	2	24	12	123	<0.2
4+00S	6+75E	0120	1	9	7	56	<0.2
4+00S	7+00E	0120	1	14	10	88	<0.2
4+00S	7+25E	0120	1	8	6	54	<0.2
4+00S	7+50E	0120	1	9	8	70	<0.2
4+00S	7+75E	0120	1	12	9	84	<0.2
4+00S	8+00E	0120	1	11	7	105	<0.2
4+00S	8+25E	0120	1	8	10	118	<0.2
4+00S	8+50E	0120	1	9	8	67	<0.2
4+00S	8+75E	0120	1	12	9	109	0.2
4+00S	9+00E	0120	1	7	7	70	<0.2
4+00S	9+25E	0120	1	7	7	129	<0.2
4+00S	9+50E	0120	1	11	10	109	<0.2
4+00S	10+00E	0120	1	9	8	93	<0.2
4+00S	10+25E	0120	1	8	5	103	<0.2
4+00S	10+50E	0120	1	18	145	204	<0.2
4+00S	10+75E	0120	2	9	13	85	<0.2
4+00S	11+00E	0120	1	10	8	81	<0.2
4+00S	11+25E	0120	1	12	7	59	<0.2
4+00S	11+50E	0120	1	9	8	138	<0.2
4+00S	11+75E	0120	1	11	8	162	<0.2
4+00S	12+00E	0120	1	19	13	127	<0.2
4+00S	12+25E	0120	1	11	9	109	<0.2
4+00S	12+50E	0120	1	12	5	114	<0.2
4+00S	12+75E	0120	1	6	6	59	<0.2
4+00S	13+00E	0120	1	8	7	59	<0.2
4+00S	13+25E	0120	1	9	7	77	<0.2
4+00S	13+50E	0120	1	8	6	85	<0.2
4+00S	13+75E	0120	1	9	5	87	<0.2
4+00S	14+00E	0120	1	7	6	74	<0.2
4+00S	14+25E	0120	1	9	7	56	<0.2
4+00S	14+50E	0120	1	8	10	78	0.3
4+00S	14+75E	0120	1	12	15	66	<0.2
4+00S	15+00E	0120	1	8	7	52	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	Mo	Cu	Pb	Zn	Ag
4+00S	15+25E	0120	1	10	10	63	<0.2
4+00S	15+50E	0120	1	9	7	58	<0.2
4+00S	15+75E	0120	1	11	12	106	<0.2
4+00S	16+00E	0120	1	14	11	79	<0.2
4+00S	16+25E	0120	1	8	8	98	<0.2
4+00S	16+50E	0120	1	15	9	95	<0.2
4+00S	16+75E	0120	1	9	9	98	<0.2
4+00S	17+00E	0120	1	10	10	73	<0.2
4+00S	17+25E	0120	1	8	8	93	<0.2
4+00S	17+50E	0120	1	10	9	158	<0.2
4+00S	17+75E	0120	1	18	15	189	<0.2
4+00S	18+00E	0120	1	10	10	155	<0.2
4+00S	18+25E	0120	1	10	8	115	<0.2
4+00S	18+50E	0120	1	12	9	123	<0.2
4+00S	18+75E	0120	1	13	10	161	<0.2
4+00S	19+00E	0120	1	12	11	253	0.2
4+00S	19+25E	0120	1	17	10	122	<0.2
4+00S	19+50E	0120	1	10	10	97	<0.2
4+00S	19+75E	0120	1	17	11	141	<0.2
4+00S	20+00E	0120	1	12	12	151	<0.2
4+00S	20+25E	0120	1	9	7	71	<0.2
4+00S	20+50E	0120	1	10	7	112	<0.2
4+00S	20+75E	0120	1	26	11	110	<0.2
4+00S	21+00E	0120	1	14	12	160	<0.2
4+00S	21+25E	0120	1	7	7	47	<0.2
4+00S	21+50E	0120	1	8	9	147	<0.2
4+00S	21+75E	0120	1	10	8	109	<0.2
4+00S	22+00E	0120	1	7	8	51	<0.2
4+00S	22+25E	0120	1	5	6	30	<0.2
4+00S	22+50E	0120	1	8	7	82	<0.2
4+00S	22+75E	0120	1	5	7	51	<0.2
4+00S	23+00E	0120	1	8	6	55	<0.2
4+00S	23+25E	0120	1	8	8	70	<0.2
4+00S	23+50E	0120	1	8	6	60	<0.2
4+00S	23+75E	0120	1	7	7	66	<0.2
4+00S	24+00E	0120	1	7	7	68	<0.2
4+00S	24+25E	0120	1	9	6	53	<0.2
4+00S	24+50E	0120	1	10	5	69	<0.2
4+00S	24+75E	0120	1	13	7	81	<0.2
4+00S	25+00E	0120	1	13	8	80	<0.2
4+00S	25+25E	0120	1	9	6	60	<0.2
14+50S	10+25E	0120	1	9	9	150	<0.2
14+50S	10+50E	0120	1	11	12	129	<0.2
14+50S	10+75E	0120	1	10	8	122	<0.2
14+50S	11+00E	0120	1	21	10	106	<0.2
14+50S	11+25E	0120	1	19	6	83	<0.2
14+50S	11+50E	0120	2	25	10	138	<0.2
14+50S	12+25E	0120	1	46	14	160	0.2
14+50S	12+75E	0120	1	9	7	89	<0.2
14+50S	13+00E	0120	3	23	13	92	<0.2
14+50S	13+25E	0120	3	19	6	30	<0.2
14+50S	13+50E	0120	2	14	8	100	<0.2
14+50S	13+75E	0120	2	25	10	100	<0.2
14+50S	14+00E	0120	1	51	15	117	0.3
14+50S	14+25E	0120	1	9	10	90	<0.2
14+50S	14+50E	0120	1	13	9	81	<0.2
14+50S	14+75E	0120	1	15	11	103	<0.2
14+50S	15+00E	0120	1	9	13	93	<0.2
14+50S	15+25E	0120	1	8	11	69	<0.2
14+50S	15+50E	0120	1	21	13	92	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
14+50S	15+75E	0120	1	12	10	176	<0.2
14+50S	16+00E	0120	1	9	11	136	<0.2
14+50S	16+25E	0120	1	10	8	87	<0.2
14+50S	16+50E	0120	1	12	11	105	<0.2
14+50S	16+75E	0120	1	11	12	150	<0.2
14+50S	17+00E	0120	1	21	12	82	<0.2
14+50S	17+25E	0120	1	9	9	50	<0.2
14+50S	17+50E	0120	1	8	7	72	<0.2
14+50S	17+75E	0120	1	8	8	67	<0.2
14+50S	18+00E	0120	1	7	9	72	<0.2
14+50S	18+25E	0120	1	12	9	131	<0.2
14+50S	18+50E	0120	1	12	8	108	<0.2
14+50S	18+75E	0120	1	10	10	600	<0.2
14+50S	19+00E	0120	1	8	7	81	<0.2
14+50S	19+25E	0120	1	8	9	86	<0.2
14+50S	19+50E	0120	1	7	8	100	<0.2
14+50S	19+75E	0120	1	8	9	109	<0.2
14+50S	20+00E	0120	1	7	9	109	<0.2
14+50S	20+25E	0120	1	8	9	99	<0.2
14+50S	20+50E	0120	1	7	8	62	<0.2
14+50S	20+75E	0120	1	13	10	75	<0.2
14+50S	21+00E	0120	1	12	9	125	<0.2
14+50S	21+25E	0120	2	9	12	90	<0.2
14+50S	21+50E	0120	1	8	10	71	<0.2
14+50S	21+75E	0120	1	7	9	55	<0.2
14+50S	22+00E	0120	1	14	9	72	<0.2
14+50S	22+25E	0120	1	7	9	71	<0.2
14+50S	22+50E	0120	1	10	10	90	<0.2
14+50S	22+75E	0120	1	11	8	74	<0.2
14+50S	23+00E	0120	1	8	9	104	<0.2
14+50S	23+25E	0120	1	9	10	67	<0.2
14+50S	23+50E	0120	1	10	9	123	<0.2
6+00S	18+25E	0120	1	13	18	374	<0.2
6+00S	18+50E	0120	1	9	8	174	<0.2
6+00S	18+75E	0120	1	10	10	115	<0.2
6+00S	19+00E	0120	1	11	8	120	<0.2
6+00S	19+25E	0120	1	9	8	104	<0.2
6+00S	19+50E	0120	1	11	6	92	<0.2
6+00S	19+75E	0120	1	10	8	83	<0.2
6+00S	20+00E	0120	1	11	10	122	<0.2
6+00S	20+25E	0120	1	10	7	165	<0.2
6+00S	20+50E	0120	1	7	6	65	<0.2
6+00S	20+75E	0120	1	10	6	56	<0.2
6+00S	21+00E	0120	1	9	7	54	<0.2
6+00S	21+25E	0120	1	10	7	54	<0.2
6+00S	21+50E	0120	1	7	7	47	<0.2
6+00S	21+75E	0120	1	6	7	51	<0.2
6+00S	22+00E	0120	1	7	12	86	<0.2
6+00S	22+25E	0120	1	6	11	85	<0.2
6+00S	22+50E	0120	1	8	9	81	<0.2
6+00S	22+75E	0120	1	9	8	117	<0.2
6+00S	23+00E	0120	1	8	7	79	<0.2
6+00S	23+25E	0120	1	6	6	62	<0.2
6+00S	23+50E	0120	1	8	9	71	<0.2
6+00S	23+75E	0120	1	11	10	57	0.2
6+00S	24+00E	0120	1	9	9	54	<0.2
6+00S	24+25E	0120	1	10	8	95	<0.2
6+00S	24+50E	0120	1	9	10	59	<0.2
6+00S	24+75E	0120	1	18	9	101	<0.2
6+00S	25+00E	0120	1	9	9	62	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	M0	CU	PB	ZN	AG
8+00S	0+25W	0120	1	14	11	223	<0.2
8+00S	0+50W	0120	1	9	10	118	<0.2
8+00S	0+75W	0120	1	11	8	134	<0.2
8+00S	1+00W	0120	1	11	7	148	<0.2
8+00S	1+25W	0120	1	8	11	109	<0.2
8+00S	1+50W	0120	1	8	7	166	<0.2
8+00S	1+75W	0120	1	10	8	80	<0.2
8+00S	2+00W	0120	1	7	6	79	<0.2
8+00S	2+25W	0120	1	8	7	139	<0.2
8+00S	2+50W	0120	1	7	9	77	<0.2
8+00S	2+75W	0120	1	8	6	69	<0.2
8+00S	3+00W	0120	1	6	8	152	<0.2
8+00S	3+25W	0120	1	38	18	170	<0.2
8+00S	3+50W	0120	1	9	7	92	<0.2
8+00S	3+75W	0120	1	6	10	159	<0.2
8+00S	4+00W	0120	1	8	9	153	<0.2
8+00S	4+25W	0120	1	10	9	155	<0.2
8+00S	4+50W	0120	1	6	7	87	<0.2
8+00S	4+75W	0120	1	5	5	59	<0.2
8+00S	5+00W	0120	1	9	6	90	<0.2
8+00S	5+25W	0120	2	38	11	92	<0.2
8+00S	5+50W	0120	2	27	9	71	<0.2
8+00S	6+50W	0120	2	12	16	207	<0.2
8+00S	6+75W	0120	1	7	10	154	<0.2
8+00S	7+00W	0120	1	8	11	182	<0.2
8+00S	7+25W	0120	1	8	27	221	<0.2
8+00S	7+50W	0120	1	12	25	274	<0.2
8+00S	7+75W	0120	1	8	24	343	<0.2
8+00S	8+00W	0120	1	12	36	770	<0.2
8+00S	8+25W	0120	1	11	19	480	<0.2
8+00S	8+50W	0120	1	9	16	162	<0.2
8+00S	8+75W	0120	1	7	12	223	<0.2
8+00S	9+00W	0120	1	8	12	94	<0.2
8+00S	9+25W	0120	1	8	9	128	<0.2
8+00S	9+50W	0120	1	11	13	102	<0.2
8+00S	9+75W	0120	1	9	10	75	<0.2
8+00S	10+00W	0120	1	8	9	70	<0.2
8+00S	10+25W	0120	1	8	9	88	<0.2
8+00S	10+50W	0120	1	13	16	135	<0.2
8+00S	10+75W	0120	1	8	8	86	<0.2
8+00S	11+00W	0120	1	7	8	79	<0.2
8+00S	11+25W	0120	1	16	12	134	<0.2
8+00S	11+50W	0120	1	20	20	167	<0.2
8+00S	11+75W	0120	1	10	11	90	<0.2
8+00S	12+00W	0120	1	8	9	132	<0.2
8+00S	12+25W	0120	1	7	9	103	<0.2
8+00S	12+50W	0120	1	8	11	94	<0.2
8+00S	12+75W	0120	1	10	15	201	<0.2
8+00S	13+00W	0120	1	8	8	92	<0.2
8+00S	13+25W	0120	1	10	9	168	<0.2
8+00S	13+50W	0120	1	10	9	91	<0.2
8+00S	13+75W	0120	1	9	8	103	<0.2
8+00S	14+00W	0120	1	8	10	142	<0.2
8+00S	14+25W	0120	1	9	9	184	<0.2
8+00S	14+50W	0120	1	8	11	131	<0.2
8+00S	14+75W	0120	1	16	12	203	<0.2
8+00S	15+00W	0120	1	8	15	166	<0.2
8+00S	15+25W	0120	1	18	10	148	<0.2
8+00S	15+50W	0120	1	17	15	184	<0.2
8+00S	15+75W	0120	1	15	13	153	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
8+00S	16+00W	0120	1	11	39	275	<0.2
8+00S	16+25W	0120	1	10	15	194	<0.2
8+00S	16+50W	0120	1	14	12	210	<0.2
8+00S	16+75W	0120	1	14	20	203	<0.2
8+00S	17+00W	0120	1	9	12	228	<0.2
8+00S	17+25W	0120	1	15	11	186	<0.2
8+00S	17+50W	0120	NSS	NSS	NSS	NSS	NSS
8+00S	17+75W	0120	<1	10	10	233	<0.2
8+00S	18+00W	0120	1	9	12	203	<0.2
8+00S	18+25W	0120	1	8	11	240	<0.2
8+00S	18+50W	0120	1	8	13	231	<0.2
8+00S	18+75W	0120	1	8	12	150	<0.2
8+00S	19+00W	0120	1	9	12	172	<0.2
8+00S	19+25W	0120	1	13	10	145	<0.2
8+00S	19+50W	0120	1	12	8	136	<0.2
8+00S	19+75W	0120	1	7	10	132	<0.2
8+00S	20+00W	0120	1	10	12	288	<0.2
8+00S	0+25E	0120	1	12	14	104	<0.2
8+00S	0+50E	0120	1	10	11	80	<0.2
8+00S	0+75E	0120	1	10	13	104	<0.2
8+00S	1+00E	0120	1	9	11	106	<0.2
8+00S	1+25E	0120	1	9	12	194	<0.2
8+00S	1+50E	0120	1	8	11	73	<0.2
8+00S	2+25E	0120	1	28	11	158	<0.2
8+00S	2+50E	0120	1	28	18	146	<0.2
8+00S	2+75E	0120	1	12	11	118	<0.2
8+00S	3+00E	0120	1	11	11	129	<0.2
8+00S	3+25E	0120	1	10	11	111	<0.2
8+00S	3+50E	0120	1	7	11	85	<0.2
8+00S	3+75E	0120	1	7	9	76	<0.2
8+00S	4+00E	0120	1	7	10	69	<0.2
8+00S	4+25E	0120	1	10	10	109	<0.2
8+00S	4+50E	0120	1	14	9	95	<0.2
8+00S	4+75E	0120	1	11	9	88	<0.2
8+00S	5+00E	0120	1	16	9	121	<0.2
8+00S	5+25E	0120	1	12	9	69	<0.2
8+00S	5+50E	0120	1	10	8	107	<0.2
8+00S	5+75E	0120	1	11	10	90	<0.2
8+00S	6+00E	0120	1	14	12	100	<0.2
8+00S	6+25E	0120	1	14	9	109	<0.2
8+00S	6+50E	0120	1	15	10	115	<0.2
8+00S	6+75E	0120	1	9	10	103	<0.2
8+00S	7+00E	0120	1	13	10	86	<0.2
8+00S	7+25E	0120	1	11	7	88	<0.2
8+00S	8+00E	0120	1	8	6	70	<0.2
8+00S	8+25E	0120	1	6	7	75	<0.2
8+00S	8+50E	0120	1	11	9	117	<0.2
8+00S	8+75E	0120	1	11	8	100	<0.2
8+00S	9+00E	0120	1	10	7	48	<0.2
8+00S	9+25E	0120	1	11	7	62	<0.2
8+00S	9+50E	0120	1	9	8	56	<0.2
8+00S	9+75E	0120	1	7	8	57	<0.2
8+00S	10+00E	0120	1	9	8	114	<0.2
8+00S	10+25E	0120	1	14	9	122	<0.2
8+00S	10+50E	0120	1	14	8	116	<0.2
8+00S	10+75E	0120	1	8	6	87	<0.2
8+00S	11+00E	0120	1	11	8	85	<0.2
8+00S	11+25E	0120	1	11	7	77	<0.2
8+00S	11+50E	0120	1	11	5	62	<0.2
8+00S	11+75E	0120	1	24	3	128	0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
8+00S	12+00E	0120	1	18	8	98	<0.2
8+00S	12+25E	0120	1	12	5	130	<0.2
8+00S	12+50E	0120	1	8	7	78	<0.2
8+00S	12+75E	0120	1	7	6	85	<0.2
8+00S	13+00E	0120	1	10	10	113	<0.2
8+00S	13+25E	0120	1	9	7	66	<0.2
8+00S	13+50E	0120	1	13	8	81	<0.2
8+00S	13+75E	0120	1	11	7	114	<0.2
8+00S	14+00E	0120	1	8	8	146	<0.2
8+00S	14+25E	0120	1	7	8	63	<0.2
8+00S	14+50E	0120	1	7	8	89	<0.2
8+00S	14+75E	0120	1	6	5	95	<0.2
8+00S	15+00E	0120	1	9	9	91	<0.2
8+00S	15+25E	0120	1	7	7	66	<0.2
8+00S	15+50E	0120	1	10	9	91	<0.2
8+00S	15+75E	0120	1	10	10	76	<0.2
8+00S	16+00E	0120	1	8	8	77	<0.2
8+00S	16+25E	0120	1	7	8	85	<0.2
8+00S	16+50E	0120	1	8	8	63	<0.2
8+00S	16+75E	0120	1	10	7	91	<0.2
8+00S	17+00E	0120	1	10	7	99	<0.2
8+00S	17+25E	0120	1	15	11	137	<0.2
8+00S	17+50E	0120	1	13	7	95	<0.2
8+00S	17+75E	0120	1	11	8	89	<0.2
8+00S	18+00E	0120	1	12	8	92	<0.2
8+00S	18+25E	0120	1	15	8	91	<0.2
8+00S	18+50E	0120	1	9	8	89	<0.2
8+00S	18+75E	0120	1	10	7	100	<0.2
8+00S	19+00E	0120	1	12	7	74	<0.2
8+00S	19+25E	0120	1	8	7	97	<0.2
8+00S	19+50E	0120	1	6	6	67	<0.2
8+00S	19+75E	0120	1	6	5	123	<0.2
8+00S	20+00E	0120	1	5	6	111	<0.2
8+00S	20+25E	0120	1	7	6	148	<0.2
8+00S	20+50E	0120	1	7	5	81	<0.2
8+00S	20+75E	0120	1	7	6	96	<0.2
8+00S	21+00E	0120	1	8	7	92	<0.2
8+00S	21+25E	0120	1	8	8	116	<0.2
8+00S	21+50E	0120	1	10	10	103	<0.2
8+00S	21+75E	0120	1	7	9	107	<0.2
8+00S	22+00E	0120	1	7	10	169	<0.2
8+00S	22+25E	0120	1	15	12	201	<0.2
8+00S	22+50E	0120	1	13	9	104	<0.2
8+00S	22+75E	0120	1	14	11	104	<0.2
8+00S	23+00E	0120	1	14	10	96	<0.2
8+00S	23+25E	0120	1	21	10	161	<0.2
8+00S	23+50E	0120	1	14	10	123	<0.2
8+00S	23+75E	0120	1	12	7	71	<0.2
8+00S	24+00E	0120	1	12	9	96	<0.2
8+00S	24+25E	0120	1	16	10	86	<0.2
8+00S	24+50E	0120	1	6	6	56	<0.2
8+00S	25+00E	0120	1	7	5	67	<0.2
12+00S	0+25E	0120	1	8	8	65	<0.2
12+00S	0+50E	0120	1	20	10	117	<0.2
12+00S	0+75E	0120	1	13	10	111	<0.2
12+00S	1+00E	0120	1	7	7	70	<0.2
12+00S	1+25E	0120	1	6	10	82	<0.2
12+00S	1+50E	0120	1	6	9	96	<0.2
12+00S	1+75E	0120	1	9	10	78	<0.2
12+00S	2+00E	0120	1	7	9	96	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
12+00S	2+25E	0120	1	9	10	105	<0.2
12+00S	2+50E	0120	1	9	12	137	<0.2
12+00S	2+75E	0120	1	7	77	196	<0.2
12+00S	3+00E	0120	1	7	11	111	<0.2
12+00S	3+25E	0120	1	7	11	134	<0.2
12+00S	3+50E	0120	1	10	131	230	<0.2
12+00S	3+75E	0120	1	8	20	133	<0.2
12+00S	4+50E	0120	1	7	9	112	<0.2
12+00S	4+75E	0120	1	7	9	67	<0.2
12+00S	5+00E	0120	2	33	17	182	<0.2
12+00S	5+25E	0120	2	21	13	135	<0.2
12+00S	5+50E	0120	1	7	10	107	<0.2
12+00S	5+75E	0120	2	11	9	150	<0.2
12+00S	6+00E	0120	1	8	12	97	<0.2
12+00S	6+25E	0120	1	7	8	80	<0.2
12+00S	6+50E	0120	1	9	8	87	<0.2
12+00S	6+75E	0120	1	9	8	148	<0.2
12+00S	7+00E	0120	1	9	9	233	<0.2
12+00S	7+25E	0120	1	7	9	84	<0.2
12+00S	7+50E	0120	1	7	8	106	<0.2
12+00S	7+75E	0120	1	7	9	122	<0.2
12+00S	8+00E	0120	1	10	10	250	<0.2
12+00S	8+25E	0120	1	9	12	129	<0.2
12+00S	8+50E	0120	1	13	7	196	<0.2
12+00S	8+75E	0120	1	12	16	520	<0.2
12+00S	9+00E	0120	1	11	66	550	<0.2
12+00S	9+25E	0120	1	12	24	153	<0.2
12+00S	9+75E	0120	1	22	38	290	<0.2
12+00S	10+00E	0120	1	8	6	100	<0.2
12+00S	10+25E	0120	1	11	10	166	<0.2
12+00S	10+50E	0120	1	11	10	227	<0.2
12+00S	10+75E	0120	1	13	15	380	<0.2
12+00S	11+00E	0120	1	36	137	840	0.4
12+00S	11+25E	0120	1	21	56	1010	0.2
12+00S	11+75E	0120	1	25	28	570	0.2
12+00S	12+00E	0120	4	21	23	740	0.2
12+00S	12+25E	0120	1	9	6	127	<0.2
12+00S	12+50E	0120	2	21	20	385	<0.2
12+00S	12+75E	0120	1	11	6	122	<0.2
12+00S	13+00E	0120	1	10	7	175	<0.2
12+00S	13+25E	0120	1	10	8	175	<0.2
12+00S	13+50E	0120	1	9	8	114	<0.2
12+00S	13+75E	0120	<1	9	7	145	<0.2
12+00S	14+00E	0120	1	9	6	183	<0.2
12+00S	14+25E	0120	1	8	6	255	<0.2
12+00S	14+50E	0120	1	9	7	168	<0.2
12+00S	14+75E	0120	1	6	5	111	<0.2
12+00S	15+00E	0120	1	10	7	205	<0.2
12+00S	15+50E	0120	1	10	7	105	<0.2
12+00S	15+75E	0120	1	10	7	218	<0.2
12+00S	16+00E	0120	1	8	7	70	<0.2
12+00S	16+25E	0120	1	8	7	103	<0.2
12+00S	16+50E	0120	1	9	5	95	<0.2
12+00S	16+75E	0120	1	9	6	108	<0.2
12+00S	17+00E	0120	1	8	7	80	<0.2
12+00S	17+25E	0120	1	10	6	108	<0.2
12+00S	17+50E	0120	1	7	5	175	<0.2
12+00S	17+75E	0120	1	6	7	71	<0.2
12+00S	18+00E	0120	1	12	7	163	<0.2
12+00S	18+25E	0120	1	9	5	139	<0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
12+00S	18+50E	0120	1	9	6	101	<0.2
12+00S	18+75E	0120	1	9	8	137	<0.2
12+00S	19+00E	0120	1	7	8	103	<0.2
12+00S	19+25E	0120	1	9	7	122	<0.2
12+00S	19+50E	0120	1	11	5	69	<0.2
12+00S	19+75E	0120	1	36	8	149	0.3
12+00S	20+00E	0120	1	15	9	133	<0.2
12+00S	20+25E	0120	1	13	8	68	<0.2
12+00S	20+50E	0120	1	9	8	55	<0.2
12+00S	20+75E	0120	1	14	9	55	<0.2
12+00S	21+00E	0120	1	10	10	70	<0.2
12+00S	21+25E	0120	1	10	9	259	<0.2
12+00S	21+50E	0120	1	10	9	88	<0.2
12+00S	21+75E	0120	1	20	10	100	<0.2
12+00S	22+00E	0120	1	7	7	77	<0.2
12+00S	22+25E	0120	1	7	7	93	<0.2
12+00S	22+50E	0120	1	11	8	135	<0.2
12+00S	22+75E	0120	1	11	8	123	<0.2
12+00S	23+00E	0120	1	11	9	106	<0.2
12+00S	23+25E	0120	1	12	8	88	<0.2
12+00S	23+50E	0120	1	10	9	83	0.2
12+00S	23+75E	0120	1	14	10	136	<0.2
12+00S	24+00E	0120	1	35	11	164	0.5
12+00S	24+25E	0120	1	7	10	73	<0.2
12+00S	24+50E	0120	1	4	8	58	<0.2
12+00S	24+75E	0120	1	7	7	83	<0.2
12+00S	25+00E	0120	1	26	13	80	<0.2
6+00S	16+25W	0120	1	26	11	210	<0.2
6+00S	16+50W	0120	1	20	11	140	<0.2
6+00S	16+75W	0120	1	15	12	141	0.2
6+00S	17+00W	0120	1	12	11	250	0.2
6+00S	17+25W	0120	1	65	11	210	0.4
6+00S	17+50W	0120	1	8	9	182	<0.2
6+00S	17+75W	0120	1	8	9	172	<0.2
6+00S	18+00W	0120	1	9	13	178	<0.2
6+00S	18+25W	0120	1	9	12	96	<0.2
6+00S	18+50W	0120	1	8	14	206	<0.2
6+00S	18+75W	0120	1	9	11	159	<0.2
6+00S	19+00W	0120	1	10	10	95	<0.2
6+00S	19+25W	0120	1	13	21	330	<0.2
6+00S	19+75W	0120	1	9	9	144	<0.2
6+00S	20+00W	0120	1	7	8	137	<0.2
12+00S	0+25W	0120	1	8	9	67	<0.2
12+00S	0+50W	0120	1	34	16	182	<0.2
12+00S	0+75W	0120	1	8	8	83	<0.2
12+00S	1+00W	0120	1	7	9	64	<0.2
12+00S	1+25W	0120	1	16	12	107	<0.2
12+00S	1+50W	0120	1	11	11	61	<0.2
12+00S	1+75W	0120	1	16	10	103	<0.2
12+00S	2+00W	0120	1	12	11	107	<0.2
12+00S	2+25W	0120	1	43	18	147	<0.2
12+00S	2+50W	0120	1	23	11	94	<0.2
12+00S	2+75W	0120	2	20	7	58	<0.2
12+00S	3+00W	0120	1	15	5	41	<0.2
12+00S	3+50W	0120	2	13	9	137	<0.2
12+00S	3+75W	0120	1	6	6	65	<0.2
12+00S	4+00W	0120	1	8	8	146	0.2
12+00S	4+25W	0120	1	10	11	174	<0.2
12+00S	4+50W	0120	1	8	12	98	<0.2
12+00S	4+75W	0120	1	8	12	169	0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	Mo	Cu	Pb	Zn	Ag
12+00S	5+00W	0120	1	21	8	104	<0.2
12+00S	5+25W	0120	1	6	7	109	<0.2
12+00S	5+50W	0120	<1	5	10	130	<0.2
12+00S	5+75W	0120	<1	8	18	166	<0.2
12+00S	6+00W	0120	<1	7	8	68	<0.2
12+00S	6+25W	0120	1	10	9	207	<0.2
12+00S	7+25W	0120	1	8	13	56	<0.2
12+00S	7+50W	0120	1	6	31	400	<0.2
12+00S	7+75W	0120	1	8	17	225	<0.2
12+00S	8+00W	0120	1	10	16	316	<0.2
12+00S	8+25W	0120	1	13	14	177	<0.2
12+00S	8+50W	0120	<1	13	9	131	<0.2
12+00S	8+75W	0120	1	8	7	90	<0.2
12+00S	9+00W	0120	1	11	10	117	<0.2
12+00S	9+25W	0120	1	13	12	163	<0.2
12+00S	9+50W	0120	1	10	7	111	<0.2
12+00S	9+75W	0120	1	11	7	104	<0.2
12+00S	10+00W	0120	1	9	6	116	<0.2
12+00S	10+25W	0120	1	9	9	79	<0.2
12+00S	10+50W	0120	<1	12	6	154	<0.2
12+00S	10+75W	0120	<1	13	6	166	<0.2
12+00S	11+00W	0120	1	12	9	120	<0.2
12+00S	11+25W	0120	1	13	7	71	<0.2
12+00S	11+50W	0120	1	11	6	71	<0.2
12+00S	11+75W	0120	1	13	9	111	<0.2
12+00S	12+00W	0120	1	12	13	115	<0.2
12+00S	12+25W	0120	1	10	8	107	<0.2
12+00S	12+50W	0120	1	9	9	79	<0.2
12+00S	12+75W	0120	<1	7	10	123	<0.2
12+00S	13+00W	0120	1	6	8	146	<0.2
12+00S	13+25W	0120	1	6	14	98	<0.2
12+00S	13+50W	0120	1	7	12	97	<0.2
12+00S	13+75W	0120	1	5	11	83	<0.2
12+00S	14+00W	0120	1	5	8	72	<0.2
12+00S	14+25W	0120	1	7	12	85	<0.2
12+00S	14+50W	0120	1	9	13	132	<0.2
12+00S	14+75W	0120	1	9	15	112	<0.2
12+00S	15+00W	0120	1	10	13	148	<0.2
12+00S	15+25W	0120	<1	8	8	84	<0.2
12+00S	15+50W	0120	1	8	9	67	<0.2
12+00S	15+75W	0120	1	8	5	80	<0.2
12+00S	16+00W	0120	1	9	8	118	<0.2
12+00S	16+25W	0120	1	9	7	116	<0.2
12+00S	16+50W	0120	<1	8	8	110	<0.2
12+00S	16+75W	0120	<1	14	9	220	<0.2
12+00S	17+00W	0120	1	12	8	260	<0.2
12+00S	17+25W	0120	1	9	7	76	<0.2
12+00S	17+50W	0120	1	10	8	150	<0.2
12+00S	17+75W	0120	<1	9	10	240	<0.2
12+00S	18+00W	0120	<1	12	8	320	<0.2
12+00S	18+25W	0120	1	9	10	176	<0.2
12+00S	18+50W	0120	1	8	7	221	<0.2
12+00S	18+75W	0120	1	10	10	235	<0.2
12+00S	19+00W	0120	1	8	7	127	<0.2
12+00S	19+25W	0120	1	11	7	196	<0.2
12+00S	19+50W	0120	1	18	8	176	<0.2
12+00S	19+75W	0120	1	10	9	181	<0.2
12+00S	20+00W	0120	1	8	7	75	<0.2
93L2E	12	0120	<1	25	15	227	<0.2
93L2E	13	0120	<1	11	5	106	0.2

## LIST OF GEOCHEMICAL DATA FROM buck flats: ewe samples

NTS	SAMPLE	PROJECT	MO	CU	PB	ZN	AG
93L2E	322	0120	<1	14	8	108	<0.2
13+50S	10+00W	0183	<1	10	11	83	0.05
13+50S	10+25W	0183	1	10	10	83	0.05
13+50S	10+50W	0183	1	16	11	162	0.11
13+50S	11+00W	0183	1	7	9	104	0.05
13+50S	11+25W	0183	<1	6	7	63	0.02
13+50S	11+50W	0183	<1	6	6	54	0.03
13+50S	11+75W	0183	<1	10	10	102	0.02
13+50S	12+00W	0183	<1	9	10	82	<0.02
13+50S	12+25W	0183	<1	10	8	97	0.04
13+50S	12+50W	0183	<1	10	9	119	0.03
13+50S	12+75W	0183	1	21	20	230	0.18
13+50S	13+00W	0183	1	15	15	140	0.06
13+50S	13+25W	0183	<1	8	12	116	0.02
13+50S	13+50W	0183	<1	9	11	160	0.03
13+50S	13+75W	0183	<1	13	9	108	0.08
13+50S	14+00W	0183	1	12	12	168	0.02
13+50S	14+25W	0183	2	15	13	142	0.02
13+50S	14+50W	0183	2	13	9	131	0.16
13+50S	14+75W	0183	1	13	6	147	0.05
13+50S	15+00W	0183	2	14	9	163	0.12
13+50S	15+25W	0183	1	13	11	207	0.19
13+50S	15+50W	0183	1	20	12	260	0.14
13+50S	15+75W	0183	1	9	9	87	0.09
13+50S	16+00W	0183	1	15	8	130	0.16
14+50S	12+75WA	0183	1	8	8	119	0.07
14+50S	13+00WA	0183	1	7	10	440	0.06
14+50S	13+25WA	0183	1	34	2900	1960	
14+50S	13+50WA	0183	3	40	90	1210	0.09
14+50S	13+75WA	0183	3	41	60	1300	0.21
14+50S	14+00WA	0183	3	64		2900	1.71
14+50S	14+25WA	0183	2	34	87	310	0.13
14+50S	14+50WA	0183	2	26	17	280	0.08

END OF LISTING - 1413 RECORDS PRINTED

GCLIST RUN AT: 13:49:59

CPU USED: 21.55 SECONDS




FIGURE 6

LEGEND

- SAMPLE LOCATION
- △ FLAGGED LINE
- CLAIM POST, NEW, OLD
- ◎ STREAM SEDIMENT
- STREAM WITH DIRECTION OF FLOW
- ★ SWAMP OUTROP
- H HELICOPTER LANDING


CONTOUR LEVELS


- 20 - 39.9
- 40 - 59.9
- 60 - 79.9
- 80 - 99.9
- 100+

0 100 200 300 400 500  
METRES

DRAWN A.D.C.	SAJ A.D.C.	SCALE 1:5000	PLACER DEVELOPMENT LIMITED
CHECKED A.D.C.	DATE: DEC 1980		
BUCK CREEK V-173 EWE CLAIMS 93 L2E			SOIL GEOCHEMISTRY LEAD PPM

FILE NO. 80-12-V-173-4B-0042








FIGURE 9

