

Location: 107+50N, 107+10E	Diamond Drill Record	Hole No. 180M - 1
Azimuth: 045 ⁰		Property: Project 180 - Maud Lake, B.C.
Dip: -45 ⁰	Length(metres): 400.2m	Elevation: Claim No: MAUD 3
Started: October 22, 1981. - 5 P.M.	Core Size: BQWL	Date Logged: Oct. 24/81. Section: Nov. 18/81.
Completed: October 27, 1981. - 3 P.M.	Dip Tests: 91.4m 48 ⁰ corrected to -40 ⁰ 182.9m 48 ⁰ corrected to -40 ⁰	Logged By: T. Bruland, P. Fox
Purpose: IP Anomaly	274.3m 47 ⁰ corrected to -39 ⁰ 396.2m 44 ⁰ corrected to -36 ⁰	

Part 2 of 2
10527

MINERAL RESOURCES BRANCH
ASSESSMENT REPORT
NO.

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
															F	C
0.0	3.0	OVERBURDEN	FBBA	45751	3.0	6.0	3	0.05	0.5	0.01	0	0	0	0	2	0
3.0	52.0	BASALT		2	6.0	7.0	1	0.05	0.5	0.01	0	0	1	0	2	0
		Fine grained/aphanitic grey basalt with		3	7.0	8.0	1	0.05	0.5	0.01	0	0	2	0	2	0
		subhedral hornblende (2-8mm) and feldspar		4	8.0	9.0	1	0.05	0.5	0.01	0	0	2	1	2	0
		(2-4mm) phenocrysts. The basalt is		5	9.0	10.0	1	0.05	0.5	0.01	0	0	2	1	2	0
		autobrecciated with subrounded fragments,		6	10.0	11.0	1	0.05	0.5	0.01	0	0	2	1	2	0
		2-5mm and isolated fragments up to 1.5cm.		7	11.0	12.0	1	0.05	0.5	0.01	0	0	1	1	2	0
		Mottled light grey and dark grey. Minor		8	12.0	13.0	1	0.05	0.5	0.01	0	0	2	2	2	0
		disseminated calcite and chlorite. Fine		9	13.0	14.0	1	0.05	0.5	0.01	0	0	1	1	1	0
		grained disseminated pyrite and coarse		45760	14.0	15.0	1	0.05	0.5	0.01	0	0	1	1	1	0
		pyrite lenses 2-4mm. Oxided to 6.4m.		1	15.0	16.0	1	0.05	0.5	0.02	0	0	1	2	1	0
		Fine disseminated magnetite down to		2	16.0	17.0	1	0.05	0.5	0.02	0	0	1	1	1	0
		8.2m and 38.2m. Fine chalcopryrite		3	17.0	18.0	1	0.05	0.5	0.03	0	0	1	1	1	0
		associated with pyrite lenses at 13.9m		4	18.0	19.0	1	0.05	0.5	0.01	0	0	1	2	2	0
		and 17.3m. Chlorite along local faults,		5	19.0	20.0	1	0.05	0.5	0.01	0	0	1	1	1	0
		distributed chalcopryrite. Calcite veins		6	20.0	21.0	1	0.05	0.5	0.01	0	0	1	2	1	0
		at 30 ⁰ , 60 ⁰ , 90 ⁰ to core axis 1-5 mm,		7	21.0	22.0	1	0.05	0.5	0.01	0	0	1	2	2	0
		amount varies from absent to 1 or 3 in		8	22.0	23.0	1	0.05	0.5	0.01	0	0	1	2	1	0
		a 1m sample.		9	23.0	24.0	1	0.05	0.5	0.01	0	0	1	3	1	0
				45770	24.0	25.0	1	0.05	0.5	0.01	0	0	0	2	1	0
				1	25.0	26.0	1	0.05	0.5	0.01	0	0	0	1	1	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1
 Page No. 2 of 15

Diamond Drill Record

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	GHL	Pyrite	
															F	C
			FBBA	45772	26.0	27.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				3	27.0	28.0	1	0.05	0.5	0.02	0	0	0	1	1	0
				4	28.0	29.0	1	0.05	0.5	0.02	0	0	0	1	1	0
				5	29.0	30.0	1	0.05	0.5	0.01	0	0	0	1	1	0
				6	30.0	31.0	1	0.05	0.5	0.01	0	0	1	1	2	0
				7	31.0	32.0	1	0.05	1.0	0.02	0	0	1	1	1	0
				8	32.0	33.0	1	0.05	0.5	0.01	0	0	3	1	2	0
				9	33.0	34.0	1	0.05	0.5	0.01	0	0	3	1	1	0
				45780	34.0	35.0	1	0.05	0.5	0.02	0	0	2	1	1	0
				1	35.0	36.0	1	0.05	0.5	0.01	0	0	2	1	1	0
				2	36.0	37.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				3	37.0	38.0	1	0.05	0.5	0.01	0	0	2	1	2	0
				4	38.0	39.0	1	0.05	0.5	0.01	0	0	0	1	2	0
				5	39.0	40.0	1	0.05	0.5	0.01	0	0	0	1	1	0
				6	40.0	41.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				7	41.0	42.0	1	0.05	0.5	0.01	0	0	0	1	1	0
				8	42.0	43.0	1	0.05	0.5	0.01	0	0	0	1	1	0
				9	43.0	44.0	1	0.05	0.5	0.02	0	0	0	1	1	0
				45790	44.0	45.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				1	45.0	46.0	1	0.05	0.5	0.02	0	0	0	1	1	0
				2	46.0	47.0	1	0.05	0.5	0.01	0	0	0	2	1	0
				3	47.0	48.0	1	0.05	0.5	0.01	0	0	0	1	1	0
				4	48.0	49.0	1	0.05	0.5	0.01	0	0	0	1	1	0
				5	49.0	50.0	1	0.05	0.5	0.01	0	0	0	2	1	0
				6	50.0	51.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			FBBA	7	51.0	52.0	1	0.05	0.5	0.01	0	0	1	4	1	0
			HS	8	52.0	53.0	1	0.05	0.5	0.01	0	0	2	3	2	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOMEXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1

Page No. 3 of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
52.0	67.7	<u>SILTSTONE</u>	HS	45799	53.0	54.0	1	0.05	0.5	0.01	0	0	1	1	2	0
		Fine grained/aphanitic light grey.		45800	54.0	55.0	1	0.05	0.5	0.0	0	0	2	1	2	0
		Homogeneous, massive with isolated beds.		1	55.0	56.0	1	0.05	0.5	0.01	0	0	1	1	2	0
		Bedding about 75° to core axis. Calcite		2	56.0	57.0	1	0.05	0.5	0.01	0	0	1	2	2	0
		veins at 30°, 60°, 90° to core axis.		3	57.0	58.0	1	0.05	0.5	0.01	0	0	1	2	2	0
				4	58.0	59.0	1	0.05	0.5	0.01	0	0	0	2	2	0
				5	59.0	60.0	1	0.05	0.5	0.01	0	0	0	2	2	0
				6	60.0	61.0	1	0.05	0.5	0.01	0	0	0	2	2	0
				7	61.0	62.0	1	0.05	0.5	0.01	0	0	0	2	2	0
				8	62.0	63.0	1	0.05	0.5	0.01	0	0	0	2	2	0
				9	63.0	64.0	1	0.05	0.5	0.01	0	0	0	2	2	0
				45810	64.0	65.0	1	0.05	0.5	0.01	0	0	0	2	2	0
				1	65.0	66.0	1	0.05	0.5	0.01	0	0	1	1	2	0
				2	66.0	67.0	1	0.05	0.5	0.01	0	0	1	1	1	0
67.7	156.0	<u>FELSIC BRECCIA, TUFF BRECCIA</u>		3	67.0	68.0	1	0.05	0.5	0.01	0	0	1	3	2	0
		Mottled grey, fine grained latite		4	68.0	69.0	1	0.05	0.5	0.01	0	0	1	2	1	0
		porphyry with numerous accessory clasts to		5	69.0	70.0	1	0.05	0.5	0.01	0	0	2	2	2	0
		6cm. Generally rounded feldspar porphyry		6	70.0	71.0	1	0.05	0.5	0.01	0	0	2	2	3	0
		fragments enclosed by latite porphyry.		7	71.0	72.0	1	0.05	0.5	0.01	0	0	2	2	2	0
		1-3% finely disseminated pyrite.		8	72.0	73.0	1	0.05	0.5	0.01	0	0	3	2	3	0
		Limestone clasts to 5cm, 95-100m, 1% by		9	73.0	74.0	1	0.05	0.5	0.01	0	0	2	2	1	0
		volume. Breccias largely clastic tuff		45820	74.0	75.0	1	0.05	0.5	0.02	0	0	2	2	3	0
		breccias.		1	75.0	76.0	1	0.05	0.5	0.01	0	0	2	1	2	0
		Gouge 125-127m.		2	76.0	77.0	1	0.05	0.5	0.01	0	0	2	1	1	0
				3	77.0	78.0	1	0.05	0.5	0.01	0	0	2	1	1	0
				4	78.0	79.0	1	0.05	0.5	0.01	0	0	2	1	1	0
				5	79.0	80.0	1	0.05	0.5	0.01	0	0	2	1	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1

Page No. 4 of 15

Diamond Drill Record

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
															F	C
			HS	45826	80.0	81.0	1	0.05	0.5	0.01	0	0	2	1	1	0
				7	81.0	82.0	1	0.05	0.5	0.01	0	0	4	1	2	0
				8	82.0	83.0	1	0.05	0.5	0.01	0	0	3	1	1	0
				9	83.0	84.0	1	0.05	0.5	0.01	0	0	4	1	1	0
				45830	84.0	85.0	1	0.05	0.5	0.01	0	0	3	1	2	0
				1	85.0	86.0	1	0.05	0.5	0.01	0	0	3	1	1	0
				2	86.0	87.0	1	0.05	0.5	0.01	0	0	3	1	1	0
				3	87.0	88.0	1	0.05	0.5	0.01	0	0	2	1	2	0
				4	88.0	89.0	1	0.05	0.5	0.01	0	0	2	1	2	0
				5	89.0	90.0	1	0.05	0.5	0.01	0	0	2	1	1	0
				6	90.0	91.0	1	0.05	0.5	0.01	0	0	3	1	1	0
				7	91.0	92.0	1	0.05	0.5	0.01	0	0	3	1	2	0
				8	92.0	93.0	1	0.05	0.5	0.01	0	0	4	1	2	0
				9	93.0	94.0	1	0.05	0.5	0.01	0	0	3	1	1	0
				45840	94.0	95.0	1	0.05	0.5	0.01	0	0	3	1	1	0
				1	95.0	96.0	1	0.05	0.5	0.01	0	0	1	1	2	0
				2	96.0	97.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				3	97.0	98.0	1	0.05	0.5	0.01	0	0	2	1	1	0
				4	98.0	99.0	1	0.05	0.5	0.01	0	0	4	1	1	0
				5	99.0	100.0	1	0.05	0.5	0.01	0	0	4	1	1	0
			FB	6	100.0	101.0	1	0.05	0.5	0.01	0	0	4	0	1	0
				7	101.0	102.0	1	0.05	0.5	0.01	0	0	4	0	2	0
				8	102.0	103.0	1	0.05	0.5	0.01	0	0	3	0	2	0
				9	103.0	104.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				45850	104.0	105.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				1	105.0	106.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				2	106.0	107.0	1	0.05	0.5	0.01	0	0	1	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1

Diamond Drill Record

Page No. 5 of 15

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
F	C															
				45853	107.0	108.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	108.0	109.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				5	109.0	110.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	6	110.0	111.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				7	111.0	112.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				8	112.0	113.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				9	113.0	114.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				45860	114.0	115.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				1	115.0	116.0	1	0.1	0.5	0.01	0	0	3	0	1	0
				2	116.0	117.0	1	0.05	0.5	0.03	0	0	2	0	1	0
				3	117.0	118.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				4	118.0	119.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				5	119.0	120.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				6	120.0	121.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	121.0	122.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	122.0	123.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	9	123.0	124.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				45870	124.0	125.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				1	125.0	126.0	1	0.05	0.5	0.02	0	0	1	3	1	0
			G	2	126.0	127.0	1	0.05	0.5	0.01	0	0	1	3	1	0
			G	3	127.0	128.0	1	0.05	0.5	0.01	0	1	1	1	1	0
				4	128.0	129.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				5	129.0	130.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				6	130.0	131.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				7	131.0	132.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				8	132.0	133.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				9	133.0	134.0	1	0.05	0.5	0.01	0	0	1	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.

180M - 1

Page No. 6

of 15

Diamond Drill Record

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPT	CAR	CHL	Pyrite	
															F	C
			FB	45881	135.0	136.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				2	136.0	137.0	1	0.05	0.5	0.01	0	0	4	0	1	0
				3	137.0	138.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				4	138.0	139.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				5	139.0	140.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				6	140.0	141.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	141.0	142.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	142.0	143.0	1	0.05	0.5	0.01	0	1	1	0	1	1
				9	143.0	144.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				45890	144.0	145.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				1	145.0	146.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				2	146.0	147.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	3	147.0	148.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	148.0	149.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				5	149.0	150.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				6	150.0	151.0	1	0.1	0.5	0.01	0	0	1	0	1	0
				7	151.0	152.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	152.0	153.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				9	153.0	154.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				45900	154.0	155.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	1	155.0	156.0	1	0.05	0.5	0.01	0	0	1	0	1	0
156.0	178.0	TUFF, LAPILLISTONE, & TUFF BRECCIA	FW	2	156.0	157.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Mottled grey, greenish grey wacke, tuff		3	157.0	158.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		and felsic lapillistone. Tuff units		4	158.0	159.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		bedded, 45°, interlayered with coarse		5	159.0	160.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		lapillistones and breccia. Finely		6	160.0	161.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		disseminated pyrite throughout.		7	161.0	162.0	1	0.05	0.5	0.01	0	1	1	0	1	0

Key

DOME EXPLORATION (CANADA) LIMITED

Project 180

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

Diamond Drill Record

Hole No. 180M - 1

Page No. 7 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	GHL	Pyrite	
					from	to									F	C
		Weak carbonate, chlorite. Felsic		45908	162.0	163.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		fragments locally rich in epidote.		9	163.0	164.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Bedding 167m = 45°, 161m = 40°. Chaotic	FB	45910	164.0	165.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		mixture of fine and coarse material.		1	165.0	166.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Felsic tuff breccia 174-178m.		2	166.0	167.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				3	167.0	168.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				4	168.0	169.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				5	169.0	170.0	1	0.05	0.5	0.01	0	1	1	0	1	0
			FW	6	170.0	171.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				7	171.0	172.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				8	172.0	173.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				9	173.0	174.0	1	0.05	0.5	0.01	0	1	1	0	1	0
			FB	45920	174.0	175.0	1	0.05	0.5	0.01	0	1	1	0	1	0
			FB	1	175.0	176.0	1	0.05	0.5	0.01	0	1	1	0	1	0
			FB	2	176.0	177.0	1	0.05	0.5	0.01	0	1	1	0	1	0
			FB	3	177.0	178.0	1	0.05	0.5	0.01	0	1	1	0	1	0
178.0	180.0	<u>GREENISH GREY WACKE</u>	FW	4	178.0	179.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Massive volcanic wacke. Trace pyrite.	FW	5	179.0	180.0	1	0.05	0.5	0.01	0	0	1	0	1	0
180.0	188.3	<u>TUFF BRECCIA, LAPILLISTONE</u>	FB	6	180.0	181.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Massive tuff breccia composed of felsic	FB	7	181.0	182.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		fragments. Mottled grey-green. Trace		8	182.0	183.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		amounts pyrite.	FB	9	183.0	184.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				45930	184.0	185.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				1	185.0	186.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	2	186.0	187.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	3	187.0	188.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FW	4	188.0	189.0	1	0.05	0.5	0.01	0	0	1	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1

Page No. 8 of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
188.3	194.0	<u>VOLCANIC WACKE</u>	FW	45935	189.0	190.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Grey-green, massive. Bedding at 189m = 45°.	FW	6	190.0	191.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Trace pyrite.		7	191.0	192.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	192.0	193.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FW	9	193.0	194.0	1	0.05	0.5	0.01	0	0	1	0	1	0
194.0	196.8	<u>TUFF BRECCIA</u>	FB	45940	194.0	195.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Mottled grey, felsic fragments to 3cm.	FB	1	195.0	196.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Noncompact, poorly sorted.	FW	2	196.0	197.0	1	0.05	0.5	0.01	0	0	1	0	1	0
196.8	244.2	<u>VOLCANIC WACKE</u>	FW	3	197.0	198.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Massive, grey, local interbeds of felsic		4	198.0	199.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		lapillistone. Trace pyrite. Bedding at		5	199.0	200.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		202m = 45°; 207m - 65°.	FW	6	200.0	201.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	201.0	202.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FW	8	202.0	203.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				9	203.0	204.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FW	45950	204.0	205.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				1	205.0	206.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				2	206.0	207.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		Bedding: 65°.		3	207.0	208.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				4	208.0	209.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				5	209.0	210.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				6	210.0	211.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				7	211.0	212.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				8	212.0	213.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				9	213.0	214.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		Bedding: 65° CA.		45960	214.0	215.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				1	215.0	216.0	1	0.05	0.5	0.01	0	0	0	0	1	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOMEXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1
 Page No. 9 of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPT	CAR	CHL	Pyrite	
					from	to									F	C
				45962	216.0	217.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				3	217.0	218.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		Bedding: 65°.		4	218.0	219.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				5	219.0	220.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				6	220.0	221.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				7	221.0	222.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			FW	8	222.0	223.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				9	223.0	224.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				45970	224.0	225.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				1	225.0	226.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				2	226.0	227.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				3	227.0	228.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				4	228.0	229.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				5	229.0	230.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				6	230.0	231.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		Bedding: 70°.		7	231.0	232.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				8	232.0	233.0	1	0.05	0.5	0.02	0	0	0	0	1	0
				9	233.0	234.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		Bedding: 45°.		45980	234.0	235.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				1	235.0	236.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				2	236.0	237.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				3	237.0	238.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				4	238.0	239.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			FW	5	239.0	240.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				6	240.0	241.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				7	241.0	242.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				8	242.0	243.0	1	0.05	0.5	0.01	0	0	0	0	1	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1

Diamond Drill Record

Page No. 10 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
244.2	251.3	TUFF BRECCIA, LAPILLISTONE		45989	243.0	244.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Mottled grey breccia and lapillistone	FB	45990	244.0	245.0	1	0.05	0.5	0.02	0	0	1	0	1	0
		composed largely of felsic feldspar		1	245.0	246.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		fragments - subangular, 2cm, matrix rich.		2	246.0	247.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Disseminated pyrite throughout.		3	247.0	248.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	248.0	249.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				5	249.0	250.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	6	250.0	251.0	1	0.05	0.5	0.01	0	0	1	0	1	0
251.3	265.0	VOLCANIC WACKE	FW	7	251.0	252.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Grey-green, massive to well bedded, thin		8	252.0	253.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		beds black pyritic argillite. Minor		9	253.0	254.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		pyrite. Bedding 253m, 45°.		46000	254.0	255.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				1	255.0	256.0	1	0.05	0.5	0.02	0	0	1	0	1	0
				2	256.0	257.0	1	0.05	0.5	0.02	0	0	1	0	1	0
			FW	3	257.0	258.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	258.0	259.0	1	0.05	0.5	0.02	0	0	1	0	1	0
				5	259.0	260.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Bedding: 55°.		6	260.0	261.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	261.0	262.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	262.0	263.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				9	263.0	264.0	1	0.05	0.5	0.01	0	0	1	0	1	0
265.0	274.7	FELSIC BRECCIA, (CONGLOMERATE)	FW	46010	264.0	265.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Mottled grey, compact, rounded feldspar	FB	1	265.0	266.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		porphyry fragments. Calcite fills matrix		2	266.0	267.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		cavities. Few clasts are limestone		3	267.0	268.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		fragments, 2cm, well rounded. (Volcanic	FB	4	268.0	269.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		conglomerate). Trace pyrite; 1-2%.		5	269.0	270.0	1	0.05	0.5	0.01	0	0	1	0	1	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1
 Page No. 11 of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
			FB	46016	270.0	271.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	271.0	272.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	272.0	273.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	9	273.0	274.0	1	0.05	0.5	0.01	0	0	1	0	1	0
274.7	313.0	<u>VOLCANIC WACKE, SILTSTONE</u>	FW	46020	274.0	275.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Mottled grey-green, well bedded to	W	1	275.0	276.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		massive sequences of coarse wacke and		2	276.0	277.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		laminated siltstone. Layer of tuff		3	277.0	278.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		breccia 278-280.7m. Alternating beds of	FB	4	278.0	279.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		coarse to fine wackes- coarse units	FB	5	279.0	280.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		usually calcareous, occasionally with	FB	6	280.0	281.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		2-3% disseminated pyrite.	W	7	281.0	282.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			W	8	282.0	283.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				9	283.0	284.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				46030	284.0	285.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				1	285.0	286.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			W	2	286.0	287.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				3	287.0	288.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				4	288.0	289.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				5	289.0	290.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				6	290.0	291.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			W	7	291.0	292.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				8	292.0	293.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				9	293.0	294.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				46040	294.0	295.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			W	1	295.0	296.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				2	296.0	297.0	1	0.05	0.5	0.01	0	0	0	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.

180M - 1

Page No. 12

of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				46043	297.0	298.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				4	298.0	299.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			W	5	299.0	300.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				6	300.0	301.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				7	301.0	302.0	1	0.05	0.5	0.01	0	0	2	0	1	0
		Calcareous wacke 301-313m		8	302.0	303.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				9	303.0	304.0	1	0.05	0.5	0.01	0	0	3	0	1	0
			W	46050	304.0	305.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				1	305.0	306.0	1	0.05	0.5	0.01	0	0	3	0	1	0
				2	306.0	307.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				3	307.0	308.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	308.0	309.0	1	0.05	0.5	0.01	0	0	3	0	1	0
			W	5	309.0	310.0	1	0.05	0.5	0.01	0	0	3	0	1	0
			W	6	310.0	311.0	1	0.05	0.5	0.01	0	0	3	0	2	0
			W	7	311.0	312.0	1	0.05	0.5	0.01	0	0	3	0	2	0
			W	8	312.0	313.0	1	0.05	0.5	0.01	0	0	3	0	1	0
313.0	320.5	DARK GREY LAPILLISTONE	LS	9	313.0	314.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Mixed with wacke layers.		46060	314.0	315.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				1	315.0	316.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				2	316.0	317.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				3	317.0	318.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	318.0	319.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			LS	5	319.0	320.0	1	0.05	0.5	0.01	0	0	1	0	1	0
320.5	321.5	FELDSPAR PORPHYRY	FP	6	320.0	321.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Dark grey, 20% plagioclase phenocrysts	W	7	321.0	322.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		in fine grained matrix.		8	322.0	323.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				9	323.0	324.0	1	0.05	0.5	0.01	0	0	1	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOMEXPLORATION (CANADA) LIMITED

Project 180

Diamond Drill Record

Hole No. 180M - 1

Page No. 13 of 15

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
															F	C
321.5	325.0	SILTSTONE		46070	324.0	325.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Poorly bedded, mottled grey.		1	325.0	326.0	1	0.05	0.5	0.01	0	0	1	0	1	0
325.0	333.0	ALTERED WACKE		2	326.0	327.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Mottled dark grey, green, pink impure		3	327.0	328.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		wacke and calc-silicate rock. Hornfels (?)		4	328.0	329.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Maroon lapillistone 330-333m. Pink garnets		5	329.0	330.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		common in calc-silicate rock, up to 20%.		6	330.0	331.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	331.0	332.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	332.0	333.0	1	0.05	0.5	0.01	0	0	1	0	1	0
333.0	361.0	ALTERED BASALT PORPHYRY	BA	9	333.0	334.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Plagioclase-rich, dark grey basalt		46080	334.0	335.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		variably altered to pink garnet and green		1	335.0	336.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		calc-silicates.		2	336.0	337.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				3	337.0	338.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	338.0	339.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				5	339.0	340.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				6	340.0	341.0	1	0.05	0.5	0.02	0	0	1	0	1	0
				7	341.0	342.0	1	0.05	0.5	0.02	0	0	1	0	1	0
				8	342.0	343.0	1	0.05	0.5	0.02	0	0	1	0	1	0
				9	343.0	344.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			BA	46090	344.0	345.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				1	345.0	346.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				2	346.0	347.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				3	347.0	348.0	1	0.05	0.5	0.01	0	0	1	3	1	1
				4	348.0	349.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				5	349.0	350.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				6	350.0	351.0	1	0.05	0.5	0.01	0	0	2	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 1

Diamond Drill Record

Page No. 14 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				46097	351.0	352.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				8	352.0	353.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				9	353.0	354.0	1	0.05	0.5	0.01	0	0	2	0	1	0
				46100	354.0	355.0	1	0.05	0.5	0.02	0	0	2	0	1	0
				1	355.0	356.0	1	0.05	0.5	0.02	0	0	2	0	1	0
				2	356.0	357.0	1	0.05	0.5	0.02	0	0	1	0	1	0
				3	357.0	358.0	1	0.05	0.5	0.02	0	0	1	0	1	0
				4	358.0	359.0	1	0.05	0.5	0.02	0	0	2	0	1	0
				5	359.0	360.0	1	0.05	0.5	0.01	0	0	2	0	1	0
			BA	6	360.0	361.0	1	0.05	0.5	0.01	0	0	2	0	1	0
361.0	400.2	VOLCANIC WACKE	W	7	361.0	362.0	1	0.05	0.5	0.01	0	0	1	1	1	0
		Well bedded wacke and siltstone sequences.		8	362.0	363.0	1	0.05	0.5	0.01	0	0	1	1	1	0
		Chlorite-"rich" 373-375m; minor pyrite, 1%. Locally altered to garnet-bearing	W	9	363.0	364.0	1	0.05	0.5	0.01	0	0	1	1	1	0
		calc-silicate rock. Massive wacke	W	46110	364.0	365.0	1	0.05	0.5	0.01	0	0	1	1	1	0
		370-400.2m.		1	365.0	366.0	1	0.05	0.5	0.01	0	0	1	1	1	0
			W	2	366.0	367.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				3	367.0	368.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				4	368.0	369.0	1	0.05	0.5	0.01	0	0	1	1	0	0
				5	369.0	370.0	1	0.05	0.5	0.01	0	0	1	1	1	0
			W	6	370.0	371.0	1	0.05	0.5	0.01	0	0	1	1	1	0
				7	371.0	372.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	372.0	373.0	1	0.05	0.5	0.01	0	0	1	2	1	0
			W	9	373.0	374.0	1	0.05	0.5	0.01	0	0	1	2	2	0
				46120	374.0	375.0	1	0.05	0.5	0.01	0	0	1	2	2	0
				1	375.0	376.0	1	0.05	0.5	0.01	0	0	1	2	1	0
			W	2	376.0	377.0	1	0.05	0.5	0.01	0	0	1	3	1	0
				3	377.0	378.0	1	0.05	0.5	0.03	0	0	1	2	1	0

Location: 113+50N, 95+00E	Diamond Drill Record	Hole No. 180M - 2
Azimuth: 045°		Property: Project 180 - Maud Lake ,B.C.
Dip: -45°	Length(metres): 411.5m	Elevation: 1158m
		Claim No: Maud 3
Started: October 27, 1981.	Core Size: BQWL	Date Logged: Nov. 18, 1981
		Section:

Completed: October 31, 1981.	Dip Tests: 91.4m 48° corrected to -40° 182.9m 53° corrected to -45°	Logged By: P.E. Fox
------------------------------	--	---------------------

Purpose: To test carbonate-rich basalts	274.3m 53° corrected to -45° 411.5m 52° corrected to -44°
---	--

Metres		Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
from	to				from	to									F	C
0	7.0	OVERBURDEN	CBA	46146	7.0	8.0	1	0.05	0.5	0.01	0	0	1	0	0	0
7.0	149.0	AUGITE BASALT AND BRECCIA		7	8.0	9.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Generally barren, trace pyrite.		8	9.0	10.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		*Local 1-2m zones of carbonate-rich		9	10.0	11.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		rocks containing 1% pyrite. 30%		46150	11.0	12.0	1	0.05	0.5	0.01	0	0	2	0	0	0
		augite phenocrysts, 40% tabular		1	12.0	13.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		plagioclase phenocrysts in fine grained		2	13.0	14.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		matrix. Dark grey to grey. Numerous		3	14.0	15.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		calcite veins, 2mm, throughout. Chlorite		4	15.0	16.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		seams common. Oxide to 21m.		5	16.0	17.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	17.0	18.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	18.0	19.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	19.0	20.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	20.0	21.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Hornblende phenocrysts locally common,		46160	21.0	22.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		1-5%, acicular crystals.		1	22.0	23.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	23.0	24.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				3	24.0	25.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	25.0	26.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				5	26.0	27.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	27.0	28.0	1	0.05	0.5	0.01	0	0	1	0	0	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%

3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 2

Page No. 2 of 15

Diamond Drill Record

Metres from	Metres to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPL	CAR	CHL	Pyrite	
					from	to									F	C
				46167	28.0	29.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	29.0	30.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	30.0	31.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46170	31.0	32.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			CBA	1	32.0	33.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Increase in carbonate content at 48m,		2	33.0	34.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		usually with trace pyrite. Most carbonate		3	34.0	35.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		forms veinlets and stringers, local		4	35.0	36.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		aggregates 1-2m.		5	36.0	37.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	37.0	38.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	38.0	39.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	39.0	40.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	40.0	41.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46180	41.0	42.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	42.0	43.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	43.0	44.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				3	44.0	45.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	45.0	46.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				5	46.0	47.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	47.0	48.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	48.0	49.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				8	49.0	50.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				9	50.0	51.0	1	0.05	0.5	0.01	0	0	5	0	0	0
			CBA	46190	51.0	52.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				1	52.0	53.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				2	53.0	54.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				3	54.0	55.0	1	0.05	0.5	0.01	0	0	3	0	0	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%

3=5-10% 4=10-20% F=Fine C=Coarse

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				46194	55.0	56.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				5	56.0	57.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				6	57.0	58.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				7	58.0	59.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				8	59.0	60.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				9	60.0	61.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				46200	61.0	62.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				1	62.0	63.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				2	63.0	64.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				3	64.0	65.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				4	65.0	66.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				5	66.0	67.0	1	0.05	0.5	0.01	0	0	2	0	0	0
			CBA	6	67.0	68.0	1	0.05	0.5	0.01	0	0	2	0	0	0
		Massive augite (hornblende) basalt.		7	68.0	69.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Rich in carbonate veinlets and dispersed		8	69.0	70.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		aggregates. No sulphides, no chlorite.		9	70.0	71.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Barren.		46210	71.0	72.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				1	72.0	73.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				2	73.0	74.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				3	74.0	75.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				4	75.0	76.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				5	76.0	77.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				6	77.0	78.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				7	78.0	79.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				8	79.0	80.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				9	80.0	81.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				46220	81.0	82.0	1	0.05	0.5	0.01	0	0	4	0	0	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Diamond Drill Record

Hole No. 180M - 2
Page No. 4 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
			CBA	46221	82.0	83.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				2	83.0	84.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				3	84.0	85.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				4	85.0	86.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				5	86.0	87.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				6	87.0	88.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				7	88.0	89.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				8	89.0	90.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				9	90.0	91.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				46230	91.0	92.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				1	92.0	93.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				2	93.0	94.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				3	94.0	95.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				4	95.0	96.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				5	96.0	97.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				6	97.0	98.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				7	98.0	99.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				8	99.0	100.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				9	100.0	101.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Barren calcareous basalt and breccia.		46240	101.0	102.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Rich in calcite veinlets and irregular masses.	CBA	1	102.0	103.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				2	103.0	104.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				3	104.0	105.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				4	105.0	106.2	1.2	0.05	0.5	0.01	0	0	5	0	0	0
		No core 106.2 - 113.2m, lost box during shipping.		N.S.	106.2	113.2	7	-	-	-	-	-	-	-	-	-
				5	113.2	114.0	0.8	0.05	0.5	0.01	0	0	5	0	0	0
				6	114.0	115.0	1	0.05	0.5	0.01	0	0	3	0	0	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Diamond Drill Record

Hole No. 180M - 2
 Page No. 5 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				46247	115.0	116.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				8	116.0	117.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				9	117.0	118.0	1	0.05	0.5	0.01	0	0	3	0	0	0
			CBA	46250	118.0	119.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				1	119.0	120.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				2	120.0	121.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				3	121.0	122.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				4	122.0	123.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				5	123.0	124.0	1	0.05	0.5	0.01	0	0	3	0	0	0
			CBA	6	124.0	125.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				7	125.0	126.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				8	126.0	127.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				9	127.0	128.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				46260	128.0	129.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				1	129.0	130.0	1	0.05	0.5	0.01	0	0	2	0	0	0
			CBA	2	130.0	131.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				3	131.0	132.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				4	132.0	133.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				5	133.0	134.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				6	134.0	135.0	1	0.05	0.5	0.01	0	0	5	0	0	0
			CBA	7	135.0	136.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				8	136.0	137.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				9	137.0	138.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				46270	138.0	139.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				1	139.0	140.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Gouge and sheared rock 140.8m.	CBA	2	140.0	141.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		- 143m shear folia 60°	G	3	141.0	142.0	1	0.05	0.5	0.01	0	0	5	0	0	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 2
 Page No. 6 of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
			G	46274	142.0	143.0	1	0.05	0.5	0.01	0	0	5	0	0	0
			BA	5	143.0	144.0	1	0.05	0.5	0.01	0	0	5	0	0	0
			CBA	6	144.0	145.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				7	145.0	146.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				8	146.0	147.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				9	147.0	148.0	1	0.05	0.5	0.01	0	0	5	0	0	0
			CBA	46280	148.0	149.0	1	0.05	0.5	0.01	0	0	3	0	0	0
149.0	152.3	<u>BASALTIC WACKE</u>	W	1	149.0	150.0	1	0.05	0.5	0.01	0	1	1	1	1	0
		Dark green, massive to poorly bedded.	W	2	150.0	151.0	1	0.05	0.5	0.01	0	1	1	1	1	0
		Sharp contact at 152.3m 20° CA, inclusions	W	3	151.0	152.0	1	0.05	0.5	0.01	0	1	1	1	1	0
		of basalt in tuff-wacke layer at contact	CBA	4	152.0	153.0	1	0.05	0.5	0.01	0	0	2	0	0	0
		(top up-hole), 1% fine disseminated	CBA	5	153.0	154.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		pyrite. Mottled grey-green.		6	154.0	155.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				7	155.0	156.0	1	0.05	0.5	0.01	0	0	5	0	0	0
152.3	163.2	<u>CALCAREOUS BASALT</u>		8	156.0	157.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Massive to brecciated units, all rich in		9	157.0	158.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		disseminated and veinlets of white calcite.		46290	158.0	159.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Barren. Large augite phenocrysts to 3mm,		1	159.0	160.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		minor hornblende. Intergranular texture.		2	160.0	161.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				3	161.0	162.0	1	0.05	0.5	0.01	0	0	5	0	0	0
163.2	164.3	<u>BASALT WACKE</u>	CBA	4	162.0	163.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Mottled grey-green, medium to fine grained	W	5	163.0	164.0	1	0.05	0.5	0.01	0	1	1	1	1	0
		volcanic wacke - interflow sediment.	CBA	6	164.0	165.0	1	0.05	0.5	0.01	0	0	3	0	0	0
		Contact at 163.2m 20°, at 164.3m 30°.		7	165.0	166.0	1	0.05	0.5	0.01	0	0	3	0	0	0
		1% fine grained disseminated pyrite.		8	166.0	167.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				9	167.0	168.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				46300	168.0	169.0	1	0.05	0.5	0.01	0	0	4	0	0	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 2

Diamond Drill Record

Page No. 7 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
164.3	198.0	CALCAREOUS BASALT		46301	169.0	170.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		Massive to thick zones of autobreccia,		2	170.0	171.0	1	0.05	0.5	0.01	0	0	5	0	0	0
		usually rich in calcite. Barren.		3	171.0	172.0	1	0.05	0.5	0.01	0	0	4	0	0	0
		Local olivine crystals (5mm).		4	172.0	173.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				5	173.0	174.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				6	174.0	175.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				7	175.0	176.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				8	176.0	177.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				9	177.0	178.0	1	0.05	0.5	0.01	0	0	5	0	0	0
			CBA	46310	178.0	179.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				1	179.0	180.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				2	180.0	181.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				3	181.0	182.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				4	182.0	183.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				5	183.0	184.0	1	0.05	0.5	0.01	0	0	5	0	0	0
				6	184.0	185.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				7	185.0	186.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				8	186.0	187.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				9	187.0	188.0	1	0.05	0.5	0.01	0	0	4	0	0	0
				46320	188.0	189.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				1	189.0	190.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				2	190.0	191.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				3	191.0	192.0	1	0.05	0.5	0.01	0	0	3	0	0	0
				4	192.0	193.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				5	193.0	194.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				6	194.0	195.0	1	0.05	0.5	0.01	0	0	2	0	0	0
				7	195.0	196.0	1	0.05	0.5	0.01	0	0	2	0	0	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				46328	196.0	197.0	1	0.05	0.5	0.01	0	0	3	0	0	0
			CBA	9	197.0	198.0	1	0.05	0.5	0.01	0	0	2	0	0	0
198.0	205.5	<u>PYRITIC ARGILLITE AND TUFF</u>	AG	46330	198.0	199.0	1	0.05	0.5	0.01	0	0	2	0	3	0
		Dark grey to black laminated argillite	AG	1	199.0	200.0	1	0.05	0.5	0.01	0	0	2	0	3	0
		and siltstone. 1-5% fine grained pyrite.	AG	2	200.0	201.0	1	0.05	0.5	0.01	0	0	2	0	3	0
		Bedding 45°. Interlayered with 10cm.	AG	3	201.0	202.0	1	0.05	0.5	0.01	0	0	3	0	3	0
		beds, coarse tuff or volcanic wacke rich	AG	4	202.0	203.0	1	0.05	0.5	0.01	0	0	2	0	3	0
		in pyrite. Grades to coarse lapillistone	AG	5	203.0	204.0	1	0.05	0.5	0.01	0	0	2	0	3	0
		at 205.5m.	AG	6	204.0	205.0	1	0.05	0.5	0.01	0	0	2	0	3	0
			LS	7	205.0	206.0	1	0.05	0.5	0.01	0	1	1	0	1	0
205.5	249.5	<u>LAPILLISTONE, FELSIC BRECCIA</u>	LS	8	206.0	207.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Compact polyolithic (mainly basalt	LS	9	207.0	208.0	1	0.05	0.5	0.01	0	1	2	0	1	0
		fragments) breccia and lapillistone.	LS	46340	208.0	209.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Trace pyrite. 2% felsic fragments, mainly	FB	1	209.0	210.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		variety of basaltic fragments. Matrix	FB	2	210.0	211.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		(-10%) mainly calcite and rock particles.	FB	3	211.0	212.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		Minor epidote in veinlets. Felsic		4	212.0	213.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		fragments increase in abundance down-hole-	FB	5	213.0	214.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		range from green to pink feldspar		6	214.0	215.0	1	0.05	0.5	0.01	0	1	2	0	1	0
		porphyries. Generally compact felsic tuff		7	215.0	216.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		breccia at 212m. Bedding at 226m 45°.		8	216.0	217.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Coarse wacke or gristone 226 - 228.5m.		9	217.0	218.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Pinkish fragments appear to be rounded		46350	218.0	219.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		monzodiorite plutonic(?) fragments.	FB	1	219.0	220.0	1	0.05	0.5	0.01	0	1	1	0	1	0
		Fragments of breccia at 238m.		2	220.0	221.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				3	221.0	222.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				4	222.0	223.0	1	0.05	0.5	0.01	0	1	2	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.

180M - 2

Page No. 9

of 15

Diamond Drill Record

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					F	C										
				46355	223.0	224.0	1	0.05	0.5	0.01	0	1	2	0	1	0
				6	224.0	225.0	1	0.05	0.5	0.01	0	2	1	0	1	0
			FB	7	225.0	226.0	1	0.05	0.5	0.01	0	2	1	0	1	0
			FW	8	226.0	227.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			FW	9	227.0	228.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			FB	46360	228.0	229.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				1	229.0	230.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				2	230.0	231.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				3	231.0	232.0	1	0.05	0.5	0.01	0	1	2	0	1	0
			FB	4	232.0	233.0	1	0.05	0.5	0.01	0	1	2	0	1	0
				5	233.0	234.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				6	234.0	235.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	235.0	236.0	1	0.05	0.5	0.01	0	1	1	0	1	0
				8	236.0	237.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				9	237.0	238.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				46370	238.0	239.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	1	239.0	240.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				2	240.0	241.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				3	241.0	242.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				4	242.0	243.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				5	243.0	244.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				6	244.0	245.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	245.0	246.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				8	246.0	247.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				9	247.0	248.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	46380	248.0	249.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			TA	1	249.0	250.0	1	0.05	0.5	0.01	0	0	1	0	1	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

Diamond Drill Record

Hole No.
 180M - 2
 Page No. 10 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
249.5	282.0	LATITE PORPHYRY, BRECCIA		46382	250.0	251.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Mottled dark grey, fine grained feldspar		3	251.0	252.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		porphyry. 80% plagioclase microlite (1mm),		4	252.0	253.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		10% mafics, very fine grained matrix.		5	253.0	254.0	1	0.05	0.5	0.01	0	0	2	0	1	0
		1% finely disseminated pyrite, trace		6	254.0	255.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		epidote, 10% calcite veinlets (2mm).		7	255.0	256.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Accessory porphyry fragments common (10%)		8	256.0	257.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		"Rubble" breccia 247-251m (flow top?).		9	257.0	258.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		Barren + 258m.		46390	258.0	259.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Brecciated 275-282m.		1	259.0	260.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	260.0	261.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				3	261.0	262.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	262.0	263.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			TA	5	263.0	264.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	264.0	265.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	265.0	266.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	266.0	267.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	267.0	268.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46400	268.0	269.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	269.0	270.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	270.0	271.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				3	271.0	272.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	272.0	273.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				5	273.0	274.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	274.0	275.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	275.0	276.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	276.0	277.0	1	0.05	0.5	0.01	0	0	1	0	0	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 2
 Page No. 11 of 15

Diamond Drill Record

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	GAR	CHL	Pyrite	
															F	C
				46409	277.0	278.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46410	278.0	279.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	279.0	280.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	280.0	281.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			TA	3	281.0	282.0	1	0.05	0.5	0.02	0	0	1	0	0	0
282.0	310.5	MOTTLED GREY-PINK FELSIC TUFF BRECCIA	FB	4	282.0	283.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Tuff breccia, compact, polyolithic		5	283.0	284.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		breccia and lapillistone composed of	FB	6	284.0	285.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		feldspar porphyry fragments and 10%		7	285.0	286.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		pink monzonite fragments. Fragments		8	286.0	287.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		rounded, 5cm-8cm, thin coarse tuff bed		9	287.0	288.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		at 286m. Bedding here 75°. Carbonate	FB	46420	288.0	289.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		veinlets common. Barren to trace		1	289.0	290.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		amounts pyrite.		2	290.0	291.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	3	291.0	292.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	292.0	293.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	5	293.0	294.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Coarse tuff 294-296m.	FW	6	294.0	295.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FW	7	295.0	296.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	8	296.0	297.0	1	0.05	0.5	0.02	0	0	1	0	0	0
				9	297.0	298.0	1	0.05	0.5	0.02	0	0	1	0	0	0
				46430	298.0	299.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	299.0	300.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	300.0	301.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				3	301.0	302.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	302.0	303.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				5	303.0	304.0	1	0.05	0.5	0.01	0	0	1	0	0	0

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 2
 Page No. 12 of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				46436	304.0	305.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	305.0	306.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	8	306.0	307.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	307.0	308.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46440	308.0	309.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	309.0	310.0	1	0.05	0.5	0.01	0	0	1	0	0	0
310.5	318.7	HORNBLLENDE PORPHYRY	FB	2	310.0	311.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Barren, light grey, acicular hornblende	HP	3	311.0	312.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		phenocrysts (20%) in fine grained matrix.	HP	4	312.0	313.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		10% plagioclase phenocrysts. Contact	HP	5	313.0	314.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		at 315.5m 60°. (Double dyke?) Felsic	HP	6	314.0	315.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		breccia 315.5-317m. Contact at 318.7m 60°	HP	7	315.0	316.0	1	0.05	1.0	0.01	0	0	0	0	0	0
			FB	8	316.0	317.0	1	0.05	0.5	0.01	0	0	2	0	0	0
			HP	9	317.0	318.0	1	0.05	0.5	0.01	0	0	2	0	0	0
318.7	370.0	FELSIC TUFF BRECCIA	HP	46450	318.0	319.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Polyolithic, compact tuff breccia.	FB	1	319.0	320.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Composed of felsic porphyry fragments,		2	320.0	321.0	1	0.05	0.5	0.02	0	0	1	0	0	0
		5cm, rounded. Inclusions of equigranular		3	321.0	322.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		"diorite" common. Generally barren,	FB	4	322.0	323.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		trace pyrite.		5	323.0	324.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Hornblende porphyry dykes:		6	324.0	325.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		335.5 - 335.8m, 336.5 - 337m.		7	325.0	326.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	326.0	327.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	327.0	328.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	46460	328.0	329.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	329.0	330.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	330.0	331.0	1	0.05	0.5	0.01	0	0	1	0	0	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.

180M - 2

Page No. 13 of 15

Diamond Drill Record

Metres from	Metres to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
		Chaotic tuff breccias - variety of subrounded to angular porphyry fragments.		46463	331.0	332.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Plutonic(?) diorite fragments, generally rounded, common (10%).		4	332.0	333.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Monzonite fragment, 50m, 344.5m.	FB	5	333.0	334.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	334.0	335.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	7	335.0	336.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			HP	8	336.0	337.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	9	337.0	338.0	1	0.05	0.5	0.01	0	1	1	0	0	0
				46470	338.0	339.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	339.0	340.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	340.0	341.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				3	341.0	342.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	342.0	343.0	1	0.05	0.5	0.02	0	0	1	0	0	0
				5	343.0	344.0	1	0.05	0.5	0.01	0	1	1	0	0	0
				6	344.0	345.0	1	0.05	0.5	0.01	0	0	1	1	0	0
				7	345.0	346.0	1	0.05	0.5	0.01	0	0	1	2	0	0
				8	346.0	347.0	1	0.05	0.5	0.01	0	1	1	2	0	0
				9	347.0	348.0	1	0.05	0.5	0.01	0	0	1	1	0	0
				46480	348.0	349.0	1	0.05	0.5	0.01	0	0	1	1	0	0
				1	349.0	350.0	1	0.05	0.5	0.01	0	0	1	1	0	0
				2	350.0	351.0	1	0.05	0.5	0.01	0	0	1	1	0	0
				3	351.0	352.0	1	0.05	0.5	0.01	0	0	1	2	0	0
				4	352.0	353.0	1	0.05	0.5	0.01	0	0	1	1	0	0
			FB	5	353.0	354.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	354.0	355.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	355.0	356.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	356.0	357.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	357.0	358.0	1	0.05	0.5	0.01	0	0	1	0	0	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 2

Page No. 14 of 15

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				46490	358.0	359.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	359.0	360.1	1	0.05	0.5	0.01	0	0	1	1	0	0
				2	360.0	361.0	1	0.05	0.5	0.01	0	0	1	1	0	0
				3	361.0	362.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	362.0	363.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				5	363.0	364.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				6	364.0	365.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	365.0	366.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	366.0	367.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	367.0	368.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46500	368.0	369.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			FB	1	369.0	370.0	1	0.05	0.5	0.01	0	0	1	0	0	0
370.0	374.0	<u>HORNBLLENDE PORPHYRY DYKE</u>	HP	2	370.0	371.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Massive hornblende-feldspar porphyry	HP	3	371.0	372.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		dyke. Barren. 20% hornblende phenocrysts.	HP	4	372.0	373.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Contact at 370m 10°. Enclosed by chaotic,	HP	5	373.0	374.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		poorly sorted tuff breccia composed of	FB	6	374.0	375.0	1	0.05	0.5	0.02	0	0	1	1	0	0
		felsic porphyry fragments.	FB	7	375.0	376.0	1	0.05	0.5	0.02	0	0	1	0	0	0
374.0	378.8	<u>TUFF BRECCIA</u>	FB	8	376.0	377.0	1	0.05	0.5	0.02	0	0	1	0	0	0
		Chaotic, poorly sorted felsic breccia.	FB	9	377.0	378.0	1	0.05	0.5	0.02	0	0	1	0	0	0
		Barren. Minor epidote, chlorite.	HP	46510	378.0	379.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		Carbonate forms veinlets, fills matrix	BA	1	379.0	380.0	1	0.05	0.5	0.02	0	0	1	0	0	0
		cavities. Plutonic diorite and monzonite	BA	2	380.0	381.0	1	0.05	0.5	0.02	0	0	1	0	0	0
		fragments common.		3	381.0	382.0	1	0.05	0.5	0.03	0	0	1	0	0	0
		Hornblende porphyry dyke 378-378.5m.		4	382.0	383.0	1	0.05	0.5	0.01	0	0	0	0	0	0
				5	383.0	384.0	1	0.05	0.5	0.01	0	0	0	0	0	0
				6	384.0	385.0	1	0.05	0.5	0.01	0	0	0	0	0	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 2

Diamond Drill Record

Page No. 15 of 15

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
378.8	411.5	BASALT PORPHYRY (Analcite porphyry)		46517	385.0	386.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		Massive basalt porphyry consisting of		8	386.0	387.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		20% tabular plagioclase and analcite		9	387.0	388.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		phenocrysts to 1cm - "bladed" porphyry.	BA	46520	388.0	389.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		Phenocrysts randomly oriented, set in	BA	1	389.0	390.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		fine grained, mafic-rich matrix. Barren		2	390.0	391.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		to trace amounts of pyrite, minor epidote		3	391.0	392.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		and chlorite, latter on fractures. Large		4	392.0	393.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		(2cm) analcite phenocrysts common.		5	393.0	394.0	1	0.05	0.5	0.01	0	0	1	0	0	0
		End of hole at 411.5m.		6	394.0	395.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	395.0	396.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	396.0	397.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			BA	9	397.0	398.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46530	398.0	399.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	399.0	400.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				2	400.0	401.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				3	401.0	402.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				4	402.0	403.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				5	403.0	404.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			BA	6	404.0	405.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				7	405.0	406.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				8	406.0	407.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				9	407.0	408.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				46540	408.0	409.0	1	0.05	0.5	0.01	0	0	1	0	0	0
				1	409.0	410.0	1	0.05	0.5	0.01	0	0	1	0	0	0
			BA	2	410.0	411.5	1.5	0.05	0.5	0.01	0	0	1	0	0	0

Location: 128+50N, 87+00E	Diamond Drill Record	Hole No. 180M - 3
Azimuth: 045°		Property: Project 180 - Maud Lake, B.C.
Dip: -45°	Length(metres): 306.3m	Elevation: 1172m Claim No: MAUD 2
Started: November 1, 1981.	Core Size: BQWL	Date Logged: Nov. 17, 18 Section:
Completed: November 8, 1981.	Dip Tests: 91.4m 52° corrected to -44° 243.8m 55° corrected to -47°	Logged By: P.E. Fox
Purpose: To test induced polarization anomaly 304.8m 53° corrected to -45°		

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite F C	
0	6.1	OVERBURDEN - casing	SS	46651	6.1	7.0	.9	0.05	0.5	0.01	0	0	0	1	4	1
6.1	12.8	PALE GREY, MASSIVE TO LAMINATED PYRITE	SS	2	7.0	8.0	1	0.05	0.5	0.01	0	0	0	0	4	1
		SILTSTONE	SS	3	8.0	9.0	1	0.05	0.5	0.01	0	0	0	0	4	1
		Bedding 50° to C.A. 5% finely disseminated	SS	4	9.0	10.0	1	0.05	0.5	0.01	0	0	0	0	4	1
		pyrite - locally concentrated on bedding	SS	5	10.0	11.0	1	0.05	0.5	0.01	0	0	0	0	4	1
		planes. Pyrite aggregates on fractures	SS	6	11.0	12.0	1	0.05	0.5	0.01	0	0	1	0	4	1
		also common, usually with thin film of	SS	7	12.0	13.0	1	0.05	0.5	0.01	0	0	2	3	4	1
		chlorite. Oxides on fractures.	G	8	13.0	14.0	1	0.05	0.5	0.01	0	0	2	3	4	1
12.8	14.0	Fault gouge. Shear folia 45° to C.A.	FW	9	14.0	15.0	1	0.20	0.5	0.01	0	0	1	2	4	1
14.0	45.5	INTERBEDDED PYRITE SILTSTONE and coarse	FW	46660	15.0	16.0	1	0.05	0.5	0.01	0	0	1	1	3	1
		tuff or wacke, local layers felsic	FW	1	16.0	17.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		breccia. Mainly coarse tuff/wacke.	FW	2	17.0	18.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		5% disseminated pyrite throughout, locally	FW	3	18.0	19.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		concentrated on bedding planes, local 1cm	FW	4	19.0	20.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		beds of massive pyrite. Coarse pyrite on	FW	5	20.0	21.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		chloritic fractures. 2mm stringers of	FW	6	21.0	22.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		feldspar and/or zeolite common. Late	FW	7	22.0	23.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		calcite veinlets and vuggy fillings	SS	8	23.0	24.0	1	0.05	0.5	0.01	0	0	1	2	5	1
		common. Unit ridges downward into	SS	9	24.0	25.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		predominantly felsic lapillistone	SS	46670	25.0	26.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		breccia, and 1-2 metre zones of coarse	FW	1	26.0	27.0	1	0.05	0.5	0.01	0	0	1	2	4	1

DOME EXPLORATION (CANADA) LIMITED

Project 180

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse
 FW = Felsic Wacke
 FB = Felsic Breccia

Diamond Drill Record

Hole No. 180M - 3
 Page No. 2 of 12

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
		tuff or wacke. Pyrite abundant throughout.	FW	46672	27.0	28.0	1	0.20	0.5	0.01	0	0	2	2	4	1
		Bedding 20° to 30°. Trace amounts of	SS	3	28.0	29.0	1	0.05	0.5	0.01	0	0	1	3	4	1
		chalcopyrite well bedded 23-26m, pyritic	SS	4	29.0	30.0	1	0.05	0.5	0.01	0	0	1	3	4	1
		layers common. Bedding at 28m 40° C.A.	SS	5	30.0	31.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		Gouge: 39.8 - 44.2m	FB	6	31.0	32.0	1	0.05	0.5	0.01	0	0	1	2	4	1
			FW	7	32.0	33.0	1	0.05	0.5	0.01	0	0	1	2	4	1
			FW	8	33.0	34.0	1	0.45	0.5	0.01	0	0	1	2	4	1
			FW	9	34.0	35.0	1	0.20	0.5	0.01	0	0	1	3	4	1
			FB	46680	35.0	36.0	1	0.05	0.5	0.01	0	0	1	2	4	1
			FB	1	36.0	37.0	1	0.05	0.5	0.01	0	0	1	2	4	1
			FB	2	37.0	38.0	1	0.25	0.5	0.01	0	0	2	2	4	1
			FB	3	38.0	39.0	1	0.10	0.5	0.01	0	0	1	3	4	1
			FW	4	39.0	40.0	1	0.10	0.5	0.01	0	0	1	3	4	1
			FW	5	40.0	41.0	1	0.05	0.5	0.01	0	0	1	2	4	1
			FW	6	41.0	42.0	1	0.05	0.5	0.01	0	0	1	2	4	1
			FB	7	42.0	43.0	1	0.05	0.5	0.01	0	0	1	2	4	1
			FB	8	43.0	44.0	1	0.05	0.5	0.01	0	0	1	2	4	1
45.5	67.0	PALE GREY, PORPHYRITIC LATITE, AND	FB	9	44.0	45.0	1	0.05	0.5	0.01	0	0	1	4	4	1
		FELSIC BRECCIA	FB	46690	45.0	46.0	1	0.05	0.5	0.01	0	0	1	2	4	1
		(TA) porphyry dyke(?) 46-47m. Low	TA	1	46.0	47.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		pyrite - 1%. Mottled grey, texture	TA	2	47.0	48.0	1	0.05	0.5	0.01	0	0	0	1	2	0
		variable - fine grained to porphyritic.	TA	3	48.0	49.0	1	0.05	0.5	0.01	0	0	0	1	2	0
		Local fragments of porphyritic latite.	TA	4	49.0	50.0	1	0.05	0.5	0.01	0	0	0	1	2	0
		Usually chloritic: fracture coatings and	TA	5	50.0	51.0	1	0.05	0.5	0.01	0	0	0	1	2	0
		aggregates. Zones of felsic breccia	TA	6	51.0	52.0	1	0.05	0.5	0.01	0	0	0	1	2	0
		common - breccias have variable matrix-	TA	7	52.0	53.0	1	0.05	0.5	0.01	0	0	0	1	2	0
		clastic to igneous. Local clastic of	TA	8	53.0	54.0	1	0.05	0.5	0.01	0	0	0	1	1	0

Key

DOMEXPLORATION (CANADA) LIMITED

Project 180

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

Diamond Drill Record

Hole No.

180M - 3

Page No. 3

of 12

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
		equigranular plutonic (?) rocks =	TA	46699	54.0	55.0	1	0.05	0.5	0.01	0	0	0	1	1	1
		accessory inclusions. Increase in chlorite	TA	46700	55.0	56.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		and pyrite content at 67m, 3% py,	TA	1	56.0	57.0	1	0.05	0.5	0.01	0	0	0	1	2	0
		chlorite on fractures common - seams 5cm	TA	2	57.0	58.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		apart, usually with coarse (2mm)	TA	3	58.0	59.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		aggregates of pyrite. Chlorite-pyrite	TA	4	59.0	60.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		seams are subparallel, 60° C.A. Rock	TA	5	60.0	61.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		rarely contains inclusions.	TA	6	61.0	62.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			TA	7	62.0	63.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			TA	8	63.0	64.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			TA	9	64.0	65.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			TA	46710	65.0	66.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			TA	1	66.0	67.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			TA	2	67.0	68.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			TA	3	68.0	69.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			TA	4	69.0	70.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			TA	5	70.0	71.0	1	0.05	0.5	0.02	0	0	1	2	2	1
			TA	6	71.0	72.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			TA	7	72.0	73.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			TA	8	73.0	74.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			TA	9	74.0	75.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	46720	75.0	76.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	1	76.0	77.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	2	77.0	78.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	3	78.0	79.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	4	79.0	80.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	5	80.0	81.0	1	0.05	0.5	0.01	0	0	1	3	3	1

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.
 180M - 3
 Page No. 4 of 12

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
			TA	46726	81.0	82.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	7	82.0	83.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	8	83.0	84.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	9	84.0	85.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	46730	85.0	86.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	1	86.0	87.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	2	87.0	88.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	3	88.0	89.0	1	0.05	0.5	0.01	0	0	1	4	3	1
			TA	4	89.0	90.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	5	90.0	91.0	1	0.10	0.5	0.01	0	0	1	3	3	1
			TA	6	91.0	92.0	1	0.05	0.5	0.02	0	0	1	3	3	1
			TA	7	92.0	93.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	8	93.0	94.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	9	94.0	95.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	46740	95.0	96.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	1	96.0	97.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	2	97.0	98.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	3	98.0	99.0	1	0.05	0.5	0.02	0	0	1	3	3	1
			TA	4	99.0	100.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	5	100.0	101.0	1	0.05	0.5	0.01	0	0	1	3	2	1
				6	101.0	102.0	1	0.05	0.5	0.02	0	0	1	3	2	1
			TA	7	102.0	103.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	8	103.0	104.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	9	104.0	105.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	46750	105.0	106.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			FA	1	106.0	107.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	2	107.0	108.0	1	0.05	0.5	0.02	0	0	1	3	3	1

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 3

Diamond Drill Record

Page No. 5 of 12

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
															F	C
			TA	46753	108.0	109.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	4	109.0	110.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	5	110.0	111.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	6	111.0	112.0	1	0.05	0.5	0.01	0	0	2	3	3	1
113.0	122.5	<u>SHEARED FELSIC BRECCIA AND LAPILLISTONE</u>	TA	7	112.0	113.0	1	0.05	0.5	0.02	0	0	2	3	3	1
		Numerous chlorite - pyrite seams and	FB	8	113.0	114.0	1	0.05	0.5	0.02	0	0	2	4	3	1
		microshears 60°-90°. C.A. produces	FB	9	114.0	115.0	1	0.05	0.5	0.04	0	0	2	4	3	1
		"crackle" breccia. Disseminated pyrite,	FB	46760	115.0	116.0	1	0.05	0.5	0.03	0	0	1	4	3	1
		3%. Lithic fragments comprise 30-50%,	FB	1	116.0	117.0	1	0.05	0.5	0.05	0	0	2	4	3	1
		enclosed by clastic matrix of rock and	FB	2	117.0	118.0	1	0.05	0.5	0.04	0	0	1	4	3	1
		feldspar grains.	FB	3	118.0	119.0	1	0.05	0.5	0.03	0	0	2	4	3	1
			FB	4	119.0	120.0	1	0.05	0.5	0.02	0	0	2	4	3	1
			FB	5	120.0	121.0	1	0.05	0.5	0.01	0	0	1	4	3	1
			FB	6	121.0	122.0	1	0.05	0.5	0.01	0	0	1	4	3	1
122.5	133.0	<u>TUFF AND LAPILLISTONE</u>	FB	7	122.0	123.0	1	0.05	0.5	0.01	0	0	2	4	3	1
		Grey laminated tuff, siltstone, coarse	SS	8	123.0	124.0	1	0.05	0.5	0.01	0	0	1	3	3	1
		lapillistone. Pyrite content 2%, rare	SS	9	124.0	125.0	1	0.05	0.5	0.01	0	0	1	4	3	1
		coarse pyrite. Mottled green due to	SS	46770	125.0	126.0	1	0.05	0.5	0.01	0	0	1	4	3	1
		fine grained epidote. Minor carbonate-	SS	1	126.0	127.0	1	0.05	0.5	0.01	0	0	1	4	3	1
		veinlets to 3mm.	SS	2	127.0	128.0	1	0.05	0.5	0.01	0	0	1	4	3	1
			SS	3	128.0	129.0	1	0.05	0.5	0.01	0	0	1	4	3	1
			SS	4	129.0	130.0	1	0.05	0.5	0.01	0	0	1	5	3	1
			SS	5	130.0	131.0	1	0.05	0.5	0.01	0	0	1	4	3	1
			SS	6	131.0	132.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			SS	7	132.0	133.0	1	0.05	0.5	0.01	0	0	1	3	3	1
133.0	150.6	<u>SHEARED LAPILLISTONE</u>	LS	8	133.0	134.0	1	0.05	0.5	0.01	0	1	1	2	2	0
		Highly fractured and sheared pyritic	LS	9	134.0	135.0	1	0.05	0.5	0.01	0	1	1	2	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	GHL	Pyrite	
					from	to									F	C
		lapillistone, 5% disseminated pyrite,	LS	46780	135.0	136.0	1	0.05	0.5	0.01	0	1	1	2	1	0
		numerous chlorite-pyrite seams throughout.	LS	1	136.0	137.0	1	0.05	0.5	0.01	0	1	1	2	2	0
		Minor epidote to 144m. Pyrite content	LS	2	137.0	138.0	1	0.05	0.5	0.01	0	1	1	2	1	0
		low 133-145m.		3	138.0	139.0	1	0.05	0.5	0.01	0	1	1	2	1	0
				4	139.0	140.0	1	0.05	0.5	0.01	0	1	1	2	1	0
				5	140.0	141.0	1	0.05	0.5	0.01	0	1	1	2	1	0
				6	141.0	142.0	1	0.05	0.5	0.01	0	1	1	2	1	1
				7	142.0	143.0	1	0.05	0.5	0.01	0	0	1	3	1	0
				8	143.0	144.0	1	0.05	0.5	0.01	0	0	1	2	1	0
				9	144.0	145.0	1	0.05	0.5	0.01	0	0	1	2	1	0
				46790	145.0	146.0	1	0.05	0.5	0.01	0	0	1	2	2	1
				1	146.0	147.0	1	0.05	0.5	0.01	0	0	1	3	2	1
				2	147.0	148.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			LS	3	148.0	149.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			LS	4	149.0	150.0	1	0.05	0.5	0.01	0	0	1	3	3	1
150.6	163.4	<u>MASSIVE WACKE AND VOLCANIC SANDSTONE</u>	FW	5	150.0	151.0	1	0.05	0.5	0.01	0	0	1	3	3	1
		Pyritic, 5%. Numerous chlorite-pyrite	FW	6	151.0	152.0	1	0.05	0.5	0.01	0	0	1	3	3	1
		seams. Bedding at 152.6m 40°. Gouge	FW	7	152.0	153.0	1	0.05	0.5	0.01	0	0	2	3	3	1
		156.1m, 162-163.4m. Generally sheared	FW	8	153.0	154.0	1	0.05	0.5	0.01	0	0	2	3	3	1
		throughout, intensely altered to chlorite.		9	154.0	155.0	1	0.05	0.5	0.01	0	0	2	3	3	1
				46800	155.0	156.0	1	0.05	0.5	0.01	0	0	2	3	3	1
				1	156.0	157.0	1	0.05	0.5	0.01	0	0	2	4	3	1
				2	157.0	158.0	1	0.05	0.5	0.01	0	0	2	3	3	1
				3	158.0	159.0	1	0.05	0.5	0.01	0	0	1	3	3	1
				4	159.0	160.0	1	0.05	0.5	0.01	0	0	2	4	3	1
			FW	5	160.0	161.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			FW	6	161.0	162.0	1	0.05	0.5	0.01	0	0	1	4	3	1

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOMEXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 3

Page No. 7 of 12

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
			FW	46807	162.0	163.0	1	0.05	0.5	0.01	0	0	1	4	3	1
163.4	213.0	MASSIVE, LATITE PORPHYRY	FW	8	163.0	164.0	1	0.05	0.5	0.01	0	0	1	4	3	1
		Mottled grey with numerous chloritic	TA	9	164.0	165.0	1	0.05	0.5	0.01	0	0	1	3	2	1
		seams. 5% disseminated pyrite, pyrite-	TA	46810	165.0	166.0	1	0.05	0.5	0.01	0	0	1	2	3	1
		chlorite seams, locally sheared and	TA	1	166.0	167.0	1	0.05	0.5	0.01	0	0	1	2	3	1
		brecciated. "Crackle" breccia.	TA	2	167.0	168.0	1	0.10	0.5	0.01	0	0	1	2	3	1
		Gouge and chloritic shears 208-213m.	TA	3	168.0	169.0	1	0.05	0.5	0.01	0	0	1	3	3	1
		Sharp change to massive latite at 213m.	TA	4	169.0	170.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	5	170.0	171.0	1	0.05	0.5	0.01	0	0	1	4	3	1
			TA	6	171.0	172.0	1	0.05	0.5	0.01	0	0	1	2	3	1
			TA	7	172.0	173.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	8	173.0	174.0	1	0.05	0.5	0.01	0	0	0	3	2	1
			TA	9	174.0	175.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	46820	175.0	176.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	1	176.0	177.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	2	177.0	178.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	3	178.0	179.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	4	179.0	180.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	5	180.0	181.0	1	0.05	0.5	0.01	0	0	1	3	2	1
				6	181.0	182.0	1	0.05	0.5	0.01	0	0	1	2	2	1
				7	182.0	183.0	1	0.05	0.5	0.01	0	0	1	2	2	2
				8	183.0	184.0	1	0.05	0.5	0.01	0	0	1	2	2	2
				9	184.0	185.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	46830	185.0	186.0	1	0.05	0.5	0.01	0	0	1	3	3	1
				1	186.0	187.0	1	0.05	0.5	0.01	0	0	1	3	4	1
				2	187.0	188.0	1	0.05	0.5	0.01	0	0	1	3	4	1
				3	188.0	189.0	1	0.05	0.5	0.01	0	0	1	3	3	2

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 3
 Page No. 8 of 12

Diamond Drill Record

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					F	C										
				46834	189.0	190.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	5	190.0	191.0	1	0.05	0.5	0.01	0	0	1	3	3	2
				6	191.0	192.0	1	0.05	0.5	0.01	0	0	1	4	3	2
				7	192.0	193.0	1	0.05	0.5	0.01	0	0	1	4	3	1
				8	193.0	194.0	1	0.05	0.5	0.01	0	0	1	3	3	1
				9	194.0	195.0	1	0.05	0.5	0.01	0	0	1	3	4	1
				46840	195.0	196.0	1	0.05	0.5	0.01	0	0	1	3	3	1
				1	196.0	197.0	1	0.05	0.5	0.01	0	0	1	2	2	1
				2	197.0	198.0	1	0.05	0.5	0.01	0	0	1	3	3	1
				3	198.0	199.0	1	0.05	0.5	0.01	0	0	1	3	3	1
				4	199.0	200.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	5	200.0	201.0	1	0.05	0.5	0.01	0	0	1	3	3	2
				6	201.0	202.0	1	0.05	0.5	0.01	0	0	1	4	3	2
				7	202.0	203.0	1	0.05	0.5	0.01	0	0	1	4	3	1
				8	203.0	204.0	1	0.05	0.5	0.01	0	0	1	4	3	1
				9	204.0	205.0	1	0.05	0.5	0.01	0	0	1	2	2	2
				46850	205.0	206.0	1	0.05	0.5	0.01	0	0	1	3	3	2
			TA	1	206.0	207.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	2	207.0	208.0	1	0.05	0.5	0.01	0	0	1	3	2	1
			TA	3	208.0	209.0	1	0.05	0.5	0.01	0	0	1	3	3	1
			TA	4	209.0	210.0	1	0.05	0.5	0.01	0	0	1	4	3	2
			G	5	210.0	211.0	1	0.05	0.5	0.01	0	0	1	5	2	2
			G	6	211.0	212.0	1	0.05	0.5	0.01	0	0	1	5	2	2
			G	7	212.0	213.0	1	0.05	0.5	0.01	0	0	1	4	2	2
213.0	231.0	MASSIVE, GREY LATITE PORPHYRY	TA	8	213.0	214.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		Mottled grey, occasional pinkish colour.	TA	9	214.0	215.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		70% plagioclase microlites in fine grained		46860	215.0	216.0	1	0.05	0.5	0.01	0	0	0	2	1	1

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 3

Diamond Drill Record

Page No. 9 of 12

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
		matrix. Pyrite content 2-5%: mainly		46861	216.0	217.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		coarse pyrite aggregates on fractures,		2	217.0	218.0	1	0.05	0.5	0.01	0	0	0	2	1	2
		disseminated pyrite rare. Minor chlorite		3	218.0	219.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		on fractures with pyrite. White stringers		4	219.0	220.0	1	0.05	0.5	0.01	0	1	0	1	1	2
		of albite-zeolite common 3-5cm. Accessory		5	220.0	221.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		fragments of latite porphyries comprise	TA	6	221.0	222.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		5% of rock. Fragments contain 1-2%		7	222.0	223.0	1	0.05	0.5	0.02	0	1	0	1	1	1
		epidote. Porphyries usually have weak		8	223.0	224.0	1	0.05	0.5	0.01	0	1	0	1	1	1
		trachytic texture, distinct white plagioclase		9	224.0	225.0	1	0.05	0.5	0.01	0	0	0	1	1	1
		microlites to 2mm. Vugs coated with		46870	225.0	226.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		white zeolite common. Rock locally fresh		1	226.0	227.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		and unaltered.		2	227.0	228.0	1	0.05	0.5	0.01	0	1	0	1	1	2
				3	228.0	229.0	1	0.05	0.5	0.01	0	0	0	1	1	2
				4	229.0	230.0	1	0.05	0.5	0.01	0	0	0	0	1	1
			TA	5	230.0	231.0	1	0.05	0.5	0.01	0	0	0	0	1	2
231.0	240.2	<u>FELSIC BRECCIA</u> , lapillistone, minor tuff	FB	6	231.0	232.0	1	0.05	0.5	0.01	0	0	0	0	1	1
		Rounded fragments 3cm of felsic porphyries	FB	7	232.0	233.0	1	0.05	0.5	0.01	0	0	0	0	1	1
		(poly lithic) in feldspar rich-wacke	FB	8	233.0	234.0	1	0.05	0.5	0.01	0	0	0	1	1	2
		matrix. Pyrite - 3%.	FB	9	234.0	235.0	1	0.05	0.5	0.01	0	0	0	1	1	2
				46880	235.0	236.0	1	0.05	0.5	0.01	0	0	0	0	1	1
			FB	1	236.0	237.0	1	0.05	0.5	0.01	0	0	0	0	1	2
			FB	2	237.0	238.0	1	0.05	0.5	0.01	0	0	0	0	1	2
			FB	3	238.0	239.0	1	0.05	0.5	0.01	0	0	0	0	1	1
			FB	4	239.0	240.0	1	0.05	0.5	0.01	0	0	0	1	1	1
240.2	249.5	<u>PYRITIC TUFF, SILTSTONE</u>	SS	5	240.0	241.0	1	0.05	0.5	0.01	0	0	0	1	3	1
		Massive, fine grained siltstone and tuff.	SS	6	241.0	242.0	1	0.05	0.5	0.01	0	0	0	1	3	2
		Mottled appearance, rich in disseminated	FB	7	242.0	243.0	1	0.05	0.5	0.01	0	0	0	0	2	2

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 3

Diamond Drill Record

Page No. 10 of 12

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
															F	C
		pyrite +5%. Bedding 45° CA, Felsic	FB	46888	243.0	244.0	1	0.05	0.5	0.01	0	0	0	3	2	2
		breccia and lapillistone 242-245m.	FB	9	244.0	245.0	1	0.05	0.5	0.01	0	0	0	1	2	2
			SS	46890	245.0	246.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			SS	1	246.0	247.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			SS	2	247.0	248.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			SS	3	248.0	249.0	1	0.05	0.5	0.01	0	0	0	2	2	1
249.5	252.0	<u>FELSIC BRECCIA, LAPILLISTONE</u>	FB	4	249.0	250.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		Compact polyolithic fragments, 10cm,	FB	5	250.0	251.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		rounded, low pyrite content (1%). Sharp	FB	6	251.0	252.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		contact with siltstone at 249.5m, 10°.	TA	7	252.0	253.0	1	0.05	0.5	0.01	0	0	0	1	2	1
252.0	262.5	<u>LATITE PORPHYRY</u>		8	253.0	254.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		Mottled grey feldspar porphyry, 10%		9	254.0	255.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		acicular mafics. 3% py, disseminated and		46900	255.0	256.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		fracture coatings. Weakly altered. Vugs		1	256.0	257.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		with zeolite coatings common.	TA	2	257.0	258.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				3	258.0	259.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				4	259.0	260.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				5	260.0	261.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			TA	6	261.0	262.0	1	0.05	0.5	0.01	0	0	0	1	2	1
262.5	265.8	<u>COMPACT FELSIC BRECCIA</u>	FB	7	262.0	263.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		Rounded 10cm, porphyry clasts in clastic	FB	8	263.0	264.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		matrix (10%). Pyrite disseminated	FB	9	264.0	265.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		throughout clasts and matrix material (5%).	FB	46910	265.0	266.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		Few clasts appear to be siltstone.	TA	1	266.0	267.0	1	0.05	0.5	0.01	0	0	0	1	2	1
265.8	287.9	<u>LATITE PORPHYRY</u>	TA	2	267.0	268.0	1	0.05	0.5	0.01	0	0	0	2	2	1
		Mottled grey, massive feldspar porphyry		3	268.0	269.0	1	0.05	0.5	0.01	0	0	0	2	2	1
		with 10% mafics. Chlorite and pyrite		4	269.0	270.0	1	0.05	0.5	0.01	0	0	0	2	2	1

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M + 3
 Page No. 11 of 12

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
		content increase at 272m - produces		46915	270.0	271.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		"crackle" breccia, fractures 60° CA		6	271.0	272.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		("crackle zone"). Pyrite = 5-10% locally.		7	272.0	273.0	1	0.2	1.0	0.02	0	0	0	3	2	2
		Thin microspheres common.	TA	8	273.0	274.0	1	0.15	1.0	0.03	0	0	0	3	2	2
		Chloritic gouge and breccia:		9	274.0	275.0	1	0.3	0.5	0.03	0	0	0	3	3	1
		278.5-279.8m, 286.6-287.7m.		46920	275.0	276.0	1	0.3	0.5	0.01	0	0	0	3	2	2
				1	276.0	277.0	1	0.5	0.5	0.01	0	0	0	3	2	2
			TA	2	277.0	278.0	1	0.2	1.5	0.02	0	0	0	3	2	1
			G	3	278.0	279.0	1	0.05	0.5	0.03	0	0	0	4	2	1
			G	4	279.0	280.0	1	0.1	0.5	0.03	0	0	0	5	2	1
			TA	5	280.0	281.0	1	3.1	0.5	0.04	0	0	0	4	2	1
				6	281.0	282.0	1	0.25	1.0	0.03	0	0	0	4	2	1
				7	282.0	283.0	1	0.6	0.5	0.05	0	0	0	4	2	1
				8	283.0	284.0	1	1.1	0.5	0.01	0	0	0	4	2	1
			TA	9	284.0	285.0	1	0.05	0.5	0.01	0	0	0	4	2	1
				46930	285.0	286.0	1	0.05	0.5	0.01	0	0	0	4	2	1
				1	286.0	287.0	1	0.05	0.5	0.01	0	0	0	4	2	1
287.9	306.3	<u>SILTSTONE AND TUFF</u>	TA	2	287.0	288.0	1	0.05	0.5	0.01	0	0	0	4	2	1
		Buff to mottled grey, well bedded to	SS	3	288.0	289.0	1	0.05	0.5	0.01	0	0	0	3	2	1
		massive pyritic tuff and siltstone.	SS	4	289.0	290.0	1	0.05	0.5	0.01	0	0	0	3	2	1
		Chloritic breccia and gouge(?) 290-295m.	G	5	290.0	291.0	1	0.15	0.5	0.01	0	0	0	4	2	1
		Pyrite content variable 2-10%, mainly	G	6	291.0	292.0	1	0.45	0.5	0.01	0	0	0	4	2	1
		disseminated. Bedding 45°. Fragment	G	7	292.0	293.0	1	0.05	0.5	0.01	0	0	0	5	2	1
		of massive pyrite at 303m.	G	8	293.0	294.0	1	0.05	0.5	0.01	0	0	0	4	2	1
		End of hole at 306.3m	G	9	294.0	295.0	1	0.2	0.5	0.01	0	0	0	4	2	1
			SS	46940	295.0	296.0	1	0.1	0.5	0.01	0	0	0	4	2	1
				1	296.0	297.0	1	0.1	0.5	0.01	0	0	0	2	2	1

Location: 125+50 N, 91+00E	Diamond Drill Record	Hole No. 180M - 4
Azimuth: 045°		Property: Project 180 - Maud Lake, B.C.
Dip: -45°	Length(metres): 304.8m	Elevation: Claim No: Maud 2
Started: Nov. 5, 1981.	Core Size: BQWL	Date Logged: Nov. 18/81. Section:
Completed: Nov. 8, 1981.	Dip Tests: 91.4m 50° corrected to -42° 182.9m 51° corrected to -43° 304.8m 47° corrected to -39°	Logged By: P.E. Fox
Purpose: To test IP anomaly		

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite F C	
0	3.0	<u>OVERBURDEN</u>	TA	46951	3.0	4.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				2	4.0	5.0	1	0.05	0.5	0.01	0	0	0	0	1	0
3.0	147.0	<u>LATITE, PORPHYRY AND BRECCIA</u>		3	5.0	6.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		Mottled grey, pale grey, white. Medium,		4	6.0	7.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		to fine grained, massive feldspar porphyry.		5	7.0	8.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		80% plagioclase microlite, 1mm, 10%		6	8.0	9.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		mafic grains. 5-10% rounded accessory		7	9.0	10.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		porphyry fragments to 10cm. Oxide		8	10.0	11.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		coatings on fractures to 20m. Sulphide		9	11.0	12.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		content low, 2% pyrite, trace		46960	12.0	13.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		chalcopyrite. Compact breccias 18-19m.		1	13.0	14.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		Pyrrhotite common +25m, associated with		2	14.0	15.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		pyrite. NB: PYRITE = combined pyrite		3	15.0	16.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		and pyrrhotite.		4	16.0	17.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				5	17.0	18.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				6	18.0	19.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				7	19.0	20.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				8	20.0	21.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				9	21.0	22.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				46970	22.0	23.0	1	0.2	0.5	0.01	0	0	0	1	1	1
				1	23.0	24.0	1	0.05	0.5	0.01	0	0	0	1	1	1

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

Diamond Drill Record

Hole No.
 180M - 4
 Page No. 2 of 12

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
			TA	46972	24.0	25.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				3	25.0	26.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				4	26.0	27.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				5	27.0	28.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				6	28.0	29.0	1	0.05	0.5	0.01	0	0	0	1	1	1
		Mottled brown-green to 55m, predominantly		7	29.0	30.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		green with increasing sulphide content		8	30.0	31.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		at 55m.		9	31.0	32.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				46980	32.0	33.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				1	33.0	34.0	1	0.1	0.5	0.01	0	0	0	1	1	1
				2	34.0	35.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				3	35.0	36.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				4	36.0	37.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				5	37.0	38.0	1	0.05	0.5	0.01	0	0	0	1	1	1
			TA	6	38.0	39.0	1	0.05	0.5	0.01	0	0	0	1	1	1
			FB	7	39.0	40.0	1	0.05	0.5	0.01	0	0	0	1	1	1
			TA	8	40.0	41.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				9	41.0	42.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				46990	42.0	43.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				1	43.0	44.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				2	44.0	45.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				3	45.0	46.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				4	46.0	47.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				5	47.0	48.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				6	48.0	49.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				7	49.0	50.0	1	0.05	0.5	0.01	0	0	0	1	1	1
			TA	8	50.0	51.0	1	0.05	0.5	0.01	0	0	0	1	1	1

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Diamond Drill Record

Hole No.
 180M - 4
 Page No. 3 of 12

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
															F	C
				46999	51.0	52.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				47000	52.0	53.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				1	53.0	54.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				2	54.0	55.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				3	55.0	56.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				4	56.0	57.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				5	57.0	58.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				6	58.0	59.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				7	59.0	60.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				8	60.0	61.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				9	61.0	62.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				47010	62.0	63.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			TA	1	63.0	64.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		"Dioritic" fragments + 70m, contain		2	64.0	65.0	1	0.05	0.5	0.01	0	0	0	1	1	0
		disseminated pyrite and pyrrhotite,		3	65.0	66.0	1	0.05	0.5	0.01	0	0	0	1	1	1
		1-2% epidote	FB	4	66.0	67.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			TA	5	67.0	68.0	1	0.05	0.5	0.01	0	0	0	1	1	1
				6	68.0	69.0	1	0.05	0.5	0.01	0	0	1	0	1	0
				7	69.0	70.0	1	0.05	0.5	0.01	0	1	0	0	1	0
			TA	8	70.0	71.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				9	71.0	72.0	1	0.05	1.0	0.02	0	1	0	1	1	0
				47020	72.0	73.0	1	0.05	0.5	0.01	0	1	0	1	1	0
				1	73.0	74.0	1	0.05	1.5	0.02	0	0	0	0	1	0
				2	74.0	75.0	1	0.05	0.5	0.01	0	0	0	1	1	0
			TA	3	75.0	76.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				4	76.0	77.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				5	77.0	78.0	1	0.05	0.5	0.01	0	0	0	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.
180M - 4

Page No. 4 of 12

Diamond Drill Record

Metres from	to	Description	ROCK	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					from	to									F	C
				47026	78.0	79.0	1	0.05	0.5	0.01	0	0	0	0	1	0
				7	79.0	80.0	1	0.05	1.0	0.02	0	0	0	0	1	0
			TA	8	80.0	81.0	1	0.05	1.0	0.02	0	0	0	0	1	0
				9	81.0	82.0	1	0.05	0.5	0.03	0	0	0	1	0	0
				47030	82.0	83.0	1	0.05	0.5	0.02	0	0	0	1	2	1
				1	83.0	84.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				2	84.0	85.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				3	85.0	86.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				4	86.0	87.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			TA	5	87.0	88.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			FB	6	88.0	89.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			FB	7	89.0	90.0	1	0.05	0.5	0.01	0	0	0	1	2	2
			FB	8	90.0	91.0	1	0.05	0.5	0.01	0	0	0	1	2	2
			FB	9	91.0	92.0	1	0.05	0.5	0.01	0	0	0	1	2	2
			FB	47040	92.0	93.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			FB	1	93.0	94.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			TA	2	94.0	95.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			TA	3	95.0	96.0	1	0.05	0.5	0.01	0	0	0	1	2	2
				4	96.0	97.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				5	97.0	98.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			TA	6	98.0	99.0	1	0.05	1.0	0.01	0	0	0	1	2	1
		Gouge 101.8 -103.3m shear folia 50° Ca.	TA	7	99.0	100.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		Increase in chlorite content at 103.3m,	TA	8	100.0	101.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		coarse pyrite aggregates and veinlets	G	9	101.0	102.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		(3mm) common. Chlorite-coated fractures,	G	47050	102.0	103.0	1	0.05	0.5	0.01	0	0	0	0	0	0
		usually with pyrite, every 3cm. "Crackle"		1	103.0	104.0	1	0.05	0.5	0.01	0	0	0	3	2	2
		breccia. Chlorite content decreases at 116m		2	104.0	105.0	1	0.05	0.5	0.01	0	0	0	2	2	2

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Diamond Drill Record

Hole No.
 180M - 4
 Page No. 5 of 12

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
					F	C										
			TA	47053	105.0	106.0	1	0.05	0.5	0.01	0	0	0	2	2	2
				4	106.0	107.0	1	0.05	0.5	0.01	0	0	0	2	2	3
				5	107.0	108.0	1	0.05	0.5	0.01	0	0	0	2	2	3
				6	108.0	109.0	1	0.05	0.5	0.01	0	0	0	2	2	3
			TA	7	109.0	110.0	1	0.05	0.5	0.01	0	0	0	2	2	2
				8	110.0	111.0	1	0.05	0.5	0.01	0	0	0	2	2	2
				9	111.0	112.0	1	0.05	0.5	0.01	0	0	0	2	1	2
				47060	112.0	113.0	1	0.2	0.5	0.01	0	0	0	2	1	3
				1	113.0	114.0	1	0.05	0.5	0.01	0	0	0	2	2	2
			TA	2	114.0	115.0	1	0.25	0.5	0.02	0	0	0	2	2	3
				3	115.0	116.0	1	0.05	0.5	0.01	0	0	1	2	2	2
				4	116.0	117.0	1	0.10	0.5	0.01	0	0	1	1	2	1
			TA	5	117.0	118.0	1	0.05	0.5	0.01	0	0	1	1	2	2
				6	118.0	119.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				7	119.0	120.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				8	120.0	121.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				9	121.0	122.0	1	0.45	0.5	0.01	0	0	1	1	2	1
			TA	47070	122.0	123.0	1	0.4	0.5	0.01	0	0	1	1	2	2
				1	123.0	124.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				2	124.0	125.0	1	0.2	0.5	0.01	0	0	1	1	2	1
				3	125.0	126.0	1	0.45	0.5	0.01	0	0	1	1	2	1
				4	126.0	127.0	1	0.15	0.5	0.01	0	0	1	1	2	2
			TA	5	127.0	128.0	1	0.10	0.5	0.02	0	0	1	1	2	3
				6	128.0	129.0	1	2.15	0.5	0.03	0	0	1	1	2	3
				7	129.0	130.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				8	130.0	131.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				9	131.0	132.0	1	0.15	0.5	0.01	0	0	1	1	2	2

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.

180M - 4

Diamond Drill Record

Page No. 6

of 12

Metres from to		Description	ROCK	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
F	C															
147	169.8	<u>Felsic Breccia, Latite Porphyry</u>		47080	132.0	133.0	1	0.35	0.5	0.01	0	0	1	1	2	2
		Mainly polyolithic breccia comprised of	TA	1	133.0	134.0	1	0.45	0.5	0.01	0	0	1	1	2	2
		latite porphyry fragments - rounded to		2	134.0	135.0	1	0.95	0.5	0.01	0	0	0	1	2	2
		subangular, 5 cm - in fine grained matrix.		3	135.0	136.0	1	0.2	0.5	0.01	0	0	1	1	2	2
		Breccia varies from compact to open, short		4	136.0	137.0	1	1.0	0.5	0.02	0	0	1	1	2	2
		(1m) sections homogeneous latite porphyry.		5	137.0	138.0	1	0.05	0.5	0.01	0	0	1	1	1	1
		5% pyrite - disseminated and chloritic		6	138.0	139.0	1	0.05	0.5	0.01	0	0	1	1	1	2
		stringers. Mottled grey, brown, pale		7	139.0	140.0	1	0.05	0.5	0.01	0	0	1	0	1	1
		green.	TA	8	140.0	141.0	1	0.05	0.5	0.01	0	0	1	1	2	2
				9	141.0	142.0	1	0.15	0.5	0.01	0	0	1	1	2	2
				47090	142.0	143.0	1	0.25	0.5	0.01	0	0	1	1	1	2
				1	143.0	144.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				2	144.0	145.0	1	0.25	0.5	0.01	0	0	0	1	2	2
				3	145.0	146.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			TA	4	146.0	147.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			FB	5	147.0	148.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			FB	6	148.0	149.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			FB	7	149.0	150.0	1	0.3	0.5	0.01	0	0	1	1	2	2
			FB	8	150.0	151.0	1	0.35	0.5	0.01	0	0	1	1	2	2
			FB	9	151.0	152.0	1	0.35	0.5	0.01	0	0	1	1	2	2
				47100	152.0	153.0	1	0.25	0.5	0.01	0	0	1	1	2	3
				1	153.0	154.0	1	0.25	0.5	0.01	0	0	0	1	2	1
				2	154.0	155.0	1	0.05	0.5	0.01	0	0	1	0	2	1
				3	155.0	156.0	1	0.05	0.5	0.01	0	0	1	1	3	1
			FB	4	156.0	157.0	1	0.05	0.5	0.01	0	0	1	1	3	1
				5	157.0	158.0	1	0.05	0.5	0.01	0	0	0	1	2	1
				6	158.0	159.0	1	0.05	0.5	0.01	0	0	2	2	3	1

Key
 0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
 3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Diamond Drill Record

Hole No.
 180M - 4
 Page No. 7 of 12

Metres from	to	Description	Sample No.	Metres		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
				from	to									F	C
			47107	159.00	160.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			8	160.0	161.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			9	161.0	162.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			FB 47110	162.0	163.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			1	163.0	164.0	1	0.05	0.5	0.01	0	0	1	1	2	3
			2	164.0	165.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			3	165.0	166.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			4	166.0	167.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			5	167.0	168.0	1	0.05	0.5	0.01	0	0	1	1	1	3
			FB 6	168.0	169.0	1	0.05	0.5	0.01	0	0	1	1	2	1
169.8	208.1	Latite Porphyry	FB 7	169.0	170.0	1	0.05	0.5	0.01	0	0	1	1	2	2
		Mottled grey, green, brown feldspar	TA 8	170.0	171.0	1	0.05	0.5	0.01	0	0	1	1	2	2
		porphyry, fine grained (1mm). 80%	9	171.0	172.0	1	0.05	0.5	0.01	0	0	1	1	2	2
		plagioclase microlites, 10% altered	47120	172.0	173.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		mafics. Accessory latite fragments	1	173.0	174.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		common, up to 15% locally. Pyrite content	2	174.0	175.0	1	0.15	0.5	0.01	0	0	0	1	2	1
		5% overall. Local coarse aggregates of	TA 3	175.0	176.0	1	0.05	0.5	0.01	0	0	1	1	2	2
		pyrite-chlorite. Alteration comprises	4	176.0	177.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		general "bleaching" of brownish porphyry	5	177.0	178.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		to pale greenish grey rock-irregular	6	178.0	179.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		zones of mottled rock and envelopes on	7	179.0	180.0	1	0.05	0.5	0.01	0	0	0	1	2	1
		veinlets and fractures.	TA 8	180.0	181.0	1	0.05	0.5	0.01	0	0	1	0	2	1
		Shear and gouge 197.2m- shear folia 60°.	9	181.0	182.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		Gouge 203-205m.	47130	182.0	183.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			1	183.0	184.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			TA 2	184.0	185.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			3	185.0	186.0	1	0.05	0.5	0.01	0	0	1	1	2	1

Key

DOME EXPLORATION (CANADA) LIMITED

Project 180

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

Hole No.
180M - 4

Diamond Drill Record

Page No. 8 of 12

Metres from to		Description	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
				F	C										
			47134	186.0	187.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			5	187.0	188.0	1	0.05	0.5	0.01	0	0	0	1	2	1
			6	188.0	189.0	1	0.1	0.5	0.01	0	0	1	1	2	3
			TA 7	189.0	190.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			8	190.0	191.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			9	191.0	192.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			47140	192.0	193.0	1	0.05	0.5	0.01	0	0	0	1	2	2
			1	193.0	194.0	1	0.05	0.5	0.01	0	0	2	2	2	1
			TA 2	194.0	195.0	1	0.05	0.5	0.01	0	0	1	2	2	2
			3	195.0	196.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			4	196.0	197.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			G 5	197.0	198.0	1	0.05	0.5	0.01	0	0	1	2	2	2
			TA 6	198.0	199.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			G 7	199.0	200.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			G 8	200.0	201.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			TA 9	201.0	202.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			TA 47150	202.0	203.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			TA 1	203.0	204.0	1	0.05	0.5	0.01	0	0	1	3	2	1
208.1	238.4	Massive Latite Porphyry	G 2	204.0	205.0	1	0.05	0.5	0.01	0	0	1	3	2	1
		Sharp contact at 208.1m 30° CA. "Crowded"	TA 3	205.0	206.0	1	0.05	0.5	0.01	0	0	1	2	1	0
		feldspar porphyry - 80% greenish plagioclase	TA 4	206.0	207.0	1	0.05	0.5	0.01	0	0	1	2	2	1
		microlites, 10% euhedral hornblende in fine	TA 5	207.0	208.0	1	0.05	0.5	0.01	0	0	1	1	2	2
		grained matrix. Generally fresh and	TA 6	208.0	209.0	1	0.05	0.5	0.01	0	0	0	1	1	1
		unaltered. Minor sulphide content - 1-2%	7	209.0	210.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		pyrite. Few lithic fragments minor chlorite.	8	210.0	211.0	1	0.05	0.5	0.01	0	0	0	0	1	1
		Trachytic texture common - subaligned	9	211.0	212.0	1	0.05	0.5	0.01	0	0	0	0	1	0
		microlites.	47160	212.0	213.0	1	0.05	0.5	0.01	0	0	0	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 4

Diamond Drill Record

Page No. 9 of 12

Metres from to		Description	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
														F	C
			47161	213.0	214.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			2	214.0	215.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			3	215.0	216.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			4	216.0	217.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			5	217.0	218.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			6	218.0	219.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			7	219.0	220.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			8	220.0	221.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			TA 9	221.0	222.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			47170	222.0	223.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			1	223.0	224.0	1	0.05	0.5	0.01	0	0	1	1	1	0
			2	224.0	225.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			3	225.0	226.0	1	0.05	0.5	0.01	0	0	1	1	1	1
			4	226.0	227.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			5	227.0	228.0	1	0.05	0.5	0.01	0	0	1	1	2	0
			6	228.0	229.0	1	0.05	0.5	0.01	0	0	1	1	2	0
			7	229.0	230.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			8	230.0	231.0	1	0.05	0.5	0.01	0	0	1	1	2	0
			TA 9	231.0	232.0	1	0.05	0.5	0.01	0	0	1	1	2	0
			47180	232.0	233.0	1	0.05	0.5	0.01	0	0	1	1	2	0
			1	233.0	234.0	1	0.05	0.5	0.01	0	0	1	0	2	0
			2	234.0	235.0	1	0.05	0.5	0.01	0	0	1	1	2	0
238.4	243.4	<u>Compact Felsic Breccia</u>	3	235.0	236.0	1	0.05	0.5	0.01	0	0	1	1	2	0
		Variety of felsic porphyry fragments,	4	236.0	237.0	1	0.05	0.5	0.01	0	0	1	1	2	0
		siltstone fragments up to 5cm.	TA 5	237.0	238.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			FB 6	238.0	239.0	1	0.05	0.5	0.01	0	0	1	1	2	1
			FB 7	239.0	240.0	1	0.05	0.5	0.01	0	0	1	0	1	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%
3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No.
180M - 4

Page No. 10 of 12

Diamond Drill Record

Metres from to		Description	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite		
				F	C											
			FB	47188	240.0	241.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	9	241.0	242.0	1	0.05	0.5	0.01	0	0	1	0	1	0
			FB	47190	242.0	243.0	1	0.05	0.5	0.01	0	0	1	0	1	0
243.4	304.8	<u>Latite Porphyry</u>	TA	1	243.0	244.0	1	0.2	0.5	0.01	0	0	1	1	2	1
		Mottled grey, fine grained latite		2	244.0	245.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		latite porphyry and local breccia. Pyrite		3	245.0	246.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		content 2-5%, disseminated grains and	TA	4	246.0	247.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		fracture coatings. Chlorite common at	FB	5	247.0	248.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		fractures. Local zones of "crackle"	TA	6	248.0	249.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		breccia - chloritic seams and shears up		7	249.0	250.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		to 1cm spacing. Occasional chloritic		8	250.0	251.0	1	0.05	0.5	0.01	0	0	1	1	2	1
		breccia, 265-265.5m.		9	251.0	252.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				47200	252.0	253.0	1	0.05	0.5	0.01	0	0	1	1	2	2
			TA	1	253.0	254.0	1	0.05	0.5	0.01	0	0	1	1	2	1
				2	254.0	255.0	1	0.05	0.5	0.01	0	0	1	1	2	2
				3	255.0	256.0	1	0.05	0.5	0.01	0	0	1	2	2	2
				4	256.0	257.0	1	0.05	0.5	0.01	0	0	1	2	2	1
				5	257.0	258.0	1	0.05	0.5	0.01	0	0	0	2	2	1
				6	258.0	259.0	1	0.05	0.5	0.01	0	0	0	2	2	1
			G	7	259.0	260.0	1	0.05	0.5	0.01	0	0	0	3	2	1
			G	8	260.0	261.0	1	0.05	0.5	0.01	0	0	0	3	2	1
			G	9	261.0	262.0	1	0.05	0.5	0.01	0	0	0	3	2	1
			G	47210	262.0	263.0	1	0.05	0.5	0.01	0	0	0	3	2	1
			TA	1	263.0	264.0	1	0.05	0.5	0.01	0	0	0	2	2	0
			TA	2	264.0	265.0	1	0.05	0.5	0.01	0	0	0	2	2	0
			G	3	265.0	266.0	1	0.05	0.5	0.01	0	0	0	3	2	0
			TA	4	266.0	267.0	1	0.05	0.5	0.01	0	0	0	2	2	0

Key

0=Absent 1=Weak 5=Intense Pyrite: 1=<1% 2=1-5%

3=5-10% 4=10-20% F=Fine C=Coarse

DOME EXPLORATION (CANADA) LIMITED

Project 180

Hole No. 180M - 4

Diamond Drill Record

Page No. 11 of 12

Metres from to		Description	Sample No.	Metres from to		Length Metres	Au g/mt	Ag g/mt	Cu %	ACT	EPI	CAR	CHL	Pyrite	
														F	C
			47215	267.0	268.0	1	0.05	0.5	0.01	0	0	0	2	2	0
			6	268.0	269.0	1	0.05	0.5	0.01	0	0	1	2	2	0
			7	269.0	270.0	1	0.05	0.5	0.01	0	0	1	2	2	1
			8	270.0	271.0	1	0.05	0.5	0.01	0	0	0	2	2	1
			9	271.0	272.0	1	0.05	0.5	0.01	0	0	0	1	2	0
			47220	272.0	273.0	1	0.05	0.5	0.01	0	0	1	2	2	2
			TA 1	273.0	274.0	1	0.05	0.5	0.01	0	0	1	3	2	1
		Decrease in chlorite and pyrite content	TA 2	274.0	275.0	1	0.05	0.5	0.01	0	0	1	2	2	1
		at 277m. Latite generally unaltered +277m,	3	275.0	276.0	1	0.05	0.5	0.01	0	0	1	2	2	1
		minor disseminated pyrite (2%). Trachytic	4	276.0	277.0	1	0.05	0.5	0.01	0	0	1	2	2	1
		texture common, 10% accessory porphyry	5	277.0	278.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		fragments to 50m.	6	278.0	279.0	1	0.05	0.5	0.01	0	0	1	0	1	0
		End of hole at 304.8m	TA 7	279.0	280.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			TA 8	280.0	281.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			9	281.0	282.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			47230	282.0	283.0	1	0.05	0.5	0.01	0	0	0	0	2	0
			1	283.0	284.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			TA 2	284.0	285.0	1	0.05	0.5	0.01	0	0	0	0	2	0
			3	285.0	286.0	1	0.05	0.5	0.01	0	0	0	0	2	0
			4	286.0	287.0	1	0.05	0.5	0.01	0	0	0	0	2	0
			5	287.0	288.0	1	0.05	0.5	0.01	0	0	0	0	2	0
			TA 6	288.0	289.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			7	289.0	290.0	1	0.05	0.5	0.01	0	0	0	0	2	0
			8	290.0	291.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			9	291.0	292.0	1	0.05	0.5	0.01	0	0	0	0	2	0
			47240	292.0	293.0	1	0.05	0.5	0.01	0	0	0	0	1	0
			1	293.0	294.0	1	0.05	0.5	0.01	0	0	0	0	1	0

