DRILLING REPORT

ON THE

Au GROUP

(Au 1 456 (4); Au 2 462 (4); Au 4 464 (4)) Nicola Mining Division

> Latitude 49° 57' N Longitude 120° 33' W NTS Map 92 H/ 15E

> > for

Imperial Metals Corporation
1300 - 409 Granville Street
 Vancouver, B.C.

by
Stephen P. Quin B.Sc. ARSM'
Mining Geologist
Imperial Metals Corporation

30 May 1983

GEGLOGICAL BRANCH

11.711

TABLE OF CONTENTS

| | | Page |
|-----|--|------|
| 1. | Introduction | 1 |
| 2. | Location & Access | 1 |
| 3. | Topography | 1 |
| 4. | The Property | 2 |
| 5. | History of the Property | 2 |
| 6. | General & Local Geology | 3 |
| 7. | Diamond Drilling | 4 |
| 8. | Statement of Qualifications (S. Quin) | 5 |
| 9. | Statement of Qualifications (J. McGoran) | 6 |
| 10. | References | 7 |
| | Statement of Costs endix 1 : Diamond drill hole core logs | 8 |
| App | endix 2 : ICP Geochemical analysis certificates | |

Drilling Report :

1. <u>Introduction</u>:

In November 1982 two diamond drill holes were drilled into the area of the main shavings on the Au # 1 claim to investigate the depth potential of surface gold mineralization. The holes were drilled to 53.8 m and 114 m. A total of 45 samples were sent for geochemical analysis for 30 metals plus gold by Induced Plasma Coupled analysis.

2. Location & Access :

The property is located approximately 1 mile
North East of Pothole Lake on Quilchena Creek and
about 5 miles east of Aspen Grove. The approximate
centre of the claims is at Latitude 49°57' N
Longitude 120°33' W on Map sheet M92 H/15E, in the
Nicola Mining Division.

The property may be reached from Merritt, the nearest major town, by following Highway # 5 for 32 km to the south. Gravel and dirt roads run east and north east for 16 km. Access within the property is good since there are several old logging roads.

3. Topography:

The Au claims are located within the Thompson Plateau, consisting of rolling uplands with wooded areas and grass lands. Overburden is thick in the lowlands but quite shallow in the hills, with a few sparse outcrops.

The elevation of the plateau is approximately 3500 feet. The climate is typical of the dry interior belt, with fairly light snow in the winter and hot, dry summers.

4. The Property:


The property consists of 3 claims totalling 8 metre units as listed below;

| Na | ame | e | Units | Record | Number |
|-----|-----|------|-------|--------|--------|
| Au | # | 1 | 4 | 456 | (4) |
| Au | # | 2 | 2 | 462 | (4) |
| Au | # | 3 | 2 | 464 | (4) |
| See | 9 1 | Figu | re 1. | | |

5. History of the Property (J.P. Elwell 1979):

According to written reports and other information, the original Au claims were staked by Harry Nesbitt of Merritt, B.C. who noted significant gold values in the area now covered by the Au # 1. Assessment work was carried out by Nesbitt until 1975 when the claims were optioned by New Pyramid Gold Mines Inc. In a report by G. von Rosen, P. Eng. of L.G. Manning and Associates dated March 10th, 1975 for Pyramid Gold Mines Inc., four grab sample assays are reported which ran 0.42, 0.62, 2.66, and 2.60 oz/ton Au. respectively, and which were said to represent an area about 3' - 6' wide by 50'-60' long. The report recommended a \$22,000 program of exploration to include geological mapping and sampling, a geochemical survey, and some test diamond drilling.

During the summer of 1975 four diamond drill holes were completed. Hole #2 was drilled of 87' and Hole # 7



was drilled at -35° on a bearing of 276° to a depth of 201 feet. Data on the other holes is not available.

A Progress Report to New Pyramid from L. J. Manning and Associates states that only very low gold values were encountered. In addition a limited geochemical survey was carried out by Glen E. White and Associates Ltd. in the immediate area of the known mineral showings.

New Pyramid Mines Inc. dropped the option on the property, and the claims reverted to the owners. In 1978 they were purchased by J. P. McGoran and A. Savage and vended to Invex Resources Ltd. In the summer of 1978 Invex carried out a program of hand trenching over the stripped area of the original mineral showings and also some soil sampling. The results of this work are discussed in the a following section. In order to consolidate the property, the original AU claims were abandoned and re-staked under the new metric system in their present form. (See Location Plan).

6. General and Local Geology :

As mapped by H. M. A. Rice in 1944 (G.S.C. map 888A) and V. A. Preto of the B.C. Dept. of Mines (Prem. Map # 15), the claim area is underlain by the Nicola Group of Upper Triassic rocks consisting of varicoloured lavas, tuffs, chert and limestone which have been intruded by the Coast Intrusions consisting of granites, granodiorites, and related rock types. In the general area of the claims, these intrusives appear as small bosses, one of which is located about one mile north of the claim area.

Locally, the only geology which has been mapped in any detail occurs in a stripped area of about 30 m x 30 m

over the known mineral showing. The rocks exposed here consist of a complex of argillites, cherty tuff, andesite tuff, and dacitic crystal tuff. The rocks are weathered to a dark reddish brown, and are intensely shattered by faulting in several directions. In one area examined by the writer, the sediments (mainly cherty tuff) appear to strike at 240° and dip at 54°N, and are overlain by the dacitic crystal tuff, classified as micro diorite by McGoran.

Mineralization:

Exploration to date has indicated significant amounts of gold associated with severe rock types, but principally in the dacitic crystal tuff, cherty tuff, and argillite. Other minerals noted are minor amounts of pyrite, and very sparse chalcopyrite.

7. Diamond Drilling:


Two diamond drill holes were completed on the Au # 1 in November 1982. The location of the drill sites is given in Figure # 2. The details are given below :

| Hole | Core Size | Total Length | Azimuth | Dip |
|--------|-----------|--------------|------------------|------|
| Au # 1 | BQ | 53.8 m | 208 ⁰ | -45° |
| Au # 2 | во | 114.0 m | 295° | -45° |

The holes were logged by John P. McGoran B.Sc, a geologist then in the employ of Imperial Metals Corporation. The said logs are enclosed as Appendix # 1.

A total of 45 samples were submitted for ICP geochemical analysis to Acme Analytical Laboratories Ltd. of 852 East Hastings Street, Vancouver, B.C. and analysed for 30 metals plus gold. The assay certificates are enclosed as Appendix # 2.

The core is stored at Imperial Metals mini warehouse in Vancouver.



M92H /ISE 0 40 M FIG. 2

- 8. Statement of Qualifications :
- I, Stephen P. Quin of 1504 1260 Nelson Street, Vancouver, B.C. state that;
- a) I am a permanent employee of Imperial Metals Corporation, with offices at Suite 1300, 409 Granville St. Vancouver, B.C.
- b) I graduated from the Royal School of Mines, London, Great Britain, with a Bachelor's Honour's degree in Mining Geology in 1980.
- c) I have been employed by Imperial Metals Corporation and its predecessor, Invex Resources Limited, for a period of three years since graduation.

30 May 1983

Stephen P. Quin B.Sc, A.R.S.M.

Mining Geologist

STATEMENT OF QUALIFICATIONS

I, John McGoran

- live at 2111 W. 34th Ave., Vancouver;
- worked as a mining prospector for twelve years;
- graduated in 1972 with a B.Sc. (Geology) from Carleton University;
- have worked as a geologist for eleven years;
- am a member in good standing with C.I.M., G.A.C.,
 and A.I.M.E.

John McGoran, B.Sc.

May 1983

10. References :

Elwell J. 1979 Report on the Ace claims

Manning L. 1975 Progress report - All claims

McGoran J. 1979 Geology & Geochemistry of Ace claims

Preto V. Preliminary map #8, G.S.C.

Von Rosen 1975 Report on the all gold group.

11. Statement of Costs :

1. Geochemistry

40 Core samples for ICP 30 metals & gold

@ \$11.75 each = $\frac{$470}{$470}$

2. Diamond Drilling

| 1 hour moving @ \$50/hour | = | \$ 50.00 |
|-------------------------------------|---|----------------|
| Au 1 82ft. @ \$16.00/ft. | = | 1,312.00 |
| Au 2 374ft. @ \$16.00/ft. | = | 5,296.00 |
| 6½ hours casing @ \$65.00/hr. | = | 422.50 |
| 7 hours set up @ \$50.00/hr. | = | 350.00 |
| mud - 1 pail @ \$161.12 (incl. tax) | = | 177.23 |
| | | \$ 7,507.73 |

3. Living Costs

| Motel | | \$ 776.98 |
|-----------------|---------------|--------------|
| Groceries, gas, | fuel, & meals | 1,193.06 |
| | | 1,970.04 |
| | TOTALS | \$_10,047.77 |

Appendix 1
DIAMOND DRILL HOLE CORE LOGS

NOTE ON ABBREVIATIONS USED IN CORE LOGS

C.A.= Core Axis

Cp = Chalcopyrite

Po = Pyrrhotite

Py = Pyrite

Qz = Quartz

F.G.= Fine grained

diss= Disseminated

DRILL HOLE LOG

Date Logged Hole Number Au 1 Sheet Number 1/1

| ROM | feet | met | ces | DESCRIPTION | SAMPLE NUMBER | ppb Au |
|--------|-------|-------|-------|---|------------------|-----------|
| 0_ | 7.0 | 0 | 2.13 | Casing | | |
| 7.0 | 27.5 | 2.13 | | fine grained volcanic rock, 1 mm black | 7 | 5 |
| | | | 5.50 | phenocrysts (some shasted); py on greenish | 194,110 | |
| | | | | po in reddish brown altered ; rock at 27.5 | | - |
| ** 1 | | | | banding at 45° to CA jointing at 10° C.A. | | |
| 7.5 | 36.0 | 8.38 | 11.00 | 1-2 mm calcite stringers make up 2% of rock | 2 | 10 |
| | | | | Minor cp in stringers, within a purplish | | |
| | | | | banded tuff with bonding parallel to C.A. | - | |
| | | | | | 3 | 5 |
| 36.0 | 46.0 | 11.0 | 14.02 | fg. tuff, banding at 45° to C.A. 1% py at | | |
| | | - | | 36.0 changes to 1% po at 43.0 | | - |
| | | | | 43.0-46.0 .1% po argillite clasts at 46.0 | | - |
| 46.0 | 82.0 | 14.02 | 25.00 | fg. grey, grey-green, grey-pink rock | 4 | 5 |
| | | | | 67.0-76.0 calcite stringers with py (2mm) | 5 | 5 |
| | | | | 20-100 to C.A. 1-2 mm calcite stringers | | |
| | | | | 45° & 35° to C.A. 76.0-82.0 less calcite | 6 | 90 |
| | | | | veining 1mm qtz veins at 60° with minor | 7 | 340 |
| - | | | | po and cp. | | |
| 82.0 | 97.0 | 25.00 | 29.75 | fg. light to dark grey rck minor po. broken | 8 | 25 |
| | | | - 3 | with clay goumge 97.0-114. intensive | | |
| | | | | argillite 103.5 - 104. | | |
| 04.0 | 120.0 | 29.75 | 36.58 | light grey, f.g. silicous chert? with | 9 | 15 |
| 10.00 | | | | re-cemented 1mm @2.fractures at 45°. | | |
| | - | | | 0.5% py. 115-117 dark tuff (argillicous) | 10 | 10 |
| | 120.0 | | | END OF HOLE | | |
| \neg | 120.0 | | | END OF HOLE | | |
| | | | | | | |
| - | | | - | | | - |
| - | | | | | - | |
| - | | | | | | |
| _ | | | - | | | |
| | | | | | 1 | |
| | | | | 174. | - | |
| | | | | kitta. | | |
| ~ | | | | | | |
| | | | • | | | |
| | | | | | | |

Logged by __J.P. McGoran.

DRILL HULL LUG

Au 2 Sheet Number 1/3 ... Hole Number feet metres SAMPLE DESCRIPTION NUMBER 16.0 0 4.88 Casing 0 4.88 50% recovery brown, limonite stained, fault 16.0 29.0 8.84 60 zone broken banded 60% to C.A. grey-green tuff, 12 30 29.0 59.0 8 84 16 46 po on fractures at 45° to C.A. 49.0-54.0 25% recovery 39.0-49.0 50% recovery banded - f at 750) very f.g. to f.g. tuff 16.46 25.0 54.0 82.0 13 20 grey to grey-brown 65.0-82.0 .5% diss py. po. and cp or 14 25 quartz cemented .5mm fractures parallel to C.A. 15 20 grey green volcanic tuff and cherty tuff 25.0 28.65 82.0 94.0 boundary at 65° to C.A. less than .5% disseminated po. and cp. 28.65 34.75 94.0 114.0 argillite .5% quartz and calcite stringers 16 up to 1.5% diss. pyrite very fine grained grey silicous rock (chert) 14.0 34.75 36.58 120.0 17 190 many hair-line quartz stringers .5% py. and po. near fractures. interbanded 10mm-10cm chert and fg. 20.0 176.0 36.58 53.64 18 60 tuff grey, reddish grey, greenish grey, 19 15 banding at 70° to C.A. py. or .5mm gz veins 20 25 at 75° to C.A.. cp. and po. on quartz healed 5 21 fractures at 0°-45° to C.A. .5 to 1.5% po 22 5 with minor cp. 23 5 176.5 | 53.64 | 53.80 Same as 120-176 except .5% cp in silicous 76.0 veins 100 to core axis A

Logged by J. P. McGoran

DRILL HOLE LUG

Au 2 Sheet Number 2/3

J. P. McGoran

Logged by ____

... Hole Number

Feet Metres SAMPLE DESCRIPTION NUMBER 53.64 58.22 silicous very fine grained grey volcanic ? 24 15 76 191.0 with cherty bands 70° to core axis minor 25 650 cp minor po .91.0 194.0 58.22 59.13 argillite and silicous argillite 26 5 19.13 64.00 very fine grained cherty tuffs minor py and .94. 210.0 27 160 po. on fractures 270 f.g. cherty volcanic rocks 28 64.00 69.20 210 227.0 29 380 25 30 227 69.20 72.24 cherty argillite 237.0 72.24 74.68 f.g. + very fg. silicous volcanic rocks 31 10 237 245.0 red brown alteration bands with po. at 224 a pale green 4cm band with 2% cp. 5 245 249 74.68 75.90 some rock brecciated and recemented with 32 calcite minor po. and cp. 33 5 75.90 76.66 quartz gericite schist 249 251.5 argillite bedding at 55° to core axis 251.5 257.5 76.66 78.49 33 5 silicous volcanic rocks sheared at 70° to 34 30 :57 263 78.49 80.16 core axis with calcite in filling up to lcm wide fault at 263 silicous argillite minor disseminated pyrite 80.16 83.52 35 5 263 274 calcite stringers at 60° to core axis limestone minor pyrite 15 83.52 86.56 36 274 284 Jackson.

DRILL HOLE LOG

| ROM | eet 10 | met | res | DESCRIPTION | SAMPLE NUMBER | |
|-------|--------|--------|--------|---|------------------|-----|
| :81 | 291 | 86.56 | 88.70 | fine grained grey volcanic rocks' | _ 37 _ | 10 |
| 291 | 304.5 | 88.70 | 92.81 | argillite | 38 | 5 |
| 304.5 | 318 | - | 96.93 | | 39 | 5 |
| | | | | tuff at 318 | | - |
| 318 | 320 | 96.93 | 97.54 | chert bands in tuff with fragments up to | _ 40_ | 5 |
| 320 | 326 | 97.54 | 99.36 | | 41 | 5 |
| 326 | 332 | - | 101.19 | | 42 | 5 |
| 332 | 333 | | 101.50 | | 42 | 5 |
| 333 | 343 | 101.50 | 104.55 | d&cite tuff | 42 | . 5 |
| | | very | little | sulphide mineralization from 326 to 343 | | |
| 343 | 350 | 104.55 | 106.68 | py on fractures 45° to core axis 2 - 10 cm | 43 | 5 |
| | | | | bands alternating sandy tuff and chert. po. | | |
| | | | | .2mm bands at 60cm intervals sub-parallel | | |
| | | | | to core axis | | |
| 35 | 361 | 106.68 | 110.03 | argillite, pyrite on fractures | 44 | 5 |
| 361 | 374 | | 114.00 | argillite, banding 70° to core axis .2% | 45 | 15 |
| | | | | disseminated pyrite on fractures. | | |
| | 374 | | | END OF HOLE | | |
| | | | | | | |
| | | | | | | _ |
| | | | | | | |
| | | | | | - d | |
| | | | | | | |
| 7.5 | | | 1 | | | |
| | | | | • | | |
| | | | | | | |
| - | | | 1 | Figure . | | |
| | | | | | | |
| ~ | | | | | | |
| | - | | - | | | - |
| | | | | | | - |

Logged by J. P. McGoran

Appendix 2
ICP Geochemical Analysis Certificates
of Core Samples

852 E. HASTINGS, VANCOUVER B.C. ACME ANALYTICAL LABORATORIES LTD. PH: 253-3158 TELEX: 04-53124

ICP GEOCHEMICAL ANALYSIS

A .500 GRAM SAMPLE IS DIGESTED WITH 3 ML OF 3:1:3 HCL TO HMO3 TO H20 AT 90 DEE.C. FOR 1 HOUR. THE SAMPLE IS DILUTED TO 10 MLS WITH WATER. THIS LEACH IS PARTIAL FOR: Ca,P,Mg,Al,Ti,La,Na,K,W,Ba,Si,Sr,Cr AND B. Au DETECTION 3 ppm.

AU+ ANALYSIS BY AA FROM 10 GRAM SAMPLE. SAMPLE TYPE - CORE & ROCK ,

NOU 15/8 DESAYER A. DOLD DEAN TOYE CERTIFIED B.C. ASSAYER DATE RECEIVED NOV 5 1982 DATE REPORTS MAILED

| | | | | 110 | | | | | | | 1 | MPER | HAL | MET | ALS | F | ILE | # 8 | 12-1 | 481 | | | | | | | | | | | F | AGE |
|----------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|----|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|-----|-----------|-----------|---------|-----------|---------|----------|---------|---------|------|----------|------------|
| SAMPLE | | Mo pp= | Cu pps | Pb ppe | ln ppe | Ag pp= | Ni pps | Co | Hn ppa | Fe 1 | As ppm | U pp∎ | Au ppa | Ih pps | Sr ppm | Cd ppe | Sb pps | Bi ppe | V pp• | Ca 1 | P | La ppm | Cr pps | Hg Z | Ba ppe | Ti 1 | 9 pps | Al I | Ha Z | K | N ppe | Au+ ppb |
| AU17-27.5 | 2 | 1 | 113 | 13 | 44 | .2 | 9 | 13 | | 3.64 | 14 | 6 | ND | 2 | 129 | 1 | 2 | 2 | 116 | | .16 | 5 | | 1.71 | 60 | .20 | | 2.71 | .21 | .34 | 2 | 5 |
| AU127.5-36 | - | 8 | 274 | 10 | 61 | .5 | 9 | 19 | | 5.16 | 34 | 8 | ND | 2 | 139 | 1 | 2 | 2 | 147 | 6.52 | .14 | 5 | | 2.37 | 92 102 | .16 | | 3.51 | .12 | .45 | 2 | 10 |
| 1U136-46 1U146-59 | F | 1 | 90 85 | 12 | 63 | . 2 | 0 | 13 | | 4.17 | 21 | 8 | ND ON | 2 | 151 | 1 | 2 | 2 | 121 | | .15 | 3 | | 2.37 | 103 | .21 | | 3.50 | .14 | .74 | 2 | 5 |
| AU159-67 | | i | 74 | 12 | 66 | .1 | 9 | 15 | | 4.85 | 19 | 1 | ND | 2 | 161 | i | 2 | 2 | 132 | | .15 | 3 | | 2.64 | | .23 | | 3.77 | .14 | .95 | 2 | 5 |
| AU167-76 | | 1 | 104 | 10 | 59 | 1 | 9 | 16 | 702 | 4.71 | 17 | 9 | ND | 2 | 143 | 1 | 2 | 2 | | 4.56 | .15 | 5 | 24 | 2.56 | 82 | .23 | 2 | 3.40 | .13 | .43 | 2 | 90 |
| AU176-82 | | 1 | 146 | 9 | 44 | / .5 | В | 15 | 544 | 1.65 | 17 16 | 9 | ND DN | 2 | 143 | 1 | 2 | 2 | 126 | 4.79 | .15 | 6 | 22 | 1.84 | 42 | .19 | 8 | 3.48 | .08 | .15 | 2 | 340 |
| | | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | | | | |
| STD A-1/AU | | 1 | 30 | 39 | 176 | .3 | 32 | 13 | 998 | 2.83 | 12 | 3 | ND | 2 | 36 | 1 | 2 | 2 | 55 | .70 | .10 | 8 | 80 | .90 | 339 | .09 | 6 | 2.15 | .02 | . 26 | 2 | 490 |

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS, VANCOUVER B.C. PH: 253-3158 TELEX: 04-53124

ICP GEOCHEMICAL ANALYSIS

A .500 BRAM SAMPLE IS DISESTED WITH 3 ML OF 3:1:3 HCL TO HMOS TO HZO AT 90 DEG.C. FOR 1 HOUR. THE SAMPLE IS DILUTED TO 10 MLS WITH WATER. THIS LEACH IS PARTIAL FOR: Ca.P.Mg.AI, TI.La.Ma.K.W.Ba.Si.Sr.Cr AND B. Aw DETECTION 3 Ppw.
AUI ANALYSIS BY AA FROM 10 GRAM SAMPLE. SAMPLE TYPE - CORE

DATE RECEIVED NOV 15 1982 DATE REPORTS MAILED___ NAVIJEZ ASSAYER_ NEW DEAN TOYE, CERTIFIED B.C. ASSAYER

| | | | | | | | | | | MPE | RIAI | ME | TALE | cn | RP. | FI | F | 82 | -151 | 9 | | | | | | | | | | P | AGE # |
|----------------------------------|-----|-----------|-----|----------|-----------|-----|-----------|------------|--------|-----|------|----------|-----------|------------|-----|-----|-----|----------|---------|-----|------|-----|----------|----------|-----|-------|------|-----|-----|-----|-----------|
| SAMPLE 1 | | Č. | 75 | lo | | MI | | | F. | As | U | 40.00 | | 14000 | | Sb | 91 | V | Ca. | | La | Cr | | | TI | | Al | H4 | | | Aut |
| PWALET | ppe | Cu ppe | | pp. | Aq pp. | ppa | Ca pps | Mn pps | 'n | 994 | pps | pps | Th ppe | Sr ppe | pp= | pp. | ppe | ppe | i | 1 | pps | ppe | , I | pp. | 1 | ppe | 1 | 1 | î | m | ppb |
| #. AUI 82-97 | 1 | 16 | 1 | 29 | .4 | | , | 475 | | . 8 | 2 | MD | 2 | 123 | 1 | 2 | 1 | 90 | 3.43 | .13 | 3 | 17 | 1.16 | 47 | .04 | 5 | 1.77 | .09 | .09 | 2 | 25 |
| 7. AUL 97-114 | 1 | 127 | 3 | 13 | .5 | | 11 | 638 | | 17 | 2 | KD | 2 | 123 | 1 | 2 | 2 | 83 72 | | .13 | 10 | 12 | 1.04 | 100 | .01 | | 1.48 | .03 | .10 | 2 | 15 |
| # STD A-1 | 2.5 | 30 | 28 | 181 | .4 | 34 | 13 | 1039 | | 11 | 2 | ND ND | 2 2 | 145 | 1 | 2 2 | 3 | 57 | 3.18 | .13 | 8 | 73 | | 304 | .02 | | 1.40 | .05 | .08 | 2 | 470 |
| 1. AUZ 0-29 | Fi | 94 | 5 | 45 | .3 | 10 | 7 | 458 | | 73 | 2 | NO. | 2 | 164 | i | 2 | 3 | 116 | | .13 | 7 | | 1.09 | 80 | .06 | | 2.72 | .01 | .07 | 2 | 40 |
| /2-AU2 29-54 | 1 | | 4 | 22 | .1 | 12 | 11 | 460 | 1.5555 | 32 | 2 | MD | 2 | 196 | 1 | 2 | | 104 | 1.00000 | .12 | 6 | 23 | | 74 | .05 | | 2.28 | .04 | .08 | 2 | 20 |
| 12. AU2 51-65 | 1 | 2.7 | 4 | 22 | .3 | 13 | 13 | 446 | | 59 | 2 | NO. | 2 | 162 | 1 | 2 | 2 | 82 | 2.47 | .12 | 5 | 19 | | 43 | .07 | | 1.54 | .13 | .08 | 2 | 20 |
| /4. AU2 65-B2 | 1 | 0.000 | 2 | 35 | .3 | 11 | | 402 | | 13 | . 2 | MD | 2 | 147 | 1 | 2 | 2 | 70 | | .12 | • | 16 | | 48 | .07 | | 1.52 | .07 | .07 | 2 | 25 |
| 15-AU2 82-94 16-AU2 94-114 | 1 | | 7 | 42 | .7 | 18 | 11 | 346 622 | | 16 | 2 | NO ND | 2 | 108 254 | 2 | 2 | 4 | 149 | | .12 | 2 | | | 109 | .06 | | 7.18 | .07 | .05 | 2 | 5 |
| /7-AU2 114-121 | 2 | | 3 | 18 | .5 | 16 | | 271 | | 4 | 2 | XD | 2 | 106 | 1 | 2 | 2 | 45 | | .13 | 6 | 14 | .70 | 35 | .05 | 7.7 | 1.00 | .07 | .06 | 2 | 190 |
| /F AUZ 121-130 | 1 | | 2 | 21 | .8 | 9 | | 291 | | 5 | 2 | NO | 2 | 105 | - 1 | 2 | 2 | 44 | | .13 | | | F. 17.75 | 33 | .05 | | .99 | .08 | .07 | 2 | 60 |
| /9.AUZ 130-140 | 1 | | 2 | 24 | .5 | . 8 | 10 | 290 | A | 8 | 2 | HD | 2 | 94 | 1 | 2 | 2 | 52 | | .12 | • | 11 | | 22 | .04 | | 77.7 | .09 | .06 | 2 | 15 |
| # AUZ 140-150 | 1 | | 1 | 17 29 | .3 | 7 | 11 | 278 446 | | 7 | 2 | HD | 2 | 109 | 1 | 2 | 3 | 51 84 | 1.20 | .12 | 3 | 16 | | 18 | .08 | | 1.44 | ,10 | .19 | 2 | 5 |
| 27. AU2 160-170 | 1 | | | 29 | .1 | 7 | 10 | 363 | | | 2 | NO. | 2 | 91 | 1 | 2 | 3 | 81 | | .13 | 2 | 15 | | 28 | .09 | | 1.70 | .10 | .11 | 1 | 5 |
| 23 AUZ 170-176 | 1 | | 7 | 23 | .4 | 9 | , | 278 | | b | 2 | MO | 2 | 73 | - 1 | 2 | 1 | 64 | 100000 | .13 | 2 | | | 23 | .08 | | 1.20 | .09 | .08 | 2 | 5 |
| 24-AU2 176-180 25-AU2 180-191 | 1 2 | | 2 | 22 | .6 | 5 | 7 | 331 | | 3 | 2 | NO NO | 2 | 68 85 | 1 | 2 | 2 2 | 48 | | .12 | 5 | 7 | | 35 | .06 | - 1 | 1.04 | .09 | .08 | 2 | 15 650 |
| 26 AUZ 191-194 | 3 | | ì | 71 | .5 | 9 | 10 | 575 | | 8 | 2 | NO | 2 | 193 | i | 2 | 2 | 121 | | .12 | 2 | 100 | | 38 | .10 | ì | | .15 | .13 | 2 | 5 |
| ##, AUZ 194-210 | 1 | | 2 | 20 | .3 | 7 | 7 | 251 | | 6 | 2 | ND | 2 | 91 | 1 | 2 | 1 | 55 | | .12 | 1 | 14 | | 28 | .08 | | 1.22 | .10 | .08 | 2 | 160 |
| 15. AUZ 210-220 | 1 | 0.00 | 0.5 | 37 | .9 | 21 | 22 | 267 | | 5 | 2 | MD | 2 | 102 | 1 | 2 | 2 | | | .11 | 2 | | | 35 | .06 | | 1.52 | .12 | .07 | 2 | |
| 30.AUZ 220-227 30.AUZ 227-237 | 1 | | | 26 30 | .5 | 15 | 10 | 364 | | 12 | 2 | ND | 2 | 106 | - ! | 7 | 2 2 | 77 | | .11 | 7 | | | 38 | .09 | | 1.34 | .13 | .10 | 2 | |
| 34 AU2 237-244 | i | | | 22 | .7 | 5 | 6 | 261 | 2022 | 5 | ź | KD | 2 | 109 | i | 2 | 2 | 72 | | .14 | 5 | | | 47 | .07 | 10.71 | 1,42 | .14 | .15 | 2 | 10 |
| 33.AUZ 244-249 | 1 | 143 | 7 | 46 | .5 | 14 | 14 | 747 | 3.45 | | 2 | ND | 2 | 204 | 1 | 2 | 2 | 106 | 5.43 | .09 | 5 | 30 | | 60 | .04 | 4 | | .09 | .09 | 2 | 3 |
| 3J. AU2 249-257.5 | . 1 | | | 28 | .6 | 10 | 12 | 627 | | 37 | 2 | NO | 2 | 91 | 1 | 2 | 1 | 91 | | .13 | - 11 | 15 | | 57 | .01 | | 1.46 | .03 | .13 | 2 | 5 |
| 34 AU2 257.3-263 | . 5 | | | 47 | | | 11 | 505 | | | 2 | NO. | 2 | 85 | 1 | 2 | 2 | 50 | | .14 | 11 | 12 | | 29 | .01 | 5 | | .03 | .09 | 2 | 20 |
| 35.AUZ 263-274 36.AUZ 274-284 | 1 | 0 0000 | | 49 | .5 | 7 | 11 | 582 454 | 4.37 | 116 | 2 | ND ND | 2 | 120 157 | 1 | 2 | | 65 | 3 5 5 5 | .12 | 4 | | .77 | 570 | .01 | í | | .02 | .15 | 2 | 15 |
| 37.AUZ 284-291 | . 1 | 90 | | 42 | .5 | 8 | 12 | 721 | | | 2 | KD | 2 | 135 | 1 | 2 | 1 | 110 | | .10 | 5 | 15 | | 385 | .01 | | 1.22 | .05 | .09 | 2 | 10 |
| 37 AU2 291-304 | 2 | | - | 47 | . 6 | 10 | 11 | 713 | | | 2 | MD | 2 | 129 | 1 | 2 | 3 | 89 | | .13 | | | | | .01 | | 1.25 | .04 | .10 | 2 | 5 |
| 37.AU2 304-314.5 | 1 | | | 46 | .8 | 5 | 14 | 624 | | | 2 | ND | 2 | 111 | 1 | 2 | 5 | | 2.96 | .13 | | | | 81 | .08 | | 1.90 | .11 | .46 | 2 2 | |
| 4-AUZ 314.5-320 4-AUZ 320-326 | 2 | | | 41 | .5 | 6 | 15 | 717 | | | 2 | ND | 2 | 108 | i | 2 | 3 | 122 | | .14 | 8 | | | 52 52 | .11 | | 1.75 | .10 | .48 | 2 | 5 |
| 42. AUZ 326-343 | 1 | | 2 | 24 | .3 | 5 | 9 | 337 | | | 1 | X0 | 2 | 97 | 1 | 2 | 2 | 72 | | .13 | | | .84 | 86 | .07 | | 1.37 | .14 | .15 | 2 | 5 |
| 4J. AUZ 343-350 | 1 | | | 21 | .3 | 10 | 10 | | | | 2 | ND | 2 | 108 | 1 | 2 | 2 | | | .10 | | | | | .08 | | 1.08 | .15 | .17 | 2 | |
| ++-AUZ 350-361 | 2 | 131 | | 44 | .5 | 17 | 11 | 553 | 3.10 | 9 | 2 | NO | 2 | 106 | 1 | - 2 | 2 | 89 | 4.40 | .13 | 5 | 25 | .87 | 11 | .06 | 3 | 1.33 | .12 | .18 | 2 | |

45-AUZ 341-375