

83-#816 - 11648
12

REPORT ON
SAMPLING AND DIAMOND DRILLING

Goldbelt (649-651) Alpha Extension (Mineral Lease 16)
and Golden Sidewalk (660) Claims

Lillooet Mining Division
Goldbridge, B.C.

Latitude: 50°55'N

Longitude: 122°45'W

N.T.S.: 92-J-15 (E and W)

for

WARSTAR RESOURCES INC.

6705 - 36th Ave., Delta, B.C. V4K 3N2
Tel: (604) 942-1111

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

by

11,648

Vancouver, B.C.
October 1983

Chris J. Sampson, P.Eng.
Consulting Geologist

LIST OF CONTENTS

	<u>Page</u>
1. SUMMARY	1
2. INTRODUCTION.	1
3. PROPERTY, LOCATION, ACCESS, CLIMATE	2
4. HISTORY	3
5. GEOLOGY a) GENERAL	5
b) ECONOMIC	6
6. ADIT SAMPLING PROGRAMMES	8
7. DIAMOND DRILLING RESULTS	10
8. CONCLUSIONS AND RECOMMENDATIONS	11
9. REFERENCES	13
10. CERTIFICATE	14
11. COST STATEMENT	15

APPENDIX A: Diamond Drill Logs

LIST OF ILLUSTRATIONS

Figure 1	Location Map	Follows Page 1
Figure 2	Claim Map	Follows Page 2
Figure 3	Goldbelt Property (Dauntless) Plan of Drill Holes	In Pocket
4	Sections through DDH's 1,2,3	In Pocket
5	Golden Sidewalk (Peerless) Plan of Adit and Diamond Drill Holes	In Pocket
6	Sections through DDH's 4,5,6	In Pocket
7	Section through DDH 7	In Pocket

1. SUMMARY

Warstar Resources carried out a program of adit sampling and diamond drilling at its Golden Sidewalk, Alpha Extension and Goldbelt claims, July-October 1983.

Values and widths encountered in the vein structures by the drilling are below present ore grades but sufficient low grade disseminated gold and silver values were encountered in the country rocks to justify maintenance of the property in good standing pending further work programs by either Warstar or optionors of the properties.

2. INTRODUCTION

Warstar Resources Inc. hold the Golden Sidewalk, Alpha Extension and Goldbelt claims which are situated 10 km east of Goldbridge, B.C.

The claim groups are underlain by argillites, cherty argillites and basic volcanics (greenstones) of the Triassic Bridge River Group. Principal features of economic interest are two veins, the Dauntless on the Goldbelt claims and Peerless on the Golden Sidewalk property. Both veins were explored in the 30's by adits and sampling programs both then and subsequently have encountered economic values in gold (0.1-0.7 oz per ton). Silver is also present (1-6 oz per ton) in the Peerless (Golden Sidewalk).

During July, August and October 1983, Warstar drilled 7 NQ diameter diamond drill holes totalling 468.1 m (1,535.6 ft) to explore the continuity of the veins down dip.

The Peerless (Golden Sidewalk) Adit was resampled by R.J. Mazur in July 1983.

This report summarizes past exploration programs and details results of the sampling and drilling programs carried out in 1983.

3. PROPERTY, LOCATION, ACCESS, CLIMATE

The Golden Sidewalk, Alpha Extension and Goldbelt claims which are held by Warstar Resources Inc. straddle the road between Tyaughton and Carpenter Lakes 10 km east of Goldbridge, B.C.

The Golden Sidewalk claim (originally known as the Peerless and later the Zinc claims) consists of 20 metric units (5 E.W. X4NS). The Alpha and Goldbelt (originally the Dauntless) claims consist of 4 reverted Crown grants and 4 located claims and adjoin the Golden Sidewalk claim at its south-east corner.

Claim details are as follows:

<u>Name</u>	<u>Record No.</u>	<u>Anniversary Date</u>
Goldbelt 1-4 inc.	649-652 inc.	08 August 1984
Golden Sidewalk	660 (20 units)	28 August 1984
Alpha Ext.	653 (reverted Crown grants)	08 August 1984
Alpha Ext. 2	654 (reverted Crown grants)	08 August 1984
Alpha Ext. 3	655 (reverted Crown grants)	08 August 1984
Alpha Ext. 4	656 (reverted Crown grants)	08 August 1984

SAMPSON ENGINEERING INC.

2696 West 11th Avenue
Vancouver, B.C. V6K 2L5



FIGURE 2

WARSTAR RESOURCES INC.		
GOLDBELT, ALPHA EXTENSION, GOLDEN SIDEWALK CLAIMS GOLD BRIDGE AREA		
LILLOOET MINING DIVISION, B.C.		
DATE	SCALE	BY
OCT. 1983	1:50,000	C. SAMPSON

Access to the property from either Goldbridge (10 km west) or Lillooet (96 km east) is readily gained by way of a gravel highway which runs along the north side of Carpenter Lake (Figure 1).

Since the property is situated close to the coast of B.C. and lies between 650 and 1040 meters altitude it has reasonably long, warm summers and short, crisp winters. Snow cover is usually only a problem between November and April each year.

4. HISTORY

A. Goldbelt (Dauntless)

1935-36: The Reward Mining Company drove the existing adit on the vein. It was subsequently sampled by B.C. Department of Mines staff.

1960: Paul Polischuk sampled the vein in the adit.

1964: Sherwin F. Kelly further sampled the vein and recommended a program of diamond drilling, geology and geophysics. (Report by Kelly, October 1964).

1965: At least parts of Kelly's recommendations were carried out by the then owners of the property, San Doh Mines, since in his report of March 1965 Jos Sullivan mentions that during a visit to the property, he examined drill core from Holes 1,2 and took further check samples from the vein. Sullivan's report includes a geological plan of the adit and three diamond drill holes, but doesn't show the geology or assay results encountered by the holes.

1973: Sherwin Kelly again examined the property (Report to Rainbow Lake Exploration, owners at that time). Kelly did further sampling in the adit and recommended a program of diamond drilling.

1975: Ashcroft Resources Ltd., successors to Rainbow Lake Explorations, carried out a program of sampling and diamond drilling of three holes. (Report by J.P. Elwell, November 1975).

1983: Warstar Resources commissioned a report from J.P. Elwell summarizing all information on the Golden Sidewalk, Goldbelt and Alpha claims.

B. Golden Sidewalk Property (Peerless)

1937: Earliest reference to the property (1937 B.C. Department of Mining Report) indicates that it was found during the prospecting boom in the Bridge River area in the early thirties. The report gives a good description of the adit (originally known as the lower adit) and the other trenches and inclined shaft.

1975: Thunder Creek Mines cleaned out the adit and attempted to locate the inclined shaft (Report by C.A.R. Lammle, December 1974). No work was reported and the claims lapsed. The area was restaked by P. Polischuk for Dawson Logging & Construction.

1978: Dawson Logging carried out a program of line cutting and bulldozer trenching (Report on sampling results, J.P. Elwell, August 1979).

1980: Dawson Logging carried out VLF EM geochemical soil sampling and geological mapping on the Golden Sidewalk property. Results and recommendations from that report are included in Elwell's 1983 report.

5. GEOLOGY

a) General Geology

The Golden Sidewalk, Alpha and Goldbelt claims are underlain by greenstones, cherty argillites, limestones, and dioritic intrusives of the Bridge River Group, which is exposed regionally along a wide axial zone of a broad complex antiformal structure that plunges to the north-west along an axis that passes through Shalalth and Tyuaghton Lakes and contains the main valleys of Bridge River and Seton Lake. (The term "Bridge River Group" for these rocks was adopted by Roddick and Hutchison (G.S.C. Paper 73-17) to resolve problems of nomenclature caused by earlier geologists who had used "Bridge River Series" or "Ferguson Group" for part or all of the sequence.)

The group consists mainly of a thick sequence of thin bedded chert, cherty argillite and argillite intercalated with altered andesitic and basaltic flows and minor limestone. Although apparently considerable, the thickness of the assemblage is not known because of complex folding and faulting and the lack of easily recognizable marker horizons.

Dark to light grey weathering chert and dark cherty argillite are the most abundant rock types but locally (as on the Warstar properties) dark argillite is dominant.

Grey-green, green to chocolate-brown weathering massive greenstone gives the impression of being more abundant than it actually is because of high resistance to weathering. Most outcrops apparently were flows or breccias of basic andesitic to basaltic composition. Locally the units are amygdaloidal and exhibit pillow structures.

Pods of light grey to buff grey weathering limestone occur throughout the Bridge River Group. Most are 15 m thick or less with a few as thick as 100 m. Most of the limestone is extensively veined by recrystallized carbonate and recrystallization has destroyed most fossils but on the east side of Tyaughton Creek, immediately above the Bridge River road, an assemblage of conodonts collected by Monger in 1971 positively identify the Bridge River Group as Middle Triassic age.

Rocks of the Bridge River Group exhibit only low regional metamorphic grade, generally in the pumpellyite-prehnite range.

The argillites and greenstones occurring on the Warstar properties are intruded by a series of Diorite dikes some of which show a feldspar porphyritic texture. These are hardly mentioned in the various geological survey publications covering the district. It is not clear whether they were related to the vulcanism which occurred in middle Triassic times or were intruded during the period of major Igneous activity which formed the Bendor Pluton just east of Bralorne.

b) Economic Geology

Principal features of economic interest on the Warstar Properties are the Dauntless (Goldbelt) and Peerless (Golden

Sidewalk) veins. Both were explored and sampled by adits driven in the mid 30's. Several sampling programs have been subsequently carried out, the results of which are tabulated in Section 6.

The Dauntless vein, which is 10 ft (3 m) wide at the adit portal, strikes 055° , dips 80° NW and shows sharp, slickensided contacts with the country rocks, indicating that it is located in a fault structure.

The vein cross cuts the local sequence and wall rocks are thus either argillite, greenstone (andesite) or both.

Access to the 75 m (246 ft) adit is no longer possible due to caving of the portal area. A good sketch map is however contained in Jos Sullivan's 1965 report.

Where seen at the portal and in drill holes the vein consists of quartz-calcite with arsenopyrite, pyrite, stibnite and variable gold and silver values. Sullivan's mapping and sampling indicate that the vein pinches out and values decline to only trace amounts to the southwest along the adit.

The Peerless vein is 0.3-0.5 m (1-2 ft) wide, strikes 045° and dips NW at 50° - 80° . It also shows slickensided, sharp, fractured contacts with the country rocks which vary from argillite to greenstone (andesite) indicating that the vein is situated in a fault which cross cuts the local flat lying sequence.

The vein consists of quartz, calcite, ankerite with pyrite, sphalerite, galena and variable gold silver values.

6. ADIT SAMPLING PROGRAMMES: RESULTS

a) Goldbelt (Dauntless) Property

Year	Sampler	Distance from Portal	Description	Width	Assays				Reference
					Au	Ag	As	Sb	
1936	B.C.D.M. Geologist	42 ft (12.8m)	Across then face at 29 Sept. 1936	a) 4.2ft (1.28m) b) 4.5ft (1.37m) c) 5ft (1.52m)	0.2 0.1 0.02	0.2 0.1 Tr	Tr 0.2 0.2	Tr Ni1 Ni1	B.C.D.M. Annual Report 1936
		33 ft (10.06m)	FW-HW Muck sample (same location)	a) 31" (0.78m) b) 75" (1.9m)	0.06 0.07 0.10	Tr Tr Tr			
		22 ft (6.71m)	FW-HW Selected Grab	a) 5.5ft (1.68m) b) 3ft (0.91m)	0.14 0.26 0.56	Tr Tr Tr			
1960	Paul Polischuk	40 ft (12.19m) to Face (250ft/76.2m)	Detailed locations not given	(Calcite seam inface) (Altered wall rock)	From 0.06 to 0.4				Report by Kelly 1964
	Sherwin Kelly	Above portal	Channel(?)	9 ft (2.74 m)	0.74	0.25			
1965	Jos Sullivan Paul Polischuk	55 ft (16.76m)	HW	1.5ft (0.45m)	0.06	0.35			Report by Sullivan 1965
			HW	6.0ft (1.83m)	0.02	0.27			
			Vein	2.7ft (0.83m)	0.23	0.60			
		70ft (21.33m)	HW	6.0ft (1.83m)	0.18	0.47			
			HW	4.0ft (1.22m)	0.01	0.15			
			Vein	2.0'/0.61m	0.20	Tr			
			Oxidized wall	---	0.02	-			
		144ft (43.89m)	HW	3.0ft (0.91m)	0.01	0.05			
		155ft (47.24m)	HW & Quartz Vein	7.0ft (2.13m)	0.015	0.17			
		204ft (62.18m)	Oxidized wall	---	0.035				
		250ft (76.2m)	Face	5.5ft (1.68m) 5.0ft (1.52m)	0.005 0.015	0.5 0.9			
1973	Sherwin Kelly	At Portal	East side (FW)	5 ft (1.52m)	0.65	0.15			Report by Kelly 1973
			Back West side (HW)	5 ft (1.52m)	0.087	0.05			
			Combined back sample	10 ft (3.04m)	0.368	0.10			
1983	J.P. Elwell	At Portal	Across back (chip)	9 ft (2.74m)	0.205				

b) Golden Sidewalk (Peerless) Property

Year	Sampler	Distance from Portal	Description	Width	Assays				Reference
					Au	Ag	Pb	Zn	
1937	B.C.D.M. Geologist	21ft (6.4m)	Channel	7ins (0.18m)	0.28	2.7		10.4	B.C.D.M. 1937
		194ft (59.13m)	Back(?) across shear	1.8ft (0.55m)	0.3	2.7		8.5	
		256ft (78.02m)	Face	3.7ft (1.13m)	Tr	0.4		1.5	
1983	R. Mazur	21ft (6.4m)	Back HW chip	2 ft (0.61m)	0.003	0.05	0.03	0.08	Report by R. Mazur 1983
			Back vein channel	1 ft (0.31m)	0.198	4.71	1.95	21.65	
			Back FW channel	1 ft (0.31m)	0.010	0.05	0.03	0.17	
		194ft (59.13m)	Back HW chip	1.5ft (0.46m)	0.008	0.02	0.02	0.19	
			Back vein channel	1.0ft (0.31m)	0.081	1.77	0.26	5.74	
			Back FW chip	1.5ft (0.46m)	0.007	0.05	0.01	0.13	
		208ft (63.4m)	Back FW chip	1 ft (0.31m)	0.01	0.10	0.03	0.18	
			Back vein channel	0.5ft (0.15m)	0.259	3.58	2.14	15.49	
			Back FW chip	2.5ft (0.76m)	0.002	0.02	0.04	0.26	
		218ft (66.44m)	Back FW chip	2 ft (0.61m)	0.02	0.2	0.12	3.78	
			Back vein channel	1.5ft (0.46m)	0.372	1.59	0.97	2.34	
			Back HW chip	3 ft (0.91m)	0.268	1.02	0.41	7.58	
		Face 256ft (78.02m)	HW channel	5ins (0.13m)	0.028	0.20	0.35	1.13	
			Vein channel	3ins (0.08m)	0.008	0.10	0.12	0.45	
			FW chip	3 ft (0.91m)	0.002	0.02	0.02	0.04	

7. DIAMOND DRILLING RESULTS

In July, August 1983, Iron Mountain Drilling of Merrit, B.C. drilled 6 NQ diamond drill holes totalling 387.7 m (1,272 ft) on the Goldbelt and Golden Sidewalk properties. After reviewing results it was decided to deepen hole 83-6 and drill a further hole.

The additional drilling was done by the same contractor 17-22 October 1983. Final total was 468.1 (1,536 ft) in 7 holes. Core recovery was excellent at almost 100%.

Holes 83-1,2,3 on the Dauntless (Goldbelt) all intersected the vein but failed to duplicate the widths or range of assay values encountered in the 1975 program. The highest values obtained from the vein were 0.1 oz Au per ton, 0.04 oz Ag per ton from 31.7-32.6 m (104.0-107.0 ft) in hole 83-1.

Appreciable disseminated pyrite and pyrrhotite occurs in the well altered country rocks and low gold and silver values found in this mineralisation are significant.

Of the four holes on the Peerless (Golden Sidewalk) 83-4, 83-6 failed to intersect the vein structure.

83-4 encountered a feldspar porphyry Diorite at 59.7 m which has probably cut out the structure. Failure of 83-6 to intersect the vein was thought to be due to the hole being too short (at 53.9/177 ft). It was thus deepened to 90.1 m (295.5 ft) but still did not intersect the structure, which is thus assumed to have pinched out.

Hole 83-5 intersected 0.5 m of vein (33.5m-34.0m, 110.0-111.5 ft) running 0.394 oz Au/ton, 2.54 oz Ag/ton, 6.25% Zn. With further values in the footwall: 34.0-35.1 m (111.5 - 115.0 ft) 0.022 oz Au/ton, 0.66 oz Ag/ton, 1.24% Zn. The actual vein is only 1 cm wide in 83-7, but the zone of disseminated pyrite associated with it ran 21.0-21.8m 0.097 oz Au, 0.25 oz Ag, 0.04% Cu, 1.22% Zn; 21.8-22.7m 0.022 oz Au, 0.10 oz Ag, 0.01% Cu, 0.128% Zn. Disseminated pyrite, pyrrhotite and specular hematite are abundant in all four holes in both argillites and greenstones and again significant low values in gold and silver occur.

8. CONCLUSIONS AND RECOMMENDATIONS

A) Conclusions

- a) The sampling program at Peerless-Golden Sidewalk carried out by R.J. Mazur in July 1983 successfully reproduced gold and silver assay values originally reported by B.C.D.M. personnel in 1937 (see Figure 5).
- b) Drilling at the Goldbelt (Dauntless) property found only low gold values (generally below 0.1 oz per ton) in the vein structure but extensive disseminated pyrite and pyrrhotite found in the wall rocks carries low gold and silver values.
- c) Of the four holes drilled to explore the Peerless (Golden Sidewalk) only 83-5 intersected appreciable mineralisation in the vein. Extensive disseminated pyrite, pyrrhotite and specular hematite, carrying low gold and silver values was however located in the wall rocks.

B) Recommendations

- a) Consideration of current precious metal prices and the relatively high cost of underground mining narrow veins

SAMPSON ENGINEERING INC.

2696 West 11th Avenue
Vancouver, B.C. V6K 2L5

such as the Dauntless and Peerless, indicates that values obtained in the drilling program in the veins are below present ore grade. Phase 1 of the program originally proposed by Elwell has not, therefore, provided sufficient encouragement to justify at present proceeding to the Phase 2 program of underground drifting (possibly by decline) at the Dauntless and further drilling at the Peerless.

- b) The gold and silver values encountered in the disseminated pyrite, pyrrhotite mineralization in the country rocks are in the range currently being mined by certain open pit, heap leaching operations and are considered significant. Since at least one major mining company is investigating the Goldbridge camp for large tonnage disseminated gold, silver deposits, it is recommended that all work done in 1983 be submitted for assessment credits and the property (Golden Sidewalk, Alpha Extension and Goldbelt claims) be kept in good standing pending further work by Warstar or possible optionors of the property.

Chris J. Sampson

Vancouver, B.C.
October 1983

Chris J. Sampson, P.Eng.
Consulting Geologist

9. REFERENCES

- 1937 Annual Report, B.C.D.M., Goldbelt (Dauntless) p. F6-8.
- 1937 Annual Report, B.C.D.M., Golden Sidewalk (Peerless Property)
00. F11-F12.
- Geological Survey Memoir, 213 "Geology and Mineral Deposits
of Bridge River Mining Camp, B.C.", C.E. Cairnes.
- 1943 Geological Survey of Canada, Paper 43-15, "Geology and
Mineral Deposits of the Tyaughton Lake map area, B.C."
C.E. Cairnes.
- 1964 Report to Paul Polischuk, Goldbelt (Dauntless Property),
Sherwin Kelly.
- 1965 Geological Report on the Pond Group of Claims (Goldbelt -
Dauntless) for San Doh Mines, Jos Sullivan.
- 1973 Paper 73-17 Geological Survey of Canada, "Pemberton East-
Half Map Area", J.A. Roddick and W.W. Hutchinson.
- Report to Rainbow Lake Explorations on the Au Group of
Mineral Claims (Goldbelt, Dauntless Property), Sherwin
Kelly.
- 1975 Geology Exploration & Mining, B.C.D.M. p. E108 (Dauntless-
Goldbelt Property).
- p. E110 (Peerless-Golden Sidewalk Property).
- 1983 Report on Golden Sidewalk, Goldbelt and Alpha Claims,
J.P. Elwell.
- Report on the Sampling of the Peerless Underground
Workings, Golden Sidewalk Property, Richard J. Mazur.

10. CERTIFICATE

I, Christopher J. Sampson, of 2696 West 11th Avenue, Vancouver, B.C. V6K 2L6 hereby certify that:

1. I am a graduate (1966) of the Royal School of Mines, London University, England with a Bachelor of Science Degree (Honours) in Economic Geology.
2. I have practiced my profession of mining exploration for the past 17 years in Canada, Europe, United States and Central America. For the past 8 years I have been based in British Columbia.
3. I am a consulting geologist. I am a registered member in good standing of the Association of Professional Engineers of British Columbia.
4. I have not written any other reports on the properties in the immediate vicinity of the Golden Sidewalk, Alpha and Goldbelt properties.
5. The present report is based on knowledge gained from visits made to the property in October 1983 and study of published reports and data from Warstar Resources files.
6. I have not received, nor do I expect to receive any interest, direct or indirect, in the properties or securities of Warstar Resources Inc. or in those of its associated companies.
7. Warstar Resources and its affiliates are hereby authorized to use this report in, or in conjunction with, any prospectus or statement of material facts.
8. I have no interest in any other property or company holding property within 10 kilometers of the Golden Sidewalk, Alpha, Goldbelt group of claims.

Chris J. Sampson

Vancouver, B.C.
1983

Christopher J. Sampson, P.Eng.
Consulting Geologist

11. COST STATEMENT - For Assessment Credit

In accordance with Mineral Act Regulations (B.C. Reg. 587/77).

Valuation of work is hereby listed as follows:

1) <u>Days worked by personnel</u>		
William Heyworth: 4 days@\$100 per day		\$ 400
Gerry Johnston: 4 days@\$100 per day		400
Lorne McClelland: 4 days@\$125 per day		500
Scott Willkie: 25 days@\$100 per day		2,500
		<u>3,800</u>
Wally McClelland:		8,800
		<u>12,600</u>
2) <u>Food and Accommodation</u>		
Goldbridge Hotel (\$28 per day, weekdays \$32 per day, weekends) various days in July-October 1983		4,800
3) <u>Analytical Costs</u>		
Chemex Labs		200
General Testing (Au,Ag,Cu,Pb,Zn,As)		5,600
		<u>5,800</u>
4) <u>Diamond Drilling</u>		
Iron Mountain Drilling: 468m@\$94 per meter (1,536ft@\$29 per ft)		44,000
5) <u>Sampling</u>		
Mazur Resource Consultants		1,300
6) <u>Report Preparation</u>		
Sampson Engineering 10 days@\$200 per day		2,000
Printing, Drafting, etc.		700
		<u>2,700</u>
7) <u>Project Supervision</u>		
Sampson Engineering 20 days@\$200 per day		4,000
Expenses		500
		<u>4,500</u>

8) Cost Summary

Labour	12,600
Food & Accommodation	4,800
Analytical	5,800
Diamond Drilling	44,000
Sampling	1,300
Report Preparation	2,700
Project Supervision	4,500
	<u>\$75,700</u>

Although the above work was done on the Goldbelt and Golden Sidewalk claims, it should be applied to the total Golden Sidewalk, Alpha Extension and Goldbelt group of claims, totalling 28 units.

APPENDIX A

DRILL LOGS

SAMPSON ENGINEERING INC.

2696 West 11th Avenue
Vancouver, B.C. V6K 2L6

Company: WARSTAR RESOURCES NTS: 92-J-15
 Property: GOLDBELT Lat:
 Claim: Long:

DIAMOND DRILL LOG

SHEET 1
of 2

HOLE #: 83-1

LOCATION 27.4 m N.W. of Adit
(90 ft) pp-101
 DATE COLLARED 12 JULY 83
 DATE COMPLETED 15 JULY 83

BEARING 156°
 LENGTH 51.8 m (170 ft)
 DIP -45°

LATITUDE _____
 DEPARTURE _____
 ELEVATION _____

CORE SIZE NQ LOGGED BY C. SAMPSON
 SCALE OF LOG metres DATE 5 OCT 83

REMARKS Drilled by Iron Mountain Drilling
 Merritt B.C.

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # α Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Cu %	As %
	ROCK TYPE ALTERATION	FOOTAGE								
OVERBURDEN (0-7m)		5 m								
GREENSTONE (ANDESITE) (7.0-31.7 m) [massive, medium grey green to green. Brecciated in places. Much disseminated pyroxhite in fractures (up to 2cm) and matrix. (Best developed in brecciated sections)]		10 m	7.9-8.2] fracture filling mineralization in calcite matrix 11.6-11.9 15.2-15.4		7.9-8.2 2926	<0.003	0.18			
		15 m			11.3-14.3 2851	0.003	0.05		0.006	
					11.6-11.9 2927	<0.003	0.08			
					14.3-17.4 2852	0.002	0.05		0.007	
		20 m			15.2-15.4 2928	0.1	0.12			0.007
					17.4-20.4 2853	0.002	0.05		0.007	
		22.85	mafic section		20.4-21.9 2854	0.002	0.02		0.006	
		25 m			21.9-23.5 2855	0.004	0.08		0.008	
		25.4	dissim py, sph. poss pyroxh. gal.		23.5-25.0 2856	0.004	0.05		0.012	
		26.8	diss. min.		25.0-26.5 2857	0.005	0.04		0.003	

Company: WARSTAR
 Property: GOLD BELT

Diamond Drill
 Log

Hole #83-1

Sheet

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Cu %
	ROCK TYPE ALTERATION	FOOTAGE STRUCTURE							
VEIN (31.7-32.6) [Brecciated grey country rock infilled by quartz and Calcite]		31.7	Contact - 60°C/A.						
		32.6	Contact 70°C/A. Dissem grey sulph.		31.7-32.6 2929	0.1	0.04		
		35m							
DACITIC FRAGMENTAL (32.6-51.8) [Grey to dark grey. Extensively brecciated and infilled (along 1mm to 1cm fractures) by buff silica carrying f.g. dissem sulphide (probably pyrrhotite). Unit is hard, well s'fied]		38.7	intensely silicified		38.7-40.2 2858	0.005	0.05		0.007
		39.3			39.6-39.7 2930	0.003	0.01		
		40m			40.2-41.8 2859	0.006	0.06		0.008
					41.8-43.3 2860	0.006	0.02		0.006
					43.3-44.8 2861	0.004	0.06		0.006
		45m			44.8-46.3 2862	0.005	0.02		0.009
		45.6	felspar porphyritic, gradational contacts		46.3-47.9 2863	0.004	0.04		0.006
		46.0			47.9-49.4 2864	0.004	0.07		0.005
			50m	mafic section		49.4-50.9 2865	0.005	0.08	
			50.9-51.2 Calcite in 1-2cm veins		50.9-51.2 2931	0.003	0.03		
		51.8m	END OF HOLE		50.9-51.8 2866	0.005	0.08		0.003
			Chris J. Sampson P. Eng						

Company: WAR STAR RESOURCES INC NTS: 92-J-15.
 Property: GOLD BELT. Lat:
 Claim: Long:

DIAMOND DRILL LOG

SHEET 1
of 2

HOLE #: 83-2.

LOCATION AS 83-1 BEARING 135° LATITUDE _____ CORE SIZE NQ LOGGED BY C. SAMPSON
 DATE COLLARED 16 JULY 83 LENGTH 64.9 m (213 ft) DEPARTURE _____ SCALE OF LOG metres DATE 5 OCT 83.
 DATE COMPLETED 20 JULY 83. DIP -55° ELEVATION _____ REMARKS _____

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %	Cu %
OVERBURDEN (0 - 12.6 m)	5m								
	10m								
GREENSTONE (ANDESITE) (12.6 - 35.5 m) [massive green to grey green brecciated (prob. original flow texture) infilled by dk green mafic material carrying calcite disseminated pyroxenite (sometimes in blebs up to 1 cm) pyrite and poss. minor chalcopijite]	15m	14.6 dissem sulph. po in particular		15.4-15.5 2933	0.052	0.03			
				12.8-14.3 2776	0.003	0.05		0.007	
	20m	15.4-15.5 disse. sulph. 15.5-16.8 some disse. sulph.		14.3-16.2 2777	0.012	0.05			0.010
				16.2-17.4 2778	0.006	0.03		0.008	
				17.4-18.9 2779	0.003	0.06		0.004	
				18.9-20.4 2780	0.005	0.02		0.01	
				20.9-21.9 2781	0.005	0.02		0.013	
				21.9-23.5 2782	0.006	0.04		0.014	
	25m	24.4 spotty mineralization		23.5-25.0 2783	0.006	0.04		0.006	
				25.0-26.2 2784	0.006	0.04		0.013	
			26.2-27.7 2785	0.005	0.02		0.014		
			27.7-28.6 2786	0.003	0.02		0.011		

Company: WARSTAR RESOURCES
 Property: GOLDBELT.

Diamond Drill
 L-8

Hole #83-2

Sheet 2.

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %	Cu %
	ROCK TYPE ALTERATION	FOOTAGE								
VEIN [34.3-34.6, 35.1-35.2, 35.5-35.8] [Occurs as 3 separate branches containing brecciated silicified country rock infilled by quartz and calcite with dissem py, pyrrhotite.]	35 m		34.3 Contact 40% A.		34.3-34.6 2936	<0.003	0.02			
			34.6 " 38% A.		34.3-34.6 2788	0.005	0.02			0.013
			35.2 " 30% A.		35.1-35.8 2789	0.006	0.06			0.007
			35.8 " 55% A.							
DACITIC FRAGMENTAL [35.8-50.0] [fragments 1mm-2cm, dark grey to pale green in dark grey matrix. Well brecciated and silicified with dissem sulphides. Some 1mm-1cm frags with calcite and sulphides.]	40 m		41.0-41.9 well silicified, some pyrrhotite							
			45 m							
	50 m		47.5-47.9 dis. sulphides.		47.5-47.9 2934	0.003	0.05			
			49.4-50.0 some dis sulphide (pyrrhotite)							
GREENSTONE (ANDESITE) [Similar to upper unit but less brecciated. Contact gradational.]	55 m		51.2-51.2 dissem sulphides.		51.2-51.5 2790	0.017	0.05			0.016
			60 m		56.2-56.2 qtz, carb veins with dissem sulphides.		56.2-56.5 2935			
Chris T. Sampson P. Eng.										

Company: WARSTAR RESOURCES NTS: 92-J-15
 Property: GOLDBELT Lat: _____
 Claim: _____ Long: _____

DIAMOND DRILL LOG

SHEET 1
of 3

HOLE #: 83-3

LOCATION AS 83-1 BEARING 190° LATITUDE _____
 DATE COLLARED 21 JULY 83 LENGTH 86.9 (285 ft) DEPARTURE _____
 DATE COMPLETED 30 JULY 83 DIP -45° ELEVATION _____

CORE SIZE NQ LOGGED BY C. Sampson
 SCALE OF LOG metres DATE 5 OCT 83
 REMARKS _____

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
OVERBURDEN (0-2.7)								
GREENSTONE (2.7-17.4) (ANDESITE) [AS in 83-1, 83-2]	5m	3.4-6.1 minor disseminated pyrrhotite		3.0-6.1 2974	0.003	0.10		0.016
	10m	4.1-12.2 } 12.2-15.2 } disseminated sulphides. 15.2-17.1 }		6.1-9.1 2975	0.003	0.10		0.028
				9.1-12.2 2976	0.003	0.10		0.027
				13.4-13.7 2932	<0.003	0.03		
DIACTIC FRAGMENTAL (17.4-40.8) [AS in 83-1, 83-2]	15m	17.1-29.6 disseminated and fracture filling sulphides.		12.2-15.2 2977	0.003	0.10		0.018
	20m			15.2-17.1 2978	0.004	0.03		0.013
				17.1-17.4 2979	0.002	0.02		0.016
				17.4-20.4 2980	0.003	0.02		0.016
25m				20.4-23.5 2981	0.002	0.02		0.013
				23.5-26.5 2982	0.002	0.02		0.15
				26.5-29.6 2983	0.003	0.02		0.012

Company: WARSTAR RESOURCES
 Property: GOLDBELT

Diamond Drill Log

Hole #83-3

Sheet 2

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ton	Ag ozs/ton	Pb %	Zn %	Cu %
	ROCK TYPE ALTERATION	FOOTAGE								
DACITIC FRAGMENTAL					29.6-32.6 2984	0.003	0.02		0.012	
		35m			32.6-34.1 2985	0.002	0.03		0.013	
		40m			34.1-35.5 2986	0.002	0.02		0.012	
			35.5-35.7 2987	0.002	0.02		0.006			
			35.7-37.2 2988	0.003	0.03		0.008			
			37.2-38.7 2989	0.003	0.02		0.008			
			38.7-40.2 2990	0.002	0.02		0.036			
DACITIC TUFF (40.8-47.4) [grey, dacitic massive, similar to above fragmental unit but without fragments]		45m			40.2-41.8 2991	0.003	0.02		0.010	
			41.8-42.5 2992	0.003	0.02		0.011			
			42.5-42.8 2993	0.003	0.03		0.008			
			42.8-43.4 2994	0.004	0.07		0.005			
			43.4-43.6 2995	0.049	0.16		0.005			
VEIN (47.4-49.4) [AS IN 83-1, 83-2]		50m	47.4 contact missing		43.6-45.1 2996	0.011	0.11		0.012	
			45.1-46.3 2997	0.004	0.05		0.007			
			47.1-48.0 2867	0.013	0.04		0.002			
			48.0-48.9 2868	0.022	0.07		0.001			
			48.9-49.8 2869	0.006	0.07		0.003			
SILICIFIED ANDESITE (49.4-86.9) [Texture similar to upper greenstones but unit is well silicified]		55m	49.4 contact 55°C/A.		49.8-50.7 2870	0.02	0.08		0.004	
			50.3-50.6 dissemin sulphides.		46.3-46.8 2998	0.04	0.10		0.053	
					46.8-47.1 2999	0.002	0.07		0.013	
					47.1-47.2 3000	0.008	0.10		0.034	
					47.2-47.9 2937	0.012	0.08			
		60m			47.9-48.5 2938	0.014	0.08			
					48.5-49.1 2939	0.022	0.01			
					49.1-49.4 2940	0.038	0.04			
				49.4-49.7 2941	0.02	0.01				

Company: **WARSTAR RESOURCES**
 Property: **GADBELT**

Diamo Drill
 Log

Hole # **83-3**

Sheet **1**

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ton	Ag ozs/ton	Pb %	Zn %
SILICIFIED ANDGSITE (GREENSTONE)	70m	69.8-78.0 Disseminated sulphides mostly pyrrhotite		69.8-70.3 2717	0.002	0.15		0.004
				70.3-70.4 2718	0.002	0.15		0.005
				70.4-71.8 2719	0.012	0.10		0.004
				71.8-71.9 2720	0.010	0.10		0.003
SILICIFIED ANDGSITE (GREENSTONE)	75m			71.9-73.5 2721	0.008	0.02		0.005
				73.5-75.0 2722	0.005	0.04		0.005
				75.0-76.5 2723	0.003	0.03		0.006
				76.5-78.0 2724	0.005	0.02		0.007
	80m							
	85m	83.7-84.0 highly silicified, disseminated mineralization						
	86.9m	END OF HOLE						
		Chris T. Sampson P. Eng.						

Company: WARSTAR RESOURCES NTS: 92-J-15
 Property: GOLDEN SIDEWALK Lat:
 Claim: Long:

DIAMOND DRILL LOG

SHEET 1
of 3

HOLE #: 83-4

LOCATION _____ BEARING 130° LATITUDE _____
 DATE COLLARED 5 AUG 83 LENGTH 82.3 (270 Ft) DEPARTURE _____
 DATE COMPLETED 11 AUG 83 DIP -55° ELEVATION _____

CORE SIZE NQ LOGGED BY C. SAMPSON
 SCALE OF LOG metres DATE 5 OCT 83
 REMARKS _____

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
OVERBURDEN (0-4.1)								
CHERTY ARGILLITE: (4.1 - 21.9) [massive, pale grey to off white, felsic, fractured and infilled by silica]	5m	4.1-4.9 minor disseminated mineralization		4.1-4.9 2946	0.17	1.57		1.99
		4.9-6.4 " " "		4.9-6.4 2947	0.015	0.15		0.25
		6.4-9.4 disseminated sulphides		6.4-7.9 2948	0.008	0.05		0.074
	10m			7.9-9.0 2949	0.023	0.014		0.023
				9.4-11.0 2950	0.010	0.1		0.022
	15m	14.0-16.6 Disseminated and fracture filling sulphides		14.0-14.6 2956	0.018	0.15		0.025
				14.6-15.1 2957	0.009			
				15.1-16.6 2958	0.016	0.25		0.18
				16.6-18.1 2959	0.009	0.08		0.012
	20m	16.6-22.9 Disseminated sulphides		18.1-18.3 2960	0.023	0.17		0.012
ARGILLITE (21.9 - 35.4) [fine grained, grey to dark grey massive, some fractures (1-2 mm) filled by pyrite]				18.3-18.4 2961	0.008	0.08		0.022
				19.8-21.3 2962	0.009	0.04		0.035
				21.3-22.9 2963	0.010			
	25m	23.2-26.5 Disseminated and fracture filling sulphides.		23.2-24.4 2965	0.005	0.10		0.009
				24.4-25.9 2966	0.008	0.10		0.007
				25.9-26.2 2967	0.007	0.12		0.006
				26.2-26.5 2968	0.006	0.12		0.004

Company: WARSTAR RESOURCES NTS: 92-J-15
 Property: GOLDBELT Lat: _____
 Claim: _____ Long: _____

DIAMOND DRILL LOG

SHEET 1
of 3

HOLE #: 83-3

LOCATION AS 83-1 BEARING 190° LATITUDE _____
 DATE COLLARED 21 JULY 83 LENGTH 86.9 (285 ft) DEPARTURE _____
 DATE COMPLETED 30 JULY 83 DIP -45° ELEVATION _____

CORE SIZE NQ LOGGED BY C. Sampson
 SCALE OF LOG metres DATE 5 OCT 83
 REMARKS _____

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
OVERBURDEN (0-2.7)								
GREENSTONE (2.7-17.4) (ANDESITE) [AS in 83-1, 83-2]	5m	3.4-6.1 minor disseminated pyrrhotite		3.0-6.1 2974	0.003	0.10		0.016
	10m	4.1-12.2 } 12.2-15.2 } disseminated sulphides. 15.2-17.1 }		6.1-9.1 2975	0.003	0.10		0.028
				9.1-12.2 2976	0.003	0.10		0.027
				13.4-13.7 2932	<0.003	0.03		
DIACTIC FRAGMENTAL (17.4-40.8) [AS in 83-1, 83-2]	15m	17.1-29.6 disseminated and fracture filling sulphides.		12.2-15.2 2977	0.003	0.10		0.018
	20m			15.2-17.1 2978	0.004	0.03		0.013
				17.1-17.4 2979	0.002	0.02		0.016
				17.4-20.4 2980	0.003	0.02		0.016
25m			20.4-23.5 2981	0.002	0.02		0.013	
			23.5-26.5 2982	0.002	0.02		0.15	
				26.5-29.6 2983	0.003	0.02		0.012

Company: WARSTAR RESOURCES
 Property: GOLDBELT

Diamond Drill Log

Hole #83-3

Sheet 2

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ton	Ag ozs/ton	Pb %	Zn %	Cu %
	ROCK TYPE ALTERATION	FOOTAGE								
DACITIC FRAGMENTAL					29.6-32.6 2984	0.003	0.02		0.012	
		35m			32.6-34.1 2985	0.002	0.03		0.013	
		40m			34.1-35.5 2986	0.002	0.02		0.012	
			35.5-35.7 2987	0.002	0.02		0.006			
			35.7-37.2 2988	0.003	0.03		0.008			
			37.2-38.7 2989	0.003	0.02		0.008			
			38.7-40.2 2990	0.002	0.02		0.036			
DACITIC TUFF (40.8-47.4) [grey, dacite massive, similar to above fragmental unit but without fragments]		45m			40.2-41.8 2991	0.003	0.02		0.010	
			41.8-42.5 2992	0.003	0.02		0.011			
			42.5-42.8 2993	0.003	0.03		0.008			
			42.8-43.4 2994	0.004	0.07		0.005			
			43.4-43.6 2995	0.049	0.16		0.005			
VEIN (47.4-49.4) [AS IN 83-1, 83-2]		50m	47.4 contact missing		43.6-45.1 2996	0.011	0.11		0.012	
			45.1-46.3 2997	0.004	0.05		0.007			
			47.1-48.0 2867	0.013	0.04		0.002			
			48.0-48.9 2868	0.022	0.07		0.001			
			48.9-49.8 2869	0.006	0.07		0.003			
SILICIFIED ANDESITE (49.4-86.9) [Texture similar to upper greenstones but unit is well silicified]		55m	49.4 contact 55°C/A.		49.8-50.7 2870	0.02	0.08		0.004	
			50.3-50.6 dissemin sulphides.		46.3-46.8 2998	0.04	0.10		0.053	
					46.8-47.1 2999	0.002	0.07		0.013	
					47.1-47.2 3000	0.008	0.10		0.034	
					47.2-47.9 2937	0.012	0.08			
		60m			47.9-48.5 2938	0.014	0.08			
					48.5-49.1 2939	0.022	0.01			
					49.1-49.4 2940	0.038	0.04			
				49.4-49.7 2941	0.02	0.01				

Company: WARSTAR RESOURCES NTS: 92-J-15
 Property: GOLDEN SIDEWALK Lat:
 Claim: Long:

DIAMOND DRILL LOG

SHEET 1
of 3

HOLE #: 83-4

LOCATION _____ BEARING 130° LATITUDE _____
 DATE COLLARED 5 AUG 83 LENGTH 82.3 (270 Ft) DEPARTURE _____
 DATE COMPLETED 11 AUG 83 DIP -55° ELEVATION _____

CORE SIZE NQ LOGGED BY C. SAMPSON
 SCALE OF LOG metres DATE 5 OCT 83
 REMARKS _____

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
OVERBURDEN (0-4.1)								
CHERTY ARGILLITE: (4.1 - 21.9) [massive, pale grey to off white, felsic, fractured and infilled by silica]	5m	4.1-4.9 minor disseminated mineralization		4.1-4.9 2946	0.17	1.57		1.99
		4.9-6.4 " " "		4.9-6.4 2947	0.015	0.15		0.25
		6.4-9.4 disseminated sulphides		6.4-7.9 2948	0.008	0.05		0.074
	10m			7.9-9.0 2949	0.023	0.014		0.023
				9.4-11.0 2950	0.010	0.1		0.022
	15m	14.0-16.6 Disseminated and fracture filling sulphides		14.0-14.6 2956	0.018	0.15		0.025
				14.6-15.1 2957	0.009			
				15.1-16.6 2958	0.016	0.25		0.18
		16.6-22.9 Disseminated sulphides		16.6-18.1 2959	0.009	0.08		0.012
	20m			18.1-18.3 2960	0.023	0.17		0.012
ARGILLITE (21.9 - 35.4) [fine grained, grey to dark grey massive, some fractures (1-2 mm) filled by pyrite]				18.3-18.4 2961	0.008	0.08		0.022
				19.8-21.3 2962	0.009	0.04		0.035
				21.3-22.9 2963	0.010			
	25m	23.2-26.5 Disseminated and fracture filling sulphides.		23.2-24.4 2965	0.005	0.10		0.009
				24.4-25.9 2966	0.008	0.10		0.007
				25.9-26.2 2967	0.007	0.12		0.006
				26.2-26.5 2968	0.006	0.12		0.004

Company: WARSTAR RESOURCES NTS: 92-J-15

Property: GOLDEN SIDEWALK Lat: _____

Claim: _____ Long: _____

DIAMOND DRILL LOG

SHEET 1

of 2

HOLE #: 83-5.

LOCATION _____ BEARING 162° LATITUDE _____ CORE SIZE NQ LOGGED BY C. SANFEDAL
 DATE COLLARED 12 AUG 83 LENGTH 47.9 (157 FE) DEPARTURE _____ SCALE OF LOG metres DATE 5 OCT 83.
 DATE COMPLETED 18 AUG 83 DIP -43 ELEVATION _____ REMARKS _____

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
OVERBURDEN (0-4)								
CHERTY ARGILLITE (4.0-10.1) [massive, pale grey to off white]	5m	4.0-10.1 Disseminated and fracture filling sulphides		4.0-5.5 2737	0.023	0.11		0.032
				5.5-7.0 2738	0.004	0.09		0.013
				7.0-8.5 2739	0.004	0.09		0.016
	10m			8.5-10.1 2740	0.006	0.08		0.010
ARGILLITE (10.1-33.5) [As in 83-4]	15m	10.1-16.0 Disseminated and fracture filling sulphides		10.1-11.6 2741	0.012	0.10		0.008
				11.6-12.8 2742	0.007	0.10		0.007
				12.8-13.0 2743	0.006	0.15		0.036
				13.0-14.5 2744	0.018	0.12		0.022
	20m			14.5-16.0 2745	0.012	0.10		0.016
				16.0-17.5 2746	0.011	0.09		
				17.5-19.0 2747	0.007	0.10		
	25m	19.0-33.5 Disseminated sulphides		19.0-20.6 2748	0.006	0.10		
				20.6-20.9 2749	0.011	0.05		
				20.9-22.4 2750	0.005	0.20		
				22.4-23.9 2751	0.004	0.15		
				23.9-25.4 2752	0.006	0.10		0.020
				25.4-25.9 2753	0.007	0.10		0.103
				25.9-26.2 2754	0.004	0.08		0.014
				26.2-27.7 2755	0.006	0.05		0.014
				27.7-29.3 2756	0.006	0.10		0.028

Company: WARSTAR RESOURCES NTS: 92-J-15

Property: GOLDEN SIDEWALK Lat: _____

Claim: _____ Long: _____

DIAMOND DRILL LOG

SHEET 1

of 2

HOLE #: 83-5.

LOCATION _____ BEARING 162° LATITUDE _____ CORE SIZE NQ LOGGED BY C. SANFEDAL
 DATE COLLARED 12 AUG 83 LENGTH 47.9 (157 FE) DEPARTURE _____ SCALE OF LOG metres DATE 5 OCT 83.
 DATE COMPLETED 18 AUG 83 DIP -43 ELEVATION _____ REMARKS _____

ROCK TYPES AND ALTERATION	GRAPHIC LOG ROCK TYPE ALTERATION FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
OVERBURDEN (0-4)								
CHERTY ARGILLITE (4.0-10.1) [massive, pale grey to off white]	5m	4.0-10.1 Disseminated and fracture filling sulphides		4.0-5.5 2737	0.023	0.11		0.032
				5.5-7.0 2738	0.004	0.09		0.013
				7.0-8.5 2739	0.004	0.09		0.016
	10m			8.5-10.1 2740	0.006	0.08		0.010
ARGILLITE (10.1-33.5) [As in 83-4]	15m	10.1-16.0 Disseminated and fracture filling sulphides		10.1-11.6 2741	0.012	0.10		0.008
				11.6-12.8 2742	0.007	0.10		0.007
				12.8-13.0 2743	0.006	0.15		0.036
				13.0-14.5 2744	0.018	0.12		0.022
	20m			14.5-16.0 2745	0.012	0.10		0.016
				16.0-17.5 2746	0.011	0.09		
				17.5-19.0 2747	0.007	0.10		
	25m	19.0-33.5 Disseminated sulphides		19.0-20.6 2748	0.006	0.10		
				20.6-20.9 2749	0.011	0.05		
				20.9-22.4 2750	0.005	0.20		
				22.4-23.9 2751	0.004	0.15		
				23.9-25.4 2752	0.006	0.10		0.020
				25.4-25.9 2753	0.007	0.10		0.103
				25.9-26.2 2754	0.004	0.08		0.014
				26.2-27.7 2755	0.006	0.05		0.014
				27.7-29.3 2756	0.006	0.10		0.028

Company: WARSTAR RESOURCES

Property: GOLDEN SIDEWALK

Diam. Drill
log

Hole # 83-5

Sheet 1

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
	ROCK TYPE ALTERATION	FOOTAGE							
					308-323 2758	0.003	0.06		0.016
					323-335 2759	0.006	0.10		0.017
			33.5 Contact 75° C/A						
VEIN (33.5-34.0) [Brecciated country rock infilled by quartz and calcite]	35m		34.0 Contact missing		33.5-34.0 2760	0.394	2.54		6.25
FELSPATHISED ANDESITE (34.0-40.2) [Buff fine grained massive fractured (1-2mm)]	40m		35.1-40.2 Dissemin and fracture filling sulphides.		34.0-35.1 2761	0.022	0.66		1.24
					35.1-36.6 2762	0.008	0.20		0.154
					36.6-38.1 2763	0.005	0.04		0.048
					38.1-39.6 2764	0.003	0.16		0.41
GREENSTONE (ANDESITE)(34.0-47.9) [AS in 83-4]	45m				39.6-40.2 2765	0.002	0.44		0.018
	47.9		END OF HOLE						
	50m								
			Chris J. Sampson P. Eng.						

Company: WARSTAR RESOURCES LTD: 92-J-15

Property: GOLDEN SIDEWALK, Lat: _____

Claim: _____ Long: _____

DIAMOND DRILL LOG

SHEET 1
of 3.

HOLE #: 83-6.

LOCATION _____
DATE COLLARED 23 AUG 83
DATE COMPLETED 25 AUG 83
DEEPENED 17-19 OCT 83

BEARING 162°
LENGTH 90.1 (295.5 FT)
DIP -45°

LATITUDE _____
DEPARTURE _____
ELEVATION _____

CORE SIZE NQ
SCALE OF LOG metres
REMARKS _____

LOGGED BY C. SAMPSON
DATE 5 OCT 83

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
	ROCK TYPE ALTERATION	FOOTAGE STRUCTURE							
OVERBURDEN (0 - 4.9)		5m							
GREGNSTONE (ANDESITE) (4.9 - 34.1) [AS in holes 83-4, 83-5]		10m							
		15m							
		20m							
		25m	22.2 - 35.1 Disseminated sulphides (pyrite, pyrrhotite) some fracture (1-2 mm) filling		22.2-23.8 2767	0.025	0.10		0.014
					23.8-26.8 2768	0.012	0.05		0.013
					26.8-29.9 2769	0.023	0.06		0.011

Company: WARSTAR RESOURCES

Property: GOLDEN SIDEWALK

Diam Drill
LOG

Hole #83-6

Sheet

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %	
	ROCK TYPE ALTERATION	FOOTAGE								STRUCTURE
					29.9-32.0 2770	0.005	0.03		0.054	
					32.0-35.1 2771	0.006	0.05		0.013	
		35m								
FELSPATHIZED GREENSTONE (ANDESITE) (34.1-48.8)					35.1-38.1 2772	0.008	0.10		0.016	
[Heavily altered to buff felsic composition. Original andesitic composition remains in some sections]		40m	38.1-45.7 Disseminated and fracture filling sulphides		38.1-41.5 2773	0.04	0.20		0.108	
		45m			41.5-44.5 2774	0.008	0.05		0.009	
					44.5-45.7 2775	0.006	0.05		0.011	
GREENSTONE (ANDESITE) (48.8-90.1)		50m								
fine grained, green fractured and infilled by 1-2cm calcite veins		53.9	END OF HOLE (25 AUG 83)							
		55m	DESPENDED (17-19 OCT 83)							
		60m	56.8 speck cpy native Cu. 58.5 2cm wide calcite vein 70% contains soft silvery sulphide (stibnite?)		58.5-58.6 2905	0.018	0.06	Cu %	0.008	0.028
			61.6-61.8 brecciated 1cm frags in calcite matrix							

Company: WARSTAR RESOURCES
 Property: GOLDEN SIDEWALK

Diam^g Drill
 Log

Hole #83-6

Sheet 3

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Pb %	Zn %
	ROCK TYPE ALTERATION	FOOTAGE STRUCTURE							
		70m							
		75m							
		80m							
		81.3-81.4	1 meg quartz, calcite veining @ 70 4A.						
		85m	84.1-84.4 brecciated zone, contacts 150 4A. 1cm angular, green andesite frags. No visible sulphide.						
		90m							
		90.1	END OF HOLE						
			Chris J. Sampson P. Eng.						

Company: WARSTAR

NTS:

DIAMOND DRILL LOG

SHEET 1

Property: GOLDEN SIDEWALK

Lat:

of 2.

Claim:

Long:

HOLE #: 83-7

LOCATION

BEARING

135°

LATITUDE

CORE SIZE

NQ

LOGGED BY

C. SAMPSON

DATE COLLARED

21 OCT 83

LENGTH

44.2 m (145 FE)

DEPARTURE

SCALE OF LOG

Metric

DATE

22 OCT 1983

DATE COMPLETED

22 OCT 83

DIP

-43°

ELEVATION

REMARKS

Drilled by Iron Mountain Drilling, Merrill

B.C.

ROCK TYPES AND ALTERATION	ROCK TYPE ALTERATION	FOOTAGE STRUCTURE	MINERALIZATION AND STRUCTURES	Recovery	Sample # α Length	Au ozs/ ton	Ag ozs/ ton	Cu % %	Zn %
0-3.7 OVERBURDEN (CASING)									
GREENSTONE (ANDSITE)		5m	4.3-4.4 4.9-5.2 Calcite veining with dissem py. Fractures open to surface. Rusty.		4.9-5.6 2876	0.006	0.03	0.006	0.011
[massive green fine grained fractured and infilled by 1-2 cm calcite veins at irregular angles to CIA]		10m	8.5-8.6 Calcite vein with hematite minor py 45° CIA						
Sections of alteration (mostly feldspathization) bleached to pale grey]		15m	10.4-12.6 feldspathized, bleached to pale grey. Dissemin py and 1-2 mm fract. filled with py. contacts of zone gradational. Some specular hematite as at 11.8 2mm vein 45° CIA		10.5-11.6 2877 11.6-12.6 2878	0.006 0.007	0.03 0.08	0.005 0.005	0.029 0.129
		20m	15.1-18.1 feldspathized fractured with 1-3 cm calcite veins & py. 15.8-15.9 wuggy calcite vein 30° CIA		15.1-16.2 2879 16.2-17.1 2880 17.1-18.1 2881	0.006 0.006 0.009	0.06 0.08 0.08	0.005 0.005 0.006	0.011 0.012 0.030
		25m	21.2-23.0 feldspathized with much dissem. py. and fracture filling py. 21.2 Contact @ 20° CIA. 21.4-21.5 10% dissemin py with poss Sphal. in graphic black ground mass slightly magnetic		21.0-21.8 2882 21.8-22.7 2883 24.1-24.8 2884 24.8-25.8 2885	0.097 0.022 0.015 0.01	0.25 0.10 0.05 0.10	0.040 0.010 0.009 0.003	1.22 0.128 0.033 0.202
			22.6 1 cm calcite vein 90° CIA gal + Sphal. 24.1-25.8 dissemin. 11.8 2mm vein 45° CIA		22.9-24.5 2886	0.008	0.08	0.008	0.104



Company: WARSTAR
 Property: GOLDEN SIDEWALK

Diamo Drill
 Log

Hole #83-7

Sheet

ROCK TYPES AND ALTERATION	GRAPHIC LOG		MINERALIZATION AND STRUCTURES	Recovery	Sample # & Length	Au ozs/ ton	Ag ozs/ ton	Cu Pt %	Zn %
	ROCK TYPE ALTERATION	FOOTAGE							
		35m	Py, hem (?) in fractured, altered greenstone 27.6 2mm fract with py hem (?) 45°C/A 29.0-29.3 dissemin py, po hem 31.3-31.7 felpathized section with dissemin Py, po, hem		31.3-31.7 2887 32.6-33.5 2888 34.1-35.4 2889	0.015 0.009 0.012	0.08 0.06 0.02	0.008 0.006 0.006	0.410 0.034 0.026
		40m	33.1 pink calcite vein, barren 45°C/A 32.6-33.5 felpathized with dissemin py and hematite. 34.1-35.4 dissemin py, hem. with epidote in altered greenstone. 37.6-44.2 felpathized with much dissemin and fracture filling py.		38.3-39.3 2890 39.3-40.2 2891	0.007 0.009	0.05 0.03	0.003 0.007	0.035 0.013
		44.2m 45m	38.4 same epidote alteration 41.8-41.9 calcite veins, barren. 42.2-42.3 vuggy. END OF HOLE		40.2-41.1 2892	0.010	0.25	0.008	0.019
		50m	Chris J. Sampson P. Eng.						
		55m	[Core from Holes 83-1 to 83-7 is stored at the Warstar Core Shack situated at the Wayside Mine Site on the north shore of Carpenter Lake 4 Kms from Goldbridge.]						



GEOLOGICAL BRANCH
ASSESSMENT REPORT


11,648

FIGURE 3

WARSTAR RESOURCES INC.		
GOLDBELT (DAUNTLESS) PROPERTY		
PLAN OF D.D. HOLES		
GOLD BRIDGE AREA		
LILLOOET MINING DIVISION, B.C.		
DATE	SCALE	BY
OCT 1983	1:480	C SAMPSON

S.E.

N.W.



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

11,648

SECTION ON 135°





FIGURE 7

WARSTAR RESOURCES INC.		
GOLDEN SIDEWALK (PEERLESS) PROPERTY SECTION THROUGH D.D.H. 83-7		
DATE OCT. 1983	SCALE 1:250	BY C. SAMPSON

S.E.


N.W.



SECTION ON 156°

S.E.


N.W.




SECTION ON 135°

SOUTH

NORTH



SECTION ON 190°



GEOLOGICAL BRANCH
ASSESSMENT DEPARTMENT

11,648

FIGURE 4

WARSTAR RESOURCES INC.
 GOLDBELT (DAUNTLESS) PROPERTY
 SECTIONS THROUGH DIAMOND
 DRILL HOLES 83-1,2,3


DATE
OCT 1983

SCALE
1:250

BY
C. SAMPSON

SOUTH


NORTH



SECTION ON 162°

SOUTHEAST

NORTHWEST



SECTION ON 130°

GEOLOGICAL BRANCH
ASSIGNMENT REPORT

METRES 0 5 10 15 20 METRES

11,648

FIGURE 6

WARSTAR RESOURCES INC.		
GOLDEN SIDEWALK (PEERLESS) PROPERTY		
SECTIONS THROUGH DIAMOND DRILL HOLES 83-4,5,6		
DATE OCT. 1983	SCALE 1:250	BY C. SAMPSON

365.7m TO L.C.P.

36+00W
900S.

TO TYAUGHTON
LAKE ROAD



83-6

BULLDOZER
CUT

83-4
83-5

ARGILLITE

GREENSTONE

B.C.D.M. 1937 11m (37 ft)
Tr Au, 0.4 Ag, 1.5 Zn

FELSPAR
PORPHYRY
DIORITE

VEIN

GREENSTONE

8316-0.005, 0.05, 0.05, 0.11 VEIN
8318-0.002, 0.02, 0.03, 0.06 HW
8319-0.007, 0.05, 0.01, 0.03 FW

8311-0.008, 0.02, 0.02, 0.19 HW
8312-0.081, 1.77, 0.26, 5.74 VEIN
8313-0.007, 0.05, 0.01, 0.13 FW

8301-0.028, 0.2, 0.35, 1.18 HW
8302-0.008, 0.1, 0.12, 0.45 VEIN
8303-0.002, 0.02, 0.02, 0.04 FW

GREENSTONE - FELSPATHIZED
AND BLEACHED QTZ AND CALCITE
VEINING DISSEM PY RUSTY

ARGILLITE

8305-0.02, 0.02, 0.12, 3.78 FW
8306-0.372, 1.59, 0.97, 2.34 VEIN
8307-0.268, 1.02, 0.41, 7.58 HW

8308-0.01, 0.01, 0.03, 0.18 FW
8309-0.259, 3.58, 2.14, 15.49 VEIN
8310-0.002, 0.02, 0.04, 0.26 HW

BULLDOZER
CUT

8323-0.015, 0.05, 0.04, 0.06 VEIN
8322-0.016, 0.04, 0.02, 0.03 FW

8314-0.009, 0.04, 0.01, 0.06 HW
8315-0.056, 0.35, 0.25, 1.18 VEIN

8317-0.044, 0.2, 0.05, 0.31 VEIN
8320-0.015, 0.08, 0.02, 0.03 HW
8321-0.016, 0.05, 0.02, 0.03 HW

GREENSTONE
(ANDESITE)

GREENSTONE
(ANDESITE)

8339-0.005, 0.10, 0.05, 0.24 HW
8440-0.035, 0.38, 0.36, 0.70 VEIN
8441-0.015, 0.10, 0.04, 0.43 FW

GREENSTONE
(ANDESITE)
FRACTURED, DISSEM
IRREG 1-2 CM
CALCITE VEINS, PY

8343-0.003, 0.05, 0.03, 0.08 HW
8344-0.198, 4.71, 1.95, 21.65 VEIN
8345-0.010, 0.05, 0.03, 0.17 FW

B.C.D.M. 1937 178 cm (7m)
0.28 oz Au 2.7 oz Ag 10.4 Zn

ADIT

GREENSTONE (ANDESITE) RUSTY WEATHERING
FRACTURED INFILLED WITH QTZ CALCITE VEINS (1-2 CM)

MORE MAFIC DK GREEN GY TO PALE GREY, MUCH FG
DISSEM PY

FELSPAR
PORPHYRY
DIORITE

LEGEND

0.002	0.02	0.02	0.04
GOLD	SILVER	LEAD	ZINC
oz./ton	oz./ton	%	%

FW FOOTWALL
HW HANGING WALL

GEOLOGICAL BRANCH
ASSESSMENT REPORT

11,648

FIGURE 5

WARSTAR RESOURCES INC.

GOLDEN SIDEWALK
(PEERLESS) PROPERTY
PLAN OF ADIT AND
DIAMOND DRILL HOLES

DATE OCT. 1983	SCALE 1:250	BY C. SAMPSON
-------------------	----------------	------------------

36+00W

LINE 1200 S.

DUMP

METRES 0 5 10 15 METRES

