

84-#147 - 12068
3

REPORT
ON THE
GEOCHEMICAL AND VLF ELECTROMAGNETIC SURVEYS

GREG MINERAL CLAIMS (16 units)

RECORD NUMBER 3315(3)

AFTON MINE - CHERRY CREEK AREA

KAMLOOPS MINING DIVISION

KAMLOOPS, BRITISH COLUMBIA

N. Lat. 50°35'

W. Long. 120°30'

FOR

CAPRI RESOURCES LTD.
619 - 475 Howe Street,
VANCOUVER, B.C.

BY

F. HOLCAPEK, P. ENG.

January 10, 1984

G E O L O G I C A L B R A N C H
A S S E S S M E N T R E P O R T

12,068

TABLE OF CONTENTS

| SUMMARY | Page |
|--|------|
| 1-00 INTRODUCTION..... | 1 |
| 2-00 LOCATION..... | 1 |
| 3-00 PROPERTY..... | 1 |
| 4-00 HISTORY..... | 1 |
| 5-00 PHYSIOGRAPHY, VEGETATION - CLIMATE..... | 2 |
| 6-00 GEOLOGY..... | 2 |
| 7-00 GEOCHEMICAL SURVEY..... | 3 |
| 7-10 FIELD PROCEDURE..... | 3 |
| 7-20 STATISTICAL ANALYSIS..... | 4 |
| 7-30 INTERPRETATION..... | 5 |
| 8-00 VLF ELECTRO MAGNETIC SURVEY..... | 5 |
| 8-10 FIELD PROCEDURE..... | 5 |
| 8-20 INSTRUMENT AND DATA REDUCTION..... | 6 |
| 8-30 RESULTS..... | 6 |
| 9-00 CONCLUSIONS..... | 6 |
| 10-00 RECOMMENDATIONS..... | 7 |
| CERTIFICATION..... | 8 |
| QUALIFICATION OF FIELD PERSONNEL..... | 9 |
| DOCUMENTATION OF COST..... | 10 |
| BIBLIOGRAPHY..... | 11 |

MAPS

FIGURE 1 Location Map

FIGURE 2 Claim Map

FIGURE 3 Geochemical map 1:5000

FIGURE 4 VLF Electro magnetic map Fraser Filter 1:5000

FIGURE 5 VLF Dip Angle: Quadrature Readings 1:5000

Appendix 1

Soil samples Chemex Labs analysis ppm.

SUMMARY:

From June 18 to July 8, 1983, a program consisting of gridding, soil sampling and detailed VLF Survey was completed on the Greg Mineral Claims, located in the Kamloops Mining district.

The program was executed under the supervision of F. Holcapek, P. Eng. Mr. Tom Hannon and B. Sitter conducted the field work under contract.

The property has been investigated in the past during the Afton Mine staking rush.

During 1982, a preliminary VLF Survey was completed indicating several anomalous trends. The work was done by Strato Geological Engineering Ltd. The results were considered insufficient and detailed VLF Electromagnetic Survey combined with geochemical soil sampling for copper was recommended.

The 1983 program was executed to meet these recommendations.

The results of the Cu - soil program did not delineate any well defined anomalies, but rather areas of scattered Cu highs (+69 ppm).

The detailed VLF Electromagnetic survey defined the location of the anomalies located during 1982 but did not give additional information.

In a general sense, it appears that high copper values in the soil appear to be associated with VLF anomalies.

It is recommended to conduct geological mapping and an orientation induced polarization survey over located VLF electromagnetic anomalies to check if additional data can be obtained.

Soil profiles in selected area to establish metallic ion distribution in areas of deep overburden may be helpful in delineating areas of interest for further investigations.

1-00 INTRODUCTION:

This report is based on field work completed during July 1983, as recommended by D. Tulley, P. Eng. in his Report dated December 2, 1982.

The program completed consisted of:

1. Re-establishing a grid for ground-control; 200 m line spacing, 50 m stations.
2. Geochemical survey for copper.
3. Detail V.F.L. Electromagnetic survey.

A total of 20 line km of surveys was completed. Further, all claim posts located have been tied into the grid.

The purpose of this report is to summarize the findings and make recommendations.

2-00 LOCATION AND ACCESS:

The Greg mineral claims are located within the Kamloops Mining Division. Access to the property is from the Trans Canada Highway via the Logan Lake Road. Total road distance is about 20 km from Kamloops. The property lies south of the Afton Mine.

3-00 PROPERTY:

Information obtained from the Gold Commissioner's office is as follows:

| | | |
|----------------|---|----------------------|
| Claim Name | : | Greg |
| Record Number | : | 3315 (3) |
| Units | : | 16 |
| Record Date | : | March 10, 1981 |
| Recorded Owner | : | CAPRI RESOURCES LTD. |

The Greg mineral claim is shown on Claim map 92-I-9W and 10E, British Columbia Ministry of Energy, Mines and Petroleum Resources.


4-00 HISTORY:


The area covered by the Greg mineral claim was first staked during the exploration activities initiated by the Afton Mine rush in 1971, but the original claims were allowed to lapse. The Greg claims were located on March 10, 1981.

20 0 20 40 60
KILOMETRES

CAPRI RESOURCES LTD.
GREG CLAIMS
KAMLOOPS M.D. - B.C. NTS 93-1-10

LOCATION MAP





CAPRI RESOURCES LTD.
GREG CLAIMS
KAMLOOPS MINING DIVISION - B.C.

CLAIM MAP

Scale 1:50,000 approx. NTS. 92-I-10

F.H. rwr Aug. 2, 1983 FIGURE 2



In 1982, Strato Geological Engineering Ltd. completed gridding and a VLF electromagnetic survey for Cascade Explorations Ltd. (renamed Capri Resources Ltd.)

The survey outlined several electromagnetic anomalies.

The purpose of the program completed was to investigate the indicated anomalies in detail and to complete a geochemical survey, using copper as the main pathfinder.

The Geochemical survey covered the whole claim group.

5-00 PHYSIOGRAPHY, VEGETATION AND CLIMATE:

The Greg mineral claims occupy a north facing slope. In the north eastern part of the property swampy areas interspersed with small lakes or ponds are common.

The southern and southwestern part lies within an area underlain by cliff forming Kamloops Group Volcanics.

Elevations on the property vary from 1,000 meters to 2,000 meters above sea level.

The major part of the claims is covered by a variety of glacial deposits consisting of sand, gravel and clay. Surface weathering, where present, is indicated by development of loam.

Vegetation consists of stands of pine, spruce, fir and poplar. Dense underbrush is present along streams, lakes and swampy areas. The claim group has been logged in the past.

The climate is warm and dry during the summer months. Winter temperatures are moderate with snow cover in the order of 3 ft. Snow cover can be expected from December to early April.

6-00 GEOLOGY:

QUATERNARY: Glacial deposits Unconsolidated sand, gravel, clay, loam.

MIOCENE: Kamloops Group Rhyolite, andesite, and basalts.

-----UNCONFORMITY-----

JURASSIC: Coast Intrusion granites, granodiorite,
 Iron Mask Batholith diorite and related
 felsic and mafic dikes.

----- folding, faulting, shearing, -----

UPPER TRIASSIC: Nicola Group Greenstones, andesite
 and basalts.

The structural setting of the area is not known since outcrops are sparse on the major part of the claim group.

Aero magnetic data (G.S.C. Maps 5216 G & 5217 G), and Electromagnetic data suggest a north westerly regional trend.

No known mineralization exists on the property, but in the district the Afton Mine lies approximately 4 km to the north and the Iron Mask Mine, a former copper producer, lies to the north east.

Mineralization exploited consist of chalcopyrite, native copper and low gold values in the Afton Mine localized along a north westerly trending structural zone.

At the Iron Mask Mine a contact metasomatic chalcopyrite - magnetite zone was mined.

7-00 GEOCHEMICAL SURVEY:

7-10 FIELD PROCEDURE:

Ground control was obtained by establishing a grid consisting of flagged, east-west compass lines, 200 meters apart.

Along these lines stations have been established at 50 meter intervals for sampling.

Samples were taken with an auger and care was taken to collect the sample, wherever possible from the B horizon. Difficulties were encountered in distinguishing between the different soil horizons because of the prevalence of glacial deposits and poor soil developments.

Notes have been taken in respect to topographic condition, soil composition and drainage to facilitate in the interpretation of results.

The samples have been put into kraft paper envelopes, marked and shipped to Chemex Labs for assaying by Atomic absorption method.

7-20 STATISTICAL ANALYSIS:

Defining the threshold of anomalous copper values as $x + S.D.$ the following threshold values are obtained.

$$\begin{aligned} Th &= x + S.D. \\ &= 48.30 \text{ ppm} + 20.90 \text{ ppm} \\ &= +69.20 \text{ ppm} = \text{anomalous value} \end{aligned}$$

Hence: 12.40% of the sample population is higher than threshold.

From the arithmetic probability plot:

Background: = 28 ppm
Threshold : = 54 ppm
Anomalous : 25.06% of sample population

The histogram shows a well defined positively skewed distribution characteristic of log normal distribution.

| | |
|--------------------|------------------------------|
| NUMBER OF VALUES | 387 |
| MAXIMUM VALUE | 138 |
| MINIMUM VALUE | 19 |
| MEAN VALUE | 48.2971576227 |
| STANDARD DEVIATION | 20.8981509256 |
| STANDARD ERROR | 1.06231271291 |
| SAMPLES TYPE: | SOIL |
| ANALYSIS TYPE: | PPM - atomic absorption (AA) |

| INTERVAL | | NUMBER | PERCENT | CUMUL. % |
|----------|---------|--------|---------|----------|
| 0.000 | 8.000 | 0 | 0.00 | 0.00 |
| 8.000 | 16.000 | 0 | 0.00 | 0.00 |
| 16.000 | 24.000 | 7 | 1.81 | 1.81 |
| 24.000 | 32.000 | 72 | 18.60 | 20.41 |
| 32.000 | 40.000 | 79 | 20.41 | 40.83 |
| 40.000 | 48.000 | 68 | 17.57 | 58.40 |
| 48.000 | 56.000 | 64 | 16.54 | 74.94 |
| 56.000 | 64.000 | 27 | 6.98 | 81.91 |
| 64.000 | 72.000 | 22 | 5.68 | 87.60 |
| 72.000 | 80.000 | 18 | 4.65 | 92.25 |
| 80.000 | 88.000 | 9 | 2.33 | 94.57 |
| 88.000 | 96.000 | 4 | 1.03 | 95.61 |
| 96.000 | 104.000 | 6 | 1.55 | 97.16 |
| 104.000 | 112.000 | 5 | 1.29 | 98.45 |
| 112.000 | 120.000 | 2 | 0.52 | 98.97 |
| 120.000 | 128.000 | 0 | 0.00 | 98.97 |
| 128.000 | 136.000 | 3 | 0.78 | 99.74 |
| 136.000 | 144.000 | 1 | 0.26 | 100.00 |

7-30 INTERPRETATION:

The geochemical survey completed did not outline any well defined anomalous areas (value + 69 ppm), but high copper values occur scattered through the sampled area.

In general, it can be said that higher copper values have a tendency to occur in vicinity of V.L.F. conductive zone.

The erratic distribution of anomalous values can possibly be caused by the distribution and depth of glacial overburden, masking any possible bedrock anomalous area.

The addition of a second trace finder element might be helpful in delineating potential target areas.

At the Afton Mine, copper ore has associated gold values, hence a test for gold on a selected number of samples, both anomalous and background, may give additional information or show a correlation which can be used to obtain conclusive data in respect to location of future target areas.

8-00 V.L.F. ELECTROMAGNETIC SURVEY:

8-10 FIELD PROCEDURE:

The grid established for the geochemical survey was used for ground control. The purpose of the survey was to detail EM conductive zones outlined by the 1982 V.L.F. electromagnetic surveys.

In the area detailed station spacing was reduced to 25 m. Readings were taken at all stations. A total of 8.5 km. was covered by the survey.

8-20 INSTRUMENT AND DATA REDUCTION:

The instrument used was a Model 27, V.L.F. electromagnetic receiver tuned to the Jim Creek, Washington transmitting station. Transmitting frequency was 24.8 K.Hz with a radiating power of 250 kilowatts.

Readings were taken for both dip angle and horizontal field strength.

The dip angle data was reduced using the Fraser Filter method and the results have been plotted and contoured. This method is well established and has been described in the literature in details.

8-30 RESULTS:

The survey reconfirmed the located anomalous areas by the 1982 survey. Intensity of the anomalies show similar amplitude and the same trend.

Although the anomalous areas have been delineated in more detail, no additional information has been obtained to locate target areas.

The anomalous zones have been well described in the report by Strato Geological Engineering Ltd. dated April 18, 1982 which has been filed for assessment work.

9-00 CONCLUSIONS:

Both, the geochemical and electromagnetic survey results have not delineated a conclusive target area for further investigation.

Geological data on hand is of regional nature only and insufficient in detail to help in the interpretation of acquired field data.

In the Afton area, induced polarization data was found to be a better tool to outline potential mineralized zone.

Geochemical data showed a similar low amplitude, and similar scattered distribution.

10-00 RECOMMENDATIONS:

The following work program is recommended:


1. Geological mapping covering the whole area on a grid basis with special attention being paid to areas of hydrothermal alteration, contact zones or structural zone.

2. Orientation induced polarization survey to cover EM conductors.

If the above shows positive response a multi-level survey making use of at least three electrode spacing is recommended.

3. Soil profiles to establish change in metallic ion distribution with depth of overburden.

Respectfully submitted



Vancouver, B.C.
January 10, 1984

CERTIFICATION:

I, Ferdinand Holcapek, of 1676 - W. 65th Ave., Vancouver, British Columbia, certify that:

1. I am a graduate of the University of British Columbia with a B. Sc. degree in Geology, 1969.

2. I am a registered member in good standing of the association of Professional Engineers of British Columbia, registration #8962.

3. I have practised my profession since graduation as follows:

1981 - 1984 Consulting Geologist, Holcapek Engineering Ltd.,
British Columbia, Canada.

1979 - 1981 Consulting Geologist and Technical Adviser,
Condemina (Department of Mines) Monagua, Nicaragua.

1978 - 1979 Consulting Geologist, Holcapek Engineering Ltd.,
Nicaragua, Honduras, Costa Rica.


1976 - 1979 Consulting Geologist, Agilis Engineering Ltd.
Nicaragua.

1973 - 1979 Consulting Geologist, Agilis Engineering Ltd., Canada,
U.S.A., Mexico.

1970 - 1973 Consulting Geologist, Agilis Engineering (Austr.)
Ltd. Adelaide, Australia.

1967 - 1970 Geologist, Agilis Exploration Services Ltd., Canada.

4. I have visited the Greg Mineral Claims and the report is based on field examination and work conducted under my supervision.



Vancouver, B.C.

F. Holcapek, P. Eng.
Consulting Geologist

QUALIFICATION OF FIELD PERSONNEL:

T. Hannon, Field Technician

Geochemical sampling, Magnetometer surveys
VLF Electromagnetic surveys
Horizontal loop Electromagnetic surveys.


Training by F. Holcapek, P. Eng. from 1969 to 1973

Experience: 1969 - 1973 Agilis Engineering (Aust) Ltd.
1974 - 1976 Agilis Engineering Ltd.
Summer employment
1981 - 1983 Holcapek Engineering Ltd.
Summer employment.

B. Sitter, Assistant

No previous experience.

Signed:



F. Holcapek, P. Eng.



HOLCAPEK
ENGINEERING LTD.

COST STATEMENT:

| | |
|---|--------------------|
| Invoice 23 - 83 Holcapek Engineering Ltd. | \$ 8,000.00 |
| Chemex Invoice 18312548 | 600.00 |
| 18312549 | 373.90 |
| 18410106 | <u>125.00</u> |
| Total: | \$ <u>9,098.90</u> |

See attached invoice for support



HOLCAPEK ENGINEERING LTD
CONSULTING GEOLOGISTS & ENGINEERS

July 8, 1983

CAPRI RESOURCES LTD.
619 - 475 Howe Street,
Vancouver, B.C.

INVOICE: 23 - 083

RE: GREG CLAIMS, gridding, soil sampling
VLF detail survey, report.
June 18, 1983 - July 8, 1983

Personnel:

| | | |
|---|----------------------|-----------------|
| F. Holcapek, P. Eng. 6 days field, and office | \$ 250.00/day | \$ 1,500.00 |
| Tom Hannon contract labor plus helper | | |
| Gridding - Soil sampling 19.2 km. | \$180.00/km. | 3,456.00 |
| VLF detail survey | 8.9 km. \$150.00/km. | <u>1,335.00</u> |
| | | 6,291.00 |

Disbursements:

| | |
|---------------------------------|--------------------|
| Hotel | \$ 450.00 |
| Meals - 2 men | 324.00 |
| Gasoline | 120.00 |
| Truck Rental (\$40/day) | 400.00 |
| VLF rental(minimum \$300/month) | 300.00 |
| Field supplies | 80.75 |
| Office supplies | <u>34.25</u> |
| | \$ 1,709.00 |
| Total: | <u>\$ 8,000.00</u> |

Fde



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

*** INVOICE ***

to : CAPRI RESOURCES LTD

** Invoice # : I8410106

619 - 475 HOWE ST.
VANCOUVER, B.C.
V5C 2B3

Date : 25-JAN-84
P.O. # : NONE
Project

Invoice for analytical work reported on certificate(s) A8410106-001

| Quantity | Analysed for | Code | Description | unit | Price | |
|----------|--------------|------|-------------|------|--------|--------|
| | | | | | price | amount |
| 20 | 101 - Au NAA | ppb | | 6.25 | 125.00 | |

Sample preparation and other charges :

| | | | |
|-------------------------------|----------------|-----------|-----------|
| 20 | 214 - Bag pulp | 0.00 | 0.00 |
| ----- | | | |
| | | TOTAL | \$ 125.00 |
| ----- | | | |
| Please pay this amount -----> | | \$ 125.00 | ===== |
| ===== | | | |

RMS -- NET 30 DAYS

5 % per month (18 % per annum) charged on overdue accounts



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

*** INVOICE ***

To : CAPRI RESOURCES LTD

** Invoice # : I8312548

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

Date : 15-JUL-83
P.O. # : NONE
Project

Invoice for analytical work reported on certificate(s) A8312548-001 to -006

| Quantity | Code | Analysed for | Description | Unit | Price | | Amount |
|----------|----------|--------------|-------------|------|-------|------|--------|
| | | | | | ppm | 1.90 | |
| 240 | 002 - Cu | | | ppm | 1.90 | | 456.00 |

Sample preparation and other charges :

240 201 - soil + sediment -80 mesh 0.60 144.00

TOTAL \$ 600.00

Please pay this amount ----> \$ 600.00
=====

TERMS -- NET 30 DAYS

.5 % per month (18 % per annum) charged on overdue accounts



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

11/19
212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

*** INVOICE ***

To : CAPRI RESOURCES LTD

** Invoice # : I8312549

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

Date : 15-JUL-83
P.C. # : NONE
Project

Invoice for analytical work reported on certificate(s) A8312549-001 to -004

| Quantity | Code | Analysed for | Description | Unit | |
|----------|----------|--------------|-------------|------|--------|
| | | | | ppm | Price |
| 149 | 002 - Cu | | | 1.90 | 283.10 |

Sample preparation and other charges :

| | | | |
|-----|--------------------------------|------|-------|
| 148 | 201 - soil + sediment -80 mesh | 0.60 | 88.80 |
| 1 | 203 - -35 mesh sieve + ring | 2.00 | 2.00 |

TOTAL \$ 373.90

Please pay this amount ----> \$ 373.90

TERMS -- NET 30 DAYS
.5 % per month (18 % per annum) charged on overdue accounts



MEMBER
CANADIAN TESTING
ASSOCIATION

BIBLIOGRAPHY



Geological map 886A (Nicola Map Sheet) G.S.C.

VLF electromagnetic survey, Greg Claims by R. J. England dated April 28, 1982


Report on a VLF Electromagnetic Survey
Greg Mineral Claim (16 units) Afton Mine - Cherry Creek Area by Donald W. Tully, P. Eng. December 2, 1982

Private field Notes on Afton Area collected 1968 -1974.

HISTOGRAM Cu ppm, N = 389
GREG MINERALCLAIM
CAPRI RESOURCES LTD



GREG MINERAL CLAIMS
CAPRI RESOURCES LTD





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312548-001-A
INVOICE # : I8312548
DATE : 15-JUL-83
P.O. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|----|
| 0+00S 0+00E | 201 | 52 | -- | -- | -- | -- | -- | -- |
| 0+00S 0+50E | 201 | 100 ✓ | -- | -- | -- | -- | -- | -- |
| 0+00S 1+00E | 201 | 70 | -- | -- | -- | -- | -- | -- |
| 0+00S 1+50E | 201 | 76 | -- | -- | -- | -- | -- | -- |
| 0+00S 2+C0E | 201 | 39 | -- | -- | -- | -- | -- | -- |
| 0+00S 2+50E | 201 | 73 | -- | -- | -- | -- | -- | -- |
| 0+00S 3+00E | 201 | 31 | -- | -- | -- | -- | -- | -- |
| 0+00S 3+50E | 201 | 45 ✓ | -- | -- | -- | -- | -- | -- |
| 0+00S 4+00E | 201 | 39 | -- | -- | -- | -- | -- | -- |
| 0+00S 4+50E | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 0+00S 5+00E | 201 | 28 | -- | -- | -- | -- | -- | -- |
| 0+00S 5+50E | 201 | 35 | -- | -- | -- | -- | -- | -- |
| 0+00S 6+00E | 201 | 54 | -- | -- | -- | -- | -- | -- |
| 0+00S 6+50E | 201 | 45 | -- | -- | -- | -- | -- | -- |
| 0+00S 7+C0E | 201 | 49 | -- | -- | -- | -- | -- | -- |
| 0+00S 7+50E | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 0+00S 8+00E | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 0+00S 8+50E | 201 | 61 | -- | -- | -- | -- | -- | -- |
| 0+00S 10+C0E | 201 | 61 | -- | -- | -- | -- | -- | -- |
| 0+C0S 11+C0E | 201 | 45 | -- | -- | -- | -- | -- | -- |
| 0+C0S 11+50E | 201 | 34 | -- | -- | -- | -- | -- | -- |
| 0+00S 12+C0E | 201 | 50 | -- | -- | -- | -- | -- | -- |
| 0+00S 12+50E | 201 | 49 | -- | -- | -- | -- | -- | -- |
| 0+00S 13+C0E | 201 | 37 | -- | -- | -- | -- | -- | -- |
| 0+00S 13+50E | 201 | 43 | -- | -- | -- | -- | -- | -- |
| 0+00S 14+C0E | 201 | 43 | -- | -- | -- | -- | -- | -- |
| 0+00S 14+50E | 201 | 51 | -- | -- | -- | -- | -- | -- |
| 0+00S 15+00E | 201 | 38 | -- | -- | -- | -- | -- | -- |
| 0+00S 15+50E | 201 | 49 | -- | -- | -- | -- | -- | -- |
| 0+00S 16+00E | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 0+00S 16+50E | 201 | 41 | -- | -- | -- | -- | -- | -- |
| 0+00S 17+C0E | 201 | 45 | -- | -- | -- | -- | -- | -- |
| 0+00S 17+50E | 201 | 49 | -- | -- | -- | -- | -- | -- |
| 0+00S 18+C0E | 201 | 44 | -- | -- | -- | -- | -- | -- |
| 0+00S 18+50E | 201 | 42 | -- | -- | -- | -- | -- | -- |
| 0+00S 19+C0E | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 0+00S 19+50E | 201 | 42 | -- | -- | -- | -- | -- | -- |
| 0+00S 20+00E | 201 | 31 | -- | -- | -- | -- | -- | -- |
| 2+C0S 0+C0E | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 2+C0S 0+50E | 201 | 27 | -- | -- | -- | -- | -- | -- |

Certified by *Hart Bichler...*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312548-002-A
INVOICE # : I8312548
DATE : 15-JUL-83
P.O. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 2+COS 1+00E | 201 | 40 | -- | -- | -- | -- | -- |
| 2+COS 1+50E | 201 | 43 | -- | -- | -- | -- | -- |
| 2+COS 2+C0E | 201 | 37 | -- | -- | -- | -- | -- |
| 2+COS 2+50E | 201 | 50 | -- | -- | -- | -- | -- |
| 2+COS 3+C0E | 201 | 43 | -- | -- | -- | -- | -- |
| 2+COS 3+50E | 201 | 81 | -- | -- | -- | -- | -- |
| 2+COS 4+00E | 201 | 33 | -- | -- | -- | -- | -- |
| 2+COS 4+50E | 201 | 30 | -- | -- | -- | -- | -- |
| 2+COS 5+C0E | 201 | 30 | -- | -- | -- | -- | -- |
| 2+COS 5+50E | 201 | 28 | -- | -- | -- | -- | -- |
| 2+COS 6+0CE | 201 | 34 | -- | -- | -- | -- | -- |
| 2+COS 6+50E | 201 | 46 | -- | -- | -- | -- | -- |
| 2+COS 7+00E | 201 | 38 | -- | -- | -- | -- | -- |
| 2+COS 7+50E | 201 | 44 | -- | -- | -- | -- | -- |
| 2+COS 8+00E | 201 | 53 | -- | -- | -- | -- | -- |
| 2+COS 8+50E | 201 | 41 | -- | -- | -- | -- | -- |
| 2+COS 9+00E | 201 | 31 | -- | -- | -- | -- | -- |
| 2+COS 9+50E | 201 | 39 | -- | -- | -- | -- | -- |
| 2+COS 10+C0E | 201 | 45 | -- | -- | -- | -- | -- |
| 2+COS 10+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 2+COS 11+00E | 201 | 75 ✓ | -- | -- | -- | -- | -- |
| 2+COS 11+50E | 201 | 41 | -- | -- | -- | -- | -- |
| 2+COS 12+C0E | 201 | 71 | -- | -- | -- | -- | -- |
| 2+COS 12+50E | 201 | 48 | -- | -- | -- | -- | -- |
| 2+COS 13+00E | 201 | 41 | -- | -- | -- | -- | -- |
| 2+COS 14+00E | 201 | 75 | -- | -- | -- | -- | -- |
| 2+COS 14+50E | 201 | 40 | -- | -- | -- | -- | -- |
| 2+COS 15+00E | 201 | 39 | -- | -- | -- | -- | -- |
| 2+COS 15+50E | 201 | 42 | -- | -- | -- | -- | -- |
| 2+COS 16+00E | 201 | 39 | -- | -- | -- | -- | -- |
| 2+COS 16+50E | 201 | 43 | -- | -- | -- | -- | -- |
| 2+COS 18+00E | 201 | 70 | -- | -- | -- | -- | -- |
| 2+COS 18+50E | 201 | 52 | -- | -- | -- | -- | -- |
| 2+COS 19+00E | 201 | 44 | -- | -- | -- | -- | -- |
| 2+COS 19+50C | 201 | 52 | -- | -- | -- | -- | -- |
| 2+COS 20+00E | 201 | 47 | -- | -- | -- | -- | -- |
| 4+COS 0+00E | 201 | 48 | -- | -- | -- | -- | -- |
| 4+COS 0+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 4+COS 1+00E | 201 | 62 | -- | -- | -- | -- | -- |
| 4+COS 1+50E | 201 | 43 | -- | -- | -- | -- | -- |

Certified by *Start Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312548-003-A
INVOICE # : I8312548
DATE : 15-JUL-83
P.C. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 4+00S 2+C0E | 201 | 47 | -- | -- | -- | -- | -- |
| 4+00S 2+50E | 201 | 51 | -- | -- | -- | -- | -- |
| 4+00S 3+00E | 201 | 37 | -- | -- | -- | -- | -- |
| 4+00S 3+50E | 201 | 61 ✓ | -- | -- | -- | -- | -- |
| 4+00S 4+00E | 201 | 49 | -- | -- | -- | -- | -- |
| 4+00S 4+50E | 201 | 45 | -- | -- | -- | -- | -- |
| 4+00S 5+00E | 201 | 49 | -- | -- | -- | -- | -- |
| 4+00S 5+50E | 201 | 41 | -- | -- | -- | -- | -- |
| 4+00S 6+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 4+00S 6+50E | 201 | 36 | -- | -- | -- | -- | -- |
| 4+00S 7+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 4+00S 7+50E | 201 | 25 | -- | -- | -- | -- | -- |
| 4+00S 8+00E | 201 | 58 | -- | -- | -- | -- | -- |
| 4+00S 8+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 4+00S 9+C0E | 201 | 70 ✓ | -- | -- | -- | -- | -- |
| 4+00S 9+50E | 201 | 57 | -- | -- | -- | -- | -- |
| 4+00S 10+C0E | 201 | 40 | -- | -- | -- | -- | -- |
| 4+00S 10+50E | 201 | 49 | -- | -- | -- | -- | -- |
| 4+00S 11+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 4+00S 11+50E | 201 | 50 | -- | -- | -- | -- | -- |
| 4+00S 12+C0E | 201 | 48 | -- | -- | -- | -- | -- |
| 4+00S 12+50E | 201 | 34 | -- | -- | -- | -- | -- |
| 4+00S 13+00E | 201 | 46 | -- | -- | -- | -- | -- |
| 4+00S 13+50E | 201 | 67 ✓ | -- | -- | -- | -- | -- |
| 4+00S 14+00E | 201 | 34 | -- | -- | -- | -- | -- |
| 4+00S 14+50E | 201 | 30 | -- | -- | -- | -- | -- |
| 4+00S 15+00E | 201 | 65 | -- | -- | -- | -- | -- |
| 4+00S 15+50E | 201 | 41 | -- | -- | -- | -- | -- |
| 4+00S 16+00E | 201 | 33 | -- | -- | -- | -- | -- |
| 6+00S 0+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 6+00S 0+50E | 201 | 47 | -- | -- | -- | -- | -- |
| 6+00S 1+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 6+00S 1+50E | 201 | 41 | -- | -- | -- | -- | -- |
| 6+00S 2+C0E | 201 | 55 | -- | -- | -- | -- | -- |
| 6+00S 2+50E | 201 | 59 | -- | -- | -- | -- | -- |
| 6+00S 3+00E | 201 | 25 | -- | -- | -- | -- | -- |
| 6+00S 3+50E | 201 | 68 ✓ | -- | -- | -- | -- | -- |
| 6+00S 4+00E | 201 | 42 | -- | -- | -- | -- | -- |
| 6+00S 4+50E | 201 | 65 ✓ | -- | -- | -- | -- | -- |
| 6+00S 5+00E | 201 | 70 ✓ | -- | -- | -- | -- | -- |

Hart Bischler
Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312548-C04-A
INVOICE # : I8312548
DATE : 15-JUL-83
P.C. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 6+00S 5+50E | 201 | 73 | -- | -- | -- | -- | -- |
| 6+00S 6+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 6+00S 6+50E | 201 | 49 | -- | -- | -- | -- | -- |
| 6+00S 7+00E | 201 | 47 | -- | -- | -- | -- | -- |
| 6+00S 7+50E | 201 | 59 | -- | -- | -- | -- | -- |
| 6+00S 8+00E | 201 | 59 | -- | -- | -- | -- | -- |
| 6+00S 8+50E | 201 | 68 | -- | -- | -- | -- | -- |
| 6+00S 9+00E | 201 | 34 | -- | -- | -- | -- | -- |
| 6+00S 9+50E | 201 | 28 | -- | -- | -- | -- | -- |
| 6+00S 10+00E | 201 | 39 | -- | -- | -- | -- | -- |
| 6+00S 10+50E | 201 | 70 | -- | -- | -- | -- | -- |
| 6+00S 11+00E | 201 | 39 | -- | -- | -- | -- | -- |
| 6+00S 11+50E | 201 | 50 | -- | -- | -- | -- | -- |
| 6+00S 12+C0E | 201 | 43 | -- | -- | -- | -- | -- |
| 6+00S 12+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 6+00S 13+C0E | 201 | 54 | -- | -- | -- | -- | -- |
| 6+00S 13+50E | 201 | 74 | -- | -- | -- | -- | -- |
| 6+00S 14+00E | 201 | 75 | -- | -- | -- | -- | -- |
| 6+00S 15+00E | 201 | 25 | -- | -- | -- | -- | -- |
| 6+00S 15+50E | 201 | 83 | -- | -- | -- | -- | -- |
| 6+00S 16+C0E | 201 | 41 | -- | -- | -- | -- | -- |
| 6+00S 16+50E | 201 | 100 | -- | -- | -- | -- | -- |
| 6+00S 17+C0E | 201 | 54 | -- | -- | -- | -- | -- |
| 6+00S 17+50E | 201 | 69 | -- | -- | -- | -- | -- |
| 6+00S 18+00E | 201 | 75 | -- | -- | -- | -- | -- |
| 6+00S 18+50E | 201 | 94 | -- | -- | -- | -- | -- |
| 6+00S 19+C0E | 201 | 47 | -- | -- | -- | -- | -- |
| 6+00S 19+50E | 201 | 82 | -- | -- | -- | -- | -- |
| 6+00S 20+00E | 201 | 63 | -- | -- | -- | -- | -- |
| 6+00S 0+50W | 201 | 45 | -- | -- | -- | -- | -- |
| 6+00S 1+00W | 201 | 40 | -- | -- | -- | -- | -- |
| 8+00S 0+C0E | 201 | 41 | -- | -- | -- | -- | -- |
| 8+00S 0+50E | 201 | 29 | -- | -- | -- | -- | -- |
| 8+00S 1+00E | 201 | 29 | -- | -- | -- | -- | -- |
| 8+00S 1+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 8+00S 2+C0E | 201 | 46 | -- | -- | -- | -- | -- |
| 8+00S 2+50E | 201 | 29 | -- | -- | -- | -- | -- |
| 8+00S 3+C0E | 201 | 26 | -- | -- | -- | -- | -- |
| 8+00S 3+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 8+00S 4+00E | 201 | 26 | -- | -- | -- | -- | -- |

Hart Bichler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312548-C04-A
INVOICE # : 18312548
DATE : 15-JUL-83
P.C. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 6+00S 5+50E | 201 | 73 | -- | -- | -- | -- | -- |
| 6+00S 6+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 6+00S 6+50E | 201 | 49 | -- | -- | -- | -- | -- |
| 6+00S 7+00E | 201 | 47 | -- | -- | -- | -- | -- |
| 6+00S 7+50E | 201 | 59 | -- | -- | -- | -- | -- |
| 6+00S 8+00E | 201 | 59 | -- | -- | -- | -- | -- |
| 6+00S 8+50E | 201 | 68 | -- | -- | -- | -- | -- |
| 6+00S 9+00E | 201 | 34 | -- | -- | -- | -- | -- |
| 6+00S 9+50E | 201 | 28 | -- | -- | -- | -- | -- |
| 6+00S 10+0CE | 201 | 39 | -- | -- | -- | -- | -- |
| 6+00S 10+50E | 201 | 70 | -- | -- | -- | -- | -- |
| 6+00S 11+00E | 201 | 39 | -- | -- | -- | -- | -- |
| 6+00S 11+50E | 201 | 50 | -- | -- | -- | -- | -- |
| 6+00S 12+C0E | 201 | 43 | -- | -- | -- | -- | -- |
| 6+00S 12+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 6+00S 13+0CE | 201 | 54 | -- | -- | -- | -- | -- |
| 6+00S 13+50E | 201 | 74 | -- | -- | -- | -- | -- |
| 6+00S 14+00E | 201 | 75 | -- | -- | -- | -- | -- |
| 6+00S 15+00E | 201 | 25 | -- | -- | -- | -- | -- |
| 6+00S 15+5CE | 201 | 83 | -- | -- | -- | -- | -- |
| 6+00S 16+0CE | 201 | 41 | -- | -- | -- | -- | -- |
| 6+00S 16+50E | 201 | 100 | -- | -- | -- | -- | -- |
| 6+00S 17+C0E | 201 | 54 | -- | -- | -- | -- | -- |
| 6+00S 17+50E | 201 | 69 | -- | -- | -- | -- | -- |
| 6+00S 18+00E | 201 | 75 | -- | -- | -- | -- | -- |
| 6+00S 18+50E | 201 | 94 | -- | -- | -- | -- | -- |
| 6+00S 19+0CE | 201 | 47 | -- | -- | -- | -- | -- |
| 6+00S 19+50E | 201 | 82 | -- | -- | -- | -- | -- |
| 6+00S 20+00E | 201 | 63 | -- | -- | -- | -- | -- |
| 6+00S 0+50h | 201 | 45 | -- | -- | -- | -- | -- |
| 6+00S 1+00W | 201 | 40 | -- | -- | -- | -- | -- |
| 8+00S 0+C0E | 201 | 41 | -- | -- | -- | -- | -- |
| 8+00S 0+50E | 201 | 29 | -- | -- | -- | -- | -- |
| 8+00S 1+00E | 201 | 29 | -- | -- | -- | -- | -- |
| 8+00S 1+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 8+00S 2+C0E | 201 | 46 | -- | -- | -- | -- | -- |
| 8+00S 2+50E | 201 | 29 | -- | -- | -- | -- | -- |
| 8+00S 3+C0E | 201 | 26 | -- | -- | -- | -- | -- |
| 8+00S 3+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 8+00S 4+00E | 201 | 26 | -- | -- | -- | -- | -- |

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312548-005-A
INVOICE # : I8312548
DATE : 15-JUL-83
P.O. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|----|
| 8+00S 4+50E | 201 | 30 | -- | -- | -- | -- | -- | -- |
| 8+00S 5+00E | 201 | 30 | -- | -- | -- | -- | -- | -- |
| 8+00S 5+5CE | 201 | 36 | -- | -- | -- | -- | -- | -- |
| 8+00S 6+00E | 201 | 34 | -- | -- | -- | -- | -- | -- |
| 8+00S 6+50E | 201 | 51 | -- | -- | -- | -- | -- | -- |
| 8+00S 7+00E | 201 | 39 | -- | -- | -- | -- | -- | -- |
| 8+00S 7+50E | 201 | 52 | -- | -- | -- | -- | -- | -- |
| 8+00S 8+0CE | 201 | 26 | -- | -- | -- | -- | -- | -- |
| 8+00S 8+50E | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 8+00S 9+00E | 201 | 41 | -- | -- | -- | -- | -- | -- |
| 8+00S 9+50E | 201 | 39 | -- | -- | -- | -- | -- | -- |
| 8+00S 10+0CE | 201 | 37 | -- | -- | -- | -- | -- | -- |
| 8+00S 10+50E | 201 | 55 | -- | -- | -- | -- | -- | -- |
| 8+00S 11+00E | 201 | 56 | -- | -- | -- | -- | -- | -- |
| 8+00S 11+50E | 201 | 51 | -- | -- | -- | -- | -- | -- |
| 8+00S 12+0CE | 201 | 51 | -- | -- | -- | -- | -- | -- |
| 8+00S 12+5CE | 201 | 60 | -- | -- | -- | -- | -- | -- |
| 8+00S 13+0CE | 201 | 52 | -- | -- | -- | -- | -- | -- |
| 8+00S 13+5CE | 201 | 29 | -- | -- | -- | -- | -- | -- |
| 8+00S 14+0CE | 201 | 44 | -- | -- | -- | -- | -- | -- |
| 8+00S 14+5CE | 201 | 40 | -- | -- | -- | -- | -- | -- |
| 8+00S 15+00E | 201 | 50 | -- | -- | -- | -- | -- | -- |
| 8+00S 15+5CE | 201 | 51✓ | -- | -- | -- | -- | -- | -- |
| 8+00S 16+00E | 201 | 51 | -- | -- | -- | -- | -- | -- |
| 8+00S 16+50E | 201 | 52 | -- | -- | -- | -- | -- | -- |
| 8+00S 17+0CE | 201 | 38 | -- | -- | -- | -- | -- | -- |
| 8+00S 17+50E | 201 | 28 | -- | -- | -- | -- | -- | -- |
| 8+00S 18+00E | 201 | 61 | -- | -- | -- | -- | -- | -- |
| 8+00S 18+50E | 201 | 102 ✓ | -- | -- | -- | -- | -- | -- |
| 8+00S 19+00E | 201 | 97 | -- | -- | -- | -- | -- | -- |
| 8+00S 19+50E | 201 | 46 | -- | -- | -- | -- | -- | -- |
| 8+00S 20+00E | 201 | 54 | -- | -- | -- | -- | -- | -- |
| 10+00S 0+00E | 201 | 27 | -- | -- | -- | -- | -- | -- |
| 10+00S 0+50E | 201 | 94 | -- | -- | -- | -- | -- | -- |
| 10+00S 1+00E | 201 | 34 | -- | -- | -- | -- | -- | -- |
| 10+00S 1+50E | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 10+00S 2+00E | 201 | 29 | -- | -- | -- | -- | -- | -- |
| 10+00S 2+5CE | 201 | 34 | -- | -- | -- | -- | -- | -- |
| 10+00S 3+0CE | 201 | 48 | -- | -- | -- | -- | -- | -- |
| 10+00S 3+5CE | 201 | 34 | -- | -- | -- | -- | -- | -- |

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312548-C06-A
INVOICE # : I8312548
DATE : 15-JUL-83
P.C. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 10+00S 4+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 10+00S 4+50E | 201 | 30 | -- | -- | -- | -- | -- |
| 10+00S 5+00E | 201 | 29 | -- | -- | -- | -- | -- |
| 10+00S 5+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 10+00S 6+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 10+00S 6+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 10+00S 7+00E | 201 | 29 | -- | -- | -- | -- | -- |
| 10+00S 7+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 10+00S 8+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 10+00S 8+50E | 201 | 40 | -- | -- | -- | -- | -- |
| 10+00S 9+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 10+00S 9+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 10+00S 10+00E | 201 | 23 | -- | -- | -- | -- | -- |
| 10+00S 10+50E | 201 | 27 | -- | -- | -- | -- | -- |
| 10+00S 11+00E | 201 | 31 | -- | -- | -- | -- | -- |
| 10+00S 11+50E | 201 | 43 | -- | -- | -- | -- | -- |
| 10+00S 12+00E | 201 | 47 | -- | -- | -- | -- | -- |
| 10+00S 12+50E | 201 | 48 | -- | -- | -- | -- | -- |
| 10+00S 13+50E | 201 | 71 ✓ | -- | -- | -- | -- | -- |
| 10+00S 14+00E | 201 | 53 | -- | -- | -- | -- | -- |
| 10+00S 14+50E | 201 | 47 | -- | -- | -- | -- | -- |
| 10+00S 15+00E | 201 | 85 | -- | -- | -- | -- | -- |
| 10+00S 15+50E | 201 | 50 | -- | -- | -- | -- | -- |
| 10+00S 16+00E | 201 | 70 | -- | -- | -- | -- | -- |
| 10+00S 16+50E | 201 | 70 | -- | -- | -- | -- | -- |
| 10+00S 17+00E | 201 | 70 | -- | -- | -- | -- | -- |
| 10+00S 17+50E | 201 | 68 | -- | -- | -- | -- | -- |
| 10+00S 18+50E | 201 | 80 ✓ | -- | -- | -- | -- | -- |
| 10+00S 19+00E | 201 | 34 | -- | -- | -- | -- | -- |
| 10+00S 19+50E | 201 | 31 | -- | -- | -- | -- | -- |
| 10+00S 20+00E | 201 | 55 | -- | -- | -- | -- | -- |
| 12+00S 0+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 12+00S 0+50E | 201 | 36 | -- | -- | -- | -- | -- |
| 12+00S 1+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 12+00S 1+50E | 201 | 53 | -- | -- | -- | -- | -- |
| 12+00S 2+00E | 201 | 98 | -- | -- | -- | -- | -- |
| 12+00S 2+50E | 201 | 72 | -- | -- | -- | -- | -- |
| 12+00S 3+00E | 201 | 33 | -- | -- | -- | -- | -- |
| 12+00S 3+50E | 201 | 34 | -- | -- | -- | -- | -- |
| 12+00S 4+00E | 201 | 72 | -- | -- | -- | -- | -- |

Certified by *Hart Bischler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312549-001-A
INVOICE # : I8312549
DATE : 15-JUL-83
P.O. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | CU ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 12+00S 4+5CE | 201 | 33 | -- | -- | -- | -- | -- |
| 12+00S 5+00E | 201 | 95 | -- | -- | -- | -- | -- |
| 12+00S 5+50E | 201 | 46 | -- | -- | -- | -- | -- |
| 12+COS 6+00E | 201 | 35 | -- | -- | -- | -- | -- |
| 12+00S 6+5CE | 201 | 50 | -- | -- | -- | -- | -- |
| 12+COS 8+00E | 201 | 40 | -- | -- | -- | -- | -- |
| 12+COS 8+5CE | 201 | 31 | -- | -- | -- | -- | -- |
| 12+COS 9+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 12+00S 9+5CE | 201 | 30 | -- | -- | -- | -- | -- |
| 12+00S 10+00E | 201 | 71 | -- | -- | -- | -- | -- |
| 12+00S 10+50E | 201 | 49 | -- | -- | -- | -- | -- |
| 12+00S 11+00E | 201 | 43 | -- | -- | -- | -- | -- |
| 12+00S 11+50E | 201 | 49 | -- | -- | -- | -- | -- |
| 12+00S 12+00E | 201 | 38 | -- | -- | -- | -- | -- |
| 12+COS 12+50E | 201 | 42 | -- | -- | -- | -- | -- |
| 12+00S 13+00E | 201 | 28 | -- | -- | -- | -- | -- |
| 12+00S 13+50E | 201 | 25 | -- | -- | -- | -- | -- |
| 12+COS 14+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 12+00S 14+50E | 201 | 40 | -- | -- | -- | -- | -- |
| 12+00S 15+00E | 201 | 25 | -- | -- | -- | -- | -- |
| 12+00S 15+50E | 201 | 38 | -- | -- | -- | -- | -- |
| 12+COS 16+00E | 201 | 49 | -- | -- | -- | -- | -- |
| 12+00S 16+50E | 201 | 59 | -- | -- | -- | -- | -- |
| 12+00S 17+00E | 201 | 24 | -- | -- | -- | -- | -- |
| 12+COS 17+50E | 201 | 135 | -- | -- | -- | -- | -- |
| 12+00S 18+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 12+COS 18+50E | 201 | 30 | -- | -- | -- | -- | -- |
| 12+COS 19+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 12+00S 19+50E | 201 | 46 | -- | -- | -- | -- | -- |
| 12+00S 20+00E | 201 | 45 | -- | -- | -- | -- | -- |
| 14+00S 0+00E | 201 | 45 | -- | -- | -- | -- | -- |
| 14+00S 0+50E | 201 | 49 | -- | -- | -- | -- | -- |
| 14+00S 1+00E | 201 | 33 | -- | -- | -- | -- | -- |
| 14+00S 1+5CE | 201 | 22 | -- | -- | -- | -- | -- |
| 14+00S 2+00E | 201 | 47 | -- | -- | -- | -- | -- |
| 14+00S 2+50E | 201 | 19 | -- | -- | -- | -- | -- |
| 14+00S 3+00E | 201 | 29 | -- | -- | -- | -- | -- |
| 14+COS 3+50E | 201 | 45 | -- | -- | -- | -- | -- |
| 14+00S 4+00E | 201 | 37 | -- | -- | -- | -- | -- |
| 14+00S 4+50E | 201 | 31 | -- | -- | -- | -- | -- |

Certified by *Hart Bechler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312549-002-A
INVOICE # : 18312549
DATE : 15-JUL-83
P.C. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|----|
| 14+00S 5+00E | 201 | 81 ✓ | -- | -- | -- | -- | -- | -- |
| 14+00S 5+50E | 201 | 41 | -- | -- | -- | -- | -- | -- |
| 14+00S 7+00E | 201 | 78 ✓ | -- | -- | -- | -- | -- | -- |
| 14+00S 7+50E | 201 | 22 | -- | -- | -- | -- | -- | -- |
| 14+00S 8+00E | 201 | 72 | -- | -- | -- | -- | -- | -- |
| 14+00S 8+50E | 201 | 38 | -- | -- | -- | -- | -- | -- |
| 14+00S 9+00E | 201 | 48 | -- | -- | -- | -- | -- | -- |
| 14+00S 9+50E | 201 | 69 | -- | -- | -- | -- | -- | -- |
| 14+00S 10+00E | 201 | 47 | -- | -- | -- | -- | -- | -- |
| 14+00S 10+50E | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 14+00S 11+00E | 201 | 30 | -- | -- | -- | -- | -- | -- |
| 14+00S 11+50E | 201 | 50 | -- | -- | -- | -- | -- | -- |
| 14+00S 12+CCE | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 14+00S 12+50E | 201 | 40 | -- | -- | -- | -- | -- | -- |
| 14+00S 13+CCE | 201 | 30 | -- | -- | -- | -- | -- | -- |
| 14+00S 13+50E | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 14+00S 14+00E | 201 | 47 | -- | -- | -- | -- | -- | -- |
| 14+00S 15+CCE | 201 | 73 | -- | -- | -- | -- | -- | -- |
| 14+00S 15+50E | 201 | 55 | -- | -- | -- | -- | -- | -- |
| 14+00S 16+CCE | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 14+00S 16+50E | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 14+00S 17+CCE | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 14+00S 17+50E | 203 | 72 | -- | -- | -- | -- | -- | -- |
| 14+00S 18+00E | 201 | 30 | -- | -- | -- | -- | -- | -- |
| 14+00S 18+50E | 201 | 31 | -- | -- | -- | -- | -- | -- |
| 14+00S 19+CCE | 201 | 32 | -- | -- | -- | -- | -- | -- |
| 14+00S 19+50E | 201 | 33 | -- | -- | -- | -- | -- | -- |
| 14+00S 20+CCE | 201 | 31 | -- | -- | -- | -- | -- | -- |
| 16+00S 0+00E | 201 | 51 ✓ | -- | -- | -- | -- | -- | -- |
| 16+00S 0+50E | 201 | 135 ✓ | -- | -- | -- | -- | -- | -- |
| 16+00S 1+00E | 201 | 110 ✓ | -- | -- | -- | -- | -- | -- |
| 16+00S 1+50E | 201 | 23 | -- | -- | -- | -- | -- | -- |
| 16+00S 2+CCE | 201 | 30 | -- | -- | -- | -- | -- | -- |
| 16+00S 2+50E | 201 | 87 | -- | -- | -- | -- | -- | -- |
| 16+00S 3+50E | 201 | 56 | -- | -- | -- | -- | -- | -- |
| 16+00S 4+CCE | 201 | 19 | -- | -- | -- | -- | -- | -- |
| 16+00S 4+50E | 201 | 340 ✓ | -- | -- | -- | -- | -- | -- |
| 16+00S 5+00E | 201 | 77 | -- | -- | -- | -- | -- | -- |
| 16+00S 5+50E | 201 | 66 | -- | -- | -- | -- | -- | -- |
| 16+00S 6+CCE | 201 | 138 | -- | -- | -- | -- | -- | -- |

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

** CERT. # : A8312549-003-A
INV/CICE # : I8312549
DATE : 15-JUL-83
P.C. # : NONE

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 16+00S 6+50E | 201 | 57 | -- | -- | -- | -- | -- |
| 16+00S 7+00E | 201 | 29 | -- | -- | -- | -- | -- |
| 16+00S 7+50E | 201 | 56 | -- | -- | -- | -- | -- |
| 16+00S 8+00E | 201 | 31 | -- | -- | -- | -- | -- |
| 16+00S 8+50E | 201 | 30 | -- | -- | -- | -- | -- |
| 16+00S 9+00E | 201 | 29 | -- | -- | -- | -- | -- |
| 16+00S 9+50E | 201 | 59 | -- | -- | -- | -- | -- |
| 16+00S 10+00E | 201 | 24 | -- | -- | -- | -- | -- |
| 16+00S 10+50E | 201 | 82 | -- | -- | -- | -- | -- |
| 16+00S 11+00E | 201 | 110 | -- | -- | -- | -- | -- |
| 16+00S 11+50E | 201 | 24 | -- | -- | -- | -- | -- |
| 16+00S 12+00E | 201 | 102 | -- | -- | -- | -- | -- |
| 16+00S 12+50E | 201 | 28 | -- | -- | -- | -- | -- |
| 16+00S 13+00E | 201 | 25 | -- | -- | -- | -- | -- |
| 16+00S 13+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 16+00S 14+00E | 201 | 30 | -- | -- | -- | -- | -- |
| 16+00S 14+50E | 201 | 45 | -- | -- | -- | -- | -- |
| 16+00S 15+00E | 201 | 35 | -- | -- | -- | -- | -- |
| 16+00S 15+50E | 201 | 78 | -- | -- | -- | -- | -- |
| 16+00S 16+00E | 201 | 59 | -- | -- | -- | -- | -- |
| 16+00S 16+50E | 201 | 38 | -- | -- | -- | -- | -- |
| 16+00S 17+00E | 201 | 35 | -- | -- | -- | -- | -- |
| 16+00S 17+50E | 201 | 29 | -- | -- | -- | -- | -- |
| 16+00S 18+00E | 201 | 56 | -- | -- | -- | -- | -- |
| 16+00S 18+50E | 201 | 57 | -- | -- | -- | -- | -- |
| 16+00S 19+00E | 201 | 31 | -- | -- | -- | -- | -- |
| 16+00S 19+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 16+00S 20+00E | 201 | 27 | -- | -- | -- | -- | -- |
| 17+00S 0+00E | 201 | 61 | -- | -- | -- | -- | -- |
| 17+00S 0+50E | 201 | 43 | -- | -- | -- | -- | -- |
| 17+00S 1+00E | 201 | 55 | -- | -- | -- | -- | -- |
| 17+00S 1+50E | 201 | 85 | -- | -- | -- | -- | -- |
| 17+00S 2+00E | 201 | 38 | -- | -- | -- | -- | -- |
| 17+00S 2+50E | 201 | 110 | -- | -- | -- | -- | -- |
| 17+00S 3+00E | 201 | 116 | -- | -- | -- | -- | -- |
| 17+00S 3+50E | 201 | 39 | -- | -- | -- | -- | -- |
| 17+00S 4+00E | 201 | 104 | -- | -- | -- | -- | -- |
| 17+00S 4+50E | 201 | 31 | -- | -- | -- | -- | -- |
| 17+00S 5+00E | 201 | 54 | -- | -- | -- | -- | -- |
| 17+00S 5+50E | 201 | 135 | -- | -- | -- | -- | -- |

Certified by *Hart Bickler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

** CERT. # : A8312549-004-A
INVOICE # : I8312549
DATE : 15-JUL-83
P.O. # : NCNE

402 - 535 WEST GEORGIA STREET,
VANCOUVER, B.C.
V6B 1Z6

ATTN: LARRY CAMPBELL

| Sample description | Prep code | Cu ppm | | | | | |
|--------------------|-----------|--------|----|----|----|----|----|
| 17+00S 6+00E | 201 | 47 | -- | -- | -- | -- | -- |
| 17+00S 6+50E | 201 | 115 | -- | -- | -- | -- | -- |
| 17+00S 7+00E | 201 | 72 | -- | -- | -- | -- | -- |
| 17+00S 7+50E | 201 | 59 | -- | -- | -- | -- | -- |
| 17+00S 8+00E | 201 | 205 | -- | -- | -- | -- | -- |
| 17+00S 8+50E | 201 | 63 | -- | -- | -- | -- | -- |
| 17+00S 9+00E | 201 | 78 | -- | -- | -- | -- | -- |
| 17+00S 9+50E | 201 | 44 | -- | -- | -- | -- | -- |
| 17+00S 10+00E | 201 | 49 | -- | -- | -- | -- | -- |
| 17+00S 10+50E | 201 | 68 | -- | -- | -- | -- | -- |
| 17+00S 11+00E | 201 | 32 | -- | -- | -- | -- | -- |
| 17+00S 11+50E | 201 | 110 | -- | -- | -- | -- | -- |
| 17+00S 12+00E | 201 | 62 | -- | -- | -- | -- | -- |
| 17+00S 12+50E | 201 | 32 | -- | -- | -- | -- | -- |
| 17+00S 13+00E | 201 | 23 | -- | -- | -- | -- | -- |
| 17+00S 13+50E | 201 | 50 | -- | -- | -- | -- | -- |
| 17+00S 14+00E | 201 | 52 | -- | -- | -- | -- | -- |
| 17+00S 14+50E | 201 | 49 | -- | -- | -- | -- | -- |
| 17+00S 15+00E | 201 | 39 | -- | -- | -- | -- | -- |
| 17+00S 15+50E | 201 | 35 | -- | -- | -- | -- | -- |
| 17+00S 16+00E | 201 | 26 | -- | -- | -- | -- | -- |
| 17+00S 16+50E | 201 | 25 | -- | -- | -- | -- | -- |
| 17+00S 17+00E | 201 | 95 | -- | -- | -- | -- | -- |
| 17+00S 17+50E | 201 | 59 | -- | -- | -- | -- | -- |
| 17+00S 18+00E | 201 | 45 | -- | -- | -- | -- | -- |
| 17+00S 18+50E | 201 | 64 | -- | -- | -- | -- | -- |
| 17+00S 19+00E | 201 | 63 | -- | -- | -- | -- | -- |
| 17+00S 19+50E | 201 | 29 | -- | -- | -- | -- | -- |
| 17+00S 20+00E | 201 | 35 | -- | -- | -- | -- | -- |

Hart Bickler

Certified by



MEMBER
ANALYST TESTING



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CAPRI RESOURCES LTD

619 - 475 HOWE ST.
VANCOUVER, B.C.
V6C 2B3

** CERT. # : A8410106-001-A
INVOICE # : I8410106
DATE : 25-JAN-84
P.O. # : NONE


ATTN: LARRY CAMPBELL

| Sample description | Prep code | Au ppb | NAA | | | | |
|--------------------|-----------|--------|-----|----|----|----|----|
| 0+00S 0+50E | 214 | <1 | -- | -- | -- | -- | -- |
| 0+00S 3+50E | 214 | <1 | -- | -- | -- | -- | -- |
| 2+00S 11+00E | 214 | <1 | -- | -- | -- | -- | -- |
| 4+00S 3+50E | 214 | <4 | -- | -- | -- | -- | -- |
| 4+00S 9+00E | 214 | <4 | -- | -- | -- | -- | -- |
| 4+00S 13+50E | 214 | <4 | -- | -- | -- | -- | -- |
| 6+00S 3+50E | 214 | <2 | -- | -- | -- | -- | -- |
| 6+00S 5+00E | 214 | <2 | -- | -- | -- | -- | -- |
| 8+00S 15+50E | 214 | <4 | -- | -- | -- | -- | -- |
| 8+00S 18+50E | 214 | 7 | -- | -- | -- | -- | -- |
| 10+00S 13+50E | 214 | 1 | -- | -- | -- | -- | -- |
| 10+00S 18+50E | 214 | 4 | -- | -- | -- | -- | -- |
| 12+00S 5+00E | 214 | <1 | -- | -- | -- | -- | -- |
| 12+00S 17+50E | 214 | 1 | -- | -- | -- | -- | -- |
| 14+00S 5+00E | 214 | <4 | -- | -- | -- | -- | -- |
| 14+00S 5+50E | 214 | <2 | -- | -- | -- | -- | -- |
| 16+00S 0+50E | 214 | <2 | -- | -- | -- | -- | -- |
| 16+00S 1+00E | 214 | <1 | -- | -- | -- | -- | -- |
| 16+00S 4+50E | 214 | <10 | -- | -- | -- | -- | -- |
| 17+00S 17+00E | 214 | <2 | -- | -- | -- | -- | -- |

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION




GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,068



| | |
|--|---------------------|
| CAPRI RESOURCES LTD. GREG CLAIMS KAMLOOPS MINING DIVISION - B.C. | |
| GEOCHEMICAL SURVEY | |
| COPPER RESULTS IN P.P.M. | |
| 100 | 0 |
| 100 | 200 |
| 300 | 400 m |
| NTS 92-I-10 | DATE: SEPT 13, 1983 |
| By F. HOLCAPEK P.Eng. / r.w.r. | FIGURE 3 |



GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,068



LEGEND:

FRASER FILTER RESULT (%)

CONTOUR INTERVAL = 5,10,15,20,25,30 & 35 %

FZ

| | |
|--|--------------------------------|
| CAPRI RESOURCES LTD. GREG CLAIMS KAMLOOPS MINING DIVISION - B.C. | |
| VLF-EM SURVEY | |
| CONTOURS OF FRASER FILTER RESULTS (%) | |
| | |
| I : 5000 | |
| NTS 92-I-10 By F.HOLCAPEK P.Eng. / rwr | DATE SEPT 13, 1983 FIGURE 4 |



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

12,068

LEGEND

DIP ANGLE (READING IN DEGREES)
QUADRATURE (READING IN PERCENT)



**CAPRI RESOURCES LTD.
GREG CLAIMS
KAMLOOPS MINING DIVISION - B.C.**

VLF-EM SURVEY

DIP ANGLE & QUADRATURE READINGS

100 0 100 200 300 400 m
1:5000

NTS 92-I-10
By F HOLCAPEK P.Eng./rwr.

DATE: SEPT 13, 1983
FIGURE 5