

84-#432 - 12445
6125Province of
British ColumbiaMinistry of
Energy, Mines and
Petroleum ResourcesASSESSMENT REPORT
TITLE PAGE AND SUMMARY

TYPE OF REPORT/SURVEY(S)	TOTAL COST
Geophysical Surveys: EM-37 and Mise-a-la-masse	\$57,341.00

AUTHOR(S) C. Dyson SIGNATURE(S)
(J. L. LeBel, C. Pawluk)

DATE STATEMENT OF EXPLORATION AND DEVELOPMENT FILED YEAR OF WORK 1983

PROPERTY NAME(S) CAROL S., CAROL S2-S3, TANIA S., MARINO S., EFREM S., LUCIA S., TANIA S2-S4

COMMODITIES PRESENT Copper

B.C. MINERAL INVENTORY NUMBER(S), IF KNOWN

MINING DIVISION Victoria

NTS 92C/15 & 16

LATITUDE 48°58'N

LONGITUDE 124°30'W

NAMES and NUMBERS of all mineral tenures in good standing (when work was done) that form the property [Examples: TAX 1-4, FIRE 2 (12 units); PHOENIX (Lot 1706); Mineral Lease M 123; Mining or Certified Mining Lease ML 12 (claims involved)]:

CAROL S (20 units) 644; TANIA S (20 units) 645; LUCIA S (20 units) 646;

MARINO S (20 units) 647; CAROL S2 (20 units) 648; EFREM S (20 units) 649;

TANIA S2 (15 units) 683; TANIA S3 (20 units) 684; TANIA S4 (16 units) 685;

OWNER(S) CAROL S3 (20 units) 686.

(1) E & L Specogna

(2)

MAILING ADDRESS

1704 Centenary Drive

Nanaimo, B. C.

OPERATOR(S) (that is, Company paying for the work)

(1) Chevron Canada Resources Limited

(2)

MAILING ADDRESS

1900-1055 West Hastings St.

Vancouver, B.C.

V6E 2E9

GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,445

SUMMARY GEOLOGY (lithology, age, structure, alteration, mineralization, size, and attitude):

Claims underlain by Paleozoic Sicker Group metavolcanics and sediments which are... intruded by a large body of Jurassic age diorite. A small zone of stringer sulphides, consisting of quartz-pyrite-chalcopyrite, occurs in chlorite-sericite silty tuff on the CAROL S claim.

REFERENCES TO PREVIOUS WORK Assessment report of geological-geochemical work completed on CAROL S, TANIA S, LUCIA S, MARINO S, CAROL S2, EFREM S, TANIA S2, TANIA S3, TANIA S4, CAROL S3 claims, by Chevron Canada Resources Limited, July 26, 1983, C.V. Dyson, P.Eng.

(over)

ASSESSMENT REPORT
on
EM-37 and Mise-a-la Masse GEOPHYSICAL SURVEYS
on the
CAROL S (COWICHAN GROUP #1) and
TANIA S4 (COWICHAN GROUP #2) claims
in the
VICTORIA MINING DIVISION
N.T.S. 92C/15 and 16
Latitude 48°58'N, Longitude 124°30'W
by
MPH CONSULTING LIMITED
for
CHEVRON CANADA RESOURCES LIMITED
June 1984, C.V. Dyson, P.Eng.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,445

TABLE OF CONTENTS

	<u>Page</u>
SUMMARY	1 ✓
STATEMENT OF COSTS	2 ✓
STATEMENT OF QUALIFICATIONS	3 ✓

FIGURE

Fig. 1 Claim Grouping

Following Page 1 ✓

APPENDIX A

Report on Geophysical Surveys, Heather Property by MPH Consulting Limited, January 1984, J. L. LeBel, P.Eng., C. Pawluk, B.Sc.1984.

SUMMARY

MPH Consulting Limited were contracted by Chevron Canada Resources Limited in November 1983 to carry out ground geophysical surveys in selected areas of the CAROL S, TANIA S, LUCIA S, MARINO S, EFREM S, CAROL S2, TANIA S2, TANIA S3, TANIA S4, CAROL S3 claims in the Victoria Mining Division, B. C.


The survey work was carried out between November 4 and December 15th 1983 by MPH Consulting Limited who sub-contracted the line cutting stage to Bema Industries Ltd. of Vancouver. Both C. V. Dyson, P.Eng. (Senior Geologist) and J. P. Steele, P.Eng. (Senior Geophysicist) of Chevron Canada Resources Limited provided pre-survey input and on-site liaison with the contractors.

The surveys were carried out in a competent and professional manner by the contractors who submitted a full report on their activities.

The report on geophysical surveys is appended as Appendix A and submitted for assessment credits on the COWICHAN #1 (CAROL S, CAROL S2-S3, TANIA S, MARINO S) and COWICHAN #2 (EFREM S, LUCIA S, TANIA S2-S4) claim groupings (Fig. 1).


The total cost of the geophysical surveys is \$57,341. as detailed in the accompanying statement of costs.

Respectfully submitted


C. V. Dyson, P.Eng.

Senior Geologist

N



COWICHAN #1 GROUP

COWICHAN #2 GROUP



FIG. 1

**CHEVRON
CANADA RESOURCES LTD.**

HEATHER PROPERTY

CLAIM MAP

VICTORIA MINING DIVISION

Project No	C-639	By	J.L. Lebel
Scale	1:50,000	Drawn	GCS Ltd
Drawing No		Date	January 1984


STATEMENT OF COSTS

FIELD PERSONNEL (Contract)

MPH Consultants: Larry LeBel 10 days @\$450/day	\$ 4,500.00
Geophysical Crew: C. Pawluk, J. Ashenhurst, R. Krawinkel, T. Archibald - 21 days @\$950/day	19,950.00
Bema Industries: Linecutting (18 L km)	12,826.00

SERVICES

Food/Accommodation: (21 days x 4 men) 84 man days @\$50/day	4,200.00
Truck Rental: 21 days @\$65.00	1,365.00
Instrument Rentals: EM-37 21 days @\$500/day	10,500.00
Mob/Demob:	1,000.00
Report Preparation/Interpretation:	<u>3,000.00</u>
	<u>\$57,341.00</u>




STATEMENT OF QUALIFICATIONS

I, Colin Dyson, am a member of the Association of Professional Engineers of the Province of British Columbia and have an office at 1900 - 1055 West Hastings Street, Vancouver, B.C. V6E 2E9.

I am a graduate of the University of Manchester, England (B.Sc. Hons. 1963).

I worked in mineral exploration since 1964 and am a member of the Geological Association of Canada and the Society of Economic Geologists.



C. V. Dyson, P.Eng.

June 1984

REPORT ON GEOPHYSICAL SURVEYS
HEATHER PROPERTY

CAROL S, TANIA S, LUCIA S, MARINO S
CAROL S2, EFRAM S, TANIA S2,
TANIA 3, TANIA S4, CAROL S3
CLAIMS

VICTORIA MINING DIVISION
NTS 92 C 15 and 16

Latitude 48°58'N, Longitude 124°30'W

for

CHEVRON CANADA RESOURCES LIMITED

January, 1984
Toronto, Ontario

J.L. LeBel, P.Eng.
C. Pawluk, B.Sc.
MPH Consulting Limited

TABLE OF CONTENTS

	<u>PAGE NO.</u>
1.0 INTRODUCTION	1
2.0 PROPERTY, LOCATION AND ACCESS	2
3.0 GEOLOGY AND MINERALIZATION	5
3.1 Regional Geology	5
3.2 Property Geology	5
3.3 Mineralization	6
4.0 PREVIOUS WORK	7
5.0 INSTRUMENTATION AND SURVEY PROCEDURES	8
5.1 Line Cutting	8
5.2 Transient Electromagnetic Survey	8
5.3 Mise-a-la-Masse Survey	12
5.4 Personnel	13
6.0 PRESENTATION OF DATA	14
7.0 RESULTS AND INTERPRETATION	15
7.1 Showing Area	15
7.1.1 Transient Electromagnetic Survey	15
7.1.2 Mise-a-la-Masse Survey	15
7.2 Area 1	16
8.0 CONCLUSIONS AND RECOMMENDATIONS	17

1.0 INTRODUCTION

This report presents the results of a program of transient electromagnetic and mise-a-la-masse geophysical surveys conducted on the Chevron Canada Resources Limited, Heather Property located on southern Vancouver Island.

The surveys were conducted on two areas designated the Showing Area and Area 1. In the Showing Area, both transient electromagnetic and mise-a-la-masse surveys were conducted. In Area 1 only transient electromagnetic measurements were made.

The purpose of the surveys was:

- (i) Showing Area - identify the geophysical response of and trace the extent of a showing of Au, Cu and Zn mineralization;
- (ii) Area 1 - locate the cause of weak airborne electromagnetic anomalies and related copper soil geochemical anomalies.

The surveys were conducted by MPH Consulting Limited of Toronto, Ontario during the period November 4 to December 15, 1983. The program was under the direction of J.L. LeBel, P.Eng. and C. Pawluk, B.Sc. The survey progressed at a relatively slow pace because of heavy precipitation, including snow, which made movement on the steep terrain particularly treacherous.

TABLE OF CONTENTS
(cont'd.)

	<u>PAGE NO.</u>
CERTIFICATE	
APPENDIX I	Transient Electromagnetic Survey Data
APPENDIX II	Model for Showing Area, Line 0+00
APPENDIX III	Transient Electromagnetic Modelling Results
APPENDIX IV	Equipment Specifications

LIST OF FIGURES

Figure 1	Location Map	3
Figure 2	Claim Map	4
Figure 3	Showing Area, Grid Plan	9
Figure 4	Area 1, Grid Plan	10
Map 1	Mise-a-la-masse Survey, Showing Area backpocket	

2.0 PROPERTY, LOCATION AND ACCESS

The Heather property consists of 10 mineral claims (191 units), the status of which is summarized below.


<u>Claim Name</u>	<u>No. of Units</u>	<u>Record Date</u>	<u>Record No.</u>
CAROL S	20	August 3, 1982	644
TANIA S	20	August 3, 1982	645
LUCIA S	20	August 3, 1982	646
MARINO S	20	August 3, 1982	647
CAROL S2	20	August 3, 1982	648
EFREM S	20	August 3, 1982	649
TANIA S2	15	October 5, 1982	683
TANIA S3	20	October 5, 1982	684
TANIA S4	16	October 5, 1982	685
CAROL S3	20	October 5, 1982	686



The geophysical surveys described herein focussed on the Carol S claim (Showing Area) and the Tania S4 claim (Area 1).

The property is located at the west end of Cowichan Lake on the southern end of Vancouver Island, approximately 20 km west of the town of Youkou, B.C. at latitude 48°38'N, and longitude 124°30'W in the Victoria Mining Division-NTS 92 C15 and 16 (Figures 1 and 2).

Access to the property is gained from Youbou by either the north or south shore Cowichan Lake roads to the Crown Zellerbach main line. A network of branch logging roads provides access to the immediate areas of the surveys.

Road conditions at the time of the survey were poor because of heavy precipitation which caused numerous wash outs and threatened some of the bridges crossing creeks in the survey area.






CHEVRON
CANADA RESOURCES LTD.

HEATHER PROPERTY
CLAIM MAP
VICTORIA MINING DIVISION

Project No. C-639	By J.L. Lebel
Scale 1:50,000	Drawn GCS Ltd
Drawing No. Fig. 2	Date January 1984

 MPH Consulting Limited

3.0 GEOLOGY AND MINERALIZATION

3.1 Regional Geology

The region is underlain by the rocks of the Sicker Group. The three major formations of the Sicker Group are the Buttle Lake Formation, Myra Formation and Nitinat Formation.

The lowermost Nitinat formation is composed of 8,000 to 10,000 feet of altered basalt flows, breccias and tuffs which are in turn overlain, intercalated and interfingered with greywacke, argillite, felsic tuffs, mafic intrusives and chert of the Myra formation. These are unconformably overlain by up to 2,000 feet of crinoidal and cherty limestone and argillite of the Buttle Lake Formation.

3.2 Property Geology

Although all the Sicker Group formations are present on the property, the Myra formation is of primary interest as it hosts the Westmin Resources deposits at Buttle Lake and at Mount Sicker. Both of the grids used in this survey are located within the boundaries of the 1 to 1.5 kilometer wide, northwesterly striking, steeply dipping (45° - 90°) Myra formation. It is composed of a series of well bedded tuffs and tuffaceous sediments (in some cases shaley). The tuffs are rhyodacitic in composition although some rare quartz eyes have been located which may indicate the presence of some rhyolite tuffs. The entire formation is highly contorted suggesting the entire Sicker Group may be highly deformed.

A green tuff unit, a maroon tuff unit, and a silty tuff unit comprise the three main units of the Myra Formation. The green tuff appears to be the main volcanic unit and lies above and below the other two units with the maroon tuff

overlying the silty tuff. The maroon tuff is very well bedded and locally resembles shale. The silty unit is also well bedded (beds approximately 1-2" thick) and is locally well sheared. Most of the faulting seems to have been in the silty unit.

Medium to coarse grained diorite intrudes both the Myra and the Nitinat Formations. One of these diorite intrusions underlies the area covered by Area 1.

3.3 Mineralization

The only significant mineralization recognized on the property consists of stringer to massive sulphides composed of quartz/pyrite/chalcopyrite exposed in a trench centered in the Showing Area. The zone is hosted by an altered (clay, chlorite and sericite)silty tuff centered in a large antiform.

Taken by itself, the showing is probably unimportant but it may represent a stringer sulphide zone on the fringe of a massive sulphide body or a faulted remnant of a massive sulphide.

4.0 PREVIOUS WORK

Previous work conducted on the property consisted of geological mapping, soil geochemical surveys and an Input MVI helicopter airborne electromagnetic survey.

The soil geochemical survey detected a good multi-element (Au, Cu and Zn) anomaly in the Showing Area. Moderate Cu soil geochemical anomalies were outlined on either side of Area 1. These anomalies may be linked together with other anomalies in the area to form a semi-continuous, 2 km long zone apparently related to the altered silty tuff horizon of the Myra Formation.

The Input airborne electromagnetic survey detected several weak 1 and 2 channel anomalies in the vicinity of Area 1. The anomalies could be attributed to any number of sources such as:

- (i) deeply buried massive sulphide body;
- (ii) shallow disseminated sulphide body or sulphide body composed principally of sphalerite and galena;
- (iii) geological feature such as a contact or fault;
- (iv) noise.

No Input anomalies were registered over the Showing Area.

5.0 INSTRUMENTATION AND SURVEY PROCEDURES

5.1 Line Cutting

Two grids to accomodate the survey were cut by Bema Industries Limited. The grids were oriented so that the transmitter loops for the transient electromagnetic survey would be as close to planar as possible. As a consequence, their orientation ignored local geologic trends.

In the Showing Area, the grid was centered on the Showing. The baseline extends 400m east and 400m at an azimuth of 090° from the showing. 400m long lines were established at 100m intervals along the base line extept at the center of the grid where lines were established at 25m intervals (Figure 3).


In Area 1, the grid consists of a 800m long base line with an azimuth of 000° with 800m long lines located at 100m intervals (Figure 4).

5.2 Transient Electromagnetic Survey

The transient electromagnetic survey was conducted with a Geonics EM-37 system. Specifications of the EM-37 are detailed in Appendix III.

The survey was conducted in the Turam Mode with large transmitter loops. One 800 x 400m transmitter loop was established in the Showing Area and two 800 x 300m were set up in Area 1 as indicated in figures 3 and 4.

An alternating commutated square wave curent form is impressed into the transmitter loop. The current in the transmitter is turned off abruptly producing a large electromagnetic field in the ground. The repetition rate of the current wave



LEGEND

- Tx Loop (west)
- - - Tx Loop (east)
- ~~~~~ Logging road

CHEVRON
CANADA RESOURCES LTD.

HEATHER PROPERTY

AREA 1 GRID PLAN

VICTORIA MINING DIVISION

Project No. C-633	By J.L. Label
Scale: 1:5000	Drawn GCS Ltd
Drawing No. Fig 4	Date: January 1984



MPH Consulting Limited

form was set at 30 hz to respect the expected high background resistivities in the area.

Components of the secondary field induced by primary field are measured with a mobile receiver loop approximately 1m in diameter. In this case, components in the x, y and z directions where x is taken parallel to the line direction, were measured.

In order to keep the orientation of the receiver coil as constant as possible, orientations are defined as true directions rather than with respect to the plane of the transmitter.

Measurement of all of the components of the secondary fields is essential in determining the size and orientation of cause of any anomalies. Also, it was considered important to measure all of the components because the ultimate strike and dip of any conductors in the area was not precisely known. The EM-37 records the secondary fields across 20 gates spaced at logarithmic intervals after the current in the transmitter is terminated. Readings were taken at 25m and/or 50m intervals inside the transmitter loop. Measuring inside of the transmitter loop assures that the primary field is as uniform as possible and coupled with attempts to keep the transmitter in the plane of the topography reduces topographic effects that otherwise might be present.

Unfortunately, with this configuration, a vertical sheet-like conductor located in the middle of the loop will be zero coupled with the primary field and will not generate an anomalous secondary field.

To increase the extent of areal coverage in Area 1, a limited amount of coverage was affected outside of the transmitter loops.

The data collected were reduced and plotted using the Geonics "GSP37" processing software.

The following data was acquired:

Showing area: L 2+00W, 1+50N - 1+00S
L 1+00W, 1+75N - 1+00S
L 0+00, 1+50N - 1+00S
L 1+00E, 1+50N - 1+50S

Area 1:

Loop 1 (west) 2+00N, 0+25W - 2+75W
1+00N, 0+25W - 2+75W
0+00, 0+25W - 2+75W
0+50E - 3+00E
1+00S, 0+25W - 2+75W
2+00S, 0+25W - 4+00W
3+00S, 0+25W - 4+00W
Loop 2 (east) 0+00, 0+25E - 3+75E
1+00S, 0+25E - 3+75E

Data was collected on lines 2+00S, 1+00N and 2+00N in Area 1 but not saved because of failure of the data logger attributed to excessively wet conditions.

5.3 Mise-a-la-Masse-Survey

The mise-a-la-masse survey was conducted on the Showing Area with a Huntect Mark IV 2.5 kw induced polarization system. Specifications of the Huntect system are detailed in Appendix III.

Two separate current electrodes, designated electrode 1 and electrode 2, were installed in the showing on line 0+00 at 0+25N and 0+25S, respectively. Each electrode consisted of 3 stakes wrapped with aluminum foil which were jammed into holes excavated by a portable drill. The infinite current electrode consisted of a sheet of aluminum foil placed in a pit. It was located approximately 1 km south of the centre of the grid.

The mobile potential electrode consisted of a steel rod. The infinite potential reference electrode consisted of a sheet of Aluminum foil located approximately 800m north of the centre of the grid.

Current was transmitted sequentially through the two current electrodes and primary voltage measurements were made along the survey lines. Currents were in the 200 to 300 ma range with the transmitter voltage set at 2,200 volts.

Measurements were not taken along line 0+00 because most of the stations were located on an abandoned logging road where the potential electrode could not be driven into the ground.

5.4 Personnel

The MPH Consulting Limited personnel involved in the survey were:

L. LeBel, Senior Geophysical Consultant
C. Pawluk, Geophysicist
J. Ashenhurst, Technician
R. Krawinkel, Technician
T. Archibald, Technician

6.0 PRESENTATION OF DATA

The results of the transient electromagnetic survey are presented in Appendix I. Plots of the components of the secondary fields (dB/dt) in NV/Am^2 versus position are given for all 20 channels on each line.

Modelling results attempted for the results from the Showing Area using the "MODLSU" program of the GSP37 software are presented in Appendix II. The field data is shown as a dotted line, while the theoretical data is indicated by a solid line.

Appendix III contains a suite of models to illustrate the response of some typical conductors. The model adopted consists of a 300m by 100m plate with a conductance of 10 siemens (mho). A conductance of 10 may be low for a massive sulphide body but is considered adequately representative of a vein stringer disseminated type sulphide body. The plate is positioned in the center of an 800m by 400m transmitter loop with a strike parallel to the long dimension of the transmitter. Other strike directions would result in similarly shaped anomalies with appropriately reduced amplitudes. Results were calculated for various dips of the plate at depths of 50m and 150m. The model results assume that the transmitter loop lies in the xy-plane. In the survey areas this condition was not necessarily maintained because the x-direction was defined as true vertical and the transmitter was positioned on the land surface which, in places, sloped at up to 45°.

The results of the mise-a-la-masse survey for each current electrode position are illustrated on Map 1. The maps show the primary voltage normalized by the current in units volts/amp. Contours are at semi logarithmic intervals ... 1.0, 1.5, 2.0, 3.0, 5.0, 7.5, 10.0 ...

7.0 RESULTS AND INTERPRETATION

7.1 Showing Area

7.1.1 Transient Electromagnetic Survey

A weak 'cross-over' anomaly in the Z (vertical) component was recorded by the early channels at about station 1+00N on line 0+00. The observed response is consistent with the response expected at the north edge of a flat lying sheet with a conductance of 2 seimens and located at a depth of 50m as shown by the model modelling results in Appendix II. No response that would serve to indicate the southern edge of the sheet was recorded on the southern end of line 0+00. Note, however, that data was not collected south of the station 1+00S because of a culvert located at 1+50S. It is also possible that the edge of the sheet occurs outside of loop beyond the limits of the survey.

No anomalous responses were recorded on line 1+00W. A pseudo cross-over response observed at 0+75S on line 1+00E could not be satisfactorily modelled when considered in light of the anomaly observed on line 0+00. This response may be a topographic effect caused by a steep slope between 1+00S and the end of line 1+00E at 2+00S,

Elsewhere on the grid, no anomalies similar to the modelled responses for some typical examples shown in Appendix III were recorded.

7.1.2 Mise-a-la-Masse Survey

The contoured primary voltages of the mise-a-la-masse survey produce ellipses of low eccentricity. The

highest eccentricity (ratio of major axes of the ellipse to the minor axes of the ellipse) of approximately 2 occurs in a 100m x 50m area centered on electrode 2. The ellipses are elongated in a northwest/southeast direction parallel to the geological trend.

Considered separately, the results from each current electrode are consistent with the presence of a 75m x 30m conductor underneath each electrode. When the results are compared, however, it can be seen that the electrodes produce ellipses that are independent of each other. This implies that if a conductor is present it has extremely low, laterally varying conductivity.

The results may also be explained by a northwest trending zone of high resistivity flanked by low resistivities. This explanation concurs with the transient electromagnetic survey which did not detect a discrete conductive body.

7.2 Area 1

No transient electromagnetic anomalies similar to those illustrated by the modelling results in Appendix III were recorded in Area 1.

By way of general comments that pertain to both survey areas, it can be seen that the secondary field components decay to essentially zero amplitude by channel 10. This situation is a consequence of the high resistivities in the area which, according to the results of the mise-a-la-masse survey fall in the range of 2,000 ohm-m to 4,000 ohm-m.

8.0 CONCLUSIONS AND RECOMMENDATIONS

A poor, partially defined transient electromagnetic anomaly detected in the Showing Area may be explained by a small, shallow, low conductance flat lying sheet. The mise-a-la-masse survey results may also indicate a poor areally limited conductor but the results can also be explained by geological circumstances. The size of the conductor, if present, is too small to be of economic interest.

Nothing of interest was detected in Area 1.

The surveys covered only a small part of the Heather property. Economic potential for the property appears to be at depth. To completely evaluate the property additional coverage with a deep penetrating high resolution geophysical method like the transient electromagnetic method is recommended.

The modelling done indicates that a hypothetical, 300m by 100m, 10 siemen sulphide body should be detectable to a depth of at least 150m.

Respectfully submitted


J.L. LeBel, P.Eng.

C. Pawluk, Geophysicist

MPH CONSULTING LIMITED

CERTIFICATE

I, J.L. LeBel of Vancouver, British Columbia hereby certify that:

- 1) I hold a Bachelor of Science degree in Geological Engineering from Queen's University, Ontario, and a Master of Science degree in Geophysics from the University of Manitoba, Manitoba. I have practiced my profession in exploration geophysics continuously since graduation in 1972.
- 2) I am a Professional Engineer registered with the Association of Professional Engineers of British Columbia.
- 3) I have based conclusions and recommendations contained in this report on knowledge of the area, my previous experience in geophysical methods and interpretation and on the results of the field work conducted on the property.
- 4) I hold no interest, directly or indirectly in this property other than professional fees, nor do I expect to receive any interest in the property or in Chevron Canada Resources Limited or in any of its subsidiary companies.

Toronto, Ontario,
January, 1984


J.L. LeBel, P.Eng.

APPENDIX I

Transient Electromagnetic Data


Showing Area

Area 1 (west transmitter loop)

Area 1 (east transmitter loop)


Data file SWSHR
 LINE 00W S Component
 dB/dT (mV/Rm) TOFF corrected

Channels	Scale
1 to 1	1000.00
1 to 2	200.00
1 to 3	100.00
1 to 4	30.00
1 to 5	10.00
1 to 6	3.00
1 to 7	1.00




Data file SWSHR
 LINE 00W S Component
 dB/dT (mV/Rm) TOFF corrected

Channels	Scale
1 to 1	100.00
1 to 2	50.00
1 to 3	30.00
1 to 4	10.00
1 to 5	3.00
1 to 6	1.00




Data file SWSHR
 LINE 00W S Component
 dB/dT (mV/Rm) TOFF corrected

Channels	Scale
1 to 1	1000.00
1 to 2	100.00
1 to 3	30.00
1 to 4	10.00
1 to 5	3.00
1 to 6	1.00




Data file INSHR
 LINE 01W 2 Component
 dBZ/dT (nV/A²); TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 3	100.00
4 to 4	30.00
5 to 7	10.00
8 to 20	1.00




Data file INSHR
 LINE 01W X Component
 dBX/dT (nV/A²); TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	300.00
3 to 3	100.00
4 to 4	30.00
5 to 9	10.00
10 to 19	3.00
20 to 20	1.00




Data file INSHR
 LINE 01W Y Component
 dBY/dT (nV/A²); TOFF corrected

Channels	Scale
1 to 1	500.00
2 to 2	100.00
3 to 3	50.00
4 to 4	10.00
5 to 9	5.00
10 to 20	1.00




Data file 0005HP
 LINE 000 Z Component
 dBZ/dT (mV/Rm²): TOFF corrected

Channels	Scale
1 to 1	500.00
2 to 2	100.00
3 to 3	30.00
4 to 4	15.00
5 to 5	5.00
6 to 6	3.00
8 to 20	1.00




LINE 000 Z Component
 dBZ/dT (mV/Rm²): TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	300.00
3 to 3	100.00
4 to 4	30.00
5 to 5	3.00
10 to 20	1.00




Data file 0005HP
 LINE 000 Y Component
 dBZ/dT (mV/Rm²): TOFF corrected

Channels	Scale
1 to 1	500.00
2 to 2	300.00
3 to 3	100.00
4 to 4	30.00
10 to 20	1.00




Data file 1ESHP
 Line 01E Z Component
 dE/dt (mV/Am²), TOFF corrected

Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
6 to 6	1.00




Data file 1ESHP
 Line 01E X Component
 dE/dt (mV/Am²), TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	300.00
3 to 3	100.00
4 to 4	30.00
5 to 5	10.00
6 to 6	3.00
7 to 7	1.00



Data file 1ESHP
 Line 01E Y Component
 dE/dt (mV/Am²), TOFF corrected


Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
6 to 6	1.00



Data +file 000H1P
 LINE 000 Z Component
 dB/dT (nV/Rm²), TOFF corrected

Channels	Scale
1 to 1	3000.00
2 to 2	1000.00
3 to 3	300.00
4 to 4	20.00
5 to 5	10.00
6 to 6	3.00
10 to 10	1.00
16 to 20	.50


350E
 325E
 250E
 200E
 150E
 100E
 050E



Data +file 000H1P
 LINE 000 X Component
 dB/dT (nV/Rm²), TOFF corrected

Channels	Scale
1 to 1	3000.00
2 to 2	900.00
3 to 3	200.00
4 to 4	15.00
5 to 5	3.00
10 to 10	1.00
16 to 20	.50


350E
 325E
 250E
 200E
 150E
 100E
 050E



Data +file 000H1P
 LINE 000 Y Component
 dB/dT (nV/Rm²), TOFF corrected


Channels	Scale
1 to 1	1000.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
6 to 10	3.00
11 to 13	1.00
14 to 20	.50

150E
 100E
 50E




Data file 18A1EP
 LINE 013 : Component
 dB2/dT (nV/Rm2); TOFF corrected

Channels	Scale
1 to 1	3000.00
2 to 1	300.00
4 to 1	10.00
7 to 1	3.00
10 to 20	1.00




Data file 18A1EP
 LINE 013 : Component
 dBX/dT (nV/Rm2); TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 1	100.00
4 to 1	30.00
7 to 1	3.00
10 to 20	1.00



Data file 18A1EP
 LINE 013 : Component
 dBV/dT (nV/Rm2); TOFF corrected


Channels	Scale
1 to 1	300.00
2 to 1	100.00
4 to 1	50.00
7 to 1	3.00
10 to 20	1.00



Data file ENA1NR
 LINE 02N Z Component
 dBY/dT (nV/Rm²), TOFF corrected

Channels	Scale
1 to 1	500.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
6 to 6	1.00


0.25M
 0.50M
 1.00M
 1.50M
 2.00M
 2.50M
 2.75M



Data file ENA1NR
 LINE 02N X Component
 dBX/dT (nV/Rm²), TOFF corrected

Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
6 to 6	1.00


0.25M
 0.50M
 1.00M
 1.50M
 2.00M
 2.50M
 2.75M



Data file ENA1NR
 LINE 02N Y Component
 dBY/dT (nV/Rm²), TOFF corrected


Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
6 to 6	1.00

0.25M
 0.50M
 1.00M
 1.50M
 2.00M
 2.50M
 2.75M




Data file INR1R
 LINE 01N Z Component
 dBZ/dT (mV/Rm²), TOFF corrected

Channels	Scale
1 to 1	3000.00
2 to 2	300.00
3 to 3	60.00
4 to 4	30.00
5 to 5	3.00
6 to 6	1.00
11 to 20	.50




Data file INR1R
 LINE 01N X Component
 dBX/dT (mV/Rm²), TOFF corrected

Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	10.00
4 to 4	3.00
10 to 20	.50




Data file INR1R
 LINE 01N Y Component
 dBY/dT (mV/Rm²), TOFF corrected

Channels	Scale
1 to 1	100.00
2 to 2	20.00
3 to 3	10.00
4 to 4	3.00
10 to 10	1.00
14 to 20	.50




Data file 000A1R
 LINE 000 Z Component
 dBZ/dT (nV/A²); TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	100.00
3 to 3	30.00
4 to 4	5.00
5 to 5	3.00
6 to 6	1.00
7 to 7	1.00
8 to 8	1.00
9 to 9	1.00
10 to 10	1.00




Data file 000A1R
 LINE 000 X Component
 dBX/dT (nV/A²); TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
6 to 6	1.00
7 to 7	1.00
8 to 8	1.00
9 to 9	1.00
10 to 10	1.00
11 to 11	1.00




Data file 000A1R
 LINE 000 Y Component
 dBY/dT (nV/A²); TOFF corrected

Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	10.00
4 to 4	3.00
5 to 5	1.00
6 to 6	1.00
7 to 7	1.00
8 to 8	1.00
9 to 9	1.00
10 to 10	1.00
11 to 11	1.00
12 to 12	1.00
13 to 13	1.00
14 to 14	1.00
15 to 15	1.00
16 to 16	1.00
17 to 17	1.00
18 to 18	1.00
19 to 19	1.00
20 to 20	1.00




LINE 000 Z Component
dBZ/dT (nV/Rm²), TOFF corrected

Channels	Scale
1	1000.00
2	300.00
3	100.00
4	100.00
5	100.00
6	100.00
7	100.00
8	100.00
9	100.00
10	100.00
11	100.00




LINE 000 X Component
dBX/dT (nV/Rm²), TOFF corrected

Channels	Scale
1	300.00
2	100.00
3	30.00
4	10.00
5	1.00



LINE 000 Y Component
dBY/dT (nV/Rm²), TOFF corrected

Channels	Scale
1	500.00
2	100.00
3	10.00
4	3.00
5	1.00



Data file 15A1WF
 LINE 015 Z Component
 dBZ/dT (nV/Am²); TOFF corrected

Channels	Scale
1 to 1	100.00
1 to 2	20.00
1 to 4	10.00
1 to 8	3.00
1 to 20	1.00

0.25M_

0.50M_


1.00M_

1.50M_

2.00M_

2.50M_

2.75M_



Data file 15A1WF
 LINE 015 X Component
 dBX/dT (nV/Am²); TOFF corrected

Channels	Scale
1 to 2	100.00
4 to 6	10.00
7 to 9	3.00
10 to 20	1.00

0.25M_

0.50M_


1.00M_

1.50M_

2.00M_

2.50M_

2.75M_



Data file 15A1WF
 LINE 015 Y Component
 dBY/dT (nV/Am²); TOFF corrected

Channels	Scale
1 to 2	100.00
4 to 6	10.00
7 to 9	3.00
10 to 20	1.00

0.25M_

0.50M_


1.00M_

1.50M_

2.00M_


2.50M_

2.75M_




Data File 00R1EP
 LINE 025 Z Component
 dBX/dT (nV/A.m²), TOFF corrected

Channels	Scale
1 to 1	3000.00
2 to 2	500.00
3 to 3	100.00
4 to 4	10.00
5 to 5	3.00
10 to 20	1.00




Data File 00R1EP
 LINE 025 X Component
 dBX/dT (nV/A.m²), TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	300.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
10 to 20	1.00




Data File 00R1EP
 LINE 025 Y Component
 dBY/dT (nV/A.m²), TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
10 to 20	1.00




Data file 3SA1EF
 LINE 039 Z Component
 dEZ/dT (nV/A²), TOFF corrected

Channels	Scale
1 to 1	1000.00
2 to 2	300.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
11 to 20	1.00




Data file 3SA1EF
 LINE 039 X Component
 dEX/dT (nV/A²), TOFF corrected

Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	30.00
4 to 4	10.00
5 to 5	3.00
6 to 20	1.00



Data file 3SA1EF
 LINE 039 Y Component
 dEY/dT (nV/A²), TOFF corrected

Channels	Scale
1 to 1	300.00
2 to 2	100.00
3 to 3	10.00
4 to 4	3.00
5 to 20	1.00



APPENDIX II

Model for
Showing Area
Line 0+00

Plate # 1

STRIke 215
DIP -9
PLUnge 0
LENgth 240
DEPth 300
POStion 50 -50 -50
CONduct#thick 1.1

Tx-pl M(PH) r(ms)
-197.45 .035784

Model T
Plate # 1 #1/

0+00 2 cft. Gain, TXC= 7 11

Model U
Plate # 1 #1/

0+00 2 cft. Gain, TXC= 7 11




Plate # 1
STRIke 215
DIP -9
PLUnge 0
LENgth 150
DEPth 300
POStion 50 -50 -50
CONduct#thick 1.6

Tx-pl M(PH) r(ms)
-138.17 .036098

Model X
Plate # 1 #1/


0+00 2 cft. Gain, TXC= 7 11

Model Y
Plate # 1 #1/

0+00 2 cft. Gain, TXC= 7 11

Model Z
Plate # 1 #1/

0+00 2 cft. Gain, TXC= 7 11



APPENDIX III


Transient Electromagnetic Modelling Results

late approx'n: 1
 late approx'n: 2
 late approx'n: 3
 <<<<< Plate # 1 <<<<<
 STRike 0
 DIP 45
 FLUnae 0
 LENath 300
 DEPth 100
 POSition -36 0 -14
 CONduct#thick 10

Tx-pl M(μ H) τ (ms)
 -44.88 .15775

Model C
 HHS R =2000/Plate # 1 #1/

0+00 Z cft. Gain,TXC= 6 20




late approx'n: 1
 late approx'n: 2
 late approx'n: 3
 <<<<< Plate # 1 <<<<<
 STRike 0
 DIP 80
 FLUnae 0
 LENath 300
 DEPth 100
 POSition -8.6 0 -.8
 CONduct#thick 10

Tx-pl M(μ H) τ (ms)
 -10.711 .15775

Model D
 HHS R =2000/Plate # 1 #1/

0+00 Z cft. Gain,TXC= 6 20



late approx'n: 1
late approx'n: 2
late approx'n: 3
Plate # 1

STrike 0
DIP 0
PLUnse 0
LENath 300
DEPth 100
POsition -50 0 -50
CONduct#thick 10

Tx-pl M(μ H) τ (ms)
-65.055 .15775

Model A
HH3 R =2000/Plate # 1 #1/

0+00 2 cft. Gain, TXC= 6 20





Plate # 1

STrike 0
DIP 30
PLUnse 0
LENath 300
DEPth 100
POsition -42.5 0 -25.5
CONduct#thick 10

Tx-pl M(μ H) τ (ms)
-55.437 .15775

Model B
Plate # 1 #1/

0+00 2 cft. Gain, TXC= 6 20



```

late approx'n; 1
late approx'n; 2
late approx'n; 3
<<<<< Plate # 1 <<<<<
STrike 0
DIP 80
PLunge 0
LENath 300
DEPth 100
POSITION -8.6 0 -150.8
CONduct*thick 10


Tx-pl M(μH) τ(ms)
-6.0925 .15775

```

```

Model D
HHS R =2000/Plate # 1 #1/
0+00 2 cpt. Gain, TXC= 6 20

```



```

late approx'n: 1
late approx'n: 2
late approx'n: 3
<<<<< Plate # 1 <<<<<
STrike      0
DIP         30
PLUnae      0
LENath      300
DEPth       100
POSITION    -42.5  0  -125.5
CONduct#thick 10


Tx-pl M(μH)      τ(ms)
-37.922          .15775

```

```

Model B
HHS R =2000/Plate # 1 *1/
0+00    Z cpt. Gain,TXC= 6  20

```



```

late approx'n: 1
late approx'n: 2
late approx'n: 3
<<<<< Plate # 1 <<<<<
STrike      0
DIP         45
PLUnae      0
LENath      300
DEPth       100
POSITION    -36  0  -114
CONduct#thick 10


Tx-pl M(μH)      τ(ms)
-31.423          .15775

```

```

Model C
HHS R =2000/Plate # 1 *1/
0+00    Z cpt. Gain,TXC= 6  20

```



HSSHOW HHS OVER SHOWING ON HE
ATHER PROPERTY

TXX, TXY, TXR= 400, 800, 0 TX
P=0 0 0 t/σ min, max, density= .
0001, 1, 3

LINES:
0+00

MAX # GATES = 11
MAX # PLATES = 5

0+00


Index	Stn	X	Y
1	STN1	-200	0
2	STN2	-175	0
3	STN3	-150	0
4	STN4	-125	0
5	STN5	-100	0
6	STN6	-75	0
7	STN7	-50	0
8	STN8	-25	0
9	STN9	0	0
10	STN10	25	0
11	STN11	50	0
12	STN12	75	0
13	STN13	100	0
14	STN14	125	0
15	STN15	150	0
16	STN16	175	0
17	STN17	200	0

late approx'n: 1
late approx'n: 2
late approx'n: 3
Plate # 1
STrike 0
DIP 0
PLunge 0
LENGTH 300
DEPTH 100
POSITION -50 0 -150
CONDUCT*thick 10

Tx-pl M(VH) r(ms)
-43.724 .15775

Model A
HHS R =2000/Plate # 1 #1/

0+00 Z cpt. Gain, TXC= 6 20



APPENDIX IV

Equipment Specifications

GEONICS LIMITED


EM37 Ground Transient Electromagnetic System Technical Specifications

Transmitter

- | | |
|------------------------------|---|
| Current Waveform | - See Fig. 1 |
| Repetition rate | - 3Hz or 30Hz in countries using 60Hz power line frequency; 2.5Hz or 25Hz in countries using 50Hz power line frequency; all four base frequencies are switch selectable. |
| Turn-off time (Δt) | - fast linear turn-off of maximum 300 μ sec. at 20 amps into 300x600m loop. Decreases proportionally with current and (loop area) ^{1/2} to minimum of 20 μ sec. Actual value of Δt read on front panel meter. |
| Transmitter loop | - any dimensions from 40x40m to 300x600m maximum at 20 amps. Larger dimensions at reduced current. Transmitter output voltage switch adjustable for smaller loops. Value of loop resistance read from front panel meter; resistance must be greater than 1 ohm on lowest voltage setting to prevent overload. |
| Transmitter protection | - circuit breaker protection against input over-voltage; instantaneous solid state protection against output short circuit; automatically resets on removal of short circuit. Input voltage, output voltage and current indicated on front panel meter. |
| Transmitter output voltage | - 150 volts (zero to peak) maximum;
20 volts (zero to peak) minimum |
| Transmitter output power | - 2.8 kw maximum |
| Transmitter wire supplied | - 1800m. #10 copper wire PVC insulated with nylon jacket; transmitter wire contained on 6 reels (supplied); 2 reel winders supplied. |
| Transmitter motor generator | - 5 HP Honda gasoline engine coupled to 120 volt, 3 phase, 400Hz alternator. Approximately 8 hours continuous operation from full (built-in) fuel tank. |


Receiver

Measured quantity	- time rate of decay of magnetic flux along 3 axes.
Sensor	- air-cored coil of bandwidth 40 kHz; 100cm dia. by 7x5cm cross-section. Coil holder supplied to facilitate measurement along 3 axes.
Time channels	- 20 time channels with locations and widths as shown in Fig. 2. Successive operation at 30Hz, then 3Hz, effectively gives 30 channels covering range from 80 μ sec. to 80 msec.
Output display	- 4 digit plus sign LED display; display also shows channel number and gain.
Integration time	- 2^n cycles at 30Hz; n=4,6,8,10,12,14 (switch selectable); similar integration times at other base frequencies.
Receiver output noise referred to input	- typically 1.5×10^{-10} volt/m ² at last gate at 30Hz with integration time of 34 seconds. Noise will be higher during intense local spherics activity.
Output connector	- all 20 channels in analogue format and house-keeping functions in digital format available from output connector.
Synchronization to Tx	- any of the following (switch selectable) (1) reference cable (2) primary pulse (3) 27 MHz radio link (40 channels) (4) high stability (oven controlled) quartz crystals.
Noise rejection circuitry	- Selective clipping of atmospheric noise pulses at all times. Audio output of Rx coil (transmitter pulse blanked out) is available on built-in loud speaker for ready identification of interference.
Receiver batteries	- 12 volt rechargeable Gel-cell; 9 hours continuous operating time at 17°C. Two batteries and a battery charger supplied to permit charging of second battery from transmitter motor-generator during survey.



Transmitter Current Waveform

FIG. 1



Gate Location and Widths (30 and 3Hz)

FIG. 2

GEONICS LIMITED

DAS 40 Data Acquisition Unit
Technical Specifications

Storage medium	- special low-temperature Philips-type cassette
Maximum storage	- 212 kilobytes
Data format	- 2 channel NRZI
· Keyboard	- two (scaled); one for header information, one for numerals.
· Display	- 16 character alphanumeric LCD
Temperature range (operating)	- -30°C to +60°C
Power source	- power taken from EM37 receiver console
Dimensions	- 16x23x21 cm
Weight	- 2 kg

GEONICS LIMITED

Datel LPR 16 Tape Reader Technical Specifications

GENERAL

Function	Read Only
Media	Standard Philips type certified digital tape cassette
Number of Tracks	Two
Tape Motion	One direction, capstan stepper motor drive
Tape Speed	2.75 inches per second
Reading Format	Complementary NRZI
Reading Density	615 bits per inch
Bit Rate	1700 bits per second
Bit Capacity	2.2 million bits per cassette (including all gaps)
Word Length	8, 12 or 16 bits
Record, Word or Intercharacter Gap	2 bits
File gap	16 bits
Words per File	Any (Standard is 64 words per file)
Power Required	100, 115 or 230 VAC, 47 to 63 Hz, 60 Watts max.

LOGIC OUTPUT CHARACTERISTICS (Computer Interface)

Logic Levels	TTL compatible "0" = (LO) = 0 to +0.4 Volts "1" = (HI) = +2.4V to +5.0 Volts
Output Loading	Optional Open Collector 7406 TTL Hex driver or with 1K Ω pullup to +5V or with 330 Ω pullup to +5V and 470 Ω pulldown to ground
Output Coding	Selectable positive or negative true coding using Level Control Inputs.

LOGIC OUTPUTS (Computer Interface)

(All outputs are selectable as positive or negative true unless otherwise noted.)	
Data Format	16 lines: Normally 12 A/D lines and 4 address lines. However a 16 bit digital word can also be used.
Word Sync Output	1 line
End of File (EOF) Output	1 line, normally flags every 64 words.
Rewind Status Output	1 line
Busy Status Output	1 line
Load Forward Status Output	1 line
Cassette-in Place Status Output	1 line
Head Down Status Output	1 line
EOT/BOT Status Output	1 line
Shift Clock Output	1 line, positive pulse
Tape Clock Output	1 line, positive pulse
Serial Data Output	1 line, positive true, NRZI coding

LOGIC INPUT CHARACTERISTICS (Computer Interface)

Logic Levels	TTL Compatible "0" = (LO) = 0 to +0.8 volts "1" = (HI) = +2.0V to +5.0 volts
Input Loading	Optional one TTL load, or 1 TTL load with 1K Ω pullup to +5V, or 1 TTL load with 330 Ω pullup to +5V and 470 Ω pull down to ground.

LOGIC INPUTS (Computer Interface)

Start Input	1 line, positive true
Start Input	1 line, negative true

OUTPUT LEVEL CONTROL INPUTS		OUTPUT CODING
1	2	
1	1	POS. TRUE
1	0	NEG. TRUE
0	1	Jammed LO
0	0	ONE'S*

The output Level Control Inputs control the coding of most outputs as shown in the chart — see the listing of outputs.


*With both Output Level Control Inputs at

zero, most outputs whose coding is controlled by these inputs will have cutoff open collectors. In this state, external open collector devices sharing the same data buss lines as the LPR-16 may be multiplexed onto these lines.

CONTROLS AND INDICATORS

Power On/Off (Pushbutton Switch)	Turns power on and off. Illuminates when power is on.
EOT/BOT (LED indicator)	Illuminates when on clear leader beginning of tape or at clear end of tape.
Load Forward (Pushbutton Switch)	Depressed to cause tape to load forward from clear leader to oxide portion of tape. (EOT/BOT lamp will extinguish over oxide).
Rewind (Pushbutton switch)	Depressed to cause tape to rewind to the beginning of tape clear leader.
Busy (LED Indicator)	Illuminates when the tape is in motion.
Rewind (LED Indicator)	Illuminates while tape is rewinding.
Run/Standby (Toggle Switch)	When in "RUN", tape will continuously read. When in "STANDBY" tape will read one file each time the START switch is depressed.
Start (Pushbutton Switch)	When in standby mode, this switch will cause one file to be read each time it is depressed.
Size	19"W x 5.25"H x 19"D (16.25" chassis width)
Connector Type	Dual 25/pin PC Brd type, 0.1" Centers, Viking 3VH25/1JN-5 (1 included with unit)

M-4 Induced Polarization Receiver



DESCRIPTION

The Hunttec M-4 is a microprocessor based receiver for time and frequency domain IP and complex resistivity measurement. It is

Easy to operate. One switch starts a measurement, of up to 29 quantities simultaneously. The optional Cassette DataLogger records them all in seconds. Calibration, gain setting and SP buckout are all automatic.

Reliable. Using advanced digital signal processing techniques, the M-4 delivers consistently accurate data even in noisy, highly conductive areas. For mechanical reliability it is packaged in a rugged aluminum case for backpack or hand carrying.

Versatile. The operator may adjust delay and integration times, operating frequency and other measurement parameters, to adapt to a wide range of survey conditions and requirements. An independent reference channel facilitates drillhole and underground work, and guarantees transmitter-receiver synchronization in high-noise conditions.

Highly accurate. With a frequency bandwidth of 100 Hz and noise-cancelling digital signal stacking, the M-4 delivers very precise results. The details are summarized in a table overleaf.

Sensitive. The same features that make the M-4 accurate allow detection of very weak signals. The Hunttec receiver requires lower transmitter power than any other, for a given set of operating conditions. Automatic correction for drifts in self-potential and gain allow long stacking times for significant signal-to-noise improvements.

Intelligent. Under the control of a powerful 16-bit microprocessor, the M-4 calibrates and tests itself between measurements. Coded error messages, flashed onto the display, inform the operator of any malfunction.

The M-4 Receiver is complemented by Hunttec's new M-4 transmitters, which offer precisely timed constant-current output and both time and frequency domain waveforms, compati-

ble with the receiver's accuracy and multi-mode measurement capabilities. The RL-2 Reference Isolator connects any IP transmitter to the receiver's reference channel. The GeoDataBase field computer reads, stores and processes data from M-4 cassettes.

Contact Hunttec for more information on the benefits offered by the M-4 product line.

FEATURES

- Time and Frequency domain IP and Complex Resistivity operation
- Simultaneous Time domain and Complex Resistivity measurement
- Automatic calibration
 - gain setting
 - SP cancellation
 - fault diagnosis
 - filter tuning
- Independent reference channel for drillhole and underground work
- 33 quantities, displayable on large 3 1/2 digit low-temperature liquid-crystal readout
- Analogue meter for source resistance measurement
- 10⁶ ohms differential input resistance
- 8 hours continuous operation with replaceable, rechargeable nickel-cadmium battery pack (2 supplied)
- Optional Cassette DataLogger fits inside case, has read-after-write error checking. Up to 350 stations per tape.
- Conveniently packaged for backpacking or hand carrying
- 100 Hz bandwidth, fine time-resolution
- Advanced digital signal stacking
- Delivers reliable, accurate data in noisy, highly conductive areas.



hunttec
(70) LIMITED

23 Howden Road,
Scarborough,
Ontario, Canada
M1R 5A6
Phone (416) 731-0033
Telex 06-963640
Cable: Hunttec,
Toronto

Signal Channel

Range: 5×10^{-4} to 10 volts. Automatic ranging. Overload indication

Resistance: Greater than 10^6 ohms differential

Bandwidth: 100 Hz

SP Cancellation: -5 to +5 volts (automatic)

Protection: Low-leakage diode clamps, gas discharge surge arrestors, replaceable fuses.

Reference Channel

Level: 500 mV minimum, 10 volts peak maximum, overload indication

Resistance: 2×10^6 ohms differential

Controls and Functions

Operating Controls

Keypad: 16 keys, calculator format, function associated with each key.

Reference Registers: Keypad may be used to store up to ten $3\frac{1}{2}$ digit numeric values with floating decimal point, to represent station number, line number, operator, time, date, weather, transmitter current, etc. for recording on cassette.

Programming Controls

Sub-panel: All programming controls are on a covered sub-panel, not accessible during normal operation.

Thumbwheel Switches: Select delay time t_D in milliseconds, chargeability window t_P in milliseconds; operating frequency; PFE frequency ratio.

Displayable Quantities

Time domain: Primary voltage; self-potential; chargeability (total or each of 10 windows of equal width); phases of odd harmonics 3 to 15; amplitudes of odd harmonics 1 to 15; cycle count; repeating display of polarization potential and total chargeability.

Freq. domain: Primary amplitude; Percent Frequency Effect; self-potential; cycle count.

Complex Resistivity: Phases of odd harmonics 3 to 15; amplitudes of odd harmonics 1 to 15; fundamental phase (with ref. input); cycle count.

Any mode: Battery voltage, Frequency error.

Outputs

Displays

Digital Display: $3\frac{1}{2}$ digit, low-temperature liquid crystal display. Indicates measurement results and diagnostic error messages.

Analogue Meter: Ohms scale for source resistance; also gives qualitative indication of signal-to-noise ratio.

Cassette DataLogger (Optional)

Description: Accommodated within M-4 chassis. If not acquired with receiver, may be retrofitted by user at any time. Two recording modes:

Partial: All sub-panel settings, measurement results, and contents of reference registers are recorded (2 seconds recording time).

Full: As in partial mode, but also recorded is one cycle of averaged signal waveform (28 seconds recording time). If external

Format:

Verification:

Mechanical

M-4 Receiver with battery pack:

45 cm x 33 cm x 14 cm, 10.0 kg

M-4 Receiver with battery pack and Cassette DataLogger:

Dimensions as above, 11.0 kg

Replaceable

Battery pack:

33 cm x 11 cm x 4.5 cm, 3 kg

Environmental

Temperature:

Operation: -20°C to $+55^\circ\text{C}$

Storage: -40°C to $+70^\circ\text{C}$

Humidity:

Moisture-proof, operable in light drizzle.

Altitude:

$-1,525$ m to $+4,775$ m

Shock/Vibration:

Suitable for transport in bush vehicles.

OUTPUT ACCURACY AND SENSITIVITY

milliradians	volts	volts	volts	seconds	%
2 milliradians	1% 40Hz 2% to 80Hz	$\pm 1\%$	$\pm 1\%$	0.1% (2)	0.1% (3) full scale
0.01 milliradians	10^{-6} volts	10^{-6} volts	10^{-3} volts	10^{-3} seconds	0.1% (1) full scale

1) Frequency domain mode: at harmonic frequencies up to 15 Hz, increases to not more than 5 milliradians at 80 Hz.

Time domain mode: at harmonic frequencies up to 7.5 Hz, increases to not more than 5 milliradians at 30 Hz.

2) of total OFF time

3) Full scale defined as 100% PFE.


Cassette Data: recorded in ASCII, 9 digits with decimal point fixed for four decimal digits.


Display Data: $3\frac{1}{2}$ digits, floating decimal point

Resolution of averaged waveform limited by A/D converter to one part or 4096 x (square root of cycle count).

Resolution of reference waveform (not averaged) limited by available memory to one part in 256. Additional memory and averaging software available as option.

CHARGEABILITY WINDOWS





M-4 SERIES

Induced Polarization/ Resistivity 2.5 kW Transmitter

DESCRIPTION

The HUNTEC M-4 2.5 kW Induced Polarization transmitter is designed for time domain, frequency domain (PFE) and complex resistivity applications. The unit converts primary 400 Hz ac power from an engine-alternator set to a regulated dc output current, set by the operator. Current regulation eliminates output waveform distortion due to electrode polarization effects. It is achieved in the transmitter by varying the alternator field currents. The transmitter is equipped with dummy loads to smooth out generator load variations.

FEATURES

- Solid-state switching for long life and precise timing.
- Open circuit during the "off" time ensures no counter current flow.
- Resistance measurement for load matching.
- Precision crystal controlled timing.
- Failsafe operation protects against short-circuit and overvoltage.
- Automatic regulation of output current eliminates errors due to changing polarization potential and load resistance.

SPECIFICATIONS

Mark-4 2.5 kW Transmitter


- | | |
|---|--|
| A) Power input: | 96 — 144 V line to line 3 phase 400 Hz (from Hunttec generator set) |
| B) Output: | Voltage: 150 — 2200 V dc in 8 steps
Current: 0.2 — 7 A regulated** |
| C) Current regulation: | Less than $\pm 0.1\%$ change for $\pm 10\%$ load change |
| D) Output frequency: | 0.0625 Hz to 1 Hz (time domain, complex resistivity)
0.0625 Hz to 4 Hz (frequency domain) selectable from front panel
An additional range of frequencies between 0.78 and 5.0 Hz is available and can be selected by an internal switch. |
| E) Frequency accuracy: | ± 50 ppm -30°C to $+60^{\circ}\text{C}$ |
| F) Output duty cycle:
$T_{on}/(T_{on}+T_{off})$ | 0.5 to 0.9375 in increments of 0.0625 (time domain)
0.9375 (complex resistivity)
0.75 (frequency domain) |
| G) Output current meter: | Two ranges: 0-5 A and 0-10 A |
| H) Ground resistance meter: | Two ranges: 0-10 k Ω and 0-100 k Ω |
| I) Input voltage meter: | 0-150 V |
| J) Dummy load: | Two levels: 500 W and 1.75 kW |
| K) Temperature range: | -34°C to $+50^{\circ}\text{C}$ |
| L) Size: | 53 cm x 43 cm x 29 cm |
| M) Weight: | 26 kg |

**Smaller currents are obtainable, but outside the current regulation range the transmitter voltage is regulated, not the current.



hunttec
(700) LIMITED

25 HOWDEN ROAD,
SCARBOROUGH,
ONTARIO, CANADA
M1R 5A6
PHONE (416) 751-8055
TELEX 06-9631-40
CABLE: HUNTOR,
TORONTO




SPECIFICATIONS

M-4 2.5 kW Engine Driven Alternator

Output:	120 V ac 400 Hz 3.5 kVA maximum
Engine:	6 kW air cooled, single cylinder four cycle piston engine with manual start
Fuel:	Regular grade gasoline, tank capacity 3.8 L to give 4 h duration
Alternator:	Delta connected heavy duty automobile type, belt driven, air cooled
Construction:	Tubular protective carrying frame with resiliently mounted engine and alternator
Size:	51 cm x 48 cm x 76 cm
Weight (dry):	61 kg

L 2+00 W L1+00W L0+50W L 0+00 L0+50E L1+00E L 2+00E



— 2+00N
CURRENT ELECTRODE 1
(V/I)


— 1+00 N
— BL 0+00 (to 4+00E)



— 1+00 S

— 2+00 S

— 2+00N



CURRENT ELECTRODE 2
(V/I)

— BL 0+00 (090°)

GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,445



2+00S —

CONTOUR INTERVAL:
.....1.0,1.5,2.0,3.0,5.0,7.5,10.0..... V/I (volt/amp)

⊗ Current Electrode

CHEVRON
CANADA RESOURCES LTD.

HEATHER PROPERTY
SHOWING AREA
MISE A LA MASSE SURVEY
VICTORIA MINING DIVISION

Project No. C-639	By: J.L. Label
Scale: 1:2500	Drawn: GCS Ltd
Drawing No: Map 1	Date: January 1984

MPH Consulting Limited