

ASSESSMENT REPORT

TYPE: Line cutting, Geophysical and Geochemical.

CLAIMS: NB - 1, NB - 2, NB - 3, NB - 4, NB - 5.

MINING DIVISION: Kamloops

NTS : LOCATION : 82M/5 West.

LATITUDE : 51° 20'N

LONGITUDE : 119° 52'W

OWNER: Westech Resources Limited,
Suite # 903 Chancery Place,
805 Hornby Street,
Vancouver B.C. V6Z 2G3

OPERATOR : Westech Resources Limited.

AUTHOR : Leo Loranger

DATE : June 8th, 1984

GEOLOGICAL BRANCH
ASSESSMENT REPORT


12,567


TABLE OF CONTENTS

	<u>Page No.</u>
1-Statement of expenditures -----	1
2-Location Map-----	11
3-Claim Map-----	111
4-Location and access-----	1
5-Physiography and vegetation-----	1
6-History-----	2-3
7-Geology and Mineralization-----	4-5-6
8-Geological, Geochemical, Geophysical Features	Map 3
9-Appendix 1 East West Grid Maps	
10-Appendix 2 North South Grid	


Qualifications of Writer:

I, Leo Loranger have worked in Mining Exploration for the past 24 years. five years for Noranda Mines Exploration sixteen years under Mr. Nels Vollo M.Sc. P.Eng.. The last two years as a Contractor.


Leo Loranger



Westech Resources Ltd.
 Location Map
 NB Property
 Kamloops Mining Division
 Scale 1" = 64 Miles



WESTECH RESOURCES LTD.
CLAIM MAP
NB PROPERTY
KAMLOOPS MINING DIVISION
Scale 1: 50,000

LOCATION AND ACCESS:

The property is located in south central British Columbia about 80 km north-northeast of Kamloops and approximately 25 km northeast of the town of Barriere on the North Thompson Highway. The approximate geographic center of the property is at $51^{\circ} 20'$ north and $119^{\circ} 51'$ west.

The property is accessible via about 32 km of paved and well maintained gravel road northeast from Barriere. Barriere is located about 60 km north from Kamloops on Highway No. 5.

PHYSIOGRAPHY AND VEGETATION:

The property lies on a south facing slope immediately north of North Barriere Lake. This is a moderate slope with a prominent flat to rolling portion near the boundary of NB-1 and NB-5. This probably represents the contact area between the Baldy Batholith and the older Eagle Bay rocks. Elevations vary from approximately 2100 feet a.s.l. at the lake to about 4500 feet a.s.l. near the north property boundary.

The entire property is heavily wooded with mature spruce and fir. Local patches of alder and birch are common.

Outcrops are relatively scarce on this property and glacial overburden may be as much as 5 to 10 meters thick.

HISTORY:

Mineralization was probably first discovered on the subject property in the early 1900's. The first record of work is in 1927 when 2 showings now present on the property were known as the Wahwah (Area A) and Lucky Boy (Area C) respectively. One 150 foot long tunnel is mentioned in 1927 and subsequently at least 2 others were driven both of which are less than 100 feet long.

The property is next mentioned in 1962 when it was controlled by Barriere Lake Mines Ltd. Over the next 3 years this company carried out trenching, road building, a magnetometer survey and drilled at least 30 holes aggregating about 4500 feet. Much of this work was performed on the mineralization within area A (see figure MAP-3) but unfortunately no records of this work are currently available.

In 1966, Scurry Rainbow Oil Ltd. gained control of the property and performed geological and geophysical surveys. Twelve diamond drill holes were bored totalling 3280 feet. Most of this work was carried out in area A.

In 1970, the property was controlled by Barriere Lake Minerals Ltd. This company drilled 5 core holes totalling 648 feet.

Craigmont Mines Ltd. optioned the property in 1972. This company performed an induced polarization survey and collected 361 soil samples which were analysed for copper and zinc. The option was dropped in 1973.

In 1976, the property was optioned by Canadian Superior Exploration Ltd. This company ran magnetic and electromagnetic surveys around area A (Wahwah showing) and drilled three core holes aggregating 1061 feet. The option was dropped after one year and the ground lapsed in 1981.

In 1983, the ground was acquired by Westech Resources Ltd. and an evaluation report was written by Jay Murphy, P. Eng. In late 1983 and early 1984, magnetometer and VLF electromagnetic surveys were performed as well as the collection of 91 soil samples. These samples were analysed for copper, zinc and gold.

GEOLOGY AND MINERALIZATION:

The property is underlain by intermediate to felsic volcanic rocks and associated volcanoclastic sediments of the Mississippian (?) Eagle Bay Formation, intruded by the Cretaceous Baldy Batholith. The Eagle Bay rocks have been folded and metamorphosed to lower greenschist facies.

Preto (1981) includes the older rocks underlying the subject property in his unit 7a of the Eagle Bay Formation and describes them as follows:

"Intermediate to felsic phyllite and fine grained schist derived mostly from felsic tuffs and lithic tuffs; locally grading into minor, thinly laminated sericite-chlorite schist and phyllite."

The Eagle Bay Formation outcrops from Shuswap Lake to the Clearwater area and contains numerous occurrences of stratiform massive to semi-massive sulphides as well as areas of disseminated and fracture controlled sulphides. For the most part these consist of pyrite and or pyrrhotite with lesser amounts of chalcopyrite, sphalerite and subordinate galena.

The extensive work on the NB property has outlined 3 main areas of interest. These areas are shown on Figure MAP-3 as areas A, B and C using the designation of Murphy (1983).

Area A is a large west northwest trending zone outlined by a 10% frequency effect induced polarization anomaly. It contains two known massive sulphide horizons as well as numerous thin sulphide layers between and adjacent to the main bands. Other massive sulphide layers were suspected by previous workers because of several float concentrations of massive sulphide boulders remote from the known showings.

Work by Canadian Superior Exploration Ltd. in 1976 concluded that there is a lower (southwestern-most) sulphide lense as much as 20 feet thick and an upper layer consisting of "a zone of one to four near massive sulphide beds, 2 to 8 feet in thickness over a stratigraphic interval of approximately 40 to 50 feet".


Mineralization in these sulphide layers consists primarily of pyrrhotite and/or pyrite with lesser chalcopyrite, locally significant sphalerite and scattered traces of galena. Although locally copper may grade as much as "an estimated 5 - 6% over 5 feet" for the most part grades are less than 1% copper. Intersections in four Scurry Rainbow holes quoted in Rae (1977) varied from 0.15% copper over 26 feet to 0.84% copper over 16 feet.

It is interesting to note that although there are local spot highs there is no significant copper soil anomaly within area A.









Area B is outlined by a more or less coincident, northerly-trending copper soil geochemical anomaly and a 10% frequency effect induced polarization anomaly. There are no known occurrences of copper or copper-zinc mineralization in this area, although a zinc soil, geochemical anomaly occurs adjacent to this area, to the east.

Area C (see figure MAP-3) is outlined by a northerly-trending copper soil geochemical anomaly and covers a portion of the area where the early drilling was carried out by Barriere Lake Mines Ltd. This area seems to have been neglected by much of the later work as there is no record of any geological mapping and there is some question as to whether it was adequately covered by the induced polarization survey. The writer noted massive sulphide mineralization containing minor chalcopyrite in outcrop and float at this locality during an examination of the ground in April, 1984.

Limited work by Westech Resources Ltd. in late 1983 and early 1984 indicates that there is a gold soil geochemical anomaly more or less coincident with the copper geochemical anomaly and that this anomaly is still open to the north and south.



LEGEND

-  BALDY BATHOLITH - QUARTZ MONZONITE & GRANITE.
-  EAGLE BAY FORMATION - SERICITE SCHIST, PHYLLITE, CHLORITE-SERICITE SCHIST - COMMONLY PYRITIC
-  MASSIVE SULPHIDE BANDS
-  COPPER GEOCHEMICAL ANOMALY
-  OUTLINE OF INDUCED POLARIZATION ANOMALY
-  ADIT
-  ACCESS TRAIL
-  GEOLOGICAL CONTACT

WESTECH RESOURCES LTD.
GEOLOGICAL, GEOCHEMICAL,
GEOPHYSICAL FEATURES
KAMLOOPS MINING DIVISION
SCALE 1:16,667

**KAMLOOPS
RESEARCH & ASSAY
LABORATORY LTD.**

B.C. CERTIFIED ASSAYERS

912 LAVAL CRESCENT — KAMLOOPS, B.C.
V2C 5P5
PHONE: (604) 372-2784 — TELEX: 048-8320

GEOCHEMICAL LAB REPORT

Mr. Leo Loranger
6545 Beaver Cres.,
Kamloops, B.C.
V2C 4V2

DATE April 5, 1984

ANALYST _____

FILE NO. _____

FILE NO. G 1047

IAL NO.	IDENTIFICATION	ppb Au		KRAL.	Identification	ppb Au	
1	NB- 1	L5		31	NB-42	L5	
2	2	5		32	43	15	
3	3	135		33	44	L5	
4	4	135		34	45	5	
5	5	5		35	46	30	✓
6	6	10		36	47	10	
7	7	35		37	48	15	
8	8	75		38	49	L5	
9	9	865		39	NB-50	L5	
10	NB-10	175		40	51	10	
11	11	5	X	41	52	L5	
12	23	10		42	53	5	
13	24	L5		43	54	L5	
14	25	5		44	55	L5	
15	26	120		45	56	L5	
16	27	300		46	57	L5	
17	28	245		47	58	L5	
18	29	5		48	59	40	
19	NB-30	L5		49	NB-60	L5	
20	31	10		50	61	L5	
21	32	L5		51	62	10	
22	33	15		52	63	5	
23	34	20		53	64	5	X
24	35	5		54	65	55	
25	36	L5		55	66	5	X
26	37	L5		56	67	25	
27	38	5		57	68	30	
28	39	5		58	69	15	X
29	NB-40	20		59	NB-70	5	
30	41	5		60	71	10	

GEOCHEMICAL LAB REPORT

Mr. Leo Loranger
6545 Beaver Cres.,
Kamloops, B.C.
V2C 4V2

DATE March 30, 1984

ANALYST _____

FILE NO. G 1045

FILE NO. _____

IAL NO.	IDENTIFICATION	ppb Au	ppm Cu	ppm Zn	ppm Ag				
1	NB 1	-	90	116	-				
2	2	-	134	170	-				
3	3	-	190	118	-				
4	4	-	374	84	-				
5	5	-	108	110	-				
6	6	-	303	158	-				
7	7	-	152	174	-				
8	8	-	184	143	-				
9	9	-	495	139	-				
10	NB 10	-	850	122	-				
11	11	-	128	318	-				
12	12	10	217	300	.7				
13	13	5	310	176	.6				
14	14	1275	230	106	1.6				
15	15	510	321	150	1.1				
16	16	30	273	171	.9				
17	17	15	352	85	.5				
18	18	225	148	136	.7				
19	19	10	33	225	.9				
20	NB 20	10	54	228	1.3				
21	21	10	293	222	.5				
22	22	10	52	318	.7				
23	23	-	85	187	-				
24	24	-	83	195	-				
25	25	-	51	232	-				
26	26	-	1350	227	-				
27	27	-	174	149	-				
28	28	-	102	299	-				
29	29	-	81	445	-				
30	NB 30	-	155	333	-				

GEOCHEMICAL LAB REPORT

Mr. Leo Loranger

DATE March 30, 1984.

ANALYST _____

FILE NO. _____

FILE NO. G 1045

LAB NO.	IDENTIFICATION	ppm Cu	ppm Zn		KRAL #	Identification	ppm Cu	ppm Zn	
31	NB 31	135	500		61	NB 61	406	356	
32	32	179	451		62	62	289	318	
33	33	108	475		63	63	406	305	
34	34	255	328		64	64	202	432	
35	35	288	393		65	65	366	309 y	
36	36	214	447		66	66	85	458	
37	37	86	730 y		67	67	14	301	
38	38	258	935		68	68	48	420	
39	39	549	665		69	69	16	161	
40	NB 40	264	613		70	NB 70	55	129	
41	41	53	854		71	71	15	206	
42	42	55	602		72	72	20	175	
43	43	92	605		73	73	12	72	
44	44	94	351		74	74	51	63	
45	45	80	328		75	75	30	76	
46	46	438	355		76	76	14	94	
47	47	84	191		77	77	57	164	
48	48	64	211		78	78	26	153	
49	49	49	310		79	79	25	265	
50	NB 50	446	120		80	NB 80	172	478	
51	51	192	429		81	81	20	193	
52	52	87	965		82	82	84	600	
53	53	156	2100		83	83	11	287	
54	54	65	1170		84	84	12	443	
55	55	50	1250		85	85	14	290	
56	56	196	600		86	86	34	356	
57	57	200	512		87	87	40	183	
58	58	508	145		88	88	65	530	
59	59	668	393		89	89	36	244	
60	NB 60	536	300		90	NB 90	39	88	

4-1084
U.N.I.F.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6 PHONE 253-3158 DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN, FE, CA, P, CR, Ni, BA, TI, B, AL, NA, K, W, Sr, Zr, Ce, Sm, Y, Nb AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: P1-SOIL P2-ROCK AUI1 ANALYSIS BY FA-RA FROM 10 GRAM SAMPLE. Ni ANALYSIS BY FLAMELESS AA.

DATE RECEIVED: MAY 17 1984 DATE REPORT MAILED: *May 23/84* ASSAYER: *D. Toye*, DEAN TOYE, CERTIFIED B.C. ASSAYER

ASARCO PROJECT # CONKLE HARDIE N.B. BRETT FILE # 84-0796 PAGE 1

U.B.
R2

B.
2012

N.B.

SAMPLE#	MO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CO	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AUI1	HC
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	1	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	1	1	1	PPM	PPM	1	PPM	1	1	1	1	1	PPM	PPM	PPM
54442	1	1442	37	10	4.4	12	5	241	9.88	6	2	ND	9	9	1	2	34	34	.09	.05	34	36	.48	55	.04	19	.82	.01	.02	172	65	10
54448	1	18534	141	71	19.4	4	17	211	26.42	2	2	ND	4	5	1	5	148	3	.10	.01	60	1	.19	11	.01	37	.01	.01	.01	2	250	5
54444	1	443	100	103	1.6	14	4	349	20.02	40	2	ND	10	11	1	2	25	71	.04	.13	49	42	.59	89	.06	28	.98	.01	.02	2	50	100
NB 9876N 9400E	1	229	33	167	.2	21	7	349	3.37	9	2	ND	10	7	1	2	7	33	.21	.09	20	23	.65	39	.02	10	1.24	.01	.02	4	2	5
NB 9876N 9450E	1	166	17	86	.1	20	7	248	3.41	8	2	ND	7	6	1	2	7	30	.12	.04	16	22	.88	44	.04	9	1.11	.01	.02	2	8	10
NB 9876N 9500E	1	111	27	276	.3	33	7	336	1.91	3	2	ND	6	9	1	2	3	20	.16	.09	14	19	.42	95	.06	3	1.76	.01	.02	2	2	20
NB 9876N 9550E	1	171	29	139	.2	28	9	278	3.49	11	2	ND	10	8	1	2	6	37	.21	.05	20	32	.79	44	.05	9	1.63	.01	.02	2	8	5
NB 9876N 9600E	1	34	30	506	1.0	24	7	604	1.94	4	2	ND	4	10	1	2	7	32	.15	.11	11	18	.38	94	.06	3	1.26	.01	.01	2	1	5
NB 9876N 9650E	1	258	40	142	.2	25	6	251	2.25	9	2	ND	8	7	1	2	7	34	.17	.06	17	30	.68	39	.04	8	1.20	.01	.02	2	60	30
NB 9822N 9350E	1	364	53	124	.4	32	17	473	4.94	20	2	ND	12	10	1	2	10	41	.22	.07	28	28	.87	46	.04	13	1.69	.01	.02	2	29	10
NB 9822N 9400E	2	582	34	121	.2	32	16	455	5.45	12	2	ND	9	9	1	2	11	39	.18	.07	24	26	.76	75	.05	14	1.78	.01	.02	2	29	5
NB 9822N 9450E	1	204	27	147	.4	29	14	420	7.70	3	2	ND	6	12	1	2	26	15	.15	.08	19	21	.25	93	.09	15	1.57	.01	.02	3	300	5
NB 9822N 9475E	1	512	38	163	.4	32	14	536	14.14	9	2	ND	7	14	1	2	31	40	.18	.10	36	25	.52	96	.04	16	1.64	.01	.02	3	740	5
NB 9822N 9500	1	246	24	120	.2	7	4	420	20.79	27	2	ND	8	12	1	2	83	58	.13	.14	30	26	.47	87	.05	21	1.35	.01	.01	2	1220	5
NB 9822N 9525E	3	621	58	181	.6	32	15	206	4.14	18	2	ND	6	9	1	2	12	36	.16	.06	15	24	.69	57	.03	12	1.70	.01	.02	2	32	8
NB 9822N 9550E	2	309	32	194	.4	31	10	359	2.63	10	2	ND	6	8	1	2	7	31	.16	.08	14	22	.91	56	.04	10	1.53	.01	.02	2	12	5
NB 9822N 9600E	1	382	35	248	.5	44	11	247	2.65	9	2	ND	6	9	1	2	6	16	.19	.05	14	41	1.24	70	.07	9	2.02	.01	.02	2	4	30
NB 9822N 9650E	2	200	62	271	.5	37	11	385	3.13	8	2	ND	4	15	1	2	3	37	.18	.08	13	22	.64	117	.06	11	1.81	.01	.02	2	21	5
NB ROAD 9400E	2	189	33	88	.1	27	11	263	5.88	9	2	ND	11	9	1	2	10	36	.09	.05	22	29	.61	33	.04	13	1.29	.01	.02	2	57	5
NB ROAD 9450E	2	801	23	89	.2	32	19	407	7.29	14	2	ND	11	10	1	2	11	37	.19	.06	23	28	.87	42	.05	12	1.85	.01	.02	2	110	5
NB ROAD 9475E	1	470	14	89	.6	16	11	464	20.33	24	2	ND	7	12	1	2	125	42	.12	.11	24	12	.38	71	.05	12	1.14	.01	.01	2	660	5
NB ROAD 9500E	1	582	39	110	.4	20	12	380	14.74	18	2	ND	10	13	1	2	24	49	.14	.10	27	30	.61	73	.05	8	1.71	.01	.02	2	230	5
NB ROAD 9525E	1	482	55	80	.4	22	13	370	10.53	18	2	ND	14	8	1	2	24	47	.07	.08	21	38	.81	66	.05	5	2.41	.01	.02	2	620	5
NB ROAD 9550E	2	439	41	98	.5	17	10	352	15.10	22	2	ND	9	9	1	2	39	48	.09	.08	27	27	.61	46	.04	8	1.55	.01	.02	2	580	5
NB ROAD 9600E	4	574	45	164	.6	31	10	303	3.94	18	2	ND	8	8	2	2	7	39	.14	.06	13	30	1.42	45	.03	11	2.04	.01	.04	2	35	10
54442	4	13314	13	420	7.0	34	69	1756	18.42	12	7	ND	2	82	2	4	18	10	3.72	.11	2	2	.26	17	.01	21	.01	.01	.01	32	110	43000
54445	2	890	220	201	1.9	8	18	503	19.04	230	2	ND	5	23	1	2	8	24	1.06	.01	5	9	.83	2	.02	21	.26	.01	.01	2	140	12000
54447	3	1729	23	48	.1	7	32	548	20.33	31	2	ND	8	20	1	2	52	50	.27	.04	7	29	1.14	20	.02	9	.12	.01	.01	8	810	700
54448	2	366	26	55	.1	5	2	320	22.34	25	2	ND	10	10	1	2	9	19	.08	.05	3	29	1.13	18	.01	13	.01	.01	.01	2	70	500
54449	4	1612	40	31	.1	8	26	426	23.41	29	2	ND	10	19	1	2	53	41	.84	.05	4	26	.72	4	.01	11	.01	.01	.01	9	2800	800

JUN 14 1984

D.M.F.

D.M.F.

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE 253-3158

DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN, FE, CA, P, CR, MG, BA, TI, B, AL, NA, K, V, SI, ZR, CE, SM, Y, NB AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: P1-2 SOIL P3 ROCK AU11 ANALYSIS BY FA+AA FROM 10 GRAM SAMPLE. HG ANALYSIS BY FLAMELESS AA.

DATE RECEIVED: MAY 31 1984 DATE REPORT MAILED:

Jane 5/84 ASSAYER... *R. Toy*

DEAN TOYE, CERTIFIED B.C. ASSAYER

ASARCO FILE # 84-0929

PAGE 1


N.B. CLAIMS

SAMPLER	NO	CU	PB	ZN	AG	NI	CO	MN	FE	AS	U	AU	TH	SR	CD	SE	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	M	AU11	HG
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	PPM	PPM	PPM	
V-RD 9440E	4	206	24	96	.1	37	12	359	4.27	15	2	ND	16	11	1	2	0	28	.10	.03	27	19	.98	64	.05	8	2.11	.01	.21	2	4	10
V-RD 9450E	3	185	20	105	.1	36	14	577	4.15	10	2	ND	13	13	1	2	2	20	.24	.04	19	17	.79	94	.05	5	1.97	.01	.15	2	55	20
V-RD 9460E	4	245	31	125	.2	34	13	584	5.56	13	2	ND	10	12	2	2	2	19	.16	.04	11	23	.84	92	.04	5	2.40	.01	.11	2	90	5
V-RD 9470E	7	319	21	109	.1	32	12	385	4.93	8	2	ND	13	11	1	2	3	27	.16	.05	15	21	.88	67	.06	4	1.93	.01	.17	2	100	5
V-RD 9480E	5	476	44	106	.3	29	11	240	5.76	11	2	ND	15	10	2	2	3	42	.11	.05	15	29	1.06	44	.05	3	2.12	.01	.12	2	95	10
V-RD 9490E	6	423	55	142	.2	26	10	242	4.31	10	2	ND	15	11	1	2	2	43	.09	.05	12	34	1.10	105	.07	4	2.37	.01	.10	2	540	5
V-RD 9500E	7	328	30	140	.4	30	10	237	4.41	11	2	ND	13	8	1	2	10	42	.06	.05	11	29	.92	117	.07	5	2.21	.01	.14	2	275	10
V-RD 9510E	3	303	64	258	.4	26	10	292	3.58	7	4	ND	12	11	1	2	5	40	.12	.04	17	24	.75	79	.07	5	2.00	.01	.10	2	50	10
V-RD 9520E	2	261	35	171	.2	29	10	330	3.47	14	4	ND	12	12	1	2	4	38	.16	.05	16	20	.94	63	.04	7	2.11	.01	.12	2	25	20
V-RD 9530E	9	291	27	123	.2	22	9	310	9.73	10	2	ND	8	9	2	2	2	44	.11	.05	9	24	.67	56	.06	5	1.94	.01	.08	2	125	5
V-RD 9540E	13	1162	46	52	.4	10	8	166	12.46	9	2	2	6	12	2	2	36	44	.24	.04	2	13	.47	20	.04	2	1.42	.01	.12	2	905	5
V-RD 9550E	5	740	54	146	.4	25	10	259	5.97	11	2	ND	12	15	2	2	10	47	.14	.05	13	27	.97	84	.06	8	2.12	.01	.18	2	85	5
V-RD 9560E	2	146	38	184	.3	28	10	322	3.00	5	2	ND	11	11	1	2	4	37	.19	.04	14	25	.80	61	.07	5	1.84	.01	.16	2	5	5

SAMPLER	NO	CU	PB	ZN	AS	NI	CO	HM	FE	AS	U	AU	TH	SR	CD	SB	BI	V	CA	P	LA	CR	MG	BA	TI	B	AL	NA	K	W	AUX	HE
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
NB U-RD 54269 9450E	1	20	19	154	.2	21	10	850	3.30	47	2	ND	2	101	2	4	7	36.65	.02	5	2	.43	6	.01	3	.46	.01	.01	2	5	5	
NB U-RD 54270 9455E	17	580	12	33	.9	30	71	1041	25.88	89	2	ND	5	75	10	2	2	18	5.58	.03	18	4	.52	9	.01	2	1.42	.01	.02	2	250	5
NB U-RD 54271 9605E	5	195	8	34	.1	6	6	1002	9.80	24	2	ND	2	223	4	2	3	36	16.12	.04	3	12	.90	4	.01	2	1.53	.01	.02	2	35	5
NB U-RD 54272 CORR	12	1348	16	61	1.1	23	77	804	19.63	35	2	ND	6	42	7	2	43	17	4.89	.05	11	5	1.30	16	.01	12	1.01	.03	.04	2	95	5
STD A-1/FA-AU	1	31	37	188	.4	37	11	1015	2.80	9	2	ND	2	35	2	2	2	57	.62	.10	8	67	.63	252	.09	8	2.05	.02	.20	2	55	50

SAMPLE#	MO	CU	PB	ZN	AS	NI	CO	MN	FE	AS	U	AU	TH	SR	CO	SB	BI	V	CA	P	LA	CR	MS	BA	TI	B	AL	NA	K	W	AU#	WE
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	PPM	PPB	PPB	
NB 10124N 9350E	1	47	10	85	.2	14	5	238	1.54	2	2	ND	7	7	1	2	2	25	.10	.06	8	10	.14	56	.06	2	1.22	.01	.05	2	15	5
NB 10124N 9375E	1	40	9	105	.4	16	5	185	1.55	3	2	ND	5	7	1	2	3	25	.09	.06	6	10	.30	66	.06	3	1.24	.01	.05	2	2	5
NB 10124N 9400E	1	122	10	212	.4	22	7	359	1.93	3	2	ND	5	10	1	2	3	28	.12	.07	7	9	.53	121	.08	3	1.91	.01	.08	2	2	10
NB 10124N 9425E	2	144	9	138	.2	17	6	280	1.61	4	2	ND	6	7	1	2	3	27	.10	.04	9	12	.56	69	.05	3	1.35	.01	.05	2	5	5
NB 10124N 9450E	2	213	15	57	.1	10	6	202	2.07	3	2	ND	9	5	1	2	2	38	.09	.02	12	17	.67	42	.05	2	1.35	.01	.08	2	7	5
NB 10124N 9475E	2	352	14	65	.1	13	7	204	2.08	6	2	ND	12	7	1	2	2	28	.14	.04	14	12	.69	40	.05	3	1.40	.01	.12	2	4	5
NB 10124N 9500E	1	311	18	102	.1	15	5	189	1.80	5	3	ND	7	7	1	2	2	27	.11	.03	11	12	.75	78	.05	2	1.52	.01	.09	2	19	5
NB 10124N 9525E	2	165	13	179	.5	27	8	250	2.05	2	2	ND	13	10	1	2	2	32	.13	.06	12	14	.50	119	.08	2	1.83	.02	.11	2	5	15
NB 10124N 9550E	1	120	15	195	.3	22	7	197	1.57	4	2	ND	6	9	1	2	2	26	.10	.04	9	14	.45	76	.05	2	1.52	.01	.07	2	2	10
NB 10124N 9575E	4	218	35	331	.8	31	10	364	2.32	23	21	ND	9	11	1	11	2	36	.12	.05	12	22	.69	92	.06	6	1.72	.01	.11	2	2	25
NB 10124N 9600E	1	50	20	462	.5	22	8	343	1.75	4	2	ND	5	14	1	2	2	31	.16	.08	7	15	.43	115	.08	3	1.54	.01	.08	2	1	40
NB 10000N 9400E	1	154	13	80	.1	11	5	208	1.76	6	3	ND	12	7	1	2	2	26	.15	.05	15	14	.59	48	.05	4	1.12	.01	.13	2	6	5
NB 10000N 9425E	1	55	14	207	.4	33	7	485	1.92	10	2	ND	5	14	1	2	2	27	.19	.15	8	11	.75	156	.10	2	2.58	.02	.09	2	1	50
NB 10000N 9450E	1	86	13	221	.4	20	7	284	1.66	2	2	ND	7	9	1	2	2	29	.10	.04	8	12	.42	109	.07	5	1.52	.01	.07	2	1	15
NB 10000N 9475E	1	118	15	224	.2	21	7	293	1.71	5	2	ND	7	9	1	2	3	27	.12	.04	9	14	.48	110	.06	3	1.54	.02	.08	2	1	5
NB 10000N 9500E	1	201	11	101	.3	15	6	195	1.99	7	2	ND	8	7	1	2	3	29	.11	.04	11	14	.61	80	.06	4	1.52	.01	.05	2	5	5
NB 10000N 9525E	2	268	18	140	.1	25	9	302	2.85	5	2	ND	11	11	1	2	3	26	.14	.03	15	21	.85	81	.07	4	1.92	.01	.16	2	2	20
NB 10000N 9550E	2	224	41	199	.3	27	9	325	2.64	8	2	ND	13	12	1	2	2	33	.17	.04	17	21	.78	99	.07	4	1.87	.01	.15	2	4	10
NB 10000N 9575E	1	73	37	292	.3	26	9	830	2.09	4	3	ND	7	17	1	2	3	29	.19	.09	9	17	.60	159	.06	4	1.82	.01	.11	2	4	5
NB 10000N 9600E	1	49	21	314	.4	19	7	904	1.67	2	2	ND	6	14	1	2	3	24	.16	.05	8	13	.43	124	.06	2	1.22	.01	.09	2	1	5
STD A-17FA-AU	1	31	37	188	.3	37	12	1029	2.91	9	2	ND	2	27	2	2	2	56	.52	.10	7	54	.52	263	.10	9	2.04	.02	.19	2	51	50


N.B. CLAIMS



LOCATION MAP
1" = 20 miles
LEGEND

Samples from "B" horizon
Analysis - Atomic absorption 80 mesh Fire Assay
By - Kamloops Research & Assay Laboratories
Extraction - hot aqua regia
Readings in ppb


- Road, improved
- - - four wheel drive
- Limit of timber
- ☁ Open swamp, meadow
- Claim post known
- Claim post assumed
- Drillhole, diamond
- Drillhole, percussion



GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,567



LEO LORANGER Contract Mining Services
KAMLOOPS, B.C.
WESTECH RESOURCES LTD.
VANCOUVER B.C.
82M/5 NB
GEOCHEMICAL PLAN
TOTAL Au
100 0 100 Metres
Scale: 1:5000 Date: 1/4/84
Drawn by: L.L.



LOCATION MAP
1" = 20 miles

Samples from "B" horizon
Analysis - Atomic absorption
By - Kamloops Research & Assay Laboratories
Extraction - hot aqua regia
Readings in ppm

- | | |
|-------------------------|-----------------------|
| Road - improved | Claim post - known |
| Road - four wheel drive | Claim post - assumed |
| Limit of timber | Drillhole, diamond |
| Open swamp meadow | Drillhole, percussion |



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

12,567

LEO LORANGER Contract Mining Services
KAMLOOPS, B.C.
WESTECH RESOURCES LTD.
VANCOUVER B.C.
82M/5 NB
GEOCHEMICAL PLAN
TOTAL Ag Cu
100 0 100 Metres
Scale: 1:5000 Date: 1/5/84


GROUP
BARRIERE
ADAMS LAKE
KAMLOOPS

LOCATION MAP
1" = 20 miles

LEGEND

Samples from "B" horizon
Analysis - Atomic absorption
By - Kamloops Research & Assay Laboratories
Extraction - hot aqua regia
Readings in ppm

—	Road, improved	■	Claim post, known
- - -	four wheel drive	□	Claim post, assumed
- · - · -	Limit of timber	●	Drillhole, diamond
☁	Open swamp, meadow	○	Drillhole, percussion



GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,567


LEO LORANGER Contract Mining Services
KAMLOOPS, B.C.

WESTECH RESOURCES LTD.
VANCOUVER B.C.

82M/5 NB
GEOCHEMICAL PLAN
TOTAL Zn

100 0 100 Metres


Scale: 1:5000 Date: 1/5/84



LOCATION MAP
1" = 20 miles

LEGEND

- INSTRUMENT - GEONICS EM-16
- TRANSMITTER - NPG, SEATTLE, WASHINGTON
- READINGS - IN %, REDUCED (FRASER, G.C., GEOPHYSICS, 1969, V. 34, P. 957)
- CONTOUR INTERVAL - 20%, 40%, 80%
- | | |
|---------------------|----------------------|
| • Road improved | ■ Claim post known |
| • Four wheel drive | □ Claim post assumed |
| • Limit of timber | • Drillhole diameter |
| • Open swamp meadow | • percussive |



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

12,567

LEO LORANGER Contract Mining Services
KAMLOOPS, B.C.
WESTECH RESOURCES LTD.
VANCOUVER B.C.
82M/5 NB
EM-16 SURVEY

100 0 100 Metres
Drawn by L.L. Scale: 1:5000 Date: 1/5/84

GROUP


BARRIERE ADAMS LAKE
KAMLOOPS

LOCATION MAP
1" = 20 miles

LEGEND

INSTRUMENT - GEONICS EM-16
TRANSMITTER - NAA, CUTLER, MAINE.
READINGS - IN %, REDUCED (FRASER, G.C.,
GEOPHYSICS, 1969, V. 34, P. 957.)
CONTOUR INTERVAL - 20%, 40%, 80

Road improved Claim post known
 Road four wheel drive Claim post assumed
 Limit of timber Drillhole diamond
 Open swamp meadow Percussion



GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,567

NORTH SOUTH GRID


LEO LORANGER Contract Mining Services
KAMLOOPS, B.C.
WESTECH RESOURCES LTD.
VANCOUVER B.C.
82M/5 NB
EM-16 SURVEY

100 0 100 Metres
Scale: 1:5000 Date: 1/5/84
Drawn by: L.L.

GROUP
BARRIER ADAMS LAKE
KAMLOOPS
LOCATION MAP
1" = 20 miles
LEGEND

INSTRUMENT - GEOMETRICS G-836, TOTAL FIELD
READINGS - FIELD MINUS 57,000 GAMMAS
CORRECTED FOR DIURNAL VARIATION
CONTOUR INTERVAL - 1,000 GAMMAS

Road, improved	Claim post, known
Four wheel drive	Assumed
Limit of timber	Drillhole, diamond
Open swamp, meadow	Percussion



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

12,567

NORTH SOUTH GRID

LEO LORANGER Contract Mining Services
KAMLOOPS, B.C.
WESTECH RESOURCES LTD.
VANCOUVER B.C.
82M/5 NB
MAGNETIC SURVEY

100 0 100 Metres
Drawn by: L.L. Scale: 1:5000 Date: 1/5/84