

84-#875 - 12619
8

GEOCHEMICAL AND GEOPHYSICAL REPORT
FLY AND AG CLAIMS
TOOTSEE RIVER AREA
LIARD MINING DIVISION, BRITISH COLUMBIA

LOCATION

NTS: 104-0-15E/16W
LATITUDE: 59° 57' 16"
LONGITUDE: 103° 31' 36"

FOR:

REG. RESOURCES CORPORATION
&
TERYL RESOURCES CORPORATION
216-8055 ANDERSON ROAD
RICHMOND, BRITISH COLUMBIA V6Y 1S2

BY:

PETER A. CHRISTOPHER, Ph.D., P.Eng.
PETER CHRISTOPHER & ASSOCIATES INC.
3707 WEST 34TH AVENUE
VANCOUVER, BRITISH COLUMBIA V6N2K9



SEPTEMBER 12, 1984

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

12,619

TABLE OF CONTENTS

	PAGE
SUMMARY	1
INTRODUCTION	2
LOCATION AND ACCESS	2
PROPERTY DEFINITION	2
HISTORY	3
WORK PROGRAM	3
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	4
MINERAL DEPOSITS IN THE AREA	4
GEOPHYSICAL SURVEY	5
GEOCHEMICAL SURVEY	5
DISCUSSION OF FLY PROPERTY	6
CONCLUSIONS AND RECOMMENDATIONS	6
COST STATEMENT	7
BIBLIOGRAPHY	8
CERTIFICATE	9

LIST OF FIGURES

FIGURE 1	LOCATION MAP
FIGURE 2	CLAIM MAP
FIGURE 3	REGIONAL GEOLOGY
FIGURE 4	PROPERTY OWNERSHIP MAP

LIST OF MAPS

MAP 1	STATION LOCATION MAP	in pocket
MAP 2	GEOCHEMICAL RESULTS	in pocket
MAP 3	GEOPHYSICAL RESULTS	in pocket

APPENDICES

APPENDIX A	VLF-EM SECTIONS
APPENDIX B	CERTIFICATES OF ANALYSIS

FLY PROPERTY

SUMMARY

A geochemical and geophysical program was conducted on August 14-16, 1984 to explore a silver, lead and zinc anomaly found during the 1983 prospecting program. A total of 105 soil and four rock samples were collected along chained and flagged lines. Over 25% of the samples collected were anomalous in silver, lead and zinc with values in soils up to 74ppm silver, 1850ppm lead and 4700ppm zinc. A strong positive correlation exists for the three elements. A northeast trending anomalous zone over 500meters wide and 1000meters long was delineated. Trenching and further geophysical testing of the anomalous zone is required to outline drill targets.

About 6 kilometers of VLF-EM and magnetic survey was completed. The magnetic results define the granitic-sedimentary rock contact in the western part of the claim area. Several VLF-EM anomalies were detected but insufficient data was obtained to correlate between survey lines. An electromagnetic survey should be conducted over the soil geochemical anomaly to define drill targets.

INTRODUCTION

The Fly and Ag claims were explored with a geochemical and geophysical program conducted between August 14 and August 16, 1984. Peter Christopher & Associates Inc. was retained by Mr. John Robertson president of Reg Resources Corporation and director of Teryl Resources Corporation to conduct the program. Mobilization for the project occurred from Vancouver, British Columbia on August 13, 1984. The writer was assisted during the program by Mr. Gerry Hayne. A Northern Mountain Helicopters Inc. jet ranger stationed at the Midway camp was used to mobilize and demobilize a fly camp. The camp location is shown on Map 1.

This report summarizes the geochemical and geophysical results of the exploration program and provides recommendations for follow up of anomalous results.

LOCATION AND ACCESS (FIGURES 1 & 2)

The Fly Claim Group is situated at the headwaters of a north branch of Tootsee River in northern British Columbia, 100 kilometres west of Watson Lake, Yukon Territory, and four kilometers south of the B.C. - Yukon border and 10 kilometers south of Rancheria, Yukon Territory. The claims are centered at Latitude 59°57'16" and Longitude 130°31'36" in N.T.S. Topographic and Mineral Claim Sheets 104-0-15E & 16W.

Roads along Freer Creek and the Tootsee River are within about a kilometre of the claim boundary and a cut baselines from near the Marbaco (Amy Deposit) Camp extend across the Fly property. Baseline BLY was used as a survey line during the program.


At present, easiest access is by helicopter from Rancheria or via helicopter stationed at Regional Resources Midway Camp. A Northern Mountains Helicopters Inc. jet ranger piloted by Richard Gilchrist was used for mobilization and demobilization of a fly camp.

PROPERTY DEFINITION

The property consists of the Fly 1 through 4 and Fly 2A modified grid claims totalling 50 units and the AG1 and AG2 two post claims which are internal to the Fly 1 and 2 claims. The Bear an Bear 2 claims are not part of the property and reduce the 1250 hectare area of the property by about 3 units or 75 hectares. Figure 2 shows the claim distribution and Table I gives pertinent claim data.

Table I. Pertinent Claim Data.

<u>Name</u>	<u>Record No.</u>	<u>Units/ Distribution</u>	<u>Staker</u>	<u>Record Date</u>
Fly 1	2452 (9)	8/(4S,2E)	Jake Melnychuk	Sept. 2/82
Fly 2	2456 (9)	16/(4S,4W)	Skip Melnychuk	Sept. 7/82
Fly 3	2453 (9)	10/(2N,5W)	Jean Legare	Sept. 2/82
Fly 4	2651 (9)	4/(2N,3E)	George Rudzk	Sept. 2/82
Fly 2A	2699 (2)	12/(4S,3E)	T. Cameron Scott	Feb. 2/83
AG 1	2334 (7)	1 claim	D. Schellenberg	July 29/82
AG 2	2335 (7)	1 claim	D. Schellenberg	July 29/82




REG RES./TERYL RES.

FIGURE 1.
Location Map and Major
Mineral Deposits, Northern
B.C.-Yukon Border

0 10 30 50 Km

B.J. PRICE, M.Sc. Feb., 1983



REG RES / TERYL RES

FIGURE 2
CLAIM MAP AND
MAJOR SHOWINGS
TOOTSEE RIVER AREA

KMO 1 2

HISTORY

The present area of the Fly claims was previously owned by D. Schellenberg, and in 1979 was explored by DuPont of Canada Exploration Ltd. with soil sampling, trenching and rock assaying for tungsten. A small scheelite-bearing skarn was located near the center line of the Fly 1 and Fly 2 claims. Lead, zinc and silver values also showed a strong response.

In 1982 ground surrounding the AG claims was allowed to lapse, and it was restaked by J. Robertson for Reg Resources Corp. The AG 1 and AG 2 claims were purchased from Schellenberg. A brief exploration program was conducted by Peter Christopher & Associates Inc. and filed for assessment in 1983.

Extensive staking activity was generated in 1983 when Regional Resources announced results that indicated an excellent potential for a silver-lead-zinc orebody on the Midway property, 10 kilometers to the east. Regional Resources has released reserves of 6.7 million tons grading 13.12 oz. silver, 11.12% zinc, 8.84% lead (Northern Miner August 9, 1984).

WORK PROGRAM

The work program on the Fly property consisted of soil sampling at 50 meter intervals. A total of 105 soils and four rock samples were collected and shipped to Chemex Labs Ltd. in North Vancouver, B.C. for lead, zinc and silver analyses. A total of 5.65 kilometers of line was chained with stations flagged at 25 meter intervals. Magnetometer and VLF-EM readings were collected at 25 meter intervals along lines. Sample and line locations are shown on Map 1 with geochemical and geophysical results plotted on Map 2 and Map 3 respectively. VLF-EM sections are presented in Appendix A and Certificates of analysis are presented in Appendix B.

REGIONAL GEOLOGY (FIGURE 3)

The Fly property is situated on the east flank of the Cassiar batholith which extends for over 300 kilometers from the Wolf Lake map sheet in the Yukon Territory to the Kechika map area in British Columbia. In the Jennings River and Cassiar-McDame map areas the eastern flank is underlain by Paleozoic rocks from Cambrian to Carboniferous age and separable into two or more contrasting assemblages, some of which have moved into place along flat lying faults.

Rock units are described in detail by Gabrielse (GSC Paper 68-55, 1968); brief descriptions of the mapped units are summarized below:

Good Hope and Atan Groups:(Unit 1)


Rocks of these units are probably Hadrynian and Lower Cambrian age with outcrops only near the contact with the Cassiar batholith. The igneous body has produced contact metamorphic effects with clastic rocks converted to hornfels and quartzites and limestones converted to skarn and marble.

130°30'

104 O/16

Yukon 130°00'

60°00'



59°45'





Figure 3. Generalized geology in vicinity of the Midway showing, Jennings River map-area; geology and legend modified from Gabrielse (1969).

(Source, McIntyre, D.G., 1982. BCDM Paper 82-1)

TABLE
Legend for Figure 3

CRETACEOUS

CASSIAR BATHOLITH

Kqm Quartz monzonite, granodiorite

MISSISSIPPIAN AND LATER

Mu Serpentinite, dunite, peridotite

UPPER DEVONIAN TO MISSISSIPPIAN

SYLVESTER GROUP (UPPER)

DMv Greenstone, agglomerate, dacitic tuff, minor chert, metadiorite

MIDDLE TO UPPER DEVONIAN

SYLVESTER GROUP (LOWER)

uD Slate, argillite, chert, siltstone, chert-arenite, greywacke, chert pebble conglomerate, minor limestone

MIDDLE DEVONIAN









McDAME GROUP

mD Dolomite, fossiliferous limestone

CAMBRIAN, ORDOVICIAN, AND SILURIAN

EOS Dolomite, dolomitic sandstone and siltstone, graptolitic black shale, platy siltstone, calcareous phyllite, phyllitic limestone, skarn, hornfels, limestone, quartzite

Symbols

- High-angle fault; ball on downthrown blocks 
- Antiform 
- Contact: defined; assumed 
- Road 
- Stratabound barite 
- Stratabound massive sulphide 
- Mineral occurrence in carbonate rocks 
- Exhalite horizon 

KECHIKA GROUP: (UNITS 2 & 3)

The Kechika Group includes rocks of Upper Cambrian to Silurian age. These are strongly hornfelsed shales and siltstones and calcareous phyllites. Shales in the lower part of Unit 3 carry graptolite fossils. Unit 2 may be as thick as 1000 feet (300m.) but unit 3 is thin, from 100 to 200 feet (30 to 60 meters).

UNIT 4:

Two formations described by Gabrielse as Units 4a and 4b are distinctive light-grey weathering resistant dolomites, sandy dolomites and dolomitic sandstones with conspicuous bedding. The units are believed to be Silurian and Lower Devonian age.

McDAME GROUP: (UNIT 5)

The McDame Group consisting of dark, fetid dolomites and limestones with abundant fossil debris forms a distinctive marker unit. Dolomite (intraformational?) breccia is common and white vuggy dolomite may represent reefoid accumulations of fossils that formed as shoals in a shallow platform environment. Fossil evidence indicates that the McDame Group is Middle Devonian age.


PROPERTY GEOLOGY

No attempt was made to grid or detail map the Fly property but during the 1983 and 1984 field program mapping has indicated that the geological contact between Cassiar batholith rocks and sediments occurs in the western part of Fly 2 claim. The presence of skarn zone to the east on the AG and Bear claims suggests that the granitic contact may be at shallow depth or dip to the east. Sediments generally dip southerly but have variable strikes which require complex faulting and/or folding. Detailed property mapping is necessary for better understanding of the property geology and structure.

MINERAL DEPOSITS IN THE AREA (FIGURE 4)

The most significant development in mineral exploration in the southern Yukon Territory and northern British Columbia in the last few years is the discovery of stratiform silver-lead-zinc mineralization within "exhalite" massive sulphide and silica barite horizons in the lower portion of the Mississippian-Devonian Sylvester Group. The discovery by Regional Resources Ltd. and partners Canamax and Procan caused reevaluation of geological data concerning mineral showings adjacent to Regional's "Midway" property.

Several silver-lead-zinc+gold deposits in Cambrian to Middle Devonian strata (Amy, YP, A+B, Sue) and in high grade veins within the Cassiar Batholith (Klondike Silver). Stratiform barite has been found on the Midway property and skarn tungsten-molybdenum mineralization has been found on the Hot and Fly claims and on the Fiddler and Sue prospects. Tin mineralization has been noted at the Midway deposits and Fiddler prospect.



This map does not guarantee claim locations or ownership

● Mineral deposit or occurrence

The Midway deposits of Regional Resources contain the most significant reserves in the area. The Midway deposits have reserves of 6.7 million tons grading 13.12 oz. silver, 11.12% zinc, and 8.84% lead (Northern Miner August 9, 1984).

GEOPHYSICAL SURVEY

a) Methodology

Magnetometer and VLF-EM readings were collected along flagged and chained lines at 25 meter intervals with readings collected at all soil sample sites and at intermediate stations. Geophysical survey stations are shown on Map 1 with a total of about 226 stations or 5.65 kilometers were surveyed. A Scintrex model MP2 magnetometer was employed with the detector in the pack mount. A base station was established about 50 meters west of the camp and read at the start and completion of traverses. Values were corrected for diurnal variation by assuming linear variation. A Geonics Ltd. EM16 was used for the VLF-EM work. Readings were taken at two frequencies with Seattle, Hawaii, and Cutler (Maine) used (except when both Seattle and Cutler were not broadcasting). VLF-EM plots are presented in Appendix A with anomalies shown on Map 3.

b) Results

Magnetic readings varied from 58,456 gammas to 58,676 gammas with a magnetic relief of 220 gammas detected during the survey. The highest value was at station 450W, 50N and is situated within a strong geochemical response. The lowest values are at the western part of the survey area and suggest a sedimentary and granitic rock contact at about 700W.

Several VLF-EM crossovers were detected along survey lines but insufficient data was acquired to aid with structural interpretation. Anomalies at 400E and 600E on lines 00 and 100S appear to correlate but additional lines are required. An anomaly at 50W on line 700SE is at the eastern edge of the strong geochemical response. Further survey lines should be run over the zone of anomalous geochemical results.

GEOCHEMICAL SURVEY

a) Methodology

Soil samples were collected from the B-horizon and put in kraft soil sample bags. The bags were labeled corresponding with the number written on flagging at the sample location. A total of 105 soil samples were collected at 50 meter intervals along chained and flagged lines. Four samples were collected for rock geochemical analysis. Samples were sent to Chemex Labs Ltd., North Vancouver, for lead, zinc and silver analyses. The results of the geochemical analysis are presented in Appendix 2 and plotted on Map 2.

b) Results

Background and anomalous limits for geochemical results were based on results obtained from several surveys conducted in the Tootsee River area. Background, moderately anomalous and anomalous levels are summarized in Table 2. The survey results show strong anomalous

TABLE 2. SUMMARY OF GEOCHEMICAL VALUES IN PPM.

ELEMENT	BACKGROUND	MODERATELY ANOMALOUS	ANOMALOUS	RANGE
SILVER	0.1-0.5	0.6-2.0	OVER 2.0	0.1-74
LEAD	6-39	40-79	OVER 79	6-1850
ZINC	28-149	150-250	OVER 250	28-4700

values for silver, lead and zinc. Reviews of the geochemical results for separate elements follow.

Silver values range from the detection limit of 0.1ppm to 74ppm with values over 0.5ppm considered anomalous. A total of 78 of 105 soils have anomalous values with 30 soils or 29% over 2.0ppm silver. Silver results show strong positive correlation with lead and zinc values that define an anomalous area over 500 meters by 1000 meters.

Lead values range from 6ppm to 1850ppm with values over 39ppm considered anomalous. A total of 66 of 105 soils have anomalous values with 41 soils or 39% over 79ppm lead.

Zinc values range from 28ppm to 4700ppm with values over 149ppm considered anomalous. A total of 65 of 105 soils have anomalous zinc with 51 soils or 49% over 250ppm zinc.

DISCUSSION OF FLY PROPERTY

The Fly claims are situated in an area of active base and precious metal exploration with the favourable nature of the geological setting of the Fly claims confirmed by the location of silver, lead and zinc showings. Selected samples from a previously trenched showing assayed 28.00 oz./ton silver (Price, 1983). A chip sample of a mineralized argillite had 55.0ppm silver and an altered piece of float had 72.0ppm silver. Geochemical results for soils indicate a strong coincident geochemical anomaly for silver, lead and zinc that is over 500 meters wide and 1000 meters long with possible northeast extension. The southwest end of the anomalous area is near bedrock and can be explored by trenching but the northeast end is in an overburden covered valley which will require geophysical investigation to locate drill targets.

CONCLUSIONS AND RECOMMENDATIONS

The large soil geochemical anomaly for silver, lead and zinc explains the silt anomaly obtained during the 1983 program. The area of strong soil geochemical response is over 500 meters wide and 1000 meters long. Trenching of the southwestern part of the anomaly is strongly recommended with an electromagnetic survey and drilling required in the valley area. A road should be constructed from either the Marbaco camp or by extending the Freer Creek road.

(7)

COST STATEMENT

PERSONNEL

PETER CHRISTOPHER Ph.D., 3707 W. 34th Avenue Vancouver, B.C. V6N2K9	3 days @ \$350 August 14-16/84	\$1050
GERRY HAYNE B.Sc. 20891 44th Avenue Langley, B.C. V3A5A8	3 days @ \$150 August 14-16/84	525

MOB/DEMOB 850

ROOM & BOARD 6 MAN DAYS @ \$50 300

TRANSPORTATION 4 X 4 TRUCK 3 DAYS @ \$120EA. 360
HELICOPTER 460

GEOCHEMISTRY ANALYSES 500
SHIPPING 50

RADIO RENTAL & TELEPHONE 50

GEOPHYSICAL EQUIPMENT RENTAL 150

MAPS & AIR PHOTOS 60


EXPENDABLES (Sample bags, chain, flagging etc.) 150

REPORT PREPARATION

WRITING & CONSULTING	1400
DRAFTING, TYPING, BINDING, COPIES	350

TOTAL COST \$ 6255

Peter A. Christopher
PETER A. CHRISTOPHER Ph.D.
September 12, 1984



BIBLIOGRAPHY

- CHRISTOPHER, P.A., 1983. Prospecting Report, Fly Claims, Tootsee River Area, Liard M.D., B.C. Assessment Report for Reg Resources Corporation.
- ECCLES, L.K., 1980. Geological and Geochemical Report, Bear 2, JM, TM, BP Claims, etc. DuPont of Canada Exploration, unpub. report.
- GABRIELSE, H., 1969. Geology of the Jennings River Map-Area. GSC Paper 68-55, 37pp.
- GORDY, S.P. et al., 1982. Stratigraphy and Structure of Sylvester Allocthon, Southwest McDame Map-Area, Northern British Columbia. G.S.C.
- GROSS, W.H., 1964. Geological, Geochemical and Geophysical Studies, Amy Claims Group, Rancheria Mining Company Ltd., BCMM Assessment Report No. 734.
- HOLLAND, S.S., 1968. Silver Tip Claims, Liard M.D. Summary of Geology and Exploration. BCDM Annual Report, p. 24-33.
- HYLANDS, J., 1980. Midway Property. Assessment Report No. 9912, BCDM.
- MCINTYRE, D.C., 1982. Midway Occurrence. Geological Fieldwork, 1982. BCDM Paper 1982-1 pp. 162-166.
- Poole, W.H. et al., 1960. Wolfe Lake Area, Yukon Territory. GSC Map 10-1960.
- PRICE, B.J., 1983. Geological Report Fly Claims, Tootsee River Area, Liard Mining Division. February 6, 1983 Report for Reg Resources Corporation.

CERTIFICATE

I, Peter A. Christopher, with business address at 3707 West 34th Avenue, Vancouver, British Columbia, do hereby certify that:

- 1) I am a consulting geological engineer registered with the Association of Professional Engineers of British Columbia since 1976.
- 2) I am a Fellow of the Geological Association of Canada and a member of the Society of Economic Geologists.
- 3) I hold a B.Sc. (1966) from the State University of New York at Fredonia, a M.A. (1968) from Dartmouth College and a Ph.D. (1973) from the University of British Columbia.
- 4) I have been practising my profession as a Geologist for over 15 years.
- 5) I have 20,000 shares of Reg Resources Corporation and Teryl Resources Corporation but no direct interests in the properties of either company.
- 6) I have based this report on a review of available geological data, and on exploration programs conducted under my supervision during August, 1983 and August, 1984.
- 7) I consent to the use of this report by Reg Resources Corporation and Teryl Resources Corporation for assessment work and in any Filing Statement, Statement of Material Facts or Prospectus issued by the Companies.


PETER A. CHRISTOPHER P. Eng.
September 12, 1984



APPENDIX A

VLF-EM SECTIONS

LINE 00 00 TO 9+25E
LINE 00 25W TO 8+00W
LINE 1+50S 25W TO 8+00W
LINE 1+00S 25E TO 9+25E
LINE 131E (BLY) 00 TO 7+50SE
LINE 7+00SE 25W TO 5+00W
LINE 7SE 4+50W 00 TO 4+00N

PROPERTY NAME : FLY
FOR CLIENT: REG/TERYL


DATE : AUGUST/84

LINE NUMBER : 00 FROM 00 TO 9+25E


RAPITAN VLF - EM PROFILE: DIP ANGLES IN DEGREES

STN 1 IS HAWAII

STN 2 IS SEATTLE




I
450
I
I
475
I
I
500
I
I
525
I
I
550
I
I
575
I
I
600
I
I
625
I
I
650
I
I
675
I
I
700
I
I
725
I
I
750
I
I
775
I
I
800
I
I
825
I
I
850
I
I
875
I
I
900
I
I
925
I
I




PROPERTY NAME :FLY
 FOR CLIENT:REG/TERYL
 DATE :AUGUST/84
 LINE NUMBER :00 FROM 25 TO800W
 RAPITAN VLF - EM PROFILE: DIP ANGLES IN DEGREES

STN 1 IS SEATTLE
 STN 2 IS CUTLER



I
450
I
I
475
I
I
500
I
I
525
I
I
550
I
I
575
I
I
600
I
I
625
I
I
650
I
I
675
I
I
700
I
I
725
I
I
750
I
I





PROPERTY NAME :FLY
FOR CLIENT:REG/TERYL

DATE :AUGUST/84
LINE NUMBER :100S 00 TO 9+25E

STN 1 IS HAWAII
STN 2 IS SEATTLE


RAPITAN VLF - EM PROFILE: DIP ANGLES IN DEGREES






PROPERTY NAME :FLY
 FOR CLIENT:REG/TERYL
 DATE :AUGUST / 84
 LINE NUMBER :1+50S FROM 25W TO 8+00W
 RAPITAN VLF - EM PROFILE: DIP ANGLES IN DEGREES

STN 1 IS SEATTLE
 STN 2 IS CUTLER



I
 I
 450
 I
 I
 475
 I
 I
 500
 I
 I
 525
 I
 I
 550
 I
 I
 575
 I
 I
 600
 I
 I
 625
 I
 I
 650
 I
 I
 675
 I
 I
 700
 I
 I
 725
 I
 I
 750
 I
 I

I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I



PROPERTY NAME :FLY

FOR CLIENT:REG/TERYL


DATE :AUGUST 16/84

LINE NUMBER :131E 00 TO 750SE


RAPITAN VLF - EM PROFILE: DIP ANGLES IN DEGREES

STN 1 IS HAWAII

STN 2 IS NONE



450 I
I
475 I
I
I
I
500 I
I
I
525 I
I
I
550 I
I
I
575 I
I
I
600 I
I
I
625 I
I
I
650 I
I
I
675 I
I
I
700 I
I
I
725 I
I
I
750 I
I
I
775 I
I
I




PROPERTY NAME : FLY
FOR CLIENT: REG/TERYL

DATE : AUGUST 16/84
LINE NUMBER : 700SE 25 TO 500W

STN 1 IS HAWAII
STN 2 IS CUTLER

RAPITAN VLF - EM PROFILE: DIP ANGLES IN DEGREES




PROPERTY NAME : FLY
 FOR CLIENT: REG/TERYL
 DATE : AUG16/84

STN 1 IS HAWAII

STN 2 IS CUTLER

LINE NUMBER : 700SE 45W 25 TO 400N
 RAPITAN VLF - EM PROFILE: DIP ANGLES IN DEGREES



APPENDIX B
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHRISTOPHER, PETER & ASSOCIATES INC.
3707 WEST 34TH AVE.,
VANCOUVER, B.C.
V6N 2K9

CERT. # : A8415255-001-A
INVOICE # : I8415255
DATE : 29-AUG-84
P.O. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
FPC-84814-01	201	51	160	1.2	--	--	--
FPC-84814-02	201	27	50	1.0	--	--	--
FPC-84814-03	201	30	51	2.1	--	--	--
FPC-84814-04	201	25	180	2.0	--	--	--
FPC-84814-05	201	34	300	0.9	--	--	--
FPC-84814-06	201	70	600	0.5	--	--	--
FPC-84814-07	201	38	227	0.6	--	--	--
FPC-84814-08	201	89	510	0.8	--	--	--
FPC-84814-09	201	128	490	1.2	--	--	--
FPC-84814-10	201	70	280	0.5	--	--	--
FPC-84814-11	201	40	140	0.2	--	--	--
FPC-84814-12	201	155	266	3.1	--	--	--
FPC-84814-13	201	174	810	5.3	--	--	--
FPC-84814-14	201	123	530	3.5	--	--	--
FPC-84814-15	201	305	1400	12.7	--	--	--
FPC-84814-16	201	152	760	9.8	--	--	--
FPC-84814-17	201	880	1900	16.2	--	--	--
FPC-84814-18	201	170	780	5.5	--	--	--
FPC-84814-19	201	35	46	0.4	--	--	--
FPC-84814-20	201	6	48	0.3	--	--	--
FPC-84814-21	201	45	131	0.5	--	--	--
FPC-84814-22	201	37	160	0.7	--	--	--
FPC-84814-23	201	18	380	0.9	--	--	--
FPC-84814-24	201	110	380	2.4	--	--	--
FPC-84814-25	201	428	930	8.0	--	--	--
FPC-84814-26	201	500	1460	19.8	--	--	--
FPC-84814-27	201	70	470	1.6	--	--	--
FPC-84814-28	201	850	1380	20.0	--	--	--
FPC-84814-29	201	285	950	11.0	--	--	--
FPC-84814-30	201	84	343	1.0	--	--	--
FPC-84814-31	201	35	259	0.9	--	--	--
FPC-84814-32	201	110	550	2.5	--	--	--
FPC-84814-33	201	265	1340	6.7	--	--	--
FPC-84814-34	201	550	1100	8.1	--	--	--
FPC-84814-35	201	980	1050	15.5	--	--	--
FPC-84814-36	201	265	560	4.5	--	--	--
FPC-84814-37	201	300	620	3.4	--	--	--
FPC-84814-38	201	58	200	0.9	--	--	--
FPC-84814-39	201	100	407	1.7	--	--	--
FPC-84815-40	201	52	180	0.8	--	--	--

Hart Buchler

Certified by





Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHRISTOPHER, PETER & ASSOCIATES INC.
3707 WEST 34TH AVE.,
VANCOUVER, B.C.
V6N 2K9

CERT. # : A8415255-002-4
INVOICE # : I8415255
DATE : 29-AUG-84
P.O. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
FPC-84815-41	201	27	107	0.7	--	--	--
FPC-84815-42	201	19	76	0.6	--	--	--
FPC-84815-43	201	125	313	0.9	--	--	--
FPC-84815-44	201	36	137	0.7	--	--	--
FPC-84815-45	201	27	53	0.4	--	--	--
FPC-84815-46	201	17	47	0.3	--	--	--
FPC-84815-47	201	13	63	0.6	--	--	--
FPC-84815-48	201	120	152	1.8	--	--	--
FPC-84815-49	201	62	97	0.9	--	--	--
FPC-84815-50	201	30	99	0.3	--	--	--
FPC-84815-51	201	14	29	0.4	--	--	--
FPC-84815-52	201	25	70	0.6	--	--	--
FPC-84815-53	201	31	52	0.7	--	--	--
FPC-84815-54	201	24	71	0.4	--	--	--
FPC-84815-55	201	14	50	0.3	--	--	--
FPC-84815-56	201	73	87	0.6	--	--	--
FPC-84815-57	201	50	38	0.5	--	--	--
FPC-84815-58	201	11	30	0.1	--	--	--
FPC-84815-59	201	35	28	0.4	--	--	--
FPC-84815-60	201	15	30	0.3	--	--	--
FPC-84815-61	201	74	162	1.2	--	--	--
FPC-84815-62	201	15	55	0.4	--	--	--
FPC-84815-63	201	18	36	0.9	--	--	--
FPC-84815-64	201	37	51	0.6	--	--	--
FPC-84815-65	201	25	61	0.3	--	--	--
FPC-84815-66	201	13	48	0.3	--	--	--
FPC-84815-67	201	25	56	0.4	--	--	--
FPC-84815-68	201	25	62	0.3	--	--	--
FPC-84815-69	201	24	78	0.4	--	--	--
FPC-84815-70	201	16	112	0.4	--	--	--
FPC-84815-71	201	35	192	0.8	--	--	--
FPC-84815-72	201	107	510	1.7	--	--	--
FPC-84815-73	201	48	109	0.7	--	--	--
FPC-84816-74	201	13	82	0.7	--	--	--
FPC-84816-75	201	14	43	0.2	--	--	--
FPC-84816-76	201	21	77	0.8	--	--	--
FPC-84816-77	201	250	3350	55.0	--	--	--
FPC-84816-78	201	275	480	4.3	--	--	--
FPC-84816-79	201	308	1480	7.2	--	--	--
FPC-84816-80	201	95	500	2.1	--	--	--

Hart Bichler

Certified by





Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : CHRISTOPHER, PETER & ASSOCIATES INC.


3707 WEST 34TH AVE.,
VANCOUVER, B.C.
V6N 2K9

CERT. # : A8415255-003-1
INVOICE # : 18415255
DATE : 29-AUG-84
P.O. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
FPC-84816-81	201	58	108	1.0	--	--	--
FPC-84816-82	201	940	2350	32.0	--	--	--
FPC-84816-83	201	210	610	3.6	--	--	--
FPC-84816-84	201	113	690	1.4	--	--	--
FPC-84816-85	201	55	92	0.4	--	--	--
FPC-84816-86	201	163	670	4.2	--	--	--
FPC-84816-87	201	70	310	1.4	--	--	--
FPC-84816-88	201	53	370	1.4	--	--	--
FPC-84816-89	201	57	157	1.2	--	--	--
FPC-84816-90	201	64	220	0.6	--	--	--
FPC-84816-91	201	103	390	1.3	--	--	--
FPC-84816-92	201	113	392	0.5	--	--	--
FPC-84816-93	201	55	222	0.8	--	--	--
FPC-84816-94	201	70	220	1.0	--	--	--
FPC-84816-95	201	780	3700	15.2	--	--	--
FPC-84816-96	201	60	323	1.7	--	--	--
FPC-84816-97	201	462	830	12.3	--	--	--
FPC-84816-98	201	1400	1980	74.0	--	--	--
FPC-84816-99	201	1850	4700	48.0	--	--	--
FGH-84815-01	201	57	302	1.1	--	--	--
FGH-84815-02	201	123	450	1.6	--	--	--
FGH-84815-03	201	70	261	1.2	--	--	--
FGH-84815-04	201	88	326	1.8	--	--	--
FGH-84815-05	201	15	46	0.4	--	--	--
FGH-84815-06	201	53	200	0.8	--	--	--



Certified by Hart Bichler



- LEGEND**
- Soil sample & geophysical station
 - △ Rock sample
 - Geophysical station
 - × Outcrop
 - Bedding
 - Claim post and lines

Scale 1:5000

Reg. Resources Corp./Teryl Resources Corp.

**Sample Locations
& Geology**

FLY PROJECT
Tootsee River Area


Sept. 1984

P.A. CHRISTOPHER & ASSOCIATES LTD.

MAP 1

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

12,619



LEGEND

- 45, 131, 0.5 Soil sample
ppm Pb, ppm Zn, ppm Ag
- △ 30, 135, 0.2 Rock sample
ppm Pb, ppm Zn, ppm Ag
- Geophysical station
- Claim post and lines

Scale 1:5000

Reg Resources Corp. / Teryl Resources Corp.

Geochemical Results

Ag, Pb, Zn

FLY PROJECT

Tootsee River Area

Sept. 1984


P.A. CHRISTOPHER & ASSOCIATES LTD.

MAP 2

GEOLOGICAL BRANCH


ASSESSMENT REPORT

12,619



- LEGEND
- Soil sample
 - ⊙ Geophysical station
 - △ Rock sample
 - ✕ Geophysical station
 - Claim post and lines
 - VLF-EM anomaly

Note: Magnetometer readings less 58,000 gammas.



Reg Resources Corp./Teryl Resources Corp.

**Geophysical Results
& VLF-EM Anomalies**

FLY PROJECT
Tootsee River Area

Sept., 1994

PA. CHRISTOPHER & ASSOCIATES LTD.

MAP 3

GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,619