

84-#671-12702

PROSPECTING REPORT  
MURRAY CLAIMS  
REVELSTOKE MINING DIVISION

REF. MAP NO. 82~~K~~/12W

LAT. 431100E                      LONG. 5607420N

OWNED BY BILL CAMERON

AND

FRAN JENKINS

120 UNITS

OPERATOR: BILL CAMERON

FRAN JENKINS

**GEOLOGICAL BRANCH  
ASSESSMENT REPORT**

**12,702**

REPORT BY FRAN JENKINS

GRADUATE OF GOVERNMENT

PROSPECTING COURSE

AUGUST 12/ 1984.

*Fran Jenkins*

TABLE OF CONTENTS

	Page
INTRODUCTION	
PROSPECTING METHODS	1.
GEOLOGY	2.
MINERALIZATION	3.
CONCLUSIONS	3.

MAPS:

Map No. 1	Report Area
Map No. 2	Anomalies
Map No. 3	Geology
Map.No. 4	Mineralization

INFORMATION SUPPLIED BY MINING COMPANYS

No. A

SOIL AND CHIP SURVEY

RESULTS R-A

No. B

ANALYTICAL REPORT

No. C

MISC. ASSAYS

## INTRODUCTION

The Murray Property was found in July 1983 by Bill Cameron and Fran Jenkins, both residence of Revelstoke, B.C.

This is a new discovery with no mining history. It is located 48 Km south of Revelstoke, along Highway 23, near the Shelter Bay Ferry Terminal. Access to the property is by logging roads, 4½ Km south of the ferry terminal to just past Longworth Creek and up a 4 X 4 old road. The centre of the property was logged 20-30 years ago. Many of the logging roads are still usable and give good accessibility. The native trees are fir, hemlock and cedar. Ferns, slide-willow and devils club are abundant. The claims were contract staked by Pearson and Gallagher of Nelson. The area covered by this report is shown on map number 1.

### PROSPECTING METHODS

Much of the property is covered by overburden, road cuts and numerous creeks have fairly good rock exposure so prospecting has been concentrated in these areas.

The most successful methods of prospecting have been:

(1) Old fashioned rock pounding and tracing float up creeks, followed by removing overburden and hand trenching.

(2) Bloom heavy metal geochem test. -The mineralization often occurs in schists. These tend to slump or sluff. A test with the Bloom kit gives an accurate if not quantitative indication of the presence of Pb., Zn, or Cu

Significant Bloom anomalies on map 2.

Others- V.L.F. A test survey showed this would be viable, but would need experienced interpretation.

#### Self Potential

Anomalies found shown on map 2.

### SOIL SAMPLING

Soil sampling on the Murray Claims gives very doubtful results. Most likely because of the hardpan covering the bedrock. There are very well developed soil horizons on top of the hardpan but the results are negative even just down the slope from a mineral occurrence.

GEOLOGY

Map Number 3.

The host rocks seem to be metavolcanics interbedded with metasediments. Garnets and magnetite occur with or without mineralization. The host rock is cut in numerous places by stringers of pink calcite. Light coloured dykes, from  $\frac{1}{2}$  to 3 metres wide are common to the property.

Quartz veining occur infrequently and is most often barren. A light coloured soft gneiss overlays the harder volcanics to a depth of 2-5 M. in the area marked on map Number 3. This shows in the creeks, which have cut through this cover to the harder rocks in the bed of the creeks. This gneiss also shown in road cuts.

A very calcareous rock containing hermatite is the road cut at  $\Delta$ , on map 3.

A light coloured granite was found as shown on map 3. Hardpan for  $\frac{1}{2}$  to 1 metre thick covers much of the bedrock, as the only way to find this is to dig through the overburden, the extent of this has not been determined. There seems to be a unit of felsic to intermediate volcanic origin that underlies the mineralized unit on the west and could be used to delineate the area of most interest.

### MINERALIZATION

The Murray Deposit appears to be strata bound. Chalcopyrite, both massive and disseminated, is the most abundant mineral. There are minor amounts of sphalerite and galena. Gold and silver are present in significant amounts in assay.

The mineralization occurs in interbedded metavolcanics and metasediments, usually but not always in the biotite schist. The pit A on map 4, is strata bound disseminated chalcopyrite and pyrite striking to the south East. A grab sample assayed .9%cu. On Longworth Creek, B, on Map 4, a zone of disseminated pyrite and Chalcopyrite approximately 12 metres wide, strikes to the south east. A composite grab sample assayed .49% cu. First creek as shown on map 4 has massive chalcopyrite pods or sheets with minor sphalerite and galena for approximately 150 metres from where it joins Longworth Creek. On Longworth Creek, just below the falls, C on map 4, there are showings of chalcopyrite and zinc. The north side of the creek assayed 1.4% zinc.

### CONCLUSIONS

The Murray deposit is strata bound. The host rock is metavolcanics and metasediments.

The potential lies in the likelihood of one or more massive sulfide ore bodies. Copper is the dominant mineral, but significant gold and silver assays show promise. The mineralized zone has a proven or indicated strike length of 3 Km.

COST STATEMENT

Sept. 1/83 to Nov. 15/83.

30 man days @\$80.00	2400.00
15 days 4X4 truck @ \$40.00	600.00
Food 30 days @ \$15.00	<u>450.00</u>
	3450.00

May 17/84 to Aug. 10/84

40 man days @ 80.00	3200.00
20 days 4X4 truck @ 40.00	800.00
Food 40 days @ \$15.00	<u>600.00</u>
	4600.00

Preparing report	200.00
	<u>200.00</u>
	8250.00


# R-A-1

⊙ rock chip  
○ silt sample

83 F V T 638

Project  
sample type (T = rock chip, S = soil, L = silt)  
sample number

B.L.K. 12  
Sept '83  
1:50,000  
W.V.







SOIL SAMPLE LOCATIONS

R11 1

(83 F)



82K12  
GALENA BAY SOIL SAMPLING  
SEPT. 1983  
SAMPLE INTERVALS - 75M. <sup>W.V.</sup>

# Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,  
BURNABY, B. C.  
CANADA  
TELEPHONE: 299-6910

PA 2

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 83470-8

INVOICE NO.

DATE ANALYSED 83/10/19


PROJECT 57014

TO: 

No.	Sample	pH	Mo	Cu	Mn	Fe					No.
01	83 FIS 1153			30	200	1.7					01
02	1154			150	1270	5.0					02
03	1155			22	420	2.0					03
04	1156			28	340	2.3					04
05	1157			24	120	1.3					05
06	1158			34	400	2.2					06
07	1159			62	1800	4.0					07
08	1160			44	1480	4.9					08
09	1161			28	560	3.9					09
10	83 FIS 1162			62	600	3.9					10
11	1163			56	2060	1.8					11
12	1164			30	1160	3.4					12
13	1165			40	620	3.1					13
14	1166			34	640	3.2					14
15	1167			22	420	2.4					15
16	1168			32	220	2.6					16
17	1169			26	480	3.1					17
18	1170			32	90	2.3					18
19	1171			54	560	2.4					19
20	STD B			152	140	0.9					20
21	83 FIS 1172			22	120	1.4					21
22	1173			36	200	2.7					22
23	1174			62	180	2.6					23
24	1175			52	180	1.4					24
25	1176			50	60	1.6					25
26	1177			12	200	1.8					26
27	1178			70	120	2.1					27
28	1179			56	110	2.0					28
29	1180			46	300	1.7					29
30	83 FIS 1181			16	300	2.1					30
31	1182			38	400	2.0					31
32	1183			48	160	2.9					32
33	STD B			156	140	1.0					33
34											34
35											35
36											36
37											37
38											38
39											39
40											40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by



# Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,  
BURNABY, B. C.  
CANADA  
TELEPHONE: 299-6910

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 83478-4

INVOICE NO.

DATE ANALYSED 83/10/14

PROJECT 57014

TO:

~~XXXXXXXXXX~~  
VANCOUVER, B.C. V6E 3L6

No.	Sample	pH	Mo	Cu						No.
01	83FIT1184			10						01
02	1185			126						02
03	1186			108						03
04	1187			82						04
05	1188			62						05
06	1189			22						06
07	1190			42						07
08	L1191			46						08
09	T1192			6						09
10	1193			10						10
11	L1194			70						11
12	T1195			32						12
13	1196			50						13
14	83FIT1197			26						14
15										15
16										16
17										17
18										18
19										19
20										20
21										21
22										22
23										23
24										24
25										25
26										26
27										27
28										28
29										29
30										30
31										31
32										32
33										33
34										34
35										35
36										36
37										37
38										38
39										39
40										40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by

*P. Rossbach*

# Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,  
BURNABY, B. C.  
CANADA  
TELEPHONE: 299-6910

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 83478-1A

INVOICE NO.

DATE ANALYSED 83/10/12

PROJECT 57014.

TO: [REDACTED] INC.  
[REDACTED] ET

*manuscript 90/10/12*

No.	Sample	pH	Mp	Cu	Mn	Fe	Ag	Zn	Pb.				No.
01	83 FQS 139		2	68	740	5.5	0.2	138	20				01
02	1400		2	76	520	4.5	0.2	88	18				02
03	1401		1	112	300	2.5	0.2	48	22				03
04	1402		1	52	360	2.1	0.4	44	24				04
05	1403		1	26	7000	2.8	0.2	170	24				05
06	1404		1	16	920	2.9	0.2	70	26				06
07	1405		1	20	380	2.7	0.2	54	16				07
08	1406		1	24	1140	3.9	0.4	74	18				08
09	1407		1	32	1300	4.2	0.2	128	12				09
10	FQS 1408		1	110	1600	4.3	0.2	148	26				10
11	1409		1	78	1660	5.2	0.2	120	18				11
12	1410		1	56	860	2.6	0.2	56	12				12
13	1411		1	34	1160	2.9	0.2	62	18				13
14	1412		1	22	1140	3.2	0.2	100	18				14
15	1413		1	32	240	2.9	0.2	82	18				15
16	1414		1	46	940	3.3	0.4	144	30				16
17	1415		1	42	680	3.5	0.2	86	22				17
18	1416		1	86	400	4.8	0.2	92	18				18
19	1417		1	64	820	4.3	0.2	94	24				19
20	STD C		16	182	200	1.4	0.6	116	78				20
21	FQS 1418		1	56	240	4.4	0.2	60	26				21
22	1419		1	30	260	2.4	0.2	52	34				22
23	1420		1	20	340	2.8	0.2	54	16				23
24	1421		1	<del>112</del>	260	3.2	0.4	60	20				24
25	1422		2	70	300	2.1	0.4	66	24				25
26	1423		1	34	280	2.9	0.2	64	24				26
27	1424		1	18	220	2.6	0.2	56	22				27
28	1425		1	20	140	2.2	0.6	36	14				28
29	1426		1	18	260	2.2	0.2	66	14				29
30	FQS 1427		1	26	1160	2.9	0.2	88	18				30
31	1428		1	92	120	2.5	0.8	42	20				31
32	1429		1	26	1120	2.0	0.2	46	20				32
33	1430		1	58	360	3.2	0.4	86	18				33
34	1431		1	22	580	2.9	0.4	66	12				34
35	1432		1	56	360	3.0	0.2	80	14				35
36	1433		1	54	520	2.9	0.2	70	12				36
37	1434		1	66	1180	2.8	0.2	66	16				37
38	L 1435		1	34	1140	2.3	0.2	68	10				38
39	1436		1	62	580	3.9	0.6	70	10				39
40	STD C		16	180	200	1.4	0.6	116	78				40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by

*P. Rossbach*

# Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,  
BURNABY, B. C.  
CANADA  
TELEPHONE: 299-6910

R 416

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 83478-2A

INVOICE NO.

DATE ANALYSED 83/10/12

PROJECT 57014

TO: ~~XXXXXXXXXX~~ INC.  
~~XXXXXXXXXX~~ STREET  
~~XXXXXXXXXX~~ C.

No.	Sample	pH	Mo	Cu	Mn	Fe	Ag	Zn	Pb.				No.
01	83FQS 1437		1	68	500	3.2	0.2	78	66				01
02	1438		2	78	620	3.9	0.2	80	16				02
03	1439		2	62	640	3.2	0.2	76	18				03
04	1440		1	60	560	3.2	0.2	60	14				04
05	1441		1	64	620	3.3	0.2	72	20				05
06	1442		1	50	500	4.5	0.2	72	18				06
07	1443		1	52	500	2.8	0.2	64	12				07
08	L 1444		1	40	540	3.1	0.2	80	14				08
09	1445		1	62	460	2.9	0.2	68	14				09
10	83FQS 1446		8	152	300	2.1	0.4	198	700				10
11	1447		1	44	520	3.9	0.4	140	20				11
12	1448		1	74	700	3.4	0.2	100	18				12
13	1449		1	60	480	3.4	0.2	468	22				13
14	1450		3	330	560	5.6	0.4	106	34				14
15	1451		1	58	580	3.6	0.2	76	14				15
16	1452		1	42	500	2.7	0.2	80	20				16
17	1453		1	34	500	3.2	0.2	70	10				17
18	1454		1	32	560	2.8	0.2	104	18				18
19	1455		1	48	760	4.1	0.2	144	16				19
20	STD D		1	724	100	0.8	3.8	500	96				20
21	83FQS 1456		1	46	500	2.9	0.2	110	20				21
22	1457		1	44	380	2.5	0.2	72	12				22
23	1458		2	42	380	2.8	0.2	62	6				23
24	1459		1	56	400	2.9	0.2	82	8				24
25	1460		1	38	420	2.9	0.2	62	8				25
26	1461		1	76	440	3.6	0.4	128	14				26
27	1462		1	56	400	3.1	0.2	74	10				27
28	1463		1	56	500	3.3	0.2	82	10				28
29	1464		1	60	300	2.8	0.4	70	12				29
30	1465		1	62	540	3.7	0.2	64	8				30
31	1466		2	46	520	3.2	0.2	90	14				31
32	1467		1	38	400	2.7	0.2	54	8				32
33	1468		1	24	300	2.5	0.2	68	10				33
34	1469		1	38	340	2.5	0.2	56	20				34
35	1470		2	32	380	3.5	0.2	58	10				35
36	1471		1	44	560	3.1	0.2	70	14				36
37	1472		1	74	620	3.6	0.2	76	20				37
38	1473		1	30	400	2.3	0.2	58	10				38
39	1474		1	24	340	2.2	0.2	100	12				39
40	STD D		1	118	100	1.0	3.8	500	96				40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by

*J. Rossbacher*

# Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,  
BURNABY, B. C.  
CANADA  
TELEPHONE: 299-6910

R.A.6

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 83478-3A

INVOICE NO.

DATE ANALYSED 83/10/12

PROJECT 57014

TO: [REDACTED] INC.  
[REDACTED] STREET  
[REDACTED] BC

No.	Sample	pH	Mo	Cu	Mn	Fe	Ag	Zn	Pb.	No.
01	83 FQS 1475		1	16	240	1.6	0.2	52	8	01
02	1476		1	44	840	3.7	0.2	124	14	02
03	1477		1	28	580	2.7	0.2	76	12	03
04	1478		1	72	660	4.7	0.2	140	14	04
05	1479		1	32	640	3.1	0.4	178	20	05
06	1480		1	50	460	2.9	0.2	62	10	06
07	1481		1	38	360	2.4	0.2	60	14	07
08	1482		1	36	360	2.3	0.2	52	10	08
09	1483		1	42	440	2.9	0.2	82	10	09
10	83 FQS 1484		1	54	420	2.8	0.2	64	12	10
11	1485		1	36	500	2.5	0.2	78	14	11
12	1486		1	46	460	2.9	0.2	68	12	12
13	1487		1	28	340	2.0	0.2	64	10	13
14	1488		1	20	240	1.8	0.2	50	10	14
15	1489		1	20	280	2.0	0.2	50	10	15
16	1490		1	44	480	3.7	0.2	58	12	16
17	1491		1	22	380	2.2	0.2	58	12	17
18	1492		1	18	360	2.1	0.2	64	12	18
19	1493		1	20	280	2.1	0.2	62	8	19
20	STD E		3	74	300	2.8	0.2	150	16	20
21	83 FQS 1494		1	22	360	2.5	0.2	100	12	21
22	1495		1	36	460	2.7	0.2	56	10	22
23	1496		1	40	440	3.2	0.2	102	14	23

# Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,  
BURNABY, B. C.  
CANADA  
TELEPHONE: 299-6910

117

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 83A-78-117

INVOICE NO.

DATE ANALYSED 83/10/12

PROJECT 57014

TO: CA [REDACTED]  
6 [REDACTED]  
V [REDACTED]

Colony Bay

No.	Sample	pH	%	Cu	Mn	Fe						No.
01	83FYS 975			34	360	4.5						01
02	976			24	280	3.1						02
03	977			32	540	4.4						03
04	978			30	720	3.3						04
05	979			32	800	3.9						05
06	980			50	520	3.5						06
07	981			34	660	4.6						07
08	982			34	240	2.7						08
09	983			28	960	3.7						09
10	83FYS 984			38	1080	4.5						10
11	985			22	900	3.3						11
12	986			42	1180	3.9						12
13	987			24	800	3.8						13
14	988			34	340	3.4						14
15	989			34	480	0.7						15
16	990			38	1120	2.2						16
17	991			24	360	2.7						17
18	992			30	1160	3.9						18
19	993			138	6000	2.3					Suspect (High Mn)	19
20	STD B			140	160	1.0						20
21	83FYS 994			64	1100	2.8						21
22	995			60	120	1.7						22
23	996			28	180	1.9						23
24	997			36	180	1.7						24
25	998			28	360	2.5						25
26	999			24	160	1.4						26
27	1000			16	200	1.1						27
28	1001			10	360	2.2						28
29	1002			12	860	2.0						29
30	FYS 1003			16	240	1.7						30
31	1004			20	160	1.8						31
32	1005			18	160	0.9						32
33	1006			16	180	1.5						33
34	1007			32	600	2.6						34
35	1008			16	300	1.9						35
36	STD B			144	160	1.0						36
37												37
38												38
39												39
40												40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by P. Rossbach

# Kossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

BURNABY, B. C.  
CANADA  
TELEPHONE: 299-6910

*RHS*

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. *83478-5*

INVOICE NO.

DATE ANALYSED *OCT. 13/83*

PROJECT *57014*

TO: CANAMAX RESOURCES INC.  
601 - 535 THURLOW STREET  
VANCOUVER, B.C.

No.	Sample	pH	Mo ✓	Cu ✓	Ag	Zn	Pb	Au					No.
01	<i>83 FVT 628</i>		<i>1</i>	<i>30</i>	<i>0.2</i>	<i>176</i>	<i>18</i>						01
02	<i>629</i>		<i>1</i>	<i>12</i>	<i>0.2</i>	<i>114</i>	<i>12</i>						02
03	<i>630</i>		<i>1</i>	<i>148</i>	<i>0.2</i>	<i>156</i>	<i>14</i>						03
04	<i>631</i>		<i>1</i>	<i>40</i>	<i>0.2</i>	<i>128</i>	<i>10</i>						04
05	<i>632</i>		<i>2</i>	<i>206</i>	<i>0.2</i>	<i>182</i>	<i>66</i>						05
06	<i>633</i>		<i>1</i>	<i>48</i>	<i>0.2</i>	<i>130</i>	<i>10</i>						06
07	<i>634</i>		<i>1</i>	<i>8</i>	<i>0.2</i>	<i>42</i>	<i>16</i>						07
08	<i>635</i>		<i>1</i>	<i>10</i>	<i>0.2</i>	<i>40</i>	<i>12</i>						08
09	<i>L 636</i>		<i>1</i>	<i>20</i>	<i>0.2</i>	<i>50</i>	<i>8</i>						09
10	<i>SID B</i>		<i>26</i>	<i>140</i>	<i>0.8</i>	<i>134</i>	<i>86</i>						10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
32													32
33													33
34													34
35													35
36													36
37													37
38													38
39													39
40													40


*Colona Bay*

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by *J. Kossbacher*



# B 1





B 2''

# TERRAMIN RESEARCH LABS LTD.

## ANALYTICAL REPORT

Job # 83-267



Date Oct. 4, 1983

Client Project 903 MURRAY CLAIMS

Page 5/5

Sample No. <u>Rock</u>	<u>Au</u> ppb - oz/ton*	<u>Ag</u> ppb - oz/ton	<u>Cu</u> ppm - %	<u>Pb</u> ppm - %	<u>Zn</u> ppm - %
1402	38   .001	600   .018	920   0.09	114   0.01	200   0.02
1403	2	100   .003	86	12	82
1404	232   .007	4300   .125	7600   0.76	110   0.01	980   0.10
1405	586   .017	26000   .758	21200   2.12	46	770   0.08
1406	42   .001	2500   .073	3000   0.30	310   0.03	710   0.07
1407	180   .005	46000   1.342	23000   2.30	9900   0.99	9500   0.95
1408	2	900   .026	1070   0.11	72	115   0.01
1409	12	1400   .041	6900   0.69	8	113   0.01
1410	2	100   .003	65	10	87

\* troy oz/short ton

Analytical Costs

Rock Preparation	9 @ 2.75	\$ 24.75
Ag, Cu, Pb, Zn Analyses	9 @ 3.30	29.70
Au Analysis (Fire Assay/AA)	9 @ 6.00	<u>54.00</u>
		<u>\$108.45</u>

HAND SPECIMEN DESCRIPTIONS

CREEK SHOWING

- 1402 - lightly oxidized, garnetiferous quartz-biotite schist with phyllitic partings
- approximately 1% finely disseminated pyrite with some alignment parallel to foliation
  - garnets 1 to 2 mm in diameter
- 1403 - quartzo-feldspathic gneiss with pale and dark green laminae
- pink carbonate veinlets to 3 mm in width, parallel to the gneissic layering
  - approximately 1% finely disseminated pyrite
- 1404 - dark green, nodular quartz-chlorite schist
- quartz augen (?) range from 1 mm to several cm in length
  - much folding and microfracturing
  - malachite/azurite stain on outcrop scale
  - 2½ to 3% sulphide; perhaps 1½% anhedral chalcopyrite, 1½% euhedral pyrite
  - chalcopyrite is interstitial to quartz augen and chlorite
- 1405 - lightly oxidized, green, silicified chlorite schist
- indistinct foliation, possibly due to deformation (?)
  - approximately 5% sulphide; 2½% anhedral chalcopyrite, 2% euhedral pyrite and ½% pyrrhotite
  - chalcopyrite occurs in small, anhedral, 2 mm wide clots throughout the rock
- 1406 - lightly oxidized, garnetiferous quartz-biotite schist with phyllitic partings
- approximately 1½% disseminated pyrite with some alignment parallel to foliation
- 1407 - lightly oxidized chlorite schist
- approximately 8 to 10% sulphide; 2½% anhedral chalcopyrite, 4½% euhedral pyrite, 1% pyrrhotite ½% or less anhedral galena and ½% or less subhedral sphalerite
  - chalcopyrite and galena occur as disseminated grains throughout the rock

B 4 .

PIT SHOWING

- 1408 - lightly oxidized, quartz-biotite schist with phyllitic partings  
- approximately 1% finely disseminated, euhedral pyrite with some alignment parallel to foliation
- 1409 - identical to above
- 1410 - well-foliated chloritic quartzite with phyllitic partings  
- approximately 1½% euhedral pyrite in disseminated grains with some alignment parallel to foliation  
- microfractures containing quartz perpendicular to foliation  
- pink carbonate blebs parallel to foliation

(WJS)


C

Assay	SAMPLE #	%Cu	Ag (ppm)	Au (ppb)	Description
	7351	0.33	3.1	60	1.3 m chip, visible py, cpy, malachite
	7352	0.09	0.1	10	2.0 m chip
	7353	0.06	0.1	5	2.0 m chip
	7354	0.21	1.7	180	2.5 m chip, visible py, cpy, FeO
	7355	5.60	48.0	8600	grab, visible patches py and cpy
	7356	2.00	25.0	410	1.5 m chip, sheared rx, visible py, cpy malachite and FeO
	7357	0.48	5.0	45	1.5 m chip, siliceous, py, cpy, malachite.
	7358	0.46	3.2	25	grab-dissem py, cpy mal.-calc-silicate banding.


GEOLOGICAL BRANCH  
ASSESSMENT REPORT

12,702

GOLD ASSAYS OZ/TON.



CROSS SECTION LOOKING NORTH. (330°)



82K/12  
1431100E - 5607420N



MURRAY CLAIMS

IST. CREEK SHOWING

SCALE 1:2500

GEOLOGICAL BRANCH  
ASSESSMENT REPORT


12,702



# 12,702




SCALE 1:20000



REF. MAP 82K/12W  
MURRAY CLAIMS

- - - - ROADS
- ≡ AREA OF HIGH POTENTIAL
- |||| AREA PROSPECTED
- - - CLAIM LINE
- x x TRAILS

MAP NO. I  
AREA COVERED






GEOLOGICAL BRANCH  
ASSESSMENT REPORT

12,702

TO WEST SEE MAP 92



RES. MIN. & PLACER  
BELOW 1460' CONTOUR  
96 33, 5. JAN. 61  
RELEASE REQUIRED

REVELSTOKE M.D.  
SLOCAN M.D.

MTE D  
14  
1831 (2)

MAP 4



GEOLOGICAL BRANCH  
MINES DEPARTMENT REPORT

12,702

MURRAY 4

MURRAY 7

MURRAY 2



MAP 82K/12W

MURRAY CLAIMS

- MASSIVE CHALCOPYRITE
- DISSEMINATED CHALCOPYRITE
- Zn
- CLAIM LINES


SCALE 1:6000

MAP NO 4




MINERAL BRANCH  
REPORT

12,702



GEOLOGICAL BRANCH  
ASSESSMENT REPORT

12,702



REF. MAP. 82K/12W

MURRAY CLAIMS

- GRANITE
- GNISS
- METAVOLANICS AND META SEDIMENTS
- DYKES (FELSIC?)
- LIME STONE
- CLAIM LINES

MAP NO 3  
GEOLOGY