

84-#775-12862

REPORT ON THE GEOLOGICAL, GEOCHEMICAL,
AND VLF-ELECTROMAGNETIC SURVEYS
CONDUCTED ON THE MIDAS, MIDAS #4
KADO FRACTION, MID 1 AND MID 2 CLAIMS

CLINTON MINING DIVISION
92 0/7 + 8
122° 28' W LONG ITUDE
49° 09' N LATITUDE

by

T.W. SPILSBURY (M.Sc.)

of

TECK EXPLORATIONS LTD.
1199 W. Hastings Street
Vancouver, B.C. V6E 2K5

for

BANKIT RESOURCES CORPORATION
SUITE: 704 - 525 SEYMOUR STREET
VANCOUVER, B.C. V6B 3H7

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

September 17, 1984

Vancouver, B.C.

12,862

TABLE OF CONTENTS

	PAGE
A. Introduction.....	1
B. Location, Access and Physiography.....	2
C. Claims.....	3
D. History.....	4
E. Exploration.....	5
F. Geology.....	5
1. Regional Geology.....	5
2. Property Geology.....	6
a) Rock Types.....	6
b) Structural Geology.....	8
b) Quartz Veining.....	8
G. Electromagnetic Survey.....	9
H. Geochemistry.....	10
I. Discussion.....	15
J. Conclusions.....	17
K. References.....	18
L. Statement of Qualifications.....	19
M. Itemized Cost Statement.....	20

ILLUSTRATIONS

Figure 1.	Location Map.....	following page 1
Figure 2.	Claim map.....	following page 2
Figure 3.	Geology map.....	In pocket
	VLF-Electromagnetic Survey.....	In pocket
Figure 5.	Geochemical Plan (a) Silver - Gold.....	In pocket
	(b) Copper - Zinc.....	In pocket
	(c) Antimony - Arsenic.....	In pocket
Figure 6.	Compilation Map.....	In pocket

APPENDICES

APPENDIX I	Geochemical Analyses.....
------------	---------------------------

A. INTRODUCTION

Geochemical soil and silt sampling, VLF - electromagnetic and geological mapping surveys were conducted by employees of Teck Explorations Ltd. on the Midas claim group during the period July 1st to July 21st, 1984.

The purpose of the program was to search for epithermal, gold-silver bearing quartz veins similar to those found at the Black Dome prospect to the south.

The potential for the discovery of similar epithermal gold-silver mineralization on the Midas property is supported by the occurrence of drusy and vuggy quartz veins in outcrop, structural trends consistent with the Black Dome veins and the development of anomalous gold/base metal values in soils.

B. LOCATION, ACCESS PHYSIOGRAPHY

The Midas Property is located in the Clinton Mining Division, seventy kilometres west-northwest of the community of Clinton in south-central British Columbia (Figure 1). The property encompasses the headwaters of Porcupine and Borin Creeks and is two and a half kilometres north of the summit of Black Dome Mountain.



FIG. 1

BANKIT RESOURCES CORPORATION
LOCATION MAP - MIDAS PROPERTY
BLACKDOME MOUNTAIN
CLINTON MINING DIVISION - BRITISH COLUMBIA
 SCALE 100 STATUTE MILES TO 1 INCH

The property is readily accessible from the community of Clinton by well maintained gravel road to Empire Valley and hence via the Black Dome access road.

The claim group is characterized by gently rolling slopes between elevations of 1500 and 1950 metre. The lower elevations are well timbered with open forest of pine, spruce and fir, whereas at the higher elevations stunted trees and alpine meadows are typical.

C. CLAIMS

The Midas property consists of sixty-three contiguous mineral claim units situated in the Clinton Mining Division that can be summarized as follows:

<u>CLAIM NAME</u>	<u>RECORD NUMBER</u>	<u>NUMBER OF UNITS</u>	<u>EXPIRY DATE</u>
Midas	386(8)	20	August 23, 1984
Midas #4	1098(9)	20	September 9, 1984
Kado Fraction	493(10)	1	October 10, 1984
MID 1	1757(6)	12	June 11, 1985
MID 2	1758(6)	10	June 11, 1985




FIG. 2

BANKIT RESOURCES CORPORATION	
CLAIM MAP	
MIDAS PROPERTY	
CLINTON MINING DIVISION BRITISH COLUMBIA	
AUG. 1984	SCALE: 1:50,000

The location of the claims is shown on Figure 2. On April 8, 1983, Bankit Resource Corporation entered into an option agreement with Mr. Clifford Gunn, the original owner of the above said mineral claims.

D. HISTORY

All documented previous exploration in the area was carried out on what is now the Black Dome property. Gold-silver bearing quartz veins were discovered near the summit of Black Dome Mountain in the late 1940's by Lawrence Frenier. Subsequently exploration programs were carried out by Empire Valley Mines, Silver Standard, Barrier Reef Resources and Blackdome Exploration Ltd.

Heath Steel Mines Ltd. conducted an aggressive surface and underground exploration program on the property from 1982 to 1983 which indicated reserves of 455,000 tons averaging .32 ounces per ton gold and 2.7 ounces per ton silver.

Underground development in conjunction with surface drilling is continuing by Blackdome Exploration who have outlined a high-grade ore shoot grading 2.2 ounces per ton gold 220 feet long with an average width of 5.6 feet.

The Midas mineral claims were staked in 1979 to cover the possible extensions of the gold-silver bearing quartz veins occurring on the Black Dome property. Prior to 1983, minor silt sampling, trenching and road construction had been carried out.

In 1983, Bankit Resource Corporation optioned the Midas Property and contracted D.D.H. Geomanagement Ltd. to conduct an exploration program consisting of grid geochemical sampling and geological mapping. The geochemical survey located numerous isolated gold anomalies in soils. The geological mapping indicated some of these anomalies were coincident with favourable quartz vein float, but no veins had been found in outcrop.

E. EXPLORATION PROGRAM

Detailed geological mapping and prospecting was conducted in the area of all the 1983 soil anomalies shown on Figure 3. Reconnaissance mapping was carried out on the Mid 1 and 2 claims.

A VLF-electromagnetic survey was conducted over 86 line kilometres of the 1983 grid with stations at 25 metre intervals. The data was Fraser-filtered and the results contoured (Figure 4). One thousand two hundred and three soil and silt and twelve rock samples were collected and sent to Min-En Laboratories Ltd. for geochemical analysis.

F. GEOLOGY

1. Regional Geology

The regional geological sequence is best documented by Church (1981) who has recognized three distinct stages of volcanism in the area.

Stage I Eocene Age (?)

- Dacite, andesite and basalt lithologies overlain by hornblende andesite which in turn is overlain by flow-banded rhyolite and intercalated sediments.

Stage 2 Miocene Age (?)

- Dacite to andesite domes and dacite flows.

Stage 3 Pliocene Age (?)

- Olivine basalt lava and agglomerate.

Cross-cutting the Eocene and Miocene lithologies are north-northeasterly trending tension fractures produced by doming coincident with the emplacement of the Miocene andesite and dacite.

On the Black Dome property steeply dipping tensional fracture/faults are the loci of epithermal gold-silver bearing quartz-carbonate veins. Vein trends are approximately 030° to 050°. Gold occurs where quartz is developed at local swelling in the fault structures. Wall

rocks are intensely silicified and bleached with heavy pyrite in an envelope up to 1 metre thick.

2. Property Geology

The Midas property is underlain by a similar sequence of volcanic rocks as those observed on the Blackdome property. The current mapping program complements and adds detail to the work of Drummond (1983). The various units which occur on the property, listed below, conform with Church's (1981) regional mapping, with the exception that the felsic and rhyolitic volcanism is reassigned to the Miocene epoch.

A. ROCK TYPES

Eocene

The Eocene section records a mafic volcanic event that is comprised of:

1. Basalt flows: brown weathering vesicular and amygduloidal basalt flows.
- 1a. Dacite flows: light grey porphyritic flows underlying unit 1.

Miocene

The Miocene rocks are more felsic and are comprised of:

2. Rhyolitic tuff: pink, aphanitic with 1 to 2 mm thick laminae and scattered white, clay-altered fragments. The laminae are size sorted and thought to have been deposited as individual ash falls.

Volcanic glass is a minor constituent of this unit which occurs as dark grey, perlitic, distinctive outcrops in the northern portion of the Midas claim.

- 2a. Felsic tuff: beige to light green, argillized, angular to sub-rounded felsic fragments to 4 cm in a fine felsic matrix. The lithology is subdivided into lapilli and ash tuff based on fragment size. In some areas the lapilli tuff has distinct, clear quartz eyes.

Pliocene

3. Basalt: fresh, columnar-jointed black olivine basal lavas are typical of the Pliocene Age plateau basalts and represent the last stage of volcanism in this area.

B) STRUCTURAL GEOLOGY

Flow banding in the volcanic lithologies generally has a north-northeast strike with a shallow easterly dip suggesting that there has been only minimal tilting. From mapping and air photo interpretation the major linears in the area of the Midas Property are 0°, 045°, 090° and 135°. The 045° structural trend is probably the most important as it is parallel to mineralized veins on the Blackdome property.

C) QUARTZ VEINING

Quartz vein material has been recognized in both outcrop and float on the Midas property.

Two vein types are recognized:

- (i) fine opaline quartz veinlets
- (ii) milky to glassy coarse crystalline veins with drusy cavities and vugs that sometimes contain wallrock fragments.

It is the type (ii) veins that contain the gold values at the Black Dome prospect. This vein type, although narrow, has been recognized in outcrop at (i) 3+00 W, 2+50S, (ii) 5+75 W, 4+25 N and (iii) 21+00W, 2+50 S on the Midas Property. Rock chip samples were taken at these sites, only occurrence (iii) was found to have a weakly anomalous gold content.

G. ELECTROMAGNETIC SURVEY (Figure 4)

A VLF-electromagnetic survey was conducted over the 1983 grid using a Crone Radem-VLF unit tuned to the Seattle, Washington station. Readings were taken at 25 metre intervals on north-south lines 100 metres apart.

Readings were reduced to contourable form using the method devised by Fraser, (1969).

Filtered readings below 10 are considered topographic or geological noise. Numerous weak VLF-electromagnetic anomalies were outlined. The major directions of the VLF linears are 0°40° to 50°, 80°, and 135°. The structural directions confirm those interpreted from geological mapping and the air photo linears and likely correspond to narrow water-filled fractures or faults.

H. GEOCHEMISTRY

The 1984 soil sampling program followed up anomalous areas defined by the 1983 survey. Thirteen anomalous areas were outlined for more detailed sampling (Anomalies 1 - 13) and results are discussed on the following page. The soil samples were collected from well developed B-horizons at 25 metre intervals on north-south fill-in grid lines 50 metres on either side of the 1983 lines. Silt samples were collected where streams were encountered on the grid. Regional soil samples at 50 metre intervals were collected on lines spaced 500 metres apart west and north of the existing grid in the area of the Mid 1 and 2 mineral claims.

The silt and soil samples were analyzed for silver, arsenic, copper, antimony and zinc by the ICP method and the gold was analyzed by atomic absorption methods. Analytical techniques are described in Appendix I. Rock samples (Figure 3) were assayed for gold and silver only. The results of these analyses are documented in Appendix I and plotted on the attached Soil Geochemistry Plan Maps (Figures 5(a) - (c)).

For contouring purposes the following values were arbitrarily taken as being anomalous:

	<u>POSSIBLY ANOMALOUS</u>	<u>PROBABLY ANOMALOUS</u>
Gold	> 20ppb.	> 50 ppb.
Silver	> 1.3ppm.	> 1.8 ppm.
Arsenic	> 5ppm.	> 10 ppm.
Antimony	> 5ppm.	> 10 ppm.
Copper	> 30ppm.	> 50 ppm.
Zinc	> 80ppm.	> 100 ppm.

Anomaly 1

The 1983 and 1984 soil sample surveys found strongly anomalous (1060, 2150, 800ppb) gold values in the area of Borin Creek. However, no coincident anomalous base metal, arsenic or antimony values occur. It was possible to pan gold "colors" from the well washed gravels at all of these anomalous sites. Anomaly 1 is therefore recognized as a placer gold concentration, unrelated to the local bedrock, and of no further interest.

Anomaly 2

The 1984 sampling in the area of Anomaly 2 found weakly anomalous gold values with roughly coincident zinc, arsenic and antimony anomalies. The high gold values of the 1983 program

(85 ppb) could not be reproduced. Part of the area is underlain by silicified argillized lapilli to ash tuff that are favourable host rocks. Additional sampling in the area is required to close the anomaly to the north and better define a trenching target.

Anomaly 3

Anomaly 3 is an isolated gold value (395 ppb) associated with a series of anomalous antimony values. Additional soil sampling in this area is recommended.

Anomaly 4

Anomaly 4 did not generate any additional anomalous values and the previously anomalous sites when re-sampled returned background values.

Anomaly 5

Anomaly 5 did not generate additional anomalous values in the 1984 sampling but the immediate area of 3+00 W and 13+50 N should be re-sampled to confirm the 1983 results.

Anomaly 6

Anomaly 6 is located in an area of quartz vein outcrop in altered lapilli tuff. A single gold soil anomaly occurs near the vein although the vein material did not return anomalous gold values. Some of the soil samples 100 metres to the south show coincident anomalous zinc and arsenic values. This area requires additional detailed soil sampling and subsequent trenching.

Anomaly 7

The 1983 anomalous values (330ppb) in Anomaly 7 could not be reproduced and there were no new anomalous sites found.

Anomaly 8

Anomaly 8 is in an area of shallow overburden with a coincident anomalous gold (105ppb), and silver (8.4ppm) flanked on the south by a weak antimony anomaly. This area has good road access and could be trenched while conducting fill-in soil sampling.

Anomaly 9

The fill-in sampling on anomaly 9 did not delineate additional anomalous soil values.

Anomaly 10

Detailed sampling of anomaly 10 returned two isolated low gold values that do not require immediate follow up.

Anomaly 11

Anomaly 11 is developed in the southeast area of the grid as an area of elevated silver, zinc and antimony values. Although no anomalous gold samples were located, this area warrants additional sampling.

Anomaly 12

Anomaly 12 did not generate additional anomalous values and the 1983 values are low.

Anomaly 13

Anomaly 13 is an isolated anomalous (45ppb) gold value that requires additional sampling to close it off.

Regional Anomalies

Isolated anomalies were located in the regional soil sampling that was conducted north and west of the present grid. The most

significant of the regional anomalies is located at 0+00 W-21+00 N (100ppb gold and 125ppm zinc). This area warrants detailed follow-up sampling and prospecting.

I. DISCUSSION

The 1984 program did not locate any mineralized vein material worthy of immediate trenching or drilling. However, based on the geochemical results with supporting geological and/or geophysical data several areas have been 'targeted' for additional work. The 'targeted' areas are briefly discussed below (see Figure 6 for location).

TARGET 1

- argillized and silicified tuffs contain narrow quartz stringers which returned slightly anomalous gold values
- 'pathfinder' element anomalies (arsenic, antimony, zinc and silver) occur northeast of the silicified outcrops
- three, weak gold soil anomalies also occur in this area

TARGET 2

- chalcedony quartz matrix breccia and veinlets are developed in felsic lapilli tuffs
- rock-chip sampling did not return anomalous values, however a gold soil anomaly occurs 50 metres north in shallow overburden

- up-slope from the vein occurrence a small zinc-arsenic-antimony anomaly is developed

TARGET 3

- a single moderately strong gold-silver anomaly occurs in shallow overburden
- a small antimony anomaly occurs to the south, paralleling the road
- a weak VLF-EM conductor is roughly parallel to the geochemical trend

TARGET 4

- a single gold anomaly (395 ppb) and a coincident antimony anomaly in shallow overburden
- two weak gold anomalies occur to the southwest

TARGET 5

- consists of a single reconnaissance gold-zinc anomaly of moderate strength

TARGET 6

- roughly coincident VLF-EM conductors and an airphoto linear
- anomalous soil values of zinc and arsenic

I. CONCLUSIONS

Six areas have been "targeted" for additional work based on gold in soil anomalies, some with coincident "pathfinder" anomalies and/or favourable geophysical and geological features. A visit to the Blackdome property illustrated the subtle nature of the vein occurrences which often were indicated by only a single anomalous gold value in tightly spaced (10m interval) soil lines. Therefore, it is concluded that further work is warranted in an attempt to explain each anomaly outlined by the present survey.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read 'T.W. Spilsbury'. The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

T.W. Spilsbury, M.Sc.

K. REFERENCES

Church, B.N. (1981) - The Black Dome Mountain Gold-Silver Prospect (920-7E, 8W); Ministry of Energy, Mines and Petroleum Resources, Geological Division; Geological Fieldwork, 1979, Paper 1980-1 pp 106-108.

Drummond, A.D. (1983) - Geological and Geochemical Report on the Midas Claim Group - Unpub. Report.

Fraser, D.C. (1969) - Contouring of VLF-EM Data: Geophysics, 34, 6 pp. 958 - 967.

Kerr, J.R. (1983) Report on the Midas Property, - Unpub. Report.

L.

CERTIFICATE OF QUALIFICATIONS


T. WAYNE SPILSBURY, M.Sc.

I, hereby certify that:

1. I am a graduate of the University of British Columbia (B.Sc. (Honors) Geology - 1973) and Queens University (M.Sc Geology - 1982).
2. I have worked since graduation as an exploration geologist in Canada and the United States.
3. The work described within was done under my direct supervision.

September 17, 1984

Vancouver, B.C.


T. Wayne Spilsbury, M.Sc.

M. ITEMIZED COST STATEMENT

W. MEYER - Supervision	
June 27, 28 - 2 day @ \$315/day	\$ 630.00
T.W. SPILSBURY - Supervision	
July 9-10 - 2 days @ \$195/day	390.00
R. DURFELD - Supervision, geology	
July 1-21, July 24-28 - 26 days @ \$220/day	5,720.00
K. LEHMAN - Soil sampling	
July 1-20 - 20 days @ \$131/day	2,620.00
J. BACON - Soil sampling, Comp. construction	
July 1-21 - 21 days @ \$128/day	2,688.00
G. MAY - VLF-EM operator	
July 1-20 - 20 days @ \$110/day	2,220.00
ASSAYS	
1203 soil geochem analysis @ \$11.60	13,955.00
12 rock Au-Ag determinations @ \$16.50	198.00
EQUIPMENT RENTAL	
VLF-EM unit - 10 days @ \$25/day	250.00
Blazer 4X4 - 26 days @ \$35.50/day	1,001.00
Bronco 4X4 - 4 days @ \$105/day	420.00
Camp Rental - 21 days @ \$55/day	1,155.00
Travel and Transport	2,500.00
Food and Accommodation - 94 man days x \$30/day	2,820.00
Report Preparation, Drafting	<u>2,200.00</u>
	\$39,047.00

APPENDIX I
GEOCHEMICAL ANALYSES

MIN-EN Laboratories Ltd.

Specialists in Mineral Environments

Corner 15th Street and Bewicke
705 WEST 15TH STREET
NORTH VANCOUVER, B.C.
CANADA V7M 1T2

FIRE GOLD GEOCHEMICAL ANALYSIS BY MIN-EN LABORATORIES LTD.

Geochemical samples for fire gold processed by Min-En Laboratories Ltd., at 705 W. 15th St., North Vancouver Laboratory employing the following procedures.

After drying the samples at 95°C soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed and pulverized by ceramic plated pulverizer.

A suitable sample weight 15.00 or 30.00 grams are fire assay preconcentrated.

After pretreatments the samples are digested with Aqua regia solution, and after digestion the samples are taken up with 25% HCl to suitable volume.

Further oxidation and treatment of at least 75% of the original sample solutions are made suitable for extraction of gold with Methyl Iso-Butyl Ketone.

With a set of suitable standard solution gold is analysed by Atomic Absorption instruments. The obtained detection limit is 1 ppb.

MIN-EN Laboratories Ltd.

Specialists in Mineral Environments

Corner 15th Street and Bewicke
705 WEST 15TH STREET
NORTH VANCOUVER, B.C.
CANADA V7M 1T2

ANALYTICAL PROCEDURE REPORT FOR ASSESSMENT WORK - 24 ELEMENT ICP

Ag, Al, As, B, Bi, Ca, Cd, Co, Cu, Fe, K, Mg, Mn, Mo,
Na, Ni, P, Pb, Sb, Sr, Th, U, V, Zn

Samples are processed by Min-En Laboratories Ltd., at 705 W. 15th St., North Vancouver Laboratory employing the following procedures.

After drying the samples at 95°C soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed by jaw crusher and pulverized by ceramic plated pulverizer.

1.0 gram of the samples are digested for 6 hours with HNO₃ and HClO₄ mixture.

After cooling samples are diluted to standard volume. The solutions are analysed by Computer operated Jarrell Ash 9000ICP. Inductively coupled Plasma Analyser. Reports are formatted by routing computer dotline print out.

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: B. MEYER

MIN-EN LABS ICP REPORT

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)980-5814 OR (604)988-4524

(ACT:GEOSB) PAGE 1 OF 1

FILE No: 4-5388/P1+2

DATE: JULY 16, 1984

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AU-PPB
L20+50MBL	7	0	13	0	54	10
L20+50W0+25N	1.1	0	15	1	58	5
L20+50W0+50N	1.1	0	16	3	49	5
L20+50W0+75N	1.1	0	14	2	45	5
L20+50W1+00N	1.1	0	12	0	44	5
L20+50W1+25S	1.7	0	7	0	19	<5
L20+50W1+50S	1.1	0	14	0	89	10
L20+50W1+75S	1.4	0	43	0	41	10
L20+50W2+00S	1.6	0	28	0	53	5
L20+50W2+25S	2.7	0	35	0	48	5
L20+50W2+50S	1.1	0	16	0	51	5
L20+50W2+75S	1.3	0	23	1	31	<5
L20+50W3+00S	1.1	0	14	1	89	10
L20+50W3+25S	1.6	0	13	0	41	5
L20+50W3+50S	1.0	0	24	0	26	5
L20+50W3+75S	1.0	0	16	0	27	10
L20+50W4+00S	2.1	0	19	0	57	5
L20+50W6+00N	1.8	0	23	0	87	5
L20+50W6+25N	2.0	0	17	0	81	<5
L20+50W6+50N	1.2	0	15	0	48	<5
L20+50W6+75N	1.4	0	19	0	41	<5
L20+50W7+00N	1.2	0	13	0	62	5
L20+50W7+25N	1.9	0	14	0	68	5
L20+50W7+50N	1.6	0	19	0	40	<5
L20+50W7+75N	1.0	0	11	0	32	5
L20+50W8+00N	1.8	0	9	0	42	10
L20+50W8+25N	1.6	0	9	0	23	5
L20+50W8+50N	1.8	0	12	0	22	5
L20+50W8+75N	1.1	0	23	0	40	5
L20+50W9+00N40N	1.6	0	22	6	49	5
L20+50W9+25N	1.6	0	22	2	38	10
L20+50W9+50N	1.7	0	15	0	53	<5
L20+50W9+75N	1.1	0	22	0	37	5
L20+50W10+00N	1.9	0	18	3	43	<5
L20+50W10+25N	1.4	0	16	0	31	5
L20+50W10+50N	1.1	0	23	0	37	5
L20+50W10+75N	1.2	0	28	2	50	<5
L20+50W11+00N	1.0	0	22	0	39	5
L20+50W11+25N	1.1	0	23	1	38	5
L20+50W11+50N	1.9	0	17	0	35	5
L20+50W11+75N40N	1.1	0	40	7	48	10
L20+50W12+00N40N	1.1	0	34	4	46	5
L20+50W12+25N	1.1	0	19	0	33	5
L20+50W12+50N40N	1.2	0	47	7	58	<5
L20+50W12+75N40N	1.2	0	47	7	51	15
L20+50W13+00N40N	1.1	0	35	1	41	5
L19+50W6+00N	1.3	0	26	1	44	5
L19+50W6+25N	1.9	0	24	0	39	10
L19+50W6+50N40N	1.1	0	27	5	44	5
L19+50W6+75N	1.5	0	20	0	34	5
L19+50W7+00N40N	1.4	0	18	0	38	<5
L19+50W7+25N	1.5	0	15	0	94	5
L19+50W7+50N	1.0	0	14	0	44	5
L19+50W7+75N	1.2	0	15	0	38	5
L19+50W8+00N	1.1	0	26	0	41	10
L19+50W8+25N	1.4	0	16	0	37	5
L19+50W8+50N	1.3	0	19	0	39	5
L19+50W8+75N	1.4	0	17	0	30	15
L19+50W9+00N	1.3	0	24	0	37	10
L19+50W9+25N	1.3	0	20	0	31	10

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: B. MEYER

MIN-EM LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2

(604)980-5814 OR (604)988-4524

(ACT:GE038) PAGE 1 OF 1

FILE No: 4-5388/P344

DATE: JULY 16, 1984

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AU-PPB
L19+50W9+50N40M	.7	0	27	2	42	5
L19+50W9+75N	1.2	0	20	0	39	5
L19+50W10+00N	1.2	0	25	0	42	10
L19+50W10+25N	1.2	0	27	3	52	15
L19+50W10+50N	1.3	0	27	0	41	5
L19+50W10+75N	1.2	0	23	2	35	10
L19+50W11+00N	1.2	0	22	0	30	5
L19+50W11+25N	1.2	0	18	0	26	5
L19+50W11+50N	.9	0	12	0	26	5
L19+50W11+75N	.9	0	33	2	38	<5
L19+50W12+00N	1.1	0	12	0	25	5
L19+50W12+25N	1.4	0	14	0	45	5
L19+50W12+50N	1.2	0	13	0	39	5
L19+50W12+75N	1.4	0	16	0	31	10
L19+50W13+00N	1.3	0	15	0	38	10
L22+50W11N	1.1	0	14	0	27	5
L22+50W11+25N	1.1	0	15	0	28	5
L22+50W11+50N	1.3	0	28	3	44	10
L22+50W11+75N	1.3	0	18	0	20	5
L22+50W12+00N	1.3	0	24	0	18	5
L22+50W12+25N	1.0	0	15	0	25	5
L22+50W12+50N	1.1	0	10	0	36	10
L22+50W12+75N	1.3	0	17	0	34	5
L22+50W13+00N	1.6	0	14	0	35	5
L17+50WB+00N	1.6	0	15	0	37	5
L17+50WB+25N	2.0	0	21	1	47	5
L17+50WB+50N	1.6	0	13	0	25	10
L17+50WB+75N	1.7	0	17	0	40	<5
L17+50W9+00N	1.3	0	15	2	36	5
L17+50W9+25N	1.5	0	14	0	31	<5
L17+50W9+50N	.9	0	16	0	31	5
L17+50W9+75N	.7	0	15	0	29	10
L17+50W10+00N	.8	0	17	1	44	5
L17+50W10+25N	1.0	0	13	0	35	<5
L17+50W10+50N	.7	0	14	1	43	5
L17+50W10+75N	.8	0	16	0	29	5
L17+50W11+00N	.7	0	19	2	40	5
L17+50W11+50N	.3	0	13	0	20	10
L17+50W11+75N	1.0	0	17	0	24	5
L17+50W12+00N	.8	0	14	0	27	5
L17+50W12+25N	1.0	0	17	0	27	10
L17+50W12+50N	1.1	0	14	0	19	<5
L17+50W12+75N	1.0	0	12	0	22	5
L17+50W13+00N	1.2	0	13	0	25	5
L17+50W13+25N	1.1	0	12	0	24	10
L17+50W13+50N	.8	0	12	0	26	5
L17+50W13+75N	.9	0	11	0	32	5
L17+50W14+00N	.7	0	12	3	62	5
L17+50W14+25N	.8	0	11	1	27	10
L17+50W14+50N	.7	0	11	2	35	5
L17+50W14+75N	.8	0	13	3	32	5
L17+50W15+00N	1.4	0	13	0	29	<5
L17+50W11+25N	1.1	4	15	2	24	<5
L18+50WB+00N	1.4	0	22	3	51	5
L18+50WB+25N	1.2	0	19	4	42	5
L18+50WB+50N	1.3	0	22	1	40	10
L18+50WB+75N	1.2	7	23	3	34	5
L18+50W9+00N	1.0	0	16	1	33	5
L18+50W9+25N40M	.8	0	22	4	39	5
L19+50W9+50N	1.2	0	15	1	45	5

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: B. MEYER

MIN-EN LABS ICP REPORT

705 WEST 15th St., NORTH VANCOUVER, B.C. V7N 1T2

(604)980-5814 OR (604)988-4524

(ACT:GEUSB) PAGE 1 OF 1

FILE No: 4-5388/PS+6

DATE: JULY 16, 1984

(REPORT VALUES IN PPM)	AG	AS	CU	SB	ZN	AU-PPB
L18+50W9+75N	0	0	18	0	44	5
L18+50W10+00N	0	0	16	0	27	5
L18+50W10+25N	0	0	19	0	31	10
L18+50W10+50N	0	0	19	0	28	15
L18+50W10+75N	0	0	19	0	65	800
L18+50W11+00N	.7	0	15	0	35	15
L18+50W11+25N	.8	0	20	0	39	15
L18+50W11+50N	.7	0	17	0	24	5
L18+50W11+75N	.8	0	13	0	22	5
L18+50W12+00N	.9	0	14	0	23	5
L18+50W12+25N	.7	0	12	0	31	10
L18+50W12+50N	.7	0	12	0	44	5
L18+50W12+75N	.7	0	11	0	30	5
L18+50W13+00N	.7	0	12	0	31	10
L18+50W13+25N	.8	0	14	0	27	5
L18+50W13+50N	.7	0	15	0	35	5
L18+50W13+75N	.7	0	16	0	27	5
L18+50W14+00N	.8	0	15	0	26	5
L24+00W1+75S	.6	0	15	0	50	10
L24+00W2+00S	.5	0	15	0	36	5
L24+00W2+25S	1.0	0	22	0	39	5
L24+00W2+30S	.7	0	29	0	35	5
L22+50WBL	.7	0	16	0	53	10
L22+50W0+25S	.9	0	16	0	29	5
L22+50W0+50S	.9	0	15	0	53	5
L22+50W0+75S	.7	0	22	0	25	5
L22+50W1+00S	.8	0	14	0	23	<5
L22+50W1+25S	.8	0	18	0	36	10
L22+50W1+50S	1.0	0	19	0	42	10
L22+50W1+75S	1.0	0	19	0	34	5
L22+50W2+00S	.3	0	13	0	30	5
L22+50W2+25S	.2	0	10	0	29	<5
L22+50W2+50S	.3	0	11	0	24	5
L23+50WBL	.4	0	11	0	37	5
L23+50W0+25S	.2	0	10	0	32	10
L23+50W0+50S	.4	0	11	0	35	5
L23+50W0+75S	.3	0	8	0	41	5
L23+50W1+00S	.5	0	13	0	36	5
L23+50W1+25S	.5	0	12	0	24	5
L23+50W1+50S	.6	0	14	0	42	10
L23+50W1+75S	.4	0	12	0	27	5
L23+50W2+00S	.3	0	9	0	37	5
L23+50W2+25S	.4	0	12	0	16	5
L23+50W2+50S	.5	0	15	0	56	<5
L21+50WBL	.3	0	18	0	57	5
L21+50W0+25S	.7	0	24	0	46	5
L21+50W0+50S	.2	0	11	0	65	10
L21+50W0+75S	.6	0	16	0	62	15
L21+50W1+00S	.4	0	17	0	88	10
L21+50W1+25S	.3	0	12	0	49	<5
L21+50W1+50S	.5	0	13	0	49	5
L21+50W1+75S	.4	0	13	0	55	5
L21+50W2+00S	.5	0	13	0	63	5
L21+50W2+25S	.8	0	22	0	37	5
L21+00W8+00N	.5	0	17	0	34	<5
L22+50W5+00N40N	1.1	0	23	0	27	5
L22+50W5+25N	1.8	0	22	0	47	10
L22+50W5+50N	1.0	0	15	0	45	5
L22+50W5+75N	1.1	0	16	0	59	5
L22+50W6+00N	1.6	0	23	0	63	5

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: B. MEYER

MIN-EM LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7H 1T2

(604)980-5814 OR (604)988-4524

(ACT:6033) PAGE 1 OF 1

FILE No: 4-5388/P7+8

DATE: JULY 16, 1988

(REPORT VALUES IN PPM)	AG	AS	CU	SB	ZN	AU-PPB
L22+50W6+25N	1.2	0	16	0	56	10
L22+50W6+50N	1.2	0	17	0	38	5
L22+50W6+75N	1.2	0	18	0	51	5
L22+50W7+00N	1.2	0	13	0	32	5
L22+50W7+25N	1.2	0	15	1	45	5
L22+50W7+50N	1.2	0	11	1	62	5
L22+50W7+75N	1.1	0	15	0	46	5
L22+50W8+00N	1.7	0	12	2	138	5
L22+50W8+25N	1.9	0	12	0	95	10
L22+50W8+50N	1.7	0	10	0	65	5
L22+50W8+75N	1.8	0	17	0	50	10
L22+50W9+00N	1.5	0	9	1	44	5
L22+50W9+25N	1.9	0	15	0	38	5
L22+50W9+50N	1.7	0	17	2	59	5
L22+50W9+75N	1.1	0	16	2	53	5
L22+50W10+00N	1.7	0	19	0	60	5
L22+50W10+25N	1.6	0	13	0	24	5
L22+50W10+50N	1.5	0	11	0	19	5
L22+50W10+75N	1.6	0	12	0	28	5
L21+50W6+00N40M	1.9	0	17	0	52	5
L21+50W6+25N	1.5	0	21	0	34	5
L21+50W6+50N	1.4	0	20	0	38	5
L21+50W6+75N40M	1.6	0	21	0	46	5
L21+50W7+00N	1.2	0	15	0	38	5
L21+50W7+25N	1.1	0	21	0	56	5
L21+50W7+50N	1.0	0	13	0	40	5
L21+50W7+75N40M	1.7	0	15	0	19	5
L21+50W8+00N	1.8	0	13	0	48	5
L21+50W8+25N	1.9	0	16	0	26	10
L21+50W8+50N	1.9	0	15	0	32	5
L21+50W8+75N	1.9	0	13	0	40	5
L21+50W9+00N	1.8	0	22	0	43	10
L21+50W9+25N	1.1	0	16	0	24	5
L21+50W9+50N	1.9	0	13	0	51	5
L21+50W9+75N	1.9	0	29	1	55	5
L21+50W10+00N	1.8	0	13	0	52	5
L21+50W10+25N	1.8	0	14	0	38	5
L21+50W10+50N	1.9	0	17	0	30	5
L21+50W10+75N	1.9	0	12	0	23	5
L21+50W11+00N	1.8	0	19	0	37	5
L21+50W11+25N	1.8	0	32	2	45	5
L21+50W11+50N	1.8	0	18	0	31	5
L21+50W11+75N	1.7	0	12	0	38	5
L21+50W12+00N	1.5	0	11	0	46	5
L21+50W12+25N	1.6	0	11	0	32	5
L21+50W12+50N	1.7	0	12	0	22	10
L21+50W12+75N	1.7	0	17	0	21	5
L21+50W13+00N	1.8	0	13	0	22	5
L23+50W5+00N	1.2	0	17	0	35	5
L23+50W5+25N	1.2	0	19	0	36	10
L23+50W5+50N	1.5	0	34	0	43	5
L23+50W5+75N	1.5	0	26	0	59	5
L23+50W6+00N	1.3	0	27	0	47	10
L23+50W6+25N	1.7	0	16	0	45	5
L23+50W6+50N	1.5	0	9	0	42	5
L23+50W6+75N	1.7	0	12	0	59	10
L23+50W7+00N	1.5	0	11	0	74	5
L23+50W7+25N	1.7	0	10	0	30	5
L23+50W7+50N	1.9	0	13	0	36	5
L23+50W7+75N	1.6	0	9	0	20	5

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: B. MEYER

MIN-EN LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)980-5814 OR (604)980-4524

(ACT:GEDSB) PAGE 1 OF 1

FILE No: 4-3388/P9+10

DATE: JULY 16, 1984

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AU-PPB
L23+50WB+00N	.6	0	15	0	28	5
L23+50WB+25N	.6	0	13	0	91	5
L23+50WB+50N	.6	0	16	0	24	10
L23+50WB+75N	.6	0	11	0	77	5
L23+50W9+00N	.6	0	8	0	32	5
L23+50W9+25N	.3	0	9	1	47	5
L23+50W9+50N	.3	0	10	1	51	5
L23+50W9+75N	.5	0	8	0	63	<5
L23+50W10+00N	.3	0	9	0	38	5
L23+50W10+25N	.5	0	9	0	24	5
L23+50W10+50N	.7	0	16	0	57	5
L23+50W10+75N	.5	0	23	0	41	5
L23+50W11+00N	.6	0	13	0	21	5
L23+50W11+25N	.7	0	15	0	34	5
L23+50W11+50N	.6	0	14	0	23	10
L23+50W11+75N	.6	0	13	0	18	5
L23+50W12+00N	.6	0	22	0	45	5
L23+50W12+25N	.6	0	15	0	20	5
L23+50W12+50N	.7	0	14	0	23	<5
L23+50W12+75N	.6	0	13	0	42	5
L23+50W13+00N	.8	0	13	0	28	5
L23+50W13+25N	1.0	0	14	0	20	5
L23+50W13+50N	.8	0	14	0	40	5
L23+50W13+75N	.9	0	12	0	32	5
L23+50W14+00N	.5	0	9	0	96	5
L24+00W5+00N	1.4	0	29	0	22	5
L24+00W5+25N	1.2	0	15	0	55	5
L24+00W5+50N	.5	0	13	0	62	<5
L24+00W5+75N	.5	0	15	0	39	5
L24+00W6+00N	.5	0	12	0	53	5
L24+00W6+25N	.8	0	14	0	89	10
L24+00W6+50N	.7	0	17	0	41	5
L24+00W6+75N	.8	0	19	0	58	5
L24+00W7+00N	.5	0	7	0	28	5
L24+00W7+25N	.8	0	11	0	27	5
L24+00W7+50N	.8	0	18	0	31	15
L24+00W7+75N	.6	0	20	0	41	5
L24+00WB+00N	.5	0	19	0	47	10
L24+00WB+25N	.5	0	16	0	37	5
L24+00WB+50N	.5	0	16	0	58	5
L24+00WB+75N	.4	0	16	0	46	5
L24+00W9+00N	.7	0	16	0	31	10
L24+00W9+25N	.6	0	17	0	40	5
L24+00W9+50N	.4	0	9	2	32	5
L24+00W9+75N	.4	0	9	1	45	5
L24+00W10+00N	.5	0	14	0	31	5
L24+00W10+25N	.7	0	15	0	76	5
L24+00W10+50N	.7	0	18	1	108	5
L24+00W10+75N	.6	0	14	1	141	5
L24+00W11+00N	.4	0	15	0	38	10
L24+00W11+25N	.3	0	17	0	30	10
L24+00W11+50N	.7	0	21	0	34	5
L24+00W11+75N	.4	0	18	0	35	5
L24+00W12+00N	.8	0	16	0	22	5
L24+00W12+25N	.9	0	14	0	21	50
L24+00W12+50N	.9	0	14	0	20	5
L24+00W12+75N	1.0	0	18	0	29	5
L24+00W13+00N	.9	0	11	0	29	10
L24+00W13+25N	.7	0	11	0	59	5
L24+00W13+50N	.9	0	37	0	37	5

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: B. MEYER

MIN-EN LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)980-5814 OR (604)980-4524

(ACT:GE038) PAGE 1 OF 1

FILE No: 4-5388/P11

DATE: JULY 16, 1984

(REPORT VALUES IN PPM)	AG	AS	CU	SB	ZN	AU-PPB
L24+00W13+75M	1.0	0	12	0	26	5
L24+00W14+00M			11	0	15	10

COMPANY: TECK EXPLORATIONS

PROJECT No: JOB 1328

ATTENTION: W. SPILSBURY

MIN-EM LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7M 1T2

(604)980-5814 OR (604)988-4524

(ACT:GE038) PAGE 1 OF 1

FILE No: 4-5598/P1+2

TYPE SOIL GEOCHEM DATE: JULY 18, 1984

(REPORT VALUES IN PPM)	AG	AS	CU	SB	ZN	AU-PPB
L15W2+60M	1.1	0	27	7	37	5
L15W11+50M	1.1	0	19	3	31	10
L16W3+70M 40M	1.2	0	25	7	37	5
L16W11+40M	1.3	0	22	3	30	5
L17W6+50M	1.5	0	26	1	44	<5
L17W11+25M	1.2	0	26	3	34	5
L18W8+25M	1.1	0	27	7	35	10
L18W11+20M	1.4	0	19	7	21	10
L19W9+12M	1.2	0	26	6	33	5
L19W10+90M	1.0	0	19	2	27	5
L20W10+25M	1.1	0	26	3	36	5
L21W11+05M	.8	0	22	0	35	10
L22W11+40M	.8	0	21	0	33	10
L23W11+75M	.7	0	19	0	34	5
L00W13+75M 40M	.7	0	33	5	36	15
L4W11+75M	.9	0	24	6	43	5
L8W500S 40M	.9	0	36	9	26	5
L8W10+55M	1.1	0	22	5	30	10
L9W13+25M	1.0	0	27	2	24	10
L9W10+45M	1.1	0	23	4	32	5
L10W10+65M	1.2	0	21	4	30	5
L11W4+50S 40M	1.3	0	32	8	36	15
L11W10+50M	1.1	0	23	6	29	10
L10W4+75S	1.3	0	36	10	27	5
L12W10+75M	.8	0	26	6	35	5
L12W2+25S	.9	0	28	5	38	5
BLO+012+90M	.8	0	25	5	41	10
L13W0+25M	.8	0	22	2	39	5
L13W10+95M 40M	.7	0	19	3	33	5
L14W1+20M	1.1	0	26	5	41	10
L4W11+40M	.9	0	21	5	29	5
L4W12+75M	.5	0	23	0	30	10
9W500S	.8	0	36	7	33	5
19+50W0+0S	.8	0	18	2	126	5
19+50W0+25S	.8	0	23	10	80	5
19+50W0+50S	1.4	0	25	0	89	<5
19+50W0+75S	1.9	0	26	0	56	<5
19+50W1+00S	2.1	0	33	0	29	5
19+50W1+25S	1.3	0	30	0	35	<5
19+50W1+50S	1.6	0	30	0	61	5
18+50W00S	1.7	0	25	6	46	10
18+50W0+25S	1.6	0	23	3	84	5
18+50W0+75S	1.4	0	25	5	54	5
18+50W1+00S	1.6	0	27	1	26	10
18+50W1+25S	1.2	0	16	0	44	5
18+50W150S	1.1	0	23	7	63	5
19+50W00M	.9	0	18	10	74	10
19+50W0+25M	.8	0	25	10	36	5
19+50W0+50M	.6	0	11	1	34	10
19+50W0+75M	.9	0	24	6	48	5
19+50W1+00M	1.1	0	21	4	68	5
19+50W1+25M	1.1	0	23	6	26	<5
19+50W1+50M	1.0	0	34	7	31	10
19+50W1+75M	1.4	0	25	3	27	5
19+50W2+00M	1.2	0	24	1	20	5
9+50W13+00M	.9	0	17	1	23	5
9+50W13+25M	1.1	0	17	2	32	<5
9+50W13+50M	.9	0	14	0	35	5
9+50W13+75M	.9	0	13	0	34	5
9+50W14+00M 40M	.8	0	40	23	23	10
18+50W0+50S	1.4	0	23	0	70	5

COMPANY: TECK EXPLORATIONS
PROJECT No: J08 1328
ATTENTION: W. SPILSBURY

NIN-EN LANS ICP REPORT
705 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2
(604)980-5814 OR (604)988-4524

(ACT:GEO33) PAGE 1 OF 1
FILE No: 4-3398/P3-4
DATE: JULY 18, 1984

(REPORT VALUES IN PPM)	AG	AS	CU	SB	ZN	AU-PPB
L9+50W14+25N	.5	0	15	0	20	5
L9+50W14+50N			16	0	26	10
L9+50W14+75N			15	1	46	10
L9+50W15+00N			18	1	39	5
L10+50W13+00N			12	0	30	10
L10+50W13+25N			13	0	27	5
L10+50W13+50N	.6	0	10	3	42	5
L10+50W13+75N	.7	0	16	5	45	5
L10+50W14+00N	.8	0	32	5	33	10
L10+50W14+25N	1.1	0	26	10	25	5
L10+50W14+50N	.9	0	25	11	44	5
L10+50W14+75N	.9	0	27	11	34	5
L10+50W15+00N	.6	0	20	7	41	5
L11+50W13+00N	1.0	0	13	0	28	5
L11+50W13+25N	.8	0	12	3	38	5
L11+50W13+50N	.7	0	15	0	29	10
L11+50W13+75N	.8	0	12	0	40	5
L11+50W14+00N	.7	0	13	0	41	25
L11+50W14+25N	1.1	0	16	0	29	5
L11+50W14+50N	1.2	0	16	0	18	5
L11+50W14+75N	.9	0	15	2	29	5
L11+50W15+00N	.9	0	17	7	71	10
L20+50W0+00N	.9	0	21	9	59	10
L20+50W0+25N	.8	0	19	6	73	5
L20+50W0+50N	1.0	0	20	10	94	5
L20+50W0+75N	1.3	0	20	9	57	5
L20+50W1+00N	1.1	0	25	10	40	5
L20+50W1+25N	.6	0	16	5	75	5
L20+50W1+50N	.7	0	16	5	61	5
L20+50W1+75N	1.1	0	28	19	31	5
L20+50W2+00N	.5	0	18	6	55	5

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AU-PPB
L18+3000+00	1.0	0	19	0	71	10
L18+3000+25N	.8	0	18	0	49	15
L18+3000+50N	.8	0	20	0	100	5
L18+3000+75N	.8	0	19	0	61	5
L18+3001+00N	1.2	0	17	0	130	10
L18+3001+25N	1.2	0	24	0	67	5
L18+3001+50N	1.4	0	21	0	77	5
L18+3001+75N	1.0	0	16	0	66	5
L18+3002+00N	.8	0	16	0	41	5
L18+3002+25N	.6	0	13	0	39	5
L18+3002+50N	.7	0	13	0	34	10
L18+3002+75N	.3	0	13	0	34	10
L18+3003+00N	.7	1	25	0	38	5
L17+5000N	1.3	0	21	0	59	5
L17+5000+25N	1.1	0	21	0	79	10
L17+5000+50N	1.4	0	20	0	83	50
L17+5000+75N	1.5	0	21	0	75	25
L17+5001+00N	.9	0	14	0	67	5
L17+5001+25N	1.1	0	19	0	36	5
L17+5001+50N	1.3	0	19	0	99	5
L17+5001+75N	.9	0	16	0	78	20
L17+5002+00N	.8	4	24	0	40	5
L17+5002+25N	.7	0	14	0	42	10
L17+5002+50N	.9	0	18	0	37	10
L17+5002+75N	.7	0	14	0	43	<5
L17+5003+00N	.6	0	14	0	43	5
L17+5003+25N	.5	0	22	0	46	20
L17+5003+50N	.5	5	17	0	42	10
L17+5003+75N	.6	5	15	0	38	10
L17+5004+00N	.6	2	14	0	45	5
L16+5002+00N	.5	0	19	0	35	5
L16+5002+25N	.5	0	18	0	46	<5
L16+5002+50N	.5	0	16	0	36	15
L16+5002+75N	.6	1	33	0	40	10
L16+5003+00N	.3	14	47	1	42	5
L16+5003+25N	.4	3	19	0	29	45
L16+5003+50N	.5	14	33	1	51	10
L16+5003+75N	.3	14	27	2	35	20
L16+5004+00N	.4	0	13	1	22	5
L16+5004+25N	.4	1	18	0	38	5
L16+5004+50N	.5	5	24	0	59	5
L16+5004+75N	.7	0	16	0	32	5
L16+5005+00N	.5	10	53	0	33	5
L16+5005+25N	.7	6	28	0	28	5
L16+5005+50N	.4	1	15	0	23	5
L16+5005+75N	.2	0	11	0	17	5
L16+5006+00N	.6	0	11	0	27	5
L14+5003+00N	.6	0	14	0	25	10
L14+5003+25N	.6	0	12	0	80	5
L14+5003+50N	.4	0	9	0	51	10
L14+5003+75N	.1	0	13	0	59	10
L14+5006+00N	.4	0	10	0	48	15
L14+5006+25N	.5	0	10	0	32	15
L14+5006+50N	.7	0	11	0	26	10
L14+5006+75N	.6	0	9	0	47	5
L14+5007+00N	1.0	0	15	0	30	10
L14+5007+25N	.6	0	16	0	42	5
L14+5007+50N	.7	0	12	0	32	5
L14+5007+75N	.5	0	16	0	31	5
L14+5008+00N	.6	0	15	0	65	5

PROJECT No: 1328

705 WEST 13th ST., NORTH VANCOUVER, B.C. V7N 1T2

FILE No: 4-GE03N/PS-4

ATTENTION: DRYING OF PLUMBER

(604) 988-2814 OR (604) 988-4326

DATE: JULY 25, 1984

INSTRUMENT NO. (PPH)	AS	AS	CU	SS	ZN	AU-PPH
L14+5000+25N	N/S					
L14+5000+50N	N/S					
L14+5000+75N	N/S					
L14+5000+00N						
L13+5005+00N			14	0	31	5
L13+5005+75N			10	0	25	5
L13+5006+00N	.5	0	14	0	30	5
L13+5006+25N	.5	0	8	0	40	<5
L13+5006+50N	.7	0	18	0	70	5
L13+5006+75N	.7	0	14	0	55	5
L13+5007+00N	.4	0	12	0	43	5
L13+5007+25N	.4	0	12	0	40	5
L13+5007+50N	.2	0	10	0	29	5
L13+5007+75N	.2	0	7	0	37	5
L13+5008+00N	.6	0	13	0	30	5
L13+5008+25N	.2	10	7	0	27	10
L13+5008+50N	.5	0	13	0	41	10
L13+5008+75N	.6	0	12	0	38	5
L13+5009+00N	.3	0	9	0	34	5
L12+5012+00N	.2	0	7	0	54	10
L12+5012+25N	.1	0	7	0	34	45
L12+5012+75N	.4	0	11	0	29	5
L12+5013+00N	.3	0	9	0	35	5
L12+5013+25N	.5	6	15	0	24	5
L12+5013+50N	.3	0	10	0	21	5
L12+5013+75N	.3	0	8	0	34	10
L12+5014+00N	.4	7	24	1	35	5
L12+5014+25N	.2	0	8	0	38	5
L12+5014+50N	.4	3	30	1	35	5
L12+5014+75N	.5	0	10	0	35	5
L12+5012+50N	.5	0	7	0	39	5
L12+5015+00N	.1	0	9	0	31	<5
L13+5011+00N	.3	0	10	0	28	5
L13+5011+25N	.5	0	14	0	43	5
L13+5011+50N	.8	0	17	0	34	5
L13+5012+00N	.5	0	18	0	47	10
L13+5012+25N	.6	2	27	1	43	5
L13+5012+50N	.3	0	10	0	24	5
L13+5012+75N	.2	0	13	0	35	5
L13+5013+00N	.3	0	15	0	32	5
L13+5013+25N	.5	0	12	0	25	10
L13+5013+50N	.4	0	14	0	43	10
L13+5013+75N	.8	1	24	1	100	15
L13+5014+00N	.4	0	9	0	34	5
L14+5011+00N	.5	0	17	0	37	5
L14+5011+25N	.8	0	10	0	26	10
L14+5011+50N	.5	7	16	0	32	5
L14+5011+75N	.4	5	16	0	33	5
L14+5012+00N	.4	0	17	0	37	5
L14+5012+25N	.4	0	14	0	63	5
L14+5012+50N	.3	0	10	0	24	5
L14+5012+75N	.5	0	10	0	25	5
L14+5013+00N	.2	0	5	0	38	10
L14+5013+25N	.4	0	8	0	31	5
L14+5013+50N	.5	0	8	0	27	15
L14+5013+75N	.6	0	9	0	31	15
L14+5014+00N	.4	0	9	0	27	5
L15+5011+00N	.7	0	15	0	31	5
L15+5011+25N	.6	1	17	0	30	5
L15+5011+50N	.6	0	17	0	35	5
L15+5011+75N	.8	0	18	0	31	10
L13+5011+75N	.4	4	15	0	28	5

COMPANY: TANK EXPLORATIONS
PROJECT: 1328
ATTENTION: MYRIE SPILSKY

KIN-EN LABS ICP REPORT
700 WEST 13th ST., NORTH VANCOUVER, B.C. V7P 1T2
(604)908-2814 OR (604)908-4234

LABORATORY: PAGE 3 OF 3
FILE NO: 4-0034/0040
DATE: JULY 28, 1999

CONCENTRATION IN PPM	AS	AG	CU	SB	ZN	AS-PPM
L15+30W12+000	.1	0	14	0	23	5
L15+30W12+25N	.4	3	38	1	34	5
L15+30W12+50N			13	0	26	<5
L15+30W12+75N			6	0	31	5
L15+30W13+000			7	0	34	5
L16+30W9+00N			12	0	37	5
L16+30W9+25N	.8	0	12	0	93	5
L16+30W9+50N	.6	0	11	0	66	<5
L16+30W9+75N	.8	0	17	0	45	5
L16+30W10+00N	.5	0	14	0	53	<5
L16+30W10+25N	.6	0	9	0	22	5
L16+30W10+50N	.5	3	14	2	38	10
L16+30W10+75N	.6	1	15	2	34	5
L16+30W11+00N	.4	0	11	1	37	5
L16+60W9+00N	.4	0	8	1	44	<5
L16+60W9+25N	.6	1	11	0	47	5
L16+60W9+50N	.6	0	15	0	42	5
L16+60W9+75N	.8	1	11	0	122	5
L16+60W10+00N	.7	0	12	0	26	10
L16+60W10+25N	.4	0	14	0	39	5
L16+60W10+50N	.4	2	13	1	60	10
L16+60W10+75N	.4	0	11	0	39	5
L16+60W11+00N	.7	2	20	2	36	5
L16+60W11+25N	.4	3	13	0	28	5
L16+60W11+50N	.7	6	34	2	38	5
L16+60W11+75N	.9	0	21	0	36	5
L16+60W12+00N	.7	0	20	0	41	<5
6+50W3+25S	.4	0	13	0	33	10
6+50W3+50S	.5	2	9	1	50	10
6+50W3+75S	.4	2	10	0	48	5
6+50W4+00S	.6	0	14	0	25	5
6+50W4+25S	.5	0	11	0	44	5
6+50W4+50S	.7	0	13	0	33	5
6+50W4+75S	.6	0	12	0	49	5
6+50W5+00S	.6	0	11	0	74	<5
7+50W3+25S	.9	0	16	0	44	5
7+50W3+50S	.6	0	14	0	68	10
7+50W3+75S	.8	0	11	0	45	5
7+50W4+00S	.4	0	11	0	40	5
7+50W4+25S	.8	1	15	0	65	5
7+50W4+50S	.9	0	16	0	55	10
7+50W5+75S	.7	0	15	0	50	5
7+50W5+00S	1.1	0	20	0	45	5
8+50W3+00S	.8	0	13	0	55	5
8+50W3+25S	.7	0	14	0	41	10
8+50W3+50S	1.0	0	16	0	34	5
8+50W3+75S	1.0	0	15	0	34	<5
8+50W4+00S	.9	0	14	0	56	15
8+50W4+25S	1.0	0	18	0	50	20
8+50W4+50S	.9	0	26	0	62	5
8+50W4+75S	1.0	0	19	0	51	5
8+50W5+00S	.6	6	22	0	43	5
7+00W4+00S	.6	2	12	0	63	<5
L5+50W2+75N	1.0	0	21	1	109	5
L5+50W3+00N	1.0	3	22	2	119	10
L5+50W3+25N	1.0	12	19	1	54	5
L5+50W3+50N	1.0	17	22	4	58	5
L5+50W3+75N	1.0	0	22	0	49	5
L5+50W3+95N	.8	0	23	0	64	10
L5+50W4+05N	1.1	0	24	0	71	5

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: WAYNE SPILSBURY

MIN-EN LABS ICP REPORT

705 WEST 13th ST., NORTH VANCOUVER, B.C. V7W 1T2

(604)988-3814 OR (604)988-1524

(ACT:08538) PAGE 1 OF 1

FILE No: 4-0838/97-9

DATE: JULY 25, 1998

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AS-PPM
L5+50M4+15N	.2	0	13	0	99	5
L5+50M4+25N	.3	0	10	0	31	5
L5+50M4+35N	.5	0	14	0	30	10
L5+50M4+45N	.2	0	11	0	56	5
L5+50M4+55N	.2	0	14	0	32	5
L5+50M4+65N	.6	0	10	0	39	35
L5+50M4+75N	.7	0	12	0	37	10
L5+50M5+00N	.6	0	11	0	36	5
L5+50M5+25N	.6	0	11	0	36	5
L6+50M2+75N	1.0	0	22	0	60	5
L6+50M3+00N	.7	0	20	0	85	10
L6+50M3+25N	.7	0	20	0	59	5
L6+50M3+50N	.8	0	17	0	69	10
L6+50M3+75N	.9	0	21	0	51	<5
L6+50M4+00N	.9	0	19	0	36	5
L6+50M4+25N	.6	0	14	0	53	15
L6+50M4+50N	.6	0	14	0	39	5
L6+50M4+75N	.3	0	4	0	23	10
L6+50M5+00N	.3	0	8	0	39	5
L6+50M5+25N	.4	8	19	1	62	5
L6+50M4+00N	.8	0	19	0	36	5
L5+70M3+95N	.7	1	20	0	52	<5
L5+70M4+05N	.7	0	20	0	59	5
L5+70M4+15N	.3	8	7	1	54	10
L5+70M4+25N	.4	0	9	0	56	10
L5+70M4+35N	.9	0	14	0	18	5
L5+70M4+45N	.7	0	12	0	52	5
L5+70M4+55N	.8	0	13	0	67	10
L5+70M4+65N	.7	0	14	0	55	25
L5+70M4+75N	.9	0	17	0	30	5
L12+50M6+00N	.7	0	13	0	26	5
L12+50M6+25N	.5	0	13	0	25	5
L12+50M6+50N	.7	0	17	0	40	<5
L12+50M6+75N	.6	0	13	0	47	5
L12+50M7+00N	.7	0	25	0	52	5
L12+50M7+25N	.8	0	21	0	49	5
L12+50M7+50N	.9	0	22	0	60	10
L12+50M7+75N	.7	0	17	0	40	5
L12+50M8+00N	.4	0	15	0	45	<5
L12+50M8+25N	.7	0	17	0	50	5
L12+50M8+50N	.8	0	17	0	51	5
L12+50M8+75N	1.0	0	16	0	29	5
L12+50M9+00N	.3	0	13	0	29	5
L12+50M9+25N	.7	0	13	0	37	5
L12+50M9+50N	.8	0	16	0	44	<5
L10+50 6+00N	.5	0	12	0	42	5
L10+50 6+25N	.6	0	14	0	68	5
L10+50 6+50N	.9	0	18	0	55	5
L10+50 6+75N	.8	0	18	0	79	5
L10+50 7+00N	.6	0	23	0	35	5
L10+50 7+25N	.6	0	16	0	44	<5
L10+50 7+50N	.5	0	15	0	41	5
L10+50 7+75N	.6	0	16	0	75	5
L10+50 8+00N	.6	0	15	0	112	<5
L10+50 8+25N	.7	0	11	0	66	10
L10+50 8+50N	.9	0	16	0	38	5
L10+50 8+75N	1.0	0	19	0	60	5
L10+50 9+00N	.6	0	14	0	35	5
L8+50 6+00N	.7	0	19	0	42	5
L8+50 6+25N	.6	0	11	0	49	5

COMPANY: TECH EXPLORATIONS

PROJECT No: 1328

ATTENTION: MINE SUPERVISOR

MIN-EN LABS ICP REPORT

705 WEST 13th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)988-0814 OR (604)988-4324

(ACT:00000) PAGE 1 OF 1

FILE No: 4-0000/PP

DATE: JULY 25, 1989

REPORT VALUE IN PPM	AS	AS	CS	BB	ZN	AS-PPB
LB+50 6+500	2.3	0	26	0	88	5
LB+50 6+700	1.6	0	16	0	43	5
LB+50 7+000			20	0	49	10
LB+50 7+200			16	0	50	5
LB+50 7+500			21	0	53	5
LB+50 7+700			29	0	40	15
LB+50 8+000	2.0	0	23	0	42	5
LB+50 8+200	N/S					
LB+50 8+500	.8	0	20	0	28	5
LB+50 8+700	.9	2	46	2	50	5
LB+50 9+000	1.4	0	30	0	47	10
L4+2385+300	.6	0	15	1	54	15
L4+2385+400	.7	2	14	0	49	5
L4+2385+600	.5	10	17	4	63	5
L4+2385+800	.4	0	12	1	89	10
L4+2385+900	.8	0	11	0	50	5
L4+2386+000	1.2	0	21	0	31	5

CONTRACT: TECH EXPLORATIONS
PROJECT No. 1328
ATTENTION: WAYNE SPILSBURY

NTM-EX LABS ICP REPORT
705 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2
(604)990-3814 OR (604)990-0824

(ACTION) PAGE 1 OF 1
FILE No. 4-6008/P1-2
DATE: JULY 26, 1994

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AG-PPB
L0+50E4+00N	.4	0	28	0	41	5
L0+50E4+25N 40N	.4	0	22	1	21	10
L0+50E4+50N	.4	0	17	0	39	5
L0+50E4+75N	.4	0	16	0	33	5
L0+50E5+00N	.4	0	15	0	39	5
L0+50E5+25N 40N	.2	0	28	0	43	15
L0+50E5+50N	.3	0	23	0	36	10
L0+50E5+75N	.3	0	24	0	42	10
L0+50E6+00N	.3	0	18	0	33	5
L0+50E6+25N	.3	0	22	0	42	5
L0+50E6+50N	.5	0	19	0	31	10
L0+50W3+00N	.2	1	16	0	31	5
L0+50W3+25N	.5	0	25	1	32	10
L0+50W3+50N	.3	8	17	0	32	5
L0+50W3+75N	.1	31	22	2	33	5
L0+50W4+00N	.2	0	16	0	26	15
L0+50W4+25N	.1	0	15	0	27	10
L1+50W3+50N	.1	0	19	0	32	5
L1+50W3+75N 40N	.0	0	18	3	8	15
L1+50W4+00N 40N	.1	5	24	0	27	5
L0+50W3+75N	.2	0	18	0	27	5
L0+50W4+00N 40N	.2	0	21	1	23	10
L0+50W4+25N 40N	.0	22	22	4	27	10
L0+50W4+50N	.1	0	19	0	27	5
L0+50W4+75N	.2	0	24	0	36	5
L1+50W4+25N	.2	0	30	1	26	5
L1+50W4+50N	.4	0	27	0	32	20
L1+50W4+75N	.5	7	20	0	27	15
L1+50W5+00N	.1	0	16	0	28	15
L1+50W5+25N	.6	0	20	0	41	10
L1+50W5+50N	.7	0	19	2	43	15
L1+50W5+75N	.6	0	21	2	45	5
L1+50W6+00N	.5	0	19	2	31	5
L2+50W12+25N	.8	0	17	1	40	10
L2+50W12+50N	.7	0	14	2	38	5
L2+50W12+75N	.6	0	13	2	47	5
L2+50W13+00N 40N	.2	0	35	3	22	5
L2+50W13+25N	.3	0	21	1	31	10
L2+50W3+25N	.4	1	16	1	24	5
L2+50W3+50N	.5	0	19	5	67	5
L2+50W3+75N	.5	0	23	4	31	10
L2+50W4+00N	.5	0	23	5	44	10
L2+50W4+25N	.7	0	24	4	48	5
L2+50W4+50N 40N	.4	3	25	5	23	5
L2+50W4+75N	.6	0	23	4	60	10
L2+50W5+00N	.5	0	24	5	62	15
L2+50W5+25N	.5	0	22	5	76	10
L2+50W5+50N	.5	0	21	4	56	20
L2+50W5+75N	.2	0	18	2	48	5
L3+50W3+00N 40N	.4	0	21	3	44	5
L3+50W3+25N	.3	0	19	3	51	15
L3+50W3+50N	.6	0	24	4	54	5
L3+50W3+75N 40N	.5	7	46	7	10	5
L3+50W4+00N	.6	0	30	3	24	10
L3+50W4+25N	.5	0	23	4	49	5
L3+50W4+50N	.7	0	22	5	64	5
L3+50W4+75N	.8	0	22	5	29	5
L3+50W5+00N	.5	0	22	6	57	10
L3+50W5+25N	.8	0	23	6	45	5
L3+50W5+50N	.7	0	20	5	56	10

COMPANY: TECK EXPLORATIONS

PROJECT No. 1328

ATTENTION: WAYNE SPILSBURY

MIN-EN LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604) 988-5814 OR (604) 988-4524

(ACT: BERSB) PAGE 1 OF 1

FILE No. 4-6008/7346

*TYPE SOIL DESCRIPTION DATE: JULY 26, 1988

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AU-PPB
L3+50M12+50N	3	0	15	1	26	5
L3+50M12+75N	3	0	11	0	29	10
L3+50M13+00N	3	0	10	0	19	5
L3+50M13+25N	3	0	12	0	17	10
L3+50M14+00N	3	0	10	0	27	5
L3+50M14+50N	3	0	8	1	36	5
L4+50M3+00N	3	0	22	6	44	10
L4+50M3+25N	3	0	20	5	59	5
L4+50M3+50N	3	0	18	3	31	5
L4+50M3+75N	3	0	19	3	33	<5
L4+50M4+00N	3	0	17	3	29	5
L4+50M4+25N 40N	3	0	27	7	21	10
L4+50M4+50N	3	0	11	0	28	5
L4+50M4+75N	3	0	13	4	53	5
L4+50M5+00N	3	0	22	8	46	<5
L4+50M5+25N	3	0	19	3	48	5
L4+50M5+50N	3	0	21	2	31	10
L7+50E9+00N	3	0	13	2	22	5
L7+50E9+25N	3	0	20	5	28	5
L7+50E9+50N	3	0	48	15	6	5
L7+50E9+75N	3	0	15	4	36	10
L7+50E10+00N	3	0	18	2	24	5
L7+50E10+25N	3	0	19	3	23	5
L8+50E9+00N	3	0	10	1	18	10
L8+50E9+25N	3	0	12	3	20	5
L8+50E9+50N	3	0	11	3	29	5
L8+50E9+75N	3	0	11	4	44	5
L8+50E10+00N	3	0	13	3	56	<5
L8+50E10+25N	3	0	17	5	39	10
L12+50E6+00N	3	0	14	3	25	5
L12+50E6+25N	3	0	17	0	34	5
L12+50E6+50N	3	0	12	0	42	10
L12+50E6+75N	3	0	22	4	29	5
L12+50E7+00N	3	0	14	2	78	5
L12+50E7+25N	3	0	14	2	57	10
L12+50E7+50N	3	0	13	1	40	10
L13+50E6+00N	3	0	17	0	22	5
L13+50E6+25N	3	0	18	0	35	5
L13+50E6+50N	3	0	15	0	31	<5
L13+50E6+75N	3	0	15	0	50	15
L13+50E7+00N	3	0	12	2	48	5
L13+50E7+25N	3	0	16	2	52	5
L13+50E7+50N	3	0	20	3	28	45
L4+00E1+00N	3	0	19	5	32	10
L9+00N7+50N	3	0	15	1	19	5
L13+00E7+00B	3	0	13	4	30	5
L14+00N7+50N	3	0	14	2	19	5
L3+50E0+00B	3	0	12	1	49	10
L3+50E0+25B	3	0	11	3	53	5
L3+50E0+50B	3	0	16	3	30	5
L3+50E0+75B	3	0	10	3	39	5
L3+50E0+25N	3	0	13	5	53	15
L3+50E0+50N	3	0	19	4	29	<5
L3+50E0+75N	3	0	15	6	47	10
L3+50E1+00N	3	0	20	3	31	5
L3+50E1+25N	3	0	29	2	52	5
L4+50E0+00B	3	10	54	10	50	10
L4+50E0+25B	3	0	17	7	47	5
L4+50E0+50B	3	0	15	3	46	5
L4+50E0+75B	3	0	17	4	60	10

COMPANY: TECH EXPLORATIONS

PROJECT No: 1328

ATTENTION: WAYNE SPIEGEL

NIR-EN LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7W 1T2

(604) 998-5814 OR (604) 998-4329

TYPE ORAL REQUEST

INSTRUMENTED PAGE 1 OF 1

FILE No: 4-6004/PS10

DATE: JULY 26, 1994

(REPORT VALUES IN PPB)	AS	AS	CU	SB	ZN	AG-PPB
L4+50E0+25N	.6	0	24	2	34	5
L4+50E0+50N	.6	0	32	0	62	5
L4+50E0+75N	.6	0	22	1	48	10
L5+50E0+00N	.6	0	14	0	33	5
L5+50E0+25N	.6	0	21	0	40	5
L5+50E0+50N	.5	0	26	0	47	5
L5+50E0+75N	.5	0	39	1	46	10
L5+50E1+00N	.6	0	25	0	32	10
L5+50E1+25N	.8	0	33	3	23	15
L5+50E0+25S	.8	0	24	0	28	5
L5+50E0+50S	.6	0	15	0	35	5
L5+50E0+75S	.6	0	17	0	47	5
L5+50E1+00S	.5	0	12	0	50	10
L5+50E1+25S	.6	0	20	0	52	5
L5+50E1+50S	.5	0	18	0	60	10
L5+50E1+75S	.5	0	21	0	28	10
L5+50E3+50N	8.4	4	24	0	31	105
L5+50E3+75N	.7	0	21	3	58	5
L6+50E4+25N	.3	0	9	0	20	10
L6+50E4+50N	.7	0	24	2	36	5
L6+50E4+75N	.5	0	21	1	44	5
L6+50E5+00N	.5	0	28	6	71	10
L6+50E5+25N	.5	0	19	0	45	5
L6+50E5+50N	.6	0	22	0	58	5
L6+50E5+75N	.5	0	19	0	45	5
L7+50E4+25N	.8	0	19	0	62	5
L7+50E4+50N	.8	0	23	0	42	5
L7+50E4+75N	.5	0	25	0	56	10
L7+50E5+00N	.6	0	15	0	74	5
L7+50E5+25N	.7	0	27	3	45	5
L7+50E5+50N	.4	0	21	6	39	5
L7+50E5+75N 40N	.3	0	23	7	48	5
L4+50E4+25N	.5	0	17	2	31	5
L4+50E4+50N	.5	0	13	0	32	10
L4+50E4+75N	.4	0	18	2	40	5
L4+50E5+00N	.9	0	17	0	24	5
L4+50E5+25N	.9	0	24	3	26	10
L4+50E5+50N	.7	0	13	1	47	5
L4+50E5+75N	.7	0	22	1	37	5
L3+50E4+25N	.7	0	25	5	43	5
L3+50E4+50N	.6	0	22	6	61	5
L3+50E4+75N	.6	0	24	9	70	5
L3+50E5+00N 40N	.6	0	24	4	51	10
L3+50E5+25N 40N	.5	0	18	3	44	5
L3+50E5+50N	.4	0	18	6	31	5
L3+50E5+75N	.9	0	28	9	46	10
L8+50E0+25S	.6	0	23	3	71	5
L8+50E0+50S	.6	0	17	3	45	5
L8+50E0+75S	.5	0	15	1	55	10
L8+50E1+00S	.4	0	12	1	49	10
L8+50E0+00N	.4	0	21	4	47	5
L8+50E0+25N	.4	0	17	1	38	10
L8+50E0+50N	.7	0	19	3	42	5
L8+50E0+75N	.6	0	12	1	34	5
L8+50E1+00N	.6	0	12	1	34	10
L8+50E1+25N	.7	0	15	2	39	5
L5+50E4+25N	.2	0	21	4	59	5
L5+50E4+50N	.9	0	32	9	37	5
L5+50E4+75N	.6	0	21	6	29	5
L5+50E5+00N	.9	0	24	7	39	5

COMPANY: TECK EXPLORATIONS

PROJECT No: 1328

ATTENTION: WAYNE SPILSBURY

MIN-EN LABS ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)908-2814 OR (604)908-4524

(ACT:DESSD) PAGE 1 OF 1

FILE No: 4-6008/7746

TYPE SOIL DESIGNED DATE: JULY 28, 1990

(REPORT VALUES IN PPM)	AS	AS	CU	SB	ZN	AU-PPB
L5+50E3+25N	.8	0	13	3	48	10
L9+50E0+50S	.7	0	12	2	31	5
L9+50E0+75S	.8	0	12	2	31	10
L9+50E1+00S	.7	0	15	3	34	5
L9+50E0+00N	.6	0	15	3	65	5
L9+50E0+25N	1.0	0	27	6	33	5
L9+50E0+50N	1.1	0	23	9	61	5
L9+50E0+75N	.6	0	10	3	46	5
L9+50E1+00N	1.0	0	20	5	35	10
L9+50E1+25N	1.0	0	22	7	50	5
L8+50E1+25S	.6	0	13	2	45	5
L8+50E1+50S	.7	0	12	1	41	5
L8+50E1+75S	.9	0	15	3	71	5
L8+50E2+00S	.8	0	17	5	49	5
L8+50E2+25S	1.2	0	15	0	34	5
L8+50E2+50S	1.0	0	16	3	72	10
L10+50E0+00N	1.0	0	24	8	54	5
L10+50E0+50N	.9	0	19	5	92	5
L10+50E1+25N	1.2	0	18	3	66	25
L9+50E1+25S	.7	0	23	3	27	10
L9+50E1+50S	.6	0	14	2	74	5
L9+50E1+75S	.7	0	17	3	57	5
L9+50E2+00S	.9	0	19	5	119	5
L9+50E2+25S	.7	0	20	3	62	5
L9+50E2+50S	.7	0	15	3	79	5
L11+50E0+75N	.7	0	17	2	52	5
L11+50E1+00N	.8	0	21	2	57	5
L11+50E1+25N	.6	0	24	7	45	5
L10+50E0+25S	.6	0	21	3	92	5
L10+50E0+50S	.7	0	17	3	67	5
L10+50E0+75S	.9	0	20	2	55	5
L10+50E1+00S	.7	0	14	0	66	5
L10+50E1+25S	.9	0	17	1	37	10
L10+50E1+50S	.9	0	20	1	38	10
L10+50E1+75S	.9	0	30	3	39	5
L10+50E2+00S	.6	0	19	1	63	5
L10+50E2+25S	.9	0	21	1	46	5
L11+50E0+00S	1.1	0	22	1	31	5
L11+50E0+25S	.9	0	12	0	29	10
L11+50E0+50S	1.0	0	25	3	25	5
L11+50E0+75S	.7	0	18	2	81	5
L11+50E1+00S	.8	0	19	4	45	5
L11+50E1+25S	.8	0	12	2	65	5
L11+50E1+50S	.6	0	14	3	71	5
L11+50E1+75S	.8	0	23	3	37	5
L11+50E2+00S	1.2	0	22	6	89	10
L11+50E2+25S	.9	0	33	5	37	5
L11+50E0+50N	1.3	0	16	1	59	5
L10+00E0+50S	1.1	0	20	7	109	5
L10+00E15+00N	1.2	0	16	6	60	5
L9+00E0+50N	.9	0	15	4	60	15
B10+0011+00E	1.2	0	31	3	44	5
4+00E1+75S	.6	44	29	13	39	5
4+75E3+75S	.8	21	38	11	34	5
7+00E5+00S	1.0	5	41	11	28	5
7+00S10+00E	.9	0	25	3	34	5
11+25E2+00S 40N	.8	0	34	5	42	5
12+00E4+00S	.9	0	41	8	34	5
13+00E5+00S 40N	.7	0	44	8	28	5
14+00E2+00S	1.0	0	43	7	42	5

COMPANY: TECH EXPLORATIONS

PROJECT No. 1328

ATTENTION: WAYNE SPILSKY

MTN-EN LABS ICP REPORT

705 WEST 13th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)900-5814 OR (604)900-8024

(ACT:00000) PAGE 1 OF 1

FILE No. 4-0000/PP

TYPE SOIL SAMPLE

DATE: JULY 26, 1986

(REPORT VALUES IN PPB)	AS	AS	CU	SB	ZN	AD-PPB
14+00E7+000	.4	0	36	4	30	5
L11E8+50N 4000			39	10	41	5
L3+50N-12+25N			22	4	24	10
L10+50E-0+75N			18	4	100	5
L10+50E-1+000	1.5		23	3	55	5

COMPANY TREE EXPLORATION

PROJECT No. 1320

ATTENTION: B. SPILLERY

KID-ON LAGO ICP REPORT

703 WEST 130th ST., NORTH VANCOUVER, B.C. V7W 1T2

(604) 980-0014 OR (604) 980-1320

(ACT:00030) PAGE 5 OF 2

FILE No. 4-430071-2

DATE: AUGUST 2, 1988

(REPORT VALUES IN PPM)	AS	AS	CS	SS	ZR	AS-PPM
L00N15+50N	.7	0	12	0	24	5
L00N16+00N		0	11	0	24	10
L00N16+50N			12	0	49	5
L00N17+00N			19	0	31	5
L00N17+50N			15	0	38	5
L00N18+00N			22	0	34	10
L00N18+50N	.8	0	16	0	65	5
L00N19+00N	.9	0	21	0	40	5
L00N19+50N	1.0	0	26	1	36	5
L00N20+00N	.7	0	23	0	69	10
L00N20+50N	1.0	0	18	0	50	5
L00N21+00N	.6	2	17	1	125	100
L00N21+50N	.7	1	10	0	51	5
L00N22+00N	.7	1	14	0	35	10
L00N22+50N	.7	0	16	0	57	5
L00N23+00N	.8	0	18	0	57	5
L00N23+50N	.7	0	18	0	58	10
L00N24+00N	.9	0	14	0	43	5
L00N24+50N	.9	0	13	0	70	5
L00N25+00N	.8	0	11	0	37	5
L4N15+50N	.6	0	15	0	52	5
L4N16+00N	.7	0	15	0	30	20
L4N16+50N	.4	0	8	0	43	10
L4N17+00N	1.0	0	12	0	65	5
L4N17+50N	.8	0	9	0	61	5
L4N18+00N	1.1	0	13	0	39	10
L4N18+50N	1.0	0	19	0	36	5
L4N19+00N	.9	0	15	0	35	5
L4N19+50N	.7	0	17	0	39	10
L4N20+00N	.7	0	13	0	62	10
L4N20+50N	.5	0	19	0	56	10
L4N21+00N	.6	0	18	0	45	<5
L4N21+50N	.3	0	20	0	51	5
L4N22+00N	.4	0	16	0	29	5
L4N22+50N	.4	2	24	0	69	10
L4N23+00N	.6	3	23	0	59	<5
L4N23+50N 40N	.0	12	20	0	73	<5
9+00N15+00N	.3	0	13	0	40	<5
9+00N15+50N	.4	0	15	0	42	5
9+00N16+00N	.5	0	20	0	43	<5
9+00N16+50N	.6	0	14	0	34	5
9+00N17+00N	.7	0	11	0	46	<5
9+00N17+50N	.8	0	17	0	35	5
9+00N18+00N	.8	0	20	0	35	10
9+00N18+50N	.9	0	19	0	49	5
9+00N19+00N	.8	0	19	0	67	<5
9+00N19+50N	.6	0	17	0	80	15
9+00N20+00N	.6	0	19	0	104	5
9+00N20+50N	.6	0	18	0	41	5
9+00N21+00N	.5	0	14	0	70	<5
9+00N21+50N	.6	0	16	0	60	10
9+00N22+00N	.8	1	19	0	53	<5
9+00N22+50N	.6	0	13	0	57	5
9+00N23+00N	.9	0	25	0	44	<5
9+00N23+50N	.8	0	10	0	31	5
9+00N24+00N	1.0	0	19	0	42	10
9+00N24+50N	1.1	0	17	0	53	5
9+00N25+00N	.9	0	15	0	38	5
14+00N15+00N	.8	0	14	0	66	5
14+00N15+50N	.9	0	11	0	37	<5

COMPANY TECH EXPLANATIONS:

FORMER No. 1329

ATTENTION: Mr. SP130000

KIN-EN LAB ICP REPORT

705 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)988-2814 OR (604)988-8234

LABORATORY PAGE 1 OF 1

FILE NO. 4-628000-0

DATE: JANUARY 2, 1999

IMPURITY VALUE IN PPM	AS	CS	CU	FE	ZN	AG-PPM
14+00016+000			13	0	92	10
14+00016+000			17	0	39	10
14+00017+000			18	0	100	5
14+00017+300			13	0	106	5
14+00018+000			15	0	26	5
14+00018+500	.5	0	12	0	38	10
14+00019+000	.7	0	11	0	40	5
14+00019+500	.6	0	12	0	38	5
14+00020+000	.6	0	11	0	32	5
14+00020+500	.7	0	17	0	24	5
14+00021+000	.7	0	17	0	38	<5
14+00021+300	.5	0	18	0	63	5
14+00022+000	.7	0	24	0	51	5
14+00022+500	.4	0	17	0	122	5
14+00023+000	.7	0	15	0	49	<5
14+00023+500	.7	2	16	0	54	5
14+00024+000	.8	0	19	0	50	5
14+00024+500	.6	13	33	0	49	<5
14+00025+000	.6	17	20	5	35	5
11+50E4+750	.9	0	16	0	82	5
11+50E5+000	.8	0	22	0	42	5
11+50E5+250	.8	0	22	0	46	<5
11+50E5+500	.7	0	9	0	56	5
11+50E5+750	.9	0	16	0	65	5
11+50E6+000	.9	0	12	0	100	5
11+50E6+250	1.3	0	17	0	63	5
11+50E6+500	1.1	0	16	0	118	5
11+50E6+750	1.2	0	18	0	39	5
11+50E7+000	1.2	0	14	0	62	5
11+50E7+250	.7	0	13	0	88	5
11+50E7+500	.8	0	19	0	60	10
11+50E7+750	.8	0	14	0	48	5
11+50E8+000	.9	0	18	0	43	5
11+50E8+250	1.1	0	16	0	43	5
11+50E8+750	1.1	0	18	0	76	10
12+50E3+000	1.3	0	16	0	49	10
12+50E3+250	1.0	0	15	0	28	5
12+50E3+500	.8	0	12	0	51	5
12+50E3+750	1.0	1	18	0	38	10
12+50E6+000	.8	0	13	0	66	<5
12+50E6+250	.9	0	15	0	38	5
12+50E6+500	.8	0	17	0	60	5
12+50E6+750	1.0	0	17	0	54	5
12+50E7+000	.7	0	14	0	151	10
12+50E7+250	.9	0	14	0	83	5
12+50E7+500	1.2	0	15	0	77	5
12+50E7+750	1.0	0	16	0	58	10
12+50E8+000	.9	0	11	0	51	5
12+50E8+250	1.3	0	14	0	51	5
13+50E4+750	1.1	0	16	0	48	5
13+50E5+000	.9	0	12	0	83	5
13+50E5+250	.8	0	18	0	43	5
13+50E5+500	.5	14	24	4	18	5
13+50E5+750	.8	0	18	0	51	10
13+50E6+000	1.0	0	14	0	97	5
13+50E6+250	1.4	0	17	0	114	5
13+50E6+500	1.0	0	19	0	49	5
13+50E6+750	1.2	0	18	0	63	10
13+50E7+000	.8	0	13	0	87	5
13+50E7+250	.9	0	19	0	74	5

COMPANY: ECKE EXPLORATIONS

PROJECT No: 1322

ATTENTION: Mr. SPELMAN

KNO-ON LAGO ICF REPORT

705 WEST 15th ST., NORTH WINDSOR, D.C. 47N 172

(604) 900-0214 OR (604) 900-0224

LACTOES300 PAGE 1 OF 1

FILE No: 4-6306/PS-6

DATE: AUGUST 1, 1994

REPORT VALUE IN PPM	AS	AS	CS	SS	TS	AS-PPM
L13+50E7+000	0	0	17	0	115	5
L13+50E7+700	0	0	13	0	43	5
L13+50E8+000	0	0	18	0	45	5
L13+50E8+200	0	0	13	0	43	<5
L14+50E4+700	0	0	13	0	63	5
L14+50E5+000	.7	0	10	0	78	5
L14+50E5+250	.9	0	12	0	62	5
L14+50E5+500	.7	0	13	0	44	5
L14+50E5+750	.8	4	22	1	41	5
L14+50E6+000	.5	7	18	0	26	<5
L14+50E6+250 40N	.7	9	38	4	25	5
L14+50E6+500	.9	0	20	0	76	5
L14+50E6+750	.8	0	13	0	76	5
L14+50E7+000	.9	0	11	0	90	10
L14+50E7+250	.8	0	14	0	108	5
L14+50E7+500	.9	0	14	0	61	<5
L14+50E7+750	.9	0	16	0	99	5
L14+50E8+000	1.1	0	17	0	74	5
L14+50E8+250	1.3	0	17	0	45	5
L19N15+50N	1.0	0	14	0	39	5
L19N16+00N	1.5	0	13	0	38	5
L19N16+50N 40N	.9	5	20	0	37	5
L19N17+00N	1.0	0	23	0	44	<5
L19N17+50N	.9	0	13	0	40	5
L19N18+00N	1.4	0	13	0	32	5
L19N18+50N	1.2	0	11	0	30	5
L19N19+00N	1.4	0	12	0	50	5
L19N19+50N	1.0	0	17	0	47	5
L19N20+00N	1.1	0	12	0	44	5
L19N20+50N	1.1	0	13	0	32	5
L19N21+00N	.7	0	15	0	58	5
L19N21+50N	.7	0	21	0	83	20
L19N22+00N	.6	6	19	3	49	5
L19N22+50N	.3	12	29	4	39	5
L19N23+00N	.5	34	36	4	63	<5
L19N23+50N	.6	18	26	3	35	5
L19N24+00N	.6	11	26	2	40	5
L19N24+50N	.5	6	26	3	62	5
L19N25+00N 40N	.7	0	22	1	41	15
L24N14+50N	1.0	0	11	0	29	10
L24N15+00N	1.0	0	11	0	31	10
L24N15+50N	.9	0	10	0	35	5
L24N16+00N	.9	0	10	0	108	<5
L24N16+50N	1.2	0	11	0	39	<5
L24N17+00N	.9	0	15	0	79	5
L24N17+50N	1.3	0	12	0	49	5
L24N18+00N	1.2	0	12	0	48	15
L24N18+50N	1.3	0	13	0	40	5
L24N19+00N	1.2	0	16	0	49	10
L24N19+50N 40N	.4	16	11	2	20	<5
L24N20+00N	.9	0	18	0	37	5
L24N20+50N 40N	.8	5	31	4	30	15
L24N21+00N	1.0	0	15	0	38	5
L24N21+50N	1.1	0	16	0	46	5
L24N22+00N	1.0	2	28	1	47	20
L24N22+50N	1.0	0	24	0	69	5
L24N23+00N	1.3	0	18	0	42	<5
L24N23+50N	1.1	0	14	0	49	5
L24N24+00N	1.0	0	12	0	48	20
L24N24+50N	1.5	0	15	0	41	10

COMPANY: TREE EXPLORATIONS

PROJECT No: 1326

ATTENTION: R. SPILSBURY

RIS-ON LABS ICP REPORT

705 WEST 1500 ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)988-3814 OR (604)988-4324

INSTRUCTIONS: PAGE 2 OF 2

FILE No: 0-628477-0

DATE: JANUARY 2, 1989

(REPORT VALUES IN PPM)	AS	AS	CS	SB	ZR	AS-PPB
L28025+000	.6	4	11	0	31	<5
L28+0000L	.6	4	21	0	34	<5
L28+0000+500	.6	4	17	0	32	<5
L28+0001+000	1.2	0	17	0	33	5
L28+0001+500	4.1	0	16	0	34	15
L28+0002+000	1.9	0	24	0	44	10
L28+0002+500	1.7	0	17	0	36	5
L28+0003+000	1.4	0	18	0	36	5
L28+0003+500	1.1	0	17	0	34	<5
L28+0004+000	1.1	0	16	0	46	<5
L28+0004+500	1.2	0	15	0	36	<5
L28+0005+000	1.0	0	13	0	33	5
L28+0005+500	.8	3	8	0	33	5
L28+0006+000	.9	2	15	0	30	<5
L28+0006+500	.8	1	12	0	36	<5
L28+0007+000	.7	6	11	1	43	10
L28+0007+500	.9	2	12	0	40	5
L28+0008+000	1.1	0	13	0	41	<5
L28+0008+500	1.2	0	13	0	42	<5
L28+0009+000	.8	0	11	0	32	5
L28+0009+500	.6	0	9	0	66	10
L28+0010+000	.9	0	11	0	31	<5
L28+0010+500	.6	0	16	0	37	10
L28+0011+000	.4	0	12	0	36	5
L28+0011+500	.7	0	19	0	59	5
L28+0012+000	.8	0	14	0	41	5
L28+0012+500	.9	0	21	0	41	<5
L28+0013+000	.8	0	10	0	35	5
L28+0013+500	.8	0	12	0	30	5
L28+0000+500	1.8	0	22	0	74	<5
28+0001+000	.9	0	16	0	32	5
28+0001+500	1.3	0	31	0	72	10
28+0002+000	.7	0	13	0	29	5
28+0002+500	1.8	0	24	0	131	5
28+0003+000	2.7	0	28	0	49	10
28+0003+500	1.6	0	32	0	39	5
28+0004+000	2.2	0	25	0	41	5
28+0004+500	2.8	0	28	0	61	5
28+0005+000 40N	1.5	0	76	0	65	<5
33+00012+000	.8	0	11	0	33	5
33+00012+500	1.0	0	11	0	33	5
33+00013+000	1.1	0	12	0	34	5
33+00013+500	1.1	0	11	0	30	10
33+00014+000	.8	0	14	0	72	5
33+00014+500	.8	0	11	0	36	5
33+00015+000	.8	4	14	0	46	5
33+00015+500	1.1	0	13	0	43	10
33+00016+000	1.1	0	10	0	29	5
33+00016+500	.8	0	10	0	39	5
33+00017+000	.7	0	9	0	38	5
33+00017+500	.7	0	10	0	41	<5
33+00018+000	.8	0	11	0	33	5
33+00018+500	.8	0	12	0	44	10
L28014+000	1.2	4	11	0	36	5
L28014+500	1.0	0	10	0	22	5
L28015+000	1.1	5	15	0	37	5
L28015+500	1.2	1	13	0	29	<5
L28016+000	1.1	4	22	0	30	10
L28016+500	1.1	4	30	1	30	5
L28017+000	.9	0	10	0	33	5

COMPANY TECH EXPLORATIONS

PROJECT No. 1330

ATTENTION: H. SPALDING

(REPORT VALUES IN PPM)

KIM-ON LAND ICP REPORT

700 WEST 13th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)900-2814 OR (604)900-4324

(ACTION: PAGE 1 OF 1)

FILE No. 4-6386/PP-10

DATE: AUGUST 1, 1988

	AS	AS	CS	SB	ZS	MS-PPB
L20017+500	0	0	21	0	58	5
L20018+500	0	0	9	0	22	15
L20018+500	0	0	12	0	25	10
L20019+500	0	0	12	0	72	5
L20019+500	0	0	12	0	47	5
L20020+500	0	0	13	0	65	10
L20020+500	0	0	10	0	29	5
L20021+500	0	0	12	0	32	5
L20021+500	0	0	14	0	65	50
L20022+500	0	0	14	0	51	5
L20022+500	1.1	0	22	0	57	10
L20023+500	0	0	18	0	44	5
L20023+500	1.0	0	15	0	24	15
L20024+500	1.2	0	18	0	38	35
L20024+500	0	3	14	0	29	5
L20025+500	1.0	4	13	0	34	10
33+0000L	0	3	13	0	49	5
33+0000+500	0	0	13	0	35	5
33+0001+500	0	0	14	0	43	5
33+0001+500	0	6	17	3	67	15
33+0002+500	0	0	18	0	50	5
33+0002+500	0	4	14	0	47	5
33+0003+500	0	3	15	1	54	10
33+0003+500	0	3	24	3	57	5
33+0004+500	0	0	19	1	40	5
33+0004+500	0	0	12	0	30	5
33+0005+500	0	0	15	1	75	10
33+0005+500	0	0	16	0	44	5
33+0006+500	0	1	15	0	41	5
33+0006+500	0	0	15	2	55	5
33+0007+500	0	0	12	0	46	5
33+0007+500	0	0	11	0	44	5
33+0008+500	0	0	14	0	71	10
33+0008+500	0	0	17	0	69	5
33+0009+500	0	11	26	0	34	5
33+0009+500	0	0	15	0	41	5
33+0010+500	0	0	10	0	43	5
33+0010+500	0	0	25	0	44	5
33+0011+500	0	0	21	0	42	5
33+0011+500	0	0	11	0	30	5
L33019+500	1.1	0	13	0	33	10
L33019+500	0	0	12	0	25	10
L33020+500	1.3	0	19	0	35	5
L33020+500	0	0	12	0	59	5
L33021+500	1.3	0	18	0	33	5
L33021+500	1.1	0	13	0	34	5
L33022+500	1.2	0	19	0	64	5
L33022+500	0	0	15	0	57	10
L33023+500	1.0	0	15	0	31	5
L33023+500	0	0	14	0	40	40
L33024+500	0	0	12	0	33	10
L33024+500	1.0	0	13	0	38	10
L33025+500	0	0	49	0	24	5
33+0000+500	0	0	12	0	52	5
33+0001+500	1.2	0	12	0	43	5
33+0001+500	1.2	0	16	0	70	10
33+0002+500	1.1	4	27	0	30	5
33+0002+500	1.1	0	16	0	30	5
33+0003+500	1.1	0	18	0	40	5
33+0003+500	0	0	14	0	29	5

COMPANY TREE EXPLORATIONS

PROJECT No. 1300

ATTENTION: R. SPILNER

NON-EN LAGO ICP REPORT

700 WEST 15th ST., NORTH VANCOUVER, B.C. V7N 1T2

(604)980-3814 OR (604)980-0320

(ACT)000000 PAGE 5 OF 5

FILE No 4-6300/013

DATE: AUGUST 1, 1989

(REPORT VALUE IN PPM)	AS	AS	CS	SS	TS	AS-PPH
33+000+000			19	0	38	40
33+000+000			14	0	28	20
33+000+000			19	0	42	15
9+000+21+770			22	1	41	10
10+240+25+000			25	0	41	10
10+240+25+000 400	1.1	17	45	2	22	5
27+500+13+500	1.3	7	25	0	48	5
28+000+4+300	1.6	0	28	0	45	10
28+000+12+300	1.2	0	21	0	47	10
33+000+1+900	1.2	8	21	0	31	5
33+000+10+750	1.3	5	25	1	44	10

MIN-EN Laboratories Ltd.*Specialists in Mineral Environments.*

705 WEST 15th STREET NORTH VANCOUVER, B.C. CANADA V7H 1T2

PHONE: (604) 980-5814 OR (604) 980-4524

TELEX: 04-352828

CERTIFICATE OF ASSAY

COMPANY: TECK EXPLORATIONS
PROJECT: 1328
ATTENTION: W. SPILSBURY

FILE: 4-559
DATE: JULY 16/84
TYPE: ROCK ASSAY

We hereby certify that the following are assay results for samples submitted.

SAMPLE NUMBER	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
6214	0.1	0.01	0.01	0.001
6215	0.1	0.01	0.02	0.001
6216	0.1	0.01	0.02	0.001
6217	0.1	0.01	0.03	0.001
6218	0.1	0.01	0.02	0.001
0066	0.1	0.01	0.01	0.001
0067	0.1	0.01	0.01	0.001
0068	0.2	0.01	0.01	0.001
0069	0.1	0.01	0.01	0.001

Certified by



MIN-EN LABORATORIES LTD.

MIN-EN Laboratories Ltd.

Specialists in Mineral Environments

705 WEST 15th STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

PHONE: (604) 980-5814

TELEX: 04-352828

CERTIFICATE OF ASSAY

COMPANY: TECK EXPLORATIONS

PROJECT: 1328

ATTENTION: W. SPILSBURY

FILE: 4-608


DATE: JULY 21/84

TYPE: ROCK ASSAY


We hereby certify that the following are assay results for samples submitted.

SAMPLE NUMBER	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
6219	0.1	0.01	.01	0.001
6220	0.1	0.01	.01	0.001
6221	0.1	0.01	.01	0.001
6222	0.1	0.01	.01	0.001

Certified by



MIN-EN LABORATORIES LTD.




- GEOLOGY**
- PLIOCENE**
- 3 FRESH BLACK BASALT (PLATEAU TYPE)
- MIOCENE**
- 2 RHYOLITIC TUFFACEOUS ROCKS
 - 2a FELSIC TUFFACEOUS ROCKS
- Eocene**
- 1 BASALTIC FLOWS, VESICULAR & AMYGDALOIDAL
 - 1a DACITE FLOWS
- Geological Contact; Inferred
- Flow Layering - Bedding ?
- Jointing
- Quartz Veining (Inclined, Vertical)
- Quartz Float
- Foliation


- LEGEND**
- CLAIM POST
 - TRENCH
 - == ROAD
 - STREAM
 - ROCK SAMPLE LOCATION

GEOLOGICAL BRANCH
ASSESSMENT REPORT
12,862

TECK EXPLORATIONS LIMITED
BANKIT RESOURCES CORP.
MIDAS CLAIM GROUP
GEOLOGICAL PLAN
DRAWN BY: MC DATE: AUG. 1994 SCALE: 1:5000 NTS:








GEOLOGICAL BRANCH
ASSESSMENT REPORT
12,862

TECK EXPLORATIONS LIMITED
BANKIT RESOURCES CORP.
MIDAS CLAIM GROUP
SOIL GEOCHEMISTRY
COPPER - ZINC
(ppm) (ppm)
DRAWN BY: MC DATE: AUG. 1984 SCALE: 1:5000 NTS:

FIGURE 5 (b)



GEOLOGICAL BRANCH
ASSESSMENT REPORT

12,862

FIGURE 5(c)

TECK EXPLORATIONS LIMITED

BANKIT RESOURCES CORP.

MIDAS CLAIM GROUP

SOIL GEOCHEMISTRY

ARSENIC - ANTIMONY
(ppm) (ppm)

DRAWN BY: ME DATE: AUG. 1984 SCALE: 1:5000 NTS:

