

84-1285-13600

PERCUSSION DRILLING, GEOLOGY
AND GEOCHEMICAL REPORT

TOIL MINERAL CLAIM

Rec. # 1285(9)

NEW WESTMINSTER MINERAL DISTRICT

LATITUDE 49° 41.25' N LONGITUDE 122° 03' W

NTS 92G/9

WRITTEN BY: K. WAYNE LIVINGSTONE

OWNER:

DIAMOND RESOURCES INC.

#708-837 West Hastings St.

Vancouver, BC V6C 0E6

GEOLOGICAL BRANCH
ASSESSMENT REPORT

13,600

December 15, 1984

TABLE OF CONTENTS

INTRODUCTION	1
LOCATION AND ACCESS	1
CLAIMS	1
GEOLOGY	1
ALTERATION	4
SURVEYS	4
GEOCHEMISTRY	4
RESULTS	5
PERCUSSION DRILLING	5
RECOMMENDATIONS	6
STATEMENTS OF COSTS	
DRILLING	7
GEOLOGY AND GEOCHEMISTRY	8
STATEMENT OF QUALIFICATIONS	9
APPENDIX I - DRILL LOGS	
APPENDIX II - DRILL ASSAYS	
FIGURE 1 - PROPERTY LOCATION MAP	2
" 2 - CLAIM MAP	3
" 3 - GEOCHEMISTRY	In Pocket
" 4 - DRILL HOLE LOCATIONS	In Pocket

PERCUSSION DRILLING, GEOLOGY AND GEOCHEMICAL REPORT

INTRODUCTION

The TOIL Mineral Claim is located at Five Mile Bay, on the west side of Harrison Lake, near the north end. The property was found during a reconnaissance prospecting programme in the area. A highly pyritic zone of rhyolitic volcanics and sericite schists was noted and the property staked. The prospect area was subsequently silt and soil sampled, revealing anomalous values in gold, lead, and arsenic. This report concerns the detailed follow-up work from these initial surveys.

LOCATION AND ACCESS

The property can be reached by 4x4 road along the west side of Harrison Lake, either from the north or south ends. Heavy equipment can be brought to the property by a good barge service which supplies the logging company at the north end of the lake. Driving time from Vancouver is 5-6 hours, depending on road conditions. The claim area is the location of an old logging camp and some of the buildings have been refurbished for mining exploration use.

The forest cover is mainly second growth fir and alder.

CLAIMS

<u>Claim Name</u>	<u>Units</u>	<u>Record Number</u>	<u>Record Date</u>
TOIL	20	1285(9)	Sept 21, 1981

GEOLOGY

The claim area is underlain by the Fire Lake group volcanic and sedimentary rocks (Roddick, 1965). The main rock units in the claim area are



TOIL M.C.

J M T SERVICES CORP.


Fig. 1

PROPERTY LOCATION MAP

10°

122°00'

49°45'



green andesitic crystal tuffs, lapilli tuff and breccia interbedded with rhyolitic breccias and argillitic sedimentary rocks. This unit is quite diverse in lithology and no attempt has been made to map this unit in detail (see Recommendations). This rock unit locally is intensely altered to clay and sericite.

Overlying this unit is a massive cliff-forming dark grey andesitic-dacitic crystal tuff unit. This in turn is overlain by dark green andesitic crystal tuff. To the south of the claim area is a plug of feldspar porphyritic andesite.

ALTERATION

The central part of the claim area is underlain by a zone of intense clay-sericite alteration with 2-5 percent pyrite. This zone grades laterally to weaker alteration zones with the development of chlorite and lower pyrite content.

SURVEYS

A grid was established on the property for the purpose of control. Stations are marked every 50 meters. Samples were collected every 50 meters where conditions permitted. Rock chip samples were collected for assay in the alteration zone.

GEOCHEMISTRY

Soil samples were collected from the B soil horizon and placed in a kraft sample bag. Silt samples were collected from the active silt in the creek or seep. Chemical analyses were conducted by Chemex Labs, 212 Brooksbank Avenue, North Vancouver, B.C.. Gold determinations were made by neutron

activation following fire assay preconcentration. The base metals were determined by perchloric-nitric acid digestion and atomic absorption. A total of 471 soil, 14 silt and 153 rock chips were analyzed. *Gold determination of drill samples were done by standard fire assay.*

RESULTS

The gold geochem outlined an anomalous zone related to the intense alteration in rhyolite and sericite-schist. This zone is 900 m long and at least 150 m wide with values up to 344 ppb. This is contained in an alteration zone 1300 m long and up to 400 m wide.

Not all samples were run for base metals. There are strong lead anomalous values. Disseminated galena was found in dacitic volcanics northwest of camp. It is recommended that the soil samples which were only run for gold also be analyzed for lead-zinc-silver to help evaluate the massive sulphide potential of the property.

PERCUSSION DRILLING

In June 1984, L. Spence Enterprises percussion drill and D-6 cat were mobilized to the property by barge. Sites were prepared and drilling commenced June 14. In general recoveries from the drilling was poor due to the intense fracturing, causing loss of return circulation. Several of the proposed drill holes could not be completed and no samples were collected. The target zone has not been tested adequately and NQ or larger diamond drilling with a good mud system is recommended.


The drill results are tabulated in the Appendix and drill locations are shown on Figure 3 in pocket. Drilling was supervised by Mr. D. Reese and drill hole locations have been provided to the author by Mr. Reese.

RECOMMENDATIONS

The property has a sizeable alteration system mineralized with geo-chemically anomalous quantities of gold. The main mineralized structure which is in the vicinity of drill holes 1 and 2 was not tested. It appears that diamond drilling will be required to complete this test.

The massive sulphide potential of the property should also be evaluated further. The new prospecting find north west of camp requires detailed mapping and prospecting. The existing soil samples should be run for Pb-Zn-Ag.

Respectfully submitted,



K. Wayne Livingstone, M.Sc.

STATEMENT OF COSTS

PERCUSSION DRILLING

TIME			
D. Reese, Supervision - June 14-20	7 days @ \$200	\$ 1,400.00	

DISBURSEMENTS

Camp costs - 35 man days @ \$25	875.00
Truck rental--Travel Vancouver to property and return-twice--flat	600.00
Chemex assays	6,290.70
Freight--drill, dozer, drill samples	2,264.38
Telephone -- misc.	50.00
Drilling invoice - 2980 feet	<u>20,860.00</u>
Total	<u>\$32,340.08</u>

STATEMENT OF COSTS
GEOLOGY AND GEOCHEMISTRY

TIME**G. Richards, Geologist**

Feb 29, Mar 1, 2, 10, 11(1/2), 13(1/2), 20(1/2), 29, Apr 5, 9(1/2), 13(1/2)	8-1/2 days @ \$250	\$ 2,125.00
---	--------------------	-------------

K.W. Livingstone, Geologist

Apr 19-23, May-June 2 days	6 days @ \$275	1,650.00
----------------------------	----------------	----------

D. Bennett, Geologist Mar 1-13

13 days @ \$225	2,925.00
-----------------	----------

G. Vezina, Geologist Mar 1-13

13 days @ \$175	2,275.00
-----------------	----------

Room and board, 24 mandays @ \$35	840.00
-----------------------------------	--------

Truck Rental, 8 days @ \$40	320.00
-----------------------------	--------

Truck Rental (4x4) 4 days @ \$60	240.00
----------------------------------	--------

DISBURSEMENTS**G. Richards--expense account travel**

241.37

Hudson Building Supplies

391.64

Inv. 48754	15.22
------------	-------

Richmond Reproducers- #4930

19.94

Van Cal #98089

3.50

Fineline Drafting #387

589.17

#404	60.00
------	-------

Richmond Reproducers #5037

10.50

Fineline Drafting #425

60.00

K.W. Livingstone--expenses travel

157.51

Chemex Labs Invoice 80127

38.00

11531	341.25
-------	--------

11532	17.50
-------	-------

10870	444.00
-------	--------

10880	2,725.30
-------	----------

10881	1,104.00
-------	----------

10882	2,233.50
-------	----------

Field supplies consumed

125.00

JMT truck rental, Apr. 20-23

170.00

Report preparation

<u>1,000.00</u>


Total.....	<u>\$20,122.40</u>
------------	--------------------

STATEMENT OF QUALIFICATIONS

I, K. WAYNE LIVINGSTONE, of Vancouver, British Columbia, do hereby certify that:

1. I am a Professional Geologist working in British Columbia and residing at 6775 West Boulevard, Vancouver, B.C.;
2. I am a graduate of Carleton University, Ottawa; Ontario, with a B.Sc. (Honours) Geology, 1966;
3. I am a graduate of the University of British Columbia, with an M.Sc. Geology, 1968;
4. I have practised my profession as a Mining Exploration Geologist since 1965;
5. I am a member of the Geological Association of Canada;
6. I am a member of the Canadian Institute of Mining and Metallurgy;
7. This report is based on personal knowledge of the geology and mineral potential of the claim area.

AND I HAVE SIGNED,



K. Wayne Livingstone

1f=	0.30m	51f=	15.54m	101f=	30.78m	151f=	46.02m
2f=	0.61m	52f=	15.85m	102f=	31.09m	152f=	46.33m
3f=	0.91m	53f=	16.15m	103f=	31.39m	153f=	46.63m
4f=	1.22m	54f=	16.46m	104f=	31.70m	154f=	46.94m
5f=	1.52m	55f=	16.76m	105f=	32.00m	155f=	47.24m
6f=	1.83m	56f=	17.07m	106f=	32.31m	156f=	47.55m
7f=	2.13m	57f=	17.37m	107f=	32.61m	157f=	47.85m
8f=	2.44m	58f=	17.68m	108f=	32.92m	158f=	48.16m
9f=	2.74m	59f=	17.98m	109f=	33.22m	159f=	48.46m
10f=	3.05m	60f=	18.29m	110f=	33.53m	160f=	48.77m
11f=	3.35m	61f=	18.59m	111f=	33.83m	161f=	49.07m
12f=	3.66m	62f=	18.90m	112f=	34.14m	162f=	49.38m
13f=	3.96m	63f=	19.20m	113f=	34.44m	163f=	49.68m
14f=	4.27m	64f=	19.51m	114f=	34.75m	164f=	49.99m
15f=	4.57m	65f=	19.81m	115f=	35.05m	165f=	50.29m
16f=	4.88m	66f=	20.12m	116f=	35.36m	166f=	50.60m
17f=	5.18m	67f=	20.42m	117f=	35.66m	167f=	50.90m
18f=	5.49m	68f=	20.73m	118f=	35.97m	168f=	51.21m
19f=	5.79m	69f=	21.03m	119f=	36.27m	169f=	51.51m
20f=	6.10m	70f=	21.34m	120f=	36.58m	170f=	51.82m
21f=	6.40m	71f=	21.64m	121f=	36.88m	171f=	52.12m
22f=	6.71m	72f=	21.95m	122f=	37.19m	172f=	52.43m
23f=	7.01m	73f=	22.25m	123f=	37.49m	173f=	52.73m
24f=	7.32m	74f=	22.56m	124f=	37.80m	174f=	53.04m
25f=	7.62m	75f=	22.86m	125f=	38.10m	175f=	53.34m
26f=	7.92m	76f=	23.16m	126f=	38.40m	176f=	53.64m
27f=	8.23m	77f=	23.47m	127f=	38.71m	177f=	53.95m
28f=	8.53m	78f=	23.77m	128f=	39.01m	178f=	54.25m
29f=	8.84m	79f=	24.08m	129f=	39.32m	179f=	54.56m
30f=	9.14m	80f=	24.38m	130f=	39.62m	180f=	54.86m
31f=	9.45m	81f=	24.69m	131f=	39.93m	181f=	55.17m
32f=	9.75m	82f=	24.99m	132f=	40.23m	182f=	55.47m
33f=	10.06m	83f=	25.30m	133f=	40.54m	183f=	55.78m
34f=	10.36m	84f=	25.60m	134f=	40.84m	184f=	56.08m
35f=	10.67m	85f=	25.91m	135f=	41.15m	185f=	56.39m
36f=	10.97m	86f=	26.21m	136f=	41.45m	186f=	56.69m
37f=	11.28m	87f=	26.52m	137f=	41.76m	187f=	57.00m
38f=	11.58m	88f=	26.82m	138f=	42.06m	188f=	57.30m
39f=	11.89m	89f=	27.13m	139f=	42.37m	189f=	57.61m
40f=	12.19m	90f=	27.43m	140f=	42.67m	190f=	57.91m
41f=	12.50m	91f=	27.74m	141f=	42.98m	191f=	58.22m
42f=	12.80m	92f=	28.04m	142f=	43.28m	192f=	58.52m
43f=	13.11m	93f=	28.35m	143f=	43.59m	193f=	58.83m
44f=	13.41m	94f=	28.65m	144f=	43.89m	194f=	59.13m
45f=	13.72m	95f=	28.96m	145f=	44.20m	195f=	59.44m
46f=	14.02m	96f=	29.26m	146f=	44.50m	196f=	59.74m
47f=	14.33m	97f=	29.57m	147f=	44.81m	197f=	60.05m
48f=	14.63m	98f=	29.87m	148f=	45.11m	198f=	60.35m
49f=	14.94m	99f=	30.18m	149f=	45.42m	199f=	60.66m
50f=	15.24m	100f=	30.48m	150f=	45.72m	200f=	60.96m

201f= 61.26m	251f= 76.50m	301f= 91.74m	351f=106.98m
202f= 61.57m	252f= 76.81m	302f= 92.05m	352f=107.29m
203f= 61.87m	253f= 77.11m	303f= 92.35m	353f=107.59m
204f= 62.18m	254f= 77.42m	304f= 92.66m	354f=107.90m
205f= 62.48m	255f= 77.72m	305f= 92.96m	355f=108.20m
206f= 62.79m	256f= 78.03m	306f= 93.27m	356f=108.51m
207f= 63.09m	257f= 78.33m	307f= 93.57m	357f=108.81m
208f= 63.40m	258f= 78.64m	308f= 93.88m	358f=109.12m
209f= 63.70m	259f= 78.94m	309f= 94.18m	359f=109.42m
210f= 64.01m	260f= 79.25m	310f= 94.49m	360f=109.73m
211f= 64.31m	261f= 79.55m	311f= 94.79m	361f=110.03m
212f= 64.62m	262f= 79.86m	312f= 95.10m	362f=110.34m
213f= 64.92m	263f= 80.16m	313f= 95.40m	363f=110.64m
214f= 65.23m	264f= 80.47m	314f= 95.71m	364f=110.95m
215f= 65.53m	265f= 80.77m	315f= 96.01m	365f=111.25m
216f= 65.84m	266f= 81.08m	316f= 96.32m	366f=111.56m
217f= 66.14m	267f= 81.38m	317f= 96.62m	367f=111.86m
218f= 66.45m	268f= 81.69m	318f= 96.93m	368f=112.17m
219f= 66.75m	269f= 81.99m	319f= 97.23m	369f=112.47m
220f= 67.06m	270f= 82.30m	320f= 97.54m	370f=112.78m
221f= 67.36m	271f= 82.60m	321f= 97.84m	371f=113.08m
222f= 67.67m	272f= 82.91m	322f= 98.15m	372f=113.39m
223f= 67.97m	273f= 83.21m	323f= 98.45m	373f=113.69m
224f= 68.28m	274f= 83.52m	324f= 98.76m	374f=114.00m
225f= 68.58m	275f= 83.82m	325f= 99.06m	375f=114.30m
226f= 68.88m	276f= 84.12m	326f= 99.36m	376f=114.60m
227f= 69.19m	277f= 84.43m	327f= 99.67m	377f=114.91m
228f= 69.49m	278f= 84.73m	328f= 99.97m	378f=115.21m
229f= 69.80m	279f= 85.04m	329f=100.28m	379f=115.52m
230f= 70.10m	280f= 85.34m	330f=100.58m	380f=115.82m
231f= 70.41m	281f= 85.65m	331f=100.89m	381f=116.13m
232f= 70.71m	282f= 85.95m	332f=101.19m	382f=116.43m
233f= 71.02m	283f= 86.26m	333f=101.50m	383f=116.74m
234f= 71.32m	284f= 86.56m	334f=101.80m	384f=117.04m
235f= 71.63m	285f= 86.87m	335f=102.11m	385f=117.35m
236f= 71.93m	286f= 87.17m	336f=102.41m	386f=117.65m
237f= 72.24m	287f= 87.48m	337f=102.72m	387f=117.96m
238f= 72.54m	288f= 87.78m	338f=103.02m	388f=118.26m
239f= 72.85m	289f= 88.09m	339f=103.33m	389f=118.57m
240f= 73.15m	290f= 88.39m	340f=103.63m	390f=118.87m
241f= 73.46m	291f= 88.70m	341f=103.94m	391f=119.18m
242f= 73.76m	292f= 89.00m	342f=104.24m	392f=119.48m
243f= 74.07m	293f= 89.31m	343f=104.55m	393f=119.79m
244f= 74.37m	294f= 89.61m	344f=104.85m	394f=120.09m
245f= 74.68m	295f= 89.92m	345f=105.16m	395f=120.40m
246f= 74.98m	296f= 90.22m	346f=105.46m	396f=120.70m
247f= 75.29m	297f= 90.53m	347f=105.77m	397f=121.01m
248f= 75.59m	298f= 90.83m	348f=106.07m	398f=121.31m
249f= 75.90m	299f= 91.14m	349f=106.38m	399f=121.62m
250f= 76.20m	300f= 91.44m	350f=106.68m	400f=121.92m

401f=122.22m	451f=137.46m	501f=152.70m	551f=167.94m
402f=122.53m	452f=137.77m	502f=153.01m	552f=168.25m
403f=122.83m	453f=138.07m	503f=153.31m	553f=168.55m
404f=123.14m	454f=138.38m	504f=153.62m	554f=168.86m
405f=123.44m	455f=138.68m	505f=153.92m	555f=169.16m
406f=123.75m	456f=138.99m	506f=154.23m	556f=169.47m
407f=124.05m	457f=139.29m	507f=154.53m	557f=169.77m
408f=124.36m	458f=139.60m	508f=154.84m	558f=170.08m
409f=124.66m	459f=139.90m	509f=155.14m	559f=170.38m
410f=124.97m	460f=140.21m	510f=155.45m	560f=170.69m
411f=125.27m	461f=140.51m	511f=155.75m	561f=170.99m
412f=125.58m	462f=140.82m	512f=156.06m	562f=171.30m
413f=125.88m	463f=141.12m	513f=156.36m	563f=171.60m
414f=126.19m	464f=141.43m	514f=156.67m	564f=171.91m
415f=126.49m	465f=141.73m	515f=156.97m	565f=172.21m
416f=126.80m	466f=142.04m	516f=157.28m	566f=172.52m
417f=127.10m	467f=142.34m	517f=157.58m	567f=172.82m
418f=127.41m	468f=142.65m	518f=157.89m	568f=173.13m
419f=127.71m	469f=142.95m	519f=158.19m	569f=173.43m
420f=128.02m	470f=143.26m	520f=158.50m	570f=173.74m
421f=128.32m	471f=143.56m	521f=158.80m	571f=174.04m
422f=128.63m	472f=143.87m	522f=159.11m	572f=174.35m
423f=128.93m	473f=144.17m	523f=159.41m	573f=174.65m
424f=129.24m	474f=144.48m	524f=159.72m	574f=174.96m
425f=129.54m	475f=144.78m	525f=160.02m	575f=175.26m
426f=129.84m	476f=145.08m	526f=160.32m	576f=175.56m
427f=130.15m	477f=145.39m	527f=160.63m	577f=175.87m
428f=130.45m	478f=145.69m	528f=160.93m	578f=176.17m
429f=130.76m	479f=146.00m	529f=161.24m	579f=176.48m
430f=131.06m	480f=146.30m	530f=161.54m	580f=176.78m
431f=131.37m	481f=146.61m	531f=161.85m	581f=177.09m
432f=131.67m	482f=146.91m	532f=162.15m	582f=177.39m
433f=131.98m	483f=147.22m	533f=162.46m	583f=177.70m
434f=132.28m	484f=147.52m	534f=162.76m	584f=178.00m
435f=132.59m	485f=147.83m	535f=163.07m	585f=178.31m
436f=132.89m	486f=148.13m	536f=163.37m	586f=178.61m
437f=133.20m	487f=148.44m	537f=163.68m	587f=178.92m
438f=133.50m	488f=148.74m	538f=163.98m	588f=179.22m
439f=133.81m	489f=149.05m	539f=164.29m	589f=179.53m
440f=134.11m	490f=149.35m	540f=164.59m	590f=179.83m
441f=134.42m	491f=149.66m	541f=164.90m	591f=180.14m
442f=134.72m	492f=149.96m	542f=165.20m	592f=180.44m
443f=135.03m	493f=150.27m	543f=165.51m	593f=180.75m
444f=135.33m	494f=150.57m	544f=165.81m	594f=181.05m
445f=135.64m	495f=150.88m	545f=166.12m	595f=181.36m
446f=135.94m	496f=151.18m	546f=166.42m	596f=181.66m
447f=136.25m	497f=151.49m	547f=166.73m	597f=181.97m
448f=136.55m	498f=151.79m	548f=167.03m	598f=182.27m
449f=136.86m	499f=152.10m	549f=167.34m	599f=182.58m
450f=137.16m	500f=152.40m	550f=167.64m	600f=182.88m

601f=183.18m	651f=198.42m	701f=213.66m	751f=228.90m
602f=183.49m	652f=198.73m	702f=213.97m	752f=229.21m
603f=183.79m	653f=199.03m	703f=214.27m	753f=229.51m
604f=184.10m	654f=199.34m	704f=214.58m	754f=229.82m
605f=184.40m	655f=199.64m	705f=214.88m	755f=230.12m
606f=184.71m	656f=199.95m	706f=215.19m	756f=230.43m
607f=185.01m	657f=200.25m	707f=215.49m	757f=230.73m
608f=185.32m	658f=200.56m	708f=215.80m	758f=231.04m
609f=185.62m	659f=200.86m	709f=216.10m	759f=231.34m
610f=185.93m	660f=201.17m	710f=216.41m	760f=231.65m
611f=186.23m	661f=201.47m	711f=216.71m	761f=231.95m
612f=186.54m	662f=201.78m	712f=217.02m	762f=232.26m
613f=186.84m	663f=202.08m	713f=217.32m	763f=232.56m
614f=187.15m	664f=202.39m	714f=217.63m	764f=232.87m
615f=187.45m	665f=202.69m	715f=217.93m	765f=233.17m
616f=187.76m	666f=203.00m	716f=218.24m	766f=233.48m
617f=188.06m	667f=203.30m	717f=218.54m	767f=233.78m
618f=188.37m	668f=203.61m	718f=218.85m	768f=234.09m
619f=188.67m	669f=203.91m	719f=219.15m	769f=234.39m
620f=188.98m	670f=204.22m	720f=219.46m	770f=234.70m
621f=189.28m	671f=204.52m	721f=219.76m	771f=235.00m
622f=189.59m	672f=204.83m	722f=220.07m	772f=235.31m
623f=189.89m	673f=205.13m	723f=220.37m	773f=235.61m
624f=190.20m	674f=205.44m	724f=220.68m	774f=235.92m
625f=190.50m	675f=205.74m	725f=220.98m	775f=236.22m
626f=190.80m	676f=206.04m	726f=221.28m	776f=236.52m
627f=191.11m	677f=206.35m	727f=221.59m	777f=236.83m
628f=191.41m	678f=206.65m	728f=221.89m	778f=237.13m
629f=191.72m	679f=206.96m	729f=222.20m	779f=237.44m
630f=192.02m	680f=207.26m	730f=222.50m	780f=237.74m
631f=192.33m	681f=207.57m	731f=222.81m	781f=238.05m
632f=192.63m	682f=207.87m	732f=223.11m	782f=238.35m
633f=192.94m	683f=208.18m	733f=223.42m	783f=238.66m
634f=193.24m	684f=208.48m	734f=223.72m	784f=238.96m
635f=193.55m	685f=208.79m	735f=224.03m	785f=239.27m
636f=193.85m	686f=209.09m	736f=224.33m	786f=239.57m
637f=194.16m	687f=209.40m	737f=224.64m	787f=239.88m
638f=194.46m	688f=209.70m	738f=224.94m	788f=240.18m
639f=194.77m	689f=210.01m	739f=225.25m	789f=240.49m
640f=195.07m	690f=210.31m	740f=225.55m	790f=240.79m
641f=195.38m	691f=210.62m	741f=225.86m	791f=241.10m
642f=195.68m	692f=210.92m	742f=226.16m	792f=241.40m
643f=195.99m	693f=211.23m	743f=226.47m	793f=241.71m
644f=196.29m	694f=211.53m	744f=226.77m	794f=242.01m
645f=196.60m	695f=211.84m	745f=227.08m	795f=242.32m
646f=196.90m	696f=212.14m	746f=227.38m	796f=242.62m
647f=197.21m	697f=212.45m	747f=227.69m	797f=242.93m
648f=197.51m	698f=212.75m	748f=227.99m	798f=243.23m
649f=197.82m	699f=213.06m	749f=228.30m	799f=243.54m
650f=198.12m	700f=213.36m	750f=228.60m	800f=243.84m

801f=244.14m	851f=259.38m	901f=274.62m	951f=289.86m
802f=244.45m	852f=259.69m	902f=274.93m	952f=290.17m
803f=244.75m	853f=259.99m	903f=275.23m	953f=290.47m
804f=245.06m	854f=260.30m	904f=275.54m	954f=290.78m
805f=245.36m	855f=260.60m	905f=275.84m	955f=291.08m
806f=245.67m	856f=260.91m	906f=276.15m	956f=291.39m
807f=245.97m	857f=261.21m	907f=276.45m	957f=291.69m
808f=246.28m	858f=261.52m	908f=276.76m	958f=292.00m
809f=246.58m	859f=261.82m	909f=277.06m	959f=292.30m
810f=246.89m	860f=262.13m	910f=277.37m	960f=292.61m
811f=247.19m	861f=262.43m	911f=277.67m	961f=292.91m
812f=247.50m	862f=262.74m	912f=277.98m	962f=293.22m
813f=247.80m	863f=263.04m	913f=278.28m	963f=293.52m
814f=248.11m	864f=263.35m	914f=278.59m	964f=293.83m
815f=248.41m	865f=263.65m	915f=278.89m	965f=294.13m
816f=248.72m	866f=263.96m	916f=279.20m	966f=294.44m
817f=249.02m	867f=264.26m	917f=279.50m	967f=294.74m
818f=249.33m	868f=264.57m	918f=279.81m	968f=295.05m
819f=249.63m	869f=264.87m	919f=280.11m	969f=295.35m
820f=249.94m	870f=265.18m	920f=280.42m	970f=295.66m
821f=250.24m	871f=265.48m	921f=280.72m	971f=295.96m
822f=250.55m	872f=265.79m	922f=281.03m	972f=296.27m
823f=250.85m	873f=266.09m	923f=281.33m	973f=296.57m
824f=251.16m	874f=266.40m	924f=281.64m	974f=296.88m
825f=251.46m	875f=266.70m	925f=281.94m	975f=297.18m
826f=251.76m	876f=267.00m	926f=282.24m	976f=297.48m
827f=252.07m	877f=267.31m	927f=282.55m	977f=297.79m
828f=252.37m	878f=267.61m	928f=282.85m	978f=298.09m
829f=252.68m	879f=267.92m	929f=283.16m	979f=298.40m
830f=252.98m	880f=268.22m	930f=283.46m	980f=298.70m
831f=253.29m	881f=268.53m	931f=283.77m	981f=299.01m
832f=253.59m	882f=268.83m	932f=284.07m	982f=299.31m
833f=253.90m	883f=269.14m	933f=284.38m	983f=299.62m
834f=254.20m	884f=269.44m	934f=284.68m	984f=299.92m
835f=254.51m	885f=269.75m	935f=284.99m	985f=300.23m
836f=254.81m	886f=270.05m	936f=285.29m	986f=300.53m
837f=255.12m	887f=270.36m	937f=285.60m	987f=300.84m
838f=255.42m	888f=270.66m	938f=285.90m	988f=301.14m
839f=255.73m	889f=270.97m	939f=286.21m	989f=301.45m
840f=256.03m	890f=271.27m	940f=286.51m	990f=301.75m
841f=256.34m	891f=271.58m	941f=286.82m	991f=302.06m
842f=256.64m	892f=271.88m	942f=287.12m	992f=302.36m
843f=256.95m	893f=272.19m	943f=287.43m	993f=302.67m
844f=257.25m	894f=272.49m	944f=287.73m	994f=302.97m
845f=257.56m	895f=272.80m	945f=288.04m	995f=303.28m
846f=257.86m	896f=273.10m	946f=288.34m	996f=303.58m
847f=258.17m	897f=273.41m	947f=288.65m	997f=303.89m
848f=258.47m	898f=273.71m	948f=288.95m	998f=304.19m
849f=258.78m	899f=274.02m	949f=289.26m	999f=304.50m
850f=259.08m	900f=274.32m	950f=289.56m	1000f=304.80m

APPENDIX I

DRILL LOGS

PERCUSSION DRILL LOGS

Hole #	Depth of Overburden	Bearing	Dip	Description
1	5'	180°	-60°	5'-10' pale creamy schist with 5% pyrite
1A	10'	180°	-60°	10'-20' as above
2	10'	180°	-60°	10'-30' blended andesite 70% with 5% pyrite green grey andesite 30% with 2% pyrite
2A	10'	180°	-60°	10'-30' as above
3	30'	180°	-60°	no samples
4	5'	180°	-60°	5'-100' mottled creamy white bleached andesite with 2-4% pyrite
5	5'	180°	-60°	5'-200' mottled green grey to moderately bleached andesite throughout 1-5% pyrite
6	10'	360°	-60°	10'-200' mottled green grey to moderately bleached andesite 5% pyrite
7	10'	180°	-60°	10'-75' 50% cream schist with 5-10% pyrite 50% mottled green grey andesite with 2-5% pyrite
8	15'	180°	-60°	15'-75' mixed green to white schist with 2-10% pyrite
9	15'	180°	-60°	15'-75' mixed green to white schist with 5% pyrite
10	10'	180°	-60°	10'-75' intensely altered rock. Pale green to white with 4-8% pyrite
11	25'	180°	-60°	25'-150' mottled green-grey to pale greenish white andesite with 2-5% pyrite
12	75'	180°	-60°	75'-150' green-grey to white altered andesite with 5% pyrite

Hole #	Depth of Overburden	Bearing	Dip	Description
13	60'	180°	-60°	No samples
14	10'	180°	-60°	10'-30' Grey-green andesite with 1-4% pyrite, 10% white fragments
14A	10'	180°	-60°	10'-30' "
14B	10'	180°	-60°	10'-30' "
14C	10'	180°	-60°	10'-30' "
14D	10'	180°	-60°	10'-30' "
15	10'	180°	-60°	10'-30' "
15A	10'	180°	-60°	10'-30' "
16	10'	180°	-60°	10'-30' "
16A	10'	180°	-60°	10'-30' "
17	10'	180°	-60°	10'-30' "
18	10'	180°	-60°	10'-30' "
19	10'	180°	-60°	10'-30' "
20	10'	180°	-60°	10'-160' white to pale green intensely altered andesite with 3-6% pyrite
21	10'	180°	-60°	10'-50' grey-green and white altered andesite, 5% pyrite
21A	10'	180°	-60°	10'-50' as above
22	10'	180°	-60°	10'-160' mixed pale green and creamy schist with 1-3% pyrite
23	30'	180°	-60°	No samples
24	10'	180°	-60°	10'-150° mixed mottled green to creamy schist with 5-8% pyrite overall
25	10'	180°	-60°	10'-210' as above
26				No samples

Hole #	Depth of Overburden	Bearing	Dip	Description
26A			"	"
27			"	"
27A			"	"
28			"	"
28A			"	"
29			"	"
30	10'	180°	-60°	10'-210' mottled green grey same white schist, 2-6% py- rite

L. SPENCE Purcussion & Diamond Drilling Ltd.

#1 - 3630 West Broadway, Vancouver, B.C. V6R 2B7

Phone: (604) 733-5022

July 9, 1984

TO: Diamond Resources Inc.
708 - 837 West Hastings Street
Vancouver, B.C. V6C 1B6

TO DIAMOND DRILLING at 5 Mile Bay, Harrison Lake, British Columbia:

P.H.1	40 ft.	P.H.15A	30 ft.
P.H.1A	20 ft.	P.H.16	30 ft.
P.H.2	30 ft.	P.H.16A	30 ft.
P.H.2A	30 ft.	P.H.17	30 ft.
P.H.3	30 ft.	P.H.18	30 ft.
P.H.4	100 ft.	P.H.19	30 ft.
P.H.5	200 ft.	P.H.20	160 ft.
P.H.6	200 ft.	P.H.21	50 ft.
P.H.7	75 ft.	P.H.21A	50 ft.
P.H.8	75 ft.	P.H.22	160 ft.
P.H.9	75 ft.	P.H.23	30 ft.
P.H.10	75 ft.	P.H.23A	30 ft.
P.H.11	150 ft.	P.H.24	150 ft.
P.H.12	150 ft.	P.H.25	210 ft.
P.H.13	60 ft.	P.H.26	30 ft.
P.H.14	30 ft.	P.H.26A	40 ft.
P.H.14A	30 ft.	P.H.27	30 ft.
P.H.14B	30 ft.	P.H.27A	30 ft.
P.H.14C	30 ft.	P.H.28	30 ft.
P.H.14D	30 ft.	P.H.28A	30 ft.
P.H.14E	30 ft.	P.H.29	40 ft.
P.H.15	30 ft.	P.H.30	210 ft.

TOTAL FT. DRILLED = 2,980

...../2

APPENDIX II

DRILL ASSAYS



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412655-001-A
INVOICE # : I8412655
DATE : 28-JUN-84
P.O. # : NONE

Sample description	Prep code	Au FA oz/T					
PDH #01 005-010	207	<0.003	--	--	--	--	--
PDH #01 010-015	207	<0.003	--	--	--	--	--
PDH #01 015-020	207	<0.003	--	--	--	--	--
PDH #01 020-025	207	<0.003	--	--	--	--	--
PDH #01 025-030	207	0.003	--	--	--	--	--
PDH #01 030-035	207	0.003	--	--	--	--	--
PDH #01 035-040	207	0.003	--	--	--	--	--
PDH #01A010-015	207	<0.003	--	--	--	--	--
PDH #01A015-020	207	<0.003	--	--	--	--	--
PDH #02 010-015	207	<0.003	--	--	--	--	--
PDH #02 015-020	207	<0.003	--	--	--	--	--
PDH #02 020-025	207	0.003	--	--	--	--	--
PDH #02 025-030	207	<0.003	--	--	--	--	--
PDH #02A005-010	207	<0.003	--	--	--	--	--
PDH #02A010-015	207	<0.003	--	--	--	--	--
PDH #02A015-020	207	0.003	--	--	--	--	--
PDH #02A020-025	207	<0.003	--	--	--	--	--
PDH #02A025-030	207	<0.003	--	--	--	--	--
PDH #04 005-010	207	<0.003	--	--	--	--	--
PDH #04 010-015	207	<0.003	--	--	--	--	--
PDH #04 015-020	207	<0.003	--	--	--	--	--
PDH #04 020-025	207	<0.003	--	--	--	--	--
PDH #04 025-030	207	<0.003	--	--	--	--	--
PDH #04 030-035	207	<0.003	--	--	--	--	--
PDH #04 035-040	207	<0.003	--	--	--	--	--
PDH #04 040-045	207	<0.003	--	--	--	--	--
PDH #04 045-050	207	<0.003	--	--	--	--	--
PDH #04 050-055	207	<0.003	--	--	--	--	--
PDH #04 055-060	207	<0.003	--	--	--	--	--
PDH #04 060-065	207	0.003	--	--	--	--	--
PDH #04 065-070	207	0.003	--	--	--	--	--
PDH #04 070-075	207	<0.003	--	--	--	--	--
PDH #04 075-080	207	<0.003	--	--	--	--	--
PDH #04 080-085	207	<0.003	--	--	--	--	--
PDH #04 085-090	207	0.003	--	--	--	--	--
PDH #04 090-095	207	<0.003	--	--	--	--	--
PDH #04 095-100	207	0.003	--	--	--	--	--
PDH #05 005-010	207	<0.003	--	--	--	--	--
PDH #05 010-015	207	<0.003	--	--	--	--	--
PDH #05 015-020	207	<0.003	--	--	--	--	--

.....*John Christie*.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412655-001-A
INVOICE # : I8412655
DATE : 29-JUN-84
P.O. # : NONE

Sample REFERENCE	Prep #	Pb ppm	Zn ppm	Ag ppm			
PDH #01 005-010	207	123	92	0.5	--	--	--
PDH #01 010-015	207	173	165	0.4	--	--	--
PDH #01 015-020	207	110	165	0.3	--	--	--
PDH #01 020-025	207	265	85	0.6	--	--	--
PDH #01 025-030	207	215	82	0.6	--	--	--
PDH #01 030-035	207	60	85	0.3	--	--	--
PDH #01 035-040	207	70	85	0.2	--	--	--
PDH #01A010-015	207	48	92	0.2	--	--	--
PDH #01A015-020	207	80	75	0.3	--	--	--
PDH #02 010-015	207	62	109	0.2	--	--	--
PDH #02 015-020	207	62	115	0.1	--	--	--
PDH #02 020-025	207	55	100	0.2	--	--	--
PDH #02 025-030	207	50	115	0.2	--	--	--
PDH #02A005-010	207	88	135	0.3	--	--	--
PDH #02A010-015	207	53	105	0.1	--	--	--
PDH #02A015-020	207	50	75	0.2	--	--	--
PDH #02A020-025	207	84	88	0.3	--	--	--
PDH #02A025-030	207	80	95	0.2	--	--	--
PDH #04 005-010	207	235	330	0.4	--	--	--
PDH #04 010-015	207	208	260	0.2	--	--	--
PDH #04 015-020	207	149	230	0.1	--	--	--
PDH #04 020-025	207	60	168	0.1	--	--	--
PDH #04 025-030	207	55	165	0.1	--	--	--
PDH #04 030-035	207	53	160	0.2	--	--	--
PDH #04 035-040	207	52	170	0.1	--	--	--
PDH #04 040-045	207	55	170	0.2	--	--	--
PDH #04 045-050	207	50	170	0.1	--	--	--
PDH #04 050-055	207	53	180	0.1	--	--	--
PDH #04 055-060	207	59	215	0.1	--	--	--
PDH #04 060-065	207	48	180	0.2	--	--	--
PDH #04 065-070	207	42	190	0.1	--	--	--
PDH #04 070-075	207	60	135	0.1	--	--	--
PDH #04 075-080	207	60	130	0.1	--	--	--
PDH #04 080-085	207	67	120	0.2	--	--	--
PDH #04 085-090	207	64	110	0.1	--	--	--
PDH #04 090-095	207	64	120	0.1	--	--	--
PDH #04 095-100	207	65	120	0.1	--	--	--
PDH #05 005-010	207	28	80	1.4	--	--	--
PDH #05 010-015	207	38	28	0.4	--	--	--
PDH #05 015-020	207	23	26	0.3	--	--	--

Certified by ... *Stu Bickler*.



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412655-002-A
INVOICE # : I8412655
DATE : 28-JUN-84
P.O. # : NONE

Sample description	Prep code	Au FA oz/T
PDH #05 020-025	207	<0.003
PDH #05 030-035	207	<0.003
PDH #05 035-040	207	<0.003
PDH #05 040-045	207	<0.003
PDH #05 045-050	207	0.003
PDH #05 050-055	207	<0.003
PDH #05 055-060	207	<0.003
PDH #05 060-065	207	<0.003
PDH #05 065-070	207	<0.003
PDH #05 070-075	207	<0.003
PDH #05 075-080	207	<0.003
PDH #05 080-085	207	0.003
PDH #05 085-090	207	<0.003
PDH #05 090-095	207	<0.003
PDH #05 095-100	207	<0.003
PDH #05 100-105	207	<0.003
PDH #05 105-110	207	<0.003
PDH #05 110-115	207	<0.003
PDH #05 115-120	207	<0.003
PDH #05 120-125	207	<0.003
PDH #05 125-130	207	<0.003
PDH #05 130-135	207	<0.003
PDH #05 135-140	207	<0.003
PDH #05 140-145	207	<0.003
PDH #05 145-150	207	<0.003
PDH #05 150-155	207	<0.003
PDH #05 155-160	207	<0.003
PDH #05 160-165	207	0.003
PDH #05 165-170	207	<0.003
PDH #05 170-175	207	<0.003
PDH #05 175-180	207	0.006
PDH #05 180-185	207	0.004
PDH #05 185-190	207	<0.003
PDH #05 190-195	207	0.004
PDH #05 195-200	207	<0.003
PDH #06 010-015	207	<0.003
PDH #06 015-020	207	0.008
PDH #06 020-025	207	0.008
PDH #06 025-030A	207	0.034
PDH #06 025-030B	207	<0.003

Anne Christie
.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412655-002-A
INVOICE # : I8412655
DATE : 29-JUN-84
P.O. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH #05 020-025	207	12	16	0.3	--	--	--
PDH #05 030-035	207	9	13	0.3	--	--	--
PDH #05 035-040	207	16	13	0.2	--	--	--
PDH #05 040-045	207	7	14	0.2	--	--	--
PDH #05 045-050	207	8	12	0.1	--	--	--
PDH #05 050-055	207	30	28	0.1	--	--	--
PDH #05 055-060	207	5	22	0.1	--	--	--
PDH #05 060-065	207	5	27	0.1	--	--	--
PDH #05 065-070	207	5	27	0.1	--	--	--
PDH #05 070-075	207	6	24	0.1	--	--	--
PDH #05 075-080	207	5	30	0.1	--	--	--
PDH #05 080-085	207	6	20	0.1	--	--	--
PDH #05 085-090	207	6	20	0.1	--	--	--
PDH #05 090-095	207	3	22	0.1	--	--	--
PDH #05 095-100	207	5	24	0.1	--	--	--
PDH #05 100-105	207	3	8	0.1	--	--	--
PDH #05 105-110	207	2	8	0.1	--	--	--
PDH #05 110-115	207	3	17	0.1	--	--	--
PDH #05 115-120	207	5	23	0.1	--	--	--
PDH #05 120-125	207	6	24	0.1	--	--	--
PDH #05 125-130	207	6	25	0.1	--	--	--
PDH #05 130-135	207	4	18	0.1	--	--	--
PDH #05 135-140	207	4	16	0.1	--	--	--
PDH #05 140-145	207	5	22	0.1	--	--	--
PDH #05 145-150	207	6	32	0.2	--	--	--
PDH #05 150-155	207	6	18	0.1	--	--	--
PDH #05 155-160	207	4	18	0.1	--	--	--
PDH #05 160-165	207	8	28	0.2	--	--	--
PDH #05 165-170	207	3	15	0.1	--	--	--
PDH #05 170-175	207	2	14	0.1	--	--	--
PDH #05 175-180	207	4	18	0.1	--	--	--
PDH #05 180-185	207	5	20	0.1	--	--	--
PDH #05 185-190	207	3	13	0.1	--	--	--
PDH #05 190-195	207	5	18	0.1	--	--	--
PDH #05 195-200	207	11	18	0.1	--	--	--
PDH #06 010-015	207	10	26	0.1	--	--	--
PDH #06 015-020	207	13	33	0.1	--	--	--
PDH #06 020-025	207	7	14	0.1	--	--	--
PDH #06 025-030A	207	4	16	0.1	--	--	--
PDH #06 025-030B	207	6	35	0.1	--	--	--

Certified by ... *Steve Bischler*.



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412655-003-A
INVOICE # : I8412655
DATE : 28-JUN-84
P.O. # : NONE

Sample description	Prep code	Au FA oz/T						
PDH #06 030-035	207	<0.003	--	--	--	--	--	--
PDH #06 035-040	207	<0.003	--	--	--	--	--	--
PDH #06 040-045	207	0.003	--	--	--	--	--	--
PDH #06 045-050	207	0.010	--	--	--	--	--	--
PDH #06 050-055	207	<0.003	--	--	--	--	--	--
PDH #06 055-060	207	0.003	--	--	--	--	--	--
PDH #06 060-065	207	0.003	--	--	--	--	--	--
PDH #06 065-070	207	<0.003	--	--	--	--	--	--
PDH #06 070-075	207	0.003	--	--	--	--	--	--
PDH #06 075-080	207	0.003	--	--	--	--	--	--
PDH #06 080-085	207	0.006	--	--	--	--	--	--
PDH #06 085-090	207	0.010	--	--	--	--	--	--
PDH #06 090-095	207	<0.003	--	--	--	--	--	--
PDH #06 095-100	207	<0.003	--	--	--	--	--	--
PDH #06 100-105	207	0.003	--	--	--	--	--	--
PDH #06 105-110	207	<0.003	--	--	--	--	--	--
PDH #06 110-115	207	<0.003	--	--	--	--	--	--
PDH #06 115-120	207	0.003	--	--	--	--	--	--
PDH #06 120-125	207	<0.003	--	--	--	--	--	--
PDH #06 125-130	207	0.003	--	--	--	--	--	--
PDH #06 130-135	207	<0.003	--	--	--	--	--	--
PDH #06 135-140	207	<0.003	--	--	--	--	--	--
PDH #06 140-145	207	<0.003	--	--	--	--	--	--
PDH #06 145-150	207	0.006	--	--	--	--	--	--
PDH #06 150-155	207	0.016	--	--	--	--	--	--
PDH #06 155-160	207	0.012	--	--	--	--	--	--
PDH #06 160-165	207	0.003	--	--	--	--	--	--
PDH #06 165-170	207	<0.003	--	--	--	--	--	--
PDH #06 170-175	207	0.003	--	--	--	--	--	--
PDH #06 175-180	207	<0.003	--	--	--	--	--	--
PDH #06 180-185	207	<0.003	--	--	--	--	--	--
PDH #06 185-190	207	0.006	--	--	--	--	--	--
PDH #06 190-195	207	<0.003	--	--	--	--	--	--
PDH #06 195-200	207	<0.003	--	--	--	--	--	--
PDH #07 010-015	207	<0.003	--	--	--	--	--	--
PDH #07 015-020	207	<0.003	--	--	--	--	--	--
PDH #07 020-025	207	<0.003	--	--	--	--	--	--
PDH #07 025-030	207	<0.003	--	--	--	--	--	--
PDH #07 030-035	207	<0.003	--	--	--	--	--	--
PDH #07 035-040	207	<0.003	--	--	--	--	--	--

Annie Christie
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

** CERT. # : A8412655-003-A
INVOICE # : I8412655
DATE : 29-JUN-84
P.O. # : NONE

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH #06 030-035	207	6	46	0.1	--	--	--
PDH #06 035-040	207	13	42	0.1	--	--	--
PDH #06 040-045	207	12	100	0.1	--	--	--
PDH #06 045-050	207	8	90	0.1	--	--	--
PDH #06 050-055	207	12	88	0.1	--	--	--
PDH #06 055-060	207	14	85	0.1	--	--	--
PDH #06 060-065	207	12	100	0.1	--	--	--
PDH #06 065-070	207	14	102	0.1	--	--	--
PDH #06 070-075	207	13	85	0.1	--	--	--
PDH #06 075-080	207	10	70	0.1	--	--	--
PDH #06 080-085	207	15	42	0.1	--	--	--
PDH #06 085-090	207	17	40	0.1	--	--	--
PDH #06 090-095	207	44	53	0.1	--	--	--
PDH #06 095-100	207	43	53	0.1	--	--	--
PDH #06 100-105	207	38	55	0.1	--	--	--
PDH #06 105-110	207	32	48	0.1	--	--	--
PDH #06 110-115	207	18	50	0.1	--	--	--
PDH #06 115-120	207	18	60	0.1	--	--	--
PDH #06 120-125	207	21	45	0.1	--	--	--
PDH #06 125-130	207	22	42	0.1	--	--	--
PDH #06 130-135	207	39	75	0.1	--	--	--
PDH #06 135-140	207	29	82	0.1	--	--	--
PDH #06 140-145	207	21	40	0.1	--	--	--
PDH #06 145-150	207	15	40	0.1	--	--	--
PDH #06 150-155	207	42	46	0.1	--	--	--
PDH #06 155-160	207	22	70	0.1	--	--	--
PDH #06 160-165	207	23	75	0.1	--	--	--
PDH #06 165-170	207	20	42	0.1	--	--	--
PDH #06 170-175	207	14	50	0.1	--	--	--
PDH #06 175-180	207	14	48	0.1	--	--	--
PDH #06 180-185	207	20	40	0.1	--	--	--
PDH #06 185-190	207	26	65	0.1	--	--	--
PDH #06 190-195	207	36	48	0.1	--	--	--
PDH #06 195-200	207	32	43	0.1	--	--	--
PDH #07 010-015	207	15	32	0.1	--	--	--
PDH #07 015-020	207	17	42	0.1	--	--	--
PDH #07 020-025	207	14	38	0.1	--	--	--
PDH #07 025-030	207	18	98	0.1	--	--	--
PDH #07 030-035	207	19	34	0.1	--	--	--
PDH #07 035-040	207	23	34	0.1	--	--	--

Certified by *Steve Bickler....*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8412655-004-A
INVOICE # : I8412655
DATE : 28-JUN-84
P.O. # : NONE

Sample description	Prep code	Au FA oz/T						
PDH #07 040-045	207	<0.003	--	--	--	--	--	--
PDH #07 045-050	207	<0.003	--	--	--	--	--	--
PDH #07 050-055	207	<0.003	--	--	--	--	--	--
PDH #07 055-060	207	<0.003	--	--	--	--	--	--
PDH #07 060-065	207	<0.003	--	--	--	--	--	--
PDH #07 065-070	207	<0.003	--	--	--	--	--	--
PDH #07 070-075	207	<0.003	--	--	--	--	--	--
PDH #08 015-020	207	<0.003	--	--	--	--	--	--
PDH #08 020-025	207	<0.003	--	--	--	--	--	--
PDH #08 025-030	207	<0.003	--	--	--	--	--	--
PDH #08 030-035	207	<0.003	--	--	--	--	--	--
PDH #08 035-040	207	<0.003	--	--	--	--	--	--
PDH #08 040-045	207	<0.003	--	--	--	--	--	--
PDH #08 045-050	207	<0.003	--	--	--	--	--	--
PDH #08 050-055	207	<0.003	--	--	--	--	--	--
PDH #08 055-060	207	<0.003	--	--	--	--	--	--
PDH #08 060-065	207	<0.003	--	--	--	--	--	--
PDH #08 065-070	207	<0.003	--	--	--	--	--	--
PDH #08 070-075	207	<0.003	--	--	--	--	--	--
PDH #09 015-020	207	<0.003	--	--	--	--	--	--
PDH #09 020-025	207	<0.003	--	--	--	--	--	--
PDH #09 025-030	207	<0.003	--	--	--	--	--	--
PDH #09 030-035	207	<0.003	--	--	--	--	--	--
PDH #09 035-040	207	<0.003	--	--	--	--	--	--
PDH #09 040-045	207	<0.003	--	--	--	--	--	--
PDH #09 045-050	207	<0.003	--	--	--	--	--	--
PDH #09 050-055	207	0.006	--	--	--	--	--	--
PDH #09 055-060	207	<0.003	--	--	--	--	--	--
PDH #09 060-065	207	<0.003	--	--	--	--	--	--
PDH #09 065-070	207	<0.003	--	--	--	--	--	--
PDH #09 070-075	207	<0.003	--	--	--	--	--	--
PDH #10 010-015	207	0.003	--	--	--	--	--	--
PDH #10 015-020	207	<0.003	--	--	--	--	--	--
PDH #10 020-025	207	<0.003	--	--	--	--	--	--
PDH #10 025-030	207	0.006	--	--	--	--	--	--
PDH #10 030-035	207	<0.003	--	--	--	--	--	--
PDH #10 035-040	207	<0.003	--	--	--	--	--	--
PDH #10 040-045	207	0.003	--	--	--	--	--	--
PDH #10 045-050	207	<0.003	--	--	--	--	--	--
PDH #10 050-055	207	0.003	--	--	--	--	--	--

John S. Christie
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412655-004-A
INVOICE # : I8412655
DATE : 29-JUN-84
P.O. # : NDNE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH #07 040-045	207	18	38	0.1	--	--	--
PDH #07 045-050	207	18	38	0.1	--	--	--
PDH #07 050-055	207	10	62	0.1	--	--	--
PDH #07 055-060	207	6	50	0.1	--	--	--
PDH #07 060-065	207	13	62	0.1	--	--	--
PDH #07 065-070	207	10	48	0.1	--	--	--
PDH #07 070-075	207	12	75	0.1	--	--	--
PDH #08 015-020	207	62	220	0.1	--	--	--
PDH #08 020-025	207	51	200	0.1	--	--	--
PDH #08 025-030	207	35	130	0.6	--	--	--
PDH #08 030-035	207	55	170	0.6	--	--	--
PDH #08 035-040	207	112	270	0.6	--	--	--
PDH #08 040-045	207	88	245	0.3	--	--	--
PDH #08 045-050	207	92	250	0.3	--	--	--
PDH #08 050-055	207	18	20	0.2	--	--	--
PDH #08 055-060	207	11	18	0.1	--	--	--
PDH #08 060-065	207	12	18	0.1	--	--	--
PDH #08 065-070	207	12	18	0.1	--	--	--
PDH #08 070-075	207	11	20	0.1	--	--	--
PDH #09 015-020	207	16	40	0.1	--	--	--
PDH #09 020-025	207	9	15	0.1	--	--	--
PDH #09 025-030	207	10	20	0.1	--	--	--
PDH #09 030-035	207	9	20	0.1	--	--	--
PDH #09 035-040	207	9	24	0.1	--	--	--
PDH #09 040-045	207	12	19	0.1	--	--	--
PDH #09 045-050	207	12	16	0.4	--	--	--
PDH #09 050-055	207	11	18	0.5	--	--	--
PDH #09 055-060	207	8	15	0.4	--	--	--
PDH #09 060-065	207	8	17	0.5	--	--	--
PDH #09 065-070	207	9	12	0.5	--	--	--
PDH #09 070-075	207	9	17	0.4	--	--	--
PDH #10 010-015	207	26	68	0.6	--	--	--
PDH #10 015-020	207	25	74	0.5	--	--	--
PDH #10 020-025	207	7	29	0.4	--	--	--
PDH #10 025-030	207	8	25	0.5	--	--	--
PDH #10 030-035	207	14	40	0.4	--	--	--
PDH #10 035-040	207	13	40	0.5	--	--	--
PDH #10 040-045	207	70	265	0.6	--	--	--
PDH #10 045-050	207	85	195	0.5	--	--	--
PDH #10 050-055	207	20	62	0.4	--	--	--

Certified by ... *Start Bischler*.



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412655-005-A
INVOICE # : I8412655
DATE : 28-JUN-84
P.O. # : NONE

Sample description	Prep code	Au FA oz/T						
PDH #10 055-060	207	<0.003	--	--	--	--	--	--
PDH #10 060-065	207	<0.003	--	--	--	--	--	--
PDH #10 065-070	207	<0.003	--	--	--	--	--	--
PDH #10 070-075	207	0.014	--	--	--	--	--	--
PDH #11 025-030	207	<0.003	--	--	--	--	--	--
PDH #11 030-035	207	<0.003	--	--	--	--	--	--
PDH #11 035-040	207	<0.003	--	--	--	--	--	--
PDH #11 040-045	207	<0.003	--	--	--	--	--	--
PDH #11 045-050	207	0.004	--	--	--	--	--	--
PDH #11 050-055	207	0.004	--	--	--	--	--	--
PDH #11 055-060	207	<0.003	--	--	--	--	--	--
PDH #11 060-065	207	<0.003	--	--	--	--	--	--
PDH #11 065-070	207	<0.003	--	--	--	--	--	--
PDH #11 070-075	207	<0.003	--	--	--	--	--	--
PDH #11 075-080	207	0.004	--	--	--	--	--	--
PDH #11 080-085	207	<0.003	--	--	--	--	--	--
PDH #11 085-090	207	0.008	--	--	--	--	--	--
PDH #11 090-095	207	<0.003	--	--	--	--	--	--
PDH #11 095-100	207	<0.003	--	--	--	--	--	--
PDH #11 100-105	207	<0.003	--	--	--	--	--	--
PDH #11 105-110	207	<0.003	--	--	--	--	--	--
PDH #11 110-115	207	0.004	--	--	--	--	--	--
PDH #11 115-120	207	<0.003	--	--	--	--	--	--
PDH #11 120-125	207	<0.003	--	--	--	--	--	--
PDH #11 125-130	207	<0.003	--	--	--	--	--	--
PDH #11 130-135	207	<0.003	--	--	--	--	--	--
PDH #11 135-140	207	<0.003	--	--	--	--	--	--
PDH #11 140-145	207	<0.003	--	--	--	--	--	--
PDH #11 145-150	207	<0.003	--	--	--	--	--	--
PDH #12 075-080	207	<0.003	--	--	--	--	--	--
PDH #12 080-085	207	0.008	--	--	--	--	--	--
PDH #12 085-090	207	<0.003	--	--	--	--	--	--
PDH #12 090-095	207	<0.003	--	--	--	--	--	--
PDH #12 095-100	207	<0.003	--	--	--	--	--	--
PDH #12 100-105	207	0.004	--	--	--	--	--	--
PDH #12 105-110	207	<0.003	--	--	--	--	--	--
PDH #12 110-115	207	<0.003	--	--	--	--	--	--
PDH #12 115-120	207	<0.003	--	--	--	--	--	--
PDH #12 120-125	207	<0.003	--	--	--	--	--	--
PDH #12 125-130	207	<0.003	--	--	--	--	--	--

.....
Shane Christie
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8412655-005-A
INVOICE # : I8412655
DATE : 29-JUN-84
P.O. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH #10 055-060	207	22	66	0.5	--	--	--
PDH #10 060-065	207	25	105	0.6	--	--	--
PDH #10 065-070	207	18	74	0.6	--	--	--
PDH #10 070-075	207	52	175	1.0	--	--	--
PDH #11 025-030	207	15	38	0.6	--	--	--
PDH #11 030-035	207	10	38	0.7	--	--	--
PDH #11 035-040	207	10	25	0.6	--	--	--
PDH #11 040-045	207	7	26	0.6	--	--	--
PDH #11 045-050	207	9	26	0.6	--	--	--
PDH #11 050-055	207	8	25	0.7	--	--	--
PDH #11 055-060	207	8	28	0.6	--	--	--
PDH #11 060-065	207	8	26	0.6	--	--	--
PDH #11 065-070	207	8	20	0.6	--	--	--
PDH #11 070-075	207	9	26	0.6	--	--	--
PDH #11 075-080	207	9	26	0.6	--	--	--
PDH #11 080-085	207	9	26	0.6	--	--	--
PDH #11 085-090	207	7	24	0.5	--	--	--
PDH #11 090-095	207	6	28	0.6	--	--	--
PDH #11 095-100	207	8	22	0.5	--	--	--
PDH #11 100-105	207	5	17	0.5	--	--	--
PDH #11 105-110	207	6	18	0.5	--	--	--
PDH #11 110-115	207	16	23	0.6	--	--	--
PDH #11 115-120	207	6	20	0.5	--	--	--
PDH #11 120-125	207	6	20	0.5	--	--	--
PDH #11 125-130	207	7	25	0.6	--	--	--
PDH #11 130-135	207	8	30	0.5	--	--	--
PDH #11 135-140	207	8	30	0.5	--	--	--
PDH #11 140-145	207	23	45	0.6	--	--	--
PDH #11 145-150	207	12	40	0.6	--	--	--
PDH #12 075-080	207	18	42	0.6	--	--	--
PDH #12 080-085	207	10	60	0.4	--	--	--
PDH #12 085-090	207	12	60	0.3	--	--	--
PDH #12 090-095	207	8	48	0.3	--	--	--
PDH #12 095-100	207	13	55	0.4	--	--	--
PDH #12 100-105	207	11	55	0.4	--	--	--
PDH #12 105-110	207	15	40	0.4	--	--	--
PDH #12 110-115	207	10	50	0.4	--	--	--
PDH #12 115-120	207	12	35	0.3	--	--	--
PDH #12 120-125	207	13	60	0.3	--	--	--
PDH #12 125-130	207	11	68	0.4	--	--	--

Certified by ... *Steve Brichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

** CERT. # : A8412655-006-A
INVOICE # : I8412655
DATE : 28-JUN-84
P.O. # : NONE


708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

Sample description	Prep code	Au FA oz/T					
PDH #12 130-135	207	<0.003	--	--	--	--	--
PDH #12 135-140	207	<0.003	--	--	--	--	--
PDH #12 140-145	207	0.018	--	--	--	--	--
PDH #12 145-150	207	<0.003	--	--	--	--	--

Stacie Christie
.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

** CERT. # : A8412655-006-A
INVOICE # : I8412655
DATE : 29-JUN-84
P.O. # : NONE


708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm				
PDH #12 130-135	207	22	60	0.9	--	--	--	--
PDH #12 135-140	207	13	64	0.4	--	--	--	--
PDH #12 140-145	207	16	62	0.6	--	--	--	--
PDH #12 145-150	207	13	50	0.3	--	--	--	--

Certified by *Hart Buehler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8412974-001-A
INVOICE # : I8412974
DATE : 3-JUL-84
P.O. # : NONE

Sample description	Prep code	Au FA oz/T						
PDH#14 10-15	207	<0.003	--	--	--	--	--	--
PDH#14 15-20	207	<0.003	--	--	--	--	--	--
PDH#14A 10-15	207	<0.003	--	--	--	--	--	--
PDH#14A 15-20	207	<0.003	--	--	--	--	--	--
PDH#14A 20-25	207	<0.003	--	--	--	--	--	--
PDH#14A 25=30	207	<0.003	--	--	--	--	--	--
PDH#14B 10-15	207	<0.003	--	--	--	--	--	--
PDH#14B 15-20	207	<0.003	--	--	--	--	--	--
PDH#14C 10-15	207	<0.003	--	--	--	--	--	--
PDH#14C 15-20	207	<0.003	--	--	--	--	--	--
PDH#14D 10-15	207	<0.003	--	--	--	--	--	--
PDH#14D 15-20	207	<0.003	--	--	--	--	--	--
PDH#14E 10-15	207	<0.003	--	--	--	--	--	--
PDH#14E 15-20	207	<0.003	--	--	--	--	--	--
PDH#15 10-15	207	<0.003	--	--	--	--	--	--
PDH#15 15-20	207	<0.003	--	--	--	--	--	--
PDH#15A 10-15	207	<0.003	--	--	--	--	--	--
PDH#15A 15-20	207	<0.003	--	--	--	--	--	--
PDH#16 10-15	207	<0.003	--	--	--	--	--	--
PDH#16 15-20	207	<0.003	--	--	--	--	--	--
PDH#16A 10-15	207	0.003	--	--	--	--	--	--
PDH#16A 15-20	207	<0.003	--	--	--	--	--	--
PDH#16A 20-25	207	<0.003	--	--	--	--	--	--
PDH#16A 25-30	207	0.003	--	--	--	--	--	--
PDH#17 10-15	207	0.003	--	--	--	--	--	--
PDH#17 15-20	207	0.005	--	--	--	--	--	--
PDH#17 20-25	207	0.003	--	--	--	--	--	--
PDH#17 25-30	207	0.003	--	--	--	--	--	--
PDH#18 10-15	207	0.003	--	--	--	--	--	--
PDH#18 15-20	207	<0.003	--	--	--	--	--	--
PDH#19 10-15	207	<0.003	--	--	--	--	--	--
PDH#19 15-20	207	<0.003	--	--	--	--	--	--
PDH#20 10-15	207	<0.003	--	--	--	--	--	--
PDH#20 15-20	207	<0.003	--	--	--	--	--	--
PDH#20 20-25A	207	<0.003	--	--	--	--	--	--
PDH#20 20-25B	207	<0.003	--	--	--	--	--	--
PDH#20 30-35	207	<0.003	--	--	--	--	--	--
PDH#20 35-40	207	<0.003	--	--	--	--	--	--
PDH#20 40-45	207	<0.003	--	--	--	--	--	--
PDH#20 45-50	207	<0.003	--	--	--	--	--	--

B. K. St. John
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

** CERT. # : A8412974-001-A

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

INVOICE # : I8412974
DATE : 4-JUL-84
P.O. # : NONE


Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH#14 10-15	207	68	210	0.4	--	--	--
PDH#14 15-20	207	73	215	0.6	--	--	--
PDH#14A 10-15	207	55	255	0.2	--	--	--
PDH#14A 15-20	207	60	280	0.1	--	--	--
PDH#14A 20-25	207	55	260	0.2	--	--	--
PDH#14A 25-30	207	54	255	0.1	--	--	--
PDH#14B 10-15	207	35	185	0.2	--	--	--
PDH#14B 15-20	207	37	210	0.4	--	--	--
PDH#14C 10-15	207	53	170	0.8	--	--	--
PDH#14C 15-20	207	60	180	0.2	--	--	--
PDH#14D 10-15	207	52	240	0.4	--	--	--
PDH#14D 15-20	207	54	280	0.2	--	--	--
PDH#14E 10-15	207	40	135	0.6	--	--	--
PDH#14E 15-20	207	40	155	0.6	--	--	--
PDH#15 10-15	207	72	210	0.5	--	--	--
PDH#15 15-20	207	70	200	1.7	--	--	--
PDH#15A 10-15	207	31	175	1.2	--	--	--
PDH#15A 15-20	207	28	180	0.8	--	--	--
PDH#16 10-15	207	60	185	0.2	--	--	--
PDH#16 15-20	207	67	193	0.1	--	--	--
PDH#16A 10-15	207	40	110	0.1	--	--	--
PDH#16A 15-20	207	40	118	0.1	--	--	--
PDH#16A 20-25	207	43	112	0.1	--	--	--
PDH#16A 25-30	207	35	108	0.2	--	--	--
PDH#17 10-15	207	300	75	1.1	--	--	--
PDH#17 15-20	207	340	95	1.0	--	--	--
PDH#17 20-25	207	80	70	0.2	--	--	--
PDH#17 25-30	207	90	70	0.3	--	--	--
PDH#18 10-15	207	36	200	0.6	--	--	--
PDH#18 15-20	207	30	183	0.4	--	--	--
PDH#19 10-15	207	58	185	0.1	--	--	--
PDH#19 15-20	207	70	170	0.2	--	--	--
PDH#20 10-15	207	6	35	0.1	--	--	--
PDH#20 15-20	207	3	34	0.1	--	--	--
PDH#20 20-25A	207	2	27	0.1	--	--	--
PDH#20 20-25B	207	3	29	0.1	--	--	--
PDH#20 30-35	207	4	28	0.1	--	--	--
PDH#20 35-40	207	4	30	0.1	--	--	--
PDH#20 40-45	207	3	38	0.1	--	--	--
PDH#20 45-50	207	3	37	0.1	--	--	--

Certified by

Hart Bichler



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

** CERT. # : A8412974-002-A
INVOICE # : I8412974
DATE : 3-JUL-84
P.O. # : NONE

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

Sample description	Prep code	AJ FA oz/T						
PDH#20 50-55	207	<0.003	--	--	--	--	--	--
PDH#20 55-60	207	<0.003	--	--	--	--	--	--
PDH#20 60-65	207	<0.003	--	--	--	--	--	--
PDH#20 55-70	207	<0.003	--	--	--	--	--	--
PDH#20 70-75	207	0.003	--	--	--	--	--	--
PDH#20 75-80	207	<0.003	--	--	--	--	--	--
PDH#20 80-85	207	<0.003	--	--	--	--	--	--
PDH#20 90-95	207	<0.003	--	--	--	--	--	--
PDH#20 95-100	207	0.003	--	--	--	--	--	--
PDH#20 100-105	207	<0.003	--	--	--	--	--	--
PDH#20 105-110	207	<0.003	--	--	--	--	--	--
PDH#20 110-115	207	<0.003	--	--	--	--	--	--
PDH#20 115-120	207	<0.003	--	--	--	--	--	--
PDH#20 120-125	207	<0.003	--	--	--	--	--	--
PDH#20 125-130	207	<0.003	--	--	--	--	--	--
PDH#20 130-135	207	<0.003	--	--	--	--	--	--
PDH#20 135-140	207	<0.003	--	--	--	--	--	--
PDH#20 140-145	207	<0.003	--	--	--	--	--	--
PDH#20 145-150	207	<0.003	--	--	--	--	--	--
PDH#20 150-155	207	<0.003	--	--	--	--	--	--
PDH#20 155-160	207	<0.003	--	--	--	--	--	--
PDH#21 10-15	207	<0.003	--	--	--	--	--	--
PDH#21 15-20	207	0.003	--	--	--	--	--	--
PDH#21 20-25	207	<0.003	--	--	--	--	--	--
PDH#21 25-30	207	<0.003	--	--	--	--	--	--
PDH#21 30-35	207	<0.003	--	--	--	--	--	--
PDH#21 35-40	207	<0.003	--	--	--	--	--	--
PDH#21 40-45	207	<0.003	--	--	--	--	--	--
PDH#21 45-50	207	<0.003	--	--	--	--	--	--
PDH#21A 10-15	207	<0.003	--	--	--	--	--	--
PDH#21A 15-20	207	<0.003	--	--	--	--	--	--
PDH#21A 20-25	207	<0.003	--	--	--	--	--	--
PDH#21A 25-30	207	<0.003	--	--	--	--	--	--
PDH#21A 30-35	207	0.003	--	--	--	--	--	--
PDH#21A 35-40	207	<0.003	--	--	--	--	--	--
PDH#21A 40-45	207	<0.003	--	--	--	--	--	--
PDH#21A 45-50	207	<0.003	--	--	--	--	--	--
PDH#22 10-15	207	0.003	--	--	--	--	--	--
PDH#22 15-20	207	0.003	--	--	--	--	--	--
PDH#22 20-25	207	<0.003	--	--	--	--	--	--

B. Shattock
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412974-002-A
INVOICE # : I8412974
DATE : 4-JUL-84
P.O. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH#20 50-55	207	3	18	0.1	--	--	--
PDH#20 55-60	207	1	19	0.1	--	--	--
PDH#20 60-65	207	1	34	0.1	--	--	--
PDH#20 65-70	207	1	32	0.1	--	--	--
PDH#20 70-75	207	2	20	0.1	--	--	--
PDH#20 75-80	207	2	20	0.1	--	--	--
PDH#20 80-85	207	3	25	0.1	--	--	--
PDH#20 90-95	207	17	57	0.1	--	--	--
PDH#20 95-100	207	7	38	0.1	--	--	--
PDH#20 100-105	207	8	64	0.1	--	--	--
PDH#20 105-110	207	4	45	0.1	--	--	--
PDH#20 110-115	207	135	35	0.1	--	--	--
PDH#20 115-120	207	35	33	0.1	--	--	--
PDH#20 120-125	207	11	36	0.1	--	--	--
PDH#20 125-130	207	8	38	0.1	--	--	--
PDH#20 130-135	207	6	35	0.1	--	--	--
PDH#20 135-140	207	6	33	0.1	--	--	--
PDH#20 140-145	207	5	44	0.1	--	--	--
PDH#20 145-150	207	7	38	0.1	--	--	--
PDH#20 150-155	207	5	43	0.1	--	--	--
PDH#20 155-160	207	8	55	0.1	--	--	--
PDH#21 10-15	207	42	145	0.1	--	--	--
PDH#21 15-20	207	48	140	0.1	--	--	--
PDH#21 20-25	207	4	95	0.1	--	--	--
PDH#21 25-30	207	6	93	0.1	--	--	--
PDH#21 30-35	207	26	105	0.1	--	--	--
PDH#21 35-40	207	30	120	0.1	--	--	--
PDH#21 40-45	207	38	112	0.1	--	--	--
PDH#21 45-50	207	12	120	0.1	--	--	--
PDH#21A 10-15	207	14	120	0.1	--	--	--
PDH#21A 15-20	207	12	108	0.1	--	--	--
PDH#21A 20-25	207	1	80	0.1	--	--	--
PDH#21A 25-30	207	1	90	0.1	--	--	--
PDH#21A 30-35	207	1	78	0.1	--	--	--
PDH#21A 35-40	207	1	80	0.1	--	--	--
PDH#21A 40-45	207	5	80	0.1	--	--	--
PDH#21A 45-50	207	15	80	0.1	--	--	--
PDH#22 10-15	207	5	43	0.1	--	--	--
PDH#22 15-20	207	5	40	0.1	--	--	--
PDH#22 20-25	207	1	26	0.1	--	--	--

Certified by *Want Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

** CERT. # : A8412974-003-A
INVOICE # : I8412974
DATE : 3-JUL-84
P.O. # : NONE

Sample description	Prep code	Au FA oz/T						
PDH#22 25-30	207	<0.003	--	--	--	--	--	--
PDH#22 30-35	207	<0.003	--	--	--	--	--	--
PDH#22 35-40	207	<0.003	--	--	--	--	--	--
PDH#22 40-45	207	<0.003	--	--	--	--	--	--
PDH#22 45-50	207	<0.003	--	--	--	--	--	--
PDH#22 50-55	207	<0.003	--	--	--	--	--	--
PDH#22 55-60	207	0.003	--	--	--	--	--	--
PDH#22 60-65	207	<0.003	--	--	--	--	--	--
PDH#22 65-70	207	<0.003	--	--	--	--	--	--
PDH#22 70-75	207	<0.003	--	--	--	--	--	--
PDH#22 75-80	207	<0.003	--	--	--	--	--	--
PDH#22 80-85	207	<0.003	--	--	--	--	--	--
PDH#22 85-90	207	<0.003	--	--	--	--	--	--
PDH#22 90-95	207	<0.003	--	--	--	--	--	--
PDH#22 95-100	207	0.003	--	--	--	--	--	--
PDH#22 100-105	207	<0.003	--	--	--	--	--	--
PDH#22 105-110	207	<0.003	--	--	--	--	--	--
PDH#22 115-120	207	0.012	--	--	--	--	--	--
PDH#22 120-125	207	<0.003	--	--	--	--	--	--
PDH#22 125-130	207	<0.003	--	--	--	--	--	--
PDH#22 130-135	207	<0.003	--	--	--	--	--	--
PDH#22 135-140	207	<0.003	--	--	--	--	--	--
PDH#22 140-145	207	<0.003	--	--	--	--	--	--
PDH#22 145-150	207	<0.003	--	--	--	--	--	--
PDH#22 150-155	207	<0.003	--	--	--	--	--	--
PDH#22 155-160	207	<0.003	--	--	--	--	--	--

B. Sweet
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8412974-003-A
INVOICE # : I8412974
DATE : 4-JUL-84
P.O. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH#22 25-30	207	4	30	0.1	--	--	--
PDH#22 30-35	207	4	47	0.1	--	--	--
PDH#22 35-40	207	4	49	0.1	--	--	--
PDH#22 40-45	207	8	55	0.1	--	--	--
PDH#22 45-50	207	4	42	0.1	--	--	--
PDH#22 50-55	207	10	55	0.1	--	--	--
PDH#22 55-60	207	3	37	0.1	--	--	--
PDH#22 60-65	207	6	50	0.1	--	--	--
PDH#22 65-70	207	4	36	0.1	--	--	--
PDH#22 70-75	207	8	35	0.1	--	--	--
PDH#22 75-80	207	8	35	0.1	--	--	--
PDH#22 80-85	207	6	30	0.1	--	--	--
PDH#22 85-90	207	4	34	0.1	--	--	--
PDH#22 90-95	207	5	27	0.1	--	--	--
PDH#22 95-100	207	6	36	0.1	--	--	--
PDH#22 100-105	207	4	27	0.1	--	--	--
PDH#22 105-110	207	4	30	0.1	--	--	--
PDH#22 115-120	207	3	38	0.1	--	--	--
PDH#22 120-125	207	2	34	0.1	--	--	--
PDH#22 125-130	207	1	39	0.1	--	--	--
PDH#22 130-135	207	2	45	0.1	--	--	--
PDH#22 135-140	207	3	40	0.1	--	--	--
PDH#22 140-145	207	7	55	0.1	--	--	--
PDH#22 145-150	207	7	50	0.1	--	--	--
PDH#22 150-155	207	8	43	0.1	--	--	--
PDH#22 155-160	207	4	42	0.1	--	--	--

Certified by ...*Steve Bishop*...



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8413336-001-A
INVOICE # : I8413336
DATE : 17-JUL-84
P.C. # : NONE

Sample description	Prep code	AU FA oz/T						
PDH #24 10-15	207	<0.003	--	--	--	--	--	--
PDH #24 15-20	207	<0.003	--	--	--	--	--	--
PDH #24 20-25	207	<0.003	--	--	--	--	--	--
PDH #24 25-30	207	<0.003	--	--	--	--	--	--
PDH #24 30-35	207	<0.003	--	--	--	--	--	--
PDH #24 35-40	207	<0.003	--	--	--	--	--	--
PDH #24 40-45	207	<0.003	--	--	--	--	--	--
PDH #24 45-50	207	<0.003	--	--	--	--	--	--
PDH #24 50-55	207	<0.003	--	--	--	--	--	--
PDH #24 55-60	207	<0.003	--	--	--	--	--	--
PDH #24 60-65	207	<0.003	--	--	--	--	--	--
PDH #24 65-70	207	<0.003	--	--	--	--	--	--
PDH #24 70-75	207	<0.003	--	--	--	--	--	--
PDH #24 75-80	207	<0.003	--	--	--	--	--	--
PDH #24 80-85	207	<0.003	--	--	--	--	--	--
PDH #24 85-90	207	<0.003	--	--	--	--	--	--
PDH #24 90-95	207	<0.003	--	--	--	--	--	--
PDH #24 95-100	207	<0.003	--	--	--	--	--	--
PDH #24 100-105	207	<0.003	--	--	--	--	--	--
PDH #24 105-110	207	<0.003	--	--	--	--	--	--
PDH #24 110-115	207	<0.003	--	--	--	--	--	--
PDH #24 115-120	207	<0.003	--	--	--	--	--	--
PDH #24 120-125	207	<0.003	--	--	--	--	--	--
PDH #24 125-130	207	<0.003	--	--	--	--	--	--
PDH #24 130-135	207	<0.003	--	--	--	--	--	--
PDH #24 135-140	207	<0.003	--	--	--	--	--	--
PDH #24 140-145	207	<0.003	--	--	--	--	--	--
PDH #24 145-150	207	<0.003	--	--	--	--	--	--
PDH #25 10-15	207	<0.003	--	--	--	--	--	--
PDH #25 15-20	207	<0.003	--	--	--	--	--	--
PDH #25 20-25	207	<0.003	--	--	--	--	--	--
PDH #25 25-30	207	<0.003	--	--	--	--	--	--
PDH #25 30-35	207	<0.003	--	--	--	--	--	--
PDH #25 35-40	207	<0.003	--	--	--	--	--	--
PDH #25 40-45	207	<0.003	--	--	--	--	--	--
PDH #25 45-50	207	<0.003	--	--	--	--	--	--
PDH #25 50-55	207	<0.003	--	--	--	--	--	--
PDH #25 55-60	207	<0.003	--	--	--	--	--	--
PDH #25 60-65	207	<0.003	--	--	--	--	--	--
PDH #25 65-70	207	<0.003	--	--	--	--	--	--

J. Short
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8413336-001-A
INVOICE # : I8413336
DATE : 17-JUL-84
P.C. # : NONE

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH #24 10-15	207	17	98	0.1	--	--	--
PDH #24 15-20	207	14	94	0.1	--	--	--
PDH #24 20-25	207	13	100	0.1	--	--	--
PDH #24 25-30	207	14	104	0.1	--	--	--
PDH #24 30-35	207	13	40	0.1	--	--	--
PDH #24 35-40	207	11	38	0.1	--	--	--
PDH #24 40-45	207	14	32	0.1	--	--	--
PDH #24 45-50	207	13	48	0.1	--	--	--
PDH #24 50-55	207	9	10	0.1	--	--	--
PDH #24 55-60	207	11	68	1.5	--	--	--
PDH #24 60-65	207	9	54	0.1	--	--	--
PDH #24 65-70	207	9	51	0.1	--	--	--
PDH #24 70-75	207	8	55	0.1	--	--	--
PDH #24 75-80	207	9	88	0.1	--	--	--
PDH #24 80-85	207	10	53	0.1	--	--	--
PDH #24 85-90	207	7	48	0.1	--	--	--
PDH #24 90-95	207	7	45	0.1	--	--	--
PDH #24 95-100	207	6	44	0.1	--	--	--
PDH #24 100-105	207	7	44	0.1	--	--	--
PDH #24 105-110	207	7	37	0.1	--	--	--
PDH #24 110-115	207	8	41	0.1	--	--	--
PDH #24 115-120	207	9	43	0.1	--	--	--
PDH #24 120-125	207	7	43	0.1	--	--	--
PDH #24 125-130	207	7	43	0.1	--	--	--
PDH #24 130-135	207	9	45	0.1	--	--	--
PDH #24 135-140	207	8	43	0.1	--	--	--
PDH #24 140-145	207	8	45	0.1	--	--	--
PDH #24 145-150	207	10	45	0.1	--	--	--
PDH #25 10-15	207	2	28	0.1	--	--	--
PDH #25 15-20	207	4	28	0.1	--	--	--
PDH #25 20-25	207	2	27	0.1	--	--	--
PDH #25 25-30	207	3	28	0.1	--	--	--
PDH #25 30-35	207	3	34	0.1	--	--	--
PDH #25 35-40	207	3	35	0.1	--	--	--
PDH #25 40-45	207	3	27	0.1	--	--	--
PDH #25 45-50	207	4	30	0.1	--	--	--
PDH #25 50-55	207	5	51	0.1	--	--	--
PDH #25 55-60	207	3	49	0.1	--	--	--
PDH #25 60-65	207	2	40	0.1	--	--	--
PDH #25 65-70	207	3	42	0.1	--	--	--

Certified by Hart Buehler



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TC : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8413336-002-A
INVOICE # : I8413336
DATE : 17-JUL-84
P.O. # : NCNE

Sample description	Prep code	Au FA oz/T						
PDH #25 70-75	207	<0.003	--	--	--	--	--	--
PDH #25 75-80	207	<0.003	--	--	--	--	--	--
PDH #25 80-85	207	<0.003	--	--	--	--	--	--
PDH #25 85-90	207	<0.003	--	--	--	--	--	--
PDH #25 90-95	207	<0.003	--	--	--	--	--	--
PDH #25 95-100	207	<0.003	--	--	--	--	--	--
PDH #25 100-105	207	<0.003	--	--	--	--	--	--
PDH #25 105-110	207	<0.003	--	--	--	--	--	--
PDH #25 110-115	207	<0.003	--	--	--	--	--	--
PDH #25 115-120	207	<0.003	--	--	--	--	--	--
PDH #25 120-125	207	<0.003	--	--	--	--	--	--
PDH #25 125-130	207	<0.003	--	--	--	--	--	--
PDH #25 130-135	207	<0.003	--	--	--	--	--	--
PDH #25 135-140	207	<0.003	--	--	--	--	--	--
PDH #25 140-145	207	<0.003	--	--	--	--	--	--
PDH #25 145-150	207	<0.003	--	--	--	--	--	--
PDH #25 150-155	207	<0.003	--	--	--	--	--	--
PDH #25 155-160	207	<0.003	--	--	--	--	--	--
PDH #25 160-165	207	<0.003	--	--	--	--	--	--
PDH #25 165-170	207	0.003	--	--	--	--	--	--
PDH #25 170-175	207	<0.003	--	--	--	--	--	--
PDH #25 175-180	207	<0.003	--	--	--	--	--	--
PDH #25 180-185	207	<0.003	--	--	--	--	--	--
PDH #25 185-190	207	<0.003	--	--	--	--	--	--
PDH #25 190-195	207	<0.003	--	--	--	--	--	--
PDH #25 195-200	207	<0.003	--	--	--	--	--	--
PDH #25 200-205	207	<0.003	--	--	--	--	--	--
PDH #25 205-210	207	<0.003	--	--	--	--	--	--
PDH #30 10-15	207	<0.003	--	--	--	--	--	--
PDH #30 15-20	207	0.006	--	--	--	--	--	--
PDH #30 20-25	207	<0.003	--	--	--	--	--	--
PDH #30 25-30	207	<0.003	--	--	--	--	--	--
PDH #30 30-35	207	<0.003	--	--	--	--	--	--
PDH #30 35-40	207	<0.003	--	--	--	--	--	--
PDH #30 40-45	207	<0.003	--	--	--	--	--	--
PDH #30 45-50	207	<0.003	--	--	--	--	--	--
PDH #30 50-55	207	<0.003	--	--	--	--	--	--
PDH #30 55-60	207	<0.003	--	--	--	--	--	--
PDH #30 60-65	207	0.006	--	--	--	--	--	--
PDH #30 65-70	207	0.006	--	--	--	--	--	--

..... Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.

NORTH VANCOUVER, B.C.

CANADA V7J 2C1

TELEPHONE: (604) 984-0221

TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

** CERT. # : A8413336-002-A

INVOICE # : I8413336

DATE : 17-JUL-84

P.O. # : NONE

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm		
PDH #25 70-75	207	5	50	0.1	--	--
PDH #25 75-80	207	7	42	0.1	--	--
PDH #25 80-85	207	4	45	0.1	--	--
PDH #25 85-90	207	5	45	0.1	--	--
PDH #25 90-95	207	3	50	0.1	--	--
PDH #25 95-100	207	5	50	0.1	--	--
PDH #25 100-105	207	4	48	0.1	--	--
PDH #25 105-110	207	4	49	0.1	--	--
PDH #25 110-115	207	4	56	0.1	--	--
PDH #25 115-120	207	5	52	0.1	--	--
PDH #25 120-125	207	6	82	0.1	--	--
PDH #25 125-130	207	2	30	0.1	--	--
PDH #25 130-135	207	2	23	0.1	--	--
PDH #25 135-140	207	3	40	0.1	--	--
PDH #25 140-145	207	3	31	0.1	--	--
PDH #25 145-150	207	4	29	0.1	--	--
PDH #25 150-155	207	3	29	0.1	--	--
PDH #25 155-160	207	3	24	0.1	--	--
PDH #25 160-165	207	4	40	0.1	--	--
PDH #25 165-170	207	5	26	0.1	--	--
PDH #25 170-175	207	4	27	0.7	--	--
PDH #25 175-180	207	4	30	0.1	--	--
PDH #25 180-185	207	3	56	0.2	--	--
PDH #25 185-190	207	2	58	0.1	--	--
PDH #25 190-195	207	3	56	0.1	--	--
PDH #25 195-200	207	2	55	0.1	--	--
PDH #25 200-205	207	3	29	0.1	--	--
PDH #25 205-210	207	3	38	0.1	--	--
PDH #30 10-15	207	9	90	0.1	--	--
PDH #30 15-20	207	8	82	0.2	--	--
PDH #30 20-25	207	8	90	0.1	--	--
PDH #30 25-30	207	8	100	0.2	--	--
PDH #30 30-35	207	6	60	0.1	--	--
PDH #30 35-40	207	6	60	0.1	--	--
PDH #30 40-45	207	4	60	0.1	--	--
PDH #30 45-50	207	5	52	0.1	--	--
PDH #30 50-55	207	4	54	0.1	--	--
PDH #30 55-60	207	5	55	0.1	--	--
PDH #30 60-65	207	4	60	0.1	--	--
PDH #30 65-70	207	4	55	0.1	--	--

Certified by *Stuart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ASSAY

TO : DIAMOND RESOURCES INC.

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6


** CERT. # : A8413336-003-A
INVCICE # : I8413336
DATE : 17-JUL-84
P.C. # : NONE

Sample description	Prep code	AU FA oz/T					
PDH #30 70-75	207	<0.003	--	--	--	--	--
PDH #30 75-80	207	<0.003	--	--	--	--	--
PDH #30 80-85	207	<0.003	--	--	--	--	--
PDH #30 85-90	207	<0.003	--	--	--	--	--
PDH #30 90-95	207	0.004	--	--	--	--	--
PDH #30 95-100	207	<0.003	--	--	--	--	--
PDH #30 100-105	207	<0.003	--	--	--	--	--
PDH #30 105-110	207	<0.003	--	--	--	--	--
PDH #30 110-115	207	<0.003	--	--	--	--	--
PDH #30 115-120	207	<0.003	--	--	--	--	--
PDH #30 120-125	207	<0.003	--	--	--	--	--
PDH #30 125-130	207	<0.003	--	--	--	--	--
PDH #30 130-135	207	<0.003	--	--	--	--	--
PDH #30 135-140	207	<0.003	--	--	--	--	--
PDH #30 140-145	207	<0.003	--	--	--	--	--
PDH #30 145-150	207	<0.003	--	--	--	--	--
PDH #30 150-155	207	<0.003	--	--	--	--	--
PDH #30 155-160	207	<0.003	--	--	--	--	--
PDH #30 160-165	207	<0.003	--	--	--	--	--
PDH #30 165-170	207	<0.003	--	--	--	--	--
PDH #30 170-175	207	0.008	--	--	--	--	--
PDH #30 175-180	207	<0.003	--	--	--	--	--
PDH #30 180-185	207	<0.003	--	--	--	--	--
PDH #30 185-190	207	<0.003	--	--	--	--	--
PDH #30 190-195	207	<0.003	--	--	--	--	--
PDH #30 195-200	207	<0.003	--	--	--	--	--
PDH #30 200-205	207	<0.003	--	--	--	--	--
PDH #30 205-210	207	<0.003	--	--	--	--	--

B. Shantz
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : DIAMOND RESOURCES INC.

**

CERT. # : A8413336-003-A
INVOICE # : 18413336
DATE : 17-JUL-84
P.U. # : NONE

708 - 837 W. HASTINGS ST.
VANCOUVER, B.C.
V6C 1B6

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
PDH #30 70-75	207	5	53	0.1	--	--	--
PDH #30 75-80	207	6	52	0.1	--	--	--
PDH #30 80-85	207	5	42	0.1	--	--	--
PDH #30 85-90	207	5	38	0.1	--	--	--
PDH #30 90-95	207	4	25	0.1	--	--	--
PDH #30 95-100	207	3	33	0.1	--	--	--
PDH #30 100-105	207	2	37	0.1	--	--	--
PDH #30 105-110	207	3	28	0.1	--	--	--
PDH #30 110-115	207	4	32	0.1	--	--	--
PDH #30 115-120	207	3	26	0.1	--	--	--
PDH #30 120-125	207	3	27	0.1	--	--	--
PDH #30 125-130	207	3	29	0.1	--	--	--
PDH #30 130-135	207	3	19	0.1	--	--	--
PDH #30 135-140	207	2	18	0.1	--	--	--
PDH #30 140-145	207	2	21	0.1	--	--	--
PDH #30 145-150	207	3	20	0.1	--	--	--
PDH #30 150-155	207	5	30	0.1	--	--	--
PDH #30 155-160	207	5	30	0.1	--	--	--
PDH #30 160-165	207	7	31	0.1	--	--	--
PDH #30 165-170	207	4	29	0.1	--	--	--
PDH #30 170-175	207	3	39	0.1	--	--	--
PDH #30 175-180	207	3	43	0.1	--	--	--
PDH #30 180-185	207	3	47	0.1	--	--	--
PDH #30 185-190	207	2	45	0.1	--	--	--
PDH #30 190-195	207	2	48	0.1	--	--	--
PDH #30 195-200	207	2	45	0.1	--	--	--
PDH #30 200-205	207	2	46	0.1	--	--	--
PDH #30 205-210	207	1	40	0.1	--	--	--

Certified by *Hans Buehler*



MEMBER
CANADIAN TESTING
ASSOCIATION

DIAMOND RESOURCES INC.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

13,600

TOIL PROPERTY
HARRISON LAKE, B.C.
N.T.S. 92G/9E

PURCUSSION DRILL HOLES,
GEOLOGY & GEOCHEMISTRY

0 25 50 100 200 300
1:2500 METRES

by
JNT SERVICES LTD., 8827 Hudson Street, Vancouver, British Columbia
Base map compiled by McElroy Surveying & Engineering Ltd. from aerial photographs
taken in June 1982. Survey controlled by hip chains, compass, barometer using base map
reference. Contour interval is 5 metres.

LEGEND

- 4 FELDSPAR PORPHYRIC ANDESITE - SMALL PLUGS AND DYKES
- 3 ANDESITE TUFFS
- 2 CRYSTAL TUFFS
- 1 MIXED CRYSTAL TUFF, ANDESITE TUFFS, BRECCIAS, MOTTLED SCHISTS, SERICITE SCHISTS, MINOR ARGILLITE
- GEOLOGICAL CONTACT
- LIMIT OF NEARLY PERVERSIVE PYRITE + PYRRHOTITE > 2% INCLUDES SOME OUTCROPS WITH NO SULPHIDES
- LIMIT OF CLAY ALTERATION WITH WEAK CHLORITE
- LIMIT OF ZONES OF INTENSE PYRITE-CLAY-LOCAL SERICITE ALTERATION PYRITE > 2%
- BEDDING
- SCHISTOSITY
- JOINTING
- FAULTS
- PLUNGE OF FOLD AXIS
- DISSEMINATED GALENA OCCURRENCE
- SOIL SAMPLE
- SILT SAMPLE
- △ ROCK SAMPLE
- DI12 480/93 SAMPLE NUMBER, As ppm/Au ppb.
- ← PURCUSSION DRILL HOLE

FIG. 3

