

85-632
13878
1/86

GEOCHEMICAL AND GEOPHYSICAL REPORT
GOLD HILL PROPERTY, NELSON M.D.
Gold Hill 1-4, Rec No. 1077-1080 (5)
Nelson Mining Division
Lat. 49 25' N./Long 117 22' W.

for:

GOLDEN EYE MINERALS LTD.
Ste. 411 - 850 W. Hastings St.,
Vancouver, B.C.

by:

Barry J. Price, M.Sc.
Consulting Geologist
2121 W. 5th Ave.,

Vancouver, B.C. 733-6902

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

13,878
June 30, 1985

SUMMARY

During the 1984 exploration season, the writer assisted by V. Guinet, prospector and R. Yourston, geologist, took 275 soil samples and 15 assay samples from the Gold Hill property and performed ground magnetometer and VLF-EM surveys over a reconnaissance flagged grid extending from 250 meters east to 250 meters west of a cut baseline. The surveys cover 6.85 km of grid. Work was done from the 3rd to 11th of October 1984. Geochemical anomalies with weak to moderate copper, gold silver and arsenic values occur, and a linear 100 meter wide northwest-trending magnetic anomaly crosses the grid. Interpretation of the results is difficult. However, considering the success of similar surveys on the adjacent May and Jennie property indicates that the surveys should continue to the north property boundary.

respectfully submitted

Barry Price

Barry J. Price, M.Sc.

Consulting Geologist.




TABLE OF CONTENTS

	<u>PAGE</u>
SUMMARY	
INTRODUCTION	1
LOCATION AND ACCESS	1
CLAIMS	1
HISTORY OF THE CLAIMS	2
MINERAL DEPOSITS IN THE AREA	3
1984 WORK PROGRAM	3
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	4
GEOCHEMISTRY	5
GEOPHYSICAL SURVEYS	5
CONCLUSIONS	6
RECOMMENDATIONS	7
BIBLIOGRAPHY	8
APPENDIX I - ASSAY DATA	
QUALIFICATIONS	

LIST OF FIGURES

FIGURE 1A: LOCATION MAP - NELSON AREA	
FIGURE 1B: TOPOGRAPHY - FORTYNINE CREEK AREA	
FIGURE 2: CLAIM MAP	
FIGURE 4A GEOCHEMISTRY - COPPER/GOLD IN SOIL	
FIGURE 4B GEOCHEMISTRY - SILVER/ARSENIC IN SOIL	
FIGURE 4C GEOCHEMISTRY - LEAD/ZINC IN SOIL	
FIGURE 5A MAGNETOMETER SURVEY	
FIGURE 5B VLF-EM SURVEY - INTERPRETATION	

INTRODUCTION

Work was first done on the Gold Hill Property in the 1890's. A previous report described soil sampling, VLF-EM surveys and underground rehabilitation and sampling done for Golden Eye Minerals in 1983. This report describes the extension of surveys on the same grid completed in October 1984.

LOCATION AND ACCESS:


The property is situated on Fortynine Creek, approximately 16 km. by road south of Nelson, B.C. The road up Fortynine Creek leaves a paved road which was the main access road to the mining settlement of Blewett, as shown in Figure 1A. The workings are at the side of the road at 5160 feet elevation and are accessible from June to late October, and with snow plowing, could be accessible year-round.

Topography is moderately steep, with the claims covering both sides of the creek valley. Vegetation is of light second growth, primarily evergreen forest with little undergrowth.

Supplies and services are available in Nelson, which was originally a mining center. Nelson can be reached in one days drive from Vancouver, or one hour from the regional airport at Castlegar, which is serviced by daily flights from Vancouver and Calgary.

CLAIMS:


The property consists of four two-post claims and two "modified grid" claims totalling 30 units. The claims are owned or controlled by Golden Eye Minerals Ltd., 411- 850 West Fender



GOLDEN EYE MINERALS LTD
 FIGURE 1
 LOCATION MAP
 SCALE 1cm:20 km.
 B.J.PRICE, M.SC. 1985

NELSON

20'



GOLDEN EYE MINERALS LTD

FIGURE 2
TOPOGRAPHY
and
PROSPECTS
scale 1:50,000

B.J. PRICE, M.S.C. 1985

Street, Vancouver, B.C.

Claim data is as follows:

<u>CLAIM</u>	<u>UNITS/CLAIMS</u>	<u>REC. NO</u>	<u>EXPIRY</u>
GOLD HILL 1-4	4	1077-1080	MAY 30, 1987
GEM 1	20	3121	APR 6, 1986
GEM 2	10 (REDUCED)	3122	APR 6, 1986

With the filing of the 1984 work claims will be in good standing until 1989 (Gold Hill 1-4) and 1987, (Gem 1,2).

HISTORY OF THE CLAIMS:

A complete history of the property was presented in the previous years assessment report, and only a brief summary is given below:

1890 - Work began on property.

1898 - 600 ft. adit completed.

1903 - 10 tons shipped to Hall smelter, Nelson.

1921-22 - Ore shipped by Gormely

1927 - additional drifting and crosscutting completed

1927-74 - Little or no work done

1974 - Workings opened up by E.Denny and partners.

1979 - Ground staked by V.Guinet

1983 - Claims acquired by Golden Eye Minerals.

1983 - Portal cleared, workings sampled, VLF-EM and soil-samples.

1984 - Magnetometer, soil samples and VLF Surveys.


GOLDEN EYE MINERALS LTD

FIGURE 3

CLAIM MAP

SCALE 1:50,000

B. J. PRICE, M.S.C. 1985



ICE
73
RED

TOAD MTN.

GOLD HILL

REFERENDUM

SILVER KING

SNOW 1347(III)

CAM 1965(10)

NOMAN 1 2018(II)

SCOTT 1 1850(8)

GOLD EAGLE 3 1533(3)

MORNING MTN.

MAY + JENNIE

MARY ANN 2366(7)

COLUMBIA 222(4)

BLEWETT 2544(II)

L 15838, L 15837

JB 4 2533(II)

JB 3 2534(II)

JB 2 2535(II)

JB 1 2536(II)

JB 0 2537(II)

MM2 ALSO 2527(II)

MM1 2528(II)

MM0 2529(II)

MM-1 2530(II)

MM-2 2531(II)

MM-3 2532(II)

MM-4 2533(II)

MED. CINET. MTR. 2114 (2)

RICKO 1510(4)

QUEEN V 198(4)

QUEEN V 199(4)

QUEEN V 200(4)

QUEEN V 201(4)

QUEEN V 202(4)

QUEEN V 203(4)

QUEEN V 204(4)

QUEEN V 205(4)

QUEEN V 206(4)

QUEEN V 207(4)

QUEEN V 208(4)

QUEEN V 209(4)

QUEEN V 210(4)

QUEEN V 211(4)

QUEEN V 212(4)

QUEEN V 213(4)

QUEEN V 214(4)

QUEEN V 215(4)

QUEEN V 216(4)

QUEEN V 217(4)

QUEEN V 218(4)

QUEEN V 219(4)

QUEEN V 220(4)

QUEEN V 221(4)

QUEEN V 222(4)

QUEEN V 223(4)

QUEEN V 224(4)

QUEEN V 225(4)

QUEEN V 226(4)

LUC DOG 8 2502(II)

LUC DOG 7 2503(II)

LUC DOG 6 2504(II)

LUC DOG 5 2505(II)

LUC DOG 4 2506(II)

LUC DOG 3 2507(II)

LUC DOG 2 2508(II)

LUC DOG 1 2509(II)

LUC DOG 0 2510(II)

LUC DOG -1 2511(II)

LUC DOG -2 2512(II)

LUC DOG -3 2513(II)

LUC DOG -4 2514(II)

LUC DOG -5 2515(II)

LUC DOG -6 2516(II)

ROCK SLIDE 1 2262(2)

ROCK SLIDE 2 2263(2)

ROCK SLIDE 3 2264(2)

ROCK SLIDE 4 2265(2)

ROCK SLIDE 5 2266(2)

ROCK SLIDE 6 2267(2)

ROCK SLIDE 7 2268(2)

ROCK SLIDE 8 2269(2)

ROCK SLIDE 9 2270(2)

ROCK SLIDE 10 2271(2)

ROCK SLIDE 11 2272(2)

ROCK SLIDE 12 2273(2)

ROCK SLIDE 13 2274(2)

ROCK SLIDE 14 2275(2)

ROCK SLIDE 15 2276(2)

STAMP 1-20 1964(10)

STAMP 21-40 1965(20)

STAMP 41-60 1966(20)

STAMP 61-80 1967(20)

STAMP 81-100 1968(20)

STAMP 101-120 1969(20)

STAMP 121-140 1970(20)

STAMP 141-160 1971(20)

STAMP 161-180 1972(20)

STAMP 181-200 1973(20)

STAMP 201-220 1974(20)

STAMP 221-240 1975(20)

STAMP 241-260 1976(20)

GOLD HILL 1 1778(5)

GOLD HILL 2 1779(5)

GOLD HILL 3 1780(5)

GOLD HILL 4 1781(5)

GOLD HILL 5 1782(5)

GOLD HILL 6 1783(5)

GOLD HILL 7 1784(5)

GOLD HILL 8 1785(5)

GOLD HILL 9 1786(5)

GOLD HILL 10 1787(5)

GOLD HILL 11 1788(5)

GOLD HILL 12 1789(5)

GOLD HILL 13 1790(5)

NOB

TAPANII A

NOB

NELSO

MINERAL DEPOSITS IN THE AREA

The property is situated in a belt of altered basic volcanics known as the Rossland Group in which copper-gold-silver veins are abundant and characteristic of the unit. Important past producers are the Granite Poorman, Silver King, Second Relief, Venus and Juno, Athabasca, Fern, and Venango mines. Average grade in these producers was 0.3 to 0.6 oz. gold per ton.

Additional detailed data from the 1983 report will not be repeated here; the reader is referred to the previous report.

1984 WORK PROGRAM

During 1984, the underground workings were examined by the writer and V. Guinet. Loose rock adjacent to lamprophyre dykes near the portal and near Gormely's stope made underground work somewhat hazardous, and further underground mapping or sampling was not attempted. Mineralization was seen by the writer to be associated with shears and quartz zones associated with the margins of the late dark lamprophyre dykes.

Soil sampling was continued along the previously marked grid-lines, extending them to 250 meters east and west. A total of 275 soil samples and 15 assay samples were taken, on 6.85 km of reconnaissance flagged grid (1983 grid excluded). Results are shown in Figures 4A to 4C.

Magnetometer readings were taken at the same stations, using a McPhar M-700 fluxgate magnetometer, with a base-station near the Portal set arbitrarily at 500 gammas. Results are contoured in Figure 5A.

VLF-EM surveys started in 1983 were continued, but readings were taken along the same grid lines as the magnetometer readings. Results are shown as profiles on Figure 5B.

Field work was done by the writer, V. Guinet, prospector, and Bob Yourston, B.Sc., geologist from the 3rd of October to the 11th of October. Reports and maps were done at a later date.

REGIONAL GEOLOGY

The Fortynine Creek area is underlain mainly by dark green volcanics of the Rosslund Formation which includes intermediate to basic flows and tuffs of Jurassic age. Underlying the Rosslund Volcanics in other parts of the map area are metasediments of the Ymir Group, including argillites, slate, quartzite and minor limestone. Stocks of the Nelson Intrusives, granitic to dioritic in composition cut the Rosslund volcanics, and many of the copper-gold mines and prospects of the area are near the intrusive/volcanic or intrusive/sedimentary contacts. Late stage lamprophyre dykes cut the intrusives and in some cases, cut the veins. Occasionally, where the lamprophyre dykes are biotite-rich, the dyke material has weathered to a crumbly biotite sand and forms characteristic brown recessive zones in road-cuts.

PROPERTY GEOLOGY:

The property is underlain by massive to schistose dark green andesites of augite porphyry composition (Burton, 1983). Relict pillow structures, flow top banding and flow-banding were seen by Burton. The volcanics are sheared, with foliation trending predominantly northwesterly. Where sheared the volcanics are converted to chlorite schist with lesser biotite and some sericite. In general, veins coincide in strike and dip with the foliation of the surrounding schists. Fault zones are numerous

and may be filled with kaolinized gouge. Veins are pods or zones of somewhat pegmatitic quartz and feldspar with minor chalcopyrite, bornite and free gold.

A prominent lamprophyre dyke seen just within the portal is not seen in outcrop; these are probably recessive-weathering and several more may be present in the grid area.

DISCUSSION OF RESULTS:

GEOCHEMISTRY: Copper content in soil ranges from 8 to 176 ppm and mean is in the 25-35 ppm range. Based on visual inspection of results, values over 50 ppm are considered anomalous and are contoured. A large anomaly of moderate copper values is centered on Gormely Creek adjacent to quartz float in the creek. A small anomaly is centered on known copper mineralization near the portal.

Gold content of soil is low (5 ppb) over most of the grid area. This represents the limit of detection for this element. Two main anomalies stand out against the background; the first is situated near the surface projection of the veins including "Gormely's stope" in the underground workings. Peak value on this linear anomaly is 145 ppb. The second anomaly on Lines 50N and 100N has peak value 75 ppb. at 100N/250E. Other spot anomalies are of unknown significance. Values in this area greater than 10 ppb are considered anomalous and are contoured. Copper and gold, although occurring together in the high grade showings, do not correlate well in soils, perhaps because of particulate nature of the gold.

Arsenic values are mostly less than 20 ppm, which is considered the "threshold" of anomalous values. A small weak anomaly occurs above Gormely's stope (L150 N/BL 00). A stronger anomaly occurs on the east side of the grid - up to 65 ppm., with several other spot anomalies of unknown significance. One report indicates arsenopyrite may be present with strong gold/copper mineralization, but this relationship does not appear to be important in the grid area.

Silver values in soil range from 0.1 ppm to 3.0 ppm. Values over 0.5, 1.0 and 3.0 ppm are contoured. A large area trending northward from the projection of the stope is over 1 ppm silver and this may trace the trend of mineralized structures. A weak correlation between gold and silver in soil is suspected, and a weak correlation with arsenic is also possible.

Lead and Zinc values in soil are uniformly low and no attempt has been made to contour or interpret the data. Further sampling for these elements need not be done.

GEOPHYSICS:

A strong magnetic anomaly trends northwest across the grid and is quite uniform in width (100 meters) and orientation. Peak values are up to 2000 gammas above background levels (-250 to -500 gammas) This linear feature may represent the trace of a particular greenstone rock unit. No relationship to the lamprophyre dykes is suspected at this time, although dykes on the May and Jennie property are magnetic. Magnetic values are contoured at the 100, 300, and 500 gamma levels.

VLF-EM surveys done over the grid are shown in Figure 5B. Stations used were Seattle (marked with x's) and Cutler (marked with dots). Results are remarkably consistent between the two stations, with one main anomaly (above the zero line) which occurs on Lines 150 N to 300 N corresponding with Gormely Creek. The technique does not appear to outline the mineralization seen in the adit, although no stations are available which would provide the best orientation for north-south trending conductors. Fraser Filter contouring may enhance the data, and this should be done prior to any further surveys. In retrospect, the north south lines done in 1983 were easier to interpret. Exact significance of the anomaly along the creek is not known, but the effect is not thought to be caused by topography, but may reflect the trace of a fault.

CONCLUSIONS:

Geochemical and geophysical surveys performed to date have not outlined the existing mineralization. This is probably because the copper-gold bearing quartz stringers are narrow and unconductive, and only weakly controlled by faults and shears that are mainly post mineral in age. Strong mineralization seen in the "stope" may not extend to surface. Yet further surveys should be done on other parts of the property because the pyritic mineralization seen at the May and Jennie property nearby, or the strongly ribboned quartz vein seen at the Referendum property on the opposite side of Fortynine Creek represent other types of targets considered likely to occur on the Gold Hill property. Further work on the property is strongly recommended.

RECOMMENDATIONS:

The following recommendations are made for future work on the property:

1. Further magnetic and VLF-EM surveys and geochemical soil sampling should be done adjacent to the northern boundary of the property, where VLF-EM conductors traced by Player Petroleum Ltd. on the May and Jennie property appear to extend to their boundary.


2. Bulldozer trenching should be considered over the gold-copper geochemical anomalies and over the strongest VLF-EM anomalies.

Respectfully submitted,



Barry J. Price, M.Sc.

Consulting Geologist.



GOLD HILL PROPERTY
ITEMIZED COST STATEMENT - 1984 WORK
GOLDEN EYE MINERALS CORP

CONSULTING FEES:	B.J.PRICE, FIELD TIME, Oct 3-11, 1984	
	9 days @ \$350/day	\$3150.00
	B.J.PRICE, REPORT PREPARATION	
	Nov 16-20, 4 days @ \$350	1400.00
	V.GUINET, Oct 3-11, 1984	
	9 days @ \$200/day	1800.00
SUBCONTRACTS:	Bob Yourston, prospector asst.	
	Oct 3-11, 1984, 9 days @ \$150	1350.00
RENTALS:	V.Guinet 4x4 vehicle, 9 days @ \$50	450.00
	Phoenix VLF-2 EM Instrument 9x\$25	225.00
	McPhar M-700 Fluxgate Magnetometer	225.00
	Powersaw -	50.00
GEOCHEMICAL COSTS:	CHEMEX LABS LTD,	
	Soil Samples,	2543.75
	Rock Samples,	255.00
DISBURSEMENTS:	V.Guinet (list attached)	
	Gas and Oil	362.99
	Meals and Accom.	610.69
	Miscellaneous	47.69
	Telephone estimate	25.00
	Map reproduction, xeroxing estimate	200.00
WORD PROCESSING:		100.00

	TOTAL EXPENDITURES	\$12,795.12

Respectfully submitted

Barry Price

Barry Price, M.Sc.
Consulting Geologist



BIBLIOGRAPHY

- Burton, Alex, P.Eng. (1983). Report on the Gold Hill Property. Qualifying report for Prospectus for Golden Eye Minerals Ltd., 8 pp.
- Cockfield, W.E., (1936). Lode Gold Deposits of Ymir-Nelson Area, British Columbia. G.S.C. Mem. 191., 78 pp.
- Darney, Robert. (1983, 1984). Personal Communication.
- Denny, Eric (1984) Personal Communication.
- Little, H.W., (1960). Nelson Map-Area, West Half, British Columbia., G.S.C. Memoir 308, 205 pp.
- Mitchell, D.C. (1974) Geological and assay evaluation of the underground workings at the Gold Hill Claims., Fortynine Creek Area, B.C. Private report for Dekalb Mining Ltd. and Black Gold Resources Ltd. and underground plan.
- Mulligan, R., (1952). Bonnington Map Area, British Columbia. G.S.C. Paper 52-13.
- Price, B.J., M.Sc., (1984). Golden Eye Minerals Ltd. Report of Activities - 1983. Private Report to the Company.
- Price, B.J., M.Sc., (1984). Golden Eye Minerals Ltd. Brief Geological Update, Gold Hill Property. Private Report to the Company. Jan 4, 1984
- Price, B.J., M.Sc., (1984). Geological, Geochemical and Geophysical Report. Gold Hill Property, Nelson M.D., Assessment Report dated May 31, 1984.

ACME ANALYTICAL LABORATORIES LTD.
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: OCT 19 1984

DATE REPORT MAILED: *Oct. 29/84*

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR Mn, Fe, Ca, P, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Si, Zr, Ce, Sn, Y, Nb and Ta. Au DETECTION LIMIT BY ICP IS 3 ppb.

- SAMPLE TYPE: SOILS + PULVERIZED Au# ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *D. Toy* DEAN TOYE, CERTIFIED B.C. ASSAYER

GOLDEN EYE MINERALS

FILE # 84-3080A

PAGE 1

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au# ppb
L4+00N 0+25E	44	12	65	1.1	7	5
L4+00N 0+50E	27	53	56	.4	8	5
L4+00N 0+75E	26	11	41	1.0	3	5
L4+00N 1+00E	37	14	52	.6	4	5
L4+00N 1+25E	19	36	57	.6	7	5
L4+00N 1+50E	64	11	64	.7	3	5
L4+00N 1+75E	39	18	60	.4	6	5
L4+00N 2+00E	70	7	69	.5	2	5
L4+00N 2+25E	49	19	76	.3	7	5
L4+00N 2+50E	25	12	66	.4	6	5
L3+50N 0+25E	57	11	97	.3	23	5
L3+50N 0+50E	34	3	65	.5	14	5
L3+50N 0+75E	86	1	71	.1	9	5
L3+50N 1+00E	46	10	75	.2	16	5
L3+50N 1+25E	47	12	79	.2	11	5
L3+50N 1+50E	33	15	62	1.0	8	5
L3+50N 1+75E	85	12	73	.1	12	5
L3+50N 2+00E	49	10	78	.2	10	5
L3+50N 2+25E	58	9	72	.3	6	5
L3+50N 2+50E	47	13	68	.1	8	5
L3+00N 0+25E	35	24	119	.2	63	5
L3+00N 0+50E	20	8	85	.6	21	5
L3+00N 0+75E	18	12	87	1.5	17	5
L3+00N 1+00E	42	17	109	.3	41	5
L3+00N 1+25E	58	12	89	.4	20	5
L3+00N 1+50E	25	10	60	.9	12	5
L3+00N 1+75E	51	7	90	.4	19	5
L3+00N 2+00E	53	3	69	.3	6	5
L3+00N 2+25E	49	8	70	.3	13	5
L3+00N 2+50E	28	12	74	.4	19	25
L2+50N 0+25E	20	3	77	.6	10	5
L2+50N 0+50E	31	8	73	.5	19	5
L2+50N 0+75E	27	3	85	.3	17	5
L2+50N 1+00E	16	7	55	.3	10	5
L2+50N 1+25E	79	4	72	.2	14	5
L2+50N 1+50E	61	3	69	.1	13	5
L2+50N 1+75E	70	1	62	.1	10	5
STD C/AU 0.5	59	40	120	6.4	41	505

GOLDEN EYE MINERALS

FILE # 84-3080A

PAGE

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
L2+50N 2+00E	29	11	71	.4	16	5
L2+50N 2+25E	49	16	78	.6	15	5
L2+50N 2+50E	55	7	87	.3	41	5
L2+00N 1+50E	52	12	87	.2	16	5
L2+00N 1+75E	15	13	51	.3	17	5
L2+00N 2+00E	51	15	79	.1	65	5
L2+00N 2+25E	44	16	85	.1	46	5
L2+00N 2+50E	43	18	92	.4	22	5
L1+50N 1+50E	24	14	48	.4	10	5
L1+50N 1+75E	38	12	71	.3	10	5
L1+50N 2+00E	46	9	72	.2	9	5
L1+50N 2+25E	21	17	58	.6	15	5
L1+50N 2+50E	25	14	64	.2	29	5
L1+00N 1+75E	20	8	48	.4	7	5
L1+00N 2+00E	37	14	53	.1	5	25
L1+00N 2+25E	25	17	66	.5	5	15
L1+00N 2+50E	19	19	63	.3	10	75
RD 0+25E	57	12	64	.2	11	5
RD 0+50E	49	7	78	.4	12	5
RD 0+75E	47	10	78	.3	14	5
RD 1+00E	44	6	55	.3	8	5
RD 1+25E	41	12	64	.6	9	5
RD 1+50E	35	11	57	.5	9	5
RD 1+75E	30	13	65	.5	8	5
RD 2+00E	39	16	66	.2	6	5
RD 2+25E	32	6	78	.2	13	5
RD 2+50E	26	14	70	.4	12	5
RD 3+00E	21	7	57	.5	14	5
RD 3+50E	30	13	55	.1	13	5
RD 4+00E	37	7	62	.2	11	15
RD 4+50E	35	12	77	.5	21	75
RD 5+00E	43	11	88	.4	26	15
RD 5+50E	43	12	75	.7	25	50
RD 6+00E	29	12	73	.5	21	5
RD 6+50E	47	5	85	.3	20	15
RD 7+00E	35	9	99	.5	30	10
RD 7+50E	48	15	86	.5	11	5
STD C/AU 0.5	60	42	121	6.7	40	510

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
RD 8+00E	53	9	82	.3	15	5
RD 8+50E	44	11	64	.6	8	5
RD 9+00E	51	10	77	.5	3	5
RD 9+50E	51	11	64	.5	2	5
RD 10+00E	71	6	58	.1	5	5
50N 0+25E	35	15	77	.2	4	5
50N 0+50E	30	11	52	.3	3	5
50N 0+75E	24	11	60	.4	7	5
50N 1+00E	32	7	59	.1	8	5
50N 1+25E	31	10	62	.1	6	5
50N 1+50E	19	9	64	.2	4	10
50N 1+75E	34	4	61	.1	6	5
50N 2+00E	28	10	53	.1	2	30
50N 2+25E	36	8	64	.1	2	5
50N 2+50E	50	14	104	.2	38	5
50S-50N 2+55E	39	41	89	.4	37	5
50S 0+25E	30	14	79	.4	4	5
50S 0+50E	56	13	72	.1	12	5
50S 0+75E	31	11	77	.5	5	5
50S 1+00E	27	15	78	.2	7	20
50S 1+25E	25	11	71	.4	4	5
1+00S 0+25E	44	8	73	.5	9	5
1+00S 0+50E	28	12	81	.6	4	5
1+00S 0+75E	32	8	74	.3	5	5
1+00S 1+00E	32	11	90	.2	5	5
1+00S 1+25E	33	7	65	.2	4	5
1+00S 1+50E	28	8	85	.3	6	5
1+00S 1+75E	30	11	66	.2	6	5
1+00S 2+00E	21	12	86	.2	10	5
1+00S 2+25E	32	11	81	.2	9	5
1+00S 2+50E	38	7	65	.1	7	5
MJ2	77	9	73	.3	4	5
MJ5	67	5	32	.6	8	5
RDA 1+00E	72	1	54	.1	12	5
RDA 2+00E	73	1	59	.1	13	5
REC 0+00	44	9	85	.1	10	5
REC 0+50	56	9	77	.1	3	5
STD C/AU 0.5	60	38	121	6.5	40	480

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
GHP 10	40	3	61	.1	10	5
GHP 11	34	8	62	.1	9	5
SS-CK 4+35E	58	26	67	.5	30	5
L4+00N 2+50W	28	9	100	1.1	14	5
L4+00N 2+25W	38	15	116	.6	21	5
L4+00N 2+00W	29	13	87	1.0	19	5
L4+00N 1+75W	30	8	89	.8	20	5
L4+00N 1+50W	30	12	87	1.0	18	5
L4+00N 1+25W	24	17	78	1.9	9	5
L4+00N 1+00W	19	24	68	.6	9	5
L4+00N 0+75W	27	7	77	1.1	7	5
L4+00N 0+50W	47	12	71	.8	9	5
L4+00N 0+25W	62	6	86	.7	5	5
L3+50N 2+50W	23	9	67	.5	15	5
L3+50N 2+25W	26	11	87	.8	17	5
L3+50N 2+00W	28	10	66	.7	13	5
L3+50N 1+75W	24	13	89	.8	18	5
L3+50N 1+50W	38	8	94	.8	29	5
L3+50N 1+25W	33	20	97	1.0	21	5
L3+50N 1+00W	22	4	81	1.8	18	5
L3+50N 0+75W	16	8	82	3.0	11	5
L3+50N 0+50W	53	17	113	.6	18	5
L3+50N 0+25W	33	6	103	1.8	10	5
L3+00N 2+50W	19	14	87	.5	11	5
L3+00N 2+25W	19	8	75	.3	6	5
L3+00N 2+00W	19	17	80	.3	14	5
L3+00N 1+75W	19	10	85	1.2	16	5
L3+00N 1+50W	22	13	114	.4	23	5
L3+00N 1+25W	32	11	125	.8	30	5
L3+00N 1+00W	16	8	96	.9	23	45
L3+00N 0+75W	22	21	122	1.0	24	5
L3+00N 0+50W	36	14	113	1.0	27	5
L3+00N 0+25W	21	9	85	1.3	13	5
L2+50N 2+50W	17	6	77	.6	6	5
L2+50N 2+25W	27	12	88	.5	6	5
L2+50N 2+00W	9	19	67	.4	10	5
L2+50N 1+75W	26	6	76	.6	11	5
STD C/AU-0.5	54	47	120	6.9	39	510

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
L2+50N 1+50W	47	13	103	.2	16	5
L2+50N 1+25W	56	183	116	.1	11	5
L2+50N 1+00W	21	13	94	.3	12	5
L2+50N 0+75W	25	5	87	.1	13	5
L2+50N 0+50W	17	11	79	.6	11	145
L2+50N 0+25W	21	14	76	.5	14	5
L2+00N 2+50W	17	6	77	.1	2	5
L2+00N 2+25W	21	11	77	.1	8	5
L2+00N 2+00W	17	22	76	.2	4	5
L2+00N 1+75W	26	13	79	.2	6	5
L2+00N 1+50W	17	4	71	.3	4	5
L1+50N 2+50W	32	2	84	.2	5	5
L1+50N 2+25W	8	57	79	.1	7	5
L1+50N 2+00W	13	2	66	.2	4	5
L1+50N 1+75W	14	10	93	.2	5	5
L1+50N 1+50W	12	16	76	.3	6	5
L1+50N 1+25W	14	11	63	.1	3	5
L1+00N 2+50W	31	2	63	.5	8	5
L1+00N 2+25W	29	12	81	.2	9	5
L1+00N 2+00W	17	12	59	.2	6	5
L1+00N 1+75W	36	1	73	.1	5	5
L1+00N 1+50W	45	4	78	.4	2	5
L1+00N 1+25W	16	5	76	.1	5	5
BL 0+50S	25	2	60	.2	2	5
BL 0+75S	33	8	65	.2	4	5
BL 1+00S	37	5	64	.4	6	5
50S 2+50W	19	5	71	.2	5	5
50S 2+25W	31	9	88	.5	11	5
50S 2+00W	29	8	71	.1	5	5
50S 1+75W	37	4	68	.1	10	5
50S 1+50W	23	1	89	.6	3	5
50S 1+25W	38	8	70	.5	3	5
50S 1+00W	33	9	71	.4	3	5
50S 0+75W	37	9	75	.3	2	5
50S 0+50W	44	9	68	.4	9	5
50S 2+50W	59	5	64	.4	16	5
1+00S 2+25W	50	10	63	.3	9	5
STD C/AU 0.5	60	43	119	6.7	37	505

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au# ppb
1+00S 2+00W	49	16	89	.8	17	40
1+00S 1+75W	30	20	78	.6	11	5
1+00S 1+50W	27	25	61	.9	12	5
1+00S 1+25W	33	17	77	.5	8	5
1+00S 1+00W	26	11	66	.5	8	5
1+00S 0+75W	36	10	62	.2	9	5
1+00S 0+50W	29	16	66	.5	7	5
1+00S 0+25W	45	9	68	.1	11	5
C56 15+50W	54	16	91	.4	6	5
C56 15+00W	68	17	81	.3	2	5
C56 14+50W	52	16	91	.3	6	5
C56 14+00W	61	23	85	.4	9	5
C56 13+50W	23	22	61	.5	3	5
C56 13+00W	76	14	67	.3	6	5
C56 12+60W	176	9	56	.1	2	5
C56 12+50W	87	20	63	.1	2	5
C56 12+00W	58	26	68	.3	7	20
C56 11+50W	63	19	101	.2	22	5
C56 11+25W	73	38	116	.2	10	5
C56 11+00W	51	9	81	.1	8	5
C56 10+75W	39	21	115	.2	6	5
C56 10+60W	84	42	113	.2	13	5
C56 10+50W	45	16	90	.3	8	5
C56 10+00W	88	20	109	.1	5	5
C56 9+50W	106	20	147	.1	5	5
C56 9+00W	56	14	106	.5	3	5
C56 8+50W	38	28	184	.3	8	5
C56 8+00W	82	15	96	.4	10	5
C56 7+50W	58	48	105	.8	17	25
C56 7+00W	62	17	59	.8	114	5
C56 6+50W	92	15	99	.9	14	5
C56 6+00W	63	20	105	.7	12	5
C56 5+50W	47	7	67	.2	8	5
C56 5+00W	55	15	77	.3	13	5
C56 4+50W	38	17	83	.9	13	5
C56 4+00W	42	14	76	.5	9	5
C56 3+50W	51	15	84	.6	15	5
STD C/AU-0.5	60	40	118	6.6	40	500

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au# ppb
C56 3+00W	22	9	61	1.4	6	5
C56 2+50W	50	10	89	.9	18	5
C56 2+00W	54	13	78	.5	12	5
C56 1+50W	51	11	68	.7	6	5
C56 1+00W	46	9	76	.2	9	5
C56 0+50W	23	9	35	.6	11	5
RD 21+00W	154	17	109	.6	5	5
RD 20+50W	50	6	68	.4	6	5
RD 20+00W	66	10	96	.6	7	5
RD 19+50W	46	18	153	.9	28	5
RD 19+00W	77	10	96	.7	27	5
RD 18+50W	65	11	83	.5	15	5
RD 18+00W	50	12	109	.6	10	5
RD 17+50W	24	17	79	.4	11	5
RD 17+00W	66	9	70	.3	4	5
RD 16+50W	35	12	76	.3	4	5
RD 16+00W	31	17	79	.3	3	5
RD 15+50W	23	12	66	.2	5	5
RD 15+00W	43	8	66	.3	7	10
RD 14+50W	31	11	63	.3	6	5
RD 14+00W	26	8	67	.2	4	5
RD 13+50W	27	5	62	.5	6	5
RD 13+00W	27	5	67	.3	2	5
RD 12+50W	29	9	80	.1	5	5
RD 12+00W	21	14	100	.3	11	5
RD 11+50W	35	5	79	.4	9	5
RD 11+00W	35	11	67	.3	3	5
RD 10+50W	42	10	71	.3	3	5
RD 10+00W	33	13	87	.6	9	5
RD 9+00W	42	12	64	.2	4	5
RD 9+50W	63	10	72	.5	4	5
RD 8+50W	73	11	74	.4	2	5
RD 8+00W	61	20	79	.2	10	5
RD 7+50W	55	12	55	.7	7	5
RD 7+00W	62	15	85	.3	16	5
RD 6+50W	26	11	65	.1	34	5
RD 6+00W	27	16	73	.4	11	5
STD C/AU 0.5	60	38	117	6.5	38	510

SAMPLE#	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Au* ppb
RD 5+50W	46	1	66	.4	9	5
RD 5+00W	30	4	67	.3	10	5
RD 4+50W	24	1	54	.6	7	5
RD 4+00W	15	4	70	.5	7	5
RD 3+50W	27	6	63	.4	9	15
RD 3+00W	23	7	72	.6	13	5
RD 2+50W	30	4	84	.5	18	5
RD 2+25W	22	7	74	.9	12	5
RD 2+00W	36	7	60	.6	13	5
RD 1+75W	33	1	62	.9	16	5
RD 1+50W	42	8	73	.4	15	5
RD 1+25W	31	2	72	.4	13	5
RD 1+00W	43	7	71	.4	17	5
RD 0+75W	68	1	59	.5	15	5
RD 0+50W	43	5	69	.4	9	5
RD 0+25W	75	9	82	.3	18	5
STD C/AU 0.5	58	38	120	6.9	42	505

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE 253-3158 TELEX 04-53124

DATE RECEIVED: OCT 11 1984

DATE REPORT MAILED: *Oct. 29/84*

ASSAY CERTIFICATE

SAMPLE TYPE: ROCK CHIPS AU: 10 GRAM REGULAR ASSAY

ASSAYER: *D. Toye* DEAN TOYE. CERTIFIED B.C. ASSAYER

GOLDEN EYE MINERALS FILE # 84-3080B

PAGE

SAMPLE#	Cu	Ag	Au
	%	oz/t	oz/t
C56-1	.03	.08	.001
C56-2	.01	.01	.001
GHP84-1	.11	.16	3.750
GHP84-2	4.24	4.91	6.050
GHP84-3	.70	1.15	.328
GHP84-4	.04	.03	.007
GHP84-5	.01	.01	.001
GHP84-6	.01	.01	.001
GHP84-7	.07	.07	.004
L1+50N 2+25E ROCK	.01	.01	.001
MJ RX 1	.01	.04	.090
MJ RX 3	.01	.04	.019
MJ RX 4	.01	.06	.290
MJ RX 6	.01	.03	.510
YR-1	.34	.01	.004
STD C-8	1.07	5.55	-

QUALIFICATIONS

Name: BARRY JAMES PRICE

Born: SMITHERS, B.C., CANADA, AUGUST 19, 1944

EDUCATION:

A. HIGH SCHOOL: Smithers, B.C. Graduated 1961

B. UNIVERSITY: University of British Columbia, Vancouver, B.C.

B.Sc. (Honors Geology) 1965. Thesis Topic:

"Tertiary Sediments at Driftwood Creek,
Smithers Map Area, B.C.

M.Sc. Geology. 1972. Thesis Topic:

"Minor Elements in Pyrite and Exploration
Applications of Minor Element Studies".

EMPLOYMENT RECORD:

1961 QUALITY SPRUCE SAWMILL, Topley, B.C., Greenchain, Resaw.

1962 B.C. FOREST SERVICE, Houston, B.C. Cooks Helper.

1963 GEOLOGICAL SURVEY OF CANADA, Calgary, Alberta.

Micropalaeontology Lab., supervised by T.P. Chamney

1964 GEOLOGICAL SURVEY OF CANADA. Junior Field Assistant,

Geological mapping party, Kananaskis and Canal Flats
Mapsheets, Alberta and B.C. Supervised by Dr. G.B. Leech.

1965 - 1968 CHEVRON STANDARD LTD. Calgary, Alberta. Senior

Field Assistant on mapping party in Mackenzie and
Richardson Mountains. Subsurface exploration studies,
Carbonate reef research, Wellsite supervision and
Production Department duties.

- 1968 MANEX MINING LTD, Smithers, B.C. Geological mapping and diamond drill supervision
- 1969 MANEX MINING LTD., Smithers, B.C. Property mapping and evaluation, geophysical and geochemical surveys, supervision of Diamond Drilling, Evaluation of Jade deposits.
- 1970 ARCHER, CATHRO AND ASSOCIATES, Party Chief, Sedimentary Copper exploration, Mackenzie Mountains, regional map preparation and coordination of prospectors.
- 1971 J.R.WOODCOCK CONSULTANTS LTD., Project Geologist in Massive Sulphide exploration project. Regional exploration and property geology, geophysics and geochemistry. Barriere and Adams Plateau areas.
- 1972 - 1976 MANEX MINING LTD. Vancouver, B.C. Senior Geologist Consulting geological work for a variety of corporate clients
- 1976 PETRA GEM EXPLORATIONS OF CANADA LTD., Vice-President and managing director. Exploration for gem materials and Geological Consulting. Exploration and development of precious metal, base metal and industrial mineral deposits. Exploration for Jade deposits and kimberlites. Exploration in Mexico and Republic of Phillipines.
- 1979 RAPITAN RESOURCES INC. President and sole shareholder. Consulting Geological Services for major companies and speculative junior companies. Management of prospecting programs. Development of exploration plays and preparation of qualifying reports. Property evaluation Development of geological computer programs.

CORPORATE DIRECTORSHIPS

DELPHI RESOURCES LTD.: 1974 to 1984

TERRITORIAL GOLD PLACERS LTD.: 1975 TO 1982

PETRA GEM EXPLORATIONS OF CANADA LTD.: 1976 TO 1984

GOLDEN EYE MINERALS LTD.: 1983-1984

PROFESSIONAL MEMBERSHIPS

GEOLOGICAL ASSOCIATION OF CANADA: Fellow, 1975-1984

CANADIAN INSTITUTE OF MINING, Member.


B.C. YUKON CHAMBER OF MINES

WEST COAST COMPUTER SOCIETY

ENGINEERS CLUB, Member 1980-1984

PUBLICATIONS

Sinclair, A.J., Fletcher, A.K., Price, B.J., Bentzen, A, and Wong, S.S; (1977) Minor Elements in Fyrites from some Porphyry-Type Deposits, British Columbia. Transactions of Society of Mining Engineers, June 1977, vol.262, pp.94-100.



GOLDEN EYE MINERALS LTD.


GOLD HILL PROPERTY

SOIL GEOCHEMICAL SURVEY
COPPER AND GOLD
GEOLOGICAL BRANCH
ASSESSMENT REPORT

13,878


FIG 4A

B. J. PRICE 1985



LEGEND

- Schistosity
- Silt sample
- Soil sample
- Claim post
- Creek
- Adit-Caved
- Vein
- Pit
- EM Cross-over (Conductor)
- Ag (ppm) 15
- As (ppm) 15
- Ag > 0.5, 1.0, 3.0
- As > 20 ppm, 40 ppm, 60 ppm




GEOLOGICAL BRANCH
ASSESSMENT REPORT

13878
GOLDEN EYE MINERALS LTD
GOLD HILL PROPERTY

SOIL GEOCHEMICAL SURVEY
SILVER and ARSENIC

Fig 4B
B J PRICE 1985



LEGEND

- Schistosity
 - Silt sample
 - Soil sample
 - Claim post
 - Creek
 - Adit-Caved
 - Vein
 - Pit
 - EM Cross-over (Conductor)
- 44 Pb (ppm) 64 Zn (ppm)

0 50 100 m.


**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

13 878

**GOLDEN EYE MINERALS LTD.
GOLD HILL PROPERTY**

**SOIL GEOCHEMICAL SURVEY
LEAD and ZINC**

BJ PRICE File 4C 1985



LEGEND

- Schistosity
- Silt sample
- Magnetic values in gammas
- Claim post
- Creek
- Adit-Caved
- Vein
- EM Cross-over (conductor)
- Vein


0 50 100 m.

**GEOLOGICAL BRANCH -
ASSESSMENT REPORT**

13.878
GOLDEN EYE MINERALS LTD.
GOLD HILL PROPERTY

MAGNETOMETER SURVEY
Base Stn. set at 500 γ
McPhar M-700 Instrument

FIG 5A
B J PRICE 1985



GEOLOGICAL BRANCH
ASSESSMENT REPORT

13 878
GOLDEN EYE MINERALS LTD.
GOLD HILL PROPERTY

VLF - EM SURVEY

BJ PRICE FIG 5B 1985