

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

13,991

JOHN R. POLONI P. Eng.
Consulting Geologist

Geological - Geochemical Report
on the
Eagle, Raven and Lock Mineral Claims
Lockeport Area, Moresby Island
Queen Charlotte Group
52⁰42' N. Latitude, 131⁰50' W. Longitude
Skeena Mining Division
British Columbia
on behalf of
Diamond Resources Inc.
September 19, 1985

John R. Poloni & Associates Ltd.
1512B - 56th Street
Delta, B.C. V4L 2A8

JOHN R. POLONI P. Eng.
Consulting Geologist

TABLE OF CONTENTS

	<u>Page No.</u>
1.0 Summary and Conclusions	1
2.0 Introduction	2
Property Location Map - Plan No. 1	3
3.0 Location and Accessibility	4
4.0 Claim Information	5
5.0 Physical Features	5 - 6
6.0 History	6 - 9
7.0 Geology	9 - 11
8.0 Geochemical-Geological Surveys 1985	11 - 12
9.0 Recommendations	12
10.0 Appendices	
Appendix A - Cost Statement	13 - 14
Appendix B - Assessment Report, Statement of Exploration and Development, Notice to Group	15
Appendix C - Certificate	16 - 17
Appendix D - Assay Data, Maps	18

1.0 Summary and Conclusions

Diamond Resources Inc. controls the Eagle, Eagle #2, Eagle #3, Raven and Lock 1-4 mineral claims near Lockeport, Moresby Island.

Copper mineralization has been known on the property since 1907 but the principal exploratory period was during the late 1960's.

The terrain is extremely rugged which makes systematic exploration very difficult and costly.

Recent geochemical and geological surveys were completed over a chain and compass slope correct grid as described in this report. Additional work as previously recommended is necessary to thoroughly assess the economic potential of the property.

2.0 Introduction


The Diamond Resources Property, near Lockeport on Moresby Island consists of the Eagle (9 units), Raven (2 units), Eagle #2 (5 units), Eagle #3 (2 units) and the Lock (1-4) mineral claims which cover the old "Swede" and "Last Chance" showing which were originally discovered about 1907.

The property situated approximately 35 air miles south of Sandspit, 120 miles southwest of Prince Rupert, and 470 miles northwest of Vancouver has been subjected to sporadic exploration between 1907 - 1916, in the 1950's and 60's but with the most intensive period of work being completed by Ana Lake Mines Ltd. in 1969.


This report is a summary of geochemical and geological surveys completed during July and August 1985.

Property Location Map

Plan No. 1



DIAMOND RESOURCES INC.
CLAIM LOCATION



DIAMOND RESOURCES INC.		
PROPERTY LOCATION MAP EAGLE, RAVEN & LOCK CLAIMS QUEEN CHARLOTTE ISLANDS SKEENA MINING DIVISION, B.C.		
JOHN R. POLONI & ASSOCIATES LTD.		
DRAWN : J.R.P.	CHECKED: J.R.P.	PLAN No.
SCALE : As shown	DATE : Sept. 19, 1985	1

3.0 Location and Accessibility

The Eagle, Raven and Lock claims are located straddling Anna Inlet of Klunkwoi Bay and a rugged peninsula on its east side, covering the site of the abandoned town of Lockeport, and the original "Swede" and "Last Chance" mineral claims.

Property location is described as being in the Skeena Mining Division, on Moresby Island of the Queen Charlotte group, at 52°52' North Latitude; 131°50' West Longitude.

Air distance to Sandspit, Prince Rupert, and Vancouver is 35 miles north, 120 miles northeast and 470 miles southeast, respectively.

The claims are accessible by boat or by float equipped airplanes. At present helicopter use is restricted to the vicinity of Lockeport. Mineral showings and adits are located on steep side hill terrain as shown on Plan No. 3 appended.

Sandspit is serviced daily by Pacific Western Airlines (737). Charter air service is available from Sandspit and Prince Rupert. Both Klunkwoi Bay and Anna Inlet are suitable for deep draft ocean freighters.

4.0 Claim Information

The property consists of the Eagle claim (9 units), Raven claim (2 units), Eagle #2 claim (5 units), Eagle #3 claim (2 units) and the Lock (1-4) which are two post claims.

The writer examined the location post No. 1 for the Lock #1 claim on February 23, 1981 during a visit to the property.

Claim data is as follows:

<u>Name</u>	<u>Number</u>	<u>Expiry Date</u>
Lock 1-4	2293-2296	May 16, 1988
Eagle (9 units)	622	May 26, 1988
Raven (2 units)	623	May 26, 1988
Eagle #2 (5 units)	4002	August 8, 1988
Eagle #3 (2 units)	4003	August 8, 1988

5.0 Physical Features

The principal showings and adits are located on a rugged peninsula between Anna Inlet and Salmon Creek. Elevations range from sea level to a maximum of about 1,600 feet in 3,000 feet lateral distance.

Numerous rock knolls ledges and steep scarps exist. Overburden depth ranges from a few inches to several feet. Moss cover is extensive.

Heavy timber growth consisting of hemlock, balsam, spruce,

5.0 Physical Features, cont'd.

and cedar covers much of the land surface. Deadfalls and "devils club" growth makes ground progress very difficult.

Water needs for camp requirements are adequately available from several small streams draining the peninsula and the northerly slopes of Anna Inlet. Anna Lake could provide an excellent source of water for mining purposes.

No buildings or other structures presently exist on the claims.

Climatic conditions are typical of the west coast maritime environment of the Queen Charlotte Islands with moderate temperatures and abundant precipitation. The average annual temperature is 46⁰F with extremes to 84⁰F to -2⁰. Annual average rainfall is about 60 inches with snowfall averaging 60 inches.

Because of periods of severe weather, restrictions on air and sea travel are experienced in the area. This would not hamper mining and exploratory activities greatly but would effect the haulage of supplies. It is reported that 250 days a year are suitable for ocean haulage.

6.0 History

The Swede group was the first mineral discovery made in the Lockeport area with the showings being staked in 1907. In 1908 the Minister of Mines Report describes 150 feet of tunnel being

6.0 History, cont'd.

driven. The report reads, "After passing through a 12-ft. dyke, an ore body was encountered bearing N 80° W., with almost a vertical dip, and continued for 22 feet where the last shots fired disclosed a highly altered limestone. This 22 ft. averaged 2.75 to 3% copper, with small gold and silver values. On the surface there is a further 80 feet of mineral from the breast of the drive to another dyke, from whence 150 ft. of mineralization is apparent on the surface. In the Bornite tunnel, bornite ore with gold and silver is shown. This property has a vast tonnage of low grade ore, if mineralization holds with depth".

Three short adits were completed on the Anna Inlet side of the peninsula prior to 1915.

Granby Mining Co. in 1916 undertook prospecting and the diamond drilling of 2,000 feet in nine holes. This work explored copper mineralization on both the Swede and the Last Chance zones. Core is reported to have been lost in transit, however records showing detailed logs were completed and assays obtained for three of the holes. Assay data and averages for nine holes taken from Westervelt, 1969, are included in Appendix D of the report by the author dated March 14, 1981. Granby undertook additional reconnaissance in 1951.

Three drill holes for a total of 326 feet were completed by New Jersey Zinc in 1956.

6.0 History, cont'd.

In 1967, Cosmic Lode Mines acquired the property completing a limited amount of drilling in the vicinity of the Last Chance showings.

It is reported that the results of much of the past work are largely unavailable.

Ana Lake Mining Ltd. undertook the most extensive exploration in 1969, where reconnaissance geological mapping, an airborne magnetometer survey, sampling (bulk), concentration tests, Petrographic studies, and diamond drilling were completed. R.D. Westervelt, P.Eng. mapped geologically, the adit and showing areas, and completed a Brunton and chain survey across the peninsula between the "Swede" and the "Last Chance" showings.

In 1969 Geo-X-Survey completed 22 line miles of total field aeromagnetic surveying, using a Twin Bonanza fixed wing aircraft.

A total of 2,923 feet of diamond drilling in 22 holes were undertaken by Ana Lake Mining Ltd., of which 9 holes were on the Anna Inlet side and 13 holes near the "Last Chance" showing.

The complete exploratory program for Ana Lake Mining was directed by Weymark Engineering Ltd.

Assaying of the drill core was not undertaken but a plan showing a visual estimation of grades as evolved by R.D. Westervelt and W.J. Weymark is included in the March 14, 1981 report. Mr. D. Rees reports that no drill core remains for present examination, splitting, and assaying.

6.0 History, cont'd.

Recent history relates to reconnaissance geochemistry and geology completed between 1981 - 1984, and to the current work undertaken during the period July 31 - August 7, 1985. The results of the 1985 work will be discussed in Section 8.0 of this report.

7.0 Geology

The geological characteristic of the Queen Charlotte Islands are described in Bulletin No. 43, "Geology of the Queen Charlotte Islands" by A. Sutherland Brown.

The claim groups are situated in an extensive area of Karmutsen volcanics consisting of andesitic agglomerate, pillow lavas and ignimbrite, volcanics, sandstone and minor limestone. Kunga limestone occurs as local remnant cappings.

The Karmutsen sequence represents an accumulation of Triassic submarine basic lavas greater than 14,000 feet thick, with basalt, pillow lava, breccia and tuff with minor interbedded limestone, sandstone, and shale, being the dominant rock units.

As described by Westervelt, R.D. 1969, "As observed during the field examination, the showings areas and peninsula between Anna Inlet and Salmon Creek are entirely underlain by Karmutsen basic volcanics and related dykes and sills. The Karmutsen flows are composed of slightly chloritized and epidotized massive and

7.0 Geology, cont'd.

amygdaloidal basalts. In surface exposures and drill cores, no pillow lavas or tuffs were observed and sharp interflow contacts are lacking".

Westervelt R.D. describes three major rock types including diabase flows, diorite, and diabase dykes. Diabase flows are described as being fine to medium grained dark grey to green in colour, amygdaloidal and less frequently porphyritic. Amygdules containing quartz, epidote chlorite, and calcite are abundant. Westervelt states, "Within the diabase sequence, flow contacts, flow structures, and primary features are lacking and individual flows cannot be distinguished".

Diorite is described as being a medium to coarse grained "salt and pepper" variety of limited extent with widths of 3 to 30 feet. Only trace amounts of pyrite have been observed.

The Diabase dykes are fine to medium grained, grey to black in colour and occur frequently throughout the explored area. Westervelt R.D. states that chill contacts are common, the dykes are steeply dipping, varying in width from 1 to 30 feet.

Mineralization as chalcopyrite and minor bornite, confined to the diabase flows, consists of blebs or pods, fine disseminations, thin hair like veinlets, and stringers. Sulfides occur extremely erratically throughout all phases of the diabase, showing some preferential relationship to the finer epidotized phase and in flows where amygdules are predominantly filled with epidote.

7.0 Geology, cont'd.

Malachite staining is observed near the workings and also in large boulder float south of the No. 1 tunnel. A grab sample of mineralized material from the face of No. 1 tunnel taken by the author assayed 0.95% Cu, 0.022 Au oz/ton and Tr Ag oz/ton.

During 1984, geochemical reconnaissance from helicopter, radiating from the height of land on the Eagle claim indicated anomalous response for gold to the west of Salmon Creek.

8.0 Geochemical-Geological Surveys 1985

During the period July 31st - August 7, 1985; a two man field crew undertook geochemical soil sampling, and geological mapping on the property from base camps set up using helicopter support. The project plan was to establish, terrain permitting, a north-westerly trending base line over the height of land between Anna Inlet and Salmon Creek, with grid lines being run at 100 meter spacing, where possible. Sample stations were at 50 meter spacing. All lines were run using chain and compass and were slope corrected.

During the survey, 90 soil samples of B Horizon material and three rock samples were collected which were submitted to Min-En Laboratories in Vancouver for analysis for copper, silver, and gold. Analysis method was Cu, Ag nitric, perchloric digestion A.A., Au - aqua regia A.A.. Sample frequency is low, to determine anomalous

8.0 Geochemical-Geological Surveys 1985

characteristics, but calculations completed indicate:

<u>Element</u>	<u>Mean</u>	<u>Anomalous</u>
Copper	44.7 ppm	90 ppm
Silver	0.66 ppm	1.32 ppm
Gold	7.9 ppb	16.0 ppb

Sample data is shown on Plan No. 3 included in Appendix D.

9.0 Recommendations


Additional surveys are to be undertaken as recommended by the author in the March 4, 1981 report so as to properly evaluate the economic potential of the property.



Appendix A
Cost Statement

Project Cost Statement

<u>Period</u>	July 31st - August 7th, 1985	
<u>Personnel</u>	A. Raven - Field Technician M. Hlava - Geologist	
<u>Project Costs</u>	Air lines	\$1,791.12
	Helicopter	1,338.40
	Hotel	186.38
	Food & supplies	543.87
	Assays	772.60
	Equipment & rental	680.25
	Topo map	1,500.00
	Transportation	75.00
	Wages	3,600.00
	Administration	100.00
		<u>\$10,587.62</u>



Appendix B

- 1.0 Assessment Report - Title Page and Summary
- 2.0 Statement of Exploration and Development
- 3.0 Notice To Group

BRITISH COLUMBIA MINING RECEIPT

Mining Division Skeena

Issued at Vancouver

No 179165 E

- Date August 7, 1985

RECEIVED from Diamond Resources Inc

the sum of four hundred & fifty - ~~88~~ Dollars,

in payment of pending supp fuel &

Group plus work \$8,800.

Apply 2 yrs to EAGLE, RAVEN,

LOCK 1-4

3 yrs to EAGLE 2-3

Signature J Phillips

Office Sutcliffe

\$ 450⁰⁰

Appendix C
Certificate

I, John R. Poloni, of 5502 - 8B Avenue, in the Municipality of Delta,
in the Province of British Columbia,

DO HEREBY CERTIFY THAT:

1. I am a Consulting Geologist.
2. I am a graduate of McGill University of Montreal, Quebec, where I obtained a B.Sc. Degree in Geology in 1964.
3. I am a Registered Professional Engineer in the Geological Section of the Association of Professional Engineers of the Province of British Columbia.
4. I have practiced my profession since 1964.
5. I am a Member of the Canadian Institute of Mining and Metallurgy.
6. I have personally visited the property on February 23, 1981.
7. I have no interest in the properties and securities of Diamond Resources Inc., nor do I expect to receive or acquire any.
8. I consent to the use of this report by Diamond Resources Inc. in a submission to the Vancouver Stock Exchange and/or the British Columbia Superintendent of Brokers, and to distribute all or parts of the report to the shareholders or other interested parties provided that the meaning is not altered by partial quotes.

Dated this 19th day of September, 1985.



JOHN R. POLONI P. Eng.
Consulting Geologist

Appendix D

1.0 Assay Data

2.0 Maps

Scale

Plan No. 2 - Claim Map

As shown

Plan No. 3 - Geochemical-Geological
Data

1:2500

MIN-EN Laboratories Ltd.

705 WEST 15th STREET,
NORTH VANCOUVER, B.C., CANADA V7M 1T2
TELEPHONE (604) 980-5814

ANALYTICAL REPORT

Project Anna Inlet Date of report Sept. 10/85.

File No. 5-594 Date samples received Sept. 4/85.

Samples submitted by:

Company: Diamond Resources

Report on: 90 soils, 3 rocks Geochem samples

..... Assay samples

Copies sent to:

1. Diamond Resources, Vancouver, B.C.

2. John Poloni, Delta, B.C.

3.

Samples: Sieved to mesh -80 soil Ground to mesh -80 rock

Prepared samples stored discarded

rejects stored discarded

Methods of analysis: Cu, Ag-nitric, perchloric digestion. A.A., Au-aqua regia. A.A.

Remarks:

SPECIALISTS IN MINERAL ENVIRONMENTS

MIN-EN Laboratories Ltd.
 Specialists in Mineral Environments
 705 WEST 15th STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

PHONE: (604) 980-5814 OR (604) 988-4524

TELEX: 04-352828

GEOCHEMICAL ANALYSIS CERTIFICATE


COMPANY: DIAMOND RESOURCES
 PROJECT: ANNA INLET
 ATTENTION: J. POLONI

FILE: 5-594/P1
 DATE: SEPT. 10/85.
 TYPE: SOIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 30 samples submitted.

SAMPLE NUMBER	CU PPM	AG PPM	AU PPB	
01	29	0.6	15	20MESH
02	12	0.6	10	
03	94	1.0	5	20MESH
04	17	0.4	10	
05	34	1.0	5	
06	36	1.2	5	
07	48	1.6	10	
08	34	0.9	5	
09	28	1.0	25	40MESH
11	10	0.5	10	
12	70	1.2	5	
13	18	0.8	5	
14	50	0.9	10	
15	54	0.8	5	
16	8	0.4	5	
17	31	0.2	10	
18	22	0.3	5	
19	10	0.2	5	
20	8	0.2	10	
21	20	0.8	5	
22	18	0.4	5	
23	29	0.8	10	40MESH
26	10	0.4	5	40MESH
28	9	0.2	15	
29	10	0.3	5	20MESH
30	20	0.8	5	
31	32	0.7	10	
32	20	0.5	5	
33	62	1.0	15	
34	26	0.4	5	

Certified by



MIN-EN Laboratories Ltd.
Specialists in Mineral Environments
 705 WEST 15th STREET NORTH VANCOUVER, B.C. CANADA V7H 1T2

PHONE: (604) 980-5814 OR (604) 988-4524

TELEX: 04-352828

GEOCHEMICAL ANALYSIS CERTIFICATE


COMPANY: DIAMOND RESOURCES
 PROJECT: ANNA INLET
 ATTENTION: J. POLONI

FILE: 5-594/P2
 DATE: SEPT.10/85.
 TYPE: SOIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 30 samples submitted.

SAMPLE NUMBER	CU PPM	AG PPM	AU PPB	
35	19	1.0	5	
36	22	1.0	10	20MESH
37	250	1.3	10	
38	42	0.9	5	
39	60	1.0	5	20MESH
40	10	1.0	5	
41	62	0.9	15	
42	10	0.4	5	20MESH
43	14	0.4	5	40MESH
44	40	0.5	10	
45	34	0.8	10	40MESH
47	22	0.4	5	20MESH
48	176	1.0	5	
49	23	0.4	5	
50	100	0.8	5	40MESH
51	23	0.5	5	
52	29	0.6	10	
54	39	0.8	5	
59	35	0.8	10	
60	25	0.4	5	
61	12	0.3	5	
62	16	0.4	5	40MESH
63	16	0.6	10	
64	21	0.4	5	
65	16	0.2	25	
67	27	1.0	15	
68	24	0.9	5	
69	58	0.8	10	
70	8	0.3	5	20MESH
71	14	0.6	10	20MESH

Certified by



MIN-EN Laboratories Ltd.
Specialists in Mineral Environments
 705 WEST 15th STREET NORTH VANCOUVER, B.C. CANADA V7H 1T2

PHONE: (604)980-5814 OR (604)988-4524

TELEX: 04-352828

GEOCHEMICAL ANALYSIS CERTIFICATE


COMPANY: DIAMOND RESOURCES
 PROJECT: ANNA INLET
 ATTENTION: J. POLONI

FILE: 5-594/P3
 DATE: SEPT. 10/85.
 TYPE: SOIL GEOCHEM

I hereby certify that the following are the results of the geochemical analysis made on 30 samples submitted.

SAMPLE NUMBER	CU PPM	AG PPM	AU PPB	
2	16	0.5	5	20MESH
4	16	0.6	25	
5	56	1.0	5	40MESH
9	182	1.0	5	
0	54	0.8	10	
1	24	0.7	10	
2	24	0.6	5	
3	108	1.2	5	
5	29	0.6	5	40MESH
6	40	1.2	20	
8	11	0.4	5	
9	96	1.2	5	
0	30	0.4	5	
2	26	0.6	10	
3	63	1.0	5	
4	16	0.8	25	
5	8	0.4	5	
6	77	1.0	15	
7	16	0.4	5	
8	56	0.5	5	
9	24	0.4	10	
00	26	0.4	5	
01	78	0.4	5	
02	64	0.6	15	
03	128	1.2	5	
04	460	0.8	5	
05	58	0.6	10	
06	44	0.5	5	
07	20	0.6	5	
08	40	1.0	10	

Certified by



MIN-EN Laboratories Ltd.
Specialists in Mineral Environments
705 WEST 15th STREET NORTH VANCOUVER, B.C. CANADA V7H 1T2

PHONE: (604) 980-5814 OR (604) 980-4524

TELEX: 04-352828

GEOCHEMICAL ANALYSIS CERTIFICATE


COMPANY: DIAMOND RESOURCES
PROJECT: ANNA INLET
ATTENTION: J. POLONI

FILE: 5-594
DATE: SEPT. 10/85.
TYPE: ROCK GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 3 samples submitted.

SAMPLE NUMBER	CU PPM	AG PPM	AU PPB
1-LIE-1+50S	20	1.6	5
2-L3+00E-4+00S	5400	2.4	50
8+00E-3+50S	9100	3.0	30

Certified by



C. DRILLING (Details in report submitted as per section 8 of regulations.) (The itemized cost statement must be part of the report.)	COST
D. GEOLOGICAL, GEOPHYSICAL, GEOCHEMICAL (Details in report submitted as per section 5, 6, or 7 of regulations.) (The itemized cost statement must be part of the report.) (State type of work in space below.) <i>Geological and Geochemical</i> <i>Report to follow within 90 days</i> <i>of August 8th 1985.</i>	\$9137.00
TOTAL OF C AND D	\$9137.00

Where the above statement requires a technical report as per section C of the Mineral Act Regulations, the author of the report shall complete both copies of the ASSESSMENT REPORT TITLE PAGE AND SUMMARY form and include the completed forms in the assessment reports.

Who was the operator (provided the financing)?

Name: *Diamond Resources Inc*

Address: *708-837 W HARTING ST*
VAN B.C V6E 1B6

Portable Assessment Credits (PAC) Withdrawal Request		AMOUNT
Amount to be withdrawn from owner(s) or operator(s) account(s):		
Name of Owner/Operator		
(May be no more than 30 per cent of value of the approved work submitted as assessment work in C and (or) D.)	1.	
	2.	
	3.	
TOTAL WITHDRAWAL		
TOTAL OF C AND (OR) D PLUS PAC WITHDRAWAL		

I wish to apply \$ *8,800.00* of this work to the claims listed below.

(State number of years to be applied to each claim, its month of record, and identify each claim by name and record number.)

2 YEARS TO EAGLE 622(S) RAVEN 623(S) LOC 1-4
2293 - 2296(S)
3 YEARS TO EAGLE #2(S) AND RAVEN #3(S)
2000 800

Value of work to be credited to portable assessment credit (PAC) account(s).
 (May only be credited from the approved value of C and (or) D not applied to claims.)

Name	AMOUNT
1.	
2.	
3.	

I, the undersigned Free Miner, hereby acknowledge and understand that it is an offence to knowingly make a false statement or provide false information under the *Mineral Act*. I further acknowledge and understand that if the statements made, or information given, in this Statement of Exploration and Development are found to be false and the exploration and development has not been performed, as alleged in this Statement of Exploration and Development, then the work reported on this statement will be cancelled and the subject mineral claim(s) may, as a result, forfeit to and vest back to the Province.

[Signature]
 Signature of Applicant
 David Rees



Province of British Columbia
 Ministry of Energy, Mines and Petroleum Resources
 MINERAL RESOURCES BRANCH-TITLES DIVISION

MINERAL ACT

FORM 1

NOTICE TO GROUP

Mining Division SKEENA Location KLUNKOWI BAY QUEEN CHARLOTTE ISLANDS

Name of group BALD BIRD SUPPLEMENTARY Map No. 103 B 12 W

We, the undersigned owners* of the following adjoining claims, desire to group them according to the provisions of the Mineral Act:-

NAME OF CLAIM	No. of Units	Record No.	Month of Record	SIGNATURE OF OWNER*	Free Miner Certificate No.
EAGLE # 2	5	4002	8		275230 DIARE1
EAGLE # 3	2	4003	8		
BALD BIRD GROUP AS BELOW					
EAGLE	9	622	5	"	"
RAVEN	2	623	5	"	"
LOCK 1	1	2293	5	"	"
LOCK 2	1	2294	5	"	"
LOCK 3	1	2295	5	"	"
LOCK 4	1	2296	5	"	"


SUB-RECORDER
 RECEIVED
 AUG 7 1985
 M.R. # 12965 10.⁰⁰
 VANCOUVER, B.C.

* May be signed by agent on behalf of owner.

52° 40'

52° 40'

131° 45'



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

43,991



131° 45'



DIAMOND RESOURCES INC.		
CLAIM MAP		
EAGLE, RAVEN & LOCK CLAIMS QUEEN CHARLOTTE ISLANDS SKEENA MINING DIVISION, B.C.		
JOHN R. POLONI & ASSOCIATES LTD.		
Drawn by: J.R.P.	Checked: J.R.P.	Plan No.
Scale: As shown	Date: Sept. 19, 1985	2

