ASSESSMENT REPORT

GEOCHEMICAL SURVEY ON THE

PEREGRINE AND FALCON A MINERAL CLAIMS

TOODOGGONE RIVER AREA
OMINECA MINING DIVISION, B.C.
N.T.S. 94E/6E
57° #N; 127° #W
26.5′ 04′

FOR

Owner Operator: MULTINATIONAL RESOURCES INC. 795 - 885 Dunsmuir Street, Vancouver, B.C., V6C IN8

BY

MALCOLM BELL HI-TEC RESOURCE MANAGEMENT LTD. 1590 - 609 Granville Street Vancouver, B.C., V7Y 1C6

FILMED

November 12, 1985

Work Done: August 17 to September 10, 1985.

# **CLAIMS WORKED**

Claim Name	Units	Record No.	Anniversary Date
Peregrine	20	6934	March 25
Falcon	18	6930	March 25

GEOLOGICAL BRANCH, ASSESSMENT REPORT



# TABLE OF CONTENTS

	Page
SUMMARY	1
INTRODUCTION	2
LOCATION AND ACCESS	2
PROPERTY AND OWNERSHIP	2
REGIONAL GEOLOGY AND MINERALIZATION	3
PROPERTY GEOLOGY	5
GEOCHEMISTRY	6
SAMPLING AND ANALYTICAL PROCEDURE	6
PRESENATION AND DISCUSSION OF RESULTS	6
CONCLUSIONS AND RECOMMENDATIONS	7
REFERENCES	8
APPENDIX I - STATEMENT OF EXPENDITURES  APPENDIX II - STATEMENT OF QUALIFICATIONS	
APPENDIX III - ANALYTICAL RESULTS	ie.
ATI	

# ILLUSTRATIONS:

	After Page
Figure I - Location Map: Toodoggone River Area.	1
Figure 2 - Claim Map; Peregrine and Falcon A Claims, 1:50,000.	2
Figure 3 A - Geochemical Plan; Gold and Silver	in pocket
Figure 3B - Geochemical Plan; Copper, Lead and Zinc	ln pocket


# SUMMARY

The Peregrine and Falcon A mineral claims are held by Multinational Resources Inc. The claims are situated in the Toodoggone River area of north-central British Columbia, approximately 300 kilometers north of Smithers, B.C. Access is by fixed-wing aircraft and helicopter.

The Toodoggone River area is an epithermal precious metals district. Known deposits include the Baker gold-silver mine and the Lawyers deposit which has a reported reserve of more than I million tonnes with a grade of 7.27 grams/tonne gold and 254 grams/tonne silver. The Lawyers deposit and several other significant gold-silver prospects in the area are hosted by early Jurassic Toodoggone volcanic rocks. The Baker deposit is hosted by upper Triassic Takla volcanic rocks.

The Peregrine and Falcon A mineral claims cover areas underlain by early Jurassic volcanic rocks which are intruded by granitic rocks of similar age. Significant gold values occur in several zones on the JD property which adjoins the west boundary of the Peregrine claim.

A reconnaissance soil sampling and prospecting program was conducted in 1985 to evaluate the precious metal potential of the property. The results of this work indicate the presence of scattered gold and silver anomalies in soils and rock. Copper, lead and zinc are in places also anomalous.



# INTRODUCTION

A prospecting and soil sampling crew completed a preliminary evaluation of the Peregrine and Falcon A claims in 8 days during the period August 17 to September 10, 1985. The work was performed by O. Paeseller, J. Ashenhurst, T. Archibald, B. Dent, and by T. Roocroft, under the supervision of M. Bell of Hi-Tec Resource Management Ltd. Soil sampling was done at 100 metre intervals along contours at approximately 1600 and 1700 metre elevations. Silt samples were collected on all tributary streams draining the area, and panned stream concentrates at silt sample locations wherever possible.


#### Location and Access

The Peregrine and Falcon A claims are situated in The Toodoggone River area, some 300 km north of Smithers, B.C. (Figure 1). The area covered by the claims is moderately rugged. Elevations range from 1280 meters in the McClair Creek valley in the west, to 1900 meters at the eastern boundary of the property. The area above 1600 metre elevation is free of vegetation.

Access to the property is by fixed wing-aircraft to the Sturdee River airstrip, and then by helicopter 35 km to the north. The Sturdee airstrip is linked by road to the Baker Mine and the Lawyers deposit. The property is 15 km north of the Lawyers deposit and adjoins the east boundary of the JD claim group of Energex Minerals Ltd.

### Property and Ownership

The property consists of the Peregrine and Falcon A modified grid claims comprising 38 claim units (Figure 2). The claims are owned by Multinational Resources Inc. The pertinent claim data are as follows:



Claim Name	Units	Record No.	Anniversary Date
Peregrine	20	7311	March 25, 1986
Falcon A	18	7312	March 25, 1986

\* Prior to filing of 1985 expenditures for assessment credits.

# Regional Geology and Mineralization

The Toodoggone River epithermal precious metal district occurs near the eastern margin of the Intermontane tectonic belt. It extends for more than 100 km from McConnell Creek to the Stikine River as a 20 km wide zone of volcanic, sedimentary and intrusive rocks. The oldest rocks in the area are the Asitka limestones, argillites and cherts of Permian age. The Asitka Group are usually in fault contact with Takla volcanic rocks of Upper Triassic age. The Takla is characterized by abundant flows of augite andesite, basalt, porphyritic feldspar andesite and their volcaniclastic sedimentary equivalents.

The volcanic rocks lying stratigraphically above the Takla Group have been classified under two headings: the Toodoggone and the Hazelton. The Toodoggone Group is of Lower Jurassic age and is equivalent to the base of the Hazelton Group (Panteleyev, 1984). The Toodoggone volcanics consist predominantly of subaerial dacite, latite, trachyte and rhyolite pyroclastic rocks more than 500 metres in thickness, which unconformably overlie the Takla. The majority of the epithermal precious metal occurrences in the area are associated with the Toodoggone volcanic rocks. However, the Baker deposit occurs in Takla volcanic rocks.

The Toodoggone volcanic rocks are bordered on the east by and are in fault contact with the Hazelton Group, consisting of intermediate volcanic conglomerate, breccia, lahar and abundant pink feldspar porphyry dikes and sills. These rocks range in age from Lower Jurassic to Upper Jurassic and may include members of the Toodoggone Group. Acid to intermediate stocks and plugs of Jurassic age are intruded into the sedimentary and volcanic rocks of the area.

The Toodoggone camp exhibits at least four types of precious metal mineralization, the most common of which is epithermal in origin. The epithermal deposits occur as massive quartz veins such as at the Baker Mine, or as silicified zones and amethystine breccia zones such as at the Lawyers deposit. They are generally close to major northwest faults and are associated with siliceous volcanic centres, exhalative vents and zones of alteration within the Toodoggone volcanics. Quartz, barite and carbonate are the chief gangue minerals. The vein minerals are acanthite, pyrite, electrum, chalcopyrite, native gold, sphalerite and galena. Grades range from 0.1 to 1.0 oz/T Au and 1.0 to 20.0 oz/T Ag.

### PROPERTY GEOLOGY

The Peregrine and Falcon A claims are underlain mainly by Jurassic volcanic rocks belonging to the Toodoggone and/or Hazelton Groups. These rocks are intruded by the McClair Creek granitic stock along the western part of the Peregrine claim. Previous work by Kidd Creek Mines Ltd. and Texas Gulf Canada Ltd. west of McClair Creek on parts of the Peregrine claim, has demonstrated the presence of northwest striking south dipping green crystal and lapilli tuffs and course pyroclastic rocks (Sutherland, 1981). Intensely sheared and limonite-stained granitic rocks reported along McClair Creek are due to the presence of a major northwest fault traversing the area (Gabrielse et al., 1976). Subsidiary parallel fault structures occur on the Falcons claim to the east of the saunders-McClair regional fault. Preliminary prospecting in 1985 established the presence of two gossans areas on the Falcon A claim which indicate the presence of sulphide mineralization within the volcanic rocks. The significance of these gossans has not been explored. Base metal mineralization and associate gold values occur on the JD property of Energex Minerals Ltd. which adjoins the west boundary of the Peregrine claim.

#### GEOCHEMISTRY

# Sampling and Analytical Procedure

A total of 122 soil samples, 7 silts, 16 panned concentrates and 9 rock samples were collected for geochemical analysis from the Peregrine and Falcon A claims in 1985. Soil ssamples were collected at 50 metre intervals along two contour traverse lines at approximately 1600 and 1700 metre elevations. Samples were taken with a mattock from depths of 15 cm to 25 cm, placed in numbered kraft paper bags and shipped to Min-En Laboratories Ltd. in North Vancouver for analysis.

Soil samples were dried at approximatley 60°C and then sieved to minus 80 mesh. A 0.5 gram portion of each sample from the first batch was exracted by digestion with nitric acid and aqua regia followed by six element ICP analysis. Later in the program analysis was done only for silver and gold, employing atomic absorption determination. Rock samples were crushed and panned concentrates separated by heavy liquid and crushed before extraction by aqua regia solution and atomic absorption measurement.

# Presentation and Discussion of Results

The analytical results are presented in Appendix III. Significant anomalous values are plotted on Figure 3. It can be seen from this plot that a large number of soils are anomalous in gold, with most values falling in the 10 - 50 ppb gold range. Values over 1 ppm silver and 10 ppb gold are considered anomalous. Anomalous copper (+ 100 ppm) and lead (+ 50 ppb) are much more restricted in their distribution. The source of these anomalies have not yet been found.

# CONCLUSIONS AND RECOMMENDATIONS

Reconnaissance contour soil sampling has discovered gold and silver anomalies scattered over a broad area on the Falcon A claim, indicating good potential for the discovery of gold and silver mineralization. Othe isolated anomalies which may lead to mineralization are 1105 ppm Cu and 553 ppm Pb in seperate soil samples, and 1200 ppb Au in hand panned concentrates from a stream. These anomalies occur in areas underlain by Jurassic volcanic rocks which are favourable for the occurrence of gold and silver mineralization. Two gossanous zones, as yet unexplored in detail, characterize portions of the anomalous areas, and indicate the presence of sulphide mineralization.

A recommended follow up program should include detailed soil sampling and rock chip sampling over the entire area of the Falcon A claim to define the intensity and dimension of indicated soil anomalies. Geological mapping and prospecting is warranted to determine the source of the geochemical anomalies.

Respectfully submitted,

HI-TEC RESOURCE MANAGEMENT LTD.

Malata , sel

# REFERENCES

- Allen, D. G., (1973): McClair Creek Property (Dew Claims), Geochemical Report, B.C. Minsitry of Energy Mines and Petroleum Res. (BCMEMPR) Assessment Report 4497.
- Carter, M. C., 1985: Geological Report on the Peregrine and Falcon A Mineral Claims, Omineca M.D., British Columbia, 17 pp.
- Gabriesle, H., et al., (1976): Geology of the Toodoggone River (94E) Map Area, G.S.C. Open File 306.
- Panteleyev, A., (1984): Geology between Toodoggone and Sturdee Rivers, BCMEMPR Geological Fieldwork 1983, Paper 84-1, pp 136 138.
- Sutherland, I. G. (1981): Report on Geological and Geochemical Surveys on McClair 81 Group, BCMEMPR Assessment Report 9995.

APPENDIX I



# STATEMENT OF COST

# PERIOD WORKED: August 17 - September 10, 1985

J.	Ashenhurst	6	days	9	\$240.00	\$ 1,440.00
T.	Archibald	7	days	@	\$240,00	\$ 1,680.00
в.	Dent	1	day	e e	\$240.00	\$ 240.00
т.	Roocroft	1	day	e e	\$240.00	\$ 240.00
м.	Bell	2	days	9	\$350.00	\$ 700.00
Mol	bilization & De	mobili	zation	n		\$ 1,785.00
Fi	eld Materials					\$ 83.00
Ca	mp Materials					\$ 350.00
Ex	pediting	15	days	9	\$20.00	\$ 300.00
Me	als	15	days	@	\$40.00	\$ 600.00
Ac	commodation	15	days	9	\$25.00	\$ 300.00
He	licopter					\$ 1,802.50
Fi	xed Wing					\$ 768.00
As	says					\$ 1,361.80
Re	port Costs, Dra	fting				\$ 950.00
					TOTAL:	\$ 12,600.30

APPENDIX II



# STATEMENT OF QUALIFICATIONS

- I, Malcolm Bell, of Vancouver, B.C., hereby certify that:
  - 1. I have worked in mineral exploration since 1970.
  - 2. I am the president of Hi-Tec Resource Management Limited and have been supervising and directing exploration programs in Canada, Colombia, S.A., and Australia since Hi-Tec was established in May, 1980.
  - 3. I have successfully completed studies in Survey Engineering at B.C.I.T. (1979).
  - 4. This report is based on survey work completed by personnel under by direct supervision.

Dated at Vancouver B.C. this / day of Jilke Arry, 1985.

11 Intolin , Sell

MALCOLM BELL

APPENDIX III



# MIN-EN Laboratories Ltd.

705 WEST 15th STREET,
NORTH VANCOUVER, B.C., CANADA V7M 1T2
TELEPHONE (604) 980-5814

# **ANALYTICAL REPORT**

ed by: Malco.lm  Hi Tec F  73soils, 6 pan	Bell Resource M	anagement rocks	Geochem samples Assay samples
Hi Tec F	Resource M	anagement rocks	Geochem samples Assay samples
73soils, 6 pan	conc., 4	rocks	Geochem samples Assay samples
			Assay samples
		entra (nori entre entre entre entre	Assay samples
		***************************************	
Hi-Tec Reso	urao Mana		
	urce Mana	gement. Vancou	ver, B.C.
2	*************	anarian aika aka arakista arak	esternistical grantestatication of the control of t
3,			
ed to mesh -80	soil	Ground to mesh	-80 rock
s stored	discarded		
stored	discarded	X	
6			
			\$
X		*************************	
	ed to mesh — 80 es stored  stored  lysis: Soil & Roc a.A.A., Pan Conc-	ed to mesh —80 soil es stored \( \mathbb{X} \) discarded stored \( \mathbb{D} \) discarded lysis: Soil & Rock - Ag-ni a.A.A., Pan Cone- Ag-same.	ed to mesh —80 soil Ground to mesh es stored  discarded  stored  discarded  lysis: Soil & Rock - Ag-nitric, perchlori a.A.A., Pan Com- Ag-same. Au-fire.

# MIN-Ed Laboratories Ltd.

Specialists in Mineral Environments

705 WEST 15th STREET WORTH VANCOUVER, B.C. CAMAGA 97H 112

MULTINATIONAL.

PIP = (504)980-5814 OP (504)988 4524

TELEX: 04-352828

# GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI TEC RESOURCE MANAGEMENT

(AL)

PROJECT: PF-85

SAMPLE

ATTENTION: MALCOLM BELL

FILE: 5-740/P1

DATE: OCT.5/85.

TYPE: SOIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 30 samples submitted.

ALL

HIMBER	FFH	PPB		
<b>S</b> 514	***************************************	d 25	(North-ann dagan trougages), principles dominated and the color of the color of the supplementation (Cristal pro	
S 0 1 5	1.6	1 O	of the Entertree F	
	1.2	5	40MESH	
\$ 017 \$ 018	0.8	Kill,	COMESH	
	0.8	55	- ZOMESH	
5 0 1 9	1 n et	10	40HESH	non an or a magazina comprehension com companya magazina comprehension
Ogil	0.7	(5)	20MESH	
\$ 023	2.4	£2,	40MESH	
\$ 024	4.0	10		
025	£) " £	E.F.	SOMESH	
Sozi	0.4	155 5.01	SOMESH	
150 SILT. M	1.6	10	and sample properties of the state of the st	Organisas (Printing) and a real 11 for mobilities (Printing Laborator Section 1888) and according
100	O.J.	The same of the sa		
101	ψ. B	8E-1		
108	Ö. A	10		
103	0.9	45		
104	0.8	<u> </u>	enderson transferent (CE) profit (C <sub>ent</sub> on profit on the Centor of the C	u est sa (i manestan es en el mero de cultural se de da manuscamama i de seguinos e e e
1 055	0.6	75		
100 01	1 . 4	10		
102 1 11.	1.0	(5)		
TOB MULT	2.2	5		
109	1.4	1()	40MESH	or facts because (10 competition of province the operation) (11 mar), province to the continue to the operation of the operat
110	22 a X	25	The state of the s	
1 1 1	1 . 6	kii,		
112	0.7	15		
113	0.7	5		
114	Ø., 7	10		er filmende (m. 1864), mei til men filmen for hallen er maket produkt myrkland av gynder mer
1 1 25	1.3	19		- 6
115	1.2	#3		
117	1.2	10		
1 1 5 3	1,63	55		

Certified by

By maid

TELEX: 04-352828

# GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740/P2

DATE: OCT.5/85.

TYPE: SOIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 30 samples submitted.

SAMPLE	A(3	AU	
HIMBER	151514	FPB	
119	1 - 1	80°7	
120	1.3	155	40MESH
121	1.0	5	
122	0.8	1.0	
123	5D j	NG.	
124	O, 7	į Ko	
1 225	1 2	914	
126	O . 6	em;	
1.27	O. 9	10	
128	0.8	No.	
127	l n l	Kir.	
130	2.6	:20	
131	1.3	200	
1.32	1 , 2	CT)	
1.33	O + 65	57	
134	0.8	m;	
135	4 - 4	10	
137	0.7	ET.	
138 PIL	1 O	1.55	
136 MON,	1.0	10	
i 40°	1.2	55	
1.41	0.9	125	
142	1	50	
207	1 . 1	10	
208	0.7	5	
209	0.5	# <u>*</u>	
210	t., O	<u></u> j	
210 210 210	2.0	10	
212	1 . 6	55	v
214	0.9	5	

Certified by

by Deignant

TELEX: 04-352828

# GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740/P3

DATE: OCT. 4/85.

TYPE: SUIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 13 samples submitted.

SAMPLE	AG	AU	
LIMBER	tested	PPB	
A 53	0.8	10	
216	1 6		
117	1 . 4	/ <sub>1.2</sub> 807	
219	2.5	100 to 10	
119	2.7		
20	3 . 1	5	
21 7	0.9	5	
22 (1)	1 . 2	Law .	
MUL,	2.1	10	
	1.4	625 15	
26	1 . 5	5	
227	1.5	100° No.3	
<b>28</b>	1.7	85	

Certified by

PHPME: (604)980-5814 OR (604)988-4524

TELEX: 04-352828

# GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740

DATE: OCT.7/85.

TYPE: ROCK GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 4 samples submitted.

BAHPLE		6)(3	ALI	
NUMBER		EGH	PPB	
143	and the summer of the property of the summer	1.2	and despite the control of the contr	ekanisenten essekat innstituten kalantaili araska kunisen ekanisi ina este inkengisken tri opisik i juo
1.36		1.3	co,	
213	MULT'.	2 2	10	
223	IV (	10.6	35	

# MIN-F & Laboratorie Ltd.

Specralists in Mineral Environments

705 WEST 15th STREET NORTH VANCOUVER, B.C. CANADA V7M 112

PHDME: (604) 980-5814 DR (604) 988-4524

TELEX: 04-352828

## GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740

DATE: OCT.7/85.

TYPE: PAN CONC.

We hereby certify that the following are the results of the geochemical analysis made on 6 samples submitted.

SAMPLE	A6	AU-FIRE	
MUMBER	무단네	E45E	
> 03 65	O., 6	7	
<b>°</b> 020	1 . 3	1200	
2022	6, 8	3.0	
<b>2</b> 026	1.1	4	
<b>?</b> 022 <b>?</b> 026 <b>?</b> 028	3 . 1	10	
		nt jane (1), man ne di tate (1) e primer primer primer primer primer primer primer e di tate (1) e anti-	Distriction and the communication of the state of the communication of the state of
030	0.9	4	

certified by Suffring

# GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740/P1

DATE: OCT.5/85.

TYPE: SOIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 30 samples submitted.

SAMPLE	F4()	6U		*******
BUMBER	1.4514	to to Et		
(11 d)	1,6	10	n ing samanah mela penjada ing kalang manak di apag menjadi dana menjada kenada dan di bermerang salah di sebe	nic landación (le 16 al ) Regio el mandipolítico and discussively being de la rece
015	1 - 2	5	ACMESH	
O1 7	0.8	Find South	20MESH	
ole	O. 8	65	SOHEBH	
C 1 69	1 m 2	10	40PESH	
021	0.7	£.,	20MESH	
023	2.4	Prog	4 OHE SH	
024	4.0	10		
C) 22.65	On Kin	5.74	20ME SH	
027	O-C	55	SOMERH	
d <del>y</del> 9	1.0	<b>k</b> (2		
100	0.7	59		
101	€) , €3	55		
1.652	0.6	10		
103	9.9	4 <u>"</u> 1		
104	0.8	ur C, s		
1.05	O . 6	5		
106	i , 4	10		
107	1 . O	55		
108	2.2	)		
109	i. 4	10	40MESH	
110	2.1	25		
111	k in the	***		
112	() . J	5		
113	0.7	Kari t. A		
114	O., 7	10		
115	1.3	55		
116	3 . 2	100		
117	1 2	10		
118	1.0	<b>573</b>		

Certified by

### GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740/P2 DATE: OCT.5/85.

TYPE: SOIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 30 samples submitted.

SAMPLE	AG	AU		
HUMBER	FireTel	E.J.B		
i i 9	1.1	(main) (no se more till till propertie met met se significant i seen segte met m Hely Soul		****************
120	1	5	AOMESIA	
121	1 . 5	4.5		
122	Ø . (3	10		
1.23	0,7	£.if		
124	9. 7	£ tij		
1.25	1.2	63		
1245	C) 🗸 🧐	Est <sub>4</sub>		
127	G , 19	10		
128	0.8	5		
12-7	1.1	kii kiil		
130	52 m 65	50		
131	15	22 800		
132	1.2	55		
133	0.6	1)		
134	0,8	ed:		
135	1 4	10		
137	0.7	King.		
138	I.O	15		
139	1.0	10		
141	1.2	E-1		
141	0.9	ser 5.3		
i 42	1 5	50		
202	1 . 1	1.0		
208	0.7	rii e		e a a New Agina, for a a bay series, in a series
267	O, 6	654		
210	1.0	622°		
211	2.0	10		
212	1 . 62	C25		
214	6, 9	e	1	

Certified by

TELEX: 04-352828

# GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740/P3

DATE: OCT.4/85.

TYPE: SOIL GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 13 samples submitted.

AU	AB	SAMPLE
belief.	PFM	NUMBER
the contraction of the contracti	0.8	2.15
65 85	J 65	216
25	1.4	217
5	2.5	518
(C),	2.7	219
8 Suj	1.1	
<b>S</b>	0.9	221
£5	1	222
10	2.1	224
\tag{\alpha}	1.4	225) 221 222 224 725
	1,5	226
EAT AND	1 13	227
85	1 - 7	228

PHONE: (604) 980-5814 OR (604) 988-4524

### GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740

DATE: OCT.7/85.

TYPE: ROCK GEOCHEM

We hereby certify that the following are the results of the geochemical analysis made on 4 samples submitted.

SettPLE	r)G	AU	
SUMBER	FH	E-E-E-	
[4]3	1.2	neresagnese e e e e e e e e e e e e e e e e e e	
1.36	1 . 3	5	
	2.12	1.0	
213 223	1 O 6s	35	

Certified by

PP~~5: (604)980-5814 OR (604)988-4524

TELEX: 04-352828

# GEOCHEMICAL ANALYSIS CERTIFICATE

COMPANY: HI-TEC RESOURCE MANAGEMENT

PROJECT: PF-85

ATTENTION: MALCOLM BELL

FILE: 5-740

DATE: OCT.7/85.

TYPE: PAN CONC.

We hereby certify that the following are the results of the geochemical analysis made on 6 samples submitted.

to ko N	to to Ei	
Ω, b	J	
1.3	1200	
0.8	40	
1.1	.4	
1.1	10	
o management and a management of the second		
0.9	4	
	0.5 1.3 0.8 1.1 1.1	0.8 1.3 0.8 10 1.1 1.1

certified by Bufnans

1. TIN ATIONAL.

# MIN-EN Laboratories Ltd.

705 WEST 15th STREET,
NORTH VANCOUVER, B.C., CANADA V7M 1T2
TELEPHONE (604) 980-5814

# **ANALYTICAL REPORT**

Project	P 85			Date of report	Oct.8/85.	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
File No.	5-73	9		Date samples rec	eived	\$\$\$\$\$\$ \$ \$
Samples subr	mitted by:	Malcolm 1	Bell			************************
	***			nagement		*******************
Report on:	risher==585,64041(1994)100	49	e soils, 2	? rocks	/*****************************	Geochem samples
1-		+4 * * * * * * * * * * * * * * * * * * *				
	×1,000,000		***************************************			Assay samples
1.5	*************	( = 5) + 2 ( ; () = 2 ( ) ( ) ( ) + 4 ( ) ( ) ( ) ( ) ( ) ( )	************		***************************************	******************************
Copies sent t	ro:					
	1Hi-	Tec Resour	rce Manage	ement, Vancous	er, B.C.	
	2		*********			
	3		************		11(1)(4)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)	***********
Samples: S	Sieved to mesh		soil	Ground to mesh	-80 ro	≥k
Prepared sar	mples s	tored 🗷	discarded [			
rej	ects s	tored 🗆	discarded 🗵	1		
Methods of a	analysis: 6	element	CP. Au-ac	ua regia.AA		rikalisasti kanaran arikas
				*********************		
Remarks:	*:		***************	9.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1		
				<b>v</b> antomantamico con contenta		
				Contract of the Contract of th		
×						

ATTENTION: MALCOLM I	RELL		103 ME31	(604) 980-			, D.C. V/III -4524	* TYPE SOIL GEOCHEM * DATE: OCT 8, 1985
(VALUES IN PPM )	A6	AS	BA	CU	PB	ZN	AU-PPB	- 717 & 0014 0600163 * 0714-1061 6, 1703
314	1.4	8	444	31	46	178	5	
<del>-</del> 315	3.4	5	333	58	64	145	5	
317	t.7	3	509	100	65	224	15	
318	.B	1	485	26	67	97	5	
313	. 6	1	246	23	47	108	5	
320	1.4	1	239	36	65	172	5	
321	.9	9	125	26	46	124	10	
322	1.2	2	130	26	55	151	15	
323	1.3	1	151	22	85	123	5	
324	.9	1	159	19	57	122	20	
325 40M	.4	4	151	12	22	35	5	
326	2.1	7	165	48	53	58	5	
327	.7	2	457	15	47	112	5	
328	.7	8	284	37	59	116	15	
329	1.1	1	234	45	38	137	30	
330	1.3	6	239	85	71	156	5	
331	1.2	1	542	114	63	163	10	
332 40H	1.3	1	349	86	71	204	5	
333	1.4	4	402	150	93	166	15	
334	1.3	10	143	46	63	93	5	
336	1.3	14	198	66	63	151	10	*******************************
337	1.3	9	129	49	88	114	c <sub>j</sub>	
338	1,5	1	350	55	72	195	5	
339	1.3	16	326	26	59	124	35	
340	1.5	19	144	42	256	127	10	
341	1.6	16	131	41	102	195	5	
342	2.0	12	129	38	664	354	5	
343	.7	?	163	23	75	103	5	
344	1.1	24	132	28	71	83	25	
345	.8	8	114	19	59	97	5	
346	.9	6	90	45	73	152	20	
347	.6	22	364	57	101	308	5	
348	.7	7	123	23	57	92	10	
349	.8	9	91	45	56	162	5	
350	8	13	150	21	49	137	5	
351	.9	10	83	24	54	112	10	
352	.9	8	97	26	44	110	5	
353	1.0	15	125	34	67	140	5	
354	.5	11	105	29	61	139	5	
355	.3	12	95	25	51	108	20	
356			73	34	47	98	25	
357	.8	14	115	42	53	156	5	
350	1.3	1	145	82	55	161	5	
359	1.2	15	99	5.1	54	161	30	
360	.9	7	83	28	46	112	20	
361	:9	4	65	13	43	40	5	
362	1.2	3	67	43	45	153	15	
363	1.9	25	134	31	72	164	10	
161			4 1.77	(3.3)	3 /	107	B 57	

.

The new transfer of the ne		TELL CITY NEW TO THE COURT OF T					A transfer of Lates		
ATTENTION: MALCOLM BELL			(604)980-5814 OR (604)988-4524					* TYPE ROCK GEOCHEM *	DATE: OCT 8, 1985
(VALUES IN PPM )	AG	AS	BA	CU	PB	ZN	AU-PPB	10 A 14 A 10 A 10 A 10 A 10 A 10 A 10 A	
316	2.0	1	198	49	20	239	5		
<b>-</b> 335	2.9	1	21	1105	4	58	10		

•

