

87-63-15550

2/88

ASSESSMENT REPORT
GEOCHEMICAL SURVEY
SAM 1 CLAIM

ATLIN MINING DIVISION

NTS 104K/0W, 104K/1W
58° ~~20.2'~~ 15.2'
132° ~~20.2'~~ 19.8'

OWNER: CHEVRON MINERALS LTD.
OPERATOR: North American Metals B.C. Inc.

AUTHORS: R.S. Wasylyshyn
E.D. Titley

FILMED

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,550

Date Filed:

**SAM 1
ASSESSMENT REPORT**

| | <u>Page</u> |
|------------------------------------|-------------|
| 1. Introduction | 1 |
| 2. Location and Access | 2 |
| 3. Claim Description and Status | 4 |
| 4. Property Geology | 6 |
| 5. Geochemical Survey | 7 |
| 6. Results | 8 |
| 7. Conclusions and Recommendations | 9 |
| 8. References | 10 |
| 9. Statement of Expenditures | 11 |
| 10. Statement of Qualification | 12 |

Appendix 1 - Analytical Procedure

Appendix 2 - Analytical Results

Maps

- Map 1 - Sample Location Map
- Map 2 - Gold and Silver Results
- Map 3 - Arsenic and Antimony Results
- Map 4 - Copper and Mercury Results

1. INTRODUCTION

During the fall of 1986, North American Metals B.C. Inc. carried out a geochemical survey on the SAM 1 claim. The work performed was part of the Golden Bear Au project and was conducted by personnel based in camp at Muddy Lake.

A total of 3 man/days were spent on the claim collecting soil samples and prospecting.

2. LOCATION AND ACCESS

The SAM 1 claim is in northwestern British Columbia at latitude $58^{\circ} 17' N$ and longitude $132^{\circ} 20' W$. (Figure 1). The nearest towns are Telegraph Creek (80 km east); Atlin, B.C. (160 km northwest); and Juneau Alaska (140 km west). The closest all-weather road access is at Telegraph Creek. The camp is serviced by fixed wing aircraft on wheels or floats from Dease Lake (140 km) or Whitehorse (340 km). Due to the rugged terrain conditions, a Bell 206 helicopter was necessary to conduct the field survey.

Relief on the claim varies from 1400 m (asl) to 2100 m (asl). All of the claim is above treeline. Climatic conditions are highly variable with sudden snow and rain showers common year-round.




Figure 1.
SAM CLAIM
Location Map

3. CLAIM DESCRIPTION AND STATUS


The SAM 1 claim consists of 15 units, which were staked on February 24, 1981. (Table 1, Figure 2). Chevron Minerals Ltd. owns 100% undivided interest in the claims. North American Metals Corp. has entered into an option agreement to acquire an interest in the SAM 1 claim. North American Metals B.C. Inc., a wholly owned subsidiary of North American Metals Corp., is the operator of the current project.

The work conducted during 1986 will keep the claims in good standing until March 5, 1988.

Previous work on the claims by Chevron Resources involved geochemical sampling and geological mapping (Walton, G., 1985).

Table 1

| <u>Claim</u> | <u>Record Number</u> | <u>Record Date</u> | <u>Number of Units</u> |
|--------------|----------------------|--------------------|------------------------|
| SAM 1 | 1290 | March 5, 1981 | 15 |



SAM 1
LOCATION MAP




FIG. 2

4. PROPERTY GEOLOGY

The rocks found on the SAM 1 claim are predominantly from the Stikine Assemblage (Souther, 1971). No geological mapping was undertaken during this program however, mapping by Chevron (Walton, G., 1985) and Souther (1971) has defined the lithologies present.

The area is underlain by Permian carbonates and Pre-Upper Triassic mafic volcanics. A siltstone unit found between the carbonates and the volcanics has been identified but is not always present. Gabbroic intrusions of unknown age and basaltic dikes related to the Tertiary Level Mountain Group are also found in the area.

A major north-south trending fault structure cuts across the area. Significant gold occurrences have been found along this structure. Folding has been documented but not mapped in detail. Alteration zones associated with faulting have been identified. These include silicification and dolomitization of the carbonates; and listwanitization or carbonatization of the volcanics.

5. GEOCHEMICAL SURVEY

A soil survey was conducted on the SAM 1 claim during October, 1986. The survey was carried out in order to locate a northern extension to the gold mineralized structure found on the Bear-Totem claims.

A total of 88 soil samples were collected. Of these, 22 samples or 25% were true soil horizons, and 66 samples or 75% were talus fines. At all sample sites, an attempt was made to collect a B horizon soil sample, however, due to the rugged topography and lack of vegetation, soils were not often available. In these cases, a talus fine was collected as a substitute. Samples were taken from 5-30 cm. depth and placed in kraft sample bags. Details such as colour, texture, percent organics and physiography were also noted. The samples were analyzed by Chemex Labs in Vancouver using the analytical procedure outlined in Appendix 1.

One rock sample containing coarse grained stibnite was collected from float and fire assayed for Au and Ag.

6. RESULTS

The soil and talus samples were analyzed for gold, silver, arsenic, antimony, copper and mercury. Results are tabulated in Appendix 2 and shown on Maps 1 to 4. One major anomaly 1500 metres in length was detected. Several small, spotty anomalies were found as well.

On the south side of the creek which drains the SAM 1 claim, a large multi-element anomaly was found (Maps 1-4). All of the thirty samples taken there were strongly anomalous in antimony, arsenic, and mercury. A small, weak gold anomaly also occurs within the larger feature. A float sample (BW6-1-6) containing massive stibnite was found in this area (Map 1). The sample was fire assayed for gold and silver, however it only returned trace gold and 0.8 g/t silver.

Sampling on the north side of the creek returned several spotty anomalies. These anomalies showed no consistency in length or between elements.

7. CONCLUSIONS AND RECOMMENDATIONS

Soil and talus sampling on the SAM 1 claim detected a large multi-element, geochemical anomaly. The anomaly has a minimum length of 1500 meters. The length and continuity of the anomaly suggests either a true bedrock source or secondary glacial dispersion.

Geochemical sampling on the rest of the property detected very little encouraging results. Only spotty, insignificant anomalies were found.

A program of mapping, prospecting, and rock chip sampling on the SAM 1 claim to follow-up on the geochemical results is recommended.

8. REFERENCES

- Monger, J.W. H. (1977). Upper Paleozoic rocks of the Western Canadian Cordillera and their bearing on Cordilleran evolution. Canadian Journal of Earth Sciences. v.14,p. 1832-1859.
- Shaw, D. (1984). Assessment Report; Geological, Geochemical and Geophysical Survey, MISTY Group. Atlin Mining Division (104k).
- Souther, J.G. (1971). Geology and Mineral Deposits of Tulsequah map-area, British Columbia, Geological Survey of Canada, Memoir 362, 84p.
- Walton, G. (1985). Assessment Report, Geological and Geochemical Survey, MISTY 1, 2, SAM 1. Atlin Mining Division (104k).

8. STATEMENT OF EXPENDITURES - SAM 1

Labour

| | <u>Field Days</u> | <u>Office Days</u> | <u>Total</u> |
|--|-------------------|--------------------|-------------------|
| R.S. Wasylyshyn | 1.5 | 2.0 | \$ 525.00 |
| D. Tashoots | 1.5 | | 135.00 |
| Camp Costs (geologist, sampler, pilot) | | | |
| 6.5 man days x \$60.00/man day | | | 390.00 |
| Helicopter 1.6 hours x \$388/hr. (including fuel) | | | 621.00 |
| Analytical Costs | | | |
| 88 soil, talus samples x \$23/sample | | 2,024.00 | |
| 1 rock chip x \$15/sample | | <u>15.00</u> | 2,039.00 |
| Consumables - pickets, sample bags, flagging, etc. | | | 50.00 |
| Drafting 6.25 hours x \$22/hour | | | <u>137.50</u> |
| | | | <u>\$3,897.50</u> |

10. STATEMENT OF QUALIFICATION

I, Robert S. Wasylyshyn graduated from the University of Alberta with a BSc. in Geology in 1981.

I have been involved in mining exploration since 1977. I have no financial interests in the property described herein nor do I expect to receive any.

Work on the SAM 1 claim was completed under my supervision.

R. S. Wasylyshyn
R.S. Wasylyshyn


December 1986

STATEMENT OF QUALIFICATION

I, Eric D. Titley, graduated from the University of Waterloo, Ontario with a Bachelor of Science (Honours Earth Sciences) degree in 1980.

Since graduation I have been employed as a geologist. I have worked in the Muddy Lake area since April 1984, and I am presently employed by North American Metals B.C. Inc. as Project Geologist on the Golden Bear project. I am an associate member of the Geological Association of Canada.

Work on the SAM 1 claim was completed under my supervision.



E.D. Titley

December 1986

APPENDIX 1

Standard two page report on
Analytical Procedures (Au, Ag, As, Sb)

APPENDIX A

GEOCHEMICAL PREPARATION AND ANALYTICAL PROCEDURES

1. Geochemical samples (soils, silts) are dried at 50°C for a period of 12 to 24 hours. The dried sample is sieved to -80 mesh fraction through a nylon and stainless steel sieve. Rock geochemical materials are crushed, dried and pulverized to -100 mesh.
2. A 1.00 gram portion of the sample is weighted into a calibrated test tube. The sample is digested using hot 70% HClO₄ and concentrated HNO₃. Digestion time = 2 hours.
3. Sample volume is adjusted to 25 mls. using demineralized water. Sample solutions are homogenized and allowed to settle before being analyzed by atomic absorption procedures.
4. Detection limits using Techtron A.A.5 atomic absorption unit.

| | |
|------------|-----------|
| Copper | - 1 ppm |
| Molybdenum | - 1 ppm |
| Zinc | - 1 ppm |
| *Silver | - 0.2 ppm |
| *Lead | - 1 ppm |
| *Nickel | - 1 ppm |
| Chromium | - 5 ppm |

*Ag, Pb & Ni are corrected for background absorption.

5. Elements present in concentrations below the detection limits are reported as one half the detection limit, i.e. Ag - 0.1 ppm.

PPM Antimony:

A 2.0 gm sample digested with conc. HCl in hot water bath. The iron is reduced to Fe⁺² state and the Sb complexed with I⁻. The complex is extracted with TOPO-MIBK and analyzed via A.A. Correcting for background absorption 0.2 ppm ± 0.2.

Detection limit: 0.2 ppm

PPM Arsenic:

A 1.0 gram sample is digested with a mixture of perchloric and nitric acid to strong fumes of perchloric acid. The digested solution is diluted to volume and mixed. An aliquot of the digest is acidified, reduced with KI and mixed. A portion of the reduced solution is converted to arsine with NaBH₄ and the arsenic content determined using flameless atomic absorption.

Detection limit: 1 ppm

PPM Tungsten:

0.50 gm sample is fused with potassium bisulfate and leached with hydrochloric acid. The reduced form of tungsten is complexed with toluene 3,4 dithiol and extracted into an organic phase. The resulting colour is visually compared to similarly prepared standards.

Detection limit: 2 ppm W

FIRE ASSAY METHOD - Silver & Gold

Silver and gold analyses are done by standard fire assay techniques. In the sample preparation stage the screens are checked for metallics which, if present, are assayed separately and calculated into the results obtained from the pulp assay.

0.5 assay ton sub samples are fused in litharge, carbonate and siliceous fluxes. The lead button containing the precious metals is cupelled in a muffle furnace. The combined Ag & Au is weighed on a microbalance, parted, annealed and again weighed as Au. The difference in the two weighings is Ag.

F.A. - A.A. GOLD COMBO METHOD

For low grade samples and geochemical materials 10 gram samples are fused with the addition of 10 mg of Au-free Ag metal and cupelled. The silver bead is parted with dilute HNO₃ and then treated with aqua regia. The salts are dissolved in dilute HCl and analyzed for Au on an atomic absorption spectrophotometer to a detection of 5 ppb.

APPENDIX 2
ANALYTICAL RESULTS



Chemex Labs Ltd.

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Analytical Chemists • Geochemists • Registered Assayers

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : NORTH AMERICAN METALS CORP. **

1020 - 800 W. PENDER ST.
VANCOUVER, BC
V6C 2H6

CERT. # : A8619800-005-A
INVOICE # : I8619800
DATE : 30-CCT-86
P.C. # : NONE
GOLDEN LAKE

CC: MUDDY LAKE

| Sample description | Prep code | Cu ppm | Ag ppm Aqua R | AS ppm | Hg ppb | Sb ppm | Au ppb FA+AA |
|--------------------|-----------|--------|------------------|--------|--------|--------|-----------------|
| DT6 2-219 | 201 | 72 | 0.1 | 39 | 40 | 3.0 | <5 |
| DT6 2-220 | 201 | 34 | 0.1 | 17 | 30 | 1.4 | 35 |
| DT6 2-221 | 201 | 28 | 0.1 | 20 | 30 | 1.4 | 15 |
| DT6 2-222 | 201 | 30 | 0.1 | 17 | 30 | 1.4 | 60 |
| DT6 2-223 | 201 | 30 | 0.1 | 14 | 30 | 1.5 | 15 |
| DT6 2-224 | 201 | 33 | 0.1 | 14 | 30 | 1.4 | 30 |
| DT6 2-225 | 201 | 31 | 0.1 | 24 | 60 | 3.0 | 45 |
| DT6 2-226 | 201 | 26 | 0.1 | 17 | 50 | 3.0 | 65 |
| DT6 2-227 | 201 | 33 | 0.2 | 35 | 60 | 7.8 | 100 |
| DT6 2-228 | 201 | 36 | 0.1 | 27 | 130 | 8.0 | 20 |
| DT6 2-229 | 201 | 33 | 0.1 | 20 | 50 | 3.8 | 5 |
| DT6 2-230 | 201 | 25 | 0.1 | 6 | 30 | 1.6 | 15 |
| DT6 2-231 | 201 | 22 | 0.1 | 4 | 20 | 0.2 | <5 |
| DT6 2-232 | 201 | 13 | 0.1 | 5 | 20 | 0.2 | <5 |
| DT6 2-233 | 201 | 40 | 0.1 | 210 | 20 | 1.2 | <5 |
| DT6 2-234 | 201 | 48 | 0.1 | 130 | 30 | 2.0 | 205 |
| DT6 2-235 | 201 | 33 | 0.1 | 14 | 20 | 0.2 | 30 |
| DT6 2-236 | 201 | 31 | 0.1 | 20 | 30 | 1.6 | <5 |
| DT6 2-237 | 201 | 42 | 0.1 | 19 | 40 | 2.2 | 10 |
| DT6 2-238 | 201 | 80 | 0.2 | 41 | 40 | 4.6 | 5 |
| DT6 2-239 | 201 | 40 | 0.1 | 25 | 30 | 2.4 | <5 |
| DT6 2-240 | 201 | 31 | 0.1 | 17 | 30 | 1.8 | 15 |
| DT6 2-241 | 201 | 51 | 0.1 | 23 | 30 | 2.8 | 5 |
| DT6 2-242 | 201 | 40 | 0.1 | 29 | 40 | 1.8 | 10 |
| DT6 2-243 | 201 | 41 | 0.1 | 25 | 40 | 1.8 | 5 |
| DT6 2-244 | 201 | 46 | 0.1 | 23 | 30 | 2.0 | <5 |
| DT6 2-245 | 201 | 42 | 0.1 | 23 | 20 | 2.2 | 5 |
| DT6 2-246 | 201 | 50 | 0.1 | 6 | 30 | 1.0 | 20 |
| DT6 2-247 | 201 | 43 | 0.1 | 19 | 40 | 2.6 | <5 |
| DT6 2-248 | 201 | 44 | 0.1 | 35 | 40 | 2.0 | 25 |
| DT6 2-249 | 201 | 28 | 0.1 | 27 | 40 | 2.0 | <5 |
| DT6 2-250 | 201 | 40 | 0.1 | 30 | 30 | 2.1 | <5 |
| DT6 2-251 | 201 | 54 | 0.1 | 23 | 40 | 2.0 | 25 |
| DT6 2-252 | 201 | 23 | 0.3 | 35 | 30 | 1.8 | 75 |
| DT6 2-253 | 201 | 28 | 0.3 | 33 | 30 | 2.2 | 10 |
| DT6 2-254 | 201 | 27 | 0.2 | 29 | 20 | 2.4 | <5 |
| DT6 2-255 | 201 | 26 | 0.4 | 25 | 30 | 1.8 | <5 |
| DT6 2-256 | 201 | 35 | 0.4 | 41 | 30 | 2.8 | <5 |

VOI rev. 4/85

Certified by *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
 North Vancouver, B.C.
 Canada V7J 2C1
 NOV 03 1986
 Phone: (604) 984-0221
 Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : NORTH AMERICAN METALS CORP.,

** CERT. # : A8619801-001-A
 INVOICE # : I8619801
 DATE : 3-NOV-86
 P.O. # : NONE
 GOLDEN BEAR

1020 - 800 W. PENDER ST.
 VANCOUVER, BC
 V6C 2H6

CC: MUDDY LAKE

| Sample description | Prep code | Cu ppm | Ag ppm Aqua R | AS ppm | Hg ppb | Sb ppm | Au ppb FA+AA |
|--------------------|-----------|--------|---------------|--------|--------|--------|--------------|
| DT6 2-257 | 201 | 27 | 0.3 | 22 | 40 | 2.0 | 5 |
| DT6 2-258 | 201 | 30 | 0.2 | 22 | 30 | 1.7 | <5 |
| DT6 2-259 | 201 | 26 | 0.3 | 25 | 40 | 1.9 | 10 |
| DT6 2-260 | 201 | 32 | 0.2 | 53 | 50 | 3.2 | <5 |
| DT6 2-261 | 201 | 28 | 0.2 | 27 | 40 | 2.4 | 20 |
| DT6 2-262 | 201 | 50 | 0.1 | 90 | 70 | 6.2 | 5 |
| DT6 2-263 | 201 | 32 | 0.1 | 36 | 40 | 2.6 | 10 |
| DT6 2-264 | 201 | 26 | 0.1 | 43 | 40 | 4.6 | 10 |
| DT6 2-265 | 201 | 25 | 0.1 | 36 | 50 | 4.8 | 5 |
| DT6 2-266 | 201 | 34 | 0.1 | 20 | 30 | 1.4 | <5 |
| DT6 2-267 | 201 | 27 | 0.1 | 22 | 30 | 1.6 | <5 |
| DT6 2-268 | 201 | 28 | 0.1 | 25 | 40 | 2.4 | <5 |
| DT6 2-269 | 201 | 25 | 0.3 | 22 | 30 | 2.2 | 45 |
| DT6 2-270 | 201 | 27 | 0.2 | 33 | 40 | 2.7 | <5 |
| DT6 2-271 | 201 | 27 | 0.2 | 55 | 50 | 3.8 | <5 |
| DT6 2-272 | 201 | 26 | 0.1 | 32 | 40 | 2.8 | 15 |
| DT6 2-273 | 201 | 27 | 0.3 | 29 | 150 | 8.6 | 25 |
| DT6 2-274 | 201 | 29 | 0.1 | 45 | 60 | 1.8 | <5 |
| DT6 2-275 | 201 | 23 | 0.1 | 30 | 40 | 2.0 | <5 |
| DT6 2-276 | 201 | 23 | 0.3 | 33 | 80 | 4.6 | <5 |
| DT6 2-277 | 201 | 11 | 0.1 | 100 | 200 | 36.0 | 20 |
| DT6 2-278 | 201 | 4 | 0.1 | 60 | 170 | 23.0 | 5 |
| DT6 2-279 | 201 | 10 | 0.1 | 80 | 140 | 26.0 | 5 |
| DT6 2-280 | 201 | 23 | 0.2 | 100 | 150 | 33.0 | 15 |
| DT6 2-281 | 201 | 12 | 0.1 | 90 | 170 | 31.0 | 15 |
| DT6 2-282 | 201 | 30 | 0.1 | 120 | 180 | 45.0 | 10 |
| DT6 2-283 | 201 | 33 | 0.1 | 120 | 200 | 51.0 | 15 |
| DT6 2-284 | 201 | 36 | 0.2 | 130 | 180 | 49.0 | 25 |
| DT6 2-285 | 201 | 46 | 0.2 | 150 | 240 | 71.0 | 30 |
| DT6 2-286 | 201 | 39 | 0.2 | 150 | 230 | 57.0 | 15 |
| DT6 2-287 | 201 | 30 | 0.2 | 150 | 210 | 58.0 | 20 |
| DT6 2-288 | 201 | 18 | 0.1 | 100 | 170 | 40.0 | 30 |
| DT6 2-289 | 201 | 28 | 0.2 | 120 | 190 | 55.0 | 25 |
| DT6 2-290 | 201 | 16 | 0.2 | 90 | 140 | 26.0 | 15 |
| DT6 2-291 | 201 | 14 | 0.1 | 100 | 140 | 32.0 | <5 |
| DT6 2-292 | 201 | 13 | 0.1 | 60 | 110 | 28.0 | <5 |
| DT6 2-293 | 201 | 8 | 0.1 | 70 | 100 | 25.0 | <5 |
| DT6 2-294 | 201 | 6 | 0.1 | 70 | 110 | 21.0 | <5 |
| DT6 2-295 | 201 | 5 | 0.2 | 70 | 80 | 19.4 | <5 |
| DT6 2-296 | 201 | 10 | 0.1 | 70 | 100 | 24.0 | 10 |

VOI rev. 4/85

Certified by *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

1121 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 04152597
NOV 03 1986

CERTIFICATE OF ANALYSIS

TO : NORTH AMERICAN METALS CORP.

**


CERT. # : A8619801-002-A
INVOICE # : I8619801
DATE : 3-NOV-86
P.O. # : NONE
GOLDEN BEAR

1020 - 800 W. PENDER ST.
VANCOUVER, BC
V6C 2H6

CC: MUDDY LAKE

| Sample description | Prep code | Cu ppm | Ag ppm Aqua R | AS ppm | Hg ppb | Sb ppm | Au ppb FA+AA |
|--------------------|-----------|--------|---------------|--------|--------|--------|--------------|
| DT6 2-297 | 201 | 25 | 0.2 | 90 | 130 | 20.0 | <5 |
| DT6 2-298 | 201 | 5 | 0.2 | 70 | 90 | 14.6 | <5 |
| DT6 2-299 | 201 | 8 | 0.2 | 70 | 120 | 21.0 | <5 |
| DT6 2-300 | 201 | 20 | 0.2 | 80 | 150 | 30.0 | <5 |
| DT6 2-301 | 201 | 21 | 0.1 | 60 | 140 | 29.0 | <5 |
| DT6 2-302 | 201 | 4 | 0.3 | 41 | 60 | 8.4 | <5 |
| DT6 2-303 | 201 | 36 | 0.2 | 140 | 150 | 48.0 | <5 |
| DT6 2-304 | 201 | 5 | 0.3 | 70 | 100 | 19.4 | <5 |
| DT6 2-305 | 201 | 33 | 0.2 | 90 | 140 | 39.0 | <5 |
| DT6 2-306 | 201 | 11 | 0.4 | 60 | 100 | 20.0 | <5 |

Certified by *Hart Bichler*



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,550

LEGEND:

- DT# 2-230 SOIL SAMPLE LOCATION
- Bw6 1-6 ROCK SAMPLE LOCATION


NORTH AMERICAN METALS (B.C.) INC.

SAM 1 CLAIM

SAMPLE LOCATION MAP



| | | |
|-------------------|-----------|-----------------|
| FIGURE NO. MAP 1 | | PROJECT NO. |
| DATE: JAN., 1987 | REVISIONS | SCALE: 1:10 000 |
| NTS: 104 K | | FILE NO. |
| COMPILED BY: B.W. | | |




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


15,550


LEGEND:

○ 10,0.3 Au RESULT IN ppb, Ag RESULT IN ppm



| | | | |
|--|-----------|-------------|-----------------|
| NORTH AMERICAN METALS (B.C.) INC. | | | |
| SAM 1 CLAIM | | | |
| GEOCHEMICAL SURVEY | | | |
| GOLD/SILVER RESULTS | | | |
| FIGURE NO. MAP 2 | | PROJECT NO. | |
| DATE: JAN., 1987 | REVISIONS | | SCALE: 1:10 000 |
| NTS: 104 K | | | FILE NO. |
| COMPILED BY: B.W. | | | |






GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,550

LEGEND:

○ 28,30 Cu RESULT IN ppm, Hg RESULT IN ppb



| | | | |
|-----------------------------------|-------------|-----------------|--|
| NORTH AMERICAN METALS (B.C.) INC. | | | |
| SAM 1 CLAIM | | | |
| GEOCHEMICAL SURVEY | | | |
| COPPER/MERCURY RESULTS | | | |
| FIGURE NO. MAP 4 | PROJECT NO. | | |
| DATE: JAN., 1987 | REVISIONS | SCALE: 1:10 000 | |
| NTS: 104 K | | FILE NO. | |
| COMPILED BY: B.W. | | | |