


87-197-15838
488



REPORT on the
LILL PROPERTY
GEOCHEMICAL SURVEY
for
GREENLAKE RESOURCES INC.

FILMED

PART 2 OF 2

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,838

Lillooet M.D.
Lat 50° 14' N
Long 122° 36' W

by: W.C. DAY
B.Sc., P. Geol.

TABLE OF CONTENTS

	Page
Introduction	1
Location & Access	2
Claim Data	3
Climate & Physiography	4
History	5
Geology	7
Geochemical Survey & Results	9
Conclusions & Recommendations	11
Cost Estimates	13
Program Cost	14
Certificate	
Appendix I	Statistics - Au, Ag, Cu, Zn, Sb, As
Appendix II	ICP Data (analytical results)
MAPS	following page
Location Map	2
Claim Map	3
Geochem Contour Maps Au, Ag, Cu, Zn	in pocket at rear
FIGURES	
Soil correlation coefficients	9
Rock correlation coefficients	9

I N T R O D U C T I O N

During the period September 1986 through February 1987 exploration was carried out on Greenlake Resources Ltd. - Lill Property located in the Lillooet Mining Division approximately 12 km east of Pemberton.

Exploration conducted consisted of geochemistry, geophysics and Diamond Drilling. The geophysical and geochemical surveys were conducted over a grid comprising some 33 line km.

The purpose of this report is to summarize the geochemical results. Results of the geophysical program are contained in a separate report entitled:

"Geophysical Report - Greenlake Resources Ltd.
Magnetometer and VLF Electromagnetic Surveys-
Lill group of claims - dated January 20, 1987
by White Geophysical Ltd."

LOCATION & ACCESS

The Lill Property is located on the northwest shore of Lillooet Lake some 12 km east of Pemberton and 120 km north of Vancouver, B.C. At present, access to the property can be gained essentially by boat or helicopter, however, a logging road is currently being constructed that is now approaching the claim boundary but will eventually transect the claims. This road will greatly facilitate access to the claims in future. The claims are located at $50^{\circ} 14'N$ latitude; $122^{\circ} 36'W$ longitude on map sheet 92J7E.



FIGURE 3-1


GREEN LAKE RESOURCES LTD

LILL CLAIM GROUP

PROJECT # 85GR1

LOCATION MAP

SCALE 1:1000000



NOVEMBER 7, 1986



CLAIM DATA

The Lill Group of claims consists of three modified grid system claims comprising 22 claim units and are located in the Lillooet Mining Division.

Pertinent claim data is tabulated below:

<u>Claim</u>	<u>Units</u>	<u>Record#</u>	<u>Expiry Date</u>
Lill 1	10	574(11)	November 1, 1987
Lill 2	2	575(11)	November 1, 1987
Lill 3	10	3234	May 3, 1987

In addition to the above, additional claims have recently been staked which include:

<u>Claim</u>	<u>Units</u>
Lill 5	12
Lill 6	20
Lill 7	16
Lill 8	1
Lill 9	1
Lill 10	10
Lill 11	4

Record numbers and expiry dates are not as yet available for these claims.





FIGURE 4-1

GREEN LAKE RESOURCES LTD.

LILL CLAIM GROUP

PROJECT # 85GR1

CLAIM MAP



NOVEMBER 7, 1986



CLIMATE & PHYSIOGRAPHY

The claims are situated within the Coast Mountain Range on the northeastern slope of Mount Currie. The topographic profile is steep to precipitous. The elevation of the property is from 213 m. at lake level rising to 1500 metres. The claim area is heavily timbered with cedar, hemlock, birch and alder. Underbrush is light to moderate. The few creek valleys present within the claim area are deeply incised.

Mean annual precipitation is from 150 cm to 250 cm. The temperature ranges from 0° to -5° C in January to 14° - 16° C in July.

HISTORY

Initial work in the claim area likely occurred in the early 1900's and was probably prompted by the presence of extensive gossan bluffs. First work documented was the driving of the two adits during this period 1915 - 1923 (?). 230' of workings were driven on the lake adit showing and a 20' adit was driven on the Eagle Showing. Stripping and trenching was also conducted on several showings between the lake adit and Eagle and in other areas.

In 1924, C.E. Cairnes of the GSC, mapped a zone of mineralization 3½ miles or more long and up to 600' wide included in which are the Lake adit, Eagle, Havdale and Ure Creek (Skerl) showings. In his report he quotes Mr. Uglows sampling of the Skerl showing again cited below:

Sample No.	Width (ft)	cu%	Ag Oz/Ton	Au Oz/Ton
1	15	1.5	.68	Trace
2	20	.45	.22	Trace
3	20	.10	.52	Trace
4	30	.30	.54	\$1.40/ton (1924)

Three diamond drill holes were completed in 1929 near and under the Lake adit and Eagle showings. This drilling was conducted by Howe Sound Company. A fourth hole was drilled in the late 1950's probably collared immediately above the Lake adit.

Cerro Mining Company of Canada Ltd. initiated exploration of the area in 1969. Their work included geological mapping of a reconnaissance nature by P.G. Cross and in detail on the Eagle vicinity by J.R. Woodcock. Ground magnetic surveys, reconnaissance and detailed soil geochemistry and additional mapping was also carried out.

HISTORY (cont.)

In 1980 H. Kim examined the property. In his report he cites the type of mineralization occurring and the range of assay values on 40 channel samples he collected. He states:-

"Two types of sulphide mineralization occur on the property:

- 1) Massive magnetite, pyrite, chalcopryrite ore with lesser gold, silver, lead and zinc.
- 2) Skarn ore, principally pyrite and sphalerite with lesser chalcopryrite and silver.

About 40 channel samples were obtained with cut ranges from 50 cm. to 2.4 m.

The assay ranges were as follows:

Cu	0.21	2.87%
Zn	0.01	10.10%
Pb	0.01	.22%
Au	Trace	0.09 oz/Ton
Ag	Trace	0.70 oz/Ton

In 1982 an airborne survey was flown incorporating VLF-Em and magnetics on behalf of Regulus Resources Inc. This survey defined two priority areas for followup, both of which are confined within the current claim boundaries.

GEOLOGY

The geology of the general claim area has been mapped by various parties including Cairnes (1924), Cross (1969), Woodcock (1969), Kierans (1970), Kim (1980) and Wells (1983).

The claims are located at the south end of the Cadwallader group pendant, enclosed in the Spetch Creek granodiorite pluton. The pendant is approximately 110 km long and about 10 km wide. Known as the Cadwallader group rocks of Upper Triassic age, this group includes the Noel formation, Pioneer formation and Hurley formation and may also include older or younger rocks.

The Noel fm (Unit 4) consists of thin bedded argillite, chert, conglomerate and greenstone. The Pioneer fm (Unit 5) includes greenstone, andesitic to basaltic flows and pyroclastics. The Hurley fm (Unit 6) is comprised of thin bedded argillite, phyllite, limestone, tuff, conglomerate, andersite and minor chert.

Four known mineralized showings occur within the property area. These showings are the Lake adit - a skarn with mineralization including magnetite, pyrite, chalcopyrite, pyrrhotite and sphalerite. Copper values range from .11% to 1.6% and zinc from trace to 5.68% (minor gold and silver are also present). The Eagle showing exhibits massive magnetite and pyrite with lessor amounts of chalcopyrite, sphalerite and arsenopyrite. The Havdale showing is another skarn with massive pyrite and minor chalchopyrite and magnetite. The Skerl showing lacks the skarnification of the others by occurring in silicious tuff. It hosts pyrite chacopyrite and sphalerite. This latter showing is strongly indicative of volcanogenic style mineralization

GEOLOGY (cont.)

During January and February 1987 four diamond drill holes were collared, DDH-87-1 intersected, no significant mineralization. DDH-87-2 and 3 were lost in gravel. DDH-87-4 was collared in significant mineralization (copper, zinc, silver and gold.) and remained in same for the first 28'. From 28' to 161', heavily pyritized alternating bands 10 to 20 feet thick, of rhyolite and andesite were cored. The 28' intersection shows mineralization that is probably structurally controlled and is the first of this type to be recognized on the property. Its thickness is unknown as the hole was collared in the mineralization immediately upon penetrating bedrock. This mineralization represents a significant addition to the volcanogenic and skarn types previously recognized.

An outcrop composed of coarse fragmental rhyolite cemented by sulphides has also been located on claims. The rhyolite fragments are up to 8 cm. long and 5 cm. wide with the dominant sulphide being pyrite. This outcrop is important as it may be in close proximity to a vent.

GEOCHEMICAL SURVEY AND RESULTS

Soil samples were taken on steep slope from poorly developed "B" horizon at shallow (15 cm) depth

During the course of the program 506 soil samples and 94 rock chip samples were collected. Samples were collected at 50 meter intervals on a previously established grid. The samples were analysed by Min-en Labs of North Vancouver who subjected the samples to multi element analyses by ICP. Anomalous values of significance were found to be present in six elements including gold, silver, copper, zinc, arsenic and antimony.

Statistical analysis of the assay data has found that inter-element correlation exists between these elements (Fig. 3a & 3b) A summary of the statistical results for the six elements cited is tabulated below, histograms and cumulative frequency plots are attached in Appendix 1, ICP results are attached in Appendix 2 and contour maps are appended in the pocket at rear.

Soil Samples

Element	Maximum Value	Anomalous Values Over	*Method
Au	160 ppb	22.8 ppb 10 ppb	M + 2S Cum. Freq. & Hist.
Ag	3.6 ppm	1.4 1.35 ppm	M + 2S Cum. Freq. & Hist.
Zn	10,289 ppm	2040 870 ppm	M + 2S Cum. Freq. & Hist.
Cu	2,482 ppm	346 100 ppm	M + 2S Cum. Freq. & Hist.
Sb	24 ppm	13.52 10 ppm	M + 2S Cum. Freq. & Hist.
As	83 ppm	29.54 11 ppm	M + 2S Cum. Freq. & Hist.

* M + 2S = Mean and 2 standard deviations above mean

Cum. Freq = Cumulative Frequency
Hist. = Histogram

GEOCHEMICAL SURVEY AND RESULTS (cont.)

ROCK CHIP SAMPLES

ELEMENT	MAXIMUM VALUE	ANOMOLOUS (Values over)
Au	50 ppb	8 ppb
Ag	9.5 ppm	2 ppm
Zn	4232 ppm	250 ppm
Cu	448 ppm	75 ppm
Sb	26 ppm	10 ppm
As	41 ppm	10 ppm

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

CORRELATION COEFFICIENTS

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G.H. RAYNER

SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

THE TABLE BELOW REPRESENTS THE PEARSON CORRELATION MATRIX,
SHOWING THE INTER-ELEMENT CORRELATION COEFFICIENTS. THOSE VALUES THAT
EXCEED THEIR CRITICAL VALUE FOR .01 LEVEL OF SIGNIFICANCE ARE SHOWN
IN DARKER PRINT AND UNDERLINED.

	AG	AS	CU	SB	ZN	AU
AG	1.000	<u>.350</u>	<u>.597</u>	<u>.641</u>	<u>.221</u>	<u>.183</u>
AS		1.000	<u>.351</u>	<u>.712</u>	.006	.065
CU			1.000	<u>.410</u>	<u>.594</u>	<u>.224</u>
SB				1.000	.022	.096
ZN					1.000	<u>.118</u>
AU						1.000

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

CORRELATION COEFFICIENTS

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R.H. RAYNER

SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

THE TABLE BELOW REPRESENTS THE PEARSON CORRELATION MATRIX, SHOWING THE INTER-ELEMENT CORRELATION COEFFICIENTS. THOSE VALUES THAT EXCEED THEIR CRITICAL VALUE FOR .01 LEVEL OF SIGNIFICANCE ARE SHOWN IN DARKER PRINT AND UNDERLINED.

	AG	AS	CU	SB	ZN	AU
AG	1.000	<u>.347</u>	<u>.455</u>	<u>.248</u>	<u>.538</u>	<u>.692</u>
AS		1.000	<u>.441</u>	<u>.407</u>	<u>.501</u>	<u>.496</u>
CU			1.000	<u>.353</u>	<u>.662</u>	<u>.723</u>
SB				1.000	.156	.207
ZN					1.000	<u>.924</u>
AU						1.000

CONCLUSIONS & RECOMMENDATIONS

The geochemical survey successfully established that the Lill Property exhibits anomalous values in zinc, copper, silver, gold, antimony and arsenic. Anomalous values were detected over wide areas surveyed, however, upon contouring the values it is seen that the geometry of the contours is inconsistent with what might be expected from the geology. The reason for this inconsistency is unknown, however, some reasons which may account for the results might include:

- a) Topography -mechanical dispersion due to the steep terrane would likely vary from moderate to extreme.
- b) High sulphide content known to be present in the Rhyolites and some of the andersite horizons when oxidized and released may radically vary the acidity of the soil and as such vary the mobility of the elements in the surficial environment.
- c) The high rainfall of the area may further aggravate the effects caused by either or both of the above.

In addition, soil development in the area is poor and this feature complexed by highly variable overburden thicknesses may further affect geochemical signatures.

In view of the above the results of the geochemical survey are very encouraging. The large areas over which anomalous values were detected indicates the potential for the occurrence of extensive mineralization within three possible geological environments. These three environments include:

- a) Volcanogenic style mineralization
- b) Shear (Structure) hosted mineralization
- and c) Skarn type mineralization

To further assess the property for economic concentrations of mineralization within these environments the following recommendation are entered:

- a) Geochemistry - detailed geochemistry on a 25 meter square grid from line 1800S to Line 3000S should be conducted. The lines should extend 500 meters west and 200 meters east of the baseline.

CONCLUSIONS AND RECOMMENDATIONS (Cont.)

- b) The current grid should be extended from 1000S to 600S and geochemistry on a 50 meter square grid conducted. Again the lines should extend 500 meters above and 200 meters below the baseline.
- c) A test, geophysical survey should be conducted in the area around DDH-87-4 to determine which instrument can best detect the mineralization found in the first 28' of this hole. I.P. and some form of shootback or deep Em should be the first candidates to be tested. The system giving the best response should be run over the detailed grids.
- d) The property should be mapped in detail.
- e) Diamond Drilling is recommended following steps a) through c). The first hole should be drilled to cut the full width of mineralization collared in DDH=87=4. Subsequent holes to be drilled on geophysical/geochemical /geological targets.

RESPECTFULLY SUBMITTED,



W.C. DAY,
B.Sc., P. Geol.

COST ESTIMATES

PHASE I

A.	GEOCHEMISTRY	
	Grid 1	
	49 Lines, 29 Samples/Line	
	\$20/Sample (collected & Analysed)	\$28,420.00
	Grid 2	
	9 Lines, 15 Samples/Line	
	\$20/Sample (Collected and Analysed)	\$2,700.00
B.	GEOPHYSICS	
	Linecutting 22 Km at \$500/Km	\$11,000.00
	22 Km at \$800/Km	\$17,600.00
C.	GEOLOGY	
	3 Geologists for 20 days	\$27,000.00
	at \$450/Man/Day	
	Camp/Supplies/Etc.	\$3,000.00
D.	DRILLING	
	3000 Meters at \$90/Meter	\$270,000.00
	Mob/demob, moves included	
	Assaying - 500 @ \$115	\$7,500.00
	Geologist/Helper \$700 Day	\$42,000.00
	60 Days	
	Contingencies at 10%	\$409,220.00
		<u>40,900.00</u>
		\$450,120.00

PHASE 2

Diamond Drilling - contingent upon results of
Phase I drilling.

PROGRAM COSTS

Linecutting & Geochemistry contract	\$18,000.
Photomosaic	5,000.
Assaying	9,600.
	<hr/>
	32,600.
Geophysics contract	10,546.
	<hr/>
	<hr/>
TOTAL	43,146.00

CERTIFICATE

I, William C. Day, of address 258 W. 24th St., North Vancouver, B.C., do hereby certify that:

1. I am a graduate of the University of British Columbia (B. Sc. Geology).
2. I am a member in good standing of the Association of Professional Engineers, Geologists and Geophysicists of Alberta.
3. This report is based on materials supplied by Green Lake Resources Ltd. and upon my involvement in the geochemistry program of subject in this report.
4. That I have a direct interest in the property of subject in this report as I am a director of Green Lake Resources Ltd.

Dated this 20TH day of April, 1987 at Vancouver.

A handwritten signature in cursive script, appearing to read 'W.C. Day', written in dark ink.

W.C. Day, B. Sc., P. Geol.

APPENDIX I

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AU

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G. H. RAYNER


SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPB)	CUMMUL. FREQ. (%)
30.34	1.38
27.80	1.38
25.47	1.38
23.34	1.58
21.38	2.17
19.59	2.17
17.95	3.16
16.44	3.56
15.07	3.95
13.80	5.34
12.65	6.32
11.59	7.31
10.62	7.71
9.73	11.26
8.91	13.64
8.17	13.64
7.48	17.19
6.86	21.54
6.28	21.54
5.75	27.67
5.27	27.67
4.83	39.92
4.43	39.92
4.05	39.92
3.71	59.09
3.40	59.09
3.12	59.09
2.86	78.06
2.62	78.06
2.40	78.06
2.20	78.06
2.01	78.06
1.65	95.26
1.69	95.26
1.55	95.26
1.42	95.26
1.30	95.26
1.19	95.26
1.09	95.26
1.00	99.80



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

STATISTICAL SUMMARY ON AU

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G.H. RAYNER

SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

NUMBER OF SAMPLES: 506

MAXIMUM VALUE: 160.00 PPB

MINIMUM VALUE: 1.00 PPB

MEAN: 5.62 PPB

STD. DEVIATION: 8.59 PPB

COEFF. OF VARIATION: 1.53

5 HIGHEST AU VALUES:

38+00S 3+00W 40M 160 PPB

21+00S3+50W 48 PPB

23+00S7+50W 48 PPB

27+00S3+50W 35 PPB


14+00S 0+125W40M 34 PPB

HISTOGRAM FOR AU

CLASS INTERVAL = .7

MID CLASS PPB	CLASS %
------------------	------------

<	1.00	.20
	1.35	4.74
	2.05	17.19
	2.75	18.97
	3.45	0.00
	4.15	19.17
	4.85	12.25
	5.55	0.00
	6.25	6.13
	6.95	4.35
	7.65	3.56
	8.35	0.00
	9.05	2.37
	9.75	3.56
	10.45	0.00
	11.15	.40
	11.85	.99
	12.55	0.00
	13.25	.99
	13.95	.59
	14.65	.40
>	15.00	4.15



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352928 PHONE: (604)980-5814 OR (604)988-4524

CUMMULATIVE PROBABILITY PLOT ON ZN

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G. H. RAYNER


SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
3107.77	1.38
2719.25	1.38
2379.30	1.58
2081.85	2.37
1821.58	3.36
1593.85	5.14
1394.59	8.89
1220.24	12.06
1067.70	16.21
934.22	21.15
817.43	23.72
715.24	28.66
625.82	33.40
547.59	38.93
479.13	45.06
419.22	51.78
366.81	58.30
320.96	63.24
280.84	69.37
245.72	76.09
215.00	80.43
188.12	84.58
164.61	87.55
144.02	89.72
126.02	90.71
110.26	92.89
96.47	95.26
84.42	97.23
73.87	98.22
64.63	98.42
56.56	99.01
49.49	99.01
43.30	99.01
37.88	99.21
33.15	99.21
29.00	99.60
25.38	99.60
22.20	99.60
19.43	99.80
17.00	99.80



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON ZN

COMPANY: GREEN LAKE RESOURCES
 ATTN: G. H. RAYNER
 PROJECT: LILL
 FILE#: 6-1288/6-1319

DATE: JAN 9/87
 SAMPLE TYPE: SOILS
 ANALYSIS TYPE: ICP

NUMBER OF SAMPLES: 506
 MAXIMUM VALUE: 10289.00 PPM
 MINIMUM VALUE: 17.00 PPM
 MEAN: 629.62 PPM
 STD. DEVIATION: 705.08 PPM
 COEFF. OF VARIATION: 1.12


5 HIGHEST ZN VALUES:
 21+00S3+50W 10289 PPM
 26+50S1+50W 40M 3891 PPM
 26+00S1+50W 3673 PPM
 26+00S1+00W 3670 PPM
 26+00S2+00W 3596 PPM

HISTOGRAM FOR ZN

CLASS INTERVAL = 82.05

MID CLASS PPM	CLASS %
------------------	------------

< 17.00	.20
58.03	5.53
140.08	8.70
222.13	13.64
304.18	11.46
386.23	9.68
468.28	8.70
550.33	6.52
632.38	4.74
714.43	3.95
796.48	4.15
878.53	1.78
960.58	2.17
1042.63	3.36
1124.68	1.78
1206.73	2.17
1288.78	1.56
1370.83	1.38
1452.88	1.78
1534.93	1.19
1616.98	1.38
> 1698.00	4.13



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON SB

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G. H. RAYNER


SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
17.70	2.37
16.44	3.95
15.28	4.94
14.19	5.53
13.18	6.32
12.25	7.11
11.38	9.29
10.57	11.26
9.82	12.65
9.12	12.65
8.47	15.42
7.87	19.37
7.31	19.37
6.79	22.73
6.31	22.73
5.86	30.63
5.45	30.63
5.06	30.63
4.70	40.71
4.37	40.71
4.05	40.71
3.77	54.94
3.50	54.94
3.25	54.94
3.02	54.94
2.90	73.12
2.61	73.12
2.42	73.12
2.25	73.12
2.09	73.12
1.94	88.14
1.80	88.14
1.67	88.14
1.56	88.14
1.44	88.14
1.34	88.14
1.25	88.14
1.16	88.14
1.08	88.14
1.00	99.80



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONHENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

STATISTICAL SUMMARY ON SB

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G.H. RAYNER

SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

NUMBER OF SAMPLES: 506
 MAXIMUM VALUE: 24.00 PPM
 MINIMUM VALUE: 1.00 PPM
 MEAN: 5.12 PPM
 STD. DEVIATION: 4.20 PPM
 COEFF. OF VARIATION: .82


5 HIGHEST SB VALUES:
 23+00S5+00W 40M 24 PPM
 22+00S2+00W 23 PPM
 14+00S 0+00W 20 PPM
 28+50S 7+00W 20 PPM
 28+50S 7+50W 20 PPM

HISTOGRAM FOR SB

CLASS INTERVAL = .9

MID CLASS	CLASS
PPM	%

<	1.00	.20
	1.45	11.86
	2.35	15.02
	3.25	18.18
	4.15	14.23
	5.05	10.08
	5.95	7.91
	6.85	3.36
	7.75	3.95
	8.65	2.77
	9.55	1.38
	10.45	0.00
	11.35	1.98
	12.25	2.17
	13.15	.79
	14.05	.79
	14.95	.59
	15.85	.99
	16.75	1.58
	17.65	.99
	18.55	0.00
>	19.00	1.19



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

CUMMULATIVE PROBABILITY PLOT ON CU

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G.H. RAYNER


SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
445.63	1.38
397.16	1.38
353.97	1.98
315.48	2.57
281.17	3.16
250.59	3.36
223.34	4.55
199.06	6.52
177.40	7.51
158.12	8.30
140.92	10.28
125.59	11.86
111.94	13.24
99.76	16.60
88.91	19.37
79.25	24.51
70.63	28.85
62.94	34.76
56.10	41.30
50.00	47.04
44.56	53.36
39.72	60.28
35.39	65.81
31.55	70.16
28.12	74.31
25.06	79.64
22.33	86.76
19.91	90.32
17.74	92.89
15.81	94.47
14.09	95.26
12.56	97.23
11.19	97.63
9.97	97.83
8.89	98.02
7.93	98.22
7.06	98.22
6.29	99.21
5.61	99.80
5.00	99.80



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

STATISTICAL SUMMARY ON CU

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G.H. RAYNER

SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

NUMBER OF SAMPLES: 506
 MAXIMUM VALUE: 2482.00 PPM
 MINIMUM VALUE: 5.00 PPM
 MEAN: 75.65 PPM
 STD. DEVIATION: 135.23 PPM
 COEFF. OF VARIATION: 1.79


5 HIGHEST CU VALUES:
 21+00S3+50W 2482 PPM
 10+00S1+00W 786 PPM
 10+00S0+50W 593 PPM
 26+00S4+50W 590 PPM
 26+00S5+00W 566 PPM

HISTOGRAM FOR CU

CLASS INTERVAL = 11

MID CLASS	CLASS
PPM	%

< 5.00	.20
10.50	6.13
21.50	16.80
32.50	15.42
43.50	13.64
54.50	10.47
65.50	9.09
76.50	5.73
87.50	5.14
98.50	1.78
109.50	3.16
120.50	1.19
131.50	.99
142.50	.99
153.50	1.19
164.50	.40
175.50	.40
186.50	.79
197.50	.40
208.50	1.38
219.50	.59
> 225.00	4.15



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AS

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G. H. RAYNER


SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
62.23	1.38
55.98	1.98
50.35	2.57
45.29	2.96
40.74	3.56
36.64	4.15
32.96	5.34
29.65	5.73
26.67	6.52
23.99	6.92
21.58	7.71
19.41	8.70
17.46	8.70
15.70	9.29
14.13	9.49
12.71	10.08
11.43	10.28
10.28	10.87
9.25	11.46
8.32	11.86
7.48	11.86
6.73	12.06
6.05	12.06
5.45	12.45
4.90	12.85
4.41	12.85
3.96	12.85
3.37	12.85
3.31	12.85
2.88	13.44
2.59	13.44
2.33	13.44
2.10	13.44
1.89	14.03
1.70	14.03
1.53	14.03
1.37	14.03
1.24	14.03
1.11	14.03
1.00	99.80



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON AS

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G. H. RAYNER

SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICF

FILE#: 6-1288/6-1319

NUMBER OF SAMPLES: 506
MAXIMUM VALUE: 83.00 PPM
MINIMUM VALUE: 1.00 PPM
MEAN: 4.88 PPM
STD. DEVIATION: 12.33 PPM
COEFF. OF VARIATION: 2.53

5 HIGHEST AS VALUES:
27+50S1+00W 83 PPM
10+00S0+50W 74 PPM
14+00S 0+00W 72 PPM
22+00S2+00W 69 PPM
28+50S 7+00W 66 PPM

HISTOGRAM FOR AS

CLASS INTERVAL = 1.75

MID CLASS PPM	CLASS %
------------------	------------

< 1.00	.20
1.88	86.56
3.63	.59
5.38	.79
7.13	.20
8.88	.40
10.63	1.19
12.38	.40
14.13	.59
15.88	0.00
17.63	.59
19.38	.59
21.13	.59
22.88	.59
24.63	.40
26.38	0.00
28.13	.79
29.88	.20
31.63	.20
33.38	.20
35.13	.79
> 36.00	4.15

0.00% 43.28% 86.56%
FREQUENCY (%)

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2


TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AG

COMPANY: GREEN LAKE RESOURCES
 ATTN: G. H. RAYNER
 PROJECT: LILL
 FILE#: 6-1288/6-1319

DATE: JAN 9/87
 SAMPLE TYPE: SOILS
 ANALYSIS TYPE: ICP

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
1.68	2.37
1.62	2.37
1.56	2.96
1.51	2.96
1.45	3.56
1.40	5.93
1.35	5.93
1.30	5.93
1.25	8.30
1.21	8.30
1.16	10.08
1.12	10.08
1.08	13.24
1.04	13.24
1.00	13.24
.97	19.76
.93	19.76
.90	26.48
.87	26.48
.84	26.48
.81	26.48
.78	33.79
.75	33.79
.72	33.79
.70	46.64
.67	46.64
.65	46.64
.62	46.64
.60	46.64
.58	60.87
.56	60.87
.54	60.87
.52	60.87
.50	80.24
.48	80.24
.46	80.24
.45	80.24
.43	80.24
.42	80.24
.40	87.55



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON AG

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 9/87

ATTN: G.H. RAYNER

SAMPLE TYPE: SOILS

PROJECT: LILL

ANALYSIS TYPE: ICF

FILE#: 6-1288/6-1319

NUMBER OF SAMPLES: 506
 MAXIMUM VALUE: 3.60 PPM
 MINIMUM VALUE: .10 PPM
 MEAN: .70 PPM
 STD. DEVIATION: .37 PPM
 COEFF. OF VARIATION: .53


5 HIGHEST AG VALUES:
 21+00S3+50W 3.6 PPM
 19+50S3+50W 2.1 PPM
 28+00S6+00W 2.1 PPM
 28+50S 7+00W 1.8 PPM
 28+50S 7+50W 1.8 PPM

HISTOGRAM FOR AG

CLASS INTERVAL = .07

MID CLASS	CLASS
PPM	%

<	.40	12.45
	.44	7.51
	.51	19.37
	.58	14.23
	.65	0.00
	.72	12.85
	.79	7.31
	.86	0.00
	.93	6.72
	1.00	6.52
	1.07	0.00
	1.14	3.16
	1.21	1.78
	1.28	2.37
	1.35	0.00
	1.42	2.37
	1.49	.59
	1.56	0.00
	1.63	.59
	1.70	.40
	1.77	.59
>	1.80	1.19



FREQUENCY (%)

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AU

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R. H. RAYNER


SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPB)	CUMMUL. FREQ. (%)
52.00	1.06
46.99	2.13
42.46	2.13
38.37	2.13
34.67	2.13
31.33	2.13
28.31	2.13
25.59	2.13
23.12	2.13
20.89	3.19
18.88	3.19
17.06	3.19
15.42	3.19
13.93	5.32
12.59	6.38
11.38	8.51
10.28	9.57
9.29	13.83
8.39	20.21
7.59	21.28
6.86	23.40
6.19	23.40
5.60	27.66
5.06	27.66
4.57	34.04
4.13	34.04
3.73	50.00
3.37	50.00
3.05	50.00
2.75	78.72
2.49	78.72
2.25	78.72
2.03	78.72
1.84	96.81
1.66	96.81
1.50	96.81
1.35	96.81
1.23	96.81
1.11	96.81
1.00	98.94



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

STATISTICAL SUMMARY ON AU

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R. H. RAYNER

SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

NUMBER OF SAMPLES: 94
 MAXIMUM VALUE: 213.00 PPB
 MINIMUM VALUE: 1.00 PPB
 MEAN: 7.56 PPB
 STD. DEVIATION: 22.22 PPB
 COEFF. OF VARIATION: 2.94


5 HIGHEST AU VALUES:
 9634 213 PPB
 16+50S 0+50W R 50 PPB
 31+00S 0+00 ROC 23 PPB
 9626 15 PPB
 25+00S3+00W R 14 PPB

HISTOGRAM FOR AU

CLASS INTERVAL = .65

MID CLASS PPB	CLASS %
------------------	------------

<	1.00	1.06
	1.33	3.19
	1.98	18.09
	2.63	0.00
	3.28	28.72
	3.93	15.96
	4.58	0.00
	5.23	6.38
	5.88	4.26
	6.53	0.00
	7.18	2.13
	7.83	1.06
	8.48	0.00
	9.13	6.38
	9.78	4.26
	10.43	0.00
	11.08	1.06
	11.73	2.13
	12.38	0.00
	13.03	1.06
	13.68	0.00
>	14.00	4.26



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

CUMMULATIVE PROBABILITY PLOT ON ZN

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R. H. RAYNER


SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
3665.45	2.13
3177.80	2.13
2755.05	2.13
2388.51	2.13
2070.75	2.13
1795.26	2.13
1556.42	4.26
1349.36	4.26
1169.84	4.26
1014.22	4.26
879.28	4.26
762.30	4.26
660.88	4.26
572.96	4.26
496.73	4.26
430.65	5.32
373.37	6.38
323.69	9.57
280.63	9.57
243.29	11.70
210.92	14.89
182.87	17.02
158.54	22.34
137.44	26.60
119.15	37.23
103.31	40.43
89.56	44.68
77.84	55.32
67.31	59.57
58.37	65.76
50.60	76.60
43.86	82.78
38.02	88.30
32.97	92.55
28.59	94.68
24.78	96.81
21.49	97.87
18.62	98.94
16.14	98.94
14.00	98.94



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

STATISTICAL SUMMARY ON ZN

COMPANY: GREEN LAKE RESOURCES
 ATTN: R.H. RAYNER
 PROJECT: LILL
 FILE#: 6-1288/6-1319

DATE: JAN 7/87
 SAMPLE TYPE: ROCKS
 ANALYSIS TYPE: ICP

NUMBER OF SAMPLES: 94
 MAXIMUM VALUE: 17517.00 PPM
 MINIMUM VALUE: 14.00 PPM
 MEAN: 371.26 PPM
 STD. DEVIATION: 1852.55 PPM
 COEFF. OF VARIATION: 4.99


5 HIGHEST ZN VALUES:
 9634 17517 PPM
 10+00S1+50W R 4232 PPM
 19+50S3+00W R 1726 PPM
 12+00S1+00W R 1630 PPM
 9631 459 PPM

HISTOGRAM FOR ZN

CLASS INTERVAL = 22.25

MID CLASS	CLASS
PPM	%

<	14.00	1.06
	25.13	10.64
	47.38	23.40
	69.63	11.70
	91.88	13.83
	114.13	5.32
	136.38	10.64
	158.63	3.19
	180.88	5.32
	203.13	1.06
	225.38	3.19
	247.63	0.00
	269.88	2.13
	292.13	0.00
	314.38	0.00
	336.63	2.13
	358.88	1.06
	381.13	1.06
	403.38	0.00
	425.63	0.00
	447.88	0.00
>	459.00	4.26



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON SB

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R. H. RAYNER


SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
21.18	3.19
19.59	3.19
18.11	4.26
16.75	4.26
15.49	4.26
14.32	6.38
13.24	6.38
12.25	8.51
11.32	12.77
10.47	13.83
9.68	17.02
8.95	21.28
8.28	21.28
7.66	25.53
7.08	25.53
6.55	31.91
6.05	31.91
5.60	41.49
5.18	41.49
4.79	56.38
4.43	56.38
4.09	56.38
3.78	62.77
3.50	62.77
3.24	62.77
2.97	69.15
2.77	69.15
2.56	69.15
2.37	69.15
2.19	69.15
2.02	69.15
1.87	74.47
1.73	74.47
1.60	74.47
1.48	74.47
1.37	74.47
1.27	74.47
1.17	74.47
1.08	74.47
1.00	98.94



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352928 PHONE: (604)980-5814 OR (604)988-4524

STATISTICAL SUMMARY ON SB

COMPANY: GREEN LAKE RESOURCES
 ATTN: R.H. RAYNER
 PROJECT: LILL
 FILE#: 6-1288/6-1319

DATE: JAN 7/87
 SAMPLE TYPE: ROCKS
 ANALYSIS TYPE: ICP


NUMBER OF SAMPLES: 94
 MAXIMUM VALUE: 26.00 PPM
 MINIMUM VALUE: 1.00 PPM
 MEAN: 5.79 PPM
 STD. DEVIATION: 5.06 PPM
 COEFF. OF VARIATION: .87

5 HIGHEST SB VALUES:
 14+00S 0+100W R 26 PPM
 14+50S 0+00 R 22 PPM
 16+00S 0+50W R 22 PPM
 25+00S3+00W R 19 PPM
 9634 15 PPM

HISTOGRAM FOR SB CLASS INTERVAL = 1.05

MID CLASS	CLASS
PPM	%

<	1.00	1.06
	1.52	30.85
	2.57	6.38
	3.62	6.38
	4.67	14.89
	5.72	9.57
	6.77	6.38
	7.82	4.26
	8.87	4.26
	9.92	3.19
	10.97	1.06
	12.02	4.26
	13.07	2.13
	14.12	0.00
	15.17	2.13
	16.22	0.00
	17.27	0.00
	18.32	0.00
	19.37	1.06
	20.42	0.00
	21.47	1.06
>	22.00	1.06



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604)980-5814 OR (604)988-4524

CUMMULATIVE PROBABILITY PLOT ON CU

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R. H. RAYNER


SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPH)	CUMMUL. FREQ. (%)
448.75	1.06
383.71	3.19
328.10	3.19
280.54	3.19
239.88	4.26
205.12	7.45
175.39	7.45
149.97	7.45
128.23	9.57
109.65	11.70
93.76	12.77
80.17	13.83
68.55	18.09
58.61	23.40
50.12	28.72
42.86	34.04
36.64	35.11
31.33	39.36
26.79	44.68
22.91	50.00
19.59	54.26
16.75	54.26
14.32	58.51
12.25	65.96
10.47	71.28
8.95	73.40
7.66	74.47
6.55	77.56
5.60	79.79
4.79	87.23
4.09	87.23
3.50	91.49
2.99	95.74
2.56	95.74
2.19	95.74
1.87	98.94
1.60	98.94
1.37	98.94
1.17	98.94
1.00	98.94



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONHENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON CU

COMPANY: GREEN LAKE RESOURCES
 ATTN: R. H. RAYNER
 PROJECT: LILL
 FILE#: 6-1288/6-1319

DATE: JAN 7/87
 SAMPLE TYPE: ROCKS
 ANALYSIS TYPE: ICP

NUMBER OF SAMPLES: 94
 MAXIMUM VALUE: 762.00 PPM
 MINIMUM VALUE: 1.00 PPM
 MEAN: 56.22 PPM
 STD. DEVIATION: 107.51 PPM
 COEFF. OF VARIATION: 1.91


5 HIGHEST CU VALUES:
 9634 762 PPM
 31+00S 0+00 ROC 448 PPM
 20+00S3+00W R 433 PPM
 29+50S 2+50W R 276 PPM
 17+50S7+50W R 230 PPM

HISTOGRAM FOR CU

CLASS INTERVAL = 11.45

MID CLASS	CLASS
PPM	%

<	1.00	1.06
	6.72	34.04
	18.17	20.21
	29.62	9.57
	41.07	6.38
	52.52	6.38
	63.97	5.32
	75.42	4.26
	86.87	1.06
	98.32	1.06
	109.77	1.06
	121.22	1.06
	132.67	1.06
	144.12	1.06
	155.57	0.00
	167.02	0.00
	178.47	0.00
	189.92	0.00
	201.37	0.00
	212.82	0.00
	224.27	2.13
>	230.00	4.26



FREQUENCY (%)

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7H 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AS

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R. H. RAYNER


SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
89.13	3.19
79.43	3.19
70.79	3.19
63.10	3.19
56.23	4.26
50.12	5.32
44.67	7.45
39.81	9.57
35.48	10.64
31.62	10.64
28.18	10.64
25.12	10.64
22.39	12.77
19.95	13.83
17.78	14.89
15.85	14.89
14.13	14.89
12.59	15.96
11.22	15.96
10.00	17.02
8.91	19.15
7.94	20.21
7.08	20.21
6.31	20.21
5.62	21.28
5.01	21.28
4.47	22.34
3.98	24.47
3.55	24.47
3.16	24.47
2.82	25.53
2.51	25.53
2.24	25.53
2.00	25.53
1.78	25.53
1.58	25.53
1.41	25.53
1.26	25.53
1.12	25.53
1.00	98.94



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON AS

COMPANY: GREEN LAKE RESOURCES
 ATTN: R.H. RAYNER
 PROJECT: LILL
 FILE#: 6-1288/6-1319

DATE: JAN 7/87
 SAMPLE TYPE: ROCKS
 ANALYSIS TYPE: ICP

NUMBER OF SAMPLES: 94
 MAXIMUM VALUE: 117.00 PPM
 MINIMUM VALUE: 1.00 PPM
 MEAN: 9.29 PPM
 STD. DEVIATION: 21.62 PPM
 COEFF. OF VARIATION: 2.33


5 HIGHEST AS VALUES:
 9634 117 PPM
 9631 102 PPM
 9630 97 PPM
 9633 58 PPM
 9635 53 PPM

HISTOGRAM FOR AS

CLASS INTERVAL = 2.6

MID CLASS	CLASS
PPM	%

<	1.00	1.06
	2.30	75.53
	4.90	4.26
	7.50	1.06
	10.10	3.19
	12.70	0.00
	15.30	1.06
	17.90	1.06
	20.50	1.06
	23.10	1.06
	25.70	1.06
	28.30	0.00
	30.90	0.00
	33.50	0.00
	36.10	1.06
	38.70	0.00
	41.30	2.13
	43.90	1.06
	46.50	0.00
	49.10	1.06
	51.70	0.00
>	53.00	4.26



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352928 PHONE: (604)980-5814 OR (604)988-4524

CUMMULATIVE PROBABILITY PLOT ON AG

COMPANY: GREEN LAKE RESOURCES

DATE: JAN 7/87

ATTN: R. H. RAYNER


SAMPLE TYPE: ROCKS

PROJECT: LILL

ANALYSIS TYPE: ICP

FILE#: 6-1288/6-1319

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
7.26	2.13
6.62	2.13
6.04	2.13
5.51	2.13
5.02	2.13
4.58	2.13
4.19	2.13
3.81	2.13
3.48	2.13
3.17	2.13
2.89	2.13
2.64	2.13
2.40	2.13
2.19	3.19
2.00	3.19
1.82	8.51
1.66	9.57
1.52	10.64
1.38	13.83
1.26	20.21
1.15	25.53
1.05	28.72
.96	32.98
.87	39.36
.80	43.62
.73	43.62
.66	50.00
.60	50.00
.55	68.09
.50	68.09
.46	84.04
.42	84.04
.38	87.23
.35	87.23
.32	87.23
.29	93.62
.26	93.62
.24	93.62
.22	93.62
.20	98.94



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON AG

COMPANY: GREEN LAKE RESOURCES
 ATTN: R. H. RAYNER
 PROJECT: LILL
 FILE#: 6-1288/6-1319

DATE: JAN 7/87
 SAMPLE TYPE: ROCKS
 ANALYSIS TYPE: ICP

NUMBER OF SAMPLES: 94
 MAXIMUM VALUE: 9.70 PPM
 MINIMUM VALUE: .20 PPM
 MEAN: .99 PPM
 STD. DEVIATION: 1.23 PPM
 COEFF. OF VARIATION: 1.24


5 HIGHEST AG VALUES:
 16+50S 0+50W R 9.7 PPM
 9634 7.4 PPM
 12+00S1+50W R 2.4 PPM
 29+50S 0+00 R 2.0 PPM
 29+50S 0+50W R 2.0 PPM

HISTOGRAM FOR AG

CLASS INTERVAL = .09

MID CLASS	CLASS
PPM	%

<	.20	1.06
	.24	6.38
	.33	6.38
	.42	3.19
	.51	15.96
	.60	18.09
	.69	6.38
	.78	4.26
	.87	6.38
	.96	4.26
	1.05	0.00
	1.14	3.19
	1.23	5.32
	1.32	6.38
	1.41	1.06
	1.50	2.13
	1.59	1.06
	1.68	1.06
	1.77	0.00
	1.86	2.13
	1.95	1.06
>	2.00	4.26



APPENDIX II

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P1-1

ATTENTION: G.H. RAYNER

(604)990-5914 OR (604)988-4524 * TYPE SOIL/ROCK SPECIMEN * DATE: DEC 24, 1985

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
0-00S10+00W R	.2	7320	1	7	16	2.5	1	4860	3.5	3	7	52160
10+00S0+50W	1.4	26720	74	27	141	9.6	13	2650	11.3	14	593	129820
10+00S1+00W	1.9	29560	56	29	101	9.2	10	2770	12.5	14	786	144560
10+00S1+50W R	1.5	16450	1	15	12	1.9	2	50360	15.9	11	13	91370
10+00S2+00W	.7	21700	1	17	79	3.0	1	4900	10.0	10	31	112360
10+00S2+50W	.8	24600	1	19	84	2.7	1	5350	11.5	11	37	120910
11+00SBL	1.2	27730	36	27	418	8.0	9	3430	15.0	13	338	115330
11+00S0+50W	.6	21240	1	18	100	3.0	1	5530	9.2	11	70	101910
11+00S1+00W	.6	17930	1	13	159	2.6	1	5450	9.6	12	65	79480
11+00S1+50W	.6	20250	1	18	176	2.7	1	5860	12.0	14	71	86480
11+00S2+00W	.6	18790	1	16	152	2.8	1	5760	8.9	14	62	82970
11+00S2+50W	.8	22080	1	19	91	3.1	2	5490	7.5	11	78	106590
11+00S3+00W	.7	23110	1	19	91	2.8	1	5890	8.6	11	87	112740
11+00S3+25W	.7	23680	1	20	73	2.7	1	5450	7.9	10	402	115020
11+00S4+00W	.8	30100	1	27	45	3.6	1	6740	11.7	16	210	117050
12+00SBL	.8	28200	1	26	129	3.8	2	4820	11.1	14	420	99920
12+00S0+50W R	.6	19450	1	15	294	.6	1	2790	6.0	12	6	110700
12+00S1+00W R	1.1	21210	1	18	69	1.1	1	16090	12.3	5	60	113140
12+00S1+50W R	2.4	28350	1	24	13	1.8	1	33970	6.8	3	33	118060
12+00S2+00W R	.2	4450	1	5	105	1.6	1	2480	5.2	4	9	73480
12+00S2+50W	1.0	38820	1	33	130	4.1	1	4550	8.8	10	53	136820
12+00S3+00W	.7	11880	1	13	85	3.3	2	5210	7.7	5	6	103640
12+00S3+50W	.5	13890	1	13	75	1.6	1	3750	6.5	7	13	78070
12+00S4+00W	.5	15660	1	15	80	1.7	1	4230	6.1	7	18	85190
13+00SBL	1.4	20070	52	24	150	9.7	8	3690	12.6	12	156	135990
13+00S0+50W	1.8	25410	42	31	144	9.2	8	3420	14.9	9	319	161100
13+00S1+00W	1.8	25770	53	31	151	9.7	7	3200	10.4	9	318	164240
13+00S1+50W	1.6	23940	35	26	136	9.2	6	2810	13.4	8	315	150630
13+00S2+00W R	.5	9640	14	12	72	4.8	4	4100	7.3	5	29	84900
13+00S2+50W R	.6	12300	1	14	45	3.7	4	6680	8.1	5	30	81860
13+00S3+00W	1.0	19860	50	23	161	7.6	7	1390	10.3	7	141	138280
13+00S3+50W	1.4	22790	29	25	181	7.9	5	1170	13.8	7	144	164960
13+00S4+00W	1.4	23780	37	26	192	8.3	6	1490	14.0	8	147	168760
13+00S4+50W	1.4	26070	35	27	183	8.3	5	1390	13.1	8	155	174240
13+00S4+75W	1.3	28600	41	27	155	7.3	4	1200	11.3	8	175	175520
15+50SBL	.4	21670	1	18	30	2.9	2	4670	5.4	9	62	87910
15+50S0+50W	.4	22510	1	20	30	2.9	2	5530	6.5	9	62	97990
15+50S1+00W	.4	18490	1	18	44	2.6	1	5210	5.4	7	59	79000
15+50S1+50W	.4	17750	1	14	24	2.4	1	4260	7.2	7	52	79170
15+50S2+00W	.4	20540	1	17	22	2.5	1	4890	6.3	8	58	94200
15+50S2+50W	.4	22280	1	21	31	2.7	2	5380	5.9	9	62	91920
15+50S3+00W	.5	21760	1	19	24	2.8	2	4760	8.8	6	62	92740
15+50S3+50W	.4	24780	1	22	28	3.0	1	5610	7.4	9	67	102580
15+50S4+00W	.5	15120	1	13	50	1.4	1	7840	6.2	6	35	75720
15+50S4+50W	.7	20060	1	21	33	2.9	2	9570	6.0	8	57	89310
15+50S5+00W	.9	24570	1	23	36	3.1	1	7090	6.3	9	71	119090
16+00SBL	.8	20910	1	21	35	2.6	1	6240	6.6	8	174	106670
16+00S0+50W	.8	21310	1	20	35	2.6	1	5950	6.5	7	124	108870
16+00S1+00W	.7	20080	1	17	28	2.1	1	5460	6.2	8	160	92440
16+00S1+50W	.6	17820	1	17	33	2.2	2	5750	5.9	8	156	89690
16+00S2+00W	.8	22420	1	21	38	3.8	1	5420	7.7	9	225	95770
16+00S2+50W	.7	20430	1	19	35	3.2	2	5620	5.6	8	169	93770
16+00S3+00W	.7	26590	1	26	37	3.7	1	6310	7.4	13	184	105040
16+00S3+50W	.7	26000	1	23	36	3.2	1	6190	8.2	13	184	103430
16+00S4+50W	.6	26060	1	24	36	3.8	2	5160	7.7	13	194	92480
16+00S5+00W	.6	25130	1	23	37	3.7	4	6180	7.7	13	182	96180
16+00S5+50W	.8	19520	1	19	34	3.1	1	4730	6.5	10	83	102830
16+50SBL	.6	18400	1	17	32	3.2	2	4030	6.7	9	78	91010
16+50S1+50W	.4	15460	1	14	47	3.0	3	2970	5.3	9	34	86160
16+50S1+00W	.2	14250	1	13	29	3.1	2	2380	6.2	8	61	67750

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P1-C

ATTENTION: G.H. ROYNER

(604)980-5914 OR (604)988-4524 * TYPE SOIL/ROCK GEDCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PO	SB	SR	TE
04+00S10+00W R	600	5	2320	235	3	810	5	610	16	1	15	1
10+00S0+50W	470	10	6740	1068	22	140	12	670	50	17	46	1
10+00S1+00W	420	12	6920	734	22	140	12	570	54	17	50	1
10+00S1+50W R	60	1	7230	2813	1	20	5	920	62	2	8	1
10+00S2+00W	730	13	6620	736	1	140	6	410	44	3	30	1
10+00S2+50W	850	13	7130	757	4	140	8	350	46	4	32	1
11+00SBL	1530	16	7060	1625	19	240	10	2980	34	15	58	1
11+00S0+50W	540	9	6570	1095	3	120	6	820	24	3	32	1
11+00S1+00W	540	7	4690	1550	2	120	8	1220	22	3	30	1
11+00S1+50W	640	7	4380	1770	2	150	8	1280	26	2	32	1
11+00S2+00W	630	7	4250	1592	3	130	8	1180	26	3	31	1
11+00S2+50W	580	9	7290	989	2	110	5	710	22	4	32	1
11+00S3+00W	570	9	6930	1045	2	130	5	780	22	4	34	1
11+00S3+25W	530	9	7600	990	3	120	5	530	26	4	33	1
11+00S4+00W	590	23	8070	547	7	170	8	150	24	6	43	1
12+00SBL	940	11	7480	1562	6	230	8	730	54	5	37	1
12+00S0+50W R	11290	16	17740	1746	1	980	2	450	18	1	17	1
12+00S1+00W R	1190	2	4660	1522	1	1380	1	590	34	1	36	1
12+00S1+50W R	150	1	640	894	20	20	1	970	30	3	78	1
12+00S2+00W R	1570	1	2720	340	2	490	5	510	22	1	16	1
12+00S2+50W	770	15	6990	691	3	120	7	650	30	6	43	1
12+00S3+00W	1720	3	7310	957	6	500	3	620	16	6	22	1
12+00S3+50W	380	9	5550	651	1	110	6	470	14	1	22	1
12+00S4+00W	410	9	5650	668	1	120	5	590	12	1	24	1
13+00SBL	1980	8	5490	1123	21	250	14	3580	62	18	50	1
13+00S0+50W	1310	10	8150	707	21	150	11	1570	70	19	53	1
13+00S1+00W	1270	9	8240	662	24	140	11	1500	74	20	53	1
13+00S1+50W	1200	8	7890	548	22	120	10	1220	76	6	49	1
13+00S2+00W R	2100	3	6890	363	13	570	10	890	42	8	26	1
13+00S2+50W R	1340	2	7480	379	8	700	7	740	22	5	28	1
13+00S3+00W	1710	8	7830	509	17	220	8	1210	50	15	45	1
13+00S3+50W	2030	8	9540	588	16	250	6	1200	50	16	49	1
13+00S4+00W	2220	7	9630	612	18	290	7	1350	54	18	52	1
13+00S4+50W	1870	8	9540	662	18	240	6	1560	46	18	50	1
13+00S4+75W	1680	9	11040	677	14	190	7	1180	46	15	47	1
15+50SBL	580	12	5770	447	4	110	5	150	24	3	30	1
15+50S0+50W	550	12	5250	496	3	120	4	130	22	3	33	1
15+50S1+00W	600	10	5900	497	4	120	5	210	22	3	36	1
15+50S1+50W	440	10	4770	393	4	90	4	80	22	2	27	1
15+50S2+00W	460	11	5740	443	3	110	4	70	18	3	31	1
15+50S2+50W	530	13	6170	492	4	120	6	90	24	2	31	1
15+50S3+00W	460	12	5490	408	4	100	3	100	22	3	31	1
15+50S3+50W	580	14	6190	465	3	140	4	130	22	3	34	1
15+50S4+00W	530	9	4570	547	2	120	4	120	22	2	32	1
15+50S4+50W	630	11	6010	615	4	130	5	180	22	4	35	1
15+50S5+00W	640	13	7050	669	4	150	2	80	20	5	39	1
16+00SBL	530	19	6160	456	3	170	2	70	20	3	35	1
16+00S0+50W	610	17	5250	518	2	170	2	70	20	3	33	1
16+00S1+00W	480	15	5580	456	4	140	4	70	22	3	30	1
16+00S1+50W	470	13	5810	447	3	130	3	70	18	2	30	1
16+00S2+00W	690	14	6680	508	5	180	5	170	22	5	33	1
16+00S2+50W	600	13	6360	503	4	180	4	140	22	4	32	1
16+00S3+00W	720	20	7300	603	5	170	4	190	20	5	39	1
16+00S3+50W	560	20	7200	597	5	150	4	140	26	4	37	1
16+00S4+50W	470	20	6480	497	6	130	8	160	26	5	36	1
16+00S5+00W	540	19	6850	564	6	140	5	160	18	4	37	1
16+00S5+50W	530	15	6820	429	4	110	3	80	18	4	32	1
16+50SBL	560	15	6240	390	7	100	5	110	16	4	29	1
16+50S0+50W	560	11	6130	359	5	130	4	110	16	3	23	1
16+50S1+00W	470	12	5210	296	7	70	6	100	20	2	22	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P1-2

ATTENTION: S.W. RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1988

(VALUES IN PPM)	U	V	ZN	AU-PPB
0+00610+00W R	1	16.8	26	4
10+0050+50W	1	100.3	468	4
10+0051+00W	1	103.4	445	13
10+0051+50W R	1	37.4	4232	2
10+0052+00W	1	37.6	1950	5
10+0052+50W	1	59.9	2314	3
11+0058L	1	66.0	1304	3
11+0050+50W	1	51.3	1319	2
11+0051+00W	1	42.5	1506	2
11+0051+50W	1	43.4	1713	3
11+0052+00W	1	45.7	1658	4
11+0052+50W	1	52.0	1319	2
11+0053+00W	1	55.1	1203	3
11+0053+25W	1	54.5	1000	6
11+0054+00W	1	71.7	1596	2
12+0058L	1	79.0	3125	6
12+0050+50W R	1	150.2	148	3
12+0051+00W R	1	39.3	1630	4
12+0051+50W R	1	55.5	24	11
12+0052+00W R	1	23.9	69	3
12+0052+50W	1	58.0	1246	3
12+0053+00W	1	26.6	90	2
12+0053+50W	1	41.7	370	3
12+0054+00W	1	46.0	367	2
13+0058L	1	83.4	427	4
13+0050+50W	1	101.6	450	9
13+0051+00W	1	103.2	450	8
13+0051+50W	1	94.8	386	18
13+0052+00W R	1	91.5	50	3
13+0052+50W R	1	96.3	43	2
13+0053+00W	1	105.1	259	5
13+0053+50W	1	124.4	224	6
13+0054+00W	1	124.3	258	6
13+0054+50W	1	131.9	287	4
13+0054+75W	1	140.6	287	5
15+5058L	1	53.8	1069	2
15+5050+50W	1	56.5	1082	3
15+5051+00W	1	50.0	937	2
15+5051+50W	1	46.0	952	3
15+5052+00W	1	56.1	858	2
15+5052+50W	1	55.0	1051	4
15+5053+00W	1	57.1	937	3
15+5053+50W	1	58.4	1019	2
15+5054+00W	1	45.4	831	4
15+5054+50W	1	54.5	1052	2
15+5055+00W	1	55.5	1127	3
15+5055L	1	54.1	950	5
15+5050+50W	1	62.4	827	2
15+5051+00W	1	50.6	765	3
15+5051+50W	1	47.0	733	2
15+5052+00W	1	67.2	833	4
15+5052+50W	1	61.9	750	3
15+5053+00W	1	65.9	1421	3
15+5053+50W	1	65.0	1371	4
15+5054+50W	1	62.4	1354	3
15+5055+00W	1	62.9	1401	2
15+5055+50W	1	60.9	1648	2
15+5058L	1	58.8	1473	6
15+5050+50W	1	55.4	944	3
15+5051+00W	1	50.5	1168	4

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P3+4

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
16+50S1+50W	.2	16380	5	18	45	2.7	3	2580	5.2	8	85	74610
16+50S2+00W	.3	17130	1	19	45	3.0	3	2390	5.9	8	91	79010
16+50S2+50W	.4	15560	1	16	26	2.2	1	3680	5.0	6	64	89180
16+50S3+00W	.5	16050	1	16	28	2.2	1	4030	6.5	6	79	90400
16+50S3+50W	.5	17290	1	18	27	1.9	1	4660	4.6	6	68	101930
16+50S4+00W	.4	16100	1	16	26	2.4	2	4020	5.5	6	68	91150
16+50S4+50W	.6	17780	1	19	28	2.1	1	5200	6.2	6	109	94980
16+50S5+00W	.6	19130	1	20	30	2.2	1	6620	6.0	7	154	102590
16+50S5+50W	.6	19480	1	21	32	2.3	1	6200	5.3	7	135	104230
17+00SBL R	.7	21110	1	24	77	2.6	1	6710	6.3	8	31	115340
17+00S0+50W R	1.0	17970	1	19	30	1.6	1	8890	4.4	9	13	154970
17+00S1+00W R	.6	21580	1	22	72	2.6	1	5380	5.9	9	35	109800
17+00S1+50W R	.6	20310	1	20	73	2.8	1	5850	6.7	8	34	111870
17+00S2+00W R	.6	21640	1	22	66	2.5	1	6260	6.7	8	37	117680
17+00S2+50W R	.8	23600	1	23	56	2.1	1	8110	6.2	8	20	130480
17+00S3+00W	1.0	21990	1	25	72	3.1	2	7360	6.9	9	34	108290
17+00S3+50W 40M	.6	17810	3	20	53	3.0	2	6220	6.8	7	38	86190
17+00S4+00W	.4	15650	1	18	61	2.3	2	6140	4.5	7	25	82080
17+00S4+50W	.8	26850	1	27	47	3.5	1	4000	6.7	7	49	122590
17+50SBL	.6	18350	1	20	104	1.8	1	5920	4.8	8	17	99480
17+50S0+50W R	.9	22300	36	24	161	5.3	3	6120	6.8	10	23	121280
17+50S1+00W	.7	20690	1	22	109	2.1	1	6720	5.9	9	23	111070
17+50S1+50W R	.6	17610	1	18	39	2.0	1	7180	5.4	7	15	117600
17+50S2+00W	.6	19440	1	21	85	2.4	1	5510	5.1	8	30	102630
17+50S2+50W	.6	19670	1	24	139	2.4	1	8300	8.5	8	45	102770
17+50S3+00W R	1.1	17640	1	19	31	1.9	1	13230	5.5	9	5	176190
17+50S3+50W	.6	18670	1	20	76	2.5	1	4730	6.6	8	29	87620
17+50S4+00W	.6	19390	1	20	79	3.1	2	4230	6.5	8	35	87980
17+50S4+50W R	.6	24200	18	25	32	4.8	4	5450	6.4	11	15	93570
17+50S5+00W	.7	22020	1	23	76	3.3	1	4060	5.7	8	58	91320
17+50S5+50W	.5	17720	1	20	87	2.7	1	6790	6.7	8	37	77060
17+50S6+00W R	.6	30720	1	28	286	3.5	1	7370	5.2	10	46	108570
17+50S6+50W	.5	19420	1	19	61	3.0	1	4120	6.0	8	46	95760
17+50S7+00W 40M	.5	20070	1	19	53	2.3	1	4290	6.6	9	48	100360
17+50S7+50W R	.9	40090	1	37	27	5.2	3	10660	9.4	18	230	125290
18+00SBL	1.1	31150	1	31	192	5.4	3	5210	8.2	11	212	130530
18+50SBL	.6	23300	1	23	101	1.8	1	5110	5.6	8	26	92710
19+00SBL	1.1	26540	21	28	117	8.1	5	2850	11.2	10	200	134270
19+00S0+50W	1.0	26640	1	26	263	4.6	2	4820	7.8	8	135	130760
19+00S1+00W	1.2	32980	1	32	185	6.1	3	4980	9.6	11	225	140720
19+00S1+50W	1.0	31320	1	30	167	5.5	1	4840	9.1	11	218	137220
19+00S2+00W	1.1	31370	1	31	174	5.7	1	5140	9.1	11	216	137510
19+00S2+50W	1.1	29170	38	31	139	8.8	5	2620	11.0	10	239	142820
19+00S3+00W	1.2	32170	36	34	149	9.4	3	2570	12.9	10	253	152590
19+00S3+50W	1.4	30840	29	33	142	9.0	4	2710	10.9	11	243	149580
19+00S4+00W	1.3	31250	28	34	142	8.6	4	2270	10.9	10	239	147810
19+00S4+50W	1.2	30380	42	32	149	9.4	4	2520	12.1	9	240	144220
19+00S5+00W	1.1	31680	1	29	153	5.6	2	5450	7.8	12	208	130570
19+50SBL 40M	.9	14190	64	20	104	9.7	9	1320	9.2	6	28	86570
19+50S0+50W	.7	26290	1	28	101	5.6	3	2840	8.9	7	111	117170
19+50S1+00W	.4	18140	1	19	93	1.4	1	5970	5.5	7	41	91240
19+50S1+50W 40M	.9	22730	1	25	135	3.4	1	10350	11.5	11	139	115090
19+50S2+00W R	1.5	19250	1	21	30	1.2	1	21520	6.0	7	51	194880
19+50S2+50W R	1.9	11660	1	12	5	.1	1	216290	1.6	3	11	54940
19+50S3+00W R	1.0	13390	1	20	79	2.2	1	29940	13.2	8	99	85700
19+50S3+50W	2.1	13550	1	42	71	2.6	2	115450	12.8	15	257	70780
19+50S4+00W	.9	17220	63	22	111	8.8	8	1750	7.6	6	29	87880
20+00S0+50W R	1.3	28540	1	28	18	3.7	1	17430	5.2	14	90	147520
20+00S1+00W	.4	17330	1	19	146	1.6	1	4920	7.5	6	18	65680
20+00S1+50W 20M	.4	20880	1	20	88	2.5	1	3330	5.7	9	40	79560

PROJECT NO:

705 WEST 15TH ST., NDRTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P3+4

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
16+50S1+50W	530	20	6310	287	8	100	7	120	18	3	23	1
16+50S2+00W	530	20	6540	283	7	90	6	80	18	4	23	1
16+50S2+50W	410	14	5990	387	4	100	4	30	20	3	23	1
16+50S3+00W	410	13	6070	397	4	90	4	40	16	3	26	1
16+50S3+50W	450	15	6310	440	4	120	3	70	18	3	27	1
16+50S4+00W	410	13	6090	407	4	90	4	50	18	3	25	1
16+50S4+50W	520	14	6140	440	4	110	5	60	22	3	29	1
16+50S5+00W	670	13	6220	500	2	140	3	30	18	3	31	1
16+50S5+50W	650	14	6880	511	5	130	4	60	18	3	32	1
17+00SBL R	2240	10	10190	809	3	510	4	340	18	4	36	1
17+00S0+50W R	690	5	11580	751	1	450	1	190	16	5	34	1
17+00S1+00W R	1920	11	11180	875	1	320	4	360	18	5	32	1
17+00S1+50W R	2260	11	10070	817	1	300	4	310	22	4	35	1
17+00S2+00W R	1760	12	11090	826	1	280	4	330	16	5	35	1
17+00S2+50W R	1820	11	11710	729	1	350	4	90	22	4	45	1
17+00S3+00W	1200	16	8510	640	4	240	5	250	26	6	40	1
17+00S3+50W 40M	870	11	7020	492	5	140	5	190	18	4	32	1
17+00S4+00W	860	9	6770	887	3	140	4	300	18	3	31	1
17+00S4+50W	950	26	10250	652	5	170	4	220	22	5	32	1
17+50SBL	830	12	6170	1118	1	130	4	660	20	2	35	1
17+50S0+50W R	4820	5	12280	1085	8	830	8	630	26	9	53	1
17+50S1+00W	950	14	7170	1048	1	130	5	700	18	3	41	1
17+50S1+50W R	1380	6	7720	506	1	370	1	310	18	3	37	1
17+50S2+00W	1140	10	7660	749	1	100	5	560	22	3	31	1
17+50S2+50W	1410	10	7700	1701	1	120	6	860	22	3	34	1
17+50S3+00W R	640	7	9930	645	1	240	1	560	20	5	32	1
17+50S3+50W	950	8	7060	1106	2	100	6	310	22	2	28	1
17+50S4+00W	1030	8	7210	1037	2	90	6	300	22	3	28	1
17+50S4+50W R	1110	13	13040	595	6	340	11	290	18	7	34	1
17+50S5+00W	1290	9	8480	617	3	90	8	240	22	4	31	1
17+50S5+50W	1040	9	6870	1148	2	100	6	370	18	3	29	1
17+50S6+00W R	3740	8	16060	815	3	840	10	630	22	6	52	1
17+50S6+50W	1240	9	8510	694	1	100	4	180	18	3	29	1
17+50S7+00W 40M	1290	9	9430	624	3	90	7	130	18	3	30	1
17+50S7+50W R	380	23	21120	748	4	250	10	180	24	9	60	1
18+00SBL	1500	10	11970	1816	7	420	7	1230	30	9	48	1
18+50SBL	580	13	6590	626	1	170	5	710	22	1	33	1
19+00SBL	1080	7	9720	859	14	140	6	1500	130	14	49	1
19+00S0+50W	3700	7	14320	1471	7	330	5	760	26	8	45	1
19+00S1+00W	1440	10	12560	1775	8	420	7	1130	30	11	49	1
19+00S1+50W	1370	10	11990	1652	8	420	5	1030	30	9	47	1
19+00S2+00W	1490	9	11820	1738	8	430	7	960	28	10	48	1
19+00S2+50W	1350	9	10290	831	18	140	6	1530	150	16	55	1
19+00S3+00W	1540	9	11160	881	14	170	6	1670	134	17	59	1
19+00S3+50W	1440	8	10400	902	14	170	6	1740	142	16	57	1
19+00S4+00W	1400	8	10570	891	14	170	7	1610	156	16	55	1
19+00S4+50W	1530	9	10920	849	15	150	8	1610	130	17	57	1
19+00S5+00W	1170	10	12140	1551	6	440	7	940	26	9	46	1
19+50SBL 40M	1480	7	5700	450	19	170	12	2090	22	15	43	1
19+50S0+50W	1050	10	8510	923	9	140	8	650	44	9	41	1
19+50S1+00W	780	8	5370	958	1	150	4	440	18	1	27	1
19+50S1+50W 40M	950	13	7970	1628	4	190	6	550	52	6	37	1
19+50S2+00W R	1130	2	8930	1407	1	1860	1	150	20	5	12	1
19+50S2+50W R	50	1	1360	1562	1	20	4	240	46	1	1	1
19+50S3+00W R	2160	6	5480	2132	1	350	5	600	28	3	19	1
19+50S3+50W	3030	5	7100	1131	5	140	4	840	70	5	2	1
19+50S4+00W	1310	8	6370	551	17	150	12	1920	30	7	46	1
20+00S0+50W R	400	4	10850	2307	3	690	8	370	42	8	56	1
20+00S1+00W	700	11	4720	1224	1	140	5	1520	18	1	29	1
20+00S1+50W 20M	490	11	7320	830	3	100	9	1060	26	3	28	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-128B/P3+4

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE:DEC 24, 1986

(VALUES IN PPM)	U	V	ZN	AU-PPB
16+50S1+50W	1	57.9	1275	4
16+50S2+00W	1	58.2	1436	5
16+50S2+50W	1	54.8	1162	4
16+50S3+00W	1	54.0	1240	3
16+50S3+50W	1	59.7	1205	3
16+50S4+00W	1	55.3	1182	2
16+50S4+50W	1	54.7	1280	13
16+50S5+00W	1	54.9	1213	6
16+50S5+50W	1	58.8	1341	3
17+00SBL R	1	60.8	128	4
17+00S0+50W R	1	86.5	61	3
17+00S1+00W R	1	70.3	134	2
17+00S1+50W R	1	66.4	127	4
17+00S2+00W R	1	61.7	122	3
17+00S2+50W R	1	70.4	261	3
17+00S3+00W	1	74.9	749	2
17+00S3+50W 40M	1	61.3	435	4
17+00S4+00W	1	52.5	748	3
17+00S4+50W	1	78.8	813	2
17+50SBL	1	48.3	849	4
17+50S0+50W R	1	76.6	82	4
17+50S1+00W	1	56.6	902	2
17+50S1+50W R	1	46.6	58	4
17+50S2+00W	1	53.6	555	7
17+50S2+50W	1	53.1	772	3
17+50S3+00W R	1	39.2	68	3
17+50S3+50W	1	50.5	790	6
17+50S4+00W	1	52.7	764	18
17+50S4+50W R	1	72.2	56	9
17+50S5+00W	1	56.3	426	2
17+50S5+50W	1	48.2	816	4
17+50S6+00W R	1	79.0	224	3
17+50S6+50W	1	55.8	473	2
17+50S7+00W 40M	1	57.7	300	4
17+50S7+50W R	1	157.9	74	10
18+00SBL	1	110.1	472	4
18+50SBL	1	45.4	1540	4
19+00SBL	1	107.3	900	17
19+00S0+50W	1	134.5	296	8
19+00S1+00W	1	115.6	528	4
19+00S1+50W	1	113.0	480	2
19+00S2+00W	1	114.9	465	3
19+00S2+50W	1	121.4	969	13
19+00S3+00W	1	121.9	998	12
19+00S3+50W	1	110.5	995	22
19+00S4+00W	1	110.9	1062	15
19+00S4+50W	1	122.4	905	7
19+00S5+00W	1	102.4	588	4
19+50SBL 40M	1	37.2	148	4
19+50S0+50W	1	38.2	1270	2
19+50S1+00W	1	42.2	1030	2
19+50S1+50W 40M	1	63.2	1596	6
19+50S2+00W R	1	126.4	75	3
19+50S2+50W R	1	18.8	42	5
19+50S3+00W R	1	25.7	1726	2
19+50S3+50W	1	24.1	2136	8
19+50S4+00W	1	42.5	173	3
20+00S0+50W R	1	191.3	137	5
20+00S1+00W	1	32.4	1326	5
20+00S1+50W 20M	1	45.6	724	4

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P5+6

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
20+00S2+00W R	.3	8850	1	8	10	.9	2	12430	1.9	1	5	33880
20+00S2+50W R	.9	31330	1	27	45	4.4	3	9800	8.0	7	20	108070
20+00S3+00W R	.9	16740	41	19	21	7.5	10	13010	8.8	25	433	95110
20+50S0+50W	.4	19590	1	18	94	3.5	3	5070	7.3	9	95	81500
20+50S1+00W 20M	.4	16360	1	17	212	2.1	1	5750	6.8	8	22	78530
20+50S1+50W	.7	25570	1	25	117	6.7	8	3840	10.9	11	205	130950
20+50S2+00W	.7	25160	1	26	222	4.7	2	7010	20.6	13	76	111800
20+50S2+50W R	1.0	28120	1	27	19	3.6	1	21630	6.9	9	78	132800
20+50S3+00W R	.4	12070	41	15	66	6.7	7	1080	8.2	7	8	78440
21+00SBL 40M	.4	10470	1	17	123	2.8	3	11550	7.8	8	45	49420
21+00S0+50W	.7	31540	20	34	140	7.8	9	3380	12.3	16	122	123050
21+00S1+00W R	.4	9820	1	9	57	.1	1	5630	1.6	3	23	98700
21+00S1+50W 40M	.4	8070	1	16	146	2.2	1	20450	8.5	5	43	40000
21+00S2+00W	.7	23890	1	24	180	3.4	2	6120	11.9	8	63	112340
21+00S2+50W R	.2	7700	1	7	84	.1	1	3130	2.0	2	5	66610
21+00S3+00W R	.2	14970	1	15	67	2.8	2	5250	4.3	4	13	58970
21+00S3+50W	3.6	19320	37	30	101	9.0	96	27050	49.6	19	2482	138920
21+50SBL	1.0	20240	17	26	224	7.0	16	7000	10.3	10	88	88270
21+50S0+50W	N/S											
21+50S1+00W	.4	21410	1	20	165	2.9	2	3180	7.9	17	51	81830
21+50S1+50W	.3	10010	1	14	115	2.7	11	12960	11.1	11	29	31800
21+50S2+00W	.8	19590	1	21	233	3.4	2	9040	12.8	15	154	82770
21+50S2+50W	.9	26610	1	28	202	5.2	1	5330	9.5	8	65	134290
21+50S3+00W	1.0	26210	1	27	222	5.0	1	11280	9.6	16	88	115560
21+50S3+50W	.9	25480	1	26	217	4.3	1	11750	11.1	12	73	115600
21+50S4+00W	.8	24510	1	24	176	4.6	1	2460	7.1	9	54	140850
22+00SBL	N/S											
22+00S0+50W	.4	25560	1	25	102	4.7	3	3120	8.2	11	96	96140
22+00S1+00W	.2	16820	1	17	91	3.1	2	3230	5.8	6	34	75960
22+00S1+50W	.4	11140	1	14	162	4.1	2	3340	7.0	7	30	77020
22+00S2+00W	1.4	10870	69	21	119	13.3	3	1390	9.6	7	5	196680
22+00S2+50W 20M	.2	2060	1	11	33	.3	2	24930	6.0	2	25	7340
22+00S3+00W	.5	26230	1	24	148	5.1	1	4760	8.7	11	82	123970
22+00S3+50W	.8	24110	1	23	163	5.0	1	4370	11.9	14	96	122100
22+00S4+00W	.8	24700	1	23	155	4.1	1	4680	8.3	9	65	151180
22+00S4+50W	.7	24570	1	22	132	3.7	1	4110	8.1	7	66	160000
22+50S0+50W	.6	22400	1	22	216	3.8	2	7830	8.1	10	60	86850
22+50S1+00W	.5	17130	1	16	149	2.5	1	5600	7.7	11	41	79480
22+50S1+50W 40M	.2	6620	1	8	120	1.4	3	10770	4.3	8	60	26230
22+50S2+00W	.7	19500	1	21	128	2.5	1	8410	9.1	12	39	93390
22+50S2+50W 40M	.1	3580	1	7	49	.1	1	15980	2.4	2	13	13840
22+50S3+00W 40M	.5	11060	1	14	102	1.9	3	16620	6.1	8	51	51410
22+50S3+50W 20M	.2	3040	1	7	74	.1	1	16090	4.4	2	15	12640
22+50S4+00W	1.0	30550	1	29	154	3.8	1	5810	7.3	12	105	164200
22+50S4+50W	1.2	30050	1	30	194	5.6	1	3970	9.7	8	111	193230
22+50S5+00W	1.1	28450	1	30	158	4.4	1	3500	9.0	8	110	186230
23+00S0+50W 40M	.7	21780	1	22	162	3.6	1	6340	9.9	11	59	109060
23+00S1+00W 20M	.1	2020	1	13	44	.2	2	13950	3.4	1	17	9090
23+00S1+50W 20M	.4	8120	1	13	121	1.9	2	9520	7.6	7	31	50030
23+00S2+00W 40M	.1	4230	1	8	53	.5	1	12600	4.2	4	39	11990
23+00S2+50W 20M	.2	3940	1	13	113	.6	3	22480	3.1	3	29	17340
23+00S3+00W 20M	.2	2690	1	11	49	.6	1	15200	3.7	3	19	15360
23+00S3+50W 20M	.7	20830	1	20	38	2.7	1	4430	4.1	8	73	117290
23+00S4+00W 40M	.7	23730	1	22	40	3.2	1	4710	6.1	9	93	125560
23+00S4+50W 40M	1.1	21390	17	28	137	9.3	2	5000	9.9	9	60	186160
23+00S5+00W 40M	1.4	20510	54	28	156	12.1	3	10080	10.5	10	70	198620
23+00S5+50W	.7	18680	1	22	144	5.3	1	4370	7.8	13	126	109620
23+00S6+00W	.8	19490	1	22	106	6.6	1	2770	8.9	7	40	143620
23+00S6+50W	.4	21690	1	19	37	2.5	1	3020	4.6	8	41	94040
23+00S7+00W	.4	21700	1	19	41	2.7	1	2310	4.7	7	28	86410

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P5+6

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SDIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
20+00S2+00W R	150	1	1140	693	1	180	7	520	22	1	12	1
20+00S2+50W R	2140	14	18630	2009	7	1250	7	680	28	7	38	1
20+00S3+00W R	50	1	5990	2435	15	20	11	450	28	12	38	1
20+50S0+50W	580	8	6790	1338	3	110	6	710	26	4	30	1
20+50S1+00W 20M	740	11	5860	2528	1	140	7	980	22	1	28	1
20+50S1+50W	1640	13	11120	869	14	180	8	410	50	10	40	1
20+50S2+00W	2090	13	10190	2453	6	240	9	1030	38	7	45	1
20+50S2+50W R	630	5	9300	970	3	1300	1	370	26	7	50	1
20+50S3+00W R	6010	7	11470	243	15	870	10	660	20	10	28	1
21+00SBL 40M	1320	5	6350	2521	5	140	8	650	30	2	28	1
21+00S0+50W	2780	12	14210	2358	14	140	11	1320	26	12	50	1
21+00S1+00W R	3190	4	6520	639	1	630	1	160	18	1	10	1
21+00S1+50W 40M	970	4	4220	1365	4	100	8	1220	22	1	37	1
21+00S2+00W	2740	10	12390	1464	3	200	5	940	24	6	40	1
21+00S2+50W R	2630	4	5310	367	1	440	1	210	12	1	6	1
21+00S3+00W R	3180	6	7470	509	2	760	5	430	18	2	22	1
21+00S3+50W	1730	5	6580	3353	15	110	11	1500	94	17	32	1
21+50SBL	1700	11	6950	2202	11	200	12	2720	66	9	64	1
21+50S0+50W	N/S											
21+50S1+00W	850	15	9450	1765	2	170	9	1770	22	2	29	1
21+50S1+50W	1030	2	4030	2141	6	100	11	1950	30	1	37	1
21+50S2+00W	1330	11	7810	2999	3	200	9	2480	22	4	41	1
21+50S2+50W	6080	9	13390	1187	4	240	5	2320	24	8	51	1
21+50S3+00W	3930	13	12820	2045	5	550	8	2880	26	7	63	1
21+50S3+50W	4260	12	12280	2074	5	200	7	3100	30	7	53	1
21+50S4+00W	6480	7	12880	1013	4	270	2	950	22	8	40	1
22+00SBL	N/S											
22+00S0+50W	2480	17	10460	876	7	120	6	350	28	6	33	1
22+00S1+00W	880	9	6830	468	1	90	7	470	18	3	33	1
22+00S1+50W	3660	5	7460	1189	7	340	6	2240	22	4	37	1
22+00S2+00W	15180	4	11180	683	21	670	5	1770	20	25	57	1
22+00S2+50W 20M	920	1	2260	677	1	70	5	630	16	1	17	1
22+00S3+00W	1820	13	12810	1175	5	160	5	1480	14	8	46	1
22+00S3+50W	2130	12	12580	1364	7	200	6	1900	16	8	44	1
22+00S4+00W	3300	10	14080	1194	1	180	1	1700	20	7	41	1
22+00S4+50W	3700	9	14130	984	1	170	1	580	12	6	38	1
22+50S0+50W	1240	9	7410	2271	3	170	6	1420	16	4	50	1
22+50S1+00W	770	7	6130	1096	1	160	6	1190	16	2	39	1
22+50S1+50W 40M	1210	2	3270	1679	2	150	5	980	24	1	27	1
22+50S2+00W	1220	14	8770	1487	1	220	5	1140	28	3	38	1
22+50S2+50W 40M	920	1	1980	2269	1	130	5	880	40	1	17	1
22+50S3+00W 40M	1050	6	5420	2295	3	120	6	1020	132	1	35	1
22+50S3+50W 20M	1120	1	1800	2413	1	90	5	860	36	1	21	1
22+50S4+00W	2470	13	17250	1521	2	210	1	1010	264	8	47	1
22+50S4+50W	3340	11	19010	1473	7	170	1	770	400	13	43	1
22+50S5+00W	1410	11	16670	1455	4	180	1	550	440	10	40	1
23+00S0+50W 40M	730	12	6800	1183	4	130	4	1250	20	5	41	1
23+00S1+00W 20M	620	1	2060	264	1	80	3	680	12	1	29	1
23+00S1+50W 20M	1000	4	4500	1708	2	120	5	1220	12	1	31	1
23+00S2+00W 40M	480	1	1240	1658	1	110	6	1170	20	1	21	1
23+00S2+50W 20M	860	1	2140	2800	2	100	5	750	28	1	36	1
23+00S3+00W 20M	1110	1	2580	2282	2	100	5	900	36	1	13	1
23+00S3+50W 20M	500	9	9510	582	2	80	2	550	12	4	31	1
23+00S4+00W 40M	550	9	9670	700	2	70	3	810	16	5	33	1
23+00S4+50W 40M	1970	8	12620	964	12	140	2	1440	134	18	47	1
23+00S5+00W 40M	1100	8	11720	1641	20	80	6	810	240	24	49	1
23+00S5+50W	1830	7	6630	1955	7	150	7	2880	20	8	35	1
23+00S6+00W	1300	6	8280	803	11	120	4	1430	24	11	36	1
23+00S6+50W	360	9	6260	337	1	70	6	390	10	2	26	1
23+00S7+00W	330	8	5590	258	1	60	6	310	12	3	26	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P5+6

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	U	V	ZN	AU-PPB
20+00S2+00W R	1	7.1	173	4
20+00S2+50W R	1	46.4	107	2
20+00S3+00W R	1	63.1	172	9
20+50S0+50W	1	49.1	581	3
20+50S1+00W 20M	1	36.1	940	2
20+50S1+50W	1	86.8	1343	4
20+50S2+00W	1	60.2	1857	5
20+50S2+50W R	1	148.9	111	2
20+50S3+00W R	1	144.2	32	4
21+00SBL 40M	1	42.0	628	3
21+00S0+50W	1	123.6	465	4
21+00S1+00W R	1	18.7	43	3
21+00S1+50W 40M	1	16.8	583	2
21+00S2+00W	1	60.9	1474	5
21+00S2+50W R	1	13.4	51	4
21+00S3+00W R	1	15.9	97	3
21+00S3+50W	1	46.0	10289	48
21+50SBL	1	47.7	1219	3
21+50S0+50W N/S				
21+50S1+00W	1	41.2	2343	2
21+50S1+50W	1	11.5	499	4
21+50S2+00W	1	33.0	1790	4
21+50S2+50W	1	55.6	318	3
21+50S3+00W	1	48.8	757	2
21+50S3+50W	1	43.2	789	4
21+50S4+00W	1	54.6	215	3
22+00SBL N/S				
22+00S0+50W	1	88.4	1048	3
22+00S1+00W	1	47.7	683	2
22+00S1+50W	1	37.8	230	2
22+00S2+00W	1	72.2	58	4
22+00S2+50W 20M	1	4.5	347	3
22+00S3+00W	1	64.8	563	2
22+00S3+50W	1	57.3	1560	4
22+00S4+00W	1	84.3	473	2
22+00S4+50W	1	88.1	269	6
22+50S0+50W	1	48.6	705	3
22+50S1+00W	1	43.9	1626	4
22+50S1+50W 40M	1	19.0	466	3
22+50S2+00W	1	44.0	2205	3
22+50S2+50W 40M	1	8.5	163	1
22+50S3+00W 40M	1	28.5	586	7
22+50S3+50W 20M	1	6.7	234	5
22+50S4+00W	1	92.9	1088	8
22+50S4+50W	1	129.9	345	6
22+50S5+00W	1	117.8	437	4
23+00S0+50W 40M	1	56.7	1712	4
23+00S1+00W 20M	1	6.3	347	4
23+00S1+50W 20M	1	26.1	762	3
23+00S2+00W 40M	1	7.7	214	2
23+00S2+50W 20M	1	10.3	502	4
23+00S3+00W 20M	1	9.9	505	5
23+00S3+50W 20M	1	60.3	216	3
23+00S4+00W 40M	1	68.8	325	2
23+00S4+50W 40M	1	180.2	205	4
23+00S5+00W 40M	1	102.3	317	7
23+00S5+50W	1	46.7	258	4
23+00S6+00W	1	64.2	102	6
23+00S6+50W	1	51.4	99	3
23+00S7+00W	1	52.7	77	3

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P7+B

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
23+00S7+50W	.2	16640	1	15	90	1.9	1	4400	3.7	8	25	84060
23+00S8+00W	.1	15030	1	12	76	1.5	2	3270	3.5	6	13	69270
23+00S8+50W	.5	23270	1	22	256	2.6	2	5930	5.6	9	42	101210
23+00S9+00W	.6	21710	1	18	110	1.6	1	5480	5.2	9	25	120150
23+00S9+50W 20M	.3	6660	1	12	208	1.0	4	26810	3.6	3	25	29050
23+00S10+00W 20M	.1	4930	1	10	115	.9	2	22000	2.8	2	21	15520
23+50SBL 20M	.3	12430	1	14	68	2.0	4	12420	5.8	6	69	48450
23+50S0+50W	.6	23900	1	23	212	4.5	3	6630	11.5	13	81	107970
23+50S1+00W40M	.6	19640	1	19	128	3.0	3	6870	8.0	9	48	84400
23+50S1+50W	.4	18460	1	18	161	3.6	3	5120	7.3	8	28	89470
23+50S2+00W 40M	.6	16960	1	16	204	3.4	3	5080	6.8	12	17	83160
23+50S2+50W 40M	1.4	17160	1	21	104	5.6	1	1100	9.1	7	7	271740
23+50S3+00W 40M	.7	25730	1	23	88	2.8	1	7250	7.5	13	75	112050
23+50S3+50W 40M	.8	17330	1	18	221	4.6	3	6950	9.8	16	114	87930
23+50S4+00W	1.0	29250	1	27	85	4.5	2	5250	8.5	12	206	147010
23+50S4+50W 40M	.6	41100	24	38	67	7.9	9	2740	12.1	16	51	115340
23+50S5+00W	.8	26580	1	26	77	5.1	1	4070	8.6	9	47	145810
23+50S5+50W R	.3	13100	1	13	54	1.9	1	4680	4.7	4	11	83970
23+50S6+00W	1.3	28270	1	27	238	4.9	1	1970	7.2	8	54	169480
23+50S6+50W 20M	1.3	20630	20	25	171	9.2	4	5780	10.4	12	92	179270
23+50S7+00W	1.2	27620	1	29	121	6.5	1	6990	11.3	12	42	194020
23+50S7+50W 40M	.6	21010	1	21	88	2.2	1	6190	7.9	8	34	100010
24+00BL	.3	17350	1	15	38	2.1	1	5840	4.6	5	37	83190
24+00S0+50W 20M	.1	3020	1	12	61	.7	3	18660	2.2	3	24	12440
24+00S1+00W	.6	21260	1	22	109	4.6	1	4780	8.3	9	46	108070
24+00S1+50W	.8	20830	15	23	61	7.1	8	5070	10.9	15	79	115380
24+00S2+00W 40M	.6	18610	1	20	175	3.9	3	5200	7.6	8	44	87970
24+00S2+50W	1.0	27640	1	26	207	6.0	2	6180	9.8	14	212	111620
24+00S3+00W R	.5	22810	8	22	51	5.6	7	1830	7.7	7	21	88490
24+00S3+50W	.1	10120	1	10	62	2.5	3	3410	4.3	7	11	60980
24+00S4+00W	.6	21490	1	21	156	3.0	2	4470	8.8	20	41	76070
24+00S4+50W	.8	25030	1	25	149	5.8	4	3910	11.9	23	35	138640
24+00S5+00W R	.5	29350	1	24	199	2.6	3	5740	6.3	5	30	98640
24+00S5+50W	.9	28200	1	26	105	4.1	2	4660	10.2	10	31	155800
24+50S0+50W	.7	25370	1	26	294	4.0	4	5530	10.2	18	126	102640
24+50S1+00W 40M	.5	20390	1	18	194	2.9	3	4190	6.7	9	41	87930
24+50S1+50W	.5	15640	1	17	91	1.7	2	5970	7.4	7	23	80280
24+50S2+00W	.5	17100	1	16	68	2.1	2	6310	5.7	8	43	91280
24+50S2+50W R	.7	16640	1	16	30	3.1	2	7440	6.4	6	10	112470
24+50S3+00W	.6	24080	1	24	145	3.9	3	6260	11.1	13	60	98020
24+50S3+50W 40M	.8	21620	1	22	164	3.4	3	6770	10.7	12	64	95030
24+50S4+00W 40M	.7	21480	1	22	155	3.5	3	7000	10.4	12	70	92280
25+00SBL	.6	21880	1	22	70	3.4	2	4540	6.8	12	62	105190
25+00S0+50W 40M	.3	10180	1	13	87	1.6	2	8030	4.6	5	36	48960
25+00S1+00W	.4	15380	1	16	147	2.2	2	6890	5.5	5	25	71290
25+00S1+50W	.8	17180	1	19	143	2.0	3	9640	7.4	8	32	86940
25+00S2+00W	.8	20080	1	20	91	2.7	2	8440	8.1	10	81	104630
25+00S2+50W R	.9	16550	1	16	167	1.7	1	13990	6.9	7	11	111780
25+00S3+00W R	1.9	52910	10	47	107	8.7	7	4920	12.3	19	225	171940
25+00S3+50W R	.5	13960	1	13	43	2.3	3	5940	5.7	5	25	70500
25+00S4+00W R	.6	10380	1	12	157	3.1	2	7460	6.7	5	11	76950
25+00S4+00WDUP R	.4	12690	1	13	29	2.3	3	5800	4.4	3	4	63180
25+50SBL	.9	19330	1	21	135	3.5	3	10570	12.1	15	87	86740
25+50S0+50W 20M	.9	25110	1	25	106	5.5	4	5990	10.7	12	287	108070
25+50S1+00W	.6	18990	1	19	185	3.4	3	5670	8.2	7	72	79240
25+50S1+50W 20M	1.0	12210	1	19	209	3.8	4	12650	12.4	10	105	70310
25+50S2+00W 40M	.8	11520	1	14	249	1.8	3	12950	8.4	6	63	65060
25+50S2+50W	.6	19910	1	19	181	2.9	3	5800	10.6	9	44	88330
25+50S3+00W	.6	17780	1	19	189	3.0	4	5860	8.5	8	41	80890
26+00SBL 20M	.7	14930	1	18	267	3.4	5	7490	14.2	8	25	63680

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P7+8

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
23+00S7+50W	440	11	6270	760	1	70	4	480	22	1	26	1
23+00S8+00W	460	9	5260	521	1	70	4	220	18	1	23	1
23+00S8+50W	1940	12	8190	2400	2	110	6	1610	28	3	31	1
23+00S9+00W	810	10	5020	1205	1	110	1	200	20	1	30	1
23+00S9+50W 20M	1380	2	2920	2745	2	60	6	920	62	1	21	1
23+00S10+00W 20M	1400	1	2900	1103	2	50	5	1040	18	1	11	1
23+50SBL 20M	810	6	6050	577	4	440	8	650	18	1	37	1
23+50S0+50W	1210	16	9640	1162	5	160	8	2050	30	6	50	1
23+50S1+00W40M	980	9	6940	1456	4	200	4	570	22	3	41	1
23+50S1+50W	900	10	7270	1089	4	240	5	1440	26	4	49	1
23+50S2+00W 40M	970	9	5140	1438	3	200	5	2200	22	3	39	1
23+50S2+50W 40M	6630	7	17470	662	3	640	1	360	26	14	37	1
23+50S3+00W 40M	960	12	7730	1062	1	170	9	670	22	3	43	1
23+50S3+50W 40M	1100	9	6330	1972	5	200	7	3750	60	6	36	1
23+50S4+00W	1240	10	13110	817	6	140	1	500	54	8	40	1
23+50S4+50W 40M	440	12	6770	553	10	80	7	1870	46	12	48	1
23+50S5+00W	630	12	12360	768	4	100	1	730	30	8	39	1
23+50S5+50W R	2390	4	7720	789	1	400	2	510	18	2	26	1
23+50S6+00W	2630	11	15950	1321	4	130	1	530	80	10	38	1
23+50S6+50W 20M	1700	10	12700	1823	11	190	6	930	70	17	47	1
23+50S7+00W	650	15	12430	1465	3	110	1	600	60	13	40	1
23+50S7+50W 40M	1100	10	8560	671	1	140	4	220	30	3	40	1
24+00BL	440	6	5910	404	3	120	1	150	20	2	29	1
24+00S0+50W 20M	740	1	2310	788	1	140	4	970	22	1	28	1
24+00S1+00W	670	8	5390	663	5	120	5	1090	26	6	38	1
24+00S1+50W	970	15	8260	1005	13	120	7	310	30	11	42	1
24+00S2+00W 40M	1570	11	8410	1238	4	230	8	880	62	5	52	1
24+00S2+50W	1110	10	8470	2702	7	130	7	1800	50	9	51	1
24+00S3+00W R	3420	5	12090	806	10	370	6	530	22	8	28	1
24+00S3+50W	430	5	3730	1351	3	80	4	470	26	2	18	1
24+00S4+00W	600	11	5110	3138	8	90	13	1750	30	3	33	1
24+00S4+50W	690	13	8720	2452	12	80	12	1160	34	11	44	1
24+00S5+00W R	10730	12	11910	821	6	2190	4	320	26	3	46	1
24+00S5+50W	1090	16	9840	1670	9	150	6	600	34	8	39	1
24+50S0+50W	1670	12	9300	1226	8	290	13	1360	26	7	52	1
24+50S1+00W 40M	830	11	7140	1170	6	130	11	2110	30	4	42	1
24+50S1+50W	820	9	6270	1337	2	160	9	390	20	2	28	1
24+50S2+00W	800	10	6750	1502	4	140	7	190	20	2	30	1
24+50S2+50W R	1050	7	11250	603	7	470	7	720	18	6	33	1
24+50S3+00W	1150	11	7380	2122	7	110	12	1140	22	6	44	1
24+50S3+50W 40M	920	9	7750	3273	8	120	13	1250	20	6	43	1
24+50S4+00W 40M	880	9	7200	2967	9	110	13	1310	26	6	44	1
25+00SBL	1480	16	8280	800	8	170	8	290	26	4	32	1
25+00S0+50W 40M	790	6	4120	1316	3	170	8	490	18	1	24	1
25+00S1+00W	1780	7	6520	992	6	260	8	500	20	2	43	1
25+00S1+50W	990	12	5510	2772	4	190	9	470	22	3	37	1
25+00S2+00W	1220	13	7750	1902	5	150	8	230	26	4	37	1
25+00S2+50W R	1130	4	5920	2727	4	440	6	630	18	2	46	1
25+00S3+00W R	2630	14	33640	3126	20	150	13	550	30	19	63	1
25+00S3+50W R	730	4	7960	636	5	340	7	450	18	3	22	1
25+00S4+00W R	2030	3	4370	376	7	810	7	840	16	5	23	1
25+00S4+00WDUP R	710	6	8630	427	5	390	6	590	14	3	28	1
25+50SBL	1210	9	5740	3148	8	160	16	440	26	5	36	1
25+50S0+50W 20M	1480	14	8630	2289	11	160	15	410	22	6	37	1
25+50S1+00W	1340	10	7250	1770	5	190	12	1070	22	3	47	1
25+50S1+50W 20M	950	5	4840	7614	10	90	17	880	38	5	34	1
25+50S2+00W 40M	990	5	4750	3947	5	120	10	760	28	2	37	1
25+50S2+50W	920	9	7530	1721	5	110	12	1380	22	4	34	1
25+50S3+00W	1120	10	6340	1677	6	120	10	1610	28	4	37	1
26+00SBL 20M	900	9	4000	4960	9	110	13	2310	22	4	37	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P7+B

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	U	V	ZN	AU-PPB
23+00S7+50W	1	47.7	137	48
23+00S8+00W	1	34.2	246	3
23+00S8+50W	1	47.6	321	4
23+00S9+00W	1	51.0	94	14
23+00S9+50W 20M	1	17.7	126	3
23+00S10+00W 20M	1	14.0	78	4
23+50SBL 20M	1	34.9	630	3
23+50S0+50W	1	63.7	1502	2
23+50S1+00W40M	1	47.4	728	2
23+50S1+50W	1	51.9	1110	4
23+50S2+00W 40M	1	44.0	814	6
23+50S2+50W 40M	1	139.6	57	4
23+50S3+00W 40M	1	59.0	1895	7
23+50S3+50W 40M	1	44.8	887	3
23+50S4+00W	1	84.0	463	5
23+50S4+50W 40M	1	103.1	1026	3
23+50S5+00W	1	99.3	426	2
23+50S5+50W R	1	52.4	64	1
23+50S6+00W	1	82.0	251	4
23+50S6+50W 20M	1	70.1	199	5
23+50S7+00W	1	86.4	410	2
23+50S7+50W 40M	1	48.6	1165	3
24+00BL	1	48.3	295	2
24+00S0+50W 20M	1	9.0	320	9
24+00S1+00W	1	44.3	387	4
24+00S1+50W	1	68.9	878	3
24+00S2+00W 40M	1	51.9	1007	8
24+00S2+50W	1	74.0	660	5
24+00S3+00W R	1	55.0	26	6
24+00S3+50W	1	33.4	124	3
24+00S4+00W	1	42.2	1174	6
24+00S4+50W	1	75.8	785	2
24+00S5+00W R	1	8.5	134	3
24+00S5+50W	1	68.1	772	4
24+50S0+50W	1	78.8	1006	3
24+50S1+00W 40M	1	48.2	500	3
24+50S1+50W	1	40.4	811	2
24+50S2+00W	1	51.5	806	4
24+50S2+50W R	1	106.1	101	3
24+50S3+00W	1	63.3	1585	32
24+50S3+50W 40M	1	60.6	1432	5
24+50S4+00W 40M	1	60.6	1429	6
25+00SBL	1	68.1	611	2
25+00S0+50W 40M	1	29.7	390	3
25+00S1+00W	1	41.6	339	4
25+00S1+50W	1	45.0	674	3
25+00S2+00W	1	61.8	762	4
25+00S2+50W R	1	53.3	387	3
25+00S3+00W R	1	162.9	356	14
25+00S3+50W R	1	38.4	90	4
25+00S4+00W R	1	7.3	49	3
25+00S4+00WDUP R	1	17.8	37	4
25+50SBL	1	51.9	1393	18
25+50S0+50W 20M	1	68.1	1912	4
25+50S1+00W	1	45.2	1201	2
25+50S1+50W 20M	1	34.1	1069	6
25+50S2+00W 40M	1	34.0	803	2
25+50S2+50W	1	48.0	1018	3
25+50S3+00W	1	44.5	1055	5
26+00SBL 20M	1	23.0	1334	32

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P9+10

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
26+00S0+50W	.4	17060	1	12	112	2.4	3	4150	7.1	8	25	65330
26+00S1+00W	.6	23160	1	17	69	3.6	1	4410	14.3	11	84	96770
26+00S1+50W	.7	24080	1	18	77	3.4	3	5410	14.0	11	81	104410
26+00S2+00W	.7	22950	1	17	74	3.2	2	5690	13.4	11	84	107150
26+00S2+50W	.8	24090	1	17	68	2.9	2	5900	13.2	11	100	111590
26+00S3+00W	.6	20700	1	14	154	2.8	2	6190	8.2	9	37	92160
26+00S3+50W	.6	20320	1	15	162	2.0	2	6230	7.6	9	42	90720
26+00S4+00W	.6	20150	1	14	164	2.4	2	6500	9.2	9	44	84410
26+00S4+50W	1.3	25370	1	17	54	2.8	2	8710	10.0	10	590	109900
26+00S5+00W	1.3	26010	1	18	56	3.0	2	8770	11.2	11	566	107590
26+00S5+50W	1.3	27160	1	20	56	2.9	3	8450	9.8	11	534	113890
26+00S6+00W	.5	18780	1	12	105	2.3	3	4360	7.4	8	29	75400
26+00S6+50W 40M	.4	18760	1	11	107	2.1	3	4470	5.5	8	26	76440
26+00S7+00W	.4	19320	1	12	96	2.1	2	4720	7.2	8	26	81410
26+00S7+50W 20M	.4	19080	1	13	93	2.4	2	4720	5.3	8	20	86280
26+00S8+00W	.6	18730	1	14	108	2.3	2	5660	7.1	8	28	82110
26+00S8+50W 40M	.6	19330	1	14	100	2.0	2	5260	6.6	8	25	84470
26+00S9+00W	.5	17610	1	13	102	2.0	2	4900	7.2	8	27	78930
26+00S9+50W	.5	19090	1	13	96	2.6	2	4740	6.5	8	26	83960
26+00S10+00W 20M	.6	18100	1	13	112	2.6	3	3850	6.2	8	22	72890
26+50S0+50W	.4	14100	1	11	124	2.3	3	7320	6.6	7	29	66800
26+50S1+00W	.7	24540	1	19	67	3.4	1	5130	8.2	10	45	114460
26+50S1+50W 40M	.4	7370	1	20	26	1.5	3	24910	10.5	4	101	29920
26+50S2+00W R	1.2	37430	1	27	38	2.8	1	10190	7.7	14	122	189870
26+50S2+50W	.6	20330	1	14	68	2.8	2	5590	7.9	9	57	104650
27+00SBL	.6	17330	22	16	224	6.6	4	8840	11.4	9	73	88330
27+00S0+50W	.5	16450	1	11	57	2.1	2	6030	8.1	7	22	80370
27+00S1+00W	.6	15760	1	10	81	1.3	1	4930	6.5	8	15	84740
27+00S1+50W	.6	16190	1	14	121	2.4	3	10000	6.5	7	48	63800
27+00S2+00W	.4	17990	1	12	62	3.4	3	3110	6.9	9	35	84820
27+00S2+50W	.3	22810	29	19	99	4.1	4	8740	11.0	12	109	97810
27+00S3+00W	.2	21610	1	15	67	3.3	1	6250	8.1	9	45	100210
27+00S3+50W	.3	24760	1	18	70	3.0	2	6020	8.6	10	49	115440
27+00S4+00W 40M	.5	15270	6	13	220	3.1	3	13640	14.1	10	93	96100
27+00S4+50W	.3	27790	36	21	274	5.3	4	4630	10.8	14	62	129070
27+00S5+00W	.4	27210	23	22	177	5.4	3	7770	10.6	13	90	142180
27+00S5+50W	.3	22760	21	17	202	4.6	2	6440	10.1	11	68	119920
27+00S6+00W	.5	36310	1	27	61	5.1	2	3810	10.3	11	187	170940
27+50SBL	.4	22660	1	15	25	2.8	1	18150	6.2	11	8	155490
27+50S0+50W	.2	20090	1	12	139	2.3	1	7310	6.7	9	31	96570
27+50S1+00W	.2	28000	83	21	24	5.7	6	2010	9.9	10	9	97090
27+50S1+50W	.3	27270	1	19	22	2.9	1	12220	8.7	7	7	125120
27+50S2+00W 40M	.2	11620	10	15	139	1.5	3	16970	7.4	6	40	59850
27+50S2+50W	.3	17830	1	15	170	2.7	3	10400	9.3	8	48	95970
27+50S3+00W	.3	24040	1	18	109	3.0	1	7960	9.5	10	41	115300
27+50S3+50W	.1	8310	42	7	49	2.8	5	2330	4.6	6	7	64580
27+50S4+00W	.5	21810	3	20	223	4.0	4	8020	11.2	9	50	114780
27+50S4+50W	.5	23460	25	22	279	4.5	4	8030	10.2	10	52	120920
27+50S5+00W	.5	22490	23	19	275	4.6	4	6370	10.8	9	45	120660
27+50S5+50W	.3	19430	1	14	127	2.7	1	6900	5.3	7	14	117590
27+50S6+00W	.2	18570	1	12	30	1.8	2	5480	4.2	5	13	94960
27+50S6+50W	.1	6790	23	4	54	2.7	4	830	3.4	3	7	69270
27+50S7+00W	.3	30010	1	22	130	4.0	2	6410	10.2	13	63	128380
27+50S7+50W	.3	20610	1	14	111	2.2	1	6170	5.5	7	32	117490
27+50S8+00W	.5	30990	14	25	102	4.9	1	4100	12.1	9	80	167180
27+50S8+50W	.5	31320	10	25	100	5.6	3	3930	10.5	8	83	169670
27+50S9+00W	.5	31660	11	26	94	6.1	1	3300	11.8	8	87	169860
27+50S9+50W	.3	21820	2	16	124	2.9	1	6060	6.6	8	43	113930
27+50S10+00W	.5	31640	30	26	110	6.3	2	4010	10.4	9	86	169990
28+00SBL	.3	26410	32	21	389	3.9	4	5890	9.1	10	28	96350

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P9+10

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
26+00S0+50W	720	10	8910	922	4	70	10	990	22	2	29	1
26+00S1+00W	810	16	7600	1448	7	120	14	330	24	4	31	1
26+00S1+50W	770	15	8120	1575	5	120	14	330	26	4	33	1
26+00S2+00W	730	14	7470	1416	7	120	13	310	30	4	34	1
26+00S2+50W	820	15	7910	1377	4	130	12	290	34	3	35	1
26+00S3+00W	1120	9	8190	1361	3	130	9	740	24	3	33	1
26+00S3+50W	1140	9	7880	1533	3	130	9	760	26	2	33	1
26+00S4+00W	1150	8	7460	1503	3	130	9	810	22	2	32	1
26+00S4+50W	580	8	7460	1350	5	100	9	310	54	3	31	1
26+00S5+00W	530	8	7500	1355	5	90	11	390	52	4	31	1
26+00S5+50W	430	8	7680	1200	6	100	9	370	50	3	33	1
26+00S6+00W	750	10	7980	645	5	90	9	1150	18	2	32	1
26+00S6+50W 40M	780	11	7240	670	5	110	8	1210	22	2	32	1
26+00S7+00W	770	10	7730	701	4	90	8	1000	22	2	31	1
26+00S7+50W 20M	690	9	8030	739	4	80	7	1010	20	2	32	1
26+00S8+00W	810	12	7310	778	2	110	8	1170	20	2	33	1
26+00S8+50W 40M	800	11	7400	661	4	110	8	1020	18	2	32	1
26+00S9+00W	820	10	7080	734	4	100	9	940	18	2	29	1
26+00S9+50W	810	10	8650	641	3	90	7	900	20	2	32	1
26+00S10+00W 20M	700	9	7220	738	4	70	11	1430	18	2	28	1
26+50S0+50W	840	7	6180	1470	5	90	9	770	20	2	34	1
26+50S1+00W	890	19	8540	942	7	120	9	440	28	4	35	1
26+50S1+50W 40M	580	5	3020	853	4	100	14	660	26	1	17	1
26+50S2+00W R	240	19	24950	146	1	330	1	310	18	5	58	1
26+50S2+50W	1020	11	7100	907	4	120	6	160	22	3	31	1
27+00SBL	1420	5	4060	1644	11	480	11	3640	22	9	69	1
27+00S0+50W	610	9	7470	810	2	80	8	350	20	2	28	1
27+00S1+00W	680	10	5970	873	1	120	6	320	20	1	27	1
27+00S1+50W	1450	6	7300	1149	4	160	9	1100	26	2	32	1
27+00S2+00W	1070	9	7200	919	8	60	8	230	22	3	26	1
27+00S2+50W	2670	17	11210	1078	7	120	10	370	30	6	38	1
27+00S3+00W	900	22	9060	737	5	100	7	150	26	4	33	1
27+00S3+50W	960	17	8790	978	3	120	5	190	24	4	34	1
27+00S4+00W 40M	1420	7	5480	4885	5	140	8	430	32	4	33	1
27+00S4+50W	1630	12	11110	2219	9	190	9	2890	50	9	59	1
27+00S5+00W	1380	9	10220	2401	8	130	9	1840	40	10	57	1
27+00S5+50W	1050	8	6580	3036	6	110	11	1210	38	6	44	1
27+00S6+00W	650	12	9210	553	7	100	4	540	40	8	48	1
27+50SBL	210	6	10350	856	1	310	1	280	30	5	60	1
27+50S0+50W	960	13	7310	1431	2	120	5	700	26	2	41	1
27+50S1+00W	360	12	18800	1417	11	240	9	490	20	9	36	1
27+50S1+50W	430	6	18990	1416	4	80	3	530	22	5	48	1
27+50S2+00W 40M	1340	6	5960	2133	3	100	7	980	26	1	29	1
27+50S2+50W	1240	8	7790	2428	5	110	6	910	20	4	35	1
27+50S3+00W	1530	12	8180	876	3	140	6	830	24	4	39	1
27+50S3+50W	3290	3	4660	100	5	570	6	560	14	3	18	1
27+50S4+00W	1750	10	6520	2815	7	210	7	1580	70	7	48	1
27+50S4+50W	2160	11	7310	2493	8	230	7	1650	74	8	57	1
27+50S5+00W	2220	10	7820	2187	9	240	8	1370	82	8	59	1
27+50S5+50W	3530	8	8830	1125	5	320	2	570	58	7	34	1
27+50S6+00W	1280	3	10430	1010	3	790	5	250	16	2	28	1
27+50S6+50W	4630	1	1780	72	5	160	3	470	18	2	24	1
27+50S7+00W	2170	13	11020	1841	8	120	6	690	34	6	44	1
27+50S7+50W	4640	5	10080	1038	4	310	2	350	14	5	32	1
27+50S8+00W	2520	8	11430	1228	9	150	3	610	42	10	44	1
27+50S8+50W	2490	8	12250	1131	11	140	4	590	42	11	44	1
27+50S9+00W	2730	8	11870	1021	10	140	3	670	46	11	44	1
27+50S9+50W	6240	7	9640	1233	3	290	2	270	20	5	28	1
27+50S10+00W	2750	9	12610	1111	13	150	4	720	46	12	45	1
28+00SBL	2850	10	9800	4705	8	360	10	2120	24	6	50	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P9+10

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE:DEC 24, 1986

(VALUES IN PPM)	U	V	ZN	AU-PPB
26+00S0+50W	1	42.1	532	3
26+00S1+00W	1	54.3	3670	4
26+00S1+50W	1	57.0	3673	3
26+00S2+00W	1	55.8	3596	3
26+00S2+50W	1	57.7	3497	6
26+00S3+00W	1	56.2	714	2
26+00S3+50W	1	50.2	674	4
26+00S4+00W	1	48.1	709	2
26+00S4+50W	1	64.3	1442	23
26+00S5+00W	1	64.4	1558	9
26+00S5+50W	1	66.0	1591	10
26+00S6+00W	1	45.3	553	3
26+00S6+50W 40M	1	43.0	545	4
26+00S7+00W	1	45.5	503	3
26+00S7+50W 20M	1	47.9	432	2
26+00S8+00W	1	44.7	473	4
26+00S8+50W 40M	1	45.3	537	3
26+00S9+00W	1	44.5	543	2
26+00S9+50W	1	46.5	500	6
26+00S10+00W 20M	1	42.3	465	2
26+50S0+50W	1	39.4	311	4
26+50S1+00W	1	64.5	1889	4
26+50S1+50W 40M	1	20.5	3891	2
26+50S2+00W R	1	96.2	67	12
26+50S2+50W	1	61.7	387	3
27+00SBL	1	26.3	682	2
27+00S0+50W	1	44.8	441	4
27+00S1+00W	1	41.5	873	4
27+00S1+50W	1	39.1	542	3
27+00S2+00W	1	53.9	552	2
27+00S2+50W	1	64.8	1210	8
27+00S3+00W	1	60.8	1760	9
27+00S3+50W	1	61.1	1056	35
27+00S4+00W 40M	1	52.4	1230	3
27+00S4+50W	1	74.5	1027	5
27+00S5+00W	1	86.4	579	4
27+00S5+50W	1	60.5	365	3
27+00S6+00W	1	87.1	256	10
27+50SBL	1	53.0	102	2
27+50S0+50W	1	48.8	948	4
27+50S1+00W	1	72.7	271	4
27+50S1+50W	1	43.4	93	3
27+50S2+00W 40M	1	30.8	635	2
27+50S2+50W	1	50.3	833	7
27+50S3+00W	1	63.4	676	6
27+50S3+50W	1	19.4	21	4
27+50S4+00W	1	48.3	1140	4
27+50S4+50W	1	51.8	1127	13
27+50S5+00W	1	50.8	1097	7
27+50S5+50W	1	26.4	94	3
27+50S6+00W	1	32.8	60	2
27+50S6+50W	1	9.1	17	4
27+50S7+00W	1	74.4	467	11
27+50S7+50W	1	37.3	122	3
27+50S8+00W	1	70.2	261	2
27+50S8+50W	1	70.6	231	4
27+50S9+00W	1	69.3	193	3
27+50S9+50W	1	73.3	111	2
27+50S10+00W	1	73.7	224	4
28+00SBL	1	59.2	330	3

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P11

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
28+00S0+50W	.4	16560	1	12	143	2.0	2	4260	4.8	6	17	71470
28+00S1+00W	1.0	23670	1	17	53	2.8	1	10210	8.9	7	21	154520
28+00S1+50W	.6	21620	1	15	64	3.2	2	5090	6.1	9	58	98750
28+00S2+00W	.7	22910	1	16	88	3.2	2	5530	7.1	9	61	108400
28+00S2+50W	.9	24380	1	17	57	3.1	2	5650	6.3	10	74	123340
28+00S3+00W	.7	23860	1	16	54	3.1	1	5160	7.0	9	73	113400
28+00S3+50W	.8	24740	1	17	68	3.1	2	5610	7.0	9	70	116290
28+00S4+00W	.7	23430	1	15	64	3.4	2	4530	7.8	9	69	102050
28+00S4+50W	.8	24060	1	16	66	3.0	2	5800	8.0	9	66	116870
28+00S5+00W	.7	23140	10	16	56	3.2	2	5020	8.0	9	66	109580
28+00S5+50W 40M	1.8	26180	1	23	114	7.4	3	3580	12.2	9	61	162310
28+00S6+00W	2.1	32950	1	26	119	6.9	1	4080	12.3	10	83	198890
28+00S6+50W	1.7	30650	1	24	107	7.2	2	3370	11.5	10	78	183540
28+00S7+00W 40M	1.5	23240	1	18	116	6.6	1	2930	9.3	8	58	156710
28+00S7+50W	1.3	29590	1	22	121	6.0	2	3580	9.7	9	92	177350
28+00S8+00W 40M	1.2	29550	1	23	108	6.9	2	2560	11.7	9	102	174070
28+00S8+50W	1.3	31440	1	24	105	6.7	2	3000	11.7	9	105	179260
28+00S9+00W	1.5	31360	1	25	107	6.4	1	3120	11.9	9	108	183410
28+00S9+50W	1.6	31190	1	24	108	6.7	1	2560	11.6	9	109	180510
28+00S10+00W	1.7	30950	1	25	108	6.6	1	2880	11.4	9	107	179850

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-12BB/P11

ATTENTION: G.H. RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE: DEC 24, 1986

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
28+00S0+50W	930	13	6530	1543	4	100	8	620	22	2	27	1
28+00S1+00W	660	9	13960	802	3	320	2	510	22	6	53	1
28+00S1+50W	1680	9	10090	720	6	90	6	340	18	4	31	1
28+00S2+00W	1730	9	10220	728	5	90	8	290	26	5	34	1
28+00S2+50W	1650	9	10300	674	4	100	6	210	20	5	38	1
28+00S3+00W	1640	9	10290	683	6	90	7	260	22	4	35	1
28+00S3+50W	1680	9	10210	701	6	110	5	260	20	4	36	1
28+00S4+00W	1740	9	10330	696	6	90	6	320	22	4	33	1
28+00S4+50W	1720	9	10440	712	6	110	6	300	26	5	36	1
28+00S5+00W	1510	9	11530	715	5	100	8	320	22	5	34	1
28+00S5+50W 40M	1780	9	11270	994	10	180	5	850	32	12	46	1
28+00S6+00W	2080	9	13320	1091	11	200	7	780	28	13	50	1
28+00S6+50W	1970	8	11920	1006	10	200	7	770	32	12	47	1
28+00S7+00W 40M	2030	6	9990	801	11	220	4	730	30	11	44	1
28+00S7+50W	2540	8	11940	1346	12	190	6	840	40	12	47	1
28+00S8+00W 40M	2170	8	11710	1030	8	170	4	910	34	12	47	1
28+00S8+50W	2280	8	12690	1094	9	180	7	800	40	11	46	1
28+00S9+00W	2340	8	12660	1106	9	180	4	680	36	12	47	1
28+00S9+50W	2230	8	12180	1049	10	160	4	700	38	12	47	1
28+00S10+00W	2350	8	12080	1084	9	180	3	660	38	12	46	1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1288/P11

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524 * TYPE SOIL/ROCK GEOCHEM * DATE:DEC 24, 1986

(VALUES IN PPM)	U	V	ZN	AU-PPB
28+00S0+50W	1	40.5	391	4
28+00S1+00W	1	60.4	85	3
28+00S1+50W	1	61.8	133	5
28+00S2+00W	1	65.3	122	5
28+00S2+50W	1	71.0	83	2
28+00S3+00W	1	68.2	88	3
28+00S3+50W	1	69.7	109	7
28+00S4+00W	1	63.9	114	4
28+00S4+50W	1	68.5	111	2
28+00S5+00W	1	70.6	105	3
28+00S5+50W 40M	1	69.1	207	4
28+00S6+00W	1	85.1	248	18
28+00S6+50W	1	78.2	224	16
28+00S7+00W 40M	1	63.3	153	5
28+00S7+50W	1	72.9	325	17
28+00S8+00W 40M	1	71.5	262	13
28+00S8+50W	1	75.3	253	5
28+00S9+00W	1	76.5	273	24
28+00S9+50W	1	76.8	291	23
28+00S10+00W	1	75.8	288	4

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P1+2

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL BEDCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
14+00S 0+00W	1.1	28800	72	32	123	9.2	8	2530	11.3	9	382	140810
14+00S 0+50W 40M	.3	15090	1	14	136	2.0	3	12040	5.6	6	61	53180
14+00S 0+100W R	.3	22000	1	18	156	2.9	2	4240	6.5	6	3	117910
14+00S 0+125W40M	.3	18440	1	15	132	2.2	2	4750	5.9	8	27	75000
14+50S 0+00 R	.5	17410	1	14	39	2.8	1	11360	4.4	6	42	85030
14+50S 0+50W	.3	18680	1	16	75	2.7	1	6210	5.3	8	48	89100
14+50S 0+100W	.5	17830	1	16	99	2.2	2	4880	4.9	7	23	76310
14+50S 0+150W	.5	18410	1	15	73	2.7	2	4150	6.4	8	26	80630
15+00S 0+00W	.5	8730	9	6	71	2.3	3	1980	1.9	3	6	26620
15+00S 0+50W	.5	17620	1	14	83	1.8	1	5220	4.2	8	19	92980
15+00S 0+100W	.3	22550	1	20	70	3.1	3	4640	6.3	9	42	100730
15+00S 0+150W	.5	24020	1	21	65	3.2	3	4760	7.2	10	55	102650
16+00S 0+00 R	.3	9780	1	10	50	2.7	1	7460	4.3	6	4	90300
16+00S 0+50W R	.5	11810	3	12	59	4.0	4	3580	6.2	7	3	90240
16+00S 0+100W	.9	27770	2	26	115	5.2	5	5050	10.2	14	113	111550
16+50S 0+00 R	.5	30920	1	31	75	5.7	1	7080	9.4	14	50	180310
16+50S 0+50W R	9.7	24350	1	22	135	3.7	3	4250	8.1	6	11	96500
16+50S 0+100W	.5	18360	1	18	150	2.3	1	5630	5.7	7	20	86490
17+00S 0+00W 40M	.5	22060	1	20	179	4.1	4	3200	5.7	8	17	84850
17+00S 0+50W 40M	.5	22140	1	19	163	3.9	4	3260	6.6	9	22	93500
17+00S 0+100W40M	.3	21780	1	20	172	3.9	4	2990	6.5	8	27	94300
17+00S 0+150W R	.5	25500	1	21	102	3.2	3	7850	5.9	8	23	96060
28+50S 0+00	.5	15240	1	13	209	2.0	2	2630	5.9	6	7	69110
28+50S 0+50W	.3	19480	1	16	181	2.8	2	3250	5.0	7	13	72860
28+50S 1+00W	.5	22200	1	20	156	3.7	4	3530	6.3	8	16	85810
28+50S 1+50W	.5	24310	1	21	192	3.2	3	3940	5.9	9	18	90000
28+50S 2+00W	.3	24730	1	22	181	3.7	3	4280	6.3	9	21	99480
28+50S 2+50W 40M	.5	19490	11	18	122	4.7	4	3410	6.9	8	18	87230
28+50S 3+00W 40M	.7	26220	1	24	128	3.7	3	3830	7.7	10	26	99090
28+50S 3+50W 40M	.5	22400	9	21	111	4.9	3	3270	7.3	9	28	96010
28+50S 4+00W	.5	14240	13	13	100	4.8	5	7210	5.4	6	25	68540
28+50S 4+50W	.8	9720	49	15	135	7.5	4	1040	10.0	6	6	122090
28+50S 5+00W	1.1	15030	56	21	165	9.3	4	2680	10.3	7	75	150400
28+50S 5+50W 40M	.8	15300	17	17	160	5.7	4	4810	7.5	9	69	97890
28+50S 6+00W	1.6	42240	34	41	125	8.4	6	1920	11.4	15	307	155010
28+50S 6+50W R	1.3	30000	45	31	60	7.9	5	8560	10.4	10	56	142660
28+50S 7+00W	1.8	21170	66	27	157	10.8	8	2020	13.7	8	456	153560
28+50S 7+50W	1.8	36800	61	37	250	11.0	8	3690	15.3	15	395	149800
29+00S 0+00 R	.7	53150	4	39	21	5.2	5	20740	8.0	9	14	76240
29+00S 0+50W	.4	15050	1	15	124	2.2	3	3880	4.7	6	25	68920
29+00S 1+00W	.7	21270	1	20	74	3.2	3	5650	6.3	9	59	103850
29+00S 1+50W	.6	14440	1	13	91	2.1	3	5250	5.6	7	30	78570
29+00S 2+00W	.8	21690	1	21	96	3.0	3	9180	7.5	9	51	108950
29+00S 2+50W	.8	17700	1	19	164	2.4	3	6460	7.1	8	23	101380
29+00S 3+00W	.7	23600	1	18	94	1.9	2	5210	5.0	7	31	89250
29+00S 3+50W	.7	13330	1	15	85	2.1	3	4800	3.6	7	25	80150
29+00S 4+00W 40M	.5	20730	1	21	229	3.5	3	4460	8.1	11	53	98790
29+00S 4+50W 40M	1.0	25570	1	26	238	4.3	3	6890	9.5	11	75	106990
29+00S 5+00W 40M	.6	17020	1	22	123	3.2	3	10380	7.9	9	70	68500
29+00S 5+50W	1.0	30790	1	29	154	5.3	3	3690	11.0	15	116	136370
29+00S 6+00W	.9	24900	3	24	128	4.7	4	6350	9.3	11	96	109020
29+00S 6+50W	.9	33950	1	31	161	4.9	3	3910	10.0	15	131	132570
29+00S 7+00W R	.8	27000	6	26	73	4.7	3	6790	8.7	11	78	102440
29+00S 7+50W	1.3	37980	2	35	189	5.5	3	5520	11.3	17	151	163720
29+50S 0+00 R	2.0	36630	1	34	47	4.2	1	18970	10.3	18	137	262230
29+50S 0+50W R	2.0	38110	1	36	41	3.3	1	30130	9.0	19	143	279660
29+50S 1+00W R	.7	15780	1	14	107	2.1	2	5760	5.5	4	5	112830
29+50S 1+50W R	.8	22010	1	20	150	2.9	2	5460	5.5	6	1	113880
29+50S 2+00W	.7	19490	1	19	141	2.9	2	5570	5.6	8	39	81450
29+50S 3+50W R	1.2	31530	1	29	24	3.8	3	15860	7.2	13	276	132480

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P1-2

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)980-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
14+00S 0+00M	1820	9	10510	1032	22	160	13	1710	34	20	55	1
14+00S 0+50W 40M	1440	5	6670	1929	4	70	8	1050	16	3	48	1
14+00S 0+100W R	12640	6	6470	1490	4	210	3	420	12	5	27	1
14+00S 0+125W40M	1290	9	7410	1408	4	90	9	890	16	4	33	1
14+50S 0+00 R	800	7	8240	898	4	220	7	380	12	4	35	1
14+50S 0+50W	1780	9	9200	999	4	80	8	510	18	4	37	1
14+50S 0+100W	1540	10	7810	1045	2	100	10	780	12	3	32	1
14+50S 0+150W	970	11	8460	764	3	80	9	500	16	4	29	1
15+00S 0+00W	2540	1	2660	289	4	170	8	450	16	1	15	1
15+00S 0+50W	1370	11	7180	963	3	80	6	330	14	2	29	1
15+00S 0+100W	1050	11	10450	877	4	70	8	490	18	5	33	1
15+00S 0+150W	1070	12	11530	830	3	60	9	430	14	6	36	1
16+00S 0+00 R	3060	3	5020	567	3	300	5	400	12	4	19	1
16+00S 0+50W R	3720	4	6310	624	6	390	7	590	12	6	22	1
16+00S 0+100W	3550	11	13030	2152	8	90	13	910	50	9	37	1
16+50S 0+00 R	1880	12	16360	1060	6	280	5	620	18	12	46	1
16+50S 0+50W R	6210	7	15630	1514	7	850	14	530	30	6	29	1
16+50S 0+100W	1180	11	6960	1368	2	100	8	590	20	3	36	1
17+00S 0+00W 40M	480	16	6490	901	5	140	11	2200	16	6	30	1
17+00S 0+50W 40M	460	14	7180	791	4	130	11	1800	18	6	32	1
17+00S 0+100W40M	500	15	7570	750	5	150	11	1530	16	6	30	1
17+00S 0+150W R	1250	10	12190	826	6	450	10	1020	18	6	42	1
28+50S 0+00	320	11	5330	2040	2	140	9	1030	16	2	22	1
28+50S 0+50W	410	14	5890	1187	5	150	10	1710	18	4	27	1
28+50S 1+00W	420	15	6270	845	5	150	9	1580	14	5	30	1
28+50S 1+50W	500	18	6940	1125	2	180	10	2030	20	4	33	1
28+50S 2+00W	490	16	6960	950	6	200	10	1960	18	6	35	1
28+50S 2+50W 40M	360	12	7180	757	8	130	10	1160	14	7	32	1
28+50S 3+00W 40M	560	15	9950	746	8	150	10	1120	18	7	34	1
28+50S 3+50W 40M	400	12	9850	601	8	120	11	800	14	8	36	1
28+50S 4+00W	1040	2	5100	204	9	690	10	650	12	6	50	1
28+50S 4+50W	8920	6	11780	428	15	300	9	710	18	15	34	1
28+50S 5+00W	4380	5	10330	644	19	460	8	2170	22	19	51	1
28+50S 5+50W 40M	2510	7	7670	1459	10	390	10	1490	14	9	46	1
28+50S 6+00W	2030	12	10400	1012	15	200	15	1360	26	17	59	1
28+50S 6+50W R	1950	5	13240	1091	16	830	10	720	20	15	58	1
28+50S 7+00W	2800	8	9640	792	19	240	13	1180	50	20	55	1
28+50S 7+50W	2630	7	12860	2688	29	250	14	2010	42	20	64	1
29+00S 0+00 R	270	10	13800	925	8	5120	9	280	26	6	90	1
29+00S 0+50W	1020	11	5900	1408	3	110	7	710	18	2	26	1
29+00S 1+00W	2070	9	10370	1028	6	120	7	620	24	5	34	1
29+00S 1+50W	840	9	6670	1163	2	90	6	410	18	2	27	1
29+00S 2+00W	2240	9	9890	1294	3	90	6	350	18	5	38	1
29+00S 2+50W	1370	11	7690	1489	1	140	5	550	20	4	38	1
29+00S 3+00W	1290	10	7280	763	2	100	7	450	14	2	31	1
29+00S 3+50W	870	10	7780	675	3	80	5	330	14	2	27	1
29+00S 4+00W 40M	2020	9	8620	1815	7	90	9	2210	34	5	29	1
29+00S 4+50W 40M	2800	9	9940	2809	6	90	10	2430	30	7	39	1
29+00S 5+00W 40M	2190	6	8610	1849	6	70	13	1180	38	4	28	1
29+00S 5+50W	4380	10	15710	1405	7	160	9	480	46	10	42	1
29+00S 6+00W	4380	8	12110	1141	8	200	12	850	50	8	37	1
29+00S 6+50W	4170	12	15980	1233	6	200	13	800	46	9	42	1
29+00S 7+00W R	4080	7	14640	740	8	470	11	440	18	7	39	1
29+00S 7+50W	6980	13	18960	1626	7	250	13	600	52	11	50	1
29+50S 0+00 R	260	18	18050	1275	1	280	4	490	24	12	44	1
29+50S 0+50W R	360	18	17820	1381	1	220	3	400	20	13	50	1
29+50S 1+00W R	5390	2	6230	630	2	520	1	430	14	4	28	1
29+50S 1+50W R	7640	6	8700	1221	2	370	3	590	14	5	34	1
29+50S 2+00W	1650	9	6870	1369	4	100	8	1080	18	4	37	1
29+50S 2+50W 5	190	10	15410	1084	6	70	4	330	18	8	77	1

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P1+2

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	U	V	ZN	AU-PPB
14+00S 0+00W	1	105.2	215	5
14+00S 0+50W 40M	1	37.0	176	1
14+00S 0+100W R	1	17.7	108	2
14+00S 0+125W40M	1	46.1	222	34
14+50S 0+00 R	1	26.5	64	5
14+50S 0+50W	1	56.4	135	10
14+50S 0+100W	1	43.6	327	10
14+50S 0+150W	1	48.5	260	15
15+00S 0+00W	1	11.7	43	10
15+00S 0+50W	1	50.5	351	5
15+00S 0+100W	1	61.3	187	3
15+00S 0+150W	1	64.4	176	5
16+00S 0+00 R	1	13.3	48	2
16+00S 0+50W R	1	15.7	82	3
16+00S 0+100W	1	78.4	398	3
16+50S 0+00 R	1	85.0	91	9
16+50S 0+50W R	1	36.0	58	50
16+50S 0+100W	1	43.4	605	5
17+00S 0+00W 40M	1	74.5	266	1
17+00S 0+50W 40M	1	82.7	214	5
17+00S 0+100W40M	1	86.6	228	6
17+00S 0+150W R	1	66.2	87	6
28+50S 0+00	1	46.9	302	4
28+50S 0+50W	1	58.7	247	10
28+50S 1+00W	1	72.6	274	7
28+50S 1+50W	1	70.8	290	2
28+50S 2+00W	1	82.6	277	3
28+50S 2+50W 40M	1	104.5	195	2
28+50S 3+00W 40M	1	84.4	259	2
28+50S 3+50W 40M	1	102.4	180	10
28+50S 4+00W	1	119.2	31	15
28+50S 4+50W	1	157.6	30	10
28+50S 5+00W	1	144.9	124	5
28+50S 5+50W 40M	1	88.5	224	7
28+50S 6+00W	1	118.9	686	10
28+50S 6+50W R	1	124.8	134	12
28+50S 7+00W	1	65.9	277	10
28+50S 7+50W	1	165.7	726	5
29+00S 0+00 R	1	51.4	48	4
29+00S 0+50W	1	38.6	458	3
29+00S 1+00W	1	63.5	156	5
29+00S 1+50W	1	45.1	267	5
29+00S 2+00W	1	64.4	100	15
29+00S 2+50W	1	48.5	600	5
29+00S 3+00W	1	45.0	237	10
29+00S 3+50W	1	43.0	284	10
29+00S 4+00W 40M	1	54.6	394	8
29+00S 4+50W 40M	1	67.5	501	14
29+00S 5+00W 40M	1	50.2	365	9
29+00S 5+50W	1	107.1	287	5
29+00S 6+00W	1	80.6	289	9
29+00S 6+50W	1	95.0	570	5
29+00S 7+00W R	1	123.7	88	1
29+00S 7+50W	1	119.7	288	9
29+50S 0+00 R	1	191.5	55	10
29+50S 0+50W R	1	197.8	47	4
29+50S 1+00W R	1	17.7	36	3
29+50S 1+50W R	1	8.0	81	5
29+50S 2+00W	1	51.6	351	12
29+50S 2+50W R	1	118.6	64	9

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P3+4

ATTENTION: G.H.RAYNER

(604)980-5814 DR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
29+505 3+00W	.7	21540	1	21	174	2.5	3	7900	5.6	9	44	100870
29+505 3+50W	.3	23880	1	23	169	2.1	3	8220	6.7	9	45	114500
29+505 4+00W R	.5	26240	1	23	53	2.3	1	13230	5.2	8	15	139100
29+505 4+50W R	.7	29320	1	28	48	2.9	1	14290	6.3	12	57	181490
29+505 5+00W R	.5	23010	1	22	62	2.6	2	7920	5.8	7	22	120080
30+005 0+00 40M	.5	17530	1	16	142	2.0	2	5580	4.7	7	19	85780
30+005 0+00	.5	28890	1	25	101	3.5	2	4590	7.2	11	51	120830
30+005 0+50W	.7	15870	1	15	177	1.4	2	4510	4.8	6	18	71610
30+005 1+00W	.5	19900	1	19	133	1.8	2	7060	4.9	8	27	86920
30+005 1+50W	.5	14250	1	15	178	1.7	3	9190	6.0	7	28	79120
30+005 2+00W 40M	.9	15200	1	21	219	2.1	3	13600	9.0	7	38	70620
30+005 2+50W 40M	.5	15090	1	22	176	2.2	4	20160	5.0	7	41	65820
30+005 3+00W	.9	23240	1	25	134	3.4	2	9520	7.0	11	80	109730
30+005 3+50W 40M	.5	19730	1	23	341	3.0	4	11700	7.7	9	65	83620
30+005 4+00W	.7	19890	1	23	483	2.8	3	16450	7.9	12	50	88170
30+005 4+50W R	.5	7850	1	18	190	1.2	4	16600	3.4	4	23	28530
30+005 5+00W R	1.3	25300	1	25	124	3.4	4	7330	7.1	10	28	108450
30+505 0+00	.5	22940	1	21	122	3.3	3	8150	5.6	10	68	101400
30+505 0+50W	.3	21870	1	21	120	1.9	2	6160	3.6	9	34	107160
30+505 1+00W	.3	12510	1	13	214	1.4	3	6400	5.6	5	14	62420
30+505 1+50W	.9	21440	1	20	208	2.8	3	5610	5.6	10	43	91300
30+505 2+00W 40M	.3	8010	1	9	78	1.2	3	8430	3.1	4	14	42810
30+505 2+50W 40M	.3	8520	1	9	138	1.2	2	12130	4.3	5	35	48080
30+505 3+00W	.5	19660	1	19	97	2.5	3	6950	6.1	8	31	89240
30+505 3+50W	.3	11270	1	12	168	1.3	3	5580	3.1	5	29	65130
30+505 4+00W	.5	16430	1	20	160	2.0	2	7220	5.5	7	24	78670
30+505 4+50W	.5	17950	1	17	164	2.1	2	7270	4.5	8	28	100980
30+505 5+00W R	.5	20930	24	24	133	4.4	6	9560	4.6	9	46	70860
30+505 0+00 DUP	.9	18760	1	18	429	2.6	3	7270	7.0	9	18	80130
30+505 0+50W DUP	.7	20360	1	18	105	2.2	3	5020	5.9	8	20	99420
30+505 1+00W DUP	.9	25630	1	21	152	3.8	1	6490	7.6	11	87	105510
30+505 1+50W DUP	.6	10810	1	7	213	1.6	2	9700	7.1	5	24	55300
30+505 2+00W DUP	1.8	15630	1	20	393	1.7	3	16020	7.0	6	132	60010
30+505 2+50W DUP	.3	15070	1	12	65	1.5	2	11540	3.7	6	44	71520
30+505 3+00W DUP	.8	21830	1	17	64	2.2	1	6000	5.9	8	57	107080
30+505 3+50W DUP	.6	19180	1	15	122	1.7	1	6370	3.6	8	28	94530
30+505 4+00W DUP	.9	18060	1	13	235	2.0	1	6240	6.4	7	28	86940
30+505 4+50W DUP	.7	15370	1	13	331	2.1	1	10510	6.2	7	29	71780
30+505 5+00W RDC	.2	6650	1	5	90	1.5	3	14210	3.4	3	16	19740
31+005 0+00 RDC	1.0	21880	4	16	82	2.8	4	9350	5.9	6	448	82760
31+005 0+50W RDC	.5	29530	1	20	150	3.4	1	1140	4.1	4	16	82500
31+005 1+00W RDC	.2	8740	1	3	183	1.0	1	3290	2.0	2	5	50860
31+005 1+50W	.9	24450	1	18	110	2.6	1	6170	5.9	9	52	116230
31+005 2+00W	.1	19190	1	12	91	2.0	1	4290	5.8	7	42	85900
31+005 2+50W	1.1	23490	1	18	135	2.8	1	6040	5.9	9	46	107080
31+005 3+00W	1.0	24530	1	19	71	2.9	1	6500	5.3	9	50	110740
31+005 3+50W	1.0	24040	1	17	66	2.8	1	5670	5.2	9	52	111500
31+005 4+00W RDC	.9	26760	1	23	124	2.9	1	7410	5.6	10	70	138430
31+005 4+50W	1.4	26610	1	21	79	2.9	1	6700	5.1	10	49	130110
31+005 5+00W	1.0	25290	1	20	68	2.5	1	6450	4.7	9	55	121100
32+005 0+00 RDC	1.6	63810	10	50	304	5.7	2	13590	8.8	16	13	173370
32+005 0+50W	.6	21950	1	17	112	2.0	1	5060	5.3	9	39	102060
32+005 1+00W	1.0	22990	1	18	116	2.3	1	5830	5.0	9	37	109080
32+005 1+50W RDC	.4	11120	1	8	210	1.6	1	9960	2.8	4	4	57950
32+005 2+00W	1.4	25150	1	21	71	2.6	1	7600	5.8	10	83	136040
32+005 2+50W	1.0	26720	1	21	76	3.2	1	7950	7.5	11	93	141290
32+005 3+00W	1.0	26460	1	22	88	3.0	1	8810	8.0	11	89	137890
32+005 3+50W	1.0	25670	1	20	72	3.1	1	7770	4.9	10	90	134020
32+005 4+00W	1.0	23370	1	18	67	2.8	1	7270	7.5	10	78	121440
32+005 4+50W	1.2	23850	1	19	64	3.3	1	5970	6.0	10	87	124450

(VALUES IN PPM)	K	LI	MG	MM	MO	NA	NI	P	PB	SB	SR	TH
29+50S 3+00W	1700	10	7750	1600	3	120	6	1080	26	4	45	1
29+50S 3+50W	1830	10	7950	1502	1	140	7	1160	22	4	48	1
29+50S 4+00W R	3220	5	10630	1650	2	310	1	760	18	6	45	1
29+50S 4+50W R	3010	7	14110	1013	3	840	1	360	18	9	35	1
29+50S 5+00W R	3210	5	9790	1530	2	380	1	650	16	5	35	1
30+00S 0+00 40M	1050	8	6400	1728	2	150	11	1140	18	3	33	1
30+00S 0+00	1030	12	7880	730	1	110	7	520	20	6	43	1
30+00S 0+50W	990	15	4660	1985	1	190	8	830	26	1	30	1
30+00S 1+00W	1070	14	7570	1931	2	100	9	530	24	3	34	1
30+00S 1+50W	950	10	5520	2218	1	120	7	700	22	2	35	1
30+00S 2+00W 40M	1960	8	6690	3095	3	140	8	1070	34	3	35	1
30+00S 2+50W 40M	1270	9	6420	2145	4	100	7	830	28	3	43	1
30+00S 3+00W	3000	9	10160	2151	6	120	8	800	34	7	35	1
30+00S 3+50W 40M	1950	8	7810	5853	5	140	11	1300	30	6	42	1
30+00S 4+00W	1700	10	6380	7190	5	170	15	2440	22	5	57	1
30+00S 4+50W R	1850	3	4070	3904	4	260	10	1140	34	1	22	1
30+00S 5+00W R	2230	9	11030	2387	4	410	8	960	26	6	39	1
30+50S 0+00	850	8	7170	1257	5	160	5	470	20	5	48	1
30+50S 0+50W	790	9	7290	1009	1	110	6	410	18	3	34	1
30+50S 1+00W	810	8	4200	2487	1	180	6	710	14	1	33	1
30+50S 1+50W	970	12	8010	1619	4	100	7	1040	22	4	36	1
30+50S 2+00W 40M	680	4	4130	1089	2	70	6	360	18	1	21	1
30+50S 2+50W 40M	990	5	3510	2215	3	120	7	370	18	1	31	1
30+50S 3+00W	1300	8	6590	1417	3	100	8	300	18	3	30	1
30+50S 3+50W	860	7	4250	2433	1	180	7	520	16	1	24	1
30+50S 4+00W	1070	10	6130	1486	1	190	6	540	18	2	32	1
30+50S 4+50W	1060	11	6860	1972	2	140	8	610	22	3	36	1
30+50S 5+00W R	2350	6	8970	1462	9	280	12	1130	20	5	39	1
30+50S 0+00 DUP	850	8	3880	8522	4	150	13	2080	26	4	46	1
30+50S 0+50W DUP	1010	12	7820	1496	3	70	6	440	24	3	31	1
30+50S 1+00W DUP	2240	11	10580	2259	5	90	9	1110	32	6	42	1
30+50S 1+50W DUP	1090	8	3750	3576	2	120	8	730	28	1	36	1
30+50S 2+00W DUP	1300	7	5860	3450	2	110	9	1880	20	1	71	1
30+50S 2+50W DUP	1470	6	6910	861	4	90	6	450	18	1	34	1
30+50S 3+00W DUP	1720	8	9310	674	1	80	5	270	18	3	34	1
30+50S 3+50W DUP	1180	9	7780	1092	1	100	4	600	16	2	36	1
30+50S 4+00W DUP	1160	10	6200	2879	1	150	8	920	18	2	34	1
30+50S 4+50W DUP	1600	9	5230	3957	3	140	10	1770	18	2	49	1
30+50S 5+00W ROC	1450	3	3750	1847	3	140	7	660	30	1	18	1
31+00S 0+00 ROC	2700	6	7840	1126	5	330	6	400	18	5	49	1
31+00S 0+50W ROC	4040	15	7960	410	3	460	8	400	14	2	32	1
31+00S 1+00W ROC	1830	1	3860	211	1	860	3	300	12	1	22	1
31+00S 1+50W	840	11	6190	930	1	110	4	580	14	4	41	1
31+00S 2+00W	710	11	7600	850	1	90	5	470	16	1	28	1
31+00S 2+50W	860	11	8170	1151	3	100	7	560	16	4	42	1
31+00S 3+00W	1560	10	9940	693	3	80	8	460	18	5	36	1
31+00S 3+50W	1620	9	9870	664	1	70	6	350	16	4	36	1
31+00S 4+00W ROC	5590	7	10970	1145	1	230	4	390	16	5	40	1
31+00S 4+50W	1470	10	10120	708	1	100	6	520	16	5	41	1
31+00S 5+00W	1670	9	10440	680	1	80	5	370	18	6	39	1
32+00S 0+00 ROC	18570	23	28940	2299	5	4070	11	250	24	13	88	1
32+00S 0+50W	810	14	9830	1048	3	90	7	460	22	3	32	1
32+00S 1+00W	830	14	9700	1151	1	100	4	470	20	4	33	1
32+00S 1+50W ROC	6240	2	1310	1373	1	40	2	680	14	1	12	1
32+00S 2+00W	3020	9	11120	994	2	90	3	320	22	6	41	1
32+00S 2+50W	3120	9	12050	1065	1	100	4	370	18	6	43	1
32+00S 3+00W	3110	9	11380	1337	2	100	5	390	20	6	42	1
32+00S 3+50W	3090	9	11770	993	1	100	4	330	20	6	42	1
32+00S 4+00W	2790	8	10200	912	3	80	6	370	22	5	36	1
32+00S 4+50W	2900	9	11080	926	2	80	6	330	22	6	35	1

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P3+4

ATTENTION: S.H. RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	U	V	ZN	AU-PPB
29+50S 3+00W	1	54.6	393	11
29+50S 3+50W	1	58.5	407	8
29+50S 4+00W R	1	27.6	127	3
29+50S 4+50W R	1	147.0	42	7
29+50S 5+00W R	1	22.4	82	2
30+00S 0+00 40M	1	40.2	131	5
30+00S 0+00	1	78.7	747	12
30+00S 0+50W	1	30.8	701	7
30+00S 1+00W	1	44.8	612	9
30+00S 1+50W	1	36.6	514	6
30+00S 2+00W 40M	1	33.3	461	5
30+00S 2+50W 40M	1	34.7	490	7
30+00S 3+00W	1	66.0	376	3
30+00S 3+50W 40M	1	40.2	489	6
30+00S 4+00W	1	40.4	546	4
30+00S 4+50W R	4	17.1	342	4
30+00S 5+00W R	1	56.3	203	3
30+50S 0+00	1	70.6	182	7
30+50S 0+50W	1	54.6	325	3
30+50S 1+00W	1	30.2	597	5
30+50S 1+50W	1	51.7	580	4
30+50S 2+00W 40M	1	22.9	168	2
30+50S 2+50W 40M	1	26.0	251	4
30+50S 3+00W	1	52.5	192	3
30+50S 3+50W	1	32.2	305	6
30+50S 4+00W	1	38.6	722	4
30+50S 4+50W	1	47.0	451	5
30+50S 5+00W R	1	59.3	341	10
30+50S 0+00 DUP	1	36.9	447	7
30+50S 0+50W DUP	1	46.3	474	8
30+50S 1+00W DUP	1	60.7	529	6
30+50S 1+50W DUP	1	26.5	518	10
30+50S 2+00W DUP	1	33.5	405	7
30+50S 2+50W DUP	1	42.9	95	3
30+50S 3+00W DUP	1	60.4	167	4
30+50S 3+50W DUP	1	49.9	322	8
30+50S 4+00W DUP	1	42.2	389	5
30+50S 4+50W DUP	1	36.5	446	8
30+50S 5+00W ROC	1	13.5	147	13
31+00S 0+00 ROC	1	25.8	145	23
31+00S 0+50W ROC	1	91.6	55	6
31+00S 1+00W ROC	1	22.6	21	9
31+00S 1+50W	1	61.1	204	4
31+00S 2+00W	1	48.4	185	7
31+00S 2+50W	1	57.4	278	3
31+00S 3+00W	1	65.3	145	4
31+00S 3+50W	1	63.8	116	4
31+00S 4+00W ROC	1	81.9	62	6
31+00S 4+50W	1	71.5	189	4
31+00S 5+00W	1	68.9	119	18
32+00S 0+00 ROC	1	171.2	224	2
32+00S 0+50W	1	55.2	498	5
32+00S 1+00W	1	58.2	484	4
32+00S 1+50W ROC	1	4.2	78	3
32+00S 2+00W	1	76.2	97	5
32+00S 2+50W	1	80.0	98	10
32+00S 3+00W	1	76.9	105	7
32+00S 3+50W	1	76.9	93	3
32+00S 4+00W	1	70.3	98	8
32+00S 4+50W	1	73.0	94	9

} 3150

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P5+6

ATTENTION: G.H. RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
32+00S 5+00W ROC	.6	8520	1	7	138	1.7	3	4140	4.4	4	14	27930
32+50S 0+00	.4	21420	1	16	60	3.1	3	4540	5.7	9	81	100670
32+50S 0+50W	.4	12140	1	10	174	1.7	1	7840	3.9	5	16	59850
32+50S 1+00W	.6	20990	1	16	116	2.6	3	5530	7.5	9	48	89300
32+50S 1+50W 40M	.4	16700	1	13	127	2.0	2	5860	4.8	7	35	75190
32+50S 2+00W	.6	22950	1	19	150	2.7	2	6040	8.7	10	47	110100
32+50S 2+50W	.4	23150	1	17	61	2.7	1	5420	6.2	9	60	113830
32+50S 3+00W	.6	22660	1	17	59	2.0	2	5390	7.0	9	58	109600
33+00S 0+00	.4	21000	1	15	64	2.1	2	5090	4.4	9	31	100330
33+00S 0+50W	.6	19440	1	15	84	2.2	1	4950	4.5	8	34	95450
33+00S 1+00W	.6	19690	1	16	101	2.3	1	4800	5.9	8	34	91210
33+00S 1+50W	.6	17720	1	15	100	2.2	3	5270	7.0	8	28	94700
33+00S 2+00W	.4	15750	1	13	90	2.4	1	3730	5.0	7	18	83090
33+00S 2+50W	.4	16490	1	13	116	2.3	1	4840	6.2	7	23	80130
33+00S 3+00W	.6	17490	1	14	70	2.2	2	4530	4.1	7	22	75490
33+00S 3+50W	.4	15760	1	12	89	1.4	1	4920	4.6	6	12	89580
33+00S 4+00W	.6	19370	1	15	92	1.7	2	5360	5.6	7	20	99420
33+00S 4+50W	.6	29370	1	28	137	4.0	4	7060	10.6	12	96	138690
33+00S 5+00W	1.2	33070	5	29	130	5.0	4	6380	9.3	13	114	151920
34+00S 0+00	.6	19600	1	17	103	1.8	1	6590	7.2	8	24	113220
34+00S 0+50W	.6	24190	1	20	129	2.7	1	5990	6.7	10	55	121900
34+00S 1+00W 40M	.4	19940	1	17	54	2.9	1	6410	6.5	9	40	118130
34+00S 1+50W	.6	23470	1	19	124	2.5	2	6760	5.5	10	50	126350
34+00S 2+00W 40M	1.0	33170	1	30	99	4.0	4	12300	11.5	12	212	124250
34+00S 2+50W	.6	21710	1	19	80	2.4	1	6410	7.5	10	55	120720
34+00S 3+00W	1.0	25790	1	24	214	1.7	3	38260	9.8	7	108	85720
34+00S 3+50W ROC	.6	10020	1	17	33	1.3	3	28920	5.0	4	47	36760
34+00S 4+00W	.8	18450	1	12	85	2.0	1	4170	5.2	7	52	90140
34+00S 4+50W	.6	12330	1	9	104	1.5	1	4530	4.7	6	14	81530
34+00S 5+00W	.6	18870	1	15	178	2.2	2	6870	7.0	9	40	96970
35+00S 0+00 ROC	.5	17680	5	13	132	2.8	4	2880	5.5	5	5	95570
35+00S 0+50W 40M	1.5	20870	7	23	50	3.1	5	37240	7.2	8	80	86310
35+00S 1+00W	.5	31020	1	28	63	3.5	2	11790	9.7	12	82	153540
35+00S 1+50W	.5	28580	1	23	122	3.4	2	7640	10.7	11	65	154310
35+00S 2+00W	.3	31090	1	28	108	3.3	1	7240	8.9	12	72	158390
35+00S 2+50W	.9	29740	1	25	100	3.5	2	6320	9.4	12	70	147890
35+00S 3+00W	.5	30700	1	28	93	4.0	1	6240	8.8	12	76	153950
35+00S 3+50W	.9	30000	1	26	94	3.4	2	6040	8.8	12	72	146110
35+00S 4+00W	.5	25550	1	22	84	2.6	2	5800	8.3	10	36	137360
35+00S 4+50W	.5	25500	1	21	82	2.9	3	5150	8.1	10	37	129860
35+00S 5+00W	.7	28770	1	24	93	3.3	2	5630	6.3	12	51	146000
36+00S 0+00	.5	25030	1	20	105	2.2	1	5900	6.2	10	37	128120
36+00S 0+50W	.5	18900	1	17	202	1.7	3	5890	6.6	8	31	101520
36+00S 1+00W	.3	23190	1	18	93	2.1	1	7470	6.7	9	34	127970
36+00S 1+50W	.5	23470	1	19	92	2.4	2	6720	5.1	9	39	110800
36+00S 2+00W	.5	23040	1	19	133	2.3	2	6850	7.7	9	36	115280
36+00S 2+50W	.9	22230	1	18	147	2.3	1	7160	5.6	9	23	115960
36+00S 3+00W	.5	23960	1	19	105	2.1	1	6840	6.2	9	34	120800
36+00S 3+50W	.5	21930	1	17	103	1.5	1	7510	4.8	8	25	122300
36+00S 4+00W	.7	24350	1	20	98	1.8	1	8340	5.8	10	28	138630
36+00S 4+50W	.5	25440	1	20	64	2.4	2	7480	5.5	10	51	143640
36+00S 5+00W	.5	28240	1	21	67	2.4	1	6690	7.0	10	66	139710
37+00S 0+00	.3	22210	1	19	78	2.8	3	7110	6.8	9	43	121490
37+00S 0+50W	.5	22420	1	20	98	2.8	4	7370	5.8	9	48	110330
37+00S 1+00W 40M	.3	23200	1	20	99	3.0	1	8050	7.3	9	45	112310
37+00S 1+50W 20M	.5	29540	6	28	49	3.5	1	8110	9.3	11	53	147930
37+00S 2+00W 40M	.7	31730	1	29	53	3.7	2	8240	9.7	13	62	167120
37+00S 2+50W 20M	.5	24470	1	21	107	2.5	1	8210	7.3	9	36	122160
37+00S 3+00W 20M	.3	24010	1	19	190	2.7	1	6610	7.6	9	28	112470
37+00S 3+50W 20M	.3	22370	1	18	199	2.8	3	5510	5.4	9	25	97910

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P5+6

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
32+00S 5+00W ROC	1240	2	3480	1932	4	450	8	580	20	1	20	1
32+50S 0+00	2870	8	9930	887	3	60	9	340	22	5	30	1
32+50S 0+50W	870	7	4010	1975	1	110	6	470	14	1	28	1
32+50S 1+00W	910	12	8670	1380	2	90	8	540	22	3	32	1
32+50S 1+50W 40M	780	9	7330	1703	2	70	7	510	18	2	31	1
32+50S 2+00W	1020	11	9230	1547	3	100	7	650	16	5	33	1
32+50S 2+50W	1640	10	8750	669	2	110	5	110	18	4	31	1
32+50S 3+00W	1640	10	8600	628	1	120	6	150	18	4	32	1
33+00S 0+00	1240	9	8330	574	1	90	6	180	14	2	29	1
33+00S 0+50W	1120	9	7410	817	1	130	5	120	14	2	31	1
33+00S 1+00W	1140	9	7150	1062	1	130	6	140	12	2	30	1
33+00S 1+50W	1060	8	7070	1247	2	130	6	180	12	3	29	1
33+00S 2+00W	1010	9	7470	979	4	60	8	330	14	3	25	1
33+00S 2+50W	1240	9	7930	1439	3	70	8	390	16	3	26	1
33+00S 3+00W	1200	10	6760	559	1	80	8	440	16	3	30	1
33+00S 3+50W	860	12	6370	874	1	120	5	360	18	1	28	1
33+00S 4+00W	950	13	7910	760	1	100	5	520	14	2	31	1
33+00S 4+50W	1860	13	13830	1558	7	160	11	690	34	9	50	1
33+00S 5+00W	2040	13	15780	1324	8	140	11	690	38	11	54	1
34+00S 0+00	1180	11	7990	1004	1	120	6	480	22	3	34	1
34+00S 0+50W	1390	11	10410	1720	1	110	9	650	18	5	38	1
34+00S 1+00W 40M	1620	8	10510	861	5	70	5	450	14	5	36	1
34+00S 1+50W	1270	10	10660	1164	3	100	6	420	22	5	39	1
34+00S 2+00W 40M	1280	23	9560	1521	5	230	12	300	26	7	43	1
34+00S 2+50W	1630	9	9540	1135	2	110	6	760	20	5	36	1
34+00S 3+00W	950	10	6520	3450	1	260	9	690	24	1	30	1
34+00S 3+50W ROC	770	8	4560	665	4	150	8	600	22	1	22	1
34+00S 4+00W	1320	9	7200	958	1	90	6	630	24	1	28	1
34+00S 4+50W	670	8	4890	1877	2	120	6	560	18	1	22	1
34+00S 5+00W	990	12	6750	3144	2	160	8	850	26	3	30	1
35+00S 0+00 ROC	4020	6	9410	957	3	520	3	400	18	5	29	1
35+00S 0+50W 40M	1390	25	9280	1130	5	90	8	640	30	5	27	1
35+00S 1+00W	1580	38	12420	1243	3	120	6	290	26	8	42	1
35+00S 1+50W	1890	19	11830	1874	3	120	7	700	24	7	42	1
35+00S 2+00W	1860	22	12520	1623	5	120	5	700	22	8	43	1
35+00S 2+50W	1720	21	12200	1556	4	100	5	720	20	8	40	1
35+00S 3+00W	1740	22	13110	1387	4	100	7	610	18	8	41	1
35+00S 3+50W	1700	22	12230	1476	5	100	8	660	30	7	40	1
35+00S 4+00W	1310	15	10450	1100	2	110	5	460	22	5	34	1
35+00S 4+50W	1220	15	10420	1062	3	90	6	470	22	6	34	1
35+00S 5+00W	1450	18	11920	1089	5	100	5	480	30	6	37	1
36+00S 0+00	1070	25	9310	960	1	140	4	680	18	4	36	1
36+00S 0+50W	1120	17	8430	3583	1	200	6	690	14	2	29	1
36+00S 1+00W	1470	10	9720	1115	1	130	4	170	14	4	38	1
36+00S 1+50W	1120	11	9200	790	2	100	5	1080	22	4	40	1
36+00S 2+00W	1150	11	9480	1024	2	100	7	1050	18	5	41	1
36+00S 2+50W	1070	12	8520	1175	2	120	4	1030	16	4	39	1
36+00S 3+00W	1100	14	8750	852	2	130	4	1140	18	4	37	1
36+00S 3+50W	990	12	7210	1060	1	160	3	630	14	2	39	1
36+00S 4+00W	1040	13	8350	939	1	150	3	650	18	3	45	1
36+00S 4+50W	1160	8	9730	850	1	110	4	110	18	5	40	1
36+00S 5+00W	1420	9	10460	783	1	110	4	210	18	5	40	1
37+00S 0+00	1250	16	9800	1280	2	130	5	670	24	5	36	1
37+00S 0+50W	1260	18	8880	1605	4	120	7	870	20	5	36	1
37+00S 1+00W 40M	1220	17	9990	1644	4	110	5	850	18	6	38	1
37+00S 1+50W 20M	1960	23	12400	1039	6	170	5	280	22	7	41	1
37+00S 2+00W 40M	2650	23	13100	1109	4	160	5	200	22	9	43	1
37+00S 2+50W 20M	1010	12	10360	1049	1	140	5	1050	16	5	41	1
37+00S 3+00W 20M	940	14	9640	1596	2	120	6	1670	18	5	39	1
37+00S 3+50W 20M	840	13	9190	1542	3	90	7	1680	18	4	36	1

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/95+6

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	U	V	ZN	AU-PPE
32+00S 5+00W RDC	1	26.7	123	8
32+50S 0+00	1	63.6	76	7
32+50S 0+50W	1	31.1	544	6
32+50S 1+00W	1	51.1	436	9
32+50S 1+50W 40M	1	42.3	347	8
32+50S 2+00W	1	60.7	411	7
32+50S 2+50W	1	64.1	115	4
32+50S 3+00W	1	63.4	108	6
33+00S 0+00	1	53.4	222	3
33+00S 0+50W	1	52.8	291	5
33+00S 1+00W	1	51.6	316	5
33+00S 1+50W	1	54.4	278	4
33+00S 2+00W	1	49.9	193	7
33+00S 2+50W	1	44.3	244	4
33+00S 3+00W	1	45.8	222	8
33+00S 3+50W	1	41.2	435	6
33+00S 4+00W	1	47.9	418	7
33+00S 4+50W	1	82.1	603	3
33+00S 5+00W	1	94.0	537	5
34+00S 0+00	1	53.4	281	6
34+00S 0+50W	1	62.1	326	4
34+00S 1+00W 40M	1	67.7	100	4
34+00S 1+50W	1	62.5	300	8
34+00S 2+00W 40M	1	60.5	2414	10
34+00S 2+50W	1	65.9	253	3
34+00S 3+00W	1	31.7	1427	4
34+00S 3+50W RDC	1	25.9	259	7
34+00S 4+00W	1	49.8	205	5
34+00S 4+50W	1	39.1	280	5
34+00S 5+00W	1	48.0	520	6
35+00S 0+00 RDC	1	1.0	36	10
35+00S 0+50W 40M	1	54.5	482	4
35+00S 1+00W	1	81.9	636	2
35+00S 1+50W	1	73.7	625	3
35+00S 2+00W	1	77.7	620	4
35+00S 2+50W	1	75.6	593	5
35+00S 3+00W	1	79.1	598	2
35+00S 3+50W	1	74.4	581	2
35+00S 4+00W	1	64.2	668	1
35+00S 4+50W	1	64.0	644	2
35+00S 5+00W	1	71.2	624	3
36+00S 0+00	1	65.0	699	2
36+00S 0+50W	1	47.0	890	5
36+00S 1+00W	1	64.1	376	2
36+00S 1+50W	1	61.1	234	5
36+00S 2+00W	1	60.0	256	10
36+00S 2+50W	1	57.4	329	5
36+00S 3+00W	1	61.3	322	2
36+00S 3+50W	1	55.4	380	6
36+00S 4+00W	1	62.5	412	1
36+00S 4+50W	1	74.4	133	2
36+00S 5+00W	1	75.4	184	1
37+00S 0+00	1	67.2	401	2
37+00S 0+50W	1	62.0	460	2
37+00S 1+00W 40M	1	61.4	415	3
37+00S 1+50W 20M	1	81.5	1581	1
37+00S 2+00W 40M	1	89.2	1544	1
37+00S 2+50W 20M	1	62.9	398	3
37+00S 3+00W 20M	1	55.8	406	2
37+00S 3+50W 20M	1	51.9	407	2

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P7+8

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	AG	AL	AS	B	BA	BE	BI	CA	CD	CO	CU	FE
37+00S 4+00W	1.0	25300	1	20	286	1.8	2	8150	8.4	10	33	120420
37+00S 4+50W 40M	1.1	30920	1	24	95	2.7	2	8850	7.3	11	73	149340
37+00S 5+00W 40M	1.0	30100	1	24	121	3.1	1	9430	8.1	12	59	153100
38+00S 0+00	1.1	28970	1	23	50	2.4	1	9950	6.7	13	52	168420
38+00S 0+50W	1.0	28400	1	24	53	1.4	1	9400	8.0	12	51	162150
38+00S 1+00W	.8	16060	1	11	156	1.0	1	8290	6.3	6	23	97120
38+00S 1+50W	.8	17460	1	12	117	1.4	1	7850	6.0	7	25	95400
38+00S 2+00W	.7	16570	1	13	143	1.2	2	7740	5.6	6	23	92220
38+00S 2+50W	.7	18100	1	13	140	1.2	1	5310	6.2	7	14	103220
38+00S 3+00W 40M	.7	21810	1	16	103	2.2	3	5430	5.6	8	23	110160
38+00S 3+50W	.7	21690	1	16	93	1.7	2	5710	6.2	8	24	112670
38+00S 4+00W 40M	.9	23570	1	18	90	1.9	1	6230	6.1	9	24	121790
38+00S 4+50W 40M	1.0	26540	1	21	121	2.8	3	7600	7.9	10	55	124140
38+00S 5+00W	1.0	25670	1	21	108	2.8	1	7380	8.4	10	55	122690
39+00S 0+25W 20M	.5	15350	1	11	48	2.4	2	6500	5.6	6	25	81950
39+00S 0+50W	.7	19160	1	15	86	1.2	1	6760	6.1	9	20	110420
39+00S 1+00W	.7	24490	1	19	71	1.6	1	7920	6.8	9	36	127650
39+00S 1+50W 20M	1.1	29830	12	29	333	4.9	5	10640	12.5	17	59	111170
39+00S 2+00W	.9	24450	1	20	94	1.7	1	9060	6.6	9	61	132230
39+00S 2+50W	.8	22350	1	19	156	1.7	1	11500	5.5	9	31	116020
39+00S 3+00W	.6	18690	1	14	64	1.3	2	8210	4.8	7	42	114670
39+00S 3+50W	.8	23230	1	18	124	1.9	1	6460	6.2	9	23	121740
39+00S 4+00W	.8	21370	1	16	73	1.6	1	7610	6.8	9	41	126050
39+00S 4+50W	.9	23180	1	18	87	1.2	1	8970	4.8	10	25	145760
39+00S 5+00W	1.0	19920	1	17	147	1.0	1	9980	7.3	8	41	141420
40+00S 0+00 RDC	2.0	40330	1	36	37	2.5	1	15510	9.4	16	229	284930
40+00S 0+50W 20M	1.0	25710	1	21	52	2.0	1	8210	5.7	10	43	143610
40+00S 1+00W 20M	1.1	23950	1	19	50	2.0	2	7420	6.6	9	37	131210
40+00S 1+50W	1.0	26900	1	21	56	2.0	1	8330	7.5	11	49	144880
40+00S 2+00W 40M	.7	25220	1	20	44	2.2	2	6420	7.7	10	53	135660
40+00S 2+50W 40M	1.3	26420	1	22	54	2.0	1	7040	6.8	11	45	143300
40+00S 3+00W 40M	.9	25520	1	21	51	2.1	1	6430	6.9	11	45	136820
40+00S 3+50W	.5	24170	1	20	117	1.0	1	11100	6.4	9	24	148490
40+00S 4+00W	.5	25310	1	22	113	1.3	1	11920	8.1	10	26	155740
40+00S 4+50W	.5	25020	1	21	122	1.5	1	12070	6.3	10	24	157890
40+00S 5+00W	.2	22450	1	18	104	1.1	1	10270	4.5	9	22	141810
41+00S 0+20W 40M	.7	19960	1	18	111	2.1	3	9490	7.1	8	36	89690
41+00S 0+50W	.9	23280	1	21	80	1.8	2	7270	6.3	9	32	112430
41+00S 1+00W	.9	18910	1	17	132	1.8	1	6840	5.0	8	28	97320
41+00S 1+50W	.7	18710	1	16	65	1.9	3	7040	6.8	8	68	102530
41+00S 2+00W	1.3	23420	14	29	157	7.1	5	9410	12.0	14	67	142970
41+00S 2+50W 20M	.7	15150	1	15	129	2.1	6	13920	5.0	5	32	63780
41+00S 3+00W	.5	22380	1	18	121	2.5	4	7720	6.8	9	44	104320
41+00S 3+50W	.5	19130	1	16	119	2.1	4	5560	4.9	8	58	95170
41+00S 4+00W	.7	23300	1	20	95	2.3	2	5540	4.8	9	49	112120
41+00S 4+50W	.5	25530	1	24	110	3.1	3	8370	5.8	10	56	105570
41+00S 5+00W	.5	20200	1	18	104	1.4	2	8530	5.6	8	21	113320
42+00S 0+00W 40M	.9	34500	1	28	226	2.8	4	9290	5.6	7	36	95820
42+00S 0+50W	.5	18110	1	13	87	1.9	2	9790	5.8	8	21	109670
42+00S 1+00W	.9	27500	1	25	129	3.1	1	8580	6.9	11	105	137740
42+00S 1+50W	.9	20020	1	19	94	2.6	4	9790	6.3	8	61	92480
42+00S 2+00W 20M	1.1	27930	20	29	284	7.0	8	8820	11.3	18	137	121850
42+00S 2+50W 40M	1.1	24360	1	22	60	3.2	3	7300	6.9	10	84	126170
42+00S 3+00W	.7	26240	1	22	58	1.4	1	10870	6.2	10	45	157370
42+00S 3+50W 40M	.7	30810	1	27	110	3.4	1	9490	7.4	11	53	141220
42+00S 4+00W	.5	17900	1	16	221	.8	1	11600	5.8	7	18	106460
42+00S 4+50W	.7	12980	1	12	225	.8	2	13190	4.3	6	32	79950
42+00S 5+00W	.7	23140	1	21	104	2.1	1	6010	7.3	9	40	112540
43+00S 0+00	.7	17340	1	15	76	1.6	1	5740	4.4	7	18	89810
43+00S 0+50W	.5	19510	1	17	93	1.9	3	6320	4.6	8	19	96400

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P7+8

ATTENTION: G.H. RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL BECCHEN * DATE: JAN 8, 1987

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
37+00S 4+00W	1110	16	8040	2474	1	150	5	1900	22	2	44	1
37+00S 4+50W 40M	1520	11	10180	876	1	150	4	650	22	4	53	1
37+00S 5+00W 40M	1460	12	10450	1222	1	140	3	720	20	5	56	1
38+00S 0+00	1220	30	11010	986	1	170	1	60	22	5	46	1
38+00S 0+50W	1220	31	10230	1012	1	180	3	80	22	4	42	1
38+00S 1+00W	670	8	5060	1582	1	170	3	640	16	1	36	1
38+00S 1+50W	790	9	5930	1049	1	150	3	710	16	1	37	1
38+00S 2+00W	680	8	5240	1462	1	180	4	800	16	1	35	1
38+00S 2+50W	770	11	5930	1478	1	140	2	730	14	1	29	1
38+00S 3+00W 40M	780	12	8460	804	1	100	5	900	14	2	34	1
38+00S 3+50W	850	13	7630	712	1	120	3	750	16	2	34	1
38+00S 4+00W 40M	880	13	9250	823	1	120	2	710	14	3	36	1
38+00S 4+50W 40M	1400	11	10310	1939	1	160	6	1000	22	5	39	1
38+00S 5+00W	1460	11	9540	1709	2	160	4	860	22	4	37	1
39+00S 0+25W 20M	720	7	8830	590	3	150	7	300	12	3	26	1
39+00S 0+50W	850	15	6640	1044	1	200	2	460	14	1	31	1
39+00S 1+00W	1260	10	8760	870	1	140	2	450	16	2	41	1
39+00S 1+50W 20M	1270	16	7410	4612	8	200	14	1970	18	8	63	1
39+00S 2+00W	790	8	9210	1060	1	180	1	440	18	3	41	1
39+00S 2+50W	1300	8	7660	1964	1	200	2	980	16	2	47	1
39+00S 3+00W	600	8	6350	727	1	140	1	380	20	2	34	1
39+00S 3+50W	730	10	8590	1343	1	110	2	670	18	3	35	1
39+00S 4+00W	700	9	8520	881	1	110	2	280	14	2	36	1
39+00S 4+50W	900	9	7780	743	1	120	4	320	20	2	38	1
39+00S 5+00W	580	8	6940	1664	1	140	3	360	14	2	42	1
40+00S 0+00 ROD	1130	12	21180	964	1	310	2	130	18	11	60	1
40+00S 0+50W 20M	980	10	11130	987	1	140	3	210	14	5	42	1
40+00S 1+00W 20M	920	9	9360	894	1	120	2	190	14	3	39	1
40+00S 1+50W	1110	11	10200	807	1	150	3	230	26	3	41	1
40+00S 2+00W 40M	990	10	10410	754	1	140	4	130	22	3	36	1
40+00S 2+50W 40M	1000	11	10290	795	1	140	3	120	20	4	39	1
40+00S 3+00W 40M	940	11	10040	793	1	120	3	170	18	3	37	1
40+00S 3+50W	890	9	7820	970	1	240	4	420	18	3	48	1
40+00S 4+00W	950	9	8240	988	1	240	3	450	18	3	51	1
40+00S 4+50W	920	9	8180	1010	1	230	2	410	14	3	51	1
40+00S 5+00W	830	9	7520	896	1	210	3	360	18	3	46	1
41+00S 0+20W 40M	1980	12	10120	726	2	600	6	610	18	2	43	1
41+00S 0+50W	1110	12	8350	1145	1	130	3	430	18	3	31	1
41+00S 1+00W	840	12	6940	1421	1	170	2	850	16	3	35	1
41+00S 1+50W	820	6	7000	988	1	120	2	450	14	3	34	1
41+00S 2+00W	1010	14	6030	5689	19	170	9	360	18	14	53	1
41+00S 2+50W 20M	1020	5	6180	1004	1	190	4	580	14	1	48	1
41+00S 3+00W	1010	10	7090	1143	1	250	4	600	14	4	44	1
41+00S 3+50W	730	9	5770	630	1	240	4	1210	12	2	36	1
41+00S 4+00W	1060	11	9530	1105	1	150	2	510	18	3	32	1
41+00S 4+50W	1390	9	8250	1285	2	140	5	900	16	5	42	1
41+00S 5+00W	1130	12	7310	1340	1	160	3	520	18	2	38	1
42+00S 0+00W 40M	2190	22	11550	406	1	470	7	730	22	3	54	1
42+00S 0+50W	1040	8	6710	1225	1	220	2	290	14	4	39	1
42+00S 1+00W	2090	12	9850	2249	2	310	5	310	22	7	50	1
42+00S 1+50W	1700	9	7250	1105	1	340	4	520	14	3	39	1
42+00S 2+00W 20M	2500	13	9960	3127	12	220	12	1140	22	12	62	1
42+00S 2+50W 40M	2240	10	10410	813	1	130	5	420	14	6	38	1
42+00S 3+00W	960	9	9780	914	1	160	3	40	18	4	45	1
42+00S 3+50W 40M	1270	16	12000	1025	1	140	2	890	18	7	49	1
42+00S 4+00W	1000	10	6040	2523	1	200	2	770	18	2	47	1
42+00S 4+50W	960	7	4570	4015	1	190	6	600	14	1	33	1
42+00S 5+00W	750	14	8920	950	1	130	4	920	18	4	38	1
43+00S 0+00	570	9	6810	715	1	90	2	420	14	2	28	1
43+00S 0+50W	630	9	7220	788	1	100	2	390	18	2	31	1

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/97+8

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	U	V	ZN	AU-PPB
37+005 4+00W	1	57.3	627	2
37+005 4+50W 40M	1	83.9	252	5
37+005 5+00W 40M	1	80.3	360	3
38+005 0+00	1	80.2	1067	2
38+005 0+50W	1	77.3	1095	4
38+005 1+00W	1	43.8	524	1
38+005 1+50W	1	44.2	546	3
38+005 2+00W	1	42.6	543	4
38+005 2+50W	1	45.7	485	4
38+005 3+00W 40M	1	54.2	399	160
38+005 3+50W	1	53.8	409	7
38+005 4+00W 40M	1	58.3	392	5
38+005 4+50W 40M	1	66.7	315	14
38+005 5+00W	1	65.5	297	4
39+005 0+25W 20M	1	49.2	93	8
39+005 0+50W	1	52.2	641	12
39+005 1+00W	1	62.5	274	4
39+005 1+50W 20M	1	66.0	1450	8
39+005 2+00W	1	67.3	275	16
39+005 2+50W	1	56.1	628	5
39+005 3+00W	1	52.5	423	4
39+005 3+50W	1	57.3	335	6
39+005 4+00W	1	59.7	245	10
39+005 4+50W	1	65.1	578	5
39+005 5+00W	1	59.4	556	12
40+005 0+00 ROC	1	251.2	14	9
40+005 0+50W 20M	1	73.6	164	3
40+005 1+00W 20M	1	66.2	162	5
40+005 1+50W	1	73.6	211	6
40+005 2+00W 40M	1	71.3	165	6
40+005 2+50W 40M	1	71.8	197	4
40+005 3+00W 40M	1	68.1	196	4
40+005 3+50W	1	68.7	512	5
40+005 4+00W	1	73.3	605	1
40+005 4+50W	1	73.6	637	2
40+005 5+00W	1	66.5	640	5
41+005 0+20W 40M	1	53.3	75	4
41+005 0+50W	1	54.9	462	3
41+005 1+00W	1	51.2	549	1
41+005 1+50W	1	53.9	346	4
41+005 2+00W	1	69.2	160	9
41+005 2+50W 20M	1	45.1	195	4
41+005 3+00W	1	70.0	376	5
41+005 3+50W	1	61.3	346	3
41+005 4+00W	1	59.1	292	2
41+005 4+50W	1	65.1	184	5
41+005 5+00W	1	51.9	281	5
42+005 0+00W 40M	1	64.8	65	5
42+005 0+50W	1	63.0	166	8
42+005 1+00W	1	79.1	262	9
42+005 1+50W	1	64.6	153	4
42+005 2+00W 20M	1	90.9	460	3
42+005 2+50W 40M	1	71.2	163	3
42+005 3+00W	1	76.1	195	2
42+005 3+50W 40M	1	80.2	194	2
42+005 4+00W	1	49.2	375	1
42+005 4+50W	1	35.2	288	1
42+005 5+00W	1	57.9	559	2
43+005 0+00	1	46.0	229	3
43+005 0+50W	1	49.4	238	5

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P9

ATTENTION: G.H.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM *

DATE: JAN 8, 1987

(VALUES IN PPM)	AS	AL	AG	B	BA	BE	BI	CA	CD	CO	CU	FE
43+00S 1+00W	.2	17010	1	10	57	2.0	4	3930	5.7	6	20	68190
43+00S 1+50W	.4	20490	1	13	64	1.6	1	5860	7.2	7	23	98970
43+00S 2+00W	.6	22970	1	16	70	2.0	1	6410	5.0	9	27	106660
43+00S 2+50W	.7	24210	1	17	60	1.8	1	6520	5.4	9	32	114770
43+00S 3+00W	.7	23650	1	17	59	2.0	2	6460	6.1	8	31	112480
43+00S 3+50W 40M	.3	16030	1	10	156	2.2	4	5250	5.8	7	27	71900
43+00S 4+00W	.7	19810	1	14	149	2.5	1	6170	6.3	8	36	90490
43+00S 4+50W 40M	.9	21470	1	16	171	2.3	3	6770	8.0	9	53	97430
43+00S 5+00W 40M	.8	20250	1	15	140	2.2	3	5790	8.3	8	41	98110
44+00S 0+00	.4	22420	1	17	142	2.5	4	4560	6.8	9	57	88530
44+00S 0+50W	.3	11810	1	6	134	1.2	3	3030	4.3	6	12	65080
44+00S 1+00W	1.4	34760	1	26	145	1.9	1	6810	7.9	19	143	202070
44+00S 1+50W RDC	1.3	30360	1	24	288	3.3	1	15700	7.2	13	67	157850
44+00S 2+00W RDC	.8	22650	1	18	37	2.4	2	20210	6.2	9	36	114310
44+00S 2+50W	.7	16310	1	10	165	1.3	1	6630	6.9	8	16	88940
44+00S 3+00W 40M	.6	14440	1	10	136	1.7	3	9780	4.9	6	36	75290
44+00S 3+50W 20M	.5	12450	1	8	199	1.3	3	5050	6.1	6	15	64350
44+00S 4+00W	.6	20930	1	15	95	1.8	2	6130	6.4	8	39	107510
44+00S 4+50W 40M	.9	30720	1	25	98	3.2	3	7220	8.2	11	83	123570
44+00S 5+00W 40M	.6	17920	1	13	139	2.3	3	8300	7.7	8	33	92450
45+00S 3+50W	.6	21100	1	15	139	2.2	2	5890	5.8	9	50	101960
45+00S 4+00W	.3	14990	1	9	130	1.9	3	5460	5.9	5	21	68930
45+00S 4+50W 40M	1.0	13740	1	10	244	2.4	2	5440	7.6	9	15	112700
45+00S 5+00W	.5	21180	1	16	107	2.2	2	7240	5.2	8	37	104490

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P9

ATTENTION: G.H. RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM *

DATE: JAN 8, 1987

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
43+00S 1+00W	490	8	6710	511	1	60	7	330	14	1	24	1
43+00S 1+50W	600	9	7620	583	1	90	4	300	12	1	30	1
43+00S 2+00W	650	10	8500	642	1	90	4	370	14	2	36	1
43+00S 2+50W	630	9	9030	537	1	90	5	240	12	2	35	1
43+00S 3+00W	600	9	8560	540	1	90	6	220	12	2	35	1
43+00S 3+50W 40M	610	10	6750	2084	2	90	7	920	18	1	26	1
43+00S 4+00W	700	12	7290	1933	2	120	8	1120	20	2	31	1
43+00S 4+50W 40M	730	11	8220	2126	3	110	7	1180	22	3	33	1
43+00S 5+00W 40M	640	10	8550	1876	3	100	6	980	18	3	32	1
44+00S 0+00	550	10	8040	1401	3	170	9	1250	14	3	35	1
44+00S 0+50W	320	7	4840	1922	1	210	5	790	14	1	20	1
44+00S 1+00W	1110	18	13780	974	1	90	3	530	16	6	41	1
44+00S 1+50W RDC	4470	6	14560	655	1	1630	4	310	16	7	39	1
44+00S 2+00W RDC	1110	2	9430	648	2	1200	4	230	14	4	48	1
44+00S 2+50W	550	9	5060	2865	1	110	6	510	20	1	31	1
44+00S 3+00W 40M	790	7	5850	1946	1	160	4	450	18	1	35	1
44+00S 3+50W 20M	560	6	4630	4277	3	130	10	680	14	1	25	1
44+00S 4+00W	690	14	8300	1092	1	160	3	510	18	1	33	1
44+00S 4+50W 40M	1370	32	9620	2368	3	190	10	550	26	5	44	1
44+00S 5+00W 40M	750	8	7450	1681	2	90	8	720	18	3	41	1
45+00S 3+50W	770	27	7340	1470	1	230	7	560	18	2	35	1
45+00S 4+00W	690	5	5130	813	2	150	6	880	18	1	35	1
45+00S 4+50W 40M	2330	15	6580	2158	1	140	6	510	40	4	30	1
45+00S 5+00W	980	10	7950	1236	1	140	6	660	16	2	39	1

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 6-1319/P9

ATTENTION: G.H. RAYNER

(604)980-5814 DR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: JAN 8, 1987

(VALUES IN PPM)	U	V	ZN	AU-PPB
43+00S 1+00W	1	41.2	186	1
43+00S 1+50W	1	51.0	207	3
43+00S 2+00W	1	56.1	217	2
43+00S 2+50W	1	59.1	198	10
43+00S 3+00W	1	57.9	190	3
43+00S 3+50W 40M	1	43.6	377	2
43+00S 4+00W	1	53.5	416	1
43+00S 4+50W 40M	1	54.9	384	2
43+00S 5+00W 40M	1	54.3	358	1
44+00S 0+00	1	63.9	167	3
44+00S 0+50W	1	39.2	164	1
44+00S 1+00W	1	56.7	287	1
44+00S 1+50W RDC	1	151.0	41	2
44+00S 2+00W RDC	1	120.9	31	3
44+00S 2+50W	1	42.8	248	5
44+00S 3+00W 40M	1	42.3	221	1
44+00S 3+50W 20M	1	33.2	276	2
44+00S 4+00W	1	54.1	429	1
44+00S 4+50W 40M	1	71.6	308	1
44+00S 5+00W 40M	1	51.7	291	2
45+00S 3+50W	1	54.4	690	3
45+00S 4+00W	1	41.3	263	1
45+00S 4+50W 40M	1	54.4	348	1
45+00S 5+00W	1	55.3	308	1

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-240/P1+2

ATTENTION: S.RAYNER

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM *

DATE: MARCH 25, 1987

(VALUES IN PPM)	AS	AL	AR	B	BA	BE	BI	CA	CD	CO	CU	FE
L26+50 0+00M	.1	23000	6	11	71	2.3	4	3800	2.7	8	40	76870
L26+50 0+25M	.1	18930	14	9	230	2.9	7	4990	3.1	7	63	104090
L26+50 0+50M	.3	23550	2	11	120	1.8	2	5630	1.8	9	30	98340
L26+50 0+75M	.1	21660	2	9	97	1.6	1	7150	1.4	8	40	99550
L26+50 1+00M	.1	25820	8	13	101	2.1	2	6420	3.9	10	44	113770
L26+50 1+25M	.4	28870	6	15	63	2.3	2	7920	5.3	12	109	133620
L26+50 1+50M	.4	27970	10	16	72	2.5	4	9460	7.1	12	92	134690
L26+50 1+75M 40M	.1	18100	1	8	54	1.9	3	9410	3.5	7	39	83800
L26+50 2+00M	.2	20940	1	10	219	1.9	1	9010	4.9	9	57	96370
L27+00 0+00M	.3	17310	6	7	124	2.2	3	7300	4.4	6	25	77580
L27+00 0+25M	.2	22880	5	9	92	2.0	1	7920	3.8	11	56	104720
L27+00 0+50M	.4	22810	4	9	61	1.7	1	6940	1.9	9	49	112960
L27+00 1+00M	.2	21940	1	9	90	1.5	1	7690	2.1	8	33	106610
L27+00 1+15M	.1	23400	3	9	62	2.1	3	6330	1.8	9	71	106610
L27+00 1+30M	.3	21790	1	8	89	1.6	1	6460	4.4	9	41	103280
L27+00 1+40M	.4	23130	3	9	128	1.7	1	7930	2.9	10	39	110290
L27+00 1+50M	.3	23300	1	11	173	1.5	1	10240	5.7	9	43	119520
L27+00 1+75M	.9	33530	11	16	77	2.0	1	8600	2.3	13	70	160830
L27+00 2+00M	.3	23070	3	9	84	1.9	1	7090	4.2	9	54	124680
L27+50 0+00M	.3	24330	4	10	68	1.4	1	6960	1.6	8	20	126160
L27+50 0+25M 40M	.5	21080	1	7	95	1.5	1	9300	2.9	8	48	106970
L27+50 0+50M	.6	23680	1	9	106	1.4	1	7540	2.1	9	22	124680
L27+50 0+75M	.4	27910	9	11	172	2.1	1	6720	4.3	13	77	140170
L27+50 1+00M	.1	23630	5	10	156	2.3	4	6750	4.3	9	37	107340
L27+50 1+25M	.2	24280	1	8	110	2.0	1	7400	2.4	8	49	109930
L27+50 1+50M	.3	21620	1	8	105	1.4	1	7160	3.9	7	26	116930
L27+50 1+75M	.8	28810	17	12	288	3.0	1	6220	3.0	9	59	144970
L27+50 2+00M	.4	24390	7	11	154	2.0	1	8200	3.8	10	38	118780
L28+00 0+00M	.2	22590	1	10	153	1.5	1	6060	1.9	7	27	102550
L28+00 0+25M	.1	24540	3	9	64	2.4	2	4870	2.2	9	56	107710
L28+00 0+50M	.1	17880	3	5	153	1.9	1	4320	2.9	7	22	70850
L28+00 0+75M	.1	20280	3	6	101	1.9	1	5160	1.9	8	38	84290
L28+00 1+00M	.5	18620	1	5	109	1.5	1	5890	1.6	7	26	96280
L28+00 1+25M	.4	19510	1	6	173	1.6	2	8490	2.1	7	37	78480
L28+00 1+50M	.1	26000	2	9	71	1.6	1	7110	1.3	9	72	132970
L28+00 1+75M	.2	28150	9	10	87	1.7	1	7910	2.1	11	79	139150
L28+00 2+00M	.1	27380	3	9	74	1.8	1	6850	1.7	10	75	127160

PROJECT NO: LILL

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-240/P1+2

ATTENTION: G. RAYNER

(604)988-5814 OR (604)988-4524


* TYPE SOIL GEOCHEM *

DATE: MARCH 25, 1987

(VALUES IN PPM)	K	LI	MG	MN	MO	NA	NI	P	PB	SB	SR	TH
L26+50 0+00W	460	8	7560	523	1	90	7	350	13	2	25	1
L26+50 0+25W	850	9	6110	887	5	150	4	2580	18	8	53	1
L26+50 0+50W	900	17	7260	845	1	190	4	1870	19	1	32	1
L26+50 0+75W	830	12	7710	589	1	200	4	1040	16	1	35	1
L26+50 1+00W	1050	18	7280	1506	2	220	6	750	18	3	25	1
L26+50 1+25W	1320	21	8460	1298	4	270	18	10	20	2	25	1
L26+50 1+50W	1350	20	7610	1871	3	270	16	10	20	3	27	1
L26+50 1+75W 40M	660	15	6100	651	2	160	4	100	11	2	20	1
L26+50 2+00W	1260	12	7190	1382	2	200	5	1160	17	2	33	1
L27+00 0+00W	1180	8	4690	893	3	230	6	1260	14	4	44	1
L27+00 0+25W	930	12	8270	1042	2	170	4	720	18	3	34	1
L27+00 0+50W	900	9	8110	610	2	170	2	380	13	2	30	1
L27+00 1+00W	920	12	6950	791	1	200	2	800	13	1	35	1
L27+00 1+15W	830	9	8630	554	1	160	3	370	16	2	29	1
L27+00 1+30W	900	13	7340	778	1	200	1	910	14	1	29	1
L27+00 1+40W	1030	12	7970	1031	1	200	2	1090	18	1	32	1
L27+00 1+50W	1450	10	8310	1344	1	230	1	1240	17	1	42	1
L27+00 1+75W	1370	36	9560	988	4	210	1	10	24	2	25	1
L27+00 2+00W	1170	12	8660	1307	1	180	1	70	27	2	24	1
L27+50 0+00W	970	12	7540	638	1	180	1	10	19	1	25	1
L27+50 0+25W 40M	870	10	7480	1298	1	150	1	330	20	1	43	1
L27+50 0+50W	1080	14	7440	866	1	210	1	600	18	1	36	1
L27+50 0+75W	1420	13	9680	1600	3	210	1	1130	30	3	44	1
L27+50 1+00W	1180	14	8800	1112	3	250	3	1220	25	4	50	1
L27+50 1+25W	1220	9	9350	997	1	180	1	750	19	1	40	1
L27+50 1+50W	980	13	7880	1353	1	230	1	40	23	1	24	1
L27+50 1+75W	2740	32	11240	1108	5	310	1	1350	45	6	60	1
L27+50 2+00W	1560	11	8410	1223	1	170	2	1440	18	2	37	1
L28+00 0+00W	1150	18	7830	1179	1	170	1	1000	19	1	39	1
L28+00 0+25W	1230	10	11120	652	1	130	3	110	14	3	24	1
L28+00 0+50W	900	10	6290	1909	1	120	7	740	14	3	25	1
L28+00 0+75W	1030	11	7840	946	1	120	4	820	15	1	29	1
L28+00 1+00W	1020	12	6820	1041	1	160	1	490	11	1	26	1
L28+00 1+25W	1050	15	5860	1599	1	220	4	970	18	1	34	1
L28+00 1+50W	2430	9	10730	814	1	160	1	110	19	1	24	1
L28+00 1+75W	2630	10	11540	1318	1	180	1	120	20	1	28	1
L28+00 2+00W	1980	9	11410	801	1	150	1	100	18	1	25	1

(VALUES IN PPM)	U	V	ZN	GA	GE	SE	SN	W	CR
L26+50 0+00W	1	48.9	349	1	1	1	8	3	3
L26+50 0+25W	1	53.0	583	1	1	1	5	2	6
L26+50 0+50W	1	52.1	764	1	1	1	4	3	4
L26+50 0+75W	1	52.0	449	1	1	1	3	2	3
L26+50 1+00W	1	59.6	2009	1	1	1	3	7	3
L26+50 1+25W	1	64.8	5731	1	1	1	1	14	2
L26+50 1+50W	1	65.5	5868	1	1	1	1	15	3
L26+50 1+75W 40M	1	48.4	604	1	1	1	5	3	1
L26+50 2+00W	1	49.9	1007	1	1	1	4	4	5
L27+00 0+00M	1	39.4	1087	1	1	1	5	4	2
L27+00 0+25W	1	58.3	815	1	1	1	3	3	3
L27+00 0+50W	1	62.9	426	1	1	1	2	2	2
L27+00 1+00W	1	52.3	588	1	1	1	1	2	2
L27+00 1+15W	1	61.1	291	1	1	1	3	2	2
L27+00 1+30W	1	53.7	855	1	1	1	2	2	3
L27+00 1+40W	1	56.0	863	1	1	1	1	2	4
L27+00 1+50W	1	60.7	986	1	1	1	1	3	2
L27+00 1+75W	1	90.1	977	1	1	1	1	3	2
L27+00 2+00M	1	66.9	758	1	1	1	1	2	3
L27+50 0+00M	1	62.3	1118	1	1	1	1	2	1
L27+50 0+25W 40M	1	54.9	882	1	1	1	2	3	2
L27+50 0+50W	1	59.8	1102	1	1	1	1	2	1
L27+50 0+75W	1	68.5	992	1	1	1	1	3	3
L27+50 1+00W	1	67.9	983	1	1	1	3	4	4
L27+50 1+25W	1	70.4	518	1	1	1	3	2	2
L27+50 1+50W	1	56.7	1269	1	1	1	1	3	1
L27+50 1+75W	1	66.9	1759	1	1	1	1	6	5
L27+50 2+00M	1	63.7	844	1	1	1	1	3	3
L28+00 0+00M	1	50.9	691	1	1	1	2	3	2
L28+00 0+25W	1	65.1	174	1	1	1	3	3	3
L28+00 0+50W	1	41.8	438	1	1	1	4	2	4
L28+00 0+75W	1	49.9	383	1	1	1	3	3	3
L28+00 1+00M	1	49.7	416	1	1	1	1	2	2
L28+00 1+25W	1	41.2	612	1	1	1	2	3	4
L28+00 1+50W	1	74.8	132	1	1	1	1	1	1
L28+00 1+75W	1	80.2	137	1	1	1	1	1	2
L28+00 2+00M	1	76.9	123	1	1	1	1	1	2


1000 W 950 W 900 W 850 W 800 W 750 W 700 W 650 W 600 W 550 W 500 W 450 W 400 W 350 W 300 W 250 W 200 W 150 W 100 W 50 W 0



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


15,838

Part 2 of 2




GREENLAKE RESOURCES LTD.	
LAKE ADIT PROJECT	
GEOCHEMICAL CONTOUR MAP	
ELEMENT: Zn	
DATE:	FIGURE:

INSPECTION PRINT




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,838
Part 2 of 2




GREENLAKE RESOURCES LTD.	
LAKE ADIT PROJECT	
GEOCHEMICAL CONTOUR MAP	
ELEMENT: Cu	
DATE:	FIGURE:

INSPECTION PRINT




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,838
Part 2 of 2



GREENLAKE RESOURCES LTD.	
LAKE ADIT PROJECT GEOCHEMICAL CONTOUR MAP ELEMENT: Au	
DATE:	FIGURE:



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

Part 2 of 2

15,838



0 25 50 75 100 125 150 175 200
SCALE IN METRES

GREENLAKE RESOURCES LTD.	
LAKE ADIT PROJECT GEOCHEMICAL CONTOUR MAP ELEMENT: Ag	
DATE:	FIGURE:

INSPECTION PRINT