

87-160-15857
4/88

DIAMOND DRILLING REPORT

ON

THE LAKEVIEW CLAIM GROUP

NANAIMO MINING DIVISION

45.5'
LAT. 49° 16' 30" N

10.3'
LONG. 125° 18' W

N.T.S. ~~60E/14W~~ 92F/14W

FOR

FILMED

Owner/Operator: BETTER RESOURCES LIMITED

BY

JAMES F. BRISTOW, P.ENG.

RICHMOND, B.C.

FEBRUARY, 1987

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**





15.857

James F. Bristow P. Eng.

**DIAMOND DRILLING REPORT
ON
LAKEVIEW CLAIM GROUP**

TABLE OF CONTENTS

	Page
INDEX MAP	1
SUMMARY	2
INTRODUCTION	2
LOCATION, ACCESS AND FACILITIES	2
PHYSIOGRAPHY AND CLIMATE	2
LOCATION MAP	3
HISTORY	4
PROPERTY DESCRIPTION	5
MINERAL CLAIM MAP	6
DISCUSSION	7
DRILL HOLE SUMMARY	8
DRILL HOLE LEGEND	9
COST STATEMENT	12
AUTHOR'S QUALIFICATIONS & CERTIFICATION	14
APPENDIX I	
1) Invoices	
APPENDIX II (in pocket)	
1) Diamond Drill Logs	
2) Diamond Drill Hole Plan	



Drawn By: D.P.B.	BETTER RESOURCES LIMITED	Scale: 1:2,000,000
Checked By: J.F.B.		Figure: 1
Date: January 1987		James F. Bristow P. Eng.

SUMMARY

Nine NQ wireline diamond drill holes numbered B-86-13 to 21 inclusive, totalling 577.6 metres were drilled on the Lakeview claim group. These drill holes further outlined the gently dipping 2 to 5.5 metre wide auriferous zone lying beneath and/or immediately east of the soil geochemical anomalies outlined in 1983. The program also expanded the mineralized zone indicated by the diamond drilling conducted in 1984.

Cost of the drilling programme was in excess of \$71,200.00.

INTRODUCTION

This report contains the results obtained from 577.6 metres of NQ wireline diamond drilling conducted on the Lakeview claim group between September 1, 1986 and October 4, 1986 by Globe Drilling Ltd. of Vancouver, British Columbia.

LOCATION, ACCESS AND FACILITIES


This claim group is centred on Latitude 49° 46' 30" North, Longitude 125° 18' West within map sheets N.T.S. 92F/11W, 92F/14W and the Nanaimo Mining Division. The claims are located approximately 22.5 kilometres northwest of Courtenay, British Columbia (see Figure 2). They straddle the north spur of Mt. Washington and a portion of the area to the north and west.


Access to the claims is by a network of well maintained paved and gravel mining and logging roads. Depending on snowfall and runoff conditions, access to within 1.0 kilometre of any point on the property is usually possible by four wheel drive vehicle between July and November.

Electric power has been extended to the top of Mt. Washington well within the claim boundaries. Well-appointed accommodations are available at the Mt. Washington Ski Resort during the summer months. Year-round accommodations are available in Courtenay. Construction supplies, services and labour are readily available in the Campbell River - Courtenay area.


PHYSIOGRAPHY AND CLIMATE

Mt. Washington is located along the eastern margin of the northwest trending Vancouver Island Ranges in the Insular Belt. The landscape is characterized by moderate to precipitous topography covered generally, by a thick mixed coniferous forest of hemlock, red and yellow cedar, douglas fir and balsam fir. Locally this forest has been extensively logged and is currently covered by thick impenetrable second growth. A subalpine forest of heather and krumholtz is developed above 1,500 metres. Property elevations range from 1,590 metres to 670 metres. Evidence of recent glaciation is noted by cirque development, glacial striae and thin to moderate but pervasive glacial till development.





LEGEND
 Drillsite Locations -- [Cross-hatch symbol]
 Scale --- 1:50,000



DRAWN BY J.F.B
DATE JANUARY 1987

BETTER RESOURCES LIMITED
LOCATION MAP MT. WASHINGTON AREA

FIGURE - 2

October to May is characterized by cold and wet weather with considerable snow accumulations. Depth may exceed 5 metres at higher levels where patches of snow may persist in sheltered areas well into the summer months. June through September are drier with temperatures ranging from near freezing to greater than 25°C.

HISTORY

Since 1940 the Mt. Washington area has been the focus of sporadic intensive exploration activity.

The following chronological summary from K.E. Northcote's report dated May 1983, covers the time span from discovery of gold mineralization in 1940 to 1982.

"Gold mineralization was discovered in place on Mt. Washington in May 1940 by J.M. McKay, a young mining engineer and prospector who systematically panned creeks up from the Oyster River to find course colours in a creek draining into McKay Lake. The gold bearing structures were prospected, trenched and sampled under the direction of Dr. D.F. Kidd in 1940-41. In 1944-45, Karl Springer financed adits on the copper bearing veins north of the area sampled for gold. Mt. Washington Copper Co. Ltd. was formed in 1956 by Gordon C. Murray and various joint agreements and options with Noranda and Cominco explored the property until 1964. From 1964 to 1966 Mt. Washington under revised agreement with Cominco and a joint venture with Cumberland Mining Co. mined and milled 392,173 tons of 1.16% Cu, 0.01 oz. per ton Au and 0.5 oz. per ton Ag. Upon exhaustion of economic open pit copper mineralization the mill was dismantled.

The property was optioned by Marietta Resources Company Ltd. in 1969, further explored by Mt. Washington in 1970-71 and then optioned to Imperial Oil from 1973 to 1982. During this latter period the exploration emphasis appears to have been directed towards a search for more extensive copper mineralization with little exploration for gold."

In May, 1983, Better Resources Limited acquired via Veerman Botel Limited, an option on a block of claims previously controlled by Mt. Washington Copper Co. Ltd. By 1984, this land position was expanded to 130 units and a programme to assess the areas precious metal potential was initiated. By the spring of 1986 the land position was expanded to approximately 230 units.

Better Resources Limited drilled two short diamond drill holes on the Domineer zone and carried out a large soil sampling program for gold and arsenic in 1983. In 1984 the geochemical survey was extended and sixteen diamond core holes were drilled in the West Grid. The property was virtually inactive in 1985, but in 1986 an active program of trenching was followed by diamond drilling and additional soil sampling on several target areas.

This report covers a portion of this diamond drill program.


PROPERTY DESCRIPTION

The Lakeview claim group owned by Better Resources Limited of Vancouver, British Columbia is comprised of the following contiguous two post and modified grid mineral claims as shown in Figure 3.


<u>Name of Claim</u>	<u>No. of Units</u>	<u>Record No.</u>	<u>Month of Record</u>
B & T	9	2447	7
Lager	16	2441	7
Stout	16	2443	7
Pil	6	2444	7
Ale	16	2442	7
Mouse 1	1	1553	9
Mouse 2	1	1554	9
Bill 1	1	1566	9
Bill 2	1	1567	9
Bill 3	1	1568	9
Bill 4	1	1569	9
Bill 5	1	1570	9
DJV 1	1	1261	10
DJV 2	1	1262	10
DJV 3	1	1263	10
DJV 4	1	1264	10
DJV 5	1	1265	10
MWC 201	1	37257	9
MWC 202	1	37258	9
MWC 203	1	37259	9
MWC 204	1	37260	9
MWC 206	1	37262	9
MWC 211	1	37267	9
MWC 212	1	37268	9
MWC 222 Fr.	1	37278	9
MWC 223	1	37279	9
MWC 224	1	37280	9
MWC 225	1	37281	9
MWC 226	1	37282	9
MWC 227	1	37283	9
MWC 228	1	37284	9
MWC 229	1	37285	9
MWC 230	1	37286	9

91


The current group totals 91 units and fractional claims.



125° 15'



DOMINEER CLAIM GROUP




LAKEVIEW CLAIM GROUP




49° 45'

BETTER RESOURCES LIMITED
CLAIM MAP
MOUNT WASHINGTON AREA
NANAIMO MINING DIVISION

DRAWN BY J.F.B	SCALE 1:50,000
DATE DECEMBER 1986	FIGURE 3



N.T.S. 92 F/11&14



DISCUSSION

The general geology of the Mt. Washington area shows a thick sequence of Triassic Karmutsen volcanics overlain by sediments of the Cretaceous Comox formation. Both sequences are cut by intrusive feldspar porphyry and diorite dykes and sills of Tertiary age. The formations are in turn pierced by breccia systems of various composition, size, shape and possibly of different ages.


The purpose of drilling the nine NQ wireline diamond drill core holes that are the subject of this report was to further explore the gold mineralization found by geochemical sampling (1983), by trenching (1983, 1984 and 1986) and by previous diamond drilling (1984 and 1986).

The drilling intersected a subhorizontal sedimentary package cut by some porphyritic granodiorite intrusive and diapiric polymictic Murray breccia. Drilling to date indicates at least one major and one secondary gently west dipping silicified structures, semiconcordant with the bedding of the Comox formation but cutting all rock types including most breccia pipes. The silicified zone is up to 5 m thick with a zone of kaolin alteration surrounded by chlorite alteration that extends up to 15 m and more above and below the main silicified zone. Within the auriferous zone the principal sulphide minerals in order of abundance are pyrite, chalcopyrite, arsenopyrite, covellite, realgar and orpiment. The best grade gold mineralization appears to be associated with open space quartz veining with pyrite and/or arsenopyrite.

The zone is indicated to extend eastward from this Lakeview drilling through the north ridge of Mt. Washington to connect with the Domineer zone. This extension is supported by two drill holes by previous operators in the area between the Lakeview and Domineer zones. One of these holes intersected 10.6' (3.23 m) of 0.105 oz. Au/ton at the projected elevation. The extent of the structure has not been delimited north and south of the areas drilled to date. Further drill programs will investigate continuity and grade of this gold bearing zone.

Diamond drill holes were surveyed by McElhanney Associates of Courtenay, B.C. or were tied to McElhanney survey points by Better Resources Limited. These surveys provided the basis for the Diamond Drill Hole Plan (Figure 4 in pocket). All core was logged by B.V. Hall, M.Sc. under the supervision of the writer. All mineralized core was split on site and samples sent to Kamloops Research and Assay Laboratory for analysis for gold, silver and arsenic.


Drill core from this programme is stored in Franklin Electric's storage yard in Courtenay, B.C.



DRILL HOLE SUMMARY

Drill Hole No.	Azimuth	Inclination	Depth		Coordinates		Elevation	Date	
			ft.	(Metres)	North	East		Start	Finish
B-86-13	-	-90°	256'	(78.0)	576.610'	-623.572'	1380.25'	Sept 11/86	Sept 13/86
B-86-14	075°	-45°	254'	(77.4)	576.939'	-622.693'	1380.25'	Sept 13/86	Sept 15/86
B-86-15	-	-90°	264'	(80.5)	633.486'	-632.718'	1381.22'	Sept 16/86	Sept 18/86
B-86-16	075°	-45°	300'	(91.4)	633.6'	-631.7'	1381.22'	Sept 19/86	Sept 21/86
B-86-17	165°	-45°	87'	(26.5)	632.5'	-632.5'	1381.22'	Sept 21/86	Sept 22/86
B-86-18	-	-90°	241'	(73.5)	+520.107'	-600.366'	1375.44'	Sept 23/86	Sept 25/86
B-86-19	345°	-45°	354'	(107.9)	522.118'	-600.366	1375.44'	Sept 25/86	Sept 29/86
B-86-20	-	-90°	43'	(13.1)	759.523'	-816.726'	1331.81'	Sept 30/86	Oct 01/86
B-86-21	-	-90°	96'	(29.3)	788.424	-797.841'	1340.28'	Oct 01/86	Oct 02/86
			1895'	(577.6)					

James F. Bristow P. Eng.




DIAMOND DRILL CORE LOG LEGEND


The Lakeview Claim Group

The drill core was logged on a 120 column coded format to allow recording of as much detail as possible. The following legend is the key to this format.

<u>Column No.</u>	<u>Code</u>	<u>Description</u>
1 - 4	<u>Depth</u>	Depth as measured in feet
5 - 6	<u>Formation</u>	
	Bx	Breccia
	I	Intrusive
	K	Karmutsen Formation
	C	Comox Formation
7 - 8	<u>Rock Types</u>	
	Mx	Murex Breccia
	My	Murray Breccia
	Wx	Washington Breccia
	Gx	Glacier Breccia
	Mp	Porphyritic mafic volcanic
	Di	Diorite
	Df	Diorite, fine grained
	Ma	Aphanitic mafic volcanic
	Mv	Mafic volcanic
	Fs	Feldspathic sandstone
	Ar	Argillite
	Hf	Hornfels
	Di	Diorite, leucocratic
	Dp	Diorite, porphyritic
	St	Siltstone
1 - 10	<u>Kaolinite</u>	Content estimated in percent
11	<u>Habit</u>	
	I	Irregular
	S	Stockwork
	V	Vein
	T	Veinlet
	P	Pervasive
	B	Banded
	D	Disseminated
12 - 13	<u>Chlorite</u>	Content estimated in percent



<u>Column No.</u>	<u>Code</u>	<u>Description</u>
14	<u>Habit</u>	(see Column #11)
15 - 16	<u>Biotite</u>	Content estimated in percent
17	<u>Habit</u>	(see Column #11)
18 - 19	<u>Quartz</u>	Content estimated in percent
20	<u>Habit</u>	(see Column #11)
21	<u>Miscellaneous</u>	
	Ak	Ankerite
	C	Calcite
	Ac	Actinolite
	Sr	Sericite
22 - 23		Content estimated in percent
24	<u>Habit</u>	(see Column #11)
25 - 54	<u>Comments</u>	Written descriptions or general comments
55 - 56	<u>Bedding</u>	Maximum angle bedding makes to the core axis
57 - 58	<u>Faulting</u>	Maximum angle measurable faults have to the core axis (shaded portions indicated extent of faulting)
	G	Gouge zones
	B	Broken core zones
59 - 60	<u>< to B</u>	Angle between bedding and any vein, fault, banding or contact
61 - 62	<u>Veining</u>	Maximum angle at which a vein cuts the core axis
63 - 64	<u>Pyrite</u>	Content estimated in percent
65	<u>Habit</u>	(See Column #11)
66 - 67	<u>Pyrrhotite</u>	Content estimated in percent
68	<u>Habit</u>	(See Column #11)



<u>Column No.</u>	<u>Code</u>	<u>Description</u>
69 - 70	<u>Arsenopyrite</u>	Content estimated in percent
71	<u>Habit</u>	(See Column #11)
72 - 73	<u>Chalcopyrite</u>	Content estimated in percent
74	<u>Habit</u>	(See Column #11)
75 - 76	<u>Covellite</u>	Content estimated in percent
77	<u>Habit</u>	(See Column #11)
78	<u>Miscellaneous</u>	
	Mg	Magnetite
	Mo	Molybdenite
	R	Realgar
	Sp	Sphalerite
	Sb	Stibnite
	Gn	Galena
79 - 80		Content estimated in percent
81	<u>Habit</u>	(See Column #11)
82 - 86	<u>Sample Number</u>	Assay tag number
87 - 91	<u>Depth</u>	Depth in feet separating assay intervals
92 - 93	<u>Interval</u>	Interval of assay sample in feet
94 - 98	<u>Au</u>	Gold values in oz/ton
99 - 102	<u>Ag</u>	Silver values in oz/ton
103 - 106	<u>Cu</u>	Copper values in Wt percent
107 - 110	<u>As</u>	Arsenic values in Wt percent
111 - 114		Additional elements for assay
115 - 118		Additional elements for assay
119 - 120	<u>Recovery</u>	Recovery, intervals marked off by footage tags



COST STATEMENT

Lakeview Claim Group

Diamond Drilling (B-86-13 to B-86-21)

Supervision, Drillsite Preparation, Core Logging, Splitting and Storage:

James F. Bristow, P.Eng.

Sept/86 - 11($\frac{1}{2}$), 12($\frac{1}{2}$), 15-26($\frac{1}{2}$), 27($\frac{1}{2}$), 29($\frac{1}{2}$)
8 days at \$250.00 per day

\$ 2,000.00

Technical services and labour:

Brian Hall, M.Sc.

Sept/86 - 11-14, 27-30; Oct 1-4
12 days at \$200.00 per day

2,400.00

Barry Needham

Sept/86 - 1-2, 4, 6-8, 9($\frac{1}{2}$), 14($\frac{1}{2}$), 15-18, 29, 30;
Oct 1
14 days at \$120.00 per day

1,680.00

Ron Biebrich

Sept/86 - 11, 13-14, 16($\frac{1}{2}$), 17, 18($\frac{1}{2}$), 30;
Oct 1
7 days at \$110.00 per day

770.00

S. Jut

Sept/86 - 11($\frac{1}{2}$), 13($\frac{1}{2}$), 14, 15($\frac{1}{2}$), 16, 19-21, 23($\frac{1}{2}$), 25($\frac{1}{2}$),
26($\frac{1}{2}$), 27-28, 30($\frac{1}{2}$); Oct 1-4
15 $\frac{1}{2}$ days at \$90.00 per day

1,395.00

Drillsite and access road construction

Dennis Phye Bulldozing Ltd. as per invoice

8,292.00

Tractor rental (one month)

Coast Tractor as per invoice

3,424.00

Diamond drilling

Globe Drilling Ltd. as per invoices
577.6 metres at \$75.817 per metre

43,792.00

Transportation (4x4)

32 days at \$40.00 per day

1,280.00



COST STATEMENT CONT'D

Food and accommodation 56½ man days @ \$25.00 per day	\$ 1,412.00
Assaying Costs (gold, silver and arsenic) Kamloops Research & Assay Laboratory Ltd. 146 samples at \$22.25 per sample	3,248.50
Sample freight to Kamloops, B.C. 1,460 lbs. at \$25.00 per 100 lbs.	365.00
Report preparation (including drafting and typing)	<u>1,200.00</u>
TOTAL	<u>\$ 71,258.50</u>

CERTIFIED CORRECT


James F. Bristow, P.Eng.




QUALIFICATIONS AND CERTIFICATIONS

I, James Bristow, of 3431 Bowen Drive, in the municipality of Richmond, Province of British Columbia, hereby certify as follows:

1. I am a graduate of the University of British Columbia with a B.A. Degree (Geology and Physics).
2. I am a member of the Canadian Institute of Mining and Metallurgy, the Geological Society of South Africa and the Association of Exploration Geochemists.
3. I am a Professional Engineer registered in the Province of British Columbia.
4. I have actively practiced my profession in mineral exploration and mining since my graduation in 1957.
5. That this report is based on data collected by myself or by other persons working under my direct supervision between September 1, 1986 and October 4, 1986.
6. That I am a Director of Better Resources Limited and hold a direct interest in securities of this company.

Dated at Richmond, British Columbia this 10th day of February 1987.


James F. Bristow, P.Eng.



APPENDIX II

(IN POCKET)

DRILL LOGS FOR B-86-13 TO B-86-21 INCLUSIVE
DIAMOND DRILL HOLE PLAN
(FIGURE 4)

BETTER RESOURCES LTD.

MT. WASHINGTON PROJECT
VANCOUVER ISLAND

DRILL HOLE LOCATION MAP

BY: B.V.H./rwr
DATE: JAN., 1987



FIGURE: 4

NOTE: LOCATIONS BASED ON SURVEY BY
MCELHANNEY ASSOCIATES-1986 AND OTHER
DATA

CONTOURS IN FEET FROM 1968
MT. WASHINGTON COPPER MINE DATUM.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857



BETTER RESOURCES LTD.



PROPERTY Mt WASHINGTON AREA LAKEVIEW HOLE NUMBER B-86-13
 LOGGED BY B.V. HALL CLAIM _____ TOTAL LENGTH 256 ft (1ft=30.5cm)
 STARTED Sept 11, 1986 COMPLETED Sept 13 1986 CORE SIZE NG
 SECTION _____ INCLINATION -90'
 LATITUDE 576.610 M DEPARTURE -623.572 M ELEVATION 1380.25 M
 PURPOSE _____
 COMMENTS _____

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>-90</u>	<u>-</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

Project Mt. Wellington
 Hole Number R-91-173

DEPTH	Fm	Rod Type	Kaol.	Chl.	Bt.	Qtz	Misc	Comments	B	F	$\frac{K}{2}$	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Rec
45		Bx My						limonite staining along fractures.																		
50		C Ar 40 P				10 P		banded texture later fractured. limonitic fractures																		
55		Bx 10 P				15 V		interval tectonically brecciated. qtz introduced prior to brecciation or faulting limonite staining along fractures vuggy qtz-py vein.	B																	
60									B																	
65		Bx My 30 P				30 P 10 V		intensely silicified rounded clasts of clasts still visible, but highly altered. 10% vuggy qtz veins.	B																	
70								slickensides suggest drithe slip footwall contact of alteration relatively sharp.	B																	
75																										
80						5 I 10 I		envelopes of qtz-sericite surrounding fractures																		

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number R-86-13

4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
DEPTH	Fm	Rock Type	Kaol.	Chl.	Bt.	Qtz	Misc	Comments	B	F	K	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au	Ag	Cu	As	G/As	Au/As	Rec																																																																																																																																
	By	My				10 P		vuggy qtz vein.												23976	124.9							100																																																																																																																																
						15 P		vuggy, huge py xstals.												124.9	125.6	0.7						100																																																																																																																																
125			20 P	10 P		35 P																					125																																																																																																																																	
130						70 P																					130																																																																																																																																	
135						20 P																					135																																																																																																																																	
140			30 P			50 V	20 P	vuggy qtz vein with py Leucocratic porphyry altered to Kaol. possible mont. alteration at footwall.												18150	137.8	4	.066	TR		.06	100																																																																																																																																	
145						20 P	5 I	irregular silification surrounding fractures.													141.8						140																																																																																																																																	
150						40 I		enveloping a qtz vein.																			145																																																																																																																																	
155						5 P	2 V	qtz veins 1/8" thick with a silicified zone surrounding.																			100																																																																																																																																	
			10 P			15 P	5 I													18151	156	2	.001	.06		.05	100																																																																																																																																	
																					158						100																																																																																																																																	
																					18152						100																																																																																																																																	

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857


GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857

BETTER RESOURCES LTD.



PROPERTY	<u>MT WASHINGTON</u>	AREA	<u>LAKEVIEW</u>	HOLE NUMBER	<u>B-86-14</u>
LOGGED BY	_____	CLAIM	_____	TOTAL LENGTH	<u>254 ft (77.4 Metres)</u>
STARTED	<u>Sept 13, 1986</u>	COMPLETED	<u>Sept 15 1986</u>	CORE SIZE	<u>NG</u>
SECTION	_____		_____	INCLINATION	<u>45°</u>
LATITUDE	<u>576.939 M</u>	DEPARTURE	<u>-622.693 M</u>	ELEVATION	<u>1380.25 M</u>
PURPOSE	_____				
COMMENTS	_____				

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>45</u>	<u>075°</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857

Project Mt. Washington
 Hole Number 86-B-14

Page 2 of 7
 Logged By BVH
 Date 2/9/86

DEPTH	Fm	Kool.	Chl.	St.	Qtz	Misc	Comments	B	F	C	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au oz/ton	Ag oz/ton	Cu %	As %	G/ps	Pct/100	Rec
	Bx	My	2 Z	4 P									tv	D													97
45			10 P		10 P		minor v. calgar slickensides indicate dip slip											R 1 D									92
50			2 I	4 F																							92
55			10 P		5 P		alteration envelope surrounding a pyrite vein. 2 stages of pyrite, the dominant of which is a fine grained phase.											23982	52	40	TR	TR		.19			97
55			5 P		15 P																						97
60				3 P																							92
65																											92
70			5 F	1 P	10 P	V	zone of silicification. faint relict ghosts of unaltered breccia -qtz vein raggy																				92
75				5 P			-71 to 74' vertical zone of fine grained green rock, possibly amatrix dominated channel chloritic, surrounding by appears to have been silicified. extremely large leucocratic diorite clasts																				92
80					5 P																						92

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B6-R-14

DEPTH	Fm	Kool	Chl.	St.	Qtz	Misc	Comments	B	F	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au	Ag	Cu	As	Gr/As	In	Rec		
																				oz/ton	oz/ton	%	%					
80-83	Br My			S P			80 to 83' curvaceous yellow calcareous mineral disseminated throughout matrix.																					
84-87	I Di						84-87' either large clasts or a dyke of diorite, melanocratic, 1% diss po.																				96	
90	Br My																											
95	C Ar		S P		E P		possible large clast, intensely altered to chl, sharp contact with underlying silicified bx at 99'	B																			85	
100	Br My		S P		15 P 3 V		qtz veins appear to be associated with carbonate concretions.					3 C						23983	100	5	.048	.15		1.43				
105					15 P 50 V		qtz completely post mineralization faulting surrounding clasts dip slip movement.					10 V 3 C 3 V		7 V					105								98	
110					15 P 3 V		py association with qtz veins slickensides indicate dip slip - fault well silicified, relatively sharp argillite/sandstone clasts missing - Karsunson xale clasts present.																					
115				S P																								
120					10 P 5 I 1 V		1% late qtz veins.					4 D																

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project M4, Washington
 Hole Number 67-1-14

DEPTH	Fm	Rock Type	Karl	Chl.	St.	Qtz	Misc	Comments	B	F	C	v	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au oz/ton	Ag oz/ton	Cu %	As %	C		Rec		
																										10	11			
125	Bx	My	10	p		10 S I	P I V						4 D	tr c	I	D	tr D													
																			28661	122	53	.001	.17	.10						
						50	V	hanging wall of massive sulphide is banded py veins associated with gtz					30	V		7	V				1273	52	.28	.92	4.15				97	
130						15 3	P V						3	V		2	V			23985	1325									
			25	p																										
135						3	P 2 I																							
140						1	K 20 p																							
145																														
150						5	P 5 P																							
155																														
160																														

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

80

Project Mt. Washington

Hole Number BL-B-14

DEPTH	Fm	Kool.	Chl.	St.	Qtz	Misc.	Comments	B	F	A	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au oz/ton	Ag oz/ton	Cu %	As %	Rec
165	Bytly			3	5		kaol alteration product of faulting																		85
170					20		kaol alteration of plag. phenocrysts and discrete actate. - wuggy qtz-py. vein.											28662	170.6	44	.011	L.01	L.01		98
175																			175						
180							kaol alteration related to faulting																		
185							gauge zone with qtz vein																		
190							189 to 198 zone of highly altered oxidized core, probably a function of faulting																		97
195							py associated with qtz veins																		98
200							slickenside indicate both strike slip & dip slip movement																		

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857


Project Mt. Washington
 Hole Number 86-B-14

DEPTH	Fm	Kool.	Chl.	St.	Qtz	Misc	Comments	B	F	A	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au	Ag	Cu	As	Co/As	Au/As	Rec
245	By	Hy	10	p	10	p	3					2	V					23988	240	5	.001	Tr		.30			
					35	P	242 to 243 pale tan interval, possibly intensely silicified.					1	C						245								
					50	P						5	V														
					10	P						2	V														100
250			15	P	20	P													23989	250	5	.020	.02		.15		
					5	V	This hole should be deepened depending upon assay results.																				
255							End of Hole.																				
260																											
265																											
270																											
275																											
280																											

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

BETTER RESOURCES LTD.



PROPERTY Mt WASHINGTON AREA LAKEVIEW HOLE NUMBER B-86-15
 LOGGED BY B. V. HALL CLAIM _____ TOTAL LENGTH 264 ft. (80.5M)
 STARTED Sept 16 1986 COMPLETED Sept 18 1986 CORE SIZE NQ
 SECTION _____ INCLINATION 90
 LATITUDE 633.486 M. DEPARTURE - 634.718 M ELEVATION 1381.22 M.
 PURPOSE _____
 COMMENTS _____

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>-90</u>	<u>-</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

Project Mt. Washington

Hole Number B-86-15

Page 3 of 7

Logged By AVH

Date 1/10/86

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc.	Comments	B	F	Si	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	As	As	As
85	C	Ar		V	7 R			argillite light brown, possibly the result of silification.																				
					5 P	2 P																						
					7 P																							
90			15 P			5 P		hangwall contact, 25° to core axis																				
			1 P		7 P	1 P																						
95			25 P			10 P	3 V	banded textures, banding to core axis py veins vuggy.					1 S							28606	95	5	.006	.05		.10		
													3 S								100							
100		Fs						contact between argillite and sandstone obscured by alteration.					3 S															
					20 P								2 S							28607	100	5	.007	1.52		.06		
													20 C								105							
105								slickensides indicate oblique slip movement.					1 V															
					10 P	3 V															110							
110			15 P		5 P	5 V		tan coloured qtz-carbonate veins - vuggy.																				
					5 P	1 V																						

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B-86-15

Page 4 of 7
 Logged By BYH
 Date 3/10/56

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc	Comments	B	F	K	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au	Ag	Cu	As	AS	Rec
																						oz/ton	oz/ton	%	%		
125	C	Fs	15 p			5	P	from 122.0 the alteration becomes less intense.																			
		Ar																									
			4 p																								
			3 v		3	2	V	patchy intervals of alteration, in places pervasive, others in the form of a stockwork.																			
130								slickensides indicate strike-slip movement.																			
			20 p			5	P																				
						2	P																				
						50	V	2" interval of post-mineralization brecciation immediately above vein.																			
135						10	P																				
			5 p		4	5	P																				
			20 p			10	P																				
140						30	V	hanging wall contact of alteration at 30° angle to core axis.																			
						10	P	- large qtz-py vein, qtz consisting of rose qtz.																			
						15	P																				
145			3 v		5	2	V																				
150																											
155																											
160																											

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B-86-15

Page 5 of 7
 Logged By BVH
 Date 3/10/86

DEPTH	Fm	Kool.	Chl.	St.	Qtz	Misc	Comments	B	F	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au	Ag	Cu	As	Am	As	Rec	
																				oz/ton	oz/ton	%	%	%	%		
165				5	2		gradational contact with alteration.																				
170																											
175							py dominately fine grained. minor coarse grained clots.																				
180																											
185							qtz vein vuggy																				
190																											
195																											
200							vuggy qtz veins																				

GEOLOGICAL BRANCH
 ASSESSMENT REPORT

15,857

Ag/Ag

.860

0.04

1.22

Project Mt. Washington
 Hole Number B-86-15


Page 7 of 7
 Logged By R.V.H.
 Date 3/10/86

DEPTH	Fm	Kool.	Chl.	St	Qtz	Misc.	Comments	B	R	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	13	6	7	14	15	10	10		
																															Rec	
245	Bx 14			3 p	10 p	2 p	Large clasts of diorite, both melanocratic and leucocratic. similar interval in B-86-15 22.0 ft. clast composition too young to be sedimentary (Comox Fm). -matrix biotitic. -tan coloured vuggy Qtz veins											28454	2437	38 TR	.02	Tr										
250				1 V	3 M													247.5														
255				7 P																												
260				5 I	2 P		Irregular silicification throughout remainder of hole. 251 ft more rounded clasts set in a fine grained matrix.																									
265				5 P			259 to E of Hole Murry Bx consisting completely of diorite clasts similar to top of hole. -silicification patchy																									
270							E of Hole.																									
275																																
280																																

GEOLOGICAL BRANCH
 ASSESSMENT REPORT

15,857

BETTER RESOURCES LTD.



PROPERTY MT WASHINGTON AREA LAKEVIEW HOLE NUMBER B-86-16
 LOGGED BY B.V. HALL CLAIM _____ TOTAL LENGTH 300ft (91.4m)
 STARTED SEPT 19 1986 COMPLETED SEPT 21 1986 CORE SIZE N9
 SECTION _____ INCLINATION 45°
 LATITUDE 633.486 (M) DEPARTURE -634.718 (M) ELEVATION 1381.22 (M)
 PURPOSE _____
 COMMENTS _____

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>-45°</u>	<u>075°</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B-86-16

Page 1 of 8
 Logged By BYH
 Date 4/10/86

DEPTN	Fm	Rnd Type	Kaol.	Chl.	Bt.	Qtz	Misc	Comments	B	F	Si	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au	Ag	Cu	As	Cu/As	Ag/As	Rec
								casing																				
5		Fs	IS	P		5	V	coarse grained, kaol alteration product of groundwaters obliterates most primary textures. Ilmonitic staining along fractures. -note resembles an intrusive.											28616	5		.025	.48		.06			
10						10	V	50% of qtz veins vuggy, with py associated.				5	V						23992	5		.008	.15		.06			98
15												1	V						23993	5		.104	.17		.38			
20																			23994	5		.001	.08		.10			
25								kaol alteration ends, crackle by texture in sandstone matrix 20% clasts exclusively sandstone. Border zone of Murry Breccia. minor intervals of rock which resemble an intrusive.																				
30		Av						dark gray-green, well broken up, possible fault zone, beginning at 35.0 ft.																				98
35																												
40																												

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project W. Washington
 Hole Number B-86-16

Page 3 of 8
 Logged By BVH
 Date 5/10/86

DEPTN	Fm	Rock Type	Koal.	Chl.	St.	Qtz	Misc	Comments	B	F	Ca	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Red
85	C	AV	2	I	3	5	P						1													
			25	P		3	5	V						tr												
			1	V	3	P																				
			25	P		10	P																			
90					5	P																				
		Ls																								
95			2	I	2	5	I							tr												
			15	P		10	P																			
						2	V						1													
100					2	5	P																			
105		Ar	3	I	3	4	I																			
		Ls																								
110			10	P		2	V																			
						10	P																			
			2	I	7	2	I						1													
115			5	I	1	3	V																			
						5	I																			
120			2	I	4	3	V																			
						3	I																			

Lithic sandstone, fine grained.
 Bt in matrix.
 possible this rock type represents
 a fine grained variant of the
 Murry Bx.

py associated with qtz veins
 hanging wall contact qtz vein
 is 30' to core axis, same as
 qtz-py veins.

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc	Comments	B	F	Zn	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Cu/As	Ag/As	Rec
165	C	Ar				10	P							tr	D													
170					2	P		contact with silicification 11 to core axis.																				
175	Bx	My			5	P	1	tr					tr															
180								minor intervals of breccia, majority of core represent large blocks of andillite. - marginal phase of breccia. - crackle breccia zone. 178.0 to rounded clots of leucocratic diorite, appear to represent small dykes as opposed to clasts.	B																			
185			15	P		2	V	hanging wall contact of alteration at 30' to core axis. ghosts of clasts still visible.					1	V						23998	185	5	.022	TR		.01		
190			30	P		10	P	kaol alteration displays concentric banding about sulphide veins. py veins represented by fine grained py, which in part are enveloped by coarse py. ghosts of clasts visible.					5	V						23999	190	5	.009	TR		TR		
195			15	P									2	V						24000	195	5	TR	TR		TR		
200			25	P																	200							

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857

Aw
Ag

Project Mt. Washington
 Hole Number 86-B-16

Page 6 of 8
 Logged By BVH
 Date 5/10/86

DEPTH	Fm	Rock Type	Kool.	Chl.	Bt.	Qtz	Misc	Comments	B	F	K	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	W/As	Ar/As	Rec																																																																							
																													1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
205	Bx	My	25 P			10 P 4 V		foot wall contact of alteration 45° to core axis.				X	4 V 1 V						28617	200 204.2	42	.063	.19		.06																																																																										
210			3 I	1 + 4 P	2 I	1 V		hanging wall contact of alteration 45° to core axis.					tr + tr +																																																																																						
215			10 P		10 P								tr + tr +																																																																																						
220			3 V	2 + 4 P	2 V								3 D 1 V																																																																																						
225			10 P		4 P	1 V							1 + 2 D																																																																																						
230			2 V		4 P	1 V							1 +																																																																																						
235			5 P		20 P																																																																																														
			3 V	2 + 4 P	5 I	2 V							tr c																																																																																						
			10 V		10 P																																																																																														
			3 I		4 P	1 V							1 V																																																																																						
			5 P		2 P	2 V																																																																																													
			15 P		8 P	10 P																																																																																													
					2 V																																																																																														
					10 P																																																																																														

Project Mt. Washington
 Hole Number B-86-16

Page Z of 8
 Logged By BVH
 Date 5/10/86

DEPTH	Fract	Rock Type	Kaol.	Chl.	Bt.	Qtz	Misc	Comments	B	F	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Cu/As	Pb/As	Rec					
245	Bx	My	10 P			40 V		dominately fine grained py with po.				45 V		5 Y			R tr +	2868	240	15	.072	.87		.63								
			15 P			4 V			5 S																							
						20 P																										
									1 V						1 C																	
250					2 P																											
255			25 P			20 P																										
								3 V																								
260			5 I		3 P	3 V																										
								5 I																								
265			20 P			15 P																										
								3 V																								
270			5 P			30 V																										
								15 P																								
275			20 P			3 V																										
280			15 P			15 P																										
								10 S																								
280			10 P			20 S																										
								15 P																								
280						5 V																										

100

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

Project Mt. Washington

Hole Number B-86-16

Page 2

Logged By BVH


Date 6/10/86

DEPTH	Fm	Kool	Chl.	St.	Qtz	Misc	Comments	B	F	K	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au	Ag	Cu	As	Ag	Ag	Ag	Ag	Ag							
																														02/ton	02/ton	%	%	Ag	Ag	Ag
285	By	Hy	10		15	P						2	V						2833	280	5	.009	.03		.22											
285			3	P	1	P																														
290							Slickensides indicate oblique slip movement.																													
295																																				
300			17	P		10														2833	2975	25	TR	.03		.05										
300							End of Hole.																													

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857

BETTER RESOURCES LTD.



PROPERTY MT WASHINGTON AREA LAKEVIEW HOLE NUMBER B-86-17
 LOGGED BY B.V. HALL CLAIM _____ TOTAL LENGTH 87' 26.5(Metres)
 STARTED SEPT 21 1986 COMPLETED SEPT 22 1986 CORE SIZE NØ
 SECTION _____ INCLINATION 45°
 LATITUDE 674.499 DEPARTURE -612.258 M ELEVATION 1381.22(M)
 PURPOSE HOLE ABANDONED DUE TO FAULT
 COMMENTS _____

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>45</u>	<u>165</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B-B6-17

Page 1 of 3
 Logged By BYH
 Date 3/10/74

DEPTH	Fm	Rock Type	Kaol.	Chl.	Bt.	Qtz	Misc	Comments	B	F	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au oz/ton	Ag oz/ton	Cu %	As %	Rec
5								casing.																	
10	C	Ar	1 V		4 P	1 V		Limonic staining along fractures Kaol alteration banded				1 V							11.2						20
			15 P			5 P																			
						3 V																			
15						90 V		qtz veins wiggly																	
						3 V																			
						5 P																			
			2 V		4 P	1 V																			
20												tr D													
25																									
30																									
35																									
40																									

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project 17, Washington
 Hole Number B-86-17

Page 2 of 3
 Logged By PMH
 Date 6/10/82

DEPTH	Fm	Rock Type	Kaol.	Chl.	Bt.	Qtz	Misc.	Comments	B	F	K	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au		Cu %	As %	S	P	Rec	
																						oz/ton	oz/ton						
45	C	Ar	2	M	2	P	4	P	1	T																			98
			15	P																									
50																													
55			15	P																									
60																													
65			5	I																									
	Bx	My																											
70																													
75																													
80																													


limonitic staining along fractures.

minor intervals of unaltered silicified Murry Bx,
 contact obscured by alteration.

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

BETTER RESOURCES LTD.



PROPERTY MT WASHINGTON AREA LAKEVIEW HOLE NUMBER B-86-18
 LOGGED BY B.V HALL CLAIM _____ TOTAL LENGTH 241 ft. (73.5m)
 STARTED SEPT 23 1986 COMPLETED SEPT 25 1986 CORE SIZE N9
 SECTION _____ INCLINATION -90°
 LATITUDE 52.0.107 DEPARTURE 600.366 M ELEVATION 1375.44 M
 PURPOSE _____
 COMMENTS _____

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>-90</u>	<u>-</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

DEPTH	Fm	Rock Type	Kool.	Chl.	St.	Qtz	Misc.	Comments	B	F	K ₂ O	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au oz/ton	Ag oz/ton	Cu %	As %					Rec	
								casing																							
5	I	Di						Diorite - fine grained. intruded by Murry Bx, possible contact zone.																							
	Bx	My	2	P		15	P	3.5 - 6.0 Murry breccia, contact zone, silicified, angular clasts of diorite. minor Kool alteration of Feldspars.																							
							3	P																							
10	I	Di						7.5 to 8.5' similar to 3.5 to 6.0 ft, silicified zone.																							
	Bx	My	2	P		15	P	large subangular intrusive clasts in Murry Bx. (~30%) 10% smaller ophanitic clasts,																							
							3	P																							
25	I	Di						Diorite cut by small vertical veins of Murry Breccia. // to core axis. Therefore diorite predates Breccias. Note: Diorite similar to clasts of Murry Bx.																							
	Bx	My																													
30	I	Di																													
	Bx	My						Major Fault zone, core Badly Broken.																							
35																															
	K	Ar	15	P		5	P																								
40																															

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857

28625 39

75

95

DEPTH	Fm	Kao.	Chl.	St.	Qtz	Misc	Comments	B	F	C	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au	Ag	Cu	As	W/As	Pu/Ag	Rec
																					oz/ton	oz/ton	%	%			
45	C	Pr	25	P			Intense limonitic staining from 36.0 to 49.0 ft. concentric banding in Kao alteration, in places // to core axis.											28625	39		L001	L01		.11			
																		29426	44		5 .003	L.01		.11			
50			5	I		2 P 2 I	alteration becoming much less pervasive.												49								
55		St				4 P	Comax fm sediments becoming coarser grained, bedding not visible though.																				
65	Bx	My		1	I		similar to overlying Diorite at top of hole. clasts dominately diorite - distinctive crackle breccia, minor exotic clasts. - interval dominately made up of large blocks > 1" in diameter.																				
70			3	I		5 P																					
75			15	P			limonitic staining, possible fault.												29427	72.2		1 .018	.17		L.01		
				4	P															73.2							

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Ref/As

95

105

Project Mt. Washington

Hole Number B-86-1B

Page 3 of 7

Logged By BYH

Date 16/10/86

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc.	Comments	B	F	Si	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Rec
85	Bx	My						Crackle breccia representing Murry Bx slickensides indicate strike slip movement.																		
95			5	P				Kaol alteration possibly related to faulting.																		
100	C	Ar	10	P																						
105		Fs	3	I				Possible feldspathic sandstone, however it is difficult to tell due to intense alteration.																		
110		Ar			2	V	P	Kaol alteration in concentric banding.				X	1													
115			5	P								X							29428	119		5	2.001	2.01	.06	
120	Bx	My			15	P	V					Y								119						

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

95

DEPTH	Fa	Red Type	Kool.	Chl.	St.	Qtz	Misc	Comments	B	F	Zn	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au	Ag	Cu	As	Ant/As	Am/As	Res
125						15 4		py dominately fine grained.					1 4						29429	119	5	.003	.13		.07			
130						15 2		hydrothermal bx.					2 10						29430	124	5	.015	.11		2.01			
135						15 2		py veins dominately fine grained.					25 4						29431	129	4	.72	1.61		3.00			
140						5 2							1 3							133								
145						10 2							2 3															
150						3		angular clasts of cpy.					tr tr															
155						1 2																						

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Ant/As
 .023
 .136
 447
 95

Project Mt. Washington
 Hole Number B-86-18


Page 7 of 7
 Logged By BVH
 Date 16/10/86

DEPTH	Fm	Rock Type	Karl.	Chl.	St.	Qtz	Misc.	Comments	B	F	C to G	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au	Ag	Cu	As	Rec
																						oz/ton	oz/ton	%	%	
245	Sx	My			S	P		End of Hole.																		
250																										
255																										
260																										
265																										
270																										
275																										
280																										

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

BETTER RESOURCES LTD.



PROPERTY MT. WASHINGTON AREA LAKEVIEW HOLE NUMBER B-86-19
 LOGGED BY B.V. HALL CLAIM _____ TOTAL LENGTH 354 ft (107.9m)
 STARTED SEPT 25 1986 COMPLETED SEPT 29, 1986 CORE SIZE NQ
 SECTION _____ INCLINATION 45°
 LATITUDE 522.118 M DEPARTURE 600.366 M ELEVATION 1375.48M
 PURPOSE _____
 COMMENTS _____

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>-45</u>	<u>354°Az</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

Project 114, Washington
 Hole Number B-86-19

Page 1 of 9
 Logged By BVH
 Date 27/9/85

DEPTH	Fm	Rock Type	Kool.	Chl.	St.	Qtz	Misc	Comments	B	F	K	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Rec	
								casing.																			
5		Hf			10 P 5		I S Z I	Hornfels, protolith? possibly an argillite. due to Bt content, no sedimentary features preserved. dk purple in colour, very hard. - 3" tall core cut by 1 excretic diorite (3%) in veins 3-5" wide, contact sharp, minor bx zones associated with intrusive, clasts rounded up to 1" in diameter, bx zones altered to quartz and sericite. - 901 B & T core badly broken up. - note intrusive later than host rock - intrusive crosscutting core at 30° to core axis																			90
10					15 P																					95	
15					2 C																						
20								beginning at 16' rounded clots of alteration or possibly clasts (upto 2%) are present, which increase in frequency toward foot wall. - if clasts then they are altered intrusive, which have alteration selvage - 25 to 27' curious pinkish-white clots, concentrically zoned. 1/16" hosted in a silicified brecciated zone.																			
25					5 P																					98	
					2 C																						
30																											
35																											
40					10 P			core badly broken and faulted from 38' to 54 feet major fault zone	B																	90	

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B-86-19

Page 2 of 9
 Logged By KVH
 Date 7/9/66

DEPTH	Fm	Kaol.	Chl.	St.	Qtz	Misc	Comments	B	F	Vt	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au	Ag	Cu	As	Cu/As	Ag/As	Rec		
																					oz/ton	oz/ton	%	%					
45	Hf				2 c		limonite staining along fractures, core also bleached due to groundwater, clay altered.	X																				90	
50					20 p		qtz brecciated, therefore pre faulting.	X										29432	49	6	.034	TR	.11				90		
55	C Ar						med green, not as hornfelsed as previous section, xcut by veins of clay alteration, still fractured, limonite staining.	X																					
60	St 10 I						coarser grained than previous section - dk gray, - patchy zones of alteration. - possibly clay alteration resulting from groundwater.	X																					
65	Br My 5 I				15 p		possible intrusive at hanging wall brecciated with clasts of diorite, quartzite and siltstone, clasts subrounded, matrix purple - clasts dominately leucocratic intrusive	X																					
	C Ar				5 p																								
	Br My				10 p																								
70								X																					
75					5 p	5 p																							
					10 p	2 I																							
80		10 p			15 p			X																					

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

100

Project Mt. Washington

Hole Number B-86-19

DEPTH	Fm	Rock Type	Kao.	Chl.	Bt.	Qtz	Misc.	Comments	B	F	K	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au oz/ton	Ag oz/ton	Cu %	As %	Rec
125	Bx	My	4 I		5 P	8 I		surrounding the qtz veins as pervasive silicification (1-3") generally at 30-40° to conc axis						tr v		tr v										
			1 I		7 P	2 I		cpy disseminated, concentrated in leucocratic diorite clasts																		
135			25 P			25 P		intensely altered zone.					1 +													
						50							40													
			3 P			25 P																				
140			1 V		7 P	2 V		po and cpy disseminated but concentrated leucocratic diorite clasts																		
145					2 P	5 P		qtz-py vein																		
					5 P																					
150			5 P			15 P	1 P																			
					5 P																					
155			7 P		1 P	10 P																				
160					7 P																					

GEOLOGICAL BRANCH ASSESSMENT REPORT

15,857

Project Mt. Washington.

Hole Number B-86-19

Page 6 of 9

Logged By BYH

Date 30/9/86.

DEPTH	Fm	Rock Type	Kaol.	CHI.	St.	Qtz	Misc.	Comments	B	F	Si	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au	Ag	Cu	As	Aw/As	Am/As	Rec
205	Br	My	10	P		20	P												29436	200.5	1.5							
210			5	P	I	C													29437	210 211.4	1.4	.012	.05		L.01			
215						7	P	3	I																			
220		S	P			1	I	10	P				3	V	tr	V			29438	217.2 221.5	4.3	L.001	.01		L.01		100	
225																			29439	225.7	4.2	.003	.01		L.01		3	
230			10	P															29440	230.4	4.7	L.001	L.01		L.01			
235																			R1	29441	235.1	4.7	L.001	.01		L.01		
			20	P									15	V						29442	237.2	21	.089	.29		3.22		289
													7	V						R1	29443			.031	.01		1.28	3.1
240			15	P									2	V							240.2							

Slickensides indicate strike-slip movement.

minor 6" intervals of unaltered bx. 1% late ball qtz veins. pyrite dominately fine grained.

interval from 234 to 240 ft. intensely silicified and brecciated post silicification, silicification also very vuggy, probably the centre for the mineralization with the alteration enveloping it.

Aw/As

24

3

289

3.1

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

GEOLOGICAL BRANCH
ASSESSMENT REPORT

15,857

Project Mt. Washington
 Hole Number 86-B-19

Page 8 of 9
 Logged By BYH
 Date 1/10/86

DEPTH	Fm	Rock Type	Kool.	Chl.	St.	Qtz	Misc	Comments	B	F	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au oz/ton	Ag oz/ton	Cu %	As %	Cw/As	Aw/As	Rec		
																												1	2
285	Bx	My	15	p		5 15 25 10	V P V	tan coloured vuggy qtz. py veins contain both fine and coarse grained py.				3 6	V V						28669	280.4	36	.005	.05		.03				
290			10	p	2	10	P				1	D						28670	284	38	.002	.01		1.01					
295			20	p		20	P				5	V						28671	287.8	38	.004	.01		.16					
300						20	V P	vuggy tan coloured qtz.										28672	291.6	26	.004	.08		.45					
305					7	P		footwall contact of alteration gradational over 8" to 40" to core axis. breccia clasts dominately leucocratic diorite, minor mafic volcanic.											294.2										
310																													
315			10	p		15	P				1	G																	
320			5	P		7 20	P P				1	G																	

Aw/Ag
 0.1
 0.2
 0.4
 0.05

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B-86-19

Page 2 of 9
 Logged By BYH
 Date 1/10/86

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc	Comments	B	F	K ₂ O	V	Py	Po	Asp	Cpy	Cov	Miss.	Sample Number	Depth	Int	Au	Ag	Cu	As	wt. AS	Dry AS	Rec
																						oz/ton	oz/ton	%	%			
325	Bx	My	5	P		20	P														324.8							
					7	P																						
			10	P		15	P	3	P				1	V	1	V					286.73	58	.004	.01	.03			
						3	V																					
330						30	P						4	V	tr	V												
						Es	1/2																					
					7	P																						
335					5	P																						
								within Diorite clasts mafic minerals altered to chl.																				
340																												
345																												
350																												
355								End of Hole.																				
360																												

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Aw
Ag

64

100

BETTER RESOURCES LTD.



PROPERTY MT WASHINGTON AREA LAKEVIEW HOLE NUMBER B-86-20
 LOGGED BY B.V. HALL CLAIM _____ TOTAL LENGTH 43 FT. (13.1 M)
 STARTED SEPT 30, 1986 COMPLETED OCT 1, 1986 CORE SIZE NG
 SECTION _____ INCLINATION -90°
 LATITUDE 759.523 M DEPARTURE -816.726 M ELEVATION 1331.81
 PURPOSE _____
 COMMENTS _____

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>-90</u>	<u>-</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc	Comments	B	F	4 to 8	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Gr/As	As	Rec	
								Casing																					
5	C	Fs	10	P				coarse grained, limonitic staining along fractures. Kaol alteration probably due to groundwater											29411	6		.001	TR		.07			66	
10		Rr	5	I				med gray in colour, patchy kaol alteration at hanging wall contact.											28455	11.4	24	TR	.40		TR		90		
15		Fs	15	P				qtz veins vuggy, angular clasts of argillite. contact sharp between argillite and underlying altered feldspathic sandstone.				10c							28456	14	2.4	.036	1.55		2.03		95		
20		St	20	P				note: it is possible the protolith for this altered unit is an argillite as clasts of argillite are present.				5 v							28457	18	4	.479	.27		.24		1.77		
25								void lenses of feldspathic sandstone				10 v							28458	22	4	.024	.58		.28		95		
30																			28459	26	4	.006	.11		.03		80		
35								below fault at 32' the sediments become hornfelsed, bt developing, feldspathic matrix beginning to have the appearance of an intrusive.																					
40								rock very hard due to hornfelsing. Bt bonding at 30° to core axis.																				98	

GEOLOGICAL BRANCH
 ASSESSMENT REPORT

15,857

Am/Ag

023

1.77

041

054

Project Mt. Washington
 Hole Number B-86-20

Page 2 of 2
 Logged By BYH
 Date 4/10/86

DEPTH	Fm	Rock Type	Kool.	Chl.	St.	Qtz	Misc.	Comments	B	F	Zn	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int.	Au	Ag	Cu	As	Rec
																						oz/ton	oz/ton	%	%	
	C	FS		1	3			chl veinlets at 30° to core axis. Same orientation as St rich bands.																		98
								End of Hole.																		100
45																										
50																										
55																										
60																										
65																										
70																										
75																										
80																										

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

BETTER RESOURCES LTD.



PROPERTY	<u>MT WASHINGTON</u>	AREA	<u>LAKEVIEW</u>	HOLE NUMBER	<u>B-86-21</u>
LOGGED BY	<u>B.V. HALL</u>	CLAIM		TOTAL LENGTH	<u>96 ft (29.3)</u>
STARTED	<u>OCT 1, 1986</u>	COMPLETED	<u>OCT 2, 1986</u>	CORE SIZE	<u>NQ</u>
SECTION				INCLINATION	<u>90°</u>
LATITUDE	<u>788.424 (M)</u>	DEPARTURE	<u>- 797.841</u>	ELEVATION	<u>1340.28</u>
PURPOSE	_____				
COMMENTS	_____				

DEPTH Ft	DIP	BEARING	METHOD	TO Ft.	FROM Ft.	LENGTH Ft.	AU Oz/Ton	AG Oz/Ton	CU %	AS %
<u>0</u>	<u>-90°</u>	<u>—</u>	<u>BRUNTON</u>	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

15,857

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc	Comments	B	F	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Conf. IAs	Anal. IAs	Rec		
5	I	Di						fine grained. Hb-bearing diorite, varies from fine → med grained, 3.0 to 6.0 ft med grained. 6.0 to 11.0 ft. fine grained to aphanitic from 8.0 to 11.0 ft rocks appears to be silicified with irregular green clots.																					
10						5	P	11.0 to 14.0 matrix coarse grained, and leucocratic, irregular concentration of large Hb phenocrysts. 13.5 to 14.5 ft diorite med → fine grained, melanocratic.																					
15	C	Am	5	P				pronounced banded texture at contact. bleached appearance, probably kaol alteration.	B									29412	15	39	.003	.03		.01					
20								dk gray-green unaltered argillite with 20% siltstone bands											18.9										
25			5	P								7	0					28674	23.5	47	.007	.05		.03					
30			10	P		5	V	minor waxy qtz veins py dominantly coarse grained. 31.0 to 35.5 limonitic staining related to fault zone.				3						28675	28.2	37	.009	.05		.11					
35																		28451	31.9	41	TR	TR		TR					
40	Fs							minor argillite bands											36										

GEOLOGICAL BRANCH
 ASSESSMENT REPORT

15,857

AW
 Hg

98
 98
 0.1
 98
 14
 0.6
 100

Project Mt. Washington
 Hole Number B-86-21

Page 2 of 3
 Logged By FTH
 Date 3/12/86

DEPTH	Fm	Rock Type	Kaol.	Chl.	St.	Qtz	Misc	Comments	B	F	Al	V	Py	Pe	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Rec
45	C	Fs			1 p			at 430 biotite is developing in argillite bands, rock becoming increasingly hornfelsed. matrix beginning to take on the appearance of an intrusive. minor patches of biotite.																		100
55		Av						argillite unaltered, not metamorphosed. no apparent fault contact. banded texture.																		98
60		Fs						similar to previous interval of Feldspathic sandstone. intrusive texture beginning to develop.																		95
65		Av						faintly bleached appearance.																		100
75	I	Di				46 V 5 P		contact zone, sediments hornfelsed, taking on the appearance of an intrusive, silicified.																		100

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

15,857

Project Mt. Washington
 Hole Number B-86-21

Page 3 of 3
 Logged By BVH
 Date 3/10/86

DEPTH	Fm	Rock Type	Kaol.	Chl.	Bt.	Qtz	Misc	Comments	B	F	Qtz	V	Py	Po	Asp	Cpy	Cov	Misc.	Sample Number	Depth	Int	Au oz/ton	Ag oz/ton	Cu %	As %	Rec
85	I	Di						fine grained contact zone.																		
		Dp		trv		2	I	phenocrysts of plagioclase present irregular intervals of silicification. associated with chl veinlets. 5% hb phenocrysts present also. from 86.0 ft intrusive becoming distinctly darker, minor veinlets of qtz alteration.																		
90																										
95																										
100																										
105																										
110																										
115																										

GEOLOGICAL BRANCH
 ASSESSMENT REPORT

15,857