

87-263 -



16059

VOLUME II
OF
REPORT ON PHASES I AND II
GEOLOGY AND GEOCHEMISTRY
HOLT PROPERTY (HOLT 1 TO 15)

NTS 92 B/12 and 92 B/13
48°43'N LATITUDE 123°51'W LONGITUDE
VICTORIA MINING DIVISION

FOR
NEXUS RESOURCE CORPORATION
GOLDENROD RESOURCES & TECHNOLOGY INC.

MAY 15, 1987

DALE A. SKETCHLEY, M.Sc
MIKE H. GUNNING, B.Sc

FILMED

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,059

PART 2 OF 4

Appendix V

CERTIFICATES OF ANALYSES

and

ASSAY

WHOLE ROCK ANALYSES

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE ST.
 VANCOUVER, B.C.


CERTIFICATE#: 86551.A
 INVOICE#: 7047
 DATE ENTERED: 86-10-20
 FILE NAME: MPH86551.A
 PAGE # : 1 A

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

PRE FIX	SAMPLE NAME	% SiO2	% AlO3	% MgO	% Fe2O3	% CaO	% K2O	% Na2O	% TiO2	% MnO
A	4710	62.0	17.2	2.0	5.0	4.7	2.8	3.8	0.5	0.2
A	4711	58.0	17.7	3.0	6.7	4.1	1.5	3.8	0.7	0.2
A	4712	65.5	17.2	1.4	3.8	3.2	2.1	4.6	0.4	0.1
A	4713	50.5	14.0	13.4	5.6	10.2	2.6	0.9	0.1	0.2
A	4714	46.0	18.6	12.1	4.8	13.9	0.7	0.9	0.1	0.2
A	4715	45.0	15.1	5.2	10.4	8.1	0.2	4.2	1.2	0.2
A	4716	46.5	14.4	6.2	11.8	9.1	0.1	4.0	1.4	0.2
A	4717	50.5	14.1	5.4	10.2	10.5	0.1	4.0	1.4	0.2
A	4718	50.5	16.8	5.5	9.2	10.9	2.4	2.2	0.9	0.2
A	4719	49.0	17.7	5.8	9.0	7.5	0.9	2.0	0.8	0.2
A	4720	48.0	17.4	6.0	10.7	7.6	0.2	3.6	0.7	0.2
A	4721	50.5	14.9	6.4	10.7	7.3	0.3	3.8	1.0	0.2
A	4722	51.5	19.0	5.3	8.6	4.4	3.1	4.0	0.7	0.2
A	4723	48.0	15.7	6.0	11.2	9.4	0.3	3.7	1.7	0.2
A	4724	50.0	15.3	10.2	9.7	7.5	0.6	2.8	0.7	0.2
A	4725	52.0	18.6	4.6	9.5	7.2	0.2	3.6	0.7	0.2
A	4726	48.5	17.5	5.7	9.1	7.5	0.3	4.9	0.8	0.2
A	4727	50.5	11.1	13.5	8.4	9.0	0.7	2.2	0.8	0.2
A	4728	48.0	16.1	7.5	9.1	8.6	0.8	3.3	1.1	0.2
A	4729	48.5	16.7	10.0	9.3	9.7	0.1	2.5	0.8	0.2

RECEIVED OCT 21 1986

CERTIFIED BY :



Au and 30 ELEMENT ANALYSES

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.

CERTIFICATE#: 86053
INVOICE#: 6270
DATE ENTERED: MAR. 17, 1986
FILE NAME: MPH86053
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

PRE FI	SAMPLE NAME	PPB Au
T	9301	10
T	9302	10
T	9303	20
T	9304	10
T	9305	10
T	9306	10
L	9307	10
L	9308	10
L	9309	10
L	9310	10
L	9311	10
L	9312	10
L	9313	10
L	9314	10
L	9315	10
L	9316	10
L	9317	10
L	9318	10
L	9319	10
L	9320	10
L	9321	10
L	9322	10
L	9323	10
L	9324	10
L	9325	10
L	9326	10
L	9327	10
L	9328	10
L	9329	10
L	9330	10

CERTIFIED BY :

J. Rossbach



Chemex Labs Ltd.

Analytical Chemists Geochemists Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3H1

CERT. # : A8611334-001-A
INVOICE # : I8611334
DATE : 19-MAR-86
P.O. # : NONE
V226

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Tl, Ti, W and V can only be considered as semi-quantitative.

COMMENTS :

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Hg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn
	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	Z	ppm	Z	ppm	Z	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm
9301	0.61	0.4	40	20	<0.5	2	29.78	<0.5	5	<1	17	1.23	50	0.05	<10	0.27	265	2	<0.01	10	330	34	10	207	<0.01	<10	<10	18	<10	30
9302	1.23	1.6	100	50	<0.5	<2	0.34	6.0	6	173	64	7.34	<10	<0.01	10	0.58	164	6	<0.01	48	1860	36	<10	8	<0.01	<10	<10	201	<10	190
9303	1.06	9.2	20	20	<0.5	<3	6.84	2.0	35	53	196	4.77	20	0.59	<10	1.86	939	<1	<0.01	22	450	6	30	67	<0.01	<10	<10	78	<10	70
9304	1.28	0.2	10	20	<0.5	<2	0.04	<0.5	6	201	25	3.32	<10	0.07	<10	0.68	422	1	<0.01	13	70	10	<10	1	<0.01	<10	<10	32	<10	60
9305	0.95	0.2	10	1630	<0.5	<2	3.17	<0.5	12	34	33	3.44	10	0.38	10	0.93	931	<1	0.02	5	1160	12	<10	160	<0.01	<10	<10	40	<10	100
9306	1.24	0.2	20	10	<0.5	<2	0.21	<0.5	9	234	113	5.69	<10	<0.01	<10	0.42	332	14	<0.01	26	1030	14	<10	3	<0.01	<10	<10	86	<10	30
9307	3.42	0.2	10	120	<0.5	<2	0.73	<0.5	27	91	97	5.37	<10	0.12	10	2.04	998	<1	0.02	34	460	2	<10	44	0.18	<10	<10	142	<10	80
9308	4.14	0.2	10	80	<0.5	<2	1.30	<0.5	36	113	130	7.61	<10	0.07	10	2.14	1371	<1	0.03	57	360	<2	10	13	0.61	<10	<10	227	<10	100
9309	2.61	0.2	10	90	<0.5	<2	1.10	<0.5	19	123	45	3.78	<10	0.10	10	1.60	615	<1	0.05	39	470	2	<10	85	0.27	<10	<10	105	<10	60
9310	2.66	0.2	10	100	<0.5	<2	0.97	<0.5	16	121	42	3.26	<10	0.12	10	0.96	589	<1	0.02	30	280	4	<10	79	0.23	<10	<10	95	<10	60
9311	4.55	0.2	10	80	<0.5	<2	1.11	<0.5	39	124	162	7.43	<10	0.03	10	3.04	1264	<1	0.02	66	290	<2	10	20	0.51	<10	<10	229	<10	100
9312	2.21	0.2	10	80	<0.5	<2	0.78	<0.5	12	91	17	3.13	<10	0.09	10	0.77	943	<1	0.05	13	220	4	<10	80	0.18	<10	<10	75	<10	50
9313	2.98	0.2	10	70	<0.5	<3	0.63	<0.5	30	107	34	6.42	<10	0.05	10	1.84	2230	<1	0.03	40	510	<2	<10	27	0.26	<10	<10	165	<10	70
9314	2.91	0.2	10	90	<0.5	<2	0.85	<0.5	21	121	43	4.11	<10	0.07	10	1.67	714	<1	0.03	38	370	<2	<10	52	0.24	<10	<10	117	<10	60
9315	2.49	0.2	10	40	<0.5	<2	1.49	<0.5	15	129	55	2.63	<10	0.09	20	1.52	620	<1	0.05	23	1120	2	<10	63	0.22	<10	<10	104	<10	60
9316	2.26	0.2	10	80	<0.5	<2	0.87	<0.5	18	138	49	3.52	<10	0.09	10	1.34	561	<1	0.04	34	590	<2	<10	57	0.22	<10	<10	99	<10	50
9317	2.70	0.2	10	30	<0.5	<2	1.37	<0.5	19	117	59	4.27	<10	0.11	10	1.73	750	<1	0.08	20	1210	2	<10	56	0.31	<10	<10	133	<10	60
9318	2.82	0.2	10	60	<0.5	<2	0.87	<0.5	14	100	29	3.82	<10	0.09	20	0.99	467	<1	0.06	21	570	<2	<10	107	0.30	<10	<10	101	<10	50
9319	2.15	0.2	10	100	<0.5	<2	0.81	<0.5	14	138	26	3.35	<10	0.13	10	0.74	587	<1	0.05	28	400	<2	<10	66	0.23	<10	<10	87	<10	50
9320	2.67	0.2	<10	90	<0.5	<2	1.11	<0.5	19	108	51	4.41	<10	0.17	10	1.70	671	<1	0.06	31	830	<2	<10	67	0.26	<10	<10	128	<10	60
9321	3.17	0.2	10	140	<0.5	<2	1.36	<0.5	19	125	49	4.62	10	0.24	10	1.67	662	<1	0.07	49	910	<2	<10	83	0.29	<10	<10	123	<10	80
9322	2.50	0.2	10	110	<0.5	<2	0.98	<0.5	14	124	42	3.47	<10	0.09	10	0.84	541	<1	0.04	23	430	14	<10	52	0.26	<10	<10	97	<10	60
9323	2.19	0.2	10	90	<0.5	<2	0.89	<0.5	15	102	26	3.51	10	0.12	10	1.11	571	<1	0.05	29	530	<2	<10	65	0.22	<10	<10	91	<10	50
9324	3.23	0.2	10	150	<0.5	<2	0.97	<0.5	25	139	59	5.45	10	0.13	10	2.02	796	<1	0.04	56	730	<2	10	50	0.27	<10	<10	149	<10	90
9325	3.85	0.2	10	90	<0.5	<2	0.99	<0.5	35	98	51	5.86	<10	0.12	10	2.22	1388	<1	0.03	43	670	<2	<10	39	0.33	<10	<10	176	<10	100
9326	2.95	0.2	10	120	<0.5	<2	0.72	<0.5	17	98	27	4.38	<10	0.17	10	1.06	869	<1	0.04	39	650	<2	<10	55	0.22	<10	<10	102	<10	70
9327	2.35	0.2	10	90	<0.5	<2	1.06	<0.5	15	113	22	3.71	10	0.15	10	1.31	647	<1	0.06	23	680	4	<10	71	0.23	<10	<10	97	<10	60
9328	3.31	0.2	10	110	<0.5	<2	0.86	<0.5	25	99	53	5.51	10	0.18	10	1.80	995	<1	0.02	43	440	<2	<10	46	0.24	<10	<10	140	<10	70
9329	3.57	0.2	10	130	<0.5	<2	1.00	<0.5	24	116	46	4.09	10	0.05	20	1.47	1560	<1	0.02	25	620	<2	<10	43	0.21	<10	<10	123	<10	80
9330	3.50	0.2	20	120	<0.5	<2	1.30	<0.5	25	152	63	5.10	10	0.23	10	2.02	936	<1	0.04	50	1260	4	<10	116	0.22	<10	<10	136	<10	80

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists Geochemists Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J2C1
Telephone: (604) 984-0221
Telex: 043-52597

Semi quantitative multi element ICP analysis

CERTIFICATE OF ANALYSIS

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Tl, Ti, W and V can only be considered as semi-quantitative.

COMMENTS :

TO : ROSSBACHER LABORATORY LIMITED

3225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8611544-001-A
INVOICE # : 18611544
DATE : 31-MAR-86
P.O. # : NONE
V226

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Hg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn
	g	ppm	ppm	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	g	ppm	g	ppm	g	ppm	ppm	g	ppm	ppm	ppm	ppm	g	ppm	ppm	ppm	ppm	ppm	ppm
TUBE 4 9301	0.51	1.6	260	<10	<0.5	<2	0.01	<0.5	20	129	30	3.69	<10	<0.01	<10	0.22	85	1	<0.01	15	130	52	<10	1	<0.01	<10	<10	35	<10	130

RECEIVED APR 11 1986

Certified by Hart Bichler

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.

CERTIFICATE#: 86079
INVOICE#: 6298
DATE ENTERED: 86-04-02
FILE NAME: MPH86079
PAGE # : 1

PROJECT: V226 *Point*
TYPE OF ANALYSIS: GEOCHEMICAL

PRE FIX	SAMPLE NAME	PPB Au
T	9301	20

RECEIVED APR 4 1986

CERTIFIED BY :

[Handwritten Signature]

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86534
 INVOICE#: 7003
 DATE ENTERED: 86-10-08
 FILE NAME: MPH86534
 PAGE # : 1

PRE FI	SAMPLE NAME	PFB Au
A	732	5
F	733	5
A	734	5
A	735	5
L	736	5
L	737	5
L	738	10
A	3451	30
F	3452	5
B	3453	5
A	3454	5
A	3455	5
S	3456	20
L	3457	5
L	3458	5
L	3459	5
A	3460	5
A	3461	5
L	3462	5
L	3463	20
A	3464	5
L	3466	5

RECEIVED OCT 15 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

CLIENT : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: 226
 TYPE OF ANALYSIS: GEOCHEMICAL




CERTIFICATE#: 86551
 INVOICE#: 7037
 DATE ENTERED: 86-10-15
 FILE NAME: MPH86551
 PAGE # : 1

PRE F)	SAMPLE NAME	PPB Au	
A	1311	5	
A	1312	5	
A	1313	5	
L	1314	5	
L	1315	5	
A	1316	5	
A	1317	5	
A	1318	5	
A	1319	5	
A	739	5	
A	740	5	
A	741	5	
A	742	5	
A	743	5	
A	744	5	
A	745	5	
A	746	5	
A	747	5	
A	748	5	
A	749	5	
A	750	5	
A	3465	5	
A	3466	NO SAMPLE	
A	3467	5	
A	3468	5	
A	3469	5	
A	3470	5	
A	3471	5	
A	3472	5	
A	3473	5	
A	3474	5	
A	3475	170	
A	3476	5	
A	3477	5	
A	3478	5	
A	3479	5	
A	3480	5	
A	3481	5	
A	3482	5	
A	3483	5	

RECEIVED OCT 23⁴ 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86551
 INVOICE#: 7037
 DATE ENTERED: 86-10-15
 FILE NAME: MFH86551
 PAGE # : 2

PRE FILE	SAMPLE NAME	PPB Au
L	3484	5
F	3485	5
F	3486	5
A	3487	5
L	3488	5
L	3489	5
L	3490	5
L	3491	5
F	4701	260
A	4702	5
A	4703	5
F	4704	5
L	4705	5
A	4706	5
F	4707	5
F	4708	5
A	4709	5

CERTIFIED BY :




CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE ST.
 VANCOUVER, B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86551.A
 INVOICE#: 7047
 DATE ENTERED: 86-10-20
 FILE NAME: MPH86551.A
 PAGE # : 1 B

PRE FIX	SAMPLE NAME	% LOI	TOTAL
A	4710	0.6	98.8
A	4711	3.0	98.7
A	4712	1.3	99.6
A	4713	3.5	101.0
A	4714	3.6	100.9
A	4715	9.1	98.7
A	4716	4.6	98.3
A	4717	2.5	98.9
A	4718	1.5	100.1
A	4719	5.2	98.1
A	4720	4.2	98.6
A	4721	4.1	99.2
A	4722	4.4	101.2
A	4723	2.6	98.8
A	4724	3.3	100.3
A	4725	4.4	101.0
A	4726	8.6	101.2
A	4727	3.7	100.1
A	4728	3.1	97.8
A	4729	3.6	101.4

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

CLIENT: MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.


CERTIFICATE#: 86567
 INVOICE#: 7058
 DATE ENTERED: 86-10-21
 FILE NAME: MPH86567
 PAGE # : 1

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

RI IX	SAMPLE NAME	PPB Au
A	3492	5
A	3493	5
A	3494	5
A	3495	5
A	3496	5
A	3497	5
A	3498	5
A	3499	5
A	3500	5
A	4401	5
A	4402	5
A	4403	5
A	4404	5
A	4405	5
A	4406	5
A	4407	5
A	4408	5
A	4409	5
A	4410	5
A	4411	5
A	4412	5
A	4413	5
A	4414	5
A	4415	5
A	4416	5
A	4417	5
A	4418	5
A	4419	5
A	4420	5
A	4421	5
A	4422	5
A	4423	5
A	4424	5
A	4425	5
A	4426	5
A	4427	5
A	4428	5
A	4429	5
A	4430	5
A	4431	5

RECEIVED OCT 23 1986

CERTIFIED BY :



R OSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.


CERTIFICATE#: 86567
 INVOICE#: 7058
 DATE ENTERED: 86-10-21
 FILE NAME: MPH86567
 PAGE # : 2

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

PR FIX	SAMPLE NAME	PPB Au
A	4432	5
A	4433	5
A	4434	5
A	4435	5
A	4436	5
A	4437	5
A	4438	5
A	4439	5
A	4440	5
A	4441	5
A	4442	5
A	4443	5
A	4444	5
A	4445	5
A	4446	5
A	4447	5
A	4448	5
A	4449	5
A	4450	5
A	4451	5
A	4452	5
A	4453	10
A	4454	490
A	4455	5
A	4730	10
A	4731	5
A	4732	260
A	4733	5
A	4734	5
A	4735	5
A	4736	5
A	4737	5
A	4738	5
A	4739	5
A	4740	5
A	4741	5
A	4742	5
A	4743	5
A	4744	5
A	4745	5

RECEIVED OCT 23 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 86567
INVOICE#: 7058
DATE ENTERED: 86-10-21
FILE NAME: MPH86567
PAGE # : 3

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

OR FIX	SAMPLE NAME	PPB Au
A	4746	5
A	4747	5
A	4748	5
A	4749	5
A	4750	5

RECEIVED OCT 23 1986

CERTIFIED BY :



Jan #7089



Chemex Labs Ltd.

212 Brooksbank Ave
North Vancouver, B.C.
Canada V7J2C1

-Analytical Chemists -Geochemists -Registered Assayers

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8619652-001-A
INVOICE # : I8619652
DATE : 23-OCT-86
P.O. # : NONE
V226

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Ti, Tl, W and V can only be considered as semi-quantitative.

COMMENTS :
ATTN: P. ROSSBACHER

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn	
	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	Z	ppm	Z	ppm	Z	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm	
1311	1.14	0.6	10	20	<0.5	<2	0.73	<0.5	14	72	105	2.35	<10	0.07	<10	0.90	348	<1	0.03	19	870	8	<5	47	0.11	<10	<10	59	<5	56	
1312	1.19	0.4	20	10	<0.5	<2	0.29	<0.5	8	88	46	2.90	<10	0.01	<10	0.88	435	8	0.02	19	610	12	<5	3	0.03	<10	<10	95	<5	136	
1313	0.97	0.4	10	30	<0.5	<2	1.54	<0.5	12	35	14	3.15	10	0.08	10	0.73	323	<1	0.02	4	730	8	<5	30	<0.01	<10	<10	27	<5	26	
1316	0.98	0.6	35	60	<0.5	4	16.10	10.0	5	38	30	1.73	30	0.06	<10	0.78	1229	2	<0.01	25	430	210	10	293	<0.01	<10	<10	27	<5	11394	
1317	1.24	0.4	20	70	<0.5	<2	0.19	<0.5	3	31	61	3.05	<10	0.15	<10	0.68	231	3	0.01	18	980	10	<5	6	<0.01	<10	<10	52	<5	72	
1318	1.36	0.2	50	50	<0.5	<2	0.27	<0.5	4	38	45	3.96	<10	0.26	<10	0.74	217	17	0.01	33	1170	14	<5	5	<0.01	<10	<10	162	<5	84	
1319	1.11	0.4	25	250	<0.5	<2	0.12	<0.5	4	35	37	2.45	<10	0.33	<10	0.34	99	3	0.03	21	960	18	<5	31	<0.01	<10	<10	64	<5	48	
739	1.63	0.4	<5	10	<0.5	<2	0.26	<0.5	61	177	72	16.86	10	0.04	<10	1.14	404	2	0.02	26	690	18	<5	39	0.18	<10	<10	182	<5	60	
740	5.29	0.6	15	360	<0.5	<2	3.56	<0.5	7	15	12	1.89	20	0.12	<10	0.71	298	<1	0.01	5	760	8	<5	396	0.05	<10	<10	33	<5	34	
741	0.69	0.4	5	320	<0.5	2	1.88	<0.5	7	19	8	2.45	10	0.20	10	0.59	529	<1	0.03	3	1030	6	<5	93	<0.01	<10	<10	32	<5	40	
742	1.14	0.2	15	<10	<0.5	<2	0.94	<0.5	24	39	78	3.01	<10	<0.01	<10	0.47	189	<1	0.01	19	260	6	<5	85	0.09	<10	<10	52	<5	14	
743	1.94	0.2	10	50	<0.5	<2	0.61	<0.5	24	27	150	4.57	10	0.02	10	1.29	418	<1	0.07	38	490	6	<5	19	0.12	<10	<10	108	<5	62	
744	1.77	0.2	10	<10	<0.5	<2	0.57	<0.5	26	129	84	2.93	<10	<0.01	<10	1.84	330	<1	0.02	91	250	4	<5	17	0.17	<10	<10	73	<5	26	
745	2.90	0.4	20	60	<0.5	<2	0.21	<0.5	14	44	16	6.22	<10	0.06	<10	1.79	660	<1	0.01	24	570	12	<5	6	0.03	<10	<10	76	<5	60	
746	0.84	0.2	30	10	<0.5	<2	0.14	<0.5	7	107	19	2.46	<10	<0.01	<10	0.65	290	3	<0.01	19	580	6	<5	6	0.02	<10	<10	44	<5	24	
747	2.92	0.8	75	50	<0.5	<2	0.11	<0.5	8	81	43	9.10	<10	0.25	<10	1.72	263	1	<0.01	62	960	22	<5	3	<0.01	<10	<10	157	<5	96	
748	2.24	0.2	35	30	<0.5	<2	0.05	<0.5	7	70	41	7.03	<10	0.05	<10	1.28	473	<1	<0.01	26	720	24	<5	1	<0.01	<10	<10	71	<5	96	
749	0.26	0.4	80	10	<0.5	<2	0.02	0.5	4	107	18	5.99	<10	<0.01	<10	0.04	56	<1	<0.01	20	100	18	<5	<1	<0.01	<10	<10	49	<5	1396	
750	1.01	0.2	15	10	<0.5	<2	0.24	<0.5	3	107	26	5.83	<10	<0.01	<10	0.57	298	<1	<0.01	9	910	10	<5	6	0.02	<10	<10	61	<5	26	
3465	1.10	0.4	5	30	<0.5	<2	0.95	<0.5	3	54	15	1.82	10	0.18	10	0.64	241	<1	0.03	6	800	4	<5	35	0.08	<10	<10	40	<5	18	
3466	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss	nss
3467	1.75	0.2	10	40	<0.5	<2	0.09	<0.5	47	188	23	4.05	<10	<0.01	<10	2.74	1703	<1	<0.01	728	90	12	5	3	<0.01	<10	<10	71	<5	20	
3468	1.36	0.2	20	20	<0.5	<2	3.07	<0.5	76	479	29	4.12	<10	<0.01	<10	2.49	1266	<1	0.01	272	110	10	<5	2	<0.01	<10	<10	33	<5	14	
3469	3.99	0.4	15	30	<0.5	<2	0.25	<0.5	54	204	1441	10.75	10	<0.01	<10	3.29	1478	<1	<0.01	113	230	14	5	4	0.08	<10	<10	128	<5	86	
3470	0.51	0.2	35	10	<0.5	<2	6.52	<0.5	21	29	25	4.56	10	0.21	<10	1.27	955	<1	<0.01	25	660	12	5	190	<0.01	<10	<10	59	<5	74	
3471	0.44	0.2	80	70	<0.5	<2	9.15	0.5	17	73	33	3.89	20	0.17	<10	2.45	990	<1	<0.01	37	730	16	10	311	<0.01	<10	<10	66	<5	60	
3472	0.48	0.31	5	<10	<0.5	<2	3.75	0.5	4	107	2027	2.21	10	0.01	<10	0.32	232	<1	<0.01	9	950	4	5	12	<0.01	<10	<10	51	<5	14	
3473	1.85	0.2	10	10	<0.5	<2	5.49	<0.5	13	47	82	2.45	20	0.05	<10	1.25	522	<1	<0.01	15	150	6	5	1	0.06	<10	<10	131	<5	32	
3474	4.26	0.2	120	10	<0.5	<2	2.08	0.5	24	55	97	5.21	10	0.03	<10	3.68	217	<1	0.04	25	200	8	5	4	<0.01	<10	<10	220	<5	74	
3475	0.82	1.04	16	<10	<0.5	2	4.91	<0.5	9	671	9999	3.22	10	0.01	<10	0.59	409	1	<0.01	10	1010	<2	5	9	<0.01	<10	<10	81	<5	36	
3476	0.15	0.2	15	<10	<0.5	2	1.91	<0.5	1	116	96	0.73	<10	0.02	<10	0.08	167	<1	<0.01	3	120	2	<5	<1	<0.01	<10	<10	22	<5	4	
3477	0.72	0.4	30	<10	<0.5	<2	0.16	<0.5	11	121	384	9.67	<10	<0.01	<10	0.56	292	<1	<0.01	30	250	8	<5	4	<0.01	<10	<10	190	<5	26	
3478	1.51	0.2	10	10	<0.5	<2	2.58	0.5	11	65	142	2.85	10	0.04	<10	0.71	399	<1	<0.01	21	170	8	5	124	0.08	<10	<10	100	<5	30	
3479	1.04	0.2	10	10	<0.5	<2	3.19	<0.5	2	70	171	3.40	10	0.05	<10	0.26	290	<1	<0.01	10	220	6	<5	127	0.08	<10	<10	80	<5	12	
3480	0.72	0.2	10	<10	<0.5	2	4.22	0.5	2	70	61	1.95	10	0.02	<10	0.19	277	<1	<0.01	5	170	6	<5	125	0.08	<10	<10	45	<5	4	
3481	1.33	0.2	20	<10	<0.5	<2	8.35	<0.5	14	59	75	1.63	20	<0.01	<10	1.20	618	<1	<0.01	24	200	8	5	31	0.12	<10	<10	57	<5	36	
3482	0.80	0.2	5	<10	<0.5	<2	0.46	<0.5	10	115	14	5.39	<10	<0.01	<10	0.43	257	<1	<0.01	142	410	6	<5	66	<0.01	<10	<10	130	<5	8	
3483	1.46	0.2	30	140	<0.5	<2	0.27	<0.5	11	87	77	3.89	<10	0.14	<10	0.90	307	2	0.01	30	820	12	<5	17	0.07	<10	<10	65	<5	70	
3485	5.60	0.2	5	60	<0.5	<2	2.14	<0.5	24	220	111	6.39	20	0.13	<10	1.25	791	<1	0.24	69	390	12	5	32	<0.01	<10	<10	220	<5	90	
3486	5.12	0.4	16	150	<0.5	<2	0.22	<0.5	46	163	114	9.26	10	0.15	10	1.70	1239	<1	0.07	85	420	10	<5	12	<0.01	<10	<10	241	<5	134	

RECEIVED OCT 27 1986

Certified by *P. Rossbacher*



Chemex Labs Ltd.

-Analytical Chemists -Geochemists -Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : ROSSBACHER LABORATORY LIMITED
2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8619652-002-A
INVOICE # : I8619652
DATE : 23-OCT-86
P.O. # : NONE
V226

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Tl, Ti, W and V can only be considered as semi-quantitative.

COMMENTS :
ATTN: P. ROSSBACHER

Sample description	Al Z	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca Z	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe Z	Ga ppm	K Z	La ppm	Mg Z	Mn ppm	Mo ppm	Na Z	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti Z	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
3487	1.46	0.2	<5	40	<0.5	<2	0.21	<0.5	15	47	36	1.92	<10	0.08	10	1.26	478	<1	0.03	38	600	2	<5	4	<0.01	<10	<10	34	<5	22
4701	3.94	1.0	25	<10	<0.5	<2	1.07	<0.5	62	116	132	11.41	<10	<0.01	10	1.89	390	<1	<0.01	72	4790	44	<5	7	<0.01	<10	<10	218	<5	54
4702	0.53	0.2	15	10	<0.5	<2	0.11	<0.5	6	135	68	1.79	<10	<0.01	<10	0.28	251	<1	<0.01	9	350	6	<5	1	<0.01	<10	<10	48	<5	8
4703	0.42	<0.2	20	30	<0.5	<2	0.02	<0.5	2	149	12	1.86	<10	<0.01	<10	0.27	231	<1	<0.01	5	80	4	<5	3	<0.01	<10	<10	23	<5	8
4704	0.82	0.4	140	50	<0.5	<2	0.10	<0.5	3	74	26	6.57	<10	<0.01	<10	0.23	144	1	<0.01	15	890	14	<5	3	<0.01	<10	<10	94	<5	30
4706	0.17	<0.2	595	<10	<0.5	<2	2.60	<0.5	3	86	10	2.08	<10	<0.01	<10	0.05	310	<1	<0.01	5	100	<2	<5	<1	<0.01	<10	<10	8	<5	6
4707	0.12	0.2	<5	<10	<0.5	<2	1.97	<0.5	1	109	6	2.02	<10	<0.01	<10	0.04	273	<1	<0.01	4	70	4	<5	<1	<0.01	<10	<10	9	<5	4
4708	0.15	0.2	20	20	<0.5	<2	0.06	<0.5	10	84	51	3.05	<10	<0.01	<10	0.03	174	4	<0.01	12	50	10	<5	<1	<0.01	<10	<10	8	<5	4
4709	0.18	0.2	5	40	<0.5	<2	0.21	<0.5	3	97	12	0.34	<10	0.11	<10	0.03	83	<1	<0.01	4	290	<2	<5	<1	<0.01	<10	<10	5	<5	2
1314	1.96	0.2	<5	50	<0.5	<2	0.38	<0.5	12	50	33	3.22	<10	0.08	10	0.46	414	<1	0.01	15	480	2	<5	28	0.12	<10	<10	101	<5	38
1315	2.02	0.2	20	140	<0.5	<2	0.52	<0.5	14	65	32	3.14	<10	0.11	10	0.74	730	<1	0.02	19	750	6	<5	33	0.06	<10	<10	85	<5	50
3484	2.09	0.2	15	70	<0.5	<2	0.40	<0.5	19	85	37	2.94	<10	0.11	<10	1.03	903	<1	0.02	46	610	8	<5	22	0.09	<10	<10	76	<5	56
3488	1.73	0.2	30	70	<0.5	<2	0.37	<0.5	15	110	38	3.07	<10	0.04	10	0.75	405	<1	0.01	32	550	6	<5	24	0.11	<10	<10	89	<5	38
3489	1.29	0.2	10	50	<0.5	<2	0.46	<0.5	15	103	37	3.16	<10	0.07	<10	0.68	369	<1	0.02	20	640	4	<5	27	0.10	<10	<10	93	<5	30
3490	2.50	0.2	265	120	<0.5	<2	0.54	<0.5	19	82	45	3.28	<10	0.11	10	0.99	1040	<1	0.02	38	720	6	<5	25	0.10	<10	<10	87	<5	68
3491	1.60	0.2	10	50	<0.5	<2	0.49	<0.5	15	60	37	2.84	<10	0.11	10	0.67	595	<1	0.02	18	790	2	<5	32	0.11	<10	<10	82	<5	36
4705	3.24	0.2	20	160	<0.5	<2	0.42	<0.5	31	103	43	3.74	<10	0.12	10	1.03	894	<1	0.02	52	900	6	<5	19	0.12	<10	<10	101	<5	66

Hart Bichler

Sp# 7131



Chemex Labs Ltd.

*Analytical Chemists *Geochemists *Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Tl, Ti, W and V can only be considered as semi-quantitative.

COMMENTS :
ATTN: P. ROSSBACHER

TO : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8619459-001-A
INVOICE # : I8619459
DATE : 27-OCT-86
P.O. # : NONE
V 226

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn
	µg/g	ppm	ppm	ppm	ppm	ppm	µg/g	ppm	ppm	ppm	ppm	µg/g	ppm	µg/g	ppm	µg/g	ppm	ppm	µg/g	ppm	ppm	ppm	ppm	µg/g	ppm	ppm	ppm	ppm	ppm	ppm
732	4.09	0.2	10	80	<0.5	<2	2.87	<0.5	29	143	153	5.60	30	0.19	10	2.48	1116	<1	0.30	34	2020	10	<5	110	0.39	<10	<10	209	<5	82
733	1.51	<0.2	10	40	<0.5	<2	1.81	<0.5	17	154	114	2.70	20	0.13	10	0.88	450	3	0.12	37	1300	6	<5	41	0.29	<10	<10	101	<5	44
734	1.47	<0.2	5	100	<0.5	<2	1.39	<0.5	27	159	176	2.54	10	0.22	<10	0.58	309	2	0.04	30	1050	4	<5	74	0.22	<10	<10	86	<5	32
735	4.05	0.2	<5	10	<0.5	<2	2.12	<0.5	58	39	217	7.22	20	<0.01	<10	2.56	775	<1	<0.01	19	340	8	<5	105	0.30	<10	<10	182	<5	34
3451	2.13	0.2	10	40	<0.5	<2	2.94	<0.5	10	92	8	3.14	20	0.10	20	0.70	545	<1	0.08	5	1610	10	<5	26	0.23	<10	<10	88	<5	74
3452	3.58	0.2	<5	20	0.5	<2	5.24	<0.5	11	120	96	2.20	30	0.12	<10	0.44	293	<1	0.10	17	1600	4	<5	124	0.22	<10	<10	131	<5	28
3453	0.56	0.2	<5	40	<0.5	<2	0.88	<0.5	4	182	29	1.30	<10	0.03	<10	0.27	399	1	0.01	7	120	10	<5	4	<0.01	<10	<10	15	<5	24
3454	2.22	<0.2	20	80	<0.5	<2	0.06	<0.5	12	85	50	6.28	<10	0.01	10	0.94	795	<1	<0.01	30	190	4	<5	2	<0.01	<10	<10	55	<5	66
3455	1.62	<0.2	65	90	<0.5	<2	0.21	<0.5	3	172	26	5.76	<10	0.02	10	0.47	186	2	<0.01	14	1330	40	<5	4	<0.01	<10	<10	83	<5	102
3456	5.36	0.2	10	20	<0.5	<2	1.66	<0.5	44	172	68	9.91	70	<0.01	20	6.54	1224	<1	0.03	43	2360	6	<5	3	0.83	<10	<10	274	<5	118
3460	3.02	0.2	5	<10	<0.5	<2	1.74	<0.5	31	128	34	3.84	20	<0.01	<10	2.71	822	<1	0.01	44	260	8	<5	73	0.25	<10	<10	126	<5	52
3461	0.55	<0.2	5	240	<0.5	<2	1.41	<0.5	5	32	7	1.95	<10	0.33	30	0.32	824	<1	0.02	2	820	<2	<5	21	<0.01	<10	<10	10	<5	36
3464	5.36	0.2	<5	60	0.5	<2	5.02	0.5	11	107	113	1.80	30	0.17	<10	0.71	321	<1	0.33	15	1130	2	<5	215	0.17	<10	<10	81	<5	18
736	2.92	<0.2	10	180	<0.5	<2	0.97	<0.5	26	82	87	4.21	10	0.13	10	1.62	886	<1	0.02	37	940	10	<5	60	0.23	<10	<10	123	<5	60
737	4.96	0.2	10	280	<0.5	<2	0.70	<0.5	36	192	165	6.89	10	0.27	20	2.43	1081	1	0.02	79	1010	18	<5	46	0.20	<10	<10	197	<5	152
739	3.46	0.2	10	270	<0.5	<2	0.60	<0.5	19	51	47	4.63	<10	0.10	10	1.10	936	<1	0.01	20	660	12	<5	34	0.11	<10	<10	125	<5	112
3457	3.94	<0.2	<5	240	1.0	<2	1.53	0.5	19	29	23	2.24	10	0.10	50	0.61	2292	1	0.02	20	1450	30	<5	122	0.18	<10	<10	73	<5	106
3458	1.77	<0.2	<5	120	0.5	<2	1.82	0.5	20	25	29	1.50	10	0.22	30	0.31	5943	1	0.02	12	1480	32	<5	89	0.05	<10	<10	38	<5	154
3459	3.38	<0.2	10	110	1.0	<2	0.67	<0.5	29	39	32	3.72	10	0.05	20	0.62	2003	2	0.02	22	750	10	<5	62	0.21	<10	<10	102	<5	66
3462	6.58	0.2	10	280	0.5	<2	0.81	0.5	30	64	75	5.96	20	0.09	30	0.96	2101	<1	0.02	51	2140	8	<5	60	0.20	<10	<10	136	<5	102
3463	3.15	0.2	5	140	<0.5	<2	0.96	0.5	15	28	30	2.46	10	0.25	20	0.54	1417	<1	0.01	18	780	12	<5	56	0.16	<10	<10	96	<5	76
3466	3.09	<0.2	40	150	<0.5	<2	0.91	<0.5	32	68	73	4.95	<10	0.06	20	1.09	2946	1	0.02	32	1050	22	<5	49	0.17	<10	<10	126	<5	94

RECEIVED NOV 6 1986

[Handwritten signature]

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

T : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86723
 INVOICE#: 7330
 DATE ENTERED: 86-10-28
 FILE NAME: MPH86723
 PAGE # : 1

PRE F X	SAMPLE NAME	PPB Au
S	L 40N 100E	5
	075E	5
	050E	5
S	025E	5
	000BL	5
	025W	5
S	050W	5
S	075W	5
	100W	5
	125W	5
S	150W	5
	175W	5
	200W	5
S	225W	5
	250W	5
	275W	5
S	300W	5
S	325W	5
	350W	5
	375W	5
S	400W	5
	425W	5
	450W	5
S	475W	5
	L 40N 500W	5
	L 41N 100E	5
S	075E	5
S	050E	5
	025E	5
	000BL	5
S	025W	5
	050W	5
	075W	5
S	100W	5
	125W	5
	150W	5
S	175W	5
S	200W	5
	225W	5
L	L 41N 250W	5

CERTIFIED BY : _____

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86723
 INVOICE#: 7330
 DATE ENTERED: 86-10-28
 FILE NAME: MFH86723
 PAGE # : 2

PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

PPB F X	SAMPLE NAME	PPB Au
S	L 41N 275W	50
	300W	5
	325W	5
S	350W	5
	375W	5
	400W	5
S	425W	5
S	450W	10
	475W	5
S	L 41N 500W	5
S	L 42N 100E	5
	075E	5
S	050E	5
	025E	5
	000BL	5
	025W	5
S	050W	5
S	075W	5
	100W	5
S	125W	5
	150W	5
	175W	5
	200W	5
S	225W	5
	250W	30
	275W	5
S	300W	5
	325W	5
	350W	5
S	375W	5
	400W	5
	425W	5
	450W	5
S	475W	5
	L 42N 500W	5
	L 43N 100E	5
S	075E	5
S	050E	5
S	025E	5
S	L 43N 000BL	5

CERTIFIED BY : _____

POSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86723
 INVOICE#: 7330
 DATE ENTERED: 86-10-28
 FILE NAME: MPH86723
 PAGE # : 3

PRE FX	SAMPLE NAME	PPB Au
S	L 43N 025W	5
S	050W	5
S	075W	5
S	100W	5
S	125W	5
S	150W	5
S	175W	5
S	200W	5
S	225W	5
S	250W	5
S	275W	5
S	300W	5
S	325W	5
S	350W	5
S	375W	5
S	400W	5
S	425W	5
S	450W	5
S	475W	5
S	L 43N 500W	10
S	L 44N 100E	5
S	075E	5
S	050E	5
S	025E	5
S	000BL	5
S	025W	5
S	050W	5
S	075W	5
S	100W	5
S	125W	5
S	150W	5
S	175W	5
S	200W	5
S	225W	5
S	250W	5
S	275W	5
S	300W	5
S	325W	5
S	350W	5
S	L 44N 375W	5

CERTIFIED BY : _____

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

CLIENT : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86723
 INVOICE#: 7330
 DATE ENTERED: 86-10-28
 FILE NAME: MPH86723
 PAGE # : 4

PRE FX	SAMPLE NAME	FPB Au
S	L 44N 400W	5
	425W	5
	450W	5
S	475W	5
	L 44N 500W	5
	L 45N 100E	5
S	075E	5
S	050E	5
	025E	5
	000BL	5
S	025W	5
	050W	5
	075W	5
S	100W	5
	125W	5
	150W	5
S	175W	5
S	200W	5
	225W	5
	250W	5
S	275W	5
	300W	5
	325W	5
S	350W	5
	375W	70
	400W	5
S	425W	5
S	450W	5
	475W	5
	L 45N 500W	5
S	L 47N 300W	5

CERTIFIED BY : _____

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601.A
 INVOICE#: 7096
 DATE ENTERED: 86-10-29
 FILE NAME: MPH86601.A
 PAGE # : 1

PRE FIX	SAMPLE NAME	PPB Au
A	1320	5
A	1321	5
A	1322	5
A	1323	5
A	1324	5
A	1325	5
A	1326	5
A	1327	5
A	1328	5
A	1330	5
A	1331	5
A	1332	5
A	1333	5
A	1334	5
A	1335	5
A	1338	5
A	1339	5
A	1340	5
A	1341	5
A	1342	5
A	1343	5
A	1344	5
A	1345	5
A	1346	5
A	1347	5
A	1348	5
A	1349	5
A	1350	5
A	2701	5
A	2702	5
A	2703	5
A	2704	5
A	2705	5
A	2706	5
A	2707	5
A	4456	5
A	4457	5
A	4458	5
A	4459	5
A	4460	5

RECEIVED NOV 1 1 1986

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601.A
 INVOICE#: 7096
 DATE ENTERED: 86-10-29
 FILE NAME: MPH86601.A
 PAGE # : 2

PRE FIX	SAMPLE NAME	PPB Au
	4461	5
	4462	5
	4463	5
	4464	5
	4466	5
	4467	5
	4469	5
	4470	5
	4471	13200
	4472	40
	4473	20
	4474	10
	4475	5
	4476	5
	4477	150
	4478	5
	4479	5
	1329	5
	1337	5
	4465	5
	4468	5

RECEIVED NOV 11 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 86604.A
INVOICE#: 7097
DATE ENTERED: 86-10-29
FILE NAME: MPH86604.A
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

PF :		PPB
F1 :	SAMPLE NAME	Au
A	2711	5
F	2712	5
A	2713	5
A	2714	5
F	2715	5
F	2716	5
A	2718	5
F	4480	5
F	4481	5
A	4482	5
L	2708	5
L	2709	5
L	2717	5

RECEIVED OCT 31 1986

CERTIFIED BY :



R JSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601
 INVOICE#: 7125
 DATE ENTERED: 86-11-03
 FILE NAME: MFH86601
 PAGE # : 1

PPB	Au	SAMPLE NAME
5	5	L 10N 0+00BL
5	5	0+25W
5	5	0+50W
5	5	0+75W
5	5	1+00W
5	5	1+25W
5	5	1+50W
5	5	1+75W
5	5	2+00W
5	5	2+25W
5	5	2+50W
5	5	2+75W
5	5	3+00W
5	5	3+25W
5	5	3+50W
5	5	3+75W
5	5	4+00W
5	5	4+75W
5	5	5+00W
5	5	L 10N 5+25W
5	5	5+50W
5	5	5+75W
5	5	L 10N 6+00W
5	5	L 11N 0+75W
5	5	1+00W
5	5	1+50W
5	5	1+75W
5	5	2+00W
5	5	2+50W
5	30	3+00W
5	5	3+25W
5	5	3+50W
5	5	3+75W
5	5	4+00W
5	5	4+25W
5	5	4+50W
5	5	4+75W
5	5	5+00W
5	5	5+25W
5	5	L 11N 5+50W

RECEIVED NOV 11 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601
 INVOICE#: 7125
 DATE ENTERED: 86-11-03
 FILE NAME: MPH86601
 PAGE # : 2

PPB	SAMPLE NAME	Au
5	L 11N 5+75W	5
5	L 11N 6+00W	5
5	L 12N 0+00BL	5
5	0+25W	5
5	0+50W	5
5	0+75W	5
5	1+00W	5
5	1+25W	5
5	1+50W	5
5	1+75W	5
5	2+00W	5
5	2+25W	5
5	2+50W	5
5	2+75W	5
5	3+00W	5
5	3+25W	5
5	3+50W	5
5	3+75W	5
5	4+00W	5
5	4+25W	5
5	4+50W	5
5	4+75W	5
5	5+00W	5
5	5+25W	5
5	5+50W	5
5	5+75W	5
5	L 12N 6+00W	5
5	L 13N 0+00BL	5
5	0+25W	5
5	0+50W	5
5	0+75W	5
5	1+00W	40
5	1+25W	5
5	1+50W	5
5	1+75W	5
5	2+00W	5
5	2+25W	5
5	2+50W	5
5	2+75W	5
5	L 13N 3+00W	5

RECEIVED NOV 11 1986

CERTIFIED BY : 

RJSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601
 INVOICE#: 7125
 DATE ENTERED: 86-11-03
 FILE NAME: MPH86601
 PAGE # : 3

PPB Au	SAMPLE NAME
5	L 13N 3+25W
5	3+50W
30	3+75W
5	4+00W
5	4+25W
5	4+50W
5	4+75W
5	5+00W
5	5+25W
5	5+50W
5	5+75W
5	L 13N 6+00W
5	L 14N 0+00BL
5	0+25W
5	0+50W
5	0+75W
5	1+00W
5	1+25W
5	1+50W
5	1+75W
5	2+00W
5	2+25W
5	2+50W
5	2+75W
5	3+00W
5	3+25W
5	3+50W
5	3+75W
5	4+00W
5	4+25W
5	4+50W
5	4+75W
5	5+00W
5	5+25W
5	5+50W
5	5+75W
5	L 14N 6+00W
5	L 15N 0+00BL
5	0+25W
5	L 15N 0+50W

RECEIVED NOV 1 1 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.
CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601
 INVOICE#: 7125
 DATE ENTERED: 86-11-03
 FILE NAME: MPH86601
 PAGE # : 4

PRE FIX	SAMPLE NAME	PPB Au
	L 15N 0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	4+25W	10
	4+50W	5
	4+75W	5
	5+00W	30
	5+25W	5
	5+50W	5
	5+75W	5
	L 15N 6+00W	5
	L 16N 0+00BL	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	L 16N 4+25W	5

RECEIVED NOV 1 1 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 5910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601
 INVOICE#: 7125
 DATE ENTERED: 86-11-03
 FILE NAME: MPH86601
 PAGE # : 5

PRE FIX	SAMPLE NAME	PPB Au
	L 16N 4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	5+50W	5
	5+75W	5
	L 16N 6+00W	5
	L 17N 0+00BL	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	130
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	4+25W	5
	4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	5+50W	5
	5+75W	5
	L 17N 6+00W	5
	L 18N 0+00BL	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	L 18N 1+75W	5

RECEIVED NOV 11 1986

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86601
 INVOICE#: 7125
 DATE ENTERED: 86-11-03
 FILE NAME: MFH86601
 PAGE # : 6

PRE FIX	SAMPLE NAME	PPB Au
	L 18N 2+25W	5
S	2+50W	5
	2+75W	5
	3+50W	5
S	3+75W	5
	4+00W	5
	4+25W	5
S	4+50W	5
S	4+75W	5
	5+00W	5
	5+25W	5
S	5+50W	5
	5+75W	5
	L 18N 6+00W	5
S	L 10N 2+75W 'B'	5

RECEIVED NOV 11 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86616
 INVOICE#: 7126
 DATE ENTERED: 86-11-03
 FILE NAME: MPH86616.A
 PAGE # : 1

PPB Au	SAMPLE NAME	PPB Au
5	2719	5
5	2720	5
5	2721	5
5	2722	5
5	2723	5
5	2724	5
5	2725	5
50	2726	50
5	2728	5
5	2729	5
5	2730	5
5	2731	5
5	2732	5
5	2734	5
110	2736	110
5	2738	5
5	2739	5
5	2740	5
5	2741	5
5	2742	5
5	2743	5
5	2744	5
5	2745	5
5	2746	5
5	4483	5
5	4484	5
5	4485	5
5	4486	5
5	4487	5
5	4488	5
5	4489	5
5	4490	5
5	4491	5
10	4493	10
5	4494	5
5	4495	5
10	4496	10
5	4498	5
5	4500	5

RECEIVED NOV 6 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.
PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86551.B
INVOICE#: 7152
DATE ENTERED: 86-11-07
FILE NAME: MPH86551.B
PAGE # : 1

PRE FIX	SAMPLE NAME	PPB Au
A	4710	5
A	4711	5
A	4712	5
A	4713	5
A	4714	5
A	4715	5
A	4716	5
A	4717	5
A	4718	5
A	4719	5
A	4720	5
A	4721	5
A	4722	5
A	4723	5
A	4724	5
A	4725	5
A	4726	5
A	4727	5
A	4728	5
A	4729	5

RECEIVED NOV 11 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 86601.B
INVOICE#: 7143
DATE ENTERED: 86-11-05
FILE NAME: MPH86601.B
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: ASSAY

FIX	SAMPLE NAME	oz/t	
		Au	Cu
	3475		1.36
	4454	0.020	
	4471	0.440	
	4477	0.008	
	4732	0.008	

RECEIVED NOV 6 1986

CERTIFIED BY :





Chemex Labs Ltd.

*Analytical Chemists *Geochemists *Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8619956-003-A
INVOICE # : I8619956
DATE : 10-NOV-86
P.O. # : NONE
V 226

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Il, Ti, W and V can only be considered as semi-quantitative.

COMMENTS :
ATTN: PETER ROSSBACHER

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Il	U	V	W	Zn		
	I	ppm	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	I	ppm	I	ppm	I	ppm	ppm	I	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	ppm	ppm		
4746	4.37	<0.2	35	20	<0.5	<2	3.63	<0.5	25	32	122	5.57	20	<0.01	<10	2.16	833	<1	0.04	7	330	4	<5	<1	0.34	<10	<10	263	<5	62	--	--
4747	3.00	<0.2	50	90	<0.5	<2	1.13	<0.5	29	29	101	6.28	10	0.11	10	2.19	1088	<1	0.06	22	570	8	<5	7	0.31	<10	<10	268	<5	82	--	--
4748	3.82	<0.2	40	20	<0.5	<2	2.83	<0.5	21	79	80	4.85	20	0.02	<10	2.11	964	<1	0.03	26	1030	8	<5	<1	0.27	<10	<10	200	<5	56	--	--
4749	2.98	<0.2	85	160	<0.5	<2	0.44	<0.5	15	45	45	6.13	<10	0.34	<10	1.43	496	<1	0.03	24	660	10	<5	5	<0.01	<10	<10	72	<5	94	--	--
4750	1.60	<0.2	85	70	<0.5	<2	0.13	<0.5	7	53	31	4.68	<10	0.14	<10	1.12	294	<1	0.01	23	410	40	<5	3	0.05	<10	<10	72	<5	66	--	--

Certified by



Chemex Labs Ltd.

-Analytical Chemists

-Geochemists

-Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

Semi quantitative multi element ICP analysis

CERTIFICATE OF ANALYSIS

TO : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8619956-002-A
INVOICE # : I8619956
DATE : 10-NOV-86
P.O. # : NONE
V 226

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Tl, Ti, W and V can only be considered as semi-quantitative.

COMMENTS :
ATTN: PETER ROSSBACHER

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn
	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	Z	ppm	Z	ppm	Z	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm
4432	1.19	<0.2	45	10	<0.5	<2	1.16	<0.5	16	51	147	2.31	10	0.11	<10	0.96	355	<1	0.09	23	1300	4	<5	35	0.16	<10	<10	101	<5	32
4433	2.97	<0.2	50	<10	<0.5	<2	0.83	<0.5	35	21	116	4.93	10	<0.01	<10	2.89	795	<1	0.02	21	780	2	<5	45	0.30	<10	<10	123	<5	98
4434	1.68	<0.2	15	30	<0.5	<2	0.25	<0.5	12	33	10	3.14	<10	0.32	10	1.32	820	<1	0.07	4	560	4	<5	5	0.02	<10	<10	64	<5	54
4435	2.92	<0.2	20	50	<0.5	<2	4.15	<0.5	36	234	29	3.40	20	0.57	<10	2.96	828	<1	0.08	56	990	12	<5	3	0.25	<10	<10	107	<5	60
4436	1.55	<0.2	15	10	<0.5	<2	1.15	<0.5	16	42	77	2.51	10	0.14	<10	1.21	428	<1	0.09	22	1340	2	<5	42	0.17	<10	<10	99	<5	36
4437	1.80	<0.2	30	50	<0.5	<2	0.11	<0.5	26	107	56	3.21	<10	0.35	<10	0.85	423	<1	0.05	36	470	6	<5	3	<0.01	<10	<10	71	<5	30
4438	1.45	<0.2	35	30	<0.5	<2	2.34	<0.5	17	132	83	2.18	10	0.12	10	1.47	429	<1	0.06	54	1470	14	<5	19	0.14	<10	<10	57	<5	52
4439	1.60	<0.2	45	10	<0.5	<2	0.42	<0.5	10	30	14	2.05	<10	0.17	<10	0.97	568	<1	0.04	2	480	6	<5	44	0.08	<10	<10	38	<5	56
4440	2.32	<0.2	10	160	<0.5	<2	1.29	<0.5	18	119	93	2.19	10	0.65	<10	1.59	279	<1	0.22	66	670	6	<5	75	0.17	<10	<10	91	<5	24
4441	4.98	<0.2	5	200	<0.5	<2	3.06	<0.5	8	35	3	2.64	30	0.14	10	0.75	485	<1	0.03	4	1040	6	<5	371	0.10	<10	<10	54	<5	50
4442	2.54	<0.2	40	140	<0.5	<2	1.42	<0.5	20	14	35	4.92	10	0.12	10	1.59	954	<1	0.09	6	1000	8	<5	63	0.18	<10	<10	124	<5	62
4443	2.66	<0.2	35	20	<0.5	<2	5.62	<0.5	27	216	70	3.49	20	<0.01	<10	3.12	667	<1	0.02	41	820	6	<5	45	0.24	<10	<10	136	<5	50
4444	1.02	<0.2	20	300	<0.5	<2	1.50	<0.5	6	18	11	2.68	10	0.38	20	0.57	582	<1	0.08	4	1170	4	<5	62	<0.01	<10	<10	38	<5	44
4445	1.40	<0.2	10	60	<0.5	<2	1.14	<0.5	6	33	5	2.63	10	0.17	10	0.68	568	<1	0.10	3	1340	4	<5	53	0.11	<10	<10	57	<5	56
4446	1.39	<0.2	15	80	<0.5	<2	0.80	<0.5	12	89	9	1.48	10	0.13	<10	1.19	375	<1	0.09	33	630	2	<5	37	0.13	<10	<10	48	<5	28
4447	1.01	<0.2	20	20	<0.5	<2	6.14	<0.5	14	320	12	2.10	20	<0.01	<10	1.56	524	<1	0.07	134	360	2	<5	<1	0.10	<10	<10	68	<5	18
4448	1.96	<0.2	25	230	<0.5	<2	1.32	<0.5	19	77	136	2.84	10	0.43	<10	1.17	460	<1	0.05	20	1170	6	<5	44	0.23	<10	<10	76	<5	40
4449	1.04	<0.2	40	340	<0.5	<2	7.49	<0.5	16	39	27	4.75	20	0.34	<10	1.40	1786	<1	0.06	4	440	6	<5	65	<0.01	<10	<10	43	<5	92
4450	2.65	<0.2	65	80	<0.5	<2	2.33	6.5	26	57	134	5.76	10	0.44	10	1.72	1226	4	0.05	40	1140	54	<5	38	<0.01	<10	<10	113	<5	702
4451	1.56	<0.2	10	30	<0.5	<2	2.23	<0.5	13	54	53	1.96	10	0.14	<10	0.78	461	<1	0.07	10	930	6	<5	53	0.12	<10	<10	62	<5	30
4452	1.35	<0.2	20	10	<0.5	<2	1.57	<0.5	13	47	158	1.78	10	0.10	<10	0.64	296	<1	0.14	16	1220	2	<5	92	0.11	<10	<10	60	<5	30
4453	0.28	<0.2	40	220	<0.5	<2	0.13	<0.5	4	94	26	1.58	<10	0.22	<10	0.05	91	4	0.02	4	250	6	<5	5	0.05	<10	<10	4	<5	12
4454	2.07	10.4	190	10	<0.5	<2	0.51	3.0	411	123	9999	6.21	<10	<0.01	<10	2.01	294	1	0.03	235	<10	6	<5	53	0.01	<10	<10	17	30	218
4455	1.27	<0.2	150	200	<0.5	<2	1.20	<0.5	13	40	77	3.21	10	0.21	10	0.91	491	<1	0.06	4	1330	6	<5	37	0.03	<10	<10	49	<5	36
4730	0.99	<0.2	65	<10	<0.5	<2	0.20	<0.5	12	256	188	1.52	<10	<0.01	<10	1.01	268	<1	0.01	62	50	2	<5	2	0.04	<10	<10	45	<5	16
4731	3.06	<0.2	55	10	<0.5	<2	2.56	<0.5	24	45	94	3.83	10	<0.01	<10	2.35	688	<1	0.04	32	490	8	<5	<1	0.19	<10	<10	143	<5	44
4732	1.51	<0.2	10	10	<0.5	<2	2.05	<0.5	10	58	20	3.04	10	<0.01	<10	0.56	445	<1	0.01	11	290	6	<5	329	0.16	<10	<10	95	<5	14
4733	2.29	<0.2	30	30	<0.5	<2	1.26	<0.5	27	59	125	4.37	10	0.01	10	1.59	522	<1	0.03	44	560	2	<5	79	0.31	<10	<10	112	<5	64
4734	3.29	<0.2	95	190	<0.5	<2	1.33	<0.5	20	20	56	6.07	10	0.09	10	2.47	1181	<1	0.03	4	850	8	<5	18	<0.01	<10	<10	124	<5	78
4735	1.21	<0.2	65	190	<0.5	<2	1.17	<0.5	9	41	13	2.42	10	0.50	10	0.95	474	<1	0.05	6	1130	4	<5	57	0.13	<10	<10	36	<5	60
4736	2.04	<0.2	15	80	<0.5	<2	1.13	<0.5	17	55	162	1.70	<10	0.18	<10	1.71	363	<1	0.03	61	240	<2	<5	22	0.02	<10	<10	32	<5	32
4737	1.71	<0.2	25	50	<0.5	<2	0.24	<0.5	9	77	42	3.38	10	0.01	10	1.38	308	<1	0.04	7	410	4	<5	3	0.13	<10	<10	111	<5	66
4738	2.11	<0.2	75	20	<0.5	<2	0.38	<0.5	22	66	61	3.09	10	0.06	10	2.01	633	<1	0.03	21	890	6	<5	48	0.15	<10	<10	69	<5	60
4739	2.03	<0.2	140	40	<0.5	<2	2.25	<0.5	22	112	83	2.91	10	0.11	<10	1.96	800	<1	0.04	39	1080	4	<5	45	0.21	<10	<10	83	<5	46
4740	1.77	<0.2	60	10	<0.5	<2	0.97	<0.5	10	19	12	2.77	10	0.21	10	1.00	643	<1	0.06	1	460	30	<5	15	0.08	<10	<10	62	<5	80
4741	2.59	<0.2	85	20	<0.5	<2	2.31	<0.5	16	134	82	2.44	10	0.24	<10	1.37	478	<1	0.17	54	1290	4	<5	147	0.16	<10	<10	108	<5	32
4742	1.87	<0.2	15	20	<0.5	<2	0.42	<0.5	11	35	33	2.62	<10	0.21	<10	1.21	955	<1	0.04	3	430	4	<5	54	0.07	<10	<10	42	<5	324
4743	2.20	<0.2	25	10	<0.5	<2	1.17	<0.5	25	34	111	3.91	10	0.01	10	1.56	641	<1	0.02	8	830	2	<5	118	0.31	<10	<10	90	<5	42
4744	2.38	<0.2	35	100	<0.5	<2	1.45	<0.5	24	46	87	2.68	10	0.05	<10	1.99	429	<1	0.08	44	440	4	<5	26	0.14	<10	<10	43	<5	30
4745	2.50	<0.2	30	10	<0.5	<2	0.80	<0.5	25	109	77	3.52	<10	0.04	<10	2.50	606	<1	0.02	47	750	2	<5	12	0.12	<10	<10	56	<5	50

Certified by *[Signature]*

Inw #7181



Chemex Labs Ltd.

*Analytical Chemists *Geochemists *Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52697

RECEIVED NOV 17 1986

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Ti, Tl, W and V can only be considered as semi-quantitative.

CERTIFICATE OF ANALYSIS

TO : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8619956-001-A
INVOICE # : I8619956
DATE : 10-NOV-86
P.O. # : NONE
V 226

COMMENTS :
ATTN: PETER ROSSBACHER

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn
	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	Z	ppm	Z	ppm	Z	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm	Z	ppm	ppm	ppm	ppm	ppm
3492	3.17	<0.2	10	20	<0.5	<2	1.23	<0.5	45	262	87	3.41	10	<0.01	<10	4.61	822	<1	0.02	401	220	4	<5	21	0.13	<10	<10	71	<5	56
3493	2.84	<0.2	30	80	<0.5	<2	9.55	<0.5	25	292	73	3.24	30	0.25	<10	2.92	877	<1	0.07	55	620	4	<5	22	0.14	<10	<10	152	5	46
3494	3.24	<0.2	60	30	<0.5	<2	2.13	<0.5	19	61	47	4.48	10	0.05	<10	1.75	957	<1	0.03	23	390	12	<5	<1	0.21	<10	<10	137	<5	64
3495	1.84	<0.2	40	20	<0.5	<2	0.25	<0.5	11	28	32	3.86	10	0.04	10	1.27	716	<1	0.05	7	840	6	<5	7	<0.01	<10	<10	96	<5	58
3496	1.43	<0.2	20	10	<0.5	<2	0.57	<0.5	18	35	42	2.87	10	0.01	<10	1.19	416	<1	0.03	22	360	<2	<5	20	0.22	<10	<10	87	<5	34
3497	1.77	<0.2	220	10	<0.5	<2	0.91	<0.5	23	134	287	1.47	<10	0.21	<10	1.33	240	<1	0.09	95	200	2	<5	8	0.04	<10	<10	24	<5	18
3498	3.12	<0.2	10	10	<0.5	<2	3.87	<0.5	25	28	126	4.91	30	<0.01	<10	1.35	590	<1	0.04	36	500	<2	<5	<1	0.59	<10	<10	161	<5	62
3499	3.65	<0.2	<5	<10	<0.5	<2	4.88	<0.5	23	31	342	4.14	30	<0.01	<10	1.27	400	<1	0.02	44	360	4	<5	<1	0.44	<10	<10	127	<5	52
3500	3.18	<0.2	60	50	<0.5	<2	1.60	<0.5	23	30	83	4.98	10	0.05	<10	2.33	1052	<1	0.03	8	550	2	<5	<1	0.23	<10	<10	157	<5	98
4401	2.83	<0.2	50	10	<0.5	<2	1.09	<0.5	29	21	39	6.37	10	0.01	10	2.46	1169	<1	0.03	17	1450	12	<5	11	0.26	<10	<10	97	<5	78
4402	4.71	<0.2	15	30	<0.5	<2	0.21	<0.5	44	11	155	8.59	<10	0.14	<10	4.00	857	<1	0.04	26	310	6	<5	6	0.03	<10	<10	352	<5	92
4403	2.84	<0.2	25	40	<0.5	<2	1.85	<0.5	22	154	75	3.34	10	0.13	<10	2.85	746	<1	0.02	38	60	6	<5	112	0.25	<10	<10	115	<5	38
4404	1.22	<0.2	140	320	<0.5	<2	1.61	<0.5	7	10	26	1.82	10	0.33	10	0.40	291	<1	0.04	4	700	4	<5	30	<0.01	<10	<10	8	<5	50
4405	1.29	<0.2	80	300	<0.5	<2	0.23	<0.5	10	20	37	2.30	<10	0.22	<10	0.66	651	<1	0.05	7	470	10	<5	10	0.03	<10	<10	27	<5	46
4406	4.53	<0.2	55	30	<0.5	<2	3.76	<0.5	43	127	104	7.23	20	0.23	<10	3.99	1285	<1	0.03	62	480	8	<5	47	<0.01	<10	<10	212	5	88
4407	4.30	<0.2	100	10	<0.5	<2	5.53	<0.5	33	121	120	6.00	30	0.12	<10	2.62	1081	<1	0.04	51	550	<2	<5	65	<0.01	<10	<10	213	<5	72
4408	1.90	<0.2	35	100	<0.5	<2	0.67	<0.5	8	14	10	2.47	<10	0.22	10	1.52	286	<1	0.03	8	370	2	<5	3	<0.01	<10	<10	18	<5	62
4409	1.74	<0.2	10	100	<0.5	<2	1.96	<0.5	13	22	7	3.25	10	0.20	10	1.04	696	<1	0.09	9	2180	<2	<5	53	0.15	<10	<10	99	<5	48
4410	0.62	<0.2	20	70	<0.5	<2	1.99	<0.5	2	33	6	1.00	10	0.25	10	0.16	347	<1	0.05	2	610	8	<5	17	<0.01	<10	<10	11	<5	22
4411	0.30	<0.2	5	20	<0.5	<2	0.05	<0.5	2	57	4	0.46	<10	0.12	<10	0.05	69	<1	0.03	1	40	<2	<5	8	<0.01	<10	<10	6	<5	6
4412	2.12	<0.2	10	10	<0.5	<2	2.03	<0.5	11	73	76	1.56	10	0.08	<10	0.68	274	<1	0.22	13	1110	2	<5	111	0.09	<10	<10	54	<5	22
4413	1.27	<0.2	15	90	<0.5	<2	0.27	<0.5	8	23	5	3.24	<10	0.29	30	0.56	666	<1	0.04	4	1010	2	<5	12	<0.01	<10	<10	32	<5	42
4414	1.75	<0.2	95	190	<0.5	<2	0.62	<0.5	12	27	15	3.30	10	0.19	10	1.19	814	<1	0.07	4	570	4	<5	30	0.13	<10	<10	87	<5	54
4415	1.73	<0.2	25	120	<0.5	<2	1.03	<0.5	18	82	117	2.20	10	0.26	<10	1.15	330	<1	0.06	25	1310	<2	<5	54	0.15	<10	<10	59	<5	34
4416	4.88	<0.2	10	30	<0.5	<2	3.80	<0.5	7	53	88	1.36	20	0.14	<10	0.42	153	<1	0.30	10	1330	4	<5	319	0.09	<10	<10	57	<5	10
4417	2.14	<0.2	10	160	<0.5	<2	1.55	<0.5	10	81	78	1.33	<10	0.34	<10	0.67	236	<1	0.26	20	1040	2	<5	61	0.12	<10	<10	46	<5	20
4418	0.63	<0.2	70	50	<0.5	<2	0.43	<0.5	5	95	37	1.24	<10	<0.01	<10	0.54	243	<1	0.03	9	130	2	<5	2	0.02	<10	<10	53	<5	32
4419	2.21	<0.2	60	30	<0.5	<2	3.66	<0.5	30	295	65	2.95	10	0.01	<10	2.44	803	<1	0.02	66	650	<2	<5	17	0.17	<10	<10	77	<5	40
4420	1.21	<0.2	35	10	<0.5	<2	0.37	<0.5	?	88	48	2.31	<10	0.02	10	0.98	333	<1	0.04	19	870	6	<5	1	0.08	<10	<10	153	<5	90
4421	0.32	<0.2	35	40	<0.5	<2	6.57	<0.5	15	457	36	2.65	20	<0.01	<10	2.48	945	<1	<0.01	186	30	2	<5	29	<0.01	<10	<10	14	<5	8
4422	2.86	<0.2	40	10	<0.5	<2	2.15	<0.5	30	41	175	6.34	20	<0.01	<10	2.09	867	<1	0.05	44	540	4	<5	15	0.66	<10	<10	161	<5	80
4423	1.61	<0.2	10	30	<0.5	<2	0.80	<0.5	13	98	27	1.20	<10	0.09	<10	1.49	350	<1	0.04	47	20	4	<5	2	0.02	<10	<10	22	<5	58
4424	2.81	<0.2	25	20	<0.5	<2	0.78	<0.5	44	243	66	3.30	<10	0.04	<10	3.89	766	<1	0.03	309	210	6	<5	15	0.18	<10	<10	75	<5	42
4425	2.93	<0.2	65	20	<0.5	<2	0.48	<0.5	32	219	39	2.58	<10	0.09	<10	2.42	844	<1	0.04	185	210	4	<5	26	0.20	<10	<10	97	<5	50
4426	1.19	<0.2	10	60	<0.5	<2	1.71	<0.5	8	26	4	2.17	10	0.29	20	3.77	471	<1	0.05	7	1260	<2	<5	27	0.05	<10	<10	29	<5	48
4427	1.91	<0.2	10	30	<0.5	<2	1.61	<0.5	22	323	63	2.37	10	0.06	<10	2.19	544	<1	0.09	59	890	2	<5	58	0.15	<10	<10	69	<5	36
4428	2.67	<0.2	80	60	<0.5	<2	0.19	<0.5	11	54	50	6.25	<10	0.25	10	1.87	529	<1	0.02	28	730	16	<5	5	0.07	<10	<10	72	<5	82
4429	1.61	<0.2	75	120	<0.5	<2	0.02	<0.5	7	57	25	3.16	<10	0.13	<10	0.62	1226	<1	0.02	9	140	2	<5	2	<0.01	<10	<10	30	<5	32
4430	0.98	<0.2	10	10	<0.5	<2	0.83	<0.5	19	50	122	2.07	<10	0.09	<10	0.90	286	<1	0.08	34	1200	2	<5	24	0.14	<10	<10	80	<5	26
4431	3.15	<0.2	15	10	<0.5	<2	1.19	<0.5	26	101	38	1.47	<10	0.21	<10	2.69	274	<1	0.13	87	<10	4	<5	21	<0.01	<10	<10	7	<5	34

Certified by *[Signature]*

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86616
 INVOICE#: 7156
 DATE ENTERED: 86-11-12
 FILE NAME: MFH86616
 PAGE # : 1

FIX	SAMPLE NAME	PPB Au
S	L 0N 0+80E	5
S	0+60E	5
S	0+40E	5
S	0+20E	5
S	0+00BL	5
S	0+20W	5
S	L 0N 0+40W	5
S	L 1N 0+80E	5
S	0+60E	5
S	0+40E	5
S	0+20E	5
S	0+00BL	5
S	0+20W	5
S	0+40W	5
S	L 1N 0+60W	5
S	L 2N 0+80E	5
S	0+60E	5
S	0+40E	5
S	0+20E	5
S	0+00E	5
S	0+20W	5
S	0+40W	5
S	L 2N 0+60W	5
S	L 3N 0+80E	5
S	0+60E	5
S	0+40E	5
S	0+20E	5
S	0+20W	5
S	0+40W	5
S	L 3N 0+60W	5
S	L 4N 0+60E	5
S	0+40E	5
S	L 4N 0+20E	5
S	L 5N 0+80E	5
S	0+60E	5
S	0+40E	5
S	L 5N 0+20E	5
S	L 6N 0+80E	5
S	0+60E	5
S	L 6N 0+40E	5

RECEIVED NOV 13 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.
PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86616
INVOICE#: 7156
DATE ENTERED: 86-11-12
FILE NAME: MPH86616
PAGE # : 2

PRE FIX	SAMPLE NAME	PPB Au
	L 6N 0+20E	5
	2727	5
	2733	5
	2737	5
	2747	5
	4301	5
	4492	5
	4497	5
	4499	5

CERTIFIED BY :



F OSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86604
 INVOICE#: 7165
 DATE ENTERED: 86-11-12
 FILE NAME: MPH86604
 PAGE # : 2

P OJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

FIX	SAMPLE NAME	PPB Au
	L 2N 0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	4+25W	5
	4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	L 2N 5+50W	5
	L 3N 0+00BL	10
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	L 3N 4+25W	5

CERTIFIED BY :



F OSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86604
 INVOICE#: 7165
 DATE ENTERED: 86-11-12
 FILE NAME: MFH86604
 PAGE # : 3

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

FE FIX	SAMPLE NAME	PPB Au
	L 3N 4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	5+50W	5
	5+75W	5
	L 3N 6+00W	5
	L 4N 0+00BL	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	4+25W	5
	4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	5+50W	5
	5+75W	5
	L 4N 6+00W	5
	L 5N 0+00BL	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	L 5N 1+75W	5

CERTIFIED BY :



F JSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86604
 INVOICE#: 7165
 DATE ENTERED: 86-11-12
 FILE NAME: MPH86604
 PAGE # : 4

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

FIX	SAMPLE NAME	PPB Au
	L 5N 2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	4+25W	5
	4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	5+50W	5
	5+75W	5
	L 5N 6+00W	5
	L 6N 0+00BL	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	4+25W	5
	4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	L 6N 5+50W	5

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86604
 INVOICE#: 7165
 DATE ENTERED: 86-11-12
 FILE NAME: MFH86604
 PAGE # : 5

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

FIX	SAMPLE NAME	PPB Au
	L 6N 5+75W	5
	L 6N 6+00W	5
	L 7N 0+00BL	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	3+50W	5
	3+75W	5
	4+00W	5
	4+25W	5
	4+50W	5
	4+75W	5
	5+00W	5
	5+25W	5
	5+50W	5
	5+75W	5
	6+00W	5
	6+25W	5
	L 7N 6+50W	5
	L 8N 0+00BL	5
	0+25W	5
	0+50W	110
	0+75W	5
	1+00W	5
	1+25W	50
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	L 8N 2+50W	5

CERTIFIED BY : 

F. ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86604
 INVOICE#: 7165
 DATE ENTERED: 86-11-12
 FILE NAME: MPH86604
 PAGE # : 6

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

P E FIX	SAMPLE NAME	PPB Au
	L 8N 3+25W	5
S	3+50W	5
S	3+75W	5
	4+00W	5
	4+25W	5
S	4+50W	5
	4+75W	5
	5+00W	5
S	5+25W	5
	5+50W	5
	L 8N 5+75W	5
S	L 9N 0+25W	5
S	0+50W	90
	0+75W	5
	1+00W	5
S	1+25W	5
	1+50W	5
	1+75W	5
S	2+00W	5
S	2+25W	5
	2+50W	5
S	2+75W	5
S	3+00W	5
	3+25W	5
	3+50W	10
S	3+75W	5
	4+00W	5
	4+25W	5
S	4+50W	5
S	4+75W	5
	5+00W	5
S	5+25W	5
S	5+50W	5
	5+75W	5
	6+00W	5
S	6+25W	5
	L 9N 6+50W	5
S	L 19N 0+00BL	5
S	0+25W	NO SAMPLE
S	L 19N 0+50W	5

CERTIFIED BY :



F OSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86604
 INVOICE#: 7165
 DATE ENTERED: 86-11-12
 FILE NAME: MFH86604
 PAGE # : 7

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

FE FIX	SAMPLE NAME	PPB Au
	L 19N 0+75W	5
	1+00W	5
S	1+25W	5
	1+50W	5
	1+75W	5
S	2+00W	5
S	2+25W	5
	2+50W	40
S	2+75W	5
S	3+00W	5
	3+25W	5
	3+75W	5
S	4+00W	5
	4+25W	5
	4+50W	5
S	4+75W	5
S	5+00W	5
	5+25W	5
S	5+50W	5
S	L 19N 5+75W	5
	L 20N 0+00BL	5
	0+25W	5
S	0+50W	5
	0+75W	5
	1+00W	5
S	1+25W	5
S	1+75W	5
	2+00W	5
S	2+25W	5
S	2+50W	5
	2+75W	5
S	3+00W	5
S	3+25W	5
S	3+50W	5
	3+75W	5
S	4+00W	5
S	4+25W	5
	4+50W	5
S	4+75W	5
S	L 20N 5+00W	5

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.

CERTIFICATE#: 86604
INVOICE#: 7165
DATE ENTERED: 86-11-12
FILE NAME: MFH86604
PAGE # : 8

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

FIX	SAMPLE NAME	PPB Au
	L 20N 5+25W	5
S	L 20N 5+50W	5
S	L 8N 6+00W	5
	6+25W	5
	6+50W	5
S	L 8N 6+75W	5

CERTIFIED BY :



F JSSBACHER LABORATORY LTD.

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86628
 INVOICE#: 7166
 DATE ENTERED: 86-11-14
 FILE NAME: MPH86628
 PAGE # : 5

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

PPB	SAMPLE NAME	Au
	L 15N-B 3+00W	5
	L 15N-B 3+25W	5
	852	5
	853	5
	854	5
	856	1140
	857	5
	858	20
	859	30
	860	10
	861	5
	2748	5
	2749	5
	2750	5
	4302	5
	4304	5
	4305	5
	4306	5
	4307	5
	4308	5
	4309	5
	4310	5
	4313	5
	4314	5
	4315	5
	4316	5
	4317	5
	4318	5
	4319	5
	4320	5
	4321	5
	4322	5
	4323	5
	4324	5
	4325	5
	4327	5
	4332	5
	4333	5
	14951	5
	14952	5

RECEIVED NOV 21 1986

CERTIFIED BY : 

Copy for Van

JSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.
PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86628
INVOICE#: 7166
DATE ENTERED: 86-11-14
FILE NAME: MPH86628
PAGE # : 1

PRE FIX	SAMPLE NAME	PPB Au
	851	5
L	855	5
	2747	5
	4300	10
L	4301	5
I	4303	5
	4311	5
L	4312	50
L	4326	5
	4328	5
	4329	5
L	L 11N-B 3+28W	5
	L 6N-C 60E	5
	L 6N-C 80E	5
S	L 5N-B 1+00E	5
S	0+75E	5
	0+50E	5
S	0+25E	5
	0+00	5
	0+25W	5
	0+50W	5
S	0+75W	5
	1+25W	5
	1+50W	5
S	1+75W	5
S	2+00W	5
	2+25W	5
S	L 5N-B 2+50W	5
S	L 6N-B 1+00E	5
	0+75E	5
S	0+50E	5
S	0+00	5
S	0+25W	5
S	0+50W	5
S	0+75W	5
S	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	L 6N-B 2+00W	5

RECEIVED NOV 21 1986

CERTIFIED BY :

J. Rossbach

JSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86628
 INVOICE#: 7166
 DATE ENTERED: 86-11-14
 FILE NAME: MFH86628
 PAGE # : 2

P.E FIX	SAMPLE NAME	PPB Au
	L 6N-B 2+25W	5
S	L 6N-B 2+50W	5
S	L 7N-B 0+75E	5
	0+50E	5
	0+25E	5
S	0+00	5
	0+25W	5
	0+50W	5
S	0+75W	5
	1+00W	5
	1+25W	5
S	1+50W	5
	1+75W	5
	2+00W	5
	2+50W	5
S	L 7N-B 2+75W	5
	L 8N-B 0+50E	5
	0+25E	5
S	0+00	5
	0+25W	5
	0+50W	5
S	0+75W	5
S	1+00W	5
	1+25W	5
	1+50W	5
S	1+75W	5
	2+00W	5
	2+25W	5
S	2+50W	5
	2+75W	5
	L 8N-B 3+00W	5
S	L 9N-B 0+00	5
S	0+25W	5
	0+50W	5
S	0+75W	5
S	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
S	L 9N-B 2+00W	5

CERTIFIED BY :



JSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86628
 INVOICE#: 7166
 DATE ENTERED: 86-11-14
 FILE NAME: MPH86628
 PAGE # : 3

FILE FIX	SAMPLE NAME	PPB Au
	L 9N-B 2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	L 9N-B 3+50W	5
	L 10N-B 0+00	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	L 10N-B 3+50W	5
	L 11N-B 0+00	5
	0+50W	5
	0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	2+75W	5
	3+00W	5
	3+25W	5
	L 11N-B 3+50W	5
	L 12N-B 0+00	5
	0+25W	5
	0+50W	5
	0+75W	5
	1+00W	5
	L 12N-B 1+25W	5

CERTIFIED BY :

JSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86628
 INVOICE#: 7166
 DATE ENTERED: 86-11-14
 FILE NAME: MPH86628
 PAGE # : 4

PE FIX	SAMPLE NAME	PPB Au
	L 12N-B 0+50W	5
S	L 12N-B 1+75W	5
S	L 13N-B 0+00	5
	0+25W	5
	0+50W	5
S	0+75W	5
	1+00W	5
	1+25W	5
S	1+50W	5
	1+75W	5
	2+00W	5
S	2+25W	5
	2+50W	5
	2+75W	5
	L 13N-B 3+00W	5
S	L 14N 0+00	5
	0+25W	5
	0+50W	5
S	0+75W	5
	1+00W	5
	1+25W	5
S	1+50W	5
S	1+75W	5
	2+00W	5
	2+25W	5
S	2+50W	5
	2+75W	5
	L 14N-B 3+00W	5
S	L 15N-B 0+00	5
	0+25W	5
	0+50W	5
S	0+75W	5
S	1+00W	5
	1+25W	5
	1+50W	5
S	1+75W	5
	2+00W	5
	2+25W	5
	2+50W	5
	L 15N-B 2+75W	5

CERTIFIED BY :



JSSBACHER LABORATORY LTD.


2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86628
 INVOICE#: 7166
 DATE ENTERED: 86-11-14
 FILE NAME: MPH86628
 PAGE # : 5

PE FIX	SAMPLE NAME	PPB Au
	L 15N-B 3+00W	5
	L 15N-B 3+25W	5
A	852	5
	853	5
	854	5
A	856	1140
	857	5
	858	20
A	859	30
A	860	10
	861	5
I	2748	5
	2749	5
	2750	5
	4302	5
A	4304	5
	4305	5
	4306	5
A	4307	5
A	4308	5
	4309	5
I	4310	5
A	431X	5
	4314	5
	4315	5
A	4316	5
	4317	5
	4318	5
A	4319	5
A	4320	5
	4321	5
I	4322	5
A	4323	5
	4324	5
	4325	5
A	4327	5
	4332	5
	4333	5
	14951	5
I	14952	5

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86621
 INVOICE#: 7164
 DATE ENTERED: 86-11-14
 FILE NAME: MFH86621
 PAGE # : 1

FILE NO	SAMPLE NAME	PPB Au
1	L 0N-B 1+00E	5
1	0+75E	5
5	0+50E	5
3	0+25E	5
1	0+00	30
5	0+25W	5
5	0+50W	5
1	0+75W	5
1	1+00W	5
5	1+25W	5
1	1+50W	5
1	1+75W	5
5	2+00W	5
3	2+25W	5
1	L 0N-B 2+50W	5
5	L 1N-B 1+00E	5
5	0+75E	5
1	0+50E	5
1	0+25E	5
5	0+00	5
1	0+25W	5
1	0+50W	5
5	0+75W	5
5	1+00W	5
1	1+25W	5
5	1+50W	5
5	1+75W	5
1	2+00W	5
5	2+25W	5
5	L 1N-B 2+50W	5
1	L 2N-B 1+00E	5
1	0+75E	5
5	0+50E	5
1	0+25E	5
1	0+00	5
5	0+25W	5
5	0+50W	5
1	0+75W	5
1	1+00W	5
5	L 2N-B 1+25W	5

RECEIVED NOV 17 1986

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.


2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

CLIENT : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86621
 INVOICE#: 7164
 DATE ENTERED: 86-11-14
 FILE NAME: MPH86621
 PAGE # : 2

FE FLX	SAMPLE NAME	PPB Au
	L 2N-B 1+50W	5
	1+75W	5
S	2+00W	5
	L 2N-B 2+25W	5
	L 3N-B 1+00E	5
S	0+75E	5
S	0+50E	5
	0+25E	5
S	0+00	5
S	0+25W	5
	0+50W	5
S	L 3N-B 0+75W	5
	1+00W	5
	1+25W	5
	1+50W	5
S	1+75W	5
S	2+00W	5
	2+25W	5
S	L 3N-B 2+50W	5
S	L 4N-B 1+00E	5
	L 4N-B 0+75E	5
S	0+50E	5
	0+25E	5
S	0+00	5
	0+25W	5
S	0+50W	5
S	0+75W	5
	1+00W	5
S	1+25W	5
S	1+50W	5
	1+75W	5
S	2+00W	5
S	2+25W	5
S	L 4N-B 2+50W	5
	L 4N-C 0+00	5
S	0+20W	5
S	0+60W	5
	L 4N-C 0+80W	5
S	L 5N-C 0+00	5
S	L 5N-C 0+20W	5

CERTIFIED BY : 

FOSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.

CERTIFICATE#: 86621
INVOICE#: 7164
DATE ENTERED: 86-11-14
FILE NAME: MPH86621
PAGE # : 3

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

PE FIX	SAMPLE NAME	FPB Au
	L 5N-C 0+40W	5
	0+60W	5
S	L 5N-C 0+80W	5
	L 6N-C 0+00	5
	0+20W	5
S	0+40W	5
	0+60W	5
	L 6N-C 0+80W	5

CERTIFIED BY :



FOSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 86644
INVOICE#: 7175
DATE ENTERED: 86-11-14
FILE NAME: MFH86644
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

FILE NO	SAMPLE NAME	PPB Au
A	862	5
I	863	5
H	864	5
A	865	5
	14953	5
	14954	5
A	14955	5

RECEIVED NOV 17 1986

RECEIVED NOV 17 1986

CERTIFIED BY : 



Chemex Labs Ltd.

212 Brooksbank Ave
North Vancouver, B.C.
Canada V7J2C1

Analytical Chemists Geochemists Registered Assayers

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of
material followed by ICP analysis. Since this
digestion is incomplete for many minerals,
values reported for Al, Sb, Ba, Be, Ca, Cr,
Ga, La, Mg, K, Na, Sr, Tl, Ti, W and V can
only be considered as semi-quantitative.

TO : ROSSBACHER LABORATORY LIMITED
3025 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8620588-002-A
INVOICE # : I8620588
DATE : 20-NOV-86
P.O. # : NONE
V226

COMMENTS :
ATTN: P. ROSSBACHER

Table with columns for Sample Description and elements: Al, Ag, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sr, Ti, Tl, U, V, W, Zn. Each column contains numerical data for various samples.

certified by [Signature]



Chemex Labs Ltd.

-Analytical Chemists -Geochemists -Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

CERT. # : A8620475-007-A
INVOICE # : I8620475
DATE : 24-NOV-86
P.O. # : NONE
V226

Semi quantitative multi element ICP analysis

Nitric-Aqua-Regia digestion of 0.5 gm of material followed by ICP analysis. Since this digestion is incomplete for many minerals, values reported for Al, Sb, Ba, Be, Ca, Cr, Ga, La, Mg, K, Na, Sr, Ti, W and V can only be considered as semi-quantitative.

COMMENTS :
ATTN: P. ROSSBACHER

Sample description	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn		
	I	ppm	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	I	ppm	I	ppm	I	ppm	ppm	I	ppm	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	ppm		
4484	3.27	<0.2	<5	40	<0.5	<2	2.70	<0.5	25	84	137	4.37	<10	0.14	10	1.61	495	7	0.10	39	2100	<2	<5	2	0.37	<10	<10	133	<5	46	--	--
4485	3.19	<0.2	10	10	0.5	<2	5.99	<0.5	10	121	166	3.26	<10	0.03	<10	0.64	412	4	0.05	33	810	4	<5	<1	0.17	<10	<10	112	<5	40	--	--
4486	4.23	0.2	5	10	0.5	<2	9.29	<0.5	10	141	232	3.15	10	0.08	<10	0.92	620	<1	0.02	21	1030	2	5	<1	0.18	<10	<10	187	5	26	--	--
4487	3.25	<0.2	15	40	<0.5	<2	5.25	<0.5	10	86	84	2.73	<10	0.35	<10	0.67	414	<1	0.12	15	1910	4	5	122	0.23	<10	<10	186	<5	20	--	--
4488	1.39	0.2	20	10	<0.5	<2	1.42	<0.5	25	129	114	4.57	<10	0.07	10	1.49	437	7	0.05	60	1540	<2	<5	24	0.22	<10	<10	164	<5	88	--	--
4489	2.19	<0.2	<5	20	<0.5	<2	2.81	<0.5	11	111	113	2.38	<10	0.13	<10	0.71	400	1	0.23	21	1020	4	<5	125	0.20	<10	<10	76	<5	32	--	--
4490	1.49	<0.2	<5	170	<0.5	<2	0.04	<0.5	8	118	25	2.98	<10	0.11	10	0.79	1022	<1	<0.01	12	150	14	<5	2	<0.01	<10	<10	21	<5	42	--	--
4491	1.96	<0.2	15	50	<0.5	<2	0.16	<0.5	4	132	105	5.62	<10	0.12	10	0.57	325	6	<0.01	25	1230	62	<5	3	<0.01	<10	<10	181	<5	160	--	--
4493	0.35	<0.2	5	50	0.5	<2	2.03	<0.5	<1	197	<1	10.42	<10	<0.01	<10	0.14	122	<1	<0.01	8	190	<2	<5	2	<0.01	<10	<10	24	<5	12	--	--
4494	2.37	<0.2	5	20	<0.5	<2	4.09	<0.5	12	125	75	2.71	<10	<0.01	<10	0.94	311	<1	<0.01	18	190	<2	<5	76	0.14	<10	<10	95	<5	24	--	--
4495	2.47	<0.2	15	30	<0.5	<2	5.88	<0.5	21	202	227	8.53	<10	0.01	<10	3.12	816	<1	0.01	43	220	<2	<5	<1	0.09	<10	<10	181	<5	66	--	--
4496	1.49	0.2	<5	40	<0.5	<2	0.39	<0.5	28	203	556	4.43	<10	<0.01	<10	1.21	586	13	0.01	22	30	6	<5	21	0.06	<10	<10	98	<5	140	--	--
4498	2.84	<0.2	5	170	<0.5	<2	3.85	<0.5	25	57	168	5.78	<10	0.92	<10	2.24	1893	<1	0.02	12	1390	<2	<5	54	0.23	<10	<10	114	<5	100	--	--
4500	1.47	<0.2	10	390	<0.5	<2	0.23	0.5	8	69	58	3.12	<10	0.28	10	0.58	200	<1	<0.01	24	730	<2	<5	10	<0.01	<10	<10	23	<5	124	--	--

RECEIVED NOV 26 1986

Certified by [Signature]

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: AuGEOCH. CHECKS
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86712
 INVOICE#: 7286
 DATE ENTERED: 86-12-12
 FILE NAME: MPH86712
 PAGE # : 1

FILE #	SAMPLE NAME	PPB Au I	PPB Au II	PPB Au III	PROJ.#
	LSN 0+50W	110	120	120	V226
	LSN 0+75W	5	5		"
	L17N 1+75W	130	5		"
	14731	110	5		"

RECEIVED JAN 8 1987

CERTIFIED BY :

J. Rossbach


CERTIFICATE OF ANALYSIS

MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEDCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 1

PRE BOX	SAMPLE NAME	PPB Au
8	L 24N 000	5
9	025E	5
	050E	5
5	075E	5
3	L 24N 100E	5
	L 24N 025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	300W	5
	325W	5
	350W	5
	375W	5
	400W	5
	425W	5
	450W	5
	475W	5
	L 24N 500W	5
	L 25N 000	5
	025E	5
	050E	5
	075E	5
	L 25N 100E	5
	L 25N 025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	L 25N 250W	5

CERTIFIED BY :




CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 2

PRE FIX	SAMPLE NAME	PPB Au
8	L 25N 275W	5
8	300W	5
8	325W	5
8	350W	5
8	375W	5
8	400W	5
8	425W	5
8	450W	5
8	475W	5
8	L 25N 500W	5
8	L 26N 050E	5
8	075E	5
8	L 26N 100E	5
8	L 26N 000	5
8	025W	5
8	050W	5
8	075W	5
8	100W	5
8	125W	5
8	150W	5
8	175W	5
8	200W	5
8	225W	5
8	250W	5
8	275W	5
8	300W	5
8	325W	5
8	350W	5
8	375W	5
8	400W	5
8	425W	5
8	450W	5
8	475W	5
8	L 26N 500W	5
8	L 27N 000	5
8	025E	5
8	050E	130
8	075E	5
8	L 27N 100E	5
8	L 27N 025W	5

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 3

PRE	SAMPLE NAME	PPB Au
0	L 27N 050W	5
0	075W	5
0	100W	5
0	125W	5
0	150W	5
0	175W	5
0	200W	5
0	225W	5
0	250W	5
0	275W	5
0	300W	5
0	325W	5
0	350W	5
0	375W	5
0	400W	5
0	425W	5
0	450W	5
0	475W	5
0	L 27N 500W	5
0	L 28N 000	5
0	025E	5
0	050E	5
0	075E	5
0	100E	5
0	L 28N 025W	5
0	050W	5
0	075W	5
0	100W	5
0	125W	5
0	150W	5
0	175W	5
0	200W	5
0	225W	5
0	250W	5
0	275W	5
0	300W	5
0	325W	5
0	350W	5
0	375W	5
0	L 28N 400W	5

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 4

PRE	SAMPLE NAME	PPB Au
5	L 28N 425W	5
5	450W	5
5	475W	5
5	L 28N 500W	5
5	L 29N 000	5
5	025E	5
5	050E	5
5	075E	5
5	L 29N 100E	5
5	L 29N 025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	L 29N 275W	5
5	300W	5
5	325W	5
5	350W	5
5	375W	5
5	400W	5
5	425W	5
5	450W	5
5	475W	5
5	L 29N 500W	40
5	L 30N 000	5
5	025E	5
5	050E	5
5	075E	5
5	L 30N 100E	5
5	L 30N 025W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	L 30N 175W	5

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MFH86728
 PAGE # : 5

PRE	SAMPLE NAME	PPB Au
0	L 30N 200W	5
0	225W	5
0	250W	5
0	275W	5
0	300W	5
0	325W	5
0	350W	5
0	375W	5
0	400W	5
0	425W	5
0	450W	5
0	475W	5
0	L 30N 500W	5
0	L 31N 000	5
0	025E	5
0	050E	5
0	075E	5
0	L 31N 100E	5
0	L 31N 025W	5
0	050W	5
0	075W	5
0	100W	5
0	125W	5
0	150W	5
0	175W	5
0	200W	5
0	225W	5
0	275W	5
0	300W	5
0	325W	5
0	350W	5
0	375W	5
0	400W	5
0	425W	5
0	450W	5
0	475W	5
0	L 31N 500W	5
0	L 32N 000	5
0	025E	5
0	050E	5

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 6

PRE	SAMPLE NAME	PPB Au
0	L 32N 075E	5
0	L 32N 100E	5
0	L 32N 025W	5
0	050W	5
0	075W	5
0	100W	5
0	125W	5
0	150W	5
0	175W	5
0	200W	5
0	225W	5
0	250W	5
0	275W	5
0	300W	5
0	325W	5
0	350W	5
0	375W	5
0	400W	5
0	425W	5
0	450W	5
0	475W	5
0	L 32N 500W	5
0	L 33N 000	5
0	025E	5
0	050E	5
0	075E	5
0	L 32N 100E	5
0	L 33N 025W	5
0	050W	5
0	075W	5
0	100W	5
0	125W	5
0	150W	5
0	175W	5
0	200W	5
0	225W	5
0	250W	5
0	275W	5
0	300W	5
0	L 33N 325W	5

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 7

PRE	SAMPLE NAME	PPB Au
5	L 33N 350W	5
0	375W	5
0	400W	5
5	425W	5
0	450W	5
0	475W	5
5	L 33N 500W	5
5	L 34N 000	5
0	025E	5
0	050E	5
0	075E	5
5	L 34N 100E	5
5	L 34N 025W	5
5	050W	5
5	075W	5
0	100W	5
5	125W	5
5	150W	5
0	175W	5
0	200W	5
0	225W	5
5	250W	5
5	275W	5
5	300W	5
5	325W	5
5	350W	5
5	375W	5
5	400W	5
5	425W	5
5	450W	5
5	L 34N 500W	5
5	L 35N 000	5
5	025E	5
5	050E	5
5	075E	5
5	L 35N 100E	5
5	L 35N 025W	5
5	050W	5
5	075W	5
5	L 35N 100W	5

RECEIVED JAN 8 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 8

PRE	SAMPLE NAME	PPB
		Au
5	L 35N 125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	300W	5
5	325W	5
5	350W	5
5	375W	5
5	400W	30
5	425W	5
5	450W	5
5	475W	5
5	L 35N 500W	5
5	L 36N 075E	5
5	L 36N 100E	5
5	L 36N 025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	225W	5
5	250W	5
5	275W	5
5	325W	5
5	350W	5
5	375W	5
5	425W	5
5	450W	5
5	475W	5
5	L 36N 500W	5
5	L 37N 000	5
5	025E	300
5	050E	5
5	L 37N 075E	5
5	L 37N 025W	5

RECEIVED JAN 3 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 9

PRE F (SAMPLE NAME	PPB Au
0	L 37N 050W	5
	075W	5
	100W	5
0	125W	5
0	150W	5
	175W	5
0	200W	5
0	225W	5
	250W	5
	275W	5
0	325W	5
	375W	5
	400W	5
0	425W	5
0	450W	5
	475W	5
0	L 37N 500W	5
0	L 38N 000	5
	025E	5
	050E	5
0	075E	5
	L 38N 100E	5
0	L 38N 025W	5
0	050W	5
0	075W	5
	100W	5
0	125W	5
0	150W	5
	175W	5
	200W	5
0	225W	5
	250W	5
	275W	5
0	300W	5
	325W	5
	350W	5
0	375W	5
0	400W	5
	425W	5
	L 38N 450W	5

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3M1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MFH86728
 PAGE # : 10

PRE	SAMPLE NAME	PPB Au
	L 38N 475W	5
	L 38N 500W	5
	L 39N 000	5
	025E	5
	050E	5
	075E	5
	L 39N 100E	5
	L 39N 025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	300W	5
	325W	5
	350W	10
	375W	5
	400W	5
	425W	5
	450W	5
	475W	5
	L 39N 500W	5

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL


CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-29
 FILE NAME: MPH86728
 PAGE # : 1

PRE FIX	SAMPLE NAME	PPB Au
0	L 24N 000	5
	025E	5
	050E	5
0	075E	5
0	L 24N 100E	5
	L 24N 025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	300W	5
	325W	5
	350W	5
	375W	5
	400W	5
	425W	5
	450W	5
	475W	5
	L 24N 500W	5
	L 25N 000	5
	025E	5
	050E	5
	075E	5
	L 25N 100E	5
	L 25N 025E W	5
	050E	5
	075E	5
	100E	5
	125E	5
	150E	5
	175E	5
	200E	5
	225E	5
	L 25N 250E	5

*originals
 - correct values
 attached.*

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86728
 INVOICE#: 7334
 DATE ENTERED: 86-12-28
 FILE NAME: MPH86728
 PAGE # : 2

PRF FJ	SAMPLE NAME	PPB Au
	L 25N 275E ^w	5
	300E	5
	325E	5
	350E	5
	375E	5
	400E	5
	425E	5
	450E	5
	475E	5
	L 25N 500E	5
	L 25N 050E	5
	075E	5
	L 26N 100E	5
	L 26N 000	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	300W	5
	325W	5
	350W	5
	375W	5
	400W	5
	425W	5
	450W	5
	475W	5
	L 26N 500W	5
	L 27N 000	5
	025E	5
	050E	130
	075E	5
	L 27N 100E	5
	L 27N 025W	5

RECEIVED JAN 8 1987

CERTIFIED BY :



CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 - GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86737
 INVOICE#: 7343
 DATE ENTERED: 86-12-30
 FILE NAME: MPH86737
 PAGE # : 1

FILE NO.	SAMPLE NAME	PPB Au
	L 21N 100E	5
	075E	5
	050E	5
	025E	5
	000BL	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	300W	5
	325W	5
	350W	5
	375W	5
	400W	5
	425W	5
	450W	5
	475W	5
	L 21N 500W	5
	L 22N 100E	5
	075E	5
	050E	5
	025E	5
	000BL	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	L 22N 250W	5

RECEIVED JAN 5 1987

CERTIFIED BY :



CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226 - GRID A
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86737
 INVOICE#: 7343
 DATE ENTERED: 86-12-30
 FILE NAME: MPH86737
 PAGE # : 2

PPB	Au	SAMPLE NAME
5	5	L 22N 275W
5	5	300W
5	5	325W
5	5	350W
5	5	375W
5	5	400W
5	5	425W
5	5	450W
5	5	475W
5	5	L 22N 500W
5	5	L 23N 100E
5	5	075E
5	5	050E
5	5	025E
5	5	000BL
5	5	025W
5	5	050W
5	5	075W
5	5	100W
5	5	125W
5	5	150W
5	5	175W
5	5	200W
5	5	225W
5	5	250W
5	5	275W
5	5	300W
5	5	325W
5	5	350W
5	5	375W
5	5	400W
5	5	425W
5	5	450W
5	5	475W
5	5	L 23N 500W

RECEIVED JAN 5 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

CLIENT: MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 86741
INVOICE#: 7346
DATE ENTERED: 86-12-30
FILE NAME: MPH86741
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

PRE #1	SAMPLE NAME	PPB Au
A	14910	40
B	14911	5
C	14918	190
D	14919	110
E	14920	220
F	14921	5
G	14922	5
H	14923	5
I	14924	50
J	14925	20
K	14926	30
L	14927	390

RECEIVED JAN 5 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.


CERTIFICATE#: 86749
 INVOICE#: 7342.A
 DATE ENTERED: 86-12-330
 FILE NAME: MPH86749
 PAGE # : 1

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

PPB	SAMPLE NAME	Au
5	L 1N 300E	5
5	275E	5
5	250E	5
5	L 1N 225E	5
5	L 2N 300E	5
5	275E	5
5	250E	5
5	225E	5
5	200E	5
5	175E	5
5	150E	5
5	L 2N 125E	5
5	L 3N 300E	5
5	275E	5
5	250E	5
5	225E	5
5	200E	5
5	175E	5
5	150E	5
5	125E	5
5	100E	5
5	075E	5
5	050E	5
5	L 3N 025E	5
5	L 4N 300E	5
5	275E	5
5	250E	5
5	225E	5
5	200E	5
5	175E	5
5	150E	5
5	125E	5
5	100E	5
5	075E	5
5	050E	5
5	L 4N 025E	5
5	L 5N 300E	5
5	275E	5
5	250E	5
5	L 5N 225E	5

RECEIVED JAN 8 1987

CERTIFIED BY :



R JSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-330
 FILE NAME: MFH86749
 PAGE # : 2

PPB Au	SAMPLE NAME	PPB Au
S	L 5N 200E	S
S	175E	S
S	150E	S
S	125E	S
S	100E	S
S	075E	S
S	050E	S
S	L 5N 025E	S
S	L 6N 300E	S
S	275E	S
S	250E	S
S	225E	S
S	200E	S
S	175E	S
S	150E	S
S	125E	S
S	100E	S
S	075E	S
S	050E	S
S	L 6N 025E	S
S	L 58N 200E	S
S	175E	S
S	150E	S
S	125E	S
S	100E	S
S	075E	S
S	050E	S
S	025E	S
S	000BL	S
S	025W	S
S	050W	S
S	075W	S
S	100W	S
S	125W	S
S	150W	S
S	175W	S
S	200W	S
S	225W	S
S	250W	S
S	L 58N 275W	S

RECEIVED JAN 8 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-330
 FILE NAME: MFHB6749
 PAGE # : 3

PP FLX	SAMPLE NAME	FPB Au
	L 58N 300W	5
	325W	5
	350W	5
	375W	5
	L 58N 400W	10
	L 59N 200E	5
	175E	5
	150E	5
	125E	5
	100E	5
	075E	5
	050E	5
	025E	5
	000BL	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	300W	5
	325W	5
	350W	5
	375W	5
	L 59N 400W	5
	L 60N 200E	5
	175E	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	L 60N 200W	5

RECEIVED: 11 2 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

CERTIFICATE OF ANALYSIS


2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-30
 FILE NAME: MPH86749
 PAGE # : 4

PPB	SAMPLE NAME	Au
0.0	L 60N 225W	0
0.0	250W	0
0.0	275W	0
0.0	300W	0
0.0	325W	0
0.0	350W	0
0.0	375W	0
0.0	L 60N 400W	0
0.0	L 61N 200E	0
0.0	175E	0
0.0	150E	0
0.0	125E	0
0.0	100E	0
0.0	075E	0
0.0	050E	0
0.0	025E	0
0.0	050W	0
0.0	075W	0
0.0	100W	0
0.0	125W	0
0.0	150W	0
0.0	175W	0
0.0	200W	0
0.0	225W	0
0.0	250W	0
0.0	275W	0
0.0	300W	0
0.0	325W	0
0.0	350W	0
0.0	375W	0
0.0	L 61N 400W	0
0.0	L 62N 300E	0
0.0	275E	0
0.0	250E	0
0.0	225E	0
0.0	200E	0
0.0	175E	0
0.0	150E	0
0.0	125E	0
0.0	L 62N 100E	0

RECEIVED JAN 8 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-30
 FILE NAME: MFH86749
 PAGE # : 5

PPB	SAMPLE NAME	Au
5	L 62N 075E	5
5	050E	5
5	025E	5
5	000BL	5
5	025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	300W	5
5	325W	5
5	350W	5
5	375W	5
5	L 62N 400W	5
5	L 63N 300E	5
5	275E	5
5	250E	5
5	225E	5
5	200E	5
5	175E	5
5	150E	5
5	125E	5
5	100E	5
5	075E	5
5	050E	5
5	025E	5
5	000BL	5
5	025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	L 63N 175W	5

RECEIVED JAN 8 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

CLIENT : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-30
 FILE NAME: MPH86749
 PAGE # : 6

PPB	SAMPLE NAME	Au
0	L 63N 200W	0
0	225W	0
0	250W	0
0	275W	0
0	300W	0
0	325W	0
0	350W	0
0	375W	0
0	L 63N 400W	0
0	L 64N 300E	0
0	275E	0
0	250E	0
0	225E	0
0	200E	0
0	175E	0
0	150E	0
0	125E	0
0	100E	0
0	075E	0
0	050E	0
0	025E	0
0	000BL	0
0	025W	0
0	050W	0
0	075W	0
0	100W	0
0	125W	0
0	150W	0
0	175W	0
0	200W	0
0	225W	0
0	250W	0
0	275W	0
0	300W	0
0	325W	0
0	350W	0
0	375W	0
0	L 64N 400W	0
0	L 65N 300E	0
0	L 65N 275E	0

RECEIVED JAN 3 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-30
 FILE NAME: MPH86749
 PAGE # : 7

LINE NO.	SAMPLE NAME	PPB Au
1	L 65N 250E	5
2	225E	5
3	200E	5
4	175E	5
5	150E	5
6	125E	5
7	100E	5
8	075E	5
9	050E	5
10	025E	5
11	000BL	5
12	025W	5
13	050W	5
14	075W	110
15	100W	5
16	125W	5
17	150W	5
18	175W	5
19	200W	5
20	225W	5
21	250W	5
22	275W	5
23	L 65N 300W	5
24	L 66N 300E	5
25	275E	5
26	250E	5
27	225E	5
28	200E	5
29	175E	5
30	150E	5
31	125E	5
32	100E	5
33	075E	5
34	050E	30
35	025E	5
36	000BL	5
37	025W	5
38	050W	5
39	075W	5
40	L 66N 100W	5

RECEIVED JAN 3 1987

CERTIFIED BY : 

R OSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-330
 FILE NAME: MFH86749
 PAGE # : 8

PPB	SAMPLE NAME	PPB Au
5	L 66N 125W	5
5	150W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	L 66N 300W	5
5	L 68N 275E	5
5	250E	5
5	225E	5
5	200E	5
5	175E	5
5	150E	5
5	125E	5
5	100E	5
5	075E	5
5	050E	5
5	025E	5
5	000BL	5
5	025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	L 68N 300W	5
5	L 69N 300E	5
5	275E	5
5	250E	5
5	225E	5
5	200E	5
5	175E	5
5	150E	5
5	125E	5
5	L 69N 100E	5

RECEIVED JAN 8 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-30
 FILE NAME: MPH86749
 PAGE # : 9

PPB	SAMPLE NAME	Au
5	L 69N 075E	5
5	050E	5
20	025E	20
5	000BL	5
5	025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	L 69N 300W	5
5	L 70N 150E	5
5	125E	5
5	100E	5
5	075E	5
5	050E	5
5	025E	5
5	000BL	5
5	025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	L 70N 300W	5
5	L 71N 100E	5
5	075E	5
5	025E	5
5	025W	5
5	L 71N 050W	5

RECEIVED JAN 8 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-30
 FILE NAME: MPH86749
 PAGE # : 9

REFIX	SAMPLE NAME	PPB Au
	L 69N 075E	5
	050E	5
	025E	20
	000BL	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	L 69N 300W	5
	L 70N 150E	5
	125E	5
	100E	5
	075E	5
	050E	5
	025E	5
	000BL	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	200W	5
	225W	5
	250W	5
	275W	5
	L 70N 300W	5
	L 71N 100E	5
	075E	5
	025E	5
	025W	5
	L 71N 050W	5

RECEIVED JAN 8 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 86749
 INVOICE#: 7342
 DATE ENTERED: 86-12-330
 FILE NAME: MPH86749
 PAGE # : 10

PROJECT: V 226
 TYPE OF ANALYSIS: GEOCHEMICAL

RE FIX	SAMPLE NAME	PPB Au
5	L 71N 075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	L 71N 300W	5
5	L 72N 000BL	5
5	025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	L 72N 300W	5
5	L 73N 000BL	5
5	025W	5
5	050W	5
5	075W	5
5	100W	5
5	125W	5
5	150W	5
5	175W	5
5	200W	5
5	225W	5
5	250W	5
5	275W	5
5	L 73N 300W	5
5	L 80N 125E	5
5	100E	5
5	075E	5
5	050E	5

RECEIVED JAN 9 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 5910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.
PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 86749
INVOICE#: 7342
DATE ENTERED: 86-12-30
FILE NAME: MPH86749
PAGE # : 11

RE FIX	SAMPLE NAME	PPB Au
5	L 60N 025E	5
5	L 60N 000BL	5

RECEIVED JAN 8 1987

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 86616.A
INVOICE#: 7355
DATE ENTERED: 87-01-02
FILE NAME: MPH86616.A
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: ASSAY

PRE FIX	SAMPLE NAME	% Cu
A	2736	2.36

RECEIVED JAN 5 1987

CERTIFIED BY :





Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622124

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 1J1

Page No. : 1-B
Tot. Pages: 4
Date : 5-JAN-87
Invoice #: I-8622124
P.O. # : NONE

Project : V228 RACK B
Comments: ATTN: PETER ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm						
L500S 000 BL	221	44	350	2	< 5	25	0.13	< 10	< 10	83	< 5	52						
L500S 025E	221	29	360	10	< 5	23	0.11	< 10	< 10	74	< 5	154						
L500S 050E	221	16	230	4	< 5	36	0.13	< 10	< 10	66	< 5	58						
L500S 075E	221	31	440	4	< 5	35	0.11	< 10	< 10	101	< 5	90						
L500S 100E	221	31	1150	14	< 5	27	0.09	< 10	< 10	95	< 5	88						
L500S 125E	221	12	670	16	< 5	33	0.11	< 10	< 10	77	< 5	52						
L500S 150E	221	15	810	4	< 5	22	0.08	< 10	< 10	91	< 5	74						
L500S 175E	221	38	810	2	< 5	39	0.14	< 10	< 10	106	< 5	68						
L500S 200E	221	39	420	< 2	< 5	32	0.11	< 10	< 10	201	< 5	84						
L500S 225E	221	41	520	2	< 5	26	0.11	< 10	< 10	246	< 5	84						
L500S 250E	221	27	410	4	< 5	22	0.09	< 10	< 10	120	< 5	60						
L500S 275E	221	36	240	< 2	< 5	20	0.06	< 10	< 10	145	< 5	66						
L500S 300E	221	39	620	< 2	< 5	64	0.22	< 10	< 10	162	< 5	66						
L5000N 100E	221	26	340	4	< 5	29	0.25	< 10	< 10	105	< 5	52						
L5000N 075E	221	30	820	16	< 5	37	0.25	< 10	< 10	110	< 5	102						
L5000N 050E	221	26	410	4	< 5	37	0.25	< 10	< 10	102	< 5	62						
L5000N 025E	221	23	500	6	< 5	33	0.23	< 10	< 10	98	< 5	68						
L5000N 000 BL	221	26	1220	18	< 5	61	0.14	< 10	< 10	141	< 5	106						
L5000N 025W	221	10	390	10	< 5	35	0.21	< 10	< 10	97	< 5	46						
L5000N 050W	221	29	400	4	< 5	45	0.28	< 10	< 10	126	< 5	60						
L5000N 100W	221	24	600	2	< 5	19	0.20	< 10	< 10	116	< 5	68						
L5000N 125W	221	16	720	6	< 5	16	0.17	< 10	< 10	94	< 5	68						
L5000N 150W	221	31	790	6	< 5	19	0.22	< 10	< 10	113	< 5	72						
L5000N 175W	221	28	590	6	< 5	25	0.24	< 10	< 10	119	< 5	64						
L5000N 200W	221	29	880	2	< 5	26	0.23	< 10	< 10	116	< 5	70						
L5000N 225W	221	52	730	2	< 5	20	0.21	< 10	< 10	135	< 5	66						
L5000N 250W	221	14	300	8	< 5	29	0.19	< 10	< 10	103	< 5	42						
L5000N 275W	221	31	680	6	< 5	29	0.23	< 10	< 10	137	< 5	70						
L5000N 300W	221	22	1010	12	< 5	25	0.24	< 10	< 10	136	< 5	76						
L5000N 325W	221	26	1130	12	< 5	28	0.17	< 10	< 10	145	< 5	114						
L5000N 350W	221	24	2210	6	< 5	10	0.16	< 10	< 10	104	< 5	86						
L5000N 375W	221	30	630	6	< 5	18	0.21	< 10	< 10	119	< 5	60						
L5000N 400W	221	9	410	10	< 5	22	0.19	< 10	< 10	88	< 5	36						
L5000N 425W	221	22	450	2	< 5	9	0.03	< 10	< 10	107	< 5	64						
L5000N 450W	221	15	610	8	< 5	13	0.04	< 10	< 10	106	< 5	66						
L5000N 475W	221	5	170	4	< 5	10	0.02	< 10	< 10	53	< 5	32						
L5000N 500W	221	21	300	4	< 5	14	0.06	< 10	< 10	127	< 5	64						
L5100N 100E	221	21	270	8	< 5	35	0.24	< 10	< 10	104	< 5	44						
L5100N 075E	221	25	330	6	< 5	38	0.27	< 10	< 10	114	< 5	56						
L5100N 050E	221	12	210	10	< 5	47	0.22	< 10	< 10	77	< 5	58						

CERTIFICATION :

B. Conf

RECEIVED JAN 8 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622124

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 2-B
Tot. Pages: 4
Date : 5-JAN-87
Invoice # : I-8622124
P.O. # : NONE

Project : V228 RACK B
Comments : ATTN: PETER ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L5100N 025E	221	—	28	510	4	< 5	42	0.28	< 10	< 10	123	< 5	68					
L5100N 000 BL	221	—	33	690	4	< 5	40	0.32	< 10	< 10	145	< 5	70					
L5100N 050W	221	—	79	360	< 2	< 5	71	0.27	< 10	< 10	140	< 5	96					
L5100N 075W	221	—	13	330	6	< 5	39	0.19	< 10	< 10	118	< 5	54					
L5100N 100W	221	—	18	840	8	< 5	27	0.16	< 10	< 10	121	< 5	86					
L5100N 125W	221	—	10	350	8	< 5	27	0.17	< 10	< 10	82	< 5	60					
L5100N 150W	221	—	42	1280	10	< 5	32	0.30	< 10	< 10	131	< 5	110					
L5100N 175W	221	—	21	440	6	< 5	39	0.20	< 10	< 10	100	< 5	70					
L5100N 200W	221	—	24	720	4	< 5	35	0.22	< 10	< 10	128	< 5	84					
L5100N 225W	221	—	12	210	6	< 5	29	0.19	< 10	< 10	90	< 5	42					
L5100N 250W	221	—	23	670	2	< 5	31	0.26	< 10	< 10	124	< 5	84					
L5100N 275W	221	—	14	270	4	< 5	35	0.19	< 10	< 10	100	< 5	58					
L5100N 300W	221	—	7	400	10	< 5	22	0.16	< 10	< 10	88	< 5	34					
L5100N 325W	221	—	32	750	8	< 5	26	0.24	< 10	< 10	123	< 5	74					
L5100N 350W	221	—	32	650	4	< 5	26	0.14	< 10	< 10	101	< 5	82					
L5100N 375W	221	—	35	1280	6	< 5	34	0.28	< 10	< 10	143	< 5	84					
L5100N 400W	221	—	19	240	6	< 5	23	0.16	< 10	< 10	118	< 5	52					
L5100N 425W	221	—	14	340	8	< 5	32	0.21	< 10	< 10	107	< 5	54					
L5100N 475W	221	—	9	350	6	< 5	15	0.05	< 10	< 10	77	< 5	46					
L5100N 500W	221	—	6	360	8	< 5	20	0.08	< 10	< 10	61	< 5	32					
L5500N 100E	221	—	47	570	4	< 5	35	0.24	< 10	< 10	169	< 5	80					
L5500N 075E	221	—	70	570	8	< 5	34	0.28	< 10	< 10	147	< 5	96					
L5500N 025E	221	—	46	290	8	< 5	37	0.29	< 10	< 10	165	< 5	52					
L5500N 000 BL	221	—	40	190	6	< 5	27	0.25	< 10	< 10	141	< 5	56					
L5500N 025W	221	—	51	390	4	< 5	23	0.25	< 10	< 10	161	< 5	72					
L5500N 050W	221	—	21	600	8	< 5	42	0.23	< 10	< 10	96	< 5	78					
L5500N 075W	221	—	26	950	4	< 5	43	0.25	< 10	< 10	104	< 5	96					
L5500N 100W	221	—	19	790	8	< 5	211	0.32	< 10	< 10	153	< 5	94					
L5500N 125W	221	—	27	450	10	< 5	28	0.22	< 10	< 10	120	< 5	60					
L5500N 150W	221	—	44	570	10	< 5	34	0.27	< 10	< 10	165	< 5	68					
L5500N 175W	221	—	39	530	10	< 5	40	0.22	< 10	< 10	115	< 5	102					
L5500N 200W	221	—	21	200	12	< 5	28	0.17	< 10	< 10	71	< 5	60					
L5500N 250W	221	—	70	830	10	< 5	42	0.23	< 10	< 10	117	< 5	92					
L5500N 275W	221	—	14	290	20	< 5	16	0.13	< 10	< 10	70	< 5	52					
L5500N 300W	221	—	30	760	10	< 5	19	0.23	< 10	< 10	119	< 5	72					
L5500N 325W	221	—	25	1410	18	< 5	12	0.18	< 10	< 10	121	< 5	64					
L5500N 350W	221	—	32	790	8	< 5	21	0.22	< 10	< 10	126	< 5	78					
L5500N 375W	221	—	14	300	14	< 5	17	0.20	< 10	< 10	103	< 5	62					
L5500N 400W	221	—	15	690	10	< 5	17	0.13	< 10	< 10	111	< 5	70					
L5500N 475W	221	—	28	470	8	< 5	18	0.23	< 10	< 10	168	< 5	78					

CERTIFICATION :

B. Caryl

RECEIVED JAN 8 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-3C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622124

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No. : 3-A
 Tot. Pages: 4
 Date : 5-JAN-87
 Invoice #: I-8622124
 P.O. #: NONE

Project : V228 RACK B
 Comments: ATTN: PETER ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L5600N 100E	221	3.26	0.2	< 5	50	< 0.5	< 2	0.45	< 0.5	19	84	97	4.20	< 10	0.03	< 10	1.18	820	< 1	0.01
L5600N 075E	221	4.46	0.2	< 5	30	< 0.5	< 2	0.31	< 0.5	14	108	75	5.49	< 10	0.03	< 10	1.06	478	< 1	0.01
L5600N 050E	221	3.50	0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	13	74	54	4.04	< 10	0.07	10	0.92	1575	< 1	< 0.01
L5600N 025E	221	3.71	0.2	< 5	70	< 0.5	< 2	0.38	< 0.5	24	80	93	4.30	< 10	0.07	10	1.42	739	< 1	0.01
L5600N 000 BL	221	2.82	0.2	< 5	110	< 0.5	< 2	0.61	< 0.5	21	69	32	3.93	< 10	0.06	10	0.98	2950	< 1	0.01
L5600N 025W	221	3.86	0.2	< 5	150	< 0.5	< 2	0.87	< 0.5	21	71	69	3.95	< 10	0.10	10	1.21	2650	< 1	0.02
L5600N 050W	221	4.24	0.2	< 5	60	< 0.5	< 2	0.65	< 0.5	32	123	96	5.36	< 10	0.07	10	2.67	1135	< 1	0.01
L5600N 075W	221	5.30	0.2	< 5	160	< 0.5	< 2	0.37	< 0.5	25	70	62	6.16	< 10	0.16	10	2.01	1430	< 1	0.01
L5600N 100W	221	4.03	0.2	< 5	250	< 0.5	< 2	0.84	< 0.5	21	73	61	3.82	< 10	0.05	30	1.14	2780	< 1	0.01
L5600N 125W	221	3.23	0.2	< 5	170	< 0.5	< 2	0.61	< 0.5	23	89	29	3.71	< 10	0.04	10	1.20	3360	< 1	0.01
L5600N 150W	221	2.81	0.2	< 5	120	< 0.5	< 2	0.42	< 0.5	18	61	16	3.41	< 10	0.04	10	0.71	2070	< 1	< 0.01
L5600N 175W	221	1.89	0.2	< 5	100	< 0.5	< 2	0.51	< 0.5	14	41	10	2.30	< 10	0.03	10	0.54	935	< 1	0.01
L5600N 200W	221	2.07	0.2	< 5	80	< 0.5	< 2	0.56	< 0.5	13	48	6	2.46	< 10	0.03	10	0.63	843	< 1	< 0.01
L5600N 225W	221	4.18	0.2	< 5	160	< 0.5	< 2	0.83	< 0.5	28	151	126	4.75	< 10	0.10	10	1.91	1080	< 1	0.01
L5600N 275W	221	3.44	0.2	< 5	70	< 0.5	< 2	0.50	< 0.5	20	61	62	4.71	< 10	0.06	10	0.98	1560	< 1	0.01
L5600N 300W	221	4.75	0.2	< 5	80	< 0.5	< 2	0.40	< 0.5	20	74	100	5.50	< 10	0.07	10	1.07	1095	< 1	< 0.01
L5600N 325W	221	4.54	0.2	< 5	110	< 0.5	< 2	0.55	< 0.5	26	83	117	5.26	< 10	0.09	10	1.50	2800	< 1	0.01
L5600N 350W	221	3.82	0.2	< 5	100	< 0.5	< 2	0.54	< 0.5	26	88	113	4.99	< 10	0.08	10	1.82	1115	< 1	0.01
L5600N 450W	221	4.19	0.2	< 5	90	< 0.5	< 2	0.33	< 0.5	23	53	85	4.49	< 10	0.06	< 10	1.49	706	< 1	< 0.01
L5600N 500W	221	3.19	0.2	< 5	40	< 0.5	< 2	0.39	< 0.5	10	38	27	3.37	< 10	0.03	< 10	0.63	427	< 1	< 0.01
L5700N 100E	221	3.44	0.2	< 5	50	< 0.5	< 2	0.45	< 0.5	17	73	74	4.22	< 10	0.04	10	1.06	793	< 1	0.01
L5700N 075E	221	4.27	0.2	< 5	50	< 0.5	< 2	0.44	< 0.5	20	88	97	4.67	< 10	0.05	10	1.30	620	< 1	0.01
L5700N 050E	221	4.28	0.2	< 5	50	< 0.5	< 2	0.53	< 0.5	26	120	102	5.18	< 10	0.05	10	2.22	1120	< 1	0.01
L5700N 025E	221	4.94	0.2	< 5	50	< 0.5	< 2	0.54	< 0.5	31	154	141	5.74	< 10	0.06	10	3.15	1065	< 1	0.01
L5700N 000 BL	221	3.42	0.2	< 5	50	< 0.5	< 2	0.63	< 0.5	23	87	35	3.76	< 10	0.03	10	1.24	1080	< 1	0.01
L5700N 025W	221	4.16	0.2	< 5	70	< 0.5	< 2	0.49	< 0.5	28	112	48	5.22	< 10	0.04	10	1.21	1515	< 1	0.01
L5700N 050W	221	4.68	0.2	< 5	60	< 0.5	< 2	0.41	< 0.5	23	146	83	5.53	< 10	0.07	10	1.79	847	< 1	0.01
L5700N 075W	221	3.84	0.2	< 5	90	< 0.5	< 2	0.38	< 0.5	15	65	26	4.06	< 10	0.07	10	0.93	1340	< 1	0.01
L5700N 100W	221	1.41	0.2	< 5	100	< 0.5	< 2	0.47	< 0.5	8	24	< 1	1.90	< 10	0.04	10	0.27	2800	< 1	0.01
L5700N 125W	221	4.70	0.2	< 5	70	< 0.5	< 2	0.35	< 0.5	16	95	57	5.71	< 10	0.05	10	1.09	1655	< 1	0.01
L5700N 150W	221	1.44	0.2	< 5	50	< 0.5	< 2	0.52	< 0.5	11	16	6	3.44	< 10	0.02	10	0.44	1365	< 1	< 0.01
L5700N 175W	221	4.47	0.2	< 5	160	< 0.5	< 2	0.55	< 0.5	24	101	65	5.04	< 10	0.06	10	1.47	1050	< 1	0.01
L5700N 200W	221	3.48	0.2	< 5	130	< 0.5	< 2	0.69	< 0.5	18	70	29	4.56	< 10	0.05	10	0.98	803	< 1	0.01
L5700N 225W	221	5.38	0.2	< 5	330	< 0.5	< 2	0.39	< 0.5	45	75	53	5.92	< 10	0.13	10	1.29	3210	< 1	0.01
L5700N 250W	221	5.93	0.2	< 5	130	< 0.5	< 2	0.54	< 0.5	33	130	135	6.66	< 10	0.13	10	2.13	881	< 1	0.01
L5700N 275W	221	4.10	0.2	< 5	190	< 0.5	< 2	0.58	< 0.5	26	70	110	4.88	< 10	0.07	10	1.33	2880	< 1	0.01
L5700N 300W	221	5.42	0.2	< 5	140	< 0.5	< 2	0.47	< 0.5	43	109	201	8.04	< 10	0.10	20	2.12	1385	< 1	0.01
L5700N 325W	221	5.13	0.2	< 5	150	< 0.5	< 2	0.57	< 0.5	27	77	151	6.03	< 10	0.08	10	1.23	1130	< 1	0.01
L5700N 350W	221	3.75	0.2	< 5	110	< 0.5	< 2	0.60	< 0.5	24	60	75	4.99	< 10	0.05	10	1.34	620	< 1	0.01
L5700N 375W	221	3.47	0.2	< 5	110	< 0.5	< 2	0.41	< 0.5	17	41	27	3.87	< 10	0.04	10	0.75	492	< 1	< 0.01

CERTIFICATION : *B. Campbell*

RECEIVED JAN 8 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0121

CERTIFICATE OF ANALYSIS A8622124

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 3-B
 Tot. Pages: 4
 Date : 5-JAN-87
 Invoice # : I-8622124
 P.O. # : NONE


Project : V228 RACK B
 Comments : ATTN: PETER ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm						
L5600N 100E	221	37	690	6	< 5	30	0.25	< 10	< 10	131	< 5	76						
L5600N 075E	221	33	1200	10	< 5	29	0.28	< 10	< 10	159	< 5	70						
L5600N 050E	221	27	1370	32	< 5	24	0.17	< 10	< 10	106	< 5	66						
L5600N 025E	221	44	410	8	< 5	47	0.27	< 10	< 10	126	< 5	98						
L5600N 000 BL	221	27	660	16	< 5	49	0.22	< 10	< 10	121	< 5	82						
L5600N 025W	221	34	1390	14	< 5	59	0.23	< 10	< 10	119	< 5	126						
L5600N 050W	221	55	560	4	< 5	44	0.23	< 10	< 10	169	< 5	84						
L5600N 075W	221	28	1500	10	< 5	25	0.20	< 10	< 10	135	< 5	144						
L5600N 100W	221	35	620	8	< 5	43	0.29	< 10	< 10	120	< 5	108						
L5600N 125W	221	32	1370	10	< 5	53	0.28	< 10	< 10	113	< 5	112						
L5600N 150W	221	28	580	14	< 5	34	0.21	< 10	< 10	91	< 5	122						
L5600N 175W	221	18	190	10	< 5	40	0.20	< 10	< 10	74	< 5	70						
L5600N 200W	221	19	200	6	< 5	43	0.21	< 10	< 10	83	< 5	80						
L5600N 225W	221	72	450	2	< 5	60	0.27	< 10	< 10	146	< 5	84						
L5600N 275W	221	25	700	8	< 5	35	0.22	< 10	< 10	127	< 5	100						
L5600N 300W	221	31	880	12	< 5	32	0.22	< 10	< 10	131	< 5	82						
L5600N 325W	221	36	920	18	< 5	37	0.24	< 10	< 10	149	< 5	98						
L5600N 350W	221	40	620	8	< 5	37	0.27	< 10	< 10	148	< 5	78						
L5600N 450W	221	26	680	6	< 5	22	0.25	< 10	< 10	129	< 5	86						
L5600N 500W	221	13	540	10	< 5	23	0.20	< 10	< 10	104	< 5	70						
L5700N 100E	221	30	660	10	< 5	34	0.26	< 10	< 10	132	< 5	60						
L5700N 075E	221	41	690	8	< 5	31	0.26	< 10	< 10	131	< 5	66						
L5700N 050E	221	49	1000	6	< 5	34	0.28	< 10	< 10	160	< 5	82						
L5700N 025E	221	61	900	6	< 5	37	0.34	< 10	< 10	188	< 5	80						
L5700N 000 BL	221	34	460	10	< 5	43	0.25	< 10	< 10	112	< 5	104						
L5700N 025W	221	39	1460	10	< 5	51	0.31	< 10	< 10	153	< 5	118						
L5700N 050W	221	48	910	4	< 5	39	0.39	< 10	< 10	178	< 5	84						
L5700N 075W	221	28	1560	8	< 5	61	0.22	< 10	< 10	121	< 5	104						
L5700N 100W	221	7	350	8	< 5	43	0.22	< 10	< 10	68	< 5	54						
L5700N 125W	221	30	1250	8	< 5	31	0.28	< 10	< 10	155	< 5	96						
L5700N 150W	221	7	470	14	< 5	36	0.49	< 10	< 10	125	< 5	46						
L5700N 175W	221	36	830	10	< 5	57	0.32	< 10	< 10	151	< 5	90						
L5700N 200W	221	27	550	8	< 5	38	0.26	< 10	< 10	132	< 5	96						
L5700N 225W	221	31	990	20	< 5	19	0.18	< 10	< 10	159	< 5	166						
L5700N 250W	221	59	400	6	< 5	45	0.28	< 10	< 10	178	< 5	100						
L5700N 275W	221	40	640	18	< 5	31	0.20	< 10	< 10	129	< 5	130						
L5700N 300W	221	55	910	18	< 5	28	0.22	< 10	< 10	176	< 5	96						
L5700N 325W	221	45	760	8	< 5	28	0.24	< 10	< 10	140	< 5	98						
L5700N 350W	221	31	460	6	< 5	30	0.28	< 10	< 10	142	< 5	82						
L5700N 375W	221	17	430	6	< 5	23	0.19	< 10	< 10	116	< 5	134						

CERTIFICATION :

B. Conf.

JAN 8 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622124

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 4-A
 Tot. Pages: 4
 Date : 5-JAN-87
 Invoice #: I-8622124
 P.O. #: NONE


Project : V228 RACK B
 Comments : ATTN: PETER ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L5700N 400W	221 —	3.74	0.2	< 5	120	< 0.5	< 2	0.43	< 0.5	26	58	86	4.87	< 10	0.08	< 10	1.51	1815	< 1	0.01
L5700N 425W	221 —	2.97	0.2	< 5	50	< 0.5	< 2	0.53	< 0.5	16	37	47	3.42	< 10	0.02	< 10	0.84	751	< 1	< 0.01
L5700N 475W	221 —	4.61	0.2	10	110	< 0.5	< 2	0.36	< 0.5	28	63	104	5.10	< 10	0.03	< 10	1.50	1250	< 1	< 0.01
L5700N 500W	221 —	1.28	0.2	5	20	< 0.5	< 2	0.54	< 0.5	6	15	< 1	1.65	< 10	0.01	< 10	0.27	294	< 1	< 0.01
14657	221 —	0.78	0.2	5	40	< 0.5	< 2	0.17	< 0.5	6	110	34	1.94	< 10	0.03	< 10	0.17	334	< 1	0.01
14658	221 —	0.67	0.2	< 5	30	< 0.5	< 2	3.29	< 0.5	4	104	2	1.75	< 10	0.02	< 10	0.24	343	< 1	< 0.01
14659	221 —	1.17	0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	7	63	16	3.05	< 10	0.10	< 10	0.36	751	< 1	< 0.01
14660	221 —	2.14	0.2	< 5	70	< 0.5	< 2	0.66	< 0.5	14	61	53	4.55	< 10	0.07	< 10	1.19	1520	< 1	< 0.01
14661	221 —	2.70	0.2	< 5	50	< 0.5	< 2	0.43	< 0.5	18	66	64	5.39	< 10	0.03	< 10	1.56	1640	< 1	0.02
14662	221 —	1.15	0.2	5	740	< 0.5	< 2	0.14	< 0.5	5	95	< 1	2.55	< 10	0.03	< 10	0.62	556	< 1	0.01
14663	221 —	2.62	0.2	10	90	< 0.5	< 2	0.40	< 0.5	11	40	36	5.54	< 10	0.14	< 10	1.18	411	< 1	< 0.01
14664	221 —	1.81	0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	35	132	140	4.89	< 10	0.53	< 10	0.78	246	< 1	0.01
14665	221 —	1.44	0.2	< 5	30	< 0.5	< 2	0.74	< 0.5	5	58	8	2.37	< 10	0.05	< 10	0.67	712	< 1	0.04
14666	221 —	0.19	0.2	< 5	10	< 0.5	< 2	0.35	< 0.5	2	202	75	0.62	< 10	0.02	< 10	0.09	167	< 1	< 0.01
14667	221 —	2.50	0.2	5	60	< 0.5	< 2	0.31	< 0.5	3	110	44	10.45	< 10	< 0.01	10	0.66	207	< 1	< 0.01
14668	221 —	1.66	0.2	5	40	< 0.5	< 2	0.01	< 0.5	7	107	62	6.34	< 10	0.03	< 10	0.39	423	< 1	< 0.01
14901	221 —	0.13	0.2	5	20	< 0.5	< 2	0.02	< 0.5	7	146	4	7.08	< 10	< 0.01	< 10	0.03	1170	< 1	< 0.01
14902	221 —	0.55	0.2	< 5	10	< 0.5	< 2	0.16	< 0.5	6	219	59	2.07	< 10	< 0.01	< 10	0.33	301	< 1	< 0.01
14903	221 —	0.39	0.2	< 5	10	< 0.5	< 2	0.05	< 0.5	4	218	9	0.86	< 10	0.03	< 10	0.29	279	< 1	< 0.01
14904	221 —	4.05	0.2	< 5	50	< 0.5	< 2	2.86	< 0.5	45	75	198	8.77	20	0.02	< 10	2.90	1230	< 1	0.05
14905	221 —	2.88	0.2	< 5	30	< 0.5	< 2	2.25	< 0.5	31	40	183	6.51	10	0.05	< 10	1.92	1140	< 1	0.06
14906	221 —	4.70	0.2	< 5	40	< 0.5	< 2	4.65	< 0.5	48	172	206	8.48	20	0.03	< 10	3.51	1485	< 1	0.30
14907	221 —	1.06	0.2	< 5	80	< 0.5	< 2	6.94	1.5	36	59	140	6.12	20	0.13	< 10	2.27	1370	< 1	0.02
14908	221 —	1.14	0.2	10	20	< 0.5	< 2	6.84	3.0	40	65	200	7.50	20	0.11	< 10	1.84	1390	< 1	0.02
41909	221 —	0.59	0.8	< 5	260	< 0.5	< 2	2.83	0.5	9	14	11	1.95	10	0.20	20	0.58	446	< 1	0.01

CERTIFICATION :

P. Conroy

RECEIVED BY DATE 9 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 944-0221

CERTIFICATE OF ANALYSIS A8622124

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 4-B
 Tot. Pages: 4
 Date : 5-JAN-87
 Invoice # : 1-8622124
 P.O. # : NONE


Project : V226 RACK B
 Comments : ATTN: PETER ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
L5700N 400W	221	29	800	4	< 5	18	0.16	< 10	< 10	124	< 5	96							
L5700N 42 SW	221	16	690	4	< 5	19	0.18	< 10	< 10	108	< 5	82							
L5700N 47 SW	221	30	700	6	< 5	18	0.24	< 10	< 10	145	< 5	96							
L5700N 500V	221	4	190	12	< 5	26	0.17	< 10	< 10	68	< 5	34							
14657	221	8	550	14	< 5	6	< 0.01	< 10	< 10	17	< 5	36							
14658	221	12	60	20	< 5	< 1	< 0.01	< 10	< 10	16	< 5	22							
14659	221	8	150	10	< 5	5	0.05	< 10	< 10	30	< 5	50							
14660	221	15	130	14	< 5	27	0.10	< 10	< 10	48	< 5	76							
14661	221	21	360	4	< 5	32	0.18	< 10	< 10	77	< 5	56							
14662	221	9	130	12	< 5	19	0.07	< 10	< 10	40	< 5	34							
14663	221	19	560	8	< 5	2	0.07	< 10	< 10	45	< 5	72							
14664	221	47	180	10	< 5	< 1	0.18	< 10	< 10	43	< 5	66							
14665	221	7	270	10	< 5	78	0.19	< 10	< 10	10	< 5	50							
14666	221	7	230	22	< 5	< 1	0.01	< 10	< 10	12	< 5	6							
14667	221	22	2510	16	< 5	9	< 0.01	< 10	< 10	250	< 5	78							
14668	221	33	200	16	< 5	1	0.01	< 10	< 10	62	< 5	28							
14901	221	18	290	16	< 5	< 1	< 0.01	< 10	< 10	41	< 5	12							
14902	221	9	80	16	< 5	7	0.01	< 10	< 10	41	< 5	14							
14903	221	9	30	18	< 5	1	< 0.01	< 10	< 10	13	< 5	10							
14904	221	67	630	2	< 5	6	0.98	< 10	< 10	253	< 5	92							
14905	221	45	570	2	< 5	19	0.80	< 10	< 10	143	< 5	76							
14906	221	74	660	2	< 5	71	0.79	< 10	< 10	314	< 5	124							
14907	221	43	500	10	< 5	69	< 0.01	< 10	< 10	159	< 5	118							
14908	221	46	690	14	< 5	31	< 0.01	< 10	< 10	178	< 5	126							
41909	221	9	1050	8	< 5	22	< 0.01	< 10	< 10	14	< 5	74							

CERTIFICATION :

B. Cough

RECEIVED JAN 8 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 914-0221

CERTIFICATE OF ANALYSIS A8622240

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-A
Tot. Pages: 1
Date : 5-JAN-87
Invoice # : I-8622240
P.O. # : NONE

Project: HOLT V228 RACK D
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
14669	221	1.26	0.8	130	30	< 0.5	< 2	0.72	< 0.5	4	127	24	8.04	< 10	< 0.01	20	0.18	129	1	< 0.01
14670	221	0.97	4.2	223	60	< 0.5	< 2	0.28	< 0.5	7	115	106	7.92	< 10	< 0.01	< 10	0.16	81	10	< 0.01
14671	221	1.78	7.3	409	110	< 0.5	< 2	0.27	< 0.5	8	100	288	10.50	< 10	< 0.01	< 10	0.32	174	28	< 0.01
14672	221	2.58	0.2	15	50	< 0.5	< 2	0.08	0.5	9	84	64	9.32	< 10	0.01	10	1.08	956	< 1	< 0.01
14673	221	0.34	0.2	< 5	10	< 0.5	< 2	0.01	< 0.5	2	103	29	1.53	< 10	< 0.01	< 10	0.28	206	< 1	< 0.01
14674	221	2.75	0.2	5	90	< 0.5	< 2	1.04	< 0.5	16	69	107	6.21	< 10	0.02	10	1.54	1960	< 1	0.01
14675	221	0.60	0.2	< 5	10	< 0.5	< 2	0.08	< 0.5	4	107	5	1.62	< 10	< 0.01	< 10	0.45	223	< 1	< 0.01
14676	221	1.38	0.2	< 5	30	< 0.5	< 2	0.06	< 0.5	7	55	20	2.91	< 10	0.03	< 10	0.83	713	< 1	< 0.01
14677	221	1.49	0.2	< 5	200	< 0.5	< 2	0.17	< 0.5	11	91	39	3.55	< 10	0.02	< 10	1.01	1085	< 1	0.02
14678	221	0.88	5.2	290	80	< 0.5	< 2	0.02	< 0.5	8	136	185	5.57	< 10	< 0.01	< 10	0.15	58	10	< 0.01
14679	221	1.24	5.5	320	60	< 0.5	< 2	0.03	< 0.5	8	96	203	6.26	< 10	< 0.01	< 10	0.23	65	9	< 0.01
14680	221	1.89	6.5	270	80	< 0.5	< 2	0.07	< 0.5	7	109	241	6.95	< 10	< 0.01	< 10	0.36	99	15	< 0.01

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

211 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622240

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-B
Tot. Pages: 1
Date : 5-JAN-87
Invoice #: I-8622240
P.O. #: NONE

Project: HOLT V228 RACK D
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm							
14669	221 —	26	3720	20	< 5	54	< 0.01	< 10	< 10	156	< 5	40							
14670	221 —	60	1850	20	< 5	18	< 0.01	< 10	< 10	116	< 5	14							
14671	221 —	58	1430	44	< 5	16	< 0.01	< 10	< 10	171	< 5	28							
14672	221 —	23	170	4	< 5	3	0.02	< 10	< 10	95	< 5	54							
14673	221 —	7	70	8	< 5	< 1	0.01	< 10	< 10	17	< 5	10							
14674	221 —	24	880	6	< 5	17	0.17	< 10	< 10	118	< 5	66							
14675	221 —	9	410	8	< 5	1	< 0.01	< 10	< 10	31	< 5	12							
14676	221 —	9	260	2	< 5	2	< 0.01	< 10	< 10	42	< 5	28							
14677	221 —	10	60	10	< 5	3	0.02	< 10	< 10	68	< 5	42							
14678	221 —	49	410	46	< 5	2	< 0.01	< 10	< 10	105	< 5	12							
14679	221 —	47	370	48	< 5	2	< 0.01	< 10	< 10	160	< 5	18							
14680	221 —	54	500	46	< 5	5	< 0.01	< 10	< 10	269	< 5	24							

CERTIFICATION :

B. C. Rossbacher



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-A
 Tot. Pages: 9
 Date : 09-JAN-87
 Invoice #: I-8622245
 P.O. #: NONE

Project : HOLT V216 RACK J

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mb ppm	Na %
0000V 200N	221 238	2.62	0.2	< 5	150	< 0.5	< 2	0.41	< 0.5	13	51	38	3.74	10	0.03	10	0.82	508	< 1	< 0.01
0000V 100N	221 238	3.22	0.2	< 5	140	< 0.5	< 2	0.29	< 0.5	15	48	56	3.65	10	0.03	10	0.96	552	< 1	< 0.01
0000V 000N	221 238	3.21	0.2	< 5	340	< 0.5	< 2	0.51	< 0.5	23	40	111	4.51	10	0.07	10	1.33	1750	< 1	< 0.01
0000V 100S	221 238	1.52	0.2	< 5	140	< 0.5	< 2	0.38	< 0.5	10	29	21	1.84	< 10	0.04	10	0.56	2720	< 1	< 0.01
0000V 200S	221 238	1.30	0.2	< 5	230	< 0.5	< 2	0.43	< 0.5	10	31	24	1.53	< 10	0.04	10	0.48	3210	< 1	< 0.01
0000V 300S	221 238	1.71	0.2	< 5	100	< 0.5	< 2	0.44	< 0.5	15	36	32	2.43	< 10	0.03	10	0.66	2400	< 1	< 0.01
0000V 700S	221 238	2.58	0.2	< 5	80	< 0.5	< 2	0.33	< 0.5	13	58	47	2.85	10	0.04	10	0.83	1195	< 1	< 0.01
0000V 800S	221 238	3.95	0.2	< 5	80	< 0.5	< 2	0.25	< 0.5	19	69	80	4.12	10	0.03	10	0.90	930	< 1	< 0.01
0400S 000E	221 238	2.85	0.2	< 5	260	< 0.5	< 2	0.50	< 0.5	22	70	77	3.09	10	0.03	30	1.02	1240	< 1	0.01
0400S 025E	221 238	2.11	0.2	< 5	110	< 0.5	< 2	0.37	< 0.5	11	64	43	3.23	10	0.02	10	0.68	454	< 1	0.01
0400S 050E	221 238	3.61	0.2	< 5	180	< 0.5	< 2	0.65	< 0.5	23	94	110	4.40	10	0.07	10	1.43	979	< 1	0.01
0400S 075E	221 238	3.28	0.2	< 5	160	< 0.5	< 2	0.56	< 0.5	22	101	102	3.76	10	0.04	10	1.37	805	< 1	0.01
0400S 100E	221 238	2.62	0.2	< 5	110	< 0.5	< 2	0.55	< 0.5	18	90	86	3.11	10	0.04	10	1.22	594	< 1	0.01
0400S 125E	221 238	1.53	0.2	< 5	70	< 0.5	< 2	0.40	< 0.5	9	43	26	1.92	10	0.02	10	0.49	911	< 1	0.01
0400S 150E	221 238	1.43	0.2	< 5	30	< 0.5	< 2	0.36	< 0.5	6	39	21	2.18	10	0.02	10	0.39	157	< 1	< 0.01
0400S 175E	221 238	3.35	0.2	< 5	90	< 0.5	< 2	0.40	< 0.5	25	67	149	4.38	10	0.06	10	1.61	1360	< 1	< 0.01
0400S 200E	221 238	2.75	0.2	< 5	60	< 0.5	< 2	0.34	< 0.5	13	56	63	3.50	10	0.02	10	0.79	453	< 1	< 0.01
0400S 225E	221 238	2.60	0.2	< 5	110	< 0.5	< 2	0.39	< 0.5	14	55	156	3.51	10	0.02	10	0.89	376	< 1	< 0.01
0400S 250E	221 238	2.95	0.2	< 5	310	< 0.5	< 2	0.45	< 0.5	17	74	81	3.71	10	0.03	20	0.90	848	< 1	0.01
0400S 275E	221 238	2.78	0.2	< 5	130	< 0.5	< 2	0.36	< 0.5	20	66	129	3.67	10	0.03	10	1.25	732	< 1	0.01
0400S 300E	221 238	1.84	0.2	< 5	160	< 0.5	< 2	0.43	< 0.5	15	33	19	2.26	< 10	0.02	10	0.57	2250	< 1	0.01
0600S 000BL	221 238	2.73	0.2	< 5	90	< 0.5	< 2	0.35	< 0.5	27	67	58	2.89	< 10	0.02	10	1.14	641	< 1	< 0.01
0600S 100E	221 238	2.65	0.2	< 5	60	< 0.5	< 2	0.30	< 0.5	14	56	46	2.83	< 10	0.02	10	0.84	479	< 1	< 0.01
0600S 125E	221 238	3.11	0.2	< 5	80	< 0.5	< 2	0.20	< 0.5	13	35	45	3.70	< 10	0.04	10	1.11	663	< 1	< 0.01
0600S 150E	221 238	2.88	0.2	< 5	210	< 0.5	< 2	0.13	0.5	16	19	24	4.70	< 10	0.07	< 10	0.87	2520	< 1	< 0.01
0600S 175E	221 238	3.34	0.2	< 5	150	< 0.5	< 2	0.29	< 0.5	19	60	64	3.84	< 10	0.05	10	1.12	1183	< 1	< 0.01
0600S 200E	221 238	2.49	0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	13	53	39	2.65	< 10	0.04	10	0.81	787	< 1	< 0.01
0600S 225E	221 238	2.41	0.2	< 5	130	< 0.5	< 2	0.17	< 0.5	18	42	23	2.90	< 10	0.03	10	0.63	1635	< 1	< 0.01
0600S 250E	221 238	1.86	0.2	< 5	210	< 0.5	< 2	0.49	< 0.5	17	38	58	3.13	< 10	0.04	10	0.73	4120	< 1	< 0.01
0600S 275E	221 238	3.58	0.2	< 5	120	< 0.5	< 2	0.50	0.5	29	54	251	5.21	10	0.04	10	2.16	1230	< 1	< 0.01
0600S 300E	221 238	2.84	0.2	< 5	80	< 0.5	< 2	0.47	< 0.5	20	82	104	3.82	10	0.03	10	1.49	839	< 1	< 0.01
0900S 200V	221 238	1.76	0.2	< 5	50	< 0.5	< 2	0.33	< 0.5	11	55	38	3.09	10	0.01	10	0.52	209	< 1	< 0.01
0900S 175V	221 238	2.69	0.2	< 5	60	< 0.5	< 2	0.34	< 0.5	14	66	51	3.70	10	0.02	10	0.72	296	< 1	< 0.01
0900S 150V	221 238	3.44	0.2	< 5	120	< 0.5	< 2	0.52	0.5	33	87	127	5.55	10	0.06	10	1.90	1330	< 1	< 0.01
0900S 125V	221 238	0.01	0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	< 1	< 1	0.02	< 10	< 0.01	< 10	< 0.01	4	< 1	< 0.01
0900S 100V	221 238	2.40	0.2	< 5	60	< 0.5	< 2	0.38	< 0.5	14	64	38	2.68	< 10	0.03	10	0.84	849	< 1	< 0.01
0900S 075V	221 238	2.73	0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	15	59	44	2.89	< 10	0.02	10	0.81	478	< 1	< 0.01
0900S 050V	221 238	2.45	0.2	< 5	70	< 0.5	< 2	0.25	< 0.5	9	34	30	2.28	< 10	0.04	10	0.59	280	< 1	< 0.01
0900S 025V	221 238	2.38	0.2	< 5	50	< 0.5	< 2	0.24	< 0.5	11	44	34	2.67	< 10	0.02	< 10	0.62	622	< 1	< 0.01
0900S 000BL	221 238	0.67	0.2	< 5	20	< 0.5	2	0.09	0.5	5	12	6	0.68	< 10	0.01	< 10	0.17	396	< 1	< 0.01

CERTIFICATION: *B. Cough*

RECEIVED JAN 23 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-B
Tot. Pages: 9
Date : 09-JAN-87
Invoice # : I-8622245
P.O. # : NONE

Project : HOLT V216 RACK J
Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm						
0000V 200N	221 238	25	340	2	< 5	33	0.12	< 10	< 10	106	< 5	58						
0000V 100N	221 238	24	500	4	< 5	25	0.13	< 10	< 10	102	< 5	74						
0000V 000N	221 238	25	370	< 2	< 5	18	0.18	< 10	< 10	85	< 5	64						
0000V 100S	221 238	15	310	10	< 5	27	0.08	< 10	< 10	52	< 5	62						
0000V 200S	221 238	18	780	6	< 5	28	0.07	< 10	< 10	41	< 5	98						
0000V 300S	221 238	18	800	2	< 5	33	0.14	< 10	< 10	75	< 5	66						
0000V 700S	221 238	27	760	16	< 5	35	0.14	< 10	< 10	77	< 5	76						
0000V 800S	221 238	32	1080	10	< 5	28	0.17	< 10	< 10	101	< 5	90						
0400S 000E	221 238	33	310	12	< 5	30	0.13	< 10	< 10	83	< 5	58						
0400S 025E	221 238	25	220	10	< 5	30	0.15	< 10	< 10	102	< 5	38						
0400S 050E	221 238	50	460	18	< 5	44	0.15	< 10	< 10	115	< 5	74						
0400S 075E	221 238	50	490	16	< 5	48	0.17	< 10	< 10	104	< 5	68						
0400S 100E	221 238	44	570	10	< 5	47	0.17	< 10	< 10	89	< 5	48						
0400S 125E	221 238	19	320	14	< 5	36	0.11	< 10	< 10	59	< 5	40						
0400S 150E	221 238	15	320	10	< 5	32	0.13	< 10	< 10	70	< 5	36						
0400S 175E	221 238	37	610	12	< 5	34	0.15	< 10	< 10	122	< 5	70						
0400S 200E	221 238	23	1450	10	< 5	34	0.12	< 10	< 10	106	< 5	56						
0400S 225E	221 238	26	230	12	< 5	31	0.16	< 10	< 10	119	< 5	38						
0400S 250E	221 238	32	280	14	< 5	33	0.14	< 10	< 10	104	< 5	46						
0400S 275E	221 238	36	290	10	< 5	31	0.15	< 10	< 10	95	< 5	48						
0400S 300E	221 238	15	340	6	< 5	34	0.10	< 10	< 10	83	< 5	64						
0600S 000BL	221 238	38	620	< 2	< 5	37	0.15	< 10	< 10	76	< 5	78						
0600S 100E	221 238	30	460	2	< 5	32	0.14	< 10	< 10	74	< 5	72						
0600S 125E	221 238	16	620	6	< 5	21	0.05	< 10	< 10	79	< 5	74						
0600S 150E	221 238	9	630	< 2	< 5	9	0.02	< 10	< 10	158	< 5	66						
0600S 175E	221 238	32	990	< 2	< 5	31	0.11	< 10	< 10	100	< 5	68						
0600S 200E	221 238	26	610	4	< 5	28	0.11	< 10	< 10	72	< 5	60						
0600S 225E	221 238	17	570	2	< 5	16	0.04	< 10	< 10	75	< 5	64						
0600S 250E	221 238	23	1030	28	< 5	42	0.15	< 10	< 10	86	< 5	80						
0600S 275E	221 238	34	400	< 2	< 5	33	0.20	< 10	< 10	160	< 5	66						
0600S 300E	221 238	45	620	< 2	< 5	42	0.16	< 10	< 10	109	< 5	58						
0900S 200V	221 238	20	220	2	< 5	21	0.25	< 10	< 10	110	< 5	32						
0900S 175V	221 238	31	350	2	< 5	31	0.19	< 10	< 10	105	< 5	56						
0900S 150V	221 238	48	590	< 2	< 5	25	0.27	< 10	< 10	174	< 5	66						
0900S 125V	221 238	< 1	< 10	< 2	< 5	< 1	< 0.01	< 10	< 10	< 1	< 5	< 2						
0900S 100V	221 238	31	320	4	< 5	36	0.12	< 10	< 10	76	< 5	54						
0900S 075V	221 238	29	350	< 2	< 5	32	0.14	< 10	< 10	82	< 5	50						
0900S 050V	221 238	21	350	2	< 5	41	0.11	< 10	< 10	58	< 5	44						
0900S 025V	221 238	20	380	2	< 5	26	0.11	< 10	< 10	74	< 5	46						
0900S 000BL	221 238	4	140	< 2	< 5	8	0.03	< 10	< 10	19	< 5	20						

CERTIFICATION :

B. Langley



Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No.: 2-A
Tot. Pages: 9
Date: 09-JAN-87
Invoice #: I-8622245
P.O. #: NONE

Project: HOLT V226 RACK J
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
0900S 025E	221 238	2.12	0.2	< 5	80	< 0.5	< 2	0.41	< 0.5	15	31	14	2.23	< 10	0.03	< 10	0.51	2290	< 1	< 0.01
0900S 050E	221 238	2.27	0.2	< 5	70	< 0.5	< 2	0.53	< 0.5	13	27	22	2.50	< 10	0.03	< 10	0.54	773	< 1	< 0.01
0900S 075E	221 238	3.27	0.2	< 5	110	< 0.5	< 2	0.55	< 0.5	18	50	39	3.41	< 10	0.04	10	0.89	536	< 1	< 0.01
0900S 100E	221 238	2.69	0.2	< 5	80	< 0.5	< 2	0.44	< 0.5	15	34	26	2.99	< 10	0.04	< 10	0.76	1595	< 1	< 0.01
0900S 125E	221 238	3.63	0.2	< 5	130	< 0.5	< 2	0.31	< 0.5	22	74	68	4.07	< 10	0.04	10	1.26	1065	< 1	< 0.01
0900S 150E	221 238	2.15	0.2	< 5	50	< 0.5	< 2	0.30	< 0.5	11	45	27	2.50	< 10	0.02	< 10	0.74	443	< 1	< 0.01
0900S 175E	221 238	2.41	0.2	< 5	110	< 0.5	< 2	0.14	< 0.5	11	23	5	1.95	< 10	0.05	10	0.39	453	< 1	< 0.01
0900S 200E	221 238	2.06	0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	11	23	30	2.96	< 10	0.02	< 10	0.52	350	< 1	< 0.01
0900S 225E	221 238	3.78	0.2	< 5	120	< 0.5	< 2	0.36	< 0.5	29	38	173	5.53	< 10	0.08	< 10	1.59	1440	< 1	< 0.01
0900S 250E	221 238	2.79	0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	20	39	24	3.53	< 10	0.05	10	0.66	714	< 1	< 0.01
0900S 275E	221 238	3.86	0.2	< 5	120	< 0.5	< 2	0.11	< 0.5	23	52	72	4.10	< 10	0.07	< 10	1.14	600	< 1	< 0.01
0900S 300E	221 238	2.15	0.2	< 5	40	< 0.5	< 2	0.23	< 0.5	12	39	23	2.65	< 10	0.02	< 10	0.65	290	< 1	< 0.01
0900S 325E	221 238	2.23	0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	12	36	22	2.95	< 10	0.02	< 10	0.88	405	< 1	< 0.01
1000S 200W	221 238	1.36	0.2	< 5	20	< 0.5	< 2	0.34	< 0.5	7	34	11	1.60	< 10	0.01	< 10	0.44	316	< 1	< 0.01
1000S 175W	221 238	3.03	0.2	< 5	60	< 0.5	< 2	0.58	< 0.5	22	75	84	4.24	< 10	0.07	10	1.50	746	< 1	0.01
1000S 150W	221 238	3.08	0.2	< 5	60	< 0.5	< 2	0.32	< 0.5	19	75	76	3.53	< 10	0.03	< 10	1.12	372	< 1	< 0.01
1000S 125W	221 238	3.08	0.2	< 5	50	< 0.5	< 2	0.30	< 0.5	17	69	45	3.17	< 10	0.03	< 10	0.88	312	< 1	< 0.01
1000S 100W	221 238	2.12	0.2	< 5	30	< 0.5	< 2	0.30	< 0.5	10	51	27	2.33	< 10	0.03	< 10	0.73	293	< 1	< 0.01
1000S 075W	221 238	3.48	0.2	< 5	100	< 0.5	< 2	0.36	< 0.5	22	87	76	3.95	< 10	0.04	< 10	1.37	603	< 1	< 0.01
1000S 050W	221 238	2.94	0.2	< 5	90	< 0.5	< 2	0.37	< 0.5	20	69	49	3.40	< 10	0.03	< 10	1.17	2190	< 1	< 0.01
1000S 025W	221 238	1.50	0.2	< 5	50	< 0.5	< 2	0.26	< 0.5	8	37	20	1.88	< 10	0.03	< 10	0.40	746	< 1	< 0.01
1000S 000BL	221 238	2.48	0.2	< 5	70	< 0.5	< 2	0.20	< 0.5	17	44	62	3.44	10	0.03	10	0.91	1700	< 1	< 0.01
1000S 025E	221 238	1.56	0.2	< 5	90	< 0.5	< 2	0.22	< 0.5	13	25	17	1.73	< 10	0.01	< 10	0.39	2090	< 1	< 0.01
1000S 050E	221 238	1.63	0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	9	39	18	1.82	< 10	0.02	< 10	0.57	426	< 1	< 0.01
1000S 075E	221 238	2.81	0.2	10	150	< 0.5	< 2	0.18	< 0.5	22	31	45	3.59	< 10	0.06	10	0.76	1675	< 1	< 0.01
1000S 100E	221 238	3.50	0.2	10	130	< 0.5	< 2	0.18	< 0.5	24	46	55	4.61	< 10	0.04	10	1.03	1135	< 1	< 0.01
1000S 125E	221 238	1.96	0.2	< 5	100	< 0.5	< 2	0.12	< 0.5	11	20	19	2.69	< 10	0.03	< 10	0.38	1595	< 1	< 0.01
1000S 150E	221 238	3.11	0.2	< 5	110	< 0.5	< 2	0.24	< 0.5	21	37	27	3.96	< 10	0.03	< 10	1.03	1465	< 1	< 0.01
1000S 175E	221 238	3.46	0.2	< 5	100	< 0.5	< 2	0.30	< 0.5	28	56	62	5.08	< 10	0.03	< 10	1.71	1300	< 1	< 0.01
1000S 200E	221 238	2.38	0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	16	36	27	3.27	< 10	0.02	< 10	0.87	689	< 1	< 0.01
1000S 225E	221 238	3.05	0.2	< 5	80	< 0.5	< 2	0.20	< 0.5	23	19	22	4.61	< 10	0.03	< 10	1.25	1060	< 1	< 0.01
1000S 250E	221 238	2.69	0.2	< 5	80	< 0.5	< 3	0.20	< 0.5	20	28	32	4.02	< 10	0.01	< 10	1.02	536	< 1	< 0.01
1000S 275E	221 238	1.61	0.2	< 5	70	< 0.5	< 2	0.16	< 0.5	15	24	9	2.33	< 10	0.01	< 10	0.40	942	< 1	< 0.01
1000S 300E	221 238	2.47	0.2	< 5	110	< 0.5	< 2	0.14	< 0.5	17	30	48	3.30	< 10	0.02	< 10	0.64	1095	< 1	< 0.01
1000S 325E	221 238	2.21	0.2	< 5	90	< 0.5	< 2	0.15	< 0.5	17	29	44	3.16	< 10	0.03	< 10	0.62	539	< 1	< 0.01
1025N 150W	221 238	3.24	0.2	< 5	90	< 0.5	< 2	0.11	< 0.5	22	43	105	4.61	< 10	0.03	< 10	1.02	683	< 1	< 0.01
1025N 135W	221 238	2.21	0.2	< 5	90	< 0.5	< 2	0.17	< 0.5	11	40	23	3.15	< 10	0.02	< 10	0.51	392	< 1	< 0.01
1025N 120W	221 238	2.75	0.2	< 5	70	< 0.5	< 2	0.24	< 0.5	19	55	79	3.95	< 10	0.05	< 10	1.27	741	< 1	< 0.01
1025N 105W	221 238	2.81	0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	19	66	88	3.87	< 10	0.05	< 10	1.22	720	< 1	< 0.01
1025N 090W	221 238	3.28	0.2	< 5	60	< 0.5	< 2	0.36	< 0.5	26	123	97	4.22	< 10	0.04	< 10	1.81	885	< 1	< 0.01

CERTIFICATION :

B. Fungl



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-B
 Tot. Pages: 9
 Date : 09-JAN-87
 Invoice #: I-8622245
 P.O. #: NONE

Project : HOLT V216 RACK J
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
0900S 025E	221 238	13	680	4	< 5	46	0.12	< 10	< 10	74	< 5	70						
0900S 050E	221 238	13	380	2	< 5	67	0.18	< 10	< 10	98	< 5	66						
0900S 075E	221 238	25	970	< 2	< 5	60	0.17	< 10	< 10	115	< 5	98						
0900S 100E	221 238	15	680	< 2	< 5	63	0.13	< 10	< 10	103	< 5	74						
0900S 125E	221 238	29	690	< 2	< 5	34	0.11	< 10	< 10	119	< 5	78						
0900S 150E	221 238	17	280	< 2	< 5	34	0.09	< 10	< 10	79	< 5	46						
0900S 175E	221 238	8	270	< 2	< 5	15	0.02	< 10	< 10	46	< 5	50						
0900S 200E	221 238	9	340	< 2	< 5	40	0.09	< 10	< 10	109	< 5	52						
0900S 225E	221 238	26	700	< 2	< 5	47	0.18	< 10	< 10	250	< 5	90						
0900S 250E	221 238	22	510	< 2	< 5	29	0.06	< 10	< 10	110	< 5	60						
0900S 275E	221 238	30	500	< 2	< 5	9	< 0.01	< 10	< 10	139	< 5	70						
0900S 300E	221 238	21	340	< 2	< 5	22	0.09	< 10	< 10	78	< 5	56						
0900S 325E	221 238	21	280	< 2	< 5	24	0.09	< 10	< 10	98	< 5	50						
1000S 200W	221 238	14	190	4	< 5	32	0.12	< 10	< 10	54	< 5	28						
1000S 175W	221 238	36	500	22	< 5	35	0.19	< 10	< 10	123	< 5	54						
1000S 150W	221 238	39	460	< 2	< 5	30	0.17	< 10	< 10	100	< 5	56						
1000S 125W	221 238	37	370	< 2	< 5	34	0.18	< 10	< 10	89	< 5	60						
1000S 100W	221 238	24	230	2	< 5	30	0.12	< 10	< 10	68	< 5	40						
1000S 075W	221 238	44	620	< 2	< 5	40	0.20	< 10	< 10	110	< 5	58						
1000S 050W	221 238	38	600	< 2	< 5	37	0.15	< 10	< 10	89	< 5	70						
1000S 025W	221 238	15	490	8	< 5	26	0.07	< 10	< 10	61	< 5	46						
1000S 000BL	221 238	21	910	4	< 5	22	0.09	< 10	< 10	85	< 5	58						
1000S 025E	221 238	11	360	6	< 5	23	0.10	< 10	< 10	50	< 5	52						
1000S 050E	221 238	19	240	6	< 5	23	0.10	< 10	< 10	53	< 5	40						
1000S 075E	221 238	14	950	4	< 5	16	0.04	< 10	< 10	69	< 5	86						
1000S 100E	221 238	25	1380	4	< 5	15	0.08	< 10	< 10	93	< 5	82						
1000S 125E	221 238	9	500	4	< 5	13	0.03	< 10	< 10	65	< 5	48						
1000S 150E	221 238	22	760	2	< 5	27	0.11	< 10	< 10	106	< 5	72						
1000S 175E	221 238	31	690	< 2	< 5	38	0.16	< 10	< 10	143	< 5	78						
1000S 200E	221 238	19	360	8	< 5	38	0.12	< 10	< 10	100	< 5	66						
1000S 225E	221 238	14	530	< 2	< 5	22	0.09	< 10	< 10	198	< 5	90						
1000S 250E	221 238	19	560	< 2	< 5	22	0.12	< 10	< 10	117	< 5	70						
1000S 275E	221 238	13	290	< 2	< 5	18	0.05	< 10	< 10	78	< 5	52						
1000S 300E	221 238	15	450	4	< 5	12	0.03	< 10	< 10	84	< 5	58						
1000S 325E	221 238	16	710	4	< 5	12	0.03	< 10	< 10	74	< 5	60						
1025N 150W	221 238	25	690	4	< 5	13	0.05	< 10	< 10	77	< 5	52						
1025N 135W	221 238	17	420	2	< 5	19	0.13	< 10	< 10	76	< 5	42						
1025N 120W	221 238	28	540	2	< 5	21	0.11	< 10	< 10	91	< 5	50						
1025N 105W	221 238	31	520	< 2	< 5	25	0.14	< 10	< 10	100	< 5	52						
1025N 090W	221 238	51	420	< 2	< 5	33	0.20	< 10	< 10	125	< 5	58						

CERTIFICATION :

B. Cough



Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 3-A
Tot. Pages: 9
Date : 09-JAN-87
Invoice # : I-8622245
P.O. # : NONE

Project : HOLT V216 RACK J
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
102SN 07SW	221 238	2.93	0.2	< 5	60	< 0.5	< 2	0.39	< 0.5	20	65	75	3.98	< 10	0.05	< 10	1.23	743	< 1	< 0.01
102SN 060W	221 238	1.61	0.2	< 5	20	< 0.5	< 2	0.22	< 0.5	9	44	27	2.73	< 10	0.05	< 10	0.61	269	< 1	< 0.01
102SN 04SW	221 238	2.05	0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	11	44	31	3.46	< 10	0.02	< 10	0.74	226	< 1	< 0.01
102SN 030W	221 238	0.95	0.2	< 5	20	< 0.5	< 2	0.23	< 0.5	5	21	5	2.25	< 10	0.02	< 10	0.32	157	< 1	< 0.01
102SN 01SW	221 233	2.73	0.2	< 5	70	< 0.5	< 2	0.45	< 0.5	19	68	77	4.00	< 10	0.03	< 10	1.38	485	< 1	< 0.01
102SN 000BL	221 238	1.92	0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	9	36	28	3.27	< 10	0.02	< 10	0.61	222	< 1	< 0.01
102SN 01SE	221 238	2.50	0.2	5	60	< 0.5	< 2	0.19	< 0.5	10	43	57	3.66	< 10	0.02	< 10	0.64	198	< 1	< 0.01
102SN 030E	221 238	1.97	0.2	5	50	< 0.5	< 2	0.20	< 0.5	10	30	32	3.24	< 10	0.04	< 10	0.58	221	< 1	< 0.01
102SN 04SE	221 238	1.46	0.2	5	40	< 0.5	< 2	0.27	< 0.5	7	39	14	2.69	< 10	0.01	< 10	0.52	196	< 1	< 0.01
102SN 060E	221 238	2.50	0.2	15	130	< 0.5	< 2	1.26	< 0.5	17	62	59	3.02	< 10	0.04	10	0.95	955	< 1	0.01
102SN 07SE	221 238	2.81	0.2	10	150	< 0.5	< 2	1.30	< 0.5	19	72	65	3.23	< 10	0.05	10	1.14	1170	< 1	0.01
102SN 090E	221 238	3.15	0.2	5	160	< 0.5	< 2	0.81	< 0.5	24	91	70	3.86	< 10	0.04	10	1.41	1510	< 1	0.01
102SN 10SE	221 238	3.63	0.2	25	60	< 0.5	< 2	0.15	< 0.5	15	72	81	7.52	< 10	0.02	10	0.77	307	< 1	< 0.01
102SN 120E	221 238	2.18	0.2	10	60	< 0.5	< 2	0.19	< 0.5	11	43	33	3.68	< 10	0.02	< 10	0.60	249	< 1	< 0.01
102SN 13SE	221 238	1.36	0.2	5	20	< 0.5	< 2	0.27	< 0.5	9	36	16	2.74	< 10	0.02	< 10	0.65	267	< 1	< 0.01
102SN 150E	221 238	0.93	0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	4	24	6	1.98	< 10	0.01	< 10	0.27	121	< 1	< 0.01
105QN 150W	221 238	1.63	0.2	< 5	30	< 0.5	< 2	0.23	< 0.5	6	35	12	2.01	< 10	0.01	< 10	0.42	294	< 1	< 0.01
105QN 13SW	221 238	1.25	0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	5	31	8	1.87	< 10	0.01	< 10	0.37	147	< 1	< 0.01
105QN 120W	221 238	2.64	0.2	5	40	< 0.5	< 2	0.20	< 0.5	16	64	41	3.15	< 10	0.01	< 10	1.16	423	< 1	< 0.01
105QN 10SW	221 238	2.74	0.2	< 5	40	< 0.5	< 2	0.44	< 0.5	14	55	34	3.16	< 10	0.02	< 10	0.91	481	< 1	0.01
105QN 090W	221 238	3.29	0.2	< 5	40	< 0.5	< 2	0.45	< 0.5	19	61	51	3.48	< 10	0.02	< 10	1.26	534	< 1	< 0.01
105QN 07SW	221 238	0.93	0.2	< 5	10	< 0.5	< 2	0.30	< 0.5	4	14	10	1.74	< 10	0.01	< 10	0.32	246	< 1	< 0.01
105QN 060W	221 238	0.93	0.2	< 5	10	< 0.5	< 2	0.21	< 0.5	4	15	5	1.72	< 10	0.01	< 10	0.36	131	< 1	< 0.01
105QN 04SW	221 238	1.57	0.2	< 5	20	< 0.5	< 2	0.26	< 0.5	8	44	15	2.73	< 10	0.01	< 10	0.53	192	< 1	< 0.01
105QN 030W	221 238	1.34	0.2	10	30	< 0.5	< 2	0.22	< 0.5	6	44	10	2.64	< 10	0.01	< 10	0.43	177	< 1	< 0.01
105QN 01SW	221 238	2.95	0.2	< 5	90	< 0.5	< 2	0.34	< 0.5	21	69	88	3.59	< 10	0.04	< 10	1.28	516	< 1	< 0.01
105QN 000BL	221 238	2.31	0.2	< 5	60	< 0.5	< 2	0.34	< 0.5	16	52	55	3.32	< 10	0.03	< 10	1.04	681	< 1	< 0.01
105QN 01SE	221 238	1.98	0.2	5	70	< 0.5	< 2	0.25	< 0.5	14	43	40	3.16	< 10	0.02	< 10	0.83	519	< 1	< 0.01
105QN 030E	221 238	0.87	0.2	5	60	< 0.5	< 2	0.07	< 0.5	7	8	14	1.06	< 10	0.04	< 10	0.04	24	4	< 0.01
105QN 04SE	221 238	2.25	0.2	5	70	< 0.5	< 2	0.37	< 0.5	17	54	44	3.37	< 10	0.03	< 10	0.97	573	< 1	< 0.01
105QN 060E	221 238	2.93	0.2	10	70	< 0.5	< 2	0.25	< 0.5	20	60	98	4.80	< 10	0.03	< 10	0.97	348	< 1	< 0.01
105QN 07SE	221 238	2.52	0.2	10	50	< 0.5	< 2	0.24	< 0.5	14	71	43	4.38	< 10	0.02	< 10	0.94	278	< 1	< 0.01
105QN 090E	221 238	4.06	0.2	5	90	< 0.5	< 2	0.24	< 0.5	24	99	107	4.17	< 10	0.02	< 10	1.22	336	< 1	< 0.01
105QN 120E	221 238	3.00	0.2	5	40	< 0.5	< 2	0.25	< 0.5	13	81	64	4.26	< 10	0.01	< 10	0.93	257	< 1	0.01
105QN 13SE	221 238	2.52	0.2	5	30	< 0.5	< 2	0.23	< 0.5	10	56	22	3.26	< 10	0.01	< 10	0.52	197	< 1	< 0.01
107SN 150E	221 238	0.17	0.2	< 5	40	< 0.5	< 2	0.36	< 0.5	< 1	6	7	0.24	< 10	0.04	< 10	0.04	470	< 1	< 0.01
107SN 150W	221 238	1.33	0.2	< 5	20	< 0.5	< 2	0.26	< 0.5	7	33	11	1.90	< 10	0.01	< 10	0.53	208	< 1	< 0.01
107SN 13SW	221 238	1.26	0.2	5	20	< 0.5	< 2	0.22	< 0.5	5	33	9	2.20	< 10	0.01	< 10	0.39	164	< 1	< 0.01
107SN 120W	221 238	2.76	0.2	5	40	< 0.5	< 2	0.24	< 0.5	12	57	37	3.08	< 10	0.02	< 10	0.90	367	< 1	< 0.01
107SN 10SW	221 238	1.08	0.2	5	10	< 0.5	< 2	0.38	< 0.5	5	30	6	2.03	< 10	0.02	< 10	0.33	161	< 1	< 0.01

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 3-B
 Tot. Pages: 9
 Date : 09-JAN-87
 Invoice # : 1-8622245
 P.O. # : NONE

Project : HOLT V216 RACK J
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
102 SN 075W	221 238	29	540	4	< 5	34	0.17	< 10	< 10	110	< 5	58							
102 SN 060W	221 238	18	570	10	< 5	16	0.14	< 10	< 10	79	< 5	46							
102 SN 045W	221 238	18	350	2	< 5	18	0.14	< 10	< 10	90	< 5	42							
102 SN 030V	221 238	9	200	2	< 5	18	0.09	< 10	< 10	84	< 5	20							
102 SN 015W	221 238	35	270	< 2	< 5	34	0.22	< 10	< 10	114	< 5	52							
102 SN 000BL	221 238	13	280	< 2	< 5	23	0.12	< 10	< 10	106	< 5	46							
102 SN 015E	221 238	17	300	< 2	< 5	18	0.14	< 10	< 10	113	< 5	50							
102 SN 030E	221 238	15	390	2	< 5	16	0.07	< 10	< 10	95	< 5	42							
102 SN 045E	221 238	14	170	< 2	< 5	24	0.13	< 10	< 10	91	< 5	36							
102 SN 060E	221 238	30	570	10	< 5	34	0.13	< 10	< 10	85	< 5	80							
102 SN 075E	221 238	35	710	8	< 5	35	0.16	< 10	< 10	91	< 5	78							
102 SN 090E	221 238	43	560	2	< 5	30	0.15	< 10	< 10	98	< 5	76							
102 SN 105E	221 238	31	1280	12	< 5	12	0.08	< 10	< 10	118	< 5	102							
102 SN 120E	221 238	19	450	4	< 5	17	0.12	< 10	< 10	85	< 5	68							
102 SN 135E	221 238	16	250	6	< 5	21	0.09	< 10	< 10	82	< 5	42							
105 SN 150E	221 238	8	180	6	< 5	20	0.09	< 10	< 10	64	< 5	24							
105 SN 150V	221 238	15	290	6	< 5	20	0.13	< 10	< 10	53	< 5	44							
105 SN 135W	221 238	11	230	8	< 5	15	0.12	< 10	< 10	52	< 5	30							
105 SN 120W	221 238	33	270	< 2	< 5	24	0.17	< 10	< 10	88	< 5	50							
105 SN 105W	221 238	23	460	8	< 5	32	0.19	< 10	< 10	99	< 5	50							
105 SN 090V	221 238	32	620	2	< 5	28	0.21	< 10	< 10	111	< 5	62							
105 SN 075W	221 238	6	250	4	< 5	16	0.16	< 10	< 10	76	< 5	24							
105 SN 060V	221 238	6	140	< 2	< 5	15	0.14	< 10	< 10	73	< 5	20							
105 SN 045W	221 238	16	340	4	< 5	25	0.15	< 10	< 10	85	< 5	38							
105 SN 030W	221 238	15	260	4	< 5	22	0.14	< 10	< 10	84	< 5	26							
105 SN 015W	221 238	36	370	< 2	< 5	28	0.20	< 10	< 10	101	< 5	44							
105 SN 000BL	221 238	26	460	4	< 5	21	0.16	< 10	< 10	96	< 5	54							
105 SN 015E	221 238	22	410	2	< 5	17	0.12	< 10	< 10	90	< 5	46							
105 SN 030E	221 238	7	110	4	< 5	4	< 0.01	< 10	< 10	33	< 5	16							
105 SN 045E	221 238	27	420	2	< 5	29	0.16	< 10	< 10	98	< 5	56							
105 SN 060E	221 238	34	670	6	< 5	25	0.16	< 10	< 10	118	< 5	88							
105 SN 075E	221 238	28	550	2	< 5	18	0.19	< 10	< 10	124	< 5	68							
105 SN 090E	221 238	52	200	2	< 5	27	0.17	< 10	< 10	109	< 5	58							
105 SN 120E	221 238	33	200	10	< 5	28	0.18	< 10	< 10	122	< 5	50							
105 SN 135E	221 238	20	370	4	< 5	26	0.17	< 10	< 10	95	< 5	64							
107 SN 150E	221 238	4	480	12	< 5	9	0.01	< 10	< 10	8	< 5	52							
107 SN 150W	221 238	15	150	< 2	< 5	23	0.12	< 10	< 10	61	< 5	26							
107 SN 135W	221 238	12	350	4	< 5	18	0.13	< 10	< 10	65	< 5	30							
107 SN 120W	221 238	26	400	< 2	< 5	25	0.15	< 10	< 10	83	< 5	56							
107 SN 105W	221 238	9	250	4	< 5	36	0.17	< 10	< 10	88	< 5	22							

CERTIFICATION : B. Cough



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No.: 4-A
Tot. Pages: 9
Date: 09-JAN-87
Invoice #: I-8622245
P.O. #: NONE

Project: HOLT V216 RACK 1
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Nb %
1075N 090W	221 238	2.31	0.2	< 5	40	< 0.5	< 2	0.17	< 0.5	12	58	37	2.95	10	0.01	< 10	0.72	331	< 1	< 0.01
1075N 075W	221 238	1.02	0.2	< 5	20	< 0.5	< 2	0.17	< 0.5	5	26	17	1.74	10	0.01	< 10	0.34	158	< 1	< 0.01
1075N 060W	221 238	1.00	0.2	< 5	10	< 0.5	< 2	0.20	< 0.5	5	26	11	1.51	10	0.01	< 10	0.51	135	< 1	< 0.01
1075N 045W	221 238	2.12	0.2	< 5	50	< 0.5	< 2	0.21	< 0.5	10	48	37	2.80	10	0.02	< 10	0.65	346	< 1	< 0.01
1075N 030W	221 238	0.92	0.2	< 5	10	< 0.5	< 2	0.14	< 0.5	2	10	10	1.98	10	0.02	< 10	0.15	93	< 1	< 0.01
1075N 015W	221 238	2.25	0.2	< 5	50	< 0.5	< 2	0.23	< 0.5	15	47	62	3.63	10	0.03	< 10	0.49	244	< 1	< 0.01
1075N 000DL	221 238	1.34	0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	6	33	24	1.94	10	0.02	< 10	0.40	897	< 1	< 0.01
1075N 015E	221 238	2.54	0.2	< 5	50	< 0.5	< 2	0.27	< 0.5	14	61	51	3.59	20	0.03	< 10	0.86	406	< 1	< 0.01
1075N 030E	221 238	2.54	0.2	< 5	60	< 0.5	< 2	0.33	< 0.5	18	81	70	3.73	10	0.04	10	1.40	794	< 1	< 0.01
1075N 045E	221 238	0.71	0.2	< 5	50	< 0.5	< 2	0.37	< 0.5	3	18	10	1.20	10	0.02	10	0.15	137	< 1	< 0.01
1075N 060E	221 238	1.07	0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	4	29	19	2.15	10	0.01	< 10	0.35	121	< 1	< 0.01
1075N 075E	221 238	2.34	0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	12	54	57	3.62	10	0.01	< 10	0.79	224	< 1	< 0.01
1075N 090E	221 238	1.97	0.2	< 5	70	< 0.5	< 2	0.15	< 0.5	10	60	62	3.04	< 10	0.02	< 10	0.54	245	< 1	< 0.01
1075N 105E	221 238	2.51	0.2	< 5	220	< 0.5	< 2	0.08	0.5	9	37	37	6.32	< 10	0.04	10	0.39	280	< 1	< 0.01
1075N 120E	221 238	2.59	0.2	< 5	130	< 0.5	< 2	0.87	< 0.5	17	70	65	3.19	10	0.03	10	1.11	902	< 1	0.01
1075N 135E	221 238	1.37	0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	4	34	18	2.75	10	0.01	< 10	0.26	113	< 1	< 0.01
1075N 150E	221 238	1.58	0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	7	42	23	2.98	10	0.01	< 10	0.45	153	< 1	< 0.01
1100S 200W	221 238	0.70	0.2	< 5	30	< 0.5	< 2	0.22	< 0.5	3	31	22	2.46	20	0.01	< 10	0.14	216	< 1	0.01
1100S 175W	221 238	2.88	0.2	< 5	60	< 0.5	< 2	0.46	0.5	23	72	91	4.46	10	0.05	10	1.79	821	< 1	0.01
1100S 150W	221 238	2.44	0.2	< 5	60	< 0.5	< 2	0.48	< 0.5	20	57	83	4.09	10	0.05	10	1.45	867	< 1	0.01
1100S 125W	221 238	1.74	0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	9	48	30	2.54	10	0.01	< 10	0.64	242	< 1	< 0.01
1100S 100W	221 238	1.34	0.2	< 5	30	< 0.5	< 2	0.17	< 0.5	6	33	20	1.78	10	0.01	< 10	0.47	224	< 1	< 0.01
1100S 075W	221 238	1.43	0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	7	32	20	2.03	10	0.01	< 10	0.42	211	< 1	< 0.01
1100S 050W	221 238	1.20	0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	9	33	15	1.56	< 10	0.01	< 10	0.54	691	< 1	< 0.01
1100S 025W	221 238	2.60	0.2	< 5	110	< 0.5	< 2	0.19	< 0.5	17	67	68	3.16	10	0.03	< 10	0.90	2030	< 1	< 0.01
1100S 000DL	221 238	2.32	0.2	< 5	80	< 0.5	< 2	0.20	< 0.5	14	57	51	3.18	10	0.02	< 10	0.86	819	< 1	< 0.01
1100S 025E	221 238	2.48	0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	16	59	59	3.16	10	0.01	< 10	0.96	716	< 1	< 0.01
1100S 050E	221 238	2.47	0.2	< 5	100	< 0.5	< 2	0.16	< 0.5	16	41	42	3.74	10	0.01	< 10	0.84	877	< 1	< 0.01
1100S 075E	221 238	3.03	0.4	< 5	140	< 0.5	< 2	0.13	0.5	17	60	86	4.25	10	0.02	< 10	0.91	547	< 1	< 0.01
1100S 100E	221 238	3.60	0.2	< 5	230	< 0.5	< 2	0.39	0.5	32	72	122	5.96	10	0.04	20	2.09	2180	< 1	< 0.01
1100S 125E	221 238	3.06	0.2	< 5	130	< 0.5	< 2	0.29	0.5	24	65	79	4.37	10	0.03	< 10	1.48	2040	< 1	< 0.01
1100S 150E	221 238	2.54	0.2	< 5	60	< 0.5	< 2	0.15	< 0.5	13	47	43	2.96	10	0.01	< 10	0.67	841	< 1	< 0.01
1100S 175E	221 238	2.34	0.2	< 5	70	< 0.5	< 2	0.11	< 0.5	12	33	38	3.71	10	0.02	< 10	0.82	1270	< 1	< 0.01
1100S 200E	221 238	1.58	0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	6	27	17	2.50	10	0.02	< 10	0.27	472	< 1	< 0.01
1100S 225E	221 238	1.02	0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	7	19	12	1.41	< 10	0.01	< 10	0.22	1235	< 1	< 0.01
1100S 250E	221 238	2.63	0.2	< 5	70	< 0.5	< 2	0.16	0.5	17	44	76	4.24	10	0.03	< 10	0.88	1035	< 1	< 0.01
1100S 275E	221 238	2.70	0.2	< 5	60	< 0.5	< 2	0.20	0.5	22	19	63	4.60	10	0.02	< 10	1.61	399	< 1	< 0.01
1100S 300E	221 238	3.21	0.2	< 5	280	< 0.5	< 2	0.74	0.5	24	44	140	4.68	10	0.02	10	1.52	472	< 1	< 0.01
1200S 200W	221 238	0.78	0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	4	21	13	1.86	< 10	0.01	< 10	0.24	126	< 1	< 0.01
1200S 175W	221 238	1.07	0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	5	29	17	2.36	10	0.01	< 10	0.31	161	< 1	< 0.01

CERTIFICATION :

B. Coag



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 4-B
Tot. Pages: 9
Date : 09-JAN-87
Invoice #: I-8622245
P.O. #: NONE

Project: HOLT V216 RACK J
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
1075N 090W	221 238	22	400	< 2	< 5	21	0.16	< 10	< 10	85	< 5	40							
1075N 075W	221 238	9	210	2	< 5	16	0.09	< 10	< 10	55	< 5	26							
1075N 060W	221 238	11	220	4	< 5	13	0.12	< 10	< 10	73	< 5	28							
1075N 045W	221 238	19	480	2	< 5	23	0.16	< 10	< 10	77	< 5	46							
1075N 030W	221 238	4	150	2	< 5	10	0.12	< 10	< 10	81	< 5	16							
1075N 015W	221 238	19	630	6	< 5	17	0.13	< 10	< 10	101	< 5	60							
1075N 000BL	221 238	13	630	< 2	< 5	22	0.08	< 10	< 10	62	< 5	40							
1075N 015E	221 238	25	490	< 2	< 5	27	0.20	< 10	< 10	109	< 5	48							
1075N 030E	221 238	35	530	4	< 5	23	0.16	< 10	< 10	108	< 5	56							
1075N 045E	221 238	5	140	12	< 5	32	0.13	< 10	< 10	60	< 5	20							
1075N 060E	221 238	10	240	4	< 5	13	0.12	< 10	< 10	70	< 5	28							
1075N 075E	221 238	25	370	4	< 5	12	0.11	< 10	< 10	88	< 5	56							
1075N 090E	221 238	29	470	6	< 5	10	0.07	< 10	< 10	66	< 5	62							
1075N 105E	221 238	14	640	6	< 5	6	0.03	< 10	< 10	69	< 5	62							
1075N 120E	221 238	32	490	6	< 5	27	0.12	< 10	< 10	84	< 5	60							
1075N 135E	221 238	9	260	2	< 5	14	0.14	< 10	< 10	81	< 5	32							
1075N 150E	221 238	14	320	2	< 5	14	0.15	< 10	< 10	86	< 5	36							
1100S 200W	221 238	7	330	4	< 5	9	0.29	< 10	< 10	97	< 5	30							
1100S 175W	221 238	39	520	4	< 5	20	0.17	< 10	< 10	121	< 5	78							
1100S 150W	221 238	31	510	< 2	< 5	25	0.19	< 10	< 10	119	< 5	56							
1100S 125W	221 238	21	260	< 2	< 5	18	0.11	< 10	< 10	68	< 5	38							
1100S 100W	221 238	16	210	4	< 5	14	0.10	< 10	< 10	51	< 5	34							
1100S 075W	221 238	14	220	2	< 5	15	0.13	< 10	< 10	53	< 5	42							
1100S 050W	221 238	16	170	2	< 5	17	0.09	< 10	< 10	41	< 5	38							
1100S 025W	221 238	31	630	< 2	< 5	12	0.15	< 10	< 10	89	< 5	64							
1100S 000BL	221 238	26	690	2	< 5	14	0.12	< 10	< 10	82	< 5	52							
1100S 025E	221 238	30	730	4	< 5	16	0.11	< 10	< 10	77	< 5	56							
1100S 050E	221 238	21	650	< 2	< 5	11	0.14	< 10	< 10	88	< 5	60							
1100S 075E	221 238	28	1210	< 2	< 5	11	0.10	< 10	< 10	93	< 5	64							
1100S 100E	221 238	45	1030	< 2	< 5	17	0.15	< 10	< 10	137	< 5	70							
1100S 125E	221 238	33	1170	6	< 5	19	0.17	< 10	< 10	108	< 5	62							
1100S 150E	221 238	23	600	< 2	< 5	14	0.10	< 10	< 10	62	< 5	56							
1100S 175E	221 238	15	590	2	< 5	11	0.08	< 10	< 10	71	< 5	42							
1100S 200E	221 238	9	960	8	< 5	12	0.09	< 10	< 10	57	< 5	52							
1100S 225E	221 238	8	320	< 2	< 5	16	0.06	< 10	< 10	42	< 5	42							
1100S 250E	221 238	22	970	8	< 5	10	0.07	< 10	< 10	80	< 5	64							
1100S 275E	221 238	22	170	< 2	< 5	11	0.09	< 10	< 10	150	< 5	58							
1100S 300E	221 238	25	190	< 2	< 5	10	0.07	< 10	< 10	140	< 5	50							
1200S 200W	221 238	6	170	2	< 5	11	0.08	< 10	< 10	58	< 5	24							
1200S 175W	221 238	10	220	< 2	< 5	13	0.14	< 10	< 10	78	< 5	28							

CERTIFICATION :

B. Cough



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-7C1
PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 5-A
Tot. Pages: 9
Date : 09-JAN-87
Invoice # : 1-8622245
P.O. # : NONE

Project : HOLT V216 RACK J
Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
1200S 150W	221 238	1.07	0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	5	30	16	2.43	10	0.01	< 10	0.27	161	< 1	< 0.01
1200S 125W	221 238	2.10	0.2	< 5	40	< 0.5	< 2	0.48	< 0.5	19	53	68	3.81	10	0.04	10	1.45	645	< 1	< 0.01
1200S 100W	221 238	2.40	0.2	< 5	40	< 0.5	< 2	0.22	< 0.5	16	55	63	3.41	10	0.02	< 10	0.99	422	< 1	< 0.01
1200S 075W	221 238	1.40	0.2	< 5	20	< 0.5	< 2	0.25	< 0.5	8	34	32	2.30	10	0.02	< 10	0.54	268	< 1	< 0.01
1200S 050W	221 238	1.78	0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	15	41	38	2.97	10	0.03	< 10	0.64	2140	< 1	< 0.01
1200S 025W	221 238	2.48	0.2	< 5	50	< 0.5	< 2	0.21	< 0.5	15	51	51	3.41	10	0.02	< 10	0.82	543	< 1	< 0.01
1200S 000BL	221 238	3.24	0.2	< 5	110	< 0.5	< 2	0.23	< 0.5	20	77	88	4.19	10	0.02	< 10	1.07	966	< 1	< 0.01
1200S 025E	221 238	1.68	0.2	< 5	60	< 0.5	< 2	0.17	< 0.5	11	35	30	2.50	10	0.01	< 10	0.51	643	< 1	< 0.01
1200S 050E	221 238	2.14	0.2	< 5	70	< 0.5	< 2	0.14	< 0.5	14	37	37	3.07	10	0.01	< 10	0.60	2320	< 1	< 0.01
1200S 075E	221 238	2.34	0.2	< 5	110	< 0.5	< 2	0.18	< 0.5	15	41	36	3.12	10	0.02	< 10	0.62	1765	< 1	< 0.01
1200S 100E	221 238	3.53	0.2	< 5	100	< 0.5	< 2	0.30	< 0.5	28	59	95	5.60	20	0.02	10	1.78	1590	< 1	< 0.01
1200S 125E	221 238	1.09	0.2	< 5	70	< 0.5	< 2	0.11	< 0.5	4	22	14	2.12	10	0.01	< 10	0.24	222	< 1	< 0.01
1200S 150E	221 238	2.15	0.2	< 5	80	< 0.5	< 2	0.13	< 0.5	14	46	31	2.79	10	0.01	< 10	0.59	695	< 1	< 0.01
1200S 175E	221 238	1.86	0.2	< 5	60	< 0.5	< 2	0.17	< 0.5	13	38	31	2.88	10	0.01	< 10	0.58	1640	< 1	< 0.01
1200S 200E	221 238	2.69	0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	22	54	86	4.59	10	0.04	10	1.67	867	< 1	< 0.01
1200S 225E	221 238	2.26	0.2	< 5	50	< 0.5	< 2	0.31	< 0.5	19	40	66	4.08	< 10	0.04	< 10	1.52	745	< 1	< 0.01
1200S 250E	221 238	2.55	0.2	< 5	130	< 0.5	< 2	0.11	< 0.5	15	44	68	5.07	< 10	0.03	< 10	0.71	1150	< 1	< 0.01
1200S 275E	221 238	2.71	0.2	< 5	110	< 0.5	< 2	0.24	< 0.5	21	51	93	4.33	10	0.02	< 10	1.35	902	< 1	< 0.01
1200S 300E	221 238	3.59	0.2	< 5	140	< 0.5	< 2	0.36	< 0.5	28	41	159	4.95	10	0.02	< 10	1.75	954	< 1	< 0.01
4600N 500W	221 238	3.09	0.2	< 5	120	< 0.5	< 2	1.07	< 0.5	19	61	72	3.02	10	0.02	20	0.96	1260	< 1	0.01
4600N 475W	221 238	2.28	0.2	< 5	90	< 0.5	< 2	0.69	< 0.5	15	49	72	2.90	< 10	0.03	10	0.91	740	< 1	< 0.01
4600N 450W	221 238	3.29	0.2	< 5	120	< 0.5	< 2	0.52	< 0.5	20	62	73	3.13	< 10	0.02	20	0.96	1325	< 1	< 0.01
4600N 425W	221 238	2.84	0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	16	54	97	3.36	10	0.01	< 10	0.97	519	< 1	< 0.01
4600N 400W	221 238	2.69	0.2	< 5	40	< 0.5	< 2	0.14	< 0.5	13	48	49	3.09	10	0.01	< 10	0.64	667	< 1	< 0.01
4600N 375W	221 238	1.23	0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	7	26	16	2.07	10	0.01	< 10	0.48	319	< 1	< 0.01
4600N 350W	221 238	2.02	0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	9	40	38	2.86	10	0.01	< 10	0.59	263	< 1	< 0.01
4600N 325W	221 238	2.60	0.2	< 5	40	< 0.5	< 2	0.12	< 0.5	12	43	35	3.02	10	0.02	< 10	0.64	397	< 1	< 0.01
4600N 300W	221 238	2.83	0.2	< 5	70	< 0.5	< 2	0.14	< 0.5	16	53	82	3.25	10	0.01	< 10	1.04	415	< 1	< 0.01
4600N 275W	221 238	1.45	0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	7	25	23	2.05	10	0.01	< 10	0.41	284	< 1	< 0.01
4600N 250W	221 238	0.56	0.2	< 5	20	< 0.5	< 2	0.15	< 0.5	2	12	9	1.08	< 10	0.01	< 10	0.18	212	< 1	< 0.01
4600N 225W	221 238	0.91	0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	4	18	15	1.82	10	0.01	< 10	0.28	216	< 1	< 0.01
4600N 200W	221 238	2.25	0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	7	37	27	3.60	10	0.01	< 10	0.41	192	< 1	< 0.01
4600N 175W	221 238	2.03	0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	10	32	42	2.75	10	0.01	< 10	0.52	715	< 1	< 0.01
4600N 150W	221 238	2.51	0.2	< 5	60	< 0.5	< 2	0.14	< 0.5	10	30	53	3.45	10	0.01	< 10	0.59	359	< 1	< 0.01
4600N 125W	221 238	0.89	0.2	< 5	30	< 0.5	< 2	0.21	< 0.5	4	18	14	1.89	< 10	0.01	< 10	0.25	93	< 1	< 0.01
4600N 100W	221 238	1.68	0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	11	41	41	3.13	10	0.01	< 10	0.68	244	< 1	< 0.01
4600N 075W	221 238	2.42	0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	11	34	48	3.97	10	0.02	< 10	0.73	331	< 1	< 0.01
4600N 050W	221 238	2.32	0.2	< 5	70	< 0.5	< 2	0.16	< 0.5	12	36	49	3.70	10	0.01	< 10	0.75	289	< 1	< 0.01
4600N 025W	221 238	2.82	0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	20	36	84	4.92	10	0.03	< 10	1.11	988	< 1	< 0.01
4600N 000BL	221 238	1.79	0.2	< 5	40	< 0.5	< 2	0.12	< 0.5	9	33	35	2.88	10	0.02	< 10	0.57	238	< 1	< 0.01

CERTIFICATION : *B. Campbell*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 5-B
Tot. Pages: 9
Date : 09-JAN-87
Invoice # : I-8622245
P.O. # : NONE

Project : HOLT V216 RACK J
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
1200S 150W	221 238	9	150	< 2	< 5	20	0.14	< 10	< 10	89	< 5	22							
1200S 125W	221 238	30	440	< 2	< 5	18	0.19	< 10	< 10	109	< 5	32							
1200S 100W	221 238	30	390	< 2	< 5	18	0.17	< 10	< 10	95	< 5	44							
1200S 075W	221 238	15	290	< 2	< 5	18	0.18	< 10	< 10	75	< 5	30							
1200S 050W	221 238	19	680	8	< 5	19	0.18	< 10	< 10	84	< 5	60							
1200S 025W	221 238	26	590	< 2	< 5	21	0.15	< 10	< 10	89	< 5	56							
1200S 000BL	221 238	37	820	< 2	< 5	12	0.19	< 10	< 10	115	< 5	60							
1200S 025E	221 238	15	460	2	< 5	13	0.15	< 10	< 10	68	< 5	44							
1200S 050E	221 238	17	720	< 2	< 5	10	0.08	< 10	< 10	76	< 5	48							
1200S 075E	221 238	20	1150	2	< 5	14	0.10	< 10	< 10	76	< 5	74							
1200S 100E	221 238	33	1130	< 2	< 5	23	0.23	< 10	< 10	139	< 5	64							
1200S 125E	221 238	8	390	4	< 5	6	0.11	< 10	< 10	57	< 5	22							
1200S 150E	221 238	23	420	2	< 5	9	0.09	< 10	< 10	61	< 5	56							
1200S 175E	221 238	19	380	< 2	< 5	14	0.11	< 10	< 10	72	< 5	44							
1200S 200E	221 238	32	570	6	< 5	14	0.13	< 10	< 10	108	< 5	56							
1200S 225E	221 238	26	510	2	< 5	12	0.11	< 10	< 10	92	< 5	50							
1200S 250E	221 238	25	810	12	< 5	7	0.04	< 10	< 10	88	< 5	68							
1200S 275E	221 238	28	570	6	< 5	11	0.10	< 10	< 10	105	< 5	54							
1200S 300E	221 238	27	1740	< 2	< 5	19	0.18	< 10	< 10	146	< 5	88							
4600N 500W	221 238	31	680	4	< 5	22	0.12	< 10	< 10	77	< 5	58							
4600N 475W	221 238	21	690	10	< 5	17	0.15	< 10	< 10	80	< 5	46							
4600N 450W	221 238	31	540	2	< 5	14	0.10	< 10	< 10	75	< 5	52							
4600N 425W	221 238	25	770	< 2	< 5	10	0.16	< 10	< 10	92	< 5	40							
4600N 400W	221 238	18	1450	2	< 5	10	0.15	< 10	< 10	81	< 5	44							
4600N 375W	221 238	11	300	< 2	< 5	10	0.11	< 10	< 10	62	< 5	32							
4600N 350W	221 238	16	340	< 2	< 5	9	0.13	< 10	< 10	79	< 5	32							
4600N 325W	221 238	18	640	2	< 5	8	0.13	< 10	< 10	70	< 5	60							
4600N 300W	221 238	27	320	< 2	< 5	12	0.17	< 10	< 10	90	< 5	44							
4600N 275W	221 238	10	350	< 2	< 5	8	0.11	< 10	< 10	56	< 5	28							
4600N 250W	221 238	4	270	4	< 5	8	0.08	< 10	< 10	37	< 5	22							
4600N 225W	221 238	6	240	2	< 5	13	0.17	< 10	< 10	66	< 5	22							
4600N 200W	221 238	11	620	4	< 5	9	0.15	< 10	< 10	84	< 5	44							
4600N 175W	221 238	13	560	4	< 5	11	0.16	< 10	< 10	80	< 5	38							
4600N 150W	221 238	12	360	4	< 5	11	0.12	< 10	< 10	83	< 5	50							
4600N 125W	221 238	6	150	< 2	< 5	11	0.09	< 10	< 10	66	< 5	20							
4600N 100W	221 238	18	160	< 2	< 5	14	0.14	< 10	< 10	89	< 5	26							
4600N 075W	221 238	15	530	< 2	< 5	10	0.13	< 10	< 10	85	< 5	46							
4600N 050W	221 238	16	340	< 2	< 5	12	0.14	< 10	< 10	93	< 5	42							
4600N 025W	221 238	16	610	< 2	< 5	15	0.15	< 10	< 10	98	< 5	60							
4600N 000BL	221 238	13	250	< 2	< 5	11	0.11	< 10	< 10	77	< 5	30							

CERTIFICATION : B. Cough



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No. : 6-A
Tot. Pages: 9
Date : 09-JAN-87
Invoice # : I-8622245
P.O. # : NONE

Project : HOLT V216 RACK J
Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
4600N 025E	221 238	1.87	0.2	< 5	50	< 0.5	< 2	0.19	< 0.5	10	36	30	2.68	< 10	0.02	< 10	0.74	292	< 1	< 0.01
4600N 050E	221 238	1.23	0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	6	26	9	1.94	< 10	0.01	< 10	0.41	290	< 1	< 0.01
4600N 075E	221 238	1.29	0.2	< 5	20	< 0.5	< 2	0.27	< 0.5	9	30	15	2.07	< 10	0.01	< 10	0.48	594	< 1	< 0.01
4600N 100E	221 238	2.23	0.2	< 5	30	< 0.5	< 2	0.27	< 0.5	10	42	29	2.83	< 10	0.02	< 10	0.66	495	< 1	< 0.01
4700N 500V	221 238	3.47	0.2	5	70	< 0.5	< 2	0.38	< 0.5	18	62	56	3.93	< 10	0.03	< 10	0.94	504	< 1	0.01
4700N 475W	221 238	1.50	0.2	< 5	40	< 0.5	< 2	0.33	< 0.5	6	27	11	2.42	< 10	0.02	< 10	0.35	216	< 1	< 0.01
4700N 450W	221 238	2.58	0.2	< 5	70	< 0.5	< 2	0.35	< 0.5	13	37	59	3.23	< 10	0.03	< 10	0.80	510	< 1	< 0.01
4700N 425W	221 238	1.96	0.2	< 5	50	< 0.5	< 2	0.23	< 0.5	7	23	17	2.66	< 10	0.02	< 10	0.60	378	< 1	< 0.01
4700N 400V	221 238	2.50	0.2	< 5	40	< 0.5	< 2	0.33	< 0.5	11	40	33	2.91	< 10	0.02	< 10	0.48	384	< 1	0.01
4700N 375W	221 238	2.84	0.2	5	50	< 0.5	< 2	0.32	< 0.5	12	52	26	3.96	< 10	0.03	< 10	0.65	768	< 1	0.01
4700N 350V	221 238	2.96	0.2	< 5	90	< 0.5	< 2	0.34	< 0.5	21	64	77	3.91	< 10	0.04	< 10	1.32	992	< 1	0.01
4700N 325W	221 238	2.94	0.2	5	90	< 0.5	< 2	0.27	< 0.5	20	54	75	3.94	< 10	0.03	< 10	1.26	906	< 1	< 0.01
4700N 275W	221 238	2.85	0.2	< 5	50	< 0.5	< 2	0.23	< 0.5	14	48	51	3.24	< 10	0.02	< 10	0.86	807	< 1	< 0.01
4700N 250V	221 238	0.42	0.2	< 5	20	< 0.5	< 2	0.17	< 0.5	2	9	11	0.86	< 10	0.02	< 10	0.07	377	< 1	< 0.01
4700N 225W	221 238	2.81	0.2	10	50	< 0.5	< 2	0.25	< 0.5	12	36	68	2.91	< 10	0.02	< 10	0.67	699	< 1	< 0.01
4700N 200V	221 238	1.02	0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	6	10	10	1.97	< 10	0.03	< 10	0.20	1485	< 1	< 0.01
4700N 175W	221 238	1.23	0.2	< 5	30	< 0.5	< 2	0.53	< 0.5	3	27	4	1.19	< 10	0.02	< 10	0.33	261	< 1	0.01
4700N 150W	221 238	2.73	0.2	10	50	< 0.5	< 2	0.32	< 0.5	13	45	52	3.63	< 10	0.02	< 10	0.75	569	< 1	0.01
4700N 125W	221 238	1.95	0.2	5	50	< 0.5	< 2	0.29	< 0.5	11	29	27	3.17	< 10	0.05	< 10	0.67	454	< 1	< 0.01
4700N 100V	221 238	1.64	0.2	5	60	< 0.5	< 2	0.37	< 0.5	11	25	22	2.79	< 10	0.03	10	0.34	1070	< 1	< 0.01
4700N 075W	221 238	3.05	0.2	5	90	< 0.5	< 2	0.15	< 0.5	18	20	75	4.48	< 10	0.04	< 10	0.98	603	< 1	< 0.01
4700N 050W	221 238	1.90	0.2	< 5	50	< 0.5	< 2	0.22	< 0.5	9	27	24	2.33	< 10	0.02	< 10	0.45	569	< 1	< 0.01
4700N 025W	221 238	2.88	0.2	< 5	80	< 0.5	< 2	0.30	< 0.5	16	29	57	4.69	< 10	0.03	< 10	0.89	706	< 1	< 0.01
4700N 000BL	221 238	1.81	0.2	< 5	70	< 0.5	< 2	0.45	< 0.5	17	31	44	2.64	< 10	0.03	10	0.52	672	< 1	< 0.01
4750N 000E	221 238	1.81	0.2	5	40	< 0.5	< 2	0.26	< 0.5	7	29	11	2.82	< 10	0.01	< 10	0.43	711	< 1	< 0.01
4750N 025E	221 238	1.94	0.2	< 5	70	< 0.5	< 2	0.28	< 0.5	14	32	35	3.29	< 10	0.03	< 10	0.66	977	< 1	< 0.01
4750N 050E	221 238	3.44	0.2	5	40	< 0.5	< 2	0.27	< 0.5	15	61	84	4.81	< 10	0.03	< 10	1.00	376	< 1	< 0.01
4750N 075E	221 238	1.49	0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	11	28	24	2.32	< 10	0.02	< 10	0.48	556	< 1	< 0.01
4750N 100E	221 238	3.04	0.2	10	60	< 0.5	< 2	0.32	< 0.5	15	46	29	3.47	< 10	0.03	< 10	0.77	1315	< 1	< 0.01
4800N 500W	221 238	2.75	0.2	< 5	70	< 0.5	< 2	0.26	< 0.5	15	31	32	3.97	< 10	0.04	< 10	0.71	788	< 1	0.01
4800N 475W	221 238	2.54	0.2	5	70	< 0.5	< 2	0.19	< 0.5	14	26	33	3.53	< 10	0.03	< 10	0.74	646	< 1	< 0.01
4800N 450W	221 238	2.43	0.2	< 5	70	< 0.5	< 2	0.26	< 0.5	16	32	80	3.50	< 10	0.04	< 10	0.83	1810	< 1	< 0.01
4800N 425W	221 238	3.87	0.2	5	90	< 0.5	< 2	0.26	< 0.5	22	50	68	4.31	< 10	0.04	< 10	1.11	976	< 1	0.01
4800N 400W	221 238	2.89	0.2	< 5	130	< 0.5	< 2	0.33	< 0.5	22	34	52	3.36	< 10	0.04	10	0.72	1775	< 1	0.01
4800N 375W	221 238	1.94	0.2	< 5	50	< 0.5	< 2	0.19	< 0.5	9	24	25	2.64	< 10	0.02	< 10	0.48	365	< 1	< 0.01
4800N 350W	221 238	1.17	0.2	< 5	80	< 0.5	< 2	0.40	< 0.5	6	24	18	2.33	< 10	0.02	< 10	0.36	195	< 1	< 0.01
4800N 325W	221 238	3.16	0.2	< 5	80	< 0.5	< 2	0.61	< 0.5	23	64	78	4.67	< 10	0.06	10	1.93	1170	< 1	0.01
4800N 300V	221 238	3.30	0.2	< 5	70	< 0.5	< 2	0.60	< 0.5	24	65	85	4.94	< 10	0.06	10	2.04	1070	< 1	0.01
4800N 275W	221 238	3.20	0.2	< 5	60	< 0.5	< 2	0.58	< 0.5	24	70	76	4.88	< 10	0.05	10	2.10	888	< 1	0.01
4800N 250W	221 238	3.41	0.2	5	80	< 0.5	< 2	0.72	< 0.5	24	71	96	5.02	< 10	0.07	10	1.84	1050	< 1	0.01

CERTIFICATION :

B. C. C.



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 6-B
Tot. Pages: 9
Date : 09-JAN-87
Invoice #: I-8622245
P.O. #: NONE

Project: HOLT V126 RACK J
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
4600N 025E	221 238	17	230	< 2	< 5	15	0.11	< 10	< 10	73	< 5	38						
4600N 050E	221 238	11	200	2	< 5	15	0.14	< 10	< 10	60	< 5	30						
4600N 075E	221 238	13	800	2	< 5	18	0.16	< 10	< 10	69	< 5	34						
4600N 100E	221 238	18	410	< 2	< 5	26	0.19	< 10	< 10	86	< 5	36						
4700N 500W	221 238	27	1060	< 2	< 5	24	0.23	< 10	< 10	109	< 5	72						
4700N 475W	221 238	9	490	2	< 5	23	0.15	< 10	< 10	85	< 5	40						
4700N 450W	221 238	16	490	2	< 5	26	0.15	< 10	< 10	98	< 5	62						
4700N 425W	221 238	9	300	2	< 5	17	0.10	< 10	< 10	96	< 5	50						
4700N 400W	221 238	16	760	2	< 5	27	0.19	< 10	< 10	89	< 5	66						
4700N 375W	221 238	17	2780	4	< 5	25	0.21	< 10	< 10	104	< 5	72						
4700N 350W	221 238	32	700	4	< 5	22	0.21	< 10	< 10	112	< 5	56						
4700N 325W	221 238	27	630	4	< 5	16	0.19	< 10	< 10	109	< 5	56						
4700N 275W	221 238	23	380	< 2	< 5	17	0.21	< 10	< 10	95	< 5	50						
4700N 250W	221 238	3	240	4	< 5	9	0.04	< 10	< 10	29	< 5	32						
4700N 225W	221 238	17	610	2	< 5	21	0.17	< 10	< 10	83	< 5	64						
4700N 200W	221 238	4	350	8	< 5	15	0.10	< 10	< 10	64	< 5	34						
4700N 175W	221 238	6	290	4	< 5	27	0.32	< 10	< 10	80	< 5	22						
4700N 150W	221 238	18	380	4	< 5	26	0.23	< 10	< 10	113	< 5	38						
4700N 125W	221 238	13	330	2	< 5	22	0.12	< 10	< 10	95	< 5	36						
4700N 100W	221 238	9	430	8	< 5	26	0.17	< 10	< 10	87	< 5	56						
4700N 075W	221 238	12	640	< 2	< 5	13	0.07	< 10	< 10	137	< 5	68						
4700N 050W	221 238	12	570	< 2	< 5	18	0.15	< 10	< 10	65	< 5	48						
4700N 025W	221 238	13	700	2	< 5	29	0.19	< 10	< 10	90	< 5	66						
4700N 000BL	221 238	14	290	6	< 5	24	0.13	< 10	< 10	86	< 5	32						
4750N 000E	221 238	10	460	4	< 5	19	0.11	< 10	< 10	78	< 5	42						
4750N 025E	221 238	17	310	2	< 5	28	0.15	< 10	< 10	108	< 5	48						
4750N 050E	221 238	23	520	< 2	< 5	30	0.27	< 10	< 10	136	< 5	42						
4750N 075E	221 238	12	260	2	< 5	30	0.18	< 10	< 10	72	< 5	36						
4750N 100E	221 238	19	800	2	< 5	34	0.22	< 10	< 10	98	< 5	56						
4800N 500W	221 238	14	740	2	< 5	19	0.08	< 10	< 10	101	< 5	60						
4800N 475W	221 238	14	380	< 2	< 5	12	0.06	< 10	< 10	84	< 5	46						
4800N 450W	221 238	18	530	4	< 5	12	0.08	< 10	< 10	88	< 5	54						
4800N 425W	221 238	26	910	< 2	< 5	20	0.12	< 10	< 10	110	< 5	70						
4800N 400W	221 238	18	880	4	< 5	18	0.16	< 10	< 10	91	< 5	76						
4800N 375W	221 238	9	270	< 2	< 5	13	0.08	< 10	< 10	70	< 5	42						
4800N 350W	221 238	11	370	4	< 5	18	0.17	< 10	< 10	64	< 5	52						
4800N 325W	221 238	31	490	< 2	< 5	36	0.20	< 10	< 10	121	< 5	70						
4800N 300W	221 238	33	440	< 2	< 5	39	0.20	< 10	< 10	128	< 5	72						
4800N 275W	221 238	33	430	< 2	< 5	39	0.20	< 10	< 10	124	< 5	70						
4800N 250W	221 238	30	530	2	< 5	54	0.25	< 10	< 10	143	< 5	66						

CERTIFICATION : B. Cogh



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 7-A
Tot. Pages: 9
Date : 09-JAN-87
Invoice #: I-8622245
P.O. #: NONE

Project: HOLT V116 RACK J
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Nb %
4800N 22SW	221 238	2.39	0.2	5	60	< 0.5	< 2	0.34	< 0.5	12	48	35	4.10	< 10	0.03	< 10	0.73	291	< 1	< 0.01
4800N 200W	221 238	1.79	0.2	5	50	< 0.5	< 2	0.33	< 0.5	10	37	31	2.78	< 10	0.02	< 10	0.60	438	< 1	< 0.01
4800N 17SW	221 238	2.41	0.2	< 5	90	< 0.5	< 2	0.38	< 0.5	17	50	63	3.55	< 10	0.04	10	1.14	915	< 1	< 0.01
4800N 150W	221 238	2.24	0.2	5	80	< 0.5	< 2	0.29	< 0.5	12	44	23	3.56	< 10	0.04	< 10	0.86	405	< 1	< 0.01
4800N 12SW	221 238	2.62	0.2	10	60	< 0.5	< 2	0.37	< 0.5	14	42	39	3.64	< 10	0.02	< 10	0.67	512	< 1	< 0.01
4800N 100W	221 238	3.35	0.2	< 5	80	< 0.5	< 2	0.30	< 0.5	15	46	36	4.20	< 10	0.03	< 10	0.83	1640	< 1	< 0.01
4800N 07SW	221 238	2.43	0.2	5	90	< 0.5	< 2	0.35	< 0.5	12	31	19	3.71	< 10	0.03	< 10	0.52	445	< 1	< 0.01
4800N 050W	221 238	3.77	0.2	5	80	< 0.5	< 2	0.37	< 0.5	21	50	97	5.31	< 10	0.03	10	1.36	731	< 1	< 0.01
4800N 02SW	221 238	2.60	0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	11	36	24	3.02	< 10	0.02	< 10	0.67	628	< 1	< 0.01
4800N 000BL	221 238	3.53	0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	19	74	72	4.48	< 10	0.02	10	1.38	631	< 1	< 0.01
4800N 02SE	221 238	1.85	0.2	< 5	40	< 0.5	< 2	0.47	< 0.5	10	35	12	2.65	< 10	0.04	< 10	0.48	923	< 1	< 0.01
4800N 050E	221 238	1.91	0.2	5	40	< 0.5	< 2	0.33	< 0.5	10	42	27	3.13	< 10	0.02	< 10	0.62	489	< 1	< 0.01
4800N 07SE	221 238	4.24	0.2	5	50	< 0.5	< 2	0.38	< 0.5	27	107	105	5.16	< 10	0.03	< 10	1.89	790	< 1	< 0.01
4800N 100E	221 238	2.63	0.2	5	50	< 0.5	< 2	0.36	< 0.5	15	48	23	3.72	< 10	0.03	< 10	0.85	525	< 1	< 0.01
4900N 500W	221 238	3.05	0.2	< 5	150	< 0.5	< 2	0.72	< 0.5	18	63	59	4.23	< 10	0.03	10	0.92	972	< 1	< 0.01
4900N 47SW	221 238	2.87	0.2	5	160	< 0.5	< 2	0.83	< 0.5	17	56	53	3.86	< 10	0.03	< 10	0.87	1395	< 1	< 0.01
4900N 450W	221 238	2.88	0.2	10	70	< 0.5	< 2	0.40	< 0.5	17	59	68	3.94	< 10	0.03	< 10	1.05	367	< 1	< 0.01
4900N 42SW	221 238	2.26	0.2	< 5	90	< 0.5	< 2	0.29	< 0.5	10	37	30	3.39	< 10	0.03	< 10	0.60	300	< 1	< 0.01
4900N 400W	221 238	2.22	0.2	5	140	< 0.5	< 2	0.74	< 0.5	14	43	40	3.75	< 10	0.03	10	0.81	779	< 1	< 0.01
4900N 37SW	221 238	2.40	0.2	5	120	< 0.5	< 2	0.62	< 0.5	17	50	64	3.39	< 10	0.03	10	1.16	1320	< 1	< 0.01
4900N 350W	221 238	1.91	0.2	5	100	< 0.5	< 2	0.37	< 0.5	9	28	14	2.70	< 10	0.04	< 10	0.42	451	< 1	< 0.01
4900N 32SW	221 238	2.97	0.2	10	90	< 0.5	< 2	0.27	< 0.5	15	47	28	4.30	< 10	0.04	< 10	0.82	764	< 1	< 0.01
4900N 300W	221 238	2.68	0.2	< 5	90	< 0.5	< 2	0.43	< 0.5	15	44	44	3.86	< 10	0.05	10	0.84	1730	< 1	< 0.01
4900N 27SW	221 238	2.85	0.2	15	80	< 0.5	< 2	0.29	< 0.5	9	43	16	4.98	< 10	0.02	10	0.57	353	< 1	< 0.01
4900N 250W	221 238	2.84	0.2	10	80	< 0.5	< 2	0.36	< 0.5	15	50	34	4.17	< 10	0.02	< 10	0.91	413	< 1	< 0.01
4900N 22SW	221 238	2.76	0.2	10	90	< 0.5	< 2	0.48	< 0.5	18	53	64	3.94	< 10	0.06	10	1.21	972	< 1	< 0.01
4900N 200W	221 238	3.43	0.2	< 5	120	< 0.5	< 2	0.42	< 0.5	18	72	43	3.85	< 10	0.04	10	1.04	1315	< 1	< 0.01
4900N 17SW	221 238	2.95	0.2	10	70	< 0.5	< 2	0.34	< 0.5	16	53	69	3.76	< 10	0.03	< 10	1.04	758	< 1	< 0.01
4900N 150W	221 238	2.13	0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	11	31	25	3.10	< 10	0.03	< 10	0.61	543	< 1	< 0.01
4900N 12SW	221 238	2.85	0.2	10	60	< 0.5	< 2	0.34	< 0.5	19	56	66	4.62	< 10	0.03	10	1.27	1025	< 1	< 0.01
4900N 100W	221 238	3.56	0.2	10	70	< 0.5	< 2	0.41	< 0.5	21	56	70	5.49	< 10	0.06	10	1.18	969	< 1	< 0.01
4900N 07SW	221 238	2.52	0.2	5	70	< 0.5	< 2	0.50	< 0.5	12	41	36	3.60	< 10	0.04	10	0.72	788	< 1	< 0.01
4900N 050W	221 238	2.94	0.2	5	60	< 0.5	< 2	0.51	< 0.5	16	44	56	3.67	< 10	0.04	10	0.89	674	< 1	< 0.01
4900N 02SW	221 238	2.50	0.2	5	60	< 0.5	< 2	0.55	< 0.5	15	43	44	3.53	< 10	0.04	10	0.88	577	< 1	< 0.01
4900N 000BL	221 238	3.35	0.2	5	70	< 0.5	< 2	0.64	< 0.5	24	85	79	4.49	< 10	0.06	10	1.71	865	< 1	< 0.01
4900N 02SE	221 238	3.40	0.2	10	90	< 0.5	< 2	0.68	< 0.5	22	69	95	4.09	< 10	0.06	10	1.31	1020	< 1	< 0.01
4900N 050E	221 238	2.24	0.2	< 5	40	< 0.5	< 2	0.55	< 0.5	16	64	28	3.57	< 10	0.02	< 10	1.01	540	< 1	< 0.01
4900N 07SE	221 238	1.47	0.2	< 5	40	< 0.5	< 2	0.35	< 0.5	8	41	41	2.55	< 10	0.02	< 10	0.52	492	< 1	< 0.01
4900N 100E	221 238	0.95	0.2	< 5	30	< 0.5	< 2	0.41	< 0.5	6	18	5	1.56	< 10	0.03	< 10	0.30	719	< 1	< 0.01
5200N 500W	221 238	0.35	0.2	< 5	10	< 0.5	< 2	0.30	< 0.5	< 1	5	5	0.39	< 10	0.01	< 10	0.05	141	< 1	< 0.01

CERTIFICATION : B. C. C. C.



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 211 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 914-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 7-B
 Tot. Pages: 9
 Date : 09-JAN-87
 Invoice # : I-8622245
 P.O. # : NONE

Project : HOLT V226 RACK J
 Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
4800N 22SW	221 238	18	330	< 2	< 5	30	0.22	< 10	< 10	122	< 5	40							
4800N 200W	221 238	16	460	4	< 5	28	0.19	< 10	< 10	89	< 5	128							
4800N 17SW	221 238	26	440	< 2	< 5	27	0.22	< 10	< 10	100	< 5	52							
4800N 150W	221 238	17	390	2	< 5	27	0.13	< 10	< 10	96	< 5	40							
4800N 12SW	221 238	19	710	< 2	< 5	28	0.24	< 10	< 10	108	< 5	66							
4800N 100W	221 238	22	1320	10	< 5	23	0.22	< 10	< 10	114	< 5	78							
4800N 07SW	221 238	12	480	4	< 5	33	0.18	< 10	< 10	115	< 5	74							
4800N 050W	221 238	20	690	< 2	< 5	36	0.24	< 10	< 10	161	< 5	70							
4800N 02SW	221 238	11	840	< 2	< 5	28	0.20	< 10	< 10	97	< 5	60							
4800N 000BL	221 238	30	750	< 2	< 5	32	0.23	< 10	< 10	127	< 5	58							
4800N 02SE	221 238	12	270	2	< 5	42	0.17	< 10	< 10	90	< 5	40							
4800N 050E	221 238	15	280	< 2	< 5	28	0.15	< 10	< 10	103	< 5	44							
4800N 07SE	221 238	49	1210	< 2	< 5	33	0.26	< 10	< 10	155	< 5	58							
4800N 100E	221 238	24	350	2	< 5	34	0.20	< 10	< 10	121	< 5	54							
4900N 500W	221 238	29	330	4	< 5	33	0.21	< 10	< 10	121	< 5	70							
4900N 47SW	221 238	26	520	4	< 5	32	0.20	< 10	< 10	115	< 5	62							
4900N 450W	221 238	31	340	2	< 5	27	0.24	< 10	< 10	113	< 5	52							
4900N 42SW	221 238	13	660	< 2	< 5	20	0.14	< 10	< 10	92	< 5	58							
4900N 400W	221 238	20	440	2	< 5	22	0.15	< 10	< 10	109	< 5	56							
4900N 37SW	221 238	25	490	< 2	< 5	26	0.17	< 10	< 10	96	< 5	52							
4900N 350W	221 238	12	440	4	< 5	25	0.11	< 10	< 10	81	< 5	58							
4900N 32SW	221 238	25	610	6	< 5	20	0.17	< 10	< 10	102	< 5	64							
4900N 300W	221 238	21	980	6	< 5	28	0.20	< 10	< 10	107	< 5	72							
4900N 27SW	221 238	16	500	2	< 5	23	0.20	< 10	< 10	142	< 5	50							
4900N 250W	221 238	25	340	2	< 5	30	0.21	< 10	< 10	119	< 5	48							
4900N 22SW	221 238	27	600	2	< 5	32	0.21	< 10	< 10	113	< 5	56							
4900N 200W	221 238	29	710	< 2	< 5	36	0.22	< 10	< 10	111	< 5	72							
4900N 17SW	221 238	26	550	< 2	< 5	27	0.22	< 10	< 10	112	< 5	54							
4900N 150W	221 238	15	720	6	< 5	16	0.13	< 10	< 10	81	< 5	50							
4900N 12SW	221 238	28	730	< 2	< 5	23	0.19	< 10	< 10	118	< 5	56							
4900N 100W	221 238	28	840	10	< 5	32	0.18	< 10	< 10	127	< 5	64							
4900N 07SW	221 238	17	800	8	< 5	35	0.22	< 10	< 10	115	< 5	58							
4900N 050W	221 238	22	720	< 2	< 5	37	0.25	< 10	< 10	114	< 5	62							
4900N 02SW	221 238	25	570	2	< 5	36	0.21	< 10	< 10	106	< 5	60							
4900N 000BL	221 238	47	550	2	< 5	38	0.24	< 10	< 10	135	< 5	66							
4900N 02SE	221 238	41	570	< 2	< 5	44	0.26	< 10	< 10	135	< 5	60							
4900N 050E	221 238	30	340	< 2	< 5	45	0.24	< 10	< 10	123	< 5	50							
4900N 07SE	221 238	17	230	2	< 5	26	0.17	< 10	< 10	96	< 5	32							
4900N 100E	221 238	8	200	2	< 5	31	0.20	< 10	< 10	67	< 5	28							
5200N 500W	221 238	3	170	< 2	< 5	7	0.07	< 10	< 10	31	< 5	24							

CERTIFICATION : B. Cough



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No. : 8-A
Tot. Pages: 9
Date : 09-JAN-87
Invoice #: I-8622245
P.O. #: NONE

Project : HOLT V216 RACK J
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
5200N 475W	221 238	4.06	0.2	< 5	70	< 0.5	< 2	0.27	0.5	16	89	94	4.55	20	0.02	< 10	1.33	421	< 1	< 0.01
5200N 450W	221 238	0.80	0.2	< 5	10	< 0.5	< 2	0.25	< 0.5	3	15	15	1.31	10	0.01	< 10	0.25	240	< 1	< 0.01
5200N 425W	221 238	0.72	0.2	< 5	10	< 0.5	< 2	0.20	< 0.5	1	12	10	1.23	10	0.01	< 10	0.11	105	< 1	< 0.01
5200N 400W	221 238	3.22	0.2	< 5	60	< 0.5	< 2	0.22	< 0.5	14	40	103	4.72	10	0.04	< 10	1.09	306	< 1	< 0.01
5200N 375W	221 238	2.10	0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	5	45	35	4.16	20	0.01	< 10	0.31	132	< 1	< 0.01
5200N 350W	221 238	3.59	0.2	< 5	60	< 0.5	< 2	0.18	< 0.5	16	53	78	4.91	10	0.03	< 10	1.23	441	< 1	< 0.01
5200N 325W	221 238	1.90	0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	7	31	30	2.85	10	0.02	< 10	0.53	246	< 1	< 0.01
5200N 300W	221 238	3.33	0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	12	43	59	4.30	10	0.03	< 10	0.82	308	< 1	< 0.01
5200N 275W	221 238	4.62	0.2	< 5	90	< 0.5	< 2	0.30	0.5	23	56	94	5.89	20	0.03	< 10	1.13	1710	< 1	< 0.01
5200N 250W	221 238	3.66	0.2	< 5	80	< 0.5	< 2	0.39	0.5	15	55	54	4.81	20	0.03	< 10	0.81	596	< 1	0.01
5200N 225W	221 238	3.58	0.2	< 5	130	< 0.5	< 2	0.38	< 0.5	14	50	55	4.49	20	0.04	< 10	0.85	1075	< 1	0.01
5200N 200W	221 238	2.65	0.2	< 5	70	< 0.5	< 2	0.31	< 0.5	13	38	44	3.37	10	0.03	< 10	0.63	797	< 1	< 0.01
5200N 175W	221 238	2.99	0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	13	41	43	3.55	10	0.04	< 10	0.78	675	< 1	< 0.01
5200N 150W	221 238	2.61	0.2	< 5	130	< 0.5	< 2	0.32	< 0.5	13	29	94	3.28	10	0.04	< 10	0.55	1180	< 1	0.01
5200N 125W	221 238	2.10	0.2	< 5	90	< 0.5	< 2	0.29	< 0.5	11	23	29	3.02	10	0.03	< 10	0.57	2060	< 1	< 0.01
5200N 100W	221 238	2.68	0.2	< 5	70	< 0.5	< 2	0.33	< 0.5	12	36	46	3.37	10	0.04	< 10	0.76	1235	< 1	0.01
5200N 075W	221 238	2.75	0.2	< 5	100	< 0.5	< 2	0.48	< 0.5	16	55	78	3.97	10	0.08	< 10	1.04	993	< 1	0.01
5200N 050W	221 238	1.76	0.2	< 5	80	< 0.5	< 2	0.26	< 0.5	6	19	25	2.20	10	0.05	< 10	0.33	954	< 1	0.01
5200N 025W	221 238	2.87	0.2	< 5	100	< 0.5	< 2	0.59	< 0.5	13	51	65	3.94	10	0.08	< 10	0.68	1010	< 1	0.03
5200N 000BL	221 238	2.70	0.2	< 5	60	< 0.5	< 2	0.55	< 0.5	16	73	56	3.34	10	0.03	< 10	1.01	596	< 1	0.01
5200N 025E	221 238	3.75	0.2	< 5	50	< 0.5	< 2	0.47	< 0.5	23	119	113	4.74	20	0.03	< 10	1.70	681	< 1	0.02
5200N 050E	221 238	2.71	0.2	< 5	90	< 0.5	< 2	0.37	< 0.5	17	54	77	3.16	10	0.03	< 10	0.95	682	< 1	0.01
5200N 075E	221 238	3.30	0.2	< 5	90	< 0.5	< 2	0.33	< 0.5	17	58	85	3.56	10	0.04	< 10	0.96	487	< 1	0.01
5200N 100E	221 238	2.58	0.2	< 5	70	< 0.5	< 2	0.39	< 0.5	13	42	56	3.08	10	0.04	< 10	0.70	549	< 1	0.01
5300N 475W	221 238	1.55	0.2	< 5	20	< 0.5	< 2	0.20	< 0.5	6	25	24	2.28	< 10	0.02	< 10	0.53	172	< 1	< 0.01
5300N 450W	221 238	0.98	0.2	< 5	50	< 0.5	< 2	0.27	< 0.5	4	17	13	1.93	10	0.03	< 10	0.23	500	< 1	< 0.01
5300N 425W	221 238	1.88	0.2	< 5	30	< 0.5	< 2	0.19	< 0.5	8	24	36	3.12	10	0.02	< 10	0.43	328	< 1	< 0.01
5300N 400W	221 238	1.13	0.2	< 5	20	< 0.5	< 2	0.28	< 0.5	4	19	15	2.16	10	0.02	< 10	0.27	222	< 1	< 0.01
5300N 375W	221 238	1.39	0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	4	21	18	2.13	10	0.01	< 10	0.21	195	< 1	< 0.01
5300N 350W	221 238	1.58	0.2	< 5	20	< 0.5	< 2	0.24	< 0.5	4	51	20	2.89	10	0.02	< 10	0.27	144	< 1	< 0.01
5300N 325W	221 238	3.54	0.2	< 5	80	< 0.5	< 2	0.55	0.5	25	214	80	4.64	10	0.05	< 10	2.37	922	< 1	< 0.01
5300N 300W	221 238	2.01	0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	10	39	37	3.40	10	0.03	< 10	0.74	301	< 1	< 0.01
5300N 275W	221 238	3.12	0.2	< 5	70	< 0.5	< 2	0.27	0.5	16	54	83	4.20	10	0.03	< 10	1.03	600	< 1	< 0.01
5300N 250W	221 238	2.03	0.2	< 5	70	< 0.5	< 2	0.37	< 0.5	12	32	28	2.54	10	0.05	< 10	0.51	1500	< 1	0.01
5300N 225W	221 238	1.98	0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	11	30	24	2.33	10	0.04	< 10	0.49	3280	< 1	0.01
5300N 200W	221 238	1.86	0.2	< 5	60	< 0.5	< 2	0.38	< 0.5	10	30	22	2.56	10	0.03	< 10	0.41	900	< 1	0.01
5300N 175W	221 238	2.11	0.2	< 5	90	< 0.5	< 2	0.44	< 0.5	13	35	30	2.61	10	0.04	< 10	0.55	2410	< 1	0.01
5300N 150W	221 238	3.31	0.2	< 5	90	< 0.5	< 2	0.35	< 0.5	14	51	69	3.14	10	0.04	< 10	0.97	466	< 1	0.01
5300N 125W	221 238	2.25	0.2	< 5	90	< 0.5	< 2	0.36	< 0.5	11	35	26	2.67	10	0.04	< 10	0.63	1625	< 1	0.01
5300N 100W	221 238	2.38	0.2	< 5	90	< 0.5	< 2	0.44	< 0.5	11	40	34	2.66	10	0.04	< 10	0.69	1140	< 1	0.01

CERTIFICATION :

B. Camp



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 8-B
 Tot. Pages: 9
 Date : 09-JAN-87
 Invoice # : I-8622245
 P.O. # : NONE

Project : HOLT V126 RACK J
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
5200N 47SW	221 238	39	420	< 2	< 5	29	0.23	< 10	< 10	126	< 5	80							
5200N 450W	221 238	6	210	4	< 5	22	0.13	< 10	< 10	53	< 5	24							
5200N 42SW	221 238	3	190	< 2	< 5	14	0.13	< 10	< 10	56	< 5	16							
5200N 400W	221 238	23	300	< 2	< 5	16	0.07	< 10	< 10	113	< 5	50							
5200N 37SW	221 238	9	290	2	< 5	21	0.24	< 10	< 10	130	< 5	28							
5200N 350W	221 238	20	380	< 2	< 5	13	0.10	< 10	< 10	152	< 5	54							
5200N 32SW	221 238	12	370	2	< 5	18	0.11	< 10	< 10	81	< 5	48							
5200N 300W	221 238	18	490	< 2	< 5	17	0.14	< 10	< 10	97	< 5	56							
5200N 27SW	221 238	24	1070	< 2	< 5	18	0.24	< 10	< 10	136	< 5	66							
5200N 250W	221 238	23	800	< 2	< 5	39	0.29	< 10	< 10	122	< 5	80							
5200N 22SW	221 238	20	650	< 2	< 5	30	0.30	< 10	< 10	112	< 5	66							
5200N 200W	221 238	18	460	2	< 5	28	0.21	< 10	< 10	91	< 5	66							
5200N 17SW	221 238	20	370	< 2	< 5	28	0.18	< 10	< 10	88	< 5	58							
5200N 150W	221 238	15	540	< 2	< 5	30	0.16	< 10	< 10	83	< 5	80							
5200N 12SW	221 238	11	560	4	< 5	31	0.16	< 10	< 10	92	< 5	64							
5200N 100W	221 238	17	780	4	< 5	29	0.18	< 10	< 10	96	< 5	64							
5200N 07SW	221 238	29	390	2	< 5	25	0.19	< 10	< 10	105	< 5	66							
5200N 050W	221 238	8	260	6	< 5	31	0.11	< 10	< 10	57	< 5	42							
5200N 02SW	221 238	23	910	< 2	< 5	60	0.21	< 10	< 10	109	< 5	52							
5200N 000BL	221 238	37	660	2	< 5	50	0.21	< 10	< 10	94	< 5	92							
5200N 025E	221 238	90	480	2	< 5	39	0.30	< 10	< 10	138	< 5	72							
5200N 050E	221 238	30	280	< 2	< 5	31	0.19	< 10	< 10	99	< 5	52							
5200N 075E	221 238	31	290	< 2	< 5	33	0.25	< 10	< 10	107	< 5	52							
5200N 100E	221 238	21	360	< 2	< 5	34	0.25	< 10	< 10	94	< 5	50							
5300N 47SW	221 238	12	90	< 2	< 5	18	0.06	< 10	< 10	63	< 5	26							
5300N 450W	221 238	6	160	2	< 5	20	0.11	< 10	< 10	66	< 5	26							
5300N 42SW	221 238	9	430	< 2	< 5	14	0.07	< 10	< 10	86	< 5	28							
5300N 400W	221 238	6	330	6	< 5	17	0.11	< 10	< 10	75	< 5	26							
5300N 37SW	221 238	7	190	< 2	< 5	15	0.10	< 10	< 10	58	< 5	26							
5300N 350W	221 238	9	130	< 2	< 5	19	0.14	< 10	< 10	69	< 5	26							
5300N 32SW	221 238	115	460	< 2	< 5	50	0.21	< 10	< 10	111	< 5	62							
5300N 300W	221 238	16	230	2	< 5	24	0.20	< 10	< 10	106	< 5	38							
5300N 27SW	221 238	23	390	< 2	< 5	21	0.19	< 10	< 10	111	< 5	56							
5300N 250W	221 238	14	470	4	< 5	30	0.17	< 10	< 10	76	< 5	66							
5300N 22SW	221 238	16	390	6	< 5	30	0.17	< 10	< 10	74	< 5	56							
5300N 200W	221 238	15	340	6	< 5	33	0.18	< 10	< 10	79	< 5	54							
5300N 17SW	221 238	19	460	6	< 5	35	0.20	< 10	< 10	82	< 5	64							
5300N 150W	221 238	32	250	< 2	< 5	31	0.23	< 10	< 10	90	< 5	54							
5300N 12SW	221 238	16	440	6	< 5	29	0.16	< 10	< 10	80	< 5	60							
5300N 100W	221 238	19	440	4	< 5	32	0.18	< 10	< 10	78	< 5	74							

CERTIFICATION : B. Campbell



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 111 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 9-A
 Tot. Pages: 9
 Date : 09-JAN-87
 Invoice # : I-8622245
 P.O. # : NONE

Project : HOLT V126 RACK J
 Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
5300N 075W	221 238	2.94	0.2	5	80	< 0.5	< 2	0.44	< 0.5	13	46	18	3.81	< 10	0.04	10	0.65	921	< 1	0.01
5300N 050W	221 238	2.71	0.2	5	1160	< 0.5	< 2	0.39	< 0.5	13	41	33	3.21	< 10	0.04	10	0.68	1175	< 1	0.01
5300N 025W	221 238	2.93	0.2	5	80	< 0.5	< 2	0.69	< 0.5	18	68	72	3.49	< 10	0.05	10	1.30	771	< 1	0.01
5300N 000BL	221 238	4.41	0.2	5	80	< 0.5	< 2	0.66	< 0.5	26	82	144	4.95	< 10	0.05	10	1.49	688	< 1	0.01
5300N 025E	221 238	2.31	0.2	5	60	< 0.5	< 2	0.45	< 0.5	13	38	44	3.25	< 10	0.05	10	0.72	791	< 1	0.01
5300N 050E	221 238	3.21	0.2	5	70	< 0.5	< 2	0.57	< 0.5	24	53	111	4.24	< 10	0.06	10	1.56	1025	< 1	0.01
5300N 075E	221 238	2.48	0.2	< 5	60	< 0.5	< 2	0.41	< 0.5	14	42	44	3.06	< 10	0.04	< 10	0.80	634	< 1	0.01
5300N 100E	221 238	2.38	0.2	< 5	70	< 0.5	< 2	0.61	< 0.5	17	46	54	3.04	< 10	0.04	10	0.89	790	< 1	0.01
5400N 475W	221 238	3.87	0.2	< 5	50	< 0.5	< 2	0.26	< 0.5	18	55	76	4.64	< 10	0.02	< 10	0.93	522	< 1	< 0.01
5400N 425W	221 238	3.42	0.2	< 5	50	< 0.5	< 2	0.24	< 0.5	21	48	80	4.96	< 10	0.02	< 10	1.17	714	< 1	< 0.01
5400N 400W	221 238	2.82	0.6	5	70	< 0.5	< 2	0.25	< 0.5	12	35	21	4.20	< 10	0.04	10	0.61	310	< 1	< 0.01
5400N 375W	221 238	3.28	0.2	< 5	80	< 0.5	< 2	0.33	< 0.5	14	52	45	5.13	< 10	0.03	< 10	0.89	470	< 1	0.01
5400N 350W	221 238	3.45	0.2	5	120	< 0.5	< 2	0.54	< 0.5	22	141	67	4.46	< 10	0.05	10	1.54	730	< 1	0.01
5400N 325W	221 238	3.87	0.2	10	100	< 0.5	< 2	0.51	< 0.5	24	106	115	4.66	< 10	0.05	10	1.49	767	< 1	0.01
5400N 300W	221 238	3.36	0.2	< 5	90	< 0.5	< 2	0.39	< 0.5	18	130	37	4.46	< 10	0.05	10	1.05	487	< 1	< 0.01
5400N 275W	221 238	3.46	0.2	< 5	100	< 0.5	< 2	0.44	< 0.5	22	148	88	4.12	< 10	0.05	10	1.54	897	< 1	0.01
5400N 250W	221 238	1.91	0.2	< 5	60	< 0.5	< 2	0.39	< 0.5	12	63	23	2.70	< 10	0.03	< 10	0.75	918	< 1	< 0.01
5400N 225W	221 238	2.16	0.2	< 5	80	< 0.5	< 2	0.41	< 0.5	15	84	14	2.75	< 10	0.04	< 10	0.87	931	< 1	< 0.01
5400N 200W	221 238	2.94	0.2	< 5	80	< 0.5	< 2	0.35	< 0.5	17	115	49	3.69	< 10	0.03	< 10	1.21	429	< 1	< 0.01
5400N 175W	221 238	2.91	0.2	5	180	< 0.5	< 2	0.29	< 0.5	16	32	36	3.59	< 10	0.04	< 10	0.72	985	< 1	< 0.01
5400N 150W	221 238	4.02	0.2	< 5	350	< 0.5	< 2	0.80	< 0.5	19	28	45	3.64	< 10	0.04	10	0.86	1235	< 1	< 0.01
5400N 125W	221 238	3.16	0.2	5	80	< 0.5	< 2	0.46	< 0.5	12	52	45	3.94	< 10	0.04	10	0.82	655	< 1	0.01
5400N 100W	221 238	3.41	0.2	10	60	< 0.5	< 2	0.41	< 0.5	12	61	33	5.05	10	0.04	10	0.82	687	< 1	0.01
5400N 075W	221 238	3.79	0.2	5	110	< 0.5	< 2	0.70	< 0.5	27	116	89	5.22	< 10	0.06	10	2.16	1150	< 1	0.01
5400N 050W	221 238	4.72	0.2	10	940	< 0.5	< 2	0.53	< 0.5	32	100	116	6.25	10	0.03	10	2.66	1185	< 1	0.01
5400N 025W	221 238	2.80	0.2	< 5	60	< 0.5	< 2	0.62	< 0.5	25	74	87	4.35	< 10	0.06	10	1.65	889	< 1	0.01
5400N 000BL	221 238	3.04	0.2	< 5	100	< 0.5	< 2	0.51	< 0.5	22	61	55	4.00	< 10	0.03	10	1.18	2490	< 1	0.01
5400N 025E	221 238	4.27	0.2	< 5	90	< 0.5	< 2	0.41	< 0.5	21	90	67	4.71	< 10	0.04	10	1.36	1160	< 1	0.01
5400N 050E	221 238	2.99	0.2	10	80	< 0.5	< 2	0.38	< 0.5	18	63	44	3.68	< 10	0.03	< 10	1.00	1710	< 1	< 0.01
5400N 075E	221 238	3.07	0.2	< 5	90	< 0.5	< 2	0.40	< 0.5	17	67	59	3.96	< 10	0.03	< 10	1.08	2650	< 1	< 0.01
5400N 100E	221 238	4.00	0.2	< 5	50	< 0.5	< 2	0.40	< 0.5	15	71	61	4.45	< 10	0.03	10	0.99	880	< 1	0.01

CERTIFICATION : B. Cough



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622245

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 9-B

Tot. Pages: 9

Date : 09-JAN-87

Invoice #: I-8622245


P.O. #: NONE

Project : HOLT V116 RACK J

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
5300N 07SW	221 238	19	1770	6	< 5	35	0.20	< 10	< 10	113	< 5	108							
5300N 050W	221 238	19	480	6	< 5	41	0.21	< 10	< 10	101	< 5	72							
5300N 02SW	221 238	35	460	< 2	< 5	52	0.27	< 10	< 10	119	< 5	60							
5300N 000BL	221 238	49	690	< 2	< 5	41	0.29	< 10	< 10	151	< 5	102							
5300N 02SE	221 238	19	310	2	< 5	34	0.23	< 10	< 10	109	< 5	56							
5300N 050E	221 238	33	370	< 2	< 5	38	0.25	< 10	< 10	138	< 5	58							
5300N 07SE	221 238	22	230	2	< 5	33	0.19	< 10	< 10	95	< 5	54							
5300N 100E	221 238	24	290	< 2	< 5	37	0.24	< 10	< 10	101	< 5	62							
5400N 47SW	221 238	22	550	< 2	< 5	16	0.18	< 10	< 10	126	< 5	62							
5400N 42SW	221 238	24	690	< 2	< 5	13	0.16	< 10	< 10	117	< 5	68							
5400N 400W	221 238	14	470	4	< 5	19	0.11	< 10	< 10	109	< 5	80							
5400N 37SW	221 238	21	680	4	< 5	20	0.21	< 10	< 10	139	< 5	90							
5400N 350W	221 238	62	350	< 2	< 5	30	0.19	< 10	< 10	120	< 5	72							
5400N 32SW	221 238	47	420	2	< 5	30	0.21	< 10	< 10	123	< 5	64							
5400N 300W	221 238	49	320	< 2	< 5	39	0.19	< 10	< 10	112	< 5	64							
5400N 27SW	221 238	77	460	< 2	< 5	35	0.22	< 10	< 10	115	< 5	60							
5400N 250W	221 238	27	240	4	< 5	29	0.15	< 10	< 10	75	< 5	50							
5400N 22SW	221 238	48	320	2	< 5	43	0.16	< 10	< 10	80	< 5	48							
5400N 200W	221 238	51	290	< 2	< 5	29	0.17	< 10	< 10	99	< 5	54							
5400N 17SW	221 238	17	330	2	< 5	19	0.13	< 10	< 10	103	< 5	62							
5400N 150W	221 238	17	270	< 2	< 5	39	0.13	< 10	< 10	142	< 5	68							
5400N 12SW	221 238	23	570	< 2	< 5	35	0.22	< 10	< 10	123	< 5	52							
5400N 100W	221 238	20	830	2	< 5	35	0.26	< 10	< 10	161	< 5	80							
5400N 07SW	221 238	53	740	4	< 5	62	0.28	< 10	< 10	169	< 5	80							
5400N 050W	221 238	50	640	344	< 5	85	0.38	< 10	< 10	215	< 5	90							
5400N 02SW	221 238	39	410	< 2	< 5	41	0.28	< 10	< 10	147	< 5	62							
5400N 000BL	221 238	30	490	6	< 5	35	0.27	< 10	< 10	135	< 5	84							
5400N 02SE	221 238	42	480	< 2	< 5	35	0.30	< 10	< 10	143	< 5	80							
5400N 050E	221 238	33	440	4	< 5	29	0.23	< 10	< 10	117	< 5	66							
5400N 07SE	221 238	31	740	4	< 5	26	0.24	< 10	< 10	124	< 5	66							
5400N 100E	221 238	29	1100	< 2	< 5	33	0.28	< 10	< 10	135	< 5	70							

CERTIFICATION : B. Campbell



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622448

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-A

Tot. Pages: 1

Date : 14-JAN-87

Invoice # : 1-8622448

P.O. # : NONE

Project : V226 RACK P

Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mb ppm	Na %
14681	221 238	0.75	0.4	25	190	< 0.5	< 2	0.09	< 0.5	32	38	53	4.61	< 10	0.37	< 10	0.17	54	< 1	< 0.01
14682	221 238	0.74	0.8	5	240	< 0.5	< 2	0.09	< 0.5	18	29	325	1.57	< 10	0.33	< 10	0.21	76	< 1	< 0.01
14683	221 238	0.62	1.4	45	130	< 0.5	< 2	0.04	< 0.5	10	39	77	5.08	< 10	0.34	< 10	0.05	79	22	< 0.01
14684	221 238	1.34	1.0	10	590	< 0.5	< 2	0.07	< 0.5	24	63	30	3.16	< 10	0.29	< 10	0.65	172	27	< 0.01
14685	221 238	0.79	4.2	20	200	< 0.5	< 2	0.05	< 0.5	35	37	123	2.99	< 10	0.35	< 10	0.19	35	22	< 0.01
14686	221 238	0.84	0.8	30	350	< 0.5	< 2	0.05	< 0.5	11	66	56	2.90	< 10	0.29	< 10	0.27	70	1	< 0.01
14687	221 238	0.73	1.8	45	310	< 0.5	< 2	0.05	< 0.5	25	47	100	4.36	< 10	0.29	< 10	0.19	39	3	< 0.01
14688	221 238	0.37	1.6	25	170	< 0.5	< 2	0.03	< 0.5	9	46	53	4.06	< 10	0.18	< 10	0.07	40	7	< 0.01
14689	221 238	1.00	1.0	20	90	< 0.5	< 2	1.22	< 0.5	30	41	106	4.17	< 10	0.25	< 10	0.51	196	< 1	< 0.01
14690	221 238	0.50	0.2	20	370	< 0.5	< 2	0.18	< 0.5	22	28	202	1.90	< 10	0.19	< 10	0.20	76	2	0.01
14691	221 238	0.55	0.4	10	120	< 0.5	< 2	0.12	< 0.5	56	18	270	4.28	< 10	0.23	< 10	0.18	38	1	< 0.01
14692	221 238	1.12	0.6	< 5	360	< 0.5	< 2	0.07	< 0.5	27	67	115	4.02	< 10	0.26	< 10	0.60	185	9	< 0.01
14693	221 238	1.27	0.2	10	160	< 0.5	< 2	0.10	< 0.5	16	64	88	1.81	< 10	0.48	< 10	0.41	65	6	< 0.01
14694	221 238	1.04	0.2	5	110	< 0.5	< 2	0.17	< 0.5	26	112	66	2.01	< 10	0.24	< 10	0.57	160	2	0.01
14695	221 238	1.90	0.4	5	250	< 0.5	< 2	0.33	< 0.5	35	14	124	4.52	< 10	0.34	< 10	1.08	259	< 1	0.01
14696	221 238	0.55	0.2	30	100	< 0.5	< 2	0.11	< 0.5	22	55	79	3.08	< 10	0.26	< 10	0.13	136	1	0.01
14697	221 238	0.52	2.0	35	170	< 0.5	< 2	0.03	< 0.5	3	57	23	2.20	< 10	0.34	< 10	0.04	52	1	< 0.01
14698	221 238	0.40	2.4	40	250	< 0.5	< 2	0.03	< 0.5	6	48	41	5.39	< 10	0.28	< 10	0.02	20	1	< 0.01
14699	221 238	0.48	0.8	5	120	< 0.5	< 2	0.05	< 0.5	11	22	94	2.23	< 10	0.23	< 10	0.12	22	< 1	< 0.01
14700	221 238	0.68	0.6	25	140	< 0.5	< 2	0.08	< 0.5	30	34	51	4.09	< 10	0.28	< 10	0.23	74	< 1	< 0.01
14912	221 238	2.05	1.0	< 5	410	< 0.5	< 2	0.92	< 0.5	29	32	92	4.58	< 10	0.30	< 10	1.08	584	< 1	0.02
14913	221 238	0.78	0.4	< 5	50	< 0.5	< 2	0.20	< 0.5	23	43	87	4.96	< 10	0.41	< 10	0.22	86	< 1	0.01
14914	221 238	1.25	0.4	< 5	50	< 0.5	< 2	0.23	< 0.5	31	37	161	6.60	< 10	0.42	< 10	0.52	163	< 1	0.01
14915	221 238	0.62	0.4	15	30	< 0.5	< 2	0.10	4.5	32	115	182	2.55	< 10	0.37	< 10	0.16	80	11	< 0.01
14916	221 238	1.56	0.6	< 5	40	< 0.5	< 2	0.16	0.5	35	92	109	5.53	< 10	0.32	< 10	0.81	247	< 1	0.01

RECEIVED JAN 23 1987

CERTIFICATION :

P. Long



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-3C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622448

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-B
 Tot. Pages: 1
 Date : 14-JAN-87
 Invoice # : I-8622448
 P.O. # : NONE

Project : V226 RACK P
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm							
14681	221 238	28	400	6	< 5	5	< 0.01	< 10	< 10	34	< 5	26							
14682	221 238	19	280	2	< 5	6	< 0.01	< 10	< 10	34	< 5	38							
14683	221 238	7	220	14	< 5	3	< 0.01	< 10	< 10	30	< 5	6							
14684	221 238	38	200	2	< 5	10	< 0.01	< 10	< 10	31	< 5	76							
14685	221 238	44	250	14	10	8	< 0.01	< 10	< 10	23	< 5	26							
14686	221 238	22	170	4	< 5	11	< 0.01	< 10	< 10	27	< 5	28							
14687	221 238	29	210	8	< 5	13	< 0.01	< 10	< 10	24	< 5	34							
14688	221 238	10	140	10	< 5	3	< 0.01	< 10	< 10	14	5	14							
14689	221 238	32	320	8	< 5	9	0.03	< 10	< 10	28	< 5	52							
14690	221 238	16	300	2	< 5	14	< 0.01	< 10	< 10	29	< 5	60							
14691	221 238	30	440	2	< 5	6	< 0.01	< 10	< 10	28	< 5	70							
14692	221 238	31	220	4	< 5	8	< 0.01	< 10	< 10	42	< 5	56							
14693	221 238	54	340	< 2	< 5	3	< 0.01	< 10	< 10	31	< 5	40							
14694	221 238	41	240	< 2	< 5	5	< 0.01	< 10	< 10	41	< 5	30							
14695	221 238	30	460	< 2	< 5	7	0.09	< 10	< 10	88	< 5	66							
14696	221 238	14	310	4	< 5	3	0.07	< 10	< 10	33	< 5	10							
14697	221 238	3	130	34	20	5	< 0.01	< 10	< 10	24	< 5	8							
14698	221 238	11	110	10	< 5	5	< 0.01	< 10	< 10	17	< 5	6							
14699	221 238	12	230	2	< 5	6	< 0.01	< 10	< 10	15	< 5	20							
14700	221 238	29	300	< 2	< 5	4	< 0.01	< 10	< 10	24	< 5	32							
14912	221 238	25	530	< 2	< 5	59	0.09	< 10	< 10	79	5	74							
14913	221 238	22	340	< 2	< 5	6	0.22	< 10	< 10	56	< 5	30							
14914	221 238	33	330	< 2	< 5	3	0.22	< 10	< 10	69	< 5	64							
14915	221 238	43	520	6	< 5	4	< 0.01	< 10	< 10	33	< 5	84							
14916	221 238	49	150	< 2	< 5	3	0.09	< 10	< 10	36	5	64							

CERTIFICATION : *P. Rossbacher*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No.: 1-A
 Tot. Pages: 4
 Date: 14-JAN-87
 Invoice #: I-8622247
 P.O. #: NONE

Project: V226 RACK L
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Nb %
AL40N 100E	221 238	3.63	< 0.2	< 5	50	< 0.5	< 2	0.40	< 0.5	15	76	72	4.14	10	0.03	10	1.07	364	< 1	0.01
AL40N 075E	221 238	1.43	< 0.2	< 5	30	< 0.5	< 2	0.27	< 0.5	6	38	19	2.41	10	0.01	< 10	0.45	195	< 1	< 0.01
AL40N 050E	221 238	2.16	< 0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	13	48	51	3.12	10	0.02	< 10	0.85	321	< 1	< 0.01
AL40N 025E	221 238	2.47	< 0.2	< 5	40	< 0.5	< 2	0.42	< 0.5	19	65	70	3.47	10	0.02	10	1.26	598	< 1	< 0.01
AL40N 000BL	221 238	3.37	< 0.2	< 5	50	< 0.5	< 2	0.27	< 0.5	20	65	78	4.06	10	0.02	< 10	0.99	335	< 1	< 0.01
AL40N 025W	221 238	1.81	< 0.2	< 5	40	< 0.5	< 2	0.28	< 0.5	10	44	33	3.05	10	0.01	< 10	0.66	269	< 1	< 0.01
AL40N 050W	221 238	1.93	< 0.2	< 5	40	< 0.5	< 2	0.25	< 0.5	10	40	42	2.99	10	0.01	< 10	0.54	226	< 1	< 0.01
AL40N 075W	221 238	2.62	< 0.2	10	210	< 0.5	< 2	0.30	< 0.5	16	63	76	4.24	10	0.03	10	0.83	362	< 1	< 0.01
AL40N 100W	221 238	2.17	< 0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	20	62	76	3.23	10	0.03	10	1.20	629	< 1	< 0.01
AL40N 125W	221 238	2.51	< 0.2	< 5	110	< 0.5	< 2	0.62	< 0.5	18	64	75	3.31	10	0.03	10	1.16	1070	< 1	0.01
AL40N 150W	221 238	3.19	< 0.2	< 5	30	< 0.5	< 2	0.38	< 0.5	10	54	48	3.91	10	0.02	10	0.58	237	< 1	0.01
AL40N 175W	221 238	3.05	< 0.2	< 5	50	< 0.5	< 2	0.37	< 0.5	10	59	63	3.77	10	0.03	10	0.70	396	< 1	0.01
AL40N 200W	221 238	2.71	< 0.2	< 5	40	< 0.5	< 2	0.28	< 0.5	15	50	49	3.33	10	0.02	10	0.53	366	< 1	< 0.01
AL40N 225W	221 238	2.07	< 0.2	< 5	30	< 0.5	< 2	0.28	< 0.5	10	43	42	2.87	10	0.02	< 10	0.56	441	< 1	< 0.01
AL40N 250W	221 238	4.09	< 0.2	< 5	30	< 0.5	< 2	0.23	< 0.5	13	67	69	3.96	10	0.02	< 10	0.63	304	< 1	< 0.01
AL40N 275W	221 238	0.84	< 0.2	< 5	10	< 0.5	< 2	0.22	< 0.5	5	20	13	1.97	10	0.01	< 10	0.19	129	< 1	< 0.01
AL40N 300W	221 238	3.08	< 0.2	< 5	50	< 0.5	< 2	0.28	< 0.5	19	60	72	3.58	10	0.02	< 10	1.04	592	< 1	0.01
AL40N 325W	221 238	2.74	< 0.2	< 5	60	< 0.5	< 2	0.28	< 0.5	15	60	70	3.58	10	0.03	< 10	1.08	506	< 1	< 0.01
AL40N 350W	221 238	2.39	< 0.2	< 5	40	< 0.5	< 2	0.23	< 0.5	14	46	53	3.23	10	0.02	< 10	0.75	429	< 1	< 0.01
AL40N 375W	221 238	2.65	< 0.2	< 5	50	< 0.5	< 2	0.24	< 0.5	15	53	71	3.40	10	0.02	< 10	0.99	426	< 1	< 0.01
AL40N 400W	221 238	2.82	< 0.2	< 5	60	< 0.5	< 2	0.37	< 0.5	15	58	56	3.60	10	0.04	10	0.98	727	< 1	0.01
AL40N 425W	221 238	2.35	< 0.2	< 5	50	< 0.5	< 2	0.45	< 0.5	15	49	54	2.80	10	0.03	10	0.95	384	< 1	0.01
AL40N 450W	221 238	1.05	< 0.2	< 5	30	< 0.5	< 2	0.44	< 0.5	6	24	13	1.97	10	0.01	10	0.34	417	< 1	< 0.01
AL40N 475W	221 238	2.98	< 0.2	< 5	70	< 0.5	< 2	0.38	< 0.5	20	60	55	3.37	10	0.02	10	0.77	321	< 1	0.01
AL40N 500W	221 238	2.69	< 0.2	< 5	70	< 0.5	< 2	0.37	< 0.5	15	53	63	3.70	10	0.03	10	0.77	683	< 1	< 0.01
AL41N 100E	221 238	2.74	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	9	63	35	4.08	10	0.01	< 10	0.50	168	< 1	< 0.01
AL41N 075E	221 238	1.56	< 0.2	< 5	60	< 0.5	< 2	0.43	< 0.5	18	39	23	2.17	10	0.02	10	0.72	2800	< 1	< 0.01
AL41N 050E	221 238	1.55	< 0.2	< 5	30	< 0.5	< 2	0.27	< 0.5	9	34	21	2.27	10	0.02	< 10	0.52	685	< 1	< 0.01
AL41N 025E	221 238	1.97	< 0.2	< 5	30	< 0.5	< 2	0.21	< 0.5	11	49	29	2.78	10	0.02	< 10	0.87	283	< 1	< 0.01
AL41N 000BL	221 238	0.71	< 0.2	< 5	10	< 0.5	< 2	0.23	< 0.5	6	19	11	1.66	10	0.01	< 10	0.31	174	< 1	< 0.01
AL41N 025W	221 238	1.22	< 0.4	< 5	10	< 0.5	< 2	0.44	< 0.5	5	28	19	2.46	10	0.01	10	0.38	165	< 1	0.01
AL41N 050W	221 238	2.82	< 0.2	< 5	60	< 0.5	< 2	0.37	< 0.5	16	56	75	3.48	10	0.03	10	0.93	311	< 1	0.01
AL41N 075W	221 238	2.50	< 0.2	< 5	50	< 0.5	< 2	0.48	< 0.5	14	47	51	3.04	10	0.02	10	0.64	284	< 1	0.01
AL41N 100W	221 238	2.01	< 0.2	< 5	30	< 0.5	< 2	0.32	< 0.5	10	42	43	2.82	10	0.02	< 10	0.57	318	< 1	0.01
AL41N 125W	221 238	3.49	< 0.2	< 5	60	< 0.5	< 2	0.26	< 0.5	46	45	57	3.59	10	0.03	10	0.50	1105	< 1	0.01
AL41N 150W	221 238	1.84	< 0.2	< 5	30	< 0.5	< 2	0.27	< 0.5	10	32	28	2.43	10	0.01	< 10	0.37	193	< 1	< 0.01
AL41N 175W	221 238	3.26	< 0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	9	57	52	3.79	10	0.01	< 10	0.50	207	< 1	< 0.01
AL41N 200W	221 238	1.53	< 0.2	< 5	30	< 0.5	< 2	0.24	< 0.5	6	36	25	3.10	10	0.01	< 10	0.39	190	< 1	< 0.01
AL41N 225W	221 238	1.41	< 0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	11	30	24	2.35	10	0.02	< 10	0.40	611	< 1	< 0.01
AL41N 250W	221 238	0.65	< 0.2	< 5	20	< 0.5	< 2	0.20	< 0.5	3	19	12	1.35	< 10	0.01	< 10	0.23	132	< 1	< 0.01

RECEIVED JAN 23 1987

CERTIFICATION : *P. Rossbacher*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 954-0221

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-B
 Tot. Pages: 4
 Date : 14-JAN-87
 Invoice #: I-8622247
 P.O. #: NONE

Project: V216 RACK L
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
AL40N 100E	221 238	31	490	2	< 5	36	0.29	< 10	< 10	121	< 5	46						
AL40N 075E	221 238	14	260	4	< 5	23	0.18	< 10	< 10	73	< 5	38						
AL40N 050E	221 238	23	200	4	< 5	28	0.22	< 10	< 10	97	< 5	30						
AL40N 025E	221 238	33	390	2	< 5	23	0.20	< 10	< 10	105	< 5	44						
AL40N 000BL	221 238	34	500	2	< 5	25	0.24	< 10	< 10	110	< 5	64						
AL40N 025W	221 238	18	260	4	< 5	24	0.21	< 10	< 10	89	< 5	42						
AL40N 050W	221 238	16	470	6	< 5	20	0.22	< 10	< 10	89	< 5	44						
AL40N 075W	221 238	26	580	16	< 5	19	0.17	< 10	< 10	117	< 5	54						
AL40N 100W	221 238	31	380	2	< 5	20	0.19	< 10	< 10	93	< 5	48						
AL40N 125W	221 238	30	530	4	< 5	23	0.18	< 10	< 10	91	< 5	52						
AL40N 150W	221 238	18	590	6	< 5	34	0.29	< 10	< 10	108	< 5	48						
AL40N 175W	221 238	21	630	4	< 5	31	0.28	< 10	< 10	116	< 5	50						
AL40N 200W	221 238	19	570	4	< 5	28	0.27	< 10	< 10	100	< 5	50						
AL40N 225W	221 238	16	480	2	< 5	24	0.24	< 10	< 10	94	< 5	42						
AL40N 250W	221 238	21	650	2	< 5	23	0.28	< 10	< 10	110	< 5	56						
AL40N 275W	221 238	5	280	4	< 5	17	0.21	< 10	< 10	82	< 5	20						
AL40N 300W	221 238	32	570	2	< 5	27	0.28	< 10	< 10	108	< 5	52						
AL40N 325W	221 238	28	520	2	< 5	25	0.25	< 10	< 10	111	< 5	48						
AL40N 350W	221 238	21	510	4	< 5	20	0.24	< 10	< 10	100	< 5	42						
AL40N 375W	221 238	27	460	2	< 5	21	0.27	< 10	< 10	109	< 5	44						
AL40N 400W	221 238	28	480	4	< 5	45	0.26	< 10	< 10	116	< 5	54						
AL40N 425W	221 238	25	380	< 2	< 5	34	0.26	< 10	< 10	92	< 5	40						
AL40N 450W	221 238	9	270	2	< 5	34	0.20	< 10	< 10	79	< 5	26						
AL40N 475W	221 238	28	270	2	< 5	31	0.23	< 10	< 10	113	< 5	44						
AL40N 500W	221 238	23	590	4	< 5	25	0.24	< 10	< 10	113	< 5	58						
AL41N 100E	221 238	17	440	4	< 5	21	0.24	< 10	< 10	118	< 5	40						
AL41N 075E	221 238	20	250	2	< 5	26	0.19	< 10	< 10	71	< 5	48						
AL41N 050E	221 238	15	490	2	< 5	19	0.17	< 10	< 10	69	< 5	40						
AL41N 025E	221 238	23	220	4	< 5	16	0.18	< 10	< 10	79	< 5	42						
AL41N 000BL	221 238	8	200	< 2	< 5	15	0.14	< 10	< 10	67	< 5	20						
AL41N 025W	221 238	8	290	2	< 5	36	0.23	< 10	< 10	108	< 5	24						
AL41N 050W	221 238	28	630	4	< 5	28	0.23	< 10	< 10	103	< 5	54						
AL41N 075W	221 238	20	360	6	< 5	43	0.30	< 10	< 10	100	< 5	48						
AL41N 100W	221 238	15	590	2	< 5	25	0.24	< 10	< 10	91	< 5	38						
AL41N 125W	221 238	18	1270	6	< 5	21	0.22	< 10	< 10	100	< 5	56						
AL41N 150W	221 238	12	320	6	< 5	24	0.22	< 10	< 10	74	< 5	36						
AL41N 175W	221 238	16	510	2	< 5	22	0.25	< 10	< 10	104	< 5	44						
AL41N 200W	221 238	10	590	6	< 5	18	0.22	< 10	< 10	98	< 5	36						
AL41N 225W	221 238	11	350	4	< 5	18	0.20	< 10	< 10	79	< 5	30						
AL41N 250W	221 238	7	170	2	< 5	15	0.13	< 10	< 10	59	< 5	22						

CERTIFICATION : P. Rossbacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-A
 Tot. Pages: 4
 Date : 14-JAN-87
 Invoice #: I-8622247
 P.O. #: NONE

Project : V226 RACK L
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Nb %
AL41N 275W	221 238	2.86	< 0.2	< 5	60	< 0.5	< 2	0.38	< 0.5	12	59	37	4.27	< 10	0.02	< 10	0.65	311	< 1	< 0.01
AL41N 300W	221 238	2.22	< 0.2	< 5	40	< 0.5	< 2	0.26	< 0.5	10	47	34	3.42	< 10	0.01	< 10	0.56	233	< 1	< 0.01
AL41N 325W	221 238	1.69	< 0.2	< 5	60	< 0.5	< 2	0.44	< 0.5	15	43	22	2.73	< 10	0.02	< 10	0.76	549	< 1	< 0.01
AL41N 350W	221 238	0.93	< 0.2	< 5	40	< 0.5	< 2	0.48	< 0.5	8	21	8	1.78	< 10	0.02	< 10	0.29	881	< 1	< 0.01
AL41N 375W	221 238	0.97	< 0.2	< 5	20	< 0.5	< 2	0.24	< 0.5	4	24	9	1.91	< 10	0.02	< 10	0.27	162	< 1	< 0.01
AL41N 400W	221 238	3.68	< 0.2	< 5	70	< 0.5	< 2	0.24	< 0.5	16	81	65	3.76	< 10	0.02	< 10	1.06	369	< 1	< 0.01
AL41N 425W	221 238	2.74	< 0.2	< 5	40	< 0.5	< 2	0.25	< 0.5	14	62	48	3.32	< 10	0.02	< 10	0.85	334	< 1	< 0.01
AL41N 450W	221 238	1.14	< 0.2	< 5	30	< 0.5	< 2	0.26	< 0.5	7	31	10	2.38	< 10	0.01	< 10	0.40	248	< 1	< 0.01
AL41N 475W	221 238	1.17	< 0.2	< 5	60	< 0.5	< 2	0.32	< 0.5	16	28	16	2.18	< 10	0.01	< 10	0.61	1215	< 1	< 0.01
AL41N 500W	221 238	1.97	< 0.2	< 5	50	< 0.5	< 2	0.31	< 0.5	13	46	32	3.57	< 10	0.01	< 10	0.70	303	< 1	< 0.01
AL42N 100E	221 238	4.00	< 0.2	< 5	70	< 0.5	< 2	0.39	< 0.5	23	85	104	4.11	< 10	0.04	< 10	1.43	542	< 1	< 0.01
AL42N 075E	221 238	2.64	< 0.2	< 5	50	< 0.5	< 2	0.25	< 0.5	16	60	59	3.17	< 10	0.02	< 10	0.97	512	< 1	< 0.01
AL42N 050E	221 238	2.68	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	13	59	41	3.55	< 10	0.01	< 10	0.81	280	< 1	< 0.01
AL42N 025E	221 238	1.66	< 0.2	< 5	30	< 0.5	< 2	0.24	< 0.5	9	41	27	2.37	< 10	0.02	< 10	0.57	298	< 1	< 0.01
AL42N 000BL	221 238	1.50	< 0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	7	39	27	3.17	< 10	0.01	< 10	0.52	193	< 1	< 0.01
AL42N 025W	221 238	2.29	< 0.2	< 5	30	< 0.5	< 2	0.23	< 0.5	12	49	49	3.26	< 10	0.01	< 10	0.65	231	< 1	< 0.01
AL42N 050W	221 238	2.13	< 0.2	< 5	30	< 0.5	< 2	0.21	< 0.5	11	47	47	3.20	< 10	0.01	< 10	0.63	223	< 1	< 0.01
AL42N 075W	221 238	2.23	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	11	51	49	3.68	< 10	0.01	< 10	0.65	225	< 1	< 0.01
AL42N 100W	221 238	1.73	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	5	34	22	2.71	< 10	0.01	< 10	0.30	120	< 1	< 0.01
AL42N 125W	221 238	1.40	< 0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	4	31	15	2.41	< 10	0.01	< 10	0.19	233	< 1	< 0.01
AL42N 150W	221 238	2.55	< 0.2	< 5	40	< 0.5	< 2	0.47	< 0.5	16	50	59	3.18	< 10	0.03	< 10	0.86	393	< 1	< 0.01
AL42N 175W	221 238	2.05	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	11	39	40	2.52	< 10	0.02	< 10	0.58	522	< 1	< 0.01
AL42N 200W	221 238	3.41	< 0.2	< 5	80	< 0.5	< 2	0.22	< 0.5	16	58	68	3.42	< 10	0.03	< 10	0.87	302	< 1	< 0.01
AL42N 225W	221 238	2.91	< 0.2	< 5	40	< 0.5	< 2	0.21	< 0.5	12	59	54	3.75	< 10	0.02	< 10	0.75	294	< 1	< 0.01
AL42N 250W	221 238	2.94	< 0.2	< 5	80	< 0.5	< 2	0.26	< 0.5	16	59	64	3.39	< 10	0.02	< 10	0.98	559	< 1	< 0.01
AL42N 275W	221 238	0.83	< 0.2	< 5	10	< 0.5	< 2	0.20	< 0.5	5	19	13	1.61	< 10	0.01	< 10	0.20	110	< 1	< 0.01
AL42N 300W	221 238	2.28	< 0.2	< 5	70	< 0.5	< 2	0.33	< 0.5	17	53	53	3.42	< 10	0.04	< 10	0.95	720	< 1	< 0.01
AL42N 325W	221 238	1.24	< 0.2	< 5	30	< 0.5	< 2	0.17	< 0.5	8	27	28	2.40	< 10	0.01	< 10	0.34	174	< 1	< 0.01
AL42N 350W	221 238	1.27	< 0.2	< 5	30	< 0.5	< 2	0.21	< 0.5	7	32	18	3.07	< 10	0.01	< 10	0.39	318	< 1	< 0.01
AL42N 375W	221 238	1.13	< 0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	6	31	16	2.97	< 10	0.01	< 10	0.37	249	< 1	< 0.01
AL42N 400W	221 238	3.14	< 0.2	< 5	100	< 0.5	< 2	0.58	< 0.5	19	50	77	3.80	< 10	0.04	< 10	0.89	447	< 1	< 0.01
AL42N 425W	221 238	1.94	< 0.2	< 5	30	< 0.5	< 2	0.35	< 0.5	11	43	30	2.79	< 10	0.01	< 10	0.56	322	< 1	< 0.01
AL42N 450W	221 238	1.75	< 0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	10	43	31	2.71	< 10	0.01	< 10	0.51	359	< 1	< 0.01
AL42N 475W	221 238	2.37	< 0.2	< 5	40	< 0.5	< 2	0.35	< 0.5	16	51	47	3.38	< 10	0.02	< 10	0.88	376	< 1	< 0.01
AL42N 500W	221 238	2.54	< 0.2	< 5	50	< 0.5	< 2	0.42	< 0.5	17	56	68	3.41	< 10	0.02	< 10	0.98	328	< 1	< 0.01
AL43N 100E	221 238	1.95	< 0.2	< 5	20	< 0.5	< 2	0.30	< 0.5	10	48	32	3.56	< 10	0.01	< 10	0.65	212	< 1	< 0.01
AL43N 075E	221 238	0.81	< 0.2	< 5	20	< 0.5	< 2	0.24	< 0.5	4	22	13	1.46	< 10	0.02	< 10	0.27	162	< 1	< 0.01
AL43N 050E	221 238	3.23	< 0.2	< 5	40	< 0.5	< 2	0.25	< 0.5	18	69	92	3.44	< 10	0.01	< 10	1.21	383	< 1	< 0.01
AL43N 025E	221 238	1.53	< 0.2	< 5	20	< 0.5	< 2	0.23	< 0.5	8	32	23	2.39	< 10	0.01	< 10	0.44	389	< 1	< 0.01
AL43N 000BL	221 238	2.28	< 0.2	< 5	50	< 0.5	< 2	0.31	< 0.5	15	48	65	2.88	< 10	0.02	< 10	0.83	435	< 1	< 0.01

CERTIFICATION : P. Rossbacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604).984-0221

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-B
 Tot. Pages: 4
 Date : 14-JAN-87
 Invoice # : I-8622247
 P.O. # : NONE

Project : V116 RACK L

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
AL41N 275W	221 238	22	600	8	< 5	33	0.29	< 10	< 10	129	< 5	52						
AL41N 300W	221 238	18	440	8	< 5	23	0.27	< 10	< 10	110	< 5	40						
AL41N 325W	221 238	19	240	2	< 5	29	0.18	< 10	< 10	98	< 5	48						
AL41N 350W	221 238	9	250	6	< 5	22	0.10	< 10	< 10	96	< 5	30						
AL41N 375W	221 238	8	210	4	< 5	19	0.14	< 10	< 10	76	< 5	22						
AL41N 400W	221 238	37	380	10	< 5	24	0.28	< 10	< 10	122	< 5	56						
AL41N 425W	221 238	26	540	4	< 5	22	0.22	< 10	< 10	99	< 5	56						
AL41N 450W	221 238	11	320	2	< 5	21	0.19	< 10	< 10	76	< 5	34						
AL41N 475W	221 238	15	250	< 2	< 5	22	0.16	< 10	< 10	71	< 5	34						
AL41N 500W	221 238	19	430	6	< 5	20	0.21	< 10	< 10	114	< 5	40						
AL42N 100E	221 238	44	390	8	< 5	40	0.31	< 10	< 10	130	< 5	60						
AL42N 075E	221 238	27	540	6	< 5	21	0.24	< 10	< 10	99	< 5	46						
AL42N 050E	221 238	24	1030	6	< 5	15	0.22	< 10	< 10	101	< 5	46						
AL42N 025E	221 238	17	450	2	< 5	14	0.18	< 10	< 10	79	< 5	38						
AL42N 000BL	221 238	14	380	2	< 5	15	0.19	< 10	< 10	108	< 5	38						
AL42N 025W	221 238	20	290	2	< 5	21	0.25	< 10	< 10	104	< 5	32						
AL42N 050W	221 238	20	290	2	< 5	19	0.24	< 10	< 10	99	< 5	32						
AL42N 075W	221 238	20	340	< 2	< 5	18	0.27	< 10	< 10	112	< 5	38						
AL42N 100W	221 238	9	590	2	< 5	10	0.18	< 10	< 10	85	< 5	36						
AL42N 125W	221 238	6	410	4	< 5	11	0.18	< 10	< 10	84	< 5	26						
AL42N 150W	221 238	24	670	2	< 5	36	0.28	< 10	< 10	105	< 5	52						
AL42N 175W	221 238	20	460	4	< 5	18	0.19	< 10	< 10	81	< 5	40						
AL42N 200W	221 238	31	390	< 2	< 5	17	0.24	< 10	< 10	99	< 5	50						
AL42N 225W	221 238	24	510	4	< 5	17	0.24	< 10	< 10	109	< 5	48						
AL42N 250W	221 238	33	360	2	< 5	20	0.24	< 10	< 10	101	< 5	52						
AL42N 275W	221 238	5	130	2	< 5	18	0.19	< 10	< 10	73	< 5	18						
AL42N 300W	221 238	24	460	4	< 5	22	0.21	< 10	< 10	108	< 5	52						
AL42N 325W	221 238	10	200	2	< 5	14	0.19	< 10	< 10	101	< 5	24						
AL42N 350W	221 238	10	270	4	< 5	10	0.17	< 10	< 10	101	< 5	32						
AL42N 375W	221 238	9	260	4	< 5	12	0.18	< 10	< 10	108	< 5	34						
AL42N 400W	221 238	24	270	< 2	< 5	47	0.21	< 10	< 10	149	< 5	50						
AL42N 425W	221 238	18	290	2	< 5	33	0.23	< 10	< 10	107	< 5	38						
AL42N 450W	221 238	16	360	2	< 5	28	0.19	< 10	< 10	95	< 5	44						
AL42N 475W	221 238	24	570	2	< 5	29	0.23	< 10	< 10	102	< 5	62						
AL42N 500W	221 238	28	280	2	< 5	30	0.29	< 10	< 10	120	< 5	40						
AL43N 100E	221 238	191	290	2	< 5	23	0.24	< 10	< 10	117	< 5	32						
AL43N 075E	221 238	10	280	8	< 5	17	0.13	< 10	< 10	57	< 5	24						
AL43N 050E	221 238	156	420	< 2	< 5	27	0.26	< 10	< 10	99	< 5	52						
AL43N 025E	221 238	12	420	2	< 5	19	0.15	< 10	< 10	71	< 5	40						
AL43N 000BL	221 238	22	320	< 2	< 5	25	0.24	< 10	< 10	89	< 5	44						

CERTIFICATION : *P. Rossbacher*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 111 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 3-A
 Tot. Pages: 4
 Date : 14-JAN-87
 Invoice #: I-8622247
 P.O. #: NONE

Project : V124 RACK 1.

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
AL43N 02SW	221 238	2.60	< 0.4	< 5	60	< 0.5	< 2	0.68	< 0.5	18	68	69	3.44	10	0.05	10	1.07	586	< 1	0.01
AL43N 050W	221 238	2.57	< 0.2	5	80	< 0.5	< 2	0.58	< 0.5	19	66	88	3.29	10	0.05	10	1.13	511	< 1	0.01
AL43N 07SW	221 238	4.53	0.2	15	100	< 0.5	< 2	0.51	< 0.5	30	95	88	4.43	10	0.04	20	1.17	587	< 1	0.01
AL43N 100W	221 238	4.66	0.2	10	100	< 0.5	< 2	0.55	< 0.5	32	101	90	4.69	10	0.04	20	1.23	536	< 1	0.01
AL43N 12SW	221 238	3.14	< 0.2	5	30	< 0.5	< 2	0.37	< 0.5	12	64	60	3.75	10	0.02	10	0.70	258	< 1	0.01
AL43N 150W	221 238	2.47	< 0.2	10	40	< 0.5	< 2	0.34	< 0.5	14	54	64	3.31	10	0.02	10	0.79	434	< 1	0.01
AL43N 17SW	221 238	2.59	< 0.2	10	50	< 0.5	< 2	0.34	< 0.5	15	55	52	3.57	10	0.02	10	0.78	406	< 1	0.01
AL43N 200W	221 238	1.37	< 0.2	5	30	< 0.5	< 2	0.26	< 0.5	7	35	20	2.98	10	0.02	< 10	0.37	185	< 1	< 0.01
AL43N 22SW	221 238	1.60	< 0.2	< 5	40	< 0.5	< 2	0.29	< 0.5	13	40	28	2.56	10	0.02	< 10	0.60	598	< 1	0.01
AL43N 250W	221 238	1.53	< 0.2	< 5	30	< 0.5	< 2	0.27	< 0.5	10	34	27	2.31	10	0.02	< 10	0.49	286	< 1	< 0.01
AL43N 27SW	221 238	2.81	< 0.4	5	50	< 0.5	< 2	0.55	< 0.5	14	54	56	3.35	20	0.03	10	0.75	278	< 1	0.01
AL43N 300W	221 238	3.75	< 0.2	5	80	< 0.5	< 2	0.47	< 0.5	21	93	93	4.20	10	0.04	10	1.39	415	< 1	0.01
AL43N 32SW	221 238	2.12	< 0.2	< 5	50	< 0.5	< 2	0.45	< 0.5	15	54	37	3.09	10	0.02	10	0.78	330	< 1	0.01
AL43N 350W	221 238	1.33	< 0.2	< 5	30	< 0.5	< 2	0.33	< 0.5	5	23	24	2.85	10	0.02	< 10	0.41	177	< 1	< 0.01
AL43N 37SW	221 238	2.34	< 0.2	5	90	< 0.5	< 2	0.66	< 0.5	15	53	62	3.28	10	0.04	10	1.03	731	< 1	0.01
AL43N 400W	221 238	4.41	0.4	10	220	< 0.5	< 2	0.64	< 0.5	24	89	112	4.48	10	0.04	20	1.04	752	< 1	0.01
AL43N 42SW	221 238	2.86	0.2	5	150	< 0.5	< 2	0.62	< 0.5	21	67	58	3.65	10	0.03	20	0.82	2430	< 1	0.01
AL43N 450W	221 238	2.17	0.2	10	50	< 0.5	< 2	0.30	< 0.5	22	43	57	3.33	< 10	0.04	20	0.97	2320	< 1	< 0.01
AL43N 47SW	221 238	1.91	< 0.2	10	50	< 0.5	< 2	0.28	< 0.5	17	41	52	3.08	10	0.03	10	0.85	1630	< 1	< 0.01
AL43N 500W	221 238	2.82	< 0.2	10	80	< 0.5	< 2	0.26	< 0.5	16	68	75	3.38	10	0.02	< 10	1.14	388	< 1	0.01
AL44N 100E	221 238	2.15	< 0.2	< 5	40	< 0.5	< 2	0.53	< 0.5	11	49	45	3.38	10	0.02	10	0.72	409	< 1	0.01
AL44N 075E	221 238	2.50	< 0.2	< 5	30	< 0.5	< 2	0.41	< 0.5	11	53	51	3.16	10	0.02	10	0.73	321	< 1	0.01
AL44N 050E	221 238	2.27	< 0.2	< 5	40	< 0.5	< 2	0.48	< 0.5	12	51	27	1.71	< 10	0.02	10	0.87	329	< 1	0.01
AL44N 025E	221 238	1.08	< 0.2	< 5	20	< 0.5	< 2	0.53	< 0.5	4	28	17	1.32	10	0.01	10	0.32	172	< 1	0.01
AL44N 000BL	221 238	0.61	< 0.2	< 5	10	< 0.5	< 2	0.33	< 0.5	2	12	11	0.75	< 10	0.02	< 10	0.15	113	< 1	0.01
AL44N 02SW	221 238	2.39	< 0.2	10	40	< 0.5	< 2	0.49	< 0.5	16	59	114	3.17	10	0.03	10	1.08	411	< 1	0.01
AL44N 050W	221 238	1.88	< 0.2	< 5	40	< 0.5	< 2	0.35	< 0.5	11	42	56	2.73	10	0.02	< 10	0.64	434	< 1	0.01
AL44N 07SW	221 238	1.12	< 0.2	< 5	20	< 0.5	< 2	0.22	< 0.5	5	31	26	2.09	10	< 0.01	< 10	0.36	152	< 1	< 0.01
AL44N 100W	221 238	1.85	< 0.2	5	30	< 0.5	< 2	0.20	< 0.5	12	42	43	2.76	10	0.01	< 10	0.56	327	< 1	0.01
AL44N 12SW	221 238	2.24	< 0.2	5	30	< 0.5	< 2	0.20	< 0.5	11	48	50	3.24	10	0.01	< 10	0.63	457	< 1	< 0.01
AL44N 150W	221 238	3.63	< 0.2	5	70	< 0.5	< 2	0.44	< 0.5	20	76	100	3.99	10	0.04	10	1.13	618	< 1	0.01
AL44N 17SW	221 238	1.37	< 0.2	< 5	70	< 0.5	< 2	0.44	< 0.5	20	31	28	2.03	10	0.02	10	0.47	1275	< 1	0.01
AL44N 200W	221 238	1.65	< 0.2	5	20	< 0.5	< 2	0.30	< 0.5	6	35	25	2.94	10	0.02	< 10	0.35	267	< 1	< 0.01
AL44N 22SW	221 238	3.15	< 0.2	10	50	< 0.5	< 2	0.34	< 0.5	16	68	70	3.68	10	0.03	10	0.96	418	< 1	0.01
AL44N 250W	221 238	1.76	< 0.2	< 5	40	< 0.5	< 2	0.30	< 0.5	9	41	37	3.16	10	0.02	< 10	0.51	279	< 1	< 0.01
AL44N 27SW	221 238	3.30	< 0.2	10	40	< 0.5	< 2	0.25	< 0.5	14	60	60	3.86	10	0.02	< 10	0.66	464	< 1	< 0.01
AL44N 300W	221 238	3.19	< 0.2	10	30	< 0.5	< 2	0.23	< 0.5	13	58	51	3.64	10	0.01	< 10	0.76	479	< 1	< 0.01
AL44N 32SW	221 238	1.76	< 0.2	5	40	< 0.5	< 2	0.24	< 0.5	10	40	46	2.66	10	0.02	< 10	0.65	461	< 1	< 0.01
AL44N 350W	221 238	1.23	< 0.2	5	30	< 0.5	< 2	0.18	< 0.5	5	32	22	2.88	10	0.01	< 10	0.34	139	< 1	< 0.01
AL44N 37SW	221 238	2.13	< 0.2	< 5	40	< 0.5	< 2	0.27	< 0.5	14	47	49	3.32	10	0.01	< 10	0.79	259	< 1	< 0.01

CERTIFICATION :

P. Long



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-B

Tot. Pages: 4

Date : 14-JAN-87

Invoice #: 1-8622247

P.O. #: NONE

Project : V126 RACK L

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm								
AL43N 025W	221 238	34	420	4	< 5	50	0.28	< 10	< 10	118	< 5	48								
AL43N 050W	221 238	30	510	4	< 5	45	0.28	< 10	< 10	114	< 5	42								
AL43N 075W	221 238	44	320	4	< 5	35	0.25	< 10	< 10	135	< 5	46								
AL43N 100W	221 238	46	320	< 2	< 5	37	0.27	< 10	< 10	143	< 5	46								
AL43N 125W	221 238	21	400	2	< 5	37	0.31	< 10	< 10	122	< 5	50								
AL43N 150W	221 238	21	450	2	< 5	32	0.29	< 10	< 10	107	< 5	46								
AL43N 175W	221 238	22	490	4	< 5	29	0.30	< 10	< 10	118	< 5	54								
AL43N 200W	221 238	10	520	4	< 5	19	0.24	< 10	< 10	104	< 5	38								
AL43N 225W	221 238	16	340	2	< 5	22	0.21	< 10	< 10	86	< 5	34								
AL43N 250W	221 238	13	390	2	< 5	20	0.22	< 10	< 10	79	< 5	40								
AL43N 275W	221 238	23	380	4	< 5	46	0.30	< 10	< 10	112	< 5	70								
AL43N 300W	221 238	43	350	2	< 5	41	0.31	< 10	< 10	126	< 5	70								
AL43N 325W	221 238	21	350	2	< 5	36	0.24	< 10	< 10	102	< 5	80								
AL43N 350W	221 238	8	300	4	< 5	31	0.17	< 10	< 10	117	< 5	44								
AL43N 375W	221 238	24	430	4	< 5	43	0.22	< 10	< 10	111	< 5	52								
AL43N 400W	221 238	40	420	8	< 5	36	0.25	< 10	< 10	181	< 5	66								
AL43N 425W	221 238	32	570	14	< 5	35	0.23	< 10	< 10	129	< 5	54								
AL43N 450W	221 238	45	690	8	< 5	17	0.10	< 10	< 10	74	< 5	66								
AL43N 475W	221 238	32	530	8	< 5	16	0.12	< 10	< 10	76	< 5	64								
AL43N 500W	221 238	33	470	4	< 5	27	0.24	< 10	< 10	101	< 5	50								
AL44N 100E	221 238	20	280	6	< 5	46	0.26	< 10	< 10	118	< 5	34								
AL44N 075E	221 238	20	350	6	< 5	43	0.28	< 10	< 10	108	< 5	36								
AL44N 050E	221 238	29	210	2	< 5	40	0.11	< 10	< 10	49	< 5	42								
AL44N 025E	221 238	10	140	6	< 5	46	0.20	< 10	< 10	57	< 5	22								
AL44N 000BL	221 238	5	130	6	< 5	21	0.15	< 10	< 10	53	< 5	20								
AL44N 025W	221 238	28	420	2	< 5	45	0.28	< 10	< 10	113	< 5	38								
AL44N 050W	221 238	18	440	4	< 5	32	0.24	< 10	< 10	95	< 5	44								
AL44N 075W	221 238	10	180	2	< 5	22	0.19	< 10	< 10	83	< 5	26								
AL44N 100W	221 238	17	470	2	< 5	21	0.21	< 10	< 10	87	< 5	40								
AL44N 125W	221 238	18	660	4	< 5	18	0.24	< 10	< 10	103	< 5	44								
AL44N 150W	221 238	35	660	2	< 5	44	0.32	< 10	< 10	131	< 5	60								
AL44N 175W	221 238	13	310	2	< 5	41	0.21	< 10	< 10	78	< 5	34								
AL44N 200W	221 238	10	450	4	< 5	29	0.26	< 10	< 10	98	< 5	40								
AL44N 225W	221 238	30	560	4	< 5	38	0.29	< 10	< 10	118	< 5	58								
AL44N 250W	221 238	33	400	4	< 5	29	0.23	< 10	< 10	112	< 5	34								
AL44N 275W	221 238	21	650	4	< 5	27	0.26	< 10	< 10	113	< 5	64								
AL44N 300W	221 238	71	700	2	< 5	26	0.27	< 10	< 10	106	< 5	46								
AL44N 325W	221 238	17	430	4	< 5	21	0.20	< 10	< 10	85	< 5	40								
AL44N 350W	221 238	9	340	4	< 5	15	0.21	< 10	< 10	94	< 5	28								
AL44N 375W	221 238	22	240	2	< 5	21	0.23	< 10	< 10	104	< 5	36								

CERTIFICATION : Page



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No. : 4-A
 Tot. Pages: 4
 Date : 14-JAN-87
 Invoice #: I-8622247
 P.O. #: NONE

Project: V226 RACK L

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
AL44N 400W	221 238	2.34	< 0.2	10	70	< 0.5	< 2	0.67	< 0.5	13	49	36	2.92	10	0.03	10	0.79	384	< 1	0.01
AL44N 425W	221 238	2.75	0.2	5	80	< 0.5	< 2	0.83	< 0.5	16	60	79	3.47	10	0.05	10	1.09	515	< 1	0.01
AL44N 450W	221 238	2.44	0.2	5	50	< 0.5	< 2	0.56	< 0.5	13	52	58	3.52	10	0.03	10	0.77	388	< 1	0.01
AL44N 475W	221 238	2.97	< 0.2	10	70	< 0.5	< 2	0.58	< 0.5	17	64	81	3.51	10	0.04	10	1.13	572	< 1	0.01
AL44N 500W	221 238	3.41	< 0.2	5	120	< 0.5	< 2	0.78	< 0.5	22	81	99	4.11	10	0.07	10	1.37	698	< 1	0.02
AL45N 100E	221 238	2.27	< 0.2	5	40	< 0.5	< 2	0.77	< 0.5	11	48	43	3.20	10	0.03	10	0.68	361	< 1	0.01
AL45N 075E	221 238	2.17	0.4	5	50	< 0.5	< 2	0.55	< 0.5	14	46	51	3.00	10	0.03	10	0.69	1740	< 1	0.01
AL45N 050E	221 238	1.22	0.4	5	20	< 0.5	< 2	0.51	< 0.5	6	28	21	1.81	10	0.03	10	0.45	326	< 1	0.01
AL45N 025E	221 238	1.74	0.4	5	30	< 0.5	< 2	0.34	< 0.5	7	41	29	2.70	10	0.05	10	0.54	222	< 1	0.01
AL45N 000DL	221 238	1.13	< 0.2	< 5	30	< 0.5	< 2	0.34	< 0.5	6	26	27	1.99	10	0.02	< 10	0.47	196	< 1	0.01
AL45N 025W	221 238	2.27	< 0.2	5	40	< 0.5	< 2	0.50	< 0.5	17	58	87	3.18	10	0.04	10	1.49	499	< 1	0.01
AL45N 050W	221 238	2.35	0.2	5	40	< 0.5	< 2	0.33	< 0.5	9	31	31	3.45	10	0.03	10	0.61	233	< 1	< 0.01
AL45N 075W	221 238	0.64	< 0.2	< 5	10	< 0.5	< 2	0.39	< 0.5	2	14	10	1.01	10	0.01	10	0.13	127	< 1	< 0.01
AL45N 100W	221 238	1.78	< 0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	5	24	17	2.38	10	0.02	10	0.38	208	< 1	< 0.01
AL45N 125W	221 238	3.45	< 0.2	10	50	< 0.5	< 2	0.10	< 0.5	11	52	53	5.02	< 10	0.05	< 10	0.98	557	< 1	< 0.01
AL45N 150W	221 238	2.78	< 0.2	5	40	< 0.5	< 2	0.38	< 0.5	10	64	65	4.88	20	0.03	10	0.87	277	< 1	0.01
AL45N 175W	221 238	1.36	< 0.2	5	30	< 0.5	< 2	0.40	< 0.5	8	36	23	2.59	10	0.02	10	0.58	206	< 1	0.01
AL45N 200W	221 238	2.30	0.4	5	40	< 0.5	< 2	0.24	< 0.5	10	21	74	3.49	10	0.02	< 10	0.38	408	< 1	0.01
AL45N 225W	221 238	0.70	< 0.2	< 5	10	< 0.5	< 2	0.24	< 0.5	2	17	14	1.76	10	0.01	< 10	0.15	114	< 1	< 0.01
AL45N 250W	221 238	0.59	< 0.2	< 5	10	< 0.5	< 2	0.23	< 0.5	1	11	9	1.15	10	< 0.01	< 10	0.08	111	< 1	< 0.01
AL45N 275W	221 238	1.72	< 0.2	< 5	30	< 0.5	< 2	0.27	< 0.5	7	30	30	2.60	10	0.02	10	0.38	601	< 1	< 0.01
AL45N 300W	221 238	2.31	< 0.2	< 5	50	< 0.5	< 2	0.43	< 0.5	9	42	43	3.29	10	0.03	10	0.61	626	< 1	0.01
AL45N 325W	221 238	2.30	< 0.2	< 5	40	< 0.5	< 2	0.42	< 0.5	9	46	48	3.22	10	0.02	10	0.58	246	< 1	0.01
AL45N 350W	221 238	2.00	< 0.2	< 5	30	< 0.5	< 2	0.39	< 0.5	7	37	32	2.79	10	0.02	10	0.45	315	< 1	< 0.01
AL45N 375W	221 238	2.97	< 0.2	5	50	< 0.5	< 2	0.37	< 0.5	9	51	47	3.91	10	0.02	10	0.55	238	< 1	0.01
AL45N 400W	221 238	2.35	< 0.2	< 5	60	< 0.5	< 2	0.43	< 0.5	8	44	36	3.55	10	0.02	10	0.58	369	< 1	0.01
AL45N 425W	221 238	2.26	< 0.2	< 5	90	< 0.5	< 2	0.71	< 0.5	13	44	50	2.61	10	0.03	10	0.69	1190	< 1	0.01
AL45N 450W	221 238	2.51	< 0.2	< 5	90	< 0.5	< 2	0.59	< 0.5	18	62	63	3.56	10	0.04	10	1.22	495	< 1	0.01
AL45N 475W	221 238	1.65	< 0.2	< 5	30	< 0.5	< 2	0.31	< 0.5	6	34	21	2.37	10	0.01	10	0.32	374	< 1	< 0.01
AL45N 500W	221 238	1.55	< 0.2	< 5	30	< 0.5	< 2	0.26	< 0.5	7	33	33	2.24	< 10	0.01	< 10	0.53	306	< 1	< 0.01
AL47N 300W	221 238	1.59	< 0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	6	26	28	2.10	< 10	0.02	10	0.36	752	< 1	< 0.01

CERTIFICATION : P. Rossbacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622247

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 4-B
 Tot. Pages: 4
 Date : 14-JAN-87
 Invoice # : I-8622247
 P.O. # : NONE

Project : V226 RACK L
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
AL44N 400W	221 238	21	230	4	< 5	49	0.17	< 10	< 10	88	< 5	46							
AL44N 42SW	221 238	26	420	2	< 5	66	0.34	< 10	< 10	128	< 5	44							
AL44N 450W	221 238	20	360	2	< 5	53	0.31	< 10	< 10	127	< 5	46							
AL44N 47SW	221 238	31	460	2	< 5	56	0.32	< 10	< 10	121	< 5	56							
AL44N 500W	221 238	36	510	4	< 5	70	0.35	< 10	< 10	141	< 5	58							
AL45N 100E	221 238	20	280	6	< 5	61	0.34	< 10	< 10	124	< 5	38							
AL45N 075E	221 238	17	690	6	< 5	49	0.29	< 10	< 10	109	< 5	50							
AL45N 050E	221 238	12	440	8	< 5	40	0.27	< 10	< 10	82	< 5	36							
AL45N 025E	221 238	13	480	2	< 5	33	0.24	< 10	< 10	91	< 5	42							
AL45N 000BL	221 238	10	270	6	< 5	34	0.21	< 10	< 10	87	< 5	38							
AL45N 025W	221 238	185	270	2	< 5	42	0.17	< 10	< 10	98	< 5	38							
AL45N 050W	221 238	13	320	6	< 5	35	0.13	< 10	< 10	108	< 5	46							
AL45N 075W	221 238	4	130	2	< 5	33	0.19	< 10	< 10	68	< 5	18							
AL45N 100W	221 238	7	250	2	< 5	25	0.09	< 10	< 10	86	< 5	38							
AL45N 125W	221 238	18	410	4	< 5	10	0.02	< 10	< 10	124	< 5	54							
AL45N 150W	221 238	21	380	2	< 5	40	0.36	< 10	< 10	166	< 5	46							
AL45N 175W	221 238	14	180	2	< 5	41	0.21	< 10	< 10	113	< 5	30							
AL45N 200W	221 238	11	540	6	< 5	33	0.25	< 10	< 10	107	< 5	54							
AL45N 225W	221 238	5	270	4	< 5	22	0.19	< 10	< 10	82	< 5	24							
AL45N 250W	221 238	2	100	2	< 5	21	0.15	< 10	< 10	60	< 5	14							
AL45N 275W	221 238	10	450	2	< 5	28	0.14	< 10	< 10	75	< 5	34							
AL45N 300W	221 238	14	620	6	< 5	42	0.24	< 10	< 10	112	< 5	56							
AL45N 325W	221 238	15	350	4	< 5	45	0.26	< 10	< 10	110	< 5	40							
AL45N 350W	221 238	17	340	4	< 5	41	0.24	< 10	< 10	93	< 5	46							
AL45N 375W	221 238	18	430	4	< 5	40	0.27	< 10	< 10	122	< 5	46							
AL45N 400W	221 238	19	490	4	< 5	46	0.27	< 10	< 10	135	< 5	52							
AL45N 425W	221 238	22	460	6	< 5	46	0.18	< 10	< 10	87	< 5	48							
AL45N 450W	221 238	29	260	< 2	< 5	47	0.26	< 10	< 10	116	< 5	54							
AL45N 475W	221 238	8	660	4	< 5	29	0.21	< 10	< 10	74	< 5	44							
AL45N 500W	221 238	13	390	4	< 5	24	0.17	< 10	< 10	74	< 5	36							
AL47N 300W	221 238	8	230	6	< 5	31	0.11	< 10	< 10	63	< 5	36							

CERTIFICATION : P. Campbell



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 944-0221

CERTIFICATE OF ANALYSIS A8622612

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-A
Tot. Pages: 1
Date : 16-JAN-87
Invoice #: I-8622612
P.O. #: NONE


Project: HOLT V216 RACK U
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE		Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
	14910	221	238	0.30	0.4	60	20	< 0.5	< 2	0.32	< 0.5	50	184	42	3.12	< 10	0.05	< 10	0.14	86	2
14911	221	238	1.12	0.4	60	10	< 0.5	< 2	0.08	< 0.5	8	153	63	6.33	< 10	< 0.01	< 10	0.61	165	< 1	< 0.01
14918	221	238	0.28	6.0	290	20	< 0.5	< 2	0.02	< 0.5	19	86	39	>15.00	< 10	0.07	< 10	0.03	29	21	< 0.01
14919	221	238	0.57	1.8	70	120	< 0.5	< 2	0.08	< 0.5	21	69	93	6.67	< 10	0.31	< 10	0.05	22	9	< 0.01
14920	221	238	0.55	3.4	110	70	< 0.5	< 2	0.03	< 0.5	21	114	102	12.25	< 10	0.18	< 10	0.15	43	14	< 0.01
14921	221	238	0.96	0.4	< 5	50	< 0.5	< 2	0.29	< 0.5	31	45	116	6.93	< 10	0.51	< 10	0.22	80	< 1	0.01
14922	221	238	0.99	0.2	5	50	< 0.5	< 2	0.28	< 0.5	27	103	111	5.95	< 10	0.43	< 10	0.30	116	< 1	0.01
14923	221	238	0.88	0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	36	41	107	10.10	< 10	0.45	< 10	0.21	70	< 1	0.01
14924	221	238	0.31	0.2	20	20	< 0.5	< 2	0.11	< 0.5	28	145	173	7.63	< 10	0.19	< 10	0.04	47	9	< 0.01
14925	221	238	0.27	0.2	10	20	< 0.5	< 2	0.30	< 0.5	17	188	293	4.02	< 10	0.18	< 10	0.02	99	6	< 0.01
14926	221	238	0.17	0.2	20	10	< 0.5	< 2	0.57	< 0.5	20	178	145	3.48	< 10	0.12	< 10	0.01	86	9	< 0.01
14927	221	238	0.36	1.4	40	80	< 0.5	< 2	0.09	< 0.5	15	141	58	4.59	< 10	0.12	< 10	0.13	48	3	< 0.01

RECEIVED JAN 23 1987

CERTIFICATION :

Hart Bacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622612

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-B
Tot. Pages: 1
Date : 16-JAN-87
Invoice # : 1-8622612
P.O. # : NONE

Project : HOLT V226 RACK U
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
14910	221 238	43	820	30	< 5	< 5	8 < 0.01	< 10	< 10	17	< 5	36							
14911	221 238	23	150	14	< 5	< 5	2 < 0.01	< 10	< 10	77	< 5	30							
14918	221 238	38	< 10	52	< 5	< 5	1 < 0.01	< 10	< 10	< 1	< 5	26							
14919	221 238	28	130	14	< 5	< 5	6 < 0.01	< 10	< 10	18	< 5	20							
14920	221 238	33	60	28	< 5	< 5	3 < 0.01	< 10	< 10	12	< 5	56							
14921	221 238	29	330	8	< 5	< 5	3 0.26	< 10	< 10	60	< 5	28							
14922	221 238	28	370	6	< 5	< 5	2 0.18	< 10	< 10	59	< 5	40							
14923	221 238	35	390	6	< 5	< 5	4 0.18	< 10	< 10	51	< 5	28							
14924	221 238	42	100	10	< 5	< 5	1 0.02	< 10	< 10	13	< 5	8							
14925	221 238	31	90	2	< 5	< 5	2 < 0.01	< 10	< 10	11	< 5	4							
14926	221 238	31	60	2	< 5	< 5	2 < 0.01	< 10	< 10	6	< 5	4							
14927	221 238	21	240	10	< 5	< 5	4 < 0.01	< 10	< 10	11	< 5	42							

CERTIFICATION : Hart Bachler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0121

CERTIFICATE OF ANALYSIS A8622450

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-A
Tot. Pages: 1
Date : 14-JAN-87
Invoice #: I-8622450
P.O. #: NONE


Project: V216 RACK R
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Pc %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
4710	221 238	0.74	< 0.2	< 5	30	< 0.5	< 2	1.04	< 0.5	6	108	3	2.45	< 10	0.07	10	0.47	369	< 1	0.08
4711	221 238	2.82	< 0.2	< 5	120	< 0.5	< 2	1.95	< 0.5	17	79	35	4.14	< 10	0.10	10	1.60	904	< 1	0.15
4712	221 238	1.39	< 0.2	< 5	20	< 0.5	< 2	1.08	< 0.5	7	77	25	2.53	< 10	0.11	10	0.69	713	< 1	0.07
4713	221 238	1.49	< 0.2	< 5	40	< 0.5	< 2	0.44	< 0.5	18	191	1	1.06	< 10	0.20	< 10	1.88	429	< 1	0.04
4714	221 238	3.08	< 0.2	< 5	10	< 0.5	< 2	0.91	< 0.5	29	69	147	1.36	< 10	0.04	< 10	2.89	245	< 1	0.13
4715	221 238	2.76	< 0.2	< 5	10	< 0.5	< 2	5.14	< 0.5	37	183	161	6.65	< 10	< 0.01	< 10	2.79	1025	< 1	0.03
4716	221 238	2.75	< 0.2	< 5	40	< 0.5	< 2	3.69	< 0.5	28	21	175	5.77	< 10	< 0.01	< 10	1.91	878	< 1	0.03
4717	221 238	2.05	< 0.2	< 5	30	< 0.5	< 2	2.87	< 0.5	14	24	123	3.00	< 10	0.01	< 10	0.70	484	< 1	0.03
4718	221 238	1.06	< 0.2	< 5	20	< 0.5	< 2	1.16	< 0.5	10	109	93	1.93	< 10	0.15	< 10	0.66	473	< 1	0.03
4719	221 238	4.57	0.4	< 5	20	< 0.5	< 2	3.04	< 0.5	29	105	106	5.65	< 10	< 0.01	< 10	3.18	1240	< 1	0.01
4720	221 238	3.50	< 0.2	< 5	30	< 0.5	< 2	2.14	< 0.5	36	31	40	5.94	< 10	0.01	< 10	2.58	1295	< 1	0.02
4721	221 238	2.05	< 0.2	< 5	< 10	< 0.5	< 2	2.14	< 0.5	31	34	352	4.37	< 10	0.01	< 10	2.17	822	< 1	0.02
4722	221 238	2.96	0.2	< 5	180	< 0.5	< 2	2.32	< 0.5	24	15	77	5.61	< 10	0.09	< 10	2.68	1290	< 1	0.05
4723	221 238	2.63	< 0.2	< 5	< 10	< 0.5	< 2	1.60	< 0.5	29	15	79	5.70	< 10	< 0.01	< 10	1.53	860	< 1	0.02
4724	221 238	2.67	< 0.2	< 5	30	< 0.5	< 2	0.94	< 0.5	26	138	73	3.45	< 10	0.13	< 10	2.67	433	< 1	0.07
4725	221 238	4.59	0.4	< 5	20	< 0.5	< 2	3.49	< 0.5	30	46	147	6.39	< 10	< 0.01	< 10	2.59	1060	< 1	0.02
4726	221 238	3.32	0.2	< 5	40	< 0.5	< 2	5.02	< 0.5	31	96	134	5.92	10	0.04	< 10	3.14	1360	< 1	0.04
4727	221 238	2.17	< 0.2	< 5	20	< 0.5	< 2	1.64	< 0.5	23	216	59	2.27	< 10	0.04	< 10	2.63	424	< 1	0.09
4728	221 238	2.32	< 0.2	< 5	30	< 0.5	< 2	1.87	< 0.5	33	165	138	3.66	< 10	0.10	< 10	2.26	756	< 1	0.09
4729	221 238	2.96	< 0.2	< 5	10	< 0.5	< 2	1.33	< 0.5	34	288	84	3.26	< 10	< 0.01	< 10	3.09	491	< 1	0.03

RECEIVED JAN 23 1987

CERTIFICATION :

P. Lange



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622450

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-B
Tot. Pages: 1
Date : 14-JAN-87
Invoice #: I-8622450
P.O. #: NONE

Project: V226 RACK R
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
4710	221 238	7	1370	2	10	45	0.11	< 10	< 10	69	< 5	20							
4711	221 238	6	670	4	< 5	90	0.21	< 10	< 10	128	< 5	58							
4712	221 238	7	910	2	< 5	48	0.13	< 10	< 10	51	< 5	42							
4713	221 238	152	40	< 2	< 5	2	0.01	< 10	< 10	14	< 5	20							
4714	221 238	132	10	< 2	< 5	67	< 0.01	< 10	< 10	6	< 5	16							
4715	221 238	72	420	4	10	6	0.68	< 10	< 10	291	< 5	66							
4716	221 238	43	520	4	5	< 1	0.68	< 10	< 10	189	< 5	70							
4717	221 238	24	450	< 2	< 5	< 1	0.51	< 10	< 10	84	< 5	50							
4718	221 238	22	1280	< 2	< 5	50	0.21	< 10	< 10	51	< 5	22							
4719	221 238	36	930	6	< 5	< 1	0.40	< 10	< 10	238	< 5	70							
4720	221 238	22	470	4	< 5	11	0.24	< 10	< 10	176	< 5	68							
4721	221 238	32	410	4	5	43	0.27	< 10	< 10	168	< 5	50							
4722	221 238	8	830	2	< 5	24	0.36	< 10	< 10	204	< 5	68							
4723	221 238	13	810	2	< 5	< 1	0.40	< 10	< 10	103	< 5	74							
4724	221 238	62	690	2	5	26	0.27	< 10	< 10	94	< 5	40							
4725	221 238	12	550	4	< 5	< 1	0.34	< 10	< 10	240	< 5	76							
4726	221 238	26	640	2	5	< 1	0.32	< 10	< 10	211	< 5	70							
4727	221 238	111	610	2	< 5	21	0.20	< 10	< 10	67	< 5	32							
4728	221 238	55	1750	4	< 5	47	0.35	< 10	< 10	145	< 5	60							
4729	221 238	191	420	2	< 5	36	0.26	< 10	< 10	87	< 5	30							

CERTIFICATION :

P. Lang

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 1N1
TEL : (604) 299 - 5910

CERTIFICATE OF ANALYSIS

CLIENT : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 86741.A
INVOICE#: 7373
DATE ENTERED: 87-01-16
FILE NAME: MPH86741.A
PAGE # : 1


PROJECT: V226
TYPE OF ANALYSIS: ASSAY

RE IX	SAMPLE NAME	oz/t Au
A	14689	0.004
A	14918	0.002
A	14919	0.002
A	14920	0.006
A	14927	0.011

RECEIVED JAN 19 1987

CERTIFIED BY :





Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0331

CERTIFICATE OF ANALYSIS A8622452

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-A

Tot. Pages: 2

Date : 16-JAN-87

Invoice #: I-8622452

P.O. #: NONE

Project: HOLT (V126A) RACK T

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Pb ppm	Na %
L21N 100E	221 238	2.11	< 0.2	5	60	< 0.5	< 2	0.09	< 0.5	11	52	19	2.94	< 10	0.01	< 10	0.66	1015	< 1	< 0.01
L21N 075E	221 238	2.64	< 0.2	5	120	< 0.5	< 2	0.19	< 0.5	17	56	30	3.87	< 10	0.02	< 10	1.09	3270	< 1	< 0.01
L21N 050E	221 238	1.71	< 0.2	5	40	< 0.5	< 2	0.15	< 0.5	9	41	16	2.15	< 10	0.01	< 10	0.51	897	< 1	< 0.01
L21N 025E	221 238	3.62	< 0.2	5	70	< 0.5	< 2	0.27	< 0.5	17	86	42	4.63	< 10	0.03	< 10	1.17	754	< 1	< 0.01
L21N 000BL	221 238	2.77	< 0.2	5	60	< 0.5	< 2	0.25	< 0.5	16	53	25	3.20	< 10	0.02	10	0.77	642	< 1	< 0.01
L21N 029W	221 238	2.94	< 0.2	< 5	70	< 0.5	< 2	0.31	< 0.5	18	76	34	4.15	< 10	0.02	10	0.98	436	< 1	< 0.01
L21N 050W	221 238	3.37	< 0.2	< 5	60	< 0.5	< 2	0.38	< 0.5	25	90	46	3.95	< 10	0.02	10	1.38	1075	< 1	< 0.01
L21N 079W	221 238	3.86	< 0.2	5	100	< 0.5	< 2	0.57	< 0.5	25	104	48	5.12	< 10	0.03	10	1.91	986	< 1	< 0.01
L21N 100W	221 238	2.93	< 0.2	5	80	< 0.5	< 2	0.51	< 0.5	19	80	39	3.75	< 10	0.03	10	1.12	1135	< 1	< 0.01
L21N 129W	221 238	2.28	< 0.2	10	40	< 0.5	< 2	0.47	< 0.5	8	51	20	3.58	< 10	0.03	10	0.45	302	< 1	< 0.01
L21N 150W	221 238	2.20	< 0.2	5	40	< 0.5	< 2	0.16	< 0.5	12	65	29	3.45	< 10	0.01	< 10	0.81	286	< 1	< 0.01
L21N 179W	221 238	2.43	< 0.2	5	60	< 0.5	< 2	0.13	< 0.5	15	69	24	3.30	< 10	< 0.01	< 10	0.92	376	< 1	< 0.01
L21N 200W	221 238	3.70	< 0.2	10	100	< 0.5	< 2	0.25	< 0.5	24	106	65	4.38	< 10	0.02	< 10	1.55	1245	< 1	< 0.01
L21N 229W	221 238	1.21	< 0.2	5	40	< 0.5	< 2	0.32	< 0.5	8	26	9	2.17	< 10	0.01	10	0.35	234	< 1	< 0.01
L21N 250W	221 238	3.09	< 0.2	10	100	< 0.5	< 2	0.33	< 0.5	29	81	61	4.37	< 10	0.04	10	0.82	443	< 1	< 0.01
L21N 279W	221 238	3.38	< 0.2	5	90	< 0.5	< 2	0.42	< 0.5	19	94	45	4.22	< 10	0.03	10	1.27	465	< 1	< 0.01
L21N 300W	221 238	1.68	< 0.2	5	120	< 0.5	< 2	0.46	< 0.5	8	44	14	2.32	< 10	0.01	10	0.54	659	< 1	< 0.01
L21N 329W	221 238	3.56	< 0.2	10	100	< 0.5	< 2	0.50	< 0.5	21	105	59	4.09	< 10	0.04	10	1.53	453	< 1	< 0.01
L21N 350W	221 238	2.97	< 0.2	10	110	< 0.5	< 2	0.38	< 0.5	24	93	68	4.08	< 10	0.06	10	1.50	809	< 1	< 0.01
L21N 379W	221 238	3.10	< 0.2	< 5	120	< 0.5	< 2	0.68	< 0.5	25	95	70	4.13	< 10	0.07	10	1.53	767	< 1	< 0.01
L21N 400W	221 238	3.99	< 0.2	10	100	< 0.5	< 2	0.18	< 0.5	24	102	74	4.41	< 10	0.03	< 10	1.31	410	< 1	< 0.01
L21N 429W	221 238	4.67	< 0.2	15	110	< 0.5	< 2	0.18	< 0.5	27	115	97	4.69	< 10	0.04	< 10	1.47	439	< 1	< 0.01
L21N 450W	221 238	2.42	< 0.2	10	60	< 0.5	< 2	0.23	< 0.5	17	68	41	4.17	< 10	0.02	< 10	0.96	306	< 1	< 0.01
L21N 479W	221 238	2.62	< 0.2	10	60	< 0.5	< 2	0.24	< 0.5	15	66	34	3.90	< 10	0.02	< 10	0.71	288	< 1	< 0.01
L21N 500W	221 238	3.41	< 0.2	5	60	< 0.5	< 2	0.30	< 0.5	18	85	55	4.29	< 10	0.03	< 10	1.16	543	< 1	< 0.01
L22N 100E	221 238	3.28	< 0.2	20	70	< 0.5	< 2	0.31	< 0.5	18	90	68	4.41	< 10	0.03	10	1.25	488	< 1	< 0.01
L22N 075E	221 238	3.10	< 0.2	15	60	< 0.5	< 2	0.54	< 0.5	15	80	31	3.45	< 10	0.02	10	0.58	1390	< 1	< 0.01
L22N 050E	221 238	3.55	< 0.2	10	80	< 0.5	< 2	0.36	< 0.5	18	140	51	4.80	< 10	0.03	10	1.16	1860	< 1	< 0.01
L22N 025E	221 238	1.33	< 0.2	< 5	20	< 0.5	< 2	0.62	< 0.5	6	24	7	1.45	< 10	0.01	10	0.20	223	< 1	< 0.01
L22N 000BL	221 238	2.79	< 0.2	5	50	< 0.5	< 2	0.38	< 0.5	18	109	28	3.49	< 10	0.02	10	0.72	504	< 1	< 0.01
L22N 029W	221 238	1.08	< 0.2	< 5	30	< 0.5	< 2	0.11	< 0.5	7	36	12	1.82	< 10	0.02	< 10	0.28	422	< 1	< 0.01
L22N 050W	221 238	1.23	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	8	71	17	2.31	< 10	0.01	< 10	0.48	878	< 1	< 0.01
L22N 079W	221 238	4.64	< 0.2	< 5	90	< 0.5	< 2	0.17	< 0.5	36	207	104	4.46	< 10	0.01	< 10	0.91	2840	< 1	< 0.01
L22N 100W	221 238	3.43	< 0.2	< 5	30	< 0.5	< 2	0.32	< 0.5	31	295	58	3.71	< 10	< 0.01	< 10	2.40	535	< 1	< 0.01
L22N 129W	221 238	1.40	< 0.2	< 5	20	< 0.5	< 2	0.27	< 0.5	8	43	17	2.08	< 10	0.01	< 10	0.42	298	< 1	< 0.01
L22N 150W	221 238	0.91	< 0.2	< 5	20	< 0.5	< 2	0.29	< 0.5	8	34	6	1.48	< 10	0.01	< 10	0.29	643	< 1	< 0.01
L22N 179W	221 238	0.79	< 0.2	< 5	20	< 0.5	< 2	0.26	< 0.5	5	23	6	1.22	< 10	0.01	< 10	0.19	309	< 1	< 0.01
L22N 200W	221 238	2.85	< 0.2	< 5	50	< 0.5	< 2	0.28	< 0.5	15	71	45	3.31	< 10	0.04	10	0.88	489	< 1	< 0.01
L22N 229W	221 238	0.57	< 0.2	< 5	10	< 0.5	< 2	0.29	< 0.5	3	10	2	0.80	< 10	0.01	< 10	0.09	123	< 1	< 0.01
L22N 250W	221 238	1.42	< 0.2	< 5	70	< 0.5	< 2	0.44	< 0.5	7	45	10	2.50	< 10	0.03	10	0.39	2150	< 1	< 0.01

CERTIFICATION :

Hart Bessler

RECEIVED JAN 23 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0321

CERTIFICATE OF ANALYSIS A8622452

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-B
 Tot. Pages: 2
 Date : 16-JAN-87
 Invoice # : I-8622452
 P.O. # : NONE

Project : HOLT (V226A) RACK T

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L21N 100E	221 238	24	330	6	< 5	10	0.12	< 10	< 10	59	< 5	66						
L21N 075E	221 238	30	920	6	< 5	10	0.19	< 10	< 10	75	< 5	74						
L21N 050E	221 238	18	320	2	< 5	13	0.19	< 10	< 10	57	< 5	52						
L21N 025E	221 238	65	700	10	< 5	24	0.29	< 10	< 10	112	< 5	84						
L21N 000BL	221 238	27	320	8	< 5	23	0.18	< 10	< 10	77	< 5	70						
L21N 025W	221 238	34	420	6	< 5	30	0.26	< 10	< 10	108	< 5	84						
L21N 050W	221 238	48	370	2	< 5	35	0.26	< 10	< 10	106	< 5	72						
L21N 075W	221 238	63	460	4	< 5	38	0.30	< 10	< 10	122	< 5	78						
L21N 100W	221 238	37	460	8	< 5	37	0.24	< 10	< 10	95	< 5	58						
L21N 125W	221 238	17	630	4	< 5	34	0.27	< 10	< 10	113	< 5	46						
L21N 150W	221 238	26	350	< 2	< 5	12	0.16	< 10	< 10	77	< 5	48						
L21N 175W	221 238	24	230	< 2	< 5	13	0.12	< 10	< 10	71	< 5	48						
L21N 200W	221 238	44	360	6	< 5	28	0.19	< 10	< 10	106	< 5	66						
L21N 225W	221 238	11	180	6	< 5	30	0.17	< 10	< 10	71	< 5	34						
L21N 250W	221 238	38	220	8	< 5	33	0.19	< 10	< 10	130	< 5	48						
L21N 275W	221 238	44	360	6	< 5	50	0.26	< 10	< 10	124	< 5	64						
L21N 300W	221 238	17	170	4	< 5	48	0.16	< 10	< 10	80	< 5	44						
L21N 325W	221 238	52	320	4	< 5	50	0.28	< 10	< 10	125	< 5	52						
L21N 350W	221 238	42	490	6	< 5	57	0.26	< 10	< 10	130	< 5	54						
L21N 375W	221 238	45	510	8	< 5	65	0.25	< 10	< 10	132	< 5	58						
L21N 400W	221 238	49	490	8	< 5	20	0.21	< 10	< 10	126	< 5	60						
L21N 425W	221 238	60	470	4	< 5	20	0.22	< 10	< 10	136	< 5	64						
L21N 450W	221 238	31	410	4	< 5	25	0.23	< 10	< 10	118	< 5	60						
L21N 475W	221 238	27	500	6	< 5	28	0.24	< 10	< 10	110	< 5	46						
L21N 500W	221 238	40	560	6	< 5	37	0.25	< 10	< 10	120	< 5	64						
L22N 100E	221 238	40	420	10	< 5	33	0.24	< 10	< 10	122	< 5	58						
L22N 075E	221 238	30	670	6	< 5	32	0.21	< 10	< 10	97	< 5	60						
L22N 050E	221 238	51	1910	12	< 5	32	0.21	< 10	< 10	135	< 5	86						
L22N 025E	221 238	8	270	10	< 5	22	0.22	< 10	< 10	69	< 5	24						
L22N 000BL	221 238	46	310	6	< 5	34	0.18	< 10	< 10	98	< 5	72						
L22N 025W	221 238	12	250	8	< 5	8	0.05	< 10	< 10	46	< 5	34						
L22N 050W	221 238	26	390	6	< 5	10	0.13	< 10	< 10	65	< 5	36						
L22N 075W	221 238	76	1470	20	< 5	14	0.14	< 10	< 10	106	< 5	118						
L22N 100W	221 238	186	230	4	< 5	36	0.22	< 10	< 10	111	< 5	58						
L22N 125W	221 238	16	240	10	< 5	21	0.17	< 10	< 10	76	< 5	32						
L22N 150W	221 238	11	240	6	< 5	21	0.16	< 10	< 10	62	< 5	28						
L22N 175W	221 238	7	130	6	< 5	24	0.12	< 10	< 10	50	< 5	26						
L22N 200W	221 238	26	650	8	< 5	27	0.18	< 10	< 10	88	< 5	82						
L22N 225W	221 238	3	130	< 2	< 5	24	0.14	< 10	< 10	43	< 5	12						
L22N 250W	221 238	12	920	10	< 5	45	0.18	< 10	< 10	80	< 5	50						

CERTIFICATION : *P. Rossbacher*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622452

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-A
 Tot. Pages: 2
 Date : 16-JAN-87
 Invoice #: I-8622452
 P.O. #: NONE


Project: HOLT (V226A) RACK T

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L22N 275W	221 238	1.60	< 0.2	< 5	40	< 0.5	< 2	0.43	< 0.5	9	40	12	2.44	< 10	0.02	10	0.44	577	< 1	0.01
L22N 300W	221 238	2.65	< 0.2	< 5	90	< 0.5	< 2	0.41	< 0.5	14	59	31	3.22	< 10	0.03	10	0.81	500	< 1	0.01
L22N 325W	221 238	2.39	< 0.2	< 5	110	< 0.5	< 2	0.56	< 0.5	15	72	30	3.08	< 10	0.03	10	1.11	861	< 1	0.01
L22N 350W	221 238	3.46	< 0.2	< 5	170	< 0.5	< 2	0.58	< 0.5	24	112	67	4.20	< 10	0.04	10	1.62	667	< 1	0.01
L22N 375W	221 238	2.68	< 0.2	< 5	90	< 0.5	< 2	0.47	< 0.5	15	54	32	3.35	< 10	0.03	10	0.79	538	< 1	0.01
L22N 400W	221 238	1.02	< 0.2	< 5	50	< 0.5	< 2	0.48	< 0.5	8	17	9	2.04	< 10	0.02	< 10	0.27	718	< 1	< 0.01
L22N 425W	221 238	1.89	< 0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	14	56	19	2.87	< 10	0.02	< 10	0.77	773	< 1	< 0.01
L22N 450W	221 238	1.62	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	13	55	11	2.64	< 10	0.02	< 10	0.67	464	< 1	< 0.01
L22N 475W	221 238	1.67	< 0.2	< 5	80	< 0.5	< 2	0.23	< 0.5	13	56	18	2.76	< 10	0.02	< 10	0.86	410	< 1	< 0.01
L22N 500W	221 238	1.61	< 0.2	< 5	80	< 0.5	< 2	0.21	< 0.5	13	45	15	2.47	< 10	0.02	< 10	0.79	853	< 1	< 0.01
L23N 100E	221 238	3.20	< 0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	14	59	32	4.08	< 10	0.04	10	0.81	454	< 1	< 0.01
L23N 075E	221 238	4.24	< 0.2	10	60	< 0.5	< 2	0.23	< 0.5	17	81	58	5.09	< 10	0.03	< 10	1.37	529	< 1	< 0.01
L23N 050E	221 238	2.42	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	6	46	22	3.68	< 10	0.02	< 10	0.51	234	< 1	< 0.01
L23N 025E	221 238	2.38	< 0.2	< 5	50	< 0.5	< 2	0.16	< 0.5	7	31	24	3.72	< 10	0.02	< 10	0.55	370	< 1	< 0.01
L23N 000BL	221 238	2.51	< 0.2	< 5	80	< 0.5	< 2	0.16	< 0.5	9	45	27	3.63	< 10	0.02	< 10	0.49	602	< 1	< 0.01
L23N 025W	221 238	0.97	< 0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	1	9	3	1.40	< 10	0.01	< 10	0.17	127	< 1	< 0.01
L23N 050W	221 238	3.43	< 0.2	15	70	< 0.5	< 2	0.14	< 0.5	13	67	45	4.69	< 10	0.02	< 10	0.85	1040	< 1	< 0.01
L23N 075W	221 238	2.72	< 0.2	< 5	50	< 0.5	< 2	0.13	< 0.5	10	51	31	3.41	< 10	0.02	< 10	0.62	445	< 1	< 0.01
L23N 100W	221 238	2.48	< 0.2	< 5	50	< 0.5	< 2	0.10	< 0.5	9	47	28	3.18	< 10	0.01	< 10	0.57	380	< 1	< 0.01
L23N 125W	221 238	1.50	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	6	29	17	3.43	< 10	0.02	< 10	0.36	719	< 1	< 0.01
L23N 150W	221 238	2.76	< 0.2	< 5	110	< 0.5	< 2	0.31	< 0.5	13	61	36	3.57	< 10	0.04	< 10	0.69	1075	< 1	< 0.01
L23N 175W	221 238	2.51	< 0.2	< 5	80	< 0.5	< 2	0.42	< 0.5	14	69	38	3.27	< 10	0.03	< 10	0.86	856	< 1	< 0.01
L23N 200W	221 238	2.24	< 0.2	< 5	90	< 0.5	< 2	0.38	< 0.5	13	60	28	3.02	< 10	0.02	< 10	0.76	680	< 1	< 0.01
L23N 225W	221 238	3.45	< 0.2	< 5	100	< 0.5	< 2	0.33	< 0.5	20	93	55	4.02	< 10	0.02	10	1.09	431	< 1	0.01
L23N 250W	221 238	2.54	< 0.2	< 5	100	< 0.5	< 2	0.33	< 0.5	15	60	33	3.56	< 10	0.02	10	0.83	662	< 1	< 0.01
L23N 275W	221 238	2.47	< 0.2	< 5	80	< 0.5	< 2	0.36	< 0.5	16	61	18	3.50	< 10	0.02	< 10	0.79	542	< 1	< 0.01
L23N 300W	221 238	1.87	< 0.2	< 5	70	< 0.5	< 2	0.29	< 0.5	13	49	23	2.79	< 10	0.01	< 10	0.62	590	< 1	< 0.01
L23N 325W	221 238	2.11	< 0.2	< 5	80	< 0.5	< 2	0.23	< 0.5	14	60	25	3.61	< 10	0.01	< 10	0.79	438	< 1	< 0.01
L23N 350W	221 238	1.62	< 0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	10	56	18	3.05	< 10	< 0.01	< 10	0.79	218	< 1	< 0.01
L23N 375W	221 238	2.64	< 0.2	10	150	< 0.5	< 2	0.42	< 0.5	23	75	68	4.52	< 10	0.04	10	1.04	1105	< 1	< 0.01
L23N 400W	221 238	3.27	< 0.2	< 5	70	< 0.5	< 2	0.67	< 0.5	21	103	44	3.95	< 10	0.03	10	1.49	486	< 1	0.01
L23N 425W	221 238	2.33	< 0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	18	82	27	3.23	< 10	0.01	< 10	1.15	1095	< 1	0.01
L23N 450W	221 238	3.32	< 0.2	< 5	60	< 0.5	< 2	0.31	< 0.5	20	97	52	3.94	< 10	0.02	< 10	1.23	392	< 1	0.01
L23N 475W	221 238	1.99	< 0.2	< 5	50	< 0.5	< 2	0.37	< 0.5	12	57	16	3.21	< 10	0.01	< 10	0.86	303	< 1	0.01
L23N 500W	221 238	1.94	< 0.2	< 5	70	< 0.5	< 2	0.42	< 0.5	12	53	18	3.03	< 10	0.02	< 10	0.86	477	< 1	0.01

CERTIFICATION :

Hart Bacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622452

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 2-B
Tot. Pages: 2
Date : 16-JAN-87
Invoice #: I-8622452
P.O. # : NONE

Project: HOLT (V226A) RACK T
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L22N 275W	221 238	14	360	8	< 5	43	0.21	< 10	< 10	85	< 5	48						
L22N 300V	221 238	26	550	6	< 5	38	0.22	< 10	< 10	98	< 5	62						
L22N 325W	221 238	33	370	10	< 5	43	0.25	< 10	< 10	99	< 5	56						
L22N 350V	221 238	51	420	8	< 5	37	0.23	< 10	< 10	111	< 5	64						
L22N 375W	221 238	24	1440	6	< 5	43	0.23	< 10	< 10	98	< 5	70						
L22N 400V	221 238	9	260	8	< 5	43	0.22	< 10	< 10	69	< 5	36						
L22N 425W	221 238	24	300	4	< 5	29	0.16	< 10	< 10	80	< 5	48						
L22N 450V	221 238	23	270	< 2	< 5	21	0.13	< 10	< 10	65	< 5	46						
L22N 475W	221 238	25	280	4	< 5	16	0.12	< 10	< 10	68	< 5	50						
L22N 500V	221 238	23	460	8	< 5	14	0.11	< 10	< 10	60	< 5	54						
L23N 100E	221 238	20	510	10	< 5	37	0.24	< 10	< 10	106	< 5	86						
L23N 075E	221 238	33	500	6	< 5	29	0.24	< 10	< 10	122	< 5	74						
L23N 050E	221 238	12	420	6	< 5	21	0.14	< 10	< 10	96	< 5	46						
L23N 025E	221 238	11	790	10	< 5	23	0.15	< 10	< 10	84	< 5	60						
L23N 000BL	221 238	15	670	12	< 5	17	0.14	< 10	< 10	91	< 5	62						
L23N 025W	221 238	3	170	6	< 5	10	0.09	< 10	< 10	49	< 5	18						
L23N 050W	221 238	25	1260	12	< 5	15	0.17	< 10	< 10	101	< 5	70						
L23N 075W	221 238	19	640	10	< 5	12	0.15	< 10	< 10	80	< 5	58						
L23N 100W	221 238	16	550	10	< 5	9	0.13	< 10	< 10	73	< 5	50						
L23N 125W	221 238	12	600	22	< 5	9	0.07	< 10	< 10	70	< 5	48						
L23N 150W	221 238	23	640	12	< 5	33	0.14	< 10	< 10	97	< 5	88						
L23N 175W	221 238	26	460	6	< 5	35	0.18	< 10	< 10	113	< 5	86						
L23N 200W	221 238	25	500	8	< 5	28	0.18	< 10	< 10	107	< 5	60						
L23N 225W	221 238	41	430	4	< 5	31	0.24	< 10	< 10	134	< 5	74						
L23N 250W	221 238	22	320	6	< 5	24	0.13	< 10	< 10	101	< 5	76						
L23N 275W	221 238	25	850	10	< 5	25	0.19	< 10	< 10	86	< 5	90						
L23N 300W	221 238	21	420	6	< 5	20	0.14	< 10	< 10	76	< 5	68						
L23N 325W	221 238	24	390	6	< 5	16	0.15	< 10	< 10	97	< 5	66						
L23N 350V	221 238	23	160	6	< 5	17	0.14	< 10	< 10	87	< 5	40						
L23N 375W	221 238	33	670	14	< 5	15	0.10	< 10	< 10	94	< 5	84						
L23N 400V	221 238	45	280	6	< 5	66	0.29	< 10	< 10	128	< 5	66						
L23N 425W	221 238	36	240	12	< 5	50	0.23	< 10	< 10	106	< 5	54						
L23N 450V	221 238	41	230	2	< 5	31	0.21	< 10	< 10	107	< 5	62						
L23N 475W	221 238	23	130	10	< 5	38	0.19	< 10	< 10	106	< 5	38						
L23N 500V	221 238	23	260	4	< 5	34	0.21	< 10	< 10	96	< 5	56						

Hart Buchle

CERTIFICATION : _____



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0331

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-A
Tot. Pages: 10
Date : 16-JAN-87
Invoice #: 1-8622449
P.O. #: NONE


Project : HOLT V116A RACK Q
Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L24N 000	221 238	2.91	< 0.2	< 5	240	< 0.5	< 2	0.41	1.0	21	64	47	3.62	< 10	0.03	< 10	1.11	980	< 1	< 0.01
L24N 025E	221 238	3.91	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	14	80	57	4.71	< 10	0.02	< 10	1.00	416	< 1	< 0.01
L24N 050E	221 238	2.00	< 0.2	< 5	40	< 0.5	< 2	0.18	< 0.5	5	37	18	3.00	< 10	0.01	< 10	0.35	157	< 1	< 0.01
L24N 075E	221 238	3.66	< 0.2	< 5	80	< 0.5	< 2	0.17	< 0.5	18	90	87	5.57	< 10	0.02	< 10	1.15	357	< 1	< 0.01
L24N 100E	221 238	0.58	< 0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	3	39	8	2.02	< 10	0.02	< 10	0.13	138	< 1	< 0.01
L24N 025W	221 238	1.77	< 0.2	< 5	70	< 0.5	< 2	0.29	< 0.5	8	34	16	2.14	< 10	0.01	< 10	0.47	766	< 1	< 0.01
L24N 050W	221 238	3.56	< 0.2	< 5	90	< 0.5	< 2	0.22	< 0.5	18	84	85	4.65	< 10	0.03	< 10	1.32	631	< 1	< 0.01
L24N 075W	221 238	4.17	< 0.2	< 5	100	< 0.5	< 2	0.18	< 0.5	15	74	67	5.20	< 10	0.03	< 10	1.01	1225	< 1	< 0.01
L24N 100W	221 238	1.89	< 0.2	< 5	60	< 0.5	< 2	0.18	< 0.5	9	53	40	3.67	< 10	0.02	< 10	0.64	264	< 1	0.01
L24N 125W	221 238	2.69	< 0.2	< 5	100	< 0.5	< 2	0.23	< 0.5	12	52	35	3.69	< 10	0.03	< 10	0.73	520	< 1	< 0.01
L24N 150W	221 238	3.19	< 0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	16	68	42	4.22	< 10	0.03	< 10	0.73	977	< 1	< 0.01
L24N 175W	221 238	3.12	< 0.2	< 5	140	< 0.5	< 2	0.25	< 0.5	23	100	42	4.79	< 10	0.03	< 10	1.13	922	< 1	< 0.01
L24N 200W	221 238	2.15	< 0.2	< 5	170	< 0.5	< 2	0.26	< 0.5	12	48	23	3.05	< 10	0.03	< 10	0.74	1440	< 1	< 0.01
L24N 225W	221 238	1.88	< 0.2	< 5	100	< 0.5	< 2	0.38	< 0.5	16	69	23	2.63	< 10	0.02	< 10	0.85	378	< 1	0.01
L24N 250W	221 238	1.35	< 0.2	< 5	80	< 0.5	< 2	0.40	< 0.5	16	60	18	2.22	< 10	0.01	< 10	0.65	1345	< 1	0.01
L24N 275W	221 238	2.01	< 0.2	< 5	80	< 0.5	< 2	0.34	< 0.5	21	121	25	2.58	< 10	0.01	< 10	1.17	649	< 1	0.01
L24N 300W	221 238	2.05	< 0.2	< 5	60	< 0.5	< 2	0.28	< 0.5	15	102	28	2.76	< 10	0.01	< 10	0.97	296	< 1	0.01
L24N 325W	221 238	2.07	< 0.2	< 5	80	< 0.5	< 2	0.37	< 0.5	11	64	23	3.23	< 10	0.02	< 10	0.62	224	< 1	0.01
L24N 350W	221 238	3.40	< 0.2	< 5	230	< 0.5	< 2	0.88	< 0.5	23	157	101	4.79	< 10	0.08	< 10	1.81	620	< 1	0.01
L24N 375W	221 238	2.66	< 0.2	< 5	100	< 0.5	< 2	0.53	< 0.5	18	83	40	3.39	< 10	0.02	< 10	1.16	481	< 1	0.01
L24N 400W	221 238	2.57	< 0.2	< 5	50	< 0.5	< 2	0.46	< 0.5	16	83	41	3.55	< 10	0.02	< 10	1.19	337	< 1	0.01
L24N 425W	221 238	1.55	< 0.2	< 5	40	< 0.5	< 2	0.38	< 0.5	9	51	17	2.62	< 10	0.01	< 10	0.66	251	< 1	0.01
L24N 450W	221 238	3.89	< 0.2	< 5	170	< 0.5	< 2	0.89	< 0.5	22	117	64	4.40	< 10	0.04	< 10	1.28	849	< 1	0.01
L24N 475W	221 238	3.07	< 0.2	< 5	70	< 0.5	< 2	0.31	< 0.5	15	65	43	4.00	< 10	0.03	< 10	0.83	333	< 1	0.01
L24N 500W	221 238	3.51	< 0.2	< 5	80	< 0.5	< 2	0.59	< 0.5	18	78	61	3.86	< 10	0.03	< 10	1.11	491	< 1	0.01
L25N 000	221 238	3.04	< 0.2	< 5	30	< 0.5	< 2	0.34	< 0.5	13	72	52	4.43	< 10	0.03	< 10	0.91	365	< 1	0.01
L25N 025E	221 238	3.35	< 0.2	< 5	25	< 0.5	< 2	0.32	< 0.5	14	73	52	4.41	< 10	0.02	< 10	0.86	361	< 1	0.01
L25N 050E	221 238	3.84	< 0.2	< 5	70	< 0.5	< 2	0.28	< 0.5	16	84	64	6.29	< 10	0.03	< 10	1.13	395	< 1	< 0.01
L25N 075E	221 238	1.38	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	5	93	11	3.95	< 10	0.02	< 10	0.37	122	< 1	< 0.01
L25N 100E	221 238	3.06	< 0.2	< 5	90	< 0.5	< 2	0.27	< 0.5	16	157	38	4.99	< 10	0.02	< 10	1.02	244	< 1	< 0.01
L25N 025W	221 238	3.55	< 0.2	< 5	60	< 0.5	< 2	0.44	< 0.5	22	81	94	4.40	< 10	0.05	< 10	1.32	764	< 1	0.01
L25N 050W	221 238	3.95	< 0.2	< 5	100	< 0.5	< 2	0.32	< 0.5	14	83	40	4.98	< 10	0.03	< 10	0.69	696	< 1	0.01
L25N 075W	221 238	3.61	< 0.2	< 5	110	< 0.5	< 2	0.33	< 0.5	19	66	48	3.95	< 10	0.04	< 10	0.62	833	< 1	0.01
L25N 100W	221 238	2.76	< 0.2	< 5	180	< 0.5	< 2	0.34	< 0.5	12	47	26	2.95	< 10	0.05	< 10	0.55	632	< 1	0.01
L25N 125W	221 238	2.37	< 0.2	< 5	80	< 0.5	< 2	0.33	< 0.5	9	46	22	2.53	< 10	0.03	< 10	0.59	433	< 1	< 0.01
L25N 150W	221 238	2.80	< 0.2	< 5	150	< 0.5	< 2	0.35	< 0.5	23	66	36	3.19	< 10	0.04	< 10	0.97	3070	< 1	0.01
L25N 175W	221 238	2.68	< 0.2	< 5	150	< 0.5	< 2	0.45	< 0.5	19	64	32	3.28	< 10	0.03	< 10	0.91	1170	< 1	0.01
L25N 200W	221 238	2.62	< 0.2	< 5	140	< 0.5	< 2	0.43	< 0.5	18	74	27	3.25	< 10	0.02	< 10	1.06	971	< 1	0.01
L25N 225W	221 238	2.90	< 0.2	< 5	140	< 0.5	< 2	0.47	< 0.5	20	87	34	3.72	< 10	0.04	< 10	1.21	622	< 1	0.01
L25N 250W	221 238	2.98	< 0.2	< 5	100	< 0.5	< 2	0.41	< 0.5	21	131	44	3.49	< 10	0.03	< 10	1.41	675	< 1	0.01

RECEIVED JAN 23 1987

CERTIFICATION :

Hart Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 964-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-B
Tot. Pages: 10
Date : 16-JAN-87
Invoice # : I-8622449
P.O. # : NONE

Project : HOLT V216A RACK Q
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
L24N 000	221 238	31	490	2	< 5	27	0.16	< 10	< 10	89	< 5	122							
L24N 025E	221 238	26	830	6	< 5	17	0.19	< 10	< 10	116	< 5	74							
L24N 050E	221 238	9	370	2	< 5	22	0.12	< 10	< 10	79	< 5	42							
L24N 075E	221 238	33	460	4	< 5	19	0.21	< 10	< 10	124	< 5	62							
L24N 100E	221 238	5	170	2	< 5	15	0.10	< 10	< 10	45	< 5	18							
L24N 025W	221 238	12	290	6	< 5	17	0.17	< 10	< 10	65	< 5	60							
L24N 050W	221 238	34	560	8	< 5	24	0.21	< 10	< 10	122	< 5	72							
L24N 075W	221 238	24	1150	10	< 5	18	0.17	< 10	< 10	122	< 5	86							
L24N 100W	221 238	20	490	12	< 5	20	0.13	< 10	< 10	94	< 5	58							
L24N 125W	221 238	18	710	6	< 5	22	0.16	< 10	< 10	81	< 5	74							
L24N 150W	221 238	22	1180	6	< 5	26	0.18	< 10	< 10	103	< 5	108							
L24N 175W	221 238	40	1840	12	< 5	22	0.16	< 10	< 10	104	< 5	174							
L24N 200W	221 238	21	340	4	< 5	25	0.13	< 10	< 10	72	< 5	80							
L24N 225W	221 238	27	200	4	< 5	35	0.21	< 10	< 10	85	< 5	78							
L24N 250W	221 238	22	190	4	< 5	35	0.21	< 10	< 10	81	< 5	50							
L24N 275W	221 238	42	130	2	< 5	27	0.20	< 10	< 10	101	< 5	62							
L24N 300W	221 238	34	130	2	< 5	26	0.15	< 10	< 10	106	< 5	46							
L24N 325W	221 238	20	150	2	< 5	32	0.22	< 10	< 10	116	< 5	42							
L24N 350W	221 238	61	560	< 2	< 5	48	0.23	< 10	< 10	138	< 5	64							
L24N 375W	221 238	34	150	2	< 5	31	0.19	< 10	< 10	104	< 5	46							
L24N 400W	221 238	34	130	< 2	< 5	56	0.22	< 10	< 10	111	< 5	50							
L24N 425W	221 238	18	130	< 2	< 5	42	0.18	< 10	< 10	91	< 5	30							
L24N 450W	221 238	46	250	< 2	< 5	40	0.22	< 10	< 10	127	< 5	60							
L24N 475W	221 238	30	370	2	< 5	32	0.22	< 10	< 10	114	< 5	66							
L24N 500W	221 238	37	320	4	< 5	39	0.24	< 10	< 10	121	< 5	60							
L25N 000	221 238	26	790	8	< 5	35	0.24	< 10	< 10	118	< 5	74							
L25N 025E	221 238	26	740	14	< 5	34	0.25	< 10	< 10	118	< 5	74							
L25N 050E	221 238	29	860	2	< 5	27	0.31	< 10	< 10	154	< 5	70							
L25N 075E	221 238	15	130	4	< 5	17	0.09	< 10	< 10	72	< 5	32							
L25N 100E	221 238	51	160	2	< 5	24	0.17	< 10	< 10	113	< 5	46							
L25N 025W	221 238	36	1200	14	< 5	39	0.26	< 10	< 10	120	< 5	72							
L25N 050W	221 238	25	890	10	< 5	30	0.26	< 10	< 10	115	< 5	110							
L25N 075W	221 238	23	710	10	< 5	38	0.25	< 10	< 10	101	< 5	132							
L25N 100W	221 238	18	590	10	< 5	39	0.18	< 10	< 10	83	< 5	102							
L25N 125W	221 238	15	220	2	< 5	37	0.17	< 10	< 10	80	< 5	48							
L25N 150W	221 238	26	870	6	< 5	33	0.14	< 10	< 10	97	< 5	106							
L25N 175W	221 238	24	570	4	< 5	52	0.21	< 10	< 10	99	< 5	98							
L25N 200W	221 238	32	310	2	< 5	42	0.20	< 10	< 10	94	< 5	76							
L25N 225W	221 238	38	620	2	< 5	44	0.21	< 10	< 10	102	< 5	114							
L25N 250W	221 238	60	420	< 2	< 5	38	0.20	< 10	< 10	116	< 5	84							

CERTIFICATION :

Hartl Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

211 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 2-A

Tot. Pages: 10

Date : 16-JAN-87

Invoice #: I-8622449

P.O. # : NONE


Project : HOLT V226A RACK Q

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L25N 279W	221 238	2.04	< 0.2	< 5	70	< 0.5	< 2	0.37	< 0.5	15	74	31	3.07	< 10	0.01	10	0.98	450	< 1	< 0.01
L25N 300W	221 238	2.49	< 0.2	< 5	140	< 0.5	< 2	0.39	< 0.5	20	93	42	3.22	< 10	0.02	10	1.23	1100	< 1	< 0.01
L25N 329W	221 238	2.73	< 0.2	< 5	100	< 0.5	< 2	0.28	< 0.5	19	75	50	3.90	< 10	0.02	10	1.16	392	< 1	< 0.01
L25N 350W	221 238	3.50	< 0.2	< 5	120	< 0.5	< 2	0.56	0.5	20	118	56	4.25	< 10	0.01	20	1.22	371	< 1	< 0.01
L25N 379W	221 238	2.37	< 0.2	< 5	100	< 0.5	< 2	0.51	< 0.5	16	69	28	3.57	< 10	0.01	10	0.83	466	< 1	< 0.01
L25N 400W	221 238	2.68	< 0.2	< 5	110	< 0.5	< 2	0.56	< 0.5	15	75	30	3.67	< 10	0.02	10	0.87	444	< 1	< 0.01
L25N 429W	221 238	2.75	< 0.2	< 5	120	< 0.5	< 2	0.67	< 0.5	18	81	38	3.42	< 10	0.02	10	1.25	451	< 1	< 0.01
L25N 450W	221 238	2.53	< 0.2	< 5	70	< 0.5	< 2	0.61	< 0.5	16	73	38	3.25	< 10	0.01	10	1.03	428	< 1	< 0.01
L25N 479W	221 238	2.56	< 0.2	< 5	90	< 0.5	< 2	0.71	< 0.5	16	76	34	3.23	< 10	0.02	10	1.06	654	< 1	< 0.01
L25N 500W	221 238	2.61	< 0.2	< 5	90	< 0.5	< 2	0.80	< 0.5	17	78	35	3.09	< 10	0.02	10	1.10	686	< 1	< 0.01
L26N 050E	221 238	1.47	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	4	92	14	3.49	< 10	0.02	< 10	0.35	124	< 1	< 0.01
L26N 075E	221 238	0.23	< 0.2	< 5	10	< 0.5	< 2	0.06	< 0.5	< 1	64	5	1.98	< 10	0.03	< 10	0.03	90	< 1	< 0.01
L26N 100E	221 238	2.81	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	11	108	50	4.34	< 10	0.02	< 10	0.76	273	< 1	< 0.01
L26N 000	221 238	2.76	< 0.2	< 5	50	< 0.5	< 2	0.16	< 0.5	12	54	37	4.07	< 10	0.02	< 10	0.73	369	< 1	< 0.01
L26N 029W	221 238	3.51	0.6	10	70	< 0.5	< 2	0.10	< 0.5	8	48	40	4.21	< 10	0.02	< 10	0.50	299	< 1	< 0.01
L26N 050W	221 238	3.00	< 0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	14	76	69	3.83	< 10	0.02	< 10	1.17	539	< 1	< 0.01
L26N 079W	221 238	2.98	< 0.2	< 5	50	< 0.5	< 2	0.14	< 0.5	12	68	48	3.76	< 10	0.01	< 10	0.90	556	< 1	< 0.01
L26N 100W	221 238	3.19	< 0.2	25	60	< 0.5	< 2	0.15	0.5	15	76	59	4.72	< 10	0.02	< 10	1.06	723	< 1	< 0.01
L26N 129W	221 238	2.30	< 0.2	< 5	70	< 0.5	< 2	0.16	0.5	14	59	36	3.27	< 10	0.02	< 10	0.91	411	< 1	< 0.01
L26N 150W	221 238	2.33	< 0.2	5	70	< 0.5	< 2	0.22	0.5	14	56	40	2.87	< 10	0.02	< 10	0.78	676	< 1	< 0.01
L26N 179W	221 238	2.00	< 0.2	< 5	70	< 0.5	< 2	0.22	0.5	13	52	29	3.06	< 10	0.02	< 10	0.56	446	< 1	< 0.01
L26N 200W	221 238	3.45	< 0.2	5	120	< 0.5	< 2	0.14	0.5	20	120	72	4.01	< 10	0.02	< 10	1.61	603	< 1	< 0.01
L26N 229W	221 238	3.87	< 0.2	5	120	< 0.5	< 2	0.18	0.5	21	124	79	4.29	< 10	0.03	10	1.66	451	< 1	< 0.01
L26N 250W	221 238	2.86	< 0.2	< 5	120	< 0.5	< 2	0.21	0.5	17	91	45	3.37	< 10	0.02	10	1.24	594	< 1	< 0.01
L26N 279W	221 238	2.93	< 0.2	< 5	140	< 0.5	< 2	0.24	0.5	17	91	47	3.35	< 10	0.02	10	1.28	863	< 1	< 0.01
L26N 300W	221 238	2.85	< 0.2	5	120	< 0.5	< 2	0.26	< 0.5	18	76	47	3.39	< 10	0.02	10	1.18	613	< 1	< 0.01
L26N 329W	221 238	2.11	< 0.2	15	80	< 0.5	< 2	0.31	< 0.5	18	57	18	3.29	< 10	0.01	10	0.89	518	< 1	< 0.01
L26N 350W	221 238	3.05	< 0.2	15	100	< 0.5	< 2	0.32	< 0.5	22	87	51	3.94	< 10	0.04	10	1.55	553	< 1	< 0.01
L26N 379W	221 238	3.02	< 0.2	5	100	< 0.5	< 2	0.27	< 0.5	22	85	49	3.97	< 10	0.04	10	1.51	570	< 1	< 0.01
L26N 400W	221 238	2.68	< 0.2	5	60	< 0.5	< 2	0.32	< 0.5	20	71	46	3.75	< 10	0.03	10	1.24	436	< 1	< 0.01
L26N 429W	221 238	3.36	< 0.2	15	70	< 0.5	< 2	0.39	< 0.5	25	88	59	4.36	< 10	0.03	10	1.45	519	< 1	< 0.01
L26N 450W	221 238	1.70	< 0.2	5	150	< 0.5	< 2	0.39	< 0.5	16	38	9	2.32	< 10	0.02	10	0.58	1675	< 1	< 0.01
L26N 479W	221 238	1.77	< 0.2	< 5	60	< 0.5	< 2	0.36	< 0.5	15	44	13	2.58	< 10	0.01	10	0.83	491	< 1	< 0.01
L26N 500W	221 238	1.01	< 0.2	25	90	< 0.5	< 2	0.36	< 0.5	21	75	51	4.07	< 10	0.04	10	1.48	601	< 1	< 0.01
L27N 000	221 238	2.84	< 0.2	20	50	< 0.5	< 2	0.24	< 0.5	15	54	37	3.87	< 10	0.02	10	0.77	586	< 1	< 0.01
L27N 025E	221 238	2.23	< 0.2	15	80	< 0.5	< 2	0.26	< 0.5	20	56	35	4.30	< 10	0.02	10	0.81	1875	< 1	< 0.01
L27N 050E	221 238	2.66	< 0.2	10	80	< 0.5	< 2	0.21	< 0.5	16	55	45	4.25	< 10	0.02	10	0.71	831	< 1	< 0.01
L27N 075E	221 238	1.11	< 0.2	5	20	< 0.5	< 2	0.14	< 0.5	3	20	5	2.31	< 10	0.01	< 10	0.19	104	< 1	< 0.01
L27N 100E	221 238	2.39	< 0.2	15	40	< 0.5	< 2	0.20	< 0.5	14	48	32	3.52	< 10	0.02	< 10	0.70	420	< 1	< 0.01
L27N 029W	221 238	2.78	< 0.2	10	80	< 0.5	< 2	0.44	< 0.5	19	72	26	4.26	< 10	0.02	10	1.33	399	< 1	< 0.01

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 111 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 954-0111

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-B
 Tot. Pages: 10
 Date : 16-JAN-87
 Invoice #: I-8622449
 P.O. #: NONE

Project: HOLT V216A RACK Q
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L25N 275W	221 238	28	160	2	< 5	30	0.12	< 10	< 10	115	< 5	56						
L25N 300W	221 238	35	240	2	< 5	25	0.10	< 10	< 10	110	< 5	66						
L25N 325W	221 238	31	180	2	< 5	25	0.20	< 10	< 10	119	< 5	72						
L25N 350W	221 238	35	270	2	< 5	27	0.21	< 10	< 10	144	< 5	66						
L25N 375W	221 238	23	160	2	< 5	28	0.20	< 10	< 10	120	< 5	46						
L25N 400W	221 238	25	180	4	< 5	28	0.20	< 10	< 10	121	< 5	50						
L25N 425W	221 238	32	100	2	< 5	32	0.23	< 10	< 10	112	< 5	54						
L25N 450W	221 238	28	120	2	< 5	33	0.21	< 10	< 10	102	< 5	56						
L25N 475W	221 238	31	240	2	< 5	30	0.19	< 10	< 10	97	< 5	60						
L25N 500W	221 238	32	220	8	< 5	37	0.20	< 10	< 10	95	< 5	62						
L26N 050E	221 238	14	200	2	< 5	14	0.14	< 10	< 10	58	< 5	34						
L26N 075E	221 238	2	190	4	< 5	4	0.07	< 10	< 10	24	< 5	32						
L26N 100E	221 238	30	540	< 2	< 5	11	0.16	< 10	< 10	83	< 5	70						
L26N 000	221 238	20	750	6	< 5	16	0.19	< 10	< 10	93	< 5	64						
L26N 025W	221 238	11	950	< 2	< 5	12	0.10	< 10	< 10	72	< 5	64						
L26N 050W	221 238	25	780	4	< 5	22	0.24	< 10	< 10	113	< 5	46						
L26N 075W	221 238	23	750	< 2	< 5	19	0.22	< 10	< 10	103	< 5	50						
L26N 100W	221 238	30	1160	4	< 5	17	0.21	< 10	< 10	113	< 5	74						
L26N 125W	221 238	23	390	< 2	< 5	17	0.19	< 10	< 10	90	< 5	48						
L26N 150W	221 238	22	250	2	< 5	27	0.19	< 10	< 10	84	< 5	56						
L26N 175W	221 238	20	340	4	< 5	24	0.16	< 10	< 10	82	< 5	70						
L26N 200W	221 238	43	390	< 2	< 5	20	0.18	< 10	< 10	112	< 5	54						
L26N 225W	221 238	45	360	2	< 5	24	0.22	< 10	< 10	125	< 5	58						
L26N 250W	221 238	34	300	< 2	< 5	27	0.17	< 10	< 10	96	< 5	56						
L26N 275W	221 238	34	300	< 2	< 5	25	0.17	< 10	< 10	93	< 5	48						
L26N 300W	221 238	29	330	2	< 5	26	0.20	< 10	< 10	95	< 5	52						
L26N 325W	221 238	25	310	2	< 5	28	0.20	< 10	< 10	91	< 5	58						
L26N 350W	221 238	41	410	2	< 5	26	0.20	< 10	< 10	112	< 5	60						
L26N 375W	221 238	41	430	2	< 5	21	0.17	< 10	< 10	108	< 5	60						
L26N 400W	221 238	35	330	4	< 5	32	0.18	< 10	< 10	113	< 5	60						
L26N 425W	221 238	43	360	2	< 5	40	0.23	< 10	< 10	130	< 5	74						
L26N 450W	221 238	20	470	6	< 5	29	0.18	< 10	< 10	70	< 5	80						
L26N 475W	221 238	21	140	< 2	< 5	32	0.18	< 10	< 10	80	< 5	58						
L26N 500W	221 238	38	340	4	< 5	34	0.24	< 10	< 10	119	< 5	62						
L27N 000	221 238	22	790	4	< 5	22	0.22	< 10	< 10	102	< 5	60						
L27N 025E	221 238	22	770	6	< 5	26	0.19	< 10	< 10	114	< 5	58						
L27N 050E	221 238	20	610	10	< 5	21	0.24	< 10	< 10	104	< 5	60						
L27N 075E	221 238	5	290	6	< 5	14	0.16	< 10	< 10	64	< 5	22						
L27N 100E	221 238	19	720	6	< 5	18	0.20	< 10	< 10	92	< 5	56						
L27N 025W	221 238	33	220	2	< 5	44	0.22	< 10	< 10	130	< 5	52						

CERTIFICATION : Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 934-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No. : 3-A
Tot. Pages: 10
Date : 16-JAN-87
Invoice #: I-8622449
P.O. #: NONE

Project : HOLT V226A RACK Q
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L27N 050V	221 238	1.84	< 0.2	15	50	< 0.5	< 2	0.24	< 0.5	15	52	28	2.97	< 10	0.02	< 10	1.02	507	< 1	< 0.01
L27N 075V	221 238	2.25	< 0.2	10	80	< 0.5	< 2	0.16	< 0.5	16	57	39	3.12	< 10	0.03	< 10	1.19	485	< 1	< 0.01
L27N 100V	221 238	2.28	< 0.2	5	80	< 0.5	< 2	0.18	< 0.5	17	58	40	3.40	< 10	0.03	< 10	1.23	501	< 1	< 0.01
L27N 125V	221 238	2.53	< 0.2	< 5	50	< 0.5	< 2	0.14	< 0.5	12	48	21	3.20	< 10	0.02	< 10	0.75	390	< 1	< 0.01
L27N 150V	221 238	3.72	< 0.2	10	80	< 0.5	< 2	0.10	< 0.5	17	84	70	4.64	< 10	0.02	< 10	1.31	406	< 1	< 0.01
L27N 175V	221 238	2.70	< 0.2	10	100	< 0.5	< 2	0.25	< 0.5	17	62	28	3.97	< 10	0.02	< 10	1.00	794	< 1	< 0.01
L27N 200V	221 238	2.54	< 0.2	15	90	< 0.5	< 2	0.24	< 0.5	16	59	25	3.91	< 10	0.02	< 10	0.96	719	< 1	< 0.01
L27N 225V	221 238	2.85	< 0.2	10	70	< 0.5	< 2	0.19	< 0.5	15	58	24	3.78	< 10	0.02	< 10	1.00	600	< 1	< 0.01
L27N 250V	221 238	2.70	< 0.2	15	110	< 0.5	< 2	0.18	< 0.5	17	63	35	3.80	< 10	0.03	< 10	1.09	1105	< 1	< 0.01
L27N 275V	221 238	2.64	< 0.2	20	80	< 0.5	< 2	0.26	< 0.5	15	60	21	3.74	< 10	0.02	< 10	1.09	579	< 1	< 0.01
L27N 300V	221 238	1.49	< 0.2	10	110	< 0.5	< 2	0.23	< 0.5	12	26	9	2.78	< 10	0.03	< 10	0.46	1215	< 1	< 0.01
L27N 325V	221 238	2.49	< 0.2	20	170	< 0.5	< 2	0.45	< 0.5	24	73	59	4.31	< 10	0.04	10	1.35	843	< 1	< 0.01
L27N 350V	221 238	1.66	< 0.2	< 5	80	< 0.5	< 2	0.18	< 0.5	12	41	15	2.66	< 10	0.01	< 10	0.77	755	< 1	< 0.01
L27N 375V	221 238	2.43	< 0.2	10	80	< 0.5	< 2	0.29	< 0.5	17	67	39	3.53	< 10	0.02	10	1.20	404	< 1	< 0.01
L27N 400V	221 238	2.14	< 0.2	10	50	< 0.5	< 2	0.27	< 0.5	15	54	24	3.10	< 10	0.01	< 10	0.93	388	< 1	< 0.01
L27N 425V	221 238	1.13	< 0.2	< 5	60	< 0.5	< 2	0.33	< 0.5	9	29	5	1.90	< 10	0.02	< 10	0.61	347	< 1	< 0.01
L27N 450V	221 238	2.28	< 0.2	5	60	< 0.5	< 2	0.15	< 0.5	14	57	25	3.37	< 10	0.02	< 10	1.03	304	< 1	< 0.01
L27N 475V	221 238	1.72	< 0.2	5	60	< 0.5	< 2	0.19	< 0.5	12	44	21	2.77	< 10	0.02	< 10	0.81	513	< 1	< 0.01
L27N 500V	221 238	1.66	< 0.2	10	1490	< 0.5	< 2	0.18	< 0.5	12	42	20	2.54	< 10	0.02	< 10	0.75	479	< 1	< 0.01
L28N 000	221 238	4.48	< 0.2	25	100	< 0.5	< 2	0.08	< 0.5	14	47	60	4.71	< 10	0.03	< 10	0.60	936	< 1	< 0.01
L28N 025E	221 238	1.66	< 0.2	10	40	< 0.5	< 2	0.08	< 0.5	7	28	17	3.26	< 10	0.01	< 10	0.43	1490	< 1	< 0.01
L28N 050E	221 238	1.31	< 0.2	5	30	< 0.5	< 2	0.10	< 0.5	6	27	8	2.72	< 10	0.01	< 10	0.35	231	< 1	< 0.01
L28N 075E	221 238	1.48	< 0.2	5	40	< 0.5	< 2	0.12	< 0.5	8	28	8	2.35	< 10	0.01	< 10	0.38	418	< 1	< 0.01
L28N 100E	221 238	1.07	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	5	23	5	2.41	< 10	0.01	< 10	0.26	439	< 1	< 0.01
L28N 025V	221 238	3.03	< 0.2	20	80	< 0.5	< 2	0.16	< 0.5	18	55	66	4.27	< 10	0.02	< 10	1.08	1035	< 1	< 0.01
L28N 050V	221 238	1.29	< 0.2	10	70	< 0.5	< 2	0.21	< 0.5	11	20	6	2.27	< 10	0.02	< 10	0.37	1715	< 1	< 0.01
L28N 075V	221 238	0.92	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	5	25	6	2.46	< 10	< 0.01	< 10	0.34	213	< 1	< 0.01
L28N 100V	221 238	1.87	< 0.2	10	120	< 0.5	< 2	0.23	< 0.5	15	46	14	3.47	< 10	0.02	< 10	0.81	2490	< 1	< 0.01
L28N 125V	221 238	1.16	< 0.2	5	70	< 0.5	< 2	0.26	< 0.5	10	29	4	2.40	< 10	0.02	< 10	0.49	606	< 1	< 0.01
L28N 150V	221 238	3.07	< 0.2	25	100	< 0.5	< 2	0.18	< 0.5	18	73	24	4.89	< 10	0.03	< 10	1.27	493	< 1	< 0.01
L28N 175V	221 238	2.12	< 0.2	10	110	< 0.5	< 2	0.38	< 0.5	23	50	12	3.71	< 10	0.02	10	0.95	3870	< 1	< 0.01
L28N 200V	221 238	2.11	< 0.2	10	50	< 0.5	< 2	0.23	< 0.5	15	51	18	3.58	< 10	0.01	< 10	0.92	395	< 1	< 0.01
L28N 225V	221 238	2.56	< 0.2	10	70	< 0.5	< 2	0.42	< 0.5	18	59	28	3.34	< 10	0.02	10	1.16	424	< 1	< 0.01
L28N 250V	221 238	2.75	< 0.2	15	80	< 0.5	< 2	0.48	< 0.5	17	64	28	3.63	< 10	0.02	10	1.20	457	< 1	< 0.01
L28N 275V	221 238	2.77	< 0.2	10	60	< 0.5	< 2	0.32	< 0.5	16	59	30	4.37	< 10	0.02	< 10	1.08	472	< 1	< 0.01
L28N 300V	221 238	2.62	< 0.2	15	120	< 0.5	< 2	0.64	< 0.5	18	62	40	3.51	< 10	0.02	10	1.14	1040	< 1	< 0.01
L28N 325V	221 238	3.14	< 0.2	10	90	< 0.5	< 2	0.30	< 0.5	22	67	35	4.20	< 10	0.02	10	0.97	664	< 1	< 0.01
L28N 350V	221 238	3.71	< 0.2	15	90	< 0.5	< 2	0.24	< 0.5	22	85	66	4.65	10	0.02	10	1.52	485	< 1	< 0.01
L28N 375V	221 238	3.09	< 0.2	10	110	< 0.5	< 2	0.33	< 0.5	19	66	38	3.90	< 10	0.02	10	1.22	610	< 1	< 0.01
L28N 400V	221 238	2.66	< 0.2	5	110	< 0.5	< 2	0.37	< 0.5	19	56	25	3.70	10	0.02	10	0.78	959	< 1	< 0.01

CERTIFICATION :

Paul Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 3-B
 Tot. Pages: 10
 Date : 16-JAN-87
 Invoice # : I-8622449
 P.O. # : NONE

Project : HOLT V216A RACK Q
 Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
L27N 050W	221 238	28	330	2	< 5	16	0.13	< 10	< 10	78	< 5	52							
L27N 079W	221 238	28	280	4	< 5	14	0.14	< 10	< 10	87	< 5	48							
L27N 100W	221 238	28	280	4	< 5	15	0.15	< 10	< 10	89	< 5	48							
L27N 129W	221 238	22	900	4	< 5	11	0.17	< 10	< 10	76	< 5	62							
L27N 150W	221 238	41	520	2	< 5	11	0.19	< 10	< 10	126	< 5	62							
L27N 179W	221 238	29	890	10	< 5	17	0.21	< 10	< 10	91	< 5	82							
L27N 200W	221 238	29	890	8	< 5	17	0.20	< 10	< 10	90	< 5	76							
L27N 229W	221 238	29	640	6	< 5	13	0.19	< 10	< 10	91	< 5	64							
L27N 250W	221 238	27	590	8	< 5	14	0.16	< 10	< 10	94	< 5	72							
L27N 279W	221 238	27	360	4	< 5	22	0.19	< 10	< 10	103	< 5	64							
L27N 300W	221 238	9	250	6	< 5	13	0.06	< 10	< 10	57	< 5	44							
L27N 329W	221 238	35	450	4	< 5	19	0.12	< 10	< 10	103	< 5	64							
L27N 350W	221 238	20	210	6	< 5	13	0.11	< 10	< 10	69	< 5	56							
L27N 379W	221 238	32	170	4	< 5	17	0.12	< 10	< 10	93	< 5	48							
L27N 400W	221 238	25	170	2	< 5	16	0.13	< 10	< 10	84	< 5	46							
L27N 429W	221 238	13	180	4	< 5	16	0.11	< 10	< 10	52	< 5	34							
L27N 450W	221 238	25	240	112	< 5	14	0.16	< 10	< 10	89	< 5	40							
L27N 479W	221 238	21	280	4	< 5	13	0.12	< 10	< 10	74	< 5	44							
L27N 500W	221 238	19	300	68	< 5	13	0.11	< 10	< 10	67	< 5	38							
L28N 000	221 238	19	2180	10	< 5	7	0.09	< 10	< 10	74	< 5	64							
L28N 025E	221 238	10	700	6	< 5	6	0.11	< 10	< 10	65	< 5	38							
L28N 050E	221 238	8	730	4	< 5	7	0.13	< 10	< 10	61	< 5	32							
L28N 075E	221 238	8	310	8	< 5	9	0.13	< 10	< 10	53	< 5	38							
L28N 100E	221 238	7	760	6	< 5	8	0.14	< 10	< 10	56	< 5	30							
L28N 029W	221 238	26	1100	6	< 5	10	0.19	< 10	< 10	104	< 5	60							
L28N 050W	221 238	8	480	8	< 5	9	0.17	< 10	< 10	54	< 5	50							
L28N 079W	221 238	8	450	4	< 5	7	0.17	< 10	< 10	62	< 5	30							
L28N 100W	221 238	26	1020	14	< 5	8	0.23	< 10	< 10	70	< 5	78							
L28N 129W	221 238	12	280	8	< 5	9	0.14	< 10	< 10	59	< 5	38							
L28N 150W	221 238	34	550	8	< 5	10	0.14	< 10	< 10	99	< 5	84							
L28N 179W	221 238	26	510	8	< 5	15	0.20	< 10	< 10	86	< 5	78							
L28N 200W	221 238	22	180	4	< 5	19	0.20	< 10	< 10	98	< 5	48							
L28N 229W	221 238	31	160	< 2	< 5	21	0.19	< 10	< 10	93	< 5	56							
L28N 250W	221 238	32	240	6	< 5	24	0.20	< 10	< 10	102	< 5	56							
L28N 279W	221 238	28	550	4	< 5	21	0.20	< 10	< 10	113	< 5	76							
L28N 300W	221 238	31	440	6	< 5	27	0.20	< 10	< 10	98	< 5	74							
L28N 329W	221 238	38	710	6	< 5	18	0.23	< 10	< 10	95	< 5	192							
L28N 350W	221 238	41	360	4	< 5	21	0.22	< 10	< 10	127	< 5	72							
L28N 379W	221 238	33	440	4	< 5	21	0.20	< 10	< 10	105	< 5	72							
L28N 400W	221 238	26	440	4	< 5	28	0.22	< 10	< 10	105	< 5	96							

CERTIFICATION :

Hart Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 4-A

Tot. Pages: 10

Date : 16-JAN-87

Invoice # : I-8622449

P.O. # : NONE

Project : HOLT V126A RACK Q

Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L28N 42SW	221 238	4.89	< 0.2	10	260	0.5	< 2	0.57	0.5	26	94	73	5.00	< 10	0.03	20	1.30	1430	< 1	< 0.01
L28N 450W	221 238	3.46	< 0.2	5	160	< 0.5	< 2	0.49	< 0.5	21	74	41	4.24	< 10	0.03	10	1.27	1565	< 1	< 0.01
L28N 47SW	221 238	2.68	< 0.2	5	70	< 0.5	< 2	0.30	< 0.5	17	64	38	3.49	< 10	0.02	< 10	1.27	413	< 1	< 0.01
L28N 500W	221 238	1.65	< 0.2	< 5	60	< 0.5	< 2	0.32	< 0.5	10	37	13	2.54	< 10	0.01	< 10	0.58	279	< 1	< 0.01
L29N 000	221 238	1.48	< 0.2	5	80	< 0.5	< 2	0.38	< 0.5	15	40	15	2.51	< 10	0.02	10	0.63	1165	< 1	< 0.01
L29N 025E	221 238	2.36	< 0.2	5	50	< 0.5	< 2	0.37	< 0.5	16	63	25	3.59	< 10	0.02	10	1.18	542	< 1	< 0.01
L29N 050E	221 238	1.03	< 0.4	< 5	20	< 0.5	< 2	0.22	< 0.5	5	21	11	1.79	< 10	< 0.01	< 10	0.34	156	< 1	< 0.01
L29N 075E	221 238	2.75	< 0.2	10	80	< 0.5	< 2	0.28	< 0.5	16	50	49	3.85	< 10	0.06	10	0.98	1100	< 1	< 0.01
L29N 100E	221 238	3.28	< 0.2	5	80	< 0.5	< 2	0.23	< 0.5	17	50	65	4.37	< 10	0.04	10	0.86	845	< 1	< 0.01
L29N 02SW	221 238	4.10	< 0.2	15	100	< 0.5	< 2	0.39	< 0.5	24	91	71	5.01	< 10	0.04	10	1.36	552	< 1	< 0.01
L29N 050W	221 238	3.08	< 0.2	10	70	< 0.5	< 2	0.21	< 0.5	17	64	49	4.20	< 10	0.03	< 10	0.95	384	< 1	< 0.01
L29N 075W	221 238	2.63	< 0.2	5	60	< 0.5	< 2	0.26	< 0.5	19	65	43	3.73	< 10	0.02	< 10	1.15	399	< 1	< 0.01
L29N 100W	221 238	1.00	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	7	28	9	2.26	< 10	0.01	< 10	0.44	375	< 1	< 0.01
L29N 125W	221 238	2.73	< 0.2	5	130	< 0.5	< 2	0.26	0.5	20	68	41	4.07	< 10	0.03	< 10	1.05	801	< 1	< 0.01
L29N 150W	221 238	1.82	< 0.2	5	40	< 0.5	< 2	0.22	< 0.5	10	47	20	3.13	< 10	0.01	< 10	0.78	254	< 1	< 0.01
L29N 175W	221 238	3.13	< 0.2	10	150	< 0.5	< 2	0.53	< 0.5	22	79	58	4.47	< 10	0.05	10	1.46	617	< 1	< 0.01
L29N 200W	221 238	2.35	< 0.2	< 5	50	< 0.5	< 2	0.31	< 0.5	14	55	35	3.59	< 10	0.02	< 10	1.05	350	< 1	< 0.01
L29N 225W	221 238	2.68	< 0.2	15	80	< 0.5	< 2	0.43	< 0.5	20	64	43	3.46	< 10	0.02	10	1.31	448	< 1	< 0.01
L29N 250W	221 238	3.03	< 0.2	10	90	< 0.5	< 2	0.25	< 0.5	17	68	38	4.21	< 10	0.02	< 10	1.01	539	< 1	< 0.01
L29N 275W	221 238	2.19	< 0.2	10	120	< 0.5	< 2	0.49	< 0.5	18	51	19	3.62	< 10	0.04	10	0.87	1340	< 1	< 0.01
L29N 300W	221 238	1.59	< 0.2	5	150	< 0.5	< 2	0.19	< 0.5	13	15	18	2.78	< 10	0.03	< 10	0.33	1280	< 1	< 0.01
L29N 325W	221 238	1.45	< 0.2	< 5	100	< 0.5	< 2	0.51	< 0.5	11	36	15	2.68	< 10	0.02	10	0.53	514	< 1	< 0.01
L29N 350W	221 238	2.86	< 0.2	< 5	80	< 0.5	< 2	0.23	0.5	16	64	35	4.36	< 10	0.01	< 10	0.98	366	< 1	< 0.01
L29N 375W	221 238	2.85	< 0.2	10	100	< 0.5	< 2	0.30	< 0.5	14	62	37	4.05	< 10	0.02	< 10	0.98	652	< 1	< 0.01
L29N 400W	221 238	3.20	< 0.2	5	90	< 0.5	< 2	0.34	< 0.5	21	60	37	4.06	< 10	0.02	10	0.96	653	< 1	< 0.01
L29N 425W	221 238	2.03	< 0.2	< 5	60	< 0.5	< 2	0.30	< 0.5	14	48	26	3.48	< 10	0.02	< 10	0.87	693	< 1	< 0.01
L29N 450W	221 238	1.34	< 0.2	< 5	50	< 0.5	< 2	0.26	< 0.5	8	32	12	2.19	< 10	0.01	< 10	0.52	392	< 1	< 0.01
L29N 475W	221 238	3.16	< 0.2	10	80	< 0.5	< 2	0.22	< 0.5	15	65	47	3.70	< 10	0.03	< 10	1.14	717	< 1	< 0.01
L29N 500W	221 238	2.02	< 0.2	< 5	130	< 0.5	< 2	0.30	< 0.5	27	34	20	3.65	< 10	0.02	10	0.7	3430	< 1	< 0.01
L30N 000	221 238	2.45	< 0.2	5	60	< 0.5	< 2	0.39	< 0.5	16	50	36	2.92	< 10	0.03	10	0.85	649	< 1	< 0.01
L30N 025E	221 238	3.42	< 0.2	10	150	< 0.5	< 2	0.13	< 0.5	17	64	51	3.75	< 10	0.02	< 10	0.80	638	< 1	< 0.01
L30N 050E	221 238	2.28	< 0.2	< 5	150	< 0.5	< 2	0.14	< 0.5	13	46	32	3.07	< 10	0.01	< 10	0.69	499	< 1	< 0.01
L30N 075E	221 238	2.55	< 0.2	10	110	< 0.5	< 2	0.24	< 0.5	21	61	54	3.65	< 10	0.02	< 10	1.33	744	< 1	< 0.01
L30N 100E	221 238	2.88	< 0.2	15	130	< 0.5	< 2	0.28	< 0.5	22	69	61	4.01	< 10	0.02	10	1.47	817	< 1	< 0.01
L30N 025W	221 238	2.20	< 0.2	5	80	< 0.5	< 2	0.26	< 0.5	15	59	38	3.42	< 10	0.02	< 10	0.90	567	< 1	< 0.01
L30N 075W	221 238	2.81	< 0.2	5	40	< 0.5	< 2	0.18	< 0.5	16	72	49	4.88	< 10	0.02	< 10	1.03	299	< 1	< 0.01
L30N 100W	221 238	2.17	< 0.2	< 5	80	< 0.5	< 2	0.23	< 0.5	15	59	40	3.55	< 10	0.02	< 10	0.94	688	< 1	< 0.01
L30N 125W	221 238	2.80	< 0.2	10	80	< 0.5	< 2	0.23	< 0.5	16	67	57	3.81	< 10	0.02	< 10	1.08	405	< 1	< 0.01
L30N 150W	221 238	4.48	< 0.2	20	150	< 0.5	< 2	0.36	< 0.5	29	100	81	5.20	< 10	0.04	20	1.22	1575	< 1	< 0.01
L30N 175W	221 238	3.37	< 0.2	20	50	< 0.5	< 2	0.26	< 0.5	18	84	56	5.46	< 10	0.02	10	1.17	339	< 1	< 0.01

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 2T7

Page No. : 4-B
 Tot. Pages: 10
 Date : 16-JAN-87
 Invoice #: I-8622449
 T.O. : NONE

Project : HOLT V216A RACK Q
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L28N 42SW	221 238	44	530	8	< 5	25	0.21	< 10	< 10	146	< 5	70						
L28N 450V	221 238	37	390	6	< 5	25	0.22	< 10	< 10	113	< 5	76						
L28N 47SW	221 238	32	260	2	< 5	27	0.20	< 10	< 10	100	< 5	58						
L28N 500V	221 238	15	230	2	< 5	28	0.18	< 10	< 10	79	< 5	46						
L29N 000	221 238	15	330	6	< 5	28	0.18	< 10	< 10	79	< 5	52						
L29N 025E	221 238	28	240	4	< 5	36	0.18	< 10	< 10	108	< 5	52						
L29N 050E	221 238	8	330	4	< 5	21	0.12	< 10	< 10	55	< 5	24						
L29N 075E	221 238	23	930	8	< 5	24	0.17	< 10	< 10	96	< 5	64						
L29N 100E	221 238	22	1140	8	< 5	22	0.14	< 10	< 10	104	< 5	78						
L29N 025W	221 238	43	880	8	< 5	34	0.27	< 10	< 10	134	< 5	96						
L29N 050V	221 238	28	680	6	< 5	20	0.21	< 10	< 10	112	< 5	72						
L29N 075W	221 238	31	270	4	< 5	20	0.20	< 10	< 10	106	< 5	56						
L29N 100V	221 238	10	210	4	< 5	18	0.15	< 10	< 10	76	< 5	32						
L29N 125W	221 238	27	420	8	< 5	20	0.18	< 10	< 10	104	< 5	78						
L29N 150V	221 238	18	150	6	< 5	21	0.15	< 10	< 10	95	< 5	38						
L29N 175W	221 238	39	380	8	< 5	34	0.21	< 10	< 10	120	< 5	62						
L29N 200V	221 238	24	200	6	< 5	27	0.18	< 10	< 10	106	< 5	48						
L29N 225W	221 238	32	210	4	< 5	30	0.22	< 10	< 10	105	< 5	54						
L29N 250V	221 238	30	350	8	< 5	26	0.18	< 10	< 10	117	< 5	56						
L29N 275W	221 238	17	730	8	< 5	37	0.21	< 10	< 10	108	< 5	94						
L29N 300V	221 238	5	730	18	< 5	8	0.03	< 10	< 10	35	< 5	82						
L29N 325W	221 238	15	260	10	< 5	19	0.14	< 10	< 10	75	< 5	48						
L29N 350V	221 238	26	380	8	< 5	18	0.20	< 10	< 10	117	< 5	62						
L29N 375W	221 238	28	480	8	< 5	20	0.20	< 10	< 10	108	< 5	66						
L29N 400V	221 238	28	480	10	< 5	18	0.20	< 10	< 10	101	< 5	78						
L29N 425W	221 238	20	620	4	< 5	24	0.20	< 10	< 10	103	< 5	54						
L29N 450V	221 238	12	390	4	< 5	24	0.16	< 10	< 10	68	< 5	38						
L29N 475W	221 238	28	950	6	< 5	21	0.19	< 10	< 10	102	< 5	64						
L29N 500V	221 238	15	950	6	< 5	25	0.20	< 10	< 10	95	< 5	112						
L30N 000	221 238	21	240	4	< 5	35	0.22	< 10	< 10	91	< 5	42						
L30N 025E	221 238	30	690	4	< 5	11	0.16	< 10	< 10	86	< 5	72						
L30N 050E	221 238	20	660	6	< 5	14	0.16	< 10	< 10	74	< 5	54						
L30N 075E	221 238	30	330	2	< 5	19	0.17	< 10	< 10	99	< 5	44						
L30N 100E	221 238	35	370	6	< 5	22	0.20	< 10	< 10	110	< 5	54						
L30N 025W	221 238	23	540	4	< 5	18	0.19	< 10	< 10	94	< 5	56						
L30N 075W	221 238	28	350	6	< 5	18	0.28	< 10	< 10	151	< 5	38						
L30N 100V	221 238	24	320	4	< 5	18	0.17	< 10	< 10	100	< 5	44						
L30N 125W	221 238	29	530	4	< 5	17	0.18	< 10	< 10	101	< 5	56						
L30N 150V	221 238	43	530	8	< 5	22	0.19	< 10	< 10	144	< 5	58						
L30N 175W	221 238	32	390	4	< 5	27	0.34	< 10	< 10	174	< 5	42						

CERTIFICATION : Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

TO: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 5-A
 Tot. Pages: 10
 Date : 16-JAN-87
 Invoice # : 1-8622449
 P.O. # : NONE

Project : HOLT V216A RACK Q
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L30N 200W	221 238	2.60	< 0.2	5	70	< 0.5	< 2	0.44	< 0.5	17	69	57	3.51	< 10	0.05	10	1.20	467	< 1	0.01
L30N 225W	221 238	2.26	< 0.2	15	90	< 0.5	< 2	0.53	< 0.5	18	65	60	3.35	< 10	0.06	10	1.27	713	< 1	0.01
L30N 250W	221 238	2.56	< 0.2	5	80	< 0.5	< 2	0.49	< 0.5	20	66	63	3.78	< 10	0.06	10	1.31	760	< 1	0.01
L30N 275W	221 238	2.83	< 0.2	10	80	< 0.5	< 2	0.50	< 0.5	19	73	60	3.78	< 10	0.05	10	1.26	504	< 1	0.01
L30N 300W	221 238	3.17	< 0.2	15	80	< 0.5	< 2	0.46	< 0.5	20	80	62	4.04	< 10	0.05	10	1.25	547	< 1	0.01
L30N 325W	221 238	2.87	< 0.2	10	110	< 0.5	< 2	0.81	< 0.5	24	96	93	4.49	< 10	0.09	10	1.68	807	< 1	0.02
L30N 350W	221 238	2.93	< 0.2	5	110	< 0.5	< 2	0.82	< 0.5	25	97	96	4.63	< 10	0.09	10	1.67	849	< 1	0.01
L30N 375W	221 238	2.79	< 0.2	< 5	110	< 0.5	< 2	0.71	< 0.5	28	90	69	4.59	< 10	0.07	10	1.72	1080	< 1	0.01
L30N 400W	221 238	2.47	< 0.2	< 5	60	< 0.5	< 2	0.34	< 0.5	16	53	35	3.15	< 10	0.02	10	0.91	646	< 1	0.01
L30N 425W	221 238	2.65	< 0.2	5	60	< 0.5	< 2	0.31	< 0.5	15	60	35	3.60	< 10	0.02	< 10	1.00	411	< 1	0.01
L30N 450W	221 238	2.80	< 0.2	< 5	70	< 0.5	< 2	0.57	< 0.5	18	61	38	3.48	< 10	0.03	10	1.12	526	< 1	0.01
L30N 475W	221 238	3.04	< 0.2	5	80	< 0.5	< 2	0.55	< 0.5	19	67	47	3.68	< 10	0.03	10	1.28	584	< 1	0.01
L30N 500W	221 238	2.77	< 0.2	5	70	< 0.5	< 2	0.45	< 0.5	15	59	34	3.66	< 10	0.03	10	1.01	455	< 1	0.01
L31N 000	221 238	2.40	< 0.2	5	60	< 0.5	< 2	0.41	< 0.5	15	54	25	3.34	< 10	0.02	10	0.91	398	< 1	0.01
L31N 025E	221 238	1.71	< 0.2	< 5	70	< 0.5	< 2	0.47	< 0.5	10	40	12	2.72	< 10	0.01	10	0.50	315	< 1	< 0.01
L31N 050E	221 238	1.72	< 0.2	< 5	70	< 0.5	< 2	0.42	< 0.5	11	39	14	2.72	< 10	0.01	< 10	0.52	319	< 1	< 0.01
L31N 075E	221 238	3.08	< 0.2	< 5	70	< 0.5	< 2	0.35	< 0.5	20	72	58	3.98	< 10	0.03	< 10	1.30	523	< 1	0.01
L31N 100E	221 238	2.34	< 0.2	5	80	< 0.5	< 2	0.31	< 0.5	14	50	36	3.43	< 10	0.01	< 10	0.90	613	< 1	0.01
L31N 025W	221 238	1.89	< 0.2	< 5	40	< 0.5	< 2	0.23	< 0.5	11	44	20	3.10	< 10	0.01	< 10	0.70	267	< 1	< 0.01
L31N 050W	221 238	2.51	< 0.2	< 5	70	< 0.5	< 2	0.51	< 0.5	17	60	27	3.91	< 10	0.02	10	0.89	395	< 1	< 0.01
L31N 075W	221 238	2.30	< 0.2	5	70	< 0.5	< 2	0.41	< 0.5	13	56	29	4.19	< 10	0.01	10	0.77	334	< 1	0.01
L31N 100W	221 238	2.67	< 0.2	10	80	< 0.5	< 2	0.54	< 0.5	20	63	57	3.78	< 10	0.04	10	1.19	713	< 1	0.01
L31N 125W	221 238	1.91	< 0.2	< 5	70	< 0.5	< 2	0.41	< 0.5	12	47	25	3.31	< 10	0.02	10	0.68	306	< 1	0.01
L31N 150W	221 238	2.68	< 0.2	5	80	< 0.5	< 2	0.58	< 0.5	19	64	57	3.80	< 10	0.04	10	1.21	709	< 1	0.01
L31N 175W	221 238	2.47	< 0.2	5	60	< 0.5	< 2	0.40	< 0.5	16	58	49	3.53	< 10	0.02	10	1.04	377	< 1	0.01
L31N 200W	221 238	1.36	< 0.2	< 5	80	< 0.5	< 2	0.38	< 0.5	8	36	16	2.67	< 10	0.01	< 10	0.53	254	< 1	< 0.01
L31N 225W	221 238	1.60	< 0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	11	44	19	3.11	< 10	0.01	< 10	0.67	287	< 1	< 0.01
L31N 275W	221 238	2.38	< 0.2	< 5	50	< 0.5	< 2	0.36	< 0.5	14	61	31	4.14	< 10	0.02	< 10	0.91	294	< 1	< 0.01
L31N 300W	221 238	2.25	< 0.2	< 5	60	< 0.5	< 2	0.32	< 0.5	12	54	27	3.87	< 10	0.01	< 10	0.83	270	< 1	< 0.01
L31N 325W	221 238	2.55	< 0.2	< 5	60	< 0.5	< 2	0.33	< 0.5	17	62	40	3.91	< 10	0.01	< 10	1.16	390	< 1	< 0.01
L31N 350W	221 238	2.98	< 0.2	5	70	< 0.5	< 2	0.50	< 0.5	19	70	43	4.27	< 10	0.02	10	1.27	440	< 1	0.01
L31N 375W	221 238	2.49	< 0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	14	58	29	3.79	< 10	0.03	10	0.73	367	< 1	0.01
L31N 400W	221 238	4.60	< 0.2	5	50	< 0.5	< 2	0.42	< 0.5	23	106	102	5.38	< 10	0.05	10	1.71	597	< 1	0.01
L31N 425W	221 238	3.99	< 0.2	5	110	< 0.5	< 2	0.51	< 0.5	24	86	71	5.14	< 10	0.04	10	1.37	1070	< 1	0.01
L31N 450W	221 238	3.98	< 0.2	10	110	< 0.5	< 2	0.52	< 0.5	23	85	72	5.09	< 10	0.04	10	1.35	1025	< 1	0.01
L31N 475W	221 238	2.80	< 0.2	< 5	60	< 0.5	< 2	0.45	< 0.5	19	68	43	3.37	< 10	0.02	10	0.98	625	< 1	0.01
L31N 500W	221 238	2.88	< 0.2	< 5	70	< 0.5	< 2	0.39	< 0.5	19	71	48	3.50	< 10	0.02	10	1.07	565	< 1	0.01
L32N 000	221 238	2.53	< 0.2	10	60	< 0.5	< 2	0.34	< 0.5	15	63	48	3.75	< 10	0.02	10	0.97	345	< 1	< 0.01
L32N 025E	221 238	2.33	< 0.2	5	70	< 0.5	< 2	0.29	< 0.5	14	63	45	3.75	< 10	0.02	< 10	0.94	338	< 1	< 0.01
L32N 050E	221 238	3.01	< 0.2	5	50	< 0.5	< 2	0.26	< 0.5	16	73	51	4.36	< 10	0.01	< 10	1.24	406	< 1	< 0.01

CERTIFICATION : *Hart Bacher*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 5-B

Tot. Pages: 10

Date : 16-JAN-87

Invoice # : I-8622449

P.O. # : NONE


Project : HOLT V126A RACK Q

Comments: ATTN: P ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L30N 200W	221 238	31	420	4	< 5	37	0.25	< 10	< 10	112	< 5	46						
L30N 225W	221 238	29	440	6	< 5	36	0.23	< 10	< 10	105	< 5	44						
L30N 250W	221 238	31	500	6	< 5	38	0.25	< 10	< 10	114	< 5	54						
L30N 275W	221 238	33	440	4	< 5	42	0.27	< 10	< 10	121	< 5	46						
L30N 300W	221 238	36	570	6	< 5	43	0.27	< 10	< 10	127	< 5	66						
L30N 325W	221 238	43	660	2	< 5	54	0.26	< 10	< 10	138	< 5	64						
L30N 350W	221 238	48	660	4	< 5	53	0.26	< 10	< 10	137	< 5	66						
L30N 375W	221 238	42	630	8	< 5	41	0.26	< 10	< 10	133	< 5	64						
L30N 400W	221 238	25	250	4	< 5	29	0.21	< 10	< 10	93	< 5	44						
L30N 425W	221 238	28	300	6	< 5	25	0.22	< 10	< 10	104	< 5	46						
L30N 450W	221 238	29	270	4	< 5	44	0.25	< 10	< 10	112	< 5	60						
L30N 475W	221 238	34	340	8	< 5	41	0.24	< 10	< 10	114	< 5	52						
L30N 500W	221 238	26	300	6	< 5	40	0.25	< 10	< 10	116	< 5	50						
L31N 000	221 238	24	180	8	< 5	40	0.21	< 10	< 10	115	< 5	34						
L31N 025E	221 238	13	200	4	< 5	39	0.22	< 10	< 10	90	< 5	42						
L31N 050E	221 238	15	200	4	< 5	34	0.21	< 10	< 10	88	< 5	44						
L31N 075E	221 238	36	630	6	< 5	37	0.30	< 10	< 10	122	< 5	50						
L31N 100E	221 238	21	690	6	< 5	28	0.23	< 10	< 10	97	< 5	58						
L31N 025W	221 238	20	190	4	< 5	22	0.17	< 10	< 10	99	< 5	28						
L31N 050W	221 238	27	260	8	< 5	30	0.23	< 10	< 10	126	< 5	48						
L31N 075W	221 238	20	320	6	< 5	41	0.30	< 10	< 10	137	< 5	42						
L31N 100W	221 238	29	510	10	< 5	36	0.27	< 10	< 10	115	< 5	50						
L31N 125W	221 238	19	310	2	< 5	33	0.24	< 10	< 10	98	< 5	66						
L31N 150W	221 238	30	490	6	< 5	39	0.28	< 10	< 10	116	< 5	54						
L31N 175W	221 238	27	340	4	< 5	36	0.28	< 10	< 10	110	< 5	44						
L31N 200W	221 238	14	240	6	< 5	34	0.20	< 10	< 10	94	< 5	46						
L31N 225W	221 238	17	240	4	< 5	30	0.21	< 10	< 10	103	< 5	42						
L31N 275W	221 238	23	230	4	< 5	27	0.27	< 10	< 10	130	< 5	38						
L31N 300W	221 238	21	190	4	< 5	24	0.24	< 10	< 10	121	< 5	34						
L31N 325W	221 238	28	210	2	< 5	23	0.26	< 10	< 10	121	< 5	48						
L31N 350W	221 238	31	230	4	< 5	40	0.32	< 10	< 10	140	< 5	52						
L31N 375W	221 238	22	310	2	< 5	38	0.26	< 10	< 10	119	< 5	44						
L31N 400W	221 238	46	750	10	< 5	41	0.30	< 10	< 10	168	< 5	70						
L31N 425W	221 238	39	980	10	< 5	43	0.28	< 10	< 10	147	< 5	84						
L31N 450W	221 238	39	970	10	< 5	45	0.28	< 10	< 10	146	< 5	82						
L31N 475W	221 238	28	290	6	< 5	44	0.25	< 10	< 10	110	< 5	68						
L31N 500W	221 238	31	290	4	< 5	39	0.24	< 10	< 10	110	< 5	68						
L32N 000	221 238	26	620	6	< 5	34	0.27	< 10	< 10	112	< 5	58						
L32N 025E	221 238	26	580	4	< 5	26	0.22	< 10	< 10	110	< 5	58						
L32N 050E	221 238	31	650	6	< 5	27	0.29	< 10	< 10	119	< 5	58						

CERTIFICATION :

Hartl Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7R 1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. :6-A

Tot. Pages: 10

Date : 16-JAN-87

Invoice # : I-8622449

P.O. # : NONE


Project : HOLT V116A RACK Q

Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Pb ppm	Na %
L32N 075E	221 238	2.87	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	19	69	54	3.73	< 10	0.01	< 10	1.10	637	< 1	< 0.01
L32N 100E	221 238	2.02	< 0.2	< 5	30	< 0.5	< 2	0.10	< 0.5	6	49	19	4.17	< 10	< 0.01	< 10	0.44	158	< 1	< 0.01
L32N 025W	221 238	2.21	< 0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	13	57	43	3.47	< 10	0.01	< 10	0.90	328	< 1	< 0.01
L32N 050V	221 238	1.95	< 0.2	< 5	50	< 0.5	< 2	0.20	< 0.5	10	52	27	3.70	< 10	0.02	< 10	0.85	263	< 1	< 0.01
L32N 075W	221 238	1.35	< 0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	8	36	14	3.10	< 10	0.01	< 10	0.59	184	< 1	< 0.01
L32N 100W	221 238	2.58	0.2	< 5	70	< 0.5	< 2	0.24	< 0.5	26	56	36	3.93	< 10	0.02	< 10	0.79	417	< 1	< 0.01
L32N 125W	221 238	2.17	0.2	< 5	40	< 0.5	< 2	0.19	< 0.5	12	45	26	3.83	< 10	0.01	< 10	0.57	360	< 1	< 0.01
L32N 150W	221 238	3.26	0.2	10	40	< 0.5	< 2	0.24	< 0.5	21	70	61	3.99	< 10	0.02	< 10	1.15	898	< 1	< 0.01
L32N 175W	221 238	4.03	0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	17	74	48	4.21	< 10	0.03	< 10	0.96	536	< 1	0.01
L32N 200V	221 238	3.99	< 0.2	< 5	50	< 0.5	< 2	0.24	< 0.5	18	89	93	4.50	< 10	0.03	10	1.25	527	< 1	0.01
L32N 225W	221 238	2.93	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	18	65	46	3.46	< 10	0.02	< 10	1.05	1640	< 1	< 0.01
L32N 250V	221 238	2.58	< 0.2	10	50	< 0.5	< 2	0.15	< 0.5	15	56	36	3.66	< 10	0.01	< 10	0.95	453	< 1	< 0.01
L32N 275W	221 238	1.91	< 0.2	< 5	60	< 0.5	< 2	0.22	< 0.5	16	45	34	3.43	< 10	0.01	< 10	0.90	564	< 1	< 0.01
L32N 300V	221 238	1.07	< 0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	6	24	14	1.93	< 10	0.01	< 10	0.41	161	< 1	< 0.01
L32N 325W	221 238	2.94	0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	20	77	76	3.73	< 10	0.03	< 10	1.43	536	< 1	< 0.01
L32N 350V	221 238	3.52	0.2	< 5	80	< 0.5	< 2	0.39	< 0.5	22	85	77	4.52	< 10	0.02	< 10	1.52	675	< 1	0.01
L32N 375W	221 238	2.03	0.2	< 5	60	< 0.5	< 2	0.34	< 0.5	13	37	16	2.58	< 10	0.02	< 10	0.72	1255	< 1	< 0.01
L32N 400V	221 238	4.76	< 0.2	10	50	< 0.5	< 2	0.39	< 0.5	20	97	63	4.92	< 10	0.02	10	1.24	466	< 1	0.01
L32N 425W	221 238	2.85	0.2	< 5	60	< 0.5	< 2	0.43	< 0.5	18	74	46	3.61	< 10	0.01	< 10	1.19	422	< 1	< 0.01
L32N 450V	221 238	2.98	< 0.2	< 5	90	< 0.5	< 2	0.55	< 0.5	21	81	57	3.64	< 10	0.03	10	1.40	607	< 1	0.01
L32N 475W	221 238	1.65	< 0.2	< 5	60	< 0.5	< 2	0.26	< 0.5	13	43	26	2.29	< 10	0.01	< 10	0.75	513	< 1	< 0.01
L32N 500V	221 238	1.53	< 0.2	< 5	50	< 0.5	< 2	0.19	< 0.5	10	42	16	2.56	< 10	0.01	< 10	0.63	252	< 1	< 0.01
L33N 000	221 238	1.14	< 0.2	< 5	10	< 0.5	< 2	0.16	< 0.5	7	36	17	2.67	< 10	0.01	< 10	0.57	188	< 1	< 0.01
L33N 025E	221 238	2.03	< 0.2	< 5	40	< 0.5	< 2	0.18	< 0.5	13	46	44	2.95	< 10	0.01	< 10	0.84	316	< 1	< 0.01
L33N 050E	221 238	0.88	< 0.2	< 5	10	< 0.5	< 2	0.19	< 0.5	2	17	6	1.54	< 10	0.01	< 10	0.18	138	< 1	< 0.01
L33N 075E	221 238	2.51	0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	12	52	39	3.70	< 10	0.02	< 10	0.81	517	< 1	< 0.01
L33N 100E	221 238	1.68	< 0.2	< 5	40	< 0.5	< 2	0.22	< 0.5	7	38	28	3.48	< 10	0.02	< 10	0.48	199	< 1	< 0.01
L33N 025W	221 238	2.30	< 0.2	< 5	30	< 0.5	< 2	0.23	< 0.5	9	52	20	4.60	< 10	0.01	< 10	0.67	367	< 1	< 0.01
L33N 050V	221 238	1.51	0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	9	30	17	2.68	< 10	< 0.01	< 10	0.44	663	< 1	< 0.01
L33N 075W	221 238	2.91	0.2	10	40	< 0.5	< 2	0.25	< 0.5	16	61	43	3.84	< 10	0.02	< 10	1.03	550	< 1	< 0.01
L33N 100V	221 238	2.97	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	14	60	38	4.15	< 10	0.01	< 10	0.93	605	< 1	< 0.01
L33N 125W	221 238	2.95	< 0.2	< 5	40	< 0.5	< 2	0.13	< 0.5	11	52	38	3.79	< 10	0.02	< 10	0.65	325	< 1	< 0.01
L33N 150V	221 238	2.19	< 0.2	< 5	50	< 0.5	< 2	0.21	< 0.5	10	45	14	3.77	< 10	0.01	< 10	0.63	671	< 1	< 0.01
L33N 175W	221 238	2.51	< 0.2	< 5	50	< 0.5	< 2	0.21	< 0.5	14	56	29	3.17	< 10	0.02	< 10	1.07	389	< 1	< 0.01
L33N 200V	221 238	2.95	0.2	< 5	60	< 0.5	< 2	0.23	< 0.5	12	57	30	3.72	< 10	0.02	< 10	0.86	1175	< 1	< 0.01
L33N 225W	221 238	2.79	< 0.2	10	70	< 0.5	< 2	0.59	< 0.5	13	53	26	3.34	< 10	0.03	10	0.79	1245	< 1	< 0.01
L33N 250V	221 238	3.38	0.4	< 5	130	< 0.5	< 2	0.19	< 0.5	15	47	40	4.25	< 10	0.06	10	0.94	1560	< 1	< 0.01
L33N 275W	221 238	1.33	< 0.2	< 5	40	< 0.5	< 2	0.30	< 0.5	9	25	10	1.87	< 10	0.02	< 10	0.39	1330	< 1	< 0.01
L33N 300V	221 238	2.92	< 0.2	< 5	50	< 0.5	< 2	0.27	< 0.5	14	55	43	3.87	< 10	0.02	< 10	0.86	605	< 1	< 0.01
L33N 325W	221 238	3.36	0.2	10	70	< 0.5	< 2	0.34	< 0.5	20	75	85	3.94	< 10	0.03	10	1.37	470	< 1	0.01

CERTIFICATION :

Hartl Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 111 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No. : 6-B
 Tot. Pages: 10
 Date : 16-JAN-87
 Invoice # : I-8622449
 P.O. # : NONE

Project : HOLT V126A RACK Q
 Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L32N 075E	221 238	30	510	6	< 5	13	0.20	< 10	< 10	95	< 5	66						
L32N 100E	221 238	11	410	8	< 5	9	0.25	< 10	< 10	113	< 5	36						
L32N 025W	221 238	23	660	8	< 5	15	0.21	< 10	< 10	94	< 5	56						
L32N 050V	221 238	18	360	6	< 5	16	0.23	< 10	< 10	102	< 5	40						
L32N 075W	221 238	13	260	8	< 5	16	0.19	< 10	< 10	93	< 5	30						
L32N 100V	221 238	27	370	8	< 5	21	0.24	< 10	< 10	109	< 5	66						
L32N 125W	221 238	15	460	8	< 5	18	0.22	< 10	< 10	108	< 5	56						
L32N 150W	221 238	31	600	6	< 5	26	0.27	< 10	< 10	111	< 5	68						
L32N 175W	221 238	28	680	8	< 5	21	0.25	< 10	< 10	112	< 5	72						
L32N 200W	221 238	37	650	12	< 5	29	0.29	< 10	< 10	134	< 5	62						
L32N 225W	221 238	28	520	6	< 5	14	0.19	< 10	< 10	88	< 5	66						
L32N 250V	221 238	24	740	6	< 5	12	0.17	< 10	< 10	87	< 5	70						
L32N 275W	221 238	19	360	8	< 5	16	0.19	< 10	< 10	92	< 5	64						
L32N 300V	221 238	9	130	6	< 5	17	0.14	< 10	< 10	70	< 5	28						
L32N 325W	221 238	34	450	2	< 5	25	0.26	< 10	< 10	116	< 5	56						
L32N 350V	221 238	35	610	6	< 5	29	0.32	< 10	< 10	134	< 5	70						
L32N 375W	221 238	14	680	8	< 5	20	0.12	< 10	< 10	74	< 5	78						
L32N 400V	221 238	33	780	8	< 5	31	0.28	< 10	< 10	149	< 5	84						
L32N 425W	221 238	32	220	6	< 5	36	0.24	< 10	< 10	117	< 5	50						
L32N 450W	221 238	36	280	6	< 5	40	0.23	< 10	< 10	118	< 5	52						
L32N 475W	221 238	17	200	2	< 5	14	0.13	< 10	< 10	67	< 5	42						
L32N 500V	221 238	16	180	6	< 5	13	0.15	< 10	< 10	70	< 5	40						
L33N 000	221 238	11	370	6	< 5	13	0.21	< 10	< 10	93	< 5	32						
L33N 025E	221 238	20	270	6	< 5	17	0.23	< 10	< 10	87	< 5	44						
L33N 050E	221 238	4	260	4	< 5	15	0.21	< 10	< 10	59	< 5	24						
L33N 075E	221 238	20	720	6	< 5	21	0.24	< 10	< 10	100	< 5	66						
L33N 100E	221 238	12	480	12	< 5	20	0.17	< 10	< 10	99	< 5	48						
L33N 025W	221 238	15	710	6	< 5	23	0.28	< 10	< 10	126	< 5	62						
L33N 050V	221 238	10	580	12	< 5	16	0.16	< 10	< 10	69	< 5	50						
L33N 075W	221 238	28	880	12	< 5	25	0.24	< 10	< 10	103	< 5	68						
L33N 100W	221 238	24	1150	8	< 5	11	0.23	< 10	< 10	89	< 5	70						
L33N 125W	221 238	17	700	10	< 5	11	0.19	< 10	< 10	86	< 5	50						
L33N 150V	221 238	21	880	16	< 5	16	0.30	< 10	< 10	79	< 5	72						
L33N 175W	221 238	24	260	6	< 5	22	0.20	< 10	< 10	80	< 5	60						
L33N 200V	221 238	22	540	8	< 5	22	0.19	< 10	< 10	97	< 5	72						
L33N 225W	221 238	20	860	10	< 5	17	0.19	< 10	< 10	82	< 5	80						
L33N 250V	221 238	17	1000	14	< 5	12	0.10	< 10	< 10	83	< 5	118						
L33N 275W	221 238	8	350	8	< 5	20	0.20	< 10	< 10	64	< 5	44						
L33N 300V	221 238	21	700	8	< 5	27	0.25	< 10	< 10	108	< 5	62						
L33N 325W	221 238	37	330	8	< 5	30	0.27	< 10	< 10	119	< 5	62						

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 7-A
 Tot. Pages: 10
 Date : 16-JAN-87
 Invoice # : I-8622449
 P.O. # : NONE

Project : HOLT V126A RACK Q
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Ma ppm	Mb ppm	Na %
L33N 350W	221 238	2.95	< 0.2	< 5	50	< 0.5	< 2	0.34	< 0.5	17	72	75	3.74	< 10	0.03	< 10	1.23	575	< 1	0.01
L33N 375W	221 238	2.28	< 0.2	< 5	60	< 0.5	< 2	0.34	< 0.5	12	45	29	3.42	< 10	0.03	< 10	0.75	816	< 1	0.01
L33N 400W	221 238	3.24	0.2	20	50	< 0.5	< 2	0.33	< 0.5	23	74	103	4.54	< 10	0.05	10	1.19	832	< 1	< 0.01
L33N 425W	221 238	3.73	0.4	10	100	< 0.5	< 2	0.40	< 0.5	23	61	77	4.82	< 10	0.04	10	1.20	1725	< 1	0.01
L33N 450W	221 238	4.35	0.4	5	70	< 0.5	< 2	0.40	< 0.5	24	101	91	4.69	< 10	0.04	10	1.66	823	< 1	0.01
L33N 475W	221 238	2.65	0.2	10	50	< 0.5	< 2	0.38	< 0.5	16	67	54	3.35	< 10	0.04	< 10	1.23	612	< 1	0.01
L33N 500W	221 238	2.20	0.2	5	50	< 0.5	< 2	0.40	< 0.5	13	53	30	3.24	< 10	0.02	< 10	0.77	630	< 1	0.01
L34N 000	221 238	2.71	< 0.2	< 5	60	< 0.5	< 2	0.39	< 0.5	29	19	34	6.44	< 10	0.03	10	0.75	1785	< 1	< 0.01
L34N 025E	221 238	1.86	< 0.2	< 5	40	< 0.5	< 2	0.25	< 0.5	9	38	18	3.75	< 10	0.01	< 10	0.59	520	< 1	< 0.01
L34N 050E	221 238	3.11	< 0.2	5	50	< 0.5	< 2	0.25	< 0.5	17	66	57	4.11	< 10	0.02	< 10	1.05	948	< 1	0.01
L34N 075E	221 238	1.73	< 0.2	< 5	50	< 0.5	< 2	0.38	< 0.5	7	36	18	2.89	< 10	0.02	< 10	0.42	626	< 1	0.01
L34N 100E	221 238	2.59	< 0.2	5	50	< 0.5	< 2	0.29	< 0.5	12	50	39	3.43	< 10	0.02	< 10	0.71	350	< 1	< 0.01
L34N 025W	221 238	2.12	< 0.2	5	120	< 0.5	2	0.27	< 0.5	10	19	11	2.01	< 10	0.04	10	0.34	1470	< 1	< 0.01
L34N 050W	221 238	1.57	< 0.2	< 5	60	< 0.5	< 2	0.30	< 0.5	11	36	14	2.38	< 10	0.02	< 10	0.55	572	< 1	< 0.01
L34N 075W	221 238	3.17	0.2	5	90	< 0.5	< 2	0.32	0.5	18	65	35	3.98	< 10	0.04	10	0.87	796	< 1	0.01
L34N 100W	221 238	2.77	< 0.2	< 5	70	< 0.5	< 2	0.40	< 0.5	17	63	36	3.51	< 10	0.02	10	1.07	440	< 1	0.01
L34N 125W	221 238	2.14	0.2	5	90	< 0.5	< 2	0.42	0.5	33	44	31	2.65	< 10	0.03	20	0.76	1355	< 1	0.01
L34N 150W	221 238	3.57	< 0.2	10	70	< 0.5	< 2	0.30	< 0.5	21	69	50	4.78	< 10	0.03	10	1.19	1380	< 1	0.01
L34N 175W	221 238	0.38	< 0.2	< 5	20	< 0.5	< 2	0.25	< 0.5	1	10	5	0.78	< 10	0.01	< 10	0.09	493	< 1	< 0.01
L34N 200W	221 238	0.52	< 0.2	< 5	50	< 0.5	< 2	0.36	< 0.5	5	17	5	0.92	< 10	0.02	< 10	0.21	1385	< 1	0.01
L34N 225W	221 238	3.47	< 0.2	5	90	< 0.5	< 2	0.41	< 0.5	18	68	46	4.14	< 10	0.03	10	1.00	673	< 1	0.01
L34N 250W	221 238	2.32	< 0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	14	48	26	3.31	< 10	0.02	< 10	0.87	923	< 1	< 0.01
L34N 275W	221 238	1.00	< 0.2	< 5	40	< 0.5	< 2	0.30	< 0.5	5	27	13	1.85	< 10	0.02	< 10	0.33	173	< 1	< 0.01
L34N 300W	221 238	2.15	< 0.2	5	50	< 0.5	< 2	0.41	< 0.5	14	50	38	3.16	< 10	0.02	< 10	0.85	645	< 1	0.01
L34N 325W	221 238	2.04	< 0.2	< 5	60	< 0.5	< 2	0.45	< 0.5	12	50	31	3.39	< 10	0.02	< 10	0.71	388	< 1	0.01
L34N 350W	221 238	2.76	< 0.2	5	80	< 0.5	< 2	0.59	< 0.5	18	67	70	3.72	< 10	0.04	10	1.21	525	< 1	0.01
L34N 375W	221 238	2.64	< 0.2	5	70	< 0.5	< 2	0.54	< 0.5	19	64	54	3.53	< 10	0.02	10	1.04	474	< 1	0.01
L34N 400W	221 238	2.20	< 0.2	< 5	80	< 0.5	< 2	0.56	< 0.5	18	63	62	3.17	< 10	0.04	10	1.17	900	< 1	0.01
L34N 425W	221 238	1.73	< 0.2	< 5	40	< 0.5	< 2	0.29	< 0.5	11	45	29	2.90	< 10	0.02	< 10	0.61	396	< 1	0.01
L34N 450W	221 238	2.99	< 0.2	< 5	50	< 0.5	< 2	0.21	< 0.5	16	70	55	4.27	< 10	0.02	< 10	0.97	314	< 1	0.02
L34N 500W	221 238	0.95	< 0.2	< 5	20	< 0.5	< 2	0.40	< 0.5	2	18	8	1.59	< 10	0.01	< 10	0.18	140	< 1	0.01
L35N 000	221 238	2.16	< 0.2	< 5	40	< 0.5	< 2	0.45	< 0.5	12	57	32	3.10	< 10	0.03	10	1.00	390	< 1	0.01
L35N 025E	221 238	3.36	< 0.2	5	70	< 0.5	< 2	0.37	< 0.5	20	77	59	4.19	< 10	0.04	10	1.20	993	< 1	0.01
L35N 050E	221 238	3.27	0.2	5	70	< 0.5	< 2	0.38	< 0.5	16	59	41	4.15	< 10	0.03	10	0.88	906	< 1	0.01
L35N 075E	221 238	1.03	< 0.2	< 5	30	< 0.5	< 2	0.40	< 0.5	5	26	12	1.96	< 10	0.02	< 10	0.36	241	< 1	0.01
L35N 100E	221 238	2.62	< 0.2	< 5	40	< 0.5	< 2	0.30	0.5	11	63	36	5.92	< 10	0.02	10	0.73	299	< 1	0.01
L35N 025W	221 238	1.39	< 0.2	5	40	< 0.5	< 2	0.39	< 0.5	7	37	14	2.45	< 10	0.02	< 10	0.62	422	< 1	0.01
L35N 050W	221 238	2.30	< 0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	15	55	36	3.34	< 10	0.03	< 10	0.92	506	< 1	0.01
L35N 075W	221 238	1.49	< 0.2	< 5	50	< 0.5	< 2	0.33	< 0.5	10	41	17	2.55	< 10	0.02	< 10	0.75	401	< 1	0.01
L35N 100W	221 238	2.90	< 0.2	< 5	80	< 0.5	< 2	0.35	< 0.5	19	76	63	3.77	< 10	0.02	< 10	1.36	512	< 1	0.02

CERTIFICATION: Hant Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 111 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No. : 7-B
 Tot. Pages : 10
 Date : 16-JAN-87
 Invoice # : I-8622449
 P.O. # : NONE

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm							
L33N 350V	221 238	33	370	6	< 5	34	0.26	< 10	< 10	117	< 5	58							
L33N 375V	221 238	17	770	10	< 5	31	0.26	< 10	< 10	101	< 5	66							
L33N 400V	221 238	36	780	10	< 5	32	0.25	< 10	< 10	118	< 5	60							
L33N 425V	221 238	29	1170	12	< 5	38	0.28	< 10	< 10	136	< 5	94							
L33N 450V	221 238	45	500	8	< 5	45	0.34	< 10	< 10	143	< 5	74							
L33N 475V	221 238	31	460	12	< 5	35	0.21	< 10	< 10	96	< 5	62							
L33N 500V	221 238	20	510	10	< 5	38	0.23	< 10	< 10	98	< 5	68							
L34N 000	221 238	10	1180	12	< 5	34	0.41	< 10	< 10	185	< 5	92							
L34N 025E	221 238	13	990	8	< 5	22	0.27	< 10	< 10	109	< 5	56							
L34N 050E	221 238	28	1280	10	< 5	25	0.26	< 10	< 10	114	< 5	68							
L34N 075E	221 238	10	590	8	< 5	29	0.26	< 10	< 10	95	< 5	42							
L34N 100E	221 238	20	570	8	< 5	27	0.23	< 10	< 10	95	< 5	60							
L34N 025V	221 238	8	990	4	< 5	28	0.08	< 10	< 10	43	< 5	96							
L34N 050V	221 238	17	400	6	< 5	29	0.17	< 10	< 10	65	< 5	84							
L34N 075V	221 238	38	460	16	< 5	33	0.21	< 10	< 10	106	< 5	130							
L34N 100V	221 238	31	210	6	< 5	42	0.24	< 10	< 10	106	< 5	50							
L34N 125V	221 238	24	320	4	< 5	35	0.17	< 10	< 10	80	< 5	56							
L34N 150V	221 238	33	1840	12	< 5	28	0.22	< 10	< 10	108	< 5	92							
L34N 175V	221 238	2	130	4	< 5	18	0.14	< 10	< 10	42	< 5	14							
L34N 200V	221 238	6	180	8	< 5	21	0.16	< 10	< 10	40	< 5	22							
L34N 225V	221 238	28	850	6	< 5	37	0.28	< 10	< 10	113	< 5	76							
L34N 250V	221 238	20	520	8	< 5	29	0.24	< 10	< 10	90	< 5	66							
L34N 275V	221 238	9	260	4	< 5	27	0.16	< 10	< 10	71	< 5	32							
L34N 300V	221 238	23	690	6	< 5	32	0.24	< 10	< 10	95	< 5	60							
L34N 325V	221 238	18	310	6	< 5	41	0.28	< 10	< 10	112	< 5	34							
L34N 350V	221 238	32	530	6	< 5	41	0.27	< 10	< 10	118	< 5	52							
L34N 375V	221 238	30	300	10	< 5	43	0.29	< 10	< 10	117	< 5	46							
L34N 400V	221 238	30	410	10	< 5	35	0.23	< 10	< 10	100	< 5	44							
L34N 425V	221 238	19	380	6	< 5	24	0.22	< 10	< 10	91	< 5	42							
L34N 450V	221 238	31	400	8	< 5	21	0.30	< 10	< 10	124	< 5	46							
L34N 500V	221 238	4	120	4	< 5	38	0.19	< 10	< 10	87	< 5	20							
L35N 000	221 238	25	320	6	< 5	41	0.22	< 10	< 10	103	< 5	50							
L35N 025E	221 238	35	810	8	< 5	39	0.28	< 10	< 10	121	< 5	76							
L35N 050E	221 238	23	1690	10	< 5	37	0.25	< 10	< 10	109	< 5	92							
L35N 075E	221 238	9	340	6	< 5	36	0.19	< 10	< 10	81	< 5	32							
L35N 100E	221 238	18	880	12	< 5	30	0.27	< 10	< 10	154	< 5	54							
L35N 025V	221 238	14	330	6	< 5	36	0.16	< 10	< 10	83	< 5	36							
L35N 050V	221 238	26	480	10	< 5	27	0.16	< 10	< 10	89	< 5	62							
L35N 075V	221 238	16	220	8	< 5	28	0.15	< 10	< 10	86	< 5	32							
L35N 100V	221 238	37	250	10	< 5	27	0.24	< 10	< 10	114	< 5	56							

CERTIFICATION :

Hart Zickler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. 6-A
 Tot. Pages: 10
 Date: 16-JAN-87
 Invoice #: I-8622449
 P.O. #: NONE

Project: HOLT V126A RACK Q
 Comments: ATTN: P ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L35N 12SW	221 238	3.35	< 0.2	5	120	< 0.5	< 2	0.20	< 0.5	22	77	81	4.02	< 10	0.02	< 10	1.23	542	< 1	< 0.01
L35N 150W	221 238	3.18	< 0.2	5	90	< 0.5	< 2	0.31	< 0.5	22	79	67	3.73	< 10	0.02	< 10	1.15	958	< 1	< 0.01
L35N 17SW	221 238	3.06	0.2	10	140	< 0.5	< 2	0.33	< 0.5	21	69	60	3.61	< 10	0.02	20	1.02	931	< 1	< 0.01
L35N 200W	221 238	1.96	0.2	< 5	30	< 0.5	< 2	0.15	0.5	13	46	33	2.98	< 10	0.03	< 10	0.62	219	< 1	< 0.01
L35N 22SW	221 238	1.37	< 0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	9	34	15	2.61	< 10	0.01	< 10	0.53	279	< 1	< 0.01
L35N 250W	221 238	2.34	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	13	56	40	4.06	< 10	0.01	< 10	0.94	297	< 1	< 0.01
L35N 27SW	221 238	2.10	< 0.2	< 5	40	< 0.5	< 2	0.19	< 0.5	10	50	41	3.37	< 10	0.01	< 10	0.58	255	< 1	< 0.01
L35N 300W	221 238	1.78	< 0.2	< 5	70	< 0.5	< 2	0.35	< 0.5	12	45	30	2.71	< 10	0.01	< 10	0.72	564	< 1	< 0.01
L35N 32SW	221 238	1.95	< 0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	14	49	32	2.99	< 10	0.01	< 10	0.87	302	< 1	< 0.01
L35N 350W	221 238	1.54	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	8	39	25	2.89	< 10	0.01	< 10	0.56	196	< 1	0.03
L35N 37SW	221 238	0.90	< 0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	5	20	12	2.03	< 10	0.01	< 10	0.33	149	< 1	< 0.01
L35N 400W	221 238	2.30	< 0.2	< 5	40	< 0.5	< 2	0.17	< 0.5	14	48	76	3.43	< 10	0.01	< 10	0.86	350	< 1	< 0.01
L35N 42SW	221 238	1.12	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	5	24	17	2.22	< 10	< 0.01	< 10	0.33	243	< 1	< 0.01
L35N 450W	221 238	2.32	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	11	38	55	3.05	< 10	0.01	< 10	0.72	554	< 1	< 0.01
L35N 47SW	221 238	0.67	< 0.2	< 5	10	< 0.5	< 2	0.18	< 0.5	2	11	8	1.35	< 10	0.01	< 10	0.18	115	< 1	< 0.01
L36N 500W	221 238	0.41	< 0.2	< 5	10	< 0.5	< 2	0.12	< 0.5	1	7	4	0.70	< 10	< 0.01	< 10	0.10	63	< 1	< 0.01
L36N 07SE	221 238	1.67	< 0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	15	43	35	3.20	< 10	0.01	< 10	0.75	622	< 1	< 0.01
L36N 100E	221 238	1.09	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	11	26	20	2.31	< 10	0.01	< 10	0.55	590	< 1	< 0.01
L36N 02SW	221 238	2.66	< 0.2	< 5	80	< 0.5	< 2	0.24	< 0.5	19	69	78	3.45	< 10	0.02	< 10	1.21	641	< 1	< 0.01
L36N 050W	221 238	2.82	< 0.2	< 5	50	< 0.5	< 2	0.20	< 0.5	19	65	63	3.82	< 10	0.02	< 10	1.05	333	< 1	< 0.01
L36N 07SW	221 238	1.31	< 0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	10	32	20	2.50	< 10	0.01	< 10	0.51	296	< 1	< 0.01
L36N 100W	221 238	2.09	< 0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	14	50	54	3.11	< 10	0.01	< 10	0.93	333	< 1	< 0.01
L36N 12SW	221 238	1.94	< 0.2	< 5	40	< 0.5	< 2	0.22	< 0.5	15	50	39	3.29	< 10	0.01	< 10	0.90	346	< 1	< 0.01
L36N 150W	221 238	1.92	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	10	44	31	3.35	< 10	0.01	< 10	0.52	312	< 1	< 0.01
L36N 17SW	221 238	1.78	0.2	< 5	60	< 0.5	< 2	0.17	< 0.5	11	43	28	3.38	< 10	0.01	< 10	0.67	291	< 1	< 0.01
L36N 22SW	221 238	2.17	< 0.2	< 5	50	< 0.5	< 2	0.28	< 0.5	20	54	39	3.37	< 10	0.01	< 10	0.92	407	< 1	< 0.01
L36N 250W	221 238	1.42	< 0.2	< 5	40	< 0.5	< 2	0.34	< 0.5	11	39	24	2.57	< 10	0.01	< 10	0.73	302	< 1	< 0.01
L36N 27SW	221 238	0.94	< 0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	5	26	10	2.41	< 10	< 0.01	< 10	0.36	153	< 1	< 0.01
L36N 32SW	221 238	2.20	< 0.2	< 5	50	< 0.5	< 2	0.26	< 0.5	16	50	79	3.16	< 10	0.03	< 10	1.09	629	< 1	< 0.01
L36N 350W	221 238	2.00	< 0.2	< 5	60	< 0.5	< 2	0.35	< 0.5	12	38	48	3.38	< 10	0.02	< 10	0.77	1045	< 1	< 0.01
L36N 37SW	221 238	3.52	0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	11	48	50	4.41	< 10	0.02	< 10	0.53	391	< 1	< 0.01
L36N 42SW	221 238	1.86	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	7	32	22	2.98	< 10	0.01	< 10	0.41	468	< 1	< 0.01
L36N 450W	221 238	1.69	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	8	29	32	4.75	< 10	0.01	< 10	0.48	237	< 1	< 0.01
L36N 47SW	221 238	1.48	< 0.2	< 5	50	< 0.5	< 2	0.24	< 0.5	8	28	22	2.93	< 10	0.01	< 10	0.52	274	< 1	< 0.01
L36N 500W	221 238	2.97	< 0.2	< 5	70	< 0.5	< 2	0.28	< 0.5	16	44	44	3.58	< 10	0.01	< 10	0.70	414	< 1	< 0.01
L37N 000	221 238	3.00	< 0.2	< 5	190	< 0.5	< 2	1.02	< 0.5	18	66	68	3.51	< 10	0.02	20	1.00	970	< 1	< 0.01
L37N 02SE	221 238	4.94	< 0.2	< 5	230	< 0.5	< 2	0.25	< 0.5	29	115	183	5.08	< 10	0.05	< 10	1.96	597	< 1	< 0.01
L37N 050E	221 238	1.37	< 0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	9	36	26	2.36	< 10	0.01	< 10	0.57	528	< 1	< 0.01
L37N 07SE	221 238	2.15	< 0.2	< 5	50	< 0.5	< 2	0.21	< 0.5	18	49	43	2.93	< 10	0.01	< 10	0.77	404	< 1	< 0.01
L37N 02SW	221 238	1.34	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	8	33	29	2.34	< 10	0.01	< 10	0.46	240	< 1	< 0.01

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assays

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 8-D

Total Pages: 10

Date : 16-JAN-87

Invoice # : I-8622449

P.O. # : NONE

Project : HOLT V226A RACK Q

Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
L35N 125W	221 238	41	620	12	< 5	14	0.17	< 10	< 10	99	< 5	60							
L35N 150W	221 238	38	650	8	< 5	16	0.14	< 10	< 10	92	< 5	70							
L35N 175W	221 238	34	330	8	< 5	15	0.16	< 10	< 10	90	< 5	46							
L35N 200W	221 238	17	450	< 2	< 5	10	0.17	< 10	10	69	< 5	32							
L35N 225W	221 238	13	430	8	< 5	13	0.13	< 10	< 10	67	< 5	42							
L35N 250W	221 238	22	350	6	< 5	10	0.20	< 10	< 10	114	< 5	34							
L35N 275W	221 238	16	110	6	< 5	10	0.19	< 10	< 10	104	< 5	30							
L35N 300W	221 238	20	300	10	< 5	14	0.14	< 10	< 10	79	< 5	36							
L35N 325W	221 238	21	300	6	< 5	13	0.16	< 10	< 10	83	< 5	42							
L35N 350W	221 238	14	370	4	< 5	9	0.16	< 10	< 10	81	< 5	34							
L35N 375W	221 238	7	200	4	< 5	11	0.12	< 10	< 10	71	< 5	30							
L35N 400W	221 238	21	440	8	< 5	11	0.20	< 10	< 10	107	< 5	52							
L35N 425W	221 238	7	420	8	< 5	10	0.12	< 10	< 10	68	< 5	34							
L35N 450W	221 238	14	520	6	< 5	12	0.16	< 10	< 10	92	< 5	48							
L35N 475W	221 238	4	150	4	< 5	9	0.08	< 10	< 10	63	< 5	18							
L36N 500W	221 238	1	110	2	< 5	7	0.06	< 10	< 10	33	< 5	14							
L36N 075E	221 238	17	290	6	< 5	15	0.14	< 10	< 10	94	< 5	40							
L36N 100E	221 238	13	190	8	< 5	9	0.07	< 10	< 10	62	< 5	32							
L36N 025W	221 238	30	500	8	< 5	15	0.17	< 10	< 10	97	< 5	50							
L36N 050W	221 238	30	360	4	< 5	13	0.19	< 10	< 10	102	< 5	54							
L36N 075W	221 238	13	390	6	< 5	14	0.17	< 10	< 10	70	< 5	38							
L36N 100W	221 238	24	430	4	< 5	14	0.18	< 10	< 10	87	< 5	44							
L36N 125W	221 238	21	330	6	< 5	14	0.20	< 10	< 10	98	< 5	38							
L36N 150W	221 238	15	290	4	< 5	12	0.20	< 10	< 10	100	< 5	36							
L36N 175W	221 238	17	370	8	< 5	14	0.20	< 10	< 10	98	< 5	60							
L36N 225W	221 238	24	260	6	< 5	16	0.20	< 10	< 10	101	< 5	46							
L36N 250W	221 238	17	210	6	< 5	15	0.15	< 10	< 10	80	< 5	48							
L36N 275W	221 238	8	150	4	< 5	10	0.14	< 10	< 10	84	< 5	20							
L36N 325W	221 238	22	560	8	< 5	13	0.16	< 10	< 10	91	< 5	58							
L36N 350W	221 238	16	680	6	< 5	15	0.14	< 10	< 10	102	< 5	60							
L36N 375W	221 238	14	680	12	< 5	22	0.27	< 10	< 10	124	< 5	62							
L36N 425W	221 238	9	730	8	< 5	12	0.19	< 10	< 10	76	< 5	46							
L36N 450W	221 238	8	560	6	< 5	12	0.22	< 10	< 10	161	< 5	46							
L36N 475W	221 238	9	250	6	< 5	14	0.16	< 10	< 10	101	< 5	48							
L36N 500W	221 238	16	390	6	< 5	16	0.20	< 10	< 10	116	< 5	68							
L37N 000	221 238	28	550	12	< 5	42	0.17	< 10	< 10	95	< 5	68							
L37N 025E	221 238	68	460	6	< 5	21	0.25	< 10	< 10	134	< 5	76							
L37N 050E	221 238	14	330	6	< 5	13	0.14	< 10	< 10	70	< 5	40							
L37N 075E	221 238	22	310	< 2	< 5	14	0.16	< 10	< 10	79	< 5	46							
L37N 025W	221 238	13	390	6	< 5	11	0.14	< 10	< 10	65	< 5	54							

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 9-A
Tot. Pages: 10
Date : 16-JAN-87
Invoice # : I-8622449
P.O. # : NONE

Project : HOLT V216A RACK Q
Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L37N 050V	221 238	2.34	< 0.2	< 5	70	< 0.5	< 2	0.15	< 0.5	14	52	61	3.37	< 10	0.02	< 10	0.87	738	< 1	< 0.01
L37N 075V	221 238	1.18	< 0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	7	35	16	2.58	< 10	0.01	< 10	0.53	230	< 1	< 0.01
L37N 100V	221 238	2.00	< 0.2	< 5	60	< 0.5	< 2	0.11	< 0.5	10	53	44	2.95	< 10	0.01	< 10	0.75	239	< 1	< 0.01
L37N 125V	221 238	2.19	< 0.2	< 5	60	< 0.5	< 2	0.17	< 0.5	16	51	53	3.25	< 10	0.02	< 10	0.96	353	< 1	< 0.01
L37N 150V	221 238	2.19	< 0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	16	52	51	2.99	< 10	0.01	< 10	0.92	421	< 1	< 0.01
L37N 175V	221 238	1.65	< 0.2	< 5	50	< 0.5	< 2	0.20	< 0.5	11	40	31	2.63	< 10	0.01	< 10	0.67	497	< 1	< 0.01
L37N 200V	221 238	3.11	< 0.2	< 5	80	< 0.5	< 2	0.11	< 0.5	17	59	55	3.88	< 10	0.01	< 10	0.75	1600	< 1	< 0.01
L37N 225V	221 238	2.49	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	15	50	79	3.24	< 10	0.01	< 10	0.95	371	< 1	< 0.01
L37N 250V	221 238	2.89	< 0.2	< 5	60	< 0.5	< 2	0.25	< 0.5	20	64	66	4.38	< 10	0.02	< 10	1.30	425	< 1	< 0.01
L37N 275V	221 238	2.40	< 0.2	< 5	50	< 0.5	< 2	0.27	< 0.5	15	52	60	3.56	< 10	0.02	< 10	0.99	427	< 1	< 0.01
L37N 325V	221 238	1.74	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	7	26	25	3.24	< 10	0.01	< 10	0.45	399	< 1	< 0.01
L37N 375V	221 238	3.42	< 0.2	< 5	40	< 0.5	< 2	0.13	< 0.5	13	45	55	3.67	< 10	0.01	< 10	0.73	599	< 1	< 0.01
L37N 400V	221 238	3.15	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	11	43	47	3.62	< 10	0.02	< 10	0.68	702	< 1	< 0.01
L37N 425V	221 238	3.58	< 0.2	< 5	40	< 0.5	< 2	0.17	< 0.5	13	48	54	4.05	< 10	0.01	< 10	0.79	805	< 1	< 0.01
L37N 450V	221 238	0.77	< 0.2	< 5	10	< 0.5	< 2	0.21	< 0.5	3	15	9	1.46	< 10	0.01	< 10	0.19	270	< 1	< 0.01
L37N 475V	221 238	2.28	< 0.2	< 5	50	< 0.5	< 2	0.14	< 0.5	10	37	34	3.15	< 10	0.01	< 10	0.61	552	< 1	< 0.01
L37N 500V	221 238	1.47	< 0.2	< 5	20	< 0.5	< 2	0.20	< 0.5	6	33	21	2.05	< 10	0.01	< 10	0.46	231	< 1	< 0.01
L38N 000	221 238	2.19	< 0.2	< 5	40	< 0.5	< 2	0.17	< 0.5	12	56	34	3.30	< 10	0.02	< 10	0.91	315	< 1	< 0.01
L38N 025E	221 238	1.70	< 0.2	< 5	30	< 0.5	< 2	0.19	< 0.5	9	40	25	2.53	< 10	0.01	< 10	0.70	425	< 1	< 0.01
L38N 050E	221 238	1.81	< 0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	11	46	33	2.75	< 10	0.02	< 10	0.70	655	< 1	< 0.01
L38N 075E	221 238	1.08	< 0.2	< 5	20	< 0.5	< 2	0.13	< 0.5	6	32	15	2.26	< 10	0.01	< 10	0.45	175	< 1	< 0.01
L38N 100E	221 238	2.59	< 0.2	< 5	60	< 0.5	< 2	0.25	< 0.5	19	59	64	3.25	< 10	0.02	< 10	0.93	805	< 1	< 0.01
L38N 025W	221 238	3.30	< 0.2	10	110	< 0.5	< 2	0.22	< 0.5	19	77	92	3.45	< 10	0.03	< 10	1.34	426	< 1	< 0.01
L38N 050W	221 238	0.93	< 0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	5	30	16	2.00	< 10	< 0.01	< 10	0.39	173	< 1	< 0.01
L38N 075W	221 238	1.85	< 0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	11	43	32	3.20	< 10	0.01	< 10	0.65	323	< 1	< 0.01
L38N 100W	221 238	0.87	< 0.2	< 5	40	< 0.5	< 2	0.27	< 0.5	4	27	9	2.32	< 10	0.01	< 10	0.31	183	< 1	< 0.01
L38N 125W	221 238	0.93	< 0.2	< 5	30	< 0.5	< 2	0.26	< 0.5	4	27	10	2.46	< 10	0.02	< 10	0.31	166	< 1	< 0.01
L38N 150W	221 238	1.03	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	5	28	15	2.75	< 10	0.01	< 10	0.37	149	< 1	< 0.01
L38N 175W	221 238	2.59	< 0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	9	58	22	5.38	< 10	0.01	< 10	0.56	250	< 1	< 0.01
L38N 200W	221 238	1.95	< 0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	11	43	37	3.53	< 10	0.01	< 10	0.65	387	< 1	< 0.01
L38N 225W	221 238	1.30	< 0.2	< 5	40	< 0.5	< 2	0.14	< 0.5	5	30	18	3.20	< 10	< 0.01	< 10	0.30	138	< 1	< 0.01
L38N 250W	221 238	2.09	< 0.2	< 5	70	< 0.5	< 2	0.18	< 0.5	12	40	31	3.76	< 10	0.01	< 10	0.66	275	< 1	< 0.02
L38N 275W	221 238	2.25	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	12	45	34	3.36	< 10	0.01	< 10	0.84	311	< 1	< 0.01
L38N 300W	221 238	0.75	< 0.2	< 5	40	< 0.5	< 2	0.21	< 0.5	3	15	8	1.72	< 10	0.01	< 10	0.21	129	< 1	< 0.01
L38N 325W	221 238	0.83	< 0.2	< 5	20	< 0.5	< 2	0.23	< 0.5	4	19	10	2.02	< 10	0.01	< 10	0.27	129	< 1	< 0.01
L38N 350W	221 238	1.56	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5		38	19	3.10	< 10	0.01	< 10	0.41	176	< 1	< 0.01
L38N 375W	221 238	1.56	< 0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	4	32	18	2.92	< 10	0.01	< 10	0.26	221	< 1	< 0.01
L38N 400W	221 238	1.12	< 0.2	< 5	30	< 0.5	< 2	0.23	< 0.5	4	24	16	1.93	< 10	0.01	< 10	0.27	223	< 1	< 0.01
L38N 425W	221 238	0.62	< 0.2	< 5	10	< 0.5	< 2	0.26	< 0.5	3	13	9	1.12	< 10	0.01	< 10	0.18	132	< 1	< 0.01
L38N 450W	221 238	3.75	< 0.2	< 5	60	< 0.5	< 2	0.28	< 0.5	14	65	37	4.85	< 10	0.03	< 10	0.67	354	< 1	< 0.01

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 9-B
 Tot. Pages: 10
 Date : 16-JAN-87
 Invoice #: I-8622449
 P.O. # : NONE

Project : HOLT V216A RACK Q
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L37N 050V	221 238	23	630	10	< 5	11	0.20	< 10	< 10	90	< 5	50						
L37N 075V	221 238	13	210	8	< 5	9	0.15	< 10	< 10	79	< 5	32						
L37N 100V	221 238	20	390	6	< 5	9	0.17	< 10	< 10	86	< 5	44						
L37N 125V	221 238	24	420	8	< 5	11	0.18	< 10	< 10	87	< 5	46						
L37N 150V	221 238	26	270	6	< 5	11	0.17	< 10	< 10	83	< 5	46						
L37N 175V	221 238	17	280	6	< 5	13	0.14	< 10	< 10	71	< 5	46						
L37N 200V	221 238	21	2130	4	< 5	9	0.23	< 10	< 10	98	< 5	74						
L37N 225V	221 238	25	320	8	< 5	13	0.23	< 10	< 10	97	< 5	42						
L37N 250V	221 238	36	400	8	< 5	15	0.21	< 10	< 10	115	< 5	60						
L37N 275V	221 238	23	360	6	< 5	22	0.22	< 10	< 10	110	< 5	46						
L37N 325V	221 238	9	590	4	< 5	7	0.13	< 10	< 10	69	< 5	46						
L37N 375V	221 238	16	500	6	< 5	8	0.18	< 10	< 10	83	< 5	48						
L37N 400V	221 238	15	510	2	< 5	9	0.17	< 10	< 10	82	< 5	50						
L37N 425V	221 238	16	610	4	< 5	10	0.19	< 10	< 10	90	< 5	50						
L37N 450V	221 238	5	260	6	< 5	8	0.15	< 10	< 10	70	< 5	24						
L37N 475V	221 238	13	330	2	< 5	9	0.08	< 10	< 10	76	< 5	52						
L37N 500V	221 238	11	280	8	< 5	11	0.12	< 10	< 10	64	< 5	36						
L38N 000	221 238	23	290	10	< 5	16	0.21	< 10	< 10	91	< 5	52						
L38N 025E	221 238	16	300	8	< 5	15	0.18	< 10	< 10	73	< 5	38						
L38N 050E	221 238	18	310	8	< 5	24	0.21	< 10	< 10	85	< 5	48						
L38N 075E	221 238	9	220	4	< 5	9	0.15	< 10	< 10	83	< 5	24						
L38N 100E	221 238	28	590	8	< 5	14	0.17	< 10	< 10	89	< 5	54						
L38N 025W	221 238	40	380	6	< 5	17	0.20	< 10	< 10	92	< 5	48						
L38N 050W	221 238	10	240	8	< 5	11	0.14	< 10	< 10	66	< 5	28						
L38N 075W	221 238	18	410	10	< 5	18	0.20	< 10	< 10	81	< 5	56						
L38N 100W	221 238	8	160	6	< 5	16	0.15	< 10	< 10	83	< 5	30						
L38N 125W	221 238	9	150	6	< 5	17	0.16	< 10	< 10	88	< 5	26						
L38N 150W	221 238	9	560	6	< 5	15	0.17	< 10	< 10	100	< 5	42						
L38N 175W	221 238	15	850	10	< 5	14	0.27	< 10	< 10	138	< 5	58						
L38N 200W	221 238	18	400	8	< 5	24	0.22	< 10	< 10	111	< 5	46						
L38N 225W	221 238	8	490	4	< 5	9	0.17	< 10	< 10	101	< 5	38						
L38N 250W	221 238	18	250	6	< 5	10	0.19	< 10	< 10	122	< 5	42						
L38N 275W	221 238	19	180	2	< 5	12	0.23	< 10	< 10	101	< 5	34						
L38N 300W	221 238	5	120	2	< 5	11	0.09	< 10	< 10	64	< 5	18						
L38N 325W	221 238	6	220	4	< 5	13	0.13	< 10	< 10	82	< 5	26						
L38N 350V	221 238	12	360	4	< 5	15	0.24	< 10	< 10	95	< 5	34						
L38N 375V	221 238	8	360	6	< 5	16	0.21	< 10	< 10	91	< 5	30						
L38N 400V	221 238	7	330	2	< 5	17	0.17	< 10	< 10	74	< 5	32						
L38N 425V	221 238	5	140	4	< 5	16	0.14	< 10	< 10	61	< 5	18						
L38N 450V	221 238	21	640	6	< 5	24	0.25	< 10	< 10	126	< 5	80						

CERTIFICATION : Hart Buchler



Chemex Labs Ltd

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No. 10
 Tot. Pages: 10
 Date: 16-JAN-87
 Invoice #: I-8622449
 P.O. #: NONE

Project: HOLT V216A RACK Q
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L38N 47SW	221 238	1.76	< 0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	8	33	28	2.74	< 10	0.01	< 10	0.56	352	< 1	< 0.01
L38N 500W	221 238	1.03	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	6	24	19	1.94	< 10	0.01	< 10	0.45	229	< 1	< 0.01
L39N 000	221 238	0.66	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	3	16	7	1.47	< 10	< 0.01	< 10	0.24	449	< 1	< 0.01
L39N 025E	221 238	2.43	< 0.2	< 5	40	< 0.5	< 2	0.13	< 0.5	13	49	44	3.21	< 10	0.01	< 10	0.74	608	< 1	< 0.01
L39N 030E	221 238	2.10	< 0.2	< 5	40	< 0.5	< 2	0.12	< 0.5	13	49	37	3.41	< 10	< 0.01	< 10	0.92	535	< 1	< 0.01
L39N 075E	221 238	1.21	< 0.2	< 5	20	< 0.5	< 2	0.20	< 0.5	6	30	16	2.29	< 10	0.01	< 10	0.43	415	< 1	< 0.01
L39N 100E	221 238	3.01	< 0.2	< 5	80	< 0.5	< 2	0.14	< 0.5	18	67	67	3.82	< 10	0.01	< 10	1.07	342	< 1	< 0.01
L39N 025W	221 238	3.57	< 0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	22	82	102	4.27	< 10	0.01	< 10	1.39	479	< 1	< 0.01
L39N 050W	221 238	1.96	< 0.2	< 5	40	< 0.5	< 2	0.12	< 0.5	9	42	27	2.97	< 10	< 0.01	< 10	0.60	283	< 1	< 0.01
L39N 075W	221 238	2.16	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	12	52	42	3.43	< 10	0.01	< 10	0.83	413	< 1	< 0.01
L39N 100W	221 238	2.45	< 0.2	< 5	90	< 0.5	< 2	0.31	< 0.5	20	64	71	3.82	< 10	0.02	< 10	1.19	658	< 1	< 0.01
L39N 125W	221 238	0.78	< 0.4	< 5	10	< 0.5	< 2	0.07	< 0.5	3	16	8	1.73	< 10	< 0.01	< 10	0.24	100	< 1	< 0.01
L39N 150W	221 238	0.45	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	1	13	2	1.25	< 10	< 0.01	< 10	0.14	47	< 1	< 0.01
L39N 175W	221 238	0.79	< 0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	6	20	12	1.79	< 10	0.01	< 10	0.30	222	< 1	< 0.01
L39N 200W	221 238	1.52	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	7	36	21	3.01	< 10	0.01	< 10	0.47	189	< 1	< 0.01
L39N 225W	221 238	2.56	< 0.2	5	30	< 0.5	< 2	0.12	< 0.5	11	48	33	3.87	< 10	0.01	< 10	0.53	1610	< 1	< 0.01
L39N 250W	221 238	1.79	< 0.2	5	30	< 0.5	< 2	0.18	< 0.5	8	37	30	2.71	< 10	0.01	< 10	0.53	349	< 1	0.03
L39N 275W	221 238	2.16	< 0.2	5	30	< 0.5	< 2	0.11	< 0.5	9	54	31	3.19	< 10	0.01	< 10	0.73	237	< 1	0.01
L39N 300W	221 238	2.58	< 0.2	10	40	< 0.5	< 2	0.14	< 0.5	14	49	37	3.06	< 10	0.01	< 10	0.63	627	< 1	0.01
L39N 325W	221 238	1.90	< 0.2	< 5	30	< 0.5	< 2	0.10	< 0.5	7	41	19	3.40	< 10	0.02	< 10	0.45	210	< 1	0.01
L39N 350W	221 238	2.55	< 0.2	10	30	< 0.5	< 2	0.14	< 0.5	12	48	36	3.42	< 10	0.01	< 10	0.63	689	< 1	0.02
L39N 375W	221 238	1.60	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	7	38	27	2.64	< 10	0.01	< 10	0.55	183	< 1	0.01
L39N 400W	221 238	3.46	< 0.2	5	60	< 0.5	< 2	0.12	< 0.5	15	60	55	3.54	< 10	0.01	< 10	0.80	320	< 1	< 0.01
L39N 425W	221 238	2.30	< 0.2	< 5	30	< 0.5	< 2	0.08	< 0.5	8	44	30	3.10	< 10	0.01	< 10	0.50	186	< 1	< 0.01
L39N 450W	221 238	1.86	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	6	36	14	2.92	< 10	0.01	< 10	0.35	299	< 1	< 0.01
L39N 475W	221 238	1.17	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	4	24	8	1.94	< 10	0.01	< 10	0.26	175	< 1	< 0.01
L39N 500W	221 238	1.07	< 0.2	< 5	60	< 0.5	< 2	0.26	< 0.5	5	22	11	1.83	< 10	0.01	< 10	0.33	1240	< 1	< 0.01

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8622449

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 10-B

Tot. Pages: 10

Date : 16-JAN-87

Invoice # : I-8622449

P.O. # : NONE

Project : HOLT V226A RACK Q

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm							
L38N 475V	221 238	13	300	4	< 5	9	0.13	< 10	< 10	73	< 5	36							
L38N 500V	221 238	10	280	6	< 5	7	0.07	< 10	< 10	57	< 5	36							
L39N 000	221 238	6	230	2	< 5	8	0.09	< 10	< 10	46	< 5	26							
L39N 025E	221 238	22	520	4	< 5	10	0.20	< 10	< 10	87	< 5	46							
L39N 050E	221 238	23	440	6	< 5	12	0.19	< 10	< 10	86	< 5	56							
L39N 075E	221 238	12	390	2	< 5	10	0.14	< 10	< 10	71	< 5	36							
L39N 100E	221 238	35	250	6	< 5	11	0.19	< 10	< 10	99	< 5	54							
L39N 029V	221 238	42	440	6	< 5	12	0.21	< 10	< 10	104	< 5	62							
L39N 050V	221 238	19	380	2	< 5	9	0.13	< 10	< 10	76	< 5	48							
L39N 079V	221 238	23	510	4	< 5	10	0.13	< 10	< 10	85	< 5	50							
L39N 100V	221 238	31	510	8	< 5	18	0.15	< 10	< 10	94	< 5	52							
L39N 129V	221 238	5	310	2	< 5	5	0.09	< 10	< 10	49	< 5	24							
L39N 150V	221 238	3	190	< 2	< 5	3	0.12	< 10	< 10	65	< 5	10							
L39N 179V	221 238	8	250	6	< 5	13	0.09	< 10	< 10	60	< 5	32							
L39N 200V	221 238	12	450	2	< 5	7	0.19	< 10	< 10	95	< 5	44							
L39N 229V	221 238	15	1760	12	< 5	7	0.20	< 10	< 10	96	< 5	58							
L39N 250V	221 238	12	500	6	< 5	10	0.15	< 10	< 10	80	< 5	44							
L39N 279V	221 238	19	280	4	< 5	9	0.17	< 10	< 10	90	< 5	40							
L39N 300V	221 238	19	500	6	< 5	10	0.17	< 10	< 10	87	< 5	52							
L39N 329V	221 238	12	440	4	< 5	6	0.12	< 10	< 10	93	< 5	44							
L39N 350V	221 238	19	490	4	< 5	11	0.17	< 10	< 10	91	< 5	54							
L39N 379V	221 238	14	280	4	< 5	7	0.14	< 10	< 10	77	< 5	34							
L39N 400V	221 238	25	440	4	< 5	8	0.21	< 10	< 10	90	< 5	52							
L39N 429V	221 238	13	340	4	< 5	5	0.12	< 10	< 10	71	< 5	42							
L39N 450V	221 238	9	430	4	< 5	6	0.11	< 10	< 10	69	< 5	44							
L39N 479V	221 238	7	340	6	< 5	6	0.07	< 10	< 10	50	< 5	40							
L39N 500V	221 238	7	330	4	< 5	8	0.05	< 10	< 10	52	< 5	30							

CERTIFICATION :

Hart Buchler

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87007
 INVOICE#: 7382
 DATE ENTERED: 87-01-22
 FILE NAME: MPH87007
 PAGE # : 1

RE FIX	SAMPLE NAME	PPB Au
0	L0N 225E	0
0	250E	0
0	275E	0
0	L0N 300E	0
0	L19 225E	0
0	250E	0
0	275E	0
0	L19 300E	0
0	L29 225E	0
0	250E	0
0	275E	0
0	L29 300E	0
0	L39 225E	0
0	250E	0
0	275E	0
0	L39 300E	0
0	L59 325E	0
0	350E	0
0	375E	0
0	L59 400E	0
0	L69 325E	0
0	350E	0
0	375E	0
0	L69 400E	0
0	L79 325E	0
0	350E	0
0	375E	30
0	L79 400E	0
0	L850S 325E	0
0	350E	0
0	375E	0
0	L850S 400E	0
0	L99 325E	0
0	350E	0
0	375E	0
0	L99 400E	0
0	L109 325E	0
0	350E	0
0	375E	0
0	L109 400E	0

RECEIVED JAN 26 1987

CERTIFIED BY :

J. Rossbach

ROSSBACHER LABORATORY LTD.


2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87007
 INVOICE#: 7382
 DATE ENTERED: 87-01-22
 FILE NAME: MPH87007
 PAGE # : 2

PRE FIX	SAMPLE NAME	PPB Au
	L15N 025E	5
	050E	5
	075E	5
	100E	5
	125E	5
	150E	5
	175E	5
	L15N 200E	5
	L16N 025E	5
	050E	5
	075E	5
	100E	5
	125E	5
	150E	5
	175E	5
	L16N 200E	5
	L17N 025E	5
	050E	5
	075E	10
	L17N 100E	5
	125E	5
	150E	5
	175E	30
	L17N 200E	5
	L18N 025E	5
	050E	5
	075E	30
	100E	5
	125E	20
	L18N 150E	5
	175E	5
	L18N 200E	5
	L19N 025E	20
	050E	5
	075E	5
	100E	5
	025E	5
	150E	5
	L19N 175E	5
	L20N 025E	5

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3M1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

☐ : MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V226
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87007
 INVOICE#: 7382
 DATE ENTERED: 87-01-22
 FILE NAME: MFH87007
 PAGE # : 3

PRE IX	SAMPLE NAME	PPB Au
0	L20N 050E	5
0	075E	5
0	100E	5
0	125E	5
0	150E	5
0	175E	5
0	L20N 200E	5
0	L21N 125E	5
0	150E	5
0	175E	5
0	200E	5
0	225E	5
0	250E	5
0	275E	5
0	300E	5
0	325E	5
0	350E	5
0	375E	5
0	400E	5
0	L21N 425E	10
0	450E	5
0	475E	5
0	L21N 500E	5
0	L22N 125E	5
0	150E	5
0	175E	5
0	L22N 200E	5
0	L23N 125E	5
0	150E	5
0	175E	5
0	L23N 200E	5
0	L24N 125E	5
0	150E	5
0	175E	5
0	L24N 200E	5
0	L25N 125E	5
0	150E	5
0	L25N 200E	5
0	L26N 125E	5
0	L26N 150E	5

CERTIFIED BY :

R. Rossbacher

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

Client: MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 87007
 INVOICE#: 7382
 DATE ENTERED: 87-01-22
 FILE NAME: MPH87007
 PAGE # : 4

PROJECT: V226
 TYPE OF ANALYSIS: GEOCHEMICAL

LINE IX	SAMPLE NAME	PPB Au
	L26N 175E	5
	L26N 200E	5
	L27N 125E	5
	150E	5
	175E	5
	L27N 200E	5
	L28N 125E	5
	150E	5
	175E	5
	L28N 200E	5
	L54N 125E	5
	150E	5
	175E	5
	L54N 200E	5
	L55N 125E	5
	150E	5
	175E	5
	L55N 200E	5
	L56N 125E	5
	150E	5
	175E	5
	L56N 200E	5
	L57N 125E	5
	150E	5
	175E	5
	L57N 200E	5
	L71N 125E	5
	150E	5
	175E	5
	L71N 200E	5
	225E	5
	250E	5
	275E	5
	L71N 300E	5
	L72N 025E	5
	050E	5
	075E	5
	100E	5
	125E	5
	L72N 150E	5

CERTIFIED BY :

[Handwritten Signature]

ROSSBACHER LABORATORY LTD.

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910


CLIENT: MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.
PROJECT: V226
TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87007
INVOICE#: 7362
DATE ENTERED: 87-01-22
FILE NAME: MPH87007
PAGE # : 5

RE IX	SAMPLE NAME	PPB Au
1	L72N 175E	5
2	200E	60
3	225E	5
4	250E	5
5	275E	5
6	L72N 300E	5
7	L73N 025E	5
8	050E	5
9	075E	5
10	100E	5
11	125E	5
12	150E	5
13	175E	5
14	200E	10
15	225E	5
16	250E	5
17	275E	5
18	L73N 300E	5
19	14929E	5
20	14930E	5

CERTIFIED BY :

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-A
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice # : I-8710121
 P.O. # : NONE

Project : RAXK Z V226
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	Au ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
1N 300E	221 238	3.60	< 0.2	5	120	< 0.5	< 2	0.24	< 0.5	19	72	74	3.82	< 10	0.05	< 10	1.10	1085	< 1	< 0.01
1N 275E	221 238	3.34	< 0.2	20	150	< 0.5	< 2	0.15	< 0.5	20	96	98	4.95	< 10	0.04	10	1.42	1090	< 1	< 0.01
1N 250E	221 238	1.97	< 0.2	5	170	< 0.5	< 2	0.12	< 0.5	9	33	22	3.40	< 10	0.03	10	0.47	1865	< 1	< 0.01
1N 225E	221 238	1.86	< 0.2	10	150	< 0.5	< 2	0.13	< 0.5	9	33	23	3.16	< 10	0.02	< 10	0.44	2060	< 1	< 0.01
2N 300E	221 238	1.67	< 0.2	5	110	< 0.5	< 2	0.17	< 0.5	9	33	21	2.26	< 10	0.02	< 10	0.42	1970	< 1	< 0.01
2N 275E	221 238	1.91	< 0.2	10	90	< 0.5	< 2	0.19	< 0.5	8	41	26	2.97	< 10	0.03	< 10	0.63	1275	< 1	< 0.01
2N 250E	221 238	2.91	< 0.2	< 5	140	< 0.5	< 2	0.21	< 0.5	10	47	35	3.27	< 10	0.03	< 10	0.64	1690	< 1	< 0.01
2N 225E	221 238	3.14	< 0.2	15	180	< 0.5	< 2	0.31	< 0.5	20	79	83	4.48	< 10	0.05	10	1.41	985	< 1	< 0.01
2N 200E	221 238	2.78	< 0.2	5	110	< 0.5	< 2	0.15	< 0.5	17	56	47	3.65	< 10	0.03	< 10	1.13	570	< 1	< 0.01
2N 175E	221 238	1.83	< 0.2	< 5	110	< 0.5	< 2	0.14	< 0.5	10	48	24	2.55	< 10	0.02	< 10	0.82	767	< 1	< 0.01
2N 150E	221 238	2.39	< 0.2	10	190	< 0.5	< 2	0.26	< 0.5	8	34	27	2.96	< 10	0.03	10	0.55	1260	< 1	< 0.01
2N 125E	221 238	2.33	< 0.2	10	170	< 0.5	< 2	0.20	< 0.5	8	38	32	3.12	< 10	0.04	< 10	0.69	1145	< 1	< 0.01
3N 300E	221 238	0.95	< 0.2	< 5	40	< 0.5	< 2	0.09	< 0.5	4	16	11	1.79	< 10	0.01	< 10	0.21	168	< 1	< 0.01
3N 275E	221 238	1.88	< 0.2	5	80	< 0.5	< 2	0.12	< 0.5	10	33	24	2.43	< 10	0.02	< 10	0.51	1705	< 1	< 0.01
3N 250E	221 238	4.17	< 0.2	20	100	< 0.5	2	0.15	< 0.5	16	70	83	4.75	< 10	0.04	< 10	1.05	871	< 1	< 0.01
3N 225E	221 238	3.06	< 0.2	5	100	< 0.5	< 2	0.12	< 0.5	13	62	61	3.75	< 10	0.01	< 10	0.92	742	< 1	< 0.01
3N 200E	221 238	1.52	< 0.2	< 5	60	< 0.5	< 2	0.22	< 0.5	4	19	10	2.04	< 10	0.02	< 10	0.19	329	< 1	< 0.01
3N 175E	221 238	3.22	< 0.2	10	110	< 0.5	< 2	0.18	< 0.5	16	74	65	3.87	< 10	0.03	< 10	0.86	415	< 1	< 0.01
3N 150E	221 238	2.20	< 0.2	5	100	< 0.5	< 2	0.15	< 0.5	9	50	47	2.85	< 10	0.02	< 10	0.84	399	< 1	< 0.01
3N 125E	221 238	1.57	< 0.2	< 5	150	< 0.5	< 2	0.12	< 0.5	11	56	14	2.08	< 10	0.04	< 10	0.60	548	< 1	< 0.01
3N 100E	221 238	2.28	< 0.2	5	140	< 0.5	< 2	0.27	< 0.5	8	36	31	2.95	< 10	0.03	10	0.63	669	< 1	< 0.01
3N 075E	221 238	2.19	< 0.2	10	130	< 0.5	< 2	0.19	< 0.5	8	40	29	3.11	< 10	0.03	< 10	0.67	1465	< 1	< 0.01
3N 050E	221 238	2.94	< 0.2	10	110	< 0.5	< 2	0.18	< 0.5	9	52	48	3.35	< 10	0.02	> 10	0.88	373	< 1	< 0.01
3N 025E	221 238	1.06	< 0.2	< 5	60	< 0.5	< 2	0.21	< 0.5	6	20	13	1.54	< 10	0.01	< 10	0.32	258	< 1	< 0.01
4N 300E	221 238	3.38	< 0.2	10	120	< 0.5	< 2	0.12	< 0.5	16	89	36	4.53	< 10	0.01	< 10	0.95	351	< 1	< 0.01
4N 275E	221 238	3.18	< 0.2	10	90	< 0.5	< 2	0.16	< 0.5	11	61	43	3.90	< 10	0.04	< 10	0.88	1195	< 1	< 0.01
4N 250E	221 238	4.22	< 0.2	5	110	< 0.5	< 2	0.16	< 0.5	20	84	114	4.93	< 10	0.03	< 10	1.42	732	< 1	< 0.01
4N 225E	221 238	3.15	< 0.2	15	160	< 0.5	< 2	0.21	< 0.5	20	67	74	4.14	< 10	0.04	< 10	1.11	1325	< 1	< 0.01
4N 200E	221 238	1.81	< 0.2	5	140	< 0.5	< 2	0.19	< 0.5	9	44	25	2.73	< 10	0.01	< 10	0.80	1115	< 1	< 0.01
4N 175E	221 238	1.10	< 0.2	< 5	90	< 0.5	< 2	0.20	< 0.5	7	30	17	2.07	< 10	0.01	< 10	0.47	396	< 1	< 0.01
4N 150E	221 238	3.67	< 0.2	20	230	< 0.5	< 2	0.30	< 0.5	19	59	77	4.40	< 10	0.03	< 10	1.19	1215	< 1	< 0.01
4N 125E	221 238	3.63	< 0.2	20	140	< 0.5	< 2	0.29	< 0.5	19	44	128	4.47	< 10	0.02	< 10	1.52	434	< 1	< 0.01
4N 100E	221 238	1.93	< 0.2	5	140	< 0.5	< 2	0.50	< 0.5	8	38	38	3.32	< 10	0.01	10	0.56	264	< 1	< 0.01
4N 075E	221 238	2.45	< 0.2	10	110	< 0.5	< 2	0.27	< 0.5	16	44	58	3.54	< 10	0.02	< 10	0.95	859	< 1	< 0.01
4N 050E	221 238	2.89	< 0.2	< 5	170	< 0.5	< 2	0.42	< 0.5	20	108	57	3.67	< 10	0.02	< 10	1.06	2240	< 1	< 0.01
4N 025E	221 238	1.41	< 0.2	5	110	< 0.5	< 2	0.24	< 0.5	8	34	19	2.79	< 10	0.01	< 10	0.52	1680	< 1	< 0.01
5N 300E	221 238	1.95	< 0.2	10	80	< 0.5	< 2	0.16	< 0.5	16	40	21	2.77	< 10	0.02	< 10	0.59	1205	< 1	< 0.01
5N 275E	221 238	2.07	< 0.2	10	90	< 0.5	< 2	0.09	< 0.5	9	35	27	3.39	< 10	0.02	< 10	0.29	473	< 1	< 0.01
5N 250E	221 238	3.18	< 0.2	5	70	< 0.5	< 2	0.11	< 0.5	14	52	58	4.57	< 10	0.01	< 10	0.92	346	< 1	< 0.01
5N 225E	221 238	1.36	< 0.2	< 5	20	< 0.5	< 2	0.50	< 0.5	7	41	16	2.47	< 10	< 0.01	< 10	0.50	980	< 1	< 0.01

CERTIFICATION : Herbert Buchler

RECEIVED JAN 30 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-B
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice # : I-8710121
 P.O. # : NONE

Project : RAXX Z V126
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
1N 300E	221 238	36	720	< 2	< 5	27	0.14	< 10	< 10	95	< 5	70							
1N 275E	221 238	55	610	4	< 5	16	0.09	< 10	< 10	97	< 5	62							
1N 250E	221 238	13	670	< 2	< 5	8	0.02	< 10	< 10	50	< 5	78							
1N 225E	221 238	15	640	2	< 5	13	0.05	< 10	< 10	60	< 5	64							
2N 300E	221 238	14	590	< 2	< 5	16	0.07	< 10	< 10	50	< 5	54							
2N 275E	221 238	19	390	< 2	< 5	18	0.08	< 10	< 10	67	< 5	60							
2N 250E	221 238	22	740	2	< 5	20	0.09	< 10	< 10	66	< 5	70							
2N 225E	221 238	42	630	< 2	< 5	24	0.11	< 10	< 10	94	< 5	62							
2N 200E	221 238	29	240	< 2	< 5	17	0.06	< 10	< 10	70	< 5	58							
2N 175E	221 238	24	190	< 2	< 5	15	0.05	< 10	< 10	53	< 5	46							
2N 150E	221 238	17	440	< 2	< 5	22	0.08	< 10	< 10	65	< 5	68							
2N 125E	221 238	19	410	< 2	< 5	14	0.06	< 10	< 10	65	< 5	60							
3N 300E	221 238	6	300	< 2	< 5	8	0.04	< 10	< 10	42	< 5	28							
3N 275E	221 238	14	600	6	< 5	11	0.04	< 10	< 10	50	< 5	68							
3N 250E	221 238	33	1050	< 2	< 5	15	0.12	< 10	< 10	105	< 5	82							
3N 225E	221 238	27	430	< 2	< 5	14	0.07	< 10	< 10	77	< 5	62							
3N 200E	221 238	6	470	< 2	< 5	22	0.06	< 10	< 10	42	< 5	36							
3N 175E	221 238	38	420	< 2	< 5	16	0.08	< 10	< 10	78	< 5	84							
3N 150E	221 238	28	260	< 2	< 5	14	0.08	< 10	< 10	61	< 5	46							
3N 125E	221 238	31	190	2	< 5	8	0.02	< 10	< 10	34	< 5	40							
3N 100E	221 238	17	450	< 2	< 5	27	0.10	< 10	< 10	75	< 5	60							
3N 075E	221 238	18	440	< 2	< 5	20	0.09	< 10	< 10	72	< 5	52							
3N 050E	221 238	27	390	< 2	< 5	20	0.12	< 10	< 10	79	< 5	64							
3N 025E	221 238	8	110	< 2	< 5	20	0.09	< 10	< 10	46	< 5	28							
4N 300E	221 238	37	620	< 2	< 5	11	0.07	< 10	< 10	104	< 5	60							
4N 275E	221 238	26	650	< 2	< 5	15	0.07	< 10	< 10	84	< 5	70							
4N 250E	221 238	41	750	< 2	< 5	16	0.11	< 10	< 10	110	< 5	74							
4N 225E	221 238	35	730	< 2	< 5	16	0.08	< 10	< 10	82	< 5	66							
4N 200E	221 238	19	400	< 2	< 5	11	0.06	< 10	< 10	70	< 5	52							
4N 175E	221 238	11	210	< 2	< 5	13	0.06	< 10	< 10	65	< 5	30							
4N 150E	221 238	29	410	< 2	< 5	25	0.12	< 10	< 10	112	< 5	64							
4N 125E	221 238	25	220	< 2	< 5	33	0.12	< 10	< 10	152	< 5	54							
4N 100E	221 238	13	210	< 2	< 5	22	0.08	< 10	< 10	98	< 5	32							
4N 075E	221 238	21	250	< 2	< 5	22	0.08	< 10	< 10	92	< 5	56							
4N 050E	221 238	30	560	2	< 5	22	0.11	< 10	< 10	106	< 5	70							
4N 025E	221 238	11	330	6	< 5	18	0.09	< 10	< 10	75	< 5	48							
5N 300E	221 238	20	510	< 2	< 5	13	0.14	< 10	< 10	57	< 5	62							
5N 275E	221 238	20	400	< 2	< 5	6	0.02	< 10	< 10	59	< 5	62							
5N 250E	221 238	24	390	< 2	< 5	10	0.12	< 10	< 10	103	< 5	56							
5N 225E	221 238	10	260	< 2	< 5	10	0.17	< 10	< 10	106	< 5	30							

CERTIFICATION : Hart Beckler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-A
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice #: I-8710121
 P.O. #: NONE

Project : RAXX Z V226
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
5N 200E	221 238	3.58	< 0.2	15	70	< 0.5	2	0.20	< 0.5	18	56	100	4.17	< 10	0.02	< 10	1.17	746	< 1	< 0.01
5N 175E	221 238	4.66	< 0.2	30	120	< 0.5	2	0.16	< 0.5	18	79	116	5.39	< 10	0.02	10	1.44	519	< 1	< 0.01
5N 150E	221 238	2.06	< 0.2	10	120	< 0.5	< 2	0.34	< 0.5	7	31	32	3.31	< 10	0.02	10	0.58	680	< 1	< 0.01
5N 125E	221 238	4.03	< 0.2	15	110	< 0.5	< 2	0.25	< 0.5	14	47	50	4.71	< 10	0.03	10	0.57	287	< 1	< 0.01
5N 100E	221 238	2.44	< 0.2	10	130	< 0.5	< 2	0.21	< 0.5	7	41	41	4.08	< 10	0.04	10	0.54	1510	< 1	< 0.01
5N 075E	221 238	3.32	< 0.2	10	180	< 0.5	< 2	0.53	< 0.5	18	58	86	4.36	< 10	0.05	20	1.03	702	< 1	< 0.01
5N 050E	221 238	3.53	< 0.2	5	200	< 0.5	< 2	0.60	< 0.5	19	63	92	4.63	< 10	0.05	20	1.10	858	< 1	< 0.01
5N 025E	221 238	3.49	< 0.2	25	130	< 0.5	< 2	0.20	< 0.5	16	54	61	5.77	< 10	0.04	10	0.76	466	< 1	< 0.01
6N 300E	221 238	3.75	< 0.2	20	80	< 0.5	< 2	0.28	< 0.5	20	71	54	3.57	< 10	0.03	< 10	0.96	1295	< 1	< 0.01
6N 275E	221 238	5.50	< 0.2	10	120	< 0.5	< 2	0.27	< 0.5	21	130	129	5.54	< 10	0.06	< 10	1.79	571	< 1	< 0.01
6N 250E	221 238	2.22	< 0.2	10	90	< 0.5	< 2	0.35	< 0.5	15	44	53	2.90	< 10	0.02	< 10	0.84	611	< 1	< 0.01
6N 225E	221 238	2.08	< 0.2	5	50	< 0.5	< 2	0.33	< 0.5	9	41	43	3.25	< 10	0.01	< 10	0.97	456	< 1	< 0.01
6N 200E	221 238	3.03	< 0.2	10	170	< 0.5	< 2	0.51	< 0.5	17	61	58	4.03	< 10	0.03	10	0.88	1185	< 1	< 0.01
6N 175E	221 238	2.55	< 0.2	15	280	< 0.5	< 2	0.76	< 0.5	17	44	43	3.07	< 10	0.03	10	0.68	3480	< 1	< 0.01
6N 150E	221 238	3.16	< 0.2	15	80	< 0.5	< 2	0.30	< 0.5	16	30	103	4.29	< 10	0.04	< 10	1.07	757	< 1	< 0.01
6N 125E	221 238	3.96	< 0.2	15	80	< 0.5	< 2	0.33	< 0.5	17	56	71	4.15	< 10	0.04	10	0.89	601	< 1	< 0.01
6N 100E	221 238	4.94	< 0.2	15	80	< 0.5	< 2	0.35	< 0.5	17	80	156	5.07	< 10	0.05	10	1.36	669	< 1	< 0.01
6N 075E	221 238	3.47	< 0.2	15	60	< 0.5	< 2	0.37	< 0.5	15	58	50	3.29	< 10	0.04	10	1.04	675	< 1	< 0.01
6N 050E	221 238	1.87	< 0.2	< 5	20	< 0.5	< 2	0.35	< 0.5	10	48	30	2.99	< 10	< 0.01	< 10	0.87	290	< 2	< 0.01
6N 025E	221 238	3.91	< 0.2	10	120	< 0.5	< 2	0.29	< 0.5	16	51	79	4.00	< 10	0.05	10	0.81	1095	< 1	< 0.01
58N 200E	221 238	1.86	< 0.2	< 5	20	< 0.5	< 2	0.29	< 0.5	7	50	34	3.09	< 10	0.01	< 10	0.88	255	< 1	< 0.01
58N 175E	221 238	1.31	< 0.2	5	20	< 0.5	< 2	0.24	< 0.5	7	38	27	2.64	< 10	0.01	< 10	0.59	273	< 1	< 0.01
58N 150E	221 238	2.12	< 0.2	10	20	< 0.5	< 2	0.24	< 0.5	12	49	64	4.58	< 10	0.01	< 10	0.77	433	< 1	< 0.01
58N 125E	221 238	2.25	< 0.2	5	40	< 0.5	< 2	0.19	< 0.5	7	33	41	3.17	< 10	0.04	10	0.74	597	< 1	< 0.01
58N 100E	221 238	1.73	< 0.2	5	30	< 0.5	< 2	0.32	< 0.5	4	39	35	3.03	< 10	0.01	< 10	0.65	295	< 1	< 0.01
58N 075E	221 238	5.27	< 0.2	15	110	< 0.5	< 2	0.46	< 0.5	75	60	184	4.66	< 10	0.03	10	0.73	4270	< 1	< 0.01
58N 050E	221 238	3.44	< 0.2	5	80	< 0.5	< 2	0.33	< 0.5	14	60	50	4.28	< 10	0.03	10	0.95	676	< 1	< 0.01
58N 025E	221 238	3.15	< 0.2	20	50	< 0.5	< 2	0.41	< 0.5	15	84	110	4.70	< 10	0.02	< 10	1.43	1605	< 1	< 0.01
58N 000BL	221 238	2.11	< 0.2	< 5	40	< 0.5	< 2	0.45	< 0.5	17	59	35	3.41	< 10	0.01	< 10	0.92	1375	< 1	< 0.01
58N 025W	221 238	3.75	< 0.2	5	50	< 0.5	2	0.41	< 0.5	24	92	104	5.16	< 10	0.03	10	1.62	1165	< 1	< 0.01
58N 050W	221 238	3.53	< 0.2	15	130	< 0.5	< 2	0.33	< 0.5	19	82	84	3.69	< 10	0.04	< 10	1.46	700	< 1	< 0.01
58N 075W	221 238	1.54	< 0.2	< 5	50	< 0.5	< 2	0.25	< 0.5	8	31	17	2.42	< 10	0.01	< 10	0.40	2270	< 1	< 0.01
58N 100W	221 238	2.24	< 0.2	10	80	< 0.5	< 2	0.38	< 0.5	7	43	24	2.71	< 10	0.01	< 10	0.57	1785	< 1	< 0.01
58N 125W	221 238	3.46	< 0.2	15	70	< 0.5	< 2	0.22	< 0.5	16	65	71	4.49	< 10	0.01	< 10	1.09	819	< 1	< 0.01
58N 150W	221 238	3.89	< 0.2	15	120	< 0.5	< 2	0.26	< 0.5	18	66	74	4.31	< 10	0.03	< 10	1.17	1225	< 1	< 0.01
58N 175W	221 238	2.93	< 0.2	5	80	< 0.5	< 2	0.29	< 0.5	19	60	61	3.45	< 10	0.02	< 10	1.23	503	< 1	< 0.01
58N 200W	221 238	2.75	< 0.2	5	90	< 0.5	< 2	0.33	< 0.5	17	52	37	3.27	< 10	0.03	< 10	0.90	601	< 1	< 0.01
58N 225W	221 238	4.95	< 0.2	20	250	< 0.5	< 2	0.35	< 0.5	29	107	177	5.37	< 10	0.06	10	1.95	854	< 1	< 0.01
58N 250W	221 238	2.75	< 0.2	< 5	140	< 0.5	< 2	0.38	< 0.5	15	43	44	3.54	< 10	0.03	10	0.90	3080	< 1	< 0.01
58N 275W	221 238	3.30	< 0.2	5	90	< 0.5	< 2	0.41	< 0.5	17	60	50	4.29	< 10	0.03	10	1.02	529	< 1	< 0.01

CERTIFICATION : Hart Becker



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-B
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice #: I-8710121
 P.O. #: NONE

Project : RAXX Z V126
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
5N 200E	221 238	28	490	< 2	< 5	21	0.14	< 10	< 10	105	< 5	58							
5N 175E	221 238	41	320	< 2	< 5	19	0.15	< 10	< 10	125	< 5	72							
5N 150E	221 238	14	290	< 2	< 5	26	0.10	< 10	< 10	89	< 5	62							
5N 125E	221 238	20	510	< 2	< 5	38	0.10	< 10	< 10	106	< 5	74							
5N 100E	221 238	15	460	< 2	< 5	23	0.05	< 10	< 10	80	< 5	76							
5N 075E	221 238	30	470	< 2	< 5	30	0.11	< 10	< 10	102	< 5	74							
5N 050E	221 238	32	540	< 2	< 5	32	0.11	< 10	< 10	106	< 5	78							
5N 025E	221 238	25	900	< 2	< 5	23	0.08	< 10	< 10	92	< 5	108							
6N 300E	221 238	30	450	< 2	< 5	31	0.13	< 10	< 10	110	< 5	86							
6N 275E	221 238	58	430	< 2	< 5	34	0.18	< 10	< 10	158	< 5	72							
6N 250E	221 238	20	420	< 2	< 5	27	0.13	< 10	< 10	89	< 5	62							
6N 225E	221 238	17	220	< 2	< 5	30	0.11	< 10	< 10	99	< 5	34							
6N 200E	221 238	24	370	< 2	< 5	25	0.12	< 10	< 10	122	< 5	54							
6N 175E	221 238	25	550	4	< 5	32	0.14	< 10	< 10	77	< 5	108							
6N 150E	221 238	17	540	< 2	< 5	36	0.15	< 10	< 10	128	< 5	68							
6N 125E	221 238	24	950	< 2	< 5	45	0.19	< 10	< 10	112	< 5	72							
6N 100E	221 238	37	530	< 2	< 5	46	0.19	< 10	< 10	128	< 5	66							
6N 075E	221 238	26	300	< 2	< 5	44	0.14	< 10	< 10	90	< 5	62							
6N 050E	221 238	17	220	< 2	< 5	36	0.21	< 10	< 10	96	< 5	50							
6N 025E	221 238	22	630	< 2	< 5	38	0.12	< 10	< 10	104	< 5	74							
58N 200E	221 238	17	180	< 2	< 5	26	0.22	< 10	< 10	108	< 5	44							
58N 175E	221 238	13	250	< 2	< 5	19	0.17	< 10	< 10	86	< 5	50							
58N 150E	221 238	18	410	< 2	< 5	23	0.30	< 10	< 10	151	< 5	60							
58N 125E	221 238	13	300	< 2	< 5	17	0.11	< 10	< 10	88	< 5	56							
58N 100E	221 238	15	300	< 2	< 5	33	0.27	< 10	< 10	98	< 5	52							
58N 075E	221 238	32	1310	6	< 5	27	0.24	< 10	< 10	139	< 5	128							
58N 050E	221 238	22	960	< 2	< 5	43	0.22	< 10	< 10	119	< 5	82							
58N 025E	221 238	34	730	4	< 5	37	0.33	< 10	< 10	157	< 5	84							
58N 000BL	221 238	21	420	< 2	< 5	42	0.33	< 10	< 10	118	< 5	60							
58N 025W	221 238	36	1470	< 2	< 5	48	0.34	< 10	< 10	162	< 5	82							
58N 050W	221 238	38	310	< 2	< 5	46	0.21	< 10	< 10	110	< 5	52							
58N 075W	221 238	9	610	100	< 5	22	0.14	< 10	< 10	69	< 5	48							
58N 100W	221 238	11	1330	< 2	< 5	25	0.14	< 10	< 10	85	< 5	92							
58N 125W	221 238	26	1250	< 2	< 5	19	0.18	< 10	< 10	121	< 5	82							
58N 150W	221 238	28	810	< 2	5	24	0.20	< 10	< 10	116	< 5	100							
58N 175W	221 238	28	230	< 2	< 5	30	0.16	< 10	< 10	98	< 5	78							
58N 200W	221 238	25	290	< 2	< 5	32	0.18	< 10	< 10	95	< 5	92							
58N 225W	221 238	49	460	< 2	< 5	31	0.25	< 10	< 10	161	< 5	102							
58N 250W	221 238	18	490	< 2	< 5	31	0.18	< 10	< 10	102	< 5	86							
58N 275W	221 238	30	350	< 2	< 5	34	0.17	< 10	< 10	129	< 5	80							

CERTIFICATION : E. Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED
 2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 3-A
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice # : I-8710121
 P.O. # : NONE

Project : RAXX 2 V116
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
58N 300W	221 238	3.89	< 0.2	15	80	< 0.5	< 2	0.28	< 0.5	16	53	63	4.23	< 10	0.03	< 10	0.89	780	< 1	< 0.01
58N 325W	221 238	3.50	< 0.2	10	90	< 0.5	< 2	0.28	< 0.5	18	56	63	4.18	< 10	0.03	< 10	1.13	699	< 1	< 0.01
58N 350W	221 238	3.21	< 0.2	10	90	< 0.5	< 2	0.37	< 0.5	19	50	52	4.24	< 10	0.03	10	1.08	924	< 1	< 0.01
58N 375W	221 238	3.84	< 0.2	10	50	< 0.5	< 2	0.30	< 0.5	15	63	94	4.44	< 10	0.01	< 10	1.04	563	< 1	< 0.01
58N 400W	221 238	1.84	< 0.2	5	30	< 0.5	< 2	0.37	< 0.5	6	31	20	3.01	< 10	0.01	< 10	0.50	576	< 1	< 0.01
59N 200E	221 238	2.76	< 0.2	5	40	< 0.5	< 2	0.37	< 0.5	14	64	46	4.42	10	0.01	< 10	1.02	536	< 1	< 0.01
59N 175E	221 238	2.87	< 0.2	5	40	< 0.5	< 2	0.30	< 0.5	14	65	50	4.47	< 10	0.01	< 10	1.04	433	< 1	< 0.01
59N 150E	221 238	2.14	< 0.2	< 5	20	< 0.5	< 2	0.23	< 0.5	11	59	42	4.10	< 10	0.01	< 10	0.98	308	< 1	< 0.01
59N 125E	221 238	1.87	< 0.2	< 5	80	< 0.5	< 2	0.21	< 0.5	11	46	35	3.94	< 10	0.01	< 10	0.71	266	< 1	< 0.01
59N 100E	221 238	3.65	< 0.2	5	60	< 0.5	< 2	0.37	< 0.5	18	94	121	4.81	< 10	0.02	10	1.74	1735	< 1	< 0.01
59N 075E	221 238	3.44	< 0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	24	97	121	4.77	< 10	0.01	< 10	1.78	1525	< 1	< 0.01
59N 050E	221 238	2.23	< 0.2	< 5	50	< 0.5	< 2	0.22	< 0.5	19	62	49	3.46	< 10	0.01	< 10	0.96	776	< 1	< 0.01
59N 025E	221 238	2.21	< 0.2	< 5	50	< 0.5	< 2	0.26	< 0.5	19	60	45	3.43	< 10	0.02	< 10	0.94	925	< 1	< 0.01
59N 000BL	221 238	1.97	< 0.2	5	50	< 0.5	< 2	0.25	< 0.5	16	53	41	3.05	< 10	0.02	< 10	0.81	641	< 1	< 0.01
59N 025W	221 238	2.46	< 0.2	< 5	80	< 0.5	< 2	0.39	< 0.5	23	53	48	3.99	< 10	0.01	< 10	0.79	1140	< 1	< 0.01
59N 050W	221 238	1.95	< 0.2	< 5	60	< 0.5	< 2	0.52	< 0.5	33	68	43	3.57	< 10	0.01	< 10	1.33	2650	< 1	< 0.01
59N 075W	221 238	3.12	< 0.2	< 5	150	< 0.5	< 2	0.37	< 0.5	26	104	41	4.06	< 10	0.05	< 10	1.44	2610	< 1	< 0.01
59N 100W	221 238	2.71	< 0.2	5	150	< 0.5	< 2	0.28	< 0.5	20	37	37	3.92	< 10	0.03	< 10	0.78	2340	< 1	< 0.01
59N 125W	221 238	2.45	< 0.2	< 5	80	< 0.5	< 2	0.19	< 0.5	9	33	34	4.05	< 10	0.01	10	0.44	449	< 1	< 0.01
59N 150W	221 238	3.76	< 0.2	< 5	140	< 0.5	< 2	0.17	< 0.5	14	43	58	7.45	< 10	0.05	10	0.39	3500	< 1	< 0.01
59N 175W	221 238	4.99	< 0.2	< 5	100	< 0.5	< 2	0.17	< 0.5	21	69	135	6.65	< 10	0.03	10	1.16	772	< 1	< 0.01
59N 200W	221 238	1.46	< 0.2	5	250	< 0.5	< 2	0.37	< 0.5	15	26	15	2.64	< 10	0.05	< 10	0.48	3900	< 1	< 0.01
59N 225W	221 238	1.55	< 0.2	< 5	260	< 0.5	< 2	0.37	< 0.5	16	26	16	2.78	< 10	0.04	< 10	0.49	4230	< 1	< 0.01
59N 250W	221 238	1.04	< 0.2	< 5	70	< 0.5	< 2	0.29	< 0.5	6	25	9	1.49	< 10	0.02	< 10	0.28	660	< 1	< 0.01
59N 275W	221 238	3.13	< 0.2	< 5	90	< 0.5	2	0.25	< 0.5	22	47	63	4.04	< 10	0.02	< 10	0.87	1525	< 1	< 0.01
59N 300V	221 238	3.29	< 0.2	< 5	90	< 0.5	< 2	0.24	< 0.5	19	52	73	4.12	< 10	0.02	< 10	0.97	980	< 1	< 0.01
59N 325V	221 238	3.14	< 0.2	< 5	90	< 0.5	< 2	0.23	< 0.5	18	48	69	3.94	< 10	0.02	< 10	0.93	926	< 1	< 0.01
59N 350V	221 238	3.42	< 0.2	5	80	< 0.5	< 2	0.22	< 0.5	20	55	79	4.28	< 10	0.03	< 10	1.05	829	< 1	< 0.01
59N 375V	221 238	3.28	< 0.2	5	90	< 0.5	< 2	0.22	< 0.5	19	52	72	4.18	< 10	0.02	< 10	0.98	973	< 1	< 0.01
59N 400V	221 238	0.92	< 0.2	< 5	20	< 0.5	< 2	0.29	< 0.5	4	24	11	2.21	< 10	0.01	< 10	0.24	154	< 1	< 0.01
60N 200E	221 238	2.95	< 0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	12	61	60	4.97	< 10	0.02	< 10	0.79	641	< 1	< 0.01
60N 175E	221 238	1.43	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	12	42	21	2.94	< 10	0.01	< 10	0.62	327	< 1	< 0.01
60N 025W	221 238	2.33	< 0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	20	77	59	3.88	< 10	0.02	< 10	1.33	1255	< 1	< 0.01
60N 050W	221 238	3.71	< 0.2	< 5	70	< 0.5	< 2	0.25	< 0.5	21	115	130	4.30	< 10	0.02	10	1.28	647	< 1	< 0.01
60N 075W	221 238	2.92	< 0.2	< 5	50	< 0.5	< 2	0.20	< 0.5	19	128	68	4.43	< 10	0.01	< 10	1.08	950	< 1	< 0.01
60N 100W	221 238	1.87	< 0.2	< 5	70	< 0.5	< 2	0.18	< 0.5	16	34	37	3.16	< 10	0.02	< 10	0.62	1100	< 1	< 0.01
60N 125W	221 238	1.41	< 0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	9	22	19	2.60	< 10	0.04	< 10	0.49	2350	< 1	< 0.01
60N 150W	221 238	3.05	< 0.2	10	90	< 0.5	< 2	0.17	< 0.5	16	49	68	5.06	< 10	0.02	< 10	0.91	1780	< 1	< 0.01
60N 175W	221 238	2.33	< 0.2	< 5	220	< 0.5	< 2	0.31	< 0.5	15	43	69	3.72	< 10	0.05	< 10	0.87	3410	< 1	< 0.01
60N 200W	221 238	4.19	< 0.2	10	80	< 0.5	< 2	0.23	< 0.5	18	61	73	5.28	< 10	0.03	10	1.00	1235	< 1	< 0.01

Tant Buchler

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 111 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No. : 3-B
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice # : I-8710121
 P.O. # : NONE

Project : RAXX Z V216
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
58N 300W	221 238	20	480	< 2	< 5	24	0.18	< 10	< 10	116	< 5	80						
58N 325W	221 238	24	510	< 2	< 5	24	0.19	< 10	< 10	116	< 5	90						
58N 350W	221 238	22	510	< 2	< 5	23	0.19	< 10	< 10	116	< 5	80						
58N 375W	221 238	19	580	< 2	< 5	26	0.24	< 10	< 10	143	< 5	82						
58N 400W	221 238	8	410	< 2	< 5	26	0.17	< 10	< 10	95	< 5	58						
59N 200E	221 238	22	390	< 2	< 5	33	0.26	< 10	< 10	142	< 5	70						
59N 175E	221 238	23	380	< 2	< 5	28	0.24	< 10	< 10	140	< 5	74						
59N 150E	221 238	21	280	< 2	< 5	23	0.18	< 10	< 10	135	< 5	64						
59N 125E	221 238	20	140	< 2	< 5	15	0.07	< 10	< 10	134	< 5	56						
59N 100E	221 238	40	470	< 2	< 5	39	0.27	< 10	< 10	148	< 5	92						
59N 075E	221 238	40	490	6	< 5	30	0.26	< 10	< 10	147	< 5	88						
59N 050E	221 238	23	550	10	< 5	22	0.24	< 10	< 10	111	< 5	68						
59N 025E	221 238	22	560	10	< 5	24	0.25	< 10	< 10	111	< 5	74						
59N 000BL	221 238	20	490	10	< 5	24	0.22	< 10	< 10	101	< 5	66						
59N 025W	221 238	19	700	6	< 5	42	0.31	< 10	< 10	134	< 5	86						
59N 050W	221 238	30	670	10	< 5	47	0.32	< 10	< 10	130	< 5	110						
59N 075W	221 238	35	860	14	< 5	22	0.16	< 10	< 10	132	< 5	110						
59N 100W	221 238	14	780	8	< 5	17	0.08	< 10	< 10	96	< 5	88						
59N 125W	221 238	8	600	6	< 5	16	0.09	< 10	< 10	101	< 5	70						
59N 150W	221 238	9	2180	12	< 5	13	0.11	< 10	< 10	134	< 5	114						
59N 175W	221 238	27	910	8	< 5	13	0.13	< 10	< 10	149	< 5	88						
59N 200W	221 238	11	290	20	< 5	18	0.10	< 10	< 10	74	< 5	72						
59N 225W	221 238	12	340	20	< 5	19	0.11	< 10	< 10	78	< 5	74						
59N 250W	221 238	9	220	8	< 5	18	0.13	< 10	< 10	56	< 5	40						
59N 275W	221 238	21	650	12	< 5	19	0.15	< 10	< 10	108	< 5	116						
59N 300W	221 238	21	530	8	< 5	17	0.16	< 10	< 10	115	< 5	76						
59N 325W	221 238	20	500	14	< 5	16	0.15	< 10	< 10	110	< 5	72						
59N 350W	221 238	21	530	10	< 5	17	0.17	< 10	< 10	121	< 5	78						
59N 375W	221 238	21	530	12	< 5	16	0.16	< 10	< 10	115	< 5	74						
59N 400W	221 238	4	180	14	< 5	22	0.13	< 10	< 10	108	< 5	22						
60N 200E	221 238	19	550	10	< 5	8	0.12	< 10	< 10	129	< 5	52						
60N 175E	221 238	14	240	8	< 5	9	0.21	< 10	< 10	103	< 5	48						
60N 025W	221 238	28	580	10	< 5	16	0.13	< 10	< 10	114	< 5	70						
60N 050W	221 238	41	560	8	< 5	16	0.18	< 10	< 10	125	< 5	58						
60N 075W	221 238	38	780	8	< 5	13	0.15	< 10	< 10	121	< 5	68						
60N 100W	221 238	14	380	2	< 5	16	0.11	< 10	< 10	83	< 5	66						
60N 125W	221 238	9	490	12	< 5	12	0.08	< 10	< 10	63	< 5	56						
60N 150W	221 238	18	740	12	< 5	11	0.12	< 10	< 10	113	< 5	100						
60N 175W	221 238	20	590	8	< 5	21	0.11	< 10	< 10	101	< 5	92						
60N 200W	221 238	20	810	8	< 5	19	0.13	< 10	< 10	133	< 5	90						

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. :4-A
Tot. Pages:11
Date :22-JAN-87
Invoice #:I-8710121
P.O. # :NONE


Project :RAXK Z V126

Comments:

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Nb %
60N 22SW	221 238	1.11	< 0.2	< 5	20	< 0.5	< 2	0.13	< 0.5	4	19	14	1.64	< 10	< 0.01	< 10	0.23	161	< 1	< 0.01
60N 250V	221 238	3.29	< 0.2	< 5	70	< 0.5	2	0.14	< 0.5	20	46	112	4.97	< 10	0.03	< 10	1.07	768	< 1	< 0.01
60N 27SW	221 238	3.14	< 0.2	< 5	110	< 0.5	< 2	0.05	< 0.5	12	10	33	5.96	< 10	0.05	< 10	0.36	535	< 1	< 0.01
60N 300V	221 238	3.17	< 0.2	5	110	< 0.5	< 2	0.07	< 0.5	13	9	23	5.80	< 10	0.07	< 10	0.38	739	< 1	< 0.01
60N 32SW	221 238	2.15	< 0.2	5	40	< 0.5	< 2	0.32	< 0.5	9	48	27	3.28	< 10	0.02	< 10	0.57	415	< 1	0.01
60N 350V	221 238	3.71	< 0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	12	68	45	4.59	< 10	0.02	< 10	0.78	348	< 1	< 0.01
60N 37SW	221 238	1.64	< 0.2	< 5	30	< 0.5	< 2	0.43	< 0.5	9	61	20	2.92	< 10	0.02	< 10	0.71	364	< 1	0.01
60N 400V	221 238	1.86	< 0.2	< 5	20	< 0.5	< 2	0.58	< 0.5	9	36	27	2.70	< 10	0.01	< 10	0.59	284	< 1	< 0.01
61N 200E	221 238	2.92	< 0.2	< 5	40	< 0.5	< 2	0.31	< 0.5	20	81	71	3.74	< 10	0.03	< 10	1.24	720	< 1	0.01
61N 175E	221 238	1.57	< 0.2	< 5	20	< 0.5	< 2	0.32	< 0.5	9	45	16	2.96	< 10	0.01	< 10	0.56	631	< 1	0.01
61N 150E	221 238	3.70	< 0.2	< 5	50	< 0.5	< 2	0.14	< 0.5	16	93	58	4.31	< 10	0.02	< 10	1.12	1375	< 1	< 0.01
61N 125E	221 238	1.82	< 0.2	< 5	20	< 0.5	< 2	0.13	< 0.5	10	43	20	4.68	< 10	0.01	< 10	0.56	514	< 1	< 0.01
61N 100E	221 238	3.34	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	20	72	45	4.13	< 10	0.01	< 10	1.06	1195	< 1	< 0.01
61N 075E	221 238	3.46	< 0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	19	73	47	4.04	< 10	0.02	< 10	1.05	1100	< 1	< 0.01
61N 050E	221 238	2.79	< 0.2	< 5	40	< 0.5	2	0.19	< 0.5	15	60	53	4.07	< 10	0.02	< 10	0.91	796	< 1	< 0.01
61N 025E	221 238	4.48	0.2	10	60	< 0.5	< 2	0.20	< 0.5	24	99	135	5.22	< 10	0.02	< 10	1.43	959	< 1	< 0.01
61N 050V	221 238	3.29	< 0.2	< 5	50	< 0.5	< 2	0.16	< 0.5	16	64	31	4.03	< 10	0.05	< 10	1.09	658	< 1	< 0.01
61N 075V	221 238	3.22	< 0.2	< 5	100	< 0.5	< 2	0.15	< 0.5	16	41	46	3.25	< 10	0.03	< 10	0.77	947	< 1	< 0.01
61N 100V	221 238	4.35	0.2	5	70	< 0.5	< 2	0.24	< 0.5	25	74	106	5.18	< 10	0.03	< 10	1.04	585	< 1	< 0.01
61N 125V	221 238	4.48	0.2	10	90	< 0.5	< 2	0.26	< 0.5	25	87	97	4.77	< 10	0.03	< 10	1.47	629	< 1	< 0.01
61N 150V	221 238	3.91	< 0.2	< 5	80	< 0.5	2	0.19	< 0.5	23	81	85	4.40	< 10	0.02	< 10	1.37	579	< 1	< 0.01
61N 175V	221 238	3.66	< 0.2	< 5	60	< 0.5	< 2	0.14	< 0.5	20	50	135	5.21	< 10	0.03	10	0.89	1065	< 1	< 0.01
61N 200V	221 238	2.42	< 0.2	< 5	50	< 0.5	< 2	0.11	< 0.5	8	19	32	2.78	< 10	0.03	10	0.37	564	< 1	< 0.01
61N 225V	221 238	2.58	< 0.2	< 5	50	< 0.5	2	0.27	< 0.5	15	57	44	3.56	< 10	0.02	< 10	0.89	577	< 1	< 0.01
61N 250V	221 238	3.62	0.2	5	60	< 0.5	2	0.25	< 0.5	20	77	102	4.75	< 10	0.02	< 10	1.23	366	< 1	< 0.01
61N 275V	221 238	2.97	< 0.2	< 5	60	< 0.5	< 2	0.32	< 0.5	16	61	72	4.13	< 10	0.03	< 10	1.02	368	< 1	< 0.01
61N 300V	221 238	3.41	0.2	< 5	60	< 0.5	< 2	0.27	< 0.5	21	68	71	4.24	< 10	0.02	< 10	1.31	539	< 1	0.01
61N 325V	221 238	3.00	< 0.2	< 5	50	< 0.5	2	0.27	< 0.5	18	63	63	3.74	< 10	0.02	< 10	1.14	442	< 1	< 0.01
61N 350V	221 238	3.13	< 0.2	< 5	50	< 0.5	< 2	0.28	< 0.5	14	48	49	4.23	< 10	0.02	< 10	0.83	432	< 1	< 0.01
61N 375V	221 238	3.34	< 0.2	< 5	70	< 0.5	< 2	0.28	< 0.5	12	39	35	3.90	< 10	0.02	< 10	0.54	439	< 1	< 0.01
61N 400V	221 238	3.60	< 0.2	< 5	60	< 0.5	< 2	0.21	< 0.5	20	69	85	5.69	< 10	0.01	< 10	1.16	913	< 1	< 0.01
62N 300E	221 238	2.71	< 0.2	< 5	60	< 0.5	< 2	0.54	< 0.5	19	72	73	4.18	< 10	0.03	< 10	1.27	561	< 1	0.01
62N 275E	221 238	3.90	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	22	101	112	5.17	< 10	0.02	< 10	1.42	483	< 1	0.01
62N 250E	221 238	1.79	< 0.2	< 5	40	< 0.5	< 2	0.29	< 0.5	15	59	37	3.83	< 10	0.02	< 10	0.90	631	< 1	< 0.01
62N 225E	221 238	3.39	0.2	5	50	< 0.5	< 2	0.25	< 0.5	24	89	116	5.31	< 10	0.02	< 10	1.35	424	< 1	0.01
62N 200E	221 238	1.38	< 0.2	< 5	30	< 0.5	< 2	0.32	< 0.5	12	34	16	2.48	< 10	0.02	< 10	0.55	819	< 1	< 0.01
62N 175E	221 238	3.47	< 0.2	10	50	< 0.5	< 2	0.33	< 0.5	17	68	65	4.79	< 10	0.03	< 10	1.02	1180	< 1	0.01
62N 150E	221 238	6.20	< 0.2	15	50	< 0.5	< 2	0.29	< 0.5	21	103	162	5.38	< 10	0.03	< 10	1.24	559	< 1	0.01
62N 125E	221 238	5.42	< 0.2	5	50	< 0.5	< 2	0.25	< 0.5	19	95	113	5.37	< 10	0.04	< 10	1.13	600	< 1	< 0.01
62N 100E	221 238	2.12	0.2	< 5	70	< 0.5	< 2	0.33	< 0.5	15	44	46	3.26	< 10	0.03	< 10	0.54	1980	< 1	0.01

CERTIFICATION:

Hart Bachel



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No. : 4-B
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice #: I-8710121
 P.O. #: NONE

Project : RAXX Z V126
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm								
60N 22 SW	221 238	4	170	2	< 5	12	0.07	< 10	< 10	52	< 5	26								
60N 250W	221 238	17	840	8	< 5	11	0.10	< 10	< 10	108	< 5	68								
60N 27 SW	221 238	18	760	6	< 5	2	< 0.01	< 10	< 10	67	< 5	64								
60N 300V	221 238	4	860	12	< 5	3	< 0.01	< 10	< 10	64	< 5	62								
60N 32 SW	221 238	11	360	12	< 5	24	0.17	< 10	< 10	109	< 5	54								
60N 350V	221 238	17	480	10	< 5	26	0.21	< 10	< 10	132	< 5	60								
60N 37 SW	221 238	11	370	6	< 5	56	0.23	< 10	< 10	129	< 5	50								
60N 400V	221 238	10	190	8	< 5	50	0.12	< 10	< 10	101	< 5	46								
61N 200E	221 238	32	550	8	< 5	25	0.22	< 10	< 10	118	< 5	82								
61N 175E	221 238	15	400	10	< 5	27	0.15	< 10	< 10	103	< 5	44								
61N 150E	221 238	29	630	12	< 5	14	0.19	< 10	< 10	123	< 5	68								
61N 125E	221 238	12	520	14	< 5	10	0.18	< 10	< 10	145	< 5	42								
61N 100E	221 238	29	1010	10	< 5	14	0.16	< 10	< 10	107	< 5	102								
61N 075E	221 238	28	1020	2	< 5	19	0.18	< 10	< 10	112	< 5	110								
61N 050E	221 238	21	490	6	< 5	16	0.15	< 10	< 10	117	< 5	60								
61N 025E	221 238	39	720	10	< 5	19	0.18	< 10	< 10	146	< 5	78								
61N 050W	221 238	23	500	4	< 5	17	0.05	< 10	< 10	123	< 5	64								
61N 07 SW	221 238	17	330	6	< 5	20	0.07	< 10	< 10	92	< 5	86								
61N 100V	221 238	30	940	10	< 5	20	0.23	< 10	< 10	143	< 5	90								
61N 12 SW	221 238	40	500	10	< 5	24	0.19	< 10	< 10	144	< 5	90								
61N 150V	221 238	34	470	6	< 5	16	0.16	< 10	< 10	125	< 5	76								
61N 17 SW	221 238	19	900	14	< 5	11	0.09	< 10	< 10	108	< 5	78								
61N 200V	221 238	6	400	10	< 5	8	0.02	< 10	< 10	59	< 5	64								
61N 22 SW	221 238	18	620	14	< 5	25	0.16	< 10	< 10	114	< 5	68								
61N 250V	221 238	30	500	8	< 5	22	0.18	< 10	< 10	147	< 5	68								
61N 27 SW	221 238	24	450	8	< 5	27	0.17	< 10	< 10	136	< 5	60								
61N 300V	221 238	28	570	10	< 5	23	0.16	< 10	< 10	128	< 5	88								
61N 32 SW	221 238	24	410	10	< 5	23	0.15	< 10	< 10	114	< 5	76								
61N 350V	221 238	14	540	6	< 5	20	0.15	< 10	< 10	130	< 5	72								
61N 37 SW	221 238	12	570	10	< 5	27	0.14	< 10	< 10	119	< 5	86								
61N 400V	221 238	20	730	10	< 5	14	0.14	< 10	< 10	144	< 5	78								
62N 300E	221 238	34	460	6	< 5	25	0.21	< 10	< 10	132	< 5	80								
62N 275E	221 238	44	680	10	< 5	24	0.30	< 10	< 10	165	< 5	108								
62N 250E	221 238	23	330	14	< 5	24	0.19	< 10	< 10	127	< 5	78								
62N 225E	221 238	38	380	6	< 5	27	0.29	< 10	< 10	178	< 5	112								
62N 200E	221 238	13	300	10	< 5	28	0.17	< 10	< 10	92	< 5	58								
62N 175E	221 238	27	600	10	< 5	32	0.25	< 10	< 10	144	< 5	94								
62N 150E	221 238	37	620	8	< 5	27	0.25	< 10	< 10	163	< 5	76								
62N 125E	221 238	34	870	12	< 5	24	0.24	< 10	< 10	143	< 5	88								
62N 100E	221 238	17	460	12	< 5	27	0.15	< 10	< 10	96	< 5	86								

CERTIFICATION :

Hautsichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No.: 5-A
Tot. Pages: 11
Date: 22-JAN-87
Invoice #: I-8710121
P.O. #: NONE

Project: RAXX Z V226

Comments:

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	
62N 075E	221 238	2.68	< 0.2	< 5	10	40	< 0.5	< 2	0.28	< 0.5	18	65	70	4.24	< 10	0.03	< 10	0.98	339	< 1	< 0.01
62N 050E	221 238	0.93	< 0.2	< 5	< 5	30	< 0.5	< 2	0.24	< 0.5	5	21	11	1.76	< 10	0.02	< 10	0.33	167	< 1	< 0.01
62N 025E	221 238	0.16	< 0.2	< 5	< 5	160	< 0.5	< 2	0.87	< 0.5	< 1	3	5	0.13	< 10	0.07	< 10	0.07	193	< 1	< 0.01
62N 000BL	221 238	1.65	< 0.2	< 5	< 5	50	< 0.5	< 2	0.31	< 0.5	10	39	22	2.85	< 10	0.02	< 10	0.57	720	< 1	< 0.01
62N 025W	221 238	3.68	< 0.2	< 5	5	90	< 0.5	< 2	0.30	< 0.5	20	75	66	5.38	< 10	0.03	< 10	1.19	448	< 1	0.01
62N 050W	221 238	4.38	0.2	< 5	< 5	80	< 0.5	2	0.33	< 0.5	26	103	112	6.14	< 10	0.03	< 10	1.41	499	< 1	0.01
62N 075W	221 238	2.05	< 0.2	< 5	< 5	140	< 0.5	2	0.44	< 0.5	16	156	32	3.25	< 10	0.04	< 10	1.46	280	< 1	0.01
62N 100W	221 238	2.00	< 0.2	< 5	< 5	40	< 0.5	4	0.22	< 0.5	28	154	57	3.35	< 10	< 0.01	< 10	1.33	826	< 1	< 0.01
62N 125W	221 238	2.96	0.2	< 5	< 5	530	0.5	< 2	0.99	0.5	24	64	97	3.69	< 10	0.04	60	0.98	>10000	< 1	0.01
62N 150W	221 238	2.39	0.2	< 5	< 5	80	< 0.5	< 2	0.33	< 0.5	13	42	31	3.73	< 10	0.04	10	0.65	1095	< 1	0.01
62N 175W	221 238	3.19	< 0.2	< 5	< 5	70	< 0.5	< 2	0.22	< 0.5	16	51	66	4.09	< 10	0.04	< 10	0.88	647	< 1	< 0.01
62N 200W	221 238	3.52	< 0.2	< 5	< 5	80	< 0.5	< 2	0.18	< 0.5	19	9	16	6.06	< 10	0.06	< 10	0.99	707	< 1	< 0.01
62N 225W	221 238	3.28	0.2	< 5	< 5	140	0.5	< 2	0.34	< 0.5	31	50	74	3.68	< 10	0.02	< 10	1.14	1160	< 1	< 0.01
62N 250W	221 238	2.42	< 0.2	< 5	< 5	50	< 0.5	< 2	0.27	< 0.5	12	47	45	3.47	< 10	0.03	< 10	0.88	324	< 1	< 0.01
62N 275W	221 238	2.61	< 0.2	< 5	< 5	60	< 0.5	< 2	0.30	< 0.5	13	47	48	3.92	< 10	0.03	< 10	0.79	829	< 1	< 0.01
62N 300W	221 238	1.15	< 0.2	< 5	< 5	20	< 0.5	< 2	0.27	< 0.5	4	19	11	1.76	< 10	0.01	< 10	0.19	143	< 1	< 0.01
62N 325W	221 238	1.03	< 0.2	< 5	< 5	40	< 0.5	< 2	0.32	< 0.5	4	19	12	2.24	< 10	0.02	< 10	0.22	145	< 1	< 0.01
62N 350W	221 238	0.84	< 0.2	< 5	< 5	20	< 0.5	< 2	0.29	< 0.5	4	15	9	1.74	< 10	0.02	< 10	0.15	1630	< 1	< 0.01
62N 375W	221 238	2.08	< 0.2	< 5	< 5	30	< 0.5	< 2	0.41	< 0.5	8	24	27	2.98	< 10	0.02	< 10	0.51	465	< 1	< 0.01
62N 400W	221 238	2.93	0.2	< 5	< 5	40	< 0.5	< 2	0.12	< 0.5	12	20	27	4.11	< 10	0.05	< 10	0.65	208	< 1	< 0.01
63N 300E	221 238	1.20	< 0.2	< 5	< 5	40	< 0.5	< 2	0.37	< 0.5	7	26	8	1.96	< 10	0.03	< 10	0.34	451	< 1	< 0.01
63N 275E	221 238	3.47	< 0.2	< 5	< 5	80	< 0.5	< 2	0.79	0.5	26	80	127	4.48	< 10	0.03	< 10	1.14	874	< 1	0.01
63N 250E	221 238	3.03	< 0.2	< 5	< 5	60	< 0.5	< 2	0.31	< 0.5	19	59	62	4.01	< 10	0.02	< 10	1.01	991	< 1	0.01
63N 225E	221 238	1.81	< 0.2	< 5	< 5	170	< 0.5	< 2	0.35	< 0.5	16	43	53	2.48	< 10	0.02	< 10	0.69	1050	< 1	< 0.01
63N 200E	221 238	1.93	< 0.2	< 5	< 5	70	< 0.5	< 2	0.34	< 0.5	16	47	31	2.99	< 10	0.01	< 10	0.66	1725	< 1	< 0.01
63N 175E	221 238	1.70	< 0.2	< 5	< 5	40	< 0.5	< 2	0.28	< 0.5	15	41	28	2.63	< 10	0.02	< 10	0.67	924	< 1	< 0.01
63N 150E	221 238	2.18	< 0.2	< 5	< 5	40	< 0.5	< 2	0.13	< 0.5	8	23	19	2.11	< 10	0.04	< 10	0.34	1035	< 1	< 0.01
63N 125E	221 238	1.69	< 0.2	< 5	< 5	50	< 0.5	< 2	0.26	< 0.5	12	45	27	2.91	< 10	0.02	< 10	0.60	1085	< 1	< 0.01
63N 100E	221 238	1.47	< 0.2	< 5	< 5	50	< 0.5	< 2	0.25	< 0.5	12	33	26	2.93	< 10	0.02	< 10	0.54	1280	< 1	< 0.01
63N 075E	221 238	2.42	0.2	< 5	< 5	70	< 0.5	< 2	0.27	< 0.5	18	48	60	4.76	< 10	0.02	< 10	0.76	527	< 1	< 0.01
63N 050E	221 238	3.00	< 0.2	< 5	< 5	120	< 0.5	< 2	0.63	< 0.5	25	68	77	4.74	< 10	0.04	< 10	1.02	2510	< 1	0.01
63N 025E	221 238	1.10	< 0.2	< 5	< 5	40	< 0.5	< 2	0.34	< 0.5	10	29	17	2.42	< 10	0.01	< 10	0.46	324	< 1	< 0.01
63N 000BL	221 238	3.52	0.2	< 5	< 5	40	< 0.5	< 2	0.21	< 0.5	14	76	61	5.36	< 10	0.01	< 10	0.78	428	< 1	< 0.01
63N 025W	221 238	2.68	< 0.2	< 5	< 5	50	< 0.5	< 2	0.29	< 0.5	14	69	52	4.34	< 10	0.02	< 10	0.70	839	< 1	< 0.01
63N 050W	221 238	4.13	< 0.2	< 5	< 5	50	< 0.5	< 2	0.32	< 0.5	25	97	126	4.93	< 10	0.03	< 10	1.66	901	< 1	0.01
63N 075W	221 238	3.31	< 0.2	< 5	< 5	50	< 0.5	< 2	0.32	< 0.5	23	78	99	4.75	< 10	0.02	< 10	1.56	475	< 1	< 0.01
63N 100W	221 238	3.22	< 0.2	< 5	< 5	60	< 0.5	2	0.26	< 0.5	21	61	70	4.32	< 10	0.02	< 10	1.13	865	< 1	< 0.01
63N 125W	221 238	3.20	0.2	< 5	< 5	40	< 0.5	< 2	0.21	< 0.5	20	60	70	4.01	< 10	0.02	< 10	1.37	951	< 1	< 0.01
63N 150W	221 238	1.11	< 0.2	< 5	< 5	20	< 0.5	< 2	0.18	< 0.5	5	17	15	1.74	< 10	0.02	< 10	0.37	215	< 1	0.01
63N 175W	221 238	2.77	0.2	< 5	< 5	60	< 0.5	2	0.19	< 0.5	14	26	30	2.88	< 10	0.03	10	0.67	591	< 1	< 0.01

CERTIFICATION: Haupt/Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No. : 5-B
Tot. Pages: 11
Date : 22-JAN-87
Invoice #: I-8710121
P.O. #: NONE

Project : RAXX Z V226
Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm								
62N 075E	221 238	28	260	8	< 5	24	0.17	< 10	< 10	132	< 5	66								
62N 050E	221 238	7	180	8	< 5	15	0.07	< 10	< 10	61	< 5	32								
62N 025E	221 238	3	730	18	< 5	29	< 0.01	< 10	< 10	4	< 5	66								
62N 000BL	221 238	13	430	12	< 5	22	0.14	< 10	< 10	92	< 5	62								
62N 025W	221 238	29	570	12	< 5	22	0.19	< 10	< 10	132	< 5	96								
62N 050W	221 238	44	540	10	< 5	27	0.24	< 10	< 10	189	< 5	76								
62N 075W	221 238	45	240	10	< 5	25	0.13	< 10	< 10	128	< 5	66								
62N 100W	221 238	49	460	10	< 5	15	0.12	< 10	< 10	129	< 5	52								
62N 125W	221 238	34	720	18	< 5	34	0.14	< 10	< 10	115	< 5	114								
62N 150W	221 238	14	570	12	< 5	32	0.15	< 10	< 10	120	< 5	64								
62N 175W	221 238	19	620	8	< 5	23	0.13	< 10	< 10	114	< 5	80								
62N 200W	221 238	7	500	8	< 5	21	0.07	< 10	< 10	254	< 5	60								
62N 225W	221 238	23	440	8	< 5	21	0.13	< 10	< 10	122	< 5	66								
62N 250W	221 238	16	320	8	< 5	24	0.12	< 10	< 10	113	< 5	50								
62N 275W	221 238	15	610	14	< 5	22	0.17	< 10	< 10	126	< 5	66								
62N 300W	221 238	4	260	10	< 5	20	0.16	< 10	< 10	71	< 5	30								
62N 325W	221 238	4	210	6	< 5	22	0.10	< 10	< 10	86	< 5	28								
62N 350W	221 238	3	490	12	< 5	27	0.13	< 10	< 10	69	< 5	26								
62N 375W	221 238	8	270	10	< 5	38	0.11	< 10	< 10	101	< 5	38								
62N 400W	221 238	8	330	6	< 5	10	0.01	< 10	< 10	140	< 5	44								
63N 300E	221 238	6	220	8	< 5	28	0.17	< 10	< 10	82	< 5	34								
63N 275E	221 238	36	550	10	< 5	36	0.22	< 10	< 10	128	< 5	142								
63N 250E	221 238	25	790	8	< 5	33	0.17	< 10	< 10	112	< 5	102								
63N 225E	221 238	18	300	12	< 5	26	0.15	< 10	< 10	85	< 5	74								
63N 200E	221 238	18	490	12	< 5	28	0.17	< 10	< 10	99	< 5	70								
63N 175E	221 238	16	360	10	< 5	23	0.12	< 10	< 10	88	< 5	56								
63N 150E	221 238	9	230	4	< 5	11	0.05	< 10	< 10	59	< 5	44								
63N 125E	221 238	16	290	10	< 5	21	0.14	< 10	< 10	98	< 5	78								
63N 100E	221 238	12	280	10	< 5	22	0.15	< 10	< 10	110	< 5	70								
63N 075E	221 238	16	440	8	< 5	27	0.22	< 10	< 10	159	< 5	88								
63N 050E	221 238	27	590	16	< 5	41	0.21	< 10	< 10	140	< 5	126								
63N 025E	221 238	11	170	8	< 5	28	0.23	< 10	< 10	104	< 5	56								
63N 000BL	221 238	21	700	18	< 5	21	0.20	< 10	< 10	161	< 5	82								
63N 025W	221 238	21	850	8	< 5	26	0.20	< 10	< 10	126	< 5	90								
63N 050W	221 238	40	1110	8	< 5	28	0.23	< 10	< 10	151	< 5	84								
63N 075W	221 238	34	470	8	< 5	34	0.28	< 10	< 10	160	< 5	76								
63N 100W	221 238	25	720	10	< 5	24	0.18	< 10	< 10	131	< 5	70								
63N 125W	221 238	24	680	8	< 5	23	0.14	< 10	< 10	116	< 5	74								
63N 150W	221 238	6	330	10	< 5	16	0.09	< 10	< 10	66	< 5	26								
63N 175W	221 238	12	430	10	< 5	18	0.07	< 10	< 10	83	< 5	68								

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 6-A
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice #: I-8710121
 P.O. #: NONE

Project : RAXK Z V126
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
63N 200V	221 238	3.50	< 0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	19	84	53	4.49	< 10	0.03	< 10	1.38	679	< 1	< 0.01
63N 225V	221 238	1.43	< 0.2	< 5	100	< 0.5	< 2	0.32	< 0.5	4	14	12	1.41	< 10	0.03	< 10	0.26	359	< 1	< 0.01
63N 250V	221 238	2.12	< 0.2	< 5	40	< 0.5	< 2	0.42	< 0.5	9	30	35	2.99	< 10	0.02	< 10	0.51	699	< 1	< 0.01
63N 275V	221 238	3.68	< 0.2	< 5	60	< 0.5	< 2	0.36	< 0.5	15	59	65	5.35	< 10	0.03	< 10	0.87	533	< 1	< 0.01
63N 300V	221 238	4.33	0.4	15	100	< 0.5	< 2	0.30	< 0.5	27	66	108	6.31	< 10	0.05	< 10	1.53	896	< 1	< 0.01
63N 325V	221 238	2.84	< 0.2	< 5	80	< 0.5	< 2	0.39	< 0.5	12	25	40	4.91	< 10	0.02	< 10	0.59	442	< 1	< 0.01
63N 350V	221 238	2.15	< 0.2	< 5	80	< 0.5	< 2	0.47	< 0.5	11	23	33	4.13	< 10	0.02	< 10	0.64	327	< 1	< 0.01
63N 375V	221 238	3.16	0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	16	39	68	4.51	< 10	0.02	< 10	0.93	547	< 1	< 0.01
63N 400V	221 238	2.27	< 0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	14	32	55	3.94	< 10	0.02	< 10	0.87	587	< 1	< 0.01
64N 300E	221 238	1.72	< 0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	13	48	30	2.96	< 10	0.01	< 10	0.85	957	< 1	< 0.01
64N 275E	221 238	1.40	< 0.2	< 5	60	< 0.5	< 2	0.40	< 0.5	11	32	15	2.46	< 10	0.01	< 10	0.46	1970	< 1	< 0.01
64N 250E	221 238	2.30	< 0.2	< 5	80	< 0.5	< 2	0.39	< 0.5	22	60	29	3.55	< 10	0.02	< 10	0.48	4630	< 1	< 0.01
64N 225E	221 238	3.34	< 0.2	< 5	50	< 0.5	< 2	0.37	< 0.5	24	90	69	5.21	< 10	0.03	< 10	1.52	1210	< 1	< 0.01
64N 200E	221 238	2.97	< 0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	24	78	119	4.60	< 10	0.02	< 10	1.19	809	< 1	< 0.01
64N 175E	221 238	2.86	< 0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	19	73	64	4.85	< 10	0.03	< 10	1.15	653	< 1	< 0.01
64N 150E	221 238	2.49	< 0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	21	61	44	3.80	< 10	0.03	< 10	0.75	1270	< 1	< 0.01
64N 125E	221 238	1.92	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	10	37	33	2.71	< 10	0.02	< 10	0.49	424	< 1	< 0.01
64N 100E	221 238	1.75	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	8	28	23	2.48	< 10	0.01	< 10	0.39	259	< 1	< 0.01
64N 075E	221 238	2.03	< 0.2	< 5	10	< 0.5	< 2	0.09	< 0.5	15	158	25	3.39	< 10	< 0.01	< 10	1.15	199	< 1	< 0.01
64N 050E	221 238	1.38	< 0.2	< 5	10	< 0.5	< 2	0.19	< 0.5	28	31	201	5.13	< 10	0.01	< 10	0.69	773	< 1	< 0.01
64N 025E	221 238	3.51	< 0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	19	77	131	5.91	< 10	0.04	< 10	1.10	1235	< 1	< 0.01
64N 000BL	221 238	2.96	< 0.2	< 5	50	< 0.5	< 2	0.26	< 0.5	23	99	65	5.46	< 10	0.02	< 10	1.33	1170	< 1	< 0.01
64N 025V	221 238	2.46	< 0.2	< 5	60	< 0.5	< 2	0.30	< 0.5	18	53	54	3.82	< 10	0.03	< 10	0.95	762	< 1	< 0.01
64N 050V	221 238	3.24	< 0.2	< 5	30	< 0.5	< 2	0.24	< 0.5	24	86	110	5.42	< 10	0.02	< 10	1.99	519	< 1	< 0.01
64N 075V	221 238	2.89	< 0.2	< 5	50	< 0.5	< 2	0.31	< 0.5	25	92	77	4.30	< 10	0.02	< 10	1.48	1190	< 1	< 0.01
64N 100V	221 238	1.92	< 0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	14	70	21	2.72	< 10	0.02	< 10	1.03	296	< 1	< 0.01
64N 125V	221 238	3.24	0.2	< 5	760	3.0	< 2	1.28	< 0.5	26	76	149	3.62	< 10	0.05	< 10	0.66	>10000	< 1	< 0.01
64N 150V	221 238	3.59	< 0.2	< 5	110	< 0.5	< 2	0.53	< 0.5	23	70	86	4.67	< 10	0.04	< 10	1.56	1230	< 1	< 0.01
64N 175V	221 238	2.00	< 0.2	< 5	50	< 0.5	< 2	0.09	< 0.5	8	28	28	2.89	< 10	0.02	< 10	0.44	259	< 1	< 0.01
64N 200V	221 238	2.24	< 0.2	< 5	310	< 0.5	< 2	0.36	< 0.5	19	37	44	3.06	< 10	0.02	< 10	0.83	5340	< 1	< 0.01
64N 225V	221 238	3.04	< 0.2	< 5	80	< 0.5	< 2	0.25	< 0.5	15	43	59	4.40	< 10	0.03	< 10	0.82	592	< 1	< 0.01
64N 250V	221 238	1.71	< 0.2	< 5	100	< 0.5	< 2	0.08	< 0.5	5	13	18	1.73	< 10	0.06	< 10	0.27	490	< 1	< 0.01
64N 275V	221 238	3.42	< 0.2	< 5	70	< 0.5	< 2	0.28	< 0.5	14	46	49	4.02	< 10	0.03	< 10	0.79	561	< 1	< 0.01
64N 300V	221 238	1.36	< 0.2	< 5	20	< 0.5	< 2	0.25	< 0.5	3	10	16	2.87	< 10	0.01	< 10	0.21	165	< 1	< 0.01
64N 325V	221 238	1.69	< 0.2	< 5	30	< 0.5	< 2	0.36	< 0.5	7	11	34	4.45	< 10	0.01	< 10	0.29	429	< 1	< 0.01
64N 350V	221 238	2.15	< 0.2	< 5	60	< 0.5	< 2	0.49	< 0.5	10	41	30	4.32	< 10	0.02	< 10	0.81	409	< 1	< 0.01
64N 375V	221 238	1.01	< 0.2	< 5	20	< 0.5	< 2	0.47	< 0.5	5	45	13	2.11	< 10	0.01	< 10	0.40	183	< 1	< 0.01
64N 400V	221 238	1.23	< 0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	4	13	17	1.82	< 10	0.02	< 10	0.28	116	< 1	< 0.01
65N 300E	221 238	2.20	< 0.2	< 5	70	< 0.5	< 2	0.27	< 0.5	16	54	58	3.49	< 10	0.01	< 10	0.80	628	< 1	< 0.01
65N 275E	221 238	2.50	< 0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	15	57	42	3.49	< 10	0.03	< 10	0.79	830	< 1	< 0.01

CERTIFICATION : Hunt Becker



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 6-B
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice # : I-8710121
 P.O. # : NONE

Project : RAXX Z V126
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm							
63N 200W	221 238	21	500	14	< 5	24	0.17	< 10	< 10	157	< 5	72							
63N 225W	221 238	5	220	8	< 5	18	0.07	< 10	< 10	54	< 5	32							
63N 250W	221 238	9	500	12	< 5	24	0.19	< 10	< 10	125	< 5	46							
63N 275W	221 238	17	830	10	< 5	37	0.18	< 10	< 10	164	< 5	84							
63N 300W	221 238	27	870	14	< 5	28	0.22	< 10	< 10	191	< 5	96							
63N 325W	221 238	8	550	8	< 5	32	0.16	< 10	< 10	124	< 5	90							
63N 350W	221 238	8	470	12	< 5	45	0.19	< 10	< 10	152	< 5	72							
63N 375W	221 238	12	560	10	< 5	18	0.16	< 10	< 10	129	< 5	78							
63N 400W	221 238	9	470	10	< 5	36	0.15	< 10	< 10	120	< 5	68							
64N 300E	221 238	19	310	8	< 5	19	0.14	< 10	< 10	96	< 5	76							
64N 275E	221 238	14	400	12	< 5	36	0.17	< 10	< 10	87	< 5	70							
64N 250E	221 238	18	1160	16	< 5	34	0.20	< 10	< 10	105	< 5	156							
64N 225E	221 238	38	1110	10	< 5	39	0.28	< 10	< 10	157	< 5	166							
64N 200E	221 238	37	470	6	< 5	32	0.24	< 10	< 10	155	< 5	150							
64N 175E	221 238	33	410	14	< 5	31	0.24	< 10	< 10	159	< 5	124							
64N 150E	221 238	25	390	12	< 5	28	0.20	< 10	< 10	125	< 5	86							
64N 125E	221 238	13	310	10	< 5	25	0.14	< 10	< 10	91	< 5	50							
64N 100E	221 238	9	260	10	< 5	12	0.10	< 10	< 10	70	< 5	42							
64N 075E	221 238	35	250	8	< 5	8	0.06	< 10	< 10	96	< 5	52							
64N 050E	221 238	14	440	10	< 5	12	0.24	< 10	< 10	147	< 5	40							
64N 025E	221 238	26	860	14	< 5	29	0.26	< 10	< 10	188	< 5	70							
64N 000BL	221 238	37	560	10	< 5	23	0.18	< 10	< 10	179	< 5	106							
64N 025W	221 238	22	640	14	< 5	22	0.16	< 10	< 10	118	< 5	84							
64N 050W	221 238	35	440	8	< 5	21	0.23	< 10	< 10	175	< 5	76							
64N 075W	221 238	34	580	14	< 5	29	0.28	< 10	< 10	155	< 5	82							
64N 100W	221 238	21	280	8	< 5	16	0.09	< 10	< 10	98	< 5	38							
64N 125W	221 238	33	960	20	< 5	35	0.11	< 10	< 10	103	< 5	146							
64N 150W	221 238	29	950	8	< 5	81	0.18	< 10	< 10	132	< 5	72							
64N 175W	221 238	9	450	6	< 5	7	0.05	< 10	< 10	73	< 5	36							
64N 200W	221 238	20	610	8	< 5	14	0.07	< 10	< 10	76	< 5	118							
64N 225W	221 238	14	670	8	< 5	23	0.14	< 10	< 10	135	< 5	70							
64N 250W	221 238	3	240	2	< 5	6	0.01	< 10	< 10	58	< 5	26							
64N 275W	221 238	14	690	8	< 5	26	0.13	< 10	< 10	118	< 5	86							
64N 300W	221 238	3	470	4	< 5	27	0.07	< 10	< 10	70	< 5	36							
64N 325W	221 238	4	660	12	< 5	40	0.09	< 10	< 10	186	< 5	52							
64N 350W	221 238	7	390	8	< 5	71	0.10	< 10	< 10	157	< 5	58							
64N 375W	221 238	10	250	6	< 5	58	0.18	< 10	< 10	99	< 5	30							
64N 400W	221 238	5	150	6	< 5	12	0.06	< 10	< 10	77	< 5	22							
65N 300E	221 238	26	290	10	< 5	24	0.17	< 10	< 10	114	< 5	118							
65N 275E	221 238	22	580	12	< 5	18	0.13	< 10	< 10	108	< 5	136							

CERTIFICATION : Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 7-A
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice #: I-8710121
 P.O. #: NONE

Project: RAXX Z V216
 Comments:

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
65N 250E	221 238	4.17	< 0.2	10	80	< 0.5	< 2	0.33	< 0.5	22	88	98	4.74	< 10	0.05	< 10	1.22	455	< 1	0.01
65N 225E	221 238	3.12	< 0.2	< 5	80	< 0.5	< 2	0.30	< 0.5	19	76	95	4.04	< 10	0.02	< 10	0.94	472	< 1	< 0.01
65N 200E	221 238	3.49	< 0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	28	147	97	4.67	< 10	0.02	< 10	1.99	897	< 1	< 0.01
65N 175E	221 238	3.17	< 0.2	10	100	< 0.5	< 2	0.60	< 0.5	36	83	122	6.81	< 10	0.03	< 10	1.28	1760	< 1	0.01
65N 150E	221 238	2.65	< 0.2	5	120	< 0.5	< 2	0.51	< 0.5	33	102	76	5.09	< 10	0.04	< 10	1.10	3630	< 1	0.01
65N 125E	221 238	3.59	< 0.2	5	70	< 0.5	< 2	0.29	< 0.5	20	80	119	4.39	< 10	0.03	< 10	1.03	466	< 1	< 0.01
65N 100E	221 238	2.09	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	25	51	32	3.03	< 10	0.03	< 10	0.74	4100	< 1	< 0.01
65N 075E	221 238	2.38	< 0.2	< 5	100	< 0.5	< 2	0.33	< 0.5	21	60	54	3.88	< 10	0.03	< 10	1.07	3590	< 1	< 0.01
65N 050E	221 238	3.96	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	32	119	110	5.28	< 10	0.02	< 10	2.53	1115	< 1	< 0.01
65N 025E	221 238	3.64	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	31	94	159	4.66	< 10	0.02	< 10	1.52	667	< 1	< 0.01
65N 000BL	221 238	1.37	< 0.2	< 5	30	< 0.5	< 2	0.20	< 0.5	5	18	19	2.00	< 10	0.03	< 10	0.33	152	< 1	< 0.01
65N 025V	221 238	3.76	< 0.2	10	50	< 0.5	< 2	0.23	< 0.5	33	92	144	6.02	< 10	0.02	< 10	2.08	714	< 1	< 0.01
65N 050V	221 238	2.15	< 0.2	5	30	< 0.5	< 2	0.27	< 0.5	30	100	50	5.21	< 10	0.01	< 10	1.39	721	< 1	< 0.01
65N 075V	221 238	3.00	< 0.2	10	50	< 0.5	< 2	0.29	< 0.5	38	148	73	4.60	< 10	0.04	< 10	1.96	1630	< 1	< 0.01
65N 100V	221 238	2.54	< 0.2	5	30	< 0.5	< 2	0.25	< 0.5	12	50	53	4.30	< 10	0.02	< 10	0.90	416	< 1	< 0.01
65N 125V	221 238	3.21	< 0.2	10	30	< 0.5	< 2	0.35	< 0.5	28	66	118	5.37	< 10	0.02	< 10	1.77	869	< 1	< 0.01
65N 150V	221 238	2.07	< 0.2	5	20	< 0.5	< 2	0.23	< 0.5	6	42	30	4.32	< 10	0.01	< 10	0.44	281	< 1	< 0.01
65N 175V	221 238	1.41	< 0.2	< 5	10	< 0.5	< 2	0.29	< 0.5	6	31	17	2.42	< 10	0.01	< 10	0.47	404	< 1	< 0.01
65N 200V	221 238	2.25	< 0.2	< 5	40	< 0.5	< 2	0.27	< 0.5	12	63	48	3.13	< 10	0.02	< 10	0.94	351	< 1	< 0.01
65N 225V	221 238	3.88	< 0.2	10	70	< 0.5	< 2	0.29	< 0.5	30	83	193	6.01	< 10	0.03	< 10	2.20	1500	< 1	< 0.01
65N 250V	221 238	1.06	< 0.2	< 5	50	< 0.5	< 2	0.21	< 0.5	4	19	14	1.81	< 10	0.02	< 10	0.29	176	< 1	< 0.01
65N 275V	221 238	1.39	< 0.2	< 5	30	< 0.5	< 2	0.19	< 0.5	6	18	23	2.36	< 10	0.02	< 10	0.42	383	< 1	< 0.01
65N 300V	221 238	1.92	< 0.2	< 5	40	< 0.5	< 2	0.25	< 0.5	13	25	35	2.93	< 10	0.01	< 10	0.62	781	< 1	< 0.01
66N 300E	221 238	3.03	< 0.2	5	70	< 0.5	< 2	0.44	< 0.5	39	160	116	5.20	< 10	0.01	< 10	1.42	1355	< 1	0.01
66N 275E	221 238	2.12	< 0.2	5	50	< 0.5	< 2	0.39	< 0.5	23	136	31	3.45	< 10	< 0.01	< 10	1.14	838	< 1	0.01
66N 250E	221 238	2.43	< 0.2	10	50	< 0.5	< 2	0.34	< 0.5	20	104	60	4.16	< 10	0.01	< 10	1.20	552	< 1	0.01
66N 225E	221 238	2.82	< 0.2	5	110	< 0.5	< 2	0.52	< 0.5	26	96	58	4.62	< 10	0.03	< 10	1.04	984	< 1	0.01
66N 200E	221 238	3.17	< 0.2	5	60	< 0.5	< 2	0.34	< 0.5	25	76	117	5.73	< 10	0.01	< 10	0.79	855	< 1	0.01
66N 175E	221 238	2.19	< 0.2	5	60	< 0.5	< 2	0.49	< 0.5	28	82	71	5.19	< 10	0.01	< 10	0.82	1045	< 1	0.01
66N 150E	221 238	2.26	< 0.2	10	60	< 0.5	< 2	0.34	< 0.5	26	54	107	5.03	< 10	0.01	< 10	0.77	956	< 1	0.01
66N 125E	221 238	2.51	< 0.2	10	30	< 0.5	< 2	0.29	< 0.5	21	95	100	4.35	< 10	0.01	< 10	1.44	666	< 1	< 0.01
66N 100E	221 238	3.59	< 0.2	10	40	< 0.5	< 2	0.18	< 0.5	35	239	81	6.65	< 10	< 0.01	< 10	2.36	759	< 1	< 0.01
66N 075E	221 238	2.61	< 0.2	10	40	< 0.5	< 2	0.20	< 0.5	26	102	41	4.57	< 10	0.01	< 10	1.01	1055	< 1	< 0.01
66N 050E	221 238	2.97	< 0.2	10	20	< 0.5	< 2	0.08	< 0.5	25	186	51	5.88	< 10	< 0.01	< 10	2.00	658	< 1	< 0.01
66N 025E	221 238	0.98	< 0.2	< 5	10	< 0.5	< 2	0.17	< 0.5	6	22	14	1.67	< 10	0.01	< 10	0.42	181	< 1	< 0.01
66N 000BL	221 238	2.85	< 0.2	10	20	< 0.5	< 2	0.11	< 0.5	30	63	90	4.89	< 10	0.01	< 10	2.00	330	< 1	< 0.01
66N 025V	221 238	3.82	< 0.2	10	60	< 0.5	< 2	0.08	< 0.5	41	89	184	5.36	< 10	0.01	< 10	2.86	1870	< 1	< 0.01
66N 050V	221 238	2.71	< 0.2	5	50	< 0.5	< 2	0.29	< 0.5	15	39	76	3.62	< 10	0.01	< 10	0.69	668	< 1	< 0.01
66N 075V	221 238	2.63	< 0.2	< 5	60	< 0.5	< 2	0.22	< 0.5	20	47	75	3.90	< 10	0.02	< 10	1.15	1160	< 1	< 0.01
66N 100V	221 238	1.96	< 0.2	5	50	< 0.5	< 2	0.24	< 0.5	14	41	45	4.17	< 10	0.02	< 10	0.69	594	< 1	< 0.01

CERTIFICATION: Hentrich



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 7-B
Tot. Pages: 11
Date : 22-JAN-87
Invoice #: I-8710121
P.O. # : NONE


Project : RAXX Z V126

Comments:

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
65N 250E	221 238	40	580	10	< 5	33	0.22	< 10	< 10	150	< 5	162							
65N 225E	221 238	33	280	10	< 5	26	0.17	< 10	< 10	130	< 5	100							
65N 200E	221 238	54	190	10	< 5	22	0.15	< 10	< 10	156	< 5	84							
65N 175E	221 238	41	620	14	< 5	35	0.37	< 10	< 10	220	< 5	96							
65N 150E	221 238	33	900	18	< 5	55	0.30	< 10	< 10	166	< 5	102							
65N 125E	221 238	33	400	8	< 5	29	0.22	< 10	< 10	138	< 5	74							
65N 100E	221 238	21	600	10	< 5	19	0.12	< 10	< 10	96	< 5	84							
65N 075E	221 238	28	650	18	10	26	0.19	< 10	< 10	128	< 5	90							
65N 050E	221 238	53	430	6	80	14	0.12	< 10	< 10	169	< 5	98							
65N 025E	221 238	43	430	10	23	12	0.11	< 10	< 10	153	< 5	92							
65N 000L	221 238	5	150	6	< 5	20	0.10	< 10	< 10	82	< 5	30							
65N 025W	221 238	42	470	10	< 5	16	0.26	< 10	< 10	212	< 5	76							
65N 050W	221 238	38	640	8	< 5	28	0.31	< 10	< 10	185	< 5	72							
65N 075W	221 238	55	470	12	13	13	0.18	< 10	< 10	164	< 5	80							
65N 100W	221 238	16	750	12	< 5	22	0.17	< 10	< 10	133	< 5	64							
65N 125W	221 238	26	920	12	< 5	28	0.25	< 10	< 10	169	< 5	76							
65N 150W	221 238	10	1230	12	< 5	24	0.26	< 10	< 10	134	< 5	46							
65N 175W	221 238	8	350	10	< 5	26	0.12	< 10	< 10	81	< 5	32							
65N 200W	221 238	24	390	8	< 5	25	0.19	< 10	< 10	99	< 5	66							
65N 225W	221 238	33	840	12	< 5	21	0.14	< 10	< 10	150	< 5	78							
65N 250W	221 238	6	280	10	< 5	19	0.08	< 10	< 10	79	< 5	26							
65N 275W	221 238	6	330	12	< 5	18	0.08	< 10	< 10	90	< 5	36							
65N 300W	221 238	10	350	12	< 5	31	0.14	< 10	< 10	96	< 5	56							
66N 300E	221 238	50	460	10	< 5	34	0.31	< 10	< 10	188	< 5	174							
66N 275E	221 238	39	300	14	< 5	32	0.28	< 10	< 10	125	< 5	116							
66N 250E	221 238	38	390	8	< 5	25	0.24	< 10	< 10	146	< 5	84							
66N 225E	221 238	41	740	10	< 5	41	0.33	< 10	< 10	159	< 5	86							
66N 200E	221 238	35	830	12	< 5	39	0.31	< 10	< 10	177	< 5	92							
66N 175E	221 238	25	580	14	< 5	31	0.24	< 10	< 10	159	< 5	88							
66N 150E	221 238	26	580	10	< 5	56	0.28	< 10	< 10	152	< 5	90							
66N 125E	221 238	31	310	8	< 5	22	0.18	< 10	< 10	147	< 5	56							
66N 100E	221 238	57	460	8	< 5	14	0.20	< 10	< 10	220	< 5	86							
66N 075E	221 238	30	570	14	< 5	18	0.22	< 10	< 10	148	< 5	92							
66N 050E	221 238	36	410	10	< 5	6	0.13	< 10	< 10	206	< 5	66							
66N 025E	221 238	9	150	8	< 5	13	0.12	< 10	< 10	74	< 5	26							
66N 000L	221 238	39	420	10	< 5	8	0.07	< 10	< 10	227	< 5	64							
66N 025W	221 238	54	490	14	< 5	4	0.03	< 10	< 10	259	< 5	70							
66N 050W	221 238	18	540	10	< 5	46	0.13	< 10	< 10	105	< 5	64							
66N 075W	221 238	22	720	8	< 5	17	0.14	< 10	< 10	111	< 5	76							
66N 100W	221 238	14	700	14	< 5	21	0.15	< 10	< 10	127	< 5	62							

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED


2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 8-A
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice # : I-8710121
 P.O. # : NONE

Project : RAXX Z V126
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
66N 12SW	221 238	2.77	< 0.2	10	20	< 0.5	< 2	0.21	< 0.5	25	64	85	4.89	< 10	0.01	< 10	1.77	940	< 1	< 0.01
66N 150W	221 238	1.46	< 0.2	5	30	< 0.5	< 2	0.19	< 0.5	10	28	30	2.87	< 10	0.01	< 10	0.75	298	< 1	< 0.01
66N 200W	221 238	2.25	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	19	31	47	3.75	< 10	0.01	< 10	1.08	524	< 1	< 0.01
66N 22SW	221 238	2.92	< 0.2	10	90	< 0.5	< 2	0.38	< 0.5	25	40	86	5.77	< 10	0.01	< 10	1.42	1090	< 1	0.01
66N 250W	221 238	1.88	< 0.2	< 5	20	< 0.5	2	0.14	< 0.5	13	35	33	3.15	< 10	0.01	< 10	1.07	306	< 1	< 0.01
66N 27SW	221 238	3.68	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	15	38	87	6.11	< 10	0.02	< 10	0.85	465	< 1	< 0.01
66N 300W	221 238	2.97	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	20	36	90	4.75	< 10	0.02	< 10	1.25	790	< 1	< 0.01
68N 275E	221 238	2.36	< 0.2	5	80	< 0.5	< 2	0.33	0.5	26	83	108	4.01	< 10	0.02	< 10	1.11	1645	< 1	0.01
68N 250E	221 238	2.29	< 0.2	< 5	80	< 0.5	< 2	0.32	0.5	25	79	110	3.89	< 10	0.02	< 10	1.03	1630	< 1	< 0.01
68N 225E	221 238	2.82	< 0.2	< 5	70	< 0.5	< 2	0.30	0.5	25	66	104	5.03	< 10	0.02	< 10	1.15	705	< 1	0.01
68N 200E	221 238	1.96	< 0.2	< 5	80	< 0.5	< 2	0.25	< 0.5	15	33	39	3.41	< 10	0.01	< 10	0.79	686	< 1	0.01
68N 175E	221 238	1.64	< 0.2	< 5	90	< 0.5	< 2	0.19	< 0.5	14	30	27	2.76	< 10	0.01	< 10	0.58	957	< 1	< 0.01
68N 150E	221 238	2.02	< 0.2	< 5	90	< 0.5	< 2	0.21	< 0.5	19	36	33	3.13	< 10	0.02	< 10	0.76	793	< 1	< 0.01
68N 125E	221 238	2.11	< 0.2	< 5	110	< 0.5	< 2	0.38	< 0.5	21	47	64	4.01	< 10	0.02	< 10	0.92	2550	< 1	0.01
68N 100E	221 238	4.20	0.4	< 5	200	< 0.5	< 2	0.49	1.5	31	84	1461	5.33	< 10	0.04	20	1.30	1835	< 1	0.01
68N 075E	221 238	3.07	< 0.2	< 5	190	< 0.5	< 2	0.35	< 0.5	23	63	163	4.22	< 10	0.05	< 10	1.34	813	< 1	0.01
68N 050E	221 238	2.48	< 0.2	< 5	80	< 0.5	< 2	0.20	< 0.5	25	73	83	4.24	< 10	0.01	< 10	1.80	1130	< 1	< 0.01
68N 025E	221 238	4.13	0.2	< 5	90	< 0.5	< 2	0.23	< 0.5	30	88	307	5.13	< 10	0.02	< 10	2.46	1365	< 1	0.01
68N 000BL	221 238	3.23	< 0.2	< 5	60	< 0.5	< 2	0.15	< 0.5	28	122	121	4.99	< 10	0.01	< 10	2.22	737	< 1	< 0.01
68N 025W	221 238	3.90	0.2	10	30	< 0.5	< 2	0.31	< 0.5	29	101	134	5.67	< 10	0.01	< 10	2.30	739	< 1	< 0.01
68N 050W	221 238	2.34	< 0.2	< 5	30	< 0.5	< 2	0.30	< 0.5	20	51	54	4.59	< 10	0.01	< 10	1.04	533	< 1	< 0.01
68N 075W	221 238	1.30	< 0.2	< 5	60	< 0.5	< 2	0.34	< 0.5	14	17	19	2.09	< 10	0.03	< 10	0.64	1895	< 1	< 0.01
68N 100W	221 238	3.07	< 0.2	< 5	30	< 0.5	< 2	0.23	< 0.5	16	37	64	5.17	< 10	0.01	< 10	1.25	448	< 1	< 0.01
68N 125W	221 238	2.44	< 0.2	< 5	50	< 0.5	< 2	0.31	< 0.5	19	30	44	4.38	< 10	0.02	< 10	0.81	1605	< 1	< 0.01
68N 150W	221 238	2.08	< 0.2	< 5	50	< 0.5	< 2	0.38	< 0.5	30	78	21	3.34	< 10	0.01	< 10	1.71	2750	< 1	0.01
68N 175W	221 238	2.54	< 0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	30	79	40	3.62	< 10	0.01	< 10	1.85	2880	< 1	0.01
68N 200W	221 238	0.91	< 0.2	< 5	20	< 0.5	< 2	0.21	< 0.5	7	18	4	1.53	< 10	< 0.01	< 10	0.43	536	< 1	< 0.01
68N 225W	221 238	2.29	< 0.2	< 5	40	< 0.5	< 2	0.19	< 0.5	12	34	28	2.96	< 10	0.02	< 10	0.68	536	< 1	< 0.01
68N 250W	221 238	1.84	< 0.2	< 5	30	< 0.5	< 2	0.19	< 0.5	11	34	31	2.97	< 10	0.02	< 10	0.66	415	< 1	< 0.01
68N 275W	221 238	4.07	0.4	< 5	80	< 0.5	< 2	0.28	< 0.5	22	66	81	4.43	< 10	0.04	< 10	1.30	489	< 1	0.01
68N 300W	221 238	1.26	< 0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	5	22	12	2.43	< 10	0.02	< 10	0.31	142	< 1	0.01
69N 300E	221 238	1.07	< 0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	17	28	15	2.15	< 10	0.02	< 10	0.57	2140	< 1	< 0.01
69N 275E	221 238	1.67	0.2	< 5	110	< 0.5	< 2	0.33	< 0.5	24	45	35	3.31	< 10	0.01	< 10	0.92	2050	< 1	< 0.01
69N 250E	221 238	2.00	< 0.2	< 5	110	< 0.5	< 2	0.27	< 0.5	23	34	42	3.45	< 10	0.02	< 10	0.97	1540	< 1	< 0.01
69N 225E	221 238	3.03	0.2	< 5	140	< 0.5	< 2	0.28	0.5	36	106	93	5.00	< 10	0.02	< 10	1.69	1945	< 1	< 0.01
69N 200E	221 238	2.94	0.2	< 5	50	< 0.5	< 2	0.24	0.5	45	160	157	5.78	< 10	< 0.01	< 10	1.88	1195	< 1	< 0.01
69N 175E	221 238	2.04	< 0.2	< 5	150	< 0.5	< 2	0.17	< 0.5	20	18	52	2.94	< 10	0.03	< 10	0.69	1270	< 1	< 0.01
69N 150E	221 238	3.07	< 0.2	< 5	130	< 0.5	< 2	0.39	< 0.5	22	50	84	4.60	< 10	0.03	< 10	1.18	1150	< 1	< 0.01
69N 125E	221 238	3.00	0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	23	48	7	5.11	< 10	0.03	< 10	1.25	544	< 1	< 0.01
69N 100E	221 238	4.20	0.4	< 5	80	< 0.5	< 2	0.52	< 0.5	24	61	181	5.06	< 10	0.06	10	1.24	513	< 1	0.01

CERTIFICATION : Haut Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
211 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No. : 8-B
Tot. Pages: 11
Date : 22-JAN-87
Invoice # : I-8710121
P.O. # : NONE

Project : RAXX Z V226

Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
66N 12SW	221 238		29	790	14	< 5	17	0.17	< 10	< 10	137	< 5	70						
66N 150W	221 238		11	500	10	< 5	15	0.11	< 10	< 10	86	< 5	62						
66N 200W	221 238		17	600	6	< 5	25	0.23	< 10	< 10	115	< 5	66						
66N 22SW	221 238		25	1070	8	< 5	59	0.32	< 10	< 10	178	< 5	98						
66N 250W	221 238		15	300	12	< 5	9	0.10	< 10	< 10	112	< 5	46						
66N 27SW	221 238		14	1090	10	< 5	7	0.15	< 10	< 10	159	< 5	92						
66N 300W	221 238		18	580	4	< 5	11	0.09	< 10	< 10	137	< 5	66						
68N 275E	221 238		31	800	12	< 5	18	0.13	< 10	< 10	98	< 5	208						
68N 250E	221 238		30	870	14	< 5	17	0.13	< 10	< 10	95	< 5	206						
68N 225E	221 238		27	920	12	< 5	26	0.19	< 10	< 10	134	< 5	144						
68N 200E	221 238		14	790	4	< 5	12	0.11	< 10	< 10	87	< 5	74						
68N 175E	221 238		13	860	4	< 5	12	0.09	< 10	< 10	66	< 5	88						
68N 150E	221 238		18	770	< 2	< 5	13	0.10	< 10	< 10	73	< 5	96						
68N 125E	221 238		22	610	20	< 5	20	0.13	< 10	< 10	108	< 5	86						
68N 100E	221 238		60	630	12	< 5	25	0.16	< 10	< 10	130	< 5	172						
68N 075E	221 238		31	740	8	< 5	19	0.13	< 10	< 10	109	< 5	112						
68N 050E	221 238		32	600	6	< 5	12	0.12	< 10	< 10	117	< 5	144						
68N 025E	221 238		43	490	4	< 5	14	0.14	< 10	< 10	145	< 5	86						
68N 000E	221 238		44	530	10	< 5	11	0.13	< 10	< 10	153	< 5	106						
68N 02SW	221 238		41	350	12	< 5	21	0.26	< 10	< 10	202	< 5	82						
68N 050W	221 238		21	480	6	< 5	29	0.22	< 10	< 10	131	< 5	70						
68N 07SW	221 238		11	520	12	< 5	33	0.13	< 10	< 10	59	< 5	60						
68N 100W	221 238		16	940	6	< 5	32	0.24	< 10	< 10	140	< 5	64						
68N 12SW	221 238		15	1360	6	< 5	28	0.17	< 10	< 10	110	< 5	90						
68N 150W	221 238		28	430	2	< 5	41	0.19	< 10	< 10	88	< 5	58						
68N 175W	221 238		31	630	6	< 5	27	0.18	< 10	< 10	88	< 5	74						
68N 200W	221 238		6	150	4	< 5	16	0.09	< 10	< 10	52	< 5	26						
68N 22SW	221 238		14	630	2	< 5	18	0.13	< 10	< 10	72	< 5	60						
68N 250W	221 238		15	340	12	< 5	17	0.11	< 10	< 10	77	< 5	44						
68N 275W	221 238		33	480	10	< 5	28	0.20	< 10	< 10	118	< 5	88						
68N 300W	221 238		6	140	6	< 5	11	0.07	< 10	< 10	79	< 5	24						
69N 300E	221 238		12	350	12	< 5	17	0.15	< 10	< 10	71	< 5	86						
69N 275E	221 238		20	610	10	< 5	17	0.12	< 10	< 10	90	< 5	126						
69N 250E	221 238		19	630	10	< 5	14	0.14	< 10	< 10	96	< 5	162						
69N 225E	221 238		49	870	12	< 5	21	0.21	< 10	< 10	144	< 5	316						
69N 200E	221 238		67	630	10	< 5	16	0.21	< 10	< 10	155	< 5	360						
69N 175E	221 238		12	590	10	< 5	9	0.06	< 10	< 10	71	< 5	120						
69N 150E	221 238		25	1040	8	< 5	25	0.18	< 10	< 10	130	< 5	94						
69N 125E	221 238		25	870	10	< 5	20	0.18	< 10	< 10	124	< 5	88						
69N 100E	221 238		35	510	10	< 5	46	0.27	< 10	< 10	160	< 5	104						

CERTIFICATION : *Hart/Bachler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1


Page No.: 9-A
 Tot. Pages: 11
 Date: 22-JAN-87
 Invoice #: I-8710121
 P.O. #: NONE

Project: RAXX Z V226
 Comments:

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
69N 075E	221 238	2.47	< 0.2	< 5	70	< 0.5	< 2	0.32	< 0.5	25	130	62	4.54	< 10	0.01	< 10	1.46	627	< 1	< 0.01
69N 050E	221 238	3.40	< 0.2	< 5	80	< 0.5	< 2	0.30	< 0.5	21	73	105	4.49	< 10	0.01	< 10	1.16	398	< 1	< 0.01
69N 025E	221 238	1.86	< 0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	18	28	37	3.50	< 10	0.01	< 10	0.96	1130	< 1	< 0.01
69N 000DL	221 238	2.16	< 0.2	< 5	110	< 0.5	< 2	0.31	< 0.5	14	34	39	2.83	< 10	0.02	< 10	0.77	677	< 1	< 0.01
69N 025W	221 238	1.26	< 0.2	< 5	30	< 0.5	< 2	0.03	< 0.5	1	3	2	0.92	< 10	0.03	10	0.08	180	< 1	0.01
69N 050W	221 238	2.45	< 0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	12	42	38	3.30	< 10	0.02	< 10	0.77	605	< 1	< 0.01
69N 075W	221 238	4.59	< 0.2	< 5	120	0.5	< 2	0.19	< 0.5	29	67	120	3.57	< 10	0.02	20	1.13	999	< 1	0.01
69N 100W	221 238	3.52	< 0.2	< 5	40	< 0.5	< 2	0.13	< 0.5	10	53	40	4.73	< 10	0.01	< 10	0.58	404	< 1	< 0.01
69N 125W	221 238	3.61	< 0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	12	47	74	5.26	< 10	0.02	< 10	0.78	526	< 1	< 0.01
69N 150W	221 238	1.91	< 0.2	< 5	40	< 0.5	< 2	0.27	< 0.5	8	30	29	2.84	< 10	0.02	< 10	0.49	243	< 1	< 0.01
69N 175W	221 238	3.21	< 0.2	< 5	80	< 0.5	< 2	0.15	< 0.5	20	64	99	4.56	< 10	0.03	< 10	1.21	640	< 1	< 0.01
69N 200W	221 238	2.41	< 0.2	< 5	60	< 0.5	< 2	0.15	< 0.5	13	41	56	3.27	< 10	0.02	< 10	0.69	1150	< 1	< 0.01
69N 225W	221 238	2.43	< 0.2	< 5	60	< 0.5	< 2	0.18	< 0.5	14	41	34	3.22	< 10	0.02	< 10	0.55	1635	< 1	< 0.01
69N 250W	221 238	2.70	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	13	54	51	4.20	< 10	0.01	< 10	0.77	300	< 1	< 0.01
69N 275W	221 238	2.99	< 0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	14	46	42	3.58	< 10	0.02	< 10	0.75	485	< 1	< 0.01
69N 300W	221 238	2.99	< 0.2	< 5	80	< 0.5	< 2	0.18	< 0.5	15	48	44	3.74	< 10	0.02	< 10	0.83	496	< 1	< 0.01
70N 150E	221 238	2.62	< 0.2	< 5	60	< 0.5	< 2	0.21	< 0.5	19	39	82	4.42	< 10	0.02	< 10	0.84	597	< 1	< 0.01
70N 125E	221 238	1.70	< 0.2	< 5	250	< 0.5	< 2	0.44	< 0.5	16	24	29	2.81	< 10	0.03	< 10	0.45	4800	< 1	< 0.01
70N 100E	221 238	2.40	< 0.2	< 5	100	< 0.5	< 2	0.23	< 0.5	16	35	55	3.48	< 10	0.02	< 10	0.73	648	< 1	< 0.01
70N 075E	221 238	3.43	< 0.2	< 5	150	< 0.5	< 2	0.33	< 0.5	20	51	78	4.21	< 10	0.03	< 10	0.93	1815	< 1	0.01
70N 050E	221 238	3.13	< 0.2	< 5	80	< 0.5	< 2	0.27	0.5	18	46	110	4.19	< 10	0.03	< 10	1.12	529	< 1	< 0.01
70N 025E	221 238	2.01	< 0.2	< 5	140	< 0.5	< 2	0.27	< 0.5	18	22	41	3.19	< 10	0.03	< 10	0.84	1550	< 1	< 0.01
70N 000DL	221 238	3.29	< 0.2	< 5	140	< 0.5	< 2	0.32	< 0.5	23	39	135	4.95	< 10	0.02	< 10	1.25	1325	< 1	< 0.01
70N 025W	221 238	1.82	< 0.2	< 5	50	< 0.5	< 2	0.19	< 0.5	10	26	24	3.40	< 10	0.01	< 10	0.53	641	< 1	< 0.01
70N 050W	221 238	2.27	< 0.2	< 5	50	< 0.5	< 2	0.27	< 0.5	21	25	47	4.06	< 10	0.02	< 10	1.07	1515	< 1	< 0.01
70N 075W	221 238	1.54	< 0.2	< 5	40	< 0.5	< 2	0.27	< 0.5	11	29	16	2.74	< 10	0.01	< 10	0.68	772	< 1	< 0.01
70N 100W	221 238	3.03	< 0.2	< 5	90	< 0.5	< 2	0.28	< 0.5	17	37	69	4.24	< 10	0.03	< 10	0.85	2450	< 1	< 0.01
70N 125W	221 238	2.04	< 0.2	< 5	40	< 0.5	< 2	0.28	< 0.5	17	25	30	3.75	< 10	0.01	< 10	0.92	1340	< 1	< 0.01
70N 150W	221 238	2.55	< 0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	14	38	37	3.28	< 10	0.02	< 10	0.81	1250	< 1	< 0.01
70N 175W	221 238	2.78	< 0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	16	40	37	3.43	< 10	0.03	< 10	0.84	1585	< 1	< 0.01
70N 200W	221 238	1.80	< 0.2	< 5	20	< 0.5	< 2	0.22	< 0.5	8	31	21	2.51	< 10	0.02	< 10	0.56	252	< 1	< 0.01
70N 225W	221 238	3.94	< 0.2	< 5	110	< 0.5	< 2	0.22	< 0.5	19	61	71	3.85	< 10	0.03	< 10	1.08	555	< 1	0.01
70N 250W	221 238	3.39	< 0.2	< 5	100	< 0.5	< 2	0.23	0.5	23	58	70	4.51	< 10	0.04	< 10	1.17	554	< 1	0.01
70N 275W	221 238	2.38	< 0.2	< 5	120	< 0.5	< 2	0.28	< 0.5	15	43	52	3.54	< 10	0.03	< 10	0.90	1175	< 1	0.01
70N 300W	221 238	1.19	< 0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	6	20	15	2.56	< 10	0.01	< 10	0.42	217	< 1	< 0.01
70N 100E	221 238	3.04	< 0.2	< 5	230	< 0.5	< 2	0.59	< 0.5	21	66	98	4.02	< 10	0.04	10	1.29	644	< 1	0.01
70N 075E	221 238	3.73	< 0.2	< 5	80	< 0.5	< 2	0.26	< 0.5	17	53	60	3.75	< 10	0.02	< 10	1.17	554	< 1	0.01
70N 050E	221 238	2.80	< 0.2	10	80	< 0.5	< 2	0.21	< 0.5	13	42	42	3.49	< 10	0.02	< 10	0.67	1710	< 1	< 0.01
70N 025W	221 238	1.69	< 0.2	< 5	20	< 0.5	< 2	0.20	< 0.5	5	27	16	2.66	< 10	0.02	< 10	0.36	281	< 1	< 0.01
70N 050W	221 238	1.41	< 0.2	< 5	20	< 0.5	< 2	0.22	< 0.5	5	20	14	2.28	< 10	0.02	< 10	0.32	194	< 1	< 0.01

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No. : 9-B
Tot. Pages: 11
Date : 22-JAN-87
Invoice #: I-8710121
P.O. #: NONE

Project : RAXX Z V226
Comments :

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
69N 075E	221 238	48	370	6	< 5	19	0.17	< 10	< 10	134	< 5	60							
69N 050E	221 238	31	240	6	< 5	20	0.16	< 10	< 10	133	< 5	42							
69N 025E	221 238	16	390	20	< 5	39	0.18	< 10	< 10	107	< 5	94							
69N 000BL	221 238	18	470	6	< 5	20	0.10	< 10	< 10	69	< 5	58							
69N 025W	221 238	< 1	130	4	< 5	7	< 0.01	< 10	< 10	13	< 5	16							
69N 050W	221 238	18	410	6	< 5	13	0.10	< 10	< 10	83	< 5	54							
69N 075W	221 238	37	580	4	< 5	15	0.12	< 10	< 10	91	< 5	64							
69N 100W	221 238	16	750	10	< 5	10	0.14	< 10	< 10	116	< 5	62							
69N 125W	221 238	18	680	8	< 5	20	0.14	< 10	< 10	149	< 5	60							
69N 150W	221 238	12	260	6	< 5	24	0.10	< 10	< 10	86	< 5	42							
69N 175W	221 238	33	490	6	< 5	11	0.08	< 10	< 10	121	< 5	60							
69N 200W	221 238	20	440	6	< 5	13	0.12	< 10	< 10	85	< 5	54							
69N 225W	221 238	16	800	4	< 5	13	0.08	< 10	< 10	76	< 5	80							
69N 250W	221 238	21	330	10	< 5	13	0.13	< 10	< 10	113	< 5	56							
69N 275W	221 238	21	530	4	< 5	14	0.12	< 10	< 10	83	< 5	82							
69N 300W	221 238	22	570	6	< 5	15	0.13	< 10	< 10	89	< 5	86							
70N 150E	221 238	19	870	6	< 5	20	0.19	< 10	< 10	123	< 5	66							
70N 125E	221 238	13	1520	18	< 5	27	0.10	< 10	< 10	64	< 5	102							
70N 100E	221 238	17	610	6	< 5	23	0.16	< 10	< 10	96	< 5	62							
70N 075E	221 238	25	1170	10	< 5	34	0.21	< 10	< 10	117	< 5	86							
70N 050E	221 238	28	980	8	< 5	20	0.16	< 10	< 10	117	< 5	54							
70N 025E	221 238	15	600	12	< 5	26	0.10	< 10	< 10	93	< 5	62							
70N 000BL	221 238	25	590	8	< 5	30	0.17	< 10	< 10	162	< 5	68							
70N 025W	221 238	11	470	2	< 5	17	0.13	< 10	< 10	100	< 5	52							
70N 050W	221 238	16	950	8	< 5	17	0.19	< 10	< 10	123	< 5	62							
70N 075W	221 238	15	590	8	< 5	24	0.11	< 10	< 10	77	< 5	62							
70N 100W	221 238	19	1920	6	< 5	22	0.15	< 10	< 10	114	< 5	96							
70N 125W	221 238	14	700	10	< 5	19	0.20	< 10	< 10	116	< 5	56							
70N 150W	221 238	18	1500	8	< 5	20	0.13	< 10	< 10	88	< 5	68							
70N 175W	221 238	20	1370	12	< 5	32	0.15	< 10	< 10	98	< 5	78							
70N 200W	221 238	13	340	8	< 5	20	0.16	< 10	< 10	72	< 5	38							
70N 225W	221 238	34	580	8	< 5	22	0.22	< 10	< 10	109	< 5	64							
70N 250W	221 238	28	510	4	< 5	20	0.14	< 10	< 10	122	< 5	72							
70N 275W	221 238	23	430	8	< 5	20	0.12	< 10	< 10	101	< 5	60							
70N 300W	221 238	9	170	10	< 5	13	0.06	< 10	< 10	84	< 5	30							
70N 100E	221 238	33	400	6	< 5	29	0.19	< 10	< 10	114	< 5	60							
70N 075E	221 238	26	650	6	< 5	24	0.15	< 10	< 10	103	< 5	78							
70N 050E	221 238	18	1170	4	< 5	20	0.14	< 10	< 10	97	< 5	70							
70N 025W	221 238	9	280	8	< 5	20	0.14	< 10	< 10	87	< 5	36							
70N 050W	221 238	7	250	8	< 5	23	0.14	< 10	< 10	79	< 5	36							

CERTIFICATION :

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 10-A

Tot. Pages: 11

Date : 22-JAN-87

Invoice #: I-8710121

P.O. #: NONE


Project: RAXX Z V216

Comments:

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
71N 075W	221 238	2.40	< 0.2	< 5	40	< 0.5	< 2	0.07	< 0.5	5	28	17	3.60	< 10	0.02	< 10	0.39	234	< 1	< 0.01
71N 100W	221 238	3.33	< 0.2	< 5	40	< 0.5	< 2	0.11	< 0.5	9	48	36	4.17	< 10	0.01	< 10	0.54	328	< 1	< 0.01
71N 125W	221 238	3.08	< 0.2	< 5	40	< 0.5	< 2	0.13	< 0.5	11	48	49	4.02	< 10	0.02	< 10	0.71	352	< 1	< 0.01
71N 150W	221 238	3.43	< 0.2	< 5	50	< 0.5	< 2	0.14	< 0.5	12	53	57	4.37	< 10	0.01	< 10	0.79	366	< 1	< 0.01
71N 175W	221 238	2.25	< 0.2	< 5	80	< 0.5	< 2	0.22	< 0.5	12	39	41	3.69	< 10	0.02	< 10	0.74	1755	< 1	< 0.01
71N 200W	221 238	2.94	< 0.2	< 5	90	< 0.5	< 2	0.21	< 0.5	20	75	94	4.07	< 10	0.02	< 10	1.19	1055	< 1	< 0.01
71N 225W	221 238	2.18	< 0.2	< 5	60	< 0.5	< 2	0.22	< 0.5	12	36	47	3.30	< 10	0.02	< 10	0.72	1295	< 1	< 0.01
71N 250W	221 238	3.12	< 0.2	< 5	60	< 0.5	< 2	0.18	< 0.5	18	40	83	3.98	< 10	0.01	< 10	0.67	1680	< 1	< 0.01
71N 275W	221 238	0.69	< 0.2	< 5	70	< 0.5	< 2	0.23	< 0.5	4	15	12	1.46	< 10	0.01	< 10	0.18	630	< 1	< 0.01
71N 300W	221 238	2.55	< 0.2	< 5	70	< 0.5	< 2	0.14	< 0.5	12	50	49	4.09	< 10	0.01	< 10	0.74	273	< 1	< 0.01
72N 000BL	221 238	2.73	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	12	47	42	3.93	< 10	0.01	< 10	0.65	303	< 1	< 0.01
72N 025W	221 238	2.38	< 0.2	< 5	80	< 0.5	< 2	0.26	0.5	17	55	31	3.32	< 10	0.02	< 10	0.92	594	< 1	< 0.01
72N 050W	221 238	1.34	< 0.2	< 5	10	< 0.5	< 2	0.10	0.5	9	23	12	2.19	< 10	< 0.01	< 10	0.65	289	< 1	< 0.01
72N 075W	221 238	1.50	< 0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	8	29	19	2.25	< 10	0.01	< 10	0.56	567	< 1	< 0.01
72N 100W	221 238	1.32	< 0.2	< 5	30	< 0.5	< 2	0.22	< 0.5	10	29	16	1.79	< 10	0.01	< 10	0.57	774	< 1	< 0.01
72N 125W	221 238	1.65	< 0.2	< 5	50	< 0.5	< 2	0.16	< 0.5	18	95	12	2.61	< 10	< 0.01	< 10	1.20	2430	< 1	< 0.01
72N 150W	221 238	0.73	< 0.2	< 5	120	< 0.5	< 2	0.21	< 0.5	9	24	4	1.37	< 10	0.01	< 10	0.27	5970	< 1	< 0.01
72N 175W	221 238	1.34	< 0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	7	29	19	2.02	< 10	0.01	< 10	0.49	514	< 1	< 0.01
72N 200W	221 238	2.39	< 0.2	< 5	60	< 0.5	< 2	0.15	< 0.5	14	56	48	3.04	< 10	0.02	< 10	0.88	691	< 1	< 0.01
72N 225W	221 238	2.81	< 0.2	< 5	100	< 0.5	< 2	0.09	< 0.5	4	15	11	2.74	< 10	0.03	20	0.18	218	< 1	< 0.01
72N 250W	221 238	1.48	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	9	39	21	2.76	< 10	0.02	< 10	0.53	304	< 1	< 0.01
72N 275W	221 238	0.96	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	6	23	13	2.25	< 10	0.01	< 10	0.43	138	< 1	< 0.01
72N 300W	221 238	1.07	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	6	27	14	2.35	< 10	0.01	< 10	0.50	149	< 1	< 0.01
73N 000BL	221 238	2.97	< 0.2	< 5	70	< 0.5	< 2	0.12	< 0.5	17	59	60	3.95	< 10	0.02	< 10	1.03	520	< 1	< 0.01
73N 025W	221 238	3.64	< 0.2	< 5	140	< 0.5	< 2	0.23	< 0.5	23	87	134	4.52	< 10	0.02	< 10	1.51	785	< 1	< 0.01
73N 050W	221 238	1.84	< 0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	10	43	26	3.16	< 10	0.01	< 10	0.63	412	< 1	< 0.01
73N 075W	221 238	2.81	< 0.2	< 5	50	< 0.5	< 2	0.16	< 0.5	13	57	49	3.34	< 10	0.02	< 10	0.84	846	< 1	0.01
73N 100W	221 238	3.35	< 0.2	< 5	70	< 0.5	< 2	0.18	< 0.5	18	87	60	4.21	< 10	0.02	< 10	1.22	770	< 1	< 0.01
73N 125W	221 238	2.83	< 0.2	< 5	100	< 0.5	< 2	0.15	< 0.5	14	77	41	3.60	< 10	0.02	< 10	0.81	872	< 1	< 0.01
73N 150W	221 238	2.27	< 0.2	< 5	220	< 0.5	< 2	0.32	< 0.5	14	57	29	2.31	< 10	0.03	< 10	0.88	2130	< 1	< 0.01
73N 175W	221 238	2.30	< 0.2	< 5	80	< 0.5	< 2	0.21	< 0.5	16	87	30	3.78	< 10	0.02	< 10	0.80	709	< 1	< 0.01
73N 200W	221 238	1.27	< 0.2	< 5	50	< 0.5	< 2	0.33	< 0.5	8	64	13	2.33	< 10	0.01	< 10	0.63	254	< 1	< 0.01
73N 225W	221 238	3.22	< 0.2	< 5	70	< 0.5	< 2	0.20	< 0.5	19	113	50	4.21	< 10	0.02	< 10	1.37	440	< 1	< 0.01
73N 250W	221 238	3.55	< 0.2	< 5	90	< 0.5	< 2	0.15	< 0.5	18	119	52	5.01	< 10	< 0.01	< 10	1.30	348	< 1	< 0.01
73N 275W	221 238	1.78	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	8	35	10	3.05	< 10	0.02	< 10	0.59	306	< 1	< 0.01
73N 300W	221 238	1.74	< 0.2	< 5	40	< 0.5	< 2	0.11	< 0.5	7	33	8	3.09	< 10	0.01	< 10	0.54	261	< 1	< 0.01
60N 125E	221 238	2.43	< 0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	11	53	45	3.69	< 10	0.01	< 10	0.58	317	< 1	< 0.01
60N 100E	221 238	2.67	< 0.2	< 5	90	< 0.5	< 2	0.11	< 0.5	15	37	34	2.95	< 10	0.03	< 10	0.82	1120	< 1	< 0.01
60N 075E	221 238	2.36	< 0.2	< 5	30	< 0.5	< 2	0.11	< 0.5	10	58	43	3.92	< 10	0.01	< 10	0.70	402	< 1	< 0.01
60N 050E	221 238	4.09	< 0.2	< 5	50	< 0.5	< 2	0.12	< 0.5	17	89	59	5.48	< 10	0.02	< 10	1.05	891	< 1	< 0.01

CERTIFICATION :

Hunt Becker



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 10-B
Tot. Pages: 11
Date : 22-JAN-87
Invoice #: I-8710121
P.O. # : NONE

Project : RAXX Z V116

Comments:

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
71N 075W	221 238	10	420	8	< 5	7	0.08	< 10	< 10	72	< 5	40						
71N 100W	221 238	15	690	6	< 5	8	0.11	< 10	< 10	100	< 5	54						
71N 125W	221 238	16	540	4	< 5	10	0.11	< 10	< 10	94	< 5	52						
71N 150W	221 238	20	580	10	< 5	12	0.13	< 10	< 10	107	< 5	58						
71N 175W	221 238	18	480	16	< 5	12	0.08	< 10	< 10	89	< 5	64						
71N 200W	221 238	36	600	8	< 5	11	0.08	< 10	< 10	100	< 5	60						
71N 225W	221 238	16	600	14	< 5	14	0.10	< 10	< 10	82	< 5	52						
71N 250W	221 238	19	970	10	< 5	15	0.10	< 10	< 10	104	< 5	84						
71N 275W	221 238	6	220	14	< 5	11	0.02	< 10	< 10	44	< 5	40						
71N 300W	221 238	19	300	8	< 5	11	0.11	< 10	< 10	107	< 5	48						
72N 000BL	221 238	18	430	8	< 5	8	0.07	< 10	< 10	97	< 5	54						
72N 025W	221 238	28	450	6	< 5	11	0.06	< 10	< 10	78	< 5	70						
72N 050W	221 238	10	190	< 2	< 5	6	0.02	< 10	< 10	49	< 5	32						
72N 075W	221 238	14	200	4	< 5	9	0.07	< 10	< 10	63	< 5	34						
72N 100W	221 238	13	220	12	< 5	11	0.05	< 10	< 10	53	< 5	46						
72N 125W	221 238	22	300	10	< 5	10	0.08	< 10	< 10	74	< 5	62						
72N 150W	221 238	7	320	10	< 5	10	0.04	< 10	< 10	42	< 5	40						
72N 175W	221 238	12	270	4	< 5	9	0.06	< 10	< 10	56	< 5	38						
72N 200W	221 238	26	380	8	< 5	9	0.07	< 10	< 10	78	< 5	52						
72N 225W	221 238	4	260	6	< 5	10	0.02	< 10	< 10	56	< 5	68						
72N 250W	221 238	15	210	6	< 5	11	0.08	< 10	< 10	85	< 5	34						
72N 275W	221 238	9	170	6	< 5	10	0.06	< 10	< 10	87	< 5	28						
72N 300W	221 238	11	130	6	< 5	10	0.05	< 10	< 10	79	< 5	30						
73N 000BL	221 238	29	330	6	< 5	10	0.09	< 10	< 10	99	< 5	58						
73N 025W	221 238	48	380	8	< 5	14	0.13	< 10	< 10	115	< 5	54						
73N 050W	221 238	17	240	6	< 5	11	0.09	< 10	< 10	86	< 5	40						
73N 075W	221 238	28	590	8	< 5	10	0.12	< 10	< 10	89	< 5	58						
73N 100W	221 238	42	540	8	< 5	11	0.12	< 10	< 10	109	< 5	60						
73N 125W	221 238	34	1060	8	< 5	10	0.08	< 10	< 10	94	< 5	64						
73N 150W	221 238	32	370	12	< 5	15	0.09	< 10	< 10	59	< 5	74						
73N 175W	221 238	38	410	6	< 5	18	0.11	< 10	< 10	109	< 5	68						
73N 200W	221 238	16	220	10	< 5	12	0.11	< 10	< 10	84	< 5	32						
73N 225W	221 238	55	520	2	< 5	15	0.12	< 10	< 10	102	< 5	68						
73N 250W	221 238	51	240	6	< 5	18	0.14	< 10	< 10	135	< 5	50						
73N 275W	221 238	14	290	8	< 5	24	0.15	< 10	< 10	79	< 5	54						
73N 300W	221 238	14	250	4	< 5	21	0.14	< 10	< 10	77	< 5	52						
60N 125E	221 238	16	360	2	< 5	11	0.10	< 10	< 10	94	< 5	56						
60N 100E	221 238	19	310	6	< 5	13	0.04	< 10	< 10	70	< 5	80						
60N 075E	221 238	17	470	8	< 5	8	0.11	< 10	< 10	94	< 5	48						
60N 050E	221 238	28	740	8	< 5	10	0.15	< 10	< 10	132	< 5	64						

CERTIFICATION :

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 11-A
Tot. Pages: 11
Date : 22-JAN-87
Invoice #: I-8710121
P.O. # : NONE

Project : RAXX Z V126
Comments :

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
60N 025E	221 238	2.69	< 0.2	< 5	40	< 0.5	< 2	0.22	< 0.5	15	62	41	4.35	< 10	0.02	< 10	1.13	344	< 1	< 0.01
60N 000BL	221 238	2.86	< 0.2	< 5	70	< 0.5	< 2	0.32	0.5	19	66	62	4.51	< 10	0.03	< 10	1.12	577	< 1	0.01

CERTIFICATION : Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 717 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710121

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 11-B
 Tot. Pages: 11
 Date : 22-JAN-87
 Invoice # : I-8710121
 P.O. # : NONE

Project : RAXX Z V226

Comments :

SAMPLE DESCRIPTION	PREP CODE		Ni	P	Pb	Sb	Sr	Ti	Tl	U	V	W	Zn						
			ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm					
60N 025E	221	238	23	300	6	< 5	20	0.23	< 10	< 10	139	< 5	56						
60N 000BL	221	238	26	350	4	< 5	26	0.18	< 10	< 10	134	< 5	46						

CERTIFICATION : Hart Buchler

CERTIFICATE OF ANALYSIS


Client: MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.
 PROJECT: V226 HOLT
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87015
 INVOICE#: 7394
 DATE ENTERED: 87-01-23
 FILE NAME: MPH87015
 PAGE # : 1

PRE IX	SAMPLE NAME	PPB Au
	A:7S 000	5
	025W	5
	050W	5
	075W	5
	100W	5
	125W	5
	150W	5
	175W	5
	A:7S 200W	5
	025E	5
	050E	5
	075E	5
	100E	5
	125E	40
	150E	5
	175E	5
	200E	5
	225E	5
	250E	5
	A:7S 275E	5
	300E	5
	325E	5
	350E	5
	375E	5
	A:7S 400E	5
	14931	5
	14932	5
	14933	5
	14934	5
	14935	5
	14936	5
	14937	5

RECEIVED JAN 23 1987

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


CLIENT: MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 87011
 INVOICE#: 7395
 DATE ENTERED: 87-01-23
 FILE NAME: MPH87011
 PAGE # : 1

PROJECT: V226
 TYPE OF ANALYSIS: GEOCHEMICAL

PRE IX	SAMPLE NAME	PPB Au
	L1N 150E	5
	175E	5
	200E	5
	225E	5
	250E	5
	275E	5
	L1N 300E	5
	L2N 125E	5
	150E	5
	175E	5
	200E	5
	225E	5
	250E	5
	275E	5
	L2N 300E	5
	L3N 125E	5
	150E	5
	175E	5
	200E	5
	225E	5
	L3N 250E	5
	L4N 125E	5
	150E	5
	175E	5
	L4N 200E	5
	L14N 350W	5
	375W	5
	400W	5
	425W	5
	450W	5
	475W	5
	500W	5
	525W	5
	L14N 550W	5
	L15N 350W	5
	375W	5
	400W	5
	425W	5
	450W	5
	L15N 475W	5

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 8910


CERTIFICATE OF ANALYSIS

CLIENT: MPH CONSULTING LTD.
 301-409 GRANVILLE STREET
 VANCOUVER B.C.

CERTIFICATE#: 87011
 INVOICE#: 7395
 DATE ENTERED: 87-01-23
 FILE NAME: MPH87011
 PAGE # : 2

PROJECT: V226
 TYPE OF ANALYSIS: GEOCHEMICAL

INDEX	SAMPLE NAME	PPB Au
1	L15N 500W	5
2	525W	5
3	L15N 550W	5
4	L16N 150W	5
5	175W	5
6	200W	5
7	225W	5
8	250W	5
9	275W	5
10	L16N 300W	5
11	325W	5
12	350W	5
13	375W	5
14	400W	5
15	425W	5
16	450W	5
17	475W	5
18	500W	5
19	525W	5
20	L16N 550W	5
21	L17N 150W	5
22	175W	5
23	200W	5
24	225W	5
25	250W	5
26	275W	5
27	300W	5
28	325W	5
29	350W	5
30	L17N 375W	5
31	400W	5
32	425W	5
33	450W	5
34	475W	5
35	500W	5
36	525W	5
37	L17N 550W	5
38	L18N 150W	5
39	175W	5
40	L18N 200W	5

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


CLIENT : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.

CERTIFICATE#: 87011
INVOICE#: 7395
DATE ENTERED: 87-01-23
FILE NAME: MPH87011
PAGE # : 3

PROJECT: V226
TYPE OF ANALYSIS: GEOCHEMICAL.

PRE IX	SAMPLE NAME	PPB Au
	L18N 225W	5
	250W	5
	275W	5
	300W	5
	325W	5
	350W	5
	375W	5
	400W	5
	425W	5
	450W	5
	475W	5
	L18N 500W	5

CERTIFIED BY :



GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MM.FE.CA.P.CR.MG.BA.TI.B.AL.MA.K.M.SI.ZR.CE.SM.Y.NB AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM. - SAMPLE TYPE: SOLUTION

DATE RECEIVED: JAN 23 1987

DATE REPORT MAILED:

Jan 26/87

ASSAYER: *D. Toye*

DEAN TOYE, CERTIFIED B.C. ASSAYER.

ROSSBACHER LABORATORY LTD PROJECT - 87015 FILE # 87-0140 V226

PAGE 1

Table with columns: SAMPLE ID, No, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V, Ca, P, Lu, Cr, Mg, Ba, Ti, B, Al, Na, K, N. Rows include samples A 7S 000BL through A 7S 400E, 14931-14935, and 14936-14937, with numerical data for each element.

RECEIVED JAN 30 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-A
 Tot. Pages: 5
 Date : 26-JAN-87
 Invoice #: I-8710327
 P.O. #: NONE

Project : V226
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Nb %
L0N 225E	221 238	1.58	< 0.2	< 5	130	< 0.5	< 2	0.13	< 0.5	10	26	17	1.81	< 10	0.02	< 10	0.42	1935	< 1	< 0.01
L0N 250E	221 238	2.52	< 0.2	< 5	100	< 0.5	< 2	0.08	< 0.5	15	47	43	3.19	< 10	0.01	< 10	0.81	716	< 1	< 0.01
L0N 275E	221 238	4.15	0.4	5	130	< 0.5	< 2	0.05	< 0.5	25	116	110	5.54	< 10	0.01	< 10	1.85	833	< 1	< 0.01
L0N 300E	221 238	1.32	< 0.2	< 5	90	< 0.5	< 2	0.09	< 0.5	13	29	15	1.74	< 10	0.02	< 10	0.38	1560	< 1	< 0.01
L1S 225E	221 238	1.42	< 0.2	< 5	100	< 0.5	< 2	0.09	< 0.5	11	23	24	2.16	< 10	0.02	< 10	0.39	638	< 1	< 0.01
L1S 250E	221 238	2.47	< 0.2	5	80	< 0.5	< 2	0.09	< 0.5	18	45	103	3.54	< 10	0.01	< 10	1.07	785	< 1	< 0.01
L1S 275E	221 238	0.64	< 0.2	5	20	< 0.5	< 2	0.07	< 0.5	3	12	7	1.19	< 10	0.01	< 10	0.18	181	< 1	< 0.01
L1S 300E	221 238	1.90	< 0.2	< 5	120	< 0.5	< 2	0.07	< 0.5	15	25	32	2.99	< 10	0.01	< 10	0.64	2310	< 1	< 0.01
L2S 225E	221 238	2.63	< 0.2	5	60	< 0.5	< 2	0.07	< 0.5	14	35	51	3.10	< 10	0.01	< 10	0.76	572	< 1	< 0.01
L2S 250E	221 238	2.55	< 0.2	5	60	< 0.5	< 2	0.13	< 0.5	17	41	50	2.60	< 10	0.02	< 10	0.80	733	< 1	< 0.01
L2S 275E	221 238	1.73	< 0.2	< 5	70	< 0.5	< 2	0.18	< 0.5	13	25	26	2.04	< 10	0.03	< 10	0.63	1070	< 1	< 0.01
L2S 300E	221 238	1.07	< 0.2	< 5	60	< 0.5	< 2	0.09	< 0.5	11	20	14	1.56	< 10	0.02	< 10	0.46	2320	< 1	< 0.01
L3S 225E	221 238	1.14	< 0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	8	21	17	1.66	< 10	0.02	< 10	0.42	1050	< 1	< 0.01
L3S 250E	221 238	1.11	< 0.2	< 5	40	< 0.5	< 2	0.12	< 0.5	9	17	17	1.49	< 10	0.01	< 10	0.46	536	< 1	< 0.01
L3S 275E	221 238	2.66	< 0.2	< 5	60	< 0.5	< 2	0.09	< 0.5	18	53	78	3.38	< 10	0.01	< 10	1.21	690	< 1	< 0.01
L3S 300E	221 238	0.64	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	4	23	7	1.25	< 10	0.01	< 10	0.34	93	< 1	< 0.01
L5S 325E	221 238	1.78	< 0.2	< 5	140	< 0.5	< 2	0.14	< 0.5	12	32	38	2.36	< 10	0.03	< 10	0.75	911	< 1	< 0.01
L5S 350E	221 238	1.94	< 0.2	< 5	420	< 0.5	< 2	0.56	< 0.5	14	83	23	2.63	< 10	0.07	< 10	0.90	2930	< 1	< 0.01
L5S 375E	221 238	1.71	< 0.2	< 5	290	< 0.5	< 2	0.08	< 0.5	10	36	16	1.89	< 10	0.05	< 10	0.51	850	< 1	< 0.01
L5S 400E	221 238	2.27	< 0.2	5	180	< 0.5	< 2	0.22	< 0.5	21	146	32	3.00	< 10	0.03	< 10	1.30	1465	< 1	0.01
L6S 325E	221 238	1.78	< 0.2	< 5	100	< 0.5	< 2	0.21	< 0.5	13	43	36	2.47	< 10	0.02	< 10	0.68	678	< 1	< 0.01
L6S 350E	221 238	1.17	< 0.2	< 5	190	< 0.5	< 2	0.17	< 0.5	13	29	20	2.11	< 10	0.02	< 10	0.42	1490	< 1	0.01
L6S 375E	221 238	2.27	< 0.2	< 5	120	< 0.5	< 2	0.13	< 0.5	13	49	65	3.68	< 10	0.03	< 10	0.66	356	< 1	0.01
L6S 400E	221 238	2.42	< 0.2	5	140	< 0.5	< 2	0.19	< 0.5	18	57	92	3.65	< 10	0.02	< 10	1.18	909	< 1	0.01
L7S 325E	221 238	2.71	< 0.2	< 5	100	< 0.5	< 2	0.23	< 0.5	22	77	103	3.67	< 10	0.04	< 10	1.64	784	< 1	< 0.01
L7S 350E	221 238	2.08	< 0.2	< 5	30	< 0.5	< 2	0.27	< 0.5	21	100	59	3.35	< 10	0.03	< 10	1.89	554	< 1	< 0.01
L7S 375E	221 238	1.97	< 0.2	< 5	110	< 0.5	< 2	0.20	< 0.5	14	72	50	3.03	< 10	0.02	< 10	1.02	412	< 1	< 0.01
L7S 400E	221 238	1.47	< 0.2	< 5	70	< 0.5	< 2	0.09	< 0.5	10	43	31	2.67	< 10	0.01	< 10	0.53	191	< 1	< 0.01
L850S 325E	221 238	2.25	< 0.2	< 5	40	< 0.5	< 2	0.21	< 0.5	21	102	77	3.36	< 10	0.03	< 10	1.88	688	< 1	< 0.01
L850S 350E	221 238	3.23	< 0.2	< 5	80	< 0.5	< 2	0.35	< 0.5	29	185	132	4.32	< 10	0.03	10	2.73	1190	< 1	< 0.01
L850S 375E	221 238	2.10	< 0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	14	72	45	2.55	< 10	0.01	< 10	0.95	504	< 1	< 0.01
L850S 400E	221 238	2.77	< 0.2	< 5	170	< 0.5	< 2	0.26	< 0.5	17	85	73	3.35	< 10	0.02	< 10	0.98	1165	< 1	< 0.01
L9S 325E	221 238	2.91	< 0.2	< 5	70	< 0.5	< 2	0.29	< 0.5	25	78	114	4.16	< 10	0.03	< 10	2.05	729	< 1	< 0.01
L9S 350E	221 238	2.29	< 0.2	< 5	80	< 0.5	< 2	0.25	< 0.5	20	57	77	3.32	< 10	0.03	< 10	1.42	755	< 1	< 0.01
L9S 375E	221 238	2.38	< 0.2	5	80	< 0.5	< 2	0.20	< 0.5	17	70	47	3.00	< 10	0.02	< 10	1.44	832	< 1	< 0.01
L9S 400E	221 238	1.22	< 0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	9	50	20	2.00	< 10	0.01	< 10	0.62	413	< 1	< 0.01
L10S 325E	221 238	3.11	< 0.2	< 5	70	< 0.5	< 2	0.19	< 0.5	29	64	157	4.72	< 10	0.04	< 10	2.21	1080	< 1	< 0.01
L10S 350E	221 238	2.61	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	25	53	135	4.00	< 10	0.03	< 10	1.89	1100	< 1	< 0.01
L10S 375E	221 238	1.84	< 0.2	< 5	60	< 0.5	< 2	0.17	< 0.5	13	76	41	2.78	< 10	0.01	< 10	0.93	322	< 1	< 0.01
L10S 400E	221 238	1.59	< 0.2	< 5	60	< 0.5	< 2	0.20	< 0.5	11	68	25	2.62	< 10	< 0.01	< 10	0.58	261	< 1	< 0.01

CERTIFICATION :

P. C. J.



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 1-B
 Tot. Pages: 5
 Date : 26-JAN-87
 Invoice # : 1-8710327
 P.O. # : NONE

Project : V226
 Comments : ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm							
LON 225E	221 238	11	660	8	< 5	10	0.04	< 10	< 10	36	< 5	62							
LON 250E	221 238	19	660	4	< 5	7	0.04	< 10	< 10	63	< 5	66							
LON 275E	221 238	35	1040	6	< 5	4	0.02	< 10	< 10	121	< 5	80							
LON 300E	221 238	9	540	6	< 5	5	0.01	< 10	< 10	34	< 5	52							
L1S 225E	221 238	11	570	10	< 5	6	0.02	< 10	< 10	38	< 5	56							
L1S 250E	221 238	23	470	< 2	< 5	6	0.05	< 10	< 10	75	< 5	48							
L1S 275E	221 238	4	290	4	< 5	3	0.02	< 10	< 10	26	< 5	20							
L1S 300E	221 238	16	540	4	< 5	4	0.02	< 10	< 10	51	< 5	54							
L2S 225E	221 238	16	670	2	< 5	5	0.05	< 10	< 10	64	< 5	50							
L2S 250E	221 238	22	460	4	< 5	11	0.06	< 10	< 10	57	< 5	64							
L2S 275E	221 238	13	260	6	< 5	10	0.04	< 10	< 10	43	< 5	50							
L2S 300E	221 238	8	350	8	< 5	5	0.02	< 10	< 10	33	< 5	34							
L3S 225E	221 238	10	410	8	< 5	5	0.03	< 10	< 10	37	< 5	38							
L3S 250E	221 238	9	140	2	< 5	7	0.05	< 10	< 10	34	< 5	36							
L3S 275E	221 238	27	710	< 2	< 5	7	0.08	< 10	< 10	75	< 5	54							
L3S 300E	221 238	10	100	4	< 5	11	0.05	< 10	< 10	39	< 5	20							
L5S 325E	221 238	18	710	6	< 5	9	0.03	< 10	< 10	46	< 5	48							
L5S 350E	221 238	33	420	12	< 5	26	0.01	< 10	< 10	45	< 5	62							
L5S 375E	221 238	15	260	4	< 5	7	0.01	< 10	< 10	32	< 5	36							
L5S 400E	221 238	79	500	4	< 5	16	0.02	< 10	< 10	73	< 5	46							
L6S 325E	221 238	22	830	4	< 5	16	0.06	< 10	< 10	55	< 5	52							
L6S 350E	221 238	13	410	4	< 5	11	0.04	< 10	< 10	51	< 5	46							
L6S 375E	221 238	21	280	2	< 5	9	0.08	< 10	< 10	93	< 5	34							
L6S 400E	221 238	28	490	2	< 5	11	0.07	< 10	< 10	87	< 5	50							
L7S 325E	221 238	37	490	10	< 5	12	0.09	< 10	< 10	94	< 5	52							
L7S 350E	221 238	36	390	8	< 5	12	0.08	< 10	< 10	85	< 5	46							
L7S 375E	221 238	25	200	4	< 5	10	0.04	< 10	< 10	77	< 5	38							
L7S 400E	221 238	18	180	2	< 5	7	0.07	< 10	< 10	69	< 5	24							
L850S 325E	221 238	32	430	2	< 5	9	0.07	< 10	< 10	84	< 5	42							
L850S 350E	221 238	49	490	6	< 5	16	0.10	< 10	< 10	112	< 5	56							
L850S 375E	221 238	35	350	4	< 5	17	0.10	< 10	< 10	59	< 5	42							
L850S 400E	221 238	38	1190	6	< 5	13	0.06	< 10	< 10	70	< 5	56							
L9S 325E	221 238	36	360	4	< 5	12	0.11	< 10	< 10	108	< 5	54							
L9S 350E	221 238	28	490	6	< 5	13	0.09	< 10	< 10	84	< 5	50							
L9S 375E	221 238	24	520	6	< 5	11	0.05	< 10	< 10	67	< 5	52							
L9S 400E	221 238	14	400	6	< 5	13	0.08	< 10	< 10	50	< 5	32							
L10S 325E	221 238	36	490	6	< 5	13	0.10	< 10	< 10	125	< 5	58							
L10S 350E	221 238	30	340	4	< 5	10	0.09	< 10	< 10	108	< 5	50							
L10S 375E	221 238	31	470	4	< 5	15	0.11	< 10	< 10	70	< 5	38							
L10S 400E	221 238	24	350	4	< 5	23	0.13	< 10	< 10	68	< 5	32							

CERTIFICATION :

P. Rossbacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Project: V226
Comments: ATTN: P. ROSSBACHER

Page No.: 2-A
Tot. Pages: 5
Date: 26-JAN-87
Invoice #: I-8710327
P.O. #: NONE

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Nb %
L15N 025E	221 238	1.84	< 0.2	< 5	50	< 0.5	< 2	0.37	< 0.5	12	46	31	2.61	< 10	0.02	< 10	0.69	658	< 1	< 0.01
L15N 050E	221 238	1.26	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	8	37	25	2.35	< 10	0.02	< 10	0.45	227	< 1	< 0.01
L15N 075E	221 238	1.83	< 0.2	< 5	40	< 0.5	< 2	0.39	< 0.5	13	54	36	2.73	< 10	0.01	< 10	0.81	311	< 1	< 0.01
L15N 100E	221 238	1.30	< 0.2	< 5	50	< 0.5	< 2	0.31	< 0.5	7	37	23	2.15	< 10	0.01	< 10	0.37	219	< 1	< 0.01
L15N 125E	221 238	3.32	< 0.2	< 5	220	0.5	< 2	0.44	< 0.5	20	96	64	3.53	< 10	0.03	< 10	0.90	2460	< 1	< 0.01
L15N 150E	221 238	1.19	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	9	36	18	2.24	< 10	0.01	< 10	0.50	1005	< 1	< 0.01
L15N 175E	221 238	0.67	< 0.2	< 5	30	< 0.5	< 2	0.23	< 0.5	4	22	12	1.47	< 10	0.02	< 10	0.27	230	< 1	< 0.01
L15N 200E	221 238	3.22	< 0.2	< 5	160	0.5	< 2	0.28	< 0.5	22	90	111	3.64	< 10	0.02	< 10	1.08	489	< 1	< 0.01
L16N 025E	221 238	0.95	< 0.2	< 5	30	< 0.5	< 2	0.25	< 0.5	7	34	12	1.68	< 10	0.01	< 10	0.44	242	< 1	< 0.01
L16N 050E	221 238	2.65	< 0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	16	77	53	3.24	< 10	0.02	< 10	1.15	434	< 1	< 0.01
L16N 075E	221 238	2.41	< 0.2	< 5	60	< 0.5	< 2	0.29	< 0.5	13	68	32	3.39	< 10	0.02	< 10	0.68	342	< 1	< 0.01
L16N 100E	221 238	0.95	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	9	44	10	1.81	< 10	0.01	< 10	0.47	381	< 1	< 0.01
L16N 125E	221 238	1.92	< 0.2	< 5	50	< 0.5	< 2	0.22	< 0.5	12	61	31	3.07	< 10	0.01	< 10	0.75	253	< 1	< 0.01
L16N 150E	221 238	1.93	< 0.2	< 5	100	< 0.5	< 2	0.65	< 0.5	14	59	26	2.55	< 10	0.02	< 10	0.76	700	< 1	< 0.01
L16N 175E	221 238	1.91	< 0.2	< 5	100	< 0.5	< 2	0.32	< 0.5	16	66	40	2.74	< 10	0.01	< 10	0.87	993	< 1	< 0.01
L16N 200E	221 238	2.48	< 0.2	< 5	80	< 0.5	< 2	0.32	< 0.5	21	90	75	3.66	< 10	0.03	< 10	1.43	762	< 1	< 0.01
L17N 025E	221 238	1.94	< 0.2	< 5	70	< 0.5	< 2	0.12	< 0.5	14	94	36	2.98	< 10	0.01	< 10	0.69	287	< 1	< 0.01
L17N 050E	221 238	1.30	< 0.2	< 5	110	< 0.5	< 2	0.19	< 0.5	13	68	23	2.23	< 10	0.01	< 10	0.64	612	< 1	< 0.01
L17N 075E	221 238	1.21	< 0.2	< 5	40	< 0.5	< 2	0.11	< 0.5	7	46	23	2.36	< 10	0.02	< 10	0.49	193	< 1	< 0.01
L17N 100E	221 238	1.15	< 0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	8	39	15	2.17	< 10	0.01	< 10	0.52	185	< 1	< 0.01
L17N 125E	221 238	2.09	< 0.2	< 5	100	< 0.5	< 2	0.22	< 0.5	14	64	33	2.85	< 10	0.01	< 10	0.85	619	< 1	< 0.01
L17N 150E	221 238	2.17	< 0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	19	90	45	2.94	< 10	0.01	< 10	1.35	1330	< 1	< 0.01
L17N 175E	221 238	2.44	< 0.2	< 5	70	< 0.5	< 2	0.15	< 0.5	15	80	36	3.19	< 10	0.01	< 10	1.00	449	< 1	< 0.01
L17N 200E	221 238	1.03	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	7	37	13	1.78	< 10	0.01	< 10	0.43	440	< 1	< 0.01
L18N 025E	221 238	2.61	< 0.2	< 10	70	< 0.5	< 2	0.10	< 0.5	15	60	59	3.94	< 10	0.02	< 10	0.80	641	< 1	< 0.01
L18N 050E	221 238	2.16	< 0.2	< 5	60	< 0.5	< 2	0.11	< 0.5	12	50	45	3.08	< 10	0.02	< 10	0.68	448	< 1	< 0.01
L18N 075E	221 238	1.19	< 0.2	< 5	40	< 0.5	< 2	0.10	< 0.5	6	27	15	1.87	< 10	0.01	< 10	0.35	152	< 1	< 0.01
L18N 100E	221 238	2.50	< 0.2	< 10	60	< 0.5	< 2	0.08	< 0.5	7	34	60	3.83	< 10	0.03	< 10	0.65	386	< 1	< 0.01
L18N 125E	221 238	1.75	< 0.2	< 5	110	< 0.5	< 2	0.17	< 0.5	3	9	24	2.72	< 10	0.05	< 10	0.39	326	< 1	< 0.01
L18N 150E	221 238	0.78	< 0.2	< 5	50	< 0.5	< 2	0.20	< 0.5	4	17	8	1.48	< 10	0.01	< 10	0.21	286	< 1	< 0.01
L18N 175E	221 238	1.41	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	9	34	18	2.36	< 10	0.01	< 10	0.60	213	< 1	< 0.01
L18N 200E	221 238	1.58	< 0.2	< 5	60	< 0.5	< 2	0.17	< 0.5	10	43	27	2.68	< 10	0.01	< 10	0.80	256	< 1	< 0.01
L19N 025E	221 238	1.00	< 0.2	< 5	50	< 0.5	< 2	0.16	< 0.5	8	30	15	2.09	< 10	0.02	< 10	0.36	991	< 1	< 0.01
L19N 050E	221 238	2.19	< 0.2	< 20	100	< 0.5	< 2	0.13	< 0.5	18	54	64	3.84	< 10	0.02	< 10	0.69	869	< 1	< 0.01
L19N 075E	221 238	1.25	< 0.2	< 5	60	< 0.5	< 2	0.11	< 0.5	9	35	21	2.51	< 10	0.02	< 10	0.45	641	< 1	< 0.01
L19N 100E	221 238	3.00	< 0.2	< 15	120	< 0.5	< 2	0.09	< 0.5	12	29	35	3.55	< 10	0.03	< 10	0.54	1585	< 1	< 0.01
L19N 125E	221 238	2.62	< 0.2	< 15	80	< 0.5	< 2	0.14	< 0.5	15	59	57	4.85	< 10	0.02	< 10	0.96	370	< 1	< 0.01
L19N 150E	221 238	0.62	< 0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	3	21	9	1.76	< 10	0.01	< 10	0.18	126	< 1	< 0.01
L19N 175E	221 238	1.61	< 0.2	< 5	60	< 0.5	< 2	0.15	< 0.5	10	47	27	2.84	< 10	0.01	< 10	0.69	300	< 1	< 0.01
L20N 025E	221 238	2.13	< 0.2	< 5	70	< 0.5	< 2	0.10	< 0.5	10	28	23	2.32	< 10	0.02	< 10	0.45	380	< 1	< 0.01

CERTIFICATION :

P. Rossbacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 211 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-B
 Tot. Pages: 5
 Date : 26-JAN-87
 Invoice # : I-8710327
 P.O. # : NONE

Project : V 226

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
L15N 025E	221 238	19	380	4	< 5	39	0.19	< 10	< 10	83	< 5	38							
L15N 050E	221 238	15	530	6	< 5	21	0.14	< 10	< 10	67	< 5	42							
L15N 075E	221 238	26	220	6	< 5	24	0.16	< 10	< 10	79	< 5	46							
L15N 100E	221 238	13	280	4	< 5	21	0.11	< 10	< 10	65	< 5	38							
L15N 125E	221 238	38	560	14	< 5	22	0.17	< 10	< 10	107	< 5	64							
L15N 150E	221 238	14	290	8	< 5	16	0.13	< 10	< 10	62	< 5	38							
L15N 175E	221 238	7	300	8	< 5	13	0.07	< 10	< 10	45	< 5	36							
L15N 200E	221 238	40	290	4	< 5	16	0.10	< 10	< 10	95	< 5	62							
L16N 025E	221 238	12	220	2	< 5	13	0.08	< 10	< 10	47	< 5	34							
L16N 050E	221 238	36	420	8	< 5	17	0.15	< 10	< 10	81	< 5	50							
L16N 075E	221 238	25	500	8	< 5	33	0.21	< 10	< 10	98	< 5	54							
L16N 100E	221 238	15	280	6	< 5	17	0.13	< 10	< 10	56	< 5	28							
L16N 125E	221 238	22	300	4	< 5	21	0.14	< 10	< 10	84	< 5	38							
L16N 150E	221 238	27	290	4	< 5	28	0.12	< 10	< 10	80	< 5	42							
L16N 175E	221 238	28	240	6	< 5	21	0.14	< 10	< 10	82	< 5	48							
L16N 200E	221 238	39	570	8	< 5	21	0.16	< 10	< 10	96	< 5	56							
L17N 025E	221 238	42	190	8	< 5	9	0.09	< 10	< 10	79	< 5	44							
L17N 050E	221 238	32	150	4	< 5	10	0.07	< 10	< 10	61	< 5	38							
L17N 075E	221 238	17	180	6	< 5	7	0.06	< 10	< 10	59	< 5	38							
L17N 100E	221 238	16	140	6	< 5	18	0.07	< 10	< 10	54	< 5	28							
L17N 125E	221 238	29	310	4	< 5	24	0.14	< 10	< 10	73	< 5	50							
L17N 150E	221 238	50	270	6	< 5	20	0.13	< 10	< 10	69	< 5	54							
L17N 175E	221 238	40	560	8	< 5	15	0.12	< 10	< 10	68	< 5	76							
L17N 200E	221 238	14	300	6	< 5	11	0.10	< 10	< 10	43	< 5	32							
L18N 025E	221 238	27	680	16	< 5	10	0.08	< 10	< 10	75	< 5	58							
L18N 050E	221 238	22	580	8	< 5	10	0.09	< 10	< 10	60	< 5	58							
L18N 075E	221 238	10	240	8	< 5	9	0.07	< 10	< 10	38	< 5	32							
L18N 100E	221 238	13	720	12	< 5	6	0.03	< 10	< 10	53	< 5	68							
L18N 125E	221 238	2	380	12	< 5	10	0.07	< 10	< 10	31	< 5	40							
L18N 150E	221 238	4	220	6	< 5	13	0.08	< 10	< 10	38	< 5	28							
L18N 175E	221 238	12	120	< 2	< 5	16	0.09	< 10	< 10	58	< 5	28							
L18N 200E	221 238	18	200	4	< 5	14	0.10	< 10	< 10	63	< 5	44							
L19N 025E	221 238	8	350	14	< 5	11	0.09	< 10	< 10	51	< 5	38							
L19N 050E	221 238	20	520	12	< 5	12	0.10	< 10	< 10	82	< 5	68							
L19N 075E	221 238	12	320	6	< 5	10	0.09	< 10	< 10	58	< 5	42							
L19N 100E	221 238	16	980	14	< 5	10	0.05	< 10	< 10	37	< 5	144							
L19N 125E	221 238	26	780	8	< 5	9	0.07	< 10	< 10	79	< 5	96							
L19N 150E	221 238	5	150	6	< 5	11	0.07	< 10	< 10	45	< 5	20							
L19N 175E	221 238	17	240	6	< 5	12	0.09	< 10	< 10	66	< 5	44							
L20N 025E	221 238	10	620	4	< 5	10	0.05	< 10	< 10	35	< 5	52							

CERTIFICATION : B. Coyle



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Project: V226
Comments: ATTN: P. ROSSBACHER

Page No. :3-A
Tot. Pages: 5
Date :26-JAN-87
Invoice #: I-8710327
P.O. #: NONE

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L20N 050E	221 238	3.12	< 0.2	< 5	80	< 0.5	< 2	0.19	< 0.5	16	56	43	3.97	< 10	0.03	< 10	0.77	735	< 1	< 0.01
L20N 075E	221 238	3.21	< 0.2	< 5	80	< 0.5	< 2	0.13	< 0.5	16	65	41	3.96	< 10	0.02	< 10	0.83	363	< 1	< 0.01
L20N 100E	221 238	2.32	< 0.2	< 5	50	< 0.5	< 2	0.15	< 0.5	11	51	33	3.34	< 10	0.02	< 10	0.74	937	< 1	< 0.01
L20N 125E	221 238	0.89	< 0.2	< 5	20	< 0.5	< 2	0.14	< 0.5	5	25	8	1.90	< 10	0.01	< 10	0.28	193	< 1	< 0.01
L20N 150E	221 238	1.25	< 0.2	< 5	40	< 0.5	< 2	0.13	< 0.5	9	33	16	2.70	< 10	0.01	< 10	0.37	215	< 1	< 0.01
L20N 175E	221 238	1.86	< 0.2	< 5	20	< 0.5	< 2	0.19	< 0.5	13	57	29	2.90	< 10	0.01	< 10	0.96	266	< 1	< 0.01
L20N 200E	221 238	1.37	< 0.2	< 5	30	< 0.5	< 2	0.15	< 0.5	7	44	15	2.63	< 10	< 0.01	< 10	0.54	150	< 1	< 0.01
L21N 125E	221 238	1.45	< 0.2	< 5	30	< 0.5	< 2	0.11	< 0.5	7	40	16	2.49	< 10	0.01	< 10	0.30	257	< 1	< 0.01
L21N 150E	221 238	2.77	< 0.6	10	50	< 0.5	< 2	0.09	< 0.5	12	66	37	3.97	< 10	0.02	< 10	0.55	559	< 1	< 0.01
L21N 175E	221 238	1.28	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	8	39	15	2.09	< 10	0.01	< 10	0.50	332	< 1	< 0.01
L21N 200E	221 238	0.98	< 0.2	< 5	20	< 0.5	< 2	0.18	< 0.5	5	28	8	1.61	< 10	0.01	< 10	0.34	179	< 1	< 0.01
L21N 225E	221 238	2.82	< 0.2	< 5	60	< 0.5	< 2	0.14	< 0.5	15	61	54	3.71	< 10	0.02	< 10	0.83	697	< 1	< 0.01
L21N 250E	221 238	2.17	< 0.2	10	150	< 0.5	< 2	0.12	< 0.5	12	48	31	3.67	< 10	0.03	< 10	0.51	1750	< 1	< 0.01
L21N 275E	221 238	1.47	< 0.2	< 5	100	< 0.5	< 2	0.14	< 0.5	9	39	19	2.84	< 10	0.02	< 10	0.42	1045	< 1	< 0.01
L21N 300E	221 238	1.79	< 0.2	< 5	150	< 0.5	< 2	0.14	< 0.5	18	48	26	3.16	< 10	0.02	< 10	0.46	3030	< 1	< 0.01
L21N 325E	221 238	1.05	< 0.2	< 5	130	< 0.5	< 2	0.23	< 0.5	13	42	14	2.01	< 10	0.01	< 10	0.42	1940	< 1	< 0.01
L21N 350E	221 238	2.57	< 0.2	< 5	120	< 0.5	< 2	0.20	< 0.5	20	95	59	3.50	< 10	0.03	< 10	1.17	542	< 1	< 0.01
L21N 375E	221 238	2.30	< 0.2	< 5	60	< 0.5	< 2	0.12	< 0.5	17	75	46	3.45	< 10	0.02	< 10	1.09	340	< 1	< 0.01
L21N 400E	221 238	1.01	< 0.2	< 5	40	< 0.5	< 2	0.10	< 0.5	7	38	12	1.94	< 10	0.01	< 10	0.49	159	< 1	< 0.01
L21N 425E	221 238	2.25	< 0.2	< 5	120	< 0.5	< 2	0.18	< 0.5	18	72	30	3.44	< 10	0.01	< 10	0.79	397	< 1	< 0.01
L21N 450E	221 238	1.68	< 0.2	< 5	100	< 0.5	< 2	0.30	< 0.5	13	56	23	3.05	< 10	0.02	< 10	0.71	879	< 1	< 0.01
L21N 475E	221 238	2.16	< 0.2	< 5	140	< 0.5	< 2	0.18	< 0.5	17	72	37	3.44	< 10	0.02	< 10	0.80	631	< 1	< 0.01
L21N 500E	221 238	1.35	< 0.2	< 5	120	< 0.5	< 2	0.31	< 0.5	11	56	22	2.49	< 10	0.02	< 10	0.62	421	< 1	< 0.01
L22N 125E	221 238	2.94	< 0.2	< 5	70	< 0.5	< 2	0.14	< 0.5	20	94	81	4.13	< 10	0.03	< 10	1.41	569	< 1	< 0.01
L22N 150E	221 238	2.25	< 0.2	10	70	< 0.5	< 2	0.15	< 0.5	13	62	44	3.47	< 10	0.01	< 10	0.80	609	< 1	< 0.01
L22N 175E	221 238	1.24	< 0.2	15	70	< 0.5	< 2	0.10	< 0.5	10	41	23	3.40	< 10	0.01	< 10	0.30	1970	< 1	< 0.01
L22N 200E	221 238	1.96	< 0.2	< 5	60	< 0.5	< 2	0.11	< 0.5	14	44	46	3.35	< 10	0.01	< 10	0.56	742	< 1	< 0.01
L23N 125E	221 238	2.23	< 0.2	10	80	< 0.5	< 2	0.09	< 0.5	10	36	30	3.37	< 10	0.01	< 10	0.63	305	< 1	< 0.01
L23N 150E	221 238	2.89	< 0.2	< 5	110	< 0.5	< 2	0.15	< 0.5	18	60	53	4.24	< 10	0.02	< 10	0.94	784	< 1	< 0.01
L23N 175E	221 238	3.18	< 0.2	10	80	< 0.5	< 2	0.12	< 0.5	15	58	46	4.51	< 10	0.02	< 10	0.85	464	< 1	< 0.01
L23N 200E	221 238	0.74	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	2	17	8	1.61	< 10	0.01	< 10	0.13	214	< 1	< 0.01
L24N 125E	221 238	2.96	< 0.2	< 5	60	< 0.5	< 2	0.12	< 0.5	12	102	65	5.02	< 10	0.01	< 10	0.83	255	< 1	< 0.01
L24N 150E	221 238	1.11	< 0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	4	40	12	2.39	< 10	0.02	< 10	0.27	136	< 1	< 0.01
L24N 175E	221 238	3.00	< 0.2	< 5	50	< 0.5	< 2	0.11	< 0.5	17	131	64	4.48	< 10	0.02	< 10	1.08	305	< 1	< 0.01
L24N 200E	221 238	2.91	< 0.2	< 5	80	< 0.5	< 2	0.13	< 0.5	16	92	57	3.55	< 10	0.02	< 10	1.20	333	< 1	< 0.01
L25N 125E	221 238	0.77	< 0.2	< 5	40	< 0.5	< 2	0.11	< 0.5	3	77	11	2.63	< 10	0.01	< 10	0.23	66	< 1	< 0.01
L25N 150E	221 238	1.10	< 0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	7	144	17	4.68	< 10	0.02	< 10	0.47	132	< 1	< 0.01
L25N 200E	221 238	1.91	< 0.2	< 5	60	< 0.5	< 2	0.09	< 0.5	11	60	27	2.93	< 10	0.01	< 10	0.84	207	< 1	< 0.01
L26N 125E	221 238	0.96	< 0.2	< 5	20	< 0.5	< 2	0.23	< 0.5	9	39	21	3.86	< 10	0.01	< 10	0.43	608	< 1	< 0.01
L26N 150E	221 238	0.71	< 0.2	< 5	10	< 0.5	< 2	0.12	< 0.5	4	29	10	1.90	< 10	0.01	< 10	0.27	116	< 1	< 0.01

CERTIFICATION :

B. Conry



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 3-B
 Tot. Pages: 5
 Date : 26-JAN-87
 Invoice # : 1-8710327
 P.O. # : NONE

Project : V226
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm						
L20N 050E	221 238	22	1120	8	< 5	18	0.14	< 10	< 10	75	< 5	106						
L20N 075E	221 238	24	560	6	< 5	13	0.21	< 10	< 10	77	< 5	86						
L20N 100E	221 238	19	620	10	< 5	12	0.15	< 10	< 10	66	< 5	72						
L20N 125E	221 238	7	300	4	< 5	10	0.17	< 10	< 10	46	< 5	28						
L20N 150E	221 238	13	220	6	< 5	12	0.10	< 10	< 10	64	< 5	44						
L20N 175E	221 238	24	160	6	< 5	21	0.16	< 10	< 10	78	< 5	44						
L20N 200E	221 238	14	150	4	< 5	17	0.14	< 10	< 10	80	< 5	32						
L21N 125E	221 238	11	250	6	< 5	11	0.11	< 10	< 10	55	< 5	40						
L21N 150E	221 238	22	880	14	< 5	10	0.10	< 10	< 10	79	< 5	82						
L21N 175E	221 238	15	230	6	< 5	17	0.09	< 10	< 10	52	< 5	36						
L21N 200E	221 238	9	150	4	< 5	19	0.10	< 10	< 10	47	< 5	22						
L21N 225E	221 238	25	670	8	< 5	14	0.11	< 10	< 10	70	< 5	80						
L21N 250E	221 238	17	2470	10	< 5	10	0.07	< 10	< 10	58	< 5	68						
L21N 275E	221 238	14	1070	10	< 5	12	0.08	< 10	< 10	54	< 5	52						
L21N 300E	221 238	19	1310	12	< 5	13	0.07	< 10	< 10	55	< 5	82						
L21N 325E	221 238	15	480	8	< 5	17	0.09	< 10	< 10	51	< 5	44						
L21N 350E	221 238	42	490	8	< 5	13	0.13	< 10	< 10	88	< 5	86						
L21N 375E	221 238	32	190	4	< 5	12	0.12	< 10	< 10	85	< 5	58						
L21N 400E	221 238	14	90	4	< 5	11	0.08	< 10	< 10	55	< 5	26						
L21N 425E	221 238	30	230	6	< 5	18	0.12	< 10	< 10	83	< 5	70						
L21N 450E	221 238	20	260	8	< 5	24	0.13	< 10	< 10	84	< 5	44						
L21N 475E	221 238	32	250	6	< 5	17	0.10	< 10	< 10	85	< 5	58						
L21N 500E	221 238	20	310	8	< 5	17	0.08	< 10	< 10	58	< 5	44						
L22N 125E	221 238	43	760	6	< 5	16	0.21	< 10	< 10	104	< 5	56						
L22N 150E	221 238	26	440	10	< 5	13	0.14	< 10	< 10	79	< 5	60						
L22N 175E	221 238	12	670	14	< 5	9	0.10	< 10	< 10	69	< 5	48						
L22N 200E	221 238	17	920	8	< 5	9	0.10	< 10	< 10	61	< 5	52						
L23N 125E	221 238	13	350	6	< 5	8	0.15	< 10	< 10	71	< 5	54						
L23N 150E	221 238	25	570	4	< 5	12	0.13	< 10	< 10	81	< 5	64						
L23N 175E	221 238	21	620	8	< 5	12	0.17	< 10	< 10	92	< 5	66						
L23N 200E	221 238	4	310	6	< 5	15	0.13	< 10	< 10	51	< 5	20						
L24N 125E	221 238	31	470	6	< 5	13	0.11	< 10	< 10	94	< 5	66						
L24N 150E	221 238	10	260	4	< 5	9	0.06	< 10	< 10	52	< 5	26						
L24N 175E	221 238	51	650	8	< 5	12	0.15	< 10	< 10	82	< 5	58						
L24N 200E	221 238	39	240	4	< 5	15	0.12	< 10	< 10	84	< 5	52						
L25N 125E	221 238	12	80	8	< 5	10	0.09	< 10	< 10	55	< 5	14						
L25N 150E	221 238	22	90	8	< 5	7	0.14	< 10	< 10	56	< 5	26						
L25N 200E	221 238	26	140	6	< 5	11	0.09	< 10	< 10	74	< 5	42						
L26N 125E	221 238	15	610	24	< 5	3	0.46	< 10	< 10	68	< 5	40						
L26N 150E	221 238	8	240	8	< 5	11	0.14	< 10	< 10	62	< 5	18						

CERTIFICATION : B. Long



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1


Page No. : 4-B
Tot. Pages: 5
Date : 26-JAN-87
Invoice #: I-8710327
P.O. #: NONE

Project: V226

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm						
L26N 175E	221 238	38	580	2	< 5	40	0.29	< 10	< 10	119	< 5	54						
L26N 200E	221 238	46	480	6	< 5	27	0.20	< 10	< 10	116	< 5	70						
L27N 125E	221 238	11	720	8	< 5	18	0.18	< 10	< 10	68	< 5	46						
L27N 150E	221 238	10	1040	10	< 5	18	0.16	< 10	< 10	66	< 5	36						
L27N 175E	221 238	18	420	6	< 5	16	0.15	< 10	< 10	77	< 5	40						
L27N 200E	221 238	15	220	6	< 5	17	0.14	< 10	< 10	67	< 5	38						
L28N 125E	221 238	3	330	8	< 5	14	0.16	< 10	< 10	49	< 5	18						
L28N 150E	221 238	7	170	2	< 5	18	0.11	< 10	< 10	57	< 5	28						
L28N 175E	221 238	16	700	48	< 5	13	0.12	< 10	< 10	69	< 5	56						
L28N 200E	221 238	18	650	6	< 5	14	0.13	< 10	< 10	84	< 5	56						
L54N 125E	221 238	21	1620	6	< 5	35	0.27	< 10	< 10	117	< 5	58						
L54N 150E	221 238	18	510	6	< 5	28	0.21	< 10	< 10	89	< 5	58						
L54N 175E	221 238	25	280	4	< 5	26	0.22	< 10	< 10	96	< 5	50						
L54N 200E	221 238	4	140	4	< 5	18	0.11	< 10	< 10	49	< 5	20						
L55N 125E	221 238	29	750	14	< 5	20	0.17	< 10	< 10	133	< 5	70						
L55N 150E	221 238	25	460	6	< 5	25	0.23	< 10	< 10	121	< 5	62						
L55N 175E	221 238	37	690	< 2	< 5	21	0.29	< 10	< 10	156	< 5	70						
L55N 200E	221 238	12	280	10	< 5	17	0.16	< 10	< 10	69	< 5	40						
L56N 125E	221 238	26	360	4	< 5	26	0.20	< 10	< 10	96	< 5	60						
L56N 150E	221 238	31	340	6	< 5	23	0.23	< 10	< 10	121	< 5	56						
L56N 175E	221 238	14	200	6	< 5	33	0.20	< 10	< 10	76	< 5	44						
L56N 200E	221 238	60	770	< 2	< 5	26	0.32	< 10	< 10	163	< 5	70						
L57N 125E	221 238	16	400	4	< 5	24	0.22	< 10	< 10	97	< 5	42						
L57N 150E	221 238	12	310	10	< 5	20	0.17	< 10	< 10	77	< 5	40						
L57N 175E	221 238	20	260	2	< 5	25	0.24	< 10	< 10	125	< 5	44						
L57N 200E	221 238	17	350	6	< 5	31	0.24	< 10	< 10	105	< 5	54						
L71N 125E	221 238	25	880	8	< 5	28	0.17	< 10	< 10	102	< 5	72						
L71N 150E	221 238	17	550	4	< 5	25	0.14	< 10	< 10	91	< 5	68						
L71N 175E	221 238	24	850	8	< 5	20	0.15	< 10	< 10	107	< 5	54						
L71N 200E	221 238	21	930	6	< 5	21	0.19	< 10	< 10	127	< 5	54						
L71N 225E	221 238	15	460	8	< 5	29	0.14	< 10	< 10	82	< 5	48						
L71N 250E	221 238	12	370	4	< 5	31	0.13	< 10	< 10	62	< 5	44						
L71N 275E	221 238	13	400	10	< 5	30	0.13	< 10	< 10	67	< 5	52						
L71N 300E	221 238	28	520	12	< 5	27	0.18	< 10	< 10	93	< 5	60						
L72N 025E	221 238	14	310	6	< 5	16	0.10	< 10	< 10	86	< 5	32						
L72N 050E	221 238	31	690	4	< 5	21	0.13	< 10	< 10	112	< 5	74						
L72N 075E	221 238	8	420	4	< 5	19	0.13	< 10	< 10	92	< 5	32						
L72N 100E	221 238	29	640	4	< 5	19	0.14	< 10	< 10	103	< 5	68						
L72N 125E	221 238	7	670	14	< 5	17	0.18	< 10	< 10	89	< 5	36						
L72N 150E	221 238	36	560	< 2	< 5	18	0.16	< 10	< 10	116	< 5	54						

CERTIFICATION : *B. Cough*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 5-A

Tot. Pages: 5

Date : 26-JAN-87

Invoice #: I-8710327

P.O. #: NONE

Project : ✓ 226

Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L72N 175E	221 238	3.24	0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	14	67	55	3.53	< 10	0.03	< 10	0.79	508	< 1	< 0.01
L72N 200E	221 238	1.24	0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	9	31	25	1.86	< 10	0.02	< 10	0.44	811	< 1	< 0.01
L72N 225E	221 238	1.62	0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	9	34	29	2.44	< 10	0.01	< 10	0.62	363	< 1	< 0.01
L72N 250E	221 238	2.38	0.2	< 5	80	< 0.5	< 2	0.16	< 0.5	14	43	40	3.33	< 10	0.01	< 10	0.59	394	< 1	< 0.01
L72N 275E	221 238	1.71	0.2	< 5	70	< 0.5	< 2	0.19	< 0.5	12	31	28	2.58	< 10	0.02	< 10	0.52	545	< 1	< 0.01
L72N 300E	221 238	1.07	0.2	< 5	30	< 0.5	< 2	0.17	< 0.5	9	28	18	1.85	< 10	0.01	< 10	0.43	451	< 1	< 0.01
L73N 025E	221 238	0.62	0.2	< 5	30	< 0.5	< 2	0.14	< 0.5	3	13	11	1.29	< 10	0.01	< 10	0.19	297	< 1	< 0.01
L73N 050E	221 238	1.89	0.4	< 5	70	< 0.5	< 2	0.08	< 0.5	14	27	107	4.48	< 10	0.05	< 10	0.37	567	< 1	< 0.01
L73N 075E	221 238	1.95	0.8	115	70	< 0.5	< 2	0.06	< 0.5	15	37	132	7.70	< 10	0.03	< 10	0.38	674	3	< 0.01
L73N 100E	221 238	2.40	0.2	30	90	< 0.5	< 2	0.21	< 0.5	20	58	91	5.05	< 10	0.03	< 10	1.12	1335	< 1	< 0.01
L73N 125E	221 238	1.31	0.8	< 5	40	< 0.5	< 2	0.12	< 0.5	7	24	20	2.30	< 10	0.01	< 10	0.24	559	< 1	< 0.01
L73N 150E	221 238	1.02	0.4	25	40	< 0.5	< 2	0.08	< 0.5	7	15	16	1.99	< 10	0.02	< 10	0.14	540	< 1	< 0.01
L73N 175E	221 238	1.49	0.2	10	50	< 0.5	< 2	0.11	< 0.5	10	30	24	2.32	< 10	0.02	< 10	0.35	1080	< 1	< 0.01
L73N 200E	221 238	0.70	0.2	5	20	< 0.5	< 2	0.16	< 0.5	4	13	10	1.46	< 10	0.02	< 10	0.18	627	< 1	< 0.01
L73N 225E	221 238	2.74	0.4	10	100	< 0.5	< 2	0.17	< 0.5	19	42	76	3.21	< 10	0.03	< 10	0.73	756	< 1	< 0.01
L73N 250E	221 238	2.22	0.2	< 5	70	< 0.5	< 2	0.13	< 0.5	10	35	34	2.72	< 10	0.02	< 10	0.48	431	< 1	< 0.01
L73N 275E	221 238	0.80	0.2	5	40	< 0.5	< 2	0.14	< 0.5	4	14	14	1.43	< 10	0.02	< 10	0.17	343	< 1	< 0.01
L73N 300E	221 238	1.96	0.2	< 5	50	< 0.5	< 2	0.22	< 0.5	17	42	57	2.49	< 10	0.02	< 10	1.11	423	< 1	< 0.01
14929	221 238	1.61	0.6	90	10	< 0.5	< 2	0.09	3.5	5	192	60	6.33	< 10	< 0.01	< 10	0.54	184	1	< 0.01
14930	221 238	1.33	1.4	230	20	< 0.5	< 2	0.02	< 0.5	3	165	58	5.85	< 10	< 0.01	< 10	0.42	135	9	< 0.01

CERTIFICATION : *B. Cough*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 584-0221

CERTIFICATE OF ANALYSIS A8710327

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 5-B
 Tot. Pages: 5
 Date : 26-JAN-87
 Invoice #: I-8710327
 P.O. #: NONE

Project : V226
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm							
L72N 175E	221 238	29	950	6	< 5	13	0.10	< 10	< 10	83	< 5	62							
L72N 200E	221 238	14	530	10	< 5	8	0.06	< 10	< 10	47	< 5	36							
L72N 225E	221 238	15	310	4	< 5	13	0.08	< 10	< 10	62	< 5	36							
L72N 250E	221 238	19	550	4	< 5	16	0.12	< 10	< 10	85	< 5	52							
L72N 275E	221 238	15	390	6	< 5	19	0.12	< 10	< 10	69	< 5	50							
L72N 300E	221 238	11	380	2	< 5	13	0.08	< 10	< 10	47	< 5	38							
L73N 025E	221 238	5	180	6	< 5	14	0.06	< 10	< 10	42	< 5	18							
L73N 050E	221 238	18	590	8	< 5	4	0.01	< 10	< 10	73	< 5	74							
L73N 075E	221 238	25	1370	40	< 5	4	0.02	< 10	< 10	57	< 5	78							
L73N 100E	221 238	31	790	20	< 5	10	0.06	< 10	< 10	77	< 5	92							
L73N 125E	221 238	9	380	10	< 5	9	0.04	< 10	< 10	46	< 5	48							
L73N 150E	221 238	6	390	10	< 5	5	0.02	< 10	< 10	35	< 5	48							
L73N 175E	221 238	13	480	12	< 5	7	0.03	< 10	< 10	45	< 5	50							
L73N 200E	221 238	14	350	10	< 5	7	0.05	< 10	< 10	42	< 5	24							
L73N 225E	221 238	23	450	4	< 5	10	0.08	< 10	< 10	69	< 5	74							
L73N 250E	221 238	14	470	4	< 5	10	0.06	< 10	< 10	53	< 5	54							
L73N 275E	221 238	6	320	10	< 5	11	0.04	< 10	< 10	35	< 5	32							
L73N 300E	221 238	27	220	4	< 5	14	0.10	< 10	< 10	69	< 5	48							
14929	221 238	26	580	26	< 5	3	< 0.01	< 10	< 10	120	< 5	154							
14930	221 238	42	160	40	< 5	1	< 0.01	< 10	< 10	191	< 5	124							

CERTIFICATION : *B. C. G.*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710330

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-A

Tot. Pages: 3

Date : 27-JAN-87

Invoice #: I-8710330

P.O. # : NONE

Project : V 216 RACK K


Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L1N 150E	221 238	2.65	< 0.4	< 5	130	< 0.5	< 2	0.08	< 0.5	6	16	43	2.12	< 10	0.04	10	0.28	257	< 1	< 0.01
L1N 175E	221 238	1.73	< 0.2	< 5	110	< 0.5	< 2	0.09	< 0.5	6	15	37	2.40	< 10	0.06	10	0.19	286	< 1	< 0.01
L1N 200E	221 238	2.78	< 0.2	5	60	< 0.5	< 2	0.40	< 0.5	16	56	81	3.62	< 10	0.03	10	0.88	998	< 1	< 0.01
L1N 225E	221 238	1.80	< 0.2	5	40	< 0.5	< 2	0.19	< 0.5	12	34	42	3.19	< 10	0.02	< 10	0.39	1195	< 1	< 0.01
L1N 250E	221 238	1.54	< 0.2	5	130	< 0.5	< 2	0.40	< 0.5	18	27	41	2.81	< 10	0.04	< 10	0.36	6620	< 1	< 0.01
L1N 275E	221 238	1.81	< 0.2	< 5	30	< 0.5	< 2	0.12	< 0.5	9	34	38	3.09	< 10	0.02	< 10	0.35	586	< 1	< 0.01
L1N 300E	221 238	1.91	< 0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	15	31	58	3.31	< 10	0.03	< 10	0.40	1653	< 1	< 0.01
L2N 125E	221 238	2.64	< 0.2	< 5	30	< 0.5	< 2	0.15	1.5	26	65	256	7.00	< 10	0.02	10	0.92	2390	< 1	< 0.01
L2N 150E	221 238	2.23	< 0.2	5	60	< 0.5	< 2	0.16	< 0.5	15	41	69	3.36	< 10	0.02	< 10	0.59	1815	< 1	< 0.01
L2N 175E	221 238	1.92	< 0.2	< 5	30	< 0.5	< 2	0.13	< 0.5	12	35	58	2.82	< 10	0.02	< 10	0.54	761	< 1	< 0.01
L2N 200E	221 238	1.38	< 0.2	< 5	70	< 0.5	< 2	0.24	< 0.5	13	23	31	2.35	< 10	0.03	< 10	0.37	1860	< 1	< 0.01
L2N 225E	221 238	2.56	< 0.2	< 5	50	< 0.5	< 2	0.16	< 0.5	12	40	68	2.89	< 10	0.02	< 10	0.49	805	< 1	< 0.01
L2N 250E	221 238	1.65	< 0.2	5	60	< 0.5	< 2	0.21	< 0.5	11	29	41	2.21	< 10	0.02	< 10	0.34	1380	< 1	< 0.01
L2N 275E	221 238	2.06	< 0.2	5	40	< 0.5	< 2	0.20	< 0.5	12	37	50	2.71	< 10	0.02	< 10	0.46	1105	< 1	< 0.01
L2N 300E	221 238	2.87	< 0.2	10	60	< 0.5	< 2	0.19	< 0.5	27	42	98	5.33	< 10	0.03	< 10	0.63	1995	< 1	< 0.01
L3N 125E	221 238	2.21	< 0.2	< 5	60	< 0.5	< 2	0.15	< 0.5	13	35	61	2.54	< 10	0.02	< 10	0.48	2120	< 1	< 0.01
L3N 150E	221 238	1.04	< 0.2	5	60	< 0.5	< 2	0.20	< 0.5	9	19	19	1.36	< 10	0.02	< 10	0.25	1835	< 1	< 0.01
L3N 175E	221 238	1.31	< 0.2	5	40	< 0.5	< 2	0.16	< 0.5	8	26	35	1.87	< 10	0.02	< 10	0.30	454	< 1	< 0.01
L3N 200E	221 238	1.57	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	11	32	33	2.53	< 10	0.02	< 10	0.39	1580	< 1	< 0.01
L3N 225E	221 238	1.88	< 0.4	5	90	< 0.5	< 2	0.22	< 0.5	11	33	41	2.76	< 10	0.02	< 10	0.39	2050	< 1	< 0.01
L3N 250E	221 238	2.42	< 0.2	5	80	< 0.5	< 2	0.21	< 0.5	11	40	47	3.03	< 10	0.03	< 10	0.35	575	< 1	< 0.01
L4N 125E	221 238	1.80	< 0.2	5	120	< 0.5	< 2	0.29	< 0.5	13	29	45	2.34	< 10	0.03	< 10	0.42	2860	< 1	< 0.01
L4N 150E	221 238	3.15	< 0.2	< 5	50	< 0.5	< 2	0.20	< 0.5	11	43	72	3.02	< 10	0.02	< 10	0.55	677	< 1	< 0.01
L4N 175E	221 238	1.50	< 0.2	5	80	< 0.5	< 2	0.21	< 0.5	14	26	28	2.08	< 10	0.02	< 10	0.35	2890	< 1	< 0.01
L4N 200E	221 238	1.31	< 0.2	< 5	30	< 0.5	< 2	0.18	< 0.5	7	22	23	1.66	< 10	0.01	< 10	0.27	313	< 1	< 0.01
L14N 350V	221 238	2.21	< 0.2	< 5	140	< 0.5	< 2	0.19	< 0.5	10	14	54	3.14	< 10	0.07	< 10	0.47	1255	< 1	< 0.01
L14N 375V	221 238	0.77	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	4	11	12	1.04	< 10	0.03	< 10	0.11	1155	< 1	< 0.01
L14N 400V	221 238	1.14	< 0.2	5	80	< 0.5	< 2	0.28	< 0.5	7	17	23	1.64	< 10	0.03	< 10	0.22	455	< 1	< 0.01
L14N 425V	221 238	1.59	< 0.2	< 5	80	< 0.5	< 2	0.27	< 0.5	8	26	31	2.02	< 10	0.01	< 10	0.36	246	< 1	< 0.01
L14N 450V	221 238	1.65	< 0.2	< 5	50	< 0.5	< 2	0.36	< 0.5	9	45	27	2.23	< 10	0.02	< 10	0.51	207	< 1	< 0.01
L14N 475V	221 238	1.58	< 0.2	5	70	< 0.5	< 2	0.32	< 0.5	9	40	34	2.49	< 10	0.02	< 10	0.41	227	< 1	< 0.01
L14N 500V	221 238	1.53	< 0.2	5	60	< 0.5	< 2	0.29	< 0.5	8	38	28	2.14	< 10	0.02	< 10	0.42	161	< 1	< 0.01
L14N 525V	221 238	1.58	< 0.2	5	150	< 0.5	< 2	0.29	< 0.5	9	44	37	2.11	< 10	0.01	< 10	0.55	214	< 1	< 0.01
L14N 550V	221 238	2.58	< 0.4	5	120	< 0.5	< 2	0.25	< 0.5	12	46	48	2.89	< 10	0.03	< 10	0.54	291	< 1	< 0.01
L15N 350V	221 238	1.34	< 0.2	10	160	< 0.5	< 2	0.27	< 0.5	19	34	117	5.57	< 10	0.07	10	0.38	1180	< 1	< 0.01
L15N 375V	221 238	0.99	< 0.2	5	80	< 0.5	< 2	0.28	< 0.5	7	17	20	1.54	< 10	0.01	< 10	0.20	371	< 1	< 0.01
L15N 400V	221 238	2.48	< 0.2	10	160	< 0.5	< 2	0.30	< 0.5	11	55	28	2.69	< 10	0.02	< 10	0.54	695	< 1	< 0.01
L15N 425V	221 238	2.02	< 0.2	< 5	270	< 0.5	< 2	0.45	< 0.5	11	47	30	2.59	< 10	0.02	10	0.58	284	< 1	< 0.01
L15N 450V	221 238	1.35	< 0.2	5	60	< 0.5	< 2	0.29	< 0.5	8	33	34	2.38	< 10	0.02	< 10	0.40	203	< 1	< 0.01
L15N 475V	221 238	2.03	< 0.4	5	60	< 0.5	< 2	0.28	< 0.5	10	48	53	2.53	< 10	0.02	< 10	0.55	268	< 1	< 0.01

CERTIFICATION :

Hart Buehler

RECEIVED JAN 30 1987



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710330

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 1-B

Tot. Pages: 3

Date : 27-JAN-87

Invoice #: I-8710330

P.O. #: NONE


Project : V 226 RACK K

Comments: ATTN: P ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
L1N 150E	221 238	10	350	2	< 5	9	0.01	< 10	< 10	38	< 5	60							
L1N 175E	221 238	7	500	4	< 5	8	0.01	< 10	< 10	38	< 5	54							
L1N 200E	221 238	33	600	6	< 5	22	0.13	< 10	< 10	92	< 5	66							
L1N 225E	221 238	15	630	4	< 5	12	0.13	< 10	< 10	89	< 5	56							
L1N 250E	221 238	14	750	16	< 5	21	0.12	< 10	< 10	89	< 5	74							
L1N 275E	221 238	15	610	10	< 5	10	0.11	< 10	< 10	93	< 5	54							
L1N 300E	221 238	15	790	10	< 5	11	0.05	< 10	< 10	95	< 5	66							
L2N 125E	221 238	32	450	< 2	< 5	10	0.05	< 10	< 10	137	< 5	48							
L2N 150E	221 238	24	470	6	< 5	11	0.11	< 10	< 10	93	< 5	46							
L2N 175E	221 238	19	420	6	< 5	9	0.05	< 10	< 10	84	< 5	40							
L2N 200E	221 238	12	630	8	< 5	20	0.27	< 10	< 10	63	< 5	62							
L2N 225E	221 238	26	630	4	< 5	12	0.11	< 10	< 10	72	< 5	54							
L2N 250E	221 238	16	660	6	< 5	14	0.11	< 10	< 10	60	< 5	62							
L2N 275E	221 238	21	380	6	< 5	16	0.12	< 10	< 10	75	< 5	68							
L2N 300E	221 238	23	1560	10	< 5	13	0.16	< 10	< 10	145	< 5	98							
L3N 125E	221 238	19	450	2	< 5	13	0.09	< 10	< 10	69	< 5	52							
L3N 150E	221 238	9	270	6	< 5	14	0.08	< 10	< 10	46	< 5	38							
L3N 175E	221 238	13	350	4	< 5	12	0.08	< 10	< 10	56	< 5	46							
L3N 200E	221 238	16	570	6	< 5	11	0.09	< 10	< 10	70	< 5	56							
L3N 225E	221 238	16	470	10	< 5	17	0.10	< 10	< 10	75	< 5	68							
L3N 250E	221 238	20	910	8	< 5	19	0.15	< 10	< 10	81	< 5	84							
L4N 125E	221 238	19	720	8	< 5	20	0.06	< 10	< 10	65	< 5	66							
L4N 150E	221 238	26	390	2	< 5	16	0.13	< 10	< 10	79	< 5	46							
L4N 175E	221 238	15	540	8	< 5	15	0.08	< 10	< 10	60	< 5	62							
L4N 200E	221 238	12	180	2	< 5	14	0.11	< 10	< 10	47	< 5	38							
L14N 350V	221 238	9	360	8	< 5	11	0.02	< 10	< 10	77	< 5	58							
L14N 375V	221 238	4	250	4	< 5	13	0.04	< 10	< 10	29	< 5	28							
L14N 400V	221 238	8	800	4	< 5	18	0.10	< 10	< 10	46	< 5	64							
L14N 425V	221 238	13	310	4	< 5	18	0.13	< 10	< 10	55	< 5	46							
L14N 450V	221 238	22	130	2	< 5	29	0.17	< 10	< 10	62	< 5	28							
L14N 475V	221 238	20	280	2	< 5	27	0.17	< 10	< 10	70	< 5	30							
L14N 500V	221 238	20	200	2	< 5	21	0.15	< 10	< 10	58	< 5	22							
L14N 525V	221 238	21	140	2	< 5	21	0.15	< 10	< 10	61	< 5	24							
L14N 550V	221 238	26	630	6	< 5	20	0.14	< 10	< 10	68	< 5	52							
L15N 350V	221 238	22	480	6	< 5	14	0.02	< 10	< 10	111	< 5	78							
L15N 375V	221 238	7	240	4	< 5	18	0.11	< 10	< 10	47	< 5	50							
L15N 400V	221 238	23	180	8	< 5	18	0.17	< 10	< 10	65	< 5	36							
L15N 425V	221 238	19	110	2	< 5	23	0.13	< 10	< 10	65	< 5	32							
L15N 450V	221 238	17	400	4	< 5	21	0.14	< 10	< 10	63	< 5	32							
L15N 475V	221 238	24	810	2	< 5	27	0.15	< 10	< 10	73	< 5	36							

CERTIFICATION :

Haut Beckler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710330

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Page No. : 2-A
 Tot. Pages : 3
 Date : 27-JAN-87
 Invoice #: I-8710330
 P.O. #: NONE

Project : V 226 RACK K
 Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Ni %
L15N 500V	221 238	1.06	< 0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	6	28	28	1.52	< 10	0.01	< 10	0.36	312	< 1	< 0.01
L15N 525V	221 238	1.11	< 0.2	< 5	60	< 0.5	< 2	0.13	< 0.5	7	27	25	1.51	< 10	0.01	< 10	0.34	195	< 1	< 0.01
L15N 550V	221 238	1.11	< 0.2	< 5	60	< 0.5	< 2	0.12	< 0.5	8	31	34	1.74	< 10	0.01	< 10	0.45	423	< 1	< 0.01
L16N 150V	221 238	1.50	< 0.2	< 5	190	< 0.5	< 2	0.06	< 0.5	8	17	28	1.17	< 10	0.02	< 10	0.20	668	< 1	< 0.01
L16N 175V	221 238	1.19	< 0.2	< 5	120	< 0.5	< 2	0.16	< 0.5	7	20	20	1.42	< 10	0.02	< 10	0.32	456	< 1	< 0.01
L16N 200V	221 238	1.70	< 0.2	< 5	70	< 0.5	< 2	0.15	< 0.5	8	29	30	1.82	< 10	0.02	< 10	0.40	373	< 1	< 0.01
L16N 225V	221 238	1.03	< 0.2	< 5	110	< 0.5	< 2	0.15	< 0.5	7	19	21	1.30	< 10	0.03	< 10	0.30	524	< 1	< 0.01
L16N 250V	221 238	0.79	< 0.2	< 5	70	< 0.5	< 2	0.19	< 0.5	4	14	14	1.22	< 10	0.01	< 10	0.19	201	< 1	< 0.01
L16N 275V	221 238	1.30	< 0.4	< 5	120	< 0.5	< 2	0.23	< 0.5	6	22	18	1.75	< 10	0.02	< 10	0.30	316	< 1	< 0.01
L16N 300V	221 238	2.15	< 0.2	< 5	170	< 0.5	< 2	0.45	< 0.5	19	58	91	3.97	< 10	0.05	10	0.98	817	< 1	< 0.01
L16N 325V	221 238	1.43	< 0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	17	41	78	3.39	< 10	0.04	< 10	0.75	717	< 1	< 0.01
L16N 350V	221 238	1.80	< 0.2	< 5	260	< 0.5	< 2	0.53	< 0.5	10	67	28	2.43	< 10	0.01	< 10	0.57	303	< 1	< 0.01
L16N 375V	221 238	1.89	< 0.2	< 5	180	< 0.5	< 2	0.28	< 0.5	9	62	32	2.52	< 10	0.01	< 10	0.50	190	< 1	< 0.01
L16N 400V	221 238	1.79	< 0.2	< 5	180	< 0.5	< 2	0.28	< 0.5	12	54	37	2.42	< 10	0.01	< 10	0.68	352	< 1	< 0.01
L16N 425V	221 238	1.79	< 0.2	< 5	120	< 0.5	< 2	0.21	< 0.5	12	54	45	2.27	< 10	0.02	< 10	0.67	305	< 1	< 0.01
L16N 450V	221 238	1.93	< 0.2	< 5	100	< 0.5	< 2	0.16	< 0.5	13	56	49	2.32	< 10	0.02	< 10	0.76	464	< 1	< 0.01
L16N 475V	221 238	1.14	< 0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	8	33	21	1.54	< 10	0.02	< 10	0.39	363	< 1	< 0.01
L16N 500V	221 238	1.78	< 0.2	< 5	100	< 0.5	< 2	0.41	< 0.5	13	54	52	2.53	< 10	0.05	< 10	0.79	450	< 1	< 0.01
L16N 525V	221 238	1.14	< 0.2	< 5	50	< 0.5	< 2	0.17	< 0.5	8	29	24	1.60	< 10	0.01	< 10	0.31	232	< 1	< 0.01
L16N 550V	221 238	1.88	< 0.2	< 5	90	< 0.5	< 2	0.24	< 0.5	11	42	55	2.45	< 10	0.03	< 10	0.62	532	< 1	< 0.01
L17N 150V	221 238	2.10	< 0.2	< 5	260	< 0.5	< 2	0.13	< 0.5	10	30	57	2.19	< 10	0.05	< 10	0.54	424	< 1	< 0.01
L17N 175V	221 238	1.20	< 0.2	< 5	80	< 0.5	< 2	0.16	< 0.5	5	19	26	1.51	< 10	0.02	< 10	0.36	289	< 1	< 0.01
L17N 200V	221 238	0.94	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	5	12	14	1.14	< 10	0.02	< 10	0.22	382	< 1	< 0.01
L17N 225V	221 238	1.28	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	6	20	23	1.47	< 10	0.02	< 10	0.38	337	< 1	< 0.01
L17N 250V	221 238	1.16	< 0.2	< 5	90	< 0.5	< 2	0.15	< 0.5	7	21	26	1.75	< 10	0.02	< 10	0.24	809	< 1	< 0.01
L17N 275V	221 238	1.97	< 0.2	< 5	110	< 0.5	< 2	0.33	< 0.5	19	54	87	3.96	< 10	0.05	< 10	0.93	742	< 1	< 0.01
L17N 300V	221 238	0.91	< 0.2	< 5	50	< 0.5	< 2	0.19	< 0.5	6	22	17	1.38	< 10	0.01	< 10	0.24	340	< 1	< 0.01
L17N 325V	221 238	1.72	< 0.2	< 5	100	< 0.5	< 2	0.19	< 0.5	11	51	36	2.28	< 10	0.02	< 10	0.52	631	< 1	< 0.01
L17N 350V	221 238	1.77	< 0.2	< 5	120	< 0.5	< 2	0.39	< 0.5	13	54	44	2.78	< 10	0.02	< 10	0.75	467	< 1	< 0.01
L17N 375V	221 238	1.94	< 0.2	< 5	100	< 0.5	< 2	0.25	< 0.5	12	49	48	2.40	< 10	0.03	< 10	0.62	329	< 1	< 0.01
L17N 400V	221 238	2.04	< 0.2	< 5	120	< 0.5	< 2	0.33	< 0.5	13	60	41	2.81	< 10	0.02	< 10	0.70	321	< 1	< 0.01
L17N 425V	221 238	2.07	< 0.2	< 5	210	< 0.5	< 2	0.43	< 0.5	13	65	48	2.75	< 10	0.02	< 10	0.80	494	< 1	< 0.01
L17N 450V	221 238	1.93	< 0.2	< 5	280	< 0.5	< 2	0.63	< 0.5	13	76	44	2.76	< 10	0.03	< 10	0.71	461	< 1	< 0.01
L17N 475V	221 238	2.00	< 0.2	< 5	60	< 0.5	< 2	0.23	< 0.5	9	38	51	2.74	< 10	0.03	< 10	0.48	295	< 1	< 0.01
L17N 500V	221 238	1.80	< 0.2	< 5	70	< 0.5	< 2	0.22	< 0.5	8	32	40	2.55	< 10	0.02	< 10	0.40	275	< 1	< 0.01
L17N 525V	221 238	2.32	< 0.2	< 5	60	< 0.5	< 2	0.21	< 0.5	10	38	46	2.95	< 10	0.02	< 10	0.47	228	< 1	< 0.01
L17N 550V	221 238	2.08	< 0.2	10	70	< 0.5	< 2	0.29	< 0.5	11	42	58	2.92	< 10	0.04	< 10	0.63	518	< 1	< 0.01
L18N 150V	221 238	1.25	< 0.2	< 5	70	< 0.5	< 2	0.24	< 0.5	8	27	21	1.63	< 10	0.02	< 10	0.39	1085	< 1	< 0.01
L18N 175V	221 238	0.90	< 0.2	< 5	50	< 0.5	< 2	0.23	< 0.5	5	16	14	1.14	< 10	0.02	< 10	0.26	332	< 1	< 0.01
L18N 200V	221 238	1.29	< 0.2	< 5	100	< 0.5	< 2	0.26	< 0.5	7	27	27	1.63	< 10	0.02	< 10	0.47	1225	< 1	< 0.01

CERTIFICATION : Hart Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0121

CERTIFICATE OF ANALYSIS A8710330

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 2-B
Tot. Pages: 3
Date : 27-JAN-87
Invoice #: I-8710330
P.O. # : NONE

Project : V 216 RACK K
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm									
L15N 500V	221 238	15	370	2	< 5	11	0.08	< 10	< 10	34	< 5	28									
L15N 525V	221 238	18	560	< 2	< 5	8	0.06	< 10	< 10	30	< 5	28									
L15N 550V	221 238	18	710	6	< 5	10	0.06	< 10	< 10	36	< 5	26									
L16N 150V	221 238	12	430	< 2	< 5	6	0.01	< 10	< 10	24	< 5	56									
L16N 175V	221 238	13	450	4	< 5	9	0.05	< 10	< 10	30	< 5	50									
L16N 200V	221 238	15	560	2	< 5	10	0.07	< 10	< 10	41	< 5	42									
L16N 225V	221 238	9	350	2	< 5	8	0.05	< 10	< 10	32	< 5	40									
L16N 250V	221 238	7	300	6	< 5	9	0.06	< 10	< 10	30	< 5	42									
L16N 275V	221 238	11	730	4	< 5	11	0.07	< 10	< 10	39	< 5	50									
L16N 300V	221 238	31	590	6	< 5	23	0.09	< 10	< 10	97	< 5	60									
L16N 325V	221 238	24	540	2	< 5	16	0.04	< 10	< 10	72	< 5	46									
L16N 350V	221 238	17	240	4	< 5	21	0.10	< 10	< 10	58	< 5	32									
L16N 375V	221 238	19	230	2	< 5	14	0.14	< 10	< 10	61	< 5	30									
L16N 400V	221 233	25	410	4	< 5	16	0.12	< 10	< 10	57	< 5	34									
L16N 425V	221 238	27	490	2	< 5	16	0.10	< 10	< 10	51	< 5	36									
L16N 450V	221 238	32	600	6	< 5	12	0.10	< 10	< 10	53	< 5	38									
L16N 475V	221 238	16	530	4	< 5	12	0.08	< 10	< 10	31	< 5	36									
L16N 500V	221 238	31	750	< 2	< 5	30	0.11	< 10	< 10	61	< 5	42									
L16N 525V	221 238	16	530	< 2	< 5	12	0.07	< 10	< 10	36	< 5	38									
L16N 550V	221 238	24	850	< 2	< 5	17	0.11	< 10	< 10	59	< 5	40									
L17N 150V	221 238	17	300	< 2	< 5	9	0.01	< 10	< 10	53	< 5	56									
L17N 175V	221 238	11	290	< 2	< 5	8	0.05	< 10	< 10	36	< 5	38									
L17N 200V	221 238	7	350	< 2	< 5	10	0.06	< 10	< 10	28	< 5	42									
L17N 225V	221 238	12	460	< 2	< 5	9	0.07	< 10	< 10	33	< 5	42									
L17N 250V	221 238	10	750	< 2	< 5	10	0.06	< 10	< 10	42	< 5	56									
L17N 275V	221 238	30	710	4	< 5	17	0.08	< 10	< 10	96	< 5	56									
L17N 300V	221 238	11	460	< 2	< 5	12	0.07	< 10	< 10	33	< 5	34									
L17N 325V	221 238	27	830	< 2	< 5	13	0.09	< 10	< 10	50	< 5	48									
L17N 350V	221 238	29	390	2	< 5	19	0.11	< 10	< 10	64	< 5	52									
L17N 375V	221 238	30	720	< 2	< 5	18	0.12	< 10	< 10	59	< 5	36									
L17N 400V	221 238	36	480	< 2	< 5	27	0.16	< 10	< 10	71	< 5	50									
L17N 425V	221 238	30	230	< 2	< 5	27	0.17	< 10	< 10	76	< 5	38									
L17N 450V	221 238	29	230	< 2	< 5	32	0.16	< 10	< 10	76	< 5	38									
L17N 475V	221 238	18	1230	< 2	< 5	16	0.10	< 10	< 10	68	< 5	38									
L17N 500V	221 238	16	1150	< 2	< 5	16	0.10	< 10	< 10	61	< 5	38									
L17N 525V	221 238	21	1650	< 2	< 5	14	0.10	< 10	< 10	65	< 5	48									
L17N 550V	221 238	21	1230	< 2	< 5	19	0.12	< 10	< 10	74	< 5	44									
L18N 150V	221 238	14	400	< 2	< 5	18	0.11	< 10	< 10	41	< 5	46									
L18N 175V	221 238	8	340	< 2	< 5	14	0.08	< 10	< 10	30	< 5	38									
L18N 200V	221 238	14	460	2	< 5	22	0.10	< 10	< 10	41	< 5	46									

CERTIFICATION :

P. Rossbacher



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710330

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 3-A
Tot. Pages: 3
Date : 27-JAN-87
Invoice #: I-8710330
P.O. #: NONE

Project : V 126 RACK K
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Al %	Ag ppm	Aa ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %
L18N 225W	221 238	1.37	< 0.2	< 5	80	< 0.5	< 2	0.19	< 0.5	6	18	21	1.45	< 10	0.02	< 10	0.30	485	< 1	< 0.01
L18N 250W	221 238	2.33	< 0.2	5	110	< 0.5	< 2	0.29	< 0.5	14	60	68	3.15	< 10	0.05	< 10	0.89	522	< 1	< 0.01
L18N 275W	221 238	1.94	< 0.2	5	80	< 0.5	< 2	0.37	< 0.5	19	59	85	4.26	< 10	0.05	< 10	1.03	666	< 1	< 0.01
L18N 300W	221 238	0.97	< 0.2	< 5	40	< 0.5	< 2	0.24	< 0.5	6	33	19	1.53	< 10	0.02	< 10	0.26	508	< 1	< 0.01
L18N 325W	221 238	3.13	< 0.2	< 5	120	< 0.5	< 2	0.25	< 0.5	17	84	78	3.15	< 10	0.04	< 10	1.12	442	< 1	0.01
L18N 350W	221 238	2.76	< 0.2	10	90	< 0.5	< 2	0.23	< 0.5	15	74	62	3.26	< 10	0.04	< 10	0.88	427	< 1	0.01
L18N 375W	221 238	1.76	< 0.2	< 5	80	< 0.5	< 2	0.28	< 0.5	11	55	44	2.28	< 10	0.02	< 10	0.61	375	< 1	0.01
L18N 400W	221 238	1.62	< 0.2	< 5	90	< 0.5	< 2	0.32	< 0.5	10	46	44	2.46	< 10	0.02	< 10	0.49	261	< 1	0.01
L18N 425W	221 238	1.30	< 0.2	5	100	< 0.5	< 2	0.56	< 0.5	6	37	31	2.19	< 10	0.02	< 10	0.41	212	< 1	0.01
L18N 450W	221 238	1.88	< 0.2	< 5	50	< 0.5	< 2	0.25	< 0.5	11	30	50	2.61	< 10	0.03	< 10	0.48	252	< 1	< 0.01
L18N 475W	221 238	1.44	< 0.2	< 5	50	< 0.5	< 2	0.24	< 0.5	6	25	36	2.18	< 10	0.02	< 10	0.30	385	< 1	< 0.01
L18N 500W	221 238	1.92	< 0.2	< 5	60	< 0.5	< 2	0.22	< 0.5	9	31	47	2.56	< 10	0.02	< 10	0.42	484	< 1	0.01

CERTIFICATION : Haut Buchler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSHANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8710330

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Page No. : 3-B
Tot. Pages: 3
Date : 27-JAN-87
Invoice #: I-8710330
P.O. #: NONE

Project : V 236 RACK K
Comments: ATTN: P. ROSSBACHER

SAMPLE DESCRIPTION	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm							
L18N 225W	221 238	9	240	2	< 5	14	0.06	< 10	< 10	38	< 5	50							
L18N 250W	221 238	33	790	2	< 5	25	0.15	< 10	< 10	82	< 5	46							
L18N 275W	221 238	32	650	< 2	< 5	21	0.09	< 10	< 10	111	< 5	52							
L18N 300W	221 238	12	450	< 2	< 5	20	0.10	< 10	< 10	39	< 5	38							
L18N 325W	221 238	53	990	< 2	< 5	27	0.17	< 10	< 10	81	< 5	48							
L18N 350W	221 238	51	1080	< 2	< 5	24	0.15	< 10	< 10	76	< 5	52							
L18N 375W	221 238	33	540	< 2	< 5	27	0.15	< 10	< 10	57	< 5	46							
L18N 400W	221 238	26	850	< 2	< 5	23	0.13	< 10	< 10	61	< 5	42							
L18N 425W	221 238	17	420	< 2	< 5	28	0.10	< 10	< 10	58	< 5	42							
L18N 450W	221 238	21	980	< 2	< 5	16	0.11	< 10	< 10	66	< 5	34							
L18N 475W	221 238	12	820	< 2	< 5	17	0.10	< 10	< 10	56	< 5	36							
L18N 500W	221 238	14	1790	< 2	< 5	15	0.09	< 10	< 10	62	< 5	42							

CERTIFICATION : *Hart Bickler*

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

CLIENT: MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.


CERTIFICATE#: 87024
INVOICE#: 7422
DATE ENTERED: 87-02-03
FILE NAME: MPH87024
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

INDEX	SAMPLE NAME	PPB Au
	14938	5
	14939	5
	14940	5
	14941	90
	14942	60
	14943	50
	14944	280
	14945	5
	14946	5
	14947	1400
	14948	30
	2801	5
	2802	5
	2803	20
	2804	10
	2805	900

RECEIVED FEB 5 1987

CERTIFIED BY :



GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR NH.FE.CA.P.CR.MG.BA.TI.D.AL.NA.K.W.SI.ZR.CE.SN.V.NB AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: SOLUTION

DATE RECEIVED: JAN 30 1987 DATE REPORT MAILED: Feb 3/87 ASSAYER: D. Toyer. DEAN TOYE. CERTIFIED B.C. ASSAYER.

ROSSBACHER LABORATORY PROJECT - CERT#B7024 FILE # B7-0199

PAGE 1

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tb	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM
14938	2	72	8	102	.2	21	17	757	3.58	27	5	ND	1	9	1	2	2	59	.39	.076	3	31	1.88	31	.12	2	1.71	.07	.03	1
14939	2	50	11	64	.1	20	5	157	3.94	49	5	ND	1	6	1	2	2	28	.17	.086	2	29	1.12	97	.01	2	1.44	.03	.08	1
14940	11	837	13	69	.3	37	55	791	11.49	15	5	ND	3	10	1	2	2	142	.20	.090	2	33	1.65	14	.03	14	2.08	.07	.05	1
14941	4	4969	7	49	5.6	7	3	77	1.95	24	5	ND	1	1	1	3	2	14	.01	.002	2	163	.12	5	.01	4	.15	.01	.02	1
14942	7	137	55	54	1.2	25	7	187	4.82	92	5	ND	1	12	1	2	2	64	.31	.223	8	105	.47	50	.01	2	1.01	.03	.03	1
14943	7	156	58	59	1.2	24	7	194	4.93	74	5	ND	2	13	1	2	2	68	.36	.256	8	106	.57	47	.01	2	1.17	.03	.04	1
14944	1	25	4	26	.1	18	4	255	1.60	5	5	ND	2	4	1	2	2	11	.41	.016	7	134	.51	32	.01	6	.82	.03	.13	1
14945	1	11	7	29	.1	14	3	264	1.56	2	5	ND	2	7	1	2	2	9	.58	.011	9	111	.51	28	.01	6	.78	.03	.11	1
14946	1	20	5	2	.1	4	2	55	.27	7	7	ND	1	1	1	2	2	3	.03	.012	6	137	.01	23	.01	8	.10	.01	.08	1
14947	4	141	17	13	.6	15	13	207	1.93	52	5	ND	1	10	1	3	2	51	.66	.133	3	193	.09	8	.01	5	.28	.03	.01	1
14948	5	114	12	12	.3	15	10	218	1.99	63	5	ND	1	10	1	2	2	58	.40	.196	3	190	.11	9	.01	5	.29	.02	.01	1
2801	1	47	8	117	.2	13	12	418	5.11	9	5	ND	3	13	1	2	2	96	.41	.048	6	56	2.63	17	.12	3	2.44	.09	.03	1
2802	4	54	27	63	.2	35	9	329	5.17	36	5	ND	2	4	1	2	2	49	.13	.097	4	64	1.38	45	.01	3	1.73	.04	.10	1
2803	2	48	19	57	.2	24	5	497	5.66	29	5	ND	2	3	1	2	2	74	.11	.076	4	90	1.32	25	.01	2	2.00	.03	.05	1
2804	2	28	18	45	.2	25	9	413	6.81	50	7	ND	2	10	1	2	2	73	.37	.148	4	119	.98	16	.01	2	1.54	.04	.01	1
2805	1	44	16	58	.4	44	15	252	3.09	5	5	ND	1	1	1	2	2	88	.07	.016	2	143	.79	14	.07	5	.94	.05	.06	1
STD C	21	60	38	138	7.1	70	29	1047	3.97	37	17	8	36	50	18	16	20	68	.48	.104	37	60	.88	190	.09	37	1.72	.10	.16	13

RECEIVED FEB 5 1987

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

CLIENT : MFH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.
PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87060
INVOICE#: 7472
DATE ENTERED: 87-02-20
FILE NAME: MFH87060
PAGE # : 1

PRE FIX	SAMPLE NAME	PPB Au
A	2806	5
A	2807	5
A	2808	5
A	2809	5

CERTIFIED BY :



RECEIVED FEB 23 1987

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE 253-3158

DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR NM.FE.CA.P.CR.NG.BA.TI.B.AL.NA.K.N.SI.ZR.CE.SN.V.ND AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: SOLUTION

DATE RECEIVED: FEB 13 1987 DATE REPORT MAILED: Feb 18/87 ASSAYER: *D. Toye* DEAN TOYE. CERTIFIED B.C. ASSAYER.

ROSSBACHER LABORATORY PROJECT - CERT#B7060 FILE # B7-0345

PAGE 1

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tb	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	H
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	%	PPM
2806	1	12	11	37	.1	18	9	535	5.21	31	5	ND	1	3	1	2	2	62	.10	.047	2	129	.02	7	.01	2	1.38	.03	.01	1
2807	1	82	2	21	.1	9	6	359	1.50	2	5	ND	1	1	1	2	3	47	.06	.016	2	142	.72	10	.03	3	.71	.03	.01	1
2808	3	38	14	76	.2	31	23	412	4.74	57	8	ND	2	6	1	2	4	42	.13	.077	3	88	1.52	21	.01	2	1.59	.04	.06	1
2809	1	7	2	26	.1	12	4	384	1.48	2	5	ND	1	4	1	2	4	7	.24	.028	4	116	.41	27	.01	4	.60	.02	.06	1

RECEIVED FEB 23 1987

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE 253-3158

DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR HM.FE.CA.P.CR.NG.BA.TI.D.AL.NA.K.M.SI.ZR.CE.SM.V.NB AND TA. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: SOLUTION

DATE RECEIVED: FEB 9 1987 DATE REPORT MAILED: *Feb 11/87* ASSAYER: *D. Toye* DEAN TOYE. CERTIFIED B.C. ASSAYER.

ROSSBACHER LABORATORY PROJECT - CERT#B7048 FILE # B7-0285

PAGE 1

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tl	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	M
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
19151	1	42	17	91	.6	5	17	877	6.17	13	5	ND	1	10	1	2	2	76	.64	.110	7	12	1.38	18	.01	2	1.87	.02	.14	1
19152	4	39	11	62	.1	7	15	684	6.90	11	5	ND	2	11	1	2	2	96	.13	.122	4	18	1.75	65	.10	4	1.99	.02	.20	1

RECEIVED FEB 13 1987

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.

CERTIFICATE#: 87048
INVOICE#: 7450
DATE ENTERED: 87-02-12
FILE NAME: MPH87048
PAGE # : 1

PROJECT: V 226
TYPE OF ANALYSIS: GEOCHEMICAL

RE IX	SAMPLE NAME	PPB Au
A	19151	5
A	19152	5

CERTIFIED BY :



RECEIVED FEB 13 1987

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3M1
TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : MPH CONSULTING LTD.
301-409 GRANVILLE STREET
VANCOUVER B.C.
PROJECT: V 226
TYPE OF ANALYSIS: ASSAY

CERTIFICATE#: 86601.C
INVOICE#: 7606
DATE ENTERED: 87-05-07
FILE NAME: MPH86601.C
PAGE # : 1

PRE FIX	SAMPLE NAME	% oz/t	
		Cu	Ag
A	4454	3.16	
A	4477		105.0

CERTIFIED BY :



Appendix VI

SOIL GEOCHEMISTRY STATISTICAL ANALYSES

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

STATISTICAL REPORT

To: MPH CONSULTING LTD.
 301-409 GRANILLE ST.
 VANCOUVER, B.C.

Project: V 226 - GRID A
 Date: 87-03-08

Element: Ba

Sample Type: Soil *Jan 75/8*

CLASS INTERVAL	CLASS FREQUENCY	RELATIVE FREQUENCY%	CUMULATIVE FREQUENCY%	CLASS MEAN
0 - 62	1307	48.57	48.57	42.17
63 - 124	1072	39.84	88.41	88.06
125 - 186	221	8.21	96.62	147.83
187 - 248	38	1.41	98.03	211.05
249 - 310	27	1.00	99.03	270.74
311 - 372	7	0.26	99.29	337.14
373 - 434	7	0.26	99.55	411.43
435 - 496	1	0.04	99.59	470.00
497 - 558	2	0.07	99.66	530.00
559 - 620	1	0.04	99.70	560.00
621 - 682	1	0.04	99.74	660.00
683 - 744	1	0.04	99.78	740.00
745 - 806	3	0.11	99.89	786.67
807 - 868	0	0.00	99.89	0.00
869 - 930	0	0.00	99.89	0.00
931 - 992	1	0.04	99.93	940.00
993 - 1054	0	0.00	99.93	0.00
1055 - 1116	0	0.00	99.93	0.00
1117 - 1178	1	0.04	99.97	1160.00
1179 - 1240	0	0.00	99.97	0.00
1241 - 1302	0	0.00	99.97	0.00
1303 - 1364	0	0.00	99.97	0.00
1365 - 1426	0	0.00	99.97	0.00
1427 - 1488	0	0.00	100.00	0.00

For Statistics

For All Data

Number of Samples:	2691		2692	
Arithmetic Mean :	78.85		N.A.	
Standard Deviation :	70.57		N.A.	
Minimum Value :	10		6	
Maximum Value :	1490		1490	
Range :	10 -- 5000	PPM	6 -- 1490	PPM

File(s) used for Statistics:

V226STAT.A

RECEIVED MAR 12 1987

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID A
Date: 87-03-08

Element: Ba

Sample Type: Soil

Frequency Histogram



ROSSBACHER LABORATORY LTD.

STATISTICAL REPORT

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910


To: MPH CONSULTING LTD.
301-409 GRANILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID A
Date: 87-03-08

Element: Ba

Sample Type: Soil

Cumulative Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

STATISTICAL REPORT

To: MPH CONSULTING LTD.
 301-409 GRANILLE ST.
 VANCOUVER, B.C.

Project: V 226 - GRID A
 Date: 87-03-08

Element: Ba

Sample Type: Soil

CLASS INTERVAL	CLASS FREQUENCY	RELATIVE FREQUENCY%	CUMULATIVE FREQUENCY%	CLASS MEAN
0 - 10	47	1.79	1.79	10.00
11 - 20	137	5.23	7.02	20.00
21 - 30	226	8.63	15.65	30.00
31 - 40	270	10.31	25.96	40.00
41 - 50	330	12.60	38.56	50.00
51 - 60	296	11.30	49.86	60.00
61 - 70	309	11.79	61.65	69.97
71 - 80	244	9.31	70.96	80.00
81 - 90	157	5.99	76.95	90.00
91 - 100	157	5.99	82.94	100.00
101 - 110	123	4.69	87.63	110.00
111 - 120	83	3.17	90.80	120.00
121 - 130	52	1.98	92.78	130.00
131 - 140	58	2.21	94.99	140.00
141 - 150	45	1.72	96.71	150.00
151 - 160	30	1.15	97.86	160.00
161 - 170	24	0.92	98.78	170.00
171 - 180	12	0.46	99.24	180.00
181 - 190	10	0.38	99.62	190.00
191 - 200	7	0.27	99.89	200.00
201 - 210	3	0.11	100.00	210.00

For Statistics

For All Data

Number of Samples: 2620
 Arithmetic Mean : 71.03
 Standard Deviation : 37.17
 Minimum Value : 10
 Maximum Value : 210
 Range : 10 -- 218 PPM

2692
 N.A.
 N.A.
 6
 1490
 6 -- 1490 PPM

File(s) used for Statistics:

V226STAT.A

=====

ROSSBACHER LABORATORY LTD.

STATISTICAL REPORT


2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID A
Date: 87-03-08

Element: Ba Sample Type: Soil

Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID A
Date: 87-03-08

Element: Ba

Sample Type: Soil

Cumulative Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

STATISTICAL REPORT

To: MPH CONSULTING LTD.
 301-409 GRANVILLE ST.
 VANCOUVER, B.C.

Project: V 226 - GRID B
 Date: 87-03-07

Element: Cu

Sample Type: Soil *Low 7517*

CLASS INTERVAL	CLASS FREQUENCY	RELATIVE FREQUENCY%	CUMULATIVE FREQUENCY%	CLASS MEAN
0 - 18	12	6.98	6.98	14.92
19 - 36	55	31.98	38.96	27.29
37 - 54	48	27.91	66.87	45.52
55 - 72	28	16.28	83.15	61.07
73 - 90	17	9.88	93.03	84.53
91 - 108	4	2.33	95.36	94.25
109 - 126	3	1.74	97.10	112.00
127 - 144	1	0.58	97.68	140.00
145 - 162	0	0.00	97.68	0.00
163 - 180	1	0.58	98.26	168.00
181 - 198	0	0.00	98.26	0.00
199 - 216	1	0.58	98.84	213.00
217 - 234	0	0.00	98.84	0.00
235 - 252	0	0.00	98.84	0.00
253 - 270	1	0.58	99.42	256.00
271 - 288	0	0.00	99.42	0.00
289 - 306	0	0.00	99.42	0.00
307 - 324	0	0.00	99.42	0.00
325 - 342	0	0.00	99.42	0.00
343 - 360	0	0.00	99.42	0.00
361 - 378	0	0.00	99.42	0.00
379 - 396	0	0.00	99.42	0.00
397 - 414	1	0.58	100.00	410.00

For Statistics

For All Data

Number of Samples: 172
 Arithmetic Mean : 51.81
 Standard Deviation : 42.66
 Minimum Value : 9
 Maximum Value : 410
 Range : 1 -- 5000 PPM

172
 N.A.
 N.A.
 9
 410
 9 -- 410 PPM

File(s) used for Statistics:

V226STAT.B

RECEIVED MAR 12 1987

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Cu

Sample Type: Soil

Frequency Histogram



ROSSBACHER LABORATORY LTD.

STATISTICAL REPORT

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Cu

Sample Type: Soil

Cumulative Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

STATISTICAL REPORT

To: MPH CONSULTING LTD.
 301-409 GRANVILLE ST.
 VANCOUVER, B.C.

Project: V 226 - GRID B
 Date: 87-03-07

Element: Cu

Sample Type: Soil

CLASS INTERVAL	CLASS FREQUENCY	RELATIVE FREQUENCY%	CUMULATIVE FREQUENCY%	CLASS MEAN
0 - 6	0	0.00	0.00	0.00
7 - 12	2	1.19	1.19	10.50
13 - 18	10	5.95	7.14	15.80
19 - 24	18	10.71	17.85	21.17
25 - 30	21	12.50	30.35	27.48
31 - 36	16	9.52	39.87	33.94
37 - 42	13	7.74	47.61	39.54
43 - 48	20	11.90	59.51	45.20
49 - 54	15	8.93	68.44	51.13
55 - 60	14	8.33	76.77	57.07
61 - 66	8	4.76	81.53	61.75
67 - 72	6	3.57	85.10	69.50
73 - 78	3	1.79	86.89	76.33
79 - 84	3	1.79	88.68	82.33
85 - 90	11	6.55	95.23	87.36
91 - 96	3	1.79	97.02	93.00
97 - 102	1	0.60	97.62	98.00
103 - 108	0	0.00	97.62	0.00
109 - 114	2	1.19	98.81	109.50
115 - 120	1	0.60	99.41	117.00
121 - 126	0	0.00	99.41	0.00
127 - 132	0	0.00	99.41	0.00
133 - 138	0	0.00	99.00	0.00

For Statistics

For All Data

Number of Samples: 168
 Arithmetic Mean : 46.82
 Standard Deviation : 24.14
 Minimum Value : 9
 Maximum Value : 140
 Range : 1 -- 145 PPM

172
 N.A.
 N.A.
 9
 410
 9 -- 410 PPM

File(s) used for Statistics:

V226STAT.B

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Cu

Sample Type: Soil

Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Cu

Sample Type: Soil

Cumulative Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

STATISTICAL REPORT

To: MPH CONSULTING LTD.
 301-409 GRANVILLE ST.
 VANCOUVER, B.C.

Project: V 226 - GRID B
 Date: 87-03-07

Element: Zn

Sample Type: Soil *Inw 7517*

CLASS INTERVAL	CLASS FREQUENCY	RELATIVE FREQUENCY%	CUMULATIVE FREQUENCY%	CLASS MEAN
0 - 28	9	5.23	5.23	23.56
29 - 56	86	50.00	55.23	44.47
57 - 84	46	26.74	81.97	68.93
85 - 112	15	8.72	90.69	97.07
113 - 140	13	7.56	98.25	128.15
141 - 168	2	1.16	99.41	162.00
169 - 196	0	0.00	99.41	0.00
197 - 224	0	0.00	99.41	0.00
225 - 252	0	0.00	99.41	0.00
253 - 280	0	0.00	99.41	0.00
281 - 308	0	0.00	99.41	0.00
309 - 336	0	0.00	99.41	0.00
337 - 364	0	0.00	99.41	0.00
365 - 392	0	0.00	99.41	0.00
393 - 420	0	0.00	99.41	0.00
421 - 448	0	0.00	99.41	0.00
449 - 476	0	0.00	99.41	0.00
477 - 504	0	0.00	99.41	0.00
505 - 532	0	0.00	99.41	0.00
533 - 560	0	0.00	99.41	0.00
561 - 588	0	0.00	99.41	0.00
589 - 616	1	0.58	99.99	614.00
617 - 644	0	0.00	100.00	0.00

For Statistics

For All Data

Number of Samples:	172	172
Arithmetic Mean :	65.51	N.A.
Standard Deviation :	51.25	N.A.
Minimum Value :	12	9
Maximum Value :	614	614
Range :	1 -- 5000 PPM	9 -- 614 PPM

File(s) used for Statistics:

V226STAT.B

RECEIVED MAR 12 1987

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Zn

Sample Type: Soil

Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Zn

Sample Type: Soil

Cumulative Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

STATISTICAL REPORT

To: MPH CONSULTING LTD.
 301-409 GRANVILLE ST.
 VANCOUVER, B.C.

Project: V 226 - GRID B
 Date: 87-03-07

Element: Zn

Sample Type: Soil

CLASS INTERVAL	CLASS FREQUENCY	RELATIVE FREQUENCY%	CUMULATIVE FREQUENCY%	CLASS MEAN
0 - 8	0	0.00	0.00	0.00
9 - 16	2	1.17	1.17	14.00
17 - 24	2	1.17	2.34	23.00
25 - 32	10	5.85	8.19	29.40
33 - 40	26	15.20	23.39	37.46
41 - 48	29	16.96	40.35	44.97
49 - 56	26	15.20	55.55	53.46
57 - 64	16	9.36	64.91	61.19
65 - 72	17	9.94	74.85	68.12
73 - 80	9	5.26	80.11	77.56
81 - 88	5	2.92	83.03	84.40
89 - 96	6	3.51	86.54	91.33
97 - 104	6	3.51	90.05	100.00
105 - 112	2	1.17	91.22	111.00
113 - 120	3	1.75	92.97	118.00
121 - 128	4	2.34	95.31	124.00
129 - 136	3	1.75	97.06	133.33
137 - 144	3	1.75	98.81	138.67
145 - 152	0	0.00	98.81	0.00
153 - 160	1	0.58	99.39	156.00
161 - 168	1	0.58	99.97	168.00
169 - 176	0	0.00	99.97	0.00
177 - 184	0	0.00	100.00	0.00

For Statistics

For All Data

Number of Samples: 171
 Arithmetic Mean : 62.3
 Standard Deviation : 29.37
 Minimum Value : 12
 Maximum Value : 168
 Range : 1 -- 170 PPM

172
 N.A.
 N.A.
 9
 614
 9 -- 614 PPM

File(s) used for Statistics:

V226STAT.B

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Zn

Sample Type: Soil

Cumulative Frequency Histogram



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

STATISTICAL REPORT


To: MPH CONSULTING LTD.
301-409 GRANVILLE ST.
VANCOUVER, B.C.

Project: V 226 - GRID B
Date: 87-03-07

Element: Zn

Sample Type: Soil

Frequency Histogram



Appendix VII

CONVERSION FACTORS FOR METRIC UNITS

Conversion Factors for Metric Units

1 inch	= 25.4 millimetres	(mm)
	or 2.54 centimetres	(cm)
1 cm	= 0.394 inch	
1 foot	= 0.3048 metre	(m)
1 m	= 3.281 feet	
1 mile	= 1.609 kilometres	(km)
1 km	= 0.621 mile	
1 acre	= 0.4047 hectares	(ha)
1 ha	= 2.471 acres	
1 ha	= 100 m x 100 m = 10,000 m ²	
1 km ²	= 100 ha	
1 troy ounce	= 31.103 grams	(g)
1 g	= 0.032 troy oz	
1 pound (lb)	= 0.454 kilogram	(kg)
1 kg	= 2.20 lb	
1 ton (2000 lb)	= 0.907 tonne	(t)
1 tonne	= 1.102 ton = 2205 lb	
1 troy ounce/ton	= 34.286 g/t	
1 g/tonne	= 0.0292 troy oz/ton	
1 g/t	= 1 part per million	(ppm)
1 ppm	= 1000 parts per billion	(ppb)
10,000 g/t	= 1%	