

87-351-16120

ASSESSMENT REPORT
FOR THE
688
1986 SOIL SAMPLE GEOCHEMISTRY
OF THE
KLO 1 AND 2
MINERAL CLAIMS

OMINECA MINING DIVISION

NTS 93 L/1W

LATITUDE 54° 13.6' N

LONGITUDE 126° 24' W

OWNED BY: EQUITY SILVER MINES LIMITED

WORK BY: EQUITY SILVER MINES LIMITED

REPORT BY: R. B. PEASE

FILMED

MAY 1987

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,120

TABLE OF CONTENTS

	PAGE
TABLE OF CONTENTS	i
LIST OF FIGURES AND TABLES	ii
INTRODUCTION	
(i) Location and Access	1
(ii) Claim Ownership and Status	1
(iii) Purpose	2
SUMMARY	4
RECOMMENDATION	4
WORK PROGRAMME	4
RESULTS	5
STATEMENT OF EXPENDITURES	6
AUTHOR'S QUALIFICATIONS	7
APPENDIX - Soil Sample Geochemistry, Statistical Summary	

FIGURES AND TABLES

	PAGE
LIST OF FIGURES	
Figure 1 - Project Location	2
Figure 2 - Klo Claims Access	3
Figure 3 - Soil Sample Locations - Cu, Zn, Pb Geochem . .	(in pocket)
Figure 4 - Soil Sample Locations - Ag, Au, As, Sb Geochem	(in pocket)
LIST OF TABLES	
Table 1 Statement of Expenditures.	6

INTRODUCTION

(ii) Location and Access

The Klo 1 and 2 mineral claims are located approximately 25 km southeast of Houston, British Columbia (see Figure 1). The claims lie in the gentle, and occasionally steep, hills of the Nechako Plateau physiographic region. Access is gained to the property by the Equity Silver Mine access road from Houston which cuts across the extreme northeast corner of the claim block (see Figure 2). Access can also be gained to the southwest corner of the claim block by a four-wheel drive trail which connects to the Equity Silver-Buck Flats road. The claims range in elevation from 2900 to 4900 feet. The higher elevations are covered scrub spruce and open swampy meadows, and the lower elevations by mature spruce and pine forest.

(iii) Claim Ownership and Status

The Klo 1 and 2 claims (20 units each), record numbers 7685 and 7686 were recorded July 9, 1986. The claims are wholly owned by Equity Silver Mines Limited, and are not subject to any vendor agreements. This assessment, pending approval, will extend the expiry dates of the claims to their anniversary in 1991. No mineral showings are known to occur on the claims, and no previous exploration activity has been documented.

(iii) Purpose

Sediment samples from two subparallel creeks draining from the southwest into Klo Creek were found to contain anomalous levels of copper, zinc, silver and gold. The Klo 1 and 2 mineral claims were subsequently staked to cover the drainage area of these two creeks. A soil sampling grid was established to determine the distribution of metal content in the soils. Geologic mapping traverses were also conducted. These programmes were executed in an attempt to determine the source of the stream sediment anomalies, and hopefully target areas for more intensive exploration.




FIGURE 1. PROJECT LOCATION




FIGURE 2. KLO CLAIMS ACCESS

SUMMARY

The soil sampling grid and the preliminary geological mapping failed to determine the source of the stream sediment anomaly. The claims appear to be underlain by Tertiary aged andesitic to basaltic rocks. No significant metal soil anomaly was defined.

RECOMMENDATION

More prospecting and geologic mapping of the claim block is recommended in an attempt to define the source of the stream sediment anomaly.

WORK PROGRAMME

The soil samples were collected from the reddish brown B horizon, where available, at depths of 15 to 50 cm using a mattock. A total of 1039 samples were collected every 50 metres on north-south grid lines located 200 metres apart. The lines were controlled by compass and hip-chain traverses from cut baselines along the north and south claim boundaries.

Notes were taken for each soil sample regarding; line and station; local terrain and factors which may affect soil condition; site drainage and vegetation; ground slope and direction; sample depth; horizon sampled; colour; grain size distribution of material sampled; and rock type of any float near the sample location. The sample material was placed in brown kraft paper bags, and subsequently sent to the Placer Development Laboratory in Vancouver for geochemical analysis of copper, zinc, lead, silver, gold, arsenic, and antimony.

At the lab, the samples were dried in a hot air drying unit at 50 degrees centigrade until dry, and then the -80 mesh fraction was

sieved out for analysis. The analytical techniques used by Placer's lab are summarized below:

Cu, Zn, Pb, Ag, and As - 0.5 grams of pulverized material dissolved in cold HClO₄/HNO₃ for 4 hours and analyzed by atomic absorption

Au - 10.0 grams of pulverized material dissolved in Aqua Regia for 3 hours and analyzed by atomic absorption

Sb - 0.5 grams of pulverized material dissolved in cold HCl/HNO₃ for 2 hours and analyzed by atomic absorption

RESULTS

According to the G.S.C. Open File 351 of Tipper and Richards, the area of the Klo claims is underlain by Tertiary-aged andesitic and dacitic volcanic flows and breccias, with minor basaltic flows. These rocks are correlated to the Buck Creek Formation. Preliminary geologic mapping during the soil survey confirmed this geology.

The geochemical results from the soil sampling are displayed on Figures 3 and 4. The values are also plotted on histograms and probability plots to analyze their statistical distribution and determine threshold and anomalous levels. These plots can be found in the Appendix.

The geochemical values are generally very low. Threshold levels of 25 ppm for Cu, 110 ppm for Zn, and 15 ppm for Pb were determined. For the metals Ag, Au, As, and Sb no threshold levels were recognized as 94 % or more of these samples were at or below the detection limit of the analytical technique.

Although several samples contain levels of Cu, Zn, or Pb above

the relative threshold level, no significant anomalies were recognized.

TABLE_1
STATEMENT OF EXPENDITURES

1. Soil Geochemical Analysis

1039 samples @ 13.35 each 13 870.65

2. Salaries

R. Pease, mapping and supervision
July 9, 10
2 days @ 185.00/day 370.00

D. Hanson, mapping and supervision
Aug. 21, 22
2 days @ 165.00/day 330.00

G. Saretsky, line cutting and sampling
July 10, 15, 16, 18, 21 Aug. 1, 6, 8, 19, 20, 21
11 days @ 115.00/day 1 265.00

M. Meleski, line cutting and sampling
July 9, 10, 11, 15, 16, 18, 21, 31
Aug. 1, 5, 7, 21, 22
13 days @ 100.00/day 1 300.00

R. Barnes, line cutting and sampling
July 9, 10, 11, 15, 17, 18, 21, 29, 31
Aug. 5, 7, 19, 20, 21
14 days @ 95.00/day 1 330.00

R. Westendorf, line cutting and sampling
July 10, 15, 17, 18, 21, 29 Aug. 6, 8
8 days @ 95.00/day 760.00

3. Vehicle Rental and Fuel

19 days @ 50.00/day 950.00

4. Report Preparation 2 000.00
\$ 22 175.65

AUTHOR'S QUALIFICATIONS

I, Robert B. Pease, do hereby certify that:

1. I am a geologist residing at R. R. # 1, Kerr Road, Telkwa, British Columbia.
2. I am a 1981 graduate of the University of Waterloo, Waterloo, Ontario, with an Honours Bachelor of Science degree in Earth Sciences.
3. As a student, I spent some twenty (20) months employed in the mineral exploration field with several mining companies in various regions of Canada.
4. I was employed as an exploration geologist with Duval International Corporation in Vancouver from May 1981 to January 1982.
5. Since February of 1982, I have been continuously employed as an exploration geologist with Equity Silver Mines Limited in Houston, British Columbia.
6. I am an Associate Member of the Geological Association of Canada, and a Member of the Canadian Institute of Mining and Metallurgy.
7. I personally supervised the work programmes as described in this report.

Respectfully submitted,

EQUITY SILVER MINES LIMITED



R. B. Pease, B.Sc.
Exploration Geologist

APPENDIX

Soil Sample Statistics

Histograms and Probability Plots

PLACER DEVELOPMENT LTD

PLACER DATA ANALYSIS SYSTEM - STATS

RUN CN 87:03:06 AT 08:36:05

EQUITY:KLO CLAIMS SOIL DATA

SUMMARY OF DATA FROM FILE : EQTY03*KLO.SOIL

THIS DATA FILE CONTAINS AN INTERNAL HEADER: (5 RECORDS)
DATA GROUPED INTO 13 FIELDS
WITH FORMATS: (2A3,45>2>8>2>3F5.0,F5.1,F5.2,F5.0)

CHARACTER ID FIELDS:
LINE STAT SA4P

COORDINATE FIELDS:
EAST NRTH

CU OTHER DATA FIELDS: ZN PE AG AU AS SB

MISSING DATA INDICATED BY NULL VALUE .000000

BASIC STATISTICS OF SELECTED DATA FIELDS:

NAME	N DATA	NULLS	MINIMUM	MAXIMUM	MEAN	STD. DEV.	GEOM. MEAN	DISPERSION
CU	1032	7	4.00000	76.0000	17.7229	6.70500	16.6262	11.5907 23.8493
ZN	1032	7	15.0000	173.0000	80.1337	24.2650	76.6411	56.7043 103.587
PB	1032	7	3.00003	77.0000	9.55620	3.553372	8.56683	6.56103 11.4485
AG	1032	7	-1.00000+000	1.76000	-1.09011	6.679922-001	1.041000	8.31215-001 1.30372
AU	1026	13	-1.00000-001	.130000	104093-001	0.000000	1.01457-001	8.673879-002 1.186053-001
AS	1030	9	1.00003	58.0000	1.30583	2.49522	1.08923	7.49530 1.582889
SB	1030	9	1.00003	7.00000	1.09903	1.454376	1.055538	8.37177 1.33293

CORMAT: RUN ON 87:03:06 AT 08:36:05

DATA FROM FILE: EQTY03*KLO.SOIL

EQUITY:KLO CLAIMS SOIL DATA

CORRELATION MATRIX FOR 1039 RECORDS WITH 7 VARIABLES

LOG:	CU	ZN	PS	AG	AU	AS	S3
CU	1.000	.032	.193	-.195	-.023	-.104	-.018
ZN	.032	1.000	.014	-.068	-.043	-.106	.021
PS	.193	.014	1.000	.034	-.021	.039	.029
AG	-.195	-.068	.034	1.000	.523	.033	-.019
AU	-.023	-.043	-.021	.523	1.000	.061	-.017
AS	-.104	-.105	.059	.033	.061	1.000	-.012
S3	-.018	.021	.028	-.019	-.017	-.012	1.000

NUMBER OF DATA PAIRS CONTRIBUTING TO CORRELATION

CU	ZN	PS	AG	AU	AS	S3
1032	1032	1032	1032	1019	1027	1027
1032	1032	1032	1032	1019	1027	1027
1032	1032	1032	1032	1019	1027	1027
1032	1032	1022	1032	1019	1027	1027
1019	1019	1019	1019	1026	1017	1017
1027	1027	1027	1027	1017	1030	1030
1027	1027	1027	1027	1017	1030	1030

HISTO: EQUITY:KLO CLAIMS SOIL DATA RUN ON 87:03:06 AT 08:36:05


FILE: EQTY03*KLO.SOIL FIELD NAME: CU LOG = 0 REPVAL = .00100

1032 SAMPLES WITH CU MINIMUM: 4.00000 MAXIMUM: 76.0000

1032 VALUES PLOTTED: C NOT IN RANGE 4.00000 TO 76.0000

MEAN: 17.7229 STD. DEV.: 6.70500

SCALE OF HISTOGRAM IS 2.00 COUNTS /PRINT POSITION # = 5,50,95%



PRSPLT:

EQUITY:KLO CLAIMS SOIL DATA


RUN ON 87:03:06 AT 08:36:05

FILE: EQTY03*KLO.SOIL

FIELD NAME: CU

LOG =0 REPVAL = .00100

MIN = 4.0000 MAX = 76.000 MEAN = 17.723 STD DEV = 6.7050
 NUMBER OF DATA PLOTTED = 1032 (7 NULLS 0 < YMIN 0 > YMAG)



CLASSIFICATION TABLE	MAX VAL	NVAL	FREQ	CUM FREQ
	76.000	1	.001	.001
	74.560	3	.000	.001
	73.120	3	.000	.001
	71.680	3	.000	.001
	70.240	3	.000	.001
	68.800	3	.000	.001
	67.360	3	.000	.001
	65.920	3	.000	.001
	64.480	3	.000	.001
	63.040	3	.001	.002
	61.600	3	.000	.002
	60.160	3	.000	.002
	58.720	3	.000	.003
	57.280	3	.001	.004
	55.340	3	.000	.004
	54.400	3	.001	.005
	52.960	3	.001	.006
	51.520	3	.001	.006
	50.080	3	.001	.007
	48.640	3	.000	.007
	47.200	3	.000	.008
	45.760	3	.001	.009
	44.320	3	.001	.010
	42.880	4	.004	.012
	41.440	2	.002	.014
	40.000	2	.001	.015
	38.560	2	.002	.017
	37.120	2	.002	.024
	35.680	3	.003	.032
	34.240	3	.003	.035
	32.800	3	.003	.044
	31.360	3	.003	.047
	29.920	3	.004	.056
	28.480	3	.004	.059
	27.040	3	.017	.074
	25.600	4	.024	.099
	24.160	4	.024	.152
	22.720	4	.024	.200
	21.280	3	.113	.313
	19.840	3	.061	.379
	18.400	2	.172	.551
	16.960	2	.070	.521
	15.520	2	.097	.719
	14.080	2	.110	.828
	12.640	2	.037	.865
	11.200	2	.071	.936
	9.760	2	.022	.953
	8.3200	2	.023	.982
	6.880	2	.012	.992
	5.440	2	.007	.999
	4.0000	0	.000	1.000

HISTO:

EQUITY:KLO CLAIMS SOIL DATA

RUN ON 87:03:06 AT 08:36:05


FILE: EQTY03*KLO.SOIL FIELD NAME: ZN LOG = 0 REPVAL = .00100

1032 SAMPLES WITH ZN MINIMUM: 15.0000 MAXIMUM: 178.000

1032 VALUES PLOTTED: 0 NOT IN RANGE 15.0000 TO 178.000

MEAN: 80.1337 STD. DEV.: 24.2650

SCALE OF HISTOGRAM IS 2.00 COUNTS /PRINT POSITION # = 5,50,95%



PRBPLT:


EQUITY:KLO CLAIMS SOIL DATA

RUN ON 87:03:06 AT 08:36:05

FILE: EQTY03*KLO.SOIL

FIELD NAME: ZN LOG =0 REPVAL = .00100

MIN = 15.000 MAX = 173.00 MEAN = 80.134 STD DEV = 24.265
 NUMBER OF DATA PLOTTED = 1032 (7 NULLS 0 < YMIN 0 > YMAMX)



CLASSIFICATION TABLE			
MAX VAL	NVAL	FREQ	CUM FREQ
178.00	1	.001	.001
174.74	1	.001	.002
171.48	1	.000	.002
168.22	2	.002	.004
164.96	1	.001	.005
161.70	1	.002	.007
158.44	2	.002	.009
155.18	3	.003	.012
151.92	2	.002	.014
148.66	3	.003	.016
145.40	5	.005	.021
142.14	5	.006	.026
138.88	6	.005	.032
135.62	5	.006	.037
132.35	5	.016	.043
129.08	5	.010	.058
125.84	5	.016	.068
122.58	5	.016	.083
119.32	5	.015	.098
116.06	4	.014	.102
112.80	5	.020	.122
109.54	3	.013	.135
106.28	5	.015	.149
103.02	5	.025	.184
99.76	3	.026	.210
95.50	3	.033	.243
93.24	3	.050	.294
89.98	2	.036	.329
86.72	2	.047	.377
83.46	3	.049	.426
80.20	3	.066	.492
76.94	3	.054	.547
73.68	3	.053	.590
70.42	3	.059	.599
67.16	3	.085	.744
63.90	3	.058	.802
60.64	3	.049	.852
57.38	3	.043	.994
54.12	3	.037	.931
50.36	3	.022	.953
47.60	2	.018	.972
44.34	3	.010	.982
41.08	3	.010	.991
37.82	3	.001	.992
34.56	3	.003	.995
31.30	3	.000	.995
28.04	3	.000	.995
24.78	3	.003	.998
21.52	2	.001	.999
18.26	1	.001	1.000
15.000	0	.000	1.000

HISTO:

EQUITY:KLO CLAIMS SOIL DATA

RUN ON 87:03:06 AT 08:36:05


FILE: EQTY03*KLO.SOIL FIELD NAME: PB LOG = 0 REVAL = .00100

1032 SAMPLES WITH PB MINIMUM: 3.00000 MAXIMUM: 77.0000

1032 VALUES PLOTTED: 0 NOT IN RANGE 3.00000 TO 77.0000

MEAN: 9.05620 STD. DEV.: 3.63872

SCALE OF HISTOGRAM IS 4.00 COUNTS /PRINT POSITION # = 5,50,95%



PRSPLT:

EQUITY:KLO CLAIMS SOIL DATA


RUN ON 87:03:06 AT 08:36:05

FILE: EQTY03*KLO.SOIL

FIELD NAME: PB

LOG = 0 REPVAL = .00100

MIN = 3.0000 MAX = 77.000 MEAN = 9.0562 STD DEV = 3.6387
 NUMBER OF DATA PLOTTED = 1032 (7 NULLS 0 < YMIN 0 > YMAMX)



CLASSIFICATION TABLE			
MAX VAL	NVAL	FREQ	CUM FREQ
77.000	1	.001	.001
75.520	0	.000	.001
74.040	0	.000	.001
72.560	0	.000	.001
71.080	0	.000	.001
69.600	0	.000	.001
68.120	0	.000	.001
66.540	0	.000	.001
65.160	0	.000	.001
63.680	0	.000	.001
62.200	0	.000	.001
60.720	0	.000	.001
59.240	0	.000	.001
57.760	0	.000	.001
56.280	0	.000	.001
54.300	0	.000	.001
53.320	1	.301	.002
51.340	0	.000	.002
50.360	0	.000	.002
48.380	0	.000	.002
47.400	1	.001	.003
45.920	0	.000	.003
44.440	0	.000	.003
42.960	0	.000	.003
41.480	0	.000	.003
40.000	0	.000	.003
38.520	0	.000	.003
37.040	0	.000	.003
35.560	0	.000	.003
34.080	0	.000	.003
32.500	1	.001	.004
31.120	0	.000	.004
29.640	0	.000	.004
28.160	0	.000	.004
26.680	0	.000	.004
25.200	0	.001	.005
23.720	0	.000	.005
22.240	0	.000	.005
20.760	1	.001	.006
19.280	3	.003	.009
17.800	5	.005	.014
16.320	0	.012	.036
14.840	0	.011	.036
13.360	6	.066	.102
11.880	9	.087	.189
10.400	38	.374	.563
8.9200	2	.179	.743
7.4400	3	.211	.953
5.9600	37	.536	.989
4.4300	11	.011	1.000
3.0000	0	.000	1.000

HISTO:

ECUITY:KLO CLAIMS SOIL DATA

RUN ON 87:03:06 AT 08:36:05

FILE: EQTYJ3*KLO.SOIL FIELD NAME: AG LOG = 0 REVAL = .00100

1032 SAMPLES WITH AG MINIMUM: .100000+000 MAXIMUM: 1.70000

1032 VALUES PLOTTED: 0 NOT IN RANGE .100000+000 TO 1.70000

MEAN: .109011 STD. DEV.: .679922-001

SCALE OF HISTOGRAM IS 10.00 COUNTS /PRINT POSITION # = 5,50,95%



PRBPLT:

EQUITY:KLO CLAIMS SOIL DATA


RUN ON 87:03:06 AT 09:36:05

FILE: EQTYJ3*KLO.SOIL

FIELD NAME: AG

LOG =0 REPVAL = .00100

MIN = -10030+000 MAX = 1.7000 MEAN = .10901 STD DEV = .67992-001
 NUMBER OF DATA PLOTTED = 1032 (7 NULLS 0 < YMIN 0 > YM^AX)



CLASSIFICATION TABLE			
MAX VAL	NVAL	FREQ	CUM FREQ
1.7000	1	.001	.001
1.6680	0	.000	
1.6360	0	.000	.001
1.6040	0	.000	.001
1.5720	0	.000	.001
1.5400	0	.000	.001
1.5080	0	.000	.001
1.4760	0	.000	.001
1.4440	0	.000	.001
1.4120	0	.000	.001
1.3800	0	.000	.001
1.3480	0	.000	.001
1.3160	0	.000	.001
1.2840	0	.000	.001
1.2520	0	.000	.001
1.2200	0	.000	.001
1.1880	0	.000	.001
1.1560	0	.000	.001
1.1240	0	.000	.001
1.0920	0	.000	.001
1.0600	0	.000	.001
1.0280	0	.000	.001
.996000	0	.000	.001
.964000	0	.000	.001
.932000	0	.000	.001
.900000	0	.000	.001
.868000	0	.000	.001
.836000	0	.000	.001
.804000	0	.000	.001
.772000	0	.000	.001
.740000	0	.000	.001
.703000	0	.001	.002
.676000	0	.000	.002
.644000	0	.000	.002
.612000	0	.003	.005
.580000	0	.000	.005
.543000	0	.000	.005
.516000	0	.001	.006
.484000	0	.000	.006
.452000	0	.000	.006
.420000	0	.005	.011
.388000	0	.000	.011
.356000	0	.000	.011
.324000	100	.010	.020
.292000	0	.000	.020
.260000	0	.000	.020
.228000	17	.016	.037
.196000	0	.000	.037
.164000	0	.000	.037
.132000	994	.963	1.000
100000+000	0	.000	1.000

HISTO:

EQUITY:KLO CLAIMS SOIL DATA

RUN ON 87:03:06 AT 08:36:05

FILE: EQTY03*KLO.SOIL FIELD NAME: AU LOG = 0 REPVAL = .00100

1026 SAMPLES WITH AU MINIMUM: .100000-001 MAXIMUM: .130000

1026 VALUES PLOTTED: 0 NOT IN RANGE .100000-001 TO .130000


MEAN: .104093-001 STD. DEV.: .003000

SCALE OF HISTOGRAM IS 20.00 COUNTS /PRINT POSITION % = 5/50/95%



PRBPLT: EQUITY:KLO CLAIMS SOIL DATA RUN ON 87/03/06 AT 08:36:05
 FILE: EQTY03*KLO.SOIL FIELD NAME: AU LOG =0 REPVAL = .00100

MIN = -10000-001 MAX = -13000 MEAN = -10409-001 STD DEV = .00000
 NUMBER OF DATA PLOTTED = 1026 (13 NULLS 0 < YMIN 0 > YM_{AX})



CLASSIFICATION TABLE			
MAX VAL	NVAL	FREQ	CUM FREQ
13000	1	.001	.001
12760	0	.000	.001
12520	0	.000	.001
12280	0	.000	.001
12040	0	.000	.001
11800	0	.000	.001
11560	0	.000	.001
11320	0	.000	.001
11080	0	.000	.001
10840	0	.000	.001
10600	0	.000	.001
10360	0	.000	.001
10120	0	.000	.001
98800	001	.000	.001
96400	001	.000	.001
94000	001	.000	.001
91600	001	.000	.001
89200	001	.000	.001
86800	001	.000	.001
84400	001	.000	.001
82000	001	.001	.002
79600	001	.000	.002
77200	001	.000	.002
74800	001	.000	.003
72400	001	.001	.003
70000	001	.000	.003
67600	001	.000	.003
65200	001	.000	.003
62800	001	.000	.003
60400	001	.000	.003
58000	001	.000	.003
55600	001	.000	.003
53200	001	.000	.003
50800	001	.001	.004
48400	001	.000	.004
46000	001	.000	.004
43600	001	.000	.004
41200	001	.000	.004
38800	001	.000	.007
36400	001	.000	.007
34000	001	.000	.007
31600	001	.000	.008
29200	001	.000	.008
26800	001	.000	.008
24400	001	.000	.010
22000	001	.002	.010
19600	001	.000	.010
17200	001	.000	.010
14800	001	.000	.010
12400	001	.000	.010
10000	001	1313	1.000

CUMULATIVE FREQUENCY (PROBABILITY SCALE)

HISTO:

EQUITY:KLO CLAIMS SOIL DATA

RUN ON 87:03:06 AT 08:36:05


FILE: EQTY03*KLO.SOIL FIELD NAME: AS LOG = 0 REPVAL = .00100

1030 SAMPLES WITH AS MINIMUM: 1.00000 MAXIMUM: 58.0000

1030 VALUES PLOTTED: 0 NOT IN RANGE 1.00000 TO 58.0000


MEAN: 1.30583 STD. DEV.: 2.49522

SCALE OF HISTOGRAM IS 10.00 COUNTS /PRINT POSITION # = 5,50,95%



PRBPLT: EQUITY:KLO CLAIMS SOIL DATA RUN ON 87:03:06 AT 08:36:05
 FILE: EQTY03*KLO.SOIL FIELD NAME: AS LOG =0 REPVAL = .00100

MIN = 1.0000 MAX = 58.000 MEAN = 1.3058 STD DEV = 2.4952
 NUMBER OF DATA PLOTTED = 1030 (9 NULLS 0 < YMIN 0 > YMAMX)



CLASSIFICATION TABLE			
MAX VAL	NVAL	FREQ	CUM FREQ
58.000	1	.001	.001
56.860	0	.000	.001
55.720	0	.000	.001
54.580	0	.000	.001
53.440	0	.000	.001
52.300	0	.000	.001
51.160	0	.000	.001
50.020	0	.000	.001
48.380	0	.000	.001
47.740	0	.000	.001
46.600	0	.000	.001
45.460	0	.000	.001
44.320	0	.000	.001
43.180	0	.000	.001
42.040	0	.000	.001
40.900	0	.000	.001
39.760	0	.000	.001
38.620	0	.000	.001
37.480	0	.000	.001
36.340	0	.000	.001
35.200	0	.000	.001
34.060	0	.000	.001
32.920	0	.001	.002
31.780	0	.000	.002
30.640	0	.000	.002
29.500	0	.000	.003
28.360	0	.001	.003
27.220	0	.000	.003
26.080	0	.000	.003
24.940	0	.000	.004
23.300	0	.001	.004
22.660	0	.000	.004
21.520	0	.000	.004
20.380	0	.000	.004
19.240	0	.002	.006
18.100	0	.000	.006
16.960	0	.000	.006
15.820	0	.000	.006
14.680	0	.000	.006
13.540	0	.001	.007
12.400	0	.000	.007
11.260	0	.000	.007
10.120	0	.002	.009
8.9300	1	.001	.010
7.8400	1	.001	.011
6.7000	1	.001	.012
5.5600	2	.002	.014
4.4200	9	.009	.022
3.2300	13	.017	.040
2.1400	989	.960	1.000
1.0000	0	.000	1.000

CUMULATIVE FREQUENCY (PROBABILITY SCALE)

HISTO: EQUITY:KLO CLAIMS SOIL DATA RUN ON 87:03:06 AT 08:36:05


FILE: EQTY03*KLO.SOIL FIELD NAME: SB LOG = 0 REPVAL = .00100

1030 SAMPLES WITH SB MINIMUM: 1.00000 MAXIMUM: 7.00000

1030 VALUES PLOTTED: C NOT IN RANGE 1.00000 TO 7.00000

MEAN: 1.09903 STD. DEV.: .464376

SCALE OF HISTOGRAM IS 10.00 COUNTS /PRINT POSITION # = 5,50,95%



PRBPLT:

EQUITY:KLO CLAIMS SOIL DATA


RUN ON 87-03-06 AT 08:36:05

FILE: EQTY03*KLO.SOIL

FIELD NAME: SB

LOG =0 REPVAL = .00100

MIN = 1.0000 MAX = 7.0000 MEAN = 1.0990 STD DEV = .46438
 NUMBER OF DATA PLOTTED = 1030 < 9 NULLS 0 < YMIN 0 > YM>X)



CLASSIFICATION TABLE			
MAX VAL	NVAL	FREQ	CUM FREQ
7.0000	1	.001	.001
6.8300	0	.000	.001
6.7600	0	.000	.001
6.6400	0	.000	.001
6.5200	0	.000	.001
6.4000	0	.000	.001
6.2900	0	.000	.001
6.1600	1	.001	.002
6.0400	0	.000	.002
5.9200	0	.000	.002
5.8000	0	.000	.002
5.6300	0	.000	.002
5.5600	0	.000	.002
5.4400	0	.000	.002
5.3200	0	.000	.002
5.2000	0	.000	.002
5.0800	0	.000	.002
4.9500	0	.000	.002
4.8400	0	.000	.002
4.7200	0	.000	.002
4.6000	0	.000	.002
4.4900	0	.000	.002
4.3600	0	.000	.002
4.2400	0	.000	.002
4.1200	2	.007	.009
4.0000	0	.000	.009
3.8800	0	.000	.009
3.7500	0	.000	.009
3.6400	0	.000	.009
3.5200	0	.000	.009
3.4000	0	.000	.009
3.2300	0	.000	.009
3.1600	0	.000	.009
3.0400	0	.013	.027
2.9200	0	.000	.027
2.8000	0	.000	.027
2.6300	0	.000	.027
2.5600	0	.000	.027
2.4400	0	.000	.027
2.3200	0	.000	.027
2.2000	0	.000	.027
2.0800	0	.031	.058
1.9600	0	.000	.058
1.8400	0	.000	.058
1.7200	0	.000	.058
1.6000	0	.000	.058
1.4800	0	.000	.058
1.3600	0	.000	.058
1.2400	0	.000	.058
1.1200	0	.942	1.000
1.0000	0	.000	1.000

CUMULATIVE FREQUENCY (PROBABILITY SCALE)

