

LOG NO: 1214	RD.
ACTION:	
FILE NO: 87-874-16613	

WAIT GROUP
ASSESSMENT REPORT

OWNER: VICTORIA RESOURCE CORPORATION
OPERATOR: NORMINE RESOURCES LIMITED

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,613

FILMED

NORMINE RESOURCES LIMITED

ASSESSMENT REPORT

on

DIAMOND DRILLING
WAIT MINERAL CLAIMS
FORT STEELE MINING DIVISION

NTS 82 G/12W

Latitude $49^{\circ} 42' 5''$ N Longitude $115^{\circ} 48' 27''$ W

Owner: VICTORIA RESOURCE CORPORATION
Box 9, 10th Floor
609 West Hastings Street
Vancouver, B.C.
V6B 4W4
FMC 218630 VICREC

Operator: NORMINE RESOURCES LIMITED
Box 9, 10th Floor
609 West Hastings Street
Vancouver, B.C.
V6B 4W4
FMC 296436 NORREL

Author of Report: PETER KLEWCHUK

Date Submitted: December 8, 1987

TABLE OF CONTENTS

	PAGE
Introduction	1
Index Map	2
Detailed technical Data and Interpretation	3
Drill Hole Location Map	4
Itemized Cost Statement	5
Author's Qualifications	6
Diamond Drill Hole W-87-6 Geological Log	7-8
Diamond Drill Hole W-87-7 Geological Log	9-10
Diamond Drill Hole W-87-6 Geochemical Analyses	11-13
Diamond Drill Hole W-87-7 Geochemical Analyses	14-16


INTRODUCTION

- i) The WAIT mineral claims are located 9 to 17 kilometers east of Kimberley, B.C. on the western side of the Rocky Mountain Trench. The land surface in the claim area is of low rounded hills and bedrock is, for the most part, covered by a thin sheet of glacial till. Access to the claims is by road; Highway 95A and numerous secondary roads cross the claim group.
- ii) The WAIT claim group, staked in 1985, 1986 and 1987, consists of 373 claim units in 28 claims including one fraction.

Victoria Resource Corporation is the owner of the WAIT mineral claims reported on here; Normine Resources Limited is the operator.

The WAIT mineral claims are located approximately 15 kilometers east of the Sullivan orebody, a world-class Zn-Pb-Ag deposit originally consisting of about 150 million tonnes of ore. The Sullivan deposit occurs in the Proterozoic age Aldridge Formation, and most of the area of the WAIT mineral claims is underlain by this same formation. The Kimberley Fault which cuts the very northern portion of the Sullivan deposit occurs within the northern part of the WAIT claim group.

- iii) Summary of work reported on:
Two NQ diamond drill holes, W-87-6 and W-87-7, totalling 469.8 meters in length, are being reported on. Drill hole W-87-6 was drilled on an azimuth of 275° (N 85° W), at an angle of -60° and is 240.6 meters long. Drill hole W-87-7 was drilled on an azimuth of 277° (N 83° W), at an angle of -60° and is 229.2 meters long.
- iv) Both drill holes are located on the WAIT 6 mineral claim.
- v) The core is stored on the property, on the WAIT 2 mineral claim.



NORMINE RESOURCES LTD.
WAIT MINERAL CLAIMS
 FORT STEELE MINING DIVISION
 NTS 82 G/12 & 13
 Scale 1:50,000
 2 km

INDEX MAP

DETAILED TECHNICAL DATA AND INTERPRETATION

i) Purpose:

Drill holes W-87-6 and W-87-7 were drilled to evaluate an area of anomalous gold mineralization detected by a diamond drilling program undertaken in 1986.

Drill hole W-87-6 is angled at -60° toward an azimuth of 275° and is 240.6 meters long.

Drill hole W-87-7 is angled at -60° toward an azimuth of 273° and is 229.2 meters long.

Both holes were drilled with NQ wireline tools, producing a hole 7.6cm in diameter.

ii) Results:

Bedrock encountered in the drill holes consists of metamorphosed fine-grained clastic sedimentary rocks including mudstones, siltstones and impure fine-grained sandstones. A number of faults with associated brecciation and localized argillic and chloritic alteration were encountered. Small amounts of disseminated, bedding-parallel and vein sulfides including pyrite, pyrrhotite, and sphalerite are present in the core.

iii) Interpretation

The bedrock encountered by drill holes W-87-6 and W-87-7 is interpreted to be the Aldridge Formation, part of the Proterozoic age Purcell Supergroup.


iv) Conclusions:

Only minor concentrations of pyrite, pyrrhotite and sphalerite are present in the core of drill holes W-87-6 and W-87-7. Geochemically anomalous gold is present but is weak and occurs sporadically through the drill holes.

WAIT 8

WAIT 9

HIGHWAY 95A



DDH W-87-7

DDH W-87-6

WAIT 6


WAIT

WAIT 2

WAIT 1

DDH W-87-5

CREEK



500 meters
Scale 1:10,000



NORMINE RESOURCES LTD.

WAIT CLAIMS

DRILL HOLE LOCATION MAP

ITEMIZED COST STATEMENT

Drill Hole W-87-6 and W-87-7

Direct Drilling Costs		
469.8 meters @ \$61.94/meter		\$29,099.40
Geochemical analyses		
163 samples @ \$19.75/sample		3,219.25
Geologist		
18 days @ \$195.00/day		3,510.00
Sampler		
12 days @ \$150.00/day		1,800.00
Bulldozer and Backhoe		1,350.00
		<hr/>
	TOTAL COST	<u>\$38,978.65</u>
		=====

Drilling Contractor:

Tonto Drilling Ltd.
 200 - 3920 Norland Avenue
 Burnaby, B.C.
 V5G 4K7

Geochemical Analyses done by:

Chemex Labs Ltd.
 212 Brooksbank Avenue
 North Vancouver, B.C.
 V7J 2C1

AUTHOR'S QUALIFICATIONS

As author of this report I, Peter Klewchuk, certify that:

I am a graduate geologist with a BSc degree (1969) from the University of British Columbia and an MSc degree (1972) from the University of Calgary.

I have been actively involved in mining and exploration geology, primarily in the province of British Columbia, for the past 15 years.

Peter Klewchuk

Peter Klewchuk

Geologist

DIAMOND DRILL GEOLOGICAL LOG

DDH W-87-6 Location: WAIT 6 MINERAL CLAIM Dip: -60°
 Core Size: NQ Logged by: P. Klewchuk

Meters		Description
From	To	
0	32.0	Overburden.
32.0	33.5	Triconed in Bedrock.
33.5	50.0	Argillite, minor Siltstone. Thin bedded and Laminated. 2% pyrite occurs disseminated and in narrow cross-cutting veins. Bedding is at 75-80 degrees.
50.0	52.4	Siltstone, minor Argillite. Thin bedded and laminated with 1% disseminated and vein pyrite. Bedding at 80 degrees.
52.4	156.0	Argillite, minor Siltstone. Thin bedded and laminated throughout. Minor faulting occurs locally; fractures are coated with pyrite and chlorite. About 2% pyrite and lesser pyrrhotite occur disseminated through the interval. Pyrite also occurs as small cross-cutting veins. A few quartz-carbonate veins carry minor pyrite and sphalerite. Bedding is at 80 degrees.
156.0	158.9	Siltstone, minor Argillite. Thin bedded and laminated. Numerous very thin quartz-carbonate veins cut the beds. Bedding is at 80 degrees.
158.9	168.9	Siltstone and Argillite. Laminated to medium bedded. Bedding is locally disturbed near 167m, possibly due to slumping. 2% pyrite and pyrrhotite are disseminated through the interval with pyrite > pyrrhotite. A few quartz-calcite veins cut the beds. Bedding is at 75-80 degrees.
168.9	174.6	Siltstone and Quartzite, minor Argillite. Medium bedded to laminated. Estimated 1% pyrite and pyrrhotite are disseminated through the zone. A few quartz-dolomite veins are present; most of the veins carry minor reddish sphalerite. Bedding ranges from 62 to 78 degrees.
174.6	177.0	Siltstone and Argillite. Thin bedded and Laminated. 1% pyrite occurs as small lensey, patchy concretions. Very minor dark reddish sphalerite is also present. Bedding is at 75 degrees.

Drill Log W-87-6 p.2

Meters		Description
From	To	
177.0	178.7	Siltstone, minor Argillite. 2% disseminated pyrite. Bedding at 75 degrees.
178.7	179.7	Argillite, minor Siltstone. Mainly thin bedded argillite with minor laminated siltstone. 2% disseminated sulfides, mainly pyrite with minor pyrrhotite. Bedding at 70-80 degrees.
179.7	184.2	Siltstone and Quartzite, minor Argillite. Thick to thin bedded. Very minor pyrite occurs disseminated and along thin quartz-carbonate veins. Bedding at 70-80 degrees.
184.2	189.0	Argillite and Siltstone. Thin bedded and laminated throughout. 2% pyrite disseminated and in cross-cutting veins. Bedding at 75-80 degrees.
189.0	235.2	Quartzite, minor Argillite and Siltstone. Thick bedded to laminated. Thin cross-cutting quartz-calcite veins are fairly common; these carry minor pyrrhotite, pyrite and sphalerite. Bedding commonly at 70 degrees, ranging from 60 to 80 degrees.
235.2	240.6	Siltstone and Argillite. Thin bedded and laminated. Numerous small folds with 'sub-horizontal' axes indicating soft sediment slumping. 2% pyrite is disseminated and in quartz-carbonate veins. Bedding in undeformed zones is at 75-80 degrees.
240.6		End of Hole.

Peter Blenkins

DIAMOND DRILL GEOLOGICAL LOG

DDH W-87-7 Location: WAIT 6 MINERAL CLAIM Dip: -60°
 Core Size: NQ Logged by: P. Klewchuk

Meters		Description
From	To	
0	41.2	Overburden
41.2	53.6	Triconed in bedrock.
53.6	111.6	Fault Zone Altered argillite and siltstone; strongly oxidized and discolored with considerable hematitic or limonitic alteration. Variably brecciated with intermittent zones of fault gouge. Considerable argillic alteration - rock is all quite soft. Fine disseminated pyrite is present near the base of the interval.
111.6	116.7	Thin bedded medium gray argillite.
116.7	157.7	Argillite, minor Siltstone. Thin bedded and laminated throughout. Fracturing is common; core is variably broken and fracture surfaces are coated with chlorite and pyrite. Est. 2% pyrite is present, disseminated and in narrow veinlets. Very few thin white quartz and yellow dolomite veins are present. Bedding to 144m is about 80 degrees to the core axis, about 70 degrees below.
157.7	165.3	Siltstone and Argillite, minor quartzite. Laminated and thin bedded with a few medium thick beds. Virtually all of the bedding is slightly wavy. A few quartz-carbonate-pyrite veins are present. Minor disseminated magnetic pyrrhotite occurs in some siltstones.
165.3	183.8	Siltstone and Argillite. Thin bedded and laminated with very few medium thick beds. 1-2% pyrite is disseminated through the interval. A few quartz-carbonate veins are present. Bedding ranges from 60 to 80 degrees.
183.8	190.8	Argillite, minor siltstone and quartzite. About 2% pyrite occurs disseminated and in small veins. Bedding is at 70-75 degrees.
190.8	191.1	Siltstone, minor quartzite. Laminated to medium thick beds. 2% disseminated pyrite. Bedding at 75-80 degrees.

Drill Log W-87-7 p.2

Meters		Description
From	To	
191.1	203.9	Argillite and Siltstone. Thin bedded and laminated. Minor disseminated pyrite is common. A few quartz-carbonate veins are present; some of these contain pyrite and minor sphalerite. Bedding is at 75-80 degrees.
203.9	210.8	Quartzite, minor siltstone and argillite. Medium thick quartzites, thin bedded and laminated siltstone and argillite.
210.8	211.9	Siltstone. 2% disseminated pyrite. Bedding at 75 degrees.
211.9	212.7	Argillite, minor Siltstone. Thin bedded and laminated. 2% disseminated pyrite. Bedding at 75-80 degrees.
212.7	229.2	Quartzite, minor Argillite and Siltstone. Thin to thick bedded, locally laminated. About 1% pyrite is disseminated in the quartzites, slightly more (2%) in the siltstones. A few quartz-dolomite and quartz-calcite veins are present. Bedding at 75 degrees.
	229.2	End of hole.

Peter Klenke

ICP GEOCHEMICAL ANALYSIS OF DRILL CORE

Analyzed by: Chemex Labs Ltd.
 212 Brooksbank Avenue
 North Vancouver, B.C.
 V7J 2C1

DRILL HOLE W-87-6

Sample Interval Meters	ANALYSIS PPM					PPB
	Cu	Pb	Zn	As	Ag	Au
33.5 - 37.2	70	30	101	5	<0.2	<5
37.2 - 40.9	41	28	87	<5	<0.2	<5
40.9 - 44.6	32	26	91	15	<0.2	<5
44.6 - 48.3	36	24	94	<5	<0.2	<5
48.3 - 50.0	35	34	89	5	<0.2	<5
50.0 - 52.4	38	30	118	10	<0.2	<5
52.4 - 55.0	40	34	97	<5	<0.2	<5
55.0 - 57.7	40	26	88	15	<0.2	20
57.7 - 58.0	40	18	78	<5	<0.2	<5
58.0 - 61.0	30	18	95	5	<0.2	<5
61.0 - 64.0	28	28	102	5	<0.2	10
64.0 - 67.0	29	24	82	10	<0.2	<5
67.0 - 70.0	30	20	87	5	<0.2	<5
70.0 - 73.0	29	22	94	5	<0.2	5
73.0 - 73.8	7	32	84	<5	<0.2	<5
73.8 - 76.8	33	24	83	5	<0.2	<5
76.8 - 79.8	33	26	94	10	<0.2	<5
79.8 - 82.8	39	24	87	<5	<0.2	<5
82.8 - 85.8	32	24	81	5	<0.2	10
85.8 - 88.8	32	32	80	<5	<0.2	<5
88.8 - 91.8	34	24	92	5	<0.2	<5
91.8 - 95.0	27	26	91	<5	<0.2	<5
95.0 - 98.0	38	26	83	10	<0.2	<5
98.0 - 101.0	32	26	94	5	<0.2	<5
101.0 - 104.0	45	26	88	<5	<0.2	<5
104.0 - 107.0	28	20	96	<5	<0.2	<5
107.0 - 110.0	25	12	100	<5	<0.2	<5
110.0 - 113.0	32	18	105	<5	<0.2	10
113.0 - 116.0	32	20	90	<5	<0.2	<5
116.0 - 119.0	34	16	96	<5	<0.2	<5

ICP GEOCHEMICAL ANALYSIS OF DRILL CORE

DRILL HOLE W-87-6

Sample Interval Meters	ANALYSIS PPM					PPB
	Cu	Pb	Zn	As	Ag	Au
119.0 - 122.0	29	18	81	<5	<0.2	<5
122.0 - 124.8	31	20	94	<5	<0.2	<5
124.8 - 125.5	25	42	166	5	<0.2	<5
125.5 - 128.5	39	26	105	<5	<0.2	<5
128.5 - 131.0	37	18	102	<5	<0.2	<5
131.0 - 131.5	43	<2	75	<5	<0.2	<5
131.5 - 134.5	34	22	92	<5	<0.2	<5
134.5 - 137.5	32	18	99	10	0.2	<5
137.5 - 140.5	29	16	86	45	0.2	<5
140.5 - 143.5	40	18	93	<5	0.4	<5
143.5 - 146.5	37	14	74	<5	<0.2	<5
146.5 - 149.5	39	104	121	<5	0.8	<5
149.5 - 152.7	38	68	79	<5	<0.2	<5
152.7 - 156.0	33	30	88	<5	<0.2	<5
156.0 - 157.4	36	18	46	10	<0.2	<5
157.4 - 158.9	44	4	41	<5	<0.2	<5
158.9 - 160.3	40	6	92	5	<0.2	<5
160.3 - 162.8	47	2	78	<5	<0.2	<5
162.8 - 165.3	34	10	67	5	<0.2	<5
165.3 - 167.8	27	14	101	<5	<0.2	<5
167.8 - 168.9	34	12	99	<5	<0.2	<5
168.9 - 170.4	25	8	111	10	<0.2	<5
170.4 - 171.3	23	30	353	<5	0.2	<5
171.3 - 172.8	20	4	78	5	0.2	<5
172.8 - 173.1	9	18	33	10	<0.2	<5
173.1 - 174.6	17	4	45	<5	<0.2	<5
174.6 - 177.0	32	10	38	<5	<0.2	<5
177.0 - 178.7	32	<2	31	<5	<0.2	<5
178.7 - 182.0	24	14	50	<5	<0.2	<5
182.0 - 184.2	12	20	35	<5	<0.2	<5
184.2 - 185.4	23	10	40	<5	<0.2	<5
185.4 - 186.2	11	12	44	5	0.2	20
186.2 - 189.0	34	6	44	<5	<0.2	<5
189.0 - 191.0	13	2	32	5	<0.2	<5
191.0 - 193.0	9	8	33	<5	0.2	<5

ICP GEOCHEMICAL ANALYSIS OF DRILL CORE

DRILL HOLE W-87-6

Sample Interval Meters	ANALYSIS PPM					PPB
	Cu	Pb	Zn	As	Ag	Au
193.0 - 195.0	13	14	23	<5	<0.2	<5
195.0 - 196.8	18	8	31	<5	<0.2	<5
196.8 - 197.5	12	4	35	<5	<0.2	<5
197.5 - 199.2	15	6	37	<5	<0.2	<5
199.2 - 201.5	22	6	46	<5	<0.2	<5
201.5 - 203.5	11	8	71	<5	<0.2	<5
203.5 - 205.5	13	8	42	<5	<0.2	<5
205.5 - 207.5	15	12	49	<5	<0.2	<5
207.5 - 207.9	10	16	45	5	0.2	<5
207.9 - 210.0	21	10	66	<5	0.2	<5
210.0 - 211.5	9	12	50	5	<0.2	<5
211.5 - 212.2	5	26	57	<5	<0.2	<5
212.2 - 214.3	10	16	51	5	<0.2	<5
214.3 - 216.3	14	16	42	<5	0.2	<5
216.3 - 218.7	12	4	50	5	<0.2	<5
218.7 - 221.3	21	24	81	<5	0.2	<5
221.3 - 223.6	15	10	39	<5	<0.2	10
223.6 - 226.0	14	8	41	<5	<0.2	<5
226.0 - 228.6	8	4	26	<5	0.2	55
228.6 - 231.6	9	12	30	5	<0.2	30
231.6 - 235.2	9	6	39	10	<0.2	5
235.2 - 237.9	31	8	68	<5	<0.2	<5
237.9 - 240.6	31	10	57	<5	0.2	10

ICP GEOCHEMICAL ANALYSIS OF DRILL CORE

Analyzed by: Chemex Labs Ltd.
 212 Brooksbank Avenue
 North Vancouver, B.C.
 V7J 2C1

DRILL HOLE W-87-7

Sample Interval Meters	ANALYSIS PPM					PPB
	Cu	Pb	Zn	As	Ag	Au
53.6 - 57.6	23	26	46	<5	<0.2	<5
57.6 - 61.9	31	20	52	5	<0.2	<5
61.9 - 64.8	28	16	46	5	<0.2	<5
64.8 - 67.7	41	16	53	<5	<0.2	<5
67.7 - 70.5	31	12	62	10	<0.2	<5
70.5 - 75.0	29	20	165	5	0.2	<5
75.0 - 79.0	24	16	130	<5	<0.2	<5
79.0 - 83.5	25	14	82	<5	<0.2	<5
83.5 - 88.0	30	13	67	5	0.2	<5
88.0 - 92.7	29	16	113	<5	<0.2	35
92.7 - 97.1	26	10	114	<5	0.2	<5
97.1 - 100.9	25	18	110	<5	<0.2	<5
100.9 - 104.8	25	16	87	<5	0.2	<5
104.8 - 106.6	18	12	106	<5	0.2	<5
106.6 - 107.1	17	14	124	5	<0.2	<5
107.1 - 111.6	26	20	58	5	0.2	<5
111.6 - 114.0	24	4	67	<5	0.2	<5
114.0 - 116.7	24	10	62	<5	<0.2	<5
116.7 - 120.0	26	4	89	<5	<0.2	<5
120.0 - 124.0	43	8	91	<5	<0.2	<5
124.0 - 128.0	24	4	70	<5	<0.2	<5
128.0 - 132.0	27	8	83	<5	<0.2	<5
132.0 - 136.0	38	8	81	10	<0.2	<5
136.0 - 139.5	23	<2	60	20	<0.2	<5
139.5 - 143.0	27	8	84	<5	<0.2	<5
143.0 - 146.0	41	6	91	<5	<0.2	<5
146.0 - 149.0	25	10	92	<5	<0.2	<5
149.0 - 152.0	29	6	75	<5	<0.2	<5
152.0 - 155.0	25	6	70	5	<0.2	<5
155.0 - 157.7	32	14	66	<5	<0.2	<5

ICP GEOCHEMICAL ANALYSIS OF DRILL CORE

DRILL HOLE W-87-7

Sample Interval Meters	ANALYSIS PPM					PPB
	Cu	Pb	Zn	As	Ag	Au
157.7 - 158.7	19	6	69	<5	<0.2	10
158.7 - 160.0	34	10	69	5	<0.2	<5
160.0 - 162.1	17	6	79	45	<0.2	<5
162.1 - 162.6	27	<2	64	10	<0.2	5
162.6 - 164.2	15	2	65	10	<0.2	5
164.2 - 165.3	24	10	88	30	<0.2	<5
165.3 - 167.0	22	16	73	5	<0.2	<5
167.0 - 168.7	27	12	77	5	<0.2	<5
168.7 - 169.9	22	18	70	<5	<0.2	<5
169.9 - 171.8	21	18	78	10	<0.2	<5
171.8 - 173.1	30	2	73	10	0.2	<5
173.1 - 174.2	31	14	80	<5	<0.2	<5
174.2 - 176.5	33	8	102	<5	<0.2	<5
176.5 - 178.8	30	8	90	<5	<0.2	<5
178.8 - 181.0	30	8	73	<5	<0.2	<5
181.0 - 182.5	22	16	116	65	<0.2	25
182.5 - 182.7	18	22	44	30	0.4	45
182.7 - 183.8	20	2	67	5	<0.2	<5
183.8 - 186.1	24	8	70	<5	<0.2	<5
186.1 - 188.4	36	8	45	<5	<0.2	<5
188.4 - 190.8	28	6	44	<5	<0.2	<5
190.8 - 191.1	25	4	49	10	<0.2	<5
191.1 - 192.9	33	10	46	5	<0.2	<5
192.9 - 195.6	41	12	90	<5	<0.2	<5
195.6 - 197.8	36	14	109	<5	<0.2	<5
197.8 - 200.0	37	16	65	5	<0.2	<5
200.0 - 200.8	34	4	97	5	<0.2	15
200.8 - 202.3	32	8	56	<5	<0.2	5
202.3 - 203.9	32	14	74	<5	<0.2	<5
203.9 - 205.6	21	22	86	<5	<0.2	<5
205.6 - 207.3	15	18	161	5	<0.2	<5
207.3 - 209.4	20	16	141	5	<0.2	<5
209.4 - 210.8	21	4	49	5	0.2	5
210.8 - 214.6	17	14	57	<5	0.2	55
214.6 - 216.5	2	16	42	<5	<0.2	<5

ICP GEOCHEMICAL ANALYSIS OF DRILL CORE

DRILL HOLE W-87-7

Sample Interval Meters	ANALYSIS PPM					PPB
	Cu	Pb	Zn	As	Ag	Au
216.5 - 217.7	28	12	45	<5	<0.2	<5
217.7 - 218.9	37	6	51	10	<0.2	10
218.9 - 220.1	33	6	42	5	<0.2	25
220.1 - 221.9	10	<2	33	<5	<0.2	<5
221.9 - 223.7	16	<2	34	5	<0.2	<5
223.7 - 225.5	14	2	31	<5	<0.2	<5
225.5 - 226.6	8	8	47	10	<0.2	<5
226.6 - 229.2	12	6	36	20	<0.2	40