

- LEGEND** (after C. GRAF, 1985)
- 14 UPPER INTERMEDIATE VOLCANIC FLOWS
 - 13 UPPER SILTSTONE & MICRO-GREYWACKE
 - 12 CONGLOMERATE (Upper Sequence)
 - 11 LOWER SILTSTONE
 - 10 LOWER INTERMEDIATE VOLCANIC FLOWS
 - 9 PYROCLASTIC BRECCIA
 - 8 LATE ANDESITE DYKES (Unaltered, Aphanitic to Porphyritic, Vesicular)
 - 7 ORTHOCLASE PORPHYRY to (7B) LATITE (Stocks, Dykes, and Related Extrusives)
 - 6 INTERMEDIATE VOLCANICLASTICS & HIGHLY ALTERED SCHISTOSE EQUIVALENTS (intercalated Tuffs, Lapilli-Tuffs, & Sulfurous Siltstones. Some Minor Flows & Breccias Grades to Quartz Sericitic Pyrite Schist)
 - 5 GREYWACKE & SILTSTONE
 - 4 SILICIFIED INTERMEDIATE VOLCANIC FLOWS and/or MASSIVE TUFFS
 - 3 LAMINATED SILTSTONE & SHALE
 - 2 CONGLOMERATES (Lower Sequence)
- SYMBOLS**
- ICEFIELD
 - STREAM
 - BOUNDARY OF MAJOR TECTONIC SHEAR ZONE
 - GEOLOGICAL CONTACT (Assumed)
 - FAULT, SHEAR
 - CLIFF FACE
 - OUTCROP PATTERN
 - DIAMOND DRILL HOLE
 - ICE DIRECTION
 - BEDDING
 - FOLIATION
 - MINERAL OCCURRENCE
 - MINERALIZED ZONE

ABBREVIATIONS

Ag SILVER
 Au GOLD
 Gal GALENA
 Sph SPHALERITE
 Cu COPPER
 Cpy Chalcopyrite
 Py Pyrite
 Pn Pyrrhotite
 Qtz QUARTZ


16,616


PART 2 OF 3
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT

**WESTERN CANADIAN
 MINING CORPORATION**

**1987
 KERR PROJECT
 GEOLOGY**

Compiled by: M. JEREMA Date: NOVEMBER, 1987
 Drafted by: H. HOLM N.T.S. 104B/8 (FRANK MACKIE GLACIER)
 Figure No. 4 Report No. 996





LEGEND

- 8 Late Andesite Dykes
- 7 Orthoclase Porphyry (7b - Latite Flows and Ash Tuff)
- 6 Intermediate Volcaniclastics, Crystal and Lapilli Tuff.
- 3 Sediments

**PART 2 OF 3
GEOLOGICAL BRANCH
ASSESSMENT REPORT**


16,616

**WESTERN CANADIAN
MINING CORPORATION**

GEOLOGICAL CROSS SECTION X-X'
See Figure 4.

Scale: 0 25 50 75 metres 1:2,500

Drawn by: H.H.
Date: Dec., 1987
Surveyed by: J.K. **RPT.996 Figure 5**



LEGEND

- ↑ Positive Fraser Filtered Value at Plot Point. (Negative values not plotted)
- Axis of Conductor as Interpreted from Data.
- K87-2 Diamond Drill Hole with Nomenclature
- Ⓐ Mineralized Zone.


NOTES: Instrument = GEONICS EM-16
 Transmitter = Seattle, Washington - Bearings 170°
 Reading Date: 10/25/87


GEOLOGICAL BRANCH ASSESSMENT REPORT

PART 2 OF 3
 (2)

16,616

WESTERN CANADIAN MINING CORPORATION	
1987 KERR PROJECT VLF-EM SURVEY	
Compiled by: H.H.	Date: Dec. 1987
Drafted by: H.H.	NTS. 104B/8 (FRANK MACKIE GLACIER)
Figure No. 7	Report No. 996





PART 2 OF 3
GEOLOGICAL BRANCH
ASSESSMENT REPORT


16,616


LEGEND

- 1000 1986 C-HORIZON SOIL SAMPLE WITH GEOCHEMICAL VALUE IN PPB.
- 1987 C-HORIZON SOIL SAMPLE WITH GEOCHEMICAL VALUE IN PPB.
- NOTE - No value where station is snow covered or on rock outcropping.
- Contoured at 100, 400, and 700ppb GOLD.
- (A) MINERALIZED ZONE
- K87-1 DIAMOND DRILL HOLE

NOTE - WHERE APPROPRIATE, DUPLICATED AND REDUNDANT 1985 AND 1986 DATA HAVE BEEN OMITTED.

WESTERN CANADIAN MINING CORPORATION	
1987 KERR PROJECT C-HORIZON SOIL GEOCHEMISTRY GOLD (in PPB)	
Compiled by: M. JEREMA	Date: October, 1987
Drafted by: M.J., H.H.	NTS. 104B/8(FRANK MACKIE GLACIER)
Figure No. 8	Report No. 996





PART 2 OF 3
GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,616
(4)


- LEGEND
- 1000 1986 C-HORIZON SOIL SAMPLE WITH GEOCHEMICAL VALUE IN PPM.
 - 1200 1987 C-HORIZON SOIL SAMPLE WITH GEOCHEMICAL VALUE IN PPM.
 - NOTE - No value where station is snow covered or on rock outcropping.
 - ND - Not Detected
 - CONTOURED AT 3.0, 8.0, & 13.0 PPM SILVER.
 - (A) MINERALIZED ZONE
 - K87-4 DIAMOND DRILL HOLE

NOTE - WHERE APPROPRIATE, DUPLICATED AND REDUNDANT 1985 AND 1986 DATA HAVE BEEN OMITTED.

WESTERN CANADIAN MINING CORPORATION	
1987 KERR PROJECT	
C-HORIZON SOIL GEOCHEMISTRY	
SILVER (in PPM)	

Compiled by: M. JEREMA	Date: October, 1987
Drafted by: M.J., H.H.	N.T.S. 104B/8 (FRANK MACKIE GLACIER)
Figure No. 9	Report No. 996

SCALE: 0 25 50 100 150 METRES
1:2500



LEGEND


- 1000 1986 C-HORIZON SOIL SAMPLE WITH GEOCHEMICAL VALUE IN PPM.
- 1000 1987 C-HORIZON SOIL SAMPLE WITH GEOCHEMICAL VALUE IN PPM.
- NOTE - No value where station is snow covered or on rock outcroppings. Contoured at 200, 400, and 700 ppm Copper.
- (A) Mineralized Zone


PART 2 OF 3
GEOLOGICAL BRANCH
ASSESSMENT REPORT

16.616 (S)

NOTE - WHERE APPROPRIATE, DATA FROM 1985 AND 1986 HAVE BEEN OMITTED.

WESTERN CANADIAN MINING CORPORATION	
1987 KERR PROJECT	
C-HORIZON SOIL GEOCHEMISTRY COPPER	
Compiled by: M. JEREMA	Date: October, 1987
Drafted by: M.J.H.H.	N.T.S. 104B/8 (FRANK MACKIE GLACIER)
Figure No. 10	Report No. 996





ROCK CHIP ANALYSES


TRNCH NAME	DEPTH (m)	DEPTH (ft)	GRAB NO.	GRAB NO.	GRAB NO.
M-1	4201	0 - 1.0	4201	4202	4203
M-1	4201	1.0 - 2.0	4204	4205	4206
M-1	4201	2.0 - 3.0	4207	4208	4209
M-1	4201	3.0 - 4.0	4210	4211	4212
M-1	4201	4.0 - 5.0	4213	4214	4215
M-1	4201	5.0 - 6.0	4216	4217	4218
M-1	4201	6.0 - 7.0	4219	4220	4221
M-1	4201	7.0 - 8.0	4222	4223	4224
M-1	4201	8.0 - 9.0	4225	4226	4227
M-1	4201	9.0 - 10.0	4228	4229	4230
M-1	4201	10.0 - 11.0	4231	4232	4233
M-1	4201	11.0 - 12.0	4234	4235	4236
M-1	4201	12.0 - 13.0	4237	4238	4239
M-1	4201	13.0 - 14.0	4240	4241	4242
M-1	4201	14.0 - 15.0	4243	4244	4245
M-1	4201	15.0 - 16.0	4246	4247	4248
M-1	4201	16.0 - 17.0	4249	4250	4251
M-1	4201	17.0 - 18.0	4252	4253	4254
M-1	4201	18.0 - 19.0	4255	4256	4257
M-1	4201	19.0 - 20.0	4258	4259	4260
M-1	4201	20.0 - 21.0	4261	4262	4263
M-1	4201	21.0 - 22.0	4264	4265	4266
M-1	4201	22.0 - 23.0	4267	4268	4269
M-1	4201	23.0 - 24.0	4270	4271	4272
M-1	4201	24.0 - 25.0	4273	4274	4275
M-1	4201	25.0 - 26.0	4276	4277	4278
M-1	4201	26.0 - 27.0	4279	4280	4281
M-1	4201	27.0 - 28.0	4282	4283	4284
M-1	4201	28.0 - 29.0	4285	4286	4287
M-1	4201	29.0 - 30.0	4288	4289	4290
M-1	4201	30.0 - 31.0	4291	4292	4293
M-1	4201	31.0 - 32.0	4294	4295	4296
M-1	4201	32.0 - 33.0	4297	4298	4299
M-1	4201	33.0 - 34.0	4300	4301	4302
M-1	4201	34.0 - 35.0	4303	4304	4305
M-1	4201	35.0 - 36.0	4306	4307	4308
M-1	4201	36.0 - 37.0	4309	4310	4311
M-1	4201	37.0 - 38.0	4312	4313	4314
M-1	4201	38.0 - 39.0	4315	4316	4317
M-1	4201	39.0 - 40.0	4318	4319	4320
M-1	4201	40.0 - 41.0	4321	4322	4323
M-1	4201	41.0 - 42.0	4324	4325	4326
M-1	4201	42.0 - 43.0	4327	4328	4329
M-1	4201	43.0 - 44.0	4330	4331	4332
M-1	4201	44.0 - 45.0	4333	4334	4335
M-1	4201	45.0 - 46.0	4336	4337	4338
M-1	4201	46.0 - 47.0	4339	4340	4341
M-1	4201	47.0 - 48.0	4342	4343	4344
M-1	4201	48.0 - 49.0	4345	4346	4347
M-1	4201	49.0 - 50.0	4348	4349	4350
M-1	4201	50.0 - 51.0	4351	4352	4353
M-1	4201	51.0 - 52.0	4354	4355	4356
M-1	4201	52.0 - 53.0	4357	4358	4359
M-1	4201	53.0 - 54.0	4360	4361	4362
M-1	4201	54.0 - 55.0	4363	4364	4365
M-1	4201	55.0 - 56.0	4366	4367	4368
M-1	4201	56.0 - 57.0	4369	4370	4371
M-1	4201	57.0 - 58.0	4372	4373	4374
M-1	4201	58.0 - 59.0	4375	4376	4377
M-1	4201	59.0 - 60.0	4378	4379	4380
M-1	4201	60.0 - 61.0	4381	4382	4383
M-1	4201	61.0 - 62.0	4384	4385	4386
M-1	4201	62.0 - 63.0	4387	4388	4389
M-1	4201	63.0 - 64.0	4390	4391	4392
M-1	4201	64.0 - 65.0	4393	4394	4395
M-1	4201	65.0 - 66.0	4396	4397	4398
M-1	4201	66.0 - 67.0	4399	4400	4401
M-1	4201	67.0 - 68.0	4402	4403	4404
M-1	4201	68.0 - 69.0	4405	4406	4407
M-1	4201	69.0 - 70.0	4408	4409	4410
M-1	4201	70.0 - 71.0	4411	4412	4413
M-1	4201	71.0 - 72.0	4414	4415	4416
M-1	4201	72.0 - 73.0	4417	4418	4419
M-1	4201	73.0 - 74.0	4420	4421	4422
M-1	4201	74.0 - 75.0	4423	4424	4425
M-1	4201	75.0 - 76.0	4426	4427	4428
M-1	4201	76.0 - 77.0	4429	4430	4431
M-1	4201	77.0 - 78.0	4432	4433	4434
M-1	4201	78.0 - 79.0	4435	4436	4437
M-1	4201	79.0 - 80.0	4438	4439	4440
M-1	4201	80.0 - 81.0	4441	4442	4443
M-1	4201	81.0 - 82.0	4444	4445	4446
M-1	4201	82.0 - 83.0	4447	4448	4449
M-1	4201	83.0 - 84.0	4450	4451	4452
M-1	4201	84.0 - 85.0	4453	4454	4455
M-1	4201	85.0 - 86.0	4456	4457	4458
M-1	4201	86.0 - 87.0	4459	4460	4461
M-1	4201	87.0 - 88.0	4462	4463	4464
M-1	4201	88.0 - 89.0	4465	4466	4467
M-1	4201	89.0 - 90.0	4468	4469	4470
M-1	4201	90.0 - 91.0	4471	4472	4473
M-1	4201	91.0 - 92.0	4474	4475	4476
M-1	4201	92.0 - 93.0	4477	4478	4479
M-1	4201	93.0 - 94.0	4480	4481	4482
M-1	4201	94.0 - 95.0	4483	4484	4485
M-1	4201	95.0 - 96.0	4486	4487	4488
M-1	4201	96.0 - 97.0	4489	4490	4491
M-1	4201	97.0 - 98.0	4492	4493	4494
M-1	4201	98.0 - 99.0	4495	4496	4497
M-1	4201	99.0 - 100.0	4498	4499	4500

PART 2 OF 3 GEOLOGICAL BRANCH ASSESSMENT REPORT
16,616

- LEGEND**
- Outline of Orthoclase Porphyry Intrusive Body
 - Bedding
 - Foliation
 - Trench or Channel Sampling
 - Chip Sample
 - Rock Grab Sample
 - Diamond Drill Hole
 - Soil Sample Location with Au(ppb)/Ag(ppm)/Cu(ppm)
 - Gold Geochemical Contours in PPR


WESTERN CANADIAN MINING CORPORATION

1987 KERR PROJECT TRENCH LOCATION MAP - A ZONE



ANALYSES

ZONE	TRENCH	SAMPLE NUMBER	INTERVAL (CENTIMETRES)	AN	AG	ON
C	C-1	16911	0 - 7.0	1530	5.7	172
		16912	7.0 - 14.0	1480	1.4	172
		16913	14.0 - 21.0	1450	4.4	172
		16914	21.0 - 28.0	1420	3.7	168
		16915	28.0 - 35.0	1390	4.4	164
		16916	35.0 - 42.0	1360	3.1	164
		16917	42.0 - 49.0	1330	3.2	164
		16918	49.0 - 56.0	1300	1.2	173
		16919	56.0 - 63.0	1270	1.4	161
		16920	63.0 - 70.0	1240	0.4	167
C-1	C-1	16921	70.0 - 77.0	1210	0.2	167
		16922	77.0 - 84.0	1180	1.6	171
		16923	84.0 - 91.0	1150	2.0	167
		16924	91.0 - 98.0	1120	4.5	163
		16925	98.0 - 105.0	1090	0.5	170
		16926	105.0 - 112.0	1060	1.4	169
		16927	112.0 - 119.0	1030	0.9	162
		16928	119.0 - 126.0	1000	0.9	161
		16929	126.0 - 133.0	970	1.7	127
		16930	133.0 - 140.0	940	1.7	127
C-1	C-1	16931	140.0 - 147.0	910	0.7	132
		16932	147.0 - 154.0	880	0.7	132
		16933	154.0 - 161.0	850	0.9	161
		16934	161.0 - 168.0	820	3.3	166
		16935	168.0 - 175.0	790	1.7	166
		16936	175.0 - 182.0	760	1.7	127
		16937	182.0 - 189.0	730	1.7	127
		16938	189.0 - 196.0	700	1.7	127
		16939	196.0 - 203.0	670	1.7	127
		16940	203.0 - 210.0	640	0.7	132
C-1	C-1	16941	210.0 - 217.0	610	0.7	132
		16942	217.0 - 224.0	580	0.7	132
		16943	224.0 - 231.0	550	0.9	161
		16944	231.0 - 238.0	520	1.7	127
		16945	238.0 - 245.0	490	1.7	127
		16946	245.0 - 252.0	460	1.7	127
		16947	252.0 - 259.0	430	1.7	127
		16948	259.0 - 266.0	400	1.7	127
		16949	266.0 - 273.0	370	1.7	127
		16950	273.0 - 280.0	340	0.7	132
C-1	C-1	16951	280.0 - 287.0	310	0.7	132
		16952	287.0 - 294.0	280	0.7	132
		16953	294.0 - 301.0	250	0.9	161
		16954	301.0 - 308.0	220	1.7	127
		16955	308.0 - 315.0	190	1.7	127
		16956	315.0 - 322.0	160	1.7	127
		16957	322.0 - 329.0	130	1.7	127
		16958	329.0 - 336.0	100	1.7	127
		16959	336.0 - 343.0	70	1.7	127
		16960	343.0 - 350.0	40	0.7	132
C-1	C-1	16961	350.0 - 357.0	10	0.7	132
		16962	357.0 - 364.0	0	0.7	132
		16963	364.0 - 371.0	0	0.7	132
		16964	371.0 - 378.0	0	0.7	132
		16965	378.0 - 385.0	0	0.7	132
		16966	385.0 - 392.0	0	0.7	132
		16967	392.0 - 399.0	0	0.7	132
		16968	399.0 - 406.0	0	0.7	132
		16969	406.0 - 413.0	0	0.7	132
		16970	413.0 - 420.0	0	0.7	132
C-1	C-1	16971	420.0 - 427.0	0	0.7	132
		16972	427.0 - 434.0	0	0.7	132
		16973	434.0 - 441.0	0	0.7	132
		16974	441.0 - 448.0	0	0.7	132
		16975	448.0 - 455.0	0	0.7	132
		16976	455.0 - 462.0	0	0.7	132
		16977	462.0 - 469.0	0	0.7	132
		16978	469.0 - 476.0	0	0.7	132
		16979	476.0 - 483.0	0	0.7	132
		16980	483.0 - 490.0	0	0.7	132
C-1	C-1	16981	490.0 - 497.0	0	0.7	132
		16982	497.0 - 504.0	0	0.7	132
		16983	504.0 - 511.0	0	0.7	132
		16984	511.0 - 518.0	0	0.7	132
		16985	518.0 - 525.0	0	0.7	132
		16986	525.0 - 532.0	0	0.7	132
		16987	532.0 - 539.0	0	0.7	132
		16988	539.0 - 546.0	0	0.7	132
		16989	546.0 - 553.0	0	0.7	132
		16990	553.0 - 560.0	0	0.7	132
C-1	C-1	16991	560.0 - 567.0	0	0.7	132
		16992	567.0 - 574.0	0	0.7	132
		16993	574.0 - 581.0	0	0.7	132
		16994	581.0 - 588.0	0	0.7	132
		16995	588.0 - 595.0	0	0.7	132
		16996	595.0 - 602.0	0	0.7	132
		16997	602.0 - 609.0	0	0.7	132
		16998	609.0 - 616.0	0	0.7	132
		16999	616.0 - 623.0	0	0.7	132
		17000	623.0 - 630.0	0	0.7	132
C-1	C-1	17001	630.0 - 637.0	0	0.7	132
		17002	637.0 - 644.0	0	0.7	132
		17003	644.0 - 651.0	0	0.7	132
		17004	651.0 - 658.0	0	0.7	132
		17005	658.0 - 665.0	0	0.7	132
		17006	665.0 - 672.0	0	0.7	132
		17007	672.0 - 679.0	0	0.7	132
		17008	679.0 - 686.0	0	0.7	132
		17009	686.0 - 693.0	0	0.7	132
		17010	693.0 - 700.0	0	0.7	132
C-1	C-1	17011	700.0 - 707.0	0	0.7	132
		17012	707.0 - 714.0	0	0.7	132
		17013	714.0 - 721.0	0	0.7	132
		17014	721.0 - 728.0	0	0.7	132
		17015	728.0 - 735.0	0	0.7	132
		17016	735.0 - 742.0	0	0.7	132
		17017	742.0 - 749.0	0	0.7	132
		17018	749.0 - 756.0	0	0.7	132
		17019	756.0 - 763.0	0	0.7	132
		17020	763.0 - 770.0	0	0.7	132
C-1	C-1	17021	770.0 - 777.0	0	0.7	132
		17022	777.0 - 784.0	0	0.7	132
		17023	784.0 - 791.0	0	0.7	132
		17024	791.0 - 798.0	0	0.7	132
		17025	798.0 - 805.0	0	0.7	132
		17026	805.0 - 812.0	0	0.7	132
		17027	812.0 - 819.0	0	0.7	132
		17028	819.0 - 826.0	0	0.7	132
		17029	826.0 - 833.0	0	0.7	132
		17030	833.0 - 840.0	0	0.7	132
C-1	C-1	17031	840.0 - 847.0	0	0.7	132
		17032	847.0 - 854.0	0	0.7	132
		17033	854.0 - 861.0	0	0.7	132
		17034	861.0 - 868.0	0	0.7	132
		17035	868.0 - 875.0	0	0.7	132
		17036	875.0 - 882.0	0	0.7	132
		17037	882.0 - 889.0	0	0.7	132
		17038	889.0 - 896.0	0	0.7	132
		17039	896.0 - 903.0	0	0.7	132
		17040	903.0 - 910.0	0	0.7	132
C-1	C-1	17041	910.0 - 917.0	0	0.7	132
		17042	917.0 - 924.0	0	0.7	132
		17043	924.0 - 931.0	0	0.7	132
		17044	931.0 - 938.0	0	0.7	132
		17045	938.0 - 945.0	0	0.7	132
		17046	945.0 - 952.0	0	0.7	132
		17047	952.0 - 959.0	0	0.7	132
		17048	959.0 - 966.0	0	0.7	132
		17049	966.0 - 973.0	0	0.7	132
		17050	973.0 - 980.0	0	0.7	132
C-1	C-1	17051	980.0 - 987.0	0	0.7	132
		17052	987.0 - 994.0	0	0.7	132
		17053	994.0 - 1001.0	0	0.7	132
		17054	1001.0 - 1008.0	0	0.7	132
		17055	1008.0 - 1015.0	0	0.7	132
		17056	1015.0 - 1022.0	0	0.7	132
		17057	1022.0 - 1029.0	0	0.7	132
		17058	1029.0 - 1036.0	0	0.7	132
		17059	1036.0 - 1043.0	0	0.7	132
		17060	1043.0 - 1050.0	0	0.7	132
C-1	C-1	17061	1050.0 - 1057.0	0	0.7	132
		17062	1057.0 - 1064.0	0	0.7	132
		17063	1064.0 - 1071.0	0	0.7	132
		17064	1071.0 - 1078.0	0	0.7	132
		17065	1078.0 - 1085.0	0	0.7	132
		17066	1085.0 - 1092.0	0	0.7	132
		17067	1092.0 - 1099.0	0	0.7	132
		17068	1099.0 - 1106.0	0	0.7	132
		17069	1106.0 - 1113.0	0	0.7	132
		17070	1113.0 - 1120.0	0	0.7	132
C-1	C-1	17071	1120.0 - 1127.0	0	0.7	132
		17072	1127.0 - 1134.0	0	0.7	132
		17073	1134.0 - 1141.0	0	0.7	132
		17074	1141.0 - 1148.0	0	0.7	132
		17075	1148.0 - 1155.0	0	0.7	132
		17076	1155.0 - 1162.0	0	0.7	132
		17077	1162.0 - 1169.0	0	0.7	132
		17078	1169.0 - 1176.0	0	0.7	132
		17079	1176.0 - 1183.0	0	0.7	132
		17080	1183.0 - 1190.0	0	0.7	132
C-1	C-1	17081	1190.0 - 1197.0	0	0.7	132
		17082	1197.0 - 1204.0	0	0.7	132
		17083	1204.0 - 1211.0	0	0.7	132
		17084	1211.0 - 1218.0	0	0.7	132
		17085	1218.0 - 1225.0	0	0.7	132
		17086	1225.0 - 1232.0	0	0.7	132
		17087	1232.0 - 1239.0	0	0.7	132
		17088	1239.0 - 1246.0	0	0.7	132
		17089	1246.0 - 1253.0	0	0.7	132
		17090	1253.0 - 1260.0	0	0.7	132
C-1	C-1	17091	1260.0 - 1267.0	0	0.7	132
		17092	1267.0 - 1274.0	0	0.7	132
		17093	1274.0 - 1281.0	0	0.7	132
		17094	1281.0 - 1288.0	0	0.7	132
		17095	1288.0 - 1295.0	0	0.7	132
		17096	1295.0 - 1302.0	0	0.7	132
		17097	1302.0 - 1309.0	0	0.7	132
		17098	1309.0 - 1316.0	0	0.7	132
		17099	1316.0 - 1323.0	0	0.7	132
		17100	1323.0 - 1330.0	0	0.7	132
C-1	C-1	17101	1330.0 - 1337.0	0	0.7	132
		17102	1337.0 - 1344.0	0	0.7	132
		17103	1344.0 - 1351.0	0	0.7	132
		17104	1351.0 - 1358.0	0	0.7	132
		17105	1358.0 - 1365.0	0	0.7	132
		17106	1365.0 - 1372.0	0	0.7	132
		17107	1372.0 - 1379.0	0	0.7	132
		17108	137			



ROCK CHIP ANALYSES

ZONE	TRENCH	SAMPLE NUMBER	DEPTH (METRES)	PPM	PPB	PPM	PPB
A		16568	0 - 2.0	125	1.3	16	0.1
A		16569	2.0 - 4.0	125	1.3	16	0.1
A		16570	4.0 - 6.0	125	1.3	16	0.1
A		16571	6.0 - 8.0	125	1.3	16	0.1
A		16572	8.0 - 10.0	125	1.3	16	0.1
A		16573	10.0 - 12.0	125	1.3	16	0.1
A		16574	12.0 - 14.0	125	1.3	16	0.1
A		16575	14.0 - 16.0	125	1.3	16	0.1
A		16576	16.0 - 18.0	125	1.3	16	0.1
A		16577	18.0 - 20.0	125	1.3	16	0.1
A		16578	20.0 - 22.0	125	1.3	16	0.1
A		16579	22.0 - 24.0	125	1.3	16	0.1
A		16580	24.0 - 26.0	125	1.3	16	0.1
A		16581	26.0 - 28.0	125	1.3	16	0.1
A		16582	28.0 - 30.0	125	1.3	16	0.1
A		16583	30.0 - 32.0	125	1.3	16	0.1
A		16584	32.0 - 34.0	125	1.3	16	0.1
A		16585	34.0 - 36.0	125	1.3	16	0.1
A		16586	36.0 - 38.0	125	1.3	16	0.1
A		16587	38.0 - 40.0	125	1.3	16	0.1
A		16588	40.0 - 42.0	125	1.3	16	0.1
A		16589	42.0 - 44.0	125	1.3	16	0.1
A		16590	44.0 - 46.0	125	1.3	16	0.1
A		16591	46.0 - 48.0	125	1.3	16	0.1
A		16592	48.0 - 50.0	125	1.3	16	0.1
A		16593	50.0 - 52.0	125	1.3	16	0.1
A		16594	52.0 - 54.0	125	1.3	16	0.1
A		16595	54.0 - 56.0	125	1.3	16	0.1
A		16596	56.0 - 58.0	125	1.3	16	0.1
A		16597	58.0 - 60.0	125	1.3	16	0.1
A		16598	60.0 - 62.0	125	1.3	16	0.1
A		16599	62.0 - 64.0	125	1.3	16	0.1
A		16600	64.0 - 66.0	125	1.3	16	0.1
A		16601	66.0 - 68.0	125	1.3	16	0.1
A		16602	68.0 - 70.0	125	1.3	16	0.1
A		16603	70.0 - 72.0	125	1.3	16	0.1
A		16604	72.0 - 74.0	125	1.3	16	0.1
A		16605	74.0 - 76.0	125	1.3	16	0.1
A		16606	76.0 - 78.0	125	1.3	16	0.1
A		16607	78.0 - 80.0	125	1.3	16	0.1
A		16608	80.0 - 82.0	125	1.3	16	0.1
A		16609	82.0 - 84.0	125	1.3	16	0.1
A		16610	84.0 - 86.0	125	1.3	16	0.1
A		16611	86.0 - 88.0	125	1.3	16	0.1
A		16612	88.0 - 90.0	125	1.3	16	0.1
A		16613	90.0 - 92.0	125	1.3	16	0.1
A		16614	92.0 - 94.0	125	1.3	16	0.1
A		16615	94.0 - 96.0	125	1.3	16	0.1
A		16616	96.0 - 98.0	125	1.3	16	0.1
A		16617	98.0 - 100.0	125	1.3	16	0.1
A		16618	100.0 - 102.0	125	1.3	16	0.1
A		16619	102.0 - 104.0	125	1.3	16	0.1
A		16620	104.0 - 106.0	125	1.3	16	0.1
A		16621	106.0 - 108.0	125	1.3	16	0.1
A		16622	108.0 - 110.0	125	1.3	16	0.1
A		16623	110.0 - 112.0	125	1.3	16	0.1
A		16624	112.0 - 114.0	125	1.3	16	0.1
A		16625	114.0 - 116.0	125	1.3	16	0.1
A		16626	116.0 - 118.0	125	1.3	16	0.1
A		16627	118.0 - 120.0	125	1.3	16	0.1
A		16628	120.0 - 122.0	125	1.3	16	0.1
A		16629	122.0 - 124.0	125	1.3	16	0.1
A		16630	124.0 - 126.0	125	1.3	16	0.1
A		16631	126.0 - 128.0	125	1.3	16	0.1
A		16632	128.0 - 130.0	125	1.3	16	0.1
A		16633	130.0 - 132.0	125	1.3	16	0.1
A		16634	132.0 - 134.0	125	1.3	16	0.1
A		16635	134.0 - 136.0	125	1.3	16	0.1
A		16636	136.0 - 138.0	125	1.3	16	0.1
A		16637	138.0 - 140.0	125	1.3	16	0.1
A		16638	140.0 - 142.0	125	1.3	16	0.1
A		16639	142.0 - 144.0	125	1.3	16	0.1
A		16640	144.0 - 146.0	125	1.3	16	0.1
A		16641	146.0 - 148.0	125	1.3	16	0.1
A		16642	148.0 - 150.0	125	1.3	16	0.1
A		16643	150.0 - 152.0	125	1.3	16	0.1
A		16644	152.0 - 154.0	125	1.3	16	0.1
A		16645	154.0 - 156.0	125	1.3	16	0.1
A		16646	156.0 - 158.0	125	1.3	16	0.1
A		16647	158.0 - 160.0	125	1.3	16	0.1
A		16648	160.0 - 162.0	125	1.3	16	0.1
A		16649	162.0 - 164.0	125	1.3	16	0.1
A		16650	164.0 - 166.0	125	1.3	16	0.1
A		16651	166.0 - 168.0	125	1.3	16	0.1
A		16652	168.0 - 170.0	125	1.3	16	0.1
A		16653	170.0 - 172.0	125	1.3	16	0.1
A		16654	172.0 - 174.0	125	1.3	16	0.1
A		16655	174.0 - 176.0	125	1.3	16	0.1
A		16656	176.0 - 178.0	125	1.3	16	0.1
A		16657	178.0 - 180.0	125	1.3	16	0.1
A		16658	180.0 - 182.0	125	1.3	16	0.1
A		16659	182.0 - 184.0	125	1.3	16	0.1
A		16660	184.0 - 186.0	125	1.3	16	0.1
A		16661	186.0 - 188.0	125	1.3	16	0.1
A		16662	188.0 - 190.0	125	1.3	16	0.1
A		16663	190.0 - 192.0	125	1.3	16	0.1
A		16664	192.0 - 194.0	125	1.3	16	0.1
A		16665	194.0 - 196.0	125	1.3	16	0.1
A		16666	196.0 - 198.0	125	1.3	16	0.1
A		16667	198.0 - 200.0	125	1.3	16	0.1
A		16668	200.0 - 202.0	125	1.3	16	0.1
A		16669	202.0 - 204.0	125	1.3	16	0.1
A		16670	204.0 - 206.0	125	1.3	16	0.1
A		16671	206.0 - 208.0	125	1.3	16	0.1
A		16672	208.0 - 210.0	125	1.3	16	0.1
A		16673	210.0 - 212.0	125	1.3	16	0.1
A		16674	212.0 - 214.0	125	1.3	16	0.1
A		16675	214.0 - 216.0	125	1.3	16	0.1
A		16676	216.0 - 218.0	125	1.3	16	0.1
A		16677	218.0 - 220.0	125	1.3	16	0.1
A		16678	220.0 - 222.0	125	1.3	16	0.1
A		16679	222.0 - 224.0	125	1.3	16	0.1
A		16680	224.0 - 226.0	125	1.3	16	0.1
A		16681	226.0 - 228.0	125	1.3	16	0.1
A		16682	228.0 - 230.0	125	1.3	16	0.1
A		16683	230.0 - 232.0	125	1.3	16	0.1
A		16684	232.0 - 234.0	125	1.3	16	0.1
A		16685	234.0 - 236.0	125	1.3	16	0.1
A		16686	236.0 - 238.0	125	1.3	16	0.1
A		16687	238.0 - 240.0	125	1.3	16	0.1
A		16688	240.0 - 242.0	125	1.3	16	0.1
A		16689	242.0 - 244.0	125	1.3	16	0.1
A		16690	244.0 - 246.0	125	1.3	16	0.1
A		16691	246.0 - 248.0	125	1.3	16	0.1
A		16692	248.0 - 250.0	125	1.3	16	0.1
A		16693	250.0 - 252.0	125	1.3	16	0.1
A		16694	252.0 - 254.0	125	1.3	16	0.1
A		16695	254.0 - 256.0	125	1.3	16	0.1
A		16696	256.0 - 258.0	125	1.3	16	0.1
A		16697	258.0 - 260.0	125	1.3	16	0.1
A		16698	260.0 - 262.0	125	1.3	16	0.1
A		16699	262.0 - 264.0	125	1.3	16	0.1
A		16700	264.0 - 266.0	125	1.3	16	0.1
A		16701	266.0 - 268.0	125	1.3	16	0.1
A		16702	268.0 - 270.0	125	1.3	16	0.1
A		16703	270.0 - 272.0	125	1.3	16	0.1
A		16704	272.0 - 274.0	125	1.3	16	0.1
A		16705	274.0 - 276.0	125	1.3	16	0.1
A		16706	276.0 - 278.0	125	1.3	16	0.1
A		16707	278.0 - 280.0	125	1.3	16	0.1
A		16708	280.0 - 282.0	125	1.3	16	0.1
A		16709	282.0 - 284.0	125	1.3	16	0.1
A		16710	284.0 - 286.0	125	1.3	16	0.1
A		16711	286.0 - 288.0	125	1.3	16	0.1
A		16712	288.0 - 290.0	125	1.3	16	0.1
A		16713	290.0 - 292.0	125	1.3	16	0.1
A		16714	292.0 - 294.0	125	1.3	16	0.1
A		16715	294.0 - 296.0	125	1.3	16	0.1
A		16716	296.0 - 298.0	125	1.3	16	0.1
A		16717	298.0 - 300.0	125	1.3	16	0.1
A		16718	300.0 - 302.0	125	1.3	16	0.1
A		16719	302.0 - 304.0	125	1.3	16	0.1
A		16720	304.0 - 306.0	125	1.3	16	0.1
A		16721	306.0 - 308.0	125	1.3	16	0.1
A		16722	308.0 - 310.0	125	1.3	16	0.1
A		16723	310.0 - 312.0	125	1.3	16	0.1
A		16724	312.0 - 314.0	125	1.3	16	0.1
A		16725	314.0 - 316.0	125	1.3	16	0.1
A		16726	316.0 - 318.0	125	1.3	16	0.1
A		16727	318.0 - 320.0	125	1.3	16	0.1
A		16728	320.0 - 322.0	125	1.3	16	0.1
A		16729	322.0 - 324.0	125	1.3	16	0.1
A		16730	324.0 - 326.0	125	1.3	16	0.1
A		16731	326.0 - 328.0	125	1.3	16	0.1
A		16732	328.0 - 330.0	125	1.3	16	0.1
A		16733	330.0 - 332.0	125	1.3	16	0.1
A		16734	332.0 - 334.0	125	1.3	16	0.1
A		16735	334.0 - 336.0	125	1.3	16	0.1
A		16736	336.0 - 338.0	125	1.3	16	0.1
A		16737	338.0 - 340.0	125	1.3		