

GEOLOGICAL & DRILLING REPORT

AND

WORK SUMMARY

JUNE 1 TO SEPTEMBER 30, 1987

ON THE

GULF INTERNATIONAL MINERALS LTD.

MCLYMONT CREEK PROPERTY

ISKUT RIVER AREA

NORTHWESTERN BRITISH COLUMBIA

LIARD MINING DIVISION

56°49' N, 130°55' W

N.T.S. 104B/15W

BY

EDWARD W. GROVE, Ph.D., P.Eng.

VICTORIA, B.C. OCT

E. W. Grove Const.

16695

GEOLOGICAL & DRILLING REPORT

AND

WORK SUMMARY

JUNE 1 TO SEPTEMBER 30, 1987

ON THE

GULF INTERNATIONAL MINERALS LTD.

MCLYMONT CREEK PROPERTY

ISKUT RIVER AREA

NORTHWESTERN BRITISH COLUMBIA

LIARD MINING DIVISION

56°49' N, 130°55' W
N.T.S. 104B/15W

BY

EDWARD W. GROVE, Ph.D., P.Eng.

VICTORIA, B.C. OCTOBER 20, 1987

E. W. Grove Consultants Ltd.

TABLE OF CONTENTS

| | PAGE |
|-------------------------------------|------|
| SUMMARY..... | 1 |
| INTRODUCTION..... | 3 |
| LOCATION, ACCESS & TOPOGRAPHY..... | 5 |
| PROPERTY..... | 5 |
| HISTORY..... | 7 |
| GEOLOGY..... | 7 |
| REGIONAL..... | 7 |
| LOCAL..... | 8 |
| Sedimentary and Volcanic Rocks..... | 8 |
| Intrusive Rocks..... | 9 |
| STRUCTURE..... | 10 |
| GEOCHEMISTRY..... | 10 |
| SOIL AND SILT..... | 10 |
| ROCK SAMPLING..... | 10 |
| TRENCHING..... | 11 |
| CORE DRILLING..... | 11 |
| OTHER PHYSICAL WORK..... | 12 |
| MINERALIZATION..... | 13 |
| CONCLUSION AND RECOMMENDATION..... | 14 |
| REFERENCES..... | 15 |
| ITEMIZED STATEMENT OF COSTS..... | 16 |
| CERTIFICATE..... | 24 |

FIGURES

| | |
|---|--------|
| 1. Location Map..... | 4 |
| 2. Claim Map..... | 6 |
| 3. Claim Geology..... | pocket |
| 4. Soil Sample Locations..... | pocket |
| 5. Stream, Rock Sample Locations..... | pocket |
| 6. Trench Locations..... | pocket |
| 7. Diamond Drill Hole Locations - Main Grid..... | pocket |
| 8. Diamond Drill Hole Locations - Main Grid - West..... | pocket |
| 9. Diamond Drill Hole Locations - NW Grid..... | pocket |
| 10. Claim Map Showing Roads..... | pocket |

APPENDIX

| | |
|-----|--|
| I | Soil Sample Laboratory Sheets |
| II | Significant Soil Sample Laboratory Sheets |
| III | Stream Sediment & Rock Sample Results & Descriptions |
| IV | Trench Sample Results & Descriptions |
| V | Core Hole Logs and Assays |

SUMMARY


Gulf International Minerals Ltd. McLymont Creek property lies north of the Iskut River at the head of McLymont Creek immediately south of Newmont Lake. Access was by helicopter from the nearby airstrips at Johnny Mountain and Bronson Creek. Supplies and personnel were ferried to both strips from Terrace, B.C. and Wrangell, Alaska.

The McLYMONT claim group comprising 80 units was staked in 1986 by Gulf International Minerals Ltd. in order to evaluate a number of promising stream and soil geochemistry anomalies outlined by previous surveys. In 1986 Gulf drilled three short core holes near the center of the claim group which intersected good gold values in a quartz-ankerite vein localized within part of an extensive quartz rich granite pluton. The results of the season's work were such that a large program was mounted in early 1987.

In 1987 exploration work on the McLymont Creek property by Gulf International Minerals Ltd. concentrated on the central parts of the claim group involving geochemical surveys, geological mapping, trenching and core drilling which involved considerable road building and site preparation. As the season progressed and snow melted this saturation approach extended to the northeast and later the northwest on McLYMONT 3 where core drilling continues at the time of writing.

Work completed between June 1, 1987 and September 30, 1987 included 3.7 kilometers of road, excavation of 13 drill pad sites, 31 trenches, 16.3 kilometers cut line for grids, 2184.5 meters core drilling, 461 core samples for assay, 726 soil samples, 55 stream samples, 85 geology rock samples and geological mapping of about 100 square kilometers, as well as constructing and maintaining a temporary exploration camp and facilities.


Evaluation of the 1987 exploration results to date shows the presence of at least two main geological sequences both of which host significant to high grade gold mineralization. Large parts of the claim group as well as large areas outside the claims are underlain by a porphyritic quartz rich, leucocratic granite pluton. The local country rocks on the claims are partly pendants within the pluton and partly extensions of more extensive country rock sequences found to the south and northwest. These include a variety of sedimentary and some volcanic rocks of mainly Mississippian age. Rock structures which are relatively simple have been variously deformed and faulted.



Mineralization in the granite porphyry includes a large number of gold-silver bearing en echelon, northwest trending quartz sulfide, and ankerite rich veins. The ankerite veins are particularly ubiquitous and have been outlined over most of the claim group. The quartz rich sulfide veins localized in the porphyry along fractures and dike contacts have been drilled on the McLYMONT 1 and 4 claims with good results. DDH-87-5 which intersected 1.6 m at 0.23 opt Au, DDH-87-6, 1.8 m at 0.205 opt Au, DDH-87-7, 0.9 m at 0.198 opt Au, and DDH-87-10, 2.7 m at 1.28 opt Au, were drilled on McLYMONT 1, southeast of camp on parallel quartz-sulfide veins first tested by surface sampling. Drill holes 86-1 to 3 reported in 1986 also intersected good gold values in a quartz-sulfide vein. Geology sampling and some trenching have also shown the presence of good gold values in both quartz-pyrite, and ankerite veins on the McLYMONT 4 claim. Good gold values were also returned from massive sulfide showings localized in altered sediments located east of camp on the McLYMONT 4 claim. These veins and showings remain to be explored.

Core drilling on the McLYMONT 3 has outlined a number of stratabound pyrite-chalcopyrite-magnetite-barite zones which from results on hole DDH-87-25 indicate the potential for a major gold bearing deposit. Results from assays currently show one intersection of 3.9 meters averaging 0.82 opt Au from one of several zones cut by this hole. Hole DDH-87-29 located south of 87-25 intersected a similar number of mineralized zones with exceptional results giving 7.720 opt Au over 1.9 meters as well as 1.23 opt Au over 1.5 meters and several other good intersections. Mapping and core drilling in this area show a thick sequence of gently dipping Mississippian sediments including crinoidal marble enclosing several massive sulfide zones, all of which are cut by numerous ankerite veins. Results from this core drilling are still incomplete and drilling was still continuing at the time of writing.

Considerable work remains to be done in order to evaluate the grade and tonnage potential of the several types and occurrences of gold/silver mineralization currently known on the McLYMONT claim group. Further work on this property is warranted.




INTRODUCTION

Gulf International Minerals Ltd.'s McLymont Creek property located in the new and developing Iskut River Gold District was staked and partly explored in 1986 with good results. Three core drill holes totalling 301 feet (91.7 meters) were drilled to intersect a northwest trending quartz-sulfide vein located near the center of the property. The results gave values averaging 0.164 opt Au across 1.25 meters over a length of about 22 meters to a depth of about 25 meters. The vein which comprises several closely spaced sub-parallel units was trenched and sampled over a total length of about 400 meters giving results ranging from 0.456 opt Au to 1.690 opt Au with accompanying silver values. Mapping at the time showed the existence of other sub-parallel quartz veins as well as similar veins in other parts of the claim group. Review of soil and stream geochemistry surveys from earlier years also showed that further work on the property was warranted.

In early June 1987 Gulf International Minerals Ltd. mounted a saturation type exploration program on the McLymont Creek property starting with the preparation of a camp comprising several tent frames for personnel and a cookhouse/dry. These were sufficient for the dry, warm spring and summer that ensued but with the arrival of the September monsoon and expansion of the drill program the camp had to be upgraded and two new weather tight shacks added.

Field work on the property entailed extensive line cutting and soil sampling on three grid areas, geological mapping, rock and stream sampling, and building 3.7 kilometers of road in order to access and prepare drill sites. In order to speed up the drilling program Falcon Drilling Ltd. of Prince George was contracted to provide a drill and two crews for round the clock operation. During 1987 Gulf drilled six holes totalling 350.3 meters of AQ size core, and Falcon completed 21 BQ size holes totalling 1834.2 meters for a total of 2184.5 meters of core drilling from June 1 to September 30, 1987. Gulf was responsible for supplying all materials, fuel, board and accommodation, and excavating and preparing 13 drill sites. Personnel, camp supplies and fuel were ferried to the McLymont Creek property by helicopter from the nearby Mount Johnny and Bronson Creek airstrips. The drilling program was still in full operation at the time of report writing. Because of the large number of samples submitted to both the Skyline assay laboratory and to Vancouver laboratories many of the sample results are still incomplete. This will require further updating in a later final report.



GULF INTERNATIONAL MINERALS LTD.

Key Map




FIGURE 1

The writer has had considerable experience in the general area and worked on the McLymont Creek property a total of 18 days to September 30, 1987 mapping, core logging, sampling and supervising the overall program.

This report summarizes work on the property to September 30, 1987 and makes recommendations for future work beyond the ongoing 1987 exploration program.

LOCATION, ACCESS & TOPOGRAPHY


The McLymont group of staked mineral claims lies north of the Iskut River at the head of McLymont Creek which drains nearby Newmont Lake and flows south into the Iskut River (Figure 1). The claims are located within the Liard Mining Division at about 56°49' N, and 130°55' W on map N.T.S. 104B/15W.

Access to the McLymont property during 1987 was entirely by helicopter from either the main airstrip at Mount Johnny or the secondary strip at Bronson Creek, a distance of about 20 kilometers. Personnel and supplies were airlifted to the main airstrip from Wrangell, Alaska, about 100 kilometers to the west-southwest, and from Terrace, B.C., about 270 kilometers to the southeast. Transportation on the property including early drill moves was provided by a John Deere 450D tractor, a Honda 4-Trac A.T.V., and by helicopter. All of the drill moves, fuel supplies and crew changes for the Falcon drill were made by helicopter.

The McLymont Creek property lies across a generally subdued, relatively low lying area within part of the Northern Boundary Ranges. Elevations on the claims range from about 545 meters on McLymont Creek to over 1370 meters to the east and northwest. Areas along the west side of the claim group and along the main creek have been deglaciated only recently to expose bare rock or thin glaciofluvial materials with a young vegetation cover. Other slopes below tree line are covered by a dense scrub comprising mostly mountain hemlock, devils' club, alder and poplar, with scattered areas of water saturated moss and heather. During 1987 virtually all of the snow melted from the property exposing new outcrop areas to view. Because of the relatively sparse vegetation on the claims heavy rain and melting snow drain rapidly into McLymont Creek.

PROPERTY


The Gulf International Minerals Ltd. 100% owned McLymont Creek claim group includes four contiguous claims comprising 80 units in the Liard Mining Division (Figure 2).



130° 55'
W. Longitude

△ 6695'

56° 50'
N. Latitude



| | |
|--|-----------------|
| GULF INTERNATIONAL MINERALS LTD. | |
| MCLYMONT CLAIMS 1-4 LIARD MINING DIVISION Ref. N.T.S. 104 B/15 | |
| <u>Property Location Map</u> | |
| E. W. GROVE CONSULTANTS LTD. | |
| OCTOBER, 1987 | FIGURE 2 |



The claim boundaries have been located by air photograph on recent 1:50000 scale topographic maps.

| <u>Claim Name</u> | <u>Record No.</u> | <u>Units</u> | <u>Expiry Date</u> |
|-------------------|-------------------|--------------|--------------------|
| MCLYMONT 1 | 3597 | 20 | July 23, 1988 |
| McLYMONT 2 | 3598 | 20 | July 23, 1988 |
| McLYMONT 3 | 3599 | 20 | July 23, 1988 |
| McLYMONT 4 | 3600 | 20 | July 23, 1988 |
| | | 80 | |


HISTORY

There are few published records suggesting any mineral exploration/prospecting north of the Iskut River along McLymont Creek and Newmont Lake prior to the early 1960's when Newmont Mining Corp. of Can. Ltd. explored the area near Newmont Lake. In 1980 Dupont Canada Explorations Ltd. staked the Warrior claim group south of Newmont Lake and in 1981 conducted various ground surveys. In 1983 Skyline Explorations Ltd. and Placer Developments Ltd. optioned the Warrior group and carried out further exploration on the property. The claims were allowed to expire in 1986 and were restaked by Gulf International Minerals Ltd. In 1986 Gulf explored parts of the property and drilled three core holes on one of the surface veins with good results which showed the presence of significant gold and silver values. A major exploration program proposed for the claim group was initiated in June 1987.

GEOLOGY

REGIONAL

Published regional geological maps of the general area are of relatively little value (GSC Map 9-1957). Work by Newmont in the 1960's (1962, 1973) first showed the presence of a thick Mississippian (and older) stratigraphic sequence in the Newmont Lake area. More recent work by Dupont (1981, 1982) and Placer (1983) and Gulf (1986) and this report have shown the widespread nature of this Paleozoic sequence as well as that of a younger quartz rich intrusive pluton. The main Paleozoic sequence extends south to the Iskut River where it has been faulted and deformed along the Iskut River Structural Zone and also left as minor structural remnants overlying Mesozoic strata south of the Iskut River (Grove, 1987). The quartz rich granite pluton which underlies and has intruded the Paleozoic sequence has been traced from about the center of the McLymont Creek property west along the small glaciers and to the east and northeast of Newmont Lake where extensive areas are floored by the intrusive.



Major faults marked by long northeasterly and northwesterly trending lineaments criss-cross the general area controlling drainage. Reverse faults and low angle thrusts are relatively common within the sedimentary sequence but have not yet been integrated into a comprehensive structural picture.

LOCAL


Sedimentary and Volcanic Rocks

Field mapping on the McLymont property during 1987 concentrated on detailed (1:500 scale) mapping of the Northwest, Main and Northeast Grid areas shown here as Figure 3 at 1:5000 scale.

Although previous reports (see General Geology) indicated that the local basal sequence comprised massive crinoidal Mississippian marble which was in turn overlain by a volcanic/sedimentary sequence of Triassic (or older?) age faulting is such that the reverse could be more likely. However for this report sequence shown in the legend of Figure 3 will be observed.

The oldest identifiable rocks on the McLymont property are located in the Northwest Grid area where a several hundred meter thick succession of relatively flat lying, finely banded, indurated siltstone, chert, sandstone, marble, and minor conglomerate have been intruded by the widespread underlying granite. Primary structures show that the sediments, although gently warped, are generally upright. Induration which has resulted in general hornfelsing and scattered fine garnet porphyroblasts is typical. The thin marble bands are rarely seen at the surface but have been penetrated by the drilling (Holes 87-15 to 30, see drill logs, Appendix V) and show a distinctive Mississippian clastic crinoidal aspect. This sequence which has a thickness of about 200 meters grades upwards into a very thick, cliff forming, flat lying polymictic conglomerate in which huge masses of coarse crinoidal Mississippian marble are enclosed cum Cow-head breccia. This sequence extends north and east of Newmont Lake where thick deformed chert-marble (Mississippian) sequences have been intruded and skarnified by the ubiquitous quartz porphyry.

Strata in the Northwest Grid area are separated from the central Main Grid by the intrusive quartz rich porphyritic granite. Rocks in the central grid area also show induration and hornfelsing related to the intrusive. These are mainly finely banded altered siltstone, sandstone, and minor conglomerate marked by fine color banding and generally appear to be flat lying overall but locally warped. Most of this



sequence is slightly to moderately pyritic and has weathered to produce irregular gossan especially along faults. These strata appear to be overlain to the north by unit 4, a thinly bedded, purple weathering mixed volcanoclastic/sediment which in turn is overlain by a lens of crinoidal marble (Miss.) along McLymont Creek. Further detailed mapping is required to fill in the gaps in order to correlate the stratigraphy.


Mapping in the Northeast Grid area in 1987 concentrated along exposures in the small creeks because of dense cover. The strata appear to be extensions of the flat lying central area but are represented by more dark siltstone, graphitic partings and in general are less indurated. These rocks have been cut by narrow dikes of the quartz rich granite and are also generally very rusty. To the east and northeast, the granite dominates and encloses scattered pendants of pyritic siltstone.

On the basis of the 1987 detailed mapping a new stratigraphic sequence for the area is emerging. That is, a succession of thin bedded, clastic marine sediments which grades through a platform sequence marked by shallow water volcanic flows and sediments, and clastic crinoidal debris, mixed sandstone, chert, and limestone into very thick polymictic conglomerate. Rather than Mississippian and Triassic (or older) as shown on Figure 3 the succession could be Mississippian (and older).

Intrusive Rocks

Much of the McLymont claim group as well as areas beyond are underlain by a coarse grained, quartz rich pink granite which in certain areas could be termed a quartz syenite because of the lack of plagioclase. Generally this intrusive is massive, lacks mafic minerals, contains 30 to 40 per cent quartz, has a high K feldspar content and occasionally contains magnetite. It underlies and has intruded the local country rock strata on a batholithic scale and as narrow dikes along pervasive northeasterly trending faults. The age of the intrusive has been termed Tertiary for some obscure reason, more likely it belongs to the extensive group of syenitic plutons of Middle Jurassic age which extend from Granduc north to the Iskut River at Mount Johnny (Grove, 1986).

In the central grid area (Figure 3) where numerous quartz-pyrite veins have been tested drill core shows that in general the quartz rich granite has been enriched in K feldspar along the veins. Outwards this pink alteration zone is bordered by a dark biotitic zone which grades rapidly into the normal leucocratic intrusive.



In addition to the auriferous quartz-pyrite veins the granite has been cut by hundreds of an echelon ankerite vein swarms. Again, these are generally oriented northwesterly and northeasterly like the quartz-pyrite veins, and can be traced through the granite into the overlying country rock sediments.

STRUCTURE

Primary features in the country rocks suggest that much of the local sequence forms irregular open warps. Strata along McLymont Creek are generally steep probably because of faulting rather than tight folding as proposed in older reports. Overall faulting of various ages has affected most of the rock units with northwest and northeast structures dominant. These major directions also appear to control the localization of gold mineralization in the quartz rich granite. Controls for mineralization in the stratabound mineral zones in the Northwest Grid area are not as yet apparent.

GEOCHEMISTRY

SOIL AND SILT


In 1987 three areas were selected in which to sample soils prior to core drilling. These are the Northwest, Main, and Northeast grid areas. The grid lines and sample gold results are shown here as Figure 4. The laboratory analytical results are attached as Appendix I and the significant gold results attached as Appendix II.

Soils in the claim area comprise a number of materials ranging from simple scree on the high upper slopes to well developed soils in the older forested areas. In all cases samples were taken below the organic horizon. In the case of the Main Grid area soil samples were taken below a grey/white volcanic ash layer that underlies the humus. Silt samples were also taken from the local streams (Figure 5, Appendix III).

All samples were air dried and shipped to Acme Laboratories in Vancouver where the material was prepared and the -60 to +80 mesh size fraction was subjected to standard ICP analysis (Appendix I). Significant gold values were extracted and in combination with other surface data used to determine drill hole locations. A total of 726 soil samples and 55 stream samples were dried, shipped, and analysed during the early stages of the 1987 season.

ROCK SAMPLING

Mineralized rock samples taken during the course of



geology, soil and stream silt sampling were partly prepared on the property utilizing a rented Chipmunk-type jaw crusher. The crushed, split samples were then flown to the Skyline Explorations Ltd. assay laboratory at Mount Johnny where the materials were analysed for gold and silver (at commercial rates) by/or under the supervision of a registered British Columbia assayer. The locations of these samples have been plotted with the stream sediment sample locations on Figure 5. The results have been inserted here with the stream sediment results as Appendix III.

Review of these results indicates that future exploration should include detailed work in the upper part of the Northeast Grid area east of camp on the McLYMONT 4 claim.

TRENCHING


During the field season to September 30, 1987 a total of 31 trenches were blasted into mineralized veins and rock in the Main Grid area (Figure 6). The samples were treated in the same manner as the geology rock samples and also assayed at the Skyline Mount Johnny laboratory. Location of the trenches is shown on Figure 6 and the results and descriptions of the 55 samples are listed in Appendix IV.

The trenching involved use of a gas powered plugger, steel, and explosives. Transportation to the work sites was mainly by Honda A.T.V. utilizing the road network built by the John Deere 450D tractor. Trench sampling was mainly confined to cross-cutting surface vein exposures located by geology, or geochemical techniques. The results of this trenching combined with geology and geochemistry determined the location of drill sites in the Main Grid area.

CORE DRILLING

Diamond core drilling was initiated on the Gulf McLymont Creek property in 1986. Three short AQ core holes totalling 91.6 meters were drilled to intersect a vein outlined on the surface on the McLYMONT 1 claim near the center of the claim group. Results were good giving an average of 0.164 opt Au across 1.3 meters over a length of about 22 meters to a depth of about 25 meters.

In 1987 a road network was established to give access to the central portion of the claims and allow testing of the southeast extension of the drilled vein. Location of the new 1987 core holes is shown in Figure 7. Holes 87-4 through 87-11 were drilled to test this vein system and as indicated by the results listed in Appendix V showed the continuity of this vein



zone. Future work here should include further core drilling to test gold mineralization at depth.

Core holes 87-12, 13, and 14 were drilled on the Main Grid west to intersect vein mineralization previously traced by surface mapping and tested by rock sampling and trenching. Hole 87-12 intersected the vein which assayed 0.13 opt Au over 0.61 meters (Appendix V).

Drill holes 86-1 to 3, and 87-4 to 14 were drilled entirely in porphyritic granite or through shallow indurated sedimentary rock which has been intruded by the granite.


Holes 87-4 to 87-9 were drilled by Gulf International Minerals Ltd. personnel utilizing a well worn Hydracore AQ rig on skids. This was moved from site to site by means of the 450D tractor which also built the roads and set ups. Holes 87-10 through 87-30 were contracted to Falcon Drilling Ltd. of Prince George.

Core holes 87-15 through 87-30 were drilled in the Northwest Grid area utilizing helicopter lifts, supply and crew changes. All site preparation was by Gulf International Minerals personnel. Targets in this area were picked on the basis of surface ankerite veining and anomalous soil geochemistry gold values. Results from the detailed core logging (Appendix V) indicate a number of stratabound pyritic rich barite magnetite zones within a chert/sandstone/marble sequence about 200 meters thick. First assay results from Hole 87-25 show a value of 0.82 opt Au over a thickness of 3.97 meters with more results to come. DDH-87-15 located lower down the section intersected 2.74 meters of pyritic material which assayed 0.42 opt Au. This area has been drilled in some detail and will require further work in future. Hole 87-29 located south of 87-25 intersected a similar number of mineralized zones with exceptional results giving 7.720 opt Au over 1.9 meters as well as 1.23 opt Au over 1.5 meters and several other good intersections.

The 1987 drill program on the McLYMONT property involved two different drills, ground and air transport and to the end of September totalled 2184.5 meters of core, and 461 core samples. The core has been stored in suitable racks at the main camp site near the center of the property on the McLYMONT 1 claim.

OTHER PHYSICAL WORK

Exploration on the claims during 1987 also involved drilling and blasting 31 trenches with plugger and explosives.



These averaged 1.2 meters wide, 8 meters long and 2 meters deep. Drill setups for every site also required drilling and blasing to provide a flat pad about 5 x 5 meters an average of 1 meter deep. Helicopter pads were also provided for the camp area and the drill set ups. In order to service the trenching, drilling and other exploration work a John Deere 450D tractor was utilized to build 3.7 kilometers of road that averages 8 meters in width.

MINERALIZATION


Gulf International Minerals Ltd.'s work on the McLymont Creek claims has shown the presence of several different types of mineralization of which three have now been tested by core drilling.

Quartz-pyrite-chalcopyrite veins in granite have been localized along northwest trending fractures in dominantly quartz rich intrusive rock. Mineralization is generally simple, the veins are lenticular and traceable as sub-parallel swarms over lengths of up to about 500 meters. Several examples of native gold have been observed in core from the veins on McLYMONT 1. The distribution of this vein type, although not defined in detail, appears to be concentrated in the central property area.

Ankerite rich quartz-pyrite veins with occasional chalcopyrite form a second vein type. These are essentially ubiquitous throughout the northern two thirds of the claim group and are late replacement veins formed along northwesterly, northerly and northeasterly fractures in both country rock and intrusive granite. Selected pyrite samples from several of these veins have given good gold assays in the Main Grid area. These veins are abundant in the Northwest Grid area but core sample results have been low in gold to date.

Barite-pyrite-magnetite-chalcopyrite mineralization has been intersected in a number of the drill holes in the Northwest Grid area with good to high gold assay results. Drilling results for that area are still incomplete but suggest the mineralization is stratabound occurring mainly as extensive layers or lenses within chert or at chert/marble contacts. Some marble units have also been replaced by extensive barite or barite/pyrite breccia. The large number of intersections, the thickness of the mineral zones, and the good gold assays make this the most attractive target to date for future exploration.

A number of outcrops of what appears to be massive pyrite (+ sphalerite) have also been located and tested in the



Northeast Grid area along the creeks. This mineralization is localized within intensely altered pyritized graphitic siltstone. Rock samples show the presence of significant gold. Trenching and core drilling is recommended for these zones after detailed mapping.

The 1987 field exploration program at the McLymont Creek property has been successful in that extensive gold bearing mineralization of several types with considerable potential has been located and confirmed.


CONCLUSION AND RECOMMENDATION

Work by Gulf International Minerals Ltd. during 1987 has shown the potential for gold mineralization in Paleozoic and younger sedimentary and granitic rocks at McLymont Creek north of the Iskut River. These significant discoveries have enlarged the Iskut River Gold District and provide another dimension for mineral exploration in the general area. The most interesting result of this program was the new discovery of the high grade gold bearing barite-pyrite-magnetite zones localized within the Mississippian chert-sandstone-marble sequence. Previous work in the general area by Newmont indicated that this type of mineralization was extensive but barren of gold.

It is recommended that future work on the mineral claims continue exploration of the known mineralization along strike and to depth in order to test grade and potential tonnage. Detailed mapping should be continued along with expansion of the soil geochemistry grids, detailed V.L.F.-E.M. and magnetometer surveys, followed up by trenching, sampling and prospect core drilling where indicated.

REFERENCES

- Barde, B. (1983): Geochemical Report on the Warrior 1,2,3,4,&5; Assessment Report 11319 for Placer Development Ltd.
- Castin, C.P. (1973): Report on Geological, Geophysical and Physical Work - Dirk Claim Group; Assessment Report 4150 for Newmont Mining Corp. of Canada Ltd.
- Grove, E.W. (1968): Unuk River, Ann. Rept., Min. of Mines and Pet.Res., British Columbia, pp. 45-46.
(1972): Geology and Mineral Deposits of the Stewart Area, B.C. Dept. Mines & Pet.Res., Bull. 58.
(1973): Detailed Geological Studies in the Stewart Complex, Northwestern British Columbia, Ph.D. Thesis, McGill University.



(1974): Deglaciation - A Possible Triggering Mechanism for Recent Volcanism, Proceedings of Intern. Assoc. of Volcanology and Chemistry of Earth's Interior, Symposium on Andean and Antarctic Volcanology Problems, Santiago, Chile.

(1981): Geological Report and Work Proposals on the REG and INEL Properties of Skyline Explorations Ltd. December 11, 1981.

(1982): Unuk River, Salmon River, Anyox Map Areas; Min. of Energy, Mines & Petroleum Resources.

(1983): Geological Report and Work Proposal on the Skyline Explorations Ltd. INEL Property, Nov. 12, 1983.

(1984): Geological Report on Certain Structural Features in the Iskut River Region, for B.C. Hydro and Power Authority, April 25, 1984.

(1985): Geological Report, Mineral Reserves and Development Proposal on the Skyline Explorations Ltd. REG Property, Stonehouse Gold Zone, February 28, 1985.

(1985): Geological Report, Exploration and Development Proposal on the Skyline Explorations Ltd. REG Property, April 3, 1985.

(1986): Geology and Mineral Deposits of the Unuk River Salmon River, and Anyox Map Areas; B.C. Min. of Energy, Mines & Pet. Res., Bull. 63.

(1986): Geological Report and Development Proposal on the Skyline Explorations Ltd. REG Property; April 20, 1986.

(1987): Exploration and Development Proposal for Inel Resources Ltd. on INEL Property; March 6, 1987.

(1987): Geological Report on the Stonehouse Gold Deposit REG Property of Skyline Explor. Ltd.; July 30.


Harron, G.A. (1981): Geological and Geochemical Report on the Warrior I, II, and III Claims; Assess. Rept. 9224 for Dupont of Canada Exploration Ltd.

Kikauka A. (1986): Geological Report for Gulf International Minerals Ltd. on the McLymont Claim Group; November.

Kowalchuk, J.M. (1982): Assess. Rept. 10418 of Geological, Geochemical, and Geophysical Work Performed on the Warrior Claims by Dupont of Canada Exploration Ltd.

Yeagher, D. (1987): Geological Report on the McLymont Claim Group for Gulf International Minerals Ltd.; February.


G.S.C. Map 9-1957.



ITEMIZED PROJECT COST STATEMENT JUNE 1 - SEPT 30, 1987


| | | # | RATE | AMOUNT | SUB-TOTALS |
|--------------------------------|---|-----------------|---------|----------|------------|
| FIELD WAGES | HALICKI, D. Cat Operator | JUN 15 - JUL 23 | 17 | 100.00 | 1700.00 |
| | | | 15 | 150.00 | 2250.00 |
| | | JUL 24 - SEP 30 | 76 | 150.00 | 11400.00 |
| | DUGUID, S. Geologist | JUN 18 - JUL 23 | 13 | 100.00 | 1300.00 |
| | | | 13 | 125.00 | 1625.00 |
| | | JUL 24 - SEP 15 | 46 | 125.00 | 5750.00 |
| | FODCHUK, C. Labourer | JUN 14 - JUL 23 | 30 | 100.00 | 3000.00 |
| | | JUL 24 - SEP 15 | 40 | 100.00 | 4000.00 |
| | WURTAK, J. Driller | JUN 16 - JUL 23 | 25 | 150.00 | 3750.00 |
| | | JUL 24 - AUG 15 | 21 | 150.00 | 3150.00 |
| | HANNAM, D. Cook | JUN 16 - JUL 23 | 15 | 100.00 | 1500.00 |
| | | | 12 | 110.00 | 1320.00 |
| | | JUL 24 - SEP 22 | 61 | 110.00 | 6710.00 |
| | SUTTLE, M. Labourer | JUN 1 - JUL 23 | 39 | 100.00 | 3900.00 |
| | | JUL 24 - SEP 30 | 56 | 100.00 | 5600.00 |
| KIKAUKA, A. Geologist | JUN 1 - JUL 23 | 42 | 175.00 | 7350.00 | |
| | JUL 24 - SEP 30 | 71 | 175.00 | 12425.00 | |
| ALBERT, J. Labourer | SEP 22-30 | 9 | 100.00 | 900.00 | |
| ROBINSON, G. Cook | SEP 16-30 | 13 | 100.00 | 1300.00 | |
| Total man-days | (239 TO JUL 23) | 614 | | | 78930.00 |
| FIELD CONSULT. | E.W. GROVE CONSULTANTS | FIELD MGR | 18 | 500.00 | 9000.00 |
| | | TRAVEL TO/FROM | 2 | 417.60 | 835.20 |
| | | | | | 9835.20 |
| FOOD AND CITY MARKET INC. | | | | 13105.64 | |
| ACCOMMOD-DEAKIN EQUIPMENT LTD. | | | | 287.35 | |
| ATION | A. KIKAUKA MISC CAMP EXPENSES | | | 147.73 | |
| | INN OF THE WEST | | | 322.04 | |
| | J & F DISTRIBUTORS INC. | | | 651.97 | |
| | OVERWAITEA FOODS | | | 7021.15 | |
| | TERRACE BUILDERS CENTRE LTD. | | | 382.50 | |
| | TERRACE COOP | | | 7643.67 | |
| | TWIN CITY MEATS | | | 1295.02 | |
| | BLACKS EXPEDITING & NORTHERN EXPEDITING | | | 6167.88 | |
| | GOUGHS ELECTRIC | | | 932.80 | |
| | INDEPENDENT INDUSTRIAL SUPPLY | | | 848.82 | |
| | NORMAN DAY | | | 3175.00 | |
| | OTTENSENS | | | 936.38 | |
| | NORTHERN DRUGS | | | 64.92 | 42982.87 |
| MOB/ DEMOB | TRANSPROVINCIAL AIRLINES PASSENGERS | 10 | 151.00 | 1538.40 | |
| | CENTRAL MOUNTAIN AIR PASSENGERS | 3 | 150.00 | 445.00 | |
| | MCDONALD TRAVEL PASSENGERS | 6 | 190.00 | 1137.20 | |
| | KIKAUKA, JUNE 3-5 | | | 125.65 | 3246.25 |
| TRANS-PORT | TRANSPROVINCIAL AIRLINES FREIGHT | | | 10874.42 | |
| | RICHMOND HONDA, 1 4-TRACK, 1 ATV | | | 8654.00 | |
| | NORTHERN MOUNTAIN HELICOPTER | 160 | 450.00 | 72134.02 | |
| | OKANAGAN HELICOPTERS, 5-61 | .3 | 2200.00 | 660.00 | |
| | LINDSAYS CARTAGE FREIGHT | | | 518.57 | |
| | MOTORWAYS DIRECT FREIGHT | | | 916.35 | |
| | SMITHERS TRANSPORT LTD. FREIGHT | | | 471.04 | |

...../



ITEMIZED PROJECT COST STATEMENT JUNE 1 - SEPT 30, 1987 Continued


| | | # | RATE | AMOUNT | SUB-TOTALS |
|--------------------|---|------|--------|------------------|------------------|
| STERLING TRANSPORT | FREIGHT | | | 1578.74 | 95807.14 |
| EQUIP & SUPPLIES | COAST TRACTOR PARTS | | | 1230.30: | |
| | NORTHWEST CONSOLIDATED TRACTOR CABLE | | | 575.06 | |
| | RIVQUIP - OVERHAUL BACKHOE | | | 6773.50 | |
| | SURFWOOD SUPPLY & STIHL CHAINSAWS | | | 2158.50 | |
| | DIAMOND AVIATION FUEL | | | 351.00 | |
| | JKS BOYLES, AQ DRILL SUPPLIES | | | 7992.48 | |
| | J SAVAGE, CORE BOXES | 354 | | 2221.17 | |
| | JK SMIT & SONES DIAMOND P PARTS | | | 124.39 | |
| | INTERNATIONAL PLASTICS | | | 4851.68 | |
| | LES HALL FETTER SERVICE | | | 302.91 | |
| | MALKIN AND PINTON | | | 1240.78 | |
| | RIVER INDUSTRIES LTD HARDWARE, PARTS | | | 419.74 | |
| | CENTURY OILS OIL DRUM | | | 421.14 | |
| | FREEMAN BELL & LONGYEAR CAN. ROD ADAPTER | | | 545.04 | |
| | FRONTIER EQUIPMENT, VOLKS ENGINE & PARTS FOR HYDRA-CO | | | 4765.88 | |
| | DELTA WESTERN FUEL | | | 3526.32 | |
| | TERRACE EQUIP & SIMP-MAX PARTS | | | 182.09 | |
| | BC GOVT AIR PHOTO | | | 87.50 | |
| | NEVILLE CROSBY INC., SAMPLING SUPPLIES | | | 8304.28 | 46073.76 |
| EQUIP. RENTAL | NELMACO MACHINERY CO LTD CRUSHER | 4 MO | 405.00 | 1659.96 | |
| | TRAEGER DISTRIBUTORS LTD. SSB RADIO | 4 MO | 290.00 | 1447.33 | |
| | SKYLINE - REG - DIESEL GENERATOR | 4 MO | 600.00 | 2400.00 | 5507.29 |
| ASSAYS | ACME ANALYTICAL - ICP SOIL & SILT | 777 | 6.00 | 4662.00 | |
| | GEOCHEM AU SOIL & SILT | 776 | 4.25 | 3298.00 | |
| | SOIL & SILT SAMPLE PREPARATION | 762 | .75 | 571.50 | |
| | STREAM SED. SAMPLE PREPARATION | 8 | .75 | 6.00 | |
| | ROCK SAMPLE PREP | 5 | 3.00 | 15.00 | |
| | PULVERIZE SAMPLE | 283 | 1.50 | 424.50 | |
| | AG & AU FIRE ASSAY ROCKS | 36 | 11.25 | 405.00 | |
| | AG ASSAY ROCKS | 28 | 6.75 | 189.00 | |
| | MO ASSAY ROCK | 1 | 6.75 | 6.75 | |
| | CU, PB, ZN, AG ASSAY ROCK | 18 | 15.75 | 283.50 | |
| | MISCELLANEOUS CHARGES | | 10.00 | 10.00 | |
| | MIN-EN LABORATORIES - MINERAL COLLECT. | | | 190.00 | |
| | SKYLINE ASSAY LAB AG & AU DR CORE & ROCK | 601 | 11.25 | 6761.25 | 16822.50 |
| DRILLING | FALCON DRILLING LTD., AUG 29 - SEP 30 | 6019 | 26.75 | 171154.08 | 171154.08 |
| REPORTS | E.W. GROVE CONSULTANTS LTD. | 6 | 500.00 | 3000.00 | |
| | TYPE DRILL LOGS | 27 | 50.00 | 1350.00 | |
| | TYPE GEOCHEM DATA | | | 250.00 | 4600.00 |
| MGMT/CONS | KNIGHT'S GROUP | | | 36000.00 | 36000.00 |
| | TOTAL EXPENDITURES | | | <u>510959.08</u> | <u>510959.08</u> |



McLYMONT GROUP


SUMMARY OF COSTS BY WORK TYPE BY CLAIM YEAR

| | JUN 1 - JUL 23 | JUL 24 - SEPT 30 |
|----------------|----------------|------------------|
| PHYSICAL | 7247.70 | 22387.86 |
| DRILLING | 40654.67 | 339239.92 |
| GEOLOGY | 8990.97 | 39357.84 |
| GEOCHEMISTRY | 17356.62 | 35723.50 |
| | ===== | ===== |
| TOTAL FOR YEAR | 74249.96 | 436709.12 |
| | | |
| GRAND TOTAL | \$510,959.08 | ===== |




PHYSICAL COSTS SUMMARIZED - JUNE 1 TO SEPT 30, 1987

| | # | RATE | AMOUNT | PHYSICAL TO JUL 23 | PHYSICAL CURRENT |
|--|----|--------|----------|-----------------------|---------------------|
| <u>FIELD WAGES</u> | | | | | |
| HALICKI, D. Cat Operator JUN 15 - JUL 23 | 17 | 100.00 | 1700.00 | 3950.00 | 11400.00 |
| | 15 | 150.00 | 2250.00 | | |
| JUL 24 - SEP 30 | 76 | 150.00 | 11400.00 | | |
| PRO-RATA FOOD, ACCOMM, TRANS, FREIGHT FROM SCHEDULE "A" | | | 3197.20 | 1195.98 | 2001.22 |
| <u>EQUIPMENT & SUPPLIES</u> | | | | | |
| COAST TRACTOR PARTS | | | 1230.30 | 241.17 | 989.13 |
| NORTHWEST CONSOLIDATED TRACTOR CABLE | | | 575.06 | | 575.06 |
| RIVQUIP - OVERHAUL BACKHOE | | | 6773.50 | | 6773.50 |
| SURFWOOD SUPPLY & STIHL CHAINSAWS | | | 2158.50 | 1760.55 | 397.95 |
| DIAMOND AVIATION FUEL | | | 351.00 | 100.00 | 251.00 |
| TOTALS | | | 29635.56 | 7247.70 | 22387.86 |




DRILLING COSTS SUMMARIZED - JUNE 1 TO SEPT 30, 1987

| | | # | RATE | AMOUNT | DRILLING TO JUL 23 | DRILLING CURRENT |
|---|-----------------|----|--------|-------------|-----------------------|---------------------|
| <u>FIELD WAGES</u> | | | | | | |
| FODCHUK, C. Labourer | JUN 14 - JUL 23 | 30 | 100.00 | 3000.00 | 3000.00 | |
| | JUL 24 - SEP 15 | 40 | 100.00 | 4000.00 | | 4000.00 |
| WURTAK, J. Driller | JUN 16 - JUL 23 | 25 | 150.00 | 3750.00 | 3750.00 | |
| | JUL 24 - AUG 15 | 21 | 150.00 | 3150.00 | | 3150.00 |
| SUTTLE, M. Labourer | JUN 1 - JUL 23 | 39 | 100.00 | 3900.00 | 1950.00 | |
| * 1/2 time on drilling | JUL 24 - SEP 30 | 56 | 100.00 | 5600.00 | | 2800.00 |
| ALBERT, J. Labourer | SEP 22-30 | 9 | 100.00 | 900.00 | | 900.00 |
| FOOD, ACCOMM. TRANS PRO-RATED From Schedule "a" | | | | 47957.75 | 17939.58 | 30018.17 |
| <u>TRANSPORTATION</u> | | | | | | |
| TRANSPROVINCIAL AIRLINES FREIGHT - 1/2 OF 10,874.42 | | | | 5437.21 | 411.29 | 5025.92 |
| RICHMOND HONDA, 1 4-TRACK, 1 ATV | | | | 8654.00 | 304.29 | 4022.71 |
| NORTHERN MOUNTAIN HELICOPTER | | | | 160 450.00 | 6874.20 | 65259.82 |
| OKANAGAN HELICOPTERS, S-61 | | | | .3 2200.00 | 660.00 | 610.08 |
| LINDSAYS CARTAGE FREIGHT | | | | 518.57 | 39.23 | 479.34 |
| MOTORWAYS DIRECT FREIGHT | | | | 916.35 | 69.32 | 847.03 |
| SMITHERS TRANSPORT LTD. FREIGHT | | | | 471.04 | 35.63 | 435.41 |
| STERLING TRANSPORT FREIGHT | | | | 1578.74 | 119.42 | 1459.32 |
| <u>EQUIPMENT & SUPPLIES</u> | | | | | | |
| JKS BOYLES, AQ DRILL SUPPLIES | | | | 7992.48 | 3507.84 | 4484.64 |
| J SAVAGE, CORE BOXES | | | | 354 2221.17 | 112.60 | 2108.57 |
| JK SMIT & SONES DIAMOND P PARTS | | | | 124.39 | | 124.39 |
| INTERNATIONAL PLASTICS | | | | 4851.68 | 367.00 | 4484.68 |
| LES HALL FETTER SERVICE | | | | 302.91 | | 302.91 |
| MALKIN AND PINTON | | | | 1240.78 | 93.86 | 1146.92 |
| RIVER INDUSTRIES LTD HARDWARE, PARTS | | | | 419.74 | | 419.74 |
| CENTURY OILS OIL DRUM | | | | 421.14 | | 421.14 |
| FREEMAN BELL & LONGYEAR CAN. ROD ADAPTER | | | | 545.04 | | 545.04 |
| FRONTIER EQUIPMENT, VOLKS ENGINE & PARTS FOR HYDRA-CO | | | | 4765.88 | | 4765.88 |
| DELTA WESTERN FUEL | | | | 3526.32 | 266.74 | 3259.58 |
| TERRACE EQUIP & SIMP-MAX PARTS | | | | 182.09 | | 182.09 |
| <u>EQUIPMENT RENTALS</u> | | | | | | |
| NELMACO MACHINERY CO LTD CRUSHER | | | | 4 MO 405.00 | 1659.96 | 721.13 938.83 |
| SKYLINE - REG - DIESEL GENERATOR | | | | 4 MO 600.00 | 2400.00 | 1042.62 1357.38 |
| <u>ASSAYS</u> | | | | | | |
| SKYLINE ASSAY LAB AG & AU DR CORE & ROCK | | | | 461 11.25 | 5186.25 | 5186.25 |
| <u>DRILLING CONTRACT</u> | | | | | | |
| FALCON DRILLING LTD., AUG 29 - SEP 30 | | | | 6019 26.75 | 171154.08 | 171154.08 |
| <u>REPORT</u> | | | | | | |
| TYPE DRILL LOGS | | | | 27 50.00 | 1350.00 | 1350.00 |
| <u>MANAGEMENT/CONSULTING</u> | | | | | | |
| KNIGHT'S GROUP - 50% DRILLING | | | | | * 36000.00 | 18000.00 |
| TOTAL EXPENDITURES BY YEAR | | | | | 40654.67 | 339239.92 |
| GRAND TOTAL | | | | | 379894.59 | ===== |




GEOLOGY COSTS SUMMARIZED - JUNE 1 TO SEPT 30, 1987

| | | # | RATE | AMOUNT | GEOLOGY TO JUL 23 | GEOLOGY CURRENT |
|---|-----------------|-----|--------|----------|----------------------|--------------------|
| <u>FIELD WAGES</u> | | | | | | |
| DUGUID, S. Geologist | JUN 18 - JUL 23 | 13 | 100.00 | 1300.00 | 433.03 | |
| * 1/3 Time Geology | | 13 | 125.00 | 1625.00 | 541.00 | |
| | JUL 24 - SEP 15 | 46 | 125.00 | 5750.00 | | 1950.97 |
| SUTTLE, M. Labourer | JUN 1 - JUL 23 | 39 | 100.00 | 3900.00 | 1950.00 | |
| 1/2 time geo | JUL 24 - SEP 30 | 56 | 100.00 | 5600.00 | | 2800.00 |
| KIKAUKA, A. Geologist | JUN 1 - JUL 23 | 42 | 175.00 | 7350.00 | 3675.00 | |
| 1/2 time geo | JUL 24 - SEP 30 | 71 | 175.00 | 12425.00 | | 6212.50 |
| <u>FIELD CONSULTANT - MANAGER</u> | | | | | | |
| E.W. GROVE CONSULTANTS | FIELD MGR | 18 | 500.00 | 9000.00 | | 9000.00 |
| | TRAVEL TO/FROM | 2 | 417.60 | 835.20 | | 835.20 |
| FOOD, ACCOM & TRAVEL PRO-RATED from Schedule "A" | | | | 6394.36 | 2391.94 | 4002.42 |
| <u>EQUIPMENT & SUPPLIES</u> | | | | | | |
| BC GOVT | AIR PHOTO | | | 87.50 | | 87.50 |
| <u>ASSAYS</u> | | | | | | |
| ACME AG & AU FIRE ASSAY | ROCKS | 36 | 11.25 | 405.00 | | 405.00 |
| AG ASSAY | ROCKS | 28 | 6.75 | 189.00 | | 189.00 |
| MO ASSAY | ROCK | 1 | 6.75 | 6.75 | | 6.75 |
| CU, PB, ZN, AG ASSAY | ROCK | 18 | 15.75 | 283.50 | | 283.50 |
| MISCELLANEOUS CHARGES | | | 10.00 | 10.00 | | 10.00 |
| SKYLINE ASSAY LAB AG & AU DR CORE & ROCK | | 601 | 11.25 | 6761.25 | | 1575.00 |
| <u>REPORT</u> | | | | | | |
| E.W. GROVE CONSULTANTS LTD. | | 6 | 500.00 | 3000.00 | | 3000.00 |
| <u>MANAGEMENT/CONSULT.</u> | | | | | | |
| KNIGHT'S GROUP - 1/4 geology | | | | 36000.00 | | 9000.00 |
| TOTAL EXPENDITURES BY YEAR | | | | | 8990.97 | 39357.84 |
| GRAND TOTAL | | | | | 48348.81 | |



GEOCHEMISTRY COSTS SUMMARIZED - JUNE 1 TO SEPT 30, 1987

| ===== | | | | | GEOCHEM | GEOCHEM | |
|---|-----------------|-----|--------|----------|------------------|----------|----------|
| | | | | # | AMOUNT TO JUL 23 | CURRENT | |
| FIELD WAGES | | | | RATE | | | |
| ----- | | | | | | | |
| DUGUID, S. Geologist | JUN 18 - JUL 23 | 13 | 100.00 | 1300.00 | 866.67 | | |
| * 2/3 time Geochem | | 13 | 125.00 | 1625.00 | 1048.07 | | |
| | JUL 24 - SEP 15 | 46 | 125.00 | 5750.00 | | 3835.25 | |
| KIKAUKA, A. Geologist | JUN 1 - JUL 23 | 42 | 175.00 | 7350.00 | 3675.00 | | |
| * 1/2 time Geochem | JUL 24 - SEP 30 | 71 | 175.00 | 12425.00 | | 6212.50 | |
| FOOD, ACCOMM, TRAVEL ETC. Pro-rated per Schedule "A" | | | | | 6394.36 | 2391.94 | 4002.42 |
| ----- | | | | | | | |
| TRANSPORT ON PROPERTY | | | | | | | |
| ----- | | | | | | | |
| RICHMOND HONDA, 1 4-TRACK, 1 ATV - 50% | | | | | 8654.00 | 2163.50 | 2163.50 |
| NEVILLE CROSBY INC., SAMPLING SUPPLIES | | | | | 8304.28 | 3232.45 | 5071.83 |
| ASSAYS | | | | | | | |
| ----- | | | | | | | |
| ACME ANALYTICAL - ICP | SOIL & SILT | 777 | 6.00 | 4662.00 | 1980.00 | 2682.00 | |
| GEOCHEM AU | SOIL & SILT | 776 | 4.25 | 3298.00 | 1402.50 | 1895.50 | |
| SOIL & SILT SAMPLE PREPARATION | | 762 | .75 | 571.50 | 247.50 | 324.00 | |
| STREAM SED. SAMPLE PREPARATION | | 8 | .75 | 6.00 | | 6.00 | |
| ROCK SAMPLE PREP | | 5 | 3.00 | 15.00 | | 15.00 | |
| PULVERIZE SAMPLE | | 283 | 1.50 | 424.50 | 159.00 | 265.50 | |
| MIN-EN LABORATORIES - MINERAL COLLECT. | | | | | 190.00 | 190.00 | |
| REPORT | | | | | | | |
| ----- | | | | | | | |
| TYPE GEOCHEM DATA | | | | | 250.00 | 250.00 | |
| MANAGEMENT/CONSULTING | | | | | | | |
| ----- | | | | | | | |
| KNIGHT'S GROUP 25% GEOCHEM | | | | | 36000.00 | 9000.00 | |
| TOTAL EXPENDITURES BY CLAIM YEAR | | | | | | 17356.62 | 35723.50 |
| | | | | | | ===== | ===== |
| GRAND TOTAL | | | | | 53080.12 | | |
| | | | | | ===== | | |



SCHEDUL "A" - FOOD, ACCOMMODATION, & GENERAL COSTS TO BE PRORATED

| FIELD WAGES | | # | RATE | AMOUNT | TO JUL 23 1987 | CURRENT YR |
|-------------------|-----------------|----|--------|---------|-------------------|------------|
| HANNAM, D. Cook | JUN 16 - JUL 23 | 15 | 100.00 | 1500.00 | 2820.00 | 6710.00 |
| | | 12 | 110.00 | 1320.00 | | |
| | JUL 24 - SEP 22 | 61 | 110.00 | 6710.00 | | |
| ROBINSON, G. Cook | SEP 16-30 | 13 | 100.00 | 1300.00 | | 1300.00 |

FOOD & ACCOMMODATION

| | | | | | | |
|---|--|--|--|----------|----------|----------|
| CITY MARKET INC. | | | | 13105.64 | 16731.12 | 26251.75 |
| DEAKIN EQUIPMENT LTD. | | | | 287.35 | | |
| A. KIKAUKA MISC CAMP EXPENSES | | | | 147.73 | | |
| INN OF THE WEST | | | | 322.04 | | |
| J & F DISTRIBUTORS INC. | | | | 651.97 | | |
| OVERWAITEA FOODS | | | | 7021.15 | | |
| TERRACE BUILDERS CENTRE LTD. | | | | 382.50 | | |
| TERRACE COOP | | | | 7643.67 | | |
| TWIN CITY MEATS | | | | 1295.02 | | |
| BLACKS EXPEDITING & NORTHERN EXPEDITING | | | | 6167.88 | | |
| GOUGHS ELECTRIC | | | | 932.80 | | |
| INDEPENDENT INDUSTRIAL SUPPLY | | | | 848.82 | | |
| NORMAN DAY | | | | 3175.00 | | |
| OTTENSENS | | | | 936.38 | | |
| NORTHERN DRUGS | | | | 64.92 | | |

MOB/DEMOB PERSONNEL

| | | | | | | |
|-------------------------------------|--|----|--------|---------|--------|--------|
| TRANSPROVINCIAL AIRLINES PASSENGERS | | 10 | 151.00 | 1538.40 | 769.20 | 769.20 |
| CENTRAL MOUNTAIN AIR PASSENGERS | | 3 | 150.00 | 445.00 | 222.50 | 222.50 |
| MCDONALD TRAVEL PASSENGERS | | 6 | 190.00 | 1137.20 | 568.60 | 568.60 |
| KIKAUKA, JUNE 3-5 | | | | 125.65 | 62.83 | 62.83 |

TRANSPORTATION

| | | | | | | |
|---|--|--|--|---------|---------|---------|
| TRANSPROVINCIAL AIRLINES FREIGHT 1/2 OF 10,874.42 | | | | 5437.21 | 2116.44 | 3320.77 |
|---|--|--|--|---------|---------|---------|

EQUIPMENT RENTAL


| | | | | | | |
|------------------------------------|------|--|--------|---------|--------|--------|
| TRAEGER DISTRIBUTORS LTD.SSB RADIO | 4 MO | | 290.00 | 1447.33 | 628.76 | 818.57 |
|------------------------------------|------|--|--------|---------|--------|--------|

| | | | | | | |
|--------|--|--|--|----------|----------|----------|
| TOTALS | | | | 63943.66 | 23919.44 | 40024.22 |
|--------|--|--|--|----------|----------|----------|

FOOD & ACCOMM. COSTS PRORATED ON BASIS
239 MAN DAYS VS 375 MAN-DAYS

COSTS PRORATED BETWEEN WORK TYPES AS FOLLOWS:

| | | | | | |
|---------------|--|--|--|----------|----------|
| 75% DRILLING, | | | | 17939.58 | 30018.17 |
| 10% GEOLOGY | | | | 2391.94 | 4002.42 |
| 10% GEOCHEM | | | | 2391.94 | 4002.42 |
| 5% PHYSICAL | | | | 1195.98 | 2001.22 |




CERTIFICATE

I, Edward W. Grove, of the Municipality of Central Saanich, do hereby certify that:

1. I am a consulting geologist with an office at 6751 Barbara Drive, Victoria, British Columbia.
2. I am a graduate of the University of British Columbia (1955) with a Master's degree, Honours Geology (M.Sc. Hon. Geol.) and a graduate of McGill University (1973) with a doctorate in Geological Sciences (Ph.D.).
3. I have practiced my profession continuously since graduation while being employed by such companies as the Consolidated Mining and Smelting Co. of Canada Ltd., British Yukon Exploration Ltd., the Quebec Dept. of Natural Resources, and the British Columbia Ministry of Energy, Mines and Petroleum Resources. I have been in corporate consulting practice since January 1981.
4. I am a director of Gulf International Minerals Ltd.
5. I am a member in good standing of the Association of Professional Engineers of the Province of British Columbia.


October 20, 1987

Victoria, B.C.



Edward W. Grove, Ph.D., P.Eng.

APPENDIX I



GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: SOIL AU ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: AUG 24 1987

DATE REPORT MAILED:

Aug 31/87

ASSAYER: *D. Toye* DEAN TOYE, CERTIFIED B.C. ASSAYER

GULF INTERNATIONAL

File # 87-3556

| SAMPLE# | MO | CU | PB | ZN | AG | NI | CO | MN | FE | AS | U | AU | TH | SR | CD | SB | BI | V | CA | P | LA | CR | MG | BA | TI | B | AL | NA | K | W | AU# |
|------------|-----|-----|-----|------|------|-----|-----|------|-------|------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|-----|-----|------|-----|-----|-----|------|-----|-----|-----|-----|
| | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | % | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | % | % | PPM | PPM | % | PPM | % | PPM | % | % | PPM | PPM | |
| 71AK 261 | 5 | 48 | 43 | 122 | .7 | 7 | 8 | 838 | 5.27 | 51 | 5 | ND | 5 | 4 | 1 | 2 | 2 | 36 | .06 | .080 | 22 | 9 | .30 | 45 | .06 | 6 | 3.05 | .03 | .05 | 1 | 4 |
| 71AK 262 | 9 | 8 | 39 | 66 | 1.5 | 2 | 2 | 220 | 6.85 | 16 | 5 | ND | 15 | 3 | 1 | 2 | 2 | 25 | .03 | .036 | 32 | 11 | .07 | 18 | .27 | 2 | 3.28 | .05 | .06 | 1 | 6 |
| 71AK 263 | 9 | 24 | 72 | 80 | 1.3 | 2 | 2 | 287 | 9.04 | 36 | 5 | ND | 14 | 2 | 1 | 2 | 3 | 28 | .02 | .042 | 24 | 12 | .10 | 17 | .16 | 2 | 4.03 | .04 | .05 | 1 | 4 |
| 71AK 264 | 8 | 269 | 41 | 169 | .4 | 11 | 32 | 4638 | 11.64 | 60 | 5 | ND | 3 | 5 | 1 | 2 | 2 | 59 | .11 | .073 | 17 | 4 | .63 | 150 | .01 | 2 | 1.86 | .02 | .06 | 1 | 66 |
| 71AK 265 | 11 | 11 | 34 | 66 | .7 | 3 | 2 | 323 | 6.82 | 18 | 5 | ND | 5 | 3 | 1 | 2 | 2 | 20 | .03 | .038 | 20 | 8 | .05 | 18 | .16 | 2 | 2.26 | .04 | .05 | 1 | 1 |
| 71AK 266 | 5 | 19 | 22 | 55 | .8 | 2 | 1 | 243 | 4.39 | 15 | 5 | ND | 6 | 2 | 1 | 2 | 2 | 9 | .04 | .065 | 21 | 6 | .05 | 21 | .06 | 2 | 4.65 | .04 | .04 | 1 | 1 |
| 71SD 491 | 4 | 9 | 25 | 43 | .2 | 2 | 2 | 80 | 3.07 | 56 | 5 | ND | 1 | 5 | 1 | 2 | 2 | 90 | .03 | .026 | 10 | 9 | .11 | 59 | .03 | 2 | 1.79 | .01 | .04 | 1 | 1 |
| 71SD 492 | 4 | 40 | 46 | 117 | 1.3 | 3 | 3 | 317 | 6.08 | 101 | 5 | ND | 2 | 5 | 1 | 4 | 2 | 40 | .07 | .057 | 6 | 7 | .27 | 39 | .01 | 5 | 2.23 | .03 | .05 | 1 | 2 |
| 71SD 493 | 6 | 43 | 28 | 71 | 1.8 | 2 | 1 | 188 | 6.08 | 37 | 5 | ND | 15 | 2 | 1 | 2 | 2 | 22 | .02 | .051 | 14 | 7 | .05 | 19 | .08 | 3 | 7.50 | .04 | .04 | 1 | 4 |
| 71SD 494 | 11 | 9 | 33 | 50 | 1.6 | 1 | 1 | 87 | 5.19 | 13 | 5 | ND | 5 | 3 | 1 | 2 | 2 | 51 | .01 | .029 | 26 | 9 | .03 | 12 | .31 | 2 | 1.54 | .02 | .03 | 1 | 1 |
| 71SD 495 | 8 | 24 | 42 | 1191 | 1.5 | 11 | 2 | 881 | 4.98 | 109 | 5 | ND | 2 | 17 | 3 | 2 | 2 | 48 | .68 | .055 | 21 | 8 | .13 | 152 | .05 | 3 | 1.65 | .03 | .04 | 1 | 1 |
| 71SD 496 | 8 | 34 | 48 | 162 | .3 | 7 | 4 | 286 | 7.64 | 113 | 5 | ND | 2 | 4 | 1 | 3 | 2 | 258 | .04 | .045 | 7 | 29 | .22 | 39 | .04 | 3 | 2.09 | .01 | .04 | 1 | 1 |
| 71SD 497 | 7 | 12 | 27 | 82 | 1.6 | 2 | 1 | 131 | 8.34 | 22 | 5 | ND | 12 | 1 | 1 | 2 | 2 | 23 | .01 | .042 | 22 | 9 | .05 | 13 | .16 | 2 | 5.27 | .03 | .04 | 1 | 2 |
| 71SD 498 | 11 | 15 | 29 | 53 | .6 | 1 | 2 | 149 | 11.51 | 11 | 5 | ND | 6 | 3 | 1 | 2 | 2 | 51 | .02 | .040 | 12 | 10 | .10 | 11 | .23 | 2 | 1.49 | .02 | .03 | 1 | 2 |
| 71SD 499 | 11 | 78 | 30 | 85 | .6 | 4 | 7 | 431 | 6.79 | 36 | 5 | ND | 3 | 4 | 1 | 2 | 2 | 227 | .04 | .050 | 7 | 10 | .29 | 33 | .07 | 5 | 1.94 | .02 | .04 | 1 | 2 |
| 71SD 500 | 7 | 35 | 29 | 119 | .6 | 7 | 4 | 208 | 5.35 | 72 | 5 | ND | 2 | 12 | 1 | 2 | 2 | 110 | .14 | .046 | 9 | 13 | .12 | 74 | .03 | 3 | 1.44 | .02 | .05 | 1 | 1 |
| 71SD 501 | 10 | 188 | 64 | 162 | 2.4 | 9 | 8 | 333 | 8.76 | 236 | 5 | ND | 1 | 3 | 1 | 6 | 2 | 169 | .01 | .092 | 6 | 5 | .39 | 32 | .02 | 2 | 2.07 | .01 | .04 | 1 | 3 |
| 71SD 502 | 39 | 810 | 382 | 2981 | 11.6 | 373 | 107 | 3299 | 10.16 | 3968 | 5 | ND | 3 | 19 | 31 | 69 | 2 | 85 | .87 | .158 | 5 | 29 | .23 | 162 | .01 | 3 | .88 | .03 | .07 | 1 | 43 |
| 71SD 503 | 29 | 353 | 138 | 1771 | 1.9 | 343 | 48 | 7546 | 7.06 | 251 | 5 | ND | 3 | 11 | 25 | 12 | 2 | 384 | .66 | .138 | 22 | 11 | .89 | 115 | .01 | 3 | 2.06 | .03 | .06 | 1 | 3 |
| 71SD 504 | 21 | 313 | 180 | 1667 | 2.2 | 150 | 34 | 1807 | 6.98 | 720 | 5 | ND | 3 | 15 | 11 | 23 | 2 | 197 | .39 | .080 | 19 | 34 | .99 | 164 | .03 | 4 | 2.04 | .04 | .07 | 2 | 7 |
| 71SD 505 | 17 | 82 | 76 | 384 | .8 | 41 | 21 | 1481 | 5.56 | 188 | 5 | ND | 1 | 9 | 2 | 4 | 2 | 288 | .18 | .063 | 10 | 29 | 1.02 | 124 | .05 | 2 | 2.15 | .03 | .04 | 1 | 8 |
| 71SD 506 | 19 | 303 | 51 | 4236 | 1.6 | 129 | 13 | 1363 | 3.96 | 284 | 5 | ND | 3 | 27 | 63 | 6 | 2 | 353 | 1.93 | .121 | 27 | 33 | 1.30 | 520 | .03 | 5 | 2.76 | .03 | .04 | 3 | 2 |
| 71SD 507 | 22 | 140 | 163 | 832 | 2.3 | 60 | 12 | 556 | 8.89 | 161 | 5 | ND | 3 | 3 | 1 | 23 | 2 | 278 | .04 | .057 | 7 | 47 | .32 | 53 | .01 | 3 | 2.25 | .01 | .05 | 1 | 2 |
| 71SD 511 | 35 | 253 | 23 | 648 | 2.2 | 143 | 21 | 5897 | 2.57 | 720 | 5 | ND | 3 | 23 | 10 | 12 | 2 | 29 | .86 | .198 | 59 | 13 | .16 | 289 | .02 | 8 | 3.18 | .03 | .04 | 1 | 2 |
| 71SD 512 | 8 | 147 | 44 | 127 | 1.4 | 8 | 17 | 2558 | 6.47 | 8171 | 5 | ND | 6 | 2 | 1 | 14 | 2 | 36 | .04 | .090 | 26 | 13 | .16 | 38 | .05 | 2 | 5.10 | .03 | .06 | 1 | 6 |
| 72SD 509 | 4 | 79 | 33 | 250 | .5 | 20 | 14 | 1017 | 3.90 | 215 | 5 | ND | 2 | 20 | 2 | 5 | 2 | 52 | .27 | .058 | 11 | 9 | .41 | 359 | .01 | 4 | .93 | .02 | .08 | 2 | 12 |
| STD C/AU-S | 18 | 57 | 44 | 132 | 7.0 | 67 | 27 | 1028 | 4.01 | 41 | 15 | 8 | 36 | 49 | 18 | 17 | 21 | 58 | .48 | .090 | 38 | 58 | .88 | 173 | .08 | 36 | 1.84 | .06 | .15 | 12 | 52 |

GULF INTERNATIONAL FILE # 87-2983

| SAMPLE# | MO PPM | CU PPM | PB PPM | ZN PPM | AG PPM | NI PPM | CO PPM | MM PPM | FE % | AS PPM | U PPM | AU PPM | TH PPM | SR PPM | CD PPM | SB PPM | BI PPM | V PPM | CA % | P % | LA PPM | CR PPM | MG % | BA PPM | TI % | B PPM | AL % | NA % | K % | M PPM | AU PPM |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|-----------|
| 71AK-192 | 8 | 12 | 22 | 95 | .2 | 2 | 1 | 315 | 6.90 | 10 | 5 | ND | 16 | 2 | 1 | 2 | 2 | 14 | .03 | .037 | 41 | 11 | .08 | 18 | .19 | 2 | 5.22 | .08 | .09 | 1 | 1 |
| 71AK-193 | 6 | 18 | 15 | 210 | .4 | 6 | 4 | 854 | 5.96 | 11 | 5 | ND | 23 | 4 | 1 | 2 | 2 | 13 | .08 | .034 | 44 | 13 | .22 | 46 | .12 | 2 | 4.53 | .09 | .13 | 1 | 1 |
| 71AK-194 | 3 | 147 | 17 | 111 | .4 | 11 | 17 | 1704 | 6.01 | 67 | 5 | ND | 4 | 22 | 1 | 2 | 2 | 73 | .29 | .066 | 18 | 21 | 1.05 | 162 | .05 | 3 | 2.28 | .04 | .11 | 1 | 19 |
| 71AK-195 | 5 | 315 | 18 | 98 | .9 | 9 | 20 | 3699 | 8.46 | 19 | 5 | ND | 6 | 7 | 1 | 3 | 2 | 72 | .09 | .110 | 27 | 18 | 1.08 | 56 | .02 | 3 | 3.43 | .03 | .09 | 1 | 27 |
| 71AK-196 | 4 | 65 | 11 | 77 | 1.0 | 6 | 15 | 2400 | 7.79 | 20 | 5 | ND | 3 | 6 | 1 | 2 | 3 | 60 | .07 | .116 | 22 | 14 | .25 | 41 | .06 | 2 | 3.02 | .02 | .09 | 1 | 37 |
| 71AK-197 | 7 | 81 | 17 | 85 | .3 | 24 | 25 | 1308 | 8.96 | 63 | 5 | ND | 4 | 2 | 1 | 2 | 3 | 63 | .02 | .068 | 23 | 44 | .21 | 33 | .02 | 7 | 2.16 | .02 | .09 | 1 | 25 |
| STD C/AU-S | 20 | 59 | 41 | 133 | 7.2 | 68 | 27 | 901 | 4.01 | 37 | 20 | 8 | 38 | 48 | 17 | 16 | 20 | 57 | .47 | .087 | 37 | 57 | .89 | 167 | .08 | 35 | 1.81 | .05 | .13 | 14 | 52 |
| 71AK-198 | 3 | 40 | 13 | 69 | .1 | 22 | 26 | 3725 | 11.66 | 46 | 5 | ND | 2 | 4 | 1 | 2 | 2 | 71 | .11 | .178 | 8 | 48 | .14 | 55 | .01 | 4 | 1.22 | .01 | .12 | 1 | 26 |
| 71AK-199 | 1 | 342 | 19 | 99 | .2 | 9 | 19 | 8894 | 16.46 | 60 | 5 | ND | 4 | 7 | 1 | 2 | 2 | 59 | .23 | .438 | 13 | 8 | .19 | 78 | .01 | 4 | 1.70 | .01 | .09 | 1 | 360 |
| 71AK-200 | 9 | 157 | 17 | 43 | .7 | 9 | 9 | 1218 | 11.96 | 127 | 5 | ND | 3 | 4 | 1 | 2 | 2 | 89 | .03 | .089 | 10 | 9 | .16 | 27 | .01 | 4 | 2.54 | .01 | .10 | 1 | 210 |
| 71AK-201 | 7 | 232 | 18 | 46 | 6.3 | 6 | 13 | 435 | 15.84 | 35 | 5 | ND | 4 | 3 | 1 | 2 | 2 | 62 | .03 | .106 | 13 | 17 | .23 | 17 | .04 | 2 | 3.49 | .02 | .04 | 1 | 240 |
| 71AK-202 | 11 | 22 | 13 | 59 | .4 | 4 | 10 | 2347 | 5.89 | 9 | 5 | ND | 2 | 4 | 1 | 2 | 2 | 62 | .04 | .095 | 9 | 8 | .14 | 36 | .02 | 4 | 1.28 | .05 | .08 | 1 | 19 |
| 71AK-203 | 18 | 76 | 10 | 50 | .3 | 7 | 15 | 1440 | 10.90 | 23 | 5 | ND | 1 | 4 | 1 | 2 | 2 | 95 | .09 | .190 | 7 | 9 | .14 | 32 | .01 | 4 | 1.43 | .01 | .06 | 1 | 63 |
| 71AK-204 | 5 | 27 | 11 | 89 | 1.3 | 6 | 7 | 602 | 6.32 | 15 | 5 | ND | 2 | 7 | 1 | 2 | 2 | 91 | .04 | .094 | 12 | 18 | .57 | 39 | .03 | 2 | 3.36 | .02 | .06 | 1 | 6 |
| 71AK-205 | 3 | 28 | 15 | 74 | .7 | 6 | 9 | 763 | 6.62 | 11 | 5 | ND | 2 | 4 | 1 | 2 | 2 | 87 | .03 | .088 | 11 | 18 | .60 | 46 | .03 | 2 | 3.07 | .02 | .05 | 1 | 4 |
| 71AK-206 | 1 | 242 | 16 | 74 | .5 | 12 | 37 | 3094 | 12.13 | 140 | 5 | ND | 4 | 5 | 1 | 2 | 2 | 71 | .11 | .147 | 11 | 14 | .56 | 49 | .01 | 4 | 2.51 | .02 | .09 | 1 | 250 |
| 71AK-209 | 1 | 61 | 14 | 86 | .2 | 9 | 15 | 850 | 5.44 | 19 | 5 | ND | 2 | 19 | 1 | 2 | 2 | 79 | .33 | .070 | 8 | 20 | 1.45 | 323 | .05 | 7 | 1.90 | .04 | .09 | 1 | 39 |
| 71AK-210 | 1 | 92 | 18 | 129 | .1 | 9 | 39 | 4900 | 19.20 | 47 | 5 | ND | 7 | 21 | 1 | 2 | 2 | 93 | .28 | .078 | 21 | 13 | .52 | 1753 | .01 | 5 | .97 | .01 | .13 | 6 | 11 |
| 71AK-211 | 3 | 13 | 9 | 34 | .1 | 2 | 7 | 351 | 6.56 | 2 | 5 | ND | 3 | 3 | 1 | 2 | 2 | 95 | .02 | .045 | 5 | 8 | .10 | 86 | .01 | 2 | 2.01 | .01 | .09 | 2 | 1 |
| 71AK-212 | 4 | 55 | 13 | 71 | .2 | 8 | 12 | 1104 | 5.53 | 8 | 5 | ND | 1 | 15 | 1 | 2 | 2 | 54 | .33 | .059 | 13 | 15 | .36 | 473 | .02 | 2 | 1.57 | .02 | .11 | 2 | 4 |
| 71AK-213 | 6 | 22 | 5 | 52 | .4 | 4 | 3 | 232 | 3.00 | 5 | 5 | ND | 2 | 9 | 1 | 2 | 2 | 50 | .24 | .075 | 7 | 7 | .07 | 118 | .01 | 2 | .79 | .02 | .08 | 2 | 1 |
| 71AK-214 | 18 | 31 | 11 | 51 | .2 | 2 | 6 | 284 | 4.27 | 27 | 5 | ND | 2 | 7 | 1 | 2 | 2 | 25 | .06 | .076 | 8 | 5 | .08 | 288 | .01 | 2 | 1.42 | .01 | .10 | 4 | 1 |
| 71AK-215 | 4 | 15 | 11 | 50 | .2 | 4 | 4 | 180 | 4.23 | 6 | 5 | ND | 2 | 8 | 1 | 2 | 2 | 70 | .05 | .046 | 8 | 14 | .24 | 62 | .02 | 2 | 2.27 | .01 | .06 | 2 | 1 |
| 71AK-216 | 7 | 19 | 11 | 68 | .3 | 6 | 5 | 309 | 5.61 | 10 | 5 | ND | 2 | 9 | 1 | 3 | 2 | 51 | .11 | .051 | 15 | 15 | .43 | 77 | .05 | 2 | 1.81 | .02 | .09 | 1 | 1 |
| 71AK-217 | 12 | 11 | 26 | 64 | .5 | 3 | 8 | 2614 | 5.01 | 2 | 6 | ND | 10 | 7 | 1 | 2 | 2 | 36 | .09 | .053 | 60 | 11 | .11 | 116 | .11 | 2 | 2.94 | .04 | .06 | 1 | 4 |
| 71AK-218 | 1 | 3 | 9 | 21 | .2 | 1 | 2 | 114 | 2.21 | 2 | 5 | ND | 1 | 14 | 1 | 2 | 2 | 61 | .07 | .020 | 7 | 5 | .09 | 36 | .02 | 2 | 1.41 | .02 | .05 | 1 | 1 |
| 71AK-219 | 15 | 20 | 14 | 69 | .5 | 4 | 4 | 268 | 6.58 | 9 | 5 | ND | 2 | 14 | 1 | 2 | 2 | 103 | .15 | .055 | 13 | 11 | .28 | 66 | .09 | 2 | 2.06 | .02 | .07 | 6 | 1 |
| 71AK-220 | 8 | 38 | 2 | 123 | .6 | 8 | 11 | 1704 | 3.92 | 56 | 16 | ND | 16 | 48 | 1 | 8 | 6 | 52 | .76 | .169 | 52 | 26 | .57 | 601 | .02 | 3 | 8.76 | .01 | .09 | 11 | 1 |
| 71AK-221 | 7 | 23 | 16 | 103 | .1 | 3 | 3 | 372 | 6.55 | 13 | 5 | ND | 20 | 3 | 1 | 2 | 2 | 18 | .05 | .036 | 38 | 11 | .15 | 52 | .10 | 2 | 5.98 | .07 | .11 | 1 | 1 |
| 71AK-222 | 3 | 56 | 23 | 88 | .3 | 9 | 16 | 1162 | 5.20 | 111 | 5 | ND | 3 | 31 | 1 | 2 | 2 | 75 | .35 | .084 | 11 | 22 | 1.06 | 757 | .03 | 12 | 1.77 | .03 | .10 | 3 | 24 |
| 71AK-223 | 4 | 37 | 14 | 74 | .3 | 7 | 10 | 680 | 5.25 | 19 | 5 | ND | 6 | 22 | 1 | 4 | 2 | 67 | .26 | .063 | 15 | 18 | .84 | 495 | .05 | 6 | 2.45 | .04 | .12 | 3 | 3 |
| 71AK-224 | 1 | 4 | 9 | 12 | .2 | 1 | 6 | 1091 | 3.17 | 2 | 5 | ND | 6 | 16 | 1 | 2 | 2 | 43 | .86 | .257 | 23 | 4 | .13 | 442 | .01 | 7 | .59 | .01 | .25 | 1 | 4 |
| 71AK-225 | 2 | 49 | 13 | 72 | .4 | 9 | 10 | 829 | 3.96 | 15 | 5 | ND | 3 | 20 | 1 | 3 | 2 | 57 | 1.11 | .076 | 10 | 15 | .78 | 261 | .04 | 8 | 1.16 | .03 | .09 | 1 | 5 |
| 71AK-226 | 1 | 42 | 4 | 36 | .1 | 5 | 7 | 656 | 2.64 | 7 | 5 | ND | 3 | 12 | 1 | 2 | 2 | 30 | .28 | .055 | 9 | 9 | .41 | 286 | .01 | 4 | .70 | .03 | .11 | 1 | 23 |
| 71AK-228 | 5 | 38 | 10 | 62 | .3 | 6 | 9 | 693 | 3.41 | 11 | 5 | ND | 4 | 36 | 1 | 2 | 2 | 45 | .38 | .061 | 11 | 13 | .66 | 732 | .02 | 12 | 1.02 | .03 | .10 | 2 | 1 |
| 71MS-066 | 7 | 11 | 25 | 70 | 1.0 | 3 | 2 | 154 | 5.17 | 17 | 5 | ND | 6 | 5 | 1 | 2 | 2 | 33 | .04 | .040 | 21 | 9 | .11 | 50 | .16 | 3 | 1.99 | .04 | .06 | 1 | 1 |
| 71MS-067 | 3 | 33 | 13 | 99 | .5 | 7 | 9 | 1218 | 5.32 | 11 | 5 | ND | 5 | 7 | 1 | 6 | 2 | 59 | .08 | .057 | 22 | 17 | .53 | 85 | .07 | 3 | 2.79 | .03 | .09 | 1 | 3 |

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM. - SAMPLE TYPE: SOIL -80 MESH AU ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: AUG 4 1987

DATE REPORT MAILED: Aug 11/87

ASSAYER: D. J. DEAN TOYE, CERTIFIED B.C. ASSAYER

GULF INTERNATIONAL File # 87-2984 Page 1

Table with columns: SAMPLE#, MD, CU, PB, ZN, AG, NI, CO, MN, FE, AS, U, AU, TH, SR, CD, SB, BI, V, CA, P, LA, CR, MG, BA, TI, B, AL, NA, K, W, AU, and ADF. Rows include samples 71MS-043 through 71SD-322 and STD C/AU-S.

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 MCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM. - SAMPLE TYPE: P1-2 SOIL P3-SOIL/SILT AU ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: JUL 20 1987 DATE REPORT MAILED: July 25/87 ASSAYER: D. Toy...DEAN TOYE, CERTIFIED B.C. ASSAYER

GULF INTERNATIONAL File # 87-2567 Page 1

Table with columns: SAMPLE#, MO, CU, PB, ZN, AG, NI, CO, MN, FE, AS, U, AU, TH, SR, CD, SB, BI, V, CA, P, LA, CR, MG, BA, TI, B, AL, NA, K, W, AU, and AU. It contains analytical data for 54 samples (71AK019 to 71AK054) and a standard (STD C/AU-S).

| SAMPLE# | NO | CU | PB | ZN | AG | NI | CO | MN | FE | AS | U | AU | TH | SR | CD | SB | BI | V | CA | P | LA | CR | MG | BA | TI | B | AL | NA | K | W | AUT |
|------------|-----|-----|-----|------|-----|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|------|-----|-----|-----|-----|
| | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | % | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | % | % | PPM | PPM | % | PPM | % | PPM | % | % | % | PPM | PPM |
| 72 TA 028 | 5 | 71 | 36 | 880 | .8 | 28 | 14 | 858 | 5.22 | 190 | 7 | ND | 4 | 39 | 5 | 6 | 3 | 83 | .49 | .062 | 13 | 14 | 1.49 | 547 | .06 | 9 | 1.95 | .05 | .13 | 2 | 6 |
| 72 TA 029 | 12 | 148 | 80 | 2136 | 1.3 | 137 | 17 | 840 | 5.04 | 234 | 5 | ND | 5 | 25 | 9 | 5 | 2 | 134 | .74 | .100 | 11 | 22 | .87 | 187 | .02 | 7 | 1.54 | .02 | .11 | 7 | 5 |
| 72 TA 030 | 3 | 148 | 70 | 753 | 2.2 | 33 | 20 | 847 | 5.71 | 152 | 5 | ND | 3 | 21 | 3 | 14 | 2 | 95 | .50 | .051 | 6 | 29 | 1.72 | 334 | .05 | 7 | 2.20 | .03 | .08 | 5 | 1 |
| 72 TA 031 | 2 | 162 | 72 | 650 | 1.4 | 27 | 28 | 1170 | 6.51 | 202 | 5 | ND | 3 | 15 | 3 | 15 | 2 | 97 | .38 | .045 | 7 | 24 | 1.73 | 249 | .04 | 8 | 2.32 | .03 | .07 | 1 | 1 |
| 72 TA 033 | 2 | 181 | 85 | 830 | 1.2 | 27 | 28 | 1411 | 6.46 | 281 | 5 | ND | 3 | 15 | 4 | 7 | 2 | 105 | .75 | .041 | 7 | 27 | 1.79 | 240 | .04 | 6 | 2.49 | .04 | .10 | 3 | 2 |
| 72 TA 034 | 1 | 125 | 46 | 450 | .7 | 22 | 21 | 1004 | 5.73 | 73 | 7 | ND | 3 | 16 | 2 | 2 | 2 | 92 | .50 | .039 | 6 | 24 | 1.87 | 204 | .07 | 6 | 2.45 | .03 | .08 | 1 | 1 |
| 72 TA 035 | 2 | 66 | 49 | 317 | .2 | 29 | 16 | 872 | 5.31 | 148 | 5 | ND | 2 | 17 | 1 | 5 | 2 | 100 | .43 | .037 | 8 | 35 | 1.51 | 117 | .09 | 6 | 2.08 | .05 | .09 | 2 | 1 |
| 72 TA 054 | 3 | 99 | 130 | 413 | 2.9 | 31 | 21 | 953 | 5.63 | 135 | 8 | ND | 3 | 18 | 1 | 2 | 2 | 92 | .37 | .049 | 9 | 29 | 1.36 | 255 | .08 | 5 | 2.13 | .03 | .08 | 3 | 2 |
| 72 TA 055 | 3 | 75 | 22 | 249 | .6 | 20 | 13 | 711 | 5.11 | 66 | 7 | ND | 3 | 16 | 1 | 2 | 2 | 97 | .47 | .057 | 8 | 17 | 1.39 | 127 | .08 | 4 | 1.90 | .03 | .09 | 2 | 2 |
| 72 TA 056 | 3 | 86 | 90 | 551 | 1.6 | 28 | 20 | 1021 | 5.51 | 139 | 5 | ND | 2 | 16 | 2 | 5 | 2 | 81 | .48 | .046 | 8 | 21 | 1.19 | 178 | .06 | 4 | 1.94 | .04 | .11 | 1 | 1 |
| 72 TA 058 | 3 | 116 | 23 | 253 | .4 | 42 | 25 | 1167 | 6.15 | 155 | 5 | ND | 4 | 25 | 1 | 2 | 2 | 91 | .82 | .044 | 10 | 30 | 1.39 | 302 | .05 | 5 | 2.13 | .03 | .12 | 1 | 2 |
| 72 TA 059 | 2 | 88 | 42 | 272 | .6 | 35 | 19 | 1015 | 5.78 | 121 | 7 | ND | 2 | 20 | 1 | 2 | 2 | 93 | .60 | .047 | 7 | 35 | 1.46 | 225 | .07 | 11 | 2.08 | .02 | .09 | 1 | 2 |
| 72 AK 011 | 2 | 123 | 62 | 483 | 1.3 | 21 | 21 | 1021 | 5.39 | 92 | 6 | ND | 2 | 16 | 2 | 2 | 2 | 81 | .35 | .044 | 8 | 21 | 1.42 | 233 | .05 | 8 | 2.06 | .04 | .10 | 4 | 1 |
| 72 AK 012 | 7 | 261 | 786 | 6662 | 3.1 | 82 | 93 | 3919 | 9.25 | 488 | 5 | ND | 2 | 15 | 35 | 29 | 2 | 102 | .45 | .066 | 20 | 19 | 1.21 | 345 | .01 | 6 | 2.47 | .03 | .12 | 7 | 6 |
| 72 AK 014 | 4 | 349 | 272 | 1933 | 2.9 | 36 | 46 | 2078 | 8.02 | 437 | 5 | ND | 3 | 16 | 8 | 21 | 2 | 89 | .36 | .051 | 13 | 12 | 1.29 | 316 | .02 | 6 | 2.18 | .03 | .10 | 6 | 5 |
| 72 AK 016 | 4 | 665 | 237 | 2097 | 7.0 | 35 | 56 | 1936 | 6.43 | 866 | 7 | ND | 3 | 17 | 10 | 62 | 2 | 75 | .47 | .049 | 10 | 15 | .83 | 226 | .01 | 9 | 1.78 | .02 | .08 | 3 | 2 |
| 72 SD 227 | 4 | 258 | 155 | 1283 | 3.0 | 37 | 36 | 1602 | 7.33 | 518 | 5 | ND | 3 | 14 | 6 | 17 | 2 | 102 | .29 | .048 | 11 | 25 | 1.60 | 381 | .04 | 8 | 2.58 | .04 | .12 | 1 | 2 |
| 72 SD 228 | 3 | 215 | 144 | 1177 | 2.0 | 38 | 41 | 2226 | 7.28 | 359 | 7 | ND | 2 | 12 | 6 | 16 | 2 | 99 | .24 | .052 | 13 | 29 | 1.51 | 332 | .03 | 7 | 2.66 | .04 | .12 | 1 | 1 |
| STD C/AU-S | 19 | 64 | 42 | 125 | 7.6 | 67 | 28 | 939 | 4.06 | 42 | 16 | 8 | 34 | 48 | 18 | 15 | 20 | 57 | .50 | .088 | 38 | 52 | .92 | 176 | .09 | 36 | 1.79 | .06 | .12 | 12 | 48 |

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM. - SAMPLE TYPE: PI-7 SOIL PG-SILT AU: ANALYSIS BY AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: JULY 8 1987

DATE REPORT MAILED: July 14/87 ASSAYER: DEAN TOYE, CERTIFIED B.C. ASSAYER

GULF INTERNATIONAL File # 87-2292 Page 1

Table with columns: SAMPLE#, NO, CU, PB, ZN, AG, NI, CO, MN, FE, AS, U, AU, TH, SR, CD, SB, BI, V, CA, P, LA, CR, MG, BA, TI, B, AL, NA, K, W, AU1, PPB. Rows include sample identifiers like 71 MS 001 and 71 SD 001, and a final row for STD C/MU-S.

Table with columns: SAMPLE#, NO PPM, CU PPM, PB PPM, ZN PPM, AG PPM, NI PPM, CO PPM, MN PPM, FE %, AS PPM, U PPM, AU PPM, TH PPM, SR PPM, CD PPM, SB PPM, BI PPM, V PPM, CA %, P %, LA PPM, CR PPM, MG %, BA PPM, TI %, B PPM, AL %, NA %, K %, W PPM, AU1 PPM.


GULF INTERNATIONAL FILE # 87-2292

Page 7

| SAMPLE# | MO PPM | CU PPM | PB PPM | ZN PPM | AG PPM | NI PPM | CO PPM | MN PPM | FE % | AS PPM | U PPM | AU PPM | TH PPM | SR PPM | CD PPM | SB PPM | BI PPM | V PPM | CA % | P % | LA PPM | CR PPM | MG % | BA PPM | TI % | B PPM | AL % | WA % | K % | W PPM | AU PPB |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|-----------|
| 71 SD 127A | 1 | 33 | 15 | 55 | .1 | 6 | 12 | 942 | 4.41 | 8 | 5 | ND | 4 | 14 | 1 | 2 | 5 | 54 | .26 | .060 | 17 | 4 | .70 | 297 | .06 | 21 | 1.07 | .03 | .15 | 1 | 9 |
| 71 SD 128A | 1 | 24 | 9 | 42 | .1 | 1 | 11 | 925 | 4.29 | 2 | 6 | ND | 3 | 16 | 1 | 2 | 2 | 50 | .35 | .076 | 18 | 4 | .59 | 410 | .05 | 22 | .94 | .02 | .18 | 2 | 1 |
| 71 SD 129A | 1 | 36 | 9 | 51 | .3 | 3 | 12 | 877 | 4.11 | 9 | 5 | ND | 3 | 16 | 1 | 2 | 3 | 48 | .28 | .069 | 17 | 4 | .59 | 258 | .06 | 19 | 1.02 | .04 | .13 | 1 | 8 |
| 71 SD 130A | 1 | 19 | 13 | 48 | .1 | 2 | 11 | 837 | 3.96 | 8 | 5 | ND | 3 | 20 | 1 | 3 | 2 | 44 | .27 | .054 | 17 | 5 | .71 | 387 | .06 | 20 | 1.10 | .03 | .15 | 1 | 1 |
| 71 SD 131A | 1 | 26 | 15 | 55 | .1 | 3 | 13 | 1015 | 4.23 | 9 | 5 | ND | 3 | 26 | 1 | 2 | 2 | 52 | .68 | .078 | 17 | 3 | .68 | 478 | .06 | 21 | .95 | .03 | .17 | 1 | 11 |
| 71 SD 132A | 1 | 24 | 8 | 36 | .1 | 5 | 12 | 923 | 4.00 | 4 | 6 | ND | 4 | 15 | 1 | 2 | 2 | 47 | .40 | .107 | 18 | 2 | .33 | 340 | .04 | 20 | .69 | .02 | .17 | 1 | 2 |

| SAMPLE# | MO PPH | CU PPH | PB PPH | ZN PPH | AG PPH | NI PPH | CO PPH | MN PPH | FE % | AS PPH | U PPH | AU PPH | TH PPH | SR PPH | CD PPH | SB PPH | BI PPH | V PPH | CA % | P % | LA PPH | CR PPH | MG % | BA PPH | TI % | B PPH | AL % | NA % | K % | W PPH | AU# PPB |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 7-2-TA-001 | 5 | 33 | 7 | 82 | .1 | 5 | 9 | 1311 | 3.32 | 145 | 6 | ND | 2 | 752 | 1 | 2 | 2 | 48 | 2.76 | .058 | 15 | 5 | 1.44 | 342 | .05 | 26 | 1.49 | .03 | .12 | 1 | 11 |
| 7-2-TA-002 | 6 | 31 | 31 | 47 | .1 | 5 | 10 | 970 | 2.94 | 335 | 5 | ND | 2 | 208 | 1 | 2 | 2 | 18 | 1.39 | .048 | 27 | 2 | .91 | 229 | .01 | 20 | .80 | .01 | .15 | 2 | 1 |
| 7-2-TA-003 | 1 | 26 | 10 | 76 | .1 | 1 | 8 | 850 | 3.17 | 59 | 5 | ND | 2 | 106 | 1 | 2 | 2 | 42 | .87 | .048 | 17 | 2 | 1.12 | 391 | .06 | 35 | 1.48 | .04 | .23 | 1 | 1 |
| 7-2-TA-004 | 2 | 17 | 8 | 67 | .1 | 5 | 8 | 1118 | 3.34 | 70 | 5 | ND | 2 | 75 | 1 | 2 | 2 | 48 | .64 | .042 | 15 | 3 | 1.02 | 227 | .07 | 27 | 1.30 | .03 | .14 | 1 | 1 |
| 7-2-TA-005 | 2 | 24 | 16 | 75 | .1 | 6 | 10 | 1110 | 3.60 | 101 | 5 | ND | 2 | 87 | 1 | 2 | 2 | 54 | .52 | .057 | 15 | 7 | 1.00 | 278 | .07 | 26 | 1.25 | .03 | .14 | 2 | 29 |
| 7-2-TA-006 | 2 | 26 | 18 | 123 | .1 | 6 | 12 | 2178 | 4.95 | 99 | 5 | ND | 3 | 73 | 1 | 2 | 2 | 82 | .40 | .066 | 22 | 8 | .64 | 320 | .10 | 23 | 1.71 | .03 | .09 | 2 | 4 |
| 7-2-TA-007 | 2 | 53 | 17 | 146 | .1 | 32 | 13 | 918 | 4.91 | 50 | 5 | ND | 2 | 54 | 1 | 2 | 2 | 73 | .42 | .084 | 17 | 16 | .84 | 433 | .04 | 5 | 1.66 | .03 | .10 | 1 | 5 |
| 7-2-TA-008 | 2 | 64 | 17 | 135 | .1 | 10 | 11 | 993 | 4.61 | 17 | 5 | ND | 1 | 69 | 1 | 2 | 2 | 62 | .55 | .086 | 17 | 10 | .69 | 1045 | .04 | 11 | 1.17 | .02 | .10 | 1 | 22 |
| 7-2-TA-009 | 8 | 49 | 24 | 109 | .1 | 19 | 18 | 2529 | 5.42 | 13 | 5 | ND | 3 | 51 | 1 | 2 | 2 | 50 | .53 | .072 | 14 | 9 | .57 | 795 | .02 | 2 | .83 | .01 | .11 | 1 | 5 |
| 7-2-TA-010 | 1 | 28 | 16 | 69 | .1 | 1 | 11 | 1126 | 5.33 | 2 | 5 | ND | 3 | 23 | 1 | 2 | 2 | 86 | .51 | .138 | 25 | 5 | .56 | 462 | .04 | 13 | 1.05 | .02 | .18 | 1 | 1 |
| 7-2-TA-011 | 1 | 50 | 10 | 102 | .1 | 9 | 18 | 1403 | 5.91 | 8 | 5 | ND | 3 | 29 | 1 | 2 | 2 | 78 | .37 | .080 | 19 | 12 | .99 | 540 | .06 | 2 | 1.52 | .02 | .10 | 1 | 1 |
| 7-2-TA-012 | 3 | 190 | 13 | 81 | .1 | 11 | 25 | 879 | 7.37 | 22 | 5 | ND | 2 | 22 | 1 | 2 | 2 | 86 | .39 | .071 | 9 | 15 | 1.40 | 148 | .05 | 6 | 1.86 | .02 | .07 | 1 | 350 |
| 7-2-TA-013 | 1 | 55 | 31 | 119 | .5 | 9 | 15 | 670 | 5.05 | 36 | 5 | ND | 2 | 52 | 1 | 2 | 2 | 71 | 2.67 | .080 | 7 | 9 | 1.23 | 91 | .03 | 21 | 1.14 | .01 | .05 | 1 | 82 |
| 7-2-TA-014 | 4 | 54 | 14 | 98 | .2 | 9 | 16 | 1424 | 5.25 | 41 | 5 | ND | 3 | 25 | 1 | 2 | 2 | 65 | .38 | .082 | 19 | 8 | .69 | 577 | .03 | 16 | 1.44 | .02 | .09 | 2 | 260 |
| 7-2-TA-015 | 2 | 53 | 10 | 69 | .2 | 4 | 11 | 681 | 4.29 | 16 | 5 | ND | 2 | 28 | 1 | 2 | 2 | 62 | .45 | .070 | 11 | 10 | .75 | 581 | .03 | 6 | 1.04 | .02 | .08 | 1 | 25 |
| 7-2-TA-016 | 3 | 13 | 2 | 30 | .3 | 1 | 4 | 477 | 1.63 | 7 | 5 | ND | 2 | 48 | 1 | 4 | 2 | 5 | .24 | .026 | 10 | 1 | .08 | 1074 | .01 | 5 | .27 | .02 | .14 | 2 | 1 |
| 7-2-TA-017 | 4 | 107 | 49 | 295 | .6 | 18 | 21 | 1071 | 6.18 | 665 | 5 | ND | 4 | 35 | 2 | 6 | 2 | 58 | .40 | .067 | 10 | 9 | .52 | 87 | .02 | 4 | .93 | .01 | .09 | 2 | 1 |
| 7-2-TA-018 | 1 | 95 | 14 | 139 | .2 | 4 | 10 | 1447 | 4.02 | 135 | 5 | ND | 2 | 136 | 1 | 3 | 2 | 41 | .81 | .065 | 13 | 7 | .53 | 782 | .04 | 14 | 1.00 | .05 | .15 | 2 | 22 |
| 7-2-TA-022 | 1 | 44 | 14 | 62 | .1 | 5 | 15 | 1114 | 5.00 | 22 | 5 | ND | 3 | 25 | 1 | 2 | 2 | 64 | .40 | .079 | 17 | 11 | .73 | 320 | .13 | 9 | 1.25 | .07 | .15 | 1 | 3 |
| 7-2-TA-023 | 2 | 81 | 25 | 202 | .3 | 7 | 16 | 3710 | 6.08 | 634 | 6 | ND | 2 | 88 | 2 | 7 | 2 | 81 | .34 | .054 | 13 | 10 | 1.19 | 302 | .05 | 13 | 1.79 | .04 | .10 | 1 | 16 |
| 7-2-TA-024 | 4 | 677 | 120 | 1843 | 4.6 | 97 | 125 | 2591 | 13.38 | 9035 | 6 | ND | 2 | 19 | 16 | 67 | 2 | 51 | .46 | .038 | 20 | 22 | .52 | 19 | .01 | 4 | 1.49 | .01 | .09 | 6 | 14 |
| 7-2-TA-025 | 14 | 175 | 87 | 1624 | .5 | 84 | 27 | 1549 | 7.30 | 420 | 5 | ND | 3 | 20 | 15 | 9 | 2 | 188 | .66 | .076 | 23 | 23 | .88 | 421 | .08 | 9 | 2.77 | .03 | .07 | 2 | 12 |
| 7-2-TA-026 | 3 | 94 | 26 | 204 | .6 | 15 | 14 | 747 | 4.33 | 274 | 5 | ND | 3 | 32 | 1 | 5 | 2 | 63 | .25 | .057 | 8 | 8 | .48 | 188 | .05 | 11 | 1.02 | .03 | .14 | 1 | 1 |
| 7-2-TA-027 | 4 | 40 | 38 | 1510 | .1 | 15 | 11 | 1336 | 4.12 | 245 | 5 | ND | 4 | 16 | 6 | 4 | 2 | 45 | .36 | .032 | 29 | 10 | .42 | 259 | .12 | 2 | 2.06 | .04 | .08 | 1 | 1 |
| STD C/AU-S | 18 | 58 | 38 | 129 | 7.1 | 66 | 28 | 955 | 3.94 | 38 | 16 | 7 | 34 | 49 | 17 | 16 | 21 | 57 | .47 | .087 | 39 | 54 | .86 | 180 | .09 | 36 | 1.85 | .07 | .15 | 14 | 46 |

APPENDIX II



GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| MAIN GRID Coordinates | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|--------------------------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 0+50W | 3+80N | SD 195 | 3.2 | | 126 | 1229 | 509 | |
| 0+50W | 3+30N | SD 193 | | | | | 410 | |
| 1+00W | 3+10N | SD 199 | | 221 | | 1594 | 767 | |
| 1+00W | 3+00N | SD 198 | | | | 483 | 442 | |
| 1+00W | 3+90N | SD 197 | | | | 836 | 373 | |
| 1+50W | 1+20S | SD 014 | 47 | | | | | |
| 2+50W | 2+10N | SD 175 | | | 126 | | 413 | |
| 3+00W | 2+80N | SD 181 | | 130 | | | 594 | |
| 3+00W | 1+70N | SD 182 | | | | | 395 | |
| 3+00W | 0+60S | SD 032 | 36 | | | | | |
| 3+50W | 2+90N | SD 191 | 27 | | | | | |
| 3+50W | 2+80N | SD 190 | 26 | | | | 192 | |
| 3+50W | 2+70N | SD 189 | 44 | | | | | |
| 3+50W | 0+40S | SD 037 | 47 | | | | | |
| 4+00W | 2+60N | MS 005 | 31 | | | | | |
| 4+00W | 2+50N | MS 004 | | | | | 639 | |
| 4+00W | 2+40N | MS 003 | | | | | 403 | |
| 4+00W | 1+20N | MS 001 | | 183 | | | | |
| 4+00W | 0+30S | SD 044 | 35 | | | | | |
| 4+50W | 1+80N | MS 011 | 131 | | | | | |
| 4+50W | 1+70N | MS 012 | 27 | | | | | |
| 4+50W | 0+30S | SD 052 | 123 | | | | | |
| 4+50W | 0+90S | SD 056 | 46 | | | | | |
| 4+50W | 1+20S | SD 059 | | | | 460 | | |
| 5+00W | 2+10N | SD 163 | | 166 | | | 7876 | |
| 5+00W | 2+60N | SD 158 | | 129 | | | 569 | |
| 5+00W | 1+50N | SD 157 | | 125 | | | 812 | |
| 5+00W | 0+30N | SD 062 | 26 | | | | | |
| 5+00W | 0+70S | SD 070 | 38 | | | | | |
| 5+50W | 1+20N | SD 154 | | 142 | | | 387 | |
| 5+50W | 1+00N | SD 152 | 96 | 149 | | | 1231 | |
| 5+50W | 1+20S | SD 076 | 85 | | | | | |
| 5+50W | 1+40S | SD 074 | 87 | | | | | |
| 5+50W | 1+50S | SD 073 | 220 | | | | | |
| 6+00W | 1+00N | SD 148 | | | | | 790 | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| MAIN GRID Coordinates | | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|-----------------------|-------|------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 6+00W | 1+80N | SD 146 | | 10 | 136 | | | 526 | |
| 6+00W | 0+70N | SD 145 | 40 | | 161 | | | 403 | |
| 6+50W | 2+20N | SD 141 | | | 127 | | | | |
| 6+50W | 2+00N | SD 139 | | | 127 | | 643 | | |
| 6+50W | 1+60N | SD 138 | | | 214 | | | | |
| 6+50W | 1+30N | SD 137 | | | 262 | | | 368 | |
| 6+50W | 1+20N | SD 136 | | | | | | 536 | |
| 6+50W | 0+90N | SD 133 | | | 136 | | | 462 | |
| 6+50W | 0+90S | SD 089 | 30 | | | | | | |
| 7+00W | 1+30 | SD 130 | | | 149 | | | 529 | |
| 7+00W | 0+10N | SD 096 | 52 | | | | | | |
| 7+50W | 3+30N | SD 124 | | | | | | 427 | |
| 8+00W | 0+30N | SD 107A | | | 158 | | | | |
| 8+00W | 0+20S | SD 112A | 68 | | | | | | |
| 8+00W | 0+30S | SD 113A | 15600 | 8.8 | 3631 | | | 48 | |
| 8+00W | 0+40S | SD 114A | 160 | | | | | | |
| 8+00W | 0+50S | SD 115A | 205 | | | | | | |
| 8+00W | 0+60S | SD 116A | 248 | | | | | | |
| 8+50W | 2+40N | SD 117 | | | | | | 326 | |
| 8+50W | 0+70N | SD 117A | 116 | | | | | | |
| 8+50W | 0+20S | SD 126A | 45 | | | | | | |
| 0+50E | 0+20 | SD 203 | | | | | | 456 | |
| 0+50E | 0+40 | SD 204 | | | | | | 375 | |
| 0+50E | 0+60 | SD 205 | | | | | | 534 | |
| 0+50E | 1+00 | SD 207 | | | 147 | | | 544 | |
| 0+50E | 1+10S | SD 208 | | | | | | 524 | |
| 1+00E | 0+00 | TA 036 | 31 | | | 115 | | | |
| 1+00E | 0+20 | TA 037 | | 1.0 | | | | | |
| 1+00E | 0+40 | TA 038 | | | | | 510 | | |
| 1+00E | 0+60 | TA 039 | | | | 137 | 869 | 351 | |
| 1+00E | 0+80 | TA 040 | | | 128 | 129 | 778 | 494 | |
| 1+00E | 1+00 | TA 041 | | | 189 | 101 | 535 | | 23 |
| 1+00E | 1+20S | TA 042 | 38 | | 196 | | 490 | | |
| 1+50E | 00 | TA 043 | | | | 170 | 624 | | |
| 1+50E | 20 | TA 044 | | 1.9 | | 100 | 906 | | |
| 1+50E | 40 | TA 045 | | 1.0 | | | 521 | | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| MAIN GRID Coordinates | | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|--------------------------|-------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 1+50E | 60S | TA 046 | | 1.4 | 136 | 180 | 527 | 425 | |
| 1+50E | 80S | TA 047 | | | | 119 | | 401 | |
| 1+50E | 1+00S | TA 048 | | | 206 | 128 | 453 | | |
| 1+50E | 1+20S | TA 049 | | | 157 | 151 | 611 | | |
| 1+50E | 1+60S | TA 051 | | | 158 | 114 | | | |
| 1+75E | 1+00S | SD 291 | | 1.2 | | | | | |
| 1+75E | 1+60S | SD 294 | | 1.7 | | | | | |
| 1+75E | 2+20S | SD 297 | | 1.1 | | | | | |
| 1+75E | 2+80S | SD 300 | 58 | 9.3 | 921 | 1330 | 4954 | 2055 | 91 |
| 2+50E | 0+20S | SD 210 | | | | | | 460 | |
| 2+50E | 0+40S | SD 211 | | 1.4 | 153 | | | | |
| 2+50E | 1+00S | SD 214 | | 3.7 | | | | | |
| 2+50E | 1+40S | SD 216 | | | | | 730 | 580 | |
| 3+00E | 0+00S | MS 026 | | 1.1 | | | | | |
| 3+00E | 1+40S | MS 033 | | | | | 463 | | |
| 3+00E | 2+20S | MS 037 | | | 129 | | | | |
| 3+00E | 3+00S | MS 041 | | 1.6 | | | | | |
| 3+50E | 0+40N | SD 302 | | 2.9 | | | 1387 | 400 | |
| 3+50E | 1+20S | SD 251 | | 1.3 | | | | | |
| 3+50E | 2+40S | SD 257 | | 1.3 | | | | | |
| 3+50E | 3+00S | SD 260 | | 1.1 | | | | | |
| 3+50E | 3+20S | SD 261 | | 4.7 | | 161 | | | |
| 3+50E | 4+00S | SD 264 | | 1.7 | | | | | |
| 3+50E | 4+80S | SD 267A | | 3.6 | | | | | |
| 4+00E | 0+60N | SD 308 | | 2.4 | 444 | | 2853 | | 25 |
| 4+00E | 0+80N | SD 309 | | 1.7 | | | 664 | | |
| 4+00E | 1+00N | SD 310 | 79 | | | | | | |
| 4+00E | 0+40S | AK 021 | | | 132 | 179 | 595 | 492 | |
| 4+00E | 0+80S | AK 023 | | | | | | | 40 |
| 4+00E | 1+00S | AK 024 | | | | | | | 20 |
| 4+00E | 1+40S | AK 026 | | 1.2 | 236 | 111 | 1456 | 874 | |
| 4+00E | 1+60S | AK 027 | | | 630 | 111 | 1459 | 758 | |
| 4+00E | 2+60S | AK 032 | | 2.4 | | | | | |
| 4+00E | 3+60S | AK 037 | | 1.1 | | | | | |
| 4+00E | 3+80S | AK 038 | | 1.4 | | | | | |
| 4+00E | 4+60S | AK 042 | | 1.1 | | | | | |
| 5+00E | 0+20S | SD 269 | | 1.1 | | | | | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| MAIN GRID Coordinates | | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|--------------------------|-------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 5+00E | 0+40S | SD 270 | | 1.1 | | | | | |
| 5+00E | 1+20S | SD 274 | 41 | | | | | | |
| 5+00E | 1+60S | SD 276 | | | | | 637 | 406 | |
| 5+00E | 1+80S | SD 277 | | 1.3 | 175 | | 1496 | | |
| 5+00E | 2+00S | SD 278 | | | | | | | 26 |
| 5+00E | 2+20S | NS | | | | | | | 21 |
| 5+00E | 2+40S | SD 279 | | | | | | | 24 |
| 5+00E | 2+60S | SD 280 | | | | | | | 24 |
| 5+00E | 2+80S | SD 281 | 490 | 2.8 | | 319 | | 2707 | |
| 6+00E | 0+80N | SD 331 | | 1.3 | | | | | |
| 6+00E | 0+80S | AK 047 | | 2.6 | | | | 551 | |
| 6+00E | 1+40S | AK 050 | | 1.6 | | | | | 47 |
| 6+00E | 1+60S | AK 051 | | 1.5 | | | | | |
| 6+00E | 1+80S | AK 052 | | | 278 | | | | |
| 6+00E | 2+20S | AK 054 | | 3.2 | | | | | |
| 6+00E | 2+60S | SD 504 | | 2.2 | 313 | | | | 21 |
| 6+00E | 2+80S | SD 505 | | | | | | | 17 |
| 6+00E | 3+00S | SD 506 | | 1.6 | 303 | | 4236 | | 19 |
| 6+00E | 3+20S | SD 507 | | 2.3 | | 163 | 832 | | 22 |
| 7+00E | 0+20S | SD 492 | | 1.3 | | | | | |
| 7+00E | 0+40S | SD 493 | | 1.8 | | | | | |
| 7+00E | 0+60S | SD 494 | | 1.6 | | | | | |
| 7+00E | 0+80S | SD 495 | | 1.5 | | | | | |
| 7+00E | 1+20S | SD 497 | | 1.6 | | | | | |
| 7+00E | 2+00S | SD 501 | | 2.4 | 188 | | | | |
| 7+00E | 2+20S | SD 502 | 43 | 11.6 | 810 | 382 | 2981 | 3968 | 39 |
| 7+00E | 2+40S | SD 503 | | 1.9 | 353 | 138 | 1771 | | 29 |
| L1+75E | 2+60S | AK 234 | 49 | | | | | | |
| L1+75E | 3+00S | AK 235 | | 1.4 | | | | | |
| L1+75E | 3+20S | AK 236 | 127 | | | | | | |
| L1+75E | 3+40S | AK 237 | | 1.2 | | | | | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| N.E. GRID Coordinates | | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|--------------------------|---------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 0+50NE | 0+00SE | SD 388 | | 3.6 | | 592 | 438 | | |
| 0+50NE | 0+40SE | SD 390 | 560 | | | | | | |
| 0+50NE | 0+80SE | SD 392 | | 2.2 | | | | | |
| 0+50NE | 1+00SE | SK 393 | | 3.3 | | | | 641 | |
| 1+00NE | 1+80SE | SD 380 | | | | | | | 23 |
| 1+00NE | 1+20SE | SD 382 | | 2.6 | | | | | |
| 1+00NE | 1+40SE | SD 383 | | 1.7 | | | | | |
| 1+00NE | 1+60SE | SD 384 | | 1.2 | | | | | |
| 1+00NE | 1+80SE | SD 385 | | 2.4 | | | | 1138 | 23 |
| 1+00NE | 2+20SE | SD 387 | 54 | 1.5 | 231 | 158 | 469 | 1727 | |
| 1+50NE | 0+60NW | SD 346 | | | | | 928 | 2611 | 35 |
| 1+50NE | 0+20NW | SD 344 | | 1.0 | | 127 | | | |
| 1+50NE | 0+00SE | AK 058 | 42 | 1.9 | 239 | 215 | 544 | 1236 | |
| 1+50NE | 0+80SE | AK 062 | | 1.1 | | | | | |
| 1+50NE | 1+00SE | AK 063 | 45 | 1.5 | 356 | | | 410 | 27 |
| 1+50NE | 1+20SE | AK 064 | 82 | 1.5 | 598 | | | 328 | 103 |
| 1+50NE | 1+40SE | AK 065 | | | 598 | | | | 255 |
| | BL FORK | AK 056 | 50 | 6.3 | 414 | 148 | 431 | 405 | 22 |
| | BL FORK | AK 057 | 48 | 1.4 | 176 | 103 | 604 | 530 | |
| 2+00NE | 0+40NW | MS 062 | | 1.3 | | | | | |
| 2+00NE | 0+20NW | MS 061 | | | | | | | 57 |
| 2+00NE | 0+40SE | MS 065 | | 1.0 | | | | | |
| 2+50NE | 0+00SE | SD 322 | 21 | | | | | | |
| 2+50NE | 0+20SE | SD 323 | | 1.0 | | | | | |
| 2+50NE | 0+80SE | SD 326 | | 1.0 | | | | | |
| 2+50NE | 1+00SE | SD 327 | | | | | | | 23 |
| | | SD 335 | | | 339 | | | | |
| | | SD 336 | 75 | | 282 | | | 1021 | |
| | | SD 337 | 23 | | 163 | | | | 107 |
| | | SD 338 | | | | | | | 20 |
| | | SD 339 | | | | | | | 24 |
| 3+00NE | 1+20NW | MC 043 | | | | | | | 53 |
| 3+00NE | 1+40NW | MC 044 | | | | | | 708 | 63 |
| 3+00NE | 1+20NW | MC 048 | | 1.1 | | | | | |
| 3+00NE | 1+40NW | MC 049 | | 1.1 | | | | | |
| 3+00NE | 1+60NW | MC 050 | | 1.6 | | | | | |
| 3+00NE | 1+80NW | MC 051 | | | | 151 | | 650 | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| N.E. GRID Coordinates | | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|-----------------------|--------|------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 3+00NE | 2+40SE | MC 054 | | | | | | | 35 |
| 3+00NE | 2+60SE | MC 055 | | | | | | | 27 |
| 3+00NE | 2+80SE | MC 056 | | 1.8 | | | 737 | 2240 | 25 |
| 3+00NE | 1+40SE | MC 059 | | | | | 940 | | |
| 3+00NE | 1+60SE | MC 060 | | 1.6 | | | 546 | | 71 |
| 3+50NE | 0+00NW | 347 | 92 | 1.6 | 202 | 155 | | 1032 | |
| 3+50NE | 0+20SE | 351 | | | 180 | | 612 | 615 | 32 |
| 3+50NE | 0+40SE | 352 | | | | | | 662 | 33 |
| 3+50NE | 0+60SE | 353 | | | | | | | 31 |
| 3+50SE | 1+00SE | 355 | | 5.5 | | | | | |
| 3+50NE | 1+40SE | 357 | | 1.4 | | | | | 22 |
| 3+50NE | 1+60SE | 358 | | 1.2 | | 110 | | 478 | 35 |
| 4+00NE | 0+00SE | SD 365 | | 1.1 | 329 | | | 625 | |
| 4+00NE | 0+40SE | SD 367 | | | | | | 369 | |
| 4+00NE | 1+00SE | SD 370 | | | | | | | 33 |
| 4+00NE | 1+20SE | SD 371 | | 3.5 | | | | | |
| 4+00NE | 1+40SE | SD 372 | | 5.6 | | | | 632 | |
| 4+00NE | 1+60SE | SD 373 | | | | | | | 23 |
| 5+00NE | 0+00SE | AK 151 | 105 | 1.2 | 264 | 192 | 777 | 1661 | |
| 5+00NE | 0+20SE | AK 152 | | 6.5 | 581 | 2582 | 3271 | 2650 | |
| 5+00NE | 0+60SE | AK 154 | | | | 167 | | | 26 |
| 5+00NE | 1+00SE | AK 156 | | 1.2 | | | | | |
| 5+00NE | 1+40SE | AK 158 | | | | | | | 28 |
| 5+00NE | 1+60SE | AK 159 | | | 286 | | | | |
| 5+00NE | 1+80SE | AK 160 | | | 160 | | | | 26 |
| 6+00NE | 0+00SE | AK 161 | 67 | 1.7 | 955 | | 1026 | 915 | |
| 6+00NE | 0+40SE | AK 163 | 28 | | | | | | |
| 6+00NE | 0+80SE | AK 165 | | 1.1 | | 106 | | | 30 |
| 6+00NE | 1+20SE | AK 167 | | | | | | 1206 | 27 |
| 6+00NE | 1+40SE | AK 168 | | | 382 | | | | 24 |
| 6+00NE | 1+80SE | AK 170 | | | | | | | 25 |
| 7+00NE | 0+00SE | SD 418 | 25 | 2.5 | 282 | 432 | 617 | 1002 | |
| 7+00NE | 0+20SE | SD 419 | | 2.3 | | | 295 | 651 | |
| 7+00NE | 1+00SE | SD 423 | | | | | | | 30 |
| 7+00NE | 1+40SE | SD 425 | | 173 | | | | | |
| 8+00NE | 0+00SE | SD 407 | 72 | | | | | | |
| 8+00NE | 0+40SE | SD 409 | 195 | | | | | | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| N.E. GRID Coordinates | | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|--------------------------|--------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 8+00NE | 0+80SE | SD 411 | 34 | | | | | | |
| 8+00NE | 1+00SE | SD 412 | 29 | | | | | 674 | |
| 8+00NE | 1+20SE | SD 413 | | | | | | | 38 |
| 8+00NE | 1+80SE | SD 416 | | 1.0 | | | | | |
| 8+00NE | 2+00SE | SD 417 | | | 475 | | | 472 | 46 |
| 9+00NE | 1+20SE | SD 402 | | | | | | | 30 |
| 9+00NE | 1+80SE | SD 405 | 260 | 1.1 | 367 | 280 | 610 | 416 | |
| L1+50NE | 1+80SE | AK 247 | | 4.0 | | | | | |
| L1+50NE | 2+00SE | AK 248 | | 1.5 | | | | | |
| L1+50NE | 2+20SE | AK 249 | | 2.5 | | | | | |
| L1+50NE | 2+40SE | AK 250 | | 1.5 | | | | | |
| L1+50NE | 2+60SE | AK 251 | | 1.5 | | | | | |
| L4+00NE | 0+40NW | AK 262 | | 1.5 | | | | | |
| L4+00NE | 0+60NW | AK 263 | | 1.3 | | | | | |
| L5+00NE | 0+20NW | AK 264 | 66 | | 269 | | | | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES


| N.W. GRID Coordinates | | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|--------------------------|-------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 1+00N | 1+60W | SD 446 | 53 | | | | | | |
| 1+00N | 1+20W | SD 444 | 31 | | | | | | |
| 1+00N | 1+00W | SD 443 | 62 | | | | | | |
| 1+00N | 0+80W | SD 442 | 77 | | | | | | |
| 2+00N | 0+60W | SD 452 | 70 | | | | | | |
| 3+00N | 0+00W | AK 181 | 33 | | | | | | |
| 3+00N | 0+20W | AK 182 | 165 | | | | | | |
| 3+00N | 0+40W | AK 183 | 58 | | | | | | |
| 3+00N | 0+60W | AK 184 | 26 | | | | | | |
| 3+00N | 0+80W | AK 185 | 335 | | 496 | | | | |
| 3+00N | 1+00W | AK 186 | | | 962 | | | | |
| 3+00N | 1+20W | AK 187 | 94 | | | | | | |
| 3+00N | 1+40W | AK 188 | 53 | | | | | | |
| 4+00N | 2+20W | AK 195 | 27 | | 315 | | | | |
| 4+00N | 2+00W | AK 196 | 37 | 1.0 | | | | | |
| 4+00N | 1+60W | AK 198 | 26 | | | | | | |
| 4+00N | 1+40W | AK 199 | 360 | | 342 | | | | |
| 4+00N | 1+20W | AK 200 | 210 | | | | | | |
| 4+00N | 1+00W | AK 201 | 240 | 6.3 | 232 | | | | |
| 4+00N | 0+60W | AK 203 | 63 | | | | | | |
| 4+00N | 0+40W | AK 204 | | 1.3 | | | | | |
| 4+00N | 0+00W | AK 206 | 250 | | 242 | | | | |
| 5+00N | 0+40E | SD 515 | | | 161 | | | | |
| 5+00N | 1+00E | SD 518 | 215 | 1.9 | | | | | |
| 5+00N | 1+20E | SD 519 | 195 | 1.5 | 297 | | | | |
| 5+00N | 1+40E | SD 520 | 63 | 3.2 | 477 | | | | |
| 6+00N | 0+20E | 276 | | 1.3 | | | | | |
| 6+00N | 1+00E | 529 | 335 | | | | | | |
| 6+00N | 1+20E | 530 | 62 | | | | | | |
| 6+00N | 1+60E | 532 | 49 | | 201 | | | | |
| 6+00N | 1+80E | 533 | 1560 | 11.8 | 490 | | | | |
| 6+00N | 2+00E | 534 | 33 | | 211 | | | | |
| 6+00N | 2+20E | 535 | 425 | | 438 | | | | |
| 6+00N | 2+40E | 536 | 53 | | 417 | | | | |
| 6+00N | 2+60E | 537 | | 1.0 | | | | | |
| 5+00N | 2+25E | 524 | 44 | | | | | | |
| 6+00N | 3+00E | 539 | 24 | | 145 | | | | |

GRID COORDINATES AND SIGNIFICANT ANOMALOUS VALUES

SOIL SAMPLES

| A.R. GRID Coordinates | Sample No. | Au ppb ≥26 | Ag ppm ≥1.0 | Cu ppm ≥125 | Pb ppm ≥100 | Zn ppm ≥450 | As ppm ≥325 | Mo ppm ≥20 |
|--------------------------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| L0+00E 2+50S | MS 72 | | 1.9 | | | | | 21 |
| L2+00E 0+00S | AK 209 | 39 | | | | | | |
| L3+00E 2+00S | AK 222 | 24 | | | | | | |
| L3+00E 0+00S | AK 226 | 23 | | | | | | |

APPENDIX III



U.T.M. COORDINATES & ASSAYS - ROCK CHIP SAMPLES

| Sample No. | U.T.M. Coordinates | | Gold oz/ton | Silver oz/ton |
|------------|--------------------|--------|----------------|------------------|
| | North | East | | |
| 73AK001 | 6298430 | 383500 | 2.620 | 0.66 |
| 74AK003 | 6298400 | 383580 | 0.005 | 0.50 |
| 73AK005 | 6300500 | 583150 | 0.005 | <0.01 |
| 73AK006 | 6300340 | 382780 | TR | <0.01 |
| 73AK007 | 6300350 | 382260 | 0.01 | <0.01 |
| 73AK010 | 6296980 | 385010 | 0.005 | 3.40 |
| 73AK013 | 6296370 | 384880 | TR | 0.03 |
| 74AK015 | 6296050 | 384690 | 0.005 | <0.01 |
| 73AK017 | 6298465 | 383760 | 0.005 | 0.71 |
| 73AK018 | 6298310 | 383380 | 0.005 | 0.48 |
| 73AK069 | 6299180 | 383730 | 0.250 | 1.18 |
| 73AK171 | 6299100 | 384660 | 1.020 | - |
| 73AK172 | 6299320 | 383200 | TR | - |
| 73AK180 | 6299550 | 383192 | 0.002 | - |
| 73AK179 | 6299620 | 383440 | 0.750 | - |
| 73AK207 | 6300280 | 382310 | 0.130 | 0.13 |
| 74AK208 | 6299840 | 382130 | 0.010 | - |
| 73AK230 | 6229180 | 383690 | 0.04 | 0.01 |
| 73AK231 | 6298200 | 383390 | 0.003 | - |
| 73AK232 | 6298010 | 383680 | 0.001 | - |
| 73AK233 | 6298220 | 383410 | TR | 0.11 |
| 73AK240 | 6298810 | 383420 | 0.096 | 0.08 |
| 73AK241 | 6298830 | 383450 | 0.003 | 0.08 |
| 73AK242 | 6299190 | 384730 | 0.001 | 0.02 |
| 73AK243 | 6298890 | 383910 | 0.001 | 0.05 |
| 73AK244 | 6298830 | 383850 | 0.002 | 0.02 |
| 73AK245 | 6298840 | 383830 | 0.001 | 0.12 |
| 73AK246 | 6298820 | 383760 | 0.002 | 0.05 |
| 73AK254 | 6297300 | 383430 | 0.16 | 2.30 |
| 73AK255 | 6299150 | 383750 | TR | 0.04 |
| 73AK256 | 6299140 | 383760 | TR | 0.60 |
| 73AK257 | 6299130 | 383780 | TR | <0.01 |
| 73AK258 | 6299120 | 383800 | TR | 0.26 |
| 73AK259 | 6299100 | 384660 | TR | 0.01 |
| 73AK260 | 6299090 | 384640 | TR | 0.01 |
| 73AK267 | 6299150 | 384690 | TR | 0.01 |
| 73AK268 | 6299140 | 384695 | 0.005 | 1.60 |
| 73AK269 | 6299700 | 383375 | 0.001 | <0.01 |
| 73AK279 | 6299700 | 385220 | 0.002 | 0.06 |
| 73AK280 | 6299610 | 385300 | TR | 12.30 |

U.T.M. COORDINATES & ASSAYS - ROCK CHIP SAMPLES

| Sample No. | U.T.M. Coordinates | | Gold | Silver |
|------------|--------------------|--------|--------|--------|
| | North | East | oz/ton | oz/ton |
| 73AK281 | 6299650 | 385350 | tr | 2.15 |
| 73AK282 | 6299230 | 384800 | 0.001 | 0.43 |
| 73AK001 | 6299870 | 383780 | 2.62 | 0.66 |
| 73AK002 | 6299960 | 383530 | 0.005 | 0.02 |
| 73AK004 | 6299950 | 383640 | 0.005 | <0.01 |
| 73AK283 | 6300800 | 381385 | TR | 0.01 |
| 73AK284 | 6300560 | 381190 | 0.005 | <0.01 |
| 73AK285 | 6300460 | 381270 | 0.005 | 0.01 |
| 73AK286 | 6300420 | 381260 | TR | 0.01 |
| 73AK287 | 6300360 | 381285 | 0.01 | <0.01 |
| 73AK227 | 6299870 | 383280 | TR | - |
| 73AK228 | 6299800 | 383400 | - | - |
| 73AK229 | 6299730 | 383450 | TR | 1.01 |
| 73AK008 | 6299430 | 383840 | 0.02 | <0.01 |
| 73AK009 | 6299660 | 383660 | 0.200 | 0.060 |
| 73AK288 | 6299600 | 383390 | 0.18 | 0.04 |
| 73MS086 | 6299830 | 383650 | TR | - |
| 73SD151 | 6299830 | 383800 | 0.230 | 0.02 |
| 73SD105 | 6299040 | 383470 | 0.240 | 0.11 |
| 73SD134 | 6299030 | 383600 | 0.005 | <0.01 |
| 73SD164 | 6298950 | 383030 | 0.005 | 0.03 |
| 73SD165 | 6299010 | 383980 | 0.005 | <0.01 |
| 73SD200 | 6298400 | 383580 | TR | 0.04 |
| 73SD201 | 6298390 | 383520 | 0.005 | 0.03 |
| 73SD226 | 6298640 | 385060 | TR | <0.01 |
| 73SD246 | 6298320 | 383370 | 0.010 | 0.27 |
| 73SD466 | 6298020 | 383900 | TR | <0.01 |
| 73SD490 | 6298780 | 383690 | 0.005 | 0.01 |
| 73SD508 | 6299170 | 383250 | 0.005 | 0.04 |
| 73SD510 | 6299600 | 383300 | 0.005 | 0.04 |
| 73SD550 | 6300800 | 381320 | 0.020 | <0.01 |
| 73SD551 | 6300350 | 381090 | 0.220 | 0.44 |
| 74SD552 | 6300320 | 381040 | 0.010 | <0.01 |
| 74SD553 | 6300310 | 381060 | 0.400 | 0.51 |
| 73SD166 | 6299750 | 383610 | 0.005 | <0.01 |
| 73TA019 | 6229740 | 383260 | TR | <0.01 |
| 73TA020 | 6298990 | 383250 | 0.005 | 0.06 |
| 73TA021 | 6298990 | 383250 | TR | 0.01 |
| 73TA052 | 6297600 | 384750 | TR | <0.01 |
| 73TA053 | 6297500 | 384590 | 0.005 | <0.01 |

U.T.M. COORDINATES & ASSAYS - ROCK CHIP SAMPLES

| Sample No. | U.T.M. Coordinates | | Gold oz/ton | Silver oz/ton |
|------------|--------------------|--------|----------------|------------------|
| | North | East | | |
| 73TA057 | 6297520 | 384240 | 0.005 | <0.01 |
| 73TA061 | 6298840 | 383840 | 0.01 | 0.02 |
| 73TA062 | 6298470 | 383840 | 0.01 | <0.01 |
| 73TA063 | 6298840 | 383840 | 0.04 | 0.06 |
| 73TA064 | 6298840 | 383840 | TR | <0.01 |
| 73TA065 | 6298840 | 383840 | TR | 0.27 |
| 73TA032 | | | 0.005 | 0.01 |

GULF INTERNATIONAL MINERALS LTD.
MCLYMONT CREEK - 1987

1

U.T.M. COORDINATES & ASSAYS - STREAM SEDIMENTS

| Sample No. | U.T.M. Coordinates | | Gold ppb | Silver ppb |
|------------|--------------------|--------|-------------|---------------|
| | North | East | | |
| 72TA001 | 6299650 | 382480 | 11 | 0.1 |
| 72TA002 | 6299800 | 382540 | 1 | 0.1 |
| 72TA003 | 6299970 | 382580 | 1 | 0.1 |
| 72TA004 | 6300110 | 382520 | 1 | 0.1 |
| 72TA005 | 6300270 | 382570 | 29 | 0.1 |
| 72TA006 | 6300600 | 382960 | 4 | 0.1 |
| 72TA007 | 6300750 | 382610 | 5 | 0.1 |
| 72TA008 | 6300500 | 382390 | 22 | 0.1 |
| 72TA009 | 6300430 | 382320 | 5 | 0.1 |
| 72TA010 | 6300360 | 381920 | 1 | 1 |
| 72TA011 | 6300300 | 381640 | 1 | 0.1 |
| 72TA012 | 6300260 | 381300 | 350 | 0.1 |
| 72TA014 | 6298740 | 382120 | 260 | 0.2 |
| 72TA015 | 6298520 | 382610 | 25 | 0.2 |
| 72TA016 | 6298430 | 382950 | 1 | 0.3 |
| 72TA017 | 6298520 | 383230 | 1 | 0.6 |
| 72TA018 | 6298540 | 383560 | 1 | 1 |
| 72TA022 | 6299500 | 383270 | 3 | 0.1 |
| 72TA023 | 6299260 | 383200 | 16 | 0.3 |
| 72TA024 | 6299340 | 383210 | 14 | 4.6 |
| 72TA025 | 6299450 | 383190 | 12 | 0.5 |
| 72TA026 | 6298790 | 383900 | 1 | 0.6 |
| 72TA027 | 6298580 | 383560 | 1 | 0.1 |
| 72TA028 | 6296910 | 383520 | 6 | 0.8 |
| 72TA029 | 6296710 | 383590 | 5 | 1.3 |
| 72TA030 | 6296400 | 384100 | 1 | 2.2 |
| 72TA031 | 6296500 | 384570 | 1 | 1.4 |
| 72TA032 | | | | |
| 72TA033 | 6296570 | 384750 | 2 | 1.2 |
| 72TA034 | 6296620 | 384740 | 1 | 0.7 |
| 72TA035 | 6296530 | 384390 | 1 | 0.2 |
| 72TA055 | 6297580 | 384360 | 2 | 0.6 |
| 72TA056 | 6297540 | 384380 | 2 | 0.1 |
| 72TA058 | 6296410 | 383960 | 2 | 0.4 |
| 72TA059 | 6296190 | 383830 | 2 | 0.1 |

GULF INTERNATIONAL MINERALS LTD.
MCLYMONT CREEK - 1987

2

U.T.M. COORDINATES & ASSAYS - STREAM SEDIMENTS

| Sample No. | U.T.M. Coordinates | | Gold ppb | Silver ppb |
|------------|--------------------|--------|-------------|---------------|
| | North | East | | |
| 72TA060 | 6296020 | 383830 | 2 | 0.1 |
| 72SD227 | 6296530 | 384890 | 1 | 3.0 |
| 72SD228 | 6296570 | 384780 | 2.0 | 2.0 |
| 72SD461 | 6297470 | 382700 | 1 | 0.2 |
| 72SD462 | 6297610 | 382650 | 1 | 0.2 |
| 72SD463 | 6297730 | 382630 | 1 | 0.5 |
| 72SD464 | 6297790 | 382640 | 9 | 0.5 |
| 72SD465 | 6298130 | 384090 | 1 | 1.8 |
| 72SD467 | 6297960 | 383680 | 2 | 1.3 |
| 72SD509 | 6299540 | 383250 | | |
| 72SD469 | 6298500 | 383640 | 1 | 0.7 |
| 72AK011 | 6296880 | 385000 | 1 | 1.3 |
| 72AK012 | 6296330 | 384860 | 6 | 3.1 |
| 72AK014 | 6296070 | 384690 | 5 | 2.9 |
| 72AK016 | 6296340 | 384420 | 2 | 7.0 |
| 72AK056 | 6298750 | 384410 | 50 | 6.3 |
| 72AK057 | 6298780 | 384400 | 48 | 1.4 |
| 72AK252 | 6297990 | 381080 | 26 | 0.5 |
| 72AK228 | 6298780 | 382400 | | |
| 72TA013 | 6299230 | 381120 | 82 | 0.5 |

ASSAY-LOG

GULF INTERNATIONAL MINERALS

PROPERTY McLymont

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Auoz/t | Ag oz/t | | |
|------------|-------------------|-----------------------|--------------|------------------------------|--------|---------|--|--|
| 73AK001 | 10" | 6+00W | 0+20S | approx Qtz py cpy | 2.62 | .66 | | |
| 002 | 8" | 8+75W | 1+00S | Qtz py | .005 | .02 | | |
| 74Ak003 | float | elev 2300' | pipeline ck. | Qtz py-sph-gal | .005 | .50 | | |
| 004 | 10" | 7+75W | 0+20S | approx Qtz-py in Q.P. | .005 | <.01 | | |
| 005 | near ice grid | | | Qtz py in Q.P. | .005 | <.01 | | |
| 006 | 36" near ice grid | | | Andesite dyke | tr. | <.01 | | |
| 007 | 15" Ice grid | | | py vein in and. | .01 | <.01 | | |
| 008 | 6" | 200meters WSW of camp | | Qtz py | .02 | <.01 | | |
| 73SD001 | dissem | 1+00W | 0+10S | And, som cpy py Qtz | tr. | <.01 | | |
| 105 | dissem to 60in | 9+50W | 0+30 S | QP py cpy | .005 | <.01 | | |
| 116 | 4" | 8+00W | 0+10S | cp py Qtz | tr | <.01 | | |
| 134 | 4-10" | 8+25W | 0+20 S | Qtz cp py vein | .240 | .11 | | |
| 151 | 6-8" trench | 5+75W | 0+30S | Qtz py cpy/granite | .230 | .02 | | |
| 166 | 4-8" | 6+75W | 2+00S | Ca/Qtz QP diss cp py | | | | |
| 167 | 2-4" | 4+00W | 2+50 N | dalite/rhy /aon/Q/cp/py vein | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE:

HOLE NO.

PAGE OF

Trenching on creek vein

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLymont Ck. | | | |
|------------|-----------|-----------------------------|-------|---------------------------|-----------------------|---------|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au/oz/t | Ag oz/t | | |
| 1201 | grab | | | Qtz-py-sph. | .420 | .04 | | |
| 1202 | 1 M. | | | " " " | .100 | | | |
| 1203 | Trench 1 | | | " " " | .240 | | | |
| 1204 | | | | Alt Qtz P | .080 | | | |
| 1205 | | | | Alt Qtz P | .040 | | | |
| 1206 | | | | grey-green andesite 3% py | .005 | | | |
| 1207 | | | | Qtz py | .160 | | | |
| 1208 | Trench 2 | | | " " | .020 | | | |
| 1209 | | | | " " | .180 | | | |
| 1210 | | | | " " | .110 | | | |
| 1211 | | | | Alt. Qtz. Porphyry | .070 | | | |
| 1212 | | | | " " " | trace | | | |
| 1213 | | | | " " " | .020 | | | |
| 1214 | | | | " " " | .040 | | | |
| 1215 | Trench 3A | | | Qtz. py tr. cpy | .190 | | | |
| 1216 | | | | " " " " | .140 | | | |
| 1217 | | | | " " " " | .100 | | | |
| 1218 | | | | " " " " | .120 | | | |
| 1219 | Trench 3B | | | Alt Qtz porphyry | .010 | | | |
| 1220 | | | | " " " | .005 | | | |

ASSAY REPORT:

DATE: June 23, 1987

HOLE NO.

PAGE 1 OF 1

ASSAY-LOG DDH-87-7 GULF INTERNATIONAL MINERALS

PROPERTY McLymont

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | | | | |
|------------|-----------------------|-------|-------|-------------------------------------|--|--|--|--|
| 1314 | 10.0 | 85.0 | 75.0 | composite 6" every 5' | | | | |
| 1315 | 85.0 | 90.0 | 5.0 | chert bx qtz veining 2% py | | | | |
| 1316 | 90.0 | 95.0 | 5.0 | " " " " " | | | | |
| 1317 | 95.0 | 100.0 | 5.0 | " " " " " | | | | |
| 1318 | 100.0 | 105.0 | 5.0 | " " " " " | | | | |
| 1319 | 105.0 | 109.5 | 4.5 | " " " " " | | | | |
| 1320 | 202.0 | 207.0 | | Alt. Q.P. 3%py | | | | |
| 1321 | 207.0 | 210.0 | | Qtz. py. cp. vein | | | | |
| 1322 | 210.0 | 215.0 | | AND.1-3% py tr graph | | | | |
| 1323 | 215.0 | 220.0 | | " " " " | | | | |
| 1324 | 220.0 | 223.0 | | " " " " | | | | |
| 1910 | main grid 8+50W 2+00N | | | 0.4 ft. Qtz py cp arspy vein in op | | | | |
| 1911 | " | " | " | 0.4 ft. " " " " | | | | |
| 1912 | " | " | " | 0.4 ft. " " " " | | | | |
| 73AK230 | " | " | " | 1.8ft. Barite cal sph arspy py vein | | | | |

ASSAY REPORT:

DATE: July 31, 1987

HOLE NO. DDH-87-7 PAGE OF

PROSPECTING N.E. GRID, MAIN GRID

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY | | | |
|------------|---------|-----------------------------|-----------|----------------------------------|----------|--|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | | | | |
| 73AK231 | L1-75E | H80S | Main grid | 10" Qtz. Py. vein | | | | |
| 232 | L5+00E | 2+80 S | main grid | float And.with Sph.py. frac fill | | | | |
| 233 | L2+00E | 2+60S | main grid | 80' graphitic siltstone | | | | |
| 240 | Bl.0+30 | NE NE | grid | 3" Qtz. cal. py.sph. stringer | | | | |
| 241 | BL.0+65 | NE NE | grid | 14" Qtz. py. vein | | | | |
| 242 | BL.5+20 | NE NE | grid | 30" Qtz.py.along contact zone | | | | |
| 243 | 4+75NE | 2+50SE | NE grid | 12" Qtz.py in and. | | | | |
| 244 | 3+50NE | 2+40SE | NE grid | float(angular) Qtz.py.mo. vein | | | | |
| 245 | " " | " " | " " | 8" py. graphite vein | | | | |
| 246 | 2+75NE | 2+25SE | NE grid | 10" Qtz.py. in pyritic alt.and | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE:

HOLE NO.

PAGE OF

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLYMONT | | | |
|------------|-------------|-----------------------------|----------------|----------------------------------|-------------------|--|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au. | | | |
| 73Ak 253 | W. edge | of McLymont | float | Qtz py in QP | | | | |
| 254 | 1.0 km | S. of camp on | McLymont creek | 12" Qtz PY gal sph in black slt. | | | | |
| 255 | main grid | 8+00W | 2+00 N | Qtz py in and. | | | | |
| 256 | 7+50W | 2+00N | 3" | py arspy in and. | | | | |
| 257 | 6+75 W | 2+00N | 3" | py arspy in and. | | | | |
| 258 | barite vein | 6+50 W | 2+00N | 45" Ba cal. cp. in and. | | | | |
| 73SD466 | main grid | 8+00E | creek | py cp in contact zone | | | | |
| 1907 | tr. 11 | (10mE. of | tr. 3) | 24" Alt. Q.P. 3%py | .05 | | | |
| 1908 | " | " | " | 8" Qtz py vein in Q.P. | | | | |
| 1909 | " | " | " | 24" Alt. Q.P. 3% py | tr. | | | |
| 74AK207 | ice grid | float | | massive py tr. cp | .13 | | | |
| 208 | 300m.E. | of ice | grid float | Qtz py | .01 | | | |
| DDH-87-6 | | | | | | | | |
| 1325 | 76' | 81' | | | | | | |
| 1326 | 81' | 86' | | | | | | |
| 1327 | 86' | 91' | | | | | | |

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLymont | | | |
|------------|------|-----------------------------|-------|-------------------------|-------------------|--|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au. | | | |
| 1328 | 105' | 110' | | | | | | |
| 1329 | 110' | 115' | | | | | | |
| 1330 | 115' | 120' | | | | | | |
| 1331 | 120' | 125' | | | | | | |
| 1332 | 125' | 130' | | | | | | |
| 1333 | 100' | 105' | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE: Aug, 7, 1987

HOLE NO. 87-6

PAGE OF

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY MCLYMONT | | |
|------------|---------|-----------------------------|--------------------|----------------------------------|-------------------|---------|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au oz/t | Ag oz/t | |
| 73SD200 | 10" | 2+20E | 0+60S ² | and/rhyflow dissem Cp/Py/Qtz/Bor | tr | .04 | |
| 201 | | 1+75E | 1+00S ² | chert/rhy var sulphides | .005 | .03 | |
| 74SD226 | float | 3900" | in slide | Cu/Cpy/Py/ in rhy gangue | | | |
| 1258 | TR9A | | | QTZ. Py. cp. vein | .38 | .28 | |
| 1259 | TR9B | | | " " " " | .83 | .90 | |
| 1260 | Flyrock | | | " " " " | .48 | 2.60 | |
| 1261 | TR9C | | | " " " " | 1.02 | .50 | |
| 1262 | TR9D | | | " " " " | .26 | .70 | |
| 1263 | TR4 | | | " " " " | .87 | .30 | |
| 1264 | TR5A | | | " " " " | .10 | .04 | |
| 1265 | 5A+B | | | " " " " | .10 | .42 | |
| 1266 | 5B | | | " " " " | 1.02 | .54 | |
| 1267 | TR6 | | | " " " " | 2.84 | .58 | |
| 1268 | TR7A | | | " " " " | .79 | .15 | |
| 1269 | TR7B | | | " " " " | .28 | <.01 | |
| 1270 | TR8 | | | cp. py. vein | .01 | 1.00 | |
| | 72 | | | " | | | |
| 1271 | TA062 | | | QTZ cp sp trace fill | .01 | <.01 | |

ASSAY REPORT:

DATE: July 23.1987

HOLE NO. 87-4
Trenches 4-9

PAGE 17 OF 5

ASSAY-LOG

GULF INTERNATIONAL MINERALS

PROPERTY McLymont

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | | | | |
|------------|------|------|-------|-------------------------|-----|-----|--|--|
| DDH | 87-4 | | | | | | | |
| 1224 | 87-4 | 50.3 | 55.3 | QTZ. PY | .02 | .02 | | |
| 1225 | 87-4 | 80.8 | 84.0 | ALT. QTZ PORPHYRY | TR. | .12 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE: JULY 23, 1987

HOLE NO. 87-4 PAGE 1 OF 5
TRENCHES 4-9

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLYMONT | | | |
|------------|------|-----------------------------|-------|-------------------------|-------------------|--------|-----|--------|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AU oz/t | AGoz/t | | |
| 1226 | 16 | 20 | | | 0.005 | 0.08 | | |
| 1227 | 28 | 30 | | | 0.005 | 0.02 | | |
| 1228 | 48 | 50 | | | 0.005 | 0.03 | | |
| 1229 | 81 | 83 | | | tr | <0.01 | | |
| 1230 | 93 | 96 | | | tr | <0.01 | | |
| 1231 | 114 | 118 | | | tr | 0.10 | | |
| 1232 | 136 | 139 | | | 0.14 | <0.01 | | |
| | | | | | CU% | PB% | ZN% | AGoz/t |
| 1233 | 11 | 16 | | | .02 | .01 | .01 | .02 |
| 1234 | 16 | 19 | | | .02 | .01 | .01 | .05 |
| 1235 | 19 | 26 | | | .01 | .01 | .02 | .01 |
| 1236 | 36 | 39 | | | .01 | .01 | .50 | .01 |
| 1237 | 54 | 59 | | | .01 | .01 | .01 | .01 |
| 1238 | 59 | 65 | | | .01 | .01 | .01 | .01 |
| 1239 | 69 | 72 | | | .01 | .01 | .01 | .03 |
| 1240 | 79.5 | 84.5 | | | .01 | .01 | .01 | .01 |
| 1241 | 84.5 | 89.5 | | | .01 | .01 | .01 | .01 |
| 1242 | 89.5 | 94.5 | | | .01 | .01 | .01 | .01 |
| 1243 | 94.5 | 98.5 | | | .02 | .01 | .02 | .01 |

ASSAY REPORT:

DATE: July 23, 1987

HOLE NO. 87-5 PAGE 2 OF 5

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLYMONT | | | |
|------------|-------|-----------------------------|-------|-------------------------|-------------------|-----|-----|--------|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | CU% | PB% | ZN% | AGoz/t |
| 1244 | 98.5 | 103.5 | | | .01 | .01 | .01 | .01 |
| 1245 | 103.5 | 106.2 | | | .01 | .01 | .01 | .03 |
| 1246 | 106.2 | 111 | | | .01 | .01 | .01 | .01 |
| 1247 | 111 | 114 | | | .01 | .01 | .01 | .01 |
| 1248 | 114 | 118 | | | .03 | .01 | .01 | .03 |
| 1249 | 118 | 123 | | | .03 | .01 | .01 | .01 |
| 1250 | 138 | 140 | EOH | | .02 | .01 | .01 | .11 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE: July 23, 1987

HOLE NO. 87-5 PAGE 2^B OF 5

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY MCLYMONT | |
|------------|-----------------------------------|-----------------------------|--------|-------------------------|-------------------|---------|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AU OZ/T | AG OZ/T |
| 73 TA 052 | | | | DACITE 3% PY | TR | <.01 |
| 053 | | | | CHERT 3% PY | .005 | <.01 |
| 057 | | | | ' '' | .005 | <.01 |
| 061 | ROCK CHIP PROSPECTING | | | | .010 | .02 |
| 063 | SAMPLES. | | | | .040 | .06 |
| 064 | | | | | tr | <.01 |
| 065 | | | | | tr | .27 |
| 032 | | | | | .005 | .01 |
| 73AK009 | approx 6700W 2+00S | | 30 in. | QTZ PY. CP. VEIN | .200 | .060 |
| 010 | PROSPECTING 10 IN. ON MCLYMONT | | | QTZ CP PY FREE FILL | .005 | .3.40 |
| 013 | 1 EAST RIDGE 100 IN. | | | SPH GAL CAL | TRACE | .03 |
| 015 | | FLOAT | | CAL SPH | .005 | <.01 |
| 017 | PIPELINE OK | | 10'' | PYRITE ALONG FRACTURE | .005 | .71 |
| 018 | TRENCH 10 STRINGER | | 3'' | QTZ PY VEIN | .005 | .48 |
| 069 | APPROX 8+00W | 2+00N | 4'' | QTZ PY CP VEIN | .250 | 1.18 |
| 73SD200 | 2+40E | 0+50 E | | | tr | .04 |
| 73SD 201 | 2+20E | 0+90S | | | .005 | .03 |
| 226 | EAST RIDGE MCL-1 30'' | | | | TR | <.01 |
| 246 | TRENCH 10 | STRINGER | 5'' | | .01 | .27 |

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY MCLYMONT | | |
|------------|--------------------------|-----------------------------|-------|--------------------------|-------------------|---------|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AUOZ/T | AG OZ/T | |
| 69901 | C3 GRID ONREG 1 | 8" | | QTZ. PY. CP. VEIN | .005 | .35 | |
| 69902 | AND REG 8 CLAIMS | 30" | | QTZ.PY.CP. VEIN | .005 | .01 | |
| 69903 | | 4" | | QTZ. PY. CP. FRAC FILL | .020 | 1.64 | |
| 69904 | | 30" | | QTZ. SPH. CP. FRAC. FILL | .005 | .12 | |
| 69905 | | 10" | | QTZ.ASPY.PY. CP. VEIN | .040 | .07 | |
| 69906 | | 10" | | QTZ PY.CP. VEIN | 7.350 | .8.85 | |
| 69907 | | 8" | | QTZ. GAL. SPH. VEIN | .130 | 23.88 | |
| 1221 | TRENCH 10, 34M | 39" | | BARITE,PY. QTZ VEIN | .005 | <.01 | |
| 1222 | SOUTH OF TRENCHES 1-3 | 39" | | " " " " | .005 | <.01 | |
| 1223 | | 39" | | " " " " | .005 | <.01 | |
| 1251 | 73TA019 | | | CHERT 52 PY. | TRACE | <.01 | |
| 1252 | 73TA012 | ROCK | | CHERT 52 PY. | TRACE | <.01 | |
| 1253 | 73TA020 | PROSPECTING SAMPLES | | CHERT TRACE SPH | .005 | .06 | |
| 1254 | 73SD166 | | | | .005 | <.01 | |
| 1255 | 73SD164 | | | | .005 | .01 | |
| 1256 | 73SD167 | | | | .005 | <.01 | |
| 1257 | 73SD165 | | | | .005 | <.01 | |

ASSAY REPORT:

DATE: JULY 23,1987

HOLE NO.

PAGE 4 OF 5

63 GRID.TRENCH 10 PROSPECTING

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY MCLYMONT | | | |
|------------|-------|-----------------------------|-------|------------------------------|-------------------|--|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | | | | |
| 1301 | 22.5 | 25.5 | 3.0 | QTZ CP VEINLET BX | | | | |
| 1302 | 47.8 | 52.3 | 4.5 | QTZ PT. VEINLET BX | | | | |
| 1303 | 107.5 | 109.5 | 2.0 | QTZ PY FAULT GOUGE | | | | |
| 1304 | 132.8 | 137.8 | 5.0 | AH. QTZ. PORPHYRY | | | | |
| 1305 | 137.8 | 140.8 | 3.0 | QTZ PY. CP. VEIN 10% PY. | | | | |
| 1306 | 140.8 | 143.8 | 3.0 | " " " " | | | | |
| 1307 | 143.8 | 148.8 | 5.0 | ALT. QTZ. PORPHYRY | | | | |
| 1308 | 148.8 | 153.8 | 5.0 | " " " | | | | |
| 1309 | 153.8 | 158.8 | 5.0 | " " " | | | | |
| 1310 | 195.0 | 197.0 | 2.0 | QTZ, SPH. GAL. FRAC. FILLING | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE JULY 26, 1987

HOLE NO. 87-5

PAGE 5 OF 5

DDH 87-5 additional sampling, trenches 11, 14, 15, 16

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY | | | |
|-------------------------|-----------------------|-----------------------------|-----------|--|----------|--|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | | | | |
| DDH 87-5 1311 | 128.0 | 133.0 | 5.0 | Alt. Q.P. 1% diss py bleached white | | | | |
| 1312 | 133.0 | 136.0 | 3.0 | Alt. Q.P. " " " " " | | | | |
| 1313 | 140.0 | 145.0 | 5.0 | Alt. Q.P. 1% diss py. tr. cp. frac. fill | | | | |
| trench 14 1901 | L5+80W | 0+30S | main grid | 0.8ft. Qtz. py. cp. vein in Q.P. | | | | |
| 1902 | L5+50W | " " | 0.8ft. | " " " " Q.P. | | | | |
| 1903 | L5+80W | " " | 0.3 ft | " " " " frac fill in Q.P. | | | | |
| trench 16 1904 | L7+00W | 0+15S | 0.8ft. | Pink cal. qtz py bx contact zone | | | | |
| trench 15 1905 | L5+50W | 0+45S | 1.0 ft. | Mal. cp. barite in Q.P. | | | | |
| 1906 | " " | 0+45S | 1.0 ft. | Py tr. cp. frac. fill 40% qtz in Q.P. | | | | |
| Prospecting 73AK-171 | north east grid | BL 4+60NE | angular | float Qtz py graphite | | | | |
| 172 | high as | ck | 3.5 | Qtz Sph Cal in QP contact with chert | | | | |
| 180 | " " | " " | 0.3ft. | Qtz. ar spy py along shear | | | | |
| 179 | " " | " " | 1.0 ft. | Qyz. sph. py. in andesite along shear | | | | |
| 227 | AR grid | W. of main grid | 0.3 ft. | Qtz cp stringer in Q.P. | | | | |

ASSAY REPORT:

DATE:

HOLE NO.

PAGE OF

DDH-87-5 additional sampling, trenches 11,14, 15, 16

| ASSAY-LOG | GULF INTERNATIONAL MINERALS | | | PROPERTY | | | |
|------------|-----------------------------|----------------|-----------|---|--|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | | | |
| 73AK-229 | AR grid | W.of main grid | | 1.0 ft. Qtz. gal.py. graph in frac vol. | | | |
| 73MS-86 | " | " | " " " " " | 1.0 ft. Qtz py cp lens along dyke contact in Q.P. | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

ASSAY REPORT:

DATE:

HOLE NO.

PAGE OF

ASSAY-LOG

GULF INTERNATIONAL MINERALS

PROPERTY Mclymont

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AUOZ/T | AGOZ/T | | |
|------------|------------------------------|------------|-----------|---|--------|--------|--|--|
| 73SD550 | ICE GRID (CREEK) 20M SWOE | 6+00N | 6" 00W | MASSIVE PY + CPY VEIN ^{ANK+QTZ} | .02 | <0.01 | | |
| 73SD551 | W CREEK, 40M | S OF 3+00N | | MAGNETITE | 0.22 | 0.44 | | |
| 74SD552 | W CREEK 30M | N OF 2+00N | 2FT | SOME QTZ. | 0.01 | <0.01 | | |
| 74SD553 | 1+50N | BASELINE | | (CLOSE TO SOURCE) FLOAT- CPY/PY IN VOLCANICS | 0.40 | 0.51 | | |
| 74AK283 | 25+00N | 3+00E | FLOAT | ANKERITE, CP IN VOL. CONGL | TR. | 0.01 | | |
| 73AK284 | 4+80N | 1+30E | 60" | MASSIVE PY TR. CP. MAG IN SLT | 0.005 | 0.01 | | |
| 73AK285 | 3+00N | 0+80E | 12" | QTZ. ANKERITE, PY | 0.005 | <0.01 | | |
| 73AK286 | 2+80N | 0+60E | 10" | Qtz. py. in andesite | TR | 0.01 | | |
| 73AK287 | 1+40N | 0+40E | 80" | massive py. in ck. | .01 | <0.01 | | |

N WEST GRID

ASSAY-LOG

GULF INTERNATIONAL MINERALS

PROPERTY MCLYMONT

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au | Ag | | |
|------------|------|----|-------|-------------------------|----|----|--|--|
|------------|------|----|-------|-------------------------|----|----|--|--|

| | | | | | | | | | |
|----------|------|----|----|-----|--------------------|-----|-----|--|--|
| .73AK288 | HIGH | AS | CK | 12" | QTZ. PY ARSPY VEIN | .18 | .04 | | |
|----------|------|----|----|-----|--------------------|-----|-----|--|--|

ASSAY REPORT:

DATE: AUGUST 31, 1987

HOLE NO. ~~10~~

PAGE ~~6~~ OF ~~8~~

ASSAY-LOG

GULF INTERNATIONAL MINERALS

PROPERTY MCLYMONT

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AU OZ/T | AG OZ/T | | | |
|------------|-----------------------------|--------|-------------|---------------------------------------|------------------|---------|------|--|--|
| 73 TA 052 | | | | DACITE 3% PY | TR | <.01 | | | |
| 053 | | | | CHERT 3% PY | .005 | <.01 | | | |
| 057 | | | | ' '' | .005 | <.01 | | | |
| 061 | ROCK CHIP PROSPECTING | | | | .010 | .02 | | | |
| 063 | SAMPLES. | | | | .040 | .06 | | | |
| 064 | | | | | tr | <.01 | | | |
| 065 | | | | | tr | .27 | | | |
| 032 | | | | | | .005 | .01 | | |
| 73AK009 | approx 6+00W 2+00S | | 30 in. | | QTZ PY. CP. VEIN | .200 | .060 | | |
| 010 | PROSPECTING | | 10 IN. | QTZ CP PY FREE frac. fill. | .005 | .3.40 | | | |
| 013 | ON MCLYMONT 1 EAST RIDGE | | 100 IN. | SPH GAL CAL | TRACE | .03 | | | |
| 015 | | | FLOAT | CAL SPH | .005 | <.01 | | | |
| 017 | PIPELINE OK | | 10'' | PYRITE ALONG FRACTURE | .005 | .71 | | | |
| 018 | TRENCH 10 STRINGER | | 3'' | QTZ PY VEIN | .005 | .48 | | | |
| 069 | APPROX 8+00W | 2-00N | 4'' | QTZ PY CP VEIN | .250 | 1.18 | | | |
| 73SD200 | 2+40E | 0+50 E | | | tr | .04 | | | |
| 73SD 201 | 2+20E | 0+90S | | | .005 | .03 | | | |
| 226 | EAST RIDGE MCL-1 | | 30'' | | TR | <.01 | | | |
| 246 | TRENCH 10 | | STRINGER 5" | | .01 | .27 | | | |

| | | | | | |
|------------|------|-----------------------------|-------|-------------------------|----------------|
| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | PROPERTY MCLYMONT | |
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AUOZ/T AG OZ/T |

| | | | | | | | | |
|------|---------|---------------------|--|-----------------|-------|------|--|--|
| 1251 | 73TA019 | | | CHERT 5% PY. | TRACE | <.01 | | |
| 1252 | 73TA012 | ROCK | | CHERT 5% PY. | TRACE | <.01 | | |
| 1253 | 73TA020 | PROSPECTING SAMPLES | | CHERT TRACE SPH | .005 | .06 | | |
| 1254 | 73SD166 | | | Chert 5% py. | .005 | <.01 | | |
| 1255 | 73SD164 | | | " " | .005 | .01 | | |
| 1256 | 73SD167 | | | " " | .005 | <.01 | | |
| 1257 | 73SD165 | | | " " | .005 | <.01 | | |

ASSAY REPORT:

DATE: JULY 23, 1987

HOLE NO.

PAGE 4 OF 4

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLYMONT | | | |
|------------|-------|-----------------------------|----------|--|-------------------|---------|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au oz/t | Ag oz/t | | |
| 73SD200 | ~ 10" | 2+20E | 0+60S ≈ | and/rhyflow disseminated Cp/Py/Qtz/Bor | tr | .04 | | |
| 201 | | 1+75E | 1+00S ≈ | chert/rhy var sulphides | .005 | .03 | | |
| 74SD226 | float | 3900" | in slide | Cu/Cpy/Py/ in rhy gangue | | | | |

| | | | | | | | | |
|------|-------|--|--|----------------------|-----|------|--|--|
| 1271 | TA062 | | | QTZ cp sp trace fill | .01 | <.01 | | |
|------|-------|--|--|----------------------|-----|------|--|--|

ASSAY REPORT:

DATE: July 23.1987

HOLE NO. ~~87~~
~~FRANCIS 1-0~~

PAGE ~~1~~ OF ~~5~~

ASSAY-LOG DDH-87-7 GULF INTERNATIONAL MINERALS

PROPERTY McLymont

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au/oz/t | Ag/oz/t |
|------------|------|----|-------|-------------------------|---------|---------|
|------------|------|----|-------|-------------------------|---------|---------|

| | | | | | | |
|---------|---|---|---|-------------------------------------|------|------|
| 73AK230 | • | • | • | 1.8ft. Barite cal sph arspy py vein | 0.04 | 0.01 |
| | | | | | | |
| | | | | | | |

Acme split

0.002 0.12

ASSAY REPORT:

DATE: July 31, 1987

HOLE NO. ~~DDH-87-7~~ PAGE OF

DDH 87-5 additional sampling, trenches 11, 14, 15, 16

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY | |
|------------|------|-----------------------------|-------|-------------------------|----------|---------|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au/oz/t | Ag/oz/t |

| | | | | | | |
|-------------------------|-----------------------|-------------------|---------------|---------------------------------------|------|-----|
| Prospecting 73AK-171 | north east grid | BL 4+60NE | angular float | Qtz py graphite | 1.02 | .65 |
| 172 | high as | ck | 3.5 | Qtz Sph Cal in QP contact with chert | tr. | .06 |
| 180 | " | " | 0.3ft. | Qtz. ar spy py along shear | | |
| 179 | " | " | 1.0 ft. | Qyz. sph. py. in andesite along shear | .75 | .58 |
| 227 | AR grid | W.of main grid | 0.3 ft. | Qtz cp stringer in Q.P. | tr. | .12 |

~~DDH 87-5 additional sampling, trenches 11, 14, 15, 16~~

| ASSAY-LOG | | | | GULF INTERNATIONAL MINERALS | | PROPERTY | | |
|------------|---------|----------------|---------|---|----|----------|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au | Ag | | |
| 73AK-229 | AR grid | W.of main grid | | 1.0 ft. Qtz. gal.py. graph in frac vol. | tr | 1.01 | | |
| 73MS-86 | " | " | " " " " | 1.0 ft. Qtz py cp lens along dyke contact in Q.P. | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

PROSPECTING N.E. GRID, MAIN GRID

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY | | | |
|------------|---------|-----------------------------|-----------|--------------------------------|----------|---------|--------------------|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au/oz/t | Ag/oz/t | MoS ₂ % | |
| 73AK231 | L1-75E | H80S | Main grid | 10" Qtz. Py. vein | .003 | .31 | | |
| 232 | L5+00E | 2+80 S | main grid | float And.with Sph.py. frac fi | 1.001 | .07 | | |
| 233 | L2+00E | 2+60S | main grid | 80' graphitic siltstone | | | | |
| 240 | Bl.0+30 | NE NE | grid | 3" Qtz. cal. py.sph. stringer | .096 | .08 | | |
| 241 | BL.0+65 | NE NE | grid | 14" Qtz. py. vein | .003 | .08 | | |
| 242 | BL.5+20 | NE NE | grid | 30" Qtz.py.along contact zone | .001 | .02 | | |
| 243 | 4+75NE | 2+50SE | NE grid | 12" Qtz.py in and. | .001 | .05 | | |
| 244 | 3+50NE | 2+40SE | NE grid | float(angular) Qtz.py.mo. vein | .002 | .02 | .007 | |
| 245 | " " | " " | " " | 8" py. graphite vein | .001 | .12 | | |
| 246 | 2+75NE | 2+25SE | NE grid | 10" Qtz.py. in pyritic alt.and | .002 | .05 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE: Aug 4, 1987

HOLE NO.

PAGE OF

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLYMONT | | |
|------------|-------------|-----------------------------|-------------------|----------------------------------|-------------------|------|------|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au. | Au | Ag |
| 73Ak 253 | W. edge | of McLymont | 2 float | Qtz py in QP | | tr. | <.01 |
| 254 | 1.0 km | S. of camp | on McLymont creek | 12" Qtz PY gal sph in black slt. | | 0.16 | 2.30 |
| 255 | main grid | 8+00W | 2+00 N | Qtz py in and. | | tr | 0.04 |
| 256 | 7+50W | 2+00N | 3" | py arspy in and. | | tr | 0.60 |
| 257 | 6+75 W | 2+00N | 3" | py arspy in and. | | tr | <.01 |
| 258 | barite vein | 6+50 W | 2+00N | 45" Ba cal. cp. in and. | | tr | .26 |
| 73SD466 | main grid | 8+00E | creek | py cp in contact zone | | tr | <.01 |

| | | | | | | | |
|----------|----------|--------|------------|-------------------|-----|-----|--|
| 74AK207 | ice grid | float | | massive py tr. cp | .13 | .13 | |
| 208 | 300m. E. | of ice | grid float | Qtz py | .01 | | |
| DDH-87-6 | | | | | | | |

ASSAY-LOG

GULF INTERNATIONAL MINERALS

PROPERTY MCLYMONT CK.

| SAMPLE NO. | FROM TO | | WIDTH | DESCRIPTION (ROCK TYPE) | AU/OZ/T AG/OZ/T | | | |
|------------|-------------------------|---------------------------|---------|--------------------------------------|-----------------|------|--|--|
| | | | | | | | | |
| 73SD490 | 2+75NE | 2+20SE | NE GRID | PB,ZN,CPY,PY IN AND. | .005 | 0.01 | | |
| 73AK259 | BL4+80NE | GRID | 12" | QTZ,PY | TR | 0.01 | | |
| 73AK260 | BL4+80NE | NE GRID | 14" | QTZ, CAL, GRAPH,PY, VEIN REPLACEMENT | TR | 0.01 | | |
| 267 | " | " | 70" | CAL, BX,1&PY CONTACT ZONE | TR. | 0.01 | | |
| 268 | " | " | 6" | SPH ARSPY? IN FOOTWALL OF SHEAR | 0.005 | 1.60 | | |
| 74SD508 | ELEV. 2360' WATER CREEK | | | .2/3 QTZ VEINS, GRAPH AU.? 10" | | | | |
| 73SD510 | 2610 | SIDE CREEK ON WATER CREEK | | CPY PY SPH 6" | | | | |


| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE: AUGUST 21,1987

HOLE NO. ~~100~~ PAGE OF

APPENDIX IV



| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY | | McLYMONT | |
|------------|------|-----------------------------|-------|-------------------------|----------|--|----------|----|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au. | | Au | Ag |

| | | | | | | | | |
|------|--------|-----------------|---|------------------------|-----|--|------|------|
| 1907 | tr. 11 | (10mE. of tr.3) | | 24" Alt. Q.P. 3%py | .05 | | .05 | |
| 1908 | " | " | " | 8" Qtz py vein in Q.P. | | | 2.11 | 1.11 |
| 1909 | " | " | " | 24" Alt. Q.P. 3% py | tr. | | tr | |

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY MCLYMONT | | |
|------------|------|-----------------------------|-------|-------------------------|-------------------|----|------|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AUOZ/T | AG | OZ/T |

| | | | | | | | |
|------|----------------------|---------|-----|----------------------|------|------|--|
| 1221 | TRENCH | 10, 34M | 39" | BARITE, PY. QTZ VEIN | .005 | <.01 | |
| 1222 | SOUTH OF TRENCHES | 1-3 | 39" | " " " " | .005 | <.01 | |
| 1223 | | | 39" | " " " " | .005 | <.01 | |

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLYMONT | | |
|------------|---------------|-----------------------------|-------|-------------------------|-------------------|---------|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au oz/t | Ag oz/t | |
| | | | | | | 04 | |
| 1258 | TR9A | | | QTZ. Py. cp. vein | .38 | .28 | |
| 1259 | TR9B | | | " " " " | .83 | .90 | |
| 1260 | Flyrock | | | " " " " | .48 | 2.60 | |
| 1261 | TR9C | | | " " " " | 1.02 | .50 | |
| 1262 | TR9D | | | " " " " | .26 | .70 | |
| 1263 | TR4 | | | " " " " | .87 | .30 | |
| 1264 | TR5A | | | " " " " | .10 | .04 | |
| 1265 | 5A+B | | | " " " " | .10 | .42 | |
| 1266 | 5B | | | " " " " | 1.02 | .54 | |
| 1267 | TR6 | | | " " " " | 2.84 | .58 | |
| 1268 | TR7A | | | " " " " | .79 | .15 | |
| 1269 | TR7B | | | " " " " | .28 | <.01 | |
| 1270 | TR8 | | | cp. py. vein | .01 | 1.00 | |
| | TR | | | " | | | |

Trenching on creek vein

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY McLymont Ck. | | | |
|------------|---------------|-----------------------------|--------|---------------------------|-----------------------|---------|--|--|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au/oz/t | Aq oz/t | | |
| 1201 | grab | | | Qtz-py-sph. | .420 | .04 | | |
| 1202 | 1 M. Trench 1 | | 1.0 m | " " " | .100 | | | |
| 1203 | Trench 1 | | 1.0 m. | " " " | .240 | | | |
| 1204 | | | 1.0 m | Alt Qtz P | .080 | | | |
| 1205 | | | 1.0 m | Alt Qtz P | .040 | | | |
| 1206 | | | 1.0 m | grey-green andesite 3% py | .005 | | | |
| 1207 | | | 1.0 m | Qtz py | .160 | | | |
| 1208 | Trench 2 | | 1.0 m. | " " | .020 | | | |
| 1209 | | | 1.0 m | " " | .180 | | | |
| 1210 | | | 1.0 m | " " | .110 | | | |
| 1211 | | | 1.0 m | Alt. Qtz. Porphyry | .070 | | | |
| 1212 | | | 1.0 m | " " " | trace | | | |
| 1213 | | | 1.0 m | " " " | .020 | | | |
| 1214 | | | 1.0 m | " " " | .040 | | | |
| 1215 | Trench 3A | | 1.0 m | Qtz. py tr. cpy | .190 | | | |
| 1216 | | | 1.0 m | " " " " | .140 | | | |
| 1217 | | | 1.0 m | " " " " | .100 | | | |
| 1218 | | | 1.0 m | " " " " | .120 | | | |
| 1219 | Trench 3B | | 1.0 m | Alt Qtz porphyry | .010 | | | |
| 1220 | | | 1.0 m | " " " | .005 | | | |

ASSAY REPORT:

DATE: June 23, 1987

HOLE NO. trench PAGE: OF 5

ASSAY-LOG
140° ANK. VEIN MAIN GRID

GULF INTERNATIONAL MINERALS

PROPERTY MCLYMONT

| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | AU/OZ/T | AG/OZ/T | | |
|------------|--------|-------|-------|-----------------------------|---------|---------|--|--|
| 1914 | ≈7+80W | 0+60N | 8" | DISS & FRAC. FILL CP. TR 18 | 0.005 | 0.17 | | |
| 1915 | ≈8+25W | 1+80N | 12" | ANK SP CP BX TR 19 | 0.005 | 0.14 | | |
| 1916 | ≈7+90W | 1+75N | 8" | ANK CP PY TR 20 | TR | 0.10 | | |
| 1917 | ≈7+50W | 1+70N | 36" | ANK PY TR 21 | | | | |
| 1918 | ≈6+75W | 1+60N | 12" | ANK PY CP TR 22 | TR | 0.08 | | |
| 1919 | ≈6+75W | 1+40N | 8" | ANK QTZ PY TR 23 | TR | 0.05 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 1913 | 7+80w | 0+60N | 10" | Cal.-ank.-cp. trench 18 | TR. | <.01 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ASSAY REPORT:

DATE: Aug 27, 1987

HOLE NO. trench 18 PAGE OF

trenches 11, 14, 15, 16

| ASSAY-LOG | | GULF INTERNATIONAL MINERALS | | | PROPERTY | |
|----------------|--------|-----------------------------|-----------|---------------------------------------|----------|---------|
| SAMPLE NO. | FROM | TO | WIDTH | DESCRIPTION (ROCK TYPE) | Au/oz/t | Ag/oz/t |
| trench 14 1901 | L5+80W | 0+30S | main grid | 0.8ft. Qtz. py.cp. vein in Q.P. | .50 | .06 |
| 1902 | L5+50W | " " | 0.8ft. | " " " " Q.P. | .56 | .06 |
| 1903 | L5+80W | " " | 0.3 ft | " " " " frac fill in Q.P. | .38 | .04 |
| trench 16 1904 | L7+00W | 0+15S | 0.8ft. | Pink cal.qtz py bx contact zone | .04 | .08 |
| trench 15 1905 | L5+50W | 0+45S | 1.0 ft. | Mal. cp. barite in Q.P. | | .01 |
| 1906 | " " | 0+45S | 1.0 ft. | Py tr. cp. frac. fill 40% qtz in Q.P. | | .01 |

ASSAY REPORT:

DATE:

Aug. 20, 1987

HOLE NO. trench

PAGE OF

GULF
INTERNATIONAL

SKYLINE EXPLORATIONS LTD.

Mine Assay Office

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|------------|---------------|---------------|---------------|-----------|----------------------------|
| July 11/87 | 1224 | .02 | .02 | | DDH 87-4 50.3-55.3 |
| | 1258 | .38 | .28 | Qtz-py-sp | Trench 9 on ck 2+50w 2+50S |
| | 1259 | .83 | .90 | " " " | Trench 9B " |
| | 1260 | .48 | 2.60 | " " " | Trench 9C " |
| | 1261 | 1.02 | .50 | " " " | Trench 9C " |
| | 1262 | .26 | .70 | " " " | Trench 9D " |
| | 1263 | .87 | .30 | | Trench 4 on baseline 8+00w |
| | 1264 | .10 | .04 | " " " | Trench 5 " |
| | 1265 | .10 | .42 | " " " | Trench 5A+B " |
| | 1266 | 1.02 | .54 | " " " | Trench 5B " |
| | 1267 | 2.84 | .58 | " " " | Trench 6 " |
| | 1268 | .79 | .15 | " " " | Trench 7A " |
| | 1269 | .28 | <.01 | " " " | Trench 7B " |
| | 1270 | .01 | 1.00 | | Trench 8 cp.py. vein |
| | 1271 | .01 | <.01 | | 75TA062 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Erw Homacke
Registered Assayer
Province of British Columbia

Gulf

SKYLINE EXPLORATIONS LTD.

Mine Assay Office

(**Fire Assay)

Aug 4/87

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | DDH * Footage | Description |
|------|---------------|---------------|---------------|---------------------------|----------------------|
| D.D. | 1312 | Tr | | 875 133.0-860 location | Alt. Q.P. |
| D.D. | 1901 | .50 | | trench 14 | Qtz. py. Cp. in Q.P. |
| | 1902 | .56 | | " | " " " " " |
| | 1903 | .38 | | " | " " " " " |
| | 1904 | .04 | | trench 16 | Pink cal. Qtz. |
| | 1907 | .05 | | trench 11 | Alt. Q.P. |
| | 1909 | Tr | | " | " " |
| | 1908 | 2.11 | 1.11 ← Ag | " | Mass. py. |
| Chip | 73AK171 | 1.02 | | NE grid | Qtz. py. graphite |
| | 73AK172 | Tr | | As ck. | |
| | 73AK179 | .75 | | " " | |
| | 74AK207 | .13 | | NW Grid | Float, massive py. |
| | 74AK208 | .01 | | 300 m. E of NW Grid | Qtz. py. |
| | 73AK227 | Tr | | AR grid | Qtz. py. |
| | 73AK229 | Tr | | " " | " " |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Aug 25/87

ASSAY CERTIFICATE

SAMPLE TYPE : PULP

AG** & AU** BY FIRE ASSAY

ASSAYER *D. Toye* DEAN TOYE, CERTIFIED B.C. ASSAYER

GULF INTERNATIONAL FILE# 87-3322A

PAGE# 1

| SAMPLE | Ag oz/t | Ag** oz/t | Au** oz/t |
|--------|------------|--------------|--------------|
| 1901 | .06 | - | - |
| 1902 | .06 | - | - |
| 1903 | .04 | - | - |
| 1904 | .01 | - | - |
| 1905 | .01 | - | - |
| 1906 | .04 | - | - |
| 1907 | .01 | - | - |
| 1908 | 1.34 | - | - |
| 1909 | .01 | - | - |
| 1910 | - | 2.09 | 1.160 |
| 1911 | - | 1.12 | .128 |
| 1912 | - | 2.34 | .902 |
| 1301 | .01 | - | - |
| 1302 | .08 | - | - |
| 1303 | .01 | - | - |
| 1304 | .01 | - | - |
| 1305 | .32 | - | - |
| 1306 | .13 | - | - |
| 1307 | .01 | - | - |
| 1308 | .01 | - | - |
| 1309 | .02 | - | - |
| 1310 | .18 | - | - |
| 1311 | - | .01 | .001 |
| 1312 | - | .01 | .002 |
| 1313 | - | .01 | .001 |
| 1314 | - | .01 | .001 |
| 1315 | - | .01 | .001 |
| 1316 | - | .02 | .001 |
| 1317 | - | .02 | .003 |
| 1318 | - | .01 | .001 |
| 1319 | - | .01 | .001 |
| 1320 | - | .01 | .001 |
| 1321 | - | .11 | .198 |
| 1322 | - | .01 | .005 |
| 1323 | - | .01 | .005 |
| 1324 | - | .01 | .011 |

trench 14 }
trench 16 }
trench 15 }
trench 11 }

TR 17 / 8K50 W
2100 N

DDH 6

DDH 5

DDH 7

GULF
INTERNATIONAL

SKYLINE EXPLORATIONS LTD.
Mine Assay Office

(**Fire Assay)

| Date | Sample Number | Au ** OZ/T | Ag ** OZ/T | DDH # | Footage | Description |
|------------|------------------|---------------|---------------|---------------|---------|--------------------------------|
| SEPT. 5/87 | 1395 | 0.01 | 0.01 | 8711 | 34-39 | Graphitic slt. 12-py tr. sp. |
| | 1396 | TRACE | <0.01 | " | 39-44 | " " " |
| | 1397 | 0.02 | 0.01 | " | 44-47 | " " " |
| | 1398 | 0.005 | 0.02 | " | 47-52 | " " " |
| | 1908 | 2.11 | 1.11 | trench 11 | | 10 m. from DDH 8 Mass. py. vn. |
| | 73AK 230 | 0.04 | 0.01 | 140° ank. vn. | | Cal-ba-py sp. |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Ew Homacku
 Registered Assayer
 Province of British Columbia

GULF


SKYLINE EXPLORATIONS LTD.
 Mine Assay Office

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | Description |
|-----------|---------------|---------------|---------------|------------------------|
| JUN 21/87 | 1202 | .10 | | Trench 2 Main grid |
| | 1203 | .24 | | " " |
| | 1204 | .08 | | " " |
| | 1205 | .04 | | " " |
| | 1206 | .005 | | " " |
| | 1207 | .16 | | " " |
| | 1208 | .02 | | Trench 2 Main grid |
| | 1209 | .18 | | " " |
| | 1210 | .11 | | " " |
| | 1211 | .07 | | " " |
| | 1212 | TRACE | | " " |
| | 1213 | .02 | | " " |
| | 1214 | .04 | | " " |
| | 1215 | .19 | | Trench 3A Main grid |
| | 1216 | .14 | | " " " " |
| | 1217 | .10 | | " " " " |
| | 1218 | .12 | | " " " " |
| | 1219 | .01 | | Trench 3B " " |
| | 1220 | .005 | | " " " " |
| | 1201 | .42 | .04 | Grab Qtz. - py. - sph. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Erw Honiack
 Registered Assayer
 Province of British Columbia

APPENDIX V



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-4

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCILMONT CLAIM GROUP

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: July 6, 1987Drilling Commenced: July 2, 1987
Drilling Completed: July 7, 1987Length: 29m
Core: AQN.T.S. 104B/15 Elevation: 665 m
UTM Co-ordinates: N6298438 E383178Dip: -45°
Bearing: 135°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|-------------|--------|---|---------------|-------------|------|--------|------------------|--------------|--------------|----------------------|------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 1.0 | 1.0 | Casing. | | | | | | | | | |
| 1.0 | 13.7 | 12.7 | Quartz porphyry, 1-5 mm quartz phenocrysts (anhedral), 10% mafic minerals (hornblende, biotite). | | | | | | | | | |
| 13.7 | 18.3 | 4.6 | Altered quartz porphyry, 1-5 mm quartz phenocrysts, mafic minerals altered to clay, ie. argillic alteration; from 15.3 to 16.8 m minor quartz veining and brecciation, 2% pyrite, trace graphite along fractures. | 1224 | 15.3 | 16.8 | 1.5 | | | | 0.02 | 0.02 |
| 18.3 | 29.0 EOH | 10.7 | Quartz porphyry, 1-5 mm quartz phenocrysts, 10% mafic minerals (hornblende, biotite); from 24.4 to 25.6 m quartz brecciation, 3% pyrite, 3% grey carbonaceous mineral, altered quartz porphyry to end of hole. END OF HOLE | 1225 | 24.6 | 25.6 | 2.0 | | | | 0.12 | Tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-07-5

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd. Drilling Commenced: July 11, 1987
Date: July 17, 1987 Drilling Completed: July 17, 1987Length: 604 m N.T.S. 104B/15 Elevation: 604 m
Core: AQ DTM Co-ordinates: N6298350 E383400Dip: -55°
Bearing: 212°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|------|--------|---|------------|-------------|------|--------|---------------|-----------|-----------|-------------------|--------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 2.4 | 2.4 | Casing. | | | | | | | | | |
| 2.4 | 32.4 | 30.0 | Banded rhyolite, green grey color, moderate to intense fracturing, 1-4 mm wide quartz infilling; fractures from 4.9 to 5.8m quartz pyrite vein at 30° to core axis, at 9.4 m sulphide impregnation - sphalerite-pyrite-quartz-chlorite veinlets, fault with 10% recovery from 9.4 to 10.8 m; at 16.8 m increased quartz chlorite veining with moderate brecciation; fault zone with 20% recovery from 19.8 to 21.0 with increased brecciation and infilling quartz veinlets 1-4mm below 21 m; at 29.0 m andesite dike with 1-5 mm dark green phenocrysts, quartz hematite veinlets 1-2 mm; fine grained felsic rock, siliceous and brecciated near contact. | 1233 | 3.3 | 4.9 | 1.6 | 0.02 | 0.01 | 0.01 | 0.02 | tr |
| | | | | 1234 | 4.9 | 5.8 | 0.9 | 0.02 | 0.01 | 0.01 | 0.05 | tr |
| | | | | 1226 | 4.9 | 6.1 | 1.2 | | | | 0.08 | tr |
| | | | | 1235 | 5.8 | 7.9 | 2.1 | 0.01 | 0.01 | 0.02 | 0.01 | tr |
| | | | | 1227 | 8.5 | 9.1 | 0.6 | | | | 0.02 | 0.005 |
| | | | | 1236 | 10.8 | 11.9 | 1.1 | 0.01 | 0.01 | 0.50 | 0.01 | tr |
| | | | | 1228 | 14.6 | 15.2 | 0.6 | | | | 0.03 | 0.005 |
| | | | | 1237 | 16.4 | 18.0 | 1.6 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1238 | 18.0 | 19.8 | 1.8 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1239 | 21.0 | 21.9 | 0.9 | 0.01 | 0.01 | 0.01 | 0.03 | tr |
| | | | | 1240 | 24.2 | 25.7 | 1.5 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1229 | 24.7 | 25.3 | 0.6 | | | | <0.01 | tr |
| | | | | 1241 | 25.7 | 27.3 | 1.6 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1242 | 27.3 | 28.8 | 1.5 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1230 | 28.3 | 29.3 | 1.0 | | | | <0.01 | tr |
| | | | | 1243 | 28.8 | 30.0 | 1.2 | 0.02 | 0.01 | 0.02 | 0.01 | tr |
| | | | | 1244 | 30.0 | 31.5 | 1.5 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1245 | 31.5 | 32.4 | 0.9 | 0.01 | 0.01 | 0.01 | 0.03 | 0.010 |
| 32.4 | 64.0 | 31.6 | Altered quartz porphyry, 1-3% disseminated and vein pyrite, 1-5 mm quartz veinlets at 40-70° to core axis, no mafic minerals, altered to clay; at 46.0 m quartz porphyry has granitic texture, 5-8% biotite, 40% salmon pink K feldspar, 25% quartz. | 1246 | 32.4 | 33.8 | 1.4 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | END | | | 1247 | 33.8 | 34.7 | 0.9 | 0.01 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1248 | 34.7 | 36.0 | 1.3 | 0.03 | 0.01 | 0.01 | 0.03 | tr |
| | | | | 1231 | 34.7 | 36.0 | 1.3 | | | | 0.01 | tr |
| | | | END OF HOLE | 1249 | 36.0 | 37.5 | 1.5 | 0.03 | 0.01 | 0.01 | 0.01 | tr |
| | | | | 1311 | 39.0 | 40.5 | 1.5 | | | | 0.01 | 0.001 |
| | | | | 1312 | 40.5 | 41.4 | 0.9 | | | | 0.01 | 0.001 |
| | | | | 1232 | 41.4 | 42.4 | 1.0 | | | | <0.01 | 0.14 } 1.6m |
| | | | | 1250 | 42.1 | 42.7 | 0.6 | 0.02 | 0.01 | 0.01 | 0.11 | 0.380 } @ 0.23 opt |
| | | | | 1313 | 42.7 | 44.2 | 1.5 | | | | 0.01 | 0.002 |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-6

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: July 24, 1987Drilling Commenced: July 18, 1987
Drilling Completed: July 23, 1987Length: 60.7 m
Core: AQ
N.T.S. 104B/15
UTM Co-ordinates: N6298350 E383400Dip: -80°
Bearing: 212°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|--|------------|-------------|------|--------|----------|--------|--------|--------------|-----------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 2.7 | 2.7 | Casing. | | | | | | | | | |
| 2.7 | 18.9 | 16.2 | Rhyodacite, crackled breccia texture, green-light grey color; 1-2 mm quartz veinlet infilling; 1% disseminated pyrite | 1301 | 6.9 | 7.8 | 0.9 | | | | 0.01 | 0.01 |
| | | | - from 6.9 to 7.8 m quartz veinlet with trace chalcopyrite | 1334 | 10.1 | 11.6 | 1.5 | | | | <0.01 | tr |
| | | | - graphite slickensides at 11.9 - 12.2 m | 1335 | 11.6 | 13.1 | 1.5 | | | | <0.01 | 0.005 |
| | | | - at 15.1 m a 3mm pyrite vein with 5% pyrite, increased quartz veining and brecciation | 1336 | 13.1 | 14.6 | 1.5 | | | | <0.01 | 0.005 |
| | | | | 1302 | 14.6 | 15.9 | 1.3 | | | | 0.08 | 0.34 |
| | | | | 1337 | 15.9 | 17.5 | 1.6 | | | | 0.01 | 0.005 |
| | | | | 1338 | 17.5 | 19.0 | 1.5 | | | | <0.01 | tr |
| 18.9 | 21.0 | 2.1 | Fault zone. | 1339 | 19.0 | 20.5 | 1.5 | | | | <0.01 | tr |
| | | | | 1340 | 20.5 | 22.0 | 1.5 | | | | 0.02 | tr |
| 21.0 | 32.8 | 11.8 | Rhyodacite, as above; from 25.9 to 26.8 m red hematite stain (3-5%); rhyodacite is intensely fractured forming crackle breccia texture with 1% disseminated pyrite; from 29.1 - 30.4 m felsite dyke showing sharp contact (at 45° to core axis) with rhyodacite. | 1341 | 22.0 | 23.6 | 1.6 | | | | 0.02 | tr |
| 32.8 | 33.4 | 0.6 | Fault contact with quartz porphyry; gouge. | 1303 | 32.8 | 33.4 | 0.6 | | | | 0.01 | 0.005 |
| 33.4 | 60.7 | 27.3 | Altered quartz porphyry; 40% quartz phenocrysts to 5 mm, 0-2% mafic minerals (biotite, hornblende); | | | | | | | | | |
| | | | - vein at 45° to core; 60% quartz, 10% pyrite, trace chalcopyrite | 1304 | 40.5 | 42.0 | 1.5 | | | | 0.01 | tr |
| | | | | 1305 | 42.0 | 42.9 | 0.9 | | | | 0.32 | 0.260) 1.8 m |
| | | | | 1306 | 42.9 | 43.8 | 0.9 | | | | 0.13 | 0.150) @ 0.205 |
| | | | | 1307 | 43.8 | 45.3 | 1.5 | | | | 0.01 | tr |
| | | | | 1308 | 45.3 | 46.9 | 1.6 | | | | 0.01 | 0.005 |
| | | | | 1309 | 46.9 | 48.4 | 1.5 | | | | 0.02 | tr |
| | | | - sphalerite-galena fracture filling. | 1310 | 59.4 | 60.0 | 0.6 | | | | 0.18 | tr |
| | | | END OF HOLE | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.

HOLE: DDW-87-7

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.


PROPERTY: MCLYMONT CLAIM GROUP

DATE: 1987
Page 1 of 1

Logged by: A. Kikauka, Gulf International Minerals Ltd. Drilling Commenced: July 24, 1987 Length: 78.0 m N.T.S. 104B/15 Elevation: 684 m Dip: -83°
Date: July 29, 1987 Drilling Completed: July 29, 1987 Core: AQ BTM Co-ordinates: N6298350 E383400 Bearing: 032°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|---|---------------|-------------|------|--------|-------------|-----------|-----------|-----------------|-------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 3.0 | 3.0 | Casing. | | | | | | | | | |
| | | | | | | | | | | | | (15 cm/1.5 m) |
| 3.0 | 8.2 | 5.2 | Altered rhyodacite, intensely fractured, crackle breccia texture; quartz stockwork; at 7.3 m veining with chlorite and trace chalcopyrite. | 1314 | 3.0 | 25.9 | 22.9 | | | | 0.1 | 0.001 (Composite) |
| | | | | 1342 | 3.0 | 4.6 | 1.6 | | | | <0.01 | tr |
| | | | | 1343 | 4.6 | 6.1 | 1.5 | | | | <0.01 | tr |
| | | | | 1344 | 6.1 | 7.6 | 1.5 | | | | <0.01 | tr |
| | | | | 1345 | 7.6 | 9.1 | 1.5 | | | | <0.01 | tr |
| 8.2 | 15.8 | 7.6 | Brecciated chert, 1% disseminated pyrite; strong fracturing with quartz infilling, minor calcite at 030° and 00° to core axis. | 1346 | 9.1 | 10.7 | 1.6 | | | | <0.01 | tr |
| | | | | 1347 | 10.7 | 12.2 | 1.5 | | | | 0.01 | tr |
| | | | | 1348 | 12.2 | 13.7 | 1.5 | | | | 0.02 | tr |
| | | | | 1349 | 13.7 | 15.2 | 1.5 | | | | 0.03 | tr |
| | | | | 1350 | 15.2 | 16.8 | 1.6 | | | | 0.01 | tr |
| 15.8 | 22.9 | 6.2 | Andesite dyke, anhedral phenocrysts. | 1351 | 16.8 | 18.3 | 1.5 | | | | 0.04 | tr |
| | | | | 1352 | 18.3 | 19.8 | 1.5 | | | | 0.02 | tr |
| | | | | 1353 | 19.8 | 21.3 | 1.5 | | | | <0.01 | tr |
| | | | | 1354 | 21.3 | 22.9 | 1.5 | | | | 0.02 | tr |
| 22.9 | 31.7 | 8.8 | Brecciated chert, 1% disseminated pyrite, strong fracturing, quartz infilling, trace chalcopyrite. | 1355 | 22.9 | 24.4 | 1.5 | | | | 0.01 | tr |
| | | | | 1356 | 24.4 | 25.9 | 1.5 | | | | 0.04 | tr |
| | | | | 1315 | 25.9 | 27.4 | 1.5 | | | | 0.01 | 0.001 |
| | | | | 1316 | 27.4 | 29.0 | 1.6 | | | | 0.01 | 0.001 |
| | | | | 1317 | 29.0 | 30.5 | 1.5 | | | | 0.01 | 0.003 |
| 31.7 | 39.4 | 7.7 | Altered quartz porphyry, mafic minerals altered to clay, bleached white color. | 1318 | 30.5 | 32.0 | 1.5 | | | | 0.01 | 0.001 |
| | | | | 1319 | 32.0 | 33.4 | 1.4 | | | | 0.02 | 0.001 |
| 39.4 | 42.3 | 2.9 | Quartz porphyry, 1-4 mm quartz eyes, granitic groundmass. | | | | | | | | | |
| 42.3 | 45.4 | 3.1 | Andesite dyke, sharp contact at 42.3 m, fault contact at 45.4 with quartz porphyry. | | | | | | | | | |
| 45.4 | 78.0 | 32.6 | Quartz porphyry, 1-4 mm quartz eyes, granitic groundmass, from 61.8 to 63.1 m increased quartz veining; from 63.1 to 64.0 m quartz-pyrite-chalcopyrite vein; from 64.0 to 68.0 m andesite with 1-3% pyrite, trace graphite along fractures, quartz veining and brecciation; from 67.7 to 68.6 fault zone with poor recovery; quartz porphyry with 1-4 mm quartz eyes, granitic groundmass to end of hole. | 1320 | 61.6 | 63.1 | 1.5 | | | | 0.02 | 0.001 |
| | EOH | | | 1321 | 63.1 | 64.0 | 0.9 | | | | 0.01 | 0.198 |
| | | | | 1322 | 64.0 | 65.5 | 1.5 | | | | 0.11 | 0.005 |
| | | | | 1323 | 65.5 | 67.0 | 1.5 | | | | 0.01 | 0.005 |
| | | | | 1324 | 67.0 | 68.0 | 1.0 | | | | 0.01 | 0.011 |

END OF HOLE



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.

HOLE: DDH-87-8


E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: August 12, 1987Drilling Commenced: July 30, 1987
Drilling Completed: August 12, 1987Length: 71.6 m
Core: AQ
N.T.S. 104B/15
UTM Co-ordinates: N6298287 E383403Elevation: 677m
Dip: -45°
Bearing: 005°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|------|--------|--|------------|-------------|------|--------|---------------|-----------|-----------|-------------------|---------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 3.3 | 3.3 | Casing. | | | | | | | | | |
| 3.3 | 4.9 | 1.6 | Quartz porphyry. | | | | | | | | | |
| 4.9 | 9.1 | 4.2 | Andesite dyke, 1-2 mm plagioclase phenocrysts, 2-40 mm wide quartz veins; -65° to core axis. | | | | | | | | | |
| 9.1 | 25.9 | 16.8 | Altered quartz porphyry, 2-5 mm quartz phenocrysts, no mafic minerals, argillic alteration; increased sulfides and quartz veining at 23.1 m. | 1325 | 23.1 | 24.7 | 1.6 | | | | 0.01 | 0.001 |
| | | | | 1326 | 24.7 | 26.2 | 1.5 | | | | 0.01 | 0.001 |
| 25.9 | 27.7 | 1.8 | Aphanitic rock, poor recovery. | 1327 | 26.2 | 27.7 | 1.5 | | | | 0.02 | 0.001 |
| 27.7 | 71.6 | 43.9 | Altered quartz porphyry, increased pyrite to 2%, increased fracturing at -10° to core axis; | 1333 | 30.5 | 32.0 | 1.5 | | | | 0.01 | 0.001 |
| | | | - 10° to core axis; | 1328 | 32.0 | 33.5 | 1.5 | | | | 0.02 | 0.001 |
| | | | - poor recovery, altered quartz porphyry with argillic alteration | 1329 | 33.5 | 35.0 | 1.5 | | | | 0.01 | 0.001 |
| | | | | 1330 | 35.0 | 36.6 | 1.6 | | | | 0.02 | 0.001 |
| | | | | 1331 | 36.6 | 38.1 | 1.5 | | | | 0.02 | 0.003 |
| | | | | 1332 | 38.1 | 39.6 | 1.5 | | | | 0.01 | 0.001 |
| | | | | 1357 | 39.6 | 41.1 | 1.5 | | | | <0.01 | 0.005 |
| | | | - 5% pyrite altered, red hematite staining | 1358 | 41.1 | 42.7 | 1.6 | | | | 0.03 | tr |
| | | | | 1359 | 42.7 | 44.2 | 1.5 | | | | 0.03 | tr |
| | | | | 1360 | 44.2 | 45.7 | 1.5 | | | | 0.07 | 0.005 |
| | | | - some graphitic material 2-3 cm long | 1361 | 45.7 | 47.2 | 1.5 | | | | 0.01 | tr |
| | | | | 1362 | 47.2 | 48.8 | 1.6 | | | | 0.01 | 0.005 |
| | | | - poor recovery, 70% | 1363 | 48.8 | 50.3 | 1.5 | | | | 0.01 | 0.005 |
| | | | - poor recovery, 70% | 1364 | 50.3 | 51.8 | 1.5 | | | | 0.10 | 0.04 |
| | | | - begins increasing in mafics, granitic groundmass to end of hole; quartz vein 60° to core axis, with pyrite to 2%. | 1365 | 56.1 | 57.6 | 1.5 | | | | 0.01 | tr |
| | | | | 1366 | 57.6 | 59.1 | 1.5 | | | | 0.02 | tr |

END OF HOLE



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-10

E. M. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd. Drilling Commenced: August 30, 1987
Date: September 1, 1987 Drilling Completed: August 31, 1987Length: 78.9 m N.T.S. 104B/15 Elevation: 683m
Core: BQ UTM Co-ordinates: N6298328 E383412Dip: -45°
Bearing: 300°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|------|--------|---|---------------|-------------|------|--------|------------------|--------------|--------------|----------------------|------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 6.1 | 6.1 | Casing. | | | | | | | | | |
| 6.1 | 17.0 | 10.9 | Brecciated volcanic siltstone/sandstone, dark-light grey color, quartz-calcite infillings 1-5 cm at 0-70° to core axis, trace to 1% pyrite to 42 m; broken ground from 14.3 - 14.6 and 16.8 - 17.0 m. | | | | | | | | | |
| 17.0 | 42.0 | 27.0 | Altered quartz breccia; at 21.3 m decreased bleaching, light grey, and numerous graphitic slickensides. | 1368 | 17.1 | 18.3 | 1.2 | | | | 0.01 | tr |
| | | | | 1369 | 18.3 | 19.5 | 1.2 | | | | <0.01 | tr |
| | | | | 1370 | 21.0 | 22.5 | 1.5 | | | | 0.03 | 0.005 |
| | | | | 1371 | 22.5 | 24.1 | 1.6 | | | | <0.01 | tr |
| | | | | 1372 | 24.1 | 25.6 | 1.5 | | | | 0.02 | tr |
| | | | | 1373 | 25.6 | 27.1 | 1.5 | | | | 0.01 | tr |
| | | | | 1374 | 27.1 | 28.6 | 1.5 | | | | 0.01 | tr |
| | | | | 1375 | 28.6 | 30.1 | 1.5 | | | | 0.02 | tr |
| | | | | 1376 | 30.1 | 31.7 | 1.6 | | | | 0.03 | tr |
| | | | | 1377 | 31.7 | 33.2 | 1.5 | | | | <0.01 | tr |
| | | | | 1378 | 33.2 | 34.7 | 1.5 | | | | <0.01 | tr |
| | | | | 1379 | 34.7 | 36.3 | 1.5 | | | | <0.01 | tr |
| 42.0 | 45.1 | 3.1 | Green andesite dyke, porphyritic. | | | | | | | | | |
| 45.1 | 65.2 | 20.1 | Altered quartz porphyry; from 58.5 - 59.4, and 60.0-60.3 m quartz vein at 40° to core axis; 25% pyrite, minor ankerite; from 62.5 to 65.2 m quartz-pyrite vein at 20° to core axis, with 40% pyrite. | 1380 | 54.2 | 55.8 | 1.6 | | | | 0.02 | 0.005 |
| | | | | 1381 | 55.8 | 57.3 | 1.5 | | | | 0.03 | 0.005 |
| | | | | 1382 | 57.3 | 58.4 | 1.1 | | | | <0.01 | tr |
| | | | | 1383 | 58.4 | 59.6 | 1.2 | | | | 0.06 | 0.22 |
| | | | | 1384 | 59.6 | 60.4 | 0.8 | | | | <0.01 | 0.02 |
| | | | | 1385 | 60.4 | 61.9 | 1.5 | | | | <0.01 | tr |
| | | | | 1386 | 61.9 | 62.8 | 0.9 | | | | <0.01 | 0.005 |
| | | | | 1387 | 62.8 | 63.7 | 0.9 | | | | 0.63 | 1.01 } 2.7 m |
| | | | | 1388 | 63.7 | 64.6 | 0.9 | | | | 0.63 | 1.48 } @ |
| | | | | 1389 | 64.6 | 65.5 | 0.9 | | | | 0.84 | 1.35 } 1.28 opt |
| 65.2 | 78.9 | 13.7 | Andesite dyke, porphyritic, 3-5% pyrite as disseminations and vein at 25° to core axis, 1-4 mm quartz veins, 2 per 0.3 m; at 70.7 m increased graphitic slickensides. | 1390 | 65.5 | 66.7 | 1.2 | | | | 0.05 | 0.005 |
| | BQB | | | 1391 | 66.7 | 68.9 | 2.2 | | | | <0.01 | 0.02 |
| | | | | 1392 | 68.9 | 70.7 | 1.8 | | | | <0.01 | 0.005 |
| | | | END OF HOLE | 1393 | 70.7 | 72.2 | 1.5 | | | | 0.02 | tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-11

E. M. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 2, 1987Drilling Commenced: August 31, 1987
Drilling Completed: September 2, 1987Length: 97.2 m
Core: BQ
N.T.S. 104B/15
UTM Co-ordinates: N6298328 E383412
Elevation: 683 mDip: -60°
Bearing: 030°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|------|--------|--|---------------|-------------|------|--------|------------------|--------------|--------------|----------------------|------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 2.7 | 2.7 | Casing. | | | | | | | | | |
| 2.7 | 9.1 | 6.4 | Sandstone (volcanic) brecciated, quartz-calcite veining, 1-3 mm at 20 to 80° to core axis, bleached light grey color, trace to 1% pyrite. | | | | | | | | | |
| 9.1 | 14.3 | 5.2 | Graphitic siltstone, brecciated, quartz-calcite veinlets, 1-3 mm wide. | 1394 | 8.8 | 10.4 | 1.6 | | | | 0.01 | tr |
| | | | | 1395 | 10.4 | 11.9 | 1.5 | | | | <0.01 | 0.01 |
| | | | | 1396 | 11.9 | 13.4 | 1.5 | | | | 0.01 | tr |
| | | | | 1397 | 13.4 | 14.3 | 0.9 | | | | 0.02 | 0.02 |
| 14.3 | | | Fault, mud seam | | | | | | | | | |
| 14.3 | 34.4 | 29.9 | Brecciated volcanic sandstone, quartz-calcite veining, 20-80° to core. | 1398 | 14.3 | 15.8 | 1.5 | | | | 0.01 | 0.005 |
| 34.4 | 39.6 | 5.2 | Diffuse contact. Altered quartz porphyry, very hard, bleached light grey. | | | | | | | | | |
| 39.6 | 47.8 | 8.2 | Brecciated volcanic sandstone, 1-5 mm quartz-calcite. | | | | | | | | | |
| 47.8 | 61.0 | 13.2 | Quartz porphyry, increased alteration and fracturing from 49.9 to 51.8 m with 30-40% quartz; at 60.6 m quartz-pyrite stringer 2.5 cm wide. | | | | | | | | | |
| 61.0 | 65.5 | 4.5 | Dark green andesite dyke, porphyritic, sharp contact. | | | | | | | | | |
| 65.5 | 90.8 | 25.3 | Quartz porphyry. | | | | | | | | | |
| 90.8 | 92.0 | 1.8 | Andesite dyke, green color, porphyritic. | | | | | | | | | |
| 92.0 | 92.6 | 0.6 | Quartz porphyry. | | | | | | | | | |
| 92.6 | 94.2 | 1.6 | Andesite dyke, green color, porphyritic, quartz-calcite-pyrite vein from 93.3 to 93.6 m. | | | | | | | | | |
| 94.2 | 97.2 | 3.0 | Quartz porphyry. | | | | | | | | | |
| | EOH | | END OF HOLE | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-12

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - Main Grid

DATE: 1987
Page 1 of 1Logged by: A. Mikauka, Gulf International Minerals Ltd.
Date: September 5, 1987Drilling Commenced: September 2, 1987
Drilling Completed: September 2, 1987Length: 39.0 m
Core: BQ
N.T.S. 104B/15
UTM Co-ordinates: N6298850 E382750
Elevation: 793 mDip: -45°
Bearing: 210°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|---|---------------|-------------|------|--------|-------------|-----------|-----------|-----------------|---------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 1.5 | 1.5 | Casing. | | | | | | | | | |
| 1.5 | 3.5 | 2.0 | Andesite dyke, dark green color, porphyritic. | | | | | | | | | |
| 3.5 | 4.6 | 1.1 | Felsite dyke, light grey color, fault contact at 4.6 m. | | | | | | | | | |
| 4.6 | 39.0 | 34.4 | Altered quartz porphyry, salmon pink color, felsite dykes from 10.7 - 11.0, 15.5 - 15.8, 25.6 - 25.9, 34.0 - 34.4 ; quartz-pyrite-chalcopyrite vein from 22.9 - 23.5 m at 60% to core axis, with 30% pyrite, 1% chalcopyrite; from 26.5 to 27.1 m increased brecciation with 5% pyrite; below 32 m altered quartz porphyry becomes bleached light grey color to end of hole; quartz-pyrite replacement along contact at 34.7 m. END OF HOLE. | 1399 | 4.7 | 6.1 | 1.4 | | | | | tr |
| | | | | 1400 | 21.3 | 22.9 | 1.6 | | | | | tr |
| | | | | 1401 | 22.9 | 23.5 | 0.6 | | | | | 0.13 |
| | | | | 1402 | 23.5 | 25.0 | 1.5 | | | | | tr |
| | | | | 1403 | 25.0 | 26.5 | 1.5 | | | | | 0.02 |
| | | | | 1404 | 26.5 | 27.1 | 0.6 | | | | | 0.02 |
| | | | | 1405 | 34.4 | 34.9 | 0.5 | | | | | tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-13

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - Main Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 5, 1987Drilling Commenced: September 3, 1987
Drilling Completed: September 4, 1987Length: 60.7 m
Core: BQ
M.T.S. 104B/15
UTM Co-ordinates: N6298850 E382750Elevation: 793 m
Dip: -45°
Bearing: 165°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/mt | GOLD oz/mt |
|-------------|------|--------|--|---------------|-------------|------|--------|-------------|-----------|-----------|-----------------|---------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 0.6 | 0.6 | Casing | | | | | | | | | |
| 0.6 | 1.2 | 0.6 | Andesite dyke, porphyritic. | | | | | | | | | |
| 1.2 | 3.7 | 2.5 | Altered quartz porphyry, green color. | | | | | | | | | |
| 3.7 | 7.9 | 4.2 | Felsite dyke, 1% disseminated pyrite; increased fracturing and quartz veining, graphite-pyrite infilling fractures. | | | | | | | | | |
| 7.9 | 60.7 | 52.8 | Altered quartz porphyry, 1% disseminated pyrite; from 7.3 to 11.9 m increased fracturing and graphite-pyrite infilling fractures; at approximately 19.8 m 1-4 mm quartz eyes, syenitic groundmass and salmon pink color; from 25.6 to 25.9 m andesite dyke at 40° to core; | 1406 | 7.3 | 8.8 | 1.5 | | | | | tr |
| | BOH | | from 27.7 to 28.3 m quartz-pyrite vein with 30% pyrite; | 1407 | 8.8 | 10.4 | 1.6 | | | | | tr |
| | | | from 28.3 to 35.7 m increased fracturing, quartz veining, graphite-pyrite infilling fractures; below 35.7 m altered quartz porphyry with 1-4 mm quartz eyes, bleached light grey color, no mafic minerals; | 1408 | 10.4 | 11.9 | 1.5 | | | | | tr |
| | | | from 51.2 to 51.8 increased quartz veining with felsite dyke from 51.8 to 52.1 m. | 1409 | 26.8 | 27.7 | 0.9 | | | | | tr |
| | | | END OF HOLE | 1410 | 27.7 | 28.3 | 0.6 | | | | | 0.07 |
| | | | | 1411 | 28.3 | 29.6 | 1.3 | | | | | tr |
| | | | | 1412 | 29.6 | 31.1 | 1.5 | | | | | tr |
| | | | | 1413 | 31.1 | 32.6 | 1.5 | | | | | tr |
| | | | | 1414 | 32.6 | 34.1 | 1.5 | | | | | tr |
| | | | | 1415 | 34.1 | 35.7 | 1.6 | | | | | tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-14

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 10, 1987Drilling Commenced: September 4, 1987
Drilling Completed: September 5, 1987Length: 74.1 m N.T.S. 104B/15 Elevation: 802 m
Core: BQ UTM Co-ordinates: N6298973 E362800Dip: -45°
Bearing: 045°

| METERS | | | CORE DESCRIPTION | Sample No. | METERS | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st | |
|--------|------|--------|--|------------|--------|------|--------|----------|--------|--------|--------------|------------|------|
| From | To | Length | | | From | To | Length | | | | | | |
| 0. | 1.5 | 1.5 | Casing. | | | | | | | | | | |
| 1.5 | 38.1 | 36.6 | Indurated sandstone, felsic composition, bleached light grey color, 1% disseminated pyrite, graphite-pyrite infilling fractures; at 15.2 m dark green andesite dike (0.3 m); at 18.3 m minor ankerite, approximately 2% occurs as 1-2 mm wide veinlets; at 25 m increased ankerite veinlets, approximately 5% with 2% disseminated and fracture filling pyrite; at 31 m increased quartz brecciation, approximately 10% quartz with graphite pyrite infilling fractures. | 1416 | 11.1 | 12.5 | 1.4 | | | | | tr | |
| | | | | 1417 | 12.5 | 14.2 | 1.7 | | | | | | tr |
| | | | | 1443 | 20.1 | 21.3 | 1.2 | | | | | | 0.02 |
| | | | | 1444 | 21.3 | 22.5 | 1.2 | | | | | | 0.01 |
| | | | | 1445 | 22.5 | 23.8 | 1.2 | | | | | | tr |
| | | | | 1446 | 23.8 | 25.3 | 1.5 | | | | | | tr |
| | | | | 1447 | 25.3 | 26.8 | 1.5 | | | | | | tr |
| | | | | 1448 | 26.8 | 28.3 | 1.5 | | | | | | tr |
| | | | | 1418 | 28.3 | 29.9 | 1.6 | | | | | | tr |
| | | | | 1419 | 29.9 | 31.4 | 1.5 | | | | | | tr |
| | | | 1420 | 31.4 | 32.9 | 1.5 | | | | | | tr | |
| | | | 1421 | 32.9 | 34.4 | 1.5 | | | | | | tr | |
| | | | 1422 | 34.4 | 36.0 | 1.6 | | | | | | tr | |
| 38.1 | 38.7 | 0.6 | Felsite dyke. | | | | | | | | | | |
| 38.7 | 42.7 | 4.0 | Andesite, dark green color, with 20% apophyses of quartz diorite. | | | | | | | | | | |
| 42.7 | 47.2 | 4.5 | Indurated sandstone, 3% ankerite veinlets, bleached light grey color. | | | | | | | | | | |
| 47.2 | 57.9 | 10.7 | Quartz diorite, with 20% inclusions of andesite. | | | | | | | | | | |
| 57.9 | 74.1 | 16.2 | Andesite, porphyritic, 1-3 mm plagioclase phenocrysts, 1% epidote with 10% apophyses of quartz diorite; felsite dyke with 3% disseminated pyrite at 63.2 - 63.7 m. | | | | | | | | | | |
| | EOH | | END OF HOLE | | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-15

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - MW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd. Drilling Commenced: September 5, 1987
Date: September 12, 1987 Drilling Completed: September 6, 1987Length: 58.5 m N.T.S. 1048/15 Elevation: 1129 m
Core: BQ UTM Co-ordinates: N6300550 E381260Dip: -45°
Bearing: 080°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|---|------------|-------------|------|--------|----------|--------|--------|--------------|--------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 1.2 | 1.2 | Casing. | | | | | | | | | |
| 1.2 | 5.6 | 4.4 | Sandstone, brecciated and indurated; 2% pyrite fracture filling, 2% anderite as 1-2 mm veinlets. | 1423 | 1.2 | 2.6 | 1.4 | | | | | tr |
| | | | | 1424 | 2.6 | 4.1 | 1.5 | | | | | tr |
| | | | | 1425 | 4.1 | 5.6 | 1.5 | | | | | tr |
| 5.6 | 9.9 | 4.3 | Quartz-pyrite-chalcopyrite vein, 20% pyrite, 0.5% chalcopyrite; pyrite occurs as blebs to 10 cm and cut by late barren quartz-calcite veinlets. | 1426 | 5.6 | 7.0 | 1.4 | | | | | 0.42 2.8 m |
| | | | | 1427 | 7.0 | 8.4 | 1.4 | | | | | 0.42 0.42 |
| | | | | 1428 | 8.4 | 9.9 | 1.5 | | | | | 0.03 |
| 9.9 | 12.9 | 3.0 | Sandstone, brecciated and indurated; 3% pyrite fracture filling, 2% quartz calcite as veinlets. | 1429 | 9.9 | 11.4 | 1.5 | | | | | tr |
| | | | | 1430 | 11.4 | 12.9 | 1.5 | | | | | tr |
| 12.9 | 24.4 | 11.5 | Same as above, decreased quartz-calcite as veinlets. | | | | | | | | | |
| 24.4 | 35.3 | 10.9 | Major fault, recovered pieces are brecciated, oxidized, indurated; sandstone with 5-8% ankerite as veinlets and blebs. | 1431 | 26.5 | 28.0 | 1.5 | | | | | tr |
| | | | | 1432 | 28.0 | 29.6 | 1.6 | | | | | tr |
| | | | | 1433 | 29.6 | 32.0 | 2.4 | | | | | tr |
| | | | | 1434 | 32.0 | 34.1 | 2.1 | | | | | 0.02 |
| 35.3 | 41.1 | 5.8 | 20% pyrite as blebs and veinlets in brecciated sandstone and siltstone. | 1435 | 34.1 | 36.6 | 2.5 | | | | | 0.09 |
| | | | | 1436 | 36.6 | 39.9 | 3.3 | | | | | tr |
| | | | | 1437 | 39.9 | 41.4 | 1.5 | | | | | 0.01 |
| 41.1 | 58.5 | 17.4 | Sandstone, minor siltstone, brecciated and indurated; 2% quartz-calcite-ankerite as veinlets increasing at 51.5 - 56.1 m, quartz-pyrite at 51.5 to 51.6 m. END OF HOLE | 1438 | 41.4 | 43.0 | 1.6 | | | | | tr |
| | EOM | | | 1439 | 43.0 | 44.5 | 1.5 | | | | | tr |
| | | | | 1440 | 51.5 | 53.0 | 1.5 | | | | | tr |
| | | | | 1441 | 53.0 | 54.6 | 1.6 | | | | | tr |
| | | | | 1442 | 54.6 | 56.1 | 1.5 | | | | | tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-16

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 12, 1987Drilling Commenced: September 6, 1987
Drilling Completed: September 7, 1987Length: 39.3 m
Core: BQ
N.T.S. 104B/15
Elevation: 1129 m
UTM Co-ordinates: N6300550 E381260Dip: -45°
Bearing: 145°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st | |
|-------------|------|--------|---|---------------|-------------|------|--------|------------------|--------------|--------------|----------------------|------------------|------|
| From | To | Length | | | From | To | Length | | | | | | |
| 0 | 9.1 | 9.1 | Casing. | | | | | | | | | | |
| 9.1 | 17.7 | 8.6 | Fault gouge, clay, mud seams pebbles; recovered pieces are oxidized, brecciated siltstone and sandstone with numerous calcite-ankerite veinlets (approx. 1%) from 13.4 - 17.7; mud seam 11.6 - 13.4 m. | 1449 | 13.4 | 14.9 | 1.5 | | | | | tr | |
| | | | | 1450 | 14.9 | 16.5 | 1.6 | | | | | | tr |
| | | | | 1451 | 16.5 | 18.0 | 1.5 | | | | | | tr |
| 17.7 | 20.1 | 2.4 | 25% ankerite as 5" wide vein at 30° to core and as 1-3 mm veinlets. | 1452 | 18.0 | 19.5 | 1.5 | | | | | 0.02 | |
| | | | | 1453 | 19.5 | 21.0 | 1.5 | | | | | | 0.04 |
| 20.1 | 27.1 | 7.0 | Siltstone, 1-3% calcite-ankerite veinlets, trace to 1% disseminated pyrite, trace chalcopyrite. | 1454 | 21.0 | 22.5 | 1.5 | | | | | 0.07 | |
| | | | | 1455 | 22.5 | 24.1 | 1.6 | | | | | | tr |
| | | | | 1456 | 24.1 | 25.6 | 1.5 | | | | | | tr |
| | | | | 1457 | 25.6 | 27.1 | 1.5 | | | | | | tr |
| 27.1 | 39.3 | 12.2 | Fault gouge, broken ground and caving causing hole not to reach desired depth; recovered pieces are oxidized, brecciated siltstone and sandstone with 5% ankerite as veinlets, 2% pyrite, from 36.3 to 39.3 m 5% recovery. END OF HOLE | 1458 | 27.1 | 30.2 | 3.1 | 50% recovery | | | | tr | |
| | BOH | | | 1459 | 30.2 | 33.2 | 3.0 | 50% recovery | | | | | 0.02 |
| | | | | 1460 | 33.2 | 39.3 | 6.1 | 25% recovery | | | | | 0.01 |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-17

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 12, 1987Drilling Commenced: September 7, 1987
Drilling Completed: September 8, 1987Length: 75.9 m
Core: BQ
N.T.S. 104B/15
UTM Co-ordinates: N6300550 E381260Dip: -60°
Bearing: 145°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|---|------------|-------------|------|--------|----------|--------|--------|--------------|-------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 6.1 | 6.1 | Casing | | | | | | | | | |
| 6.1 | 7.6 | 1.5 | 10% pyrite, trace chalcopryrite as blebs and veinlets cut by late quartz calcite veinlets in sandstone. | 1461 | 6.1 | 7.6 | 1.5 | | | | | 0.03 |
| 7.6 | 14.0 | 6.4 | Sandstone and siltstone, 2% disseminated and vein pyrite, trace to 1% quartz-calcite veinlets; 20% ankerite from 10.4 - 10.7 and 13.4 -14.9. | 1462 | 7.6 | 9.1 | 1.5 | | | | | tr |
| | | | | 1463 | 9.1 | 10.7 | 1.6 | | | | | tr |
| | | | | 1464 | 10.7 | 12.2 | 1.5 | | | | | tr |
| | | | | 1465 | 12.2 | 13.7 | 1.5 | | | | | tr |
| 14.0 | 14.9 | 0.9 | Fault, 40% recovery. | 1466 | 13.7 | 15.2 | 1.5 | | | | | tr |
| 14.9 | 32.3 | 17.4 | Sandstone and siltstone, 1-2% disseminated and vein pyrite, trace to 0.5% quartz-calcite veinlets, minor ankerite veins. Fault zone from 29.0 to 30.2 with 30% recovery. | 1467 | 21.9 | 23.5 | 1.6 | | | | | 0.03 |
| | | | | 1468 | 23.5 | 25.0 | 1.5 | | | | | tr |
| 32.3 | 51.2 | 18.9 | Volcanic conglomerate and lapilli tuff, dacitic composition, 4-40 mm rounded to sub-rounded clasts, 1% disseminated pyrite as 1-3 mm blebs and stringers, from 45.1 to 46.0 m 10% pyrite | 1469 | 45.1 | 46.0 | 0.9 | | | | | tr |
| | | | | 1470 | 50.0 | 50.9 | 0.9 | | | | | tr |
| 51.2 | 75.9 | 24.7 | Indurated, brecciated sandstone, 3-5% pyrite disseminated and vein, quartz-calcite veining increased to 5% from 57.3 to 68.6; - 20% pyrite, trace chalcopryrite from 50.9 - 51.5 - 10% pyrite, trace chalcopryrite from 65.8 - 66.9 - 8% pyrite, trace chalcopryrite from 71.6 - 75.9 END OF HOLE | 1471 | 50.9 | 52.4 | 1.5 | | | | | tr |
| EOH | | | | 1472 | 52.4 | 53.9 | 1.5 | | | | | tr |
| | | | | 1473 | 53.9 | 55.5 | 1.6 | | | | | tr |
| | | | | 1474 | 55.5 | 57.0 | 1.5 | | | | | tr |
| | | | | 1475 | 57.0 | 58.5 | 1.5 | | | | | tr |
| | | | | 1476 | 58.5 | 60.0 | 1.5 | | | | | tr |
| | | | | 1477 | 60.0 | 61.6 | 1.6 | | | | | tr |
| | | | Should have gone deeper, ended in mineralized, brecciated sandstone with 3% ankerite-pyrite veinlets. | 1478 | 61.6 | 63.1 | 1.5 | | | | | 0.05 & 0.03 |
| | | | | 1479 | 63.1 | 64.6 | 1.5 | | | | | 0.01 |
| | | | | 1480 | 64.6 | 66.1 | 1.5 | | | | | 0.03 & 0.02 |
| | | | | 1481 | 66.1 | 67.7 | 1.6 | | | | | 0.01 |
| | | | | 1482 | 67.7 | 69.2 | 1.5 | | | | | 0.01 |
| | | | | 1483 | 69.2 | 70.7 | 1.5 | | | | | tr |
| | | | | 1484 | 70.7 | 72.2 | 1.5 | | | | | tr |
| | | | | 1485 | 72.2 | 73.5 | 1.3 | | | | | tr |
| | | | | 1486 | 73.5 | 74.7 | 1.2 | | | | | tr |
| | | | | 1487 | 74.7 | 75.9 | 1.2 | | | | | tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-18

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd. Drilling Commenced: September 8, 1987
Date: September 12, 1987 Drilling Completed: September 9, 1987Length: 72.8 m N.T.S. 104B/15 Elevation: 1055 m
Core: BQ UTM Co-ordinates: N6300427 E381300Dip: -45°
Bearing: 260°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|--|------------|-------------|------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 3.9 | 3.9 | Casing. | | | | | | | | | |
| 3.9 | 16.2 | 12.3 | Conglomerate, lapilli-conglomerate size, polyimictic clasts, felsic clasts 35-75 cm at 4.3 - 5.8 m, calcite-ankerite veinlets trace to 14. | | | | | | | | | |
| 16.2 | 60.6 | 44.4 | Sandstone, minor siltstone, calcite-ankerite veinlets trace to 14; bedding 65-70° to core from 18.6 - 24.1 m, increased ankerite-chalcopryrite veinlets from 27.7 to 36.9, chalcopryrite associated with brown ankerite veinlets; increased bleaching and ankerite veining from 42.7 - 45.1, 49.7 - 51.0, 53.9 - 56.1 m. | 1488 | 27.7 | 29.3 | 1.6 | | | | | tr |
| | | | | 1489 | 29.3 | 30.8 | 1.5 | | | | | tr |
| | | | | 1490 | 30.8 | 32.3 | 1.5 | | | | | tr |
| | | | | 1491 | 32.3 | 33.8 | 1.5 | | | | | tr |
| | | | | 1492 | 33.8 | 35.4 | 1.6 | | | | | tr |
| | | | | 1493 | 35.4 | 36.9 | 1.5 | | | | | tr |
| 60.6 | 72.8 | 12.2 | Sandstone, altered, bleached, light grey color, 1-2% disseminated and vein pyrite; pyrite-quartz-chalcopryrite-jasper vein at 63.7 - 64.6, increased ankerite veining from 64.6 to 67.7 m, indurated and brecciated sandstone with increased quartz-calcite veining from 67.7 to 72.8 m. END OF HOLE | 1494 | 62.2 | 63.7 | 1.5 | | | | | tr |
| | ROH | | | 1495 | 63.7 | 64.6 | 0.9 | | | | | 0.02 |
| | | | | 1496 | 64.6 | 66.1 | 1.5 | | | | | tr |
| | | | | 1497 | 66.1 | 67.7 | 1.6 | | | | | tr |
| | | | | 1498 | 67.7 | 69.2 | 1.5 | | | | | tr |
| | | | | 1499 | 69.2 | 70.7 | 1.5 | | | | | tr |
| | | | | 1500 | 70.7 | 72.8 | 2.1 | | | | | tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-19

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 15, 1987Drilling Commenced: September 9, 1987
Drilling Completed: September 10, 1987Length: 54.9 m
Core: BQ
N.T.S. 104B/15
UTM Co-ordinates: W6300427 E381300
Elevation: 1055 mDip: -55°
Bearing: 165°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|--|------------|-------------|------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 6.1 | 6.1 | Casing. | | | | | | | | | |
| 6.1 | 18.0 | 11.9 | Conglomerate, lapilli size clasts, polyimictic 95% intermediate-mafic composition clasts, sub-rounded, minor ankerite-calcite veining. | | | | | | | | | |
| 18.0 | 54.9 | 36.9 | Conglomerate?, intense alteration, bleached grey color, original texture obliterated; bleached light grey color from 21.9 - 24.1, 36.6 - 40.8, and 44.5 - 54.9; heavy ankerite alteration, brown color from 18.0 - 21.9, 24.1 - 36.6; reddish-brown hematite stain color from 40.8 - 44.5. | 1501 | 18.0 | 19.5 | 1.5 | | | | | tr |
| | | | | 1502 | 19.5 | 21.0 | 1.5 | | | | | tr |
| | | | | 1503 | 21.0 | 22.5 | 1.5 | | | | | 0.01 |
| | | | | 1504 | 22.5 | 24.1 | 1.6 | | | | | tr |
| | | | | 1505 | 24.1 | 25.6 | 1.5 | | | | | 0.01 |
| 21.3 | 22.6 | 1.3 | Major fault from 21.3 to 22.6 m; 3% pyrite, 15% quartz veining from 22.5 to 24.1m. | 1506 | 25.6 | 27.1 | 1.5 | | | | | 0.01 |
| | | | | 1507 | 27.1 | 28.6 | 1.5 | | | | | tr |
| | | | | 1508 | 28.6 | 30.2 | 1.6 | | | | | tr |
| 22.6 | 27.4 | 4.8 | Fault zone, rubble, minor clay; 3% pyrite and increased quartz veining from 27.4 to 32.3 m. | 1509 | 30.2 | 31.7 | 1.5 | | | | | |
| | | | | 1510 | 31.7 | 33.2 | 1.5 | | | | | tr |
| 32.3 | 36.6 | 4.3 | Fault zone, brown, oxidized ankerite alteration; 3% pyrite, increased quartz veining in idurated sandstone, trace to 1% jasper and trace chalcopryite at 36.6 - 40.8 m; hematite alteration, 2% chalcopryite and magnetite as disseminations in altered volcanic conglomerate at 40.8 - 44.5; 2% pyrite, trace chalcopryite in bleached light grey altered volcanic conglomerate at 44.5 - 54.9 m. | 1511 | 33.2 | 34.7 | 1.5 | | | | | 0.01 |
| | | | | 1512 | 34.7 | 36.3 | 1.6 | | | | | 0.03 |
| | | | | 1513 | 36.3 | 37.8 | 1.5 | | | | | 0.01 |
| | | | | 1514 | 37.8 | 39.3 | 1.5 | | | | | |
| | | | | 1515 | 39.3 | 40.8 | 1.5 | | | | | |
| | | | | 1516 | 40.8 | 42.4 | 1.6 | | | | | 0.01 |
| 52.7 | 54.9 | 2.2 | Fault zone, rubble, minor clay. | 1517 | 42.4 | 43.9 | 1.5 | | | | | 0.01 |
| | BOH | | END OF HOLE | 1518 | 43.9 | 45.4 | 1.5 | | | | | |
| | | | | 1519 | 45.4 | 46.9 | 1.5 | | | | | tr |
| | | | | 1520 | 46.9 | 48.5 | 1.6 | | | | | |
| | | | | 1521 | 48.5 | 50.0 | 1.5 | | | | | |
| | | | | 1522 | 50.0 | 51.5 | 1.5 | | | | | |
| | | | | 1523 | 51.5 | 53.0 | 1.5 | | | | | |
| | | | | 1524 | 53.0 | 54.9 | 1.9 | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-07-20

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 15, 1987Drilling Commenced: September 10, 1987
Drilling Completed: September 13, 1987Length: 109.4 m
Core: BQ
N.T.S. 1048/15
UTM Co-ordinates: N6300430 E381240Dip: -45°
Bearing: 260°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|-------|--------|---|------------|-------------|-------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 4.6 | 4.6 | Casing. | | | | | | | | | |
| 4.6 | 14.9 | 10.3 | Sandstone, indurated, trace to 1% pyrite. | 1525 | 8.7 | 10.2 | 1.5 | | | | | |
| 10.0 | 10.3 | 0.3 | Fault zone, rubble and minor seams of mud, clay, 60% recovery. 15% pyrite from 8.7 to 10.2 m | | | | | | | | | |
| 14.3 | 14.9 | 0.6 | Fault zone, rubble, 60% recovery | | | | | | | | | |
| 14.9 | 56.9 | 42.0 | Sandstone, porphyroblasts, 1-3 mm plagioclase phenocrysts, broken ground blocky; ankerite veinlets 3% from 21.9 - 23.5 m. | 1526 | 21.9 | 23.5 | 1.6 | | | | | |
| 24.0 | 25.0 | 1.0 | Fault zone, 50% recovery. | | | | | | | | | |
| 56.9 | 82.0 | 25.1 | Sandstone, indurated, brecciated, 1-3% pyrite as veins and disseminations, increased quartz-calcite veining, 3% pyrite from 80.6 - 82.0 m. | 1527 | 57.0 | 58.5 | 1.5 | | | | | |
| | | | | 1528 | 58.5 | 60.0 | 1.5 | | | | | |
| | | | | 1529 | 60.0 | 61.6 | 1.6 | | | | | |
| | | | | 1530 | 61.6 | 63.1 | 1.5 | | | | | |
| | | | | 1531 | 63.1 | 64.6 | 1.5 | | | | | |
| | | | | 1532 | 64.6 | 66.1 | 1.5 | | | | | |
| | | | | 1533 | 66.1 | 67.7 | 1.6 | | | | | |
| | | | | 1534 | 67.7 | 69.2 | 1.5 | | | | | |
| | | | | 1535 | 69.2 | 70.7 | 1.5 | | | | | |
| | | | | 1536 | 70.7 | 72.2 | 1.5 | | | | | |
| | | | | 1537 | 72.2 | 73.8 | 1.6 | | | | | |
| | | | | 1538 | 73.8 | 75.3 | 1.5 | | | | | |
| | | | | 1539 | 80.6 | 82.1 | 1.5 | | | | | |
| 82.0 | 109.4 | 27.4 | Conglomerate, light green, sandy matrix, mafic-intermediate composition clasts, broken ground, blocky; increased pyrite ankerite veining from 92.5 - 94.0, 105.5 - 107.0 m. | 1540 | 92.5 | 94.0 | 1.5 | | | | | |
| | BOH | | | 1541 | 105.5 | 107.0 | 1.5 | | | | | |
| | | | END OF HOLE | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDB-87-21

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 28, 1987Drilling Commenced: September 12, 1987
Drilling Completed: September 13, 1987Length: 69.2 m
Core: BQ
N.T.S. 104B/15
UTM Co-ordinates: W6300254 E3612Dip: -45°
Bearing: 020°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|------|--------|---|---------------|-------------|----|--------|------------------|--------------|--------------|----------------------|------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 2.4 | 2.4 | Casing. | | | | | | | | | |
| 2.4 | 3.0 | 0.6 | Conglomerate, polymictic clasts to 12 cm with calcite matrix. | | | | | | | | | |
| 3.0 | 14.9 | 11.9 | Semi-schist, light green color, weak foliation developed 30° to core axis, felsic clasts to 10 cm wide. | | | | | | | | | |
| 14.9 | 69.2 | 54.3 | Feldspar porphyry, 1-5 mm plagioclase phenocrysts in a syenitic matrix, trace to 1% ankerite veinlets; syenite is a purple-pink color, feldspar phenocrysts are light grey to green color. END OF HOLE | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDB-87-22

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 26, 1987Drilling Commenced: September 13, 1987
Drilling Completed: September 14, 1987Length: 48.5 m
Core: BQ
N.T.S. 1048/15
DTM Co-ordinates: N6300254 E3812Dip: -45°
Bearing: 305°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|-------------|--------|--|---------------|-------------|------|--------|------------------|--------------|--------------|----------------------|------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 4.3 | 4.3 | Casing. | | | | | | | | | |
| 4.3 | 13.6 | 9.3 | 60% pyrite, 1% chalcopyrite, 10% quartz, 25% bleached, brecciated clasts of altered wallrock; from 6.3 - 7.3 m fault zone with 30% recovery; | 1542 | 4.4 | 5.9 | 1.5 | | | | | |
| | | | | 1543 | 5.9 | 6.9 | 1.0 | | | | | |
| | | | | 1544 | 6.9 | 7.8 | 0.9 | | | | | |
| | | | | 1545 | 7.8 | 8.7 | 0.9 | | | | | |
| | | | | 1546 | 8.7 | 9.6 | 0.9 | | | | | |
| | | | | 1547 | 9.6 | 10.5 | 0.9 | | | | | |
| | | | | 1548 | 10.5 | 11.3 | 0.8 | | | | | |
| | | | - jasper-hematite 8% | 1549 | 11.3 | 12.3 | 1.0 | | | | | |
| | | | - 30% magnetite | 1550 | 12.3 | 13.6 | 1.3 | | | | | |
| 13.6 | 17.9 | 4.3 | Sandstone?, altered, bleached, light grey, calcite-ankerite veinlets and brecciation; 2% pyrite, 16.1 - 17.7 broken ground, rubble; 17.1 - 17.2 fault gouge, clay. | 1551 | 13.6 | 15.1 | 1.5 | | | | | |
| | | | | 1552 | 15.1 | 16.6 | 1.5 | | | | | |
| | | | | 1553 | 16.6 | 18.1 | 1.5 | | | | | |
| 17.9 | 32.9 | 15.0 | Sandstone and minor conglomerates, fine grain 0.5 mm to 10 mm lapilli size clasts, polymictic composition in fine grain andesitic groundmass; calcite-ankerite veining 1-3%; high density, ie. stockwork at 20.4 - 21.3. | 1554 | 18.1 | 19.6 | 1.5 | | | | | |
| | | | | 1555 | 19.6 | 21.3 | 1.7 | | | | | |
| 32.9 | 36.6 | 3.7 | Feldspar porphyry (dyke? sill?) 1-3 mm plagioclase phenocrysts in a syenitic matrix, diffuse contact with sandstone. | | | | | | | | | |
| 36.6 | 48.5 BOH | 11.9 | Conglomerate, 0.1 - 3.0 cm lapilli size clasts, polymictic composition in fine grained light green groundmass; 1% calcite-ankerite veinlets. END OF HOLE | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-23

E. M. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: September 27, 1987Drilling Commenced: September 14, 1987
Drilling Completed: September 15, 1987Length: 20.4 m
Core: BQN.T.S. 1048/15 Elevation: 952 m
UTM Co-ordinates: N6300254 E3812Dip: -60°
Bearing: 305°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|---|------------|-------------|------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 4.8 | 4.8 | Casing | | | | | | | | | |
| 4.8 | 5.8 | 1.0 | Sandstone ?, altered, bleached, light grey color, ankerite breccia from 5.2 - 5.5, 70% pyrite at 5.5 - 5.6 m. | 1556 | 4.8 | 5.8 | 1.0 | | | | | |
| 5.8 | 8.8 | 3.0 | Marble, bone white color, 80% calcite with 10% graphite, 1% pyrite in graphite. | 1557 | 5.8 | 7.3 | 1.5 | | | | | |
| | | | | 1558 | 7.3 | 8.8 | 1.5 | | | | | |
| 8.8 | 11.6 | 2.4 | 70% pyrite, 5% calcite-ankerite, 10% quartz | 1559 | 8.8 | 9.7 | 0.9 | | | | | |
| | | | | 1560 | 9.7 | 10.7 | 1.0 | | | | | |
| | | | | 1561 | 10.7 | 11.6 | 0.9 | | | | | |
| 11.6 | 12.8 | 1.2 | Fault zone, 30% pyrite, 20% magnetite, 3% chalcopyrite, hematite-jasper inclusions to 5 cm. | 1562 | 11.6 | 13.1 | 1.5 | | | | | |
| 12.8 | 13.5 | 0.7 | Fault gouge, stream gravel, 30% pyrite | 1563 | 13.1 | 13.5 | 0.4 | | | | | |
| 13.5 | 14.5 | 1.0 | 30% pyrite, 5% jasper-hematite, broken ground | 1564 | 13.5 | 14.5 | 1.0 | | | | | |
| 14.5 | 20.4 | 5.9 | Conglomerate ?, altered, bleached, light grey, ankerite stockwork, 2% disseminated and vein pyrite (lapilli size, bleached clasts preserved from original texture). | 1565 | 14.5 | 15.8 | 1.3 | | | | | |
| | BOH | | | 1566 | 15.8 | 17.4 | 1.6 | | | | | |
| | | | | 1567 | 17.4 | 18.9 | 1.5 | | | | | |
| | | | END OF HOLE | 1568 | 18.9 | 20.4 | 1.5 | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-24

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 18, 1987Drilling Commenced: September 15, 1987
Drilling Completed: September 17, 1987Length: 91.1 m
Core: BQ
N.T.S. 104B/15
UTM Co-ordinates: N6300750 E381380Dip: -45°
Bearing: 235°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|--|------------|-------------|------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 0.6 | 0.6 | Overburden. | | | | | | | | | |
| 0.6 | 21.9 | 21.3 | Conglomerate, dark grey, fine volcanic pebbles to cobbles, dark sandstone matrix, some quartz and calcite as veinlets forming weak stockwork, some to moderate induration, some angular quartz clasts as lenses; becomes polymictic fragmental towards bottom of unit. | | | | | | | | | |
| 21.9 | 35.7 | 13.8 | Sandstone, fine grained, quartzose, with 10% dark siltstone as thin bands, light grey, massive, dense, quartz vein breccia filling cuts from 21.9 - 23.8, 27.4 - 29.0; ankerite vein 29.9 - 30.0. | | | | | | | | | |
| 35.7 | 38.7 | 3.0 | Ankerite breccia, cuts sandstone, some thin quartz and jasper veining. | 1651 | 35.7 | 37.2 | 1.5 | | | | | 0.03 |
| 38.7 | 43.9 | 5.2 | Sandstone, dark grey, massive, dense, fine pebbles, some to moderate quartz/carbonate stockwork, some ankerite alteration. | 1652 | 37.2 | 38.7 | 1.5 | | | | | tr |
| 43.9 | 44.5 | 0.6 | Ankerite veining, cut by narrow quartz and jasper veins. | 1569 | 41.4 | 42.7 | 1.3 | | | | | |
| 44.5 | 45.1 | 0.6 | Sandstone, as above. | 1653 | 43.9 | 44.5 | 0.6 | | | | | tr |
| 45.1 | 55.5 | 10.4 | Ankerite breccia, with angular sandstone fragments, jasper and quartz cutting ankerite to form secondary breccia 47.2 - 47.4, generally massive, reddish brown weathering, rare pyrite. | 1654 | 45.1 | 46.9 | 1.8 | | | | | tr |
| | | | - ankerite veins/bands at 25° to core | 1655 | 46.9 | 48.5 | 1.6 | | | | | tr |
| | | | - from 52.4 - 53.0 conglomerate, coarse angular, light green, polymictic ankerite cuts conglomerate and sandstone forming breccia. | 1656 | 48.5 | 50.0 | 1.5 | | | | | tr |
| | | | | 1657 | 50.0 | 51.5 | 1.5 | | | | | tr |
| | | | | 1658 | 51.5 | 52.4 | 0.9 | | | | | tr |
| | | | | 1659 | 53.0 | 54.6 | 1.6 | | | | | tr |
| | | | | 1660 | 54.6 | 55.5 | 0.9 | | | | | 0.02 |
| 55.5 | 58.2 | 2.7 | Sandstone breccia, light green, massive, angular clasts, minor quartz veins. | | | | | | | | | tr |
| 58.2 | 59.7 | 1.5 | Ankerite breccia, cuts above. | 1661 | 58.2 | 59.7 | 1.5 | | | | | tr |
| 59.7 | 61.6 | 1.9 | Sandstone, dark grey, pebbly, some ankerite veining, minor quartz veins. | | | | | | | | | |
| 61.6 | 65.5 | 3.9 | Sandstone, variable light and dark grey, pebbly, some ankerite veinlets, minor quartz veinlets, some bleaching. | | | | | | | | | |
| 65.5 | 67.9 | 2.4 | Ankerite breccia, as above. | 1662 | 65.5 | 67.9 | 2.4 | | | | | tr |
| 67.9 | 75.1 | 7.2 | Sedimentary breccia, medium to light grey sandstone with narrow breccia lenses, indurated, mottled bleaching, minor quartz veins. | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-24

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 2 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 18, 1987Drilling Commenced: September 15, 1987
Drilling Completed: September 17, 1987Length: 91.1 m N.T.S. 1048/15 Elevation: 1250.5 m
Core: BQ UTM Co-ordinates: N6300750 E381360Dip: -45°
Bearing: 235°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|-------------|--------|---|---------------|-------------|----|--------|-------------|-----------|-----------|-----------------|---------------|
| From | To | Length | | | From | To | Length | | | | | |
| 75.1 | 76.8 | 1.7 | Marble, bone white, irregular dark breccia texture, minor ankerite veins cut lower unit; narrow marble band at 71.9 m within sandstone. | | | | | | | | | |
| 76.8 | 86.3 | 9.5 | Sandstone, dense, medium grey, indurated, irregular breccia texture, rare carbonate veinlets, some fine quartz veinlets, weak irregular bleaching. | | | | | | | | | |
| 86.3 | 91.1 EOH | 4.8 | Sandstone, variable bleaching, fine grained, dense minor breccia, rare ankerite veinlets, narrow marble lenses, overall mottled aspect due to bleaching etc. along irregular fractures. END OF HOLE. | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-25

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid (24 set up)

DATE: 1987
Page 1 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 19 & 20, 1987Drilling Commenced: September 17, 1987
Drilling Completed: September 20, 1987Length: 161.8 m N.T.S. 104B/15 Elevation: 1205.5 m Dip: -60°
Core: BQ OTH Co-ordinates: N6300750 E381380 Bearing: 235°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|-------|--------|--|------------|-------------|-------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 3.0 | 3.0 | Casing. | | | | | | | | | |
| 3.0 | 20.5 | 17.5 | Conglomerate, dark grey, angular volcanic fragments pebble to cobble size patchy breccia, volcanic sandstone as matrix, garnet to 5 mm throughout matrix, quartz veinlets at 20° to core, minor carbonate, weakly vuggy. | | | | | | | | | |
| 20.5 | 20.9 | 0.4 | Sandstone, light grey, dense, indurated, cut by 3° ankerite vein parallel to banding (45°). | | | | | | | | | |
| 20.9 | 23.0 | 2.1 | Conglomerate/breccia, angular, similar to above, more indurated and bleached. | | | | | | | | | |
| 23.0 | 27.9 | 4.9 | Sandstone/siltstone, mainly light grey, very fine grained, indurated, dense with dark fine grained siltstone bands at 45°, cut by abundant irregular narrow quartz veins with minor calcite, minor calcite as veinlets, good rip-up textures, tops up, some brecciation. | | | | | | | | | |
| 27.9 | 40.2 | 12.3 | Sandstone, as above well brecciated, extensive ankerite alteration and veining from 27.7 - 32.0 m. | 1663 | 27.7 | 29.3 | 1.6 | | | | | tr |
| | | | | 1682 | 29.3 | 31.7 | 2.4 | | | | | |
| | | | | 1664 | 36.0 | 36.4 | 0.4 | | | | | tr |
| 40.2 | 71.6 | 31.4 | Sandstone, dark, massive, volcanic, minor pebbles, ankerite alteration and veins 41.9 - 42.1, 43.7 - 44.8 m (crushed), 45.6 - 46.3 (crushing) 47.1 - 47.2 m, 48.1 - 49.7 m (crushed-broken), 51.4 - 52.4, 68.3 - 68.6, 69.5 - 69.8 m; fine grained bleached 50.6 - 52.4 m, probable fault 52.4 to 53.0 (ankerite), strongly bleached 50.3 - 61.6 meters. | | | | | | | | | |
| 71.6 | 72.4 | 0.8 | Marble, cut by quartz and irregular coarse grained pyrite. | | | | | | | | | |
| 72.4 | 72.7 | 0.3 | Sandstone breccia. | | | | | | | | | |
| 72.7 | 73.3 | 0.6 | Quartz vein, vuggy with country rock fragments. | | | | | | | | | |
| 73.3 | 74.4 | 1.1 | Conglomerate, mixed angular fragments. | | | | | | | | | |
| 74.4 | 74.8 | 0.4 | Quartz, carbonate, ankerite veins cut conglomerate. | | | | | | | | | |
| 74.8 | 102.1 | 27.3 | Sandstone, dark, fine grained, volcanic, becoming irregularly bleached giving mottled aspect, scattered quartz veinlets, minor carbonate veinlets, ankerite with rare jasper | 1665 | 94.9 | 95.6 | 0.7 | | | | | tr |
| | | | - ankerite with rare jasper | 1683 | 96.2 | 96.6 | 0.4 | | | | | |
| | | | - breccia with abundant ankerite from 97.7 - 100.3 m | 1666 | 97.5 | 99.4 | 1.9 | | | | | tr |
| | | | - minor pyrite becoming increasingly darker with irregular calcite veinlets. | 1667 | 99.4 | 100.3 | 0.9 | | | | | tr |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-25

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid (24 set up)

DATE: 1987
Page 2 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 19 & 20, 1987Drilling Commenced: September 17, 1987
Drilling Completed: September 20, 1987Length: 161.8 m N.T.S. 1048/15 Elevation: 1205.5 m Dip: -60°
Core: BQ BTM Co-ordinates: N6300750 E381380 Bearing: 235°

| METERS | | | CORE DESCRIPTION | Sample No. | METERS | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|--------|--------------|--------|--|--|---|---|---|----------|--------|--------|--------------------------------------|--------------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 102.1 | 103.0 | 0.9 | Skarn, massive, irregular pyrite (15%), magnetite, calcite. | 1668 | 102.1 | 103.0 | 0.9 | | | | | tr |
| 103.0 | 104.5 | 1.5 | Breccia, very fine grained altered sandstone cut by quartz-carbonate stringers, dense minor K feldspar alteration. | | | | | | | | | |
| 104.5 | 117.3 | 12.8 | Skarn, creamy quartz/carbonate veins, irregular with fine to coarse grained pyrite as irregular spots and patches (20-30%), massive to acicular magnetite with minor country rock inclusions, scattered late quartz/carbonate veinlets; - massive magnetite | 1669 1670 1671 1672 1673 1674 1675 | 104.5 106.4 107.9 109.4 110.3 111.9 113.1 | 106.4 107.9 109.4 110.3 111.9 112.9 113.7 | 1.9 1.5 1.5 0.9 1.6 1.0 0.6 | | | | 0.10 1.80 0.12 0.34 0.06 | 3.9 m g 0.82 oz/st |
| | | | - bleached fine grained sandstone 112.9 - 113.1 m - massive magnetite | | | | | | | | | |
| | | | - bleached fine grained banded sediments as above with minor quartz, magnetite pyrite veins from 113.7 to 115.8 - massive magnetite and quartz and pyrite | 1676 | 115.5 | 117.0 | 1.5 | | | | | |
| 117.4 | 129.5 | 12.1 | Sandstone, indurated, light green-light grey color, weak calcite-ankerite breccia throughout, vein width from 0.5 mm to 2.0 cm, trace of chalcopyrite in calcite ankerite veins - 40% pyrite, 2% chalcopyrite, 15% calcite, 1% barite - 60% pyrite (very coarse), 4% chalcopyrite, 15% calcite, 5% quartz - 40% pyrite, 2% chalcopyrite, 10% calcite, 3% quartz | 1677 1678 1684 | 117.0 119.5 124.8 | 117.6 120.0 125.6 | 0.6 0.5 0.8 | | | | | |
| 129.5 | 131.4 | 1.9 | Limestone, crinoidal, replaced with 20% pyrite, 3% chalcopyrite. - 20% pyrite, 70% calcite, 3% chalcopyrite - 20% pyrite, 70% calcite, 3% chalcopyrite | 1679 1680 | 129.5 130.4 | 130.4 131.5 | 0.9 1.1 | | | | | |
| 131.4 | 133.8 | 2.4 | Sandstone, indurated, light green color, calcite ankerite veining 0.5-1.5 cm. | | | | | | | | | |
| 133.8 | 139.9 | 6.1 | Limestone, crinoidal, light grey color, crinoid stems to 15 mm width, 10 cm wide bands of magnetite, jasper, chalcopyrite at contacts with sandstone at 133.8 and 139.9 m, 1 - 4 mm wide ankerite veinlets throughout. | | | | | | | | | |
| 139.9 | 161.8 EOH | 21.9 | Sandstone, indurated, light green-light grey color, 0.5 - 5 mm ankerite-calcite veining throughout, 1-2% disseminated pyrite occurring as coarse grained blebs with minor chalcopyrite. - 40% pyrite, 30% calcite, 2% chalcopyrite, 15% barite, 1% jasper END OF HOLE | 1681 | 143.3 | 144.4 | 1.1 | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.

HOLE: DDH-87-26

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 23, 1987Drilling Commenced: September 20, 1987
Drilling Completed: September 23, 1987Length: 142.0 m
Core: BQ
N.T.S. 104B/15
Elevation: 1250.5 m
UTM Co-ordinates: N6300750 E381380
Dip: -45°
Bearing: 255°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|-------|--------|---|------------|-------------|-------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 3.0 | 3.0 | Casing. | | | | | | | | | |
| 3.0 | 71.0 | 68.0 | Sandstone, breccia, to 11.6 m, sandstone generally medium grained, medium grey, massive aspect, generally broken; minor quartz/calcite veinlets; finely banded light green 11.6 - 13.1 m, siliceous, bedding at 45°; ankerite alteration 21.0 - 21.3 m, 25.1 - 26.4 m; greenish breccia 26.4 - 27.1, overall breccia aspect to 39.3 m; ankeritic alteration with rare jasper (?) (hematite?) 39.3 - 39.9, rare pyrite 41.6 - 41.9; coarse sediment breccia 55.8 - 56.4 m; ankeritic alteration 56.4 - 57.0, bleached 57.3 - 57.6; bleaching plus ankeritic alteration 58.5 - 59.7; broken 66.4 - 69.8; ankeritic alteration plus rare jasper 69.8 - 71.0 m. | | | | | | | | | |
| 71.0 | 74.1 | 3.1 | Sandstone, fine to medium grained, light grey, becoming very fine grained, densely siliceous at 73.4 m with fine bedding at 45°, parallel thin ankeritic banding; mottled aspect to 71.9 m; barite veining 73.7 - 73.9 m. | | | | | | | | | |
| 74.1 | 85.0 | 10.9 | Sandstone, with breccia, light to medium grey, variably bleached and indurated, some quartz veinlets, slip at 75.3 m at 60° cuts quartz-barite vein; ankerite breccia 81.9 - 82.7 m. | | | | | | | | | |
| 85.0 | 93.6 | 8.6 | Sandstone, siliceous, dense, light grey, weak banding, cut by a few irregular ankerite veinlets, minor barite. | 1570 | 86.6 | 88.1 | 1.5 | | | | | |
| | | | | 1571 | 88.1 | 89.6 | 1.5 | | | | | |
| | | | | 1572 | 89.6 | 91.1 | 1.5 | | | | | |
| | | | | 1573 | 91.1 | 92.7 | 1.6 | | | | | |
| | | | | 1574 | 92.7 | 94.2 | 1.5 | | | | | |
| 93.6 | 105.0 | 11.4 | Sandstone, medium grey, dense, very fine grained, thinly banded to mottled aspect; minor ankerite veinlets, some fine quartz stockwork, broken. | 1575 | 103.3 | 104.8 | 1.5 | | | | | |
| 105.5 | 115.9 | 10.4 | Sandstone, dense, very light grey, massive, rare bands at 55°, minor quartz and barite. | 1576 | 104.8 | 106.4 | 1.6 | | | | | |
| 115.9 | 119.0 | 3.1 | Marble, crinoidal, coarse grained, massive, light grey, some barite veinlets. | | | | | | | | | |
| 119.0 | 124.0 | 5.0 | Sandstone with some limestone bands, very fine grained massive, light grey, brecciated, barite filling. | | | | | | | | | |
| 124.0 | 124.6 | 0.6 | Syenite, coarse grained, quartz rich, sill-like. | | | | | | | | | |
| 124.6 | 125.0 | 0.4 | Sandstone as above. | | | | | | | | | |
| 125.0 | 126.1 | 1.1 | Ankerite veins, oxidized, vuggy, leached. | 1577 | 125.0 | 126.5 | 1.5 | | | | | |
| 126.1 | 127.8 | 1.7 | Marble as above. | | | | | | | | | |
| 127.8 | 129.2 | 1.4 | Sandstone, as above. | | | | | | | | | |
| 129.2 | 131.0 | 1.8 | Marble, as above, ankeritic 130.4 - 130.7 m. | | | | | | | | | |
| 131.0 | 132.9 | 1.9 | Sandstone as above. | | | | | | | | | |
| 132.9 | 142.0 | 9.1 | Marble, as above, ankeritic veining 133.9 - 134.2, 134.7 - 135.6, 138.4 - 139.3 m, plus minor veins and lenses, ankerite appears to be bedded. END OF HOLE | 1578 | 133.2 | 134.4 | 1.2 | | | | | |
| | ROH | | | 1579 | 134.4 | 135.6 | 1.2 | | | | | |
| | | | | 1580 | 138.4 | 139.3 | 0.9 | | | | | |

GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.

HOLE: DDH-87-27


E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - MM Grid

DATE: 1987
Page 1 of 1Logged by: A. Kikauka, Gulf International Minerals Ltd.
Date: October 5, 1987Drilling Commenced: September 23, 1987
Drilling Completed: September 26, 1987Length: 146.1 m N.T.S. 104B/15 Elevation: 1205.5 m Dip: -60°
Core: BQ UTM Co-ordinates: W6300750 E381380 Bearing: 270°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|--------------|--------|---|----------------------|----------------------|----------------------|-------------------|---------------|-----------|-----------|-------------------|---------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 4.0 | 4.0 | Casing. | | | | | | | | | |
| 4.0 | 12.5 | 8.5 | Conglomerate, green, grey and red color, polymictic sub-rounded clasts in fine grained light green color matrix, 1-3% ankerite veinlets. | | | | | | | | | |
| 12.5 | 15.5 | 3.0 | Sandstone, with minor intercalations of conglomerate, 1% ankerite. | | | | | | | | | |
| 15.5 | 32.0 | 16.5 | Sandstone, minor conglomerate, green-light grey color, minor intercalations of limestone, 1% ankerite as veins and breccia. - 3% pyrite, trace chalcopyrite, pyrite blebs 1-15 mm - 20% pyrite, 1% chalcopyrite, pyrite blebs - 2% pyrite, traces chalcopyrite, pyrite blebs | 1581 1582 1583 | 24.4 25.3 26.2 | 25.3 26.2 27.7 | 0.9 0.9 1.5 | | | | | |
| 32.0 | 33.8 | 1.8 | Limestone, crinoidal, poorly preserved, minor marble forming breccia with calcite matrix. | | | | | | | | | |
| 33.8 | 36.6 | 2.8 | Sandstone, light grey-light green color, minor intercalations of conglomerate 1% calcite veining, trace pyrite, minor intercalations of limestone. | | | | | | | | | |
| 36.6 | 62.2 | 25.6 | Conglomerate, polymictic sub-rounded clasts, rare ankerite veining to 13 mm width, common calcite veining. | | | | | | | | | |
| 62.2 | 99.2 | 37.0 | Sandstone, minor intercalations of limestone, trace pyrite, minor calcite veining to 5 mm width, bleached light grey color with increased pyrite-ankerite at 70.1 - 70.7, 71.9 - 72.5, 76.8 - 78.3 m, 3% pyrite, 5% ankerite at 94.6 - 97.7 m. | 1584 1585 | 94.6 96.2 | 96.2 97.7 | 1.6 1.5 | | | | | |
| 99.2 | 111.3 | 12.1 | Limestone, crinoidal, minor intercalations of sandstone, 3% ankerite 105.7 - 107.3, 70% ankerite at 108.8 - 110.2m | 1586 | 108.8 | 110.2 | 1.4 | | | | | |
| 111.3 | 117.0 | 5.7 | Chert, brecciated with 5-10% calcite veinlets, black color, trace - 1% pyrite. | | | | | | | | | |
| 117.0 | 122.5 | 5.5 | Limestone, crinoidal, massive, rare calcite veining. | | | | | | | | | |
| 122.6 | 146.1 EOR | 23.5 | Sandstone, light green color, minor bleached light grey color with increased pyrite at 126.8 - 129.2 m, minor calcite veining to 5 mm width. - 60% pyrite - 3% pyrite | 1587 1588 | 126.8 127.4 | 127.4 129.2 | 0.6 1.8 | | | | | |

END OF HOLE



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDB-87-28

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 1Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 30, 1987Drilling Commenced: September 26, 1987
Drilling Completed: September 28, 1987Length: 163.7 m N.T.S. 104B/15 Elevation: 1207.8 m Dip: -45°
Core: BQ DTM Co-ordinates: N6300670 E381287 Bearing: 235°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|-------|--------|---|------------|-------------|------|--------|---------------|-----------|-----------|-------------------|---------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 8.5 | 8.5 | Overburden. | | | | | | | | | |
| 8.5 | 31.4 | 22.9 | Cherty sandstone, very fine grained to medium grained, cherty to sandy, finely banded at 45° to core, generally light grey; minor breccia with calcite filling; minor quartz/calcite as veinlets, minor ankerite veinlets, becoming moderately ankeritic with rusty aspect. | | | | | | | | | |
| 31.4 | 31.6 | 0.2 | Marble, coarse grained, bluish grey, crinoidal (Mississippian), intercalated within the cherty sandstone sequence. | | | | | | | | | |
| 31.6 | 37.2 | 0.6 | Cherty sandstone, somewhat darker than above, overall sedimentary breccia aspect. | | | | | | | | | |
| 37.2 | 37.8 | 0.6 | Marble, medium grained, crinoidal, with angular dark chert breccia fragments. | | | | | | | | | |
| 37.8 | 38.7 | 0.9 | Cherty sandstone breccia, thinly banded to massive, with ankerite alteration. | 1637 | 38.4 | 39.3 | 0.9 | | | | | |
| 38.7 | 43.9 | 5.2 | Marble, crinoidal (Mississippian), variably brecciated, cut by abundant ankerite veinlets, with vuggy, massive coarse grained pyrite from 41.3 - 41.4 m. | 1638 | 39.3 | 41.3 | 2.0 | | | | | |
| | | | | 1639 | 41.3 | 41.5 | 0.2 | | | | | |
| | | | | 1640 | 41.5 | 42.4 | 0.9 | | | | | |
| 43.9 | 48.6 | 4.7 | Cherty sandstone, finely color banded, with ankeritic marble band from 46.3 - 46.6 m, altered vuggy zones 46.6 - 46.9, 47.4 - 47.5, massive coarse grained pyrite at 48.6 has been ground out. | 1641 | 45.9 | 47.0 | 1.1 | | | | | |
| 48.6 | 53.9 | 5.3 | Marble, medium to coarse grained, crinoidal (Mississippian), light grey, with some grey to black chert breccia fragments; cut by ankerite veins at 30°; minor barite, quartz/calcite veins. | | | | | | | | | |
| 53.9 | 82.6 | 28.7 | Cherty sandstone, fine to medium (mm-cm) banding at 65° to core, light grey to greenish; very fine grained to medium grained, sandy; minor breccia; minor quartz/calcite veinlets, some ankerite veinlets, coarse grained pyrite 68.9 - 69.0 m. | 1642 | 53.0 | 53.7 | 0.7 | | | | | |
| | | | | 1643 | 76.2 | 78.1 | 1.9 | | | | | |
| 82.6 | 115.8 | 33.2 | Cherty sandstone/sandstone, uniform medium grey aspect, finely banded with good grain size gradation (tops up), minor sedimentary breccia, minor pebble bands; minor ankerite, quartz/calcite and barite veinlets. | | | | | | | | | |
| 115.8 | 138.4 | 22.6 | Cherty sandstone, light to medium grey, finely banded, very fine grained to medium grained; lenses coarse grained pyrite, quartz and barite from 137.0 - 137.2; ankeritic breccia with quartz veins 137.2 - 138.4 m. | 137.0 | 137.2 | 0.2 | | | | | | |
| | | | | 137.2 | 138.4 | 1.2 | | | | | | |
| 138.4 | 160.6 | 12.2 | Syenomonzonite, massive, medium grey spotted aspect, 7-12% pyritic biotite disseminated throughout, sedimentary inclusions 142.9 - 145.1, minor quartz veins. | | | | | | | | | |
| 160.6 | 163.7 | 3.1 | Sandstone as above, indurated, slightly altered and brecciated, minor pyrite as veinlets. | | | | | | | | | |
| | EOH | | END OF HOLE | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-29

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 30, 1987Drilling Commenced: September 28, 1987
Drilling Completed: September 29, 1987Length: 139.9 m
Core: BQ
N.T.S. 104B/15
Elevation: 1207.8 m
Dip: -45°
UTM Co-ordinates: N6300670 E381287
Bearing: 055°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|------|--------|--|------------|-------------|------|--------|----------|--------|--------|--------------|---------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 1.5 | 1.5 | Casing. | | | | | | | | | |
| 0 | 2.4 | 2.4 | Overburden. | | | | | | | | | |
| 2.4 | 15.2 | 12.8 | Chert, very fine grained, massive, light grey with irregular fine black mottling, cut by some ankerite veinlets, somewhat bleached and altered from 8.8 - 17.4 m. | 1629 | 8.8 | 11.0 | 2.2 | | | | | |
| | | | | 1630 | 11.0 | 13.1 | 2.1 | | | | | |
| | | | | 1631 | 13.1 | 15.2 | 2.1 | | | | | |
| 15.2 | 33.5 | 18.3 | Chert, very fine grained, massive, medium grey, some crude irregular banding, generally closely fractured with fine ankerite veinlets, becoming moderate ankerite veins and veinlets 25.6 - 32.0 m. | 1632 | 15.2 | 17.4 | 2.2 | | | | | |
| | | | | 1633 | 17.4 | 19.5 | 2.1 | | | | | |
| | | | | 1634 | 25.6 | 27.7 | 2.1 | | | | | |
| | | | | 1635 | 27.7 | 29.9 | 2.2 | | | | | |
| | | | | 1636 | 29.9 | 32.0 | 2.1 | | | | | |
| 33.5 | 48.0 | 14.5 | Chert, generally with fine sandy laminations/intercalations, giving bedding at 65° to core; minor black cherty lenses showing breccia texture, with quartz/calcite veinlets. | | | | | | | | | |
| 48.0 | 51.5 | 3.5 | Sandstone, black, indurated, massive, with disseminated to massive coarse grained pyrite, some acicular magnetite, and barite veining - prominent as skarn-like lenses within this unit; thin barite, magnetite and pyrite as veins along and parallel to core. | 1589 | 48.5 | 50.0 | 1.5 | | | | | |
| | | | | 1590 | 50.0 | 50.9 | 0.9 | | | | | |
| | | | | 1591 | 50.9 | 51.8 | 0.9 | | | | | 0.14 |
| 51.5 | 57.6 | 6.1 | Sandstone, as above, barite more abundant. | 1592 | 51.8 | 53.0 | 1.2 | | | | | |
| | | | | 1593 | 53.0 | 54.6 | 1.6 | | | | | |
| | | | | 1594 | 54.6 | 56.1 | 1.5 | | | | | |
| | | | | 1595 | 56.1 | 57.6 | 1.5 | | | | | |
| 57.6 | 66.0 | 8.4 | Marble, coarse grained, white, crinoidal (Mississippian), with narrow (thin) black fine grained sandstone/chert bands, variably ankeritic and cut by some ankerite veinlets 63.5 - 63.8, sandy intercalations generally pyritic (coarse grained); cut by minor barite veins and veinlets; coarse grained chalcopyrite at 66 m. | 1596 | 57.6 | 58.5 | 0.9 | | | | | |
| | | | | 1597 | 58.5 | 59.0 | 0.5 | | | | | |
| | | | | 1598 | 59.0 | 60.7 | 1.7 | | | | | |
| | | | | 1599 | 60.7 | 62.5 | 1.8 | | | | | |
| | | | | 1600 | 62.5 | 64.0 | 1.5 | | | | | 1.23 |
| | | | | 1601 | 64.0 | 65.8 | 1.8 | | | | | 0.01 |
| 66.0 | 75.0 | 9.0 | Sandstone, black (as above) partly altered to greenish grey, finely banded at 20° to core; abundant coarse grained pyrite and coarse grained chalcopyrite 67.4 - 72 m, 73 - 73.6, 74.8 - 75 m. | 1602 | 65.8 | 66.7 | 0.9 | | | | | 0.09 |
| | | | | 1603 | 66.7 | 67.7 | 1.0 | | | | | 14.71 } 1.9 m |
| | | | | 1604 | 67.7 | 68.6 | 0.9 | | | | | 0.74 } @ 7.72 |
| | | | | 1605 | 68.6 | 69.5 | 0.9 | | | | | 0.02 |
| | | | | 1606 | 69.5 | 70.7 | 1.2 | | | | | 0.02 |
| | | | | 1607 | 70.7 | 71.3 | 0.6 | | | | | 0.02 |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-29

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 2 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 30, 1987Drilling Commenced: September 28, 1987
Drilling Completed: September 29, 1987Length: 139.9 m
Core: BQN.T.S. 104B/15 Elevation: 1207.8 m
DTM Co-ordinates: N6300670 E381287Dip: -45°
Bearing: 055°

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | COPPER % | LEAD % | ZINC % | SILVER oz/st | GOLD oz/st |
|-------------|-------|--------|--|------------|-------------|-------|--------|----------|--------|--------|--------------|------------|
| From | To | Length | | | From | To | Length | | | | | |
| | | | | 1608 | 71.3 | 72.2 | 0.9 | | | | | 0.11 |
| | | | | 1609 | 72.2 | 73.0 | 0.8 | | | | | 0.03 |
| | | | | 1610 | 73.0 | 73.6 | 0.6 | | | | | 0.54 |
| | | | | 1611 | 73.6 | 74.9 | 1.3 | | | | | 0.04 |
| 75.0 | 97.0 | 22.0 | Chert, overall grey, mottled aspect, minor fine grained finely banded sandstone/siltstone as partings, banding variable from 20° to 45°, to parallel to core 93.6 - 95.7, minor thin pyrite/barite veins 82.2 - 82.4 at 45° to core, minor quartz/calcite veinlets; becoming light grey (bleached ?). | | | | | | | | | |
| 97.0 | 109.1 | 12.1 | Sandstone, as above, black with some light green chert, generally a mixed zone cut by extensive mineralization; massive fine to coarse grained pyrite, minor magnetite, rare chalcopyrite; massive pyrite 99.0 - 100.3, with narrow lenses and disseminated pyrite throughout section; massive fine to coarse grained pyrite 102.4 - 102.7 generally oxidized and apparently leached; moderate ankerite as veins and veinlets overall. | 1612 | 96.9 | 97.8 | 0.9 | | | | | 0.02 |
| | | | | 1613 | 97.8 | 99.1 | 1.3 | | | | | |
| | | | | 1614 | 99.1 | 100.3 | 1.2 | | | | | |
| | | | | 1615 | 100.3 | 101.5 | 1.2 | | | | | |
| | | | | 1616 | 101.5 | 102.7 | 1.2 | | | | | |
| | | | | 1617 | 102.7 | 103.6 | 0.9 | | | | | |
| | | | | 1618 | 103.6 | 105.8 | 2.2 | | | | | |
| | | | | 1619 | 105.8 | 107.9 | 2.1 | | | | | |
| | | | | 1620 | 107.9 | 109.1 | 1.2 | | | | | |
| 109.1 | 110.5 | 1.4 | Sandstone/siltstone, as above, dark, mottled, somewhat cherty, some irregular barite as veinlets. | | | | | | | | | |
| 110.5 | 111.3 | 0.8 | Ankeritic sediments, banding at 30°, sedimentary aspect, possible replacement. | | | | | | | | | |
| 111.3 | 140.0 | 28.7 | Chert, dark, variably mottled to light green grey (bleached ?) irregular breccia as narrow sedimentary zones, soft sediment faulting etc., obvious moderate ankerite 118 - 122.8, 127 - 127.7; alteration (bleaching ?) with some disseminated medium grained pyrite 130.4 - 140 m. | 1621 | 112.2 | 113.4 | 1.2 | | | | | |
| | END | | | 1622 | 130.4 | 132.0 | 1.6 | | | | | |
| | | | | 1623 | 132.0 | 133.5 | 1.5 | | | | | |
| | | | | 1624 | 133.5 | 135.0 | 1.5 | | | | | |
| | | | END OF HOLE | 1625 | 135.0 | 136.2 | 1.2 | | | | | |
| | | | | 1626 | 136.2 | 137.5 | 1.3 | | | | | |
| | | | | 1627 | 137.5 | 138.7 | 1.2 | | | | | |
| | | | | 1628 | 138.7 | 139.9 | 1.2 | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDR-87-30

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 1 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 30, 1987Drilling Commenced: September 30, 1987
Drilling Completed: September 30, 1987Length: 90.8 m
Core: BQ
N.T.S. 104B/15
Elevation: 1207.8 m
Dip: -90°
UTM Co-ordinates: N6300670 E381287
Bearing: ---

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|------|--------|--|---------------|-------------|------|--------|------------------|--------------|--------------|----------------------|------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 0 | 3.7 | 3.7 | Overburden. | | | | | | | | | |
| 3.7 | 12.2 | 8.5 | Chert, sandy chert, very fine grained, light grey, generally weakly to moderately brecciated with ankerite vein filling, minor calcite as veins, medium banding at 60°. | 1644 | 3.7 | 5.2 | 1.5 | | | | | |
| | | | | 1645 | 5.2 | 6.2 | 1.0 | | | | | |
| | | | | 1646 | 6.2 | 7.5 | 1.3 | | | | | |
| | | | | 1647 | 7.5 | 8.9 | 1.4 | | | | | |
| | | | | 1648 | 8.9 | 10.4 | 1.5 | | | | | |
| | | | | 1649 | 10.4 | 11.9 | 1.5 | | | | | |
| 12.2 | 16.5 | 4.3 | Sandstone, minor intercalated chert, medium grey, finely banded at 80°, irregular narrow sedimentary breccia lenses. | | | | | | | | | |
| 16.5 | 45.9 | 29.4 | Chert, sandy chert, light grey to milky blue, fine to medium banding at 60-70°, variable weak to moderate ankerite veining and alteration; moderate ankerite 25 - 26.8 m, abundant ankerite and ankerite veins from 31.7 - 37.6, 39 - 39.6, and 40.8 - 45.9. | 1650 | 18.0 | 19.5 | 1.5 | | | | | |
| | | | | 1685 | 19.5 | 20.7 | 1.2 | | | | | |
| | | | | 1686 | 20.7 | 22.2 | 1.5 | | | | | |
| | | | | 1687 | 31.7 | 33.2 | 1.5 | | | | | |
| | | | | 1688 | 33.2 | 34.3 | 1.1 | | | | | |
| | | | | 1689 | 34.3 | 35.5 | 1.2 | | | | | |
| | | | | 1690 | 35.5 | 36.4 | 0.9 | | | | | |
| | | | | 1691 | 39.0 | 39.6 | 0.6 | | | | | |
| | | | | 1692 | 40.8 | 41.4 | 0.6 | | | | | |
| | | | | 1693 | 41.4 | 41.8 | 0.4 | | | | | |
| | | | | 1710 | 41.8 | 43.3 | 1.5 | | | | | |
| | | | | 1694 | 43.3 | 44.6 | 1.3 | | | | | |
| | | | | 1695 | 44.6 | 46.2 | 1.6 | | | | | |
| 45.9 | 57.5 | 11.8 | Marble, bluish grey, coarse grained, crinoidal (Mississippian), generally massive, cut by ankerite veins, with massive banded (parallel) ankerite from 45.9 - 47.9, 51 - 51.5, 59.7 - 59.9; cut by barite veins. | 1696 | 46.2 | 47.8 | 1.6 | | | | | |
| | | | | 1697 | 48.5 | 48.8 | 0.3 | | | | | |
| | | | | 1698 | 50.1 | 51.5 | 1.4 | | | | | |
| | | | | 1699 | 51.5 | 53.0 | 1.5 | | | | | |
| | | | | 1700 | 53.0 | 54.6 | 1.6 | | | | | |
| | | | | 1701 | 56.6 | 56.8 | 0.2 | | | | | |
| 57.5 | 60.4 | 2.9 | Barite, massive, creamy color, breccia aspect, cut by calcite veinlets. | | | | | | | | | |
| 60.4 | 61.0 | 0.6 | Chert, grey, brecciated, minor carbonate veining, gradational to.... | | | | | | | | | |
| 61.0 | 62.2 | 1.2 | Chert, black, brecciated with abundant carbonate veinlets. | | | | | | | | | |



GEOLOGICAL CORE & ASSAY LOG

COMPANY: GULF INTERNATIONAL MINERALS LTD.


HOLE: DDH-87-30

E. W. GROVE CONSULTANTS LTD.
6751 Barbara Drive, Victoria, B.C.

PROPERTY: MCLYMONT CLAIM GROUP - NW Grid

DATE: 1987
Page 2 of 2Logged by: Edward W. Grove, Ph.D., P.Eng.
Date: September 30, 1987Drilling Commenced: September 30, 1987
Drilling Completed: September 30, 1987Length: 90.8 m
Core: BQ
N.T.S. 104B/15
Elevation: 1207.8 m
UTM Co-ordinates: N6300670 E381287
Dip: -90°
Bearing: ---

| M E T E R S | | | C O R E D E S C R I P T I O N | Sample No. | M E T E R S | | | C O P P E R % | L E A D % | Z I N C % | S I L V E R oz/st | G O L D oz/st |
|-------------|-------------|--------|--|---------------|-------------|------|--------|------------------|--------------|--------------|----------------------|------------------|
| From | To | Length | | | From | To | Length | | | | | |
| 62.2 | 71.4 | 9.2 | Cherty, somewhat sandy, occasional sandstone partings, light grey, massive, banding at 45°; skarn-like zones with barite, very coarse grained pyrite, calcite 63.6 - 64.2, 65.2 - 66.1, 68.3 - 71.3 m; pyrite generally forms rounded blebs within the creamy barite matrix, cut by barite and calcite veinlets. | 1702 | 63.5 | 64.2 | 0.7 | | | | | |
| | | | | 1703 | 64.2 | 65.2 | 1.0 | | | | | |
| | | | | 1704 | 65.2 | 66.2 | 1.0 | | | | | |
| | | | | 1705 | 68.3 | 69.2 | 0.9 | | | | | |
| | | | | 1706 | 69.2 | 70.2 | 1.0 | | | | | |
| | | | | 1707 | 70.2 | 71.3 | 1.1 | | | | | |
| 71.4 | 85.0 | 13.6 | Chert, light to medium grey, very fine grained, with occasional thin sandy partings, banding at 30° to core; moderate barite veins and veinlets 72.2 - 73.1, 74.4 - 74.7; coarse grained pyrite and barite (as above) 78.9 - 80.5, and 81.7 - 84.1. | 1708 | 72.2 | 73.1 | 0.9 | | | | | |
| | | | | 1709 | 74.4 | 74.7 | 0.3 | | | | | |
| | | | | 1711 | 78.9 | 80.5 | 1.6 | | | | | |
| | | | | 1712 | 81.6 | 83.1 | 1.5 | | | | | |
| | | | | 1713 | 83.1 | 83.5 | 0.4 | | | | | |
| | | | | 1714 | 83.5 | 84.2 | 0.7 | | | | | |
| 85.0 | 90.8 EOH | 5.8 | Sandstone, fine to medium grained, medium to dark grey, banding at 90° to core; variably bleached giving irregular mottled aspect, becoming strongly bleached; minor quartz/calcite veinlets. END OF HOLE. | | | | | | | | | |



SKYLINE EXPLORATIONS LTD.
 Mine Assay Office

(**Fire Assay)

Gulf DD

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|-----------|---------------|---------------|---------------|------|-------------|
| Oct 19/37 | 1589 | 0.01 | | | |
| 29 | 1590 | 0.01 | | | |
| | 1591 | 0.14 | | | |
| | 1592 | 0.02 | | | |
| | 1594 | 0.02 | | | |
| | 1595 | 0.03 | | | |
| | 1596 | 0.01 | | | |
| | 1597 | 0.02 | | | |
| | 1598 | TR | | | |
| | 1599 | TR | | | |
| 29 | 1600 | 1.23 | | 5' | |
| | 1601 | 0.01 | | | |
| | 1602 | 0.09 | | | |
| | 1603 | 14.71 | | 3.2' | |
| | 1604 | 0.74 | | 3' | |
| | 1605 | 0.02 | | | |
| | 1606 | 0.02 | | | |
| | 1607 | 0.02 | | | |
| | 1608 | 0.11 | | | |
| | 1609 | 0.03 | | | |
| 29 | 1610 | 0.54 | | 2' | |
| | 1611 | 0.04 | | | |
| | 1612 | 0.02 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

M. F. J. Ross

Registered Assayer
 Province of British Columbia

**SKYLINE EXPLORATIONS LTD.
Mine Assay Office**

GULE DD

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|-----------|---------------|---------------|---------------|--|-------------|
| Oct 17/87 | 1538 | TR | | | |
| | 1539 | 0.01 | | | |
| | 1540 | TR | | | |
| | 1541 | 0.01 | | | |
| | 1542 | TR | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Mrs. D. R. [Signature]

Registered Assayer
Province of British Columbia

SKYLINE EXPLORATIONS LTD.

Mine Assay Office

(**Fire Assay)

GULF DD

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|----------|---------------|---------------|---------------|--|-------------|
| Oct 8/87 | 1670 | 1.80 | | | DDH-87-25 |
| | 1671 | 0.12 | | | " |
| | 1672 | 0.34 | | | " |
| | 1673 | 0.06 | | | " |
| | 1511 | 0.01 | | | |
| | 1512 | 0.03 | | | |
| | 1513 | 0.01 | | | |
| | 1516 | 0.01 | | | |
| | 1517 | 0.01 | | | |
| | 1518 | TR | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

W. J. DeRoss

Registered Assayer
Province of British Columbia

SKYLINE EXPLORATIONS LTD.

Mine Assay Office

(**Fire Assay)

7416

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | Description |
|---------|---------------|---------------|---------------|--|
| SEPT 29 | 1478 | .03 | | DDH 87-17 <small>Footage</small> 202.0 - 207.0 |
| | 1479 | .01 | | " 207.0 - 212.0 |
| | 1480 | .03 | | " 212.0 - 217.0 |
| | 1481 | .01 | | " 217.0 - 222.0 |
| | 1482 | .01 | | " 222.0 - 227 |
| | 1483 | TR | | |
| | 1484 | TR | | |
| | 1485 | TR | | |
| | 1486 | TR | | |
| | 1487 | TR | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



 Registered Assayer
 Province of British Columbia

**SKYLINE EXPLORATIONS LTD.
Mine Assay Office**

GULF

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|-------|---------------|---------------|---------------|--|-------------------------|
| Oct 2 | 1662 | TR | | | DDH 87-24 |
| | 1488 | TR | | | DDH 87-18 |
| | 1489 | TR | | | " |
| | 1490 | TR | | | " |
| | 1491 | TR | | | " |
| | 1492 | TR | | | " |
| | 1493 | TR | | | " |
| | 1494 | TR | | | " |
| | 1495 | .02 | | | " 209.0-212.0 Qtz.py.cp |
| | 1496 | TR | | | " |
| | 1497 | TR | | | " |
| | 1498 | TR | | | " |
| | 1499 | TR | | | " |
| | 1500 | TR | | | " |
| | 1651 | .03 | | | DDH 87-24 117.0-122.0 |
| | 1652 | TR | | | " " |
| | 1663 | TR | | | DDH 87 25 |
| | 1664 | TR | | | " |
| | 1665 | TR | | | " |
| | 1666 | TR | | | " |
| | 1667 | TR | | | " |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |


 Registered Assayer
 Province of British Columbia

SKYLINE EXPLORATIONS LTD.
 Mine Assay Office

(**Fire Assay)

Gulf

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|---------|---------------|---------------|---------------|--|---------------|
| SEPT 27 | 1466 | TR | | | DDH 87-17 |
| | 1467 | .03 | | | 72.0 - 77.0 |
| | 1468 | TR | | | |
| | 1469 | TR | | | |
| | 1470 | TR | | | |
| | 1471 | TR | | | |
| | 1472 | TR | | | |
| | 1473 | TR | | | |
| | 1474 | TR | | | |
| | 1475 | TR | | | |
| | 1476 | TR | | | |
| | 1477 | TR | | | |
| | | | | | |
| | 1653 | TR | | | DDH 87-24 |
| | 1654 | TR | | | |
| | 1655 | TR | | | |
| | 1656 | TR | | | |
| | 1657 | TR | | | |
| | 1658 | TR | | | |
| | 1659 | TR | | | |
| | 1660 | .02 | | | 179.0 - 182.0 |
| | 1661 | TR | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |


W. J. Livingston
 Registered Assayer
 Province of British Columbia

GULF

SKYLINE EXPLORATIONS LTD.
Mine Assay Office

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|---------|---------------|---------------|---------------|---------|-------------|
| SEPT 25 | 1446 | TR | | 78-83 | DDH 87-14 |
| | 1447 | TR | | 83-88 | " |
| | 1448 | TR | | 88-93 | " |
| | 1449 | TR | | 44-49 | DDH 87-16 |
| | 1450 | TR | | 49-54 | " |
| | 1451 | TR | | 54-59 | " |
| | 1452 | .02 | | 59-64 | " |
| | 1453 | .04 | | 64-69 | " |
| | 1454 | .07 | | 69-74 | " |
| | 1455 | TR | | 74-79 | " |
| | 1456 | TR | | 79-84 | " |
| | 1457 | TR | | 84-89 | " |
| | 1458 | TR | | 89-99 | " |
| | 1459 | .02 | | 99-109 | " |
| | 1460 | .01 | | 109-129 | " |
| | 1461 | .03 | | 20-25 | DDH 87-17 |
| | 1462 | TR | | 25-30 | " |
| | 1463 | TR | | 30-35 | " |
| | 1464 | TR | | 35-40 | " |
| | 1465 | TR | | 40-45 | " |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |


Registered Assayer
Province of British Columbia

SKYLINE EXPLORATIONS LTD.
 Mine Assay Office

Gulf

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | Description |
|---------|---------------|---------------|---------------|-------------------|
| SEPT 23 | 1419 | TR | | 98-103 DDH 87-14 |
| | 1420 | TR | | 103-108 " " |
| | 1421 | TR | | 108-113 " " |
| | 1422 | TR | | 113-118 " " |
| | 1423 | TR | | 4-8.5 DDH 87-15 |
| | 1424 | TR | | 8.5-13.5 " " " |
| | 1425 | TR | | 13.5-18.5 " " " |
| | 1426 | .42 | | 18.5-23 DDH-87-15 |
| | 1427 | .42 | | 23.0-27.5 " " |
| | 1428 | .03 | | 27.5-32.5 " " |
| | 1429 | TR | | 32.5-37.5 " |
| | 1430 | TR | | 37.5-42.5 " |
| | 1431 | TR | | 87.0-92.0 " |
| | 1432 | TR | | 92.0-97.0 " |
| | 1433 | TR | | 97.0-105.0 " |
| | 1434 | .02 | | 105.0-112.0 " |
| | 1435 | .09 | | 112.0-120.0 " |
| | 1436 | TR | | 120 - 131 " |
| | 1437 | .01 | | 131-136 " |
| | 1438 | TR | | 136-141 " |
| | 1439 | TR | | 141-146 " |
| | 1440 | TR | | 169-174 " |
| | 1441 | TR | | 174-179 " |
| | 1442 | TR | | 179-184 " |
| | 1443 | .02 | | 66.0-70 DDH 87-14 |
| | 1444 | .01 | | 70-74 " |
| | 1445 | TR | | 74-78 " |
| | | | | |
| | | | | |

W. Livingstone
 Registered Assayer
 Province of British Columbia

GULF
INTERNATIONAL

SKYLINE EXPLORATIONS LTD.
Mine Assay Office

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|------------|---------------|---------------|---------------|--|-------------|
| SEPT. 5/87 | 1395 | 0.01 | 0.01 | | |
| | 1396 | TRACE | <0.01 | | |
| | 1397 | 0.02 | 0.01 | | |
| | 1398 | 0.005 | 0.02 | | |
| | | | | | |
| | 1908 | 2.11 | 1.11 | | |
| | | | | | |
| | 73AK 230 | 0.04 | 0.01 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Erw Homacke

Registered Assayer
Province of British Columbia

GULF
INTERNATIONAL

SKYLINE EXPLORATIONS LTD.
Mine Assay Office

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | Description |
|------------|---------------|---------------|---------------|--------------------|
| SEPT. 5/87 | 73 AK 288 | 0.18 | 0.04 | |
| | 1917 | 0.005 | 0.07 | |
| | 1367 | TRACE | 0.01 | |
| | 1368 | TRACE | 0.01 | |
| | 1369 | TRACE | <0.01 | |
| | 1370 | 0.005 | 0.03 | |
| | 1371 | TRACE | <0.01 | |
| | 1372 | TRACE | 0.02 | |
| | 1373 | TRACE | <0.01 | |
| | 1374 | TRACE | 0.01 | |
| | 1375 | TRACE | 0.02 | |
| | 1376 | TRACE | 0.03 | |
| | 1377 | TRACE | <0.01 | |
| | 1378 | TRACE | <0.01 | |
| | 1379 | TRACE | <0.01 | |
| | 1380 | 0.005 | 0.02 | |
| | 1381 | 0.005 | 0.03 | |
| | 1382 | TRACE | <0.01 | |
| | 1383 | 0.22 | 0.06 | 174-97-1110-1957 |
| | 1384 | 0.02 | <0.01 | |
| | 1385 | TRACE | <0.01 | |
| | 1386 | 0.005 | <0.01 | |
| | 1387 | 1.01 | 0.63 | 174-97-1110-1957 |
| | 1388 | 1.48 | 0.63 | " 174-97-1110-1957 |
| | 1389 | 1.35 | 0.84 | " 174-97-1110-1957 |
| | 1390 | 0.005 | 0.05 | |
| | 1391 | 0.02 | <0.01 | |
| | 1392 | 0.005 | <0.01 | |
| | 1393 | TRACE | 0.02 | |
| | 1394 | TRACE | 0.01 | |

Ew Homacks


Registered Assayer
Province of British Columbia

SKYLINE EXPLORATIONS LTD.
 Mine Assay Office

GULF D.D.

(**Fire Assay)

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | Description |
|--------|---------------|---------------|---------------|---------------|
| SEPT 2 | 1399 | TR | | DDH-87-12 |
| | 1400 | TR | | " |
| | 1401 | .13 | | " , 750-770 ✓ |
| | 1402 | TR | | " |
| | 1403 | .02 | | " |
| | 1404 | .02 | | " |
| | 1405 | TR | | " |
| | 1406 | TR | | DDH-87-13 |
| | 1407 | TR | | " |
| | 1408 | TR | | " |
| | 1409 | TR | | " |
| | 1410 | .07 | | " |
| | 1411 | TR | | " |
| | 1412 | TR | | " |
| | 1413 | TR | | " |
| | 1414 | TR | | " |
| | 1415 | TR | | " |
| | 1416 | TR | | DDH-87-14 |
| | 1417 | TR | | |
| | 1418 | TR | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |


 Registered Assayer
 Province of British Columbia

ACME ANALYTICAL LABORATORIES

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE 253-3158

DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B V AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Pulp

DATE RECEIVED: AUG 15 1987

DATE REPORT MAILED: *Aug 25/87*

ASSAYER: *R. Toy*...DEAN TOYE, CERTIFIED B.C. ASSAYER

GULF INTERNATIONAL File # 87-3322

DDH 87-7
Composite
10-85 ft.

| SAMPLE# | MO | CU | PB | ZN | AG | NI | CO | MN | FE | AS | U | AU | TH | SR | CD | SB | BI | V | CA | P | LA | CR | MG | BA | TI | B | AL | NA | K | M |
|---------|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|
| | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM | PPM |
| 1314 | 67 | 213 | 18 | 188 | .7 | 138 | 10 | 96 | 2.63 | 68 | 5 | ND | 3 | 56 | 1 | 4 | 2 | 300 | 6.78 | .036 | 10 | 88 | 1.82 | 54 | .01 | 9 | .74 | .03 | .15 | 1 |

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | | Description |
|-----------|---------------|---------------|---------------|-------------|----------------------|
| AUG 14/87 | 73 AK 180 | 0.02 | | High As ch. | Qtz py assay. |
| DDH | 1334 | TRACE | <0.01 | 33-38 | Alt. vol. sst. 12 py |
| 87-6 | 1335 | 0.005 | <0.01 | 38-43 | " " " |
| " | 1336 | 0.005 | <0.01 | 43-47.8 | " " " |
| " | 1337 | 0.005 | 0.01 | 52.3-57.3 | " " " |
| " | 1338 | TRACE | <0.01 | 57.3-62.3 | " " " |
| " | 1339 | TRACE | <0.01 | 62.3-67.3 | " " " |
| " | 1340 | TRACE | 0.02 | 67.3-72.3 | " " " |
| " | 1341 | TRACE | 0.02 | 72.3-77.3 | " " " |
| DDH | 1342 | TRACE | <0.01 | 10-15 | " " " |
| 87-7 | 1343 | TRACE | <0.01 | 15-20 | " " " |
| " | 1344 | TRACE | <0.01 | 20-25 | " " " |
| " | 1345 | TRACE | <0.01 | 25-30 | " " " |
| " | 1346 | TRACE | <0.01 | 30-35 | " " " |
| " | 1347 | TRACE | 0.01 | 35-40 | " " " |
| " | 1348 | TRACE | 0.024 | 40-45 | " " " |
| " | 1349 | TRACE | 0.03 | 45-50 | " " " |
| " | 1350 | TRACE | 0.01 | 50-55 | " " " |
| DDH | 1351 | TRACE | 0.04 | 55-60 | " " " |
| 86-1 | 1352 | TRACE | 0.02 | 60-65 | " " " |
| " | 1353 | TRACE | <0.01 | 65-70 | " " " |
| " | 1354 | TRACE | 0.02 | 70-75 | " " " |
| " | 1355 | TRACE | 0.01 | 75-80 | " " " |
| " | 1356 | TRACE | 0.04 | 80-85 | " " " |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Ew Homacke

Registered Assayer
Province of British Columbia

ACME ANALYTICAL LABORATORIES
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: AUG 4 1987

DATE REPORT MAILED: *Aug 7/87...*

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp

ASSAYER: *D. Toye* DEAN TOYE, CERTIFIED B.C. ASSAYER

GULF INTERNATIONAL File # 87-2962

| SAMPLE# | CU % | PB % | ZN % | AG OZ/T |
|---------|---------|---------|---------|------------|
| 1233 | .02 | .01 | .01 | .02 |
| 1234 | .02 | .01 | .01 | .05 |
| 1235 | .01 | .01 | .02 | .01 |
| 1236 | .01 | .01 | .50 | .01 |
| 1237 | .01 | .01 | .01 | .01 |
| 1238 | .01 | .01 | .01 | .01 |
| 1239 | .01 | .01 | .01 | .03 |
| 1240 | .01 | .01 | .01 | .01 |
| 1241 | .01 | .01 | .01 | .01 |
| 1242 | .01 | .01 | .01 | .01 |
| 1243 | .02 | .01 | .02 | .01 |
| 1244 | .01 | .01 | .01 | .01 |
| 1245 | .01 | .01 | .01 | .03 |
| 1246 | .01 | .01 | .01 | .01 |
| 1247 | .01 | .01 | .01 | .01 |
| 1248 | .03 | .01 | .01 | .03 |
| 1249 | .03 | .01 | .01 | .01 |
| 1250 | .02 | .01 | .01 | .11 |

*DDH
87-5*

Gulf

SKYLINE EXPLORATIONS LTD.

Mine Assay Office


(**Fire Assay)

July 24+25/87

| Date | Sample Number | Au ** oz/T | Ag ** oz/T | Description |
|------|---------------|---------------|---------------|-------------------|
| D.D. | 1233 | Tr | | DDH87-5 11.0-16.0 |
| 87-5 | 1234 | Tr | | " 16.0-19.0 |
| | 1235 | Tr | | " 19.0-26.0 |
| | 1236 | Tr | | " 36.0-39.0 |
| | 1237 | Tr | | " 54.0-59.0 |
| | 1238 | Tr | | " 59.0-65.0 |
| | 1239 | Tr | | " 69.0-72.0 |
| | 1240 | Tr | | " 79.5-84.5 |
| | 1241 | Tr | | " 84.5-89.5 |
| | 1242 | Tr | | " 89.5-94.5 |
| | 1243 | Tr | | " 94.5-98.5 |
| | 1244 | Tr | | " 98.5-103.5 |
| | 1245 | .01 | | " 103.5-106.2 |
| | 1246 | Tr | | " 106.2-111.0 |
| | 1247 | Tr | | " 111.0-114.0 |
| | 1248 | Tr | | " 114.0-118.0 |
| | 1249 | Tr | | " 118.0-123.0 |
| | 1250 | .38 | | " 138.0-140.0 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

E. D. Archibald

Registered Assayer
Province of British Columbia



GEOLOGICAL BRANCH
ASSESSMENT REPORT


16,395

LEGEND

SYMBOLS

- | | | |
|--|---|---|
| TERTIARY and/or QUATERNARY or CRETACEOUS and/or TERTIARY | 9 | Mafic Dike, fine grained, dark green 9a - Porphyritic |
| | 8 | Ankerite, 0.5% Py, tan in colour |
| | 7 | Granite, quartz monzonite, trace - 0.5% magnetite |
| | 6 | Diorite, massive gray |
| | 5 | Quartz Porphyry 1-5mm Qtz eyes, pink granitic ground mass 5a - Intensely altered (argillic) 1% Py 5b - Chloritic 5c - Silicified |
| TRIASSIC and/or PERMIAN | 4 | Andesitic agglomerate, purple 4a - Flow |
| | 3 | Siltstone, green 0.5-1% Py 3a - Some Sandstone 1-2% Py 3b - Conglomerate |
| | 2 | Sandstone - 2a Banded chert 2b Quartz bx stockwork 2c Graptolite siltstone |
| MISSISSIPPIAN | 1 | Limestone, massive fossiliferous (crinoidal) 1a - Interbedded with andesitic agglom. |

- | | |
|------------------|---------------------------------------|
| Outcrop boundary | Geological boundary, assumed, defined |
| Fault zone | Bedding |
| Veining | Joining |
| Fractures | Foliation |
| Creek | Swamp |
| Vein or dyke | |
| K Kspar | Qtz Quartz |
| Py Pyrite | Chl Chloropyrite |
| ank Ankerite | mag Magnetite |
| bor Barite | jasp Jasper |




GULF INTERNATIONAL MINERALS LTD.


McLYMONT PROPERTY

CLAIM GEOLOGY

| | | | | | |
|------|------------------|--------|-----------|--------|---|
| DATE | OCTOBER 20, 1987 | N.T.S. | 104 B/15W | FIGURE | 3 |
| BY | | SCALE | 1:5000 | | |

E. W. GROVE CONSULTANTS LTD.





16 695



GULF INTERNATIONAL MINERALS LTD.

McLYMONT PROPERTY

**SOIL SAMPLE
LOCATIONS**


| | | |
|------------------------------|-----------------|-----------|
| DATE: OCTOBER 20, 1987 | NTS: 104 B/15 W | FIGURE: 4 |
| BY: | SCALE: 1:5000 | |
| E. W. GROVE CONSULTANTS LTD. | | |

METRES 0 100 200 300 400 500 METRES



LEGEND

- △ STREAM SEDIMENT
- ROCK CHIP
- SOIL SAMPLE




16,695

GULF INTERNATIONAL MINERALS LTD.

McLYMONT PROPERTY

**STREAM, ROCK
SAMPLE LOCATIONS**

| | | |
|----------------------------|------------------|----------|
| DATE: OCTOBER 20, 1987 | N.T.S. 104 B/15W | FIGURE 5 |
| BY: | SCALE 1:5000 | |
| E.W GROVE CONSULTANTS LTD. | | |



ROCK CHIP LOCATIONS

| Rock Chip # | Au | Ag | Width Ft. | Description |
|-------------|-------|-------|-----------|---------------------------------------|
| 73SD105 | 0.005 | <0.01 | 2.6 | Quartz pyrite chalcopyrite |
| 73SD116 | tr | <0.01 | 0.3 | Quartz pyrite chalcopyrite |
| 73SD134 | 0.24 | 0.11 | 0.7 | Quartz pyrite chalcopyrite |
| 73SD166 | | | 0.7 | Qrtz pyr chalcopy calcite in Q.P. |
| 73SD151 | 0.23 | 0.02 | 2.6 | Quartz pyrite chalcopyrite in Q.P. |
| 73SD165 | 0.005 | 0.01 | 1.0 | |
| 73SD164 | 0.005 | 0.01 | 1.0 | |
| 73SD246 | 0.01 | 0.27 | 0.4 | Trench 10 stringer |
| 73SD200 | tr | 0.04 | 1.5 | Pyrite chalcopyrite in andesite 3% py |
| 73SD201 | 0.005 | 0.03 | 1.0 | Pyrite chalcopyrite in andesite |
| 73SD466 | tr | <0.01 | 1.0 | Pyrite chalcopyrite in contact fault |
| 73AK002 | 0.005 | 0.02 | 0.6 | Quartz pyrite |
| 73AK004 | 0.005 | <0.01 | 0.8 | Quartz pyrite in quartz porphyry |
| 73AK001 | 2.62 | 0.66 | 2.5 | Quartz pyrite chalcopyrite |
| 73AK009 | 0.20 | 0.06 | 2.5 | Quartz pyrite chalcopyrite vein |
| 73AK230 | | | 1.8 | Barite calcite sphalerite arsenopyr. |
| 73AK069 | 0.25 | 1.18 | 0.3 | Quartz pyrite Chalcopyrite vein |
| 73AK255 | tr | 0.04 | 0.7 | Quartz pyrite in andesite |
| 73AK256 | tr | 0.60 | 0.3 | Pyrite arsenopyrite in andesite |
| 73AK257 | tr | <0.01 | 0.3 | Pyrite arsenopyrite in andesite |
| 73AK258 | tr | 0.26 | 2.8 | Barite calcite chalcopyrite in and. |
| 73AK003 | 0.005 | 0.50 | float | Quartz pyrite shpalerite galena |
| 73AK017 | 0.005 | 0.71 | 0.8 | Pyrite along fracture |
| 73AK018 | 0.005 | 0.48 | 0.3 | Trench 10, quartz pyrite vein |
| 73AK231 | | | | |
| 73AK233 | | | | |
| 73AK232 | | | | |
| 73TA061 | 0.010 | 0.02 | | Chert 3% pyrite |
| 73TA062 | 0.01 | <0.01 | | Quartz pyrite chalcopyrite fracture |
| 73TA063 | 0.040 | 0.06 | | Chert 3% pyrite |
| 73TA019 | tr | <0.01 | | Chert 5% pyrite |
| 73TA020 | 0.005 | 0.06 | | Chert trace sphalerite |
| 73TA021 | tr | <0.01 | | Chert 5% pyrite |

GEOLOGICAL BRANCH ASSESSMENT REPORT

16,695



LEGEND

- | TRENCH SITE
- ROCK SAMPLE
- STREAM SEDIMENT SAMPLE

| | | |
|----------------------------------|------------------|----------|
| GULF INTERNATIONAL MINERALS LTD. | | |
| McLYMONT PROPERTY | | |
| TRENCH LOCATIONS | | |
| DATE. OCT. 20, 1987 | N.T.S. 1048/15 W | FIGURE 6 |
| BY. | SCALE 1:5000 | |
| E.W. GROVE CONSULTANTS LTD. | | |

McLYMONT 3
McLYMONT 2

L.C.P. McLYMONT 4
McLYMONT 1

86-3
-50°

86-2
-85°

EL. 2180'

86-1
-60°

87-4
-45°

Heli Pad

CORE RACK
STORAGE AREA

CAMP

McLymont
Creek

EASTING 383000 m

NORTHING 6298350 m

87-10
-45°

87-7
-83°

EL. 2243'

87-6
-80°

87-8
-45°

EL. 2238'



87-5
-55°

87-11
-60°

EL. 2246'

87-9
-48°

EL. 2267'



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,695

SEE FIGURE 4 FOR UTM GRID
AND CLAIM LINES






METRES 0 5 10 20 30 40 50 METRES

GULF INTERNATIONAL MINERALS LTD.

McLYMONT PROPERTY
**DIAMOND DRILL
HOLE LOCATIONS**


| | | | | | |
|------------------------------|---------------|--------|------------|--------|---|
| DATE: | OCT. 20, 1987 | N.T.S. | 104 B/15 W | FIGURE | 7 |
| BY: | | SCALE: | 1:500 | | |
| E. W. GROVE CONSULTANTS LTD. | | | | | |

EASTING 382750 m
 NORTHING 6299000 m



SEE FIGURE 4 FOR UTM GRID
 AND CLAIM LINES

METRES 0 5 10 20 30 40 50 METRES





GEOLOGICAL BRANCH
 ASSESSMENT REPORT

16,695

GULF INTERNATIONAL MINERALS LTD.

**McLYMONT PROPERTY
 MAIN GRID-WEST
 DIAMOND DRILL
 HOLE LOCATIONS**


| | | | | | |
|------------------------------|---------------|--------|------------|--------|---|
| DATE. | OCT. 20, 1987 | N.T.S. | 104 B/15 W | FIGURE | 8 |
| BY. | | SCALE. | 1:500 | | |
| E. W. GROVE CONSULTANTS LTD. | | | | | |



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16695

LEGEND




METRES 0 5 10 20 30 40 50 METRES

GULF INTERNATIONAL MINERALS LTD.

**McLYMONT PROPERTY
NW GRID
DIAMOND DRILL
HOLE LOCATIONS**

| | | |
|------------------------------|--------------------|----------|
| DATE: OCT. 20, 1987 | N.T.S. 104 B/15 W. | FIGURE 9 |
| BY: | SCALE: 1:500 | |
| E. W. GROVE CONSULTANTS LTD. | | |

SEE FIGURE 4 FOR
UTM GRID & CLAIM LINES




GEOLOGICAL BRANCH
 ASSESSMENT REPORT

16,695



--- Road
 -Roadbuilding to Sept. 15, 1987 = 3.72 Km



| | | |
|--|--------------------|-----------|
| GULF INTERNATIONAL MINERALS LTD. | | |
| McLYMONT PROPERTY CLAIM MAP SHOWING ROADS | | |
| DATE: Oct. 20, 1987 | N.T.S. 104 B/15 W. | FIGURE 10 |
| BY: | SCALE: 1:20,000 | |
| E.W. GROVE CONSULTANTS LTD. | | |