

APPENDIX III

Drill Hole Sections: pre-1987 drilling; Figures 61-78

GEOLOGICAL BRANCH
ANNUAL REPORT

16,718

PART 2 of 3

FILMED

WAYSIDE GEOHEADER - M577

This geoheader is designed to simplify the use of IGC's (International Geosystem Corporation's) geoform by outlining all the required entries for the given data set and all the possible abbreviations and scales used. This geoheader has been customized for the Wayside project.

The tier (Upper - U or Lower - L) and column number are found on the left side of the page, followed by an explanation or description of the entry required, together with the possible entries. Those entries requiring no tier number are preceded by the column number only.

IDENTITY DATA:

9-10 Type of Data

DH Diamond drill hole
ST Surface Trace
TR Trench

11-18 Drill Hole/Traverse Name and Number, i.e.

WS870001 WS - Wayside
WS870001 87 - year
WS870001 001 - number

25-28 Size of Drill Core - if more than one size used, record them all,
left justified

NQ

29-34 Date the hole/traverse was collared - year month day
41-46 Initials of person(s) who logged the hole

MDM Margaret McPherson
LDM Lorie Moffat

47-52 Date the hole/traverse was completed - year month day
53-70 Claim name

77-78 Units
MT metres

SURVEY DATA:

1	S Survey Information
2-4	000
5-10	Meterage at starting point (0.00)
11-16	Meterage of first survey point (91.44)
21-16	Azimuth at 0.00 metres in degrees (269.21)
27-32	Dip of the hole/traverse at the collar, in degrees (-45.00)
51-60	Northing at the collar - Grid Co-ordinate
61-70	Easting at the collar - Grid Co-ordinate
71-80	Elevation at the collar, in metres

SURVEY INFORMATION: For each dip test the following information must be completed:

1	S
2-4	Survey number: first test is 001, second test is 002, etc.
5-10	Meterage where dip test was taken (0000.00)
11-16	Meterage where next furthest dip test was taken (0000.00). If there are no further dip tests, record the total meterage of hole/traverse
21-26	Azimuth of hole/traverse at the meterage where azimuth test was taken, in degrees (271.50). If no azimuth test was taken, record collar azimuth
27-32	Dip of hole/traverse at the meterage where dip test was taken, in degrees (-45.00)

BLOCK TO BLOCK INFORMATION:

2-3 & 43-44	Core box number, right justified
5-10 & 48-52	Meterage of blocks (0000.00)
13-16 & 55-58	Actual length of core measured in metres (00.00)
18-20 & 62-64	Percentage recovery between blocks rounded to nearest 1%
24-27 & 67-70	RQD length: measured sum of core lengths greater than 2.5 times the core diameter
29-31 & 72-74	Block to Block RQD

ASSAY INFORMATION:

1	A
2-4	FTN
5-10	From: start of sample in metres (0000.00)
11-16	To: end of sample in metres (0000.00)
17-2	Length of sample in metres (00.00)
24-26	Percent recovery over sampled interval (00.00)
28-33	Sample number, right justified

GEOLOGICAL INFORMATION:

UI Type of Interval

- P Primary geological interval, 'PGI'
- D Ditto: Subinterval within the 'PGI' that has most of the same characteristics as the 'PGI'
- N Nest: Subinterval within the 'PGI' that is substantially different from the 'PGI'

Type of Entry

- A Assay information
- L Lower tier entry
- R Remarks (columns 17-80)
- S Survey information
- U Upper tier entry

U5-10 From: in metres (0000.00)

U11-16 To: in meters (0000.00)

U17-20 Recovery: the percent recovery between blocks is calculated automatically by the computer as follows; the sum of the actual length of drill core recovered divided by the calculated length between blocks, times 100.

RQD: Rock Quality Designator is calculated as a percentage between blocks automatically by the computer as follows; the sum of the length of pieces of core recovered which are at least 2.5 times the core diameter (i.e. HQ - 15 cm, NQ - 10 cm, BQ - 7 cm) divided by the calculated length between blocks, times 100. The core is measured from centre to centre. Centre is defined as the point where the central long axis of the core intersects the fracture surface plane that forms the circular/elliptical end of a piece of core. 'RQD' is measured over each block to block interval.

U21-22 TMOD: Type Modifier - Secondary (alteration) modifier of rock type. If rock type is BX_ _ then type modifier refers to dominant matrix composition.

CA	calcite	CY	clay	PY	pyrite	SI	silica
CL	chlorite	DO	dolomite	LI	limonite	FS	fine sulphides

U23 % Mix: % Mixture - This describes the percentage of the rock type named in the subinterval that is present in the subinterval, i.e. y% mix indicates that (100-y) % of the 'PGI' rock type occurs in the subinterval. All Nested and Ditto intervals must have a % mixture. Use the G - scale.

U24-27

Rock Types

ARGL	argillite
CASE	casing
CAVE	caved material
CHRT	chert
CONG	conglomerate
D/AN	dyke; andesitic
D/FL	dyke; felsic
D/FD	dyke; feldspar porphyry
D/HF	dyke; hornblende-feldspar porphyry
D/IN	dyke; intermediate
D/MF	dyke; mafic
D/QF	dyke; quartz-feldspar porphyry
DYKE	undifferentiated
DIOR	diorite
FAUL	fault zone
GNST	greenstone
GRAN	granite
GRQZ	quartz-rich granite
LMST	limestone
LOST	lost core
MISN	missing core
OVER	overburden
SAND	sandstone
SILT	siltstone
TRIC	triconed
VEIN	vein
VNCQ	vein; calcite-quartz
VNQC	vein; quartz-calcite
VNQZ	vein; quartz

L28-29

Colour - Two C-scale symbols can be used together , i.e. RU red-brown.
Dominant colour is second entry when using two colours

L28	Lightness	<u>L-scale</u>
W	white	
9	palest	
8	pale	
7	light	
6	lighter (m. light)	
5	medium (50% light)	
4	darker (m. dark)	
3	dark	
2	very dark	
1	darkest	
N	black	

L29	Colour range	<u>C-scale</u>
A	grey	
B	blue	
G	green	
K	pink	
L	lime (YG)	
M	mauve (PR)	
N	black	
O	orange	
P	purple	
Q	aqua (BP)	
R	red	
T	tan (khaki)	
U	brown (umber)	
V	violet (BP)	
W	white	
Y	yellow	

U32-33 QM1: Qualifying materials I

BL bleached

U34 QM1: Modifier of bleached

X completely
9 extremely strong
8 very strong
7 strong
6 fairly strong
5 moderate
4 fairly weak
3 weak
2 very weak
1 extremely weak
0 patchy or nil

U35-36 TX1: TX1-4 can be used to record up to four textures

U37-38 TX2:

L35-36 TX3:

L37-38 TX4:

Textures

A* amygdaloidal
BD bedded
BN banded
BW boxworked
BX brecciated
CM chilled margin
CT clastic
EQ equigranular
FO foliated
FR fragmental
KR crackled
LM laminated
MX massive
PA patchy
PP porphyritic
RB rebrecciated
RN ribbon banded
SH sheared
SK stockworked
VG vuggy
VS vesicular

U39-42 Grain Size

U39 FF: Mean size of fine fraction. Use the S-scale.

U40 CF: Mean size of coarse fraction. Use the S-scale.

U41 %C: % Coarse fraction. Use the G-scale.

U42 MP: Maximum particle size. Use the S-scale.

IGNEOUS, METAMORPHIC & CHEMICAL	PARTICLE DIAMETER RANGE	THE S-SCALE FOR GRAIN OR PARTICLE SIZE					VOLCANI- CLASTICS
		ASSGN VALUE	SYM BOL	<<FOR GENERAL WORKS FOR DETAIL WORK>>	SYM BOL	ASSGN VALUE	
Glassy		.003 mm	0	CLAY SIZE	A	.003	
Extremely fine grained (aphanitic)	$2^{-8} = .004$.008	1	V.FINE SILT	B	.006	fine
	2^{-7}			FINE SILT	C	.011	
	$2^{-6} = .016$.03	2	MEDIUM SILT	D	.022	ash
	2^{-5}			COARSE SILT	E	.044	
	$2^{-4} = .06$						
Fine grained	2^{-3}	.12	3	V.FINE SAND	F	.088	coarse ash
	$2^{-2} = .25$			FINE SAND	G	.177	
	2^{-1}	.5	4	MEDIUM SAND	H	.354	
	$2^0 = 1$			COARSE SAND	I	.707	
Medium grained (granular)	2^1	2	5	GRIT	J	1.41	
	$2^2 = 4$			GRANULE	K	2.83	
Coarse grained	2^3	8	6	V.SMALL PEBBLE	L	5.66	small lapilli
	$2^4 = 16$			SMALL PEBBLE	M	11.3	
Very coarse grained	2^5	3.2 cm	7	MEDIUM PEBBLE	N	22.6	large lapilli
	$2^6 = 64$			LARGE PEBBLE	Ø	45.3	
Pegmatitic	2^7	13	8	SMALL COBBLE	P	90.5	cobble-size bombs & blocks
	$2^8 = 250$			LARGE COBBLE	Q	181	
Megapegma- titic	2^9	$\frac{1}{2}$ m	9	SMALL BOULDER	R	362	boulder-size bombs & blocks
	$2^{10} = 1m$			MEDIUM BOULDER	S	724	
Extra-coarse megapegma- titic	2^{11}	2 m	X	LARGE BOULDER	T	1450	extra large bombs & blocks
				V.LARGE BOULDER	U	2900	

NOTE: It is quite permissible to intermix the alphabetic symbols with the numeric symbols of this S-Scale, whenever detail work demands it -- no conflict ensues by doing so.

S-scale for grain or particle size

	<u>Assigned Value</u>	<u>Range</u>
0	0.003 mm	- 0.004 mm
1	0.008 mm	0.004 - 0.016 mm
2	0.03 mm	0.016 - 0.06 mm
3	0.12 mm	0.06 - 0.25 mm
4	0.5 mm	0.25 - 1 mm
5	2 mm	1 - 4 mm
6	8 mm	4 mm - 1.6 cm
7	3.2 cm	1.6 - 6.4 cm
8	13 cm	6.4 cm - 0.25 m
9	0.5 m	0.25 - 1 m
x	2 m	1 m -

L39-42 For Clastic Sediments

L39 SR: Sorting





Degree of Sorting

- 1 extremely poor
- 2 very poor
- 3 poor
- 4 moderately poor
- 5 moderate
- 6 moderately good
- 7 good
- 8 very good
- 9 extremely good

L40 RN: Roundness

Degree of Roundness

- 1 extremely angular
- 2 very angular
- 3 angular
- 4 moderately angular
- 5 intermediate
- 6 moderately rounded
- 7 rounded
- 8 very rounded
- 9 extremely rounded



L41 SH: Sphericity
Degree of Sphericity

- 1 extremely poor
- 2 very poor
- 3 poor
- 4 fair to poor
- 5 fair
- 6 fair to good
- 7 good
- 8 very good
- 9 excellent
- B bladed
- C compact, cubic
- E elongated
- F flattened
- L lengthened
- M mixed
- P platy

L42 O/C: Framework
O open: matrix supported
C closed: framework supported

L46 I: total fracture intensity. Use the F-scale

F-scale Fracture intensity

- X shattered
- 9 extremely well fractured
- 8 very well fractured
- 7 well fractured
- 6 fairly well fractured
- 5 moderately fractured
- 4 fairly lightly fractured
- 3 lightly fractured
- 2 very lightly fractured
- 1 slightly fractured
- 0 unfractured

U48 T1: Thickness - describes thickness of feature in structural
L48 T2: identity 1 and 2, respectively (U49-50, L49-50) using T-scale.

	<u>Assigned Value</u>		<u>Range</u>	
0	1 mm	-	2 mm	thinly laminar
1	3.5 mm	2	- 5 mm	laminated
2	1 cm	.5	- 2 cm	very thin
3	3.5 cm	2	- 5 cm	thin bedded
4	12 cm	5	- 20 cm	medium-thin bedded
5	35 cm	20	- 50 cm	medium bedded
6	1.2 m	.5	- 2 m	medium thick bedded
7	3.5 m	2	- 5 m	thick bedded
8	12 m	5	- 20 m	very thick bedded
9	30 m	20 m	-	extremely thick bedded

U49-50 STRUC 1 ID: Structural identity 1
L49-50 STRUC 2 ID: Structural identity 2

BD bedding
BN banding
CM chilled margin
CQ calcite-quartz vein
CV calcite vein
FC fault contact
F/ fracture
FO foliation
LC lower contact
LM lamination
QA quartz-iron carbonate vein
QC quartz-calcite vein
QD quartz-dolomite vein
QV quartz vein
SH shear
SV sulphide vein
UC upper contact
VN vein

U55-56 DIP: angle to long axis of core of feature identified in structural ID 1
L55-56 DIP: and 2 respectively, in degrees (core not oriented and dip direction unknown).

U57-76 & L57-76 Alteration and ore minerals. The first column of each pair is used to describe how the mineral occurs using the H-scale. The second column is to indicate the percentage of the mineral present, using the G-scale. (breccias - describes matrix composition only. First column of each pair describes how the mineral occurs using the H-scale i.e. #-breccia matrix infillings. The second column is percentage of total matrix composition - using G-scale).

U57-58 QZ: quartz
L57-58 CA: calcite
U59-60 MR: mariposite
L59-60 MU: muscovite/sericite
U61-62 CY: clay
L61-62 CL: chlorite
U63-64 AK: ankerite
L63-64 EP: epidote
U65-66 SR: serpentinite
L65-66 HE: hematite
U67-68 & U75-76 XX: for a mineral not in the other alteration columns, specify
YY: by using the two letter code for that mineral (if possible record metal oxides and sulphides in the 'YY' column).

BT biotite
 CY clay
 GL galena
 MT magnetite
 PL pyrolusite
 SP sphalerite
 TA talc
 TO tourmaline

L67-68 & L75-76 In the first column the H-scale is used to describe how the mineral in /67-68 or /75-76 occurs. The second column is used for percentage, use G-scale.

U69-70 PY: pyrite
 L69-70 PR: pyrrhotite
 U71-72 CP: chalcopyrite
 L71-72 AS: arsenopyrite
 U73-74 LI: limonite
 L73-74 FS: fine sulphides

H-scale - most dominant single mode

A amygdules
 B blebs
 # breccia matrix fillings
 C coatings
 * clasts
 D disseminations and scattered crystals
 E envelopes
 F framework crystals
 G gouge
 H replaced, phenocrysts
 I eyes, augen
 J interstitial
 K stockwork
 L laminations - bedded
 M massive
 N nodules
 O spots
 P pervasive
 Q patches (as in quilts)
 R rosettes and crystal clusters
 S selvages
 \$ sheeting
 T staining (as in tarnish)
 U euhedral crystals
 V veins
 > macroveins (>10 cm)
 < microveins (<1 mm)
 W boxwork
 Y dalmationite
 0 fresh primary rock

U77 SI: Structural summary

0 minor fracturing
 1 fracturing, minor shearing and gouge
 2 fracturing, shearing and gouge

L77 FI: Alteration facies

0 Fresh, unaltered rock
 1 Hornfels or marble present
 2 Calcic alteration
 3 skarn

U78 Facies and structural intensity, using N-scale. No modifier required if
 L78 U77 or L77 is 0.



X completely
 9 extremely strong
 8 very strong
 7 strong
 6 fairly strong
 5 moderate
 4 fairly weak
 3 weak
 2 very weak
 1 extremely weak
 0 nil

SCALES:

C-Scale: Colour Range - see page 4
 F-Scale: Fracture Intensity - see page 7

G-Scale: Percentage estimate of any geological material

	<u>Assigned %</u>	<u>Range</u>
0		Nil, absent
/		Present, no estimate given
?		Possibly present
.	.01	Trace, less than or equal to 0.02
-	.03	.02 - .05
(.1	.05 - .2
*	.3	.2 - .5
)	1	.5 - 2
+	3	2 - 3
=	5	3 - 7
1	10	7 - 15
2	20	15 - 25
3	30	25 - 35
4	40	35 - 45
5	50	45 - 55
6	60	55 - 65
7	70	65 - 75
8	80	75 - 85
9	90	86 - 99
X	100	Essentially 100%



G-Scales:	Grade in Percent	
0.0	0	nil, absent
0.0	?	possibly present
0.01	.	trace= - 0.02%
0.03	-	0.02% - 0.05%
0.1	(0.05% - 0.2%
0.3	*	0.2% - 0.5%
1.0)	0.5% - 2.0%
2.5	+	2.0% - 3.0%
5	=	3.0% - 7.0%
10	1	7.0% - 15%
20	2	15% - 25%
30	3	25% - 35%
40	4	35% - 45%
50	5	45% - 55%
60	6	55% - 65%
70	7	65% - 75%
80	8	75% - 85%
90	9	85% - 99%
100	X	essentially 100%

- H-Scale: How - most dominant single mode - see page 10 - 11
- L-Scale: Lightness - see page 6
- N-Scale: Facies and Structural Intensity - see page 11
- S-Scale: Grain or particle size - see page 7
- T-Scale: Thickness - see page 8.

Please note:

1. On the Block to Block Recovery page:

- REC = recovery
- PCT REC = percent recovery
- RQD was not calculated

2. Assay File:

"0" represents values less than the detection limit for each element.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - DDHUG902
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
------	------	----	-----	---------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - DDHUG902

AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - DDHU6902
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - DDHU6902
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - DDHU6902
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIX	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - DDHU6902
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------

NO Records Found for this Report

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS80S010 (CONTINUED)

F - I N T E R V A L -			CORE RECOVERY (%)	Z M ROCK TYPE	TYPI- BAL	TEX- TURES	GRAIN CHARACS	FRAC- TURE	STRUCTUR-1 ALTERATION MINS										ORE-TYPE MINS	SUMMAR								
K L (UNITS = MT)	FROM	TO							I	1	2	Q	1	2	F	F	C	Z			M	#	TK	1	AZM	RT	QZ	MR
R	27.31	175.44							WIDE AT 165.60 M. AT 166.00 M, 35 CM ZONE OF WEAK TO MODERATE ALTERATION.																			
R	27.31	175.44							BOX MISSING FROM 228-257 FT.																			
N	69.49	78.33							X MISN N																			
R	87.48	92.35							BOX MISSING FROM 287 TO 303 FT.																			
N	87.48	92.35							X MISN N																			
R	144.25	146.95							MIXED ZONE OF COARSE TO VERY COARSE DIORITE AND GRANITE (GRANITE 25-35%); GREEN AND WHITE. MODERATE QUARTZ VEINING AND WEAK CALCITE VEINING. VEINS AT 20 DEG. AND AT 65-75 DEG.																			
R	144.25	146.95							X DIOR EQ 4 5 9 5 7 2 N V*																			
L									GW 7 V(
R	146.95	151.18							DYKE-FELDSPAR PORPHYRY: PALE BROWN. 2% FELDSPAR PHENOCRYSTS 1-3 MM. BLACK STRINGERS COMMONLY AT 30 DEG. MAY BE TWO SEPARATE DYKES.																			
R	146.95	151.18							X D/FD PP 3 5 + 5 N 1 VN 30																			
L									8U V(
R	151.18	158.65							MIXED ZONE OF COARSE TO VERY COARSE DIORITE AND GRANITE (GRANITE 25-35%); GREEN AND WHITE. MODERATE QUARTZ VEINING AND WEAK CALCITE VEINING. VEINS AT 20 DEG. AND AT 65-75 DEG.																			
R	151.18	158.65							X DIOR EQ 4 5 9 5 7 2 N V*																			
L									GW 7 V(
R	166.80	172.61							MIXED ZONE OF DIORITE: 25% GRANITE - INTENSELY VEINED. GREEN-WHITE. GENERALLY COARSE GRAINED-EQUIGRANULAR. VEINS AT 65-80 DEG. AND 15-25 DEG.																			
R	166.80	172.61							X DIOR EQ 4 5 9 5 10 4 N 1 VN 65 V)																			
L									GW 7 V)																			
P	175.44	190.89							GRAN EQ 4 5 3 5 P UC 50 D-																			
L									8A 4 LC 10 V(
R	175.44	190.89							GRANITE: LIGHT GRAY TO WHITE. MEDIUM GRAINED, EQUIGRANULAR. 1-2% BIOTITE. FAIRLY LIGHTLY FRACTURED. WEAK CALCITE VEINING AT 40-45 DEG., ALBITITE VEINLETS AT 65-80 DEG. UPPER CONTACT IS CHILLED MARGIN AT 50 DEG. LOWER CONTACT AT 10-15 DEG.																			
R	175.44	190.89																										
R	175.44	190.89																										
P	190.89	240.25							DIOR EQ 3 5 5 5 P 0 CV 55																			
L									46 V(
R	190.89	240.25							DIORITE: DARK GREEN, VARIABLE GRAIN SIZE. UP TO 5% GRANITE AS A MIX AND AS BANDS. SECTIONS OF GREEN-WHITE EQUIGRANULAR DIORITE. WEAK CALCITE VEINING AT 45-60 DEG. FROM 230.00 TO 230.64 M AND 231.00 TO 232.65 M IS GRANITE: LIGHT GRAY, MEDIUM TO COARSE EQUIGRANULAR WITH BLACK STRINGERS.																			
R	190.89	240.25																										
R	190.89	240.25																										
R	190.89	240.25																										
R	195.57	196.50							GRANITE: PALE GREEN-GRAY. COARSE GRAINED. UPPER CONTACT AT 40 DEG. LOWER CONTACT MISSING. BLACK STRINGERS AT 25 DEG.																			
R	195.57	196.50																										
N	195.57	196.50							X GRAN EQ 4 5 8 5 N UC 45																			

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS80S010 (CONTINUED)

F - INTERVAL -		CORE	%	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS										ORE-TYPE MINS											
K L (UNITS = MT)		RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H ANY H H H ANY										H H H H										
E A		ERY	1	TM	TM	MAT	TX	TX	F	C	Z	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN				
Y G FROM - TO		(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY	
K F		ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA	
E L		QUAL	MEM	V	Q	LC-	3	3	4	O	N	H	/	SML	I	2	AZM	RT				H	H	H	H	H	H	H	H	
Y G		DESIG	AGE	COL						R	D	P	C			STRUCTUR-2										A A A A A A A A				
L							86									5	VN													
R	199.64	209.40	BOX MISSING FROM 655 TO 687 FT.																											
N	199.64	209.40	X MISON																											
R	209.40	220.98	HALF OF CORE IS MISSING: MOSTLY VERY BROKEN UP CALCITE AND QUARTZ VEINS AND ALTERED DIORITE. FROM 213.97-215.31 M DIORITE RELATIVELY UNALTERED. FROM 215.31-220.98 M: VERY BROKEN UP GRANITE BANDS, QUARTZ AND CALCITE VEINS, AND ALTERED DIORITE. TRACE MARIPOSITE IN QUARTZ VEINS AT TOP OF BOX. QUARTZ BRECCIA IN PIECES OF CORE IN TOP 4.5 M OF BOX.																											
R	209.40	220.98																												
R	209.40	220.98																												
R	209.40	220.98																												
R	209.40	220.98																												
R	209.40	220.98																												
N	209.40	220.98	X VEIN																											
L			7																											
R	229.06	229.62	ALTERED ZONE: LIGHT BROWN-GREEN, FINE TO MEDIUM GRAINED. QUARTZ AND QUARTZ-CALCITE VEINS ABOUT 1 CM WIDE AT 45-55 DEG. PERVASIVE CARBONATE.																											
R	229.06	229.62																												
R	229.06	229.62																												
N	229.06	229.62	9 DIOR																											
L			UG																											
R	233.50	239.60	ALTERED ZONE: LIGHT BROWN, FINE TO MEDIUM GRAINED WITH RARE COARSE INTERVALS. FINE GRAINED FELSIC DYKE FROM 234.06-234.66 METRES. CALCITE VEINS AND VEINLETS, MINOR. RARE QUARTZ-CALCITE VEINS. VEINING AT 40-50 DEG. LOWER CONTACT OF DYKE AT 45 DEG. 5-10% OF INTERVAL IS GRANITE.																											
R	233.50	239.60																												
R	233.50	239.60																												
R	233.50	239.60																												
R	233.50	239.60																												
N	233.50	239.60	X D/FL																											
L			6U																											
P	240.25	250.76	GRAN EQ KR																											
L			WA																											
R	240.25	250.76	GRANITE: WHITE TO GRAY, COARSE EQUIGRANULAR. BLACK STRINGERS TO CRACKLED. LOCALLY PORPHYRITIC. DIORITE FROM 240.67 TO 241.15 METRES.																											
R	240.25	250.76																												
R	240.25	250.76																												
R	243.73	247.40	DYKE: GREEN TO GREEN-GRAY. FINE GRAINED. WEAKLY PORPHYRITIC. LIGHT GREEN-YELLOW, HARD ALTERATION. PERVASIVE. BIOTITE TO 2%.																											
R	243.73	247.40																												
R	243.73	247.40																												
R	243.73	247.40																												
R	243.73	247.40																												
R	243.73	247.40																												
N	243.73	247.40	9 D/IN																											
L			56																											
P	250.76	368.50	DIOR EQ																											
L			36																											
R	250.76	368.50	DIORITE: DARK GREEN. FINE TO MEDIUM GRAINED, EQUIGRANULAR. GRANITE INTERVAL FROM 347.46-348.24 M. LOCALLY THE DIORITE IS PYRITIC TO 2%. 4 CM CALCITE VEIN AT 290.15 M AT 20 DEG.																											
R	250.76	368.50																												
R	250.76	368.50																												
R	250.76	368.50																												
R	250.76	368.50																												

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS90S010 (CONTINUED)

F - INTERVAL -			CORE RECOVERY (%)	Z M ROCK I X TYPE	TYPI- QAL FYING MIN MAT TX TX QM1 1 2	TEX- TURES TX TX F C Z M	GRAIN FRAC- CHARACS TURE	STRUCTUR-1 T ID STK DIP	ALTERATION H H H H H	MINS ANY H H H ANY	ORE-TYPE A A A A A	MINS A A A A A	SUMMARY
K L (UNITS = MT)	E A Y G FROM - TO	ERY											
R	253.77	254.51											
R	253.77	254.51											
R	253.77	254.51											
R	253.77	254.51											
N	253.77	254.51											
L													
R	254.51	263.65											
N	254.51	263.65											
R	304.49	314.87											
R	304.49	314.87											
N	304.49	314.87											
L													
R	314.87	320.18											
R	314.87	320.18											
R	314.87	320.18											
R	314.87	320.18											
N	314.87	320.18											
L													
R	320.18	329.49											
R	320.18	329.49											
R	320.18	329.49											
R	320.18	329.49											
R	320.18	329.49											
N	320.18	329.49											
L													

ALTERED FAULT ZONE: FAULT GOUGE FROM 254.15-254.30 M. ABOVE IS FRACTURED AT 30 DEG. AND INTENSELY ALTERED. BELOW IS VERY LIMONITIC GRANITE WITH DISSEMINATED PYRITE TO 1% AND TRACE FINE ARSENOPYRITE.

2 FAUL SH 3 5 2 5 N Q) D) P1
60 8 D? D(

MISSING BOX.

X MISA N

DIORITE: SAME AS MAIN INTERVAL EXCEPT COARSE GRAINED AND 5% GRANITE MIX.

X DIOR EQ 3 5 9 5 D 3 CV 20
36

DYKE?: DARK GREEN, VERY FINE TO FINE GRAINED. EQUIGRANULAR, WEAKLY PORPHYRITIC. 0.5% FELDSPAR PHENOCRYSTS UP TO 1 MM, TRACE AUGITE PHENOS <1 MM. UPPER CONTACT SHARP AT 60 DEG., LOWER CONTACT AT 55 DEG.

X D/IN EQ PP 3 5 * 5 N
36

DYKE-FELSIC: WHITE TO LIGHT BROWN, FINE GRAINED, EQUIGRANULAR-WEAKLY PORPHYRITIC. 1% AUGITE PHENOCRYSTS 1-4 MM; NOT WELL DEVELOPED CRYSTALS. UPPER CONTACT AT 55 DEG., LOWER CONTACT BROKEN. WELL FRACTURED AT 45 DEG. DISSEMINATED SERICITE 3-5%. WEAK LIMONITE FLECKS THROUGHOUT.

X D/FL PP 3 5) 5 N F/ 45 D(UC 55 D=

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB0S010
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	4.27		
2	4.27	12.19	7.10	89.65
3	12.19	22.86	7.52	70.48
4	22.86	32.31	7.55	79.89
5	32.31	41.45	7.18	78.56
6	41.45	50.90	7.71	81.59
7	50.90	60.35	7.31	77.35
8	60.35	69.49	6.73	73.63
9	69.49	78.33	0.00	0.00
10	78.33	87.48	6.72	73.44
11	87.48	92.35	0.00	0.00
12	92.35	101.50	6.87	75.08
13	101.50	110.64	7.18	78.56
14	110.64	119.79	7.67	83.83
15	119.79	128.93	7.32	80.09
16	128.93	137.47	7.47	87.47
17	137.47	146.61	7.36	80.53
18	146.61	155.75	6.71	73.41
19	155.75	165.20	7.13	75.45
20	165.20	173.74	7.56	88.52
21	173.74	182.88	6.71	73.41
22	182.88	191.41	7.72	90.50
23	191.41	199.64	7.10	86.27
24	199.64	209.40	0.00	0.00
25	209.40	220.98	4.17	36.01
26	220.98	229.21	6.87	83.47
27	229.21	237.74	7.39	86.64
28	237.74	245.97	7.33	89.06
29	245.97	254.51	7.13	83.49
30	254.51	263.65	0.00	0.00
31	263.65	271.58	7.66	96.60
32	271.58	280.42	6.36	71.95
33	280.42	289.26	7.02	79.41
34	289.26	298.09	7.92	89.69
35	298.09	306.63	7.18	84.07
36	306.63	312.72	8.07	132.51
37	312.72	323.39	7.43	69.63
38	323.39	331.93	7.52	88.06
39	331.93	340.46	7.81	91.56
40	340.46	349.30	7.16	81.00
41	349.30	359.66	6.76	65.25
42	359.66	368.50	7.50	84.84

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB05010
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	11.40	12.00	113219	0.60	0	4.61	0.0	0	30	0.0	0	5.79
2	161.72	162.72	116260	1.00	10	2.43	0.0	10	0	0.0	0	3.09
3	162.72	163.35	116261	0.63	0	2.97	0.0	35	0	0.0	0	10.29
4	163.35	164.35	116262	1.00	0	2.75	0.0	10	0	0.0	0	4.32
5	164.35	165.60	116263	1.25	0	2.17	0.0	5	0	0.0	0	2.45
6	165.60	166.10	116264	0.50	0	3.77	0.0	10	0	0.0	0	2.67
7	166.10	166.80	116265	0.70	0	3.98	0.0	25	0	0.0	0	2.39
8	215.69	216.42	113220	0.73	0	3.11	0.2	0	10	0.0	0	6.40
9	219.93	220.98	113221	1.05	0	3.65	0.2	0	10	0.0	0	6.55
10	229.06	229.62	113222	0.56	0	3.44	0.2	10	10	0.0	0	7.47
11	253.77	254.15	113216	0.38	25	3.59	0.2	20	10	0.0	0	5.58
12	254.15	254.30	113217	0.15	25	1.92	0.0	40	20	0.0	0	7.33
13	254.30	254.51	113218	0.21	10	0.81	0.0	100	20	0.0	0	5.73
					<hr/>							
MEAN					5.4	3.02	0.1	20.4	8.5	1.0	1.0	5.39
MIN					0.0	0.81	0.0	0.0	0.0	0.0	0.0	2.39
MAX					25.0	4.61	0.2	100.0	30.0	0.0	0.0	10.29

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS80S010
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	H6PPM	KZ
1	11.40	12.00	113219	0.60	0.0	6	185	18	0.57	0	1	0.27
2	161.72	162.72	116260	1.00	0.0	33	540	15	3.03	0	0	0.00
3	162.72	163.35	116261	0.63	0.5	29	810	7	2.64	0	0	0.02
4	163.35	164.35	116262	1.00	0.0	32	723	39	3.11	0	0	0.00
5	164.35	165.60	116263	1.25	0.0	25	500	27	2.47	0	0	0.00
6	165.60	166.10	116264	0.50	0.0	17	35	9	3.38	0	0	0.09
7	166.10	166.80	116265	0.70	0.0	46	440	18	5.40	0	0	0.00
8	215.69	216.42	113220	0.73	0.0	25	209	136	2.31	0	0	0.04
9	219.93	220.98	113221	1.05	0.5	38	665	81	3.42	0	0	0.03
10	229.06	229.62	113222	0.56	0.0	25	384	35	3.18	0	0	0.23
11	253.77	254.15	113216	0.38	0.0	31	18	118	4.38	0	0	0.08
12	254.15	254.30	113217	0.15	0.0	26	28	49	3.37	0	0	0.20
13	254.30	254.51	113218	0.21	0.0	19	35	116	2.98	0	0	0.19
					<hr/>							
MEAN					0.1	27.1	351.7	51.4	3.10	1.0	0.1	0.09
MIN					0.0	6.0	18.0	7.0	0.57	0.0	0.0	0.00
MAX					0.5	46.0	810.0	136.0	5.40	0.0	1.0	0.27

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB05010
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPH	MGZ	MNPPH	MOPPH	NAZ	NIPPH	PPPH	PBPPH
1	11.40	12.00	113219	0.60	0	0.75	186	0	0.06	18	20	2
2	161.72	162.72	116260	1.00	0	4.56	504	0	0.04	180	60	0
3	162.72	163.35	116261	0.63	0	4.65	787	0	0.02	127	80	0
4	163.35	164.35	116262	1.00	0	5.17	634	0	0.03	111	60	0
5	164.35	165.60	116263	1.25	0	3.95	442	0	0.07	134	80	0
6	165.60	166.10	116264	0.50	0	5.81	852	1	0.02	7	120	0
7	166.10	166.80	116265	0.70	0	7.17	837	0	0.02	167	80	0
8	215.69	216.42	113220	0.73	0	3.13	451	0	0.08	78	40	0
9	219.93	220.98	113221	1.05	0	4.80	647	0	0.07	149	20	0
10	229.06	229.62	113222	0.56	0	3.81	583	0	0.03	94	100	0
11	253.77	254.15	113216	0.38	0	3.67	770	0	0.07	26	90	0
12	254.15	254.30	113217	0.15	0	3.02	726	0	0.12	26	80	0
13	254.30	254.51	113218	0.21	0	2.56	567	0	0.07	20	200	0

MEAN					1.0	4.08	614.3	0.1	0.05	87.5	79.2	0.2
MIN					0.0	0.75	186.0	0.0	0.02	7.0	20.0	0.0
MAX					0.0	7.17	852.0	1.0	0.12	180.0	200.0	2.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS80S010
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	11.40	12.00	113219	0.60	0	0	30	0.04	0	0	26	0
2	161.72	162.72	116260	1.00	0	0	24	0.03	0	0	44	10
3	162.72	163.35	116261	0.63	0	0	100	0.04	0	0	78	295
4	163.35	164.35	116262	1.00	0	0	30	0.04	0	0	73	10
5	164.35	165.60	116263	1.25	0	0	15	0.04	0	0	43	5
6	165.60	166.10	116264	0.50	0	0	30	0.07	0	0	44	5
7	166.10	166.80	116265	0.70	0	0	26	0.04	0	0	78	5
8	215.69	216.42	113220	0.73	0	0	53	0.00	0	0	46	0
9	219.93	220.98	113221	1.05	0	0	58	0.02	0	0	82	0
10	229.06	229.62	113222	0.56	0	10	69	0.06	0	0	87	0
11	253.77	254.15	113216	0.38	0	0	89	0.00	0	0	131	0
12	254.15	254.30	113217	0.15	0	10	133	0.00	0	0	83	0
13	254.30	254.51	113218	0.21	0	0	181	0.00	0	0	21	0

MEAN					1.0	1.5	64.5	0.03	1.0	1.0	64.3	25.4
MIN					0.0	0.0	15.0	0.00	0.0	0.0	21.0	0.0
MAX					0.0	10.0	181.0	0.07	0.0	0.0	131.0	295.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS80S010
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	11.40	12.00	113219	0.60	2
2	161.72	162.72	116260	1.00	23
3	162.72	163.35	116261	0.63	19
4	163.35	164.35	116262	1.00	20
5	164.35	165.60	116263	1.25	18
6	165.60	166.10	116264	0.50	26
7	166.10	166.80	116265	0.70	38
8	215.69	216.42	113220	0.73	15
9	219.93	220.98	113221	1.05	19
10	229.06	229.62	113222	0.56	14
11	253.77	254.15	113216	0.38	40
12	254.15	254.30	113217	0.15	28
13	254.30	254.51	113218	0.21	30

MEAN	22.5
MIN	2.0
MAX	40.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840001 (CONTINUED)

F - INTERVAL -			CORE RECOVERY (%)	Z M ROCK TYPE	TYPI- QAL TEX- GRAIN FRAC- FYING MIN TURES CHARACS TURE	STRUCTUR-1	ALTERATION	MINS	ORE-TYPE	MINS	SUMMARY		
K L (UNITS = MT)	E A	Y G FROM - TO										RECOV- ERY	I
			(%)	X TYPE	1 2 QM1 1 2 F F C P # TK	1	AZM RT QZ MR CY AK SR XX PY CP LI YY						
K F	E L	Y G	ROCK QUAL DESIG	FOR EN RT	TM QM2 TX TX S R S D DIP F	T ID STK DIP	CA MU CL EP HE HA PR AS FS HA						
				V Q LC- 3	3 4 0 N H / SML I	2	AZM RT	H H H H H H H H					
				COL	R D P C	STRUCTUR-2	A A A A A A A A						
R	130.58	133.12			PYRITE ON FRACTURES TO 0.5%. LOWER CONTACT AT 15-20 DEG.								
N	130.58	133.12		B D/QF	PP KR 2 5 = 5	N	LC 20	G-		D*			
L				WW	BR	7		D(
P	136.41	166.26		DIOR	EQ FO 3 5 5 5	P	FO 55			C(
L				WG		5	CV 55 V(D-					
R	136.41	166.26			GRANITE/DIORITE MIX: WHITE TO GREEN, COARSE TO MEDIUM GRAINED, EQUIGRANULAR. GRANITE TO 40%, DIORITE TO 60%. WEAKLY FOLIATED AT 55 DEG. LOCAL EPIDOTE (?) ALTERATION. BLACK STRINGERS LOCALLY CONCENTRATED. PYRITE CONCENTRATED ON FRACTURES TO 0.1%. MINOR CALCITE VEINS AT 45-65 DEG. BLACK STRINGERS COMMONLY AT 5-15 DEG. BLACK STRINGERS VERY INTENSE FROM 165.08-166.26 M.								
R	136.41	166.26											
R	136.41	166.26											
R	136.41	166.26											
R	136.41	166.26											
R	136.41	166.26											
P	166.26	180.53		D/FD	PP KR	P							
L				WW				D(
R	166.26	180.53			DYKE (?): FELDSPAR PORPHYRY; WHITE TO VERY PALE GREEN. FELDSPAR PHENOS, POORLY TO MODERATELY DEVELOPED, 1-5%, 0.5-3 MM. BLACK STRINGERS MODERATE TO LOCAL INTENSE-CRACKLE TEXTURE. 1% DISSEMINATED MAFICS. BLACK STRINGERS AT 15-25 DEG. MINOR DISSEMINATED EPIDOTE. LOCAL CONCENTRATIONS OF DISSEMINATED PYRITE, TO 1%, COMMONLY AROUND BLACK STRINGER ZONES. FINE GRAINED DIORITE FROM 176.06-176.38 M.								
R	166.26	180.53											
R	166.26	180.53											
R	166.26	180.53											
R	166.26	180.53											
R	166.26	180.53											
R	166.26	180.53											
R	166.26	180.53											
P	180.53	233.99		DIOR	EQ 3 5 7 5	P 2 CV	55 V-						
L				GW		5	FO 55 V(Q*					
R	180.53	233.99			MIXED DIORITE AND GRANITE: GREEN-WHITE, FEW BROWN SECTIONS. MEDIUM TO COARSE EQUIGRANULAR WITH 5% FINE GRAINED. GRANITE AS A MIX TO 30%. WEAK TO MODERATE BLACK STRINGERS IN MORE FELSIC SECTIONS. EPIDOTE ALTERATION IN PATCHES AND IN VEINS TO 0.5%. WEAKLY FOLIATED IN PLACES AT 55 DEG. WEAK TO MODERATE QUARTZ AND CALCITE VEINS 5-15 MM WIDE AT 45-60 DEG.								
R	180.53	233.99											
R	180.53	233.99											
R	180.53	233.99											
R	180.53	233.99											
R	180.53	233.99											
R	200.57	201.57			ALTERED ZONE: BROWN-ORANGE, FINE TO COARSE GRAINED. MUCH CALCITE VEINING WITH LIMONITE SELVAGES. LIMONITE STOCKWORK THROUGHOUT. PYRITE ON FRACTURES AND DISSEMINATED TO 1.5%. VEINS AT 55-70 DEG. FRACTURES AT 45-55 DEG.								
R	200.57	201.57											
R	200.57	201.57											
R	200.57	201.57											
N	200.57	201.57		LI 9 DIOR		N 2 CV	65			C+	K=		
L							F/ 50 V+						
R	206.15	209.00			GRANITE: WHITE, COARSE GRAINED, EQUIGRANULAR. BLACK STRINGERS LOCALLY CONCENTRATED. WEAK CALCITE VEINING - 1 CM WIDE. MAFIC DYKE FROM 208.51-208.83 M, AUGITE PHENOS 1-6 MM, UPPER CONTACT AT 85 DEG., LOWER CONTACT AT 70 DEG.								
R	206.15	209.00											
R	206.15	209.00											
R	206.15	209.00											
N	206.15	209.00		B GRAN	EQ 4 5 9 5	N 5 BN	75						
L				WW		5							
R	209.00	217.32			ALTERED ZONE: LIGHT BROWN. COARSE TO MEDIUM GRAINED. QUARTZ								

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840001 (CONTINUED)

F - INTERVAL -			CORE RECOVERY (%)	% ROCK	TYPI- QAL		TEX- TURES		GRAIN FRAC- CHARACS		STRUCTUR-1		ALTERATION MINS					ORE-TYPE MINS					SUMMARY													
K L (UNITS = MT)	Y G FROM	TO			I	TM	TX	TX	F	C	Z	M	T	ID	STK	DIP	A	A	A	A	A	MIN		A	A	A	MIN	H	H	H	H	ANY	H	H	H	ANY
E A	Y G		(%)	X	TYPE	1	2	Q	M	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY						
R	209.00	217.32																																		
R	209.00	217.32																																		
R	209.00	217.32																																		
R	209.00	217.32																																		
R	209.00	217.32																																		
R	209.00	217.32																																		
R	209.00	217.32																																		
N	209.00	217.32																																		
L																																				

AND CALCITE VEINING, MODERATE. FAULT GOUGE FROM 214.05 TO 214.65 M. (CORE HAS BEEN SPLIT FROM 209.40-215.10 M). MARIPOSITE 0.5%. IRON CARBONATE STOCKWORK COMMON. COARSE CUBIC PYRITE DISSEMINATED TO 1% AND CONCENTRATED LOCALLY TO 5%. ARSENOPYRITE LOCALLY DISSEMINATED TO 2%. QUARTZ VEINS POSSIBLY AT 60-70 DEG. MARIPOSITE FROM 209.80-212.70 M. PYRITE/ARSEN ZONE: 212.70-213.15M; QUARTZ AND CALCITE VEINS 213.15-214.05 M.

1 FAUL 7U 3 5 7 5 N 2 QV 65 V+ D* Q(P= D+ C* V) D)

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40001
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	50.73	0.00	0.00
2	50.73	53.95	3.23	100.31
3	53.95	57.00	3.04	99.67
4	57.00	60.04	2.56	84.21
5	60.04	63.09	2.86	93.77
6	63.09	66.14	2.85	93.44
7	66.14	69.19	2.98	97.70
8	69.19	71.63	2.51	102.87
9	71.63	74.37	2.42	88.32
10	74.37	75.29	0.80	86.96
11	75.29	78.33	3.02	99.34
12	78.33	80.47	1.94	90.65
13	80.47	83.52	3.09	101.31
14	83.52	86.56	2.91	95.72
15	86.56	87.48	1.09	118.48
16	87.48	88.39	1.01	110.99
17	88.39	90.53	2.01	93.93
18	90.53	93.57	3.02	99.34
19	93.57	96.01	2.26	92.62
20	96.01	98.91	2.71	93.45
21	98.91	101.80	2.93	101.38
22	101.80	102.72	1.09	118.48
23	102.72	105.77	2.89	94.75
24	105.77	108.81	3.06	100.66
25	108.81	111.86	3.05	100.00
26	111.86	114.91	2.95	96.72
27	114.91	117.65	2.78	101.46
28	117.65	120.70	3.02	99.02
29	120.70	122.83	2.20	103.29
30	122.83	124.05	1.14	93.44
31	124.05	126.80	2.60	94.55
32	126.80	129.84	3.11	102.30
33	129.84	133.20	3.00	89.29
34	133.20	136.25	2.99	98.03
35	136.25	139.29	2.90	95.39
36	139.29	141.73	2.40	98.36
37	141.73	144.78	3.06	100.33
38	144.78	147.98	3.08	96.25
39	147.98	151.03	3.03	99.34
40	151.03	154.08	2.98	97.70
41	154.08	155.45	1.47	107.30
42	155.45	157.58	2.01	94.37
43	157.58	160.63	3.07	100.66
44	160.63	163.68	3.02	99.02
45	163.68	166.73	2.96	97.05
46	166.73	169.77	2.88	94.74
47	169.77	172.82	2.97	97.38
48	172.82	175.87	2.91	95.41
49	175.87	177.70	1.85	101.09
50	177.70	178.00	0.34	113.33
51	178.00	181.36	2.98	88.69
52	181.36	184.40	2.88	94.74
53	184.40	187.45	3.08	100.98
54	187.45	188.06	0.70	114.75

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40001
RECOVERY - R0D

LINE	FROM	TO	REC	PCT_REC
55	188.06	191.11	2.97	97.38
56	191.11	194.16	3.05	100.00
57	194.16	197.21	3.05	100.00
58	197.21	200.25	3.06	100.66
59	200.25	203.30	2.79	91.48
60	203.30	206.35	3.01	98.69
61	206.35	209.40	2.65	86.89
62	209.40	212.45	2.06	67.54
63	212.45	213.66	0.56	46.28
64	213.66	214.58	0.31	33.70
65	214.58	215.80	0.84	68.85
66	215.80	217.32	1.15	75.66
67	217.32	218.85	1.31	85.62
68	218.85	220.37	1.33	87.50
69	220.37	220.98	0.65	106.56
70	220.98	227.38	5.85	91.41
71	227.38	230.12	2.57	93.80
72	230.12	231.53	1.22	86.52
73	231.53	233.78	2.28	101.33

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB40001
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	130.58	130.85	113223	0.27	0	1.33	0.0	0	10	0.0	0	1.18
2	130.85	132.15	113224	1.30	0	0.76	0.0	0	0	0.0	0	1.46
3	132.15	132.37	113225	0.22	20	0.47	0.0	0	0	0.0	0	2.54
4	200.57	201.57	113226	1.00	10	2.79	0.0	35	10	0.0	0	3.61
5	209.00	210.00	113227	1.00	0	2.06	0.0	95	0	0.0	0	4.85
6	210.00	212.17	113228	2.17	25	0.61	0.2	265	10	0.0	0	4.15
7	212.17	213.15	113229	0.98	310	0.31	0.4	2350	10	0.0	0	5.44
8	213.15	214.05	113230	0.90	35	0.26	0.4	145	0	0.0	0	5.89
9	214.05	214.65	113231	0.60	5	0.71	0.2	80	0	0.0	0	6.36
10	214.65	215.80	113232	1.15	0	1.41	0.0	70	10	0.0	0	6.32
11	215.80	217.32	113233	1.52	450	2.46	0.2	85	10	0.0	0	5.86
					<hr/>							
MEAN					77.7	1.20	0.1	284.1	5.5	1.0	1.0	4.33
MIN					0.0	0.26	0.0	0.0	0.0	0.0	0.0	1.18
MAX					450.0	2.79	0.4	2350.0	10.0	0.0	0.0	6.36

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS840001
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	130.58	130.85	113223	0.27	0.0	9	68	2	1.04	0	0	0.18
2	130.85	132.15	113224	1.30	0.0	5	94	1	0.75	0	0	0.08
3	132.15	132.37	113225	0.22	0.0	1	127	2	0.47	0	0	0.07
4	200.57	201.57	113226	1.00	0.0	25	28	50	5.92	0	0	0.25
5	209.00	210.00	113227	1.00	0.0	19	251	15	2.50	0	0	0.18
6	210.00	212.17	113228	2.17	0.0	14	118	18	2.24	0	0	0.17
7	212.17	213.15	113229	0.98	0.0	21	30	50	3.78	0	0	0.19
8	213.15	214.05	113230	0.90	0.0	14	54	32	1.99	0	0	0.12
9	214.05	214.65	113231	0.60	0.0	20	81	53	2.50	0	0	0.19
10	214.65	215.80	113232	1.15	0.0	31	153	40	3.32	0	0	0.19
11	215.80	217.32	113233	1.52	0.0	36	385	48	4.02	0	0	0.14

MEAN					1.0	17.7	126.3	28.3	2.59	1.0	1.0	0.16
MIN					0.0	1.0	28.0	1.0	0.47	0.0	0.0	0.07
MAX					0.0	36.0	385.0	53.0	5.92	0.0	0.0	0.25

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS840001
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	130.58	130.85	113223	0.27	0	0.70	140	0	0.09	8	500	4
2	130.85	132.15	113224	1.30	0	0.43	111	0	0.09	1	240	0
3	132.15	132.37	113225	0.22	0	0.17	90	0	0.09	1	100	4
4	200.57	201.57	113226	1.00	0	1.86	776	0	0.04	3	180	0
5	209.00	210.00	113227	1.00	0	3.09	591	0	0.04	74	60	0
6	210.00	212.17	113228	2.17	0	2.30	538	0	0.04	56	60	0
7	212.17	213.15	113229	0.98	0	2.41	668	0	0.02	26	70	0
8	213.15	214.05	113230	0.90	0	2.78	511	0	0.02	41	20	0
9	214.05	214.65	113231	0.60	0	3.45	561	0	0.04	53	30	0
10	214.65	215.80	113232	1.15	0	4.23	701	0	0.02	69	20	0
11	215.80	217.32	113233	1.52	0	4.90	802	0	0.03	87	0	0

MEAN					1.0	2.39	499.0	1.0	0.05	38.1	116.4	0.7
MIN					0.0	0.17	90.0	0.0	0.02	1.0	0.0	0.0
MAX					0.0	4.90	802.0	0.0	0.09	87.0	500.0	4.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB40001

AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	130.58	130.85	113223	0.27	0	0	30	0.00	0	0	15	0
2	130.85	132.15	113224	1.30	0	0	26	0.00	0	0	9	0
3	132.15	132.37	113225	0.22	0	0	38	0.00	0	0	1	0
4	200.57	201.57	113226	1.00	0	20	105	0.00	0	0	137	0
5	209.00	210.00	113227	1.00	0	0	129	0.00	0	0	39	0
6	210.00	212.17	113228	2.17	0	0	172	0.00	0	0	12	5
7	212.17	213.15	113229	0.98	5	10	242	0.00	0	0	21	5
8	213.15	214.05	113230	0.90	10	0	184	0.00	0	0	10	5
9	214.05	214.65	113231	0.60	10	0	164	0.00	0	0	23	5
10	214.65	215.80	113232	1.15	0	0	145	0.00	0	0	45	10
11	215.80	217.32	113233	1.52	5	0	124	0.00	0	0	102	15
					<hr/>							
MEAN					2.7	2.7	123.5	1.00	1.0	1.0	37.6	4.1
MIN					0.0	0.0	26.0	0.00	0.0	0.0	1.0	0.0
MAX					10.0	20.0	242.0	0.00	0.0	0.0	137.0	15.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB40001
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	130.58	130.85	113223	0.27	8
2	130.85	132.15	113224	1.30	4
3	132.15	132.37	113225	0.22	1
4	200.57	201.57	113226	1.00	57
5	209.00	210.00	113227	1.00	30
6	210.00	212.17	113228	2.17	27
7	212.17	213.15	113229	0.98	36
8	213.15	214.05	113230	0.90	14
9	214.05	214.65	113231	0.60	23
10	214.65	215.80	113232	1.15	18
11	215.80	217.32	113233	1.52	24

MEAN	22.0
MIN	1.0
MAX	57.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840002

PROJECT IDEN : WYSD START DATE : 84/12/ 1 COMPLETION DATE : GEOLOGGED BY : LDM +
 COLLAR NORTHING: 5635930.00 COLLAR EASTING : 512385.00 COLLAR ELEVATION: 659.00 GRID AZIMUTH : 0.00
 TOTAL LENGTH : 45.72 CORE/HOLE SIZE :

SURVEY FLAG	SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
000	0.00		238.00	-60.00		

F - INTERVAL - K L (UNITS = FT) E A Y G FROM - TO	CORE RECOV- ERY (%)	% M ROCK I X TYPE	TYP1- FYING TM TM	QAL MIN Q1	TEX- TURES TX TX	GRAIN CHARACS F C % M	FRAC- TURE # TK	STRUCTUR-1 ID STK 1 AZM RT	ALTERATION A A A A QZ BI CY CB	MINS A A A A M6 XX PY CP	DRE-TYPE A A A A GL YY	MINS A A A A SUMMARY
R	0.00	45.72	HOLE ABANDONED IN OVERBURDEN.									

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40002
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
------	------	----	-----	---------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB40002
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	AL%	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - W5840002
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	6APPM	HGPPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB40002
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB40002
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - W5B40002
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------

NO Records Found for this Report

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS84002A

PROJECT IDEN : WYSD START DATE : 84/12/ 1 COMPLETION DATE : GEOLOGGED BY : LDM +
 COLLAR NORTHING: 5635930.00 COLLAR EASTING : 512385.00 COLLAR ELEVATION: 659.00 GRID AZIMUTH : 0.00
 TOTAL LENGTH : 51.82 CORE/HOLE SIZE :

SURVEY FLAG	SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
000	0.00		238.00	-65.00		
<p>F - I N T E R V A L - CORE % TYPICAL TEX- GRAIN FRAC- STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS K L (UNITS = FT) RECOV- M ROCK FYING MIN TURES CHARACS TURE H H H H H ANY H H H ANY E A ERY I TM TM MAT TX TX F C % M T ID STK DIP A A A A A MIN A A A MIN Y G F R O M - T O (%) X TYPE 1 2 QM1 1 2 F F C P # TK 1 AZM RT QZ BI CY CB MG XX PY CP GL YY SUMMARY</p> <hr/> <p>K F ROCK FOR EN RT TM QM2 TX TX S R S D DIP F T ID STK DIP KF MU CL EP HE HA PR MO SL HA E L QUAL MEM V Q LC- 3 3 4 O N H / SML I 2 AZM RT H H H H H H H H Y G DESIG AGE COL R D P C STRUCTUR-2 A A A A A A A A</p>						
R	0.00	51.82	HOLE ABANDONED IN OVERBURDEN.			

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS84002A
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
------	------	----	-----	---------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB4002A
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	AL%	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS84002A
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS84002A
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPP	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS84002A
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TI%	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS84002A
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------

NO Records Found for this Report

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840003 (CONTINUED)

K E Y	F - INTERVAL - L (UNITS = MT) G FROM - TO		CORE RECOV- ERY (%)	Z M ROCK I X TYPE	TYPI- FYING TM TM	QAL MAT	TEX- TX TX	GRAIN CHARACS F C Z M	FRAC- TURE # TK	STRUCTUR-1 ID STK 1 AZM	ALTERATION DIP RT	MINS A A A A MR CY AK SR	ORE-TYPE H H H H H MIN A A A MIN	MINS ANY H H H ANY XX PY CP LI YY	SUMMARY
	ROCK QUAL DESIG	FOR EN RT MEM V Q LC- AGE COL													
R	82.91	87.08	CORE UNAVAILABLE FOR LOGGING.												
N	82.91	87.08	X M1N N												
R	87.08	107.00	BANDS OF MASSIVE SULPHIDE IN GREENSTONE; SULPHIDE IS PYRITE AND IS MASSIVE TO MEDIUM-GRAINED CUBIC. ONE BAND MEASURED AT 45 DEGREES. MASSIVE SUPHIDES ALSO CONCENTRATED IN SHEARS AT 10-20 DEGREES. PROBABLE SHEAR ZONES AT APPROX 95.43m AND FROM 105.16-105.77m. GREENSTONE IS LOCALLY AMYGDALOIDAL. MASS. SULPHS ABOUT 15% OF INTERVAL; PREVIOUSLY SPLIT AND SAMPLED.												
R	87.08	107.00	X GNST BLO A* BN 2 3 8 4 N SH 10 M2 D?												
R	87.08	107.00	4G SH BN 45 A*												
R	87.08	107.00	SHEARED ZONE WITH MASSIVE SULPHIDES, MOSTLY PYRITE. BLEACHED. SHEARED AT 10-20 DEGREES. PYRITE, MEDIUM CUBIC TO MASSIVE. LOCAL AMYGDULES. PREVIOUSLY SPLIT AND SAMPLED.												
R	87.08	107.00	8 GNST BL7 SH BN N P= M3												
N	87.08	107.00	GW A* B A(
L	107.00	117.17	MASSIVE SULPHIDE BAND: BANDING AT 25-30 DEGREES. SULPHIDES PREDOMINATELY FINE TO MEDIUM CUBIC PYRITE WITH MINOR CHALCOPYRITE. SULPHIDES 30-40%. LOCAL SHEARING. LOCAL QUARTZ-CALCITE STOCKWORK AT APPROX. 146.20m. MINOR LIMONITE ON VEINS. 1-5cm CALCITE VEIN AT UC AT 33 DEGREES. INTERVAL PREVIOUSLY SPLIT AND SAMPLED.												
R	107.00	117.17	9 GNST BN SH 2 3 4 4 N LC 30 K) M3 B) C)												
R	107.00	117.17	GY SK SK 30 K)												
R	143.41	146.91	DYKE FELSITE: WHITE; FINE-GRAINED, EQUIGRANULAR. 2% DISSEMINATED LIMONITE SPOTS. LIMONITE ALSO AS FRACTURE COATINGS. SHARP UC AT 30 DEGREES, LC IS BROKEN. SPOTS OF PYRITE AND FINE SULPHIDE(PYRITE?), TO 1.5%. VERY FINE SERICITE DISSEMINATED THROUGHOUT TO 3%. FRACTURES COMMONLY AT 50 DEGREES AND 15 DEGREES. MINOR QUARTZ VEINS. MINOR CALCITE VEINING. VERY FINE LIMONITE STOCKWORK. PREVIOUSLY SPLIT AND SAMPLED FROM 155.45-158.80m												
R	143.41	146.91	X D/FL SK 2 2 8 3 N UC 30 V(0+ 0+												
R	143.41	146.91	M 5 V* D+ D(
R	143.41	146.91	FRACTURED GREENSTONE: DARK GREEN. MODERATELY WELL TO EXTREMELY WELL FRACTURED, SOME SHEARING. AMYGDALOIDAL, LOCALLY. CALCITE STRINGERS AND VEINLETS COMMON. DISSEMINATED PYRITE 2-3%. PYRITE RARELY AS THIN BANDS WITH CHALCOPYRITE STRINGERS. A COMMON FRACTURE TREND AT 5-10 DEGREES. SECTION FROM 166.12-167.64m ONLY MODERATELY FRACTURED. NARROW CLAY GOUGE (1-2cm) AT APROX 116.46M PREVIOUSLY SPLIT AND SAMPLED FROM 162.92-165.05M AND 176.02-182.42M.												
R	143.41	146.91	8 GNST SH A* 2 3 6 4 N F/ 10 D+ V*												
R	143.41	146.91	4G 8 V)												
N	146.91	158.80	GNST A* SH P Q- Q+ D(
L	158.80	182.42													
R	158.80	182.42													
R	158.80	182.42													
R	158.80	182.42													
R	158.80	182.42													
R	158.80	182.42													
R	158.80	182.42													
R	158.80	182.42													
R	158.80	182.42													
N	158.80	182.42													
L	158.80	182.42													
P	203.45	374.66													

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840003 (CONTINUED)

F - INTERVAL -		CORE	%	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1	ALTERATION	MINS	ORE-TYPE	MINS										
K L (UNITS = MT)		RECOV-	M ROCK	FYING	MIN	TURES	CHARACS	TURE		H H H H	A ANY	H H H ANY											
E A		ERY	I	TM TM	MAT TX	TX TX	F C	Z M	T ID	STK	DIP	A A A A	A MIN	A A A MIN									
Y G FROM - TO		(%)	X TYPE	1 2	Q M1	1 2	F F	C P	# TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY
K F		ROCK	FOR EN	RT	TM QM2	TX TX	S R	S O	DIP F	T ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA	
E L		QUAL	MEM V	Q LC-	3	3 4	O N	H /	SML I	2	AZM	RT			H H H H	H H H H	H H H H						
Y G		DESIG	AGE	COL		R D	P C			STRUCTUR-2			A	A	A	A	A	A	A	A	A	A	
L					4G	KR					A+												
R	203.45	374.66	GREENSTONE(SEPARATED FROM FIRST PRIMARY INTERVAL ONLY FOR CONVENIENCE). MEDIUM TO DARK GREEN. FINE GRAINED. AMYGDULES COMMON-CALCITE FILLED. LOCALLY BRECCIATED.SHEAR ZONE AT 217.02m; SHEARED AND FRACTURED (GOUGE?) 218.54-219.46m. SHEARED ZONE: 7cm AT 256.03m AT 25-30 DEGREES; CLAY GOUGE TO 20%, PYRITE PATCHES TO 20%. 1-2cm CALCITE VEIN AT 270.36m AT 15 DEGREES.SHEAR AT 272.50m AT 15 DEGREES. CALCITE VEINS AT 319.40 AND AT 318.50m AT 10-30 DEGREES: 6-7 VEINS IN 15 cm, 2-10mm WIDE. SERPENTINE "CHIPS" AROUND 356.16m. SHEARING AT 369.27m AT 30 DEGREES-CARBONACEOUS WITH MINOR CALCITE STRINGERS. EXTREMELY CARBONACEOUS SHEAR AT 373.14m AT 10 DEGREES WITH CARBONATE VEINLETS; WEAK TO MODERATE ALTERATION (TAN) FROM 373.14-373.75m.																				
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	374.66																					
R	203.45	213.51	MINERALIZED ZONE: TAN TO DARK GREEN. FINE GRAINED. CLOTS AND BANDS OF PYRITE AND CHALCOPYRITE IN WEAKLY ALTERED AND MODERATE LOCAL SHEARING FROM 203.45 TO 209.40m, SULPHIDES 10% FROM 209.40-210.31m; CHALCO TO 5% AND SPHALERITE 5-10%, PYRITE 10-15%, MEDIUM TO COARSE CUBIC. FROM 211.23-212.75m: ZONE IS SHEARED AND HAS MEDIUM AND COARSE CUBIC PYRITE TO 20%, CHALCO 2-3%, SPHALERITE 1%. FROM 213.21-213.51m: SHEARED WITH 15% PYRITE, 3-5% SPHAL., AND SILICIA BANDS(JASP?). PREVIOUSLY SPLIT AND SAMPLED.																				
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
R	203.45	213.51																					
N	203.45	213.51	PY B GNST BN SH 2 3 7 4 N Q) Q1 Q+ SP																				
L					4G	KR					C*												
R	217.79	218.24	MASSIVE SUPHIDE ZONE: PYRITE MASSIVE AND FINE TO MEDIUM CUBIC, 70-80%; SPHAL. BANDS, AT 30-40 DEGREES, TO 5%; CHALCO STRINGERS AND DISSEM TO 3%, MINOR CALCITE STRINGERS.PREVIOUSLY SPLIT AND SAMPLED.																				
R	217.79	218.24																					
R	217.79	218.24																					
R	217.79	218.24																					
R	217.79	218.24																					
N	217.79	218.24	X GNST BN N BN 35 M7 D+ SP																				
L					GY						V(
R	219.46	248.41	GREENSTONE: DARK GREEN. LOCAL AMYGDULES. PYRITE AND CHALCOPYRITE LOCALLY DISSEMINATED TO 10% AND 2%, RESPECTIVELY, SOME BARREN SECTIONS. ZONES OF CHLDRITE/SERPENTINE ALTERATION IN SHEARS AT 227.99,230.73, FROM 232.56-233.48m. DISSEM. SULPH THROUGHOUT FROM 219.46-226.77m. SHEARING AT 5-20 DEGREES. PREVIOUSLY SPLIT AND SAMPLED. MASSIVE SULPH FROM 234.23-234.96m, MOSTLY MASS. PYRITE RARE SILICA PATCHES. LOCAL STOCKWORKING-RARE(242.10).																				
R	219.46	248.41																					
R	219.46	248.41																					
R	219.46	248.41																					
R	219.46	248.41																					
R	219.46	248.41																					
R	219.46	248.41																					
R	219.46	248.41																					
R	219.46	248.41																					
R	219.46	248.41																					
N	219.46	248.41	X GNST A* BN N BN 10 Q(Q= D*																				
L					4G	SH	SK				A*												
R	248.41	254.66	MINERALIZED GREENSTONE: GREEN TO TAN. BLEACHED. SHEARED.PATCHES OF INTENSE ALTERATION. WELL-FRACTURED TO CRUMBLY. WEAK CALCITE VEINING. POSSIBLY AT 45 DEGREES. COARSE CUBIC PYRITE 15-30%.																				
R	248.41	254.66																					
R	248.41	254.66																					

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840003 (CONTINUED)

F - INTERVAL -			CORE	%	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS																				
K L (UNITS = MT)			RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H ANY H H H ANY																			
E A			ERY	I	TM	TM	MAT	TX	TX	F C % M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	MIN							
Y G FROM - TO			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CV	AK	SR	XX	PY	CP	LI	YY	SUMMARY
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	D	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA
E L			QUAL	MEN	V	Q	LC-	3	3	4	O	N	H	/	SML	I	2	AZM	RT				H	H	H	H	H	H	H	H
Y G			DESIG	AGE	COL						R	D	P	C			STRUCTUR-2 A A A A A A A A													
R	401.05	402.43	IN STRINGERS 1-2%.																											
N	401.05	402.43	LI X GRAN BR KR 2 4 4 4 N 3 QA 15 V2 D- Q= D+ P+																											
L			AU SH 7 L+																											
P	402.95	442.67	DIOR EQ PP 2 4 5 4 P 0 CV 45																											
L			4G 6																											
R	402.95	442.67	DIORITE: MEDIUM GREEN. FINE TO MEDIUM GRAINED. LOCALLY																											
R	402.95	442.67	PORPHYRITIC GRANITE MIX AND BANDS TO 10%. XENOLITHS OF																											
R	402.95	442.67	GREENSTONE. MINOR CALCITE VEINS. RARE QUARTZ VEINS. SHEARED																											
R	402.95	442.67	ZONE AT 434.87m AT 30 DEGREES, MUCH CHLORITE/SERPENTINE																											
R	402.95	442.67	ALTERATION, APPROX 15cm. SHEARING AT 436.75-25cm, AT																											
R	402.95	442.67	436.45-10cm.																											
R	410.38	412.10	GREENSTONE: MEDIUM GREEN. FINE GRAINED. 5% INTRUSIVE (GRANITE?)																											
R	410.38	412.10	INJECTIONS. MINOR CALCITE +/- QUARTZ STRINGERS.																											
N	410.38	412.10	9 GNST 2 3 7 3 N 0 CV 45 V(
L			4G V*																											
R	412.10	416.59	QUARTZ VEINING ZONE: ALTERATION ZONE FROM 412.10-413.00m AT																											
R	412.10	416.59	412.10: SHEARING AT 20 DEGREES, QUARTZ VEIN 1cm WIDE AT 60																											
R	412.10	416.59	DEGREES. ALTERED ZONE: TAN-GREEN, ANKERITE ALTERATION,																											
R	412.10	416.59	CRACKLED. QUARTZ VEINING AT 413m AT 30 DEGREES(UC), LC AT 15-20																											
R	412.10	416.59	DEGREES; ALTERATION FROM 413.40-413.90m. QZ VEIN UC AT 40																											
R	412.10	416.59	DEGREES, LC BROKEN. AT 415.60m: QZ VN-ALTERED DIORITE? CONTACT																											
R	412.10	416.59	IS CLAY GOUGE AND LIMONITIC. ARSENOPYRITE DISSEMINATED																											
R	412.10	416.59	THROUGHOUT ALTERED SECTIONS (INTRUSIVE-POSSIBLY GRANITE?) 2-3%																											
R	412.10	416.59	PYRITE DISSEM 2-3%. PREVIOUSLY SPLIT AND SAMPLED FROM																											
R	412.10	416.59	413.0-416.49m																											
N	412.10	416.59	3 VNQZ KR SH N V3 6) Q= D+ P=																											
L			W0 D+																											
R	416.59	417.40	ZONE OF VEINING: MEDIUM-DARK GREEN. FINE TO MEDIUM GRAINED.																											
R	416.59	417.40	MODERATE CALCITE VEINING WITH LOCAL FINE STOCKWORK (CALCITE).																											
R	416.59	417.40	MINOR TO MODERATE QUARTZ VEINING: WHITE AND DARK GRAY VEINS AT																											
R	416.59	417.40	40-50 DEGREES. SHEARED ZONE WITH CALCITE VEINING AT 25 DEGREES																											
R	416.59	417.40	AT 418.80m, LOCAL BRECCIATION.																											
N	416.59	417.40	X DIOR BR SK 3 4 5 4 12 4 N SH 25 V) Q+ D)																											
L			4G SH X 8 V+ L=																											
R	430.30	432.31	DYKE: HORNBLende PORPHYRY-DARK GREEN. FINE GRAINED WITH 3-5%																											
R	430.30	432.31	PHENOCRYSTS 1-5mm; CHLORITE ALTERED PHENOS. UC SHARP AT 45																											
R	430.30	432.31	DEGREES, LC SHARP AT 45 DEGREES. LOCALLY CRACKLED. 1% INTRUSIVE																											
R	430.30	432.31	BANDS, MINOR CALCITE VEINLETS.																											
N	430.30	432.31	9 D/HF PP KR 2 5 = 5 N UC 45																											
L			4G 6 LC 45 V(H+																											
R	433.54	434.19	DYKE: HORNBLende PORPHYRY-DARK GREEN. FINE GRAINED WITH 5%																											
R	433.54	434.19	PHENOCRYSTS 1-5mm-COMMONLY ALTERED TO CHLORITE. CHILLED																											
R	433.54	434.19	CONTACTS. C AT 45 DEGREES, LC BROKEN.																											

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40003
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
------	------	----	-----	---------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB40003
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	42.66	43.16	113248	0.50	170	2.42	0.0	1425	10	0.0	0	4.49
2	43.16	43.94	113249	0.78	700	1.89	0.0	1730	0	0.0	0	3.87
3	360.78	361.11	113250	0.33	10	3.57	0.0	50	0	0.0	0	3.62
4	398.80	400.20	113251	1.40	10	1.26	0.0	0	0	0.0	0	3.44
5	400.20	401.05	113252	0.85	285	0.63	0.0	590	10	0.0	0	7.55
6	401.05	402.11	113253	1.06	25	1.64	0.0	5	0	0.0	0	2.12
7	402.11	402.43	113254	0.32	5	1.63	0.0	10	10	0.0	0	5.94
8	412.10	413.00	113255	0.90	10	2.82	0.0	60	20	0.0	0	5.39
9	413.00	413.40	113256	0.40	40	1.38	0.0	20	10	0.0	0	4.97
10	413.40	413.90	113257	0.50	165	1.21	0.0	1275	10	0.0	0	7.37
11	413.90	415.59	113258	1.69	570	0.17	0.0	2060	0	0.0	0	5.45
12	415.59	416.59	113259	1.00	20	2.07	0.0	30	10	0.0	0	6.16
					<hr/>							
MEAN					167.5	1.72	1.0	604.6	6.7	1.0	1.0	5.03
MIN					5.0	0.17	0.0	0.0	0.0	0.0	0.0	2.12
MAX					700.0	3.57	0.0	2060.0	20.0	0.0	0.0	7.55

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS840003
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	42.66	43.16	113248	0.50	0.5	27	135	83	6.05	0	0	0.01
2	43.16	43.94	113249	0.78	0.5	27	65	101	5.74	0	0	0.14
3	360.78	361.11	113250	0.33	0.0	31	285	12	6.24	10	0	0.03
4	398.80	400.20	113251	1.40	0.0	8	50	6	3.20	0	0	0.03
5	400.20	401.05	113252	0.85	0.0	21	66	41	4.20	0	0	0.19
6	401.05	402.11	113253	1.06	0.0	15	51	20	4.08	0	0	0.06
7	402.11	402.43	113254	0.32	0.0	36	127	59	5.22	0	2	0.09
8	412.10	413.00	113255	0.90	0.0	32	47	13	5.17	0	0	0.36
9	413.00	413.40	113256	0.40	0.0	17	122	12	3.82	0	0	0.15
10	413.40	413.90	113257	0.50	0.0	36	21	75	5.38	0	1	0.33
11	413.90	415.59	113258	1.69	0.0	12	45	14	2.32	0	0	0.10
12	415.59	416.59	113259	1.00	0.5	36	59	57	4.13	0	0	0.15

MEAN					0.1	24.8	89.4	41.1	4.63	0.8	0.2	0.14
MIN					0.0	8.0	21.0	6.0	2.32	0.0	0.0	0.01
MAX					0.5	36.0	285.0	101.0	6.24	10.0	2.0	0.36

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS840003
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	42.66	43.16	113248	0.50	0	3.31	1109	0	0.02	58	250	82
2	43.16	43.94	113249	0.78	0	3.50	1745	0	0.02	31	190	2
3	360.78	361.11	113250	0.33	0	4.72	1248	0	0.02	100	230	0
4	398.80	400.20	113251	1.40	0	1.15	483	0	0.08	12	300	6
5	400.20	401.05	113252	0.85	0	3.16	938	0	0.03	24	100	6
6	401.05	402.11	113253	1.06	0	1.66	548	0	0.08	17	490	2
7	402.11	402.43	113254	0.32	0	3.74	921	0	0.05	106	150	10
8	412.10	413.00	113255	0.90	0	2.97	817	0	0.04	22	90	0
9	413.00	413.40	113256	0.40	0	2.64	644	0	0.05	42	220	6
10	413.40	413.90	113257	0.50	0	3.35	960	0	0.04	41	40	2
11	413.90	415.59	113258	1.69	0	2.00	557	0	0.01	15	190	2
12	415.59	416.59	113259	1.00	0	4.26	805	0	0.04	48	10	8

MEAN					1.0	3.04	897.9	1.0	0.04	43.0	188.3	10.5
MIN					0.0	1.15	483.0	0.0	0.01	12.0	10.0	0.0
MAX					0.0	4.72	1745.0	0.0	0.08	106.0	490.0	82.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS840003
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	42.66	43.16	113248	0.50	0	0	150	0.00	0	0	202	0
2	43.16	43.94	113249	0.78	5	0	164	0.00	0	0	106	0
3	360.78	361.11	113250	0.33	5	0	118	0.00	0	0	193	0
4	398.80	400.20	113251	1.40	0	0	94	0.02	0	0	51	0
5	400.20	401.05	113252	0.85	0	0	220	0.00	0	0	96	0
6	401.05	402.11	113253	1.06	0	0	48	0.00	0	0	67	0
7	402.11	402.43	113254	0.32	5	0	141	0.00	0	0	129	0
8	412.10	413.00	113255	0.90	0	0	117	0.01	0	0	178	0
9	413.00	413.40	113256	0.40	0	0	131	0.00	0	0	69	0
10	413.40	413.90	113257	0.50	5	0	263	0.00	0	0	118	0
11	413.90	415.59	113258	1.69	5	0	214	0.00	0	0	11	0
12	415.59	416.59	113259	1.00	0	0	118	0.00	0	0	81	0

MEAN					2.1	1.0	148.2	0.00	1.0	1.0	108.4	1.0
MIN					0.0	0.0	48.0	0.00	0.0	0.0	11.0	0.0
MAX					5.0	0.0	263.0	0.02	0.0	0.0	202.0	0.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS840003
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	42.66	43.16	113248	0.50	67
2	43.16	43.94	113249	0.78	106
3	360.78	361.11	113250	0.33	70
4	398.80	400.20	113251	1.40	12
5	400.20	401.05	113252	0.85	26
6	401.05	402.11	113253	1.06	17
7	402.11	402.43	113254	0.32	35
8	412.10	413.00	113255	0.90	29
9	413.00	413.40	113256	0.40	19
10	413.40	413.90	113257	0.50	36
11	413.90	415.59	113258	1.69	14
12	415.59	416.59	113259	1.00	29

MEAN	38.3
MIN	12.0
MAX	106.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840004 (CONTINUED)

SUMMARY REMARKS

THIS HOLE INTERSECTED 5m OF OVERBURDEN, 39m UNIFORM GREENSTONE, 180m DIORITE, AND 6m UNIFORM GREENSTONE AGAIN. THE UPPER GREENSTONE HAD SEVERAL DIORITE INJECTINS, AND A 2m ARGILLITE SECTION. ALSO A QUARTZ STOCKWORK AT 40m. DIORITE CONTAINS SEVERAL INTERMEDIATE HORNBLENDE PORPHYRY DYKES AND TWO FELSIC DYKES; ONE AT 125m HAS WEAK ANKERITE ALTERATION. CONGLOMERATE OR FAULT BRECCIA AT 200m. LOWER GREENSTONE ALSO HAS SEVERAL DIORITE INJECTIONS. NO FAULTING OR MINERALIZATION

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40004
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	5.18		
2	5.18	7.32	1.72	80.37
3	7.32	9.14	2.00	109.89
4	9.14	11.28	1.49	69.63
5	11.28	14.33	2.79	91.48
6	14.33	15.77	1.44	100.00
7	15.77	21.26	0.00	0.00
8	21.26	23.16	1.90	100.00
9	23.16	27.75	2.04	44.44
10	27.75	33.25	3.92	71.27
11	33.25	38.71	4.92	90.11
12	38.71	40.54	1.47	80.33
13	40.54	43.59	2.40	78.69
14	43.59	44.50	0.70	76.92
15	44.50	47.55	2.70	88.52
16	47.55	50.75	3.15	98.44
17	50.75	56.69	4.60	77.44
18	56.69	59.74	3.10	101.64
19	59.74	62.79	3.64	119.34
20	62.79	66.14	2.77	82.69
21	66.14	69.19	3.10	101.64
22	69.19	72.24	2.87	94.10
23	72.24	75.29	3.08	100.98
24	75.29	78.33	2.60	85.53
25	78.33	84.43	5.93	97.21
26	84.43	87.48	3.08	100.98
27	87.48	90.53	2.19	71.80
28	90.53	93.57	3.01	99.01
29	93.57	102.85	8.54	92.03
30	102.85	105.77	2.92	100.00
31	105.77	111.86	5.79	95.07
32	111.86	112.47	0.44	72.13
33	112.47	114.91	2.55	104.51
34	114.91	117.04	1.81	84.98
35	117.04	120.09	3.07	100.66
36	120.09	123.14	2.89	94.75
37	123.14	126.19	2.87	94.10
38	126.19	134.72	8.15	95.55
39	134.72	138.68	3.68	92.93
40	138.68	141.73	2.83	92.79
41	141.73	144.17	2.52	103.28
42	144.17	145.39	1.33	109.02
43	145.39	148.13	2.70	98.54
44	148.13	151.18	2.96	97.05
45	151.18	157.28	5.77	94.59
46	157.28	158.19	1.30	142.86
47	158.19	160.63	2.23	91.39
48	160.63	163.53	2.65	91.38
49	163.53	169.77	6.22	99.68
50	169.77	172.82	3.05	100.00
51	172.82	175.87	2.93	96.07
52	175.87	178.92	2.30	75.41
53	178.92	181.54	2.37	90.46
54	181.54	184.59	2.95	96.72

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40004
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
55	184.59	187.63	3.07	100.99
56	187.63	190.73	3.10	100.00
57	190.73	196.13	5.47	101.30
58	196.13	200.25	4.12	100.00
59	200.25	203.30	3.03	99.34
60	203.30	206.35	2.98	97.70
61	206.35	209.40	3.03	99.34
62	209.40	215.49	6.10	100.16
63	215.49	220.37	4.68	95.90
64	220.37	222.50	1.86	87.32
65	222.50	223.70	1.20	100.00
66	223.70	228.60	4.45	90.82

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB40004
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	40.38	41.40	116257	1.02	0	3.66	0.0	0	0	0.0	0	6.45
MEAN					1.0	3.66	1.0	1.0	1.0	1.0	1.0	6.45
MIN					0.0	3.66	0.0	0.0	0.0	0.0	0.0	6.45
MAX					0.0	3.66	0.0	0.0	0.0	0.0	0.0	6.45

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS840004
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	CDPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	40.38	41.40	116257	1.02	0.0	25	401	54	2.94	0	1	0.00
MEAN					1.0	25.0	401.0	54.0	2.94	1.0	1.0	1.00
MIN					0.0	25.0	401.0	54.0	2.94	0.0	1.0	0.00
MAX					0.0	25.0	401.0	54.0	2.94	0.0	1.0	0.00

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS840004
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	40.38	41.40	116257	1.02	0	3.50	410	0	0.02	149	150	0
MEAN					1.0	3.50	410.0	1.0	0.02	149.0	150.0	1.0
MIN					0.0	3.50	410.0	0.0	0.02	149.0	150.0	0.0
MAX					0.0	3.50	410.0	0.0	0.02	149.0	150.0	0.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB40004
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	40.38	41.40	116257	1.02	0	0	72	0.09	0	0	91	5
MEAN					1.0	1.0	72.0	0.09	1.0	1.0	91.0	5.0
MIN					0.0	0.0	72.0	0.09	0.0	0.0	91.0	5.0
MAX					0.0	0.0	72.0	0.09	0.0	0.0	91.0	5.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB40004
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	40.38	41.40	116257	1.02	29

MEAN					29.0
MIN					29.0
MAX					29.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840005

PROJECT IDEN : WYSD START DATE : 84/ 7/24 COMPLETION DATE : 84/ 7/24 GEOLOGGED BY : MDM +
COLLAR NORTHING: 5635264.00 COLLAR EASTING : 511930.00 COLLAR ELEVATION: 669.50 GRID AZIMUTH : 0.00
TOTAL LENGTH : 294.74 CORE/HOLE SIZE : NQ

Table with columns: SURVEY FLAG, SURVEY POINT LOCATION, FORESIGHT, AZIMUTH (DEGREES), VERTICAL ANGLE (DEGREES), NORTHING, EASTING. Includes detailed geological descriptions for various intervals (K L, E A, Y G) and lithological notes such as 'DIORITE: MEDIUM GRAY AND PALE GREY-BROWN MOTTLED...' and 'GREENSTONE: MEDIUM TO DARK GREY-GREEN...'.

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840005 (CONTINUED)

F - INTERVAL -			CORE RECOVERY (%)	% M ROCK	TYPI- QAL		TEX- GRAIN		FRAC- TURE	STRUCTUR-1			ALTERATION MINS					ORE-TYPE MINS																						
K L	(UNITS = MT)				ERY	I	TM	TM		TX	TX	F	C	%	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN	A	A	A	MIN	A	A	A	MIN	SUMMARY		
Y G	FROM	TO	(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY											
R	233.65	243.60																																						
R	233.65	243.60																																						
N	233.65	243.60																																						
L																																								
R	250.84	263.24																																						
R	250.84	263.24																																						
R	250.84	263.24																																						
R	250.84	263.24																																						
N	250.84	263.24																																						
L																																								
R	275.12	278.08																																						
R	275.12	278.08																																						
R	275.12	278.08																																						
R	275.12	278.08																																						
R	275.12	278.08																																						
N	275.12	278.08																																						
L																																								
R	283.48	285.80																																						
R	283.48	285.80																																						
R	283.48	285.80																																						
R	283.48	285.80																																						
R	283.48	285.80																																						
R	283.48	285.80																																						
R	283.48	285.80																																						
R	283.48	285.80																																						
R	283.48	285.80																																						
N	283.48	285.80																																						
L																																								

SUMMARY REMARKS

THIS HOLE INTERSECTED 8m OVERBURDEN. 4m DIORITE, 46m UNIFORM GREENSTONE, AND 236m VARIABLE-TEXTURED GREENSTONE. 1m CONGLOMERATE OR FAULT BRECCIA AT 64m. SEVERAL FELSIC "STRIPED" DYKES AND AN INTERMEDIATE DYKE, TYPICALLY WITH WEAK ANKERITE ALTERATION. QUARTZ STOCKWORK AT 73m HAS SPOTTY MARIPOSITE. CHALCOPYRITE TO 1.5% AT 120m. FAULT ZONE AT 189m, DIPS 30 DEGREES IN ANKERITE ALTERATION WITH CLAY GOUGE SMALL QUARTZ VEIN AT 285.58m HAS ARSENOPRITE IN ANKERITE ALTERATION.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40005
RECOVERY - RRD

LINE	FROM	TO	REC	PCT_REC
1	0.00	7.89	0.00	0.00
2	7.89	12.19	4.30	100.00
3	12.19	18.12	5.10	86.00
4	18.12	23.47	5.27	98.50
5	23.47	26.52	3.06	100.33
6	26.52	29.14	2.62	100.00
7	29.14	32.61	3.46	99.71
8	32.61	34.75	1.95	92.00
9	34.75	37.80	2.73	89.51
10	37.80	40.84	3.09	101.64
11	40.84	46.82	5.71	95.48
12	46.82	48.46	1.68	102.44
13	48.46	50.90	2.39	97.95
14	50.90	53.95	3.10	101.64
15	53.95	57.00	2.75	90.16
16	57.00	66.14	8.17	89.39
17	66.14	74.07	7.32	92.31
18	74.07	77.81	3.74	100.00
19	77.81	82.80	0.00	0.00
20	82.80	90.10	6.44	88.22
21	90.10	93.15	3.06	100.33
22	93.15	97.23	4.01	98.28
23	97.23	98.94	1.65	97.08
24	98.94	101.99	2.97	97.38
25	101.99	105.03	2.99	98.36
26	105.03	107.90	2.82	98.26
27	107.90	110.34	2.47	101.23
28	110.34	114.91	4.50	98.47
29	114.91	121.01	5.68	93.11
30	121.01	124.05	2.75	90.46
31	124.05	127.10	3.09	101.31
32	127.10	130.15	2.64	86.56
33	130.15	132.74	2.59	100.00
34	132.74	135.79	3.06	100.00
35	135.79	138.68	2.89	100.00
36	138.68	146.30	7.31	95.93
37	146.30	150.79	4.49	100.00
38	150.79	156.58	4.41	76.17
39	156.58	160.63	3.95	97.53
40	160.63	163.68	3.00	98.36
41	163.68	166.73	3.07	100.66
42	166.73	167.34	0.76	124.59
43	167.34	169.16	1.63	89.56
44	169.16	170.69	1.60	104.58
45	170.69	172.82	1.87	87.79
46	172.82	172.86	0.04	100.02
47	172.86	178.69	0.00	0.00
48	178.69	180.75	2.06	100.00
49	180.75	181.36	0.49	80.33
50	181.36	184.40	2.94	96.71
51	184.40	190.20	5.67	97.76
52	190.20	193.55	2.62	78.21
53	193.55	196.90	3.38	100.90
54	196.90	199.95	3.04	99.67

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS840005
RECOVERY - RDD

LINE	FROM	TO	REC	PCT_REC
55	199.95	203.00	2.98	97.70
56	203.00	206.04	3.04	100.00
57	206.04	208.79	2.58	93.82
58	208.79	211.23	2.13	87.29
59	211.23	213.97	2.92	106.57
60	213.97	217.17	3.01	94.06
61	217.17	220.37	3.05	95.31
62	220.37	221.89	1.66	109.21
63	221.89	224.64	2.16	78.55
64	224.64	227.38	3.05	111.31
65	227.38	228.60	1.12	91.80
66	228.60	231.04	2.28	93.44
67	231.04	232.56	1.49	98.03
68	232.56	235.61	2.87	94.10
69	235.61	238.66	3.03	99.34
70	238.66	241.10	2.27	93.03
71	241.10	244.14	3.08	101.32
72	244.14	245.06	0.90	97.83
73	245.06	249.20	3.98	96.14
74	249.20	253.29	3.31	80.93
75	253.29	256.34	2.70	88.52
76	256.34	258.78	2.28	93.44
77	258.78	260.60	1.07	58.79
78	260.60	261.21	0.51	83.61
79	261.21	264.26	2.59	84.92
80	264.26	267.31	2.59	84.92
81	267.31	269.75	1.88	77.05
82	269.75	272.97	3.08	95.65
83	272.97	276.45	3.25	93.39
84	276.45	279.50	2.85	93.44
85	279.50	281.33	1.73	94.54
86	281.33	284.38	3.07	100.66
87	284.38	286.21	1.80	98.36
88	286.21	289.26	3.05	100.00
89	289.26	292.30	2.77	91.12
90	292.30	294.74	2.04	83.61

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB40005
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	73.00	73.55	113362	0.55	0	0.74	0.0	120	20	0.0	0	2.74
2	73.55	74.55	113363	1.00	0	0.56	0.0	45	40	0.0	0	5.43
3	120.41	121.56	113364	1.15	0	1.75	0.2	25	10	0.0	0	2.52
4	189.32	189.78	113365	0.46	0	4.38	0.6	0	0	0.0	0	1.77
5	285.42	285.80	113366	0.38	1050	2.24	0.4	3100	30	0.0	0	5.88
					<hr/>							
MEAN					210.0	1.93	0.2	658.0	20.0	1.0	1.0	3.67
MIN					0.0	0.56	0.0	0.0	0.0	0.0	0.0	1.77
MAX					1050.0	4.38	0.6	3100.0	40.0	0.0	0.0	5.88

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WSB40005
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	73.00	73.55	113362	0.55	0.5	29	127	37	5.10	0	0	0.33
2	73.55	74.55	113363	1.00	0.0	28	19	125	5.84	0		0.22
3	120.41	121.56	113364	1.15	0.5	39	215	52	6.38	0	0	0.20
4	189.32	189.78	113365	0.46	1.0	30	71	132	7.04	10	0	0.02
5	285.42	285.80	113366	0.38	0.0	24	31	40	5.42	0	0	0.46

MEAN					0.4	30.0	92.6	77.2	5.96	2.0	1.0	0.25
MIN					0.0	24.0	19.0	37.0	5.10	0.0	0.0	0.02
MAX					1.0	39.0	215.0	132.0	7.04	10.0	0.0	0.46

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB40005
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAX	NIPPM	PPPM	PBPPM
1	73.00	73.55	113362	0.55	0	4.51	1012	0	0.04	116	310	10
2	73.55	74.55	113363	1.00	0	3.43	1112	0	0.07	29	190	6
3	120.41	121.56	113364	1.15	0	6.19	1177	1	0.04	178	430	6
4	189.32	189.78	113365	0.46	0	4.81	1296	1	0.07	26	220	6
5	285.42	285.80	113366	0.38	0	4.11	1095	0	0.04	30	110	4

MEAN					1.0	4.61	1138.4	0.4	0.05	75.8	252.0	6.4
MIN					0.0	3.43	1012.0	0.0	0.04	26.0	110.0	4.0
MAX					0.0	6.19	1296.0	1.0	0.07	178.0	430.0	10.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB40005
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TI%	TLPPM	UPPM	VPPM	WPPM
1	73.00	73.55	113362	0.55	5	0	133	0.00	0	0	68	0
2	73.55	74.55	113363	1.00	5	0	187	0.00	0	0	45	0
3	120.41	121.56	113364	1.15	0	0	81	0.00	0	0	118	0
4	189.32	189.78	113365	0.46	0	0	10	0.31	0	0	261	0
5	285.42	285.80	113366	0.38	5	0	256	0.00	0	0	83	0

MEAN					3.0	1.0	133.4	0.06	1.0	1.0	115.0	1.0
MIN					0.0	0.0	10.0	0.00	0.0	0.0	45.0	0.0
MAX					5.0	0.0	256.0	0.31	0.0	0.0	261.0	0.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - W5840005
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	73.00	73.55	113362	0.55	65
2	73.55	74.55	113363	1.00	65
3	120.41	121.56	113364	1.15	68
4	189.32	189.78	113365	0.46	259
5	285.42	285.80	113366	0.38	65

MEAN	104.4
MIN	65.0
MAX	259.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840006

PROJECT IDEN : WYSD START DATE : 84/ 7/30 COMPLETION DATE : 84/ 8/ 5 GEOLOGGED BY : LDM +
 COLLAR NORTHING: 5636007.00 COLLAR EASTING : 512260.00 COLLAR ELEVATION: 663.00 GRID AZIMUTH : 0.00
 TOTAL LENGTH : 216.41 CORE/HOLE SIZE : NQ

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING	
000		0.00		213.00	-78.00			
F - INTERVAL -	CORE	%	TYPICAL	GRAIN	FRAC-	STRUCTUR-1	ALTERATION MINS	ORE-TYPE MINS
K L (UNITS = MT)	RECOV-	M ROCK	FYING MIN	TURES	CHARACS	TURE	H H H H H ANY	H H H ANY
E A	ERY	I	TM TM	MAT TX	TX F C % M	T ID STK	DIP A A A A A	MIN A A A MIN
Y G FROM - TO	(%)	X TYPE	1 2 QM1	1 2 F F C P	# TK	1	AZM RT QZ MR CY AK SR XX PY CP LI YY	SUMMARY
K F	ROCK	FOR EN RT	TM QM2 TX	TX S R S O	DIP F	T ID STK	DIP CA MU CL EP HE HA PR AS FS HA	
E L	QUAL	MEM V @ LC- 3	3 4 O N H /	SML I	2	AZM RT	H H H H H H H H	
Y G	DESIG	AGE	COL	R D P C		STRUCTUR-2	A A A A A A A A	
P	0.00	17.49	OVER			P		
P	17.49	25.60	GRAN	EQ	3 5 4 5	P 0 VN	20	
L			WA			6		
R	17.49	25.60	GRANITE: WHITE TO PALE GRAY. MEDIUM TO COARSE GRAINED;					
R	17.49	25.60	EQUIGRANULAR. WEAK TO MODERATE BLACK STRINGERS AT 15-30 DEG.					
P	25.60	164.53	DIOR	EQ PP	3 5 4 5	P		D*
L			3G			6		
R	25.60	164.53	DIORITE: DARK GREEN. GRAIN SIZE VARIABLE, 15% FINE INTERVALS.					
R	25.60	164.53	EQUIGRANULAR TO PORPHYRITIC. WEAKLY CALCAREOUS LOCALLY.					
R	25.60	164.53	GRANITE "BANDS" - 5%. PYRITE DISSEMINATED TO 0.5%, LOCALLY					
R	25.60	164.53	CONCENTRATED TO 2%. FAULT ZONE FROM 60.35-60.67 M: 10% GOUGE,					
R	25.60	164.53	BRECCIATED, FAULT AT 25 DEG., VERY CHLORITIC/SERPENTINIZED.					
R	25.60	164.53	FROM 88.43-107.02 M: MEDIUM GRAINED EQUIGRANULAR.					
R	25.60	29.47	ALTERED: MEDIUM TO DARK GREEN WITH TAN SPOTS. COARSE-GRAINED,					
R	25.60	29.47	PORPHYRITIC. 2% AUGITE PHENOS 2-5 MM, 5-10% ALTERED FELDSPAR					
R	25.60	29.47	PHENOS (TAN-BROWN) 2-6 MM. CALCAREOUS SPOTS AND VEINLETS.					
R	25.60	29.47	DISSEMINATED PYRITE TO 1%. VERY CHLORITIZED. CALCITE VEINLETS					
R	25.60	29.47	AT 60 DEG.					
N	25.60	29.47	X DIOR	PP	4 5 9 6	N 4 QV	60 V(D)
L			4G				01 H2	
R REC	49.38	57.30	NO BLOCKS IN BOX #7					
R	57.10	57.94	DYKE: QUARTZ-FELDSPAR PORPHYRY. 5% FELDSPAR PHENOCRYSTS 1-5					
R	57.10	57.94	MM, 0.5% QUARTZ PHENOCRYSTS 3-5 MM. PALE BROWN-GRAY. BLACK					
R	57.10	57.94	STRINGERS CLUSTERED TO CRACKLE TEXTURE, AT 40-50 DEG. UPPER					
R	57.10	57.94	CONTACT BROKEN, LOWER CONTACT AT 35-40 DEG. WEAK QUARTZ					
R	57.10	57.94	VEINING.					
N	57.10	57.94	X D/QF	PP	3 5 1 5	N LC	35 V*	
L			8U				2 QV 50	
R	65.04	66.95	DIORITE? DARK GREEN. VERY FINE GRAINED. SILICIFIED. LOWER					
R	65.04	66.95	CONTACT IS BRECCIATED. PYRITE STRINGERS AND CLOTS TO 1%.					
N	65.04	66.95	X DIOR		2 3 9 4	N	P4	D)
L			3G					

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : W5840006 (CONTINUED)

F K L E A Y G	- I N T E R V A L - (UNITS = MT)		CORE RECDV- ERY (%)	X M I X	TYPY- ROCK TYPE	QAL FYING TM	TEX- MIN TM	GRAIN CHARACS S R S O R D P C	FRAC- TURE # TK	STRUCTUR-1 ID	ALTERATION STK AZM	MINS DIP RT	MIN A A A A MR CY AK SR	ORE-TYPE MIN A A A A XX PY CP LI YY	SUMMARY																				
	FROM	TO																																	
R	164.53	177.83	ROCK	FOR	EN	RT	TM	Q2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA					
R	164.53	177.83	QUAL	MEM	V	Q	LC- 3	3	4	0	N	H	/	SML	I	2	AZM	RT					H	H	H	H	H	H	H	H					
Y	G		DESIG	AGE		COL											STRUCTUR-2						A	A	A	A	A	A	A	A					
R	164.53	177.83	MODERATE BLACK STRINGERS. FAIRLY WELL FRACTURED. MINOR DISSEMINATED PYRITE. SECTION FROM 171.00-176.03 M HAS BEEN PREVIOUSLY SPLIT.																																
R	164.53	165.68	SHEARED GRANITE: ORANGE, FINE TO MEDIUM GRAINED. SHEARED AT 25-35 DEG. FAULT AT 165.65 M: VERY CARBONACEOUS, AT 40 DEG. PERVASIVE LIMONITE TO 10%. CALCAREOUS.																																
N	164.53	165.68	LI	X	GRAN		SH	3	4	8	4		N	SH	30																				
L																																			
R	169.62	177.39	NO BLOCKS IN BOX #27																																
R	170.62	173.31	QUARTZ-FLOODING: LIGHT TO MEDIUM GRAY. MEDIUM TO FINE GRAINED. BLACK STRINGERS AT 20 DEG. MINOR LIMONITE STOCKWORK. PYRITE DISSEMINATED TO 10%. FINE SULPHIDES, PROBABLY ARSENOPYRITE, DISSEMINATED TO 2%.																																
N	170.62	173.31	X	GRAN		SK	3	5	3	5		D	VN	20	P4																				
L																																			
R	173.31	174.90	ALTERED ZONE? LIGHT TO MEDIUM BROWN-GREEN. FINE GRAINED. DOLOMITE OR ANKERITE VEINS. MINOR MARIPOSITE AT 174.70 M. MOST OF THE CORE IS MISSING; REMAINDER HAS BEEN SPLIT.																																
N	173.31	174.90	X	D/FL			3	4	9	4		N																							
L																																			
R	174.90	177.83	DYKE: INTERMEDIATE TO FELSIC. TAN TO DARK GREEN. VERY FINE TO FINE GRAINED. CALCITE VEINLETS AT 70-90 DEG. FROM 177.20 TO 177.83 M: QUARTZ AND CALCITE WITH WEAK TO MODERATE CARBONATE ALTERATION.																																
N	174.90	177.83	B	D/IN		EQ	2	3	9	4		N	0	CV	80																				
L																																			
P	177.83	214.90				DIOR		EQ	3	5	6	5		P	2	QC	45	V)	6#																
L																																			
R	177.83	214.90	DIORITE: DARK GREEN, MEDIUM TO COARSE GRAINED, LOCALLY PORPHYRITIC, GENERALLY EQUIGRANULAR. WEAK TO MODERATE CALCITE AND QUARTZ VEINING. 1-2 MM WIDE AT 55-70 DEG. 5% GRANITE BANDS. FAULT ZONE FROM 181.31 M FOR 10 CM: 40% SERPENTINIZED CLAY GOUGE WITH LARGE DIORITE FRAGMENTS. FAULT AT 45 DEG. DISSEMINATED PYRITE AND CHALCOPYRITE ARE LOCALLY PRESENT TO 3% AND 0.5%, RESPECTIVELY. ZONES OF SULPHIDES ARE WEAKLY ALTERED. MODERATE CARBONITIZATION ASSOCIATED WITH CALCITE VEINS - RARE.																																
P	214.90	216.41				GRAN		EQ	4	5	5	5		P	2	CV	20																		
L																																			
R	214.90	216.41	GRANITE: WHITE TO LIGHT GRAY. MEDIUM TO COARSE EQUIGRANULAR.																																

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - W5840006
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	17.37	0.00	0.00
2	17.37	22.56	3.41	65.70
3	22.56	29.87	6.61	90.42
4	29.87	32.61	2.40	87.59
5	32.61	35.23	2.14	81.68
6	35.23	41.15	5.76	97.30
7	41.15	47.24	5.44	89.33
8	47.24	49.38	1.97	92.06
9	49.38	57.30	6.19	78.16
10	57.30	60.96	2.82	77.05
11	60.96	61.87	0.73	80.22
12	61.87	64.92	3.00	98.36
13	64.92	66.14	1.11	90.98
14	66.14	70.41	2.97	69.55
15	70.41	74.68	3.80	88.99
16	74.68	78.33	3.72	101.92
17	78.33	81.38	3.08	100.98
18	81.38	84.43	3.00	98.36
19	84.43	87.48	2.62	85.90
20	87.48	89.31	1.68	91.80
21	89.31	95.40	6.08	99.84
22	95.40	98.45	3.02	99.02
23	98.45	101.19	2.54	92.70
24	101.19	102.72	1.52	99.35
25	102.72	105.77	3.05	100.00
26	105.77	107.02	1.25	100.00
27	107.02	112.83	0.00	0.00
28	112.83	117.96	5.13	100.00
29	117.96	119.48	1.45	95.39
30	119.48	121.00	1.53	100.66
31	121.00	122.53	1.49	97.39
32	122.53	124.05	1.44	94.74
33	124.05	125.58	1.40	91.50
34	125.58	127.10	1.56	102.63
35	127.10	131.67	4.47	97.81
36	131.67	133.20	1.47	96.08
37	133.20	134.72	1.61	105.92
38	134.72	136.25	1.52	99.35
39	136.25	137.77	1.54	101.32
40	137.77	139.29	1.51	99.34
41	139.29	140.82	1.44	94.12
42	140.82	149.96	9.21	100.77
43	149.96	153.01	2.77	90.82
44	153.01	156.06	2.84	93.11
45	156.06	159.11	3.16	103.61
46	159.11	162.15	3.04	100.00
47	162.15	163.68	1.54	100.65
48	163.68	166.73	2.09	68.52
49	166.73	169.62	2.34	80.97
50	169.62	177.39	5.30	68.21
51	177.39	183.49	4.90	80.33
52	183.49	186.54	2.85	93.44
53	186.54	192.63	4.90	80.46
54	192.63	194.16	1.18	77.12

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40006
RECOVERY - R00

LINE	FROM	TO	REC	PCT_REC
55	194.16	195.68	1.52	100.00
56	195.68	197.21	1.57	102.61
57	197.21	199.95	2.58	94.16
58	199.95	201.47	1.52	100.00
59	201.47	203.00	1.32	86.27
60	203.00	204.52	1.51	99.34
61	204.52	210.40	0.00	0.00
62	210.40	215.04	4.58	98.71
63	215.04	216.41	1.11	81.02

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS840006
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	115.34	116.40	116266	1.06	25	1.21	0.0	525	10	0.0	0	8.08
2	116.40	116.93	116267	0.53	0	2.19	0.0	15	10	0.0	0	4.14

MEAN					12.5	1.70	1.0	270.0	10.0	1.0	1.0	6.11
MIN					0.0	1.21	0.0	15.0	10.0	0.0	0.0	4.14
MAX					25.0	2.19	0.0	525.0	10.0	0.0	0.0	8.08

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS840006
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	115.34	116.40	116266	1.06	1.0	39	151	51	3.52	0	0	0.13
2	116.40	116.93	116267	0.53	0.5	30	126	98	4.13	0	0	0.14

MEAN					0.7	34.5	138.5	74.5	3.82	1.0	1.0	0.13
MIN					0.5	30.0	126.0	51.0	3.52	0.0	0.0	0.13
MAX					1.0	39.0	151.0	98.0	4.13	0.0	0.0	0.14

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS840006
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	115.34	116.40	116266	1.06	0	3.50	639	0	0.03	93	70	0
2	116.40	116.93	116267	0.53	0	3.23	757	0	0.05	40	130	6

MEAN					1.0	3.36	698.0	1.0	0.04	66.5	100.0	3.0
MIN					0.0	3.23	639.0	0.0	0.03	40.0	70.0	0.0
MAX					0.0	3.50	757.0	0.0	0.05	93.0	130.0	6.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB40006
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TI%	TLPPM	UPPM	VPPM	WPPM
1	115.34	116.40	116266	1.06	5	0	307	0.00	0	0	38	5
2	116.40	116.93	116267	0.53	0	0	77	0.01	0	0	109	5

MEAN					2.5	1.0	192.0	0.00	1.0	1.0	73.5	5.0
MIN					0.0	0.0	77.0	0.00	0.0	0.0	38.0	5.0
MAX					5.0	0.0	307.0	0.01	0.0	0.0	109.0	5.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB40006

AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	115.34	116.40	116266	1.06	29
2	116.40	116.93	116267	0.53	42

MEAN					35.5
MIN					29.0
MAX					42.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS840007 (CONTINUED)

F - INTERVAL -			CORE RECOVERY (%)	% M I	TYPI- TM	QAL MAT	TEX- TX	GRAIN FRACTURE	STRUCTUR-1	ALTERATION MINS										ORE-TYPE MINS
K L (UNITS = MT)										X TYPE	1 2 QM1	1 2 F F C P	# TK	T ID	STK	DIP	A A	A A	A A	
E A Y G FROM - TO			H H H H H ANY H H H ANY																	
K F			ROCK	FOR EN RT	TM QM2	TX TX	S R S O	DIP F	T ID	STK	DIP	CA MU	CL EP	HE HA	PR AS	FS HA				
E L			QUAL	MEM V Q LC- 3	3 4 0 N H / SML I	R D P C		2	AZM	RT	STRUCTUR-2		A A A A A A A A							
Y G			DESIG	AGE	COL	R D P C		STRUCTUR-2		A A A A A A A A										
N	38.71	43.89		9	CHRT		KR SH 3 4 3 4	N 1 SH	12							6=				
L								3								K+				
R	51.33	52.07	SAND: MEDIUM GREY CLAY ZONE, WITH FINE GRAINED SAND PARTICLES TO 2mm. SAND OCCASIONALLY UNCONSOLIDATED. POSSIBLY CLAY																	
R	51.33	52.07	GOUGED-SANDSTONE NON DISINTTEGRATED. VERY FRAIBLE. SHEARED																	
R	51.33	52.07	GREENSTONE BANDS 51.70-51.85m. 60% RECOVERY. CHLORITE CONFINED TO GREENSTONE. SHARP BUT BROKEN CONTACTS SEEM TO PARALLEL SHEAR.																	
R	51.33	52.07	RARE, SIMILAR ZONES TO THIS IN MAIN UNIT, BUT <10cm.																	
N	51.33	52.07		1	GNST		SH EQ 1 5 6 5	N								63 P)				
L					5A			3								P+				
R	54.17	57.00	GREENSTONE: SAME AS MAIN UNIT, BUT VERY STRONGLY SHEARED; DIPS 10-15 DEGREES. PALE GREEN CLAY GOUGE IN RARE ZONE TO 5cm, BUT <2%. ROCK EXTREMELY FRIABLE.																	
R	54.17	57.00			CL X GNST		SH 3 4 5 5	D 1 SH	15							6) P= D(
L					GN			B				V(P1 B(
R	57.00	92.20	GREENSTONE: BLACK TO VERY DARK GREEN. SIMILAR TO MAIN UNIT, BUT SLIGHTLY MORE COMPETENT. STRONGLY FRACTURED-BROKEN SECTIONS COMMON, LACKS WELL DEFINED SHEAR PLANES. STRONG CHLORITE PLUS SERPENTINE, ESPECIALLY ON FRACTURES. PYRRHOTITE TO 0.5%. RARE WHITE TALC VEINLETS, 1-2mm; DIP 30-35 DEGREES. FRACTURES DIP 25-35 DEGREES, AND AT RANDOM. TALC TO 0.2%																	
R	57.00	92.20			CL X GNST		3 4 5 5	D 0 F/	30							6(P= D(
L					GN			9 0 VN	32 V(P1 B*				
R	96.76	100.35	GREENSTONE: MEDIUM GREEN. SIMILAR TO MAIN UNIT, BUT LACKS WELL DEFINED SHEAR PLANES, ONLY WEAK CHLORITIZATION. CONTACTS IN BROKEN ROCK. CRACKLED. WEAK CALCITE STOCKWORK, 98.70-98.80m.																	
R	96.76	100.35	END OF HOLE.																	
R	96.76	100.35			CL X GNST		KR 3 4 5 5	D	15							D(
N	96.76	100.35																		
L					56			8				K*		P*		B(

S U M M A R Y R E M A R K S

THIS HOLE INTERSECTED 8m OF TRICONED OVERBURDEN, 25M CORED OVERBURDEN (BOULDER MATERIAL), AND 92m STRONGLY SHEARED GREENSTONE. SHEAR DIPS 10-15 DEGREES LOCALLY TO 30 DEGREES. ROCK IS VERY BROKEN AND FRIABLE. DRILL HOLE IN FAULT ZONE ENTIRE LENGTH. MINOR PYRITE AND PYRRHOTITE. NO MINERALIZED ZONES.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40007
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	7.96	0.00	0.00
2	7.96	9.14	1.18	100.00
3	9.14	10.06	0.63	68.48
4	10.06	19.81	0.21	2.15
5	19.81	22.86	0.47	15.41
6	22.86	24.38	0.13	8.55
7	24.38	26.52	0.48	22.43
8	26.52	30.48	0.08	2.02
9	30.48	32.61	0.21	9.86
10	32.61	38.71	1.86	30.49
11	38.71	44.81	3.72	60.98
12	44.81	47.85	2.59	85.20
13	47.85	50.90	2.51	82.29
14	50.90	52.43	1.30	84.97
15	52.43	53.95	1.28	84.21
16	53.95	57.00	2.31	75.74
17	57.00	60.05	1.28	41.97
18	60.05	64.01	2.71	68.43
19	64.01	65.53	1.06	69.74
20	65.53	66.14	0.51	83.61
21	66.14	67.06	0.89	96.74
22	67.06	69.49	1.44	59.26
23	69.49	72.24	2.25	81.82
24	72.24	73.46	1.07	87.70
25	73.46	74.37	1.00	109.89
26	74.37	76.20	1.25	68.31
27	76.20	78.33	1.38	64.79
28	78.33	79.55	1.05	86.07
29	79.55	81.38	1.90	103.83
30	81.38	83.82	1.81	74.45
31	83.82	84.45		
				103.30
			1.80	84.11
34	87.48	90.53	2.99	98.03
35	90.53	92.05	1.42	93.42
36	92.05	93.57	0.60	39.47
37	93.57	95.10	1.00	65.36
38	95.10	96.93	1.26	68.85
39	96.93	97.23	0.30	100.00
40	97.23	99.06	0.96	52.46
41	99.06	99.67	0.44	72.13
42	99.67	102.72	2.25	73.77
43	102.72	105.77	2.88	94.43
44	105.77	108.20	2.50	102.88
45	108.20	110.64	2.25	92.21
46	110.64	111.86	1.22	100.00
47	111.86	114.91	3.01	98.69
48	114.91	117.96	3.01	98.69
49	117.96	121.01	3.05	100.00
50	121.01	124.05	2.54	83.55

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS840007
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WSB40007
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB40007
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS840007
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIX	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS840007
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------

NO Records Found for this Report

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS84C008

PROJECT IDEN : WYSD START DATE : 84/ 8/11 COMPLETION DATE : 84/ 8/12 GEOLOGGED BY : MDH +
 COLLAR NORTHING: 5635691.00 COLLAR EASTING : 511903.00 COLLAR ELEVATION: 705.00 GRID AZIMUTH : 0.00
 TOTAL LENGTH : 40.84 CORE/HOLE SIZE : NQ

SURVEY FLAG		SURVEY POINT LOCATION		FORESIGHT		AZIMUTH (DEGREES)		VERTICAL ANGLE (DEGREES)		NORTHING		EASTING	
000		0.00				220.00		-70.00					
F - INTERVAL -		CORE		%		TYPI- QAL		TEX- GRAIN		FRAC-		STRUCTUR-1	
K L (UNITS = MT)		RECOV-		M ROCK		FYING MIN		TURES		CHARACS		TURE	
E A		ERY		I		TM TM		MAT TX		TX F C Z M		T ID STK	
Y G FROM - TO		(%)		X TYPE		1 2 QM1		1 2 F F C P		# TK		1 AZM RT QZ MR CY AK SR XX PY CP LI YY SUMMARY	
K F		ROCK		FOR EN RT		TM QM2		TX TX		S R S D		DIP F	
E L		QUAL		MEM V Q LC- 3		3 4		D N H / SML I		2		AZM RT	
Y G		DESIG		AGE		COL		R D P C		STRUCTUR-2		A A A A A A A A	
P	0.00	5.49	TRIC						P				
R	0.00	5.49	TRICONED. NO CORE RECOVERED.										
P	5.49	10.32	GRAN		EQ		3 5 7 6		P 1 QV		12 V. D.		
L			7A						1		V.		
R	5.49	10.32	GRANITE (SODA?): MEDIUM GRAINED, EQUIGRANULAR, PALE TO MEDIUM										
R	5.49	10.32	GREY MOTTLED, WITH WHITE AND BLACK FLECKS. DOMINANTLY QUARTZ,										
R	5.49	10.32	FELDSPAR, DARK GREEN MAFICS, AND DARK BROWN BIOTITE. GRAIN										
R	5.49	10.32	SIZE 0.5-2.0 MM. WEAKLY FRACTURED. PALE YELLOW-GREEN 1 CM										
R	5.49	10.32	VEINLET AT 6.94 M. PROBABLY QUARTZ-EPIDOTE. VERY RARE MM,										
R	5.49	10.32	COLOURLESS QUARTZ STRINGERS. ROCK IS ESSENTIALLY UNALTERED.										
R	5.49	10.32	CONTACT WITH DIORITE BELOW IS GRADATIONAL OVER 8 CM.										
R	5.49	10.32	99% GRANITE, 1% DIORITE. QUARTZ-EPIDOTE VEIN DIPS 12 DEG. TO										
R	5.49	10.32	CORE AXIS. RARE FINELY DISSEMINATED TO PATCHY SULPHIDES-PYRITE.										
R	5.49	10.32	SEEMS TO BE MORE PREVALENT ON FRACTURE SURFACES. PYRITE TRACE.										
R	5.49	10.32	WEAK CHLORITIZATION OF MAFICS.										
P	10.32	40.84	DIOR		EQ KR		3 5 7 6		P 1 QV		44 V- D?		
L			4G		SK				5		V. P(D-		
R	10.32	40.84	DIORITE: DARK GREEN-WHITE MOTTLED, EQUIGRANULAR. MAFICS										
R	10.32	40.84	APPROX. 55%. MAFICS MODERATELY CHLORITIZED. DIORITE IS										
R	10.32	40.84	SLIGHTLY MORE FELSIC, APPROX. 40% MAFICS FROM 21.70-31.20 M.										
R	10.32	40.84	MODERATELY FRACTURED, SLIGHTLY STRONGER FROM 17.11-17.90 M AND										
R	10.32	40.84	18.48-19.20 M. APPROX. 75% OF FRACTURES HOLD MASSIVE WHITE										
R	10.32	40.84	QUARTZ VEINS TO 1 CM. 10% OF FRACTURES HOLD WHITE CALCITE.										
R	10.32	40.84	QUARTZ VEINS FORM MODERATE STOCKWORK. FINE GRAINED, GREY										
R	10.32	40.84	BRECCIATED ZONE, 18.10-18.50 M; SILICA CEMENTED. QUARTZ VEINS										
R	10.32	40.84	DIP 044 DEG. AND 015 DEG. AT 31.04 M; 2 CM GREY QUARTZ VEIN										
R	10.32	40.84	DIPS 15 DEG. ANOTHER FINE GRAINED DARK GREY COARSELY										
R	10.32	40.84	BRECCIATED ZONE AT 30.19-30.69 M. CONTAINS FINELY DISSEMINATED										
R	10.32	40.84	SULPHIDES <0.5%, AND HAS A PALE GREEN TINGE, PROBABLY DUE TO										
R	10.32	40.84	CHLORITE. APPROX. 12% GRANITE. GRAIN SIZE VARIABLE FROM FINE										
R	10.32	40.84	TO MEDIUM. ZONE OF GRANITE FROM 33.73-35.26 M IS PREVIOUSLY										
R	10.32	40.84	SPLIT. IS A PALE GREY GRANITE WITH COARSELY DISSEMINATED										

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRaverse : WS84C008 (CONTINUED)

F - INTERVAL - K L (UNITS = MT)			CORE RECOV- ERY (%)	%	TYPI- M	QAL FYING TM TM	TEX- MAT	GRAIN TX TX	FRAC- F C % M	STRUCTUR-1 ID STK DIP	ALTERATION MINS					ORE-TYPE MINS					SUMMARY															
FROM - TO											X TYPE	1	2	Q1	1	2	F	C	P	#		TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	
			ROCK	FOR	EN	RT	TM	Q2	TX	TX											S															R
			QUAL	MEM	V	Q	LC-3	3	4	O	N	/	SML	I	2	AZM	RT																			
			DESIG	AGE		COL																														
R	10.32	40.84	PYRITE + OR - CHALCOPYRITE.																																	
R	16.09	16.90	FELSIC DYKE: PALE YELLOW-GREY, SLIGHTLY GREEN. FINE GRAINED																																	
R	16.09	16.90	AND MASSIVE, TO WEAKLY QUARTZ-FELDSPAR PORPHYRITIC. HANGING																																	
R	16.09	16.90	WALL IS IN CONTACT WITH SODA GRANITE - NOT A WELL DEFINED																																	
R	16.09	16.90	CONTACT. FOOTWALL GRADATIONAL INTO DIORITE. RARE DARK GREY MM																																	
R	16.09	16.90	STRINGERS. RARE COARSELY DISSEMINATED PYRITE. POSSIBLY WEAK																																	
R	16.09	16.90	EPIDOTE ALTERATION. SCATTERED PALE GREEN BLEBS MAY BE																																	
R	16.09	16.90	MARIPOSITE. RARE MM CALCITE VEINING DIPS 45 DEG. ROCK IS																																	
R	16.09	16.90	PREVIOUSLY SPLIT.																																	
N	16.09	16.90		9	D/FL																															
L																																				
R	24.52	25.45	QUARTZ-FELDSPAR DYKE: MEDIUM GRAINED, MODERATELY PORPHYRITIC																																	
R	24.52	25.45	TO EQUIGRANULAR. MEDIUM GREY. OCCASIONAL STRINGERS OF GRANITE																																	
R	24.52	25.45	TO 5 MM. SILICEOUS. LIGHTLY TO MODERATELY FRACTURED WITH																																	
R	24.52	25.45	FINE, DARK GREY STRINGERS INFILLING FRACTURES. MINOR DARK																																	
R	24.52	25.45	BROWN BIOTITE. FINELY DISSEMINATED PYRITE. FOOTWALL CONTACT																																	
R	24.52	25.45	34 DEG. TO CORE AXIS; HANGING WALL CONTACT 29 DEG. TO CORE																																	
R	24.52	25.45	AXIS. BOTH WELL DEFINED WITH <1 CM CHILL MARGIN. QZ:FS=45:65.																																	
N	24.52	25.45		X	D/QF																															
L																																				
R	31.14	33.73	DIORITE: SIMILAR TO MAIN INTERVAL, BUT FINER GRAINED. DARK																																	
R	31.14	33.73	GREY-GREEN, LIGHTLY FRACTURED, WITH MINOR QUARTZ + CALCITE																																	
R	31.14	33.73	VEINLETS TO 2 MM. STRINGERS AND DISSEMINATIONS OF PYRRHOTITE																																	
R	31.14	33.73	AND DISSEMINATED PYRITE. CALCITE VEINLETS DIP APPROX. 55-65																																	
R	31.14	33.73	DEG. WEAK PERVASIVE CHLORITIZATION.																																	
N	31.14	33.73		8	DIOR																															
L																																				
R	35.45	38.04	QUARTZ-FELDSPAR DYKE: SIMILAR TO THAT FROM 24.52-25.45 M.																																	
R	35.45	38.04	FELDSPARS SHOW STRONGER PORPHYRITIC NATURE. UPPER CONTACT DIPS																																	
R	35.45	38.04	65 DEG. LOWER CONTACT DIPS 70 DEG. SAME DARK GREY STRINGERS,																																	
R	35.45	38.04	MINOR DISSEMINATED PYRITE. SILICIFIED.																																	
N	35.45	38.04		X	D/QF																															
L																																				

SUMMARY REMARKS

THIS HOLE INTERSECTED 5.5 M OVERBURDEN, 5 M GRANITE, AND 30 M DIORITE. 1 M FELSIC DYKE, WEAKLY QUARTZ-FELDSPAR PORPHYRITIC AT 16 M, HAS EPIDOTE ALTERATION AND SPOTTY MARIPOSITE. OTHER QUARTZ-FELDSPAR PORPHYRY DYKES AT 24 M AND 35 M ARE UNALTERED. TRACE PYRITE THROUGHOUT. NO FAULTING.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - W584C008
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	5.49	0.00	0.00
2	5.49	11.28	4.80	82.90
3	11.28	14.33	2.56	83.93
4	14.33	23.32	7.47	83.09
5	23.32	26.52	3.30	103.12
6	26.52	29.26	2.65	96.72
7	29.26	32.31	2.92	95.74
8	32.31	33.53	0.92	75.41
9	33.53	34.75	0.55	45.08
10	34.75	35.66	0.87	95.60
11	35.66	37.80	1.32	61.68
12	37.80	40.84	2.99	98.36

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS84C008
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	16.09	16.90	113247	0.81	25	1.76	0.0	90	0	0.0	0	5.14
MEAN					25.0	1.76	1.0	90.0	1.0	1.0	1.0	5.14
MIN					25.0	1.76	0.0	90.0	0.0	0.0	0.0	5.14
MAX					25.0	1.76	0.0	90.0	0.0	0.0	0.0	5.14

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS84C008
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	16.09	16.90	113247	0.81	0.0	21	55	15	2.76	0	0	0.25
MEAN					1.0	21.0	55.0	15.0	2.76	1.0	1.0	0.25
MIN					0.0	21.0	55.0	15.0	2.76	0.0	0.0	0.25
MAX					0.0	21.0	55.0	15.0	2.76	0.0	0.0	0.25

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB4C008
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	16.09	16.90	113247	0.81	0	3.14	444	0	0.02	43	120	0

MEAN					1.0	3.14	444.0	1.0	0.02	43.0	120.0	1.0
MIN					0.0	3.14	444.0	0.0	0.02	43.0	120.0	0.0
MAX					0.0	3.14	444.0	0.0	0.02	43.0	120.0	0.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - W584C008
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TI%	TLPPM	UPPM	VPPM	WPPM
1	16.09	16.90	113247	0.81	0	0	102	0.00	0	0	61	10
MEAN					1.0	1.0	102.0	1.00	1.0	1.0	61.0	10.0
MIN					0.0	0.0	102.0	0.00	0.0	0.0	61.0	10.0
MAX					0.0	0.0	102.0	0.00	0.0	0.0	61.0	10.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB4C008
AD05 ASSAY FILE


LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	16.09	16.90	113247	0.81	18

MEAN					18.0
MIN					18.0
MAX					18.0

FROM-TO (m)	LENGTH (m)/REC (%)	Au ppb	As pps	SAMPLE NUMBER
16.09-16.90	0.81/83	25	90	113247H

SW

NE



 **Chevron Canada Resources Limited**
Minerals Staff

WAYSIDE
cross-section 220°, -70°

DDH 84-008

FIGURE No. 68	PROJECT No. M577
DATE DEC. 87	REVISIONS
NTS No.	SCALE 1:500
COMPILED BY	FILE No. S-33

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS84C009

PROJECT IDEN : WYSD START DATE : 84/ 8/12 COMPLETION DATE : 84/ 8/13 GEOLOGGED BY : LMD +
 COLLAR NORTHING: 5635691.00 COLLAR EASTING : 511903.00 COLLAR ELEVATION: 705.00 GRID AZIMUTH : 0.00
 TOTAL LENGTH : 57.66 CORE/HOLE SIZE : NQ

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
000		0.00		270.00	-47.00		
F - INTERVAL - K L (UNITS = MT) E A Y G FROM - TO	CORE RECOVERY (%)	Z M I X TYPE	TYPI- QAL TEX- GRAIN FRAC- M ROCK FYING MIN TURES CHARACS TURE TM TM MAT TX TX F C % M 1 2 QM1 1 2 F F C P # TK	STRUCTUR-1 T ID STK DIP 1 AZM RT QZ MR CY AK SR XX PY CP LI YY SUMMARY	ALTERATION MINS H H H H H ANY H H H ANY A A A A A MIN A A A MIN	ORE-TYPE MINS H H H H H ANY H H H ANY A A A A A MIN A A A MIN	
K F E L Y G	ROCK QUAL DESIG AGE	FOR EN RT MEM V Q LC- 3 COL	TM QM2 TX TX S R S D DIP F 3 4 0 N H / SML I R D P C	STRUCTUR-2 T ID STK DIP 2 AZM RT	CA MU CL EP HE HA PR AS FS HA H H H H H H H H H A A A A A A A A A		
P R	0.00 5.49 0.00 5.49	CASE CASING-NO CORE RECOVERED		P			
P L R R R R R R R R R R R N L	5.49 27.52 5.49 27.52 5.49 27.52 5.49 27.52 5.49 27.52 5.49 27.52 5.49 27.52 11.12 13.56 11.12 13.56 11.12 13.56 11.12 13.56	DIOR GW DIORITE: GREEN AND WHITE. 80% COARSE, EQUIGRANULAR; 20% FINE TO MEDIUM. GRANITE MIX TO 25%. MODERTATE TO WELL-DEVELOPED CALCITE VEINLETS AT 30-50 DEGREES. WEAKLY PORPHYRITIC, LOCALLY FROM 20.70-21.15m: HORNBLENDE PORPHYRY DKYE, DARK GREEN, UC AT 45 DEGREES. LC AT 25 DEGREES. MINOR QUARTZ VEINS. PYRITE LOCALLY TO 0.3%-FROM APPROX 23.00-27.00m-QUARTZ-FLOODING TO 20%: DARK GRAY BANDS. BROKEN ZONE(PREVIOUSLY SPLIT): APPEARS TO BE PREDOMINANTLY GRANITE WITH WEAK CARBONATIZATION, MODRATE TO STRONG BLACK STRNGER ZONES. HAS BEEN SPLIT FROM 11.45-13.56m.	EQ PP 2 5 8 5 5	P 0 CV 30 V* 5 V)	30 V* V)	D(
P L R R R R R	27.52 32.63 27.52 32.63 27.52 32.63 27.52 32.63 27.52 32.63	GRAN AG GRANITE: WHITE TO PALE GRAY-GREEN. COARSE GRAINED, EQUIGRANULAR TO PORPHYRITIC. NARROW QUARTZ-FELDSPAR PORPHYRY DYKES.UC OF GRANITE AT 10-15 DEGREES (IRREGULAR), LC AT 35 DEGREES (DIORITE HAS BEEN BRECCIATED)-MODERATE TO STRONG BLACK STRINGERS 15-30 DEGREES. LOCAL TRACE PYRITE.	4 5 9 5	P VN 20 35		D-	
P L R R R R R R	32.63 57.66 32.63 57.66 32.63 57.66 32.63 57.66 38.39 41.41 38.39 41.41	DIOR 36 DIORTIE: DARK GREEN. VARIABLE GRAIN SIZE, 60% FINE GRAINED. MODERATE CALCITE VEINING. LOCALLY BRECCIATED. PATCHES OF WEAK CARBONIZATION. CALCITE VEINS COMMONLY AT 70-80 DEGREES. PYRITE STRINGERS AT 57.00m. FRACTURED DIORTIE: DARK GREEN. HIGHLY FRACTURED. FAULT GOUGE AT APPROX. 39.80m AT 35-60 DEGREES. MUCH CARBONATE VEINING. CAVE	BR 2 5 2 5	P 2 CV 65			

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS84C009 (CONTINUED)

F - INTERVAL -			CORE RECOVERY (%)	% ROCK	TYPI- QAL		TEX- MIN TURES		GRAIN CHARACS	FRAC- TURE	STRUCTUR-1		ALTERATION MINS					DRE-TYPE MINS					SUMMARY									
K L (UNITS = MT)	FROM	TO			RECOV- ERY	M	TM	TM			TX	TX	F	C	Z	M	#	TK	T	ID	STK	DIP		CA	MU	CL	EP	HE	HA	PR	AS	FS
Y G			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY			
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA		
E L			QUAL	MEM	V	Q	LC-	3	3	4	0	N	H	/	SML	I	2	AZM	RT				H	H	H	H	H	H	H	H		
Y G			DESIG	AGE	COL						R	D	P	C			STRUCTUR-2						A	A	A	A	A	A	A	A		
R	38.39	41.41	MATERIAL FROM 39.45-39.75m. MUCH CHLORITE/SERPENTINE ALTERATION.																													
R	38.39	41.41	MINOR DISSEMINATED PYRITE AND PYRRHOTITE.																													
N	38.39	41.41	9	DIOR					SH	2	4	3	5		N								6								D*	
L								36							8								V)								P3	
R	51.44	52.73	GRANITE: LIGHT TO MEDIUM GRAY. WEAKLY PORPHYRITIC. MODERATE TO																													
R	51.44	52.73	STRONG BLACK STRINGERS. FINE DIORITE INJECTED ALONG FRACTURES																													
R	51.44	52.73	AND AS 4-5cm FRAGMENTS. MINOR QUARTZ VEINS. PATCHY ALTERATION																													
R	51.44	52.73	AT LC. DISSEMINATED PYRITE TO 0.5%.																													
N	51.44	52.73	X	GRAN							PP	EQ	3	5	6	5	N	0	QV												D*	
L								7A							5																	
N	55.72	56.80	X	D/FD							PP	2	5	=	6	N	2	QV														D*
L								36							5																	
R	55.72	56.80	DYKE: FELDSPAR PORPHYRY. DARK GREEN. 5% FELDSPAR PHENOCRYSTS																													
R	55.72	56.80	2-6mm. VERY FINE DIORITE " INJECTIONS" OR FRAGMENTS. MINOR																													
R	55.72	56.80	CALCITE STRINGERS. MINOR QUARTZ VEINS-1cm QZ VEIN AT 20																													
R	55.72	56.80	DEGREES. UC AT 60 DEGRES, LC AT 25 DEGREES. DISSEM. PYRITE TO																													
R	55.72	56.80	0.5%.																													
P	57.66	59.13		GRAN							EQ	3	5	5	5	P		UC														D(
L								7A																								
R	57.66	59.13	GRANITE: VERY LIGHT GRAY. MEDIUM TO COARSE GRANIED.																													
R	57.66	59.13	EQUIGRANULAR. MODERATE BLACK STRINGERS. MINOR DISSEMINATED																													
R	57.66	59.13	PYRITE. INTERVAL HAS BEEN PREVIOUSLY SPLIT. UC AT 65-70																													
R	57.66	59.13	DEGREES.WEAK CALCITE VEINLETS.																													

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS84C009
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	5.49	0.00	0.00
2	5.49	7.92	1.82	74.90
3	7.92	10.67	1.93	70.18
4	10.67	27.74	17.07	100.00
5	27.74	29.26	1.39	91.45
6	29.26	30.48	1.17	95.90
7	30.48	32.31	1.73	94.54
8	32.31	34.75	2.08	85.25
9	34.75	35.66	0.90	99.00
10	35.66	39.32	3.03	82.79
11	39.32	43.59	3.68	86.18
12	43.59	46.63	3.02	99.34
13	46.63	49.68	2.71	88.85
14	49.68	52.73	2.95	96.72
15	52.73	55.78	3.02	99.02
16	55.78	59.13	2.91	86.87

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS84C009
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS84C009
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS84C009
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WY5D - WS84C009
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88


ASSAY FLAG D05 - WYSD - WS84C009
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------

NO Records Found for this Report

W

E



Elev. (a.s.l.)

-710m

-705m

-700m

-680m

NO SAMPLES TAKEN



Chevron Canada Resources Limited
Minerals Staff

WAYSIDE

cross-section 270°, -47°

DDH 84-009

FIGURE No	69	PROJECT No	M577
DATE	DEC. 87	REVISIONS	SCALE 1:500
NTS No			FILE No
COMPILED BY			S-34

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : W5840010 (CONTINUED)

F - INTERVAL -			CORE	Z	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS																				
K L (UNITS = MT)			RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H ANY H H H ANY																			
E A			ERY	I	TM	TM	MAT	TX	TX	F	C	Z	M	T	ID	STK	DIP	A	A	A	A	MIN	A	A	MIN					
Y G FROM - TO			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	D	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA
E L			QUAL	MEM	V	Q	LC-3	3	4	O	N	H	/	SML	I	2	AZM	RT	H H H H H H H H											
Y G			DESIG	AGE	COL				R	D	P	C	STRUCTUR-2			A A A A A A A A														
R	8.18	10.29	5cm. STRONGLY DISSEMINATED THROUGHOUT. WELL FORMED CUBIC																											
R	8.18	10.29	CRYSTALS, TO 2mm. SECTION PREVIOUSLY SPLIT. LOCALLY PORPHYRITIC																											
R	8.18	10.29	WITH ROUND QUARTZ PHENOCRYSTS. NO PYRRHOTITE. PALE ORANGE																											
R	8.18	10.29	ALTERATION POSSIBLY KADLINITE. CONTACT GRADATIONAL OVER 5cm																											
R	8.18	10.29	INTO LESS SUPHIDE-RICH GREENSTONE ABOVE AND BELOW. LIMONITE ON																											
R	8.18	10.29	SOME FRACTURES.																											
N	8.18	10.29	KA + GNST			BL7	BN	PP	4	5	5	5		N	2	SV	59	B+		@+								M7	C)	
L					5T									5																
N	10.29	13.01	X GNST						KR	A*	3	4	5	5	D	0	F/	53	B)										V=	
L					4G									5			25	A)		P*										
R	10.39	13.01	GREENSTONE: SIMILAR TO MAIN UNIT. SLIGHTLY COARSER GRAINED																											
R	10.39	13.01	WITH A SLIGHTLY MORE CRACKLED TEXTURE. FINE PYRITE OCCURS IN																											
R	10.39	13.01	VEINS AND STRINGERS TO 1.5cm, BUT THESE ARE NOT COMMON. PYRITE																											
R	10.39	13.01	ALSO FINELY DISSEMINATED THROUGHOUT. ROUND WHITE QUARTZ BLEBS																											
R	10.39	13.01	TO 3mm SCATTERED THROUGHOUT. ROUND WHITE QUARTZ BLEBS TO 3mm																											
R	10.39	13.01	SCATTERED THROUGHOUT. LACKS MINERAL X1. SUPHIDE VEINS TYPICALLY																											
R	10.39	13.01	LACK A REGULAR ORIENTATION. SECTION SIMILAR, BUT LESS UNIFORM																											
R	10.39	13.01	IN TEXTURE, TO 7.40-8.18m. CONTACTS GRADATIONAL OVER 5cm.																											
R	29.45	30.48	GREENSTONE: MODERATE BRECCIATION AND QUARTZ-CARBONATE																											
R	29.45	30.48	STOCKWORK. INDIVIDUAL VEINLETS TO 2cm. MINOR PYRITE. UPPER																											
R	29.45	30.48	CONTACT IS A 5mm. QUARTZ-CALCITE VEIN DIPPING 38 DEGREES.																											
R	29.45	30.48	END OF HOLE.																											
N	29.45	30.48	B GNST			BR	SK	3	5	5	5		D	0	F/	50	K1											D*		
L					4G				KR					5	0	UC	38	K=		P*										

S U M M A R Y R E M A R K S

THIS HOLE INTERSECTED 7.40m OF OVERBURDEN AND 23m GREENSTONE. MINERALIZATION IS FORM OF MASSIVE TO BANDED SULPHIDES FROM 7-13m. PYRITE TO 70%. RARE PYRRHOTITE THROUGHOUT. MODERATE BRECCIATION AND QUARTZ-CARBONATE STOCKWORK WITH MINOR PYRITE, IN BOTTOM 2m OF HOLE. NO FAULTING

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB40010
RECOVERY - RGD

LINE	FROM	TO	REC	PCT_REC
1	0.00	6.98	0.00	0.00
2	6.98	10.25	3.27	100.00
3	10.25	13.72	3.47	100.00
4	13.72	19.81	6.02	98.85
5	19.81	22.86	3.06	100.33
6	22.86	25.91	2.96	97.05
7	25.91	28.96	2.75	90.16
8	28.96	30.48	1.53	100.66

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB40010
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WSB40010
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS840010
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB40010
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB40010


AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------


NO Records Found for this Report

NE

SW



NO SAMPLES TAKEN

 Chevron Canada Resources Limited Minerals Staff	
WAYSIDE cross-section 044° -50° DDH 84-010	
FIGURE No. 70	PROJECT No. M577
DATE DEC. 87	REVISIONS
NTS No	SCALE 1:500
COMPILED BY	FILE No. S-35

Chevron Canada Resources Ltd.
WVSD

DRILLHOLE/TRVERSE : WS840011 (CONTINUED)

F - INTERVAL -			CORE	Z	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS																													
K	L	(UNITS = MT)								RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H	H	H	H	H	ANY	H	H	ANY													
E	A		ERY	I	TM	TM	MAT	TX	TX	F	C	Z	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN												
Y	G	FROM - TO	(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	OZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY									
K	F		ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA									
E	L		QUAL	MEM	V	Q	LC- 3		3	4	O	N	H	/	SML	I	2	AZM	RT				H	H	H	H	H	H	H	H	H								
Y	G		DESIG	AGE		COL					R	D	P	C			STRUCTUR-2						A	A	A	A	A	A	A	A	A								
R		28.77																																					
R		28.77																																					
N		28.77																																					
L																																							
R		41.71																																					
R		41.71																																					
R		41.71																																					
R		41.71																																					
R		41.71																																					
R		41.71																																					
N		41.71																																					
L		41.71																																					

AND ARSENO. DISSEMINATED MARIPOSITE TO 0.25%. QUARTZ VEINS HAVE DISSEMINATED PYRITE TO 0.5% AND ARSENO TO 0.5%.

1 VNQZ BL3 SH 6 11 N 4 QV 70 V1 D* D*

T UC 30 D-

MINERALIZED ZONE: MEDIUM TO DARK GREEN. SIMILAR TO MAIN INTERVAL BUT HAS DISCONTINUOUS QUARTZ VEINS AND PATCHES WITH DISSEMINATED PYRITE, CHALCOPYRITE AND SPHALERITE. FINE DISSEMINATED PYRITE TO 2% AND CHALCO. TO 0.5% THROUGHOUT, AS WELL. QUARTZ VEINS 0.5cm WIDE AT 0 DEGREES AND 45 DEGREES. PREVIOUSLY SPLIT AND SAMPLED FROM 41.76-42.67m.

X GNST A* D 2 QV 0 V+ D. D+ D* SP
46 4 2 QV 45 V(D- V(

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS840011
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	4.27	0.63	14.75
2	4.27	7.35	0.80	25.97
3	7.35	7.92	0.51	89.47
4	7.92	11.28	3.10	92.26
5	11.28	14.33	2.81	92.13
6	14.33	17.37	3.03	99.67
7	17.37	19.81	2.53	103.69
8	19.81	20.42	0.71	116.39
9	20.42	23.47	2.86	93.77
10	23.47	26.52	3.07	100.66
11	26.52	29.57	2.79	91.48
12	29.57	32.61	2.98	98.03
13	32.61	35.66	3.07	102.68
14	35.66	38.71	3.01	98.69
15	38.71	44.20	5.45	99.27
16	44.20	47.24	2.92	96.05
17	47.24	49.38	2.13	99.53
18	49.38	50.90	1.52	100.00
19	50.90	52.43	1.45	94.77

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS840011
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	28.22	28.36	113283	0.14	70	0.38	0.0	195	10	0.0	0	4.36
2	28.36	28.87	113284	0.51	95	3.29	0.0	760	10	0.0	0	5.93
3	28.87	29.50	113285	0.63	125	1.17	0.0	605	10	0.0	0	6.25
4	41.00	41.76	113286	0.76	5	4.32	0.2	5	0	0.0	0	1.54
5	41.76	42.67	113287	1.00	10	4.29	0.2	10	10	0.0	0	0.85
6	42.67	43.69	113288	1.02	10	4.34	0.2	0	10	0.0	0	0.76

MEAN					52.5	2.96	0.1	262.5	8.3	1.0	1.0	3.28
MIN					5.0	0.38	0.0	0.0	0.0	0.0	0.0	0.76
MAX					125.0	4.34	0.2	760.0	10.0	0.0	0.0	6.25

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS840011
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	K%
1	28.22	28.36	113283	0.14	0.0	12	223	12	1.64	0	0	0.01
2	28.36	28.87	113284	0.51	0.5	46	415	46	5.41	0	0	0.09
3	28.87	29.50	113285	0.63	0.0	26	64	48	3.76	0	0	0.17
4	41.00	41.76	113286	0.76	7.0	32	84	331	6.72	0	0	0.00
5	41.76	42.67	113287	1.00	7.0	30	67	252	6.87	0	0	0.05
6	42.67	43.69	113288	1.02	8.0	34	69	180	6.94	0	0	0.02

MEAN					3.7	30.0	153.7	144.8	5.22	1.0	1.0	0.06
MIN					0.0	12.0	64.0	12.0	1.64	0.0	0.0	0.00
MAX					8.0	46.0	415.0	331.0	6.94	0.0	0.0	0.17

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS840011
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	28.22	28.36	113283	0.14	0	2.29	805	0	0.00	114	120	0
2	28.36	28.87	113284	0.51	0	5.56	1355	0	0.01	478	560	6
3	28.87	29.50	113285	0.63	0	3.64	966	0	0.01	38	50	0
4	41.00	41.76	113286	0.76	10	4.71	1758	0	0.04	19	110	0
5	41.76	42.67	113287	1.00	10	4.72	1871	0	0.04	16	80	4
6	42.67	43.69	113288	1.02	10	4.93	1799	0	0.06	21	100	0

MEAN					5.0	4.31	1425.7	1.0	0.03	114.3	170.0	1.7
MIN					0.0	2.29	805.0	0.0	0.00	16.0	50.0	0.0
MAX					10.0	5.56	1871.0	0.0	0.06	478.0	560.0	6.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS840011

AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	28.22	28.36	113283	0.14	5	0	131	0.00	0	0	17	0
2	28.36	28.87	113284	0.51	10	0	196	0.00	10	0	82	5
3	28.87	29.50	113285	0.63	5	0	166	0.00	0	0	49	0
4	41.00	41.76	113286	0.76	0	0	19	0.32	0	0	236	0
5	41.76	42.67	113287	1.00	0	0	11	0.28	0	0	216	0
6	42.67	43.69	113288	1.02	0	0	15	0.34	0	0	251	0

MEAN					3.3	1.0	89.7	0.16	1.7	1.0	141.8	0.8
MIN					0.0	0.0	11.0	0.00	0.0	0.0	17.0	0.0
MAX					10.0	0.0	196.0	0.34	10.0	0.0	251.0	5.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS840011
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	28.22	28.36	113283	0.14	21
2	28.36	28.87	113284	0.51	75
3	28.87	29.50	113285	0.63	34
4	41.00	41.76	113286	0.76	2951
5	41.76	42.67	113287	1.00	3070
6	42.67	43.69	113288	1.02	2926

MEAN					1512.8
MIN					21.0
MAX					3070.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850001

PROJECT IDEN : WYSD
COLLAR NORTHING: 5635251.00

START DATE : 85/ 7/ 8
COLLAR EASTING : 511816.00
TOTAL LENGTH : 150.00

COMPLETION DATE : 85/ 7/12
COLLAR ELEVATION: 695.00
CORE/HOLE SIZE : NQ

GEOLOGGED BY : MDM +
GRID AZIMUTH : 0.00

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
000		0.00		263.00	-71.00		
F - INTERVAL - K L (UNITS = MT)		CORE RECOVERED (%)	% ROCK	TYPI- QAL TEX- GRAIN FRAC- FYING MIN TURES CHARACS TURE	STRUCTUR-1	ALTERATION	MINS ORE-TYPE MINS
E A Y G FROM - TO		ERY I	M	TM TM MAT TX TX F C Z M	T ID STK DIP	A A A A A	H H H H H ANY H H H ANY
		(%)	X TYPE	1 2 QM1 1 2 F F C P # TK	1 AZM RT QZ	MR CY AK SR XX PY CP LI YY	SUMMARY
K F E L Y G		ROCK QUAL DESIG	FOR EN RT MEM V Q	TM QM2 TX TX S R S O DIP F LC- 3 3 4 0 N H / SML I COL R D P C	T ID STK DIP 2 AZM RT	CA MU CL EP HE HA PR AS FS HA H H H H H H H H	A A A A A A A A
P	0.00	4.40	TRIC		P		
R	0.00	4.40	TRICONED. NO CORE RECOVERED.				
P	4.40	23.48	DIOR	KR EQ 3 5 6 5	P 3 QV	58 V+	D(
L			4A	PP	5 0 QV	80 V(P) P?	
R	4.40	23.48	DIORITE: DARK GRAY TO MEDIUM GRAY-GREEN. TEXTURE VARIES FINE TO MED. GRAINED, OCCASIONALLY WEAKLY QUARTZ-FELDSPAR PORPHYRITIC. STRONGLY CRACKLED. MODERATELY SILICIOUS. ABUNDANT DARK GRAY SILICEOUS STRINGERS. MINOR CALCITE VEINLETS TO 2 MM; QUARTZ VEINS TO 1 CM. VEINS DIP 48-55 DEG., AND 78-82 DEG. WHITE QUARTZ VEIN, 15 CM AT 23.30, DIPS 58 DEG. CONTAINS FRAGMENTS OF DIORITE. QUARTZ STRINGERS ALSO AT RANDOM. FROM 19.67 TO 23.48 M, DIORITE IS MORE FELSIC, MODERATE CHLORITIZATION OF MAFICS, NON-SILICEOUS. WEAK SERPENTINIZATION ON SOME FRACTURES. MINOR DISSEMINATED TO BLEBBY PYRITE THROUGHOUT. GRANITIC PATCHES TO 5%. QUARTZ VEIN AT 23.30 M IS SPLIT PREVIOUSLY.				
R	4.40	23.48	LIMONITIC: STRONG ON FRACTURE SURFACES AND AS STRINGERS. IDENTICAL TO MAIN UNIT. SLIGHT INCREASE IN PYRITE TO 0.1%.				
R	4.40	23.48	X DIOR	KR EQ 3 5 6 5	D	58 V+	D(C)
L			4A	PP	5 1 CV	71 V(P) P?	
R	9.24	11.00	PORPHYRITIC ZONE: DARK GRAY, FINE GRAINED MATRIX. WHITE SUBHEDRAL FELDSPAR +/- QUARTZ PHENOCRYSTS TO 4 MM. 75% MATRIX. IN PLACES TEXTURE IS CRACKLED AND LOOKS SIMILAR TO MAIN UNIT. MINOR DISSEMINATED TO PATCHY PYRITE. SHARP UPPER CONTACT DIPS 70 DEG. LOWER CONTACT 22 DEG. AND IS GRADATIONAL OVER 5 CM. MINOR QUARTZ AND CALCITE VEINS DIP 48-55 DEG. AND 78-82 DEG. ROCK IS SILICEOUS.				
R	9.24	11.00	X DIOR	PP KR 3 5 3 6	N 0 UC	70 P+	D(
L			3A		5 1 LC	22 V(
R	13.27	19.67	GREENSTONE: KHAKI-GREEN WITH ABUNDANT DARK GRAY STRINGERS AND RARE THIN INTERBEDDED BLACK SILTY-ARGILLITE, POORLY BANDED TO CONVOLUTED. ARGILLITE 3%. ROCK IS FINE GRAINED, FINELY FRAGMENTAL RARELY TO LAPILLI SIZE. CRACKLED TEXTURE VERY SIMILAR TO DIORITE ABOVE. PERVASIVE CHLORITE +/- EPIDOTE				
R	13.27	19.67					
R	13.27	19.67					
R	13.27	19.67					
R	13.27	19.67					

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : W8850001 (CONTINUED)

F - INTERVAL -			CORE	Z	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS										ORE-TYPE MINS											
K L (UNITS = MT)			RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H ANY H H H ANY										H H H ANY										
E A			ERY	I	TM	TM	MAT	TX	TX	F C	Z	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN					
Y G FROM - TO			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY	
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA	
E L			QUAL	MEM	V	Q	LC-3	3	4	O	N	H	/	SML	I	2	AZM	RT					H	H	H	H	H	H	H	H	
Y G			DESIG	AGE	COL						R	D	P	C		STRUCTUR-2					A	A	A	A	A	A	A	A	A		
R	110.02	115.66	FELSIC DYKE; PALE TAN-GRAY VERY FINE GRAINED. ABUNDANT PALE																												
R	110.02	115.66	ORANGE BLEBS TO 3 MM; LIMONITIC? 1-2 MM QUARTZ VEINS WITHIN 25																												
R	110.02	115.66	CM OF STOCKWORK ABOVE. ORANGE BLEBS RARELY WITH PYRITIC CORES.																												
R	110.02	115.66	DISSEMINATED PYRITE AS DARK GRAY AGGREGATE BLEBS THROUGHOUT.																												
R	110.02	115.66	POSSIBLY WEAKLY BLEACHED. POSSIBLE VERY FINE GRAINED SERICITE																												
R	110.02	115.66	ON FRACTURES; PALE GREEN-WHITE. MINOR PALE GRAY CLAY COATING																												
R	110.02	115.66	ON FRACTURES ALSO. GRADATIONAL LOWER CONTACT. FROM																												
R	110.02	115.66	115.20-115.66 M INCREASE IN FRACTURING TOWARD FAULT ZONE BELOW.																												
N	110.02	115.66	X	D/FL	BL2	2	4	2	5	N	1	QV	43	V)	C(C-							B*		O*						
L			BT 3																												
R	115.66	116.28	FAULT ZONE: FAULT AT 115.75 M. APPROXIMATE DIP 25 DEG. STRONG																												
R	115.66	116.28	PALE GRAY CLAY GOUGE AND POSSIBLE SERICITE. ROCK FRIABLE.																												
R	115.66	116.28	MINOR DISSEMINATED PYRITE. FINE GRAINED WEAKLY SHEARED																												
R	115.66	116.28	TEXTURE. PROBABLE CONTACT ZONE WITH DIORITE BELOW. TAN AND																												
R	115.66	116.28	DARK GRAY CONVOLUTED LAMINATIONS, MINOR CALCITE BLEBS. 1.5 CM																												
R	115.66	116.28	QUARTZ VEIN AT 116.26 M FORMS CONTACT WITH DIORITE BELOW. DIPS																												
R	115.66	116.28	AT 51 DEG.																												
N	115.66	116.28	+ FAUL		SH	3	4	5	5	N	3	FC	25	V*	G=															D-	
L			ST 8 2 QV 51 B(
P	116.28	149.96	DIOR		EQ	KR	4	5	5	6	P	3	QC	72	V+	0.	@.	Q.												D(
L			46 4 0 QV 44 V) H+ Q.																												
R	116.28	149.96	DIORITE: MOTTLED PALE TO DARK GRAY-GREEN. FINE TO COARSE																												
R	116.28	149.96	GRAINED. 55-75% MAFICS; COMMONLY CHLORITIZED. WEAK CHLORITE ON																												
R	116.28	149.96	FRACTURES. QUARTZ STRINGERS TO 1%. INCREASE IN VEINING, TO 5%																												
R	116.28	149.96	FROM 135.94-148.44 M. RARE PYRITE. PALE GREEN, SOFT ALTERATION																												
R	116.28	149.96	ON SOME FRACTURES. COULD BE SERICITE. PALE GREEN-BROWN, SOFT																												
R	116.28	149.96	PERVASIVE ALTERATION 116.28-116.71 M; PROBABLY ANKERITE AND																												
R	116.28	149.96	EPIDOTE. RARE SPOTTY MARIPOSITE AND QUARTZ VEINLETS TO 5%.																												
R	116.28	149.96	RARE PYRITE. 10 CM QUARTZ-CARBONATE VEIN 147.42-147.52 M.																												
R	116.28	149.96	DIPS 72 DEG. WEAK KAOLINITE ALTERATION. NO SULPHIDES. PALE																												
R	116.28	149.96	GREEN ALTERATION ENVELOPES 15 CM TO EACH SIDE. VEIN IS SPLIT.																												
R	116.28	149.96	INCREASE IN PYRITE TO 0.5% FROM 148.50 M. GRANITIC PATCHES TO																												
R	116.28	149.96	3%. WEAKLY QUARTZ CRACKLED.																												
R	124.22	125.97	GREENSTONE: DARK GREEN. VERY FINE GRAINED. MINOR CALCITE																												
R	124.22	125.97	AMYGDIOULES < 1MM. MINOR QUARTZ VEINLETS DIP 22 DEG. RARE																												
R	124.22	125.97	BLEBBY RED-BROWN SPHALERITE IN VEINLETS. MINOR PYRITE																												
R	124.22	125.97	THROUGHOUT.																												
N	124.22	125.97	X	GNST	A*	2	4	4	4	N	0	UC	70	V)																D-	SP
L			26 1 1 QV 22 A) B.																												

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WSB50001 (CONTINUED)

SUMMARY REMARKS

THIS HOLE INTERSECTED 4.5m OVERBURDEN, 19M DIORITE, 92m GREENSTONE, AND 34m DIORITE. UPPER DIORITE HAS A 3m GREENSTONE BAND WITH A TRACE CHALCOPYRITE. ALTERATION ZONE IN GREENSTONE UNIT HAS MINOR ARSENOPYRITE AND CHALCOPYRITE. BRECCIATED SECTIONS OF GREENSTONE ALSO CONTAIN CHALCOPYRITE AND PYRITE TO 2.5%. CONGLOMERATE OR FAULT BRECCIA AT 48m, WITH A MINOR QUARTZ STOCKWORK. SEVERAL FELSIC DYKES IN GREENSTONE; DYKE AT 109m HAS MARIPOSITE, PYRITE AND ARSENOPYRITE WITH MINOR QUARTZ STOCKWORK; FAULT AT 115m DIPS 25m, AND FORMS LOWER GREENSTONE-DIORITE CONTACT. TRACE LOCAL SPHALERITE WITH QUARTZ IN BOTH UNITS.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS850001
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	4.40	0.00	0.00
2	4.40	4.57	0.17	100.00
3	4.57	5.18	0.39	63.93
4	5.18	7.92	2.79	101.82
5	7.92	9.45	1.56	101.96
6	9.45	10.97	1.50	98.68
7	10.97	14.02	2.85	93.44
8	14.02	17.07	2.30	75.41
9	17.07	17.98	0.75	82.42
10	17.98	20.12	2.03	94.86
11	20.12	22.86	3.06	111.68
12	22.86	26.52	3.30	90.16
13	26.52	29.57	3.04	99.67
14	29.57	32.61	2.93	96.38
15	32.61	35.66	2.93	96.07
16	35.66	38.71	3.03	99.34
17	38.71	41.76	3.01	98.69
18	41.76	44.81	2.95	96.72
19	44.81	47.85	2.97	97.70
20	47.85	50.60	2.41	87.64
21	50.60	53.04	2.32	95.08
22	53.04	53.95	1.00	109.89
23	53.95	57.00	2.97	97.38
24	57.00	60.05	2.98	97.70
25	60.05	63.09	3.02	99.34
26	63.09	66.14	3.07	100.66
27	66.14	69.19	3.05	100.00
28	69.19	72.24	3.02	99.02
29	72.24	73.46	1.24	101.64
30	73.46	75.29	1.85	101.09
31	75.29	77.42	1.80	84.51
32	77.42	78.33	1.05	115.38
33	78.33	80.77	2.27	93.03
34	80.77	81.38	0.64	104.92
35	81.38	83.82	2.45	100.41
36	83.82	86.87	2.96	97.05
37	86.87	88.39	1.34	88.16
38	88.39	90.53	1.89	88.32
39	90.53	92.35	1.24	68.13
40	92.35	94.49	2.40	112.15
41	94.49	95.40	0.90	98.90
42	95.40	98.15	2.13	77.45
43	98.15	99.67	1.44	94.74
44	99.67	101.19	1.47	96.71
45	101.19	102.72	1.52	99.35
46	102.72	104.24	1.43	94.08
47	104.24	105.77	1.49	97.39
48	105.77	107.29	1.46	96.05
49	107.29	109.73	2.25	92.21
50	109.73	110.34	0.70	114.76
51	110.34	111.86	1.51	99.34
52	111.86	113.39	1.48	96.73
53	113.39	114.91	1.54	101.32
54	114.91	116.43	1.45	95.39

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - W5850001
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
55	116.43	117.96	1.55	101.31
56	117.96	119.48	1.53	100.66
57	119.48	121.01	1.50	98.04
58	121.01	122.53	1.45	95.39
59	122.53	124.05	1.57	103.29
60	124.05	125.58	1.51	98.69
61	125.58	131.67	5.97	98.03
62	131.67	133.20	1.53	100.00
63	133.20	134.72	1.49	98.03
64	134.72	136.25	1.49	97.39
65	136.25	137.77	1.47	96.71
66	137.77	139.29	1.40	92.11
67	139.29	142.34	2.98	97.70
68	142.34	143.87	1.50	98.04
69	143.87	145.39	1.50	98.68
70	145.39	148.44	3.02	99.02
71	148.44	149.96	1.53	100.66

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS850001
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	AL%	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	32.90	33.87	113290	0.97	100	2.87	0.0	270	0	0.0	0	4.85
2	44.47	45.59	113291	1.12	0	3.37	0.0	0	0	0.0	0	2.44
3	48.73	49.73	113292	1.00	0	3.62	0.0	55	0	0.0	0	4.28
4	49.73	50.35	113293	0.62	0	2.50	0.0	35	0	0.0	2	4.91
5	109.36	110.02	113294	0.66	590	0.53	0.0	1975	70	0.0	0	5.14

MEAN					138.0	2.58	1.0	467.0	14.0	1.0	0.4	4.32
MIN					0.0	0.53	0.0	0.0	0.0	0.0	0.0	2.44
MAX					590.0	3.62	0.0	1975.0	70.0	0.0	2.0	5.14

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS850001
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	32.90	33.87	113290	0.97	0.5	28	118	57	5.58	0	0	0.03
2	44.47	45.59	113291	1.12	0.5	31	102	98	5.55	0	0	0.00
3	48.73	49.73	113292	1.00	0.5	37	343	51	4.85	0	0	0.00
4	49.73	50.35	113293	0.62	0.0	26	331	42	2.80	0	0	0.00
5	109.36	110.02	113294	0.66	0.5	21	36	10	4.87	0	0	0.15

MEAN					0.4	28.6	186.0	51.6	4.73	1.0	1.0	0.04
MIN					0.0	21.0	36.0	10.0	2.80	0.0	0.0	0.00
MAX					0.5	37.0	343.0	98.0	5.58	0.0	0.0	0.15

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - W5850001
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	32.90	33.87	113290	0.97	0	3.93	1191	0	0.02	74	150	0
2	44.47	45.59	113291	1.12	0	3.86	1140	0	0.01	47	70	0
3	48.73	49.73	113292	1.00	0	4.95	1031	0	0.02	266	460	0
4	49.73	50.35	113293	0.62	0	3.00	647	0	0.01	213	240	0
5	109.36	110.02	113294	0.66	0	3.01	1105	0	0.08	15	90	4

MEAN					1.0	3.75	1022.8	1.0	0.03	123.0	202.0	0.8
MIN					0.0	3.00	647.0	0.0	0.01	15.0	70.0	0.0
MAX					0.0	4.95	1191.0	0.0	0.08	266.0	460.0	4.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS850001
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TI%	TLPPM	UPPM	VPPM	WPPM
1	32.90	33.87	113290	0.97	5	0	110	0.00	0	0	145	0
2	44.47	45.59	113291	1.12	0	0	44	0.12	0	0	153	0
3	48.73	49.73	113292	1.00	0	0	59	0.00	0	0	123	0
4	49.73	50.35	113293	0.62	0	0	90	0.00	0	0	71	0
5	109.36	110.02	113294	0.66	5	0	210	0.00	0	0	70	0

MEAN					2.0	1.0	102.6	0.02	1.0	1.0	112.4	1.0
MIN					0.0	0.0	44.0	0.00	0.0	0.0	70.0	0.0
MAX					5.0	0.0	210.0	0.12	0.0	0.0	153.0	0.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - W5850001
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	32.90	33.87	113290	0.97	53
2	44.47	45.59	113291	1.12	86
3	48.73	49.73	113292	1.00	57
4	49.73	50.35	113293	0.62	32
5	109.36	110.02	113294	0.66	47

MEAN					55.0
MIN					32.0
MAX					86.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850002

PROJECT IDEN : WYSD
COLLAR NORTHING: 5635235.00

START DATE : 85/ 7/12
COLLAR EASTING : 511856.00
TOTAL LENGTH : 221.59

COMPLETION DATE : 85/ 7/17
COLLAR ELEVATION: 681.00
CORE/HOLE SIZE : NQ

GEOLOGGED BY : MDM +
GRID AZIMUTH : 0.00

		SURVEY FLAG	SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING				
		000	0.00		273.00	-70.00						
F	- INTERVAL -		CORE	%	TYPI- QAL	TEX- GRAIN	FRAC-	STRUCTUR-1	ALTERATION	MINS	DRE-TYPE	MINS
K	L (UNITS = MT)		RECOV-	M ROCK	FYING	MIN	TURES	CHARACS	TURE		H H H H	H ANY
E	A		ERY	I	TM TM	MAT	TX TX	F C Z M		T ID	STK	DIP
Y	G FROM - TO		(%)	X TYPE	1 2	QM1	1 2	F F C P	# TK	1	AZM	RT
											QZ	MR
											CY	AK
											SR	XX
											PY	CP
											LI	YY
												SUMMARY
K	F		ROCK	FOR EN	RT	TM QM2	TX TX	S R S O	DIP F	T ID	STK	DIP
E	L		QUAL	MEM V	Q LC-	3	3 4	0 N H /	SML I	2	AZM	RT
Y	G		DESIG	AGE	COL			R D P C			STRUCTUR-2	
											A	A
											A	A
											A	A
											A	A
P	0.00	3.05		TRIC						P		
R	0.00	3.05		TRICONE								
P	3.05	35.45		PY GNST		A* BN	3 4 5 5		P 5 BN	32 A)	P= <	M7
L				TG		KR			3 2	QC	58 V*	J-
R	3.05	35.45		MASSIVE TO BANDED SULPHIDES: IN DARK GREEN, FINE GRAINED								
R	3.05	35.45		GREENSTONE. DARK GREEN TO KHAKI. DISSEMINATED PYRITE TO 85%								
R	3.05	35.45		IN MASSIVE SECTIONS. MASSIVE BANDS TO 80 CM - POSSIBLE								
R	3.05	35.45		SEDIMENTARY ORIGINS. BANDS DIP 32 DEG. PYRITE DISSEMINATED								
R	3.05	35.45		THROUGHOUT ROCK - USUALLY IN CUBIC CRYSTALS TO 15%. ALSO AS								
R	3.05	35.45		VEINS TO 3 CM - USUALLY ASSOCIATED WITH SILICIFIED ZONES.								
R	3.05	35.45		VEINS DIP 28 DEG. RED HEMATITE TO 2% WITH SOME PYRITE-QUARTZ								
R	3.05	35.45		VEINS. RARE 1 M SECTIONS WITH APPROX. 5% PYRITE AS CORES IN								
R	3.05	35.45		AMYGDLOIDAL QUARTZ BLEBS TO 8 MM. STRONG PERVASIVE CLAY								
R	3.05	35.45		ALTERATION IN SOME SECTIONS. TOTAL PYRITE APPROX. 70%.								
R	3.05	35.45		OCCASIONAL QUARTZ-CALCITE VEINS TO 1 CM DIP 55-60 DEG, AND HAVE								
R	3.05	35.45		PALE ORANGE STRINGERS AND WEAK PERVASIVE ANKERITE ALTERATION UP								
R	3.05	35.45		TO 10 CM EITHER SIDE. ROCK IS QUARTZ AMYGDLOIDAL, WEAKLY								
R	3.05	35.45		CRACKLED. PYRITE 40% SEDIMENATRY. LIMONITE ON FRACTURES IN								
R	3.05	35.45		UPPER 2 M. ROCK IS PREVIOUSLY SPLIT: 7.68-8.23 M, 19.97-20.13 M								
R	3.05	35.45		3.05-3.25 M, 9.00-9.20 M.								
R	20.13	25.78		MISSING. CORE NOT AVAILABLE FOR LOGGING.								
N	20.13	25.78		X MISN								
R	29.06	29.87		ALTERATION ZONE: 1-2 CM QUARTZ-CARBONATE VEINS WITH PALE								
R	29.06	29.87		ORANGE ANKERITE STRINGERS AND WEAK PERVASIVE ANKERITE								
R	29.06	29.87		ALTERATION TO 10 CM EITHER SIDE. 3 CM QUARTZ PLUS TRACE								
R	29.06	29.87		CALCITE VEIN AT 29.57 M HAS ASSOCIATED FINE ARSENOPYRITE								
R	29.06	29.87		NEEDLES IN FOOTWALL. VEIN DIPS 42 DEG. 1 CM FAULT BRECCIA?								
R	29.06	29.87		BAND PARALLELS VEIN 8 CM BELOW IT. IDENTICAL TO 34.02-35.45 M.								
R	29.06	29.87		FINE PYRITE THROUGHOUT, BUT NOT IN VEIN. FAULT BRECCIA ALSO								
R	29.06	29.87		2 CM BAND HANGING WALL TO VEIN, WITH TRACE SPOTTY MARIPOSITE.								
N	29.06	29.87		9 GNST		A*	3 4 5 5		N QC	42 V+ 0-	P)	D=
L				TG					2		V)	
R	31.85	32.49		FAULT ZONE: IN GREENSTONE. MEDIUM KHAKI. FINE GRAINED.								

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : W850002 (CONTINUED)

F - I N T E R V A L -		CORE	%	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS																		
K L (UNITS = MT)		RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H ANY H H H ANY																	
E A		ERY	I	TM	TM	MAT	TX	TX	F C	%	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN		
Y G F R O M - T O		(%)	X	TYPE	1	2	Q M 1	1	2	F F	C P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY
K F		ROCK	FOR	EN	RT	TM	Q M 2	TX	TX	S R	S O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA
E L		QUAL	MEM	V	Q	LC-	3	3	4	O	N	H	/	SML	I	2	AZM	RT			H	H	H	H	H	H	H
Y G		DESIG	AGE	COL				R	D	P	C			STRUCTUR-2				A	A	A	A	A	A	A	A	A	
R	31.85	32.49	MODERATELY FRIABLE. FAULT CONCENTRATED 31.85-32.07 M AND																								
R	31.85	32.49	32.40-32.49 M. POSSIBLY TWO FAULTS. UPPER DIPS 30 DEG., LOWER																								
R	31.85	32.49	SECTION TOO BROKEN TO TELL. PERVASIVE PALE GRAY CLAY GOUGE,																								
R	31.85	32.49	DISSEMINATED TO PATCHY PYRITE. LESS FAULTED SECTION IS WEAKLY																								
R	31.85	32.49	QUARTZ AMYGDLOIDAL.																								
N	31.85	32.49	PY 3 FAUL SH A* 3 4 3 5 N 1 SH 30 A(61 Q1																								
L			TG 9																								
R	34.02	35.45	CONGLOMERATE: SECTIONS WITHIN GREENSTONE. POSSIBLE FAULT																								
R	34.02	35.45	BRECCIAS. DARK GRAY, FINE GRAINED MATRIX. SUBANGULAR																								
R	34.02	35.45	FRAGMENTS TO 25%. MATRIX SUPPORTED. FRAGMENTS 30% SILICA, 60%																								
R	34.02	35.45	GREENSTONE, AND 10% MASSIVE PYRITE. DISSEMINATED PYRITE																								
R	34.02	35.45	THROUGHOUT. QUARTZ VEIN AT 35.43 M DIPS 50 DEG. UPPER CONTACT																								
R	34.02	35.45	DIPS 65 DEG. LOWER CONTACT AT SAME ANGLE. FRAGMENTS 1-2 MM																								
R	34.02	35.45	AND 8-15 MM.																								
N	34.02	35.45	2 CONG BR 4 5 1 6 N 0 UC 65 ** *1																								
L			3A 3 0 LC 65																								
P	35.45	221.59	GNST A* KR 3 4 2 4 P 0 BC 42 V* D-																								
L			3G 3 V* B) E- Q- D.																								
R	35.45	221.59	GREENSTONE: MEDIUM TO DARK GREEN, FINE GRAINED. UNIFORM																								
R	35.45	221.59	TEXTURE. CRACKLED. DARK GREEN CHLORITIC FLECKS SCATTERED																								
R	35.45	221.59	THROUGHOUT. PALE GREEN, WEAKLY CALCAREOUS BLEBS TO 5 MM,																								
R	35.45	221.59	SCATTERED LOCALLY TO 2%. MINOR QUARTZ AND QUARTZ-CALCITE																								
R	35.45	221.59	VEINLETS DIP 40-45 DEG. TRACE PYRITE. 5 CM BRECCIA? BAND AT																								
R	35.45	221.59	50.25 M DIPS 60 DEG. IDENTICAL TO 34.02-35.45 M. PYRITE																								
R	35.45	221.59	LOCALLY TO 0.5%. CHLORITIC FRACTURES 113.60 M; 10 CM PALE																								
R	35.45	221.59	BROWN PERVASIVE ANKERITE ALTERATION. HANGING WALL TO DYKE AT																								
R	35.45	221.59	113.70 M. 123.53-124.46 M; LOCAL IRREGULAR PYRITE STRINGERS.																								
R	35.45	221.59	PYRITE TO 10%. STRINGERS ASSOCIATED WITH QUARTZ. DIP APPROX.																								
R	35.45	221.59	50 DEG. 127.75-131.06 M; SLIGHTLY MORE CRACKLED AND WEAKLY																								
R	35.45	221.59	BRECCIATED. RARE PALE GREEN EPIDOTE? ENVELOPES TO QUARTZ																								
R	35.45	221.59	STRINGERS. TRACE DISSEMINATED PYRRHOTITE. PYRITE LOCALLY TO																								
R	35.45	221.59	1.5% AS STRINGERS WITH QUARTZ. ALSO TRACE PATCHY RED HEMATITE																								
R	35.45	221.59	WITH QUARTZ STRINGERS. PREVIOUSLY SPLIT: 106.75-108.23 M.																								
R	38.66	39.36	ALTERATION ZONE: PERVASIVE PALE ORANGE-BROWN ANKERITE																								
R	38.66	39.36	ALTERATION - FOOTWALL TO 4 CM BANDED QUARTZ VEIN AT 38.66 M,																								
R	38.66	39.36	AND QUARTZ STOCKWORK TO 38.89 M. STRONGLY CRACKLED TO																								
R	38.66	39.36	BRECCIATED. TRACE ARSENPYRITE WITH DARK GRAY <1 MM BANDS IN																								
R	38.66	39.36	THE QUARTZ. MINOR PYRITE. VEIN DIPS APPROX 50 DEG. MOST OF																								
R	38.66	39.36	VEIN IS BROKEN. NO VISIBLE MINERALIZATION IN STOCKWORK. NO																								
R	38.66	39.36	HANGING WALL ALTERATION.																								
N	38.66	39.36	9 GNST BR SK 3 4 1 4 N 2 QV 50 V= .P+ D-																								
L			OT KR 3																								
R	58.61	69.46	SULPHIDE-RICH ZONE: DARK GRAY TO GRAY-BROWN. FINE GRAINED.																								

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WSB50002 (CONTINUED)

F - I N T E R V A L -		CORE RECOVERY (%)	Z M ROCK TYPE	TYPI- QAL FYING MIN	TEX- TURES MAT TX 1 2	GRAIN CHARACS F C % M	FRAC- TURE # TK	STRUCTUR-1		ALTERATION MINS					ORE-TYPE MINS													
L (UNITS = MT)								1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
Y	G	FROM	TO					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	SUMMARY
K	F			ROCK	FOR EN RT	TM QM2 TX TX S R S O	DIP F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA							
E	L			QUAL	MEM V Q LC- 3	3 4 0 N H / SML	I	2	AZM	RT				H	H	H	H	H	H	H	H							
Y	G			DESIG	AGE	COL	R D P C							A	A	A	A	A	A	A	A							
R		126.87	127.75	IN THIS SECTION. GRADATIONAL CONTACTS.																								
N		126.87	127.75	+ FAUL KR BR 3 4 2 4 N 2 QV 60 V= G+ P+ D)																								
L				AU 8 D*																								
R		133.52	136.96	ALTERATION ZONE: TAN TO MEDIUM MUDDY GREEN. FINE GRAINED. IS																								
R		133.52	136.96	ALTERATION TO MODERATE QUARTZ STOCKWORK 135.38-136.96 M.																								
R		133.52	136.96	ALTERATION STRONGEST WITHIN 1 CM OF INDIVIDUAL VEINLETS; GET																								
R		133.52	136.96	PALE BROWN ALTERATION ENVELOPES AROUND VEINS. VEINS DIP 42-50																								
R		133.52	136.96	DEG. TRACE BLEBBY CHALCOPYRITE AND MIO RD STRINGER TO																								
R		133.52	136.96	DISSEMINATED PYRITE WITH QUARTZ. 3 CM QUARTZ VEIN AT 136.88 M,																								
R		133.52	136.96	HAS GRAY CLAY GOUGE ON HANGING WALL. POSSIBLE FAULT DIPS 50																								
R		133.52	136.96	DEG. STRONGLY CRACKLED. NO FOOTWALL ALTERATION BEYOND 136.90 M.																								
R		133.52	136.96	HANGING WALL ALTERATION DECREASES TO NEAR ZERO AT 133.52 M.																								
N		133.52	136.96	9 GNST SK KR N 2 QV 46 K= G. P+ D) B(
R		165.90	170.57	GREENSTONE: SIMILAR TO MAIN UNIT, BUT WITH SECTIONS OF DARK																								
R		165.90	170.57	GRAY SILICA FLOODED PYRITE RICH ROCK? PYRITE AS STRINGERS AND																								
R		165.90	170.57	DISSEMINATED TO INTERSTITIAL. RARE FINE CHALCOPYRITE IN																								
R		165.90	170.57	STRINGERS. STRONGLY CRACKLED. PYRITE IN NON-SILICA FLOODED																								
R		165.90	170.57	SECTIONS AS STRINGERS AND BLEBS ALONG QUARTZ STRINGERS.																								
R		165.90	170.57	PREVIOUSLY SPLIT; 166.25-170.18 M. SAMPLE KMD 10/07 AT 168.07 M																								
R		165.90	170.57	LARGER PYRITE BLEBS RARELY CRACKLED TO FRAGMENTED. PYRITE																								
R		165.90	170.57	TO 10% LOCALLY. GRADATIONAL CONTACTS.																								
N		165.90	170.57	SI 9 GNST KR 3 4 2 4 D 0 QC 42 P1 B1 <<																								
L				36 3 B) E- Q- D.																								
R		178.91	179.83	GREENSTONE: DARK GREEN TO MEDIUM GRAY. SIMILAR TO MAIN UNIT,																								
R		178.91	179.83	BUT WITH SILICA-FLOODED, PYRITE RICH LENSES TO 20 CM.																								
R		178.91	179.83	INTERSTITIAL PYRITE TO 20% WITHIN LENSES. ALSO ABUNDANT QUARTZ																								
R		178.91	179.83	STRINGERS WITH DISSEMINATED PYRITE. SILICA LENSES DO NOT LOOK																								
R		178.91	179.83	LIKE VEINS. PYRITE BLEBS THROUGHOUT. GRADATIONAL SECTION																								
R		178.91	179.83	CONTACTS. 5 CM QUARTZ-CALCITE VEIN AT FOOTWALL OF SECTION DIPS																								
R		178.91	179.83	58 DEG. IS WEAKLY CLAY ALTERED. ROCK CRACKLED.																								
N		178.91	179.83	PY 9 GNST KR 3 4 2 4 D 3 QC 58 Q2 J=																								
L				AG 3 3 V) B) E- Q- D.																								
R		181.31	183.54	GREENSTONE: SIMILAR TO MAIN UNIT, BUT WITH DARK GRAY																								
R		181.31	183.54	SILICA-FLOODED PYRITE-RICH LENSES OF PATCHES, 10-30 CM.																								
R		181.31	183.54	PATCHES ARE STRONGLY CRACKLED, WITH TRACE HEMATITE, AND																								
R		181.31	183.54	INTERSTITIAL TO STRINGER PYRITE TO 15%. POOR ORIENTATION OF																								
R		181.31	183.54	STRINGERS DIPS 15 DEG. PYRITE ALSO IN STRINGERS WITH QUARTZ																								
R		181.31	183.54	THROUGHOUT UNIT AND AS DISCRETE DISSEMINATIONS TO 6%. SILICA																								
R		181.31	183.54	PATCHES HAVE SHARP BOUNDARIES, BUT SECTION GRADATIONAL.																								
R		181.31	183.54	SIMILAR TO 178.91-179.83 M.																								
N		181.31	183.54	PY 9 GNST KR 3 4 2 4 D 1 SV 15 Q2 J=																								
L				36 3 V* B) E- Q- D.																								
R		191.53	195.36	GREENSTONE: DARK GRAY, FINE GRAINED TO FRAGMENTAL. STRONGLY																								
R		191.53	195.36	CRACKLED. STRONGLY QUARTZ AMYGDLOIDAL. DISSEMINATED PYRITE																								

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : W850002 (CONTINUED)

F - INTERVAL - K L (UNITS = MT)			CORE RECOVERY (%)	% M ROCK	TYPICAL FLYING	QUAL MAT	TEXTURES	GRAIN CHARACTERS	FRAC-TURE	STRUCTUR-1	ALTERATION	MINS	ORE-TYPE	MINS	SUMMARY													
Y G FROM - TO			ERY	I	TM	TM	TX	TX	F C % M	T ID	STK	DIP	A A A A	A A A A														
			(%)	X	TYPE	1	2	QM1	1	2	F F C P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY		
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S R S O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA	
E L			QUAL	MEM	V	Q	LC-3	3	4	O N H /	SML	I	2	AZM	RT													
Y G			DESIG	AGE	COL					R D P C				STRUCTUR-2							A	A	A	A	A	A	A	
R	191.53	195.36	IN THIN BANDS WITH DARK GRAY SILICA INJECTIONS, AND BLEBBY TO DISSEMINATED THROUGHOUT. STRONGLY CHLORITIZED, WITH DARK BLACK CHLORITIC STRINGERS THROUGHOUT. RARE 1 CM SULPHIDE VEINS DIP 35 DEG. TEXTURES VARIABLE THROUGHOUT. TRACE BLEBBY CHALCOPYRITE. WELL DEFINED CONTACTS; UPPER DIPS 45 DEG.; LOWER CONTACT DIPS 15 DEG. STRONGLY FRACTURED, 194.75-195.36 M. PREVIOUSLY SPLIT, 191.53-193.81 M. TOTAL PYRITE 5%.																									
N	191.53	195.36	PY 9	GNST						A* KR 3 4 5 5		N 1	SV		35	A+											B= B-	
L						3A						3	0	UC		45												P+
R	201.87	204.39	GREENSTONE: SIMILAR TO MAIN UNIT, BUT WITH PALE GRAY QUARTZ VEINLETS TO 1 CM, WITH ASSOCIATED BLEBBY TO STRINGER PYRITE. MINOR DISSEMINATED PYRITE THROUGHOUT, BUT CONCENTRATED WITH SECONDARY SILICA. ORIENTATION OF STRINGES APPROX. 15 DEG. AND 40 DEG. QUARTZ VEINLETS CRACKLED.																									
N	201.87	204.39	9	GNST						A* KR 3 4 2 4		D 0	QC		42	V+											B+	
L						3G						3			V*													B) E- Q- D.
R	209.15	210.38	GREENSTONE: SIMILAR TO MAIN UNIT, BUT WITH ABUNDANT PALE GREEN EPIDOTE AS ALTERATION ENVELOPES TO DARK GRAY QUARTZ STRINGERS AND MM PYRRHOTITE STRINGERS. ENVELOPES TO 4 CM. STRINGERS DIP 35-45 DEG. EPIDOTE ALSO IN PALE GREEN BLEBS TO 4 MM; <1%.																									
N	209.15	210.38	9	GNST						A* KR 3 4 2 4		D 1	VN		40	()												D-
L						3G						3			V*													B) E= Q- ()
R	211.10	212.33	GREENSTONE: SIMILAR TO MAIN UNIT, BUT WITH ABUNDANT PALE GRAY STRONGLY CRACKLED SILICA LENSES AND VEINLETS TO 50%. PYRITE AS INTERSTITIAL STRINGERS AND LARGE BLEBS WITHIN THESE SILICA LENSES, TO 10% LOCALLY. PYRITE ALSO DISSEMINATED THROUGHOUT. NO ORIENTATION TO STRINGERS.																									
N	211.10	212.33	5	GNST						A* KR 3 4 2 4		D 0	QC		42	Q2												J=
L						AG						3			V*													B) E- Q- D.

S U M M A R Y R E M A R K S

THIS HOLE INTERSECTED 3 M OVERBURDEN, 32 M GREENSTONE/MASSIVE SULPHIDE, WITH PYRITE IN BANDS AND VEINS TO 70%. THEN 185 M OF GREENSTONE WITH NUMEROUS SULPHIDE-RICH ZONES WITH PYRITE TO 85% LOCALLY, AND PYRITE <0.1% IN TYPICAL MAIN UNIT. PYRITE IN THIS ZONE COMMONLY ASSOCIATED WITH PALE GRAY SILICA-FLOODED SECTIONS OR LENSES, OR QUARTZ STRINGERS. PYRITE AS PODS, BLEBS AND VEINLETS. SECONDARY. TRACE HEMATITE WITH QUARTZ. TRACE CHALCOPYRITE. TWO BANDED QUARTZ VEINS WITH ARSENOPYRITE, AT 29.57 M AND 127.35 M. TWO FAULTS AT 32 M AND 127 M. ONE

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50002
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	3.05	0.00	0.00
2	3.05	5.18	1.64	77.00
3	5.18	6.71	1.54	100.65
4	6.71	8.23	1.53	100.66
5	8.23	11.28	3.04	99.67
6	11.28	12.80	1.51	99.34
7	12.80	14.33	1.58	103.27
8	14.33	15.85	1.54	101.32
9	15.85	17.37	1.50	98.68
10	17.37	18.90	1.53	100.00
11	18.90	20.13	1.23	100.00
12	20.13	25.78	0.00	0.00
13	25.78	26.52	0.74	100.00
14	26.52	29.57	3.11	101.97
15	29.57	35.36	5.84	100.86
16	35.36	41.76	6.07	94.84
17	41.76	44.81	2.96	97.05
18	44.81	47.85	2.90	95.39
19	47.85	53.95	6.26	102.62
20	53.95	57.00	3.06	100.33
21	57.00	60.05	2.99	98.03
22	60.05	63.09	2.94	96.71
23	63.09	68.28	5.02	96.72
24	68.28	70.71	2.41	99.18
25	70.71	71.32	0.58	95.08
26	71.32	74.37	3.06	100.33
27	74.37	77.42	3.00	98.36
28	77.42	79.55	2.00	93.90
29	79.55	81.38	1.96	107.10
30	81.38	84.43	2.94	96.39
31	84.43	87.48	3.00	98.36
32	87.48	90.53	3.03	99.34
33	90.53	99.67	9.17	100.33
34	99.67	103.94	4.15	97.19
35	103.94	106.98	3.09	101.64
36	106.98	108.81	1.82	99.45
37	108.81	111.86	3.05	100.00
38	111.86	114.91	2.97	97.38
39	114.91	117.35	2.32	95.08
40	117.35	120.40	3.01	98.69
41	120.40	123.44	3.06	100.66
42	123.44	125.58	2.27	106.07
43	125.58	127.10	1.23	80.92
44	127.10	128.32	0.85	69.67
45	128.32	130.15	1.89	103.28
46	130.15	133.20	2.80	91.80
47	133.20	135.64	2.30	94.26
48	135.64	137.77	2.15	100.94
49	137.77	139.29	1.63	107.24
50	139.29	142.35	3.01	98.37
51	142.35	145.39	2.76	90.79
52	145.39	148.44	2.97	97.38
53	148.44	151.49	3.10	101.64
54	151.49	154.53	2.99	98.36

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50002
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
55	154.53	157.58	2.92	95.74
56	157.58	166.42	8.40	95.02
57	166.42	167.34	1.11	120.65
58	167.34	168.86	1.20	78.95
59	168.86	174.96	5.84	95.74
60	174.96	178.00	2.99	98.36
61	178.00	181.05	3.06	100.33
62	181.05	184.10	2.95	96.72
63	184.10	185.62	1.42	93.42
64	185.62	186.84	1.20	98.36
65	186.84	190.50	3.30	90.16
66	190.50	193.55	2.90	95.08
67	193.55	195.68	2.30	107.98
68	195.68	197.82	1.98	92.52
69	197.82	200.86	3.05	100.33
70	200.86	203.30	2.33	95.49
71	203.30	206.35	3.04	99.67
72	206.35	209.40	3.05	100.00
73	209.40	212.45	3.09	101.31
74	212.45	215.49	2.91	95.72
75	215.49	218.54	3.04	99.67
76	218.54	221.59	2.85	93.44

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS850002
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	29.54	29.87	116268	0.33	980	1.76	0.0	1390	70	0.0	0	4.40
2	31.85	32.49	116269	0.64	0	3.36	0.0	30	60	0.0	0	0.52
3	34.02	34.64	116270	0.62	0	3.73	0.0	15	20	0.0	0	1.99
4	34.64	35.45	116271	0.81	0	3.23	0.0	55	20	0.0	0	1.95
5	38.66	39.36	116272	0.70	10	2.63	0.0	110	10	0.0	0	5.16
6	126.87	127.75	116273	0.88	4280	1.69	0.0	7410	280	0.0	0	3.05
7	135.38	136.14	116274	0.76	75	1.04	0.0	205	30	0.0	0	4.01
8	136.14	136.96	116275	0.82	140	2.60	0.0	505	20	0.0	0	2.04
					<hr/>							
MEAN					685.6	2.50	1.0	1215.0	63.7	1.0	1.0	2.89
MIN					0.0	1.04	0.0	15.0	10.0	0.0	0.0	0.52
MAX					4280.0	3.73	0.0	7410.0	280.0	0.0	0.0	5.16

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS850002
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	29.54	29.87	116268	0.33	3.0	34	100	20	6.23	0	0	0.55
2	31.85	32.49	116269	0.64	0.5	33	77	19	13.31	0	0	0.51
3	34.02	34.64	116270	0.62	0.0	40	324	35	5.68	0	0	0.09
4	34.64	35.45	116271	0.81	1.0	36	184	42	10.81	0	0	0.10
5	38.66	39.36	116272	0.70	0.5	29	82	56	5.66	0	0	0.14
6	126.87	127.75	116273	0.88	5.0	30	54	377	6.49	0	0	0.31
7	135.38	136.14	116274	0.76	0.5	20	121	122	3.83	0	0	0.15
8	136.14	136.96	116275	0.82	1.0	27	41	23	6.22	0	0	0.18
					<hr/>							
MEAN					1.4	31.1	122.9	86.7	7.28	1.0	1.0	0.25
MIN					0.0	20.0	41.0	19.0	3.83	0.0	0.0	0.09
MAX					5.0	40.0	324.0	377.0	13.31	0.0	0.0	0.55

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS850002
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAX	NIPPM	PPPM	PBPPM
1	29.54	29.87	116268	0.33	0	5.04	1822	0	0.08	83	140	0
2	31.85	32.49	116269	0.64	0	2.94	908	0	0.05	21	120	0
3	34.02	34.64	116270	0.62	0	5.05	1050	0	0.06	301	510	0
4	34.64	35.45	116271	0.81	0	4.14	884	0	0.06	158	360	0
5	38.66	39.36	116272	0.70	0	3.64	1285	0	0.08	30	340	0
6	126.87	127.75	116273	0.88	0	3.01	1301	0	0.11	15	40	8
7	135.38	136.14	116274	0.76	0	2.59	1217	0	0.15	16	260	0
8	136.14	136.96	116275	0.82	0	3.69	1148	0	0.15	12	280	0

MEAN					1.0	3.76	1201.9	1.0	0.09	79.5	256.2	1.0
MIN					0.0	2.59	884.0	0.0	0.05	12.0	40.0	0.0
MAX					0.0	5.05	1822.0	0.0	0.15	301.0	510.0	8.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS850002
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	29.54	29.87	116268	0.33	5	0	419	0.00	0	0	83	5
2	31.85	32.49	116269	0.64	0	0	34	0.00	0	0	122	5
3	34.02	34.64	116270	0.62	0	0	68	0.00	0	0	132	5
4	34.64	35.45	116271	0.81	5	10	47	0.00	0	0	162	10
5	38.66	39.36	116272	0.70	0	0	115	0.00	0	0	180	10
6	126.87	127.75	116273	0.88	10	10	230	0.00	0	0	123	0
7	135.38	136.14	116274	0.76	5	0	161	0.00	0	0	82	0
8	136.14	136.96	116275	0.82	0	0	74	0.00	0	0	191	5

MEAN					3.1	2.5	143.5	1.00	1.0	1.0	134.4	5.0
MIN					0.0	0.0	34.0	0.00	0.0	0.0	82.0	0.0
MAX					10.0	10.0	419.0	0.00	0.0	0.0	191.0	10.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS850002
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	29.54	29.87	116268	0.33	171
2	31.85	32.49	116269	0.64	174
3	34.02	34.64	116270	0.62	92
4	34.64	35.45	116271	0.81	205
5	38.66	39.36	116272	0.70	71
6	126.87	127.75	116273	0.88	171
7	135.38	136.14	116274	0.76	82
8	136.14	136.96	116275	0.82	59

MEAN	128.1
MIN	59.0
MAX	205.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850003

PROJECT IDEN : WYSD START DATE : 85/11/ 1 COMPLETION DATE : 85/11/ 1 GEOLOGGED BY : LMD +
 COLLAR NORTHING: 5635156.00 COLLAR EASTING : 511770.00 COLLAR ELEVATION: 701.50 GRID AZIMUTH : 0.00
 TOTAL LENGTH : 76.20 CORE/HOLE SIZE : NQ

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING						
000		0.00		270.00	-45.00								
F	- I N T E R V A L -		CORE	Z	TYPI- QAL	TEX-	GRAIN FRAC-	STRUCTUR-1	ALTERATION	MINS	ORE-TYPE	MINS	
K L	(UNITS = MT)		RECOV-	M ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H	ANY H H H ANY		
E A			ERY	I	TM TM	MAT TX TX	F C Z M			T ID STK	DIP A A A A A	MIN A A A MIN	
Y G	F R O M - T O		(%)	X TYPE	1 2 QM1	1 2 F F C P	# TK			1	AZM RT QZ	MR CY AK SR XX PY CP LI YY	SUMMARY
K F			ROCK	FOR EN RT	TM QM2	TX TX	S R S O	DIP F		T ID STK	DIP CA MU CL EP HE HA PR AS FS HA		
E L			QUAL	MEM V Q	LC- 3	3 4	O N H /	SML I		2	AZM RT	H H H H H H H H	
Y G			DESIG	AGE	COL		R D P C				STRUCTUR-2	A A A A A A A A	
P	0.00	1.83		TRIC						P			
P	1.83	26.70		CHRT		RN BN 1 3 3 4				P	BN 80		L-
L				AN				6			V*		
R	1.83	26.70		CHERT WITH INTERBEDDED ARGILLITE: PALE GRAY TO BLACK. APHANITIC TO FINE GRAINED RIBBON TEXTURE. BANDING AT 80 DEGREES. ARGILLITE BANDS UP TO 1 METRE WIDE. RARE SANDY BANDS 10-20cm. MINOR CALCITE VEINLETS IN THE ARGILLITE.									
R	1.83	26.70											
R	1.83	26.70											
R	1.83	26.70											
R	6.67	10.18		ARGILLITE BAND: BLACK. FINE GRAINED. BEDDED AT 65 DEGREES. SILTY BANDS TO 5%. MINOR CALCITE VEINS/VEINLETS. TRACE VERY FINE PYRITE IN BEDS.									
R	6.67	10.18											
R	6.67	10.18											
N	6.67	10.18		9	ARGL		BD	2 3 8 4		N	BD	65	L-
L				N				4			V)		
R	16.84	21.21		ARGILLITE BAND: BLACK. FINE GRAINED WITH 5% SILTY BANDS. BEDDED AT 65 DEGREES. MINOR CALCITE VEINS/VEINLETS. TRACE VERY FINE BEDDED PYRITE.									
R	16.84	21.21											
R	16.84	21.21											
N	16.84	21.21		8	ARGL		BD	2 3 8 4		N	BD	65	L-
L				N				4			V)		
P	26.70	38.29		ARGL		BD	2 3 5 3			P			L-
L				NU							V+		
R	26.70	38.29		ARGILLITE: BLACK TO BROWN. FINE GRAINED. SILTY BEDS. BEDDED AT 5-50 DEGREES. CALCAREOUS LAYERS AND CALCITE VEINS COMMON.									
R	26.70	38.29											
P	38.29	76.20		CHRT		RN BN 1 3 3 4				P			L-
L				AN				6			V*		
R	38.29	76.20		CHERT WITH 10-20% INTERBEDDED ARGILLITE: PALE GRAY TO BLACK APHANITIC TO FINE-GRAINED. RIBBON TEXTURE. BANDING AT 45-80 DEGREES. ARGILLITE BANDS UP TO 1 METRE WIDE. RARE SANDY BANDS 10-20cm. MINOR CALCITE VEINLETS IN THE ARGILLITE.									
R	38.29	76.20											
R	38.29	76.20											
R	38.29	76.20											
R	39.39	45.64		CORE NOT AVAILABLE FOR LOGGING.									
N	39.39	45.64		X	MISN					N			
R	47.00	52.34		ARGILLITE: BLACK TO BROWN. FINE GRAINED WITH 10% SILTY LAYERS. BANDING AT 40-55 DEGREES. MINOR CALCITE VEINLETS.									
R	47.00	52.34											

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50003
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	3.35	1.47	43.88
2	3.35	4.88	1.39	90.85
3	4.88	7.62	2.53	92.34
4	7.62	8.53	0.74	81.00
5	8.53	10.24	1.42	83.04
6	10.24	11.28	0.67	54.42
7	11.28	14.02	2.40	87.59
8	14.02	17.37	3.15	94.03
9	17.37	18.90	1.47	96.08
10	18.90	20.12	0.82	67.21
11	20.12	21.34	1.32	108.20
12	21.34	22.86	0.78	51.32
13	22.86	23.47	0.52	85.25
14	23.47	26.52	2.86	93.77
15	26.52	27.74	1.41	115.57
16	27.74	29.26	1.46	96.05
17	29.26	30.78	1.48	97.37
18	30.78	32.31	1.52	99.35
19	32.31	33.83	1.48	97.37
20	33.83	35.36	1.55	101.31
21	35.36	36.88	1.62	106.58
22	36.88	38.40	1.44	94.74
23	38.40	39.39	0.99	100.00
24	39.39	45.64	0.00	0.00
25	45.64	46.33	1.69	100.00
26	46.33	47.85	1.52	100.00
27	49.38	50.90	1.52	100.00
28	50.90	52.43	1.44	94.12
29	52.43	53.95	1.42	93.42
30	53.95	55.47	1.48	97.37
31	55.47	56.99	1.49	98.03
32	56.99	58.52	1.53	100.00
33	58.52	60.05	1.50	98.04
34	60.05	61.57	1.49	98.03
35	61.57	63.09	1.52	100.00
36	63.09	64.62	1.47	96.08
37	64.62	66.14	1.58	103.95
38	66.14	67.67	1.48	96.73
39	67.67	69.19	1.52	100.00
40	69.19	70.71	1.53	100.66
41	70.71	72.24	1.52	99.35
42	72.24	73.77	1.51	98.69
43	73.77	75.29	1.61	105.92
44	75.29	76.20	0.61	67.03

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS850003

AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS850003
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS850003
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS850003
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS850003
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------

NO Records Found for this Report

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850004

PROJECT IDEN : WYSD
COLLAR NORTHING: 5634970.00

START DATE : 85/ 7/19
COLLAR EASTING : 511681.00
TOTAL LENGTH : 26.82

COMPLETION DATE : 85/ 7/22
COLLAR ELEVATION: 716.50
CORE/HOLE SIZE : NQ

GEOLOGGED BY : MDM +
GRID AZIMUTH : 0.00

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
000		0.00		270.00	-45.00		
F - INTERVAL - K L (UNITS = MT) E A Y G FROM - TO		CORE RECOVERY (%)	X TYPE	TYPICAL MIN MAT 1 2 QM1 1 2 F F C P # TK	GRAIN CHARACT FRACTION	STRUCTUR-1 ALTERATION H H H H H ANY H H H ANY	MINS ORE-TYPE MINS A A A A A MIN A A A MIN
K F E L Y G		ROCK QUAL DESIG	FOR EN RT V Q LC- 3 AGE	TM QM2 TX TX S R S O DIP F / SML I R D P C		STRUCTUR-2 A A A A A A A A	
P	0.00	5.41	TRIC				
P	5.41	6.80	ARGL 1A	MX 2 3 2 3	P 1 QV 62 V(3 V)		
R	5.41	6.80	ARGILLITE; POSSIBLY FERGUSSON. BLACK TO DARK GREY-GREEN. VERY FINE GRAINED, WEAKLY CALCAREOUS, MINOR CALCITE VEINLETS AND FRAGMENTS. RARE QUARTZ VEINLETS TO 6mm, DIPS 62 DEGREES FROM 5.41-6.15m GROUND, BROKEN ROCK INCLUDING POSSIBLE BOULDERS OF DIORITE AND GRANITE. GROUND ROCK SCATTERED THROUGHOUT UNIT.				
P	6.80	21.80	CHRT 6A	KR SK 5	P 1 QV 46 V= 0 LC 50	<?	D-
R	6.80	21.80	CHERT: PALE TO DARK GREY APHANITIC. STRONG CRACKLED TEXTURE WITH MASSIVE WHITE QUARTZ VEINLETS TO 2mm. MINOR STOCKWORK OF WHITE QUARTZ VEINLETS TO 2mm. LOCALLY TO 1cm. MINOR BLACK ARGILLITE STRINGERS AND STYLOLITES, <1% QUARTZ VEINS DIP 42-50 DEGREES. RARE PALE ORANGE SOFT, ALTERATION STRINGERS-TYPICALLY FOLLOW QUARTZ VEINLETS-1% ANKERITE?12.60-13.00m IS WHITE SILICA WITH MINOR DARK GREY TO BROWN STRINGERS. STILL CRACKLED. CONTACTS IN GROUND BROKEN ROCK. RARE FINELY DISSEMINATED PYRITE ALONG DARK STRINGERS. ROCK IS STRONGLY BROKEN IN SECTIONS AND OCCASIONALLY GROUND ie.13.06-13.15m AND 12.00-12.80m. CASING TO TO 11.58m. MODERATELY FRACTURED, LOCALLY WELL FRACTURED. LOWER CONTACT LOOKS CONFORMABLE INTO ARGILLITE, DIPS 50 DEGREES. CHERT WITH CLAY: SIMILAR TO MAIN UNIT, BUT WITH PALE GREY GOUGE MATERIAL ON FRACTURES TO 5mm. ROCK IS BROKEN UP + GROUND IN PLACES.STRONGLY FRACTURED, COARSER GRAINED. RARE INTERSTITIAL CLAY AROUND SILICA FRAGMENTS. UPPER CONTACT IN BROKEN ROCK,LOWER CONTACT GRADATIONAL OVER 10cm.				
N	6.80	9.98	9 CHRT 6A	KR SK 1 4 5 5 RB	D 8 0 LC 50	<?	D-
R	17.09	17.96	CHERT WITH ARGILLITE: SIMILAR TO MAIN UNIT, BUT INCREASE IN ARGILLACEOUS BANDS TO 10%, AND TO 3cm. GRADATIONAL ON CONTACTS WELL FRACTURED. ARGILLITE IS WEAKLY CARBONACEOUS ON FRACTURES.				

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : W8850004 (CONTINUED)

F - INTERVAL -		CORE RECOVERY (%)	% M ROCK I TYPE	TYPI- FTM 1	DAL- QM1 2	TEX- TX 1	GRAIN F C % M	FRAC- S R S O	STRUCTUR-1 ID	ALTERATION H H H H	MINS ANY H H H ANY	DRE-TYPE A A A A	MINS A A A A	SUMMARY							
KL (UNITS = MT)	FROM - TO																				
EA		ERY		TM 2	TX 2	TX 2	F C % M	DIP F	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA	
YG		(%)		COL			R D P C		STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA	
N	17.09	17.96		X CHRT			KR SK		D 1	QV		46 V=		<?							D-
L				4A			BN		7			50									
P	21.80	26.82		ARGL			SH LM 1 4 2 5		P 0	UC		50 B.		<?							D-
L				1A					6	2	LM	20 V)									
R	21.80	26.82	ARGILLITE: HURLEY? CONFORMABLE UPPER CONTACT WITH CHERT, DIPS DEGREES. DARK GREY FINE GRAINED TO APHANITIC. WEAKLY SHEARED OR LAMINATED TEXTURE, GENERALLY POORLY DEVELOPED. OUTLINED BY PALE BROWN SOFT STRINGERS, STRETCHED CALCITE LENSES, AND WEAK COMPOSITITONAL LAYERING. CALCITE ALSO AS VEINLETS, RARE QUARTZ LENS TO 1cm. PALE BROWN STRINGERS AND BLEBS POSSIBLY ANKERITE. MINOR FINE SULPHIDES MODERATE TO WELL FRACTURED AT 30 DEGREES AND 45 DEGREES. MODERATELY CAARBONACEOUS ALONG FRACTURES. 1cm QUARTZ VEIN AT 24.56m DIPS 20 DEGREES; HAS WELL DEVELOPED SLICKENSLIDES WHICH PLUNGE 25 DEGREES TO CORE AXIS.																		
R	21.80	26.82	ALTERED ARGILLITE: DARK GREY WITH ABUNDANT MUDDY GREEN AND RUSTY BROWN ALTERATION LAMINATIONS-DOMINANTLY CHLORITE AND EPIDOTE, AND POSSIBLY LIMONITE, TEXTURE SIMILAR TO MAIN UNIT.																		
R	21.80	26.82	RARE CHLORITE ON FRACTURE SURFACES. GRADATIONAL CONTACTS.																		
R	21.80	26.82		8 ARGL			SH LM 1 4 2 5		D 0	UC		50 B.									
R	21.80	26.82		GU					6	2	LM	20 V)		L= L+							D-
R	22.47	23.87																			
R	22.47	23.87																			
R	22.47	23.87																			
R	22.47	23.87																			
R	22.47	23.87																			
R	22.47	23.87																			
R	22.47	23.87																			
N	22.77	23.87																			
L																					

SUMMARY REMARKS

THIS HOLE INTERSECTED 5.5m OVERBURDEN, 1.5m ARGILLITE, 15m ARGILLITE, 15m CHERT WITH MINOR ARGILLITE, AND 5m ARGILLITE AGAIN. CONFORMABLE CONTACTS. NO FAULTING, NO MINERALIZATION.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50004
RECOVERY - R00

LINE	FROM	TO	REC	PCT_REC
1	0.00	5.41	0.00	0.00
2	5.41	6.71	1.30	100.00
3	6.71	9.75	0.49	16.12
4	9.75	10.97	0.59	48.36
5	10.97	11.58	0.32	52.46
6	11.58	12.80	0.86	70.49
7	12.80	14.63	1.50	81.97
8	14.63	17.68	2.29	75.08
9	17.68	18.90	0.97	79.51
10	18.90	21.95	2.40	78.69
11	21.95	22.86	0.69	75.82
12	22.86	25.91	2.72	89.18
13	25.91	26.82	0.70	76.92

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB50004
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	ASPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS850004
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	K%
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS850004
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS850004
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS850004


AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------


NO Records Found for this Report

W

E



NO SAMPLES TAKEN

 Chevron Canada Resources Limited Minerals Staff			
WAYSIDE cross-section 270° -45° DDH 85-004			
FIGURE No.	75	PROJECT No.	M577
DATE	DEC. 87	REVISIONS	SCALE 1:500
INTS No.			FILE No.
COMPILED BY			S-40

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRAVERSE : WSB50005

PROJECT IDEN : WYSD
COLLAR NORTHING: 5635430.00

START DATE : 85/11/10
COLLAR EASTING : 511656.00
TOTAL LENGTH : 155.40

COMPLETION DATE : 85/11/11
COLLAR ELEVATION: 763.00
CORE/HOLE SIZE : NQBQ

GEOLOGGED BY : LDM +
GRID AZIMUTH : 0.00

SURVEY FLAG		SURVEY POINT LOCATION		FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING	
000		0.00			270.00	-45.00			
F - INTERVAL - K L (UNITS = MT) E A Y G FROM - TO		CORE RECOVERY (%)	Z M ROCK TYPE	TYPICAL MAT	QUAL TX TX	GRAIN CHARACTERS F C Z M	STRUCTURE-1	ALTERATION MINS H H H H H ANY	ORE-TYPE MINS H H H H H ANY
			I X TYPE	1 2 QM1	1 2 F F C P	# TK	1	AZM RT QZ MR CY AK SR XX PY CP LI YY	SUMMARY
K F E L Y G		ROCK QUAL DESIG	FOR EN RT V Q AGE	TM QM2 LC- 3 COL	TX TX S R S O / R D P C	DIP F SML I	2	CA MU CL EP HE HA PR AS FS HA AZM RT H H H H H H H H STRUCTUR-2 A A A A A A A A	
P	0.00	3.05	OVER				P		
R	0.00	3.05	OVERBURDEN: NO CORE RECOVERED.						
P	3.05	7.20	DIOR		KR SK 3 5 1 5		P	V+	D(V)
L			6W				6		
R	3.05	7.20	DIORITE: GREEN WITH WHITE. FINE TO MEDIUM GRAINED, 15% COARSE.						
R	3.05	7.20	10% GRANITE MIX. MODERATE QUARTZ VEINING TO STOCKWORK, 1-5mm						
R	3.05	7.20	WIDE. XENOLITH OF GREENSTONE. MINOR LIMONITE IN FRACTURES.						
P	7.20	47.77	GNST		KR LM 2 3 7 4		P		D* D(
L			5G		BX		4		D*
R	7.20	47.77	GREENSTONE: MEDIUM TO DARK GREEN, FINE GRAINED TO APHANITIC,						
R	7.20	47.77	LOCALLY. FAINT LAMINATIONS - CONVOLUTED AND CRACKLED.						
R	7.20	47.77	LAMINATIONS AT 0-45 DEGREES. LOCALLY FRAGMENTED AND LIGHTER						
R	7.20	47.77	GREEN. DISSEM. PYRITE TO 0.5%, PYRRHOTITE TO 0.1%, CHALCO TO						
R	7.20	47.77	0.2%. FRAGMENTAL GREENSTONE COMMON: LIGHTER GREEN, LOCALLY						
R	7.20	47.77	BRECCIATED, LOCAL MINOR EPIDOTE. FRAGMENTAL SECTIONS SIMILAR TO						
R	7.20	47.77	85-01 FROM 32.80-33.80m.						
R	26.35	29.42	ARGILLITE ZONE?: BLACK WITH LIGHT GRAY "SWIRLS". FINE GRAINED.						
R	26.35	29.42	CONVOLUTED LAMINATIONS WITH "SWIRLS" OF CHERT. LC POSSIBLY AT						
R	26.35	29.42	45 DEGREES. FRAGMENTS OF PYRRHOTITE AND OF GREENSTONE FROM						
R	26.35	29.42	28.53-29.42m. LIGHT BROWN FRAGMENTS ALSO.						
N	26.35	29.42	9 ARGL		LM 3 4 2 4		N		D(
L			N				4		D)
R	35.66	41.22	DYKE: HORNBLLENDE PORPHYRY: WHITE WITH 1% CHLORITE (HORNBLLENDE)						
R	35.66	41.22	PHENOS 1-2mm. "STRIPED" TEXTURE: CHLORITIC STRINGERS EVENLY						
R	35.66	41.22	SPACED (20/30cm) AT 70-80 DEGREES. SAME AS DYKE AS DDH 85-6						
R	35.66	41.22	FROM 45.74-53.50m.						
N	35.66	41.22	X D/HF		BN PP		N	UC 60	
L			W				5	60	<+
P	47.77	60.91	DIOR		SK KR		P	2 QV 30 Q=	D(
L			5G				5	2 QV 45 <* D(K2	
R	47.77	60.91	DIORITE: MEDIUM GRAY-GREEN. MEDIUM TO COARSE GRAINED. TEXTURE						

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850005 (CONTINUED)

F - INTERVAL -			CORE	Z	TYP1- QAL	TEX-	GRAIN FRAC-	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS																												
K L (UNITS = MT)			RECOV-	M ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H ANY H H H ANY																										
E A			ERY	I	TM	TM	MAT	TX	TX	F	C	Z	M	T	ID	STK	DIP	A	A	A	A	A	A	MIN	A	A	A	MIN								
Y G FROM - TO			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY						
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	D	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA						
E L			QUAL	MEM	V	Q	LC-	3	3	4	D	N	H	/	SML	I	2	AZM	RT			H	H	H	H	H	H	H	H	H						
Y G			DESIG	AGE	COL						R	D	P	C			STRUCTUR-2				A	A	A	A	A	A	A	A	A							
R	47.77	60.91	SIMILAR TO THE GREENSTONE: CRACKLED, CHLORITE STRINGERS AND BLACK STRINGER STOCKWORK. MINOR CALCITE VEINS/VEINLETS. MINOR DISSEMINATED SERICITE. PATCHES OF SILICA 1-25cm LONG. MINOR GRAY QUARTZ VEINING 30-45 DEGREES, 1cm WIDE. MINOR DISSEMINATED PYRITE.																																	
R	47.77	60.91	BROKEN ZONE: SOME QUARTZ VEINS ABOUT 1-2cm WIDE AT ABOUT 80 DEGREES. SIMILAR TO MAIN INTERVAL BUT VERY BROKEN UP.																																	
R	47.77	60.91	X DIOR SK KR D 30 V1 D(
R	47.77	60.91	56 7 45 <# D(K2																																	
R	58.22	59.24																																		
R	58.22	59.24																																		
N	58.22	59.24																																		
L																																				
P	60.91	84.28	GNST LM BN 2 4 2 5 P UC 40 V= L(D+ D#																																	
L			66 5 LC 60 < D+																																	
R	60.91	84.28	GREENSTONE(?): MEDIUM TO LIGHTER GREEN. FINE TO "COARSE"																																	
R	60.91	84.28	GRAINED. LOCALLY TUFFACEDUS. LOCALLY LAMINATED. UC IS 21cm ZONE																																	
R	60.91	84.28	OF DARK BROWN CLAY, 60UGE?, AT 40 DEGREES, SHARP PATCHES AND																																	
R	60.91	84.28	IRREGULAR BANDS OF QUARTZ WITH OR WITHOUT COARSE PYRITE. HIGHLY																																	
R	60.91	84.28	VARIABLE TEXTURES AND GRAIN SIZES. BANDS AT 40-50 DEGREES. RARE																																	
R	60.91	84.28	BANDS WITH COARSE PINK CRYSTALS-POSSIBLY K-SPAR? PYRITE																																	
R	60.91	84.28	DISSEMINATED TO 2%, PYRRHOTITE 1-2%, CHALCOPYRITE TO 0.25%.																																	
R	60.91	84.28	LOWER CONTACT SHARP AT 60 DEGREES.																																	
P	84.28	91.82	CHRT RN LM 2 3 7 3 P 3 BN 65 V) D+ (<																																	
L			AW BN 7																																	
R	84.28	91.82	CHERT: WHITE TO GRAY WITH BLACK ARGILLITE LAMINATIONS. RIBBON																																	
R	84.28	91.82	TEXTURE AND CONVOLUTED. 2-5% ARGILLITE. LIMONITE STRINGERS TO																																	
R	84.28	91.82	0.1%. BANDS AT 60-7- DEGREES. MINOR TO MODERATE QUARTZ VEINING																																	
R	84.28	91.82	WITH DISSEM PYRITE. PYRITE DISSEMINATED IN THE ARGILLITE																																	
R	84.28	91.82	BANDS.PYRITE 2-3%. LOCAL BANDS OF BLEACHED GREENSTONE WITH MUCH																																	
R	84.28	91.82	LIMONITE STRINGERS AT 30-45 DEGREES; GREENSTONE BANDS UP TO																																	
R	84.28	91.82	30cm LONG,TOTAL 10% OF INTERVAL.																																	
R	84.55	85.90	BROKEN ZONE, FAULTED?,: VERY CRUMBLY. CARBONACEOUS CLAYS. VERY																																	
R	84.55	85.90	MINOR CHERT BANDS.																																	
N	84.55	85.90	8 ARGL SH 2 3 4 4 N L= P5																																	
L			N CR 9																																	
P	91.82	151.63	GNST LM P 25 L+ D3																																	
L			6N < >																																	
R	91.82	151.63	INTERBEDDED GREENSTONE AND ARGILLITE: MEDIUM GREEN AND BLACK																																	
R	91.82	151.63	BANDS. FINE GRAINED. GREENSTONE 60%, ARGILITE 40%. LAMINATED TO																																	
R	91.82	151.63	WELL-BEDDED. COMMONLY AT 25 DEGREES. INTENSELY CHLORITE ALTERED																																	
R	91.82	151.63	AND VERY BROKEN AND CRUMBLY PARALLEL TO BEDDING LOCALLY MINOR																																	
R	91.82	151.63	CHERT BANDS 1-2cm TO 3%. CALCITE BLEBS AND DISCONTINUOUS																																	
R	91.82	151.63	STRINGERS TO 1%. GREENSTONE BLEACHED LOCALLY. QUARTZ AND																																	
R	91.82	151.63	QZ-CALC. VEINS 2-10mm. REDUCED TO 80 CORE AT 112.98m. VEINS																																	

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850005 (CONTINUED)

F - I N T E R V A L -			CORE RECOVERY (%)	Z M I	TYPY- QAL TX TX S R S O	TEX- TURES CHARACS TURE	GRAIN FRAC- M	STRUCTUR-1 ALTERATION MINS DRE-TYPE MINS										SUMMARY
K L (UNITS = MT)	FROM	TO						ERY I	TM TM MAT TX TX F C Z M	T ID STK DIP A A A A A MIN A A A MIN	H H H H H ANY H H H ANY							
E A			X TYPE	1 2 QM1	1 2 F F C P # TK													
Y G			ROCK FOR EN RT	TM QM2 TX TX S R S O	DIP F	T ID STK DIP CA MU CL EP HE HA PR AS FS HA												
			QUAL MEM V Q LC- 3	3 4 0 N H / SML I	2	AZM RT	H H H H H H H H											
			DESIG AGE	COL	R D P C	STRUCTUR-2	A A A A A A A A											
R	91.82	151.63	WEAK TO MODERATE AFTER 112.98m: BEDDING, FRACTURES, VEINING															
R	91.82	151.63	45-60 DEGREES, MORE COMPETENT. INCREASED QZ AND QZ-CALC.															
R	91.82	151.63	VEINING FROM 124.00-133.0m; BLEACHING COMMON.															
R	101.30	105.51	INTENSELY CHLORITIZED AND FRIABLE GREEN, CHLORITE 40-50%. SOFT															
R	101.30	105.51	FRACTURED AT 15-25 DEGREES. LOCALLY CRUMBLD. MINOR CHERT															
R	101.30	105.51	NODULES AND BANDS TO 3%.															
N	101.30	105.51	CL 9 GNST	LM		D	25 L+											
L			GN				()	P4										
R	107.71	112.98	CORE NOT AVIALABLE FOR LOGGING.															
N	107.71	112.98	X MISN			N												
R	140.25	144.70	ARGILLITE UNIT: BLACK VERY FINE TO FINE-GRAINED, MUDS AND CLAYS															
R	140.25	144.70	TO SILTSTONES. LAMINATED AT 45. MINOR CHERT BANDS AND LENSES TO															
R	140.25	144.70	3%. LOCAL SECTIONS OF CLAY GOUGE? AT 144.80m															
N	140.25	144.70	8 ARGL	LM	1 2 9 3	N	LM	45 L+	6*							D*		
L			N			6												
R	145.85	151.63	ARGILLITE: BROWN TO GREEN. MUDS AND CLAYS TO SILTSTONES. WELL															
R	145.85	151.63	LAMINATED AT 60 DEGREES-20% CHERT BANDS, ONE BAND FROM															
R	145.85	151.63	145.85-146.73m, OTHERS ARE 1-5cm. BRIGHT GREEN CLAYS COMMON.															
R	145.85	151.63	LIMONITE LAMINATIONS AND "SPECKLES" 3-5%. MINOR DISCONTIOUS															
R	145.85	151.63	CALCITE VEINLETS.															
N	145.85	151.63	8 ARGL	LM	1 2 9 3	N	LM	60	L1							L=		
L			GU			5		V(
P	151.63	155.75	CHRT	RN	1 2 9 2	P										((
L			6A			5												
R	151.63	155.75	CHERT: LIGHT GRAY TO WHITE. APHANITIC. RIBBON TEXTURE.															
R	151.63	155.75	ARGILLITE PARTINGS 1-2%. MINOR LIMONITE AS DISCONTINUOUS															
R	151.63	155.75	STRINGERS.															

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS850005
RECOVERY - RDD

LINE	FROM	TO	REC	PCT_REC
1	0.00	3.35	0.29	8.66
2	3.35	4.88	1.27	83.01
3	4.88	6.40	1.48	97.37
4	6.40	7.92	1.42	93.42
5	7.92	9.45	1.47	96.08
6	9.45	10.97	1.61	105.92
7	10.97	12.50	1.52	99.35
8	12.50	14.02	1.53	100.66
9	14.02	15.54	1.62	106.58
10	15.54	17.07	1.54	100.65
11	17.07	17.68	0.46	75.41
12	17.68	20.42	2.19	79.93
13	20.42	22.25	1.86	101.64
14	22.25	23.47	1.10	90.16
15	23.47	26.52	2.90	95.08
16	26.52	29.57	3.06	100.33
17	29.57	31.39	1.87	102.75
18	31.39	34.44	2.96	97.05
19	34.44	37.49	3.03	99.34
20	37.49	41.45	4.25	107.32
21	41.45	42.98	1.38	90.20
22	42.98	46.02	3.03	99.67
23	46.02	49.07	2.96	97.05
24	49.07	52.12	3.11	101.97
25	52.12	55.17	3.10	101.64
26	55.17	58.22	3.03	99.34
27	58.22	60.05	1.19	65.03
28	60.05	63.09	2.96	97.37
29	63.09	66.14	3.03	99.34
30	66.14	69.19	3.06	100.33
31	69.19	71.93	2.77	101.09
32	71.93	74.98	2.58	84.59
33	74.98	77.11	2.70	126.76
34	77.11	79.55	2.38	97.54
35	79.55	82.60	3.03	99.34
36	82.60	84.12	1.37	90.13
37	84.12	85.65	0.52	33.99
38	85.65	86.87	0.72	59.02
39	86.87	88.39	1.39	91.45
40	88.39	90.53	1.60	74.77
41	90.53	93.57	2.82	92.76
42	93.57	95.40	1.80	98.36
43	95.40	96.93	1.25	81.70
44	96.93	99.37	2.06	84.43
45	99.37	101.80	2.22	90.24
46	101.80	105.46	2.82	77.05
47	105.46	107.71	2.25	100.00
48	107.71	112.98	0.00	0.00
49	112.98	114.30	1.32	100.00
50	114.30	117.35	2.25	73.77
51	117.35	121.01	3.22	87.98
52	121.01	123.75	2.56	93.43
53	123.75	126.19	2.07	84.84
54	126.19	127.41	1.14	93.44

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50005
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
55	127.41	130.15	2.57	93.80
56	130.15	131.06	0.99	108.79
57	131.06	134.11	3.03	99.34
58	134.11	137.46	3.05	91.04
59	137.46	140.51	3.04	99.67
60	140.51	142.04	1.30	84.97
61	142.04	143.87	1.73	94.54
62	143.87	145.08	0.92	76.03
63	145.08	148.13	2.75	90.16
64	148.13	149.66	1.44	94.12
65	149.66	152.70	2.82	92.76
66	152.70	154.84	1.98	92.52
67	154.84	155.75	1.01	110.99

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS850005
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPB	BEPPM	BIPPM	CAZ
------	------	----	--------	--------	-------	-----	-------	-------	-------	-------	-------	-----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS850005
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	H6PPM	KZ
------	------	----	--------	--------	-------	-------	-------	-------	-----	-------	-------	----

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS850005
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
------	------	----	--------	--------	-------	-----	-------	-------	-----	-------	------	-------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS850005
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	T1%	TLPPM	UPPM	VPPM	WPPM
------	------	----	--------	--------	-------	-------	-------	-----	-------	------	------	------

NO Records Found for this Report

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS850005
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
------	------	----	--------	--------	-------

NO Records Found for this Report

W

E

Elev. (a.s.l.)

-780m

-770m

-760m

85-5

3.05
7.20

OVER
DIORITE

GREENSTONE

DIORITE

GREENSTONE

CHERT

GREENSTONE/
ARGILLITE

CHERT

151.63
155.75 m
EOH

argill.
argill

84.28
91.82
intensely chld and friable

broken zone, faulted?

60.91
broken zone

47.77
dyke, hmbd ppy

argill. swirls

argill. swirls

argill. swirls

argill. swirls

argill. swirls

argill. swirls

argill. swirls

argill. swirls

NO SAMPLES TAKEN



Chevron Canada Resources Limited
Minerals Staff

WAYSIDE
cross-section 270°, -45°

DDH 85-005

FIGURE No. 76

PROJECT No. M577

DATE DEC. 87

REVISIONS

SCALE 1:1000

NTS No.

FILE No.

COMPILED BY

S-41

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850006 (CONTINUED)

F - I N T E R V A L -			CORE	Z	TYP I -	QAL	TEX -	GRAIN	FRAC -	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS																				
K L (UNITS = MT)			RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H H H H H ANY H H H ANY																			
E A			ERY	I	TM	TM	MAT	TX	TX	F	C	%	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN			
Y G F R O M - T O			(%)	X	TYPE	1	2	Q M 1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY
K F			ROCK	FDR	EN	RT	TM	Q M 2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA
E L			QUAL	MEM	V	Q	LC-	3	3	4	O	N	H	/	SML	I	2	AZM	RT				H	H	H	H	H	H	H	H
Y G			DESIG	AGE	.COL						R	D	P	C			STRUCTUR-2			A A A A A A A A										
R	134.36	134.70	QUARTZ VEINLETS.																											
N	134.36	134.70	X D/IN A* 2 4 = 4 N 0 UC 50 (< D-																											
L			26 1 0 LC 40 A) (>																											
R	146.38	154.45	MAFIC DIORITE: DARK GREY-GREEN. FINE TO MEDIUM GRAINED. 5% FELSICS. LOCAL PALE GREY-GREEN SILICA FLOODED ZONES TO 10cm; APHANITIC AND STRONGLY CRACKLED. ALSO GREY SILICEOUS ZONES WITH REMNANT PORPHYRITIC-INTRUSIVE TEXTURE. RARE QUARTZ AND CALCITE STRINGERS. TRACE PYRITE. CHLORITIC ALTERATION OF MAFICS; MODERATE TO STRONG ON FRACTURES SURFACES, AND MAY INCLUDE SERPENTINE. CORE HAS A FAINT BLUE TINGE IN SOME SECTIONS. GRADATIONAL CONTACTS.																											
R	146.38	154.45	9 DIOR EQ KR 3 5 6 5 N V- H) D.																											
N	146.38	154.45	26 2 V- H+																											
L																														
P	154.45	198.32	GNST LM 3 5 6 6 P 1 LM 20 V- G(P- D.																											
L			16 5 V- P+																											
R	154.45	198.32	GREENSTONE: DARK GREY-GREEN. FINE GRAINED; FRAGMENTAL, CLASTS TO 1cm. WEAKLY LAMINATED WITH DARK GREY ARGILLITIC STRINGERS AND PHASES OR INJECTIONS OF DARK GREY INTRUSIVE. LAMINATIONS CONVOLUTED. FRAGMENTS 90% GREENSTONE, 10% SILICA. MINOR QUARTZ AND CALCITE VEINLETS. INTRUSIVE PHASES TO 40cm LONG. AT 163.60m, LAMINATIONS BECOME REGULAR AND DIP 22 DEGREES. FISSILE ALONG LAMINATIONS. STRONGLY CHLORITIZED AND SERPENTINIZED ON FRACTURES. LAMINATIONS DIP 8-15 DEGREES FROM 168.50m. RARE CHERT FRAGMENTS, AND CONFORMABLE CHERT BANDS TO 30cm. 179.70-183.10m; INCREASE IN QUARTZ-CALCITE VEINING TO 2%. 182.24-182.55m; STRONGLY FRACTURED, BROKEN FAULT? ZONE. DARK GREY CLAY GOUGE TO 5% AND STRONGLY CARBONACEOUS AND POSSIBLY SERPENTINIZED. NO ORIENTATION AVAILABLE. ROCK IS FRIABLE IN SERPENTINED-CHLORITIZED SECTIONS. 188.93-191.56; GREENSTONE IS FINE GRAINED, CRACKLED BUT MORE UNIFORM IN TEXTURE-LACKS CONVOLUTED LAMINATIONS. INCREASE IN PYRITE AS STRINGERS TO 0.5%. STRONGLY SERPENTINED SECTION 195.00-198.32-VERY FRIABLE. CHERT: DARK GREY WITH PALE GREY SILICA FRAGMENTS. POSSIBLY BRECCIATED. TRACE ARGILLITE IN MATRIX. RARE QUARTZ-CALCITE VEINS. UPPER CONTACT DIPS 40 DEGREES AND HAS MINOR CLAY GOUGE-POSSIBLE FAULT CONTACT. LOWER CONTACT LOOKS CONFORMABLE WITH GREENSTONE.																											
R	154.45	198.32	9 CHRT BR 2 4 2 4 N 2 QC 80 V- 6)																											
N	154.45	198.32	1A 3 1 FC 40 V-																											
L																														
R	176.84	179.70	CHERT: PALE GREY CHERT RIBBONS SEPARATED BY DARK GREY ARGILLITE BANDS TO 1cm. WHITE QUARTZ VEINS TO 3cm, TYPICALLY OFFSET BY CHERT RIBBONS. CONTAIN SMALL FRAGMENTS OF CHERT +/- ARGILLITE. VEINS DIP 40-50 DEGREES ARGILLITE BANDS ARE CARBONACEOUS.																											
R	176.84	179.70																												
R	176.84	179.70																												
R	176.84	179.70																												

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS850006
RECOVERY - ROD

LINE	FROM	TO	REC	PCT_REC
1	0.00	3.09	0.00	0.00
2	3.09	5.18	1.88	89.95
3	5.18	7.62	2.54	104.10
4	7.62	10.06	2.35	96.31
5	10.06	11.28	1.04	86.07
6	11.28	17.37	5.79	95.07
7	17.37	19.81	1.47	60.25
8	19.81	23.47	3.03	82.79
9	23.47	28.35	4.65	95.29
10	28.35	29.87	1.42	93.42
11	29.87	31.09	0.81	66.39
12	31.09	33.83	2.73	99.63
13	33.83	36.88	3.01	98.69
14	36.88	39.93	2.74	89.84
15	39.93	42.67	2.66	97.08
16	42.67	43.28	0.55	90.16
17	43.28	46.33	2.79	91.48
18	46.33	47.85	1.35	88.82
19	47.85	49.99	2.07	96.73
20	49.99	50.90	0.85	93.41
21	50.90	53.04	1.92	89.72
22	53.04	55.47	2.33	95.88
23	55.47	58.52	2.80	91.80
24	58.52	61.57	3.04	99.67
25	61.57	64.62	3.00	98.36
26	64.62	66.75	1.84	86.38
27	66.75	67.97	0.94	77.05
28	67.97	69.19	1.29	105.74
29	69.19	72.24	2.88	94.43
30	72.24	75.29	2.86	93.77
31	75.29	78.33	3.04	100.00
32	78.33	81.38	3.07	100.66
33	81.38	83.82	2.41	98.77
34	83.82	86.56	2.80	102.19
35	86.56	92.05	5.28	96.17
36	92.05	95.10	3.02	99.02
37	95.10	98.15	3.00	146.34
38	98.15	101.19	2.89	95.00
39	101.19	104.24	2.96	97.05
40	104.24	107.29	3.02	99.02
41	107.29	110.34	3.02	99.02
42	110.34	113.39	2.97	97.38
43	113.39	116.43	3.05	100.33
44	116.43	119.48	2.95	96.72
45	119.48	122.83	3.06	91.34
46	122.83	125.88	3.00	98.36
47	125.88	128.63	2.72	98.91
48	128.63	131.67	2.99	98.36
49	131.67	134.72	2.84	93.11
50	134.72	137.77	3.10	101.64
51	137.77	140.82	3.02	99.02
52	140.82	143.87	3.01	98.69
53	143.87	146.91	3.03	99.67
54	146.91	148.44	1.47	96.08

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50006
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
55	148.44	151.49	3.05	100.00
56	151.49	157.58	5.97	98.03
57	157.58	160.63	3.08	100.98
58	160.63	165.20	4.24	92.78
59	165.20	168.25	3.02	99.02
60	168.25	171.30	2.93	96.07
61	171.30	174.34	2.93	96.38
62	174.34	176.78	1.92	78.69
63	176.78	178.00	1.04	85.25
64	178.00	184.10	6.08	99.67
65	184.10	188.96	4.18	86.01
66	188.96	191.11	2.00	93.02
67	191.11	194.16	3.01	98.69
68	194.16	199.34	4.84	93.44
69	199.34	201.78	2.17	88.93
70	201.78	204.83	3.03	99.34
71	204.83	207.87	3.00	98.68
72	207.87	208.79	1.10	119.57
73	208.79	211.84	2.54	83.28
74	211.84	214.88	2.95	97.04
75	214.88	217.93	3.02	99.02
76	217.93	220.98	2.97	97.38
77	220.98	222.81	1.34	73.22
78	222.81	225.86	3.05	100.00
79	225.86	228.90	3.06	100.66
80	228.90	231.95	3.00	98.36
81	231.95	232.55	0.60	100.00
82	232.55	233.20	0.00	0.00

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS850006
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	AL%	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	45.25	45.72	113357	0.47	0	3.12	0.0	30	50	0.0	0	10.66
2	98.83	100.00	113358	1.17	0	7.65	0.0	0	10	0.0	0	9.35
3	178.70	179.70	113359	1.00	0	1.25	0.4	0	30	0.0	0	2.06
4	191.63	192.43	113360	0.80	0	0.55	0.0	0	0	0.0	0	0.24
5	207.00	207.50	113361	0.50	5	2.83	0.4	0	0	0.0	0	6.64

MEAN					1.0	3.08	0.2	6.0	18.0	1.0	1.0	5.79
MIN					0.0	0.55	0.0	0.0	0.0	0.0	0.0	0.24
MAX					5.0	7.65	0.4	30.0	50.0	0.0	0.0	10.66

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS850006
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	45.25	45.72	113357	0.47	0.0	24	192	41	2.40	0	2	0.13
2	98.83	100.00	113358	1.17	0.0	9	56	58	0.85	0	5	0.17
3	178.70	179.70	113359	1.00	1.0	10	216	49	2.16	0	0	0.24
4	191.63	192.43	113360	0.80	0.5	13	223	36	1.09	0	0	0.05
5	207.00	207.50	113361	0.50	0.0	43	958	36	3.62	0	0	0.00

MEAN					0.3	19.8	329.0	44.0	2.02	1.0	1.4	0.12
MIN					0.0	9.0	56.0	36.0	0.85	0.0	0.0	0.00
MAX					1.0	43.0	958.0	58.0	3.62	0.0	5.0	0.24

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS850006

AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	45.25	45.72	113357	0.47	0	3.54	645	0	0.03	60	30	4
2	98.83	100.00	113358	1.17	0	0.58	173	0	0.09	3	70	0
3	178.70	179.70	113359	1.00	0	1.22	378	13	0.04	33	1030	14
4	191.63	192.43	113360	0.80	0	0.44	250	0	0.06	40	70	6
5	207.00	207.50	113361	0.50	0	6.23	769	0	0.12	660	350	6

MEAN					1.0	2.40	443.0	2.6	0.07	159.2	310.0	6.0
MIN					0.0	0.44	173.0	0.0	0.03	3.0	30.0	0.0
MAX					0.0	6.23	769.0	13.0	0.12	660.0	1030.0	14.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB50006
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	45.25	45.72	113357	0.47	5	0	288	0.02	0	0	48	0
2	98.83	100.00	113358	1.17	10	0	30	0.01	0	0	12	0
3	178.70	179.70	113359	1.00	5	0	90	0.10	0	0	80	0
4	191.63	192.43	113360	0.80	0	0	18	0.00	0	0	122	0
5	207.00	207.50	113361	0.50	5	0	422	0.19	0	0	55	5

MEAN					5.0	1.0	169.6	0.06	1.0	1.0	63.4	1.0
MIN					0.0	0.0	18.0	0.00	0.0	0.0	12.0	0.0
MAX					10.0	0.0	422.0	0.19	0.0	0.0	122.0	5.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS850006
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	45.25	45.72	113357	0.47	18
2	98.83	100.00	113358	1.17	0
3	178.70	179.70	113359	1.00	96
4	191.63	192.43	113360	0.80	49
5	207.00	207.50	113361	0.50	38

MEAN					40.2
MIN					0.0
MAX					96.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850007 (CONTINUED)

F - I N T E R V A L -			CORE RECOVERY (%)	Z M I	TYPI- TM	QAL MAT	TEX- TX	GRAIN F C	FRAC- % M	STRUCTUR-1 T ID	ALTERATION H H H H	MINS A A A A	ORE-TYPE ANY H H H ANY	MINS A A A A	SUMMARY											
K L (UNITS = MT)	FROM	TO																								
E A	Y G		(%)	X TYPE	1	2 QM1	1	2 F F C P	# TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY				
K F	E L	Y G	ROCK QUAL	FOR MEM	EN V	RT Q	TM LC- 3	TX 3	TX 4	S 0	R S	D	DIP F	T ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA
			DESIG	AGE		COL																				
R	32.08	267.00	DISSEMINATED PYRITE, WITHIN STOCKWORK. NO ALTERATION. FROM 139.63m, CHERT: ARGILLITE RATIO INCREASES TO 90:10.																							
R	32.08	267.00	PERVASIVE SILIFICATION SAME TEXTURES. AT 146.63, 3cm BAND OF MEDIUM GREEN-BROWN ALTERATION. HARNESS APPROX 4, WITH PALE RUSTY ANKERITIC STRINGERS. NON-CALCAREOUS. NO SULPHIDES. SEE THIS MUDDY-BROWN CHLORITIC ALTERED TUFF THROUGHOUT, AS STRINGERS AND BLEBS TO 1-2%. CORE SPLIT 157.28-157.55-NOTHING OF NOTE. CARBONACEOUS-GRAPHITIC FRACTURE SURFACES. CR TO 3%. ROCK HAS A "SWIRLED" TEXTURE PROBABLY DUE TO SLIPPAGE AND WEAK SHEARING. AT 177.38-177.94 PALE GREY SILICA-RICH ZONE. ARGILLITE ONLY 1%. PYRITE DISSEMINATED TO 0.5%. DISSEMINATED CHALCOPYRITE TO 0.2% IN THIS SECTION. IT IS PREVIOUSLY SPLIT. IT IS PREVIOUSLY SPLIT. SECTION ALSO CONTAINS PATCHY MALACHITE, ON FRACTURES FROM 177.94-178.20. SECTION IS PREVIOUSLY SPLIT. PALE BROWN FINE GRAINED TUFFACEOUS ROCK. RARE FINELY DISSEMINATED SUPHIDES. MINOR QUARTZ VEINLETS. HARDNESS APPROX 5.189.79-190.06. MODERATELY SHEARED AND MYLONITIZED ZONE DIPS 46 DEGREES. OLD SAMPLE TAKEN AT 187.45m. RARE BLUE-GREEN SPOTTY MALACHITE. 204.09-204.55. PYRITE DISSEMINATED AND IN STRINGERS TO 0.5% LOCALLY. PALE GREY SILICA RIBBON BANDS TO 10cm. WEAKLY TO MODERATELY FRACTURED. FROM 217m, GET INCREASE IN PALE GREY RIBBON CHERT BANDS, TO 5cm, SEPARATELY BY BLACK ARGILLITE STRINGERS TO 1cm LOCALLY TO 8cm. FRACTURING AT 30-60 DEGREES. CORE IS GROUND 231.55-231.65m. FROM 232.96-236.80 CHERT HAS PALE GREY GOUGE ON FRACTURES TO 1cm. IN ADDITION TO CARBONACEOUS MATERIAL, NO MINERALIZATION, EXCEPT MINOR PYRITE. STRONG SILICEOUS SECTION 240.91-242.40m PALE GREY RIBBON BANDS, FINELY MICRO CRACKED, WITH >1% ARGILLITE. GRADES BACK INTO CHERT-ARGILLITE. BROKEN CORE WITH WEAK CLAY GOUGE ON SOME FRACTURES 240.15-240.00. CARBON TO 4%. CORE PREVIOUSLY SPLIT FROM 244.62-245.15.																							
R	32.08	267.00	ALTERED TUFF: MEDIUM GREEN-BROWN, FINE-GRAINED. HARDNESS APPROX 3.5 STRONG CONVOLUTED TEXTURE. OCCASIONAL CALCITE VEINLETS +/- BLEBS <1cm WIDE. SHARP UPPER CONTACT WITH ~ 1 cm RUSTY BROWN CONTACT ZONE. LOWER CONTACT IS NOT AS CLEAR. INTERFINGERED WITH MAIN UNIT FOR 20cm. TEXTURE VERY SIMILAR TO MAIN UNIT. PERVASIVE CHLORITE ALTERATION.																							
N	33.66	35.44	9 TUFF LM 3 4 3 3 5 N 1 UC 52																							
L			UG 3 3 LC 35 V* P1 P?																							
R	41.35	42.64	ALTERED TUFF: MEDIUM GREEN-BROWN, FINE GRAINED TEXTURE CONVOLUTED AND IDENTICAL TO MAIN UNIT. ALTERATION NOT AS STRONG AS IN 33.66-35.44m, BUT IS SIMILAR. SHARP UPPER AND LOWER CONTACTS. ABUNDANT PALE BROWN BLEBS. <1mm WIDE. NON-CALCAREOUS. CONTAINS SUB-ANGULAR CLASTS OF HOST ROCK FROM 41/68-41.85. NO																							
R	41.35	42.64																								
R	41.35	42.64																								
R	41.35	42.64																								
R	41.35	42.64																								

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850007 (CONTINUED)

F - INTERVAL -			CORE	%	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1	ALTERATION	MINS	ORE-TYPE	MINS				
K L (UNITS = MT)			RECDV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H	H	H	H	ANY			
E A			ERY	I	TM	TM	MAT	TX	TX	F	C	%	M	T	ID			
Y G FROM - TO			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK		
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	D	DIP	F		
E L			QUAL	MEM	V	Q	LC-3	3	4	O	N	H	/	SML	I	2		
Y G			DESIG	AGE	COL					R	D	P	C			STRUCTUR-2		
																	A	
																		A
R	41.35	42.64	ALTERATION RIMS. RARE CALCITE VEINLETS. POSSIBLY EPIDOTIC															
R	41.35	42.64	ALTERATION AND PERVASIVE CHLORITE ALTERATION. GENERALLY FINELY															
R	41.35	42.64	FRAGMENTAL, OCCASIONALLY TO LAPILLI SIZE. WEAKLY SHEARED.															
N	41.35	42.64	X TUFF LM SM 3 4 3 4 N 0 UC 53															
L			GU 2 0 LC 30 V. P1 P?															
R	44.55	47.02	ALTERED TUFF: SIMILAR TO 33.66-35.44 AND 41.35-42.64. MEDIUM															
R	44.55	47.02	GREEN-BROWN, FINE GRAINED TEXTURE VERY SIMILAR TO MAIN UNIT.															
R	44.55	47.02	RARE CALCITE VEINLETS. CLASTS OF HOST ROCK MORE ABUNDANT THAN															
R	44.55	47.02	IN PREVIOUS SECTIONS; UP TO 10%. FINE PALE BROWN STRINGERS															
R	44.55	47.02	THROUGHOUT. STRONG CHLORITE ALTERATION AND POSSIBLY															
R	44.55	47.02	EPIDOTE-PERVASIVE. SHARP UPPER CONTACT. LOWER CONTACT															
R	44.55	47.02	STRONG, BUT MIXED WITH HOST ROCK. HARDNESS APPROX 4.5. WEAKLY															
R	44.55	47.02	SHEARED.															
N	44.55	47.02	9 TUFF LM SH 3 4 3 4 N 0 UC 15															
L			GU 2 1 LC 35 V. P1 P.															
R	50.85	53.75	ALTERATION ZONE: PALE GREY-BROWN, WITH ABUNDANT DARK GREY															
R	50.85	53.75	STRINGERS LOOKS DIFFERENT FROM PREVIOUS THREE ALTERED TUFFS.															
R	50.85	53.75	RARE BRIGHT GREEN FLECKS-POSSIBLY MARIPOSITE. MINDR															
R	50.85	53.75	DISSEMINATED PYRITE; OCCASIONALLY IN AGGREGATE BLEBS TO 3mm.															
R	50.85	53.75	SECTION IS PREVIOUSLY SPLIT. RARE QUARTZ VEINING <1cm. SHARP															
R	50.85	53.75	CONTACTS INTO RARE SECTIONS OF UNALTERED, BUT STRONGLY															
R	50.85	53.75	CARBONACEOUS CHERT-ARGILLITE, UP TO 25cm. UPPER CONTACT IS															
R	50.85	53.75	MODERATELY WELL-DEFINED, BUT NOT SHARP. SHARP LOWER CONTACT. NO															
R	50.85	53.75	ALTERATION RIMS ON MOST. ALTERATION EPIDOTE AND CHLORITE.															
R	50.85	53.75	TEXTURE SIMILAR TO MAIN UNIT. FINE GRAINED. WEAKLY SHEARED.															
N	50.85	53.75	8 TUFF LM SH 2 4 3 4 N 1 UC 022 V- B- D*															
L			AU 2 0 LC 0 8 P= P=															
R	58.87	63.80	HORNBLEDE-FELDSPAR PORPHYRY DYKE. FINE GRAINED, MEDIUM BROWN															
R	58.87	63.80	MATRIX. HORNBLEDE 35%, FELDSPAR 65%; BUT HORNBLEDE LOCALLY TO															
R	58.87	63.80	50% OF PHENOCRYSTS, RARE SUBHEDRAL RED-BROWN GARNETS WITHIN															
R	58.87	63.80	FELDSPAR OR MATRIX. IN PLACES BLEACHED TO PALE BROWN,															
R	58.87	63.80	DISSEMINATED TO BLEBBY PYRITE. RARE QUARTZ PHENOCRYSTS.															
R	58.87	63.80	FELDSPARS-UNALTERED. HORNBLEDE ALTERED TO PALE BROWN CHLORITE															
R	58.87	63.80	WHERE ROCK IS BLEACHED. MATRIX MEDIUM GREY WHERE UNALTERED.															
R	58.87	63.80	CALCITE VEIN AT 59.66 DIPS 38 DEGREES, SHARP CONTACTS. SAMPLE															
R	58.87	63.80	KMD 9/11/85 AT 60.98m. CORE SWITCHES FROM NQ TO BQ AT 58.95m															
N	58.87	63.80	X D/HF BL4 PP 2 4 4 5 N 0 UC 60 D*															
L			5U 2 0 LC 60 V(H*															
R	116.20	139.63	CHERT: ARGILLITE RATIO INCREASES TO 85:15. ABUNDANT COLOURLESS															
R	116.20	139.63	TO PALE GREY SILICA RIBBON BANDS-STILL STRONGLY CONVOLUTED.															
R	116.20	139.63	SAMPLE KMD 03/07/86 AT 131.53m.															
N	116.20	139.63	X CHRT LM RN 2 3 1 4 D 30 B? D(
L			8A CR SH KR 4 V-															
R	150.68	151.56	SILICEOUS STOCKWORK. ABUNDANT PALE GREY SILICA RIBBON BANDS.															

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : W5850007 (CONTINUED)

F - INTERVAL - K L (UNITS = MT)			CORE %	TYPI- QAL	TEX- GRAIN	FRAC- STRUCTUR-1	ALTERATION MINS	ORE-TYPE MINS	
E A			RECDV- M	ROCK FYING	MIN TURES	CHARACS TURE	H H H H H	ANY H H H ANY	
Y G FROM - TO			ERY I	TM TM MAT	TX TX F C % M	T ID STK DIP	A A A A A	MIN A A A MIN	
-----			(%)	X TYPE	1 2 QM1	1 2 F F C P # TK	1 AZM RT QZ	MR CY AK SR XX PY CP LI YY	SUMMARY
K F			ROCK FOR EN RT	TM QM2	TX TX S R S O	DIP F	T ID STK DIP	CA MU CL EP HE HA PR AS FS HA	
E L			QUAL MEM V Q LC- 3	3 4 O N H /	SML I	2 AZM RT	H H H H H H H H		
Y G			DESIG AGE	COL	R D P C	STRUCTUR-2	A A A A A A A A		
R	150.68	151.56	ROCK LOOKS CRACKLED. DARK BLACK STRINGERS OF ARGILLITE TO 5%,						
R	150.68	151.56	WEAKLY CARBONACEOUS, WITH DISSEMATED PYRITE.						
N	150.68	151.56	9	CHRT	RN KR 2 3 2 4	N		D(-)	
L				9A		4			
R	151.56	153.09	ALTERED TUFF: MEDIUM GREEN-BROWN, FINE GRAINED. UPPER CONTACT						
R	151.56	153.09	IS IN GROUND ROCK. CONVOLUTED TEXTURE SIMILAR TO MAIN						
R	151.56	153.09	UNIT. NUMEROUS BLACK ARGILLACEOUS STRINGERS, AND OCCASIONAL						
R	151.56	153.09	CALCITE BLEBS. GREEN ROCK 95%, ARGILLITE 5%; EXCEPT						
R	151.56	153.09	152.58-152.98 GREEN ROCK 10%, ARGILLITE 90%. ALTERATION IS						
R	151.56	153.09	PERVASIVE CHLORITE AND EPIDOTE. LOWER CONTACT IS WELL DEFINED,						
R	151.56	153.09	BUT GET STRINGERS OF GREEN ROCK CONTINUING INTO MAIN UNIT						
R	151.56	153.09	PARALLEL TO CONTACT. CHLORITE STRONG ON FRACTURES. WEAKLY						
R	151.56	153.09	SHEARED TO CONVOLUTED, FRAGMENTS RARELY TO LAPILLI SIZE.						
N	151.56	153.09	9	TUFF	LM 3 4 8 4	N 0 LC	58	D-	
L				GU		3	B* P1 P=		
R	154.59	156.24	ALTERED TUFF: SIMILAR TO 151.56 TO 153.09. THIS SECTION HAS UP						
R	154.59	156.24	TO 20% STRINGERS AND POCKETS OF ARGILLITE +/- CHERT. MINOR						
R	154.59	156.24	CALCITE BLEBS. MUDDY GREEN, FINE GRAINED. TEXTURE IS						
R	154.59	156.24	CONVOLUTED-MELANE LIKE. COLOURS AND TEXTURES NON UNIFORM. SAME						
R	154.59	156.24	CHLORITE-EPIDOTE ALTERATION. CONTACTS ARE NOT SHARP AND GET						
R	154.59	156.24	GREEN STRINGERS AND BANDS CONTINUING INTO MAIN UNIT, PARALLEL						
R	154.59	156.24	TO CONTACTS. RARE QUARTZ VEINLETS.						
N	154.59	156.24	8	TUFF	LM 2 4 8 4	N 1 UC	57 V.	D-	
L				GU		3	1 UC 64 B(P= P=		
R	178.36	180.75	INTERBEDDED CHERT-ARGILLETE WITH MUDDY GREEN FINE-GRAINED TUFF.						
R	178.36	180.75	PALE BROWN ANDERITIC? STRINGERS WITH TUFF LAYERS. WEAKLY						
R	178.36	180.75	SHEARED-CONVOLUTED TEXTURE SIMILAR TO MAIN UNIT, MINOR CALCITE						
R	178.36	180.75	VEINLETS AND CLOTS, AND MINOR DISSEMINATED PYRITE. POOR						
R	178.36	180.75	CONTACTS. TUFF IS CHLORITE-EPIDOTE ALTERED.						
N	178.36	180.75	5	CHRT	BN LM 2 2 4 5	N	V- P= P+	D-	
L				GU	SH	4	V-		
R	184.54	185.30	LMST: DARK GRAY FINE GRAINED. NEAR CRACKLED TEXTURE WITH						
R	184.54	185.30	CALCITE VEINLETS. UPPER CONTACT IS GROUND. LOWER CONTACT IS						
R	184.54	185.30	CONFORMABLE. 2cm CALCITE VEIN AT 184.56 RARE DISSEMIATED						
R	184.54	185.30	PYRITE.						
N	184.54	185.30	X	LMST	KR 3 4 3 4	N 2 CV	70	D-	
L				4A		3	0 LC 58 V=		
R	226.95	231.48	SILICA RICH: PALE GREY RIBBON BANDS-MASSIVE, SECTIONS TO 35cm,						
R	226.95	231.48	WITH 2% BLACK ARGILLITE STRINGERS. BLEBS AND STRINGERS OF PALE						
R	226.95	231.48	ORANGE ALTERATION, COULD BE ANKERITE. MODERATE CRACKLED TEXTURE						
R	226.95	231.48	WITH MINOR QUARTZ VEINLETS. SECTION IS MODERATELY FRACTURED,						
R	226.95	231.48	MEDIUM GREY CLAY GOUGE OCCASIONALLY ON FRACTURE SURFACES, <1cm.						
R	226.95	231.48	MINOR DISSEMINATED PYRITE.						
N	226.95	231.48	X	CHRT	RN KR 2 3 1 3	N 0 F/	50 V) 6(B?	D-	

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS850007 (CONTINUED)

F - INTERVAL -		CORE RECOVERY (%)	% M ROCK	TYPI- QAL	TEX- FACING	GRAIN CHARACS	FRAC- TURE	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS									
K L (UNITS = MT)	E A							H H H H H ANY H H H ANY	T ID STK DIP A A A A A MIN A A A MIN	1 AZM RT QZ MR CY AK SR XX PY CP LI YY SUMMARY							
Y G FROM - TO	(%)	X TYPE	1 2 QM1	1 2 F F C P	# TK	1	T ID STK DIP CA MU CL EP HE HA PR AS FS HA	2	AZM RT	H H H H H H H H	STRUCTUR-2	A A A A A A A A					
L																	
R	251.57 - 252.53																
R	251.57 - 252.53																
R	251.57 - 252.53																
N	251.57 - 252.53																
L																	

SUMMARY REMARKS

THIS HOLE INTERSECTED 26m OF OVERBURDEN, 6m GREENSTONE, AND 230m CHERT WITH ARGILLITE INTERBEDS. SEVERAL CHLORITE-EPIDOTE ALTERED TUFF-GREENSTONE SECTIONS <5m. SECTION AT 50.85m HAS MARIPOSITE. ONE HORNBLENDE-FELDSPAR PORPHYRY DYKE AT 59m, HAS RED-BROWN GARNETS IN MATRIX AND IN CORES OF FELDSPARS. LIMESTONE BED AT 178m LOOKS CONFORMABLE. SILICA RICH ZONE AT 177m HAS TRACE CHALCOPYRITE. NO FAULTING.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50007
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	26.34	0.00	0.00
2	26.34	29.26	2.88	98.63
3	29.26	32.31	2.91	95.41
4	32.31	33.83	1.14	75.00
5	33.83	35.36	1.60	104.58
6	35.36	36.88	1.42	93.42
7	36.88	38.40	1.49	98.03
8	38.40	39.93	1.49	97.39
9	39.93	41.45	1.48	97.37
10	41.45	42.98	1.53	100.00
11	42.98	44.50	1.47	96.71
12	44.50	46.02	1.52	100.00
13	46.02	47.55	1.44	94.12
14	47.55	49.38	1.41	66.20
15	49.38	50.90	1.34	88.16
16	50.90	52.43	1.39	90.85
17	52.43	53.95	1.43	94.08
18	53.95	55.47	1.28	84.21
19	55.47	57.00	1.50	98.04
20	57.00	60.05	2.36	77.38
21	60.05	63.09	2.92	96.05
22	63.09	66.14	2.94	96.39
23	66.14	67.36	1.22	98.36
24	67.36	69.19	1.63	89.07
25	69.19	72.24	2.99	98.03
26	72.24	75.29	2.86	93.77
27	75.29	77.11	1.15	63.19
28	77.11	80.16	3.07	100.66
29	80.16	85.34	4.92	94.98
30	85.34	86.26	1.01	109.78
31	86.26	88.70	2.05	84.02
32	88.70	90.83	2.00	93.90
33	90.83	93.88	2.85	93.44
34	93.88	96.93	2.80	91.80
35	96.93	99.97	2.74	90.13
36	99.97	100.89	0.80	86.96
37	100.89	103.94	2.74	89.84
38	103.94	106.98	2.68	88.16
39	106.98	110.03	2.42	79.34
40	110.03	113.08	3.08	100.98
41	113.08	114.30	0.96	78.69
42	114.30	117.34	1.84	60.53
43	117.34	120.40	2.87	93.79
44	120.40	123.44	2.96	97.37
45	123.44	126.49	3.03	99.34
46	126.49	129.84	2.88	85.97
47	129.84	132.89	2.58	84.59
48	132.89	138.99	3.57	58.00
49	138.99	140.21	1.23	100.82
50	140.21	142.34	1.67	78.40
51	142.34	142.95	0.53	86.89
52	142.95	145.08	1.77	83.10
53	145.08	151.18	5.82	95.41
54	151.18	154.23	3.05	100.00

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB50007
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
55	154.23	157.28	2.84	93.11
56	157.28	160.20	2.57	88.01
57	160.20	162.76	2.22	86.72
58	162.76	165.81	2.74	89.84
59	165.81	169.16	2.67	79.70
60	169.16	172.21	2.82	92.46
61	172.21	175.26	2.94	96.39
62	175.26	178.31	2.68	87.87
63	178.31	181.36	2.83	92.79
64	181.36	184.40	2.98	98.03
65	184.40	187.45	3.03	99.34
66	187.45	190.50	2.97	97.38
67	190.50	193.55	2.90	95.08
68	193.55	196.60	2.95	96.72
69	196.60	199.34	2.08	75.91
70	199.34	199.95	0.71	116.39
71	199.95	203.00	2.68	87.87
72	203.00	204.83	1.50	81.97
73	204.83	207.57	2.43	88.69
74	207.57	208.48	0.75	82.42
75	208.48	211.53	2.89	94.75
76	211.53	214.73	2.94	91.87
77	214.73	217.78	2.80	91.80
78	217.78	218.24	0.64	139.13
79	218.24	221.28	2.91	95.72
80	221.28	224.33	2.82	92.46
81	224.33	227.38	2.60	85.25
82	227.38	230.12	2.15	78.47
83	230.12	231.65	0.54	35.29
84	231.65	234.09	2.20	90.16
85	234.09	235.61	0.83	54.61
86	235.61	237.44	1.35	73.77
87	237.44	239.57	1.98	92.96
88	239.57	241.25	1.29	76.79
89	241.25	242.62	1.25	91.24
90	242.62	245.67	2.47	80.98
91	245.67	248.72	2.53	82.95
92	248.72	251.76	2.80	92.11
93	251.76	254.81	2.70	88.52
94	254.81	257.86	2.65	86.89
95	257.86	260.91	3.03	99.34
96	260.91	263.96	2.62	85.90
97	263.96	267.00	2.71	89.14

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS850007
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	50.85	51.72	113277	0.87	0	0.67	0.0	55	280	0.0	0	1.94
2	51.72	52.79	113278	1.07	10	0.39	0.0	125	90	0.0	0	2.45
3	52.79	53.75	113279	0.96	0	0.37	0.0	120	70	0.0	0	2.13
4	59.23	60.20	113280	0.97	0	0.98	0.0	0	120	0.0	0	1.70
5	177.38	177.94	113281	0.56	0	0.37	0.0	20	520	0.0	0	3.22
6	177.94	178.20	113282	0.26	0	1.11	0.0	125	490	1.5	0	3.06

MEAN					1.7	0.65	1.0	74.2	261.7	0.2	1.0	2.42
MIN					0.0	0.37	0.0	0.0	70.0	0.0	0.0	1.70
MAX					10.0	1.11	0.0	125.0	520.0	1.5	0.0	3.22

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS850007
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	50.85	51.72	113277	0.87	0.5	34	79	36	5.61	0	0	0.26
2	51.72	52.79	113278	1.07	0.5	30	93	34	4.55	0	0	0.20
3	52.79	53.75	113279	0.96	0.5	37	56	49	6.37	0	0	0.19
4	59.23	60.20	113280	0.97	0.0	6	42	2	2.67	0	0	0.18
5	177.38	177.94	113281	0.56	0.0	9	129	210	1.50	0	0	0.04
6	177.94	178.20	113282	0.26	0.5	64	399	32	6.79	0	0	0.03

MEAN					0.3	30.0	133.0	60.5	4.58	1.0	1.0	0.15
MIN					0.0	6.0	42.0	2.0	1.50	0.0	0.0	0.03
MAX					0.5	64.0	399.0	210.0	6.79	0.0	0.0	0.26

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB50007
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	50.85	51.72	113277	0.87	10	4.52	979	0	0.02	84	700	2
2	51.72	52.79	113278	1.07	0	4.21	765	0	0.01	123	450	0
3	52.79	53.75	113279	0.96	10	4.88	970	0	0.01	107	800	0
4	59.23	60.20	113280	0.97	10	0.79	682	0	0.08	7	420	0
5	177.38	177.94	113281	0.56	0	2.23	334	0	0.01	38	90	2
6	177.94	178.20	113282	0.26	0	5.45	1148	0	0.03	473	340	0

MEAN					5.0	3.68	813.0	1.0	0.03	138.7	466.7	0.7
MIN					0.0	0.79	334.0	0.0	0.01	7.0	90.0	0.0
MAX					10.0	5.45	1148.0	0.0	0.08	473.0	800.0	2.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS850007
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	T1Z	TLPPM	UPPM	VPPM	WPPM
1	50.85	51.72	113277	0.87	5	0	262	0.00	0	0	48	0
2	51.72	52.79	113278	1.07	20	0	285	0.00	0	0	27	0
3	52.79	53.75	113279	0.96	20	0	243	0.00	0	0	32	0
4	59.23	60.20	113280	0.97	0	0	56	0.00	0	0	29	0
5	177.38	177.94	113281	0.56	0	0	181	0.00	0	0	19	0
6	177.94	178.20	113282	0.26	0	0	174	0.00	10	0	114	0

MEAN					7.5	1.0	200.2	1.00	1.7	1.0	44.8	1.0
MIN					0.0	0.0	56.0	0.00	0.0	0.0	19.0	0.0
MAX					20.0	0.0	285.0	0.00	10.0	0.0	114.0	0.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB50007
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	50.85	51.72	113277	0.87	70
2	51.72	52.79	113278	1.07	58
3	52.79	53.75	113279	0.96	75
4	59.23	60.20	113280	0.97	56
5	177.38	177.94	113281	0.56	32
6	177.94	178.20	113282	0.26	70

MEAN	60.2
MIN	32.0
MAX	75.0

APPENDIX IV

Drill Hole Sections: 1987 drilling; Figures 79-86

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS870001

PROJECT IDEN : WYSD START DATE : 87/ 9/20 COMPLETION DATE : 87/10/11 GEOLOGGED BY : LDM +
COLLAR NORTHING: 5636117.00 COLLAR EASTING : 512289.00 COLLAR ELEVATION: 692.10 GRID AZIMUTH : 0.00
TOTAL LENGTH : 274.62 CORE/HOLE SIZE : NQ

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
	000	0.00		212.00	-53.00		
	001	91.44		212.00	-49.00		
	002	182.88		212.00	-48.00		
	003	274.62		212.00	-46.50		

F - INTERVAL - K L (UNITS = MT) E A Y G FROM - TO	CORE RECOVERY (%)	Z M ROCK TYPE	TYPY- QAL FYING MIN	TEX- TURES TX TX	GRAIN CHARACS F C % M	FRAC- TURE # TK	STRUCTUR-1 T ID STK DIP 1 AZM RT	ALTERATION A A A A MR CY AK SR	MINS H H H H CY AK SR	ORE-TYPE A A A A PY CP LI YY	MINS H H H H CP LI YY	SUMMARY
		ROCK FOR EN RT	TM QN2 TX TX	S R S O	DIP F		T ID STK DIP	CA MU CL EP HE HA PR AS FS HA				
		QUAL MEM V Q LC- 3	3 4 0 N H / SML I				2 AZM RT	H H H H H H H H				
		DESIG AGE	COL	R D P C			STRUCTUR-2	A A A A A A A A				
P	0.00	9.14	CASE				P					
R	0.00	9.14	NO CORE RECOVERED.									
P	9.14	10.05	CAVE				P					
R	9.14	10.05	CAVE MATERIAL									
P	10.05	14.06	GRAN	EQ	4 4 X 4		P LC 35					D*
L			8U				5					
R	10.05	14.06	GRANITE: QUARTZ-RICH, LIGHT BROWN-GRAY, COARSE QUARTZ AND FELDSPAR WITH FINER BIOTITE. MODERATELY FRACTURED. MINOR DARK GRAY STRINGERS. DISSEMINATED PYRITE TO 0.3%. LOWER CONTACT WITH DIORITE AT 35 DEG. EQUIGRANULAR.									
R	10.05	14.06										
R	10.05	14.06										
R	10.05	14.06										
P	14.06	33.66	DIOR	MX	4 5 7 5	1 .3 P	CM 70					D(
L			3G			X 5	F/ 20					<?
R	14.06	33.66	DIORITE: DARK GREEN WITH WHITE, COARSE GRAINED WITH 5% FINE GRAINED INTERVALS. 5-7% GRANITE PHASES AT 30-40 DEG. TO CORE AXIS AND AT 75 DEG. TO CORE AXIS. FROM 30.30-30.68 M IS A FINE GRAINED DYKE (FELD. PHENOS 1-2 MM IN A FINE DARK GREEN GROUNDMASS). UPPER CONTACT AT 70 DEG. TO CORE AXIS; LOWER CONTACT AT 75 DEG. TO CORE AXIS. PROMINANT FRACTURE WITHIN DYKE AT 20 DEG. TO CORE AXIS. MINOR DARK GRAY STRINGERS AND VEINLETS - POSSIBLY FINE SULPHIDES OR GRAPHITE; OCCUR AS STOCKWORK WITHIN GRANITIC INTERVALS. FRACTURES COMMONLY AT 15-30 DEG. TO CORE AXIS. WEAKLY FOLIATED LOCALLY. LOCAL CHLORITIC-SERPENTINIZED INTERVAL AT 20.42 M.									
R	14.06	33.66										
R	14.06	33.66										
R	14.06	33.66										
R	14.06	33.66										
R	14.06	33.66										
R	14.06	33.66										
R	14.06	33.66										
R	14.06	33.66										
R	14.06	33.66										
R	15.85	16.78	DYKE: FELDSPAR PORPHYRY. LIGHTER GREEN-BROWN, FINE GRAINED GROUNDMASS WITH FELDSPAR PHENOS 1-3 MM. FINE DARK GRAY STRINGERS COMMON. WEAK VEINING AT 35 DEG.									
R	15.85	16.78										
R	15.85	16.78										
N	15.85	16.78	9 D/FD	PP	2 5 + 5		N VN 35					
L												

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS870001 (CONTINUED)

F K L E A Y G	- I N T E R V A L - (UNITS = MT) F R O M - T O		CORE RECOV- ERY (%)	% M I X	TYPI- M TYPE	BAL ROCK 1	TEX- FYNG TM 1	GRAIN MIN 2	FRAC- TURES Q M 1	CHARACS TX TX 1 2	STRUCTUR-1 ID STK 1	ALTERATION DIP A A A A AZM RT QZ MR CY AK SR XX PY CP LI YY	MINS H H H H H MIN A A A MIN	ORE-TYPE MINS H H H H H MIN A A A MIN	SUMMARY	
F K L E L Y G			ROCK QUAL DESIG	FOR EN RT MEM V Q LC- AGE	RT 3	TH QM2 3	TX TX 3 4	S R S O D N H /	DIP F S M L I	STRUCTUR-2 R D P C	T ID STK 2	DIP CA MU CL EP HE HA PR AS FS HA AZM RT H H H H H H H H				

P	33.66	52.78	GRAN				EQ	5 5 X 5		P 0 VN	15				DK
L			8A							5 F/	55				
R	33.66	52.78	GRANITE: WHITE TO LIGHT GRAY, COARSE EQUIGRANULAR. BIOTITE TO 2.5%. FINE BLACK STRINGERS ORIENTED AT 10-20 DEG. MINOR FINER GRAINED GRANITE INTRUSIONS APPROX 1% OF INTERVAL. VERY FINE PYRITE AS FRACTURE COATINGS TO 0.1% AND DISSEMINATED TO 0.1%. FRACTURES AT 45-60 DEG. FELDSPAR PORPHYRY DYKE FROM 42.49-43.18 M.												
R	33.66	52.78													
R	33.66	52.78													
R	33.66	52.78													
R	33.66	52.78													
R	33.66	52.78													
R	33.66	36.84	QUARTZ-RICH GRANITE; MEDIUM TO LIGHT BROWN-GRAY. COARSE GRAINED EQUIGRANULAR TO PORPHYRYTIC (FELDSPAR PHENOS 2-3 MM). BLACK STRINGERS. UPPER CONTACT WITH DIORITE IS SHARP AT 50 DEG. ALTERED QUARTZ VEIN AT 36.10 M. ORIENTED AT 20 DEG. LIGHT GREEN STAINING - EPIDOTE. QUARTZ VEIN WITH DARK GRAY SELVAGES 2-5 MM. DISSEMINATED FINE PYRITE TO 0.1% IN VEIN AND BRECCIA FRAGMENTS WITHIN DARK GRAY SELVAGES. VEIN IS 12 MM WIDE.												
R	33.66	36.84													
R	33.66	36.84													
R	33.66	36.84													
R	33.66	36.84													
R	33.66	36.84													
R	33.66	36.84													
N	33.66	36.84	9 GRQZ				EQ PP	4 5 9 5		N UC	50				
L										5 2 VN	20				
R	36.84	41.52	MIXED INTERVAL OF DIORITE AND GRANITE. BOTH FINE AND COARSE PHASES. EQUIGRANULAR TO PORPHYRYTIC.												
R	36.84	41.52													
N	36.84	41.52	X GRAN				EQ PP			N					
L										7					
P	52.78	206.84	DIOR				EQ PP	3 5 8 5		P 0 CV	45				D*
L			3G				KR			5					
R	52.78	206.84	DIORITE: DARK TO MEDIUM GREEN. COARSE GRAINED WITH 15% FINE INTERVALS. EQUIGRANULAR. 5-10% GRANITE. MINOR QUARTZ VEINING 2-5 MM WIDE. CALCITE VEIN AT 45 DEG. WITH SLICKENSIDES. LOCALLY PORPHYRYTIC WITH FELDSPAR PHENOCRYSTS. DISSEMINATED PYRITE TO 0.3%. BLACK STRINGERS INCREASE FROM 70.00 M TO FORM CRACKLE TEXTURE LOCALLY. LOCAL SECTIONS OF DARK GREEN GABBRO UP TO 5 M WIDE. MINOR LOCAL SHEAR ZONES FROM 188.00-191.72 M. DYKE: FELDSPAR PORPHYRY. DARK GREEN. 1% PHENOCRYSTS OF FELDSPAR, POORLY DEVELOPED CRYSTALS 1-2 MM IN DIAMETER. CHILLED LOWER MARGIN APPROX. 6 CM WIDE. MODERATE CALCITE VEINING 1-4 MM WIDE AT 70-80 DEG. LOCAL GRANITE INTRUSIONS, AT 55 DEG., 5% OF INTERVAL. MODERATELY FRACTURED. TRACE DISSEMINATED PYRITE.												
R	52.78	206.84													
R	52.78	206.84													
R	52.78	206.84													
R	52.78	206.84													
R	52.78	206.84													
R	52.78	206.84													
R	52.78	54.46													
R	52.78	54.46													
R	52.78	54.46													
R	52.78	54.46													
R	52.78	54.46													
R	52.78	54.46													
N	52.78	54.46	9 D/FD				PP	4 5) 5 19		2 N 0 CV	65				D.
L			36							5					V)
R	54.46	56.75	ALTERED DIORITE: MEDIUM TO LIGHT GREEN, FINE GRAINED. VERY CALCAREOUS - PERVASIVE AND AS VEINS AND VEINLETS. SHEARED ZONE FROM 55.52-55.98 M.												
R	54.46	56.75													
R	54.46	56.75													

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRAVERSE : WSB70001 (CONTINUED)

F - INTERVAL - K L (UNITS = MT) E A Y G FROM - TO		CORE RECOVERY (%)	Z M ROCK I X TYPE	TYPI- DAL TEX- GRAIN FRAC- FYING MIN TURES CHARACS TURE TM TM MAT TX TX F C Z M 1 2 QM1 1 2 F F C P # TK	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS H H H H H ANY H H H ANY T ID STK DIP A A A A A MIN A A A MIN 1 AZM RT QZ MR CY AK SR XX PY CP LI YY SUMMARY	
K F E L Y G		ROCK QUAL DESIG	FOR EN V AGE	RT Q LC- 3 COL	TH QM2 TX TX S R S O DIP F 3 4 O N H / SML I R D P C	T ID STK DIP CA MU CL EP HE HA PR AS FS HA 2 AZM RT H H H H H H H H STRUCTUR-2 A A A A A A A A
R	232.76	236.52	VERY TO EXTREMELY WELL-FRACTURED. 6 CM FAULT ZONE FROM 233.21 AT 52 DEG.; 80% GOUGE WITH BROKEN FRAGMENTS OF VEIN. CALCITE AND CALCITE-QUARTZ VEINING AT 55 DEG. AND 75-85 DEG. VEINS 2-10 MM WIDE. MODERATELY BLEACHED. MODERATELY FOLIATED PARALLEL TO SHEAR ZONE. TRACE TO MINOR PYRITE CLOTS - SEEM TO BE ASSOC. WITH THE GRANITE INTRUSIVE BANDS. GRANITE IS ABOUT 5% OF INTERVAL.			
N	232.76	236.52	8 FAUL BLS SH 10 8 N 2 CV 50 V(UG 8 P3			
R	236.52	241.00	BROKEN ZONE - DIORITE: DARK GREEN TO PALE BROWN, COARSE GRAINED WITH 10% FINE INTERVALS. WELL TO EXTREMELY WELL FRACTURED. CALCITE VEINLETS 1-2 MM WIDE AT 30-40 DEG. 3 CM QUARTZ VEIN AT 239.45 M AT ABOUT 45 DEG. MUCH CHLORITE/SERPENTINE ALTERATION. LOCALLY CORE IS SHATTERED. PATCHY CARBONITIZATION. LIGHT BROWN-GREEN ALTERED ZONE FROM 240.49-241.00 M.			
N	236.52	241.00	X DIOR EQ 3 5 8 5 N 0 CV 35 V(8 2 QV 45 V(P2 B-			
R	241.00	248.71	ZONE OF VEINING AND GRANITE INTRUSIVES: DARK GREEN WITH WHITE. COARSE, GENERALLY EQUIGRANULAR. CALCITE VEINS 2-30 MM AT 40-55 DEG. MINOR QUARTZ VEINING. GRANITE BANDS TO 10%, AT 30-45 DEG. MINOR GRANITE "VEINS" PARALLEL TO CORE AXIS. 30 CM WIDE QUARTZ VEIN AT 244.67-244.97 M. UPPER CONTACT AT 15 DEG., LOWER CONTACT AT 35 DEG. MINOR PYRITE AND CHALCOPYRITE IN A CLOT AND AS TINY STRINGERS IN THE QUARTZ VEIN. WEAK CARBONITIZATION NEAR TOP OF INTERVAL.			
N	241.00	248.71	X DIOR EQ 4 5 9 5 8 2 N 0 CV 45 V+ 6W 7 2 BN 40 P= B(B(
P	248.71	250.95	GRAN 3 5 3 5 P 8G 4 P) D)			
R	248.71	250.95	GRANITE: PALE GREEN, MEDIUM TO COARSE GRAINED. MINOR CALCITE VEINING AT 50-60 DEG. UPPER CONTACT SHARP AT 20 DEG., LOWER CONTACT AT 20 DEG. - WELL-ALTERED. PYRITE DISSEMINATED TO 1%.			
P	250.95	266.84	DIOR 3 5 5 5 P V(6G 8 V* Q= B*			
R	250.95	266.84	DIORITE: MEDIUM TO DARK GREEN. MEDIUM GRAINED WITH FINE AND COARSE INTERVALS. CALCITE AND QUARTZ-CALCITE VEINING-MODERATE, 1-3 MM WIDE. BROKEN UP FRACTURE ZONE FROM 255.57 TO 257.43 M: FRACTURES AT 5-15 DEG.; CHLORITIC, LOCALLY PYRITIC TO 1%, CALCITE VEINING PARALLEL TO FRACTURES. TRACE EPIDOTE? ALONG VEIN SELVAGES AND FRACTURES. 4 CM QUARTZ VEIN AT 266.20 M. ALTERED ZONE: LIGHT GREEN TO BROWN, FINE TO MEDIUM GRAINED.			
R	250.95	266.84				
R	250.95	266.84				
R	250.95	266.84				
R	250.95	266.84				
R	253.67	254.50				

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS870001 (CONTINUED)

F - INTERVAL -			CORE RECOVERY (%)	Z M ROCK TYPE	TYPI- QAL		TEX- TURES		GRAIN FRAC- CHARACS			STRUCTUR-1		ALTERATION MINS					ORE-TYPE MINS					SUMMARY
K L (UNITS = MT)	E A	Y G FROM - TO			I TM	1 2 QM1	1 2 F F C P	# TK	1	ID STK	DIP	A A A A	A A A A	MIN A A A A	MIN A A A A	MIN A A A A	MIN A A A A							
Y G	F	R	ROCK QUAL	FOR EN RT	TM QM2	TX TX S R S O	DIP F	T ID	STK	DIP	CA MU	CL EP	HE HA	PR AS	FS HA									
Y G	E L	Y G	DESIG	AGE	COL	R D P C	STRUCTUR-2	A A A A	A A A A	A A A A	A A A A	A A A A	A A A A	A A A A	A A A A									
R	253.67	254.50																						
R	253.67	254.50																						
R	253.67	254.50																						
N	253.67	254.50																						
L																								
P	266.84	274.62																						
L																								
R	266.84	274.62																						
R	266.84	274.62																						
R	266.84	274.62																						
R	266.84	274.62																						
R	266.84	274.62																						
R	267.49	268.31																						
R	267.49	268.31																						
R	267.49	268.31																						
N	267.49	268.31																						
L																								
R	271.26	272.66																						
R	271.26	272.66																						
R	271.26	272.66																						
N	271.26	272.66																						
L																								
R	272.66	274.62																						
R	272.66	274.62																						
R	272.66	274.62																						
R	272.66	274.62																						
N	272.66	274.62																						

MUCH BLACK STRINGERS AT 0-20 DEG. QUARTZ VEINS AND CALCITE VEINLETS. QUARTZ VEINS AT 55 DEG., CALCITE VEINS AT 50-60 DEG. PERVASIVE CARBONITIZATION.

8 DIOR 3 4 2 4 N 2 QV 55 V) 3 P1

GRAN EQ PP P 76 KR 6 D) Q+

GRANITE: LIGHT GREEN-GRAY. FINE TO MEDIUM GRAINED. LOCALLY EQUIGRANULAR TO WEAKLY PORPHYRITIC. MODERATE TO INTENSE BLACK STRINGERS GIVE CRACKLE TEXTURE. SERICITE AND POSSIBLY EPIDOTE ALTERATION. EPIDOTE: LIGHT YELLOW STRINGERS ALONG VEINS AND FRACTURES. 1% BIOTITE. MODERATE QUARTZ AND CALCITE VEINING 5-10 MM, MINOR VEINLETS. ALTERATION THROUGHOUT INTERVAL. DIORITE: DARK GREEN, MEDIUM TO COARSE GRAINED. WEAK CALCITE VEINING AT 60 DEG. UPPER CONTACT AT 70 DEG., LOWER CONTACT AT 65 DEG.

X DIOR EQ 3 5 4 5 N 0 CV 60 36 7 V-

DIORITE: DARK GREEN. COARSE TO MEDIUM GRAINED. CALCITE VEINLETS - WEAK, AT 55 DEG. QUARTZ-CALCITE VEIN - WEAK AT 60 DEG. 15 CM OF CHLORITE ALTERATION FROM 272.50 M.

X DIOR 4 5 7 5 N 0 CV 36 7 Q+

DYKE: GREEN TO GREEN-GRAY, FINE GRAINED. WEAKLY PORPHYRITIC. UPPER CONTACT SHARP AT 50 DEG., 8 CM CHILLED MARGIN. PALE GREEN-YELLOW ALTERATION - HARD. 1 CM QUARTZ VEIN AT 50 DEG. DISSEMINATED PYRITE TO 2.5%.

X D/IN PP 3 5) 5 N 2 QV 50 V- D+

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70001
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	9.14		
2	0.00	0.00		
3	9.14	10.06	0.00	0.00
4	10.06	11.28	0.64	52.46
5	11.28	13.41	1.38	64.79
6	13.41	14.32	0.85	93.41
7	14.32	15.85	1.14	74.51
8	15.85	17.37	1.56	102.63
9	17.37	19.20	1.80	98.36
10	19.20	20.42	1.00	81.97
11	20.42	21.33	0.53	58.24
12	21.33	22.56	0.73	59.35
13	22.56	23.47	1.18	129.67
14	23.47	25.91	2.20	90.16
15	25.91	26.52	0.54	88.52
16	26.52	26.88	0.11	30.56
17	26.88	28.35	1.06	72.11
18	28.35	29.57	1.05	86.07
19	29.57	30.48	0.87	95.60
20	30.48	32.61	2.04	95.77
21	32.61	34.14	1.74	113.73
22	34.14	35.66	1.04	68.42
23	35.66	36.27	0.49	80.33
24	36.27	38.10	1.10	60.11
25	38.10	41.76	0.57	15.57
26	41.76	42.37	0.43	70.49
27	42.37	43.28	0.62	68.13
28	43.28	44.81	1.38	90.20
29	44.81	46.94	1.92	90.14
30	46.94	49.38	2.50	102.46
31	49.38	50.90	1.56	102.63
32	50.90	53.64	2.54	92.70
33	53.64	54.86	1.09	89.34
34	54.86	55.93	1.04	97.20
35	55.93	57.00	0.94	87.85
36	57.00	57.91	1.06	116.48
37	57.91	59.13	1.01	82.79
38	59.13	60.05	0.83	90.22
39	60.05	61.26	1.39	114.88
40	61.26	63.09	1.27	69.40
41	63.09	64.31	1.23	100.82
42	64.31	64.92	0.60	98.36
43	64.92	66.14	0.88	72.13
44	66.14	67.91	1.93	109.04
45	67.91	69.19	0.77	60.16
46	69.19	71.63	2.27	93.03
47	71.63	73.76	1.76	82.63
48	73.76	74.68	1.02	110.87
49	74.68	75.59	0.75	82.42
50	75.59	77.11	1.20	78.95
51	77.11	78.33	1.38	113.11
52	78.33	79.55	0.85	69.67
53	79.55	81.08	1.10	71.90
54	81.08	81.69	0.45	73.77

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS870001
RECOVERY - ROD

LINE	FROM	TO	REC	PCT_REC
55	81.69	83.21	0.83	54.61
56	83.21	83.82	0.51	83.61
57	83.82	84.43	0.66	108.20
58	84.43	87.48	2.62	85.90
59	87.48	88.24	0.57	75.00
60	88.24	89.61	1.46	106.57
61	89.61	90.53	0.64	69.57
62	90.53	92.35	1.96	107.69
63	92.35	93.57	0.89	72.95
64	93.57	95.40	2.07	113.11
65	95.40	96.62	0.93	76.23
66	96.62	98.45	1.96	107.10
67	98.45	100.28	1.42	77.60
68	100.28	101.96	1.65	98.21
69	101.96	103.94	1.46	73.74
70	103.94	105.46	1.28	84.21
71	105.46	107.90	2.22	90.98
72	107.90	109.73	1.84	100.55
73	109.73	110.34	0.34	55.74
74	110.34	113.08	2.51	91.61
75	113.08	115.21	1.63	76.53
76	115.21	117.04	1.42	77.60
77	117.04	117.96	0.45	48.91
78	117.96	119.79	1.50	81.97
79	119.79	121.00	1.30	107.44
80	121.00	121.92	0.56	60.87
81	121.92	122.99	0.86	80.37
82	122.99	124.05	0.85	80.19
83	124.05	127.10	2.62	85.90
84	127.10	130.15	2.93	96.07
85	130.15	133.20	2.85	93.44
86	133.20	135.03	1.62	88.52
87	135.03	138.07	2.93	96.38
88	138.07	141.12	3.06	100.33
89	141.12	144.17	3.05	100.00
90	144.17	146.61	2.28	93.44
91	146.61	148.44	1.97	107.65
92	148.44	150.27	1.62	88.52
93	150.27	151.49	1.07	87.70
94	151.49	152.25	0.66	86.84
95	152.25	154.53	2.28	100.00
96	154.53	155.14	0.40	65.57
97	155.14	157.58	2.34	95.90
98	157.58	159.41	1.82	99.45
99	159.41	162.46	2.97	97.38
100	162.46	163.68	0.88	72.13
101	163.68	166.73	3.01	98.69
102	166.73	169.16	2.56	105.35
103	169.16	172.21	2.99	98.03
104	172.21	175.26	3.02	99.02
105	175.26	178.46	3.02	94.37
106	178.46	181.66	3.05	95.31
107	181.66	184.86	2.99	93.44
108	184.86	188.06	2.91	90.94

3 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70001
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
109	188.06	190.20	2.00	93.46
110	190.20	191.11	0.55	60.44
111	191.11	191.72	0.20	32.79
112	191.72	194.16	2.33	95.49
113	194.16	196.60	2.11	86.48
114	196.60	197.21	0.44	72.13
115	197.21	200.25	2.86	94.08
116	200.25	203.30	2.90	95.08
117	203.30	206.35	3.06	100.33
118	206.35	207.87	1.56	102.63
119	207.87	209.40	1.21	79.08
120	209.40	210.62	1.14	93.44
121	210.62	212.45	1.79	97.81
122	212.45	213.06	0.58	95.08
123	213.06	215.49	2.40	98.77
124	215.49	218.54	2.98	97.71
125	218.54	221.59	3.05	100.00
126	221.59	224.64	3.00	98.36
127	224.64	227.69	2.91	95.41
128	227.69	228.60	0.72	79.12
129	228.60	230.12	1.32	86.84
130	230.12	231.34	1.04	85.25
131	231.34	233.48	2.06	96.26
132	233.48	235.46	1.49	75.25
133	235.46	236.52	0.59	55.66
134	236.52	237.74	0.69	56.56
135	237.74	238.96	0.35	28.69
136	238.96	240.49	1.12	73.20
137	240.49	242.93	1.92	78.69
138	242.93	244.45	1.49	98.03
139	244.45	245.97	1.52	100.00
140	245.97	249.02	2.84	93.11
141	249.02	251.76	2.43	88.69
142	251.76	254.50	2.38	86.86
143	254.50	256.33	1.71	93.44
144	256.33	257.25	0.68	73.91
145	257.25	258.32	1.12	104.67
146	258.32	261.21	1.09	37.72
147	261.21	264.26	2.88	94.43
148	264.26	267.31	2.92	95.74
149	267.31	270.36	2.85	93.44
150	270.36	272.80	2.28	93.44
151	272.80	273.41	0.44	72.13
152	273.41	274.62	1.34	110.74

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB70001

AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	94.57	95.33	113201	0.76	0	3.42	0.2	15	0	0.0	0	5.95
2	95.33	96.27	113202	0.94	25	1.76	0.2	235	0	0.0	0	10.09
3	179.44	181.03	113203	1.59	10000	3.02	1.4	235	0	0.0	0	9.40
4	181.03	182.29	113204	1.26	0	2.84	0.0	35	0	0.0	0	6.07
5	191.72	192.68	113205	0.96	45	2.72	0.2	0	0	0.0	0	3.67
6	192.68	193.63	113206	0.95	0	2.93	0.2	35	0	0.0	0	5.82
7	193.63	194.59	113207	0.96	20	3.23	0.2	60	0	0.0	0	9.45
8	232.76	233.12	113208	0.36	5	3.74	0.6	110	0	0.0	0	6.50
9	233.12	233.28	113209	0.16	65	3.18	0.2	110	0	0.0	0	9.20
10	233.28	233.60	113210	0.32	95	3.69	0.2	20	0	0.0	0	4.98
11	234.05	235.46	113211	1.41	5	3.64	0.2	0	0	0.0	0	5.29
12	235.46	236.52	113212	1.06	0	3.96	0.2	0	0	0.0	0	5.75
13	240.49	241.00	113213	0.51	10	3.79	0.2	0	10	0.0	0	6.83
14	244.66	245.00	113214	0.34	0	2.75	0.2	0	0	0.0	0	3.90
15	253.67	254.50	113215	0.83	0	3.94	0.4	0	0	0.0	0	4.71

MEAN					684.7	3.24	0.3	57.0	0.7	1.0	1.0	6.51
MIN					0.0	1.76	0.0	0.0	0.0	0.0	0.0	3.67
MAX					10000.0	3.96	1.4	235.0	10.0	0.0	0.0	10.09

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WSB70001
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	94.57	95.33	113201	0.76	0.0	50	423	111	5.41	0	0	0.04
2	95.33	96.27	113202	0.94	0.0	36	277	107	3.27	0	0	0.08
3	179.44	181.03	113203	1.59	0.0	67	1165	55	3.65	0	0	0.00
4	181.03	182.29	113204	1.26	0.0	33	486	75	3.42	0	0	0.00
5	191.72	192.68	113205	0.96	0.0	22	240	58	2.43	0	0	0.05
6	192.68	193.63	113206	0.95	0.0	24	222	73	2.72	0	0	0.05
7	193.63	194.59	113207	0.96	0.0	26	418	54	2.64	0	0	0.08
8	232.76	233.12	113208	0.36	0.0	66	766	491	4.03	0	0	0.03
9	233.12	233.28	113209	0.16	0.0	35	575	92	3.55	0	0	0.00
10	233.28	233.60	113210	0.32	0.0	35	423	104	3.15	0	0	0.01
11	234.05	235.46	113211	1.41	0.0	31	406	51	3.28	0	0	0.07
12	235.46	236.52	113212	1.06	0.0	35	340	72	3.16	0	0	0.05
13	240.49	241.00	113213	0.51	0.0	32	297	56	3.31	0	0	0.11
14	244.66	245.00	113214	0.34	0.0	14	150	137	1.23	0	0	0.00
15	253.67	254.50	113215	0.83	0.0	25	78	51	3.41	0	0	0.06
					<hr/>							
MEAN					1.0	35.4	417.7	105.8	3.24	1.0	1.0	0.04
MIN					0.0	14.0	78.0	51.0	1.23	0.0	0.0	0.00
MAX					0.0	67.0	1165.0	491.0	5.41	0.0	0.0	0.11

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB70001
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	94.57	95.33	113201	0.76	0	6.51	994	0	0.02	192	100	0
2	95.33	96.27	113202	0.94	0	4.95	781	0	0.02	141	40	0
3	179.44	181.03	113203	1.59	0	5.08	738	0	0.01	390	20	2
4	181.03	182.29	113204	1.26	0	4.77	650	0	0.02	129	90	0
5	191.72	192.68	113205	0.96	0	3.71	457	0	0.04	98	140	0
6	192.68	193.63	113206	0.95	0	4.12	555	0	0.02	88	90	0
7	193.63	194.59	113207	0.96	0	4.27	480	0	0.02	107	40	2
8	232.76	233.12	113208	0.36	0	5.75	747	0	0.02	332	20	0
9	233.12	233.28	113209	0.16	0	5.39	868	0	0.03	192	20	0
10	233.28	233.60	113210	0.32	0	4.50	584	0	0.05	123	30	0
11	234.05	235.46	113211	1.41	0	4.46	597	0	0.04	103	30	0
12	235.46	236.52	113212	1.06	0	4.66	594	0	0.05	124	10	0
13	240.49	241.00	113213	0.51	0	3.97	662	0	0.08	109	30	0
14	244.66	245.00	113214	0.34	0	1.38	198	0	0.06	38	60	0
15	253.67	254.50	113215	0.83	0	3.77	651	0	0.06	38	100	0

MEAN					1.0	4.49	637.1	1.0	0.04	146.9	54.7	0.3
MIN					0.0	1.38	198.0	0.0	0.01	38.0	10.0	0.0
MAX					0.0	6.51	994.0	0.0	0.08	390.0	140.0	2.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB70001
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	T1%	TLPPM	UPPM	VPPM	WPPM
1	94.57	95.33	113201	0.76	0	0	63	0.01	0	0	81	0
2	95.33	96.27	113202	0.94	40	0	247	0.00	0	0	43	0
3	179.44	181.03	113203	1.59	0	0	110	0.00	0	0	86	0
4	181.03	182.29	113204	1.26	0	0	72	0.02	0	0	72	0
5	191.72	192.68	113205	0.96	0	0	26	0.07	0	0	59	0
6	192.68	193.63	113206	0.95	0	0	94	0.01	0	0	31	0
7	193.63	194.59	113207	0.96	0	0	177	0.00	0	0	43	0
8	232.76	233.12	113208	0.36	0	0	60	0.00	0	0	78	0
9	233.12	233.28	113209	0.16	0	0	119	0.01	0	0	60	0
10	233.28	233.60	113210	0.32	0	0	52	0.06	0	0	70	0
11	234.05	235.46	113211	1.41	0	0	58	0.01	0	0	82	0
12	235.46	236.52	113212	1.06	0	0	54	0.02	0	0	58	0
13	240.49	241.00	113213	0.51	0	10	70	0.00	0	0	74	0
14	244.66	245.00	113214	0.34	0	0	14	0.02	0	0	15	0
15	253.67	254.50	113215	0.83	0	0	58	0.06	0	0	89	0

MEAN					2.7	0.7	84.9	0.02	1.0	1.0	62.7	1.0
MIN					0.0	0.0	14.0	0.00	0.0	0.0	15.0	0.0
MAX					40.0	10.0	247.0	0.07	0.0	0.0	89.0	0.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS870001
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	94.57	95.33	113201	0.76	36
2	95.33	96.27	113202	0.94	24
3	179.44	181.03	113203	1.59	28
4	181.03	182.29	113204	1.26	25
5	191.72	192.68	113205	0.96	15
6	192.68	193.63	113206	0.95	21
7	193.63	194.59	113207	0.96	22
8	232.76	233.12	113208	0.36	29
9	233.12	233.28	113209	0.16	23
10	233.28	233.60	113210	0.32	20
11	234.05	235.46	113211	1.41	22
12	235.46	236.52	113212	1.06	19
13	240.49	241.00	113213	0.51	27
14	244.66	245.00	113214	0.34	9
15	253.67	254.50	113215	0.83	35

MEAN	23.7
MIN	9.0
MAX	36.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WSB70002

PROJECT IDEN : WYSD
COLLAR NORTHING: 5636411.00

START DATE : 87/10/13
COLLAR EASTING : 512487.00
TOTAL LENGTH : 45.72

COMPLETION DATE : 87/10/18
COLLAR ELEVATION: 774.20
CORE/HOLE SIZE : NQ

GEOLOGGED BY : MDM +
GRID AZIMUTH : 0.00

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
000		0.00		226.00	-50.00		
001		45.72		226.00	-48.00		

K L	INTERVAL (UNITS = MT)		CORE RECOVERY (%)	% ROCK TYPE	TYPI- FINGING	QAL MIN	TEX- MAT	GRAIN CHARACS	FRAC- TURE	STRUCTUR-1	ALTERATION	MINS	DRE-TYPE	MINS	SUMMARY
	FROM	TO													
K F			ROCK	FOR EN RT	TM QM2 TX TX S R S O	DIP F				T ID STK DIP	CA MU CL EP HE HA PR AS FS HA				
E L			QUAL	MEM V Q LC- 3	3 4 0 N H / SML I					2 AZM RT	H H H H H H H H				
Y G			DESIG	AGE COL	R D P C					STRUCTUR-2	A A A A A A A A				

P	0.00	10.11		TRIC						P					
R	0.00	10.11		TRICONED. NO CORE RECOVERED.											
P	10.11	45.72	CA	ARGL	BN KR 1 2 5 3	P 0 BN	28 P+								C-
L				4A CR		3	V*								D(D-
R	10.11	45.72	HURLEY(?) ARGILLITE: FINE GRAINED TO APHANITIC. TYPICALLY BANDED, 1-3 MM. BANDS VARY DARK TO MEDIUM GRAY. ROCK IS LIGHTLY FRACTURED, FRACTURES OCCASIONALLY INFILLED WITH 1-8 MM WHITE CALCITE VEINLETS. ROCK IS MODERATELY CALCAREOUS. WEAK, RUSTY LIMONITIC STAINING PARALLEL TO BANDING, AND ALONG FRACTURE SURFACES. BANDING IS LOCALLY CONVOLUTED IN PLACES: 10.11-10.75 M; CONVOLUTED SECTIONS <1 M LONG. ALSO RARE CRACKLE ZONES, <30 CM LONG AND RARELY SHOWING WHITE, SILICA CEMENT. BANDING DIPS 28 DEG. TO CORE AXIS. RARE FINELY DISSEMINATED SULPHIDES (PYRITE?). ROCK BETWEEN 30.48-45.72 M IS MODERATELY CARBONACEOUS, ESPECIALLY ALONG FRACTURES. ROCK IN THIS SAME INTERVAL IS WEAKLY TO NON-CALCAREOUS, AND WEAKLY TO MODERATELY SILICIFIED. QUARTZ AND CALCITE VEINS TO 1 CM, ARE MORE ABUNDANT THAN AT START OF HOLE. QUARTZ VEINING APPROX 2%, DECREASING TO 1% AT END OF HOLE. CALCITE VEINING APPROX. 1%. PATCHY TO FINELY DISSEMINATED PYRITE THROUGHOUT, TO 0.5%. BANDING LESS PRONOUNCED TOWARD END OF HOLE - ROCK IS MODERATELY CONVOLUTED TO FEATURELESS. VEINING DIPS 21 DEG. AT 32 M, 155 DEG. AT 43.36 M. BANDING DIPS 60 DEG. AT 44.65 M, AND 22 DEG. AT END OF HOLE. END OF HOLE IN WEAKLY SILICIFIED DARK GREY, WEAKLY BANDED ARGILLITE. LIGHTLY FRACTURED, AT 40.54 M - 20 CM OF GROUND, CAVED QUARTZ VEIN MATERIAL.												
R	13.42	20.10	STRONGLY LIMONITIC ARGILLITE. GRAIN SIZE AND TEXTURES SIMILAR TO MAIN UNIT. ROCK IS ONLY VERY WEAKLY TO NON-CALCAREOUS. WEAKLY SILICIFIED (PERVASIVE). STRONG RUSTY LIMONITIC STAINING ON FRACTURE SURFACES. FINELY DISSEMINATED PYRITE THROUGHOUT - MORE ABUNDANT THAN IN MAIN INTERVAL. RARE COPPER COLOURED DISSEMINATED SULPHIDES. COULD BE CHALCOPYRITE												

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS870002 (CONTINUED)

F K L E A Y G	INTERVAL - (UNITS = MT)		CORE RECDV- ERY (%)	Z M ROCK I X TYPE	TYPI- FYING TM TM	QAL MIN MAT	TEX- TURES TX TX	GRAIN CHARACS F C % M	FRAC- TURE # TK	STRUCTUR-1		ALTERATION MINS					ORE-TYPE MINS					SUMMARY												
	FROM	TO								T ID	STK	DIP	A	A	A	A	A	MIN	A	A	A		MIN	A	A	A	A							
R	13.42	20.10	ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA				
N	13.42	20.10	QUAL	MEM	V	Q	LC- 3		3	4	O	N	H	/	SML	I	2	AZM	RT				H	H	H	H	H	H	H	H	H			
L			DESIG	AGE		COL					R	D	P	C			STRUCTUR-2						A	A	A	A	A	A	A	A				
R	13.42	20.10	(TRACE). CALCITE VEINLETS 0.1-2.5 CM WIDE, BUT RARE.																															
L			X	ARGL			BN	KR	1	2	5	3		N	O	BN																D) D? C+		
R	20.10	26.48	4A											3			V(
R	20.10	26.48	QUARTZ VEINING IN ARGILLITE: DARK TO MEDIUM GREY BANDED ARGILLITE. BANDING IS POOR, AND DIPS APPROX. 160 DEG. BANDS 1-10 MM (AVERAGE WIDTH). QUARTZ VEINS ARE MASSIVE, WHITE, TO 6 CM BUT TYPICALLY 0.5-1.5 CM WIDE. CRACKLED ZONES SEEM TO CONTAIN MOST INTENSE VEIN, BUT NOT THE THICKEST. NO DOMINANT ORIENTATION FOR VEINS. OCCASIONAL ZONES OF MEDIUM GREY FINE GRAINED SILICEOUS, ALTERED ROCK. CUT BY ABUNDANT COLOURLESS QUARTZ VEINLETS <1 MM WIDE. RARE BRIGHT GREEN, PATCHY MARIPOSITE ASSOCIATED WITH THIS ALTERATION. NO ORIGINAL FEATURES. RARE DISSEMINATED, DARK RED-BROWN HEMATITE, AND FINELY DISSEMINATED PYRITE, ALSO IN ALTERED ROCK. LOOKS WEAKLY BLEACHED. SULPHIDES RARE IN ARGILLITE - MINOR PYRITE (<0.2%), AND RARE COPPER COLOURED FINE SULPHIDE. CONTAINS SEVERAL SECTIONS OF BROKEN RUBBLY ROCK - SLIGHTLY GROUND. GRADATIONAL CONTACTS.																															
N	20.10	26.48	9	ARGL			BN	KR	1	2	5	3		N	O	BN																	D-	
L			4A											5																				
R	26.48	30.48	MARIPOSITE ZONE: BRIGHT GREEN MARIPOSITE OCCURS AS BLEBS AND PATCHES WITHIN MEDIUM GREY WEAKLY BANDED ARGILLITE. SILICEOUS ROCK. MINOR WHITE QUARTZ VEINLETS TO 5 MM, AT RANDOM. MINOR FINELY DISSEMINATED SULPHIDES - POSSIBLY PYRITE. SOME SECTIONS INTENSELY BROKEN - RUBBLE, SLIGHTLY GROUND. MODERATE FRACTURE INTENSITY. MARIPOSITE OCCASIONALLY OCCURS AS FINE STRINGERS PARALLEL TO BANDING. DARK GREY, APHANITIC STRINGERS PARALLEL MARIPOSITE IN BANDS - COULD BE CARBONACEOUS, BUT IS MODERATELY SILICIFIED. MARIPOSITE APPROX. 2.5-3%. ROCK LOOKS WEAKLY SHEARED, BUT SHEARING IS PARALLEL TO BANDING. MINOR QUARTZ-CALCITE VEINS ALSO WEAKLY BANDED WITH THIS MARIPOSITE. CONTACT WITH UNALTERED ARGILLITE AT 30.48 M IS SHARP; DO NOT SEE AN ORIENTATION. SHEAR DIPS 60 DEG. AT 30.02 M.																															
N	26.48	30.48	X	ARGL			BN	KR	1	2	5	3		N	O	BN																		
L			6A				SH							4																				
R FTN	34.75	35.66	SLUDGE SAMPLE																															
R FTN	35.66	38.71	SLUDGE SAMPLE																															

SUMMARY REMARKS

THIS HOLE INTERSECTED 10m OF OVERBURDEN AND 36m ARGILLITE. QUARTZ VEIN STOCKWORK WITH MINOR MARIPOSITE, PYRITE, AND HEMATITE AT 20-26m. MARIPOSITE ZONE 26-30m IN WEAK SHEARED ZONE DIPPING 60 DEGREES. HAS MINOR SULPHIDES.

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70002
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	10.11	0.00	0.00
2	10.11	10.97	0.90	105.00
3	10.97	12.50	1.27	83.01
4	12.50	14.33	1.93	105.46
5	14.33	15.54	1.01	84.00
6	15.54	17.37	1.63	89.07
7	17.37	20.42	1.78	58.36
8	20.42	21.64	1.04	85.25
9	21.64	23.47	0.60	32.79
10	23.47	24.99	0.17	11.18
11	24.99	25.90	0.29	31.87
12	25.90	26.67	0.69	89.61
13	26.67	27.12	0.22	48.89
14	27.12	29.11	0.88	44.22
15	29.11	29.26	0.09	60.00
16	29.26	30.02	0.68	89.47
17	30.02	30.48	0.42	91.30
18	30.48	31.55	0.29	27.10
19	31.55	32.00	0.53	118.00
20	32.00	34.75	0.67	24.36
21	34.75	35.66	0.35	38.46
22	35.66	36.58	0.65	70.65
23	36.58	38.10	1.07	70.39
24	38.10	38.56	0.34	73.91
25	38.56	39.01	0.30	66.67
26	39.01	40.54	1.15	75.16
27	40.54	41.76	1.07	87.71
28	41.76	43.74	1.93	97.47
29	43.74	44.81	1.07	100.00
30	44.81	45.72	0.97	106.59

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB70002
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	20.10	20.88	113234	0.78	0	0.73	0.0	10	60	0.0	0	1.67
2	20.88	21.64	113235	0.76	5	0.70	0.0	55	90	0.0	0	3.77
3	21.64	23.47	113236	1.83	30	0.37	0.0	75	90	0.0	0	2.60
4	23.47	24.99	113237	1.52	150	0.57	0.6	305	60	0.0	0	3.07
5	24.99	25.90	113238	0.91	0	0.27	0.0	150	10	0.0	0	1.74
6	25.90	26.48	113239	0.58	0	0.42	0.2	120	50	0.0	0	7.96
7	26.48	27.12	113240	0.64	0	0.32	0.0	955	30	0.0	0	4.53
8	27.12	29.11	113241	1.99	0	0.84	0.0	10	40	0.5	0	2.31
9	29.11	30.02	113242	0.91	0	1.41	0.0	10	60	0.0	0	1.51
10	30.02	30.48	113243	0.46	0	0.31	0.2	315	30	0.0	0	1.75
11	34.75	35.66	113244	0.91	1750	0.24	2.2	595	40	0.0	0	2.57
12	35.66	38.71	113245	3.05	1400	0.25	2.0	625	40	1.0	0	2.84

MEAN					277.9	0.54	0.4	268.7	50.0	0.1	1.0	3.03
MIN					0.0	0.24	0.0	10.0	10.0	0.0	0.0	1.51
MAX					1750.0	1.41	2.2	955.0	90.0	1.0	0.0	7.96

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS870002
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	20.10	20.88	113234	0.78	0.0	17	54	61	3.76	0	0	0.14
2	20.88	21.64	113235	0.76	0.0	15	59	37	2.80	0	0	0.18
3	21.64	23.47	113236	1.83	0.0	16	24	39	3.13	0	0	0.14
4	23.47	24.99	113237	1.52	0.0	22	143	40	3.24	0	0	0.23
5	24.99	25.90	113238	0.91	0.0	82	450	9	3.28	0	0	0.00
6	25.90	26.48	113239	0.58	0.0	18	99	27	2.93	0	0	0.08
7	26.48	27.12	113240	0.64	0.0	61	382	35	3.78	0	0	0.04
8	27.12	29.11	113241	1.99	0.0	55	370	29	4.27	0	0	0.03
9	29.11	30.02	113242	0.91	0.0	54	495	42	4.70	0	0	0.05
10	30.02	30.48	113243	0.46	0.0	79	415	26	3.95	0	0	0.03
11	34.75	35.66	113244	0.91	0.0	7	44	77	3.97	0	0	0.11
12	35.66	38.71	113245	3.05	0.0	18	60	97	4.80	0	0	0.09

MEAN					1.0	37.0	216.2	43.2	3.72	1.0	1.0	0.09
MIN					0.0	7.0	24.0	9.0	2.80	0.0	0.0	0.00
MAX					0.0	82.0	495.0	97.0	4.80	0.0	0.0	0.23

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS870002
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	20.10	20.88	113234	0.78	0	2.66	547	0	0.03	116	270	0
2	20.88	21.64	113235	0.76	0	3.24	628	0	0.08	68	200	0
3	21.64	23.47	113236	1.83	0	2.90	574	0	0.03	76	80	0
4	23.47	24.99	113237	1.52	0	4.31	867	0	0.04	185	160	0
5	24.99	25.90	113238	0.91	0	7.78	467	0	0.01	1534	0	0
6	25.90	26.48	113239	0.58	0	6.77	746	0	0.03	122	60	0
7	26.48	27.12	113240	0.64	0	7.78	817	0	0.02	909	40	0
8	27.12	29.11	113241	1.99	0	8.86	922	0	0.02	601	100	0
9	29.11	30.02	113242	0.91	0	9.66	1064	0	0.03	524	90	0
10	30.02	30.48	113243	0.46	0	9.80	690	0	0.02	1159	40	0
11	34.75	35.66	113244	0.91	0	1.59	721	0	0.02	63	290	14
12	35.66	38.71	113245	3.05	0	2.28	799	2	0.02	117	270	24
					<hr/>							
MEAN					1.0	5.64	736.8	0.2	0.03	456.2	133.3	3.2
MIN					0.0	1.59	467.0	0.0	0.01	63.0	0.0	0.0
MAX					0.0	9.80	1064.0	2.0	0.08	1534.0	290.0	24.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS870002
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	20.10	20.88	113234	0.78	0	0	132	0.00	0	0	36	5
2	20.88	21.64	113235	0.76	0	0	429	0.00	0	0	26	5
3	21.64	23.47	113236	1.83	5	0	313	0.00	0	0	15	5
4	23.47	24.99	113237	1.52	10	0	389	0.00	0	0	25	10
5	24.99	25.90	113238	0.91	25	0	118	0.00	0	0	11	10
6	25.90	26.48	113239	0.58	10	0	869	0.00	0	0	33	10
7	26.48	27.12	113240	0.64	25	0	367	0.00	0	0	33	15
8	27.12	29.11	113241	1.99	5	0	221	0.00	0	0	44	20
9	29.11	30.02	113242	0.91	0	0	156	0.00	0	0	58	20
10	30.02	30.48	113243	0.46	10	0	236	0.00	0	0	26	15
11	34.75	35.66	113244	0.91	5	0	218	0.00	0	0	10	145
12	35.66	38.71	113245	3.05	10	10	248	0.00	0	0	13	160
					<hr/>							
MEAN					8.7	0.8	308.0	1.00	1.0	1.0	27.5	35.0
MIN					0.0	0.0	118.0	0.00	0.0	0.0	10.0	5.0
MAX					25.0	10.0	869.0	0.00	0.0	0.0	58.0	160.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS870002
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	20.10	20.88	113234	0.78	88
2	20.88	21.64	113235	0.76	59
3	21.64	23.47	113236	1.83	70
4	23.47	24.99	113237	1.52	49
5	24.99	25.90	113238	0.91	16
6	25.90	26.48	113239	0.58	28
7	26.48	27.12	113240	0.64	37
8	27.12	29.11	113241	1.99	45
9	29.11	30.02	113242	0.91	50
10	30.02	30.48	113243	0.46	29
11	34.75	35.66	113244	0.91	120
12	35.66	38.71	113245	3.05	128

MEAN	59.9
MIN	16.0
MAX	128.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WSB70003

PROJECT IDEN : WYSD START DATE : 87/11/ 3 COMPLETION DATE : 87/11/ 8 GEOLOGGED BY : LDM +
COLLAR NORTHING: 5634886.00 COLLAR EASTING : 511384.00 COLLAR ELEVATION: 833.00 GRID AZIMUTH : 0.00
TOTAL LENGTH : 236.83 CORE/HOLE SIZE : NQ

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
	000	0.00		205.00	-52.00		
	001	60.96		205.00	-52.50		
	002	137.16		205.00	-52.50		
	003	236.83		205.00	-53.00		

K L (UNITS = MT)	F - INTERVAL - FROM - TO	CORE RECOVERY (%)	Z M ROCK TYPE	TYPI- F M	BAL TX	TEX- TX	GRAIN F C	FRAC- Z M	STRUCTUR-1 ID	ALTERATION STK	MINS A A A A	ORE-TYPE MIN A A A A	SUMMARY
P	0.00	3.66	OVER						P				
R	0.00	3.66	OVERBURDEN:										
P	3.66	59.60	DIOR		EQ BN 3 4 5 4				P 4 QV	80 V+	G-		
L			3G						5	V*	V=		
R	3.66	59.60	DIORITE: DARK GREEN-GRAY. FINE TO MEDIUM GRAINED, EQUIGRANULAR. GRANITE BANDS 2-3%. WEAK QUARTZ VEINLETS. MINOR BLACK (CHLORITIC?) STRINGERS. GREENSTONE BANDS: 1-50 CM, DARK GREEN, CUT BY VERY FINE CALCITE STRINGERS. GREENSTONE IS 5% OF INTERVAL. 9 CM OF QUARTZ VEIN: UPPER CONTACT SHARP AT 80 DEG.; LOWER CONTACT: CHLORITIC CLAY GOUGE - 2.3 CM - AT 75 DEG., CUTS OFF A 1 CM WIDE BRECCIATED CHLORITIC? VEIN THAT TRENDS AT 15-20 DEG. VEIN IS FROM 10.40-10.57 M. GREENSTONE CONTACTS GENERALLY SHARP AT 40-60 DEG. 4 CM QUARTZ VEIN AT 27.07 M AT 65 DEG. 2.5 CM QUARTZ VEIN AT 50 DEG. AT 54.70 M.										
R	3.66	59.60	DIORITE: SAME AS MAIN INTERVAL BUT WELL FRACTURED WITH IRON-STAINING ON FRACTURES.										
N	3.66	14.44	X DIOR		EQ BN 3 4 5 4				D 4 QV	80 V+	G-	C+	
L			3G						5	V*	V=		
R	14.44	15.62	ALTERED DIORITE: LIGHT GREEN. COARSE GRAINED. QUARTZ VEINS AND STOCKWORK COMMON. VEINS AT 55 DEG. AND 0 DEG. PERVASIVE CHLORITE ALTERATION.										
R	14.44	15.62	X DIOR		SK 3 5 6 5				N 2 QV	55 K=			
L			6G						7 1 QV	0	P4		
R	20.66	22.02	GRANITE: GRAY TO WHITE. MEDIUM TO COARSE EQUIGRANULAR. PALE YELLOW-GREEN ALTERATION (HARD) IN FINE FRACTURES AND QUARTZ VEIN SELVAGES. QUARTZ VEINS, 1 CM, AT 15 DEG., TRACE HEMATITE AND RUSTY-ORANGE IRON "SPOTS". TRACE DISSEMINATED PYRITE. CHLORITE VEINLETS AND FRACTURE COATINGS. MINOR BLACK STRINGER STOCKWORK.										
R	20.66	22.02	X GRAN		EQ 3 5 7 5				N 2 QV	15 V+	D-	D-	

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70003
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	3.66	0.00	0.00
2	3.66	4.57	0.56	61.54
3	4.57	5.18	0.66	108.20
4	5.18	8.23	2.69	87.87
5	8.23	11.28	2.76	90.49
6	11.28	14.30	2.95	97.68
7	14.30	17.37	3.03	98.70
8	17.37	20.42	2.92	95.74
9	20.42	23.47	3.05	100.00
10	23.47	26.52	2.94	96.39
11	26.52	29.57	3.03	99.34
12	29.57	32.61	2.92	96.05
13	32.61	35.66	3.03	99.34
14	35.66	38.71	2.62	85.90
15	38.71	41.75	2.91	95.72
16	41.75	44.80	3.04	99.67
17	44.80	47.85	2.90	95.08
18	47.85	50.90	2.85	93.44
19	50.90	53.95	2.96	97.05
20	53.95	57.00	3.02	99.02
21	57.00	60.04	2.99	98.36
22	60.04	63.09	2.32	76.07
23	63.09	66.14	2.98	97.70
24	66.14	69.19	2.92	95.74
25	69.19	72.24	2.83	92.79
26	72.24	75.29	1.37	44.92
27	75.29	78.33	2.01	66.12
28	78.33	81.38	0.60	19.67
29	81.38	84.43	2.62	85.90
30	84.43	87.48	2.61	85.57
31	87.48	90.53	2.77	90.82
32	90.53	93.57	2.91	95.72
33	93.57	96.62	2.87	94.10
34	96.62	99.67	2.83	92.79
35	99.67	102.72	2.92	95.74
36	102.72	105.77	3.05	100.00
37	105.77	108.81	2.93	96.38
38	108.81	111.86	3.06	100.33
39	111.86	114.91	2.77	90.82
40	114.91	117.96	2.89	94.75
41	117.96	121.00	3.04	100.00
42	121.00	124.05	2.80	91.80
43	124.05	127.10	2.81	92.13
44	127.10	130.15	3.02	99.02
45	130.15	133.20	2.37	77.70
46	133.20	136.25	2.93	96.07
47	136.25	139.29	2.14	70.39
48	139.29	142.34	3.06	100.33
49	142.34	145.39	3.07	100.66
50	145.39	148.44	2.98	97.70
51	148.44	151.48	3.02	99.34
52	151.48	154.53	3.04	99.67
53	154.53	157.58	3.04	99.67
54	157.58	160.63	3.08	100.98

2 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70003
RECOVERY - RGD

LINE	FROM	TO	REC	PCT_REC
55	160.63	163.68	2.97	97.38
56	163.68	166.73	3.04	99.67
57	166.73	169.77	2.95	97.04
58	169.77	172.82	2.71	88.85
59	172.82	175.87	2.85	93.44
60	175.87	178.92	3.06	100.33
61	178.92	181.97	3.05	100.00
62	181.97	185.01	3.04	100.00
63	185.01	188.06	3.07	100.66
64	188.06	191.11	3.05	100.00
65	191.11	194.16	3.05	100.00
66	194.16	197.21	2.93	96.07
67	197.21	200.25	3.05	100.33
68	200.25	203.30	2.90	95.08
69	203.30	206.35	2.91	95.41
70	206.35	209.40	2.96	97.05
71	209.40	212.45	3.01	98.69
72	212.45	215.49	2.85	93.75
73	215.49	218.54	2.97	97.38
74	218.54	221.59	3.04	99.67
75	221.59	224.64	2.97	97.38
76	224.64	227.69	2.96	97.05
77	227.69	230.73	3.03	99.67
78	230.73	233.78	3.04	99.67
79	233.78	236.83	3.01	98.69

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB70003

AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	10.30	10.66	113260	0.36	0	3.73	0.0	0	0	0.0	0	4.28
2	14.44	15.62	113302	1.18	0	3.32	0.0	0	0	0.0	0	3.45
3	17.21	17.82	113303	0.61	0	3.27	0.0	0	0	0.0	2	4.31
4	20.66	22.02	113304	1.36	0	2.75	0.0	5	0	0.0	0	3.16
5	32.15	32.85	113305	0.70	0	4.07	0.0	0	0	0.0	2	4.27
6	41.90	42.70	113306	0.80	0	3.32	0.0	0	0	0.0	0	2.66
7	46.13	46.54	113307	0.41	0	3.34	0.0	10	0	0.0	0	3.57
8	68.54	69.54	113308	1.00	0	4.46	0.0	0	0	0.0	0	5.57
9	69.54	70.54	113309	1.00	0	3.76	0.0	0	0	0.0	2	3.57
10	70.54	71.54	113310	1.00	0	4.33	0.0	0	0	0.0	0	4.41
11	71.54	72.96	113311	1.42	0	4.92	0.0	0	0	0.0	0	4.06
12	72.96	75.29	113261	2.33	0	3.35	0.0	0	0	0.0	0	2.07
13	75.29	76.81	113262	1.52	5	4.45	0.0	0	0	0.0	0	4.24
14	76.81	78.33	113276	1.52	0	5.25	0.0	0	0	0.0	0	5.63
15	78.33	81.38	113263	3.05	0	3.66	0.0	0	0	0.0	0	2.97
16	81.38	82.91	113264	1.53	10	4.23	0.0	0	0	0.0	0	3.80
17	82.91	84.43	113265	1.52	0	6.26	0.0	0	0	0.0	0	6.19
18	84.43	85.56	113266	1.13	0	5.75	0.0	0	0	0.0	0	5.88
19	85.56	86.40	113267	0.84	0	4.49	0.0	0	0	0.0	0	4.00
20	86.40	87.48	113312	1.08	0	5.40	0.0	0	0	0.0	0	5.05
21	87.48	88.43	113313	0.95	0	5.91	0.0	0	0	0.0	0	5.87
22	88.43	89.53	113314	1.10	0	6.02	0.0	0	0	0.0	0	5.63
23	89.53	90.53	113315	1.00	0	4.88	0.2	0	0	0.0	0	4.11
24	90.53	91.56	113316	1.03	0	5.99	0.0	0	0	0.0	0	5.80
25	91.56	92.56	113317	1.00	0	6.28	0.0	0	0	0.0	0	6.44
26	92.56	93.57	113318	1.01	0	5.33	0.0	5	0	0.0	0	4.81
27	93.57	94.57	113319	1.00	0	4.55	0.0	0	0	0.0	0	4.33
28	94.57	95.62	113320	1.05	0	4.61	0.0	0	0	0.0	0	4.42
29	95.62	96.62	113321	1.00	0	4.74	0.0	0	0	0.0	0	4.59
30	97.77	98.46	113268	0.69	5	5.12	0.0	0	0	1.0	0	4.93
31	98.46	99.17	113269	0.71	0	4.26	0.0	0	0	0.5	0	2.21
32	99.17	100.17	113270	1.00	0	3.78	0.0	0	0	0.0	0	1.01
33	100.17	101.07	113271	0.90	0	3.79	0.0	5	0	0.0	0	0.87
34	104.00	105.00	113322	1.00	0	3.71	0.0	5	10	0.0	0	3.29
35	105.00	106.26	113323	1.26	0	3.63	0.0	0	10	0.0	0	2.76
36	112.07	112.63	113324	0.56	0	4.11	0.0	5	0	0.0	0	2.81
37	112.63	113.77	113272	1.14	0	3.46	0.0	0	0	0.5	0	1.10
38	113.77	114.91	113274	1.14	0	3.64	0.0	0	0	0.5	0	1.94
39	114.91	115.93	113273	1.02	0	3.59	0.0	0	0	0.0	0	1.14
40	115.93	116.94	113275	1.01	0	3.36	0.0	0	0	0.0	0	2.47
41	121.12	121.62	113325	0.50	0	3.01	0.0	0	0	0.0	0	1.66
42	121.62	122.40	113326	0.78	0	3.90	0.0	0	0	0.0	0	3.15
43	130.15	131.00	113327	0.85	0	3.80	0.0	0	0	0.0	0	4.14
44	131.00	131.50	113289	0.50	0	3.10	0.0	0	0	0.0	0	5.25
45	135.49	136.71	113328	1.22	0	4.67	0.0	0	0	0.0	0	3.67
46	151.48	152.48	113329	1.00	0	4.53	0.0	0	0	0.0	2	5.21
47	152.48	152.83	113330	0.35	0	4.29	0.0	0	0	0.0	0	6.39
48	152.83	153.83	113331	1.00	0	4.59	0.0	0	0	0.0	0	3.21
49	153.83	155.33	113332	1.50	0	5.41	0.0	0	0	0.0	0	4.79
50	155.33	156.33	113333	1.00	0	4.12	0.0	0	0	0.0	2	3.74
51	204.34	205.19	113296	0.85	5	4.70	0.0	25	0	0.0	0	5.38
52	205.19	206.09	113297	0.90	0	4.08	0.0	5	0	0.0	0	3.85
53	206.09	207.61	113298	1.52	0	4.73	0.0	10	0	0.0	0	5.86
54	217.40	218.00	113299	0.60	0	3.80	0.0	0	0	0.0	0	3.03

2 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - W5870003
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
55	218.00	218.20	113300	0.20	0	3.92	0.0	0	0	0.0	0	10.18
56	218.20	218.64	113301	0.44	0	6.26	0.0	0	0	0.5	0	4.81

MEAN					0.4	4.35	0.0	1.3	0.4	0.1	0.2	4.07
MIN					0.0	2.75	0.0	0.0	0.0	0.0	0.0	0.87
MAX					10.0	6.28	0.2	25.0	10.0	1.0	2.0	10.18

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS870003
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	10.30	10.66	113260	0.36	0.0	16	83	30	2.61	0	0	0.00
2	14.44	15.62	113302	1.18	0.0	13	254	41	1.26	0	1	0.01
3	17.21	17.82	113303	0.61	0.0	11	162	26	1.50	0	0	0.05
4	20.66	22.02	113304	1.36	0.0	9	51	36	2.63	0	0	0.01
5	32.15	32.85	113305	0.70	0.5	20	9	53	2.50	0	1	0.01
6	41.90	42.70	113306	0.80	0.0	22	13	50	2.87	0	0	0.01
7	46.13	46.54	113307	0.41	0.0	23	12	52	4.11	0	0	0.08
8	68.54	69.54	113308	1.00	0.0	12	90	6	1.26	0	0	0.00
9	69.54	70.54	113309	1.00	0.0	12	77	49	1.53	0	0	0.04
10	70.54	71.54	113310	1.00	0.0	12	83	6	1.44	0	0	0.03
11	71.54	72.96	113311	1.42	0.0	27	52	25	2.04	0	2	0.03
12	72.96	75.29	113261	2.33	0.0	26	168	56	2.29	0	0	0.00
13	75.29	76.81	113262	1.52	0.0	17	219	51	1.58	0	0	0.00
14	76.81	78.33	113276	1.52	0.0	17	333	45	1.35	0	0	0.00
15	78.33	81.38	113263	3.05	0.0	21	330	31	1.74	0	0	0.00
16	81.38	82.91	113264	1.53	0.5	23	181	90	1.92	0	0	0.00
17	82.91	84.43	113265	1.52	0.5	25	227	77	2.32	0	0	0.00
18	84.43	85.56	113266	1.13	0.5	21	149	86	2.08	0	0	0.01
19	85.56	86.40	113267	0.84	0.0	28	214	65	2.45	0	0	0.00
20	86.40	87.48	113312	1.08	0.5	26	135	39	2.40	0	2	0.00
21	87.48	88.43	113313	0.95	0.0	25	141	116	2.68	0	0	0.00
22	88.43	89.53	113314	1.10	0.5	25	258	113	2.81	0	0	0.01
23	89.53	90.53	113315	1.00	0.0	28	60	59	4.79	0	0	0.00
24	90.53	91.56	113316	1.03	0.0	21	128	66	3.97	0	0	0.00
25	91.56	92.56	113317	1.00	0.0	22	177	37	3.48	0	2	0.00
26	92.56	93.57	113318	1.01	0.0	27	224	82	3.75	0	2	0.00
27	93.57	94.57	113319	1.00	0.0	21	78	52	3.77	0	0	0.00
28	94.57	95.62	113320	1.05	0.0	21	46	59	4.00	0	0	0.00
29	95.62	96.62	113321	1.00	0.5	22	89	60	3.69	0	0	0.00
30	97.77	98.46	113268	0.69	0.5	26	83	68	4.01	0	0	0.00
31	98.46	99.17	113269	0.71	0.5	50	305	131	4.42	0	0	0.00
32	99.17	100.17	113270	1.00	0.0	55	285	145	4.33	0	0	0.00
33	100.17	101.07	113271	0.90	0.5	70	486	169	4.93	0	0	0.00
34	104.00	105.00	113322	1.00	0.0	12	107	47	1.50	0	0	0.07
35	105.00	106.26	113323	1.26	0.0	10	63	32	2.46	0	1	0.07
36	112.07	112.63	113324	0.56	0.0	26	162	73	2.59	0	0	0.00
37	112.63	113.77	113272	1.14	0.0	44	235	95	3.47	0	0	0.00
38	113.77	114.91	113274	1.14	0.5	42	231	100	3.25	0	0	0.00
39	114.91	115.93	113273	1.02	0.0	46	341	108	3.90	0	0	0.00
40	115.93	116.94	113275	1.01	0.0	33	299	78	2.52	0	0	0.00
41	121.12	121.62	113325	0.50	0.0	35	225	202	2.92	0	0	0.00
42	121.62	122.40	113326	0.78	0.0	26	163	122	2.47	0	0	0.00
43	130.15	131.00	113327	0.85	0.0	26	187	29	1.98	0	0	0.00
44	131.00	131.50	113289	0.50	0.0	29	224	27	2.22	0	0	0.00
45	135.49	136.71	113328	1.22	0.0	22	126	89	2.41	0	0	0.03
46	151.48	152.48	113329	1.00	0.0	16	147	114	1.56	0	0	0.00
47	152.48	152.83	113330	0.35	0.0	12	77	80	1.08	0	0	0.00
48	152.83	153.83	113331	1.00	0.5	27	85	152	2.27	0	0	0.02
49	153.83	155.33	113332	1.50	0.0	25	107	146	2.06	0	0	0.02
50	155.33	156.33	113333	1.00	0.0	25	117	190	1.85	0	1	0.02
51	204.34	205.19	113296	0.85	0.0	29	213	48	3.46	0	0	0.04
52	205.19	206.09	113297	0.90	0.5	31	330	78	4.23	0	0	0.00
53	206.09	207.61	113298	1.52	0.5	29	251	84	3.82	0	0	0.03
54	217.40	218.00	113299	0.60	0.0	21	149	60	2.43	0	0	0.00

2 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - W5870003
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
55	218.00	218.20	113300	0.20	0.0	28	333	34	2.43	0	0	0.00
56	218.20	218.64	113301	0.44	0.5	35	396	47	3.54	0	0	0.00

MEAN					0.1	25.4	174.5	73.3	2.73	1.0	0.2	0.01
MIN					0.0	9.0	9.0	6.0	1.08	0.0	0.0	0.00
MAX					0.5	70.0	486.0	202.0	4.93	0.0	2.0	0.08

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS870003
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	MAX	NIPPM	PPPM	PBPPM
1	10.30	10.66	113260	0.36	0	1.57	501	0	0.05	14	90	6
2	14.44	15.62	113302	1.18	0	1.80	301	0	0.06	61	40	0
3	17.21	17.82	113303	0.61	0	1.13	295	0	0.12	30	200	0
4	20.66	22.02	113304	1.36	0	0.88	378	0	0.05	6	360	0
5	32.15	32.85	113305	0.70	0	1.65	422	0	0.10	3	160	2
6	41.90	42.70	113306	0.80	0	2.10	498	0	0.07	13	90	0
7	46.13	46.54	113307	0.41	0	3.04	806	0	0.07	20	100	0
8	68.54	69.54	113308	1.00	0	1.83	209	0	0.05	46	50	0
9	69.54	70.54	113309	1.00	0	2.13	214	0	0.09	52	40	0
10	70.54	71.54	113310	1.00	0	2.12	241	0	0.09	55	40	0
11	71.54	72.96	113311	1.42	0	3.33	336	0	0.08	78	40	0
12	72.96	75.29	113261	2.33	0	3.83	313	0	0.03	157	0	0
13	75.29	76.81	113262	1.52	0	2.45	288	0	0.02	75	0	0
14	76.81	78.33	113276	1.52	0	2.54	253	0	0.02	97	20	0
15	78.33	81.38	113263	3.05	0	2.92	263	0	0.01	104	0	4
16	81.38	82.91	113264	1.53	0	2.83	318	0	0.03	86	0	2
17	82.91	84.43	113265	1.52	0	3.19	375	0	0.05	80	0	0
18	84.43	85.56	113266	1.13	0	2.47	320	0	0.04	43	0	6
19	85.56	86.40	113267	0.84	0	3.30	375	0	0.06	94	0	0
20	86.40	87.48	113312	1.08	0	3.36	413	0	0.10	84	40	0
21	87.48	88.43	113313	0.95	0	3.17	443	0	0.09	74	60	0
22	88.43	89.53	113314	1.10	0	3.74	517	0	0.09	88	80	0
23	89.53	90.53	113315	1.00	0	2.98	724	0	0.06	16	340	0
24	90.53	91.56	113316	1.03	0	2.79	661	0	0.07	34	270	0
25	91.56	92.56	113317	1.00	0	2.49	589	0	0.06	39	280	0
26	92.56	93.57	113318	1.01	0	2.86	639	0	0.10	95	140	0
27	93.57	94.57	113319	1.00	0	2.26	588	0	0.10	25	230	0
28	94.57	95.62	113320	1.05	0	2.06	586	0	0.10	11	290	0
29	95.62	96.62	113321	1.00	0	2.34	628	0	0.12	15	180	0
30	97.77	98.46	113268	0.69	0	2.98	674	0	0.06	23	180	0
31	98.46	99.17	113269	0.71	0	5.66	639	0	0.10	270	0	0
32	99.17	100.17	113270	1.00	0	5.92	608	0	0.08	290	0	0
33	100.17	101.07	113271	0.90	0	5.94	648	0	0.05	449	0	0
34	104.00	105.00	113322	1.00	0	1.55	314	0	0.17	46	100	0
35	105.00	106.26	113323	1.26	0	1.44	376	0	0.27	22	180	0
36	112.07	112.63	113324	0.56	0	3.53	424	0	0.19	148	220	0
37	112.63	113.77	113272	1.14	0	4.59	503	0	0.09	217	0	0
38	113.77	114.91	113274	1.14	0	4.45	481	0	0.04	229	0	0
39	114.91	115.93	113273	1.02	10	5.56	532	0	0.09	261	0	0
40	115.93	116.94	113275	1.01	0	3.53	381	0	0.09	178	0	0
41	121.12	121.62	113325	0.50	0	3.81	415	0	0.08	223	40	0
42	121.62	122.40	113326	0.78	0	3.21	386	0	0.12	108	50	0
43	130.15	131.00	113327	0.85	0	2.11	320	0	0.06	105	100	0
44	131.00	131.50	113289	0.50	0	2.88	413	0	0.02	149	10	18
45	135.49	136.71	113328	1.22	0	2.45	390	0	0.15	54	40	0
46	151.48	152.48	113329	1.00	0	1.46	242	0	0.09	57	90	0
47	152.48	152.83	113330	0.35	0	0.81	229	0	0.16	29	170	0
48	152.83	153.83	113331	1.00	0	2.53	358	0	0.21	108	80	0
49	153.83	155.33	113332	1.50	0	2.32	352	0	0.19	90	160	0
50	155.33	156.33	113333	1.00	0	1.49	249	0	0.25	66	120	0
51	204.34	205.19	113296	0.85	0	4.08	690	0	0.10	86	0	0
52	205.19	206.09	113297	0.90	0	4.16	638	0	0.02	62	0	0
53	206.09	207.61	113298	1.52	0	4.02	707	0	0.11	78	0	0
54	217.40	218.00	113299	0.60	0	2.21	379	0	0.02	59	130	0

2 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WSB70003
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MG%	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
55	218.00	218.20	113300	0.20	0	3.55	530	0	0.02	126	0	0
56	218.20	218.64	113301	0.44	0	4.23	614	0	0.02	143	0	0

MEAN					0.2	2.92	446.2	1.0	0.09	94.1	85.9	0.7
MIN					0.0	0.81	209.0	0.0	0.01	3.0	0.0	0.0
MAX					10.0	5.94	806.0	0.0	0.27	449.0	360.0	18.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS870003

AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TI%	TLPPM	UPPM	VPPM	WPPM
1	10.30	10.66	113260	0.36	0	0	16	0.09	0	0	89	0
2	14.44	15.62	113302	1.18	0	0	20	0.02	0	0	30	0
3	17.21	17.82	113303	0.61	0	0	28	0.07	0	0	39	0
4	20.66	22.02	113304	1.36	0	0	17	0.08	0	0	55	0
5	32.15	32.85	113305	0.70	5	0	14	0.04	0	0	61	0
6	41.90	42.70	113306	0.80	0	0	12	0.05	0	0	78	0
7	46.13	46.54	113307	0.41	0	0	36	0.06	0	0	112	0
8	68.54	69.54	113308	1.00	0	0	17	0.03	0	0	36	0
9	69.54	70.54	113309	1.00	0	0	16	0.03	0	0	38	0
10	70.54	71.54	113310	1.00	0	0	17	0.03	0	0	36	0
11	71.54	72.96	113311	1.42	0	0	34	0.03	0	0	32	0
12	72.96	75.29	113261	2.33	0	0	13	0.03	0	0	24	0
13	75.29	76.81	113262	1.52	0	0	13	0.03	0	0	38	0
14	76.81	78.33	113276	1.52	0	0	7	0.03	0	0	42	0
15	78.33	81.38	113263	3.05	0	0	12	0.05	0	0	49	0
16	81.38	82.91	113264	1.53	0	0	24	0.03	0	0	42	0
17	82.91	84.43	113265	1.52	0	0	15	0.04	0	0	50	0
18	84.43	85.56	113266	1.13	0	0	19	0.04	0	0	55	0
19	85.56	86.40	113267	0.84	0	0	14	0.02	0	0	44	0
20	86.40	87.48	113312	1.08	0	0	17	0.03	0	0	39	0
21	87.48	88.43	113313	0.95	0	0	19	0.07	0	0	77	0
22	88.43	89.53	113314	1.10	0	0	27	0.06	0	0	71	0
23	89.53	90.53	113315	1.00	5	0	50	0.28	0	0	161	0
24	90.53	91.56	113316	1.03	0	0	60	0.16	0	0	132	0
25	91.56	92.56	113317	1.00	0	0	57	0.15	0	0	116	0
26	92.56	93.57	113318	1.01	0	0	38	0.11	0	0	131	0
27	93.57	94.57	113319	1.00	0	0	34	0.12	0	0	121	0
28	94.57	95.62	113320	1.05	0	0	84	0.15	0	0	166	0
29	95.62	96.62	113321	1.00	0	0	33	0.12	0	0	129	0
30	97.77	98.46	113268	0.69	0	0	36	0.14	0	0	148	0
31	98.46	99.17	113269	0.71	0	0	31	0.04	0	0	47	0
32	99.17	100.17	113270	1.00	0	0	20	0.02	0	0	22	0
33	100.17	101.07	113271	0.90	5	0	17	0.02	0	0	29	0
34	104.00	105.00	113322	1.00	0	0	41	0.03	0	0	30	0
35	105.00	106.26	113323	1.26	0	0	53	0.06	0	0	63	0
36	112.07	112.63	113324	0.56	0	0	36	0.03	0	0	18	0
37	112.63	113.77	113272	1.14	0	0	26	0.02	0	0	24	0
38	113.77	114.91	113274	1.14	0	0	17	0.03	0	0	23	0
39	114.91	115.93	113273	1.02	0	0	19	0.02	0	0	27	0
40	115.93	116.94	113275	1.01	0	0	16	0.02	0	0	25	0
41	121.12	121.62	113325	0.50	0	0	18	0.02	0	0	16	0
42	121.62	122.40	113326	0.78	0	0	25	0.04	0	0	45	0
43	130.15	131.00	113327	0.85	0	0	8	0.03	0	0	24	0
44	131.00	131.50	113289	0.50	5	0	35	0.02	0	0	19	0
45	135.49	136.71	113328	1.22	0	0	34	0.05	0	0	72	0
46	151.48	152.48	113329	1.00	0	0	13	0.04	0	0	44	0
47	152.48	152.83	113330	0.35	0	0	16	0.04	0	0	32	0
48	152.83	153.83	113331	1.00	0	0	48	0.03	0	0	28	0
49	153.83	155.33	113332	1.50	0	0	44	0.04	0	0	39	0
50	155.33	156.33	113333	1.00	0	0	44	0.04	0	0	39	0
51	204.34	205.19	113296	0.85	0	0	53	0.07	0	0	94	0
52	205.19	206.09	113297	0.90	0	0	35	0.07	0	0	163	5
53	206.09	207.61	113298	1.52	0	0	69	0.08	0	0	135	0
54	217.40	218.00	113299	0.60	0	0	198	0.12	0	0	68	0

2 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS870003
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
55	218.00	218.20	113300	0.20	0	0	115	0.06	0	0	61	5
56	218.20	218.64	113301	0.44	0	0	175	0.09	0	0	84	0

MEAN					0.4	1.0	35.8	0.06	1.0	1.0	62.7	0.2
MIN					0.0	0.0	7.0	0.02	0.0	0.0	16.0	0.0
MAX					5.0	0.0	198.0	0.28	0.0	0.0	166.0	5.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - W5870003

AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	10.30	10.66	113260	0.36	20
2	14.44	15.62	113302	1.18	10
3	17.21	17.82	113303	0.61	13
4	20.66	22.02	113304	1.36	19
5	32.15	32.85	113305	0.70	20
6	41.90	42.70	113306	0.80	24
7	46.13	46.54	113307	0.41	36
8	68.54	69.54	113308	1.00	4
9	69.54	70.54	113309	1.00	6
10	70.54	71.54	113310	1.00	6
11	71.54	72.96	113311	1.42	9
12	72.96	75.29	113261	2.33	16
13	75.29	76.81	113262	1.52	10
14	76.81	78.33	113276	1.52	6
15	78.33	81.38	113263	3.05	12
16	81.38	82.91	113264	1.53	12
17	82.91	84.43	113265	1.52	12
18	84.43	85.56	113266	1.13	10
19	85.56	86.40	113267	0.84	16
20	86.40	87.48	113312	1.08	14
21	87.48	88.43	113313	0.95	19
22	88.43	89.53	113314	1.10	18
23	89.53	90.53	113315	1.00	48
24	90.53	91.56	113316	1.03	31
25	91.56	92.56	113317	1.00	27
26	92.56	93.57	113318	1.01	32
27	93.57	94.57	113319	1.00	39
28	94.57	95.62	113320	1.05	35
29	95.62	96.62	113321	1.00	51
30	97.77	98.46	113268	0.69	41
31	98.46	99.17	113269	0.71	29
32	99.17	100.17	113270	1.00	27
33	100.17	101.07	113271	0.90	34
34	104.00	105.00	113322	1.00	10
35	105.00	106.26	113323	1.26	25
36	112.07	112.63	113324	0.56	17
37	112.63	113.77	113272	1.14	21
38	113.77	114.91	113274	1.14	21
39	114.91	115.93	113273	1.02	25
40	115.93	116.94	113275	1.01	19
41	121.12	121.62	113325	0.50	18
42	121.62	122.40	113326	0.78	17
43	130.15	131.00	113327	0.85	16
44	131.00	131.50	113289	0.50	50
45	135.49	136.71	113328	1.22	14
46	151.48	152.48	113329	1.00	8
47	152.48	152.83	113330	0.35	5
48	152.83	153.83	113331	1.00	15
49	153.83	155.33	113332	1.50	12
50	155.33	156.33	113333	1.00	10
51	204.34	205.19	113296	0.85	23
52	205.19	206.09	113297	0.90	40
53	206.09	207.61	113298	1.52	23
54	217.40	218.00	113299	0.60	24

2 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - W5870003
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
55	218.00	218.20	113300	0.20	23
56	218.20	218.64	113301	0.44	35

MEAN					21.0
MIN					4.0
MAX					51.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS870004

PROJECT IDEN : WYSD
COLLAR NORTHING: 5634913.00

START DATE : 87/11/10
COLLAR EASTING : 511498.00
TOTAL LENGTH : 66.14

COMPLETION DATE : 87/11/11
COLLAR ELEVATION: 808.50
CORE/HOLE SIZE : NQ

GEOLOGGED BY : LMD +
GRID AZIMUTH : 0.00

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING	
000		0.00		165.00	-52.00			
001		66.14		165.00	-49.00			
F - INTERVAL - K L (UNITS = MT)		CORE RECOVERED (%)	Z M ROCK TYPE	TYPI- QUAL FYING MIN	TEX- TURES TX TX F C % M	GRAIN FRAC- CHARACS TURE	STRUCTUR-1 ALTERATION MINS H H H H H ANY H H H ANY	ORE-TYPE MINS H H H ANY
E A Y G FROM - TO		ERY I	I X TYPE	TM TM MAT	TX TX F C % M	# TK	T ID STK DIP AZM RT QZ MR CY AK SR XX PY CP LI YY	SUMMARY
K F E L Y G		ROCK QUAL DESIG	FOR EN RT MEM V Q AGE	TM QM2 TX TX S R S O LC- 3 COL	DIP F S R S O / SML I R D P C		T ID STK DIP CA MU CL EP HE HA PR AS FS HA AZM RT H H H H H H H H STRUCTUR-2 A A A A A A A A	
P	0.00	3.35		OVER			P	
R	0.00	3.35		OVERBURDEN: NO CORE RECOVERED.				
P	3.35	66.14		DIOR	EQ	P 2 QV 20 V+		D) D (<)
L				56		4	H=	
R	3.35	66.14		DIORITE: MEDIUM GREEN. MEDIUM TO COARSE GRAINED. EQUIGRANULAR.				
R	3.35	66.14		WEAK CHLORITIZATION. MINOR GRAY QUARTZ VEINS AND PATCHES.				
R	3.35	66.14		LIMONITE AS FRACTURE COATINGS PRESENT. FRACTURED AT 15-25				
R	3.35	66.14		DEGREES. MINOR ZONES OF PALE YELLOW-GREEN ALTERATION, COMMONLY				
R	3.35	66.14		AT 20-25 DEGREES, (14.48-14.95),19.20-19.77,24.57-25.10,MINOR				
R	3.35	66.14		DISSEM. PYRITE TO 1.0%, CHALCOPYRITE 0.1%,PYRRHOTITE TO 0.5%				
R	3.35	66.14		MODERATE QUARTZ VEINING FROM 21.30-29.75m; QZ VNS LIGHT PINK,				
R	3.35	66.14		CLEAR CRYSTALLINE, APPROX 1cm WIDE, 2-3/METRE, COMMONLY AT 50				
R	3.35	66.14		AND 80 DEGREES. PINK 17cm QUARTZ VEIN FROM 21.35-21.52m-APPEARS				
R	3.35	66.14		BRECCIATED. LOCAL SLICKENSIDES PRESENT. 80 DEGREES ON A FRAC AT				
R	3.35	66.14		40-50 DEGREES.				
R	8.31	11.08		DYKE INTERMEDIATE: MEDIUM GREEN. FEATURELESS EXCEPT FOR 1%				
R	8.31	11.08		FELDSPAR PHENOS, 0.5mm. WEAKLY CALCAREOUS. LOCAL SECTIONS OF				
R	8.31	11.08		VESICLES OR WEATHERED OUT FELDSPARS. CONTACTS SHARP, UC AT				
R	8.31	11.08		60-65 DEGREES, LC AT 40 DEGREES,SMALL XENOLITHS OF DIORITE AT				
R	8.31	11.08		LC. CONTACTS ARE PYRITIC 1-2%. LOOKS LIKE A GREENSTONE EXCEPT				
R	8.31	11.08		FOR THE CONTACTS. LIMONITIC FRACTURE COATINGS. FRACTURES AT 20				
R	8.31	11.08		AND 65 DEGREES.				
N	8.31	11.08		X D/IN	PP	N UC 60		
L				56		6 LC 40		
R	33.40	37.50		WEAKLY ALTERED ZONE: LIGHT GREEN TO GREY. FINE TO MEDIUM				
R	33.40	37.50		GRAINED. LOCALLY PORPHYRITIC?. WEAK CARBONATE ALTERATION.				
R	33.40	37.50		QUARTZ VEINING 0.5-4cm WIDE AT 50 DEGREES. VEINING MODERATE.				
R	33.40	37.50		FINE DISSEMINATED SULPHIDE IN A 4cm QZ VEIN AT 34.52m. LIMONITE				
R	33.40	37.50		ON FRACTURES.				
N	33.40	37.50		X DIOR	EQ PP 3 4 6 4	N 4 QV 50 V=		D) D (<)

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS870004
RECOVERY - RDD

LINE	FROM	TO	REC	PCT_REC
1	0.00	3.35	0.00	0.00
2	3.35	5.18	1.62	88.52
3	5.18	8.23	3.06	100.33
4	8.23	11.28	3.03	99.34
5	11.28	14.33	2.98	97.70
6	14.33	17.37	2.97	97.70
7	17.37	20.42	2.90	95.08
8	20.42	23.47	2.91	95.41
9	23.47	26.52	2.93	96.07
10	26.52	29.57	2.92	95.74
11	29.57	32.61	2.93	96.38
12	32.61	35.66	3.03	99.34
13	35.66	38.71	2.96	97.05
14	38.71	41.76	2.97	97.38
15	41.76	44.81	3.08	100.98
16	44.81	47.85	2.91	95.72
17	47.85	50.90	3.11	101.97
18	50.90	53.95	2.98	97.70
19	53.95	57.00	2.75	90.16
20	57.00	60.05	2.85	93.44
21	60.05	63.09	2.90	95.39
22	63.09	66.14	3.00	98.36

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS870004
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	14.48	14.95	113334	0.47	0	4.22	0.0	10	0	0.0	0	7.62
2	19.20	19.77	113335	0.57	0	4.53	0.0	15	0	0.0	0	3.89
3	19.77	20.92	116258	1.15	0	4.38	0.2	0	0	0.0	0	3.32
4	20.92	21.30	116259	0.38	0	4.04	0.2	10	0	0.0	0	3.21
5	21.30	21.55	113336	0.25	0	2.12	0.0	5	0	0.0	0	4.82
6	21.55	22.70	113337	1.15	0	3.52	0.0	0	0	0.0	0	3.34
7	24.57	25.10	113338	0.53	0	4.40	0.0	5	0	0.0	0	4.78
8	25.10	26.65	113339	1.55	0	3.52	0.0	0	0	0.0	0	2.22
9	26.65	27.65	113340	1.00	0	3.63	0.0	10	0	0.0	0	2.09
10	27.65	28.20	113341	0.55	0	4.94	0.0	15	0	0.0	0	5.09
11	28.20	29.30	113342	1.10	0	3.61	0.0	0	0	0.0	0	2.33
12	29.30	29.75	113343	0.45	0	3.72	0.0	0	0	0.0	0	3.79
13	33.40	34.40	113344	1.00	0	3.73	0.0	0	0	0.0	0	3.08
14	34.40	34.80	113345	0.40	240	1.59	0.0	480	0	0.0	2	8.88
15	34.80	35.66	113346	0.86	0	3.43	0.0	30	0	0.0	0	5.21
16	35.66	35.94	113347	0.28	5	3.78	0.0	60	0	0.0	0	6.69
17	35.94	36.65	113348	0.71	0	3.80	0.2	0	0	0.0	0	4.20
18	36.65	37.50	113349	0.85	0	3.81	0.2	0	0	0.0	0	3.97
19	51.10	51.90	113350	0.80	0	2.29	0.0	0	0	0.0	0	2.42
20	60.15	61.10	113351	0.95	0	3.29	0.2	0	0	0.0	0	2.84
21	61.10	62.10	113352	1.00	0	3.76	0.2	0	0	0.0	0	3.25
22	62.10	63.50	113353	1.40	0	3.30	0.0	0	0	0.0	0	2.84
23	63.50	65.00	113354	1.50	0	3.30	0.2	0	0	0.0	0	3.30
24	65.00	65.56	113355	0.56	0	3.58	0.2	0	0	0.0	0	5.57
25	65.56	66.14	113356	0.58	0	3.07	0.0	0	0	0.0	0	2.30

MEAN					9.8	3.57	0.1	25.6	1.0	1.0	0.1	4.04
MIN					0.0	1.59	0.0	0.0	0.0	0.0	0.0	2.09
MAX					240.0	4.94	0.2	480.0	0.0	0.0	2.0	8.88

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS870004
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	14.48	14.95	113334	0.47	0.0	34	17	70	5.24	0	0	0.00
2	19.20	19.77	113335	0.57	0.0	43	5	124	7.29	10	0	0.00
3	19.77	20.92	116258	1.15	0.0	30	19	94	7.15	10	0	0.05
4	20.92	21.30	116259	0.38	0.0	32	25	46	7.02	10	0	0.01
5	21.30	21.55	113336	0.25	0.0	19	48	29	3.58	0	0	0.00
6	21.55	22.70	113337	1.15	0.0	20	16	54	5.53	0	0	0.03
7	24.57	25.10	113338	0.53	0.0	21	50	44	3.96	0	0	0.00
8	25.10	26.65	113339	1.55	0.5	21	16	59	5.31	0	0	0.03
9	26.65	27.65	113340	1.00	0.0	20	22	56	5.59	0	2	0.01
10	27.65	28.20	113341	0.55	0.0	21	22	51	4.89	10	0	0.00
11	28.20	29.30	113342	1.10	0.0	21	29	55	5.11	0	0	0.02
12	29.30	29.75	113343	0.45	0.0	22	37	75	4.56	0	1	0.00
13	33.40	34.40	113344	1.00	0.0	30	16	104	6.81	10	0	0.10
14	34.40	34.80	113345	0.40	0.0	22	34	48	2.99	0	0	0.14
15	34.80	35.66	113346	0.86	0.0	34	29	73	6.19	0	2	0.08
16	35.66	35.94	113347	0.28	0.5	35	142	56	5.50	0	3	0.07
17	35.94	36.65	113348	0.71	0.5	24	22	85	4.43	0	1	0.06
18	36.65	37.50	113349	0.85	0.0	25	24	66	3.79	0	0	0.00
19	51.10	51.90	113350	0.80	0.0	12	45	80	2.06	0	0	0.03
20	60.15	61.10	113351	0.95	0.5	22	40	64	3.65	0	1	0.04
21	61.10	62.10	113352	1.00	0.5	22	52	67	4.37	0	0	0.05
22	62.10	63.50	113353	1.40	0.5	19	36	78	3.31	0	1	0.03
23	63.50	65.00	113354	1.50	0.0	18	38	59	2.98	0	0	0.02
24	65.00	65.56	113355	0.56	0.5	22	42	54	3.75	0	0	0.01
25	65.56	66.14	113356	0.58	0.0	24	26	69	3.67	0	1	0.02

MEAN					0.1	24.5	34.1	66.4	4.75	2.0	0.5	0.03
MIN					0.0	12.0	5.0	29.0	2.06	0.0	0.0	0.00
MAX					0.5	43.0	142.0	124.0	7.29	10.0	3.0	0.14

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS870004
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	M6Z	MNPPM	MOPPM	NAX	NIPPM	PPPM	PBPPM
1	14.48	14.95	113334	0.47	0	2.01	614	0	0.04	1	90	0
2	19.20	19.77	113335	0.57	0	2.13	723	0	0.04	0	100	0
3	19.77	20.92	116258	1.15	0	1.45	691	0	0.16	0	110	0
4	20.92	21.30	116259	0.38	0	2.11	745	0	0.06	1	80	0
5	21.30	21.55	113336	0.25	0	1.14	644	0	0.06	0	80	6
6	21.55	22.70	113337	1.15	0	1.67	749	0	0.10	2	120	6
7	24.57	25.10	113338	0.53	0	1.25	595	1	0.03	2	120	2
8	25.10	26.65	113339	1.55	0	1.62	696	1	0.14	2	120	4
9	26.65	27.65	113340	1.00	0	2.01	755	1	0.10	4	140	8
10	27.65	28.20	113341	0.55	0	1.73	693	0	0.03	1	110	0
11	28.20	29.30	113342	1.10	0	1.87	736	0	0.07	8	140	10
12	29.30	29.75	113343	0.45	0	1.95	587	0	0.05	10	140	4
13	33.40	34.40	113344	1.00	0	2.67	919	0	0.05	3	120	4
14	34.40	34.80	113345	0.40	0	1.03	1100	0	0.03	13	80	8
15	34.80	35.66	113346	0.86	0	2.76	920	0	0.03	25	110	4
16	35.66	35.94	113347	0.28	0	3.21	887	0	0.03	101	170	0
17	35.94	36.65	113348	0.71	0	2.99	775	0	0.03	19	110	0
18	36.65	37.50	113349	0.85	0	2.61	646	0	0.04	17	80	0
19	51.10	51.90	113350	0.80	0	1.37	338	0	0.10	14	90	2
20	60.15	61.10	113351	0.95	0	1.91	498	0	0.17	16	180	10
21	61.10	62.10	113352	1.00	0	2.03	782	0	0.19	16	230	2
22	62.10	63.50	113353	1.40	0	1.56	555	0	0.13	11	190	0
23	63.50	65.00	113354	1.50	0	1.67	504	0	0.10	18	150	0
24	65.00	65.56	113355	0.56	0	2.16	624	0	0.05	17	140	2
25	65.56	66.14	113356	0.58	0	2.34	626	0	0.08	23	130	4

MEAN	1.0	1.97	696.1	0.1	0.08	13.0	125.2	3.0
MIN	0.0	1.03	338.0	0.0	0.03	0.0	80.0	0.0
MAX	0.0	3.21	1100.0	1.0	0.19	101.0	230.0	10.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS870004
 ADO4 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	14.48	14.95	113334	0.47	5	0	84	0.16	0	0	272	0
2	19.20	19.77	113335	0.57	5	0	136	0.21	0	0	515	0
3	19.77	20.92	116258	1.15	5	0	42	0.17	0	0	469	15
4	20.92	21.30	116259	0.38	0	0	108	0.23	0	10	363	10
5	21.30	21.55	113336	0.25	0	0	31	0.14	0	0	177	0
6	21.55	22.70	113337	1.15	5	0	37	0.14	0	0	250	0
7	24.57	25.10	113338	0.53	0	0	120	0.14	0	0	141	0
8	25.10	26.65	113339	1.55	0	0	32	0.14	0	0	221	0
9	26.65	27.65	113340	1.00	5	0	19	0.17	0	0	213	0
10	27.65	28.20	113341	0.55	10	0	98	0.16	0	0	181	0
11	28.20	29.30	113342	1.10	0	0	26	0.13	0	0	169	0
12	29.30	29.75	113343	0.45	0	0	22	0.14	0	0	166	0
13	33.40	34.40	113344	1.00	0	0	27	0.07	0	0	255	0
14	34.40	34.80	113345	0.40	5	0	131	0.00	0	0	45	0
15	34.80	35.66	113346	0.86	5	0	37	0.00	0	0	138	0
16	35.66	35.94	113347	0.28	0	0	49	0.00	0	0	129	0
17	35.94	36.65	113348	0.71	0	0	20	0.07	0	0	129	0
18	36.65	37.50	113349	0.85	0	0	14	0.06	0	0	116	0
19	51.10	51.90	113350	0.80	0	0	8	0.03	0	0	47	0
20	60.15	61.10	113351	0.95	0	0	21	0.11	0	0	126	0
21	61.10	62.10	113352	1.00	0	0	35	0.12	0	0	152	0
22	62.10	63.50	113353	1.40	0	0	26	0.08	0	0	103	0
23	63.50	65.00	113354	1.50	5	0	17	0.07	0	0	99	0
24	65.00	65.56	113355	0.56	0	0	51	0.09	0	0	113	0
25	65.56	66.14	113356	0.58	5	0	16	0.09	0	0	109	0

MEAN					2.2	1.0	48.3	0.11	1.0	0.4	187.9	1.0
MIN					0.0	0.0	8.0	0.00	0.0	0.0	45.0	0.0
MAX					10.0	0.0	136.0	0.23	0.0	10.0	515.0	15.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS870004
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	14.48	14.95	113334	0.47	48
2	19.20	19.77	113335	0.57	53
3	19.77	20.92	116258	1.15	50
4	20.92	21.30	116259	0.38	46
5	21.30	21.55	113336	0.25	28
6	21.55	22.70	113337	1.15	39
7	24.57	25.10	113338	0.53	39
8	25.10	26.65	113339	1.55	49
9	26.65	27.65	113340	1.00	55
10	27.65	28.20	113341	0.55	56
11	28.20	29.30	113342	1.10	60
12	29.30	29.75	113343	0.45	46
13	33.40	34.40	113344	1.00	59
14	34.40	34.80	113345	0.40	47
15	34.80	35.66	113346	0.86	56
16	35.66	35.94	113347	0.28	49
17	35.94	36.65	113348	0.71	38
18	36.65	37.50	113349	0.85	31
19	51.10	51.90	113350	0.80	17
20	60.15	61.10	113351	0.95	34
21	61.10	62.10	113352	1.00	47
22	62.10	63.50	113353	1.40	34
23	63.50	65.00	113354	1.50	29
24	65.00	65.56	113355	0.56	34
25	65.56	66.14	113356	0.58	34

MEAN 43.1
MIN 17.0
MAX 60.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS870005 (CONTINUED)

F - I N T E R V A L -			CORE RECOVERY (%)	Z M ROCK I X TYPE	TYPI- F Y I N G M A T 1 2 Q M 1	QAL TEX- T X T X F F C P #	FRAC- CHARACS T U R E	STRUCTUR-1 T I D S T K D I P A Z M R T	ALTERATION H H H H H A A A A	MINS H H H H H A A A A	ORE-TYPE H H H H H A A A A	MINS H H H H H A A A A	SUMMARY
K L (UNITS = MT)	E A	Y G F R O M - T O											
R	20.68	23.85											
R	20.68	23.85											
R	20.68	23.85											
R	20.68	23.85											
R	20.68	23.85											
R	20.68	23.85											
R	20.68	23.85											
R	20.68	23.85											
N	20.68	23.85											
L													
P	23.85	58.42											
L													
R	23.85	58.42											
R	23.85	58.42											
R	23.85	58.42											
R	23.85	58.42											
R	23.85	58.42											
R	23.85	58.42											
R	29.64	30.39											
R	29.64	30.39											
R	29.64	30.39											
N	29.64	30.39											
L													
R	31.52	32.00											
R	31.52	32.00											
R	31.52	32.00											
N	31.52	32.00											
L													
R	35.82	36.02											
R	35.82	36.02											
R	35.82	36.02											
N	35.82	36.02											
L													
R	42.14	42.60											
R	42.14	42.60											
R	42.14	42.60											
N	42.14	42.60											
L													
R	44.81	48.53											
R	44.81	48.53											
N	44.81	48.53											
L													
P	58.42	75.10											

TO BE LESS THAN 50% ACROSS THE VEIN), WITH 6cm OF CLAY GOUGE AT LOWER CONTACT. ALTERATION OF PATCHY, TAN ANKERITE? MARIPOSITE FROM 22.16-11.60m, TO 0.2%. MODERATE BLACK STRINGERS. CLAY GOUGE: MARIPOSITE TO 1%, ARSENO. DISSEMINATED TO 1%. FOR 10cm ABOVE QZ VEIN AND 25cm BELOW. QZ VEIN IS WEAKLY BANDED AND APPEARS BARRNE. PYRITE DISSEMINATED TO 0.5%. TRACE SERICITE ON FRACTURE SURFACES. UC OF QZ VEIN PROBABLY AT 20 DEGREES. FAULT LC WITH ALTERED ROCK AT 60 DEGREES.

1 VNQZ 2 5 + 5 N FC 60 V1 Q) G+ Q= D*
TA 6 C-

DIOR KR PP 2 5 1 6 P BN 45 V* Q= D(
GN BN 6 >* P2

DIORITE: MEDIUM-DARK GREEN, FINE TO MEDIUM GRAINED, RARE COARSE GRAINED SECTIONS. 10% GRANITE BANDS WITH FINE BLACK STRINGERS, COMMONLY GREY WITH SILICA-FLOODING, RARE PYRITE. WEAK CALCITE VEINING. PERVASIVE CHLORITIZATION TO 20%. RARE, LOCALLY PORPHYRITIC RARE QUARTZ VEINS, 0.5cm AT 60-75 DEGREES. WEAKLY BANDED AT 45 DEGREES. SERPENTINE COMMONLY ALONG FRACTURES. SERPENTINIZED ZONE: DARK GREEN. MEDIUM GRAINED. PERVASIVE SERPENTINE TO 25%, AND ALONG FRACTURES. VERY WELL FRACTURED MINOR TALC ON FRACTURES. FRACTURES AT 30-50 DEGREES.

SR X DIOR 3 5 2 5 N P2
36 7

DYKE, INTERMEDIATE: (POSSIBLY MASSIVE GREENSTONE). MEDIUM-DARK GREEN. APHANITIC. CRACKLED TEXTURE. UC BROKEN, PROBABLY AT 35-40 DEGREES, LC SHARP AT 45-50 DEGREES.

X D/IN KR 2 4 1 4 N UC 45
46 LC 45

FAULT ZONE: VERY DARK GREEN. EXTREMELY WELL-FRACTURED TO CRUMBLED. CHLORITIC CLAY GOUGE, TWO 1cm SECTIONS, AT 35-50 DEGREES.

1 FAUL SH 2 4 5 5 N FZ 45 G1 P1
26 9 P3

DYKE, INTERMEDIATE: MEDIUM-LIGHT GREEN. APHANITIC. PYRITE CUBES TO 2%. MINOR CALCITE VEINLETS. UC SHARP AT 35 DEGREES, LC SHARP AT 10 DEGREES.

X D/IN MX 2 3 7 3 N UC 35 D+
66 5 LC 10 <*

SERPENTINIZED ZONE: DARK GREEN. MEDIUM GRAINED. MINOR QUARTZ VEINING. MINOR CALCITE VEINLETS.

SR 9 DIOR EQ PP 3 4 7 5 D BN 45 V* P1 Q= D(
36 BN 6 >* P2

GNST MX SK 2 3 5 3 P 2 CV 40 V(D*

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WS870005
RECOVERY - RDD

LINE	FROM	TO	REC	PCT_REC
1	0.00	7.32	0.00	0.00
2	7.32	8.23	0.91	100.00
3	8.23	8.84	0.57	93.44
4	8.84	10.36	1.40	92.11
5	10.36	11.28	0.70	76.09
6	11.28	14.33	2.52	82.62
7	14.33	17.37	2.52	82.89
8	17.37	20.42	2.86	93.77
9	20.42	23.47	2.68	87.87
10	23.47	26.52	2.99	98.03
11	26.52	29.57	2.87	94.10
12	29.57	32.61	2.86	94.08
13	32.61	33.53	0.72	78.26
14	33.53	35.66	1.38	64.79
15	35.66	38.71	2.95	96.72
16	38.71	41.76	2.94	96.39
17	41.76	44.81	2.99	98.00
18	44.81	47.85	3.08	101.32
19	47.85	50.90	2.99	98.03
20	50.90	53.95	2.94	96.39
21	53.95	57.00	2.85	93.44
22	57.00	60.05	2.57	84.26
23	60.05	63.09	2.99	98.36
24	63.09	66.14	3.00	98.36
25	66.14	69.19	3.05	100.00
26	69.19	72.24	3.05	100.00
27	72.24	75.29	3.02	99.02
28	75.29	78.33	2.96	97.37
29	78.33	81.38	3.00	98.36
30	81.38	84.43	3.00	98.36
31	84.43	87.48	2.96	97.05
32	87.48	90.53	3.04	99.67
33	90.53	93.57	3.05	100.33

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB70005
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	20.68	21.39	113367	0.71	35	1.57	0.0	245	10	0.0	0	6.31
2	21.39	22.16	113368	0.77	20	1.81	0.0	120	0	0.0	0	5.31
3	22.16	22.60	113369	0.44	295	0.42	0.0	390	0	0.0	0	1.58
4	22.60	23.23	113370	0.63	0	1.61	0.0	15	10	0.0	0	4.47
5	23.23	23.85	113371	0.62	0	1.59	0.2	0	0	0.0	0	3.56
6	28.64	29.64	113372	1.00	0	3.28	0.0	0	10	0.0	0	3.46
7	29.64	30.39	113373	0.75	0	2.61	0.2	0	0	0.0	0	0.92
8	30.39	31.52	113374	1.13	0	2.73	0.0	0	0	0.0	0	2.83
9	34.82	35.82	113375	1.00	0	2.40	0.2	0	0	0.0	0	1.43
10	35.82	36.05	113376	0.23	0	4.30	0.2	0	0	0.0	0	1.61
11	36.05	37.05	113383	1.00	0	2.78	0.0	0	0	0.0	2	2.04
12	75.10	76.10	113377	1.00	0	5.55	0.2	10	10	0.0	0	6.45
13	76.10	77.10	113378	1.00	0	3.79	0.2	0	0	0.0	2	4.65
14	77.10	78.10	113379	1.00	0	5.24	0.0	0	0	0.0	0	5.55
15	78.10	78.90	113380	0.80	0	7.29	0.2	0	0	0.0	0	9.52
16	89.25	90.25	113381	1.00	0	4.24	0.2	0	0	0.0	0	3.95

MEAN					21.9	3.20	0.1	48.7	2.5	1.0	0.2	3.98
MIN					0.0	0.42	0.0	0.0	0.0	0.0	0.0	0.92
MAX					295.0	7.29	0.2	390.0	10.0	0.0	2.0	9.52

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS870005
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	20.68	21.39	113367	0.71	0.0	25	250	40	3.73	0	1	0.31
2	21.39	22.16	113368	0.77	0.5	22	359	26	3.01	0	0	0.23
3	22.16	22.60	113369	0.44	0.0	0	186	5	0.66	0	0	0.11
4	22.60	23.23	113370	0.63	0.5	13	73	21	2.03	0	0	0.27
5	23.23	23.85	113371	0.62	0.0	6	99	5	0.84	0	0	0.20
6	28.64	29.64	113372	1.00	0.5	11	395	7	0.91	0	0	0.14
7	29.64	30.39	113373	0.75	0.0	39	235	12	2.06	0	0	0.02
8	30.39	31.52	113374	1.13	0.0	23	237	14	1.64	0	1	0.04
9	34.82	35.82	113375	1.00	0.0	14	158	42	2.55	0	0	0.01
10	35.82	36.05	113376	0.23	0.5	68	903	28	3.88	0	0	0.00
11	36.05	37.05	113383	1.00	0.5	26	262	75	1.97	0	0	0.02
12	75.10	76.10	113377	1.00	0.0	25	637	11	3.47	0	1	0.18
13	76.10	77.10	113378	1.00	0.5	10	197	24	1.99	0	0	0.00
14	77.10	78.10	113379	1.00	0.5	11	492	9	2.26	0	2	0.00
15	78.10	78.90	113380	0.80	1.0	10	304	1	1.80	0	0	0.00
16	89.25	90.25	113381	1.00	0.5	23	55	88	3.58	10	3	0.02

MEAN					0.3	20.4	302.6	25.5	2.27	0.6	0.5	0.10
MIN					0.0	0.0	55.0	1.0	0.66	0.0	0.0	0.00
MAX					1.0	68.0	903.0	88.0	3.88	10.0	3.0	0.31

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS870005
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPM	PBPPM
1	20.68	21.39	113367	0.71	0	2.79	752	0	0.03	61	290	4
2	21.39	22.16	113368	0.77	0	2.51	605	0	0.04	60	170	8
3	22.16	22.60	113369	0.44	0	0.34	154	0	0.03	11	50	6
4	22.60	23.23	113370	0.63	0	2.13	376	0	0.05	26	500	6
5	23.23	23.85	113371	0.62	0	1.06	167	0	0.10	12	420	4
6	28.64	29.64	113372	1.00	0	1.69	180	0	0.08	51	50	4
7	29.64	30.39	113373	0.75	0	3.91	309	0	0.05	302	40	8
8	30.39	31.52	113374	1.13	0	2.67	277	1	0.12	149	60	0
9	34.82	35.82	113375	1.00	0	2.23	409	0	0.08	81	240	2
10	35.82	36.05	113376	0.23	0	7.53	615	0	0.08	560	110	0
11	36.05	37.05	113383	1.00	0	3.13	303	0	0.05	129	90	2
12	75.10	76.10	113377	1.00	0	3.88	689	1	0.04	129	130	2
13	76.10	77.10	113378	1.00	0	1.48	360	0	0.09	33	190	0
14	77.10	78.10	113379	1.00	0	2.45	449	0	0.06	68	230	0
15	78.10	78.90	113380	0.80	0	1.83	385	0	0.03	48	190	0
16	89.25	90.25	113381	1.00	0	2.26	577	0	0.06	26	240	0

MEAN					1.0	2.62	412.9	0.1	0.06	109.1	187.5	2.9
MIN					0.0	0.34	154.0	0.0	0.03	11.0	40.0	0.0
MAX					0.0	7.53	752.0	1.0	0.12	560.0	500.0	8.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS870005
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	20.68	21.39	113367	0.71	5	0	115	0.00	0	0	47	0
2	21.39	22.16	113368	0.77	5	0	87	0.00	0	0	61	0
3	22.16	22.60	113369	0.44	0	0	26	0.00	0	0	7	0
4	22.60	23.23	113370	0.63	5	0	98	0.00	0	0	51	0
5	23.23	23.85	113371	0.62	5	0	51	0.17	0	0	55	0
6	28.64	29.64	113372	1.00	0	0	20	0.03	0	0	34	0
7	29.64	30.39	113373	0.75	0	0	26	0.01	0	0	10	0
8	30.39	31.52	113374	1.13	5	0	31	0.03	0	0	22	0
9	34.82	35.82	113375	1.00	0	0	33	0.12	0	0	51	0
10	35.82	36.05	113376	0.23	5	0	62	0.05	0	0	30	0
11	36.05	37.05	113383	1.00	0	0	24	0.04	0	0	36	0
12	75.10	76.10	113377	1.00	5	0	82	0.07	0	0	86	0
13	76.10	77.10	113378	1.00	0	0	50	0.10	0	0	62	0
14	77.10	78.10	113379	1.00	5	0	29	0.07	0	0	53	0
15	78.10	78.90	113380	0.80	0	0	22	0.13	0	0	94	5
16	89.25	90.25	113381	1.00	0	0	77	0.15	0	0	129	0
					<hr/>							
MEAN					2.5	1.0	52.1	0.06	1.0	1.0	51.7	0.3
MIN					0.0	0.0	20.0	0.00	0.0	0.0	7.0	0.0
MAX					5.0	0.0	115.0	0.17	0.0	0.0	129.0	5.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS870005

AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	20.68	21.39	113367	0.71	26
2	21.39	22.16	113368	0.77	22
3	22.16	22.60	113369	0.44	24
4	22.60	23.23	113370	0.63	12
5	23.23	23.85	113371	0.62	3
6	28.64	29.64	113372	1.00	3
7	29.64	30.39	113373	0.75	34
8	30.39	31.52	113374	1.13	19
9	34.82	35.82	113375	1.00	32
10	35.82	36.05	113376	0.23	30
11	36.05	37.05	113383	1.00	14
12	75.10	76.10	113377	1.00	30
13	76.10	77.10	113378	1.00	34
14	77.10	78.10	113379	1.00	30
15	78.10	78.90	113380	0.80	10
16	89.25	90.25	113381	1.00	39

MEAN	22.6
MIN	3.0
MAX	39.0

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70006
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	14.33	1.68	11.72
2	14.33	17.37	2.90	95.39
3	17.37	20.42	2.60	85.25
4	20.42	23.47	3.04	99.67
5	23.47	26.52	3.02	99.02
6	26.52	29.57	2.77	90.82
7	29.57	32.61	3.05	100.33
8	32.61	35.66	3.01	98.69
9	35.66	38.71	3.08	100.98
10	38.71	41.76	2.87	94.10
11	41.76	44.81	2.88	94.43
12	44.81	47.85	2.71	89.14
13	47.85	50.90	3.02	99.02
14	50.90	53.95	2.54	83.28
15	53.95	57.00	3.00	98.36
16	57.00	60.05	3.00	98.36
17	60.05	63.09	2.94	96.71
18	63.09	66.14	2.95	96.72
19	66.14	69.19	3.05	100.00
20	69.19	72.24	2.85	93.44
21	72.24	75.29	3.06	100.33
22	75.29	78.33	3.03	99.67
23	78.33	81.38	2.92	95.74
24	81.38	84.43	2.95	96.72
25	84.43	87.48	3.10	101.64
26	87.48	90.53	3.11	101.97
27	90.53	93.57	3.05	100.33
28	93.57	96.62	2.99	98.03
29	96.62	99.67	3.06	100.33
30	99.67	102.72	3.00	98.36
31	102.72	105.77	2.71	88.85
32	105.77	108.81	3.05	100.33
33	108.81	111.86	2.89	94.75

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WS870006
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	18.03	19.25	113384	1.22	0	2.46	0.0	0	10	0.0	0	2.09
2	19.25	20.00	113385	0.75	0	1.67	0.0	0	10	0.0	0	1.74
3	20.00	21.00	113386	1.00	0	2.00	0.0	0	0	0.0	0	1.67
4	21.00	21.60	113387	0.60	0	2.47	0.0	0	0	0.0	0	2.48
5	21.60	22.60	113388	1.00	0	1.65	0.2	0	10	0.0	0	1.24
6	28.50	29.18	113389	0.68	0	1.99	0.0	5	0	0.0	0	1.81
7	29.18	29.57	113390	0.39	825	0.50	1.0	1420	0	0.0	2	4.78
8	29.57	29.95	113391	0.38	45	2.22	0.0	85	10	0.0	0	7.28
9	29.95	30.95	113392	1.00	10	4.37	0.0	0	10	0.0	0	4.87
10	30.95	31.95	113393	1.00	15	4.68	0.0	0	10	0.0	0	5.31
11	31.95	32.95	113394	1.00	5	4.70	0.0	0	10	0.0	0	4.62
12	32.95	33.90	113395	0.90	5	2.60	0.0	0	20	0.0	0	2.40
13	33.90	35.04	113396	1.14	0	4.41	0.0	0	0	0.0	0	8.49
14	83.60	84.88	113397	1.28	0	3.77	0.0	0	0	0.0	0	4.99
15	84.88	86.15	113398	1.27	0	4.12	0.0	0	10	0.0	0	4.27
16	86.15	86.95	113399	0.80	0	1.25	0.2	0	0	0.0	0	3.86
17	86.95	87.75	113400	0.80	0	1.68	0.0	0	0	0.0	0	2.86
18	103.35	104.40	116251	1.05	0	3.39	0.2	0	10	0.0	0	4.63
19	104.40	105.52	116252	1.12	0	2.83	0.2	0	10	0.0	2	8.86
20	108.57	109.29	116253	0.72	0	3.76	0.0	0	10	0.0	0	5.99
21	109.29	110.00	116254	0.71	0	3.59	0.2	10	30	0.0	0	8.42
22	110.00	111.04	116255	1.04	10	5.10	0.2	10	0	0.0	0	6.20
23	111.04	111.81	116256	0.77	0	5.16	0.2	0	0	0.0	0	6.74

MEAN					39.8	3.06	0.1	66.5	7.0	1.0	0.2	4.59
MIN					0.0	0.50	0.0	0.0	0.0	0.0	0.0	1.24
MAX					825.0	5.16	1.0	1420.0	30.0	0.0	2.0	8.86

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS870006
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	18.03	19.25	113384	1.22	0.5	15	34	81	3.67	0	0	0.04
2	19.25	20.00	113385	0.75	0.0	11	71	19	1.61	0	0	0.08
3	20.00	21.00	113386	1.00	0.5	9	51	23	2.49	0	0	0.07
4	21.00	21.60	113387	0.60	0.5	10	84	14	2.11	0	0	0.04
5	21.60	22.60	113388	1.00	0.0	9	73	18	2.16	0	1	0.10
6	28.50	29.18	113389	0.68	0.5	8	124	32	1.99	0	0	0.06
7	29.18	29.57	113390	0.39	0.0	13	209	17	1.17	0	0	0.13
8	29.57	29.95	113391	0.38	0.0	13	138	3	1.92	0	0	0.64
9	29.95	30.95	113392	1.00	0.5	13	111	5	1.35	0	0	0.22
10	30.95	31.95	113393	1.00	0.5	12	95	3	1.01	0	0	0.19
11	31.95	32.95	113394	1.00	0.5	11	84	2	0.90	0	1	0.17
12	32.95	33.90	113395	0.90	0.5	9	60	25	0.68	0	0	0.30
13	33.90	35.04	113396	1.14	0.5	12	107	31	1.36	10	0	0.01
14	83.60	84.88	113397	1.28	0.0	10	91	1	0.93	0	1	0.14
15	84.88	86.15	113398	1.27	0.5	13	87	5	1.08	0	0	0.14
16	86.15	86.95	113399	0.80	0.0	5	20	9	2.49	0	1	0.02
17	86.95	87.75	113400	0.80	0.0	5	35	3	2.62	0	0	0.01
18	103.35	104.40	116251	1.05	0.5	24	165	20	2.29	0	1	0.15
19	104.40	105.52	116252	1.12	0.5	22	206	4	1.93	0	0	0.18
20	108.57	109.29	116253	0.72	0.5	27	248	5	2.96	0	1	0.16
21	109.29	110.00	116254	0.71	0.0	28	177	4	2.73	0	2	0.37
22	110.00	111.04	116255	1.04	0.0	11	114	9	1.94	0	4	0.06
23	111.04	111.81	116256	0.77	0.0	9	91	2	0.98	0	5	0.07

MEAN
MIN
MAX

0.3	13.0	107.6	14.6	1.84	0.4	0.7	0.15
0.0	5.0	20.0	1.0	0.68	0.0	0.0	0.01
0.5	28.0	248.0	81.0	3.67	10.0	5.0	0.64

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS870006
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	18.03	19.25	113384	1.22	0	1.43	458	0	0.08	7	330	2
2	19.25	20.00	113385	0.75	0	1.00	275	0	0.07	28	110	6
3	20.00	21.00	113386	1.00	0	0.92	454	0	0.10	3	220	8
4	21.00	21.60	113387	0.60	0	0.78	421	1	0.09	3	190	0
5	21.60	22.60	113388	1.00	0	0.81	390	0	0.09	5	430	10
6	28.50	29.18	113389	0.68	0	0.73	350	0	0.10	6	230	6
7	29.18	29.57	113390	0.39	0	0.69	293	0	0.02	103	110	6
8	29.57	29.95	113391	0.38	0	2.93	459	0	0.04	54	130	0
9	29.95	30.95	113392	1.00	0	2.12	250	0	0.07	37	50	2
10	30.95	31.95	113393	1.00	0	1.59	163	0	0.07	23	50	0
11	31.95	32.95	113394	1.00	0	1.32	149	1	0.07	23	50	0
12	32.95	33.90	113395	0.90	0	1.02	124	0	0.07	23	50	0
13	33.90	35.04	113396	1.14	0	1.05	203	0	0.03	27	120	0
14	83.60	84.88	113397	1.28	0	1.23	188	0	0.09	27	60	2
15	84.88	86.15	113398	1.27	0	1.73	222	0	0.07	32	60	0
16	86.15	86.95	113399	0.80	0	0.51	398	0	0.11	2	160	2
17	86.95	87.75	113400	0.80	0	0.52	408	0	0.11	2	140	12
18	103.35	104.40	116251	1.05	0	3.59	428	0	0.04	59	60	4
19	104.40	105.52	116252	1.12	0	3.16	377	0	0.05	54	60	0
20	108.57	109.29	116253	0.72	0	4.44	535	0	0.04	68	90	0
21	109.29	110.00	116254	0.71	0	3.87	527	0	0.03	72	110	0
22	110.00	111.04	116255	1.04	0	2.67	377	0	0.04	41	190	0
23	111.04	111.81	116256	0.77	0	1.83	207	0	0.04	19	270	0

MEAN
MIN
MAX

1.0	1.74	332.9	0.1	0.07	31.2	142.2	2.6
0.0	0.51	124.0	0.0	0.02	2.0	50.0	0.0
0.0	4.44	535.0	1.0	0.11	103.0	430.0	12.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB70006
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TI%	TLPPM	UPPM	VPPM	WPPM
1	18.03	19.25	113384	1.22	0	0	33	0.17	0	0	157	0
2	19.25	20.00	113385	0.75	0	0	13	0.06	0	0	30	0
3	20.00	21.00	113386	1.00	5	0	15	0.11	0	0	74	0
4	21.00	21.60	113387	0.60	0	0	39	0.10	0	0	52	0
5	21.60	22.60	113388	1.00	0	0	19	0.10	0	0	45	0
6	28.50	29.18	113389	0.68	0	0	49	0.09	0	0	31	0
7	29.18	29.57	113390	0.39	5	0	77	0.00	0	0	8	0
8	29.57	29.95	113391	0.38	10	0	95	0.00	0	0	31	0
9	29.95	30.95	113392	1.00	0	0	30	0.02	0	0	32	0
10	30.95	31.95	113393	1.00	5	0	30	0.02	0	0	27	0
11	31.95	32.95	113394	1.00	5	0	37	0.02	0	0	26	0
12	32.95	33.90	113395	0.90	0	0	33	0.01	0	0	15	0
13	33.90	35.04	113396	1.14	5	0	13	0.06	0	0	43	0
14	83.60	84.88	113397	1.28	5	0	30	0.03	0	0	32	0
15	84.88	86.15	113398	1.27	5	0	24	0.03	0	0	31	0
16	86.15	86.95	113399	0.80	5	0	15	0.08	0	0	5	0
17	86.95	87.75	113400	0.80	5	0	16	0.10	0	0	8	0
18	103.35	104.40	116251	1.05	0	0	83	0.07	0	0	96	75
19	104.40	105.52	116252	1.12	5	0	121	0.00	0	0	50	30
20	108.57	109.29	116253	0.72	0	0	71	0.00	0	0	87	10
21	109.29	110.00	116254	0.71	5	0	148	0.00	0	0	69	10
22	110.00	111.04	116255	1.04	0	0	55	0.07	0	0	63	5
23	111.04	111.81	116256	0.77	5	0	46	0.12	0	0	98	0

MEAN					3.0	1.0	47.5	0.05	1.0	1.0	48.3	5.7
MIN					0.0	0.0	13.0	0.00	0.0	0.0	5.0	0.0
MAX					10.0	0.0	148.0	0.17	0.0	0.0	157.0	75.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB70006
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	18.03	19.25	113384	1.22	32
2	19.25	20.00	113385	0.75	18
3	20.00	21.00	113386	1.00	34
4	21.00	21.60	113387	0.60	33
5	21.60	22.60	113388	1.00	32
6	28.50	29.18	113389	0.68	33
7	29.18	29.57	113390	0.39	20
8	29.57	29.95	113391	0.38	11
9	29.95	30.95	113392	1.00	5
10	30.95	31.95	113393	1.00	1
11	31.95	32.95	113394	1.00	2
12	32.95	33.90	113395	0.90	3
13	33.90	35.04	113396	1.14	8
14	83.60	84.88	113397	1.28	4
15	84.88	86.15	113398	1.27	3
16	86.15	86.95	113399	0.80	43
17	86.95	87.75	113400	0.80	44
18	103.35	104.40	116251	1.05	10
19	104.40	105.52	116252	1.12	10
20	108.57	109.29	116253	0.72	19
21	109.29	110.00	116254	0.71	17
22	110.00	111.04	116255	1.04	10
23	111.04	111.81	116256	0.77	2

MEAN 17.1
MIN 1.0
MAX 44.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WS870007 (CONTINUED)

F - I N T E R V A L -			CORE	%	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS ORE-TYPE MINS																				
K L (UNITS = MT)			RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H	H	H	H	H	ANY	H	H	H	ANY										
E A			ERY	I	TM	TM	MAT	TX	TX	F	C	Z	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN			
Y G F R O M - T O			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	O	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA
E L			QUAL	MEM	V	Q	LC-3	3	4	O	N	H	/	SML	I	2	AZM	RT	H	H	H	H	H	H	H	H	H	H	H	H
Y G			DESIG	AGE	COL												STRUCTUR-2													
R	18.20	19.38	QUARTZ VEINING ZONE: SAME AS MAIN INTERVAL BUT WITH INTENSE																											
R	18.20	19.38	QUARTZ VEINING TO STOCKWORK. VEINS 20% OF SUB-INTERVAL.																											
R	18.20	19.38	EXTREMELY WELL FRACTURED. QUARTZ VEINS HAVE 5% MILKY-WHITE																											
R	18.20	19.38	MINERAL THAT DOES NOT APPEAR TO BE CALCAREOUS - SCHEELITE?																											
R	18.20	19.38	VEINS ARE BANDED. 15% FINE SULPHIDES ON FRACTURES AND VEIN																											
R	18.20	19.38	SELVAGES. 5 CM QUARTZ VEIN AT 35 DEG.																											
N	18.20	19.38	PY 2 VNQZ SK PP 2 5 = 6 1 56 D 4 QV 35 V2 0. 6+ D=																											
L			8A 9 F/ 65 << (C) D+ <1																											
R	21.02	21.37	DYKE, QUARTZ-FELDSPAR PORPHYRY: PALE GRAY. 1% QUARTZ PHENOS																											
R	21.02	21.37	1-5 MM, 3% FELDSPAR PHENOS 2-3 MM. UPPER CONTACT IRREGULAR AT																											
R	21.02	21.37	35 DEG., LOWER CONTACT SHARP AT 40 DEG. 0.3% PYRITE "SPOTS"																											
R	21.02	21.37	DISSEMINATED. QUARTZ VEINLETS TO STOCKWORK. MILKY-WHITE																											
R	21.02	21.37	MINERAL IN QUARTZ VEINLETS.																											
N	21.02	21.37	X D/BF PP SK 2 5 = 5 N UC 35 <+ 0. D*																											
L			8A 4 LC 40																											
R	21.37	21.83	FAULT BRECCIA OR CONGLOMERATE: BLACK, FINE GRAINED																											
R	21.37	21.83	ARGILLACEOUS MATRIX. 15% ANGULAR FRAGMENTS 5-15 MM. 10 CM																											
R	21.37	21.83	PORPHYRITIC DYKE WITH QUARTZ VEINED CONTACTS AT 21.60 M. FRAGS																											
R	21.37	21.83	ARE VERY FINE GRAINED TO APHANITIC: 10% HAVE MARIPOSITE, 20%																											
R	21.37	21.83	CHLORITIZED, 10% FELDSPAR PORPHYRY. SHEARED AT 25-30 DEG.																											
R	21.37	21.83	UPPER CONTACT SHARP AT 40 DEG., LOWER CONTACT SHARP AT 60 DEG.																											
N	21.37	21.83	8 FAUL SH N SH 30 V= Q- Q*																											
L																														
P	21.83	24.02	CHRT 1 2 1 2 P 0 BN 30 V+																											
L			96 UC 60 <= <=																											
R	21.83	24.02	CHERT: PALE GREEN-GRAY. APHANITIC. WELL FRACTURED WITH																											
R	21.83	24.02	SERICITE ALONG FRACTURES, TO BRECCIATED LOCALLY. FAINT BANDING																											
R	21.83	24.02	AT 25-35 DEG. MINOR TO MODERATE DISCONTINUOUS QUARTZ																											
R	21.83	24.02	VEINS/VEINLETS. CHLORITE/SERICITE PARTINGS. UPPER CONTACT																											
R	21.83	24.02	SHARP AT 60 DEG. INTENSE QUARTZ VEINING FROM 21.83-22.13 M,																											
R	21.83	24.02	PERPENDICULAR TO UPPER CONTACT.																											
R	23.16	24.02	"DIRTY" CHERT; CONTACT ZONE: LIGHT BROWN. APHANITIC TO FINE																											
R	23.16	24.02	GRAINED. MINOR ARGILLACEOUS PARTINGS. QUARTZ VEINLETS/																											
R	23.16	24.02	STRINGERS COMMON - FINE STOCKWORK. MINOR CHLORITE																											
R	23.16	24.02	STRINGERS. CLAYS TO 15%. LOWER CONTACT SHARP AT 40 DEG.																											
R	23.16	24.02	MINOR CALCITE VEINS/VEINLETS. MINOR DISSEMINATED PYRITE.																											
N	23.16	24.02	X CHRT SK 1 2 1 2 N LC 40 <+ P1 D(
L			7U < <*																											
P	24.02	46.63	ARGL BD LM 0 1 6 4 P LM 35 D(
L			NN <*																											
R	24.02	46.63	ARGILLITE: BLACK TO DARK GRAY. MUDSTONE TO FINE SILTSTONE																											
R	24.02	46.63	WITH 2% SANDY LENSES. WELL BANDED TO LAMINATED AT 35-40 DEG.																											

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70007
RECOVERY - RGD.

LINE	FROM	TO	REC	PCT_REC
1	0.00	4.27	0.00	0.00
2	4.27	5.49	0.80	65.57
3	5.49	7.01	1.10	72.37
4	7.01	8.53	1.36	89.47
5	8.53	10.06	1.49	97.39
6	10.06	11.58	1.54	101.32
7	11.58	13.11	1.40	91.50
8	13.11	14.63	1.56	102.63
9	14.63	16.15	1.08	71.05
10	16.15	17.68	1.48	96.73
11	17.68	19.20	1.45	95.39
12	19.20	20.73	1.49	97.39
13	20.73	22.25	1.44	94.74
14	22.25	23.77	1.60	105.26
15	23.77	25.30	1.46	95.42
16	25.30	26.82	1.55	101.97
17	26.82	28.35	1.52	99.35
18	28.35	29.87	1.48	97.37
19	29.87	31.39	1.54	101.32
20	31.39	32.92	1.48	96.73
21	32.92	34.44	1.47	96.71
22	34.44	35.97	1.55	101.31
23	35.97	37.49	1.41	92.76
24	37.49	39.01	1.63	107.24
25	39.01	40.54	1.44	94.12
26	40.54	42.06	1.57	103.29
27	42.06	43.59	1.47	96.08
28	43.59	45.11	1.48	97.37
29	45.11	46.63	1.51	99.34

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB70007
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	13.22	14.20	116276	0.98	25	0.46	0.0	25	40	0.0	0	4.84
2	14.20	15.30	116277	1.10	65	1.22	0.0	85	130	0.0	0	4.44
3	15.30	15.91	116278	0.61	1740	1.01	0.6	2785	110	0.0	0	5.33
4	15.91	16.67	116279	0.76	125	0.38	0.0	305	40	0.0	0	2.33
5	16.67	17.45	116280	0.78	100	1.03	0.0	230	110	0.0	0	1.87
6	17.45	18.20	116281	0.75	620	0.56	0.0	1705	60	0.0	0	2.52
7	18.20	18.70	116282	0.50	575	0.67	0.0	950	60	0.0	0	2.90
8	18.70	19.38	116283	0.68	2600	0.23	0.2	2435	20	0.0	0	1.94
9	19.38	20.27	116284	0.89	450	1.30	0.0	1170	120	0.0	0	1.80
10	20.27	20.50	116285	0.23	1320	0.19	0.0	2930	20	0.0	0	5.86
11	20.50	21.37	116286	0.87	65	0.89	0.0	230	60	0.0	0	2.13
12	21.37	21.83	116288	0.46	0	2.92	0.0	345	30	0.0	0	3.35
13	21.83	22.50	116289	0.67	0	1.35	0.0	5	130	0.0	0	1.43
14	22.50	23.16	116290	0.66	0	1.84	0.0	10	170	0.0	0	0.78
15	23.16	24.02	116291	0.86	0	3.27	0.0	40	50	0.0	0	2.92
16	24.02	25.30	116292	1.28	0	1.42	0.0	20	130	0.0	0	2.38

MEAN					480.3	1.17	0.0	829.4	80.0	1.0	1.0	2.93
MIN					0.0	0.19	0.0	5.0	20.0	0.0	0.0	0.78
MAX					2600.0	3.27	0.6	2930.0	170.0	0.0	0.0	5.86

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WSB70007
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	13.22	14.20	116276	0.98	0.0	11	58	21	2.81	0	0	0.19
2	14.20	15.30	116277	1.10	0.5	15	78	34	4.17	0	0	0.53
3	15.30	15.91	116278	0.61	3.0	14	116	36	3.96	0	0	0.49
4	15.91	16.67	116279	0.76	0.5	4	42	0	2.27	0	0	0.17
5	16.67	17.45	116280	0.78	0.5	5	67	0	2.69	0	0	0.43
6	17.45	18.20	116281	0.75	2.0	5	62	0	2.59	0	0	0.22
7	18.20	18.70	116282	0.50	1.5	3	160	0	2.25	0	0	0.21
8	18.70	19.38	116283	0.68	2.5	5	35	2	2.79	0	0	0.09
9	19.38	20.27	116284	0.89	1.5	5	90	2	2.53	0	0	0.47
10	20.27	20.50	116285	0.23	3.0	6	37	1	3.61	0	0	0.08
11	20.50	21.37	116286	0.87	0.5	5	67	2	2.23	0	0	0.28
12	21.37	21.83	116288	0.46	1.0	45	521	42	4.34	0	0	0.05
13	21.83	22.50	116289	0.67	0.0	2	96	0	0.85	0	0	0.59
14	22.50	23.16	116290	0.66	0.0	1	136	0	0.88	0	0	0.84
15	23.16	24.02	116291	0.86	0.5	39	190	63	6.11	0	0	0.11
16	24.02	25.30	116292	1.28	0.5	16	65	38	4.43	0	0	0.49

MEAN					1.1	11.3	113.7	15.1	3.03	1.0	1.0	0.33
MIN					0.0	1.0	35.0	0.0	0.85	0.0	0.0	0.05
MAX					3.0	45.0	521.0	63.0	6.11	0.0	0.0	0.84

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - W5870007
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	NOPPM	NAZ	NIPPM	PPPM	PBPPM
1	13.22	14.20	116276	0.98	0	1.30	544	0	0.04	9	260	2
2	14.20	15.30	116277	1.10	0	1.76	718	0	0.08	13	330	4
3	15.30	15.91	116278	0.61	0	1.90	814	0	0.04	54	130	4
4	15.91	16.67	116279	0.76	0	0.80	778	0	0.07	2	510	0
5	16.67	17.45	116280	0.78	0	0.75	819	0	0.14	2	490	4
6	17.45	18.20	116281	0.75	10	0.84	874	0	0.07	1	400	2
7	18.20	18.70	116282	0.50	0	0.90	783	0	0.10	3	250	0
8	18.70	19.38	116283	0.68	10	0.58	575	0	0.03	1	380	12
9	19.38	20.27	116284	0.89	10	0.65	685	0	0.16	2	470	4
10	20.27	20.50	116285	0.23	0	1.85	1525	0	0.03	12	320	4
11	20.50	21.37	116286	0.87	0	1.05	813	0	0.17	4	400	4
12	21.37	21.83	116288	0.46	0	5.84	977	0	0.02	549	470	2
13	21.83	22.50	116289	0.67	0	0.50	625	4	0.12	11	220	8
14	22.50	23.16	116290	0.66	10	0.33	496	5	0.19	2	220	4
15	23.16	24.02	116291	0.86	0	4.48	978	0	0.05	85	360	0
16	24.02	25.30	116292	1.28	0	1.39	569	0	0.07	15	370	4

MEAN					2.5	1.56	785.8	0.6	0.09	47.8	348.7	3.6
MIN					0.0	0.33	496.0	0.0	0.02	1.0	130.0	0.0
MAX					10.0	5.84	1525.0	5.0	0.19	549.0	510.0	12.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WSB70007
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIZ	TLPPM	UPPM	VPPM	WPPM
1	13.22	14.20	116276	0.98	10	0	351	0.00	0	0	18	0
2	14.20	15.30	116277	1.10	5	0	345	0.00	0	0	29	5
3	15.30	15.91	116278	0.61	25	0	435	0.00	0	0	19	0
4	15.91	16.67	116279	0.76	0	0	145	0.00	0	0	4	5
5	16.67	17.45	116280	0.78	0	0	124	0.00	0	0	8	0
6	17.45	18.20	116281	0.75	5	0	177	0.00	0	0	5	0
7	18.20	18.70	116282	0.50	0	0	231	0.00	0	0	6	0
8	18.70	19.38	116283	0.68	5	0	142	0.00	0	0	2	0
9	19.38	20.27	116284	0.89	5	0	130	0.00	0	0	9	0
10	20.27	20.50	116285	0.23	5	10	502	0.00	0	0	5	0
11	20.50	21.37	116286	0.87	0	0	199	0.00	0	0	9	0
12	21.37	21.83	116288	0.46	75	0	379	0.00	10	0	67	5
13	21.83	22.50	116289	0.67	0	0	117	0.00	10	0	0	5
14	22.50	23.16	116290	0.66	0	0	86	0.00	10	0	0	0
15	23.16	24.02	116291	0.86	0	0	202	0.00	0	0	191	5
16	24.02	25.30	116292	1.28	0	0	229	0.00	0	0	46	0

MEAN					8.4	0.6	237.1	1.00	1.9	1.0	26.1	1.6
MIN					0.0	0.0	86.0	0.00	0.0	0.0	0.0	0.0
MAX					75.0	10.0	502.0	0.00	10.0	0.0	191.0	5.0

1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WSB70007
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	13.22	14.20	116276	0.98	45
2	14.20	15.30	116277	1.10	77
3	15.30	15.91	116278	0.61	75
4	15.91	16.67	116279	0.76	56
5	16.67	17.45	116280	0.78	63
6	17.45	18.20	116281	0.75	67
7	18.20	18.70	116282	0.50	38
8	18.70	19.38	116283	0.68	64
9	19.38	20.27	116284	0.89	65
10	20.27	20.50	116285	0.23	55
11	20.50	21.37	116286	0.87	50
12	21.37	21.83	116288	0.46	64
13	21.83	22.50	116289	0.67	54
14	22.50	23.16	116290	0.66	41
15	23.16	24.02	116291	0.86	62
16	24.02	25.30	116292	1.28	70

MEAN 59.1
MIN 38.0
MAX 77.0

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WSB7000B

PROJECT IDEN : WYSD START DATE : 87/11/22 COMPLETION DATE : 87/11/22 GEOLOGGED BY : LDM +
 COLLAR NORTHING: 5636413.00 COLLAR EASTING : 512495.00 COLLAR ELEVATION: 774.00 GRID AZIMUTH : 0.00
 TOTAL LENGTH : 46.63 CORE/HOLE SIZE : HQ

SURVEY FLAG		SURVEY POINT LOCATION	FORESIGHT	AZIMUTH (DEGREES)	VERTICAL ANGLE (DEGREES)	NORTHING	EASTING
000		0.00		226.00	-55.00		
001		46.63		226.00	-54.00		

F - INTERVAL - K L (UNITS = MT)	CORE RECOVERY (%)	Z M ROCK I X TYPE	TYPICAL TM TX	GRAIN MIN TX	FRAC- CHARACTERS FCZM	STRUCTUR-1 ID STK DIP AZM RT	ALTERATION A A A A MR CY	MINS H H H H AK SR	ORE-TYPE ANY H H H H	MINS A A A A PY CP LI YY	SUMMARY
Y 6 FROM - TO	(%)		1 2 QM1	1 2 F F C P	# TK	1					

K F E L Y 6	ROCK QUAL DESIG	FOR EN V AGE	RT Q LC-3 COL	TM QM2 R D P C	TX TX S R S O 3 4 D N H / SML I	DIP F I	T ID STK DIP CA MU CL EP HE HA PR AS FS HA 2 AZM RT H H H H H H H H	STRUCTUR-2 A A A A A A A A		
P R		0.00 0.00					OVER OVERBURDEN: NO CORE RECOVERED.	P		
P L R R R R R R R R N L R R R R N L R R R N L		7.01 29.87 7.01 29.87 7.01 29.87 7.01 29.87 7.01 29.87 7.01 9.17 7.01 9.17 7.01 9.17 7.01 9.17 7.01 16.15 9.17 16.15 9.17 16.15 7.01 29.87 39.65 25.80 27.42 25.80 27.42 25.80 27.42 25.80 27.42		ARGL 3A CR	BD LM 1 2 7 4 6	P BD 30		30 <	C+	
							ARGILLITE: DARK GRAY TO BLACK LOCALLY. PREDDOMINANTLY SILTSTONE WITH MUDSTONE BEDS AND SANDY LENSES. WELL BANDED TO LAMINATED AT 20-30 DEG. LOCALLY CARBONACEOUS. MINOR CALCAREOUS (LIGHT GRAY) BEDS. LIMONITE ON FRACTURES TO 22.90 M. MINOR CALCITE VEINING, 2-10 MM, CROSS-CUTTING (AND SOMETIMES OFFSETTING) BEDDING AT 90 DEG. LOWER CONTACT BROKEN AND VERY CARBONACEOUS. LIMONITIC ARGILLITE: SAME AS MAIN UNIT BUT WITH PERVASIVE LIMONITE STAINING TO 5-7%. LOCAL SEDIMENTARY BRECCIA AT 8.15 M. 4 CM QUARTZ VEIN AT 9.05 M AT 55 DEG. CROSS-CUTTING BEDDING.			
							LI 9 ARGL OU BR	BD LM 1 2 7 4 8	D 3 QV 55 V+ <	P=
							VEINING ZONE: SAME AS MAIN INTERVAL BUT WITH MODERATE TO LOCALLY INTENSE CALCITE VEINING, COMMONLY VEINLETS. VEINING PERPENDICULAR TO BEDDING. LOCAL SEDIMENTARY BRECCIA. 2 CM QUARTZ VEIN AT 9.20 M AT 25 DEG., PERPENDICULAR TO BEDDING.			
							8 ARGL 3A CR BR	BD LM 1 2 7 4 7	D 3 QV 25 V+ =<	C+
							QUARTZ VEINING/STOCKWORK: SAME AS MAIN UNIT BUT INTENSELY QUARTZ VEINED TO STOCKWORK. VERY WELL FRACTURED TO SHATTERED. BEDDING AT 0-15 DEG.			
							1 VNQZ 3A CR	SK LM 1 2 7 4 8	D BD 10 KI <	C+
P L R R R		29.87 39.65 29.87 29.87 29.87		SI D/FD 7A KR	SK BR 2 4) 4 8	P 1 QV F/ 45	80 V= Q 45	D+ D+		
							DYKE?: LIGHT GRAY, FINE GRAINED WITH POSSIBLE "GHOST" PHENDS OF FELDSPAR?, 80% SILICIFIED. INTENSE QUARTZ VEINING TO STOCKWORK, 3-7 MM WIDE, COMMONLY AT 75-90 DEG. UPPER CONTACT			

Chevron Canada Resources Ltd.
WYSD

DRILLHOLE/TRVERSE : WSB7000B (CONTINUED)

F - INTERVAL -			CORE	Z	TYPI-	QAL	TEX-	GRAIN	FRAC-	STRUCTUR-1 ALTERATION MINS										ORE-TYPE	MINS									
K L (UNITS = MT)			RECOV-	M	ROCK	FYING	MIN	TURES	CHARACS	TURE	H	H	H	H	H	ANY	H	H	H	ANY										
E A			ERY	I	TM	TM	MAT	TX	TX	F	C	Z	M	T	ID	STK	DIP	A	A	A	A	A	MIN	A	A	A	MIN			
Y G FROM - TO			(%)	X	TYPE	1	2	QM1	1	2	F	F	C	P	#	TK	1	AZM	RT	QZ	MR	CY	AK	SR	XX	PY	CP	LI	YY	SUMMARY
K F			ROCK	FOR	EN	RT	TM	QM2	TX	TX	S	R	S	D	DIP	F	T	ID	STK	DIP	CA	MU	CL	EP	HE	HA	PR	AS	FS	HA
E L			QUAL	MEM	V	Q	LC-	3	3	4	Q	N	H	/	SML	I	2	AZM	RT			H	H	H	H	H	H	H	H	H
Y G			DESIG	AGE	COL						R	D	P	C			STRUCTUR-2				A	A	A	A	A	A	A	A	A	A
R	29.87	39.65	BROKEN. PYRITE ON FRACTURE SURFACES, TO 3%; FINE SULPHIDES (ARSEN?) TO 3%. PATCHES OF MARIPOSITE TO 0.3%. PROBABLY EMPLACED IN A LARGE SHEAR ZONE AND SUBSEQUENTLY REBRECCIATED. 15 CM OF CLAY GOUGE WITH QUARTZ VEINS, MINOR CARBONATE AND MINOR MARIPOSITE FROM 38.39 M AT 40-45 DEG. INTENSE QUARTZ VEINING AND VERY BROKEN UP FROM 36.69-37.00 M.																											
R	29.87	39.65																												
R	29.87	39.65																												
R	29.87	39.65																												
R	29.87	39.65																												
R	29.87	39.65																												
R	31.45	36.29	FAULT BRECCIA: BLACK, FINE GRAINED ARGILLACEOUS MATRIX WITH 50% FRAGMENTS. FRAGMENTS 0.2-5 CM, ANGULAR, 90% ALTERED DYKE, 10% SILICA. MARIPOSITE WEAKLY PERVASIVE AND IN FRAGMENTS 2-3%. SHEARING AT 15-20 DEG. LARGE BLOCKS OF BRECCIATED AND CRACKLED ALTERED DYKE (WITHOUT BLACK MATRIX) FROM 31.91-32.21 M AND FROM 34.35-35.18 M. BLOCK OF UNALTERED ARGILLITE WITH CALCITE STOCKWORK FROM 33.19-33.94 M. 10 CM QUARTZ VEIN - BARREN - FROM 32.36 M. CALCITE AND QUARTZ VEINLETS TO STOCKWORK THROUGHOUT. DISSEMINATED PYRITE AND FINE SULPHIDES IN MATRIX 1-2%.																											
R	31.45	36.29																												
R	31.45	36.29																												
R	31.45	36.29																												
R	31.45	36.29																												
R	31.45	36.29																												
R	31.45	36.29																												
R	31.45	36.29																												
R	31.45	36.29																												
N	31.45	36.29	6 FAUL RB KR N SH 20 V+ P+ D)																											
L			8 4 QV 40 <+ D*																											
R	38.54	39.65	DYKE: PORPHYRITIC, LIGHT GRAY. VERY FINE GRAINED WITH FINE, 1 MM SOFT PHENOCRYSTS, POSSIBLY CHLORITE? WELL FRACTURED AT 40-50 DEG. LOWER CONTACT BROKEN, SHARP.																											
R	38.54	39.65																												
R	38.54	39.65																												
N	38.54	39.65	X D/PP PP 2 2 9 2 N F/ 45 <)																											
L			7A 7 <+																											
P	39.65	46.63	ARGL SK 1 2 8 3 P F/ 75 K1 D+																											
L			AN CR 7 2 QV <*																											
R	39.65	46.63	ARGILLITE: DARK GRAY TO BLACK. FINE TO VERY FINE GRAINED, 15% SILT LAYERS. INTENSELY QUARTZ VEINED TO STOCKWORK. VERY CARBONACEOUS, LOCALLY. VERY BROKEN TO SHATTERED TO 41.75 M.																											
R	39.65	46.63																												
R	39.65	46.63																												

1 DATE: 7/JAN/88

BLOCK TO BLOCK RECOVERY - WYSD - WSB70008
RECOVERY - RQD

LINE	FROM	TO	REC	PCT_REC
1	0.00	7.01	0.00	0.00
2	7.01	7.92	0.83	91.21
3	7.92	9.45	1.30	84.97
4	9.45	10.97	1.45	95.39
5	10.97	12.80	1.58	86.34
6	12.80	14.33	1.47	96.08
7	14.33	15.85	1.50	98.68
8	15.85	17.37	1.52	100.00
9	17.37	18.90	1.38	90.20
10	18.90	20.42	1.49	98.03
11	20.42	21.95	1.49	97.39
12	21.95	23.77	1.80	98.90
13	23.77	25.30	1.36	88.89
14	25.30	26.82	1.51	99.34
15	26.82	28.35	1.29	84.31
16	28.35	29.87	1.46	96.05
17	29.87	31.39	1.28	84.21
18	31.39	32.92	1.51	98.69
19	32.92	34.44	1.48	97.37
20	34.44	35.97	1.43	93.46
21	35.97	37.49	1.53	100.66
22	37.49	39.01	1.42	93.42
23	39.01	40.54	1.00	65.36
24	40.54	42.06	1.20	78.95
25	42.06	43.59	1.08	70.59
26	43.59	45.11	1.49	98.03
27	45.11	46.63	1.52	100.00

1 DATE: 8/JAN/88

ASSAY FLAG D01 - WYSD - WSB70008
AD01 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	AUPPB	ALZ	AGPPM	ASPPM	BAPPM	BEPPM	BIPPM	CAZ
1	25.80	26.61	116293	0.81	0	0.44	0.0	10	80	0.0	0	4.95
2	26.61	27.42	116294	0.81	340	1.01	0.0	950	130	0.0	0	1.24
3	29.87	30.66	116295	0.79	0	1.25	0.0	15	120	0.0	0	5.52
4	30.66	31.45	116296	0.79	715	0.27	0.0	2115	40	0.0	0	2.50
5	31.45	31.91	116297	0.46	0	0.40	0.0	445	30	0.0	0	4.01
6	31.91	32.21	116298	0.30	0	1.98	0.0	120	70	0.0	0	2.57
7	32.21	33.19	116299	0.98	0	2.03	0.0	90	40	0.0	0	3.70
8	33.19	33.94	116300	0.75	0	1.44	0.0	385	40	0.0	0	1.55
9	33.94	34.35	116301	0.41	0	3.26	0.0	10	50	0.0	0	2.37
10	34.35	35.18	116302	0.83	0	1.53	0.0	115	100	0.0	0	3.04
11	35.18	36.29	116303	1.11	0	0.75	0.0	75	40	0.0	0	1.92
12	36.29	36.69	116304	0.40	0	0.47	0.0	110	100	0.0	0	2.14
13	36.69	37.00	116305	0.31	230	0.84	0.0	315	170	0.0	0	8.20
14	37.00	37.37	116306	0.37	410	0.39	0.0	1085	160	0.0	0	3.63
15	37.37	38.54	116307	1.17	550	1.03	0.0	1335	200	0.0	0	2.83
16	38.54	39.65	116308	1.11	30	0.24	0.0	55	40	0.0	0	2.63
17	39.65	40.54	116309	0.89	10	0.49	0.0	35	90	0.0	0	1.20
18	40.54	42.06	116310	1.52	265	0.24	0.0	130	40	0.0	0	2.11
19	42.06	43.59	116311	1.53	135	0.46	0.0	85	70	0.0	0	1.64
20	43.59	44.30	116312	0.71	530	0.72	0.0	150	90	0.0	0	2.41

MEAN					160.7	0.96	1.0	381.5	85.0	1.0	1.0	3.01
MIN					0.0	0.24	0.0	10.0	30.0	0.0	0.0	1.20
MAX					715.0	3.26	0.0	2115.0	200.0	0.0	0.0	8.20

1 DATE: 8/JAN/88

ASSAY FLAG D02 - WYSD - WS870008
AD02 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	CDPPM	COPPM	CRPPM	CUPPM	FEZ	GAPPM	HGPPM	KZ
1	25.80	26.61	116293	0.81	0.0	14	16	42	3.58	0	0	0.13
2	26.61	27.42	116294	0.81	2.0	6	51	12	2.86	0	0	0.35
3	29.87	30.66	116295	0.79	0.0	13	50	41	3.97	0	0	0.36
4	30.66	31.45	116296	0.79	2.5	7	50	9	2.87	0	0	0.12
5	31.45	31.91	116297	0.46	1.0	54	243	39	3.80	0	0	0.07
6	31.91	32.21	116298	0.30	0.5	42	187	51	5.01	0	0	0.26
7	32.21	33.19	116299	0.98	0.5	52	604	28	3.65	0	0	0.05
8	33.19	33.94	116300	0.75	1.0	55	404	45	4.10	0	0	0.05
9	33.94	34.35	116301	0.41	0.5	48	476	64	4.93	0	0	0.01
10	34.35	35.18	116302	0.83	0.5	43	189	75	5.11	0	0	0.11
11	35.18	36.29	116303	1.11	0.5	40	277	50	3.46	0	0	0.04
12	36.29	36.69	116304	0.40	0.5	16	50	16	3.34	0	0	0.13
13	36.69	37.00	116305	0.31	1.0	17	79	4	3.24	0	0	0.31
14	37.00	37.37	116306	0.37	1.5	10	21	16	3.17	0	0	0.11
15	37.37	38.54	116307	1.17	2.0	19	134	30	3.78	0	0	0.24
16	38.54	39.65	116308	1.11	0.5	19	14	16	5.16	0	0	0.07
17	39.65	40.54	116309	0.89	0.5	11	16	63	3.83	0	0	0.23
18	40.54	42.06	116310	1.52	1.0	10	34	30	2.90	0	0	0.12
19	42.06	43.59	116311	1.53	0.5	9	56	40	3.91	0	0	0.22
20	43.59	44.30	116312	0.71	0.5	7	98	8	2.18	0	0	0.34

MEAN					0.8	24.6	152.4	33.9	3.74	1.0	1.0	0.17
MIN					0.0	6.0	14.0	4.0	2.18	0.0	0.0	0.01
MAX					2.5	55.0	604.0	75.0	5.16	0.0	0.0	0.36

1 DATE: 8/JAN/88

ASSAY FLAG D03 - WYSD - WS870008
AD03 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	LAPPM	MGZ	MNPPM	MOPPM	NAZ	NIPPM	PPPM	PBPPM
1	25.80	26.61	116293	0.81	0	2.20	637	0	0.04	10	360	0
2	26.61	27.42	116294	0.81	0	0.79	786	0	0.17	2	690	2
3	29.87	30.66	116295	0.79	0	2.34	554	0	0.10	8	270	0
4	30.66	31.45	116296	0.79	10	1.00	996	0	0.04	1	720	4
5	31.45	31.91	116297	0.46	0	7.22	902	0	0.02	729	120	0
6	31.91	32.21	116298	0.30	0	7.27	1002	0	0.05	221	230	0
7	32.21	33.19	116299	0.98	0	7.50	954	0	0.03	776	160	0
8	33.19	33.94	116300	0.75	0	9.54	1008	0	0.02	652	190	0
9	33.94	34.35	116301	0.41	0	6.82	1308	0	0.05	379	390	0
10	34.35	35.18	116302	0.83	0	5.99	1535	0	0.05	156	230	0
11	35.18	36.29	116303	1.11	0	5.98	1024	0	0.02	384	190	0
12	36.29	36.69	116304	0.40	0	4.49	922	4	0.06	97	140	0
13	36.69	37.00	116305	0.31	0	6.49	1531	0	0.05	82	100	0
14	37.00	37.37	116306	0.37	0	3.35	1024	0	0.06	11	140	0
15	37.37	38.54	116307	1.17	10	2.87	949	0	0.20	125	200	2
16	38.54	39.65	116308	1.11	0	1.90	1079	0	0.05	3	550	0
17	39.65	40.54	116309	0.89	0	0.86	393	0	0.03	15	260	0
18	40.54	42.06	116310	1.52	0	0.84	717	3	0.03	10	210	4
19	42.06	43.59	116311	1.53	0	0.85	708	0	0.05	8	400	4
20	43.59	44.30	116312	0.71	0	0.80	610	0	0.04	4	440	0

MEAN					1.0	3.95	931.9	0.3	0.06	183.6	299.5	0.8
MIN					0.0	0.79	393.0	0.0	0.02	1.0	100.0	0.0
MAX					10.0	9.54	1535.0	4.0	0.20	776.0	720.0	4.0

1 DATE: 8/JAN/88

ASSAY FLAG D04 - WYSD - WS870008
AD04 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	SBPPM	SEPPM	SRPPM	TIX	TLPPM	UPPM	VPPM	WPPM
1	25.80	26.61	116293	0.81	0	0	221	0.00	0	0	21	5
2	26.61	27.42	116294	0.81	5	0	109	0.00	0	0	22	0
3	29.87	30.66	116295	0.79	5	0	282	0.00	0	0	36	5
4	30.66	31.45	116296	0.79	5	0	200	0.00	0	0	9	0
5	31.45	31.91	116297	0.46	25	0	480	0.00	10	0	28	5
6	31.91	32.21	116298	0.30	10	0	295	0.00	0	0	102	5
7	32.21	33.19	116299	0.98	5	0	249	0.00	10	0	52	10
8	33.19	33.94	116300	0.75	20	0	221	0.00	0	0	45	5
9	33.94	34.35	116301	0.41	0	0	152	0.00	0	0	132	10
10	34.35	35.18	116302	0.83	10	0	283	0.00	0	0	112	5
11	35.18	36.29	116303	1.11	10	0	235	0.00	0	0	50	5
12	36.29	36.69	116304	0.40	5	0	302	0.00	0	0	17	0
13	36.69	37.00	116305	0.31	5	0	931	0.00	0	0	14	5
14	37.00	37.37	116306	0.37	5	0	338	0.00	0	0	14	0
15	37.37	38.54	116307	1.17	10	0	359	0.00	0	0	39	0
16	38.54	39.65	116308	1.11	0	0	182	0.00	0	0	64	10
17	39.65	40.54	116309	0.89	10	0	107	0.00	0	0	14	0
18	40.54	42.06	116310	1.52	10	0	152	0.00	0	0	9	5
19	42.06	43.59	116311	1.53	10	0	119	0.00	0	0	16	0
20	43.59	44.30	116312	0.71	5	0	179	0.00	0	0	11	0

MEAN					7.7	1.0	269.8	1.00	1.0	1.0	40.3	3.7
MIN					0.0	0.0	107.0	0.00	0.0	0.0	9.0	0.0
MAX					25.0	0.0	931.0	0.00	10.0	0.0	132.0	10.0


1 DATE: 8/JAN/88

ASSAY FLAG D05 - WYSD - WS870008
AD05 ASSAY FILE

LINE	FROM	TO	NUMBER	LENGTH	ZNPPM
1	25.80	26.61	116293	0.81	68
2	26.61	27.42	116294	0.81	72
3	29.87	30.66	116295	0.79	70
4	30.66	31.45	116296	0.79	71
5	31.45	31.91	116297	0.46	37
6	31.91	32.21	116298	0.30	50
7	32.21	33.19	116299	0.98	41
8	33.19	33.94	116300	0.75	65
9	33.94	34.35	116301	0.41	48
10	34.35	35.18	116302	0.83	53
11	35.18	36.29	116303	1.11	51
12	36.29	36.69	116304	0.40	60
13	36.69	37.00	116305	0.31	42
14	37.00	37.37	116306	0.37	59
15	37.37	38.54	116307	1.17	75
16	38.54	39.65	116308	1.11	79
17	39.65	40.54	116309	0.89	95
18	40.54	42.06	116310	1.52	111
19	42.06	43.59	116311	1.53	96
20	43.59	44.30	116312	0.71	72

MEAN	65.7
MIN	37.0
MAX	111.0

Elev. (a.s.l.)



FROM-TO (m)	LENGTH (m)/REC (%)	Au ppb	As ppm	SAMPLE NUMBER
42.66-43.16	0.50/-	170	1425	113248H
43.16-43.94	0.78/-	700	1730	113249H
360.78-361.11	0.33/-	10	50	113250H
398.80-400.20	1.40/-	10	<5	113251H
400.20-401.05	0.85/-	285	590	113252H
401.05-402.11	1.06/-	25	5	113253H
402.11-402.43	0.32/-	5	10	113254H
412.10-413.00	0.90/-	10	60	113255H
413.00-413.40	0.40/-	40	20	113256H
413.40-413.90	0.50/-	165	1275	113257H
413.90-415.59	1.69/-	570	2060	113258H
415.59-416.59	1.00/-	20	30	113259H

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

16,718
Part 2 of 3


Chevron Canada Resources Limited Minerals Staff	
WAYSIDE cross-section, vertical DDH 84-003	
FIGURE No. 63	PROJECT No. M577
DATE DEC. 87	REVISIONS
NTS No.	SCALE 1:1000
COMPILED BY	FILE No. S-28

E

W

80-10

FROM-TO (m)	LENGTH (m)/REC(%)	Au ppb	As ppm	SAMPLE NUMBER
11.40-12.00	0.60/90	<5	<5	113219H
161.72-162.72	1.00/75	10	10	116260H
162.72-163.35	0.63/75	<5	35	116261H
163.35-164.35	1.00/75	<5	10	116262H
164.35-165.60	1.25/79	<5	5	116263H
165.60-166.10	0.50/89	<5	10	116264H
166.10-166.80	0.70/89	<5	25	116265H
215.69-216.42	0.73/36	<5	<5	113220H
219.93-220.98	1.05/36	<5	<5	113221H
229.06-229.62	0.56/86	<5	10	113222H
253.77-254.15	0.38/83	25	20	113216H
254.15-254.30	0.15/83	25	40	113217H
254.30-254.51	0.21/83	10	100	113218H



87-1

FROM-TO (m)	LENGTH (m)/REC(%)	Au ppb	As ppm	SAMPLE NUMBER
94.57-95.33	0.76/113	<5	15	113201H
95.33-96.27	0.94/76	25	235	113202H
179.44-181.03	1.59/95	1,840 oz/ton	235	113203H
181.03-182.29	1.26/93	<5	35	113204H
191.72-192.68	0.96/95	<5	<5	113205H
192.68-193.63	0.95/95	<5	35	113206H
193.63-194.59	0.96/90	20	60	113207H
232.76-233.12	0.36/96	5	110	113208H
233.12-233.28	0.16/96	65	110	113209H
233.28-233.60	0.32/85	95	20	113210H
234.05-235.46	1.41/75	5	<5	113211H
235.46-236.52	1.06/56	<5	<5	113212H
240.49-241.00	0.51/79	10	<5	113213H
244.66-245.00	0.34/100	<5	<5	113214H
253.67-254.50	0.83/87	<5	<5	113215H

GEOLOGICAL BRANCH ASSESSMENT REPORT

16,718

Part 2 of 3

Chevron Canada Resources Limited
Minerals Staff


WAYSIDE

DDH 87-001 cross-section 212° -53°
DDH 80-10 cross-section 212° -55°

FIGURE No 79 PROJECT No M577

DATE DEC. 87 REVISION: SCALE 1:1000

COMPILED BY: S-44



80-10

FROM-TO (m)	LENGTH (m)/REC(%)	Au ppb	As ppm	SAMPLE NUMBER
11.40-12.00	0.60/90	<5	<5	113219H
161.72-162.72	1.00/75	10	10	116260H
162.72-163.35	0.63/75	<5	35	116261H
163.35-164.35	1.00/75	<5	10	116262H
164.35-165.60	1.25/79	<5	5	116263H
165.60-166.10	0.50/89	<5	10	116264H
166.10-166.80	0.70/89	<5	25	116265H
215.69-216.42	0.73/36	<5	<5	113220H
219.93-220.98	1.05/36	<5	<5	113221H
229.06-229.62	0.56/86	<5	10	113222H
253.77-254.15	0.38/83	25	20	113216H
254.15-254.30	0.15/83	25	40	113217H
254.30-254.51	0.21/83	10	100	113218H

87-1

FROM-TO (m)	LENGTH (m)/REC(%)	Au ppb	As ppm	SAMPLE NUMBER
94.57-95.33	0.76/113	<5	15	113201H
95.33-96.27	0.94/76	25	235	113202H
179.44-181.03	1.59/95	1.840 oz/ton	235	113203H
181.03-182.29	1.26/93	<5	35	113204H
191.72-192.68	0.96/95	<5	<5	113205H
192.68-193.63	0.95/95	<5	35	113206H
193.63-194.59	0.96/90	20	60	113207H
232.76-233.12	0.36/96	5	110	113208H
233.12-233.28	0.16/96	65	110	113209H
233.28-233.60	0.32/85	95	20	113210H
234.05-235.46	1.41/75	5	<5	113211H
235.46-236.52	1.06/56	<5	<5	113212H
240.49-241.00	0.51/79	10	<5	113213H
244.66-245.00	0.34/100	<5	<5	113214H
253.67-254.50	0.83/87	<5	<5	113215H

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

16,718

Part 2 of 3

Chevron Canada Resources Limited	
Minerals Staff	
WAYSIDE	
DDH 87-001 cross-section 212° -53°	
DDH 80-10 cross-section 212° -55°	
FIGURE No 79	PROJECT No M577
DATE DEC. 87	SCALE 1:1000
COMPILED BY	S-44