

ASSAYS

Sample Number	Cu (%)	Pb (%)	Zn (%)	Ag (oz/t)	Au (oz/t)
21736	.05	.01	.02	.14	.048
21737	.13	<.01	<.01	.50	1.232
21738	.03	.01	.01	.41	.178
21744	.06	.01	.01	.90	1.246
21745	.01	<.01	.02	.05	.018
21746	.06	.01	.02	.74	3.740
21747 (alt'd wallrock)	.04	.01	.02	.09	.074
21748 (alt'd wallrock)	.05	.01	.01	.08	.026
21749	.03	.01	<.01	.07	.138
21750	.01	<.01	<.01	.13	.088
21751	<.01	<.01	.01	<.01	<.005
21752	.14	.02	.01	.84	.296
21753	.05	<.01	.01	.13	<.005
21762	<.01	<.01	<.01	.01	<.005
21763	<.01	<.01	.01	<.01	<.005
21764	.10	.03	.03	1.11	1.703
21765	.05	.01	.01	.57	.703
21766 (alt'd wallrock)	.05	.01	.02	.16	.028
21767 (alt'd wallrock)	.04	.01	.02	.19	.068
21783	.07	<.01	.01	.30	.228
21784	.06	.01	.01	.36	.314
21790	.04	<.01	.02	.33	.324
21796	.08	<.01	.01	.07	.010
21805	.08	<.01	.08	1.09	1.471
21806	.88	.03	<.01	1.74	2.240
21807 (alt'd wallrock)	.09	.01	.03	.23	<.005
21818 (alt'd aggl.)	<.01	<.01	.01	.04	<.005
21819	<.01	<.01	.02	<.01	<.005
21821 (alt'd aggl.)	.01	<.01	.01	.10	<.005
21822 (alt'd aggl.)	.03	<.01	.02	.07	<.005
21823	.03	<.01	.01	.05	<.005
21824	.12	<.01	<.01	.04	.006
21832	.13	.01	.01	.48	.388
21833	.05	<.01	.01	.08	.018
21834	.05	.02	.01	.08	.030
21835	.09	.01	<.01	.42	.454
21836	.03	<.01	.02	<.01	.040
21837	.39	.01	.03	1.21	1.086
21838	.06	.01	<.01	.31	.482
21839 (alt'd wallrock)	.01	.01	.01	.07	.005
21840	.02	.01	.01	.14	<.005
21841	.03	<.01	.01	.02	.016

LEGEND

- Intrusive
- Agglomerate
- Quartz vein; strike & dip; (width of smaller veins - cm)
- Foliation; strike and dip
- Fault; strike and dip
- Topographic lineaments

SYMBOLS

- Trail
- Outcrop
- Trench
- 784 X Grab sample location - 21 prefix
- Helipad
- Survey station - chain and compass survey
- Drill Hole with horizontal projection
- Drill Section

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3

SCALE 1:500
m 0 5 10 20 30 40 50 m

TUNGCO RESOURCES CORPORATION

WARATAH PROJECT
CENTRAL BASELINE SHOWINGS
DRILL & TRENCH PLAN

EQUITY ENGINEERING LTD.


Date	N.T.S.	Mining Division	Figure
NOV. 1987	104 B/10W, 11E	LIARD	8

LEGEND

- TF TALUS FAN
- INTRUSIVE-MONZONITE
- META SEDIMENTS
- AGGLOMERATE
- QUARTZ-CHLORITE VEIN
ATTITUDE
- WIDTH (CM)
- MINERALOGY
- CONTACT
- FAULT
- FOLIATION

SYMBOLS

- CLAIM BOUNDARY
- CLAIM BOUNDARY LOCATION BASED ON CLAIMS WITH EARLIER RECORD DATE
- OUTCROP
- LIMIT OF TALUS
- GRAB SAMPLE LOCATION-FLOAT
(Cu %, Pb %, Zn %, Ag oz/t, Au oz/t)
- GRAB SAMPLE LOCATION-OUTCROP
726-809 — 21 PREFIX
351-354 — 15 PREFIX ALSO FOR GRAB SAMPLE-FLOAT
601-640 — 14 PREFIX
(Cu %, Pb %, Zn %, Ag oz/t, Au oz/t)
- SILT SAMPLE LOCATION
(Cu ppm, Pb ppm, Zn ppm, Ag ppm, Au ppb, As ppm)
- HEAVY MINERAL CONCENTRATE
(Cu ppm, Pb ppm, Zn ppm, Ag ppm, Au ppb, As ppm)
- PY PYRITE
- CP CHALCOPYRITE
- SP SPHALERITE
- GA GALENA
- PR PYRRHOTITE
- MG MAGNETITE
- SP.HE SPECULAR HEMATITE



GEOLOGICAL BRANCH
ASSESSMENT REPORT


16,720
Part 2 of 3

TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
COMPILATION MAP
EAST HALF
EQUITY ENGINEERING LTD

Date	Nov. 1987	NTS	IO4B/OW,IE	Mining Division	LIARD	Figure	6
------	-----------	-----	------------	-----------------	-------	--------	---

ISKUT RIVER
SCALE 1:5000





LEGEND

- TF TALUS FAN
- INTRUSIVE-MONZONITE
- META SEDIMENTS
- AGGLOMERATE
- QUARTZ - CHLORITE VEIN
- ATTITUDE
- WIDTH (CM)
- MINERALOGY
- CONTACT
- FAULT
- FOLIATION

SYMBOLS

- CLAIM BOUNDARY
- CLAIM BOUNDARY, LOCATION BASED ON CLAIMS WITH EARLIER RECORD DATE
- OUTCROP
- LIMIT OF TALUS
- GRAB SAMPLE LOCATION - FLOAT
(Cu %, Pb %, Zn %, Ag oz/t, Au oz/t)
- GRAB SAMPLE LOCATION - OUTCROP
725-809 → 21 PREFIX ALSO FOR GRAB SAMPLE-FLOAT
351-354 → 15 PREFIX
601-640 → 14 PREFIX
(Cu %, Pb %, Zn %, Ag oz/t, Au oz/t)
- SILT SAMPLE LOCATION
(Cu ppm, Pb ppm, Zn ppm, Ag ppm, Au ppb, As ppm)
- HEAVY MINERAL CONCENTRATE
(Cu ppm, Pb ppm, Zn ppm, Ag ppm, Au ppb, As ppm)
- PY PYRITE
- CP CHALCOPYRITE
- SP SPHALERITE
- GA GALENA
- PR PYRRHOTITE
- MG MAGNETITE
- SP.HE SPECULAR HEMATITE

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3



TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
COMPILATION MAP
WEST HALF

EQUITY ENGINEERING LTD

Date	N.T.S.	Mining Division	Figure
Nov 1987	104 B/10W, IIE	LIARD	7



ISKUT RIVER
SCALE 1:5000




GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720

Part 2 of 3

SCALE: 1:2500



LEGEND

- Silver soil location and value
- Negative (-) values below detection limit of 0.1 ppm.
- Contours:
 - 0.7 ppm. background
 - 1.8 ppm. possibly anomalous
 - 3.5 ppm. anomalous

TUNGCO RESOURCES CORPORATION

WARATAH PROJECT

NORTH HALF OF GRID

Silver (Ag) in Soils

EQUITY ENGINEERING LTD.

Date: NOVEMBER /87	N.T.S. 104B/10W, 11E	Mining Division LIARD	Figure: 38
-----------------------	-------------------------	--------------------------	----------------------

Prepared By: POND CAD SERVICES




LEGEND

- Gold soil location and value
- Negative (-) values below detection limit of 5 ppb.
- Contours:
 - 14 ppb. background
 - 26 ppb. possibly anomalous
 - 48 ppb. anomalous

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3





TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
SOUTH HALF OF GRID
Gold (Au) in Soils

EQUITY ENGINEERING LTD.

Date:	N.T.S.	Mining Division	Figure:
NOVEMBER /87	104B/10W, 11E	LIARD	45


Prepared By: FOND CAD SERVICES



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3



SCALE: 1:2500



LEGEND


- Gold soil location and value
- Negative (-) values below detection limit of 5 ppb.
- Contours:
 - 14 ppb. background
 - 26 ppb. possibly anomalous
 - 48 ppb. anomalous

TUNGCO RESOURCES CORPORATION			
WARATAH PROJECT			
NORTH HALF OF GRID			
Gold (Au) in Soils			
<small>EQUITY ENGINEERING LTD.</small>			
Date: NOVEMBER /87	N.T.S. 104B/10W, 11E	Mining Division LIARD	Figure: 39
<small>Prepared By: POND CAD SERVICES</small>			



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3





TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
**SOUTH HALF OF GRID
Arsenic (As) in Soils**

EQUITY ENGINEERING LTD.


Date: NOVEMBER /87	N.T.S. 104B/10W, 11E	Mining Division LIARD	Figure: 46
-----------------------	-------------------------	--------------------------	----------------------

Prepared By: POND CAD SERVICES



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3





TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
**SOUTH HALF OF GRID
Silver (Ag) in Soils**

EQUITY ENGINEERING LTD.


Date:	N.T.S.	Mining Division	Figure:
NOVEMBER /87	104B/10W, 11E	LIARD	44

Prepared By: POND CAD SERVICES



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3
SCALE: 1:2500



LEGEND

- Zinc soil location and value
- Negative (-) values below detection limit of 1 ppm.
- Contours:
 - 100 ppm. background
 - 180 ppm. possibly anomalous
 - 325 ppm. anomalous

TUNGCO RESOURCES CORPORATION

WARATAH PROJECT



SOUTH HALF OF GRID

Zinc (Zn) in Soils

EQUITY ENGINEERING LTD.


Date: NOVEMBER /87	N.T.S. 104B/10W, 11E	Mining Division LIARD	Figure: 43
-----------------------	-------------------------	--------------------------	----------------------

Prepared By: POND CAD SERVICES



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3



TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
SOUTH HALF OF GRID
Lead (Pb) in Soils

EQUITY ENGINEERING LTD.

Date: NOVEMBER /87	N.T.S. 104B/10W, 11E	Mining Division LIARD	Figure: 42
-----------------------	-------------------------	--------------------------	---------------


Prepared By: POND CAD SERVICES



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3



SCALE: 1:2500



LEGEND

- Copper soil location and value
- Negative (-) values below detection limit of 1 ppm.
- Contours:
 - 40 ppm. background
 - 100 ppm. possibly anomalous
 - 250 ppm. anomalous

TUNGCO RESOURCES CORPORATION			
WARATAH PROJECT			
SOUTH HALF OF GRID			
Copper (Cu) in Soils			
EQUITY ENGINEERING LTD.			
Date:	N.T.S.	Mining Division	Figure: 41
NOVEMBER /87	104B/10W, 11E	LIARD	
Prepared By: POND CAD SERVICES			




LEGEND

- Arsenic soil location and value
- Negative (-) values below detection limit of 2 ppm.
- Contours:
 - 5 ppm. background
 - 18 ppm. possibly anomalous
 - 60 ppm. anomalous

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3




TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
NORTH HALF OF GRID
Arsenic (As) in Soils

EQUITY ENGINEERING LTD.


Date:	N.T.S.	Mining Division	Figure:
NOVEMBER /87	104B/10W, 11E	LIARD	40

Prepared By: POND CAD SERVICES



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3



LEGEND

- Zinc soil location and value
- Negative (-) values below detection limit of 1 ppm.
- Contours:
 - 100 ppm. background
 - 180 ppm. possibly anomalous
 - 325 ppm. anomalous

TUNGCO RESOURCES CORPORATION

WARATAH PROJECT


NORTH HALF OF GRID

Zinc (Zn) in Soils

EQUITY ENGINEERING LTD.


Date:	N.T.S.	Mining Division	Figure: 37
NOVEMBER /87	104B/10W, 11E	LIARD	

Prepared By: POND CAD SERVICES



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3



LEGEND


- Lead soil location and value
- Negative (-) values below detection limit of 2 ppm.
- Contours:
 - 22 ppm. background
 - 47 ppm. possibly anomalous
 - 100 ppm. anomalous

TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
NORTH HALF OF GRID
Lead (Pb) in Soils

EQUITY ENGINEERING LTD.

Date: NOVEMBER /87	N.T.S. 104B/10W, 11E	Mining Division LIARD	Figure: 36
--------------------	-------------------------	--------------------------	------------

Prepared By: PAND CAD SERVICES



LEGEND


- Copper soil location and value
- Negative (-) values below detection limit of 1 ppm.
- Contours:
 - 40 ppm. background
 - 100 ppm. possibly anomalous
 - 250 ppm. anomalous

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720


Part 2 of 3

SCALE: 1:2500



TUNGCO RESOURCES CORPORATION
WARATAH PROJECT
NORTH HALF OF GRID
Copper (Cu) in Soils

EQUITY ENGINEERING LTD.
Date: NOVEMBER /87 N.T.S. Mining Division Figure: 35
Prepared By: LIARD



GRID NORTH ↑ TRUE NORTH

WARATAH 4
(4S x 5W)

WARATAH 5
(4S x 5E)

BUG LAKE

LEGEND

- CLAIM BOUNDARY
- CLAIM BOUNDARY, LOCATION BASED ON CLAIMS WITH EARLIER RECORD DATE
- CUT GRID, 50 m STATIONS
- CONTOUR SOIL SAMPLE LOCATION
- HELIPAD

GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,720
Part 2 of 3


TUNGCO RESOURCES CORPORATION


WARATAH PROJECT
GRID & CONTOUR
SOIL LOCATIONS
WEST HALF

EQUITY ENGINEERING LTD.

Date	N.T.S.	Mining Division	Figure
Nov, 1987	104B/10W, 11E	LIARD	5

ISKUT RIVER
SCALE 1:5000
50 m Contours





LEGEND

- CLAIM BOUNDARY
- CLAIM BOUNDARY, LOCATION BASED ON CLAIMS WITH EARLIER RECORD DATE
- CUT GRID, 50 m STATIONS
- CONTOUR SOIL SAMPLE LOCATION
- HELIPAD

16,720 Part 2 of 3

TUNGO RESOURCES CORPORATION

WARATAH PROJECT

GRID & CONTOUR SOIL LOCATIONS

EAST HALF

EQUITY ENGINEERING LTD.

Date	N.T.S.	Mining Division	Figure
Nov 1987	104 B/10W, IIE	LIARD	4

ISKUT RIVER
SCALE 1:5000
50 m Contours

