

LOG NO: 0104

RD.

ACTION:

FILE NO:

GEOLOGICAL AND SOIL GEOCHEMICAL SURVEYS

BEL 1 & 2 MINERAL CLAIMS

MONASHEE & SILVER BELL CREEKS AREA

VERNON MINING DIVISION, BRITISH COLUMBIA

NTS 82 L/1 W

LATITUDE 50°11'N, LONGITUDE 118°24'W

G E O L O G I C A L B R A N C H
A S S E S S M E N T R E P O R T

1
6
7
8
3

Prepared for

HIGHGRADE VENTURES LTD.

ARCTEX ENGINEERING SERVICES

Locke B. Goldsmith, P.Eng.
Consulting Geologist

Paul Kallock
Consulting Geologist

December 11, 1987

FILMED



TABLE OF CONTENTS

SUMMARY	1
INTRODUCTION	2
HISTORY	2
GEOLOGY AND MINERALIZATION	2
LOCATION MAP	3
CLAIM MAP	4
DISCUSSION	6
SOIL GEOCHEMISTRY	7
CONCLUSIONS	7
RECOMMENDATIONS	8
COST ESTIMATE	8
ENGINEER'S CERTIFICATE	11
GEOLOGIST'S CERTIFICATE	12
REFERENCES	13
COST STATEMENT, 1987 PROGRAMME	14

APPENDIX: Sample Descriptions
 Assays
 Analytical Procedures
 Geochemical Analyses

MAPS: (Pocket inside back cover)

Au-Ag Soil Geochemistry, North and South Sectors
Geology, Number 1 and Number 2 Vein Area
Geology, Number 3 Vein Area
Geology, Number 1 Vein Adit

GEOLOGICAL AND SOIL GEOCHEMICAL SURVEYS**BEL 1 & 2 MINERAL CLAIMS****MONASHEE & SILVER BELL CREEKS AREA****VERNON MINING DIVISION, BRITISH COLUMBIA****SUMMARY**

Gold and silver is contained in shear zones which have shattered white quartz veins or parallel the vein margins. Values of up to 0.156 oz Au/ton and 57.9 oz Ag/ton were obtained from shears in or near old pits and an adit. Elevated values of gold and silver occur in soils in the northern and southwestern portions of the BEL-1 and in the southern part of the BEL-2. High gold in the valleys of Monashee and Silver Bell creeks is considered to be transported. Potential exists to develop moderate tonnages of good grade gold-silver mineralization if areas of intensely fractured host rocks can be located.

A programme of detailed geological mapping, prospecting, and trenching within the trends outlined by soil geochemistry should be undertaken. Backhoe trenching to expose quartz veins and shear zones in the vicinity of numbers 1, 2, and 3 veins is required. Rock trenching and blasting with a plugger to obtain large representative samples may be necessary. Cost of this phase of work is estimated to be \$61,600. If results are encouraging, a subsequent phase is estimated to cost \$192,000.

INTRODUCTION

The BEL 1 & 2 mineral claims are staked on the north and south slopes of Monashee Creek, some 65 km by road east of Vernon. Approximately 8 km east of Cherryville on Highway 6 a logging road departs easterly, and at about the 9 km marker enters the property. A steep 4-wheel drive road trends northerly from the logging road through the Silver Bell workings and continues to the excavations in the north part of the BEL 1 claim. Elevations range from 975 m near Monashee Creek to 1700 m on the north slope and 1440 m on the south slope. Authors of this report examined the claims on July 17, 18, 20 and October 12-15, 1987. Legal corner posts and many corner and ID posts were observed. Soil sampling and geological mapping were completed during September-October, 1987. Recording data are listed below.

<i>Claim Name</i>	<i>Number of Units</i>	<i>Recording Date</i>	<i>Record Number</i>
BEL-1	15	August 4, 1987	2316(8)
BEL-2	15	" " "	2317(8)

HISTORY

Trenches and one adit indicate undocumented exploration. Crandall (1979) notes this work and states that recent stripping of number 3 vein was done by Mineta Resources. Phendler (1982) observed the same openings and recommended a programme estimated to cost \$150,000 in two Phases. Soil sampling near the number 3 vein by Kovacevic (1982) did not obtain clearly anomalous metal values.

A 1978 shipment of 15.44 tons from the currently inactive Silver Bell workings, located off the BEL claims some 1.2 km west of the number 1 adit, graded 0.65 oz Au/ton, 89.9 oz Ag/ton, 0.26% Cu, 5% Pb, 1.8% Zn and 84% silica (Crandall, 1979, p. 2).

GEOLOGY AND MINERALIZATION


Argillites of the Triassic Sicamous Formation (Slocan Group?) constitute the bulk of the rock exposures in the claim area. Phyllite, black schist, and quartzite occur in the package in subordinate amounts. Attitude of foliation is variable from easterly with southerly or northerly dips to northerly with easterly dips.

ARCTEX ENGINEERING SERVICES

Highgrade Ventures Ltd.

BEL Claim Group

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division




To accompany report by

Paul Kallock
GEOLOGIST

Locke B. Goldsmith, P.Eng.
CONSULTING GEOLOGIST

Location Map

DECEMBER 1987




ARCTEX ENGINEERING SERVICES

Highgrade Ventures Ltd.

BEL Claim Group

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division



Claim Map

To accompany report by

Paul Kallock
GEOLOGIST

Locke B. Goldsmith, P.Eng.
CONSULTING GEOLOGIST

DECEMBER 1987



Bedding attitudes are obscure, but one outcrop on the road some 60 m north of the number 3 vein displays a northwesterly strike with northeasterly dip.

Between October 13 and October 15, 1987, the northwestern part of the BEL-1 mineral claim was mapped. Most major outcrops along the access road in the vicinity of the adit and the number 3 vein were examined. Rock chip samples were collected from the three vein areas and from quartz veins near the north border of the claim. Ten rock chip samples were also collected from the 12-metre long adit which exposes the number 1 vein. A total of 22 rock chip samples were analysed.

North Border Area

Five samples were gathered from quartz exposed in trenches and outcrops north of line 1+00S. Most quartz contained only minor sulphides and weak iron stain. No precious metals were detected in the samples.

Number 1 and Number 2 Vein Area

A 1:1000 scale geology map has been constructed which covers the main exploration area. Quartz veins are hosted in argillite, phyllite, black schist, and quartzite.

The metasedimentary rocks generally show a northeast striking foliation but local folding is common. Quartz veins have intruded the sedimentary rocks and are generally barren and white. However, in the area of the number 1 and 2 veins the quartz appears to be fractured and cut by fault zones which have provided access to silver and gold-bearing sulphide solutions. Galena and pyrite, with subordinate chalcopyrite, are the prevalent sulphides.

A 1:100 scale map of the number 1 vein adit which is 12 m long shows a N75°W 65°N shear zone along the north side of a 0.2 to 2 m wide quartz vein. Another shear follows the footwall or south side of the vein. Both structures appear to contain silver and gold-bearing galena. Two samples of the structures near a short stub cross-cut contained up to 50.9 oz Ag/ton and up to 0.156 oz Au/ton. The face of the drift appears to lie north of the main shear zones as confirmed by low values in sample 4+88S 2+56E.

Southwest of the adit, values of 12.10 oz Ag/ton and 0.114 oz Au/ton were returned from a 0.75 m chip sample across a N20°E 30°E copper and sulphide-bearing shear (?) zone in quartz.

Four metres west of the portal a near-horizontal contact underlies the main quartz vein. A black schist lies beneath the quartz.

Fifteen metres southwest of the adit the number 2 vein has been exposed by trenching. It trends N70°W 62-75°N. Three chip samples across the vein carried up to 57.9 oz Ag/ton and 0.103 oz Ag across 0.6 m.

Number 3 Vein Area

A north to northeast-trending quartz vein up to 10 m wide has been exposed by trenching in the 9+05S 3+60E area. The quartz appears to pinch and swell along at least 150 m of strike length. It is hosted in intensely folded phyllite.

Three samples of quartz from the trench area contained values of up to 1.21 oz Ag/ton and 0.004 oz Au/ton (sample 9+02S 3+53E).

DISCUSSION

Quartz veins appear to pinch and swell along strike; within the vein, mineralized structures and vein margins hold most precious metals.

High values in the number 1 vein adit may be terminated by a horizontal contact at depth. Along strike toward the east the drift missed the vein. It may lie slightly south of the face.

The number 2 vein appears open with good values on the east. A sample between the number 1 portal and number 2 vein contained significant values up to 12.10 oz Ag/ton and 0.114 oz Au/ton in a northerly trending structure which may link the two veins.

Precious metal values contain slightly elevated values (up to 400 ppm) of arsenic.

SOIL GEOCHEMISTRY

A total of 156.5 km of grid was established and 3129 soil samples were collected. Samples were collected with a narrow, elongate spade from 30-50 cm below organic debris. "C" horizon sampled

Soils in the vicinity of the mineralized structures do not contain highly elevated quantities of precious metals, and hence relationships between gold-silver in soils and outcrops are obscure. Because ground truth could not be established, threshold values derived from probability plots are unsatisfactory.

Thus, in the case of gold, contours are presented only to draw attention to clusters of elevated values or anomalously high values, and do not imply threshold levels. Similarly, silver values have been contoured to show trends rather than threshold and anomalous values.

Patterns of gold and silver to the north and northeast of the 1, 2, and 3-vein exposures appear to outline a trend which parallels the orientation of these mineralized structures. Clusters of gold and silver values along the west side of the BEL-1 claim should be investigated; these may reflect offset portions of the structures which are known to be mineralized. Near the south border of the BEL-2 claim several groups of elevated gold and silver values have no apparent explanation and constitute valid targets for further examination. Gold values in the broad valley bottom of Monashee Creek and in the drainage of Silver Bell Creek are probably transported.

CONCLUSIONS

Encouraging quantities of silver and gold occur along the sheared margins of quartz veins and within the quartz in transcurrent faults or shears. Soil geochemistry in the vicinity of the mineralization did not detect trains of anomalous values. Elevated amounts of gold and silver in soils occur in clusters in other sectors of the claims; detailed geological mapping and sampling is required to evaluate these areas.

Areas where host rocks have been intensely shattered or fractured on closely spaced planes may provide a suitable focus for localizing gold-silver mineralization. Such sites should be sought in the vicinity of the known zones and to the north and

northeast where patterns of precious metals in soils suggest sources in underlying bedrock. Potential is present to discover moderate tonnages with adequate grades of gold-silver to allow a bulk mining operation.

RECOMMENDATIONS

Phase 1

- (a) Selected soil samples in the vicinity of the numbers 1, 2, and 3 veins should be re-run for lead and copper. If these elements appear to be useful in defining the known gold-silver mineralization, samples from others of the gold-silver trends should also be re-analysed for lead and copper.
- (b) Detailed geological mapping, sampling, prospecting, and hand-trenching should be completed in the various sectors of the claims which have been shown by soil geochemistry to have elevated quantities of precious metals.
- (c) Backhoe trenching in the vicinity of the known veins should be undertaken to provide additional exposures for sampling. Rock trenching using a plugger for blast holes may be advisable to allow collection of large representative samples.

Phase 2

- (a) If sufficient encouragement is obtained from Phase 1, additional backhoe or dozer trenching should be considered.
- (b) A budget for percussion or diamond drilling should be available.

COST ESTIMATE

Phase 1

(a) Additional analyses of soil samples, allow	\$ 2,000
Interpretation, map preparation, interim report	<u>2,000</u>
	5,000 4,000

Phase 1 (continued)	(a) forward:	\$ 4,000
(b) Geological mapping, sampling	\$ 7,000	
Analyses	3,000	
Hand-trenching	2,000	
Prospecting	3,000	
Transportation	1,000	
Room, board	1,000	
Supplies, fuel, freight, etc.	<u>1,000</u>	
	18,000	18,000
(c) Backhoe-dozer trenching, allow	15,000	
Rock trenching, blasting, allow	5,000	
Analyses	2,000	
Supervision, engineering	5,000	
Transportation	1,000	
Room, board	1,000	
Supplies, fuel, freight, etc.	1,000	
Report	<u>4,000</u>	
	34,000	34,000
Contingencies at 10%		56,000
		<u>5,600</u>
Total, Phase 1		61,600 \$ 61,600

Phase 2

(a) Backhoe-dozer trenching, with support services, allow	40,000	40,000
(b) Drilling, allow	90,000	
Drill site preparation	5,000	
Supervision	10,000	
Support services	10,000	
Report	<u>5,000</u>	
	120,000	120,000
		<u>160,000</u>

Phase 2 (continued)	(a) & (b) forward:	\$160,000
Contingencies at 20%		<u>32,000</u>
Total, Phase 2		\$192,000
Total, Phases 1 and 2		<u>\$192,000</u>
		\$253,600

Results of Phase 1 should be compiled into an engineering report; continuance to Phase 2 should be contingent upon favourable conclusions and recommendations from an Engineer.

Respectfully submitted,

The image shows two handwritten signatures, "Locke B. Goldsmith" and "Paul Kallock", placed over two circular professional seals. The seal on the left is for "LOCKE B. GOLDSMITH" and reads "REGISTERED PROFESSIONAL GEODETIC ENGINEER" around the top and "PROVINCE OF ONTARIO" around the bottom. The seal on the right is for "PAUL KALLOCK" and reads "GEOLOGICAL ASSOCIATION OF CANADA" around the top and "FELLOW" around the bottom.

Locke B. Goldsmith, P.Eng.
Consulting Geologist

Paul Kallock
Consulting Geologist

Vancouver, B.C.

December 11, 1987

ENGINEER'S CERTIFICATE

LOCKE B. GOLDSMITH

1. I, Locke B. Goldsmith, am a Registered Professional Engineer in the Province of Ontario and the Northwest Territories, and a Registered Professional Geologist in the State of Oregon. My address is 301, 1855 Balsam Street, Vancouver, B.C.
2. I have a B.Sc. (Honours) degree in Geology from Michigan Technological University, a M.Sc. degree in Geology from the University of British Columbia, and have done postgraduate study in Geology at Michigan Tech and the University of Nevada. I am a graduate of the Haileybury School of Mines, and am a Certified Mining Technician. I am a Member of the Society of Economic Geologists, the AIME, and the Australasian Institute of Mining and Metallurgy, and a Fellow of the Geological Association of Canada.
3. I have been engaged in mining exploration for the past 28 years.
4. I have co-authored the report entitled, "Geological and Soil Geochemical Surveys, BEL 1 & 2 Mineral Claims, Monashee & Silver Bell Creeks Area, Vernon Mining Division, B.C." dated December 11, 1987. The report is based upon fieldwork and research supervised by the author.
5. I have no ownership in the property, nor in the stocks of Highgrade Ventures Ltd.
6. I consent to the use of this report in a prospectus, or in a statement of material facts related to the raising of funds.

Respectfully submitted,


Locke B. Goldsmith, P.Eng.
Consulting Geologist

Vancouver, B.C.


December 11, 1987

GEOLOGIST'S CERTIFICATE
PAUL KALLOCK

I, Paul Kallock, do state: that I am a geologist with Arctex Engineering Services, 301 - 1855 Balsam Street, Vancouver, B.C.

I Further State That:

1. I have a B.Sc. degree in Geology from Washington State University, 1970. I am a Fellow of the Geological Association of Canada.
2. I have engaged in mineral exploration since 1970, both for major mining and exploration companies and as an independent geologist.
3. I have co-authored the report entitled, "Geological and Soil Geochemical Surveys, BEL 1 & 2 Mineral Claims, Monashee & Silver Bell Creeks Area, Vernon Mining Division, B.C.". The report is based on my fieldwork carried out on the property, and on previously accumulated geologic data.
4. I have no direct or indirect interest in any manner in either the property or securities of Highgrade Ventures Ltd., or its affiliates, nor do I anticipate to receive any such interest.
5. I consent to the use of this report in a prospectus, or in a statement of material facts related to the raising of funds.



Vancouver, B.C.
December 11, 1987

REFERENCES

Crandall, J.T. November 10, 1979. Report on the BEL silver-gold prospect, Vernon Mining Division, B.C. Private report for Mineta Resources Ltd.

Kovacevic, W. June 30, 1982. Prospecting report on the BEL silver-gold prospect, Vernon Mining Division, B.C. Private report by owner.

Phandler, R.W. October 13, 1982. Report on the BEL silver-gold property, Vernon Mining Division, B.C. Private report for Flow Resources Inc.

**COST STATEMENT, 1987 PROGRAMME
BEL 1 & 2 CLAIMS, MONASHEE CREEK**

Personnel:

L.B. Goldsmith, $\frac{1}{4}$ Dec. 8, $\frac{1}{4}$ 12, 17, $\frac{1}{2}$ 18, $\frac{1}{4}$ 19, total $2\frac{1}{4}$ days @ \$400/day	\$ 1,000.00
P. Kallock, Oct. 12-15, total 4 days @ \$330/day	1,320.00
M. Beaupre, Sept. 24-Oct. 18, total 25 days @ \$230/day	5,750.00
G. Savard, Oct. 16-Nov. 8, total 24 days @ \$230/day	5,520.00
S. Coulombe, Oct. 18-Nov. 8, total 22 days @ \$230/day	5,060.00
R. Rioux, Oct. 29-Nov. 8, total 11 days @ \$230/day	<u>2,530.00</u>
	21,180.00
	\$ 21,180.00

Accommodation , Meals:

\$3123.76 ÷ 88.25 man days = \$36.42/man/day	3,123.76
--	----------

Transportation:

4x4 truck, 49 days @ \$45/day	2,205.00
6506 km @ \$0.20/km	1,301.00
898 km @ \$0.30/km	269.40
Gas	<u>662.43</u>
	4,437.83
	4,437.83

\$4,437.83 ÷ 53 vehicle days = \$83.73/vehicle/day

Field Supplies:

Bags, hip chain thread, flagging	844.32
----------------------------------	--------

Analyses:

22 rock and 3129 soil samples cost \$32,009.95 = \$10.16/sample	32,009.95
---	-----------

Report: Drafting, prints, typing, photocopying

2,551.30

\$64,147.16

A P P E N D I X

BEL 1 & 2 MINERAL CLAIMS
ROCK SAMPLE DESCRIPTIONS

		<i>Sample Geochem.</i>		
		As ppm	Ag oz/ton	Au oz/ton
0+10S 3+20E	Grab sample of quartz with minor iron oxide, trace grey sulphides.	7	< 0.01	0.002
0+50S 2+25E	Grab sample of quartz with iron oxide, from trench near road.	3	< 0.01	< 0.002
0+60S 3+80E	Grab sample of quartz outcrop.	4	< 0.01	< 0.002
1+00S 5+00E	1.7 m chip sample of bull quartz from trench.	5	< 0.01	< 0.002
1+01S 5+00E	1.7 m chip sample continuous from previous sample, white bull quartz.	27	< 0.01	< 0.002
Next 10 samples from underground in number 1 vein adit:				
4+88S 2+44E	0.25 m chip across portal back, quartz vein without sulphides, one fracture has soft black coating.	17	0.50	0.004
4+88S 2+47E	3 m inside adit from portal; 0.3 m chip in back, 0.09 m of soft limonitic vein with sooty chalcocite, malachite and azurite and 0.21 m of fractured quartz.	45	27.4	0.156
4+88S 2+47E FW	Footwall sample from previous sample down south wall to floor representing 1.7 m mostly quartz.	60	7.58	0.036
4+88S 2+47E HW	Hangingwall sample from vein to broken and sheared argillite.	27	1.25	0.010
4+88S 2+48E	0.3 m vertical chip sample at corner of stub cross-cut on west wall contains 0.1 m of malachite, azurite and 4% galena; appears to be in fault contact with quartz.	100	50.9	0.051
4+88S 2+50E	6 m from portal, 0.15 m chip across back, with 0.05 m limonite vein and 0.05 m of quartz on either side.	12	7.31	0.107

Rock Sample Descriptions (continued)

			As ppm	Ag oz/ton	Au oz/ton
4+88S 2+50E FW	0.3 m chip sample on south side of previous sample, mostly barren quartz.		6	0.31	0.004
4+88S 2+50E HW	0.3 m chip sample on north side of vein sample, mostly argillite		5	0.17	0.002
4+88S 2+53E	0.3 m chip sample across back and south wall where 0.01 m vein-shear zone disappears into south wall, includes some soft dark vein material.		35	9.33	0.130
4+88S 2+56E	12 m from portal, 0.4 m chip sample on south wall near face, no real vein; quartz is mixed with argillite.		7	0.20	0.004
4+90S 2+40E	0.75 m chip on west side of number 1 vein adit portal trench where quartzite contains quartz veinlets, trace pyrite and malachite.		50	12.10	0.114

Next 3 samples from number 2 vein trench:

4+97S 2+22E	1.0 m chip sample across central part of quartz vein containing dark rock or sulphide fragments.		14	0.10	0.004
4+97S 2+30E	2.1 m wide chip sample across quartz vein, north half is barren, south half has trace sulphides and malachite.		17	0.05	0.002
4+97S 2+34E	0.6 m chip sample across broken quartz vein zone, trace malachite probably some chalcopyrite.		400	57.9	0.103

Next 3 samples from number 3 vein area:

9+02S 3+53E	0.5 m chip sample from west side of quartz vein, no sulphides, weak iron oxide.		9	1.21	0.004
9+50S 3+60E	0.5 m chip from southeast side quartz vein near phyllite contact.		7	0.41	<0.002
9+50S 3+20E	Grab sample from dump of 4 m wide trench, all white quartz, minor iron oxide.		4	0.10	<0.002



Chemex Labs Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 WEST GLENDALE AVE., SUITE 7, SPARKS,
NEVADA, U.S.A. 89431
PHONE (702) 356-5395

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

A8724773

Comments: CC: PAUL KALLOCK

CERTIFICATE A8724773

ARCTEX ENGINEERING
PROJECT : BEL
P.O. # : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 2-NOV-87.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
1 3	2 2	As ppm: HNO ₃ -aqua regia digest	AAS-HYDRIDE/EDL	1	10000
3 8 5	2 2	Ag oz/T: Aqua regia digestion	AAS	0.01	20.0
3 9 8	2 2	Au oz/T: 1/2 assay ton	FA-AAS	0.002	20.00

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
2 0 7	2 2	Assay: Crush, split, puiv -140



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL

Comments: CC: PAUL KALLOCK

Page No. : 1
 Tot. Pages: 1
 Date : 2-NOV-87
 Invoice # : I-8724773
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8724773

SAMPLE DESCRIPTION	PREP CODE	As ppm	Ag oz/T	Au oz/T								
0+10S 3+20E	207	--	7	< 0.01	< 0.002							
0+50S 2+25E	207	--	3	< 0.01	< 0.002							
0+60S 3+80E	207	--	4	< 0.01	< 0.002							
1+00S 5+00E	207	--	5	< 0.01	< 0.002							
1+01S 5+00E	207	--	27	< 0.01	< 0.002							
4+88S 2+44E	207	--	17	0.50	0.004							
4+88S 2+47E	207	--	45	27.4	0.156							
4+88S 2+47E FW	207	--	60	7.58	0.036							
4+88S 2+47E HW	207	--	27	1.25	0.010							
4+88S 2+48E	207	--	100	50.9	0.051							
4+88S 2+50E	207	--	12	7.31	0.107							
4+88S 2+50E FW	207	--	6	0.31	0.004							
4+88S 2+50E HW	207	--	5	0.17	< 0.002							
4+88S 2+53E	207	--	35	9.33	0.130							
4+88S 2+56E	207	--	7	0.20	0.004							
4+90S 2+40E	207	--	50	12.10	0.114							
4+97S 2+22E	207	--	14	0.10	0.004							
4+97S 2+30E	207	--	17	0.05	0.002							
4+97S 2+34E	207	--	400	57.9	0.103							
9+02S 3+53E	207	--	9	1.21	0.004							
9+05S 3+60E	207	--	7	0.41	< 0.002							
9+50S 3+20E	207	--	4	0.10	< 0.002							



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE A8724878

ARCTEX ENGINEERING
PROJECT : BEL #1
P.O. # : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 1-NOV-87.

SAMPLE PREPARATION		
CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	2	Rock & core: Ring

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

A8724878

Comments :

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
6100	2	Ag ppm: HNO ₃ -aqua regia digest Au ppb: Fuse 10 g sample	AAS-BKGD CORR FA-AAS	0.1 5	200 10000



Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : ARCTEX ENGINEERING
301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3
Project : BEL #1
Comments:

Page No. : 1
Tot. Pages: 1
Date : 1-NOV-87
Invoice #: I-8724878
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8724878

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	Au ppb FA+AA											
17+35S BL 25+00S 5+50E	205 205	-- --	0.5 0.1	< 5 < 5											

CERTIFICATION :

Hans Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE A8725837

ARCTEX ENGINEERING
PROJECT : BEL #1
P.O.# :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 17-NOV-87.

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

A8725837

Comments :

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
6	358	Ag ppm: HNO ₃ -aqua regia digest	AAS-BKGD CORR	0.1	200
100	358	Au ppb: Fuse 10 g sample	FA-AAS	5	10000

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	354	Dry, sieve -80 mesh; soil, sed.
217	3	Soil, rock, core: Ring-no crush
203	1	Dry, sieve -35 mesh and ring
217	1	Soil, rock, core: Ring-no crush



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Page No. : 1
 Tot. Pages: 6
 Date : 19-OCT-87
 Invoice # : I-8723725
 P.O. # :

Project :
 Comments:

CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN0+00 00+00E	201	--	1.3	< 5									
LN0+00 00+50E	201	--	1.6	<< 5									
LN0+00 01+00E	201	--	1.0	<< 5									
LN0+00 01+50E	201	--	0.4	<< 5									
LN0+00 02+00E	201	--	1.6	< 5									
LN0+00 02+50E	201	--	1.2	< 5									
LN0+00 03+00E	201	--	1.0	<< 5									
LN0+00 03+50E	201	--	0.5	<< 5									
LN0+00 04+00E	201	--	0.4	<< 5									
LN0+00 04+50E	201	--	1.5	< 5									
LN0+00 05+00E	201	--	3.0	< 5									
LN0+00 05+50E	201	--	1.8	<< 5									
LN0+00 06+00E	201	--	4.0	<< 5									
LN0+00 06+50E	201	--	6.6	<< 5									
LN0+00 07+00E	201	--	3.6	< 5									
LN0+00 07+50E	201	--	1.8	< 5									
LN0+00 08+00E	201	--	1.6	<< 5									
LN0+00 08+50E	201	--	1.4	<< 5									
LN0+00 09+00E	201	--	1.3	<< 5									
LN0+00 09+50E	201	--	3.8	< 5									
LN0+00 10+00E	201	--	1.2	< 5									
LN0+00 10+50E	201	--	1.2	<< 5									
LN0+00 11+00E	201	--	0.5	<< 5									
LN0+00 11+50E	201	--	0.8	<< 5									
LN0+00 12+00E	201	--	1.4	<< 5									
LN0+00 12+50E	201	--	1.3	< 5									
LN0+00 13+00E	201	--	1.8	< 5									
LN0+00 13+50E	201	--	1.5	25									
LN0+00 14+00E	201	--	1.3	30									
LN0+00 14+50E	201	--	0.8	20									
LN0+00 15+00E	201	--	1.3	10									
LN0+S0S 00+00E	201	--	1.2	< 5									
LN0+S0S 00+50E	201	--	2.1	10									
LN0+S0S 01+00E	201	--	1.0	< 5									
LN0+S0S 01+50E	201	--	1.2	< 5									
LN0+S0S 02+00E	201	--	1.4	55									
LN0+S0S 02+50E	201	--	0.5	< 5									
LN0+S0S 03+00E	201	--	0.8	< 5									
LN0+S0S 03+50E	201	--	4.5	210									
LN0+S0S 04+00E	201	--	0.4	< 5									

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Page No. : 2
 Tot. Pages: 6
 Date : 19-OCT-87
 Invoice #: I-8723725
 P.O. # :

Project :
 Comments:

CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN0+50S 04+50E	201	--	1.5	< 10									
LN0+50S 05+00E	201	--	1.7	< 5									
LN0+50S 05+50E	201	--	1.9	< 5									
LN0+50S 06+00E	201	--	3.1	< 5									
LN0+50S 06+50E	201	--	5.0	< 5									
LN0+50S 07+00E	201	--	0.8	< 5									
LN0+50S 07+50E	201	--	1.9	< 5									
LN0+50S 08+00E	201	--	1.7	< 5									
LN0+50S 08+50E	201	--	1.4	< 5									
LN0+50S 09+00E	201	--	1.2	< 5									
LN0+50S 09+50E	201	--	1.6	< 5									
LN0+50S 10+00E	201	--	1.0	< 5									
LN0+50S 10+50E	201	--	0.7	< 5									
LN0+50S 11+00E	201	--	1.0	< 5									
LN0+50S 11+50E	201	--	1.0	15									
LN0+50S 12+00E	201	--	0.9	< 5									
LN0+50S 12+50E	201	--	0.9	< 5									
LN0+50S 13+00E	201	--	1.0	< 5									
LN0+50S 13+50E	201	--	1.2	10									
LN0+50S 14+00E	201	--	1.4	25									
LN0+50S 14+50E	201	--	1.0	5									
LN0+50S 15+00E	201	--	1.0	15									
LN1+00S 00+00E	201	--	0.6	< 5									
LN1+00S 00+50E	201	--	0.6	< 5									
LN1+00S 01+00E	201	--	0.6	< 5									
LN1+00S 01+50E	201	--	0.6	< 5									
LN1+00S 02+00E	201	--	1.3	15									
LN1+00S 02+50E	201	--	0.9	5									
LN1+00S 03+00E	201	--	0.5	< 5									
LN1+00S 03+50E	201	--	0.9	< 5									
LN1+00S 04+00E	201	--	0.8	35									
LN1+00S 04+50E	201	--	0.7	10									
LN1+00S 05+00E	201	--	1.6	< 5									
LN1+00S 05+50E	201	--	1.6	< 5									
LN1+00S 06+00E	201	--	0.7	< 5									
LN1+00S 06+50E	201	--	1.4	< 5									
LN1+00S 07+00E	201	--	0.6	< 5									
LN1+00S 07+50E	201	--	1.0	< 5									
LN1+00S 08+00E	201	--	1.4	< 5									
LN1+00S 08+50E	201	--	1.6	< 5									

CERTIFICATION :

Jean Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING
 301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3
 Project :
 Comments :

Page No. : 3
 Tot. Pages: 6
 Date : 19-OCT-87
 Invoice #: I-8723725
 P.O. # :

CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN1+00S 09+00E	201	—	1.3	< 5										
LN1+00S 09+50E	201	—	0.8	< 5										
LN1+00S 10+00E	201	—	1.3	< 5										
LN1+00S 10+50E	201	—	0.8	< 5										
LN1+00S 11+00E	201	—	0.3	< 5										
LN1+00S 11+50E	201	—	1.0	< 5										
LN1+00S 12+00E	201	—	1.3	< 5										
LN1+00S 12+50E	201	—	0.9	< 5										
LN1+00S 13+00E	201	—	0.5	< 5										
LN1+00S 13+50E	201	—	1.0	< 5										
LN1+00S 14+00E	201	—	0.8	< 5										
LN1+00S 14+50E	201	—	0.9	< 5										
LN1+00S 15+00E	201	—	0.4	< 5										
LN1+50S 00+00E	201	—	0.8	15										
LN1+50S 00+50E	201	—	0.7	5										
LN1+50S 01+00E	201	—	0.5	150										
LN1+50S 01+50E	201	—	0.6	< 5										
LN1+50S 02+00E	201	—	0.9	< 5										
LN1+50S 02+50E	201	—	0.2	< 5										
LN1+50S 03+00E	201	—	0.2	< 5										
LN1+50S 03+50E	201	—	1.1	< 5										
LN1+50S 04+00E	201	—	0.2	< 5										
LN1+50S 04+50E	201	—	0.6	< 5										
LN1+50S 05+00E	201	—	1.2	15										
LN1+50S 05+50E	201	—	1.4	5										
LN1+50S 06+00E	201	—	1.2	< 5										
LN1+50S 06+50E	201	—	0.8	< 5										
LN1+50S 07+00E	201	—	0.2	< 5										
LN1+50S 07+50E	201	—	1.3	< 5										
LN1+50S 08+00E	201	—	0.3	< 5										
LN1+50S 08+50E	201	—	0.5	< 5										
LN1+50S 09+00E	201	—	2.0	< 5										
LN1+50S 09+50E	201	—	0.6	< 5										
LN1+50S 10+00E	201	—	0.9	10										
LN1+50S 10+50E	201	—	0.9	< 5										
LN1+50S 11+00E	201	—	0.4	< 5										
LN1+50S 11+50E	201	—	0.7	< 5										
LN1+50S 12+00E	201	—	2.2	10										
LN1+50S 12+50E	201	—	0.2	15										
LN1+50S 13+00E	201	—	1.0	10										

CERTIFICATION :

Hart Bieker



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project :

Comments:


Page No. : 4
 Tot. Pages: 6
 Date : 19-OCT-87
 Invoice # : I-8723725
 P.O. # :

CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN1+50S 13+50E	201	--	1.5	< 5									
LN1+50S 14+00E	201	--	2.1	10									
LN1+50S 14+50E	201	--	1.3	15									
LN1+50S 15+00E	201	--	1.0	10									
LN2+00S 00+00E	201	--	0.5	< 5									
LN2+00S 00+50E	201	--	0.1	< 5									
LN2+00S 01+00E	201	--	0.9	<><>									
LN2+00S 01+50E	201	--	0.6	<><>									
LN2+00S 02+00E	201	--	0.4	<><>									
LN2+00S 02+50E	201	--	0.8	<><>									
LN2+00S 03+00E	201	--	0.9	< 5									
LN2+00S 03+50E	201	--	0.7	<><>									
LN2+00S 04+00E	201	--	0.3	<><>									
LN2+00S 04+50E	201	--	0.1	<><>									
LN2+00S 05+50E	201	--	0.4	<><>									
LN2+00S 06+00E	201	--	0.3	<><>									
LN2+00S 06+50E	201	--	0.7	<><>									
LN2+00S 07+00E	201	--	0.7	<><>									
LN2+00S 07+50E	201	--	0.1	<><>									
LN2+00S 08+00E	201	--	0.5	<><>									
LN2+00S 08+50E	201	--	0.4	<><>									
LN2+00S 09+00E	201	--	0.8	<><>									
LN2+00S 09+50E	201	--	1.4	<><>									
LN2+00S 10+00E	201	--	1.7	<><>									
LN2+00S 10+50E	201	--	0.5	<><>									
LN2+00S 11+00E	201	--	0.7	< 10									
LN2+00S 11+50E	201	--	1.8	< 10									
LN2+00S 12+00E	201	--	3.0	< 5									
LN2+00S 12+50E	201	--	1.7	< 5									
LN2+00S 13+00E	201	--	1.4	< 5									
LN2+00S 13+50E	201	--	2.1	< 5									
LN2+00S 14+00E	201	--	2.3	< 5									
LN2+00S 14+50E	201	--	2.8	< 5									
LN2+00S 15+00E	201	--	1.7	< 5									
LN2+50S 00+00E	201	--	1.0	< 5									
LN2+50S 00+50E	201	--	1.1	< 5									
LN2+50S 01+00E	201	--	0.6	< 5									
LN2+50S 01+50E	201	--	0.2	< 5									
LN2+50S 02+00E	201	--	1.1	< 5									
LN2+50S 02+50E	201	--	0.5	< 5									

CERTIFICATION :

Hans Bichler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project :
 Comments:

Page No. : 5
 Tot. Pages: 6
 Date : 19-OCT-87
 Invoice # : I-8723725
 P.O. # :

CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN2+50S 03+00E	201	--	1.1	10								
LN2+50S 03+50E	201	--	0.5	25								
LN2+50S 04+00E	201	--	0.1	<5								
LN2+50S 04+50E	201	--	0.3	<5								
LN2+50S 05+00E	201	--	0.5	<5								
LN2+50S 05+50E	201	--	0.3	<5								
LN2+50S 06+00E	201	--	0.5	<5								
LN2+50S 06+50E	201	--	0.9	<5								
LN2+50S 07+00E	201	--	0.3	<5								
LN2+50S 07+50E	201	--	1.9	<5								
LN2+50S 08+00E	201	--	0.7	<5								
LN2+50S 08+50E	201	--	0.6	<5								
LN2+50S 09+00E	201	--	1.4	<5								
LN2+50S 09+50E	201	--	1.6	<5								
LN2+50S 10+00E	201	--	0.8	<5								
LN2+50S 10+50E	201	--	1.0	<5								
LN2+50S 11+00E	201	--	1.1	<5								
LN2+50S 11+50E	201	--	1.2	<5								
LN2+50S 12+00E	201	--	1.8	<5								
LN2+50S 12+50E	201	--	2.2	<5								
LN2+50S 13+00E	201	--	1.8	<5								
LN2+50S 13+50E	201	--	1.6	<5								
LN2+50S 14+00E	201	--	1.4	25								
LN2+50S 14+50E	201	--	1.8	25								
LN2+50S 15+00E	201	--	1.3	<5								
LN3+00S 05+00E	201	--	0.5	<5								
LN3+00S 05+50E	201	--	1.1	<5								
LN3+00S 06+00E	201	--	0.5	<5								
LN3+00S 06+50E	201	--	0.9	<5								
LN3+00S 07+00E	201	--	0.5	<5								
LN3+00S 07+50E	201	--	1.7	<5								
LN3+00S 08+00E	201	--	0.2	<5								
LN3+00S 08+50E	201	--	0.5	<5								
LN3+00S 09+00E	201	--	0.9	<5								
LN3+00S 09+50E	201	--	4.1	<5								
LN3+00S 10+00E	201	--	1.6	<5								
LN3+00S 10+50E	201	--	1.4	<5								
LN3+00S 11+00E	201	--	0.8	<5								
LN3+00S 11+50E	201	--	1.6	<5								
LN3+00S 12+00E	201	--	1.5	<5								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Page No. : 6
 Tot. Pages: 6
 Date : 19-OCT-87
 Invoice # : I-8723725
 P.O. # :

Project :
 Comments:

CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN3+00S 12+50E	201	--	2.6	< 5								
LN3+00S 13+00E	201	--	1.5	< 5								
LN3+00S 13+50E	201	--	1.2	< 5								
LN3+00S 14+00E	201	--	1.2	25								
LN3+00S 14+50E	201	--	3.0	10								
LN3+00S 15+00E	201	--	1.4	< 5								
LN3+50S 00+00E	201	--	1.1	< 5								
LN3+50S 00+50E	201	--	0.6	< 5								
LN3+50S 01+00E	201	--	1.5	< 5								
LN3+50S 01+50E	201	--	1.0	< 5								
LN3+50S 02+00E	201	--	0.5	< 5								
LN3+50S 02+50E	201	--	0.3	< 5								
LN3+50S 03+00E	201	--	1.2	< 5								
LN3+50S 03+50E	201	--	0.5	< 5								
LN3+50S 04+00E	201	--	0.1	< 5								
LN3+50S 04+50E	201	--	0.3	< 5								
LN3+50S 05+00E	201	--	0.3	< 5								
LN3+50S 05+50E	201	--	1.2	< 5								
LN3+50S 06+00E	201	--	0.6	< 5								
LN3+50S 06+50E	201	--	0.8	< 5								
LN3+50S 07+00E	201	--	0.7	< 5								
LN3+50S 07+50E	201	--	1.3	< 5								
LN3+50S 08+00E	201	--	0.3	< 5								
LN3+50S 08+50E	201	--	0.1	< 5								
LN3+50S 09+00E	201	--	0.2	< 5								
LN3+50S 09+50E	201	--	1.2	< 5								
LN3+50S 10+00E	201	--	0.5	< 5								
LN3+50S 10+50E	201	--	0.1	< 5								
LN3+50S 11+00E	201	--	2.3	< 5								
LN3+50S 11+50E	201	--	2.1	10								
LN3+50S 12+00E	201	--	1.7	< 5								
LN3+50S 12+50E	201	--	0.5	< 5								
LN3+50S 13+00E	201	--	1.7	50								
LN3+50S 13+50E	201	--	1.7	75								
LN3+50S 14+00E	201	--	3.3	< 5								
LN3+50S 14+50E	201	--	3.5	25								
LN3+50S 15+00E	201	--	1.4	< 5								

CERTIFICATION :

Hart Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Page No. : 1
 Tot. Pages: 5
 Date : 19-OCT-87
 Invoice #: I-8724123
 P.O. #: NONE

Project : BEL #1
 Comments:

CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN: 3+00S 0+00E	201	--	0.1									
LN: 3+00S 0+50E	201	--	0.1									
LN: 3+00S 1+00E	201	--	0.1									
LN: 3+00S 1+50E	201	--	0.1									
LN: 3+00S 2+00E	201	--	0.1	< 5								
LN: 3+00S 2+50E	201	--	0.1	< 5								
LN: 3+00S 3+00E	201	--	0.1	< 5								
LN: 3+00S 3+50E	201	--	0.1	< 5								
LN: 3+00S 4+00E	201	--	0.1	< 5								
LN: 3+00S 4+50E	201	--	0.1	< 5								
LN: 4+00S 0+00E	201	--	0.3	< 5								
LN: 4+00S 0+50E	201	--	0.1	< 5								
LN: 4+00S 1+00E	201	--	0.1	< 5								
LN: 4+00S 1+50E	201	--	0.1	< 5								
LN: 4+00S 2+00E	201	--	0.1	30								
LN: 4+00S 2+50E	201	--	0.1	< 5								
LN: 4+00S 3+00E	201	--	0.1	< 5								
LN: 4+00S 3+50E	201	--	0.1	15								
LN: 4+00S 4+00E	201	--	0.1	20								
LN: 4+00S 4+50E	201	--	0.1	10								
LN: 4+00S 5+00E	201	--	0.1	< 5								
LN: 4+00S 5+50E	201	--	0.1	< 5								
LN: 4+00S 6+00E	201	--	0.1	< 5								
LN: 4+00S 6+50E	201	--	0.1	< 5								
LN: 4+00S 7+00E	201	--	0.1	< 5								
LN: 4+00S 7+50E	201	--	0.1	< 5								
LN: 4+00S 8+00E	201	--	0.1	< 5								
LN: 4+00S 8+50E	201	--	0.1	< 5								
LN: 4+00S 9+00E	201	--	0.1	10								
LN: 4+00S 9+50E	201	--	0.1	< 5								
LN: 4+00S 10+00E	201	--	0.1	105								
LN: 4+00S 10+50E	201	--	0.1	< 5								
LN: 4+00S 11+00E	201	--	0.1	< 5								
LN: 4+00S 11+50E	201	--	0.9	< 5								
LN: 4+00S 12+00E	201	--	0.1	< 5								
LN: 4+00S 12+50E	201	--	0.1	5								
LN: 4+00S 13+00E	201	--	0.1	< 5								
LN: 4+00S 13+50E	201	--	0.1	< 5								
LN: 4+00S 14+00E	201	--	0.1	< 5								
LN: 4+00S 14+50E	201	--	0.1	< 5								

CERTIFICATION :

J. B. Bieker



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Page No. : 2
 Tot. Pages: 5
 Date : 19-OCT-87
 Invoice #: I-8724123
 P.O. #: NONE

Project : BEL #1
 Comments:

CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 4+00S 15+00E	201	--	0 . 1	< 5									
LN: 4+50S 0+00E	201	--	0 . 3	< 5									
LN: 4+50S 0+50E	201	--	0 . 2	< 5									
LN: 4+50S 1+00E	201	--	0 . 3	< 5									
LN: 4+50S 1+50E	201	--	0 . 3	< 5									
LN: 4+50S 2+00E	201	--	0 . 1	< 5									
LN: 4+50S 2+50E	201	--	0 . 1	< 5									
LN: 4+50S 3+00E	201	--	0 . 1	< 5									
LN: 4+50S 3+50E	201	--	0 . 1	< 5									
LN: 4+50S 4+00E	201	--	0 . 7	< 5									
LN: 4+50S 4+50E	201	--	0 . 1	< 5									
LN: 4+50S 5+00E	201	--	0 . 1	< 5									
LN: 4+50S 5+50E	201	--	0 . 1	< 5									
LN: 4+50S 6+00E	201	--	0 . 1	< 5									
LN: 4+50S 6+50E	201	--	0 . 1	< 5									
LN: 4+50S 7+00E	201	--	0 . 1	< 5									
LN: 4+50S 7+50E	201	--	0 . 1	< 5									
LN: 4+50S 8+00E	201	--	0 . 1	< 5									
LN: 4+50S 8+50E	201	--	0 . 1	< 5									
LN: 4+50S 9+00E	201	--	0 . 1	< 5									
LN: 4+50S 9+50E	201	--	0 . 1	< 5									
LN: 4+50S 10+00E	201	--	0 . 1	< 5									
LN: 4+50S 10+50E	201	--	0 . 1	< 5									
LN: 4+50S 11+00E	201	--	0 . 1	< 5									
LN: 4+50S 11+50E	201	--	0 . 4	< 5									
LN: 4+50S 12+00E	201	--	0 . 1	< 5									
LN: 4+50S 12+50E	201	--	0 . 1	< 5									
LN: 4+50S 13+00E	201	--	0 . 1	< 5									
LN: 4+50S 13+50E	201	--	0 . 4	< 5									
LN: 4+50S 14+00E	201	--	0 . 1	< 5									
LN: 4+50S 14+50E	201	--	0 . 1	< 5									
LN: 4+50S 15+00E	201	--	0 . 1	< 5									
LN: 5+00S 0+00E	201	--	0 . 1	< 5									
LN: 5+00S 0+50E	201	--	0 . 1	< 5									
LN: 5+00S 1+00E	201	--	0 . 1	< 5									
LN: 5+00S 1+50E	201	--	0 . 1	< 5									
LN: 5+00S 2+00E	201	--	0 . 1	< 5									
LN: 5+00S 2+50E	201	--	0 . 1	< 5									
LN: 5+00S 3+00E	201	--	0 . 1	< 5									
LN: 5+00S 3+50E	201	--	0 . 1	< 10									

CERTIFICATION :

Bart Biebler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING
 301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3
 Project : BEL #1
 Comments:

Page No. : 3
 Tot. Pages: 5
 Date : 19-OCT-87
 Invoice #: 1-8724123
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN: 5+00S 4+00E	201	--	0 . 1	< 5								
LN: 5+00S 4+50E	201	--	0 . 1	< 5								
LN: 5+00S 5+00E	201	--	0 . 3	< 5								
LN: 5+00S 5+50E	201	--	0 . 1	< 5								
LN: 5+00S 6+00E	201	--	0 . 1	< 5								
LN: 5+00S 6+50E	201	--	0 . 1	< 5								
LN: 5+00S 7+00E	201	--	0 . 2	< 5								
LN: 5+00S 7+50E	201	--	0 . 1	< 5								
LN: 5+00S 8+00E	201	--	0 . 1	< 5								
LN: 5+00S 8+50E	201	--	0 . 1	< 5								
LN: 5+00S 9+00E	201	--	0 . 2	< 5								
LN: 5+00S 9+50E	201	--	0 . 1	< 5								
LN: 5+00S 10+00E	201	--	0 . 1	< 5								
LN: 5+00S 10+50E	201	--	0 . 1	< 5								
LN: 5+00S 11+00E	201	--	0 . 4	< 5								
LN: 5+00S 11+50E	201	--	0 . 4	< 5								
LN: 5+00S 12+00E	201	--	0 . 1	< 5								
LN: 5+00S 12+50E	201	--	0 . 1	< 5								
LN: 5+00S 13+00E	201	--	0 . 1	< 5								
LN: 5+00S 13+50E	201	--	0 . 1	< 5								
LN: 5+00S 14+00E	201	--	0 . 1	< 5								
LN: 5+00S 14+50E	201	--	0 . 1	< 5								
LN: 5+00S 15+00E	201	--	0 . 1	< 5								
LN: 5+50S 0+00E	201	--	0 . 1	< 5								
LN: 5+50S 0+50E	201	--	0 . 1	< 5								
LN: 5+50S 1+00E	201	--	0 . 1	< 5								
LN: 5+50S 1+50E	201	--	0 . 1	< 5								
LN: 5+50S 2+00E	201	--	0 . 1	< 5								
LN: 5+50S 2+50E	201	--	0 . 1	< 5								
LN: 5+50S 3+00E	201	--	0 . 1	< 5								
LN: 5+50S 3+50E	201	--	0 . 1	< 5								
LN: 5+50S 4+00E	201	--	0 . 1	< 5								
LN: 5+50S 4+50E	201	--	0 . 1	< 5								
LN: 5+50S 5+00E	201	--	0 . 1	< 5								
LN: 5+50S 5+50E	201	--	0 . 1	< 5								
LN: 5+50S 6+00E	201	--	0 . 1	< 5								
LN: 5+50S 6+50E	201	--	0 . 4	< 5								
LN: 5+50S 7+00E	201	--	1 . 3	< 5								
LN: 5+50S 7+50E	201	--	0 . 1	< 5								
LN: 5+50S 8+00E	201	--	0 . 1	< 5								

CERTIFICATION :

Hans Biebler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 4
 Tot. Pages: 5
 Date : 19-OCT-87
 Invoice #: I-8724123
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 5+50S 8+50E	201	--	0.1	< 5									
LN: 5+50S 9+00E	201	--	0.1	< 5									
LN: 5+50S 9+50E	201	--	0.1	< 5									
LN: 5+50S 10+00E	201	--	0.1	< 5									
LN: 5+50S 10+50E	201	--	0.1	< 5									
LN: 5+50S 11+00E	201	--	0.1	< 5									
LN: 5+50S 11+50E	201	--	0.1	< 5									
LN: 5+50S 12+00E	201	--	0.1	< 5									
LN: 5+50S 12+50E	201	--	0.1	< 5									
LN: 5+50S 13+00E	201	--	0.1	< 5									
LN: 5+50S 13+50E	201	--	0.1	< 5									
LN: 5+50S 14+00E	201	--	0.1	< 5									
LN: 5+50S 14+50E	201	--	0.1	< 5									
LN: 5+50S 15+00E	201	--	0.1	< 5									
LN: 6+00S 3+00E	201	--	0.1	< 5									
LN: 6+00S 3+50E	201	--	0.1	< 5									
LN: 6+00S 4+00E	201	--	0.1	< 5									
LN: 6+00S 4+50E	201	--	0.1	< 5									
LN: 6+00S 5+00E	201	--	0.1	< 5									
LN: 6+00S 5+50E	201	--	0.1	< 5									
LN: 6+00S 6+00E	201	--	0.1	< 5									
LN: 6+00S 6+50E	201	--	0.1	< 5									
LN: 6+00S 7+00E	201	--	0.1	< 5									
LN: 6+00S 7+50E	201	--	0.1	< 5									
LN: 6+00S 8+00E	201	--	1.0	< 5									
LN: 6+00S 8+50E	201	--	0.1	< 5									
LN: 6+00S 9+00E	201	--	2.1	< 5									
LN: 6+00S 9+50E	201	--	2.3	< 5									
LN: 6+00S 10+00E	201	--	0.1	< 5									
LN: 6+00S 10+50E	201	--	0.1	< 5									
LN: 6+00S 11+00E	201	--	0.1	< 5									
LN: 6+00S 11+50E	201	--	0.1	< 5									
LN: 6+00S 12+00E	201	--	0.1	< 5									
LN: 6+00S 12+50E	201	--	0.1	< 5									
LN: 6+00S 13+00E	201	--	0.1	< 5									
LN: 6+00S 13+50E	201	--	0.5	< 5									
LN: 6+00S 14+00E	201	--	0.1	< 5									
LN: 6+00S 14+50E	201	--	0.1	< 5									
LN: 6+00S 15+00E	201	--	0.1	< 5									
LN: 6+50S 0+00E	201	--	0.1	< 5									

CERTIFICATION :

John Biebler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Page No. : 5
 Tot. Pages: 5
 Date : 19-OCT-87
 Invoice #: I-8724123
 P.O. #: NONE

Project : BEL #1
 Comments:

CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FAT+AA									
LN: 6+50S 0+50E	201	--	0.1	< 5								
LN: 6+50S 1+00E	201	--	0.1	< 5								
LN: 6+50S 1+50E	201	--	0.2	< 5								
LN: 6+50S 2+00E	201	--	0.1	< 5								
LN: 6+50S 2+50E	201	--	0.1	< 5								
LN: 6+50S 3+00E	201	--	0.1	< 5								
LN: 6+50S 3+50E	201	--	0.1	< 5								
LN: 6+50S 4+00E	201	--	0.1	< 5								
LN: 6+50S 4+50E	201	--	0.1	< 5								
LN: 6+50S 5+00E	201	--	0.1	< 5								
LN: 6+50S 5+50E	201	--	0.1	< 5								
LN: 6+50S 6+00E	201	--	0.3	< 5								
LN: 6+50S 6+50E	201	--	0.1	< 5								
LN: 6+50S 7+00E	201	--	0.1	< 5								
LN: 6+50S 7+50E	201	--	0.1	< 5								
LN: 6+50S 8+00E	201	--	0.1	< 5								
LN: 6+50S 8+50E	201	--	0.1	< 5								
LN: 6+50S 9+00E	201	--	0.1	< 5								
LN: 6+50S 9+50E	201	--	0.1	< 5								
LN: 6+50S 10+00E	201	--	0.5	< 5								
LN: 6+50S 10+50E	201	--	0.1	< 5								
LN: 6+50S 11+00E	201	--	0.1	< 5								
LN: 6+50S 11+50E	201	--	0.1	< 5								
LN: 6+50S 12+00E	201	--	0.2	< 5								
LN: 6+50S 12+50E	201	--	0.1	< 5								
LN: 6+50S 13+00E	201	--	0.1	< 5								
LN: 6+50S 13+50E	201	--	0.1	< 5								
LN: 6+50S 14+00E	201	--	0.1	< 5								
LN: 6+50S 14+50E	201	--	0.1	< 5								
LN: 6+50S 15+00E	201	--	0.1	< 5								

CERTIFICATION :

Hans Buehler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 1
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice #: I-8724361
 P.O. # :

CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN: 06+00S 00+00E	201	--	1.0	< 5								
LN: 06+00S 00+50E	201	--	0.5	<< 5								
LN: 06+00S 01+00E	201	--	0.1	<< 5								
LN: 06+00S 01+50E	201	--	0.3	<< 5								
LN: 06+00S 02+00E	201	--	0.1	< 5								
LN: 06+00S 02+50E	201	--	0.1	< 5								
LN: 07+00S 00+00E	201	--	0.5	<< 5								
LN: 07+00S 00+50E	201	--	0.9	<< 5								
LN: 07+00S 01+00E	201	--	0.5	<< 5								
LN: 07+00S 01+50E	201	--	0.5	15								
LN: 07+00S 02+00E	201	--	0.2	< 5								
LN: 07+00S 02+50E	201	--	0.1	< 5								
LN: 07+00S 03+00E	201	--	0.1	< 5								
LN: 07+00S 03+50E	201	--	0.1	< 5								
LN: 07+00S 04+00E	201	--	0.1	< 5								
LN: 07+00S 04+50E	201	--	0.1	< 5								
LN: 07+00S 05+00E	201	--	0.1	< 5								
LN: 07+00S 05+50E	201	--	0.1	< 5								
LN: 07+00S 06+00E	201	--	0.1	< 5								
LN: 07+00S 06+50E	201	--	0.6	< 5								
LN: 07+00S 07+00E	201	--	0.4	< 5								
LN: 07+00S 07+50E	201	--	0.8	< 5								
LN: 07+00S 08+00E	201	--	0.4	<< 5								
LN: 07+00S 08+50E	201	--	0.1	<< 5								
LN: 07+00S 09+00E	201	--	0.2	< 5								
LN: 07+00S 09+50E	201	--	0.2	10								
LN: 07+00S 10+00E	201	--	1.9	25								
LN: 07+00S 10+50E	201	--	0.7	< 5								
LN: 07+00S 11+00E	201	--	0.5	25								
LN: 07+00S 11+50E	201	--	0.4	15								
LN: 07+00S 12+00E	201	--	0.1	15								
LN: 07+00S 12+50E	201	--	0.7	5								
LN: 07+00S 13+00E	201	--	0.7	10								
LN: 07+00S 13+50E	201	--	1.2	30								
LN: 07+00S 14+00E	201	--	0.5	10								
LN: 07+00S 14+50E	201	--	0.8	30								
LN: 07+00S 15+00E	201	--	0.7	10								
LN: 07+50S 00+00E	201	--	0.7	< 5								
LN: 07+50S 00+50E	201	--	0.5	< 5								
LN: 07+50S 01+00E	201	--	0.3	< 5								

CERTIFICATION :

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1

Comments:


Page No. : 2
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice #: I-8724361
 P.O. # :

CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 07+50S 01+50E	201	—	0.8	< 5									
LN: 07+50S 02+00E	201	—	0.2	< 5									
LN: 07+50S 02+50E	201	—	0.3	< 5									
LN: 07+50S 03+00E	201	—	0.1	< 5									
LN: 07+50S 03+50E	201	—	0.1	< 5									
LN: 07+50S 04+00E	201	—	0.6	< 5									
LN: 07+50S 04+50E	201	—	0.2	< 5									
LN: 07+50S 05+00E	201	—	0.1	< 5									
LN: 07+50S 05+50E	201	—	0.1	< 5									
LN: 07+50S 06+00E	201	—	0.5	< 5									
LN: 07+50S 06+50E	201	—	0.2	< 5									
LN: 07+50S 07+00E	201	—	0.1	< 5									
LN: 07+50S 07+50E	201	—	0.1	< 5									
LN: 07+50S 08+00E	201	—	0.8	< 5									
LN: 07+50S 08+50E	201	—	0.3	< 5									
LN: 07+50S 09+00E	201	—	0.3	< 5									
LN: 07+50S 09+50E	201	—	0.1	< 5									
LN: 07+50S 10+00E	201	—	0.2	< 5									
LN: 07+50S 10+50E	201	—	0.6	< 5									
LN: 07+50S 11+00E	201	—	0.1	< 5									
LN: 07+50S 11+50E	201	—	3.4	< 5									
LN: 07+50S 12+00E	201	—	2.3	< 5									
LN: 07+50S 12+50E	201	—	1.1	< 5									
LN: 07+50S 13+00E	201	—	0.7	< 5									
LN: 07+50S 13+50E	201	—	0.4	< 5									
LN: 07+50S 14+00E	201	—	0.3	< 5									
LN: 07+50S 14+50E	201	—	0.3	< 5									
LN: 07+50S 15+00E	201	—	0.3	< 5									
LN: 08+00S 00+00E	201	—	0.7	< 5									
LN: 08+00S 00+50E	201	—	0.5	< 5									
LN: 08+00S 01+00E	201	—	2.0	< 5									
LN: 08+00S 01+50E	201	—	0.6	< 5									
LN: 08+00S 02+00E	201	—	0.6	< 5									
LN: 08+00S 02+50E	201	—	0.3	< 5									
LN: 08+00S 03+00E	201	—	0.1	< 5									
LN: 08+00S 03+50E	201	—	1.1	< 5									
LN: 08+00S 04+00E	201	—	0.2	< 5									
LN: 08+00S 04+50E	201	—	0.1	< 5									
LN: 08+00S 05+00E	201	—	0.2	< 5									
LN: 08+00S 05+50E	201	—	0.2	< 5									

CERTIFICATION :

Dart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

Page No. : 3
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice # : I-8724361
 P.O. # :

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.

V6K 3M3

Project : BEL #1

Comments:

CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FATAA										
LN:08+00S 06+00E	201	--	1.0	< 5									
LN:08+00S 06+50E	201	--	0.3	< 5									
LN:08+00S 07+00E	201	--	1.0	< 5									
LN:08+00S 07+50E	201	--	0.8	< 5									
LN:08+00S 08+00E	201	--	0.1	< 5									
LN:08+00S 08+50E	201	--	0.1	< 5									
LN:08+00S 09+00E	201	--	0.1	< 5									
LN:08+00S 09+50E	201	--	0.1	< 5									
LN:08+00S 10+00E	201	--	0.1	< 5									
LN:08+00S 10+50E	201	--	0.1	< 5									
LN:08+00S 11+00E	201	--	0.6	< 5									
LN:08+00S 11+50E	201	--	1.0	10									
LN:08+00S 12+00E	201	--	0.9	< 5									
LN:08+00S 12+50E	201	--	0.5	< 5									
LN:08+00S 13+00E	201	--	0.5	< 5									
LN:08+00S 13+50E	201	--	0.1	10									
LN:08+00S 14+00E	201	--	0.3	< 5									
LN:08+00S 14+50E	201	--	0.2	< 5									
LN:08+00S 15+00E	201	--	0.4	< 5									
LN:08+50S 00+00E	201	--	0.3	< 5									
LN:08+50S 00+50E	201	--	0.1	< 5									
LN:08+50S 01+00E	201	--	0.5	< 5									
LN:08+50S 01+50E	201	--	0.4	< 5									
LN:08+50S 02+00E	201	--	0.1	< 5									
LN:08+50S 02+50E	201	--	0.3	< 5									
LN:08+50S 03+00E	201	--	0.6	< 5									
LN:08+50S 03+50E	201	--	0.2	< 5									
LN:08+50S 04+00E	201	--	0.1	< 5									
LN:08+50S 04+50E	201	--	0.3	< 5									
LN:08+50S 05+00E	201	--	0.1	< 5									
LN:08+50S 05+50E	201	--	0.2	< 5									
LN:08+50S 06+00E	201	--	0.1	< 5									
LN:08+50S 06+50E	201	--	0.5	< 5									
LN:08+50S 07+00E	201	--	1.0	< 5									
LN:08+50S 07+50E	201	--	0.1	< 5									
LN:08+50S 08+00E	201	--	0.1	< 5									
LN:08+50S 08+50E	201	--	0.1	< 5									
LN:08+50S 09+00E	201	--	0.1	< 5									
LN:08+50S 09+50E	201	--	0.1	< 5									
LN:08+50S 10+00E	201	--	0.1	< 5									

CERTIFICATION :

Hart Biehler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 4
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice #: I-8724361
 P.O. # :

CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN: 08+50S 10+50E	201	--	0.1	< 5								
LN: 08+50S 11+00E	201	--	0.1	<< 5								
LN: 08+50S 11+50E	201	--	0.1	<< 5								
LN: 08+50S 12+00E	201	--	0.4	<< 5								
LN: 08+50S 12+50E	201	--	0.5	< 5								
LN: 08+50S 13+00E	201	--	0.1	< 5								
LN: 08+50S 13+50E	201	--	0.4	<< 5								
LN: 08+50S 14+00E	201	--	0.1	< 5								
LN: 08+50S 14+50E	201	--	0.1	10								
LN: 08+50S 15+00E	201	--	0.3	< 5								
LN: 09+00S 00+00E	201	--	0.2	< 5								
LN: 09+00S 00+50E	201	--	0.1	< 5								
LN: 09+00S 01+00E	201	--	0.3	<< 5								
LN: 09+00S 01+50E	201	--	0.3	<< 5								
LN: 09+00S 02+00E	201	--	0.4	10								
LN: 09+00S 02+50E	201	--	0.2	< 5								
LN: 09+00S 03+00E	201	--	0.2	< 5								
LN: 09+00S 03+50E	201	--	0.8	<< 5								
LN: 09+00S 04+00E	201	--	0.4	<< 5								
LN: 09+00S 04+50E	201	--	0.6	<< 5								
LN: 09+00S 05+00E	201	--	0.1	< 5								
LN: 09+00S 05+50E	201	--	0.3	<< 5								
LN: 09+00S 06+00E	201	--	0.1	<< 5								
LN: 09+00S 06+50E	201	--	0.9	<< 5								
LN: 09+00S 07+00E	201	--	0.4	< 5								
LN: 09+00S 07+50E	201	--	0.3	< 5								
LN: 09+00S 08+00E	201	--	0.3	<< 5								
LN: 09+00S 08+50E	201	--	0.3	<< 5								
LN: 09+00S 09+00E	201	--	0.1	<< 5								
LN: 09+00S 09+50E	201	--	0.1	<< 5								
LN: 09+00S 10+00E	201	--	0.1	< 5								
LN: 09+00S 10+50E	201	--	0.2	<< 5								
LN: 09+00S 11+00E	201	--	0.1	<< 5								
LN: 09+00S 11+50E	201	--	0.1	<< 5								
LN: 09+00S 12+00E	201	--	0.2	< 5								
LN: 09+00S 12+50E	201	--	0.1	< 5								
LN: 09+00S 13+00E	201	--	0.4	<< 5								
LN: 09+00S 13+50E	201	--	0.1	<< 5								
LN: 09+00S 14+00E	201	--	0.6	<< 5								
LN: 09+00S 14+50E	201	--	0.3	< 5								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

Page No. : 1
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice # : I-8724362
 P.O. # :

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3
 Project : BEL #1
 Comments:

CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN: 09+00S 15+00E	201	--	0 . 3	< 5								
LN: 09+50S 00+00E	201	--	0 . 3	<< 5								
LN: 09+50S 00+50E	201	--	0 . 3	<< 5								
LN: 09+50S 01+00E	201	--	0 . 3	< 5								
LN: 09+50S 01+50E	201	--	0 . 5	< 20								
LN: 09+50S 02+00E	201	--	0 . 5	< 5								
LN: 09+50S 02+50E	201	--	0 . 5	<< 5								
LN: 09+50S 03+00E	201	--	1 . 1	<< 5								
LN: 09+50S 03+50E	201	--	0 . 5	<< 5								
LN: 09+50S 04+00E	201	--	0 . 8	< 5								
LN: 09+50S 04+50E	201	--	1 . 3	< 5								
LN: 09+50S 05+00E	201	--	1 . 3	<< 5								
LN: 09+50S 05+50E	201	--	0 . 1	<< 5								
LN: 09+50S 06+00E	201	--	0 . 9	<< 5								
LN: 09+50S 06+50E	201	--	0 . 6	< 5								
LN: 09+50S 07+00E	201	--	0 . 3	< 5								
LN: 09+50S 07+50E	201	--	0 . 9	<< 5								
LN: 09+50S 08+00E	201	--	0 . 5	<< 5								
LN: 09+50S 08+50E	201	--	0 . 5	<< 5								
LN: 09+50S 09+00E	201	--	0 . 5	< 5								
LN: 09+50S 10+00E	201	--	1 . 0	< 5								
LN: 09+50S 10+50E	201	--	1 . 9	<< 5								
LN: 09+50S 11+00E	201	--	0 . 6	<< 5								
LN: 09+50S 11+50E	201	--	0 . 6	<< 5								
LN: 09+50S 12+00E	201	--	0 . 6	< 5								
LN: 09+50S 12+50E	201	--	0 . 7	< 5								
LN: 09+50S 13+00E	201	--	0 . 2	<< 5								
LN: 09+50S 13+50E	201	--	0 . 5	<< 5								
LN: 09+50S 14+00E	201	--	0 . 2	<< 5								
LN: 09+50S 14+50E	201	--	0 . 6	<< 5								
LN: 09+50S 15+00E	201	--	0 . 4	< 5								
LN: 10+00S 00+00E	201	--	0 . 5	<< 5								
LN: 10+00S 00+50E	201	--	0 . 4	<< 5								
LN: 10+00S 01+00E	201	--	1 . 2	<< 5								
LN: 10+00S 01+50E	201	--	0 . 5	< 5								
LN: 10+00S 02+50E	201	--	1 . 8	< 5								
LN: 10+00S 03+00E	201	--	0 . 9	< 5								
LN: 10+00S 03+50E	201	--	0 . 4	<< 5								
LN: 10+00S 04+00E	201	--	0 . 4	<< 5								
LN: 10+00S 04+50E	201	--	1 . 1	< 5								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 2
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice #: I-8724362
 P.O. # :

CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN: 10+00S 05+00E	201	--	1.4	< 5								
LN: 10+00S 05+50E	201	--	0.7	<< 5								
LN: 10+00S 06+00E	201	--	0.3	<< 5								
LN: 10+00S 07+00E	201	--	0.6	<< 5								
LN: 10+00S 07+50E	201	--	0.1	< 5								
LN: 10+00S 08+00E	201	--	0.5	< 5								
LN: 10+00S 08+50E	201	--	0.4	<< 5								
LN: 10+00S 09+00E	201	--	0.4	<< 5								
LN: 10+00S 09+50E	201	--	0.6	<< 5								
LN: 10+00S 10+00E	201	--	0.1	< 5								
LN: 10+00S 10+50E	201	--	0.2	< 5								
LN: 10+00S 11+00E	201	--	0.4	< 5								
LN: 10+00S 11+50E	201	--	3.7	15								
LN: 10+00S 12+00E	201	--	1.4	< 5								
LN: 10+00S 12+50E	201	--	0.5	< 5								
LN: 10+00S 13+00E	201	--	0.9	< 5								
LN: 10+00S 13+50E	201	--	0.2	<< 5								
LN: 10+00S 14+00E	201	--	0.7	<< 5								
LN: 10+00S 14+50E	201	--	0.1	<< 5								
LN: 10+00S 15+00E	201	--	0.1	< 5								
LN: 10+50S 00+00E	201	--	0.5	< 5								
LN: 10+50S 00+50E	201	--	0.2	<< 5								
LN: 10+50S 01+00E	201	--	0.2	<< 5								
LN: 10+50S 01+50E	201	--	0.3	<< 5								
LN: 10+50S 02+00E	201	--	0.4	< 5								
LN: 10+50S 02+50E	201	--	2.2	< 5								
LN: 10+50S 03+00E	201	--	0.2	< 5								
LN: 10+50S 03+50E	201	--	0.2	25								
LN: 10+50S 04+00E	201	--	0.3	< 5								
LN: 10+50S 04+50E	201	--	0.5	< 5								
LN: 10+50S 05+00E	201	--	0.4	< 5								
LN: 10+50S 05+50E	201	--	0.5	< 5								
LN: 10+50S 06+00E	201	--	0.4	10								
LN: 10+50S 06+50E	201	--	0.8	< 5								
LN: 10+50S 07+00E	201	--	1.1	< 5								
LN: 10+50S 07+50E	201	--	0.8	< 5								
LN: 10+50S 08+00E	201	--	1.0	<< 5								
LN: 10+50S 08+50E	201	--	0.6	<< 5								
LN: 10+50S 09+00E	201	--	0.4	<< 5								
LN: 10+50S 09+50E	201	--	0.6	< 5								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 3
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice #: I-8724362
 P.O. # :

CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 10+50S 10+00E	201	--	0 . 6	< 5									
LN: 10+50S 10+50E	201	--	1 . 0	<< 5									
LN: 10+50S 11+00E	201	--	0 . 2	<< 5									
LN: 10+50S 11+50E	201	--	1 . 1	<< 5									
LN: 10+50S 12+00E	201	--	0 . 5	< 5									
LN: 10+50S 12+50E	201	--	0 . 1	< 5									
LN: 10+50S 13+00E	201	--	0 . 1	<< 5									
LN: 10+50S 13+50E	201	--	2 . 6	<< 5									
LN: 10+50S 14+00E	201	--	0 . 6	<< 5									
LN: 10+50S 14+50E	201	--	0 . 2	< 5									
LN: 10+50S 15+00E	201	--	0 . 3	1 . 5									
LN: 11+00S 04+00E	201	--	0 . 1	< 5									
LN: 11+00S 04+50E	201	--	0 . 2	<< 5									
LN: 11+00S 05+00E	201	--	0 . 5	<< 5									
LN: 11+00S 05+50E	201	--	1 . 1	< 5									
LN: 11+00S 06+00E	201	--	1 . 0	< 5									
LN: 11+00S 06+50E	201	--	0 . 5	< 5									
LN: 11+00S 07+00E	201	--	0 . 7	<< 5									
LN: 11+00S 07+50E	201	--	0 . 3	<< 5									
LN: 11+00S 08+00E	201	--	0 . 7	< 5									
LN: 11+00S 08+50E	201	--	0 . 4	< 5									
LN: 11+00S 09+00E	201	--	0 . 5	<< 5									
LN: 11+00S 09+50E	201	--	0 . 6	<< 5									
LN: 11+00S 10+00E	201	--	0 . 6	<< 5									
LN: 11+00S 10+50E	201	--	0 . 1	< 5									
LN: 11+00S 11+00E	201	--	0 . 1	< 5									
LN: 11+00S 11+50E	201	--	1 . 0	<< 5									
LN: 11+00S 12+00E	201	--	0 . 1	<< 5									
LN: 11+00S 12+50E	201	--	0 . 4	<< 5									
LN: 11+00S 13+00E	201	--	0 . 5	< 5									
LN: 11+00S 13+50E	201	--	0 . 2	< 5									
LN: 11+00S 14+00E	201	--	0 . 1	< 5									
LN: 11+00S 14+50E	201	--	0 . 1	< 5									
LN: 11+00S 15+00E	201	--	0 . 1	< 5									
LN: 11+50S 00+00E	201	--	0 . 3	< 5									
LN: 11+50S 01+00E	201	--	0 . 1	< 5									
LN: 11+50S 01+50E	201	--	0 . 2	<< 5									
LN: 11+50S 02+50E	201	--	0 . 1	<< 5									
LN: 11+50S 03+00E	201	--	0 . 7	< 5									

CERTIFICATION :

David Bickler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1

Comments:

Page No. : 4
 Tot. Pages: 4
 Date : 26-OCT-87
 Invoice #: I-8724362
 P.O. # :

CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 11+50S 03+50E	201	--	0.2	< 5									
LN: 11+50S 04+00E	201	--	0.5	<< 5									
LN: 11+50S 04+50E	201	--	0.2	<< 5									
LN: 11+50S 05+00E	201	--	0.1	<< 5									
LN: 11+50S 06+00E	201	--	0.8	< 5									
LN: 11+50S 06+50E	201	--	0.8	< 5									
LN: 11+50S 07+00E	201	--	0.9	<< 5									
LN: 11+50S 07+50E	201	--	0.2	<< 5									
LN: 11+50S 08+00E	201	--	0.4	<< 5									
LN: 11+50S 08+50E	201	--	0.2	< 5									
LN: 11+50S 09+00E	201	--	0.8	< 5									
LN: 11+50S 09+50E	201	--	0.1	<< 5									
LN: 11+50S 10+00E	201	--	0.1	<< 5									
LN: 11+50S 10+50E	201	--	0.1	<< 5									
LN: 11+50S 11+00E	201	--	0.1	< 5									
LN: 11+50S 11+50E	201	--	0.9	< 5									
LN: 11+50S 12+00E	201	--	1.2	< 5									
LN: 11+50S 12+50E	201	--	1.3	<< 5									
LN: 11+50S 13+00E	201	--	0.5	<< 5									
LN: 11+50S 13+50E	201	--	0.2	< 5									
LN: 11+50S 14+00E	201	--	0.1	< 5									
LN: 11+50S 14+50E	201	--	0.1	<< 5									
LN: 11+50S 15+00E	201	--	0.1	< 5									

CERTIFICATION :

Mark Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

Page No. : 1
 Tot. Pages: 7
 Date : 2-NOV-87
 Invoice # : I-8724879
 P.O. # : NONE

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN10+00S 2+00E	201	--	0.2	< 5										
LN11+00S 00+00E	201	--	0.4	<< 5										
LN11+00S 00+50E	201	--	0.1	<< 5										
LN11+00S 01+00E	201	--	0.2	<< 5										
LN11+00S 01+50E	201	--	0.1	< 5										
LN11+00S 02+00E	201	--	0.2	< 5										
LN11+00S 02+50E	201	--	0.6	<< 5										
LN11+00S 03+00E	201	--	0.1	<< 5										
LN11+00S 03+50E	201	--	0.4	<< 5										
LN11+00S 02+00E	201	--	0.5	< 5										
LN11+50S 05+50E	201	--	0.1	< 5										
LN12+00S 00+00E	201	--	0.3	<< 5										
LN12+00S 00+50E	201	--	0.6	<< 5										
LN12+00S 01+00E	201	--	0.5	<< 5										
LN12+00S 01+50E	201	--	0.4	10										
LN12+00S 02+00E	201	--	0.2	< 5										
LN12+00S 02+50E	201	--	0.1	10										
LN12+00S 03+00E	201	--	0.2	<< 5										
LN12+00S 03+50E	201	--	0.1	<< 5										
LN12+00S 04+00E	201	--	0.1	< 5										
LN12+00S 04+50E	201	--	0.3	< 5										
LN12+00S 05+00E	201	--	0.5	<< 5										
LN12+00S 05+50E	201	--	0.6	<< 5										
LN12+00S 06+00E	201	--	0.9	<< 5										
LN12+00S 06+50E	201	--	1.0	< 5										
LN12+00S 07+00E	201	--	0.8	< 5										
LN12+00S 07+50E	201	--	0.4	<< 5										
LN12+00S 08+00E	201	--	0.3	<< 5										
LN12+00S 08+50E	201	--	0.4	<< 5										
LN12+00S 09+00E	201	--	0.9	< 5										
LN12+00S 09+50E	201	--	0.2	< 5										
LN12+00S 10+00E	201	--	0.1	<< 5										
LN12+00S 10+50E	201	--	0.2	<< 5										
LN12+00S 11+00E	201	--	0.4	<< 5										
LN12+00S 11+50E	201	--	1.4	< 5										
LN12+00S 12+00E	201	--	0.1	< 5										
LN12+00S 12+50E	201	--	0.2	<< 5										
LN12+00S 13+00E	201	--	0.1	<< 5										
LN12+00S 13+50E	201	--	0.4	<< 5										
LN12+00S 14+00E	201	--	0.7	< 5										

CERTIFICATION :

Hart Biebler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 2
 Tot. Pages: 7
 Date : 2-NOV-87
 Invoice #: I-8724879
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN12+00S 14+50E	201	--	0.7	< 5										
LN12+00S 15+00E	201	--	0.1	< 5										
LN12+50S 00+00E	201	--	0.2	< 5										
LN12+50S 00+50E	201	--	0.6	< 5										
LN12+50S 01+00E	201	--	2.2	< 10										
LN12+50S 01+50E	201	--	0.9	< 5										
LN12+50S 02+00E	201	--	0.5	< 5										
LN12+50S 02+50E	201	--	0.2	< 5										
LN12+50S 03+00E	201	--	0.7	< 5										
LN12+50S 03+50E	201	--	0.2	< 5										
LN12+50S 04+00E	201	--	0.6	< 5										
LN12+50S 04+50E	201	--	0.2	< 5										
LN12+50S 05+00E	201	--	0.8	< 5										
LN12+50S 05+50E	201	--	0.6	< 5										
LN12+50S 06+00E	201	--	0.8	< 5										
LN12+50S 06+50E	201	--	0.7	< 5										
LN12+50S 07+00E	201	--	0.2	15										
LN12+50S 07+50E	201	--	0.8	10										
LN12+50S 08+00E	201	--	0.6	< 5										
LN12+50S 08+50E	201	--	0.4	< 5										
LN12+50S 09+00E	201	--	0.9	< 5										
LN12+50S 09+50E	201	--	0.5	< 5										
LN12+50S 10+00E	201	--	0.1	< 5										
LN12+50S 10+50E	201	--	0.2	< 5										
LN12+50S 11+00E	201	--	0.4	< 5										
LN12+50S 11+50E	201	--	0.3	< 5										
LN12+50S 12+00E	201	--	0.6	< 5										
LN12+50S 12+50E	201	--	0.9	< 5										
LN12+50S 13+00E	201	--	0.7	15										
LN12+50S 13+50E	201	--	0.9	5										
LN12+50S 14+00E	201	--	0.8	< 5										
LN12+50S 14+50E	201	--	0.4	< 5										
LN12+50S 15+00E	201	--	0.5	< 5										
LN13+00S 00+00E	201	--	2.1	< 5										
LN13+00S 00+50E	201	--	3.2	< 5										
LN13+00S 01+00E	201	--	1.7	< 5										
LN13+00S 01+50E	201	--	0.7	< 5										
LN13+00S 02+00E	201	--	0.1	< 5										
LN13+00S 02+50E	201	--	0.8	< 5										
LN13+00S 03+00E	201	--	0.5	< 5										

CERTIFICATION :

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL #1

Comments:

Page No. : 3
Tot. Pages: 7
Date : 2-NOV-87
Invoice #: I-8724879
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN13+00S 03+50E	201	--	0.3	< 5								
LN13+00S 04+00E	201	--	0.5	<< 5								
LN13+00S 04+50E	201	--	0.5	<< 5								
LN13+00S 05+00E	201	--	0.2	<< 5								
LN13+00S 05+50E	201	--	0.5	< 5								
LN13+00S 06+00E	201	--	0.8	< 5								
LN13+00S 06+50E	201	--	0.7	<< 5								
LN13+00S 07+00E	201	--	0.5	<< 5								
LN13+00S 07+50E	201	--	0.6	1.5								
LN13+00S 08+00E	201	--	0.7	< 5								
LN13+00S 08+50E	201	--	0.5	< 5								
LN13+00S 09+00E	201	--	0.8	<< 5								
LN13+00S 09+50E	201	--	0.1	< 5								
LN13+00S 10+00E	201	--	0.1	<< 5								
LN13+00S 10+50E	201	--	0.1	5								
LN13+00S 11+00E	201	--	1.1	< 5								
LN13+00S 11+50E	201	--	0.4	<< 5								
LN13+00S 12+00E	201	--	0.3	<< 5								
LN13+00S 12+50E	201	--	0.5	<< 5								
LN13+00S 13+00E	201	--	0.3	<< 5								
LN13+00S 13+50E	201	--	0.4	10								
LN13+00S 14+00E	201	--	0.3	< 5								
LN13+00S 14+50E	201	--	0.1	< 5								
LN13+00S 15+00E	201	--	0.1	20								
LN13+50S 00+00E	201	--	0.2	5								
LN13+50S 00+50E	201	--	0.4	10								
LN13+50S 01+00E	201	--	0.9	< 5								
LN13+50S 01+50E	201	--	0.2	<< 5								
LN13+50S 02+00E	201	--	0.2	<< 5								
LN13+50S 02+50E	201	--	0.6	< 5								
LN13+50S 03+00E	201	--	0.5	< 5								
LN13+50S 03+50E	201	--	0.1	< 5								
LN13+50S 04+00E	201	--	0.1	< 5								
LN13+50S 04+50E	201	--	0.4	<< 5								
LN13+50S 05+00E	201	--	0.2	< 5								
LN13+50S 05+50E	201	--	0.2	< 5								
LN13+50S 06+00E	201	--	0.5	30								
LN13+50S 06+50E	201	--	0.2	<< 5								
LN13+50S 07+00E	201	--	0.2	< 5								
LN13+50S 07+50E	201	--	0.1	10								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 4
 Tot. Pages: 7
 Date : 2-NOV-87
 Invoice #: I-8724879
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
LN13+50S 08+00E	201	---	0.4	<5								
LN13+50S 08+50E	201	---	0.3	<<5								
LN13+50S 09+00E	201	---	0.3	<<5								
LN13+50S 09+50E	201	---	0.2	<<5								
LN13+50S 10+00E	201	---	0.5	<5								
LN13+50S 10+50E	201	---	0.2	<<5								
LN13+50S 11+00E	201	---	0.3	<<5								
LN13+50S 11+50E	201	---	0.8	<<5								
LN13+50S 12+00E	201	---	0.2	<<5								
LN13+50S 12+50E	201	---	0.6	<5								
LN13+50S 13+00E	201	---	0.7	<5								
LN13+50S 13+50E	201	---	0.3	<<5								
LN13+50S 14+00E	201	---	0.1	<<5								
LN13+50S 14+50E	201	---	0.2	<<5								
LN13+50S 15+00E	201	---	0.2	<5								
LN14+00S 00+00E	201	---	0.1	<5								
LN14+00S 00+50E	201	---	1.1	<<5								
LN14+00S 01+00E	201	---	0.7	<<5								
LN14+00S 01+50E	201	---	0.9	<<5								
LN14+00S 02+00E	201	---	0.2	<<5								
LN14+00S 02+50E	201	---	1.1	<5								
LN14+00S 03+00E	201	---	0.9	<<5								
LN14+00S 03+50E	201	---	0.3	<<5								
LN14+00S 04+00E	201	---	0.6	<<5								
LN14+00S 04+50E	201	---	0.2	<<5								
LN14+00S 05+00E	201	---	0.5	<5								
LN14+00S 05+50E	201	---	0.5	<<5								
LN14+00S 06+00E	201	---	0.7	<<5								
LN14+00S 06+50E	201	---	0.3	<<5								
LN14+00S 07+00E	201	---	0.7	<5								
LN14+00S 07+50E	201	---	0.3	<5								
LN14+00S 08+00E	201	---	0.5	<<5								
LN14+00S 08+50E	201	---	0.2	<<5								
LN14+00S 09+00E	201	---	0.3	<<5								
LN14+00S 09+50E	201	---	0.7	<5								
LN14+00S 10+00E	201	---	0.2	<5								
LN14+00S 10+50E	201	---	0.4	<<5								
LN14+00S 11+00E	201	---	0.5	<<5								
LN14+00S 11+50E	201	---	0.1	<<5								
LN14+00S 12+00E	201	---	0.4	<5								

CERTIFICATION :

Hans Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 5
 Tot. Pages: 7
 Date : 2-NOV-87
 Invoice # : I-8724879
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN14+00S 12+50E	201	--	0.7	< 5									
LN14+00S 13+00E	201	--	0.7	< 5									
LN14+00S 13+50E	201	--	0.5	< 5									
LN14+00S 14+00E	201	--	1.1	10									
LN14+00S 14+50E	201	--	0.4	10									
LN14+00S 15+00E	201	--	0.4	260									
LN14+50S 00+00E	201	--	0.5	< 5									
LN14+50S 00+50E	201	--	0.6	< 5									
LN14+50S 01+00E	201	--	0.9	< 5									
LN14+50S 01+50E	201	--	0.8	15									
LN14+50S 02+00E	201	--	1.0	< 5									
LN14+50S 02+50E	201	--	0.4	< 5									
LN14+50S 03+00E	201	--	0.7	< 5									
LN14+50S 03+50E	201	--	0.5	< 5									
LN14+50S 04+00E	201	--	0.1	< 5									
LN14+50S 04+50E	201	--	1.3	< 5									
LN14+50S 05+00E	201	--	0.2	< 5									
LN14+50S 05+50E	201	--	0.3	55									
LN14+50S 06+00E	201	--	0.1	< 5									
LN14+50S 06+50E	201	--	0.4	< 5									
LN14+50S 07+00E	201	--	0.2	< 5									
LN14+50S 07+50E	201	--	0.2	< 5									
LN14+50S 08+00E	201	--	0.2	< 5									
LN14+50S 08+50E	201	--	1.0	< 5									
LN14+50S 09+00E	201	--	0.1	< 5									
LN14+50S 09+50E	201	--	0.4	< 5									
LN14+50S 10+00E	201	--	0.1	< 5									
LN14+50S 10+50E	201	--	0.2	15									
LN14+50S 11+00E	201	--	0.2	< 5									
LN14+50S 11+50E	201	--	0.1	10									
LN14+50S 12+00E	201	--	0.1	15									
LN14+50S 12+50E	201	--	0.8	< 5									
LN14+50S 13+00E	201	--	1.0	< 5									
LN14+50S 13+50E	201	--	0.1	< 5									
LN14+50S 14+00E	201	--	0.2	< 5									
LN14+50S 14+50E	201	--	0.6	< 5									
LN14+50S 15+00E	201	--	0.1	< 5									
LN15+00S 00+00E	201	--	0.4	< 5									
LN15+00S 00+50E	201	--	0.4	< 5									
LN15+00S 01+00E	201	--	0.5	10									

CERTIFICATION :

Stuart Buehler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 6
 Tot. Pages: 7
 Date : 2-NOV-87
 Invoice #: I-8724879
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN15+00S 01+50E	201	--	0.5	< 5									
LN15+00S 02+00E	201	--	2.3	<< 5									
LN15+00S 02+50E	201	--	0.5	<< 5									
LN15+00S 03+00E	201	--	1.3	<< 5									
LN15+00S 03+50E	201	--	0.4	< 5									
LN15+00S 04+00E	201	--	1.3	< 5									
LN15+00S 04+50E	201	--	0.2	< 5									
LN15+00S 05+00E	201	--	0.4	10									
LN15+00S 05+50E	201	--	0.4	5									
LN15+00S 06+00E	201	--	0.1	< 5									
LN15+00S 06+50E	201	--	0.6	< 5									
LN15+00S 07+00E	201	--	0.3	<< 5									
LN15+00S 07+50E	201	--	0.3	<< 5									
LN15+00S 08+00E	201	--	0.2	<< 5									
LN15+00S 08+50E	201	--	0.2	< 5									
LN15+00S 09+00E	201	--	0.2	< 5									
LN15+00S 09+50E	201	--	0.3	<< 5									
LN15+00S 10+00E	201	--	0.1	<< 5									
LN15+00S 10+50E	201	--	0.1	<< 5									
LN15+00S 11+00E	201	--	0.2	< 5									
LN15+00S 11+50E	201	--	0.1	< 5									
LN15+00S 12+00E	201	--	0.1	<< 5									
LN15+00S 12+50E	201	--	0.1	<< 5									
LN15+00S 13+00E	201	--	0.2	<< 5									
LN15+00S 13+50E	201	--	0.1	< 5									
LN15+00S 14+00E	201	--	0.1	< 5									
LN15+00S 14+50E	201	--	0.1	<< 5									
LN15+00S 15+00E	201	--	0.1	< 5									
LN25+00S 00+00E	201	--	1.3	< 5									
LN25+00S 00+50E	201	--	0.1	< 5									
LN25+00S 01+00E	201	--	0.5	< 5									
LN25+00S 01+50E	201	--	0.7	<< 5									
LN25+00S 02+00E	201	--	0.7	<< 5									
LN25+00S 02+50E	201	--	0.1	<< 5									
LN25+00S 03+00E	201	--	0.6	< 5									
LN25+00S 03+50E	201	--	0.5	< 5									
LN25+00S 04+00E	201	--	0.3	<< 5									
LN25+00S 04+50E	201	--	0.1	<< 5									
LN25+00S 05+00E	201	--	0.1	<< 5									
LN25+00S 05+50E	201	--	0.2	< 5									

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 7
 Tot. Pages: 7
 Date : 2-NOV-87
 Invoice # : I-8724879
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN25+00S 06+00E	201	--	0.4	< 20									
LN25+00S 06+50E	201	--	1.6	< 5									
LN25+00S 07+00E	201	--	0.6	< 5									
LN25+00S 07+50E	201	--	0.4	< 5									
LN25+00S 08+00E	201	--	1.1	< 5									
LN25+00S 08+50E	201	--	0.5	< 5									
LN25+00S 09+00E	201	--	0.4	< 5									
LN25+00S 09+50E	201	--	0.1	< 5									
LN25+00S 10+00E	201	--	1.8	< 5									
LN25+00S 10+50E	201	--	0.7	< 5									
LN25+00S 11+00E	201	--	0.9	< 5									
LN25+00S 11+50E	201	--	0.7	< 5									
LN25+00S 12+00E	201	--	1.0	< 5									
LN25+00S 12+50E	201	--	0.7	< 5									
LN25+00S 13+00E	201	--	0.9	< 5									
LN25+00S 13+50E	201	--	1.1	< 10									
LN25+00S 14+00E	201	--	1.0	< 5									
LN25+00S 14+50E	201	--	1.0	< 5									
LN25+00S 15+00E	201	--	0.3	< 5									
LN10+00E 15+50S	201	--	0.1	< 5									
LN10+00E 16+00S	201	--	0.5	< 5									
LN10+00E 16+50S	201	--	0.1	< 15									
LN10+00E 17+00S	201	--	0.9	< 5									
LN10+00E 17+50S	201	--	0.6	< 5									
LN10+00E 18+00S	201	--	0.2	< 10									
LN10+00E 18+50S	201	--	0.3	< 5									
LN10+00E 19+00S	201	--	0.4	< 10									
LN10+00E 19+50S	201	--	0.8	< 5									
LN10+00E 20+00S	201	--	1.0	< 5									
LN10+00E 20+50S	201	--	0.5	< 5									
LN10+00E 21+00S	201	--	0.5	< 5									
LN10+00E 21+50S	201	--	1.0	< 25									
LN10+00E 22+00S	201	--	2.2	< 5									
LN10+00E 22+50S	201	--	1.7	< 5									
LN10+00E 23+00S	201	--	1.2	< 5									
LN10+00E 23+50S	201	--	0.7	< 5									
LN10+00E 24+00S	201	--	0.8	< 10									
LN10+00E 24+50S	201	--	2.1	< 5									

CERTIFICATION :

Dent Biebler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 1
 Tot. Pages: 7
 Date : 3-NOV-87
 Invoice #: I-8725009
 P.O. # :

CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
0+00 15+50S	201	--	1.0	< 5									
0+00 16+00S	201	--	0.8	205									
0+00 16+50S	201	--	1.0	105									
0+00 17+00S	201	--	1.5	105									
0+00 17+50S	201	--	1.7	5									
0+00 18+00S	201	--	0.6	< 35									
0+00 18+50S	201	--	0.4	< 5									
0+00 19+00S	201	--	0.4	<< 5									
0+00 19+50S	201	--	0.3	<< 5									
0+00 20+00S	201	--	1.0	< 5									
0+00 20+50S	201	--	0.4	< 5									
0+00 21+00S	201	--	0.2	< 5									
0+00 21+50S	201	--	0.9	105									
0+00 22+00S	201	--	1.4	105									
0+00 22+50S	201	--	2.4	< 5									
0+00 23+00S	201	--	0.3	< 5									
0+00 23+50S	201	--	0.5	< 5									
0+00 24+00S	201	--	0.9	<< 5									
0+00 24+50S	201	--	1.7	<< 5									
0+50E 15+50S	201	--	1.6	<< 5									
0+50E 16+00S	201	--	0.1	< 5									
0+50E 16+50S	201	--	0.4	105									
0+50E 17+00S	201	--	1.7	<< 5									
0+50E 17+50S	201	--	2.4	<< 5									
0+50E 18+00S	201	--	0.9	<< 5									
0+50E 18+50S	201	--	0.3	< 5									
0+50E 19+00S	201	--	1.5	<< 5									
0+50E 19+50S	201	--	0.7	<< 5									
0+50E 20+00S	201	--	0.5	<< 5									
0+50E 20+50S	201	--	0.6	< 5									
0+50E 21+00S	201	--	0.2	< 5									
0+50E 21+50S	201	--	0.3	<< 5									
0+50E 22+00S	201	--	0.7	<< 5									
0+50E 22+50S	201	--	0.7	<< 5									
0+50E 23+00S	201	--	0.1	<< 5									
0+50E 23+50S	201	--	0.7	< 5									
0+50E 24+00S	201	--	0.4	<< 5									
0+50E 24+50S	201	--	0.5	<< 5									
1+00E 15+50S	201	--	0.8										
1+00E 16+00S	201	--	2.4	< 5									

CERTIFICATION :

HartlBuehler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 2
 Tot. Pages: 7
 Date : 3-NOV-87
 Invoice #: I-8725009
 P.O. # :

CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FAAA										
1+00E 16+50S	201	--	2.0	< 100									
1+00E 17+00S	201	--	3.2	< 5									
1+00E 17+50S	201	--	0.4	< 5									
1+00E 18+00S	201	--	0.7	< 5									
1+00E 18+50S	201	--	0.6	< 5									
1+00E 19+00S	201	--	3.5	< 5									
1+00E 19+50S	201	--	1.5	< 5									
1+00E 20+00S	201	--	0.3	< 5									
1+00E 20+50S	201	--	0.2	< 5									
1+00E 21+00S	201	--	1.2	< 5									
1+00E 21+50S	201	--	0.4	< 5									
1+00E 22+00S	201	--	0.3	< 5									
1+00E 22+50S	201	--	0.2	< 5									
1+00E 23+00S	201	--	0.6	< 5									
1+00E 23+50S	201	--	0.4	< 5									
1+00E 24+00S	201	--	0.6	< 5									
1+00E 24+50S	201	--	0.6	< 5									
1+50E 15+50S	201	--	0.7	< 5									
1+50E 16+00S	201	--	0.3	< 25									
1+50E 16+50S	201	--	0.5	< 5									
1+50E 17+00S	201	--	0.8	< 5									
1+50E 17+50S	201	--	0.6	< 5									
1+50E 18+00S	201	--	0.6	< 5									
1+50E 18+50S	201	--	0.7	< 5									
1+50E 19+00S	201	--	0.8	< 5									
1+50E 19+50S	201	--	1.1	< 5									
1+50E 20+00S	201	--	3.3	< 5									
1+50E 20+50S	201	--	0.9	< 5									
1+50E 21+00S	201	--	0.1	< 5									
1+50E 21+50S	201	--	5.0	< 5									
1+50E 22+00S	201	--	0.4	< 5									
1+50E 22+50S	201	--	0.3	< 5									
1+50E 23+00S	201	--	0.1	< 5									
1+50E 23+50S	201	--	0.1	< 5									
1+50E 24+00S	201	--	0.6	< 5									
1+50E 24+50S	201	--	0.1	< 5									
2+00E 15+50S	201	--	0.4	< 5									
2+00E 16+00S	201	--	1.3	< 5									
2+00E 16+50S	201	--	0.7	< 5									
2+00E 17+00S	201	--	0.7	< 5									

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 3
 Tot. Pages: 7
 Date : 3-NOV-87
 Invoice #: 1-8725009
 P.O. # :

CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
2+00E 17+50S	201	—	0.7	< 5								
2+00E 18+00S	201	—	1.2	<< 5								
2+00E 18+50S	201	—	0.9	<< 5								
2+00E 19+00S	201	—	2.6	< 5								
2+00E 19+50S	201	—	2.2	25								
2+00E 20+00S	201	—	0.7	5								
2+00E 20+50S	201	—	1.3	30								
2+00E 21+00S	201	—	5.0	10								
2+00E 21+50S	201	—	0.9	5								
2+00E 22+00S	201	—	1.7	< 5								
2+00E 22+50S	201	—	0.6	< 5								
2+00E 23+00S	201	—	0.3	< 5								
2+00E 23+50S	201	—	0.6	15								
2+00E 24+00S	201	—	0.5	5								
2+00E 24+50S	201	—	0.6	< 5								
2+50E 15+50S	201	—	0.4	< 5								
2+50E 16+00S	201	—	0.5	<< 5								
2+50E 16+50S	201	—	0.7	<< 5								
2+50E 17+00S	201	—	1.2	<< 5								
2+50E 17+50S	201	—	0.2	< 5								
2+50E 18+00S	201	—	1.3	< 5								
2+50E 18+50S	201	—	2.4	<< 5								
2+50E 19+00S	201	—	0.8	<< 5								
2+50E 19+50S	201	—	0.6	<< 5								
2+50E 20+00S	201	—	7.5	< 5								
2+50E 20+50S	201	—	1.9	< 5								
2+50E 21+00S	201	—	5.8	<< 5								
2+50E 21+50S	201	—	1.7	<< 5								
2+50E 22+00S	201	—	0.3	<< 5								
2+50E 22+50S	201	—	0.4	< 5								
2+50E 23+00S	201	—	0.2	< 5								
2+50E 23+50S	201	—	0.4	<< 5								
2+50E 24+00S	201	—	0.2	<< 5								
2+50E 24+50S	201	—	1.6	<< 5								
3+00E 15+50S	201	—	0.6	< 5								
3+00E 16+00S	201	—	0.8	< 5								
3+00E 16+50S	201	—	0.3	<< 5								
3+00E 17+00S	201	—	0.8	<< 5								
3+00E 17+50S	201	—	0.5	<< 5								
3+00E 18+00S	201	—	0.4	< 5								

CERTIFICATION :

Start Bueches



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1

Comments:


Page No. : 4
 Tot. Pages: 7
 Date : 3-NOV-87
 Invoice #: I-8725009
 P.O. # :

CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
3+00E 18+50S	201	--	2.0	< 5									
3+00E 19+00S	201	--	0.3	< 5									
3+00E 19+50S	201	--	0.5	< 5									
3+00E 20+00S	201	--	1.6	< 5									
3+00E 20+50S	201	--	0.7	< 5									
3+00E 21+00S	201	--	0.2	< 5									
3+00E 21+50S	201	--	0.4	< 5									
3+00E 22+00S	201	--	0.5	< 5									
3+00E 22+50S	201	--	0.4	< 10									
3+00E 23+00S	201	--	0.3	< 5									
3+00E 23+50S	201	--	0.7	< 5									
3+00E 24+00S	201	--	0.2	< 5									
3+00E 24+50S	201	--	0.4	< 5									
3+00E 25+50S	201	--	0.3	< 5									
3+00E 26+00S	201	--	0.2	< 5									
3+00E 26+50S	201	--	1.2	< 5									
3+00E 27+00S	201	--	0.5	< 5									
3+50E 15+50S	201	--	1.1	< 5									
3+50E 16+00S	201	--	1.3	< 5									
3+50E 16+50S	201	--	2.7	< 5									
3+50E 17+00S	201	--	0.7	< 5									
3+50E 17+50S	201	--	1.3	< 5									
3+50E 18+00S	201	--	1.0	< 5									
3+50E 18+50S	201	--	0.9	< 5									
3+50E 19+00S	201	--	0.8	< 5									
3+50E 19+50S	201	--	0.2	< 5									
3+50E 20+00S	201	--	1.0	< 5									
3+50E 20+50S	201	--	1.0	< 5									
3+50E 21+00S	201	--	0.9	< 5									
3+50E 21+50S	201	--	1.8	< 5									
3+50E 22+00S	201	--	0.8	< 5									
3+50E 22+50S	201	--	2.0	< 5									
3+50E 23+00S	201	--	1.2	< 5									
3+50E 23+50S	201	--	1.1	< 5									
3+50E 24+00S	201	--	1.1	< 5									
3+50E 24+50S	201	--	0.8	< 5									
3+50E 25+50S	201	--	0.4	< 5									
3+50E 26+00S	201	--	0.4	< 5									
3+50E 26+50S	201	--	1.4	< 5									
3+50E 27+00S	201	--	0.4	< 5									

CERTIFICATION :

Hans Bickler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 5
 Tot. Pages: 7
 Date : 3-NOV-87
 Invoice # : I-8725009
 P.O. # :

CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
4+00E 15+50S	201	--	0.7	< 5									
4+00E 16+00S	201	--	0.5	< 5									
4+00E 16+50S	201	--	0.7	< 5									
4+00E 17+00S	201	--	1.9	< 5									
4+00E 17+50S	201	--	2.8	< 5									
4+00E 18+00S	201	--	0.5	< 5									
4+00E 18+50S	201	--	0.9	< 5									
4+00E 19+00S	201	--	0.6	< 5									
4+00E 19+50S	201	--	0.8	< 5									
4+00E 20+00S	201	--	0.3	< 5									
4+00E 20+50S	201	--	0.4	< 5									
4+00E 21+00S	201	--	0.6	< 5									
4+00E 21+50S	201	--	1.9	< 5									
4+00E 22+00S	201	--	1.3	< 5									
4+00E 22+50S	201	--	0.4	< 5									
4+00E 23+00S	201	--	0.3	< 5									
4+00E 23+50S	201	--	1.6	< 5									
4+00E 24+00S	201	--	1.0	< 5									
4+00E 24+50S	201	--	0.5	< 5									
4+00E 25+50S	201	--	1.1	< 5									
4+00E 26+00S	201	--	0.1	< 5									
4+00E 26+50S	201	--	0.1	< 5									
4+00E 27+00S	201	--	1.1	< 5									
4+50E 15+50S	201	--	1.1	< 5									
4+50E 16+00S	201	--	1.1	< 5									
4+50E 16+50S	201	--	0.8	< 5									
4+50E 17+00S	201	--	0.2	< 5									
4+50E 17+50S	201	--	1.7	< 5									
4+50E 18+00S	201	--	0.4	< 5									
4+50E 18+50S	201	--	1.5	< 5									
4+50E 19+00S	201	--	1.1	< 5									
4+50E 19+50S	201	--	1.8	< 5									
4+50E 20+00S	201	--	1.4	< 5									
4+50E 20+50S	201	--	0.5	< 5									
4+50E 21+00S	201	--	0.2	< 5									
4+50E 21+50S	201	--	0.3	< 5									
4+50E 22+00S	201	--	0.5	< 5									
4+50E 22+50S	201	--	1.5	< 5									
4+50E 23+00S	201	--	0.1	< 5									
4+50E 23+50S	201	--	0.5	< 5									

CERTIFICATION : start Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1

Comments:

Page No. : 6
 Tot. Pages: 7
 Date : 3-NOV-87
 Invoice #: I-8725009
 P.O. # :

CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FATAA										
4+50E 24+00S	201	--	0.9	< 5									
4+50E 24+50S	201	--	0.9	<< 5									
4+50E 25+50S	201	--	0.2	<< 5									
4+50E 26+00S	201	--	0.2	<< 5									
4+50E 26+50S	201	--	0.1	< 5									
4+50E 27+00S	201	--	0.3	< 5									
5+00E 15+50S	201	--	0.3	< 5									
5+00E 16+00S	201	--	0.8	<< 5									
5+00E 16+50S	201	--	1.1	<< 5									
5+00E 17+00S	201	--	0.5	< 5									
5+00E 17+50S	201	--	1.7	< 5									
5+00E 18+00S	201	--	1.9	< 5									
5+00E 18+50S	201	--	0.6	< 5									
5+00E 19+00S	201	--	0.3	<< 5									
5+00E 19+50S	201	--	0.4	< 5									
5+00E 20+00S	201	--	0.9	< 5									
5+00E 20+50S	201	--	1.6	<< 5									
5+00E 21+00S	201	--	1.2	<< 5									
5+00E 21+50S	201	--	0.2	< 5									
5+00E 22+00S	201	--	3.1	< 5									
5+00E 22+50S	201	--	0.7	< 5									
5+00E 23+00S	201	--	0.2	< 5									
5+00E 23+50S	201	--	0.5	< 5									
5+00E 24+00S	201	--	0.4	< 5									
5+00E 24+50S	201	--	1.6	125									
5+00E 25+50S	201	--	0.8	< 5									
5+00E 26+00S	201	--	1.3	<< 5									
5+00E 26+50S	201	--	0.2	< 5									
5+00E 27+00S	201	--	0.4	10									
5+00E 27+50S	201	--	0.4	20									
5+50E 16+00S	201	--	0.3	< 5									
5+50E 16+50S	201	--	0.3	<< 5									
5+50E 17+00S	201	--	0.3	< 5									
5+50E 17+50S	201	--	0.4	< 5									
5+50E 18+00S	201	--	0.4	< 5									
5+50E 18+50S	201	--	1.5	< 5									
5+50E 19+00S	201	--	0.5	< 5									
5+50E 19+50S	201	--	0.7	< 5									
5+50E 20+00S	201	--	0.5	< 5									
5+50E 20+50S	201	--	0.5	< 5									

CERTIFICATION :

Hart Bechler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0111

To : ARCTEX ENGINEERING

Page No. : 7
 Tot. Pages: 7
 Date : 3-NOV-87
 Invoice # : I-8725009
 P.O. # :

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.

V6K 3M3

Project : BEL #1

Comments:

CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
S+50E 21+00S	201	--	0.5	< 5										
S+50E 21+50S	201	--	0.3	<< 5										
S+50E 22+00S	201	--	0.6	<< 5										
S+50E 22+50S	201	--	2.0	<< 5										
S+50E 23+00S	201	--	0.3	< 5										
S+50E 23+50S	201	--	1.8	< 5										
S+50E 24+00S	201	--	0.2	<< 5										
S+50E 24+50S	201	--	0.7	< 5										
S+50E 25+00S	201	--	0.1	< 25										
S+50E 26+00S	201	--	0.2	< 5										
S+50E 26+50S	201	--	0.1	< 5										

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1

Comments:

Page No. : 1
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice #: I-8725837
 P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
6+00E 15+50S	201	--	0.4	< 5									
6+00E 16+00S	201	--	0.3	<< 5									
6+00E 16+50S	201	--	0.3	<< 5									
6+00E 17+00S	201	--	0.6	<< 5									
6+00E 17+50S	201	--	0.5	< 5									
6+00E 18+00S	201	--	0.3	< 5									
6+00E 18+50S	201	--	0.2	< 5									
6+00E 19+00S	201	--	2.8	<< 5									
6+00E 19+50S	201	--	0.4	<< 5									
6+00E 20+00S	201	--	0.2	< 5									
6+00E 20+50S	201	--	0.5	< 5									
6+00E 21+00S	201	--	0.5	< 5									
6+00E 21+50S	201	--	0.5	< 5									
6+00E 22+00S	201	--	2.6	< 5									
6+00E 22+50S	201	--	1.5	< 5									
6+00E 23+00S	201	--	1.4	< 5									
6+00E 23+50S	201	--	0.7	<< 5									
6+00E 24+00S	201	--	0.1	<< 5									
6+00E 24+50S	201	--	0.2	<< 5									
6+00E 25+50S	201	--	0.4	< 5									
6+00E 26+00S	201	--	1.0	< 5									
6+00E 26+50S	201	--	0.2	<< 5									
6+50E 15+50S	201	--	0.3	<< 5									
6+50E 16+00S	201	--	0.6	<< 5									
6+50E 16+50S	201	--	0.7	< 5									
6+50E 17+00S	201	--	1.1	< 5									
6+50E 17+50S	201	--	0.4	<< 5									
6+50E 18+00S	201	--	0.4	<< 5									
6+50E 18+50S	201	--	0.1	<< 5									
6+50E 19+00S	201	--	1.5	< 5									
6+50E 19+50S	201	--	2.6	< 5									
6+50E 20+00S	201	--	0.2	<< 5									
6+50E 20+50S	201	--	0.2	<< 5									
6+50E 21+00S	201	--	0.8	< 5									
6+50E 21+50S	201	--	0.2	20									
6+50E 22+00S	201	--	0.4	< 5									
6+50E 22+50S	201	--	0.7	<< 5									
6+50E 23+00S	201	--	0.6	<< 5									
6+50E 23+50S	201	--	1.7	<< 5									
6+50E 24+00S	201	--	0.8	< 5									

CERTIFICATION :

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 2
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice #: I-8725837
 P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
6+50E 24+50S	201	--	0.3	< 5									
6+50E 25+50S	201	--	0.4	< 5									
6+50E 26+00S	201	--	0.4	< 5									
6+50E 26+50S	201	--	0.4	< 5									
7+00E 15+50S	201	--	0.4	< 5									
7+00E 16+00S	201	--	0.2	< 5									
7+00E 16+50S	201	--	0.3	< 5									
7+00E 17+00S	201	--	0.6	< 5									
7+00E 17+50S	201	--	0.6	< 5									
7+00E 18+00S	201	--	0.1	< 5									
7+00E 18+50S	201	--	0.3	< 5									
7+00E 19+00S	201	--	0.5	< 5									
7+00E 19+50S	201	--	0.4	< 5									
7+00E 20+00S	201	--	0.3	< 5									
7+00E 20+50S	201	--	0.1	< 5									
7+00E 21+00S	201	--	0.7	< 5									
7+00E 21+50S	201	--	1.1	< 5									
7+00E 22+00S	201	--	0.2	< 5									
7+00E 22+50S	201	--	1.0	< 5									
7+00E 23+00S	201	--	0.7	< 5									
7+00E 23+50S	201	--	0.6	< 5									
7+00E 24+00S	201	--	1.5	< 5									
7+00E 24+50S	201	--	0.1	< 5									
7+00E 25+50S	201	--	0.3	< 5									
7+00E 26+00S	201	--	0.5	< 5									
7+50E 26+50S	201	--	0.3	< 5									
7+50E 15+50S	201	--	0.3	< 5									
7+50E 16+00S	201	--	0.6	< 5									
7+50E 16+50S	201	--	0.3	< 5									
7+50E 17+00S	201	--	0.9	< 5									
7+50E 17+50S	201	--	0.9	< 5									
7+50E 18+00S	201	--	0.7	< 5									
7+50E 18+50S	201	--	0.2	< 5									
7+50E 19+00S	201	--	0.6	< 5									
7+50E 19+50S	201	--	0.5	< 5									
7+50E 20+00S	201	--	0.4	< 5									
7+50E 20+50S	201	--	0.5	< 5									
7+50E 21+00S	201	--	0.3	< 5									
7+50E 21+50S	201	--	0.4	< 5									
7+50E 22+00S	201	--	0.6	< 5									

Hans Biehler

CERTIFICATION :



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1

Comments:

Page No. : 3
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice #: I-8725837
 P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
7+50E 22+50S	201	--	0.7	< 5									
7+50E 23+00S	201	--	0.2	< 25									
7+50E 23+50S	201	--	1.4	< 5									
7+50E 24+00S	201	--	0.1	< 5									
7+50E 24+50S	201	--	0.2	< 5									
7+50E 25+50S	201	--	0.4	< 5									
7+50E 26+00S	201	--	0.1	< 5									
8+00E 15+50S	201	--	0.3	<< 5									
8+00E 16+00S A	201	--	0.1	<< 5									
8+00E 16+00S B	--	--	0.8	< 5									
8+00E 16+50S	201	--	0.4	< 5									
8+00E 17+00S	201	--	0.3	<< 5									
8+00E 17+50S	201	--	0.4	<< 5									
8+00E 18+00S	201	--	0.9	<< 5									
8+00E 18+50S	201	--	0.6	< 5									
8+00E 19+00S	201	--	0.3	< 5									
8+00E 19+50S	201	--	0.5	<< 5									
8+00E 20+00S	201	--	0.1	<< 5									
8+00E 20+50S	201	--	0.5	<< 5									
8+00E 21+00S	201	--	1.0	< 5									
8+00E 21+50S	201	--	0.2	< 5									
8+00E 22+00S	201	--	1.2	<< 5									
8+00E 22+50S	201	--	0.2	<< 5									
8+00E 23+00S	201	--	1.6	<< 5									
8+00E 23+50S	201	--	0.2	< 5									
8+00E 24+00S	201	--	0.3	< 5									
8+00E 24+50S	201	--	0.4	10									
8+00E 25+50S	201	--	0.9	10									
8+50E 15+50S	201	--	0.2	< 5									
8+50E 16+50S	201	--	0.5	< 5									
8+50E 17+00S	201	--	0.4	< 5									
8+50E 17+50S	201	--	0.3	<< 5									
8+50E 18+00S	201	--	0.5	<< 5									
8+50E 18+50S	201	--	1.7	<< 5									
8+50E 19+00S	201	--	0.3	< 5									
8+50E 19+50S	201	--	0.3	< 5									
8+50E 20+00S	201	--	0.3	<< 5									
8+50E 20+50S	201	--	0.1	<< 5									
8+50E 21+00S	201	--	0.4	<< 5									
8+50E 21+50S	201	--	0.9	< 5									

CERTIFICATION :

Hart Bieker



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 4
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice #: I-8725837
 P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
8+50E 22+00S	201	--	0.4										
8+50E 22+50S	201	--	0.8										
8+50E 23+00S	201	--	0.5	< 5									
8+50E 23+50S	201	--	0.7	< 5									
8+50E 24+00S	201	--	0.6	< 5									
8+50E 24+50S	201	--	1.3	< 5									
8+50E 25+00S	201	--	0.3	< 5									
8+50E 26+00S	201	--	0.7	< 5									
9+00E 15+50S	201	--	0.2	< 5									
9+00E 16+00S	201	--	0.6	< 5									
9+00E 16+50S	201	--	0.2	< 5									
9+00E 17+00S	201	--	0.3	10									
9+00E 17+50S	201	--	0.3	< 5									
9+00E 18+00S	201	--	1.3	< 5									
9+00E 18+50S	201	--	0.5	< 5									
9+00E 19+00S	201	--	0.5	< 5									
9+00E 19+50S	201	--	0.2	< 5									
9+00E 20+00S	201	--	0.2	< 5									
9+00E 20+50S	201	--	1.0	< 5									
9+00E 21+00S	201	--	0.6	< 5									
9+00E 21+50S	201	--	0.5	< 5									
9+00E 22+00S	201	--	0.6	< 5									
9+00E 22+50S	201	--	1.2	< 5									
9+00E 23+00S	201	--	1.8	< 5									
9+00E 23+50S	201	--	1.4	< 5									
9+00E 24+00S	201	--	0.2	< 5									
9+00E 24+50S	201	--	0.3	< 5									
9+00E 25+00S	201	--	0.1	< 5									
9+00E 26+00S	201	--	0.7	< 5									
9+50E 15+50S	201	--	1.0	< 5									
9+50E 16+00S	201	--	0.4	< 5									
9+50E 16+50S	217	--	0.7	< 5									
9+50E 17+00S	201	--	1.3	< 5									
9+50E 17+50S	201	--	0.8	< 5									
9+50E 18+00S	201	--	0.8	10									
9+50E 18+50S	201	--	1.3	< 5									
9+50E 19+00S	201	--	0.6	< 5									
9+50E 19+50S	201	--	0.3	< 5									
9+50E 20+00S	201	--	0.3	< 5									
9+50E 20+50S	201	--	0.2	< 5									

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL #1

Comments:

Page No. : 5
Tot. Pages: 9
Date : 17-NOV-87
Invoice #: I-8725837
P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
9+50E 21+00S	201	--	0.5	< 5								
9+50E 21+50S	201	--	0.3	< 5								
9+50E 22+00S	201	--	1.5	< 5								
9+50E 22+50S	201	--	0.2	< 5								
9+50E 23+00S	201	--	0.3	< 5								
9+50E 23+50S	201	--	0.5	< 5								
9+50E 24+00S	201	--	0.7	< 5								
9+50E 24+50S	201	--	0.3	< 5								
9+50E 25+50S	201	--	0.2	< 5								
10+50E 15+50S	201	--	0.2	< 5								
10+50E 16+00S	201	--	0.3	< 5								
10+50E 16+50S	201	--	0.1	< 5								
10+50E 17+00S	201	--	0.2	< 5								
10+50E 17+50S	201	--	0.3	< 5								
10+50E 18+00S	201	--	1.0	< 5								
10+50E 18+50S	201	--	0.3	< 5								
10+50E 19+00S	201	--	0.3	< 5								
10+50E 19+50S	201	--	0.5	< 5								
10+50E 20+00S	201	--	0.6	< 5								
10+50E 20+50S	201	--	0.4	< 5								
10+50E 21+00S	201	--	0.8	< 5								
10+50E 21+50S	201	--	1.0	< 5								
10+50E 22+00S	201	--	0.3	< 5								
10+50E 22+50S	201	--	1.2	< 5								
10+50E 23+00S	201	--	0.9	< 5								
10+50E 23+50S	201	--	0.6	< 5								
10+50E 24+00S	201	--	0.3	< 5								
10+50E 24+50S	201	--	1.3	< 5								
11+00E 15+50S	201	--	0.4	< 5								
11+00E 16+00S	201	--	0.3	< 5								
11+00E 16+50S	201	--	0.4	< 5								
11+00E 17+00S	201	--	1.5	< 5								
11+00E 17+50S	201	--	1.1	< 5								
11+00E 18+00S	201	--	0.4	< 5								
11+00E 18+50S	201	--	0.1	< 5								
11+00E 19+00S	217	--	0.8	< 5								
11+00E 19+50S	201	--	0.3	< 10								
11+00E 20+00S	201	--	0.5	< 5								
11+00E 20+50S	201	--	0.4	< 5								
11+00E 21+00S	201	--	0.3	< 5								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING
 301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3
 Project : BEL #1
 Comments:


Page No. : 6
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice #: I-8725837
 P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
11+00E 21+50S	201	—	0.7	< 5									
11+00E 22+00S	201	—	0.2	< 5									
11+00E 22+50S	201	—	0.9	< 5									
11+00E 23+00S	201	—	1.0	< 5									
11+00E 23+50S	201	—	1.3	< 5									
11+00E 24+00S	201	—	0.8	< 5									
11+00E 24+50S	201	—	0.3	< 5									
11+50E 15+50S	217	—	0.2	< 5									
11+50E 16+00S	201	—	0.5	< 5									
11+50E 16+50S	201	—	0.5	< 5									
11+50E 17+00S	201	—	0.3	< 5									
11+50E 17+50S	201	—	1.0	< 5									
11+50E 18+00S	201	—	0.6	< 5									
11+50E 18+50S	201	—	0.3	< 5									
11+50E 19+00S	201	—	0.2	< 5									
11+50E 19+50S	201	—	0.1	< 5									
11+50E 20+00S	201	—	0.1	< 5									
11+50E 20+50S	201	—	0.1	< 5									
11+50E 21+00S	201	—	0.1	< 5									
11+50E 21+50S	201	—	0.7	< 5									
11+50E 22+00S	201	—	0.7	< 5									
11+50E 22+50S	201	—	0.8	< 5									
11+50E 23+00S	201	—	0.5	< 5									
11+50E 23+50S	201	—	0.8	< 10									
11+50E 24+00S	201	—	0.8	< 5									
11+50E 24+50S	201	—	0.8	< 5									
12+00E 15+50S	201	—	0.6	< 5									
12+00E 16+00S	201	—	0.6	< 5									
12+00E 16+50S	201	—	0.6	< 5									
12+00E 17+00S	201	—	0.6	< 5									
12+00E 17+50S	201	—	0.5	< 5									
12+00E 18+00S	201	—	0.8	< 5									
12+00E 18+50S	201	—	1.7	< 5									
12+00E 19+00S	201	—	1.1	< 5									
12+00E 19+50S	201	—	0.8	< 5									
12+00E 20+00S	201	—	0.4	< 5									
12+00E 20+50S	201	—	0.4	< 5									
12+00E 21+00S	201	—	0.2	< 5									
12+00E 21+50S	201	—	1.0	< 5									
12+00E 22+00S	201	—	0.7	< 5									

CERTIFICATION :

Gert Biebler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0211

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Page No. : 7
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice #: I-8725837
 P.O. # :

Project : BEL #1
 Comments:

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
12+00E 22+50S	201	--	0.5	< 5										
12+00E 23+00S	201	--	0.4	< 5										
12+00E 23+50S	201	--	0.7	< 5										
12+00E 24+00S	201	203	0.2	< 5										
12+00E 24+50S	201	--	0.3	< 5										
12+50E 15+50S	201	--	0.2	< 5										
12+50E 16+00S	201	--	0.1	< 5										
12+50E 16+50S	201	--	0.1	< 5										
12+50E 17+00S	201	--	1.1	< 5										
12+50E 17+50S	201	--	1.0	< 5										
12+50E 18+00S	201	--	1.0	< 5										
12+50E 18+50S	201	--	1.8	< 5										
12+50E 19+00S	201	--	1.4	< 5										
12+50E 19+50S	201	--	0.8	< 5										
12+50E 20+00S	201	--	1.2	< 5										
12+50E 20+50S	201	--	1.0	< 5										
12+50E 21+00S	201	--	0.5	< 5										
12+50E 21+50S	201	--	2.7	< 5										
12+50E 22+00S	201	--	0.7	< 5										
12+50E 22+50S	201	--	0.4	< 5										
12+50E 23+00S	201	--	1.3	< 5										
12+50E 23+50S	201	--	2.0	< 5										
12+50E 24+00S	201	--	0.2	< 5										
12+50E 24+50S	201	--	2.0	< 5										
13+00E 15+50S	201	--	0.3	< 5										
13+00E 16+00S	201	--	0.3	< 5										
13+00E 16+50S	201	--	0.5	< 5										
13+00E 17+00S	201	--	0.5	< 5										
13+00E 17+50S	201	--	1.1	< 5										
13+00E 18+00S	201	--	0.4	< 5										
13+00E 18+50S	201	--	0.4	< 5										
13+00E 19+00S	201	--	1.6	< 5										
13+00E 19+50S	201	--	0.7	< 5										
13+00E 20+00S	201	--	1.5	< 5										
13+00E 20+50S	201	--	0.9	< 5										
13+00E 21+00S	201	--	0.4	< 5										
13+00E 21+50S	201	--	0.7	< 5										
13+00E 22+00S	201	--	0.3	< 5										
13+00E 22+50S	201	--	1.1	< 5										
13+00E 23+00S	201	--	1.0	< 5										

CERTIFICATION :

Heidi Becker



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 8
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice #: I-8725837
 P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
13+00E 23+50S	201	--	0.3	< 5									
13+00E 24+00S	201	--	0.9	< 5									
13+00E 24+50S	201	--	0.7	< 5									
13+50E 15+50S	201	--	1.0	< 5									
13+50E 16+00S	201	--	0.8	< 5									
13+50E 16+50S	201	--	0.5	15									
13+50E 17+00S	201	--	0.2	< 5									
13+50E 17+50S	201	--	0.6	10									
13+50E 18+00S	201	--	0.3	< 5									
13+50E 18+50S	201	--	0.2	< 5									
13+50E 19+00S	201	--	0.8	10									
13+50E 19+50S	201	--	0.3	< 5									
13+50E 20+00S	201	--	0.5	< 5									
13+50E 20+50S	201	--	0.9	< 5									
13+50E 21+00S	201	--	0.5	< 5									
13+50E 21+50S	201	--	0.9	< 5									
13+50E 22+00S	201	--	0.2	< 5									
13+50E 22+50S	201	--	1.0	< 5									
13+50E 23+00S	201	--	0.4	< 5									
13+50E 23+50S	201	--	0.4	< 5									
13+50E 24+00S	201	--	0.6	< 5									
13+50E 24+50S	201	--	0.3	< 5									
14+00E 15+50S	201	--	0.5	< 5									
14+00E 16+00S	201	--	0.3	< 5									
14+00E 16+50S	201	--	0.5	< 5									
14+00E 17+00S	201	--	0.3	< 5									
14+00E 17+50S	201	--	0.4	< 5									
14+00E 18+00S	201	--	0.3	< 5									
14+00E 18+50S	201	--	0.2	< 5									
14+00E 19+00S	201	--	0.6	< 5									
14+00E 19+50S	201	--	0.2	< 5									
14+00E 20+00S	201	--	0.1	< 5									
14+00E 20+50S	201	--	0.9	< 5									
14+00E 21+00S	201	--	0.3	< 5									
14+00E 21+50S	201	--	0.5	< 5									
14+00E 22+00S	201	--	0.7	< 5									
14+00E 22+50S	201	--	0.3	< 5									
14+00E 23+00S	201	--	0.4	20									
14+00E 23+50S	201	--	0.4	< 10									
14+00E 24+00S	201	--	0.7	< 5									

CERTIFICATION :

Mark Bechler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL #1
 Comments:

Page No. : 9
 Tot. Pages: 9
 Date : 17-NOV-87
 Invoice # : I-8725837
 P.O. # :

CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
14+50E 15+50S	201	--	0.3	< 5									
14+50E 16+00S	201	--	0.3	< 10									
14+50E 16+50S	201	--	0.3	< 5									
14+50E 17+00S	201	--	0.4	< 5									
14+50E 17+50S	201	--	0.4	< 5									
14+50E 18+00S	201	--	0.5	< 5									
14+50E 18+50S	201	--	0.5	< 5									
14+50E 19+00S	201	--	0.5	< 5									
14+50E 19+50S	201	--	0.5	< 5									
14+50E 20+00S	201	--	0.6	< 5									
14+50E 20+50S	201	--	0.7	< 5									
14+50E 21+00S	201	--	0.1	< 5									
14+50E 21+50S	201	--	0.4	< 5									
14+50E 22+00S	201	--	1.1	< 5									
14+50E 22+50S	201	--	0.7	< 5									
14+50E 23+00S	201	--	0.3	< 5									
14+50E 23+50S	201	--	1.0	< 5									
14+50E 24+00S	201	--	0.3	< 5									
14+50E 24+50S	201	--	1.7	< 5									
15+00E 15+50S	201	--	0.3	< 5									
15+00E 16+00S	201	--	0.6	< 5									
15+00E 16+50S	201	--	1.8	< 5									
15+00E 17+00S	201	--	0.3	< 10									
15+00E 17+50S	201	--	0.3	< 5									
15+00E 18+00S	201	--	0.2	< 5									
15+00E 18+50S	201	--	0.4	< 5									
15+00E 19+00S	201	--	0.6	< 5									
15+00E 19+50S	201	--	0.5	< 60									
15+00E 20+00S	201	--	0.5	< 5									
15+00E 20+50S	201	--	0.3	< 5									
15+00E 21+00S	201	--	0.4	< 5									
15+00E 21+50S	201	--	0.5	< 5									
15+00E 22+00S	201	--	0.8	< 5									
15+00E 22+50S	201	--	0.6	< 10									
15+00E 23+00S	201	--	0.6	< 5									
15+00E 23+50S	201	--	0.2	< 5									
15+00E 24+00S	201	--	0.9	< 5									
15+00E 24+50S	201	--	0.2	< 5									

CERTIFICATION :

Hart Biebler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL II
 Comments:

Page No. : 1
 Tot. Pages: 12
 Date : 17-NOV-87
 Invoice # : I-8725845
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
1+00E 35+00S	201	—	1.4	< 5									
3+00E 27+50S	201	—	0.4	10									
3+00E 28+00S	201	—	1.7	< 5									
3+00E 28+50S	201	—	1.2	< 5									
3+00E 29+00S	201	—	0.5	40									
3+00E 29+50S	201	—	0.2	10									
3+00E 30+00S	201	—	0.1	20									
3+00E 30+50S	217	—	0.3	35									
3+00E 31+00S	201	—	0.7	5									
3+00E 31+50S	201	—	0.3	5									
3+00E 32+00S	201	—	0.2	< 5									
3+00E 32+50S	201	—	0.5	< 5									
3+00E 33+00S	201	—	0.2	< 5									
3+00E 33+50S	201	—	0.4	< 5									
3+00E 34+00S	201	—	0.5	< 5									
3+00E 34+50S	201	—	0.4	45									
3+00E 35+00S	201	—	0.6	< 5									
3+00E 35+50S	201	—	0.7	< 5									
3+00E 36+00S	201	—	0.9	< 5									
3+00E 36+50S	201	—	0.8	< 5									
3+00E 37+00S	201	—	0.3	15									
3+00E 37+50S	201	—	1.2	< 5									
3+00E 38+00S	201	—	0.5	< 5									
3+00E 38+50S	201	—	0.7	< 5									
3+00E 39+00S	201	—	0.7	10									
3+00E 39+50S	201	—	0.7	< 5									
3+00E 40+00S	201	—	1.0	< 5									
3+50E 28+00S	201	—	0.3	25									
3+50E 28+50S	217	—	0.4	25									
3+50E 29+00S	201	—	0.4	15									
3+50E 29+50S	201	—	0.2	15									
3+50E 30+00S	217	—	0.3	< 5									
3+50E 30+50S	201	—	0.3	10									
3+50E 31+00S	201	—	0.3	10									
3+50E 31+50S	201	—	1.4	10									
3+50E 32+00S	201	—	0.4	< 5									
3+50E 32+50S	201	—	0.2	< 5									
3+50E 33+00S	201	—	1.0	< 5									
3+50E 33+50S	201	—	0.4	< 5									
3+50E 34+00S	201	—	0.6	< 5									

CERTIFICATION :

Hans Bechler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL II

Comments:

Page No. : 2
 Tot. Pages: 12
 Date : 17-NOV-87
 Invoice # : I-8725845
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
3+50E 34+50S	201	—	0 . 2	< 5									
3+50E 35+00S	201	—	0 . 2	<< 5									
3+50E 35+50S	201	—	0 . 1	<< 5									
3+50E 36+00S	201	—	0 . 4	<< 5									
3+50E 36+50S	201	—	0 . 4	< 5									
3+50E 37+00S	201	—	0 . 2	< 5									
3+50E 37+50S	201	—	1 . 6	<< 5									
3+50E 38+00S	201	—	0 . 7	<< 5									
3+50E 38+50S	201	—	0 . 3	<< 5									
3+50E 39+00S	201	—	1 . 1	< 5									
3+50E 39+50S	201	—	1 . 0	< 5									
3+50E 40+00S	201	—	0 . 9	<< 5									
4+00E 27+50S	201	—	0 . 6	10									
4+00E 28+00S	201	—	0 . 3	< 5									
4+00E 28+50S	201	—	0 . 4	< 5									
4+00E 29+00S	201	—	0 . 3	< 5									
4+00E 29+50S	201	—	0 . 4	<< 5									
4+00E 30+00S	201	—	0 . 6	< 5									
4+00E 30+50S	201	—	0 . 3	10									
4+00E 31+00S	201	—	0 . 5	< 5									
4+00E 31+50S	201	—	0 . 3	< 5									
4+00E 32+00S	201	—	0 . 2	<< 5									
4+00E 32+50S	201	—	0 . 9	<< 5									
4+00E 33+00S	201	—	0 . 6	<< 5									
4+00E 33+50S	201	—	0 . 8	< 5									
4+00E 34+00S	201	—	0 . 7	< 5									
4+00E 34+50S	201	—	0 . 2	<< 5									
4+00E 35+00S	201	—	0 . 3	<< 5									
4+00E 35+50S	201	—	0 . 7	<< 5									
4+00E 36+00S	201	—	0 . 6	< 5									
4+00E 36+50S	201	—	0 . 2	< 5									
4+00E 37+00S	201	—	0 . 3	< 5									
4+00E 37+50S	201	—	0 . 8	< 5									
4+00E 38+00S	201	—	0 . 7	< 5									
4+00E 38+50S	201	—	0 . 2	10									
4+00E 39+00S	201	—	0 . 6	< 5									
4+00E 39+50S	201	—	0 . 4	< 5									
4+00E 40+00S	201	—	0 . 3	<< 5									
4+50E 27+00S	201	—	0 . 4	< 5									
4+50E 27+50S	201	—	0 . 2	< 5									

CERTIFICATION :

Hart Bischler



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL II
 Comments:


Page No. : 3
 Tot. Pages: 12
 Date : 17-NOV-87
 Invoice # : I-8725845
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
4+50E 28+00S	201	--	0.7	< 5									
4+50E 28+50S	201	--	2.2	< 5									
4+50E 29+00S	201	--	0.3	< 10									
4+50E 29+50S	201	--	0.4	< 5									
4+50E 30+00S	201	--	0.4	< 5									
4+50E 30+50S	201	--	0.4	< 10									
4+50E 31+00S	201	--	0.4	< 5									
4+50E 31+50S	201	--	0.6	< 5									
4+50E 32+00S	201	--	0.5	< 5									
4+50E 32+50S	201	--	0.5	< 5									
4+50E 33+00S	201	--	0.6	< 5									
4+50E 33+50S	201	--	0.4	< 5									
4+50E 34+00S	201	--	0.5	< 5									
4+50E 34+50S	201	--	0.8	< 5									
4+50E 35+00S	201	--	0.4	< 5									
4+50E 35+50S	201	--	0.5	< 5									
4+50E 36+00S	201	--	0.5	< 5									
4+50E 36+50S	201	--	0.5	< 5									
4+50E 37+00S	201	--	0.3	< 5									
4+50E 37+50S	201	--	0.3	< 5									
4+50E 38+00S	201	--	0.8	< 5									
4+50E 38+50S	201	--	0.2	< 5									
4+50E 39+00S	201	--	0.9	< 5									
4+50E 39+50S	201	--	1.1	< 5									
4+50E 40+00S	201	--	1.2	< 5									
5+50E 27+50S	201	--	0.2	5									
5+50E 28+00S	201	--	0.5	10									
5+50E 28+50S	201	--	0.4	< 5									
5+50E 29+00S	201	--	0.2	< 5									
5+50E 29+50S	201	--	0.1	40									
5+50E 30+00S	201	--	0.1	< 5									
5+50E 30+50S	201	--	0.1	< 5									
5+50E 31+00S	201	--	1.1	< 5									
5+50E 31+50S	201	--	0.1	< 5									
5+50E 32+00S	201	--	0.1	< 5									
5+50E 32+50S	201	--	1.7	< 5									
5+50E 33+00S	201	--	1.3	< 5									
5+50E 33+50S	201	--	0.3	< 5									
5+50E 34+00S	201	--	0.9	< 5									
5+50E 34+50S	201	--	0.3	< 5									

CERTIFICATION :

Dan Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : ARCTEX ENGINEERING

Page No. : 4
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	Au ppb FA+AA													
5+50E 35+00S	201	--	0.2	< 5													
5+50E 35+50S	201	--	0.4	< 5													
5+50E 36+00S	201	--	1.8	< 5													
5+50E 36+50S	201	--	2.5	< 5													
5+50E 37+00S	201	--	1.2	< 5													
5+50E 37+50S	201	--	1.0	< 5													
5+50E 38+00S	201	--	1.1	< 5													
5+50E 38+50S	201	--	0.7	< 5													
5+50E 39+00S	201	--	1.8	< 5													
5+50E 39+50S	201	--	0.9	< 5													
5+50E 40+00S	201	--	0.4	< 5													
6+50E 27+00S	201	--	1.0	< 5													
6+50E 27+50S	201	--	0.6	< 5													
6+50E 28+00S	201	--	0.3	40													
6+50E 28+50S	201	--	0.5	5													
6+50E 29+00S	201	--	0.3	< 5													
6+50E 29+50S	201	--	0.5	< 5													
6+50E 30+00S	201	--	0.7	< 5													
6+50E 30+50S	201	--	0.2	10													
6+50E 31+00S	201	--	0.3	< 5													
6+50E 31+50S	201	--	0.6	< 5													
6+50E 32+00S	201	--	0.3	< 5													
6+50E 32+50S	201	--	1.1	< 5													
6+50E 33+00S	201	--	2.8	< 5													
6+50E 33+50S	201	--	0.4	< 5													
6+50E 34+00S	201	--	1.5	< 5													
6+50E 34+50S	201	--	0.9	< 5													
6+50E 35+00S	201	--	0.5	15													
6+50E 35+50S	201	--	1.8	< 5													
6+50E 36+00S	201	--	1.0	< 5													
6+50E 36+50S	201	--	0.8	< 5													
6+50E 37+00S	201	--	0.3	< 5													
6+50E 37+50S	201	--	1.5	< 5													
6+50E 38+00S	201	--	1.2	< 5													
6+50E 38+50S	201	--	0.7	< 5													
6+50E 39+00S	201	--	0.6	< 5													
6+50E 39+50S	201	--	0.9	< 5													
6+50E 40+00S	201	--	1.0	< 5													
7+00E 27+00S	201	--	0.7	< 5													
7+00E 27+50S	201	--	0.7	15													

CERTIFICATION :

Dent Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 5
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
7+00E 28+00S	201	—	0.7	< 5								
7+00E 28+50S	201	—	0.4	25								
7+00E 29+00S	201	—	0.6	< 5								
7+00E 29+50S	201	—	0.3	<< 5								
7+00E 30+00S	201	—	0.3	<< 5								
7+00E 30+50S	201	—	0.4	< 5								
7+00E 31+00S	201	—	0.4	<< 5								
7+00E 31+50S	201	—	0.8	<< 5								
7+00E 32+00S	201	—	0.8	< 5								
7+00E 32+50S	201	—	1.5	< 5								
7+00E 33+00S	201	—	0.7	< 5								
7+00E 33+50S	201	—	0.5	<< 5								
7+00E 34+00S	201	—	1.7	<< 5								
7+00E 34+50S	201	—	1.9	<< 5								
7+00E 35+00S	201	—	1.2	<< 5								
7+00E 35+50S	201	—	2.1	< 5								
7+00E 36+00S	201	—	1.3	<< 5								
7+00E 36+50S	201	—	0.8	<< 5								
7+00E 37+00S	201	—	0.9	<< 5								
7+00E 37+50S	201	—	0.8	<< 5								
7+00E 38+00S	201	—	1.8	< 5								
7+00E 38+50S	201	—	0.8	< 5								
7+00E 39+00S	201	—	1.5	< 5								
7+00E 39+50S	201	—	0.7	85								
7+00E 40+00S	201	—	1.5	15								
8+50E 26+50S	217	—	1.1	< 5								
8+50E 27+00S	201	—	2.0	<< 5								
8+50E 27+50S	201	—	0.5	<< 5								
8+50E 28+00S	201	—	0.8	<< 5								
8+50E 28+50S	201	—	0.5	30								
8+50E 29+00S	201	—	0.4	< 5								
8+50E 29+50S	201	—	1.3	10								
8+50E 30+00S	201	—	0.4	10								
8+50E 30+50S	201	—	0.8	<< 5								
8+50E 31+00S	201	—	1.0	<< 5								
8+50E 31+50S	201	—	0.7	75								
8+50E 32+00S	201	—	0.9	< 5								
8+50E 32+50S	201	—	1.1	15								
8+50E 33+00S	201	—	0.3	65								
8+50E 33+50S	201	—	0.8	5								

CERTIFICATION :

John Biehler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0121

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 6
Tot. Pages: 12
Date : 17-NOV-87
Invoice # : I-8725845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
8+50E 34+00S	201	---	0.5	< 5								
8+50E 34+50S	201	---	0.9	< 5								
8+50E 35+00S	201	---	1.0	< 5								
8+50E 35+50S	201	---	0.8	< 5								
8+50E 36+00S	201	---	0.1	< 5								
8+50E 36+50S	201	---	0.5	< 5								
8+50E 37+00S	201	---	0.7	< 5								
8+50E 37+50S	201	---	1.0	< 5								
8+50E 38+00S	201	---	0.5	< 5								
8+50E 38+50S	201	---	0.2	< 5								
8+50E 39+00S	201	---	0.3	< 5								
8+50E 39+50S	201	---	0.3	< 5								
8+50E 40+00S	201	---	0.9	< 5								
9+00E 26+50S	201	---	0.2	< 5								
9+00E 27+00S	217	---	0.4	< 5								
9+00E 27+50S	201	---	0.1	< 5								
9+00E 28+00S	201	---	0.4	< 5								
9+00E 28+50S	201	---	0.5	< 10								
9+00E 29+00S	201	---	0.6	< 5								
9+00E 29+50S	201	---	0.6	< 5								
9+00E 30+00S	201	---	0.2	< 5								
9+00E 30+50S	201	---	0.5	< 5								
9+00E 31+00S	201	---	0.5	< 5								
9+00E 31+50S	201	---	1.2	< 5								
9+00E 32+00S	201	---	0.7	< 5								
9+00E 32+50S	201	---	0.3	< 5								
9+00E 33+00S	201	---	0.6	< 5								
9+00E 33+50S	201	---	0.5	< 5								
9+00E 34+00S	201	---	0.5	< 5								
9+00E 34+50S	201	---	0.8	< 5								
9+00E 35+00S	201	---	1.1	< 5								
9+00E 35+50S	201	---	1.0	< 5								
9+00E 36+00S	201	---	0.4	< 5								
9+00E 36+50S	201	---	0.9	< 5								
9+00E 37+00S	201	---	0.6	< 5								
9+00E 37+50S	201	---	1.2	< 5								
9+00E 38+00S	201	---	0.6	< 5								
9+00E 38+50S	201	---	0.4	< 5								
9+00E 39+00S	201	---	0.3	< 5								
9+00E 39+50S	201	---	0.7	< 5								

CERTIFICATION :

John Buehler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 7
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	Au ppb FA+AA										
9-00E 40+00S	201	--	0.5											
9-50E 26+00S	201	--	0.2											
9-50E 26+50S	201	--	0.7											
9-50E 27+00S	217	--	0.5											
9-50E 27+50S	201	--	0.3	<<5										
9-50E 28+00S	201	--	0.7											
9-50E 28+50S	201	--	0.5											
9-50E 30+00S	201	--	0.1											
9-50E 30+50S	201	--	0.6	<<5										
9-50E 31+00S	201	--	0.7	<<5										
9-50E 31+50S	201	--	0.5	<<5										
9-50E 32+00S	201	--	0.9											
9-50E 32+50S	201	--	0.8											
9-50E 33+00S	201	--	0.1	<<5										
9-50E 33+50S	201	--	0.5	<<5										
9-50E 34+00S	201	--	0.1											
9-50E 34+50S	201	--	0.2											
9-50E 35+00S	201	--	0.5											
9-50E 35+50S	201	--	1.1											
9-50E 36+00S	201	--	0.5	<5										
9-50E 36+50S	201	--	0.3	<<5										
9-50E 37+00S	201	--	0.6											
9-50E 37+50S	201	--	0.2											
9-50E 38+00S	201	--	0.8	<<5										
9-50E 38+50S	201	--	0.8	<<5										
9-50E 39+00S	201	--	0.6	<<5										
9-50E 39+50S	201	--	0.4											
9-50E 40+00S	201	--	0.4											
10-00E 25+50S	201	--	0.2	<<5										
10-00E 26+00S	201	--	0.4	<<5										
10-00E 26+50S	217	--	0.3	<<5										
10-00E 27+00S	201	--	2.1	<<5										
10-00E 27+50S	201	--	0.1	<<5										
10-00E 28+00S	217	--	0.2	<<5										
10-00E 28+50S	217	--	0.8	<<5										
10-00E 29+00S	201	--	0.3	<<5										
10-00E 29+50S	201	--	3.8											
10-00E 30+00S	201	--	1.3											
10-00E 30+50S	201	--	0.8	<<5										
10-00E 31+00S	201	--	0.4	<<5										

CERTIFICATION :

David Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 8
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
10+00E 31+50S	201	--	0.6	< 5									
10+00E 32+00S	201	--	0.2	<< 5									
10+00E 32+50S	201	--	0.3	<< 5									
10+00E 33+00S	201	--	0.3	<< 5									
10+00E 33+50S	201	--	0.5	<< 5									
10+00E 34+00S	201	--	0.6	< 5									
10+00E 34+50S	201	--	0.7	<< 5									
10+00E 35+00S	201	--	0.7	<< 5									
10+00E 35+50S	201	--	0.7	<< 5									
10+00E 36+00S	201	--	0.6	< 5									
10+00E 36+50S	201	--	0.3	< 5									
10+00E 37+00S	201	--	1.2	<< 5									
10+00E 37+50S	201	--	0.3	<< 5									
10+00E 38+00S	201	--	0.5	<< 5									
10+00E 38+50S	201	--	0.6	< 5									
10+00E 39+00S	201	--	1.2	< 5									
10+00E 39+50S	201	--	0.5	< 5									
10+00E 40+00S	201	--	0.4	< 5									
10+50E 25+50S	201	--	0.7	10									
10+50E 26+00S	201	--	0.4	5									
10+50E 26+50S	201	--	1.0	< 5									
10+50E 27+00S	201	--	1.2	< 5									
10+50E 27+50S	217	--	0.4	< 5									
10+50E 28+00S	201	--	0.7	< 5									
10+50E 28+50S	201	--	0.3	25									
10+50E 29+00S	201	--	2.0	< 5									
10+50E 29+50S	201	--	0.8	< 5									
10+50E 30+00S	201	--	0.4	< 5									
10+50E 30+50S	201	--	0.9	<< 5									
10+50E 31+00S	201	--	0.4	< 5									
10+50E 31+50S	201	--	0.5	< 5									
10+50E 32+00S	201	--	0.9	<< 5									
10+50E 32+50S	201	--	0.3	<< 5									
10+50E 33+00S	201	--	0.3	<< 5									
10+50E 33+50S	201	--	0.5	10									
10+50E 34+00S	201	--	0.5	5									
10+50E 34+50S	201	--	0.8	5									
10+50E 35+00S	201	--	0.4	45									
10+50E 35+50S	201	--	0.9	< 5									
10+50E 36+00S	201	--	0.8	< 5									

Bert Biebler

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 9
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
10+50E 36+50S	201	--	0.5	< 5								
10+50E 37+00S	201	--	0.7	< 5								
10+50E 37+50S	201	--	0.5	< 5								
10+50E 38+00S	201	--	0.8	< 5								
10+50E 38+50S	201	--	0.8	< 5								
10+50E 39+00S	201	--	1.1	< 5								
10+50E 39+50S	201	--	1.0	10								
10+50E 40+00S	201	--	1.0	5								
11+00E 25+50S	201	--	0.3	< 5								
11+00E 26+00S	201	--	0.5	< 5								
11+00E 26+50S	201	--	not / ss	not / ss								
11+00E 27+00S	201	--	0.2	< 5								
11+00E 27+50S	201	--	0.8	< 5								
11+00E 28+00S	201	--	0.2	< 5								
11+00E 28+50S	201	--	0.5	< 5								
11+00E 29+00S	201	--	0.2	< 5								
11+00E 29+50S	201	--	1.6	< 5								
11+00E 30+00S	201	--	3.0	< 5								
11+00E 30+50S	201	--	1.7	< 5								
11+00E 31+00S	201	--	3.2	< 5								
11+00E 31+50S	201	--	0.2	< 5								
11+00E 32+00S	201	--	0.8	< 5								
11+00E 32+50S	201	--	0.9	< 5								
11+00E 33+00S	201	--	0.5	< 5								
11+00E 33+50S	201	--	0.6	< 5								
11+00E 34+00S	201	--	0.8	< 5								
11+00E 34+50S	201	--	0.6	< 5								
11+00E 35+00S	201	--	0.4	< 5								
11+00E 35+50S	201	--	1.0	10								
11+00E 36+00S	201	--	1.1	< 5								
11+00E 36+50S	201	--	0.5	15								
11+00E 37+00S	201	--	2.7	< 5								
11+00E 37+50S	201	--	1.3	< 5								
11+00E 38+00S	201	--	0.6	< 5								
11+00E 38+50S	201	--	1.1	< 5								
11+00E 39+00S	201	--	0.6	10								
11+00E 39+50S	201	--	1.3	15								
11+00E 40+00S	201	--	0.4	5								
11+50E 25+50S	201	--	0.2	< 5								
11+50E 26+00S	201	--	0.7	< 5								

Hawkins

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0211

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 10
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
11+50E 26+50S	201	--	1.2	< 5									
11+50E 27+00S	201	--	1.1	< 5									
11+50E 27+50S	203	--	0.3	<< 5									
11+50E 28+00S	201	--	0.3	<< 5									
11+50E 28+50S	201	--	0.2	<< 5									
11+50E 29+00S	201	--	0.7	< 5									
11+50E 29+50S	201	--	0.4	< 5									
11+50E 30+00S	201	--	0.4	< 5									
11+50E 30+50S	201	--	0.8	< 5									
11+50E 31+00S	201	--	0.7	< 5									
11+50E 31+50S	201	--	0.1	< 5									
11+50E 32+00S	201	--	0.5	< 5									
11+50E 32+50S	201	--	0.7	< 5									
11+50E 33+00S	201	--	0.8	< 5									
11+50E 33+50S	201	--	0.6	< 5									
11+50E 34+00S	201	--	0.5	< 5									
11+50E 34+50S	201	--	0.9	< 5									
11+50E 35+00S	201	--	0.7	< 5									
11+50E 35+50S	201	--	2.1	< 5									
11+50E 36+00S	201	--	0.6	< 5									
11+50E 36+50S	201	--	0.4	< 5									
11+50E 37+00S	201	--	2.2	< 5									
11+50E 37+50S	201	--	1.8	< 5									
11+50E 38+00S	201	--	0.8	< 5									
11+50E 38+50S	201	--	0.6	< 5									
11+50E 39+00S	201	--	0.7	< 5									
11+50E 39+50S	201	--	1.3	< 5									
11+50E 40+00S	217	--	0.7	< 5									
14+50E 25+50S	201	--	0.3	< 5									
14+50E 26+00S	201	--	0.3	< 5									
14+50E 26+50S	201	--	2.2	< 5									
14+50E 27+00S	201	--	0.2	< 5									
14+50E 27+50S	201	--	0.4	< 5									
14+50E 28+00S	201	--	0.4	< 5									
14+50E 28+50S	201	--	0.2	< 5									
14+50E 29+00S	201	--	0.3	< 5									
14+50E 29+50S	201	--	0.4	< 5									
14+50E 30+00S A	201	--	0.2	< 5									
14+50E 30+00S B	201	--	0.7	< 5									
14+50E 30+50S	201	--	0.8	< 5									

CERTIFICATION :

Hans Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 11
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
14+50E 31+00S	201	--	1.0	< 5								
14+50E 31+50S	201	--	0.3	<< 5								
14+50E 32+00S	201	--	0.9	<< 5								
14+50E 32+50S	201	--	0.9	<< 5								
14+50E 33+00S	201	--	0.4	< 5								
14+50E 33+50S	201	--	1.0	< 5								
14+50E 34+00S	201	--	0.6	<< 5								
14+50E 34+50S	201	--	0.8	<< 5								
14+50E 35+00S	201	--	1.5	<< 5								
14+50E 35+50S	201	--	0.1	< 5								
14+50E 36+00S	201	--	0.7	< 5								
14+50E 36+50S	201	--	1.1	<< 5								
14+50E 37+00S	201	--	1.0	<< 5								
14+50E 37+50S	201	--	1.3	<< 5								
14+50E 38+00S	201	--	4.3	< 5								
14+50E 38+50S	201	--	1.0	< 5								
14+50E 39+00S	201	--	0.8	<< 5								
14+50E 39+50S	201	--	0.7	<< 5								
14+50E 40+00S	201	--	0.5	< 5								
15+00E 25+50S	201	--	0.1	< 5								
15+00E 26+00S	201	--	0.4	< 5								
15+00E 26+50S	201	--	0.1	<< 5								
15+00E 27+00S	201	--	0.2	<< 5								
15+00E 27+50S	201	--	1.5	<< 5								
15+00E 28+00S	201	--	0.3	< 5								
15+00E 28+50S	201	--	0.2	< 5								
15+00E 29+00S	201	--	0.6	< 5								
15+00E 29+50S	201	--	0.1	<< 5								
15+00E 30+00S	201	--	0.3	<< 5								
15+00E 30+00S A	201	--	0.1	< 5								
15+00E 30+50S	201	--	0.1	< 5								
15+00E 31+00S	201	--	0.6	10								
15+00E 31+50S	201	--	0.5	5								
15+00E 32+00S	201	--	0.6	< 5								
15+00E 32+50S	201	--	0.6	< 5								
15+00E 33+00S	201	--	1.0	< 5								
15+00E 33+50S	201	--	2.4	< 5								
15+00E 34+00S	201	--	0.7	<< 5								
15+00E 34+50S	201	--	1.2	<< 5								
15+00E 35+00S	201	--	0.8	< 5								

CERTIFICATION :

Heinz Bechler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 12
Tot. Pages: 12
Date : 17-NOV-87
Invoice #: I-8725845
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
15+00E 35+50S	201	—	2.0	< 5									
15+00E 36+00S	201	—	1.8	< 5									
15+00E 36+50S	201	—	1.7	< 5									
15+00E 37+00S	201	—	2.8	< 5									
15+00E 37+50S	201	—	0.6	< 5									
15+00E 38+00S	201	—	0.8	< 10									
15+00E 38+50S	201	—	0.7	< 5									
15+00E 39+00S	201	—	1.6	< 5									
15+00E 39+50S	201	—	2.6	< 10									
15+00E 40+00S	201	—	1.3	< 5									
9+50E 29+00S	201	—	0.8	< 5									

CERTIFICATION :

Dent Biebler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL II

Comments:

Page No. : 1
 Tot. Pages: 7
 Date : 19-NOV-87
 Invoice #: I-8726018
 P.O. # :

CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
O+00 25+50S	201	203	0.9	< 5									
O+00 26+00S	201	--	0.1	135									
O+00 26+50S	201	203	0.2	5									
O+00 27+00S	201	--	0.2	20									
O+00 27+50S	201	--	0.1	20									
O+00 28+00S	201	--	0.2	< 5									
O+00 28+50S	201	--	0.1	30									
O+00 29+00S	201	--	0.2	10									
O+00 29+50S	201	--	0.3	< 5									
O+00 30+00S	201	--	1.2	30									
O+00 30+50S	201	--	2.0	10									
O+00 31+00S	201	--	1.2	< 5									
O+00 31+50S	201	--	0.4	55									
O+00 32+00S	201	--	1.0	55									
O+00 32+50S	201	--	1.0	5									
O+00 33+00S	201	--	0.4	< 5									
O+00 33+50S	201	--	0.4	< 5									
O+00 34+00S	201	--	0.2	< 5									
O+00 34+50S	201	--	0.6	< 5									
O+00 35+00S	201	--	0.3	< 5									
O+00 35+50S	201	--	0.2	250									
O+00 36+00S	201	--	0.2	< 5									
O+00 36+50S	201	--	0.6	< 5									
O+00 37+00S	201	--	0.4	< 5									
O+00 37+50S	201	--	1.0	< 5									
O+00 38+00S	201	--	1.2	< 5									
O+00 38+50S	201	--	0.1	< 5									
O+00 39+00S	201	--	0.3	70									
O+00 39+50S	201	--	0.4	< 5									
O+00 40+00S	201	--	0.8	< 5									
O+50E 25+50S	201	--	0.7	< 5									
O+50E 26+00S	201	--	0.9	< 5									
O+50E 26+50S	201	--	0.3	15									
O+50E 27+00S	201	--	0.3	< 5									
O+50E 27+50S	201	--	0.3	< 5									
O+50E 28+00S	201	--	0.2	< 5									
O+50E 28+50S	201	--	0.5	< 5									
O+50E 29+00S	201	--	0.4	< 5									
O+50E 29+50S	201	--	0.1	105									
O+50E 30+00S	201	--	0.1	105									

CERTIFICATION :

Barry Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 2
Tot. Pages: 7
Date : 19-NOV-87
Invoice #: I-8726018
P.O. # :

CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
0+50E 30+50S	203	—	0.7	< 5								
0+50E 31+00S	201	—	0.6	<< 5								
0+50E 31+50S	203	—	0.3	<< 5								
0+50E 32+00S	201	—	0.6	<< 5								
0+50E 32+50S	201	—	0.3	< 5								
0+50E 33+00S	201	—	0.1	< 5								
0+50E 33+50S	201	—	0.4	<< 5								
0+50E 34+00S	201	—	0.3	<< 5								
0+50E 34+50S	201	—	0.2	<< 5								
0+50E 35+00S	201	—	0.7	< 5								
0+50E 35+50S	201	—	0.6	< 5								
0+50E 36+00S	201	—	0.3	< 5								
0+50E 36+50S	201	—	0.6	20								
0+50E 37+00S	201	—	0.3	< 5								
0+50E 37+50S	201	—	0.5	< 5								
0+50E 38+00S	201	—	0.3	120								
0+50E 38+50S	201	—	0.3	5								
0+50E 39+00S	201	—	0.5	< 5								
0+50E 39+50S	201	—	1.0	< 5								
0+50E 40+00S	201	—	0.3	< 5								
1+00E 25+50S	201	—	0.4	< 5								
1+00E 26+00S	201	—	1.2	< 5								
1+00E 26+50S	201	—	0.2	< 5								
1+00E 27+00S	201	—	0.6	< 5								
1+00E 27+50S	201	—	0.2	< 5								
1+00E 28+00S	201	—	0.4	< 5								
1+00E 28+50S	201	—	0.3	< 5								
1+00E 29+00S	201	—	0.8	< 5								
1+00E 29+50S	201	—	0.3	300								
1+00E 30+00S	201	—	0.6	10								
1+00E 30+50S	203	—	0.2	< 5								
1+00E 31+00S	217	—	0.7	< 5								
1+00E 31+50S	201	—	0.1	< 5								
1+00E 32+00S	201	—	0.3	< 5								
1+00E 32+50S	201	—	1.0	< 5								
1+00E 33+00S	201	—	0.3	< 5								
1+00E 33+50S	201	—	0.2	< 5								
1+00E 34+00S	201	—	0.6	<< 5								
1+00E 34+50S	201	—	0.2	<< 5								
1+00E 35+00S	201	—	0.3	< 5								

CERTIFICATION :

Sturt Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 3
Tot. Pages: 7
Date : 19-NOV-87
Invoice # : I-8726018
P.O. # :

CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
I+00E 36+00S	201	--	0.3	< 5								
I+00E 36+50S	201	--	0.4	<< 5								
I+00E 37+00S	201	--	0.2	<< 5								
I+00E 37+50S	201	--	0.5	<< 5								
I+00E 38+00S	201	--	0.4	< 5								
I+00E 38+50S	201	--	0.2	< 5								
I+00E 39+00S	201	--	1.1	<< 5								
I+00E 39+50S	201	--	0.6	<< 5								
I+00E 40+00S	201	--	0.3	< 5								
I+50E 25+50S	201	--	0.3	< 5								
I+50E 26+00S	201	--	0.5	< 5								
I+50E 26+50S	201	--	0.1	<< 5								
I+50E 27+00S	201	--	0.2	<< 5								
I+50E 27+50S	201	--	0.3	<< 5								
I+50E 28+00S A	201	--	0.7	250								
I+50E 28+00S B	201	--	0.5	< 5								
I+50S 28+50S	201	--	0.1	< 5								
I+50S 29+00S	201	--	0.1	10								
I+50S 29+50S	201	--	0.6	10								
I+50S 30+00S	201	--	0.3	< 5								
I+50S 30+50S	201	--	0.5	10								
I+50S 31+00S	201	--	0.5	135								
I+50S 31+50S	201	--	0.8	<< 5								
I+50S 32+00S	201	--	0.3	<< 5								
I+50S 32+50S	201	--	0.6	<< 5								
I+50S 33+00S	201	--	0.9	< 5								
I+50S 33+50S	201	--	0.5	<< 5								
I+50S 34+00S	201	--	0.3	<< 5								
I+50S 34+50S	201	--	0.8	95								
I+50S 35+00S	201	--	0.6	< 5								
I+50S 35+50S	201	--	0.5	< 5								
I+50S 36+00S	201	--	0.8	<< 5								
I+50S 36+50S	201	--	0.4	<< 5								
I+50S 37+00S	201	--	1.3	<< 5								
I+50S 37+50S	201	--	0.5	15								
I+50S 38+00S	201	--	0.6	< 5								
I+50S 38+50S	201	--	1.4	<< 5								
I+50S 39+00S	201	--	1.0	80								
I+50S 39+50S	201	--	0.7	<< 5								
I+50S 40+00S	201	--	1.6	<< 5								

CERTIFICATION : *Hartl Biehler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 4
Tot. Pages: 7
Date : 19-NOV-87
Invoice #: I-8726018
P.O. # :

CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
2+00E 25+50S	201	--	1.0	< 30								
2+00E 26+00S	201	--	0.6	< 5								
2+00E 26+50S	201	--	0.6	< 5								
2+00E 27+00S	201	--	0.3	< 5								
2+00E 27+50S	201	--	1.0	< 5								
2+00E 28+00S	201	--	1.1	< 5								
2+00E 28+50S	201	--	0.4	20								
2+00E 29+00S	201	--	0.7	< 5								
2+00E 29+50S	201	--	0.2	30								
2+00E 30+00S	201	--	2.2	< 5								
2+00E 30+50S	201	--	0.3	20								
2+00E 31+00S	201	--	0.6	< 5								
2+00E 31+50S	203	--	0.8	< 5								
2+00E 32+00S	201	--	0.7	< 5								
2+00E 32+50S	201	--	0.9	< 5								
2+00E 33+00S	201	--	0.6	< 5								
2+00E 33+50S	201	--	0.5	20								
2+00E 34+00S	201	--	0.9	< 5								
2+00E 34+50S	201	--	1.0	< 5								
2+00E 35+00S	201	--	1.3	< 5								
2+00E 35+50S	201	--	0.5	10								
2+00E 36+00S	201	--	0.3	5								
2+00E 36+50S	201	--	0.8	15								
2+00E 37+00S	201	--	1.6	< 5								
2+00E 37+50S	201	--	1.3	< 5								
2+00E 38+00S	201	--	0.5	< 5								
2+00E 38+50S	201	--	0.8	< 5								
2+00E 39+00S	201	--	0.3	< 5								
2+00E 39+50S	201	--	0.5	< 5								
2+00E 40+00S	201	--	0.8	< 5								
2+50E 25+50S	201	--	1.3	< 5								
2+50E 26+00S	201	--	0.8	< 5								
2+50E 26+50S	201	--	0.4	< 5								
2+50E 27+00S	201	--	0.7	< 5								
2+50E 27+50S	201	--	0.5	< 5								
2+50E 28+00S A	201	--	0.6	< 5								
2+50E 28+00S B	201	--	0.6	< 5								
2+50E 28+50S	201	--	0.8	< 5								
2+50E 29+00S	203	--	0.4	70								
2+50E 29+50S	201	--	0.2	< 5								

CERTIFICATION :

Hans Biebler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 5
Tot. Pages: 7
Date : 19-NOV-87
Invoice #: I-8726018
P.O. # :

CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
2+50E 30+00S	201	--	1.2	10								
2+50E 30+50S	201	--	0.5	45								
2+50E 31+00S	201	--	0.6	<5								
2+50E 31+50S	201	--	0.7	<5								
2+50E 32+00S	201	--	0.2	<5								
2+50E 32+50S	201	--	0.5	<5								
2+50E 33+00S	201	--	0.2	<5								
2+50E 33+50S	201	--	0.5	<5								
2+50E 34+00S	201	--	0.5	<5								
2+50E 34+50S	201	--	1.1	<5								
2+50E 35+00S	201	--	1.0	<5								
2+50E 35+50S	201	--	0.5	<5								
2+50E 36+00S	201	--	0.7	15								
2+50E 36+50S	201	--	0.5	10								
2+50E 37+00S	201	--	0.4	10								
2+50E 37+50S	201	--	0.9	<5								
2+50E 38+00S	201	--	1.9	<5								
2+50E 38+50S	201	--	0.3	<5								
2+50E 39+00S	201	--	1.1	<5								
2+50E 39+50S	201	--	0.7	<5								
2+50E 40+00S	201	--	0.6	10								
5+00E 27+00S	201	--	0.1	70								
5+00E 27+50S	201	--	0.3	<5								
5+00E 28+00S ^A	201	--	0.3	<5								
5+00E 28+00S ^B	201	--	0.9	<5								
5+00E 28+50S	203	--	0.5	<5								
5+00E 29+00S	201	--	0.5	<5								
5+00E 29+50S	201	--	0.6	<5								
5+00E 30+00S	201	--	0.4	<5								
5+00E 30+50S	201	--	0.6	<5								
5+00E 31+00S	201	--	0.5	<5								
5+00E 31+50S	201	--	0.4	<5								
5+00E 32+00S	201	--	0.6	<5								
5+00E 32+50S	201	--	0.8	<5								
5+00E 33+00S	201	--	0.7	<5								
5+00E 33+50S	201	--	0.4	<5								
5+00E 34+00S	201	--	0.6	<5								
5+00E 34+50S	201	--	0.5	<5								
5+00E 35+00S	201	--	0.4	<5								
5+00E 35+50S	201	--	0.4	<5								

CERTIFICATION :

Sturt Bichler



Chemex Labs Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BEL II

Comments:

Page No. : 6
 Tot. Pages: 7
 Date : 19-NOV-87
 Invoice #: I-8726018
 P.O. # :

CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
5+00E 36+00S	201	--	0 . 3										
5+00E 36+50S	201	--	0 . 8										
5+00E 37+00S	201	--	2 . 4										
5+00E 37+50S	201	--	0 . 6										
5+00E 38+00S	201	--	0 . 5										
5+00E 38+50S	201	--	0 . 8										
5+00E 39+00S	201	--	1 . 0										
5+00E 39+50S	201	--	1 . 6										
5+00E 40+00S	201	--	0 . 5										
5+50E 27+00S	201	--	0 . 7										
6+00E 27+00S	201	--	0 . 5										
6+00E 27+50S	203	--	0 . 1										
6+00E 28+00S	201	--	2 . 2										
6+00E 28+50S	201	--	0 . 4										
6+00E 29+00S	201	--	1 . 0										
6+00E 29+50S	201	--	0 . 4										
6+00E 30+00S	201	--	0 . 3										
6+00E 30+50S	201	--	0 . 2										
6+00E 31+00S	201	--	0 . 4										
6+00E 31+50S	201	--	0 . 3										
6+00E 32+00S	201	--	1 . 5										
6+00E 32+50S	201	--	0 . 3										
6+00E 33+00S	201	--	0 . 3										
6+00E 33+50S	201	--	0 . 3										
6+00E 34+00S	201	--	0 . 2										
6+00E 34+50S	201	--	0 . 5										
6+00E 35+00S	201	--	0 . 7										
6+00E 35+50S	201	--	0 . 3										
6+00E 36+00S	201	--	0 . 6										
6+00E 36+50S	201	--	1 . 4										
6+00E 37+00S	201	--	1 . 0										
6+00E 37+50S	201	--	0 . 9										
6+00E 38+00S	201	--	1 . 8										
6+00E 38+50S	201	--	0 . 3										
6+00E 39+00S	201	--	0 . 6										
6+00E 39+50S	201	--	2 . 2										
6+00E 40+00S	201	--	0 . 3										
7+50E 26+50S	201	--	0 . 6										
7+50E 27+00S	201	--	2 . 2										
7+50E 27+50S	203	--	0 . 7										

CERTIFICATION :

Hart Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 7
Tot. Pages: 7
Date : 19-NOV-87
Invoice #: I-8726018
P.O. # :

CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
7+50E 28+00S	201	---	0.3		55								
7+50E 28+50S	201	---	0.7		15								
7+50E 29+00S	201	---	0.3		10								
7+50E 29+50S	201	---	0.5		< 5								
7+50E 30+00S	201	---	0.5		< 5								
7+50E 30+50S	201	---	0.6		30								
7+50E 31+00S	201	---	0.1		15								
7+50E 31+50S	201	---	0.3		< 5								
7+50E 32+00S	201	---	0.3		40								
7+50E 32+50S	201	---	0.5		10								
7+50E 33+00S	201	---	0.7		< 5								
7+50E 33+50S	201	---	0.4		10								
7+50E 34+00S	201	---	0.4		< 5								
7+50E 34+50S	201	---	0.6		< 5								
7+50E 35+00S	201	---	0.4		70								
7+50E 35+50S	201	---	0.4		< 5								
7+50E 36+00S	201	---	0.6		110								
7+50E 36+50S	201	---	0.8		5								
7+50E 37+00S	201	---	0.6		5								
7+50E 37+50S	201	---	0.9		10								
7+50E 38+00S	201	---	0.1		5								
7+50E 38+50S	201	---	0.5		20								
7+50E 39+00S	201	---	0.8		< 5								
7+50E 39+50S	201	---	0.5		10								
7+50E 40+00S	201	---	0.8		5								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochimists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 1
Tot. Pages: 5
Date : 20-NOV-87
Invoice #: I-8726019
P.O. # :

CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
8+00E 26+50S	201	--	0.7	25								
8+00E 27+00S	217	--	0.2	<5								
8+00E 27+50S	201	--	0.6	<<5								
8+00E 28+00S	201	--	0.2	<<5								
8+00E 28+50S	201	--	0.3	20								
8+00E 29+00S	201	--	0.6	10								
8+00E 29+50S	201	--	1.2	<10								
8+00E 30+00S	201	--	0.8	<5								
8+00E 30+50S	201	--	1.0	35								
8+00E 31+00S	201	--	0.6	35								
8+00E 31+50S	201	--	0.4	95								
8+00E 32+00S	201	--	0.5	190								
8+00E 32+50S	201	--	0.4	165								
8+00E 33+00S	201	--	0.5	20								
8+00E 33+50S	201	--	0.5	25								
8+00E 34+00S	201	--	0.7	20								
8+00E 34+50S	201	--	0.9	10								
8+00E 35+00S	201	--	0.9	<5								
8+00E 35+50S	201	--	1.0	20								
8+00E 36+00S	201	--	1.3	15								
8+00E 36+50S	201	--	1.0	40								
8+00E 37+00S	201	--	0.8	30								
8+00E 37+50S	201	--	1.0	30								
8+00E 38+00S	201	--	0.7	10								
8+00E 38+50S	201	--	1.1	5								
8+00E 39+00S	201	--	0.7	10								
8+00E 39+50S	203	--	1.0	10								
8+00E 40+00S	201	--	2.7	<5								
12+00E 25+50S	201	--	0.3	<<5								
12+00E 26+00S	201	--	0.2	<<5								
12+00E 26+50S	201	--	0.2	<5								
12+00E 27+00S	201	--	0.8	<<5								
12+00E 27+50S	201	--	0.6	<<5								
12+00E 28+00S	201	--	0.2	<<5								
12+00E 28+50S	201	--	0.2	<5								
12+00E 29+00S	201	--	6.5	<5								
12+00E 29+50S	201	--	0.4	<5								
12+00E 30+00S	201	--	1.2	<<5								
12+00E 30+50S	201	--	0.8	<<5								
12+00E 31+00S	201	--	0.5	<<5								

CERTIFICATION :

Hart Bieker



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 2
Tot. Pages: 5
Date : 20-NOV-87
Invoice #: I-8726019
P.O. # :

CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
12+00E 31+50S	201	--	0.5	< 5									
12+00E 32+00S	201	--	0.5	<< 5									
12+00E 32+50S	201	--	1.2	<< 5									
12+00E 33+00S	201	--	0.3	<< 5									
12+00E 33+50S	201	--	0.9	< 5									
12+00E 34+00S	201	--	1.4	< 5									
12+00E 34+50S	201	--	0.7	<< 5									
12+00E 35+00S	201	--	0.8	<< 5									
12+00E 35+50S	201	--	0.5	<< 5									
12+00E 36+00S	201	--	2.1	< 5									
12+00E 36+50S	201	--	1.4	< 5									
12+00E 37+00S	201	--	1.3	<< 5									
12+00E 37+50S	201	--	1.1	<< 5									
12+00E 38+00S	201	--	1.7	<< 5									
12+00E 38+50S	201	--	0.4	< 5									
12+00E 39+00S	201	--	0.6	< 5									
12+00E 39+50S	201	--	2.3	< 5									
12+00E 40+00S	201	--	1.0	50									
12+50E 25+50S	201	--	0.9	< 5									
12+50E 26+00S	201	--	0.8	< 5									
12+50E 26+50S	201	--	0.3	< 5									
12+50E 27+00S	201	--	0.3	<< 5									
12+50E 27+50S	201	--	0.1	<< 5									
12+50E 28+00S	201	--	0.1	<< 5									
12+50E 28+50S	203	--	0.4	< 5									
12+50E 29+00S	201	--	1.4	< 5									
12+50E 29+50S	201	--	0.8	<< 5									
12+50E 30+00S	201	--	1.3	<< 5									
12+50E 30+50S	201	--	1.4	<< 5									
12+50E 31+00S	201	--	0.5	< 5									
12+50E 31+50S	201	--	0.5	< 5									
12+50E 32+00S	201	--	1.2	< 5									
12+50E 32+50S	201	--	1.2	<< 5									
12+50E 33+00S	201	--	0.4	<< 5									
12+50E 33+50S	201	--	0.6	< 5									
12+50E 34+00S	201	--	1.2	< 5									
12+50E 34+50S	201	--	1.1	<< 5									
12+50E 35+00S	201	--	1.0	<< 5									
12+50E 35+50S	201	--	0.3	<< 5									
12+50E 36+00S	201	--	0.6	< 5									

CERTIFICATION :

Hart, Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (614) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 3
Tot. Pages: 5
Date : 20-NOV-87
Invoice #: I-8726019
P.O. # :

CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
12+50E 36+50S	201	--	2 . 8	< 5								
12+50E 37+00S	201	--	1 . 1	< 5								
12+50E 37+50S	201	--	0 . 4	1 0								
12+50E 38+00S	201	--	0 . 3	< 5								
12+50E 38+50S	201	--	1 . 3	< 5								
12+50E 39+00S	201	--	0 . 6	< 5								
12+50E 39+50S	201	--	2 . 1	< 5								
12+50E 40+00S	201	--	0 . 7	< 5								
13+00E 25+50S	201	--	0 . 5	< 5								
13+00E 26+00S	201	--	0 . 5	< 5								
13+00E 26+50S	201	--	0 . 5	< 5								
13+00E 27+00S	201	--	0 . 3	6 0 0								
13+00E 27+50S	201	--	0 . 2	1 0								
13+00E 28+00S	201	--	0 . 5	4 5								
13+00E 28+50S	201	--	0 . 3	5								
13+00E 29+00S	201	--	0 . 8	< 5								
13+00E 29+50S	201	--	0 . 4	<< 5								
13+00E 30+00S	201	--	0 . 3	<< 5								
13+00E 30+50S	201	--	1 . 0	<< 5								
13+00E 31+00S	201	--	0 . 1	< 5								
13+00E 31+50S	201	--	0 . 1	< 5								
13+00E 32+00S	201	--	0 . 3	< 5								
13+00E 32+50S	201	--	0 . 6	<< 5								
13+00E 33+00S	201	--	0 . 8	<< 5								
13+00E 33+50S	201	--	0 . 5	< 5								
13+00E 34+00S	201	--	0 . 6	< 5								
13+00E 34+50S	201	--	1 . 6	1 0								
13+00E 35+00S	201	--	0 . 3	<< 5								
13+00E 35+50S	201	--	0 . 8	<< 5								
13+00E 36+00S	201	--	0 . 7	< 5								
13+00E 36+50S	201	--	0 . 9	< 5								
13+00E 37+00S	201	--	0 . 4	<< 5								
13+00E 37+50S	201	--	0 . 4	<< 5								
13+00E 38+00S	201	--	0 . 5	<< 5								
13+00E 38+50S	201	--	0 . 3	< 5								
13+00E 39+00S	201	--	0 . 1	< 5								
13+00E 39+50S	201	--	1 . 1	< 5								
13+00E 40+00S	201	--	0 . 9	1 0								
13+50E 25+50S	201	--	1 . 0	< 5								
13+50E 26+00S	201	--	0 . 7	< 5								

CERTIFICATION : *Stanley Becker*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL 11

Comments:

Page No. : 4
Tot. Pages: 5
Date : 20-NOV-87
Invoice #: I-8726019
P.O. # :

CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
13+50E 26+50S	201	--	0.4	< 5								
13+50E 27+00S	203	--	2.4	20								
13+50E 27+50S	201	--	0.3	< 5								
13+50E 28+00S	201	--	0.3	< 5								
13+50E 28+50S	201	--	0.5	< 5								
13+50E 29+00S	201	--	0.4	< 5								
13+50E 29+50S	201	--	0.9	< 5								
13+50E 30+00S	201	--	0.8	< 5								
13+50E 30+50S	201	--	0.3	< 5								
13+50E 31+00S	201	--	0.6	< 5								
13+50E 31+50S	201	--	2.6	< 5								
13+50E 32+00S	201	--	0.8	< 5								
13+50E 32+50S	201	--	0.7	< 5								
13+50E 33+00S	201	--	1.0	< 5								
13+50E 33+50S	201	--	1.2	< 5								
13+50E 34+00S	201	--	1.1	< 5								
13+50E 34+50S	201	--	1.1	< 5								
13+50E 35+00S	201	--	1.9	< 5								
13+50E 35+50S	201	--	1.1	< 5								
13+50E 36+00S	201	--	1.0	< 5								
13+50E 36+50S	201	--	1.1	< 5								
13+50E 37+00S	201	--	1.3	< 5								
13+50E 37+50S	201	--	2.5	< 5								
13+50E 38+00S	201	--	0.9	< 5								
13+50E 38+50S	201	--	1.2	< 5								
13+50E 39+00S	201	--	0.7	470								
14+00E 25+50S	201	--	0.9	30								
14+00E 26+00S	201	--	0.9	10								
14+00E 26+50S	201	--	0.5	5								
14+00E 27+00S	203	--	0.6	< 5								
14+00E 27+50S	201	--	0.5	< 5								
14+00E 28+00S	201	--	0.3	< 5								
14+00E 28+50S	201	--	0.9	< 5								
14+00E 29+00S	201	--	0.7	< 5								
14+00E 29+50S	201	--	0.8	< 5								
14+00E 30+00S	203	--	0.2	< 5								
14+00E 30+50S	201	--	0.9	10								
14+00E 31+00S	201	--	1.2	< 5								
14+00E 31+50S	201	--	1.5	< 5								
14+00E 32+00S	201	--	0.8	< 5								

CERTIFICATION : *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BEL II

Comments:

Page No. : 5
Tot. Pages: 5
Date : 20-NOV-87
Invoice #: I-8726019
P.O. # :

CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
14+00E 32+50S	201	—	1.0	<5									
14+00E 33+00S	201	—	1.0	<5									
14+00E 33+50S	201	—	1.4	<5									
14+00E 34+00S	201	—	1.5	<5									
14+00E 34+50S	201	—	1.0	<5									
14+00E 35+00S	201	—	1.7	<5									
14+00E 35+50S	201	—	0.9	<5									
14+00E 36+00S	201	—	2.0	<5									
14+00E 36+50S	201	—	0.6	<5									
14+00E 37+00S	201	—	1.4	<5									
14+00E 37+50S	201	—	2.1	<5									
14+00E 38+00S	201	—	1.4	<5									
14+00E 38+50S	201	—	2.5	<5									
14+00E 39+00S	201	—	1.6	<5									
14+00E 39+50S	201	—	1.8	15									
14+00E 40+00S	201	—	1.0	155									

CERTIFICATION :

Hart Bieker



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BELL 11
 Comments:

Page No. : 1
 Tot. Pages: 6
 Date : 24-NOV-87
 Invoice #: I-8726294
 P.O. # :

CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
0+50W 25+00S	201	--	0.1	15								
0+50W 25+50S	201	--	0.1	5								
0+50W 26+00S	201	--	0.1	10								
0+50W 26+50S	201	--	0.1	30								
0+50W 27+00S	201	--	0.2	15								
0+50W 27+50S	201	--	0.4	10								
0+50W 28+00S	201	--	0.5	15								
0+50W 28+50S	201	--	0.1	25								
0+50W 29+00S	201	--	0.2	55								
0+50W 29+50S	201	--	0.1	150								
0+50W 30+00S	201	--	0.4	10								
0+50W 30+50S	201	--	1.0	<5								
0+50W 31+00S	201	--	1.9	30								
0+50W 31+50S	201	--	1.0	5								
0+50W 32+00S	201	--	0.8	80								
0+50W 32+50S	201	--	0.6	10								
0+50W 33+00S	201	--	0.2	<5								
0+50W 33+50S	201	--	0.2	<5								
0+50W 34+00S	201	--	0.4	<<5								
0+50W 34+50S	201	--	0.6	<<5								
0+50W 35+00S	201	--	1.7	<5								
0+50W 35+50S	201	--	1.9	<5								
0+50W 36+00S	201	--	1.3	<5								
0+50W 36+50S	201	--	0.2	15								
0+50W 37+00S	201	--	0.5	<5								
0+50W 37+50S	201	--	1.3	<5								
0+50W 38+00S	201	--	1.4	<5								
0+50W 38+50S	201	--	1.1	<5								
0+50W 39+00S	201	--	0.7	<5								
0+50W 39+50S	201	--	1.3	<5								
0+50W 40+00S	201	--	3.0	<5								
1+00W 25+00S	201	--	0.2	5								
1+00W 25+50S	201	--	0.2	20								
1+00W 26+00S	201	--	0.2	50								
1+00W 26+50S	201	--	0.3	10								
1+00W 27+00S	201	--	0.3	5								
1+00W 27+50S	201	--	0.1	5								
1+00W 28+00S	201	--	0.1	15								
1+00W 28+50S	201	--	0.1	20								
1+00W 29+00S	201	--	0.5	10								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 2
Tot. Pages: 6
Date : 24-NOV-87
Invoice #: I-8726294
P.O. # :

CERTIFICATE OF ANALYSIS A8 726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
I+00W 29+50S	201	--	0.2	< 5								
I+00W 30+00S	201	--	0.5	15								
I+00W 30+50S	201	--	1.9	55								
I+00W 31+00S	201	--	2.0	< 5								
I+00W 31+50S	201	--	1.5	< 5								
I+00W 32+00S	201	--	0.4	< 5								
I+00W 32+50S	201	--	0.5	5								
I+00W 33+00S	201	--	0.4	20								
I+00W 33+50S	201	--	0.7	10								
I+00W 34+00S	201	--	1.5	< 5								
I+00W 34+50S	201	--	1.0	< 5								
I+00W 35+00S A	201	--	0.8	5								
I+00W 35+00S B	201	--	1.0	10								
I+00W 36+00S	201	--	0.9	< 5								
I+00W 36+50S	201	--	0.5	< 5								
I+00W 37+00S	201	--	0.8	10								
I+00W 37+50S	201	--	1.2	< 5								
I+00W 38+00S	201	--	0.7	< 5								
I+00W 38+50S	201	--	0.8	< 5								
I+00W 39+00S	201	--	2.2	< 5								
I+00W 39+50S	201	--	1.9	< 5								
I+00W 40+00S	201	--	1.2	< 5								
I+50W 25+00S	201	--	0.2	70								
I+50W 25+50S	201	--	1.2	35								
I+50W 26+00S	201	--	0.1	15								
I+50W 26+50S	201	--	0.6	< 5								
I+50W 27+00S	201	--	0.1	10								
I+50W 27+50S	201	--	0.1	10								
I+50W 28+00S	201	--	0.2	15								
I+50W 28+50S	201	--	0.4	10								
I+50W 29+00S	201	--	0.1	40								
I+50W 29+50S	201	--	0.3	5								
I+50W 30+00S	201	--	0.3	< 5								
I+50W 30+50S	201	--	1.5	5								
I+50W 31+00S	201	--	0.6	10								
I+50W 31+50S	201	--	0.5	5								
I+50W 32+00S	201	--	1.0	< 5								
I+50W 32+50S	201	--	0.6	< 5								
I+50W 33+00S	201	--	0.6	< 5								
I+50W 33+50S	201	--	0.3	< 5								

CERTIFICATION : *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 3
Tot. Pages: 6
Date : 24-NOV-87
Invoice #: I-8726294
P.O. # :

CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
I+50W 34+00S	201	--	0 . 5	15								
I+50W 34+50S	201	--	0 . 7	10								
I+50W 35+00S	201	--	2 . 0	45								
I+50W 35+50S	201	--	0 . 7	10								
I+50W 36+00S	201	--	1 . 6	5								
I+50W 36+50S	201	--	1 . 1	< 5								
I+50W 37+00S	201	--	1 . 6	< 5								
I+50W 37+50S	201	--	0 . 1	< 5								
I+50W 38+00S	201	--	0 . 1	< 5								
I+50W 38+50S	201	--	0 . 1	5								
I+50W 39+00S	201	--	0 . 2	15								
I+50W 39+50S	201	--	0 . 2	10								
I+50W 40+00S	201	--	0 . 5	5								
2+00W 25+00S	201	--	0 . 2	5								
2+00W 25+50S	201	--	0 . 1	5								
2+00W 26+00S	201	--	0 . 4	< 5								
2+00W 26+50S	201	--	0 . 2	< 5								
2+00W 27+00S	201	--	0 . 1	< 5								
2+00W 27+50S	201	--	0 . 1	< 5								
2+00W 28+00S	201	--	0 . 1	< 5								
2+00W 28+50S	201	--	0 . 4	< 5								
2+00W 29+00S	201	--	0 . 1	< 5								
2+00W 29+50S	201	--	0 . 1	< 5								
2+00W 30+00S	201	--	0 . 1	< 5								
2+00W 30+50S	201	--	0 . 1	70								
2+00W 31+00S	201	--	0 . 1	30								
2+00W 31+50S	201	--	0 . 1	25								
2+00W 32+00S	201	--	0 . 1	20								
2+00W 32+50S	201	--	0 . 1	5								
2+00W 33+00S	201	--	0 . 1	< 5								
2+00W 33+50S	201	--	0 . 6	65								
2+00W 34+00S	201	--	0 . 5	5								
2+00W 34+50S	201	--	0 . 7	5								
2+00W 35+00S	201	--	0 . 1	< 5								
2+00W 35+50S	201	--	1 . 0	15								
2+00W 36+00S	201	--	1 . 1	< 5								
2+00W 36+50S	201	--	0 . 8	< 5								
2+00W 37+00S	201	--	0 . 1	< 5								
2+00W 37+50S	201	--	0 . 1	< 5								
2+00W 38+00S	201	--	0 . 1	< 5								

CERTIFICATION :

Hartl Biebler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II


Comments:

Page No. : 4
Tot. Pages: 6
Date : 24-NOV-87
Invoice #: I-8726294
P.O. # :

CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
2+00W 38+50S	201	—	0.1	< 5								
2+00W 39+00S	201	—	0.1	90								
2+00W 39+50S	201	—	0.1	5								
2+00W 40+00S	201	—	1.4	< 5								
2+50W 25+00S	201	—	1.8	< 5								
2+50W 25+50S	201	—	0.8	< 5								
2+50W 26+00S	201	—	0.1	<< 5								
2+50W 26+50S	201	—	0.1	<< 5								
2+50W 27+00S	201	—	0.1	<< 5								
2+50W 27+50S	201	—	0.1	< 5								
2+50W 28+00S	201	—	0.1	< 5								
2+50W 28+50S	201	—	0.1	<< 5								
2+50W 29+00S	201	—	0.1	<< 5								
2+50W 29+50S	201	—	0.1	5								
2+50W 30+00S	201	—	0.1	5								
2+50W 30+50S	201	—	0.1	35								
2+50W 31+00S	201	—	0.1	15								
2+50W 31+50S	201	—	0.1	10								
2+50W 32+00S	201	—	0.1	< 5								
2+50W 32+50S	201	—	0.1	10								
2+50W 33+00S	201	—	0.1	< 5								
2+50W 33+50S	201	—	0.8	< 5								
2+50W 34+00S	201	—	0.2	< 5								
2+50W 34+50S	201	—	0.4	< 5								
2+50W 35+00S	201	—	0.1	< 5								
2+50W 35+50S	201	—	0.6	< 5								
2+50W 36+00S	201	—	0.1	<< 5								
2+50W 36+50S	201	—	0.1	<< 5								
2+50W 37+00S	201	—	0.2	<< 5								
2+50W 37+50S	201	—	0.2	5								
2+50W 38+00S	201	—	0.1	< 5								
2+50W 38+50S	201	—	1.3	< 5								
2+50W 39+00S	201	—	0.3	<< 5								
2+50W 39+50S	201	—	0.1	<< 5								
2+50W 40+00S	201	—	0.1	< 5								
3+00W 25+00S	201	—	1.0	< 5								
3+00W 25+50S	201	—	1.0	<< 5								
3+00W 26+00S	201	—	0.6	<< 5								
3+00W 26+50S	201	—	0.1	<< 5								
3+00W 27+00S	201	—	0.1	< 5								

CERTIFICATION : *Hans Bieker*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 5
Tot. Pages: 6
Date : 24-NOV-87
Invoice #: I-8726294
P.O. # :

CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
3+00W 27+50S	201	—	0 . 7	^ ^ ^	5							
3+00W 28+00S	201	—	0 . 5	^ ^ ^	5							
3+00W 28+50S	201	—	0 . 1	^ ^ ^	5							
3+00W 29+00S	201	—	2 . 0	^ ^ ^	5							
3+00W 29+50S	201	—	1 . 4	<	5							
3+00W 30+00S	201	—	0 . 1	^	70							
3+00W 30+50S	201	—	0 . 1	^	45							
3+00W 31+00S	201	—	0 . 1	^	5							
3+00W 31+50S	201	—	0 . 1	^	5							
3+00W 32+00S	201	—	0 . 1	^	5							
3+00W 32+50S	201	—	0 . 1	^ ^	5							
3+00W 33+00S	201	—	0 . 2	^ ^	5							
3+00W 33+50S	201	—	0 . 1	^ ^ ^	5							
3+00W 34+00S	201	—	0 . 1	^ ^ ^	5							
3+00W 34+50S	201	—	0 . 3	^ ^ ^	5							
3+00W 35+00S	201	—	0 . 1	^ ^	5							
3+00W 35+50S	201	—	0 . 4	^ ^ ^	5							
3+00W 36+00S	201	—	0 . 2	^ ^ ^	5							
3+00W 36+50S	201	—	0 . 2	^ ^ ^	5							
3+00W 37+00S	201	—	0 . 9	^ ^ ^	5							
3+00W 37+50S	201	—	0 . 2	<	5							
3+00W 38+00S	201	—	0 . 3	^	25							
3+00W 38+50S	201	—	0 . 5	^	5							
3+00W 39+00S	201	—	0 . 9	^ ^ ^	5							
3+00W 39+50S	201	—	0 . 1	^ ^	5							
3+00W 40+00S	201	—	0 . 7	^	10							
3+50W 25+00S	201	—	0 . 1	<	5							
3+50W 25+50S	201	—	0 . 1	^	10							
3+50W 26+00S	201	—	0 . 1	^	5							
3+50W 26+50S	201	—	1 . 0	^ ^	5							
3+50W 27+00S	201	—	0 . 1	^ ^ ^	5							
3+50W 27+50S	201	—	0 . 1	^ ^ ^	5							
3+50W 28+00S	201	—	0 . 1	^ ^ ^	5							
3+50W 28+50S	201	—	0 . 8	^ ^	5							
3+50W 29+00S	201	—	0 . 1	^	15							
3+50W 29+50S	201	—	0 . 1	^ ^	5							
3+50W 30+00S	201	—	3 . 6	^ ^	5							
3+50W 30+50S	203	—	0 . 1	^	10							
3+50W 31+00S	201	—	1 . 9	^	5							
3+50W 31+50S	203	—	0 . 1	^	20							

Hans Biebler

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 6
Tot. Pages: 6
Date : 24-NOV-87
Invoice #: I-8726294
P.O. # :

CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE		Ag ppm Aqua R	Au ppb FA+AA									
3+50W 32+00S	201	--	0 . 1	2 0									
3+50W 32+50S	201	--	0 . 2	< 5									
3+50W 33+00S	201	--	0 . 1	< 5									
3+50W 33+50S	201	--	0 . 5	< 5									
3+50W 34+00S	201	--	0 . 4	< 5									
3+50W 34+50S	201	--	1 . 1	< 5									
3+50W 35+00S	201	--	0 . 1	2 5									
3+50W 35+50S	201	--	0 . 2	< 5									
3+50W 36+00S	201	--	0 . 1	< 5									
3+50W 36+50S	201	--	0 . 4	< 5									
3+50W 37+00S	201	--	0 . 3	1 0									
3+50W 37+50S	201	--	0 . 5	< 5									
3+50W 38+00S	201	--	0 . 5	< 5									
3+50W 38+50S	201	--	0 . 6	1 0									
3+50W 39+00S	201	--	0 . 1	< 5									
3+50W 39+50S	201	--	0 . 1	< 5									
3+50W 40+00S	201	--	0 . 1	< 5									

CERTIFICATION :

Hart Biehler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 1
Tot. Pages: 6
Date : 25-NOV-87
Invoice #: I-8726295
P.O. # :

CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
4+00W 25+00S	201	--	0.1	< 5								
4+00W 25+50S	201	--	0.1	< 5								
4+00W 26+00S	201	--	0.1	< 10								
4+00W 26+50S	201	--	0.6	< 5								
4+00W 27+00S	201	--	0.2	< 5								
4+00W 27+50S	201	--	0.1	< 5								
4+00W 28+00S	201	--	0.1	< 5								
4+00W 28+50S	201	--	0.5	< 35								
4+00W 29+00S	201	--	0.1	< 5								
4+00W 29+50S	203	--	1.2	< 5								
4+00W 30+00S	201	--	0.5	< 10								
4+00W 30+50S	201	--	0.2	< 5								
4+00W 31+00S	201	--	0.1	< 5								
4+00W 31+50S	201	--	0.1	< 5								
4+00W 32+00S	201	--	0.1	< 5								
4+00W 32+50S	201	--	0.1	< 5								
4+00W 33+00S	201	--	0.1	< 5								
4+00W 33+50S	201	--	0.1	< 5								
4+00W 34+00S	201	--	0.6	< 5								
4+00W 34+50S	201	--	0.5	< 5								
4+00W 35+00S	201	--	0.4	< 5								
4+00W 35+50S	201	--	1.1	< 5								
4+00W 36+00S	201	--	0.2	< 5								
4+00W 36+50S	201	--	0.2	< 5								
4+00W 37+00S	201	--	0.4	< 5								
4+00W 37+50S	201	--	0.5	< 5								
4+00W 38+00S	201	--	1.3	< 5								
4+00W 38+50S	201	--	0.4	< 5								
4+00W 39+00S	201	--	0.1	< 5								
4+00W 39+50S	201	--	1.0	< 5								
4+00W 40+00S	201	--	0.5	< 5								
4+50W 25+00S	201	--	0.1	< 5								
4+50W 25+50S	201	--	0.1	< 5								
4+50W 26+00S	203	--	0.1	< 5								
4+50W 26+50S	201	--	0.1	< 5								
4+50W 27+00S	201	--	0.1	< 5								
4+50W 27+50S	201	--	1.0	< 5								
4+50W 28+00S	201	--	0.1	< 5								
4+50W 28+50S	201	--	0.1	< 5								
4+50W 29+00S	201	--	0.1	< 5								

CERTIFICATION :

Hart Bieker



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL 11

Comments:

Page No. : 2
Tot. Pages: 6
Date : 25-NOV-87
Invoice #: I-8726295
P.O. # :

CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
4+50W 29+50S	201	--	0.1	< 5								
4+50W 30+00S	201	--	0.1	< 10								
4+50W 30+50S	201	--	0.1	< 5								
4+50W 31+00S	201	--	2.5	<< 5								
4+50W 31+50S	201	--	0.1	< 5								
4+50W 32+00S	201	--	0.1	< 5								
4+50W 32+50S	201	--	0.1	<< 5								
4+50W 33+00S	201	--	0.1	<< 5								
4+50W 33+50S	201	--	0.2	<< 5								
4+50W 34+00S	201	--	1.7	< 5								
4+50W 34+50S	201	--	1.1	<< 5								
4+50W 35+00S	201	--	2.2	<< 5								
4+50W 35+50S	201	--	1.0	< 10								
4+50W 36+00S	201	--	0.2	<< 5								
4+50W 36+50S	201	--	1.4	< 5								
4+50W 37+00S	201	--	0.1	< 5								
4+50W 37+50S	201	--	0.2	<< 5								
4+50W 38+00S	201	--	0.2	<< 5								
4+50W 38+50S	201	--	0.1	< 50								
4+50W 39+00S	201	--	0.1	< 5								
4+50W 39+50S	201	--	0.1	< 5								
5+00W 40+00S	201	--	0.3	<< 5								
5+00W 25+00S	201	--	0.1	<< 5								
5+00W 25+50S	201	--	0.5	<< 5								
5+00W 26+00S	201	--	0.1	<< 5								
5+00W 26+50S	201	--	0.1	< 5								
5+00W 27+00S	201	--	0.1	<< 5								
5+00W 27+50S	201	--	0.1	<< 5								
5+00W 28+00S	201	--	0.6	<< 5								
5+00W 28+50S	201	--	0.1	15								
5+00W 29+00S	201	--	0.1	< 5								
5+00W 29+50S	217	--	0.7	30								
5+00W 30+00S	217	--	0.1	20								
5+00W 30+50S	217	--	1.7	5								
5+00W 31+00S	201	--	0.1	<< 5								
5+00W 31+50S	217	--	1.3	< 5								
5+00W 32+00S	217	--	0.1	<< 5								
5+00W 32+50S	201	--	0.1	<< 5								
5+00W 33+00S	201	--	0.1	<< 5								
5+00W 33+50S	201	--	0.8	< 5								

CERTIFICATION :

Hart Biebler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1853 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:


Page No. : 3
Tot. Pages: 6
Date : 25-NOV-87
Invoice #: I-8726295
P.O. # :

CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
S+00W 34+00S	201	--	0.3	<5									
S+00W 34+50S	201	--	1.6	<5									
S+00W 35+00S	201	--	1.0	<5									
S+00W 35+50S	201	--	1.8	<5									
S+00W 36+00S	201	--	1.0	<5									
S+00W 36+50S	201	--	0.5	<5									
S+00W 37+00S	201	--	0.8	<5									
S+00W 37+50S	201	--	0.1	<5									
S+00W 38+00S	201	--	0.2	<5									
S+00W 38+50S	201	--	0.2	<5									
S+00W 39+00S	201	--	0.1	<5									
S+00W 39+50S	201	--	1.0	<5									
S+00W 40+00S	201	--	0.1	<5									
S+50W 25+00S	201	--	0.4	<5									
S+50W 25+50S	201	--	0.2	<5									
S+50W 26+00S	201	--	0.1	<5									
S+50W 26+50S	201	--	0.1	<5									
S+50W 27+00S	201	--	0.2	<5									
S+50W 27+50S	201	--	0.2	<5									
S+50W 28+00S	201	--	0.4	<5									
S+50W 28+50S	201	--	0.1	<5									
S+50W 29+00S	201	--	0.1	<5									
S+50W 29+50S	201	--	1.4	<5									
S+50W 30+00S	201	--	0.4	<5									
S+50W 30+50S	201	--	1.5	<5									
S+50W 31+00S	201	--	0.6	<5									
S+50W 31+50S	203	--	4.0	<5									
S+50W 32+00S	201	--	0.2	<5									
S+50W 32+50S	201	--	0.4	<5									
S+50W 33+00S	201	--	0.1	<5									
S+50W 33+50S	203	--	0.5	<5									
S+50W 34+00S	201	--	1.8	<5									
S+50W 34+50S	201	--	0.2	<5									
S+50W 35+00S	201	--	1.3	<5									
S+50W 35+50S	201	--	1.0	<5									
S+50W 36+00S	201	--	0.2	<5									
S+50W 36+50S	201	--	0.1	<5									
S+50W 37+00S	201	--	0.3	<5									
S+50W 37+50S	201	--	0.4	<5									
S+50W 38+00S	201	--	0.8	<5									

CERTIFICATION :

HartBeckler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE . NORTH VANCOUVER.
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL 11

Comments:

Page No. : 4
Tot. Pages: 6
Date : 25-NOV-87
Invoice #: I-8726295
P.O. # :

CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FATAA									
5+50W 38+50S	201	--	0.4	< 5								
5+50W 39+00S	201	--	0.4	< 5								
5+50W 39+50S	201	--	0.5	< 5								
5+50W 40+00S	201	--	0.1	< 5								
6+00W 25+00S	201	--	0.1	< 5								
6+00W 25+50S	201	--	0.1	< 5								
6+00W 26+00S	201	--	0.1	< 5								
6+00W 26+50S	201	--	0.3	< 5								
6+00W 27+00S	201	--	0.1	< 5								
6+00W 27+50S	201	--	0.6	< 5								
6+00W 28+00S	201	--	0.1	< 5								
6+00W 28+50S A	201	--	0.7	< 5								
6+00W 28+50S B	201	--	0.1	< 5								
6+00W 29+00S	201	--	0.1	< 5								
6+00W 29+50S	201	--	0.4	< 5								
6+00W 30+00S	201	--	1.0	< 5								
6+00W 30+50S	201	--	0.6	< 20								
6+00W 31+00S	203	--	0.6	< 5								
6+00W 31+50S	203	--	0.1	< 5								
6+00W 32+00S	201	--	0.4	< 5								
6+00W 32+50S	203	--	0.1	< 5								
6+00W 33+00S	201	--	0.3	< 5								
6+00W 33+50S	201	--	0.3	< 5								
6+00W 34+00S	201	--	0.7	< 5								
6+00W 34+50S	201	--	1.0	< 5								
6+00W 35+00S	201	--	1.1	< 5								
6+00W 35+50S	201	--	0.5	< 5								
6+00W 36+00S	201	--	1.0	< 5								
6+00W 36+50S	201	--	0.2	< 5								
6+00W 37+00S	201	--	0.1	< 5								
6+00W 37+50S	201	--	0.1	< 5								
6+00W 38+00S	203	--	0.1	< 5								
6+00W 38+50S	201	--	0.6	< 5								
6+00W 39+00S	201	--	0.2	< 5								
6+00W 39+50S	201	--	0.1	< 5								
6+00W 40+00S	201	--	0.4	< 5								
6+50W 25+00S	201	--	0.3	< 5								
6+50W 25+50S	201	--	0.1	< 5								
6+50W 26+00S	201	--	0.6	< 5								
6+50W 26+50S	201	--	0.7	< 5								

CERTIFICATION :

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II
Comments:

Page No. : 5
Tot. Pages: 6
Date : 25-NOV-87
Invoice # : I-8726295
P.O. # :

CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
6+50W 27+00S	201	—	0.3	≤ 5								
6+50W 27+50S	201	—	0.1	≤ 5								
6+50W 28+00S	201	—	0.1	≤ 5								
6+50W 28+50S	201	—	0.1	≤ 5								
6+50W 29+00S	201	—	0.2	≤ 5								
6+50W 29+50S	201	—	0.7	≤ 5								
6+50W 30+00S	201	—	0.8	≤ 5								
6+50W 30+50S	203	—	1.8	≤ 5								
6+50W 31+00S	201	—	0.1	≤ 5								
6+50W 31+50S	203	—	0.1	≤ 5								
6+50W 32+00S	201	—	0.1	< 5								
6+50W 32+50S	201	—	0.2	< 5								
6+50W 33+00S	201	—	0.1	145								
6+50W 33+50S	201	—	1.0	≤ 5								
6+50W 34+00S	201	—	0.9	≤ 5								
6+50W 34+50S	201	—	0.1	< 5								
6+50W 35+00S	201	—	0.1	≤ 5								
6+50W 35+50S	201	—	1.7	≤ 5								
6+50W 36+00S	201	—	1.7	≤ 5								
6+50W 36+50S	201	—	2.2	≤ 5								
6+50W 37+00S	201	—	0.7	≤ 5								
6+50W 37+50S	201	—	1.0	≤ 5								
6+50W 38+00S	201	—	0.4	≤ 5								
6+50W 38+50S	201	—	0.7	≤ 5								
6+50W 39+00S	201	—	1.0	≤ 5								
6+50W 39+50S	201	—	0.4	< 5								
6+50W 40+00S	201	—	0.5	< 10								
7+00W 25+00S	201	—	0.1	≤ 5								
7+00W 25+50S	201	—	1.0	≤ 5								
7+00W 26+00S	201	—	0.3	≤ 5								
7+00W 26+50S	201	—	0.5	≤ 5								
7+00W 27+00S	201	—	0.4	≤ 5								
7+00W 27+50S	201	—	0.2	≤ 5								
7+00W 28+00S	201	—	0.6	≤ 5								
7+00W 28+50S	201	—	0.3	≤ 5								
7+00W 29+00S	201	—	0.7	≤ 5								
7+00W 29+50S	201	—	0.8	≤ 5								
7+00W 30+00S	201	—	0.5	≤ 5								
7+00W 30+50S	203	—	1.2	≤ 5								
7+00W 31+00S	201	—	0.6	≤ 5								

CERTIFICATION :

Janti Biebler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
 VANCOUVER, B.C.
 V6K 3M3

Project : BELL II

Comments:

Page No. : 6
 Tot. Pages: 6
 Date : 25-NOV-87
 Invoice #: I-8726295
 P.O. # :

CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
7+00W 31+50S	201	—	0.1	< 10								
7+00W 32+00S	201	—	0.1	< 5								
7+00W 32+50S	201	—	0.3	< 5								
7+00W 33+00S	201	—	0.1	< 5								
7+00W 33+50S	201	—	0.2	< 40								
7+00W 34+00S	201	—	0.7	< 5								
7+00W 34+50S	201	—	0.1	< 5								
7+00W 35+00S	201	—	0.4	< 5								
7+00W 35+50S	201	—	1.0	< 5								
7+00W 36+00S	201	—	0.6	< 5								
7+00W 36+50S	201	—	1.3	< 5								
7+00W 37+00S	201	—	0.4	< 5								
7+00W 37+50S	201	—	0.7	< 5								
7+00W 38+00S	201	—	1.0	< 5								
7+00W 38+50S	201	—	0.6	< 5								
7+00W 39+00S	201	—	0.8	< 5								
7+00W 39+50S	201	—	0.2	< 5								
7+00W 40+00S	203	—	0.1	< 5								

CERTIFICATION :

Mark Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 1
Tot. Pages: 5
Date : 25-NOV-87
Invoice #: I-8726297
P.O. # :

CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
7+50W 25+00S	201	--	0.6	< 5								
7+50W 25+50S	201	--	0.7	< 5								
7+50W 26+00S	201	--	0.2	< 5								
7+50W 26+50S	201	--	0.3	< 5								
7+50W 27+00S	201	--	0.7	< 5								
7+50W 27+50S	201	--	0.1	< 5								
7+50W 28+00S	201	--	0.1	< 5								
7+50W 28+50S	201	--	0.1	< 5								
7+50W 29+00S	201	--	0.2	< 5								
7+50W 29+50S	203	--	1.0	< 5								
7+50W 30+00S	201	--	2.4	< 5								
7+50W 31+00S	201	--	0.5	< 5								
7+50W 31+50S	201	--	2.2	< 5								
7+50W 32+00S	201	--	0.1	< 5								
7+50W 32+50S	201	--	0.4	< 5								
7+50W 33+00S	201	--	0.2	< 5								
7+50W 33+50S	201	--	0.1	< 5								
7+50W 34+00S	201	--	2.2	< 5								
7+50W 34+50S	201	--	0.3	< 5								
7+50W 35+00S	201	--	0.5	< 5								
7+50W 35+50S	201	--	0.2	< 5								
7+50W 36+00S	201	--	1.1	< 5								
7+50W 36+50S	201	--	1.2	< 5								
7+50W 37+00S	201	--	1.2	< 5								
7+50W 37+50S	201	--	0.9	< 5								
7+50W 38+00S	201	--	0.3	< 5								
7+50W 38+50S	201	--	0.4	< 5								
7+50W 39+00S	201	--	0.9	< 5								
7+50W 39+50S	201	--	0.7	< 5								
7+50W 40+00S	201	--	0.5	< 5								
8+00W 25+00S	201	--	0.5	< 5								
8+00W 25+50S	201	--	0.4	< 5								
8+00W 26+00S	201	--	0.1	< 5								
8+00W 26+50S	201	--	0.2	< 5								
8+00W 27+00S	217	--	1.9	< 5								
8+00W 27+50S	201	--	0.7	< 5								
8+00W 28+00S	201	--	0.8	< 5								
8+00W 28+50S	201	--	0.5	< 5								
8+00W 29+00S	201	--	1.3	< 5								
8+00W 29+50S	201	--	1.0	< 5								

CERTIFICATION :

Hart Biebler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 2
Tot. Pages: 5
Date : 25-NOV-87
Invoice #: I-8726297
P.O. # :

CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
8+00W 30+00S	201	---	0.3	< 5									
8+00W 30+50S	201	---	0.2	<< 5									
8+00W 31+00S	201	---	3.8	<< 5									
8+00W 31+50S	201	---	0.2	<< 5									
8+00W 32+00S	201	---	0.6	<< 5									
8+00W 32+50S	201	---	0.5	15									
8+00W 33+00S	201	---	0.6	10									
8+00W 33+50S	201	---	1.6	< 5									
8+00W 34+00S	201	---	2.4	<< 5									
8+00W 34+50S	201	---	1.7	< 5									
8+00W 35+00S	201	---	0.2	< 5									
8+00W 35+50S	201	---	1.6	<< 5									
8+00W 36+00S	201	---	1.4	<< 5									
8+00W 36+50S	201	---	0.4	<< 5									
8+00W 37+00S	201	---	0.2	<< 5									
8+00W 37+50S	201	---	0.6	< 5									
8+00W 38+00S	201	---	0.3	<< 5									
8+00W 38+50S	201	---	1.4	<< 5									
8+00W 39+00S	201	---	0.5	<< 5									
8+00W 39+50S	201	---	0.3	<< 5									
8+00W 40+00S	201	---	1.7	< 5									
8+50W 25+00S	201	---	1.1	<< 5									
8+50W 25+50S	201	---	0.1	<< 5									
8+50W 26+00S	201	---	0.7	<< 5									
8+50W 26+50S	201	---	0.1	< 5									
8+50W 27+00S	201	---	0.9	< 5									
8+50W 27+50S	201	---	0.1	<< 5									
8+50W 28+00S	201	---	0.6	<< 5									
8+50W 28+50S	201	---	1.2	<< 5									
8+50W 29+00S	201	---	0.6	< 5									
8+50W 29+50S	201	---	0.5	< 5									
8+50W 30+00S	201	---	5.0	< 15									
8+50W 30+50S	201	---	1.7	<< 5									
8+50W 31+00S	201	---	0.4	<< 5									
8+50W 31+50S	201	---	0.2	<< 5									
8+50W 32+00S	201	---	2.0	< 10									
8+50W 32+50S	201	---	0.2	< 5									
8+50W 33+00S	201	---	0.2	<< 5									
8+50W 33+50S	201	---	0.6	< 5									
8+50W 34+00S	201	---	0.3	< 25									

CERTIFICATION :

Hartl Seicher



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 3
Tot. Pages: 5
Date : 25-NOV-87
Invoice #: I-8726297
P.O. # :

CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
8+50W 34+50S	201	--	0.7	< 5								
8+50W 35+00S	201	--	1.3	< 5								
8+50W 35+50S	201	--	0.5	< 5								
8+50W 36+00S	201	--	0.7	< 5								
8+50W 36+50S	201	--	1.8	< 5								
8+50W 37+00S	201	--	1.0	< 5								
8+50W 37+50S	201	--	0.3	< 5								
8+50W 38+00S	201	--	0.6	< 5								
8+50W 38+50S	201	--	1.0	< 5								
8+50W 39+00S	201	--	2.0	< 5								
8+50W 39+50S	201	--	0.8	< 5								
8+50W 40+00S	201	--	0.7	< 30								
9+00W 25+00S	201	--	0.3	< 5								
9+00W 25+50S	201	--	0.9	< 5								
9+00W 26+00S	201	--	0.1	< 5								
9+00W 26+50S	201	--	1.6	< 5								
9+00W 27+00S	201	--	1.1	< 5								
9+00W 27+50S	201	--	1.2	< 5								
9+00W 28+00S	201	--	1.6	< 5								
9+00W 28+50S	201	--	0.7	< 5								
9+00W 29+00S	201	--	0.9	< 5								
9+00W 29+50S	201	--	0.4	< 5								
9+00W 30+00S	201	--	0.2	< 5								
9+00W 30+50S	201	--	0.1	< 5								
9+00W 31+00S	201	--	0.4	< 5								
9+00W 31+50S	201	--	0.3	< 5								
9+00W 32+00S	201	--	0.2	< 40								
9+00W 32+50S	201	--	0.5	< 5								
9+00W 33+00S	201	--	0.1	< 5								
9+00W 33+50S	201	--	0.3	< 5								
9+00W 34+00S	201	--	0.1	< 5								
9+00W 34+50S	201	--	0.8	< 5								
9+00W 35+00S	201	--	0.4	< 5								
9+00W 35+50S	201	--	0.3	< 5								
9+00W 36+00S	201	--	1.0	< 5								
9+00W 36+50S	201	--	0.7	< 5								
9+00W 37+00S	201	--	0.1	< 5								
9+00W 37+50S	201	--	0.4	< 5								
9+00W 38+00S	201	--	0.9	< 5								
9+00W 38+50S	201	--	0.7	< 5								

CERTIFICATION :

HartlBeckler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:

Page No. : 4
Tot. Pages: 5
Date : 25-NOV-87
Invoice #: I-8726297
P.O. # :

CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA									
9-00W 39-00S	201	—	0.7	< 5								
9-00W 39-50S	201	—	0.5	< 5								
9-00W 40-00S	201	—	1.3	< 10								
9-50W 25-00S	201	—	1.0	< 5								
9-50W 25-50S	201	—	1.0	< 5								
9-50W 26-00S	201	—	0.8	< 5								
9-50W 26-50S	201	—	0.1	< 5								
9-50W 27-00S	201	—	0.7	< 5								
9-50W 27-50S	201	—	0.1	< 5								
9-50W 28-00S	201	—	1.0	< 5								
9-50W 28-50S	201	—	0.1	< 5								
9-50W 29-00S	217	—	0.1	< 5								
9-50W 29-50S	201	—	0.2	< 5								
9-50W 30-00S A	201	—	0.5	< 5								
9-50W 30-00S B	201	—	0.1	< 5								
9-50W 30-50S	201	—	0.9	< 5								
9-50W 31-00S	201	—	0.8	75								
9-50W 31-50S	201	—	0.2	10								
9-50W 32-00S	201	—	0.3	< 5								
9-50W 32-50S	201	—	0.3	< 5								
9-50W 33-00S	203	—	0.1	< 5								
9-50W 33-50S	201	—	0.3	< 5								
9-50W 34-00S	201	—	0.4	< 5								
9-50W 34-50S	201	—	1.5	< 5								
9-50W 35-00S	201	—	1.0	< 5								
9-50W 35-50S	201	—	0.1	< 5								
9-50W 36-00S	201	—	0.3	30								
9-50W 36-50S	201	—	1.0	< 5								
9-50W 37-00S	201	—	1.1	< 5								
9-50W 37-50S	201	—	1.1	< 5								
9-50W 38-00S	201	—	1.5	30								
9-50W 38-50S	201	—	0.3	< 5								
9-50W 39-00S	201	—	0.8	< 5								
9-50W 39-50S	201	—	0.4	< 5								
9-50W 40-00S	201	—	0.7	< 5								
10-00W 25-00S	201	—	0.1	< 5								
10-00W 25-50S	201	—	0.1	< 5								
10-00W 26-00S	201	—	0.1	20								
10-00W 26-50S	201	—	0.9	15								
10-00W 27-00S	201	—	0.5	5								

CERTIFICATION :

Hart Biebler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : ARCTEX ENGINEERING

301 - 1855 BALSAM ST.
VANCOUVER, B.C.
V6K 3M3

Project : BELL II

Comments:



Page No. : 5
Tot. Pages: 5
Date : 25-NOV-87
Invoice #: I-8726297
P.O. #: :


CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
10+00W 27+50S	201	—	0.4	< 10									
10+00W 28+00S	201	—	0.1	< 5									
10+00W 28+50S	203	—	0.6	120									
10+00W 29+00S	201	—	0.5	< 5									
10+00W 29+50S	201	—	1.3	< 5									
10+00W 30+00S	201	—	0.3	< 5									
10+00W 30+50S	201	—	0.7	< 5									
10+00W 31+00S	201	—	0.6	< 5									
10+00W 31+50S	201	—	0.6	< 5									
10+00W 32+00S	201	—	0.4	< 5									
10+00W 32+50S	201	—	0.1	< 5									
10+00W 33+00S	201	—	0.4	< 5									
10+00W 33+50S	203	—	1.7	< 5									
10+00W 34+00S	201	—	0.7	< 5									
10+00W 34+50S	201	—	2.0	< 5									
10+00W 35+00S	201	—	0.5	< 5									
10+00W 35+50S	201	—	1.1	< 5									
10+00W 36+00S	201	—	0.1	15									
10+00W 36+50S	201	—	1.2	< 5									
10+00W 37+00S	201	—	0.6	10									
10+00W 37+50S	201	—	0.7	< 5									
10+00W 38+00S	201	—	0.1	< 5									
10+00W 38+50S	201	—	0.1	< 5									
10+00W 39+00S	201	—	0.1	< 5									
10+00W 39+50S	201	—	0.2	< 5									
10+00W 40+00S	201	—	0.2	< 5									

CERTIFICATION :


Hart Bichler





4+88S 2+47E HW 1.00 m. 27 - 1.25 - 0.010

sample location width As Ag Au
ppm oz/ton



N

48 foliation
40 bedding
35 quartz vein

TRIASSIC
Sicamous Formation:
metasediments and lesser interbedded metavolcanics.

ARCTEX ENGINEERING SERVICES

Highgrade Ventures Ltd.

BEL Claim Group

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division

Subterranean
Geology

#1 VEIN ADIT
showing rock geochemistry & assays


1:100
metres
0 1 2 3 4 5

To accompany report by

Poul Kallock
GEOLOGIST


Locke B. Goldsmith, P.Eng.
CONSULTING GEOLOGIST

DECEMBER 1987



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,783



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

16,783

ARCTEX ENGINEERING SERVICES

Highgrade Ventures Ltd.

BEL Claim Group

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division

Geology

#3 VEIN AREA





DECEMBER 1987

1:1000
metres
0 10 20 30 40 50


To accompany report by

Paul Kallock
GEOLOGIST

Locke B. Goldsmith, P.Eng.
CONSULTING GEOLOGIST



16,783



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,783

ARCTEX ENGINEERING SERVICES
Highgrade Ventures Ltd.
BEL Claim Group

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division

GEOCHEMISTRY

Ag - Au in soils

Index to GEOLOGY maps

1:2500

NORTH

metres
0 25 50 75 100 125



To accompany report by
Paul Kallock
Locke B. Goldsmith, P.Eng.
CONSULTING GEODETIST

DECEMBER 1987

KEY

claim post •

shaft ■

adit —

access road —

old road —

trail —

outcrop oc

boulders ooo

loose rock x x

pit —

trench —

cat trench —

creek or drainage —

gully —

swamp x x

top of ridge ^

soil sample 20 Au ppm.

rock sample *

