

LOG NO: 0113

RD.

ACTION:

FILE NO:

REPORT ON
GEOLOGICAL MAPPING & GEOCHEMICAL SAMPLING
CONGRESS EXTENSION PROPERTY
LILLOOET MINING DIVISION
BRIDGE RIVER AREA, B.C.

LATITUDE: 50° 56'N

LONGITUDE: 122° 36'W

N.T.S.: 92-J-15E

for

CORAL ENERGY CORP.

Suite 100-455 Granville St.
Vancouver, B.C. V6C 1T1
(604) 682-3701

FILMED

Vancouver, B.C.
December 1987.

Brian D. Game, BSc.

G E O L O G I C A L B R A N C H
A S S E S S M E N T R E P O R T

16,881

ARIS SUMMARY SHEET

District Geologist, Kamloops

Off Confidential: 89.01.11

ASSESSMENT REPORT 16881

MINING DIVISION: Lillooet

PROPERTY: Congress Extension

LOCATION: LAT 50 56 40 LONG 122 36 14
UTM 10 5643502 527829

NTS 092J15E

CLAIM(S): Congress Ext., Congress Ext. 2

OPERATOR(S): Coral Energy

AUTHOR(S): Game, B.

REPORT YEAR: 1987, 74 Pages

COMMODITIES

SEARCHED FOR: Gold, Silver, Lead, Zinc, Copper, Antimony, Arsenic

GEOLOGICAL

SUMMARY: Mixed sediments and volcanics of the Upper Cretaceous Kingsvale Group are exposed in a broad northeasterly band through the middle of the property. Considerable quartz and calcite alteration occur within the volcanics. Serpentine and serpentinized ultramafic rocks of the Upper Triassic President Intrusions are exposed in the northeast corner of Congress Ext. 2. A massive exposure of Permo-Triassic Bridge River Group greenstone and mixed sediments occur in the south-east half of Congress Ext.

WORK

DONE: Geochemical, Geological
GEOL 875.0 ha

Map(s) - 1; Scale(s) - 1:5000

SOIL 1703.0 ;AU,AG,PB,ZN,SB,CU,AS

Map(s) - 3; Scale(s) - 1:5000

MINFILE: 092JNE039

TABLE OF CONTENTS


	<u>PAGE</u>
SUMMARY AND CONCLUSIONS	1
INTRODUCTION	2
LOCATION AND ACCESS	4
TOPOGRAPHY, VEGETATION AND CLIMATE	4
LAND STATUS	6
HISTORY	6
GEOLOGY	
Regional Geology	8
Property Geology	12
GEOCHEMICAL SOIL SAMPLING	14
REFERENCES	18
CERTIFICATE	19

LIST OF FIGURES

Figure 1	Location Map	3
Figure 2	Property Map	5
Figure 3	Regional Geology Map	10
Figure 4	Geology Map	in pocket
Figure 5	Soil Geochemical Survey Au & Ag	in pocket
Figure 6	Soil Geochemical Survey Cu, Pb & Zn	in pocket
Figure 7	Soil Geochemical Survey As & Sb	in pocket

LIST OF TABLES

TABLE 1	Formation List
---------	----------------



SUMMARY AND CONCLUSIONS

During a period in August - September 1987, and through October 1987, programmes of geological mapping and geochemical soil sampling were carried out on the 35 unit Congress Extension property of Coral Energy Corp. which is located 20 kilometers northeast of Gold Bridge, B.C. in the Lillooet Mining Division.

Most of the outcrops examined consist of middle to upper Cretaceous Kingsvale Group, upper Triassic President Intrusions, and ~~to~~ the middle Triassic Bridge River Group which forms the host rock for many of the former producing gold deposits of the Bridge River district.

Soil samples were collected by using a long handled shovel to dig down through the volcanic ash and the "A" soil horizon to obtain soil from the reddish-brown B horizon. In several localities extensive rock slides made sampling impossible by shovel, and in these areas a sample was not obtained. Samples were analyzed for gold and silver; arsenic and antimony; lead, zinc and copper and results for each of these three groups of metals plotted on a separate map sheet. The eleven areas of strong coincident anomalies indicated by the sampling programme are recommended for further exploration by trenching programmes. The two northerly anomalous areas are on steep ground and cannot be trenched by conventional backhoe. All or part of all other anomalous areas can be trenched by large backhoe or bulldozer. If the trenching locates ore grade gold values in bedrock, a programme of short diamond drill holes is recommended.

INTRODUCTION

During a two week period in August - September 1987, and through October 1987, employees of Coral Energy Corp. carried out a programme of geochemical soil sampling on the Congress Extension property of Coral Energy Corp. which is situated 20 kilometers northeast of Gold Bridge in the Bridge River area of B.C.

Coral Energy flagged an EW base line from the L.C.P., along the claim boundary between Congress Extension and Congress Extension 2 (fig 2) and then ran 100 meter spaced, flagged NS cross lines. Geochemical soil samples were collected every 25 meters along these lines. (The zero point of the grid was located at the L.C.P.). The grid lines and geochemical coverage extended northward to the boundary of the Congress Extension 2, and southward to the main Mud Creek logging road (fig 4). During the period 1 - 3 September and 6 - 8 November, the author mapped the geology of the property together with roads, trails, streams and other topographic features of significance. This report summarizes the results of geological mapping and soil sampling and makes proposals and recommendations for further work on the property.




Figure 1. Location map.

LOCATION AND ACCESS

The Congress Extension property consists of the 20 metric unit (4NS x 5EW) Congress Extension claim, and the 15 metric unit (3NS x 5EW) Congress Extension 2 claim, situated in the Lillooet Mining Division 20 kilometers northeast of Gold Bridge, B.C. (fig 1). The claims are on map NTS 92-J-15E near 50° 56' north and 122° 36'W, on the north side of Marshall Lake at an elevation of 1150 to 2225 meters.

The property is readily accessible by 2 wheeldrive vehicle along the paved and gravel Carpenter Lake road, and then by the gravel Marshall Lake and Mud Creek logging roads which cross the middle of the claims. There is also an access road to cottages around Marshall Lake which accesses the southern-half of the property.

TOPOGRAPHY, VEGETATION AND CLIMATE

The Congress Extension property straddles Marshall Lake at elevations of 1150 meters to 2225 meters. The shore of Marshall Lake represents the lowest elevation of the property at 1150 m. (3773 ft.). The ground rises sharply both to the north and south of Marshall Lake. The rocky, northeast corner of the property represents the highest elevation on the property at 2225 m (7300 ft.). Slopes on the western half of the property are moderate to gentle, but moderate to severe slopes up to 40° occur on the eastern half of the property.




Figure 2

The property is covered by open mature stands of mixed Douglas Fir and Lodge Pole Pine. Some recent clear-cut logging has occurred on the western-third of both the Congress Extension and Congress Extension 2 claims. Overburden is fairly continuous and most outcrop is limited to the edges (ie: ridge tops) through the central and northern portions of the property.

The Bridge River area is situated in the east side of the Coast Range Mountains and therefore experiences reasonably long, warm, dry summers and short, crisp winter. Precipitation during winter falls mostly as snow and is only a problem during December through April.

LAND STATUS

The Congress Extension property, held by Coral Energy Corp., consists of the 20 metric unit (4NS x 5EW) Congress Extension claim, and the 15 metric unit (3NS x 5EW) Congress Extension 2 claim.

Claim details are as follows:

<u>Claim Name</u>	<u>Record #</u>	<u># Units</u>	<u>Expiry Date</u>
Congress Extension	3049	20	14-01-88
Congress Extension 2	3416	15	17-03-88

HISTORY

The Bridge River Mining Camp was the most important gold

producing district in B.C. Placer gold was initially discovered in the area in 1863, and by the end of the nineteenth century many of the veins subsequently mined in the twenties and thirties had been discovered.

The two major producers were the Pioneer (1.3 million ounces, 1928-1962) and Bralorne (2.8 million ounces, 1932-1971). Smaller producers in the area included the Minto (80,000 tons, 1934-1937) and Wayside Mines (40,000 tons, 1934-1936).

The initial discovery date of the Primrose prospect is not known. Only one historical reference is made to the Primrose, northeast of Marshall Lake, where two parallel quartz veins were developed in the 1930's by two short adits and several hand trenches. In early 1985, Mr. Gary Polischuk staked the Congress Extension claims, and later restaked the Congress Extension 2, and sold them to Coral Energy Corp. During October and November 1986, a programme of reconnaissance geological mapping, geochemical sampling and geophysical surveying was conducted on the claims by Cooke Geological Consultants Ltd. (Cooke, B.J. and Sandberg, T., 28 November 1986).

REGIONAL GEOLOGY

(From Report by B. Cooke 1986)

The following summary of regional geology and tectonics is derived from the reports of many workers in the Bridge River area, with emphasis on Geological Survey of Canada and University of British Columbia reports (see references).

The Bridge River district lies at the western margin of the Intermontaine Belt of volcanic and sedimentary rocks where it abuts against the Coast Plutonic Complex of plutonic and metamorphic rocks (fig 3). Triassic arc volcanics and backarc sediments (Cadwallader and Bridge River Groups) are intruded by synvolcanic, intermediate plutons (Bralorne Intrusions) and faulted against ophiolitic, ultramafic intrusions (President Intrusions) (Table I).

Jurassic and Cretaceous basinal sediments and rift volcanics (unnamed, Taylor Creek and Kingsvale Groups) are sequentially intruded by Cretaceous and Tertiary plutons of felsic composition (Coast, porphyry and Bendor Intrusions). Relatively flat-lying Tertiary intermediate and mafic volcanics (Rexmount porphyry and plateau basalt) cap the lithological sequence.

Bralorne and Pioneer mines comprise the largest and richest lode gold mining camp in British Columbia. Between 1899 and 1971, they produced 4.16 million tons ore grading 0.51 oz/ton gold and 0.12 oz/ton silver. Gold-bearing quartz veins follow two sets of narrow fissures in Pioneer andesite and Bralorne diorite near Bralorne granite and albrite dikes. Mining stopped in ore some

PERIOD	UNIT	LITHOLOGY
Upper Tertiary	Plateau Basalt	basalt, rhyolite flows, breccias unconformable contact
Lower Tertiary	Rexmount Porphyry	rhyolite, dacite, andesite tuffs, flows, plugs unconformable contact
	Bendor Intrusions	granodiorite, quartz diorite, quartz monzonite intrusive contact
Upper Cretaceous	Porphyry Dikes	quartz, feldspar, hornblende porphyry dikes intrusive contact
	Coast Range Intrusions	quartz diorite, diorite, granodiorite intrusive contact
	Kingsvale Group	arkose, greywacke, shale, conglomerate unconformable contact
Lower Cretaceous	Taylor Creek Group	conglomerate, shale, tuff, breccia unconformable contact
Lower Jurassic	Unnamed Sediments	argillite, shale, sandstone, limestone, conglomerate unconformable contact
Upper Triassic	Bralorne Intrusions	augite diorite, soda granite, albitite dikes intrusive contact
	President Intrusions	serpentinite, peridotite pyroxenite, dunite, gabbro fault contact
	Cadwallader Group	
	Hurley Formation	limy argillite, sandstone, conglomerate, limestone, greenstone, tuff, chert
	Pioneer Formation	greenstone, basalt, andesite, flows, tuffs
	Noel Formation	argillite, chert, conglomerate, greenstone conformable contact?
Middle Triassic	Bridge River Group	chert, argillite, siltstone, limestone, greenstone, basalt, metamorphic equivalents

Table 1 Formation List




Figure 3: Regional geology map.

2,000 meters down because of a miner's strike, ventilation problem, high mining costs and low gold prices.

Many other gold prospects in the region, such as the Congress vein, are gold-bearing sulfide replacements along narrow shear zones in Bridge River basalts and cherts, often near porphyry dikes. A significant new discovery on the Congress property of Levon Resources Ltd., 14 kilometers southwest of Coral's Congress Extension claims, assays up to 0.37 oz/ton Au, 0.32 oz/ton Ag and 1.7% Sb over 6.9 meters true width. Thus, the mining potential of old prospects such as the Primrose vein, with geology similar to Bralorne or Congress, needs to be re-evaluated.

PROPERTY GEOLOGY

During the period 1 - 3 September and 6 - 8 November 1987, the author mapped the geology of the Congress Extension property. Outcrop is somewhat sparsely distributed and is predominantly confined to the steep central and eastern corners of the Congress Extension 2 claim, and the southeast corner of the Congress Extension claim where the Primrose prospect was located. The limited outcrop distribution is shown in figure 4. All rock types mapped belong to the middle to upper Cretaceous Kingsvale Group, Upper Triassic President Intrusions, and to the middle Triassic Bridge River Group.

Mixed sediments and volcanics of the upper Cretaceous Kingsvale Group are exposed in a broad northeasterly band that extends through the middle of the Congress Extension property. Sediments consist of north to northeasterly striking, steeply east-dipping argillite with variable chert content. Volcanic rocks examined consist of andesitic flows which exhibit extensive quartz calcite alteration in the form of 5-30cm wide 'sweats' at all orientations. Chlorite alteration is also common within these volcanics.

Serpentinite and serpentinized ultra basic rocks of the upper Triassic President Intrusions are predominantly exposed in the northeast corner of the Congress Extension 2 property with sporadic exposures along a southwesterly band that extends to the middle of the Congress Extension property. A small tongue of President ultra basic also intrudes into the east-central margin of the Congress

Extension property.

A massive exposure of middle Triassic Bridge River Group greenstone outcrops in the northern portion of the Congress Extension 2 property. There appears to be a fault contact between Bridge River greenstone and andesite of the Kingsvale Group through the Liza Creek canyon. Northwest striking, steeply west-dipping chert, argillite and cherty argillite of the middle Triassic Bridge River Group are exposed in the southeast half of the property where the Primrose prospect is located.

The Primrose prospect consists of two parallel quartz veins up to 2 meters wide striking northeasterly and dipping variable to the west along a chert/argillite-listwanite contact. The veins, although poorly exposed, have been traced for over 240 meters by a series of hand trenches and two adits. No visible mineralization was observed by the writer, but the veins are reported to carry minor disseminated pyrite with rare chalcopyrite veinlets in the veins and wallrocks.

GEOCHEMICAL SOIL SAMPLING

During a two week period in August - September 1987, and through October 1987, employees of Coral Energy Corp. established a grid over the Congress Extension property. An EW 2.5km base line, initiated from the L.C.P., was established on the property. 100 meter spaced NS lines were flagged through the bush and geochemical soil samples collected every 25 meters along these lines. Geochemical coverage extended northward to the boundary of the Congress Extension 2 property, and southward to the main Mud Creek logging road (fig 4). Due to steep slopes and generally sandy textures, soils are well drained and exhibit well developed A, B & C horizons. On this property, the B horizon varies from 5 to 15 centimeters in thickness, is reddish brown in colour and is high in iron content. These well developed soil horizons are overlain by the recent deposits of coarse volcanic ash which vary from a few centimeters to a half-meter in thickness on this property. All samples were collected from the B horizon by using a long handled shovel to dig through the volcanic ash and the underlying humic A horizon to reach the reddish brown B horizon. In several localities extensive rock slides made sampling impossible by shovel, and in these areas a sample was not obtained.

1703 soil samples were collected, dried and shipped to Min-En Laboratories Ltd, of North Vancouver and analyzed for gold, silver, lead, zinc, copper, arsenic and antimony. As is the case throughout the Bridge River area, the range of values obtained for each of the

seven metals were assumed for the purposes of statistical analysis to have a log normal distribution. The mean and standard deviation for each of the seven groups of values was calculated by Min-En Laboratories computer programme. Values for Au and Ag are plotted on figure 5. Values for Cu, Pb and Zn are on figure 6. Values for As and Sb are plotted on figure 7. Background for each metal was taken as the mean of each value range while anomalous values are considered to start at mean level + 2 standard deviations from the mean. Anomalous value for Au, Cu and As were marked by means of a cubic symbol while those for Ag, Pb and Sb were marked with a circular symbol. Anomalous values for Zn were marked with a diamond symbol. The anomalous areas are briefly described as follows:

Anomaly A

This shows good coincidence between Au, As and Pb anomalous values with some Cu and Sb values associated with them. The area is very steep with sporadic outcrop. Terrain is too steep to permit trenching by heavy equipment.

Anomaly B

This shows good strength Au, As and Cu results with some coincident Sb anomalous values. This area is also very steep and trenching by heavy equipment is likely not possible.

Anomaly C

Coincident Au, As, Cu and Zn with some coincident Ag and Pb anomalous values. The area is totally covered by overburden, depth of which is not known. Accessible by backhoe.

Anomaly D

Strong Au, As and Zn anomalous values. The area is totally covered by overburden, depth of which is not known. Accessible by backhoe.

Anomaly E

This shows good coincidence between Au, As and Zn anomalous values. Although totally covered by overburden, the area is steep and depth of overburden likely within reach of a backhoe.

Anomaly F

This also shows good coincidence between Au, As and An anomalous values. The area is relatively steep, and depth of overburden is likely within reach of a backhoe.

Anomaly G

This shows good coincidence between Au, Ag, As, Cu, Pb and Zn anomalous values. Although almost exclusively covered by overburden, the area is steep and depth of overburden is probably no more than a few meters.

Anomaly H

This shows good strength Au, Ag, As and Pb with some coincident Zn and Cu anomalous values. This broad anomalous zone encompasses the Primrose prospect and is easily accessible by backhoe.

Anomaly I

This shows good strength Au, Ag, As, Sb and Cu with some coincident Pb and Zn anomalous values. This area is very steep with areas of massive outcrop and talus and may only be partially accessible by backhoe.

Anomaly J

Coincident Au and As anomaly with some coincident Ag, Sb, Cu, Pb and Zn anomalous values. The area is steep, and depth of overburden is likely within reach of a backhoe.

Anomaly K

This shows good strength Au and As with some coincident Cu and Pb anomalous values. The area is covered by overburden, but is steep and depth of overburden is probably no more than a few meters.

REFERENCES

- British Columbia Ministry of Energy, Mines and Petroleum Resources, 1985, Primrose, Minifile No. 092-JNE-039.
- Cooke, B.J., 1984, Geological compilation of the Bridge River map-area, B.C., Company Report, 25 pp.
- Cooke, B.J. and Sandberg, T., Assessment Report on the Congress Extension Property Near Gold Bridge, B.C., November 28, 1986 19 pp.
- Harrop, J.C. and Sinclair, A.J., 1985, Geological compilation of the Bralorne area, B.C., Geology map and marginal notes, U.B.C. Publication, 15 pp.
- Roddick, J.A. and Hutchinson, W.W., 1974, Pemberton map-area (East half), B.C., G.S.C. Paper 73 - 17, Map 13 - 1973, 21 pp.
- Woodsworth, G.J. and Roddick, J.A., 1977, Geology of Pemberton map area, G.S.C. Open File 482.

CERTIFICATE

I, Brian D. Game, of #205-1334 West 73rd Avenue, Vancouver, B.C. V6P 3E7, hereby certify that:

- (1) I am a graduate (1985) of the University of British Columbia with a Bachelor of Science degree in Economic Geology.
- (2) I have practised mineral exploration for three years, most of which was based in the province of British Columbia.
- (3) I have written reports in 1985 - 1987 on work on various properties in the Bridge River area (Patlo, Lick, Norma).
- (4) This report is based on the supervision of a field programme on the Congress Extension property, together with a review of pertinent data.
- (5) I have not received, nor do I expect to receive any interest, direct or indirect, in the properties of securities of Coral Energy Corp. or in those of its associated companies.
- (6) I have no interest in any other property or company holding property within ten (10) kilometers of the Congress Extension claims.

EXPENDITURES

ITEM

COST

LABOUR	\$ 7,846.69
ROOM AND BOARD	718.22
TRANSPORTATION AND FUEL	541.41
EQUIPMENT COSTS	486.84
EQUIPMENT RENTAL	941.32
EQUIPMENT REPAIR	58.33
CONTRACTING AND CONSULTING	3,325.00
ASSAYS AND ANALYSIS 1703 SOILS	17,607.60

Total Expended \$31,525.41

Total Assessment \$31,500.00

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 DR (604) 988-4524

STATISTICAL SUMMARY ON ZN

COMPANY: CORAL ENERGY

DATE: DEC 10/87

TIN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

NUMBER OF SAMPLES: 1703

5 HIGHEST ZN VALUES:

MAXIMUM VALUE: 305.00 PPM

CE20E 800S 305 PPM

MINIMUM VALUE: 8.00 PPM

12E 425S 267 PPM

MEAN: 90.09 PPM

9E 350S 263 PPM

STD. DEVIATION: 36.83 PPM

LO 225N 257 PPM

COEFF. OF VARIATION: .41

6E 150N 256 PPM


HISTOGRAM FOR ZN

CLASS INTERVAL = 3.35

MID CLASS CLASS

PPM %

<	54.00	12.98
	55.68	3.52
	59.03	4.17
	62.38	6.34
	65.73	4.93
	69.08	6.17
	72.43	6.34
	75.78	4.70
	79.13	4.29
	82.48	6.22
	85.83	4.58
	89.18	4.17
	92.53	5.52
	95.88	3.70
	99.23	3.64
	102.58	4.82
	105.93	2.29
	109.28	2.47
	112.63	3.70
	115.98	2.23
	119.33	2.17
>	121.00	1.27



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON AU

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL


PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

NUMBER OF SAMPLES: 1703	5 HIGHEST AU VALUES:	
MAXIMUM VALUE: 600.00 PPB	CE23E 6755	600 PPB
MINIMUM VALUE: 5.00 PPB	11E 1005	550 PPB
MEAN: 8.96 PPB	5E 200N	370 PPB
STD. DEVIATION: 26.96 PPB	CE23E 4005	350 PPB
COEFF. OF VARIATION: 3.01	10E 1200N	330 PPB

HISTOGRAM FOR AU CLASS INTERVAL = .75



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON ZN

COMPANY: CORAL ENERGY
TESTER: CHRIS SAMPSON
PROJECT: CONGRESS EXTENSION
FILE#:

DATE: DEC 10/87

SAMPLE TYPE: SOIL

ANALYSIS TYPE: ICP

UPPER LIMIT (PPM)	CUMMUL. FREQ. (%)
110.75	9.22
108.76	10.92
108.76	12.51
104.81	13.98
102.87	16.15
101.03	17.38
99.20	20.08
97.36	22.43
95.58	24.90
93.85	27.54
92.12	29.07
90.45	31.65
88.78	34.41
87.16	35.82
85.59	38.34
84	40.40
82.51	43.10
81.00	44.92
79.49	47.86
78.03	48.97
76.63	52.03
75.22	53.85
73.87	57.25
72.52	58.78
71.17	60.07
69.88	64.00
68.63	66.29
67.34	68.12
66.15	70.05
64.91	73.05
63.72	74.81
62.59	76.39
61.45	78.04
60.32	79.39
59.18	80.68
58.10	82.44
57.00	83.56
56.	84.50
55.03	85.73
54.00	87.02

2% 5% 10% 15% 20% 30% 40% 50% 60% 70% 80% 85% 90% 95% 98%

CUMULATIVE PROBABILITY

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AU

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ANALYST: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICE

FILE#:

UPPER LIMIT (PPB)	CUMUL. FREQ. (%)
73.95	1.00
69.02	1.12
64.41	1.12
60.12	1.12
56.10	1.17
52.35	1.17
48.86	1.29
45.60	1.29
42.56	1.29
39.72	1.59
37.07	1.59
34.59	1.94
32.29	1.94
30.13	1.94
28.12	2.52
24	2.52
24.49	2.99
22.86	2.99
21.33	2.99
19.91	4.29
18.58	4.29
17.34	4.40
16.18	4.40
15.10	4.40
14.09	6.58
13.15	6.58
12.28	6.58
11.46	6.58
10.69	6.58
9.97	23.31
9.31	23.31
8.69	23.31
8.11	23.31
7.57	23.31
7.07	23.31
6.59	23.31
6.15	23.31
5.74	23.31
5.36	23.31
5.00	99.94

2% 5% 10% 15% 20% 30% 40% 50% 60% 70% 80% 85% 90% 95% 98%

CUMULATIVE PROBABILITY

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

PHONE: (604) 980-5814 OR (604) 988-4524

TELEX VIA USA 7601067 UC

Analytical Report

Company: CORAL ENERGY
Project:
Attention: C. SAMPSON

File: 7-1464
Date: OCT 3/87
Type: SOIL GEOCHEM

Date Samples Received : SEPT 27/87
Samples Submitted by : C. SAMPSON

Report on Geochim Samples Assay Samples

Copies sent to:

1. CORAL ENERGY, VANCOUVER, B.C.
2.
3.

Sample size sieved to mesh ... -80. Ground to mesh ...

Prepared samples stored: X discarded:
rejects stored: X discarded: X

methods of analysis: ALI-WET, 6 ELEMENT TRACE ICP

Programmable

COMPANY: CORAL ENERGY

PROJECT NO:

ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(604) 980-5814 OR (604) 988-4524

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-1464/P1+2

* TYPE SOIL GEDCHEM * DATE: OCT 3, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
4E 025S	.3	4	56	14	4	77	5
4E 030S	.4	7	33	15	4	118	5
4E 075S	1.0	14	46	17	6	102	5
4E 100S	.7	15	55	30	6	169	5
6E 025S	.3	25	26	10	3	117	5
6E 050S	.3	1	29	14	4	127	5
6E 075S	.9	3	42	17	6	111	5
6E 100S	.7	5	31	8	4	102	10
6E 125S	.4	22	28	16	4	130	20
6E 150S	1.0	3	49	19	6	235	5
8E 175S 40M	.9	23	54	26	6	101	5
8E 025S	1.1	4	31	19	5	138	5
8E 075S	1.4	13	44	17	6	95	5
8E 100S	1.3	9	52	20	7	107	5
8E 125S	1.0	2	44	14	4	115	5
8E 150S	.6	1	34	13	1	91	5
BE 175S	.3	11	54	16	4	89	5
BE 200S 40M	.8	11	68	21	5	99	5
BE 225S	.3	7	35	12	5	76	5
BE 250S	1.2	2	50	16	5	111	15
BE 275S	.7	2	31	15	5	86	5
BE 300S	1.5	35	57	14	6	183	5
BE 325S	.3	6	19	18	3	112	5
SE 025S	1.4	11	57	18	6	118	10
SE 050S	1.3	10	57	17	5	148	15
5E 075S 40M	1.3	16	103	21	3	129	5
5E 100S	1.3	20	64	20	7	111	5
5E 125S	.9	14	57	24	5	124	5
7E 025S	1.0	8	38	14	5	124	5
7E 050S	1.4	4	42	17	7	128	5
7E 075S	.3	29	68	19	4	96	15
7E 100S	.3	3	58	17	4	86	5
7E 125S	1.0	1	62	16	4	103	10
7E 150S 40M	.9	5	55	16	4	101	5
7E 175S	1.0	5	51	20	5	103	30
7E 200S	.8	1	44	13	4	102	5
7E 225S	.8	11	42	12	6	118	5
7E 250S	.8	2	34	15	5	180	10
9E 025S	.8	4	33	12	4	210	5
9E 050S	.3	4	29	11	3	195	5
9E 075S	.4	4	36	15	4	189	5
9E 100S	.8	5	41	15	5	127	5
9E 125S	.6	3	34	12	4	100	5
9E 150S	.6	4	40	16	5	202	5
9E 175S	.3	5	44	13	5	111	15
9E 200S	.7	11	49	16	6	99	5
9E 225S	.8	6	57	12	6	107	5
9E 250S	.8	8	53	18	3	93	5
9E 275S	.7	13	43	20	4	98	10
9E 300S	.7	8	41	19	6	98	10
9E 325S	.7	11	50	20	5	130	5
9E 350S	.4	12	92	23	8	263	5
9E 375S	1.2	23	69	32	8	91	5
12E 025S 40M	.9	6	63	13	6	109	10
12E 050S	.8	1	57	15	4	104	5
12E 075S	1.1	8	62	15	6	114	5
12E 100S	1.2	15	53	15	6	96	5
12E 125S	1.1	10	62	20	6	98	70
12E 150S	1.1	12	79	20	7	116	5
12E 175S	1.1	15	62	17	5	93	5

COMPANY: CORAL ENERGY

PROJECT NO:

ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(604)980-5814 OR (604)988-4324

(ACT#F31) PAGE 1 OF 1

FILE NO: 7-1464/P3+4

* TYPE SOIL GEDCHEM * DATE: OCT 3, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	NU-PPB
12E 200S	.5	1	44	15	4	147	15
12E 225S	.9	7	46	14	4	104	10
12E 250S	.9	5	45	14	4	124	5
12E 300S	1.1	8	48	19	4	93	5
12E 325S	.6	12	36	17	6	114	20
12E 350S	.9	10	37	17	4	89	10
12E 375S	.6	9	36	17	5	120	5
12E 400S	.8	10	37	15	4	108	25
12E 425S	.8	7	35	14	5	267	10
12E 450S	.8	10	36	16	5	131	20
12E 475S	1.1	15	39	16	6	90	15
12E 500S	1.0	42	36	28	3	96	30
12E 525S	1.4	20	49	21	1	92	5
12E 550S	1.0	4	30	15	4	104	20
12E 575S 40M	1.3	22	84	26	5	94	5
13E 025S	.3	24	25	25	4	57	100
13E 050S	.2	28	38	25	3	51	10
13E 075S	.3	27	30	33	3	58	185
13E 100S	.3	11	19	16	3	98	15
13E 125S	.2	7	17	13	3	82	5
13E 150S	1.2	11	44	18	4	82	5
13E 175S	.6	3	20	14	4	97	10
13E 200S	.7	3	34	17	4	194	5
13E 225S	.6	7	34	14	5	105	10
13E 250S	.5	8	37	15	4	95	15
13E 275S	.5	3	34	15	4	143	15
13E 300S	.9	43	36	27	6	96	10
13E 325S	.7	30	103	33	6	119	5
13E 350S	.9	4	23	14	4	83	25
13E 375S	.8	21	29	23	5	81	20
13E 400S	.3	1	10	10	1	55	5
13E 425S	.3	4	21	15	1	63	20
13E 450S	.9	21	23	9	2	134	10
13E 475S	.8	8	25	16	3	146	10
13E 500S	.9	16	32	14	3	83	5
13E 525S	.8	87	279	19	2	74	25
13E 600S	1.4	26	65	24	3	92	5
13E 625S	1.2	1	22	7	3	109	15
13E 650S	1.6	13	58	19	6	93	10
14E 025S	.6	21	45	27	4	66	5
14E 050S	.6	20	25	19	3	67	5
14E 075S	.5	14	27	25	2	56	20
14E 100S	.5	9	32	23	2	63	5
14E 125S	1.2	17	44	23	6	96	5
14E 175S	1.0	7	53	16	4	116	15
14E 200S	.7	2	31	10	1	117	5
14E 225S	.7	28	33	20	3	110	10
14E 250S	.9	1	37	17	3	121	5
14E 300S	.9	3	43	22	3	75	5
14E 325S	.8	14	39	30	3	64	10
14E 350S	2.3	43	52	15	3	77	5
14E 375S	1.8	31	29	17	3	73	
14E 400S	1.6	6	49	17	4	97	
14E 425S	2.4	13	50	34	5	98	
14E 450S	1.1	14	37	64	3	114	10
14E 475S	.3	7	9	14	1	42	
14E 500S	1.0	1	41	12	5	170	
14E 525S	1.1	3	39	11	5	133	
14E 550S	1.0	2	86	15	8	102	
14E 575S	1.2	9	70	13	6	140	

COMPANY: CORAL ENERGY

MEN-LAB-ICP REPORT

卷之三

PROJECT NO.:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

卷之三

ATTENTION: C. SAMPSON

(419) 980-5814 DB (604) 988-14524

* TYPE SOIL GEOCHEM * DATE NOV 3, 1987

VALUES IN RPM

CHI BRI BRI 7M ALL-BRI

COMPANY: CORAL ENERGY

PROJECT NO:

ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(604) 980-5814 OR (604) 988-4524

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-1464/P7+8

* TYPE SOIL GEOCHEM * DATE: OCT 3, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
17E 1000N	.2	19	29	17	6	87	5
17E 1025N	.3	1	21	17	2	75	5
17E 1050N	.2	4	4	7	1	46	5
17E 1075N	.5	14	61	26	5	67	10
17E 1100N	.1	1	8	7	3	67	5
17E 1125N	.2	14	13	18	4	54	5
17E 1150N	.2	15	26	21	4	51	5
17E 1175N	.6	13	22	19	3	61	10
17E 1225N	.7	15	25	15	3	66	5
17E 1250N	.6	1	39	14	3	110	5
17E 1275N	.7	4	37	12	3	95	5
17E 1300N	.7	18	59	26	4	71	5
17E 1325N	1.0	48	175	10	4	93	5
21E 000N	1.3	1	32	11	2	101	10
21E 100N	.4	31	44	9	1	137	5
21E 125N	1.7	31	92	19	2	173	5
21E 250N	1.7	34	91	23	2	132	5
21E 325N	2.0	42	65	12	2	195	5
21E 375N	.7	12	24	18	4	78	10
21E 425N	.7	1	28	13	3	83	5
21E 650N	1.4	28	44	15	4	96	5
21E 675N	1.0	24	69	15	4	101	5
21E 700N	.5	23	61	8	4	100	5
21E 725N	.9	23	47	8	4	80	10
21E 750N	1.3	27	69	14	4	106	5
21E 775N	1.3	30	61	13	4	101	5
21E 800N	1.8	30	106	20	6	131	5
21E 825N	.9	11	32	21	4	78	5
21E 850N	.8	31	32	13	3	144	5
21E 900N	.6	1	25	24	6	89	5
21E 925N	.8	1	22	22	3	83	5
21E 975N	.3	11	11	11	1	69	5

MIN-EN LABORATORIES LTD.
Specialists in Mineral Environments
705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

PHONE: (604) 980-5814 DR (604) 988-4524

TELEX: VIA USA 7601067 UC

Certificate of GEOCHEM

Company: CORAL ENERGY

File: 7-1861/P1

Project: CONGRESS EXT.

Date: NOV 12/87

Attention: C. SAMPSON

Type: ROCK GEOCHEM

We hereby certify the following results for samples submitted.

Sample Number	AG PPM	AU PPB
39037	0.2	5
39038	.5	5
39039	.8	10
39040	.5	5
39041	.7	5

Certified by



MIN-EN LABORATORIES LTD.

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

TELE: (604) 980-5814 OR (604) 988-4524

TELEX: VIA USA 7601067 UC

Analytical Report

Company: CORAL GOLD
Project: CONGRESS EXT
Attention: C. SAMPSON

File: 7-1861
Date: NOV 30/87
Type: ROCK GEOCHEM

Date Samples Received : NOV 10/87
Samples Submitted by : C. SAMPSON

Report on 5 ROCKS; 618 SOILS Geochem Samples

..... Assay Samples

Copies sent to:

1. CORAL GOLD, VANCOUVER, B.C.
- 2.
- 3.

Samples: Sieved to mesh-80..... Ground to mesh-60.....

Prepared samples stored:X.... discarded:
rejects stored:ROCKS.... discarded:SOILS....

Methods of analysis: AU - FIRE
 AG - MULTI ACID A.A.
 6 ELEMENT TRACE ICP

Remarks

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7N 1T2
(604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P1+2
ATTENTION: C.SAMPSON * TYPE SOIL GEOCHEM * DATE: NOV 28, 1987

(VALUES IN PPM)	Ag	As	Cu	Pb	SB	In	Au-PPB
CE16E 025S	.6	6	39	15	5	83	5
CE16E 050S	.8	11	42	17	1	116	10
CE16E 075S	.7	5	25	14	1	150	5
CE16E 100S	.7	3	20	15	1	53	5
CE16E 125S	1.1	10	31	16	1	91	5
CE16E 150S 45M	1.1	21	44	21	2	79	5
CE16E 175S 45M	.6	28	35	50	1	43	5
CE16E 200S	.6	32	20	41	1	29	5
CE16E 225S	.9	20	71	37	3	48	5
CE16E 250S	1.3	17	100	27	3	72	5
CE16E 275S	1.2	12	53	14	2	69	5
CE16E 300S	1.1	23	41	27	2	47	10
CE16E 325S	1.3	27	119	29	1	61	5
CE16E 350S	1.2	31	31	40	3	47	10
CE16E 375S	1.2	29	41	51	1	38	5
CE16E 400S	1.4	7	28	11	2	65	5
CE16E 425S	1.6	12	27	17	3	78	5
CE16E 450S	1.6	15	32	12	2	106	5
CE16E 475S	1.2	11	22	11	3	113	5
CE16E 500S	1.2	9	23	14	2	49	5
CE16E 525S	1.4	21	32	17	5	66	5
CE17E 075S	.9	5	31	11	2	185	10
CE17E 100S	1.0	4	33	11	3	116	5
CE17E 125S	.7	2	6	12	3	56	5
CE17E 200S	.8	7	19	15	3	59	5
CE17E 250S	1.0	6	22	15	3	49	10
CE17E 275S	.9	5	12	10	3	36	5
CE17E 300S	.9	9	65	15	3	40	5
CE17E 325S	.8	12	18	24	3	34	5
CE17E 350S	.9	21	15	35	3	44	5
CE17E 375S	.7	16	22	24	5	67	5
CE17E 400S	1.2	21	17	26	1	51	5
CE17E 425S	1.0	9	15	14	2	57	5
CE17E 450S	1.0	14	13	23	1	54	5
CE17E 525S 40M	.8	10	13	14	3	62	5
CE17E 650S	1.7	14	77	10	1	75	5
CE17E 675S	1.4	9	126	16	1	81	5
CE17E 700S	2.3	10	74	6	2	80	5
CE17E 725S	1.8	13	69	7	3	81	5
CE17E 750S	1.9	9	54	5	1	84	5
CE17E 775S	1.0	1	48	10	3	71	5
CE17E 800S	1.1	2	49	5	5	61	5
CE17E 825S	1.0	1	29	9	1	43	5
CE17E 875S	1.4	3	29	9	2	58	5
CE17E 900S	.9	1	25	5	1	48	5
CE17E 925S	1.8	5	56	5	1	63	5
CE17E 950S	1.3	3	41	8	2	62	5
CE17E 975S	2.2	10	61	11	1	69	5
CE17E 1000S	1.5	6	27	8	2	68	5
CE17E 1375N	1.0	16	125	13	3	56	5
CE17E 1400N	.9	21	118	14	2	56	5
CE17E 1425N	.9	12	71	8	2	55	5
CE17E 1450N	.9	18	23	20	2	64	5
CE17E 1475N	.9	25	40	26	2	77	5
CE17E 1500N	1.0	25	104	24	3	113	5
CE18E 025S	1.0	7	20	17	3	90	5
CE18E 075S	.7	1	10	7	3	42	5
CE18E 100S	1.3	17	37	18	3	81	5
CE18E 125S	.8	2	12	12	2	59	5
CE18E 150S	1.3	18	41	21	3	87	5

COMPANY: CORAL ENERGY CORP.

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO: CONGRESS EXT.

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1861/P3+4

ATTENTION: C.SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEUCHEN * DATE: NOV 28, 1987

(VALUES IN PPM)	AB	AS	CU	PB	SB	ZN	AU-PPB
CE18E 175S	.6	2	28	19	1	101	5
CE18E 200S	.4	8	32	19	4	62	5
CE18E 225S	1.0	12	28	22	1	51	5
CE18E 250S 20N	.4	37	43	66	1	21	5
CE18E 300S	1.2	17	29	24	1	56	5
CE18E 325S	1.1	8	19	14	2	41	5
CE18E 350S	1.0	9	20	12	3	43	5
CE18E 425S	1.4	9	17	16	3	69	5
CE18E 450S	1.5	9	42	7	6	121	5
CE18E 475S	2.2	26	65	16	1	101	5
CE18E 600S	2.2	12	48	14	2	83	5
CE18E 625S	1.4	4	24	8	3	113	5
CE18E 650S	1.8	7	26	9	3	84	5
CE18E 675S	1.8	5	33	10	3	67	5
CE18E 700S	1.0	3	30	4	2	58	5
CE18E 725S	2.5	13	115	12	2	82	5
CE18E 875S	1.2	1	56	4	2	58	5
CE18E 900S	2.0	13	108	13	2	83	5
CE18E 925S	2.7	17	79	11	3	84	5
CE18E 950S	1.1	2	118	4	2	105	5
CE18E 1075S	1.8	9	56	7	1	88	5
CE18E 000BL	1.2	8	48	14	2	224	5
CE18E 050N	.8	19	81	14	1	88	5
CE18E 100N	1.2	8	32	21	2	99	5
CE18E 150N	1.8	16	36	19	2	134	5
CE18E 200N	.5	6	9	17	2	38	5
CE18E 225N	1.0	18	29	26	3	53	5
CE18E 250N	1.0	10	22	26	2	56	5
CE18E 275N	.5	5	17	15	2	77	10
CE18E 300N	1.0	9	25	19	3	85	5
CE18E 325N	1.1	10	27	23	1	52	5
CE18E 350N	.6	3	14	15	1	63	10
CE18E 375N	.7	6	20	10	1	80	5
CE18E 400N	1.1	8	32	16	1	114	5
CE18E 425N	1.5	18	60	27	2	71	5
CE18E 450N	1.1	11	19	14	1	82	5
CE18E 500N	1.2	12	24	22	1	57	10
CE18E 525N	.6	1	15	15	4	107	5
CE18E 550N	1.2	8	19	14	1	57	5
CE18E 575N	.7	7	15	18	2	96	5
CE18E 600N	.9	9	16	15	2	81	10
CE18E 625N	1.0	8	15	17	1	76	5
CE18E 650N	.8	3	10	14	1	76	5
CE18E 675N	.9	10	21	16	2	56	5
CE18E 700N	.5	6	12	14	1	94	5
CE18E 725N	.9	11	23	15	2	85	5
CE18E 750N	.7	4	11	11	1	104	10
CE18E 775N	.9	20	27	34	1	45	5
CE18E 800N	.6	9	16	17	1	56	5
CE18E 900N	1.0	11	27	16	2	53	5
CE18E 950N	.7	14	18	17	1	43	5
CE18E 975N	.8	9	17	15	3	37	10
CE18E 1000N	.7	17	23	22	3	35	5
CE18E 1025N	.8	18	17	21	4	44	5
CE18E 1050N	.9	12	22	25	2	68	5
CE18E 1075N	.9	16	20	26	3	48	5
CE18E 1100N	.7	16	14	26	3	39	5
CE18E 1125N	.1	12	64	116	2	88	5
CE18E 1150N	.7	16	17	32	1	43	10
CE18E 1175N	.8	28	22	39	4	39	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.
ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604) 980-5814 OR (604) 988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P5+6
* TYPE SOIL GEOCHEM * DATE: NOV 28, 1987

(VALUES IN PPM)	AG	AS	CH	PB	SB	ZN	AU-PPB
CE18E 1225N 40M	.6	31	32	47	6	40	5
CE18E 1250N	.7	25	29	40	7	45	10
CE18E 1275N 40M	.9	25	37	31	2	44	5
CE18E 1325N	.7	32	29	51	4	42	5
CE18E 1350N	.8	39	36	36	5	54	5
CE18E 1375N	.8	19	23	16	1	69	10
CE18E 1400M	.9	25	24	20	1	58	5
CE18E 1425N	.6	5	32	7	2	40	5
CE18E 1450N	1.3	19	101	26	2	135	10
CE18E 1475N	1.7	16	119	17	2	174	5
CE18E 1500N	1.2	16	81	22	5	115	5
CE19E 050S	1.1	6	34	12	1	111	5
CE19E 075S	1.3	9	110	7	1	130	5
CE19E 100S	.7	20	16	21	1	45	5
CE19E 150S 40M	1.5	23	47	30	2	59	10
CE19E 175S	1.5	24	34	33	3	47	5
CE19E 200S	1.4	24	30	35	4	75	5
CE19E 225S	2.1	20	92	22	8	55	5
CE19E 250S	.6	33	36	63	1	21	10
CE19E 300S	1.0	12	11	21	2	59	5
CE19E 325S	1.1	13	19	15	3	58	5
CE19E 375S	1.7	14	22	18	3	66	5
CE19E 400S	1.9	10	15	14	2	70	5
CE19E 425S	1.4	9	21	11	3	88	5
CE19E 450S	1.5	9	29	11	3	120	5
CE19E 475S	2.3	10	45	14	3	169	10
CE19E 500S	1.6	9	36	11	2	119	5
CE19E 525S	2.5	10	39	10	2	118	5
CE19E 550S	1.6	3	29	9	3	145	5
CE19E 575S	2.3	11	37	6	3	83	5
CE19E 600S	.9	2	28	12	2	109	5
CE19E 625S	.7	9	57	8	3	74	5
CE19E 650S	2.1	31	29	30	4	63	10
CE19E 700S	1.9	10	34	7	3	89	5
CE19E 725S	2.6	9	25	5	3	74	5
CE19E 750S	3.2	14	48	14	3	78	10
CE19E 800S	2.8	14	48	9	3	67	5
CE19E 825S	1.6	12	127	14	4	127	5
CE19E 850S	.8	8	139	6	5	136	5
CE19E 925S	1.0	6	67	10	5	139	10
CE19E 950S	1.2	6	43	9	4	153	5
CE19E 975S	1.5	13	52	8	5	120	5
CE19E 1000S 40M	1.5	12	126	5	5	155	5
CE19E 1025S	1.2	8	94	10	6	185	5
CE19E 1050S	1.1	10	100	11	6	122	10
CE19E 1075S	.9	12	92	7	5	136	5
CE19E 1100S	1.1	13	88	5	6	142	5
CE19E 1125S	1.2	12	96	7	5	151	5
CE19E 1150S	.9	9	70	15	3	96	10
CE19E 000BL	.7	5	33	15	2	90	5
CE19E 050N	1.1	12	28	17	3	106	5
CE19E 100N	1.6	9	52	18	3	56	5
CE19E 125N	1.6	26	75	22	5	99	5
CE19E 175N	.8	9	39	6	2	106	5
CE19E 200N	.4	17	58	11	2	84	10
CE19E 275N	2.0	17	33	19	5	102	5
CE19E 300N	2.1	24	50	27	5	75	5
CE19E 325N	2.3	27	34	35	6	57	10
CE19E 350N	2.0	24	40	19	4	86	10
CE19E 375N	1.8	18	28	21	6	73	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P7+8
ATTENTION: C.SAMPSON * TYPE SOIL GEOFCHM * DATE: NOV 28, 1987

VALUES IN PPM	AS	AS	Cu	PB	SB	Zn	AU-PPB
CE19E 400N	.8	9	26	19	4	57	10
CE19E 425N	.6	8	28	17	1	99	5
CE19E 450N	1.3	11	36	16	2	70	5
CE19E 475N	1.4	4	25	10	3	108	5
CE19E 500N	.8	4	27	12	2	211	15
CE19E 525N	1.1	4	21	13	3	178	5
CE19E 550N	1.0	5	24	13	1	112	5
CE19E 575N	.9	5	24	9	1	97	5
CE19E 600N	1.2	6	32	14	2	119	10
CE19E 625N	.5	1	23	6	1	117	10
CE19E 650N	.7	4	31	15	1	126	20
CE19E 700N	.7	8	37	11	2	115	5
CE19E 725N	.9	11	29	13	2	105	5
CE19E 750N	1.0	8	22	19	2	67	5
CE19E 775N	.9	5	23	14	3	89	5
CE19E 800N	.5	5	18	10	1	49	5
CE19E 825N	.5	1	17	8	1	79	10
CE19E 900N	.4	1	13	11	2	44	5
CE19E 975N	.3	1	14	13	3	42	5
CE19E 1000N	.7	18	31	27	3	41	5
CE19E 1025N	.7	13	23	23	3	40	5
CE19E 1050N	.8	15	36	29	4	36	10
CE19E 1075N	.8	16	25	27	4	40	5
CE19E 1100N	.7	27	32	45	2	32	5
CE19E 1125N	.7	24	36	43	1	34	10
CE19E 1150N	.8	24	30	49	2	24	5
CE19E 1175N	.9	20	29	37	3	37	5
CE19E 1200N	.9	24	31	42	4	37	10
CE19E 1225N	.8	17	25	31	4	50	5
CE19E 1250N	.9	22	24	31	4	51	5
CE19E 1275N	.8	17	30	29	3	78	10
CE19E 1300N	.6	17	32	35	1	94	5
CE19E 1325N	.8	23	34	44	1	42	5
CE19E 1350N	1.4	21	36	6	1	55	10
CE19E 1375N	.5	14	31	40	1	60	5
CE19E 1400N 40M	.7	54	500	17	6	88	5
CE19E 1425N	1.0	16	71	16	3	80	20
CE19E 1450N	.7	7	77	12	5	70	10
CE19E 1475N	1.2	17	44	11	4	51	5
CE20E 025S	1.7	29	48	23	3	88	5
CE20E 050S	1.9	21	41	19	5	71	5
CE20E 075S	2.3	32	37	25	5	68	10
CE20E 100S	1.0	32	24	40	4	40	5
CE20E 125S	1.3	19	33	27	3	51	5
CE20E 150S 40N	.9	25	56	54	7	22	5
CE20E 175S	1.9	30	46	43	2	38	5
CE20E 200S	1.8	22	28	24	3	54	10
CE20E 225S	1.8	22	28	28	3	51	5
CE20E 250S	1.5	20	26	24	4	59	5
CE20E 275S	1.3	22	28	26	1	50	10
CE20E 300S	1.8	19	32	20	4	81	5
CE20E 325S 40M	1.1	41	49	29	11	67	160
CE20E 375S	1.2	34	35	32	4	67	10
CE20E 400S	1.7	27	28	27	3	60	5
CE20E 425S	4.4	21	42	16	5	82	5
CE20E 450S	1.8	30	48	25	3	91	5
CE20E 475S	2.4	32	49	33	1	90	10
CE20E 500S	1.0	1	38	8	4	140	5
CE20E 525S	1.8	31	43	38	3	97	5
CE20E 550S	1.7	29	41	46	2	78	20

COMPANY: CORAL ENERGY CDRP.
PROJECT NO: CONGRESS EXT.
ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P9
* TYPE SOIL GEOCHEM * DATE: NOV 30, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
CE20E 600S	.7	1	22	3	2	81	5
CE20E 625S	2.5	14	28	15	2	74	10
CE20E 650S	2.0	7	35	11	3	94	10
CE20E 675S	3.5	16	49	15	5	81	20
CE20E 725S	3.0	18	54	19	4	81	5
CE20E 750S	1.6	8	58	7	1	149	5
CE20E 775S	2.4	8	64	12	4	140	10
CE20E 800S	2.0	11	62	10	6	305	5
CE20E 825S	3.1	9	54	14	5	130	10
CE20E 850S	.9	1	88	14	5	249	20
CE20E 875S	1.0	14	73	9	6	160	5
CE20E 900S	.8	20	73	18	3	159	5
CE20E 925S	.6	28	89	20	3	153	5
CE20E 950S	.7	21	62	16	2	157	10
CE20E 975S	1.4	8	64	19	4	112	5
CE20E 1000S	1.7	13	119	12	6	155	5
CE20E 1025S	1.7	7	145	6	7	253	5
CE20E 075N	.3	9	54	10	2	85	5
CE20E 175N	1.6	10	33	15	4	111	5
CE20E 200N 40M	.8	13	62	8	2	75	5
CE20E 275N	.9	10	80	15	5	108	10
CE20E 300N	1.6	9	33	12	3	112	5
CE20E 350N	1.8	20	39	21	6	85	5
CE20E 375N	2.0	13	143	6	5	126	5
CE20E 425N	1.5	11	37	15	5	85	5
CE20E 475N	1.8	21	62	25	4	76	5
CE20E 500N	1.3	5	31	11	3	59	5
CE20E 525N	1.6	8	28	14	3	97	5
CE20E 550N	1.4	8	36	15	2	169	40
CE20E 575N	1.4	13	29	11	2	131	5
CE20E 8+75NA	1.9	28	35	48	5	69	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.
ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604) 980-5814 OR (604) 988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: T-1861/P10411
* TYPE SOIL GEOCHEM * DATE: NOV 28, 1987

(VALUES IN PPM)	AS	AS	CU	PB	SB	IN	AU-PPB
CE20E 600N	.8	1	20	9	1	110	5
CE20E 625N	.7	5	37	7	1	140	5
CE20E 700N	.9	4	42	15	2	80	5
CE20E 775N	1.0	6	21	14	3	69	5
CE20E 800N	1.1	21	26	25	2	49	5
CE20E 875N	.9	25	29	38	1	47	5
CE20E 900N	1.0	12	30	25	3	82	5
CE20E 925N	.8	13	15	31	2	34	5
CE20E 975N	.9	22	32	31	3	53	5
CE20E 1000N	.7	25	41	40	8	36	5
CE20E 1025N	.6	17	23	45	2	40	5
CE20E 1050N	.9	10	15	26	3	54	10
CE20E 1075N	1.0	17	31	28	3	47	5
CE20E 1100N	1.0	16	22	27	3	42	10
CE20E 1125N	.9	19	25	34	4	48	5
CE20E 1150N	.8	18	26	34	2	51	10
CE20E 1175N	.8	17	25	23	2	56	5
CE20E 1200N	.9	16	30	27	4	46	10
CE20E 1225N	1.1	20	32	29	3	46	15
CE20E 1250N	.7	19	36	42	1	39	5
CE20E 1275N	.9	18	34	35	3	62	10
CE20E 1300N	.9	22	39	28	3	67	5
CE20E 1325N	.8	24	61	38	6	53	5
CE20E 1350N	.5	15	12	54	6	11	5
CE20E 1375N	1.0	31	56	40	4	42	10
CE20E 1400N	.8	29	65	51	9	25	10
CE20E 1425N	1.5	17	45	3	2	72	5
CE20E 1450N	1.2	23	24	24	4	72	5
CE20E 1500N	.6	19	77	11	3	86	5
CE21E 025S	1.5	25	57	23	3	61	5
CE21E 050S	.3	17	59	65	2	10	5
CE21E 075S	1.0	18	41	40	1	42	5
CE21E 100S	.9	23	40	47	6	34	10
CE21E 125S	.6	13	11	22	3	29	5
CE21E 150S	1.0	23	18	36	3	38	5
CE21E 175S	1.0	19	17	29	2	39	5
CE21E 200S	1.0	9	16	20	1	36	5
CE21E 225S	.7	18	13	30	1	36	5
CE21E 250S	1.0	23	18	36	2	37	5
CE21E 275S	.7	15	14	31	2	59	5
CE21E 325S	.6	31	24	20	6	79	75
CE21E 350S	.4	8	53	11	6	148	5
CE21E 375S	.6	18	109	14	10	180	10
CE21E 400S	.9	4	66	5	14	157	5
CE21E 475S	.7	8	39	12	5	97	10
CE21E 525S	2.0	21	58	22	1	76	5
CE21E 550S	1.2	19	37	20	1	108	5
CE21E 575S	.6	3	52	11	3	166	5
CE21E 600S	1.4	27	31	29	1	67	5
CE21E 650S	1.4	16	24	17	2	123	5
CE21E 675S	1.2	11	23	13	4	115	5
CE21E 750S	1.1	7	42	9	2	159	5
CE21E 775S	2.3	9	48	7	3	92	5
CE21E 850S	1.3	5	41	7	3	252	5
CE21E 875S	.5	11	120	5	5	135	5
CE21E 900S	1.0	14	99	6	4	115	5
CE21E 925S	1.5	24	118	7	3	128	5
CE21E 950S	1.4	24	104	18	4	134	5
CE21E 975S	.8	20	96	15	2	107	5
CE21E 1000S	.8	18	101	13	1	109	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.
ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P12
* TYPE SOIL GEOCHEM * DATE: NOV 30, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
CE21E 1025S	.8	9	69	14	7	103	5
CE21E 1050S	1.1	7	63	4	7	128	10
CE21E 1125S	1.0	13	60	4	1	106	5
CE21E 1150S	1.0	17	70	14	3	106	5
CE22E 025S	1.5	8	36	17	1	57	5
CE22E 050S	1.2	19	34	32	1	49	5
CE22E 075S	1.1	25	25	40	2	43	5
CE22E 100S	1.2	19	22	32	2	46	5
CE22E 125S	.6	26	27	38	3	46	5
CE22E 150S	1.1	24	26	32	4	48	5
CE22E 175S	1.1	22	25	32	2	47	5
CE22E 225S	1.4	24	23	38	2	48	5
CE22E 250S	1.1	26	27	43	2	38	40
CE22E 275S	1.7	17	30	26	4	59	5
CE22E 300S	.9	31	25	46	4	50	5
CE22E 325S	1.0	27	37	35	2	51	5
CE22E 350S	.8	32	36	56	1	44	5
CE22E 375S	1.6	11	34	19	3	91	5
CE22E 400S	.7	10	47	12	7	97	5
CE22E 425S	.7	13	44	8	4	114	5
CE22E 450S	.8	5	37	11	6	139	5
CE22E 475S	.8	5	30	11	4	189	5
CE22E 500S	1.5	14	47	14	5	85	5
CE22E 525S	1.4	12	40	14	6	93	5
CE22E 550S	1.2	13	27	17	3	68	5
CE22E 575S	1.4	24	36	25	4	94	5
CE22E 625S	1.8	21	26	16	3	69	5
CE22E 650S	1.8	35	68	36	1	71	5
CE22E 675S	1.5	16	26	28	3	58	5
CE22E 800S	2.0	7	40	10	3	98	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.

MJN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P13
* TYPE SOIL GEOCHEM * DATE: NOV 30, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
CE22E B75S	1.1	1	30	6	2	97	5
CE22E 900S	1.3	3	33	6	1	112	5
CE22E 925S	1.3	10	25	11	1	105	70
CE22E 950S	1.6	5	41	13	1	99	5
CE22E 975S	1.4	8	47	11	2	124	275
CE22E 1000S	1.1	25	121	18	8	122	10
CE22E 1025S 40M	1.2	21	104	21	4	114	5
CE22E 1100S	2.0	12	69	8	4	95	5
CE22E 1125S	1.9	9	62	10	4	98	5
CE22E 1150S	1.8	5	62	4	2	94	5
CE22E 1175S	1.4	10	70	9	3	98	5
CE22E 1200S	1.4	9	80	13	4	102	5
CE22E 000BL	1.0	23	31	37	2	44	5
CE22E 100N	.8	10	51	14	1	53	5
CE22E 125N	1.1	5	36	14	3	58	5
CE22E 175N	1.0	6	47	12	2	89	5
CE22E 475N	1.3	19	53	37	1	55	5
CE22E 500N	1.3	23	50	42	1	55	5
CE22E 525N	1.3	22	57	40	2	56	5
CE22E 550N	2.4	25	94	28	4	99	5
CE22E 575N	1.9	17	90	24	3	100	5
CE22E 600N	1.3	10	91	15	3	86	5
CE22E 675N	1.2	6	41	10	3	102	5
CE22E 700N	1.6	8	35	10	3	73	5
CE22E 725N	1.4	8	38	10	3	70	5
CE22E 750N	1.2	9	29	11	3	65	10
CE22E 775N	1.1	6	27	11	3	64	30
CE22E 825N	1.4	6	43	10	3	92	5
CE22E 925N	1.0	23	31	29	5	56	5
CE22E 950N	1.1	19	31	29	4	59	5
CE22E 6+50N	1.2	6	54	14	3	66	5

COMPANY: CORAL ENERGY CORP.

PROJECT NO: CONGRESS EXT.

ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(604)980-5814 DR (604)988-4524

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-1861/P14+15

* TYPE SOIL GEOCHEN * DATE: NOV 28, 1987

(VALUES IN PPM)	AS	AS	CU	PB	SB	ZN	AU-PPB
CE22E 975N	.7	17	32	28	1	59	10
CE22E 1000N	.4	25	25	48	7	41	
CE22E 1025N	.5	21	31	49	7	36	
CE22E 1050N	.7	25	25	49	1	45	
CE22E 1075N	.7	15	27	24	3	59	
CE22E 1100N	.6	18	27	55	6	22	100
CE22E 1125N	.6	38	21	54	3	34	5
CE22E 1150N	.7	22	38	40	3	35	
CE22E 1175N	.7	14	29	39	2	33	
CE22E 1200N	.6	14	52	53	7	22	
CE22E 1225N	.6	13	33	41	4	35	
CE22E 1250N	.7	24	26	40	3	50	
CE22E 1275N	.3	21	29	50	1	19	
CE22E 1300N	.7	11	36	17	3	60	
CE22E 1325N	.6	8	32	19	3	40	
CE22E 1350N	.5	2	48	6	1	78	
CE22E 1375N	.6	5	44	8	2	83	
CE22E 1400N	.9	5	39	8	2	89	
CE22E 1475N	.7	3	38	7	2	57	
CE22E 1500N	.7	2	38	6	2	65	
CE23E 025S	1.0	18	17	30	3	41	
CE23E 050S	.8	20	16	45	3	37	
CE23E 075S	.9	24	25	48	2	48	
CE23E 100S	.8	28	28	56	2	31	
CE23E 125S	.9	23	24	47	2	36	
CE23E 150S	2.0	23	25	23	3	56	
CE23E 225S	.7	23	29	56	7	39	
CE23E 250S	.7	19	21	49	1	48	
CE23E 275S	.9	17	18	40	2	43	
CE23E 300S	1.2	25	29	38	3	44	
CE23E 325S	1.6	19	91	5	8	94	
CE23E 350S	1.9	4	30	10	3	79	
CE23E 375S	1.9	10	36	14	3	76	
CE23E 400S	1.7	17	33	20	5	64	350
CE23E 425S	.9	18	39	27	5	59	5
CE23E 450S	.6	16	43	11	21	100	5
CE23E 475S	.6	20	30	21	21	70	
CE23E 525S	.6	1	25	19	4	86	
CE23E 550S	1.0	13	29	21	4	76	
CE23E 575S	.6	12	30	19	3	86	
CE23E 600S	.6	12	21	26	3	100	
CE23E 625S	1.0	14	29	29	4	62	
CE23E 650S	1.1	13	26	23	4	69	
CE23E 675S	1.5	13	36	26	3	70	600
CE23E 725S	1.5	13	31	26	5	69	
CE23E 750S	1.2	12	32	24	3	82	
CE23E 775S	.9	4	109	14	6	124	5
CE23E 800S	1.2	11	22	21	3	74	
CE23E 825S	1.0	13	34	30	2	80	
CE23E 850S	1.2	10	21	14	3	74	
CE23E 875S	1.3	18	30	30	4	57	
CE23E 900S	1.3	7	22	13	4	77	
CE23E 975S	1.0	5	47	10	3	118	
CE23E 1000S	1.5	12	42	18	3	191	
CE23E 1025S	1.2	18	83	20	6	109	
CE23E 1050S	1.1	1	22	13	4	70	
CE23E 1075S	1.2	24	74	29	2	68	
CE23E 1100S	1.0	21	120	17	2	129	
CE23E 1125S	1.5	21	82	13	9	90	
CE23E 1150S	1.6	11	77	11	4	100	

COMPANY: CDRAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 OR (604)988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P16
ATTENTION: C.SAMPSON * TYPE SOIL GEDCHEM * DATE: NOV 30, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
CE23E 1200S	.5	15	89	19	3	136	5
CE23E 1250S	.8	3	59	7	1	90	10
CE23E 000	.2	16	29	67	3	19	5
CE23E 025N	1.0	12	24	28	1	46	10
CE23E 050N	.5	8	13	32	1	52	10
CE23E 075N	1.0	2	23	12	1	106	10
CE23E 100N	.5	1	20	11	2	97	5
CE23E 125N	.5	5	31	16	6	93	5
CE23E 350N	1.0	8	90	19	1	85	5
CE23E 600N	1.0	14	43	32	2	55	10
CE23E 625N	2.1	21	61	28	6	71	5
CE23E 650N	.4	7	84	3	1	87	5
CE23E 675N	1.2	4	57	17	2	70	10
CE23E 700N	1.2	4	34	15	2	52	10
CE23E 725N	1.2	6	48	16	2	57	5
CE23E 800N	.9	1	38	12	2	55	5
CE23E 850N	1.1	3	55	14	2	59	10
CE23E 950N	1.2	18	28	26	2	64	10
CE23E 975N	1.4	11	29	19	3	91	10
CE23E 1000N	.6	6	18	19	2	62	10
CE23E 1025N	1.0	9	35	29	2	85	5
CE23E 1050N	1.9	13	31	22	2	103	5
CE23E 1075N	1.2	16	40	23	2	102	5
CE23E 1100N	1.5	19	59	20	3	131	10
CE23E 1125N	.6	20	24	48	6	37	10
CE23E 1200N	.3	17	26	60	4	17	5
CE23E 1250N	.5	19	28	52	8	34	10
CE23E 1275N	.7	12	33	51	4	21	10
CE23E 1300N	.6	16	64	41	1	28	5
CE23E 1325N	1.0	15	34	36	10	42	5
CE23E 1300	1.0	12	44	28	7	32	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.
ATTENTION: C.SAMPSON

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NGRTH VANCOUVER, B.C. V7M 1T2
(604) 980-5814 DR (604) 988-4524

(ACT:F31) PAGE 1 OF 1
FILE NO: 7-1861/P17
* TYPE SOIL GEOCHEM * DATE: NOV 28, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
CE23E 1375N	.4	10	48	42	3	44	5
CE23E 1400N	.5	3	49	8	1	44	10
CE23E 1425N	.7	11	39	6	2	48	5
CE23E 1450N	.8	4	41	10	1	56	15
CE23E 1475N	.7	7	60	11	3	64	5
CE23E 1500N	.6	5	99	9	2	53	15
CE24E 050S	.3	6	26	62	2	8	5
CE24E 075S	.7	19	22	39	6	34	5
CE24E 100S	1.0	16	22	37	1	39	5
CE24E 125S	1.1	18	28	42	1	43	5
CE24E 150S	1.0	16	24	47	1	34	10
CE24E 175S	1.0	13	27	37	5	34	15
CE24E 200S	1.2	12	26	29	2	41	5
CE24E 225S	.8	20	30	45	6	35	10
CE24E 250S	.5	25	20	57	6	35	5
CE24E 275S	1.1	16	31	49	6	42	5
CE24E 300S	1.7	16	26	35	1	44	5
CE24E 325S	1.3	11	33	39	1	36	5
CE24E 350S	1.0	18	21	42	1	43	5
CE24E 375S	2.4	13	43	27	1	70	5
CE24E 400S	1.6	20	38	34	1	54	5
CE24E 425S	1.0	15	22	24	3	49	10
CE24E 450S	.9	11	20	35	2	44	5
CE24E 475S	1.0	14	22	24	3	53	10
CE24E 500S	1.2	19	29	37	4	56	140
CE24E 525S	1.0	3	27	13	4	60	15
CE24E 600S	1.1	12	31	22	7	59	20
CE24E 625S	.9	2	18	11	5	68	5
CE24E 650S	1.2	4	19	14	4	61	10
CE24E 675S	1.4	14	25	29	4	69	40

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.

MIN-EN LARS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-1861/P18

ATTENTION: C.SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: NOV 30, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
CE24E 700S	1.1	6	86	15	17	165	5
CE24E 725S	1.0	8	41	19	5	89	5
CE24E 750S	1.2	19	43	24	3	68	5
CE24E 775S	1.0	14	42	30	3	67	5
CE24E 875S	1.4	18	41	26	3	129	5
CE24E 950S	1.0	3	30	13	2	128	5
CE24E 975S	1.2	9	23	21	3	72	5
CE24E 1000S	1.4	6	33	13	4	133	5
CE24E 1025S	1.4	5	36	13	3	119	5
CE24E 1075S	1.8	12	45	20	5	83	30
CE24E 1100S	1.3	32	113	32	16	109	5
CE24E 1175S	1.2	9	77	17	3	116	5
CE24E 1200S	1.3	13	114	17	4	134	5
CE24E 1225S	1.0	4	69	16	3	91	5
CE24E 1250S	1.4	10	75	20	5	149	5
CE24E 1275S	1.0	2	32	18	5	71	5
CE24E 025N	1.1	20	26	57	6	30	5
CE24E 050N	1.8	15	24	36	3	53	5
CE24E 075N	1.3	20	24	37	1	37	5
CE24E 100N	1.2	10	22	31	2	41	5
CE24E 125N	1.5	13	28	28	2	48	5
CE24E 150N	.6	9	24	50	3	26	5
CE24E 175N	1.2	11	23	21	2	52	5
CE24E 200N	1.2	2	17	12	4	64	5
CE24E 225N	1.7	11	43	21	3	66	5
CE24E 475N	1.7	11	107	25	3	95	5
CE24E 500N	1.7	9	93	20	4	89	5
CE24E 525N	1.7	8	94	15	4	87	10
CE24E 575N	1.8	9	119	10	3	102	5
CE24E 650N	1.6	7	68	24	4	68	5
CE24E 1175SA	1.5	27	104	28	7	123	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604) 980-5814 OR (604) 988-4524

FACT#F31 PAGE 1 OF 1
FILE NO: 7-1861/P19+20
ATTENTION: C.SAMPSON * TYPE SOIL GEDHEN * DATE: NOV 28, 1987

(VALUES IN PPM)	AS	AS	CU	PB	SB	ZN	AU-PPB
CE24E 675N	1.4	11	82	35	2	76	5
CE24E 825N	.5	6	20	29	4	50	5
CE24E 850N	1.4	8	33	21	1	78	10
CE24E 875N	2.1	15	44	20	2	110	5
CE24E 900N	1.9	10	32	19	1	123	5
CE24E 925N	1.6	7	31	18	1	112	5
CE24E 950N	1.6	9	31	16	1	103	5
CE24E 975N	1.3	7	26	20	2	70	10
CE24E 1000N	1.5	7	24	24	1	84	5
CE24E 1025N	1.2	7	39	13	2	133	10
CE24E 1050N	1.4	5	35	15	3	108	5
CE24E 1100N	.8	13	24	27	2	68	5
CE24E 1125N	.7	16	36	22	2	77	10
CE24E 1150N	.9	14	21	32	3	57	30
CE24E 1175N	.4	9	22	56	2	17	5
CE24E 1200N	.8	39	29	44	13	47	5
CE24E 1225N	.7	43	193	41	1	29	25
CE24E 1250N	.7	33	33	17	10	70	5
CE24E 1300N	.8	9	55	10	3	54	10
CE24E 1325N	1.1	41	96	5	15	76	20
CE24E 1400N	.6	1	23	10	3	45	5
CE24E 1425N	.6	17	33	51	6	20	5
CE25E 000BL	1.5	7	22	21	5	70	5
CE25E 025S	1.5	5	30	24	5	60	5
CE25E 050S	1.7	7	24	13	4	63	10
CE25E 075S	1.5	14	23	37	1	48	5
CE25E 100S	1.0	20	16	44	1	52	5
CE25E 125S	1.5	7	46	20	3	85	5
CE25E 150S	.8	18	25	44	6	40	10
CE25E 200S	1.7	16	27	32	7	49	5
CE25E 225S	1.2	7	28	24	5	47	5
CE25E 250S	.6	17	27	49	3	39	5
CE25E 275S	1.0	12	21	37	5	40	5
CE25E 300S	1.2	13	25	45	4	38	35
CE25E 325S	.6	7	23	46	4	34	5
CE25E 350S	.8	8	25	50	4	25	10
CE25E 375S	1.0	14	22	50	5	32	15
CE25E 400S	.7	12	19	43	4	27	30
CE25E 425S	.9	15	22	50	6	33	5
CE25E 450S	1.1	14	22	42	1	38	10
CE25E 500S	1.2	15	23	37	3	50	5
CE25E 625S	1.1	9	22	18	5	70	15
CE25E 650S	1.0	8	15	21	5	60	5
CE25E 675S	1.0	9	28	26	6	63	35
CE25E 700S	1.3	13	22	23	5	68	20
CE25E 750S	1.0	10	27	22	2	63	5
CE25E 775S	.9	6	19	22	4	74	5
CE25E 825S	1.0	19	21	23	4	94	5
CE25E 875S	1.1	12	30	32	3	62	10
CE25E 900S	1.4	14	36	32	3	83	5
CE25E 925S	1.0	9	25	33	3	56	5
CE25E 950S	.8	4	13	21	4	63	10
CE25E 975S	.7	13	38	49	6	41	35
CE25E 1000S	1.1	8	22	24	5	65	5
CE25E 1025S	1.0	7	26	25	4	91	15
CE25E 1050S	1.1	11	23	22	5	79	5
CE25E 1075S	1.2	7	23	17	5	137	5
CE25E 1100S	.9	6	28	18	4	62	5
CE25E 1125S	1.1	5	31	22	5	69	5
CE25E 1150S	1.2	14	36	23	6	83	5

COMPANY: CORAL ENERGY CORP.
PROJECT NO: CONGRESS EXT.
ATTENTION: C. SAMPSON

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604) 980-5814 OR (604) 988-4524

(ACT:FJ1) PAGE 1 OF 1
FILE NO: 7-1861/P21
* TYPE SOIL GEOCHEM * DATE: NOV 28, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
CE25E 1175S	.9	26	81	23	1	116	5
CE25E 1200S	.3	4	35	22	3	73	10
CE25E 1275S	.8	9	45	12	5	87	5
CE25E 1300S	1.4	5	35	15	5	81	10
CE25E 1325S	1.7	5	56	19	5	90	5
CE25E 025N	1.3	12	28	35	3	49	5
CE25E 050N	1.1	11	16	29	1	52	5
CE25E 075N	1.2	4	19	24	4	83	5
CE25E 100N	1.2	4	22	21	3	59	10
CE25E 125N	1.7	14	47	33	3	54	5
CE25E 175N	.8	8	27	30	5	53	5
CE25E 225N	.5	11	28	49	1	37	5
CE25E 275N	1.0	10	47	34	2	50	5
CE25E 300N	1.2	11	119	35	3	78	10

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CORRELATION COEFFICIENTS

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

THE TABLE BELOW REPRESENTS THE PEARSON CORRELATION MATRIX,
SHOWING THE INTER-ELEMENT CORRELATION COEFFICIENTS. THOSE VALUES THAT
EXCEED THEIR CRITICAL VALUE FOR .01 LEVEL OF SIGNIFICANCE ARE SHOWN
IN DARKER PRINT AND UNDERLINED.

	AG	AS	CU	PB	SB	ZN	AU
AG	1.000	<u>.116</u>	<u>.147</u>	-.028	<u>.068</u>	<u>.128</u>	.033
AS		1.000	<u>.311</u>	<u>.437</u>	<u>.087</u>	<u>-.188</u>	.024
CU			1.000	-.019	<u>.149</u>	<u>.121</u>	-.009
PB				1.000	<u>.001</u>	<u>-.447</u>	.025
SB					1.000	<u>.219</u>	.014
ZN						1.000	-.022
AU							1.000

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON AG

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

NUMBER OF SAMPLES: 1703
MAXIMUM VALUE: .440 PPM
MINIMUM VALUE: 0.00 PPM
MEAN: .98 PPM
STD. DEVIATION: .40 PPM
COEFF. OF VARIATION: .41

5 HIGHEST AG VALUES:


CE20E 4255 4.4 PPM
CE20E 6755 3.5 PPM
CE19E 7505 3.2 PPM
CE20E 8255 3.1 PPM
CE20E 7255 3.0 PPM

HISTOGRAM FOR AG

CLASS INTERVAL = .03

MID CLASS PPM	CLASS %
------------------	------------

< .60	25.60
.62	8.10
.65	0.00
.68	0.00
.71	11.04
.74	0.00
.77	0.00
.80	11.69
.83	0.00
.86	0.00
.89	12.62
.92	0.00
.95	0.00
.98	0.00
1.01	13.15
1.04	0.00
1.07	0.00
1.10	10.86
1.13	0.00
1.16	0.00
1.19	0.00
> 1.20	8.31



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AG

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

UPPER LIMIT (PPM)	CUMMUL. (%)
1.23	0.00
1.21	0.00
1.19	6.99
1.16	6.99
1.14	6.99
1.12	6.99
1.10	6.99
1.08	17.85
1.06	17.85
1.04	17.85
1.02	17.85
1.01	17.85
.99	31.00
.97	31.00
.95	31.00
.93	31.00
.92	31.00
.90	31.00
.88	43.63
.87	43.63
.85	43.63
.84	43.63
.82	43.63
.81	43.63
.79	55.31
.78	55.31
.76	55.31
.75	55.31
.74	55.31
.72	55.31
.71	55.31
.70	66.35
.68	66.35
.67	66.35
.66	66.35
.65	66.35
.63	66.35
.62	66.35
.61	66.35
.60	74.40

2% 5% 10% 15% 20% 30% 40% 50% 60% 70% 80% 85% 90% 95% 98%

CUMULATIVE PROBABILITY

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON AS

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

ILE井

NUMBER OF SAMPLES: 1703
MAXIMUM VALUE: 103.00 PPM
MINIMUM VALUE: 0.00 PPM
MEAN: 12.67 PPM
STD. DEVIATION: 9.24 PPM
COEFF. OF VARIATION: .73


5 HIGHEST AS VALUES:

2E 1450N	103 PPM
13E 525S	87 PPM
12E 500N 40M	55 PPM
CE19E 1400N 40M	54 PPM
17E 1325N	48 PPM

HISTOGRAM FOR AS

CLASS INTERVAL = .83

MID CLASS **CLASS**



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON AS

COMPANY: CORAL ENERGY

DATE: DEC 10/87


ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:



2% 5% 10% 15% 20% 30% 40% 50% 60% 70% 80% 85% 90% 95% 98%

CUMULATIVE PROBABILITY

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON CU

COMPANY: CORAL ENERGY

DATE: DEC 10/87

DTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

NUMBER OF SAMPLES: 1703

5 HIGHEST CU VALUES:

MAXIMUM VALUE: 500.00 PPM

CE19E 1400N 40M 500 PPM

MINIMUM VALUE: 0.00 PPM

13E 1225N 437 PPM

MEAN: 42.09 PPM

12E 1300N 306 PPM

STD. DEVIATION: 32.07 PPM

13E 525S 279 PPM

COEFF. OF VARIATION: .76


2E 1450N 272 PPM

HISTOGRAM FOR CU

CLASS INTERVAL = 2.3

MID CLASS CLASS

PPM %



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON CU

COMPANY: CORAL ENERGY

DATE: DEC 10/87

STN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

UPPER LIMIT (PPM)	CUMUL. (%)
55.39	2.70
53.14	4.23
50.97	6.52
48.91	8.04
46.93	10.22
45.02	11.39
43.19	13.51
41.44	17.03
39.75	20.79
38.14	22.61
36.60	26.78
35.11	29.77
33.68	35.29
32.32	38.46
31.00	45.98
29.74	49.97
28.53	54.49
27.38	58.37
26.27	62.48
25.20	66.06
24.18	70.11
23.20	73.75
22.25	79.10
21.35	83.85
20.48	87.96
19.65	89.55
18.85	90.96
18.08	90.98
17.36	92.54
16.65	93.89
15.97	94.83
15.32	94.83
14.71	95.77
14.10	95.77
13.53	96.48
12.98	97.18
12.45	97.18
11.95	97.77
11.46	97.77
11.00	98.36

2% 5% 10% 15% 20% 30% 40% 50% 60% 70% 80% 85% 90% 95% 98%

CUMULATIVE PROBABILITY

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON PB

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

NUMBER OF SAMPLES: 1703
MAXIMUM VALUE: 116.00 PPM
MINIMUM VALUE: 0.00 PPM
MEAN: 17.24 PPM
STD. DEVIATION: 10.60 PPM
COEFF. OF VARIATION: .61


5 HIGHEST PB VALUES:
CE1BE 1125N 116 PPM
3E 1125N 40M 96 PPM
CE23E 000 67 PPM
CE1BE 250S 20M 66 PPM
CE21E 050S 65 PPM

HISTOGRAM FOR PB CLASS INTERVAL = 2.35

MID CLASS CLASS

PPM %

<	7.00	6.69
	8.18	12.27
	10.53	12.68
	12.88	17.91
	15.23	10.51
	17.58	7.11
	19.93	9.51
	22.28	4.87
	24.63	3.64
	26.98	3.76
	29.33	1.64
	31.68	1.23
	34.03	1.53
	36.38	1.00
	38.73	.59
	41.08	1.35
	43.43	.47
	45.78	.47
	48.13	.94
	50.48	.65
	52.83	.12
>	54.00	1.27



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON PB

COMPANY: CORAL ENERGY

DATE: DEC 10/87

TTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

UPPER LIMIT (PPM)	CUMUL. (%)
50.48	1.53
47.99	2.58
45.61	2.99
43.36	3.52
41.22	4.17
39.19	5.11
37.25	5.70
35.41	6.69
33.66	7.75
32.00	9.04
30.42	9.45
28.91	11.10
27.48	12.16
26.13	13.15
24.84	16.27
23.61	18.50
21.34	20.73
20.28	23.37
19.28	26.31
18.33	29.13
17.42	32.88
16.56	36.00
15.74	39.99
14.97	44.33
14.22	50.50
13.52	57.72
12.86	62.65
12.22	62.65
11.62	68.41
11.05	68.41
10.50	74.93
9.98	81.09
9.49	81.09
9.02	81.09
8.58	85.91
8.15	85.91
7.75	89.84
7.00	93.31

2% 5% 10% 15% 20% 30% 40% 50% 60% 70% 80% 85% 90% 95% 98%

CUMULATIVE PROBABILITY

MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

STATISTICAL SUMMARY ON SB

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

NUMBER OF SAMPLES: 1703
MAXIMUM VALUE: 21.00 PPM
MINIMUM VALUE: 0.00 PPM
MEAN: 3.44 PPM
STD. DEVIATION: 2.15 PPM
COEFF. OF VARIATION: .63


5 HIGHEST SB VALUES:

CE23E 450S 21 PPM
CE23E 475S 21 PPM
CE24E 700S 17 PPM
CE24E 1100S 16 PPM
CE24E 1325N 15 PPM

HISTOGRAM FOR SB CLASS INTERVAL = .3

MID CLASS	CLASS
PPM	%

< 2.00	21.14
2.15	13.51
2.45	0.00
2.75	0.00
3.05	16.50
3.35	0.00
3.65	0.00
3.95	15.91
4.25	0.00
4.55	0.00
4.85	0.00
5.15	17.91
5.45	0.00
5.75	0.00
6.05	10.69
6.35	0.00
6.65	0.00
6.95	2.76
7.25	0.00
7.55	0.00
7.85	0.00
> 8.00	1.90



MIN-EN LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS

705 WEST 15TH STREET NORTH VANCOUVER, B.C. CANADA V7M 1T2

TELEX: 04-352828 PHONE: (604) 980-5814 OR (604) 988-4524

CUMMULATIVE PROBABILITY PLOT ON SB

COMPANY: CORAL ENERGY

DATE: DEC 10/87

ATTN: CHRIS SAMPSON

SAMPLE TYPE: SOIL

PROJECT: CONGRESS EXTENSION

ANALYSIS TYPE: ICP

FILE#:

UPPER LIMIT (PPM)	CUMUL. (%)
8.41	.82
8.11	.82
7.82	1.64
7.53	1.64
7.26	1.64
7.00	4.40
6.75	4.40
6.50	4.40
6.27	4.40
6.04	4.40
5.82	15.09
5.61	15.09
5.41	15.09
5.21	15.09
5.02	15.09
4.84	33.00
4.67	33.00
4.50	33.00
4.34	33.00
4.18	33.00
4.03	33.00
3.88	48.91
3.74	48.91
3.61	48.91
3.48	48.91
3.35	48.91
3.23	48.91
3.11	48.91
3.00	48.91
2.89	65.41
2.79	65.41
2.69	65.41
2.59	65.41
2.49	65.41
2.40	65.41
2.32	65.41
2.23	65.41
2.15	65.41
2.08	65.41
2.00	78.86

2% 5% 10% 15% 20% 30% 40% 50% 60% 70% 80% 85% 90% 95% 98%

CUMULATIVE PROBABILITY

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1327S/P23+24

ATTENTION: CHRIS SAMPSON

(604) 980-5814 OR (604) 988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SR	ZN	AU-PPB
13E 850N	.6	14	33	18	4	65	5
13E 875N	.6	5	21	10	6	64	5
13E 900N	.5	4	22	12	5	99	5
13E 925N	.6	2	19	15	1	227	5
13E 950N	.6	11	27	7	6	90	5
13E 975N	.6	7	17	9	4	110	5
13E 1025N	.6	4	24	3	5	71	5
13E 1050N	.6	7	19	4	5	92	5
13E 1100N	.6	10	25	11	1	69	5
13E 1125N	.8	15	95	17	5	60	5
13E 1175N	.6	14	60	14	5	60	5
13E 1200N	.6	1	196	6	1	69	5
13E 1225N	.9	3	437	12	1	88	5
000 1400E 40M	.5	5	40	22	3	47	5
14E 025N	.6	20	29	26	1	55	5
14E 050N	.6	19	24	22	1	54	5
14E 075N	.8	4	23	14	1	61	5
14E 100N	.8	14	34	13	1	64	5
14E 125N	.7	6	28	14	1	62	5
14E 150N	.8	3	32	12	1	88	5
14E 175N	.8	5	23	15	1	82	5
14E 200N	.9	11	34	15	1	65	10
14E 225N	.9	11	28	11	2	95	5
14E 250N	.7	15	40	13	2	181	5
14E 275N	.6	3	16	9	1	103	5
14E 300N	.8	4	18	6	1	74	5
14E 325N	.9	7	24	13	1	82	5
14E 350N	.9	12	29	9	2	77	10
14E 375N	.9	7	19	11	1	65	5
14E 400N 40M	.9	19	34	16	2	65	5
14E 425N	.9	5	25	10	1	71	5
14E 450N	.9	8	21	15	1	77	5
14E 475N	.9	11	18	11	1	64	5
14E 500N	.9	12	23	8	2	77	5
14E 525N	.8	5	17	8	1	63	5
14E 550N	.6	1	42	14	1	43	5
14E 575N	.3	1	5	3	1	21	5
14E 600N	.7	21	85	13	2	139	5
14E 625N	.7	14	27	17	5	92	10
14E 650N	.7	19	47	15	5	74	5
14E 675N	.6	16	11	12	1	52	5
14E 700N	.8	21	22	19	1	74	5
14E 725N	.9	23	25	15	1	61	80
14E 775N	.8	12	21	15	1	61	5
14E 800N	.6	2	9	11	1	83	5
14E 825N	.8	22	18	18	3	171	5
14E 850N	.8	29	15	23	2	81	10
14E 925N	.4	14	16	6	2	38	5
14E 950N	.4	1	4	4	1	57	5
14E 975N	.8	12	26	8	2	66	5
14E 1000N	.7	13	15	6	1	84	5
14E 1025N	.7	18	21	9	1	68	5
14E 1050N 20M	.7	23	23	14	1	68	10
14E 1075N	.7	14	18	10	2	56	5
14E 1150N	.6	20	160	10	1	47	5
14E 1175N	.9	30	245	14	1	74	5
14E 1200N	.9	24	196	14	1	76	5
15E 000N	1.0	37	43	19	1	75	10
15E 025N	.6	30	30	22	1	57	5
15E 050N	.6	31	30	24	2	58	5

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-13275/P25+26

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AS	AS	CU	PR	SB	ZN	AU-PPB
15E 100N	1.0	14	36	23	1	65	5
15E 125N	.4	3	26	6	5	39	10
15E 150N	.9	14	42	13	1	73	5
15E 175N	1.0	16	54	18	1	79	5
15E 200N	.9	7	46	14	1	92	5
15E 225N	1.0	8	48	12	1	85	5
15E 250N	.8	3	16	7	2	70	85
15E 275N	1.1	10	32	16	2	69	5
15E 300N	1.0	9	20	11	2	90	10
15E 325N	1.1	9	42	25	2	76	5
15E 350N	.6	1	35	25	4	52	5
15E 375N	1.1	2	44	16	1	80	5
15E 400N	.7	6	49	18	5	48	5
15E 425N	.5	1	10	6	1	110	5
15E 450N	1.2	12	52	17	2	87	25
15E 500N	.6	1	13	8	1	55	5
15E 550N	1.1	11	55	14	2	82	5
15E 575N	1.0	5	52	19	1	74	5
15E 600N	1.1	18	57	18	1	78	10
15E 625N	.8	1	29	9	4	68	5
15E 650N	1.0	6	66	20	7	76	5
15E 675N	.9	9	22	9	5	82	5
15E 700N	1.0	10	21	9	6	67	15
15E 725N	.6	6	23	12	1	58	40
15E 750N	.6	1	8	4	1	73	5
15E 775N	.6	7	27	8	1	58	5
15E 800N	.7	11	19	14	2	57	5
15E 825N	.9	16	38	15	1	58	5
15E 850N	.7	18	48	17	1	53	5
15E 875N	.5	26	39	33	2	34	5
15E 900N	.9	7	13	22	1	59	5
15E 925N	.7	14	15	17	5	64	5
15E 950N	.9	22	29	26	1	59	5
15E 975N	.8	24	30	22	1	53	10
15E 1000N	.5	4	12	17	1	48	5
15E 1025N	.6	12	14	20	1	51	5
15E 1050N	.8	12	29	18	1	63	5
15E 1075N	.7	1	16	8	4	63	5
15E 1100N	.8	18	28	15	1	56	5
15E 1125N	1.0	30	101	17	1	65	15
15E 1150N	1.0	32	121	12	2	71	5
15E 1175N	.8	24	40	12	2	56	5
15E 1200N	.8	32	44	15	1	58	5
15E 1225N	1.1	31	145	14	8	76	5
15E 1250N	1.0	35	130	8	1	65	5
16E 000BL	.6	1	10	4	2	67	10
16E 025N	.7	1	17	9	3	112	5
16E 050N	1.1	18	25	12	1	64	5
16E 075N	1.1	27	38	16	1	69	5
16E 100N	.9	24	38	26	5	68	5
16E 125N	1.0	15	35	15	1	68	5
16E 150N	1.1	22	49	18	1	74	5
16E 175N	.9	11	61	16	6	92	5
16E 200N	1.1	21	20	12	2	106	5
16E 225N	1.1	30	21	12	4	75	5
16E 250N	1.0	30	14	13	2	76	5
16E 275N	.9	12	20	12	1	87	10
16E 300N	.5	1	12	7	3	63	5
16E 325N	1.3	16	32	16	1	85	5
16E 350N	1.4	19	35	14	1	89	5

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-13275/P27+28

ATTENTION: CHRIS SAMPSON

(604) 980-5814 DR (604) 988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AS	AS	CU	PB	SB	ZN	AU-PPB
16E 425N	.9	5	75	13	5	94	10
16E 450N	.7	4	72	14	4	78	5
16E 475N	1.0	3	46	10	1	90	5
16E 500N	.8	1	22	10	1	86	5
16E 525N	1.1	3	23	9	4	85	5
16E 550N	.5	1	8	8	1	59	5
16E 625N	1.3	6	49	10	6	96	5
16E 650N	.9	11	26	14	6	72	10
16E 675N	.9	24	19	24	1	67	5
16E 700N	.8	13	20	7	4	93	5
16E 725N	.8	9	12	15	1	53	5
16E 750N	.7	3	18	8	3	93	10
16E 775N	.7	40	59	22	2	51	5
16E 800N	.8	41	38	23	1	69	5
16E 825N	.8	35	29	21	2	64	5
16E 850N	.6	11	21	15	5	49	5
16E 875N	.4	17	18	19	1	56	5
16E 900N	.7	14	18	12	1	60	10
16E 925N	.6	5	14	14	4	67	5
16E 950N	.7	17	18	19	5	69	5
16E 975N	.8	4	18	19	1	61	5
16E 1000N	.7	19	18	22	1	60	5
16E 1025N	.6	2	11	7	1	41	5
16E 1050N	.4	1	4	4	1	41	10
16E 1075N	.7	8	20	10	1	71	5
16E 1125N	.5	3	13	11	1	43	5
16E 1150N	.6	20	40	14	1	54	5
16E 1175N	.5	3	11	9	1	51	5
16E 1200N	.5	15	23	13	1	48	10
16E 1225N	.7	17	23	11	1	61	5
16E 1250N	.6	27	23	8	4	63	5
16E 1275N	.7	16	34	6	5	171	10
16E 1300N	.5	5	37	3	4	75	5
16E 1325N	.8	22	156	6	5	58	5
16E 1350N	.8	33	150	7	6	74	5
16E 1375N	.9	33	112	12	10	74	5
16E 1400N	.7	26	87	16	6	83	10
16E 1475N	.7	31	94	10	4	72	5
16E 1500N	.5	14	59	7	5	55	5
000 000CE	.3	1	1	1	1	43	5
L0 025N	1.1	9	31	2	5	100	5
L0 050N	1.0	12	31	9	5	73	5
L0 075N	1.2	15	41	14	6	107	5
L0 100N	1.0	25	52	13	6	73	10
L0 125N	1.1	12	46	9	1	115	5
L0 150N	.8	6	36	5	3	136	5
L0 175N	.9	18	41	5	4	101	5
L0 225N	1.0	22	37	7	6	257	10
L0 250N 40M	.8	22	70	11	5	78	10
L0 275N	1.2	18	29	8	1	70	5
L0 300N	1.0	16	27	5	6	143	5
L0 325N	1.0	12	21	9	5	95	5
L0 350N	1.1	13	30	6	1	98	5
L0 375N	1.1	14	23	3	6	113	5
L0 400N	1.2	17	21	11	1	110	5
L0 425N	1.2	19	21	9	6	142	5
L0 450N	1.2	14	26	7	1	111	5
L0 475N	1.3	17	33	3	1	100	5
L0 500N	1.3	19	33	7	1	103	5
L0 525N	1.2	22	29	11	5	87	5

COMPANY: CORAL ENERGY

PROJECT NO:

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-13276/P29+30

ATTENTION: CHRIS SAMPSON

(604) 980-5814 OR (604) 988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
LO 550N	1.1	2	29	7	4	193	5
LO 650N	1.0	1	91	19	3	130	10
LO 675N	.8	7	59	8	4	166	5
LO 700N	1.1	15	35	9	5	133	5
LO 725N	1.0	26	82	28	5	119	5
LO 750N	1.0	29	72	17	4	85	5
LO 775N	1.0	29	60	19	4	77	5
LO 800N	1.0	28	56	16	3	70	5
LO 825N	.9	20	50	22	3	68	10
LO 850N	.9	7	72	11	2	75	10
LO 875N	1.0	7	73	15	3	81	5
LO 900N	.9	5	54	15	2	67	5
LO 925N	.7	14	59	7	2	70	5
LO 975N	1.0	16	64	8	6	74	5
LO 1000N	.9	1	58	3	3	70	5
LO 1025N	.8	1	51	7	4	67	15
LO 1100N	.9	9	64	10	4	72	5
LO 1125N	1.1	1	22	6	4	98	5
LO 1150N	1.0	9	36	9	2	100	5
LO 1175N	.9	1	24	11	4	67	5
LO 1200N	1.0	1	53	10	6	70	85
LO 1225N	1.1	1	43	6	1	79	5
LO 1250N	1.1	1	38	8	4	84	30
LO 1275N	1.2	1	31	6	6	85	5
LO 1300N	1.3	1	36	13	1	75	5
LO 1325N	1.2	3	29	10	1	68	10
LO 1350N	1.2	3	31	9	5	85	5
LO 1375N	1.3	1	26	7	5	105	5
LO 1400N	1.2	1	29	7	5	107	5
LO 1425N	1.1	1	23	4	1	95	5
LO 1450N	1.1	11	35	21	5	83	5
LO 1475N	1.0	2	26	11	1	86	5
LO 1500N	1.0	10	40	14	1	80	10

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

SEP 25 1987

PHONE: (604) 980-5814 OR (604) 988-4524

TELEX: VIA USA 7601067 UC

Analytical Report

Company: CORAL ENERGY

File: 7-1365

Project: *? Congress Ext.*

Date: SEPT 23/87

Attention: CHRIS SAMPSON

Type: SOIL GEOCHEM

Date Samples Received : SEPT 14/87

Samples Submitted by : CHRIS SAMPSON

Report on 873 SOILS..... Geochem Samples

..... Assay Samples
.....
.....

Copies sent to:

1. CORAL ENERGY, VANCOUVER, B.C.
2. CHRIS SAMPSON, VANCOUVER, B.C.
- 3.

Samples: Sieved to mesh -80..... Ground to mesh

Prepared samples stored: X discarded:
rejects stored: discarded: X

Methods of analysis:

6 ELEMENT TRACE ICP.
AU-WET.A.A.

Remarks

*Copy gain to
Chris*

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

PHONE: (604) 980-5814 OR (604) 988-4524

TELEX: VIA USA 7601067 UC

Analytical Report

Company: CORAL ENERGY

File: 7-1464

Project: *CONGRESS EXTENSION*

Date: OCT 3/87

Attention: C. SAMPSON

Type: SOIL GEOCHEM

Date Samples Received : SEPT 27/87

Samples Submitted by : C. SAMPSON

Report on 212 Geochem Samples

..... Assay Samples
.....
.....

Copies sent to:

1. CORAL ENERGY, VANCOUVER, B.C.
- 2.
- 3.

Samples: Sieved to mesh-80..... Ground to mesh

Prepared samples stored:.....X.... discarded:.....
rejects stored:..... discarded:.....X.....

Methods of analysis: AU-WET; 6 ELEMENT TRACE ICP

Remarks

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

(604)980-5814 OR (604)988-4524

TELEX:VIA USA 7601067 UC

Analytical Report

Company: CORAL ENERGY

File: 7-1365

Project:

Date: SEPT 23/87

Attention: CHRIS SAMPSON

Type: SOIL GEOCHEM

Date Samples Received : SEPT 14/87

Samples Submitted by : CHRIS SAMPSON

Report on 873 SOILS Geochem Samples

..... Assay Samples
.....
.....

Copies sent to:

1. CORAL ENERGY, VANCOUVER, B.C.
2. CHRIS SAMPSON, VANCOUVER, B.C.
- 3.

Samples: Sieved to mesh -80..... Ground to mesh

Prepared samples stored: X discarded:
rejects stored: discarded: X

Methods of analysis:

6 ELEMENT TRACE ICP.
AU-WET.A.A.

Remarks

COMPANY: CORAL ENERGY

PROJECT NO:

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-13279/P1+2

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PR	SB	ZN	AU-PPB
000 100E	.9	4	27	10	4	108	5
1E 025N	.8	11	42	18	5	83	10
1E 050N	.7	8	38	12	4	84	5
1E 075N	.8	13	42	10	3	115	5
1E 100N	1.1	18	48	11	7	245	10
1E 125N	.8	13	52	10	5	112	5
1E 150N	.9	8	33	12	5	127	5
1E 175N	1.1	14	42	9	6	123	5
1E 200N	1.2	19	57	11	5	86	5
1E 225N	1.0	15	51	9	6	100	5
1E 250N	1.2	13	43	12	6	113	5
1E 275N	1.0	9	37	10	6	101	10
1E 300N	1.1	6	30	10	5	127	5
1E 325N	1.2	13	46	14	6	83	5
1E 350N	1.1	10	39	15	1	83	5
1E 375N	1.2	13	37	18	1	104	5
1E 400N	1.1	10	31	12	6	102	10
1E 425N	1.1	15	56	14	1	82	5
1E 450N	1.2	8	39	8	5	131	5
1E 475N	1.1	10	28	15	1	114	5
1E 500N	1.2	10	41	12	1	87	5
1E 525N	1.2	13	30	11	1	132	5
1E 550N	1.2	20	40	15	2	80	10
1E 575N	1.1	12	35	10	1	89	5
1E 600N	1.1	11	30	9	1	135	5
1E 625N	1.2	4	29	11	1	140	5
1E 650N	1.1	11	31	15	5	146	5
1E 675N	1.0	8	31	6	6	110	5
1E 700N	.7	25	57	19	5	70	5
1E 725N	.7	19	55	19	5	68	10
1E 750N	.6	19	58	22	4	74	5
1E 775N	.7	17	59	23	5	71	5
1E 800N	.6	22	73	23	5	87	5
1E 825N	.6	21	69	16	5	70	5
1E 850N	.7	22	58	22	5	70	10
1E 875N	.7	21	60	22	3	71	5
1E 900N 40 MESH	.6	16	53	25	4	71	50
1E 925N	.6	17	62	17	4	75	5
1E 950N	.7	22	59	19	5	76	5
1E 975N	.6	14	51	19	4	65	10
1E 1000N	.7	28	67	28	6	80	5
1E 1075N	.6	20	42	20	3	65	5
1E 1250N	.8	6	36	11	4	94	5
1E 1275N	.8	9	30	12	1	89	5
1E 1300N	1.0	11	33	14	6	103	5
1E 1350N	.9	38	144	21	1	86	5
1E 1375N	.7	9	42	6	5	143	10
1E 1400N	.9	8	31	12	5	174	5
1E 1425N	1.0	12	36	13	6	195	5
1E 1450N	.8	9	34	14	6	112	5
1E 1475N	.8	13	27	14	1	118	5
1E 1500N	.8	28	79	18	3	93	10
000 200E	.9	12	39	15	5	141	5
2E 025N	.8	15	46	14	1	136	5
2E 050N	.9	17	45	8	6	99	5
2E 075N	1.1	17	51	15	7	122	5
2E 100N	1.1	9	31	12	1	146	5
2E 125N	1.2	14	34	14	7	138	5
2E 150N	1.3	11	33	9	7	95	5
2E 175N	1.3	20	46	17	2	96	10

CONGRESS EXTENSION

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-13279/P34

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SBIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
2E 200N	.9	9	29	12	5	102	5
2E 225N	1.0	10	38	15	6	103	5
2E 250N	1.1	9	29	13	5	102	10
2E 275N	1.0	11	31	14	5	92	5
2E 300N	.9	5	27	13	1	106	10
2E 325N	.9	9	29	11	5	87	5
2E 350N	1.1	10	35	12	5	106	5
2E 375N	1.1	10	33	7	6	138	10
2E 400N	1.1	5	35	12	1	116	5
2E 425N	.9	11	34	5	5	148	5
2E 450N	.8	13	30	14	2	101	10
2E 475N	.7	28	56	24	5	83	15
2E 500N	.6	24	59	28	5	78	10
2E 525N	.6	21	60	21	5	89	5
2E 550N	.7	19	63	21	4	93	5
2E 575N	.6	19	53	23	4	77	5
2E 600N	.7	23	68	20	4	78	10
2E 625N	.6	18	47	17	5	109	5
2E 650N	.6	18	31	26	5	115	5
2E 675N	.7	23	48	19	4	88	5
2E 700N	.8	20	69	25	6	78	5
2E 725N 40M	.8	30	54	19	6	73	10
2E 750N	.7	23	68	22	6	77	5
2E 775N	.7	21	62	23	6	76	5
2E 800N	.7	23	59	24	6	76	5
2E 825N	.7	17	61	22	4	89	10
2E 850N	.6	27	63	25	5	73	10
2E 875N	.6	27	64	21	5	72	5
2E 900N	.7	23	53	21	6	71	5
2E 925N	.7	17	59	21	5	75	5
2E 950N	.6	32	70	25	2	81	5
2E 975N	.6	7	80	24	2	85	10
2E 1000N	.6	15	58	20	2	74	5
2E 1025N	1.1	8	40	14	5	98	5
2E 1100N	1.0	6	30	8	5	123	5
2E 1125N	.8	9	57	13	5	71	30
2E 1150N	.8	5	28	12	5	90	5
2E 1175N	.8	6	30	10	5	141	10
2E 1225N	1.0	6	23	2	5	107	5
2E 1250N	1.1	5	30	18	5	163	5
2E 1275N	.9	3	22	7	4	99	10
2E 1300N	.8	7	40	10	5	99	5
2E 1325N	.7	9	32	16	5	78	10
2E 1350N	.9	7	36	16	5	88	5
2E 1375N	.7	3	23	11	4	85	5
2E 1400N	.8	9	34	12	5	90	10
2E 1425N	.7	19	56	20	5	86	10
2E 1450N	1.1	103	272	28	2	81	5
2E 1500N	1.2	30	81	16	5	101	5
000 300E	1.1	14	41	18	5	124	5
3E 025N	1.1	3	28	9	4	150	10
3E 050N	1.2	12	29	10	5	107	5
3E 075N	1.0	12	34	6	5	137	5
3E 100N	1.0	7	33	11	5	148	10
3E 125N	1.1	17	37	11	6	123	5
3E 150N	1.2	10	104	16	5	117	5
3E 175N	1.2	19	49	15	7	129	5
3E 200N	.9	10	28	9	5	208	5
3E 225N	1.0	11	33	9	6	101	5
3E 250N 40M	1.1	28	68	26	1	84	5

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-13279/P5+6

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

VALUES IN PPM	AG	AS	CU	PB	SB	ZN	AU-PPB
3E 275N	.6	1	22	5	2	128	5
3E 300N	1.0	5	41	13	4	129	5
3E 325N	1.1	3	25	11	4	181	5
3E 350N	1.0	11	37	11	5	115	5
3E 475N 40M	.6	23	62	22	1	76	5
3E 500N 40M	.5	19	58	19	2	64	10
3E 525N	.6	18	51	20	3	78	5
3E 550N 40M	.8	22	64	25	4	75	5
3E 575N	.8	21	67	17	3	95	10
3E 600N	.9	21	71	19	3	88	5
3E 625N	.8	25	66	24	3	86	5
3E 650N	.8	17	43	23	2	102	5
3E 675N	.9	16	79	24	6	103	5
3E 700N	.9	21	79	21	4	91	5
3E 725N 40M	.9	18	61	25	4	76	5
3E 750N 40M	.8	18	58	20	3	79	5
3E 775N 40M	.9	25	63	16	5	92	10
3E 800N	.8	22	57	19	3	82	5
3E 825N	.9	12	34	17	5	85	5
3E 850N	1.1	8	27	10	5	118	5
3E 875N	1.0	9	26	12	5	87	5
3E 900N	1.0	11	25	11	5	95	5
3E 925N	1.0	11	26	15	1	82	5
3E 950N	1.0	15	32	16	6	133	10
3E 975N	.9	8	29	12	5	129	5
3E 1000N	1.0	24	58	19	6	74	5
3E 1025N	1.2	14	36	14	6	85	5
3E 1050N	1.1	11	27	10	6	85	5
3E 1075N	1.1	13	36	12	6	143	5
3E 1100N	.8	1	23	11	4	170	5
3E 1125N 40M	2.9	8	40	96	6	104	5
3E 1150N	1.1	21	92	29	4	75	5
3E 1175N	1.1	10	44	20	5	111	5
3E 1200N 40M	.9	7	33	12	6	162	5
3E 1225N 40M	1.2	16	113	14	5	97	5
3E 1250N	1.0	25	52	28	1	89	10
3E 1300N 40M	1.2	26	76	23	6	93	5
3E 1325N	.9	19	30	20	4	89	5
3E 1350N	.9	13	36	14	6	80	5
3E 1375N 40M	.7	6	23	11	1	94	10
3E 1400N	.7	8	28	15	6	124	10
3E 1425N	.8	23	38	9	5	184	5
3E 1450N 40M	.5	15	71	20	5	95	5
3E 1475N	.9	17	104	18	5	95	5
000 400E	1.0	10	88	11	6	86	5
4E 025N	.6	1	23	8	2	132	5
4E 050N	.6	1	39	8	3	88	10
4E 075N	.4	1	15	11	3	180	5
4E 100N	.7	7	44	12	3	111	5
4E 125N	.9	7	43	7	6	135	5
4E 150N	.9	4	33	10	6	93	5
4E 175N	1.0	12	32	11	6	163	10
4E 200N	.9	8	38	11	5	90	5
4E 225N	.9	6	24	10	5	113	5
4E 250N	.9	13	31	12	5	117	5
4E 275N	1.0	20	56	19	1	96	5
4E 300N	.9	9	33	11	6	149	10
4E 325N	.8	10	35	11	5	96	5
4E 350N	.5	6	22	12	5	130	5
4E 375N	.6	3	20	10	4	106	5

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1327S/P7+8

ATTENTION: CHRIS SAMPSON

(604) 980-5814 OR (604) 988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AS	AS	Cu	PB	SB	Zn	AU-PPB
4E 400N	.6	1	13	11	3	69	5
4E 425N	.8	1	26	10	2	122	5
4E 450N	.7	17	83	22	3	73	5
4E 475N 20M	.7	21	58	24	4	82	10
4E 500N 40M	.7	27	67	18	4	71	5
4E 525N 40M	.7	22	67	18	3	70	5
4E 550N 40M	.7	21	53	18	4	75	5
4E 575N	.7	23	48	24	4	65	5
4E 600N	.8	19	55	23	4	78	10
4E 625N 40M	.7	23	58	21	4	71	5
4E 650N	.7	26	56	23	4	78	5
4E 675N	.8	15	58	24	4	80	5
4E 700N	.9	29	66	21	5	82	10
4E 725N	.8	23	67	20	5	81	5
4E 750N 40M	.9	17	64	22	4	80	5
4E 775N	.8	16	66	19	3	87	10
4E 800N	.9	10	29	14	4	249	5
4E 825N	1.0	9	22	10	4	129	5
4E 850N	.9	6	22	8	5	253	5
4E 875N	.9	7	21	11	5	152	5
4E 925N	1.0	8	25	7	5	117	10
4E 950N	.9	8	24	9	4	95	5
4E 975N	.9	14	30	13	5	67	5
4E 1000N	1.1	10	22	9	5	93	10
4E 1025N	.9	28	52	22	4	82	5
4E 1075N	.9	27	59	22	5	72	5
4E 1100N	.9	24	40	23	5	69	5
4E 1125N 40M	.9	14	96	23	4	83	5
4E 1150N	1.1	21	119	22	5	87	5
4E 1175N	.8	12	63	24	4	71	5
4E 1200N	1.0	8	32	7	4	88	5
4E 1225N	.7	12	124	10	2	173	10
4E 1250N	.8	12	42	14	5	138	5
4E 1275N	.8	17	27	9	4	86	5
4E 1300N	1.1	10	31	11	5	138	10
4E 1325N	1.0	12	53	10	6	97	5
4E 1350N	.7	2	40	8	3	112	5
4E 1375N	1.1	11	38	13	4	131	10
4E 1400N	.8	7	17	10	1	93	5
4E 1425N	1.0	11	36	12	5	76	5
4E 1450N 40M	1.0	15	56	19	5	86	5
4E 1475N	1.0	20	78	14	6	85	10
4E 1500N	1.0	21	115	14	4	85	5
5E 500E	1.1	10	36	12	5	115	10
5E 025N	1.0	2	34	10	4	144	5
5E 050N	1.1	5	33	11	5	126	5
5E 075N	.7	4	25	6	4	113	5
5E 100N	1.0	8	30	9	5	166	10
5E 125N	1.0	7	26	9	4	121	5
5E 150N	1.1	18	30	12	5	143	5
5E 175N	1.1	6	29	5	5	121	10
5E 200N	1.1	6	27	8	5	111	370
5E 225N	1.1	12	36	10	6	107	10
5E 250N	1.1	11	34	10	5	100	5
5E 275N	1.2	14	32	13	6	121	10
5E 300N	1.0	2	31	8	4	157	5
5E 325N	1.1	11	34	9	6	111	5
5E 350N	.9	33	50	21	5	91	5
5E 375N	1.0	14	32	17	5	170	10
5E 400N	1.0	44	81	17	1	109	5

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1327S/P9+10

ATTENTION: CHRIS SAMPSON

(604) 980-5814 OR (604) 988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
SE 425N	.9	1	41	7	4	143	10
SE 450N	.9	9	32	12	5	137	5
SE 475N	1.0	8	31	11	5	112	10
SE 500N	.6	1	29	10	5	238	5
SE 525N	.7	2	35	9	6	131	5
SE 550N	.8	5	45	9	5	138	10
SE 575N	.9	14	42	12	7	112	5
SE 600N	.7	3	33	2	5	153	5
SE 625N 40M	1.0	12	46	13	7	106	5
SE 650N 40M	.9	16	60	18	7	104	5
SE 675N	1.0	8	36	9	6	108	5
SE 700N 20M	.5	9	45	19	2	80	10
SE 725N	.5	1	100	12	1	74	15
SE 750N 20M	.5	10	47	14	2	93	5
SE 775N	.6	5	80	16	3	91	25
SE 800N	1.0	8	42	11	5	105	5
SE 825N	.9	9	36	12	1	109	5
SE 850N	.9	9	30	6	6	101	10
SE 875N	.9	13	43	4	6	130	5
SE 900N	.9	30	79	21	7	117	5
SE 925N	.7	23	75	11	6	139	5
SE 950N	.9	21	87	13	7	129	10
SE 975N	.7	10	66	12	7	160	5
SE 1000N	.9	14	73	15	6	164	35
000 600E 20M	1.1	4	41	8	6	97	5
6E 025N	1.0	1	34	10	1	114	5
6E 050N	1.2	10	52	13	1	92	5
6E 075N	1.1	9	41	13	1	101	5
6E 100N	1.0	6	30	4	5	99	10
6E 125N	1.0	8	32	8	7	102	5
6E 150N	.8	1	28	8	5	256	5
6E 175N	1.2	1	35	8	5	120	5
6E 200N	1.1	6	23	8	6	102	5
6E 225N	1.1	6	28	9	6	124	10
6E 250N	1.3	7	28	6	6	106	5
6E 275N	1.2	8	29	8	1	121	5
6E 300N	1.2	2	32	5	6	110	5
6E 325N	1.2	4	25	7	5	95	5
6E 350N	1.1	15	43	16	6	98	10
6E 375N	1.1	12	30	12	1	92	5
6E 400N	1.0	24	46	14	4	73	5
6E 425N	1.0	7	26	9	1	206	5
6E 450N	.7	12	18	13	5	96	5
6E 475N	1.0	8	31	11	1	113	10
6E 500N	1.1	12	27	13	1	124	5
6E 525N	1.0	9	36	12	1	96	5
6E 550N	.6	1	16	11	1	64	5
6E 575N	1.1	8	34	13	6	82	10
6E 600N	1.2	11	35	13	1	113	10
6E 625N	.8	7	28	10	1	111	5
6E 650N	1.2	22	46	15	1	91	5
6E 675N	1.2	17	34	12	1	99	5
6E 700N	1.1	5	34	12	6	89	10
6E 850N	1.0	37	108	21	6	126	5
6E 875N	1.1	23	94	16	8	128	5
6E 900N	.7	9	43	14	1	124	5
6E 925N	.7	23	46	10	7	109	5
6E 950N	.8	6	34	11	1	107	10
6E 975N	.6	10	62	14	2	89	5
6E 1000N	.6	21	46	13	7	105	60

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1327S/P11+12

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
6E 1025N	.6	7	31	12	5	109	5
6E 1150N	.6	1	24	8	1	99	30
6E 1475N	1.3	6	198	9	6	94	5
000 700N	1.2	8	48	8	6	93	5
7E 025N	1.1	13	41	9	7	110	5
7E 050N	1.2	9	33	7	1	118	5
7E 075N	1.1	8	29	7	5	126	5
7E 100N	.9	3	28	6	5	118	5
7E 125N	1.1	6	34	11	6	102	10
7E 150N	.9	5	28	7	1	150	5
7E 175N	.9	5	24	9	1	85	5
7E 200N	1.1	5	30	4	5	116	5
7E 225N	1.1	7	44	8	1	164	5
7E 250N	.7	8	29	4	6	134	5
7E 275N	1.1	6	26	7	6	102	5
7E 300N	.8	1	18	10	4	121	5
7E 325N	1.1	12	30	12	6	137	5
7E 350N	.6	1	16	6	1	125	10
7E 375N	1.1	12	29	7	6	101	5
7E 400N	1.0	16	25	11	1	117	5
7E 425N	1.0	11	34	11	1	105	15
7E 450N	1.0	12	28	8	6	86	5
7E 475N	1.0	9	32	11	1	93	5
7E 500N	1.0	9	32	5	6	106	10
7E 525N	1.0	5	31	7	1	114	5
7E 550N	1.1	11	41	10	1	113	5
7E 575N	1.1	10	33	10	6	118	5
7E 600N	1.1	15	27	16	6	99	10
7E 625N	1.1	9	36	10	1	87	5
7E 650N	1.0	11	28	9	6	133	5
7E 675N	.9	12	48	8	5	81	5
7E 700N	.7	3	31	10	5	88	35
7E 900N	.8	18	70	21	6	113	5
7E 925N	1.0	20	73	18	5	114	5
7E 100N	1.2	27	50	15	6	92	10
6E 1175N	.7	4	58	11	5	76	5
7E 1200N	.7	11	133	16	5	74	5
7E 1450N 40M	1.2	8	230	14	5	104	5
7E 1500N	.7	1	76	6	5	72	10
000 800E	.4	1	5	4	1	75	5
BE 025N	1.0	5	27	8	6	132	5
BE 050N	1.0	6	28	5	5	146	5
BE 075N	1.1	7	33	9	1	212	5
BE 100N	1.1	6	31	9	6	140	5
BE 125N	.9	9	33	10	1	122	5
BE 150N	1.0	5	29	9	6	93	5
BE 175N	1.0	1	24	9	6	150	10
BE 200N	.8	2	27	11	1	211	5
BE 225N	1.0	3	26	12	6	156	5
BE 250N	1.1	2	30	10	6	134	10
BE 275N	1.0	6	26	7	1	120	5
BE 300N	1.1	11	27	8	6	115	5
BE 325N	.8	22	39	23	4	76	5
BE 350N	.7	20	29	21	4	85	5
BE 375N	1.1	13	35	13	1	134	5
BE 400N	1.1	19	31	17	6	95	10
BE 425N	1.1	16	30	14	1	93	5
BE 450N	1.1	11	34	11	6	111	5
BE 475N	.9	15	34	10	1	124	5
BE 500N	.9	19	25	10	1	92	5

COMPANY: CORAL ENERGY

PROJECT NO:

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
(604)980-5814 DR (604)988-4524

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-13276/P13+14

ATTENTION: CHRIS SAMPSON

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

VALUES IN PPM	AG	AS	CU	PR	SR	ZN	AU-PPB
BE 525N	.6	1	26	2	2	101	5
BE 550N	.7	3	26	10	3	98	10
BE 575N	.8	8	39	16	4	83	25
BE 600N	1.2	9	33	14	6	121	5
BE 625N	.9	7	20	12	4	124	5
BE 650N	1.1	14	40	9	5	114	5
BE 675N	1.3	21	39	18	7	82	5
BE 700N	.9	10	37	10	5	118	10
BE 725N	.6	1	11	7	2	73	5
BE 750N 20M	.9	19	39	15	5	84	20
BE 775N	.8	3	29	10	5	196	5
BE 825N	1.1	15	35	13	5	85	5
BE 875N	1.2	18	52	19	7	92	5
BE 975N	.6	1	7	2	2	86	10
9E 1000N	1.6	19	62	9	7	85	5
9E 1025N	.9	13	62	15	3	64	5
9E 1050N	1.1	11	78	10	4	68	10
9E 1075N	.7	1	35	9	4	72	5
9E 1100N	.9	9	71	19	4	94	5
9E 1175N	1.1	20	71	17	6	81	5
9E 1200N	.8	8	91	8	6	84	10
9E 1225N	.8	10	45	15	6	85	5
9E 1250N	1.1	3	33	2	5	89	5
9E 1275N	1.0	13	80	14	5	70	75
9E 1300N	1.0	1	30	10	5	113	5
9E 1325N	.8	2	49	9	4	78	5
9E 1350N	.8	11	60	8	5	71	10
9E 1375N	.7	1	42	10	5	72	5
9E 1400N	.4	5	29	8	1	58	15
9E 1425N	.4	1	11	9	3	107	5
9E 1450N	.8	1	39	9	1	84	5
9E 1475N	.7	1	22	6	2	82	5
9E 1500N	.6	1	37	7	3	75	5
000 900E	.9	6	31	9	5	130	10
9E 025N	1.0	11	38	12	5	124	5
9E 050N	.7	1	33	13	3	90	15
9E 075N	.9	4	23	10	4	103	5
9E 100N	1.1	2	42	4	5	125	5
9E 125N	1.0	8	32	4	5	110	5
9E 150N	1.0	11	27	9	4	200	10
9E 175N	1.2	26	40	21	4	99	5
9E 200N	1.1	12	38	11	3	132	5
9E 225N	1.2	14	28	8	5	94	10
9E 250N	1.3	7	35	11	5	133	5
9E 275N	1.2	9	37	13	5	176	5
9E 300N	.7	10	21	15	3	68	5
9E 325N	.4	6	9	13	2	43	5
9E 350N	.7	14	35	26	2	66	10
9E 375N	.9	10	48	18	8	74	5
9E 400N	1.1	8	35	6	4	130	5
9E 425N	.9	21	36	12	5	145	20
9E 450N	1.1	11	25	6	5	106	5
9E 475N	1.3	11	46	11	4	128	5
9E 500N	.9	27	37	10	5	136	5
9E 525N	1.4	14	54	15	5	134	10
9E 550N	1.1	7	31	13	5	152	5
9E 575N	.7	9	32	14	4	120	5
9E 600N	1.3	29	56	21	4	103	5
9E 625N	.8	18	29	16	4	146	5
9E 650N	1.1	27	35	16	5	141	15

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1327S/P15+16

ATTENTION: CHRIS SAMPSON

(604) 980-5814 OR (604) 988-4524

* TYPE SOIL GEOFCHM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
9E 675N	1.0	26	63	12	2	107	5
9E 700N	.9	4	71	12	3	188	5
9E 725N	1.3	15	47	12	3	183	5
9E 750N	1.0	30	65	8	3	153	5
9E 775N	1.2	22	51	15	5	123	5
9E 800N	1.0	25	61	11	3	162	10
9E 825N	1.1	26	51	14	4	155	5
9E 850N	1.0	19	39	14	2	121	5
9E 875N	1.0	4	31	5	4	125	5
9E 900N	.6	1	9	10	1	74	5
9E 1125N	.9	1	14	8	4	102	5
9E 1150N	.9	13	82	13	3	73	5
9E 1175N	1.2	7	23	11	5	93	5
9E 1200N	1.1	18	19	15	4	115	5
9E 1225N	.9	6	20	9	4	88	5
9E 1250N	.6	1	14	4	2	76	40
9E 1275N	.9	3	41	11	2	117	5
9E 1300N	1.2	2	34	8	3	76	5
9E 1325N	1.1	4	27	7	4	100	5
9E 1350N	1.1	3	25	4	3	103	5
9E 1375N	1.0	7	34	12	5	95	10
9E 1500N	.9	1	25	9	5	109	5
000 1000E	1.3	8	35	6	5	129	5
10E 025N	1.4	6	39	10	6	181	5
10E 050N	1.5	18	37	4	5	135	5
10E 075N	1.5	10	51	17	7	163	5
10E 100N	1.4	17	38	5	5	116	5
10E 125N	1.2	3	28	12	5	104	5
10E 150N	1.2	3	33	8	4	82	10
10E 175N	1.3	13	32	15	5	100	5
10E 200N	.9	1	27	6	2	89	5
10E 225N	1.0	5	38	7	5	104	10
10E 250N	1.1	6	39	5	3	110	5
10E 275N	.8	8	22	10	3	91	5
10E 300N	1.4	15	42	14	4	90	5
10E 325N	1.4	11	37	14	4	91	10
10E 350N	1.3	9	37	11	6	80	5
10E 375N	1.1	27	57	14	4	96	5
10E 425N	1.3	14	61	21	4	82	5
10E 500N 20M	.9	42	60	20	7	100	10
10E 525N	.8	43	35	20	1	88	30
10E 550N	1.0	27	53	14	6	108	5
10E 575N	.9	17	31	16	4	102	20
10E 600N	1.0	29	34	17	4	121	5
10E 625N	.9	27	52	16	5	139	5
10E 650N	.9	42	58	16	4	94	10
10E 675N	.9	17	34	9	2	101	15
10E 700N	.8	4	27	9	3	147	5
10E 750N	1.0	17	37	12	5	113	5
10E 775N	.9	17	48	13	4	150	10
10E 800N	.6	3	19	19	3	95	25
10E 825N	.9	1	88	15	5	122	5
10E 850N	.9	1	33	6	3	109	5
10E 875N	.6	1	7	5	1	67	5
10E 925N	1.2	18	68	13	5	102	15
10E 950N	.9	4	18	10	4	65	5
10E 1025N	1.0	2	137	16	2	91	5
10E 1175N	1.3	16	38	12	6	79	10
10E 1200N	1.3	12	78	10	4	78	330
10E 1225N	1.0	6	26	7	4	113	5

COMPANY: CORAL ENERGY

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

PROJECT NO:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-1327S/P17+18

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AS	AS	CU	PR	SB	ZN	AU-PPB
10E 1250N	.7	1	26	14	1	140	5
10E 1275N	.7	1	29	4	2	111	10
10E 1300N	.8	4	50	5	4	148	5
10E 1325N	.8	1	21	7	2	66	5
10E 1350N 40M	1.2	17	91	19	3	82	5
10E 1375N	.7	1	20	13	4	113	5
10E 1400N	.8	2	28	5	4	171	10
10E 1425N	.8	1	23	13	1	96	5
10E 1450N	.8	3	23	7	4	171	5
10E 1475N	.7	4	22	7	4	117	10
10E 1500N	.8	9	46	11	4	69	5
10E 025S	1.2	10	46	15	5	101	5
10E 050S	.7	1	23	13	3	125	5
10E 075S	1.0	1	30	9	5	112	5
10E 100S	1.2	9	33	10	6	131	10
10E 125S	.7	1	27	6	2	99	5
10E 150S	.9	1	31	11	3	170	5
10E 175S	.7	1	26	3	3	87	5
10E 200S	1.2	8	41	10	4	120	10
10E 225S	1.2	4	38	12	5	121	5
10E 250S	1.1	3	32	6	4	84	15
10E 275S	1.3	14	36	14	5	97	5
10E 300S	1.2	11	42	10	5	114	10
10E 325S	1.0	12	35	8	4	75	10
10E 350S	1.2	8	41	15	5	81	15
10E 375S	1.3	10	39	10	5	81	5
10E 400S	1.2	15	43	14	5	81	5
10E 425S	1.2	9	83	8	4	96	10
000 1100E	1.1	5	21	10	5	106	15
11E 025N	1.2	8	28	16	5	85	5
11E 050N	.8	5	26	16	1	124	10
11E 075N	1.1	8	37	9	3	101	5
11E 100N	1.1	7	42	10	2	93	5
11E 125N	1.0	6	29	12	4	76	20
11E 150N	1.1	9	45	21	4	76	10
11E 175N	1.2	9	35	15	4	81	5
11E 200N	1.3	7	40	9	5	88	5
11E 225N	1.1	8	27	11	4	100	5
11E 250N	.6	1	9	7	1	77	15
11E 275N	1.1	3	29	14	4	79	5
11E 300N	1.2	10	90	13	5	98	5
11E 325N	1.0	11	23	15	2	73	5
11E 350N	.9	10	18	14	4	71	10
11E 375N	1.0	3	38	20	1	73	5
11E 400N	1.2	5	32	13	4	70	5
11E 425N	1.3	5	27	10	3	96	50
11E 450N	.8	14	22	17	3	102	5
11E 475N	1.3	13	26	13	4	92	10
11E 500N	1.2	17	22	10	3	87	5
11E 525N	.9	17	30	14	5	97	15
11E 550N	1.1	16	43	11	6	90	5
11E 575N	1.2	27	38	25	6	97	5
11E 600N	.8	18	21	15	5	89	10
11E 625N	1.2	18	28	22	4	100	5
11E 650N	.8	18	21	18	4	83	5
11E 675N	.8	12	18	11	4	73	5
11E 725N	1.3	3	26	17	5	111	10
11E 750N	.6	1	11	7	1	58	5
11E 800N	.9	15	23	17	4	98	5
11E 825N	.9	25	30	22	4	75	5

COMPANY: CORAL ENERGY

PROJECT NO:

MIN-EN LABS ICP REPORT
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(ACT:F31) PAGE 1 OF 1

FILE NO: 7-13275/P19+20

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524

* TYPE SOIL GEOFEM * DATE: SEPT 22, 1987

(VALUES IN PPM)	AG	AS	CU	PB	SB	ZN	AU-PPB
11E 850N	.6	7	23	16	4	72	5
11E 875N	.7	1	23	6	3	103	5
11E 900N	.5	1	17	12	1	75	5
11E 925N	.5	1	25	9	4	59	5
11E 950N	.9	9	26	12	7	88	10
11E 975N	.9	5	31	5	6	141	5
11E 1000N	1.0	14	26	10	7	87	5
11E 1025N	.9	12	34	20	6	95	5
11E 1050N	.9	15	117	18	7	93	10
11E 1125N	.8	13	40	12	1	84	5
11E 1150N	.8	8	34	13	6	77	10
11E 1175N	.5	1	12	7	1	69	5
11E 1200N	.8	13	33	14	6	86	5
11E 1375N	1.1	12	49	10	1	78	5
11E 1475N	1.0	9	127	15	7	76	5
11E 1500N	.6	1	83	10	4	66	5
11E 025S	1.1	14	36	14	7	103	5
11E 050S	1.0	5	36	15	6	135	5
11E 100S	1.2	15	38	16	1	103	550
11E 125S	1.2	12	38	13	1	105	5
11E 150S	1.2	18	30	9	1	93	5
11E 175S	1.2	11	40	16	1	100	10
11E 200S	1.1	16	42	16	1	101	5
11E 225S	1.0	8	48	14	7	207	5
11E 250S	1.3	16	41	13	8	135	5
11E 275S	1.1	15	35	8	1	98	20
11E 300S	1.2	11	44	8	1	99	5
11E 325S	1.0	12	35	16	1	130	10
11E 350S	.6	5	29	15	6	107	5
11E 375S	.8	6	39	11	6	168	10
11E 400S	.9	4	30	13	5	131	5
11E 425S	.7	1	28	11	5	89	5
11E 450S	1.2	4	46	15	6	78	5
11E 475S	.6	1	20	5	1	58	10
11E 500S	1.1	3	43	11	5	89	5
11E 525S	1.2	12	78	25	5	100	5
000 1200E	.8	9	47	23	3	129	10
12E 025N	.8	9	36	20	6	101	5
12E 050N	.5	30	31	20	2	113	5
12E 075N	.8	13	26	15	1	71	5
12E 100N	.9	15	27	18	2	81	5
12E 125N	.8	15	23	21	1	70	5
12E 150N	.7	18	32	25	5	69	5
12E 175N	.7	9	18	14	1	152	10
12E 200N	.9	13	21	22	6	89	5
12E 225N	.8	1	24	10	3	65	10
12E 250N	.7	1	38	10	4	89	5
12E 275N	.7	5	29	17	4	71	5
12E 300N	.7	17	27	22	4	61	100
12E 325N	.7	11	19	24	5	73	5
12E 350N	.4	1	5	9	2	66	5
12E 375N	.7	1	22	13	1	78	5
12E 400N	.9	14	23	17	1	128	5
12E 425N	.6	1	13	9	1	69	5
12E 475N	.6	4	14	16	1	85	10
12E 500N 40M	.7	55	30	25	5	62	5
12E 525N	1.0	45	38	19	6	97	5
12E 550N	.8	17	16	16	1	89	5
12E 575N	.8	29	29	23	1	80	5
12E 600N	.9	28	33	23	1	81	5

COMPANY: CORAL ENERGY

PROJECT NO:

MIN-EN LABS ICP REPORT

(ACT:F31) PAGE 1 OF 1

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

FILE NO: 7-13276/P21+22

ATTENTION: CHRIS SAMPSON

(604)980-5814 OR (604)988-4524


* TYPE SOIL GEOCHEM * DATE: SEPT 22, 1987


(VALUES IN PPM)	AG	AS	CU	PB	SR	IN	AU-PPB
12E 625N	.7	6	22	18	3	65	5
12E 650N	1.1	16	41	18	4	82	5
12E 675N	.8	11	25	16	4	74	5
12E 700N	.8	14	34	22	1	74	5
12E 725N	.7	3	18	14	4	194	5
12E 750N	.6	11	20	16	5	81	5
12E 775N	.5	2	23	15	1	124	5
12E 800N	.7	3	14	21	5	57	5
12E 825N	.5	1	5	6	1	30	5
12E 850N	.7	16	14	21	1	59	5
12E 875N	.7	5	15	18	1	85	5
12E 900N	.8	9	19	12	6	99	5
12E 925N	.8	3	23	11	1	88	5
12E 950N	.8	5	17	13	5	66	10
12E 975N	.9	6	19	11	5	86	10
12E 1000N	.7	1	17	10	4	75	5
12E 1025N	.7	5	30	9	4	90	5
12E 1050N	.7	9	41	20	4	82	5
12E 1075N	.7	1	69	19	2	75	5
12E 1100N	.6	15	37	19	1	54	5
12E 1125N	.7	21	43	15	1	58	5
12E 1150N	.8	11	28	16	1	82	20
12E 1200N	.8	13	63	13	7	72	5
12E 1225N	.8	15	55	15	6	72	5
12E 1250N	.8	3	88	10	1	67	5
12E 1300N	1.2	1	306	17	5	94	5
12E 1350N	1.0	6	272	8	1	78	5
12E 1375N	1.0	11	248	13	7	73	5
000 1300E 40M	1.3	14	39	21	1	78	5
13E 050N	1.2	18	34	24	1	85	5
13E 075N	1.0	14	31	17	5	79	5
13E 100N 40M	.8	9	37	16	1	63	5
13E 125N	.9	12	22	15	1	65	5
13E 150N	.9	9	20	15	5	69	10
13E 200N 40M	.8	1	63	20	4	65	5
13E 225N	1.0	27	34	20	2	73	5
13E 250N	.8	9	23	12	1	54	5
13E 275N	1.0	13	26	16	1	64	5
13E 300N	1.2	13	32	16	1	65	10
13E 325N	1.1	6	34	11	1	72	5
13E 350N	1.1	8	30	13	2	69	5
13E 375N	.8	9	22	12	1	52	5
13E 400N	1.0	9	28	11	1	66	5
13E 425N	.8	8	17	10	1	64	5
13E 450N	1.0	7	36	14	1	75	10
13E 475N	.9	13	34	12	1	76	5
13E 500N	.6	4	27	13	1	149	5
13E 525N	.9	13	37	12	2	134	5
13E 550N	1.0	10	44	9	1	120	5
13E 575N	.9	17	40	15	1	127	5
13E 600N	.7	14	24	13	2	57	5
13E 625N	.9	30	59	22	2	78	5
13E 650N	.8	14	22	14	2	67	10
13E 675N	.9	13	21	14	3	95	5
13E 700N	.8	20	25	17	2	69	5
13E 725N	.5	23	26	23	2	65	5
13E 750N	.7	21	27	18	1	62	5
13E 775N	.6	18	26	16	2	68	10
13E 800N	.5	22	29	19	1	58	5
13E 825N	.7	17	31	18	1	59	5



GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,881





GEOLOGICAL BRANCH ASSESSMENT REPORT

16,881

CORAL ENERGY CORP.

CONGRESS EXTENSION
LILLOOET MINING DIVISION, B.C. NTS: 92 J/10 E


GEOCHEMISTRY SURVEY
Au & Ag RESULTS


0 100 200 300 400
SCALE: 1:5000

DATE: DECEMBER, 1987
BY: C.J.S./rwr

FIGURE No. 5

Prepared by RWR MINERAL GRAPHICS LTD.





GEOLOGICAL BRANCH
ASSESSMENT REPORT

16,881

LEGEND:

Sb VALUE IN ppm
DENOTES ANOMALOUS VALUE (≥ 7.74 ppm)

As VALUE IN ppm
DENOTES ANOMALOUS VALUE (≥ 32 ppm)



CORAL ENERGY CORP.	
CONGRESS EXTENSION	
LILLOOET MINING DIVISION, B.C.	
NTS: 92 J/10 E	
GEOCHEMISTRY SURVEY	
As & Sb RESULTS	
 SCALE: 1:5000 (METRES)	
DATE: DECEMBER, 1987	
BY: C.J.S./rwr	
FIGURE No. 7	