

LOC NO.	0725	RD.
P		
FILE NO.		
Sub Recorder RECEIVED		
JUL 20 1988		
M.R. #	\$	
VICTORIA, B.C.		

DAVE PROPERTY, B.C. DRILLING REPORT NTS
93A12E 53°37'N, 121°35'W
52

Prepared For: CEDARMINE RESOURCES INC.
(Operator) By:
Robert C. M. Gunn P. Geol. Calgary, Alberta
June 30, 1988

FILMED

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,610

TABLE OF CONTENTS

1. INTRODUCTION	page 1
Property	page 1
Location and Access	page 1
Topography and Vegetation	page 2
Historical Work	page 2
Performed Work	page 2
2. RESULTS	page 4
3. CONCLUSIONS	page 5
4. RECOMMENDATIONS	page 5
5. COST STATEMENT	page 7
6. STATEMENT OF QUALIFICATIONS	page 8
CORE, CUTTINGS and ASSAY LOGS	Appendix 1
ACTIVITY MAP	in pocket

1. INTRODUCTION

Two drill holes were completed in 1987 to test for gold and polymetallic mineralization related to a large induced polarization anomaly discovered during a 1985 field program. The drill holes included a Winkie diamond drill hole (WDDH-87-1) and a reverse circulation drill hole (RC-87-12). The work was performed from October 30 to November 5, 1987 and from December 4 to December 6, 1987 at the request of Cedarmine Resources Inc.

Property

The Dave Group is composed of five claims; the Dave claim (20 units) with record number 1773, Mar claim (1 unit) with record number 6694, Steve claim (1 unit) with record number 6695, Nic claim (1 unit) with record number 6696, and the Bri claim (1 unit) with record number 6697. The claims are located in the Cariboo Mining Division of British Columbia and are held by Raymond A. Cook.

Location and Access

The Dave property is situated immediately west and southwest of the town of Likely, British Columbia. Likely is approximately 65 kilometers northwest of Williams Lake along a paved all season road. The claims are accessible by the Horsefly-Likely forestry access road which runs diagonally across the property.

Topography and Vegetation

The property drops in benches from a high of 1500 metres in the southwest to an elevation of 720 metres at the Quesnel River on the north and east. A small creek has cut a deep, steep-sided gully into the terrain from southwest to northeast. Steep slopes are encountered just below the Horsefly Road, and on the flanks of the Quesnel River.

The vegetation cover is dense with several different ages of regrowth. Cedar, along with abundant birch, fir, pine and alder, predominate in a temperate environment.

Historical Work

Ardo Mines conducted a copper geochemical, geophysical and exploration diamond drill program in the late 1960's. Several anomalies were delineated with gold mineralization described at depth in one drill core.

The Dave claims were partially mapped at a 1:11,000 scale and prospected in 1981 with followup rock geochemistry. A Winkie diamond drill hole was cut in 1982 at the Slum Gulch Creek roadcut resulting in cored epidote skarn bearing magnetite, pyrite and disseminated chalcopyrite with low gold values. In 1984 a seven kilometre VLF-EM16 geophysical survey outlined a sulphide bearing epidotized skarn

with metal trends going north - south across the east - west survey area. In 1985 Hardy Associates (1978) Ltd under the supervision of S. Scott, geological consultant, conducted a field program along a 33.2 kilometre grid which included soil geochemistry for gold, silver, copper and zinc plus magnetometer and induced polarization geophysical surveys. Five zones of potential gold mineralization were outlined by the combined survey methods.

Performed Work

Two drill holes were completed between October 30, and December 7, 1987 to test the flank of a previously (1985) detected induced polarization and copper-gold geochemical anomaly (map in pocket). One hole WDDH-87-1 was drilled to a depth of 18.28 metres using a JKS Winkie diamond drill with a 2.5 centimetre core diameter. Poor core recovery required the collection of drilling fluid/sludge samples during the coring process. The core was split in two: one half stored at the operator's office and the other half used for assay (gold, silver, copper, zinc and arsenic) at Barringer Magenta Laboratories (Alberta) Ltd. in Calgary, Alberta.

A reverse circulation percussion drill was contracted and drilled one hole RC-87-12 on the Dave property (map in pocket). This type of drill gives 100% recovery of rock cuttings and, therefore, returns all gold to the surface if it is present. The rock is pulverized by a 14 centimetre percussion bit and the rock chips and dust are pushed by air a distance of 1.5 metres up the hole and then through an opening behind the bit which leads up the inside of the double-walled drill pipe to the surface. On the surface, the cuttings

continue through a hose to the cyclone. After circulating in the cyclone, the sample drops into pails. Usually, every 0.91 metres of drilling is sampled and poured through a Jones splitter to reduce the sample volume to one-eighth. The remaining 1 to 2 kilogram sample was assayed for Au, Ag, Cu and Zn by Barringer Magenta Laboratories (Alberta) Ltd. (Appendix 1). All drill holes were plugged and abandoned.

2. RESULTS

Diamond drill hole WDDH-87-1 is located above the adit on the south side of Quesnel River. There is malachite (copper carbonate) on the fractured diorite in this adit, and a gold-bearing soil geochemical anomaly around it. This drill hole reached a depth of 18.3 metres after penetrating diorite and volcaniclastic conglomerate. Twenty-seven samples were assayed. Sample number 205854 (Appendix 1) is very encouraging. This core sample contains 0.18 oz./ton gold (5620 ppb) over a drill intersection of 0.75 metres from a depth of 6.0046 metres to a depth of 6.7546 metres. This rock is interpreted to be a volcaniclastic conglomerate which is in contact with diorite. Fractures in this sample are coated with pyrite. The data is presented in the drill log (Appendix 1).

Reverse circulation drill hole RC-87-12 is located uphill from the gold-bearing soil geochemical anomalies found at the fish hatchery and on the flank of the induced polarization anomaly. This hole reached a depth of 141.1 metres after penetrating diorite. One hundred and fifty samples were assayed. No significant gold was found by this drilling, as the drill log indicates.

3. CONCLUSIONS

Further exploration must focus on the anomalous gold mineralization in the WDDH-87-1 drill core, soil geochemical samples and grab samples. This may lead to the highest part of the induced polarization anomaly (L 10+50E, 22+50N). Access for a drill would require roadbuilding.

Exploration work must test three possible hypotheses for gold emplacement in sample 205854 from Dave claim WDDH-87-1. These hypotheses are as follows: 1) the gold is a Jurassic age placer and part of extensive conglomerates (Bailey, group C); 2) the gold is at the contact between diorite and the rock it intrudes; or 3) the gold is part of a pyrite-graphite-calcite fracture system.

4. RECOMMENDATIONS

- 1) Use trenching methods to delineate the gold mineralization where there are anomalous gold values in soil, grab and core samples.
- 2) Use reflected light ore microscopy of polished pieces of the Dave claim WDDH-87-1 sample 205854 to see how the gold is emplaced in the rock. This would direct exploration by solving the hypotheses mentioned in the conclusions.

- 3) Trench the area of the 0.18 oz./ton gold intersection on the Dave claim at WDDH-87-1. This is probably close to the entrance to the adit and the anomalous gold soil samples (map in pocket).
- 4) Trench the soil geochemical anomaly of 0.04 oz/ton gold (1480 ppb) on grid line 14+50E and 20+50N on the Dave claim (cf. Hardy Associates (1978) Ltd. report CG12080, Plate 3A).
- 5) Trench the soil geochemical anomaly of 0.006 oz./ton gold (220 ppb) on grid line 6+00E and 24+00N on the Dave claim (cf. Hardy Associates (1978) Ltd. report CG12080, Plate 3A). This location is near a fish hatchery.
- 6) All the recommended locations require a bulldozer (D-10 or larger) to strip off the overburden in a radius of 70 metres. Roadbuilding will have to be done to allow access to the area of the Dave adits. This work will expose the anomalous bedrock, reduce subsequent diamond drilling problems, and allow for the removal of bulk test samples from the trenches.
- 7) Trenching and sampling would be done over the recommended locations and the Winkie diamond drill would test the depth extent of mineralization under the trenches. If the Winkie core recovery is less than 95%, then a larger diamond drill (Boyles 300, for example) should be used to recover N size core samples. Larger core capacity usually improves recovery. The larger drill has to be positioned by a bulldozer.

5. COST STATEMENT - DAVE GROUP

DRILLING PROGRAM

WINKIE DRILL HOLE WDDH-87-1 Nov. 1 to Nov. 4 1987. 4 days drilling,
4 days mob-demob (Oct. 13 and 14, Nov. 21 and 22). 18.3 metres cored.

G. Richmond	\$125.00/day x 8 days	\$1000.00
E. Watton	\$100.00/day x 8 days	\$800.00
Assays (Au, Ag, Cu, Zn and As) 16 samples x \$16.55/sample		\$265.00

REVERSE CIRCULATION DRILL PROGRAM Dec. 4, 5 and 6 1987.

Hole RC-87-12, 141.1 metres cut at \$36/metres	\$5,079.00
Assays (Au, Ag, Cu, Zn and As) 152 samples at \$16.55/sample	\$2,515.00
Mob - demob	\$1,400.00

GEOLOGY

Geological Report (RCM Gunn Geological Consultant)	\$1,000.00
--	------------

GENERAL

Meals: 21 mandays at \$20/man/day	\$440.00
Accomodation: 9 days at \$50/day	\$450.00
Transportation	\$100.00

TOTAL	\$13,049.00
-------	-------------

STATEMENT OF QUALIFICATIONS: ROBERT C.M. GUNN

I, Robert C.M. Gunn, of Calgary, Alberta, do hereby certify:

1. I am President, Gunn RCM Consulting Geologist, with an office at 5123 Baines Road N.W., Calgary, Alberta T2L 1T9.
2. I graduated in Geology from the University of Alberta in 1973. I obtained an M.S. in Geology from the University of Texas at El Paso in 1976.
3. I have practised my profession continuously since graduation, and have been a Consultant since 1986.
4. I am a registered Professional Geologist with the Association of Professional Engineers, Geologists and Geophysicists of Alberta.
5. I do not own or expect to receive any interest (direct, indirect, or contingent) in the property described herein nor in the securities of Cedarmine Resources Inc. or any of its affiliates, in respect of services rendered in the preparation of this report.
6. I supervised the performance of this drilling assessment work in person. The field examination occurred from October 30 through to December 5, 1987.

Robert C.M. Gunn

Robert C.M. Gunn, P.Geol.

February 25, 1988



APPENDIX 1

CORE, CUTTINGS and ASSAY LOGS

Logged By Robert E. Sturz

OPERATOR: CEDAR MINE RESOURCES INC.
 MINING DISTRICT: QUESNEL
 CLAIM: DAVE
 GROUND ELEVATION: 730m approx.
 DRILLING INTERVAL: SURFACE TO 18.2880m
 INCLINATION: VERTICAL
 AZIMUTH: N/A

PROVINCE: BRITISH COLUMBIA VERTICAL SCALE: 1:100
 AREA: LIKELY
 GRID LOCATION: 22+93.29N 11+53.66E
 DRILL: WINKIE
 DRILLERS: R. COOK, G. RICHMOND, E. WATTON
 DATE DRILLED: OCT. 30 - NOV. 5, 1987
 CORE STORAGE: OPERATOR OFFICE, CALGARY



0m	Core Assay # ppm Au(ppb);Ag;As;Cu;Zn;	-Hornblende diorite: greenish gray fine grained and sheared with calcite filled fractures which dip 90, 75, 65. Hematite and epidote alteration follow the fractures. Disseminated magnetite 2-4%.
66.0;0.36; 2; 97;37;		alteration follow the fractures. Disseminated magnetite 2-4%
1.6952		-Hornblende diorite: as above, recovered 0.6m out of 2.8768m
5; .02; 2; 39;44;		
4.2420		-Volcaniclastic conglomerate: varicolored syenite and basalt pebbles. Epidote and hematite filled fractures dip 90,85,50,60. Upper Contact dip 85. Trace pyrite associated with calcite fracture fill.
4.5720		-Hornblende diorite: as above, poor recovery 0.45m because of vertical fractures. Disseminated magnetite 2-4%.
2; .03; 6; 13;46;		-Volcaniclastic conglomerate: Calcite fractures dip 25,65, 75,80, 85. Hematite 1-2% and pyrite 8-10% both disseminated. Upper contact dip 90.
5.9646		-Hornblende diorite: as above, contact dip 60. Calcite filled fractures dip 55,20,85. Disseminated magnetite 3-5%.
** 5620; 7.4; 22; 15;30;		-Volcaniclastic conglomerate: fractures dip 45,50,60,90. Pyrite and hematite 2-3%.
6.7546		-Hornblende diorite: as above, fractures dip 60,90.
3; .02; 2; 12;57;		-Volcaniclastic conglomerate: as above, frac. dip 40,60,90. Pyrite 12-15 9.0968
8.2868		-Volcaniclastic conglomerate: as above, fractures dip 30,40 85,90.
** 580; .02; 2; 12; 33;		-Disseminated pyrite 1-3%.
** 8.5868		-Hornblende diorite: as above, pyrite 1-3% fills fractures, poor recovery
9.0968		pyrite 5-6% fills fractures which dip 30, 50,65,90. Poor recovery (.2m) out of 1.4630m
9.5060		
10.1360		
3; .02; 2; 35;48;		
9; .04; 6; 28;40;		
11.8872		
12.3444		
2; .04; 8; 30;20;		poor recovery (.13m) out of 0.4572m
13.4112		
13.5660		-Volcaniclastic conglomerate: as above, calcite filled fractures dip
13.7160		5,20,30,65,70,80,85,90. Trace pyrite and disseminated hematite.
14.211215;.03;2;5;60;		-Magnetite vein: upper contact dip 25, lower contact dip 55.
14.2780		-Hornblende diorite: as above, trace pyrite, fractures dip 35,40,50,70.
14.538082;.02;4;4;86;		-Magnetite vein: upper contact dip 60, lower contact dip 20, pyrite 1-2%.
14.908082;.14;12;4;46;		-Hornblende diorite: as above, poor recovery (.28m) out of 0.9347m.
15.2705		Fractures dip 55,20 with calcite filling. Magnetite 10-15%.
3; .02; 2; 18; 51;		
16.2052		
17.0688		poor recovery (.2m) out of 0.8636m. Fractures dip 15,75 with trace pyrite and calcite filling the fractures.
2; .02; 6; 115; 21;		
18.2880m	Total Depth	poor recovery (.13m) out of 1.2192m. Fractures dip 50,60,80,90 with calcite cement and trace pyrite.

There are also drilling sludge assay data for this well and the high gold value (852 ppb) from sample no.205019 for the interval 6.0046 to 8.5344 correlates with the core data. (i.e. sample no. 205854).

Logged By Bob Corrigan

DRILL HOLE RC-87-12

OPERATOR: CEDARMINE RESOURCES INC.

MINING DISTRICT: QUESNEL

CLAIM: DAVE

DRILL INTERVAL: SURFACE TO 141.1m

GROUND ELEVATION: 780m approx. (on road)

INCLINATION: VERTICAL

AZIMUTH: N/A

PROVINCE: BRITISH COLUMBIA

AREA: LIKELY

VERTICAL SCALE: 1:200

DRILL: PAYSTAR 2000 REVERSE CIRCULATION CORA LYNN DRILLING CO.

DRILLERS: D.BOCHEK, G.BOCHEK, D.BOCHEK

DATE DRILLED: DEC. 5, 1987.

GRID LOCATION: 23+16N 9+79E

CORE STORAGE: OPERATORS OFFICE, CALGARY

DRILL RATE min/30.48cm	DRILL CUTTINGS ASSAY			
	0	1	2	3
0m				
0.9144	3;.04;8;280;46;			
1.8288	2;.02;3;171;98;			
2.7432	6;.04;5;193;84;			
3.6576	4;.02;5;200;48;			
4.5720	42;.22;9;880;47;			
5.4864	4;.1;8;420;41;			
6.4008	4;.06;11;275;39;			
7.3152	3;.02;9;340;30;			
8.2296	2;.1;11;183;37;			
9.1440	2;.04;6;242;35;			
10.0584	2;.02;4;137;31;			
10.9728	5;.04;7;256;30;			
11.8872	8;.02;7;190;33;			
12.8016	6;.02;7;59;33;			
13.7160	3;.02;6;60;30;			
14.6304	4;.02;11;26;30;			
15.5448	4;.1;9;282;40;			
16.4592	2;.02;9;225;52;			
17.3736	5;.02;6;246;33;			
18.2880	3;.06;3;288;18;			
19.2014	2;.04;3;221;25;			
20.1168	2;.02;3;161;33;			
21.0312	2;.02;6;100;38;			
21.9456	6;.02;6;110;37;			
22.8600	2;.02;4;68;48;			
23.7744	2;.02;4;78;42;			
24.6888	3;.02;3;111;41;			
25.6032	2;.02;4;150;33;			
26.5176	3;.02;2;256;27;			
27.4320	2;.02;2;161;28;			
28.3464	3;.03;5;318;35;			
29.2608	2;.02;7;480;34;			
30.1752	3;.02;4;220;37;			
31.0896	2;.04;4;145;37;			
32.0040	2;.03;4;246;37;			
32.9184	2;.02;4;208;31;			
33.8328	2;.02;8;300;27;			
34.7472	4;.02;5;183;30;			
35.6616	2;.02;4;225;35;			
36.5760	2;.02;3;162;32;			
	2;.04;3;148;38;			

2m

4m

DRILL HOLE RC-87-12

Logged By Robt C. M. Ham

DRILL RATE min/30.48cm	DRILL CUTTINGS ASSAY			
	0	1	2	3
38.4048				3;.02;2;314;33;
39.3192				2;.03;4;485;29;
40.2336				6;.03;3;385;28;
41.1480				3;.02;3;360;29;
42.0624				3;.02;3;325;22;
42.9768				2;.03;2;260;27;
43.8912				3;.02;2;220;28;
44.8056				3;.02;4;85;33;
45.7200				3;.03;4;168;32;
46.6344				2;.02;4;320;33;
47.5488				2;.02;3;135;36;
48.4632				3;.02;4;104;29;
49.3776				2;.02;3;93;23;
50.2920				3;.02;3;109;28;
51.2064				3;.02;3;173;21;
52.1208				3;.02;3;320;28;
53.0352				3;.04;2;275;28;
53.9496				3;.03;3;183;34;
54.8640				2;.03;3;160;48;
55.7784				2;.02;7;105;78;
56.6928				2;.04;5;252;40;
57.6072				2;.02;6;115;51;
58.5216				3;.02;6;122;37;
59.4360				3;.07;4;88;36;
60.3504				2;.02;4;80;39;
61.2648				2;.02;4;85;33;
62.1792				2;.02;5;148;37;
63.0936				3;.02;4;117;75;
64.0080				3;.02;4;92;110;
64.9224				2;.02;5;97;101;
65.8368				2;.05;4;117;152;
67.6656				3;.06;6;159;132;
68.5800				3;.02;4;128;102;
69.4944				3;.06;6;143;121;
70.4088				2;.02;3;126;122;
71.3232				2;.02;4;191;130;
72.2376				2;.02;4;132;200;
73.1520				3;.06;5;99;1020;
74.0664				3;.1;4;98;130;
74.9808				3;.04;5;121;135;
75.8952				3;.02;4;98;105;
76.8096				2;.02;5;122;112;
77.7240				4;.02;5;102;104;
78.6384				2;.02;4;102;84;
79.5528				2;.02;4;109;88;
80.4672				2;.04;4;85;75;
81.3816				2;.06;4;97;106;
82.2960				2;.02;4;112;88;

Logged By Paul C. Fenn

DRILL RATE m/in/30.48cm	DRILLING RATE ASSAY				
	0	1	2	3	
83.2104	2;.02;1;92;84;				as above.
84.1248	2;.02;2;83;67;				as above, trace felsite, magnetite, pyrite,
85.0392	2;.02;4;82;55;				and epidote; dark greenish gray SG4/1 color.
85.9536	2;.28;5;57;68;				as above.
86.8680	5;.02;3;106;87;				as above, trace felsite and magnetite.
87.7824	2;.02;4;109;96;				as above, trace pyrite and 1% magnetite.
88.6968	3;.06;5;104;112;				as above.
89.6112	2;.08;4;117;110;				as above.
90.5256	2;.02;4;147;113;				as above.
91.4400	2;.02;2;121;104;				as above.
92.3544	2;.02;3;115;130;				as above, trace calcite and pyrite in fractur
93.2688	2;.02;3;116;120;				trace felsite and disseminated magnetite.
94.1832	2;.02;4;152;126;				as above.
95.0976	2;.02;4;139;191;				as above.
96.0120	3;.02;5;106;163;				as above.
96.9264	2;.08;16;160;145;				as above.
97.8408	2;.02;10;173;113;				as above, trace calcite and pyrite on fractu
98.7552	3;.02;6;127;103;				as above, trace felsite and calcite.
99.6696	3;.02;3;144;89;				as above, trace felsite, calcite, pyrite,
100.5840	3;.02;3;144;89;				and magnetite, 3-5% magnetite.
101.4984	2;.02;1;260;79;				as above, 7-9% magnetite.
102.4128	2;.02;2;139;105;				as above, 10-12% magnetite
103.3272	2;.02;1;75;110;				as above, 8-10% magnetite.
104.2416	3;.02;4;179;78;				as above.
105.1560	4;.03;8;138;90;				as above, 7-9% magnetite.
106.0704	3;.03;4;128;93;				as above 13-15% magnetite.
106.9848	2;.02;4;240;90;				as above 10-12% magnetite.
107.8992	3;.02;4;125;78;				as above.
108.8136	2;.08;5;141;82;				as above, 8-10% magnetite.
109.7280	2;.02;4;68;56;				as above, 12-14% magnetite. No pyrite felsit
110.6424	2;.02;3;22;35;				or epidote.
111.5568	2;.02;4;29;33;				as above, 8-10% magnetite.
112.4712	2;.02;2;20;32;				as above, trace quartz, epidote, pyrite and
113.3856	2;.02;4;43;37;				14-16% magnetite.
114.3000	3;.02;4;60;64;				as above, 2-14% magnetite.
115.2144	3;.02;8;127;50;				as above.
116.1288	2;.02;2;50;39;				as above, 5-7% magnetite.
117.0432	2;.02;2;84;52;				as above, 15-20% felsite and trace magnetite
117.9576	2;.02;2;60;46;				as above, 1-3% felsite. 10-12% magnetite and
118.8720	3;.03;5;183;80;				as above, 10-12% magnetite. Trace calcite,
119.7864	104;.04;384;81;58;				pyrite, epidote, felsite.
120.7008	3;.02;3;96;54;				as above, 8-10% magnetite.
121.6152	3;.02;4;89;102;				as above, 7-9% magnetite. Trace pyrite and
122.5296	2;.02;3;60;50;				felsite.
123.4440	2;.02;4;50;46;				as above, 12-14% magnetite. Felsite 8-10% an
124.3584	2;.02;3;55;53;				trace pyrite and epidote.
125.2728	2;.02;3;126;168;				as above, 23-28% felsite and 1-2% magnetite.
126.1872	2;.02;8;129;93;				as above, 7-6% felsite. Trace pyrite and
					magnetite.
					as above, Trace felsite and magnetite.
					as above, Trace felsite, calcite and pyrite
					fractures.
					as above, 13-15% magnetite. Trace epidote,
					pyrite, and 2-3% felsite.
					as above, 8-10% magnetite.
					as above, trace -1% felsite.

DRILL HOLE RC-87-12

Logged By K. Slat CM June

DRILL RATE min/30.34cm	DRILL CUTTINGS ASSAY			
	0	1	2	3
				Au(ppb);Ag;As;Cu;Zn;
127.1872				2;.02;8;166;125;
128.0160				2;.02;5;186;125;
128.9304				3;.03;10;173;111;
129.8448				3;.02;5;152;106;
130.7592				3;.04;5;171;107;
131.6736				2;.04;8;144;100;
132.5880				2;.02;6;190;104;
133.5024				5;.02;6;180;102;
134.4168				3;.02;5;160;97;
135.3312				2;.03;4;158;95;
136.2456				4;.02;5;168;92;
137.1600				4;.08;9;191;103;
138.0744				2;.02;4;163;133;
138.9888				5;.08;7;205;128;
139.9032				2;.02;5;153;106;
141.1224				as above, trace calcite, epidote, pyrite, 4-5% felsite and 15-17% magnetite.

TOTAL DEPTH

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. GUNN

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2NS
PHONE: (403) 920-4500

04-DEC-87
PAGE: 2 OF 5
COPY: 1 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

PROJECT: LIKELY

WORK ORDER: 44380-87

ATTN: R. COOK

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILLING MUD AND GRAB SAMPLES

ZN

S A M P L E N U M B E R F P M

GRAB SAMPLES

205001	422.0	GRID 304+30N 74+50W CLIONA CLAIM	4.5110 - 6.0358
205002	608.0	304+29.4N "	1.8288 - 2.7432
205003	111.0	304+31N "	2.7432 - 4.4196
205004	313.0	304+32N "	4.4196 - 7.4676
205005	745.0	*****WDDH-87-2 DRILLING MUD	0.0 - 4.511
205006	294.0	*****WDDH-87-3	4.5110 - 6.0358
205007	152.0		1.8288 - 2.7432
205008	383.0		2.7432 - 4.4196
205009	255.0		4.4196 - 7.4676
205010	154.0		7.4676 - 9.0526
205011	151.0		9.0526 - 10.2108
205012	143.0		10.2108 - 11.8262
205013	133.0		11.8262 - 13.3502
205014	125.0	*****WDDH-87-1	13.3502 - 15.3619
205015	58.0		0.0 - 0.8952
205016	129.0		0.8952 - 1.6920
205017	112.0		2.7432 - 4.5720
205018	81.0		4.5720 - 6.0046
205019	80.0		6.0046 - 8.5344
205020	162.0		8.5344 - 9.9060
205021	116.0		9.9060 - 11.8872
205022	101.0		11.8872 - 13.3807
205023	102.0		13.3807 - 15.2705
205024	163.0		15.2705 - 16.2154
205025	169.0		16.2154 - 17.8003

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. GUNN

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

ATTN: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

04-DEC-87
PAGE: 1 OF 3
COPY: 1 OF 2

PROJECT: LIKELY

WORK ORDER: 44380-87

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILLING MUD

FIRE ASSAY FIRE ASSAY

SAMPLE NUMBER	AU PPM	AG PPM	AS PPM	CU PPM
205001	200.0	5.0	19.0	448.0
205002	43.0	1.7	11.0	341.0
205003	1120.0	NA	154.0	263.0
205004	942.0	NA	164.0	1050.0
205005	51.0	3.42	34.0	218.0
205006	9.0	1.59	16.0	156.0
205007	7.0	8.4	18.0	239.0
205008	50.0	3.22	6.0	228.0
205009	4.0	2.06	8.0	244.0
205010	2.0	4.8	11.0	255.0
205011	4.0	3.85	8.0	299.0
205012	12.0	12.0	10.0	301.0
205013	2.0	7.2	15.0	270.0
205014	8.0	6.8	12.0	268.0
205015	2.0	0.24	7.0	102.0
205016	133.0	1.9	9.0	146.0
205017	4.0	1.86	5.0	210.0
205018	61.0	9.04	6.0	118.0
205019	852.0	3.36	5.0	121.0
205020	207.0	1.92	11.0	215.0
205021	89.0	1.33	6.0	191.0
205022	11.0	2.63	2.0	166.0
205023	9.0	1.36	5.0	156.0
205024	118.0	2.48	6.0	267.0
205025	182.0	1.67	7.0	256.0

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

CEDARMINE RESOURCES INC.
601 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

22-FEB-86

PAGE: 3 OF 4

COPY: 2 OF 2

PROJECT: LIKELY

WORK ORDER: 5001B-96

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILL CORE FOR WINKIE DIAMOND DRILL HOLE WDDH-87-1

SAMPLE NUMBER	FTM	ZN	DEPTH INTERVAL (m)	
CORE: 205851	37.0		0.0000 - 1.6952	
CORE: 205852	44.0		1.6952 - 4.5720	
CORE: 205853	46.0		4.5720 - 6.0046	
CORE: 205854	50.0		6.0046 - 6.7546	
CORE: 205855	57.0		6.7546 - 8.2601	
CORE: 205856	33.0		8.2601 - 8.6868	
CORE: 205857	45.0		8.6868 - 9.5060	
CORE: 205858	23.0		9.5060 - 9.9060	
CORE: 205859	48.0		9.9060 - 10.4242	
CORE: 205860	40.0		10.4242 - 11.8872	
CORE: 205861	20.0		11.8872 - 13.5660	
CORE: 205862	60.0		13.5660 - 14.2112	
CORE: 205863	96.0		14.2112 - 14.5380	
CORE: 205864	46.0		14.5380 - 14.9080	
CORE: 205865	51.0		14.9080 - 16.2052	
CORE: 205866	21.0		16.2052 - 18.2880	***WDDH-87-4****
CORE: 205867	126.0		0.9144 - 1.3716	
CORE: 205868	120.0		1.3716 - 2.1336	
CORE: 205869	36.0		2.1336 - 3.0480	
CORE: 205870	77.0		3.0480 - 3.6576	
CORE: 205871	61.0		3.6576 - 5.0292	***WDDH-87-2****
CORE: 205872	400.0		1.8288 - 3.2004	
CORE: 205873	570.0		3.2004 - 3.9014	
CORE: 205874	1310.0		3.9014 - 5.1206	
CORE: 205875	1660.0		5.1206 - 6.0350	
				WDDH-87-3*
CORE: 205876	120.0		1.2192 - 1.8288	
CORE: 205877	130.0		1.8288 - 2.7432	
CORE: 205878	118.0		2.7432 - 3.2004	
CORE: 205879	100.0		3.2004 - 3.7795	
CORE: 205880	1290.0		3.7795 - 4.4196	

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2NG
PHONE: (403) 920-4500

AUTHORITY: R. COOK

PAGE: 1 OF 4
COPY: 2 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

PROJECT: LIKELY

WORK ORDER: 5051D-88

AAA FINAL REPORT AAA

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: BRILL CORE

FIRE ASSAY FIRE ASSAY

SAMPLE NUMBER	AU PPM	AG PPM	AS PPM	CU PPM
CORE: 205851	66.0	0.36	2.0	97.0
CORE: 205852	5.0	<0.02	2.0	39.0
CORE: 205853	2.0	0.03	6.0	13.0
CORE: 205854	5620.0	7.4	22.0	15.0
CORE: 205855	3.0	<0.02	2.0	12.0
CORE: 205856	580.0	0.68	14.0	9.0
CORE: 205857	942.0	1.62	12.0	11.0
CORE: 205858	42.0	0.07	2.0	12.0
CORE: 205859	3.0	0.02	2.0	35.0
CORE: 205860	9.0	0.04	6.0	28.0
CORE: 205861	<3.0	0.04	8.0	30.0
CORE: 205862	15.0	0.03	2.0	5.0
CORE: 205863	3.0	<0.02	4.0	4.0
CORE: 205864	82.0	0.14	11.0	4.0
CORE: 205865	3.0	<0.02	2.0	18.0
CORE: 205866	2.0	<0.02	6.0	115.0
CORE: 205867	67.0	0.5	14.0	220.0
CORE: 205868	122.0	0.42	20.0	208.0
CORE: 205869	52.0	0.1	10.0	82.0
CORE: 205870	64.0	0.18	10.0	90.0
CORE: 205871	3.0	0.06	8.0	119.0
CORE: 205872	40.0	0.4	36.0	131.0
CORE: 205873	15.0	0.32	40.0	136.0
CORE: 205874	10.0	0.47	6.0	136.0
CORE: 205875	3.0	0.1	12.0	143.0
CORE: 205876	1.0	0.29	80.0	86.0
CORE: 205877	3.0	0.3	14.0	100.0
CORE: 205878	45.0	0.13	20.0	164.0
CORE: 205879	40.0	0.20	2.0	178.0
CORE: 205880	140.0	0.3	2.0	410.0

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 13 OF 18
COPY: 2 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: S015D-88

AAA FINAL REPORT AAA

(GEOCHEMICAL LABORATORY REPORT)

SAMPLE TYPE: DRILL CUTTINGS FOR HOLE RC-87-12

S A M P L E N U M B E R	ZN FPM	DEPTH INTERVAL (m)	
205691	98.0	.9144	- 1.8288
205692	84.0	1.8288	- 2.7432
205693	40.0	2.7432	- 3.6576
205694	47.0	3.6576	- 4.5720
205695	41.0	4.5720	- 5.4864
205696	39.0	5.4864	- 6.4008
205697	30.0	6.4008	- 7.3152
205698	37.0	7.3152	- 8.2296
205699	35.0	8.2296	- 9.1440
205700	31.0	9.1440	- 10.0584
205701	30.0	10.0584	- 10.9728
205702	33.0	10.9728	- 11.8872
205703	33.0	11.8872	- 12.8016
205704	30.0	12.8016	- 13.7160
205705	30.0	13.7160	- 14.6304
205706	40.0	14.6304	- 15.5448
205707	52.0	15.5448	- 16.4592
205708	33.0	16.4592	- 17.3736
205709	10.0	17.3736	- 18.2880
205710	25.0	18.2880	- 19.2024
205711	33.0	19.2024	- 20.1168
205712	38.0	20.1168	- 21.0312
205713	37.0	21.0312	- 21.9456
205714	40.0	21.9456	- 22.8600
205715	42.0	22.8600	- 23.7744
205716	41.0	23.7744	- 24.6888
205717	33.0	24.6888	- 25.6032
205718	27.0	25.6032	- 26.5176
205719	26.0	26.5176	- 27.4320
205720	35.0	27.4320	- 28.3464

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 4 OF 19
COPY: 2 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 50150-88

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILL CUTTINGS

FIRE ASSAY FIRE ASSAY

SAMPLE NUMBER	AU PPM	AG PPM	AS PPM	CU PPM
205691	<2.0	0.02	3.0	171.0
205692	6.0	0.04	5.0	193.0
205693	4.0	0.02	5.0	200.0
205694	42.0	0.22	9.0	880.0
205695	4.0	0.1	8.0	420.0
205696	4.0	0.06	11.0	275.0
205697	3.0	<0.02	9.0	340.0
205698	2.0	0.1	11.0	183.0
205699	2.0	0.04	6.0	242.0
205700	2.0	<0.02	4.0	137.0
205701	5.0	0.04	7.0	256.0
205702	3.0	<0.02	7.0	190.0
205703	6.0	<0.02	7.0	59.0
205704	3.0	<0.02	6.0	60.0
205705	4.0	<0.02	11.0	26.0
205706	4.0	0.1	9.0	282.0
205707	2.0	0.02	9.0	225.0
205708	5.0	<0.02	6.0	246.0
205709	3.0	0.06	3.0	298.0
205710	<2.0	0.04	3.0	221.0
205711	2.0	<0.02	3.0	161.0
205712	<2.0	<0.02	6.0	100.0
205713	6.0	<0.02	6.0	110.0
205714	2.0	<0.02	4.0	60.0
205715	<2.0	<0.02	4.0	78.0
205716	3.0	<0.02	3.0	111.0
205717	2.0	<0.02	4.0	150.0
205718	3.0	0.02	2.0	256.0
205719	<2.0	<0.02	2.0	161.0
205720	3.0	0.03	5.0	318.0

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER

Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88

PAGE: 14 OF 18

COPY: 2 OF 2

CEBARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 5015D-88

*** FINAL REPORT ***

(GEOCHEMICAL LABORATORY REPORT)

SAMPLE TYPE: DRILL CUTTINGS FOR HOLE RC-87-12

ZN

S A M P L E N U M B E R	F T M	DEPTH INTERVAL (m)
205721	34.0	28.3464 - 29.2608
205722	37.0	29.2608 - 30.1752
205723	37.0	30.1752 - 31.0896
205724	37.0	31.0896 - 32.0040
205725	31.0	32.0040 - 32.9184
205726	27.0	32.9184 - 33.8328
205727	30.0	33.8328 - 34.7472
205728	35.0	34.7472 - 35.6616
205729	32.0	35.6616 - 36.5760
205730	38.0	36.5760 - 38.4048
205731	MS	no sample
205732	33.0	38.4048 - 39.3192
205733	29.0	39.3192 - 40.2336
205734	28.0	40.2336 - 41.1480
205735	29.0	41.1480 - 42.0624
205736	22.0	42.0624 - 42.9768
205737	27.0	42.9768 - 43.8912
205738	26.0	43.8912 - 44.8056
205739	33.0	44.8056 - 45.7200
205740	32.0	45.7200 - 46.6344
205741	33.0	46.6344 - 47.5488
205742	36.0	47.5488 - 48.4632
205743	29.0	48.4632 - 49.3776
205744	23.0	49.3776 - 50.2920
205745	20.0	50.2920 - 51.2064
205746	21.0	51.2064 - 52.1208
205747	20.0	52.1208 - 53.0352
205748	28.0	53.0352 - 53.9496
205749	34.0	53.9496 - 54.8640
205750	48.0	54.8640 - 55.7784

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-92
PAGE: 5 OF 18
COPY: 2 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 50150-88

*** FINAL REPORT ***

(GEOCHEMICAL LABORATORY REPORT)

SAMPLE TYPE: DRILL CUTTINGS

FIRE ASSAY FIRE ASSAY

SAMPLE NUMBER	AU PPM	AG PPM	AS PPM	CU PPM
205721	2.0	0.02	7.0	480.0
205722	3.0	0.02	4.0	220.0
205723	2.0	0.04	4.0	145.0
205724	2.0	0.03	4.0	246.0
205725	<2.0	<0.02	4.0	208.0
205726	2.0	<0.02	8.0	300.0
205727	4.0	<0.02	5.0	183.0
205728	2.0	<0.02	4.0	225.0
205729	2.0	<0.02	3.0	162.0
205730	2.0	0.04	3.0	148.0
205731	MS	MS	MS	MS
205732	3.0	<0.02	2.0	314.0
205733	<2.0	0.03	4.0	485.0
205734	6.0	0.03	3.0	385.0
205735	3.0	<0.02	3.0	360.0
205736	3.0	<0.02	3.0	325.0
205737	<2.0	0.03	2.0	260.0
205738	3.0	<0.02	2.0	220.0
205739	3.0	<0.02	4.0	85.0
205740	3.0	0.03	4.0	168.0
205741	2.0	<0.02	4.0	320.0
205742	<2.0	0.02	3.0	195.0
205743	3.0	<0.02	4.0	104.0
205744	<2.0	<0.02	3.0	93.0
205745	3.0	<0.02	3.0	199.0
205746	3.0	<0.02	3.0	173.0
205747	3.0	0.02	3.0	320.0
205748	3.0	0.04	2.0	275.0
205749	3.0	0.03	3.0	183.0
205750	2.0	0.03	3.0	160.0

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 260-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 15 OF 18
COPY: 2 OF 2

CEDAR MINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 5015D-08

***** FINAL REPORT *****

(GEOCHEMICAL LABORATORY REPORT)

SAMPLE TYPE: DRILL CUTTINGS FOR HOLE RC-87-12

ZN

SAMPLE NUMBER	PPM	DEPTH INTERVAL (m)
205751	78.0	55.7784 - 56.6928
205752	40.0	56.6928 - 57.6072
205753	51.0	57.6072 - 58.5216
205754	37.0	58.5216 - 59.4360
205755	36.0	59.4360 - 60.3504
205756	39.0	60.3504 - 61.2648
205757	33.0	61.2648 - 62.1792
205758	37.0	62.1792 - 63.0936
205759	75.0	63.0936 - 64.0080
205760	110.0	64.0080 - 64.9224
205761	101.0	64.9224 - 65.8368
205762	134.0	65.8368 - 66.7512
205763	152.0	66.7512 - 67.6656
205764	132.0	67.6656 - 68.5800
205765	102.0	68.5800 - 69.4944
205766	121.0	69.4944 - 70.4088
205767	122.0	70.4088 - 71.3232
205768	130.0	71.3232 - 72.2376
205769	200.0	72.2376 - 73.1520
205770	1020.0	73.1520 - 74.0664
205771	130.0	74.0664 - 74.9808
205772	135.0	74.9808 - 75.8952
205773	105.0	75.8952 - 76.8096
205774	112.0	76.8096 - 77.7240
205775	104.0	77.7240 - 78.6384
205776	84.0	78.6384 - 79.5528
205777	80.0	79.5528 - 80.4672
205778	75.0	80.4672 - 81.3816
205779	106.0	81.3816 - 82.2960
205780	88.0	82.2960 - 83.2104

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 6 OF 18
COPY: 2 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 50150-88

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILL CUTTINGS

FIRE ASSAY FIRE ASSAY

SAMPLE NUMBER	AU PPM	AG PPM	AS PPM	CU PPM
205751	<2.0	0.02	7.0	105.0
205752	2.0	0.04	5.0	252.0
205753	<2.0	<0.02	6.0	115.0
205754	3.0	<0.02	6.0	122.0
205755	3.0	0.07	4.0	88.0
205756	2.0	<0.02	4.0	80.0
205757	<2.0	<0.02	4.0	85.0
205758	<2.0	0.02	5.0	148.0
205759	3.0	<0.02	4.0	117.0
205760	3.0	<0.02	4.0	92.0
205761	<2.0	0.02	5.0	97.0
205762	2.0	0.02	5.0	117.0
205763	2.0	0.05	4.0	137.0
205764	3.0	0.06	6.0	159.0
205765	3.0	<0.02	4.0	128.0
205766	3.0	0.06	6.0	143.0
205767	2.0	0.02	3.0	126.0
205768	2.0	0.02	4.0	191.0
205769	2.0	0.02	4.0	132.0
205770	3.0	0.06	5.0	99.0
205771	3.0	0.1	4.0	98.0
205772	3.0	0.04	5.0	121.0
205773	3.0	0.02	4.0	98.0
205774	<2.0	<0.02	5.0	122.0
205775	4.0	<0.02	5.0	102.0
205776	<2.0	0.02	4.0	102.0
205777	<2.0	<0.02	4.0	109.0
205778	2.0	0.04	4.0	85.0
205779	2.0	0.06	4.0	97.0
205780	<2.0	<0.02	4.0	112.0

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500
02-FEB-88
PAGE: 16 OF 18
COPY: 2 OF 2

CEDAR MINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 5015D-88

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILL CUTTINGS FOR HOLE RC-87-12

ZN

SAMPLE NUMBER	PPM	DEPTH INTERVAL (m)
205781	84.0	83.2104 - 84.1248
205782	67.0	84.1248 - 85.0392
205783	55.0	85.0392 - 85.9536
205784	68.0	85.9536 - 86.8680
205785	87.0	86.8680 - 87.7824
205786	96.0	87.7824 - 88.6968
205787	112.0	88.6968 - 89.6112
205788	110.0	89.6112 - 90.5256
205789	113.0	90.5256 - 91.4400
205790	104.0	91.4400 - 92.3544
205791	130.0	92.3544 - 93.2688
205792	120.0	93.2688 - 94.1832
205793	126.0	94.1832 - 95.0976
205794	191.0	95.0976 - 96.0120
205795	163.0	96.0120 - 96.9264
205796	145.0	96.9264 - 97.8408
205797	113.0	97.8408 - 98.7552
205798	103.0	98.7552 - 99.6696
205799	89.0	99.6696 - 100.5840
205800	89.0	100.5840 - 101.4984
205801	79.0	101.4984 - 102.4128
205802	105.0	102.4128 - 103.3272
205803	110.0	103.3272 - 104.2416
205804	78.0	104.2416 - 105.1560
205805	90.0	105.1560 - 106.0704
205806	93.0	106.0704 - 106.9848
205807	90.0	106.9848 - 107.8992
205808	78.0	107.8992 - 108.8136
205809	82.0	108.8136 - 109.7280
205810	56.0	109.7280 - 110.6424

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 854, YELLOWKNIFE, N.W.T., CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 2 OF 18
COPY: 2 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 50150-68

*** FINAL REPORT ***

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILL CUTTINGS

S A M P L E N U M B E R	FIRE ASSAY		FIRE ASSAY		C U P P M
	A U P P B	A G P P M	A S P P M	C U P P M	
205781	<2.0	<0.02	1.0	92.0	
205782	<2.0	<0.02	2.0	83.0	
205783	<2.0	<0.02	4.0	82.0	
205784	2.0	0.28	5.0	57.0	
205785	5.0	<0.02	3.0	106.0	
205786	<2.0	<0.02	4.0	109.0	
205787	3.0	0.06	5.0	104.0	
205788	2.0	0.08	4.0	117.0	
205789	2.0	<0.02	4.0	147.0	
205790	<2.0	<0.02	2.0	121.0	
205791	<2.0	0.02	3.0	115.0	
205792	2.0	0.02	3.0	116.0	
205793	2.0	<0.02	4.0	152.0	
205794	<2.0	<0.02	4.0	139.0	
205795	3.0	<0.02	5.0	106.0	
205796	<2.0	0.08	16.0	160.0	
205797	2.0	<0.02	10.0	173.0	
205798	3.0	<0.02	6.0	137.0	
205799	<2.0	0.02	3.0	135.0	
205800	3.0	0.02	3.0	144.0	
205801	2.0	<0.02	1.0	260.0	
205802	<2.0	<0.02	2.0	139.0	
205803	<2.0	<0.02	1.0	75.0	
205804	2.0	0.02	4.0	179.0	
205805	4.0	0.03	9.0	136.0	
205806	2.0	0.03	4.0	128.0	
205807	<2.0	<0.02	4.0	240.0	
205808	2.0	<0.02	4.0	125.0	
205809	2.0	0.06	5.0	141.0	
205810	2.0	<0.02	4.0	68.0	

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 17 OF 18
COPY: 2 OF 2

CEDAR MINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: 50150-88

*** FINAL REPORT ***

(GEOCHEMICAL LABORATORY REPORT)

SAMPLE TYPE: DRILL CUTTINGS FOR HOLE RC-87-12

SAMPLE NUMBER	ZN PPM	DEPTH INTERVAL (m)
205811	35.0	110.6424 - 111.5568
205812	33.0	111.5568 - 112.4712
205813	32.0	112.4712 - 113.3856
205814	37.0	113.3856 - 114.3000
205815	64.0	114.3000 - 115.2144
205816	50.0	115.2144 - 116.1288
205817	39.0	116.1288 - 117.0432
205818	52.0	117.0432 - 117.9576
205819	46.0	117.9576 - 118.8720
205820	80.0	118.8720 - 119.7864
205821	56.0	119.7864 - 120.7008
205822	54.0	120.7008 - 121.6152
205823	102.0	121.6152 - 122.5296
205824	50.0	122.5296 - 123.4440
205825	46.0	123.4440 - 124.3584
205826	53.0	124.3584 - 125.2728
205827	168.0	125.2728 - 126.1872
205828	93.0	126.1872 - 127.1016
205829	125.0	127.1016 - 128.0160
205830	125.0	128.0160 - 128.9304
205831	111.0	128.9304 - 129.8448
205832	106.0	129.8448 - 130.7592
205833	107.0	130.7592 - 131.6736
205834	100.0	131.6736 - 132.5880
205835	104.0	132.5880 - 133.5024
205836	102.0	133.5024 - 134.4168
205837	97.0	134.4168 - 135.3312
205838	95.0	135.3312 - 136.2456
205839	92.0	136.2456 - 137.1600
205840	103.0	137.1600 - 138.0744

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88

PAGE: 8 OF 18

COPY: 2 OF 2

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

WORK ORDER: S015D-88

AAA FINAL REPORT AAA

GEOCHEMICAL LABORATORY REPORT

SAMPLE TYPE: DRILL CUTTINGS

FIRE ASSAY FIRE ASSAY

S A M P L E N U M B E R	AU PPM	AG PPM	AS PPM	CU PPM
205811	<2.0	<0.02	3.0	22.0
205812	<2.0	<0.02	4.0	29.0
205813	2.0	<0.02	2.0	20.0
205814	2.0	<0.02	4.0	43.0
205815	3.0	<0.02	4.0	60.0
205816	3.0	<0.02	8.0	127.0
205817	<2.0	<0.02	2.0	50.0
205818	2.0	<0.02	2.0	84.0
205819	<2.0	<0.02	2.0	60.0
205820	3.0	0.03	5.0	183.0
205821	104.0	0.04	384.0	81.0
205822	3.0	<0.02	3.0	96.0
205823	3.0	<0.02	4.0	89.0
205824	<2.0	<0.02	3.0	60.0
205825	2.0	<0.02	4.0	50.0
205826	<2.0	<0.02	3.0	55.0
205827	<2.0	0.02	3.0	126.0
205828	<2.0	<0.02	8.0	129.0
205829	2.0	0.02	8.0	166.0
205830	2.0	<0.02	5.0	186.0
205831	3.0	0.03	10.0	173.0
205832	3.0	0.02	5.0	152.0
205833	3.0	0.04	5.0	171.0
205834	2.0	0.04	6.0	144.0
205835	<2.0	<0.02	6.0	190.0
205836	5.0	<0.02	6.0	180.0
205837	3.0	0.02	5.0	160.0
205838	<2.0	0.03	4.0	158.0
205839	4.0	0.02	5.0	168.0
205840	4.0	0.08	9.0	191.0

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 18 OF 18
COPY: 2 OF 2

WORK ORDER: S0150-88

*** FINAL REPORT ***

(GEOCHEMICAL LABORATORY REPORT)

SAMPLE TYPE: DRILL CUTTINGS FOR HOLE RC-87-12

SAMPLE NUMBER	ZN PPM	DEPTH INTERVAL (m)
205841	133.0	138.0744 - 138.9888
205842	128.0	138.9888 - 139.9032
205843	106.0	139.9032 - 141.1224

SIGNED: -----


C. Douglas Read,
LABORATORY MANAGER

FOOTNOTES:

P=QUESTIONABLE PRECISION; A=INTERFERENCE; TR=TRACE; ND=NOT DETECTED;
IS=INSUFFICIENT SAMPLE; NA=NOT ANALYZED; MG=MISSING SAMPLE

BARRINGER MAGENTA
Laboratories (Alberta) Ltd.

4200B - 10 STREET N.E., CALGARY, ALBERTA, CANADA T2E 6K3
PHONE: (403) 250-1901

AUTHORITY: R. COOK

CEDARMINE RESOURCES INC.
631 - 19 STREET N.E.
CALGARY, ALBERTA T2E 4X1

BARRINGER
Laboratories (NWT) Ltd.

P.O. BOX 864, YELLOWKNIFE, NWT, CANADA X1A 2N6
PHONE: (403) 920-4500

02-FEB-88
PAGE: 9 OF 18
COPY: 2 OF 2

WORK ORDER: 50150-88


*** FINAL REPORT ***

(GEOCHEMICAL LABORATORY REPORT)

SAMPLE TYPE: DRILL CUTTINGS

FIRE ASSAY FIRE ASSAY

S A M P L E N U M B E R	AU PPM	AG PPM	AS PPM	CU PPM
205841	2.0	0.02	4.0	163.0
205842	5.0	0.08	7.0	205.0
205843	2.0	0.02	5.0	153.0



LEGEND

- △ WINKIE DRILL HOLE
- REVERSE CIRCULATION DRILL HOLE
- Λ ADIT
- ROAD
- QUESNEL RIVERBANK
- POWERLINE
- + CLIFF
- ⊕ CLAIM POST ON BOUNDARY

GEOLOGICAL BRANCH
ASSESSMENT REPORT

17,610

SCALE 1:2500

0 50 100 150 200m

GUNN RCM CONSULTING GEOLOGIST

CEDAR MINE RESOURCES INC. DAVE GRID

ACTIVITY MAP 1987

DATE:
FEB/1988

ENCLOSURE