

LOG NO: 0928	RD.
ACTION:	
FILE NO:	

COMINCO LTD.

EXPLORATION

WESTERN DISTRICT

REPORT ON CONTOUR SOIL GEOCHEMISTRY

SHA PROPERTY

SHA 25

NELSON MINING DIVISION, B.C.

CRESTON AREA

N.T.S. 82F/1

- ASSESSMENT REPORT

**GEOLOGICAL BRANCH  
ASSESSMENT REPORT**

LAT: 49°06'N

LONG: 116°17'W

OWNER

COMINCO LTD

**17,775**

KOOTENAY EXPLORATION  
1051 INDUSTRIAL ROAD #2,  
CRANBROOK, B.C.  
V1C 4K7

FILMED

Work Performed During July, 1988

Report by: A.S. HAGEN  
Submitted: September, 1988

TITLE PAGE

	<u>Page</u>
1.00 INTRODUCTION	
1.10 Location and Access . . . . .	1
1.20 Property Definition . . . . .	1
1.30 Topography and Vegetation . . . . .	1
1.40 Objective . . . . .	1
2.00 GEOCHEMISTRY	
2.10 Sampling Procedure . . . . .	2
2.20 Analytical Procedure . . . . .	2
3.00 CONCLUSIONS . . . . .	2
EXHIBIT "A" - Statement of Expenditures . . . . .	4
AFFIDAVIT . . . . .	5
STATEMENT OF QUALIFICATIONS . . . . .	6
ANALYTICAL RESULTS . . . . .	Attached
Plate 1    Location Map	In Pocket
Plate 2    Soil Sample Locations - Sha 25	In Pocket
Plate 3    Zinc Values (ppm)	In Pocket
Plate 4    Lead Values (ppm)	In Pocket

COMINCO LTD.

EXPLORATION

WESTERN DISTRICT

REPORT ON CONTOUR SOIL GEOCHEMISTRY

SHA 25 CLAIM

NELSON MINING DIVISION

A.S. Hagen

September, 1988

---

1.00 INTRODUCTION

1.10 Location and Access

The Sha property lies within the Fort Steele and Nelson Mining Divisions. The claims are located 40 km east of Creston, B.C., at latitude 49° 06' N and longitude 116° 17' W.

Access to the property is gained via Highway 3 and thence by logging roads and an access road constructed by Cominco Ltd. in 1986.

1.20 Property Definition

The property consists of Sha claims 7 to 27, 29 to 32 and Sun 12, totalling 431 units. All the claims are 100% owned by Cominco Ltd.

1.30 Topography and Vegetation

The Sha property covers a large tract of densely forested, mountainous terrain. The mountains are steep sided with rounded to flat ridge tops. The major valleys have been glaciated, however, there is no evidence of Alpine glaciation.

Vegetation consists mainly of lodgepole pine, Douglas fir and larch on south and east facing slopes. North and north-west slopes host thick stands of mature spruce, cedar, hemlock, minor grand fir and white pine.

1.40 Objective

Contour soil geochemistry was undertaken to help evaluate an area thought to be underlain by favourable geology.

## 2.00 GEOCHEMISTRY

### 2.10 Sampling Procedure

Soil samples were taken at 50 m intervals on contour lines 1500, 1600 and 1700 meters. Samples were taken from the B horizon at depths of 10-20 cm.

### 2.20 Analytical Procedure

All samples were shipped to Acme Analytical Laboratories Ltd. in Vancouver for ICP analysis.

ICP Procedure: .500 gram sample is digested with 3 ml 3-1-2 HCL-HNO<sub>3</sub>-H<sub>2</sub>O at 95° C for one hour and is diluted to 10 ml with water. This leach is partial for Mn, Fe, Sr, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Au detection limit by ICP is 3 ppm.

The readout sheets are included with the report.

## 3.00 CONCLUSIONS

A number of weakly anomalous Zn values are indicated on the 1500 m contour line located on the east side of Sha (north) claim 25. The anomalous values are suggested to occur in association with particular, more argillaceous lithologies within upper Middle Aldridge stratigraphy. No significant amounts of mineralization are indicated in the immediate area by these results.

Report by: *A.S. Hagen*  
A.S. Hagen  
Geologist III

Endorsed by: *D. Anderson*  
D. Anderson  
Senior Geologist

Approved by: *John M. Hamilton*  
J.M. Hamilton  
Manager, Exploration  
Western Canada

xc: Mining Recorder (2 copies)  
Western District, Exploration  
Kootenay Exploration



EXHIBIT "A"  
 STATEMENT OF EXPENDITURES  
 SOIL GRID GEOCHEMISTRY SURVEY  
 ON SHA 25 CLAIM  
 NELSON M.D.

Covering the Period July 4th to 8th, 1988

GEOCHEM

## SALARIES:

A.S. Hagen	Supervision, Map work, Planning 2 days @ \$225/day	= \$ 450.00
F. Colonna	Sample Collection + Preparation 2 days @ \$75/day	= 150.00
G. Colombo	Sample Collection + Preparation 2 days @ \$75/day	= 150.00

## GEOCHEM ASSAYS:

Acme Analytical Laboratories Ltd., Vancouver, B.C.	65 samples @ \$7.10/sample	= 461.50
--	----------------------------	----------

## TRANSPORTATION:

One 4X4 Truck -	1 days @ \$40/day	= 40.00
One 4X4 Truck -	2 days @ \$40/day	= 80.00

Geochem Total = \$1,331.50

PHYSICAL - Road Repair

## SALARIES:


A.S. Hagen	Planning + Supervision 1 day @ \$225/day	= 225.00
------------	---	----------

## ROAD REPAIR:

Wiklund Logging Ltd., Boswell, B.C.	3 km of road repair/8 hrs. @ \$75/hr.	= <u>600.00</u>
-------------------------------------	---------------------------------------	-----------------

Physical Total = 825.00

TOTAL GEOCHEM + PHYSICAL = \$ 2,156.50



A.S. Hagen  
Geologist

IN THE MATTER OF THE  
B.C. MINERAL ACT  
AND  
IN THE MATTER OF A GRID SOIL GEOCHEMISTRY PROGRAM  
CARRIED OUT ON THE SHA 25 CLAIM  
CRESTON AREA  
in the Nelson Mining Division of  
the Province of British Columbia  
More Particularly N.T.S. 82F/1

A F F I D A V I T

I, A.S. HAGEN, of the City of Kimberley, in the Province of British Columbia, make Oath and say:

1. That I am employed as a Geologist by Cominco Ltd. and as such, have a personal knowledge of the facts to which I hereinafter depose:
2. That annexed hereto and marked as Exhibit "A" to this my Affidavit is a true copy of expenditures incurred on a contour soil geochemistry program, on the Sha 25 Mineral Claim.
3. That the said expenditures were incurred between the 4th day of July, 1988 and the 8th day of July, 1988 for the purpose of mineral exploration.

  
\_\_\_\_\_  
A.S. HAGEN  
GEOLOGIST

COMINCO LTD.

EXPLORATION

WESTERN DISTRICT

STATEMENT OF QUALIFICATIONS

A.S. HAGEN has personally conducted many types of mineral exploration work for Cominco Ltd. over the last twenty-one years.

I consider him well qualified to prepare this report.

  
D. ANDERSON, P.Eng.  
Senior Geologist



\*\*\* ANALYTICAL RESULTS \*\*\*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-KNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR NA FE SR CA P LA CR NG BA TI B AND LIMITED FOR BA K AND AL. AN DETECTION LIMIT BY ICP IS 1 PPM.  
 - SAMPLE TYPE: SOIL

DATE RECEIVED: JUL 16 1988 DATE REPORT MAILED: July 25/88 ASSAYER: C. Leong, D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

KOOTENAY EXPLORATION PROJECT VEX-112-640-W248 File # 88-2768 Page 1



SAMPLE#	NO	CU	PB	BA	AG	NI	CO	AS	FE	AL	S	MO	TI	BR	CF	ED	BI	V	CR	P	LA	CR	NG	BA	TI	B	AL	KA	Z	U
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM
FC 88 112	1	26	22	117	.1	17	9	770	3.15	15	5	ND	4	23	1	2	2	21	.11	.101	26	12	.30	121	.06	4	1.93	.01	.09	1
FC 88 113	2	24	23	223	.2	26	19	2205	3.75	5	5	ND	5	21	1	2	2	24	.12	.101	20	14	.37	161	.05	5	2.40	.02	.11	2
FC 88 114	1	14	20	210	.1	39	14	744	2.86	9	5	ND	5	18	1	2	2	23	.11	.086	23	12	.30	156	.06	5	2.50	.01	.09	1
FC 88 115	1	29	22	92	.1	23	13	280	2.97	11	5	ND	6	31	1	2	2	16	.05	.034	32	12	.36	97	.04	4	2.04	.01	.08	1
FC 88 116	2	23	20	95	.1	29	24	1307	4.15	18	5	ND	6	23	1	2	2	23	.21	.080	31	18	.60	106	.02	3	2.20	.01	.11	1
FC 88 117	1	30	25	107	.1	20	16	1910	3.79	13	5	ND	2	51	1	2	3	23	.57	.264	18	17	.64	223	.05	6	2.65	.03	.12	1
FC 88 118	1	24	30	125	.3	26	17	5348	3.29	7	5	ND	1	28	1	2	2	26	.23	.056	19	13	.35	182	.04	5	1.75	.01	.08	1
FC 88 119	2	19	23	104	.1	18	18	653	3.81	9	5	ND	4	18	1	2	3	32	.05	.053	22	15	.83	104	.07	5	2.04	.02	.07	1
FC 88 120	1	20	22	159	.3	30	14	609	3.26	22	5	ND	3	12	1	2	2	30	.08	.074	15	13	.32	163	.10	5	3.34	.02	.07	1
FC 88 121	2	20	24	110	.1	22	11	405	3.47	11	5	ND	6	7	1	2	2	28	.05	.069	18	14	.35	76	.08	5	3.11	.01	.06	1
FC 88 122	1	15	21	102	.1	18	15	1155	2.55	10	5	ND	4	6	1	2	2	30	.06	.035	12	12	.17	137	.09	3	3.17	.02	.05	1
FC 88 123	1	13	15	80	.1	15	8	706	2.14	2	5	ND	3	10	1	2	2	21	.08	.053	20	10	.22	123	.04	3	2.09	.01	.07	1
FC 88 124	1	13	19	96	.1	23	8	287	2.79	4	5	ND	5	9	1	2	2	20	.05	.067	16	13	.26	192	.07	4	2.91	.01	.06	1
FC 88 125	1	18	23	93	.1	28	10	307	3.24	4	5	ND	6	9	1	2	2	31	.07	.041	15	12	.37	137	.09	4	3.62	.01	.06	1
FC 88 126	1	10	20	89	.1	20	10	2166	2.27	5	5	ND	2	16	1	2	2	23	.10	.035	15	14	.22	179	.06	3	1.97	.01	.07	1
FC 88 127	1	32	19	82	.1	25	10	1400	2.17	2	5	ND	3	28	1	2	2	21	.16	.070	10	20	.30	166	.04	3	1.90	.01	.08	1
FC 88 128	1	12	18	119	.1	24	10	1719	2.13	3	5	ND	3	23	1	2	2	21	.21	.037	16	11	.21	179	.06	6	2.16	.01	.08	1
FC 88 129	1	13	22	143	.1	24	15	2390	2.60	9	5	ND	4	17	1	2	2	24	.09	.024	19	12	.23	209	.06	5	2.97	.01	.07	1
FC 88 130	1	23	23	100	.1	24	13	4675	2.56	10	5	ND	4	25	1	2	2	16	.12	.034	26	11	.24	296	.03	2	1.69	.01	.09	1
FC 88 131	1	27	27	210	.1	45	17	1714	3.24	12	5	ND	5	29	1	2	2	19	.30	.056	26	14	.31	194	.04	3	2.52	.01	.08	1
FC 88 132	1	26	19	72	.1	20	12	553	2.91	9	5	ND	6	20	1	2	2	19	.10	.046	32	13	.43	40	.01	2	1.16	.01	.07	1
FC 88 133	1	24	23	156	.1	22	15	2218	3.00	7	5	ND	3	27	1	2	2	23	.20	.081	21	12	.34	224	.06	3	1.99	.01	.08	1
FC 88 134	1	18	32	281	.1	36	15	2504	3.20	14	5	ND	3	22	1	2	2	26	.14	.062	19	13	.32	209	.07	4	2.26	.01	.07	1
FC 88 135	1	18	20	108	.1	35	14	1095	3.09	7	5	ND	4	22	1	2	2	25	.22	.112	17	12	.32	182	.07	5	2.90	.01	.08	1
FC 88 136	2	19	24	140	.1	23	11	956	3.28	11	5	ND	4	18	1	3	2	20	.13	.151	17	14	.35	179	.07	4	3.05	.01	.08	1
FC 88 138	1	37	34	95	.1	27	17	162	3.52	19	5	ND	9	9	1	2	2	18	.03	.030	10	10	.25	81	.05	4	3.50	.01	.06	2
FC 88 139	2	15	23	78	.1	19	7	762	3.29	11	5	ND	2	17	1	2	2	23	.14	.067	25	13	.30	107	.03	3	1.64	.02	.05	1
FC 88 140	1	22	26	77	.1	18	17	1183	2.70	15	5	ND	5	5	1	1	2	19	.04	.032	16	10	.19	98	.01	2	2.60	.01	.05	1
GC 88 123	2	19	28	116	.1	23	13	1651	3.84	11	5	ND	5	12	1	2	3	22	.07	.032	26	13	.35	189	.04	3	3.24	.01	.07	2
GC 88 124	1	24	21	104	.1	24	9	576	2.80	13	5	ND	5	10	1	2	2	20	.07	.041	25	14	.33	75	.05	2	2.49	.01	.05	1
GC 88 125	1	24	25	121	.1	20	13	1419	3.14	8	5	ND	4	18	1	2	2	25	.06	.035	21	13	.31	161	.06	4	2.06	.02	.07	1
GC 88 126	2	28	21	65	.1	17	7	236	3.07	13	5	ND	6	9	1	2	2	18	.03	.036	33	11	.37	36	.01	2	1.35	.03	.05	1
GC 88 127	1	18	22	123	.2	21	15	1653	3.03	15	5	ND	3	16	1	2	2	20	.07	.030	26	13	.27	110	.03	3	1.99	.01	.08	1
GC 88 128	1	15	23	96	.2	19	12	585	2.80	13	5	ND	4	8	1	2	2	22	.05	.037	19	12	.25	95	.05	3	2.34	.01	.06	1
GC 88 129	1	15	24	132	.1	19	10	1298	3.11	19	5	ND	2	11	1	2	2	26	.08	.169	18	12	.27	135	.06	3	2.78	.01	.08	1
STD C	17	58	38	132	6.9	68	28	1050	4.11	41	21	7	37	47	17	17	19	56	.49	.089	38	55	.93	175	.06	18	1.98	.06	.12	11

KOOTENAY EXPLORATION PROJECT VEX-112-640-W240 FILE # 88-2768

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Bi	Co	Mn	Fe	As	V	Ni	Th	U	Ca	SO	SI	F	CO	P	SA	CT	Mo	Ba	Yt	B	Al	Na	K	W
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
GC 88 130	1	16	14	89	.3	16	11	930	2.33	6	5	ND	2	13	1	2	2	19	.11	.095	17	11	.23	76	.01	5	3.26	.01	.06	1
GC 88 131	1	17	20	109	.3	15	11	950	2.04	11	5	ND	5	8	1	3	2	29	.06	.090	11	10	.20	100	.12	6	3.20	.01	.08	1
GC 88 132	2	23	20	100	.5	21	10	390	3.27	7	6	ND	6	7	1	2	2	31	.06	.126	11	10	.30	80	.13	6	0.99	.02	.07	1
GC 88 133	2	20	24	104	.3	22	15	727	3.71	11	6	ND	4	7	1	2	2	30	.05	.060	16	16	.46	92	.07	8	3.36	.02	.07	1
GC 88 134	2	26	23	98	.5	18	10	814	3.52	15	5	ND	2	9	1	2	2	30	.06	.084	17	16	.60	87	.09	5	2.81	.01	.07	2
GC 88 135	2	21	17	129	.2	19	11	626	3.25	10	5	ND	3	10	1	2	2	32	.07	.057	10	15	.36	83	.11	3	3.43	.02	.07	1
GC 88 136	1	34	27	164	.5	40	33	3122	3.07	11	6	ND	1	21	1	2	2	30	.19	.096	22	15	.80	124	.05	5	2.57	.01	.10	1
GC 88 137	3	45	35	105	.3	21	8	202	5.30	10	5	ND	5	11	1	3	2	33	.06	.093	31	10	.63	96	.06	3	3.30	.01	.10	1
GC 88 138	3	39	29	96	.2	19	8	391	4.70	12	6	ND	5	9	1	2	2	35	.04	.087	25	16	.42	64	.07	8	3.32	.02	.07	1
GC 88 139	2	22	19	96	.2	22	9	377	3.50	15	5	ND	5	11	1	2	2	29	.06	.036	24	10	.46	101	.05	5	2.24	.01	.08	1
GC 88 140	2	37	20	89	.3	25	17	702	3.46	15	5	ND	5	13	1	2	2	22	.00	.030	26	15	.83	83	.04	3	2.36	.01	.08	1
GC 88 141	2	26	20	87	.2	20	16	1350	3.30	16	1	ND	3	10	1	2	2	22	.05	.035	25	15	.36	76	.04	3	2.60	.02	.03	1
GC 88 142	2	34	24	99	.1	26	21	1315	3.47	7	5	ND	2	10	1	2	2	21	.12	.032	26	10	.87	102	.05	7	2.64	.02	.03	1
GC 88 143	2	34	26	136	.1	23	19	1052	3.74	16	5	ND	4	33	1	2	2	22	.12	.036	26	15	.47	212	.04	5	2.14	.01	.08	1
GC 88 144	2	40	20	131	.1	20	10	2006	3.66	8	5	ND	5	30	1	2	2	25	.20	.101	25	15	.42	175	.06	7	2.51	.01	.08	1
GC 88 145	2	31	24	95	.3	21	10	919	3.72	11	5	ND	6	23	1	2	2	21	.15	.030	20	15	.52	123	.04	6	2.17	.04	.08	1
GC 88 146	1	29	27	130	.2	20	17	3179	3.40	11	5	ND	4	54	1	2	2	20	.11	.040	25	15	.30	301	.07	5	2.33	.01	.09	1
GC 88 147	2	23	30	123	.2	19	21	1301	3.93	9	5	ND	2	16	1	2	2	25	.00	.030	26	17	.46	123	.03	5	2.26	.01	.09	1
GC 88 148	3	57	36	139	.3	26	11	495	5.72	10	6	ND	9	5	1	3	2	13	.03	.087	20	17	.80	44	.01	4	2.54	.02	.06	1
GC 88 149	3	24	23	104	.1	20	7	150	4.09	3	5	ND	7	10	1	2	2	30	.06	.052	16	16	.34	110	.09	9	3.90	.01	.06	1
GC 88 150	3	22	21	81	.1	15	5	107	4.00	4	5	ND	7	9	1	2	2	26	.03	.047	27	16	.39	85	.03	4	2.50	.01	.06	1
GC 88 151	2	15	20	70	.5	10	4	564	3.39	9	5	ND	6	10	1	2	2	26	.07	.036	26	13	.26	84	.02	9	1.92	.01	.08	1
GC 88 152	1	31	23	96	.2	13	9	577	3.10	4	5	ND	3	9	1	2	2	32	.09	.039	19	13	.25	130	.07	8	2.17	.02	.08	1
GC 88 153	1	17	26	83	.1	25	8	520	2.71	2	5	ND	6	10	1	2	2	24	.11	.046	16	12	.24	129	.00	9	4.00	.01	.06	1
GC 88 154	1	15	17	103	.1	13	6	3069	2.49	7	5	ND	2	12	1	2	2	32	.12	.074	7	10	.13	140	.13	4	4.26	.01	.04	1
GC 88 155	6	21	20	79	.2	10	6	1402	4.02	12	5	ND	2	11	1	2	2	27	.07	.009	23	15	.25	91	.09	4	1.99	.01	.06	1
GC 88 156	1	15	21	71	.1	15	6	195	3.20	7	5	ND	6	6	1	2	2	24	.03	.033	26	13	.20	73	.04	5	2.27	.01	.05	1
GC 88 157	1	15	24	91	.1	17	7	701	3.05	8	5	ND	3	10	1	2	2	30	.07	.060	8	11	.10	121	.17	8	4.16	.01	.05	1
GC 88 158	1	16	32	102	.5	12	6	773	3.10	9	5	ND	4	9	1	3	2	33	.07	.109	7	12	.17	103	.19	4	4.25	.01	.05	1
GC 88 159	1	25	29	91	.1	16	6	576	3.93	10	5	ND	2	12	1	2	2	30	.09	.031	17	16	.13	109	.00	7	2.65	.01	.08	1
GC 88 160	1	10	34	100	.2	15	7	1519	3.07	10	5	ND	4	11	1	2	2	41	.09	.149	13	15	.29	133	.13	9	3.21	.01	.06	1
GC 88 161	1	11	23	90	.6	11	5	400	3.10	4	6	ND	5	12	1	2	2	35	.13	.104	9	12	.17	61	.11	7	4.27	.02	.06	1
GC 88 162	1	14	25	52	.1	9	8	429	3.59	12	5	ND	5	9	1	2	2	32	.07	.097	4	12	.14	53	.11	8	6.25	.01	.03	2
GC 88 163	2	13	30	72	.3	12	5	240	4.61	3	6	ND	5	8	1	2	3	44	.05	.035	17	15	.27	67	.10	3	2.76	.01	.07	1
GC 88 164	2	24	22	76	.1	15	10	892	3.13	15	5	ND	2	8	1	2	2	31	.06	.060	13	13	.29	65	.00	6	3.55	.03	.06	1
GC 88 165	2	23	23	77	.2	14	9	520	3.79	12	5	ND	4	8	1	2	3	33	.05	.032	24	14	.31	76	.06	3	2.55	.01	.08	1
STD C	10	59	39	131	6.0	69	29	1060	6.16	39	10	7	36	49	10	17	17	50	.51	.009	39	50	.96	176	.06	40	2.06	.05	.13	13

KOOTENAY EXPLORATION PROJECT VEX-112-640-W248 FILE # 88-2768

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	H	Ku	Tb	Sc	Cd	Ed	Bl	V	Ca	P	La	Ce	Hg	Ba	Ti	B	Al	Se	Z	W
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM
GC 88 166	2	25	29	75	.1	15	6	655	3.46	6	5	ND	8	18	1	2	2	32	.10	.059	22	14	.35	109	.07	9	2.80	.01	.10	1
GC 88 167	3	26	27	85	.1	16	8	578	3.83	6	5	ND	3	8	1	2	2	35	.05	.040	23	14	.36	92	.07	6	2.37	.02	.08	2
GC 88 168	3	26	25	102	.2	17	11	2450	3.49	6	5	ND	2	13	1	2	2	32	.09	.045	21	15	.34	136	.06	4	2.44	.02	.08	1
GC 88 169	3	30	26	108	.1	21	10	3129	3.29	13	5	ND	2	16	1	2	2	24	.10	.076	24	14	.40	159	.04	4	2.32	.02	.09	1
GC 88 170	2	32	24	97	.2	20	16	2358	3.35	11	5	ND	2	25	1	2	2	20	.15	.054	26	13	.40	179	.03	5	1.93	.02	.09	1
GC 88 171	2	33	28	95	.2	23	16	1463	3.70	17	5	ND	3	20	1	2	2	21	.13	.040	32	14	.41	124	.03	3	2.23	.02	.09	3
GC 88 172	2	30	30	93	.1	22	19	2327	3.26	14	5	ND	3	14	1	2	2	21	.08	.051	33	16	.39	162	.03	4	1.95	.02	.09	1
GC 88 173	1	30	31	123	.1	33	23	2014	3.52	12	5	ND	5	14	1	2	2	25	.08	.049	31	15	.39	112	.05	11	2.37	.02	.09	1
GC 88 174	1	29	28	93	.1	27	15	2173	3.29	10	5	ND	2	22	1	2	2	26	.11	.046	30	10	.41	216	.03	9	2.11	.02	.08	1




Drawn by: <i>ASHanon</i>		Traced by:	
Revised by	Date	Revised by	Date

## SHA PROPERTY LOCATION MAP

Scale: 1:500,000

Date: *Sept./88*

Plate: 1



SOIL SAMPLE LOCATIONS - SHA 25


GEOLOGICAL BRANCH  
ASSESSMENT REPORT

17,775



1 Km.

PLATE 2.



**ZINC VALUES (ppm)**

SHA 25


GEOLOGICAL BRANCH  
ASSESSMENT REPORT

**17,775**



1 Km.

PLATE 3.




**LEAD VALUES (ppm)**

SHA 25

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

**17.775**



1 Km.

PLATE 4.