

**JD PROPERTY**

**TRENCH LOGS - 1988**

**(To Accompany 1988 Assessment Report  
on the JD Property by Energex Minerals Ltd.)**

**Trench Logs by:  
Nadia M. Caira  
Tim Hutchings**

January 1989

*Part 2 of 2*  
**GEOLOGICAL BRANCH  
ASSESSMENT REPORT**

Vancouver, British Columbia

**18,015**

*part 2/2*  
*18015*

ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-01

ZONE: GASP

DATE: 19880726

Logged by: N.C.

Depth Overburden: .00 meters

Zero End Coordinates: 26271.08 N. 32092.72 E. Elev. 1841.10 meters

Azimuth: 225.2 Dip: -12.6 Length: 106.00

From	To	Sample	Au(g/t)	Ag(g/t)
16.90	18.90	51433	.00	.00
18.90	20.90	51434	.00	.00
20.90	23.00	51435	.05	.00
23.00	25.00	51436	.00	.00
25.00	27.00	51437	.00	.00
27.00	29.00	51438	.00	.00
29.00	31.00	51439	.00	.00
31.00	32.00	51440	.05	.00
32.00	33.00	51441	.45	.00
33.00	34.00	51442	1.60	1.00
34.00	35.00	51443	22.55	16.50
35.00	36.00	51444	.40	.00
36.00	37.00	51445	4.20	3.50
37.00	38.00	51446	2.15	.00
38.00	39.00	51447	.95	.00
39.00	40.00	51448	.05	.00
61.00	63.00	51449	.00	.00

\*\*\*

From	To	Alteration
.00	18.00	A3/U1
18.00	30.00	A3/U1
30.00	41.00	A7
41.00	45.00	OVB
45.00	58.00	A3/U1
58.00	66.40	A8/U1
66.40	85.00	A3/U1
85.00	106.00	A8

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-02                      ZONE: GUMBO                      DATE: 19880727

Logged by: T.L.H.

Depth Overburden: 2.00 meters

Zero End Coordinates:    26378.68 N.    32124.05 E.    Elev. 1824.90 meters

Azimuth: 217.0    Dip: 13.7    Length: 74.50

From	To	Sample	Au(g/t)	Ag(g/t)
2.00	3.00	51409	.40	1.50
3.00	4.00	51410	.25	3.00
4.00	5.00	51411	.20	3.50
5.00	6.00	51412	.15	.00
6.00	7.00	51413	.00	.00
19.00	19.00	51414	.00	.00
15.50	16.50	51415	.00	.00
16.50	17.50	51416	.40	.00
17.50	18.50	51417	.05	.00
21.80	22.90	51418	.10	.00
45.00	45.00	51419	.00	.00
59.00	60.20	51420	.00	.00
60.20	61.20	51421	.00	.00
61.20	62.40	51422	.00	.00
62.40	63.40	51424	.00	.00
63.40	64.40	51425	.25	.00
64.40	65.20	51426	.00	.00
65.20	66.20	51427	.15	.00
66.20	67.20	51428	.15	.00
67.20	68.20	51429	.00	.00
68.20	69.20	51430	.05	.00
70.20	72.20	51431	.00	.00
72.20	73.20	51432	.00	.00

\* \* \*

From	To	Alteration
.00	2.00	OB
2.00	4.00	A7
4.00	7.00	A2/U1
7.00	15.50	A3/U1
15.50	22.90	A3/U1
22.90	24.60	A2

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-02

Page 2

From	To	Alteration
24.60	25.30	A2/U1
25.30	39.00	A8/U1
39.00	52.40	A3/U1
52.40	55.00	A8
55.00	62.40	A3/U1
62.40	72.30	A3/U1
72.30	73.45	A7
73.45	74.50	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-03                      ZONE: GUMBO                      DATE: 19880728

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26347.04 N.    32069.07 E.                      Elev. 1842.70 meters

Azimuth: 218.4    Dip: -12.3    Length: 163.00

From	To	Sample	Au(g/t)	Ag(g/t)
.00	2.00	51451	.25	.00
2.00	4.00	51452	.15	.00
4.00	6.00	51453	.40	2.50
6.00	8.00	51454	.75	10.00
8.00	10.00	51455	.60	1.50
10.00	12.00	51456	.25	.00
12.00	14.00	51457	.35	.50
14.00	16.00	51458	.55	6.00
16.00	17.00	51459	.45	7.00
17.00	18.00	51460	.35	3.00
18.00	19.00	51461	.10	.50
19.00	20.00	51462	.20	5.00
20.00	21.00	51463	.60	29.00
21.00	22.00	51464	.20	19.50
22.00	23.00	51465	.55	6.00
23.00	24.00	51466	.60	4.50
24.00	25.00	51467	1.05	46.50
25.00	26.00	51468	.60	6.50
26.00	27.00	51469	.45	2.50
27.00	28.00	51470	.65	2.00
28.00	29.00	51471	.80	1.50
29.00	30.00	51472	.20	1.50
30.00	31.00	51473	.55	2.00
31.00	32.00	51474	1.25	1.50
32.00	33.00	51475	.05	1.50
33.00	34.00	51476	.65	2.50
34.00	35.00	51477	.00	1.00
35.00	36.00	51478	.25	4.50
36.00	37.00	51479	.60	4.50
37.00	38.00	51480	1.65	5.00
38.00	39.00	51481	.75	7.00
39.00	40.00	51482	1.05	6.50
40.00	41.00	51483	.85	7.50
41.00	42.00	51484	1.00	6.50
42.00	43.00	51485	.85	6.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-03

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
43.00	44.00	51486	.35	3.00
44.00	45.00	51487	.55	2.50
45.00	46.00	51488	.75	4.50
46.00	47.00	51489	1.45	7.00
47.00	48.00	51490	.05	4.50
48.00	49.00	51491	.05	4.50
49.00	50.00	51492	.45	4.50
50.00	51.00	51493	1.10	6.00
51.00	52.00	51494	2.25	19.00
52.00	53.00	51495	.25	8.00
53.00	54.00	51496	.00	1.00
54.00	55.00	51497	.10	3.50
55.00	57.00	51498	.60	5.00
57.00	59.00	51499	.05	4.00
59.00	61.00	51500	.25	4.00
61.00	63.00	51501	.35	4.50
63.00	65.00	51502	.35	1.50
65.00	67.00	51503	1.15	10.00
67.00	69.00	51504	.05	3.00
69.00	70.00	51505	.00	2.50
89.50	91.50	51506	.55	4.00
91.50	93.50	51507	.05	3.00
93.50	95.50	51508	.05	3.50
95.50	97.50	51509	.10	6.00
97.50	99.50	51510	.05	6.50
99.50	102.00	51511	.05	7.00
102.00	104.00	51512	.05	14.00
104.00	106.00	51513	.35	21.50

\* \* \*

From	To	Alteration
.00	16.00	A3aU2
16.00	23.00	A8
23.00	36.00	A3U2
36.00	38.00	A2/A7
38.00	42.00	A2CLY
42.00	44.00	A2
44.00	50.00	A7
50.00	53.30	A2
53.30	55.00	A2
55.00	70.00	A3au2
70.00	89.50	A3bU2

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-03

Page 3

From	To	Alteration
89.50	97.50	A2/U1
97.50	106.00	A5/U1
106.00	114.00	A3/U2
114.00	116.00	A2/U2
116.00	117.00	U3
117.00	121.20	A2/U1
121.20	143.60	A3/U1
143.60	146.00	U4
146.00	163.00	A3/U1

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-04      ZONE: GUMBO      DATE: 19880728

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26223.96 N.    31971.62 E.    Elev. 1808.40 meters

Azimuth: 260.0    Dip: -15.8    Length: 48.50

From	To	Sample	Au(g/t)	Ag(g/t)
.00	.00	0	.00	.00

\*\*\*

From	To	Alteration
.00	21.00	OVB
21.00	48.50	A3/U1

\*\*\*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-05                      ZONE: GUMBO                      DATE: 19880728

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26215.84 N.    31925.67 E.    Elev. 1795.20 meters

Azimuth: 225.6    Dip: -17.0    Length: 46.00

From	To	Sample	Au(g/t)	Ag(g/t)
.00	.00	0	.00	.00

\*\*\*

From	To	Alteration
.00	2.00	OVb
2.00	13.80	A3/U2
13.80	46.00	OVb

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-06                      ZONE: GUMBO                      DATE: 19880728

Logged by: TLH

Depth Overburden: 1.50 meters

Zero End Coordinates:    26341.12 N.    31968.57 E.                      Elev. 1840.30 meters

Azimuth: 223.2    Dip: -16.6    Length: 102.90

From	To	Sample	Au(g/t)	Ag(g/t)
1.10	2.00	51520	.05	8.00
2.00	4.00	51519	3.95	5.00
4.00	6.00	51521	1.20	7.00
6.00	8.00	51522	.35	2.50
8.00	10.00	51523	.20	4.50
10.00	12.00	51524	1.40	5.50
12.00	14.00	51525	.80	6.00
14.00	16.00	51526	.85	7.00
16.00	18.00	51527	.55	6.50
24.00	26.00	51528	.05	4.00
26.00	28.00	51529	.05	2.00
28.00	30.00	51530	.05	4.50
30.00	32.00	51531	.00	3.00
32.00	34.00	51532	.05	21.50
34.00	36.00	51533	.05	2.50
36.00	38.00	51534	.05	2.00
38.00	40.00	51535	.00	3.00
40.00	42.00	51536	.05	2.50
42.00	44.00	51537	.05	5.00
44.00	45.00	51538	.00	.00
45.00	45.60	51539	.00	5.50
45.60	46.10	51540	1.00	41.50
46.10	46.90	51541	1.60	69.00
46.90	47.40	51542	.05	7.50
47.40	48.50	51543	.20	18.00
48.50	49.50	51544	.05	8.00
49.50	50.50	51545	.00	2.50
50.50	52.50	51546	.20	1.50
64.00	64.00	51547	1.20	.00
68.00	68.00	51548	.00	.00
70.00	70.00	51549	.15	2.00
76.30	77.70	51550	.20	13.00
80.20	81.20	51551	.20	.00
81.20	82.30	51552	.20	.00
82.30	84.50	51553	.05	.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-06

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
84.50	85.50	51554	.05	.00
85.50	86.70	51555	.00	.00
86.70	87.70	51556	.05	.00
87.70	88.70	51557	.20	.00
88.70	90.10	51558	.15	.00
90.10	90.50	51559	.65	.00
90.50	92.50	51560	.95	.00
92.50	94.50	51561	.15	1.50
94.50	96.50	51562	.35	.00
96.50	98.50	51563	.05	.00
98.50	100.50	51564	.40	.00

\*\*\*

From	To	Alteration
.00	11.00	A3a
11.00	12.00	A5A2
12.00	19.00	A3a
19.00	25.00	A3a
25.00	30.00	A3a
30.00	45.60	A3a
45.60	46.90	A2
46.90	47.40	A5A8
47.40	48.50	A7
48.50	50.50	A3a
50.50	63.60	Sill
63.60	64.10	A7A8
64.10	74.20	OB
74.20	76.30	A8
76.30	77.70	A2
77.70	80.20	U3
80.20	82.30	A7
82.30	86.70	A3a
86.70	88.70	A7
88.70	90.10	A3a
90.10	90.50	A7
90.50	100.50	A3a
100.50	102.90	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-07

ZONE: GUMBO

DATE: 19880731

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates: 26431.98 N. 31960.33 E. Elev. 1860.40 meters

Azimuth: 228.5 Dip: -12.0 Length: 114.50

From	To	Sample	Au(g/t)	Ag(g/t)
6.60	7.60	51565	.00	.00
7.60	8.60	51566	.00	.00
8.60	9.60	51567	.00	1.00
9.60	10.60	51568	.00	1.50
10.60	11.60	51569	.20	5.00
11.60	12.60	51570	.25	3.50
12.60	15.60	51571	.15	2.00
15.60	17.60	51572	.20	3.50
17.60	19.60	51573	.20	.50
19.60	20.60	51574	.15	4.00
20.60	21.60	51575	.20	5.50
28.00	30.00	51576	.15	4.00
30.00	32.00	51577	.00	.00
32.00	34.00	51578	.00	.00
41.30	43.30	51579	.20	.00
48.00	50.00	51580	.25	.00
50.00	52.00	51581	1.35	2.50
52.00	54.00	51582	.35	1.00
54.00	56.00	51583	.40	1.50
56.00	58.00	51584	.20	2.00
58.00	59.00	51585	.40	2.50
59.00	60.00	51586	1.75	3.50
60.00	61.00	51587	.60	8.00
61.00	62.00	51588	2.75	19.50
62.00	63.00	51589	1.35	13.00
63.00	64.00	51590	7.95	9.50
64.00	65.00	51591	.55	2.50
65.00	67.00	51592	.80	1.50
67.00	69.00	51593	.05	.00
69.00	71.00	51594	.20	.00
71.00	73.00	51595	.00	.00
78.50	81.50	51596	2.40	.00
91.50	93.50	51597	.55	.00
93.50	95.50	51598	2.00	.00
95.50	97.50	51599	.20	7.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-07

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
97.50	99.50	51600	.20	3.00
99.50	101.50	51601	1.25	13.00
101.50	103.50	51602	.25	5.00
103.50	105.50	51603	.25	5.50
105.50	106.50	51604	.35	7.00
106.50	107.50	51605	4.55	40.00
107.50	108.50	51606	1.40	17.50
108.50	109.50	51607	6.25	13.00
109.50	110.50	51608	.20	3.50
110.50	111.80	51609	1.40	2.00

\*\*\*

From	To	Alteration
.00	6.60	A3U1
.00	6.60	A3U1
6.60	7.60	A2U1
7.60	12.60	A2CLY
12.60	22.00	A5U1
22.00	28.00	A3U1
28.00	29.50	A7U1
29.50	48.00	A3U1
48.00	58.00	A3U2
58.00	65.00	A7U2
65.00	73.00	A3U2
73.00	78.50	A3U2
78.50	81.50	A7U2
81.50	85.00	A3U2
85.00	91.00	A3U2
91.00	106.00	A3U2
106.00	110.40	A2U2
110.40	112.00	A3U2
112.00	114.50	OVb

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-08

ZONE: GUMBO

DATE: 19880701

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates: 26415.26 N. 32016.36 E. Elev. 1850.80 meters

Azimuth: 236.3 Dip: -2.3 Length: 79.40

From	To	Sample	Au(g/t)	Ag(g/t)
11.20	14.00	51610	.10	.00
28.00	29.80	51611	.05	.00
34.00	36.00	51612	.05	.00
62.60	65.00	51613	.10	.00
65.00	67.00	51614	.15	.00
67.00	69.00	51615	.05	.00
69.00	71.00	51616	.20	.00
71.00	73.00	51617	.15	.00
73.00	75.00	51618	.15	.00
75.00	77.00	51619	.15	.00

\*\*\*

From	To	Alteration
.00	7.00	A3U1
7.00	11.00	A3U1
11.00	14.00	A2U1
14.00	28.00	A3U1
28.00	30.00	A2U1
30.00	34.00	A3U1
34.00	36.00	A5U2
36.00	72.00	A3U1
72.00	79.40	A3U1

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-09                      ZONE: GUMBO                      DATE: 19880801

Logged by: TLH

Depth Overburden: 1.60 meters

Zero End Coordinates:    26360.87 N.    31914.73 E.                      Elev. 1841.40 meters

Azimuth: 223.8    Dip: -15.5    Length: 89.00

From	To	Sample	Au(g/t)	Ag(g/t)
1.70	1.70	51632	.25	3.50
4.50	6.50	51633	.00	.00
10.00	12.00	51634	.00	.00
12.00	14.40	51635	.05	.00
14.40	15.80	51636	5.35	12.50
15.80	18.00	51637	.75	.00
18.00	20.00	51638	.25	.00
32.00	34.00	51639	.05	.00
36.50	38.00	51640	.00	.00
38.00	40.00	51641	.20	.00
40.00	42.00	51642	2.25	.00
42.00	44.00	51643	.35	.00
44.00	46.00	51644	.75	.00
46.00	48.00	51645	.00	.00
48.00	50.00	51646	.20	.00
50.00	52.00	51647	.35	.00
69.00	71.00	51648	.55	.00
72.30	74.00	51649	.80	.00
74.00	76.00	51650	.05	.00
76.00	78.00	51651	.00	.00
78.00	80.00	51652	2.55	.00
80.00	82.00	51653	.05	.00
82.00	84.00	51654	.00	.00
84.00	86.00	51655	.00	.00

\* \* \*

From	To	Alteration
.00	1.00	OB
1.00	1.60	A3a
1.60	1.80	A8A5
1.80	14.40	A3a
14.40	15.80	A5A7

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-09

Page 2

From	To	Alteration
15.80	20.70	A3a
20.70	32.00	A3a
32.00	34.00	A3a
34.00	36.50	U3
36.50	52.00	A3a
52.00	60.50	A3a
60.50	67.90	U3
67.90	72.30	A3a
72.30	86.30	A3a
86.30	89.00	OB

\*\*\*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-10                      ZONE: GASP                      DATE: 19880801

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26322.69 N.    31911.65 E.    Elev. 1830.00 meters

Azimuth: 225.4    Dip: -15.6    Length: 46.20

From	To	Sample	Au(g/t)	Ag(g/t)
.00	2.00	51620	.15	.00
2.00	4.00	51621	.15	.00
4.00	6.00	51622	.15	.50
6.00	8.00	51623	.05	1.00
8.00	10.00	51624	.05	.00
10.00	12.00	51625	.00	.00
12.00	14.00	51626	.60	.00
18.00	20.00	51627	.00	.00
20.00	22.00	51628	.10	.00
22.00	24.00	51629	.10	1.50
24.00	26.00	51630	.20	.00
26.00	28.50	51631	.15	.00

\*\*\*

From	To	Alteration
.00	10.00	A3aU1
.00	10.00	A3aU1
10.00	12.00	A5U1
12.00	12.50	U3
12.50	19.50	A5U2
19.50	22.40	A3aU2
22.40	26.50	A5U2
26.50	28.50	A5A7
28.50	29.70	U3
29.70	46.20	A3/?

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-11                      ZONE: GASP                      DATE: 19880802

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26423.05 N.    31835.16 E.                      Elev. 1849.90 meters

Azimuth: 223.5    Dip: -8.5    Length: 61.50

From	To	Sample	Au(g/t)	Ag(g/t)
2.00	3.00	51656	.20	3.00
3.00	4.00	51657	.10	1.00
4.00	5.00	51658	.15	.00
5.00	6.00	51659	.15	.00
6.00	7.00	51660	.05	.00
7.00	8.00	51661	.10	1.00
11.70	13.00	51662	.05	.00
13.00	15.00	51663	.05	.00
15.00	17.00	51664	.05	.00
17.00	19.00	51665	.05	.00
19.00	21.00	51666	.05	.00
21.00	22.00	51667	.15	.00
22.00	23.00	51668	.00	.00
23.00	24.00	51669	.35	.00
24.00	25.00	51670	.80	.00
25.00	26.00	51671	.60	.00
26.00	27.00	51672	.95	.00
27.00	28.70	51673	3.15	.00
30.60	32.60	51674	.05	.00
34.00	35.60	51675	.75	1.50
53.00	55.00	51676	.15	.00
55.00	57.00	51677	.05	4.00
57.00	59.00	51678	.05	.00
59.00	60.50	51679	.05	.50

\* \* \*

From	To	Alteration
.00	2.00	A7U2
2.00	5.50	A7
5.50	21.50	A3aU2
21.50	22.80	A5A7
22.80	28.70	A7

---

---

ENERGEX MINERALS LTD.  
Trench Log

---

---

TRENCH: JD88-11

Page 2

---

From	To	Alteration
28.70	30.00	U3
30.00	32.20	A3A5
32.20	33.00	U3
33.00	38.20	A3bU2
38.20	60.00	A3aU2
60.00	61.50	OVB

---

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-12                      ZONE: GASP-EXT                      DATE: 19880802

Logged by: N.C.

Depth Overburden: 2.00 meters

Zero End Coordinates:    26606.89 N.    31837.42 E.                      Elev. 1832.20 meters

Azimuth: 231.9    Dip: -6.0    Length: 44.84

From	To	Sample	Au(g/t)	Ag(g/t)
34.00	34.00	51680	.00	.00
35.00	35.00	51681	.05	.00

\*\*\*

From	To	Alteration
.00	37.00	OVB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-13      ZONE: GASP-EXT      DATE: 19880802

Logged by: N.C.

Depth Overburden: 3.00 meters

Zero End Coordinates:    26579.21 N.    31802.14 E.    Elev. 1827.50 meters

Azimuth: 233.5    Dip: -9.8    Length: 56.00

From	To	Sample	Au(g/t)	Ag(g/t)
52.00	52.00	51682	.05	.00

\*\*\*

From	To	Alteration
.00	30.00	OVB
30.00	32.00	A3U2
32.00	45.00	OVB
45.00	56.00	A3bU2

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-14                      ZONE: GASP EXT                      DATE: 19880804

Logged by: N.C.

Depth Overburden: 2.00 meters

Zero End Coordinates:    26546.87 N.    31758.44 E.                      Elev. 1818.10 meters

Azimuth: 225.8    Dip: -2.3    Length: 135.00

From	To	Sample	Au(g/t)	Ag(g/t)
50.00	51.00	51689	.00	.00
51.00	53.00	51690	.05	.00
53.00	55.00	51691	.55	.00
55.00	57.00	51692	.15	1.00
57.00	59.00	51693	.45	1.00
59.00	61.00	51694	.20	1.00
61.00	63.50	51695	.05	.00
63.50	65.50	51696	.05	.00
65.50	68.00	51697	.10	.00
68.00	70.00	51698	.05	.00
70.00	72.00	51699	.10	.00
72.00	73.50	51700	.05	.00
73.50	75.00	51701	.05	2.00
75.00	77.00	51702	.00	.00
77.00	79.60	51703	.05	.00
79.60	81.80	51704	.05	.50
81.80	84.80	51705	.00	.00
84.80	86.80	51706	.00	.00
86.80	90.00	51707	.00	.00
90.00	92.00	51708	.00	.00
106.00	107.70	51709	.00	.00
110.80	112.80	51710	.00	.00
112.80	114.80	51711	.00	.00

\* \* \*

From	To	Alteration
.00	5.00	U2A3b
5.00	36.00	OVB
36.00	50.00	U2A3b
50.00	52.00	U2A8
52.00	73.50	U2A3a
73.50	75.00	U3

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-14

Page 2

From	To	Alteration
75.00	93.20	U2A3a
93.20	94.00	U3
94.00	97.40	U2A3a
97.40	104.40	U2A3a
104.40	105.30	U4
105.30	112.80	U2A3
112.80	114.80	U2A8
114.00	122.00	U2A3
122.00	124.40	U4
124.40	135.00	U2A3

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-15                      ZONE: GASP                      DATE: 19880803

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26582.32 N.    31710.56 E.    Elev. 1781.80 meters

Azimuth: 208.6    Dip: 1.8    Length: 35.50

From	To	Sample	Au(g/t)	Ag(g/t)
19.00	21.00	51683	.00	.00
23.00	25.00	51684	.00	.00

\* \* \*

From	To	Alteration
.00	19.00	OB
19.00	27.50	A3b
27.50	32.50	U4
32.50	34.50	U3
34.50	35.50	OB

\* \* \*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-16                      ZONE: GUMBO                      DATE: 19880805

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26551.32 N.    31693.66 E.    Elev. 1782.90 meters

Azimuth: 227.1    Dip: -1.7    Length: 49.60

From	To	Sample	Au(g/t)	Ag(g/t)
3.00	5.00	51770	.00	.00
8.00	10.00	51771	.20	.00
10.00	12.00	51772	.00	.00
12.00	14.00	51773	.00	.00
14.00	16.00	51774	.00	.00
16.00	18.00	51775	.00	.00
18.00	20.00	51776	.00	.50
20.00	22.00	51777	.00	.00
22.00	24.00	51778	.20	.00
24.00	26.00	51779	.00	.00
26.00	27.30	51780	.00	.00
28.40	30.00	51781	.10	.00
30.00	32.00	51782	.05	.00
32.00	34.00	51783	.00	.00
34.00	36.00	51784	.00	.00
36.00	38.00	51785	.00	.00
38.00	40.00	51786	.00	.00
40.00	42.00	51787	.00	.00
42.00	44.00	51788	.05	.00
44.00	46.00	51789	.25	.00

\* \* \*

From	To	Alteration
.00	.70	OB
.70	12.00	A3b
12.00	26.30	A3a
26.30	28.40	U3
28.40	46.00	A3a
46.00	49.60	OB

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-17      ZONE: GUMBO EXT      DATE: 19880806

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26654.58 N.    31882.30 E.    Elev. 1842.40 meters

Azimuth: 250.2    Dip: -18.4    Length: 95.60

From	To	Sample	Au(g/t)	Ag(g/t)
1.80	3.50	51727	.05	.00
6.00	7.00	51728	.00	1.00
7.00	8.00	51729	.15	.00
9.00	10.00	51730	.00	.00
12.00	13.00	51731	.35	5.50
13.00	13.50	51732	.35	14.00
13.50	16.00	51733	.00	2.00
16.00	17.50	51734	2.40	.50
17.50	18.50	51735	.15	.00
18.50	20.00	51736	.05	.00
20.00	22.00	51737	.55	1.00
22.00	23.60	51738	.80	33.50
23.60	25.00	51739	.25	16.00
25.00	26.00	51740	.40	15.00
27.00	29.00	51741	.05	.00
29.00	30.00	51742	.00	.00
38.00	38.00	51743	.00	.50
39.00	41.00	51744	.05	.00
41.00	43.00	51745	.10	.00
43.00	45.00	51746	1.25	2.00
45.00	47.00	51747	.05	.00
47.00	49.00	51748	.05	.00
49.00	51.00	51749	.05	.50
51.00	52.00	51750	.20	.00
52.00	54.00	51751	.00	.00
54.00	56.00	51752	.00	.00
56.00	58.00	51753	.00	.00
58.00	60.00	51754	.05	2.50
60.00	61.00	51755	.00	3.00
62.00	63.50	51756	1.20	3.50
63.50	65.00	51757	1.80	54.00
65.00	66.00	51758	.65	72.50
66.00	67.00	51759	.85	56.00
67.00	68.00	51760	.60	31.50
68.00	69.00	51761	.85	51.50

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-17

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
69.00	70.00	51762	1.80	27.00
70.00	71.00	51763	.45	6.00
71.00	72.00	51764	.05	2.50
72.00	73.00	51765	.05	7.00
73.00	74.00	51766	.05	2.00
74.00	75.00	51767	.05	10.50
75.00	77.00	51768	.00	11.00
77.00	79.00	51769	.05	1.50
79.00	.00	51770	.00	.00

\*\*\*

From	To	Alteration
.00	1.00	OVB
1.00	3.50	U1A3a
3.50	6.00	OVB
6.00	10.00	U1A3a
10.00	12.00	OVB
12.00	15.00	A7CLY
15.00	17.50	U1A3a
17.50	18.50	A7CLY
18.50	23.60	U1A3a
23.60	25.00	CLY
25.00	33.00	U1A3a
33.00	37.00	U1A3a
37.00	45.00	U1A3a
45.00	54.30	U1A3a
54.30	56.30	A8U1
56.30	62.00	U1A3a
62.00	66.00	U1A5
66.00	74.00	A2A5
74.00	80.00	U2A3a
80.00	95.60	U2A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-18                      ZONE: GASP                      DATE: 19880806

Logged by: TLH

Depth Overburden: 3.00 meters  
Zero End Coordinates:    26741.34 N.    31891.43 E.                      Elev. 1830.80 meters

Azimuth: 243.8    Dip: -18.3    Length: 146.00

From	To	Sample	Au(g/t)	Ag(g/t)
3.50	5.50	51790	.00	.00
9.00	11.00	51791	.00	.00
11.00	13.00	51792	.00	.00
13.00	15.00	51793	.00	.00
53.00	55.00	51794	.00	.00
55.00	57.00	51795	.00	.00
59.00	61.00	51796	.05	.00
85.00	87.00	51797	.05	.00
87.00	89.00	51798	.10	.00
89.00	90.00	51799	.05	.00
90.00	92.00	51712	1.85	7.00
92.00	93.00	51713	.65	7.00
93.00	94.00	51714	5.65	11.50
94.00	95.00	51715	5.55	11.00
95.00	96.00	51716	.80	4.50
96.00	97.00	51717	.35	.00
97.00	98.00	51718	.40	1.00
98.00	99.00	51719	.55	.00
99.00	100.00	51720	1.55	1.50
100.00	102.00	51721	.05	.00
102.00	104.00	51722	.25	.00
104.00	106.00	51723	.60	.50
106.00	108.00	51724	2.00	2.50
108.00	110.00	51725	.05	.50
110.00	112.00	51726	.05	.00
112.00	114.00	51800	.10	1.50
114.00	115.30	51801	.15	2.00
115.30	115.80	51802	.35	2.00
115.80	118.00	51803	5.40	2.50
118.00	120.00	51804	.15	.00
120.00	122.00	51805	.15	.00
122.00	124.00	51806	.15	.00
124.00	126.00	51807	.05	.00
126.00	128.00	51808	.00	.00
128.00	130.00	51809	.10	.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-18

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
130.00	132.00	51810	.05	.00
132.00	134.00	51811	.05	.00
134.00	136.00	51812	.20	.00
136.00	138.00	51813	.05	1.00
138.00	140.00	51814	.15	.50
140.00	142.00	51815	.15	.00

\*\*\*

From	To	Alteration
.00	2.00	OB
2.00	16.00	A3a
16.00	53.00	OB
53.00	60.50	A3ab
60.50	85.00	A3a
85.00	92.00	A3a
92.00	100.00	A5A8
100.00	105.00	A3a
105.00	115.30	A3a
115.30	115.80	A5A3
115.80	118.00	A3a
118.00	142.00	A3a
142.00	146.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-19                      ZONE: GASP EXT                      DATE: 19880806

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26824.22 N.    31934.45 E.                      Elev. 1834.30 meters

Azimuth: 240.5    Dip: -12.3    Length: 82.00

From	To	Sample	Au(g/t)	Ag(g/t)
11.00	13.00	51816	.05	1.00
28.50	29.20	51817	.05	.00
32.50	34.80	51818	.10	1.00
34.80	36.10	51819	.60	.00
36.10	37.50	51820	.10	.00
37.50	39.50	51821	.15	1.00
39.50	41.50	51822	.05	1.00
41.50	43.50	51823	.10	1.00
43.50	45.50	51824	.00	3.00
45.50	47.50	51825	.05	2.00
47.50	49.50	51826	.10	2.00

\* \* \*

From	To	Alteration
.00	.80	OB
.80	11.00	A3a
11.00	13.00	A3aA8
13.00	28.50	A3a
28.50	29.20	A3a
29.20	32.50	A3a
32.50	34.80	A3aA5
34.80	37.50	A3A7
37.50	39.50	A3A7
39.50	49.50	A3aA7
49.50	80.00	OB
80.00	82.00	OB

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-20                      ZONE: GUMBO                      DATE: 19880806

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26753.57 N.    31801.71 E.    Elev. 1794.80 meters

Azimuth: 238.2    Dip: -17.7    Length: 50.80

From	To	Sample	Au(g/t)	Ag(g/t)
.00	50.80	0	.00	.00

\*\*\*

From	To	Alteration
.00	50.80	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-21                      ZONE: JD WEST                      DATE: 19880804

Logged by: JAS

Depth Overburden: 3.00 meters

Zero End Coordinates:    26869.38 N.    31822.48 E.    Elev. 1817.80 meters

Azimuth: 228.3    Dip: -14.1    Length: 64.30

From	To	Sample	Au(g/t)	Ag(g/t)
.00	64.30	0	.00	.00

\*\*\*

From	To	Alteration
.00	64.30	OB

\*\*\*



ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-22

ZONE: JD WEST

DATE: 19880804

Logged by: JAS

Depth Overburden: 3.00 meters

Zero End Coordinates: 26826.62 N. 31774.46 E. Elev. 1801.60 meters

Azimuth: 226.2 Dip: -13.9 Length: 83.10

From	To	Sample	Au(g/t)	Ag(g/t)
.00	83.10	0	.00	.00

\*\*\*

From	To	Alteration
.00	83.10	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-23      ZONE: JD      DATE: 19880810

Logged by: N.C.

Depth Overburden: 1.50 meters

Zero End Coordinates:    26977.55 N.    31889.14 E.    Elev. 1828.50 meters

Azimuth: 188.0    Dip: -7.6    Length: 69.60

From	To	Sample	Au(g/t)	Ag(g/t)
5.50	7.50	51827	.10	1.50
7.50	9.50	51828	.10	1.50
9.50	11.50	51829	.05	.50
11.50	13.50	51830	.05	.00
13.50	15.50	51831	.05	.00
15.50	17.50	51832	.05	.00
17.50	19.50	51833	.05	.00
19.50	21.50	51834	.00	.00
21.50	23.50	51835	.00	.00
23.50	26.10	51836	.00	.00

\*\*\*

From	To	Alteration
.00	26.00	U1/A8
26.00	37.00	OVB
37.00	57.00	U1A3a
57.00	69.60	OVB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-24

ZONE: WEST JD

DATE: 19880809

Logged by: TLH

Depth Overburden: 1.50 meters

Zero End Coordinates: 26964.39 N. 31781.43 E. Elev. 1842.70 meters

Azimuth: 173.9 Dip: -19.4 Length: 73.00

From	To	Sample	Au(g/t)	Ag(g/t)
59.00	60.50	51837	.00	.00
60.50	62.10	51838	.45	26.00
62.10	64.10	51839	.00	.00
64.10	65.10	51840	.05	.50

\*\*\*

From	To	Alteration
.00	50.00	A3b
50.00	57.00	A3a
57.00	60.50	A3a
60.50	62.10	A3aA5
62.10	65.10	A3a
65.10	73.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-25                      ZONE: GUMBO-EXT                      DATE: 19880810

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26876.13 N.    31742.50 E.                      Elev. 1815.90 meters

Azimuth: 215.6    Dip: -16.2    Length: 109.11

From	To	Sample	Au(g/t)	Ag(g/t)
51.00	51.00	51841	.00	.00
69.00	69.00	51842	.00	.00
93.00	94.00	51843	.60	10.00
94.00	95.00	51844	.60	12.50
95.00	96.00	51845	1.55	14.00
96.00	97.00	51846	.60	10.00
97.00	98.00	51847	.00	.00
98.00	99.00	51848	1.55	15.00
99.00	100.00	51849	1.00	9.50
100.00	101.00	51850	.80	6.00
101.00	102.00	51851	.20	2.50

\* \* \*

From	To	Alteration
.00	14.00	U1A3a
14.00	30.00	OVB
30.00	36.00	U1A3a
36.00	49.00	OVB
49.00	57.00	U1A3a
57.00	68.00	OVB
68.00	74.00	U1A3a
74.00	93.00	OVB

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-26

ZONE: JD WEST

DATE: 19880809

Logged by: TLH

Depth Overburden: 3.00 meters

Zero End Coordinates: 26915.46 N. 31700.84 E. Elev. 1833.80 meters

Azimuth: 208.3 Dip: -17.8 Length: 143.00

From	To	Sample	Au(g/t)	Ag(g/t)
40.00	41.00	51852	.00	.00
41.00	42.00	51853	.00	1.00
42.00	43.00	51854	.00	.00
43.00	44.00	51855	.00	1.50
44.00	45.00	51856	.00	3.50
45.00	46.00	51857	.00	3.00
46.00	48.00	51858	.00	.00
48.00	50.00	51859	.00	1.00
50.00	52.00	51860	.00	.00
52.00	53.30	51861	.05	22.50
53.30	55.00	51862	.00	.00
66.00	67.00	51863	.15	1.50
67.00	68.00	51864	.00	.00
68.00	69.00	51865	.05	.50
69.00	70.00	51866	.15	2.00
70.00	71.00	51867	.05	2.00
71.00	72.00	51868	.05	.00
72.00	73.00	51869	.05	.00
73.00	74.00	51870	.05	1.50
91.00	93.00	51871	.00	.50
93.00	94.00	51872	.00	1.00
94.00	95.00	51873	.00	1.50
95.00	96.00	51874	.00	.50
96.00	97.00	51875	.00	1.00
97.00	98.00	51876	.00	5.00
98.00	99.00	51877	.00	6.00
99.00	100.00	51878	.00	4.50
100.00	101.00	51879	.00	4.50
101.00	102.00	51880	.00	4.00
102.00	103.00	51881	.00	3.00
103.00	104.00	51882	.00	4.00
104.00	105.00	51883	.00	4.00
105.00	106.00	51884	.00	2.50
106.00	107.00	51885	.00	3.50
107.00	108.00	51886	.00	21.50

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-26

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
108.00	109.00	51887	.00	24.00
109.00	110.00	51888	.00	21.50
110.00	111.00	51889	.00	8.00
111.00	112.00	51890	.00	7.00
112.00	113.00	51891	.00	24.50
113.00	114.00	51892	.00	39.00
114.00	115.00	51893	.00	25.50
115.00	116.00	51894	.00	27.00
116.00	117.00	51895	.00	29.00
117.00	118.00	51896	.00	29.00
118.00	119.00	51897	.00	13.00
119.00	120.00	51898	.00	19.00
120.00	121.00	51899	.00	21.00
121.00	122.00	51900	.05	8.50
122.00	123.00	51901	.00	7.50
123.00	124.00	51902	.05	19.00
124.00	125.00	51903	.00	57.50
125.00	126.00	51904	.05	15.00
126.00	127.00	51905	.00	22.00
127.00	128.00	51906	.00	50.50
128.00	129.00	51907	.05	61.50
129.00	130.00	51908	.00	27.00
130.00	131.00	51909	.00	23.50
131.00	132.00	51910	.00	23.50
132.00	133.00	51911	.40	21.00
133.00	134.00	51912	.20	21.00
134.00	135.50	51913	.75	23.00

\* \* \*

From	To	Alteration
.00	40.00	A3a
40.00	43.00	A7A5
43.00	44.00	A5A7
44.00	46.20	A8A7
46.20	47.00	A2A5
47.00	50.00	A3a
50.00	52.00	A3a
52.00	53.30	A5A7
53.30	66.20	A3a
66.20	72.20	A5A7
72.20	73.00	A2A7
73.00	75.00	A5

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-26

Page 3

From	To	Alteration
75.00	76.30	A3a
76.30	92.00	OB
92.00	95.00	A3a
95.00	99.00	A5
99.00	99.50	
99.50	102.00	A5
102.00	112.20	A3aA5
112.20	116.00	A5A2
116.00	117.00	A5A2
117.00	119.00	A5A2
119.00	121.00	A5
121.00	127.00	A5A7
127.00	131.00	A5A2
131.00	134.00	A2A5
134.00	141.00	A3a
141.00	143.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-27                      ZONE: GUMBO EXT                      DATE: 19880814

Logged by: N.C.

Depth Overburden: 1.50 meters

Zero End Coordinates:    26900.63 N.    31638.77 E.    Elev. 1836.00 meters

Azimuth: 213.4    Dip: -15.7    Length: 26.00

From	To	Sample	Au(g/t)	Ag(g/t)
3.00	5.00	51914	.00	1.50
5.00	7.00	51915	.00	9.00
7.00	8.00	51916	.00	6.50
8.00	9.00	51917	.00	4.00
9.00	10.00	51918	.00	12.00
10.00	11.00	51919	.00	17.50
11.00	12.00	51920	.00	5.00
12.00	13.50	51921	.00	5.00
13.50	15.30	51922	.00	3.50
15.30	16.40	51923	.00	.50
16.40	18.40	51924	.00	1.00
18.40	19.50	51925	.00	4.50
19.50	20.50	51926	.00	5.00
20.50	21.70	51927	.00	2.00
21.70	23.40	51928	.00	15.50
23.40	24.40	51929	.00	13.00
24.40	25.40	51930	.00	16.50
25.40	26.20	51931	.00	9.00

\* \* \*

From	To	Alteration
.00	9.00	U1A3a
9.00	.00	
9.00	13.50	U1A8
13.50	15.00	U1A3a
15.00	16.40	U1A8
16.40	19.00	U1A3a
19.00	21.70	U1A8
21.70	23.40	U1A3a
23.40	24.40	U1A8
24.40	26.00	U1A3a

\* \* \*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-28

ZONE: JD

DATE: 19880815

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates: 26879.29 N. 31624.69 E. Elev. 1828.80 meters

Azimuth: 204.7 Dip: -17.8 Length: 89.50

From	To	Sample	Au(g/t)	Ag(g/t)
2.70	4.00	51932	.00	10.00
4.00	6.00	51933	.00	32.00
8.30	10.00	51934	.00	7.50
10.00	11.00	51935	.00	5.00
11.00	12.00	51936	.00	2.00
12.00	13.00	51937	.00	10.50
13.00	14.00	51938	.00	10.50
14.00	15.00	51939	.00	16.00
15.00	16.00	51940	.10	1.50
16.00	17.00	51941	.00	8.00
17.00	18.00	51942	.00	2.00
20.50	21.60	51943	.00	12.00
25.10	27.00	51944	.00	3.50
27.00	29.00	51945	.00	23.00
29.00	31.00	51946	.00	9.50
31.00	33.00	51947	.00	1.50
33.00	35.00	51948	.00	2.50
35.00	36.20	51949	.00	1.50
40.20	42.20	51950	.00	2.00
42.20	44.20	51951	.00	1.50
44.20	46.20	51952	.00	4.00
46.20	48.20	51953	.00	8.00
48.20	50.00	51954	.00	.00
50.00	52.30	51955	.00	.00
52.30	54.30	51956	.00	6.50
54.30	56.40	51957	.00	.00
56.40	58.40	51958	.00	.50
58.40	60.00	51959	.00	.50
60.00	62.00	51960	.00	.00
62.00	63.00	51961	.00	8.00
63.00	64.00	51962	.00	21.50
64.00	65.00	51963	.00	19.50
65.00	66.00	51964	.00	13.50
66.00	67.00	51965	.00	13.00
67.00	68.00	51966	.05	13.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-28

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
68.00	69.00	51967	.00	11.00
69.00	70.00	51968	.00	25.00
70.00	71.00	51969	.05	64.50
71.00	72.00	51970	.05	12.00
72.00	73.00	51971	.10	43.50
73.00	74.00	51972	.10	37.00
74.00	75.00	51973	.05	25.50
75.00	76.00	51974	.10	22.50
76.00	77.00	51975	.20	20.00
77.00	78.00	51976	.40	35.00
78.00	.00	51977	.05	20.50
.00	.00	51978	.05	11.00
80.00	81.00	51979	.35	32.50
81.00	82.00	51980	.25	20.00
82.00	83.00	51981	.55	40.00
83.00	84.00	51982	2.95	21.50

\* \* \*

From	To	Alteration
.00	2.70	U1A3a
2.70	6.00	U1A5
6.00	12.00	U1A3a
12.00	13.00	U1A8
13.00	17.00	A2A5
17.00	20.50	U1A3a
20.50	21.60	U1A8
21.60	25.00	U1A3a
25.00	31.00	A8A3a
31.00	35.00	U1A3a
35.00	36.20	U1A7
36.20	58.00	U1A3a
58.00	63.00	U1A2
63.00	72.00	ClyA5
72.00	78.00	U1A2
78.00	82.00	U2A2
82.00	84.30	U2A3
84.30	89.50	U2A3

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-29                      ZONE: JD                      DATE: 19880814

Logged by: T.L.H.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26854.61 N.    31559.98 E.    Elev. 1830.50 meters

Azimuth: 203.5    Dip: -22.2    Length: 53.00

From	To	Sample	Au(g/t)	Ag(g/t)
.00	1.00	51983	.20	.00
1.00	3.80	51984	.15	.00
3.80	4.30	51985	.75	6.00
4.30	6.00	51986	.25	2.50
6.00	8.00	51987	.15	1.50
8.00	9.00	51988	.00	.00
9.00	12.00	51989	.00	1.00
12.00	13.00	51990	.05	2.00
13.00	14.30	51991	.35	2.00
14.30	14.80	51992	.40	4.00
14.80	16.00	51993	.15	.00
16.00	16.50	51994	.05	.50
20.00	22.00	51995	.00	.00
22.00	24.00	51996	.10	1.00
24.00	26.00	51997	.35	.00
26.00	28.00	51998	.00	2.00
28.00	29.00	51999	.10	.00
29.00	30.00	52000	.25	25.00
30.00	31.00	52001	.05	10.50
31.00	32.00	52002	.00	.00
32.00	33.00	52003	.05	.00
33.00	34.00	52004	.25	10.00
34.00	35.00	52005	.05	.00
35.00	36.00	52006	.20	1.50
36.00	37.00	52007	.20	.50
37.00	38.00	52008	.00	4.00
38.00	39.00	52009	.40	31.50
39.00	40.00	52010	.05	6.00
40.00	41.00	52011	.15	18.00
41.00	42.00	52012	.20	37.50
42.00	43.00	52013	.25	55.00
43.00	44.00	52014	.10	25.00
44.00	44.70	52015	.05	11.50
44.70	46.00	52016	.05	55.00
46.00	47.00	52017	.00	29.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-29

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
47.00	48.40	52018	.05	77.00
48.40	49.40	52019	.15	59.50

\*\*\*

From	To	Alteration
.00	3.00	U1A3a
3.00	4.30	U1A5
4.30	14.30	A3aA5
14.30	14.80	U1A5
14.80	16.50	U1A3a
16.50	20.00	U1A3b
20.00	28.00	U1A3a
28.00	34.00	U1A3a
34.00	36.00	U1A3a
36.00	43.50	U1A3a
43.50	44.70	A2CLY
44.70	47.00	U1A2
47.00	48.40	A2CLY
48.40	51.00	U2A3a
51.00	53.00	OVb

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-30                      ZONE: JD                      DATE: 19880816

Logged by: N.C.

Depth Overburden: .50 meters  
Zero End Coordinates: 26893.97 N. 31532.07 E. Elev. 1851.60 meters

Azimuth: 213.0    Dip: -19.7    Length: 98.00

From	To	Sample	Au(g/t)	Ag(g/t)
1.20	2.20	52020	.00	19.50
2.20	4.20	52021	.05	72.00
4.20	6.00	52022	.15	24.50
6.00	7.00	52023	.15	11.00
7.00	8.00	52024	.20	.00
8.00	9.00	52025	.80	14.50
9.00	11.00	52026	.00	4.00
11.00	13.00	52027	.00	34.50
13.00	14.00	52028	.05	29.00
14.00	15.00	52029	.40	67.00
15.00	16.00	52030	.20	27.00
16.00	18.00	52031	.05	7.50
18.00	20.00	52032	.00	5.00
20.00	22.70	52033	.00	5.50
22.00	22.00	52034	.20	19.50
22.70	24.00	52035	.40	.00
24.00	26.00	52036	.40	43.00
25.00	25.00	52037	.45	26.50
24.00	26.00	52038	.00	4.00
26.00	27.00	52039	.05	5.50
27.00	28.00	52040	.25	9.00
28.00	29.20	52041	.20	25.50
31.40	33.00	52042	.15	2.00
34.40	34.40	52043	.35	99.50
33.00	35.00	52044	.00	.00
35.00	37.00	52045	.15	53.50
37.50	37.50	52046	.00	342.00
37.00	39.00	52047	1.65	30.00
39.00	41.00	52048	.05	16.00
41.00	42.00	52049	.20	16.00
42.00	43.00	52050	.00	24.50
43.00	44.00	52051	.80	82.00
44.00	46.30	52052	.05	13.50
46.30	47.00	52053	.35	29.00
47.00	48.00	52054	.40	62.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-30

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
48.00	49.00	52055	.75	35.00
49.00	50.00	52056	.35	2.50
49.50	49.50	52057	.85	2.00
50.00	52.00	52058	.40	2.50
52.00	53.50	52059	.00	.00
53.50	55.50	52060	.00	5.00
55.50	57.50	52061	1.05	72.00
57.50	59.50	52062	.15	48.50
59.50	61.50	52063	.20	38.00
61.50	63.50	52064	.00	8.50
63.50	65.50	52065	.15	54.50
65.50	67.50	52066	.00	21.00
67.50	69.50	52067	.00	3.50
69.50	71.00	52068	.40	78.00
71.00	72.00	52069	.40	71.50
72.00	73.00	52070	.35	50.50
73.00	74.00	52071	.20	32.00
74.00	75.00	52072	.15	20.50
75.00	76.00	52073	.00	.00
76.00	77.00	52074	.00	.00
77.00	78.00	52075	.25	10.00
78.00	79.00	52076	.00	.00
79.00	80.00	52077	.00	.00
80.00	82.00	52078	.05	.00
82.00	84.00	52079	.05	.00
84.00	86.00	52080	.35	16.00
86.00	88.00	52081	.75	4.50
88.00	90.00	52082	.60	10.50
90.00	92.00	52083	1.20	64.00
92.00	94.00	52084	.25	108.00
94.00	95.00	52085	.35	38.50

\* \* \*

From	To	Alteration
.00	1.00	U1A3a
1.00	2.20	U1A8
2.20	5.00	U1A3a
5.00	8.00	U1A8
8.00	12.00	U1A3a
12.00	16.00	U1A8
16.00	41.00	U1A3a
41.00	44.00	U1A8

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-30

Page 3

From	To	Alteration
44.00	46.00	U1A3a
46.00	49.00	A5CLY
49.00	53.50	U1A3a
53.50	55.50	U1A8
55.50	64.00	U1A3a
64.00	65.00	U1A8
65.00	70.00	U1A3a
70.00	80.00	U1A8
80.00	95.00	U2A3a
95.00	98.00	OVB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-31                      ZONE: JD                      DATE: 19880816

Logged by: N.C.

Depth Overburden: .50 meters  
Zero End Coordinates: 26858.08 N. 31454.26 E. Elev. 1842.20 meters

Azimuth: 234.8    Dip: -17.1    Length: 53.00

From	To	Sample	Au(g/t)	Ag(g/t)
16.60	18.00	52091	.15	6.00
18.00	19.00	52092	.05	21.50
19.00	20.00	52093	.20	11.00
20.00	21.00	52094	.05	14.50
21.00	22.00	52095	.00	20.50
22.00	23.00	52096	.00	30.00
23.00	24.00	52097	.00	21.50
24.00	25.00	52098	.00	19.50
25.00	26.00	52099	.00	23.00
26.00	27.00	52100	.00	14.00
27.00	28.50	52101	.00	12.00
28.50	29.00	52102	.00	10.50
29.00	30.00	52103	.00	10.50
30.00	31.00	52104	.00	17.00
31.00	32.00	52105	.00	28.00
32.00	33.00	52106	.00	19.00
33.00	34.00	52107	.00	16.00
34.00	35.00	52108	.00	17.00
35.00	36.00	52109	.00	16.50
36.00	37.00	52110	.25	38.00
37.00	38.00	52111	.95	.00
38.00	39.00	52112	.05	5.50
39.00	40.00	52113	.00	2.00
40.00	41.00	52114	.05	1.50
41.00	42.00	52115	.15	9.50
42.00	43.00	52116	.05	2.00
43.00	44.00	52117	.00	.50
44.00	45.00	52118	.05	9.50
45.00	46.00	52119	.05	.00
46.00	47.00	52120	.15	.00
47.00	48.00	52121	.00	.00
48.00	49.00	52122	.15	.00
49.00	50.00	52123	.05	1.00
50.00	51.00	52124	.00	.00
51.00	52.00	52125	.00	.00



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-31

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
52.00	53.00	52126	.00	.00
2.20	2.20	51086	.45	.00
3.60	3.60	51087	.40	.00
6.00	6.00	51088	.35	.00
9.40	9.40	51089	.40	.50
11.40	11.40	51090	.25	.00

\*\*\*

From	To	Alteration
.00	16.60	U1A3a
16.60	29.00	A5/A8
29.00	31.00	A3a
31.00	36.00	U1/A8
36.00	37.50	U1A5
37.50	37.80	CLY
37.80	45.00	U1A7
45.00	53.00	U1A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-32                      ZONE: JD WEST                      DATE: 19880818

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26866.27 N.    31347.82 E.    Elev. 1842.40 meters

Azimuth: 127.6    Dip: -15.0    Length: 64.30

From	To	Sample	Au(g/t)	Ag(g/t)
22.00	24.00	52129	.00	.00
24.00	26.00	52130	.00	.00
26.00	28.00	52131	.00	2.50
28.00	30.00	52132	.05	2.00
30.00	32.00	52133	.00	.00
32.00	34.00	52134	.00	.00
34.00	35.00	52135	.00	.50
35.00	36.00	52136	.45	67.00
36.00	37.00	52137	1.20	31.50
37.00	38.00	52138	.65	38.00
38.00	39.00	52139	.05	.00
39.00	41.00	52140	.00	.00
41.00	43.00	52141	.00	.00
43.00	45.00	52142	.05	.00
45.00	47.00	52143	.20	.00
47.00	48.50	52144	.15	.00
48.50	50.00	52145	.15	.00
50.00	52.00	52146	.00	.00
52.00	54.00	52147	.05	.50
54.00	56.00	52148	.00	.00
56.00	58.00	52149	.00	.00
58.00	60.00	52150	.00	.00
60.00	62.00	52151	.00	.00
62.00	64.00	52152	.00	.00
8.00	8.00	52127	.00	.00
13.50	13.50	52128	.00	.00

\* \* \*

From	To	Alteration
.00	22.00	U1A3a
22.00	35.00	U1A3a
30.00	35.00	U1A8

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-32

Page 2

From	To	Alteration
35.00	35.40	CLY
35.40	36.00	cl
36.00	64.30	U2A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-33                      ZONE: JD WEST                      DATE: 19880821

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26872.74 N.    31280.45 E.    Elev. 1838.60 meters

Azimuth: 126.1    Dip: -14.1    Length: 86.30

From	To	Sample	Au(g/t)	Ag(g/t)
10.00	12.00	52153	.00	.00
12.00	14.00	52154	.00	.00
14.00	15.00	52155	.00	.00
15.00	17.00	52156	.00	.00
17.00	19.00	52157	.00	1.50
19.00	21.00	52158	.00	.00
21.00	23.00	52159	.00	.00
23.00	25.00	52160	.00	.00
25.00	27.00	52161	.05	.00
27.00	29.00	52162	.00	.00
29.00	32.00	52163	.05	.00
32.00	34.00	52164	.00	2.50
34.00	35.00	52165	1.60	20.00
35.00	36.00	52166	5.75	74.50
36.00	37.00	52167	1.25	90.00
37.00	38.00	52168	5.45	302.00
38.00	39.00	52169	9.95	745.00
39.00	40.00	52170	5.35	266.00
40.00	42.00	52171	1.45	44.00
42.00	44.00	52172	.35	4.50
44.00	46.00	52173	.45	3.00
46.00	48.00	52174	2.35	202.00
48.00	50.00	52175	.20	.00
50.00	52.00	52176	.05	.00
52.00	54.00	52177	.15	2.00
54.00	56.00	52178	.20	.50
56.00	58.00	52179	.15	.00
58.00	60.00	52180	.20	.50
60.00	62.00	52181	.15	2.00
62.00	64.00	52182	.15	3.00
64.00	66.00	52183	.05	.00
66.00	68.00	52184	.05	.00
68.00	70.00	52185	.00	.00
70.00	72.00	52186	.00	.00
72.00	74.00	52187	.00	.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-33

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
74.00	76.00	52188	.00	.00
76.00	78.00	52189	.00	.00
78.00	80.00	52190	.00	.00
80.00	82.00	52191	.00	.00
82.00	84.00	52192	.05	.00
84.00	85.80	52193	.05	.00

\*\*\*

From	To	Alteration
.00	15.00	U1A3a
15.00	16.40	A8
16.40	30.00	A3a
30.00	33.00	A5/A2
33.00	39.00	A2CLY
39.00	58.00	A3aU2
58.00	59.40	A8
59.40	86.30	A3aA8

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-34                      ZONE: JD WEST                      DATE: 19880825

Logged by: N.C.

Depth Overburden: 1.00 meters

Zero End Coordinates:    26876.87 N.    31263.63 E.    Elev. 1837.90 meters

Azimuth: 142.1    Dip: -18.1    Length: 52.00

From	To	Sample	Au(g/t)	Ag(g/t)
7.00	9.00	52194	.00	1.50
9.00	11.00	52195	.00	2.00
11.00	13.00	52196	.00	2.00
13.00	15.00	52197	.00	3.00
15.00	17.00	52198	.00	1.50
17.00	18.00	52199	.00	2.00
18.00	19.00	52200	.00	.50
19.00	20.00	52201	.00	3.00
20.00	21.00	52202	.00	1.50
21.00	22.00	52203	.00	2.00
22.00	23.00	52204	.00	1.50
23.00	24.00	52205	.00	2.00
24.00	25.00	52206	.00	1.00
25.00	26.00	52207	.00	1.50
26.00	27.00	52208	.85	3.00
27.00	28.00	52209	1.35	5.50
28.00	29.00	52210	1.65	3.50
29.00	30.00	52211	.00	4.00
30.00	31.00	52212	.00	5.00
31.00	32.00	52213	.00	4.00
32.00	33.00	52214	.65	6.50
33.00	34.00	52215	.05	6.00
34.00	35.00	52216	.00	2.50
35.00	36.00	52217	.00	4.00
36.00	37.00	52218	.55	6.00
37.00	38.00	52219	.35	4.50
38.00	39.30	52220	.45	6.00
39.30	41.00	52221	3.00	15.00
41.00	43.00	52222	2.75	53.50
43.00	45.00	52223	.15	6.00
45.00	47.00	52224	.20	14.50
47.00	49.00	52225	.25	6.00
49.00	50.50	52226	.00	.00
50.50	52.00	52227	.05	3.50

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-34

Page 2

From	To	Alteration
.00	7.00	U1A3a
7.00	17.00	U1A3a
38.00	41.00	A8/A2
39.00	41.00	U2A2
41.00	52.00	U2A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-35                      ZONE: JD WEST                      DATE: 19880819

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates:    26879.43 N.    31187.16 E.                      Elev. 1835.70 meters

Azimuth: 126.3    Dip: -16.8    Length: 97.00

From	To	Sample	Au(g/t)	Ag(g/t)
1.50	3.50	52228	.05	3.50
3.50	5.00	52229	.00	4.00
5.00	7.00	52230	.00	7.00
7.00	9.00	52231	.05	27.00
9.00	11.00	52232	.00	18.50
11.00	13.00	52233	.00	14.00
13.00	15.00	52234	.00	15.50
15.00	17.00	52235	.05	46.50
17.00	19.00	52236	.25	267.00
19.00	21.00	52237	.05	22.50
21.00	23.00	52238	.20	55.00
23.00	25.00	52239	.20	38.00
25.00	27.00	52240	1.35	202.00
27.00	28.00	52241	1.20	448.00
28.00	29.00	52242	6.05	1125.00
29.00	30.00	52243	2.20	319.00
30.00	31.00	52244	.20	13.50
31.00	32.00	52245	.05	27.00
32.00	33.00	52246	.00	.00
33.00	35.00	52247	.05	.00
35.00	37.00	52248	.05	5.00
37.00	39.00	52249	.00	.00
39.00	41.00	52250	.00	3.50
41.00	43.00	52251	.15	10.50
43.00	45.00	52252	.20	9.00
45.00	47.00	52253	.05	.00
47.00	49.00	52254	.15	28.00
49.00	51.00	52255	.00	.00
51.00	53.00	52256	.00	.00
53.00	55.00	52257	.00	.00
55.00	57.00	52258	.25	.00
57.00	59.00	52259	.00	.00
59.00	60.00	52260	.00	.00
62.00	64.00	52261	.00	.00
64.00	65.50	52262	.00	.00



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-35

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
66.50	66.50	52263	.00	.00
69.50	69.50	52264	.00	.00
74.00	74.00	52265	.05	.00
76.50	78.50	52266	.00	.00
78.50	80.50	52267	.00	.00
82.00	82.00	52268	.00	.00
84.00	84.00	52269	.05	.00
91.00	91.00	52270	.05	.00
92.50	92.50	52271	.05	.00

\*\*\*

From	To	Alteration
.00	16.00	A3A7
16.00	26.00	A5A7
26.00	30.00	A5A7
30.00	31.50	A5A7
31.50	34.40	A2
34.40	44.90	A2A3
44.90	62.00	A8A2
62.00	76.50	A8U2
76.50	80.50	U2A8
80.50	97.00	A8A3

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-36                      ZONE: MVT                      DATE: 19880820

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates:    26411.49 N.    31539.68 E.    Elev. 1776.80 meters

Azimuth: 196.0    Dip: -1.4    Length: 19.50

From	To	Sample	Au(g/t)	Ag(g/t)
1.50	2.50	52272	.35	.50
2.50	3.00	52273	.40	2.00
3.00	3.50	52274	.65	4.50
3.50	4.00	52275	.40	1.50
4.00	5.00	52276	.15	.00
5.00	7.00	52277	.15	.50
7.00	8.50	52278	.45	2.00
8.50	9.50	52279	.35	.50
9.50	11.00	52280	.15	.00
11.00	12.10	52281	.15	.00
12.10	14.00	52282	.05	.00
14.00	16.00	52283	.05	.00

\* \* \*

From	To	Alteration
.00	2.50	A3a
2.50	4.00	MVT
4.00	8.50	A3a
8.50	9.50	A3
9.50	11.00	A3A8
11.00	11.40	A8
11.40	19.50	A3a

\* \* \*

ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-37

ZONE: MVT

DATE: 19880820

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates: 26421.67 N. 31558.74 E. Elev. 1782.50 meters

Azimuth: 211.8 Dip: -4.1 Length: 26.20

From	To	Sample	Au(g/t)	Ag(g/t)
4.00	6.60	52284	.00	.00
6.60	8.00	52285	.15	.00
8.00	10.00	52286	.60	2.50
10.00	12.30	52287	.20	.00
12.30	13.80	52288	.20	.00
13.80	15.70	52289	.00	.00
15.70	17.50	52290	.15	.50
17.50	19.50	52291	.15	.50
19.50	21.50	52292	.15	.00

\*\*\*

From	To	Alteration
.00	6.00	A3a
6.00	7.40	MVT
7.40	10.00	A8
10.00	14.60	A3a
14.60	26.20	A3aU2

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-38                      ZONE: MVT                      DATE: 19880820

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates:    26406.25 N.    31592.26 E.    Elev. 1797.20 meters

Azimuth: 214.0    Dip: -10.6    Length: 45.80

From	To	Sample	Au(g/t)	Ag(g/t)
1.50	1.50	52294	.80	.00
4.00	4.00	52295	.15	.00
5.50	5.50	52296	.00	.00
8.00	8.00	52297	.00	.00
10.00	10.00	52298	.00	.00
11.50	13.50	52299	.00	.00
13.50	15.50	52300	.05	.00
15.50	18.00	52301	.10	.50
18.00	18.50	52302	.05	.00
18.50	19.00	52303	.05	.00
19.00	19.50	52304	.20	.00
19.50	20.00	52305	.35	2.00
20.00	20.50	52306	.55	.50
20.50	21.00	52307	.10	.00
21.00	21.50	52308	.00	.00
21.50	22.00	52309	.25	.00
22.00	24.00	52310	.00	.00

\* \* \*

From	To	Alteration
.00	9.00	A3a
9.00	14.00	A3a
14.00	18.00	A3a
18.00	21.00	A8
21.00	22.00	A7
22.00	45.80	A3a

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-39                      ZONE: MVT                      DATE: 19880820

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates:    26387.64 N.    31638.73 E.    Elev. 1810.90 meters

Azimuth: 211.1    Dip: -13.0    Length: 65.00

From	To	Sample	Au(g/t)	Ag(g/t)
18.00	19.00	52311	.15	.00
22.00	24.00	52312	.00	.00
24.00	25.00	52313	.05	.00
25.00	26.00	52314	.20	.00
26.00	27.00	52315	.20	.00
27.00	28.00	52316	.15	.00
28.00	28.50	52317	.00	.00
28.50	29.00	52318	.60	.00
29.00	30.00	52319	.05	.00
30.00	32.00	52320	.10	.00
32.00	34.00	52321	.20	.00
34.00	36.00	52322	7.55	.50
36.00	38.00	52323	.65	.00
44.00	46.80	52324	.00	.00

\* \* \*

From	To	Alteration
.00	22.00	A3a
22.00	26.20	A7U2
26.20	27.50	A7A3
27.50	28.50	Vol
28.50	29.40	A7A3
29.40	32.00	A3a
32.00	35.00	A8U2
35.00	37.40	A7A3a
37.40	44.00	A3a
44.00	46.80	A8A3a
46.80	56.00	A3a
56.00	65.00	A3a

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-40                      ZONE: MVT                      DATE: 19880821

Logged by: NMC

Depth Overburden: 1.00 meters

Zero End Coordinates:    26368.98 N.    31678.20 E.    Elev. 1818.30 meters

Azimuth: 212.9    Dip: -16.5    Length: 109.00

From	To	Sample	Au(g/t)	Ag(g/t)
32.00	34.00	52325	.00	.00
34.00	36.30	52326	.65	3.50
45.00	47.50	52327	.00	.00
47.50	50.00	52328	.00	.00

\*\*\*

From	To	Alteration
.00	10.80	A3a
10.80	12.00	Dyke
12.00	31.20	A3a
31.20	36.30	A8
36.30	45.00	A3a
45.00	50.00	A3a
50.00	95.00	A3a
95.00	109.00	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-41                      ZONE: MVT                      DATE: 19880823

Logged by: NC/TH

Depth Overburden: 1.20 meters

Zero End Coordinates:    26342.76 N.    31724.45 E.    Elev. 1823.30 meters

Azimuth: 211.5    Dip: -20.1    Length: 127.50

From	To	Sample	Au(g/t)	Ag(g/t)
24.00	25.00	52395	.15	.50
25.00	27.00	52396	.15	1.00
27.00	29.00	52397	.15	.50
29.00	31.00	52398	.20	1.00
31.00	33.00	52399	.20	.50
33.00	35.00	52400	.05	.50
35.00	36.50	52401	.15	.00
108.80	111.00	52402	.15	.50
111.00	113.50	52403	.00	.00

\*\*\*

From	To	Alteration
.00	24.00	A3a
24.00	28.50	A3A8
28.50	33.00	A3a
33.00	36.50	A3a
36.50	77.80	A3a
77.80	79.50	A3a
79.50	108.80	A3a
108.80	111.00	A3a
111.00	113.50	A3a
113.50	119.00	A3a
119.00	127.50	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-42                      ZONE: MVT                      DATE: 19880820

Logged by: NMC

Depth Overburden: 1.50 meters

Zero End Coordinates:    26438.34 N.    31510.53 E.    Elev. 1752.40 meters

Azimuth: 208.4    Dip: 1.4    Length: 40.30

From	To	Sample	Au(g/t)	Ag(g/t)
8.80	10.00	52329	.20	.00
10.00	11.00	52330	.15	.00
11.00	11.70	52331	.60	.00
11.70	13.00	52332	.10	.00
13.00	14.00	52333	.75	.00
14.00	15.00	52334	.55	.00
15.00	16.00	52335	1.00	2.50
16.00	17.00	52336	.35	2.00
17.00	18.00	52337	.05	.50
18.00	19.00	52338	.10	3.00
19.00	20.00	52339	.05	2.00
20.00	21.00	52340	.95	7.50
21.00	22.00	52341	.35	2.50
22.00	23.00	52342	.15	1.50
23.00	24.00	52343	.85	2.00
24.00	25.00	52344	.15	1.00
25.00	26.00	52345	5.15	30.00
26.00	27.00	52346	1.15	79.50
27.00	28.00	52347	.15	17.50
28.00	29.00	52348	.05	1.00
29.00	30.00	52349	.05	.00
33.00	33.00	52350	.00	.00
35.00	35.00	52351	.00	.00
38.00	38.00	52352	.00	.00

\* \* \*

From	To	Alteration
.00	10.00	A3a
10.00	11.70	A8
11.70	15.50	A3a
15.50	19.00	A5A7
19.00	25.00	A3a



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-42

Page 2

From	To	Alteration
25.00	26.50	A7A8
26.50	40.30	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-43                      ZONE: MVT                      DATE: 19880821

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates:    26454.40 N.    31468.55 E.    Elev. 1728.60 meters

Azimuth: 229.7    Dip: -14.2    Length: 19.00

From	To	Sample	Au(g/t)	Ag(g/t)
8.00	9.50	52353	.00	.00
9.50	11.50	52354	.00	.00
11.50	13.50	52355	.00	.00
13.50	15.50	52356	.00	.00
15.50	17.50	52357	.00	.00
17.50	19.00	52358	.00	.00

\*\*\*

From	To	Alteration
.00	9.50	A3a
9.50	11.50	A8
11.50	19.00	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-44                      ZONE: MVT                      DATE: 19880821

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates:    26442.39 N.    31454.40 E.    Elev. 1723.90 meters

Azimuth: 206.4    Dip: -3.7    Length: 10.71

From	To	Sample	Au(g/t)	Ag(g/t)
.00	1.00	52359	.05	.50
1.00	2.00	52360	.45	1.00
2.00	3.00	52361	.20	1.00
3.00	4.00	52362	.05	.50
4.00	5.00	52363	.05	.50
5.00	6.00	52364	1.80	.00
6.00	7.00	52365	.45	.00
7.00	8.00	52366	.35	.00
8.00	9.00	52367	.00	.00
9.00	9.70	52368	.15	1.50

\*\*\*

From	To	Alteration
.00	9.70	A8A3a
9.70	10.50	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-45                      ZONE: MVT                      DATE: 19880821

Logged by: NMC

Depth Overburden: 2.00 meters  
Zero End Coordinates:    26432.80 N.    31449.64 E.    Elev. 1723.20 meters

Azimuth: 184.6    Dip: .3    Length: 22.22

From	To	Sample	Au(g/t)	Ag(g/t)
5.00	7.00	52369	.25	1.00
7.00	9.00	52370	.15	1.00
9.00	10.50	52371	.05	.50
15.80	16.60	52372	.15	1.00

\*\*\*

From	To	Alteration
.00	15.80	A3a
15.80	16.60	A8
16.60	21.80	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-46

ZONE: MVT

DATE: 19880822

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates: 26473.81 N. 31433.80 E. Elev. 1706.50 meters

Azimuth: 243.7 Dip: -16.6 Length: 18.50

From	To	Sample	Au(g/t)	Ag(g/t)
.00	18.50	0	.00	.00

\*\*\*

From	To	Alteration
.00	18.50	A3aU2

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-47                      ZONE: MVT                      DATE: 19880823

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates:    26465.94 N.    31417.85 E.    Elev. 1701.20 meters

Azimuth: 196.5    Dip: -6.7    Length: 33.50

From	To	Sample	Au(g/t)	Ag(g/t)
7.80	9.80	52373	.00	.00
9.80	10.80	52374	.00	.00
10.80	12.80	52375	.00	.00
12.80	13.80	52376	.45	.00
13.80	15.70	52377	.55	1.00
16.30	17.30	52378	.75	1.50
17.30	18.30	52379	.55	1.50
18.30	19.30	52380	1.35	.50
19.30	21.30	52381	.05	.00
21.30	23.30	52382	.05	.50
23.30	25.30	52383	.05	.00
25.30	27.70	52384	.00	.00

\*\*\*

From	To	Alteration
.00	7.80	A3a
7.80	10.80	A8
10.80	15.70	A3a
15.70	16.30	U3
16.30	18.30	A3a
18.00	19.30	A8
19.30	23.00	A3a
23.00	25.30	A8
25.30	33.50	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-48

ZONE: MVT

DATE: 19880824

Logged by: TLH/NC

Depth Overburden: 2.00 meters

Zero End Coordinates: 26518.58 N. 31402.59 E. Elev. 1674.20 meters

Azimuth: 231.3 Dip: -4.5 Length: 47.00

From	To	Sample	Au(g/t)	Ag(g/t)
16.00	18.00	52385	.00	.00
18.00	20.00	52386	.00	.00
20.00	21.60	52387	.00	4.00
21.60	22.70	52388	.00	3.50
23.30	24.50	52389	.00	.50
24.50	26.00	52390	.00	.00

\*\*\*

From	To	Alteration
.00	16.00	A3a
16.00	21.50	A3a
21.50	24.00	U3
24.00	47.00	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-49      ZONE: MVT      DATE: 19880824

Logged by: TLH/NC

Depth Overburden: 2.50 meters

Zero End Coordinates:    26489.49 N.    31366.32 E.    Elev. 1670.50 meters

Azimuth: 182.3    Dip: 7.0    Length: 31.60

From	To	Sample	Au(g/t)	Ag(g/t)
13.50	14.70	52391	.00	.00
14.70	16.50	52392	.00	.50
16.50	18.50	52393	.00	.00
28.00	29.30	52394	.00	.00

\* \* \*

From	To	Alteration
.00	13.50	A3a
13.50	16.50	A3aA8
16.50	28.00	A3a
28.00	29.30	A3aA8
29.30	31.60	A3a

\* \* \*



ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-50

ZONE: MVT

DATE: 19880823

Logged by: TLH

Depth Overburden: 1.00 meters

Zero End Coordinates: 26309.67 N. 31764.04 E. Elev. 1819.40 meters

Azimuth: 214.3 Dip: -19.0 Length: 64.70

From	To	Sample	Au(g/t)	Ag(g/t)
17.20	19.00	52404	.00	.00
19.00	20.50	52405	.95	5.00
20.50	21.10	52406	6.20	17.50
21.10	23.00	52407	.05	1.40
23.00	25.00	52418	.05	1.00
25.00	26.00	52408	.05	.50
26.00	27.00	52409	.05	.00
27.00	27.50	52410	.00	.00
27.50	28.00	52411	.00	.00
28.00	28.50	52412	.05	1.50
28.50	29.70	52413	.00	.00
31.70	33.00	52414	.05	.00
33.00	35.00	52415	.05	.00
35.00	36.00	52416	.00	.50
36.00	37.70	52417	.15	.50

\*\*\*

From	To	Alteration
.00	17.20	A3a
17.20	20.50	A3a
20.50	21.10	
21.10	25.00	A3a
25.00	27.00	A3a
27.00	27.50	A3a
27.50	28.00	A3a
28.00	29.70	A3a
29.70	31.70	A3a
31.70	33.00	A3a
33.00	35.00	A3a
35.00	36.00	A3a
36.00	64.70	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-51                      ZONE: MVT                      DATE: 19880824

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26278.30 N.    31793.91 E.    Elev. 1807.50 meters

Azimuth: 211.9    Dip: -20.2    Length: 73.70

From	To	Sample	Au(g/t)	Ag(g/t)
7.00	8.00	52419	.10	.00
8.00	9.00	52420	.05	1.00
9.00	10.00	52421	.00	.00
14.00	16.00	52422	.00	.00
16.00	18.00	52423	.00	.00
18.00	19.00	52424	.00	.00
19.00	20.00	52425	.05	.00
20.00	21.00	52426	.00	.00
21.00	22.00	52427	.00	.00
22.00	22.50	52428	.05	.00
22.50	24.00	52429	.00	.00
24.00	26.20	52430	.00	.00
26.20	26.60	52431	.20	.00
26.60	27.60	52432	.20	.50
40.40	41.40	52433	.00	.00
43.00	45.00	52434	.00	.00
45.00	47.00	52435	.25	.00
47.00	48.00	52436	.05	.00

\* \* \*

From	To	Alteration
.00	6.00	A3a
6.00	7.90	A3a
7.90	9.20	A3aA2
9.20	10.00	A3a
10.00	14.00	A3a
14.00	18.00	A3a
18.00	19.50	A3a
19.50	22.40	A3A2
22.40	26.20	A3a
26.20	26.60	A5
26.60	40.40	A3a

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-51

Page 2

From	To	Alteration
40.40	41.40	A3a
41.40	43.00	A3a
43.00	48.00	A3a
48.00	73.70	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-52                      ZONE: MVT                      DATE: 19880825

Logged by: NMC

Depth Overburden: 2.50 meters

Zero End Coordinates:    26234.62 N.    31831.12 E.    Elev. 1789.00 meters

Azimuth: 214.9    Dip: -19.8    Length: 39.00

From	To	Sample	Au(g/t)	Ag(g/t)
13.00	14.50	52437	.00	.50
14.50	15.50	52438	.00	1.00
15.50	16.50	52439	.05	1.00

\*\*\*

From	To	Alteration
.00	13.00	A3a
13.00	16.50	A3aA8
16.50	23.60	A3a
23.60	39.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-53                      ZONE: JC                      DATE: 19880825

Logged by: NMC

Depth Overburden: 2.50 meters

Zero End Coordinates:    26112.63 N.    32008.10 E.    Elev. 1807.70 meters

Azimuth: 278.6    Dip: -18.4    Length: 102.60

From	To	Sample	Au(g/t)	Ag(g/t)
7.00	9.00	52440	.00	.00
9.00	11.00	52441	.00	.00
11.00	13.00	52442	.00	.00
13.00	15.00	52443	.00	.00
15.00	17.00	52444	.00	.00
17.00	19.00	52445	.00	.00
19.00	21.00	52446	.00	1.50
21.00	23.00	52447	.05	1.00
23.00	25.00	52448	.00	1.00
25.00	27.00	52449	.00	1.50
27.00	29.00	52450	.00	.50
29.00	31.00	52451	.00	.00
34.30	36.00	52452	.05	.50
36.00	38.00	52453	.05	2.00
38.00	40.00	52454	.00	1.00
40.00	42.00	52455	.00	2.00
42.00	44.00	52456	.00	1.00
44.00	46.00	52457	.00	1.50
46.00	48.00	52458	.05	1.50
48.00	50.00	52459	.05	2.50
50.00	52.00	52460	.05	3.00
52.00	54.00	52461	.05	2.50
54.00	56.00	52462	.05	3.50
56.00	58.00	52463	.40	4.50
58.00	59.00	52464	.05	.50
59.00	60.00	52465	.05	.00
60.00	61.00	52466	.00	.00
61.00	62.00	52467	.05	.00
62.00	63.00	52468	.05	.00
63.00	64.00	52469	.10	.00
64.00	65.00	52470	.00	.00
65.00	66.00	52471	.05	.00
66.00	67.00	52472	.25	.00
67.00	68.00	52473	.05	3.00
68.00	69.00	52474	.35	.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-53

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
69.00	70.00	52475	.20	.00
70.00	71.00	52476	.25	.00
71.00	72.00	52477	.15	.00
72.00	73.40	52478	.05	.00

\* \* \*

From	To	Alteration
.00	6.60	A3a
6.60	10.00	A8
10.00	31.00	A8
31.00	34.00	A3a
34.00	41.00	A8
41.00	46.00	A3A2
46.00	51.00	A2
51.00	52.00	A7A2
52.00	61.70	A2A5
61.70	64.00	A2A7
64.00	66.00	A3aA2
66.00	67.00	A2
67.00	69.00	A7A2
69.00	73.40	A2A5
73.40	77.00	A3a
77.00	102.60	OB

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-54

ZONE: JC

DATE: 19880826

Logged by: NMC

Depth Overburden: 2.80 meters

Zero End Coordinates: 26066.76 N. 31958.90 E. Elev. 1789.30 meters

Azimuth: 269.4 Dip: -19.5 Length: 58.00

From	To	Sample	Au(g/t)	Ag(g/t)
3.50	5.00	52482	.00	.00
5.00	6.00	52483	.00	.00
6.00	7.00	52484	.00	.00
7.00	8.00	52485	.00	.00
8.00	9.00	52486	.00	.00
9.00	10.00	52487	.05	.00
10.00	10.50	52488	.10	.00
10.50	11.00	52489	1.15	.50
11.00	11.50	52490	.35	2.00
11.50	12.00	52491	.75	3.50
12.00	12.50	52492	.35	3.50
12.50	13.00	52493	.80	5.00
13.00	13.50	52494	.60	8.00
13.50	14.00	52495	.40	4.00
14.00	14.50	52496	.20	2.50
14.50	15.50	52497	.60	4.00
15.50	16.50	52498	.35	3.50
16.50	17.50	52499	.15	.50
17.50	18.50	52500	.15	.00
18.50	19.50	52501	.25	.00
19.50	20.50	52502	.25	1.50
20.50	21.50	52503	.00	.50
21.50	22.50	52504	.00	.00
22.50	23.50	52505	.00	.50
23.50	25.00	52506	.00	.50
25.00	27.00	52507	.05	.00
27.00	29.00	52508	.20	.00
29.00	31.00	52509	.40	.50
31.00	33.00	52510	.15	1.00
33.00	35.00	52511	.35	.00
35.00	37.00	52512	.20	1.00
37.00	38.00	52513	.15	1.00
38.00	40.00	52514	.05	.50
40.00	42.00	52515	.00	.00
42.00	44.00	52516	.00	.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-54

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
44.00	46.00	52517	.00	.50
46.00	47.00	52518	.00	.50
47.00	48.00	52519	.00	.50
48.00	49.00	52520	.05	.50
49.00	50.00	52521	.00	1.00
50.00	51.50	52522	.00	1.00

\*\*\*

From	To	Alteration
.00	3.50	A3a
3.50	11.50	A2A5
11.50	14.50	A2A7
14.50	15.50	A2
15.50	17.50	A7A3a
17.50	19.00	A5
19.00	38.00	A3A5
38.00	40.50	A3a
40.50	46.00	A2
46.00	47.50	A2
47.50	50.00	A2A7
50.00	54.00	A2
54.00	54.50	A3a
54.50	58.00	OB

\*\*\*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-55      ZONE: GASP      DATE: 19880824

Logged by: TLH

Depth Overburden: 4.00 meters

Zero End Coordinates:    26169.35 N.    31967.12 E.    Elev. 1793.20 meters

Azimuth: 258.9    Dip: -16.3    Length: 23.20

From	To	Sample	Au(g/t)	Ag(g/t)
3.00	5.00	52479	.00	1.00
5.00	7.00	52480	.05	1.50
7.00	9.50	52481	.00	1.50

\*\*\*

From	To	Alteration
.00	3.00	OB
3.00	9.50	A2A8
9.50	23.20	OB

\*\*\*

ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-56

ZONE: JC

DATE: 19880826

Logged by: TLH

Depth Overburden: 3.50 meters

Zero End Coordinates: 26027.68 N. 31978.84 E. Elev. 1791.80 meters

Azimuth: 257.8 Dip: -18.9 Length: 85.50

From	To	Sample	Au(g/t)	Ag(g/t)
1.40	3.00	52523	.15	3.00
3.00	3.50	52524	.00	4.00
3.50	4.50	52525	.00	1.50
4.50	5.50	52526	.00	1.00
5.50	6.50	52527	.00	.50
6.50	7.50	52528	.00	1.50
7.50	8.50	52529	.00	1.00
8.50	9.50	52530	.00	1.50
9.50	10.50	52531	.00	.50
10.50	12.50	52532	.00	1.00
12.50	14.50	52533	.00	1.00
14.50	16.50	52534	.00	1.50
16.50	17.50	52535	.00	1.50
17.50	18.50	52536	.00	3.00
18.50	19.50	52537	.05	3.00
19.50	20.50	52538	.35	15.00
20.50	21.50	52539	.45	3.50
21.50	22.30	52540	.60	3.00
22.30	23.30	52541	.55	3.50
23.30	24.50	52542	.40	.00
24.50	25.50	52543	1.40	6.00
25.50	27.00	52544	.55	4.50
27.00	28.00	52545	.75	2.00
28.00	29.00	52546	2.60	2.00
29.00	30.00	52547	.65	1.50
30.00	31.00	52548	.55	2.50
31.00	32.00	52549	.45	3.50
32.00	34.00	52550	.20	3.00
34.00	35.00	52551	1.65	3.00
35.00	36.00	52552	.25	2.00
36.00	37.00	52553	.35	1.50
37.00	38.00	52554	.45	3.00
38.00	39.00	52555	.55	3.50
39.00	40.00	52556	.65	3.50
40.00	41.50	52557	.75	4.00

## ENERGEX MINERALS LTD.

## Trench Log

TRENCH: JD88-56

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
41.50	43.00	52558	1.05	3.50
43.00	44.00	52559	.65	4.00
44.00	45.00	52560	.95	6.00
45.00	46.00	52561	.65	2.50
46.00	47.00	52562	.60	2.50
47.00	48.00	52563	.35	6.00
48.00	48.70	52564	.25	3.50
48.70	50.00	52565	.25	2.50
50.00	51.50	52566	.25	2.50
51.50	52.50	52567	.45	1.00
52.50	54.50	52568	.25	1.00
54.50	56.50	52569	.15	.50
56.50	58.00	52570	.15	1.00
58.00	59.50	52571	.15	.50
59.50	60.50	52572	.25	.00
60.50	61.50	52573	.15	.00
61.50	63.00	52574	.15	.00
63.00	65.00	52575	.15	.50
65.00	67.00	52576	.15	4.00
67.00	69.00	52577	.05	2.00
69.00	71.00	52578	.05	1.50
71.00	73.00	52579	.00	1.50
73.00	75.00	52580	.20	.00
75.00	77.00	52581	.15	1.00
77.00	78.00	52582	.05	1.00
78.00	79.50	52583	1.60	8.50

\* \* \*

From	To	Alteration
.00	1.40	A3a
1.40	2.80	A8A2
2.80	5.00	A5A2
5.00	8.50	A8A7
8.50	10.50	A8A2
10.50	16.50	A8A2
16.50	17.30	A2
17.30	18.20	A2
18.20	18.70	A8A7
18.70	19.60	A2
19.60	22.30	A2A5
22.30	24.50	A3aA8
24.50	25.50	A5

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-56

Page 3

From	To	Alteration
25.50	27.00	A3a
27.00	31.00	A2A5
31.00	32.00	A3a
32.00	34.00	A8A2
34.00	35.00	A3A7
35.00	36.00	A3a
36.00	41.20	A2A5
41.20	42.50	A3a
42.50	48.70	A2A5
48.70	51.50	A3a
51.50	54.50	A3a
54.50	56.50	A3a
56.50	59.50	A3a
59.50	63.00	A2A5
63.00	79.50	A8Bxx
79.50	85.50	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-57                      ZONE: JC                      DATE: 19880826

Logged by: NMC

Depth Overburden: 3.00 meters

Zero End Coordinates:    25967.93 N.    32006.40 E.    Elev. 1791.70 meters

Azimuth: 260.2    Dip: -14.7    Length: 48.50

From	To	Sample	Au(g/t)	Ag(g/t)
4.55	5.00	52584	.05	.00
5.00	6.00	52585	.05	.00
6.00	7.00	52586	.00	3.50
7.00	8.00	52587	.05	1.00
8.00	9.00	52588	.00	.00
9.00	10.00	52589	.05	.50
10.00	11.00	52590	.00	1.00
11.00	12.00	52591	.00	1.00
12.00	13.50	52592	.35	5.50
13.50	14.30	52593	.20	2.00
14.30	15.00	52594	.15	1.00
15.00	16.00	52595	.15	1.50
16.00	17.00	52596	.05	1.50
17.00	18.00	52597	.05	1.00
18.00	19.00	52598	.05	.50
19.00	20.00	52599	.05	.50
20.00	21.00	52600	.05	.50
21.00	22.00	52601	.05	.50
22.00	23.00	52602	.00	.00
23.00	24.00	52603	.05	.50
24.00	25.00	52604	.25	.50
25.00	26.00	52605	.35	1.00
26.00	27.00	52606	.35	.50
27.00	28.00	52607	.60	1.50
28.00	29.00	52608	.35	.00
29.00	30.00	52609	.55	.00
30.00	31.00	52610	.85	1.00
31.00	32.00	52611	.35	2.00
32.00	33.00	52612	.15	2.50
33.00	35.00	52613	.25	2.00
35.00	37.00	52614	.00	.50
37.00	39.00	52615	.00	.00
39.00	41.00	52616	.00	.00

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-57

Page 2

From	To	Alteration
.00	10.00	A8
10.00	13.50	A2
13.50	14.30	A2
14.30	16.00	A5A7
16.00	22.50	A5A7
22.50	25.00	A5
25.00	33.00	A5
33.00	41.30	A8
41.30	48.50	OB

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-58

ZONE: JC

DATE: 19880826

Logged by: NMC

Depth Overburden: 2.50 meters

Zero End Coordinates: 25904.85 N. 32027.34 E. Elev. 1800.20 meters

Azimuth: 270.6 Dip: -14.2 Length: 44.30

From	To	Sample	Au(g/t)	Ag(g/t)
5.50	9.00	52617	.00	9.50
9.70	10.50	52618	.00	2.00
10.50	11.50	52619	.45	14.50
11.50	12.50	52620	.20	15.00
12.50	13.50	52621	.25	10.50
13.50	14.50	52622	.40	18.00
14.50	15.60	52623	.00	2.00
15.60	16.50	52624	.20	4.50
16.50	18.00	52625	.15	2.50
18.00	19.00	52626	.40	2.00
19.00	20.40	52627	.55	3.50
20.40	22.00	52628	1.75	3.50
22.00	23.00	52629	.55	4.50
23.00	24.00	52630	.35	4.00
24.00	25.00	52631	.20	2.00
25.00	26.00	52632	.35	4.00
26.00	27.20	52633	.95	7.00
27.20	30.00	52634	.05	.50
30.00	32.00	52635	.00	1.00
32.00	34.00	52636	.45	8.00
34.00	36.00	52637	.45	1.50
36.00	38.00	52638	.25	6.00
38.00	40.00	52639	.20	2.50

\* \* \*

From	To	Alteration
.00	5.50	A3a
5.50	8.30	A8A5
8.30	9.00	A5A7
9.00	9.70	U3
9.70	16.50	A2
16.50	20.50	A2A8

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-58

Page 2

From	To	Alteration
20.50	28.00	A2A5
28.00	32.00	A8
32.00	40.00	A3aA8
40.00	41.00	U3
41.00	44.30	A3a

\*\*\*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-59                      ZONE: JC                      DATE: 19880827

Logged by: NMC

Depth Overburden: 2.50 meters  
Zero End Coordinates:    25905.27 N.    31986.18 E.    Elev. 1789.80 meters

Azimuth: 258.9    Dip: -20.7    Length: 45.00

From	To	Sample	Au(g/t)	Ag(g/t)
.00	45.00	0	.00	.00

\*\*\*

From	To	Alteration
.00	30.00	A3a
30.00	45.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-60                      ZONE: JC                      DATE: 19880827

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    25865.16 N.    32082.36 E.    Elev. 1812.50 meters

Azimuth: 265.2    Dip: -12.6    Length: 65.00 ,

From	To	Sample	Au(g/t)	Ag(g/t)
14.50	15.70	52640	.00	.00
15.70	16.70	52641	.00	.00
38.00	39.00	52662	.00	1.00
39.00	40.00	52642	.00	.00
40.00	41.00	52643	.00	.50
41.00	42.00	52644	.00	2.00
42.00	42.50	52645	.00	2.50
42.50	43.00	52646	.20	3.50
43.00	44.00	52647	.95	6.00
44.00	45.00	52648	.20	2.50
45.00	46.00	52649	.15	1.00
46.00	47.00	52650	.20	.00
47.00	48.00	52651	.00	.50
48.00	49.00	52652	.00	.00
49.00	50.00	52653	.00	3.00
50.00	50.50	52654	.05	3.00
50.50	51.50	52655	.00	.00
51.50	52.50	52656	.00	.00
52.50	54.50	52657	.00	.00
54.50	56.50	52658	.00	.50
56.50	58.50	52659	.00	1.00
58.50	60.50	52660	.00	.00
60.50	62.50	52661	.00	.00

\* \* \*

From	To	Alteration
.00	14.50	A3a
14.50	16.70	A3a
16.70	37.00	A3a
37.00	40.00	A3a
40.00	41.00	A7A3
41.00	42.00	A5

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-60

Page 2

From	To	Alteration
42.00	42.50	A2
42.50	44.60	A2
44.60	45.50	A3a
45.50	48.00	A3A7
48.00	55.00	A3A5
55.00	62.50	A3a
62.50	65.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-61                      ZONE: JC                      DATE: 19880827

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    25812.18 N.    32063.47 E.            Elev. 1804.80 meters

Azimuth: 269.6    Dip: -11.7    Length: 32.00

From	To	Sample	Au(g/t)	Ag(g/t)
1.00	2.00	52663	.05	.00
2.00	3.60	52664	.05	.00
3.60	4.30	52665	.00	.00
7.00	8.00	52666	.20	3.50
6.90	8.00	52667	.05	.00
8.00	9.00	52668	.00	.00
9.00	10.00	52669	.00	.00
10.00	11.00	52670	.00	.00
11.00	12.00	52671	.05	.00
12.00	13.00	52672	.00	.00
13.00	14.00	52673	.00	.00
14.00	15.30	52674	.00	.00
15.30	15.70	52675	.05	2.00
15.70	17.00	52676	.00	.00
17.00	18.00	52677	.00	.00
18.00	20.00	52678	.00	.00
20.00	22.00	52679	.00	.00
22.00	24.00	52680	.00	.00
24.00	26.00	52681	.00	.00
26.00	28.00	52682	.00	.00
28.00	30.00	52683	.00	.00
9.60	9.60	52684	.05	1.50
12.50	12.50	52685	.05	2.00
15.00	15.00	52686	.00	.00

\* \* \*

From	To	Alteration
.00	3.60	A3a
3.60	4.30	A3a
4.30	8.50	A2
8.50	15.30	A3a
15.30	15.70	A2

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-61

Page 2

From	To	Alteration
15.70	30.00	A3a
30.00	32.00	OB

\*\*\*

ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-62

ZONE: GUMBO

DATE: 19880828

Logged by: NMC

Depth Overburden: 1.80 meters

Zero End Coordinates: 26069.15 N. 32093.47 E. Elev. 1835.40 meters

Azimuth: 276.4 Dip: -10.9 Length: 52.00

From	To	Sample	Au(g/t)	Ag(g/t)
3.20	5.00	52687	.00	.00
5.00	7.00	52688	.00	.00
7.00	9.00	52689	.00	.00
9.00	11.00	52690	.00	.00
11.00	13.00	52691	.00	.00
13.00	14.30	52692	.00	.00
14.30	16.00	52693	.00	.00
16.00	18.00	52694	.00	.00
18.00	20.00	52695	.00	.00
20.00	22.00	52696	.00	.00
28.00	30.00	52697	.00	.00
30.00	32.00	52698	.00	.00
32.00	34.00	52699	.00	.00
34.00	36.00	52700	.00	.00
36.00	38.00	52701	.05	.00
38.00	40.00	52702	.45	.00
40.00	42.00	52703	.65	4.00
42.00	44.00	52704	.00	.50
44.00	46.00	52705	.00	.00

\*\*\*

From	To	Alteration
.00	1.00	U3
1.00	14.30	A8
14.30	20.00	A3a
20.00	21.00	A8
21.00	28.00	A3a
28.00	44.60	A8
44.60	52.00	A3a

\*\*\*

ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-63

ZONE: GUMBO

DATE: 19880828

Logged by: NMC

Depth Overburden: 2.00 meters

Zero End Coordinates: 26152.45 N. 32106.56 E. Elev. 1830.50 meters

Azimuth: 278.4 Dip: -8.9 Length: 59.71

From	To	Sample	Au(g/t)	Ag(g/t)
1.00	3.00	52709	.00	.00
3.00	5.00	52710	.00	.00
5.00	7.00	52711	.00	.00
7.00	9.00	52712	.00	.00
9.00	11.00	52713	.00	.00
11.00	13.00	52714	.00	.00
13.00	15.00	52715	.00	.00
15.00	17.00	52716	.00	.00
17.00	19.00	52717	.00	.00
19.00	21.00	52718	.00	.00
21.00	23.00	52719	.00	.00
23.00	25.00	52720	.05	.00
25.00	27.00	52721	.00	.00
27.00	29.00	52722	.00	.00
29.00	31.00	52723	.00	.00
31.00	33.00	52724	.05	.00
33.00	35.00	52725	.05	.00
35.00	37.00	52726	.00	.00
37.00	39.00	52727	.00	.00
39.00	41.00	52728	.05	.00
41.00	43.00	52729	.00	.00
43.00	45.00	52730	.05	.00
45.00	47.00	52731	.05	.00
47.00	49.00	52732	.00	1.50
49.00	51.00	52733	.00	1.00
51.00	53.00	52734	.00	1.50

\*\*\*

From	To	Alteration
.00	3.00	A2
3.00	7.00	A2
7.00	10.00	A5A7

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-63

Page 2

From	To	Alteration
10.00	11.00	A2
11.00	14.00	A5A7
14.00	15.00	A2
15.00	18.00	A2A7
18.00	20.50	A2
20.50	21.50	A2A7
21.50	53.00	A2A7
53.00	56.00	OB

\*\*\*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-64                      ZONE: GUMBO                      DATE: 19880829

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26248.45 N.    32091.24 E.    Elev. 1839.30 meters

Azimuth: 187.4    Dip: -6.1    Length: 41.50

From	To	Sample	Au(g/t)	Ag(g/t)
1.80	3.00	52735	.05	1.50
3.00	4.00	52736	.05	1.00
4.00	5.00	52737	.05	2.00
5.00	6.00	52738	.05	4.00
6.00	7.00	52739	.05	3.50
7.00	8.00	52740	.05	3.00
8.00	9.00	52741	.00	.50
9.00	10.00	52742	.05	2.00
10.00	11.00	52743	.05	3.00
11.00	12.00	52744	.05	1.50
15.50	16.50	52745	.00	2.50
21.30	22.50	52746	.00	2.00
25.00	26.00	52747	.00	.00
26.00	27.00	52748	.00	1.00
27.00	28.00	52749	.05	1.00
28.00	29.00	52750	.00	.00
29.00	30.00	52751	.00	.00
30.00	31.00	52752	.00	.00
31.00	32.00	52753	.05	.50
32.00	33.00	52754	.05	5.50
33.00	34.30	52755	.35	7.50
34.30	35.30	52756	.15	3.00
35.30	36.00	52757	.05	1.50
36.00	37.00	52758	.05	.50
37.00	38.00	52759	.05	.50
38.00	39.00	52760	.05	1.00
39.00	40.00	52761	.10	3.00
40.00	41.00	52762	.00	.00

\* \* \*

From	To	Alteration
.00	1.80	A3a

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-64

Page 2

From	To	Alteration
1.80	12.20	A3a
12.20	16.00	A3a
16.00	16.10	
16.10	21.60	A3a
21.60	25.70	A3a
25.70	27.40	A8
27.40	31.10	A3a
31.10	32.30	A2
32.30	33.50	A2
33.50	36.00	A2
36.00	37.60	A2
37.60	41.50	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-65                      ZONE: FINN                      DATE: 19880830

Logged by: TLH

Depth Overburden: .50 meters  
Zero End Coordinates: 26403.74 N. 32129.02 E.      Elev. 1807.00 meters

Azimuth: 8.0      Dip: -58.6      Length: 10.50

From	To	Sample	Au(g/t)	Ag(g/t)
.00	1.00	52764	.25	4.00
1.00	2.00	52765	1.40	16.50
2.00	3.00	52766	.45	24.00
3.00	4.00	52767	.25	11.50
4.00	5.00	52768	.45	8.00
5.00	6.00	52769	.25	10.50
6.00	7.00	52770	.25	6.50
7.00	8.00	52771	.25	8.50
8.00	9.00	52772	.15	4.50
9.00	10.00	52773	.40	5.00
10.00	10.50	52774	.35	7.00
1.00	2.00	52763	2.80	14.00

\* \* \*

From	To	Alteration
.00	1.00	A3aU1
1.00	2.00	A3a
2.00	3.00	A3a
3.00	4.00	A3a
4.00	5.00	A3a
5.00	6.00	A2A5
6.00	7.00	A5A2
7.00	8.00	A2A5
8.00	9.00	A5
9.00	10.00	A2
10.00	10.50	A2A5

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-66                      ZONE: FINN                      DATE: 19880830

Logged by: NMC

Depth Overburden: .50 meters  
Zero End Coordinates: 26411.69 N. 32106.39 E. Elev. 1808.90 meters

Azimuth: 44.3    Dip: -61.8    Length: 7.50

From	To	Sample	Au(g/t)	Ag(g/t)
.00	.50	52775	1.55	6.00
.50	1.50	52776	2.85	15.50
1.50	2.50	52777	1.20	11.50
2.50	3.50	52778	2.75	8.00
3.50	4.50	52779	2.65	10.50
4.50	5.50	52780	7.20	6.50
5.50	6.50	52781	3.20	8.50
6.50	7.50	52782	.80	5.00

\*\*\*

From	To	Alteration
.00	.50	A2
.50	2.50	A2
2.50	7.50	A2

\*\*\*

## ENERGEX MINERALS LTD.

## Trench Log

TRENCH: JD88-67

ZONE: FINN

DATE: 19880831

Logged by: NMC

Depth Overburden: 3.50 meters

Zero End Coordinates: 26448.14 N. 32231.52 E. Elev. 1754.10 meters

Azimuth: 7.1 Dip: -13.5 Length: 109.00

From	To	Sample	Au(g/t)	Ag(g/t)
3.50	4.50	52783	.35	1.50
4.50	5.50	52784	.20	.00
5.50	6.50	52785	1.05	.00
6.50	7.50	52786	.35	.00
7.50	8.30	52787	.55	.00
8.30	9.70	52788	.15	.00
9.70	11.00	52789	.05	.00
11.00	12.00	52790	.05	.00
12.00	13.00	52791	.10	.00
13.00	14.00	52792	.35	.00
14.00	15.00	52793	.15	.00
15.00	16.00	52794	.20	.00
16.00	17.00	52795	.25	.00
17.00	18.00	52796	1.40	.50
18.00	19.00	52797	.95	.00
19.00	20.00	52798	1.15	.00
20.00	21.00	52799	.40	.00
21.00	22.00	52800	.75	.50
22.00	23.00	52801	3.65	1.00
23.00	24.00	52802	1.15	.50
24.00	25.00	52803	.55	.00
25.00	26.00	52804	.60	.50
26.00	27.00	52805	1.00	1.00
27.00	28.00	52806	.35	.00
28.00	29.00	52807	.20	.50
29.00	30.00	52808	.55	.00
30.00	31.00	52809	.35	.00
31.00	32.00	52810	.35	.00
32.00	33.00	52811	1.35	.00
33.00	34.00	52812	1.15	.00
34.00	35.00	52813	1.40	17.00
35.00	36.00	52814	10.65	.00
36.00	37.00	52815	.60	.00
37.00	38.00	52816	.25	.00
38.00	39.00	52817	.40	.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-67

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
39.00	40.00	52818	.45	.00
40.00	41.00	52819	.55	2.00
41.00	42.00	52820	1.00	11.00
42.00	43.00	52821	1.60	2.50
43.00	44.00	52822	.25	.00
44.00	45.00	52823	2.25	.00
45.00	46.00	52824	.35	.00
46.00	47.00	52825	.55	2.50
47.00	48.00	52826	2.15	9.00
48.00	49.00	52827	.80	3.00
49.00	50.00	52828	1.65	3.00
50.00	51.00	52829	2.00	11.00
51.00	52.00	52830	2.00	2.50
52.00	53.00	52831	.25	.00
53.00	54.00	52832	.15	.00
54.00	55.00	52833	.65	.00
55.00	56.00	52834	.25	.00
56.00	57.00	52835	.75	.00
57.00	58.00	52836	.85	.00
58.00	59.00	52837	.25	.00
59.00	60.00	52838	.20	.00
60.00	61.00	52839	.20	.00
61.00	62.00	52840	.35	.00
62.00	63.00	52841	.15	.00
63.00	64.00	52842	.15	.00
64.00	65.00	52843	1.40	1.00
65.00	66.00	52844	.15	.00
66.00	67.00	52845	.35	.00
67.00	68.00	52846	1.40	.00
68.00	69.00	52847	2.05	.00
69.00	70.00	52848	4.15	.00
70.00	71.00	52849	3.35	7.50
71.00	72.00	52850	1.60	1.50
72.00	73.00	52851	1.55	1.00
73.00	74.00	52852	1.05	.00
74.00	75.00	52853	1.15	.00
75.00	76.00	52854	1.05	.00
76.00	77.00	52855	1.15	.00
77.00	78.00	52856	1.80	.50
78.00	79.00	52857	1.55	3.00
79.00	80.00	52858	1.45	10.50
80.00	81.00	52859	3.75	.00
81.00	82.00	52860	.35	.00
82.00	83.00	52861	.95	.00
83.00	84.00	52862	2.45	.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-67

Page 3

From	To	Sample	Au(g/t)	Ag(g/t)
84.00	85.00	52863	.65	.00
85.00	86.00	52864	2.55	.00
86.00	87.00	52865	1.65	.00
87.00	88.00	52866	1.65	.00
88.00	89.00	52867	3.35	4.00
89.00	90.00	52868	9.75	8.00
90.00	91.00	52869	5.65	16.50
91.00	92.00	52870	3.35	1.00
92.00	93.00	52871	11.75	17.00
93.00	94.00	52872	10.95	.50
94.00	95.00	52873	4.85	.00
95.00	96.00	52874	11.20	.00
96.00	97.00	52875	7.05	12.00
97.00	98.00	52876	13.80	12.00
98.00	99.00	52877	4.60	16.00
99.00	100.00	52878	11.10	16.50
100.00	101.00	52879	7.20	18.00
101.00	102.00	52880	2.05	1.50
102.00	103.00	52881	8.60	1.50
103.00	104.00	52882	12.70	8.50
104.00	105.00	52883	5.00	8.50
105.00	106.00	52884	6.25	.00
106.00	107.00	52885	1.60	.00
107.00	108.00	52886	.65	.00
108.00	109.00	52887	1.00	1.00

\* \* \*

From	To	Alteration
.00	2.00	OB
2.00	3.50	A3a
3.50	4.30	A3a
4.30	8.30	A3a
8.30	9.70	A3a
9.70	14.00	A3a
14.00	21.00	A3a
21.00	28.00	A3a
28.00	35.60	A3a
35.60	39.50	A3a
39.50	42.70	A3a
42.70	45.70	A3a
45.70	52.10	A5
52.10	55.00	A3a

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-67

Page 4

From	To	Alteration
55.00	58.50	A3a
58.50	69.00	A3a
69.00	77.00	A3a
77.00	77.80	A2
77.80	83.50	A3a
83.50	87.00	A3A7
87.00	95.70	A5A7
95.70	96.00	A2
96.00	100.00	A8A7
100.00	103.00	A2
103.00	109.00	A2

\*\*\*



## ENERGEX MINERALS LTD.

## Trench Log

TRENCH: JD88-68

ZONE: FINN

DATE: 19880901

Logged by: NMC

Depth Overburden: 3.50 meters

Zero End Coordinates: 26549.76 N. 32244.15 E. Elev. 1729.60 meters

Azimuth: 26.1 Dip: -15.5 Length: 116.00

From	To	Sample	Au(g/t)	Ag(g/t)
.00	1.00	52889	.60	11.00
1.00	2.00	52890	.85	12.50
2.00	3.00	52891	18.30	6.50
3.00	4.00	52892	3.05	7.50
4.00	5.00	52893	1.80	8.00
5.00	6.00	52894	1.60	11.50
6.00	7.00	52895	1.45	7.00
7.00	8.00	52896	1.80	10.50
8.00	9.00	52897	1.35	7.00
9.00	10.00	52898	1.75	15.00
10.00	11.00	52899	1.05	11.00
11.00	12.00	52900	1.35	12.00
12.00	13.00	52901	1.45	13.00
13.00	14.00	52902	1.15	11.00
14.00	15.00	52903	.95	9.50
15.00	16.00	52904	1.15	15.00
16.00	17.00	52905	.95	11.50
17.00	18.00	52906	1.40	14.50
18.00	19.00	52907	1.05	12.00
19.00	20.00	52908	.95	13.50
20.00	21.00	52909	.85	9.00
21.00	22.00	52910	.95	9.50
22.00	23.00	52911	1.35	6.50
23.00	24.00	52912	.55	6.50
24.00	25.00	52913	.80	14.00
25.00	26.00	52914	.95	11.00
26.00	27.00	52915	.60	11.00
27.00	28.00	52916	.65	8.50
28.00	29.00	52917	.40	8.00
29.00	30.00	52918	.60	7.00
30.00	31.00	52919	.45	4.50
31.00	32.00	52920	.55	6.50
32.00	33.00	52921	.65	10.50
33.00	34.00	52922	.55	10.50
34.00	35.00	52923	.60	10.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-68

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
35.00	36.00	52924	.40	7.50
36.00	37.00	52925	.45	8.50
37.00	38.00	52926	.95	23.00
38.00	39.00	52927	.55	7.00
39.00	40.00	52928	.40	8.00
40.00	41.00	52929	.75	12.50
41.00	42.00	52930	.45	8.00
42.00	43.00	52931	.40	11.00
43.00	44.00	52932	.25	6.00
44.00	45.00	52933	.60	13.50
45.00	46.00	52934	.40	10.50
46.00	47.00	52935	.60	14.00
47.00	48.00	52936	.25	4.50
48.00	49.00	52937	.45	8.00
49.00	50.00	52938	.35	6.50
50.00	51.00	52939	.65	5.00
51.00	52.00	52940	.40	4.50
52.00	53.00	52941	.35	5.50
53.00	54.00	52942	.45	8.00
54.00	55.00	52943	.25	4.50
55.00	56.00	52944	.25	6.00
56.00	57.00	52945	.20	4.50
57.00	58.00	52946	.25	4.50
58.00	59.00	52947	.65	31.50
59.00	60.00	52948	.25	6.00
60.00	62.00	52949	.15	7.00
62.00	64.00	52950	.20	6.50
64.00	66.00	52951	.15	4.00
66.00	68.00	52952	.15	6.00
68.00	70.00	52953	.20	11.00
70.00	72.00	52954	.40	9.50
72.00	74.00	52955	.65	23.00
74.00	76.00	52956	.60	24.50
76.00	78.00	52957	.25	5.50
78.00	80.00	52958	.15	5.00
80.00	82.00	52959	.15	4.00
82.00	84.00	52960	.05	4.00
84.00	86.00	52961	.20	3.50
86.00	88.00	52962	.15	6.50
88.00	90.00	52963	.80	23.50
90.00	92.00	52964	1.85	4.00
92.00	95.00	52965	.95	6.00

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-68

Page 3

From	To	Alteration
.00	.00	A5A7
.00	6.00	A2
6.00	25.60	A3aU1
25.60	31.00	A3a
31.00	50.00	A3a
50.00	60.00	A3a
60.00	61.00	A2
61.00	62.50	?
62.50	67.00	MXT
67.00	71.00	A3a
71.00	74.00	A2
74.00	76.30	A3a
76.30	86.00	A2
86.00	89.00	A3a
89.00	95.00	A2
95.00	116.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-69                      ZONE: FINN                      DATE: 19880903

Logged by: NMC

Depth Overburden: 3.00 meters

Zero End Coordinates:    26480.49 N.    32137.51 E.    Elev. 1767.50 meters

Azimuth:    25.2    Dip:    -14.4    Length:    28.50

From	To	Sample	Au(g/t)	Ag(g/t)
.00	2.00	52964	.00	.00
2.00	4.00	52965	.00	.00
4.00	6.00	52966	1.40	5.00
6.00	8.00	52967	1.55	5.50
8.00	10.00	52968	.40	5.00
10.00	12.00	52969	.15	2.50
12.00	14.00	52970	.15	2.50
14.00	16.50	52971	.55	5.00

\*\*\*

From	To	Alteration
.00	12.00	A3a
12.00	14.00	OB?
14.00	16.50	A3a
16.50	28.50	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-70                      ZONE: FINN                      DATE: 19880903

Logged by: NMC

Depth Overburden: 3.50 meters

Zero End Coordinates:    26468.63 N.    32129.45 E.    Elev. 1772.20 meters

Azimuth:    34.2    Dip: -18.1    Length:    18.00

From	To	Sample	Au(g/t)	Ag(g/t)
7.00	9.00	52972	1.25	13.00
9.00	11.00	52973	.25	2.00
11.00	13.00	52974	19.10	12.50
13.00	15.00	52975	.60	4.00
15.00	17.00	52976	38.60	26.00
17.00	18.00	52977	.00	.00

\*\*\*

From	To	Alteration
.00	7.00	OB
7.00	11.00	A3a
11.00	15.00	A3a
15.00	18.00	A3aA8

\*\*\*

ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-71

ZONE: FINN

DATE: 19880903

Logged by: NMC

Depth Overburden: 3.00 meters

Zero End Coordinates: 26510.55 N. 32288.54 E. Elev. 1717.56 meters

Azimuth: 20.4 Dip: -10.8 Length: 54.50

From	To	Sample	Au(g/t)	Ag(g/t)
.80	2.00	52978	7.85	8.00
5.50	7.50	52979	.40	.00
7.50	9.50	52980	.25	1.00
15.50	17.00	52981	17.80	19.00
17.00	19.00	52982	.55	1.50
19.00	21.00	52983	1.20	5.00
21.00	23.00	52984	2.25	4.00
23.00	25.00	52985	1.55	4.50
25.00	27.00	52986	2.95	5.50
27.00	29.00	52987	.55	4.50
29.00	31.00	52988	.95	5.50
31.00	33.00	52989	.60	5.50
33.00	35.00	52990	.80	1.00
38.50	40.00	52991	.25	1.00
40.00	42.00	52992	1.00	11.00
42.00	44.00	52993	.05	.50
44.00	46.00	52994	.25	1.00
46.00	48.00	52995	.15	1.00
48.00	50.70	52996	.25	1.50
53.30	54.50	52997	.45	2.00

\*\*\*

From	To	Alteration
.00	10.00	A3a
10.00	23.00	A3a
23.00	26.30	A2
26.30	28.70	U?
28.70	33.00	A3a
33.00	50.70	Tuff
50.70	53.30	OB
53.30	54.50	?

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-72                      ZONE: FINN                      DATE: 19880904

Logged by: NMC

Depth Overburden: 3.50 meters

Zero End Coordinates:    26559.33 N.    32306.72 E.                      Elev. 1707.64 meters

Azimuth:    28.6    Dip:    2.0    Length:    24.00

From	To	Sample	Au(g/t)	Ag(g/t)
9.70	11.00	52998	.55	5.50
11.00	13.00	52999	.25	2.00
13.00	15.00	53000	.60	3.00
15.00	17.00	53001	3.20	4.50
17.00	19.00	53002	.40	2.50
19.00	21.00	53003	1.40	4.50
21.00	24.00	53004	.80	5.00

\*\*\*

From	To	Alteration
.00	9.70	OB
9.70	13.40	Tuff?
13.40	16.30	A2
16.30	17.00	A3a
17.00	23.50	U2?
23.50	24.00	A8

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-73                      ZONE: FINN                      DATE: 19880904

Logged by: NMC

Depth Overburden: 3.50 meters

Zero End Coordinates:    26580.06 N.    32318.02 E.                      Elev. 1708.40 meters

Azimuth:    18.3    Dip:    -5.6    Length:    42.60

From	To	Sample	Au(g/t)	Ag(g/t)
.00	2.00	53005	.35	4.50
2.00	4.00	53006	.85	7.00
4.00	6.00	53007	.75	6.00
6.00	8.00	53008	.55	7.00
8.00	10.00	53009	.80	54.00
10.00	12.00	53010	.05	4.50
12.00	14.00	53011	.15	4.00
14.00	16.00	53012	.05	2.50
16.00	18.00	53013	.20	51.50
18.00	20.00	53014	.75	68.00
20.00	22.00	53015	.40	6.00
22.00	24.00	53016	.45	9.50
24.00	26.00	53017	1.45	11.50
26.00	28.00	53018	.75	7.00
28.00	30.00	53019	.75	8.50
30.00	32.00	53020	1.35	8.50
32.00	34.00	53021	1.15	10.50
34.00	36.00	53022	.35	4.00
36.00	38.00	53023	.55	4.00
38.00	40.00	53024	.20	4.50
40.00	42.00	53025	.05	1.50
42.00	42.80	53026	.00	1.00

\* \* \*

From	To	Alteration
.00	1.20	A8
1.20	4.50	A3a
4.50	10.30	A2
10.30	20.00	A3a
20.00	28.00	A3a
28.00	32.60	A2
32.60	39.00	MXT



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-73

Page 2

From	To	Alteration
39.00	42.60	A3a

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-74                      ZONE: FINN                      DATE: 19880904

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26619.93 N.    32331.22 E.    Elev. 1704.27 meters

Azimuth:    15.8    Dip: -26.7    Length:    52.10

From	To	Sample	Au(g/t)	Ag(g/t)
.00	1.00	53027	6.65	9.50
1.00	2.00	53028	.55	6.50
2.00	3.00	53029	11.10	6.50
3.00	4.00	53030	.40	6.00
4.00	5.00	53031	.65	12.50
5.00	7.00	53032	1.15	5.00
7.00	9.20	53033	.45	3.50
9.20	10.00	53034	.35	4.50
10.00	11.00	53035	.25	6.00
11.00	12.00	53036	.40	7.50
12.00	13.00	53037	.15	4.50
13.00	14.00	53038	.20	6.50
14.00	15.00	53039	.55	10.50
15.00	16.00	53040	.60	6.00
16.00	17.00	53041	.20	3.00
17.00	18.00	53042	.15	2.00
18.00	19.00	53043	.35	4.00
19.00	20.00	53044	.20	2.50
20.00	21.00	53045	.35	9.50
21.00	22.00	53046	.25	9.00
22.00	23.00	53047	.20	4.00
23.00	24.00	53048	.25	4.50
24.00	25.00	53049	.20	3.00
25.00	26.00	53050	.35	3.00
26.00	27.00	53051	.20	2.50
27.00	28.00	53052	.25	2.00
28.00	29.50	53053	.20	2.50
29.50	30.70	53054	1.45	3.00
30.70	31.50	53055	.45	2.00
31.50	32.50	53056	.20	5.00
32.50	33.50	53057	.40	10.00
33.50	34.50	53058	1.15	14.50
34.50	35.20	53059	3.40	11.00
35.20	36.00	53060	1.35	8.50
36.00	37.00	53061	9.75	18.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-74

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
37.00	38.00	53062	6.45	11.50
38.00	39.00	53063	5.25	6.50
39.00	40.00	53064	.75	6.00
40.00	41.00	53065	13.80	13.50
41.00	42.00	53066	1.15	6.00
42.00	43.00	53067	1.75	3.50
43.00	44.00	53068	1.85	6.00
44.00	45.00	53069	.80	7.00
45.00	46.00	53070	.95	7.50
46.00	47.00	53071	.95	7.00
47.00	48.00	53072	.40	6.50
48.00	49.00	53073	.65	45.00
49.00	50.00	53074	1.20	76.00
50.00	51.00	53075	12.60	16.00
51.00	52.60	53076	.80	13.50

\* \* \*

From	To	Alteration
.00	.40	A3a
.40	1.30	A2
1.30	4.00	A3a
4.00	9.20	A3a
9.20	11.70	A5A7
11.70	14.50	A5
14.50	16.00	A5A3
16.00	20.00	A5A7
20.00	23.00	A5A7
23.00	24.00	A5A7
24.00	29.50	A5A7
29.50	30.70	A5A3
30.70	31.50	A5
31.50	35.20	A5A7
35.20	38.00	A5A2
38.00	39.00	A5
39.00	40.50	A3a
40.50	42.00	A2
42.00	43.00	A2
43.00	46.20	A2
43.00	48.80	A3a
48.80	52.60	A2
50.00	52.10	A2

\* \* \*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-75                      ZONE: FINN                      DATE: 19880906

Logged by: TLH

Depth Overburden: 3.50 meters  
Zero End Coordinates:    26665.36 N.    32344.08 E.                      Elev. 1680.48 meters

Azimuth:    9.1    Dip:    -3.9    Length:    116.00

From	To	Sample	Au(g/t)	Ag(g/t)
.00	2.00	53077	.45	5.50
2.00	4.00	53078	.55	4.00
4.00	6.00	53079	2.00	8.00
6.00	7.60	53080	.55	7.00
7.60	10.00	53081	1.60	39.50
10.00	12.60	53082	.60	30.00
12.60	14.00	53083	.55	10.00
14.00	16.00	53084	.85	10.00
16.00	18.00	53085	.80	10.50
18.00	20.90	53086	3.60	64.50
20.90	22.00	53087	.25	23.50
22.00	24.00	53088	.25	12.50
24.00	26.00	53089	1.20	23.00
26.00	28.00	53090	1.65	18.50
28.00	30.00	53091	3.85	53.50
30.00	32.00	53092	.60	28.00
32.00	34.00	53093	.45	46.50
34.00	36.50	53094	1.60	50.00
36.50	38.00	53095	.35	16.50
38.00	40.00	53096	.25	13.50
40.00	42.00	53097	.20	18.50
42.00	44.00	53098	.20	17.00
44.00	46.00	53099	.15	23.00
46.00	48.00	53100	.20	16.00
48.00	50.00	53101	.15	15.00
50.00	52.00	53102	.05	12.00
52.00	54.00	53103	.05	9.00
54.00	56.00	53104	.15	11.00
56.00	58.00	53105	.20	12.50
58.00	59.50	53106	.60	50.50
59.50	62.00	53107	3.95	242.00
62.00	64.00	53108	3.05	106.00
64.00	66.00	53109	.55	7.00
66.00	68.00	53110	1.35	5.00
68.00	70.00	53111	.40	3.00

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-75

Page 2

From	To	Sample	Au(g/t)	Ag(g/t)
70.00	71.00	53112	.20	.50
71.00	72.00	53113	.65	5.50
72.00	73.00	53114	1.25	9.50
73.00	74.00	53115	.35	2.00
74.00	75.00	53116	.20	2.00
93.50	95.50	53117	4.80	3.50
95.50	96.50	53118	1.40	.00
96.50	97.60	53119	2.40	7.00
106.00	108.00	53120	.45	5.00
108.00	110.00	53121	.80	9.00
110.00	111.00	53122	.65	9.50
111.00	112.00	53123	.15	3.50

\* \* \*

From	To	Alteration
.00	7.00	A2
2.50	3.60	A3a
7.00	7.60	A2A5
7.60	12.60	A2
12.60	12.60	A2
12.60	15.00	A2
15.00	18.00	A2
18.00	20.90	A2
20.90	22.00	A2
22.00	31.00	Tuff
31.00	34.00	Tuff
34.00	34.00	
34.00	36.50	A2
36.50	36.50	
36.50	49.00	A2
49.00	55.50	A2
55.50	59.50	A2
59.50	65.30	A2
65.30	69.20	MXt
69.20	71.00	A8
71.00	73.50	A8
73.50	74.60	A8
74.60	93.50	OB
93.50	97.60	A3a
97.60	102.00	OB
102.00	103.00	A3a
103.00	104.00	OB

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-75

Page 3

From	To	Alteration
104.00	104.80	A3a
104.80	110.00	A8
110.00	114.00	A3a
114.00	116.00	OB

\*\*\*

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-76                      ZONE: FINN                      DATE: 19880913

Logged by: TLH

Depth Overburden: 4.50 meters

Zero End Coordinates:    26528.70 N.    32220.99 E.    Elev. 1739.40 meters

Azimuth: 333.4    Dip: 6.2    Length: 45.20

From	To	Sample	Au(g/t)	Ag(g/t)
8.20	9.50	53154	1.95	11.50
9.50	10.50	53155	2.80	21.50
10.50	11.50	53156	1.25	5.50
11.50	12.50	53157	3.80	31.50
12.50	13.50	53158	5.80	21.00
13.50	14.50	53159	2.05	12.50
14.50	15.50	53160	3.60	5.00
15.50	16.50	53161	1.60	8.50
16.50	17.50	53162	7.75	6.50
17.50	18.50	53163	4.85	6.00
18.50	19.50	53164	17.70	12.50
19.50	20.50	53165	17.90	13.00
20.50	21.50	53166	7.05	14.00
21.50	22.50	53167	1.65	14.50
22.50	23.50	53168	15.50	25.50
23.50	25.50	53169	.25	2.00
25.50	26.50	53170	1.40	2.00
26.50	27.50	53171	.20	2.50
27.50	28.50	53172	.15	1.00
28.50	29.60	53173	.40	2.00
29.60	30.70	53174	1.15	11.00
30.70	31.70	53175	2.40	7.50
31.70	32.50	53176	3.35	16.00
32.50	33.30	53177	2.45	8.00
33.30	35.00	53178	2.80	7.00
35.00	37.00	53179	.65	16.50
37.00	39.00	53180	1.00	61.00
39.00	39.60	53181	.40	9.00

\* \* \*

From	To	Alteration
.00	8.20	OB

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-76

Page 2

From	To	Alteration
8.20	16.50	A7A5
16.50	19.70	A7A5
19.70	23.00	A7A5
23.00	25.50	A3a
25.50	27.50	A3a
27.50	30.20	A3a
30.20	31.20	A2
31.20	32.20	A3a
32.20	34.10	A5A2
34.10	39.60	A3a
38.20	39.40	A3a
39.60	45.20	OB

\* \* \*



ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-77                      ZONE: FINN                      DATE: 19880913

Logged by: TLH

Depth Overburden: 2.00 meters

Zero End Coordinates:    26566.54 N.    32202.07 E.    Elev. 1744.00 meters

Azimuth: 341.0    Dip: 20.3    Length: 14.50

From	To	Sample	Au(g/t)	Ag(g/t)
10.00	10.00	0	.00	.00
12.00	12.00	1	.00	.00

\*\*\*

From	To	Alteration
.00	14.50	OB

\*\*\*

ENERGEX MINERALS LTD.

Trench Log

TRENCH: JD88-78

ZONE: FINN

DATE: 19880912

Logged by: TLH

Depth Overburden: 5.50 meters

Zero End Coordinates: 26508.35 N. 32152.15 E. Elev. 1762.80 meters

Azimuth: 19.8 Dip: -3.2 Length: 75.00

From	To	Sample	Au(g/t)	Ag(g/t)
8.50	10.00	53124	1.35	7.00
10.00	11.00	53125	12.60	19.00
11.00	12.00	53126	4.15	40.50
12.00	13.00	53127	3.00	14.00
13.00	14.00	53128	.75	9.00
14.00	16.00	53129	.20	9.00
16.00	18.00	53130	2.05	64.00
18.00	19.30	53131	1.15	8.50
19.30	20.50	53132	.40	4.50
20.50	21.50	53133	.80	13.50
21.50	22.50	53134	.65	18.00
22.50	23.50	53135	.40	10.50
23.50	24.50	53136	.40	11.50
24.50	25.50	53137	.65	7.00
25.50	27.50	53138	.95	4.50
27.50	29.50	53139	1.45	2.50
29.50	31.50	53140	1.45	2.50
31.50	33.50	53141	2.35	12.00
33.50	35.50	53142	1.65	8.00
35.50	37.50	53143	2.05	14.00
37.50	39.50	53144	2.80	4.00
39.50	41.60	53145	1.55	3.50
41.60	42.50	53146	1.20	7.00
42.50	43.50	53147	24.10	21.50
43.50	44.50	53148	108.90	36.00
44.50	46.00	53149	3.25	3.00
46.00	48.00	53150	31.30	19.50
48.00	50.00	53151	2.80	11.00
50.00	52.00	53152	4.20	18.50
52.00	54.00	53153	.45	2.00

\*\*\*

From	To	Alteration
------	----	------------

ENERGEX MINERALS LTD.  
Trench Log

TRENCH: JD88-78

Page 2

From	To	Alteration
.00	9.40	OB
9.40	11.00	A3a
11.00	14.00	A3a
14.00	18.40	A3a
15.00	16.50	A2
18.40	20.90	A3a
20.90	25.50	A5
23.10	23.90	A3a
25.50	29.20	A3a
29.20	42.10	A3a
42.10	44.50	A2A5
44.50	49.00	A3a
49.00	49.00	
49.00	54.00	A3a
54.00	75.00	OB

\*\*\*