

ARIS SUMMARY SHEET

District Geologist, Kamloops

Off Confidential: 89.11.25

ASSESSMENT REPORT 18042

MINING DIVISION: Nicola

PROPERTY: Clapper
 LOCATION: LAT 50 17 00 LONG 120 38 00
 UTM 10 5572594 668609
 NTS 092I07E

CLAIM(S): Clapper 1-4
 OPERATOR(S): Kerr Addison Mines
 AUTHOR(S): Daley, F.;Pautler, J.
 REPORT YEAR: 1988, 75 Pages

COMMODITIES

SEARCHED FOR: Gold,Copper

GEOLOGICAL

SUMMARY:

The claims straddle a fault contact between volcanics and sediments of the Triassic Nicola Group, and a granodiorite stock of the Jurassic Coast Plutonic Complex. The fault is characterized by brecciation, pyritization, carbonate and epidote alteration, local clay alteration and silicification. Gold values up to 4200 ppb are apparently associated with narrow malachite-coated fractures in the Nicola volcanics.

WORK

DONE:

Geological,Geochemical,Geophysical
 EMGR 14.0 km; VLF
 GEOL 1700.0 ha
 Map(s) - 2; Scale(s) - 1:10 000,1:5000
 HMIN 15 sample(s) ;AU
 LINE 14.0 km
 ROCK 106 sample(s) ;ME
 SOIL 617 sample(s) ;ME
 Map(s) - 1; Scale(s) - 1:10 000

MINFILE:

092ISE135

LOG # 1130	RD.
TITLE	
FILE #	

ASSESSMENT REPORT
GEOLOGICAL, GEOCHEMICAL, GEOPHYSICAL SURVEYS
ON THE
CLAPPER 1 - 4 CLAIMS
N.T.S. 92I/7

Latitude 50°17'

Longitude 120°38'

NICOLA MINING DIVISION
AUGUST 1-31, SEPTEMBER 13, 1988

SUB-RECORD RECEIVED
NOV 25 1988
M.R. # _____ \$ _____
VANCOUVER, B.C.

FILMED

OWNER/OPERATOR:
Kerr Addison Mines Limited
703-1112 West Pender Street,
Vancouver, B.C.
V6E 2S1

AUTHOR: Jean Pautler
GEOLOGICAL BRANCH September, 1988
ASSESSMENT REPORT

18-042

TABLE OF CONTENTS

	<u>PAGE</u>
1. Location and Access	1
2. Legal Description	1
3. Topography and Vegetation	1
4. History	1
5. 1988 Program	4
6. Geology	5
a. Regional	5
b. Property	5
i. Metamorphism	6
ii. Structure	6
iii. Mineralization and Alteration	6
Classic Zone	7
Coca Grid	7
7. Geochemistry	7
a. Procedure	7
b. Results and Interpretation	8
Coca Grid	
i. Soil	8
ii. Rock	8
iii. Property	12
8. Geophysics (VLF-EM 16 Survey)	12
a. Procedure	12
b. Results and Interpretation	13
9. Conclusions and Recommendations	15

APPENDICES

Appendix I	Geochemical Results
Appendix II	VLF Profiles
Appendix III	Statement of Expenses
Appendix IV	Statement of Qualifications

TABLE OF FIGURES

	<u>PAGE</u>
Figure 1 Location Map 1:100,000	2
" 2 Claim Map 1:50,000	3
" 3 Geology Map 1:10,000	Back Pocket
" 4 Sample Locations and Results 1:10,00	Back Pocket
5 Coca Grid Geology 1:5,000	9
" 6 Coca Grid Soil Geochemistry 1:5,000	10
" 7 Classic Zone Detail 1:500	11
" 8 Fraser Filter Plan 1:5,000	14

1. LOCATION AND ACCESS (Figure 1)

The CLAPPER claims, N.T.S. 92I/7, are located 22km northeast of Merritt, B.C. The claims are centred at approximately 50°17' west latitude and 120°38' north longitude.

The new Coquihalla Highway (Highway 5) provides paved access to the centre of the claims. The western part of the claims are accessed by gravelled logging roads from the Helmer Lake exit of Highway 5 (north).

2. LEGAL DESCRIPTION (Figure 2)

The CLAPPER property lies entirely within the Nicola Mining Division. It consists of 4 claims totalling 68 units (record numbers 1862 - 1865). The claims, staked on November 9 and 10, 1987 and recorded on November 27, 1987 are 100% owned by Kerr Addison Mines. This report covers assessment work completed in the 1988 field season.

3. TOPOGRAPHY AND VEGETATION



The CLAPPER claims lie within the Nicola Plateau of southern British Columbia. The property is moderate to strongly forested consisting of spruce and pine with the lower elevations containing alder scrub. The elevation ranges from 1100m to 1600m. The slopes are generally moderate, except for the steep canyon created on the eastern portion of the claims by the southerly flowing Clapperton Creek.

4. HISTORY

The CLAPPER claims were staked in November, 1987 to cover an easterly trending, pyritic, silicified, and locally clay altered gossan exposed on the Coquihalla Highway.

The claims were previously staked by Rea Gold Corp. as the Reakel claims. A soil grid was established on the area corresponding the south end of Clapper 3. No significant precious metal anomalies were obtained.

A precious metal discovery is reported along Kirby Creek in G.S.C. Memoir 249. This was staked by Eugene Dodd as the AC Claims and indents the southwest edge of the Clapper. Trenching has been undertaken but nothing of interest has been reported.



MT MABEL

CLAPPER CLAIMS

FIG. I

1 2 KM

KERR ADDISON MINES LTD	
CLAPPER CLAIMS	
LOCATION MAP	
SCALE - 1:100 000	DATE - OCT. 4, 1988
DRAWN BY - P.H.	DATA - S.J.
NTS - 92 I/2,7	REVISED -

Area of trenches (Al claims)
20 to 1425 Au, 8.4 to 11.4 Ag.

Last Chance (Cu, Pb, Zn, Ag, Au, W)
2.57 g/t Au
5183 - 430 Au, 100 Ag

SWAKUM
MTN.

Old Alameada
(Cu, Pb, Zn, Au, Ag, Bi, Te)
11.3 g/t Au

Gloria (Cu, Au)

Thelma (Au, Ag, Pb, Zn, Cu)
2856 g/t Ag

A (Au, Ag)
CLAPPER
3

AC (Au, Ag, Cu)

CLAPPER 2
KJd

COQUIHALLA NORTH SHOWING
Andesite-Basalt, chloritic, py, silicified
44468 to 72 - 180 Au, 150 Sb
(see fig. for details)

CLAPPER 4

LEGEND


- eJgd Granodiorite
- KJd Diorite
- UTN1,3 Nicola volcanics; la - acidic

FIG. 2

KERR ADDISON MINES LTD

CLAPPER CLAIMS CLAIM MAP

SCALE - 1:50000	DATE - OCT. 4, 1988
DRAWN BY - P.H.	DATA - J.P.
NTS - 92 I 2, 7	REVISED - NOV. 5, 87



4. HISTORY - cont'd

The Swakum Mtn. skarn/vein occurrences lie 4.0km west of the Clapper LCP. Limited early production was undertaken with significant Au, Ag grades reported. Lacana performed a trenching and drilling program over the area in early 1988. Results of the program are not known. Fault zones exposed on the Clapper claims could possibly tap the same source of the precious metal mineralization on Swakum Mtn.

Trenches on the A1 claims along the west edge of Helmer Lake and north of the Clapper claims expose silicified zones within the Nicola volcanic rocks with galena, sphalerite and chalcopryrite mineralization. The zones are narrow but values up to 1450 ppb Au were obtained from selected specimens.

The now lapsed Clap 19 claim covered the north western edge of Clapper 4. Reports indicated the existence of 10" quartz veins with Cu mineralization. No precious metal anomalies were encountered in this area during the 1988 program.

5. 1988 PROGRAM

64 man days were spent on the property between August 1, 1988 and August 30, 1988 as well as September 13, 1988. The program involved 1:10,000 scale mapping of the 1700ha property with concurrent rock geochemical sampling, pan concentrate sampling of the creeks and construction of the Coca Grid to facilitate soil and geophysical surveys. The grid was mapped at a 1:5,000 scale. Due to the scarcity of exposure in this area angular chips from soil holes were used for mapping and are marked as local float. Rock exposures along the Coquihalla Highway, (which closely corresponds to a north trending fault), were mapped in more detail and transferred to the 1:10,000 property map.

The Coca Grid incorporates 14 line km of grid across an easterly trending pyritic, silicified and locally clay altered zone, (Classic Zone), exposed along the Coquihalla Hwy. Two east trending baselines were established by pull chain and compass traverses. Soil samples were collected at 25m intervals on lines 100m apart over the 14.0 line km of grid. A VLF-EM survey was also conducted over the entire grid.

6. GEOLOGY

a. Regional:

The Clapper claims are underlain by Triassic Nicola Group volcanic and sedimentary rocks proximal to a largely fault bounded contact with a Jurassic granodiorite batholith of the Coast Plutonic Complex. Jura-Triassic diorite underlies the northeast portion of the claim group. The diorite may represent a marginal phase of the granodiorite batholith. This diorite is of similar age and composition as the Iron Mask Batholith which hosts porphyry style sulfide-Au deposits south of Kamloops.

The claims lie 4.0 km east of the Swakum Mtn. Cu, Pb, Zn, Au, Ag skarn/vein showings, 18km west of the Stump Lake - Mineral Hill Au, Ag vein deposits and 7.5km north of the Peacock Cu vein prospect. In the latter two, mineralization is fault controlled.

Minor Au production from the old Alameda Mine at Swakum Mtn. graded 11.3 g/t Au and minor production from the Thelma Mine graded 2856 g/t Ag. Au production from Mineral Hill graded 20.6 g/t from quartz veins with sulfides hosted by bleached, pyritized and carbonate altered Nicola volcanics.

6.b. Property: (Figure 3)

The Coquihalla Highway separates the two main lithologies encountered on the Clapper property. West of the highway, and in the northeast section of Clapper 2, andesitic rocks of the Triassic Nicola Group predominate. East of the highway a Jurassic granodiorite batholith of the Coast Intrusive Complex intrudes and is largely in fault contact with the andesites. A coarse grained diorite to quartz diorite is exposed on the northeast edge of the property and along the margins of the granodiorite batholith. It appears to represent a marginal phase of the batholith.

The Nicola rocks consist of andesite hornblende porphyry to fine grained diorite, andesitic pyroclastics and massive andesite. The diorite is apparently a subvolcanic equivalent of the andesite and is gradational to andesite even on the outcrop scale. In hand specimen, the andesite porphyry is of fairly mafic appearance, perhaps bordering on basaltic andesite.

The pyroclastics include andesite tuff, lapilli tuff, agglomerate and volcanic breccias.

6. GEOLOGY - cont'd

b.i. Metamorphism:

Metamorphosed equivalents of the andesites are locally exposed on the claims. These include greenstone, phyllite and quartz sericite schists. The latter two appear to be related to localized shear zones.

The Nicola volcanic rocks contain local interbeds of sedimentary rocks which include limestone, siltstone and volcanoclastics. Minor calc-silicate development and rare diopside-epidote skarn is evident at the limestone-andesite contact, but is restricted to a 20-40cm wide alteration zone.

The intrusion is predominantly of hornblende granodiorite to quartz monzonite composition. To the north and along the western margin of the batholith, the composition varies to a quartz diorite to diorite and is foliated. The change in composition may be related to country rock contamination or to a separate dioritic phase of intrusion. The intrusion is generally fresh but does contain epidote and sericite.

The volcanic rocks are locally cut by granodiorite dykes near the contact.

6b.ii. Structure:

A major north trending fault zone, (Fanta Fault), that, for the most part, separates the batholith from the Nicola Group rocks, is exposed along the Coquihalla Highway. The fault is characterized by brecciation, pyritization, carbonate and epidote alteration, local clay alteration and variable silicification. A 125° trending pyritic, silicified zone with local clay alteration, ("Classic Zone"), cuts across the Fanta Fault and may represent a subsidiary structure. Other fracture/shear set orientations are northeast to easterly. More northwesterly trends dominate towards the south end of the property.

6b.iii. Mineralization and Alteration:

Pyrite is locally abundant along the "Fanta Fault" with the Classic Zone the most highly pyritized section. Elsewhere on the property the andesite unit locally contains minor amounts, (<1-2%), of pyrite increasing in abundance in the southwest corner of the claim group. Local occurrences of malachite with rare chalcocite were noted along the Fanta Fault and along the Swakum-Helmer Road, particularly where the road transects the Coca Grid, and the vicinity of the Legal Corner Post. In the malachite-bearing areas, the rocks are generally well fractured, carbonate altered, commonly pyritic and contain more abundant quartz-carbonate veinlets. These veinlets carry malachite, pyrite and/or chalcocite. This veinlet mineralization is apparently related to minor west and northwest trending shears.

CLASSIC ZONE: (Figure 7)

The Classic Zone, as exposed along the Coquihalla Highway, is defined by a pronounced gossan. Pyrite is ubiquitous but is most abundant within a central 60m wide silicified zone that trends approximately 125°. The north half of this silicified zone encompasses a 20-30m wide more highly pyritized and silicified zone. An intense clay altered section is evident within this zone and is exposed in a drainage ditch on the east side of the highway. The pattern of alteration suggests a southwest dip for the zone.

COCA GRID: (Figure 5)

Unfortunately, outcrop is lacking on both sides of the Classic Zone. However, a trenchlike ditch northwest of the zone exposes pyritic, weakly silicified andesite float + malachite. Rock chips from soil holes on the grid have revealed pyritic andesite 350m to the northwest of the central Classic Zone and 300m to the northeast.

7. GEOCHEMISTRY: (Figure 4)

a. Procedure:

A total of 106 rock, 617 soil and 15 pan concentrate samples were collected. Sample locations are shown on Figure 4. All samples were sent to Chemex Labs Ltd., North Vancouver, B.C. and analyzed for Au and Al, Sb, As, Ba, Be, Bi, Cd, Ca, Cr, Co, Cu, Fe, Ga, La, Pb, Mg, Hg, Mo, Ni, P, Mn, K, Sc, Na, Sr, Ti, W, U, Ag, V and Zn. Au was analyzed by fire assay with an atomic absorption finish. The remainder of the elements were analyzed using a 32 element ICP package which involves a nitric-aqua regia digestion.

Rock samples were of the grab type unless chips could be collected across quartz/calcite veins, fracture zones, sulfide bands etc. At the lab, the samples underwent multiple stage crushing, riffle splitting and were pulverized to -150 mesh.

Soils were generally collected from the B horizon and sent to Chemex in waterproof Kraft bags where they were dried and sieved through an -80 mesh screen.

Pan samples were sieved to -10 mesh in the field and panned to concentrate the heavy minerals. They were then sent to Chemex in plastic bags where they were dried and the entire sample ring pulverized to -150 mesh.

7. GEOCHEMISTRY - cont'd

b. Results and Interpretation

i. Coca Soil Grid: (Figure 6)

Several Au anomalies were outlined by the soil survey over the Coca Grid. Almost directly east of the main silicified zone exposed on the highway, values of 95 ppb and 320 ppb Au, were obtained at 100m and 200m distances, respectively. (Soil Anomaly 1).

An anomaly with 100 and 120 ppb Au was outlined at approximately the same distances to the north and west of the Classic Zone (Soil Anomaly 2). Although the anomalies do not follow the trend of the silicified zone, it appears that anomalous Au is present away from the highway exposure.

Approximately 100m south of soil anomaly 2, four closely spaced soil samples along a trench-like excavation, yielded gold values of 100 to 365 ppb.

Two additional spot Au anomalies of 210 ppb and 150 ppb occur at L24E/11N and L14E/16+75N respectively in areas of no exposure.


Silver and As soil anomalies were negligible. A few 10 ppb Sb anomalies are present at the south end of the grid but could not be correlated with other elements. A direct Cu-Au correlation is not evident.

7b. Results and Interpretation:

ii. Coca Grid; Rock Geochemistry (Figure 5)

Several outcrops of malachite bearing andesite on the grid contained Au values between 1,000 and 4,000 ppb. Two of these samples were collected from the trench-like excavation with anomalous Au in soil. The "trench" is on trend and northwest of the Classic Zone. Samples of malachite stained, weakly silicified, pyritic andesite from the trench contained 3610 and 3680 ppb Au (128685 and 102859). A further 650m to the west of this trench values of 2800 ppb and 1260 ppb Au were obtained from malachite bearing well fractured, rusty andesite. There is virtually no outcrop between these anomalies. South of the Classic Zone, on the south edge of the Coca grid, weakly brecciated, malachite bearing andesite contained 1080 ppb Au. A good Cu-Au correlation is evident in the rock samples. Gold is evidently transported with Cu-bearing solutions along fracture zones.

The Classic Zone itself carries elevated Au values, eight samples contain 100 to 200 ppb Au (Figure 7). Twenty-five metres west of the Classic Zone similar values of 230 and 110 ppb Au, (102867,8) were obtained from pyritic + malachite bearing andesite. Approximately 150m to the east of this area, a sample of pyritic andesite ran 120 ppb Au, (239800). A further 175m east, pyritic andesite float contains 20 ppb Au with 105 ppm Sb, (239798). This constitutes the only Sb in rock anomaly on the property and does not correspond to the Sb soil anomalies.



Au (ppb), Ag (ppm), As (ppm), Sb (ppm), Cu (ppm)
 OR 25", 1.0", 10" (Au, Ag, As)




FIG. 6

KERR ADDISON MINES LTD	
CLAPPER CLAIMS COCA GRID	
SOIL GEOCHEMISTRY	
SCALE - 1 : 5000	DATE : OCT., 7, 1988
DRAWN BY : P.H.	DATA : S.J., J.P.
NTS : 92 I / 7	REVISED :

7. GEOCHEMISTRY - cont'd

7.b. Results and Interpretation

ii. Coca Grid; Rock Geochemistry - cont'd

Low As response (<100 ppm) is associated with some of the high Au in rock anomalies but is not consistent. Silver is virtually negligible, with a maximum value of 4.4 ppm.

Anomalous Au in rock response does not consistently give a corresponding anomalous Au in soil halo. However, taken together, both soils and rocks outline the same "general" anomalous area on the property.

7.b. Results and Interpretation

iii. Property:

Elsewhere on the property, a Cu-Au correlation is evident, particularly within cross-cutting fracture zones along the northerly trending Fanta Fault. In outcrop at the south end of the property, narrow quartz carbonate veins with weak to trace malachite ± chalcocite, chalcopyrite and pyrite contain up to 600 ppb Au. The pyritic footwall of one such vein carried 890 ppb Au, (239696). Malachite bearing, pyritic Nicola volcanic rocks from outcrop contain 425 ppb Au associated with 4150 ppb Cu.

On a centimeter scale, silicified, pyritic pods in outcrop just south of the Classic Zone yield 500 ppb Au.

At the north end of the property, pyritic quartz-carbonate veins carry 200 ppb Au. A grab of pyritic andesite in this vicinity ran 140 ppb Au. The highest Au sample on the property was collected in this vicinity. A 5cm wide zone with pyrite, sphalerite, galena and malachite in hematitic andesite carried 4750 ppb Au with 144 ppm Ag, 450 ppb As and 430 ppm Sb. This latter sample is very similar to what is observed on the A1 claims bordering Helmer Lake.

8. GEOPHYSICS (VLF-EM 16 Survey)

a. Procedure:

A VLF-EM survey was carried out on the Coca grid using a Geonics EM16 instrument. In-phase and quadrature readings were taken facing north at 25m intervals on lines spaced 100m apart with interim readings taken in the vicinity of in-phase crossovers. The Cutler, Maine transmitting station was used which lies in a direction of about 096° to the north/south grid lines.

8. GEOPHYSICS (VLF-EM 16 Survey)

a. Procedure - cont'd

The VLF-EM survey data was plotted as both dip-angle and quadrature line profiles (Appendix II) and as a Fraser filtered contour map (Figure 12).

b. Results (Figure E, Appendix II)

A major VLF anomaly strikes northwesterly along trend from the main silicified section of the Classic Zone. There is a minor disruption at L12+50E/18+50N where the main conductor splays into one or more westerly trending conductors.

Other smaller VLF conductors are outlined east of the Classic Zone. One of these, particularly at L22E/17N may represent a faulted continuation of the main conductor.




FIG. 8

0 50 100 200 300
METERS

KERR ADDISON MINES LTD	
CLAPPER CLAIMS COCA GRID	
VLF - FRASER FILTER CONTOUR MAP	
SCALE - 1: 5000	DATE: OCT., 7, 1988
DRAWN BY: P.H.	DATA: S.J., J.P.
NTS: 92 I/7	REVISED:

9. CONCLUSIONS AND RECOMMENDATIONS:

Anomalous gold values, both in soils (max. 365 ppb) and rocks (max. 4 g/t) appear to be associated with weakly malachite stained, pyritic, silicified, and clay altered zones adjacent to a major fault contact between Nicola volcanics and Coast Mountain granodiorites.

Lack of outcrop exposure does not, at this stage, permit an estimate of extent to mineralization. Current anomalous rock values are associated with centimeter scale veinlets.

A well defined VLF-EM-16 conductor correlates with an Au in soil anomaly trend at 125°.

Silver, arsenic, and antimony values tend to show spot highs and do not outline gold enriched zones. Copper appears to show the best positive correlation with Au, particularly in rock sampling.

Trenching of the coincident VLF-Au in soil anomaly is recommended to determine the source.

A mag survey should be undertaken over the central portion of the property. This would help to:

- i. approximate geological contacts in areas of no outcrop
- ii. define areas of major faulting and alteration
- iii. outline possible areas for trenching

Trenching is also recommended both east and west of the Classic Zone to determine its extent.

APPENDIX I

GEOCHEMICAL RESULTS



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER.
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments:

Pans
Clapper.

Page (: 1-B
Tot. Pages: 1
Date : 4-OCT-88
Invoice # : 1-8822418
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8822418

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
P1	235	238	3	0.04	15	620	16	5	6	42	0.15	< 10	< 10	92	< 5	134
P2	235	238	1	0.05	18	900	< 2	< 5	8	84	0.23	< 10	< 10	152	< 5	65
P3	235	238	3	0.03	27	940	6	< 5	8	68	0.22	< 10	< 10	156	5	93
P 102708	235	238	< 1	0.05	29	950	2	< 5	6	60	0.21	< 10	< 10	127	< 5	71
P 128703	235	238	< 1	0.09	24	930	6	< 5	7	69	0.24	< 10	< 10	146	< 5	56
P 128704	235	238	2	0.06	17	1860	10	< 5	13	111	0.22	< 10	< 10	173	< 5	107
P 128709	235	238	< 1	0.06	27	920	6	< 5	6	60	0.19	< 10	< 10	114	< 5	120
P 128710	235	238	< 1	0.03	24	1160	2	< 5	9	93	0.14	< 10	< 10	108	< 5	78
P 239799	235	238	< 1	0.08	19	1110	8	< 5	8	78	0.21	< 10	< 10	123	< 5	85
P 339751	235	238	1	0.04	15	820	2	5	4	51	0.12	< 10	< 10	73	< 5	39
P 339752	235	238	< 1	0.08	18	1020	2	< 5	7	73	0.19	< 10	< 10	115	< 5	69



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER.
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments:

Page No. : 1-A
Tot. Pages: 1
Date : 4-OCT-88
Invoice # : 1-8822418
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8822418

SAMPLE DESCRIPTION	PREP CODE		Au	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			ppb RUSH	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
P1	235	238	< 5	2.07	< 0.2	20	360	< 0.5	2	0.92	< 0.5	17	48	34	4.93	< 10	1	0.16	10	1.14	3210
P2	235	238	< 5	2.19	< 0.2	< 5	100	< 0.5	< 2	1.29	< 0.5	19	85	35	4.70	< 10	< 1	0.13	10	1.61	839
P3	235	238	< 5	2.24	< 0.2	< 5	110	< 0.5	< 2	1.23	< 0.5	21	89	39	5.12	< 10	< 1	0.11	10	1.60	1100
P 102708	235	238	< 5	1.71	< 0.2	15	70	< 0.5	2	1.56	< 0.5	18	112	35	3.86	< 10	< 1	0.09	10	1.34	675
P 128703	235	238	< 5	1.76	< 0.2	5	80	< 0.5	2	1.38	< 0.5	16	199	24	4.59	< 10	< 1	0.15	20	1.22	741
P 128704	235	238	< 5	2.72	< 0.2	< 5	170	< 0.5	2	1.68	< 0.5	29	84	114	5.53	< 10	< 1	0.21	10	2.57	992
P 128709	235	238	< 5	1.63	< 0.2	< 5	90	< 0.5	6	1.46	< 0.5	16	153	33	3.62	< 10	< 1	0.12	10	1.27	662
P 128710	235	238	< 5	1.32	< 0.2	< 5	180	< 0.5	2	3.72	< 0.5	22	71	42	4.59	< 10	< 1	0.09	10	1.98	1515
P 239799	235	238	< 5	1.87	< 0.2	< 5	90	< 0.5	4	1.30	< 0.5	17	152	33	3.94	< 10	< 1	0.17	10	1.39	830
P 339751	235	238	< 5	1.05	0.2	5	50	< 0.5	2	0.95	< 0.5	10	71	52	2.43	< 10	< 1	0.09	10	0.82	380
P 339752	235	238	< 5	1.74	< 0.2	< 5	70	< 0.5	< 2	1.18	< 0.5	15	133	26	3.55	< 10	< 1	0.16	10	1.27	655



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B16C-07
Comments :

Page : 1-A
Tot. Pages: 1
Date : 7-SEP-88
Invoice # : 1-8822089
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8822089

HPPEP

8200
11
11
11
6010
8200
25

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
128685	205 238	3610	1.96	2.2	20	20	2.0	< 2	0.97	< 0.5	16	153	>10000	5.18	10	< 1	0.06	10	2.49	405
128686	205 238	145	1.89	0.4	40	30	1.5	< 2	1.02	< 0.5	18	117	3340	6.29	10	< 1	0.05	20	1.67	652
128687	205 238	105	2.86	< 0.2	20	160	2.5	< 2	1.54	< 0.5	15	42	288	6.80	20	< 1	0.14	20	2.16	632
128689	205 238	< 5	3.92	< 0.2	35	30	1.0	< 2	2.53	< 0.5	19	15	70	4.22	10	< 1	0.06	20	0.58	169
128690	205 238	25	1.29	< 0.2	20	230	2.5	< 2	1.57	< 0.5	7	22	19	3.43	10	< 1	0.06	30	0.89	543
128691	205 238	< 5	1.08	< 0.2	10	60	1.5	< 2	2.15	< 0.5	9	49	57	2.56	10	< 1	0.09	30	0.71	487
128692	205 238	40	2.98	< 0.2	30	40	1.5	< 2	3.68	0.5	18	121	247	4.99	20	< 1	0.12	10	2.99	1220
128693	205 238	5	3.08	< 0.2	< 5	40	1.0	< 2	2.19	0.5	7	160	75	2.26	10	< 1	0.29	20	0.76	234
128694	205 238	5	0.38	< 0.2	10	80	< 0.5	4	>15.00	< 0.5	5	30	333	0.76	40	< 1	0.06	< 10	0.38	1805
128695	205 238	90	0.29	< 0.2	35	340	1.0	< 2	9.61	< 0.5	9	159	< 1	3.14	10	< 1	0.10	< 10	2.54	1455
128696	205 238	890	0.81	< 0.2	345	130	2.0	< 2	5.90	< 0.5	26	33	61	4.75	10	1	0.38	< 10	1.67	927
128697	205 238	5	0.75	< 0.2	20	1710	< 0.5	< 2	>15.00	< 0.5	7	63	14	1.49	30	2	0.10	< 10	0.67	1985
128698	205 238	15	1.09	< 0.2	10	1070	0.5	< 2	8.64	< 0.5	7	116	4	2.12	10	< 1	0.42	< 10	0.44	1140
128699	205 238	220	0.34	< 0.2	40	170	1.0	< 2	11.55	< 0.5	10	151	22	2.91	20	1	0.08	< 10	1.87	1700
128700	205 238	15	1.92	< 0.2	40	110	2.0	< 2	6.42	< 0.5	22	37	146	4.63	10	< 1	0.46	< 10	1.11	965
128741	205 238	25	1.88	< 0.2	< 5	80	0.5	< 2	6.08	< 0.5	24	62	134	4.79	10	< 1	0.37	< 10	1.77	951
128742	205 238	600	0.94	< 0.2	310	610	< 0.5	< 2	7.96	< 0.5	16	44	126	3.41	10	< 1	0.59	< 10	1.39	1380
128743	205 238	50	0.93	< 0.2	10	3000	< 0.5	< 2	10.10	< 0.5	11	65	55	2.80	20	< 1	0.45	< 10	1.21	1570
128744	205 238	140	0.45	< 0.2	15	50	< 0.5	< 2	12.75	< 0.5	7	194	22	1.51	20	< 1	0.05	< 10	1.04	759

RECEIVED
SEP - 8 1988
KERR ADDISON MINES LTD.
PER: _____

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

to: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments:

Page no. : 1-B
Tot. Pages: 1
Date : 7-SEP-88
Invoice #: I-8822089
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822089

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
128685	205	238	< 1	0.03	44	800	14	< 5	10	53	0.30	< 10	< 10	172	< 5	168
128686	205	238	1	0.04	21	1880	20	5	19	74	0.28	< 10	< 10	266	10	70
128687	205	238	1	0.05	11	2010	12	< 5	13	74	0.36	< 10	< 10	214	15	75
128689	205	238	< 1	0.58	15	820	8	5	5	242	0.29	< 10	< 10	74	5	24
128690	205	238	< 1	0.08	3	1360	6	< 5	8	35	0.01	< 10	< 10	47	< 5	141
128691	205	238	22	0.13	9	720	4	5	7	40	0.27	< 10	< 10	46	10	23
128692	205	238	< 1	0.05	14	1780	24	5	25	64	0.34	< 10	< 10	248	10	326
128693	205	238	9	0.22	53	1610	22	5	5	52	0.12	< 10	< 10	65	5	86
128694	205	238	< 1	0.01	< 1	200	< 2	5	2	461	0.01	< 10	< 10	22	5	12
128695	205	238	< 1	0.01	6	960	< 2	5	6	214	< 0.01	< 10	< 10	28	10	85
128696	205	238	2	0.01	28	1710	10	10	12	129	< 0.01	< 10	< 10	33	10	57
128697	205	238	< 1	0.01	3	400	6	5	3	416	< 0.01	< 10	< 10	43	5	24
128698	205	238	< 1	0.01	5	730	8	10	6	158	< 0.01	< 10	< 10	67	10	24
128699	205	238	< 1	0.01	6	240	6	5	3	207	< 0.01	< 10	< 10	32	10	49
128700	205	238	2	0.01	14	2130	16	< 5	9	128	< 0.01	< 10	< 10	70	10	76
128741	205	238	< 1	0.03	14	1800	6	5	11	135	0.03	< 10	< 10	85	10	61
128742	205	238	1	0.01	7	2330	12	10	8	222	< 0.01	< 10	< 10	35	10	60
128743	205	238	1	0.02	7	1950	16	5	8	258	< 0.01	< 10	< 10	41	10	41
128744	205	238	6	0.01	8	230	8	10	3	202	< 0.01	< 10	< 10	26	10	23

CERTIFICATION : *B. Coughlin*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B16C-07

Comments:

Page No.: 1-A
Tot. Pages: 1
Date: 7-SEP-88
Invoice #: I-8822088
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822088

CLAPPP - 02 of 2015

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
L128688	203	238	15	1.64	< 0.2	< 5	80	< 0.5	< 2	1.54	< 0.5	8	91	64	3.30	< 10	< 1	0.07	10	1.02	437



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B16C-07

Comments:

Page No.: 1-B
Tot. Pages: 1
Date: 7-SEP-88
Invoice #: I-8822088
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822088

SAMPLE DESCRIPTION	PREP CODE		Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
			L128688	203	238	< 1	0.03	15	610	16	< 5	4	76	0.20	< 10	< 10

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Page: 1-A
 Tot. Pages: 1
 Date: 15-AUG-88
 Invoice #: 1-8820484
 P.O. #: NONE

Project: B26C-07
 Comments: CC: JEAN PAUTLER

CERTIFICATE OF ANALYSIS A8820484

Classic
 ZONE
 ↓

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
239639 ✓	205 238	85	2.18	< 0.2	5	40	< 0.5	< 2	1.05	< 0.5	36	46	26	5.67	10	1	0.09	10	2.26	750
239733 ✓	205 238	100	2.08	< 0.2	10	50	< 0.5	< 2	3.14	< 0.5	49	33	486	6.29	10	1	0.07	10	2.39	815
239734	205 238	75	0.77	< 0.2	55	520	< 0.5	< 2	12.70	< 0.5	13	35	141	1.97	< 10	1	0.19	< 10	0.41	1555
239735	205 238	65	1.02	< 0.2	10	230	< 0.5	< 2	6.01	< 0.5	37	23	277	5.55	< 10	< 1	0.30	< 10	1.68	949
239736	205 238	40	2.33	< 0.2	< 5	100	< 0.5	< 2	2.63	< 0.5	28	37	168	5.99	10	< 1	0.13	10	2.87	881
239737	205 238	100	2.26	< 0.2	< 5	90	< 0.5	< 2	2.66	< 0.5	20	31	565	5.10	10	< 1	0.19	10	2.36	718
239738 ✓	205 238	110	2.15	< 0.2	< 5	230	< 0.5	< 2	4.63	< 0.5	26	24	651	5.47	< 10	< 1	0.15	< 10	2.36	1320
239739 ✓	205 238	90	2.92	1.4	5	150	< 0.5	6	2.33	< 0.5	25	21	3760	5.45	< 10	1	0.22	10	3.09	893
239740	205 238	75	2.28	0.2	5	200	< 0.5	< 2	2.94	< 0.5	24	22	144	5.58	10	< 1	0.13	10	2.62	1075
239741	205 238	60	2.45	< 0.2	< 5	130	< 0.5	< 2	4.01	< 0.5	25	103	136	6.40	10	< 1	0.09	< 10	3.01	1905
239742	205 238	70	2.23	0.2	< 5	70	< 0.5	< 2	3.56	< 0.5	27	101	168	7.60	10	< 1	0.18	10	2.85	2530
239743	205 238	130	1.12	0.6	20	120	< 0.5	< 2	2.27	< 0.5	38	68	198	7.28	< 10	< 1	0.50	10	0.74	1120
239744	205 238	100	0.57	0.6	15	90	< 0.5	< 2	2.11	< 0.5	24	21	107	5.45	< 10	< 1	0.29	10	0.72	619
239745	205 238	10	0.41	< 0.2	< 5	1190	< 0.5	4	8.18	< 0.5	5	143	14	2.20	< 10	< 1	0.14	< 10	2.16	1410
239746	205 238	70	0.87	0.6	10	170	< 0.5	< 2	0.26	< 0.5	17	53	124	10.80	< 10	3	0.42	< 10	0.23	560
239747	205 238	45	1.05	0.2	5	110	< 0.5	< 2	1.33	< 0.5	37	65	79	8.13	< 10	< 1	0.37	10	0.61	642
239748	205 238	60	1.24	0.8	5	130	< 0.5	< 2	4.79	< 0.5	23	26	395	5.40	< 10	< 1	0.19	< 10	1.73	815
239749	205 238	100	1.58	0.6	< 5	120	< 0.5	< 2	4.36	< 0.5	29	45	304	6.41	10	1	0.32	< 10	1.84	902
239750	205 238	40	1.11	0.4	< 5	110	< 0.5	2	2.82	< 0.5	28	25	287	5.71	10	< 1	0.22	10	1.59	644
239787 ✓	205 238	5	0.55	0.4	5	2000	< 0.5	< 2	0.30	0.5	7	77	12	2.04	10	< 1	0.17	10	0.07	522
239788 ✓	205 238	5	2.21	0.2	5	90	< 0.5	2	1.48	< 0.5	24	66	151	4.52	20	< 1	0.33	10	1.33	414
239789	205 238	< 5	2.65	0.2	< 5	60	< 0.5	< 2	0.71	< 0.5	17	17	50	5.97	10	< 1	0.24	60	1.26	790
239790 ✓	205 238	< 5	2.78	0.2	430	120	< 0.5	< 2	2.93	< 0.5	20	54	66	5.43	20	< 1	0.09	30	0.82	1635

AUG 15 1988
 KERR ADDISON MINES LTD.
 LER

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

to: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAULIER

Page No.: 1-B
Tot. Pages: 1
Date: 15-AUG-88
Invoice #: I-8820484
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8820484

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
239639	205	238	9	0.07	13	1740	< 2	< 5	10	41	0.22	< 10	< 10	144	25	39
239733	205	238	5	0.07	12	1610	2	< 5	13	84	0.14	< 10	< 10	139	30	42
239734	205	238	1	0.01	5	610	22	< 5	8	347	< 0.01	< 10	< 10	51	10	53
239735	205	238	2	0.03	13	1930	6	< 5	19	153	< 0.01	< 10	< 10	71	25	52
239736	205	238	< 1	0.06	11	1960	2	< 5	19	139	0.19	< 10	< 10	179	30	39
239737	205	238	< 1	0.05	9	1850	< 2	< 5	12	154	0.25	< 10	< 10	155	20	43
239738	205	238	< 1	0.03	6	1650	< 2	< 5	11	201	0.12	< 10	< 10	134	25	61
239739	205	238	< 1	0.04	7	1850	< 2	< 5	14	114	0.13	< 10	< 10	165	< 5	47
239740	205	238	< 1	0.04	7	1810	2	< 5	13	111	0.18	< 10	< 10	185	30	56
239741	205	238	< 1	0.05	17	1730	< 2	< 5	15	156	0.19	< 10	< 10	139	35	158
239742	205	238	1	0.03	22	1790	10	< 5	15	96	0.14	10	< 10	119	40	179
239743	205	238	10	0.03	17	1790	18	5	6	98	< 0.01	< 10	< 10	47	30	60
239744	205	238	11	0.02	9	1280	8	< 5	3	74	< 0.01	10	< 10	23	20	20
239745	205	238	< 1	0.02	4	500	< 2	< 5	4	293	< 0.01	< 10	< 10	18	10	32
239746	205	238	2	0.04	12	1850	18	< 5	5	32	0.05	10	< 10	40	30	142
239747	205	238	2	0.03	25	1950	8	< 5	8	28	< 0.01	< 10	< 10	29	25	57
239748	205	238	1	0.02	9	1380	4	< 5	8	180	< 0.01	10	< 10	63	15	63
239749	205	238	1	0.04	11	1630	6	< 5	9	150	< 0.01	< 10	< 10	81	25	44
239750	205	238	5	0.04	5	1900	12	10	5	105	0.01	10	< 10	49	15	54
239787	205	238	< 1	0.01	3	400	68	10	5	36	< 0.01	10	< 10	27	5	99
239788	205	238	< 1	0.08	17	1790	4	< 5	10	37	0.22	< 10	< 10	158	10	64
239789	205	238	< 1	0.01	18	1800	6	< 5	12	27	< 0.01	10	< 10	36	15	108
239790	205	238	2	0.02	30	2230	8	5	9	343	0.21	170	< 10	61	15	120

CERTIFICATION :

BC



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DEJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B2AC-07
Comments: JC: JEAN FAUTLER

Page No. : 1-A
Tot. Pages: 1
Date : 17-AUG-88
Invoice #: I-8820561
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8820561

CLASIFIED

Classic Zone

Classic Zone

AL

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
239651 H	205 238	30	0.77	0.2	< 5	120	< 0.5	6	2.76	< 0.5	16	22	89	4.72	< 10	< 1	0.42	< 10	1.11	453
239652 H q	205 238	<u>120</u>	0.71	<u>3.4</u>	25	270	< 0.5	4	6.55	<u>1.5</u>	12	88	<u>846</u>	3.14	20	1	0.33	< 10	1.86	1300
239653 H	205 238	60	3.09	0.2	< 5	580	< 0.5	< 2	1.13	<u>0.5</u>	24	19	<u>222</u>	7.97	20	< 1	0.49	10	2.61	808
239654 H	205 238	25	0.62	0.2	< 5	210	< 0.5	2	7.70	< 0.5	11	2	94	4.01	< 10	< 1	0.23	< 10	0.69	1280
239655 H	205 238	50	2.38	0.2	< 5	80	< 0.5	4	1.08	< 0.5	28	13	257	5.60	10	< 1	0.20	10	2.56	390
239656 H	205 238	30	1.95	0.2	< 5	40	< 0.5	< 2	3.17	< 0.5	28	12	201	5.52	10	< 1	0.10	< 10	1.99	661
239657 H	205 238	65	2.01	0.2	< 5	50	< 0.5	4	3.64	< 0.5	47	19	320	6.07	10	< 1	0.08	< 10	1.97	705
239658 H	205 238	55	2.10	0.2	< 5	40	< 0.5	4	3.86	< 0.5	33	11	296	5.25	10	1	0.11	< 10	1.91	582
239659 H	205 238	70	1.84	0.2	< 5	30	< 0.5	4	6.12	< 0.5	82	20	158	8.31	< 10	< 1	0.09	< 10	1.95	809
239660 H ^{25mg (ob)} _{caloris (76m)}	205 238	<u>205</u>	1.87	0.2	< 5	10	< 0.5	4	5.23	< 0.5	35	9	232	5.31	< 10	< 1	0.07	< 10	1.71	666
239661 H	205 238	5	0.19	0.2	< 5	110	< 0.5	< 2	10.45	< 0.5	1	61	90	2.93	< 10	< 1	0.09	< 10	3.84	1235
239662 H	205 238	60	1.81	0.2	< 5	40	< 0.5	6	0.94	< 0.5	10	11	382	5.33	10	< 1	0.09	10	1.50	467
239663 H	205 238	60	1.77	0.2	< 5	30	< 0.5	4	5.28	< 0.5	46	20	368	5.69	< 10	< 1	0.13	< 10	1.73	794
239664 H	205 238	45	1.57	0.2	< 5	50	0.5	4	3.66	< 0.5	26	10	327	4.86	< 10	< 1	0.10	< 10	1.87	642
239665 H	205 238	55	1.79	0.2	< 5	50	0.5	2	2.71	< 0.5	28	15	262	5.00	10	< 1	0.11	10	1.95	684
239666 H	205 238	30	2.71	0.2	< 5	210	< 0.5	< 2	4.06	< 0.5	16	14	155	5.35	10	< 1	0.18	< 10	2.73	1275
239667 H	205 238	40	0.79	0.6	< 5	120	0.5	4	4.92	< 0.5	17	6	99	4.56	< 10	< 1	0.16	< 10	1.77	1265
239668 H	205 238	90	1.67	0.2	< 5	80	1.0	4	4.63	< 0.5	25	41	214	5.52	10	< 1	0.14	< 10	2.13	1065
239669 H	205 238	55	1.50	0.2	< 5	100	< 0.5	8	0.56	< 0.5	11	15	74	5.18	10	< 1	0.11	10	1.55	425
239670 H	205 238	55	2.07	0.2	< 5	70	0.5	4	0.88	< 0.5	8	11	246	5.63	< 10	< 1	0.10	< 10	1.99	430
239671 H	205 238	<u>700</u>	0.16	<u>11.4</u>	5	140	< 0.5	14	0.98	<u>>99.9</u>	16	37	<u>1500</u>	0.94	< 10	4	0.09	< 10	0.11	427
239672 H	205 238	<u>1425</u>	0.11	<u>8.4</u>	5	250	< 0.5	8	0.67	<u>>99.9</u>	9	38	<u>848</u>	0.68	< 10	3	0.05	< 10	0.19	470

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-B
Tot. Pages: 1
Date: 17-AUG-88
Invoice #: I-8820561
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8820561

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
239651 H	205 238	3	0.04	3	1580	4	5	3	60	< 0.01	10	< 10	30	5	33
239652 H	205 238	4	0.04	5	720	8	245	3	252	< 0.01	< 10	< 10	29	10	158
239653 H	205 238	2	0.06	4	2280	8	< 5	10	130	0.02	< 10	< 10	185	< 5	115
239654 H	205 238	1	0.01	2	1460	8	5	11	205	< 0.01	< 10	< 10	37	5	83
239655 H	205 238	2	0.03	7	1670	< 2	< 5	8	82	0.20	< 10	< 10	136	5	30
239656 H	205 238	3	0.03	9	1470	2	< 5	7	100	0.20	< 10	< 10	121	10	47
239657 H	205 238	2	0.03	10	1430	4	< 5	9	126	0.16	< 10	< 10	129	10	46
239658 H	205 238	3	0.03	7	1580	2	5	9	98	0.19	< 10	< 10	143	10	44
239659 H	205 238	1	0.03	10	1390	2	< 5	11	134	0.16	< 10	< 10	142	30	54
239660 H	205 238	1	0.03	6	1470	< 2	< 5	9	108	0.14	< 10	< 10	133	10	50
239661 H	205 238	< 1	0.02	3	150	< 2	5	4	192	0.01	< 10	< 10	51	5	48
239662 H	205 238	5	0.04	8	1470	< 2	< 5	10	111	0.14	< 10	< 10	131	5	41
239663 H	205 238	4	0.04	9	1350	< 2	< 5	9	173	0.15	< 10	< 10	128	15	50
239664 H	205 238	2	0.03	5	1590	4	< 5	7	113	0.10	< 10	< 10	106	5	48
239665 H	205 238	1	0.02	5	1650	< 2	5	6	136	0.18	< 10	< 10	107	5	41
239666 H	205 238	< 1	0.02	8	1310	6	5	10	155	< 0.01	< 10	< 10	138	10	76
239667 H	205 238	1	0.01	8	1590	6	< 5	15	94	< 0.01	< 10	< 10	89	10	64
239668 H	205 238	< 1	0.03	11	1540	2	< 5	11	134	< 0.01	< 10	< 10	93	10	56
239669 H	205 238	3	0.03	< 1	1920	4	< 5	6	29	0.01	< 10	< 10	109	5	44
239670 H	205 238	5	0.02	3	1490	< 2	< 5	14	91	0.34	< 10	< 10	186	10	43
239671 H	205 238	14	0.01	3	710	>10000	30	< 1	19	< 0.01	< 10	< 10	5	30	>10000
239672 H	205 238	22	0.01	4	410	2680	< 5	< 1	16	< 0.01	< 10	< 10	4	20	>10000

CERTIFICATION :

PCB



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: J. PAUTLER

Page No. : 1-A
 Tot. Pages: 1
 Date : 22-AUG-88
 Invoice #: I-8821055
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821055

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
<i>Slapper</i> 239640 239643A, anal. 239644 239645 239688	205	238	25	2.83	< 0.2	5	20	< 0.5	8	0.97	< 0.5	14	30	29	5.83	10	< 1	0.08	10	2.83	61.
	205	238	<u>1260</u>	1.60	1.0	< 5	130	< 0.5	< 2	2.30	< 0.5	18	47	<u>3970</u>	5.14	10	< 1	0.17	20	1.47	89.
	205	238	30	2.53	< 0.2	10	40	< 0.5	6	0.93	< 0.5	24	62	<u>442</u>	6.75	20	< 1	0.14	10	2.73	74.
	205	238	55	2.10	0.4	< 5	80	< 0.5	< 2	1.12	< 0.5	17	48	1755	4.19	10	< 1	0.10	10	2.20	67.
<i>CL. -></i> 239689 239690 239691 239692 spec, 84, 54 239693	205	238	5	0.62	< 0.2	< 5	120	< 0.5	< 2	13.20	0.5	7	55	35	1.84	< 10	< 1	0.09	< 10	0.76	155.
	205	238	200	0.51	< 0.2	45	20	< 0.5	< 2	>15.00	1.0	14	37	36	6.39	< 10	< 1	0.08	< 10	4.28	658.
	205	238	30	2.42	< 0.2	5	70	< 0.5	4	5.06	< 0.5	16	27	348	4.89	10	< 1	0.39	20	2.08	122.
	205	238	<u>4700</u>	0.96	<u>144.0</u>	<u>450</u>	40	< 0.5	< 2	8.18	54.0	31	31	<u>>10000</u>	14.25	10	< 1	0.15	< 10	0.51	680.
239694 239791 239792 239793 239794	205	238	50	0.29	< 0.2	< 5	50	< 0.5	< 2	12.15	1.0	6	96	626	1.64	< 10	< 1	0.06	< 10	0.18	1740.
	205	238	<u>1080</u>	2.40	1.0	< 5	50	< 0.5	< 2	2.79	0.5	20	63	<u>4160</u>	4.36	10	< 1	0.15	20	1.94	716.
	205	238	15	0.80	< 0.2	< 5	20	< 0.5	< 2	4.12	< 0.5	3	58	<u>275</u>	0.93	< 10	< 1	0.21	20	0.63	690.
	205	238	25	0.59	< 0.2	< 5	20	< 0.5	2	2.02	0.5	4	32	24	1.88	< 10	< 1	0.12	20	0.53	488.
	205	238	<u>500</u>	2.10	< 0.2	< 5	30	< 0.5	8	4.63	< 0.5	54	136	265	9.35	10	< 1	0.05	10	2.46	998.
239795 239796 239797	205	238	20	0.53	< 0.2	< 5	20	< 0.5	< 2	11.10	< 0.5	3	86	38	0.96	< 10	< 1	< 0.01	< 10	0.66	932.
	205	238	<u>425</u>	1.95	1.8	< 5	160	< 0.5	< 2	4.61	< 0.5	19	21	<u>4150</u>	5.27	10	1	0.03	20	2.30	1330.
	205	238	20	2.11	< 0.2	5	180	< 0.5	4	4.67	< 0.5	14	23	<u>231</u>	5.54	10	< 1	0.11	20	2.16	1005.

RECEIVED
 AUG 23 1988
 KERR ADDISON MINES LTD.
 PER.....

CERTIFICATION : PC



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments: CC: J. PAUTLER

Page (: 1-B
Tot. Pages: 1
Date : 22-AUG-88
Invoice # : I-8821055
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821055

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
239640	205	238	1	0.04	3	1620	10	5	8	44	0.30	< 10	< 10	180	20	59
239643	205	238	< 1	0.05	8	1220	36	< 5	10	95	0.24	< 10	< 10	214	35	165
239644	205	238	2	0.03	17	2020	< 2	5	14	36	0.21	< 10	< 10	229	30	61
239645	205	238	15	0.03	9	1540	14	< 5	6	57	0.30	< 10	< 10	143	25	111
239688	205	238	1	0.02	10	620	4	< 5	5	140	0.13	< 10	< 10	91	10	37
239689	205	238	< 1	0.01	3	350	4	< 5	5	424	< 0.01	< 10	< 10	40	10	54
239690	205	238	1	0.01	11	170	34	5	6	382	< 0.01	< 10	< 10	49	35	158
239691	205	238	1	0.03	6	1400	2	5	8	101	0.04	< 10	< 10	100	25	116
239692	205	238	3	0.01	12	< 10	>10000	430	6	382	< 0.01	< 10	< 10	45	220	5160
239693	205	238	74	0.02	7	1140	266	5	9	227	0.04	< 10	< 10	112	25	182
239694	205	238	1	0.01	3	90	712	5	2	768	< 0.01	< 10	< 10	10	< 5	131
239791	205	238	1	0.04	12	950	10	< 5	9	81	0.36	< 10	< 10	183	30	88
239792	205	238	1	0.03	1	750	14	< 5	3	99	< 0.01	< 10	< 10	27	< 5	26
239793	205	238	2	0.03	< 1	700	4	< 5	2	41	< 0.01	< 10	< 10	28	5	34
239794	205	238	9	0.04	10	1240	< 2	< 5	9	79	0.15	< 10	< 10	180	40	79
239795	205	238	< 1	0.01	1	160	< 2	< 5	2	296	0.01	< 10	< 10	28	< 5	15
239796	205	238	1	0.03	9	1230	< 2	< 5	15	220	0.11	< 10	< 10	167	30	123
239797	205	238	2	0.02	5	1460	< 2	< 5	7	159	0.07	< 10	< 10	139	20	72

RECEIVED

AUG 23 1988

KERR ADDISON MINES LTD.

CERTIFICATION :

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

to: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project : B26C B08(D)C-07
 Comments: CC: JEAN PAUTLER

Page No. : 1-A
 Tot. Pages: 1
 Date : 29-AUG-88
 Invoice # : I-8821259
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821259

CLAPPER

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
239646	205 238	100	0.99	0.6	40	< 10	< 0.5	< 2	>15.00	< 0.5	8	67	19	1.47	< 10	< 1	< 0.01	< 10	1.06	927
239647	205 238	< 5	1.32	0.4	10	40	< 0.5	6	0.65	< 0.5	9	30	59	3.85	10	< 1	0.05	10	1.20	336
239648	205 238	< 5	0.55	1.0	< 5	110	0.5	2	2.37	< 0.5	6	20	13	2.06	10	< 1	0.32	10	0.46	824
239649	205 238	5	1.02	2.4	30	220	1.0	2	0.88	< 0.5	34	40	78	6.60	10	< 1	0.38	10	0.34	1935
239798	205 238	20	0.06	1.2	90	70	< 0.5	< 2	>15.00	< 0.5	13	14	2290	1.66	< 10	< 1	0.02	< 10	1.21	517
239800	205 238	120	2.27	0.4	85	200	< 0.5	6	2.05	< 0.5	41	102	308	6.06	10	< 1	0.17	20	2.17	1450

RECEIVED
 AUG 30 1988
 KERR ADDISON MINES LTD.

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C B08(D)C-07
Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 1
Date : 29-AUG-88
Invoice #: 1-8821259
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821259

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
239646	205	238	< 1	0.01	6	50	4	< 5	7	298	0.01	10	< 10	57	5	17
239647	205	238	2	0.05	4	1440	14	< 5	8	88	0.20	10	< 10	147	5	52
239648	205	238	1	0.02	6	740	2	< 5	4	28	< 0.01	10	< 10	13	< 5	49
239649	205	238	< 1	0.01	61	1330	8	< 5	33	38	< 0.01	10	10	120	10	91
239798	205	238	7	0.01	11	500	26	105	2	665	< 0.01	10	10	16	10	76
239800	205	238	7	0.04	38	2470	16	< 5	14	93	0.25	10	10	187	10	130

CERTIFICATION :

B. Coughlin

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07 B08(D)C-07
Comments: CC: JEAN PAUTLER

Page No 1-A
Tot. Pages: 1
Date : 30-AUG-88
Invoice # : I-8821768
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821768

CLAPPER

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
P 128678 Kirby Ck. pgr. 2	235 238	< 5	2.26	0.4	20	160	< 0.5	< 2	1.25	< 0.5	26	208	30	6.25	< 10	< 1	0.18	10	2.21	1195

AUG 3 1 1988

KERR ADDISON MINES LTD.

PER _____

CERTIFICATION :

PC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221


To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07 B08(D)C-07
 Comments: CC: JEAN PAUTLER

Page No. : 1-B
 Tot. Pages: 1
 Date : 30-AUG-88
 Invoice #: 1-8821768
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821768

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
P 128678	235 238	< 1	0.06	52	1240	< 2	5	10	95	0.18	< 10	< 10	158	< 5	91

CERTIFICATION : 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0211

KERR ADDISON MINES LTD.
 (ATIN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B16C-07
 Comments: CC: JEAN PAUTLER

Page N^o: 1-A
 Tot. Pages: 6
 Date: 2-SEP-88
 Invoice #: I-8821755
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

COALFIELD SOILS

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L10+00E 10+00N	201 238	< 5	1.66	0.2	< 5	100	< 0.5	< 2	0.62	< 0.5	7	35	13	2.55	10	< 1	0.07	< 10	0.56	365
L10+00E 10+25N	201 238	< 5	2.92	0.2	5	180	< 0.5	< 2	0.44	< 0.5	9	39	22	3.09	10	< 1	0.07	< 10	0.68	925
L10+00E 10+50N	201 238	< 5	2.65	0.2	5	200	< 0.5	< 2	0.57	< 0.5	9	44	21	3.31	10	< 1	0.07	10	0.69	1145
L10+00E 10+75N	201 238	< 5	1.76	0.2	5	110	< 0.5	< 2	0.53	< 0.5	8	41	15	2.92	< 10	< 1	0.08	< 10	0.63	400
L10+00E 11+00N	201 238	< 5	1.63	0.2	< 5	110	< 0.5	< 2	0.54	< 0.5	7	37	15	2.84	10	< 1	0.06	< 10	0.60	316
L10+00E 11+25N	201 238	< 5	2.24	0.2	< 5	170	< 0.5	< 2	0.48	< 0.5	9	44	22	3.15	10	< 1	0.09	< 10	0.64	744
L10+00E 11+50N	201 238	< 5	2.64	0.2	5	360	< 0.5	< 2	0.63	< 0.5	10	46	31	3.67	10	< 1	0.07	10	0.71	770
L10+00E 11+75N	201 238	< 5	1.90	0.2	< 5	130	< 0.5	< 2	0.51	< 0.5	7	38	15	2.68	< 10	< 1	0.06	< 10	0.55	540
L10+00E 12+00N	201 238	< 5	2.31	0.2	< 5	120	< 0.5	< 2	0.54	< 0.5	7	32	12	2.48	10	< 1	0.04	< 10	0.50	802
L10+00E 12+25N	201 238	5	3.14	0.2	< 5	180	< 0.5	< 2	0.60	< 0.5	9	49	24	3.54	< 10	< 1	0.10	10	0.79	689
L10+00E 12+50N	201 238	< 5	2.96	0.2	10	180	< 0.5	< 2	0.41	< 0.5	9	37	31	3.25	10	< 1	0.05	< 10	0.73	902
L10+00E 12+75N	201 238	< 5	3.02	0.2	< 5	150	< 0.5	< 2	0.63	< 0.5	10	55	24	3.66	10	< 1	0.07	10	0.81	548
L10+00E 13+00N	201 238	< 5	3.46	0.2	5	170	< 0.5	< 2	0.43	< 0.5	9	37	47	3.28	< 10	< 1	0.05	10	0.78	496
L10+00E 13+25N	201 238	< 5	2.44	0.2	< 5	120	< 0.5	< 2	0.42	< 0.5	8	38	31	2.98	< 10	< 1	0.05	< 10	0.70	361
L10+00E 13+50N	201 238	< 5	2.64	0.2	< 5	200	< 0.5	< 2	0.73	< 0.5	7	36	43	2.64	10	< 1	0.04	10	0.60	292
L10+00E 13+75N	201 238	< 5	2.85	0.2	10	250	< 0.5	< 2	1.01	< 0.5	5	24	44	1.91	10	< 1	0.03	10	0.54	126
L10+00E 14+00N	201 238	< 5	2.18	0.2	< 5	100	< 0.5	< 2	0.59	< 0.5	8	35	26	2.78	10	< 1	0.08	10	0.63	513
L10+00E 14+25N	201 238	< 5	2.28	0.2	5	120	< 0.5	< 2	0.41	< 0.5	10	25	40	2.85	10	< 1	0.03	< 10	0.60	918
L10+00E 14+50N	201 238	< 5	3.35	0.2	15	80	< 0.5	< 2	0.32	< 0.5	8	37	115	3.38	10	< 1	0.03	< 10	0.71	541
L10+00E 14+75N	201 238	< 5	3.24	0.2	< 5	160	< 0.5	< 2	0.47	< 0.5	10	38	49	3.33	10	< 1	0.06	< 10	0.73	948
L10+00E 15+00N	201 238	< 5	3.05	0.2	< 5	140	< 0.5	< 2	0.45	< 0.5	10	47	44	3.33	10	< 1	0.04	< 10	0.82	480
L10+00E 15+25N	201 238	< 5	2.83	0.4	< 5	120	< 0.5	< 2	0.36	< 0.5	9	31	36	3.08	10	< 1	0.03	< 10	0.60	439
L10+00E 15+50N	201 238	< 5	1.91	0.2	5	80	< 0.5	< 2	0.39	< 0.5	8	26	37	2.52	10	< 1	0.04	< 10	0.50	415
L10+00E 15+75N	201 238	< 5	1.83	0.2	< 5	70	< 0.5	2	0.66	< 0.5	9	63	26	3.53	10	< 1	0.06	10	0.73	361
L10+00E 16+00N	201 238	< 5	1.21	0.2	< 5	70	< 0.5	< 2	0.36	< 0.5	7	36	25	2.73	10	< 1	0.04	< 10	0.31	487
L10+00E 16+25N	201 238	< 5	2.36	0.2	5	100	< 0.5	< 2	0.53	< 0.5	8	34	28	2.81	10	< 1	0.06	10	0.54	283
L10+00E 16+50N	201 238	30	1.70	0.2	5	70	< 0.5	< 2	0.60	< 0.5	9	53	25	3.04	10	< 1	0.05	10	0.65	364
L10+00E 16+75N	201 238	5	3.00	1.0	< 5	330	< 0.5	< 2	1.81	1.0	10	52	218	3.84	10	< 1	0.14	20	0.85	1845
L10+00E 17+00N	201 238	10	1.87	0.2	< 5	100	0.5	< 2	0.50	< 0.5	8	48	19	2.91	10	< 1	0.07	< 10	0.57	532
L10+00E 17+25N	201 238	< 5	1.64	0.2	5	90	< 0.5	< 2	0.50	< 0.5	8	52	16	2.88	< 10	< 1	0.09	< 10	0.53	554
L10+00E 17+50N	201 238	< 5	1.56	0.2	< 5	80	< 0.5	< 2	0.53	< 0.5	7	48	14	2.80	10	< 1	0.10	< 10	0.54	495
L10+00E 17+75N	201 238	< 5	1.64	0.2	< 5	80	< 0.5	< 2	0.50	< 0.5	7	48	13	2.68	10	< 1	0.07	< 10	0.56	319
L10+00E 18+00N	201 238	< 5	1.82	0.2	< 5	90	< 0.5	< 2	0.53	< 0.5	7	67	15	2.53	10	< 1	0.07	< 10	0.54	353
L10+00E 18+25N	201 238	< 5	1.69	0.2	< 5	70	< 0.5	< 2	0.47	< 0.5	6	32	13	2.39	< 10	< 1	0.09	< 10	0.48	248
L10+00E 18+50N	201 238	< 5	1.85	0.2	< 5	80	< 0.5	< 2	0.42	< 0.5	7	39	14	2.49	10	< 1	0.08	< 10	0.48	312
L10+00E 18+75N	201 238	< 5	1.88	0.2	5	100	0.5	< 2	0.43	< 0.5	7	34	15	2.49	< 10	< 1	0.07	< 10	0.48	490
L10+00E 19+00N	201 238	< 5	2.05	0.2	< 5	90	0.5	< 2	0.43	< 0.5	8	40	19	2.72	10	< 1	0.11	< 10	0.59	378
L10+00E 19+25N	201 238	< 5	1.92	0.2	< 5	80	< 0.5	< 2	0.48	< 0.5	7	40	17	2.65	10	< 1	0.08	< 10	0.56	479
L10+00E 19+50N	201 238	< 5	2.17	0.2	< 5	110	0.5	< 2	0.48	< 0.5	9	40	20	2.90	10	< 1	0.08	< 10	0.60	486
L10+00E 19+75N	201 238	15	1.81	0.2	< 5	80	< 0.5	< 2	0.46	< 0.5	7	31	14	2.42	10	< 1	0.07	< 10	0.49	502

CERTIFICATION :

B. Coughlin

S to 10



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07
Comments : CC: JEAN PAUTLER

Page No 1-B
Tot. Pages: 6
Date : 2-SEP-88
Invoice # : I-8821755
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L10+00E 10+00N	201 238	< 1	0.02	14	330	< 2	< 5	4	32	0.16	< 10	< 10	70	< 5	50
L10+00E 10+25N	201 238	< 1	0.02	21	560	< 2	< 5	5	30	0.17	< 10	< 10	78	< 5	100
L10+00E 10+50N	201 238	1	0.02	22	540	< 2	< 5	5	29	0.18	< 10	< 10	85	< 5	96
L10+00E 10+75N	201 238	< 1	0.02	17	450	< 2	< 5	4	28	0.17	< 10	< 10	80	< 5	54
L10+00E 11+00N	201 238	< 1	0.01	16	280	< 2	< 5	4	28	0.18	< 10	< 10	80	< 5	46
L10+00E 11+25N	201 238	1	0.01	19	460	< 2	< 5	5	26	0.16	< 10	< 10	77	< 5	75
L10+00E 11+50N	201 238	2	0.02	21	410	2	< 5	6	31	0.12	< 10	< 10	92	< 5	88
L10+00E 11+75N	201 238	1	0.02	18	520	< 2	< 5	4	27	0.17	< 10	< 10	70	< 5	71
L10+00E 12+00N	201 238	1	0.02	16	310	< 2	< 5	3	29	0.16	< 10	< 10	64	< 5	71
L10+00E 12+25N	201 238	1	0.02	26	620	< 2	< 5	6	40	0.20	< 10	< 10	91	< 5	79
L10+00E 12+50N	201 238	1	0.02	22	330	< 2	< 5	5	42	0.17	< 10	< 10	80	< 5	72
L10+00E 12+75N	201 238	2	0.02	26	450	< 2	< 5	5	42	0.20	< 10	< 10	95	< 5	71
L10+00E 13+00N	201 238	< 1	0.03	24	1110	< 2	< 5	8	38	0.18	< 10	< 10	77	< 5	78
L10+00E 13+25N	201 238	1	0.02	21	720	< 2	< 5	4	26	0.15	< 10	< 10	74	< 5	73
L10+00E 13+50N	201 238	1	0.02	21	240	< 2	< 5	6	58	0.13	< 10	< 10	59	< 5	48
L10+00E 13+75N	201 238	< 1	0.04	16	230	4	< 5	5	85	0.13	< 10	< 10	42	< 5	63
L10+00E 14+00N	201 238	2	0.02	16	300	4	< 5	5	33	0.15	< 10	< 10	74	< 5	64
L10+00E 14+25N	201 238	1	0.02	14	740	< 2	< 5	4	41	0.16	< 10	< 10	77	< 5	96
L10+00E 14+50N	201 238	1	0.02	23	650	< 2	< 5	5	26	0.19	< 10	< 10	93	< 5	75
L10+00E 14+75N	201 238	1	0.02	24	930	< 2	< 5	5	33	0.18	< 10	< 10	87	< 5	91
L10+00E 15+00N	201 238	1	0.02	26	760	< 2	< 5	5	28	0.17	< 10	< 10	87	< 5	69
L10+00E 15+25N	201 238	1	0.02	21	560	< 2	< 5	4	23	0.18	< 10	< 10	85	< 5	75
L10+00E 15+50N	201 238	1	0.02	15	1280	< 2	< 5	3	29	0.13	< 10	< 10	66	< 5	60
L10+00E 15+75N	201 238	2	0.02	19	630	2	< 5	5	35	0.19	< 10	< 10	104	< 5	49
L10+00E 16+00N	201 238	1	0.02	8	850	< 2	< 5	3	33	0.15	10	10	76	< 5	68
L10+00E 16+25N	201 238	1	0.03	16	630	< 2	< 5	4	30	0.15	< 10	< 10	70	< 5	68
L10+00E 16+50N	201 238	< 1	0.02	18	610	< 2	< 5	5	33	0.17	< 10	< 10	88	< 5	54
L10+00E 16+75N	201 238	2	0.02	26	770	6	< 5	12	98	0.10	10	< 10	69	< 5	140
L10+00E 17+00N	201 238	1	0.02	17	960	< 2	< 5	4	26	0.15	< 10	< 10	77	< 5	81
L10+00E 17+25N	201 238	1	0.02	15	580	< 2	< 5	4	24	0.16	< 10	< 10	79	< 5	58
L10+00E 17+50N	201 238	1	0.02	14	510	< 2	< 5	4	24	0.16	< 10	< 10	77	< 5	50
L10+00E 17+75N	201 238	1	0.01	18	730	< 2	< 5	4	24	0.14	10	10	73	< 5	53
L10+00E 18+00N	201 238	2	0.02	35	460	< 2	< 5	4	26	0.15	< 10	< 10	69	< 5	73
L10+00E 18+25N	201 238	< 1	0.02	15	590	< 2	< 5	3	23	0.14	< 10	< 10	62	< 5	62
L10+00E 18+50N	201 238	< 1	0.02	17	780	< 2	< 5	3	21	0.14	< 10	< 10	64	< 5	71
L10+00E 18+75N	201 238	< 1	0.02	18	900	< 2	5	3	23	0.14	< 10	< 10	64	< 5	80
L10+00E 19+00N	201 238	1	0.02	19	970	< 2	< 5	4	25	0.15	< 10	< 10	71	< 5	73
L10+00E 19+25N	201 238	< 1	0.02	18	670	< 2	< 5	4	28	0.16	< 10	< 10	73	< 5	75
L10+00E 19+50N	201 238	< 1	0.02	20	780	< 2	5	5	29	0.16	< 10	< 10	76	< 5	78
L10+00E 19+75N	201 238	< 1	0.02	15	640	< 2	< 5	3	27	0.15	< 10	< 10	64	< 5	66

CERTIFICATION : B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No: 2-A
 Tot. Pages: 6
 Date: 2-SEP-88
 Invoice #: I-8821755
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L11+00E 20+00N	201 238	15	1.69	0.2	< 5	80	< 0.5	< 2	0.52	0.5	6	37	18	2.56	10	< 1	0.07	< 10	0.55	593
L11+00E 10+00N	201 238	< 5	2.29	0.2	< 5	100	< 0.5	< 2	0.42	< 0.5	9	41	32	3.02	10	< 1	0.06	< 10	0.63	320
L11+00E 10+25N	201 238	< 5	2.03	0.2	< 5	90	< 0.5	< 2	0.45	< 0.5	8	40	18	3.07	10	< 1	0.05	< 10	0.61	271
L11+00E 10+50N	201 238	< 5	2.55	0.2	< 5	240	< 0.5	< 2	0.70	< 0.5	12	47	48	3.93	10	< 1	0.09	10	0.85	876
L11+00E 10+75N	201 238	< 5	2.73	0.2	< 5	350	< 0.5	< 2	1.37	< 0.5	9	38	117	3.09	10	< 1	0.06	10	0.79	975
L11+00E 11+00N	201 238	< 5	2.02	0.2	< 5	290	< 0.5	< 2	1.58	< 0.5	10	33	215	2.77	10	< 1	0.06	20	0.72	806
L11+00E 11+25N	201 238	< 5	2.03	0.2	< 5	110	< 0.5	< 2	0.45	< 0.5	9	38	59	3.08	10	< 1	0.06	< 10	0.70	335
L11+00E 11+50N	201 238	< 5	1.98	0.2	< 5	120	< 0.5	< 2	0.57	< 0.5	9	51	24	3.05	< 10	< 1	0.09	< 10	0.68	482
L11+00E 11+75N	201 238	< 5	1.87	0.2	< 5	170	< 0.5	< 2	0.39	0.5	9	29	44	2.61	10	< 1	0.08	< 10	0.49	801
L11+00E 12+00N	201 238	< 5	2.18	0.2	< 5	240	< 0.5	< 2	0.43	< 0.5	11	23	101	3.24	10	< 1	0.08	< 10	0.54	883
L11+00E 12+25N	201 238	< 5	2.15	0.2	< 5	280	< 0.5	< 2	1.58	< 0.5	5	20	224	1.73	10	< 1	0.04	10	0.41	1170
L11+00E 12+50N	201 238	< 5	2.21	0.2	< 5	280	< 0.5	< 2	1.68	0.5	4	28	192	1.80	10	< 1	0.04	10	0.50	203
L11+00E 12+75N	203 238	< 5	0.57	0.4	< 5	410	< 0.5	< 2	4.74	1.0	2	17	153	0.43	< 10	< 1	0.02	< 10	0.36	1385
L11+00E 13+00N	201 238	< 5	1.92	0.2	< 5	160	< 0.5	< 2	0.41	0.5	8	25	20	2.50	10	< 1	0.04	< 10	0.51	551
L11+00E 13+25N	201 238	< 5	2.15	0.4	< 5	150	< 0.5	< 2	0.47	< 0.5	9	36	22	2.98	10	< 1	0.07	< 10	0.65	482
L11+00E 13+50N	201 238	< 5	2.77	0.2	< 5	270	< 0.5	< 2	0.55	< 0.5	9	44	46	3.31	10	< 1	0.10	10	0.78	490
L11+00E 13+75N	201 238	< 5	2.29	0.2	< 5	230	< 0.5	< 2	0.53	< 0.5	8	34	30	3.00	10	< 1	0.12	< 10	0.63	655
L11+00E 14+00N	201 238	< 5	1.80	0.2	< 5	210	< 0.5	< 2	0.52	< 0.5	8	33	31	2.83	10	< 1	0.11	10	0.59	630
L11+00E 14+25N	201 238	< 5	2.05	0.2	< 5	280	< 0.5	< 2	0.57	< 0.5	10	34	31	2.92	10	< 1	0.11	10	0.56	1075
L11+00E 14+50N	201 238	< 5	3.00	0.2	< 5	340	< 0.5	< 2	0.89	< 0.5	8	40	47	2.92	10	< 1	0.06	10	0.67	867
L11+00E 14+75N	201 238	< 5	2.23	0.6	< 5	150	< 0.5	< 2	0.56	0.5	8	35	20	2.70	10	< 1	0.07	10	0.54	456
L11+00E 15+00N	201 238	< 5	2.08	0.2	< 5	100	< 0.5	< 2	0.55	< 0.5	7	40	21	2.90	10	< 1	0.07	10	0.58	433
L11+00E 15+25N	201 238	< 5	2.14	0.2	< 5	90	< 0.5	< 2	0.50	< 0.5	8	45	20	2.96	10	< 1	0.06	10	0.63	400
L11+00E 15+50N	201 238	< 5	3.07	0.2	< 5	150	< 0.5	< 2	1.15	< 0.5	6	44	50	2.67	10	< 1	0.04	10	0.71	309
L11+00E 15+75N	201 238	< 5	1.82	0.2	< 5	100	< 0.5	< 2	0.48	< 0.5	7	44	18	2.57	< 10	< 1	0.06	< 10	0.63	277
L11+00E 16+00N	201 238	< 5	1.90	0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	6	29	18	2.30	< 10	< 1	0.05	< 10	0.40	376
L11+00E 16+25N	201 238	25	2.10	0.2	< 5	80	< 0.5	< 2	0.92	< 0.5	9	79	69	4.29	< 10	< 1	0.11	10	1.10	381
L11+00E 16+50N	201 238	< 5	2.14	0.2	< 5	90	< 0.5	< 2	0.50	< 0.5	7	46	15	2.86	< 10	< 1	0.08	< 10	0.56	357
L11+00E 16+75N	201 238	< 5	1.77	0.2	< 5	70	< 0.5	< 2	0.52	< 0.5	7	48	14	2.84	< 10	< 1	0.07	< 10	0.57	256
L11+00E 17+00N	201 238	15	2.09	0.2	< 5	90	< 0.5	< 2	0.64	< 0.5	9	55	23	3.35	< 10	< 1	0.06	10	0.72	345
L11+00E 17+25N	201 238	< 5	1.68	0.2	< 5	60	< 0.5	< 2	0.76	< 0.5	7	57	14	3.15	< 10	< 1	0.06	10	0.64	239
L11+00E 17+50N	201 238	< 5	1.63	0.2	< 5	70	< 0.5	< 2	0.67	< 0.5	9	46	35	3.26	< 10	< 1	0.13	10	0.86	383
L11+00E 17+75N	201 238	< 5	1.54	0.2	< 5	70	< 0.5	< 2	0.54	< 0.5	9	34	34	2.96	< 10	< 1	0.09	10	0.73	469
L11+00E 18+00N	201 238	< 5	1.58	0.4	< 5	70	< 0.5	< 2	0.82	< 0.5	9	38	36	2.93	10	< 1	0.05	10	0.86	379
L11+00E 18+25N	201 238	20	1.48	0.2	< 5	100	< 0.5	< 2	0.40	< 0.5	8	30	20	2.48	10	< 1	0.06	< 10	0.63	523
L11+00E 18+50N	201 238	15	1.54	0.2	10	90	< 0.5	< 2	0.56	< 0.5	10	41	17	3.11	< 10	< 1	0.15	< 10	0.74	579
L11+00E 18+75N	201 238	20	1.90	0.2	10	80	< 0.5	< 2	0.70	< 0.5	11	53	25	3.93	< 10	< 1	0.12	10	0.96	484
L11+00E 19+00N	201 238	< 5	1.96	0.2	< 5	100	< 0.5	< 2	0.61	< 0.5	9	54	15	3.26	< 10	< 1	0.09	10	0.74	545
L11+00E 19+25N	201 238	< 5	2.23	0.2	< 5	110	< 0.5	< 2	0.52	< 0.5	10	56	25	3.18	10	< 1	0.08	10	0.75	530
L11+00E 19+50N	201 238	20	2.28	0.2	< 5	110	< 0.5	< 2	0.54	< 0.5	10	60	26	3.27	< 10	< 1	0.09	10	0.75	543

CERTIFICATION :

B. Cough



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments : CC: JEAN PAUTLER

Page No : 2-B
Tot. Pages: 6
Date : 2-SEP-88
Invoice # : I-8821755
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L11+00E 20+00N	201 238	1	0.02	14	440	< 2	< 5	4	32	0.16	< 10	< 10	73	< 5	62
L11+00E 10+00N	201 238	< 1	0.02	17	630	< 2	< 5	5	32	0.16	< 10	< 10	80	< 5	67
L11+00E 10+25N	201 238	< 1	0.02	15	260	< 2	< 5	5	31	0.16	10	10	89	< 5	58
L11+00E 10+50N	201 238	< 1	0.02	23	570	< 2	< 5	8	41	0.16	< 10	< 10	98	< 5	103
L11+00E 10+75N	201 238	< 1	0.03	19	330	< 2	< 5	7	86	0.13	< 10	< 10	69	< 5	74
L11+00E 11+00N	201 238	1	0.02	16	690	2	< 5	9	91	0.10	< 10	< 10	70	< 5	74
L11+00E 11+25N	201 238	< 1	0.01	16	450	< 2	< 5	5	25	0.13	< 10	< 10	81	< 5	64
L11+00E 11+50N	201 238	1	0.02	22	640	2	< 5	4	29	0.17	< 10	< 10	78	< 5	73
L11+00E 11+75N	201 238	< 1	0.02	15	720	< 2	< 5	4	24	0.09	< 10	< 10	59	< 5	99
L11+00E 12+00N	201 238	1	0.02	16	430	< 2	< 5	6	27	0.07	< 10	< 10	78	< 5	84
L11+00E 12+25N	201 238	< 1	0.04	13	600	< 2	< 5	6	89	0.08	< 10	< 10	32	< 5	60
L11+00E 12+50N	201 238	< 1	0.04	14	590	4	< 5	5	103	0.10	< 10	< 10	38	< 5	63
L11+00E 12+75N	203 238	< 1	0.01	6	1140	2	< 5	1	306	0.01	< 10	< 10	13	< 5	49
L11+00E 13+00N	201 238	< 1	0.02	16	330	6	< 5	3	31	0.13	< 10	< 10	63	< 5	165
L11+00E 13+25N	201 238	2	0.02	18	460	< 2	< 5	4	27	0.15	< 10	< 10	77	< 5	100
L11+00E 13+50N	201 238	1	0.02	21	210	< 2	< 5	7	37	0.14	< 10	< 10	80	< 5	76
L11+00E 13+75N	201 238	1	0.02	19	440	< 2	< 5	5	30	0.14	< 10	< 10	73	< 5	110
L11+00E 14+00N	201 238	< 1	0.02	16	400	< 2	< 5	5	31	0.12	< 10	< 10	69	< 5	84
L11+00E 14+25N	201 238	1	0.02	18	830	< 2	< 5	5	35	0.14	< 10	< 10	70	< 5	128
L11+00E 14+50N	201 238	1	0.03	23	190	< 2	< 5	6	69	0.17	< 10	< 10	66	< 5	119
L11+00E 14+75N	201 238	1	0.02	21	820	< 2	< 5	4	38	0.15	< 10	< 10	63	< 5	104
L11+00E 15+00N	201 238	1	0.02	19	860	< 2	< 5	5	34	0.17	< 10	< 10	76	< 5	86
L11+00E 15+25N	201 238	2	0.02	20	830	< 2	< 5	5	30	0.17	< 10	< 10	79	< 5	67
L11+00E 15+50N	201 238	1	0.03	23	310	< 2	< 5	7	71	0.15	< 10	< 10	58	< 5	64
L11+00E 15+75N	201 238	< 1	0.02	20	360	< 2	< 5	4	27	0.18	< 10	< 10	67	< 5	55
L11+00E 16+00N	201 238	< 1	0.02	15	1120	< 2	< 5	3	18	0.12	< 10	< 10	53	< 5	73
L11+00E 16+25N	201 238	1	0.02	25	600	< 2	< 5	11	67	0.23	< 10	< 10	132	< 5	55
L11+00E 16+50N	201 238	1	0.02	22	770	< 2	< 5	4	32	0.19	< 10	< 10	76	< 5	62
L11+00E 16+75N	201 238	< 1	0.02	19	560	< 2	< 5	4	32	0.19	10	10	78	< 5	56
L11+00E 17+00N	201 238	1	0.02	18	700	< 2	< 5	5	41	0.19	< 10	< 10	98	< 5	56
L11+00E 17+25N	201 238	< 1	0.02	14	350	< 2	< 5	5	54	0.22	< 10	< 10	103	< 5	39
L11+00E 17+50N	201 238	< 1	0.02	15	370	2	< 5	6	49	0.19	< 10	< 10	98	< 5	48
L11+00E 17+75N	201 238	1	0.02	12	820	2	< 5	5	37	0.14	< 10	< 10	80	< 5	58
L11+00E 18+00N	201 238	1	0.01	15	390	< 2	< 5	5	43	0.13	< 10	< 10	90	< 5	60
L11+00E 18+25N	201 238	< 1	0.01	10	1130	< 2	< 5	4	25	0.09	< 10	< 10	65	< 5	85
L11+00E 18+50N	201 238	< 1	0.01	13	400	2	< 5	5	38	0.16	< 10	< 10	92	< 5	56
L11+00E 18+75N	201 238	1	0.02	17	350	< 2	< 5	8	48	0.20	< 10	< 10	125	< 5	56
L11+00E 19+00N	201 238	2	0.02	18	610	< 2	< 5	5	38	0.19	< 10	< 10	93	< 5	66
L11+00E 19+25N	201 238	< 1	0.02	19	1070	< 2	< 5	6	34	0.16	< 10	< 10	86	< 5	86
L11+00E 19+50N	201 238	1	0.02	20	1020	< 2	< 5	6	36	0.16	< 10	< 10	88	< 5	84

CERTIFICATION :

B. Campbell



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
701 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: CC: JEAN PAUTLER

Page No: 3-A
Tot. Pages: 6
Date: 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Au ppb FAAA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L11+00E 19+75N	201 238	< 5	2.57	0.2	10	140	< 0.5	4	0.64	< 0.5	10	59	31	3.56	< 10	< 1	0.12	10	0.83	775
L11+00E 20+00N	201 238	15	2.23	0.4	15	110	< 0.5	2	0.63	< 0.5	10	56	25	3.45	10	< 1	0.10	10	0.80	667
L12+00E 10+00N	201 238	< 5	2.53	0.2	< 5	130	< 0.5	2	0.72	< 0.5	11	41	129	3.14	10	< 1	0.06	10	0.67	402
L12+00E 10+25N	201 238	20	2.29	0.4	15	170	< 0.5	2	0.43	< 0.5	11	31	313	4.67	< 10	< 1	0.08	10	0.70	482
L12+00E 10+50N	201 238	< 5	3.31	0.2	< 5	230	< 0.5	< 2	0.75	0.5	17	49	102	4.48	10	< 1	0.13	10	1.06	853
L12+00E 10+75N	201 238	< 5	3.45	0.2	10	230	< 0.5	< 2	0.79	< 0.5	19	58	77	4.34	10	< 1	0.19	20	0.99	1050
L12+00E 11+00N	201 238	< 5	2.94	0.2	5	230	< 0.5	4	0.68	< 0.5	15	54	56	3.77	10	< 1	0.14	10	0.91	879
L12+00E 11+25N	201 238	< 5	2.71	0.2	< 5	200	< 0.5	2	0.75	0.5	10	55	56	3.61	< 10	< 1	0.12	10	0.75	702
L12+00E 11+50N	201 238	< 5	2.92	0.4	< 5	260	< 0.5	2	0.69	1.0	17	39	94	4.55	< 10	3	0.15	10	0.83	1220
L12+00E 11+75N	201 238	< 5	2.92	0.2	15	220	0.5	2	0.50	< 0.5	18	18	312	4.21	< 10	3	0.11	10	0.75	1250
L12+00E 12+00N	201 238	< 5	3.01	0.2	< 5	220	< 0.5	< 2	0.41	< 0.5	12	31	114	3.75	< 10	1	0.09	10	0.79	515
L12+00E 12+25N	201 238	< 5	2.62	0.2	5	200	< 0.5	2	0.57	< 0.5	12	33	57	3.14	< 10	1	0.10	10	0.66	907
L12+00E 12+50N	201 238	< 5	1.90	0.2	< 5	150	< 0.5	2	0.32	< 0.5	10	22	31	2.40	< 10	2	0.09	10	0.40	692
L12+00E 12+75N	201 238	< 5	2.11	0.2	< 5	140	< 0.5	< 2	0.61	< 0.5	10	46	47	3.58	< 10	< 1	0.09	10	0.75	745
L12+00E 13+00N	201 238	< 5	2.33	0.2	20	140	0.5	< 2	0.62	< 0.5	10	48	32	3.54	10	1	0.10	10	0.75	497
L12+00E 13+25N	201 238	< 5	2.87	0.6	20	270	0.5	< 2	1.08	< 0.5	8	26	171	2.47	< 10	2	0.07	20	0.57	485
L12+00E 13+50N	201 238	< 5	3.02	0.4	15	300	0.5	2	1.06	< 0.5	11	37	53	2.86	10	< 1	0.07	20	0.75	797
L12+00E 13+75N	201 238	< 5	2.51	0.2	10	150	0.5	< 2	0.67	< 0.5	10	52	32	3.36	10	2	0.10	10	0.70	665
L12+00E 14+00N	201 238	< 5	2.20	0.4	< 5	110	< 0.5	2	0.59	< 0.5	11	49	29	3.17	10	< 1	0.11	10	0.62	704
L12+00E 14+25N	201 238	< 5	2.05	0.4	20	120	< 0.5	< 2	0.55	< 0.5	11	42	33	2.88	10	< 1	0.11	10	0.58	663
L12+00E 14+50N	201 238	< 5	2.05	0.2	< 5	100	< 0.5	< 2	0.65	< 0.5	10	47	23	2.96	< 10	< 1	0.12	10	0.57	588
L12+00E 14+75N	201 238	< 5	2.03	0.2	< 5	80	< 0.5	< 2	0.56	< 0.5	11	48	24	3.10	< 10	< 1	0.09	10	0.62	447
L12+00E 15+00N	201 238	< 5	2.81	0.2	15	120	< 0.5	< 2	0.67	< 0.5	11	45	31	3.18	10	< 1	0.07	10	0.65	342
L12+00E 15+25N	201 238	10	3.95	0.6	< 5	200	0.5	< 2	1.00	0.5	8	52	66	3.08	10	1	0.08	20	0.76	346
L12+00E 15+50N	201 238	< 5	2.43	0.4	5	90	< 0.5	< 2	0.53	< 0.5	9	46	19	3.04	< 10	< 1	0.10	10	0.60	496
L12+00E 15+75N	201 238	< 5	2.58	0.2	< 5	100	< 0.5	2	0.56	< 0.5	10	53	22	3.27	< 10	< 1	0.09	10	0.64	570
L12+00E 16+00N	201 238	< 5	2.32	0.4	5	100	< 0.5	2	0.59	< 0.5	11	48	26	3.34	< 10	1	0.10	10	0.70	574
L12+00E 16+25N	201 238	10	2.35	0.4	< 5	90	< 0.5	< 2	0.63	< 0.5	10	55	25	3.50	< 10	< 1	0.10	10	0.72	455
L12+00E 16+50N	201 238	< 5	2.44	0.4	< 5	90	< 0.5	< 2	0.69	< 0.5	10	58	24	3.65	10	< 1	0.07	10	0.77	476
L12+00E 16+75N	201 238	10	2.31	0.4	10	90	0.5	2	0.66	< 0.5	9	59	27	3.95	10	< 1	0.07	10	0.79	391
L12+00E 17+00N	201 238	35	1.65	0.2	10	60	< 0.5	< 2	0.67	< 0.5	11	50	18	3.25	< 10	< 1	0.09	10	0.64	369
L12+00E 17+25N	201 238	5	2.41	0.4	5	100	< 0.5	2	0.69	< 0.5	9	63	27	3.78	10	< 1	0.07	10	0.88	391
L12+00E 17+50N	201 238	< 5	2.16	0.4	< 5	100	< 0.5	< 2	0.62	< 0.5	11	51	27	3.28	< 10	< 1	0.08	10	0.72	445
L12+00E 17+75N	201 238	< 5	2.18	0.4	15	90	< 0.5	< 2	0.57	< 0.5	10	50	17	3.06	< 10	1	0.09	10	0.65	555
L12+00E 18+00N	201 238	10	2.08	0.2	< 5	80	< 0.5	< 2	0.73	< 0.5	9	54	24	3.81	< 10	< 1	0.05	10	0.86	354
L12+00E 18+25N	201 238	< 5	1.79	0.4	10	90	0.5	< 2	0.65	< 0.5	11	42	33	3.38	< 10	< 1	0.12	10	0.76	479
L12+00E 18+50N	201 238	< 5	1.78	0.2	5	110	< 0.5	< 2	0.54	< 0.5	12	36	27	3.12	< 10	< 1	0.07	10	0.64	606
L12+00E 18+75N	201 238	< 5	2.16	0.4	5	150	< 0.5	4	1.52	< 0.5	10	43	97	3.03	10	< 1	0.09	20	0.90	478
L12+00E 19+00N	201 238	< 5	2.10	0.4	< 5	100	< 0.5	< 2	0.55	< 0.5	11	38	28	3.21	< 10	< 1	0.08	10	0.72	541
L12+00E 19+25N	201 238	< 5	2.54	< 0.2	35	170	< 0.5	2	0.63	< 0.5	17	34	51	3.33	< 10	< 1	0.20	10	0.71	1085

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments: CC: JEAN PAUTLER

Page No : 3-B
Tot. Pages: 6
Date : 2-SEP-88
Invoice #: I-8821755
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L11+00E 19+75N	201 238	< 1	0.03	28	1470	4	< 5	8	47	0.18	< 10	< 10	110	10	96
L11+00E 20+00N	201 238	< 1	0.02	25	1160	< 2	< 5	6	42	0.18	< 10	< 10	107	5	82
L12+00E 10+00N	201 238	< 1	0.03	23	220	2	< 5	6	45	0.19	< 10	< 10	97	5	51
L12+00E 10+25N	201 238	1	0.03	16	480	< 2	5	13	35	0.07	< 10	< 10	162	5	75
L12+00E 10+50N	201 238	1	0.02	26	380	4	< 5	11	59	0.18	< 10	< 10	142	10	84
L12+00E 10+75N	201 238	< 1	0.02	32	540	< 2	< 5	11	54	0.20	< 10	< 10	132	5	88
L12+00E 11+00N	201 238	< 1	0.02	28	460	10	< 5	10	49	0.20	< 10	< 10	112	5	71
L12+00E 11+25N	201 238	< 1	0.02	27	320	4	< 5	8	51	0.18	< 10	< 10	106	< 5	67
L12+00E 11+50N	201 238	1	0.02	20	590	12	5	10	45	0.10	< 10	< 10	127	< 5	136
L12+00E 11+75N	201 238	1	0.03	16	1780	6	< 5	13	38	0.12	< 10	< 10	130	10	122
L12+00E 12+00N	201 238	1	0.03	20	560	< 2	< 5	8	33	0.10	< 10	< 10	101	< 5	88
L12+00E 12+25N	201 238	< 1	0.03	20	960	6	< 5	5	35	0.12	< 10	< 10	84	5	91
L12+00E 12+50N	201 238	< 1	0.03	13	1130	2	< 5	4	23	0.10	< 10	< 10	61	5	89
L12+00E 12+75N	201 238	< 1	0.03	19	760	2	< 5	6	40	0.17	< 10	< 10	115	< 5	81
L12+00E 13+00N	201 238	< 1	0.03	22	710	10	< 5	6	41	0.18	< 10	< 10	108	5	89
L12+00E 13+25N	201 238	< 1	0.07	17	460	14	< 5	7	82	0.15	< 10	< 10	53	5	98
L12+00E 13+50N	201 238	< 1	0.06	22	280	10	< 5	7	85	0.17	< 10	< 10	70	5	139
L12+00E 13+75N	201 238	< 1	0.05	23	1210	4	< 5	6	49	0.21	< 10	< 10	105	< 5	114
L12+00E 14+00N	201 238	1	0.03	23	1120	12	< 5	6	41	0.17	< 10	< 10	98	5	79
L12+00E 14+25N	201 238	< 1	0.04	22	1340	< 2	< 5	5	36	0.16	< 10	< 10	86	< 5	87
L12+00E 14+50N	201 238	< 1	0.03	21	1050	< 2	< 5	5	41	0.19	< 10	< 10	92	5	67
L12+00E 14+75N	201 238	< 1	0.03	21	1360	< 2	< 5	6	37	0.18	< 10	< 10	96	< 5	67
L12+00E 15+00N	201 238	< 1	0.04	23	620	< 2	< 5	5	52	0.20	< 10	< 10	95	< 5	69
L12+00E 15+25N	201 238	< 1	0.05	32	460	4	< 5	12	71	0.18	< 10	< 10	76	< 5	69
L12+00E 15+50N	201 238	< 1	0.03	25	1170	2	< 5	5	35	0.19	< 10	< 10	91	5	69
L12+00E 15+75N	201 238	< 1	0.03	26	1340	8	< 5	6	38	0.20	< 10	< 10	98	5	80
L12+00E 16+00N	201 238	< 1	0.03	22	1210	2	< 5	6	45	0.18	< 10	< 10	109	5	74
L12+00E 16+25N	201 238	< 1	0.03	24	1170	< 2	< 5	6	51	0.20	< 10	< 10	118	< 5	69
L12+00E 16+50N	201 238	< 1	0.03	25	1210	4	< 5	6	58	0.21	< 10	< 10	123	5	70
L12+00E 16+75N	201 238	< 1	0.03	22	960	6	< 5	7	53	0.21	< 10	< 10	138	< 5	65
L12+00E 17+00N	201 238	< 1	0.03	17	860	4	< 5	6	55	0.19	< 10	< 10	118	< 5	49
L12+00E 17+25N	201 238	< 1	0.03	26	1160	< 2	< 5	7	57	0.21	< 10	< 10	128	5	69
L12+00E 17+50N	201 238	< 1	0.03	21	1430	< 2	< 5	7	44	0.18	< 10	< 10	105	5	73
L12+00E 17+75N	201 238	< 1	0.03	23	1090	< 2	< 5	5	38	0.19	< 10	< 10	93	5	73
L12+00E 18+00N	201 238	< 1	0.02	24	780	6	< 5	7	60	0.20	< 10	< 10	136	< 5	52
L12+00E 18+25N	201 238	< 1	0.03	18	890	8	< 5	6	54	0.17	< 10	< 10	110	5	62
L12+00E 18+50N	201 238	< 1	0.03	14	1650	2	< 5	6	45	0.14	< 10	< 10	99	< 5	96
L12+00E 18+75N	201 238	< 1	0.03	20	570	4	5	9	95	0.15	< 10	< 10	98	< 5	69
L12+00E 19+00N	201 238	< 1	0.04	15	1900	2	< 5	6	46	0.16	< 10	< 10	101	5	105
L12+00E 19+25N	201 238	< 1	0.06	16	930	2	< 5	7	61	0.18	< 10	< 10	108	< 5	106

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

THE TERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07
Comments : CC: JEAN PAUTLER

Page No. (-A
Tot. Pages: 6
Date : 2-SEP-88
Invoice #: I-8821755
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

COOP GRILL - SOILS

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L13400E 19+50N	201 238	< 5	2.37	0.2	< 5	80	< 0.5	2	0.88	0.5	18	53	37	4.32	10	< 1	0.16	10	1.20	565
L12400E 19+75N	201 238	< 5	3.53	0.4	25	190	0.5	6	0.96	< 0.5	19	71	81	4.72	10	3	0.22	20	1.32	724
L13400E 10+00N	201 238	< 5	2.43	0.2	30	190	< 0.5	< 2	0.85	< 0.5	9	53	37	3.54	10	< 1	0.22	10	0.81	794
L13400E 10+25N	201 238	< 5	2.81	0.2	15	160	< 0.5	< 2	0.53	< 0.5	11	29	112	3.83	< 10	< 1	0.10	10	0.81	840
L13400E 10+50N	201 238	< 5	3.23	0.4	40	170	< 0.5	4	1.07	< 0.5	16	39	158	3.93	10	< 1	0.15	20	0.82	651
L13400E 10+75N	201 238	< 5	3.46	0.4	10	210	0.5	2	1.37	< 0.5	10	37	463	3.91	10	< 1	0.10	30	0.78	991
L13400E 11+00N	201 238	< 5	2.68	0.4	15	150	< 0.5	< 2	0.92	< 0.5	17	51	106	4.51	10	1	0.14	20	0.94	500
L13400E 11+25N	201 238	< 5	2.45	0.4	< 5	170	< 0.5	< 2	0.50	0.5	11	35	53	3.44	10	< 1	0.15	10	0.64	412
L13400E 11+50N	201 238	15	3.22	0.2	< 5	170	1.0	< 2	0.80	0.5	14	56	82	4.27	10	< 1	0.15	10	0.85	965
L13400E 11+75N	201 238	< 5	3.71	< 0.2	25	230	< 0.5	< 2	0.80	< 0.5	16	56	234	4.65	10	< 1	0.17	10	1.01	1455
L13400E 12+00N	201 238	< 5	2.35	< 0.2	< 5	170	0.5	< 2	0.50	0.5	9	37	116	3.04	< 10	< 1	0.11	10	0.68	714
L13400E 12+25N	201 238	50	2.60	0.2	< 5	80	0.5	< 2	1.06	0.5	22	67	620	6.75	10	< 1	0.05	10	1.98	1275
L13400E 12+50N	201 238	< 5	2.22	0.2	< 5	120	< 0.5	< 2	0.54	< 0.5	11	46	78	3.43	< 10	< 1	0.10	10	0.81	568
L13400E 12+75N	201 238	< 5	2.45	0.2	15	170	0.5	2	0.70	< 0.5	11	44	56	3.42	< 10	< 1	0.11	10	0.73	838
L13400E 13+00N	201 238	< 5	2.59	0.2	5	110	< 0.5	< 2	0.91	< 0.5	16	60	51	4.16	< 10	< 1	0.14	20	0.98	467
L13400E 13+25N	201 238	< 5	2.82	0.2	20	120	< 0.5	< 2	1.11	< 0.5	10	48	36	3.48	10	< 1	0.11	10	0.73	715
L13400E 13+50N	201 238	10	2.82	< 0.2	< 5	120	< 0.5	2	0.63	< 0.5	10	48	40	3.37	< 10	< 1	0.13	10	0.73	578
L13400E 13+75N	201 238	< 5	2.72	0.2	< 5	120	< 0.5	2	0.61	0.5	11	47	39	3.18	< 10	< 1	0.10	10	0.68	478
L13400E 14+00N	201 238	< 5	2.09	< 0.2	10	110	< 0.5	< 2	1.19	< 0.5	19	64	97	4.69	< 10	< 1	0.11	20	1.34	844
L13400E 14+25N	201 238	5	2.77	0.4	< 5	200	< 0.5	2	1.53	< 0.5	7	44	302	2.61	< 10	< 1	0.05	20	0.62	400
L13400E 14+50N	201 238	< 5	2.64	< 0.2	< 5	130	< 0.5	< 2	0.58	< 0.5	10	50	30	3.51	< 10	1	0.12	10	0.71	502
L13400E 14+75N	201 238	< 5	2.74	< 0.2	< 5	110	< 0.5	4	0.50	< 0.5	10	46	26	3.42	< 10	1	0.09	10	0.66	337
L13400E 15+00N	201 238	25	2.60	0.2	< 5	110	< 0.5	2	0.47	0.5	11	42	22	3.22	< 10	< 1	0.11	10	0.63	386
L13400E 15+25N	201 238	< 5	2.59	< 0.2	< 5	110	< 0.5	< 2	0.41	< 0.5	11	41	22	3.17	< 10	1	0.08	10	0.61	534
L13400E 15+50N	201 238	< 5	2.47	< 0.2	< 5	110	< 0.5	2	0.50	< 0.5	10	49	19	3.29	< 10	< 1	0.10	10	0.64	416
L13400E 15+75N	201 238	< 5	2.42	0.2	< 5	120	< 0.5	2	0.55	< 0.5	9	49	20	3.12	< 10	< 1	0.11	10	0.65	651
L13400E 16+00N	201 238	< 5	2.56	< 0.2	20	130	< 0.5	< 2	0.47	< 0.5	10	51	22	3.24	< 10	< 1	0.11	10	0.66	509
L13400E 16+25N	201 238	< 5	2.10	0.2	< 5	110	< 0.5	4	0.51	0.5	8	45	20	2.76	< 10	< 1	0.10	10	0.59	342
L13400E 16+50N	201 238	< 5	2.21	0.2	< 5	120	< 0.5	2	0.61	< 0.5	9	51	23	3.05	< 10	< 1	0.12	10	0.65	351
L13400E 16+75N	201 238	< 5	2.22	0.2	< 5	100	< 0.5	< 2	0.52	< 0.5	10	52	22	3.12	< 10	< 1	0.11	10	0.66	264
L13400E 17+00N	201 238	< 5	2.27	0.2	15	100	< 0.5	< 2	0.54	< 0.5	10	48	20	3.26	< 10	< 1	0.10	10	0.64	262
L13400E 17+25N	201 238	< 5	2.46	0.2	< 5	100	< 0.5	4	0.60	0.5	10	47	27	3.37	< 10	< 1	0.14	10	0.72	463
L13400E 17+50N	201 238	< 5	2.56	0.2	10	110	< 0.5	< 2	0.59	< 0.5	10	45	26	3.46	< 10	< 1	0.10	10	0.75	551
L13400E 17+75N	201 238	< 5	2.50	< 0.2	5	120	< 0.5	2	0.58	< 0.5	10	44	22	3.36	< 10	< 1	0.10	10	0.72	763
L13400E 18+00N	201 238	< 5	2.79	0.4	15	130	< 0.5	< 2	0.58	< 0.5	10	46	29	3.59	< 10	< 1	0.10	10	0.80	672
L13400E 18+25N	201 238	< 5	2.69	0.2	15	110	< 0.5	< 2	0.63	< 0.5	9	43	26	3.74	< 10	< 1	0.10	10	0.82	460
L13400E 18+50N	201 238	< 5	2.17	< 0.2	< 5	80	< 0.5	< 2	0.79	< 0.5	16	45	37	4.12	< 10	< 1	0.07	10	1.00	549
L13400E 18+75N	201 238	< 5	2.42	0.2	5	110	< 0.5	2	0.89	0.5	16	49	47	4.32	< 10	< 1	0.14	10	1.02	627
L13400E 19+00N	201 238	< 5	2.64	0.2	5	90	< 0.5	< 2	0.69	0.5	20	42	38	4.06	< 10	1	0.10	10	0.93	893
L13400E 19+25N	201 238	< 5	2.48	< 0.2	25	90	< 0.5	< 2	0.80	< 0.5	22	42	75	4.60	< 10	< 1	0.07	10	1.05	755

CERTIFICATION :

J. Lang



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 964-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project : B16C-07
 Comments: CC: JEAN PAUTLER

Page No : 4-B
 Tot. Pages: 6
 Date : 2-SEP-88
 Invoice # : I-8821755
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L12+00E 19+50N	201 238	< 1	0.05	20	570	< 2	5	11	78	0.23	< 10	< 10	160	5	64
L12+00E 19+75N	201 238	< 1	0.05	41	700	4	5	16	72	0.27	< 10	< 10	148	10	92
L13+00E 10+00N	201 238	< 1	0.08	27	850	< 2	< 5	7	57	0.22	< 10	< 10	108	< 5	92
L13+00E 10+25N	201 238	< 1	0.04	17	750	6	5	9	42	0.13	< 10	< 10	118	5	107
L13+00E 10+50N	201 238	2	0.04	20	390	< 2	5	10	76	0.16	< 10	< 10	118	10	71
L13+00E 10+75N	201 238	1	0.05	23	360	2	< 5	14	101	0.17	< 10	< 10	106	5	120
L13+00E 11+00N	201 238	1	0.04	20	380	< 2	5	10	78	0.20	< 10	< 10	147	5	75
L13+00E 11+25N	201 238	< 1	0.03	18	540	4	< 5	5	37	0.15	< 10	< 10	97	10	92
L13+00E 11+50N	201 238	< 1	0.03	28	570	10	< 5	9	52	0.21	< 10	< 10	128	5	94
L13+00E 11+75N	201 238	1	0.03	29	470	< 2	5	11	53	0.20	< 10	< 10	139	5	98
L13+00E 12+00N	201 238	< 1	0.03	20	590	< 2	< 5	5	31	0.14	< 10	< 10	86	< 5	75
L13+00E 12+25N	201 238	< 1	0.02	22	990	< 2	< 5	22	62	0.31	< 10	< 10	259	10	103
L13+00E 12+50N	201 238	1	0.02	29	1000	< 2	< 5	5	33	0.16	< 10	< 10	96	5	64
L13+00E 12+75N	201 238	< 1	0.03	27	1230	< 2	5	6	46	0.16	< 10	< 10	94	5	83
L13+00E 13+00N	201 238	< 1	0.03	29	530	< 2	5	9	56	0.21	< 10	< 10	127	5	64
L13+00E 13+25N	201 238	< 1	0.03	27	470	4	< 5	7	66	0.19	< 10	< 10	99	< 5	66
L13+00E 13+50N	201 238	< 1	0.04	25	860	2	< 5	6	45	0.19	< 10	< 10	95	5	93
L13+00E 13+75N	201 238	1	0.05	25	630	< 2	< 5	6	44	0.19	< 10	< 10	91	< 5	102
L13+00E 14+00N	201 238	< 1	0.05	30	1170	4	5	12	83	0.20	< 10	< 10	150	5	72
L13+00E 14+25N	201 238	< 1	0.05	24	880	< 2	< 5	8	108	0.13	< 10	< 10	58	5	61
L13+00E 14+50N	201 238	2	0.04	23	1740	2	< 5	6	45	0.19	< 10	< 10	101	< 5	83
L13+00E 14+75N	201 238	1	0.03	23	1170	< 2	5	6	43	0.20	< 10	< 10	102	< 5	72
L13+00E 15+00N	201 238	< 1	0.04	24	1240	< 2	< 5	5	38	0.18	< 10	< 10	91	< 5	74
L13+00E 15+25N	201 238	1	0.03	23	1320	6	< 5	5	32	0.17	< 10	< 10	89	< 5	81
L13+00E 15+50N	201 238	< 1	0.04	24	1190	4	< 5	5	39	0.20	< 10	< 10	94	< 5	72
L13+00E 15+75N	201 238	< 1	0.04	23	1150	< 2	< 5	5	40	0.20	< 10	< 10	89	< 5	82
L13+00E 16+00N	201 238	1	0.03	26	1100	4	< 5	6	36	0.21	< 10	< 10	90	< 5	79
L13+00E 16+25N	201 238	< 1	0.04	25	330	< 2	< 5	6	38	0.22	< 10	< 10	77	< 5	66
L13+00E 16+50N	201 238	< 1	0.03	27	400	4	< 5	6	44	0.24	< 10	< 10	83	5	64
L13+00E 16+75N	201 238	< 1	0.03	24	720	< 2	< 5	6	43	0.22	< 10	< 10	91	5	70
L13+00E 17+00N	201 238	< 1	0.03	25	790	< 2	< 5	6	49	0.21	< 10	< 10	96	< 5	67
L13+00E 17+25N	201 238	< 1	0.03	25	1030	2	5	6	56	0.20	< 10	< 10	100	< 5	78
L13+00E 17+50N	201 238	< 1	0.03	23	1420	< 2	< 5	7	58	0.19	< 10	< 10	105	5	88
L13+00E 17+75N	201 238	1	0.03	23	1270	< 2	< 5	6	54	0.19	< 10	< 10	99	< 5	103
L13+00E 18+00N	201 238	1	0.03	24	1480	< 2	< 5	6	52	0.20	< 10	< 10	102	< 5	112
L13+00E 18+25N	201 238	< 1	0.04	22	960	2	5	7	64	0.22	< 10	< 10	113	5	105
L13+00E 18+50N	201 238	< 1	0.02	16	970	6	< 5	8	77	0.20	< 10	< 10	133	< 5	84
L13+00E 18+75N	201 238	1	0.03	21	1310	6	5	10	83	0.20	< 10	< 10	133	5	135
L13+00E 19+00N	201 238	< 1	0.02	21	870	12	< 5	8	74	0.20	< 10	< 10	122	5	258
L13+00E 19+25N	201 238	1	0.02	18	1110	4	5	8	85	0.20	< 10	< 10	140	< 5	143

CERTIFICATION :

B. Campbell



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project : B16C-07
 Comments: CC: JEAN PAUTLER

Page No 5-A
 Tot. Pa 6
 Date : 2-SEP-88
 Invoice # : I-8821755
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L1400E 19+50N	201 238	< 5	2.27	0.2	< 5	90	< 0.5	< 2	0.66	0.5	9	40	32	3.90	< 10	< 1	0.05	10	0.82	442
L1400E 10+00N	201 238	10	2.76	< 0.2	< 5	220	< 0.5	< 2	0.67	0.5	10	31	90	3.84	< 10	< 1	0.15	10	0.85	1025
L1400E 10+25N	201 238	15	2.43	0.2	< 5	170	< 0.5	< 2	0.47	< 0.5	12	20	92	3.75	< 10	< 1	0.11	10	0.73	874
L1400E 10+50N	201 238	5	3.04	0.8	10	220	< 0.5	< 2	1.40	0.5	11	34	241	3.88	10	< 1	0.10	20	0.65	664
L1400E 10+75N	201 238	< 5	2.55	0.4	15	140	< 0.5	2	0.51	< 0.5	10	46	35	3.47	< 10	< 1	0.09	10	0.72	718
L1400E 11+00N	201 238	< 5	2.80	0.2	< 5	120	< 0.5	< 2	0.49	< 0.5	10	47	38	3.54	< 10	< 1	0.10	10	0.75	675
L1400E 11+25N	201 238	< 5	2.21	< 0.2	10	170	< 0.5	< 2	0.50	< 0.5	10	19	62	2.95	< 10	< 1	0.18	10	0.59	741
L1400E 11+50N	201 238	< 5	2.40	< 0.2	< 5	130	< 0.5	< 2	0.54	< 0.5	10	53	37	3.47	< 10	1	0.10	10	0.71	642
L1400E 11+75N	201 238	< 5	2.11	< 0.2	< 5	110	< 0.5	< 2	0.64	0.5	10	51	43	3.61	< 10	< 1	0.11	10	0.77	998
L1400E 12+00N	201 238	< 5	2.40	< 0.2	15	110	< 0.5	< 2	0.47	< 0.5	10	50	29	3.51	< 10	< 1	0.08	10	0.76	654
L1400E 12+25N	201 238	< 5	2.20	< 0.2	< 5	110	< 0.5	< 2	0.54	0.5	11	41	22	3.16	< 10	< 1	0.15	10	0.66	857
L1400E 12+50N	201 238	< 5	2.07	< 0.2	< 5	100	< 0.5	< 2	0.55	0.5	11	42	30	3.21	< 10	< 1	0.13	10	0.64	802
L1400E 12+75N	201 238	< 5	2.42	0.2	20	90	< 0.5	< 2	0.49	< 0.5	10	50	26	3.42	< 10	< 1	0.09	10	0.71	514
L1400E 13+00N	201 238	< 5	2.34	0.2	< 5	110	< 0.5	2	0.51	< 0.5	11	46	28	3.38	< 10	< 1	0.09	10	0.68	607
L1400E 13+25N	201 238	< 5	2.37	< 0.2	15	120	< 0.5	2	0.59	< 0.5	10	48	30	3.60	< 10	< 1	0.08	10	0.74	695
L1400E 13+50N	201 238	25	1.95	< 0.2	10	70	< 0.5	2	1.10	< 0.5	19	57	63	4.90	< 10	< 1	0.09	10	1.36	623
L1400E 13+75N	201 238	< 5	2.56	< 0.2	< 5	110	< 0.5	2	0.68	< 0.5	10	52	28	3.48	< 10	< 1	0.09	10	0.70	425
L1400E 14+00N	201 238	< 5	3.23	0.2	< 5	140	< 0.5	< 2	1.04	0.5	10	52	77	3.47	< 10	< 1	0.06	20	0.70	447
L1400E 14+25N	201 238	< 5	2.04	< 0.2	< 5	100	< 0.5	< 2	0.50	< 0.5	9	44	19	2.89	< 10	< 1	0.05	10	0.53	187
L1400E 14+50N	201 238	< 5	1.97	< 0.2	10	80	< 0.5	< 2	0.50	< 0.5	9	48	15	2.93	< 10	< 1	0.08	10	0.56	206
L1400E 14+75N	201 238	< 5	2.43	0.2	30	120	< 0.5	< 2	0.54	< 0.5	10	54	21	3.20	< 10	< 1	0.12	10	0.65	463
L1400E 15+00N	201 238	< 5	2.38	0.2	25	120	< 0.5	< 2	0.49	< 0.5	10	50	18	3.13	< 10	< 1	0.11	10	0.63	550
L1400E 15+25N	201 238	< 5	2.57	0.2	15	110	< 0.5	< 2	0.45	< 0.5	10	52	19	3.37	< 10	< 1	0.13	10	0.66	450
L1400E 15+50N	201 238	< 5	2.31	0.2	20	90	< 0.5	< 2	0.57	< 0.5	10	46	26	3.16	< 10	< 1	0.12	10	0.64	282
L1400E 15+75N	217 238	< 5	3.93	0.6	35	280	0.5	< 2	0.97	< 0.5	9	77	125	4.13	10	< 1	0.14	30	0.99	1220
L1400E 16+00N	201 238	< 5	2.60	0.2	5	130	< 0.5	< 2	0.75	< 0.5	9	60	57	3.49	< 10	< 1	0.11	20	0.81	389
L1400E 16+25N	201 238	< 5	2.39	0.4	20	110	< 0.5	2	0.48	< 0.5	11	50	23	3.22	< 10	< 1	0.08	10	0.62	288
L1400E 16+50N	201 238	< 5	1.92	< 0.2	< 5	70	< 0.5	2	0.40	< 0.5	10	37	21	2.88	< 10	< 1	0.05	< 10	0.57	266
L1400E 16+75N	201 238	150	2.20	0.2	5	100	< 0.5	< 2	0.52	< 0.5	12	36	26	3.13	< 10	< 1	0.10	10	0.67	526
L1400E 17+00N	201 238	10	2.33	< 0.2	25	120	< 0.5	< 2	0.53	< 0.5	11	37	29	3.19	< 10	< 1	0.09	10	0.70	756
L1400E 17+25N	201 238	25	2.38	< 0.2	15	100	< 0.5	< 2	0.56	< 0.5	11	40	32	3.54	< 10	< 1	0.09	10	0.82	526
L1400E 17+50N	201 238	< 5	2.43	< 0.2	45	110	< 0.5	< 2	0.57	< 0.5	11	42	33	3.54	< 10	< 1	0.10	10	0.82	590
L1400E 17+75N	201 238	< 5	2.42	< 0.2	< 5	120	< 0.5	4	0.58	< 0.5	11	41	31	3.61	< 10	< 1	0.13	10	0.79	869
L1400E 18+00N	201 238	< 5	2.96	0.2	5	130	0.5	< 2	0.65	< 0.5	10	45	35	3.83	10	< 1	0.15	10	0.86	811
L1400E 18+25N	201 238	< 5	2.50	0.2	< 5	130	< 0.5	< 2	0.70	0.5	11	46	24	3.32	10	< 1	0.17	10	0.74	814
L1400E 18+50N	201 238	< 5	2.37	0.2	30	100	< 0.5	< 2	0.68	< 0.5	10	48	21	3.50	< 10	< 1	0.17	10	0.76	577
L1400E 18+75N	201 238	< 5	2.48	0.2	20	120	0.5	< 2	0.59	< 0.5	11	41	22	3.26	< 10	< 1	0.14	10	0.69	692
L1400E 19+00N	201 238	< 5	2.51	< 0.2	10	120	0.5	2	0.59	< 0.5	11	40	30	3.55	< 10	< 1	0.11	10	0.78	826
L1400E 19+25N	201 238	< 5	2.28	< 0.2	20	90	< 0.5	< 2	0.80	< 0.5	21	49	45	4.23	< 10	< 1	0.07	10	1.00	838
L1400E 19+50N	201 238	< 5	2.43	0.2	< 5	100	0.5	4	0.79	< 0.5	18	51	33	3.96	< 10	< 1	0.11	10	0.84	718

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project : B26C-07
 Comments: CC: JEAN PAUTLER

Page No. 5-B
 Tot. Pages: 6
 Date : 2-SEP-88
 Invoice #: I-8821755
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L14+00E 19+50N	201 238	1	0.02	15	570	2	< 5	7	69	0.20	< 10	< 10	127	< 5	90
L14+00E 10+00N	201 238	1	0.02	18	730	10	< 5	8	53	0.15	< 10	< 10	100	< 5	104
L14+00E 10+25N	201 238	1	0.03	12	940	8	< 5	6	36	0.11	< 10	< 10	94	5	102
L14+00E 10+50N	201 238	1	0.03	18	510	10	< 10	9	120	0.13	< 10	< 10	86	< 5	117
L14+00E 10+75N	201 238	< 1	0.02	26	1070	12	< 5	6	38	0.19	< 10	< 10	96	< 5	110
L14+00E 11+00N	201 238	< 1	0.03	30	1220	4	< 5	6	41	0.20	< 10	< 10	98	5	89
L14+00E 11+25N	201 238	1	0.03	11	1040	4	< 10	4	36	0.07	< 10	< 10	79	< 5	90
L14+00E 11+50N	201 238	< 1	0.03	27	1040	< 2	5	5	38	0.20	< 10	< 10	98	< 5	84
L14+00E 11+75N	201 238	< 1	0.02	21	900	4	5	6	44	0.21	< 10	< 10	108	5	74
L14+00E 12+00N	201 238	< 1	0.03	29	1150	6	5	6	36	0.19	< 10	< 10	97	5	81
L14+00E 12+25N	201 238	< 1	0.03	24	1360	2	< 5	5	34	0.16	< 10	< 10	83	< 5	82
L14+00E 12+50N	201 238	1	0.03	22	1490	6	5	5	34	0.16	< 10	< 10	92	< 5	77
L14+00E 12+75N	201 238	< 1	0.02	25	880	< 2	< 5	5	32	0.20	< 10	< 10	97	5	75
L14+00E 13+00N	201 238	< 1	0.04	23	1480	2	< 5	5	35	0.18	< 10	< 10	97	< 5	95
L14+00E 13+25N	201 238	1	0.04	25	1460	< 2	< 5	6	42	0.19	< 10	< 10	105	< 5	97
L14+00E 13+50N	201 238	< 1	0.04	20	1060	< 2	5	13	87	0.21	< 10	< 10	184	< 5	60
L14+00E 13+75N	201 238	< 1	0.04	30	800	< 2	< 5	6	48	0.21	< 10	< 10	94	5	70
L14+00E 14+00N	201 238	< 1	0.04	31	290	2	< 5	9	72	0.18	< 10	< 10	87	< 5	69
L14+00E 14+25N	201 238	1	0.03	20	110	< 2	< 5	5	40	0.20	< 10	< 10	85	< 5	49
L14+00E 14+50N	201 238	1	0.04	21	190	2	< 5	4	38	0.22	< 10	< 10	89	< 5	49
L14+00E 14+75N	201 238	1	0.03	28	1180	4	< 5	5	40	0.22	< 10	< 10	88	5	79
L14+00E 15+00N	201 238	< 1	0.03	28	1060	< 2	< 5	5	39	0.22	< 10	< 10	83	5	78
L14+00E 15+25N	201 238	1	0.03	30	1060	< 2	< 5	5	35	0.23	< 10	< 10	88	< 5	82
L14+00E 15+50N	201 238	1	0.03	23	190	< 2	< 5	6	44	0.21	< 10	< 10	99	< 5	54
L14+00E 15+75N	217 238	< 1	0.05	50	580	< 2	5	14	58	0.19	< 10	< 10	90	< 5	68
L14+00E 16+00N	201 238	1	0.04	30	320	< 2	< 5	11	52	0.22	< 10	< 10	91	5	59
L14+00E 16+25N	201 238	< 1	0.03	26	1380	< 2	< 5	6	36	0.20	< 10	< 10	89	< 5	70
L14+00E 16+50N	201 238	2	0.02	4	970	< 2	< 5	4	25	0.15	< 10	< 10	82	< 5	57
L14+00E 16+75N	201 238	< 1	0.03	15	1310	< 2	< 5	6	44	0.16	< 10	< 10	94	5	73
L14+00E 17+00N	201 238	1	0.03	17	1460	2	< 5	6	46	0.16	< 10	< 10	94	< 5	85
L14+00E 17+25N	201 238	< 1	0.03	18	1410	< 2	< 5	7	49	0.17	< 10	< 10	110	5	93
L14+00E 17+50N	201 238	< 1	0.03	20	1410	4	< 5	7	52	0.17	< 10	< 10	111	5	94
L14+00E 17+75N	201 238	< 1	0.03	19	1710	6	< 5	7	55	0.18	< 10	< 10	107	5	118
L14+00E 18+00N	201 238	< 1	0.03	22	1340	< 2	< 5	8	65	0.21	< 10	< 10	113	5	127
L14+00E 18+25N	201 238	< 1	0.03	22	990	< 2	< 5	6	60	0.20	< 10	< 10	96	10	124
L14+00E 18+50N	201 238	< 1	0.03	22	800	< 2	< 5	6	60	0.21	< 10	< 10	103	< 5	88
L14+00E 18+75N	201 238	< 1	0.03	19	1090	8	5	6	50	0.18	< 10	< 10	93	< 5	102
L14+00E 19+00N	201 238	< 1	0.03	18	1380	6	< 5	6	52	0.18	< 10	< 10	104	5	146
L14+00E 19+25N	201 238	< 1	0.02	19	1250	6	< 5	8	72	0.20	< 10	< 10	134	10	90
L14+00E 19+50N	201 238	< 1	0.03	21	1630	8	< 5	8	65	0.19	< 10	< 10	123	5	97

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B16C-07
Comments: CC: JEAN PAUTLER

Page No. : 6-A
Tot. Pages: 6
Date : 2-SEP-88
Invoice # : I-8821755
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	PA+AA																				
L14+00E 19+75N	201	238	< 5	2.39	0.4	< 5	170	< 0.5	< 2	0.69	0.5	11	47	53	3.79	< 10	< 1	0.17	10	0.84	1050
L14+00E 20+00N	201	238	< 5	2.40	0.2	20	170	0.5	< 2	0.57	< 0.5	12	36	46	3.26	< 10	< 1	0.12	10	0.75	992



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B16C-07
Comments: CC: JEAN PAUTLER

Page No. : 6-B
Tot. Pages: 6
Date : 2-SEP-88
Invoice # : I-8821755
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821755

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L14+00E 19+75N	201	238	< 1	0.03	20	1330	10	< 5	8	57	0.15	< 10	< 10	105	5	106
L14+00E 20+00N	201	238	< 1	0.03	21	1400	14	5	6	46	0.13	< 10	< 10	88	< 5	97

Striemex Labs Ltd
 Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

FILE COPY
DO NOT REMOVE


KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1
 Project : B26C-07
 Analysts: CC: JEAN PAUTLER

AUG 29 1988

Page No. : 1-A
 Tot. Pages: 3
 Date : 28-AUG-88
 Invoice # : 1-8821277
 D.O. # : NONE

CERTIFICATE OF ANALYSIS A8821277

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L15+00E 10+00N	201 238	60	2.66	0.2	< 5	160	< 0.5	2	0.67	< 0.5	13	18	345	3.66	10	< 1	0.08	10	0.68	1480
L15+00E 10+25N	201 238	10	2.62	< 0.2	< 5	110	< 0.5	4	0.60	< 0.5	13	35	119	3.81	10	< 1	0.05	10	0.67	739
L15+00E 10+50N	201 238	5	2.35	0.2	< 5	90	< 0.5	4	0.72	< 0.5	13	41	73	4.02	10	< 1	0.06	10	0.99	815
L15+00E 10+75N	201 238	10	2.56	< 0.2	10	110	< 0.5	6	0.89	< 0.5	17	44	113	4.71	10	< 1	0.07	10	0.99	815
L15+00E 11+00N	201 238	< 5	2.73	0.4	15	140	< 0.5	2	0.55	< 0.5	14	30	75	3.58	10	< 1	0.09	< 10	0.68	547
L15+00E 11+25N	201 238	60	2.31	0.2	15	60	< 0.5	2	1.41	< 0.5	22	50	656	5.78	< 10	< 1	0.06	20	1.73	1140
L15+00E 11+50N	201 238	5	2.35	0.2	< 5	80	< 0.5	4	0.56	< 0.5	13	31	63	3.58	< 10	< 1	0.07	< 10	0.71	541
L15+00E 11+75N	201 238	< 5	2.80	< 0.2	5	100	< 0.5	4	0.56	< 0.5	14	31	98	3.98	10	< 1	0.06	< 10	0.82	476
L15+00E 12+00N	201 238	25	2.81	< 0.2	20	120	< 0.5	2	0.82	< 0.5	17	39	177	4.31	10	< 1	0.06	10	0.93	1135
L15+00E 12+25N	201 238	30	2.08	0.2	< 5	100	< 0.5	4	0.67	< 0.5	13	36	29	3.55	10	< 1	0.06	10	0.76	583
L15+00E 12+50N	201 238	5	1.91	< 0.2	< 5	90	< 0.5	2	0.64	< 0.5	14	45	29	3.82	< 10	< 1	0.04	< 10	0.80	577
L15+00E 12+75N	201 238	< 5	2.57	< 0.2	20	210	< 0.5	< 2	2.45	< 0.5	8	51	22	2.66	< 10	< 1	0.05	10	0.68	446
L15+00E 13+00N	201 238	< 5	2.78	0.2	5	130	< 0.5	< 2	0.50	< 0.5	13	42	316	3.42	< 10	< 1	0.07	< 10	0.60	600
L15+00E 13+25N	201 238	< 5	2.57	< 0.2	< 5	90	< 0.5	< 2	0.48	< 0.5	13	33	19	3.36	< 10	< 1	0.06	< 10	0.63	538
L15+00E 13+50N	201 238	< 5	2.84	< 0.2	5	120	< 0.5	2	0.47	< 0.5	14	40	19	3.43	< 10	< 1	0.07	< 10	0.59	487
L15+00E 13+75N	201 238	< 5	2.69	0.2	< 5	110	< 0.5	4	0.57	< 0.5	15	50	24	3.75	10	< 1	0.07	10	0.71	624
L15+00E 14+00N	201 238	< 5	2.35	0.4	5	110	< 0.5	2	0.56	< 0.5	13	47	20	3.33	10	< 1	0.07	10	0.65	654
L15+00E 14+25N	201 238	< 5	2.86	0.4	15	130	< 0.5	4	0.57	< 0.5	15	50	23	3.62	10	< 1	0.08	10	0.72	492
L15+00E 14+50N	201 238	< 5	2.40	0.2	< 5	120	< 0.5	4	0.60	< 0.5	14	42	23	3.46	< 10	< 1	0.08	10	0.70	613
L15+00E 14+75N	201 238	< 5	2.76	< 0.2	15	190	< 0.5	< 2	1.72	< 0.5	16	56	80	4.16	< 10	< 1	0.13	10	0.94	1040
L15+00E 15+00N	201 238	< 5	2.40	0.2	< 5	110	< 0.5	4	0.60	< 0.5	12	51	24	3.64	< 10	< 1	0.07	10	0.73	687
L15+00E 15+25N	201 238	< 5	2.80	< 0.2	5	110	< 0.5	4	0.63	< 0.5	11	54	26	3.82	< 10	< 1	0.09	10	0.74	426
L15+00E 15+50N	201 238	< 5	2.89	< 0.2	< 5	150	< 0.5	2	1.19	< 0.5	13	58	49	4.12	< 10	< 1	0.10	10	0.82	499
L15+00E 15+75N	201 238	< 5	2.40	< 0.2	5	220	< 0.5	< 2	3.07	< 0.5	10	45	83	2.82	< 10	< 1	0.05	10	0.61	539
L15+00E 16+00N	203 238	< 5	1.12	< 0.2	< 5	170	< 0.5	< 2	6.23	0.5	2	21	102	1.15	< 10	< 1	0.02	< 10	0.32	153
L15+00E 16+25N	201 238	< 5	2.64	< 0.2	< 5	220	< 0.5	< 2	3.11	< 0.5	8	36	79	2.73	< 10	< 1	0.05	10	0.67	300
L15+00E 16+50N	201 238	< 5	2.74	< 0.2	5	130	< 0.5	2	0.72	< 0.5	13	53	22	3.83	< 10	< 1	0.08	10	0.75	451
L15+00E 16+75N	201 238	< 5	2.94	0.2	< 5	130	< 0.5	2	0.76	< 0.5	13	55	25	4.00	< 10	< 1	0.11	10	0.81	626
L15+00E 17+00N	201 238	< 5	2.22	0.6	< 5	90	< 0.5	6	0.67	< 0.5	10	40	20	3.38	10	< 1	0.07	10	0.64	499
L15+00E 17+25N	201 238	< 5	2.59	0.4	5	110	< 0.5	6	0.69	< 0.5	11	47	20	3.60	10	< 1	0.09	10	0.68	491
L15+00E 17+50N	201 238	< 5	2.59	< 0.2	< 5	110	< 0.5	4	0.65	< 0.5	11	46	18	3.49	< 10	< 1	0.10	10	0.63	523
L15+00E 17+75N	201 238	< 5	2.69	< 0.2	5	120	< 0.5	6	0.75	< 0.5	12	51	20	3.77	< 10	< 1	0.09	10	0.72	689
L15+00E 18+00N	201 238	< 5	2.80	< 0.2	5	120	< 0.5	4	0.72	< 0.5	13	49	20	3.77	< 10	< 1	0.09	10	0.73	757
L15+00E 18+25N	201 238	< 5	2.92	< 0.2	5	140	< 0.5	2	0.76	< 0.5	13	48	22	3.96	< 10	< 1	0.10	10	0.77	755
L15+00E 18+50N	201 238	< 5	2.83	0.2	< 5	140	< 0.5	6	0.76	< 0.5	14	46	26	3.93	< 10	< 1	0.10	10	0.79	876
L15+00E 18+75N	201 238	< 5	2.96	0.2	15	150	< 0.5	4	0.71	< 0.5	14	49	38	4.09	< 10	< 1	0.09	10	0.83	751
L15+00E 19+00N	201 238	< 5	2.61	< 0.2	5	120	< 0.5	4	0.78	< 0.5	14	43	49	4.27	< 10	< 1	0.11	10	0.89	696
L15+00E 19+25N	201 238	< 5	2.71	0.2	< 5	150	< 0.5	6	0.73	< 0.5	13	47	43	4.01	< 10	< 1	0.09	10	0.83	715
L15+00E 19+50N	201 238	< 5	2.32	0.4	< 5	130	0.5	6	0.71	< 0.5	14	36	43	3.57	10	< 1	0.07	10	0.73	963
L15+00E 19+75N	201 238	< 5	2.36	< 0.2	< 5	130	0.5	6	0.69	< 0.5	15	41	41	3.94	< 10	< 1	0.07	10	0.84	811

CERTIFICATION : 

Inemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07
Comments: CC: JEAN PAUTLER

Page No. : 1-B
Tot. Pages: 3
Date : 28-AUG-88
Invoice # : I-8821277
P.O. # : NONE

COA 6-110-245

CERTIFICATE OF ANALYSIS A8821277

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L15+00E 10+00N	201 238	1	0.02	14	1750	14	< 5	6	41	0.17	< 10	< 10	105	< 5	117
L15+00E 10+25N	201 238	1	0.02	17	940	4	< 5	5	43	0.18	< 10	< 10	111	< 5	83
L15+00E 10+50N	201 238	< 1	0.02	20	1190	4	< 5	6	53	0.20	< 10	< 10	128	< 5	72
L15+00E 10+75N	201 238	1	0.02	21	1330	4	< 5	7	89	0.23	< 10	< 10	151	5	87
L15+00E 11+00N	201 238	1	0.03	26	1260	4	< 5	6	51	0.19	< 10	< 10	103	< 5	83
L15+00E 11+25N	201 238	1	0.02	20	1520	< 2	< 5	15	121	0.25	< 10	< 10	193	5	65
L15+00E 11+50N	201 238	< 1	0.02	19	1250	< 2	< 5	6	45	0.18	< 10	< 10	110	< 5	78
L15+00E 11+75N	201 238	1	0.02	21	1390	6	< 5	7	47	0.19	< 10	< 10	124	< 5	72
L15+00E 12+00N	201 238	1	0.02	21	1560	4	< 5	7	75	0.22	< 10	< 10	138	< 5	91
L15+00E 12+25N	201 238	2	0.02	18	1360	4	< 5	5	49	0.17	< 10	< 10	112	< 5	68
L15+00E 12+50N	201 238	1	0.01	17	1160	4	< 5	5	42	0.18	< 10	< 10	125	< 5	67
L15+00E 12+75N	201 238	1	0.03	24	1350	< 2	< 5	6	138	0.12	< 10	< 10	63	< 5	67
L15+00E 13+00N	201 238	1	0.02	23	1700	2	< 5	6	33	0.20	< 10	< 10	90	< 5	88
L15+00E 13+25N	201 238	1	0.02	21	1500	8	< 5	4	31	0.19	< 10	< 10	92	< 5	81
L15+00E 13+50N	201 238	< 1	0.02	23	1310	2	< 5	5	31	0.20	< 10	< 10	87	< 5	79
L15+00E 13+75N	201 238	1	0.02	26	1390	6	< 5	5	37	0.21	< 10	< 10	103	< 5	88
L15+00E 14+00N	201 238	1	0.02	25	1160	6	< 5	5	36	0.20	< 10	< 10	96	< 5	73
L15+00E 14+25N	201 238	1	0.02	30	1340	< 2	< 5	6	39	0.22	< 10	< 10	100	< 5	86
L15+00E 14+50N	201 238	1	0.02	24	1390	6	< 5	5	41	0.20	< 10	< 10	99	< 5	85
L15+00E 14+75N	201 238	2	0.04	26	490	2	< 5	8	107	0.23	< 10	< 10	118	< 5	61
L15+00E 15+00N	201 238	2	0.02	23	1300	< 2	< 5	5	39	0.21	< 10	< 10	105	< 5	98
L15+00E 15+25N	201 238	1	0.02	24	1010	4	< 5	5	41	0.23	< 10	< 10	106	< 5	98
L15+00E 15+50N	201 238	1	0.02	31	290	< 2	< 5	8	56	0.24	< 10	< 10	107	< 5	80
L15+00E 15+75N	201 238	2	0.02	30	500	< 2	< 5	7	95	0.12	< 10	< 10	64	< 5	59
L15+00E 16+00N	203 238	1	0.02	14	1070	2	< 5	3	182	0.03	< 10	< 10	50	< 5	42
L15+00E 16+25N	201 238	< 1	0.03	28	640	2	< 5	7	99	0.13	< 10	< 10	63	< 5	58
L15+00E 16+50N	201 238	1	0.02	24	1230	2	< 5	6	41	0.24	< 10	< 10	108	< 5	81
L15+00E 16+75N	201 238	1	0.03	28	1190	4	< 5	6	44	0.25	< 10	< 10	111	< 5	98
L15+00E 17+00N	201 238	< 1	0.02	13	830	< 2	< 5	5	42	0.21	< 10	< 10	102	< 5	63
L15+00E 17+25N	201 238	< 1	0.02	18	1110	6	< 5	5	39	0.23	< 10	< 10	102	< 5	70
L15+00E 17+50N	201 238	< 1	0.02	19	960	< 2	< 5	5	36	0.24	< 10	< 10	96	< 5	74
L15+00E 17+75N	201 238	< 1	0.02	21	1140	< 2	< 5	6	41	0.25	< 10	< 10	106	< 5	90
L15+00E 18+00N	201 238	< 1	0.02	20	1190	4	< 5	6	37	0.24	< 10	< 10	104	< 5	105
L15+00E 18+25N	201 238	< 1	0.02	23	1040	4	< 5	6	41	0.24	< 10	< 10	106	5	103
L15+00E 18+50N	201 238	1	0.02	20	1270	4	< 5	6	45	0.23	< 10	< 10	110	5	104
L15+00E 18+75N	201 238	< 1	0.02	22	1390	< 2	< 5	7	43	0.22	< 10	< 10	112	< 5	103
L15+00E 19+00N	201 238	1	0.02	15	1210	4	< 5	7	47	0.21	< 10	< 10	126	5	88
L15+00E 19+25N	201 238	< 1	0.02	16	1250	< 2	< 5	7	45	0.22	< 10	< 10	116	< 5	96
L15+00E 19+50N	201 238	< 1	0.02	16	1230	8	< 5	7	43	0.18	< 10	< 10	109	5	96
L15+00E 19+75N	201 238	< 1	0.02	18	1340	6	< 5	7	39	0.18	< 10	< 10	119	5	95

CERTIFICATION :

Inemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER.
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To : KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Page No. : 2-A
 Tot. Pages: 3
 Date : 28-AUG-88
 Invoice # : 1-8821277
 P.O. # : NONE

Project : B26C-07
 Comments: CC: JEAN PAUTLER

CERTIFICATE OF ANALYSIS A8821277

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L16+00E 20+00N	201 238	5	2.14	< 0.2	< 5	130	< 0.5	4	0.56	< 0.5	11	30	36	4.00	< 10	< 1	0.06	< 10	0.79	973
L16+00E 10+00N	201 238	10	1.83	< 0.2	< 5	160	< 0.5	< 2	0.60	< 0.5	10	18	90	3.07	< 10	< 1	0.07	< 10	0.47	1140
L16+00E 10+25N	201 238	20	1.87	0.2	< 5	110	< 0.5	2	0.50	< 0.5	10	25	54	3.36	< 10	< 1	0.07	< 10	0.52	729
L16+00E 10+50N	201 238	90	2.13	0.2	< 5	120	< 0.5	2	0.65	< 0.5	11	22	71	3.60	< 10	< 1	0.11	< 10	0.53	865
L16+00E 10+75N	201 238	15	2.28	0.2	< 5	90	< 0.5	4	0.72	< 0.5	12	29	51	4.25	< 10	< 1	0.06	10	0.77	566
L16+00E 11+00N	201 238	15	2.13	0.2	< 5	70	< 0.5	2	0.78	< 0.5	11	28	39	3.97	< 10	< 1	0.07	10	0.71	483
L16+00E 11+25N	201 238	5	2.51	0.6	< 5	130	< 0.5	2	0.77	< 0.5	13	42	35	3.58	< 10	< 1	0.10	10	0.72	681
L16+00E 11+50N	201 238	5	2.79	0.4	< 5	120	< 0.5	< 2	0.84	< 0.5	15	45	37	3.90	< 10	< 1	0.08	10	0.81	762
L16+00E 11+75N	201 238	5	2.76	0.6	< 5	110	< 0.5	< 2	0.58	< 0.5	14	43	25	3.71	< 10	< 1	0.05	10	0.66	537
L16+00E 12+00N	201 238	< 5	2.76	0.2	< 5	230	< 0.5	< 2	2.02	< 0.5	11	45	249	3.07	< 10	< 1	0.06	10	0.67	895
L16+00E 12+25N	201 238	< 5	2.69	0.4	< 5	100	0.5	< 2	0.56	< 0.5	13	35	27	3.57	< 10	< 1	0.06	< 10	0.61	573
L16+00E 12+50N	201 238	< 5	2.67	0.4	< 5	110	< 0.5	< 2	0.66	< 0.5	14	43	24	3.75	< 10	< 1	0.07	10	0.70	515
L16+00E 12+75N	201 238	< 5	2.53	0.4	< 5	120	1.0	< 2	0.58	< 0.5	14	36	22	3.52	< 10	< 1	0.07	< 10	0.65	694
L16+00E 13+00N	201 238	< 5	1.96	0.6	< 5	60	0.5	< 2	0.64	< 0.5	14	43	24	3.78	< 10	< 1	0.05	< 10	0.72	526
L16+00E 13+25N	201 238	20	2.39	0.4	< 5	100	0.5	2	0.60	< 0.5	13	35	29	3.43	< 10	< 1	0.06	< 10	0.60	471
L16+00E 13+50N	201 238	< 5	2.54	0.6	10	110	1.0	< 2	0.51	< 0.5	14	39	21	3.46	< 10	< 1	0.05	< 10	0.57	519
L16+00E 13+75N	201 238	35	2.62	0.6	< 5	110	0.5	< 2	0.65	< 0.5	13	40	26	3.42	< 10	< 1	0.03	10	0.53	293
L16+00E 14+00N	201 238	5	2.32	< 0.2	< 5	180	< 0.5	< 2	3.89	< 0.5	7	29	123	2.17	< 10	< 1	0.05	10	0.60	255
L16+00E 14+25N	201 238	5	1.60	< 0.2	10	180	0.5	< 2	4.96	< 0.5	5	19	92	1.61	< 10	< 1	0.04	< 10	0.45	288
L16+00E 14+50N	201 238	5	2.76	0.2	15	130	< 0.5	< 2	0.81	< 0.5	17	50	85	4.59	< 10	< 1	0.09	10	0.88	547
L16+00E 14+75N	201 238	10	2.02	< 0.2	< 5	100	1.0	< 2	0.46	< 0.5	10	31	48	3.24	< 10	< 1	0.07	< 10	0.53	347
L16+00E 15+00N	201 238	< 5	2.35	< 0.2	< 5	90	< 0.5	< 2	0.60	< 0.5	9	44	14	3.22	< 10	< 1	0.08	< 10	0.55	214
L16+00E 15+25N	201 238	< 5	2.62	< 0.2	< 5	270	1.0	< 2	3.08	0.5	9	32	105	2.23	< 10	< 1	0.05	10	0.64	832
L16+00E 15+50N	201 238	5	2.60	< 0.2	< 5	150	1.0	< 2	2.27	< 0.5	10	44	165	3.38	< 10	< 1	0.07	20	0.73	495
L16+00E 15+75N	201 238	< 5	2.44	0.4	< 5	90	< 0.5	< 2	0.65	< 0.5	9	46	29	3.35	< 10	< 1	0.07	10	0.61	372
L16+00E 16+00N	201 238	< 5	2.57	0.2	< 5	90	< 0.5	< 2	0.62	< 0.5	11	48	25	3.42	< 10	< 1	0.07	10	0.63	318
L16+00E 16+25N	201 238	< 5	2.02	0.4	< 5	80	< 0.5	< 2	0.62	< 0.5	9	43	22	3.12	< 10	< 1	0.05	10	0.59	387
L16+00E 16+50N	201 238	< 5	2.28	< 0.2	< 5	90	< 0.5	< 2	0.52	< 0.5	9	38	15	3.18	< 10	< 1	0.05	< 10	0.56	290
L16+00E 16+75N	201 238	< 5	2.66	0.2	< 5	110	< 0.5	< 2	0.58	< 0.5	12	44	29	3.57	< 10	< 1	0.07	10	0.70	571
L16+00E 17+00N	201 238	5	2.42	0.4	< 5	100	< 0.5	< 2	0.64	< 0.5	10	50	25	3.57	< 10	< 1	0.07	10	0.67	608
L16+00E 17+25N	201 238	< 5	2.19	< 0.2	< 5	80	< 0.5	< 2	0.50	< 0.5	9	36	16	3.03	< 10	< 1	0.07	< 10	0.55	456
L16+00E 17+50N	201 238	5	2.38	< 0.2	< 5	120	< 0.5	< 2	0.58	< 0.5	11	47	25	3.59	< 10	< 1	0.08	10	0.77	343
L16+00E 17+75N	201 238	10	2.25	< 0.2	< 5	120	< 0.5	< 2	0.58	< 0.5	12	51	31	3.80	< 10	< 1	0.09	10	0.85	479
L16+00E 18+00N	201 238	< 5	2.25	< 0.2	< 5	130	< 0.5	< 2	0.50	< 0.5	11	39	22	3.27	< 10	< 1	0.10	< 10	0.66	796
L16+00E 18+25N	201 238	< 5	2.15	< 0.2	< 5	110	1.0	< 2	0.49	< 0.5	10	45	26	3.25	< 10	< 1	0.09	< 10	0.69	692
L16+00E 18+50N	201 238	10	2.24	< 0.2	< 5	120	0.5	< 2	0.46	< 0.5	10	44	26	3.21	< 10	< 1	0.08	< 10	0.70	598
L16+00E 18+75N	201 238	< 5	2.19	< 0.2	< 5	130	1.0	< 2	0.51	< 0.5	11	46	30	3.50	< 10	< 1	0.09	< 10	0.78	683
L16+00E 19+00N	201 238	10	2.33	< 0.2	< 5	130	1.0	< 2	0.53	< 0.5	10	48	26	3.46	< 10	< 1	0.09	< 10	0.75	611
L16+00E 19+25N	201 238	5	2.45	< 0.2	< 5	100	1.5	< 2	0.60	< 0.5	11	49	34	3.70	< 10	< 1	0.11	10	0.76	655
L16+00E 19+50N	201 238	10	2.25	< 0.2	< 5	110	1.0	< 2	0.58	< 0.5	9	42	29	3.29	< 10	< 1	0.10	< 10	0.69	650

CERTIFICATION :

Inemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No.: 2-B
 Tot. Pages: 3
 Date: 28-AUG-88
 Invoice #: I-8821277
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821277

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L16+00E 20+00N	201 238	< 1	0.02	15	1270	4	< 5	6	29	0.17	< 10	< 10	106	< 5	104
L16+00E 10+00N	201 238	< 1	0.03	14	2230	4	< 5	4	41	0.13	< 10	< 10	72	< 5	113
L16+00E 10+25N	201 238	< 1	0.02	12	1740	2	< 5	4	36	0.15	10	< 10	89	< 5	90
L16+00E 10+50N	201 238	< 1	0.03	19	1910	8	< 5	4	41	0.17	< 10	< 10	93	< 5	101
L16+00E 10+75N	201 238	< 1	0.02	16	1280	2	< 5	6	55	0.20	< 10	< 10	127	< 5	95
L16+00E 11+00N	201 238	< 1	0.02	12	680	2	< 5	6	62	0.21	< 10	< 10	124	< 5	63
L16+00E 11+25N	201 238	< 1	0.03	23	2010	4	< 5	7	57	0.17	< 10	< 10	110	< 5	89
L16+00E 11+50N	201 238	< 1	0.03	28	1140	2	< 5	7	61	0.21	< 10	< 10	123	< 5	84
L16+00E 11+75N	201 238	< 1	0.02	32	1160	2	< 5	5	40	0.21	< 10	< 10	103	< 5	85
L16+00E 12+00N	201 238	< 1	0.04	30	770	6	< 5	8	118	0.17	< 10	< 10	71	< 5	61
L16+00E 12+25N	201 238	1	0.03	24	1790	< 2	< 5	6	39	0.18	< 10	< 10	104	< 5	89
L16+00E 12+50N	201 238	1	0.02	29	1380	4	< 5	6	41	0.20	< 10	< 10	106	< 5	78
L16+00E 12+75N	201 238	1	0.02	27	1350	6	< 5	5	32	0.17	< 10	< 10	95	< 5	84
L16+00E 13+00N	201 238	< 1	0.02	21	630	4	< 5	5	36	0.18	< 10	< 10	120	< 5	61
L16+00E 13+25N	201 238	< 1	0.02	22	530	6	< 5	5	35	0.18	< 10	< 10	100	< 5	64
L16+00E 13+50N	201 238	1	0.02	27	1250	4	< 5	4	32	0.19	< 10	< 10	95	< 5	84
L16+00E 13+75N	201 238	< 1	0.02	24	230	2	< 5	5	38	0.21	< 10	< 10	102	< 5	57
L16+00E 14+00N	201 238	< 1	0.04	20	1270	6	< 5	4	122	0.11	< 10	< 10	56	< 5	49
L16+00E 14+25N	201 238	< 1	0.03	12	1160	4	< 5	3	207	0.08	< 10	< 10	44	< 5	42
L16+00E 14+50N	201 238	1	0.02	29	730	12	< 5	7	52	0.22	< 10	< 10	144	< 5	75
L16+00E 14+75N	201 238	< 1	0.02	19	770	< 2	< 5	3	26	0.13	< 10	< 10	87	< 5	62
L16+00E 15+00N	201 238	1	0.02	24	130	2	< 5	4	36	0.23	< 10	< 10	87	< 5	53
L16+00E 15+25N	201 238	1	0.04	27	1530	< 2	< 5	6	115	0.12	< 10	< 10	50	5	67
L16+00E 15+50N	201 238	1	0.03	40	650	< 2	< 5	8	84	0.19	< 10	< 10	79	5	57
L16+00E 15+75N	201 238	< 1	0.02	25	900	6	< 5	6	40	0.21	< 10	< 10	87	< 5	75
L16+00E 16+00N	201 238	1	0.02	25	750	4	< 5	5	34	0.22	< 10	< 10	91	< 5	72
L16+00E 16+25N	201 238	< 1	0.02	22	520	6	< 5	5	32	0.21	< 10	< 10	86	< 5	64
L16+00E 16+50N	201 238	< 1	0.02	22	690	4	< 5	4	27	0.20	< 10	< 10	83	< 5	68
L16+00E 16+75N	201 238	1	0.02	25	1200	2	< 5	6	34	0.20	< 10	< 10	95	< 5	89
L16+00E 17+00N	201 238	1	0.02	25	1010	4	< 5	5	37	0.21	< 10	< 10	97	< 5	86
L16+00E 17+25N	201 238	1	0.02	22	610	< 2	< 5	4	28	0.19	< 10	< 10	77	< 5	73
L16+00E 17+50N	201 238	1	0.02	29	620	< 2	< 5	6	37	0.22	< 10	< 10	91	< 5	71
L16+00E 17+75N	201 238	1	0.02	30	850	4	< 5	6	37	0.22	< 10	< 10	99	< 5	80
L16+00E 18+00N	201 238	1	0.02	25	1240	2	< 5	5	30	0.17	< 10	< 10	79	< 5	109
L16+00E 18+25N	201 238	1	0.02	22	910	6	< 5	4	32	0.18	< 10	< 10	81	< 5	92
L16+00E 18+50N	201 238	1	0.02	21	1130	2	< 5	4	25	0.16	< 10	< 10	79	< 5	87
L16+00E 18+75N	201 238	1	0.02	23	1030	2	< 5	5	30	0.18	< 10	< 10	88	< 5	88
L16+00E 19+00N	201 238	2	0.02	24	840	4	< 5	5	36	0.21	< 10	< 10	90	< 5	86
L16+00E 19+25N	201 238	1	0.02	21	1100	2	< 5	6	41	0.21	< 10	< 10	100	< 5	95
L16+00E 19+50N	201 238	1	0.02	19	760	2	< 5	5	40	0.20	< 10	< 10	89	< 5	74

CERTIFICATION :

PCB

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No.: 1-A
Tot. Pages: 3
Date: 28-AUG-88
Invoice #: I-8821277
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821277

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L16+00E 19+75N	201 238	< 5	2.28	< 0.2	5	100	1.5	< 2	0.52	< 0.5	12	41	54	3.58	< 10	< 1	0.08	< 10	0.77	752
L16+00E 20+00N	201 238	< 5	2.30	< 0.2	10	80	1.5	< 2	0.52	< 0.5	12	37	57	3.70	< 10	< 1	0.06	< 10	0.80	532
L18+00E 10+50N	201 238	< 5	2.47	< 0.2	< 5	180	1.0	< 2	1.78	< 0.5	7	34	264	2.75	< 10	< 1	0.03	10	0.64	370

CERTIFICATION :

PCB

Inchemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER.
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B16C-07
 Comments: CC: JEAN PAUTLER

Page No. : 3 of 3
 Tot. Pages: 3
 Date : 28-AUG-88
 Invoice #: I-8821277
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821277

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L16+00E 19+75N	201 238	1	0.02	19	1160	2	< 5	5	30	0.17	< 10	< 10	91	< 5	83
L16+00E 20+00N	201 238	2	0.02	19	1090	< 2	5	5	34	0.18	< 10	< 10	99	< 5	70
L18+00E 10+50N	201 238	< 1	0.04	19	780	< 2	< 5	6	102	0.13	< 10	< 10	62	< 5	62

CERTIFICATION :

Geochemists Ltd.

Geochemists • Registered Assayers
1100 BROADBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07
Comments: CC: JEAN PAUTLER

PER

RECEIVED

AUG 29 1988

Page 1 : 1-A
Tot. Pages: 5
Date : 27-AUG-88
Invoice #: I-8821128
P.O. #: NONE

D.

CERTIFICATE OF ANALYSIS A8821128

PCA
RID
3
DLS

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
17+00E 10+00N	201 238	10	1.64	0.2	< 5	90	0.5	2	0.28	< 0.5	6	21	46	2.30	10	< 1	0.04	10	0.32	766
17+00E 10+2.5N	201 238	5	2.65	0.4	< 5	100	0.5	< 2	0.44	< 0.5	6	34	119	3.36	10	< 1	0.03	20	0.56	377
17+00E 10+5.0N	201 238	20	2.63	0.2	< 5	100	0.5	2	0.39	< 0.5	7	30	63	3.04	10	< 1	0.03	20	0.43	195
17+00E 10+7.5N	201 238	< 5	2.10	0.2	< 5	80	0.5	< 2	0.35	< 0.5	6	37	21	3.22	10	< 1	0.06	20	0.57	292
17+00E 11+00N	201 238	< 5	2.36	0.4	< 5	110	0.5	< 2	0.42	< 0.5	6	36	25	3.11	10	< 1	0.06	20	0.55	302
17+00E 11+2.5N	201 238	< 5	2.48	0.2	10	110	0.5	< 2	0.51	< 0.5	6	34	22	3.15	10	< 1	0.05	20	0.60	366
17+00E 11+5.0N	201 238	5	2.21	< 0.2	< 5	80	0.5	< 2	0.41	< 0.5	10	39	26	3.39	10	< 1	0.04	20	0.65	321
17+00E 11+7.5N	201 238	5	2.01	< 0.2	35	80	0.5	2	0.39	< 0.5	7	36	21	3.16	10	< 1	0.04	20	0.55	362
17+00E 12+00N	201 238	< 5	2.56	< 0.2	< 5	130	0.5	2	0.55	< 0.5	11	46	45	3.80	10	< 1	0.02	30	0.72	239
17+00E 12+2.5N	201 238	< 5	2.27	< 0.2	< 5	140	0.5	< 2	1.16	< 0.5	7	32	109	2.38	< 10	< 1	0.03	40	0.53	405
17+00E 12+5.0N	201 238	< 5	1.76	< 0.2	< 5	70	0.5	4	0.42	< 0.5	10	34	24	3.18	10	< 1	0.03	20	0.66	350
17+00E 12+7.5N	201 238	< 5	2.49	< 0.2	15	120	0.5	< 2	0.75	< 0.5	6	39	28	3.07	10	< 1	0.08	30	0.71	444
17+00E 13+00N	201 238	< 5	2.41	0.2	5	100	0.5	4	0.44	< 0.5	7	35	28	3.05	10	< 1	0.06	20	0.58	198
17+00E 13+2.5N	201 238	< 5	2.40	< 0.2	< 5	80	0.5	6	0.43	< 0.5	10	47	31	3.40	10	< 1	0.05	20	0.64	301
17+00E 13+5.0N	201 238	< 5	2.33	0.2	25	90	0.5	< 2	0.38	< 0.5	6	46	24	3.34	10	< 1	0.04	20	0.63	310
17+00E 13+7.5N	201 238	10	2.37	0.2	< 5	90	0.5	< 2	0.38	< 0.5	12	40	30	3.45	10	< 1	0.08	20	0.67	382
17+00E 14+00N	201 238	< 5	2.08	< 0.2	< 5	70	0.5	4	0.45	< 0.5	7	36	18	3.00	10	< 1	0.07	20	0.53	435
17+00E 14+2.5N	201 238	10	2.61	< 0.2	< 5	100	0.5	< 2	0.63	0.5	9	41	48	3.62	10	< 1	0.06	30	0.77	409
17+00E 14+5.0N	201 238	< 5	2.52	0.2	< 5	160	0.5	< 2	0.82	< 0.5	8	34	75	2.90	10	< 1	0.05	40	0.61	447
17+00E 14+7.5N	201 238	< 5	2.63	0.2	< 5	130	0.5	< 2	0.56	0.5	10	46	24	3.51	10	< 1	0.07	30	0.71	220
17+00E 15+00N	201 238	< 5	2.51	0.2	< 5	150	0.5	2	1.20	< 0.5	10	38	65	3.03	10	< 1	0.06	40	0.72	378
17+00E 15+2.5N	201 238	< 5	2.66	0.2	< 5	170	0.5	2	0.93	0.5	8	30	60	2.97	10	< 1	0.06	40	0.63	585
17+00E 15+5.0N	201 238	< 5	2.83	< 0.2	< 5	130	0.5	< 2	0.65	< 0.5	7	37	42	3.01	10	< 1	0.05	30	0.55	378
17+00E 15+7.5N	201 238	< 5	2.41	0.2	< 5	100	0.5	4	0.32	< 0.5	5	43	27	3.29	< 10	< 1	0.05	20	0.63	277
17+00E 16+00N	201 238	< 5	2.41	0.2	< 5	100	0.5	< 2	0.30	< 0.5	5	41	20	3.24	< 10	< 1	0.07	20	0.62	338
17+00E 16+2.5N	201 238	< 5	2.46	0.2	< 5	90	0.5	< 2	0.43	< 0.5	5	48	23	3.25	< 10	< 1	0.10	20	0.62	241
17+00E 16+5.0N	201 238	< 5	2.39	0.2	5	110	0.5	< 2	0.39	< 0.5	4	49	26	3.43	< 10	< 1	0.08	20	0.67	406
17+00E 16+7.5N	201 238	25	2.53	0.2	15	120	0.5	< 2	0.40	< 0.5	5	45	35	3.28	< 10	< 1	0.08	20	0.66	369
17+00E 17+00N	201 238	< 5	2.35	0.2	15	120	0.5	< 2	0.41	< 0.5	5	41	32	3.08	< 10	< 1	0.07	20	0.66	543
17+00E 17+2.5N	201 238	< 5	2.16	< 0.2	20	120	0.5	< 2	0.42	< 0.5	8	45	24	3.28	< 10	< 1	0.10	20	0.66	773
17+00E 17+5.0N	201 238	30	2.15	< 0.2	20	110	0.5	< 2	0.32	< 0.5	5	41	23	3.08	< 10	< 1	0.11	20	0.64	541
17+00E 17+7.5N	201 238	5	2.34	0.2	< 5	90	0.5	< 2	0.38	< 0.5	10	36	47	3.61	< 10	3	0.06	20	0.74	405
17+00E 18+00N	201 238	< 5	2.29	0.2	10	90	0.5	< 2	0.29	< 0.5	5	39	32	3.25	< 10	< 1	0.05	20	0.64	388
17+00E 18+2.5N	201 238	15	2.03	0.2	< 5	100	0.5	< 2	0.40	< 0.5	13	35	23	3.01	< 10	< 1	0.08	20	0.62	761
17+00E 18+5.0N	201 238	5	1.91	0.2	5	80	0.5	< 2	0.44	< 0.5	13	35	34	3.07	< 10	< 1	0.05	20	0.61	577
17+00E 18+7.5N	201 238	10	1.98	0.2	20	90	0.5	< 2	0.43	< 0.5	18	36	44	3.41	< 10	< 1	0.05	20	0.67	653
17+00E 19+00N	201 238	10	2.07	0.2	20	90	0.5	< 2	0.53	< 0.5	18	37	57	3.83	< 10	1	0.04	20	0.78	557
17+00E 19+2.5N	201 238	35	2.20	0.4	< 5	80	0.5	< 2	0.65	< 0.5	19	41	65	3.91	< 10	< 1	0.05	20	0.76	514
17+00E 19+5.0N	201 238	10	1.97	0.2	< 35	80	0.5	8	0.61	< 0.5	16	41	53	3.94	< 10	< 1	0.05	20	0.81	693
17+00E 19+7.5N	201 238	5	2.05	0.6	< 5	100	0.5	6	0.64	< 0.5	22	51	74	4.25	< 10	2	0.07	20	0.91	707

CERTIFICATION : *BCJ*

Geochem Labs Ltd.

Geochemists * Geochemists * Registered Assayers
 1000 BOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project : B16C-07
 Comments: CC: JEAN PAUTLER

Page No. : 1-B
 Tot. Pages: 5
 Date : 27-AUG-88
 Invoice # : I-8821128
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821128

LA
 CL
 ALS

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
17+00E 10+00N	201 238	< 1	0.02	10	1480	< 2	< 5	1	16	0.10	< 10	< 10	58	< 5	65
17+00E 10+2.5N	201 238	< 1	0.02	11	440	< 2	< 5	3	24	0.16	< 10	< 10	86	< 5	78
17+00E 10+50N	201 238	3	0.02	13	120	< 2	< 5	3	24	0.17	< 10	< 10	76	< 5	58
17+00E 10+7.5N	201 238	3	0.01	12	850	< 2	< 5	2	23	0.17	< 10	< 10	88	< 5	58
17+00E 11+00N	201 238	2	0.02	14	290	< 2	< 5	2	30	0.19	< 10	< 10	89	< 5	57
17+00E 11+2.5N	201 238	< 1	0.02	9	400	4	< 5	2	33	0.19	< 10	< 10	88	< 5	60
17+00E 11+50N	201 238	1	0.01	4	1180	< 2	< 5	3	28	0.18	< 10	< 10	98	< 5	64
17+00E 11+7.5N	201 238	2	0.01	6	1200	< 2	< 5	2	26	0.17	< 10	< 10	93	< 5	60
17+00E 12+00N	201 238	< 1	0.02	11	120	< 2	< 5	5	36	0.21	< 10	< 10	110	< 5	45
17+00E 12+2.5N	201 238	< 1	0.03	< 1	510	8	5	2	58	0.13	< 10	< 10	55	< 5	55
17+00E 12+50N	201 238	2	0.01	11	950	4	< 5	2	22	0.15	< 10	< 10	93	< 5	54
17+00E 12+7.5N	201 238	1	0.02	9	270	< 2	< 5	4	36	0.19	< 10	< 10	80	< 5	53
17+00E 13+00N	201 238	< 1	0.01	9	330	< 2	< 5	2	24	0.19	< 10	< 10	85	< 5	48
17+00E 13+2.5N	201 238	2	0.01	14	1050	12	< 5	3	24	0.20	< 10	< 10	98	< 5	62
17+00E 13+50N	201 238	2	0.01	9	1120	< 2	< 5	3	22	0.20	< 10	< 10	97	< 5	64
17+00E 13+7.5N	201 238	4	0.01	5	830	4	< 5	3	23	0.19	< 10	< 10	99	< 5	62
17+00E 14+00N	201 238	1	0.01	11	420	14	< 5	2	27	0.19	< 10	< 10	89	< 5	51
17+00E 14+2.5N	201 238	< 1	0.02	6	250	< 2	< 5	5	40	0.21	< 10	< 10	105	< 5	51
17+00E 14+50N	201 238	1	0.03	16	230	2	< 5	4	45	0.16	< 10	< 10	64	< 5	43
17+00E 14+7.5N	201 238	< 1	0.02	13	110	4	5	4	30	0.20	< 10	< 10	78	< 5	51
17+00E 15+00N	201 238	1	0.03	13	260	< 2	< 5	4	52	0.16	< 10	< 10	59	< 5	54
17+00E 15+2.5N	201 238	1	0.03	13	400	12	< 5	3	39	0.16	< 10	< 10	56	< 5	72
17+00E 15+50N	201 238	3	0.02	11	130	< 2	< 5	3	26	0.18	< 10	< 10	66	< 5	66
17+00E 15+7.5N	201 238	3	0.01	15	980	2	< 5	2	17	0.18	< 10	< 10	84	< 5	77
17+00E 16+00N	201 238	3	0.01	17	740	8	< 5	2	17	0.20	< 10	< 10	83	< 5	75
17+00E 16+2.5N	201 238	3	0.02	13	480	8	< 5	2	25	0.23	< 10	< 10	88	< 5	67
17+00E 16+50N	201 238	2	0.01	17	680	< 2	< 5	3	23	0.21	< 10	< 10	89	< 5	72
17+00E 16+7.5N	201 238	< 1	0.01	17	980	< 2	< 5	3	24	0.19	< 10	< 10	83	< 5	78
17+00E 17+00N	201 238	3	0.01	15	810	2	< 5	2	25	0.19	< 10	< 10	79	< 5	98
17+00E 17+2.5N	201 238	2	0.01	17	1170	< 2	< 5	2	24	0.19	< 10	< 10	82	< 5	107
17+00E 17+50N	201 238	3	0.01	13	670	< 2	< 5	2	19	0.18	< 10	< 10	80	< 5	89
17+00E 17+7.5N	201 238	< 1	0.01	12	970	2	< 5	3	24	0.19	< 10	< 10	96	< 5	80
17+00E 18+00N	201 238	3	0.01	12	730	6	< 5	2	17	0.18	< 10	< 10	87	< 5	81
17+00E 18+2.5N	201 238	< 1	0.01	19	850	4	< 5	3	24	0.17	< 10	< 10	79	< 5	74
17+00E 18+50N	201 238	2	0.01	18	990	< 2	< 5	3	25	0.15	< 10	< 10	82	< 5	68
17+00E 18+7.5N	201 238	1	0.01	17	1100	< 2	< 5	4	26	0.15	< 10	< 10	91	< 5	77
17+00E 19+00N	201 238	1	0.01	20	960	2	< 5	4	34	0.18	< 10	< 10	105	< 5	59
17+00E 19+2.5N	201 238	2	0.01	16	610	2	< 5	5	40	0.20	< 10	< 10	108	< 5	59
17+00E 19+50N	201 238	< 1	0.01	19	1060	< 2	< 5	5	41	0.19	< 10	< 10	111	< 5	64
17+00E 19+7.5N	201 238	2	0.02	21	750	< 2	< 5	5	39	0.19	< 10	< 10	117	< 5	58

CERTIFICATION :

PCJ

Geochemists * Registered Assayers S.A. Labs Ltd.

700 BANK AVENUE, NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 954-0221

To: K. ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1
Project: B26C-07
Comments: CC: JEAN PAUTLER

Page No.: 2
Tot. Pages: 3
Date: 27-AUG-88
Invoice #: I-8821128
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
17+00E 20+00N	201	238	20	2.36	0.6	< 5	140	1.0	8	0.56	< 0.5	20	42	107	4.39	< 10	< 1	0.08	20	0.89	682
18+00E 10+00N	201	238	< 5	2.64	0.4	< 5	110	0.5	< 2	0.40	0.5	13	36	40	3.11	< 10	< 1	0.07	20	0.49	336
18+00E 10+2.5N	201	238	25	2.39	0.4	< 5	80	0.5	< 2	0.71	< 0.5	11	30	44	2.80	< 10	< 1	0.07	20	0.52	253
18+00E 10+7.5N	201	238	10	2.46	0.6	< 5	210	0.5	2	1.45	1.0	13	39	250	3.00	< 10	< 1	0.04	40	0.67	672
18+00E 11+00N	201	238	5	2.19	0.2	< 5	140	0.5	< 2	1.84	0.5	13	34	302	2.47	< 10	< 1	0.04	50	0.58	926
18+00E 11+2.5N	201	238	< 5	1.00	< 0.2	< 5	120	0.5	< 2	3.91	0.5	6	26	450	0.94	< 10	< 1	0.02	50	0.30	1125
18+00E 11+5.0N	201	238	< 5	2.49	0.4	< 5	110	0.5	< 2	0.42	< 0.5	13	33	56	3.14	< 10	< 1	0.04	20	0.49	275
18+00E 11+7.5N	201	238	< 5	2.49	0.2	15	140	0.5	< 2	1.19	< 0.5	10	33	96	2.67	< 10	< 1	0.04	40	0.52	312
18+00E 12+00N	201	238	< 5	0.25	< 0.2	< 5	130	< 0.5	2	5.84	< 0.5	1	13	369	0.13	< 10	< 1	< 0.01	30	0.26	282
18+00E 12+2.5N	201	238	5	2.28	0.4	< 5	190	0.5	< 2	1.25	0.5	13	33	296	2.64	< 10	< 1	0.05	40	0.49	1135
18+00E 12+5.0N	201	238	10	2.24	0.6	< 5	100	0.5	< 2	0.45	0.5	13	34	36	3.30	< 10	< 1	0.04	20	0.61	507
18+00E 12+7.5N	201	238	< 5	2.36	0.4	< 5	110	0.5	< 2	0.48	0.5	12	40	30	3.33	< 10	< 1	0.05	20	0.64	545
18+00E 13+00N	201	238	20	2.39	0.4	< 5	90	0.5	< 2	0.57	< 0.5	13	36	32	2.98	< 10	< 1	0.06	20	0.56	441
18+00E 13+2.5N	201	238	5	2.12	0.4	< 5	90	0.5	4	0.56	0.5	13	40	23	2.96	< 10	< 1	0.08	20	0.56	398
18+00E 13+5.0N	201	238	10	2.43	0.2	< 5	110	1.0	< 2	0.83	1.0	11	51	31	3.42	< 10	< 1	0.11	30	0.71	686
18+00E 13+7.5N	201	238	5	2.60	0.6	15	110	1.0	< 2	0.51	< 0.5	12	44	27	3.31	< 10	< 1	0.08	20	0.62	413
18+00E 14+00N	201	238	< 5	2.42	0.2	< 5	110	0.5	< 2	0.60	0.5	12	40	26	3.24	< 10	< 1	0.08	20	0.61	352
18+00E 14+2.5N	201	238	< 5	2.49	0.2	< 5	150	0.5	4	1.05	0.5	12	34	108	2.70	< 10	< 1	0.04	40	0.58	872
18+00E 14+5.0N	201	238	5	2.78	0.2	< 5	130	0.5	< 2	0.82	0.5	12	40	27	3.43	< 10	< 1	0.04	30	0.65	277
18+00E 14+7.5N	201	238	5	2.47	0.4	25	150	0.5	< 2	0.98	< 0.5	13	34	37	2.90	< 10	< 1	0.04	30	0.58	367
18+00E 15+00N	201	238	25	2.25	0.4	< 5	150	0.5	< 2	1.12	< 0.5	14	32	74	2.89	< 10	< 1	0.04	20	0.61	343
18+00E 15+2.5N	201	238	10	1.80	0.4	25	140	0.5	< 2	1.38	0.5	10	25	170	2.21	< 10	3	0.04	30	0.47	453
18+00E 15+5.0N	201	238	10	1.99	0.4	< 5	120	0.5	< 2	1.48	1.0	10	27	83	2.73	< 10	2	0.04	20	0.54	296
18+00E 15+7.5N	201	238	5	2.48	0.4	< 5	90	0.5	< 2	0.90	0.5	12	35	49	3.38	< 10	< 1	0.04	20	0.56	284
18+00E 16+00N	201	238	5	2.10	0.6	< 5	90	0.5	< 2	0.74	0.5	11	47	27	3.69	< 10	< 1	0.05	20	0.70	442
18+00E 16+2.5N	201	238	20	2.38	0.4	< 5	90	0.5	< 2	0.79	0.5	23	45	77	4.10	< 10	< 1	0.05	20	0.76	547
18+00E 16+5.0N	201	238	45	2.11	0.2	< 5	60	1.0	< 2	0.70	0.5	23	38	68	4.36	< 10	< 1	0.06	20	0.79	545
18+00E 16+7.5N	201	238	45	2.15	0.2	15	60	1.0	< 2	0.68	< 0.5	29	38	104	5.05	< 10	< 1	0.06	20	0.86	591
18+00E 17+00N	201	238	40	2.77	0.2	< 5	100	1.0	6	0.70	< 0.5	29	38	108	4.86	< 10	< 1	0.06	20	0.86	517
18+00E 17+2.5N	201	238	15	2.25	0.2	15	80	0.5	< 2	0.43	< 0.5	11	36	46	3.29	< 10	< 1	0.04	10	0.63	553
18+00E 17+5.0N	201	238	15	2.20	0.4	< 5	70	0.5	2	0.49	< 0.5	11	37	42	3.45	< 10	< 1	0.05	10	0.64	454
18+00E 17+7.5N	201	238	15	2.30	0.4	< 5	70	0.5	8	0.52	< 0.5	10	44	41	3.50	< 10	< 1	0.07	10	0.65	537
18+00E 18+00N	201	238	30	2.08	0.4	15	70	0.5	< 2	0.57	< 0.5	21	37	97	3.99	< 10	< 1	0.05	20	0.83	534
18+00E 18+2.5N	201	238	15	2.14	0.4	< 5	110	0.5	2	0.60	1.0	23	38	74	3.93	< 10	< 1	0.09	20	0.82	872
18+00E 18+5.0N	201	238	10	2.19	0.2	< 5	90	0.5	< 2	0.41	< 0.5	11	35	50	3.32	< 10	< 1	0.04	10	0.68	566
18+00E 18+7.5N	201	238	5	1.98	0.2	< 5	70	0.5	< 2	0.45	1.0	11	41	35	3.36	< 10	< 1	0.06	10	0.67	752
18+00E 19+00N	201	238	20	2.09	< 0.2	< 5	80	0.5	< 2	0.46	< 0.5	25	40	69	4.05	< 10	< 1	0.08	10	0.78	552
18+00E 19+2.5N	201	238	10	1.96	0.2	20	80	0.5	4	0.39	< 0.5	27	30	68	4.22	< 10	< 1	0.05	10	0.76	671
18+00E 19+5.0N	201	238	30	2.08	< 0.2	< 5	90	1.0	< 2	0.39	0.5	46	38	144	5.43	< 10	< 1	0.04	10	0.82	939
18+00E 19+7.5N	201	238	20	2.42	< 0.2	< 5	90	0.5	< 2	0.51	0.5	21	28	73	3.66	< 10	< 1	0.04	20	0.56	678

CERTIFICATION :

JK Labs Ltd.

Minists * Geochemists * Registered Assayers
 BROOKSBANK AVE., NORTH VANCOUVER.
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No. : 2-B
 Tot. Pages: 5
 Date : 27-AUG-88
 Invoice # : I-8821128
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
17+00E 20+00N	201 238	1	0.02	21	820	4	< 5	5	37	0.18	< 10	< 10	109	< 5	70
18+00E 10+00N	201 238	2	0.02	16	460	2	< 5	4	26	0.18	< 10	< 10	82	< 5	48
18+00E 10+2.5N	201 238	1	0.02	19	450	2	< 5	4	38	0.16	< 10	< 10	71	< 5	39
18+00E 10+7.5N	201 238	< 1	0.03	27	620	2	< 5	6	94	0.16	< 10	< 10	67	< 5	57
18+00E 11+00N	201 238	1	0.03	21	930	2	10	5	99	0.11	< 10	< 10	55	< 5	55
18+00E 11+2.5N	201 238	2	0.02	19	1040	2	5	1	175	0.03	< 10	< 10	22	< 5	31
18+00E 11+50N	201 238	2	0.02	22	310	6	5	3	30	0.18	< 10	< 10	82	< 5	55
18+00E 11+7.5N	201 238	< 1	0.03	18	320	2	< 5	4	71	0.16	< 10	< 10	60	< 5	45
18+00E 12+00N	201 238	< 1	0.01	5	1060	2	10	< 1	249	< 0.01	< 10	< 10	9	< 5	20
18+00E 12+2.5N	201 238	< 1	0.04	26	690	2	< 5	4	80	0.13	< 10	< 10	56	< 5	49
18+00E 12+50N	201 238	< 1	0.02	14	1220	4	< 5	4	29	0.17	< 10	< 10	91	< 5	67
18+00E 12+7.5N	201 238	2	0.02	22	1340	2	< 5	4	30	0.18	< 10	< 10	96	5	76
18+00E 13+00N	201 238	< 1	0.02	21	520	2	5	4	34	0.18	< 10	< 10	85	10	63
18+00E 13+2.5N	201 238	< 1	0.02	14	430	2	< 5	4	33	0.19	< 10	< 10	88	10	57
18+00E 13+50N	201 238	< 1	0.02	19	400	2	< 5	6	44	0.22	< 10	< 10	98	15	63
18+00E 13+7.5N	201 238	< 1	0.02	27	1450	2	< 5	4	29	0.19	< 10	< 10	92	5	73
18+00E 14+00N	201 238	2	0.02	17	610	2	< 5	4	35	0.20	< 10	< 10	90	5	57
18+00E 14+2.5N	201 238	< 1	0.04	29	280	2	< 5	5	58	0.16	< 10	< 10	66	< 5	43
18+00E 14+50N	201 238	< 1	0.03	19	110	2	< 5	6	47	0.19	< 10	< 10	75	15	41
18+00E 14+7.5N	201 238	< 1	0.04	17	160	2	< 5	5	57	0.16	< 10	< 10	67	10	39
18+00E 15+00N	201 238	< 1	0.03	17	240	2	< 5	5	58	0.15	< 10	< 10	65	10	46
18+00E 15+2.5N	201 238	< 1	0.03	13	470	4	5	4	67	0.11	< 10	< 10	49	5	40
18+00E 15+50N	201 238	< 1	0.03	17	420	2	5	5	65	0.15	< 10	< 10	62	< 5	39
18+00E 15+7.5N	201 238	< 1	0.02	14	320	4	< 5	4	51	0.20	< 10	< 10	96	< 5	51
18+00E 16+00N	201 238	1	0.02	25	530	2	< 5	5	42	0.21	< 10	< 10	111	< 5	45
18+00E 16+2.5N	201 238	< 1	0.02	14	650	8	< 5	6	54	0.22	< 10	< 10	121	< 5	64
18+00E 16+50N	201 238	< 1	0.01	18	730	6	< 5	5	49	0.22	< 10	< 10	129	10	61
18+00E 16+7.5N	201 238	< 1	0.02	18	970	2	< 5	5	49	0.22	< 10	< 10	130	15	59
18+00E 17+00N	201 238	< 1	0.02	17	620	4	< 5	6	53	0.23	< 10	< 10	131	15	60
18+00E 17+2.5N	201 238	< 1	0.02	27	1510	2	< 5	4	29	0.16	< 10	< 10	87	< 5	73
18+00E 17+50N	201 238	1	0.02	23	850	4	< 5	4	32	0.19	< 10	< 10	96	5	77
18+00E 17+7.5N	201 238	5	0.02	23	870	2	< 5	4	33	0.20	< 10	< 10	96	10	78
18+00E 18+00N	201 238	2	0.01	24	1020	2	< 5	5	43	0.18	< 10	< 10	109	15	57
18+00E 18+2.5N	201 238	< 1	0.02	17	1410	10	< 5	5	44	0.17	< 10	< 10	101	10	86
18+00E 18+50N	201 238	< 1	0.02	29	1430	2	< 5	4	27	0.15	< 10	< 10	87	5	66
18+00E 18+7.5N	201 238	< 1	0.02	21	680	70	< 5	3	30	0.16	< 10	< 10	90	10	449
18+00E 19+00N	201 238	< 1	0.01	20	1130	14	< 5	4	28	0.16	< 10	< 10	103	< 5	103
18+00E 19+2.5N	201 238	2	0.01	15	810	2	< 5	4	27	0.13	< 10	< 10	96	< 5	61
18+00E 19+50N	201 238	1	0.01	29	1250	2	< 5	4	30	0.14	< 10	< 10	122	< 5	76
18+00E 19+7.5N	201 238	< 1	0.02	20	710	12	< 5	4	34	0.15	< 10	< 10	81	5	103

CERTIFICATION :

PCF

X Labs Ltd.

Analysts * Geochemists * Registered Assayers
 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: RAY ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No.: 3-A
 Tot. Pages: 5
 Date: 27-AUG-88
 Invoice #: I-8821128
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
18+00E 20+00N	201 238	10	3.34	0.2	20	120	1.0	10	0.74	< 0.5	19	37	122	3.59	< 10	< 1	0.03	20	0.69	543
19+00E 10+00N	201 238	5	2.17	< 0.2	< 5	70	0.5	4	0.44	< 0.5	9	29	23	2.82	< 10	< 1	0.03	10	0.49	256
19+00E 10+2.5N	201 238	< 5	2.20	< 0.2	< 5	90	0.5	< 2	0.40	< 0.5	9	29	32	2.72	< 10	< 1	0.04	10	0.44	395
19+00E 10+5.0N	201 238	20	1.70	< 0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	9	29	27	2.30	< 10	< 1	0.04	10	0.51	221
19+00E 10+7.5N	201 238	< 5	1.77	< 0.2	15	70	0.5	< 2	0.46	< 0.5	9	30	27	2.62	< 10	< 1	0.05	10	0.49	287
19+00E 11+00N	201 238	< 5	1.47	0.2	10	70	0.5	6	0.37	< 0.5	9	33	24	2.39	< 10	2	0.04	10	0.44	258
19+00E 11+2.5N	201 238	< 5	1.85	< 0.2	20	70	0.5	4	0.42	< 0.5	9	28	25	2.66	< 10	< 1	0.05	10	0.50	387
19+00E 11+5.0N	201 238	15	1.77	< 0.2	5	80	0.5	4	0.50	< 0.5	7	37	41	3.07	< 10	1	0.05	10	0.62	500
19+00E 11+7.5N	201 238	10	1.91	< 0.2	15	80	0.5	< 2	0.49	< 0.5	7	39	42	3.26	< 10	1	0.05	10	0.60	403
19+00E 12+00N	201 238	< 5	2.17	< 0.2	< 5	90	0.5	< 2	0.45	< 0.5	7	38	36	3.36	< 10	2	0.06	10	0.61	467
19+00E 12+2.5N	201 238	5	2.21	< 0.2	10	90	0.5	< 2	0.43	< 0.5	15	41	47	3.52	< 10	3	0.04	10	0.62	423
19+00E 12+5.0N	201 238	35	1.99	< 0.2	5	70	< 0.5	< 2	0.42	< 0.5	7	31	28	3.12	< 10	< 1	0.03	10	0.49	199
19+00E 12+7.5N	201 238	< 5	1.85	< 0.2	10	60	< 0.5	< 2	0.60	< 0.5	8	29	32	2.78	< 10	3	0.05	20	0.49	182
19+00E 13+00N	201 238	10	2.07	< 0.2	< 5	100	< 0.5	4	0.87	< 0.5	8	21	60	2.11	< 10	2	0.03	20	0.38	223
19+00E 13+2.5N	201 238	< 5	2.33	< 0.2	< 5	130	0.5	4	0.96	0.5	6	21	57	2.36	< 10	1	0.03	20	0.40	318
19+00E 13+5.0N	201 238	< 5	1.94	0.2	< 5	90	0.5	< 2	1.01	< 0.5	8	21	95	2.34	< 10	< 1	0.04	20	0.44	234
19+00E 13+7.5N	201 238	10	2.34	< 0.2	10	150	0.5	< 2	0.43	< 0.5	8	25	34	2.81	< 10	< 1	0.03	10	0.48	181
19+00E 14+00N	201 238	< 5	2.35	< 0.2	< 5	150	0.5	< 2	1.05	< 0.5	6	27	67	2.92	< 10	< 1	0.05	30	0.55	485
19+00E 14+2.5N	201 238	5	2.23	0.2	< 5	100	0.5	< 2	0.45	0.5	16	39	65	4.13	10	1	0.06	10	0.80	361
19+00E 14+5.0N	201 238	15	2.39	< 0.2	< 5	190	0.5	< 2	1.37	< 0.5	13	27	231	3.24	< 10	< 1	0.05	30	0.58	889
19+00E 14+7.5N	201 238	15	2.30	< 0.2	< 5	150	0.5	< 2	0.57	0.5	17	38	49	3.80	< 10	< 1	0.11	20	0.67	816
19+00E 15+00N	201 238	10	2.70	< 0.2	< 5	120	0.5	< 2	0.38	0.5	14	38	54	4.17	< 10	1	0.04	10	0.67	468
19+00E 15+2.5N	201 238	< 5	2.47	< 0.2	< 5	130	0.5	< 2	0.32	0.5	15	31	46	4.12	< 10	2	0.04	10	0.64	361
19+00E 15+5.0N	201 238	5	2.71	< 0.2	< 5	120	0.5	< 2	0.47	< 0.5	18	40	63	4.16	< 10	< 1	0.05	20	0.71	262
19+00E 15+7.5N	201 238	15	2.35	< 0.2	< 5	150	0.5	< 2	0.95	< 0.5	12	38	75	3.63	< 10	< 1	0.05	30	0.66	323
19+00E 16+00N	201 238	20	2.59	< 0.2	< 5	100	0.5	< 2	1.03	< 0.5	23	45	104	4.59	10	1	0.04	30	0.76	321
19+00E 16+2.5N	201 238	30	2.09	< 0.2	< 5	90	0.5	< 2	0.43	< 0.5	18	31	54	3.70	< 10	< 1	0.05	10	0.78	695
19+00E 16+5.0N	201 238	30	2.13	< 0.2	5	70	0.5	< 2	0.41	< 0.5	37	41	192	4.63	< 10	< 1	0.04	10	0.85	516
19+00E 16+7.5N	201 238	10	2.09	< 0.2	< 5	80	0.5	8	0.30	< 0.5	13	44	43	3.29	< 10	2	0.06	10	0.68	441
19+00E 17+00N	201 238	120	2.72	0.2	10	90	1.0	< 2	0.47	< 0.5	25	40	131	5.18	< 10	< 1	0.04	20	1.07	373
19+00E 17+2.5N	201 238	5	2.11	0.2	< 5	100	0.5	< 2	0.44	< 0.5	12	40	79	3.55	< 10	< 1	0.05	20	0.75	613
19+00E 17+5.0N	201 238	50	2.46	< 0.2	< 5	70	1.0	< 2	0.55	0.5	29	30	222	6.43	< 10	2	0.05	20	1.51	643
19+00E 17+7.5N	201 238	20	2.10	< 0.2	< 5	160	0.5	8	0.76	0.5	17	40	109	3.93	< 10	< 1	0.08	20	1.06	1045
19+00E 18+00N	201 238	20	2.29	< 0.2	< 5	160	0.5	< 2	0.83	0.5	20	47	145	4.29	< 10	< 1	0.09	30	1.12	1455
19+00E 18+2.5N	201 238	5	1.64	< 0.2	< 5	180	0.5	< 2	1.07	< 0.5	6	30	99	3.18	< 10	< 1	0.11	30	1.02	1255
19+00E 18+5.0N	201 238	< 5	1.84	< 0.2	< 5	180	0.5	< 2	0.77	0.5	14	41	95	3.42	< 10	< 1	0.10	20	0.93	1600
19+00E 18+7.5N	201 238	< 5	1.90	< 0.2	< 5	150	0.5	4	0.66	0.5	16	41	82	3.42	< 10	< 1	0.20	20	0.96	1255
19+00E 19+00N	201 238	40	1.82	< 0.2	20	170	0.5	< 2	1.03	< 0.5	17	38	109	3.78	< 10	< 1	0.09	30	1.11	949
19+00E 19+2.5N	201 238	30	1.64	< 0.2	5	140	0.5	< 2	1.07	< 0.5	13	38	126	3.68	< 10	3	0.08	30	1.08	1060
19+00E 19+5.0N	201 238	25	1.71	< 0.2	< 5	130	0.5	< 2	0.91	0.5	16	41	104	3.67	< 10	< 1	0.09	20	1.06	1170

CERTIFICATION :

EX Labs Ltd.

Minerals * Geochemists * Registered Assayers
 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

(ATTN: RAY DUJARDIN)
 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1


Project : B26C-07
 Comments: CC: JEAN PAUTLER

101. Pages: 2
 Date: 27-AUG-88
 Invoice #: 821128
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
18+00E 20+00N	201 238	3	0.03	34	330	4	< 5	6	52	0.19	< 10	< 10	87	< 5	60
19+00E 10+00N	201 238	2	0.02	13	300	< 2	< 5	3	31	0.18	< 10	< 10	85	< 5	41
19+00E 10+2.5N	201 238	< 1	0.02	15	750	< 2	< 5	3	28	0.17	< 10	< 10	77	< 5	48
19+00E 10+50N	201 238	1	0.02	14	230	8	< 5	3	32	0.19	< 10	< 10	69	< 5	42
19+00E 10+7.5N	201 238	< 1	0.02	19	1190	< 2	< 5	3	29	0.15	< 10	< 10	76	< 5	43
19+00E 11+00N	201 238	1	0.02	15	1010	2	< 5	2	25	0.14	< 10	< 10	69	< 5	39
19+00E 11+2.5N	201 238	< 1	0.02	18	1110	12	< 5	3	28	0.16	< 10	< 10	78	< 5	46
19+00E 11+50N	201 238	< 1	0.01	16	890	< 2	< 5	3	30	0.16	< 10	< 10	82	< 5	54
19+00E 11+7.5N	201 238	1	0.01	17	890	< 2	< 5	3	30	0.16	< 10	< 10	87	< 5	52
19+00E 12+00N	201 238	< 1	0.02	20	1070	10	5	3	27	0.17	< 10	< 10	88	< 5	56
19+00E 12+2.5N	201 238	< 1	0.02	22	1180	10	< 5	3	28	0.17	< 10	< 10	90	5	65
19+00E 12+50N	201 238	4	0.02	15	180	< 2	< 5	3	31	0.18	< 10	< 10	90	< 5	49
19+00E 12+7.5N	201 238	< 1	0.02	10	100	4	< 5	3	37	0.18	< 10	< 10	70	< 5	29
19+00E 13+00N	201 238	< 1	0.04	14	310	< 2	5	3	43	0.12	< 10	< 10	39	< 5	30
19+00E 13+2.5N	201 238	< 1	0.04	10	340	< 2	< 5	3	48	0.14	< 10	< 10	41	5	31
19+00E 13+50N	201 238	1	0.03	13	340	< 2	5	3	50	0.13	< 10	< 10	50	5	48
19+00E 13+7.5N	201 238	2	0.03	20	210	< 2	< 5	3	31	0.18	< 10	< 10	69	< 5	37
19+00E 14+00N	201 238	< 1	0.03	20	400	18	5	3	59	0.14	< 10	< 10	63	< 5	37
19+00E 14+2.5N	201 238	1	0.02	25	1250	6	5	4	33	0.16	< 10	< 10	107	< 5	52
19+00E 14+50N	201 238	< 1	0.03	24	640	< 2	< 5	5	77	0.12	< 10	< 10	65	< 5	46
19+00E 14+7.5N	201 238	< 1	0.02	29	1460	20	< 5	3	37	0.15	< 10	< 10	85	< 5	69
19+00E 15+00N	201 238	< 1	0.02	31	630	< 2	< 5	3	30	0.19	< 10	< 10	94	< 5	59
19+00E 15+2.5N	201 238	1	0.01	31	820	6	< 5	3	28	0.18	< 10	< 10	93	< 5	59
19+00E 15+50N	201 238	< 1	0.02	29	800	< 2	< 5	4	36	0.20	< 10	< 10	100	< 5	64
19+00E 15+7.5N	201 238	< 1	0.02	28	230	14	5	4	52	0.17	< 10	< 10	80	< 5	53
19+00E 16+00N	201 238	6	0.02	25	210	6	5	5	64	0.21	< 10	< 10	117	< 5	62
19+00E 16+2.5N	201 238	4	0.01	27	1100	< 2	< 5	3	33	0.14	< 10	< 10	87	< 5	76
19+00E 16+50N	201 238	6	0.01	21	1130	< 2	< 5	4	27	0.16	< 10	< 10	106	< 5	59
19+00E 16+7.5N	201 238	3	0.01	29	780	< 2	5	3	21	0.15	< 10	< 10	82	< 5	61
19+00E 17+00N	201 238	3	0.01	28	1010	< 2	< 5	5	35	0.20	< 10	< 10	130	< 5	59
19+00E 17+2.5N	201 238	3	0.02	28	1010	< 2	< 5	4	30	0.16	< 10	< 10	87	< 5	80
19+00E 17+50N	201 238	4	0.01	20	1400	10	< 5	10	38	0.18	< 10	< 10	143	< 5	70
19+00E 17+7.5N	201 238	< 1	0.01	28	1100	< 2	< 5	7	41	0.14	< 10	< 10	98	< 5	74
19+00E 18+00N	201 238	3	0.01	34	1100	< 2	5	8	41	0.14	< 10	< 10	102	< 5	66
19+00E 18+2.5N	201 238	4	0.02	25	1160	< 2	< 5	5	50	0.10	< 10	< 10	76	< 5	72
19+00E 18+50N	201 238	3	0.01	15	1250	12	< 5	5	37	0.11	< 10	< 10	83	< 5	70
19+00E 18+7.5N	201 238	1	0.01	26	1080	8	< 5	6	34	0.12	< 10	< 10	84	< 5	67
19+00E 19+00N	201 238	2	0.02	20	1140	2	< 5	6	52	0.13	< 10	< 10	97	< 5	76
19+00E 19+2.5N	201 238	4	0.02	23	1210	1	< 5	5	55	0.13	< 10	< 10	94	< 5	68
19+00E 19+50N	201 238	2	0.01	25	1230	2	< 5	6	47	0.13	< 10	< 10	91	< 5	84

CERTIFICATION :



ALX Labs Ltd.

Analysts * Geochemists * Registered Assayers
BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B16C-07
Comments: CC: JEAN PAUTLER

Page No. : 4-A
Tot. Pages: 5
Date : 27-AUG-88
Invoice #: I-8821128
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA-AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
19+00E 19+7.5N	201 238	< 5	1.40	< 0.2	< 5	110	0.5	< 2	1.05	< 0.5	8	31	67	2.67	< 10	< 1	0.11	20	0.81	761
19+00E 20+00N	201 238	65	1.87	< 0.2	< 5	120	0.5	< 2	0.35	< 0.5	9	35	29	2.71	< 10	3	0.04	10	0.42	630
20+00E 10+00N	201 238	10	1.99	< 0.2	< 5	80	0.5	< 2	0.35	< 0.5	8	31	49	3.00	< 10	2	0.03	10	0.55	460
20+00E 10+2.5N	201 238	10	2.22	< 0.2	40	80	0.5	< 2	0.33	< 0.5	8	31	41	2.93	< 10	< 1	0.04	10	0.52	323
20+00E 10+5.0N	201 238	< 5	2.06	< 0.2	< 5	70	0.5	< 2	0.38	< 0.5	8	32	43	3.03	< 10	< 1	0.04	10	0.55	460
20+00E 10+7.5N	201 238	< 5	1.86	< 0.2	< 5	70	0.5	< 2	0.40	< 0.5	8	31	31	2.91	< 10	< 1	0.03	10	0.49	279
20+00E 11+00N	201 238	10	1.72	< 0.2	< 5	50	0.5	< 2	0.49	< 0.5	7	38	37	3.11	< 10	< 1	0.03	10	0.57	260
20+00E 11+2.5N	201 238	< 5	1.79	< 0.2	< 5	70	0.5	< 2	0.45	< 0.5	7	38	56	3.13	< 10	< 1	0.07	10	0.58	408
20+00E 11+5.0N	201 238	< 5	1.92	< 0.2	5	110	0.5	4	0.42	< 0.5	7	41	66	3.41	< 10	< 1	0.04	10	0.63	494
20+00E 11+7.5N	201 238	25	1.73	< 0.2	5	70	0.5	< 2	0.45	< 0.5	7	38	46	3.07	< 10	< 1	0.04	10	0.60	424
20+00E 12+00N	201 238	10	1.92	< 0.2	< 5	70	0.5	< 2	0.37	< 0.5	7	39	53	3.40	< 10	< 1	0.05	10	0.57	362
20+00E 12+2.5N	201 238	15	1.94	< 0.2	< 5	70	0.5	< 2	0.37	< 0.5	8	31	38	3.01	< 10	< 1	0.05	10	0.51	291
20+00E 12+5.0N	201 238	10	2.11	< 0.2	< 5	100	0.5	< 2	0.41	< 0.5	7	31	49	3.11	< 10	< 1	0.04	10	0.51	355
20+00E 12+7.5N	201 238	< 5	1.92	< 0.2	< 5	80	0.5	4	0.48	< 0.5	8	32	26	2.90	< 10	< 1	0.04	10	0.54	229
20+00E 13+00N	201 238	25	0.46	< 0.2	< 5	120	< 0.5	6	4.07	< 0.5	2	2	136	0.61	< 10	< 1	0.02	10	0.27	346
20+00E 13+2.5N	201 238	< 5	1.91	< 0.2	< 5	110	0.5	2	1.16	< 0.5	5	22	193	2.17	< 10	< 1	0.04	30	0.40	381
20+00E 13+5.0N	201 238	< 5	2.17	< 0.2	< 5	120	0.5	< 2	0.88	< 0.5	8	32	33	3.05	< 10	< 1	0.05	20	0.54	220
20+00E 13+7.5N	201 238	15	1.74	< 0.2	< 5	110	0.5	2	1.26	< 0.5	8	29	80	2.83	< 10	< 1	0.05	30	0.58	267
20+00E 14+00N	201 238	10	1.68	< 0.2	10	150	< 0.5	< 2	2.22	< 0.5	7	27	127	2.36	< 10	< 1	0.05	30	0.54	446
20+00E 14+2.5N	201 238	5	2.46	< 0.2	5	110	0.5	< 2	0.47	< 0.5	16	32	50	3.91	< 10	< 1	0.06	10	0.62	331
20+00E 14+5.0N	201 238	25	2.89	< 0.2	< 5	230	0.5	< 2	1.01	< 0.5	20	31	128	4.73	< 10	< 1	0.10	30	0.67	1395
20+00E 14+7.5N	201 238	5	2.19	< 0.2	< 5	110	0.5	< 2	0.60	0.5	8	30	30	3.21	< 10	< 1	0.12	20	0.54	573
20+00E 15+00N	201 238	15	2.10	< 0.2	30	110	0.5	< 2	0.52	< 0.5	20	38	50	3.85	< 10	< 1	0.12	20	0.71	569
20+00E 15+2.5N	201 238	15	2.74	< 0.2	20	130	0.5	< 2	0.53	< 0.5	21	30	62	4.18	< 10	< 1	0.10	20	0.65	689
20+00E 15+5.0N	201 238	< 5	2.87	< 0.2	< 5	120	0.5	< 2	0.41	< 0.5	18	41	50	3.75	< 10	< 1	0.06	10	0.70	360
20+00E 15+7.5N	201 238	10	2.95	< 0.2	< 5	160	0.5	< 2	1.04	< 0.5	16	45	184	4.15	< 10	< 1	0.06	30	0.75	807
20+00E 16+00N	201 238	40	2.47	< 0.2	5	120	0.5	< 2	0.56	< 0.5	19	38	120	4.74	10	< 1	0.06	20	0.88	407
20+00E 16+2.5N	201 238	20	2.80	< 0.2	10	120	0.5	< 2	0.58	< 0.5	16	47	122	4.11	< 10	< 1	0.05	20	0.86	428
20+00E 16+5.0N	201 238	5	2.59	< 0.2	5	100	0.5	< 2	0.46	< 0.5	17	48	55	3.84	< 10	< 1	0.05	20	0.78	413
20+00E 16+7.5N	201 238	< 5	2.66	< 0.2	15	110	0.5	2	0.52	< 0.5	8	38	63	3.00	< 10	< 1	0.08	20	0.56	423
20+00E 17+00N	201 238	< 5	2.33	< 0.2	20	90	0.5	< 2	0.34	< 0.5	15	41	57	3.77	< 10	< 1	0.03	10	0.69	373
20+00E 17+2.5N	201 238	100	1.88	< 0.2	< 5	80	0.5	< 2	0.37	< 0.5	21	42	193	4.90	< 10	< 1	0.02	10	0.76	397
20+00E 17+5.0N	201 238	20	1.42	< 0.2	20	130	< 0.5	2	0.43	< 0.5	9	23	79	2.82	< 10	< 1	0.03	10	0.58	649
20+00E 17+7.5N	201 238	5	2.04	< 0.2	< 5	120	0.5	< 2	0.59	< 0.5	16	42	87	3.64	< 10	1	0.09	20	0.98	774
20+00E 18+2.5N	201 238	< 5	1.45	< 0.2	< 5	80	< 0.5	6	0.34	< 0.5	6	36	20	2.32	< 10	< 1	0.05	10	0.45	384
20+00E 18+5.0N	201 238	< 5	1.49	< 0.2	< 5	100	< 0.5	< 2	0.40	0.5	8	36	28	2.73	< 10	3	0.08	10	0.60	813
20+00E 18+7.5N	201 238	< 5	1.69	< 0.2	< 5	90	0.5	< 2	0.44	< 0.5	7	52	29	3.26	< 10	3	0.05	10	0.59	446
20+00E 19+00N	201 238	< 5	1.55	< 0.2	< 5	70	< 0.5	< 2	0.41	0.5	8	43	23	2.84	< 10	< 1	0.03	10	0.55	348
20+00E 19+2.5N	201 238	< 5	1.53	< 0.2	< 5	70	0.5	< 2	0.44	< 0.5	7	59	19	3.21	< 10	3	0.05	10	0.52	405
20+00E 19+5.0N	201 238	25	1.17	< 0.2	15	60	< 0.5	< 2	0.46	< 0.5	7	40	23	2.35	< 10	< 1	0.05	10	0.52	224

CERTIFICATION :



Ex Labs Ltd.

Chemists * Geochemists * Registered Assayers
 1 BROOKSBANK AVE. NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1


Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No. . . -B
 Tot. Pages: 5
 Date : 27-AUG-88
 Invoice #: I-8821128
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
19+00E 19+7.5N	201 238	1	0.02	21	900	2	< 5	4	48	0.12	< 10	< 10	73	10	63
19+00E 20+00N	201 238	2	0.02	13	2210	2	< 5	2	18	0.11	< 10	< 10	60	< 5	121
20+00E 10+00N	201 238	< 1	0.01	17	1220	2	< 5	3	20	0.13	< 10	< 10	76	< 5	60
20+00E 10+2.5N	201 238	2	0.02	12	850	2	< 5	3	20	0.15	< 10	< 10	75	< 5	53
20+00E 10+5.0N	201 238	2	0.02	9	1300	2	5	3	24	0.15	< 10	< 10	80	< 5	66
20+00E 10+7.5N	201 238	2	0.02	9	1280	2	5	3	28	0.15	< 10	< 10	81	< 5	52
20+00E 11+00N	201 238	1	0.01	14	310	2	< 5	3	33	0.19	< 10	< 10	93	< 5	44
20+00E 11+2.5N	201 238	4	0.01	12	860	2	< 5	3	29	0.15	< 10	< 10	90	< 5	47
20+00E 11+5.0N	201 238	1	0.02	16	940	2	< 5	3	27	0.15	< 10	< 10	96	< 5	55
20+00E 11+7.5N	201 238	2	0.01	12	880	2	< 5	3	27	0.15	< 10	< 10	85	< 5	52
20+00E 12+00N	201 238	1	0.01	15	990	2	< 5	3	23	0.15	< 10	< 10	88	< 5	55
20+00E 12+2.5N	201 238	2	0.02	12	1070	2	< 5	3	24	0.15	< 10	< 10	81	< 5	53
20+00E 12+5.0N	201 238	2	0.02	15	720	2	< 5	3	28	0.17	< 10	< 10	82	< 5	44
20+00E 12+7.5N	201 238	2	0.02	9	380	2	< 5	3	34	0.19	< 10	< 10	82	< 5	36
20+00E 13+00N	201 238	1	0.01	< 1	930	4	5	< 1	166	0.01	< 10	< 10	15	< 5	19
20+00E 13+2.5N	201 238	2	0.04	11	470	2	< 5	2	56	0.11	< 10	< 10	43	< 5	29
20+00E 13+5.0N	201 238	2	0.02	10	210	6	< 5	3	45	0.19	< 10	< 10	75	< 5	38
20+00E 13+7.5N	201 238	< 1	0.03	11	470	2	< 5	3	59	0.16	< 10	< 10	64	< 5	35
20+00E 14+00N	201 238	1	0.03	8	800	2	< 5	2	93	0.12	< 10	< 10	50	< 5	39
20+00E 14+2.5N	201 238	< 1	0.02	16	540	2	< 5	3	33	0.17	< 10	< 10	85	< 5	51
20+00E 14+5.0N	201 238	2	0.03	22	460	2	< 5	6	64	0.16	< 10	< 10	81	< 5	64
20+00E 14+7.5N	201 238	< 1	0.02	20	530	2	5	3	40	0.17	< 10	< 10	83	< 5	52
20+00E 15+00N	201 238	< 1	0.02	25	1310	2	< 5	4	41	0.16	< 10	< 10	91	< 5	55
20+00E 15+2.5N	201 238	1	0.02	21	880	2	< 5	4	40	0.17	< 10	< 10	86	< 5	52
20+00E 15+5.0N	201 238	2	0.02	34	600	4	< 5	3	31	0.20	< 10	< 10	91	< 5	66
20+00E 15+7.5N	201 238	1	0.03	24	290	8	< 5	7	62	0.18	< 10	< 10	86	< 5	82
20+00E 16+00N	201 238	< 1	0.02	18	940	2	< 5	4	52	0.23	< 10	< 10	130	< 5	63
20+00E 16+2.5N	201 238	3	0.02	25	800	6	< 5	5	49	0.24	< 10	< 10	123	5	72
20+00E 16+5.0N	201 238	< 1	0.02	26	580	4	< 5	4	36	0.21	< 10	< 10	108	< 5	60
20+00E 16+7.5N	201 238	< 1	0.02	22	250	4	< 5	4	33	0.19	< 10	< 10	74	< 5	53
20+00E 17+00N	201 238	2	0.01	24	680	6	5	3	22	0.17	< 10	< 10	98	< 5	56
20+00E 17+2.5N	201 238	1	0.01	5	1010	2	< 5	3	34	0.16	< 10	< 10	122	< 5	60
20+00E 17+5.0N	201 238	2	0.02	9	1370	4	< 5	2	28	0.11	< 10	< 10	66	< 5	71
20+00E 17+7.5N	201 238	4	0.01	21	1070	2	< 5	6	30	0.13	< 10	< 10	84	< 5	67
20+00E 18+2.5N	201 238	1	0.01	9	1320	4	< 5	2	16	0.12	< 10	< 10	59	< 5	57
20+00E 18+5.0N	201 238	2	0.01	10	620	2	5	3	21	0.14	< 10	< 10	71	< 5	53
20+00E 18+7.5N	201 238	1	0.01	18	1060	4	< 5	3	22	0.15	< 10	< 10	88	< 5	64
20+00E 19+00N	201 238	< 1	0.01	20	790	2	5	2	22	0.15	< 10	< 10	80	< 5	50
20+00E 19+2.5N	201 238	3	0.01	17	910	2	< 5	3	23	0.16	< 10	< 10	91	< 5	52
20+00E 19+5.0N	201 238	1	0.02	7	690	2	5	3	27	0.14	< 10	< 10	68	< 5	30

CERTIFICATION :



Ex Labs Ltd.

Mineralogists * Geochemists * Registered Assayers
 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

(ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project : B26C-07
 Comments: CC: JEAN PAUTLER

Date : 27-AUG-88
 Invoice # : I-8821128
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
20+00E 19+75N	201 238	< 5	1.51	< 0.2	< 5	70	0.5	< 2	0.30	< 0.5	9	19	21	2.07	< 10	< 1	0.08	10	0.51	396
20+00E 20+00N	201 238	< 5	1.18	< 0.2	5	50	< 0.5	2	0.34	< 0.5	6	18	21	2.08	< 10	< 1	0.07	10	0.55	347

CERTIFICATION :

ex Labs Ltd.

Chemists * Geochemists * Registered Assayers
 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No. : 5-1
 Tot. Pages: 5
 Date : 27-AUG-88
 Invoice # : I-8821128
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821128

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
20+00E 19+75N	201 238	< 1	0.02	7	1080	2	< 5	2	20	0.10	< 10	< 10	57	5	56
20+00E 20+00N	201 238	< 1	0.02	9	630	2	< 5	2	28	0.10	< 10	< 10	57	5	40

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
111 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

RECEIVED

Page No. 1-A
Tot. Pages: 2
Date: 2-SEP-88
Invoice #: I-8821965
P.O. #: NONE

SEP-6 1988

Project: D26C-07
Comments: CC: JEAN PAUTLER

KERR ADDISON MINES LTD.

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L22+00E 10+00N	201 238	25	2.46	0.2	< 5	100	0.5	< 2	0.57	< 0.5	11	34	124	3.61	< 10	2	0.07	10	0.67	702
L22+00E 10+25N	201 238	5	2.08	< 0.2	10	100	0.5	< 2	0.74	< 0.5	10	41	123	3.70	< 10	< 1	0.07	10	0.81	600
L22+00E 10+50N	201 238	25	2.21	0.2	5	80	0.5	< 2	0.56	< 0.5	11	34	155	3.73	< 10	< 1	0.05	10	0.71	647
L22+00E 10+75N	201 238	15	2.66	< 0.2	10	110	0.5	< 2	0.67	< 0.5	10	33	224	3.66	< 10	< 1	0.07	10	0.72	455
L22+00E 11+00N	201 238	25	2.41	0.2	15	110	1.0	< 2	0.57	< 0.5	10	43	133	3.91	< 10	1	0.06	10	0.68	1105
L22+00E 11+25N	201 238	20	2.62	0.2	< 5	130	0.5	2	0.56	< 0.5	10	45	146	4.01	< 10	< 1	0.05	10	0.70	486
L22+00E 11+50N	201 238	5	2.67	0.4	15	130	0.5	< 2	0.87	< 0.5	10	40	88	3.33	10	< 1	0.07	20	0.73	657
L22+00E 11+75N	201 238	15	2.06	< 0.2	< 5	100	0.5	< 2	0.41	< 0.5	11	33	61	3.35	< 10	< 1	0.05	10	0.53	557
L22+00E 12+00N	201 238	15	2.14	< 0.2	10	70	1.0	< 2	0.34	< 0.5	11	31	57	3.52	< 10	< 1	0.04	10	0.45	315
L22+00E 12+25N	201 238	15	2.23	0.2	5	120	0.5	< 2	0.74	< 0.5	11	33	101	3.43	< 10	< 1	0.04	10	0.52	272
L22+00E 12+50N	201 238	35	1.94	< 0.2	10	70	0.5	< 2	0.56	< 0.5	10	47	107	3.91	< 10	< 1	0.04	10	0.74	297
L22+00E 13+00N	201 238	10	2.19	< 0.2	< 5	120	< 0.5	< 2	1.65	0.5	9	34	141	2.69	< 10	< 1	0.05	20	0.52	317
L22+00E 13+25N	201 238	not/aa	1.12	< 0.2	< 5	100	< 0.5	< 2	4.14	0.5	5	17	275	1.41	10	3	0.03	< 10	0.37	221
L22+00E 13+50N	201 238	15	2.42	< 0.2	< 5	90	0.5	< 2	0.38	< 0.5	11	31	102	3.49	< 10	2	0.04	10	0.46	539
L22+00E 13+75N	201 238	25	2.81	< 0.2	15	110	1.5	< 2	0.39	< 0.5	18	35	132	3.89	< 10	2	0.05	10	0.59	309
L22+00E 14+00N	201 238	45	2.27	< 0.2	20	60	1.5	< 2	0.40	< 0.5	10	36	121	3.87	< 10	< 1	0.03	10	0.56	409
L22+00E 14+25N	201 238	75	2.46	< 0.2	15	70	2.0	< 2	0.28	< 0.5	26	27	215	5.14	< 10	< 1	0.04	10	0.45	411
L22+00E 14+50N	201 238	25	2.60	< 0.2	5	80	0.5	< 2	0.32	< 0.5	16	37	83	3.74	< 10	2	0.04	< 10	0.51	271
L22+00E 14+75N	201 238	< 5	2.16	< 0.2	5	70	1.0	< 2	0.35	< 0.5	10	43	44	3.31	< 10	< 1	0.04	< 10	0.49	231
L22+00E 15+00N	201 238	15	2.00	< 0.2	< 5	70	0.5	< 2	0.32	0.5	10	40	46	3.00	< 10	2	0.04	< 10	0.40	416
L22+00E 15+25N	201 238	95	2.27	< 0.2	< 5	90	< 0.5	< 2	0.30	< 0.5	10	43	80	3.57	< 10	< 1	0.04	< 10	0.51	467
L22+00E 15+50N	201 238	< 5	2.13	< 0.2	10	100	< 0.5	< 2	0.36	< 0.5	12	31	49	2.92	< 10	2	0.05	10	0.63	442
L22+00E 15+75N	201 238	< 5	1.76	< 0.2	5	70	< 0.5	< 2	0.29	< 0.5	7	31	25	2.82	< 10	< 1	0.04	< 10	0.43	326
L22+00E 16+00N	201 238	5	1.95	< 0.2	< 5	110	< 0.5	< 2	1.48	< 0.5	9	32	390	2.56	< 10	< 1	0.04	20	0.57	434
L22+00E 16+25N	201 238	5	2.41	< 0.2	10	200	< 0.5	< 2	1.30	< 0.5	6	26	91	1.87	< 10	< 1	0.03	10	0.49	133
L22+00E 16+50N	201 238	< 5	2.85	0.2	10	80	< 0.5	< 2	0.27	< 0.5	9	31	35	2.63	< 10	2	0.04	< 10	0.41	610
L22+00E 16+75N	201 238	< 5	2.35	< 0.2	5	70	< 0.5	< 2	0.40	< 0.5	11	45	83	3.35	< 10	1	0.05	10	0.66	507
L22+00E 17+00N	201 238	< 5	1.70	0.2	15	70	< 0.5	< 2	0.21	< 0.5	6	23	11	1.90	< 10	< 1	0.03	< 10	0.22	654
L22+00E 17+25N	201 238	100	2.17	< 0.2	5	100	< 0.5	< 2	0.29	< 0.5	8	34	27	2.60	< 10	2	0.04	< 10	0.37	389
L22+00E 17+50N	201 238	25	1.87	< 0.2	10	150	< 0.5	< 2	1.15	< 0.5	11	44	99	3.33	< 10	2	0.13	20	0.95	961
L22+00E 17+75N	201 238	< 5	2.31	< 0.2	10	190	< 0.5	< 2	0.95	< 0.5	11	45	119	3.30	< 10	< 1	0.25	20	0.89	958
L22+00E 18+00N	201 238	< 5	2.68	< 0.2	< 5	180	< 0.5	< 2	0.59	0.5	11	46	76	3.21	< 10	< 1	0.32	10	0.81	518
L22+00E 18+25N	201 238	< 5	1.35	< 0.2	5	110	< 0.5	< 2	0.37	< 0.5	7	24	18	1.96	< 10	1	0.12	10	0.45	382
L22+00E 18+50N	201 238	< 5	1.12	< 0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	5	27	15	1.93	< 10	< 1	0.11	10	0.45	189
L22+00E 18+75N	201 238	10	1.06	< 0.2	5	70	< 0.5	< 2	0.40	< 0.5	7	29	14	1.99	< 10	< 1	0.06	10	0.44	312
L22+00E 19+00N	201 238	< 5	1.28	< 0.2	10	80	< 0.5	< 2	0.38	< 0.5	7	34	19	2.22	< 10	< 1	0.05	10	0.42	268
L22+00E 19+25N	201 238	35	1.03	< 0.2	5	60	< 0.5	< 2	0.38	< 0.5	6	33	18	2.06	< 10	< 1	0.04	< 10	0.43	262
L22+00E 19+50N	201 238	< 5	1.27	< 0.2	5	70	< 0.5	< 2	0.38	< 0.5	7	37	20	2.35	< 10	< 1	0.03	10	0.45	512
L22+00E 19+75N	201 238	55	1.66	< 0.2	25	100	< 0.5	< 2	0.46	< 0.5	9	46	27	2.75	< 10	< 1	0.06	10	0.50	429
L22+00E 20+00N	201 238	5	1.51	< 0.2	5	90	< 0.5	< 2	0.55	< 0.5	8	49	21	2.80	< 10	1	0.07	10	0.50	358

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0211

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments: CC: JEAN PAUTLER

Page No: 1-B
Tot. Pages: 2
Date : 2-SEP-88
Invoice #: I-8821965
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L22+00E 10+00N	201 238	< 1	0.02	18	1270	6	< 5	6	37	0.14	< 10	< 10	101	< 5	82
L22+00E 10+2.5N	201 238	1	0.02	20	970	2	< 5	6	49	0.16	< 10	< 10	109	< 5	66
L22+00E 10+50N	201 238	1	0.02	16	1000	6	< 5	5	55	0.14	< 10	< 10	108	< 5	74
L22+00E 10+7.5N	201 238	1	0.02	17	510	14	< 5	6	64	0.16	< 10	< 10	103	< 5	71
L22+00E 11+00N	201 238	< 1	0.02	19	1290	8	< 5	6	43	0.17	< 10	< 10	110	< 5	85
L22+00E 11+2.5N	201 238	1	0.02	24	970	< 2	< 5	6	46	0.17	< 10	< 10	108	< 5	68
L22+00E 11+50N	201 238	< 1	0.04	21	510	2	< 5	7	61	0.19	< 10	< 10	83	< 5	64
L22+00E 11+7.5N	201 238	2	0.02	16	1400	2	< 5	4	26	0.14	< 10	< 10	83	< 5	67
L22+00E 12+00N	201 238	1	0.02	15	1310	< 2	< 5	4	23	0.14	< 10	< 10	83	< 5	67
L22+00E 12+2.5N	201 238	2	0.03	14	470	< 2	< 5	6	41	0.15	< 10	< 10	84	< 5	47
L22+00E 12+50N	201 238	1	0.02	16	370	6	< 5	5	42	0.17	< 10	< 10	136	< 5	52
L22+00E 13+00N	201 238	< 1	0.05	16	380	< 2	< 5	5	90	0.14	< 10	< 10	69	< 5	61
L22+00E 13+2.5N	201 238	< 1	0.05	8	790	< 2	< 5	3	175	0.05	< 10	< 10	29	< 5	41
L22+00E 13+50N	201 238	1	0.03	17	970	< 2	< 5	4	35	0.16	< 10	< 10	90	< 5	73
L22+00E 13+7.5N	201 238	1	0.03	18	850	< 2	< 5	5	33	0.16	< 10	< 10	100	< 5	64
L22+00E 14+00N	201 238	< 1	0.02	14	980	< 2	< 5	4	33	0.16	< 10	< 10	108	< 5	48
L22+00E 14+2.5N	201 238	1	0.02	16	1250	6	< 5	4	28	0.15	< 10	< 10	103	< 5	68
L22+00E 14+50N	201 238	1	0.02	17	1250	< 2	< 5	4	23	0.16	< 10	< 10	102	< 5	64
L22+00E 14+7.5N	201 238	< 1	0.02	15	1150	8	< 5	4	23	0.17	< 10	< 10	96	< 5	76
L22+00E 15+00N	201 238	1	0.02	14	820	4	< 5	3	21	0.16	< 10	< 10	87	< 5	55
L22+00E 15+2.5N	201 238	1	0.02	20	1140	< 2	< 5	4	19	0.14	< 10	< 10	90	< 5	72
L22+00E 15+50N	201 238	1	0.02	22	880	2	< 5	4	21	0.13	< 10	< 10	76	< 5	57
L22+00E 15+7.5N	201 238	1	0.02	16	1230	2	< 5	3	18	0.13	< 10	< 10	75	< 5	57
L22+00E 16+00N	201 238	< 1	0.02	21	510	< 2	< 5	6	65	0.12	< 10	< 10	63	< 5	51
L22+00E 16+2.5N	201 238	< 1	0.03	15	660	6	< 5	3	59	0.13	< 10	< 10	42	< 5	64
L22+00E 16+50N	201 238	< 1	0.03	19	1330	< 2	< 5	4	18	0.16	< 10	< 10	66	< 5	78
L22+00E 16+7.5N	201 238	< 1	0.02	22	1290	< 2	< 5	5	28	0.17	< 10	< 10	94	< 5	64
L22+00E 17+00N	201 238	1	0.02	11	1350	< 2	< 5	2	12	0.11	< 10	< 10	50	< 5	93
L22+00E 17+2.5N	201 238	1	0.02	15	2200	< 2	< 5	4	16	0.13	< 10	< 10	65	< 5	105
L22+00E 17+50N	201 238	1	0.02	22	1270	< 2	< 5	9	60	0.13	< 10	< 10	95	< 5	63
L22+00E 17+7.5N	201 238	1	0.02	25	960	< 2	< 5	9	49	0.15	< 10	< 10	82	< 5	72
L22+00E 18+00N	201 238	1	0.02	21	560	< 2	< 5	9	34	0.17	< 10	< 10	75	< 5	75
L22+00E 18+2.5N	201 238	< 1	0.02	10	1040	< 2	< 5	3	25	0.11	< 10	< 10	48	< 5	58
L22+00E 18+50N	201 238	< 1	0.02	9	300	< 2	< 5	3	25	0.14	< 10	< 10	53	< 5	30
L22+00E 18+7.5N	201 238	1	0.01	13	600	< 2	< 5	2	19	0.10	< 10	< 10	56	< 5	33
L22+00E 19+00N	201 238	< 1	0.01	14	750	< 2	< 5	3	16	0.10	< 10	< 10	59	< 5	34
L22+00E 19+2.5N	201 238	< 1	0.01	14	880	< 2	< 5	3	15	0.09	< 10	< 10	57	< 5	29
L22+00E 19+50N	201 238	1	0.01	14	1030	2	< 5	3	16	0.11	< 10	< 10	65	< 5	46
L22+00E 19+7.5N	201 238	1	0.01	19	1210	2	< 5	4	22	0.14	< 10	< 10	76	< 5	54
L22+00E 20+00N	201 238	< 1	0.02	16	650	< 2	< 5	4	28	0.16	< 10	< 10	81	< 5	42

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0211

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

Page No: 2-A
 Tot. Pages: 2
 Date: 2-SEP-88
 Invoice #: I-8821965
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L23+00E 10+00N	201 238	20	2.62	< 0.2	20	120	< 0.5	< 2	0.59	< 0.5	11	41	145	3.68	< 10	2	0.10	10	0.67	366
L23+00E 10+25N	201 238	20	3.00	0.4	5	70	< 0.5	< 2	1.34	< 0.5	12	32	641	3.60	< 10	< 1	0.06	20	0.73	794
L23+00E 10+50N	201 238	45	2.17	< 0.2	< 5	90	< 0.5	< 2	0.43	< 0.5	12	35	130	3.46	< 10	< 1	0.04	10	0.58	413
L23+00E 10+75N	201 238	35	2.34	< 0.2	5	60	< 0.5	< 2	0.56	< 0.5	11	28	351	3.92	< 10	< 1	0.03	10	0.58	722
L23+00E 11+00N	201 238	20	2.68	< 0.2	20	70	< 0.5	< 2	0.95	< 0.5	16	41	420	4.05	< 10	< 1	0.03	10	0.75	244
L23+00E 11+50N	201 238	< 5	2.01	< 0.2	< 5	120	< 0.5	< 2	1.09	< 0.5	8	31	224	2.34	< 10	< 1	0.07	20	0.57	191
L23+00E 11+75N	201 238	5	2.40	< 0.2	15	220	< 0.5	< 2	0.99	< 0.5	6	30	217	1.96	< 10	< 1	0.05	20	0.55	162
L23+00E 12+00N	201 238	25	2.27	< 0.2	< 5	110	< 0.5	< 2	1.65	< 0.5	11	47	169	3.10	< 10	< 1	0.09	20	0.91	248
L23+00E 12+25N	201 238	< 5	2.16	< 0.2	10	130	< 0.5	< 2	0.69	< 0.5	11	43	66	3.13	< 10	< 1	0.08	10	0.64	337
L23+00E 12+50N	201 238	5	1.88	< 0.2	< 5	100	< 0.5	< 2	0.38	< 0.5	11	38	35	2.74	< 10	< 1	0.05	10	0.49	514
L23+00E 12+75N	201 238	5	1.22	< 0.2	5	70	< 0.5	< 2	0.23	< 0.5	6	21	16	2.07	< 10	< 1	0.03	< 10	0.31	411
L23+00E 13+00N	201 238	< 5	1.98	< 0.2	10	80	< 0.5	< 2	0.27	< 0.5	10	33	41	2.77	< 10	< 1	0.04	< 10	0.45	546
L23+00E 13+25N	201 238	< 5	1.86	< 0.2	5	130	< 0.5	< 2	1.25	< 0.5	10	28	211	2.42	< 10	< 1	0.05	20	0.52	1520
L23+00E 13+50N	201 238	< 5	3.00	0.2	< 5	100	< 0.5	< 2	0.27	< 0.5	9	33	40	2.83	< 10	< 1	0.05	10	0.45	507
L23+00E 13+75N	201 238	20	2.63	< 0.2	< 5	80	< 0.5	< 2	0.28	< 0.5	9	34	44	2.85	< 10	1	0.04	< 10	0.45	1000
L23+00E 14+00N	201 238	10	2.75	0.2	< 5	100	< 0.5	< 2	0.33	< 0.5	8	42	42	2.90	< 10	< 1	0.05	10	0.49	444
L23+00E 14+25N	201 238	< 5	2.30	0.2	< 5	80	< 0.5	< 2	0.25	< 0.5	7	29	22	2.41	< 10	< 1	0.05	< 10	0.35	373
L23+00E 14+50N	201 238	< 5	3.30	< 0.2	15	180	< 0.5	< 2	0.68	< 0.5	11	40	51	3.09	< 10	< 1	0.07	10	0.62	1280
L23+00E 14+75N	201 238	10	2.06	< 0.2	< 5	90	< 0.5	< 2	0.39	< 0.5	9	48	30	3.06	< 10	< 1	0.05	10	0.46	533
L23+00E 15+00N	201 238	10	2.85	< 0.2	10	130	< 0.5	< 2	0.43	< 0.5	10	44	46	3.41	< 10	< 1	0.07	10	0.57	508
L23+00E 15+25N	201 238	40	2.47	0.2	10	70	< 0.5	< 2	0.22	< 0.5	12	18	247	3.45	< 10	< 1	0.04	< 10	0.55	477
L23+00E 15+50N	201 238	320	2.49	< 0.2	15	130	< 0.5	< 2	0.92	< 0.5	10	25	162	2.58	< 10	< 1	0.04	10	0.48	369
L23+00E 15+75N	201 238	10	1.68	< 0.2	5	120	< 0.5	< 2	2.42	< 0.5	11	27	399	2.75	< 10	< 1	0.05	20	0.62	582
L23+00E 16+00N	201 238	50	1.46	< 0.2	< 5	100	< 0.5	< 2	0.96	< 0.5	11	51	55	3.56	< 10	< 1	0.08	20	0.94	911
L23+00E 16+25N	201 238	< 5	2.11	< 0.2	20	170	< 0.5	< 2	1.33	< 0.5	16	47	120	3.68	< 10	< 1	0.17	20	1.05	1230
L23+00E 16+75N	201 238	< 5	1.87	< 0.2	30	150	< 0.5	< 2	1.10	< 0.5	11	43	81	3.43	< 10	< 1	0.11	20	1.01	1585
L23+00E 17+00N	201 238	10	2.82	< 0.2	5	260	< 0.5	< 2	1.93	< 0.5	25	45	223	5.06	10	< 1	0.12	20	1.57	2040
L23+00E 17+25N	201 238	< 5	1.35	< 0.2	< 5	70	< 0.5	< 2	0.65	< 0.5	9	38	37	2.55	< 10	< 1	0.20	10	0.68	391
L23+00E 17+50N	201 238	< 5	1.47	< 0.2	< 5	120	< 0.5	< 2	0.44	< 0.5	8	26	12	2.02	< 10	< 1	0.10	10	0.45	342
L23+00E 17+75N	201 238	< 5	1.14	< 0.2	< 5	80	< 0.5	< 2	0.51	< 0.5	9	32	19	2.24	< 10	< 1	0.12	10	0.56	376
L23+00E 18+00N	201 238	< 5	1.80	< 0.2	< 5	150	< 0.5	< 2	0.46	< 0.5	8	30	29	2.35	< 10	< 1	0.08	10	0.50	472
L23+00E 18+25N	201 238	< 5	1.66	< 0.2	5	110	< 0.5	< 2	0.51	< 0.5	8	36	23	2.56	< 10	< 1	0.06	10	0.52	421
L23+00E 18+50N	201 238	< 5	1.68	< 0.2	< 5	100	< 0.5	< 2	0.65	< 0.5	8	50	26	2.93	< 10	< 1	0.06	10	0.59	361
L23+00E 18+75N	201 238	< 5	2.01	< 0.2	10	120	< 0.5	< 2	0.45	< 0.5	9	36	21	2.51	< 10	< 1	0.08	10	0.50	572
L23+00E 19+00N	201 238	< 5	2.05	0.2	< 5	110	0.5	< 2	0.44	< 0.5	8	35	22	2.57	< 10	< 1	0.09	10	0.54	386
L23+00E 19+25N	201 238	< 5	1.64	< 0.2	< 5	90	0.5	< 2	0.50	< 0.5	7	41	28	2.64	< 10	< 1	0.07	10	0.55	343
L23+00E 19+50N	201 238	< 5	1.75	< 0.2	< 5	100	0.5	< 2	0.48	< 0.5	8	40	33	2.58	< 10	2	0.05	10	0.49	250
L23+00E 19+75N	201 238	< 5	2.06	< 0.2	< 5	100	0.5	< 2	0.41	< 0.5	8	41	33	2.80	< 10	3	0.06	10	0.49	514
L23+00E 20+00N	201 238	< 5	2.42	< 0.2	< 5	150	0.5	< 2	0.35	< 0.5	8	35	42	2.58	< 10	1	0.07	10	0.49	453
L24+00E 12+75N	201 238	< 5	1.97	< 0.2	5	120	< 0.5	< 2	0.73	< 0.5	11	46	83	2.93	< 10	< 1	0.10	10	0.90	515

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments: CC: JEAN PAUTLER

Page No. : 2-B
Tot. Pages: 2
Date : 2-SEP-88
Invoice # : I-8821965
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8821965

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L23+00E 10+00N	201 238	< 1	0.02	21	790	2	< 5	6	52	0.17	< 10	< 10	102	< 5	75
L23+00E 10+25N	201 238	1	0.03	15	440	6	< 5	11	83	0.13	< 10	< 10	95	< 5	88
L23+00E 10+50N	201 238	< 1	0.02	16	980	< 2	< 5	4	26	0.14	< 10	< 10	89	< 5	73
L23+00E 10+75N	201 238	1	0.02	10	1210	4	< 5	5	55	0.13	< 10	< 10	105	< 5	87
L23+00E 11+00N	201 238	3	0.02	17	270	< 2	5	6	68	0.18	< 10	< 10	122	< 5	55
L23+00E 11+50N	201 238	< 1	0.04	14	700	6	< 5	6	65	0.14	< 10	< 10	54	< 5	44
L23+00E 11+75N	201 238	< 1	0.03	14	910	6	< 5	6	71	0.14	< 10	< 10	54	< 5	43
L23+00E 12+00N	201 238	2	0.03	19	770	< 2	< 5	9	86	0.16	< 10	< 10	92	< 5	69
L23+00E 12+25N	201 238	1	0.02	21	350	4	< 5	7	42	0.16	< 10	< 10	82	< 5	59
L23+00E 12+50N	201 238	< 1	0.01	18	900	4	< 5	4	20	0.14	< 10	< 10	73	< 5	64
L23+00E 12+75N	201 238	2	0.01	11	640	< 2	< 5	2	14	0.10	< 10	< 10	58	< 5	45
L23+00E 13+00N	201 238	< 1	0.01	13	1430	2	< 5	3	15	0.12	< 10	< 10	70	< 5	64
L23+00E 13+25N	201 238	1	0.04	19	380	2	< 5	5	88	0.11	< 10	< 10	56	< 5	66
L23+00E 13+50N	201 238	< 1	0.02	19	1640	4	< 5	4	17	0.15	< 10	< 10	66	< 5	111
L23+00E 13+75N	201 238	1	0.02	24	1530	4	< 5	4	17	0.15	< 10	< 10	72	< 5	96
L23+00E 14+00N	201 238	1	0.02	21	1180	< 2	< 5	4	20	0.16	< 10	< 10	76	< 5	87
L23+00E 14+25N	201 238	< 1	0.03	13	1630	< 2	< 5	3	17	0.13	< 10	< 10	61	< 5	101
L23+00E 14+50N	201 238	2	0.03	22	440	2	< 5	6	52	0.17	< 10	< 10	81	< 5	122
L23+00E 14+75N	201 238	< 1	0.02	18	2310	6	< 5	4	21	0.13	< 10	< 10	83	< 5	79
L23+00E 15+00N	201 238	< 1	0.02	22	820	6	< 5	5	30	0.18	< 10	< 10	89	< 5	63
L23+00E 15+25N	201 238	2	0.03	13	830	4	< 5	6	17	0.09	< 10	< 10	92	< 5	54
L23+00E 15+50N	201 238	< 1	0.04	15	400	< 2	5	5	52	0.13	< 10	< 10	52	< 5	48
L23+00E 15+75N	201 238	1	0.03	15	1000	2	< 5	5	98	0.08	< 10	< 10	57	< 5	60
L23+00E 16+00N	201 238	1	0.02	19	1250	4	< 5	6	48	0.14	< 10	< 10	105	< 5	57
L23+00E 16+25N	201 238	2	0.02	24	1180	< 2	< 5	10	69	0.16	< 10	< 10	101	< 5	70
L23+00E 16+75N	201 238	< 1	0.02	22	1390	< 2	< 5	9	55	0.13	< 10	< 10	91	< 5	65
L23+00E 17+00N	201 238	2	0.02	18	1440	< 2	5	14	108	0.17	< 10	< 10	136	< 5	95
L23+00E 17+25N	201 238	< 1	0.02	16	770	< 2	< 5	5	35	0.16	< 10	< 10	75	< 5	44
L23+00E 17+50N	201 238	< 1	0.02	11	1060	< 2	< 5	3	24	0.11	< 10	< 10	52	< 5	55
L23+00E 17+75N	201 238	1	0.02	13	440	< 2	< 5	4	26	0.13	< 10	< 10	67	< 5	35
L23+00E 18+00N	201 238	1	0.02	15	920	2	< 5	4	24	0.13	< 10	< 10	61	< 5	74
L23+00E 18+25N	201 238	< 1	0.02	16	1050	< 2	5	4	26	0.14	< 10	< 10	72	< 5	61
L23+00E 18+50N	201 238	< 1	0.02	16	1020	< 2	< 5	5	33	0.16	< 10	< 10	88	< 5	52
L23+00E 18+75N	201 238	< 1	0.02	17	1300	6	< 5	4	25	0.14	< 10	< 10	68	< 5	71
L23+00E 19+00N	201 238	< 1	0.02	15	1340	< 2	< 5	4	24	0.14	< 10	< 10	65	< 5	63
L23+00E 19+25N	201 238	1	0.02	17	490	4	< 5	4	28	0.17	< 10	< 10	74	< 5	50
L23+00E 19+50N	201 238	1	0.02	15	650	4	< 5	4	25	0.15	< 10	< 10	70	< 5	49
L23+00E 19+75N	201 238	1	0.02	18	1400	6	< 5	4	20	0.14	< 10	< 10	71	< 5	69
L23+00E 20+00N	201 238	< 1	0.02	17	1320	2	< 5	4	19	0.13	< 10	< 10	58	< 5	64
L24+00E 12+75N	201 238	1	0.01	20	940	6	< 5	8	36	0.13	< 10	< 10	76	< 5	60

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTLER

SEP-5 1988
 KERR ADDISON MINES LTD.

Page # : 1-A
 Tot. Pages: 3
 Date : 2-SEP-88
 Invoice # : I-8822039
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA-AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L24+00E 10+00N	201 238	< 5	1.96	0.2	5	60	1.0	2	0.35	< 0.5	9	35	27	2.74	< 10	< 1	0.04	< 10	0.43	315
L24+00E 10+25N	201 238	10	2.13	0.2	< 5	70	1.0	2	0.38	< 0.5	10	35	47	2.78	< 10	< 1	0.05	< 10	0.48	572
L24+00E 10+50N	201 238	< 5	1.95	0.2	10	50	1.0	2	0.39	< 0.5	10	34	50	2.94	< 10	< 1	0.05	< 10	0.44	451
L24+00E 10+75N	201 238	210	2.02	0.2	5	70	0.5	4	0.38	< 0.5	11	52	38	3.22	< 10	< 1	0.04	< 10	0.50	444
L24+00E 11+00N	201 238	< 5	1.71	0.2	5	40	0.5	2	0.21	< 0.5	6	26	9	2.20	< 10	< 1	0.03	< 10	0.23	141
L24+00E 11+25N	201 238	5	1.66	0.2	10	90	0.5	2	0.38	< 0.5	8	36	20	2.58	< 10	< 1	0.03	< 10	0.32	297
L24+00E 11+50N	201 238	< 5	1.66	0.2	< 5	80	0.5	4	0.51	< 0.5	13	40	64	3.00	< 10	< 1	0.07	< 10	0.74	268
L24+00E 11+75N	201 238	10	1.76	0.2	5	130	< 0.5	4	1.00	< 0.5	13	38	84	2.74	10	< 1	0.08	10	0.81	450
L24+00E 12+00N	201 238	< 5	1.90	0.2	5	160	< 0.5	4	1.23	< 0.5	14	38	109	2.83	10	< 1	0.10	10	0.89	610
L24+00E 12+00N	201 238	< 5	1.85	0.2	< 5	130	< 0.5	< 2	0.83	< 0.5	16	41	90	3.19	< 10	< 1	0.09	10	0.91	958
L24+00E 12+25N	201 238	10	1.76	0.4	< 5	150	< 0.5	2	1.13	< 0.5	14	38	97	2.84	< 10	< 1	0.09	10	0.88	731
L24+00E 12+50N	201 238	< 5	1.67	0.2	< 5	110	< 0.5	< 2	0.80	< 0.5	14	39	75	2.92	< 10	< 1	0.09	10	0.83	853
L24+00E 12+75N	201 238	< 5	1.82	0.2	< 5	110	< 0.5	< 2	0.70	< 0.5	12	43	67	2.78	< 10	< 1	0.10	10	0.83	484
L24+00E 13+00N	201 238	< 5	1.70	0.2	< 5	80	< 0.5	< 2	0.70	< 0.5	11	64	37	3.53	< 10	< 1	0.07	< 10	0.82	315
L24+00E 13+25N	201 238	< 5	1.93	0.2	< 5	90	< 0.5	< 2	0.50	< 0.5	9	46	29	3.07	< 10	< 1	0.04	< 10	0.56	262
L24+00E 13+50N	201 238	< 5	1.65	0.2	< 5	70	< 0.5	< 2	0.53	< 0.5	9	56	21	3.27	< 10	< 1	0.04	< 10	0.54	319
L24+00E 13+50N	201 238	< 5	1.54	0.2	10	60	< 0.5	< 2	0.44	< 0.5	8	36	19	2.50	< 10	< 1	0.03	< 10	0.44	263
L24+00E 14+00N	201 238	< 5	1.22	0.2	5	40	< 0.5	< 2	0.64	< 0.5	8	54	21	2.95	< 10	< 1	0.04	< 10	0.53	234
L24+00E 14+25N	201 238	< 5	1.24	0.2	< 5	40	< 0.5	< 2	0.58	< 0.5	7	48	13	2.70	< 10	< 1	0.07	< 10	0.45	200
L24+00E 14+50N	201 238	< 5	1.70	0.2	5	80	< 0.5	< 2	0.49	< 0.5	9	42	23	2.87	< 10	< 1	0.06	< 10	0.61	337
L24+00E 14+75N	201 238	< 5	1.17	0.2	< 5	50	< 0.5	< 2	0.58	< 0.5	8	54	23	2.83	< 10	< 1	0.04	< 10	0.56	256
L24+00E 15+00N	201 238	< 5	1.56	0.2	< 5	60	< 0.5	< 2	0.46	< 0.5	8	43	17	2.79	< 10	< 1	0.03	< 10	0.44	304
L24+00E 15+25N	201 238	< 5	1.49	0.2	10	70	< 0.5	2	0.46	< 0.5	8	41	21	2.74	< 10	< 1	0.04	< 10	0.51	336
L24+00E 15+50N	201 238	< 5	1.52	0.2	< 5	80	< 0.5	< 2	0.34	< 0.5	8	35	19	2.33	< 10	< 1	0.05	< 10	0.42	687
L24+00E 15+75N	201 238	< 5	1.46	0.2	< 5	60	< 0.5	< 2	0.27	< 0.5	7	36	12	2.13	< 10	< 1	0.03	< 10	0.30	540
L24+00E 16+00N	201 238	< 5	1.74	0.2	< 5	60	< 0.5	< 2	0.38	< 0.5	9	88	23	2.48	< 10	< 1	0.03	< 10	0.42	468
L24+00E 16+25N	201 238	< 5	1.78	0.2	5	60	< 0.5	< 2	0.36	< 0.5	7	46	19	2.35	< 10	< 1	0.04	< 10	0.35	406
L24+00E 16+50N	201 238	5	2.08	0.2	< 5	80	< 0.5	< 2	0.39	< 0.5	8	37	27	2.52	< 10	< 1	0.05	< 10	0.45	483
L24+00E 16+75N	201 238	< 5	2.16	0.2	< 5	150	< 0.5	< 2	0.44	< 0.5	6	34	32	2.25	< 10	< 1	0.09	< 10	0.51	269
L24+00E 17+00N	201 238	5	1.53	0.2	< 5	60	< 0.5	< 2	0.36	< 0.5	5	26	8	1.96	< 10	1	0.06	< 10	0.36	307
L24+00E 17+25N	201 238	< 5	1.67	0.2	5	80	< 0.5	< 2	0.46	< 0.5	7	32	16	2.29	< 10	1	0.11	10	0.50	358
L24+00E 17+50N	201 238	5	2.36	0.2	5	220	< 0.5	< 2	0.95	< 0.5	19	35	183	3.84	10	1	0.11	10	1.04	1355
L24+00E 17+75N	201 238	< 5	1.01	0.2	< 5	60	< 0.5	< 2	0.24	< 0.5	5	14	7	1.47	< 10	< 1	0.07	< 10	0.27	358
L24+00E 18+00N	201 238	< 5	1.04	0.2	5	90	< 0.5	< 2	0.26	< 0.5	5	16	9	1.58	< 10	< 1	0.07	< 10	0.28	203
L24+00E 18+25N	201 238	< 5	1.31	0.2	< 5	110	< 0.5	< 2	0.41	< 0.5	7	23	16	1.98	< 10	< 1	0.10	< 10	0.38	309
L24+00E 18+50N	201 238	< 5	1.28	0.2	< 5	100	< 0.5	2	0.46	< 0.5	7	29	15	2.23	< 10	< 1	0.10	< 10	0.44	365
L24+00E 18+75N	201 238	< 5	1.73	0.2	5	120	< 0.5	< 2	0.44	< 0.5	8	29	24	2.38	10	< 1	0.08	< 10	0.52	357
L24+00E 19+00N	201 238	< 5	1.10	0.2	5	70	< 0.5	< 2	0.34	< 0.5	6	21	11	1.76	< 10	< 1	0.06	< 10	0.36	200
L24+00E 19+25N	201 238	< 5	1.11	0.2	< 5	70	< 0.5	< 2	0.33	< 0.5	6	23	17	1.77	< 10	< 1	0.09	< 10	0.39	322
L24+00E 19+50N	201 238	< 5	1.01	0.2	< 5	60	< 0.5	< 2	0.35	< 0.5	6	22	13	1.68	< 10	< 1	0.09	< 10	0.40	244

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

Project: B26C-07
 Comments: CC: JEAN PAUTIER

Page (: 1-B
 Tot. Pages: 3
 Date : 2-SEP-88
 Invoice #: I-8822039
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L24+00E 10+00N	201 238	< 1	0.02	18	1170	< 2	< 5	3	17	0.15	10	< 10	72	5	60
L24+00E 10+25N	201 238	< 1	0.02	18	1620	4	< 5	4	21	0.14	< 10	< 10	69	< 5	73
L24+00E 10+50N	201 238	1	0.02	15	990	2	< 5	3	26	0.14	20	10	77	< 5	59
L24+00E 10+75N	201 238	< 1	0.02	21	1660	< 2	< 5	3	17	0.13	10	10	81	< 5	74
L24+00E 11+00N	201 238	< 1	0.02	11	1530	2	< 5	2	10	0.11	< 10	< 10	54	< 5	56
L24+00E 11+25N	201 238	< 1	0.02	15	1980	4	< 5	3	18	0.11	< 10	< 10	61	< 5	60
L24+00E 11+50N	201 238	< 1	0.01	20	570	< 2	< 5	5	26	0.13	10	< 10	77	< 5	45
L24+00E 11+75N	201 238	< 1	0.01	22	1180	< 2	< 5	7	45	0.10	< 10	< 10	71	< 5	49
L24+00E 12+00N	201 238	< 1	0.01	22	1350	< 2	< 5	8	56	0.10	10	< 10	71	< 5	58
L24+00E 12+00N	201 238	< 1	0.01	22	1230	2	< 5	8	40	0.12	< 10	< 10	80	< 5	63
L24+00E 12+25N	201 238	1	0.01	22	1280	< 2	< 5	8	51	0.11	< 10	< 10	72	< 5	56
L24+00E 12+50N	201 238	< 1	0.01	18	1140	2	< 5	7	39	0.11	< 10	< 10	74	< 5	57
L24+00E 12+75N	201 238	< 1	0.02	21	1000	2	< 5	7	36	0.14	< 10	< 10	73	< 5	53
L24+00E 13+00N	201 238	< 1	0.01	24	1270	< 2	< 5	5	29	0.16	< 10	< 10	96	< 5	52
L24+00E 13+25N	201 238	< 1	0.01	21	1320	2	< 5	4	22	0.16	< 10	< 10	84	< 5	54
L24+00E 13+50N	201 238	< 1	0.01	22	1150	< 2	< 5	3	20	0.15	< 10	< 10	92	< 5	46
L24+00E 13+75N	201 238	< 1	0.02	16	850	< 2	< 5	3	20	0.14	< 10	< 10	70	< 5	39
L24+00E 14+00N	201 238	< 1	0.01	17	650	< 2	< 5	3	25	0.16	< 10	< 10	91	< 5	30
L24+00E 14+25N	201 238	< 1	0.01	13	480	< 2	< 5	3	24	0.17	< 10	< 10	83	< 5	27
L24+00E 14+50N	201 238	< 1	0.01	20	640	< 2	< 5	3	19	0.16	< 10	< 10	79	< 5	41
L24+00E 14+75N	201 238	< 1	0.01	16	680	< 2	< 5	4	21	0.15	< 10	< 10	87	10	29
L24+00E 15+00N	201 238	< 1	0.01	17	1130	4	< 5	3	17	0.13	< 10	< 10	78	10	45
L24+00E 15+25N	201 238	< 1	0.01	16	1120	2	< 5	3	18	0.14	< 10	< 10	76	10	44
L24+00E 15+50N	201 238	< 1	0.01	15	1090	< 2	< 5	3	15	0.11	< 10	< 10	59	10	53
L24+00E 15+75N	201 238	1	0.01	18	1180	2	< 5	2	11	0.11	< 10	< 10	55	5	55
L24+00E 16+00N	201 238	7	0.02	65	1380	4	< 5	4	17	0.14	< 10	< 10	65	5	59
L24+00E 16+25N	201 238	1	0.02	26	1180	6	< 5	3	17	0.14	< 10	< 10	63	10	54
L24+00E 16+50N	201 238	< 1	0.02	15	1230	< 2	< 5	4	19	0.15	< 10	< 10	67	5	58
L24+00E 16+75N	201 238	1	0.03	17	740	< 2	< 5	4	27	0.15	< 10	< 10	56	5	53
L24+00E 17+00N	201 238	< 1	0.02	11	820	2	< 5	3	19	0.13	< 10	< 10	52	5	38
L24+00E 17+25N	201 238	1	0.02	13	1280	2	< 5	4	26	0.15	10	< 10	60	5	47
L24+00E 17+50N	201 238	2	0.02	17	1040	4	< 5	9	61	0.13	< 10	< 10	92	15	78
L24+00E 17+75N	201 238	< 1	0.02	7	950	2	< 5	2	13	0.10	< 10	< 10	37	5	38
L24+00E 18+00N	201 238	< 1	0.02	8	970	< 2	< 5	2	15	0.09	< 10	< 10	38	5	29
L24+00E 18+25N	201 238	< 1	0.02	13	990	2	< 5	3	22	0.12	< 10	< 10	49	5	36
L24+00E 18+50N	201 238	< 1	0.01	12	500	< 2	< 5	3	22	0.14	< 10	< 10	61	5	35
L24+00E 18+75N	201 238	1	0.02	16	560	2	< 5	3	21	0.15	< 10	< 10	61	10	58
L24+00E 19+00N	201 238	< 1	0.02	11	860	2	< 5	2	20	0.11	10	10	46	< 5	33
L24+00E 19+25N	201 238	< 1	0.02	10	910	4	< 5	3	19	0.11	10	10	47	10	42
L24+00E 19+50N	201 238	1	0.02	9	910	2	< 5	2	21	0.11	10	10	47	5	32

CERTIFICATION : *B. Coughlin*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
701 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B24C-07

Comments: CC: JEAN PAUTLER

Page No.: 2-A
Tot. Pages: 3
Date: 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L24+00E 19+75N	201 238	< 5	1.05	< 0.2	< 5	80	< 0.5	< 2	0.50	< 0.5	6	22	13	1.82	< 10	< 1	0.13	< 10	0.44	31
L24+00E 20+00N	201 238	< 5	0.91	< 0.2	< 5	50	< 0.5	< 2	0.29	< 0.5	5	16	11	1.54	< 10	< 1	0.09	< 10	0.36	17
L24+00E 10+00N	201 238	< 5	1.20	0.2	5	70	< 0.5	< 2	0.45	< 0.5	7	41	19	2.43	< 10	< 1	0.05	< 10	0.49	31
L24+00E 10+25N	201 238	< 5	1.49	0.4	5	100	< 0.5	< 2	0.59	< 0.5	10	40	49	2.61	< 10	< 1	0.07	10	0.71	41
L24+00E 10+50N	201 238	< 5	1.80	0.6	< 5	120	< 0.5	< 2	0.75	< 0.5	11	40	74	2.75	< 10	< 1	0.11	10	0.87	37
L24+00E 10+75N	201 238	< 5	1.39	< 0.2	< 5	170	0.5	< 2	1.05	< 0.5	12	26	86	2.62	< 10	< 1	0.10	10	0.81	131
L24+00E 11+00N	201 238	< 5	1.67	0.2	5	160	0.5	< 2	1.07	< 0.5	12	40	92	2.90	< 10	1	0.10	10	0.83	122
L24+00E 11+25N	201 238	< 5	1.77	0.2	5	140	0.5	< 2	1.05	< 0.5	12	40	85	2.76	< 10	< 1	0.10	10	0.88	72
L24+00E 11+50N	201 238	< 5	1.61	0.2	< 5	90	0.5	< 2	0.86	< 0.5	12	47	59	3.27	< 10	< 1	0.12	10	1.09	59
L24+00E 11+75N	201 238	10	1.87	0.2	10	150	1.0	< 2	1.20	< 0.5	13	40	91	3.06	< 10	1	0.12	10	0.90	98
L24+00E 12+00N	201 238	< 5	1.25	< 0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	5	20	10	1.81	< 10	< 1	0.07	< 10	0.32	28
L24+00E 12+25N	201 238	< 5	1.67	< 0.2	< 5	80	0.5	< 2	0.36	< 0.5	6	30	17	2.09	< 10	< 1	0.04	< 10	0.37	23
L24+00E 12+50N	201 238	< 5	1.35	0.2	< 5	40	< 0.5	< 2	0.20	< 0.5	5	18	10	1.79	< 10	< 1	0.03	< 10	0.21	26
L24+00E 12+75N	201 238	< 5	1.53	0.2	5	40	< 0.5	< 2	0.24	< 0.5	5	27	12	2.16	< 10	< 1	0.03	< 10	0.29	20
L24+00E 13+00N	201 238	5	1.50	0.2	< 5	50	< 0.5	< 2	0.34	< 0.5	6	36	14	2.26	< 10	< 1	0.04	< 10	0.35	29
L24+00E 13+25N	201 238	< 5	1.70	0.2	< 5	70	0.5	< 2	0.33	< 0.5	6	33	18	2.29	< 10	< 1	0.05	< 10	0.39	19
L24+00E 13+50N	201 238	< 5	1.89	0.2	5	90	< 0.5	< 2	0.35	< 0.5	6	41	20	2.49	< 10	< 1	0.05	< 10	0.34	18
L24+00E 13+75N	201 238	< 5	1.70	0.2	5	70	0.5	< 2	0.37	< 0.5	6	43	22	2.50	< 10	< 1	0.09	< 10	0.39	19
L24+00E 14+00N	201 238	< 5	1.76	0.4	5	60	0.5	< 2	0.32	< 0.5	7	33	16	2.44	< 10	< 1	0.04	< 10	0.35	15
L24+00E 14+25N	201 238	< 5	2.08	0.6	5	100	0.5	< 2	0.24	< 0.5	7	31	34	2.42	< 10	< 1	0.07	< 10	0.38	31
L24+00E 14+50N	201 238	< 5	1.48	0.2	10	60	< 0.5	< 2	0.28	< 0.5	6	33	16	2.15	< 10	< 1	0.05	< 10	0.35	29
L24+00E 14+75N	201 238	< 5	1.72	0.6	5	60	0.5	< 2	0.24	< 0.5	6	28	17	1.89	10	< 1	0.05	< 10	0.30	23
L24+00E 15+00N	201 238	< 5	2.06	0.6	5	100	0.5	< 2	0.36	< 0.5	7	39	28	2.42	< 10	< 1	0.06	< 10	0.42	28
L24+00E 15+25N	201 238	< 5	1.55	0.2	< 5	70	< 0.5	< 2	0.37	< 0.5	6	26	18	2.31	< 10	< 1	0.05	< 10	0.42	21
L24+00E 15+50N	201 238	< 5	1.69	< 0.2	< 5	70	< 0.5	< 2	0.38	< 0.5	6	26	23	2.37	< 10	< 1	0.06	< 10	0.44	37
L24+00E 15+75N	201 238	< 5	1.96	< 0.2	5	110	< 0.5	< 2	0.31	< 0.5	6	20	26	2.23	< 10	< 1	0.07	< 10	0.41	25
L24+00E 16+00N	201 238	< 5	1.59	< 0.2	5	100	0.5	< 2	0.36	< 0.5	5	23	21	2.11	< 10	< 1	0.06	< 10	0.40	30
L24+00E 16+25N	201 238	< 5	1.54	0.2	10	90	< 0.5	< 2	0.34	< 0.5	7	25	22	2.25	< 10	< 1	0.06	< 10	0.41	29
L24+00E 16+50N	201 238	< 5	1.36	< 0.2	< 5	80	< 0.5	< 2	0.33	< 0.5	6	25	19	2.10	< 10	< 1	0.06	< 10	0.41	28
L24+00E 16+75N	201 238	< 5	1.42	0.2	< 5	80	< 0.5	2	0.36	< 0.5	6	25	16	2.20	< 10	< 1	0.05	< 10	0.43	32
L24+00E 17+00N	201 238	< 5	1.25	0.4	< 5	60	< 0.5	< 2	0.25	< 0.5	5	16	14	1.75	< 10	< 1	0.09	< 10	0.33	23
L24+00E 17+25N	201 238	15	2.39	0.8	< 5	160	< 0.5	< 2	0.66	< 0.5	12	25	265	3.06	10	< 1	0.05	10	0.81	63
L24+00E 17+50N	201 238	10	2.17	0.6	< 5	190	< 0.5	< 2	1.01	< 0.5	19	31	153	3.76	10	< 1	0.20	10	1.06	118
L24+00E 17+75N	201 238	10	1.97	< 0.2	< 5	190	< 0.5	< 2	1.33	< 0.5	21	36	187	3.96	< 10	< 1	0.17	10	1.24	143
L24+00E 18+00N	201 238	< 5	1.01	< 0.2	< 5	70	< 0.5	< 2	0.37	< 0.5	5	21	9	1.69	< 10	< 1	0.11	< 10	0.32	24
L24+00E 18+25N	201 238	< 5	1.26	< 0.2	< 5	100	< 0.5	< 2	0.35	< 0.5	6	21	12	1.80	< 10	< 1	0.12	< 10	0.33	20
L24+00E 18+50N	201 238	< 5	1.12	< 0.2	< 5	90	< 0.5	< 2	0.38	< 0.5	5	22	12	1.90	< 10	< 1	0.13	< 10	0.36	20
L24+00E 18+75N	201 238	< 5	1.30	0.4	< 5	190	< 0.5	2	0.37	< 0.5	9	21	33	2.20	< 10	< 1	0.10	< 10	0.35	73
L24+00E 19+00N	201 238	< 5	1.50	0.6	< 5	130	< 0.5	< 2	0.29	< 0.5	7	21	19	2.13	< 10	< 1	0.08	< 10	0.36	29
L24+00E 19+25N	201 238	< 5	1.04	0.4	< 5	70	< 0.5	< 2	0.33	< 0.5	5	19	13	1.59	< 10	< 1	0.09	< 10	0.32	24

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project : B26C-07

Comments: CC: JEAN PAULIER

Page 1 : 2-B
Tot. Pages: 3
Date : 2-SEP-88
Invoice # : I-8822039
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L24+00E 19+75N	201 238	< 1	0.01	10	580	4	< 5	2	26	0.14	10	10	49	5	36
L24+00E 20+00N	201 238	< 1	0.01	8	860	2	< 5	2	16	0.10	< 10	< 10	39	5	32
L25+00E 10+00N	201 238	< 1	0.01	14	1420	< 2	< 5	3	18	0.09	10	10	65	5	50
L25+00E 10+25N	201 238	1	0.01	19	760	6	< 5	5	26	0.11	< 10	< 10	69	5	46
L25+00E 10+50N	201 238	1	0.01	21	1030	< 2	< 5	8	35	0.11	< 10	< 10	67	5	55
L25+00E 10+75N	201 238	1	0.01	17	1170	2	< 5	6	46	0.08	< 10	< 10	64	< 5	72
L25+00E 11+00N	201 238	1	0.01	20	1210	4	< 5	7	49	0.09	10	< 10	70	5	58
L25+00E 11+25N	201 238	1	0.01	20	1180	2	< 5	8	48	0.11	10	< 10	74	5	55
L25+00E 11+50N	201 238	2	0.01	21	1220	4	< 5	7	45	0.13	< 10	< 10	91	5	62
L25+00E 11+75N	201 238	2	0.01	21	1000	4	< 5	8	54	0.12	< 10	< 10	78	5	52
L25+00E 12+00N	201 238	< 1	0.01	10	780	2	< 5	2	16	0.11	< 10	< 10	46	< 5	41
L25+00E 12+25N	201 238	< 1	0.02	15	1100	2	< 5	3	15	0.11	10	< 10	55	< 5	42
L25+00E 12+50N	201 238	< 1	0.01	12	950	< 2	< 5	2	8	0.10	< 10	< 10	45	< 5	43
L25+00E 12+75N	201 238	< 1	0.01	13	930	2	< 5	2	10	0.11	10	< 10	57	< 5	35
L25+00E 13+00N	201 238	< 1	0.01	15	1000	2	< 5	2	14	0.12	10	< 10	62	< 5	42
L25+00E 13+25N	201 238	< 1	0.01	13	770	< 2	< 5	2	16	0.14	< 10	< 10	62	5	35
L25+00E 13+50N	201 238	1	0.02	15	1140	2	< 5	3	17	0.14	< 10	< 10	65	< 5	35
L25+00E 13+75N	201 238	< 1	0.02	16	1190	2	< 5	4	18	0.13	10	10	66	< 5	35
L25+00E 14+00N	201 238	< 1	0.01	15	1040	< 2	< 5	3	14	0.13	10	10	63	< 5	35
L25+00E 14+25N	201 238	1	0.01	18	1440	4	< 5	3	11	0.12	10	10	55	< 5	51
L25+00E 14+50N	201 238	< 1	0.01	15	1030	2	< 5	2	11	0.10	10	10	55	< 5	42
L25+00E 14+75N	201 238	1	0.01	13	1340	< 2	< 5	2	11	0.11	10	10	46	5	48
L25+00E 15+00N	201 238	1	0.02	17	1420	6	< 5	4	17	0.14	10	10	62	5	51
L25+00E 15+25N	201 238	< 1	0.01	14	710	4	< 5	3	19	0.15	< 10	< 10	64	5	39
L25+00E 15+50N	201 238	< 1	0.01	16	880	2	< 5	3	18	0.14	< 10	< 10	63	< 5	46
L25+00E 15+75N	201 238	< 1	0.02	14	1290	2	< 5	3	16	0.12	< 10	< 10	52	< 5	51
L25+00E 16+00N	201 238	< 1	0.02	13	770	4	< 5	3	18	0.12	< 10	< 10	52	< 5	49
L25+00E 16+25N	201 238	< 1	0.01	14	1150	4	< 5	3	14	0.10	< 10	< 10	55	< 5	48
L25+00E 16+50N	201 238	1	0.01	14	1130	4	< 5	3	13	0.10	< 10	< 10	53	< 5	39
L25+00E 16+75N	201 238	< 1	0.01	12	900	6	< 5	2	14	0.11	< 10	< 10	57	< 5	37
L25+00E 17+00N	201 238	< 1	0.01	11	1090	6	< 5	2	14	0.10	< 10	< 10	41	< 5	39
L25+00E 17+25N	201 238	1	0.02	14	600	6	< 5	7	45	0.14	< 10	< 10	77	< 5	91
L25+00E 17+50N	201 238	1	0.01	15	1290	2	< 5	9	63	0.11	< 10	< 10	89	5	83
L25+00E 17+75N	201 238	2	0.01	14	1380	4	< 5	9	74	0.12	< 10	< 10	102	10	81
L25+00E 18+00N	201 238	< 1	0.01	8	460	< 2	< 5	2	22	0.14	< 10	< 10	48	5	27
L25+00E 18+25N	201 238	< 1	0.01	9	820	< 2	< 5	2	24	0.13	< 10	< 10	44	5	36
L25+00E 18+50N	201 238	1	0.02	9	410	2	< 5	2	20	0.14	< 10	< 10	48	5	33
L25+00E 18+75N	201 238	1	0.01	14	810	2	< 5	5	18	0.08	< 10	< 10	46	5	102
L25+00E 19+00N	201 238	< 1	0.01	14	930	2	< 5	3	14	0.09	< 10	< 10	45	5	83
L25+00E 19+25N	201 238	< 1	0.01	8	160	2	< 5	2	17	0.12	< 10	< 10	40	< 5	34

CERTIFICATION :

B. Coughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER

Page No. : 3-B
Tot. Pages: 3
Date : 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L25400E 19+50N	201	238	1	0.02	20	780	< 2	< 5	4	19	0.12	< 10	< 10	61	< 5	67
L25400E 19+75N	201	238	1	0.02	17	1180	< 2	< 5	3	19	0.13	< 10	< 10	53	< 5	86
L25400E 20+00N	201	238	< 1	0.01	16	1020	2	< 5	3	17	0.13	< 10	< 10	54	< 5	54



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Project: B26C-07

Comments: CC: JEAN PAUTLER


Page No. : 3-A
Tot. Pages: 3
Date : 2-SEP-88
Invoice #: I-8822039
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8822039

SAMPLE DESCRIPTION	PREP CODE		Au	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			ppb FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
L25400E 19+50N	201	238	< 5	1.91	0.2	5	120	< 0.5	< 2	0.39	< 0.5	10	38	33	2.54	< 10	< 1	0.10	< 10	0.58	497
L25400E 19+75N	201	238	5	2.08	< 0.2	10	130	< 0.5	< 2	0.37	< 0.5	8	26	25	2.25	< 10	< 1	0.07	< 10	0.45	572
L25400E 20+00N	201	238	< 5	1.78	< 0.2	10	120	< 0.5	< 2	0.35	< 0.5	6	28	16	2.21	< 10	< 1	0.08	< 10	0.42	326

APPENDIX II


VL F PROFILES



APPENDIX II (a)


In phase x—x
 Quadrature o---o

KERR ADDISON MINES LTD	
CLAPPER CLAIMS COCA GRID	
VLF SURVEY LINE DIP-ANGLE PROFILES	
SCALE -	DATE - OCT., 25, 1988
DRAWN BY - P.H.	DATA - J.P.
NTS - 92 I/2,7	REVISED -



APPENDIX II (b)


KERR ADDISON MINES LTD	
CLAPPER CLAIMS COCA GRID	
VLF SURVEY LINE DIP-ANGLE PROFILES	
SCALE -	DATE - OCT., 25, 1988
DRAWN BY - P.H.	DATA - J.P.
NTS - 92 I / 2,7	REVISED -



APPENDIX II (c)

In phase x—x
 Quadrature •-•-•


KERR ADDISON MINES LTD	
CLAPPER CLAIMS COCA GRID	
VLF SURVEY LINE DIP-ANGLE PROFILES	
SCALE -	DATE - OCT., 25, 1988
DRAWN BY - P.H.	DATA - J.P.
NTS - 92 I / 2,7	REVISED -



APPENDIX II (d)

In phase x—x
 Quadrature o---o

KERR ADDISON MINES LTD	
CLAPPER CLAIMS COCA GRID	
VLF SURVEY LINE DIP-ANGLE PROFILES	
SCALE -	DATE - OCT., 25, 1988
DRAWN BY - P.H.	DATA - J.P.
NTS - 92 I / 2, 7	REVISED -



APPENDIX II (e)

In phase x—x
 Quadrature o----o

KERR ADDISON MINES LTD	
CLAPPER CLAIMS COCA GRID	
VLF SURVEY LINE DIP-ANGLE PROFILES	
SCALE -	DATE - OCT., 25, 1988
DRAWN BY - P.H.	DATA - J.P.
NTS - 92 I/2,7	REVISED -

APPENDIX III

Statement of Expenses

Wages:

J. Pautler C223 Fawn Lk Site, Lone Butte, B.C.	Aug 1-4, 8-11, 13, 19-25, 28, 29 Sept 13 19 days @ \$140/day + 10%	= \$2926.00
G. Royer General Delivery St. Louis, Sask.	Aug 1-5, 8-13, 16, 18-26, 28-29 23 days @ \$125/day + 10%	= 3162.50
S. Jensen 2065 W. 5th Ave Apt 410 Vancouver, B.C.	Aug 1-5, 8-13, 19-25, 28-29, Sept 13 21 days @ \$100/day + 10%	= 2310.00
F. Daley 7511 Greenlees Rd. Richmond, B.C.	August 29 1 day @ \$175/day + 10%	= <u>192.50</u>
	TOTAL 64 man days	\$8591.00
Meals and Accommodation: 64 man days @ \$35/day (dates as above)		\$2240.00
Field Supplies (topofil, bags, flagging, etc)		600.00
Truck Rental	20 days @ \$30/day	600.00
Gas	20 days @ \$15/day	300.00
Geochemical Analyses:		
106 rocks analysed for Au and 32 element ICP	\$2120.	
@ \$20 each		
617 soils analysed for Au and 32 element ICP	9255.	
@ \$15 each		
15 pans analysed for Au and 32 element ICP	<u>300.</u>	
@ \$20 each	\$11,955.	\$11,955.
Maps: 1:10,000 topographic enlargement		50.
Report and Drafting		<u>2,100.</u>
	TOTAL	\$26,436.

APPENDIX IV

STATEMENT OF QUALIFICATIONS


I, Jean Marie Pautler, graduated from Laurentian University, Sudbury, Ontario in May, 1980 with a Bachelor of Science degree in Geology. (Honours).

I have worked as a geologist in the Canadian Cordillera for the past nine years.

I was actively involved in the 1988 field program on the Clapper Property.




Jean Pautler
Project Geologist



GEOLOGICAL BRANCH
ASSESSMENT REPORT


18,042

FIG. 7



A	Andesite	i.	Intense
bx	Breccia	s.	Strong
py	Pyrite	m.	Medium / minor
hem.	Hematite	w.	Weak
ep.	Epidote	r.	Rusty
mal.	Malachite	a.	Altered
mn.	Manganese	q.	Quartz
		cal.	Calcite
		vn.	Vein
		str.	Stringer

KERR ADDISON MINES LTD	
CLAPPER CLAIMS CLASSIC ZONE	
GEOLOGY ROCK GEOCHEMISTRY	
SCALE - 1 : 5000	DATE - OCTOBER, 6, 1988
DRAWN BY - P.H.	DATA - S.J., J.P.
NTS - 92 I / 2, 7	REVISED -



Dartt Lake

Clapperon Creek

Kitby Creek

Creek

Mabel

GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,042

Sample number - Au (ppb), Ag (ppm), As (ppm), Sb (ppm)
Cut off values: Au < 20, Ag < 0.5, As < 20, Sb < 10


- Rock sample
- X Silt
- △ Float

FIG 4



KERR ADDISON MINES LTD
 CLAPPER CLAIMS
 SAMPLE LOCATIONS
 GEOCHEMISTRY

SCALE - 1 : 10 000 DATE JUNE 1988
 DRAWN BY P.H. DATA
 NTS 92 1/2 7 REVISED OCT. 7, 1988



LEGEND

- eJgd Nicola Batholith Granodiorite.
- RJD Nicola Batholith Dioritic phase.
- uTRNV Nicola Volcanics - Andesite to Diorite porphyry, Andesite tuffs, Greenstone
Phyllite, local interbedded Siltstone, Limestone.

A Andesite	p Porphyry	py Pyrite	Outcrop/subcrop
TA Trachy Andesite	dy Dyke	mal Malachite	△ Float
B Basalt	bv Volcanic breccia	q Quartz	○ Gravel pit
D Dacite	t Tuff	cal Calcite	— Trench
Gst Greenstone	lap Lapilli	hem Hematite	
Phy Phyllite	carb Carbonate	ep Epidote	
L Limestone	sil Silicified	r Rusty	
Sst Siltstone	str Stringer	fol Foliated	
GDI Granodiorite	vn Vein	ser Sericite	
QDI Quartz Diorite	i Intense	cp Chalcopyrite	
QM Quartz Monzonite	cg Coarse grained	spec Specularite	
G Granite	Vc Volcaniclastics	a Altered	
DI Diorite	cs Calcilicite	cc Chalcolite	
Sch Schist			
Qte Quartzite			

GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,042

FIG 3



KERR ADDISON MINES LTD
CLAPPER CLAIMS
GEOLOGY

SCALE - 1 : 10000 DATE JUNE 1988
DRAWN BY: P.H. DATA
NTS 92 1/2.7 REVISED SEPT., 23, 1988