

1220 RD
76p

12:15

REPORT
ON THE
PEZ-DAN PROPERTY
BURNIE 1-4
AND DAN 1-3 CLAIMS
PHASE II
LIARD MINING DIVISION, B.C.
FOR
PEZGOLD RESOURCES CORPORATION

NTS 104B/10,11
LONGITUDE 131° 03'W
LATITUDE 56° 35'N

Part 2 of 2
GEOLOGICAL BRANCH
ASSESSMENT REPORT

18-156

Bernard Dewonck
Ed McCrossan
November 30, 1988

DEC 15 1988

OREQUEST



SUMMARY

The Pez-Dan property of Pezgold Resources Corporation contains the Burnie 1-4 and the Dan 1-3 mineral claims (127 units). The property lies in the Iskut River area of northern B.C., approximately 110 km northwest of Stewart, B.C.

The claims adjoin the Skyline Explorations Ltd. property, approximately 2.5 km south of the company's Stonehouse gold deposit which began production in the summer of 1988. The Stonehouse deposit contains published reserves (in all categories) of 1.1 million tons of 0.704 oz/ton gold.

In addition, the Pez-Dan property lies approximately 7 km south of the Cominco-Delaware Snip deposit, where estimated reserves are 1.21 million tons of 0.70 oz/ton gold.

The main lithologies on the property are Mesozoic marine sediments, volcanoclastics, and volcanic flows of the Hazelton Group. The same rock units host the Skyline and Delaware precious metal deposits.

Polymetallic mineralization on the property is associated with silicified fracture, fault, or shear zones which have undergone varying degrees of alteration.

During the summer of 1988, the second phase of exploration on the property was begun. Work entailed establishing a grid over the Grace showings followed by detailed soil sampling, a VLF-EM geophysical survey and trenching of the Grace 2 Showing.

The soil geochemical and VLF-EM surveys of the Grace grid revealed three primary target areas outside the Grace 2 Showing area that were not trenched during the 1988 season due to the poor results received from the Grace 2 trenches.

Area I encompasses the Grace 1 Showing and contains coincident soil anomalies of gold, copper, lead, and zinc. A VLF-EM conductor underlies this area as well. Area II also contains coincident gold, copper, lead, and zinc soil anomalies and area III contains a cluster of gold soil anomalies.

A trenching program and possible diamond drilling is recommended for these three target areas. Detailed work on other areas of the property, including mapping, prospecting, soil sampling, trenching, and the diamond drilling of other targets, is also recommended in the 1988 Phase I report on this property.

The cost to perform the recommended and remaining fieldwork, including 1,000 m of drilling, is estimated at approximately \$373,800.




TABLE of CONTENTS

| | |
|---------------------------------------|----|
| Summary | |
| Introduction | 1 |
| Property Description | 1 |
| Claim Status | 1 |
| Location and Access | 2 |
| Physiography and Vegetation | 3 |
| History and Previous Work | 3 |
| Regional Geology | 7 |
| Property Geology | 8 |
| Grace Showings | 8 |
| Grace 2 Trenches | 9 |
| Grace Grid | 11 |
| Soil Geochemistry | 11 |
| Geophysics: VLF-EM | 14 |
| Conclusions and Recommendations | 15 |
| Budget Estimate | 16 |
| Certificate of Qualifications | |
| Bernard Dewonck, Consulting Geologist | |
| Ed McCrossan, Consulting Geologist | |
| <i>Bibliography</i> | |
| Appendices | |
| Appendix 1: Rock Sample Descriptions | |
| Appendix 2: Assay Results | |

LIST of FIGURES

| | | |
|-----------|--------------------------------------|---------------------|
| Figure 1 | Location Map | Following Summary / |
| Figure 2 | Claim Map | Following Page 2 / |
| Figure 3 | Regional Geology Map | Following Page 7 / |
| Figure 4 | Property Geology Map | In Pocket |
| Figure 5 | Grace 2 Showing: Trenches 1 - 4 | In Pocket |
| Figure 6 | Grace Grid Soil Geochemistry: Gold | In Pocket |
| Figure 7 | Grace Grid Soil Geochemistry: Silver | In Pocket |
| Figure 8 | Grace Grid Soil Geochemistry: Copper | In Pocket |
| Figure 9 | Grace Grid Soil Geochemistry: Lead | In Pocket |
| Figure 10 | Grace Grid Soil Geochemistry: Zinc | In Pocket |
| Figure 11 | Grace Grid Geophysics: VLF-EM | In Pocket |
| Figure 12 | Grace Grid Compilation Map | In Pocket / |

TABLES

| | | |
|---------|----------------------------------|------|
| Table 1 | Claim Information | 2 / |
| Table 2 | Grace 2 Trenches: Technical Data | 11 / |
| Table 3 | Geochemical Statistics | 13 |

APPENDICES

| | |
|------------|----------------------------|
| Appendix 1 | Rock Sample Descriptions / |
| Appendix 2 | Assay Results ✓ |

INTRODUCTION

The Pezgold Resource Corporations' Pez-Dan property consists of the Burnie 1 - 4 and the Dan 1 - 3 mineral claims (127 units). The claims adjoin the Skyline Explorations Ltd., Reg claim group to the south and lie approximately 7 km south of the Cominco - Delaware Snip deposit.

The Skyline Stonehouse deposit contains published reserves of 1.1 million tons of 0.704 oz/ton gold.

The Cominco - Delaware Snip deposit contains reserves of 1.21 million tons of 0.70 oz/ton gold.

This report discusses the detailed work performed on the Grace 1 and 2 Showings, located in the north central portion of the property, during the 1988 field season. Trenching, prospecting, detailed soil sampling, and a VLF-EM survey was carried out by OreQuest Consultants Ltd. under the guidance of Prime Explorations Ltd., both of Vancouver.

PROPERTY DESCRIPTION

Claim Status

The Pez-Dan property consists of seven mineral claims totalling 127 units (Figure 2). The following is a list of the claim names, record numbers, number of units, record dates, and expiry date. The expiry date reflects assessment filed on the basis of work done in 1988.


TABLE 1**CLAIM INFORMATION**

| Claim Name | Record Number | Number of Units | Record Date | Expiry Date |
|-------------------|----------------------|------------------------|--------------------|--------------------|
| Burnie 1 | 2564 | 20 | Sept. 13, 1982 | Sept. 13, 1994 |
| Burnie 2 | 2565 | 20 | Sept. 13, 1982 | Sept. 13, 1994 |
| Burnie 3 | 2566 | 20 | Sept. 13, 1982 | Sept. 13, 1994 |
| Burnie 4 | 2567 | 16 | Sept. 13, 1982 | Sept. 13, 1994 |
| Dan 1 | 3762 | 20 | Dec. 5, 1986 | Dec. 5, 1994 |
| Dan 2 | 3768 | 20 | Dec. 5, 1986 | Dec. 5, 1994 |
| Dan 3 | 3769 | 20 | Dec. 5, 1986 | Dec. 5, 1994 |

Location and Access

The property is located on the eastern edge of the Coast Mountain Range approximately 110 kilometers northwest of Stewart, B.C. It lies immediately south of the Stonehouse deposit owned and operated by Skyline Explorations Ltd. The Jekill River flows through the western edge of the claim group and Kalahin Mountain is located in the east - central portion of the property. The centre of the property is located at 56⁰ 35'N Latitude and 131⁰ 03'W Longitude on mapsheet 104 B/11.

Access to the area is from the Bronson Creek gravel airstrip located 9 km north of the claims at the confluence of the Iskut River and Bronson Creek. Access is also possible from the Snippaker Creek gravel airstrip situated 30 kilometers to the east. Base camps at either location require helicopter support for daily setouts on the property. Bronson Creek is presently the only location which is fully maintained and has camp facilities.



OREQUEST



PEZGOLD RESOURCES CORP.

Figure 2

BURNIE 1-4 and DAN 1-3 MINERAL CLAIMS

CLAIM LOCATION MAP

Laird Mining Division
British Columbia
NTS: 104 B/11

November 1988

Physiography and Vegetation

The claim area is typical of a glaciated, mountainous terrain. Elevations range from about 300 metres in the Jekill River valley to 2,400 metres on Kalahin Mountain. The upper reaches of the major drainages tend to have broad U - shaped glacial valleys while the lower reaches of those streams and smaller unnamed creeks have sharp V - shaped valleys which are often only partially accessible to traversing. Two main creeks create steep gorges on the east side of the Jekill River. The creeks are accessible for only a short distance before steep cliffs, waterfalls, and canyon walls are encountered.

Lower portions of the property are well timbered with large hemlock and spruce found to about 1,000 metres elevation, yielding to an alpine vegetation of moss, lichen, and various small shrubs. Permanent icefields fill the basins at the headwaters of the creeks and knife-edged ridges stand between the adjacent valley glaciers. The timbered areas are covered by a thick undergrowth of devils club and alder which gradually thin with elevation.

HISTORY AND PREVIOUS WORK

The first recorded work in the Iskut region was in 1907 when a group from Wrangell, Alaska, staked nine claims north of Johnny Mountain. Crown granted claims along Bronson Creek and on the north slope of Johnny Mountain were subsequently worked by the Iskut Mining Company. By 1920, a 30 foot adit revealed gold, silver, and galena mineralization in a number of veins and stringers. Activity carried on into the 1930's when interest in precious metals was concentrated in the Stewart area. Some sporadic placer operations were also located in the Unuk River Valley.

In 1954, Hudson's Bay Mining and Smelting found the Pick Axe showing and some high grade gold - silver - lead - zinc float on the upper slopes of Johnny Mountain. The claims were worked and allowed to lapse and are now part of the Skyline Exploration Ltd. Reg deposit.

Porphyry copper - molybdenum deposits were of interest in the 1960's when several major mining companies undertook reconnaissance exploration programs in the area. As a result, claims were staked on Johnny Mountain and Sulphurets Creek.

From 1965 to 1971, Silver Standard Mining and later Sumitomo worked the E & L prospect on Nickel Mountain at the headwaters of Sulphurets Creek. Trenching, drilling, and 460 metres of underground development proved reserves of 3.2 million tons of 0.8% nickel and 0.6% copper.

Massive sulphide float originating from the head of the Bronson Creek glacier resulted in Skyline staking the Inel property in 1969. Skyline also restaked the Reg property in 1980. Between 1981 and 1985, various exploration programs were conducted on both properties for high grade gold and polymetallic massive sulphide mineralization.

In 1986, drilling and underground work on the Stonehouse gold zone confirmed the presence of high grade gold mineralization with silver and copper also present over minable widths. Reserves from a Jan. 15, 1988 Skyline news release are as follows:

| Stonehouse Zone | Au (oz) | Tons |
|-----------------------|-------------|----------------|
| Total Measured | 1.246 | 121,000 |
| Total Drill Indicated | 0.556 | 236,875 |
| Total Inferred | <u>0.57</u> | <u>700,000</u> |
| TOTAL | 0.644 | 1,057,875 |

Inel Resources Ltd. has driven an exploratory adit below the Main Sulphide Zone on their property. The North, Center, and South underground workings have crosscut nine distinct quartz-sulphide gold veins to date. One vein contains 1.46 oz/t gold (over 2.3 feet) and another carries 0.26 oz/t gold (over 7.5 feet). During 1988, underground drilling intersected 0.769 oz/t gold over 13.3 feet (U88-3) and surface drilling on the Ridge Zone, located 250 m east of the Center section workings, reported 0.868 oz/t gold over 7.4 feet (S88-12). Previous drill results from 1984 returned gold values up to .940 oz/t over 6.9 ft and silver values as high as 20.22 oz/t over 4.3 ft.

In 1965, Cominco discovered mineralization on the ground now held jointly by Cominco Resources International Ltd. and Delaware Resource Corp. The work prior to 1986 consisted of mapping, sampling and trenching. In 1986, Delaware provided funds under an earn-in option agreement with Cominco and began an extensive drill program. The joint venture partners have announced an ore reserve of 1.1 million metric tonnes (1.21 million tons) of 24 gm/tonne (0.70 oz/ton) gold from the Twin Zone (Vancouver Stockwatch December 7, 1987). The deposit remains open to depth and along strike. Underground work began in April, 1988. Colossus Resources Equities Inc. has recently completed a purchase of approximately 51% of Delaware Resources' common stock.

Gulf International Minerals extended the strike length of the Camp Zone and tested the Northwest high grade zone during their 1988 surface drilling program on the McLymont claims. Results from the Northwest Zone included 1.420 oz/t gold, 0.21% copper and 0.14 oz/t silver over 3.3 feet (88-32) and 1.060 oz/t gold, 0.85% copper, and 0.27 oz/t silver over 1.6 feet (88-3). Previous drilling in 1987 returned gold values of 1.6 oz/t and silver assays of 39.73 oz/t over 36.5 feet (87-29).

During 1988, Meridor Resources Ltd. performed a comprehensive trenching and surface drilling program on a property located 3.5 km northwest of the Bronson airstrip. Phase I trenching efforts obtained 0.396 oz/t gold from a quartz-sulphide vein (3.0 ft chip sample). Diamond drilling recovered 0.260 oz/t gold over 2.0 feet (88-17) and 0.254 oz/t gold over 6.6 ft (88-21) from quartz-carbonate-sulphide veins. A Phase II, 10,000 foot, surface drilling program was also completed during the fall of 1988.

In 1988, Winslow Gold Corporation, in a joint venture with Pamorex Minerals Ltd., conducted a trenching and surface drilling program on a property adjoining Skyline Explorations' Stonehouse deposit to the northeast and Cominco-Delawares' Snip deposit to the east. Trenching recovered 0.724 oz/t gold from a pyritic shear zone. Drilling results included a 0.26 oz/t gold intersection over 1.9 feet (W88-7) from a chloritized and mineralized shear zone.

In the fall of 1987 and the summer of 1988, OreQuest Consultants Ltd., under the supervision of Prime Explorations Ltd., completed a Phase I work program on

the Pez-Dan property. Work included geological mapping, prospecting, soil sampling and silt sampling.

REGIONAL GEOLOGY

Regional geological mapping of the Iskut River area (Kerr, 1948, GSC Memoir 246, 9 - 1957 and GSC Map 1418 - 1979) has been expanded by Grove in two recent detailed works which define this area as the Stewart Complex (Grove, 1971, 1986). A generalized compilation appears as Figure 3.

The Stewart Complex, lies south of the Iskut River and north of Alice Arm. It is bounded by the Coast Plutonic Complex on the west and the Bowser Basin to the east. It is composed of Late Paleozoic and Mesozoic volcanics and sediments which were intruded during Mesozoic and Tertiary times.

The oldest units in the complex are Mississippian or Permian carbonates and other marine sediments. Upper Triassic epiclastic volcanics, marbles, sandstones and siltstones lie unconformably above the Permian. These are overlain by sedimentary and volcanic rocks of the Jurassic Hazelton Group which are lithologically similar to the Triassic section. The Hazelton Group has been subdivided (Grove, 1986) into the Early Jurassic Unuk River Formation, the Middle Jurassic Betty Creek and Salmon River Formations, and the Upper Jurassic Nass Formation.

The Unuk River Formation lies unconformably on Late Triassic rocks and consists of volcanic rocks and sediments which include lithic tuffs, pillow lavas with carbonate lenses and some thin bedded siltstones. Betty Creek rocks


- CENOZOIC**
RECENT
 1 basaltic flows
- MESOZOIC**
TRIASSIC TO JURASSIC
 2 Hazelton Group Volcanics; sediments
- PALEOZOIC**
PERMIAN
 3 mainly white crinoidal limestone; minor amounts of chert, quartzite, argillite, slate, and schist
- PRE-PERMIAN**
 4 quartzite, schist, slate, argillite, limestone; schistose, tuff, highly altered extrusives, and/or intrusives, highly crystalline schist, gneiss

INTRUSIVE ROCKS

- MESOZOIC**
TRIASSIC TO CRETACEOUS
 A acid intrusives; syenite, syenodiorite, feldspar porphyry, felsite, alaskite
 B Coast Plutonic Complex; quartz monzonite, granodiorite, gabbro, granite

after map compiled by Panicon Developments Ltd. Todoruk, S.L. (1988) from B.C. Assessment Reports, Kerr, F.A. (1929) and G.S.C. Map No. 1418A: Iskut River

- ★ reserves
 ● diamond drill hole
 ▲ sample



Consolidated Silver Standard
 E + L Deposit
 Reserves:
 1.7 million tons of 0.84 Mt, 0.64 Cu

Skyline Exploration
 Johnny Mountain Deposit
 Reserves:
 1,087,875 tons of 0.704 oz/t Au

Delaware - Cosineo
 Snip Deposit
 Reserves:
 1.2 million tons of 0.700 oz/t Au

Craig River

0 1 2 3 4 5 6 7 8 9 10
 kilometres

Consolidated Silver Standard
 E - L Deposit

OREQUEST
 PEZZGOLD RESOURCES CORP.

Figure 3
ISKUT PROJECT
REGIONAL
GEOLOGY

British Columbia
 NTS: 104/B/10,11,12,14,15

August 1988

Drafting: BJM

unconformably overlies the Unuk River Formation and are characterized by bright red and green volcanoclastic agglomerates with sporadic, intercalated andesitic flows, pillow lavas, chert, and carbonate lenses. The Salmon River Formation is a thick assemblage of colour banded andesitic siltstones and lithic wackes that form a conformable to disconformable contact with the underlying Betty Creek Formation. The Nass Formation consists of weakly deformed argillites, siltstones, and greywackes which unconformably overlies the Salmon River Formation.

These volcanic and sedimentary successions were intruded by the Coast Plutonic Complex during the Mesozoic and Tertiary periods. A wide variety of intrusive phases are present including granodiorite, quartz monzonite, and diorite. Small satellite plugs and dyke systems range in age from Late Triassic to Tertiary and may be important for localizing mineralization.

Major structural features of the Stewart Complex include the western boundary contact with the Coast Intrusive complex and the northern thrust fault along the Iskut River where Paleozoic strata has moved southward across Middle Jurassic and older units. Regional tectonic normal faults also border the complex to the south and east (Grove, 1986).

PROPERTY GEOLOGY

Grace Showings

The Grace showings are located in the north central portion of the claim group, south of First Basin Creek (Figure 4). There are two showings and they consist of locally silicified, northwest trending shear zones within bedded

marine sediments and fragmental volcanic tuffs. The zones contain pyrite and chalcopyrite, as well as malachite, azurite, and limonite as surface oxidation products.

Rock samples taken from the Grace 1 Showing during the 1987 field season had silver values of 0.8 oz/t and 1.3% Cu (3137, 1987). Samples from the Grace 2 showing carried 0.320 oz/t Au, 3.3 oz/t Ag, and 4.9% Cu (3138-40, 1987).

Grace 2 Trenches

Four trenches were blasted over the Grace 2 Showing, and its strike extensions, for a total length of 37 m (Figure 5, Table 2).

Twelve chip samples, varying in length between 0.2 and 1.5 m, were taken from the trenches numbered 2 and 3.

The best results are from trench 3 where a chip sample of a conformable quartz - carbonate vein with 5 - 7% chalcopyrite and malachite carries 0.382 oz/st Au and 1.5% Cu (20859, across 20cm). The main zone in that trench is 1.5 m wide and contains 335 ppb Au and 0.7% Cu (20853, across 1.5 m). It consists of sheared and silicified sediments with conformable quartz - carbonate pods and veins containing arsenopyrite, pyrite, chalcopyrite, malachite, and azurite mineralization.

Other samples in trench 3 had gold and copper values that range between 110 - 140 ppb and 0.13 to 0.22% respectively. The lithology in the trench is a gossanous and locally silicified shale or siltstone with bedding attitudes of

approximately 145° , dipping 80° west to vertical.

Trench 2 contained a quartz - carbonate vein that appears to be a continuation of the vein sampled in trench 3. The vein in the second trench contains 1 - 2% pyrite, chalcopyrite, and malachite, and carries 85 ppb Au and 0.2% Cu (20861, across 0.6 m). The lithologies in this trench are siltstones and sandstones.

Trenches 1 and 4 failed to locate the silicified shear zone and the quartz-carbonate vein uncovered in the other two trenches. The mineralized structures may have been pinched out before those trench sites, or displaced to the northeast - southwest along faults parallel to regional structures that were not identified in the field.

The Grace 1 Showing was not blasted due to snow cover and the discouraging results in the Grace 2 trenches.

TABLE 2

GRACE 2 TRENCHES: TECHNICAL DATA

| Trench | Length(m) | Width(m) | Bearing | Baseline Intercept | Sample Number | Sample Width(m) | *Assay Results |
|--------|-----------|----------|---------|--------------------|---------------|-----------------|----------------|
| 1 | 9 | 3 - 4 | 055 | 0+03W | - | - | - |
| 2 | 10 | 2 - 3 | 012 | 0+12W | 20860 | 0.9 | - |
| | | | | | 20861 | 0.6 | (85) |
| | | | | | | | 0.2% |
| | | | | | 20862 | 0.85 | - |

| Trench | Length(m) | Width(m) | Bearing | Baseline Intercept | Sample Number | Sample Width(m) | *Assay Results |
|--------|-----------|----------|---------|--------------------|---------------|-----------------|----------------|
| 3 | 9 | 1 - 2 | 040 | 0+24W | 20851 | 1.3 | (20) 0.16% |
| | | | | | 20852 | 1.4 | (110) 0.13% |
| | | | | | 20853 | 1.5 | (335) 0.7% |
| | | | | | 20854 | 1.15 | - |
| | | | | | 20855 | 1.15 | - |
| | | | | | 20856 | 0.75 | - |
| | | | | | 20857 | 0.5 | (140) 0.22% |
| | | | | | 20858 | 0.95 | - |
| | | | | | 20859 | 0.2 | .382 1.5% |
| 4 | 10 | 2 | 015 | 0+40W | - | - | - |

* .377 oz/st Au
 (377) ppb Au
 3.77% percentage Cu

Grace Grid

A grid was placed over the Grace 1 and 2 Showings so that a detailed soil geochemical survey and a VLF-EM survey could be performed. Also, the grid was used to tie in trench locations. The baseline was oriented at 132° , parallel to the trend of the showings. Lines from 2+00W to 3+00E ran normal to the baseline with 50 m spacings between lines. Tie lines were placed at 6+00N, 2+55N, and 2+00S. The focal point (0,0) of the grid was located approximately 10 m southeast of the Grace 2 Showing.

Soil Geochemistry

All samples were analyzed for gold by fire assay with an atomic absorption finish. A 10 element ICP suite of Ag, Pb, Zn, Cu, Mo, As, Ba, Co, Cd, and Bi was

also obtained for each sample. Analysis was performed by Vangeochem Labs Ltd. of Vancouver, B.C.

Soil geochemical results for gold, silver, copper, lead, and zinc are plotted on Figures 6 - 10. An anomaly compilation map utilizing soil and VLF-EM data was also produced (Figure 12). There are seven geochemically anomalous areas on the grid labelled I through VII. Three of the areas, I through III, are considered primary targets.

Soil samples of the B-horizon were collected at 12.5 metre intervals with an A-horizon sample taken when a B-horizon sample was unobtainable. Sample depths averaged between 10 and 60 cm. A total of 704 samples were sent for assay.

The selection of possibly anomalous and anomalous values for the elements was derived from Caulfield's 1987 report on Tungco Resource Corporation's Waratah Project where a statistical analysis of soil geochemical data was performed (Table 3).

TABLE 3

Geochemical Statistics

| Element | Background | Possibly Anomalous | Anomalous |
|----------------|-------------------|---------------------------|------------------|
| Au (ppb) | 14 | 26 | 48 |
| Ag (ppm) | 0.7 | 1.8 | 3.4 |
| Cu (ppm) | 40 | 80 | 150 |
| Pb (ppm) | 35 | 100 | 150 |
| Zn (ppm) | 100 | 180 | 325 |

The Tungco claims are located 12 km north of the property and are also underlain predominantly by Mesozoic volcanics.

Gold soil anomalies range from 26 to 125 ppb and follow narrow, north-south trends. The highest value of 125 ppb occurs within area II, at station 0+50W, 2+50N. Five other gold assays ranging between 30 and 35 ppb are also in area II. Area I contains anomalies of 45 and 55 ppb that are on trend with the Grace 1 Showing. A single station anomaly of 65 ppb occurs north of the Grace 1 Showing at 1+00W, 5+25N. Area III contains a cluster of gold anomalies ranging between 30 and 55 ppb. The 55 ppb sample comes from station 3+00E, 1+63S.

Silver soil anomalies range from 1.8 to 7.5 ppm and follow narrow, east-west trends. The 7.5 ppm sample comes from area V, where a cluster of five, high silver values occur.

Copper soil anomalies range from 150 to 1092 ppm and follow northerly and east - southeasterly trends. The 1092 ppm sample comes from the western corner of the grid at station 1+50W, 1+37.5S. Area I contains copper values ranging between 152 and 361 ppm; area II has a cluster of 7 assays ranging between 144 and 263 ppm; and area IV also has a cluster of copper anomalies between 162 and 435 ppm.

Lead soil anomalies range from 75 to 4014 ppm and trend north - south, as well as east - west. The 4014 ppm sample comes from area I which contains a group of 10 anomalies. Area II has several good values up to 197 ppb. Area VI contains a cluster of anomalies ranging from 75 to 263 ppm. Area VII also contains a number of good values which are probably the product of downslope transport from areas I and II.

Zinc soil anomalies range from 200 to 3049 ppm and also trend north - south and east - west. The highest sample comes from area I which contains several anomalies ranging between 239 and 1186 ppm. Area II has several good values up to 428 ppm. Area VI contains three anomalies of 216, 253, and 390 ppm. As with lead, area VII has several high zinc values which are probably due to downslope transport from areas I and II.

A positive correlation exists between anomalous gold, copper, lead and zinc values. This is displayed on the compilation map where the primary geochemical target areas I and II contain anomalous clusters of those elements.

Geophysics: VLF-EM

A Geonics EM-16 was used for the VLF survey with station NSS, Annapolis as the electromagnetic source. The Grace grid survey was carried out in two stages with readings being taken every 12.5 m for a total distance of 5345 m. The initial stage covered lines 1+00W, 0+00, 1+00E, 2+00E, 2+50E, and 3+00E. The second stage filled in the northeast corner of the grid for a more detailed look at some anomalies obtained from the initial readings. The results are plotted in profile and include the quadrature data (Figure 11).

VLF-EM anomalous locations and conductor axes are plotted on the compilation map (Figure 12). The longest conductor coincides with area I and the Grace 1 Showing. It trends north - northwest and may represent a wide, shallow mineralized zone.

Two, smaller conductive axes in the eastern corner of the grid may represent sub-parallel Grace 1 type structures or could be a response to local topography which drops off steeply at that location.

CONCLUSIONS AND RECOMMENDATIONS

The main lithologies on the claims are marine sediments, volcanoclastics, and volcanic flows of Mesozoic age. The same rock units host the Skyline and Cominco - Delaware precious metal deposits located immediately north of the claim group.

Mineralization is present in many areas on the property and is generally associated with silicified fracture, fault, or shear zones that have undergone some degree of alteration. The best precious metal results were derived from distinct quartz vein systems which also contained some base metal mineralization.

Three geochemically anomalous areas on the Grace grid warrant further work. Area I encompasses the Grace 1 Showing and contains coincident soil anomalies of gold, copper, lead, and zinc. A VLF-EM conductor underlies this area, as well. Area II also contains coincident gold, copper, lead, and zinc soil anomalies and area III contains a cluster of gold soil anomalies. All areas trend north or north - northwest and areas II and III may be associated with the same structure.

A trenching program and possibly diamond drilling is recommended for these three target areas. Detailed work on other areas of the property, including mapping, prospecting, soil sampling, trenching, and the diamond drilling of other targets, is also recommended in the 1988 Phase I report on this property.

BUDGET ESTIMATE

Phase II (to completion)

| | |
|--|-------------|
| Wages | |
| Geologists - 2 x 10 days @ \$350/day | \$ 7,000. |
| Prospectors - 2 x 10 days @ \$300/day | 6,000. |
| Technical Climbers - 2 x 10 days @ \$500/day | 10,000. |
| Assistants - 4 x 10 days @ \$250/day | 10,000. |
| Mob/Demobilization | 5,000. |
| Support | 12,500. |
| Transportation | |
| Helicopter Support - 20 hrs. @ \$625/hour | 12,500. |
| Fixed Wing Support | 4,000. |
| Equipment Rental | 2,000. |
| Analysis - 600 soil samples @ \$15/sample | 9,000. |
| - 200 rock samples @ \$20/sample | 4,000. |
| Report and Drafting | 5,000. |
| Contingencies @ 10% | 8,700. |
| SUBTOTAL | \$ 95,700. |
| Management @ 15% | 14,300. |
| TOTAL | \$ 110,000. |

Phase III


| | |
|--|-------------|
| Mobilization / Demobilization | \$ 14,000. |
| Diamond Drilling - 1,000 m @ \$150/m (all inclusive) | 150,000. |
| Support | 12,000. |
| Transportation - Helicopter - 20 hrs. @ \$625/hr. | 12,500. |
| Analysis | 12,000. |
| Report and Drafting | 10,000. |
| Contingencies @ 10% | 21,000. |
| SUBTOTAL | \$ 231,500. |
| Management @ 15% | 34,500. |
| TOTAL | \$ 266,000. |

GRAND TOTAL:**\$ 376,000.**

CERTIFICATE of QUALIFICATIONS

I, Bernard Dewonck, of 11931 Dunford Road, Richmond, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1974) and hold a BSc. degree in geology.
2. I am an independent consulting geologist retained by OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia, for the purposes of supervising the exploration program conducted by E. McCrossan.
3. I have been employed in my profession by various mining companies since graduation.
4. I am a Fellow of the Geological Association of Canada.
5. I am a member of the Canadian Institute of Mining and Metallurgy.
6. This report is based on exploration work conducted by E. McCrossan (principal author), and several visits to the property during the period of July - October 1988.
7. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Pezgold Resources Corporation.
8. I consent to and authorize the use of the attached report and my name in the Companies' Prospectus, Statements of Material Facts or other public document.



DATED at Vancouver, British Columbia, this 30th day of November, 1988.

CERTIFICATE of QUALIFICATIONS

I, Ed McCrossan, of 3328 W. 2nd Avenue, Vancouver, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1984) and hold a BSc. degree in geology.
2. I am presently employed as a consulting geologist with OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia.
3. I have been employed in my profession by various mining companies since graduation and have worked on projects in Canada, Hungary, Thailand, China, and Australia.
4. I am a member of the Canadian Institute of Mining and Metallurgy, and an associate of the Geological Association of Canada.
5. The information contained in this report was obtained by direct onsite supervision of the work done on the property by OreQuest Consultants Ltd. in 1988 and a review of all data listed in the Bibliography.
6. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Pezgold Resources Corporation or any of their subsidiaries.
7. I consent to and authorize the use of the attached report and my name in the Company's Prospectus, Statement of Material Facts or other public document.



Ed McCrossan
Consulting Geologist

DATED at Vancouver, British Columbia, this 30th day of November, 1988.

BIBLIOGRAPHY

CAULFIELD, D.A., AWMAK, H.J.

1987: Summary Report on the Waratah Project for Tungco Resource Corporation.

CAVEY, G. and McCROSSAN, E.

1987: Report on the Burnie 1-4 and Dan 1-3 Mineral Claims, Iskut River Area, British Columbia for Androne Resources Ltd.

GROVE, EDWARD W.

1971: Geology and Mineral Deposits of the Stewart Area, B.C., B.C. Department of Mines and Petroleum Resources, Bulletin No. 58.

GROVE, EDWARD W.

1986: Geology and Mineral Deposits of the Unuk River-Salmon River-Anyox Area, B.C. Ministry of Energy, Mines and Petroleum Resources, Bulletin No. 63.

GULF INTERNATIONAL MINERALS LTD.

October 5, 1988 News Release.

INEL RESOURCES LTD.

September 23, 1988 News Release.

KERR, F.A.

1948: Lower Stikine and Western Iskut River Areas, B.C., Geological Survey of Canada, Memoir 246.

MERIDOR RESOURCES LTD.

September 2, 1988 News Release.

WINSLOW GOLD CORPORATION

September 19, 1988 News Release.

APPENDIX A
ROCK SAMPLE DESCRIPTIONS

APPENDIX 1

ROCK SAMPLE DESCRIPTIONS

- 20851 Quartz - carbonate vein within malachite stained shale or siltstone.
- 20852 Shale, chloritized with malachite and azurite staining.
- 20853 Quartz - carbonate pod or vein containing arsenopyrite, pyrite, chalcopyrite, malachite, and azurite.
- 20854 Moderately gossanous argillite or siltstone.
- 20855 As in 20854.
- 10856 As in 20854.
- 20857 Gossanous shale.
- 20858 As in 20854.
- 20859 Quartz - carbonate vein with 5 - 7% pyrite, chalcopyrite, and malachite.
- 20860 Silty shale, massive.
- 20861 Quartz - carbonate vein with 1 - 2% pyrite and chalcopyrite.
- 20862 Siltstone or fine grained sandstone with a trace of pyrite.

APPENDIX 2
ASSAY RESULTS



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

ASSAY ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Sept 12 88

REPORT#: 881238 AA
JOB#: 881238

PROJECT#: Fez Dan
SAMPLES ARRIVED: Sept 02 1988
REPORT COMPLETED: Sept 12 88
ANALYSED FOR: Au

INVOICE#: 881238 NA
TOTAL SAMPLES: 1
REJECTS/PULPS: 90 DAYS/1 YR
SAMPLE TYPE: Rock

SAMPLES FROM: OREQUEST CONSULTANTS LTD.
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: David Chiu

SIGNED:



Registered Provincial Assayer

GENERAL REMARK: Faxed to Bronson Camp



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881238 AA

JOB NUMBER: 881238

REQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au
oz/st

20859

.382

DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.005

1 ppm = 0.0001%

ppm = parts per million

< = less than

signed: _____



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Sept 12 88

REPORT#: 881238 GA
JOB#: 881238

PROJECT#: Pez Dan
SAMPLES ARRIVED: Sept 02 1988
REPORT COMPLETED: Sept 12 88
ANALYSED FOR: Au (FA/AAS) ICP(10.Elem)

INVOICE#: 881238 NA
TOTAL SAMPLES: 12
SAMPLE TYPE: Rock
REJECTS: DISCARDED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: Faxed to Bronson Camp



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881238 6A

JOB NUMBER: 881238

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au ppb |
|----------|-----------|
| 20851 | 20 |
| 20852 | 110 |
| 20853 | 335 |
| 20854 | 40 |
| 20855 | 20 |
| 20856 | 10 |
| 20857 | 140 |
| 20858 | 30 |
| 20859 | > 10000 |
| 20860 | 50 |
| 20861 | 85 |
| 20862 | 20 |

DETECTION LIMIT
nd = none detected

5
-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881238 PA

OREQUEST

Page 1 of 1

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|-------------------|-------|------|------|------|-------|-------|-------|------|-------|-------|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| 20851 | 0.4 | <3 | 173 | <3 | 0.7 | 20 | 1594 | 2 | 36 | 38 |
| 20852 | 1.3 | <3 | 143 | <3 | 2.5 | 19 | 1346 | 1 | 43 | 309 |
| 20853 | 12.3 | 31 | 20 | <3 | 5.2 | 11 | 7021 | 2 | 51 | 343 |
| 20854 | 0.2 | <3 | 270 | <3 | 0.8 | 28 | 271 | 2 | 53 | 31 |
| 20855 | 0.2 | <3 | 326 | 3 | 1.4 | 29 | 61 | <1 | 55 | 28 |
| 20856 | 0.2 | <3 | 475 | 3 | 1.7 | 26 | 65 | <1 | 58 | 33 |
| 20857 | 19.1 | <3 | 259 | 4 | 2.2 | 25 | 2288 | <1 | 68 | 134 |
| 20858 | 2.1 | <3 | 559 | 3 | 3.5 | 23 | 228 | <1 | 100 | 433 |
| 20859 | >50.0 | <3 | 75 | 3 | 2.7 | 11 | 15446 | 3 | 39 | 95 |
| 20860 | 4.5 | <3 | 416 | 5 | 1.2 | 17 | 762 | <1 | 55 | 60 |
| 20861 | 14.3 | <3 | 345 | <3 | 0.8 | 13 | 2094 | 1 | 47 | 34 |
| 20862 | 2.1 | <3 | 270 | <3 | 0.6 | 19 | 354 | 1 | 42 | 37 |
| Minimum Detection | 0.1 | 3 | 1 | 3 | 0.1 | 1 | 1 | 1 | 2 | 1 |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

GEOCHEMICAL ANALYTICAL REPORT

CLIENT: DREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Sept 15 1988

REPORT#: 881075 GA
JOB#: 881075

PROJECT#: Fez-Dan
SAMPLES ARRIVED: Aug 23 1988
REPORT COMPLETED: Sept 15 1988
ANALYSED FOR: Au (10.Elem) ICP

INVOICE#: 881075 NA
TOTAL SAMPLES: 758
SAMPLE TYPE: Soil
REJECTS: DISCARDED

SAMPLES FROM: Smithers B.C.
COPY SENT TO: Wes Raven & George Cavey

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: Faxed to Bronson Camp



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 GA

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 20

| SAMPLE # | Au |
|--------------|----|
| AG0+00 0+00N | 15 |
| AG0+00 0+12N | 10 |
| AG0+00 0+25N | 15 |
| AG0+00 0+38N | 20 |
| AG0+00 0+50N | 20 |
| AG0+00 0+63N | 10 |
| AG0+00 0+75N | 15 |
| AG0+00 0+88N | 20 |
| AG0+00 1+00N | 10 |
| AG0+00 1+12N | nd |
| AG0+00 1+25N | 10 |
| AG0+00 1+38N | 20 |
| AG0+00 1+50N | 15 |
| AG0+00 1+63N | 20 |
| AG0+00 1+75N | 15 |
| AG0+00 1+88N | 15 |
| AG0+00 2+00N | 25 |
| AG0+00 2+12N | 10 |
| AG0+00 2+25N | 15 |
| AG0+00 2+38N | 15 |
| AG0+00 2+50N | 10 |
| AG0+00 2+63N | 10 |
| AG0+00 2+75N | 15 |
| AG0+00 2+88N | 15 |
| AG0+00 3+00N | 10 |
| AG0+00 3+12N | 15 |
| AG0+00 3+25N | 25 |
| AG0+00 3+38N | 15 |
| AG0+00 3+50N | 20 |
| AG0+00 3+63N | 20 |
| AG0+00 3+75N | 15 |
| AG0+00 3+88N | 20 |
| AG0+00 4+00N | 20 |
| AG0+00 4+12N | 10 |
| AG0+00 4+25N | 5 |
| AG0+00 4+38N | 5 |
| AG0+00 4+50N | 25 |
| AG0+00 4+63N | 10 |
| AG0+00 4+75N | nd |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 GA

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 20

| SAMPLE # | | Au |
|----------|-------|-----|
| | | ppb |
| AG0+00 | 4+88N | 25 |
| AG0+00 | 5+00N | 15 |
| AG0+00 | 5+12N | 15 |
| AG0+00 | 5+25N | 20 |
| AG0+00 | 5+38N | 15 |
| AG0+00 | 5+50N | 30 |
| AG0+00 | 5+63N | 20 |
| AG0+00 | 5+75N | 15 |
| AG0+00 | 5+88N | 15 |
| AG0+00 | 6+00N | 25 |
| AG0+00 | 0+12S | 25 |
| AG0+00 | 0+25S | 25 |
| AG0+00 | 0+38S | 20 |
| AG0+00 | 0+50S | 25 |
| AG0+00 | 0+63S | 25 |
| AG0+00 | 0+75S | 15 |
| AG0+00 | 0+88S | 10 |
| AG0+00 | 1+00S | 20 |
| AG0+00 | 1+12S | 25 |
| AG0+00 | 1+25S | 35 |
| AG0+00 | 1+38S | 10 |
| AG0+00 | 1+50S | 40 |
| AG0+00 | 1+63S | 30 |
| AG0+00 | 1+75S | 35 |
| AG0+00 | 1+88S | 15 |
| AG0+00 | 2+00S | 5 |
| AG0+50E | 0+00N | 10 |
| AG0+50E | 0+12N | 15 |
| AG0+50E | 0+25N | 25 |
| AG0+50E | 0+38N | 15 |
| AG0+50E | 0+50N | 25 |
| AG0+50E | 0+63N | 30 |
| AG0+50E | 0+75N | 15 |
| AG0+50E | 0+88N | 20 |
| AG0+50E | 1+00N | 20 |
| AG0+50E | 1+12N | 20 |
| AG0+50E | 1+25N | 25 |
| AG0+50E | 1+38N | 10 |
| AG0+50E | 1+50N | 10 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REFCAT NUMBER: 881075 GA

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 20

| SAMPLE # | Au |
|---------------|----|
| AG0+50E 1+63N | 15 |
| AG0+50E 1+75N | 20 |
| AG0+50E 1+88N | 20 |
| AG0+50E 2+00N | 30 |
| AG0+50E 2+12N | 30 |
| AG0+50E 2+25N | 15 |
| AG0+50E 2+38N | 20 |
| AG0+50E 2+50N | 20 |
| AG0+50E 2+63N | 30 |
| AG0+50E 2+75N | 20 |
| AG0+50E 2+88N | 15 |
| AG0+50E 3+00N | 20 |
| AG0+50E 3+12N | 20 |
| AG0+50E 3+25N | 20 |
| AG0+50E 3+38N | 20 |
| AG0+50E 3+50N | 25 |
| AG0+50E 3+63N | 30 |
| AG0+50E 3+75N | 10 |
| AG0+50E 3+88N | 20 |
| AG0+50E 4+00N | 55 |
| AG0+50E 4+12N | 20 |
| AG0+50E 4+25N | 5 |
| AG0+50E 4+63N | 15 |
| AG0+50E 4+75N | 15 |
| AG0+50E 4+88N | 20 |
| AG0+50E 5+00N | 5 |
| AG0+50E 5+12N | 20 |
| AG0+50E 5+25N | 15 |
| AG0+50E 5+38N | 15 |
| AG0+50E 5+50N | 15 |
| AG0+50E 5+63N | nd |
| AG0+50E 5+75N | 15 |
| AG0+50E 5+88N | 15 |
| AG0+50E 6+00N | 30 |
| AG0+50E 6+12N | 20 |
| AG0+50E 6+25N | 10 |
| AG0+50E 6+38N | 10 |
| AG0+50E 6+50N | 15 |
| AG0+50E 0+12S | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 6A

JOB NUMBER: 881075

GREQUEST CONSULTANTS LTD.

PAGE 4 OF 20

| SAMPLE # | Au |
|---------------|-----|
| | ppb |
| AG0+50E 0+25S | 15 |
| AG0+50E 0+38S | 35 |
| AG0+50E 0+50S | 20 |
| AG0+50E 0+63S | 20 |
| AG0+50E 0+75S | 20 |
| AG0+50E 0+88S | 30 |
| AG0+50E 1+00S | 25 |
| AG0+50E 1+12S | 15 |
| AG0+50E 1+25S | 65 |
| AG0+50E 1+38S | 25 |
| AG0+50E 1+50S | 20 |
| AG0+50E 1+63S | 25 |
| AG0+50E 1+75S | 30 |
| AG0+50E 1+88S | 20 |
| AG0+50E 2+00S | 25 |
| AG0+50W 0+12N | 10 |
| AG0+50W 0+25N | 25 |
| AG0+50W 0+38N | 20 |
| AG0+50W 0+50N | 15 |
| AG0+50W 0+63N | 25 |
| AG0+50W 0+75N | 20 |
| AG0+50W 0+88N | 20 |
| AG0+50W 1+00N | 30 |
| AG0+50W 1+12N | 30 |
| AG0+50W 1+25N | 15 |
| AG0+50W 1+38N | 15 |
| AG0+50W 1+50N | 25 |
| AG0+50W 1+63N | 30 |
| AG0+50W 1+75N | 20 |
| AG0+50W 1+88N | 20 |
| AG0+50W 2+00N | 30 |
| AG0+50W 2+12N | 35 |
| AG0+50W 2+25N | 35 |
| AG0+50W 2+38N | 35 |
| AG0+50W 2+50N | 125 |
| AG0+50W 2+63N | 25 |
| AG0+50W 2+75N | 30 |
| AG0+50W 2+88N | 20 |
| AG0+50W 3+00N | 20 |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 GA

JOB NUMBER: 881075

REQUEST CONSULTANTS LTD.

PAGE 5 OF 20

| SAMPLE # | Au |
|---------------|----|
| AG0+50W 3+12N | 15 |
| AG0+50W 3+25N | 30 |
| AG0+50W 3+38N | 10 |
| AG0+50W 3+50N | 20 |
| AG0+50W 3+63N | 15 |
| AG0+50W 3+75N | 15 |
| AG0+50W 3+88N | 20 |
| AG0+50W 4+00N | 25 |
| AG0+50W 4+12N | 20 |
| AG0+50W 4+25N | 10 |
| AG0+50W 4+38N | 30 |
| AG0+50W 4+50N | 25 |
| AG0+50W 4+63N | 15 |
| AG0+50W 4+75N | 15 |
| AG0+50W 4+88N | 10 |
| AG0+50W 5+00N | 10 |
| AG0+50W 5+12N | 10 |
| AG0+50W 5+25N | 15 |
| AG0+50W 5+88N | 15 |
| AG0+50W 6+00N | 10 |
| AG0+50W 0+00S | 25 |
| AG0+50W 0+12S | 20 |
| AG0+50W 0+25S | 20 |
| AG0+50W 0+38S | 30 |
| AG0+50W 0+50S | 20 |
| AG0+50W 0+63S | 20 |
| AG0+50W 0+75S | 20 |
| AG0+50W 0+88S | 15 |
| AG0+50W 1+00S | 20 |
| AG0+50W 1+12S | 25 |
| AG0+50W 1+25S | 25 |
| AG0+50W 1+38S | 20 |
| AG0+50W 1+50S | 30 |
| AG0+50W 1+63S | 20 |
| AG0+50W 1+75S | 20 |
| AG0+50W 1+88S | 20 |
| AG0+50W 2+00S | 25 |
| AG1+00E 0+00N | 20 |
| AG1+00E 0+12N | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 6A

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 6 OF 20

| SAMPLE # | | Au |
|----------|-------|-----|
| | | ppb |
| AG1+00E | 0+25N | 15 |
| AG1+00E | 0+38N | 20 |
| AG1+00E | 0+50N | 25 |
| AG1+00E | 0+63N | 15 |
| AG1+00E | 0+75N | 10 |
| AG1+00E | 0+88N | 20 |
| AG1+00E | 1+00N | 5 |
| AG1+00E | 1+12N | 25 |
| AG1+00E | 1+25N | 10 |
| AG1+00E | 1+38N | 20 |
| AG1+00E | 1+50N | 5 |
| AG1+00E | 1+63N | 25 |
| AG1+00E | 1+75N | 10 |
| AG1+00E | 1+88N | 15 |
| AG1+00E | 2+00N | 10 |
| AG1+00E | 2+12N | 15 |
| AG1+00E | 2+25N | 25 |
| AG1+00E | 2+38N | 15 |
| AG1+00E | 2+50N | 10 |
| AG1+00E | 2+63N | 15 |
| AG1+00E | 2+75N | 10 |
| AG1+00E | 3+00N | 15 |
| AG1+00E | 3+12N | 10 |
| AG1+00E | 3+25N | 10 |
| AG1+00E | 3+38N | 15 |
| AG1+00E | 3+50N | 15 |
| AG1+00E | 3+63N | 15 |
| AG1+00E | 3+75N | 10 |
| AG1+00E | 3+88N | 45 |
| AG1+00E | 4+00N | 20 |
| AG1+00E | 4+63N | nd |
| AG1+00E | 4+88N | 5 |
| AG1+00E | 5+12N | nd |
| AG1+00E | 5+38N | 10 |
| AG1+00E | 5+63N | nd |
| AG1+00E | 5+88N | 20 |
| AG1+00E | 0+12S | 15 |
| AG1+00E | 0+25S | 20 |
| AG1+00E | 0+38S | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 SA

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 7 OF 20

| SAMPLE # | | Au |
|----------|-------|-----|
| | | ppb |
| AG1+00E | 0+50S | 40 |
| AG1+00E | 0+63S | 10 |
| AG1+00E | 0+75S | 20 |
| AG1+00E | 0+88S | 20 |
| AG1+00E | 1+00S | 20 |
| AG1+00E | 1+12S | 15 |
| AG1+00E | 1+25S | 15 |
| AG1+00E | 1+38S | 15 |
| AG1+00E | 1+50S | 20 |
| AG1+00E | 1+63S | 10 |
| AG1+00E | 1+75S | 25 |
| AG1+00E | 1+88S | 20 |
| AG1+00E | 2+00S | 20 |
| AG1+00W | 0+00N | 5 |
| AG1+00W | 0+12N | 15 |
| AG1+00W | 0+25N | 5 |
| AG1+00W | 0+38N | 10 |
| AG1+00W | 0+50N | 20 |
| AG1+00W | 0+63N | 10 |
| AG1+00W | 0+75N | nd |
| AG1+00W | 0+88N | 10 |
| AG1+00W | 1+00N | 15 |
| AG1+00W | 1+12N | 20 |
| AG1+00W | 1+25N | 15 |
| AG1+00W | 1+38N | 30 |
| AG1+00W | 1+50N | 15 |
| AG1+00W | 1+63N | 20 |
| AG1+00W | 1+75N | 15 |
| AG1+00W | 1+88N | 15 |
| AG1+00W | 2+00N | 15 |
| AG1+00W | 2+12N | 15 |
| AG1+00W | 2+25N | 10 |
| AG1+00W | 2+38N | 10 |
| AG1+00W | 2+50N | 20 |
| AG1+00W | 2+63N | 15 |
| AG1+00W | 2+75N | 20 |
| AG1+00W | 2+88N | 20 |
| AG1+00W | 3+00N | 10 |
| AG1+00W | 3+12N | 25 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 6A

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 8 OF 20

| SAMPLE # | Au |
|---------------|----|
| AG1+00W 3+25N | 15 |
| AG1+00W 3+38N | 20 |
| AG1+00W 3+50N | 40 |
| AG1+00W 3+63N | 15 |
| AG1+00W 3+75N | 20 |
| AG1+00W 3+88N | 30 |
| AG1+00W 4+00N | 20 |
| AG1+00W 4+12N | 25 |
| AG1+00W 4+25N | 10 |
| AG1+00W 4+38N | 25 |
| AG1+00W 4+50N | 20 |
| AG1+00W 4+63N | 20 |
| AG1+00W 4+75N | 20 |
| AG1+00W 4+88N | 15 |
| AG1+00W 5+00N | 15 |
| AG1+00W 5+12N | 20 |
| AG1+00W 5+25N | 65 |
| AG1+00W 5+38N | 10 |
| AG1+00W 5+50N | 10 |
| AG1+00W 5+63N | 5 |
| AG1+00W 5+75N | 15 |
| AG1+00W 5+88N | 20 |
| AG1+00W 6+00N | 30 |
| AG1+00W 0+12S | 20 |
| AG1+00W 0+25S | 20 |
| AG1+00W 0+38S | 20 |
| AG1+00W 0+50S | 15 |
| AG1+00W 0+63S | 25 |
| AG1+00W 0+75S | 30 |
| AG1+00W 0+88S | 25 |
| AG1+00W 1+00S | 25 |
| AG1+00W 1+12S | 5 |
| AG1+00W 1+25S | 35 |
| AG1+00W 1+38S | 20 |
| AG1+00W 1+50S | 30 |
| AG1+00W 1+63S | 30 |
| AG1+00W 1+75S | 30 |
| AG1+00W 1+88S | 25 |
| AG1+00W 2+00S | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 GA

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 9 OF 20

| SAMPLE # | Au |
|---------------|-----|
| | ppb |
| AG1+50E 0+00N | 5 |
| AG1+50E 0+12N | 30 |
| AG1+50E 0+25N | 30 |
| AG1+50E 0+38N | 15 |
| AG1+50E 0+50N | 35 |
| AG1+50E 0+63N | 15 |
| AG1+50E 0+75N | 25 |
| AG1+50E 0+88N | 15 |
| AG1+50E 1+00N | 25 |
| AG1+50E 1+12N | 10 |
| AG1+50E 1+25N | 15 |
| AG1+50E 1+38N | 20 |
| AG1+50E 1+50N | 25 |
| AG1+50E 1+63N | 30 |
| AG1+50E 1+75N | 10 |
| AG1+50E 1+88N | 35 |
| AG1+50E 2+00N | 25 |
| AG1+50E 2+12N | 10 |
| AG1+50E 2+25N | 15 |
| AG1+50E 2+38N | 15 |
| AG1+50E 2+50N | 15 |
| AG1+50E 2+63N | 20 |
| AG1+50E 2+75N | 20 |
| AG1+50E 2+88N | 35 |
| AG1+50E 3+00N | 25 |
| AG1+50E 3+12N | 10 |
| AG1+50E 3+25N | 30 |
| AG1+50E 3+38N | 10 |
| AG1+50E 3+50N | 20 |
| AG1+50E 3+63N | 15 |
| AG1+50E 3+75N | 10 |
| AG1+50E 3+88N | 20 |
| AG1+50E 4+00N | 5 |
| AG1+50E 5+12N | 5 |
| AG1+50E 5+25N | 10 |
| AG1+50E 5+38N | 25 |
| AG1+50E 5+50N | 20 |
| AG1+50E 5+63N | 15 |
| AG1+50E 5+75N | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 GA

JOB NUMBER: 881075

DREQUEST CONSULTANTS LTD.

PAGE 10 OF 20

| SAMPLE # | | Au ppb |
|----------|-------|-----------|
| AG1+50E | 5+88N | 5 |
| AG1+50E | 6+00N | 20 |
| AG1+50E | 0+12S | 15 |
| AG1+50E | 0+25S | 25 |
| AG1+50E | 0+38S | 20 |
| AG1+50E | 0+50S | 15 |
| AG1+50E | 0+63S | 25 |
| AG1+50E | 0+75S | 15 |
| AG1+50E | 0+88S | 20 |
| AG1+50E | 1+00S | 20 |
| AG1+50E | 1+12S | 25 |
| AG1+50E | 1+25S | 15 |
| AG1+50E | 1+38S | 25 |
| AG1+50E | 1+50S | 25 |
| AG1+50E | 1+63S | 30 |
| AG1+50E | 1+75S | 20 |
| AG1+50E | 1+88S | 30 |
| AG1+50E | 2+00S | 25 |
| AG2+00E | 0+00N | 20 |
| AG2+00E | 0+12N | 25 |
| AG2+00E | 0+25N | 30 |
| AG2+00E | 0+38N | 20 |
| AG2+00E | 0+50N | 20 |
| AG2+00E | 0+63N | 10 |
| AG2+00E | 0+75N | 35 |
| AG2+00E | 0+88N | 25 |
| AG2+00E | 1+00N | 20 |
| AG2+00E | 1+12N | 20 |
| AG2+00E | 1+25N | 15 |
| AG2+00E | 1+38N | 20 |
| AG2+00E | 1+50N | 15 |
| AG2+00E | 1+63N | 20 |
| AG2+00E | 1+75N | 25 |
| AG2+00E | 1+88N | 20 |
| AG2+00E | 2+00N | 20 |
| AG2+00E | 2+12N | 30 |
| AG2+00E | 2+25N | 25 |
| AG2+00E | 2+38N | 30 |
| AG2+00E | 2+50N | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 6A

JOB NUMBER: 881075

REQUEST CONSULTANTS LTD.

PAGE 11 OF 20

| SAMPLE # | Au |
|---------------|----|
| A62+00E 2+63N | 20 |
| A62+00E 2+75N | 20 |
| A62+00E 2+88N | 10 |
| A62+00E 3+00N | 25 |
| A62+00E 3+12N | 10 |
| A62+00E 3+25N | 20 |
| A62+00E 3+38N | 15 |
| A62+00E 3+50N | 5 |
| A62+00E 3+63N | 30 |
| A62+00E 3+75N | 10 |
| A62+00E 3+88N | 10 |
| A62+00E 4+00N | 35 |
| A62+00E 4+12N | 25 |
| A62+00E 4+25N | 20 |
| A62+00E 4+38N | 15 |
| A62+00E 4+50N | 15 |
| A62+00E 4+63N | 15 |
| A62+00E 4+75N | 15 |
| A62+00E 4+88N | 20 |
| A62+00E 5+00N | 25 |
| A62+00E 5+38N | 15 |
| A62+00E 5+50N | 20 |
| A62+00E 5+63N | 20 |
| A62+00E 5+75N | 25 |
| A62+00E 5+88N | 20 |
| A62+00E 6+00N | 15 |
| A62+00E 0+12S | 15 |
| A62+00E 0+25S | 25 |
| A62+00E 0+38S | 20 |
| A62+00E 0+50S | 15 |
| A62+00E 0+63S | 15 |
| A62+00E 0+75S | 15 |
| A62+00E 0+88S | 20 |
| A62+00E 1+00S | 20 |
| A62+00E 1+12S | 25 |
| A62+00E 1+25S | 20 |
| A62+00E 1+38S | 15 |
| A62+00E 1+50S | 15 |
| A62+00E 1+63S | 25 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604)986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 GA

JOB NUMBER: 881075

CREQUEST CONSULTANTS LTD.

PAGE 12 OF 20

| SAMPLE # | Au |
|---------------|-----|
| | ppb |
| AG2+00E 1+75S | 20 |
| AG2+00E 1+88S | 15 |
| AG2+00E 2+00S | 10 |
| AG2+00W 0+00N | 20 |
| AG2+00W 0+12N | 35 |
| AG2+00W 0+25N | 15 |
| AG2+00W 0+38N | 20 |
| AG2+00W 0+50N | 20 |
| AG2+00W 0+63N | nd |
| AG2+00W 0+75N | 20 |
| AG2+00W 0+88N | 25 |
| AG2+00W 1+00N | 20 |
| AG2+00W 1+12N | 20 |
| AG2+00W 1+25N | 20 |
| AG2+00W 1+38N | 20 |
| AG2+00W 1+50N | 10 |
| AG2+00W 1+63N | 25 |
| AG2+00W 1+75N | 25 |
| AG2+00W 1+88N | 10 |
| AG2+00W 2+00N | 15 |
| AG2+00W 2+12N | 35 |
| AG2+00W 2+25N | 20 |
| AG2+00W 2+38N | 5 |
| AG2+00W 2+50N | 30 |
| AG2+00W 2+63N | 15 |
| AG2+00W 2+75N | 15 |
| AG2+00W 2+88N | 15 |
| AG2+00W 3+00N | 10 |
| AG2+00W 3+12N | 20 |
| AG2+00W 3+25N | 10 |
| AG2+00W 3+38N | 20 |
| AG2+00W 3+50N | 15 |
| AG2+00W 3+63N | 10 |
| AG2+00W 3+75N | 15 |
| AG2+00W 3+88N | 20 |
| AG2+00W 4+00N | 15 |
| AG2+00W 4+12N | 20 |
| AG2+00W 4+25N | 25 |
| AG2+00W 4+38N | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 861075 6A

JOB NUMBER: 881075

DREQUEST CONSULTANTS LTD.

PAGE 13 OF 20

| SAMPLE # | Au |
|---------------|----|
| AG2+00W 4+50N | 15 |
| AG2+00W 4+63N | 10 |
| AG2+00W 4+75N | 5 |
| AG2+00W 4+88N | 10 |
| AG2+00W 5+00N | 10 |
| AG2+00W 5+12N | 15 |
| AG2+00W 5+25N | 10 |
| AG2+00W 5+38N | 10 |
| AG2+00W 5+50N | 10 |
| AG2+00W 5+63N | 20 |
| AG2+00W 5+75N | 15 |
| AG2+00W 5+88N | 5 |
| AG2+00W 6+00N | 10 |
| AG2+00W 0+12S | 15 |
| AG2+00W 0+25S | 20 |
| AG2+00W 0+38S | 25 |
| AG2+00W 0+63S | 10 |
| AG2+00W 0+75S | 25 |
| AG2+00W 0+88S | 20 |
| AG2+00W 1+00S | 20 |
| AG2+00W 1+12S | 25 |
| AG2+00W 1+25S | 15 |
| AG2+00W 1+38S | 25 |
| AG2+00W 1+50S | 30 |
| AG2+00W 1+63S | 30 |
| AG2+00W 1+75S | 10 |
| AG2+00W 1+88S | 15 |
| AG2+00W 2+00S | 10 |
| AG2+50E 0+00N | 20 |
| AG2+50E 0+12N | 15 |
| AG2+50E 0+25N | 25 |
| AG2+50E 0+38N | 25 |
| AG2+50E 0+50N | 30 |
| AG2+50E 0+63N | 30 |
| AG2+50E 0+75N | 20 |
| AG2+50E 0+88N | 40 |
| AG2+50E 1+00N | 30 |
| AG2+50E 1+12N | 40 |
| AG2+50E 1+25N | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 GA

JOB NUMBER: 881075

CREQUEST CONSULTANTS LTD.

PAGE 14 OF 20

| SAMPLE # | Au |
|-----------------|-----|
| | ppb |
| AG2+50E 1+38N | 15 |
| AG2+50E 1+50N | 25 |
| AG2+50E 1+63N | 25 |
| AG2+50E 1+75N | 20 |
| AG2+50E 1+88N | 10 |
| AG2+50E 2+00N | 20 |
| AG2+50E 2+12N | 10 |
| AG2+50E 2+25N | 25 |
| AG2+50E 2+38N | 15 |
| AG2+50E 2+50N | 25 |
| AG2+50E 2+63N | 20 |
| AG2+50E 2+75N | 25 |
| AG2+50E 2+88N | 20 |
| AG2+50E 3+00N | 20 |
| AG2+50E 3+12N | 20 |
| AG2+50E 3+25N | 20 |
| AG2+50E 3+38N | 30 |
| AG2+50E 3+50N | 15 |
| AG2+50E 3+63N | 20 |
| AG2+50E 3+75N | 15 |
| AG2+50E 3+88N A | 25 |
| AG2+50E 3+88N B | 10 |
| AG2+50E 4+00N A | 20 |
| AG2+50E 4+00N B | 20 |
| AG2+50E 4+12N | 5 |
| AG2+50E 4+25N | 10 |
| AG2+50E 4+38N | 20 |
| AG2+50E 4+50N | 15 |
| AG2+50E 4+63N | 10 |
| AG2+50E 4+75N | 5 |
| AG2+50E 4+88N | 20 |
| AG2+50E 5+00N | 20 |
| AG2+50E 5+12N | 30 |
| AG2+50E 5+25N A | 20 |
| AG2+50E 5+25N B | 20 |
| AG2+50E 5+50N | 30 |
| AG2+50E 5+63N | 20 |
| AG2+50E 5+88N | 20 |
| AG2+50E 6+00N | 35 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881075 6A

JOB NUMBER: 881075

OREQUEST CONSULTANTS LTD.

PAGE 15 OF 20

| SAMPLE # | Au |
|---------------|-----|
| | ppb |
| AG2+50E 0+12S | 20 |
| AG2+50E 0+25S | 25 |
| AG2+50E 0+38S | 30 |
| AG2+50E 0+50S | 40 |
| AG2+50E 0+63S | 30 |
| AG2+50E 0+75S | 25 |
| AG2+50E 0+88S | 30 |
| AG2+50E 1+00S | 40 |
| AG2+50E 1+12S | 25 |
| AG2+50E 1+25S | 30 |
| AG2+50E 1+38S | 25 |
| AG2+50E 1+50S | 20 |
| AG2+50E 1+63S | 20 |
| AG2+50E 1+75S | 25 |
| AG2+50E 1+88S | 25 |
| AG2+50E 2+00S | 20 |
| AG3+00E 0+25S | 20 |
| AG3+00E 0+50S | 25 |
| AG3+00E 0+75S | 20 |
| AG3+00E 1+00S | 20 |
| AG3+00E 1+25S | 30 |
| AG3+00E 1+50S | 35 |
| AG3+00E 1+63S | 55 |
| AG3+00E 1+75S | 35 |
| AG3+00E 1+88S | 20 |
| AG3+00E 2+00S | 20 |
| 02-1BC 0+00N | 30 |
| 02-1BC 0+50N | 20 |
| 02-1BC 1+00N | 10 |
| 02-1BC 1+50N | 20 |
| 02-1BC 2+00N | 20 |
| 02-1BC 2+50N | 15 |
| 02-1BC 3+00N | 20 |
| 02-1BC 3+50N | 20 |
| 02-1BC 4+00N | 25 |
| 02-1BC 4+50N | is |
| 02-1BC 5+00N | 20 |
| 02-1BC 5+50N | 20 |
| 02-1BC 6+00N | 30 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: BB1075 PA

BREQUEST

Page 1 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG0+00 0+00N | 1.1 | <3 | 158 | <3 | 1.1 | 22 | 68 | 2 | 104 | 216 |
| AG0+00 0+12N | 1.1 | 21 | 92 | <3 | 0.8 | 14 | 65 | 3 | 114 | 390 |
| AG0+00 0+25N | 0.1 | 20 | 115 | <3 | 0.8 | 17 | 51 | 4 | 57 | 153 |
| AG0+00 0+38N | 0.1 | 18 | 97 | <3 | 0.7 | 16 | 51 | 4 | 50 | 132 |
| AG0+00 0+50N | 0.1 | 11 | 65 | <3 | 0.6 | 9 | 41 | 5 | 56 | 120 |
| AG0+00 0+63N | 1.1 | 9 | 72 | <3 | 0.5 | 8 | 32 | 2 | 50 | 92 |
| AG0+00 0+75N | 1.5 | 13 | 114 | <3 | 0.5 | 10 | 27 | 2 | 55 | 86 |
| AG0+00 0+88N | 0.1 | 11 | 79 | <3 | 0.3 | 12 | 20 | 2 | 44 | 87 |
| AG0+00 1+00N | 0.1 | 12 | 82 | <3 | 0.2 | 9 | 21 | 2 | 43 | 83 |
| AG0+00 1+12N | 2.1 | 19 | 83 | <3 | 0.7 | 11 | 52 | 2 | 56 | 172 |
| AG0+00 1+25N | 1.1 | 12 | 136 | <3 | 1.1 | 12 | 47 | 2 | 52 | 127 |
| AG0+00 1+38N | 0.3 | 12 | 74 | <3 | 0.8 | 11 | 33 | 5 | 55 | 140 |
| AG0+00 1+50N | 0.3 | 12 | 129 | <3 | 0.8 | 13 | 56 | 5 | 55 | 137 |
| AG0+00 1+63N | 0.3 | 13 | 79 | <3 | 1.1 | 14 | 71 | 3 | 153 | 308 |
| AG0+00 1+75N | 0.1 | 14 | 73 | <3 | 0.8 | 12 | 66 | 4 | 63 | 148 |
| AG0+00 1+88N | 0.5 | 12 | 151 | 3 | 1.3 | 23 | 102 | 2 | 74 | 389 |
| AG0+00 2+00N | 0.3 | 14 | 146 | <3 | 1.1 | 18 | 84 | 3 | 66 | 164 |
| AG0+00 2+12N | 1.1 | 18 | 204 | <3 | 1.3 | 25 | 158 | 2 | 86 | 200 |
| AG0+00 2+25N | 0.1 | 10 | 65 | <3 | 0.3 | 6 | 28 | 2 | 36 | 72 |
| AG0+00 2+38N | 0.3 | 11 | 149 | <3 | 1.1 | 19 | 80 | 2 | 62 | 151 |
| AG0+00 2+50N | 0.5 | 11 | 69 | <3 | 0.3 | 9 | 39 | 2 | 44 | 79 |
| AG0+00 2+63N | 0.1 | 10 | 97 | <3 | 0.6 | 12 | 38 | 2 | 43 | 93 |
| AG0+00 2+75N | 0.1 | 5 | 138 | <3 | 0.8 | 13 | 67 | 1 | 49 | 105 |
| AG0+00 2+88N | 2.1 | <3 | 199 | 3 | 1.8 | 40 | 259 | 1 | 78 | 94 |
| AG0+00 3+00N | 1.1 | 21 | 312 | <3 | 1.5 | 32 | 149 | 1 | 63 | 129 |
| AG0+00 3+12N | 0.3 | 13 | 146 | <3 | 1.1 | 19 | 75 | 1 | 71 | 189 |
| AG0+00 3+25N | 0.5 | 13 | 171 | <3 | 1.1 | 21 | 94 | 1 | 68 | 170 |
| AG0+00 3+38N | 0.3 | 17 | 206 | <3 | 1.5 | 19 | 85 | 1 | 94 | 236 |
| AG0+00 3+50N | 2.1 | 16 | 181 | <3 | 7.7 | 21 | 103 | 1 | 1056 | 1186 |
| AG0+00 3+63N | 1.1 | 17 | 170 | <3 | 4.4 | 23 | 103 | 2 | 169 | 974 |
| AG0+00 3+75N | 1.1 | 12 | 348 | 3 | 1.8 | 30 | 112 | 1 | 67 | 239 |
| AG0+00 3+88N | 1.1 | 9 | 213 | <3 | 1.6 | 23 | 133 | 1 | 89 | 251 |
| AG0+00 4+00N | 0.1 | 13 | 194 | <3 | 1.1 | 18 | 55 | 1 | 59 | 105 |
| AG0+00 4+12N | 0.1 | 8 | 132 | <3 | 0.7 | 17 | 82 | 1 | 58 | 102 |
| AG0+00 4+25N | 1.4 | <3 | 288 | 3 | 1.3 | 22 | 104 | <1 | 59 | 114 |
| AG0+00 4+38N | 0.3 | 13 | 155 | <3 | 1.1 | 23 | 94 | 2 | 72 | 157 |
| AG0+00 4+50N | 2.1 | 8 | 252 | 4 | 2.4 | 36 | 361 | 2 | 70 | 79 |
| AG0+00 4+63N | 0.3 | 19 | 142 | <3 | 1.1 | 18 | 84 | 2 | 70 | 176 |
| AG0+00 4+75N | 0.3 | 20 | 99 | <3 | 0.8 | 15 | 69 | 2 | 50 | 123 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 2 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG0+00 4+88N | 0.1 | 24 | 141 | <3 | 1.2 | 15 | 81 | 2 | 57 | 148 |
| AG0+00 5+00N | 0.4 | 21 | 185 | 4 | 1.3 | 19 | 103 | 2 | 64 | 170 |
| AG0+00 5+12N | 0.4 | 14 | 232 | 3 | 1.5 | 22 | 113 | 2 | 68 | 181 |
| AG0+00 5+25N | 0.4 | 18 | 253 | 3 | 1.3 | 21 | 123 | 1 | 77 | 186 |
| AG0+00 5+38N | 0.4 | 6 | 249 | 4 | 1.5 | 29 | 128 | 5 | 60 | 179 |
| AG0+00 5+50N | 0.4 | 11 | 214 | 3 | 1.3 | 20 | 123 | 5 | 61 | 189 |
| AG0+00 5+63N | 0.4 | 9 | 226 | 3 | 1.5 | 23 | 122 | 3 | 59 | 177 |
| AG0+00 5+75N | 0.4 | 16 | 226 | 4 | 1.3 | 22 | 98 | 2 | 65 | 181 |
| AG0+00 5+88N | 0.4 | 17 | 268 | 3 | 1.5 | 22 | 87 | 1 | 60 | 178 |
| AG0+00 6+00N | 0.4 | 18 | 322 | 3 | 1.2 | 22 | 66 | 1 | 51 | 136 |
| AG0+00 0+12S | 0.1 | 8 | 131 | <3 | 0.5 | 12 | 57 | <1 | 66 | 120 |
| AG0+00 0+25S | 1.2 | 15 | 43 | 3 | 1.1 | 8 | 42 | 1 | 60 | 66 |
| AG0+00 0+38S | 0.4 | 19 | 115 | <3 | 1.3 | 23 | 88 | <1 | 68 | 79 |
| AG0+00 0+50S | 0.4 | 19 | 31 | <3 | 1.3 | 5 | 34 | 5 | 61 | 65 |
| AG0+00 0+63S | 1.2 | 18 | 91 | <3 | 0.9 | 12 | 61 | 2 | 51 | 63 |
| AG0+00 0+75S | 1.2 | 11 | 80 | 3 | 1.3 | 15 | 82 | 1 | 64 | 75 |
| AG0+00 0+88S | 1.2 | 12 | 120 | <3 | 1.2 | 18 | 73 | 1 | 60 | 78 |
| AG0+00 1+00S | 0.1 | 27 | 187 | <3 | 0.9 | 21 | 58 | 2 | 46 | 126 |
| AG0+00 1+12S | 2.7 | 26 | 135 | <3 | 1.1 | 18 | 42 | 1 | 44 | 106 |
| AG0+00 1+25S | 1.2 | 29 | 28 | <3 | 0.5 | 7 | 31 | 5 | 37 | 40 |
| AG0+00 1+38S | 1.2 | 16 | 29 | <3 | 0.5 | 5 | 30 | 3 | 42 | 48 |
| AG0+00 1+50S | 1.2 | 15 | 19 | <3 | 1.2 | 3 | 31 | 6 | 55 | 80 |
| AG0+00 1+63S | 0.4 | 12 | 85 | <3 | 0.9 | 6 | 17 | 4 | 73 | 138 |
| AG0+00 1+75S | 0.4 | 14 | 126 | <3 | 1.1 | 13 | 32 | 3 | 47 | 124 |
| AG0+00 1+88S | 0.1 | 10 | 93 | <3 | 1.1 | 14 | 38 | 3 | 49 | 156 |
| AG0+00 2+00S | 0.4 | 13 | 59 | <3 | 0.4 | 7 | 30 | 2 | 28 | 60 |
| AG0+50E 0+00N | 0.4 | 58 | 346 | <3 | 1.1 | 15 | 46 | 1 | 57 | 121 |
| AG0+50E 0+12N | 1.1 | 52 | 143 | <3 | 0.9 | 17 | 65 | 2 | 62 | 125 |
| AG0+50E 0+25N | 1.1 | 18 | 132 | <3 | 1.1 | 14 | 86 | 2 | 84 | 165 |
| AG0+50E 0+38N | 0.4 | 17 | 90 | <3 | 1.1 | 13 | 49 | 3 | 263 | 176 |
| AG0+50E 0+50N | 1.2 | 17 | 89 | <3 | 1.1 | 6 | 43 | 3 | 223 | 253 |
| AG0+50E 0+63N | 0.4 | 18 | 91 | <3 | 0.8 | 11 | 44 | 2 | 75 | 147 |
| AG0+50E 0+75N | 0.1 | 15 | 67 | <3 | 0.9 | 12 | 39 | 3 | 59 | 147 |
| AG0+50E 0+88N | 1.1 | 14 | 36 | <3 | 0.8 | 8 | 34 | 6 | 75 | 107 |
| AG0+50E 1+00N | 1.7 | 19 | 117 | <3 | 0.8 | 9 | 38 | 2 | 49 | 99 |
| AG0+50E 1+12N | 3.2 | 16 | 110 | <3 | 1.2 | 9 | 44 | 2 | 55 | 104 |
| AG0+50E 1+25N | 0.4 | 15 | 78 | <3 | 0.5 | 8 | 30 | 1 | 43 | 83 |
| AG0+50E 1+38N | 2.1 | 28 | 121 | <3 | 1.1 | 16 | 58 | 1 | 58 | 181 |
| AG0+50E 1+50N | 0.4 | 16 | 68 | <3 | 1.2 | 13 | 77 | 1 | 55 | 99 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

DREQUEST

Page 3 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|------|-----|-----|-----|------|------|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG0+50E 1+63N | 0.4 | 14 | 136 | <3 | 0.5 | 10 | 60 | 1 | 46 | 128 |
| AG0+50E 1+75N | 1.2 | 15 | 91 | <3 | 0.8 | 10 | 61 | 1 | 49 | 110 |
| AG0+50E 1+88N | 0.4 | 11 | 45 | <3 | 1.1 | 4 | 28 | 6 | 52 | 108 |
| AG0+50E 2+00N | 0.5 | 6 | 47 | <3 | 0.5 | 5 | 35 | 5 | 56 | 97 |
| AG0+50E 2+12N | 0.1 | <3 | 94 | <3 | 0.5 | 11 | 45 | 1 | 43 | 74 |
| AG0+50E 2+25N | 0.4 | <3 | 164 | <3 | 0.9 | 15 | 68 | 1 | 53 | 84 |
| AG0+50E 2+38N | 0.4 | <3 | 108 | <3 | 0.9 | 16 | 74 | 2 | 51 | 89 |
| AG0+50E 2+50N | 0.1 | <3 | 88 | <3 | 1.1 | 17 | 64 | 3 | 57 | 150 |
| AG0+50E 2+63N | 0.9 | <3 | 106 | 3 | 1.2 | 15 | 68 | 4 | 68 | 158 |
| AG0+50E 2+75N | 0.1 | 10 | 74 | <3 | 1.9 | 11 | 61 | 4 | 58 | 141 |
| AG0+50E 2+88N | 0.9 | 5 | 149 | 3 | 1.2 | 20 | 77 | 1 | 56 | 123 |
| AG0+50E 3+00N | 0.4 | 8 | 92 | <3 | 0.8 | 11 | 63 | 2 | 56 | 118 |
| AG0+50E 3+12N | 0.5 | 5 | 113 | <3 | 0.9 | 13 | 62 | 1 | 59 | 116 |
| AG0+50E 3+25N | 0.1 | <3 | 121 | <3 | 1.2 | 19 | 64 | 1 | 57 | 145 |
| AG0+50E 3+38N | 1.1 | <3 | 183 | 3 | 1.7 | 20 | 63 | 1 | 61 | 199 |
| AG0+50E 3+50N | 1.1 | 14 | 207 | 3 | 1.9 | 27 | 128 | 1 | 61 | 242 |
| AG0+50E 3+63N | 0.4 | <3 | 157 | 4 | 21.9 | 36 | 216 | 4 | 4014 | 3049 |
| AG0+50E 3+75N | 0.9 | 13 | 149 | 3 | 1.6 | 23 | 118 | 1 | 111 | 246 |
| AG0+50E 3+88N | 1.1 | 4 | 251 | 4 | 2.2 | 27 | 127 | 1 | 141 | 920 |
| AG0+50E 4+00N | 1.1 | 15 | 289 | 3 | 2.9 | 32 | 185 | 3 | 116 | 253 |
| AG0+50E 4+12N | 1.1 | 8 | 198 | 4 | 1.7 | 26 | 118 | 1 | 64 | 214 |
| AG0+50E 4+25N | 1.1 | 3 | 241 | 4 | 1.5 | 25 | 143 | 1 | 68 | 183 |
| AG0+50E 4+63N | 0.9 | 13 | 156 | 3 | 1.2 | 21 | 92 | 1 | 61 | 183 |
| AG0+50E 4+75N | 0.9 | 11 | 150 | 4 | 1.2 | 20 | 103 | 1 | 81 | 209 |
| AG0+50E 4+88N | 1.1 | 15 | 142 | <3 | 1.2 | 19 | 120 | 1 | 70 | 185 |
| AG0+50E 5+00N | 0.9 | 24 | 174 | 3 | 1.5 | 24 | 141 | 1 | 59 | 165 |
| AG0+50E 5+12N | 0.4 | 10 | 148 | 3 | 0.9 | 17 | 89 | 1 | 54 | 149 |
| AG0+50E 5+25N | 0.6 | 12 | 156 | 3 | 0.9 | 20 | 89 | 1 | 62 | 184 |
| AG0+50E 5+38N | 0.5 | 14 | 229 | 4 | 1.2 | 23 | 114 | 1 | 66 | 162 |
| AG0+50E 5+50N | 0.5 | 12 | 234 | 3 | 1.2 | 24 | 117 | 1 | 68 | 179 |
| AG0+50E 5+63N | 0.9 | 11 | 234 | 4 | 1.5 | 27 | 103 | 3 | 61 | 192 |
| AG0+50E 5+75N | 0.9 | 3 | 289 | 4 | 1.5 | 33 | 143 | 5 | 52 | 168 |
| AG0+50E 5+88N | 0.4 | 3 | 193 | 3 | 1.1 | 21 | 120 | 5 | 51 | 166 |
| AG0+50E 6+00N | 0.6 | 3 | 334 | 5 | 1.6 | 31 | 140 | 2 | 53 | 184 |
| AG0+50E 6+12N | 0.4 | 9 | 175 | 4 | 1.1 | 21 | 95 | 2 | 48 | 163 |
| AG0+50E 6+25N | 0.4 | 11 | 184 | 4 | 1.2 | 26 | 100 | 2 | 53 | 173 |
| AG0+50E 6+38N | 0.4 | 9 | 199 | 3 | 1.2 | 22 | 97 | 2 | 52 | 166 |
| AG0+50E 6+50N | 0.4 | 9 | 67 | <3 | 0.9 | 9 | 36 | 4 | 64 | 148 |
| AG0+50E 0+12S | 1.5 | 13 | 47 | <3 | 0.9 | 9 | 25 | 4 | 60 | 118 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 4 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG0+50E 0+25S | 0.4 | 9 | 57 | 3 | 1.3 | 12 | 76 | 1 | 59 | 76 |
| AG0+50E 0+38S | 0.9 | 5 | 49 | 3 | 1.3 | 7 | 39 | 4 | 70 | 197 |
| AG0+50E 0+50S | 3.1 | 12 | 28 | <3 | 1.2 | 7 | 37 | 6 | 66 | 66 |
| AG0+50E 0+63S | 1.5 | 16 | 47 | 4 | 1.7 | 9 | 39 | 7 | 65 | 77 |
| AG0+50E 0+75S | 0.9 | 15 | 91 | <3 | 1.2 | 13 | 47 | 3 | 42 | 75 |
| AG0+50E 0+88S | 0.2 | 7 | 60 | <3 | 1.1 | 8 | 52 | 2 | 52 | 76 |
| AG0+50E 1+00S | 0.1 | 11 | 18 | <3 | 0.9 | 2 | 28 | 4 | 57 | 57 |
| AG0+50E 1+12S | 0.1 | 7 | 75 | <3 | 1.1 | 10 | 435 | 1 | 43 | 109 |
| AG0+50E 1+25S | 0.9 | 5 | 74 | 4 | 1.6 | 16 | 246 | 1 | 67 | 94 |
| AG0+50E 1+38S | 0.4 | 7 | 89 | 3 | 1.5 | 14 | 162 | 2 | 47 | 102 |
| AG0+50E 1+50S | 0.9 | 4 | 119 | 4 | 1.8 | 18 | 146 | 3 | 49 | 123 |
| AG0+50E 1+63S | 1.2 | 9 | 111 | 5 | 1.6 | 14 | 69 | 6 | 47 | 94 |
| AG0+50E 1+75S | 0.9 | 9 | 110 | 4 | 1.1 | 14 | 76 | 3 | 38 | 86 |
| AG0+50E 1+88S | 2.1 | 25 | 22 | 5 | 1.5 | 6 | 56 | 13 | 64 | 93 |
| AG0+50E 2+00S | 0.9 | 12 | 42 | 3 | 1.5 | 7 | 54 | 6 | 62 | 92 |
| AG0+50W 0+12N | 0.1 | 16 | 74 | <3 | 1.1 | 13 | 36 | 5 | 55 | 127 |
| AG0+50W 0+25N | 0.9 | 15 | 83 | <3 | 0.9 | 7 | 23 | 5 | 46 | 76 |
| AG0+50W 0+38N | 1.2 | 20 | 87 | <3 | 0.8 | 10 | 25 | 4 | 48 | 81 |
| AG0+50W 0+50N | 1.2 | 13 | 79 | <3 | 0.8 | 12 | 42 | 2 | 39 | 70 |
| AG0+50W 0+63N | 0.9 | 11 | 72 | <3 | 0.6 | 9 | 58 | 2 | 49 | 66 |
| AG0+50W 0+75N | 1.3 | 13 | 49 | <3 | 0.5 | 7 | 31 | 4 | 47 | 58 |
| AG0+50W 0+88N | 0.9 | 22 | 116 | <3 | 1.3 | 10 | 40 | 4 | 55 | 82 |
| AG0+50W 1+00N | 0.4 | 12 | 92 | <3 | 0.9 | 11 | 29 | 2 | 62 | 109 |
| AG0+50W 1+12N | 0.9 | 11 | 44 | <3 | 0.6 | 9 | 37 | 6 | 61 | 106 |
| AG0+50W 1+25N | 0.9 | 17 | 150 | <3 | 1.3 | 21 | 83 | 2 | 57 | 146 |
| AG0+50W 1+38N | 0.9 | 17 | 140 | 3 | 1.3 | 19 | 115 | 1 | 72 | 176 |
| AG0+50W 1+50N | 0.9 | 17 | 141 | 3 | 1.2 | 19 | 90 | 2 | 65 | 177 |
| AG0+50W 1+63N | 0.4 | 15 | 117 | <3 | 0.9 | 13 | 78 | 2 | 56 | 143 |
| AG0+50W 1+75N | 0.4 | 11 | 90 | <3 | 0.8 | 11 | 54 | 3 | 52 | 121 |
| AG0+50W 1+88N | 0.4 | 14 | 93 | <3 | 0.6 | 12 | 58 | 3 | 58 | 117 |
| AG0+50W 2+00N | 0.4 | 9 | 90 | <3 | 1.2 | 13 | 64 | 3 | 197 | 146 |
| AG0+50W 2+12N | 1.2 | 13 | 143 | 3 | 1.3 | 23 | 112 | 1 | 63 | 187 |
| AG0+50W 2+25N | 0.4 | 10 | 132 | <3 | 1.1 | 15 | 93 | 1 | 52 | 139 |
| AG0+50W 2+38N | 0.9 | 12 | 159 | 3 | 1.3 | 18 | 120 | 1 | 51 | 175 |
| AG0+50W 2+50N | 0.9 | 8 | 209 | 4 | 3.1 | 26 | 162 | 1 | 97 | 428 |
| AG0+50W 2+63N | 2.1 | 21 | 243 | 4 | 2.2 | 30 | 263 | 1 | 122 | 275 |
| AG0+50W 2+75N | 1.5 | <3 | 246 | 4 | 1.8 | 32 | 180 | 1 | 79 | 113 |
| AG0+50W 2+88N | 0.9 | 10 | 212 | 3 | 1.3 | 21 | 90 | 1 | 79 | 217 |
| AG0+50W 3+00N | 0.9 | 15 | 246 | 3 | 1.3 | 23 | 114 | 1 | 62 | 165 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5856

REPORT #: 881075 PA

REQUEST

Page 5 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG0+50W 3+12N | 0.4 | 14 | 113 | <3 | 1.2 | 17 | 69 | 2 | 101 | 220 |
| AG0+50W 3+25N | 0.4 | 9 | 132 | 3 | 1.7 | 21 | 80 | 1 | 90 | 350 |
| AG0+50W 3+38N | 0.1 | 13 | 140 | <3 | 1.2 | 16 | 58 | 2 | 60 | 174 |
| AG0+50W 3+50N | 0.3 | <3 | 125 | <3 | 0.9 | 19 | 70 | 1 | 71 | 127 |
| AG0+50W 3+63N | 0.2 | 4 | 129 | <3 | 0.9 | 19 | 100 | 1 | 57 | 129 |
| AG0+50W 3+75N | 0.1 | 9 | 98 | <3 | 0.6 | 14 | 63 | 1 | 53 | 112 |
| AG0+50W 3+88N | 0.2 | 14 | 141 | <3 | 0.9 | 18 | 80 | 1 | 57 | 161 |
| AG0+50W 4+00N | 0.4 | <3 | 147 | <3 | 0.9 | 17 | 95 | <1 | 56 | 129 |
| AG0+50W 4+12N | 0.9 | 10 | 143 | <3 | 1.2 | 21 | 91 | 1 | 66 | 157 |
| AG0+50W 4+25N | 0.3 | 17 | 129 | <3 | 0.9 | 16 | 82 | 1 | 64 | 160 |
| AG0+50W 4+38N | 0.2 | 23 | 100 | <3 | 0.9 | 15 | 64 | 3 | 49 | 136 |
| AG0+50W 4+50N | 0.2 | 25 | 159 | <3 | 1.1 | 23 | 83 | 2 | 58 | 157 |
| AG0+50W 4+63N | 0.3 | 9 | 246 | 3 | 1.1 | 19 | 94 | 3 | 52 | 142 |
| AG0+50W 4+75N | 0.3 | 15 | 217 | 3 | 1.2 | 23 | 97 | 3 | 65 | 164 |
| AG0+50W 4+88N | 0.2 | 28 | 323 | 3 | 1.4 | 25 | 64 | 1 | 46 | 122 |
| AG0+50W 5+00N | 0.2 | 21 | 291 | <3 | 1.1 | 20 | 47 | <1 | 40 | 115 |
| AG0+50W 5+12N | 0.2 | 18 | 302 | <3 | 1.1 | 21 | 62 | <1 | 38 | 105 |
| AG0+50W 5+25N | 0.2 | 13 | 268 | <3 | 0.9 | 18 | 52 | <1 | 32 | 90 |
| AG0+50W 5+88N | 0.2 | 10 | 404 | <3 | 0.9 | 20 | 54 | <1 | 35 | 109 |
| AG0+50W 6+00N | 0.3 | 26 | 302 | 3 | 1.1 | 24 | 62 | 1 | 44 | 122 |
| AG0+50W 0+00S | 2.2 | 26 | 87 | <3 | 0.5 | 10 | 49 | 3 | 62 | 181 |
| AG0+50W 0+12S | 0.1 | 16 | 111 | <3 | 0.9 | 16 | 67 | 2 | 61 | 196 |
| AG0+50W 0+25S | 0.2 | 16 | 130 | <3 | 0.9 | 24 | 60 | 2 | 58 | 186 |
| AG0+50W 0+38S | 0.1 | 12 | 51 | <3 | 0.8 | 9 | 62 | 3 | 61 | 111 |
| AG0+50W 0+50S | 0.2 | 16 | 49 | <3 | 0.6 | 10 | 47 | 2 | 48 | 132 |
| AG0+50W 0+63S | 0.1 | 17 | 69 | <3 | 0.6 | 15 | 61 | 2 | 63 | 191 |
| AG0+50W 0+75S | 0.1 | 11 | 92 | <3 | 0.4 | 12 | 50 | 2 | 51 | 109 |
| AG0+50W 0+88S | 0.3 | 3 | 104 | <3 | 0.9 | 9 | 51 | 2 | 58 | 86 |
| AG0+50W 1+00S | 0.9 | 17 | 52 | 3 | 0.9 | 4 | 25 | 7 | 52 | 64 |
| AG0+50W 1+12S | 1.1 | 17 | 13 | 3 | 1.4 | 4 | 32 | 12 | 73 | 75 |
| AG0+50W 1+25S | 1.1 | 20 | 40 | <3 | 0.6 | 8 | 28 | 7 | 51 | 61 |
| AG0+50W 1+38S | 1.1 | 14 | 15 | 3 | 1.5 | 2 | 27 | 10 | 79 | 80 |
| AG0+50W 1+50S | 0.1 | 12 | 35 | <3 | 0.4 | 3 | 26 | 4 | 56 | 77 |
| AG0+50W 1+63S | 2.8 | 11 | 37 | <3 | 1.1 | 6 | 58 | 5 | 55 | 85 |
| AG0+50W 1+75S | 1.1 | 20 | 22 | <3 | 0.1 | 4 | 21 | 5 | 25 | 63 |
| AG0+50W 1+88S | 0.4 | 36 | 76 | <3 | 0.9 | 14 | 66 | 2 | 60 | 107 |
| AG0+50W 2+00S | 0.9 | 23 | 25 | <3 | 0.9 | 4 | 24 | 6 | 48 | 60 |
| AG1+00E 0+00N | 0.3 | 19 | 106 | <3 | 0.9 | 10 | 35 | 1 | 49 | 139 |
| AG1+00E 0+12N | 0.2 | 26 | 127 | <3 | 0.9 | 18 | 48 | 4 | 56 | 124 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
(= Less than Minimum is = Insufficient Sample ns = No sample) = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 6 of 20

| Sample Number | Ag ppm | As ppm | Ba ppm | Bi ppm | Cd ppm | Co ppm | Cu ppm | Mo ppm | Pb ppm | Zn ppm |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| AG1+00E 0+25N | 0.4 | 29 | 104 | <3 | 1.1 | 10 | 64 | 6 | 52 | 162 |
| AG1+00E 0+38N | 0.1 | 17 | 247 | 3 | 1.3 | 18 | 51 | 4 | 54 | 230 |
| AG1+00E 0+50N | 3.1 | 16 | 176 | <3 | 1.1 | 15 | 55 | 4 | 47 | 110 |
| AG1+00E 0+63N | 0.3 | 12 | 187 | <3 | 1.3 | 21 | 79 | 3 | 41 | 116 |
| AG1+00E 0+75N | 0.9 | 13 | 106 | <3 | 0.6 | 9 | 40 | 3 | 28 | 97 |
| AG1+00E 0+88N | 0.1 | 10 | 117 | <3 | 1.1 | 9 | 46 | 4 | 52 | 104 |
| AG1+00E 1+00N | 0.2 | 13 | 46 | <3 | 0.6 | 4 | 24 | 7 | 42 | 87 |
| AG1+00E 1+12N | 0.1 | 8 | 49 | <3 | 1.1 | 6 | 28 | 7 | 63 | 144 |
| AG1+00E 1+25N | 0.4 | 12 | 69 | <3 | 0.8 | 7 | 28 | 4 | 43 | 132 |
| AG1+00E 1+38N | 0.4 | 13 | 144 | <3 | 1.1 | 15 | 46 | 2 | 49 | 123 |
| AG1+00E 1+50N | 0.1 | 13 | 110 | <3 | 0.6 | 12 | 26 | 4 | 37 | 138 |
| AG1+00E 1+63N | 1.1 | 10 | 103 | <3 | 1.1 | 10 | 39 | 4 | 47 | 130 |
| AG1+00E 1+75N | 0.2 | 12 | 103 | <3 | 1.2 | 9 | 28 | 4 | 42 | 133 |
| AG1+00E 1+88N | 0.4 | 7 | 63 | <3 | 0.8 | 5 | 27 | 5 | 52 | 100 |
| AG1+00E 2+00N | 0.1 | 10 | 33 | <3 | 1.1 | 4 | 27 | 7 | 53 | 87 |
| AG1+00E 2+12N | 1.1 | 12 | 86 | <3 | 0.8 | 9 | 44 | 3 | 47 | 94 |
| AG1+00E 2+25N | 0.1 | 11 | 48 | <3 | 0.1 | 5 | 18 | 1 | 25 | 50 |
| AG1+00E 2+38N | 1.5 | 11 | 193 | 4 | 1.6 | 33 | 178 | 1 | 60 | 132 |
| AG1+00E 2+50N | 1.1 | 39 | 135 | 4 | 1.6 | 41 | 229 | 1 | 56 | 77 |
| AG1+00E 2+63N | 1.1 | 9 | 124 | <3 | 1.4 | 22 | 83 | 2 | 118 | 397 |
| AG1+00E 2+75N | 1.5 | <3 | 201 | 5 | 1.9 | 35 | 120 | 1 | 57 | 141 |
| AG1+00E 3+00N | 0.2 | 17 | 75 | <3 | 1.1 | 13 | 48 | 3 | 42 | 106 |
| AG1+00E 3+12N | 0.9 | 16 | 139 | <3 | 1.4 | 19 | 75 | 1 | 58 | 130 |
| AG1+00E 3+25N | 1.1 | 27 | 136 | <3 | 1.4 | 20 | 73 | 1 | 60 | 146 |
| AG1+00E 3+38N | 1.1 | 17 | 161 | <3 | 1.4 | 23 | 79 | 1 | 58 | 155 |
| AG1+00E 3+50N | 1.5 | 9 | 157 | 3 | 3.2 | 29 | 136 | 1 | 113 | 365 |
| AG1+00E 3+63N | 2.2 | 10 | 227 | 5 | 5.5 | 51 | 208 | 8 | 167 | 622 |
| AG1+00E 3+75N | 1.1 | <3 | 447 | 4 | 1.8 | 30 | 133 | 1 | 55 | 190 |
| AG1+00E 3+88N | 0.2 | 15 | 194 | <3 | 1.1 | 19 | 80 | 2 | 47 | 146 |
| AG1+00E 4+00N | 1.1 | 13 | 199 | 4 | 2.3 | 29 | 152 | 2 | 63 | 208 |
| AG1+00E 4+63N | 0.3 | 25 | 180 | <3 | 1.2 | 23 | 101 | 3 | 54 | 167 |
| AG1+00E 4+88N | 0.9 | 25 | 224 | 3 | 1.2 | 22 | 114 | 3 | 54 | 164 |
| AG1+00E 5+12N | 0.3 | 13 | 234 | 3 | 1.3 | 25 | 122 | 5 | 58 | 169 |
| AG1+00E 5+38N | 1.1 | 15 | 253 | 4 | 1.4 | 31 | 155 | 4 | 66 | 225 |
| AG1+00E 5+63N | 0.9 | 27 | 257 | 4 | 1.6 | 33 | 138 | 3 | 55 | 198 |
| AG1+00E 5+88N | 0.4 | 15 | 208 | 3 | 1.2 | 28 | 109 | 3 | 58 | 191 |
| AG1+00E 0+12S | 0.4 | 15 | 95 | <3 | 1.1 | 6 | 37 | 6 | 52 | 91 |
| AG1+00E 0+25S | 0.4 | <3 | 53 | <3 | 1.1 | 4 | 29 | 4 | 73 | 72 |
| AG1+00E 0+38S | 0.9 | 12 | 122 | 3 | 1.1 | 13 | 61 | 2 | 71 | 124 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: BB1075 PA

OREQUEST

Page 7 of 20

| Sample Number | Ag ppm | As ppm | Ba ppm | Bi ppm | Cd ppm | Co ppm | Cu ppm | Mo ppm | Pb ppm | Zn ppm |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| AG1+00E 0+50S | 1.5 | 5 | 94 | <3 | 1.2 | 16 | 82 | 3 | 51 | 92 |
| AG1+00E 0+63S | 0.2 | <3 | 145 | <3 | 1.2 | 20 | 92 | 1 | 53 | 91 |
| AG1+00E 0+75S | 0.1 | 3 | 115 | <3 | 1.3 | 23 | 75 | 1 | 54 | 110 |
| AG1+00E 0+88S | 0.9 | 9 | 116 | <3 | 1.1 | 13 | 48 | 2 | 44 | 79 |
| AG1+00E 1+00S | 2.1 | 14 | 79 | <3 | 1.1 | 7 | 39 | 4 | 53 | 87 |
| AG1+00E 1+12S | 0.9 | 15 | 37 | 3 | 1.6 | 5 | 35 | 8 | 60 | 74 |
| AG1+00E 1+25S | 0.2 | 9 | 65 | <3 | 0.3 | 6 | 23 | 3 | 28 | 76 |
| AG1+00E 1+38S | 2.2 | 12 | 70 | <3 | 6.4 | 9 | 28 | 4 | 31 | 76 |
| AG1+00E 1+50S | 0.2 | 11 | 46 | <3 | 0.5 | 6 | 35 | 4 | 40 | 57 |
| AG1+00E 1+63S | 0.9 | 10 | 123 | <3 | 0.8 | 11 | 171 | 2 | 41 | 160 |
| AG1+00E 1+75S | 0.9 | 16 | 117 | <3 | 1.3 | 19 | 236 | 2 | 48 | 153 |
| AG1+00E 1+88S | 0.9 | 16 | 121 | <3 | 1.2 | 19 | 232 | 2 | 47 | 158 |
| AG1+00E 2+00S | 0.4 | 16 | 114 | <3 | 1.3 | 18 | 233 | 3 | 47 | 153 |
| AG1+00W 0+00N | 0.4 | 16 | 26 | <3 | 1.1 | 3 | 30 | 7 | 70 | 73 |
| AG1+00W 0+12N | 0.1 | 21 | 60 | <3 | 0.9 | 8 | 25 | 5 | 41 | 82 |
| AG1+00W 0+25N | 0.1 | 18 | 136 | <3 | 1.1 | 19 | 39 | 5 | 45 | 138 |
| AG1+00W 0+38N | 0.4 | 20 | 78 | <3 | 1.1 | 11 | 38 | <1 | 47 | 93 |
| AG1+00W 0+50N | 0.4 | 19 | 49 | <3 | 0.5 | 6 | 27 | 5 | 42 | 64 |
| AG1+00W 0+63N | 0.9 | 18 | 56 | <3 | 0.9 | 7 | 33 | 4 | 45 | 71 |
| AG1+00W 0+75N | 0.2 | 16 | 122 | <3 | 1.1 | 14 | 36 | 4 | 43 | 151 |
| AG1+00W 0+88N | 0.4 | 17 | 89 | <3 | 0.9 | 9 | 79 | 4 | 60 | 127 |
| AG1+00W 1+00N | 0.2 | 12 | 22 | <3 | 0.5 | 4 | 24 | 8 | 54 | 73 |
| AG1+00W 1+12N | 0.4 | 11 | 29 | <3 | 0.4 | 3 | 20 | 5 | 37 | 61 |
| AG1+00W 1+25N | 0.4 | 16 | 91 | <3 | 0.9 | 12 | 79 | 4 | 62 | 188 |
| AG1+00W 1+38N | 0.4 | 20 | 118 | 3 | 1.1 | 16 | 95 | 3 | 81 | 225 |
| AG1+00W 1+50N | 0.9 | 22 | 117 | 3 | 1.1 | 14 | 112 | 3 | 69 | 227 |
| AG1+00W 1+63N | 0.4 | 16 | 93 | <3 | 1.1 | 11 | 76 | 4 | 55 | 146 |
| AG1+00W 1+75N | 0.2 | 10 | 107 | <3 | 0.8 | 12 | 59 | 3 | 54 | 175 |
| AG1+00W 1+88N | 0.1 | 11 | 63 | <3 | 0.6 | 8 | 37 | 3 | 39 | 95 |
| AG1+00W 2+00N | 0.1 | 20 | 84 | <3 | 1.1 | 15 | 58 | 4 | 63 | 143 |
| AG1+00W 2+12N | 1.2 | 11 | 133 | 3 | 1.1 | 17 | 91 | 3 | 133 | 253 |
| AG1+00W 2+25N | 0.2 | 14 | 80 | <3 | 0.9 | 11 | 65 | 4 | 57 | 146 |
| AG1+00W 2+38N | 0.4 | 12 | 88 | 3 | 1.1 | 11 | 78 | 4 | 55 | 140 |
| AG1+00W 2+50N | 0.9 | 14 | 133 | 3 | 1.1 | 16 | 116 | 3 | 63 | 184 |
| AG1+00W 2+63N | 1.2 | 17 | 192 | 4 | 1.8 | 23 | 190 | 2 | 80 | 287 |
| AG1+00W 2+75N | 1.3 | 10 | 229 | 4 | 1.7 | 28 | 202 | 2 | 68 | 208 |
| AG1+00W 2+88N | 0.1 | 8 | 93 | <3 | 0.9 | 12 | 65 | 2 | 54 | 106 |
| AG1+00W 3+00N | 0.1 | 19 | 108 | 3 | 1.1 | 19 | 62 | 3 | 52 | 119 |
| AG1+00W 3+12N | 0.4 | 18 | 154 | 3 | 1.3 | 21 | 108 | 2 | 74 | 201 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX. 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 8 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG1+00W 3+25N | 0.4 | 16 | 181 | <3 | 2.1 | 21 | 84 | 2 | 100 | 231 |
| AG1+00W 3+38N | 0.9 | 15 | 134 | <3 | 2.3 | 18 | 76 | 2 | 309 | 474 |
| AG1+00W 3+50N | 0.9 | 13 | 155 | 3 | 2.9 | 21 | 92 | 1 | 221 | 426 |
| AG1+00W 3+63N | 0.4 | 12 | 130 | 3 | 2.3 | 20 | 82 | 1 | 97 | 282 |
| AG1+00W 3+75N | 0.9 | 12 | 203 | 3 | 2.2 | 24 | 115 | 1 | 64 | 201 |
| AG1+00W 3+88N | 1.3 | 13 | 281 | 4 | 2.8 | 26 | 134 | 1 | 89 | 326 |
| AG1+00W 4+00N | 0.9 | 15 | 145 | <3 | 1.8 | 20 | 76 | 2 | 63 | 133 |
| AG1+00W 4+12N | 0.9 | 8 | 213 | 4 | 2.2 | 24 | 115 | 1 | 79 | 195 |
| AG1+00W 4+25N | 0.2 | 12 | 114 | <3 | 1.6 | 13 | 64 | 2 | 54 | 141 |
| AG1+00W 4+38N | 0.4 | 8 | 155 | 3 | 1.9 | 19 | 100 | 1 | 60 | 160 |
| AG1+00W 4+50N | 0.9 | 14 | 179 | 3 | 1.8 | 21 | 92 | 1 | 64 | 158 |
| AG1+00W 4+63N | 0.9 | 13 | 177 | 3 | 2.1 | 20 | 90 | 2 | 65 | 163 |
| AG1+00W 4+75N | 0.9 | 13 | 135 | 3 | 1.6 | 18 | 92 | 1 | 69 | 171 |
| AG1+00W 4+88N | 0.9 | 16 | 206 | 4 | 2.4 | 25 | 115 | 1 | 119 | 394 |
| AG1+00W 5+00N | 0.9 | 21 | 371 | 5 | 3.2 | 28 | 107 | 1 | 76 | 251 |
| AG1+00W 5+12N | 0.9 | 15 | 271 | 4 | 1.8 | 24 | 97 | 3 | 56 | 163 |
| AG1+00W 5+25N | 0.4 | 33 | 296 | 3 | 2.1 | 23 | 62 | 1 | 42 | 116 |
| AG1+00W 5+38N | 0.4 | 16 | 283 | <3 | 1.6 | 18 | 49 | 1 | 36 | 95 |
| AG1+00W 5+50N | 0.4 | 13 | 264 | 3 | 1.9 | 19 | 54 | 1 | 36 | 103 |
| AG1+00W 5+63N | 0.4 | 13 | 305 | <3 | 1.7 | 17 | 50 | 1 | 31 | 94 |
| AG1+00W 5+75N | 0.4 | 17 | 277 | <3 | 1.6 | 18 | 53 | 1 | 36 | 103 |
| AG1+00W 5+88N | 0.9 | 32 | 315 | 4 | 2.3 | 26 | 71 | 1 | 44 | 141 |
| AG1+00W 6+00N | 0.4 | 24 | 300 | 3 | 2.1 | 21 | 60 | 1 | 41 | 131 |
| AG1+00W 0+12S | 0.4 | 19 | 134 | <3 | 1.5 | 11 | 37 | 3 | 44 | 127 |
| AG1+00W 0+25S | 0.1 | 16 | 132 | <3 | 1.3 | 14 | 29 | 4 | 45 | 216 |
| AG1+00W 0+38S | 0.2 | 21 | 74 | 3 | 1.7 | 24 | 49 | 5 | 67 | 188 |
| AG1+00W 0+50S | 0.9 | 11 | 20 | <3 | 0.9 | 2 | 18 | 4 | 45 | 47 |
| AG1+00W 0+63S | 2.2 | 14 | 56 | <3 | 1.8 | 11 | 71 | 4 | 41 | 82 |
| AG1+00W 0+75S | 0.9 | 9 | 37 | 4 | 2.1 | 12 | 262 | 3 | 79 | 64 |
| AG1+00W 0+88S | 0.9 | 11 | 43 | <3 | 1.6 | 9 | 118 | 4 | 41 | 50 |
| AG1+00W 1+00S | 0.2 | 14 | 28 | <3 | 1.7 | 4 | 44 | 6 | 57 | 67 |
| AG1+00W 1+12S | 0.1 | 10 | 24 | <3 | 0.5 | 2 | 12 | 2 | 25 | 33 |
| AG1+00W 1+25S | 0.4 | 16 | 47 | <3 | 1.9 | 10 | 86 | 4 | 53 | 98 |
| AG1+00W 1+38S | 0.9 | 18 | 18 | <3 | 1.2 | 4 | 28 | 5 | 44 | 51 |
| AG1+00W 1+50S | 0.9 | 16 | 62 | 3 | 1.9 | 9 | 44 | 6 | 60 | 90 |
| AG1+00W 1+63S | 0.9 | 10 | 56 | <3 | 1.4 | 7 | 49 | 3 | 59 | 82 |
| AG1+00W 1+75S | 1.5 | 18 | 10 | 6 | 2.9 | 2 | 39 | 11 | 92 | 66 |
| AG1+00W 1+88S | 1.5 | 19 | 14 | 3 | 2.1 | 3 | 34 | 8 | 66 | 66 |
| AG1+00W 2+00S | 0.9 | 18 | 37 | <3 | 1.3 | 7 | 37 | 4 | 48 | 63 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 9 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG1+50E 0+00N | 0.1 | 18 | 75 | <3 | 0.6 | 6 | 37 | 4 | 41 | 102 |
| AG1+50E 0+12N | 0.1 | 19 | 90 | <3 | 0.6 | 7 | 38 | 3 | 35 | 114 |
| AG1+50E 0+25N | 0.1 | 24 | 181 | <3 | 1.1 | 14 | 48 | 3 | 41 | 176 |
| AG1+50E 0+38N | 0.9 | 22 | 217 | <3 | 0.9 | 13 | 42 | 2 | 43 | 141 |
| AG1+50E 0+50N | 0.4 | 24 | 210 | 3 | 1.2 | 23 | 92 | 1 | 48 | 110 |
| AG1+50E 0+63N | 0.4 | 25 | 207 | 3 | 1.1 | 22 | 109 | 1 | 47 | 115 |
| AG1+50E 0+75N | 0.4 | 20 | 159 | <3 | 0.9 | 17 | 87 | 1 | 44 | 105 |
| AG1+50E 0+88N | 0.2 | 16 | 184 | <3 | 1.2 | 31 | 121 | 1 | 55 | 118 |
| AG1+50E 1+00N | 0.4 | 19 | 240 | 7 | 1.7 | 21 | 110 | 1 | 57 | 113 |
| AG1+50E 1+12N | 0.4 | 33 | 163 | <3 | 1.1 | 17 | 78 | 2 | 48 | 140 |
| AG1+50E 1+25N | 0.9 | 18 | 226 | <3 | 0.9 | 10 | 35 | 4 | 39 | 125 |
| AG1+50E 1+38N | 0.1 | 15 | 120 | <3 | 0.5 | 9 | 57 | 1 | 40 | 113 |
| AG1+50E 1+50N | 0.9 | 18 | 139 | <3 | 1.1 | 11 | 70 | 2 | 45 | 132 |
| AG1+50E 1+63N | 0.4 | 15 | 117 | <3 | 0.9 | 11 | 68 | 2 | 49 | 142 |
| AG1+50E 1+75N | 0.1 | 16 | 79 | <3 | 0.6 | 7 | 38 | 3 | 42 | 115 |
| AG1+50E 1+88N | 0.4 | 15 | 81 | <3 | 0.5 | 5 | 34 | 3 | 46 | 107 |
| AG1+50E 2+00N | 0.9 | 13 | 108 | <3 | 0.6 | 8 | 42 | 1 | 38 | 97 |
| AG1+50E 2+12N | 1.2 | 10 | 63 | <3 | 0.3 | 4 | 33 | 2 | 44 | 89 |
| AG1+50E 2+25N | 0.4 | 14 | 140 | <3 | 0.6 | 8 | 44 | 2 | 44 | 110 |
| AG1+50E 2+38N | 0.9 | 13 | 97 | <3 | 0.4 | 9 | 32 | 2 | 35 | 110 |
| AG1+50E 2+50N | 0.9 | 13 | 107 | <3 | 0.5 | 8 | 33 | 1 | 33 | 91 |
| AG1+50E 2+63N | 0.2 | 12 | 87 | <3 | 0.8 | 9 | 39 | 2 | 44 | 124 |
| AG1+50E 2+75N | 0.1 | 13 | 51 | <3 | 0.6 | 8 | 36 | 3 | 51 | 125 |
| AG1+50E 2+88N | 0.2 | 16 | 65 | <3 | 1.1 | 11 | 46 | 4 | 51 | 143 |
| AG1+50E 3+00N | 0.2 | 23 | 97 | <3 | 1.1 | 17 | 67 | 4 | 54 | 163 |
| AG1+50E 3+12N | 0.2 | 22 | 48 | <3 | 1.1 | 10 | 55 | 5 | 60 | 141 |
| AG1+50E 3+25N | 0.1 | 16 | 72 | <3 | 0.8 | 9 | 52 | 3 | 52 | 145 |
| AG1+50E 3+38N | 0.1 | 12 | 63 | <3 | 0.3 | 5 | 29 | 4 | 42 | 100 |
| AG1+50E 3+50N | 0.1 | 16 | 142 | <3 | 0.9 | 11 | 60 | 2 | 43 | 154 |
| AG1+50E 3+63N | 0.1 | 15 | 46 | <3 | 0.3 | 4 | 24 | 4 | 41 | 87 |
| AG1+50E 3+75N | 0.9 | 8 | 364 | 5 | 1.1 | 31 | 114 | 1 | 47 | 147 |
| AG1+50E 3+88N | 0.1 | 12 | 200 | <3 | 0.6 | 12 | 63 | 1 | 38 | 118 |
| AG1+50E 4+00N | 0.1 | 16 | 82 | <3 | 0.5 | 5 | 27 | 3 | 56 | 119 |
| AG1+50E 5+12N | 0.9 | 26 | 290 | 6 | 2.2 | 46 | 204 | 8 | 69 | 220 |
| AG1+50E 5+25N | 0.9 | 21 | 275 | 5 | 2.1 | 38 | 168 | 6 | 51 | 230 |
| AG1+50E 5+38N | 0.9 | 14 | 342 | 5 | 1.3 | 31 | 133 | 2 | 49 | 177 |
| AG1+50E 5+50N | 0.9 | 90 | 241 | 5 | 1.3 | 36 | 123 | 2 | 53 | 182 |
| AG1+50E 5+63N | 0.4 | 22 | 207 | 3 | 1.2 | 22 | 105 | 4 | 51 | 195 |
| AG1+50E 5+75N | 0.4 | 9 | 300 | 4 | 1.1 | 20 | 93 | 2 | 49 | 169 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 10 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG1+50E 5+88N | 0.4 | 18 | 253 | <3 | 1.1 | 21 | 89 | 2 | 49 | 136 |
| AG1+50E 6+00N | 0.4 | 15 | 251 | 3 | 1.1 | 22 | 96 | 2 | 49 | 146 |
| AG1+50E 0+12S | 0.8 | 17 | 161 | <3 | 0.2 | 12 | 36 | 3 | 45 | 123 |
| AG1+50E 0+25S | 0.8 | 17 | 94 | <3 | 0.1 | 7 | 24 | 2 | 33 | 79 |
| AG1+50E 0+38S | 0.8 | 29 | 478 | 3 | 0.8 | 20 | 102 | 1 | 52 | 150 |
| AG1+50E 0+50S | 0.8 | 5 | 569 | 4 | 1.2 | 21 | 81 | 2 | 47 | 141 |
| AG1+50E 0+63S | 0.8 | 18 | 426 | 3 | 1.1 | 17 | 53 | 2 | 49 | 136 |
| AG1+50E 0+75S | 0.4 | 16 | 231 | <3 | 0.7 | 16 | 60 | 2 | 55 | 108 |
| AG1+50E 0+88S | 0.4 | 18 | 243 | <3 | 0.8 | 14 | 67 | 2 | 66 | 149 |
| AG1+50E 1+00S | 7.5 | 14 | 146 | 3 | 1.1 | 11 | 50 | 2 | 47 | 91 |
| AG1+50E 1+12S | 0.8 | 18 | 40 | 3 | 0.8 | 5 | 38 | 7 | 63 | 69 |
| AG1+50E 1+25S | 2.1 | 18 | 64 | <3 | 0.2 | 6 | 21 | 6 | 42 | 88 |
| AG1+50E 1+38S | 1.2 | 264 | 53 | <3 | 0.2 | 5 | 28 | 6 | 55 | 95 |
| AG1+50E 1+50S | 0.4 | 118 | 45 | <3 | 0.7 | 6 | 42 | 6 | 72 | 113 |
| AG1+50E 1+63S | 0.8 | 75 | 26 | <3 | 0.7 | 5 | 30 | 6 | 81 | 74 |
| AG1+50E 1+75S | 0.8 | 24 | 36 | <3 | 0.7 | 8 | 56 | 7 | 80 | 188 |
| AG1+50E 1+88S | 2.1 | 24 | 33 | 3 | 1.1 | 9 | 45 | 6 | 53 | 59 |
| AG1+50E 2+00S | 1.2 | 21 | 10 | 4 | 1.4 | 3 | 38 | 12 | 75 | 72 |
| AG2+00E 0+00N | 0.8 | 19 | 319 | <3 | 0.8 | 11 | 36 | 5 | 53 | 164 |
| AG2+00E 0+12N | 0.2 | 19 | 161 | <3 | 0.3 | 11 | 40 | 3 | 42 | 112 |
| AG2+00E 0+25N | 0.2 | 18 | 93 | <3 | 0.5 | 7 | 29 | 7 | 44 | 120 |
| AG2+00E 0+38N | 0.4 | 21 | 113 | <3 | 0.5 | 11 | 47 | 4 | 52 | 116 |
| AG2+00E 0+50N | 0.2 | 19 | 157 | <3 | 0.7 | 18 | 53 | 3 | 56 | 153 |
| AG2+00E 0+63N | 0.8 | 33 | 131 | <3 | 0.7 | 18 | 85 | 2 | 97 | 130 |
| AG2+00E 0+75N | 0.8 | 47 | 188 | 3 | 1.1 | 29 | 118 | 3 | 55 | 200 |
| AG2+00E 0+88N | 0.8 | 66 | 236 | 5 | 1.7 | 45 | 208 | 3 | 73 | 125 |
| AG2+00E 1+00N | 0.1 | 26 | 145 | <3 | 0.7 | 10 | 44 | 3 | 49 | 124 |
| AG2+00E 1+12N | 0.4 | 18 | 76 | <3 | 0.5 | 7 | 35 | 5 | 43 | 130 |
| AG2+00E 1+25N | 0.1 | 22 | 73 | <3 | 0.3 | 7 | 36 | 4 | 43 | 126 |
| AG2+00E 1+38N | 0.1 | 18 | 138 | <3 | 0.5 | 11 | 33 | 3 | 35 | 97 |
| AG2+00E 1+50N | 0.1 | 23 | 108 | <3 | 0.5 | 10 | 43 | 3 | 39 | 94 |
| AG2+00E 1+63N | 0.1 | 21 | 149 | <3 | 0.2 | 8 | 33 | 2 | 33 | 91 |
| AG2+00E 1+75N | 0.1 | 16 | 102 | <3 | 0.5 | 9 | 50 | 2 | 41 | 84 |
| AG2+00E 1+88N | 0.1 | 21 | 112 | <3 | 0.3 | 10 | 39 | 2 | 35 | 70 |
| AG2+00E 2+00N | 0.2 | 28 | 163 | <3 | 0.7 | 23 | 86 | 2 | 59 | 106 |
| AG2+00E 2+12N | 0.1 | 34 | 102 | <3 | 0.5 | 13 | 60 | 2 | 48 | 110 |
| AG2+00E 2+25N | 0.1 | 19 | 81 | <3 | 0.2 | 7 | 32 | 4 | 45 | 73 |
| AG2+00E 2+38N | 0.2 | 32 | 125 | <3 | 0.3 | 13 | 49 | 3 | 41 | 110 |
| AG2+00E 2+50N | 0.4 | 37 | 281 | <3 | 0.6 | 23 | 86 | 2 | 43 | 130 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 11 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG2+00E 2+63N | 0.2 | 10 | 303 | <3 | 1.1 | 28 | 106 | <1 | 40 | 123 |
| AG2+00E 2+75N | 0.2 | 4 | 290 | <3 | 1.1 | 28 | 109 | <1 | 42 | 141 |
| AG2+00E 2+88N | 0.4 | <3 | 321 | <3 | 1.8 | 39 | 134 | 1 | 48 | 193 |
| AG2+00E 3+00N | 0.6 | 15 | 162 | <3 | 1.6 | 26 | 105 | 1 | 52 | 235 |
| AG2+00E 3+12N | 0.1 | <3 | 119 | 3 | 1.6 | 28 | 225 | <1 | 47 | 209 |
| AG2+00E 3+25N | 0.2 | <3 | 144 | <3 | 0.8 | 10 | 56 | 1 | 39 | 123 |
| AG2+00E 3+38N | 0.1 | <3 | 116 | <3 | 0.8 | 11 | 49 | 1 | 37 | 108 |
| AG2+00E 3+50N | 0.1 | <3 | 342 | <3 | 0.8 | 15 | 74 | 1 | 30 | 138 |
| AG2+00E 3+63N | 0.2 | <3 | 388 | <3 | 1.1 | 20 | 92 | 1 | 36 | 144 |
| AG2+00E 3+75N | 0.1 | <3 | 162 | <3 | 1.1 | 13 | 74 | 1 | 37 | 131 |
| AG2+00E 3+88N | 0.4 | 24 | 409 | 3 | 1.6 | 34 | 143 | <1 | 41 | 206 |
| AG2+00E 4+00N | 2.3 | 133 | 207 | 3 | 2.5 | 27 | 157 | <1 | 113 | 362 |
| AG2+00E 4+12N | 0.9 | <3 | 209 | 3 | 1.6 | 25 | 147 | 1 | 55 | 177 |
| AG2+00E 4+25N | 0.1 | 19 | 170 | <3 | 1.3 | 25 | 77 | 1 | 45 | 155 |
| AG2+00E 4+38N | 0.6 | 25 | 262 | <3 | 1.6 | 27 | 118 | 1 | 47 | 143 |
| AG2+00E 4+50N | 0.9 | 39 | 192 | 3 | 1.8 | 26 | 136 | <1 | 56 | 170 |
| AG2+00E 4+63N | 0.2 | <3 | 188 | <3 | 1.3 | 21 | 96 | 1 | 45 | 146 |
| AG2+00E 4+75N | 0.6 | <3 | 184 | <3 | 1.4 | 24 | 97 | 1 | 55 | 198 |
| AG2+00E 4+88N | 1.2 | <3 | 112 | <3 | 1.1 | 8 | 37 | 2 | 72 | 178 |
| AG2+00E 5+00N | 0.6 | <3 | 213 | <3 | 1.6 | 35 | 130 | 3 | 55 | 178 |
| AG2+00E 5+38N | 0.9 | <3 | 304 | 4 | 1.8 | 41 | 150 | 1 | 51 | 180 |
| AG2+00E 5+50N | 0.9 | <3 | 334 | <3 | 1.6 | 33 | 128 | 1 | 55 | 169 |
| AG2+00E 5+63N | 0.9 | <3 | 432 | <3 | 1.4 | 29 | 125 | 1 | 47 | 164 |
| AG2+00E 5+75N | 0.4 | <3 | 255 | <3 | 1.1 | 21 | 95 | 1 | 45 | 135 |
| AG2+00E 5+88N | 0.9 | <3 | 405 | 3 | 1.8 | 30 | 130 | 1 | 51 | 156 |
| AG2+00E 6+00N | 0.9 | <3 | 266 | 3 | 1.4 | 28 | 103 | 1 | 46 | 134 |
| AG2+00E 0+12S | 2.3 | 6 | 74 | <3 | 0.6 | 9 | 35 | 4 | 47 | 108 |
| AG2+00E 0+25S | 2.2 | 4 | 77 | <3 | 0.8 | 9 | 28 | 5 | 47 | 88 |
| AG2+00E 0+38S | 3.6 | 13 | 158 | <3 | 0.6 | 11 | 34 | 4 | 40 | 87 |
| AG2+00E 0+50S | 1.1 | 11 | 58 | <3 | 0.1 | 5 | 22 | 4 | 35 | 59 |
| AG2+00E 0+63S | 1.1 | 13 | 109 | <3 | 0.6 | 9 | 47 | 5 | 54 | 97 |
| AG2+00E 0+75S | 0.2 | 4 | 99 | <3 | 0.3 | 10 | 30 | 3 | 39 | 84 |
| AG2+00E 0+88S | 0.2 | 7 | 172 | <3 | 0.6 | 13 | 32 | 3 | 44 | 90 |
| AG2+00E 1+00S | 1.2 | 6 | 318 | <3 | 0.6 | 15 | 51 | 2 | 34 | 98 |
| AG2+00E 1+12S | 1.1 | 6 | 87 | <3 | 0.9 | 7 | 32 | 5 | 57 | 94 |
| AG2+00E 1+25S | 0.9 | 20 | 56 | <3 | 0.8 | 8 | 38 | 6 | 55 | 69 |
| AG2+00E 1+38S | 0.9 | 20 | 27 | <3 | 0.5 | 6 | 30 | 6 | 46 | 45 |
| AG2+00E 1+50S | 0.9 | 21 | 37 | <3 | 0.6 | 7 | 32 | 5 | 45 | 48 |
| AG2+00E 1+63S | 0.1 | 6 | 47 | <3 | 0.6 | 5 | 23 | 4 | 62 | 85 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 12 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG2+00E 1+75S | 2.8 | 17 | 19 | <3 | 0.3 | 4 | 23 | 3 | 41 | 58 |
| AG2+00E 1+88S | 0.1 | 16 | 24 | <3 | 0.1 | 3 | 28 | 9 | 33 | 62 |
| AG2+00E 2+00S | 0.1 | 8 | 52 | <3 | 0.5 | 3 | 20 | 3 | 34 | 86 |
| AG2+00W 0+00N | 0.1 | <3 | 65 | <3 | 0.6 | 7 | 37 | 5 | 57 | 100 |
| AG2+00W 0+12N | 0.1 | 9 | 96 | <3 | 0.7 | 13 | 61 | 2 | 48 | 141 |
| AG2+00W 0+25N | 0.1 | 4 | 24 | <3 | 0.2 | 3 | 24 | 6 | 56 | 70 |
| AG2+00W 0+38N | 0.5 | <3 | 74 | <3 | 0.6 | 8 | 31 | 4 | 58 | 87 |
| AG2+00W 0+50N | 0.1 | 3 | 178 | <3 | 0.6 | 12 | 45 | 2 | 39 | 96 |
| AG2+00W 0+63N | 0.1 | 5 | 48 | <3 | 0.3 | 5 | 22 | 4 | 44 | 75 |
| AG2+00W 0+75N | 0.1 | <3 | 135 | <3 | 0.6 | 12 | 59 | 2 | 42 | 111 |
| AG2+00W 0+88N | 0.1 | 8 | 117 | <3 | 0.7 | 18 | 77 | 1 | 56 | 128 |
| AG2+00W 1+00N | 1.1 | <3 | 30 | <3 | 0.3 | 4 | 27 | 5 | 67 | 88 |
| AG2+00W 1+12N | 0.1 | 6 | 24 | <3 | 0.1 | 4 | 26 | 5 | 57 | 75 |
| AG2+00W 1+25N | 0.5 | 6 | 81 | <3 | 0.7 | 12 | 45 | 4 | 63 | 133 |
| AG2+00W 1+38N | 0.1 | 7 | 54 | <3 | 0.3 | 11 | 40 | 4 | 53 | 100 |
| AG2+00W 1+50N | 0.6 | 11 | 105 | <3 | 0.7 | 15 | 66 | 3 | 60 | 144 |
| AG2+00W 1+63N | 0.6 | 16 | 140 | <3 | 0.7 | 18 | 83 | 2 | 71 | 201 |
| AG2+00W 1+75N | 0.6 | 12 | 151 | <3 | 0.7 | 14 | 87 | 2 | 81 | 181 |
| AG2+00W 1+88N | 0.6 | 9 | 160 | 3 | 0.7 | 19 | 81 | 2 | 73 | 153 |
| AG2+00W 2+00N | 0.6 | 4 | 134 | <3 | 0.8 | 16 | 80 | 1 | 55 | 114 |
| AG2+00W 2+12N | 1.1 | 5 | 263 | 4 | 0.8 | 26 | 98 | 1 | 54 | 120 |
| AG2+00W 2+25N | 0.6 | 5 | 143 | <3 | 0.8 | 19 | 117 | 1 | 64 | 155 |
| AG2+00W 2+38N | 1.1 | 9 | 204 | 3 | 1.1 | 24 | 130 | 1 | 66 | 142 |
| AG2+00W 2+50N | 0.6 | 8 | 199 | 3 | 0.7 | 20 | 99 | 1 | 61 | 147 |
| AG2+00W 2+63N | 1.1 | 10 | 455 | 5 | 1.5 | 28 | 137 | 1 | 65 | 247 |
| AG2+00W 2+75N | 0.6 | 4 | 154 | <3 | 1.1 | 17 | 77 | 2 | 57 | 137 |
| AG2+00W 2+88N | 0.6 | 11 | 308 | 4 | 1.5 | 31 | 106 | 1 | 62 | 173 |
| AG2+00W 3+00N | 0.6 | 10 | 197 | 3 | 0.8 | 21 | 99 | 1 | 63 | 159 |
| AG2+00W 3+12N | 0.6 | 8 | 240 | 3 | 1.1 | 24 | 113 | 2 | 78 | 208 |
| AG2+00W 3+25N | 0.5 | 11 | 130 | <3 | 1.1 | 13 | 54 | 2 | 62 | 129 |
| AG2+00W 3+38N | 1.1 | 9 | 205 | 3 | 1.2 | 25 | 100 | 2 | 76 | 216 |
| AG2+00W 3+50N | 0.6 | 17 | 218 | <3 | 1.1 | 21 | 95 | 2 | 74 | 218 |
| AG2+00W 3+63N | 0.5 | 19 | 190 | 3 | 1.1 | 22 | 79 | 2 | 64 | 164 |
| AG2+00W 3+75N | 0.6 | 11 | 163 | <3 | 0.8 | 16 | 62 | 2 | 65 | 127 |
| AG2+00W 3+88N | 0.6 | 16 | 179 | <3 | 1.1 | 17 | 97 | 2 | 67 | 172 |
| AG2+00W 4+00N | 1.1 | 25 | 308 | 3 | 1.5 | 26 | 114 | 2 | 72 | 206 |
| AG2+00W 4+12N | 1.5 | 18 | 372 | 3 | 1.9 | 30 | 138 | 2 | 75 | 253 |
| AG2+00W 4+25N | 1.1 | 26 | 364 | 3 | 1.5 | 26 | 118 | 2 | 72 | 191 |
| AG2+00W 4+38N | 0.6 | 26 | 347 | <3 | 1.1 | 21 | 112 | 2 | 53 | 130 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 13 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG2+00W 4+50N | 0.4 | 19 | 278 | <3 | 1.3 | 24 | 76 | 1 | 50 | 148 |
| AG2+00W 4+63N | 0.4 | 20 | 296 | <3 | 1.6 | 27 | 115 | 2 | 71 | 208 |
| AG2+00W 4+75N | 0.4 | 33 | 342 | 3 | 1.5 | 32 | 101 | 2 | 65 | 154 |
| AG2+00W 4+88N | 0.4 | 18 | 295 | 3 | 1.3 | 24 | 73 | 1 | 43 | 136 |
| AG2+00W 5+00N | 0.4 | 22 | 291 | <3 | 1.1 | 21 | 88 | 1 | 48 | 145 |
| AG2+00W 5+12N | 0.3 | 21 | 388 | 3 | 1.5 | 24 | 60 | 1 | 44 | 122 |
| AG2+00W 5+25N | 0.3 | 25 | 266 | <3 | 1.3 | 22 | 60 | 2 | 45 | 152 |
| AG2+00W 5+38N | 0.4 | 20 | 348 | <3 | 1.8 | 26 | 75 | 1 | 50 | 177 |
| AG2+00W 5+50N | 0.4 | 11 | 362 | 3 | 1.6 | 26 | 76 | 1 | 44 | 136 |
| AG2+00W 5+63N | 0.4 | 25 | 378 | 3 | 1.6 | 27 | 80 | 1 | 50 | 167 |
| AG2+00W 5+75N | 0.4 | 24 | 379 | 3 | 1.6 | 30 | 90 | 2 | 49 | 149 |
| AG2+00W 5+88N | 0.9 | 21 | 334 | 3 | 1.6 | 27 | 77 | 1 | 48 | 154 |
| AG2+00W 6+00N | 0.4 | 29 | 323 | <3 | 1.6 | 21 | 67 | 1 | 46 | 160 |
| AG2+00W 0+12S | 0.1 | 10 | 41 | <3 | 0.8 | 5 | 21 | 9 | 56 | 96 |
| AG2+00W 0+25S | 0.4 | 17 | 31 | <3 | 0.6 | 4 | 25 | 7 | 58 | 71 |
| AG2+00W 0+38S | 0.3 | 16 | 32 | <3 | 0.8 | 6 | 22 | 7 | 50 | 82 |
| AG2+00W 0+63S | 0.9 | 14 | 124 | <3 | 1.3 | 19 | 99 | 3 | 48 | 199 |
| AG2+00W 0+75S | 0.9 | 15 | 80 | <3 | 1.1 | 20 | 159 | 4 | 54 | 178 |
| AG2+00W 0+88S | 0.3 | 17 | 49 | <3 | 0.8 | 9 | 50 | 6 | 60 | 117 |
| AG2+00W 1+00S | 0.3 | 16 | 22 | <3 | 0.8 | 3 | 35 | 8 | 73 | 66 |
| AG2+00W 1+12S | 0.4 | 18 | 20 | <3 | 1.1 | 2 | 24 | 10 | 75 | 70 |
| AG2+00W 1+25S | 0.9 | 21 | 17 | <3 | 1.1 | 3 | 26 | 12 | 73 | 67 |
| AG2+00W 1+38S | 2.1 | 14 | 17 | <3 | 1.3 | 3 | 26 | 10 | 91 | 86 |
| AG2+00W 1+50S | 0.4 | 19 | 73 | <3 | 0.8 | 6 | 25 | 6 | 63 | 79 |
| AG2+00W 1+63S | 0.9 | 16 | 116 | <3 | 1.1 | 6 | 27 | 7 | 55 | 83 |
| AG2+00W 1+75S | 0.3 | 12 | 85 | <3 | 0.6 | 7 | 38 | 4 | 47 | 80 |
| AG2+00W 1+88S | 0.4 | 14 | 48 | <3 | 1.1 | 7 | 23 | 4 | 47 | 75 |
| AG2+00W 2+00S | 1.2 | 23 | 27 | <3 | 1.1 | 6 | 38 | 10 | 81 | 92 |
| AG2+50E 0+00N | 0.4 | 15 | 447 | <3 | 0.8 | 19 | 77 | 2 | 45 | 128 |
| AG2+50E 0+12N | 1.1 | 16 | 521 | 3 | 1.1 | 30 | 126 | 2 | 52 | 180 |
| AG2+50E 0+25N | 0.4 | 15 | 487 | <3 | 1.1 | 26 | 94 | 2 | 42 | 119 |
| AG2+50E 0+38N | 0.9 | 27 | 429 | 3 | 1.1 | 40 | 107 | 2 | 48 | 111 |
| AG2+50E 0+50N | 2.5 | 11 | 544 | 3 | 1.3 | 44 | 222 | 3 | 56 | 118 |
| AG2+50E 0+63N | 0.9 | 23 | 175 | <3 | 0.8 | 23 | 105 | 2 | 57 | 121 |
| AG2+50E 0+75N | 0.1 | 26 | 178 | <3 | 1.1 | 17 | 96 | 2 | 49 | 126 |
| AG2+50E 0+88N | 1.2 | 45 | 245 | 3 | 1.6 | 33 | 230 | 2 | 60 | 107 |
| AG2+50E 1+00N | 0.3 | 35 | 180 | <3 | 1.1 | 23 | 108 | 3 | 74 | 180 |
| AG2+50E 1+12N | 0.3 | 38 | 232 | <3 | 1.6 | 24 | 127 | 2 | 94 | 303 |
| AG2+50E 1+25N | 0.4 | 33 | 349 | 3 | 1.6 | 33 | 152 | 2 | 58 | 143 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881075 PA

OREQUEST

Page 14 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG2+50E 1+38N | 0.1 | 18 | 89 | <3 | 0.9 | 16 | 55 | 5 | 48 | 131 |
| AG2+50E 1+50N | 0.1 | 12 | 80 | <3 | 0.5 | 6 | 35 | 4 | 44 | 92 |
| AG2+50E 1+63N | 0.1 | 16 | 109 | <3 | 0.9 | 10 | 50 | 2 | 45 | 131 |
| AG2+50E 1+75N | 0.1 | 15 | 116 | <3 | 0.9 | 13 | 51 | 2 | 39 | 135 |
| AG2+50E 1+88N | 0.1 | 12 | 120 | <3 | 1.1 | 14 | 61 | 1 | 45 | 141 |
| AG2+50E 2+00N | 0.1 | 16 | 125 | <3 | 0.6 | 14 | 52 | 1 | 32 | 120 |
| AG2+50E 2+12N | 0.3 | 22 | 121 | <3 | 0.9 | 15 | 92 | 1 | 42 | 128 |
| AG2+50E 2+25N | 0.3 | 19 | 141 | <3 | 0.9 | 17 | 74 | 1 | 38 | 159 |
| AG2+50E 2+38N | 0.9 | 47 | 147 | <3 | 1.6 | 26 | 144 | 2 | 60 | 197 |
| AG2+50E 2+50N | 0.1 | 27 | 139 | <3 | 0.9 | 19 | 78 | 2 | 55 | 159 |
| AG2+50E 2+63N | 0.1 | 24 | 62 | <3 | 0.6 | 8 | 39 | 4 | 46 | 126 |
| AG2+50E 2+75N | 1.2 | 90 | 245 | 3 | 1.2 | 25 | 128 | 2 | 46 | 141 |
| AG2+50E 2+88N | 0.9 | 102 | 218 | 3 | 1.1 | 25 | 122 | 2 | 46 | 148 |
| AG2+50E 3+00N | 1.1 | 62 | 242 | 3 | 1.4 | 28 | 149 | 2 | 44 | 156 |
| AG2+50E 3+12N | 0.9 | 44 | 206 | 3 | 1.1 | 25 | 112 | 4 | 46 | 138 |
| AG2+50E 3+25N | 1.1 | 120 | 236 | 3 | 1.2 | 30 | 112 | 4 | 43 | 155 |
| AG2+50E 3+38N | 0.4 | 19 | 209 | 3 | 1.2 | 41 | 195 | 7 | 42 | 147 |
| AG2+50E 3+50N | 0.1 | 18 | 39 | <3 | 0.6 | 5 | 25 | 5 | 42 | 92 |
| AG2+50E 3+63N | 0.3 | 23 | 34 | <3 | 0.9 | 6 | 33 | 6 | 56 | 120 |
| AG2+50E 3+75N | 0.4 | 26 | 65 | <3 | 0.9 | 10 | 55 | 6 | 50 | 148 |
| AG2+50E 3+88NA | 0.1 | 24 | 109 | <3 | 0.6 | 12 | 58 | 5 | 46 | 164 |
| AG2+50E 3+88NB | 0.4 | 30 | 182 | 3 | 1.2 | 26 | 95 | 4 | 52 | 252 |
| AG2+50E 4+00NA | 0.4 | 17 | 449 | 4 | 1.4 | 33 | 144 | 4 | 43 | 161 |
| AG2+50E 4+00NB | 0.3 | 27 | 119 | <3 | 1.2 | 18 | 78 | 3 | 55 | 202 |
| AG2+50E 4+12N | 0.3 | 86 | 113 | <3 | 1.2 | 20 | 136 | 2 | 51 | 199 |
| AG2+50E 4+25N | 0.4 | 93 | 169 | 3 | 1.4 | 30 | 144 | 1 | 57 | 196 |
| AG2+50E 4+38N | 0.4 | 40 | 156 | <3 | 1.1 | 20 | 90 | 2 | 52 | 208 |
| AG2+50E 4+50N | 0.3 | 48 | 181 | <3 | 1.1 | 25 | 106 | 2 | 52 | 173 |
| AG2+50E 4+63N | 0.1 | 32 | 147 | 3 | 1.2 | 22 | 89 | 2 | 52 | 144 |
| AG2+50E 4+75N | 0.3 | 29 | 150 | <3 | 1.2 | 22 | 134 | 2 | 45 | 166 |
| AG2+50E 4+88N | 0.4 | 13 | 200 | 3 | 1.4 | 26 | 91 | 2 | 46 | 141 |
| AG2+50E 5+00N | 0.3 | 37 | 245 | <3 | 1.2 | 26 | 101 | 1 | 54 | 158 |
| AG2+50E 5+12N | 0.9 | 65 | 321 | 3 | 1.7 | 39 | 173 | 2 | 58 | 203 |
| AG2+50E 5+25NA | 0.4 | 27 | 344 | 5 | 1.9 | 39 | 177 | 2 | 62 | 197 |
| AG2+50E 5+25NB | 0.4 | 21 | 368 | 3 | 1.2 | 31 | 116 | 2 | 48 | 147 |
| AG2+50E 5+50N | 0.4 | 15 | 316 | 3 | 1.6 | 36 | 138 | 2 | 52 | 174 |
| AG2+50E 5+63N | 0.4 | 25 | 384 | 4 | 1.6 | 36 | 155 | 2 | 52 | 147 |
| AG2+50E 5+88N | 0.4 | 24 | 273 | 3 | 1.4 | 31 | 139 | 1 | 48 | 152 |
| AG2+50E 6+00N | 0.4 | 19 | 289 | 4 | 1.7 | 29 | 147 | 2 | 54 | 172 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
 1521 PEMBERTON AVE
 NORTH VANCOUVER, B.C. V7P 2S3
 (604) 986-5211 TELEX 04-352578

BRANCH OFFICE
 1630 PANDORA ST
 VANCOUVER, B.C. V5L 1L6
 (604) 251-5656

REPORT #: B81075 PA

OREQUEST

Page 15 of 20

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| A62+50E 0+12S | 0.4 | <3 | 465 | <3 | 0.7 | 22 | 85 | 2 | 39 | 136 |
| A62+50E 0+25S | 0.3 | <3 | 309 | <3 | 0.8 | 17 | 63 | 1 | 41 | 129 |
| A62+50E 0+38S | 0.4 | <3 | 273 | <3 | 0.7 | 14 | 61 | 2 | 49 | 138 |
| A62+50E 0+50S | 0.5 | 6 | 143 | <3 | 0.9 | 12 | 88 | 2 | 55 | 91 |
| A62+50E 0+63S | 1.1 | <3 | 132 | <3 | 0.6 | 12 | 82 | 2 | 51 | 103 |
| A62+50E 0+75S | 0.5 | <3 | 134 | <3 | 0.7 | 13 | 73 | 1 | 48 | 112 |
| A62+50E 0+88S | 0.4 | 9 | 140 | <3 | 0.5 | 12 | 41 | 2 | 37 | 105 |
| A62+50E 1+00S | 0.5 | <3 | 94 | <3 | 1.1 | 17 | 74 | 1 | 93 | 155 |
| A62+50E 1+12S | 0.4 | 5 | 109 | <3 | 0.8 | 17 | 57 | 2 | 63 | 141 |
| A62+50E 1+25S | 0.4 | 49 | 72 | <3 | 0.6 | 15 | 61 | 2 | 53 | 80 |
| A62+50E 1+38S | 0.5 | 65 | 60 | <3 | 0.7 | 15 | 57 | 2 | 47 | 82 |
| A62+50E 1+50S | 0.3 | 13 | 62 | <3 | 0.3 | 10 | 34 | 3 | 36 | 84 |
| A62+50E 1+63S | 0.4 | 10 | 66 | <3 | 0.5 | 10 | 36 | 4 | 48 | 97 |
| A62+50E 1+75S | 0.4 | 9 | 45 | <3 | 0.5 | 10 | 51 | 3 | 42 | 87 |
| A62+50E 1+88S | 1.1 | 8 | 80 | <3 | 0.7 | 4 | 22 | 7 | 72 | 82 |
| A62+50E 2+00S | 0.4 | 13 | 29 | <3 | 0.6 | 4 | 27 | 7 | 63 | 61 |
| A63+00E 0+12S | 0.5 | 16 | 362 | 3 | 1.1 | 21 | 72 | 3 | 61 | 148 |
| A63+00E 0+50S | 0.4 | 15 | 262 | <3 | 1.1 | 18 | 55 | 3 | 57 | 158 |
| A63+00E 0+75S | 0.5 | 14 | 141 | <3 | 0.9 | 11 | 39 | 3 | 47 | 102 |
| A63+00E 1+00S | 0.4 | 15 | 109 | <3 | 0.7 | 12 | 60 | 4 | 71 | 109 |
| A63+00E 1+25S | 0.4 | 3 | 72 | <3 | 0.5 | 12 | 63 | 2 | 48 | 82 |
| A63+00E 1+50S | 0.4 | 30 | 49 | 3 | 1.1 | 13 | 92 | 4 | 76 | 116 |
| A63+00E 1+63S | 0.5 | 84 | 69 | 3 | 1.8 | 32 | 137 | 4 | 99 | 214 |
| A63+00E 1+75S | 1.1 | 94 | 266 | 6 | 1.9 | 48 | 128 | 4 | 55 | 192 |
| A63+00E 1+88S | 0.4 | 22 | 66 | <3 | 0.7 | 12 | 85 | 5 | 38 | 74 |
| A63+00E 2+00S | 0.5 | 12 | 44 | <3 | 0.6 | 12 | 66 | 4 | 51 | 68 |
| 02-1BC 0+00N | 0.5 | 18 | 42 | 3 | 1.1 | 12 | 37 | 5 | 53 | 72 |
| 02-1BC 0+50N | 0.5 | 30 | 56 | 3 | 0.7 | 13 | 37 | 5 | 52 | 62 |
| 02-1BC 1+00N | 0.4 | 6 | 122 | 3 | 1.4 | 18 | 37 | 4 | 58 | 195 |
| 02-1BC 1+50N | 0.4 | 3 | 118 | 3 | 1.3 | 20 | 52 | 3 | 58 | 185 |
| 02-1BC 2+00N | 0.4 | 8 | 96 | 3 | 1.1 | 16 | 47 | 5 | 67 | 181 |
| 02-1BC 2+50N | 0.5 | <3 | 31 | <3 | 0.6 | 7 | 23 | 6 | 69 | 116 |
| 02-1BC 3+00N | 0.5 | <3 | 45 | <3 | 0.7 | 6 | 22 | 5 | 82 | 106 |
| 02-1BC 3+50N | 0.4 | 40 | 122 | 3 | 0.9 | 18 | 76 | 4 | 53 | 149 |
| 02-1BC 4+00N | 0.5 | 29 | 77 | 3 | 1.1 | 12 | 55 | 6 | 60 | 154 |
| 02-1BC 5+00N | 0.4 | 10 | 28 | <3 | 0.1 | 7 | 18 | 3 | 21 | 26 |
| 02-1BC 5+50N | 0.5 | <3 | 71 | <3 | 1.1 | 10 | 47 | 6 | 71 | 154 |
| 02-1BC 6+00N | 1.1 | <3 | 51 | <3 | 1.1 | 6 | 36 | 8 | 80 | 176 |
| 02-1BC 6+50N | 0.1 | 10 | 159 | <3 | 1.6 | 8 | 46 | 8 | 59 | 154 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

GEOCHEMICAL ANALYTICAL REPORT

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: SEPT 08 88

REPORT#: 881112 GA
JOB#: 881112

PROJECT#: PEZ DAN
SAMPLES ARRIVED: Aug 26 1988
REPORT COMPLETED: SEPT 08 88
ANALYSED FOR: Au (10.Element) ICP

INVOICE#: 881112 NA
TOTAL SAMPLES: 81
SAMPLE TYPE: 81 SOIL
REJECTS: DISCARDED

SAMPLES FROM: BRONSON CAMP
COPY SENT TO: BERNIE DEWONCK

PREPARED FOR: BERNIE DEWONCK

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: FAXED TO BRONSON CAMP



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881112 6A

JOB NUMBER: 881112

ORDER CONSULTANTS LTD.

PAGE 1 OF 3

| SAMPLE # | Au |
|------------------|----|
| AG L100E 4+75.0N | nd |
| AG L100E 5+00.0N | 20 |
| AG L100E 5+25.0N | nd |
| AG L100E 5+50.0N | 20 |
| AG L100E 5+75.0N | 20 |
| AG L100E 6+00.0N | 20 |
| AG L150W 0+00.0N | 25 |
| AG L150W 0+12.5N | 25 |
| AG L150W 0+25.0N | 10 |
| AG L150W 0+37.5N | 10 |
| AG L150W 0+50.0N | 5 |
| AG L150W 0+62.5N | nd |
| AG L150W 0+75.0N | 15 |
| AG L150W 0+87.5N | nd |
| AG L150W 1+00.0N | 10 |
| AG L150W 1+12.5N | 5 |
| AG L150W 1+25.0N | 10 |
| AG L150W 1+37.5N | 10 |
| AG L150W 1+50.0N | 20 |
| AG L150W 1+62.5N | 20 |
| AG L150W 1+75.0N | 5 |
| AG L150W 1+87.5N | 20 |
| AG L150W 2+00.0N | 10 |
| AG L150W 2+12.5N | 20 |
| AG L150W 2+25.0N | 15 |
| AG L150W 2+37.5N | 10 |
| AG L150W 2+50.0N | 5 |
| AG L150W 2+62.5N | 15 |
| AG L150W 2+75.0N | 30 |
| AG L150W 2+87.5N | 5 |
| AG L300E 0+00.0N | 20 |
| AG L300E 0+12.5N | 15 |
| AG L300E 0+25.0N | 10 |
| AG L300E 0+37.5N | 15 |
| AG L300E 0+50.0N | 20 |
| AG L300E 0+62.5N | 15 |
| AG L300E 0+75.0N | 20 |
| AG L300E 0+87.5N | 20 |
| AG L300E 1+00.0N | 15 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881112 GA

JOB NUMBER: 881112

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 3

| SAMPLE # | Au |
|------------------|----|
| AG L300E 1+12.5N | 10 |
| AG L300E 1+25.0N | 20 |
| AG L300E 1+37.5N | 10 |
| AG L300E 1+50.0N | 30 |
| AG L300E 1+62.5N | 10 |
| AG L300E 1+75.0N | 5 |
| AG L300E 1+87.5N | 10 |
| AG L300E 2+00.0N | 15 |
| AG L300E 2+12.5N | 25 |
| AG L300E 2+25.0N | nd |
| AG L300E 2+37.5N | 5 |
| AG L300E 2+50.0N | 15 |
| AG L300E 2+62.5N | 5 |
| AG L300E 2+75.0N | 10 |
| AG L300E 2+87.5N | 10 |
| AG L300E 3+00.0N | nd |
| AG L300E 3+12.5N | 25 |
| AG L300E 3+25.0N | 20 |
| AG L300E 3+37.5N | 10 |
| AG L300E 3+50.0N | 15 |
| AG L300E 3+62.5N | 20 |
| AG L300E 3+75.0N | 10 |
| AG L300E 3+87.5N | nd |
| AG L300E 4+00.0N | 10 |
| AG L300E 4+12.5N | 10 |
| AG L300E 4+25.0N | 10 |
| AG L300E 4+37.5N | 10 |
| AG L300E 4+50.0N | 5 |
| AG L300E 4+62.5N | nd |
| AG L300E 4+75.0N | nd |
| AG L300E 4+87.5N | 10 |
| AG L300E 5+00.0N | 20 |
| AG L300E 5+12.5N | 5 |
| AG L300E 5+25.0N | 10 |
| AG L300E 5+87.5N | 10 |
| AG L300E 6+00.0N | 5 |
| AG L300E 0+12.5S | 10 |
| AG L300E 0+37.5S | 20 |
| AG L300E 0+62.5S | 10 |

DETECTION LIMIT
nd = none detected

5
-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881112 6A

JOB NUMBER: 881112

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 3

| SAMPLE # | | Au |
|------------------|--|----|
| AG L300E 0+87.5S | | 25 |
| AG L300E 1+12.5S | | 10 |
| AG L300E 1+37.5S | | nd |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881112 PA

OREQUEST

Page 1 of 3

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG L100E 4+75.0N | 0.1 | 28 | 221 | <3 | 1.5 | 21 | 119 | 2 | 53 | 158 |
| AG L100E 5+00.0N | 0.1 | 25 | 263 | <3 | 1.5 | 25 | 117 | 3 | 68 | 189 |
| AG L100E 5+25.0N | 0.1 | 12 | 306 | 3 | 1.7 | 35 | 159 | 6 | 51 | 173 |
| AG L100E 5+50.0N | 0.1 | 17 | 340 | 4 | 2.2 | 35 | 155 | 4 | 54 | 206 |
| AG L100E 5+75.0N | 0.1 | 28 | 201 | <3 | 1.5 | 21 | 94 | 3 | 51 | 186 |
| AG L100E 6+00.0N | 0.1 | 13 | 290 | <3 | 1.2 | 21 | 92 | 2 | 53 | 157 |
| AG L150W 0+00.0N | 2.6 | 6 | 136 | <3 | 0.9 | 12 | 54 | 1 | 42 | 108 |
| AG L150W 0+12.5N | 0.1 | 18 | 181 | <3 | 0.9 | 20 | 142 | 1 | 42 | 160 |
| AG L150W 0+25.0N | 0.1 | 16 | 117 | <3 | 0.9 | 18 | 44 | 2 | 43 | 149 |
| AG L150W 0+37.5N | 0.1 | 13 | 159 | <3 | 1.1 | 15 | 46 | 5 | 53 | 213 |
| AG L150W 0+50.0N | 0.1 | 18 | 105 | <3 | 0.9 | 11 | 29 | 5 | 45 | 129 |
| AG L150W 0+62.5N | 0.1 | 13 | 40 | <3 | 0.4 | 10 | 24 | 3 | 37 | 68 |
| AG L150W 0+75.0N | 4.9 | 15 | 49 | <3 | 0.3 | 6 | 24 | 3 | 42 | 69 |
| AG L150W 0+87.5N | 0.1 | 11 | 38 | <3 | 0.6 | 6 | 34 | 5 | 56 | 96 |
| AG L150W 1+00.0N | 0.1 | 20 | 84 | <3 | 1.2 | 19 | 84 | 3 | 68 | 280 |
| AG L150W 1+12.5N | 1.3 | 20 | 79 | <3 | 1.2 | 18 | 56 | 2 | 52 | 224 |
| AG L150W 1+25.0N | 3.3 | 11 | 37 | <3 | 0.6 | 5 | 23 | 6 | 53 | 83 |
| AG L150W 1+37.5N | 2.1 | 15 | 75 | <3 | 0.8 | 8 | 30 | 4 | 47 | 104 |
| AG L150W 1+50.0N | 0.1 | 13 | 65 | <3 | 0.6 | 6 | 39 | 4 | 56 | 90 |
| AG L150W 1+62.5N | 0.1 | 10 | 70 | <3 | 1.1 | 11 | 47 | 2 | 168 | 200 |
| AG L150W 1+75.0N | 0.9 | 22 | 252 | <3 | 1.2 | 23 | 81 | 2 | 65 | 209 |
| AG L150W 1+87.5N | 0.9 | 19 | 90 | <3 | 0.9 | 12 | 54 | 5 | 63 | 138 |
| AG L150W 2+00.0N | 1.5 | 23 | 78 | <3 | 0.9 | 10 | 32 | 8 | 71 | 141 |
| AG L150W 2+12.5N | 0.9 | 15 | 145 | <3 | 1.2 | 21 | 76 | 3 | 60 | 159 |
| AG L150W 2+25.0N | 0.9 | 21 | 188 | <3 | 1.1 | 18 | 81 | 3 | 65 | 184 |
| AG L150W 2+37.5N | 0.9 | 19 | 131 | <3 | 1.2 | 16 | 83 | 3 | 69 | 192 |
| AG L150W 2+50.0N | 0.1 | 19 | 119 | <3 | 0.9 | 18 | 53 | 4 | 59 | 162 |
| AG L150W 2+62.5N | 0.1 | 6 | 132 | <3 | 0.9 | 15 | 91 | 2 | 47 | 145 |
| AG L150W 2+75.0N | 0.1 | 17 | 130 | <3 | 1.2 | 18 | 110 | 1 | 60 | 179 |
| AG L150W 2+87.5N | 0.1 | 15 | 119 | <3 | 1.1 | 17 | 93 | 1 | 58 | 161 |
| AG L300E 0+00.0N | 0.1 | 8 | 322 | <3 | 1.4 | 25 | 118 | 2 | 42 | 116 |
| AG L300E 0+12.5N | 0.1 | 12 | 242 | <3 | 1.7 | 29 | 122 | 4 | 55 | 134 |
| AG L300E 0+25.0N | 0.1 | 28 | 349 | <3 | 1.5 | 29 | 129 | 1 | 55 | 129 |
| AG L300E 0+37.5N | 0.1 | 51 | 510 | <3 | 1.1 | 26 | 121 | 1 | 51 | 93 |
| AG L300E 0+50.0N | 0.1 | 25 | 339 | 3 | 1.2 | 27 | 117 | 1 | 52 | 116 |
| AG L300E 0+62.5N | 0.1 | 36 | 360 | 3 | 1.6 | 27 | 129 | 1 | 90 | 172 |
| AG L300E 0+75.0N | 0.9 | 33 | 441 | 3 | 1.4 | 28 | 145 | 1 | 69 | 158 |
| AG L300E 0+87.5N | 1.5 | 28 | 450 | 3 | 1.5 | 34 | 126 | 2 | 66 | 129 |
| AG L300E 1+00.0N | 0.9 | 40 | 369 | 3 | 2.1 | 29 | 155 | 1 | 134 | 209 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881112 PA

DREQUEST

Page 2 of 3

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG L300E 1+12.5N | 1.1 | 20 | 518 | 4 | 1.7 | 28 | 142 | 1 | 74 | 186 |
| AG L300E 1+25.0N | 0.4 | 38 | 238 | 4 | 1.9 | 28 | 124 | 1 | 83 | 195 |
| AG L300E 1+37.5N | 1.1 | 54 | 261 | 4 | 2.9 | 30 | 171 | 1 | 141 | 457 |
| AG L300E 1+50.0N | 0.6 | 41 | 182 | 6 | 2.2 | 25 | 128 | 1 | 68 | 139 |
| AG L300E 1+62.5N | 0.1 | 19 | 251 | 4 | 1.6 | 26 | 148 | 1 | 62 | 166 |
| AG L300E 1+75.0N | 0.6 | 9 | 304 | 4 | 1.7 | 28 | 146 | 1 | 64 | 180 |
| AG L300E 1+87.5N | 0.4 | 26 | 235 | 4 | 2.1 | 30 | 146 | 1 | 59 | 241 |
| AG L300E 2+00.0N | 0.1 | 17 | 273 | <3 | 1.5 | 25 | 108 | 1 | 56 | 136 |
| AG L300E 2+12.5N | 0.1 | 22 | 220 | <3 | 1.2 | 22 | 106 | 1 | 55 | 133 |
| AG L300E 2+25.0N | 0.1 | 32 | 188 | <3 | 1.4 | 21 | 82 | 2 | 55 | 110 |
| AG L300E 2+37.5N | 0.1 | 24 | 210 | <3 | 0.9 | 19 | 76 | 1 | 49 | 115 |
| AG L300E 2+50.0N | 0.4 | 44 | 151 | <3 | 1.2 | 21 | 57 | 3 | 67 | 125 |
| AG L300E 2+62.5N | 0.1 | 55 | 207 | <3 | 1.2 | 25 | 63 | 2 | 56 | 122 |
| AG L300E 2+75.0N | 0.1 | 24 | 165 | <3 | 1.2 | 17 | 60 | 2 | 45 | 115 |
| AG L300E 2+87.5N | 0.1 | 16 | 127 | <3 | 0.9 | 14 | 45 | 2 | 36 | 65 |
| AG L300E 3+00.0N | 0.1 | 14 | 276 | <3 | 1.2 | 15 | 44 | 2 | 43 | 136 |
| AG L300E 3+12.5N | 0.1 | 19 | 301 | 4 | 1.7 | 24 | 63 | 3 | 59 | 195 |
| AG L300E 3+25.0N | 0.1 | 29 | 234 | 3 | 1.2 | 23 | 63 | 3 | 62 | 148 |
| AG L300E 3+37.5N | 0.1 | 26 | 340 | 4 | 1.4 | 26 | 99 | 2 | 63 | 132 |
| AG L300E 3+50.0N | 0.1 | 45 | 236 | 4 | 1.4 | 30 | 90 | 1 | 49 | 96 |
| AG L300E 3+62.5N | 0.1 | 23 | 449 | 4 | 1.9 | 19 | 90 | 2 | 52 | 66 |
| AG L300E 3+75.0N | 0.1 | 23 | 205 | 3 | 1.2 | 23 | 56 | 2 | 46 | 90 |
| AG L300E 3+87.5N | 0.1 | 20 | 61 | <3 | 0.6 | 10 | 59 | 4 | 47 | 100 |
| AG L300E 4+00.0N | 0.1 | 20 | 60 | <3 | 0.5 | 8 | 61 | 4 | 52 | 160 |
| AG L300E 4+12.5N | 0.1 | 20 | 141 | 3 | 1.4 | 16 | 59 | 3 | 53 | 98 |
| AG L300E 4+25.0N | 0.2 | 23 | 92 | <3 | 0.9 | 16 | 47 | 2 | 42 | 78 |
| AG L300E 4+37.5N | 0.1 | 13 | 75 | <3 | 0.4 | 9 | 29 | 1 | 30 | 57 |
| AG L300E 4+50.0N | 0.1 | 20 | 124 | <3 | 0.9 | 13 | 81 | 3 | 42 | 119 |
| AG L300E 4+62.5N | 0.1 | 20 | 150 | <3 | 0.6 | 17 | 48 | 3 | 41 | 90 |
| AG L300E 4+75.0N | 0.4 | 25 | 184 | <3 | 0.9 | 17 | 80 | 2 | 47 | 105 |
| AG L300E 4+87.5N | 0.6 | 31 | 123 | <3 | 1.1 | 14 | 47 | 3 | 56 | 93 |
| AG L300E 5+00.0N | 0.6 | 28 | 108 | <3 | 0.6 | 16 | 55 | 2 | 44 | 76 |
| AG L300E 5+12.5N | 0.3 | 37 | 143 | 4 | 1.4 | 24 | 95 | 3 | 71 | 108 |
| AG L300E 5+25.0N | 0.1 | 15 | 198 | 3 | 1.5 | 28 | 103 | 2 | 55 | 126 |
| AG L300E 5+87.5N | 0.4 | 44 | 519 | 5 | 1.4 | 47 | 134 | 1 | 55 | 116 |
| AG L300E 6+00.0N | 0.2 | 36 | 404 | 5 | 1.5 | 38 | 122 | 1 | 63 | 133 |
| AG L300E 0+12.5S | 0.4 | 21 | 353 | <3 | 1.2 | 26 | 108 | 1 | 83 | 160 |
| AG L300E 0+37.5S | 0.4 | 17 | 290 | <3 | 1.7 | 25 | 90 | 2 | 167 | 172 |
| AG L300E 0+62.5S | 0.3 | 15 | 325 | <3 | 0.9 | 19 | 69 | 1 | 59 | 120 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881112 PA

OREQUEST

Page 3 of 3

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AG L300E 0+87.5S | 0.6 | 20 | 157 | 4 | 1.1 | 18 | 72 | 2 | 160 | 129 |
| AG L300E 1+12.5S | 0.1 | 22 | 86 | <3 | 0.9 | 15 | 56 | 1 | 54 | 100 |
| AG L300E 1+37.5S | 0.4 | 24 | 60 | <3 | 1.1 | 14 | 74 | 1 | 105 | 125 |

| | | | | | | | | | | |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
| Minimum Detection | 0.1 | 3 | 1 | 3 | 0.1 | 1 | 1 | 1 | 2 | 1 |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Sept 16 1988

REPORT#: 881141 GA
JOB#: 881141

PROJECT#: Fez Dan
SAMPLES ARRIVED: Aug 29 1988
REPORT COMPLETED: Sept 16 1988
ANALYSED FOR: Au (10.Elem) ICP

INVOICE#: 881141 NA
TOTAL SAMPLES: 45
SAMPLE TYPE: Soil
REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: None



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881141 GA

JOB NUMBER: 881141

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 2

| SAMPLE # | | Au ppb |
|----------|---------|-----------|
| AGL1+50W | 3+00.0N | 15 |
| AGL1+50W | 3+12.5N | 15 |
| AGL1+50W | 3+25.0N | 20 |
| AGL1+50W | 3+37.5N | 20 |
| AGL1+50W | 3+50.0N | 15 |
| AGL1+50W | 3+62.5N | 5 |
| AGL1+50W | 3+75.0N | 10 |
| AGL1+50W | 3+87.5N | 20 |
| AGL1+50W | 4+00.0N | 15 |
| AGL1+50W | 4+12.5N | 20 |
| AGL1+50W | 4+25.0N | 10 |
| AGL1+50W | 4+37.5N | 15 |
| AGL1+50W | 4+50.0N | nd |
| AGL1+50W | 4+62.5N | 5 |
| AGL1+50W | 4+75.0N | 5 |
| AGL1+50W | 4+87.5N | 5 |
| AGL1+50W | 5+00.0N | nd |
| AGL1+50W | 5+12.5N | nd |
| AGL1+50W | 5+25.0N | 10 |
| AGL1+50W | 5+37.5N | 5 |
| AGL1+50W | 5+50.0N | 10 |
| AGL1+50W | 5+62.5N | 10 |
| AGL1+50W | 5+75.0N | 10 |
| AGL1+50W | 5+87.5N | 10 |
| AGL1+50W | 6+00.0N | nd |
| AGL1+50W | 6+12.5N | 15 |
| AGL1+50W | 6+25.0N | 15 |
| AGL1+50W | 6+37.5N | nd |
| AGL1+50W | 6+50.0N | 5 |
| AGL1+50W | 0+12.5S | 15 |
| AGL1+50W | 0+25.0S | 20 |
| AGL1+50W | 0+37.5S | 10 |
| AGL1+50W | 0+50.0S | 5 |
| AGL1+50W | 0+62.5S | 10 |
| AGL1+50W | 0+75.0S | nd |
| AGL1+50W | 0+87.5S | 10 |
| AGL1+50W | 1+00.0S | 10 |
| AGL1+50W | 1+12.5S | 5 |
| AGL1+50W | 1+25.0S | 10 |

DETECTION LIMIT 5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
N Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881141 GA

JOB NUMBER: 881141

DREQUEST CONSULTANTS LTD.

PAGE 2 OF 2

| SAMPLE # | | Au |
|----------|---------|-----|
| | | ppb |
| AGL1+50W | 1+37.5S | 10 |
| AGL1+50W | 1+50.0S | 5 |
| AGL1+50W | 1+62.5S | 20 |
| AGL1+50W | 1+75.0S | 5 |
| AGL1+50W | 1+87.5S | nd |
| AGL1+50W | 2+00.0S | nd |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881141 PA

DREQUEST

Page 1 of 2

| Sample Number | Ag ppm | As ppm | Ba ppm | Bi ppm | Cd ppm | Co ppm | Cu ppm | Mo ppm | Pb ppm | Zn ppm |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| AGL1+50W3+00.0M | 1.1 | 25 | 168 | <3 | 1.7 | 19 | 89 | 2 | 76 | 189 |
| AGL1+50W3+12.5M | 0.4 | 21 | 271 | 5 | 2.2 | 25 | 134 | 2 | 73 | 1217 |
| AGL1+50W3+25.0M | 0.2 | 19 | 186 | 3 | 1.2 | 20 | 99 | 2 | 84 | 202 |
| AGL1+50W3+37.5M | 0.4 | 20 | 225 | 4 | 1.4 | 23 | 98 | 2 | 87 | 193 |
| AGL1+50W3+50.0M | 0.4 | 23 | 228 | 3 | 1.2 | 22 | 98 | 2 | 84 | 180 |
| AGL1+50W3+62.5M | 0.3 | 9 | 336 | 7 | 1.7 | 29 | 154 | 2 | 60 | 167 |
| AGL1+50W3+75.0M | 0.4 | 19 | 183 | 3 | 1.2 | 21 | 93 | 2 | 127 | 217 |
| AGL1+50W3+87.5M | 0.5 | 26 | 231 | 3 | 1.2 | 23 | 104 | 2 | 90 | 172 |
| AGL1+50W4+00.0M | 0.5 | 29 | 270 | 4 | 2.5 | 27 | 101 | 2 | 89 | 282 |
| AGL1+50W4+12.5M | 0.4 | 19 | 157 | 3 | 0.9 | 14 | 50 | 2 | 60 | 179 |
| AGL1+50W4+25.0M | 0.2 | 16 | 205 | <3 | 1.2 | 17 | 55 | 2 | 62 | 212 |
| AGL1+50W4+37.5M | 0.5 | 18 | 280 | 3 | 1.4 | 19 | 96 | 2 | 73 | 194 |
| AGL1+50W4+50.0M | 0.4 | 16 | 249 | 3 | 1.2 | 22 | 95 | 2 | 77 | 176 |
| AGL1+50W4+62.5M | 0.2 | 19 | 200 | <3 | 0.9 | 20 | 71 | 2 | 74 | 128 |
| AGL1+50W4+75.0M | 0.4 | 19 | 229 | 4 | 1.4 | 23 | 105 | 2 | 88 | 187 |
| AGL1+50W4+87.5M | 0.1 | 25 | 263 | <3 | 1.2 | 20 | 59 | 2 | 49 | 129 |
| AGL1+50W5+00.0M | 0.1 | 29 | 247 | <3 | 1.2 | 19 | 65 | 2 | 52 | 141 |
| AGL1+50W5+12.5M | 0.1 | 23 | 287 | 3 | 1.2 | 23 | 87 | 2 | 72 | 188 |
| AGL1+50W5+25.0M | 0.4 | 14 | 651 | 4 | 1.7 | 26 | 87 | 2 | 63 | 211 |
| AGL1+50W5+37.5M | 0.2 | 28 | 355 | 3 | 1.7 | 26 | 85 | 2 | 61 | 215 |
| AGL1+50W5+50.0M | 0.2 | 30 | 345 | 3 | 1.5 | 26 | 71 | 2 | 51 | 165 |
| AGL1+50W5+62.5M | 0.1 | 60 | 342 | 3 | 1.6 | 25 | 67 | 2 | 49 | 142 |
| AGL1+50W5+75.0M | 0.1 | 21 | 312 | <3 | 0.9 | 17 | 50 | 1 | 36 | 111 |
| AGL1+50W5+87.5M | 0.1 | 22 | 296 | <3 | 0.9 | 18 | 45 | 1 | 38 | 112 |
| AGL1+50W6+00.0M | 0.1 | 28 | 278 | 3 | 1.2 | 20 | 64 | 2 | 44 | 126 |
| AGL1+50W6+12.5M | 0.2 | 35 | 352 | 3 | 1.6 | 27 | 71 | 2 | 53 | 148 |
| AGL1+50W6+25.0M | 0.2 | 29 | 379 | 4 | 1.5 | 32 | 77 | 2 | 49 | 108 |
| AGL1+50W6+37.5M | 0.1 | 34 | 316 | 3 | 1.5 | 21 | 62 | 2 | 48 | 140 |
| AGL1+50W6+50.0M | 0.2 | 24 | 321 | 3 | 1.6 | 26 | 74 | 2 | 48 | 145 |
| AGL1+50W0+12.5S | 0.1 | 23 | 95 | <3 | 0.4 | 10 | 59 | 4 | 45 | 114 |
| AGL1+50W0+25.0S | 0.2 | 23 | 50 | <3 | 0.8 | 5 | 29 | 7 | 76 | 79 |
| AGL1+50W0+37.5S | 0.2 | 31 | 25 | <3 | 1.1 | 5 | 24 | 11 | 59 | 72 |
| AGL1+50W0+50.0S | 0.1 | 17 | 18 | <3 | 0.3 | 2 | 22 | 7 | 69 | 60 |
| AGL1+50W0+62.5S | 0.5 | 14 | 155 | 4 | 1.2 | 20 | 104 | 4 | 58 | 135 |
| AGL1+50W0+75.0S | 0.1 | 16 | 25 | <3 | 0.4 | 5 | 22 | 6 | 44 | 61 |
| AGL1+50W0+87.5S | 0.2 | 18 | 18 | <3 | 1.1 | 4 | 22 | 12 | 70 | 69 |
| AGL1+50W1+00.0S | 0.1 | 18 | 53 | <3 | 1.1 | 8 | 47 | 5 | 48 | 66 |
| AGL1+50W1+12.5S | 0.1 | 15 | 151 | <3 | 0.9 | 22 | 203 | 3 | 57 | 141 |
| AGL1+50W1+25.0S | 0.6 | 12 | 199 | <3 | 0.4 | 12 | 37 | 3 | 33 | 69 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 966-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881141 PA

OREQUEST


Page 2 of 2

| Sample Number | Ag | As | Ba | Bi | Cd | Co | Cu | Mo | Pb | Zn |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| AGL1+50W1+37.5S | 0.5 | 159 | 145 | 6 | 17.4 | 14 | 1092 | 10 | 313 | 2102 |
| AGL1+50W1+50.0S | 0.1 | 35 | 15 | <3 | 1.2 | 7 | 87 | 12 | 67 | 183 |
| AGL1+50W1+62.5S | 0.1 | 21 | 63 | <3 | 1.1 | 11 | 50 | 6 | 42 | 81 |
| AGL1+50W1+75.0S | 0.3 | 24 | 116 | 5 | 1.4 | 16 | 50 | 5 | 54 | 81 |
| AGL1+50W1+87.5S | 1.3 | 21 | 21 | 4 | 1.5 | 5 | 35 | 13 | 78 | 83 |
| AGL1+50W2+00.0S | 0.1 | 38 | 77 | <3 | 1.2 | 15 | 71 | 5 | 73 | 139 |
| Minimum Detection | 0.1 | 3 | 1 | 3 | 0.1 | 1 | 1 | 1 | 2 | 1 |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum

scale 1:10000
 0 500
 metres

Part 2 of 2
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT
18,156



LEGEND

GEOLOGY

- 0 Glacier, snowfield
- MESOZOIC**
- 2 Hazelton Group Volcanics, Sediments (Tri-Jur)
- PALEOZOIC**
- 3 Volcanics, sediments (Miss.-Perm)
- 3a - Limestone (calcareneite, crinoidal)
- 3b - Chert, quartzite, siltstone, slate, argillite
- INTRUSIVE ROCKS**
- A Acid Intrusives; syenite, syenodiorite, feldspar porphyry, felsite (Tri-Tert.)
- B Coast Plutonic Complex; quartz monzonite, granodiorite, gabbro, granite (Tri-Tert.)
- C Quartz diorite, granodiorite, diorite (Tri-Tert.)





ABBREVIATIONS

| | | | |
|----------|--------------|--------|------------|
| and | andesite | hem | hematite |
| ank | ankerite | hb | hornblende |
| arg | argillite | jar | jarosite |
| asp | arsenopyrite | m. | minor |
| az | azurite | mal | malachite |
| bio | biotite | mag | magnetite |
| br | breccia | mn | manganese |
| cal | calcite | po | pyrrhotite |
| carb | carbonate | porph | porphyry |
| chl | chlorite | py | pyrite |
| cp | chalcopyrite | qtz | quartz |
| dac | dacite | sil | siliceous |
| dia | diorite | siltst | siltstone |
| epi | epidote | sst | sandstone |
| fel | felsite | v | vein |
| feldspar | feldspar | | |
| f.g. | fine grained | | |
| gal | galena | | |

SYMBOLS

- ▲ 1988 anomalous rock sample
- 1987 anomalous rock sample
- - - - - Glacier boundary
- - - - - Geological contact
- - - - - Fault
- - - - - Shear zone
- - - - - Shearing
- - - - - Bedding
- - - - - Foliation
- - - - - Lamination
- - - - - Vein
- - - - - Dyke
- - - - - Joint

B.L. 00
Az. 132°



Part 2 of 2
GEOLOGICAL BRANCH
ASSESSMENT REPORT


18,156

SCALE 1:50
0 1 2 METRES

OREQUEST
PEZGOLD RESOURCES CORP.

Figure 5
DAN - BURNIE CLAIMS
GRACE 2 SHOWING
TRENCHES 1 - 4
LAIRD M.D., B.C.
N.T.S. 1048/11

December 1988 Drawing: E.C.




Part 2 of 2
**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**
 18,156

OREQUEST
 PEZGOLD RESOURCES CORP.

Figure 6
 DAN - BURNIE CLAIMS
 GRACE GRID (PHASE II)
SOIL GEOCHEMISTRY
 GOLD IN PPB
 LAIRD M.D., B.C.
 N.T.S. 1048/11

December 1988 Drawing: E.C.



- Possibly anomalous 1.8 - 3.4 ppm Ag
- Anomalous > 3.4 ppm Ag

Part 2 of 2
**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

18,156

SCALE 1:2500
 0 50 100 METRES

ORÉQUEST
 PEZGOLD RESOURCES CORP.

Figure 7
 DAN - BURNIE CLAIMS
 GRACE GRID (PHASE II)
SOIL GEOCHEMISTRY
SILVER IN PPM
 LAIRD M.D., B.C.
 N.T.S. 1048/11

December 1988 Drawing: E.C.

2+00W

1+00W


0+00

1+00E

2+00E

3+00E

First Basin Creek



GRACE 2 SHOWING

GRACE 1 SHOWING

Part 2 of 2
GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,156

OREQUEST
PEZGOLD RESOURCES CORP.

Figure 8
DAN - BURNIE CLAIMS
GRACE GRID (PHASE II)
SOIL GEOCHEMISTRY
COPPER IN PPM
LAIRD M.D., B.C.
N.T.S. 1048/11


December 1988 Drawing: E.C.


2+00S

B.L. 00

T.L. 2+50N

T.L. 6+00N






Part 2 of 2
**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

OREQUEST

PEZGOLD RESOURCES CORP.

Figure 10
 DAN - BURNIE CLAIMS
 GRACE GRID (PHASE II)
SOIL GEOCHEMISTRY
 ZINC IN PPM
 LAIRD M.D., B.C.
 N.T.S. 1048/11

December 1988 Drawing: E.C.



- Primary geochemical target
- Secondary geochemical target
- VLF-EM anomaly location
- conductor axis

Part 2 of 2
**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

18,156
SCALE 1:5000
0 50 100 METRES

OREQUEST



PEZGOLD RESOURCES CORP.

Figure 12
DAN - BURNIE CLAIMS
GRACE GRID (PHASE II)

COMPILATION MAP

LAIRD M.D., B.C.
N.T.S. 1048/II


December 1988 Drawing: E.C.



LEGEND
 INSTRUMENT: GEONICS EM-16
 TRANSMITTER: MSS (21.4 KHZ)
 READING DIRECTION: NORTH

| | | |
|----|----|------------|
| 10 | 20 | |
| 5 | 30 | QUADRATURE |
| 0 | 40 | |

PROFILE SCALE: 1 CM = 20M
 - - - - - IN-PHASE
 - - - - - QUADRATURE
 ○ ANOMALY LOCATION
 — CONDUCTOR AXIS



Part 2 of 2
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT

18'156

PEZOLD RESOURCES CORP
 DAN-BURNIE CLAIMS

Figure II
 VLF-EM SURVEY
 GRACE GRID
 BRITISH COLUMBIA

OREQUEST CONSULTANTS LTD.