

FILE NO. 0227	201
Date received report back from amendments	
FILE NO.	

FILE NO. 1222	60
FILE NO.	

GEOLOGICAL AND ROCK GEOCHEMICAL SAMPLING PROGRAM

ALEXIS GROUP

Claims: Alexis 1 #884
 Alexis 2 #885
 Alexis 4 #887

Mining Division: Clinton


NTS Location: 92N/8E

Latitude and Longitude: 51° 22' N
 124° 13' W

Owner of Claims: Eastfield Resources

Author of Report: J. W. Morton

Date: December, 1988




**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

18,162

Table of Contents

Location Map	Figure 1
Location & Physiographic Position	1
Property Definition	1
Scope of Work	1
Conclusions and Recommendations	2
Rock Descriptions & Summarized Geochemical Results	Table 1
Geology Map (with sample locations)	Figure 2
Itemized Cost Statement	
Statement of Authors Qualifications	
References	
Geochemical Certificate (with lab procedures)	Appendix
Exerpts from Open file 87-14 (Geochemistry West of Chilko Lake, G. P. McLaren, B.C. Ministry of Energy, Mines and Petroleum Resources, 1987)	Appendix



LOCATION MAP

CHILUKO

LAKE

ALEXIS 2	ALEXIS 1
885(10)	884(10)
	ALEXIS 4
	887(10)

92N/8E

Scale: 1:50,000

Figure 1

Location & Physiographic Position

The Alexis Claim Group consists of three two post claims located west of Chilko Lake in Central British Columbia. The claims occupy a mountainous terrain with elevations varying between 1,525m (5,000 feet) and 2,275m (7,460 feet). The claims are located approximately 65 kilometers southeast of the village of Tatla Lake but are most easily accessed by helicopter from the Nemaiah-Chilko road. The Nemaiah-Chilko road occurs directly across the Lake approximately 4 kilometers east of the Claim Group and connects with Highway 20 near the village of Lees Corner.

Property Definition

The Alexis Claims occur in an area dominated by Upper Cretaceous volcanic and sedimentary rocks belonging to the Kingsvale Group. Most units strike northwest and dip steeply to the northeast. Numerous faults evidenced by well developed slickensides and with several orientations occur on the claims. These faults are believed to be subsidiary to the Tchaikazan Fault which is a major regional tectonic structure thought to bisect the claim group in a northwesterly direction.

Carbonate alteration is widespread and occurs in veins and pervasively. Other more restricted forms of alteration include silicification and argillic alteration.

Visible mineralization occurs in patchy zones with cinnebar and copper carbonates accompanied with vein or pervasive calcite flooding. Barite and quartz occur in varying concentrations within carbonate alteration zones.

Scope of Work

A northwesterly trending carbonate alteration zone was identified, examined and sampled on a ridge and where it occurs in an incised creek bed. This alteration zone had been sampled by the B.C. Ministry of Mines and Petroleum Resources during their 1987 geochemical survey in the area* during which values up to 138 ppb gold and 4,500,000 ppb mercury had been obtained. The September 1988 program traced this intense alteration zone for a projected distance of 470m and established its width to be at least 150m.

This zone is open to the north and south and has an average trend of 340 - 160 . A summary of sampling is included in the table of results Table 1 and the sample location map Figure 2.

*McLaren G.P., Geochemistry west of Chilko Lake, B.C. Ministry of Mines and Petroleum Resources open file 1987-14, 1987.

Conclusions and Recommendations

Although no significant gold values were obtained from this sampling an impressive open ended alteration zone and mercury anomaly has been identified. Additional prospecting and sampling should be completed in both directions along the trend of this zone which is approximately 340° - 160° from its exposure in the creek bed. Additional prospecting and hand digging at the original 'knob' showing (vicinity drill hole DDH-81-3) resulted in the discovery of a mineralized carbonate rich vein breccia approximately 1 m thick trending east-west and dipping approximately 30° to the south. Drill hole DDH-81-3, completed by the Alexis Joint Venture syndicate in 1981, is a vertical hole that would not have intersected this structure.

Future work on the Alexis hydrothermal systems should be directed at deeper levels of the systems that trend northerly and southerly from the creek bottom near the northern boundary of the Alexis 2 claim and from the system that trends east-west from the south-west corner of the Alexis 1 claim.

TABLE 1

ROCK DESCRIPTIONS & SUMMARIZED GEOCHEMICAL RESULTS

<u>Sample #</u>	<u>Description</u>	<u>(Ca + Mg)%</u>	<u>Au</u> ppb	<u>Hg</u> ppb	<u>As</u> ppm	<u>Cu</u> ppm	<u>Ag</u> ppm	<u>Sb</u> ppm
BXR-1	Carbonate rich vein breccia pervasive carbonate flooding, copper carbonate stain and visible cinnibar attitude 087° dip 30° S	18	3	2,222,000	469	3,156	9.8	954
BXR-2	Similar to BXR-1	12	1	183,500	56	320	0.7	116
BXR-3	Banded carbonate vein (0.3m), copper carbonate and visible cinnebar, more siliceous than BXR-1	11	1	717,700	52	1,036	2.2	95
BXR-4	Weakly silicified and carbonate altered argillite cut by micro quartz veinlets	31	2	4,200	6	8	0.4	2
BXR-5	Maroon lithic tuff, moderately silicified and carbonate altered, jointing of 010° 060° W	9	2	780	42	11	0.2	2
BXR-6	Lithic tuff, sugary pinkish domains, intense silica and carbonate alteration	19	4	440	17	8	0.3	2

<u>Sample #</u>	<u>Description</u>	<u>(Ca + Mg)%</u>	<u>Au</u> <u>ppb</u>	<u>Hg</u> <u>ppb</u>	<u>As</u> <u>ppm</u>	<u>Cu</u> <u>ppm</u>	<u>Ag</u> <u>ppm</u>	<u>Sb</u> <u>ppm</u>
BXR-7	Lithic tuff with carbonate vein stockwork, strong silicification	21	6	854	9	9	0.3	2
BXR-8	Lithic tuff, intense carbonate-silica alteration slickensides at 340° 77° E	15	3	3,200	13	14	0.3	2
BXR-9	Lithic tuff breccia, intense silica carbonate alteration, carbonate veinlets trending 356° 86° E	20	6	11,000	109	347	0.7	18
BXR-10	Lithic tuff with intense silica-carbonate alteration, conjugate vein stockwork with attitudes at 240° and 150° (sampled from 240° trend)	24	4	7,600	21	23	0.3	2
BXR-11	Lithic tuff, moderate silica carbonate alteration	10	6	270	16	25	0.4	7

Itemized Statement of Costs

Manpower:

J. W. Morton	Sept 11, 1988 - 1 day @ \$300.00	\$300.00
T. MacKenzie	Sept 11, 1988 - 1 day @ \$200.00	200.00

Room and Board:	2 days @ \$40.00	80.00
-----------------	------------------	-------

Helicopter:		625.00
-------------	--	--------

Rock Samples:

Eleven - multi element ICP plus Au, Hg by AA @ \$21.25	233.75
--	--------

Soil Samples1

Four - multi element ICP plus Au, Hg by AA @ \$19.25	77.00
--	-------

Report Prep and Drafting	<u>350.00</u>
--------------------------	---------------

TOTAL	\$1,865.75
--------------	-------------------

STATEMENT OF QUALIFICATIONS

I, James William Morton, of 2750 Alma Street, Vancouver, British Columbia, do hereby certify:

1. I graduated from Carleton University, Ottawa, in 1971 with a Bachelor of Science on Geology.
2. I graduated from the University of British Columbia, Vancouver, in 1976 with a Master of Science in Soil Science.
3. I am a fellow of the Geological Association of Canada.
4. I supervised the work described in this report.



J. W. Morton
M. Sc., F.G.A.C.

Dated at Vancouver, British Columbia, this 15th day of December, 1988.

References

- MORTON, J.W. Rock Geochemistry
 Assessment Report 1981
- MORTON, J.W. Soil Survey
 Assessment Report 1982
- RONNING, P.A. Homestake Mineral Development Company
 Geological & Geochemical Investigation
 Assessment Report 1983
- CARTWRIGHT, P.A. Homestake Mineral Development Company
 Induced Polarization & Resistivity Survey 1984
- MORTON, J.W. Assessment Report 1986
- MCLAREN, G.P. B.C. Ministry of Mines
 Geochemistry West of Chilko Lake
 Open file 1987-14, 1987

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR NH FF SR CA P LA CR HG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: P1 ROCK P2 SOIL AD* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. HG ANALYSIS BY FLAMELESS AA.

DATE RECEIVED: SEP 15 1988 DATE REPORT MAILED: *Sept 20/88* ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

EASTFIELD RESOURCES LTD. PROJECT ALEXIS File # 88-4488 Page 1

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*	Hg
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	PPM	PPM	PPM	
BIR-1	1	3156	11	154	9.8	18	21	1286	4.89	469	5	ND	1	217	2	954	4	91	15.29	.046	3	8	2.68	92	.01	11	.14	.01	.02	1	3	2222000
BIR-2	1	320	4	80	.7	11	16	978	3.68	56	5	ND	1	122	1	116	4	71	10.47	.020	3	10	1.27	124	.01	13	.23	.01	.03	2	1	183500
BIR-3	1	1036	10	85	2.2	13	13	736	2.98	52	5	ND	1	150	1	95	2	65	9.29	.019	2	10	1.96	36	.01	21	.21	.01	.02	1	1	717700
BIR-4	1	8	2	9	.4	1	3	3301	.99	6	7	ND	1	178	1	2	2	11	30.91	.040	3	3	.57	42	.01	5	.47	.01	.01	1	2	4200
BIR-5	1	11	10	79	.2	12	10	657	2.77	42	5	ND	1	143	1	2	2	74	7.87	.027	3	5	1.22	34	.01	13	.24	.01	.03	1	2	780
BIR-6	1	8	13	139	.3	10	20	1548	4.38	17	5	ND	1	208	1	2	2	71	15.13	.012	4	2	3.77	19	.01	11	.18	.01	.03	1	4	440
BIR-7	1	9	15	170	.3	20	20	961	4.20	9	5	ND	1	548	1	2	2	107	16.66	.014	2	7	4.80	9	.01	10	.15	.01	.02	1	6	850
BIR-8	1	14	13	99	.3	11	18	838	3.54	13	5	ND	1	325	1	2	2	80	12.54	.013	2	4	2.94	16	.01	12	.14	.01	.03	1	3	3200
BIR-9	1	347	7	102	.7	12	19	1058	4.65	109	5	ND	1	244	2	18	2	101	17.64	.025	3	11	2.39	41	.01	17	.26	.01	.04	1	6	11090
BIR-10	1	23	16	121	.3	9	19	1291	4.73	21	7	ND	1	483	2	2	2	72	19.24	.014	2	4	4.47	23	.01	15	.16	.01	.02	1	4	7600
BIR-11	1	25	9	94	.4	12	22	867	5.06	16	5	ND	1	269	1	7	2	105	7.88	.024	2	28	1.86	27	.02	19	.34	.01	.05	1	6	270
STD C/AU-R	18	60	43	133	7.0	69	31	1020	4.04	43	17	7	39	48	19	13	20	60	.48	.094	40	58	.93	177	.06	33	1.97	.06	.15	13	490	1300



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tb	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*	Hg
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	%	PPM	PPB	PPB
BX-7	1	62	12	134	.1	39	28	1349	6.62	58	5	ND	1	49	1	2	2	99	.73	.059	13	27	.77	228	.02	12	2.17	.01	.14	1	4	880
BX-8	1	61	7	106	.1	34	20	970	5.45	56	5	ND	1	62	1	2	2	85	1.11	.058	12	26	1.01	192	.04	16	2.55	.03	.12	1	4	1600
BX-9	1	93	14	117	.1	39	21	1265	6.33	78	5	ND	1	50	1	3	2	95	.94	.059	12	26	.85	204	.02	14	2.33	.02	.13	2	3	2200
BX-10	1	56	7	108	.1	33	19	972	5.46	51	5	ND	1	59	1	2	2	86	1.14	.068	11	25	1.04	189	.04	17	2.69	.03	.12	2	1	560
STD C/AU-5	18	57	36	132	7.1	67	30	1021	4.15	38	19	7	36	48	18	18	18	55	.49	.082	36	55	.90	172	.06	32	1.94	.06	.13	12	49	1300

114
After Open file 1987
Geochemistry West of Chilko Lake
G.P. McLaren, B.C. Ministry of
Energy, Mines and Petroleum
Resources 1987

CHILKO
LAKE



0 km 1



LITHOGEOCHEMISTRY WEST OF CHILKO LAKE

SAMPLE NO.	AU PPB	AG PPM	HG PPB	AS PPM	SB PPM	CU PPM	PB PPM	ZN PPM	CO PPM	NI PPM	FE %	MO PPM	MN PPM
RM146	<20	<0.3	35	<40	<20	15	<10	<10	49	<10	2.3	<10	13
RM147	<20	<0.3	<20	<40	<20	48	10	53	23	11	4.3	<10	648
RM148	<20	<0.3	<20	<40	<20	43	15	179	28	94	4.6	<10	655
RM149	<20	<0.3	<20	<40	<20	58	11	134	18	49	7.6	<10	755
RM150	<20	<0.3	145	<40	<20	32	12	91	23	15	6.6	<10	555
RM151	<20	<0.3	506	<40	<20	33	109	126	15	19	3.6	<10	573
RM152	<20	<0.3	22	<40	<20	51	14	108	21	<10	4.3	<10	1200
RM153	<20	<0.3	41	<40	<20	61	12	62	20	12	4.2	<10	735
RM154	<20	<0.3	20	<40	<20	57	11	53	20	12	5.0	<10	1100
RM155	<20	<0.3	29	<40	<20	188	<10	49	20	<10	0.6	<10	463
RM156	<20	<0.3	870	<40	<20	1100	<10	52	68	13	11.2	<10	1200
RM157	<20	<0.3	27	<40	<20	130	<10	105	24	<10	6.6	<10	1500
RM158	<20	<0.3	36	<40	<20	282	12	50	29	<10	6.9	<10	1000
RM159	<20	<0.3	44	<40	<20	47	<10	52	10	26	4.5	<10	87
RM160	<20	<0.3	29	<40	<20	49	13	43	23	<10	3.1	<10	707
RM161	<20	0.7	195	86	<20	43	40	87	28	29	4.6	<10	1200
RM162	<20	<0.3	80	789	<20	25	20	70	18	26	4.0	<10	810
RM163	<20	0.6	727	<40	24	26	11	71	10	12	5.1	<10	1600
RM164	<20	<0.3	113	<40	<20	14	16	25	9	<10	1.3	<10	755
RM165	<20	<0.3	600	<40	<20	26	<10	55	31	12	1.7	<10	1300
RM166	<20	<0.3	1560	<40	<20	26	26	93	13	13	4.5	<10	1300
RM167	<20	0.9	57	<40	<20	2200	10	26	8	<10	1.5	<10	847
RM168	<20	2.0	560	<40	<20	6500	14	65	39	<10	5.0	<10	785
RM169	<20	<0.3	42	<40	<20	2900	11	73	25	25	13.0	<10	715
RM170	129	5.0	109	40	<20	3000	13	75	35	<10	20.6	<10	655
RM171	<20	1.0	755	69	<20	1700	13	770	38	13	20.5	<10	3600
RM172	<20	<0.3	133	343	50	52	144	168	16	<10	2.7	<10	1000
RM173	298	14.0	135	<40	<20	18400	<10	404	104	<10	4.4	1700	141
RM174	<20	<0.3	28	<40	<20	61	<10	57	43	<10	4.8	<10	268
RM175	<20	<0.3	640	<40	<20	64	<10	82	21	<10	5.2	<10	584
RM176	<20	<0.3	250	<40	<20	28	30	222	10	32	4.6	<10	1500
RM177	<20	<0.3	300	<40	<20	11	<10	44	21	11	1.6	<10	260
RM178	<20	<0.3	2100	<40	<20	50	20	152	23	<10	5.3	<10	2300
RM179	<20	<0.3	1350	<40	<20	18	18	160	24	17	5.2	<10	2200
RM180	138	<0.3	2080	393	38	11	<10	143	33	<10	8.1	<10	2200
RM181	<20	<0.3	169	<40	<20	41	17	115	21	27	2.9	<10	620
RM182	<20	<0.3	41	<40	<20	11	21	156	25	23	5.0	<10	1700
RM183	<20	<0.3	64	<40	41	15	11	62	17	12	2.2	<10	1000
RM184	<20	2.0	634000	34	60	300	35	179	24	31	6.1	<10	1300
RM185	<20	6.0	2240000	255	804	2800	13	184	23	29	6.7	<10	1700
RM186	<20	27.0	4500000	890	2600	8000	21	400	25	36	8.8	<10	2400
RM187	<20	<0.3	<20	<40	<20	11	21	156	25	23	1.0	<10	2300
RM188	<20	<0.3	2400	<40	<20	14	23	139	20	<10	4.6	<10	2000
RM189	<20	<0.3	859	<40	62	7	12	79	17	<10	2.2	<10	886
RM190	<20	15.0	525000	40	95	160	12	124	19	62	5.5	<10	300
RM191	<20	<0.3	203	<40	20	10	<10	20	18	<10	0.6	<10	117

ALexis

ALexis

ALexis

ALexis

ALexis

ALexis

ALexis

ALexis

After Open file 1987-14
 Geochemistry West of Chilko Lake
 G.P. McLaren, B.C. Ministry of Energy,
 Mines and Petroleum Resources 1987

LITHOGEOCHEMISTRY WEST OF CHILKO LAKE

SAMPLE NO.	AU PPB	AG PPM	HG PPB	AS PPM	SB PPM	CU PPM	PB PPM	ZN PPM	CO PPM	NI PPM	FE %	MO PPM	MN PPM
RM192	<20	<0.3	950	<40	47	9	10	32	22	10	1.7	<10	695
RD1	<20	0.6	48	<40	<20	99	24	110	51	43	13.2	18	1161
RD2	<20	49.0	651	<40	<20	3717	1343	1135	40	<10	13.6	461	8265
RD3	<20	<0.3	233	3750	<20	35	73	197	15	<10	1.4	<10	3803
RD4	<20	<0.3	74	<40	<20	52	<10	80	32	<10	2.2	<10	577
RD5	<20	<0.3	134	<40	<20	32	<10	44	25	<10	2.0	<10	547
RD6	<20	<0.3	37	<40	<20	42	<10	40	27	<10	2.0	<10	624
RD7	<20	<0.3	84	<40	<20	204	<10	74	19	<10	4.0	<10	596
RDE	<20	<0.3	21	<40	<20	63	<10	78	23	<10	1.9	<10	756
RD9	<20	<0.3	389	<40	51	45	<10	171	22	18	5.3	<10	1950
RD10	<20	<0.3	1318	<40	60	29	<10	421	27	<10	7.8	<10	4811
RD11	<20	4.3	999	<40	<20	7698	<10	32	22	<10	5.4	<10	1123
RD12	<20	<0.3	32	<40	<20	548	<10	52	24	<10	4.3	<10	850
RD13	<20	<0.3	27	<40	<20	35	<10	103	21	17	4.4	<10	1048
RD14	<20	0.4	24	<40	<20	76	13	38	22	<10	3.7	<10	766
RD15	<20	0.5	97	<40	<20	1170	<10	63	21	<10	4.6	<10	982
RD16	<20	0.4	390	<40	<20	65	<10	111	18	<10	6.0	10	562
RD17	<20	<0.3	56	<40	<20	40	<10	118	27	14	3.5	<10	1198
RD18	<20	<0.3	121	<40	<20	42	<10	48	16	12	5.3	<10	540
RD19	<20	<0.3	262	<40	<20	63	10	66	13	<10	4.7	<10	643
RD20	<20	<0.3	636	<40	<20	52	<10	97	17	<10	4.7	<10	719
RD21	139	<0.3	453	102	<20	35	<10	56	29	23	5.2	<10	427
RD22	<20	<0.3	95	<40	<20	11	10	37	12	<10	0.7	<10	248
RD23	<20	<0.3	24	<40	<20	19	10	59	5	<10	1.2	<10	408
RD24	<20	<0.3	195	<40	<20	17	<10	108	22	<10	2.4	<10	1339
RD25	29	<0.3	48	<40	<20	14	17	45	27	<10	0.8	<10	445
RC1	<20	<0.3	22	51	<20	145	10	60	40	9	6.0	<10	935
RC2	<20	<0.3	2192	2010	<20	22	<10	45	19	30	4.9	<10	690
RC3	<20	<0.3	43	<40	<20	24	25	38	26	<10	3.0	<10	963
RC4	21	<0.3	27	<40	<20	35	14	70	50	13	3.2	<10	860
RC5	<20	<0.3	124	<40	<20	88	<10	60	37	14	6.3	<10	549
RC6	<20	<0.3	35	47	<20	78	<10	30	49	<10	4.2	14	521
RC7	<20	<0.3	48	47	<20	99	<10	85	34	10	5.8	34	1170
RC8	<20	<0.3	30	47	<20	81	<10	26	53	13	4.7	17	944
RC9	46	<0.3	24	47	<20	88	<10	70	43	17	5.7	21	1726
RC10	<20	<0.3	218	47	<20	47	<10	75	22	18	5.7	27	418
RC11	21	3.4	665	121	<20	5383	<10	11	17	<10	2.1	<10	436
RC12	<20	7.5	2122	67	<20	14900	10	19	22	<10	5.3	<10	1094
RC13	<20	<0.3	37	<40	<20	35	<10	140	29	15	4.7	<10	1791
RC14	67	<0.3	<20	<40	<20	19	<10	97	22	13	3.7	<10	1189
RC15	<20	<0.3	<20	<40	<20	114	<10	<10	27	<10	2.5	<10	361
RC16	<20	<0.3	32	<40	<20	245	<10	81	24	<10	4.8	<10	953
RC17	<20	<0.3	24	<40	<20	24	<10	123	27	11	4.5	<10	1537
RC18	<20	<0.3	320	44	<20	37	<10	48	18	<10	3.7	21	380
RC19	<20	0.7	146000	50	202	585	11	54	10	34	4.4	<10	700
RC20	<20	0.4	34000	50	203	590	<10	49	5	26	2.9	<10	400

Alexis
Alexis

After Open file 1987-14
Geochemistry West of Chilko Lake
G.P. McLaren, B.C. Ministry of Energy,
Mines and Petroleum Resources 1987

LITHOGEOCHEMISTRY WEST OF CHILKO LAKE

SAMPLE NO.	AU PPB	AG PPM	HG PFB	AS PPM	SB PPM	CU PPM	PB PPM	ZN PPM	CO PPM	NI PPM	FE %	MO PPM	MN PPM
RC21	<20	0.4	42000	66	188	360	12	53	5	29	3.5	<10	700
RC22	<20	<0.3	6485	<40	<20	268	<10	122	45	77	8.2	<10	1532
RC23	<20	<0.3	1400	300	<20	69	13	70	12	42	6.1	<10	1500
RC24	<20	<0.3	1044	<40	<20	54	<10	76	19	<10	4.8	<10	1216
RC25	<20	3.4	1044000	97	308	1200	11	112	16	26	6.2	<10	1300
RC26	<20	<0.3	4767	<40	<20	105	<10	84	39	61	7.5	<10	1091
RC27	445	<0.3	10000	66	90	135	11	87	20	58	6.8	<10	1400
RV1	69	<0.3	<20	<40	<20	92	<10	84	31	31	4.8	<10	1332
RV2	<20	<0.3	33	<40	<20	72	<10	101	29	28	5.9	<10	1149
RV4	<20	<0.3	84	<40	<20	105	<10	118	24	65	5.1	<10	453
RV6	62	<0.3	22	<40	<20	10	<10	20	27	<10	3.1	<10	284
RV7	<20	<0.3	29	<40	<20	46	<10	74	32	34	4.5	<10	1024
RV8	<20	<0.3	24	<40	<20	42	10	123	36	27	5.6	<10	1532
RV9	24	<0.3	31	<40	<20	16	13	<10	16	<10	1.1	10	66
RV10	<20	9.6	54	<40	<20	12300	<10	99	34	11	7.4	<10	1434
RV11	20	<0.3	<20	<40	<20	60	10	91	32	12	3.1	<10	1274
RV12	<20	<0.3	<20	<40	<20	36	16	129	22	25	3.8	<10	601
RV13	<20	<0.3	39	<40	<20	88	<10	94	29	17	6.1	<10	1113
RV14	<20	<0.3	<20	<40	<20	42	<10	99	24	<10	6.2	<10	1764
RV15	<20	<0.3	29	<40	<20	80	<10	105	13	22	7.4	<10	596
RV16	<20	<0.3	<20	<40	<20	66	<10	70	32	<10	6.5	<10	1752
RV17	<20	<0.3	<20	<40	<20	42	<10	93	35	<10	6.4	<10	1416
RV18	<20	<0.3	<20	<40	<20	58	<10	66	26	12	4.7	10	641
RV19	<20	<0.3	160	<40	<20	20	<10	50	10	13	3.4	<10	373
RV20	<20	7.5	157	<40	<20	11900	<10	70	27	10	4.3	<10	926
RV21	<20	<0.3	54	<40	<20	60	<10	114	25	12	5.1	<10	1140
RV22	24	<0.3	3854	<40	<20	121	<10	68	15	10	18.6	<10	494
RV23	<20	<0.3	323	<40	<20	12	<10	63	25	<10	4.5	<10	182
RV24	<20	<0.3	91	<40	<20	48	<10	41	26	<10	4.7	<10	177
RV25	<20	<0.3	671	<40	<20	98	<10	66	24	26	5.6	<10	1176
RV26	49	<0.3	512	150	<20	26	11	84	14	<10	2.5	<10	810
RV27	<20	<0.3	323	<40	<20	76	<10	90	16	<10	5.1	<10	1697
RV28	<20	<0.3	37	<40	<20	5	<10	51	5	<10	1.1	<10	743
RV29	<20	<0.3	83	<40	<20	20	<10	59	14	10	3.6	<10	3020
RV30	<20	<0.3	257	<40	<20	22	<10	49	21	50	3.1	35	556
RV31	<20	<0.3	265	<40	<20	32	<10	117	31	16	4.9	<10	2121
RV32	<20	<0.3	33	<40	<20	18	<10	172	30	18	5.2	<10	1617
RV33	<20	<0.3	160	<40	<20	5	<10	34	17	<10	1.0	<10	485

Alexis

After Open file 1987-14
 Geochemistry West of Chilko Lake
 G.P. McLaren, B.C. Ministry of Energy,
 Mines and Petroleum Resources 1987



Date: 1989 February 13

File No. 24500-03-AME

Direct inquiries to T. Kalnins (356-2286)

CERTIFIED MAIL

Eastfield Res.
110 - 325 Howe Street
Vancouver BC
V6C 1Z7

Dear Sir/Madam:

Re: Alexis 1-2 Mineral Claim(s) Worked On
Statement Number(s) 000056
Assessment Report Number 18162

We have received the above noted report(s); however, the report contravenes the Mineral Act Regulations and before it can be approved, we require the following amendments in duplicate:

Section 1(2) states that all work submitted under these regulations must be original studies and not compilations and interpretations of work previously done. Each report must be complete in its presentation, and not rely on references to previous history, location, or studies. Previous work should be referenced in a standard bibliographic format.

We are returning the report(s) for amendment within sixty days of the date of this letter. When you return the report(s), please attach one copy of this letter. No further extensions or reminders will be issued.

Yours truly,

T.E. Kalnins, P. Eng.
for Chief Gold Commissioner
Mineral Resources Division

cc: Gold Commissioner, Clinton

p.s. 89/02/02. There are already six assessment reports on the property. Please explain how your very brief report constitutes an original study.

EASTFIELD RESOURCES LTD.

110-325 Howe Street, Vancouver, B.C. Canada V6C 1Z7 Office: (604) 681-7913

February 23, 1989

The Ministry of Energy, Mines
and Petroleum Resources
Parliament Buildings
Victoria, BC
V8V 1X4

100-0327
1
Date received reports
back from amendments

Attention: T. E. Kalnins, Mineral Resource
Division (Your file 24500-03-AME)

Dear Mr. Kalnins:

The work outlined in Eastfield Resources' recently submitted assessment report for the Alexis Claim Group (report # 18,162) is original new work. This work completed in September 1988 was the first new field work completed on this property subsequent to the release of the B.C. Ministry of Energy, Mines and Petroleum Resources open file 1987-14 (Geochemistry West of Chilko Lake, G.P. McLaren et al 1987). Open file 1987-14 indicated a significantly anomalous gold value from an outcrop in an area of the Alexis Claims never previously sampled (sample RM-180). This sample was from a deeply incised creek located near the northern boundary of the three unit Alexis Group beyond the limits of the earlier geochemical surveys. Although Eastfield's follow-up work failed to duplicate the gold values obtained in sample RM-180 it was successful in identifying and defining a major north-south silica-carbonate alteration zone. This zone which is believed to trend 340° and 160° from its occurrence in the creek gives new insight to the structural control that may be focusing hydrothermal processes that are evident on the property. Additionally the 1988 field program took a fresh look at the original 1980 'knob' showing (vicinity drill hole DDH-81-3). At the 'knob showing' an impressive mercury occurrence had been outlined in soils and talus in 1981 and drill tested that same year. Drill hole DDH-81-3 had failed to explain the mineralized talus or the soil anomaly occurring at this showing. Our more recent investigation was successful in locating an outcrop of an approximately one meter wide mineralized vein breccia buried under talus approximately 25 meters from this drill hole. The attitude of this structure approximately east-west and dipping to the south, is such that it would not project through drill hole DDH-81-3 and therefore offers new insight as to the correct orientation of the structure that may be responsible for mercury, arsenic and antimony anomalies occurring at the 'knob showing'.

I have expanded the conclusion section of this report to more clearly explain these new insights and have included excerpts of open file 1987-14 in the appendix for comparative purposes.


Please give me a call if my letter and report modifications do not satisfy you concerns.

Yours truly,


Bill Morton.

J. W. Morton, President
EASTFIELD RESOURCES LTD.

JWM:kit
Encl.



- Legend Geology
- 2a Volcanic conglomerate (clasts dacitic)
 - 2b Greywacke
 - 2c Argillite (siltstone)
 - 1a Lithic tuff., maroon
 - 3 Hornblende porphyry
 - Contact
 - Shear zone
 - ▲ Sample location
 - ∨ Jointing
 - ∨ Carbonate vein



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

18,162





Fig. 2