

LOG NO. 0127	RD.
ACTION:	
DATE:	

DIAMOND DRILLING REPORT

-on the-

GRACE CLAIM GROUP

OMINECA MINING DIVISION

FILMED

GRACE 5/5801
N.T.S MAP NO. 94E/2

Latitude: 57 10'N
Longitude: 126 50'W

-for-

Operator:

SKYLARK RESOURCES LTD.

902 - 837 W. Hastings St.
Vancouver, B.C.
V6C 1B6

Owners:

JOHN M. MIRKO,
SKYLARK RESOURCES LTD.
ASITKA RESOURCE CORP.

by

P. REYNOLDS, B.Sc

SUR-RECORDER
RECEIVED

JUN 24 1989

M.R. # _____ \$ _____
VANCOUVER, B.C.

**GEOLOGICAL RE
ASSESSMENT RE**

Part 1
of 3

18,313

Part 1
of 3

18313

Vancouver, British Columbia

0127

DIAMOND DRILLING REPORT

-on the-

GRACE CLAIM GROUP

FILMED

OMINECA MINING DIVISION

GRACE 5/5801
N.T.S MAP NO. 94E/2

Latitude: 57 10'N
Longitude: 126 50'W

-for-

Operator:

SKYLARK RESOURCES LTD.
902 - 837 W. Hastings St.
Vancouver, B.C.
V6C 1B6

Owners:

JOHN M. MIRKO,
SKYLARK RESOURCES LTD.
ASITKA RESOURCE CORP.

by

RECEIVED
M.R. #
VANCOUVER, B.C.

P. REYNOLDS, B.Sc

18,313

GEOLOGICAL BRANCH
ASSESSMENT REPORT

Part 1
of 3

TABLE OF CONTENTS

	<u>Page</u>
0. Summary.....	1
1. Introduction.....	1
2. Location, Access & Physiography.....	1
3. Property and Claim Status.....	2
4. History.....	2
5. Regional Geology.....	3
6. Property Geology.....	3
7. Mineralization and Alteration.....	4
8. Geophysics and Geochemistry.....	5
9. Diamond Drilling.....	6
10. Conclusion.....	7
11. Recommendations.....	7
12. Cost Estimate.....	8
13. References.....	8
14. Statement of Expenditures.....	9
15. Certificate.....	10

LIST OF FIGURES

<u>FIG.#</u>	
1	Location Map.....Follows Pg 1
2	Claim Map.....Follows Pg 2
3	Geology.....Back Pocket
10	Drill Plan - Electrum Zone.....Appendix I
11	Section 91 + 00 N.....Appendix I
12	Section 91 + 25 N.....Appendix I
13	Section 91 + 50 N.....Appendix I
14	Section 91 + 75 N.....Appendix I
15	Section 92 + 00 N.....Appendix I
16	Section 92 + 25 N.....Appendix I
17	25 metre - Level Plan.....Appendix I
18	50 metre - Level Plan.....Appendix I
19	Long Section.....Appendix I
20	Drill Plan - Beaverdam Zone.....Appendix I
21	Section 91 + 75 N.....Appendix I
22	Section 91 + 64 N.....Appendix I
23	Section 91 + 60 N.....Appendix I
24	Section 91 + 61 N.....Appendix I
25	Section 92 + 10 N.....Appendix I

APPENDICES

1. Drill Plans & Sections
2. Assay Certificates
3. Diamond Drill Logs

0. SUMMARY

0.1 The Grace Claims are located 250 kilometres north of Smithers, B.C. During the 1988 field season Skylark Resources Ltd. carried out geochemical, geophysical, and geological surveys as well as diamond drilling to test the possibility of gold bearing mineralization.

0.2 The Grace claims are underlain by Takla andesitic flows and Toodoggone volcanic tuffs and intruded by lower to middle jurassic plutonic rocks. Gold and silver bearing mineralization is generally confined to propylitic and argillic altered Toodoggone rocks and exhibits characteristics of typical epithermal deposits.

0.3 To date 22 Thin Wall diamond drill holes (1903 metres total) have been drilled. Assay results from these holes have been very encouraging. More work is needed to determine the extent and average grade of these deposits.

1. INTRODUCTION

1.1 The 1988 exploration program consisted of prospecting, geophysical and geochemical surveys, geological mapping and diamond drilling. To date 22 BQ thin wall holes have been drilled for a total of 1903 metres.

1.2 The purpose of this report is to discuss the result of the diamond drilling program conducted between August 7, 1988 and October 31, 1988.


1.3 The geochemical and geophysical surveys as well as geological mapping are summarized as a matter of interest but are not submitted for assessment purposes.

2. LOCATION, ACCESS & PHYSIOGRAPHY

2.1 The Grace claim group is located 250km north of Smithers in the Toodoggone River area (Fig. 1). The property is situated between approximate latitude 57 07' and 57 15' N and longitude 126 45' and 126 54' W on NTS Map Sheets 94 E/2.

2.2 Access is by fixed - wing aircraft to Sturdee Airstrip and then by road 25 km to the property. Road access is possible from both Fort St. James and Mackenzie via the Omineca Mining Access Road and the Omineca Extension owned by Cheni Gold Mines Inc.

2.3 The Grace claim group lies on gentle, moderately forested slopes of the Finlay River valley. Elevations range from 1100 to 1500 metres above sea level.



PROPERTY
LOCATION

SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT	
LOCATION MAP	
N.T.S. 94E-2,7	OMINECA M.D., B.C.
0 100 200 500KM.	
SCALE: AS SHOWN	DATE: 1988
DRAWN BY: P.R.	FIGURE No. 1



2.4 Sufficient water for all stages of exploration and development is readily available from numerous creeks and the northerly flowing Finlay River. Electrical power is generated by means of a diesel generating plant.

3. PROPERTY AND CLAIM STATUS

3.1 The property consists of five contiguous claims totalling 91 units. (fig. 2) Claim data are as follows:

<u>Name</u>	<u>Record No.</u>	<u>Units</u>	<u>Expiry Date</u>
Concha 2	9100	18	22/10/93
Concha 4	9102	4	22/10/93
Concha 5	9103	20	22/10/93
Grace 1	2921	9	15/07/94
Grace 5	5801	20	20/09/97
Jok 6	8398	20	23/04/94

3.2 Recorded owners of the claims are as follows:

Concha	-	Skylark Resources Ltd.
Grace	-	Asitka Resources Corp.
Jok	-	John M. Mirko

4. HISTORY

4.1 The Grace claim group was partially staked in the past including the 1970's to cover copper, molybdenum and zinc geochemical anomalies located in the exploration for porphyry copper deposits.

4.2 Amax Exploration Inc. originally staked the Grace claims in 1973. Geophysical and geochemical surveys and geological mapping were conducted in 1974 (Hodgson, 1974; Hodgson and Lebel, 1974) and the claims subsequently lapsed. Re-staking occurred in 1978 and additional surveys were conducted, followed by more staking in 1980 (MacQuarrie, 1978, 1979 and 1980).

4.3 Tunkwa Copper Mines Ltd. carried out work on the property in 1981 (Allen, 1982). In 1983 Asitka Resources Corp. acquired the property. Asitka carried out induced polarization and magnetic surveys followed by 291 metres of diamond drilling (Allen and MacQuarrie, 1984).


4.4 The Jok claims (northern portion of claim group) were previously held by Lacana, Taiga Resources (1980) and Golden Rule Resources Ltd. until 1987.

4.5 In 1987 Skylark Resources Ltd. carried out regional geological mapping, prospecting, stream, soil and litho-geochemical surveys and a limited amount of trenching (Burns, 1988). This work generated several exploration targets, one notable one being the Beaverdam Zone on the Grace 5 claim.

126°45'

57°15'

GRACE CLAIM GROUP



FINLAY RIVER



SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT	
CLAIM MAP	
NTS 94E-2	OMINECA M.D.
0 2 4 KM	
SCALE: AS SHOWN	DECEMBER 1988
DRAWN BY: P.R.	FIGURE NO. 2

Subsequently additional ground was staked (Concha) and an option agreement was made on ground held by Asitka Resources Corp. (Grace).

5. REGIONAL GEOLOGY

5.1 The oldest rock in the area are Permian Asitka Group limestones which are often in fault contact with Upper Triassic Takla Group andesitic flows and breccias. Takla Volcanics have been intruded by Lower Jurassic granodiorite/quartz monzonite stocks and are overlain by Lower to Middle Jurassic Toodoggone Volcanics (Figure 3). This latter sequence consists of a thick pile of complexly intercalated andesitic tuffs, epiclastic rocks and ash flows. The Toodoggone Volcanics are host to most of the significant gold deposits in the region.

5.2 Regionally the Toodoggone volcanic sequence has been divided into three divisions. The lower division consists predominately of epiclastic maroon agglomerate along with some crystal tuff. The middle division consists of green, grey, red, orange, quartz andesite crystal tuff and lapilli tuff with varying degrees of welding. Locally well developed layering, due to compaction, is evident. The upper division consists predominately of a volcanic - sedimentary sequence of ash falls, greywacke and conglomerate of andesitic composition.

5.3 The Toodoggone Volcanics are unconformably overlain by relatively flat lying Late Cretaceous to Tertiary sedimentary rocks of the Sustut Group. These consist of polymictic conglomerate, sandstone, shale and carbonaceous mudstone.

5.4 The structural setting of the Toodoggone Camp is very important. Gold mineralization is nearly always found proximal to northwest - southeast trending fault zones. Several major faults can be traced for 50 km or more. These include the Saunders Creek, MaClair and Laywers - Attorney faults. These faults are thought to be related to horst-graben structures.

6. PROPERTY GEOLOGY

6.1 To date the bulk of the work was concentrated on the Grace 5 claim. The southeast half of the property consists predominately of andesitic flows of the Takla Group. Magnetite and pyrite are commonly disseminated in the volcanics in concentrations as great as 10%. Alteration assemblages generally consist of epidote, chlorite and carbonate. Limestone exposures crop out with the volcanics as roof pendants in places. These exposures are proximal to the granodiorite intrusions. The limestone is probably part of the Permian Asitka Group.

6.2 The northwest half of the property is underlain, for a large part, by gray-orange-green andesite to quartz eye-andesite

crystal and crystal lapilli tuffs. Red, hematitic ash fall tuffs are interbedded with the crystal tuffs (fig. 3). These rocks are generally chlorite and epidote altered. The Toodoggone - Takla contact is fault bounded on at least three sides suggesting a graben structure.

6.3 Within the Electrum zone area the quartz-eye andesite crystal tuffs are in fault contact with the gray-orange-green andesitic sequence. The chalcedony breccia zones appear to follow this structural break (fig's 17 and 18).

6.4 The Concha claims appear to be underlain predominately by Takla Group andesitic flows.

7. MINERALIZATION AND ALTERATION

7.1 Three zones of gold and silver mineralization have been targeted thus far; The Beaverdam Zone, the Electrum zone and the Mina Del Rey Zone (Fig. 3).

Electrum Zone

7.2 Mineralization in the Electrum Zone consists of chalcedony breccia and fracture controlled veinlets with minor amounts of argentite and electrum. Pyrite content is always less than one percent. Calcite is abundant as both fracture fillings and vein centres. The chalcedony is banded showing several episodes of precipitation. Colour varies from cream to dark gray. Hematite and Jasper is also present within the chalcedony matrix.

7.3 The veins and breccia zones are surrounded by up to four metres of intensely bleached and argillic altered wallrock.

7.4 Diamond drilling has shown that the electrum zone consists predominately of hanging wall & footwall shoots. Both shoots strike northwest and dip 60 to 80 to the northeast. Gold & silver mineralization is mainly concentrated in the hanging wall shoot. These breccia shoots appear to be converging to the southeast. Probably the hanging wall shoot is a splay off the footwall shoot. The footwall shoot predominately consists of rounded re-brecciated chalcedony fragments in a gouge-like silicified matrix, suggesting the mineralization was emplaced in an active fault zone.

7.5 The footwall shoot has a faulted contact with the unaltered wallrock below.

7.6 The hanging wall shoot is cut off by a dyke like (?) welded tuff in DDH-8 and DDH-9. In DDH-8 there is a mineralized fracture controlled breccia zone; probably a splay off of the hanging wall shoot.

7.7 DDH-15 and DDH-16 intersected another breccia zone similar to the footwall shoot. This zone is immediately east of

the dyke like (?) welded tuff. Several small parallel breccia zones also occur further east of this structure. All of these structures/zones are subparallel and are open to the northwest, southeast and to depth.

Beaverdam Zone

7.8 The alteration at the Beaverdam Zone is very similar to that of the Electrum Zone. One notable difference being the amount of sulphides present. The Beaverdam Zone has two to five percent pyrite disseminated throughout. The structure, as seen from surface mapping and trench sampling, is parallel to that of the Electrum Zone. To date five holes have been drilled in the Beaverdam Zone. All failed to intersect any significant gold and silver values.

Mina Del Rey Showing

7.9 The Mina Del Rey Zone was discovered late in the fall of 1988. Rock samples from a banded quartz-chalcedony breccia vein returned assays as high as 0.1 oz/t gold and 6.7 oz/t silver (grab sample of vein material). The vein is hosted by Toodoggone quartz-adesite crystal tuffs. This zone strikes 140 and probably dips steeply to the east with an average width of five metres.

Other showings

7.10 At approximate grid location 100+00N, 43+00E a quartz breccia outcrops in Takla Volcanics. This breccia zone is host to lead, zinc and copper mineralization. This outcrop can be traced down hill to the southeast for approximately 50 metres. The structure is covered by overburden below this point.

8. GEOPHYSICS AND GEOCHEMISTRY

8.1 During the 1988 field season a total of 43.9 km of grid has been established on the Grace claim group. Details are as follows:

Beaverdam Grid:	22.7km - flagged, blazed & brushed.
Large Grid:	12.4km - flagged, blazed & brushed.
Tie lines:	3.0km - flagged & brushed.
Baseline:	2.8km - cut.
Other detail grids:	3.0km - flagged & brushed.

8.2 A total of 1336 soil samples were taken on the claim group. Soils were taken at 25 metre intervals with 50 metre line spacing over the Beaverdam Grid. Over the large grid 50 metre sample intervals and 600 metre line spacing were utilized.

8.3 Soils were analyzed by Acme Analytical labs in Vancouver. Five element ICP was done for Cu, Pb, Zn, Ag and As. Au analysis was by acid leach (A.A.) from a 10 gram sample. Hg analysis was by flameless atomic absorption.

8.4 Magnetometer and VLF-EM surveys were carried out over

the beaverdam grid. Two test lines of I.P. and 3.5 kilometres of EM-34 (resistivity) were run also.

8.5 All of the above work was performed by Quest Canada Exploration Services Inc. except for 2.0 kilometres of detail grid which was put in and soiled by Skylark personnel.

8.6 The geophysical surveys were not successful in delineating the known structures of the Beaverdam or Electrum showings.

8.7 The geochemical survey was not successful in delineating the known showings. However, a few anomalies are indicated and they will be followed up in the near future.

9. DIAMOND DRILLING

9.1 To date 1903 metres of BDBGM (Thin Wall BQ) diamond drilling has been completed. Drilling was performed by Van Alphen Exploration Services Inc.

9.2 Between August 3 and October 21, 1988, 22 holes were drilled in the Grace claim group. Most holes were drilled at an azimuth of 232 and a dip of -45. Seventeen holes were drilled in the Electrum Zone and five holes in the Beaverdam Zone (fig's 10-25). All core is kept in core storage facilities at the main camp on the Finlay River.

9.3 The diamond drill program was very successful in delineating zones (shoots) of mineralization within the Electrum Zone. Important intersections are as follows:

DDH	DEPTH (m)		INTERVAL (m)	ASSAY		Au, Ag (g/tonne)	
	from	to		Au, Ag (Oz/t)	Au, Ag (g/tonne)	Au, Ag (g/tonne)	Au, Ag (g/tonne)
1	18.5	20.5	2	0.017, 0.72	0,583,	24.70	
2	22.5	23.5	1	0.100, 9.94	3.430,	340.94	
	23.5	24.5	1	0.188, 11.63	6.448,	398.91	
	24.5	27.2	2.7	0.043, 5.38	1.475,	184.53	
3	27.5	28.2	0.7	0.229, 4.37	7.855,	149.89	
	28.2	32.0	3.8	0.023, 2.63	0.789,	90.21	
4	42.0	43.0	1	0.128, 5.84	4.390,	200.31	
	43.0	44.0	1	0.019, 1.65	0.652,	56.60	
	53.0	54.0	1	0.023, 2.01	0.789,	68.94	
	55.0	56.0	1	0.005, 1.04	0.172,	35.67	
6	76.0	77.0	1	0.050, 4.8	1.715,	164.64	
8	63.8	65.0	1.2	0.083, 5.64	2.847,	193.45	
	65.0	65.75	0.75	0.228, 6.19	7.820,	212.32	

	65.75	67.0	1.25	0.018, 1.14	0.617, 39.10
9	49.0	50.0	1	0.179, 8.18	6.14, 280.57
	50.0	51.0	1	0.044, 4.06	1.509, 139.26
	86.0	87.0	1	0.066, 5.58	2.264, 191.39
10	78.0	78.5	0.5	0.016, 1.61	0.549, 55.22
	78.5	79.0	0.5	0.040, 3.78	1.372, 129.65
15	75.5	76.5	1.0	0.049, 5.37	1.681, 184.19
16	61.6	64.0	2.6	0.144, 13.40	4.939, 459.62
incl.	61.6	61.9	0.3	0.296, 32.47	10.153, 113.72
	62.1	62.4	0.3	0.247, 24.86	8.472, 852.70
	63.0	64.0	1.0	0.170, 13.67	5.831, 468.88
17	61.5	62.1	0.6	0.085, 9.60	2.916, 329.28

9.4 Five holes were drilled in the Beaverdam Zone. One hole was abandoned due to technical problems and the remaining four holes failed to intersect any significant gold and silver values.

10. CONCLUSION

10.1 Diamond drilling on the Electrum Zone has shown the presence of gold and silver mineralization of potentially economic grade. Complex fault geometry makes it difficult to follow the mineralized zone. Further difficulties arise due to thick overburden cover and swampy ground to the north. More drilling is needed both along strike and at depth to properly define and delineate the targets.

10.2 Although no significant mineralization was intersected, there is still a potential target at the Beaverdam Zone. A program consisting of "prospect drilling" is needed to test this zone.

10.3 The Mina Del Rey Zone warrants further work to test the continuity and extent of known mineralization.

11. RECOMMENDATIONS

11.1 Due to the swampy nature of the ground and the thick overburden, a 3050 metre winter percussion drill program, followed by possibly, a 520 metre diamond drilling program is proposed.

The percussion drill will be utilized to prospect in the swampy ground to the northwest and southeast of the three main showings and any other interesting areas. If mineralized structures are located, follow-up diamond drilling will commence.

12. COST ESTIMATE

- 3050 metres percussion drilling @ \$36.00/metre..	\$110,000.00
- 520 metres diamond drilling @ \$124.00/metre.....	64,000.00
- Sno-cat rental 3 months @ \$2,100.00.....	6,300.00
- JD-750 Dozer 3 months @ \$13,000.00.....	39,000.00
- Assay equipment rental 2 months @ \$3,100.00.....	6,200.00
- Office and administrative, etc.....	5,000.00
- De-mobilization (June '89).....	12,000.00
- Reclamation.....	10,000.00
- 10% Management fee re: drill & dozer.....	<u>19,400.00</u>
contracts	
	\$272,300.00
+ 10% contingency	<u>27,230.00</u>
	\$299,530.00

13. REFERENCES

- BURNS, P.J. Geological/Geochemical Report on the
Jok 1 to 6 & Error 1 to 8 & Grace 1 to 5
& Concha 1 to 7, Skarn 1 to 4, Wrich 1
to 2 claims. Omineca Mining Division.

March 15, 1988
- REYNOLDS, P. &
VULIMIRI, M. Summary Report with Recommendations on
the Grace 1 to 5 claims. Omineca Mining
Division.

September 2, 1988

14. STATEMENT OF EXPENDITURES

Drilling:	1903 metres @ \$82.00/metre	\$156,046.00
Camp man days:	560 @ \$55.00/day	30,800.00
Consulting:	1 @ \$260.00 x 20 days	5,200.00
Geologist:	1 @ \$130.00 x 80 days	10,400.00
Assistant:	1 @ \$140.00 x 80 days	10,200.00
Cat Operator:	1 @ \$150.00 x 70 days	10,500.00
JD-750 Dozer Rental:	2 months @ \$13,000/month	26,000.00
Mob/Demob:		5,000.00
Truck:	3 months @ \$1,240./month	3,720.00
Core Shack & Rack:		3,000.00
Air Freight:		8,517.77
Air Fare:	4 @ \$430.00	1,720.00
Assays:		6,110.81
Equipment, Radio, etc.:		1,800.00
Report:		<u>1,500.00</u>
	TOTAL	\$281,514.58

CERTIFICATE

I, Paul Reynolds of the city of Vancouver, in the province of British Columbia, hereby certify that:


- (1) I am a graduate of the University of British Columbia, with a Bachelor of Science degree in geology.
- (2) I have practiced my profession as exploration geologist since graduation in April, 1987.
- (3) I have based this report upon a review of the geological field data, and supervision of exploration projects on the property.
- (4) I have no direct, indirect or contingent interest in Skylark Resources Ltd.

16 January 1989

P Reynolds

APPENDIX I

DRILL PLANS & SECTIONS




48+00E

REF LINE

DDM 88-13


Ash fall tuff



LEGEND

- ▲ Porphyritic alteration
- Argillic "
- - - Limit of "
- Geological contact
- ▨ Chalcodony breccia
- ▩ Fracture controlled chalcodony breccia
- ~ Fault
- | Diamond drill hole
- Quartz eye andesite crystal tuff
- Veining
- 0.0005 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT GRACE CLAIMS	
SECTION 91+00N	
LOOKING NORTH	
NTS 94E-2	OMINECA W.D. B.C.
0	10 20 30 METRES
SCALE 1:500	DATE: DEC 1988
DRAWN BY: P.R.	FIGURE NO: 11



48+00E

DDH 88-3


DDH 88-17

DDH 88-21

REF LINE

Ash fall

Highly leached
hematitic welded
tuff



LEGEND

- A Parphyritic alteration
 - B Argillite
 - Limit of
 - Geological contact
 - Chalcedony breccia
 - Fracture controlled chalcedony breccia
 - Fault
 - Diamond drill hole
 - Quartz eye andesitic crystal tuff
 - Veining
- 60,000 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT	
GRACE CLAIMS	
SECTION 91+50N	
LOOKING NORTH	
NTS 94E-2	OMINECA M.D. B.C.
0 5 10 20 30 METRES	
SCALE 1:500	DATE DEC 1988
DRAWN BY P.R.	FIGURE NR. 13

48+00E

REF LINE


DDH 88-2

DDH 88-7

DDH 88-10

DDH 88-15

DDH 88-22



LEGEND

- A Propylitic alteration
 - B Argillic
 - - - Limit of
 - Geological contact
 - Chalcedony breccia
 - Fracture controlled chalcedony breccia
 - Fault
 - Diamond drill hole
 - Quartz and andesite crystal tuff
 - Vein
- 48,000 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.

FINLAY RIVER PROJECT
GRACE CLAIMS
SECTION 91+75N
LOOKING NORTH

NTS 94E-2 OMINICA M.D. B.C.



SCALE 1:500	DATE DEC 1988
DRAWN BY P.R.	FIGURE N° 14

48+00E

DDH 88-1

DDH 88-4

DDH 88-6

DDH 88-15

REF LINE

Highly fibrited
hematitic welded
tuff

LEGEND

- A Porphyritic alteration
 - B Argillic
 - - - Limit of
 - - - Geological contact
 - Chalcedony breccia
 - Fracture controlled chalcedony breccia
 - Fault
 - Diamond drill hole
 - + + Quartz eye andesite crystal tuff
 - Veining
- 0.0005 Ag, Au in 01/ton

SKYLARK RESOURCES LTD.


FINLAY RIVER PROJECT
GRACE CLAIMS
SECTION 92+00N
LOOKING NORTH

N 1 S 94 E 2 0 MINECA M.D. B.C.

0 5 10 20 30 METRES

SCALE 1:500 DATE DEC 1988

DRAWN BY P.R. FIGURE NO 15



SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT GRACE CLAIMS	
SECTION 92+25 N	
LOOKING NORTH	
NTS 94E-2	OMINECA M.D., B.C.
0 5 10 20 30 METRES	
SCALE 1:500	DATE DEC 1988
DRAWN BY P.R.	FIGURE NO 16


48+00E

49+00E

92+00 N

91+50 N


91+00 N



LEGEND

- A Porphyritic alteration
 - B Argillic
 - Limit of
 - - - Geological contact
 - Chalcedony breccia
 - Fracture controlled chalcedony breccia
 - Fault
 - Diamond drill hole intersection
 - * * * Quartz eye andesite crystal tuff
 - Mineralized zone
- 0.0005 Ag, Au in g/tan

SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT GRACE CLAIMS	
25m LEVEL PLAN	
NTS 94E-2	OMINECA M.D. B.C.
0 5 10 20 30 METRES	
SCALE 1:500	DATE DEC 1988
DRAWN BY: P.R.	FIGURE NO 17



LEGEND

- A Porphyllitic alteration
 - B Argillic "
 - - - Limit of "
 - Geological contact
 - △ Chalcedony breccia
 - Fracture controlled chalcedony breccia
 - ~ Fault
 - Diamond drill hole intersection
 - Quartz eye andesite crystal ball
 - ▨ Minefilled zone
- 48,000 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT GRACE CLAIMS	
50m LEVEL PLAN	
NTS 94E-2	OMINECA M.D. B.C.
0 5 10 20 30 METRES	
SCALE 1:500	DATE DEC 1988
DRAWN BY: P.R.	FIGURE NO 18

SE

91+50 N

92+00 N

NW

Ref. line


DDH 3
4.37, 0.229/0.7m (19)
2.63, 0.023/3.8m (114)

11.58, 0.106/1m (109)
16.03, 0.172/1m (93)
6.09, 0.045/2.7m (135)

DDH 1
0.72, 0.017/2m (42)

DDH 4
5.84, 0.128/1m (46)
1.65, 0.019/1m (87)

LEGEND

 Ag, Au in oz per ton / width ($\frac{Ag}{Au}$ ratio)

DDH 88-3

DDH 88-2

DDH 88-1

DDH 17
9.60, 0.085/0.6m (113)

DDH 8
6.91, 0.083/1.2m (83)
14.62, 0.228/0.75m (64)
1.49, 0.018/1.25m (83)

DDH 6
4.8, 0.05/1m (96)

DDH 88-4

DDH 9
5.58/0.066/1.0m (85)

DDH 88-8

DDH 88-17

DDH 88-6

DDH 88-9

SKYLARK RESOURCES LTD.

GRACE CLAIMS
HANGING WALL ZONE
LONG SECTION WITH ASSAYS

N.T.S. 94 E-2 Omineca M.D., B.C.

0 5 10 15 20 25 METRES

SCALE 1:500

DATE: SEPT 1988

DRAWN BY: P. R.

FIGURE NO. 19A

SE 91+50N

92+00N

NW

Ref. line

LEGEND

⊕ Ag, Au in oz per ton/width ($\frac{Ag}{Au}$ ratio)

DDH 9
8.18, 0.179/1.0m (46)
4.06, 0.044/1.0m (92)

DDH 16
1.47, 0.016/0.6m (92)
32.46, 0.296/0.3m (110)
9.58, 0.094/0.2m (102)
24.86, 0.247/0.25m (101)
0.42, 0.011/0.65m (38)
13.67, 0.170/1.0m (80)
1.38, 0.014/1.0m (99)

DDH 88-9

102m DDH 88-16

SKYLARK RESOURCES LTD.

GRACE CLAIMS
NEW ZONE
LONG SECTION WITH ASSAYS

N.T.S. 94E-2 OMINECA M.D., B.C.


0 5 10 15 20 25 METRES

SCALE 1:500

DATE: JAN. 1989

DRAWN BY: P.R.

FIGURE No. 19B




SKYLARK RESOURCES LTD.	
FINLAY RIVER PROJECT BEAVERDAM ZONE	
GEOLOGY & DRILL PLAN	
NTS 94E-2	OMINECA M.D. U.C.
0 5 10 20 30 METERS	
SCALE 1:500	DATE JAN 1989
DRAWN BY P.R.	FIGURE NO 20

50+50E

253°

REF. LINE



LEGEND

- A Pyroclitic alteration
 - B Argillic "
 - Limit of "
 - Geological contact
 - △△ Chalcedony breccia
 - ▨▨▨ Fracture controlled chalcedony breccia
 - ~ Fault
 - Diamond drill hole
 - + + Quartz eye andesite crystal tuff
 - ▬ Veining
- 4.8,0.005 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.

FINLAY RIVER PROJECT
BEAVERDAM ZONE

SECTION 91 + 75 N

N.T.S. 94E-2

OMINECA M.D., B.C.

0 5 10 20 30 METRES

SCALE 1:500

DATE: JAN. 1989

DRAWN BY: P.R.


FIGURE NO. 21

50+50E

236°

REF. LINE

DDH-12



chalcedony veinlets & fracture
controlled breccia every 5cm .

Hole abandoned due to
broken casing

LEGEND

- A Porphyritic alteration
- B Argillic "
- Limit of "
- Geological contact
- ΔΔ Chalcedony breccia
- ⊘⊘ Fracture controlled chalcedony breccia
- ~ Fault
- Diamond drill hole
- + + Quartz eye andesite crystal tuff
- | Veining
- 4.0,0.005 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.

FINLAY RIVER PROJECT
BEAVERDAM ZONE

SECTION 91 + 64 N

N.T.S. 94 E-2

OMINECA M.D., B.C.



SCALE 1:500

DATE: JAN. 1989

DRAWN BY: P.R.

FIGURE No. 22

51+50 E







232°

REF. LINE

DDH-18

Fragmental quartz eye
andesite crystal tuff

LEGEND

- A Porphyritic alteration
 - B Argillic "
 - Limit of "
 - Geological contact
 -  Chalcedony breccia
 -  Fracture controlled chalcedony breccia
 -  Fault
 -  Diamond drill hole
 -  Quartz eye andesite crystal tuff
 -  Veining
- 4.8,0.005 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.

FINLAY RIVER PROJECT
BEAVERDAM ZONE

SECTION 91 + 60 N

N.T.S. 94E-2

OMINECA M.D., B.C.

0 5 10 20 30 METRES

SCALE 1:500

DATE: JAN. 1989

DRAWN BY: P.R.


FIGURE Nº. 23

51+50E

232°

DDH-20

REF. LINE



Fragmental quartz eye andesite
crystal tuff

LEGEND

- A Porphyritic alteration
 - B Argillic "
 - Limit of "
 - Geological contact
 - △△ Chalcidony breccia
 - ⊘⊘ Fracture controlled chalcidony breccia
 - ~ ~ Fault
 - T Diamond drill hole
 - + + Quartz eye andesite crystal tuff
 - Veining
- 4.8,0.005 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.

FINLAY RIVER PROJECT
BEAVERDAM ZONE

SECTION 91 + 61 N

N.T.S. 94E-2

OMINECA M.D., B.C.

0 5 10 20 30 METRES

SCALE 1:500

DATE: JAN. 1989

DRAWN BY: P. R.


FIGURE Nº. 24

51+50E

232°

REF. LINE

DDH 19



LEGEND

- A Porphyritic alteration
 - B Argillic "
 - Limit of "
 - Geological contact
 - ⊘ Chalcedony breccia
 - ⊘ Fracture controlled chalcedony breccia
 - ~ Fault
 - ⊥ Diamond drill hole
 - + + + Quartz eye andesite crystal tuff
 - ▬ Veining
- 4.0,0.005 Ag, Au in oz/ton

SKYLARK RESOURCES LTD.

FINLAY RIVER PROJECT
BEAVERDAM ZONE

SECTION 92 + 10 N

N.T.S. 94E-2

OMINECA M.D., B.C.



SCALE 1:500

DATE: JAN. 1989

DRAWN BY: P.R.

FIGURE NO. 25

APPENDIX II

ASSAY CERTIFICATES

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: AUG 12 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Aug. 17/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 1-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR HG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3546 Page 1

SAMPLE#	Ag PPM	Au* PPB
Q 7884	3.0	36
Q 7885	1.9	12
Q 7886	2.8	25
Q 7887	1.2	41
Q 7888	3.5	31
Q 7889	4.1	32
Q 7890	8.7	54
Q 7891	5.2	25
Q 7892	1.9	3
Q 7893	6.7	85
Q 7894	3.3	37
Q 7895	4.0	46
Q 7896	2.4	32
Q 7897	1.4	21
Q 7898	3.0	47
Q 7899	1.4	5
Q 7900	1.7	9
Q 7901	1.3	8
Q 7902	.6	15
Q 7903	.5	3
Q 7904	1.0	152
Q 7905	2.8	64
Q 7906	2.1	28
Q 7907	1.8	24
Q 7908	1.4	13
Q 7909	4.8	26
Q 7910	1.6	7
Q 7911	5.7	79
Q 7912	23.5	280
Q 7913	2.1	25
Q 7914	8.4	123
Q 7915	8.5	91
Q 7916	6.4	67
Q 7917	3.1	55
Q 7918	2.5	39
Q 7919	5.4	83
STD C/AU-R	6.8	495

SAMPLE#	Ag PPM	Au* PPB
Q 7920	339.9	3415
Q 7921	397.6	6445
Q 7922	161.7	1215
Q 7923	138.3	1035
Q 7924	221.3	1905
Q 7925	17.1	138
Q 7926	6.1	68
Q 7927	.9	15
Q 7928	2.4	18
Q 7929	5.6	54
Q 7930	1.6	13
Q 7931	4.2	43
Q 7932	5.7	46
Q 7933	6.2	44
Q 7934	3.0	27
Q 7935	2.8	21
STD C/AU-R	6.8	470

- ASSAY REQUIRED FOR CORRECT RESULT $\frac{f}{2}$ Ag > 35 ppm

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: AUG 12 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED:

Aug. 24 / 88

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp

AU** AND AG** BY FIRE ASSAY FROM 1/2 A.T.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3546R

SAMPLE#	Ag** OZ/T	Au** OZ/T
7920	11.58	.106
7921	16.03	.172
7922	5.18	.039
7923	5.04	.033
7924	7.29	.055

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: AUG 15 1988

DATE REPORT MAILED: *Aug 19/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CE MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D.TOYE OR C.LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3608 Page 1

SAMPLE#	Ag PPM	Au* PPB
Q 2001	9.7	68
Q 2002	10.1	86
Q 2003	5.6	42
Q 2004	1.1	16
Q 2005	.6	6
Q 2006	3.5	52
Q 2007	68.6	785
Q 2008	11.7	72
Q 2009	35.7	167
Q 2010	3.7	22
Q 2011	4.7	27
Q 2012	3.8	17
Q 2013	12.3	79
Q 2014	4.6	16
Q 2015	2.9	15
Q 2016	24.2	168
Q 2017	2.7	9
Q 2018	2.6	14
Q 2019	2.9	23
Q 2020	17.3	120
Q 2021	33.6	129
Q 2022	2.2	18
Q 2023	2.2	12
Q 7936	3.0	18
Q 7937	3.1	17
Q 7938	3.2	50
Q 7939	2.2	95
Q 7940	1.2	53
Q 7941	4.6	96
Q 7942	4.4	129
Q 7943	3.6	37
Q 7944	2.7	21
Q 7945	2.3	40
Q 7946	.4	6
Q 7947	.4	5
Q 7948	.5	4
STD C/AU-R	6.7	515

SAMPLE#	Ag PPM	Au* PPB
Q 7949	1.4	17
Q 7950	3.7	1
Q 7951	.5	1
Q 7952	1.3	36
Q 7953	1.2	3
Q 7954	.2	1
Q 7955	.3	3
Q 7956	1.5	9
Q 7957	1.5	5
Q 7958	2.8	28
Q 7959	5.3	43
Q 7960	16.8	275
Q 7961	3.0	245
Q 7962	5.6	245
Q 7963	149.5	7835
Q 7964	19.6	265
Q 7965	82.3	555
Q 7966	135.9	1375
Q 7967	108.3	835
Q 7968	7.1	96
Q 7969	11.6	54
Q 7970	11.1	67
Q 7971	3.9	63
Q 7972	1.3	44
Q 7973	2.8	24
Q 7974	1.9	16
Q 7975	3.5	34
Q 7976	2.2	21
Q 7977	2.6	20
Q 7978	2.9	18
Q 7979	1.6	8
Q 7980	1.2	14
Q 7981	1.3	10
Q 7982	1.5	11
Q 7983	2.5	20
Q 7984	2.7	31
STD C/AU-R	7.1	495

- ASSAY REQUIRED FOR CORRECT RESULT for Ag > 35 ppm.

SAMPLE#	Ag PPM	Au* PPB
Q 7985	.3	4
Q 7986	1.2	10
Q 7987	2.9	26
Q 7988	6.8	102
Q 7989	1.8	24
Q 7990	.2	16
Q 7991	3.0	61
Q 7992	4.0	16
Q 7993	6.0	55
Q 7994	8.6	99
Q 7995	5.9	93
Q 7996	199.9	4385
Q 7997	56.5	655
Q 7998	5.6	87
Q 7999	1.3	14
Q 8000	2.5	38
STD C/AU-R	7.1	480

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: AUG 17 1988

DATE REPORT MAILED: *Aug. 20/88...*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong*. D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3676 Page 1

SAMPLE#	Ag PPM	Au* PPB
Q 2024	3.4	73
Q 2025	8.8	2293
Q 2026	.1	6
Q 2027	2.4	40
Q 2028	.8	10
Q 2029	.5	12
Q 2030	1.9	25
Q 2031	.5	20
Q 2032	2.3	21
Q 2033	.2	4
Q 2034	1.2	18
Q 2035	.8	9
Q 2036	1.1	11
Q 2037	.9	15
Q 2038	1.2	14
Q 2039	.8	8
Q 2040	1.0	19
Q 2041	.4	3
Q 2042	.4	5
Q 2043	2.7	93
Q 2044	.3	3
Q 2045	.4	7
Q 2046	.5	10
Q 2047	.4	15
Q 2048	.3	4
Q 2049	.8	23
Q 2050	.2	10
C 86001	.4	5
C 86002	.4	4
C 86003	.5	7
C 86004	.3	13
C 86005	.2	41
C 86006	.1	4
C 86007	.4	8
C 86008	.5	13
C 86009	.3	25
STD C/AU-R	7.1	490

SAMPLE#	Ag PPM	AU* PPB
C 86010	.8	11
C 86011	.8	9
C 86012	1.8	10
C 86013	2.3	15
C 86014	.3	3
C 86015	1.1	3
C 86016	7.4	61
C 86017	2.5	63
C 86018	1.3	12
C 86019	4.1	22
C 86020	25.0	143
C 86021	7.0	62
C 86022	5.5	28
C 86023	4.5	118
C 86024	.1	3
C 86025	.2	4
C 86026	2.2	4
STD C/AU-R	7.1	485

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: SEP 28 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE (604) 253-3158

FAX (604) 253-1716

DATE REPORT MAILED:

Oct 4/88

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp AU - 10 GM REGULAR ASSAY.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3676R

SAMPLE#	Ag	Au
	OZ/T	OZ/T
C 86020	.73	.004
C 86021	.19	.002
C 86022	.17	.001
C 86023	.14	.003

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: AUG 12 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Aug. 22/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Long*. D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3533

SAMPLE#	Ag PPM	Au* PPB
Q 7851	5.9	39
Q 7852	1.3	30
Q 7853	2.6	41
Q 7854	1.9	12
Q 7855	.5	6
Q 7856	3.4	38
Q 7857	4.1	42
Q 7858	.9	12
Q 7859	7.2	54
Q 7860	.7	29
Q 7861	1.3	12
Q 7862	4.9	29
Q 7863	10.8	88
Q 7864	1.8	53
Q 7865	3.1	16
Q 7866	4.0	24
Q 7867	67.5	1270
Q 7868	11.4	105
Q 7869	69.2	795
Q 7870	4.3	24
Q 7871	3.2	49
Q 7872	2.4	30
Q 7873	1.3	39
Q 7874	2.4	18
Q 7875	9.6	109
Q 7876	2.2	13
Q 7877	3.0	14
Q 7878	.6	4
Q 7879	.5	5
Q 7880	.6	3
Q 7881	1.7	23
Q 7882	2.5	25
Q 7883	2.0	8
STD C/AU-R	7.2	520

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: SEP 28 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716

DATE REPORT MAILED:

Oct. 4/88

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp

ASSAYER: *C. Long* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT-GRACE FILE # 88-3533R

SAMPLE#	AG	AU
	oz/t	oz/t
Q 7867	2.23	.045
Q 7868	.34	.003
Q 7869	1.98	.018

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: AUG 22 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Aug. 30/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3784 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 86161	.6	21
C 86162	.6	66
C 86163	.6	27
C 86164	.7	9
C 86165	.8	15
C 86166	.4	4
C 86167	.6	3
C 86168	.4	2
C 86169	.5	9
C 86170	1.3	22
C 86171	1.6	27
C 86172	4.1	100
C 86173	1.2	16
C 86174	2.2	13
C 86175	.3	3
C 86176	1.1	9
C 86177	.5	17
C 86178	.6	10
C 86179	2.1	18
C 86180	.3	3
C 86181	1.7	29
C 86182	.9	9
C 86183	.6	59
C 86184	2.2	45
C 86185	8.1	92
C 86186	10.9	106
C 86187	5.3	82
C 86188	3.4	50
C 86189	3.2	76
C 86190	9.8	161
C 86191	.2	5
C 86192	.2	2
C 86193	3.3	68
C 86194	1.5	24
C 86195	19.9	192
C 86196	2.9	825
STD C/AU-R	7.2	510

SAMPLE#	Ag PPM	Au* PPB
C 86197	66.1	750
C 86198	11.1	116
C 86199	165.9	1740
C 86200	1.8	23
C 86201	39.3	505
C 86202	9.7	172
C 86203	1.0	31
C 86204	1.2	16
C 86205	2.5	37
C 86206	20.6	237
C 86207	55.1	710
C 86208	31.7	355
C 86209	3.0	31
C 86210	2.6	22
C 86211	5.1	35
C 86212	8.7	64
C 86213	12.6	156
C 86214	81.6	905
C 86215	3.5	61
C 86216	7.3	69
C 86217	8.9	93
C 86218	2.8	12
C 86219	3.0	27
C 86220	1.2	18
C 86221	.8	4
C 86222	.2	4
C 86223	1.2	13
C 86224	.4	4
C 86225	.1	4
C 86226	.4	2
C 86227	2.0	7
STD C/AU-R	6.6	510

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: SEP 28 1988

DATE REPORT MAILED: *Oct 4/88*

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp AU - 10 GM REGULAR ASSAY.

ASSAYER: *C. Long* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT-GRACE FILE # 88-3784R

SAMPLE#	Ag OZ/T	Au OZ/T
C 86172	.13	.003
C 86186	.38	.003
C 86190	.34	.005
C 86195	.68	.006
C 86196	.07	.003
C 86197	2.21	.020
C 86198	.41	.004
C 86199	4.79	.051
C 86200	.10	.002
C 86201	1.31	.013
C 86202	.44	.005
C 86206	.65	.006
C 86207	1.69	.019
C 86208	.97	.009
C 86213	.48	.003
C 86214	2.77	.023

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: AUG 26 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716 DATE REPORT MAILED:

Aug. 30/88

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN PB SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *D. Toye* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT #44 GRACE FILE # 88-3949 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 86228	2.0	6
C 86229	.9	3
C 86230	.7	3
C 86231	.6	10
C 86232	.6	8
C 86233	.6	4
C 86234	1.6	10
C 86235	.9	8
C 86236	1.1	17
C 86237	1.0	10
C 86238	1.1	230
C 86239	3.0	32
C 86240	1.2	8
C 86241	.7	4
C 86242	1.0	11
C 86243	1.5	24
C 86244	2.8	20
C 86245	1.2	48
C 86246	1.0	10
C 86247	3.2	21
C 86248	1.0	36
C 86249	.4	30
C 86250	.7	47
C 86251	1.3	18
C 86252	3.2	24
C 86253	1.1	23
C 86254	2.2	18
C 86255	3.9	1
C 86256	18.8	240
C 86257	28.8	290
C 86258	11.7	91
C 86259	5.1	450
C 86260	9.9	88
C 86261	2.8	14
C 86262	3.5	23
C 86263	2.8	14
STD C/AU-R	7.2	515

SAMPLE#	Ag PPM	Au* PPB
C 86264	2.1	23
C 86265	44.5	295
C 86266	2.6	19
C 86267	2.6	39
C 86268	13.3	250
C 86269	1.8	3
C 86270	2.6	14
C 86271	5.4	20
C 86272	3.4	55
C 86273	3.7	32
C 86274	1.2	7
C 86275	2.9	38
C 86276	.7	5
C 86277	.6	4
C 86278	1.0	1
C 86279	2.5	1
C 86280	2.5	1
C 86281	4.8	1
C 86282	1.6	25
C 86283	1.3	11
C 86284	1.2	3
C 86285	.5	1
C 86286	.7	1
C 86287	1.0	1
C 86288	5.9	144
C 86289	1.3	1
C 86290	.9	10
C 86291	1.1	18
C 86292	1.2	1
C 86293	8.0	64
C 86294	.9	2
C 86295	.9	8
C 86296	1.1	3
C 86297	.6	1
C 86298	.8	2
C 86299	.9	1
STD C/AU-R	6.8	470

SAMPLE#	Ag PPM	Au* PPB
C 86300	.9	14
C 86301	4.3	6
C 86302	.4	4
C 86303	.1	2
C 86304	.1	1
C 86305	5.2	1
C 86306	3.1	21
C 86307	1.5	12
C 86308	3.3	26
C 86309	6.6	64
C 86310	3.1	32
C 86311	7.4	71
C 86312	193.5	2830
C 86313	212.4	7825
C 86314	39.1	640
C 86315	2.2	56
C 86316	2.7	10
C 86317	.4	6
C 86318	2.7	149
C 86319	1.4	15
C 86320	.5	22
C 86321	1.4	31
C 86322	3.5	34
C 86323	1.6	16
C 86324	.7	11
C 86325	.4	31
C 86326	3.2	48
STD C/AU-R	6.7	515

Regular Assay suggested for Ag greater than 100 ppm

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: SEP 28 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Oct. 4/82.*

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp AU - 10 GR REGULAR ASSAY.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT-#44 GRACE FILE # 88-3949R

SAMPLE#	Ag OZ/T	Au OZ/T
C 86256	.58	.007
C 86257	.78	.008
C 86258	.43	.001
C 86259	.15	.011
C 86260	.33	.002
C 86261	.06	.001
C 86262	.09	.001
C 86263	.07	.001
C 86264	.05	.001
C 86265	1.47	.008
C 86266	.09	.001
C 86267	.07	.001
C 86268	.39	.007
C 86311	.28	.001
C 86312	6.91	.084
C 86313	14.62	.220
C 86314	1.49	.015

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: AUG 29 1988

152 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Sept. 1/88...*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSES BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Long* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3999

SAMPLE#	Ag PPM	Au* PPB
C 86348	1.8	12
C 86349	1.9	22
C 86350	280.6	6150
C 86351	139.2	1525
C 86352	1.3	7
C 86353	2.9	18
C 86354	3.3	20
C 86355	3.1	15
C 86356	1.4	5
C 86357	2.5	12
C 86358	1.6	5
C 86359	1.3	9
C 86360	1.3	14
C 86361	.6	1
C 86362	1.2	3
C 86363	2.2	8
C 86364	2.5	13
C 86365	1.0	5
C 86366	.9	6
C 86367	191.2	2250
C 86368	.7	4
C 86369	1.6	13
C 86370	2.2	12
C 86371	2.4	26
C 86372	2.0	17
C 86373	1.8	7
C 86374	.5	5
C 86375	.4	6
C 86376	.2	3
STD C/AU-R	7.1	520

- ASSAY REQUIRED FOR CORRECT RESULT: *for Ag > 35 ppm*

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: SEP 2 1988
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Sept. 8/88*

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp

ASSAYER: *C. Long* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-3999R

SAMPLE#	Ag OZ/T	Au OZ/T
C 86350	15.64	.218
C 86351	3.25	.041
C 86367	7.15	.085

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: AUG 29 1988

DATE REPORT MAILED: *Sept. 2/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE #44 FILE # 88-4099

SAMPLE#	Ag PPM	Au* PPB
C 86327	1.0	2
C 86328	42.5	670
C 86329	1.0	3
C 86330	.7	1
C 86331	.4	1
C 86332	.4	2
C 86333	.4	1
C 86334	.4	2
C 86335	.7	2
C 86336	.7	5
C 86337	1.9	18
C 86338	13.1	129
C 86339	6.1	53
C 86340	1.2	4
C 86341	1.0	1
C 86342	1.4	8
C 86343	2.6	10
C 86344	2.2	2
C 86345	.1	1
C 86346	.3	1
C 86347	.2	2
STD C/AU-R	6.7	490

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: SEP 3 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716

DATE REPORT MAILED:

Sept 7/88

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE #44 FILE # 88-4099R

SAMPLE#	AG
	oz/t
C 86328	1.30

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: SEP 9 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158

FAX(604)253-1716

DATE REPORT MAILED:

Sept 13/88

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MM PB SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-4345

SAMPLE#	Ag PPM	Au* PPB
C 86377	3.2	2
C 86378	4.2	3
C 86379	3.5	4
C 86380	3.8	1
C 86381	1.5	1
C 86382	4.0	5
C 86383	3.8	2
C 86384	2.7	1
C 86385	3.2	3
C 86386	4.2	1
C 86387	5.5	15
C 86388	6.0	41
C 86389	4.1	17
C 86390	.6	1
C 86391	1.2	4
C 86392	2.2	2
C 86393	5.4	17
C 86394	2.9	4
C 86395	2.9	14
C 86396	1.7	5
C 86397	1.1	4
C 86398	1.1	1
C 86399	1.3	1
C 86400	1.7	2
C 86401	1.6	4
C 86402	2.4	1
C 86403	3.0	1
C 86404	1.1	12
C 86405	4.6	15
C 86406	3.8	14
STD C/AU-R	7.1	490

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: SEP 19 1988

DATE REPORT MAILED: *Sept. 23/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: *C. Leong* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-4587

SAMPLE#	Ag PPM	Au* PPB
C 86407	5.7	36
C 86408	8.2	87
C 86409	.4	2
C 86410	.1	1
C 86411	.1	1
C 86412	.2	1
C 86413	1.6	69
C 86414	5.8	87
C 86415	1.8	17
C 86416	.9	14
C 86417	2.7	25
C 86418	59.0	530
C 86419	1.2	11
C 86420	3.2	16
C 86421	.8	12
STD C/AU-R	6.9	530

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: OCT 13 1988

DATE REPORT MAILED: *Oct. 17, 1988*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY *B. Chan* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5183

SAMPLE#	Ag PPM	Au* PPB
C 86422	2.4	96
C 86423	1.7	62
C 86424	.9	59
C 86425	3.7	205
C 86426	1.5	38
C 86427	1.3	148
C 86428	1.6	48
C 86429	1.0	15
C 86430	.3	6
C 86431	.2	2
C 86432	.1	1
C 86433	.1	1
C 86434	.2	1
C 86435	.1	2
C 86436	.1	8
C 86437	.2	7
C 86438	.1	4
C 86439	2.1	101
C 86440	.4	18
C 86441	.1	5
STD C/AU-R	6.7	510

ACME ANALYTICAL LABORATORIES LTD. DATE RECEIVED: OCT 14 1988
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
 PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Oct. 18/88.*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY... *[Signature]* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5200 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 86442	1.0	11
C 86443	.8	9
C 86444	.5	5
C 86445	2.9	18
C 86446	.6	4
C 86447	.6	7
C 86448	.8	10
C 86449	1.6	20
C 86450	.8	5
C 86451	.7	17
C 86452	1.6	37
C 86453	.8	23
C 86454	1.0	22
C 86455	1.9	19
C 86456	84.0	815
C 86457	1.0	36
C 86458	1.6	29
C 86459	1.1	16
C 86460	10.3	64
C 86461	.8	21
C 86462	2.4	27
C 86463	3.7	71
C 86464	.7	8
C 86465	1.0	14
C 86466	3.9	85
C 86467	2.8	33
C 86468	.8	15
C 86469	3.0	29
C 86470	2.4	25
C 86471	2.0	51
C 86472	2.0	57
C 86473	5.8	91
C 86474	2.9	35
C 86475	2.2	21
C 86476	.5	5
C 86477	1.7	13
STD C/AU-R	6.9	505

SAMPLE#	Ag PPM	Au* PPB
C 86478	2.1	14
C 86479	.2	4
C 86480	.1	1
C 86481	.2	16
C 86482	1.4	18
C 86483	3.6	61
C 86484	.8	5
C 86485	.2	1
C 86486	.8	68
C 86487	.5	17
C 86488	.7	5
C 86489	2.0	14
C 86490	.9	6
C 86491	.9	31
C 86492	2.3	92
C 86493	4.7	153
STD C/AU-R	7.1	470

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: OCT 17 1988

DATE REPORT MAILED: *C. L. 19/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY *C. L.* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5247 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 86494	1.6	68
C 86495	1.4	72
C 86496	4.6	26
C 86497	1.6	17
C 86498	3.3	38
C 86499	14.5	132
C 86500	5.3	68
C 89001	3.1	50
C 89002	7.1	62
C 89003	13.5	101
C 89004	4.3	18
C 89005	10.4	69
C 89006	59.2	665
C 89007	27.2	225
C 89008	134.7 ✓	1440
C 89009	184.1 ✓	1680
C 89010	12.9	112
C 89011	33.9	315
C 89012	.6	11
C 89013	8.0	52
C 89014	3.1	12
C 89015	2.1	17
C 89016	1.9	12
C 89017	1.9	43
C 89018	1.5	13
C 89019	16.6	122
C 89020	1.1	18
C 89021	1.4	35
C 89022	.6	12
C 89023	1.0	25
C 89024	1.2	37
C 89025	.4	15
C 89026	1.8	48
C 89027	11.6	80
C 89028	21.3	99
C 89029	13.9	83
STD C/AU-R	7.0	520

✓ ASSAY REQUIRED FOR CORRECT RESULT -

SAMPLE#	Ag PPM	Au* PPB
C 89030	9.5	30
C 89031	2.6	21

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: OCT 19 1988

DATE REPORT MAILED: *Oct. 21/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY... *C. Long*... D.TOYE, C.LEONG, B.CHAN, J.WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5302 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 89032	3.4	28
C 89033	11.9	92
C 89034	35.5	350
C 89035	54.3	490
C 89036	55.2	430
C 89037	156.0	1230
C 89038	7.2	32
C 89039	2.9	36
C 89040	4.3	51
C 89041	2.5	630
C 89042	4.1	550
C 89043	1.2	14
C 89044	1.4	55
C 89045	.4	6
C 89046	2.7	19
C 89047	5.0	49
C 89048	10.3	108
C 89049	2.7	39
C 89050	3.0	36
C 89051	12.8	136
C 89052	12.3	126
C 89053	.3	5
C 89054	.8	9
C 89055	.4	5
C 89056	.3	6
C 89057	.1	2
C 89058	.9	20
C 89059	.1	2
C 89060	.2	4
C 89061	.1	5
C 89062	.1	2
C 89063	.1	2
C 89064	1.0	14
C 89065	28.1	230
C 89066	.3	11
C 89067	.1	3
STD C/AU-R	6.6	530

SAMPLE#	Ag PPM	Au* PPB
C 89068	.1	2
C 89069	.2	3
C 89070	.2	3
C 89071	.1	3
C 89072	.1	2
C 89073	.1	2
C 89074	.1	2
C 89075	.1	2
STD C/AU-R	6.6	510

Assay required for correct result for Ag > 35 ppm.

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: OCT 25 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: *Oct 27 1988*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY *Bernard Chan* D.TOYZ, C.LEONG, B.CHAN, J.WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5429 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 89169	.5	15
C 89170	6.4	33
C 89171	1.9	9
C 89172	5.0	29
C 89173	4.8	36
C 89174	1.8	10
C 89175	1.3	7
C 89176	2.2	21
C 89177	2.8	16
C 89178	1.2	17
C 89179	1.8	14
C 89180	.1	1
C 89181	.1	1
C 89182	.1	2
C 89183	.1	1
C 89184	.9	6
C 89185	.1	1
C 89186	.5	5
C 89187	.1	1
C 89188	.2	1
C 89189	.1	14
C 89190	.2	12
C 89191	.1	2
C 89192	.1	20
C 89193	.1	3
C 89194	.1	4
C 89195	.1	9
C 89196	.1	6
C 89197	.1	1
C 89198	.1	1
C 89199	.2	1
C 89200	2.9	33
C 89201	.9	32
C 89202	1.8	27
C 89203	.6	33
C 89204	.5	14
STD C/AU-R	7.1	485

SAMPLE#	Ag PPM	Au* PPB
C 89205	1.4	20
C 89206	.3	2
C 89207	.6	3
C 89208	.5	1
C 89209	17.1	188
C 89210	6.9	87
C 89211	8.2	157
C 89212	21.5	205
C 89213	5.1	101
C 89214	3.0	37
C 89215	2.3	29
C 89216	3.4	550
C 89217	8.0	420
C 89218	.5	5
C 89219	.4	7
C 89220	.4	32
C 89221	.1	1
C 89222	.6	2
C 89223	3.0	16
C 89224	.8	11
C 89225	.1	3
C 89226	.4	1
C 89227	.1	1
C 89228	.3	1
C 89229	3.8	12
C 89230	4.1	21
C 89231	1.1	6
C 89232	.2	1
C 89233	.1	1
C 89234	.1	1
C 89235	.1	1
C 89236	.4	7
C 89237	.3	1
C 89238	.3	3
C 89239	.2	1
C 89240	.1	2
STD C/AU-R	6.7	485

SAMPLE#	Ag PPM	Au* PPB
C 89241	.1	1
C 89242	.1	3
C 89243	.1	5
C 89244	.1	1
C 89245	.1	1
C 89246	.1	1
C 89247	1.8	12
C 89248	.8	2
C 89249	1.2	1
C 89250	.5	15
C 89251	.1	9
C 89252	2.7	33
C 89253	2.5	20
C 89254	1.3	24
C 89255	1.0	1
C 89256	.6	4
C 89257	1.2	22
C 89258	3.7	59
C 89259	.9	3
C 89260	.1	1
C 89261	1.8	52
C 89262	.1	29
C 89263	1.0	36
C 89264	1.1	46
C 89265	4.3	115
C 89266	1.6	30
C 89267	4.9	35
C 89268	2.9	56
C 89269	.4	8
C 89270	.1	1
C 89271	.7	1
C 89272	1.5	102
C 89273	1.2	11
C 89274	2.2	42
C 89275	1.1	10
C 89276	.7	18
STD C/AU-R	7.2	505

SAMPLE#	Ag PPM	Au* PPB
C 89277	1.8	36
C 89278	.5	12
C 89279	.9	1
C 89280	.8	1

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3158 FAX(604)253-1716

DATE RECEIVED: OCT 24 1988

DATE REPORT MAILED: *Oct. 25. 1988*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY *Bernard Chan* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5377

SAMPLE#	Ag PPM	Au* PPB
C 89076	.1	3
C 89077	.2	7
C 89078	.2	4
C 89079	6.9	43
C 89080	2.2	17
C 89081	.8	15
C 89082	.1	7
C 89083	.4	10
C 89084	.2	20
C 89085	.8	9
C 89086	2.5	720
C 89087	1.3	3
C 89088	1.7	11
C 89089	2.8	72
C 89090	6.3	570
C 89091	10.4	80
C 89092	4.6	39
C 89093	√329.1	2920
C 89094	10.7	97
C 89095	17.6	119
C 89096	18.3	106
C 89097	7.7	68
C 89098	2.2	80
C 89099	3.4	26
C 89100	1.7	45
C 89101	2.2	44
C 89102	1.8	17
C 89103	1.9	8
C 89104	2.5	38
STD C/AU-R	6.9	505

Assay required for correct result *See Ag > 30 ppm*

ACME ANALYTICAL LABORATORIES LTD.

DATE RECEIVED: OCT 27 1988

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED: 11/1/88

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

SIGNED BY *B. Chan* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5476 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 89105	.3	11
C 89106	.4	15
C 89107	.5	11
C 89108	16.3	240
C 89109	.1	1
C 89110	3.0	56
C 89111	.3	7
C 89112	.3	1
C 89113	.6	8
C 89114	1.0	56
C 89115	.6	16
C 89116	49.9/	520
C 89117	224.6/	8530
C 89118	265.7/	2690
C 89119	346.2/	7500
C 89120	28.6	340
C 89121	332.9/	5180
C 89122	35.9/	440
C 89123	49.1/	420
C 89124	32.3	390
C 89125	8.4	108
C 89126	3.2	43
C 89127	1.5	29
C 89128	3.4	56
C 89129	12.9	260
C 89130	2.9	7
C 89131	.6	36
C 89132	.7	8
C 89133	2.5	49
C 89134	12.6	137
C 89135	2.7	72
C 89136	79.4/	730
C 89137	33.9	210
C 89138	3.8	69
C 89139	3.7	55
C 89140	6.8	206
STD C/AU-R	7.1	520

SAMPLE=	Ag PPM	Au* PPB
C 89141	12.5	129
C 89142	7.1	66
C 89143	8.0	64
C 89144	6.9	43
C 89145	7.4	65
C 89146	26.8	242
C 89147	12.1	108
C 89148	8.1	64
C 89149	54.2 ✓	620
C 89150	3.0	66
C 89151	.1	2
C 89152	.1	4
C 89153	.1	4
C 89154	.1	12
C 89155	3.0	64
C 89156	30.4	370
C 89157	5.0	81
C 89158	6.6	78
C 89159	2.3	39
C 89160	5.9	360
C 89161	1.9	42
C 89162	1.0	13
C 89163	61.6 ✓	320
C 89164	10.1	380
C 89165	5.8	116
C 89166	.8	14
C 89167	1.1	14
C 89168	1.2	13
STD C/AU-R	7.1	505

✓ Assay required for correct result

ACME ANALYTICAL LABORATORIES LTD.
352 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-2158 FAX(604)253-1716

DATE RECEIVED: NOV 3 1988

DATE REPORT MAILED: *Nov. 11/88*

ASSAY CERTIFICATE

- SAMPLE TYPE: Pulp
AU** AND AG** BY FIRE ASSAY FROM 1/2 A.P.

SIGNED BY *C. Long* D. TOYE, C. LEONG, B. CHAN, J. WANG; CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5476R

SAMPLE#	Ag** OZ/T	Au** OZ/T
C-89116	1.47	.016
C-89117	32.46	.296
C-89118	9.58	.094
C-89119	24.86	.247
C-89120	.92	.011
C-89121	13.67	.170
C-89122	1.38	.014
C-89123	1.81	.014
C-89124	1.08	.016
C-89136	2.25	-
C-89149	1.55	-
C-89163	1.53	-

ACME ANALYTICAL LABORATORIES LTD.
852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6
PHONE(604)253-3153 FAX(604)253-1716

DATE RECEIVED: NOV 4 1988

DATE REPORT MAILED: *Nov 11/88*

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 2ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR NG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
- SAMPLE TYPE: Core AU* ANALYSIS BY ACID LEACH/AA FROM 10 GR SAMPLE.

SIGNED BY... *C. Long*... D. TOYE, C. LEONG, B. CHAN, J. WANG: CERTIFIED B.C. ASSAYERS

SKYLARK RESOURCES LTD. PROJECT GRACE FILE # 88-5659 Page 1

SAMPLE#	Ag PPM	Au* PPB
C 89281	.8	14
C 89282	.6	10
C 89283	.5	14
C 89284	.9	30
C 89285	.9	4
C 89286	.1	2
C 89287	.3	3
C 89288	.3	7
C 89289	1.0	9
C 89290	.1	10
C 89291	.2	1
C 89292	.8	3
C 89293	1.2	8
C 89294	2.3	15
C 89295	2.0	20
C 89296	3.3	26
C 89297	5.5	43
C 89298	.1	1
C 89299	.1	1
C 89300	.3	2
C 89301	.9	55
C 89302	.7	1
C 89303	.3	1
C 89304	.6	5
C 89305	.7	2
C 89306	.5	3
C 89307	1.0	4
C 89308	.5	5
C 89309	.3	1
C 89310	.6	2
C 89311	1.0	18
C 89312	1.2	25
C 89313	2.2	35
C 89314	.9	12
C 89315	1.4	10
C 89316	.4	5
STD C/AU-R	6.7	470

SAMPLE#	Ag PPM	Au* PPB
C 89317	4.1	38
C 89318	12.9	183
C 89319	55.2✓	550
C 89320	129.7✓	1360
C 89321	18.4	275
C 89322	12.2	176
C 89323	5.2	73
C 89324	4.1	42
C 89325	2.5	38
C 89326	.6	87
C 89327	9.1	250
C 89328	3.7	105
C 89329	2.3	56
C 89330	2.0	63
C 89331	1.5	56
C 89332	3.6	72
C 89333	2.2	39
C 89334	1.7	38
C 89335	7.1	56
C 89336	1.2	29
C 89337	7.2	105
C 89338	.5	36
C 89339	.4	15
C 89340	.4	11
C 89341	.1	17
C 89342	.1	15
STD C/AU-R	6.6	520

✓ Assay required for correct result

35+00E 40+00E 45+00E 50+00E 55+00E 60+00E 65+00E

105+00N


100+00N

95+00N

90+00N

85+00N

80+00N



LEGEND

- TOODOGGONE VOLCANICS
 - A QUARTZ ANDESITIC CRYSTAL TUFF
 - B ASH FALL TUFF
- TAKLA GROUP
 - DARK GREEN ANDESITIC FLOWS
 - GRANDIODORITE
- OUTCROP
- GEOLOGIC CONTACT
- ~ FAULT
- ~ SWAMP
- ~ CREEK
- ~ CLIFF
- ROAD

Part 1
of 3
GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,313

SKYLARK RESOURCES LTD.
GRACE CLAIMS
FINLAY RIVER GRID
GEOLOGY

N.T.S. 94E-2 OMINICA M.D., B.C.

SCALE 1:5000 DATE: DEC. 1988
DRAWN BY: P.R. FIGURE NO. 4