

ARIS SUMMARY SHEET

District Geologist, Smithers

Off Confidential: 89.12.16

ASSESSMENT REPORT 18545

MINING DIVISION: Liard

PROPERTY: Zip
LOCATION: LAT 56 41 00 LONG 131 22 00
UTM 09 6284426 355022
NTS 104B11W
CLAIM(S): Zip 5-8, Zip 10-12
OPERATOR(S): Link Res.
AUTHOR(S): Dewonck, B.; McCrossan, E.
REPORT YEAR: 1989, 51 Pages
COMMODITIES
SEARCHED FOR: Gold, Silver, Copper
KEYWORDS: Permian-Triassic, Volcanics, Quartz diorite, Fractures
Quartz-carbonate veins, Pyrite, Pyrrhotite, Chalcopyrite, Galena

WORK
DONE: Geochemical, Geological
GEOL 2800.0 ha
ROCK 62 sample(s) ;ME
Map(s) - 1; Scale(s) - 1:20 000
SILT 36 sample(s) ;ME

RELATED
REPORTS: 16954

LOG NO: 0310	RD.
ACTION:	
FILE NO:	
LOG NO: 0814	RD. 3
ACTION: Date received report back from amendments. 51 p.	
FILE NO:	

REPORT
ON THE
ZIP 5-12 MINERAL CLAIMS
ISKUT RIVER AREA, BRITISH COLUMBIA
LIARD MINING DIVISION
FOR
LINK RESOURCES INC.

FILMED

NTS 104B/11
LONGITUDE 131° 22'W
LATITUDE 56° 41'N

GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,545

Bernard Dewonck
Ed McCrossan
January 5, 1989

OREQUEST



SUMMARY

A short exploration program has been completed on the Zip 5 through 12 mineral claims of Link Resources Inc. Work entailed reconnaissance geological mapping and a limited silt and rock geochemical survey. The only base map available at the time of fieldwork was the 1:50,000 topographic map 104B/11. A portion of this map was enlarged and reproduced, in part, at a scale of 1:20,000 to allow plotting of sample locations, values and generalized geology (Figure 4).

A total of 62 rock grab samples and 36 stream sediment samples were collected throughout the claim block. All sample locations appear on Figure 4 as do values for gold, silver and copper. Sample description are listed in Appendix A and complete analytical results are tabulated in Appendix B.

The main lithologies on the property are volcanic flows, volcanoclastics, and marine sediments of Permian and Mesozoic age. Similar rock units host the Skyline Stonehouse deposit (1.1 million tons grading 0.704 oz/ton gold in all categories) and the Cominco-Delaware Snip deposit (1.21 million tons grading 0.70 oz/ton gold), located 15 km east of the claim group.

Polymetallic mineralization on the property is associated with silicified fracture, fault, or shear zones which have undergone varying degrees of alteration. The best precious metal results of 11.65 oz/st silver and 620 ppb gold were obtained from a local, silicified shear within a quartz diorite host.

Recommended continued exploration is to be integrated into a work program previously outlined in a report on the entire claim holdings of Link Resources Inc.




TABLE of CONTENTS

Summary	✓
Introduction	1 /
Property Description	1 /
Claim Status	1 /
Location and Access	12
Physiography and Vegetation	2 /
History and Previous Work	2 /
Regional Geology	6 /
Property Geology	7 /
Geology	7 /
Mineralization and Alteration	8 /
Property Geochemistry	9 /
Silt Geochemistry	10 /
Conclusions and Recommendations	10 /
Statement of Costs	✓
Certificate of Qualifications	✓
Bernard Dewonck, Consulting Geologist	
Ed McCrossan, Consulting Geologist	
Bibliography	✓

LIST of FIGURES

Figure 1	Location Map	Following Summary ✓
Figure 2	Claim Map	Following Page 1 ✓
Figure 3	Regional Geology Map	Following Page 5 ✓
Figure 4	Generalized Geology, Rock and Silt Samples (Au, Ag, Cu Values)	In Pocket ✓

LIST OF TABLES

Table 1	Claim Information	Page 1 ✓
---------	-------------------	----------

LIST OF APPENDICES

Appendix A	Rock Sample Descriptions ✓
Appendix B	Analytical Results ✓

INTRODUCTION

This report presents the results of a preliminary exploration program conducted on the Zip 5-12 mineral claims located in the Iskut River area of northern B.C. for Link Resources Inc. (Figure 1). Geological prospecting and silt geochemical sampling was performed during the 1988 field season to meet assessment requirements.

The work was carried out by OreQuest Consultants Ltd. under the guidance of Prime Explorations Ltd., both of Vancouver.

PROPERTY DESCRIPTION

Claim Status



The Link property consists of eight mineral claims totalling 152 units (Figure 2). The following is a list of the claim names, record numbers, number of units, record dates, and expiry dates. This report describes the work recently filed for assessment which, when accepted, will effect expiry dates as listed below.


TABLE 1

CLAIM INFORMATION

Claim Name	Record Number	Number of Units	Record Date	Expiry Date
Zip 5	3802	16	Dec. 22, 1986	Dec. 22, 1989
Zip 6	3803	20	Dec. 22, 1986	Dec. 22, 1989
Zip 7	3804	16	Dec. 22, 1986	Dec. 22, 1989
Zip 8	3805	20	Dec. 22, 1986	Dec. 22, 1989
Zip 9	5009	20	July 27, 1988	July 27, 1990
Zip 10	5010	20	July 27, 1988	July 27, 1990
Zip 11	5011	20	July 27, 1988	July 27, 1990
Zip 12	5012	20	July 27, 1988	July 27, 1990

CHONG



OREQUEST 

LINK RESOURCES INC.

Figure 2
ZIP CLAIMS
CLAIM MAP
long. 131°22', lat. 56°41'
LIARD M.D., B.C.
N.T.S. 104 B / LI

JANUARY 1989 DRAWN BY: E. M.

Location and Access

The property is located on the eastern edge of the Coast Mountain Range approximately 110 kilometers northwest of Stewart, B.C. It lies 15 km west of the Cominco-Delaware Snip and Skyline Stonehouse precious metal deposits and 10 km south of Hoodoo Mountain. The centre of the property is located at 131° 22'W Longitude and 56° 41'N Latitude on mapsheet 104B/11.

Access to the area is from the Bronson Creek gravel airstrip located 15 km east of the claims at the confluence of the Iskut River and Bronson Creek. Access is also possible from the Snippaker Creek gravel airstrip situated 37 kilometers to the southeast or the Forrest Kerr gravel airstrip located 42 km to the northeast. Base camps at any location require helicopter support for daily setouts on the property.

Physiography and Vegetation

Elevations on the property range from about 150 metres in the Iskut River valley to 1,870 metres on an unnamed mountain in the southern half of the Zip 10 claim. The lower elevations in the Iskut River valley are covered with vegetation typical of the west coast rain forest. At higher elevations, alpine peaks and ridges prevail where outcrop is exposed with some talus, moss and lichen cover.

HISTORY AND PREVIOUS WORK

The first recorded work in the Iskut region was in 1907 when a group from Wrangell, Alaska, staked nine claims north of Johnny Mountain. Crown granted claims along Bronson Creek and on the north slope of Johnny Mountain were

subsequently worked by the Iskut Mining Company. By 1920, a 30 foot adit revealed gold, silver, and galena mineralization in a number of veins and stringers. Activity carried on into the 1930's when interest in precious metals was concentrated in the Stewart area. Some sporadic placer operations were also located in the Unuk River Valley.

In 1954, Hudson's Bay Mining and Smelting found the Pick Axe showing and some high grade gold - silver - lead - zinc float on the upper slopes of Johnny Mountain. The claims were worked and allowed to lapse and are now part of the Skyline Exploration Ltd. Reg deposit.

Porphyry copper - molybdenum deposits were of interest in the 1960's when several major mining companies undertook reconnaissance exploration programs in the area. As a result, claims were staked on Johnny Mountain and Sulphurets Creek.

From 1965 to 1971, Silver Standard Mining and later Sumitomo worked the E & L prospect on Nickel Mountain at the headwaters of Snippaker Creek. Trenching, drilling, and 460 metres of underground development proved reserves of 3.2 million tons of 0.8% nickel and 0.6% copper.

Massive sulphide float originating from the head of the Bronson Creek glacier resulted in Skyline staking the Inel property in 1969. Skyline also restaked the Reg property in 1980. Between 1981 and 1985, various exploration programs were conducted on both properties for high grade gold and polymetallic massive sulphide mineralization.

In 1986, drilling and underground work on the Stonehouse gold zone confirmed the presence of high grade gold mineralization with silver and copper also present over minable widths. Reserves from a Jan. 15, 1988 Skyline news release are as follows:

Stonehouse Zone	Au (oz)	Tons
Total Measured	1.246	121,000
Total Drill Indicated	0.556	236,875
Total Inferred	<u>0.57</u>	<u>700,000</u>
TOTAL	0.644	1,057,875

Inel Resources Ltd. has driven an exploratory adit below the Main Sulphide Zone on their property. The North, Center, and South underground workings have crosscut nine distinct quartz-sulphide gold veins to date. One vein contains 1.46 oz/t gold (over 2.3 feet) and another carries 0.26 oz/t gold (over 7.5 feet). During 1988, underground drilling intersected 0.769 oz/t gold over 13.3 feet (U88-3) and surface drilling on the Ridge Zone, located 250 m east of the Center section workings, reported 0.868 oz/t gold over 7.4 feet (S88-12). Previous drill results from 1984 returned gold values up to .940 oz/t over 6.9 ft and silver values as high as 20.22 oz/t over 4.3 ft.

In 1965, Cominco discovered mineralization on the ground now held jointly by Cominco Ltd. and Delaware Resources Corp. The work prior to 1986 consisted of mapping, sampling and trenching. In 1986, Delaware provided funds under an earn-in option agreement with Cominco and began an extensive drill program. The joint venture partners have announced an ore reserve of 1.1 million metric tonnes (1.21 million tons) of 24 gm/tonne (0.70 oz/ton) gold from the Twin Zone (Vancouver Stockwatch December 7, 1987). The deposit remains open to depth

and along strike. Underground work began in April, 1988. Colossus Resources Equities Inc. has recently completed a purchase of approximately 51% of Delaware Resources' common stock.

Gulf International Minerals extended the strike length of the Camp Zone and tested the Northwest high grade zone during their 1988 surface drilling program on the McLymont claims. Results from the Northwest Zone included 1.420 oz/t gold, 0.21% copper and 0.14 oz/t silver over 3.3 feet (88-32) and 1.060 oz/t gold, 0.85% copper, and 0.27 oz/t silver over 1.6 feet (88-3). Previous drilling in 1987 returned gold values of 1.6 oz/t and silver assays of 39.73 oz/t over 36.5 feet (87-29).

During 1988, Meridor Resources Ltd. performed a comprehensive trenching and surface drilling program on a property located 3.5 km northwest of the Bronson airstrip. Phase I trenching efforts obtained 0.396 oz/t gold from a quartz-sulphide vein (3.0 ft chip sample). Diamond drilling recovered 0.260 oz/t gold over 2.0 feet (88-17) and 0.254 oz/t gold over 6.6 ft (88-21) from quartz-carbonate-sulphide veins. A Phase II, 10,000 foot, surface drilling program was also completed during the fall of 1988.

In 1988, Winslow Gold Corporation, in a joint venture with Pamorex Minerals Ltd., conducted a trenching and surface drilling program on a property adjoining Skyline Explorations' Stonehouse deposit to the northeast and Cominco-Delawares' Snip deposit to the east. Trenching recovered 0.724 oz/t gold from a pyritic shear zone. Drilling results included a 0.26 oz/t gold intersection over 1.9 feet (W88-7) from a chloritized and mineralized shear zone.

- CENOZOIC RECENT**
 1 basaltic flows
- MESOZOIC TRIASSIC TO JURASSIC**
 2 Hazelton Group Volcanics; sediments
- PALEOZOIC PERMIAN**
 3 mainly white crinoidal limestone; minor amounts of chert, quartzite, argillite, slate, and schist
- PRE-PERMIAN**
 4 quartzite, schist, slate, argillite, limestone; schistose, tuff, highly altered extrusives, and/or intrusives, highly crystalline schist, gneiss

INTRUSIVE ROCKS


- MESOZOIC TRIASSIC TO CRETACEOUS**
 A acid intrusives; syenite, syenodiorite, feldspar porphyry, felsite, alaskite
 B Coast plutonic Complex; quartz monzonite, granodiorite, gabbro, granite

after map compiled by Pamicon Developments Ltd. Todoruk, S.L. (1988) from B.C. Assessment Reports, Kerr, F.A. (1929) and G.S.C. Map No.1418A: Iskut River

- ★ reserves
- diamond drill hole
- ▲ sample

GEOLOGICAL BRANCH ASSESSMENT REPORT

18,545




Consolidated Silver Standard
 E + L Deposit
 Reserves:
 3.2 million tons of 0.8% Ni, 0.6% Cu

Skyline Exploration
 Johnny Mountain Deposit
 Reserves:
 1,087,875 tons of 0.704 oz/t Au

Delaware - Cominco
 Snip Deposit
 Reserves:
 1.2 million tons of 0.700 oz/t Au

Craig River



Consolidated Silver Standard
 E - L Deposit

OREQUEST

LINK RESOURCES INC.

Figure 3
 ZIP CLAIMS
REGIONAL GEOLOGY
 British Columbia
 NTS: 104/B/10,11,12,14,15
 January 1988 Drafting: BJM

REGIONAL GEOLOGY

Regional geological mapping of the Iskut River area (Kerr, 1948, GSC Memoir 246, 9 - 1957 and GSC Map 1418 - 1979) has been expanded by Grove in two recent detailed works which define this area as the Stewart Complex (Grove, 1971, 1986). A compilation of regional mapping efforts has been included in this report (Figure 3).

The Stewart Complex, lies south of the Iskut River and north of Alice Arm. It is bounded by the Coast Plutonic Complex on the west and the Bowser Basin to the east. It is composed of Late Paleozoic and Mesozoic volcanics and sediments which were intruded during Mesozoic and Tertiary times.

The oldest units in the complex are Mississippian or Permian carbonates and other marine sediments. Upper Triassic epiclastic volcanics, marbles, sandstones and siltstones lie unconformably above the Permian. These are overlain by sedimentary and volcanic rocks of the Jurassic Hazelton Group which are lithologically similar to the Triassic section. The Hazelton Group has been subdivided (Grove, 1986) into the Early Jurassic Unuk River Formation, the Middle Jurassic Betty Creek and Salmon River Formations, and the Upper Jurassic Nass Formation.

The Unuk River Formation lies unconformably on Late Triassic rocks and consists of volcanic rocks and sediments which include lithic tuffs, pillow lavas with carbonate lenses and some thin bedded siltstones. Betty Creek rocks unconformably overlie the Unuk River Formation and are characterized by bright red and green volcanoclastic agglomerates with sporadic, intercalated andesitic

flows, pillow lavas, chert, and carbonate lenses. The Salmon River Formation is a thick assemblage of colour banded andesitic siltstones and lithic wackes that form a conformable to disconformable contact with the underlying Betty Creek Formation. The Nass Formation consists of weakly deformed argillites, siltstones, and greywackes which unconformably overlie the Salmon River Formation.

These volcanic and sedimentary successions were intruded by the Coast Plutonic Complex during the Mesozoic and Tertiary periods. A wide variety of intrusive phases are present including granodiorite, quartz monzonite, and diorite. Small satellite plugs and dyke systems range in age from Late Triassic to Tertiary and may be important for localizing mineralization.

Major structural features of the Stewart Complex include the western boundary contact with the Coast Intrusive Complex and the northern thrust fault along the Iskut River where Paleozoic strata has moved southward across Middle Jurassic and older units. Regional tectonic normal faults also border the complex to the south and east (Grove, 1986).

PROPERTY GEOLOGY

Geology

The Zip 5 through 12 claims are underlain predominantly by Permian and Mesozoic volcanics or marine sediments that were intruded during the Mesozoic (Figure 4).

The volcanics vary compositionally from rhyodacites to andesites and occur as flows, tuffs, and epiclastic units. Marine sediments of limestone, siltstone, mudstone and argillite are also present in the section.

Stocks and plugs of diorite or quartz-diorite are located in the southeastern portion of the claim group.

Shear and fault orientations observed on the claims are generally northwest or northeast. A fault contact between limestone and andesite units runs northwest through the Zip 6 and Zip 8 claims. Local shears in the Zip 5 and 10 claims trend north or northeast, parallel to the contact between marine sediments or volcanics and a quartz diorite intrusion.

Mineralization and Alteration

Mineralization on the property is associated with veins, pods, or altered country rock within shears and fractures. Quartz and carbonate veining is most common and often occurs together. Quartz-carbonate-epidote and ankerite veins are also present.

Sulphide mineralization of pyrite, pyrrhotite, chalcopyrite, and lesser galena is found predominantly within quartz and quartz-carbonate systems. Malachite and azurite are found associated with chalcopyrite in quartz and ankerite veins.

Siliceous and hematitic alteration is most commonly associated with minor shears. Ankeritic and saussuritic alteration occurs locally.

Several veins and shears on the property contain gold, silver and copper. Anomalous values for selective grab samples range from 120 ppb (24425) to 620 ppb gold (24320) and 4.8 ppm (24100) to 11.65 oz/st silver (24320). Copper values for the same locations range between 0.15 and 1.04% (Figure 4).

The best sample was derived from a silicified shear located in the southern half of the Zip 5 claim. The shear is small (cm's x m's) and contains pyrite, chalcopyrite, and a trace of galena. The host rock is quartz diorite. Copper content of the sample was 0.67%.

Sample 24308, located in the centre of the Zip 10 claim, carried 4.09 oz/st silver and 1.04% copper. It was taken from a quartz vein containing malachite, azurite and a trace of pyrite.

Five other rock sample locations on the property are anomalous in gold, silver and/or copper.

PROPERTY GEOCHEMISTRY

All samples were analyzed for gold by fire assay with an atomic absorption finish. In addition, an ICP suite of 10 elements (Ag, Pb, Zn, Cu, Mo, As, Ba, Bi, Cd, Co) was obtained for all samples. A total of 62 rock and 36 silt samples were sent for assay. Analysis was performed by Vangeochem Labs Ltd. of Vancouver, B.C.

Silt and rock geochemical results for gold, silver and copper are plotted on Figure 4.

Silt Geochemistry

Silt samples were taken from Zippa Creek and the tributaries feeding the Iskut and Craig Rivers.

One small creek, located in the northeast corner of the Zip 8 claim, is anomalous for gold and copper (ZT54). Silt from that drainage assayed 70 ppb gold and 145 ppm copper. Two other samples, taken from Zippa Creek, are anomalous for copper (ZT004, ZT010). The Zippa Creek anomalies can be explained by the presence of chalcopyrite, malachite, and azurite mineralization, associated with shears or quartz veins, on the ridges confining that drainage.

CONCLUSIONS and RECOMMENDATIONS

The initial investigation of the Zip 5 through 12 claims was successful and several areas of mineralization and geochemical anomalies have been found.

The main lithologies on the property are volcanic flows, volcanoclastics, and marine sediments of Permian and Mesozoic age. Similar rock units host the Skyline and Cominco-Delaware precious metal deposits located 15 km east of the claim group.

Mineralization on the claims is associated with silicified fracture, fault, or shear zones that have undergone some degree of alteration. The best precious metal results are derived from local shears or quartz veins which also contain some base metal mineralization. Rock samples with gold values ranging between 120 and 620 ppb and silver assays between 4.8 ppm and 11.65 oz/st were obtained from the claim group.

A program of geological mapping, prospecting, soil sampling, and silt sampling is recommended for the Zip claims.

The area drained by the creek containing silt which assayed 70 ppb gold and 145 ppm copper (ZT54) should be prospected in detail. The silt locations in Zippa Creek anomalous for copper have been explained by the chalcopyrite, malachite, and azurite mineralization found associated with shears or quartz veins on the ridges confining that drainage. Detailed prospecting should, however, be performed in those mineralized areas to determine the tenor and extent of the existing showings.

The work carried out to date and recommended above should be integrated into the overall work program outlined in an earlier report on the entire claim holdings of Link Resources Inc. (Dewonck, 1988).


STATEMENT OF COSTS

Mobilization/Demobilization (prorated from Iskut Project)		\$ 434.17
Wages		
G. Cavey (consulting geologist) 1 day @ \$450/day	\$ 450	
W. Egg (prospector) 3 days @ \$300/day	900	
R. Brett (prospector) 5 days @ \$350/day	1750	
D. Carstens (prospector) 4 days @ \$265/day	1060	
T. Seddon (field assistant) 1 day @ \$200/day	200	
R. McGinn (field assistant) 1 day @ \$270/day	270	
H. Page (field assistant) 2 days @ \$250/day	500	
D. Hebditch (field assistant) 2 days @ \$225/day	450	
	<u>\$5580</u>	\$ 5,580.00
Assays (Vangeochem Labs Ltd.)		1,325.00
Transportation & Communications		
- Fixed Wing, Freight, Communications (prorated from Iskut Project)		281.37
-Helicopter (Northern Mountain Helicopters)		3,014.53
Field Equipment (consumables, prorated costs from Iskut Project)		935.14
Camp Costs		2,875.00
Field Expediting Costs		589.45
Office Costs (administration, accounting, secretarial - direct and prorated from Iskut Project)		609.77
Report Costs (partial)		48.87
		<u>\$15,693.30</u>

CERTIFICATE of QUALIFICATIONS

I, Bernard Dewonck, of 11931 Dunford Road, Richmond, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1974) and hold a BSc. degree in geology.
2. I am an independent consulting geologist retained by OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia, for the purposes of preparing this report.
3. I have been employed in my profession by various mining companies since graduation.
4. I am a Fellow of the Geological Association of Canada.
5. I am a member of the Canadian Institute of Mining and Metallurgy.
6. This report is based on exploration work conducted by E. McCrossan (principal author) and a review of information listed in the Bibliography.
7. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Link Resources Inc.
8. I consent to and authorize the use of the attached report and my name in the Companies' Prospectus, Statements of Material Facts or other public document.



Bernard Dewonck
Consulting Geologist

DATED at Vancouver, British Columbia, this 5th day of January, 1989.

CERTIFICATE of QUALIFICATIONS

I, Ed McCrossan, of 3328 W. 2nd Avenue, Vancouver, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1984) and hold a BSc. degree in geology.
2. I am presently employed as a consulting geologist with OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia.
3. I have been employed in my profession by various mining companies since graduation and have worked on projects in Canada, Hungary, Thailand, China, and Australia.
4. I am a member of the Canadian Institute of Mining and Metallurgy, and an associate of the Geological Association of Canada.
5. The information contained in this report was obtained by direct onsite supervision of the work done on the property by OreQuest Consultants Ltd. in 1988 and a review of all data listed in the Bibliography.
6. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Link Resources Inc. or any of their subsidiaries.
7. I consent to and authorize the use of the attached report and my name in the Company's Prospectus, Statement of Material Facts or other public document.


Ed McCrossan
Consulting Geologist

DATED at Vancouver, British Columbia, this 5th day of January, 1989.

BIBLIOGRAPHY

CAULFIELD, D.A., AWMAK, H.J.

1987: Summary Report on the Waratah Project for Tungco Resource Corporation.

DEWONCK, B.

1988: Report on the Iskut River Claims for Link Resources Inc.

GROVE, EDWARD W.

1971: Geology and Mineral Deposits of the Stewart Area, B.C., B.C. Department of Mines and Petroleum Resources, Bulletin No. 58.

GROVE, EDWARD W.

1986: Geology and Mineral Deposits of the Unuk River-Salmon River-Anyox Area, B.C. Ministry of Energy, Mines and Petroleum Resources, Bulletin No. 63.

GULF INTERNATIONAL MINERALS LTD.

October 5, 1988 News Release.

INEL RESOURCES LTD.

September 23, 1988 News Release.

KERR, F.A.

1948: Lower Stikine and Western Iskut River Areas, B.C., Geological Survey of Canada, Memoir 246.

MERIDOR RESOURCES LTD.

September 2, 1988 News Release.

WINSLOW GOLD CORPORATION

September 19, 1988 News Release.

APPENDIX A

ROCK SAMPLE DESCRIPTIONS

LINK-ZIP ROCK SAMPLE DESCRIPTIONS

- 24301 Quartz-carbonate-epidote vein in limestone.
- 24302 Gossanous quartz-carbonate vein.
- 24303 Dyke with epidote and some ankeritic staining on exposed surfaces.
- 24304 Moderately gossanous dyke with quartz-carbonate stringers and ankeritic oxidation products.
- 24305 Silicified shear (10 cm x 0.5 m) with 5% pyrite.
- 24306 Silicified shear (0.5 m x 1.0 m) with 8% pyrite.
- 24307 Quartz vein with magnetite.
- 24308 Quartz vein with malachite, azurite, and a trace of pyrite (4.09 oz/st silver, 1.04% copper).
- 24309 Silicified shear (8 cm x 1 m) with 10% pyrite.
- 24310 Quartz vein (6 cm x 3 m). Gossanous.
- 24311 Massive pyrite in quartz vein. Vein is 20 cm wide and approximately 2 m long before it pinches out. Contains approximately 80-90% massive pyrite in a 10 x 20 m intrusive plug in limestone.
- 24312 From same outcrop as 24311 but is a much smaller stringer vein of quartz that also contains massive pyrite and some fine grained disseminated pyrite. Total sulphides is approximately 8%, vein is approximately 5-10 cm wide.
- 24313 Strongly rusted limestone, gossan penetrates to 5 mm, limestone is a dirty grey colour with sporadic pyrite cubes up to 3 mm square, approximately 2-3% pyrite.
- 24314 Grey, altered, medium grained felsic dyke, minor gossan on surface; sample contains about 10% fine grained pyrrhotite, moderately magnetic, looks siliceous.
- 24315 Very fine grained dense black graphitic mudstone or argillite, minor gossan; contains approximately 3% pyrite as disseminations.
- 24316 Argillaceous limestone, quite carbonatized, fine grained but not aphanitic, contains trace-2% pyrite as disseminations.
- 24317 Greyish limestone that contains small pods of massive sulphides. The pods consist of 30-40% massive pyrite with strong gossan and manganese stain.
- 24318 Greyish white felsic dyke or silicified limestone that contains a few cubes of pyrite (up to 4 mm square) up to 3%.

- 24319 Moderately silicified zone (40 cm x 1 m) within andesite. 5% pyrite.
- 24320 Silicified shear (10 cm x 1 m) with pyrite, chalcopyrite, and a trace of galena (620 ppb gold, 11.65 oz/st silver, 0.67% copper).
- 24321 Silicified andesite with 2% pyrite.
- 24401 Quartz float with malachite and azurite (8.7 ppm silver, 0.15% copper).
- 24402 Pyritized carbonate float.
- 24403 Moderately gossanous carbonate float.
- 24404 Hematized and silicified country rock.
- 24405 Float of carbonate stringers with a trace of pyrite.
- 24406 Local, gossanous shear within carbonate.
- 24407 As in 24406
- 24408 Local, gossanous, silicified shear adjacent to a mafic dyke (190 ppb gold, 12.4 ppm silver).
- 24409 Quartz float with gossanous fractures and vugs.
- 24410 Gossanous granitic float.
- 24411 Gossanous quartz float.
- 24412 Gossanous carbonate float.
- 24413 As in 24412 with a trace of pyrite.
- 24414 As in 24413.
- 24415 Gossanous quartz stringers with a trace of pyrite in float.
- 24416 Carbonate with a trace of pyrite. Float.
- 24417 Quartz float.
- 24418 Silicified shear (local) with a trace of pyrite and malachite.
- 24419 Pyrite veinlet within limestone.
- 24420 Gossanous granitic float.
- 24421 Quartz with pyrite stringers. Float.
- 24422 Euhedral pyrite in quartz. Float.
- 24424 Ankerite vein (5 cm x 5 m) with a trace of pyrite.

- 24425 Ankerite vein with a trace of pyrite, chalcopyrite, and malachite (120 ppb gold, 0.15% copper).
- 24426 Diorite with epidote and a trace of pyrite.
- 24427 Gossanous quartz diorite.
- 24428 Quartz diorite with a trace of pyrite.
- 24429 Carbonatized? diorite with 10% pyrite (180 ppb gold).
- 24430 Grey quartz vein (2 cm x 4 m) with a trace of pyrite.
- 24431 Silicified andesite with 10% pyrite.
- 24432 Andesite-limestone contact. 10% pyrite.
- 24433 Quartz vein (15 cm x 5 m) with a trace of pyrite.
- 24434 Quartz-carbonate float with 5% pyrite.
- 24037 Silicified limestone with 2% arsenopyrite.
- 24038 Massive pyrite and pyrrhotite.
- 24039 Silicified zone within granodiorite or monzonite containing a trace to 1% arsenopyrite.
- 24047 Diorite with 10% pyrite.
- 24048 As in 24047.
- 24049 Highly silicified diorite with 10 - 20% pyrite.
- 24099 Chert with 5 - 10% pyrite.
- 24100 6 cm wide vein with 1 - 2 % pyrite (500 ppb gold, 4.8 ppm silver).

APPENDIX B
ANALYTICAL RESULTS



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Oct 11 1988

REPORT#: 881539 GA
JOB#: 881539

PROJECT#: Zip
SAMPLES ARRIVED: Oct 3 1988
REPORT COMPLETED: Oct 11 1988
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881539 NA
TOTAL SAMPLES: 8
SAMPLE TYPE: Rock
REJECTS: SAVED

SAMPLES FROM: Bronson Camp
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: Faxed to Bronson Camp



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881539 6A

JOB NUMBER: 881539

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #	Au ppb
24427	80
24428	70
24429	180
24430	20
24431	nd
24432	nd
24433	30
24434	20

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881539 PA

DREQUEST

Page 1 of 1

Sample Number	Ag	As	Ba	Bi	Cd	Co	Cu	Mo	Pb	Zn
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
24427	0.6	5	396	<3	0.5	7	91	5	22	45
24428	0.9	6	69	<3	0.7	19	136	6	63	59
24429	0.6	27	98	<3	0.6	14	42	3	32	29
24430	0.2	8	77	<3	0.1	4	21	<1	38	10
24431	0.9	<3	29	<3	0.1	21	111	12	18	14
24432	0.1	<3	7	<3	0.1	10	228	11	14	11
24433	0.2	11	12	<3	0.1	4	51	3	6	36
24434	0.6	<3	35	<3	0.1	25	198	11	10	10
Minimum Detection	0.1	3	1	3	0.1	1	1	1	2	1
Maximum Detection	50.0	1000	1000	1000	100.0	20000	20000	1000	20000	20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Oct 17 1988

REPORT#: 881657 GA
JOB#: 881657

PROJECT#: Link-Zip
SAMPLES ARRIVED: Oct 14 1988
REPORT COMPLETED: Oct 17 1988
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881657 NA
TOTAL SAMPLES: 1
SAMPLE TYPE: Rock
REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: None



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881657 6A

JOB NUMBER: 881657

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

24417

Au
ppb
nd

DETECTION LIMIT
nd = none detected

5
-- = not analysed

is = insufficient sample

REPORT #: 881657 PA

OREQUEST

Page 1 of 1

Sample Number	Ag	As	Ba	Bi	Cd	Co	Cu	Mo	Pb	Zn
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
24417	1.2	<3	73	<3	0.1	1	9	1	19	51
Minimum Detection	0.1	3	1	3	0.1	1	1	1	2	1
Maximum Detection	50.0	1000	1000	1000	100.0	20000	20000	1000	20000	20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

===== GEOCHEMICAL ANALYTICAL REPORT =====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Sept 15 1988

REPORT#: 881329 GA
JOB#: 881329

PROJECT#: ZIPP
SAMPLES ARRIVED: Sep 12 1988
REPORT COMPLETED: Sept 15 1988
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881329 NA
TOTAL SAMPLES: 21
SAMPLE TYPE: Rock
REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: Faxed to Bronson Camp



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881329 6A

JOB NUMBER: 881329

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #	Au ppb
24401	nd
24402	60
24403	30
24404	nd
24405	20
24406	20
24407	35
24408	190
24409	nd
24410	30
24411	60
24412	25
24413	20
24414	30
24415	nd
24416	nd
24418	nd
24419	nd
24420	nd
24421	nd
24422	nd

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881329 PA

OREQUEST

Page 1 of 1

Sample Number	Ag	As	Ba	Bi	Cd	Co	Cu	Mo	Pb	Zn
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
24401	8.7	31	86	<3	7.5	1	1452	<1	3	167
24402	0.1	<3	13	<3	1.3	2	170	<1	11	51
24403	0.1	<3	11	<3	1.7	2	63	<1	15	49
24404	0.1	<3	118	<3	1.1	1	47	2	18	26
24405	0.1	<3	26	<3	0.1	10	22	2	26	27
24406	0.1	6	222	<3	1.1	4	61	2	15	26
24407	0.1	<3	466	<3	1.9	16	44	6	21	120
24408	0.3	<3	351	<3	1.4	11	18	3	18	97
24409	0.3	5	157	<3	0.7	2	17	1	13	37
24410	12.4	<3	257	<3	2.4	7	50	3	25	147
24411	0.5	<3	87	<3	0.8	1	15	<1	14	27
24412	0.1	<3	52	<3	0.1	9	11	5	25	30
24413	0.1	23	19	<3	0.7	13	33	4	31	48
24414	0.1	<3	82	3	1.4	15	46	3	24	23
24415	1.1	9	46	3	2.3	20	76	6	29	114
24416	0.1	<3	5	<3	1.2	11	13	1	26	66
24418	0.1	<3	16	6	3.9	24	895	5	30	99
24419	0.6	5	12	<3	0.6	10	58	1	10	10
24420	0.1	<3	>1000	<3	0.5	2	7	<1	10	27
24421	0.4	20	46	<3	1.1	12	55	5	27	51
24422	0.1	4	174	<3	0.5	12	13	2	25	38

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum

**ANOMALOUS RESULTS:
FURTHER ANALYSES
BY ALTERNATE
METHODS SUGGESTED**



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Sept 28 1988

REPORT#: 881414 GA
JOB#: 881414

PROJECT#: Zip
SAMPLES ARRIVED: Sept 21 1988
REPORT COMPLETED: Sept 28 1988
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881414 NA
TOTAL SAMPLES: 27
SAMPLE TYPE: Rock
REJECTS: SAVED

SAMPLES FROM: Bronson Camp
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: Faxed to Bronson Camp



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881414 GA

JOB NUMBER: 881414

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #	Au
	ppb
24301	nd
24302	nd
24303	30
24304	nd
24305	nd
24306	nd
24307	30
24308	nd
24309	nd
24310	nd
24311	nd
24312	nd
24313	nd
24314	nd
24315	nd
24316	nd
24317	nd
24318	nd
24319	30
24320	620
24321	nd
24326	20
24327	30
24423	30
24424	30
24425	120
24426	nd

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881414 PA

OREQUEST

Page 1 of 1

Sample Number	Ag ppm	As ppm	Ba ppm	Bi ppm	Cd ppm	Co ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
24301	0.5	38	22	<3	0.1	2	38	1	12	12
24302	0.6	31	32	<3	0.6	5	56	7	14	44
24303	0.1	10	397	<3	1.2	37	68	2	22	41
24304	0.1	<3	>1000	<3	0.1	3	10	1	25	43
24305	1.6	88	39	<3	0.3	29	56	3	78	42
24306	0.5	328	22	<3	1.6	11	16	5	116	11
24307	32.9	746	>1000	26	12.1	19	43	32	221	400
24308	>50.0	>1000	138	<3	53.5	4	10393	3	447	729
24309	5.5	64	14	3	4.5	29	786	4	54	99
24310	0.3	13	126	<3	0.1	7	85	4	34	53
24311	1.1	<3	4	8	5.1	7	53	10	66	21
24312	2.1	23	4	3	4.4	2	28	14	184	127
24313	0.1	24	14	3	1.7	27	76	7	43	82
24314	0.1	<3	12	3	1.2	22	51	4	43	42
24315	0.2	27	21	<3	0.5	14	32	4	43	18
24316	0.1	31	44	<3	0.3	7	17	5	36	12
24317	0.1	<3	5	8	4.6	165	71	8	40	44
24318	0.1	41	21	3	1.6	29	98	4	24	70
24319	0.6	42	3	8	4.4	19	36	9	93	112
24320	>50.0	<3	22	<3	82.3	16	6737	47	4126	5765
24321	2.2	11	26	<3	6.1	14	236	5	62	765
24326	0.4	6	22	<3	14.5	11	69	5	114	1234
24327	0.2	23	34	<3	0.5	16	105	5	52	67
24423	0.6	<3	23	<3	0.1	1	25	3	34	32
24424	6.1	7	89	<3	0.8	13	637	4	59	74
24425	31.7	<3	300	<3	2.7	11	1501	5	371	217
24426	0.3	10	48	<3	0.2	8	77	11	51	54

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum

**ANOMALOUS RESULTS:
 FURTHER ANALYSES
 BY ALTERNATE
 METHODS SUGGESTED**



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====

ASSAY ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Oct 19 1988

REPORT#: 881414AB
JOB#: 881414

PROJECT#: Zip
SAMPLES ARRIVED: Sept 21 1988
REPORT COMPLETED: Oct 19 1988
ANALYSED FOR: Ag

INVOICE#: 881414NB
TOTAL SAMPLES: 2
REJECTS/PULPS: 90 DAYS/1 YR
SAMPLE TYPE: Rock

SAMPLES FROM: Bronson Camp
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: David Chiu

SIGNED: _____

Registered Provincial Assayer

GENERAL REMARK: Faxed to Bronson Camp



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881414AB

JOB NUMBER: 881414

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #	Ag oz/st
24308	4.09
24320	11.65

DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.01

1 ppm = 0.0001%

ppm = parts per million

< = less than

signed: _____



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881608 GA

JOB NUMBER: 881608

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 3

SAMPLE #	As ppb
24038	nd
24039	nd
24037	nd
24047	5
24048	nd
24049	nd
24099	25
24100	500



MAIN OFFICE
1988 TRIUMPH ST.
VANCOUVER, B.C. V5L 1K5
● (604) 251-5656
● FAX (604) 254-5717

BRANCH OFFICES
PASADENA, N.F.L.
BATHURST, N.B.
MISSISSAUGA, ONT.
RENO, NEVADA, U.S.A.

REPORT #: 881608 PA

OREQUEST

Page 2 of 3

Sample Number	Ag ppm	As ppm	Ba ppm	Bi ppm	Cd ppm	Co ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
24038	0.1	<3	7	7	5.2	48	1061	9	6	6
24039	0.4	<3	65	<3	0.1	14	158	5	8	14
24037	0.2	9	36	<3	0.1	12	41	2	21	9
Minimum Detection	0.1	3	1	3	0.1	1	1	1	2	1
Maximum Detection	50.0	1000	1000	1000	100.0	20000	20000	1000	20000	20000
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum										
24047	0.6	3	14	<3	0.1	22	255	8	22	29
24048	0.8	<3	7	<3	0.5	35	628	7	15	27
24049	1.1	3	21	<3	0.1	12	96	2	11	44
24099	1.7	<3	27	<3	1.4	43	1001	5	22	54
24100	4.8	152	12	<3	1.1	27	850	5	54	144



VANGFOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5713

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====
GEOCHEMICAL ANALYTICAL REPORT
=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Oct 6 1988

REPORT#: 881428 GA
JOB#: 881428

PROJECT#: Zip
SAMPLES ARRIVED: Sept 21 1988
REPORT COMPLETED: Oct 6 1988
ANALYSED FOR: Au ICP(10.Elem)

INVOICE#: 881428 NA
TOTAL SAMPLES: 4
SAMPLE TYPE: Silt
REJECTS: DISCARDED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED: _____


GENERAL REMARK: None



VANGOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V6L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881428 GA

JOB NUMBER: 881428

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #	Au ppb
ZT-260	20
ZT-480	15
ZT-500	20
ASCOT RAM 600	10

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881428 PA

OREQUEST

Page 1 of 1

Sample Number	Ag ppm	As ppm	Ba ppm	Bi ppm	Cd ppm	Co ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
ZT-260	0.1	<3	21	<3	0.1	5	35	2	20	83
ZT-480	0.1	<3	16	<3	0.1	1	20	1	10	51
ZT-500	0.1	<3	59	<3	0.1	3	24	1	15	38
ASCOT RAM 600	0.3	<3	120	3	1.2	13	83	3	17	57

Minimum Detection	0.1	3	1	3	0.1	1	1	1	2	1
Maximum Detection	50.0	1000	1000	1000	100.0	20000	20000	1000	20000	20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881429 GA

JOB NUMBER: 881429

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 4

SAMPLE #	Au ppb
ZT 001	15
ZT 002	20
ZT 003	15
ZT 004	10
ZT 005	nd
ZT 006	10

DETECTION LIMIT 5
 nd = none detected -- = not analysed is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1966 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5256 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881429 PA

OREQUEST

Page 3 of 4

Sample Number	Ag ppm	As* ppm	Ba ppm	Bi ppm	Cd ppm	Co ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
ZT 001	0.1	<3	61	<3	0.1	7	39	1	17	25
ZT 002	0.1	<3	108	<3	0.5	12	80	2	27	52
ZT 003	0.1	7	86	<3	0.6	13	72	2	32	56
ZT 004	0.4	<3	164	3	1.3	23	194	2	25	71
ZT 005	0.5	5	201	3	1.2	24	178	3	30	104
ZT 006	0.1	<3	36	<3	0.1	1	18	1	11	24
Minimum Detection	0.1	3	1	3	0.1	1	1	1	2	1
Maximum Detection	50.0	1000	1000	1000	100.0	20000	20000	1000	20000	20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum

LINK - FIP



VANGEOCHEM LAB LIMITED

MAIN OFFICE
1521 PEMBERTON AVE.
NORTH VANCOUVER, B.C. V7P 2S3
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881429 GA

JOB NUMBER: 881429

OREQUEST CONSULTANTS LTD.

PAGE 4 OF 4

SAMPLE #	Au ppb
ZT 007	15
ZT 008	20
ZT 009	10
ZT 010	30
ZT 011	10
ZT 012	20
ZT 013	5
ZT 014	25
ZT 015	5
ZT 016	20
ZT 017	10
ZT 019	5
ZT 020	10
ZT 021	25
ZT 022	20
ZT 023	20
ZT 024	10
ZT 025	15
ZT 026	15
ZT 027	15
ZT 028	20
ZT 029	15

DETECTION LIMIT
nd = none detected

5
-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #: 881429 PA

OREQUEST

Page 4 of 4

Sample Number	Ag ppm	As ppm	Ba ppm	Bi ppm	Cd ppm	Co ppm	Cu ppm	Mo ppm	Pb ppm	Zn ppm
ZT 007	0.1	14	144	<3	1.3	10	62	4	52	141
ZT 008	0.1	4	101	<3	0.9	7	44	2	36	99
ZT 009	0.1	<3	54	<3	0.1	10	65	1	21	37
ZT 010	0.4	8	175	3	1.3	23	215	2	23	63
ZT 011	0.5	5	104	4	1.3	26	192	2	25	64
ZT 012	0.5	14	122	<3	1.7	21	136	2	37	118
ZT 013	0.1	<3	77	<3	0.4	10	55	1	31	54
ZT 014	0.1	4	77	<3	0.3	10	56	1	24	43
ZT 015	0.1	<3	70	<3	0.3	8	41	1	26	45
ZT 016	0.1	<3	114	<3	0.5	13	58	1	30	58
ZT 017	0.1	<3	64	<3	0.3	9	50	1	23	39
ZT 019	0.1	3	90	<3	0.1	10	52	1	24	50
ZT 020	0.1	8	208	<3	0.9	13	58	2	43	113
ZT 021	0.2	8	133	<3	1.1	19	80	2	26	64
ZT 022	0.3	8	232	<3	1.1	21	45	2	24	72
ZT 023	0.1	18	232	3	0.5	31	49	3	42	54
ZT 024	0.3	5	858	3	0.5	49	30	3	48	65
ZT 025	0.3	12	577	3	0.9	33	47	3	42	57
ZT 026	0.2	3	349	<3	0.8	21	26	2	23	44
ZT 027	0.1	11	556	<3	0.9	31	76	3	33	51
ZT 028	0.2	15	514	3	1.1	29	81	3	31	63
ZT 029	0.1	3	82	<3	0.9	11	53	1	21	79

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: OREQUEST CONSULTANTS LTD.
ADDRESS: 404-595 Howe St.
: Vancouver, B.C.
: V6C 2T5

DATE: Oct 25 1988

REPORT#: 881654 GA
JOB#: 881654

PROJECT#: ISKUT GENERAL
SAMPLES ARRIVED: Oct 14 1988
REPORT COMPLETED: Oct 25 1988
ANALYSED FOR: Au ICP

INVOICE#: 881654 NA
TOTAL SAMPLES: 9
SAMPLE TYPE: 9 SILT
REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp
COPY SENT TO: OREQUEST CONSULTANTS LTD.

PREPARED FOR: MR. BERNIE DEWONCK

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: None



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 881654 6A

JOB NUMBER: 881654

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #	Au
	ppb
BT-50	35
BT-51	nd
BT-53	15
BT-54	15
ZT-50	10
ZT-51	nd
ZT-52	10
ZT-54	70
ZT-55	20

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample


REPORT #: 881654 PA

OREQUEST

Page 1 of 1

Sample Number	Ag	As	Ba	Bi	Cd	Co	Cu	Mo	Pb	Zn
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
BT - 50	0.7	<3	161	<3	0.5	12	25	1	26	87
BT - 51	0.1	<3	133	<3	0.1	7	15	1	20	61
BT - 53	0.1	<3	100	<3	0.1	4	14	1	9	29
BT - 54	0.1	<3	90	<3	0.1	6	21	1	10	30
ZT - 50	0.5	<3	93	<3	0.6	13	45	1	23	91
ZT - 51	0.2	<3	104	<3	0.8	14	33	1	25	101
ZT - 52	0.2	<3	137	<3	0.6	16	36	2	27	102
ZT - 54	1.2	26	154	3	1.6	18	145	8	65	104
ZT - 55	0.1	79	94	<3	1.1	17	80	3	24	92

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



- CENOZOIC**
RECENT
 1 basaltic flows
- MESOZOIC**
TRIASSIC TO JURASSIC
 2 Hazelton Group Volcanics; sediments
- PALEOZOIC**
PERMIAN
 3 mainly white crinoidal limestone; minor amounts of chert, quartzite, argillite, slate, and schist
- PRE-PERMIAN**
 4 quartzite, schist, slate, argillite, limestone; schistose, tuff, highly altered extrusives, and/or intrusives, highly crystalline schist, gneiss
- INTRUSIVE ROCKS**
- MESOZOIC**
TRIASSIC TO CRETACEOUS
 A acid intrusives; syenite, syenodiorite, feldspar porphyry, felsite, alaskite
 B Coast plutonic Complex; quartz monzonite, granodiorite, gabbro, granite

- Bedding
 - Vein
 - Joint
 - Minor shear
 - ~ Shear or fault
 - Approx. geological contact
 - Silt sample location
 - Rock " "
- | | |
|------------------|----------------|
| py Pyrite | epi Epidote |
| po Pyrrhotite | qtz Quartz |
| cpy Chalcopyrite | carb Carbonate |
| gal Galena | ank Ankerite |
| mal Malachite | lst Limestone |
| azur Azurite | and Andesite |

● 24333-30, 32, 300 = Sample number and assay
 Au/ppb, Ag/ppm (oz/t) Cu/ppm

0 1 2 km



18,545

OREQUEST

LINK RESOURCES INC.

Figure 4
ZIP CLAIMS
GENERALIZED GEOLOGY
ROCK and SILT SAMPLES
 (Au, Ag, Cu Values)

LIARD MINING DIVISION, B.C., NTS 104B/11

JANUARY 1989

DRAWN BY: E.M.