

ARIS SUMMARY SHEET

District Geologist, Smithers

Off Confidential: 89.12.05

ASSESSMENT REPORT 18546

MINING DIVISION: Liard

PROPERTY: Ver-Ret-Joy

LOCATION: LAT 56 43 00 LONG 131 00 00

UTM 09 6287420 377587

NTS 104B10W 104B11E

CLAIM(S): Joy 3, Ret 2-7, Ver 1-2

OPERATOR(S): Pezgold Res.

AUTHOR(S): Dewonck, B.; McCrossan, E.; Brucciani, P.

REPORT YEAR: 1989, 258 Pages

COMMODITIES

SEARCHED FOR: Gold, Silver, Copper

KEYWORDS: Paleozoic, Marine sediments, Mesozoic, Hazelton Group, Volcanics
Coast Plutonic Complex, Quartz-carbonate-barite veins, Fractures
Pyrite, Chalcopyrite, Tetrahedrite, Galena, Magnetite

WORK

DONE:

Geochemical, Drilling, Geological, Geophysical, Physical

DIAD 273.0 m 2 hole(s); BQ

EMGR 10.6 km; VLF

Map(s) - 1; Scale(s) - 1:2500

GEOL 1950.0 ha

Map(s) - 4; Scale(s) - 1:10 000, 1:2500, 1:1000

LINE 12.6 km

ROCK 474 sample(s); ME

SAMP 199 sample(s); ME

SILT 29 sample(s); ME

SOIL 1482 sample(s); ME

Map(s) - 3; Scale(s) - 1:10 000, 1:2500

MINFILE: 104B 329

LOG NO: 0310 RD.

ACTION:

FILE NO:

LOG NO: 0814 RD. 2

ACTION: Date received report
bad from amendments.
258 p.

FILE NO:

REPORT
ON THE
VER 1, 2; RET 2, 3, 4, 5, 6, 7;
AND JOY 3 CLAIMS
FOR
PEZGOLD RESOURCES CORPORATION

NTS 104B/10,11,14,15
LONGITUDE 131° 00'W
LATITUDE 56° 45'N



G E O L O G I C A L B R A N C H
A S S E S S M E N T R E P O R T

18,546

Bernard Dewonck, Consulting Geologist
Ed McCrossan, Geologist
Paul Brucciani, Geologist

January 12, 1989

OREQUEST



SUMMARY

The first phase of exploration has been completed on the Ver 1, 2; Ret 2, 3, 4, 5, 6, 7; and Joy 3 mineral claims of Pezgold Resources Corp. Work entailed regional and detailed geological mapping; prospecting; silt, soil and rock chip geochemical surveys; a ground electromagnetic survey, as well as 273 m of diamond drilling in two holes.

Property scale mapping and sampling is plotted at a scale of 1:10,000, with much of the activity taking place on the Ver 2, Ret 3-7 and Joy 3 claims. A total of 141 rock, 570 soil and 29 silt samples were collected, from areas encompassing approximately 1885 hectares.

Detailed work was performed on two grids. The larger grid (PJ Grid) located on the eastern margin of the Joy 3 claim, covers 58 hectares around the Argent Showing. Grid lines totalling 10,600 m were chained and flagged. An east-west baseline 800 m long and 600 to 850 m long north-south crosslines at 50 m intervals, with 12.5 m stations, constitute the grid. The sampling produced 912 soil samples. A VLF-EM (electromagnetic) survey using a Geonics EM-16 was conducted over the entire grid using Cutler, Maine as the transmitting signal station. Mapping was done at a scale of 1:2500.

A much smaller grid (PR Grid) covers 6 hectares around the Cannonball Showing, located near the eastern margin of the Ret 6 claim. A total of 2000 m of line was established comprising a baseline 300 m long and 200 m long cross lines at 50 m intervals, with 25 m picketed stations. Detailed sampling of several veins produced 295 rock samples. Mapping was done at a scale of 1:1000 while graphic representation of vein sampling is at 1:100.

Diamond drilling consisted of two holes totalling 273 metres on the Argent Showing (PJ Grid), carried out by Falcon Drilling Ltd. of Prince George. The drilling rig was a custom built machine similar to a JKS 300, drilling BQ size core. The core is stored in racks at the camp operated by Pamicon Developments at the mouth of Bronson Creek, 13 km southwest of the drillsite.

The main lithologies on the property are volcanic flows, volcaniclastics, and marine sediments of Paleozoic and Mesozoic age that were intruded during the Mesozoic and Tertiary. Similar rock units host the Skyline and Cominco-Delaware precious metal deposits located 13 km south of the claim group.

The Skyline Stonehouse deposit contains published reserves of 1.1 million tons of 0.704 oz/ton gold.

The Cominco - Delaware Twin Zone has announced reserves of 1.21 million tons of 0.70 oz/ton gold.

Polymetallic mineralization on the property is associated with silicified fracture, fault, or shear zones which have undergone varying degrees of alteration. The best precious metal results are derived from distinct quartz veins which also contain some base metal mineralization.

A selective grab sample from a quartz vein at the Cannonball Showing assayed 4.556 oz/t gold. Locally rich sulphide pods within a vuggy quartz vein at the Argent Showing carried 369.64 oz/t silver, 0.123 oz/t gold, and more than 2% copper.

Diamond drilling is recommended for the Cannonball Showing. Other detailed work including soil geochemistry, prospecting, and possibly trenching is suggested for the Argent Showing and other geochemically anomalous areas on the property.




TABLE OF CONTENTS

Summary	1 ✓
Introduction	1 ✓
Property Description	1 ✓
Claim Status	1 ✓
Location and Access	2 ✓
Physiography and Vegetation	2 ✓
General Area History	3 ✓
Regional Geology	6 ✓
Property Geology	8 ✓
Geology	8 ✓
Mineralization and Alteration	10 ✓
Geochemistry: Verrett River Valley	12 ✓
Soil Geochemistry	12 ✓
Silt Geochemistry	14 ✓
Cannonball Showing	14 ✓
PR Grid - Detailed Geology	14 ✓
PR Grid - Mineralization and Alteration	16 ✓
PR Grid - Systematic Vein Sampling	17 ✓
Argent Showing	19 ✓
PJ Grid - Detailed Geology	19 ✓
PJ Grid - Mineralization and Alteration	21 ✓
PJ Grid - Soil Geochemistry	22 ✓
PJ Grid - Electromagnetic Survey	24 ✓
PJ Grid - Drilling	24 ✓ 25 ✓
Conclusions and Recommendations	26 ✓
Statement of Costs ✓	
Certificate of Qualifications ✓	
Bernard Dewonck, Consulting Geologist	
Ed McCrossan, Geologist	
Paul Brucciani, Geologist	
Bibliography ✓	

LIST of FIGURES

Figure 1	Location Map	Following Summary ✓
Figure 2	Claim Map	Following Page 2 ✓
Figure 3	Regional Geology Map	Following Page 6 ✓
Figure 4	Property Geology and Rock Sample Location Map	In Pocket
Figure 5	Soil and Silt Geochemistry: Gold and Silver	In Pocket
Figure 6	PR Grid - Detailed Geology	In Pocket
Figure 7	PR Grid - Vein Locations and Anomalous Assay Results	In Pocket
Figures 8A-E	Cannonball Showing - PR Grid: Chip Sample Locations, Dimensions and Assay Results	Following Page 18 ✓
Figure 9	PJ Grid - Detailed Geology	In Pocket
Figure 10	PJ Grid - Soil Geochemistry: Gold	In Pocket
Figure 11	PJ Grid - Soil Geochemistry: Silver & Copper	In Pocket
Figure 12	PJ Grid - Electromagnetic Survey: VLF-EM	In Pocket
Figure 13	PJ Grid - Drill Section: PJ-88-01, 02	Following Page 24 ✓

LIST OF TABLES

Table 1	Claim Information	Page 2 ✓
Table 2	Geochemistry Statistics	Page 13 ✓
Table 3	Drill Hole Data	Page 25 ✓

LIST OF APPENDICES

Appendix A	Rock Sample Descriptions ✓
Appendix B	PR Grid - Vein Descriptions (Cannonball Showing) ✓
Appendix C	Drill Logs: PJ-88-01, 02 ✓
Appendix D	Analytical Results ✓

INTRODUCTION

This report presents the results of an exploration program conducted on the Ver 1, 2; Ret 2, 3, 4, 5, 6, 7; and Joy 3 mineral claims located in the Iskut River area of northern B.C. for the Pezgold Resources Corporation (Fig. 1). The claims are located 14 km north of the Skyline Explorations Ltd. Stonehouse deposit and approximately 12 km northeast of the Cominco-Delaware Snip deposit.

The Skyline Stonehouse deposit contains published reserves of 1.1 million tons of 0.704 oz/ton gold.

The Cominco-Delaware Snip deposit contains reserves of 1.21 million tons of 0.70 oz/ton gold.

This report is based on the results of mapping, prospecting, silt and soil geochemical surveys and a 273 m drilling program performed during the 1988 field season. The work was carried out by OreQuest Consultants Ltd. under the guidance of Prime Explorations Ltd., both of Vancouver.

PROPERTY DESCRIPTION

Claim Status

The Pezgold property consists of 9 mineral claims totalling 139 units (Figure 2). The following is a list of the claim names, record numbers, number of units, record dates, and expiry dates. The work described in this report has been filed for assessment, which is accounted for in the expiry dates given below.

TABLE 1
CLAIM INFORMATION

Claim Name	Record Number	Number of Units	Record Date	Expiry Date
Ver 1	3893	20	Feb. 19, 1987	Feb. 19, 1995
Ver 2	3894	20	Feb. 19, 1987	Feb. 19, 1995
Ret 2	3975	15	Mar. 10, 1987	Mar. 10, 1995
Ret 3	3976	18	Mar. 10, 1987	Mar. 10, 1995
Ret 4	3977	4	Mar. 10, 1987	Mar. 10, 1995
Ret 5	3978	12	Mar. 10, 1987	Mar. 10, 1995
Ret 6	3979	12	Mar. 10, 1987	Mar. 10, 1995
Ret 7	3980	18	Mar. 10, 1987	Mar. 10, 1995
Joy 3	3740	20	Dec. 05, 1987	Dec. 05, 1984


Location and Access

The property is located on the eastern edge of the Coast Mountain Range approximately 110 kilometers northwest of Stewart, B.C. It lies 13 km north of the Skyline Stonehouse and Cominco-Delaware Snip precious metal deposits. The Verrett River flows through the center of the claim group which is located at 131° 00'W Longitude and 56° 45'N Latitude.

Access to the area is from the Bronson Creek gravel airstrip located 10 km southwest of the claims at the confluence of the Iskut River and Bronson Creek. Access is also possible from the Snippaker Creek gravel airstrip situated 22 kilometers to the southeast or the Forrest Kerr gravel airstrip located 20 km to the north. Base camps at any location require helicopter support for daily setouts on the property. The majority of exploration work currently being done in the area is based at the Bronson airstrip.

Physiography and Vegetation

The claim area is typical of a glaciated, mountainous terrain. Elevations range from about 460 metres in the Verrett River valley to 1900 metres on Star



Mountain in the northcentral portion of the Ret 7 claim. The lower elevations in the Verrett River valley are covered with vegetation typical of the westcoast rain forest. At higher elevations alpine, snowfields, glaciers, and mountain peaks are present.

GENERAL AREA HISTORY

The first recorded work in the Iskut region was in 1907 when a group from Wrangell, Alaska, staked nine claims north of Johnny Mountain. Crown granted claims along Bronson Creek and on the north slope of Johnny Mountain were subsequently worked by the Iskut Mining Company. By 1920, a 30 foot adit revealed gold, silver, and galena mineralization in a number of veins and stringers. Activity carried on into the 1930's when interest in precious metals was concentrated in the Stewart area. Some sporadic placer operations were also located in the Unuk River Valley.

In 1954, Hudson's Bay Mining and Smelting found the Pick Axe showing and some high grade gold - silver - lead - zinc float on the upper slopes of Johnny Mountain. The claims were worked and allowed to lapse and are now part of the Skyline Exploration Ltd. Reg deposit.

Porphyry copper - molybdenum deposits were of interest in the 1960's when several major mining companies undertook reconnaissance exploration programs in the area. As a result, claims were staked on Johnny Mountain and Sulphurets Creek.

From 1965 to 1971, Silver Standard Mining and later Sumitomo worked the E & L prospect on Nickel Mountain at the headwaters of Snippaker Creek. Trenching, drilling, and 460 metres of underground development proved reserves of 3.2 million tons of 0.8% nickel and 0.6% copper.

Massive sulphide float originating from the head of the Bronson Creek glacier resulted in Skyline staking the Inel property in 1969. Skyline also restaked the Reg property in 1980. Between 1981 and 1985, various exploration programs were conducted on both properties for high grade gold and polymetallic massive sulphide mineralization.

In 1986, drilling and underground work on the Stonehouse gold zone confirmed the presence of high grade gold mineralization with silver and copper also present over minable widths. Reserves from a Jan. 15, 1988 Skyline news release are as follows:

Stonehouse Zone	Au (oz)	Tons
Total Measured	1.246	121,000
Total Drill Indicated	0.556	236,875
Total Inferred	<u>0.57</u>	<u>700,000</u>
TOTAL	0.644	1,057,875

Inel Resources Ltd. has driven an exploratory adit below the Main Sulphide Zone on their property. The North, Center, and South underground workings have crosscut nine distinct quartz-sulphide gold veins to date. One vein contains 1.46 oz/t gold (over 2.3 feet) and another carries 0.26 oz/t gold (over 7.5

feet). During 1988, underground drilling intersected 0.769 oz/t gold over 13.3 feet (U88-3) and surface drilling on the Ridge Zone, located 250 m east of the Center section workings, reported 0.868 oz/t gold over 7.4 feet (S88-12). Previous drill results from 1984 returned gold values up to .940 oz/t over 6.9 ft and silver values as high as 20.22 oz/t over 4.3 ft.

In 1965, Cominco discovered mineralization on the ground now held jointly by Cominco Ltd. and Delaware Resources Corp. The work prior to 1986 consisted of mapping, sampling and trenching. In 1986, Delaware provided funds under an earn-in option agreement with Cominco and began an extensive drill program. The joint venture partners have announced an ore reserve of 1.1 million metric tonnes (1.21 million tons) of 24 gm/tonne (0.70 oz/ton) gold from the Twin Zone (Vancouver Stockwatch December 7, 1987). The deposit remains open to depth and along strike. Underground work began in April, 1988. Colossus Resources Equities Inc. owns 51% of Delaware Resources' common stock.

Gulf International Minerals extended the strike length of the Camp Zone and tested the Northwest high grade zone during their 1988 surface drilling program on the McLymont claims. Results from the Northwest Zone included 1.420 oz/t gold, 0.21% copper and 0.14 oz/t silver over 3.3 feet (88-32) and 1.060 oz/t gold, 0.85% copper, and 0.27 oz/t silver over 1.6 feet (88-3). Previous drilling in 1987 returned gold values of 1.6 oz/t and silver assays of 39.73 oz/t over 36.5 feet (87-29).

During 1988, Meridor Resources Ltd. performed a comprehensive trenching and surface drilling program on a property located 3.5 km northwest of the Bronson airstrip. Phase I trenching efforts obtained 0.396 oz/t gold from a quartz-sulphide vein (3.0 ft chip sample). Diamond drilling recovered 0.260 oz/t gold over 2.0 feet (88-17) and 0.254 oz/t gold over 6.6 ft (88-21) from quartz-carbonate-sulphide veins. A Phase II, 10,000 foot, surface drilling program was also completed during the fall of 1988.

In 1988, Winslow Gold Corporation, in a joint venture with Pamorex Minerals Ltd., conducted a trenching and surface drilling program on a property adjoining Skyline Explorations' Stonehouse deposit to the northeast and Cominco-Delawares' Snip deposit to the east. Trenching recovered 0.724 oz/t gold from a pyritic shear zone. Drilling results included a 0.26 oz/t gold intersection over 1.9 feet (W88-7) from a chloritized and mineralized shear zone.

REGIONAL GEOLOGY

Regional geological mapping of the Iskut River area (Kerr, 1948, GSC Memoir 246, 9 - 1957 and GSC Map 1418 - 1979) has been expanded by Grove in two recent detailed works which define this area as the Stewart Complex (Grove, 1971, 1986). A compilation of regional mapping efforts has been included in this report (Figure 3).

The Stewart Complex lies south of the Iskut River and north of Alice Arm. It is bounded by the Coast Plutonic Complex on the west and the Bowser Basin to the east. It is composed of Late Paleozoic and Mesozoic volcanics and sediments which were intruded during Mesozoic and Tertiary times.

CENOZOIC
RECENT
1 basaltic flows

MESOZOIC
TRIASSIC TO JURASSIC
2 Hazelton Group Volcanics; sediments

PALEOZOIC
PERMIAN
3 mainly white crinoidal limestone; minor amounts of chert, quartzite, argillite, slate, and schist

PRE-PERMIAN
4 quartzite, schist, slate, argillite, limestone; schistose, tuff, highly altered extrusives, and/or intrusives, highly crystalline schist, gneiss

INTRUSIVE ROCKS

MESOZOIC
TRIASSIC TO CRETACEOUS
A acid intrusives; syenite, syenodiorite, feldspar porphyry, felsite, alkali feldspar
B Coast plutonic Complex; quartz monzonite, granodiorite, gabbro, granite

After map compiled by Pamicon Developments Ltd.
Todoruk, S.L. (1988) from B.C. Assessment Reports,
Kerr, F.A. (1929) and G.S.C. Map No.1418A: Iskut River

- ★ reserves
- diamond drill hole
- ▲ sample




Figure 3
VER, RET, JOY CLAIMS

REGIONAL GEOLOGY

British Columbia

NTS: 104/B/10,11,12,14,15

January 1988

Drafting: BJM

The oldest units in the complex are Mississippian or Permian carbonates and other marine sediments. Upper Triassic epiclastic volcanics, marbles, sandstones and siltstones lie unconformably above the Permian. These are overlain by sedimentary and volcanic rocks of the Jurassic Hazelton Group which are lithologically similar to the Triassic section. The Hazelton Group has been subdivided (Grove, 1986) into the Early Jurassic Unuk River Formation, the Middle Jurassic Betty Creek and Salmon River Formations, and the Upper Jurassic Nass Formation.

The Unuk River Formation lies unconformably on Late Triassic rocks and consists of volcanic rocks and sediments which include lithic tuffs, pillow lavas with carbonate lenses and some thin bedded siltstones. Betty Creek rocks unconformably overlie the Unuk River Formation and are characterized by bright red and green volcaniclastic agglomerates with sporadic, intercalated andesitic flows, pillow lavas, chert, and carbonate lenses. The Salmon River Formation is a thick assemblage of colour banded andesitic siltstones and lithic wackes that form a conformable to disconformable contact with the underlying Betty Creek Formation. The Nass Formation consists of weakly deformed argillites, siltstones, and greywackes which unconformably overlie the Salmon River Formation.

These volcanic and sedimentary successions were intruded by the Coast Plutonic Complex during the Mesozoic and Tertiary periods. A wide variety of intrusive phases are present including granodiorite, quartz monzonite, and diorite. Small satellite plugs and dyke systems range in age from Late Triassic to Tertiary and may be important for localizing mineralization.

Major structural features of the Stewart Complex include the western boundary contact with the Coast Intrusive Complex and the northern thrust fault along the Iskut River where Paleozoic strata has moved southward across Middle Jurassic and older units. Regional tectonic normal faults also border the complex to the south and east (Grove, 1986).

PROPERTY GEOLOGY

Geology

The Ver 1, 2; Ret 2, 3, 4, 5, 6, 7; and Joy 3 claims are underlain predominantly by Mesozoic volcanics of the Hazelton Group, as well as Paleozoic marine sediments, that were intruded during the Mesozoic and Tertiary (Figure 4).

The volcanics vary compositionally from felsites or rhyolites to basalts and occur as flows, flow breccias, sills, crystal fragmental tuffs, lapilli tuffs, and agglomeratic units.

The marine beds are most prominent along the eastern slope of Mt. Verrett where a medium gray weathering carbonate unit, up to 250 m thick, is visible for a strike length of 1.5 km. The limestone is a massive, mature, medium to coarse grained calcarenite that was probably deposited in a peritidal beach setting around an island arc. There are a few crinoid fragments scattered throughout the unit. Anderson (1988) suggests an Upper Triassic age for this limestone, however, it may correlate with carbonate beds of similar thickness, in the vicinity of Newmont Lake, which are of Mississippian age.

The calcarenite is conformably overlain by finer grained marine sediments that, locally, can be 50 metres thick. Individual laminae and beds consist of argillite, black micrite, chert, dolomitic and cherty siltstone, sandstone, and wacke that vary in width from less than 1 mm to 20 cm. These beds contain approximately 2% disseminated, syngenetic pyrite and are evidenced by a stratiform gossan.

Coast Crystalline quartz monzonites and granodiorites underlie the Ver 1 and Ret 2 claims on the west side of the property. The contact between the thick carbonate unit and the pluton is covered by a glacier. Other stocks or plugs of fine to medium grained diorite or granodiorite are located within the Joy 3 claim on the southeastern corner of the property.

Magnetic data derived from an airborne survey suggests that a significant portion of the Ret 6 and 7 claims are underlain at depth by intrusions correlatable to the Coast Crystalline Complex. These intrusions are covered by a thin veneer of Hazelton volcanics and sediments at the surface. The airborne survey was carried out by Aerodat Ltd. for Prime Explorations Ltd. in June 1988 (Koning, 1988).

Dykes ranging in composition from felsite to basalt are present on the property.

Fault orientations on the claim group are generally northeast-southwest and east-west. These are visible as lineaments on air photographs and as creek gorges, topographic breaks, and outcrops of shear foliated cataclasites in the

field. Chloritized and sericitized shear foliated volcanics are found associated with a northeasterly trending regional fault located in the southeast corner of Ret 7. The same fault passes through the south half of the Ret 3 claim on the west side of the Verrett River.

Mineralization and Alteration

Mineralization on the property is associated with veins, pods, or altered country rock within fractures, shears and faults. Although quartz veins are most common, quartz-carbonate-barite and calcite-chlorite veins and shears are also present. Locally, vein breccias are formed within or adjacent to shears.

Polymetallic mineralization of pyrite, chalcopyrite, tetrahedrite, galena and magnetite is found predominantly within quartz systems. Carbonate veining is generally barren but may be mineralized when associated with quartz.

Chloritic and argillic alteration products are most commonly associated with vein and shear systems. Saussuritic and silicic alteration occurs locally. Oxidation of mineralized areas produces hematite, malachite and lesser azurite on weathered surfaces.

Several veins and shears on the property contain gold or silver (Figure 4). A total of 141 rock samples were collected. Gold values for selective grab samples reach 4.556 oz/t gold (22050). Silver results reach 369.64 (22190) oz/t silver. Sample 22190 also carried .123 oz/t gold and more than 2% copper.

Anomalous copper values on the property are as high as 1.2% (22074).

Mineralization is concentrated in two areas on the property. The Cannonball Showing is located in the Ret 6 claim and the Argent Showing is located in the Joy 3 claim.

The Cannonball Showing consists of 28 separate, subparallel quartz vein occurrences which trend north to northeasterly across approximately 200 m in area of an intermediate volcanic host rock. Vein widths vary between 1 and 70 cm, and discontinuous strike lengths range from 1 to 40 m. The best gold sample of 4.556 oz/t was taken from Vein D of this showing.

The Argent Showing occurs within or proximal to a northeast trending regional fault and consists of locally rich pods of galena, tetrahedrite, and specular hematite within vuggy quartz veins that vary in width from 1 to 15 cm and have discontinuous strike lengths of 15 m.

Grids were placed over both showings and detailed geological mapping was completed. The veins on the Cannonball (PR) grid were systematically sampled. VLF-EM and soil geochemical surveys were completed on the Argent (PJ) grid. This work will be discussed in more detail below.

Elsewhere on the property a 1 cm quartz-carbonate vein containing 3% coarse, subhedral pyrite crystals and a trace of chalcopyrite as selvages carries .044 oz/t Au (22056). This sample was taken in the northwest corner of the Ret 7 claim (Figure 4).

Southwest of the Cannonball Showing, in the Ret 6 claim, another quartz occurrence contains .061 oz/t Au (22203) within a fractured vein having 3% pyrite as massive concentrations in vugs.

GEOCHEMISTRY: VERRETT RIVER VALLEY

All samples were analyzed for gold by fire assay with an atomic absorption finish. In addition, an ICP suite of 10 elements (Ag, Pb, Zn, Cu, Mo, As, Ba, Bi, Cd, Co) was obtained for all samples. Analysis was performed by Vangeochem Labs Ltd. of Vancouver, B.C.

Soil and silt geochemical results for gold and silver are plotted on Figure 5. Nine anomalous target areas, labelled I through IX, were also plotted on the same map. Three of the areas, I through III, are considered primary geochemical targets.

Soil Geochemistry

Soil samples of the B-horizon were collected at 50 metre intervals with an A-horizon sample taken when a B-horizon sample was unobtainable. Sample depths averaged between 30 and 100 cm. The sampling traverses were conducted along contours with a 100 metre elevation spacing between lines. A total of 570 samples were sent for assay.

The selection of possibly anomalous and anomalous values for the elements was derived from Caulfield's 1987 report on the Tungco Resource Corporation's Waratah Project where a statistical analysis of soil geochemical data was performed (Table 2).

TABLE 2

GEOCHEMICAL STATISTICS

Element	Background	Possibly Anomalous	Anomalous
Au (ppb)	14	26	46
Ag (ppm)	0.7	1.8	3.4
Cu (ppm)	40	100	250

The Tungco claims are located 8 km south of the property and are also underlain predominantly by Mesozoic volcanics.

Gold soil anomalies range from 26 to 215 ppb. The highest value of 215 ppb occurs within area II. Area I contains a cluster of 12 anomalies ranging between 30 and 75 ppb. Area III has three adjacent anomalous sample locations of 30, 90 and 100 ppb gold.

Silver soil anomalies range from 1.8 to 5.9 ppm. The 5.9 ppm sample comes from area II which contains four other anomalies ranging between 1.8 and 2.5 ppm. Areas III has one anomalous sample of 3.9 ppm. The remaining areas (IV through VIII) contain clusters of silver values with occasional gold anomalies. Of note are areas V, which contains five silver anomalies, and VIII which has six.

No definite correlation exists between anomalous gold and silver values, although they often occur in the same area. For example, geochemical target areas II, III, VI and VII contain clusters of both gold and silver soil anomalies.

Silt Geochemistry

A total of 15 silt samples and 14 heavy mineral samples were taken from the tributaries feeding the Verrett River.

One small creek, located in the southeast corner of the Ret 5 claim and on the east side of the Verrett River, is anomalous for gold (105 ppb, VT005). It locally drains area II where strong gold and silver soil geochemical anomalies occur.

CANNONBALL SHOWING

PR Grid - Detailed Geology

The PR grid, located on the Cannonball Showing in the Ret 6 claim, is at an elevation of 1500 m. The baseline is 300 m in length, and has a bearing of 030°. Lines extending westward with 25 m stations are 200 metres in length. The showing consists of a series of quartz veins which returned values of up to 4.556 oz/t gold (22050) (Figure 6). When the grid was mapped, snow cover was approximately 30%; moss and lichen cover is minimal.

Lithology of the grid area consists of intermediate to mafic volcanics. Fine to medium grained tuffs, forming 70% of the volcanics, are of latitic to andesitic composition. They contain 40–80% plagioclase crystals or crystal fragments and little or no primary quartz within an aphanitic matrix. Concentrations of plagioclase laths (up to 5 mm in length) form diffuse bands from 1 to 50 cm in thickness. They may indicate changes in the volcanic composition or differential settling rates of the pyroclastics. When weathered

they are light brown, light green or light grey in colour and dark grey on a fresh surface.

Tuff breccias, from 0.5 m to 2 m thick, form 20% of the volcanic section. Angular to subrounded clasts form 40-60% of the rock and are up to 30 cm in diameter.

Intermediate to mafic flows on the PR Grid contain vesicles that have been filled with quartz and chlorite. The vesicles form up to 5% of the rock and are less than 5 mm in diameter.

Several fine grained latitic dykes are located in the north section of the grid. They trend northwest-southeast, are up to 2 m wide, and are light brown or light grey in colour. They often show ankeritic oxidation on exposed surfaces and a weak to moderate development of columnar jointing. Along dyke contacts hornfelsing, silicification and minor carbonate veining within the volcanics has occurred.

Bedding within the volcanic strata strikes approximately east-west and dips 20° to 40° south in the southern half of the grid and 20° to 60° north or northwest in the northern half. A westerly plunging anticline is a possible explanation for these observations.

Faulting on the PR Grid trends east-west, perpendicular to the average vein orientation.

Near vertical veins, from 1 to 40 m in length and up to 70 cm wide, strike 030° to 080°. They are concentrated around BL0+00 on the east side of the grid and around 0+50S, 1+75W on the west side. Some quartz breccias are also associated with the veins on the Cannonball Showing. Milky, subhedral to euhedral, coarse-grained quartz forms 90 to 100% of the occurrences. They were probably formed within open fractures and 0.1 to 5.0 cm thick bands of zoned quartz was developed in several veins. Dark green chlorite and black calcite, possibly containing graphite impurities, may be present at vein margins or as irregular layers, up to 1 cm wide, within the veins. Vugs, to 1 cm in diameter, are occasionally present and can create porosities of up to 15%. They often contain pyrite, limonite, and/or pyrolusite.

PR Grid - Mineralization and Alteration

Polymetallic mineralization of pyrite, malachite, azurite and lesser chalcopyrite is associated with interstitial patches or vugs within the veins and breccias. Sulphide content rarely exceeds 5%.

The intensity of chloritic, saussuritic, and argillic alteration is proportional to vein and breccia density. Alteration is most intense around BL0+00 where hydrothermal fluids have selectively removed breccia matrices, creating up to 30% secondary porosity within the breccias. In the finer grained tuffs, sedimentary structures are partially obliterated by alteration which produces a pseudobreccia texture exemplified by unaltered fragments of tuff. This is most evident near faults where fractures have enhanced the permeability of the country rock.

Weak to moderate limonitic oxidation is seen associated with most veins on the PR Grid.

PR Grid - Systematic Vein Sampling

Within the grid, 24 veins were marked for chip sampling at 5 m intervals. At each station, a representative quantity of vein material was taken across the entire width of the vein and whenever possible wallrock samples were also gathered over a perpendicular distance of 1 m on either side of the vein. In total, 295 samples were collected from 99 stations (Figures 7 and 8A-E).

Results indicate that six of the nine veins on the east side of the grid contain gold. Vein D returned the highest value of 4.556 oz/t gold (22050, across 15 cm). Three other samples from the same vein range between 0.139 (22215, 15 cm) and 3.261 (22020, 12 cm) oz/t gold. Vein E yielded four anomalous values between .027 (22032, across 15 cm) and 3.389 (22026, across 5 cm) oz/t gold.

The highest wallrock values from Veins D and E measure 0.159 oz/t gold (22216, across 1 m) and 0.306 oz/t gold (22030, across 30 cm) respectively.

On the west side of the grid six veins also carry gold. Grab sample 22154, taken from vein P6, yielded 1.009 oz/t gold. Vein P18 yielded 0.414 oz/st gold across 4 cm (52253) and returned values in excess of 1000 ppb for two of the other three vein samples. Grab samples of veins P8 and P7 contain 0.217 oz/t

(22156) and 0.040 oz/t (22155) gold respectively. Vein P9 has 0.149 oz/t gold across 10 cm (52283) and vein P19 had 0.054 oz/t gold (52390, across 18 cm).

In the central area of the grid, between the east and west veins, are twelve quartz occurrences of similar orientation that assayed less than 1000 ppb gold.

Silver values correlate with gold; the highest silver result of 40.1 ppm (22050), corresponds to the most anomalous gold sample. For samples containing more than 1000 ppb gold, an associated mean silver value is 3.5 ppm. Samples with no anomalous gold have mean silver values of 1.0 ppm on the east side of the grid and 0.3 ppm on the west side.

Copper content correlates with gold and manifests itself as chalcopyrite, malachite and azurite mineralization within the veins. The highest copper assay of 7260 ppm (22023) comes from vein E. Elevated copper values, averaging 700 ppm, are associated with gold values greater than 1000 ppm. A mean value of 80 ppm copper is observed in samples containing less than 1000 ppb gold.

Lead values, up to 976 ppm in vein A (22006), appear to be unrelated to the presence of gold and silver. Lead content varies across the grid with higher values found on the east side (80 ppm mean) versus the west (30 ppm mean).

Zinc is uniformly distributed throughout the veins on the grid and does not show a direct correlation with precious metal content. The highest recorded value is 619 ppm (22006) in vein A.

In summary, a positive correlation exists between gold, silver, and copper within the quartz veins of the Cannonball Showing. Elevated lead values are associated with anomalous sample locations, as well. A bimodal distribution of anomalous elements also exists at this showing. Higher values for all of the elements are found within veins A to E located on the east side of the showing, while lower values occur in veins P6-P18 on the west side.

ARGENT SHOWING



PJ Grid - Detailed Geology

The PJ grid is situated on the Argent Showing in the southeast corner of the Joy 3 claim at an elevation of 1200 m. The baseline has an east-west orientation and is 800 m long. North-south lines, from 600 to 850 m in length, have been placed at 50 m intervals. Stations along the lines occur every 25 m. Relief in the area is moderate and sub-alpine conditions prevail (Figure 9).

Geological control on the PJ grid is reasonably good with most exposure occurring along two creeks that run north-south.



Three different rock types occur within this area. They include granodioritic intrusives, felsic volcanics, and mafic dykes. The classification of the volcanics as felsic is subject to revision in view of rock descriptions presented in the section on drilling (see below). Petrographic analyses are required to ensure more accurate definition.

Granodioritic intrusives lie on the western half and the eastern perimeters of the grid. They are massive, leucocratic, and of fine to medium grain size. A








Graphic representation only.
See Figures 6 or 7 for
exact locations.
All sample numbers are
preceded by "22".

OREQUEST
PEZGOLD RESOURCES CORP.
Figure 8A
PEZ-VER PROPERTY
CANNONBALL SHOWING - PR GRID
CHIP SAMPLE LOCATIONS,
DIMENSIONS AND ASSAY RESULTS
Liard Mining Division
British Columbia
NTS: 104 B/10
January 1989 Drawn by: P.B.



Graphic representation only.
See figures 6 or 7 for exact locations.
Sample numbers for Veins P3 and P4 are preceded by "22".
Sample numbers for Veins P5 to P7 are preceded by "52".

HW	Hangingwall
HW, FW	Hanging, footwall (between 2 veins)
FW	Footwall
UV	Upper vein
LV	Lower vein



0 1 2 4 METRES
SCALE 1:100


OREQUEST

PEZGOLD RESOURCES CORP.

Figure 8B
PEZ-VER PROPERTY
CANNONBALL SHOWING - PR GRID
CHIP SAMPLE LOCATIONS,
DIMENSIONS AND ASSAY RESULTS

Liard Mining Division
British Columbia
NTS: 104 B/10

January 1989 Drawn by: P.B.



OREQUEST


PEZGOLD RESOURCES CORP.

Figure 8C






PEZ-VER PROPERTY
CANNONBALL SHOWING - PR GRID
CHIP SAMPLE LOCATIONS,
DIMENSIONS AND ASSAY RESULTS

Liard Mining Division
British Columbia
NTS: 104 B/10

January 1989 Drawn by: P.B.




OREQUEST
PEZGOLD RESOURCES CORP.
Figure 8D
PEZ-VER PROPERTY
CANNONBALL SHOWING - PR GRID
CHIP SAMPLE LOCATIONS,
DIMENSIONS AND ASSAY RESULTS
Liard Mining Division
British Columbia
NTS: 104 B/10
January 1989 Drawn by: P.B.



0 1 2 4 METRES
SCALE 1:100

HW Hanging wall
 HW, FW Hanging, footwall (between 2 veins)
 FW Footwall
 UV Upper vein
 LV Lower vein



Graphic representation only.
 See Figures 6 or 7 for
 exact locations.
 All sample numbers are
 preceded by "52".

OREQUEST

PEZGOLD RESOURCES CORP.

Figure 8E
 PEZ-VER PROPERTY
 CANNONBALL SHOWING - PR GRID
 CHIP SAMPLE LOCATIONS,
 DIMENSIONS AND ASSAY RESULTS
 Liard Mining Division
 British Columbia
 NTS: 104 B/10

January 1989 Drawn by: P.B.

variety of textures are seen. A feldspar rich facies is often coarse grained with plagioclase laths up to 1 cm in length and displays cumulative texture. The phenocrysts are usually arranged in a subparallel manner and impart a linear fabric to the rock. They may also exhibit simple twinning and zoning. Euhedral mafics, less than 1 mm in diameter, occur interstitially and form less than 15% of the rock. A mafic rich facies is also present in the grid area and consists of 50% hornblende with lesser biotite. The mafic phenocrysts are euhedral within a fine grained feldspathic groundmass. The boundaries between the two different granodioritic facies are gradational.

Along contacts the granodiorite becomes progressively finer grained over 150 m and shows weak to moderate silicification. In the northeast portion of the grid, the intrusion has caused moderate deformation of the felsic volcanics.

The felsic volcanics are a tuffaceous unit that occupies the eastern half of the grid. The tuffs are of fine to medium grain size and are arranged in beds up to 2 m thick. Both abrupt and gradational boundaries between beds are marked by changes in grain size and composition. Sedimentary structures, such as planar bedding, are most easily seen in the northeast portion of the grid where alteration is less intense. Euhedral magnetite (3%, up to 1 mm) tends to concentrate at the bottom of individual beds and imparts a weak to moderate magnetism to the rock.

Mafic dykes are present in the tuffs as well as the granodiorite. They trend east-west, dip steeply south and range in width from 1 cm to 10 m. They are dark grey-black, fine grained and often exhibit columnar jointing. At

variety of textures are seen. A feldspar rich facies is often coarse grained with plagioclase laths up to 1 cm in length and displays cumulative texture. The phenocrysts are usually arranged in a subparallel manner and impart a linear fabric to the rock. They may also exhibit simple twinning and zoning. Euhedral mafics, less than 1 mm in diameter, occur interstitially and form less than 15% of the rock. A mafic rich facies is also present in the grid area and consists of 50% hornblende with lesser biotite. The mafic phenocrysts are euhedral within a fine grained feldspathic groundmass. The boundaries between the two different granodioritic facies are gradational.

Along contacts the granodiorite becomes progressively finer grained over 150 m and shows weak to moderate silicification. In the northeast portion of the grid, the intrusion has caused moderate deformation of the felsic volcanics.

The felsic volcanics are a tuffaceous unit that occupies the eastern half of the grid. The tuffs are of fine to medium grain size and are arranged in beds up to 2 m thick. Both abrupt and gradational boundaries between beds are marked by changes in grain size and composition. Sedimentary structures, such as planar bedding, are most easily seen in the northeast portion of the grid where alteration is less intense. Euhedral magnetite (3%, up to 1 mm) tends to concentrate at the bottom of individual beds and imparts a weak to moderate magnetism to the rock.

Mafic dykes are present in the tuffs as well as the granodiorite. They trend east-west, dip steeply south and range in width from 1 cm to 10 m. They are dark grey-black, fine grained and often exhibit columnar jointing. At

several locations their contacts with the host rock are gossanous and brecciated; moderate to strong chlorite, epidote and argillic alteration is seen.

Fault or shear structures trend east-west on the Argent grid. They are visible on aerial photographs as topographical lineaments and field evidence, such as truncated or offset dykes and shear foliated outcrops, suggests that the two southern lineaments are faults.

PJ Grid - Mineralization and Alteration

Gossans within the PJ grid occur primarily in the volcanics. Their localization is controlled by the proximity of the granodioritic intrusions and the presence of dykes and faults. The gossans, consisting of jarosite, goethite, and limonite are present in the creek gorge on the east side of the grid.

The Argent Showing, located at 0+50S, 0+50E within a fault-deflected section of the eastern creek, consists of a series of parallel veins 1 to 15 cm wide and up to 15 m long. They are located along shear fractures associated with a major fault trending east-northeast. The veins are composed of quartz, carbonate, and barite and contain up to 20% pyrite, chalcopyrite, galena, tetrahedrite and specular hematite. Values of 369.64 oz/t silver, 0.123 oz/t gold and more than 2% copper (22190) have been recovered from the showing. Sample 22279 (60.23 oz/t silver and 0.4% copper), taken 400 m west of the Argent Showing, is also from a shear-hosted quartz vein containing pyrite, galena, malachite and azurite.

Two phases of silicification appear to have affected the felsic tuffs. An intervening phase of pervasive sulphide mineralization and chloritization also occurred.

Wherever first phase silicification has occurred, the tuff is rendered impermeable to later pervasive pyritization and chlorite alteration, which is confined to fractures and shear related porosity.

Epidote alteration (saussuritization) can be pervasive and is often associated with potassic alteration and silicification or found in fractures post dating pervasive chlorite alteration. Epidote may also be found in vugs with euhedral pyrite.

Weak to strong argillic alteration is prevalent throughout the tuffs, especially in areas of low silicification.

Within the granodiorite, weak to moderate sericitic alteration of feldspars and chloritization of mafics has occurred. Silicification and unmineralized fracture filling quartz veins are also present near the contact.

PJ Grid - Soil Geochemistry

Soil samples of the B-horizon were collected at 12.5 m intervals throughout the grid. Sample depths averaged between 20 and 80 cm. Where a B-horizon sample was unobtainable an A-horizon sample was taken. A total of 912 samples from the PJ grid were sent for analysis.

Values for gold, silver, and copper were plotted and contoured (Figures 10 and 11). Possibly anomalous and anomalous values (Table 2) were highlighted on the maps.

Gold soil anomalies range from 26 to 60 ppb. The highest value of 60 ppb occurs at 4+00W, 2+12N within an east-southeast trending group containing three other possible gold anomalies of 30 ppb. Another gold anomaly of 50 ppb (3+00W, 0+87S) is contained within a southeast trending group that includes five other possible anomalies ranging between 35 and 40 ppb. The east-southeast to southeast trends of the gold soil anomalies could be due to underlying structures.

Silver soil anomalies range from 1.9 to 2.6 ppm. The highest value of 2.6 ppm (2+00W, 2+50S) occurs 50 m west-southwest of a 2.2 ppm sample on line 1+50W. These two samples define a weak trend which parallels the regional fault that passes through the Argent Showing.

Copper soil anomalies range from 100 to 986 ppm. The highest value of 986 ppm is an isolated sample which was collected at 0+00, 5+37N. A cluster of 17 anomalous and possibly anomalous samples occur in the middle of the grid around 0+40N, 1+50W. They range between 114 and 711 ppm and trend east to east-northeast and may be related to structures associated with the regional fault which passes through the Argent Showing. Another cluster of three anomalous copper samples are centered around 3+50W, 2+37N and range between 418 and 625 ppm. They are highly localized and may be related to an east-west structure which passes through that area of the grid. Other anomalous groups of samples on

the PJ grid trend either southeast or northeast and may reflect underlying structures.


There are some positive correlations between anomalous gold and copper sample locations and trends in the west-central portion of the PJ grid. Unfortunately, these correlations are weak and the strongest copper anomalies do not coincide with favourable gold occurrences.

Elsewhere on the PJ grid, however, clusters of high copper soil anomalies are interesting and should be investigated during the 1989 field season.

PJ Grid - Electromagnetic Survey

A very low frequency electromagnetic (VLF-EM) survey was conducted on the PJ grid with a Geonics EM-16, using Cutler, Maine as the transmitting signal station. Readings were taken at 12.5 m intervals along the north-south lines situated 50 m apart. In phase and quadrature readings are profiled in Figure 12.

Results indicate a linear conductive body in the southern half of the grid that trends in an east-northeasterly direction through 3+00W, 1+50S and 0+50W, 1+20S. This anomaly corresponds to the major fault that passes through the Argent Showing. Another possible anomaly trends east-west in the central portion of the grid around 1+50W, 0+40N. It extends for approximately 200m and is probably related to a local fault.



ALTERATION : I chl,py,sil
 II chl,epi,pot,py,sil
 III chl,sil

chl Chloritic
 epi Epidote
 sil Silica
 pot Potassic
 py Pyrite

——— Bedding
 - - - Geological contact
 ~~~~ Fault or shear  
 - - - Alteration contact

**OREQUEST**

**PEZGOLD RESOURCES CORP.**

**Figure 13**  
**PEZ-VER PROPERTY**  
**JOY 3 CLAIM**  
**DRILL SECTION: PJ88-OI,02**  
**LOOKING EAST**

**LIARD M.D., B.C.**  
**N.T.S. 104B/10**

JANUARY 1989

DRAWN BY: E.M.

### PJ Grid - Drilling

Two holes (PJ-88-01, 02) totalling 273 m were drilled at the Argent Showing to test the down dip strength of a mineralized quartz vein carrying 369.64 oz/t silver and 0.123 oz/t gold (Figure 13). On surface, the highly vuggy quartz vein varies between 1 and 15 cm in thickness and contains 10-20% galena, tetrahedrite, and specular hematite. Visible strike length of this occurrence is 10 m.

The following table summarizes the drill hole data.

TABLE 3

#### DRILL HOLE DATA

| Hole #   | Grid  | Location | Azimuth | Dip | Depth            |
|----------|-------|----------|---------|-----|------------------|
| PJ-88-01 | 1+10S | 0+37E    | 013°    | 45° | 113.5 m (372 ft) |
| PJ-88-02 | 1+10S | 0+37E    | 013°    | 60° | 159.5 m (523 ft) |

A fine to medium grained, green to black, intermediate to basic volcanic lithology was encountered in both holes. It consists of tuffs, flows, and epiclastics which are described as three different units (I to III) based upon alteration.

Unit I is characterized by pervasive chloritization and pyritization with weak to moderate silicification. Unit II is characterized by patchy to pervasive chloritic, saussuritic, potassic, pyritic, and siliceous alteration. Unit III contains pervasive chloritic and patchy siliceous alteration.

The highest gold value returned from the drill program is 120 ppb over 1.5 m (21894). This was encountered in PJ-88-01 at a depth of 109.5 m and was

associated with a silicified section within Unit III. At approximately 92 m in the first hole a 6 m shear zone contains brecciated, mylonized, and gouged country rock contained 15-20% disseminated, fine grained pyrite. Argillic, chloritic, sericitic and silicic alteration is also associated with this shear. Although no quartz or carbonate veins were encountered in the zone, it is possible that it correlates with the surface quartz system of the Argent Showing. A similar shear zone was encountered at the bottom of PJ-88-02 where 3% pyrite is visible over 1.5 m. This hole was stopped prematurely within the zone due to drilling difficulties.

Elsewhere in the second hole, 20% pyrite (over 1.5 m at 25 m) is associated with a small (40 cm) granodiorite dyke within Unit I. In the same unit, at a depth of 43 m, 7% pyrite (over 1.5 m) is associated with a weakly magnetic, mafic volcanic section. No significant quartz or carbonate veins were encountered in either hole.

#### CONCLUSIONS and RECOMMENDATIONS

The initial investigation of the Ver 1, 2; Ret 2, 3, 4, 5, 6, 7; and Joy 3 mineral claims was successful and several areas of precious metal mineralization and geochemical anomalies have been found.

The main lithologies on the property are volcanic flows, volcaniclastics, and marine sediments of Paleozoic and Mesozoic age that were intruded during the Mesozoic and Tertiary. Similar rock units host the Skyline and Cominco-Delaware precious metal deposits located 13 km south of the claim group.

Mineralization on the claims is associated with silicified fracture, fault, or shear zones that have undergone some degree of alteration. The best precious metal results are derived from distinct quartz veins which also contain some base metal mineralization. A selective grab sample from a quartz vein at the Cannonball Showing assayed 4.556 oz/t gold. Locally rich sulphide pods within a vuggy quartz vein at the Argent Showing carried 369.64 oz/t silver, 0.123 oz/t gold, and more than 2% copper.

The sheeted quartz veins of the Cannonball Showing should be drilled to test these systems at depth. The veins on the east side of the grid (A-E), as well as those on the west side (P5-P10, P18-P20), should be intersected.

The Argent Showing was drilled without encouraging results during the 1988 field season, however, geochemical sampling and an electromagnetic survey on the PJ grid revealed two anomalous areas that are on strike with, or parallel to, the regional structure that passes through the Argent Showing. The first VLF-EM anomaly, which appears to be a southwest extension of the Argent fault, passes through grid locations 0+50W, 1+20S and 3+00W, 1+50S. The second area, around 1+50W, 0+40N, contains a weak VLF-EM conductor which coincides with a cluster of copper geochemical anomalies. Both areas should be investigated in more detail and trenched if necessary.

Silt and soil geochemical prospecting in the Verrett River Valley has revealed other areas that warrant further work. Areas I through III (Figure 5), located on the east side of the river, are primary exploration targets as they contain both gold and silver anomalies. These areas should be prospected and

soil sampled in more detail. Soil sampling could be carried out with a 50 m elevation spacing between lines with samples taken every 25 m. If clear targets are defined by the above efforts then trenching should be done at those locations.


### STATEMENT OF COSTS

|                                                                                                    |                     |
|----------------------------------------------------------------------------------------------------|---------------------|
| Mobilization/Demobilization (prorated from Iskut Project)                                          | \$ 7,609.96         |
| <b>Wages</b>                                                                                       |                     |
| G. Cavey (consulting geologist) 15 days @ \$450/day                                                | \$6750.00           |
| B. Dewonck ( " ) 3 days @ \$375/day                                                                | 1125.00             |
| E. McCrossan (geologist) 17.5 days @ \$350/day                                                     | 6125.00             |
| K. Hudson ( " ) 2 days @ \$380/day                                                                 | 760.00              |
| B. Barnes ( " ) 7 days @ \$300/day                                                                 | 2100.00             |
| P. Brucciani ( " ) 24 days @ \$280/day                                                             | 6720.00             |
| W. Egg (prospector) 7 days @ \$300/day                                                             | 2100.00             |
| K. Sax ( " ) 6 days @ \$270/day                                                                    | 1620.00             |
| D. Carstens ( " ) 11.5 days @ \$265/day                                                            | 2915.00             |
| D. Hebditch (field assistant) 9.5 days @ \$225/day                                                 | 2137.50             |
| D. Volkmer ( " ) 13 days @ \$250/day                                                               | 3250.00             |
| T. Seddon ( " ) 10 days @ \$200/day                                                                | 2000.00             |
| G. Prenevost ( " ) 10 days @ \$250/day                                                             | 2500.00             |
| R. New ( " ) 3 days @ \$200/day                                                                    | 600.00              |
| T. McGowen ( " ) 16 days @ \$250/day                                                               | 4000.00             |
| R. McGinn ( " ) 11 days @ \$250/day                                                                | 2750.00             |
| A. Linley ( " ) 20 days @ \$250/day                                                                | 5000.00             |
| H. Page ( " ) 9 days @ \$250/day                                                                   | 2250.00             |
| D. Page ( " ) 5 days @ \$250/day                                                                   | 1250.00             |
| T. Helgason ( " ) 5 days @ \$250/day                                                               | 1250.00             |
| S. Gordon ( " ) 12 days @ \$250/day                                                                | 3000.00             |
| R. Hui ( " ) 5 days @ \$250/day                                                                    | 1250.00             |
| R. Mackie ( " ) 4 days @ \$250/day                                                                 | 1000.00             |
|                                                                                                    | <u>\$62,452.50</u>  |
| Assays (Vangeochem Labs Ltd.)                                                                      | 28,092.28           |
| <b>Transportation &amp; Communications</b>                                                         |                     |
| - Fixed Wing, Freight, Communications<br>(prorated from Iskut Project)                             | 11,717.45           |
| - Helicopter (Northern Mountain Helicopters Ltd.)                                                  | 25,468.58           |
| <b>Contract Drilling Costs</b>                                                                     | 24,663.28           |
| Field Equipment (consumables, prorated costs from Iskut Project)                                   | 18,346.00           |
| Camp Cost                                                                                          | 35,000.00           |
| Field Expediting Costs                                                                             | 6,833.93            |
| Office Costs (administration, accounting, secretarial -<br>direct and prorated from Iskut Project) | 16,890.50           |
| Report Costs (wages, drafting, map reproduction - partial)                                         | <u>13,785.57</u>    |
|                                                                                                    | <u>\$250,860.05</u> |

## CERTIFICATE OF QUALIFICATIONS

I, Bernard Dewonck, of 11931 Dunford Road, Richmond, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1974) and hold a BSc. degree in geology.
2. I am an independent consulting geologist retained by OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia, for the purposes of supervising the exploration program conducted by E. McCrossan.
3. I have been employed in my profession by various mining companies since graduation.
4. I am a Fellow of the Geological Association of Canada.
5. I am a member of the Canadian Institute of Mining and Metallurgy.
6. This report is based on exploration work conducted by OreQuest Consultants Ltd., and several visits to the property.
7. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Pezgold Resource Corporation.
8. I consent to and authorize the use of the attached report and my name in the Companies' Prospectus, Statements of Material Facts or other public document.




Bernard Dewonck  
Consulting Geologist

DATED at Vancouver, British Columbia, this 12th day of January, 1989.

CERTIFICATE OF QUALIFICATIONS

I, Ed McCrossan, of 3328 W. 2nd Avenue, Vancouver, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1984) and hold a BSc. degree in geology.
2. I am presently employed as a consulting geologist with OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia.
3. I have been employed in my profession by various mining companies since graduation and have worked on projects in Canada, Hungary, Thailand, China, and Australia.
4. I am a member of the Canadian Institute of Mining and Metallurgy, and an associate of the Geological Association of Canada.
5. The information contained in this report was obtained by direct onsite supervision of the work done on the property by OreQuest Consultants Ltd. in 1988 and a review of all data listed in the Bibliography.
6. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Pezgold Resource Corporation or any of their subsidiaries.
7. I consent to and authorize the use of the attached report and my name in the Company's Prospectus, Statement of Material Facts or other public document.



Ed McCrossan  
Consulting Geologist

DATED at Vancouver, British Columbia, this 12th day of January, 1989.

CERTIFICATE OF QUALIFICATIONS

I, Paul Brucciani, of 13135 Lake Arrow Road, Calgary, Alberta, hereby certify:

1. I am a graduate of the University of Aberdeen, Scotland (1987) and hold a B.Sc. Honours degree in Geology and Mineralogy.
2. I am presently employed as a geologist with OreQuest Consultants Ltd. of 404-595 Howe Street, Vancouver, British Columbia.
3. I have been employed in my profession by various companies since graduation and have worked on projects in Canada, Cyprus and the United Kingdom.
4. The information contained in this report was obtained by direct onsite supervision of the work done on the property by OreQuest Consultants Ltd. in 1988 and a review of all data listed in the Bibliography.
5. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Pezgold Resources Corp. or any of their subsidiaries.
6. I consent to and authorize the use of the attached report and my name in the Company's Prospectus, Statement of Material Facts or other public document.



Paul Brucciani  
Geologist

DATED at Vancouver, British Columbia, this 12th day of January, 1989.

## BIBLIOGRAPHY

ANDERSON, R.G.

1988: A Paleozoic and Mesozoic Stratigraphic and Plutonic Framework for the Iskut Map Area; in Geology and Metallogeny of N.W.B.C., S.E.G.-G.A.C. Cordilleran Section Workshop, October 16-19, 1988.

CAULFIELD, D.A., AWMAK, H.J.

1987: Summary Report on the Waratah Project for Tungco Resource Corporation.

DEWONCK, B. and McCROSSAN, E.

1988: Report on the New 1, 5 and 6 Mineral Claims, Phase I, Iskut River Area, British Columbia, Liard Mining Division for Adrian Resources Ltd.

DEWONCK, B., McCROSSAN, E. and BRUCCIANI, P.

1989: Report on the New 1, 5 and 6 Mineral Claims, Phase II, Iskut River Area, British Columbia, Liard Mining Division for Adrian Resources Ltd.

DEWONCK, B. and RAVEN, W.

1988: Report on the New 2 and Joy 11 Mineral Claims, Phase I, Iskut River Area, British Columbia, Liard Mining Division for International Phoenix Energy Corp.

GEOLOGICAL SURVEY OF CANADA

1979: Map No. 1418 A: Iskut River.

GROVE, EDWARD W.

1971: Geology and Mineral Deposits of the Stewart Area, B.C., B.C. Department of Mines and Petroleum Resources, Bulletin No. 58.

GROVE, EDWARD W.

1986: Geology and Mineral Deposits of the Unuk River-Salmon River-Anyox Area, B.C. Ministry of Energy, Mines and Petroleum Resources, Bulletin No. 63.

GULF INTERNATIONAL MINERALS LTD.

October 5, 1988 news Release.

HUDSON, K. and CAVEY, G.

1988: Report on the Ticker Tape Property, Iskut River Area for Ticker Tape Resources Ltd. and Cheryl Resources Ltd.

INEL RESOURCES LTD.

September 23, 1988 News Release.

KERR, F.A.

1948: Lower Stikine and Western Iskut River Areas, B.C., Geological Survey of Canada, Memoir 246.

KONINGS, M.

1988: Report on a Combined Helicopter-Borne Magnetic, Electromagnetic and VLF Survey, Iskut River, B.C. for Prime Explorations Ltd., by Aerodat Ltd.

MERIDOR RESOURCES LTD.: September 2, 1988 News Release.

WINSLOW GOLD CORPORATION: September 19, 1988 News Release.

**APPENDIX A**  
**PEZ-VER ROCK SAMPLE DESCRIPTIONS**

**PEZ-VER ROCK SAMPLE DESCRIPTIONS**

| #     | DESCRIPTION                                                                                                                                                                                     |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22001 | Hanging wall of a volcanic rock hosted shear zone.                                                                                                                                              |
| 22002 | Altered part of a shear zone with volcanic host rocks.                                                                                                                                          |
| 22003 | Copper stained quartz vein within float. Contains 5% mineralization of pyrite and chalcopyrite.                                                                                                 |
| 22004 | Pyritic cherty zone within a limestone unit.                                                                                                                                                    |
| 22005 | Fractured andesite, 2-3% pyrite.                                                                                                                                                                |
| 22051 | 2-5 cm, milky white quartz-chlorite vein. Vuggy porosity of 5% with Mn coated drusy crystals. Visible for 3 m.                                                                                  |
| 22052 | 1-3 cm quartz-chlorite vein (as above). Trace-1% pyrite as disseminations and concentrations (to 1 cm). Associated chlorite and epidote as alteration products. Visible for approximately 20 m. |
| 22053 | 10-20 cm white-grey quartz vein. Visible for 8 m. Vein contains 2% chlorite.                                                                                                                    |
| 22054 | 5-10 cm quartz vein with a trace of pyrite and moderate limonitic staining. Mn coated vuggy porosity less than 1%. Visible for 15 m.                                                            |
| 22055 | 1-4 cm calcite-chlorite shear.                                                                                                                                                                  |
| 22056 | 1 cm quartz-carbonate vein with 2-3% pyrite as sub-euhedral cubes and pyritohedrons (to 5 mm) among early quartz selvage. Trace chalcopyrite. Carbonate late. Vein visible for 18 m.            |
| 22057 | 1-2 cm quartz vein with 5% chlorite and 2% pyrite as concentrations to 2 cm. Trace chalcopyrite. Visible for 3 m.                                                                               |
| 22058 | 10-20 cm shear containing a quartz-ankerite/siderite vein breccia. Carbonate late.                                                                                                              |
| 22059 | 5-20 cm quartz vein with a trace to 1% sulphide as fine grained concentrations within vuggy porosity (5%). Moderate to dark limonitic stain on weathered surface. Visible for 10 m.             |
| 22060 | Hanging wall sample of the above vein (22059). Silicified and hematized andesite with a trace of pyrite.                                                                                        |
| 22061 | Sheared, silicified, pyritized (8%) and hematized andesitic volcanics. Pyrite in vugs within silicified sections.                                                                               |

| *     | DESCRIPTION                                                                                                                                                   |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22062 | 1-2 m wide shear containing silicified and pyritized (1%) andesites. Dark limonitic stain on exposed surfaces. Visible for 10 m.                              |
| 22063 | Moderately silicified, pyritized (15%) and hematized volcanics. Pyrite as 1-2 cm, massive, sub-euhedral concentrations in vugs.                               |
| 22064 | 10 cm quartz mass conformable with sedimentary bedding. Trace of pyrite with moderate limonitic staining along fractures.                                     |
| 22065 | 2-3% very fine grained pyrite as disseminations and concentrations along hairline fractures within cherty siltstones and dacitic tuffs.                       |
| 22066 | Moderately sheared, silicified, and pyritized (3%) intermediate volcanic tuff.                                                                                |
| 22067 | Moderately gossanous argillites interbedded with lesser dacitic tuffs. Pyrite (5%) as fracture coatings within the argillite.                                 |
| 22068 | Moderately gossanous, silicious, felsic tuff. Pyrite (5%) as disseminations and fine to medium grained concentrations.                                        |
| 22069 | 10 cm wide shear within siliceous, felsic tuff. Pyrite (3-5%) as disseminations. Jarositic stain on weathered surface.                                        |
| 22070 | Gossanous, 2 cm fracture (minor shear) within siliceous felsic volcanic. 3% fine grained pyrite.                                                              |
| 22071 | Gossanous, black, siliceous siltstone.                                                                                                                        |
| 22072 | Siltstone with a trace of very fine grained pyrite. Dark limonitic stain on weathered surface.                                                                |
| 22073 | Siltstone with 3% disseminated pyrite and graphite.                                                                                                           |
| 22074 | 40 x 60 cm patch of "skarnified" carbonate, adjacent to contact with clastic marine sediments. Pyrite, chalcopyrite, bornite?, malachite, and azurite (5-8%). |
| 22101 | Light brown, rusty weathering of sheared rock. No visible sulphides.                                                                                          |
| 22102 | Silicified gossans with 2% euhedral pyrite.                                                                                                                   |
| 22103 | Silicified, sheared mafic intrusive showing rusty weathering.                                                                                                 |
| 22104 | As in 22103.                                                                                                                                                  |
| 22105 | As above. 3 cm, milky, gossanous vein containing 1% disseminated pyrite.                                                                                      |
| 22106 | As above. Vein 1-3 cm wide with pyrite, chalcopyrite and malachite (3-5%).                                                                                    |

**DESCRIPTION**

- 22107 Vuggy quartz vein 4-8 cm wide containing pyrite.
- 22108 As in 22107.
- 22109 Rusty sandstone/siltstone containing fine disseminated pyrite - 3%.
- 22110 As above. Sandstone/siltstone shows some shearing with 5-7% pyrite.
- 22111 Float from a cherty, tuffaceous gossan intruded by dykes. 3-5% pyrite.
- 22112 As in 22111.
- 22113 As in 22111.
- 22114 Grab containing disseminated blebs of pyrite and pyrrhotite.
- 22115 As in 22111.
- 22116 Rusty gossanous unit above limestone (3-5% pyrite +/- pyrrhotite).
- 22117 Disseminated pyrite (3-5%) within feldspar porphyry unit.
- 22118 As above with 2-3% pyrite.
- 22119 Euhedral pyrite within siltstone near intrusive contact.
- 22120 Quartz vein within shales and siltstones containing 1% pyrite.
- 22121 Shale/limestone containing disseminated and elongated blebs of pyrite and pyrrhotite (2-4%).
- 22122 Siliceous, bleached volcanics with blebs and aggregates of pyrite (15-20%).
- 22123 As above, pyrite 5-10%.
- 22151 3 cm quartz vein with a trace of malachite, chalcopyrite and pyrite. Oxides 5%.
- 22152 As in 22151.
- 22153 As above, within a shear containing phlogopite and disseminated pyrite.
- 22154 Swarm of quartz veins showing variable brecciation and sulphide mineralization.
- 22155 Quartz vein 60 cm wide containing pyrite +/- bornite.

| *     | <b>DESCRIPTION</b>                                                                                                                        |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 22156 | As in 22155.                                                                                                                              |
| 22157 | As above. Vein also contains a trace of chalcopyrite.                                                                                     |
| 22158 | Silicified shear zone containing 10-15% pyrite.                                                                                           |
| 22159 | Silicified volcaniclastic rock adjacent to shear (22158) containing very fine grained disseminated pyrite.                                |
| 22160 | 3 cm quartz vein containing 10% iron oxides.                                                                                              |
| 22161 | 10 cm wide silicified shear zone containing 10% pyrite, 5% arsenopyrite.                                                                  |
| 22162 | Brecciated, moderately silicified tuff pervaded by veinlets containing iron oxides, specular hematite and pyrite.                         |
| 22163 | Shear zone containing chalcopyrite and pyrite along fractures and foliations.                                                             |
| 22164 | Silicified felsite containing 5% iron oxides and very minor sulphides.                                                                    |
| 22166 | Pyritized andesite.                                                                                                                       |
| 22167 | Quartz veinlets up to 2 mm wide, containing pyrrhotite and pyrite, form swarms within brecciated, chloritic and epidote altered andesite. |
| 22168 | Quartz-carbonate veinlets 5 mm wide within rhyolite containing pyrite, specular hematite and a trace of chalcopyrite.                     |
| 22169 | Sheared dyke 20 cm wide containing biotite.                                                                                               |
| 22170 | Foot wall adjacent to shear (22169) containing medium grained pyrite.                                                                     |
| 22171 | Pyritized quartz vein within tuff.                                                                                                        |
| 22172 | Silicified shear zone with pyrite mineralization.                                                                                         |
| 22173 | Brecciated volcaniclastic. Quartz matrix and stringers with pyrite.                                                                       |
| 22174 | As in 22173.                                                                                                                              |
| 22175 | Quartz vein 5 cm wide containing blebs of pyrite and galena.                                                                              |
| 22176 | As above within a shear zone.                                                                                                             |
| 22177 | Foot wall of vein (22176) containing blebs and seams of pyrite within brecciated volcanics.                                               |

| #     | DESCRIPTION                                                                                                 |
|-------|-------------------------------------------------------------------------------------------------------------|
| 22178 | Shear zone 5 m wide shows limonitic weathering.                                                             |
| 22179 | Quartz vein with pyrite and iron/manganese oxides.                                                          |
| 22180 | Sheared felsite containing a quartz vein of 1 cm width and iron oxides.                                     |
| 22181 | Brecciated quartzite with quartz veinlets.                                                                  |
| 22182 | Felsite dyke. Contains quartz veins and pyrite.                                                             |
| 22183 | Quartz lens containing blebs of pyrite.                                                                     |
| 22184 | Granodiorite containing up to 15% pyrite.                                                                   |
| 22185 | Disseminated pyrite along a foliated, altered felsite dyke.                                                 |
| 22186 | Foot wall of dyke (22185). Epidote alteration of volcaniclastics.                                           |
| 22187 | Shear zone with iron oxides.                                                                                |
| 22188 | As in 22185. Felsite more siliceous.                                                                        |
| 22189 | Granodiorite showing variable silicification. Pyrite is contained in fractures and disseminated throughout. |
| 22190 | Brecciated quartz vein containing galena.                                                                   |
| 22191 | Vein (22190) containing bands of galena, pyrite, chalcopyrite and tetrahedrite.                             |
| 22192 | Gossanous sandstone.                                                                                        |
| 22193 | Foliated, porphyritic andesite containing pyrite disseminations and concentrations (2%).                    |
| 22194 | Sheared porphyritic basalt containing bands of disseminated pyrite, chalcopyrite and galena.                |
| 22195 | Silicified shear zone containing bands of disseminated pyrite and a trace of galena.                        |
| 22201 | Quartz vein (4 - 6 cm wide) showing 3 - 5 % pyrite and malachite mineralization.                            |
| 22202 | Vuggy, milky quartz vein (6 cm wide) showing malachite, chalcopyrite and pyrite mineralization.             |
| 22203 | Vuggy quartz vein with massive pyrite mineralization.                                                       |
| 22204 | Shear with 20% malachite, chalcopyrite, and pyrite mineralization. Epidote alteration.                      |

| #     | <b>DESCRIPTION</b>                                                                          |
|-------|---------------------------------------------------------------------------------------------|
| 22205 | Quartz-feldspar porphyry containing up to 10% pyrite.                                       |
| 22206 | As above. Pyrite (2%) with chlorite and epidote alteration.                                 |
| 22207 | Silicified shear with 10% pyrite.                                                           |
| 22208 | Shear (6 cm wide) containing 2 - 3 % pyrite, chalcopyrite and malachite.                    |
| 22209 | Shear (1 m wide) containing fine grained pyrite (2%) and magnetite.                         |
| 22251 | Quartz vein (8 cm wide) containing chalcopyrite.                                            |
| 22252 | Quartz vein containing pyrite and chalcopyrite.                                             |
| 22253 | As above.                                                                                   |
| 22254 | Vuggy quartz vein containing pyrite.                                                        |
| 22255 | As above.                                                                                   |
| 22256 | Quartz vein.                                                                                |
| 22257 | Pyritized, sheared felsite.                                                                 |
| 22258 | Quartz vein.                                                                                |
| 22259 | As above.                                                                                   |
| 22260 | As above.                                                                                   |
| 22261 | Shear zone 20 cm wide.                                                                      |
| 22262 | Shear zone 15 cm wide.                                                                      |
| 22263 | Quartz vein 5 cm wide.                                                                      |
| 22264 | Pyritized volcaniclastics.                                                                  |
| 22265 | Quartz vein 10 cm wide within protomylonite, containing pyrite and a trace of chalcopyrite. |
| 22266 | Massive, dark grey volcaniclastic containing pyrite.                                        |
| 22267 | Pyritized shear, 1 cm wide within volcaniclastics.                                          |
| 22268 | Pyrite contained in quartz stringers and fractures within a volcaniclastic host rock.       |
| 22269 | Granodiorite containing disseminated pyrite.                                                |
| 22270 | Interbedded lavas and tuffs containing pyrite.                                              |

| #     | DESCRIPTION                                                                                                       |
|-------|-------------------------------------------------------------------------------------------------------------------|
| 22271 | Quartz stringers containing pyrite within massive volcaniclastics.                                                |
| 22272 | Pyritized quartz stringers in silicified volcaniclastics.                                                         |
| 22273 | Coarse grained volcaniclastics containing disseminated pyrite.                                                    |
| 22274 | Mylonitic band 40 cm wide.                                                                                        |
| 22275 | Mylonite.                                                                                                         |
| 22276 | As above.                                                                                                         |
| 22277 | Fine grained volcaniclastics containing disseminated pyrite.                                                      |
| 22278 | Contact between volcaniclastic country rocks and a granodioritic stock.                                           |
| 22279 | Quartz vein containing pyrite, galena, malachite and azurite.                                                     |
| 22280 | Quartz vein and host rock containing pyrite.                                                                      |
| 22281 | As above. Quartz vein 3 cm wide.                                                                                  |
| 22282 | Vein breccia with sulphides.                                                                                      |
| 22283 | Protomylonite containing medium grained to massive pyrite.                                                        |
| 22284 | Highly siliceous volcaniclastics containing massive pyrite and magnetite.                                         |
| 22285 | Highly siliceous volcaniclastics containing disseminated pyrite.                                                  |
| 22286 | Quartz vein 10 cm wide showing pyrite, galena and copper mineralization.                                          |
| 22287 | Slightly sheared volcanic.                                                                                        |
| 22288 | Silicified volcanic.                                                                                              |
| 22289 | Quartz vein 4 cm wide containing galena and pyrite.                                                               |
| 22290 | Quartz veinlets containing pyrite within volcanics.                                                               |
| 22294 | Quartzite containing fine grained disseminated pyrite.                                                            |
| 22301 | Silicified, mafic, fine grained dyke containing 5% interstitial pyrite. Shows jarositic and limonitic weathering. |
| 22302 | As above.                                                                                                         |
| 22303 | White siliceous volcaniclastic shows some chloritic and epidote alteration.                                       |

|       | <b>DESCRIPTION</b>                                                                                                                     |
|-------|----------------------------------------------------------------------------------------------------------------------------------------|
| 22304 | As above.                                                                                                                              |
| 22305 | Sheared, argillic altered volcanoclastics.                                                                                             |
| 22306 | Quartz stringers 5 cm wide associated with shearing and faulting show mineralization of pyrite, chalcopyrite, galena and tetrahedrite. |
| 22307 | As above.                                                                                                                              |
| 22308 | As above.                                                                                                                              |
| 22309 | As above.                                                                                                                              |
| 22310 | Quartz pod with euhedral clusters of pyrite and a trace of tetrahedrite within volcanoclastics.                                        |
| 22311 | Volcaniclastic with iron oxide staining, a trace of pyrite and chloritic and epidote alteration.                                       |
| 22312 | As above.                                                                                                                              |
| 22313 | Argillic altered volcanoclastics with a trace of pyrite.                                                                               |
| 22314 | Quartz vein.                                                                                                                           |
| 22315 | Quartz feldspathic dyke within volcanics.                                                                                              |
| 22316 | Volcanics showing strong limonitic weathering.                                                                                         |
| 22317 | Volcanics showing argillic, chloritic, saussuritic and hematitic alteration.                                                           |
| 22318 | As above and occurring within a shear 10 cm wide.                                                                                      |
| 22319 | Quartz body within volcanoclastics containing lenses of pyrite and a trace of tetrahedrite.                                            |
| 22320 | Volcaniclastics showing mineralization of pyrite and strong jarositic weathering associated with a shear zone within volcanoclastics.  |
| 22321 | Irregular quartz vein (4 cm wide) containing 5% pyrite.                                                                                |
| 22322 | Volcanics with ankeritic staining and sericitic alteration.                                                                            |
| 22323 | As above.                                                                                                                              |
| 22324 | As above.                                                                                                                              |
| 22325 | As above.                                                                                                                              |
| 22326 | Volcanics with mineralization of pyrite and jarositic weathering.                                                                      |

| #     | DESCRIPTION                                                                                                         |
|-------|---------------------------------------------------------------------------------------------------------------------|
| 22327 | As in 22308.                                                                                                        |
| 22328 | Fine grained mafic dyke showing chloritic and epidote alteration within a granodioritic host rock.                  |
| 22329 | Brecciated, argillized, chloritized and epidote altered contact between a mafic dyke and a granodioritic host rock. |
| 22330 | Shear within granodiorite showing chlorite and epidote alteration and ankeritic staining.                           |
| 22331 | As in 22329.                                                                                                        |
| 22332 | Intersection of 2 shears and associated quartz veins with granodiorite.                                             |
| 22333 | Volcaniclastics showing chloritic alteration and secondary pyrite mineralization.                                   |

**APPENDIX B**  
**PR GRID - VEIN DESCRIPTIONS**  
**(CANNONBALL SHOWING)**

## APPENDIX B

### PR GRID - VEIN DESCRIPTIONS (CANNONBALL SHOWING)

- A. 0.06 - 0.1 m x 5 m. Quartz vein with less than 5% pyrite mineralization and 10% malachite and azurite oxidation.
- B. 0.02 - 0.09 m x 20 m. Quartz vein with minor pyrite mineralization within vugs. Weak chlorite and epidote alteration of fractures in the host rock as well as limonitic staining.
- C. 0.015 - 0.03 m x 10 m. As in vein B.
- D. 0.12 - 0.15 m x 15 m. As in vein B.
- E. 0.03 - 0.15 m x 34 m. As in vein B.
- P1 0.04 - 0.07 m x 15 m. Quartz vein with some zoning and 3% interstitial chlorite. No apparent mineralization.
- P2 0.05 m x <5 m. As in P1.
- P3 0.02 - 0.03 x 9 m. As in P1.
- P4 0.03 - 0.07 m x 32 m. As in P1.
- P5 0.15 - 0.2 m x 10 m. As in P1.
- P6 0.03 - 0.04 m x 5 m. As in P1.
- P7 0.25 - 0.4 x 54 m. As in P1. Vein also branches and contains vugs up to 1 cm in diameter containing pyrite and limonite.
- P8 0.05 - 0.15 x 20 m. Forms a northerly, dextrally faulted extension of P7. Surrounding host rock shows moderate silicification over 0.3 m.
- P9 0.04 - 0.1 m x 36 m. As in P1.
- P10 0.04 m x <5 m. As in P1.
- P11 0.08 x 15 m. As in P1. Contains a black carbonate mineral and chlorite at vein margin. Limonitic alteration.
- P12 0.08 m x 11 m. As in P11.
- P13 0.1 m x 9 m. As in P11.
- P14 0.05 m x <5 m. As in P1.
- P15 0.05 - 0.1 m x 26 m. As in P1.
- P16 0.04 - 0.15 m x 20 m. As in P1. Cut by a small fault at southern end. Contains 2% pyrite mineralization.

- P17 0.02 - 0.05 m x 13 m. As in P1. Cut by a small sinistral fault.  
Displacement 50 cm.
- P18 0.02 - 0.11 m x 16 m. As in P1. Sinistrally faulted 1 m.
- P19 0.06 - 0.2 m x 21 m. As in P1. Cut off to the south by a fault.
- P20 0.04 x 7 m. As in P19.
- P21 0.03 - 0.04 m x 10 m. As in P1. Intersecting veinlets (5 - 20 cm wide)  
form a linear network (over 50 cm wide).
- P22 0.07 x 5 m. As in P1. Cut off to the north by a small fault.
- P23 0.06 x 5 m. As in P1. Occurs adjacent to a shear and parallel to an  
intermediate dyke.

**APPENDIX C**

**DRILL LOGS: PJ-88-01,02**

**Alteration abbreviations used in drill logs PJ-88-01, 02:**

|   |                       |
|---|-----------------------|
| c | chlorite              |
| a | argillitic            |
| e | saussuritic (epidote) |
| l | limonitic             |
| h | hematitic             |
| p | pyritic               |
| k | potassic              |
| s | silicic               |

## DREQUEST CONSULTANTS Ltd.

## DIAMOND DRILL HOLE RECORD

Client PEZGOLD RESOURCES

Page # 1 of 6

|          |          |           |           |            |         |      |         |       |     |         |           |                |             |
|----------|----------|-----------|-----------|------------|---------|------|---------|-------|-----|---------|-----------|----------------|-------------|
| Hole No. | PJ-88-01 | Northing  | Core Size | 80         | Depth   | Dip  | Azimuth | Depth | Dip | Azimuth | Started   | SEPT. 26, 1988 | Comments    |
| Property | PEZ-VER  | Eastng    | Casing    |            | 89.4    | - 41 |         |       |     |         | Completed | SEPT. 27, 1988 | ARGENT SHOW |
| Location | ISKUT R  | Elevation | 1100 m    | Length     | 113.5 m |      |         |       |     |         | Drill Co. | FALCON         |             |
| Claim No | JQY 3    | Latitude  | 56 45 N   | Dip-Collar | -45     |      |         |       |     |         | Logged By | PB and KH      |             |
|          |          | Longitude | 131 00 W  | Bearing    | 013     |      |         |       |     |         | Units     | METRES         |             |

| FROM  | TO    | ROCK<br>TYPE | ALT<br>C/A | FOL<br>C/A | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                        | %<br>SULPHIDE | SAMPLE No. | FROM  | TO    | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>ppt | Zn<br>ppt |
|-------|-------|--------------|------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|-------|-------|--------|-----------|----------|-----------|-----------|-----------|
|       | 3.70  |              |            |            | CASING                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |            |       |       |        |           |          |           |           |           |
| 3.70  | 6.00  |              |            |            | MULTILITHIC RUBBED CORE:<br>5 to 50 mm in diam., volcaniclastic or granodioritic in composition                                                                                                                                                                                                                                                                                                                                                                    |               |            |       |       |        |           |          |           |           |           |
| 6.00  | 89.60 |              |            |            | FINE GRAINED VOLCANICLASTICS (UNIT I):<br>Fine to medium grained, light to dark grey and locally green.<br>Basic in composition with very little primary quartz. Fragments are rounded, <2 mm in diam, feldspathic (argillically altered) and compose 5% of the rock. Alteration includes early pervasive pyrite-chlorite and argillitic alt'n of fragments as well as fracture related argillitic alt'n and qtz +- epidote veining. Late pervasive silicic alt'n. |               |            |       |       |        |           |          |           |           |           |
| 6.00  | 7.60  | I            | cs         |            | - pervasive chl-py alt'n followed by sil'n; fragments present 3%                                                                                                                                                                                                                                                                                                                                                                                                   | 3             | 21801      | 6.00  | 7.60  | 1.6    | 5         | .1       | .003      | .006      |           |
| 7.60  | 8.60  | I            | as         |            | - locally rubbed, silicified and argillically altered, late limonitic fractures                                                                                                                                                                                                                                                                                                                                                                                    | 1             | 21802      | 7.60  | 8.60  | 1.0    | 5         | .1       | .003      | .006      |           |
| 8.60  | 10.00 | I            | ca e       |            | - pervasive chloritic alt'n, frac related argillitic and epidote alt'n, <1 not silicified                                                                                                                                                                                                                                                                                                                                                                          | 1             | 21803      | 8.60  | 10.00 | 1.4    | 30        | .2       | .006      | .010      |           |
| 10.00 | 11.00 | I            | 1          | 60         | - limonitic alt'n overprinting above rock type; fault zone 60 degrees to C.A.                                                                                                                                                                                                                                                                                                                                                                                      | <1            | 21804      | 10.00 | 11.00 | 1.0    | 100       | .2       | .006      | .014      |           |
| 11.00 | 12.20 | I            | a          |            | - same as 8.6-10 m, less fracture related argillitic alt'n                                                                                                                                                                                                                                                                                                                                                                                                         | 1             | 21805      | 11.00 | 12.20 | 1.2    | 5         | .2       | .004      | .011      |           |
| 12.20 | 13.00 | I            | slh        |            | - qtz-epidote veinlets (vuggy) w associated silicification. Frac controlled limonitic and hematitic alt'n                                                                                                                                                                                                                                                                                                                                                          | 1             | 21806      | 12.20 | 13.00 | .8     | 5         | .1       | .003      | .006      |           |
| 13.00 | 14.50 | I            | elhc       |            | - as in 12.2-13 m - no patchy sil'n                                                                                                                                                                                                                                                                                                                                                                                                                                | 3             | 21807      | 13.00 | 14.50 | 1.5    | 80        | .2       | .003      | .007      |           |
| 14.50 | 16.00 | I            | selhc      |            | - patchy sil'n, 2 phases of qtz filled fracturing 40 to 70 degrees at a high angle to each other, fragment rich bed 80 degrees to C.A.                                                                                                                                                                                                                                                                                                                             | <1            | 21808      | 14.50 | 16.00 | 1.5    | 5         | .2       | .004      | .007      |           |
| 16.00 | 17.50 | I            | eas        |            | - weak to mod pervasive sil'n, epidote-argillitic fracture controlled alteration, minor limonitic alt'n                                                                                                                                                                                                                                                                                                                                                            | <1            | 21809      | 16.00 | 17.50 | 1.5    | 5         | .2       | .003      | .007      |           |
| 17.50 | 19.00 | I            | cas        |            | - mod silicification (same as 6-7.6), py-chl, arg alt'n                                                                                                                                                                                                                                                                                                                                                                                                            | 2             | 21810      | 17.50 | 19.00 | 1.5    | 5         | .1       | .004      | .007      |           |
| 19.00 | 20.50 | I            | slic       | 80         | - weak silicification; bedding 80 degrees to C.A., qtz-lim fract 50 degrees to C.A.                                                                                                                                                                                                                                                                                                                                                                                | 2             | 21811      | 19.00 | 20.50 | 1.5    | 20        | .2       | .004      | .009      |           |

**OREQUEST CONSULTANTS Ltd.**

HOLE - PJ-88-01

PAGE # 2 of 1

| FROM                                                                                                                                                                                                                                                                                        | TO    | ROCK<br>TYPE | ALT   | FOL<br>C/A | DESCRIPTION                                                                                                                                                                                                                                                                                                                                      | %<br>SULPHIDE | SAMPLE No. | FROM  | TO    | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>pct | Zn<br>pct |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------|-------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|-------|-------|--------|-----------|----------|-----------|-----------|-----------|
| <b>Spots lighter in colour (40 %, rounded); qtz filled frac's; (&lt;1 cm, over 30 cm); pervasive chl and vuggy argillic-epidote alt'n as above; weak-mod sill'n - 33.6-44.0. Upper contact defined by buff coloured fault zone of pervasive argillic alt'n - lower contact gradational.</b> |       |              |       |            |                                                                                                                                                                                                                                                                                                                                                  |               |            |       |       |        |           |          |           |           |           |
| 44.00                                                                                                                                                                                                                                                                                       | 45.10 | Ib           | cesa  |            | - 35% recovery. Upper contact faulted. Low recovery due to faulting and gouge formation. High degree of argillic alt'n - weak sill'n. Argillic alt'n forms irregular subparallel network 25 degrees to C.A.                                                                                                                                      | <1            | 21828      | 44.00 | 45.10 | 1.5    | 50        | .1       | .005      | .020      |           |
| 45.10                                                                                                                                                                                                                                                                                       | 46.50 | Ib           | cea   |            | - Deformational lineation 50 degrees to C.A. Qtz fractures 60 degrees to C.A. Fault displacement 2 cm at 30 degrees to C.A. Argillic alt'n mod-high                                                                                                                                                                                              | <1            | 21829      | 45.10 | 46.50 | 1.5    | 5         | .1       | .005      | .018      |           |
| 46.50                                                                                                                                                                                                                                                                                       | 48.00 | Ib           | cea   |            | - (as described) - qtz fractures 1 cm wide with epidote                                                                                                                                                                                                                                                                                          | 2             | 21830      | 46.50 | 48.00 | 1.5    | 10        | .1       | .004      | .008      |           |
| 48.00                                                                                                                                                                                                                                                                                       | 49.10 | Ib           | cesa  |            | - (as described) - pronounced spotting (<3 mm) light grey; minor lineation at 45 degrees to C.A.; mod sill'n.                                                                                                                                                                                                                                    | 1             | 21831      | 48.00 | 49.10 | 1.1    | 201       | .1       | .003      | .006      |           |
| 49.10                                                                                                                                                                                                                                                                                       | 50.60 | Ib           | cesa  |            | - less qtz frac's - bedding highlighted by cg light grey upper bed and fg dk grey, spotted lower bed (10 to C.A.); mod sill'n, - high sill'n.                                                                                                                                                                                                    | 1             | 21832      | 49.10 | 50.60 | 1.5    | 5         | .1       | .003      | .008      |           |
| 50.60                                                                                                                                                                                                                                                                                       | 52.10 | Ib           | cesah |            | - lineation 85 degrees to C.A.; mod-high sill'n - (post dates vuggy epidote alt'n); some hematitic alt'n; qtz fractures at 30 degrees to C.A.                                                                                                                                                                                                    | <1            | 21833      | 50.60 | 52.10 | 1.5    | 10        | .1       | .003      | .007      |           |
| 52.10                                                                                                                                                                                                                                                                                       | 52.80 | Ib           | cesa  |            | - (as described) - mod sill'n                                                                                                                                                                                                                                                                                                                    |               | 21834      | 52.10 | 52.80 | .7     | 20        | .1       | .004      | .007      |           |
| 52.80                                                                                                                                                                                                                                                                                       | 75.60 |              |       |            | <b>FINE GRAINED VOLCANICLASTICS (UNIT I):</b><br>More distinct beds 20 cm-2 m approx. thickness; fg-mg; bedding at 65 degrees to C.A.; grain size fluctuates within beds; sill'n weak - high fg, mafic volcanicsilicified. Pervasive chl and argillic sill'n patchy epidote alt'n and sill'n around qtz and calcite fractures 35 degrees to C.A. |               |            |       |       |        |           |          |           |           |           |
| 52.80                                                                                                                                                                                                                                                                                       | 53.50 | I            | cesa  |            | - as described                                                                                                                                                                                                                                                                                                                                   | <1            | 21835      | 52.80 | 53.50 | .7     | 5         | .1       | .004      | .008      |           |
| 53.50                                                                                                                                                                                                                                                                                       | 55.20 | I            | csa   |            | - 65% recovery; sub parallel argillically altered fractures (<2 mm wide 65 degrees to C.A., later frac's 15 degrees to C.A.).                                                                                                                                                                                                                    | <1            | 21836      | 53.50 | 55.20 | 1.7    | 5         | .1       | .008      | .010      |           |
| 55.20                                                                                                                                                                                                                                                                                       | 56.70 | I            | csa   |            | - 54.6 m; core rubble (fault); argillic & mod silicic alt'n.                                                                                                                                                                                                                                                                                     |               | 21837      | 55.20 | 56.70 | 1.5    | 20        | .1       | .003      | .006      |           |
| 56.70                                                                                                                                                                                                                                                                                       | 58.20 | I            | ca    |            | - (as described) - mod to high sill'n and argillic alt'n assoc with fractures                                                                                                                                                                                                                                                                    | 2             | 21838      | 56.70 | 58.20 | 1.5    | 80        | .1       | .004      | .007      |           |
| 58.20                                                                                                                                                                                                                                                                                       | 59.40 | I            | ca    |            | - (as described) - laminated py, (50 degrees to C.A.) within highly silicified volcanicsilicified.                                                                                                                                                                                                                                               | 2             | 21839      | 58.20 | 59.40 | 1.5    | 80        | .1       | .004      | .007      |           |
| 59.40                                                                                                                                                                                                                                                                                       | 60.90 | I            | csa   | 65         | - (as described)                                                                                                                                                                                                                                                                                                                                 |               | 21839      | 59.40 | 60.90 | 1.2    | 5         | .1       | .004      | .011      |           |
| 59.40                                                                                                                                                                                                                                                                                       | 60.90 | I            | cesa  |            | - (as described) - argillic altered fractures (10 degrees to C.A.) show zone of epidote alteration within footwall; bedding contact at 65 degrees to C.A.; pyrite concentrated in cg layers; sill'n poor-mod                                                                                                                                     | 2             | 21840      | 59.40 | 60.90 | 1.5    | 1         | .9       | .002      | .005      |           |
| 60.90                                                                                                                                                                                                                                                                                       | 61.90 |              | aes   |            | - (as described) - white bands with a diffuse boundary 5-10 mm thick (55 degrees to C.A.) weak-mod sill'n; py concentrated in argillic and epidote altered fractures (30 degrees to C.A.)                                                                                                                                                        | 3             | 21841      | 60.90 | 61.90 | 1.0    | 20        | .5       | .002      | .005      |           |

| FROM  | TO    | ROCK<br>TYPE | ALT | FOL<br>C/A | DESCRIPTION                                                                                                                                                                                                                                                                                                      | %<br>SULPHIDE | SAMPLE No. | FROM  | TO    | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>pct | Zn<br>pct |
|-------|-------|--------------|-----|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|-------|-------|--------|-----------|----------|-----------|-----------|-----------|
| 61.90 | 62.20 | I            | aec | 50         | - beds defined by 2 sharp contacts (50 degrees to C.A.) coarsen upwards; calcite fracture fillings with associated argillic and silicic alt'n; upper beds show epidote alt'n.                                                                                                                                    | 1             | 21842      | 61.90 | 62.20 | .3     | 20        | .1       | .004      | .008      |           |
| 62.20 | 63.10 | I            | aec |            | - beds fine grained at top and bottom, medium grained in middle of unit; 10% subhedral mag (<2 mm in diam)                                                                                                                                                                                                       | 1             | 21843      | 62.20 | 63.10 | .1     | 10        | .2       | .005      | .012      |           |
| 63.10 | 63.60 |              | aec |            | - (as 61.9-62.2) - lower contact gradational.                                                                                                                                                                                                                                                                    | 3             | 21844      | 63.10 | 63.60 | .5     | 10        | .1       | .004      | .009      |           |
| 63.60 | 65.10 |              | aec | 60         | - normal bedding; intense silicification postdates argillically altered random network of fractures; lower contact 60 degrees to C.A.                                                                                                                                                                            | 3             | 21845      | 68.60 | 65.10 | 1.5    | 40        | .3       | .003      | .008      |           |
| 65.10 | 66.60 | I            | acs |            | - fractures predominantly calcite filled; magnetite rich horizon 30 cm thick (10%, to 3 mm); variable sil'n.                                                                                                                                                                                                     |               | 21846      | 65.10 | 66.60 | 1.5    | 10        | .1       | .003      | .007      |           |
| 66.60 | 68.10 | I            | acs | 45         | - beds 20-60 cm thick; qtz, calcite fractures at 65 degrees to C.A. concentrated in zones 10 cm wide. Volcaniclastics carbonitized (15%) and silicified (mod-intense)                                                                                                                                            | 2             | 21847      | 66.60 | 68.10 | 1.5    | 5         | .1       | .003      | .006      |           |
| 68.10 | 69.60 | I            | acs | 65         | - mod-high sil'n; qtz, calcite fractures; brecciated zones 2-30 cm wide; bedding at 65 degrees to C.A.; fractures at 55 degrees to C.A.                                                                                                                                                                          | 3             | 21848      | 68.10 | 69.60 | 1.5    | 5         | .1       | .003      | .005      |           |
| 69.60 | 71.10 | I            | acs |            | - (as described) - Qtz and calcite fractures postdate pervasive chl'n.2 and pyritization (fractures 60 degrees to C.A.).                                                                                                                                                                                         |               | 21849      | 69.60 | 71.10 | 1.5    | 5         | .1       | .002      | .004      |           |
| 71.10 | 72.60 | I            | acs |            | - (as described)-green unit 50 cm thick contains 3 small slicken side structures (65 degrees to C.A.) at 72.6 m - cpy in calcite vein 5 mm wide                                                                                                                                                                  | 3             | 21850      | 71.10 | 72.60 | 1.5    | 60        | .1       | .003      | .005      |           |
| 72.60 | 74.10 | I            | acs |            | - (as described) - shear (20 cm wide) with extensive calcite veining <15 and low sil'n; anhedral cpy in hairline fractures.                                                                                                                                                                                      |               | 21851      | 72.60 | 74.10 | 1.5    | 60        | .1       | .003      | .005      |           |
| 74.10 | 75.60 | I            | acs |            | - (as described) shearing and calcite veining more intense at 74.5 m fault gouge and argillic alt'n zone of low sil'n, 30 cm wide.                                                                                                                                                                               | 3             | 21852      | 74.10 | 75.60 | 1.5    | 5         | .1       | .005      | .011      |           |
| 75.60 | 86.60 |              |     |            | ALTERED VOLCANICLASTICS (UNIT II):<br>Unit II is defined as showing potassic and saussuritic and patchy silicic alt'n predating later pervasive pyrite, chl and extensive silicic (2nd phase) alt'n; boundaries between I and III gradational.                                                                   |               |            |       |       |        |           |          |           |           |           |
| 75.60 | 77.10 | I            | psc | 50         | - (as above) - zones of mild deformation show calcite, epidote, py, qtz and patchy sil'n preceding later pervasive chloritization and extensive sil'n; minor hem alt'n; bedding well defined                                                                                                                     |               | 21853      | 75.60 | 77.10 | 1.5    | 10        | .1       | .003      | .007      |           |
| 77.10 | 78.60 | II           | ech |            | - 77.1-77.2; qtz veins 0.5-2 cm wide (65 degrees to C.A.) occur in zone showing calcite veining, minor hematitic and epi alt'n with assoc py.                                                                                                                                                                    | 5             | 21854      | 77.10 | 78.60 | 1.5    | 20        | .5       | .003      | .008      |           |
| 78.60 | 80.10 | II           | ech |            | - (as described) 65% recovery                                                                                                                                                                                                                                                                                    |               | 21855      | 78.60 | 80.10 | 1.5    | 20        | .1       | .003      | .006      |           |
| 80.10 | 81.60 | II           | sc  |            | - (as described) - 80.1-80.5 brecciated texture assoc with 1st phase 3 silicification; 2nd phase produces moderate sil'n throughout; calcite fractures 55 degrees to C.A.; py occurs in band (up to 5 mm wide) associated with qtz veins and patchy sil'n; (initial phase); py locally 50% assoc with qtz veins. | 3             | 21856      | 80.10 | 81.60 | 1.5    | 10        | .1       | .003      | .006      |           |

## DREQUEST CONSULTANTS Ltd.

HOLE - PJ-88-01

PAGE # 5 of 6

| FROM  | TO     | ROCK<br>TYPE | ALT  | FOL<br>C/A | DESCRIPTION                                                                                                                                                                                                           | %<br>SULPHIDE | SAMPLE No. | FROM  | TO    | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>ppt | Zn<br>ppt |
|-------|--------|--------------|------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|-------|-------|--------|-----------|----------|-----------|-----------|-----------|
| 81.60 | 83.10  | II           | sec  | 55         | - (as described) - py associated with epidote alt'n and qtz veins                                                                                                                                                     | 3             | 21857      | 81.60 | 83.10 | 1.5    | 30        | .9       | .003      | .007      |           |
| 83.10 | 84.60  | II           | sec  | 60         | - (as described) - shear zone 20 cm wide                                                                                                                                                                              | 2             | 21858      | 83.10 | 84.60 | 1.5    | 40        | .9       | .002      | .005      |           |
| 84.60 | 86.10  | II           | kacs | 70         | - (as described) - bedding 70 degrees to C.A.; 2 sets of fractures: early (35 degrees to C.A.), late (5 degrees to C.A.) later calcite veins with patchy potassic alt'n; at 85.1, small fault with clay gouge.        | 3             | 21859      | 84.60 | 86.10 | 1.5    | 10        | .9       | .002      | .005      |           |
| 86.10 | 87.60  | II           | as   | 65         | - (as described) - 86.3-87.4 m sheared, argillic, patchy silicic, chloritic, minor potassic, saussuritic, hematitic alt'n; bedding 45 degrees - shearing corresponds to zones of low sil'n.                           | 3             | 21860      | 86.10 | 87.60 | 1.5    | 20        | .1       | .004      | .009      |           |
| 87.60 | 88.10  | II           | asc  |            | - (as described) - zones of alt'n appear stratabound; first phase silicification and epidote alt'n with assoc py; second phase chloritization (pervasive) with assoc fsg mag and py.                                  | 4             | 21861      | 87.60 | 88.10 | .5     | 5         | .2       | .003      | .006      |           |
| 88.10 | 89.60  | II           | scp  |            | - (as described) - parallel fractures (30 degrees to C.A.)                                                                                                                                                            | 4             | 21867      | 88.10 | 89.60 | 1.5    | 60        | .3       | .003      | .007      |           |
| 89.60 | 110.80 |              |      |            | VOLCANICLASTICS-(UNIT III):<br>Potassic alt'n absent; epidote alt'n minor; sil'n low-high, mostly first phase; magnetite low or absent.                                                                               |               |            |       |       |        |           |          |           |           |           |
| 89.60 | 90.80  | III          | asc  |            | - sil'n low; argillic alt'n high; volcanoclastics sheared throughout at 60 degrees to C.A.; cut by calcite veins at 30 degrees to C.A.; recovery 50% (significant amount of fault gouge lost); gouge zone at 90-91 m. | 3             | 21863      | 89.60 | 90.80 | 1.2    | 5         | .1       | .008      | .016      |           |
| 90.80 | 91.10  | III          | asc  |            | - (as described)                                                                                                                                                                                                      | 3             | 21864      | 90.80 | 91.10 | .3     | 5         | .1       | .006      | .016      |           |
| 91.10 | 91.40  | III          | asc  |            | - (as described) - 91.8-92.3 fault gouge with 20% py; 60% recovery                                                                                                                                                    | 20            | 21865      | 91.10 | 91.40 | .3     | 5         | 0.3      | .166      | .011      |           |
| 91.40 | 91.80  | III          | asc  |            | - (as described)                                                                                                                                                                                                      | 20            | 21866      | 91.40 | 91.80 | .4     | 5         | 1.8      | .162      | .012      |           |
| 91.40 | 91.80  | III          | asc  |            | - (as described)                                                                                                                                                                                                      | 20            | 21867      | 91.80 | 92.10 | .3     | 10        | .5       | .058      | .014      |           |
| 91.80 | 92.10  |              |      |            | - (as described)                                                                                                                                                                                                      |               |            |       |       |        |           |          |           |           |           |
| 92.10 | 92.40  | III          | asc  |            | - (as described)                                                                                                                                                                                                      | 20            | 21868      | 92.10 | 92.40 | .3     | 10        | .9       | .099      | .015      |           |
| 92.40 | 92.70  | III          | asc  |            | - intense argillic alt'n; less intense 2nd phase sil'n; mod py assoc with chloritization; early qtz calcite fractures at 45 degrees to C.A.; later calcite veining 15 degrees to C.A.                                 | 15            | 21869      | 92.40 | 92.70 | .3     | 10        | .1       | .044      | .017      |           |
| 92.70 | 92.90  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 15            | 21870      | 92.70 | 92.90 | .2     | 5         | 3.5      | .132      | .017      |           |
| 92.90 | 93.30  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 15            | 21871      | 92.90 | 93.30 | .4     | 5         | 3.8      | .227      | .019      |           |
| 93.30 | 93.60  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 15            | 21872      | 93.30 | 93.60 | .3     | 20        | 3.3      | .131      | .018      |           |
| 93.60 | 93.90  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 15            | 21873      | 93.60 | 93.90 | .3     | 20        | 2.2      | .065      | .017      |           |
| 93.90 | 94.20  | III          | asc  |            | - (as described) - deformation less intense at 30 degrees to C.A.; intense argillic alt'n; spotty, weak sil'n.                                                                                                        | 2             | 21874      | 93.90 | 94.20 | .3     | 20        | .1       | .010      | .021      |           |
| 94.20 | 94.50  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 2             | 21875      | 94.20 | 94.50 | .3     | 20        | .1       | .009      | .021      |           |
| 94.50 | 94.80  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 2             | 21876      | 94.50 | 94.80 | .3     | 40        | .1       | .005      | .018      |           |
| 94.80 | 95.10  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 2             | 21877      | 94.80 | 95.10 | .3     | 10        | .1       | .004      | .019      |           |
| 95.10 | 95.40  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 2             | 21878      | 95.10 | 95.40 | .3     | 10        | .1       | .004      | .015      |           |
| 95.40 | 95.70  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 2             | 21879      | 95.40 | 95.70 | .3     | 20        | .1       | .003      | .015      |           |
| 95.70 | 96.00  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 2             | 21880      | 95.70 | 96.00 | .3     | 5         | .1       | .002      | .012      |           |
| 96.00 | 96.30  |              | asc  |            | - (as described)                                                                                                                                                                                                      | 2             | 21881      | 96.00 | 96.30 | .3     | 10        | .1       | .003      | .016      |           |

## OREQUEST CONSULTANTS Ltd.

HOLE - P3-88-01

PAGE # 6 of 6

| FROM   | TO     | ROCK<br>TYPE | ALT<br>C/A | DESCRIPTION                                                                                                                              | %<br>SULPHIDE | SAMPLE No. | FROM   | TO     | LENGTH | Au<br>ppb | Au<br>Dz | Ag<br>ppm | Pb<br>ppt | Zn<br>ppt |
|--------|--------|--------------|------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|--------|--------|--------|-----------|----------|-----------|-----------|-----------|
| 96.30  | 96.60  | asc          |            | - (as described)                                                                                                                         | 2             | 21882      | 96.30  | 96.60  | .3     | 5         | .1       | .003      | .015      |           |
| 96.60  | 96.90  | asc          |            | - (as described)                                                                                                                         | 2             | 21883      | 96.60  | 96.90  | .3     | 20        | .2       | .002      | .010      |           |
| 96.90  | 97.30  | III          | asc        | - (as described) - 97.3-97.8 pervasive chl with associated fg mag<br>- as in 98.0-98.4; deformation and chloritization post dates sil'n. | 2             | 21884      | 96.90  | 97.30  | .4     | 5         | .1       | .003      | .008      |           |
| 97.30  | 98.40  | III          | acs        | - (as described)                                                                                                                         | 2             | 21885      | 97.30  | 98.40  | 1.1    | 5         | .1       | .004      | .010      |           |
| 98.40  | 98.80  | III          | asc        | - (as described)- 65% recovery; half core rubble; pyrite assoc with chloritization.                                                      | 2             | 21886      | 98.40  | 98.80  | .4     | 5         | .2       | .002      | .003      |           |
| 98.88  | 100.30 |              |            | - (as described)                                                                                                                         | 2             | 21887      | 98.88  | 100.30 | 1.5    | 5         | .2       | .001      | .003      |           |
| 100.30 | 101.80 | III          | asc        | - becoming more silicified, less chloritized with less deformation                                                                       | 2             | 21888      | 100.30 | 101.80 | 1.5    | 5         | .1       | .002      | .003      |           |
| 101.80 | 103.30 | III          | asc        | - (as described) - py associated with chloritization; mod-intense silicification.                                                        | 3             | 21889      | 101.80 | 103.30 | 1.5    | 5         | .3       | .002      | .005      |           |
| 103.30 | 104.80 | III          | asc        | - (as described) ~ 104.4-104.8 shows less sil'n and increased py associated with chloritization; argillitic alt'n; minor shear           | 3             | 21890      | 103.30 | 104.80 | 1.5    | 5         | .2       | .016      | .011      |           |
| 104.80 | 106.30 | III          | acs        | - (as in 98.0-98.4 w) little deformation                                                                                                 | 2             | 21891      | 104.80 | 106.30 | 1.5    | 20        | .3       | .003      | .006      |           |

## OREQUEST CONSULTANTS Ltd.

## DIAMOND DRILL HOLE RECORD

Client PEZGOLD RESOURCES

Page # 1 of 6

|           |          |                    |            |         |       |      |         |       |      |         |           |                |          |             |
|-----------|----------|--------------------|------------|---------|-------|------|---------|-------|------|---------|-----------|----------------|----------|-------------|
| Hole No.  | PJ-88-02 | Northing           | Core Size  | 80      | Depth | Dip  | Azimuth | Depth | Dip  | Azimuth | Started   | SEPT. 27, 1988 | Comments | ARGENT SHOW |
| Property  | PEZ-VER  | Eastng             | Casing     |         | 76.2  | - 56 |         | 158.2 | - 58 |         | Completed | SEPT. 30, 1988 |          |             |
| Location  | ESKUT R  | Elevation 1100 m   | Length     | 159.9   |       |      |         |       |      |         | Drill Co. | FALCON         |          |             |
| Claim No. | JAY 3    | Latitude 56 45 N   | Dip-Collar | -60     |       |      |         |       |      |         | Logged By | PMB            |          |             |
|           |          | Longitude 131 00 W | Bearing    | 013 deg |       |      |         |       |      |         | Units     | METRES         |          |             |

| FROM | TO | ROCK TYPE | ALT | FOL C/A | DESCRIPTION | % SULPHIDE | SAMPLE No. | FROM | TO | LENGTH | Au ppb | Au Oz | Ag ppm | Pb pct | Zn pct |
|------|----|-----------|-----|---------|-------------|------------|------------|------|----|--------|--------|-------|--------|--------|--------|
|------|----|-----------|-----|---------|-------------|------------|------------|------|----|--------|--------|-------|--------|--------|--------|

4.80

## CASING AND OVERBURDEN

|       |         |     |    |  |                                                                                                                                                                                                                                                                       |  |    |       |       |       |     |    |    |      |      |
|-------|---------|-----|----|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----|-------|-------|-------|-----|----|----|------|------|
| 4.80  | 7.50    |     |    |  | GRANODIORITE:<br>Mafics chloritized with associated pyrite; fractures with lim, ank, and argillic alt'n.<br>-as described<br>-as above, later ankeritic fractures also present                                                                                        |  | 3  | 21899 | 4.80  | 6.00  | 1.2 | 10 | .1 | .002 | .002 |
| 4.80  | 6.00    | csi |    |  | VOLCANICLASTICS (UNIT I):<br>Dk grey-black; 1st phase sil'n associated with granodiorite dyke contact; pervasive chl alt'n throughout; py also found in irreg. qtz fractures; pyritization associated with mild deformation throughout; bedding at 60 degrees to C.A. |  | 3  | 21900 | 6.00  | 7.50  | 1.5 | 5  | .2 | .002 | .004 |
| 6.00  | 7.50    | csi |    |  | -as described                                                                                                                                                                                                                                                         |  | 10 | 21901 | 7.50  | 9.00  | 1.5 | 5  | .1 | .003 | .005 |
| 7.50  | 90.50   |     |    |  | - (as described)                                                                                                                                                                                                                                                      |  | 6  | 21902 | 9.00  | 10.10 | 1.1 | 5  | .3 | .004 | .014 |
| 7.50  | 9.00 I  | csl | 60 |  | - (as described) chl, and weak 2nd phase silicification; argillic alt'n associated with fractures,                                                                                                                                                                    |  | 2  | 21903 | 10.10 | 11.30 | 1.2 | 5  | .3 | .004 | .014 |
| 9.00  | 10.10 I | acs |    |  | - (as described) - 11.6-11.9 - mod magnetic band of epidote alt'n (2cm wide), high sil'n, minor limonitic alt'n                                                                                                                                                       |  | 1  | 12904 | 11.30 | 12.50 | 1.2 | 5  | .3 | .005 | .010 |
| 10.10 | 11.30 I | acs |    |  | - 11.9-12.1 - buff coloured gouge;                                                                                                                                                                                                                                    |  |    |       |       |       |     |    |    |      |      |

## GRANODIORITE:

|       |          |     |  |  |                                                                                                |  |   |       |       |       |     |    |    |      |      |
|-------|----------|-----|--|--|------------------------------------------------------------------------------------------------|--|---|-------|-------|-------|-----|----|----|------|------|
| 12.50 | 13.60 60 | cls |  |  | - (as described)                                                                               |  | 1 | 12905 | 12.50 | 13.60 | 1.1 | 10 | .2 | .002 | .003 |
| 13.60 | 14.90 60 | cis |  |  | - m. limonitic and epidote alt'n within fractures; mod sil'n;<br>- py in chl altered fractures |  | 2 | 12906 | 13.60 | 14.90 | 1.3 | 10 | .1 | .002 | .003 |

## VOLCANICLASTICS (UNIT I):

|       |         |       |  |  |                                                                                                                                                                                                                                          |  |   |       |       |       |     |   |    |      |      |
|-------|---------|-------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---|-------|-------|-------|-----|---|----|------|------|
| 14.90 | 16.40 I | elcas |  |  | - Limonitic, epidote, py alt'n at upper contact (over 15 cm); py concentrated in qtz-epidote altered fractures; pervasive chl and weak sil alt'n; Limonitic, argillic altered fracture zones (50 degrees to C.A) predate chloritization. |  | 3 | 12907 | 14.90 | 16.40 | 1.5 | 5 | .4 | .003 | .009 |
|-------|---------|-------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---|-------|-------|-------|-----|---|----|------|------|

| FROM                              | TO    | ROCK<br>TYPE | ALT   | FOL<br>C/A | DESCRIPTION                                                                                                                                                                                                              | %<br>SULPHIDE | SAMPLE No. | FROM  | TO  | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>ppt | Zn<br>ppt |
|-----------------------------------|-------|--------------|-------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|-------|-----|--------|-----------|----------|-----------|-----------|-----------|
| 16.40                             | 17.90 | I            | elcas | 70         | as described)- patchy 2nd phase sil'n; bedding (30 degrees to C.A.) argillitic altered fractures at 70 degrees to C.A.<br>- (as described)                                                                               | 12908         | 16.40      | 17.90 | 1.5 | 5      | .3        | .004     | .011      |           |           |
| 17.90                             | 19.40 | I            | elcas |            | - (as described) ~ dark grey, black; mod-strongly magnetic (mag fg); argillitic altered fracture at 65 degrees to C.A.                                                                                                   | 12909         | 17.90      | 19.40 | 1.5 | 5      | .3        | .004     | .013      |           |           |
| 19.40                             | 20.90 | I            | elcas |            | - (as described) - 2 sets of argillitic fractures (early at 60 degrees to C.A., later at 30 degrees); minor limonitic alt'n.                                                                                             | 12910         | 19.40      | 20.90 | 1.5 | 5      | .3        | .004     | .013      |           |           |
| 20.90                             | 22.50 | I            | elcas |            | - (as described) - bedding at 65 degrees to C.A.; irregular granodiorite intrusive; py assoc with chl alt'n around contact; sil'n weak.                                                                                  | 21911         | 20.90      | 22.50 | 1.6 | 5      | .2        | .002     | .007      |           |           |
| 22.50                             | 24.00 | I            | elcas | 65         | - (as described)                                                                                                                                                                                                         | 21912         | 22.50      | 24.00 | 1.5 | 5      | .1        | .003     | .006      |           |           |
| 24.00                             | 25.50 |              | elcas |            | - (as described) - bedding at 65 degrees to C.A.; irregular granodiorite intrusive; py assoc with chl alt'n around contact; sil'n weak.                                                                                  | 21913         | 24.00      | 25.50 | 1.5 | 5      | .1        | .003     | .006      |           |           |
| 25.50                             | 27.00 | I            | eis   |            | - (as described) - granodiorite dyke (40 cm wide); contact at 25 degrees to C.A.; py concentrated around contact and associated with chl; epidote alt'n; later qtz veins (<1 cm wide; 20 degrees to C.A.).               | 21914         | 25.50      | 27.00 | 1.5 | 5      | .4        | .004     | .012      |           |           |
| 27.00                             | 28.50 | I            | ces   |            | - (as described) - irregular granodiorite intrusion within moderately magnetic black volcaniclastics; py and epidote alt'n within fractures; mod-high sil'n and pervasive chl alt'n throughout.                          | 21915         | 27.00      | 28.50 | 1.5 | 10     | .2        | .002     | .005      |           |           |
| 28.50                             | 30.00 | I            | cs    |            | - (as described) - 65% recovery; 1/2 m of core lost in zone of moderately deformed volcaniclastics; sil'n mod-high; py associated with perv chl alt'n; fractures filled with calcite (30 degrees to C.A.).               | 21916         | 28.50      | 30.00 | 1.5 | 5      | .1        | .002     | .004      |           |           |
| 30.00                             | 31.50 | I            | cs    |            | - (as described)                                                                                                                                                                                                         | 21917         | 30.00      | 31.50 | 1.5 | 5      | .2        | .003     | .005      |           |           |
| <b>VOLCANICLASTICS (UNIT Ia):</b> |       |              |       |            |                                                                                                                                                                                                                          |               |            |       |     |        |           |          |           |           |           |
| 31.50                             | 33.00 | Ia           |       |            | - lt grey, cg, subrounded fragments (5-30%, 1-5 mm) within black, mod mag matrix; argillitic, chloritic, saussuritic and lesser silicic alt'n; py assoc with chl and fractures.                                          | 21918         | 31.50      | 33.00 | 1.5 | 5      | .2        | .003     | .005      |           |           |
| 33.00                             | 34.00 | Ia           | saec  |            | - (as described)                                                                                                                                                                                                         | 21919         | 33.00      | 34.00 | 1.5 | 5      | .2        | .003     | .006      |           |           |
| 34.00                             | 35.00 | Ia           | saec  |            | - (as described)                                                                                                                                                                                                         | 21920         | 34.00      | 35.00 | 1.0 | 5      | .3        | .003     | .007      |           |           |
| <b>VOLCANICLASTICS (UNIT I):</b>  |       |              |       |            |                                                                                                                                                                                                                          |               |            |       |     |        |           |          |           |           |           |
| 35.00                             | 36.50 | I            | cs pk |            | - (as in 28.5-30 m) 35.7 m; 10 cm of epidote and potassic alt'n within sub parallel fractures at 50 degrees to C.A.; sil'n mod-high.                                                                                     | 21920         | 35.00      | 36.50 | 1.5 | 5      | .3        | .003     | .007      |           |           |
| 36.50                             | 38.30 | I            | cs e  | 55         | - (as described) - bedding defined by concentrations of fg magnetite (55 degrees to C.A.); py associated with chl alt'n concentrated in magnetite rich layers; argillitic and epidote alt'n predates sil'n; recovery 60% | 21921         | 36.50      | 38.30 | 1.8 | 5      | .2        | .003     | .007      |           |           |
| 38.30                             | 40.00 | I            | cs ea |            | - (as described) - bedding defined by grain size variations.                                                                                                                                                             | 21922         | 38.30      | 40.00 | 1.7 | 5      | .2        | .004     | .009      |           |           |
| 40.00                             | 41.00 | I            | csae  |            | - chloritized, medium grained granodiorite dyke; sil'n high at contacts; minor epidote alt'n within fractures; pervasive argillitic                                                                                      | 21923         | 40.00      | 41.00 | 1.0 | 5      | .1        | .002     | .004      |           |           |

## OREQUEST CONSULTANTS Ltd.

HOLE - PJ-88-02

PAGE # 3 of 6

| FROM  | TO    | ROCK<br>TYPE | ALT<br>C/A | DESCRIPTION                                                                                                                                                                                                             | %<br>SULPHIDE                                                                                                                                                                                                                    | SAMPLE No. | FROM  | TO    | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>pct | Zn<br>pct. |
|-------|-------|--------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------|-------|--------|-----------|----------|-----------|-----------|------------|
| 41.00 | 42.50 | I            | cs ea      | alt'n.<br>- (as in 38.3-40.0 m) sil'n mod-high.                                                                                                                                                                         | 4                                                                                                                                                                                                                                | 21924      | 41.00 | 42.50 | 1.5    | 5         | .2       | .003      | .007      |            |
| 42.50 | 44.00 | I            | cs ea      | - (as described) - black volcaniclastics weakly magnetic, relatively rich in py (locally 10%); py lineated at 55 degrees to C.A.                                                                                        | 7                                                                                                                                                                                                                                | 21925      | 42.50 | 44.00 | 1.5    | 5         | .4       | .005      | .012      |            |
| 44.00 | 45.50 | I            | cs ea      | - (as above) - at 44.8 m core becomes lt grey/green in colour; high sil'n; compositional banding at 50 degrees to C.A.; py associated with pervasive chl and epidote alt'n in fractures; argillic alt'n predates sil'n. | 4                                                                                                                                                                                                                                | 21926      | 44.00 | 45.50 | 1.5    | 5         | .3       | .003      | .006      |            |
| 45.50 | 47.00 | I            | cseal      | - (as described) - minor limonitic alt'n; mild shearing for 10 m.                                                                                                                                                       | 2                                                                                                                                                                                                                                | 21927      | 45.50 | 47.00 | 1.5    | 5         | .2       | .003      | .005      |            |
| 47.00 | 48.50 | I            | cseal      | - (as above)                                                                                                                                                                                                            | 4                                                                                                                                                                                                                                | 21928      | 47.00 | 48.50 | 1.5    | 5         | .4       | .003      | .006      |            |
| 48.50 | 50.00 | I            | cseal      | - (as described) - bedding contact defined by change in grain size; upper bed contains angular feldspar fragments (50 %, to 5 mm); matrix chl altered; lower bed fine grained.                                          | 4                                                                                                                                                                                                                                | 21929      | 48.50 | 50.00 | 1.5    | 5         | .4       | .003      | .006      |            |
| 50.00 | 51.50 | I            | seac       | 60                                                                                                                                                                                                                      | - dk grey, minor 1st phase alt'n around hairline fractures; py associated with chl alt'n and postdates 2nd phase sil'n, epidote alt'n; bedding at 60 degrees to C.A.                                                             | 2          | 21930 | 50.00 | 51.50  | 1.5       | 5        | .3        | .003      | .006       |
| 51.50 | 53.00 | I            | cea        | 60                                                                                                                                                                                                                      | - (as described) - bedding orientation defined by parallel lath shaped feldspar fragments (60 degrees to C.A.); sil'n mod-high.                                                                                                  | 1          | 21931 | 51.50 | 53.00  | 1.5       | 5        | .4        | .004      | .007       |
| 53.00 | 54.50 | I            | seac       | - (as described) - low-mod sil'n, argillic, epidote alt'n at 54.4 m; hematitic alt'n also present; pervasive chloritization with later calcite veins (20 degrees to C.A.).                                              | 1                                                                                                                                                                                                                                | 21932      | 53.00 | 54.50 | 1.5    | 5         | .1       | .003      | .007      |            |
| 54.50 | 56.00 | I            | seac       | - (as in 51.0-53.0 m) at 54.0 m; limonitic alt'n over 30 cm.                                                                                                                                                            | 2                                                                                                                                                                                                                                | 21933      | 54.50 | 56.00 | 1.5    | 5         | .1       | .003      | .004      |            |
| 56.00 | 57.50 | I            | seac       | - (at 56.3 m) - transition between 1st and 2nd phase silification; py (10%) assoc with bedding planes; core 50% rubble with 65% recovery.                                                                               | 3                                                                                                                                                                                                                                | 21934      | 56.00 | 57.50 | 1.5    | 5         | .1       | .003      | .005      |            |
| 57.50 | 59.00 | I            | seac       | - (as described) - core rubble; 20% recovery                                                                                                                                                                            | 3                                                                                                                                                                                                                                | 21935      | 57.50 | 59.00 | 1.5    | 5         | .1       | .002      | .006      |            |
| 59.00 | 60.50 | I            | seac       | - (as described) - calcite veins; 45 degrees to C.A.                                                                                                                                                                    | 2                                                                                                                                                                                                                                | 21936      | 59.00 | 60.50 | 1.5    | 5         | .2       | .003      | .008      |            |
| 60.50 | 62.00 | I            | seac       | 55                                                                                                                                                                                                                      | - py associated with chl alt'n in magnetite rich, fine grained horizons near contact with a felsic tuff (at 61.5 m); mod high sil'n.                                                                                             | 4          | 21937 | 60.50 | 62.00  | 1.5       | 5        | .2        | .004      | .007       |
| 62.00 | 63.50 | I            | sce        | - 62.8 pyritized felsic tuff ends; 62.8-63.1 untensley silicified and 1 pyritized breccia; chl alt'n appears to post date sil'n; 63.1-63.5 as in 54.9-60.5.                                                             | 1                                                                                                                                                                                                                                | 21938      | 62.00 | 63.50 | 1.5    | 5         | .1       | .008      | .007      |            |
| 63.50 | 65.00 | I            | scea       | - (as in 59.0-60.5 m) calcite veined, low-mod sil'n.                                                                                                                                                                    | 1                                                                                                                                                                                                                                | 21939      | 63.50 | 65.00 | 1.5    | 5         | .1       | .004      | .013      |            |
| 65.00 | 66.50 | I            | scea       | - 65.0-65.5 m (as above) 65.5-66.5 lighter green; argillic, chl, minor sil alt'n; calc veined tuff; matrix carbonatized.                                                                                                | 1                                                                                                                                                                                                                                | 21940      | 65.00 | 66.50 | 1.5    | 5         | .1       | .004      | .027      |            |
| 66.50 | 68.00 | I            | scea       | 1                                                                                                                                                                                                                       | - (as described) at 66.6 m, 3 cm of gouge, sil'n; low argillic alt'n around zones of mild deformation occurs before sil'n; carbonate content still relatively high; minor limonitic alt'n assoc with fracs (35 degrees to C.A.). | 1          | 21941 | 66.50 | 68.00  | 1.5       | 5        | .1        | .004      | .021       |
| 68.00 | 69.50 | I            | scea p     | - (as described) - irregular epidote fractures at 69.0 m epidote pervasive over 15 cm; fractures at 5-20 degrees to C.A.                                                                                                | 1                                                                                                                                                                                                                                | 21942      | 68.00 | 69.50 | 1.5    | 5         | .2       | .004      | .012      |            |
| 69.50 | 71.00 | I            | scea p     | - (as described) - py associated with epidote, argillic alt'n and qtz-4 calcite veining                                                                                                                                 | 1                                                                                                                                                                                                                                | 21943      | 69.50 | 71.00 | 1.5    | 5         | .2       | .004      | .011      |            |
| 71.00 | 72.50 | I            | scea       | - (as described) - 72.4 a bedding 1 m thick, fg, dark grey-black at top; mg, lt grey at bottom; py associated with qtz veining, mod                                                                                     | 3                                                                                                                                                                                                                                | 21944      | 71.00 | 72.50 | 1.5    | 5         | .2       | .004      | .011      |            |

| FROM  | TO     | ROCK<br>TYPE | ALT    | FOL<br>C/A | DESCRIPTION                                                                                                                                                                                                                                                       | %<br>SULPHIDE | SAMPLE No. | FROM  | TO    | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>pct | Zn<br>pct |
|-------|--------|--------------|--------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|-------|-------|--------|-----------|----------|-----------|-----------|-----------|
| 72.50 | 74.00  | I            | scea   | 30         | - sil'n.<br>- dk grey, fine grained with rounded fragments (20%, 40 mm); py concentrated in bands up to 5 mm wide and associated with qtz (cpy within calcite veins at 58 degrees to C.A. 3 mm in diameter); veins and hairline fractures at 30 degrees to C.A.   | 21945         | 72.50      | 74.00 | 1.5   | 5      | .2        | .004     | .013      |           |           |
| 74.00 | 75.50  |              |        |            | - (as described)                                                                                                                                                                                                                                                  | 3             | 21946      | 74.00 | 75.50 | 1.5    | 5         | .2       | .004      | .012      |           |
| 75.50 | 77.00  |              |        |            | - (as described) - high sill'n                                                                                                                                                                                                                                    | 2             | 21947      | 75.50 | 77.00 | 1.5    | 5         | .2       | .004      | .012      |           |
| 77.00 | 78.50  | I            | scea   |            | - 77.0-76.6 m (as described at 77.0), band (1 cm wide) of argillitic alt'n at 55 degrees to C.A.; 76.6-78.5, massive, dk grey, fine-medium grained, magnetic bed 10-50 cm thick, contacts gradational; magnetite (5%, 2 mm).                                      | 1             | 21948      | 77.00 | 78.50 | 1.5    | 5         | .4       | .004      | .013      |           |
| 78.50 | 80.00  | I            | scea   |            | - at 78.7 m, fine grained horizon 15 cm wide; bedding contact, alt'n 1 at 70 degrees to C.A.; medium grained tuff; py in vuggy epidote altered fractures.                                                                                                         | 1             | 21949      | 78.50 | 80.00 | 1.5    | 5         | .2       | .004      | .012      |           |
| 80.00 | 81.50  | I            | scea p |            | - (as described) - gradational bedding contacts at 80.1, 80.3, 81.4 1 between medium grained and fine grained tuffs; calcite veins at 40 degrees to C.A.; at 81.3, 20 cm of mild pervasive epi alt'n; py assoc with epi and hairline fracs; minor potassic alt'n. | 1             | 21950      | 80.00 | 81.50 | 1.5    | 5         | .2       | .003      | .009      |           |
| 81.50 | 83.00  | I            | scea   | 40         | - (as described) - 81.6 m; fine grained bed (10 cm wide) at 40 degrees1 to C.A.; medium grain felsic horizon; 81.8-82.0, two sets of fractures; early 40 degrees, late 46 degrees to C.A.; calcite, py associated with vuggy epidote, argillitic alt'n.           | 1             | 21951      | 81.50 | 83.00 | 1.5    | 5         | .2       | .004      | .012      |           |
| 83.00 | 84.50  | I            | scea   | 50         | - bedding at 83.0 m; py associated with zone of calcite veins (<1 mm wide) at 83.2 m and a felsic horizon (25 cm wide) at 83.6 m showing vuggy epidote alt'n and qtz-calcite veins                                                                                | 3             | 21952      | 83.00 | 84.50 | 1.5    | 5         | .2       | .004      | .014      |           |
| 84.50 | 86.00  | I            | scea   |            | - (as described) - py associated with qtz veining; weak to mod sill'n 85.6 m- 86.0 m - mild deformation predates sill'n                                                                                                                                           | 1             | 21953      | 84.50 | 86.00 | 1.5    | 5         | .2       | .004      | .013      |           |
| 86.00 | 87.50  | I            | scea   |            | - 86.0-86.3, mild deformation, weak sill'n - argillitic altered calcite veins; 86.3, 2 cm qtz gouge; 86.3-87.5, high sill'n; 86.9, rubble and gouge                                                                                                               | 1             | 21954      | 86.00 | 87.50 | 1.5    | 5         | .1       | .003      | .006      |           |
| 87.50 | 89.00  | I            | sc     |            | - 1st phase sill'n occurs at 88.0; 88.7 m highly silicified, unchloritized horizons up to 20 cm wide; patchy 1st phase sill'n throughout; py associated with chl alt'n.                                                                                           | 2             | 21955      | 87.50 | 89.00 | 1.5    | 5         | .1       | .002      | .004      |           |
| 89.00 | 90.50  | I            | sc     |            | - 89.0-89.3 (as described) 89.3; transitional; potassic, epi alt'n 20% contact between Unit I and Unit II.                                                                                                                                                        | 1             | 21956      | 89.00 | 90.50 | 1.5    | 5         | .1       | .002      | .004      |           |
| 89.30 | 146.00 |              |        |            | VOLCANICLASTICS (UNIT II):<br>pervasive epidote and potassic alt'n, abundant 1st phase sill'n and more magnetic than Unit I.                                                                                                                                      |               |            |       |       |        |           |          |           |           |           |
| 90.50 | 92.00  | II           | pe k s |            | - (as described) 91.8 m; patchy pink, white coloured qtz vein 15 degrees to C.A. (20 cm thick), py and chlorite within hairline fractures; potassic, epidote alt'n (5%).                                                                                          | 1             | 21957      | 90.50 | 92.00 | 1.5    | 5         | .1       | .002      | .003      |           |
| 92.00 | 93.50  | II           | e k s  | 40         | - (as described) - 1st phase sill'n conforms with bedding at 60 degrees1 to C.A.; calcite veins at 55 degrees to C.A. offset 5 mm by                                                                                                                              | 1             | 21958      | 92.00 | 93.50 | 1.5    | 5         | .1       | .002      | .004      |           |

## OREQUEST CONSULTANTS Ltd.

HOLE - PJ-88-02

PAGE # 5 of 6

| FROM   | TO     | ROCK<br>TYPE | ALT<br>C/A | DESCRIPTION | %<br>SULPHIDE                                                                                                                                                              | SAMPLE No. | FROM  | TO     | LENGTH | Au<br>ppb | Au<br>Oz | Ag<br>ppm | Pb<br>ppt | Zn<br>ppt |
|--------|--------|--------------|------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------|--------|--------|-----------|----------|-----------|-----------|-----------|
| 93.50  | 95.00  | II           | pcks       | 60          | fractures at 40 degrees to C.A.<br>- (as described) at 93.6 deformed and argillitic altered tuff; bedding at 60 degrees to C.A.; patchy qtz, epidote, potassic alt'n (10%) | 2          | 21959 | 93.50  | 95.00  | 1.5       | 5        | .1        | .002      | .004      |
| 95.00  | 96.50  | II           | pcks       | 10-6        | - (as described) - argillitic, epidote, potassic, alt'n 1st phase sil'n (30%); 2nd phase sil'n also; fractures 10-60 degrees to C.A.                                       | 1          | 21960 | 95.00  | 96.50  | 1.5       | 10       | .2        | .002      | .005      |
| 96.50  | 98.00  | II           | ps k       |             | - (as described)                                                                                                                                                           |            | 21961 | 96.50  | 98.00  | 1.5       | 10       | .2        | .002      | .006      |
| 98.00  | 99.50  | II           | peks       | 45          | - (as described) - sil'n weak-mod; bedding at 92.5 m (45 degrees to C.A.); qtz vein 8 mm wide at 99.5 m; potassic, epidote alt'n (<5%)                                     | 1          | 21962 | 98.00  | 99.50  | 1.5       | 5        | .1        | .002      | .003      |
| 99.50  | 101.00 | II           | peks       |             | - bedding contact between a medium grained breccia and a fine grained tuff at 99.6 m, sil'n (<5%), epidote, potassic alt'n; late phase sil'n (10%).                        | 1          | 21963 | 99.50  | 101.00 | 1.5       | 5        | .1        | .002      | .004      |
| 101.00 | 102.50 | II           | peks       |             | - (as 95.0-96.5) epidote, potassic alt'n (50%); calcite fractures (15%).                                                                                                   | <1         | 21964 | 101.00 | 102.50 | 1.5       | 5        | .2        | .002      | .006      |
| 102.50 | 104.00 | II           | peks       |             | - (as described)                                                                                                                                                           |            | 21965 | 102.50 | 104.00 | 1.5       | 5        | .2        | .002      | .009      |
| 104.00 | 105.50 | II           | peks       |             | - (as described)                                                                                                                                                           | <1         | 21966 | 104.00 | 105.50 | 1.5       | 5        | .3        | .003      | .010      |
| 105.50 | 107.00 | II           | peks       |             | - (as described) - epidote alt'n (25%).                                                                                                                                    | <1         | 21967 | 105.50 | 107.00 | 1.5       | 5        | .3        | .003      | .010      |
| 107.00 | 108.50 | II           | peks       |             | - (as described) - potassic, epidote alt'n and sil'n (50%); py associated with epidote alt'n.                                                                              | 2          | 21968 | 107.00 | 108.50 | 1.5       | 5        | .3        | .002      | .006      |
| 108.50 | 110.00 | II           | peks       |             | - (as described) - vuggy epidote alt'n.                                                                                                                                    | 2          | 21969 | 108.50 | 110.00 | 1.5       | 10       | .2        | .002      | .007      |
| 110.00 | 111.50 | II           | peks       |             | - (as described) - patchy 1st phase sil'n pervasive; epidote potassic alt'n (40%); recovery 75%; epidote fractures 55 degrees to C.A.                                      | 2          | 21970 | 110.00 | 111.50 | 1.5       | 5        | .2        | .002      | .009      |
| 111.50 | 113.00 | II           | peks       |             | - (as described)                                                                                                                                                           | 2          | 21971 | 111.50 | 113.00 | 1.5       | 20       | .2        | .002      | .008      |
| 113.00 | 114.50 | II           | peks       |             | - (as described) - 114.0-114.5, 30% irregular qtz veins with potassic, epidote alt'n and 1st phase sil'n; py associated with epidote and later chl alt'n                   |            | 21972 | 113.00 | 114.50 | 1.5       | 30       | .2        | .002      | .007      |
| 114.50 | 116.00 | II           | peks       |             | - (as described) at 115.5, qtz vein 1 cm wide at 30 degrees to C.A.                                                                                                        | 3          | 21973 | 114.50 | 116.00 | 1.5       | 20       | .2        | .002      | .008      |
| 116.00 | 117.50 | II           | peks       |             | - (as described)                                                                                                                                                           | 4          | 21974 | 116.00 | 117.50 | 1.5       | 20       | .2        | .001      | .008      |
| 117.50 | 119.00 | II           | peks       |             | - (as described) - relict bedding seen through alt'n; 118.6 m, magnetite rich horizon; py associated with qtz and vuggy epidote alt'n.                                     | 3          | 21975 | 117.50 | 119.00 | 1.5       | 20       | .2        | .001      | .006      |
| 119.00 | 120.50 | II           | peks       |             | - (as described) - 10 cm zone of sil'n at 120.3 m (25 degrees to C.A.); 4% py associated with chl alt'n of hairline fractures; potassic, epidote alt'n (5%).               |            | 21976 | 119.00 | 120.50 | 1.5       | 20       | .2        | .002      | .010      |
| 120.50 | 122.00 | II           | peks       |             | - (as described) - qtz vein 1 cm wide at 121.25 m (25 degrees to C.A.) 3 with 7% py associated with epidote and chl alt'n within vugs and fractures.                       |            | 21977 | 120.50 | 122.00 | 1.5       | 10       | .2        | .002      | .009      |
| 122.00 | 123.50 | II           | peks       |             | - (as described) - sil'n; 122.0 m, 1 cm wide band of 15% py.                                                                                                               | 2          | 21978 | 122.00 | 123.50 | 1.5       | 20       | .2        | .001      | .008      |
| 123.50 | 125.00 | II           | peks       |             | - (as described) - fine grained tuff, lighter grey, more felsic in composition; calcite veins at 35 degrees to C.A.; moderately magnetic.                                  | 2          | 21979 | 123.50 | 125.00 | 1.5       | 10       | .2        | .002      | .008      |
| 125.00 | 126.50 | II           | cas        |             | - (as described) - 125.0-126.3 m, low sil'n, dk grey, strongly magnetic, potassic and argillitic alt'n moderate within fractures.                                          | <1         | 21980 | 125.00 | 126.50 | 1.5       | 5        | .2        | .006      | .007      |
| 126.50 | 128.00 | II           | peks       |             | - (as in 123.5-125.0 m) - 127.5-128.0 m, shows 1st phase sil'n pervasive epidote, potassic alt'n lineated at 25 degrees to C.A.                                            | 1          | 21981 | 126.50 | 128.00 | 1.5       | 5        | .3        | .002      | .010      |

OREQUEST CONSULTANTS Ltd.

MOLE - PJ-88-02

PAGE # 6 of 6

**APPENDIX D**  
**ANALYTICAL RESULTS**



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5856 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### ASSAY ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept. 01 1988

REPORT#: 880870 AA  
JOB#: 880870

PROJECT#: Pez Ver-Joy  
SAMPLES ARRIVED: Aug 04 1988  
REPORT COMPLETED: Sept. 01 1988  
ANALYSED FOR: Ag Au


INVOICE#: 880870 NA  
TOTAL SAMPLES: 11  
REJECTS/PULPS: 90 DAYS/1 YR  
SAMPLE TYPE: Rock

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Bronson Camp & Vancouver Office

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: David Chiu

SIGNED:

  
\_\_\_\_\_  
Registered Provincial Assayer

GENERAL REMARK: Invoice sent to Vancouver Office



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 880870 AA

JOB NUMBER: 880870

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Ag<br>oz/st | Au<br>oz/st |
|----------|-------------|-------------|
| 22056    | ---         | .044        |
| 22151    | ---         | .026        |
| 22153    | ---         | .031        |
| 22154    | ---         | 1.009       |
| 22155    | ---         | .040        |
| 22156    | ---         | .217        |
| 22190    | 369.64      | .123        |
| 22191    | 127.98      | ---         |
| 22279    | 60.23       | ---         |
| 22286    | 15.30       | ---         |
| 22289    | 4.27        | ---         |

DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.01

1 ppm = 0.0001%

.005

ppm = parts per million < = less than

signed:



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Aug 12 1988  
REPORT#: 880870 GA  
JOB#: 880870

PROJECT#: Pez Ver-Joy  
SAMPLES ARRIVED: Aug 04 1988  
REPORT COMPLETED: Aug 12 1988  
ANALYSED FOR: Ag Au (FA/AAS)

INVOICE#: 880870 NA  
TOTAL SAMPLES: 127  
SAMPLE TYPE: Rock  
REJECTS: SAVED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Bronson Camp & Vancouver Office

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "VGC Staff", is written over a horizontal line.

GENERAL REMARK: Invoice sent to Vancouver Office



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880870 GA

JOB NUMBER: 880870

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 4

| SAMPLE # | Ag  | Au   |
|----------|-----|------|
|          | ppm | ppb  |
| 22001    | .6  | nd   |
| 22002    | .7  | 10   |
| 22003    | 7.0 | 360  |
| 22004    | .8  | 20   |
| 22005    | .3  | nd   |
| 22051    | .2  | 70   |
| 22052    | 1.8 | 90   |
| 22053    | .1  | 20   |
| 22054    | .2  | 150  |
| 22055    | nd  | 20   |
| 22056    | 3.1 | 1390 |
| 22057    | .8  | 160  |
| 22058    | .9  | 10   |
| 22059    | .4  | nd   |
| 22060    | .2  | 60   |
| 22061    | .5  | 5    |
| 22062    | .6  | nd   |
| 22063    | .2  | nd   |
| 22064    | .1  | 10   |
| 22065    | .7  | nd   |
| 22066    | .6  | nd   |
| 22067    | .8  | 10   |
| 22068    | .4  | nd   |
| 22069    | .2  | 10   |
| 22070    | .4  | nd   |
| 22111    | .6  | 10   |
| 22112    | .7  | 10   |
| 22113    | .6  | nd   |
| 22114    | .6  | 40   |
| 22115    | .4  | 20   |
| 22116    | .5  | 5    |
| 22117    | .6  | 10   |
| 22118    | .6  | 10   |
| 22119    | .5  | 10   |
| 22120    | nd  | nd   |
| 22121    | .4  | nd   |
| 22122    | .4  | 5    |
| 22123    | .2  | 10   |
| 22151    | 8.8 | 1440 |

DETECTION LIMIT

0.1 5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880870 GA

JOB NUMBER: 880870

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 4

| SAMPLE # | Ag     | Au     |
|----------|--------|--------|
|          | ppm    | ppb    |
| 22152    | .5     | 120    |
| 22153    | .5     | 970    |
| 22154    | 7.3    | >10000 |
| 22155    | .3     | 2500   |
| 22156    | 1.5    | 7090   |
| 22157    | .6     | 320    |
| 22158    | .3     | 260    |
| 22159    | .3     | 70     |
| 22160    | .5     | 735    |
| 22161    | .3     | 430    |
| 22162    | .3     | 20     |
| 22163    | .5     | 20     |
| 22164    | .6     | 40     |
| 22165    | .7     | 50     |
| 22166    | .5     | 20     |
| 22167    | .9     | 30     |
| 22168    | .7     | 5      |
| 22169    | .5     | nd     |
| 22170    | .6     | 70     |
| 22171    | .4     | 10     |
| 22172    | .6     | 10     |
| 22173    | .3     | nd     |
| 22174    | .7     | 10     |
| 22175    | .5     | 10     |
| 22176    | .3     | 110    |
| 22177    | .5     | 20     |
| 22178    | .4     | 130    |
| 22179    | .3     | 5      |
| 22180    | .4     | nd     |
| 22181    | nd     | nd     |
| 22182    | .3     | nd     |
| 22183    | .8     | 120    |
| 22184    | .4     | nd     |
| 22185    | .5     | 10     |
| 22186    | .2     | nd     |
| 22187    | .3     | nd     |
| 22188    | .3     | 10     |
| 22189    | .4     | 10     |
| 22190    | >100.0 | 5040   |

DETECTION LIMIT 0.1 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880870 6A

JOB NUMBER: 880870

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 4

| SAMPLE # | Ag<br>ppm | Au<br>ppb |
|----------|-----------|-----------|
| 22191    | >100.0    | 785       |
| 22192    | 27.0      | nd        |
| 22193    | 49.0      | 10        |
| 22194    | 11.7      | nd        |
| 22195    | 8.4       | nd        |
| 22195    | 7.7       | nd        |
| 22206    | 11.7      | nd        |
| 22207    | 2.3       | 60        |
| 22208    | 2.1       | 30        |
| 22209    | 1.1       | nd        |
| 22257    | 1.1       | nd        |
| 22258    | .8        | 150       |
| 22259    | 2.1       | 240       |
| 10260    | .4        | 10        |
| 22261    | 2.1       | 760       |
| 22262    | 1.0       | 120       |
| 22263    | .8        | 415       |
| 22264    | .6        | nd        |
| 22265    | .9        | 10        |
| 22266    | .6        | 10        |
| 22267    | .9        | nd        |
| 22268    | .8        | nd        |
| 22269    | .8        | nd        |
| 22270    | .6        | nd        |
| 22271    | .8        | 10        |
| 22272    | 1.3       | 10        |
| 22273    | .7        | nd        |
| 22274    | .7        | 20        |
| 22275    | .8        | 10        |
| 22276    | 1.0       | 10        |
| 22277    | .6        | 10        |
| 22278    | .6        | 10        |
| 22279    | >100.0    | 785       |
| 22280    | 38.0      | 80        |
| 22281    | 4.8       | 60        |
| 22282    | 3.2       | 40        |
| 22283    | 3.3       | 20        |
| 22284    | .9        | nd        |
| 22285    | .8        | 10        |

DETECTION LIMIT

0.1 5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880870 GA

JOB NUMBER: 880870

OREQUEST CONSULTANTS LTD.

PAGE 4 OF 4

| SAMPLE #        | Ag     | Au  |
|-----------------|--------|-----|
|                 | ppm    | ppb |
| 22286           | >100.0 | 550 |
| 22287           | 4.0    | 60  |
| 22288           | 1.8    | 20  |
| 22289           | >100.0 | 30  |
| 22290           | 1.5    | 70  |
| 22291           | .5     | 5   |
| 22292           | .7     | 10  |
| 22293           | .4     | nd  |
| 22294           | .6     | 10  |
| TCREEK ELEV. 10 | nd     | nd  |

DETECTION LIMIT

0.1 5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880870 PA

REQUEST CONSULTANT

Page 1 of 4

| Sample Number | Ag  | As  | Ba    | Bi  | Cd  | Co  | Cu   | Mo  | Pb  | Zn  |
|---------------|-----|-----|-------|-----|-----|-----|------|-----|-----|-----|
|               | ppm | ppm | ppm   | ppm | ppm | ppm | ppm  | ppm | ppm | ppm |
| 22001         | 0.1 | 9   | 71    | <3  | 0.5 | 8   | 55   | 4   | 16  | 76  |
| 22002         | 0.1 | 8   | 111   | <3  | 0.8 | 15  | 118  | 2   | 11  | 53  |
| 22003         | 6.4 | 12  | 23    | <3  | 0.4 | 12  | 7157 | 5   | 6   | 23  |
| 22004         | 0.1 | <3  | 51    | <3  | 0.8 | 12  | 103  | 4   | 47  | 37  |
| 22005         | 0.3 | 18  | 28    | <3  | 0.6 | 12  | 75   | 5   | 24  | 73  |
| 22051         | 0.1 | 12  | 21    | <3  | 0.1 | 7   | 76   | 3   | 10  | 22  |
| 22052         | 0.6 | 18  | 24    | 3   | 0.8 | 31  | 1084 | 4   | 15  | 20  |
| 22053         | 0.1 | 8   | 46    | <3  | 0.1 | 5   | 53   | 1   | 8   | 13  |
| 22054         | 0.1 | 14  | 49    | <3  | 0.1 | 6   | 40   | 20  | 12  | 19  |
| 22055         | 0.1 | <3  | 14    | <3  | 0.1 | 9   | 68   | 2   | 22  | 55  |
| 22056         | 2.1 | 13  | 22    | 4   | 1.7 | 21  | 149  | 4   | 23  | 62  |
| 22057         | 0.1 | 22  | 14    | 3   | 2.1 | 73  | 43   | 5   | 17  | 13  |
| 22058         | 0.1 | <3  | >1000 | <3  | 5.3 | 17  | 13   | 6   | 27  | 413 |
| 22059         | 0.1 | 11  | 83    | <3  | 0.4 | 8   | 33   | 23  | 15  | 14  |
| 22060         | 0.3 | 12  | 78    | <3  | 0.1 | 8   | 80   | 3   | 13  | 23  |
| 22061         | 0.3 | 17  | 30    | 4   | 1.5 | 25  | 30   | 5   | 22  | 22  |
| 22062         | 0.6 | 15  | 36    | 3   | 0.8 | 21  | 93   | 4   | 32  | 66  |
| 22063         | 0.1 | 11  | 61    | <3  | 0.3 | 8   | 29   | 5   | 15  | 47  |
| 22064         | 0.1 | 11  | 27    | <3  | 0.4 | 8   | 40   | 2   | 19  | 103 |
| 22065         | 0.6 | 16  | 52    | <3  | 0.8 | 19  | 116  | 2   | 23  | 104 |
| 22066         | 0.8 | 16  | 50    | 3   | 1.1 | 23  | 108  | 5   | 34  | 102 |
| 22067         | 0.6 | 28  | 52    | 3   | 1.6 | 10  | 68   | 24  | 37  | 92  |
| 22068         | 0.1 | 14  | 17    | <3  | 0.6 | 5   | 13   | 3   | 30  | 34  |
| 22069         | 0.1 | 10  | 27    | <3  | 0.1 | 4   | 16   | 5   | 11  | 5   |
| 22070         | 0.1 | 12  | 29    | <3  | 0.1 | 6   | 18   | 10  | 15  | 23  |
| 22111         | 0.6 | 14  | 52    | <3  | 0.4 | 7   | 41   | 14  | 23  | 36  |
| 22112         | 0.8 | 15  | 45    | <3  | 0.8 | 19  | 98   | 11  | 24  | 67  |
| 22113         | 0.6 | 15  | 46    | <3  | 0.4 | 19  | 39   | 8   | 23  | 51  |
| 22114         | 0.1 | 35  | 23    | <3  | 0.4 | 12  | 33   | 3   | 21  | 22  |
| 22115         | 0.6 | 17  | 24    | <3  | 0.8 | 14  | 75   | 5   | 22  | 69  |
| 22116         | 0.1 | 17  | 16    | <3  | 0.8 | 18  | 63   | 11  | 22  | 31  |
| 22117         | 0.8 | 19  | 51    | <3  | 0.8 | 16  | 43   | 9   | 22  | 76  |
| 22118         | 0.8 | 13  | 50    | <3  | 0.4 | 19  | 97   | 5   | 20  | 83  |
| 22119         | 0.2 | 28  | 79    | <3  | 0.5 | 9   | 27   | 3   | 26  | 64  |
| 22120         | 0.1 | 6   | 15    | <3  | 0.1 | 3   | 23   | 8   | 8   | 20  |
| 22121         | 0.2 | 17  | 33    | <3  | 1.1 | 14  | 85   | 4   | 27  | 98  |
| 22122         | 0.3 | 11  | 64    | <3  | 0.8 | 8   | 29   | 4   | 22  | 67  |
| 22123         | 0.1 | 10  | 25    | <3  | 0.1 | 6   | 26   | 2   | 13  | 27  |
| 22151         | 7.6 | <3  | 13    | <3  | 0.1 | 1   | 2098 | 6   | 5   | 12  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880870 PA

REQUEST CONSULTANT

Page 2 of 4

| Sample Number | Ag    | As    | Ba    | Bi  | Cd     | Co  | Cu     | Mo  | Pb     | Zn   |
|---------------|-------|-------|-------|-----|--------|-----|--------|-----|--------|------|
|               | ppm   | ppm   | ppm   | ppm | ppm    | ppm | ppm    | ppm | ppm    | ppm  |
| 22152         | 0.1   | 4     | 19    | <3  | 0.1    | 9   | 69     | 1   | 4      | 27   |
| 22153         | 0.1   | 3     | 75    | <3  | 0.3    | 10  | 90     | 8   | 3      | 10   |
| 22154         | 6.1   | 24    | 23    | 12  | 2.7    | 37  | 182    | 46  | 17     | 33   |
| 22155         | 0.1   | 3     | 14    | <3  | 0.1    | 2   | 29     | 7   | 2      | 8    |
| 22156         | 0.9   | 17    | 35    | 9   | 2.7    | 11  | 319    | 19  | 18     | 27   |
| 22157         | 0.1   | 4     | 15    | <3  | 0.1    | 5   | 123    | 42  | 2      | 7    |
| 22158         | 0.1   | 8     | 34    | <3  | 0.3    | 7   | 14     | 3   | 5      | 20   |
| 22159         | 0.1   | 9     | 40    | <3  | 0.8    | 8   | 12     | 2   | 8      | 54   |
| 22160         | 0.1   | 7     | 104   | <3  | 0.5    | 7   | 16     | 2   | 3      | 6    |
| 22161         | 0.1   | 3     | 58    | <3  | 0.4    | 16  | 9      | 1   | 4      | 13   |
| 22162         | 0.1   | 9     | 79    | 3   | 1.2    | 8   | 13     | 2   | 14     | 136  |
| 22163         | 0.1   | <3    | 58    | <3  | 0.4    | 8   | 138    | 2   | 4      | 45   |
| 22164         | 0.1   | 7     | 43    | <3  | 0.4    | 2   | 71     | 3   | 36     | 17   |
| 22165         | 0.1   | 43    | 18    | <3  | 1.1    | 34  | 93     | 4   | 12     | 33   |
| 22166         | 0.9   | 21    | 58    | 10  | 1.7    | 17  | 34     | 3   | 20     | 100  |
| 22167         | 0.9   | 7     | 13    | <3  | 0.4    | 14  | 120    | 4   | 13     | 28   |
| 22168         | 0.1   | <3    | >1000 | <3  | 2.4    | 9   | 59     | 1   | 18     | 172  |
| 22169         | 0.5   | 11    | 153   | 5   | 1.2    | 26  | 71     | 1   | 30     | 72   |
| 22170         | 0.9   | 34    | 432   | 16  | 3.1    | 20  | 122    | 35  | 33     | 83   |
| 22171         | 0.5   | 9     | 150   | <3  | 0.9    | 9   | 84     | 2   | 12     | 62   |
| 22172         | 0.2   | 8     | 69    | <3  | 0.5    | 11  | 57     | 5   | 2      | 46   |
| 22173         | 0.1   | 4     | 93    | <3  | 0.4    | 3   | 47     | 3   | 5      | 51   |
| 22174         | 0.1   | 6     | 33    | <3  | 0.4    | 6   | 63     | 9   | 57     | 15   |
| 22175         | 0.1   | 8     | 25    | <3  | 0.8    | 4   | 31     | 517 | 7      | 19   |
| 22176         | 0.1   | 23    | 13    | 12  | 2.7    | 4   | 236    | 498 | 21     | 22   |
| 22177         | 0.9   | 14    | 30    | 3   | 0.9    | 7   | 79     | 69  | 12     | 79   |
| 22178         | 0.1   | 10    | 46    | <3  | 0.6    | 37  | 26     | 12  | 13     | 32   |
| 22179         | 0.1   | 5     | 15    | <3  | 0.1    | 7   | 65     | 6   | 9      | 14   |
| 22180         | 0.1   | 7     | 53    | <3  | 0.1    | 8   | 129    | 7   | 7      | 30   |
| 22181         | 0.1   | <3    | 500   | <3  | 0.1    | 2   | 9      | 1   | 10     | 20   |
| 22182         | 0.1   | <3    | 266   | <3  | 0.3    | 5   | 10     | 1   | 3      | 39   |
| 22183         | 0.5   | 7     | 31    | <3  | 0.8    | 17  | 79     | 6   | 11     | 42   |
| 22184         | 0.1   | 9     | 26    | 3   | 0.8    | 10  | 40     | 4   | 9      | 32   |
| 22185         | 0.1   | 14    | 21    | 6   | 1.6    | 22  | 73     | 3   | 11     | 69   |
| 22186         | 0.2   | 16    | 32    | 10  | 1.9    | 26  | 110    | 9   | 17     | 71   |
| 22187         | 0.5   | 15    | 70    | 9   | 1.7    | 15  | 76     | 5   | 19     | 68   |
| 22188         | 0.1   | 16    | 33    | 6   | 1.4    | 15  | 53     | 7   | 13     | 80   |
| 22189         | 0.1   | 9     | 26    | <3  | 0.5    | 5   | 46     | 1   | 8      | 28   |
| 22190         | >50.0 | >1000 | 14    | <3  | >100.0 | 12  | >20000 | 14  | >20000 | 9106 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: BB0870 PA

DREQUEST CONSULTANT

Page 3 of 4

| Sample Number | Ag<br>ppm | As<br>ppm | Ba<br>ppm | Bi<br>ppm | Cd<br>ppm | Co<br>ppm | Cu<br>ppm | Mo<br>ppm | Pb<br>ppm | Zn<br>ppm |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 22191         | >50.0     | >1000     | 13        | <3        | >100.0    | 15        | >20000    | 13        | 12424     | 10202     |
| 22192         | 31.1      | 78        | 362       | <3        | 4.2       | 6         | 554       | 9         | 442       | 215       |
| 22193         | >50.0     | 74        | 69        | 6         | 4.6       | 29        | 437       | 3         | 331       | 256       |
| 22194         | 13.4      | 19        | 35        | <3        | 0.5       | 12        | 153       | 2         | 92        | 78        |
| 22195         | 8.3       | 17        | 25        | <3        | 0.7       | 6         | 108       | 5         | 67        | 40        |
| 22205         | 8.7       | 22        | 55        | 5         | 1.5       | 31        | 113       | 1         | 78        | 87        |
| 22206         | 12.6      | 19        | 33        | <3        | 0.8       | 6         | 75        | 2         | 97        | 94        |
| 22207         | 1.1       | 14        | 49        | <3        | 0.3       | 9         | 53        | 4         | 26        | 50        |
| 22208         | 0.5       | 10        | 32        | <3        | 0.3       | 15        | 78        | 1         | 22        | 42        |
| 22209         | 0.1       | <3        | 465       | <3        | 0.1       | 2         | 19        | 1         | 13        | 28        |
| 22257         | 0.1       | 7         | 109       | <3        | 0.1       | 4         | 18        | 5         | 14        | 11        |
| 22258         | 0.1       | 9         | 26        | <3        | 0.7       | 8         | 12        | 40        | 14        | 27        |
| 22259         | 0.5       | 14        | 39        | <3        | 0.7       | 13        | 30        | 71        | 17        | 7         |
| 22260         | 0.1       | 5         | 16        | <3        | 0.1       | 2         | 12        | 7         | 6         | 7         |
| 22261         | 0.1       | 14        | 72        | 3         | 1.6       | 7         | 79        | 10        | 26        | 47        |
| 22262         | 0.1       | 8         | 81        | <3        | 0.3       | 4         | 5         | 3         | 17        | 60        |
| 22263         | 0.1       | 24        | 56        | 9         | 2.4       | 27        | 18        | 6         | 28        | 105       |
| 22264         | 0.6       | 14        | 14        | 4         | 0.7       | 8         | 26        | 3         | 15        | 74        |
| 22265         | 0.1       | 17        | 19        | 4         | 1.1       | 9         | 15        | 79        | 18        | 54        |
| 22266         | 0.5       | 15        | 18        | 3         | 1.1       | 8         | 17        | 3         | 18        | 78        |
| 22267         | 1.1       | 23        | 35        | 7         | 2.1       | 95        | 326       | 3         | 25        | 59        |
| 22268         | 0.1       | 12        | 53        | 4         | 1.1       | 22        | 112       | 4         | 19        | 59        |
| 22269         | 0.1       | 8         | 61        | <3        | 0.3       | 20        | 50        | 11        | 15        | 33        |
| 22270         | 0.1       | 10        | 113       | <3        | 0.3       | 10        | 93        | 7         | 15        | 46        |
| 22271         | 0.5       | 14        | 93        | 4         | 0.7       | 21        | 110       | 7         | 17        | 60        |
| 22272         | 0.6       | 15        | 97        | 3         | 0.7       | 13        | 131       | 24        | 20        | 46        |
| 22273         | 0.6       | 5         | 13        | <3        | 0.1       | 8         | 61        | 1         | 12        | 22        |
| 22274         | 1.1       | 9         | 23        | <3        | 0.3       | 9         | 45        | 10        | 14        | 3         |
| 22275         | 0.5       | 10        | 10        | <3        | 0.7       | 21        | 193       | 7         | 11        | 5         |
| 22276         | 1.1       | 14        | 15        | <3        | 0.7       | 13        | 48        | 5         | 17        | 20        |
| 22277         | 0.1       | 18        | 16        | 7         | 1.5       | 20        | 121       | 4         | 26        | 112       |
| 22278         | 0.1       | 10        | 30        | <3        | 0.8       | 23        | 130       | 2         | 14        | 19        |
| 22279         | >50.0     | 279       | 47        | <3        | 74.2      | 3         | 4065      | 131       | >20000    | 3991      |
| 22280         | 41.4      | 5         | 55        | <3        | 0.8       | 4         | 84        | 24        | 595       | 101       |
| 22281         | 5.5       | 7         | 26        | <3        | 0.2       | 6         | 370       | 2         | 73        | 43        |
| 22282         | 0.5       | 7         | 19        | <3        | 0.1       | 58        | 25        | 1         | 32        | 16        |
| 22283         | 2.7       | 14        | 38        | 3         | 1.1       | 55        | 46        | 35        | 51        | 43        |
| 22284         | 0.6       | 11        | 36        | 3         | 0.8       | 8         | 172       | 260       | 23        | 80        |
| 22285         | 0.1       | 24        | 38        | 3         | 0.6       | 12        | 38        | 10        | 38        | 51        |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

= Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880870 PA

REQUEST CONSULTANT

Page 4 of 4

| Sample Number     | Ag    | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|-------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm   | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 22286             | >50.0 | 824  | 16   | <3   | 32.4  | 20    | 6636  | 6    | 14931 | 1094  |
| 22287             | 6.9   | 24   | 81   | <3   | 0.7   | 12    | 322   | 4    | 270   | 82    |
| 22288             | 2.3   | 12   | 44   | <3   | 0.8   | 11    | 297   | 4    | 58    | 39    |
| 22289             | >50.0 | 192  | 395  | <3   | 6.2   | 1     | 2119  | 2    | 2829  | 265   |
| 22290             | 4.6   | 26   | 33   | 12   | 2.4   | 30    | 357   | 13   | 73    | 230   |
| 22291             | 0.4   | 7    | 31   | <3   | 0.2   | 5     | 37    | 3    | 20    | 22    |
| 22292             | 0.4   | 14   | 23   | <3   | 0.8   | 7     | 50    | 17   | 26    | 13    |
| 22293             | 0.1   | 7    | 31   | <3   | 0.5   | 2     | 14    | 8    | 15    | 8     |
| 22294             | 0.1   | 7    | 18   | <3   | 0.3   | 5     | 15    | 7    | 12    | 8     |
| TCREEK ELEV. 10   | 0.1   | 3    | 279  | <3   | 0.1   | 2     | 47    | 1    | 3     | 9     |
| Minimum Detection | 0.1   | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0  | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum

## ANOMALOUS RESULTS:

FURTHER ANALYSES  
BY ALTERNATE  
METHODS SUGGESTED



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1E6  
(604) 251-5656

## ASSAY ANALYTICAL REPORT

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
Vancouver, B.C.  
V6C 2T5

DATE: Aug 10 1988

REPORT#: 880860 AA  
JOB#: 880860

PROJECT#: Pez Jer - Joy  
SAMPLES ARRIVED: Aug 08 1988  
REPORT COMPLETED: Aug 10 1988  
ANALYSED FOR: Au

INVOICE#: 880860 NA  
TOTAL SAMPLES: 4  
REJECTS/PULPS: 90 DAYS/1 YR.  
SAMPLE TYPE: Rock

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Vancouver Office

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: David Chiu

SIGNED:

  
Registered Provincial Assayer

GENERAL REMARK: Invoice sent to Vancouver Office



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 880860 AA

JOB NUMBER: 880860

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

ALC  
oz/st

|       |       |
|-------|-------|
| 22202 | 2.797 |
| 22202 | .061  |
| 22204 | .044  |
| 22206 | .026  |

DETECTION LIMIT

1 Troy oz/short ton = 34.29 ppm

.005

1 ppm = 0.0001%      ppm = parts per million      < = less than

signed:



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T6

DATE: Aug 10 1988  
REPORT#: 880860 GA  
JOB#: 880860

PROJECT#: Pez Jer - Joy  
SAMPLES ARRIVED: Aug 03 1988  
REPORT COMPLETED: Aug 10 1988  
ANALYSED FOR: Au (FA/AAS) (10.Elem) ICP

INVOICE#: 880860 NA  
TOTAL SAMPLES: 20  
SAMPLE TYPE: Rock  
REJECTS: SAVED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Vancouver Office

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: Invoice sent to Vancouver Office



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5056

REPORT NUMBER: 880860 GA

JOB NUMBER: 880860

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 22101    | 60        |
| 22102    | 50        |
| 22103    | 30        |
| 22104    | 60        |
| 22105    | 100       |
| 22106    | 60        |
| 22107    | 70        |
| 22108    | 20        |
| 22109    | 20        |
| 22110    | 40        |
| 22201    | 70        |
| 22202    | > 10000   |
| 22203    | 3000      |
| 22204    | 150       |
| 22251    | 370       |
| 22252    | 80        |
| 22253    | 50        |
| 22254    | 2180      |
| 22255    | 960       |
| 22256    | 60        |

DETECTION LIMIT 5  
nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880860 PA

REQUEST

Page 1 of 1

| Sample Number | Ag   | As  | Ba  | Bi  | Cd  | Co  | Cu   | Mo  | Pb  | Zn  |
|---------------|------|-----|-----|-----|-----|-----|------|-----|-----|-----|
|               | ppm  | ppm | ppm | ppm | ppm | ppm | ppm  | ppm | ppm | ppm |
| 22101         | 0.1  | 10  | 29  | <3  | 1.1 | 18  | 86   | 2   | 19  | 86  |
| 22102         | 1.5  | 15  | 48  | 5   | 1.1 | 12  | 61   | 4   | 26  | 63  |
| 22103         | 1.5  | 14  | 26  | 3   | 1.1 | 16  | 51   | 4   | 24  | 96  |
| 22104         | 1.8  | 10  | 20  | <3  | 0.3 | 13  | 81   | 6   | 19  | 38  |
| 22105         | 0.9  | 8   | 24  | <3  | 0.1 | 6   | 24   | 3   | 12  | 27  |
| 22106         | 1.2  | 18  | 22  | 4   | 1.1 | 69  | 63   | 4   | 26  | 92  |
| 22107         | 0.3  | 19  | 22  | 5   | 1.6 | 36  | 25   | 8   | 27  | 77  |
| 22108         | 0.9  | 14  | 20  | <3  | 0.7 | 6   | 20   | 2   | 22  | 53  |
| 22109         | 2.1  | 15  | 93  | 4   | 1.1 | 36  | 141  | 4   | 28  | 47  |
| 22110         | 1.5  | 18  | 41  | 6   | 1.6 | 52  | 66   | 5   | 32  | 54  |
| 22201         | 0.1  | 4   | 46  | <3  | 0.1 | 4   | 123  | 2   | 12  | 29  |
| 22202         | 22.7 | 10  | 16  | <3  | 0.5 | 9   | 5980 | 4   | 16  | 36  |
| 22203         | 2.5  | 8   | 25  | 4   | 0.1 | 2   | 85   | 8   | 11  | 16  |
| 22204         | 2.2  | <3  | 21  | <3  | 0.1 | 8   | 3783 | 2   | 14  | 48  |
| 22251         | 1.1  | 12  | 40  | <3  | 1.1 | 20  | 1160 | 3   | 23  | 81  |
| 22252         | 0.1  | 3   | 21  | <3  | 0.1 | 4   | 186  | 2   | 9   | 16  |
| 22253         | 0.1  | 11  | 24  | <3  | 0.8 | 10  | 31   | 5   | 22  | 74  |
| 22254         | 0.3  | 7   | 9   | <3  | 0.7 | 11  | 27   | 10  | 13  | 18  |
| 22255         | 3.6  | 16  | 25  | 3   | 1.5 | 27  | 619  | 18  | 19  | 31  |
| 22256         | 0.1  | 3   | 54  | <3  | 0.1 | 3   | 24   | 2   | 13  | 31  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 12 88  
REPORT#: 881218 GA  
JOB#: 881218

PROJECT#: Pez Ver  
SAMPLES ARRIVED: Sept 02 1988  
REPORT COMPLETED: Sept 12 88  
ANALYSED FOR: Au (FA/AAS) (10.Elem) ICP

INVOICE#: 881218 NA  
TOTAL SAMPLES: 30  
SAMPLE TYPE: Rock  
REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "VGC Staff", is written over a horizontal line.

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

---

REPORT NUMBER: 881218 GA

JOB NUMBER: 881218

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 22071    | 30        |
| 22072    | 40        |
| 22073    | nd        |
| 22074    | nd        |
| 22301    | nd        |
| 22302    | 20        |
| 22303    | 25        |
| 22304    | 10        |
| 22305    | 20        |
| 22306    | 90        |
| 22307    | 85        |
| 22308    | 60        |
| 22309    | nd        |
| 22310    | 80        |
| 22311    | 20        |
| 22312    | 30        |
| 22313    | nd        |
| 22314    | nd        |
| 22315    | nd        |
| 22316    | nd        |
| 22317    | nd        |
| 22318    | nd        |
| 22319    | 50        |
| 22320    | nd        |
| 22321    | 40        |
| 22322    | 10        |
| 22323    | nd        |
| 22324    | nd        |
| 22325    | 60        |
| 22326    | nd        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881218 PA

REQUEST

Page 1 of 1

| Sample Number | Ag    | As  | Ba    | Bi  | Cd   | Co  | Cu    | Mo  | Pb   | Zn  |
|---------------|-------|-----|-------|-----|------|-----|-------|-----|------|-----|
|               | ppm   | ppm | ppm   | ppm | ppm  | ppm | ppm   | ppm | ppm  | ppm |
| 22071         | 0.7   | 32  | 43    | <3  | 0.3  | 13  | 90    | 8   | 33   | 96  |
| 22072         | 1.9   | <3  | 27    | 4   | 1.1  | 23  | 118   | 7   | 59   | 74  |
| 22073         | 2.4   | <3  | 32    | 4   | 4.6  | 27  | 320   | 3   | 57   | 274 |
| 22074         | 17.9  | 36  | 26    | 3   | 18.5 | 31  | 11929 | 5   | 35   | 646 |
| 22301         | 0.1   | <3  | 23    | <3  | 0.4  | 9   | 208   | 2   | 16   | 40  |
| 22302         | 0.5   | <3  | 15    | <3  | 0.1  | 12  | 116   | 2   | 19   | 40  |
| 22303         | 0.1   | <3  | 17    | <3  | 0.1  | 4   | 55    | 14  | 9    | 26  |
| 22304         | 0.2   | <3  | 9     | <3  | 0.1  | 6   | 59    | 7   | 11   | 41  |
| 22305         | 1.1   | 7   | 17    | <3  | 0.4  | 7   | 129   | 1   | 24   | 77  |
| 22306         | >50.0 | 545 | 631   | <3  | 9.2  | 5   | 1822  | 1   | 38   | 390 |
| 22307         | >50.0 | 512 | 177   | <3  | 20.2 | 11  | 3991  | 7   | 756  | 714 |
| 22308         | 13.9  | <3  | 378   | <3  | 0.1  | 3   | 969   | 14  | 7886 | 44  |
| 22309         | 0.7   | <3  | >1000 | <3  | 0.1  | 5   | 83    | 2   | 136  | 57  |
| 22310         | 0.5   | <3  | 27    | <3  | 0.4  | 15  | 274   | 1   | 39   | 40  |
| 22311         | 1.1   | <3  | 62    | <3  | 0.1  | 5   | 73    | 3   | 24   | 18  |
| 22312         | 0.7   | 4   | 251   | <3  | 0.8  | 18  | 55    | 1   | 37   | 95  |
| 22313         | 0.1   | <3  | 146   | <3  | 0.1  | 4   | 27    | 2   | 15   | 26  |
| 22314         | 0.1   | <3  | 255   | <3  | 0.1  | 4   | 19    | 1   | 11   | 12  |
| 22315         | 0.1   | <3  | 13    | <3  | 0.1  | 4   | 20    | 6   | 13   | 43  |
| 22316         | 0.1   | <3  | 17    | <3  | 0.6  | 5   | 31    | 3   | 17   | 21  |
| 22317         | 0.1   | 4   | 81    | 5   | 1.7  | 18  | 91    | 12  | 43   | 97  |
| 22318         | 0.1   | <3  | 16    | <3  | 0.1  | 3   | 17    | 4   | 11   | 12  |
| 22319         | 0.1   | <3  | 18    | <3  | 0.1  | 3   | 15    | 3   | 9    | 10  |
| 22320         | 0.1   | <3  | 78    | <3  | 0.3  | 5   | 17    | 1   | 14   | 22  |
| 22321         | 0.1   | <3  | 25    | <3  | 0.8  | 6   | 20    | 100 | 17   | 12  |
| 22322         | 0.1   | <3  | 20    | <3  | 0.9  | 2   | 13    | 4   | 20   | 28  |
| 22323         | 0.1   | <3  | 63    | <3  | 0.3  | 1   | 11    | 12  | 11   | 9   |
| 22324         | 0.1   | <3  | 29    | <3  | 0.1  | 3   | 14    | 31  | 6    | 5   |
| 22325         | 0.1   | <3  | 36    | <3  | 0.1  | 3   | 17    | 9   | 8    | 13  |
| 22326         | 0.1   | <3  | 44    | <3  | 0.1  | 4   | 14    | 2   | 9    | 5   |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum

**ANOMALOUS RESULTS:**  
FURTHER ANALYSES  
BY ALTERNATE  
METHODS SUGGESTED



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-57178

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: SEPT 08 88  
REPORT#: 881237 GA  
JOB#: 881237

PROJECT#: PEZ VER  
SAMPLES ARRIVED: Sept 02 1988  
REPORT COMPLETED: SEPT 08 88  
ANALYSED FOR: Au (FA/AAS) ICP(10.Elem)

INVOICE#: 881237 NA  
TOTAL SAMPLES: 7  
SAMPLE TYPE: 7 ROCK  
REJECTS: DISCARDED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: BERNIE DEWONCK

PREPARED FOR: BERNIE DEWONCK

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "May", is placed over a horizontal line next to the "SIGNED:" label.

GENERAL REMARK: FAXED TO BRONSON CAMP



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881237 6A

JOB NUMBER: 881237

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au  |
|----------|-----|
|          | ppb |
| 22327    | 55  |
| 22328    | 100 |
| 22329    | 30  |
| 22330    | nd  |
| 22331    | 30  |
| 22332    | 40  |
| 22333    | 25  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881237 PA

REQUEST

Page 1 of 1

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb     | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|--------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm    | ppm   |
| 22327             | 22.1 | <3   | 107  | <3   | 0.1   | 1     | 1880  | 49   | >20000 | 27    |
| 22328             | 0.1  | 3    | 261  | <3   | 0.1   | 2     | 68    | 6    | 548    | 13    |
| 22329             | 0.6  | 5    | 114  | <3   | 0.1   | 8     | 131   | 2    | 166    | 31    |
| 22330             | 0.5  | <3   | 85   | <3   | 0.1   | 8     | 45    | 12   | 130    | 17    |
| 22331             | 0.1  | 6    | 43   | <3   | 0.1   | 11    | 77    | 3    | 41     | 41    |
| 22332             | 0.1  | <3   | 992  | <3   | 0.1   | 2     | 18    | 10   | 74     | 53    |
| 22333             | 0.1  | <3   | 324  | 3    | 1.3   | 22    | 22    | 2    | 28     | 60    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2      | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000  | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## ASSAY ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 21 1988  
REPORT#: 881357 AA  
JOB#: 881357

PROJECT#: Unknown  
SAMPLES ARRIVED: Sep 14 1988  
REPORT COMPLETED: Sept 21 1988  
ANALYSED FOR: Au

INVOICE#: 881357 NA  
TOTAL SAMPLES: 1  
REJECTS/PULPS: 90 DAYS/1 YR  
SAMPLE TYPE: Rock

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. George Cavey

PREPARED FOR: Mr. George Cavey

ANALYSED BY: David Chiu

SIGNED:

  
\_\_\_\_\_  
Registered Provincial Assayer

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5 3  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881357 AA

JOB NUMBER: 881357

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au  
oz/st

22084

.117


DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.005

1 ppm = 0.0001% ppm = parts per million < = less than

signed:





## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5 3  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 21 1988  
REPORT#: 881357 GA  
JOB#: 881357

PROJECT#: Unknown

INVOICE#: 881357 NA

SAMPLES ARRIVED: Sep 14 1988

TOTAL SAMPLES: 7

REPORT COMPLETED: Sept 21 1988

SAMPLE TYPE: Rock

ANALYSED FOR: Au (FA/AAS) ICP

REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.

COPY SENT TO: Mr. George Cavey

PREPARED FOR: Mr. George Cavey

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "H.C.", is placed over a horizontal line next to the "SIGNED:" label.

GENERAL REMARK: None



## VANCEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5 3  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881357 GA

JOB NUMBER: 881357

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au   |
|----------|------|
|          | ppb  |
| 22084    | 3200 |
| 22085    | 170  |
| 22086    | nd   |
| 22087    | 110  |
| 22088    | 50   |
| 22132    | 10   |
| 22235    | nd   |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881357 PA

REQUEST

Page 1 of 1

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 22084         | 2.1 | <3  | 19  | <3  | 0.1 | 7   | 905 | 7   | 8   | 35  |
| 22085         | 0.1 | <3  | 78  | 3   | 1.1 | 27  | 697 | 2   | 24  | 112 |
| 22086         | 0.1 | <3  | 24  | <3  | 1.3 | 27  | 57  | 1   | 20  | 100 |
| 22087         | 0.1 | <3  | 8   | <3  | 0.1 | 5   | 79  | 6   | 6   | 18  |
| 22088         | 0.5 | <3  | 31  | 3   | 1.1 | 26  | 64  | 2   | 25  | 96  |
| 22132         | 0.2 | 4   | 54  | <3  | 0.3 | 11  | 17  | 1   | 18  | 76  |
| 22135         | 0.5 | 4   | 28  | 3   | 1.1 | 21  | 57  | 1   | 23  | 75  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5654 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 29 1988  
REPORT#: 881412 GA  
JOB#: 881412

PROJECT#: Pez-Ver  
SAMPLES ARRIVED: Sept 21 1988  
REPORT COMPLETED: Sept 28 1988  
ANALYSED FOR: Au (FA/AAS) ICP(10.Elem)

INVOICE#: 881412 NA  
TOTAL SAMPLES: 1  
SAMPLE TYPE: Rock  
REJECTS: SAVED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: None



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881412 GA

JOB NUMBER: 881412

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au

52317

ppb

560

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881412 PA

## REQUEST

Page 1 of 1

| Sample Number | Ag  | As  | Ba  | Br  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 52317         | 0.2 | 15  | 45  | 3   | 1.1 | 30  | 188 | 19  | 35  | 72  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 19 1988  
REPORT#: 881334 GA  
JOB#: 881334

PROJECT#: Pez-Ver  
SAMPLES ARRIVED: Sept 13 1988  
REPORT COMPLETED: Sept 19 1988  
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881334 NA  
TOTAL SAMPLES: 24  
SAMPLE TYPE: *core Rock*  
REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "VGC Staff", is placed over a horizontal line.

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881334 6A

JOB NUMBER: 881334

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE #           | Au<br>ppb |
|--------------------|-----------|
| 22031 (E 15S HW )  | 160       |
| 22033 (E 15S FW )  | 40        |
| 22049 (D 5S HW )   | 70        |
| 22050 (D 5S VEIN)  | >10000    |
| 22210 (D 5S FW )   | 290       |
| 22211 ( 10S HW )   | 390       |
| 22212 (D 10S VEIN) | 7600      |
| 22213 (D 10S FW )  | 390       |
| 22214 (D 15S HW )  | 40        |
| 22215 (D 15S VEIN) | 4000      |
| 22216 (D 15S VEIN) | 5000      |
| 22217 (HW15S B )   | 70        |
| 22218 (VB15S )     | 150       |
| 22219 (FW15S B )   | 1280      |
| 22220 (HW20S E )   | 50        |
| 22221 (VE20S )     | 150       |
| 22222 (FW20S E )   | nd        |
| 22223 (HW25S E )   | 30        |
| 22225 (FW25S E )   | 50        |
| 22226 (HW30S E )   | 30        |
| 22232 (HW10S P )   | nd        |
| 22233 (V 10S P )   | 750       |
| 22234 (FW10S P )   | 170       |
| 22236 (D 20S VEIN) | 830       |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### ASSAY ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 19 1988  
REPORT#: 881334 AA  
JOB#: 881334

PROJECT#: Pez-Ver  
SAMPLES ARRIVED: Sept 13 1988  
REPORT COMPLETED: Sept 19 1988  
ANALYSED FOR: Au


INVOICE#: 881334 NA  
TOTAL SAMPLES: 5  
REJECTS/PULPS: 90 DAYS/1 YR  
SAMPLE TYPE: *core rock*

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: David Chiu

SIGNED:

  
\_\_\_\_\_  
Registered Provincial Assayer

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881334 AA

JOB NUMBER: 881334

ORENEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au  
oz/st

|                    |       |
|--------------------|-------|
| 22050 (D 5S VEIN)  | 4.556 |
| 22212 (D 10S VEIN) | .211  |
| 22215 (D 15S VEIN) | .139  |
| 22216 (D 15S VEIN) | .159  |
| 22219 (FW15S B )   | .059  |

DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.005

1 ppm = 0.0001%

ppm = parts per million

< = less than

signed:





# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1X5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881334 PA

REQUEST

Page 1 of 1

| Sample Number     | Ag<br>ppm | As<br>ppm | Ba<br>ppm | Bi<br>ppm | Cd<br>ppm | Co<br>ppm | Cu<br>ppm | Mo<br>ppm | Pb<br>ppm | Zn<br>ppm |
|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 22031             | 1.1       | 10        | 37        | 4         | 1.3       | 26        | 98        | 3         | 116       | 104       |
| 22033             | 0.2       | 4         | 88        | 4         | 1.1       | 29        | 66        | 4         | 51        | 109       |
| 22049             | 0.6       | 5         | 64        | 3         | 1.1       | 31        | 622       | 3         | 42        | 107       |
| 22050             | 40.1      | 8         | 24        | <3        | 0.7       | 13        | 2592      | 5         | 17        | 31        |
| 22210             | 0.6       | 3         | 68        | 3         | 1.1       | 26        | 328       | 2         | 41        | 101       |
| 22211             | 2.1       | 4         | 26        | <3        | 0.7       | 24        | 1362      | 4         | 24        | 62        |
| 22212             | 0.6       | 7         | 11        | <3        | 0.1       | 5         | 256       | <1        | 6         | 14        |
| 22213             | 0.1       | 4         | 26        | 3         | 1.3       | 26        | 107       | 3         | 27        | 99        |
| 22214             | 0.3       | 4         | 13        | <3        | 0.6       | 21        | 101       | 1         | 24        | 68        |
| 22215             | 0.6       | 7         | 12        | <3        | 0.1       | 6         | 110       | 7         | 6         | 12        |
| 22216             | 1.2       | <3        | 26        | <3        | 0.3       | 13        | 1812      | <1        | 14        | 51        |
| 22217             | 0.6       | 3         | 83        | 3         | 1.3       | 35        | 120       | 4         | 41        | 101       |
| 22218             | 0.2       | 8         | 28        | <3        | 0.1       | 9         | 1109      | 1         | 14        | 29        |
| 22219             | 0.4       | 7         | 82        | 5         | 1.3       | 35        | 68        | 3         | 40        | 105       |
| 22220             | 0.1       | 6         | 65        | <3        | 1.1       | 24        | 124       | 2         | 33        | 95        |
| 22221             | 0.1       | 7         | 8         | <3        | 0.1       | 9         | 263       | 7         | 9         | 22        |
| 22222             | 0.1       | 6         | 66        | 3         | 1.3       | 27        | 110       | 3         | 37        | 117       |
| 22223             | 0.1       | <3        | 68        | 3         | 1.1       | 21        | 76        | 2         | 33        | 93        |
| 22225             | 0.1       | 5         | 54        | 3         | 0.8       | 23        | 42        | 2         | 29        | 89        |
| 22226             | 0.1       | 4         | 75        | 3         | 1.1       | 24        | 32        | 3         | 36        | 92        |
| 22232             | 0.3       | 11        | 28        | <3        | 0.2       | 19        | 116       | 1         | 25        | 71        |
| 22233             | 0.9       | 5         | 13        | <3        | 0.1       | 4         | 903       | <1        | 9         | 21        |
| 22234             | 0.6       | 7         | 26        | 3         | 0.7       | 22        | 969       | 3         | 25        | 76        |
| 22236             | 0.2       | 7         | 46        | <3        | 0.1       | 11        | 675       | 1         | 15        | 39        |
| Minimum Detection | 0.1       | 3         | 1         | 3         | 0.1       | 1         | 1         | 1         | 2         | 1         |
| Maximum Detection | 50.0      | 1000      | 1000      | 1000      | 100.0     | 20000     | 20000     | 1000      | 20000     | 20000     |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

**MAIN OFFICE**  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

**BRANCH OFFICE**  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 27 1988  
REPORT#: 881369 GA  
JOB#: 881369

PROJECT#: Pez-Ver Pr-G  
SAMPLES ARRIVED: Sep 14 1988  
REPORT COMPLETED: Sept 27 1988  
ANALYSED FOR: Au (FA/AAS) ICP (10 ele)

INVOICE#: 881369 NA  
TOTAL SAMPLES: 58  
SAMPLE TYPE: Rock  
REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "VGC Staff", is placed over a horizontal line.

GENERAL REMARK: Faxed to Bronson Camp



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881369 6A

JOB NUMBER: 881369

REQUEST CONSULTANTS LTD.

PAGE 1 OF 2

| SAMPLE # | Au  |
|----------|-----|
|          | ppb |
| 22075    | 110 |
| 22076    | 20  |
| 22077    | nd  |
| 22078    | 30  |
| 22079    | 30  |
| 22080    | 115 |
| 22081    | 200 |
| 22082    | 40  |
| 22083    | 30  |
| 22089    | 30  |
| 22090    | nd  |
| 22091    | nd  |
| 22092    | nd  |
| 22093    | nd  |
| 22094    | 40  |
| 22095    | 10  |
| 22096    | nd  |
| 22097    | nd  |
| 22098    | nd  |
| 22099    | 60  |
| 22100    | 50  |
| 22124    | 30  |
| 22125    | nd  |
| 22126    | nd  |
| 22127    | nd  |
| 22128    | nd  |
| 22129    | 75  |
| 22130    | nd  |
| 22131    | nd  |
| 22133    | nd  |
| 22134    | nd  |
| 22135    | nd  |
| 22237    | nd  |
| 22238    | nd  |
| 22239    | nd  |
| 22240    | nd  |
| 22241    | nd  |
| 22242    | 10  |
| 22243    | nd  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

**MAIN OFFICE**

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

**BRANCH OFFICE**

1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881369 6A

JOB NUMBER: 881369

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 2

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 22244    | nd        |
| 22245    | 100       |
| 22246    | nd        |
| 22247    | nd        |
| 22248    | nd        |
| 22249    | nd        |
| 22250    | 90        |
| 52202    | 40        |
| 52235    | nd        |
| 52236    | 230       |
| 52237    | nd        |
| 52238    | nd        |
| 52241    | nd        |
| 52244    | nd        |
| 52245    | nd        |
| 52248    | nd        |
| 52249    | 25        |
| 52250    | 5000      |
| 52260    | nd        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 981369 PA

REQUEST

Page 1 of 2

| Sample Number | Ag   | As  | Ba  | Bi  | Cd  | Co  | Cu   | Mo  | Pb  | Zn  |
|---------------|------|-----|-----|-----|-----|-----|------|-----|-----|-----|
|               | ppm  | ppm | ppm | ppm | ppm | ppm | ppm  | ppm | ppm | ppm |
| 22075         | 0.1  | <3  | 19  | <3  | 0.1 | 8   | 229  | 2   | 18  | 40  |
| 22076         | 0.3  | 9   | 28  | <3  | 0.1 | 18  | 58   | 1   | 29  | 65  |
| 22077         | 0.3  | 6   | 47  | <3  | 1.2 | 31  | 45   | 4   | 36  | 119 |
| 22078         | 0.1  | 7   | 24  | <3  | 0.1 | 7   | 36   | 1   | 16  | 50  |
| 22079         | 0.3  | 7   | 48  | 4   | 1.2 | 32  | 42   | 3   | 38  | 132 |
| 22080         | 0.1  | 10  | 251 | 4   | 1.7 | 35  | 362  | 4   | 59  | 159 |
| 22081         | 0.1  | <3  | 19  | <3  | 0.1 | 3   | 28   | 9   | 11  | 29  |
| 22082         | 0.1  | 9   | 178 | <3  | 0.6 | 20  | 92   | 2   | 34  | 126 |
| 22083         | 0.1  | 5   | 108 | 3   | 1.1 | 35  | 37   | 4   | 54  | 148 |
| 22089         | 0.2  | 10  | 123 | 4   | 1.3 | 37  | 117  | 3   | 49  | 158 |
| 22090         | 0.1  | 7   | 13  | <3  | 0.1 | 5   | 25   | 7   | 15  | 41  |
| 22091         | 0.1  | 8   | 152 | 3   | 1.5 | 32  | 46   | 3   | 49  | 142 |
| 22092         | 0.3  | 11  | 38  | 3   | 1.2 | 24  | 94   | 3   | 38  | 121 |
| 22093         | 0.2  | 9   | 26  | <3  | 0.1 | 20  | 143  | 1   | 21  | 56  |
| 22094         | 0.2  | 11  | 24  | <3  | 0.6 | 22  | 60   | 4   | 33  | 86  |
| 22095         | 0.1  | 9   | 56  | 3   | 0.6 | 34  | 76   | 3   | 41  | 126 |
| 22096         | 0.1  | <3  | 14  | <3  | 0.1 | 4   | 14   | 2   | 12  | 36  |
| 22097         | 0.1  | 5   | 69  | <3  | 0.3 | 13  | 20   | 1   | 27  | 108 |
| 22098         | 0.4  | 13  | 21  | <3  | 0.6 | 29  | 302  | 4   | 34  | 102 |
| 22099         | 13.5 | 4   | 13  | <3  | 0.1 | 6   | 4136 | 5   | 12  | 36  |
| 22100         | 0.3  | 13  | 39  | 3   | 1.2 | 32  | 108  | 3   | 36  | 103 |
| 22124         | 0.4  | 6   | 16  | <3  | 0.3 | 20  | 105  | 3   | 30  | 68  |
| 22125         | 0.1  | <3  | 12  | <3  | 0.1 | 3   | 34   | 1   | 11  | 18  |
| 22126         | 0.3  | 7   | 50  | 3   | 1.2 | 27  | 54   | 2   | 35  | 106 |
| 22127         | 0.3  | 12  | 24  | <3  | 0.5 | 24  | 54   | 1   | 32  | 83  |
| 22128         | 0.1  | <3  | 18  | <3  | 0.1 | 4   | 55   | 5   | 12  | 21  |
| 22129         | 0.3  | 10  | 60  | <3  | 1.1 | 28  | 38   | 2   | 34  | 109 |
| 22130         | 0.2  | 4   | 116 | 3   | 1.3 | 27  | 60   | 2   | 35  | 103 |
| 22131         | 0.1  | 4   | 16  | <3  | 0.1 | 3   | 11   | 2   | 9   | 18  |
| 22133         | 0.2  | 9   | 33  | <3  | 1.1 | 30  | 39   | 3   | 35  | 114 |
| 22134         | 0.1  | 4   | 12  | <3  | 0.1 | 2   | 12   | 1   | 9   | 21  |
| 22135         | 0.1  | 9   | 65  | <3  | 0.2 | 11  | 17   | 1   | 25  | 84  |
| 22137         | 0.2  | 12  | 22  | <3  | 0.6 | 22  | 324  | 1   | 26  | 68  |
| 22138         | 0.2  | 13  | 123 | 3   | 1.2 | 31  | 45   | 3   | 55  | 104 |
| 22139         | 0.2  | 9   | 31  | <3  | 0.1 | 9   | 61   | 1   | 20  | 31  |
| 22140         | 0.1  | 12  | 110 | <3  | 1.5 | 31  | 61   | 3   | 52  | 107 |
| 22141         | 0.3  | 9   | 114 | 3   | 1.1 | 28  | 45   | 3   | 44  | 119 |
| 22142         | 0.1  | 6   | 19  | <3  | 0.1 | 11  | 29   | 2   | 15  | 34  |
| 22143         | 0.3  | 8   | 86  | <3  | 1.1 | 23  | 47   | 1   | 34  | 81  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: B81369 PA

OREQUEST

Page 2 of 2

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | In  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 22244         | 0.4 | 12  | 58  | <3  | 1.2 | 34  | 113 | 2   | 38  | 139 |
| 22245         | 0.1 | 5   | 13  | <3  | 0.1 | 5   | 20  | 6   | 10  | 30  |
| 22246         | 0.2 | 4   | 111 | <3  | 1.5 | 31  | 125 | 3   | 47  | 123 |
| 22247         | 0.2 | 4   | 173 | <3  | 1.2 | 29  | 41  | 3   | 41  | 121 |
| 22248         | 0.1 | <3  | 10  | <3  | 0.1 | 2   | 22  | 2   | 10  | 14  |
| 22249         | 0.2 | 10  | 85  | 3   | 1.1 | 29  | 34  | 2   | 34  | 117 |
| 22250         | 0.4 | 14  | 21  | 3   | 1.1 | 30  | 68  | 2   | 36  | 104 |
| 52202         | 0.1 | 3   | 34  | <3  | 0.4 | 8   | 44  | 12  | 12  | 22  |
| 52235         | 0.1 | 10  | 155 | 3   | 1.7 | 33  | 83  | 3   | 50  | 161 |
| 52236         | 0.1 | 13  | 59  | <3  | 0.4 | 17  | 126 | 5   | 24  | 59  |
| 52237         | 0.3 | 8   | 154 | 4   | 1.8 | 33  | 68  | 3   | 51  | 154 |
| 52238         | 0.2 | 12  | 72  | 3   | 1.6 | 39  | 123 | 3   | 39  | 120 |
| 52241         | 0.2 | 11  | 37  | <3  | 0.1 | 14  | 379 | 4   | 16  | 32  |
| 52244         | 0.1 | 6   | 10  | <3  | 0.1 | 5   | 20  | 2   | 7   | 19  |
| 52245         | 0.2 | 8   | 142 | 3   | 1.2 | 29  | 87  | 3   | 44  | 133 |
| 52248         | 0.2 | 10  | 29  | <3  | 0.6 | 29  | 43  | 2   | 36  | 92  |
| 52249         | 0.3 | 9   | 22  | 3   | 1.5 | 32  | 41  | 3   | 35  | 106 |
| 52250         | 0.3 | 10  | 29  | <3  | 1.2 | 27  | 88  | 7   | 21  | 49  |
| 52260         | 0.2 | 7   | 75  | 3   | 1.5 | 29  | 75  | 2   | 36  | 115 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

**MAIN OFFICE**

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

**BRANCH OFFICE**

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## ASSAY ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 27 1988  
REPORT#: 881369 AA  
JOB#: 881369

PROJECT#: Pez-Ver Pr-G  
SAMPLES ARRIVED: Sep 14 1988  
REPORT COMPLETED: Sept 27 1988  
ANALYSED FOR: Au

INVOICE#: 881369 NA  
TOTAL SAMPLES: 1  
REJECTS/PULPS: 90 DAYS/1 YR  
SAMPLE TYPE: Rock

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: David Chiu

SIGNED:

A handwritten signature in black ink, appearing to read "David Chiu".  
\_\_\_\_\_  
Registered Provincial Assayer

GENERAL REMARK: Faxed to Bronson Camp



# VANGEOCHEM LAB LIMITED

**MAIN OFFICE**  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

**BRANCH OFFICE**  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881369 AA

JOB NUMBER: 881369

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au  
oz/st

52250

.152


DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.005

1 ppm = 0.0001%      ppm = parts per million      < = less than

signed:





# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 19 1988

REPORT #: 881358 GA  
JOB #: 881358

PROJECT #: None Given *Peg - Ver*

INVOICE #: 881358 NA

SAMPLES ARRIVED: Sep 14 1988

TOTAL SAMPLES: 47

REPORT COMPLETED: Sept 19 1988

SAMPLE TYPE: Rock

ANALYSED FOR: Au (FA/AAS) ICP (10 elem)

REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.

COPY SENT TO: Wes Raven & George Cavey

PREPARED FOR: Wes Raven & George Cavey

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "Wes" or "Wesley", is written over a horizontal line.

GENERAL REMARK: None



# VANGOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881358 6A

JOB NUMBER: 881358

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 2

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 52201    | nd        |
| 52203    | 20        |
| 52205    | 160       |
| 52206    | 10        |
| 52207    | nd        |
| 52208    | nd        |
| 52209    | 10        |
| 52210    | 80        |
| 52211    | 30        |
| 52212    | 30        |
| 52213    | nd        |
| 52214    | 50        |
| 52215    | 10        |
| 52216    | nd        |
| 52217    | nd        |
| 52218    | nd        |
| 52219    | nd        |
| 52220    | nd        |
| 52221    | nd        |
| 52222    | nd        |
| 52223    | 110       |
| 52224    | nd        |
| 52225    | nd        |
| 52226    | 890       |
| 52227    | 20        |
| 52228    | nd        |
| 52229    | 310       |
| 52230    | nd        |
| 52231    | 30        |
| 52232    | 110       |
| 52233    | 360       |
| 52234    | 140       |
| 52239    | 180       |
| 52240    | 60        |
| 52242    | 45        |
| 52243    | 40        |
| 52246    | 90        |
| 52247    | 20        |
| 52251    | nd        |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881358 GA

JOB NUMBER: 881358

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 2

| SAMPLE # | Au     |
|----------|--------|
|          | ppb    |
| 52252    | 45     |
| 52253    | >10000 |
| 52254    | 80     |
| 52255    | 2090   |
| 52256    | 45     |
| 52257    | nd     |
| 52258    | 250    |
| 52259    | nd     |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## ASSAY ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 19 1988  
REPORT#: 881358 AA  
JOB#: 881358

PROJECT#: None Given  
SAMPLES ARRIVED: Sep 14 1988  
REPORT COMPLETED: Sept 19 1988  
ANALYSED FOR: Au

Peg. Ver  
INVOICE#: 881358 NA  
TOTAL SAMPLES: 2  
REJECTS/PULPS: 90 DAYS/1 YR  
SAMPLE TYPE: Rock

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Wes Raven & George Cavey

PREPARED FOR: Wes Raven & George Cavey

ANALYSED BY: David Chiu

SIGNED:

A handwritten signature in black ink, appearing to read "David Chiu".  
\_\_\_\_\_  
Registered Provincial Assayer

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881358 AA

JOB NUMBER: 881358

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au  
oz/st

|       |      |
|-------|------|
| 52253 | .414 |
| 52255 | .045 |


DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.005

1 ppm = 0.0001%      ppm = parts per million      < = less than

signed:





# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: B81358 PA

REQUEST

Page 1 of 2

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | In    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 52201             | 0.2  | 12   | 114  | <3   | 0.7   | 18    | 46    | 3    | 30    | 114   |
| 52203             | 0.2  | 10   | 129  | <3   | 0.8   | 23    | 32    | 3    | 36    | 98    |
| 52205             | 0.1  | 5    | 9    | <3   | 0.1   | 4     | 353   | 1    | 8     | 11    |
| 52206             | 0.4  | 11   | 110  | 3    | 1.1   | 29    | 111   | 5    | 37    | 81    |
| 52207             | 0.2  | 13   | 40   | 3    | 0.8   | 27    | 37    | 3    | 32    | 97    |
| 52208             | 0.1  | 12   | 21   | <3   | 0.1   | 10    | 51    | 4    | 13    | 22    |
| 52209             | 0.2  | 16   | 72   | 3    | 0.7   | 28    | 45    | 3    | 34    | 103   |
| 52210             | 0.2  | 15   | 110  | 3    | 1.7   | 30    | 134   | 4    | 43    | 112   |
| 52211             | 0.2  | 8    | 6    | <3   | 0.1   | 4     | 12    | 1    | 8     | 10    |
| 52212             | 0.1  | 14   | 133  | 3    | 1.2   | 30    | 70    | 4    | 46    | 116   |
| 52213             | 0.1  | 16   | 124  | <3   | 1.2   | 29    | 39    | 4    | 48    | 117   |
| 52214             | 0.2  | 10   | 8    | <3   | 0.1   | 5     | 18    | 8    | 8     | 8     |
| 52215             | 0.2  | 14   | 39   | 3    | 1.2   | 28    | 30    | 4    | 38    | 120   |
| 52216             | 0.4  | 19   | 87   | 4    | 1.7   | 40    | 25    | 5    | 47    | 139   |
| 52217             | 0.2  | 10   | 9    | <3   | 0.1   | 11    | 20    | 1    | 15    | 23    |
| 52218             | 0.5  | 17   | 74   | <3   | 0.7   | 22    | 44    | 3    | 37    | 89    |
| 52219             | 0.5  | 17   | 18   | 3    | 1.2   | 28    | 29    | 3    | 36    | 119   |
| 52220             | 0.2  | 10   | 4    | <3   | 0.1   | 3     | 54    | 1    | 10    | 14    |
| 52221             | 0.5  | 15   | 13   | <3   | 0.7   | 34    | 94    | 2    | 27    | 104   |
| 52222             | 0.2  | 19   | 26   | 3    | 1.1   | 29    | 38    | 3    | 38    | 103   |
| 52223             | 0.1  | 9    | 12   | <3   | 0.1   | 9     | 83    | 1    | 15    | 35    |
| 52224             | 0.4  | 15   | 51   | 3    | 1.1   | 30    | 30    | 3    | 36    | 122   |
| 52225             | 0.4  | 10   | 10   | <3   | 0.1   | 18    | 40    | 1    | 27    | 44    |
| 52226             | 0.4  | 11   | 9    | <3   | 0.1   | 14    | 39    | 1    | 9     | 8     |
| 52227             | 0.2  | 20   | 23   | 3    | 0.7   | 26    | 27    | 4    | 41    | 118   |
| 52228             | 0.1  | 8    | 9    | <3   | 0.1   | 3     | 25    | 1    | 11    | 24    |
| 52229             | 1.1  | 9    | 8    | <3   | 0.1   | 9     | 19    | 1    | 8     | 12    |
| 52230             | 0.1  | 9    | 15   | <3   | 0.1   | 3     | 16    | 1    | 13    | 16    |
| 52231             | 0.2  | 20   | 73   | <3   | 0.7   | 30    | 168   | 4    | 38    | 112   |
| 52232             | 0.1  | 17   | 66   | <3   | 0.6   | 26    | 39    | 3    | 33    | 102   |
| 52233             | 0.1  | 12   | 12   | <3   | 0.1   | 9     | 66    | 1    | 13    | 23    |
| 52234             | 0.1  | 13   | 71   | 3    | 0.7   | 28    | 58    | 3    | 35    | 130   |
| 52235             | 0.2  | 10   | 13   | <3   | 0.1   | 11    | 225   | 3    | 15    | 23    |
| 52240             | 0.7  | 21   | 132  | 3    | 1.2   | 38    | 612   | 7    | 51    | 133   |
| 52242             | 0.2  | 16   | 127  | 3    | 0.8   | 28    | 238   | 4    | 45    | 116   |
| 52243             | 0.2  | 15   | 103  | 3    | 1.1   | 33    | 202   | 4    | 42    | 109   |
| 52246             | 0.2  | 19   | 33   | 3    | 1.2   | 30    | 300   | 4    | 35    | 109   |
| 52247             | 0.1  | 10   | 14   | <3   | 0.1   | 4     | 29    | 1    | 9     | 21    |
| 52251             | 0.1  | 15   | 26   | <3   | 0.5   | 25    | 32    | 2    | 29    | 93    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    n.s = No sample    > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1958 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 565-5654 FAX: (604) 5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT # 881358 PA

REQUEST

Page 2 of 2

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Po    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 52252             | 0.1  | 11   | 60   | <3   | 0.6   | 23    | 25    | 2    | 31    | 95    |
| 52253             | 1.2  | 6    | 6    | <3   | 0.1   | 4     | 18    | 5    | 8     | 9     |
| 52254             | 0.1  | 11   | 60   | <3   | 0.7   | 28    | 31    | 2    | 33    | 104   |
| 52255             | 0.2  | 8    | 5    | <3   | 0.1   | 4     | 17    | 8    | 8     | 7     |
| 52256             | 0.1  | 12   | 35   | 3    | 0.6   | 26    | 64    | 2    | 37    | 103   |
| 52257             | 0.1  | 14   | 57   | 3    | 0.7   | 27    | 42    | 2    | 35    | 106   |
| 52258             | 0.5  | 5    | 4    | <3   | 0.1   | 3     | 8     | 1    | 6     | 6     |
| 52259             | 0.1  | 14   | 69   | 3    | 1.1   | 28    | 52    | 3    | 38    | 125   |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 19 1988  
REPORT#: 881347 GA  
JOB#: 881347

PROJECT#: Pez-Ver  
SAMPLES ARRIVED: Sep 13 1988  
REPORT COMPLETED: Sept 19 1988  
ANALYSED FOR: Au (FA/AAS) ICP


INVOICE#: 881347 NA  
TOTAL SAMPLES: 21  
SAMPLE TYPE: Rock  
REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "Ray", is written over a horizontal line next to the "SIGNED:" label.

GENERAL REMARK: Faxed to Bronson Camp



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881347 6A

JOB NUMBER: 881347

DRENIEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 22034    | 40        |
| 22035    | 1310      |
| 22036    | 10        |
| 22037    | 110       |
| 22038    | 80        |
| 22039    | 90        |
| 22040    | nd        |
| 22041    | 320       |
| 22042    | 50        |
| 22043    | nd        |
| 22044    | 160       |
| 22045    | nd        |
| 22046    | 125       |
| 22047    | 320       |
| 22048    | nd        |
| 22224    | 50        |
| 22227    | 380       |
| 22228    | 40        |
| 22229    | 40        |
| 22230    | 300       |
| 22231    | 10        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881347 PA

REQUEST

Page 1 of 1

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 22034         | 0.1 | 10  | 32  | <3  | 0.8 | 21  | 250 | 1   | 32  | 96  |
| 22035         | 0.6 | 10  | 19  | <3  | 0.1 | 4   | 895 | 2   | 9   | 22  |
| 22036         | 0.3 | 14  | 13  | <3  | 0.6 | 22  | 88  | 1   | 27  | 79  |
| 22037         | 0.3 | 13  | 51  | 3   | 1.1 | 24  | 44  | 2   | 33  | 94  |
| 22038         | 0.1 | 7   | 13  | <3  | 0.1 | 2   | 52  | <1  | 6   | 11  |
| 22039         | 0.3 | 6   | 53  | 3   | 0.8 | 22  | 222 | 2   | 30  | 85  |
| 22040         | 0.2 | 12  | 36  | 3   | 1.1 | 29  | 57  | 2   | 35  | 105 |
| 22041         | 0.3 | 8   | 29  | <3  | 0.1 | 7   | 345 | 7   | 14  | 30  |
| 22042         | 0.2 | 12  | 53  | 3   | 1.1 | 27  | 85  | 2   | 38  | 111 |
| 22043         | 0.1 | 10  | 19  | 3   | 1.1 | 30  | 93  | 2   | 38  | 126 |
| 22044         | 0.1 | 7   | 14  | <3  | 0.1 | 4   | 555 | 6   | 10  | 19  |
| 22045         | 0.1 | 5   | 11  | 4   | 1.1 | 32  | 54  | 2   | 41  | 151 |
| 22046         | 0.1 | 8   | 14  | <3  | 0.6 | 16  | 269 | 1   | 19  | 46  |
| 22047         | 0.6 | 6   | 7   | <3  | 0.1 | 1   | 718 | 8   | 4   | 6   |
| 22048         | 0.1 | 7   | 7   | <3  | 0.3 | 14  | 382 | 1   | 20  | 43  |
| 22224         | 0.1 | 5   | 7   | <3  | 0.1 | 2   | 30  | 2   | 3   | 6   |
| 22227         | 0.1 | 7   | 7   | <3  | 0.1 | 9   | 58  | <1  | 7   | 11  |
| 22228         | 0.3 | 4   | 98  | 3   | 0.8 | 25  | 45  | 3   | 42  | 93  |
| 22229         | 0.2 | 7   | 72  | <3  | 0.6 | 20  | 66  | 2   | 38  | 87  |
| 22230         | 0.1 | 7   | 9   | <3  | 0.1 | 30  | 90  | 4   | 8   | 15  |
| 22231         | 0.1 | 8   | 59  | 3   | 1.1 | 22  | 96  | 2   | 35  | 106 |

Minimum Detection      0.1    3    1    3    0.1    1    1    1    2    1  
Maximum Detection      50.0    1000    1000    1000    100.0    20000    20000    1000    20000    20000

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 23 1988

REPORT#: 881397 GA  
JOB#: 881397

PROJECT#: Pez-Ver Pr  
SAMPLES ARRIVED: Sep 19 1988  
REPORT COMPLETED: Sept 23 1988  
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881397 NA  
TOTAL SAMPLES: 17  
SAMPLE TYPE: Rock  
REJECTS: SAVED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "VGC Staff", is placed over a horizontal line next to the "SIGNED:" label.

GENERAL REMARK: Faxed to Bronson Camp



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5 3  
(604) 251-5656 FAX (604) 5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881397 GA

JOB NUMBER: 881397

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 52308    | 40        |
| 52309    | 160       |
| 52310    | 30        |
| 52311    | nd        |
| 52312    | 60        |
| 52313    | 40        |
| 52314    | nd        |
| 52315    | 120       |
| 52316    | nd        |
| 52318    | 100       |
| 52319    | 20        |
| 52320    | 70        |
| 52321    | 100       |
| 52322    | 50        |
| 52323    | 60        |
| 52324    | 70        |
| 52325    | 85        |

DETECTION LIMIT

nd = none detected

5

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 081397 PA

DREQUEST

Page 1 of 1

| Sample Number | Ag<br>ppm | As<br>ppm | Ba<br>ppm | Bi<br>ppm | Cd<br>ppm | Co<br>ppm | Cu<br>ppm | Mo<br>ppm | Pb<br>ppm | Zn<br>ppm |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 52308         | 0.2       | 18        | 80        | 3         | 2.5       | 29        | 176       | 4         | 107       | 429       |
| 52309         | 0.1       | 6         | 10        | <3        | 0.1       | 5         | 34        | 1         | 17        | 204       |
| 52310         | 0.1       | <3        | 28        | <3        | 0.7       | 18        | 58        | 1         | 26        | 214       |
| 52311         | 0.1       | 12        | 182       | <3        | 1.2       | 22        | 203       | 3         | 56        | 237       |
| 52312         | 0.1       | 3         | 33        | <3        | 0.3       | 8         | 122       | 5         | 14        | 172       |
| 52313         | 0.3       | 5         | 142       | 3         | 1.5       | 26        | 427       | 3         | 49        | 228       |
| 52314         | 0.1       | 13        | 161       | 3         | 1.5       | 31        | 41        | 3         | 58        | 248       |
| 52315         | 0.1       | 11        | 24        | <3        | 0.1       | 5         | 41        | 1         | 12        | 134       |
| 52316         | 0.1       | 7         | 134       | <3        | 0.3       | 10        | 26        | 2         | 32        | 181       |
| 52318         | 0.1       | <3        | 14        | <3        | 0.1       | 3         | 28        | 1         | 9         | 110       |
| 52319         | 0.5       | 15        | 33        | 3         | 1.1       | 34        | 505       | 2         | 44        | 208       |
| 52320         | 0.5       | 8         | 27        | <3        | 1.1       | 28        | 73        | 2         | 38        | 188       |
| 52321         | 0.3       | 8         | 7         | <3        | 0.1       | 2         | 15        | 1         | 4         | 86        |
| 52322         | 0.1       | 13        | 49        | 3         | 1.5       | 31        | 85        | 5         | 52        | 198       |
| 52323         | 0.5       | 12        | 121       | 3         | 1.7       | 29        | 456       | 3         | 61        | 188       |
| 52324         | 0.1       | 4         | 23        | <3        | 0.1       | 8         | 50        | 2         | 11        | 81        |
| 52325         | 0.5       | 15        | 154       | 3         | 1.5       | 30        | 622       | 3         | 58        | 175       |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1X5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.

DATE: Sept 30 1988

ADDRESS: 404-595 Howe St.

REPORT#: 881405 GA

: Vancouver, B.C.

JOB#: 881405

: V6C 2T5

PROJECT#: Pez Ver Prgrid  
SAMPLES ARRIVED: Sep 20 1988  
REPORT COMPLETED: Sept 30 1988  
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881405 NA

TOTAL SAMPLES: 96

SAMPLE TYPE: Rock

REJECTS: SAVED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "VGC Staff", is placed over the line for signatures.

GENERAL REMARK: Faxed to Bronson Camo



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street #3  
Vancouver, B.C. V6L 1K5  
(604) 251-5456 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881405 GA

JOB NUMBER: 881405

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 3

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 52261    | nd        |
| 52262    | 300       |
| 52263    | 25        |
| 52264    | 150       |
| 52265    | 950       |
| 52266    | 290       |
| 52267    | nd        |
| 52268    | nd        |
| 52269    | 70        |
| 52270    | 445       |
| 52271    | 120       |
| 52272    | 20        |
| 52273    | nd        |
| 52274    | 380       |
| 52275    | nd        |
| 52276    | 20        |
| 52277    | 490       |
| 52278    | 40        |
| 52279    | 160       |
| 52280    | 120       |
| 52281    | nd        |
| 52282    | 20        |
| 52283    | 4200      |
| 52284    | 440       |
| 52285    | nd        |
| 52286    | 480       |
| 52287    | 60        |
| 52288    | nd        |
| 52289    | 360       |
| 52290    | nd        |
| 52291    | nd        |
| 52292    | 240       |
| 52293    | nd        |
| 52294    | nd        |
| 52295    | 310       |
| 52296    | nd        |
| 52297    | nd        |
| 52298    | 120       |
| 52299    | 10        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881405 GA

JOB NUMBER: 881405

DREQUEST CONSULTANTS LTD.

PAGE 2 OF 3

| SAMPLE # | Au   |
|----------|------|
| 52300    | ppb  |
| 52301    | nd   |
| 52302    | nd   |
| 52303    | nd   |
| 52304    | nd   |
| 52305    | nd   |
| 52306    | 100  |
| 52307    | 25   |
| 52351    | 950  |
| 52352    | 10   |
| 52353    | nd   |
| 52354    | 730  |
| 52355    | 1500 |
| 52356    | nd   |
| 52357    | 20   |
| 52358    | 1500 |
| 52359    | 15   |
| 52360    | 730  |
| 52361    | 130  |
| 52362    | nd   |
| 52363    | 30   |
| 52364    | nd   |
| 52365    | 20   |
| 52366    | nd   |
| 52367    | nd   |
| 52368    | nd   |
| 52369    | 450  |
| 52370    | 40   |
| 52371    | nd   |
| 52372    | 1200 |
| 52373    | nd   |
| 52374    | nd   |
| 52375    | 750  |
| 52376    | 120  |
| 52377    | 20   |
| 52378    | 300  |
| 52379    | 50   |
| 52380    | 30   |
| 52381    | 1230 |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1960 Triumph Street  
Vancouver, B.C. V6L 1K6  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881405 GA

JOB NUMBER: B81405

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 3

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 52382    | 30        |
| 52383    | 70        |
| 52384    | 160       |
| 52385    | 5         |
| 52386    | 190       |
| 52387    | 2900      |
| 52388    | 110       |
| 52389    | 80        |
| 52390    | 1620      |
| 52391    | 70        |
| 52393    | 60        |
| 52394    | 830       |
| 52395    | 90        |
| 52396    | 70        |
| 52397    | 1520      |
| 52398    | 250       |
| 52399    | 25        |
| 52400    | 30        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed      is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1900 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### ASSAY ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 30 1988  
REPORT#: 881405 AA  
JOB#: 881405

PROJECT#: Pez Ver Prgrid  
SAMPLES ARRIVED: Sep 20 1988  
REPORT COMPLETED: Sept 30 1988  
ANALYSED FOR: Au


INVOICE#: 881405 NA  
TOTAL SAMPLES: 10  
REJECTS/PULPS: 90 DAYS/1 YR  
SAMPLE TYPE: Rock

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: David Chiu

SIGNED:

  
Registered Provincial Assayer

GENERAL REMARK: Faxed to Bronson Camp



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: (604) 571-7

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881405 AA

JOB NUMBER: 881405

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au  
oz/st

|       |      |
|-------|------|
| 52265 | .030 |
| 52283 | .149 |
| 52331 | .034 |
| 52355 | .041 |
| 52358 | .041 |
| 52372 | .036 |
| 52381 | .026 |
| 52387 | .082 |
| 52390 | .054 |
| 52397 | .035 |

DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.005

1 ppm = 0.0001% ppm = parts per million < = less than

signed:

A handwritten signature in black ink, appearing to read "John G. Clark". It is written over a horizontal line that also contains the text "signed:" and "1 ppm = parts per million &lt; = less than".



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1980 Triumph Street  
Vancouver, B.C. V6C 1X5  
(604) 251-5556 FAX: 254-5777

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881405 PA

REQUEST

Page 1 of 3

| Sample Number | Ag<br>ppm | As<br>ppm | Ba<br>ppm | Bi<br>ppm | Cd<br>ppm | Co<br>ppm | Cu<br>ppm | Mo<br>ppm | Pb<br>ppm | Zn<br>ppm |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 52261         | 0.3       | 6         | 45        | <3        | 1.1       | 22        | 91        | 2         | 31        | 58        |
| 52262         | 0.1       | <3        | 21        | <3        | 0.1       | 11        | 19        | 9         | 12        | 18        |
| 52263         | 0.1       | 9         | 62        | 3         | 1.5       | 32        | 82        | 4         | 53        | 136       |
| 52264         | 1.1       | 8         | 26        | <3        | 0.5       | 20        | 2216      | 3         | 32        | 48        |
| 52265         | 0.1       | <3        | 18        | <3        | 1.2       | 22        | 515       | 14        | 13        | 14        |
| 52266         | 1.8       | 10        | 15        | <3        | 0.7       | 24        | 2625      | 2         | 27        | 46        |
| 52267         | 0.2       | 11        | 29        | <3        | 1.2       | 20        | 124       | 2         | 35        | 99        |
| 52268         | 0.1       | 3         | 11        | <3        | 0.1       | 3         | 46        | 1         | 7         | 15        |
| 52269         | 0.3       | 14        | 21        | <3        | 1.3       | 19        | 83        | 2         | 35        | 98        |
| 52270         | 0.1       | 11        | 67        | 3         | 2.1       | 32        | 273       | 4         | 55        | 146       |
| 52271         | 0.1       | <3        | 13        | <3        | 0.1       | 5         | 153       | 1         | 12        | 23        |
| 52272         | 0.1       | 18        | 32        | 3         | 2.1       | 33        | 67        | 5         | 52        | 126       |
| 52273         | 0.1       | 10        | 63        | 3         | 1.7       | 28        | 61        | 3         | 51        | 141       |
| 52274         | 0.2       | 9         | 14        | <3        | 0.1       | 5         | 215       | 3         | 12        | 27        |
| 52275         | 0.1       | 15        | 54        | <3        | 1.7       | 24        | 61        | 3         | 50        | 134       |
| 52276         | 0.3       | 19        | 25        | 3         | 1.7       | 35        | 101       | 5         | 55        | 138       |
| 52277         | 0.3       | 8         | 11        | <3        | 0.1       | 9         | 161       | 1         | 12        | 18        |
| 52278         | 0.3       | 17        | 21        | 3         | 2.1       | 33        | 172       | 5         | 53        | 145       |
| 52279         | 0.1       | 10        | 65        | 3         | 1.7       | 30        | 66        | 4         | 48        | 120       |
| 52280         | 0.1       | 12        | 10        | <3        | 0.1       | 5         | 104       | 9         | 9         | 13        |
| 52281         | 0.3       | 16        | 81        | 3         | 1.7       | 29        | 50        | 4         | 54        | 115       |
| 52282         | 0.3       | 20        | 31        | <3        | 1.5       | 27        | 53        | 4         | 44        | 114       |
| 52283         | 0.9       | <3        | 5         | <3        | 0.1       | 4         | 14        | 17        | 8         | 7         |
| 52284         | 0.3       | 11        | 31        | <3        | 1.7       | 27        | 348       | 6         | 40        | 105       |
| 52285         | 0.3       | 14        | 104       | 3         | 1.2       | 29        | 95        | 3         | 51        | 121       |
| 52286         | 0.1       | 7         | 7         | <3        | 0.1       | 9         | 18        | 1         | 8         | 10        |
| 52287         | 0.2       | 13        | 66        | <3        | 1.7       | 33        | 59        | 3         | 47        | 106       |
| 52288         | 0.3       | 16        | 90        | <3        | 1.2       | 26        | 35        | 3         | 46        | 106       |
| 52289         | 0.3       | 9         | 12        | <3        | 0.1       | 6         | 26        | 5         | 13        | 21        |
| 52290         | 0.1       | 14        | 26        | <3        | 1.3       | 25        | 106       | 3         | 38        | 107       |
| 52291         | 0.1       | 13        | 71        | <3        | 1.7       | 28        | 105       | 4         | 42        | 106       |
| 52292         | 0.1       | 8         | 19        | <3        | 0.1       | 8         | 241       | 9         | 19        | 38        |
| 52293         | 0.3       | 11        | 37        | 3         | 1.5       | 28        | 45        | 4         | 43        | 98        |
| 52294         | 0.3       | 18        | 47        | <3        | 1.5       | 35        | 100       | 4         | 51        | 110       |
| 52295         | 0.1       | 10        | 7         | <3        | 0.1       | 8         | 77        | 10        | 10        | 8         |
| 52296         | 0.3       | 22        | 69        | 3         | 1.5       | 32        | 268       | 4         | 50        | 120       |
| 52297         | 0.4       | 26        | 21        | 3         | 2.2       | 33        | 93        | 4         | 58        | 133       |
| 52298         | 0.3       | 11        | 6         | <3        | 0.1       | 5         | 49        | 12        | 9         | 8         |
| 52299         | 0.2       | 24        | 30        | 3         | 1.3       | 36        | 88        | 5         | 55        | 147       |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5555 FAX (604) 251-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881405 PA

REQUEST

Page 2 of 3

| Sample Number | Ag<br>ppm | As<br>ppm | Ba<br>ppm | Bi<br>ppm | Cd<br>ppm | Co<br>ppm | Cu<br>ppm | Mo<br>ppm | Pb<br>ppm | In<br>ppm |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 52300         | 0.1       | 10        | 43        | 3         | 1.3       | 22        | 40        | 2         | 39        | 91        |
| 52301         | 0.1       | <3        | 31        | 4         | 1.3       | 35        | 38        | 3         | 46        | 110       |
| 52302         | 0.1       | 12        | 58        | 3         | 1.2       | 26        | 55        | 2         | 40        | 90        |
| 52303         | 0.2       | 9         | 15        | <3        | 0.1       | 9         | 235       | 3         | 14        | 20        |
| 52304         | 0.3       | 14        | 23        | 4         | 1.1       | 31        | 121       | 2         | 43        | 106       |
| 52305         | 0.4       | 18        | 26        | 3         | 1.2       | 26        | 78        | 3         | 45        | 93        |
| 52306         | 0.1       | 8         | 16        | <3        | 0.1       | 10        | 47        | 3         | 12        | 19        |
| 52307         | 0.2       | 16        | 57        | 3         | 1.3       | 25        | 95        | 2         | 43        | 100       |
| 52351         | 0.1       | 7         | 17        | <3        | 0.1       | 18        | 55        | 7         | 11        | 15        |
| 52352         | 0.1       | 9         | 57        | 3         | 1.3       | 21        | 165       | 3         | 40        | 106       |
| 52353         | 0.1       | 12        | 40        | 3         | 1.2       | 26        | 61        | 3         | 42        | 101       |
| 52354         | 0.3       | 4         | 7         | <3        | 0.1       | 8         | 10        | 1         | 8         | 7         |
| 52355         | 0.2       | 14        | 51        | 4         | 1.1       | 58        | 40        | 4         | 44        | 110       |
| 52356         | 0.5       | 17        | 39        | 3         | 0.6       | 26        | 133       | 2         | 39        | 91        |
| 52357         | 0.5       | 15        | 35        | 3         | 1.3       | 29        | 189       | 2         | 44        | 113       |
| 52358         | 0.1       | 6         | 8         | <3        | 0.1       | 2         | 82        | 5         | 12        | 6         |
| 52359         | 0.5       | 9         | 10        | <3        | 0.1       | 27        | 38        | 3         | 29        | 36        |
| 52360         | 0.1       | <3        | 7         | <3        | 0.1       | 9         | 6         | 2         | 11        | 8         |
| 52361         | 0.5       | 11        | 12        | <3        | 0.1       | 17        | 31        | 1         | 23        | 28        |
| 52362         | 0.1       | 12        | 80        | 3         | 1.2       | 35        | 38        | 3         | 50        | 103       |
| 52363         | 0.2       | 8         | 24        | <3        | 0.1       | 12        | 23        | 4         | 20        | 28        |
| 52364         | 0.1       | 13        | 63        | 3         | 1.1       | 36        | 38        | 3         | 45        | 94        |
| 52365         | 1.1       | 18        | 32        | 3         | 1.3       | 30        | 79        | 3         | 42        | 111       |
| 52366         | 0.1       | 4         | 8         | <3        | 0.1       | 7         | 18        | 1         | 11        | 9         |
| 52367         | 0.3       | 13        | 43        | 3         | 1.1       | 26        | 117       | 3         | 48        | 105       |
| 52368         | 0.3       | 11        | 36        | 3         | 0.8       | 27        | 39        | 2         | 39        | 89        |
| 52369         | 0.1       | 6         | 11        | <3        | 0.1       | 7         | 13        | 2         | 12        | 16        |
| 52370         | 0.2       | 13        | 77        | 3         | 1.5       | 33        | 80        | 2         | 50        | 109       |
| 52371         | 0.4       | 17        | 30        | 3         | 0.6       | 32        | 45        | 4         | 46        | 108       |
| 52372         | 0.2       | 6         | 10        | <3        | 0.1       | 7         | 42        | 5         | 14        | 12        |
| 52373         | 0.1       | 16        | 35        | <3        | 0.9       | 23        | 70        | 2         | 39        | 87        |
| 52374         | 0.4       | 14        | 103       | 3         | 1.1       | 30        | 197       | 2         | 48        | 95        |
| 52375         | 0.1       | 3         | 9         | <3        | 0.1       | 4         | 31        | 10        | 10        | 7         |
| 52376         | 0.2       | 17        | 92        | 3         | 1.3       | 29        | 64        | 3         | 59        | 113       |
| 52377         | 0.5       | 16        | 31        | 3         | 1.2       | 32        | 91        | 3         | 45        | 98        |
| 52378         | 0.1       | <3        | 4         | <3        | 0.1       | 2         | 16        | 2         | 8         | 6         |
| 52379         | 1.1       | 19        | 61        | 3         | 1.2       | 30        | 84        | 3         | 52        | 103       |
| 52380         | 0.1       | 12        | 66        | 3         | 1.3       | 28        | 39        | 3         | 47        | 107       |
| 52381         | 0.2       | <3        | 4         | <3        | 0.1       | 4         | 13        | 2         | 8         | 5         |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V5L 1L6  
(604) 251-5659 FAX: (604) 521-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881405 PA

REQUEST

Page 3 of 3

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 52382         | 0.1 | 17  | 188 | 3   | 1.7 | 32  | 50  | 4   | 65  | 111 |
| 52383         | 0.1 | 13  | 81  | <3  | 1.5 | 26  | 53  | 3   | 47  | 111 |
| 52384         | 0.1 | 8   | 7   | <3  | 0.1 | 3   | 14  | 1   | 9   | 8   |
| 52385         | 0.6 | 18  | 32  | 3   | 1.2 | 34  | 40  | 2   | 49  | 113 |
| 52386         | 0.1 | 7   | 52  | <3  | 1.2 | 29  | 540 | 3   | 43  | 101 |
| 52387         | 0.1 | 6   | 11  | <3  | 0.1 | 15  | 28  | 1   | 9   | 9   |
| 52388         | 0.6 | 15  | 42  | <3  | 1.1 | 24  | 697 | 1   | 39  | 84  |
| 52389         | 0.3 | 16  | 34  | 4   | 2.2 | 37  | 125 | 4   | 56  | 143 |
| 52390         | 1.2 | 10  | 6   | <3  | 0.1 | 5   | 179 | 9   | 10  | 6   |
| 52391         | 0.2 | 14  | 36  | 3   | 1.7 | 32  | 126 | 3   | 48  | 121 |
| 52393         | 0.3 | 15  | 44  | 3   | 2.1 | 32  | 259 | 4   | 56  | 151 |
| 52394         | 1.5 | 5   | 8   | <3  | 0.1 | 4   | 94  | 3   | 10  | 8   |
| 52395         | 0.3 | 18  | 50  | <3  | 1.7 | 28  | 198 | 2   | 49  | 106 |
| 52396         | 0.4 | 12  | 35  | 3   | 1.7 | 29  | 94  | 3   | 50  | 131 |
| 52397         | 0.1 | 6   | 10  | <3  | 0.1 | 23  | 65  | 3   | 10  | 13  |
| 52398         | 0.1 | 14  | 37  | <3  | 1.2 | 20  | 105 | 3   | 42  | 115 |
| 52399         | 0.6 | 15  | 21  | <3  | 0.8 | 32  | 44  | 3   | 42  | 84  |
| 52400         | 0.1 | 13  | 30  | <3  | 1.2 | 32  | 78  | 4   | 31  | 65  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 19 1988  
REPORT#: 881318 GA  
JOB#: 881318

PROJECT#: Ver-Joy(Pr Grid)  
SAMPLES ARRIVED: Sep 9 1988  
REPORT COMPLETED: Sept 19 1988  
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881318 NA  
TOTAL SAMPLES: 26  
SAMPLE TYPE: Rock  
REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881318 AA

JOB NUMBER: 881318

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

Au  
oz/st

|       |       |
|-------|-------|
| 22009 | .066  |
| 22012 | .233  |
| 22014 | .085  |
| 22017 | .033  |
| 22020 | 3.261 |
| 22026 | 3.389 |
| 22029 | .046  |
| 22030 | .306  |
| 22032 | .027  |

DETECTION LIMIT

1 Troy oz/short ton = 34.28 ppm

.005

1 ppm = 0.0001%

ppm = parts per million < = less than

signed:



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881318 GA

JOB NUMBER: 881318

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 22006    | 80        |
| 22007    | 770       |
| 22008    | 140       |
| 22009    | 2340      |
| 22010    | 90        |
| 22011    | 70        |
| 22012    | 7950      |
| 22013    | 960       |
| 22014    | 1910      |
| 22015    | 90        |
| 22016    | 10        |
| 22017    | 1260      |
| 22018    | 110       |
| 22019    | 340       |
| 22020    | >10000    |
| 22021    | 650       |
| 22022    | 90        |
| 22023    | 410       |
| 22024    | 50        |
| 22025    | 110       |
| 22026    | >10000    |
| 22027    | 590       |
| 22028    | 90        |
| 22029    | 1580      |
| 22030    | 9460      |
| 22032    | 1050      |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881318 PA

OREQUEST

Page 1 of 1

| Sample Number     | Ag   | As   | Ba    | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|-------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm   | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 22006             | 6.9  | <3   | >1000 | <3   | 2.9   | 26    | 208   | 1    | 976   | 619   |
| 22007             | 3.2  | <3   | 696   | <3   | 0.7   | 9     | 54    | 2    | 291   | 204   |
| 22008             | 1.6  | 10   | 712   | <3   | 1.7   | 45    | 276   | 2    | 168   | 255   |
| 22009             | 3.2  | 5    | 394   | <3   | 1.1   | 15    | 1341  | 6    | 41    | 233   |
| 22010             | 1.1  | 25   | 209   | <3   | 1.9   | 59    | 307   | 2    | 63    | 269   |
| 22011             | 0.6  | 16   | 122   | <3   | 0.7   | 31    | 257   | 2    | 53    | 106   |
| 22012             | 4.6  | 8    | 139   | <3   | 0.1   | 8     | 877   | <1   | 32    | 72    |
| 22013             | 1.6  | 15   | 221   | <3   | 1.1   | 41    | 804   | 3    | 59    | 117   |
| 22014             | 3.4  | 9    | 65    | <3   | 0.1   | 10    | 1405  | <1   | 22    | 41    |
| 22015             | 0.4  | 19   | 139   | <3   | 1.2   | 52    | 300   | 2    | 57    | 115   |
| 22016             | 0.3  | 18   | 185   | 3    | 1.2   | 25    | 44    | 2    | 55    | 139   |
| 22017             | 1.5  | 9    | 63    | <3   | 0.1   | 11    | 1449  | 8    | 22    | 45    |
| 22018             | 0.3  | 20   | 83    | <3   | 0.8   | 29    | 707   | 2    | 46    | 116   |
| 22019             | 0.2  | 17   | 151   | <3   | 1.2   | 28    | 515   | 3    | 65    | 114   |
| 22020             | 12.3 | 9    | 34    | <3   | 0.1   | 6     | 2930  | 1    | 17    | 25    |
| 22021             | 0.6  | 21   | 67    | 3    | 0.8   | 28    | 445   | 3    | 54    | 117   |
| 22022             | 0.6  | 21   | 113   | <3   | 1.1   | 27    | 919   | 2    | 57    | 107   |
| 22023             | 1.5  | 15   | 28    | <3   | 0.2   | 12    | 7260  | 3    | 24    | 43    |
| 22024             | 0.2  | 20   | 111   | 3    | 1.2   | 29    | 209   | 2    | 58    | 111   |
| 22025             | 0.6  | 17   | 63    | <3   | 0.7   | 26    | 115   | 3    | 49    | 97    |
| 22026             | 13.5 | 7    | 28    | <3   | 0.2   | 21    | 79    | 1    | 18    | 18    |
| 22027             | 2.2  | 17   | 62    | <3   | 1.2   | 22    | 146   | 2    | 47    | 80    |
| 22028             | 0.3  | 21   | 98    | 4    | 1.2   | 32    | 130   | 3    | 76    | 139   |
| 22029             | 1.6  | 7    | 31    | <3   | 0.1   | 14    | 318   | 7    | 15    | 52    |
| 22030             | 1.2  | 19   | 135   | <3   | 1.2   | 36    | 132   | 3    | 53    | 88    |
| 22032             | 1.1  | 10   | 25    | <3   | 0.1   | 26    | 98    | 6    | 17    | 24    |
| Minimum Detection | 0.1  | 3    | 1     | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000  | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum

**ANOMALOUS RESULTS:  
FURTHER ANALYSES  
BY ALTERNATE  
METHODS SUGGESTED**



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881412 GA

JOB NUMBER: 881412

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

SAMPLE #

52317

Au

ppb

560

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881412 PA

## REQUEST

Page 1 of 1

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 52317         | 0.2 | 15  | 45  | 3   | 1.1 | 30  | 188 | 19  | 35  | 72  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5 B3  
(604) 251-5656 FAX: 254-57178

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept. 01 1988

REPORT#: 880888 GA  
TOB#: 880888

PROJECT#: Pez Ver-Ret-Joy  
SAMPLES ARRIVED: Aug 04 1988  
REPORT COMPLETED: Sept. 01 1988  
ANALYSED FOR: Au

INVOICE#: 880888 NA  
TOTAL SAMPLES: 15  
SAMPLE TYPE: 30.1  
REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Bronson Camp & Vancouver Office

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "Barry", is placed over a horizontal line next to the "SIGNED:" label.

GENERAL REMARK: Invoice sent to Vancouver Office



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880888 GA

JOB NUMBER: 880888

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE #      | Au  |
|---------------|-----|
|               | ppb |
| VT - DC - 004 | 40  |
| VT - DC - 005 | 105 |
| VT - DC - 006 | 25  |
| VT - DC - 007 | 25  |
| VT - DC - 008 | 15  |
| VT - DC - 009 | 10  |
| VT - DC - 010 | 15  |
| VT - DC - 011 | 20  |
| VT - DC - 012 | 5   |
| VT - DC - 013 | 15  |
| VT - DC - 014 | 15  |
| VT - DC - 015 | 35  |
| VT - DC - 016 | 25  |
| VT - DC - 017 | 20  |
| VT - DC - 018 | 30  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: BB0888 PA

REQUEST

Page 1 of 1

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| VT - DC - 004     | 0.1  | 23   | 117  | 3    | 1.6   | 31    | 186   | 10   | 39    | 131   |
| VT - DC - 005     | 0.4  | 24   | 176  | 4    | 1.8   | 26    | 159   | 29   | 40    | 137   |
| VT - DC - 006     | 0.4  | 20   | 147  | 3    | 1.4   | 19    | 75    | 8    | 38    | 150   |
| VT - DC - 007     | 0.1  | 20   | 258  | <3   | 0.6   | 14    | 46    | 2    | 30    | 104   |
| VT - DC - 008     | 0.1  | 11   | 512  | <3   | 0.7   | 11    | 39    | 2    | 24    | 97    |
| VT - DC - 009     | 0.1  | 14   | 145  | 3    | 1.4   | 13    | 29    | 2    | 26    | 71    |
| VT - DC - 010     | 0.5  | 19   | 121  | 3    | 1.1   | 15    | 69    | 1    | 25    | 114   |
| VT - DC - 011     | 0.1  | 22   | 108  | <3   | 1.8   | 13    | 60    | 2    | 37    | 210   |
| VT - DC - 012     | 0.1  | 12   | 76   | <3   | 0.9   | 13    | 41    | 1    | 26    | 106   |
| VT - DC - 013     | 0.1  | 7    | 123  | <3   | 1.1   | 15    | 67    | 2    | 23    | 92    |
| VT - DC - 014     | 0.1  | 19   | 195  | 3    | 1.6   | 20    | 73    | 2    | 39    | 190   |
| VT - DC - 015     | 0.4  | 16   | 109  | 3    | 1.4   | 24    | 108   | 4    | 38    | 113   |
| VT - DC - 016     | 0.1  | 19   | 87   | <3   | 0.9   | 16    | 131   | 16   | 41    | 147   |
| VT - DC - 017     | 0.5  | 21   | 53   | <3   | 0.9   | 30    | 105   | 1    | 29    | 80    |
| VT - DC - 018     | 0.5  | 19   | 45   | <3   | 0.6   | 23    | 77    | 1    | 25    | 77    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

CLIENT: DREQUEST CONSULTANTS LTD.

DATE: Aug 11 1988

ADDRESS: 404-595 Howe St.

REPORT #: 880887 GA

: Vancouver, B.C.

JOB #: 880887

: VGC 2TS

PROJECT #: Pez: Ver-Ret-Joy

INVOICE #: 880887 NA

SAMPLES ARRIVED: Aug 04 1988

TOTAL SAMPLES: 14

REPORT COMPLETED: Aug 11 1988

SAMPLE TYPE: Heavy Mineral

ANALYSED FOR: Au (FA/AAS) (10.Elem) ICP

REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp

COPY SENT TO: Bronson Camp & Vancouver Office

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: Invoice sent to Vancouver Office



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880887 6A

JOB NUMBER: 880887

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE #      | Au  |
|---------------|-----|
|               | ppb |
| VH - DC - 001 | nd  |
| VH - DC - 002 | nd  |
| VH - DC - 003 | nd  |
| VH - DC - 004 | nd  |
| VH - DC - 005 | nd  |
| VH - DC - 006 | nd  |
| VH - DC - 007 | nd  |
| VH - DC - 008 | nd  |
| VH - DC - 009 | nd  |
| VH - DC - 010 | 10  |
| VH - DC - 011 | nd  |
| VH - DC - 012 | nd  |
| VH - DC - 013 | nd  |
| VH - DC - 014 | nd  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample

**VANGEOCHEM LAB LIMITED**

MAIN OFFICE: 198B TRIUMPH STREET, VANCOUVER B.C. V5L 1K5 PH: (604)251-5656 TELEX: 04-352578  
 BRANCH OFFICE: 1630 PANDORA STREET. VANCOUVER B.C. V5L 1L6 PH: (604)251-7282 FAX: (604)254-5717

**ICAP GEOCHEMICAL ANALYSIS**

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:13 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR BN, MN, FE, CA, P, CR, MG, BA, PD, AL, MA, K, W, PT AND SR. AU AND PD DETECTION IS 3 PPM.  
 IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: OREQUEST CONSULTANTS  
 ATTENTION: B DEWONK  
 PROJECT: PEZ VER-RET-JOY

REPORT#: 880887 PA  
 JOB#: 880887  
 INVOICE#: 880887 NA

DATE RECEIVED: 88/08/04  
 DATE COMPLETED: 88/08/12  
 COPY SENT TO:

ANALYST: V. Ray

PAGE 1 OF 1

| SAMPLE NAME     | AG<br>PPM | AL<br>% | AS<br>PPM | AU<br>PPM | BA<br>PPM | BL<br>PPM | CA<br>% | CD<br>PPM | CO<br>PPM | CR<br>PPM | CU<br>PPM | FE<br>% | K<br>% | MG<br>% | MN<br>PPM | MO<br>PPM | NA<br>% | NE<br>PPM | P<br>% | PB<br>PPM | PD<br>PPM | PT<br>PPM | SB<br>PPM | SN<br>PPM | SR<br>PPM | U<br>PPM | W<br>PPM | ZN<br>PPM |    |
|-----------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|--------|---------|-----------|-----------|---------|-----------|--------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|-----------|----|
| VH - DC - 001   | .3        | 1.38    | 6         | ND        | 65        | ND        | .22     | 1.0       | 11        | 46        | 68        | 2.75    | .05    | 1.20    | 571       | 4         | .01     | 14        | .05    | 13        | ND        | ND        | ND        | ND        | ND        | 20       | ND       | ND        | 81 |
| VH - DC - 002   | .1        | 1.53    | 6         | ND        | 97        | ND        | .28     | .9        | 12        | 64        | 92        | 2.85    | .06    | 1.32    | 595       | 12        | .01     | 12        | .06    | 12        | ND        | ND        | ND        | ND        | ND        | 20       | ND       | ND        | 77 |
| VH - DC - 003   | .1        | 1.81    | 3         | ND        | 89        | ND        | .31     | 1.1       | 12        | 81        | 62        | 3.10    | .06    | 1.33    | 731       | 7         | .02     | 12        | .04    | 13        | ND        | ND        | ND        | ND        | ND        | 23       | ND       | ND        | 98 |
| VH - DC - 004   | .3        | 1.23    | 5         | ND        | 187       | ND        | .24     | 1.1       | 10        | 73        | 38        | 3.40    | .07    | 1.00    | 487       | 1         | .02     | 10        | .06    | 10        | ND        | ND        | ND        | ND        | ND        | 20       | ND       | ND        | 74 |
| VH - DC - 005   | .1        | 1.25    | ND        | ND        | 567       | ND        | .13     | .8        | 8         | 69        | 33        | 3.23    | .05    | .81     | 335       | 1         | .02     | 7         | .04    | 10        | ND        | ND        | ND        | ND        | ND        | 1        | 26       | ND        | 66 |
| VH - DC - 006   | .3        | .77     | 5         | ND        | 122       | ND        | .31     | .6        | 7         | 109       | 19        | 3.88    | .07    | .44     | 257       | 2         | .02     | 6         | .05    | 5         | ND        | ND        | ND        | ND        | ND        | 1        | 27       | ND        | 45 |
| VH - DC - 007   | .3        | 1.46    | 4         | ND        | 134       | ND        | .64     | .9        | 9         | 75        | 43        | 2.79    | .13    | .78     | 416       | 4         | .02     | 9         | .09    | 10        | ND        | ND        | ND        | ND        | ND        | 50       | ND       | ND        | 65 |
| VH - DC - 008   | .1        | 1.01    | ND        | ND        | 74        | ND        | 16.92   | .4        | 1         | 28        | 21        | 1.32    | .73    | .84     | 314       | ND        | .01     | 10        | .04    | 4         | ND        | ND        | ND        | ND        | ND        | 80       | ND       | ND        | 76 |
| VH - DC - 009   | .1        | 1.10    | ND        | ND        | 98        | ND        | 11.94   | .2        | 5         | 24        | 35        | 2.16    | .69    | .70     | 288       | ND        | .01     | 6         | .06    | 2         | ND        | ND        | ND        | ND        | ND        | 83       | ND       | ND        | 54 |
| VH - DC - 010   | .1        | 1.27    | 8         | ND        | 61        | ND        | .35     | .8        | 11        | 40        | 51        | 2.79    | .07    | 1.10    | 524       | 1         | .02     | 13        | .06    | 11        | ND        | ND        | ND        | ND        | ND        | 46       | ND       | ND        | 72 |
| VH - DC - 0011  | .1        | 1.16    | 11        | ND        | 93        | ND        | .23     | .7        | 9         | 67        | 49        | 2.26    | .06    | .88     | 618       | 3         | .02     | 11        | .05    | 14        | ND        | ND        | ND        | ND        | ND        | 39       | ND       | ND        | 71 |
| VH - DC - 0012  | .1        | 1.38    | 9         | ND        | 69        | ND        | .25     | .6        | 11        | 80        | 54        | 2.56    | .05    | .98     | 683       | 10        | .02     | 13        | .04    | 14        | ND        | ND        | ND        | ND        | ND        | 1        | 42       | ND        | 86 |
| VH - DC - 0013  | .1        | 2.04    | 3         | ND        | 55        | 3         | .40     | 1.0       | 19        | 47        | 71        | 3.41    | .08    | 1.92    | 625       | 1         | .01     | 14        | .07    | 11        | ND        | ND        | ND        | ND        | ND        | 35       | ND       | ND        | 90 |
| VH - DC - 0014  | .3        | 1.91    | 4         | ND        | 55        | 4         | .30     | 1.1       | 17        | 52        | 61        | 3.53    | .08    | 1.63    | 685       | 3         | .01     | 11        | .07    | 11        | ND        | ND        | ND        | ND        | ND        | 2        | 36       | ND        | 89 |
| DETECTION LIMIT | .1        | .01     | 3         | 3         | 1         | 3         | .01     | .1        | 1         | 1         | 1         | .01     | .01    | .01     | .01       | 1         | 1       | .01       | 1      | .01       | 2         | 3         | 5         | 2         | 2         | 1        | 5        | 3         | 1  |



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

CLIENT: DREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: August 30 1988  
REPORT#: 880936 6A  
JOB#: 880936

PROJECT#: Pez-Ver  
SAMPLES ARRIVED: Aug 10 1988  
REPORT COMPLETED: August 30 1988  
ANALYSED FOR: Au ICP (10 Element)

INVOICE#: 880936 NA  
TOTAL SAMPLES: 268  
SAMPLE TYPE: Soil & Silt  
REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Bronson Camp & Vancouver Office

PREPARED FOR: Mr. Bernie Devonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "VGC Staff", is placed over the "SIGNED:" label.

GENERAL REMARK: Invoice sent to Vancouver Office



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880936 GA

JOB NUMBER: 880936

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 7

| SAMPLE #    | Au  |
|-------------|-----|
|             | ppb |
| SVEL 0+00S  | 10  |
| SVEL 0+50S  | 25  |
| SVEL 1+00S  | 20  |
| SVEL 1+50S  | 20  |
| SVEL 2+00S  | 15  |
| SVEL 2+50S  | 30  |
| SVEL 3+00S  | 25  |
| SVEL 3+50S  | 25  |
| SVEL 4+00S  | 10  |
| SVEL 4+50S  | 10  |
| SVEL 5+00S  | 15  |
| SVEL 5+50S  | 15  |
| SVEL 6+00S  | 20  |
| SVEL 6+50S  | 15  |
| SVEL 7+00S  | 10  |
| SVEL 7+50S  | 15  |
| SVEL 8+00S  | 30  |
| SVEL 9+00S  | 30  |
| SVEL 9+50S  | 15  |
| SVEL 10+00S | 15  |
| SVEL 10+50S | 10  |
| SVEL 11+50S | 10  |
| SVEL 12+00S | 10  |
| SVEL 12+50S | 25  |
| SVEL 13+00S | 15  |
| SVEL 13+50S | 20  |
| SVEL 14+00S | 90  |
| SVEL 14+50S | 100 |
| SVEL 15+00S | 30  |
| SVEL 15+50S | 10  |
| SVEL 16+00S | 25  |
| SVEL 16+50S | 10  |
| SVEL 17+00S | 20  |
| SVEL 17+50S | 10  |
| SVEL 18+00S | 15  |
| SVEL 18+50S | 15  |
| SVEL 19+00S | 15  |
| SVEL 19+50S | 20  |
| SVEL 20+00S | 20  |

DETECTION LIMIT 5

nd = none detected --- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880936 6A

JOB NUMBER: 880936

DREQUEST CONSULTANTS LTD.

PAGE 2 OF 7

| SAMPLE #    | Au<br>ppb |
|-------------|-----------|
| 5VEL 20+50S | 15        |
| 5VEL 21+00S | 10        |
| 5VEL 21+50S | 215       |
| 5VEL 22+00S | 10        |
| 5WNL 0+00S  | nd        |
| 5WNL 0+50S  | 15        |
| 5WNL 1+00S  | nd        |
| 5WNL 1+50S  | 5         |
| 5WNL 2+00S  | nd        |
| 5WNL 2+50S  | nd        |
| 5WNL 3+00S  | 20        |
| 5WNL 3+50S  | nd        |
| 5WNL 4+00S  | nd        |
| 5WNL 4+50S  | nd        |
| 5WNL 5+00S  | nd        |
| 5WNL 5+50S  | 5         |
| 5WNL 6+00S  | 10        |
| 5WNL 7+00S  | 10        |
| 5WNL 7+50S  | nd        |
| 5WNL 8+00S  | nd        |
| 5WNL 8+50S  | 10        |
| 5WNL 9+00S  | 20        |
| 5WNL 9+50S  | 10        |
| 5WNL 10+00S | 5         |
| 6VEL 17+00S | 40        |
| 6VEL 17+50S | 15        |
| 6VEL 18+00S | 10        |
| 6VEL 18+50S | 15        |
| 6VEL 19+00S | 10        |
| 6VEL 19+50S | 10        |
| 6VEL 20+00S | 25        |
| 6VEL 20+50S | 20        |
| 6VEL 21+00S | nd        |
| 6VEL 21+50S | 25        |
| 6VEL 22+00S | 15        |
| 6VEL 22+50S | 20        |
| 6VEL 23+00S | 5         |
| 6VEL 23+50S | 10        |
| 6VEL 24+00S | 10        |

DETECTION LIMIT 5

nd = none detected --- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: BB0936 GA

JOB NUMBER: BB0936

DREQUEST CONSULTANTS LTD.

PAGE 3 OF 7

SAMPLE #

Au

ppb

|      |        |    |
|------|--------|----|
| 6VEL | 24+50S | 25 |
| 6VEL | 25+00S | 30 |
| 6VWL | 5+50S  | nd |
| 6VWL | 6+00S  | nd |
| 6VWL | 7+00S  | nd |
| 6VWL | 8+00S  | 10 |
| 6VWL | 8+50S  | nd |
| 6VWL | 9+00S  | nd |
| 6VWL | 9+50S  | 20 |
| 6VWL | 10+00S | 20 |
| 6VWL | 10+50S | 5  |
| 6VWL | 11+00S | 20 |
| 6VWL | 11+50S | 10 |
| 6VWL | 12+00S | 15 |
| 6VWL | 12+50S | 20 |
| 6VWL | 13+00S | 20 |
| 6VWL | 13+50S | 20 |
| 6VWL | 14+00S | nd |
| 6VWL | 14+50S | 10 |
| 6VWL | 15+00S | 15 |
| 7VEL | 0+00S  | 10 |
| 7VEL | 0+50S  | nd |
| 7VEL | 1+00S  | 10 |
| 7VEL | 1+50S  | nd |
| 7VEL | 2+00S  | 25 |
| 7VEL | 2+50S  | 20 |
| 7VEL | 3+00S  | 15 |
| 7VEL | 3+50S  | 30 |
| 7VEL | 4+00S  | 20 |
| 7VEL | 4+50S  | 15 |
| 7VEL | 5+00S  | 20 |
| 7VEL | 5+50S  | nd |
| 7VEL | 6+00S  | 20 |
| 7VEL | 6+50S  | 5  |
| 7VEL | 7+00S  | 15 |
| 7VEL | 7+50S  | 15 |
| 7VEL | 8+00S  | 15 |
| 7VEL | 8+50S  | 20 |
| 7VEL | 9+00S  | 20 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 880936 6A

JOB NUMBER: 880936

DREQUEST CONSULTANTS LTD.

PAGE 4 OF 7

| SAMPLE #    | Au |
|-------------|----|
| 7VEL 10+50S | 10 |
| 7VEL 11+00S | 15 |
| 7VL 15+50N  | 25 |
| 7VL 16+00N  | nd |
| 7VL 16+50N  | nd |
| 7VL 17+00N  | 20 |
| 7VL 17+50N  | 20 |
| 7VL 18+00N  | nd |
| 7VL 18+50N  | nd |
| 7VL 19+00N  | 15 |
| 7VL 19+50N  | nd |
| 7VL 20+00N  | 15 |
| 7VL 20+50N  | 10 |
| 7VL 21+00N  | 15 |
| 7VL 21+50N  | 20 |
| 7VL 22+00N  | 15 |
| 7VL 22+50N  | 15 |
| 7VL 23+00N  | 20 |
| 7VL 23+50N  | 20 |
| 7VL 24+00N  | 10 |
| 7VL 24+50N  | 10 |
| 7VL 25+00N  | nd |
| 7VL 25+50N  | 10 |
| 7VL 26+00N  | 15 |
| 7VL 26+50N  | 15 |
| 7VL 27+00N  | 10 |
| 7VL 28+50N  | 5  |
| 7VL 29+00N  | 10 |
| 7VL 29+50N  | 10 |
| 7VL 30+50N  | nd |
| 7VL 31+00N  | nd |
| 7VL 31+50N  | 5  |
| 7VL 32+00N  | 10 |
| 7VL 32+50N  | 10 |
| 7VL 33+00N  | 10 |
| 7VL 33+50N  | nd |
| 7VWL 8+00S  | 10 |
| 7VWL 8+50S  | 5  |
| 7VWL 9+00S  | 5  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880936 GA

JOB NUMBER: 880936

DREQUEST CONSULTANTS LTD.

PAGE 5 OF 7

| SAMPLE #    | Au  |
|-------------|-----|
|             | ppb |
| 7VWL 9+50S  | nd  |
| 7VWL 10+00S | 10  |
| 7VWL 10+50S | 15  |
| 7VWL 11+00S | 5   |
| 7VWL 11+50S | 5   |
| 7VWL 12+00S | 35  |
| 7VWL 12+50S | 15  |
| 7VWL 13+00S | 10  |
| 7VWL 13+50S | 30  |
| 7VWL 14+00S | 10  |
| 7VWL 14+50S | 5   |
| 7VWL 15+00S | 10  |
| 8VEL 0+00S  | 10  |
| 8VEL 0+50S  | 15  |
| 8VEL 1+00S  | 10  |
| 8VEL 1+50S  | 10  |
| 8VEL 2+00S  | 25  |
| 8VEL 2+50S  | 15  |
| 8VEL 3+00S  | 10  |
| 8VEL 3+50S  | 15  |
| 8VEL 4+00S  | 10  |
| 8VEL 4+50S  | 10  |
| 8VEL 5+00S  | 5   |
| 8VEL 5+50S  | 10  |
| 8VEL 6+00S  | 10  |
| 8VEL 6+50S  | 10  |
| 8VEL 7+00S  | 5   |
| 8VEL 7+50S  | 10  |
| 8VEL 8+00S  | 10  |
| 8VEL 8+50S  | 10  |
| 8VEL 9+00S  | nd  |
| 8VEL 9+50S  | 20  |
| 8VEL 10+00S | 10  |
| 8VEL 10+50S | 10  |
| 8VEL 11+00S | nd  |
| 8VEL 11+50S | nd  |
| 8VEL 12+50S | 5   |
| 8VEL 13+00S | 10  |
| 8VEL 13+50S | 10  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: BB0936 GA

JOB NUMBER: BB0936

DREQUEST CONSULTANTS LTD.

PAGE 6 OF 7

SAMPLE #

Au

ppb

BVEL 14+00S 15

BVEL 14+50S nd

BVEL 15+00S 10

BVEL 15+50S 10

BVEL 16+00S 40

BVEL 16+50S 15

BVWL 0+00S 15

BVWL 0+50S 5

BVWL 1+00S 10

BVWL 1+50S 10

BVWL 2+00S 5

BVWL 2+50S nd

BVWL 3+00S nd

BVWL 3+50S 15

BVWL 4+00S nd

BVWL 4+50S 5

BVWL 5+00S 5

BVWL 5+50S 10

BVWL 6+00S 10

BVWL 6+50S 10

BVWL 7+00S nd

BVWL 7+50S nd

BVWL 8+00S 25

BVWL 8+50S 20

BVWL 9+00S 5

BVWL 9+50S 15

BVWL 10+00S 5

BVWL 20+50N nd

BVWL 21+50N nd

BVWL 22+00N 10

BVWL 22+50N 10

BVWL 23+00N 30

BVWL 23+50N nd

BVWL 24+00N 35

BVWL 24+50N 25

BVWL 25+00N 15

BVWL 25+50N 20

BVWL 26+00N 25

BVWL 26+50N 20

DETECTION LIMIT 5

nd = none detected

-- = not analysed

is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880936 6A

JOB NUMBER: 880936

DREQUEST CONSULTANTS LTD.

PAGE 7 OF 7

| SAMPLE #    | Au<br>ppb |
|-------------|-----------|
| 8VWL 27+00N | nd        |
| 8VWL 27+50N | 50        |
| 8VWL 28+00N | 10        |
| 8VWL 28+50N | 10        |
| 8VWL 29+00N | 5         |
| 8VWL 29+50N | nd        |
| 8VWL 30+00N | 20        |
| 8VWL 30+50N | 5         |
| 8VWL 31+00N | nd        |
| 8VWL 31+50N | nd        |
| 8VWL 32+00N | 10        |
| 8VWL 32+50N | 10        |
| 9VWL 21+00N | 15        |
| 9VWL 0+00S  | 15        |
| 9VWL 0+50S  | 20        |
| 9VWL 1+00S  | 10        |
| 9VWL 1+50S  | 15        |
| 9VWL 2+00S  | 10        |
| 9VWL 2+50S  | 20        |
| 9VWL 3+00S  | 15        |
| 9VWL 3+50S  | 20        |
| 9VWL 4+00S  | 15        |
| 9VWL 4+50S  | 10        |
| 9VWL 5+00S  | nd        |
| 9VWL 5+50S  | 10        |
| 9VWL 6+00S  | 25        |
| 9VWL 6+50S  | 10        |
| 9VWL 7+00S  | 15        |
| 9VWL 7+50S  | 20        |
| 9VWL 8+00S  | 15        |
| 9VWL 8+50S  | 15        |
| 9VWL 9+00S  | 15        |
| 9VWL 9+50S  | nd        |
| 9VWL 10+00S | nd        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880936 PA

REQUEST CONSULTANTS

Page 1 of 7

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| SVEL 0+00S    | 3.1 | 15  | 16  | <3  | 1.3 | 2   | 23  | 5   | 74  | 53  |
| SVEL 0+50S    | 0.2 | 24  | 63  | <3  | 1.2 | 9   | 42  | 3   | 52  | 106 |
| SVEL 1+00S    | 1.6 | 25  | 30  | <3  | 1.2 | 4   | 35  | 6   | 71  | 82  |
| SVEL 1+50S    | 0.1 | 18  | 105 | <3  | 0.8 | 9   | 28  | 6   | 42  | 103 |
| SVEL 2+00S    | 0.1 | 18  | 63  | <3  | 1.2 | 6   | 26  | 3   | 45  | 69  |
| SVEL 2+50S    | 0.1 | 4   | 25  | <3  | 0.1 | 2   | 8   | 3   | 11  | 34  |
| SVEL 3+00S    | 3.1 | 24  | 28  | 3   | 1.7 | 2   | 23  | 8   | 93  | 75  |
| SVEL 3+50S    | 0.1 | 14  | 47  | <3  | 0.6 | 3   | 16  | 4   | 48  | 118 |
| SVEL 4+00S    | 0.1 | 28  | 284 | <3  | 1.3 | 7   | 25  | 11  | 47  | 123 |
| SVEL 4+50S    | 0.9 | 27  | 56  | 4   | 1.7 | 14  | 41  | 6   | 88  | 139 |
| SVEL 5+00S    | 0.9 | 44  | 52  | <3  | 0.9 | 8   | 29  | 5   | 55  | 108 |
| SVEL 5+50S    | 2.3 | 8   | 130 | <3  | 0.9 | 4   | 25  | 4   | 68  | 166 |
| SVEL 6+00S    | 2.3 | 14  | 45  | <3  | 0.8 | 4   | 20  | 4   | 69  | 147 |
| SVEL 6+50S    | 0.1 | 34  | 27  | 3   | 1.3 | 3   | 25  | 5   | 47  | 52  |
| SVEL 7+00S    | 0.1 | 4   | 35  | <3  | 0.1 | 1   | 5   | <1  | 9   | 42  |
| SVEL 7+50S    | 0.1 | 9   | 279 | <3  | 1.3 | 7   | 24  | 8   | 49  | 319 |
| SVEL 8+00S    | 1.6 | 33  | 19  | 4   | 1.8 | 3   | 23  | 6   | 71  | 77  |
| SVEL 9+00S    | 0.1 | 22  | 72  | 3   | 1.7 | 4   | 82  | 14  | 50  | 126 |
| SVEL 9+50S    | 3.5 | 23  | 24  | <3  | 1.3 | 5   | 20  | 6   | 72  | 143 |
| SVEL 10+00S   | 1.6 | 25  | 36  | 3   | 0.9 | 5   | 25  | 5   | 66  | 147 |
| SVEL 10+50S   | 0.1 | 39  | 181 | <3  | 1.5 | 12  | 37  | 7   | 63  | 409 |
| SVEL 11+50S   | 1.3 | 37  | 27  | 6   | 2.1 | 7   | 41  | 19  | 74  | 78  |
| SVEL 12+00S   | 0.1 | <3  | 34  | <3  | 0.1 | 1   | 7   | <1  | 6   | 42  |
| SVEL 12+50S   | 0.1 | 11  | 612 | 3   | 2.3 | 17  | 26  | 19  | 56  | 174 |
| SVEL 13+00S   | 0.1 | 15  | 247 | <3  | 0.8 | 7   | 16  | 9   | 39  | 137 |
| SVEL 13+50S   | 0.1 | 15  | 172 | <3  | 0.9 | 11  | 23  | 4   | 51  | 202 |
| SVEL 14+00S   | 0.1 | 16  | 124 | 3   | 1.2 | 15  | 239 | 3   | 27  | 107 |
| SVEL 14+50S   | 0.1 | 23  | 354 | 5   | 2.4 | 15  | 83  | 11  | 38  | 111 |
| SVEL 15+00S   | 0.1 | 29  | 20  | 3   | 1.5 | 8   | 60  | 6   | 25  | 55  |
| SVEL 15+50S   | 0.9 | 19  | 59  | <3  | 0.8 | 3   | 28  | 4   | 63  | 152 |
| SVEL 16+00S   | 1.3 | 27  | 44  | 3   | 1.3 | 3   | 19  | 7   | 71  | 78  |
| SVEL 16+50S   | 0.1 | 6   | 34  | <3  | 0.1 | 3   | 6   | <1  | 17  | 44  |
| SVEL 17+00S   | 0.1 | 9   | 107 | <3  | 0.9 | 16  | 31  | 2   | 53  | 125 |
| SVEL 17+50S   | 0.1 | 16  | 59  | <3  | 0.4 | 5   | 19  | 1   | 36  | 103 |
| SVEL 18+00S   | 0.6 | 26  | 30  | <3  | 0.9 | 3   | 30  | 3   | 64  | 97  |
| SVEL 18+50S   | 0.2 | 25  | 89  | <3  | 0.9 | 7   | 33  | 9   | 52  | 106 |
| SVEL 19+00S   | 1.3 | 27  | 30  | 3   | 1.2 | 4   | 27  | 6   | 71  | 92  |
| SVEL 19+50S   | 1.3 | 33  | 44  | 4   | 1.6 | 5   | 30  | 6   | 71  | 154 |
| SVEL 20+00S   | 0.1 | 14  | 110 | <3  | 0.9 | 13  | 35  | 2   | 37  | 150 |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 880936 PA

DREQUEST CONSULTANTS

Page 2 of 7

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| SVEL 20+50S   | 2.5 | 28  | 78  | <3  | 1.3 | 15  | 35  | 3   | 56  | 214 |
| SVEL 21+00S   | 2.1 | 3   | 46  | <3  | 1.7 | 1   | 30  | 2   | 84  | 93  |
| SVEL 21+50S   | 2.3 | 26  | 23  | 5   | 2.3 | 7   | 47  | 4   | 68  | 42  |
| SVEL 22+00S   | 5.9 | 28  | 20  | 3   | 1.9 | 4   | 34  | 9   | 90  | 71  |
| SVNL 0+00S    | 0.1 | 9   | 100 | <3  | 0.4 | 7   | 22  | 1   | 19  | 67  |
| SVNL 0+50S    | 0.1 | 23  | 63  | 3   | 1.7 | 7   | 22  | 3   | 36  | 69  |
| SVNL 1+00S    | 0.3 | 23  | 29  | 3   | 1.8 | 2   | 23  | 6   | 68  | 100 |
| SVNL 1+50S    | 0.6 | 26  | 45  | <3  | 1.1 | 5   | 29  | 9   | 51  | 85  |
| SVNL 2+00S    | 0.2 | 12  | 61  | <3  | 0.5 | 11  | 22  | 37  | 17  | 58  |
| SVNL 2+50S    | 0.1 | 14  | 68  | <3  | 1.1 | 5   | 17  | 1   | 25  | 66  |
| SVNL 3+00S    | 0.1 | 18  | 95  | <3  | 1.1 | 6   | 23  | 4   | 50  | 103 |
| SVNL 3+50S    | 0.1 | 5   | 36  | <3  | 0.1 | 2   | 9   | <1  | 9   | 35  |
| SVNL 4+00S    | 0.1 | 22  | 30  | <3  | 1.1 | 2   | 21  | 6   | 47  | 71  |
| SVNL 4+50S    | 0.1 | 9   | 41  | <3  | 0.1 | 2   | 12  | 2   | 15  | 55  |
| SVNL 5+00S    | 0.1 | 12  | 47  | <3  | 0.4 | 5   | 23  | 2   | 33  | 59  |
| SVNL 5+50S    | 0.1 | 19  | 36  | <3  | 1.1 | 3   | 23  | 6   | 51  | 76  |
| SVNL 6+00S    | 0.1 | 15  | 77  | <3  | 0.6 | 5   | 26  | 5   | 43  | 112 |
| SVNL 7+00S    | 0.1 | 3   | 27  | <3  | 0.1 | 1   | 7   | <1  | 15  | 13  |
| SVNL 7+50S    | 0.1 | 3   | 31  | <3  | 0.1 | 1   | 6   | <1  | 6   | 27  |
| SVNL 8+00S    | 0.1 | 4   | 51  | <3  | 0.1 | 1   | 30  | <1  | 15  | 53  |
| SVNL 8+50S    | 0.1 | 21  | 58  | 3   | 1.5 | 9   | 47  | 1   | 28  | 70  |
| SVNL 9+00S    | 0.1 | 11  | 336 | <3  | 1.3 | 26  | 76  | <1  | 30  | 208 |
| SVNL 9+50S    | 0.1 | 13  | 92  | <3  | 1.2 | 10  | 54  | 1   | 30  | 120 |
| SVNL 10+00S   | 0.1 | 13  | 26  | <3  | 0.5 | 7   | 11  | <1  | 18  | 45  |
| SVNL 17+00S   | 0.1 | 31  | 22  | 5   | 2.5 | 15  | 80  | 4   | 37  | 85  |
| SVNL 17+50S   | 3.9 | 23  | 20  | 3   | 1.9 | 2   | 23  | 5   | 88  | 59  |
| SVNL 18+00S   | 0.1 | 19  | 74  | <3  | 0.9 | 7   | 29  | 2   | 47  | 158 |
| SVNL 18+50S   | 1.2 | 23  | 22  | <3  | 1.3 | 1   | 27  | 3   | 63  | 71  |
| SVNL 19+00S   | 0.1 | 21  | 33  | <3  | 0.6 | 4   | 42  | 2   | 55  | 77  |
| SVNL 19+50S   | 0.7 | 23  | 22  | <3  | 1.3 | 5   | 33  | 4   | 61  | 69  |
| SVNL 20+00S   | 2.5 | 27  | 18  | 3   | 1.9 | 3   | 29  | 6   | 77  | 62  |
| SVNL 20+50S   | 0.1 | 31  | 30  | <3  | 1.3 | 3   | 21  | 3   | 38  | 56  |
| SVNL 21+00S   | 0.1 | 7   | 52  | <3  | 0.3 | 5   | 21  | <1  | 14  | 45  |
| SVNL 21+50S   | 0.1 | 17  | 235 | <3  | 1.1 | 7   | 68  | 2   | 46  | 175 |
| SVNL 22+00S   | 0.3 | 36  | 28  | 6   | 3.1 | 3   | 42  | 10  | 90  | 88  |
| SVNL 22+50S   | 0.1 | 30  | 43  | <3  | 1.2 | 7   | 28  | 3   | 49  | 111 |
| SVNL 23+00S   | 0.6 | 10  | 30  | <3  | 0.9 | 1   | 14  | 2   | 51  | 68  |
| SVNL 23+50S   | 0.1 | 29  | 117 | <3  | 1.5 | 10  | 47  | 12  | 51  | 137 |
| SVNL 24+00S   | 0.3 | 20  | 29  | <3  | 1.1 | 2   | 19  | 4   | 53  | 56  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 10000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 080936 PA

REQUEST CONSULTANTS

Page 3 of 7

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 6VEL 24+50S   | 0.6 | 21  | 26  | <3  | 0.6 | 6   | 37  | 6   | 56  | 44  |
| 6VEL 25+00S   | 1.8 | 41  | 20  | 9   | 2.5 | 6   | 40  | 24  | 88  | 58  |
| 6VWL 5+50S    | 0.1 | 15  | 85  | <3  | 0.4 | 8   | 23  | 2   | 27  | 61  |
| 6VWL 6+00S    | 0.1 | 13  | 36  | <3  | 0.2 | 5   | 14  | 1   | 24  | 51  |
| 6VWL 7+00S    | 0.1 | 6   | 22  | <3  | 0.1 | 3   | 9   | <1  | 11  | 30  |
| 6VWL 8+00S    | 0.2 | 12  | 28  | <3  | 0.6 | 1   | 17  | 2   | 54  | 70  |
| 6VWL 8+50S    | 1.3 | 7   | 43  | <3  | 0.1 | 9   | 48  | 4   | 27  | 62  |
| 6VWL 9+00S    | 0.1 | 9   | 24  | <3  | 0.1 | 2   | 19  | 1   | 26  | 29  |
| 6VWL 9+50S    | 0.2 | 24  | 23  | 3   | 1.5 | 3   | 28  | 5   | 55  | 58  |
| 6VWL 10+00S   | 0.2 | 22  | 35  | 4   | 3.1 | 4   | 33  | 9   | 61  | 66  |
| 6VWL 10+50S   | 0.6 | 27  | 19  | <3  | 0.2 | 5   | 28  | 16  | 36  | 70  |
| 6VWL 11+00S   | 0.1 | 7   | 28  | <3  | 0.1 | 3   | 16  | 1   | 19  | 45  |
| 6VWL 11+50S   | 0.1 | 15  | 53  | <3  | 0.4 | 13  | 37  | 1   | 21  | 79  |
| 6VWL 12+00S   | 0.1 | 23  | 19  | <3  | 0.2 | 5   | 30  | 16  | 29  | 82  |
| 6VWL 12+50S   | 0.1 | <3  | 146 | <3  | 2.5 | 1   | 15  | 5   | 11  | 92  |
| 6VWL 13+00S   | 0.1 | 18  | 154 | <3  | 1.5 | 13  | 44  | 3   | 33  | 179 |
| 6VWL 13+50S   | 0.1 | 51  | 64  | <3  | 0.6 | 8   | 31  | 4   | 45  | 188 |
| 6VWL 14+00S   | 0.1 | 5   | 28  | <3  | 1.8 | 2   | 8   | <1  | 12  | 43  |
| 6VWL 14+50S   | 0.1 | 18  | 16  | <3  | 0.9 | 3   | 19  | 6   | 47  | 62  |
| 6VWL 15+00S   | 3.2 | 20  | 30  | <3  | 0.6 | 3   | 19  | 5   | 61  | 118 |
| 7VEL 0+00S    | 0.1 | 4   | 201 | <3  | 1.5 | 3   | 72  | 6   | 18  | 109 |
| 7VEL 0+50S    | 0.1 | 19  | 29  | <3  | 0.6 | 5   | 22  | 11  | 50  | 86  |
| 7VEL 1+00S    | 0.1 | 24  | 67  | <3  | 0.6 | 8   | 40  | 5   | 32  | 58  |
| 7VEL 1+50S    | 0.1 | 17  | 43  | <3  | 0.6 | 6   | 22  | 4   | 40  | 79  |
| 7VEL 2+00S    | 0.1 | 13  | 254 | <3  | 1.2 | 8   | 17  | 4   | 42  | 218 |
| 7VEL 2+50S    | 0.1 | 22  | 48  | <3  | 0.6 | 6   | 22  | 5   | 47  | 92  |
| 7VEL 3+00S    | 0.1 | 22  | 30  | <3  | 0.6 | 3   | 21  | 5   | 56  | 78  |
| 7VEL 3+50S    | 1.6 | 27  | 13  | 5   | 1.5 | 5   | 32  | 9   | 76  | 53  |
| 7VEL 4+00S    | 1.1 | 23  | 13  | 3   | 1.1 | 4   | 22  | 6   | 75  | 39  |
| 7VEL 4+50S    | 1.1 | 27  | 24  | 5   | 1.5 | 5   | 31  | 8   | 54  | 48  |
| 7VEL 5+00S    | 0.1 | 27  | 61  | 4   | 2.1 | 5   | 23  | 49  | 43  | 237 |
| 7VEL 5+50S    | 0.1 | 6   | 201 | <3  | 0.1 | 4   | 13  | 3   | 28  | 51  |
| 7VEL 6+00S    | 1.8 | 27  | 16  | 6   | 2.2 | 6   | 35  | 13  | 64  | 45  |
| 7VEL 6+50S    | 2.5 | 21  | 24  | 7   | 1.6 | 16  | 39  | 2   | 36  | 53  |
| 7VEL 7+00S    | 0.4 | 12  | 25  | <3  | 0.2 | 5   | 21  | 5   | 47  | 71  |
| 7VEL 7+50S    | 1.1 | 27  | 11  | 5   | 1.5 | 4   | 25  | 8   | 63  | 54  |
| 7VEL 8+00S    | 2.5 | 31  | 12  | 6   | 2.2 | 5   | 28  | 9   | 72  | 78  |
| 7VEL 8+50S    | 1.3 | 36  | 18  | 6   | 1.8 | 5   | 31  | 10  | 74  | 64  |
| 7VEL 9+00S    | 0.2 | 20  | 149 | 5   | 1.3 | 19  | 41  | 2   | 44  | 114 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880936 PA

O'REGUST CONSULTANTS

Page 4 of 7

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 7VEL 10+50S   | 0.1 | 11  | 66  | <3  | 0.9 | 3   | 11  | 8   | 45  | 87  |
| 7VEL 11+00S   | 0.3 | 22  | 143 | 6   | 1.9 | 14  | 25  | 8   | 54  | 106 |
| 7VL 15+50N    | 0.1 | 6   | 35  | <3  | 0.1 | 3   | 11  | 3   | 14  | 18  |
| 7VL 16+00N    | 0.1 | 12  | 131 | 3   | 0.8 | 4   | 25  | 3   | 29  | 36  |
| 7VL 16+50N    | 0.1 | 9   | 51  | <3  | 0.4 | 3   | 13  | 3   | 21  | 39  |
| 7VL 17+00N    | 0.2 | 9   | 38  | <3  | 0.4 | 4   | 24  | 3   | 17  | 35  |
| 7VL 17+50N    | 0.1 | 9   | 62  | <3  | 0.6 | 3   | 38  | 3   | 31  | 70  |
| 7VL 18+00N    | 0.1 | 12  | 68  | <3  | 0.6 | 3   | 17  | 2   | 18  | 30  |
| 7VL 18+50N    | 0.1 | <3  | 67  | <3  | 0.1 | 2   | 10  | 2   | 14  | 26  |
| 7VL 19+00N    | 0.1 | 13  | 85  | <3  | 0.5 | 6   | 17  | 4   | 32  | 77  |
| 7VL 19+50N    | 1.7 | 21  | 120 | 4   | 1.2 | 12  | 33  | 5   | 39  | 93  |
| 7VL 20+00N    | 0.2 | 15  | 64  | <3  | 0.4 | 4   | 18  | 4   | 27  | 47  |
| 7VL 20+50N    | 1.4 | 27  | 77  | 4   | 1.7 | 6   | 30  | 10  | 60  | 84  |
| 7VL 21+00N    | 0.1 | 4   | 438 | <3  | 1.2 | 12  | 27  | 10  | 36  | 202 |
| 7VL 21+50N    | 0.1 | 7   | 401 | <3  | 0.9 | 9   | 19  | 28  | 42  | 159 |
| 7VL 22+00N    | 0.1 | 17  | 46  | <3  | 0.6 | 3   | 23  | 3   | 31  | 55  |
| 7VL 22+50N    | 0.1 | 10  | 67  | <3  | 0.8 | 4   | 18  | 2   | 27  | 58  |
| 7VL 23+00N    | 2.7 | 36  | 32  | 4   | 2.6 | 4   | 30  | 17  | 73  | 70  |
| 7VL 23+50N    | 0.7 | 31  | 58  | <3  | 0.9 | 3   | 21  | 3   | 50  | 78  |
| 7VL 24+00N    | 0.1 | 10  | 52  | <3  | 0.1 | 4   | 12  | 2   | 30  | 45  |
| 7VL 24+50N    | 0.1 | 23  | 52  | <3  | 0.1 | 2   | 16  | 4   | 72  | 62  |
| 7VL 25+00N    | 0.1 | 17  | 95  | <3  | 0.5 | 5   | 22  | 3   | 51  | 103 |
| 7VL 25+50N    | 0.1 | 16  | 86  | <3  | 0.3 | 5   | 37  | 3   | 46  | 75  |
| 7VL 26+00N    | 0.7 | 16  | 286 | 4   | 1.5 | 12  | 26  | 4   | 44  | 100 |
| 7VL 26+50N    | 0.7 | 59  | 74  | <3  | 0.3 | 6   | 21  | 4   | 158 | 242 |
| 7VL 27+00N    | 0.1 | 17  | 62  | <3  | 0.1 | 2   | 10  | 2   | 44  | 53  |
| 7VL 28+50N    | 0.1 | 14  | 122 | 3   | 1.4 | 8   | 15  | 2   | 18  | 48  |
| 7VL 29+00N    | 0.1 | 8   | 118 | <3  | 0.5 | 7   | 13  | 1   | 14  | 40  |
| 7VL 29+50N    | 0.2 | 5   | 151 | <3  | 0.3 | 7   | 12  | 1   | 14  | 49  |
| 7VL 30+50N    | 0.1 | 9   | 81  | <3  | 0.4 | 6   | 11  | 1   | 13  | 38  |
| 7VL 31+00N    | 0.2 | 8   | 172 | <3  | 0.4 | 9   | 13  | 1   | 15  | 64  |
| 7VL 31+50N    | 0.1 | 11  | 110 | <3  | 1.1 | 7   | 12  | 2   | 15  | 44  |
| 7VL 32+00N    | 0.2 | 8   | 136 | <3  | 0.4 | 9   | 27  | 2   | 15  | 58  |
| 7VL 32+50N    | 0.2 | 7   | 160 | <3  | 0.4 | 8   | 42  | 2   | 13  | 49  |
| 7VL 33+00N    | 0.1 | 9   | 143 | <3  | 0.6 | 8   | 13  | 1   | 13  | 47  |
| 7VL 33+50N    | 0.2 | 8   | 258 | <3  | 0.4 | 10  | 28  | 2   | 16  | 69  |
| 7VL 8+00S     | 0.2 | 6   | 145 | <3  | 0.6 | 9   | 19  | 1   | 17  | 74  |
| 7VL 8+50S     | 0.1 | 8   | 81  | <3  | 0.3 | 7   | 33  | 1   | 10  | 49  |
| 7VL 9+00S     | 0.1 | 6   | 68  | <3  | 0.5 | 8   | 18  | 1   | 14  | 53  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880936 PA

DREQUEST CONSULTANTS

Page 5 of 7

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 7VNL 9+50S    | 0.1 | 15  | 168 | <3  | 0.7 | 13  | 37  | 2   | 22  | 90  |
| 7VNL 10+00S   | 0.1 | 12  | 23  | <3  | 0.1 | 4   | 14  | 4   | 34  | 37  |
| 7VNL 10+50S   | 0.1 | 18  | 22  | <3  | 0.3 | 4   | 15  | 6   | 35  | 46  |
| 7VNL 11+00S   | 0.9 | 23  | 18  | <3  | 0.1 | 6   | 23  | 11  | 38  | 53  |
| 7VNL 11+50S   | 0.1 | 11  | 32  | <3  | 0.1 | 6   | 18  | 1   | 15  | 33  |
| 7VNL 12+00S   | 0.2 | 19  | 38  | <3  | 0.8 | 4   | 26  | 7   | 49  | 87  |
| 7VNL 12+50S   | 0.9 | 13  | 33  | <3  | 0.1 | 7   | 26  | 5   | 30  | 49  |
| 7VNL 13+00S   | 0.1 | 21  | 52  | <3  | 0.5 | 10  | 33  | 2   | 29  | 96  |
| 7VNL 13+50S   | 1.1 | 34  | 56  | 4   | 2.7 | 9   | 206 | 12  | 194 | 360 |
| 7VNL 14+00S   | 2.3 | 34  | 19  | 4   | 1.6 | 5   | 33  | 10  | 73  | 66  |
| 7VNL 14+50S   | 0.1 | 7   | 29  | <3  | 0.1 | 4   | 12  | <1  | 10  | 85  |
| 7VNL 15+00S   | 0.1 | <3  | 40  | <3  | 0.1 | 1   | 7   | <1  | 2   | 92  |
| 8VEL 0+00S    | 1.8 | 25  | 61  | 3   | 1.1 | 3   | 21  | 7   | 65  | 36  |
| 8VEL 0+50S    | 0.1 | 27  | 35  | <3  | 0.8 | 4   | 21  | 7   | 52  | 71  |
| 8VEL 1+00S    | 0.1 | 33  | 70  | <3  | 1.1 | 6   | 25  | 4   | 32  | 86  |
| 8VEL 1+50S    | 3.2 | 30  | 30  | 3   | 1.1 | 3   | 22  | 6   | 72  | 64  |
| 8VEL 2+00S    | 1.5 | 32  | 15  | 3   | 1.1 | 4   | 22  | 7   | 60  | 58  |
| 8VEL 2+50S    | 2.3 | 31  | 18  | 3   | 1.5 | 3   | 25  | 7   | 72  | 48  |
| 8VEL 3+00S    | 0.1 | 8   | 14  | <3  | 0.1 | 3   | 7   | 2   | 15  | 17  |
| 8VEL 3+50S    | 0.2 | 25  | 31  | <3  | 0.3 | 4   | 21  | 5   | 42  | 47  |
| 8VEL 4+00S    | 0.1 | 37  | 60  | <3  | 0.7 | 12  | 36  | 2   | 33  | 110 |
| 8VEL 4+50S    | 3.6 | 32  | 12  | 4   | 2.2 | 5   | 20  | 8   | 82  | 67  |
| 8VEL 5+00S    | 2.3 | 29  | 14  | 3   | 1.6 | 7   | 32  | 10  | 65  | 45  |
| 8VEL 5+50S    | 0.9 | 19  | 91  | <3  | 0.7 | 5   | 17  | 15  | 44  | 122 |
| 8VEL 6+00S    | 1.8 | 25  | 22  | <3  | 0.6 | 4   | 18  | 6   | 61  | 57  |
| 8VEL 6+50S    | 1.1 | 31  | 24  | <3  | 1.1 | 4   | 21  | 7   | 56  | 48  |
| 8VEL 7+00S    | 0.2 | 28  | 30  | <3  | 1.3 | 7   | 26  | 8   | 38  | 64  |
| 8VEL 7+50S    | 0.1 | 12  | 45  | <3  | 0.2 | 4   | 10  | 5   | 29  | 32  |
| 8VEL 8+00S    | 0.1 | 9   | 32  | <3  | 0.1 | 3   | 10  | 2   | 17  | 32  |
| 8VEL 8+50S    | 0.9 | 31  | 27  | <3  | 0.6 | 5   | 19  | 6   | 50  | 50  |
| 8VEL 9+00S    | 0.1 | 6   | 29  | <3  | 0.1 | 3   | 5   | <1  | 14  | 37  |
| 8VEL 9+50S    | 0.1 | 25  | 239 | 4   | 2.7 | 23  | 27  | 4   | 46  | 238 |
| 8VEL 10+00S   | 0.2 | 7   | 53  | <3  | 0.1 | 3   | 6   | 1   | 32  | 26  |
| 8VEL 10+50S   | 0.9 | 17  | 17  | <3  | 0.1 | 6   | 17  | 9   | 27  | 34  |
| 8VEL 11+00S   | 0.1 | 3   | 29  | <3  | 0.1 | 3   | 6   | <1  | 7   | 47  |
| 8VEL 11+50S   | 0.3 | 7   | 36  | <3  | 0.1 | 5   | 11  | 2   | 29  | 21  |
| 8VEL 12+50S   | 0.1 | 8   | 75  | <3  | 0.1 | 3   | 6   | <1  | 13  | 57  |
| 8VEL 13+00S   | 0.2 | 15  | 38  | <3  | 0.3 | 9   | 19  | 4   | 36  | 71  |
| 8VEL 13+50S   | 0.9 | 37  | 17  | 5   | 2.5 | 4   | 24  | 9   | 58  | 51  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880936 PA

REQUEST CONSULTANTS

Page 6 of 7

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 8VEL 14+00S   | 0.1 | 6   | 122 | <3  | 0.2 | 4   | 9   | 4   | 28  | 45  |
| 8VEL 14+50S   | 0.5 | 13  | 96  | <3  | 0.7 | 6   | 46  | 13  | 55  | 215 |
| 8VEL 15+00S   | 0.2 | 19  | 19  | <3  | 0.6 | 2   | 22  | 5   | 43  | 48  |
| 8VEL 15+50S   | 1.6 | 45  | 20  | 8   | 2.9 | 4   | 36  | 10  | 82  | 63  |
| 8VEL 16+00S   | 0.1 | 18  | 43  | <3  | 0.3 | 3   | 26  | 3   | 32  | 67  |
| 8VEL 16+50S   | 0.1 | 9   | 59  | <3  | 0.1 | 5   | 23  | 3   | 24  | 66  |
| 8VWL 0+00S    | 0.2 | 13  | 187 | <3  | 1.1 | 13  | 44  | 1   | 22  | 97  |
| 8VWL 0+50S    | 0.1 | 18  | 139 | 4   | 2.1 | 12  | 28  | 2   | 28  | 68  |
| 8VWL 1+00S    | 0.1 | 13  | 90  | <3  | 1.1 | 13  | 43  | 1   | 23  | 66  |
| 8VWL 1+50S    | 0.1 | 10  | 72  | <3  | 0.6 | 10  | 30  | 1   | 18  | 72  |
| 8VWL 2+00S    | 0.2 | 18  | 56  | 4   | 1.3 | 14  | 44  | 2   | 26  | 67  |
| 8VWL 2+50S    | 0.2 | 13  | 83  | <3  | 1.1 | 12  | 52  | 2   | 26  | 80  |
| 8VWL 3+00S    | 0.4 | 13  | 128 | <3  | 1.1 | 15  | 74  | 2   | 31  | 124 |
| 8VWL 3+50S    | 0.1 | 9   | 50  | <3  | 0.3 | 7   | 46  | 5   | 26  | 74  |
| 8VWL 4+00S    | 0.2 | 11  | 45  | <3  | 1.1 | 16  | 67  | 3   | 24  | 102 |
| 8VWL 4+50S    | 0.2 | 11  | 54  | <3  | 0.6 | 11  | 55  | 4   | 17  | 75  |
| 8VWL 5+00S    | 0.4 | 16  | 18  | <3  | 0.3 | 4   | 21  | 5   | 43  | 48  |
| 8VWL 5+50S    | 0.5 | 27  | 32  | 4   | 1.6 | 4   | 28  | 12  | 67  | 87  |
| 8VWL 6+00S    | 0.1 | 4   | 90  | <3  | 0.1 | 5   | 22  | 1   | 13  | 28  |
| 8VWL 6+50S    | 0.1 | 14  | 24  | <3  | 0.3 | 2   | 17  | 5   | 41  | 59  |
| 8VWL 7+00S    | 0.1 | 4   | 80  | <3  | 0.1 | 4   | 12  | 2   | 18  | 44  |
| 8VWL 7+50S    | 0.1 | <3  | 19  | <3  | 0.1 | 3   | 14  | 2   | 19  | 27  |
| 8VWL 8+00S    | 0.5 | 13  | 16  | <3  | 0.1 | 6   | 24  | 8   | 27  | 26  |
| 8VWL 8+50S    | 1.1 | 18  | 20  | <3  | 1.1 | 5   | 56  | 9   | 87  | 45  |
| 8VWL 9+00S    | 0.1 | 7   | 17  | <3  | 0.1 | 3   | 12  | 2   | 18  | 21  |
| 8VWL 9+50S    | 0.1 | 12  | 53  | <3  | 2.1 | 8   | 35  | 4   | 56  | 204 |
| 8VWL 10+00S   | 0.1 | <3  | 29  | <3  | 0.1 | 1   | 28  | 1   | 7   | 59  |
| 8VWL 20+50N   | 1.1 | 26  | 21  | 3   | 1.1 | 4   | 27  | 8   | 58  | 75  |
| 8VWL 21+50N   | 0.1 | 27  | 27  | <3  | 1.1 | 4   | 23  | 7   | 50  | 73  |
| 8VWL 22+00N   | 0.1 | 8   | 36  | <3  | 0.1 | 2   | 9   | 2   | 15  | 50  |
| 8VWL 22+50N   | 0.5 | 10  | 115 | <3  | 0.3 | 8   | 19  | 1   | 49  | 96  |
| 8VWL 23+00N   | 1.1 | 35  | 45  | 3   | 2.1 | 5   | 32  | 8   | 68  | 91  |
| 8VWL 23+50N   | 0.1 | 17  | 23  | <3  | 0.8 | 2   | 13  | 4   | 36  | 56  |
| 8VWL 24+00N   | 0.1 | 21  | 59  | <3  | 1.3 | 5   | 26  | 8   | 48  | 72  |
| 8VWL 24+50N   | 0.1 | 29  | 72  | <3  | 0.5 | 6   | 31  | 2   | 55  | 132 |
| 8VWL 25+00N   | 0.1 | 13  | 22  | <3  | 0.3 | 4   | 18  | 3   | 35  | 40  |
| 8VWL 25+50N   | 0.1 | 21  | 78  | <3  | 0.7 | 6   | 15  | 3   | 47  | 102 |
| 8VWL 26+00N   | 0.2 | 36  | 39  | <3  | 0.3 | 3   | 14  | 5   | 98  | 72  |
| 8VWL 26+50N   | 0.1 | 18  | 74  | <3  | 0.1 | 2   | 14  | 2   | 61  | 59  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880936 PA

DREQUEST CONSULTANTS

Page 7 of 7

| Sample Number | Ag  | As  | Ba  | Bi | Cd  | Co | Cu  | Mo | Pb  | Zn  |
|---------------|-----|-----|-----|----|-----|----|-----|----|-----|-----|
| 8VWL 27+00N   | 0.3 | 10  | 212 | <3 | 0.6 | 6  | 16  | 3  | 77  | 232 |
| 8VWL 27+50N   | 0.3 | 244 | 110 | 4  | 1.1 | 6  | 30  | 6  | 323 | 613 |
| 8VWL 28+00N   | 0.9 | 114 | 89  | <3 | 0.8 | 10 | 27  | 4  | 253 | 524 |
| 8VWL 28+50N   | 0.1 | 17  | 88  | <3 | 0.8 | 4  | 23  | 2  | 44  | 85  |
| 8VWL 29+00N   | 0.3 | 8   | 297 | <3 | 0.4 | 10 | 23  | 1  | 23  | 80  |
| 8VWL 29+50N   | 0.1 | 9   | 207 | <3 | 0.6 | 8  | 13  | 1  | 20  | 55  |
| 8VWL 30+00N   | 0.3 | 14  | 197 | <3 | 1.4 | 9  | 14  | 2  | 23  | 56  |
| 8VWL 30+50N   | 0.3 | 6   | 219 | <3 | 0.3 | 7  | 14  | 1  | 18  | 58  |
| 8VWL 31+00N   | 0.1 | 6   | 148 | <3 | 0.1 | 7  | 11  | <1 | 16  | 48  |
| 8VWL 31+50N   | 0.1 | 8   | 188 | <3 | 0.4 | 9  | 14  | 1  | 18  | 66  |
| 8VWL 32+00N   | 0.4 | 9   | 214 | <3 | 0.8 | 10 | 16  | 1  | 21  | 54  |
| 8VWL 32+50N   | 0.1 | 10  | 120 | <3 | 0.5 | 8  | 15  | 1  | 21  | 46  |
| 9VWL 21+00N   | 0.3 | 15  | 121 | <3 | 0.8 | 10 | 18  | 4  | 41  | 94  |
| 9VWL 0+00S    | 0.4 | 13  | 299 | <3 | 0.8 | 11 | 27  | 1  | 24  | 80  |
| 9VWL 0+50S    | 0.5 | 11  | 292 | <3 | 0.9 | 10 | 29  | 1  | 21  | 73  |
| 9VWL 1+00S    | 0.9 | 13  | 144 | <3 | 1.6 | 13 | 71  | 2  | 25  | 86  |
| 9VWL 1+50S    | 1.5 | 20  | 306 | 3  | 1.5 | 21 | 100 | 2  | 37  | 160 |
| 9VWL 2+00S    | 1.1 | 17  | 159 | 3  | 0.9 | 17 | 95  | 2  | 28  | 131 |
| 9VWL 2+50S    | 1.1 | 20  | 177 | 3  | 1.7 | 18 | 67  | 2  | 29  | 95  |
| 9VWL 3+00S    | 0.9 | 14  | 104 | <3 | 1.2 | 14 | 50  | 1  | 25  | 77  |
| 9VWL 3+50S    | 0.9 | 14  | 112 | <3 | 0.9 | 13 | 90  | 3  | 28  | 75  |
| 9VWL 4+00S    | 0.4 | 11  | 83  | <3 | 0.5 | 11 | 35  | 2  | 24  | 78  |
| 9VWL 4+50S    | 1.1 | 12  | 44  | <3 | 0.5 | 12 | 59  | 2  | 20  | 57  |
| 9VWL 5+00S    | 0.1 | 5   | 36  | <3 | 0.1 | 4  | 27  | 1  | 10  | 58  |
| 9VWL 5+50S    | 1.5 | 10  | 18  | <3 | 0.1 | 8  | 30  | 2  | 21  | 26  |
| 9VWL 6+00S    | 1.1 | 20  | 182 | 4  | 2.1 | 17 | 56  | 4  | 57  | 193 |
| 9VWL 6+50S    | 0.4 | 12  | 46  | <3 | 0.6 | 6  | 19  | 12 | 30  | 100 |
| 9VWL 7+00S    | 1.1 | 19  | 85  | <3 | 1.2 | 10 | 26  | 9  | 39  | 202 |
| 9VWL 7+50S    | 0.1 | 13  | 48  | <3 | 0.5 | 2  | 16  | 10 | 44  | 81  |
| 9VWL 8+00S    | 0.4 | 17  | 121 | <3 | 1.1 | 9  | 46  | 4  | 39  | 121 |
| 9VWL 8+50S    | 1.1 | 16  | 117 | <3 | 0.9 | 11 | 31  | 3  | 31  | 88  |
| 9VWL 9+00S    | 0.9 | 18  | 158 | 3  | 1.6 | 15 | 69  | 1  | 27  | 118 |
| 9VWL 9+50S    | 0.3 | 21  | 141 | <3 | 0.9 | 7  | 21  | 5  | 65  | 139 |
| 9VWL 10+00S   | 0.4 | 16  | 319 | <3 | 0.8 | 11 | 30  | 1  | 25  | 82  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: SEPT 09 88  
REPORT#: 881077 GA  
JOB#: 881077

PROJECT#: PEZ-BAR VER/ADRIAN  
SAMPLES ARRIVED: Aug 24 1988  
REPORT COMPLETED: SEPT 09 88  
ANALYSED FOR: Au ICP(10.Element)

INVOICE#: 881077 NA  
TOTAL SAMPLES: 110  
SAMPLE TYPE: 110 SOIL  
REJECTS: DISCARDED

SAMPLES FROM: BRONSON CAMP  
COPY SENT TO: MR. BERNIE DEWONCK

PREPARED FOR: MR. BERNIE DEWONCK

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: BB1077 GA

JOB NUMBER: BB1077

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 3

| SAMPLE #      | Au<br>ppb |
|---------------|-----------|
| 09-VEL 0+00N  | 20        |
| 09-VEL 0+50N  | 20        |
| 09-VEL 1+00N  | 10        |
| 09-VEL 1+50N  | 30        |
| 09-VEL 2+00N  | 15        |
| 09-VEL 2+50N  | 20        |
| 09-VEL 3+00N  | 25        |
| 09-VEL 3+50N  | 25        |
| 09-VEL 4+00N  | 20        |
| 09-VEL 4+50N  | 15        |
| 09-VEL 5+00N  | 25        |
| 09-VEL 5+50N  | 35        |
| 09-VEL 6+00N  | 15        |
| 09-VEL 6+50N  | 25        |
| 09-VEL 7+00N  | 20        |
| 09-VEL 7+50N  | 25        |
| 09-VEL 8+00N  | 20        |
| 09-VEL 8+50N  | 20        |
| 09-VEL 9+00N  | 20        |
| 09-VEL 9+50N  | 20        |
| 09-VEL 10+00N | 25        |
| 09-VEL 10+50N | 30        |
| 09-VEL 11+00N | 15        |
| 09-VEL 11+50N | 25        |
| 09-VEL 12+00N | 20        |
| 09-VEL 12+50N | 20        |
| 09-VEL 13+00N | 30        |
| 09-VEL 13+50N | 20        |
| 09-VEL 14+00N | 20        |
| 09-VEL 14+50N | 15        |
| 09-VEL 15+00N | 15        |
| 09-VEL 15+50N | 25        |
| 09-VEL 16+00N | 15        |
| 09-VEL 16+50N | 20        |
| 09-VEL 17+00N | 15        |
| 09-VEL 17+50N | 25        |
| 09-VEL 18+00N | 20        |
| 10-VEL 0+00N  | 15        |
| 10-VEL 0+50N  | 15        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881077 GA

JOB NUMBER: 881077

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 3

| SAMPLE #     | Au<br>ppb |
|--------------|-----------|
| 10-VEL 1+00N | 20        |
| 10-VEL 1+50N | 20        |
| 10-VEL 2+00N | 15        |
| 10-VEL 2+50N | 20        |
| 10-VEL 3+00N | 20        |
| 10-VEL 3+50N | 15        |
| 10-VEL 4+00N | 20        |
| 10-VEL 4+50N | 15        |
| 10-VEL 5+00N | 10        |
| 10-VEL 5+50N | 10        |
| 10-VEL 6+00N | 20        |
| 10-VEL 6+50N | 15        |
| 10-VEL 7+00N | 25        |
| 10-VEL 7+50N | 10        |
| 10-VEL 8+00N | 10        |
| 10-VEL 8+50N | 10        |
| 10-VEL 9+00N | 20        |
| 10-VEL 9+50N | 20        |
| 10-VEL 0+00S | 25        |
| 10-VEL 0+50S | 20        |
| 10-VEL 1+50S | 15        |
| 10-VEL 2+00S | 20        |
| 10-VEL 3+00S | 15        |
| 10-VEL 3+50S | 25        |
| 10-VEL 4+00S | 25        |
| 10-VEL 4+50S | 20        |
| 10-VEL 5+00S | 20        |
| 10-VEL 5+50S | 10        |
| 10-VEL 6+00S | 30        |
| 10-VEL 6+50S | 35        |
| 10-VEL 7+00S | 75        |
| 10-VEL 7+50S | 45        |
| 10-VEL 8+00S | 30        |
| 10-VEL 8+50S | 30        |
| 10-VEL 9+00S | 30        |
| 11-VEL 0+00N | 20        |
| 11-VEL 0+50N | 15        |
| 11-VEL 1+00N | 10        |
| 11-VEL 1+50N | 10        |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881077 SA

JOB NUMBER: 881077

REQUEST CONSULTANTS LTD.

PAGE 3 OF 3

| SAMPLE #      | Au<br>ppb |
|---------------|-----------|
| 11-VEL 2+00N  | 15        |
| 11-VEL 2+50N  | 15        |
| 11-VEL 3+00N  | 20        |
| 11-VEL 3+50N  | 15        |
| 11-VEL 4+00N  | 20        |
|               |           |
| 11-VEL 4+50N  | 25        |
| 11-VEL 5+00N  | 20        |
| 11-VEL 5+50N  | 30        |
| 11-VEL 6+00N  | 25        |
| 11-VEL 6+50N  | 25        |
|               |           |
| 11-VEL 7+00N  | 20        |
| 11-VEL 7+50N  | 30        |
| 11-VEL 8+00N  | 20        |
| 11-VEL 8+50N  | 25        |
| 11-VEL 9+00N  | 15        |
|               |           |
| 11-VEL 11+50N | 15        |
| 11-VEL 0+50S  | 20        |
| 11-VEL 1+00S  | 20        |
| 11-VEL 1+50S  | 20        |
| 11-VEL 2+00S  | 15        |
|               |           |
| 11-VEL 2+50S  | 20        |
| 11-VEL 3+00S  | 25        |
| 11-VEL 3+50S  | 20        |
| 11-VEL 4+00S  | 10        |
| 11-VEL 4+50S  | 20        |
|               |           |
| 11-VEL 5+00S  | 30        |
| 11-VEL 5+50S  | 20        |
| 11-VEL 6+00S  | 30        |
| 11-VEL 6+50S  | 20        |
| 11-VEL 7+00S  | 20        |
|               |           |
| 11-VEL 7+50S  | 20        |
| 11-VEL 8+00S  | 30        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881077 PA

REQUEST

Page 1 of 3

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 09-VEL 0+00N  | 0.1 | 6   | 50  | <3  | 0.8 | 5   | 54  | 5   | 48  | 65  |
| 09-VEL 0+50N  | 0.1 | 8   | 17  | <3  | 1.3 | 2   | 19  | 15  | 77  | 71  |
| 09-VEL 1+00N  | 0.1 | 12  | 121 | <3  | 0.7 | 6   | 49  | 28  | 58  | 106 |
| 09-VEL 1+50N  | 0.1 | 30  | 63  | <3  | 1.1 | 13  | 67  | 26  | 59  | 108 |
| 09-VEL 2+00N  | 0.5 | <3  | 30  | <3  | 1.1 | 1   | 26  | 7   | 91  | 77  |
| 09-VEL 2+50N  | 0.1 | <3  | 45  | <3  | 0.5 | 7   | 57  | 7   | 55  | 97  |
| 09-VEL 3+00N  | 0.2 | 3   | 19  | 4   | 1.6 | 1   | 29  | 9   | 65  | 63  |
| 09-VEL 3+50N  | 0.2 | 9   | 11  | <3  | 0.7 | 4   | 26  | 7   | 70  | 58  |
| 09-VEL 4+00N  | 0.1 | 5   | 26  | <3  | 0.5 | 5   | 43  | 5   | 51  | 73  |
| 09-VEL 4+50N  | 0.3 | 10  | 138 | <3  | 0.8 | 10  | 48  | 8   | 58  | 96  |
| 09-VEL 5+00N  | 0.1 | 11  | 43  | <3  | 1.1 | 3   | 27  | 7   | 58  | 96  |
| 09-VEL 5+50N  | 0.3 | 6   | 11  | 4   | 2.1 | 4   | 31  | 11  | 97  | 69  |
| 09-VEL 6+00N  | 0.1 | 14  | 44  | <3  | 0.5 | 5   | 43  | 3   | 38  | 73  |
| 09-VEL 6+50N  | 0.3 | 10  | 14  | <3  | 0.6 | 6   | 46  | 9   | 72  | 64  |
| 09-VEL 7+00N  | 0.7 | 3   | 14  | <3  | 0.7 | 4   | 71  | 8   | 75  | 84  |
| 09-VEL 7+50N  | 0.2 | 5   | 13  | <3  | 1.1 | 2   | 28  | 9   | 69  | 59  |
| 09-VEL 8+00N  | 0.2 | 16  | 21  | <3  | 0.3 | 7   | 59  | 13  | 48  | 58  |
| 09-VEL 8+50N  | 0.1 | 6   | 14  | <3  | 0.5 | 2   | 28  | 7   | 62  | 61  |
| 09-VEL 9+00N  | 0.3 | 5   | 33  | <3  | 0.8 | 18  | 36  | 2   | 40  | 51  |
| 09-VEL 9+50N  | 0.1 | 8   | 16  | <3  | 0.6 | 3   | 32  | 9   | 65  | 74  |
| 09-VEL 10+00N | 0.4 | 15  | 14  | 5   | 2.2 | 5   | 46  | 14  | 94  | 61  |
| 09-VEL 10+50N | 0.3 | 5   | 23  | 4   | 2.1 | 4   | 49  | 9   | 79  | 69  |
| 09-VEL 11+00N | 0.1 | 8   | 20  | <3  | 1.6 | 3   | 30  | 8   | 58  | 51  |
| 09-VEL 11+50N | 0.1 | 7   | 40  | <3  | 0.5 | 11  | 36  | 3   | 40  | 82  |
| 09-VEL 12+00N | 0.1 | <3  | 51  | <3  | 0.7 | 7   | 37  | 3   | 45  | 81  |
| 09-VEL 12+50N | 0.1 | 8   | 96  | <3  | 0.3 | 16  | 24  | 3   | 35  | 94  |
| 09-VEL 13+00N | 0.1 | 3   | 60  | <3  | 0.8 | 14  | 82  | 5   | 48  | 91  |
| 09-VEL 13+50N | 0.4 | 8   | 13  | <3  | 1.1 | 4   | 25  | 11  | 85  | 60  |
| 09-VEL 14+00N | 0.5 | 12  | 9   | 4   | 1.8 | 5   | 31  | 15  | 101 | 73  |
| 09-VEL 14+50N | 0.1 | 18  | 41  | <3  | 0.5 | 6   | 26  | 3   | 41  | 81  |
| 09-VEL 15+00N | 0.2 | 9   | 44  | <3  | 0.8 | 4   | 21  | 11  | 65  | 97  |
| 09-VEL 15+50N | 0.2 | 38  | 288 | <3  | 0.7 | 3   | 30  | 5   | 70  | 230 |
| 09-VEL 16+00N | 0.1 | 15  | 26  | <3  | 0.7 | 3   | 47  | 5   | 62  | 75  |
| 09-VEL 16+50N | 0.2 | 20  | 33  | <3  | 1.1 | 5   | 29  | 9   | 74  | 86  |
| 09-VEL 17+00N | 0.3 | 15  | 23  | <3  | 1.1 | 2   | 21  | 9   | 82  | 71  |
| 09-VEL 17+50N | 0.1 | 27  | 37  | <3  | 0.8 | 4   | 37  | 6   | 59  | 95  |
| 09-VEL 18+00N | 0.1 | 13  | 29  | <3  | 0.8 | 3   | 21  | 7   | 63  | 53  |
| 10-VEL 0+00N  | 0.4 | 16  | 15  | 4   | 1.8 | 6   | 40  | 13  | 91  | 62  |
| 10-VEL 0+50N  | 0.3 | 9   | 14  | 3   | 1.8 | 2   | 25  | 10  | 89  | 63  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 10000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881077 PA

REQUEST

Page 2 of 3

| Sample Number | Ag  | As | Ba | Bi | Cd  | Co | Cu  | Mo | Pb | In  |
|---------------|-----|----|----|----|-----|----|-----|----|----|-----|
| 10-VEL 1+00N  | 0.1 | 3  | 30 | <3 | 0.6 | 17 | 36  | 3  | 26 | 79  |
| 10-VEL 1+50N  | 0.1 | 3  | 25 | <3 | 0.3 | 4  | 34  | 5  | 59 | 68  |
| 10-VEL 2+00N  | 0.1 | 5  | 16 | 6  | 1.1 | 3  | 32  | 7  | 63 | 60  |
| 10-VEL 2+50N  | 0.1 | <3 | 20 | <3 | 0.2 | 3  | 33  | 3  | 43 | 45  |
| 10-VEL 3+00N  | 0.1 | 3  | 29 | 9  | 2.1 | 2  | 32  | 10 | 75 | 71  |
| 10-VEL 3+50N  | 0.4 | <3 | 16 | <3 | 0.7 | 1  | 18  | 5  | 69 | 88  |
| 10-VEL 4+00N  | 0.1 | <3 | 48 | <3 | 0.2 | 1  | 24  | 4  | 61 | 67  |
| 10-VEL 4+50N  | 0.2 | <3 | 17 | <3 | 0.7 | 3  | 28  | 5  | 62 | 58  |
| 10-VEL 5+00N  | 0.1 | <3 | 45 | <3 | 0.2 | 5  | 33  | <1 | 27 | 43  |
| 10-VEL 5+50N  | 0.4 | 4  | 18 | 3  | 0.2 | 11 | 42  | 5  | 62 | 56  |
| 10-VEL 6+00N  | 0.1 | <3 | 21 | <3 | 0.7 | 15 | 39  | 3  | 80 | 106 |
| 10-VEL 6+50N  | 0.1 | 6  | 19 | 3  | 0.8 | 5  | 26  | 4  | 54 | 51  |
| 10-VEL 7+00N  | 0.2 | <3 | 11 | <3 | 0.7 | 3  | 27  | 6  | 66 | 48  |
| 10-VEL 7+50N  | 0.1 | 8  | 14 | <3 | 0.3 | 4  | 25  | 5  | 57 | 60  |
| 10-VEL 8+00N  | 0.1 | 3  | 9  | <3 | 0.1 | 6  | 25  | 3  | 51 | 33  |
| 10-VEL 8+50N  | 0.9 | <3 | 16 | <3 | 1.1 | 1  | 23  | 4  | 78 | 65  |
| 10-VEL 9+00N  | 0.1 | 4  | 12 | <3 | 0.6 | 3  | 18  | 6  | 59 | 49  |
| 10-VEL 9+50N  | 0.2 | 8  | 12 | 6  | 1.4 | 2  | 26  | 8  | 71 | 47  |
| 10-VEL 0+00S  | 0.1 | 4  | 43 | 5  | 1.1 | 32 | 122 | 3  | 39 | 80  |
| 10-VEL 0+50S  | 0.1 | 5  | 21 | <3 | 0.7 | 6  | 40  | 4  | 45 | 48  |
| 10-VEL 1+50S  | 0.1 | 3  | 32 | 5  | 0.7 | 16 | 37  | <1 | 26 | 54  |
| 10-VEL 2+00S  | 0.2 | 3  | 29 | 4  | 0.7 | 9  | 120 | 3  | 45 | 54  |
| 10-VEL 3+00S  | 0.2 | 9  | 16 | <3 | 0.5 | 5  | 38  | 6  | 53 | 50  |
| 10-VEL 3+50S  | 0.9 | <3 | 23 | <3 | 0.7 | 1  | 30  | 2  | 75 | 48  |
| 10-VEL 4+00S  | 0.3 | 10 | 11 | 7  | 1.5 | 4  | 31  | 9  | 77 | 51  |
| 10-VEL 4+50S  | 0.2 | 7  | 21 | 6  | 1.4 | 2  | 23  | 7  | 76 | 61  |
| 10-VEL 5+00S  | 0.1 | 9  | 22 | <3 | 0.7 | 6  | 40  | 6  | 50 | 60  |
| 10-VEL 5+50S  | 0.1 | 6  | 19 | <3 | 0.6 | 3  | 32  | 8  | 56 | 42  |
| 10-VEL 6+00S  | 0.1 | 57 | 78 | <3 | 0.3 | 8  | 39  | 24 | 41 | 129 |
| 10-VEL 6+50S  | 0.1 | 9  | 20 | 4  | 1.4 | 13 | 58  | 3  | 36 | 82  |
| 10-VEL 7+00S  | 0.3 | 17 | 18 | <3 | 0.2 | 10 | 52  | 4  | 47 | 51  |
| 10-VEL 7+50S  | 0.1 | 18 | 65 | <3 | 0.7 | 12 | 76  | 7  | 57 | 96  |
| 10-VEL 8+00S  | 0.2 | 9  | 25 | 3  | 0.7 | 4  | 46  | 7  | 62 | 63  |
| 10-VEL 8+50S  | 0.1 | 11 | 14 | <3 | 0.7 | 3  | 29  | 9  | 55 | 59  |
| 10-VEL 9+00S  | 0.3 | 7  | 24 | <3 | 0.8 | 2  | 29  | 6  | 71 | 53  |
| 11-VEL 0+00N  | 0.2 | 7  | 47 | <3 | 0.7 | 6  | 45  | 6  | 60 | 135 |
| 11-VEL 0+50N  | 0.1 | 7  | 23 | 4  | 1.2 | 11 | 45  | 1  | 30 | 54  |
| 11-VEL 1+00N  | 0.1 | 15 | 20 | <3 | 1.1 | 15 | 73  | 8  | 45 | 60  |
| 11-VEL 1+50N  | 0.2 | 14 | 18 | <3 | 0.3 | 10 | 34  | 4  | 42 | 56  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881077 PA

REQUEST

Page 3 of 3

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 11-VEL 2+00N      | 0.3  | <3   | 17   | 5    | 1.3   | 2     | 31    | 5    | 63    | 71    |
| 11-VEL 2+50N      | 0.1  | <3   | 64   | <3   | 1.1   | 16    | 44    | 6    | 31    | 107   |
| 11-VEL 3+00N      | 0.1  | 3    | 29   | <3   | 0.8   | 10    | 44    | 5    | 62    | 86    |
| 11-VEL 3+50N      | 0.1  | 4    | 67   | <3   | 0.7   | 3     | 29    | 5    | 47    | 92    |
| 11-VEL 4+00N      | 0.1  | 8    | 16   | 6    | 1.5   | 3     | 31    | 8    | 67    | 65    |
| 11-VEL 4+50N      | 0.1  | 7    | 22   | 3    | 0.8   | 4     | 26    | 7    | 54    | 86    |
| 11-VEL 5+00N      | 0.1  | 7    | 12   | 3    | 1.1   | 3     | 23    | 7    | 55    | 74    |
| 11-VEL 5+50N      | 0.3  | <3   | 230  | <3   | 0.5   | 3     | 34    | 5    | 58    | 178   |
| 11-VEL 6+00N      | 0.4  | 4    | 16   | 4    | 0.8   | 5     | 35    | 6    | 68    | 71    |
| 11-VEL 6+50N      | 0.3  | 12   | 13   | 8    | 1.1   | 6     | 37    | 12   | 63    | 75    |
| 11-VEL 7+00N      | 0.1  | 22   | 39   | 3    | 1.1   | 18    | 116   | 1    | 35    | 92    |
| 11-VEL 7+50N      | 0.1  | 5    | 22   | 3    | 1.1   | 6     | 33    | 5    | 54    | 66    |
| 11-VEL 8+00N      | 0.3  | 5    | 12   | 3    | 0.7   | 4     | 27    | 6    | 65    | 61    |
| 11-VEL 8+50N      | 0.1  | 6    | 11   | 3    | 0.7   | 2     | 18    | 7    | 55    | 66    |
| 11-VEL 9+00N      | 0.1  | 12   | 15   | 3    | 1.1   | 3     | 22    | 6    | 51    | 79    |
| 11-VEL 11+50N     | 0.1  | 6    | 10   | <3   | 0.6   | 3     | 25    | 7    | 49    | 60    |
| 11-VEL 0+50S      | 0.1  | <3   | 23   | <3   | 0.5   | 6     | 33    | 3    | 42    | 52    |
| 11-VEL 1+00S      | 0.1  | <3   | 13   | <3   | 0.5   | 4     | 51    | 3    | 39    | 62    |
| 11-VEL 1+50S      | 0.1  | 4    | 26   | <3   | 0.3   | 4     | 44    | 2    | 37    | 73    |
| 11-VEL 2+00S      | 0.1  | 4    | 11   | <3   | 0.3   | 2     | 19    | 6    | 43    | 59    |
| 11-VEL 2+50S      | 0.1  | 19   | 65   | 3    | 0.8   | 13    | 33    | 16   | 33    | 83    |
| 11-VEL 3+00S      | 0.3  | 5    | 26   | 3    | 0.8   | 3     | 29    | 7    | 60    | 55    |
| 11-VEL 3+50S      | 0.3  | 5    | 11   | <3   | 0.7   | 3     | 25    | 8    | 64    | 68    |
| 11-VEL 4+00S      | 0.1  | <3   | 26   | <3   | 0.1   | 1     | 21    | 2    | 36    | 43    |
| 11-VEL 4+50S      | 0.3  | 11   | 12   | <3   | 0.8   | 1     | 25    | 21   | 50    | 70    |
| 11-VEL 5+00S      | 0.1  | 35   | 102  | <3   | 1.1   | 9     | 67    | 25   | 37    | 105   |
| 11-VEL 5+50S      | 0.1  | 11   | 18   | <3   | 0.2   | 5     | 26    | 11   | 42    | 73    |
| 11-VEL 6+00S      | 0.1  | <3   | 61   | <3   | 0.1   | 5     | 23    | 3    | 26    | 76    |
| 11-VEL 6+50S      | 0.3  | 3    | 14   | <3   | 0.8   | 2     | 19    | 5    | 69    | 61    |
| 11-VEL 7+00S      | 0.1  | 7    | 34   | <3   | 0.8   | 5     | 34    | 4    | 53    | 72    |
| 11-VEL 7+50S      | 0.3  | 7    | 27   | 3    | 1.1   | 4     | 41    | 6    | 56    | 51    |
| 11-VEL 8+00S      | 0.1  | 4    | 72   | <3   | 0.1   | 10    | 26    | 3    | 25    | 61    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: August 30 1988  
REPORT#: 880937 GA  
JOB#: 880937

PROJECT#: Pez-Ver  
SAMPLES ARRIVED: Aug 10 1988  
REPORT COMPLETED: August 30 1988  
ANALYSED FOR: Au (10 Element) ICP

INVOICE#: 880937 NA  
TOTAL SAMPLES: 205  
SAMPLE TYPE: Soil  
REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Bronson Camp & Vancouver Office

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: Invoice sent to Vancouver Office



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880937

JOB NUMBER: 880937

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 6

| SAMPLE #   | Au |
|------------|----|
| SVL 0+00N  | 10 |
| SVL 0+50N  | 10 |
| SVL 1+00N  | 10 |
| SVL 1+50N  | 20 |
| SVL 2+00N  | 15 |
| SVL 2+50N  | 20 |
| SVL 3+00N  | 15 |
| SVL 3+50N  | 25 |
| SVL 4+00N  | 25 |
| SVL 4+50N  | 15 |
| SVL 5+00N  | 10 |
| SVL 5+50N  | 15 |
| SVL 6+00N  | 5  |
| SVL 6+50N  | 10 |
| SVL 7+00N  | 10 |
| SVL 7+50N  | 5  |
| SVL 8+00N  | 10 |
| SVL 8+50N  | 10 |
| SVL 9+00N  | 5  |
| SVL 9+50N  | 15 |
| SVL 10+00N | 20 |
| SVL 10+50N | 5  |
| SVL 11+00N | 15 |
| SVL 11+50N | 10 |
| SVL 12+00N | 10 |
| SVL 12+50N | nd |
| SVL 13+00N | 15 |
| SVL 13+50N | 5  |
| SVL 14+00N | 10 |
| SVL 14+50N | 10 |
| SVL 15+00N | 10 |
| 6VL 0+00N  | 10 |
| 6VL 0+50N  | 10 |
| 6VL 1+00N  | 15 |
| 6VL 1+50N  | 10 |
| 6VL 2+00N  | nd |
| 6VL 2+50N  | 10 |
| 6VL 3+00N  | 10 |
| 6VL 3+50N  | 10 |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

---

REPORT NUMBER: 880937 6A

JOB NUMBER: 880937

DREQUEST CONSULTANTS LTD.

PAGE 2 OF 6

| SAMPLE #   | Au<br>ppb |
|------------|-----------|
| EVL 4+00N  | 20        |
| EVL 4+50N  | nd        |
| EVL 5+00N  | 5         |
| EVL 5+50N  | 5         |
| EVL 6+00N  | 5         |
| EVL 6+50N  | nd        |
| EVL 7+00N  | 10        |
| EVL 7+50N  | 10        |
| EVL 8+00N  | 5         |
| EVL 8+50N  | 10        |
| EVL 9+00N  | 10        |
| EVL 10+50N | 10        |
| EVL 11+50N | nd        |
| EVL 16+00N | nd        |
| EVL 16+50N | 10        |
| EVL 17+00N | 5         |
| EVL 17+50N | 5         |
| EVL 18+00N | 10        |
| EVL 18+50N | 20        |
| EVL 19+00N | 5         |
| EVL 19+50N | 10        |
| EVL 20+00N | 10        |
| EVL 20+50N | 15        |
| EVL 21+00N | 10        |
| EVL 21+50N | 65        |
| EVL 22+00N | 25        |
| EVL 22+50N | 20        |
| EVL 23+00N | nd        |
| EVL 23+50N | 10        |
| EVL 24+00N | 15        |
| EVL 24+50N | 20        |
| EVL 25+00N | 20        |
| EVL 25+50N | 10        |
| EVL 26+00N | 15        |
| EVL 26+50N | 10        |
| EVL 27+00N | 5         |
| EVL 27+50N | 10        |
| EVL 28+00N | 10        |
| EVL 28+50N | 10        |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: BB0937 GA

JOB NUMBER: BB0937

DREQUEST CONSULTANTS LTD.

PAGE 3 OF 6

| SAMPLE #   | Au<br>ppb |
|------------|-----------|
| 6VL 29+00N | 15        |
| 6VL 29+50N | 5         |
| 6VL 30+00N | 10        |
| 6VL 30+50N | nd        |
| 6VL 31+00N | nd        |
| 6VL 33+00N | nd        |
| 6VL 33+50N | 5         |
| 6VL 34+00N | nd        |
| 6VL 34+50N | nd        |
| 6VL 35+00N | 20        |
| 7VL 0+00N  | 20        |
| 7VL 0+50N  | nd        |
| 7VL 1+50N  | 10        |
| 7VL 2+00N  | nd        |
| 7VL 2+50N  | 10        |
| 7VL 3+00N  | 20        |
| 7VL 3+50N  | nd        |
| 7VL 4+00N  | nd        |
| 7VL 4+50N  | nd        |
| 7VL 5+00N  | 5         |
| 7VL 5+50N  | 20        |
| 7VL 6+00N  | 25        |
| 7VL 6+50N  | 30        |
| 7VL 7+00N  | 15        |
| 7VL 7+50N  | 35        |
| 7VL 8+00N  | nd        |
| 7VL 8+50N  | nd        |
| 7VL 9+00N  | 10        |
| 7VL 9+50N  | 20        |
| 7VL 10+00N | 10        |
| 7VL 11+50N | 20        |
| 7VL 12+00N | 15        |
| 7VL 12+50N | 10        |
| 7VL 13+00N | 20        |
| 7VL 13+50N | 15        |
| 7VL 14+00N | nd        |
| 7VL 14+50N | 20        |
| 7VL 15+00N | 10        |
| BVL 0+00N  | nd        |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880937 6A

JOB NUMBER: 880937

DREQUEST CONSULTANTS LTD.

PAGE 4 OF 6

| SAMPLE #  | Au<br>ppb |
|-----------|-----------|
| BVL 0+0N  | 5         |
| BVL 1+0N  | 5         |
| BVL 2+0N  | 20        |
| BVL 2+5N  | 10        |
| BVL 3+0N  | 10        |
| BVL 3+5N  | 10        |
| BVL 4+0N  | 5         |
| BVL 4+5N  | 30        |
| BVL 5+0N  | 5         |
| BVL 5+5N  | 25        |
| BVL 6+0N  | 20        |
| BVL 6+5N  | nd        |
| BVL 7+0N  | 20        |
| BVL 7+5N  | 15        |
| BVL 8+0N  | 20        |
| BVL 8+5N  | 10        |
| BVL 9+0N  | 10        |
| BVL 9+5N  | 15        |
| BVL 10+0N | 15        |
| BVL 10+5N | 15        |
| BVL 11+0N | 15        |
| BVL 11+5N | 5         |
| BVL 12+5N | nd        |
| BVL 13+0N | 30        |
| BVL 13+5N | nd        |
| BVL 14+0N | 35        |
| BVL 14+5N | 5         |
| BVL 15+0N | 10        |
| BVL 15+5N | 20        |
| BVL 16+0N | 10        |
| BVL 16+5N | 25        |
| BVL 17+0N | nd        |
| BVL 17+5N | 5         |
| BVL 18+0N | 10        |
| BVL 18+5N | 10        |
| BVL 19+0N | 25        |
| BVL 19+5N | 20        |
| BVL 20+0N | 25        |
| BVL 0+0N  | 5         |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 880937 GA

JOB NUMBER: 880937

DREQUEST CONSULTANTS LTD.

PAGE 5 OF 6

| SAMPLE #   | Au<br>ppb |
|------------|-----------|
| 9VL 0+50N  | nd        |
| 9VL 1+00N  | nd        |
| 9VL 1+50N  | 10        |
| 9VL 2+00N  | nd        |
| 9VL 2+50N  | nd        |
| 9VL 3+00N  | nd        |
| 9VL 3+50N  | nd        |
| 9VL 4+00N  | 20        |
| 9VL 4+50N  | 10        |
| 9VL 5+00N  | nd        |
| 9VL 5+50N  | 20        |
| 9VL 6+00N  | 10        |
| 9VL 6+50N  | 5         |
| 9VL 7+00N  | nd        |
| 9VL 7+50N  | nd        |
| 9VL 8+00N  | nd        |
| 9VL 8+50N  | nd        |
| 9VL 9+00N  | nd        |
| 9VL 9+50N  | nd        |
| 9VL 10+00N | 10        |
| 9VL 10+50N | 30        |
| 9VL 11+00N | 5         |
| 9VL 11+50N | 20        |
| 9VL 12+00N | 15        |
| 9VL 12+50N | 15        |
| 9VL 13+00N | 20        |
| 9VL 13+50N | 10        |
| 9VL 14+00N | 20        |
| 9VL 14+50N | nd        |
| 9VL 15+00N | 20        |
| 9VL 15+50N | 30        |
| 9VL 16+00N | 20        |
| 9VL 16+50N | 15        |
| 9VL 17+00N | nd        |
| 9VL 17+50N | 10        |
| 9VL 18+00N | 5         |
| 9VL 18+50N | 20        |
| 9VL 19+00N | 5         |
| 9VL 19+50N | nd        |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

---

REPORT NUMBER: 880937 GA

JOB NUMBER: 880937

DREQUEST CONSULTANTS LTD.

PAGE 6 OF 8

| SAMPLE #   | Au  |
|------------|-----|
|            | ppb |
| 9VL 20+50N | 30  |
| 9VL 21+00N | nd  |
| 9VL 21+50N | 25  |
| 9VL 22+00N | 10  |
| 9VL 22+50N | nd  |
| 9VL 23+00N | nd  |
| 9VL 23+50N | nd  |
| 9VL 24+00N | 5   |
| 9VL 24+50N | nd  |
| 9VL 25+00N | 15  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: BB0937 PA

REQUEST

Page 1 of 6

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| SVL 0+00N     | 0.5 | 19  | 23  | <3  | 0.5 | 3   | 27  | 6   | 54  | 62  |
| SVL 0+50N     | 0.1 | 6   | 33  | <3  | 0.1 | 2   | 14  | 1   | 11  | 30  |
| SVL 1+00N     | 0.1 | 9   | 70  | <3  | 0.6 | 5   | 24  | 3   | 26  | 66  |
| SVL 1+50N     | 0.3 | 10  | 52  | <3  | 0.8 | 4   | 22  | 5   | 44  | 74  |
| SVL 2+00N     | 2.4 | 14  | 66  | <3  | 0.3 | 3   | 24  | 5   | 54  | 113 |
| SVL 2+50N     | 0.1 | 8   | 371 | <3  | 0.3 | 3   | 18  | 2   | 21  | 64  |
| SVL 3+00N     | 0.1 | 3   | 156 | <3  | 0.1 | 2   | 12  | 1   | 17  | 25  |
| SVL 3+50N     | 0.1 | 33  | 29  | 6   | 2.4 | 4   | 38  | 9   | 53  | 55  |
| SVL 4+00N     | 0.1 | 17  | 55  | 3   | 1.1 | 3   | 22  | 6   | 52  | 56  |
| SVL 4+50N     | 0.1 | 8   | 51  | <3  | 0.6 | 9   | 23  | 1   | 24  | 66  |
| SVL 5+00N     | 0.3 | 17  | 33  | <3  | 0.6 | 3   | 22  | 5   | 45  | 59  |
| SVL 5+50N     | 0.3 | 16  | 32  | <3  | 0.8 | 3   | 26  | 6   | 52  | 54  |
| SVL 6+00N     | 0.1 | 8   | 40  | <3  | 0.5 | 4   | 27  | 3   | 32  | 55  |
| SVL 6+50N     | 0.1 | 10  | 59  | 3   | 0.8 | 4   | 25  | 6   | 38  | 62  |
| SVL 7+00N     | 0.1 | 6   | 63  | <3  | 0.5 | 4   | 21  | 2   | 31  | 56  |
| SVL 7+50N     | 0.1 | 18  | 30  | <3  | 1.1 | 3   | 24  | 6   | 45  | 42  |
| SVL 8+00N     | 0.1 | 9   | 66  | <3  | 0.6 | 3   | 19  | 4   | 22  | 29  |
| SVL 8+50N     | 2.2 | 13  | 37  | <3  | 1.1 | 2   | 22  | 6   | 61  | 82  |
| SVL 9+00N     | 0.8 | 13  | 53  | 4   | 1.2 | 21  | 23  | 1   | 25  | 81  |
| SVL 9+50N     | 0.3 | 15  | 33  | <3  | 0.3 | 5   | 21  | 4   | 35  | 41  |
| SVL 10+00N    | 1.2 | 15  | 30  | <3  | 0.5 | 2   | 33  | 5   | 57  | 65  |
| SVL 10+50N    | 0.8 | 9   | 44  | <3  | 1.1 | 4   | 32  | 5   | 53  | 77  |
| SVL 11+00N    | 1.2 | 11  | 53  | <3  | 1.2 | 2   | 24  | 5   | 56  | 103 |
| SVL 11+50N    | 3.1 | 26  | 24  | 5   | 2.1 | 3   | 29  | 19  | 87  | 99  |
| SVL 12+00N    | 0.1 | 11  | 131 | 3   | 1.2 | 9   | 21  | 2   | 28  | 54  |
| SVL 12+50N    | 4.1 | 9   | 28  | <3  | 1.1 | 1   | 21  | 4   | 74  | 62  |
| SVL 13+00N    | 3.5 | 22  | 18  | 5   | 2.1 | 3   | 25  | 9   | 87  | 45  |
| SVL 13+50N    | 1.7 | 41  | 13  | 8   | 2.9 | 4   | 35  | 11  | 97  | 56  |
| SVL 14+00N    | 4.5 | 16  | 19  | 4   | 1.5 | 2   | 26  | 6   | 89  | 58  |
| SVL 14+50N    | 3.1 | 14  | 21  | 3   | 1.1 | 2   | 20  | 6   | 70  | 66  |
| SVL 15+00N    | 5.9 | 9   | 35  | <3  | 1.2 | 2   | 25  | 7   | 73  | 71  |
| GVL 0+00N     | 0.1 | 18  | 87  | <3  | 0.5 | 9   | 18  | 1   | 18  | 64  |
| GVL 0+50N     | 0.1 | 11  | 73  | <3  | 0.6 | 7   | 18  | 1   | 14  | 50  |
| GVL 1+00N     | 0.1 | 20  | 51  | <3  | 0.6 | 3   | 28  | 7   | 41  | 52  |
| GVL 1+50N     | 0.1 | 14  | 60  | <3  | 0.2 | 5   | 24  | 2   | 25  | 51  |
| GVL 2+00N     | 0.1 | 5   | 84  | <3  | 0.3 | 5   | 11  | <1  | 13  | 36  |
| GVL 2+50N     | 0.1 | 7   | 71  | <3  | 0.3 | 5   | 17  | 2   | 21  | 58  |
| GVL 3+00N     | 0.1 | 9   | 35  | <3  | 0.3 | 5   | 12  | 1   | 13  | 30  |
| GVL 3+50N     | 0.1 | 11  | 78  | <3  | 0.3 | 7   | 18  | 4   | 21  | 59  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880937 PA

OREQUEST

Page 2 of 6

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 6VL 4+00N     | 0.5 | 16  | 46  | <3  | 0.6 | 6   | 22  | 15  | 45  | 76  |
| 6VL 4+50N     | 0.5 | 16  | 30  | 4   | 1.1 | 7   | 18  | 2   | 21  | 26  |
| 6VL 5+00N     | 0.1 | 8   | 177 | <3  | 0.3 | 8   | 26  | 4   | 29  | 73  |
| 6VL 5+50N     | 0.5 | 14  | 29  | <3  | 0.8 | 5   | 19  | 4   | 27  | 33  |
| 6VL 6+00N     | 0.1 | 12  | 28  | <3  | 0.3 | 4   | 11  | 1   | 14  | 22  |
| 6VL 6+50N     | 0.1 | 17  | 84  | <3  | 1.2 | 6   | 21  | 16  | 36  | 81  |
| 6VL 7+00N     | 0.4 | 23  | 52  | <3  | 1.1 | 5   | 22  | 13  | 37  | 68  |
| 6VL 7+50N     | 1.6 | 14  | 252 | 4   | 1.2 | 15  | 31  | 10  | 26  | 57  |
| 6VL 8+00N     | 0.1 | 11  | 43  | <3  | 0.2 | 3   | 15  | 3   | 15  | 29  |
| 6VL 8+50N     | 0.1 | 7   | 55  | <3  | 0.1 | 2   | 9   | 2   | 12  | 31  |
| 6VL 9+00N     | 1.3 | 10  | 61  | <3  | 0.7 | 4   | 26  | 6   | 44  | 68  |
| 6VL 10+50N    | 0.1 | 5   | 702 | <3  | 0.7 | 9   | 47  | 1   | 18  | 83  |
| 6VL 11+50N    | 0.1 | 5   | 119 | <3  | 0.1 | 3   | 8   | <1  | 9   | 26  |
| 6VL 16+00N    | 0.1 | 4   | 38  | <3  | 0.2 | 1   | 46  | 1   | 8   | 59  |
| 6VL 16+50N    | 0.4 | 10  | 187 | <3  | 0.5 | 9   | 37  | 1   | 15  | 54  |
| 6VL 17+00N    | 0.1 | 13  | 44  | <3  | 0.3 | 2   | 23  | 4   | 36  | 72  |
| 6VL 17+50N    | 0.1 | 6   | 39  | <3  | 0.1 | 4   | 16  | 2   | 19  | 29  |
| 6VL 18+00N    | 0.1 | 8   | 22  | <3  | 0.1 | 3   | 11  | 2   | 15  | 22  |
| 6VL 18+50N    | 1.3 | 15  | 31  | <3  | 0.7 | 5   | 27  | 7   | 48  | 99  |
| 6VL 19+00N    | 0.1 | 6   | 20  | <3  | 0.1 | 2   | 11  | 2   | 12  | 28  |
| 6VL 19+50N    | 0.5 | 14  | 76  | <3  | 1.1 | 6   | 30  | 7   | 40  | 120 |
| 6VL 20+00N    | 0.9 | 24  | 26  | 4   | 1.5 | 4   | 31  | 10  | 52  | 74  |
| 6VL 20+50N    | 0.5 | 27  | 27  | <3  | 0.7 | 4   | 24  | 5   | 38  | 58  |
| 6VL 21+00N    | 0.6 | 7   | 35  | <3  | 0.1 | 7   | 24  | 2   | 16  | 24  |
| 6VL 21+50N    | 0.1 | 16  | 81  | <3  | 1.1 | 16  | 52  | 4   | 27  | 106 |
| 6VL 22+00N    | 1.3 | 17  | 265 | 5   | 1.5 | 23  | 63  | 2   | 26  | 95  |
| 6VL 22+50N    | 0.1 | 16  | 44  | <3  | 0.3 | 3   | 18  | 10  | 38  | 97  |
| 6VL 23+00N    | 0.4 | 4   | 47  | <3  | 0.1 | 6   | 14  | 1   | 12  | 26  |
| 6VL 23+50N    | 0.1 | 6   | 13  | <3  | 0.1 | 2   | 10  | <1  | 7   | 18  |
| 6VL 24+00N    | 0.1 | 5   | 30  | <3  | 0.1 | 2   | 6   | <1  | 8   | 30  |
| 6VL 24+50N    | 1.9 | 30  | 19  | 4   | 1.2 | 6   | 30  | 12  | 64  | 50  |
| 6VL 25+00N    | 2.4 | 41  | 16  | 8   | 2.6 | 5   | 31  | 11  | 84  | 61  |
| 6VL 25+50N    | 1.3 | 31  | 21  | 4   | 2.1 | 3   | 28  | 7   | 74  | 83  |
| 6VL 26+00N    | 0.6 | 23  | 35  | 3   | 1.1 | 3   | 20  | 6   | 53  | 49  |
| 6VL 26+50N    | 0.1 | 5   | 55  | <3  | 0.1 | 3   | 8   | 1   | 13  | 31  |
| 6VL 27+00N    | 0.4 | 24  | 40  | <3  | 1.1 | 3   | 18  | 20  | 49  | 97  |
| 6VL 27+50N    | 0.1 | 16  | 92  | <3  | 0.2 | 9   | 23  | 3   | 21  | 106 |
| 6VL 28+00N    | 0.1 | 21  | 258 | <3  | 0.2 | 11  | 31  | 3   | 29  | 92  |
| 6VL 28+50N    | 0.1 | 7   | 78  | <3  | 0.2 | 5   | 12  | 1   | 13  | 41  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880937 PA

REQUEST

Page 3 of 6

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 6VL 29+00N        | 0.2  | 731  | 82   | <3   | 0.1   | 15    | 37    | 3    | 100   | 115   |
| 6VL 29+50N        | 0.1  | 83   | 182  | <3   | 0.6   | 12    | 23    | 2    | 24    | 75    |
| 6VL 30+00N        | 0.2  | 22   | 101  | <3   | 0.2   | 7     | 15    | 1    | 18    | 52    |
| 6VL 30+50N        | 0.1  | 14   | 121  | <3   | 0.2   | 7     | 15    | <1   | 18    | 63    |
| 6VL 31+00N        | 0.1  | 6    | 381  | <3   | 0.2   | 7     | 20    | 1    | 23    | 92    |
| 6VL 33+00N        | 0.1  | 14   | 81   | <3   | 0.7   | 7     | 17    | 1    | 22    | 63    |
| 6VL 33+50N        | 0.2  | 14   | 165  | <3   | 1.1   | 9     | 24    | 1    | 19    | 65    |
| 6VL 34+00N        | 0.2  | 4    | 176  | <3   | 0.2   | 8     | 19    | 1    | 14    | 53    |
| 6VL 34+50N        | 0.3  | 5    | 162  | <3   | 0.5   | 8     | 15    | 1    | 14    | 50    |
| 6VL 35+00N        | 0.2  | 20   | 163  | <3   | 1.1   | 14    | 38    | 2    | 38    | 97    |
| 7VL 0+00N         | 0.5  | 13   | 198  | 3    | 1.4   | 12    | 31    | 1    | 22    | 82    |
| 7VL 0+50N         | 0.1  | 7    | 92   | <3   | 1.1   | 8     | 15    | 1    | 17    | 53    |
| 7VL 1+50N         | 0.1  | 13   | 61   | 3    | 1.4   | 7     | 16    | 1    | 16    | 52    |
| 7VL 2+00N         | 0.3  | 4    | 149  | <3   | 0.2   | 8     | 13    | <1   | 14    | 55    |
| 7VL 2+50N         | 0.2  | 9    | 111  | <3   | 1.4   | 7     | 16    | 2    | 16    | 42    |
| 7VL 3+00N         | 0.5  | 12   | 41   | <3   | 0.2   | 3     | 18    | 8    | 38    | 52    |
| 7VL 3+50N         | 0.1  | 21   | 39   | <3   | 0.2   | 3     | 20    | 7    | 26    | 44    |
| 7VL 4+00N         | 0.7  | 22   | 50   | <3   | 1.1   | 6     | 32    | 9    | 50    | 96    |
| 7VL 4+50N         | 0.3  | 3    | 90   | <3   | 0.1   | 5     | 24    | 21   | 34    | 97    |
| 7VL 5+00N         | 0.3  | 14   | 59   | <3   | 0.7   | 7     | 31    | 5    | 37    | 64    |
| 7VL 5+50N         | 0.2  | 12   | 61   | <3   | 0.8   | 7     | 33    | 5    | 35    | 64    |
| 7VL 6+00N         | 0.5  | 12   | 52   | <3   | 0.7   | 4     | 29    | 5    | 38    | 60    |
| 7VL 6+50N         | 3.5  | 27   | 26   | 3    | 1.2   | 2     | 18    | 15   | 76    | 82    |
| 7VL 7+00N         | 1.7  | 37   | 16   | 5    | 2.1   | 3     | 26    | 12   | 83    | 86    |
| 7VL 7+50N         | 2.3  | 36   | 18   | 6    | 2.2   | 3     | 23    | 14   | 86    | 84    |
| 7VL 8+00N         | 0.2  | 14   | 97   | <3   | 0.7   | 11    | 35    | 10   | 33    | 96    |
| 7VL 8+50N         | 0.3  | 9    | 55   | <3   | 0.3   | 3     | 16    | 8    | 41    | 76    |
| 7VL 9+00N         | 0.1  | 3    | 27   | <3   | 0.1   | 3     | 8     | 5    | 16    | 23    |
| 7VL 9+50N         | 0.5  | 10   | 39   | <3   | 0.5   | 4     | 14    | 4    | 21    | 30    |
| 7VL 10+00N        | 0.1  | 16   | 197  | <3   | 1.2   | 20    | 30    | 13   | 22    | 71    |
| 7VL 11+50N        | 1.4  | 16   | 98   | <3   | 1.1   | 5     | 30    | 6    | 47    | 93    |
| 7VL 12+00N        | 0.1  | 18   | 72   | <3   | 0.3   | 9     | 26    | 5    | 34    | 98    |
| 7VL 12+50N        | 2.1  | 21   | 43   | <3   | 0.7   | 3     | 20    | 7    | 57    | 91    |
| 7VL 13+00N        | 1.2  | 14   | 79   | <3   | 0.7   | 4     | 17    | 5    | 50    | 68    |
| 7VL 13+50N        | 0.5  | 12   | 39   | <3   | 0.3   | 4     | 26    | 9    | 54    | 81    |
| 7VL 14+00N        | 0.1  | 5    | 87   | <3   | 0.2   | 5     | 10    | 1    | 11    | 33    |
| 7VL 14+50N        | 2.3  | 27   | 84   | 3    | 1.5   | 3     | 28    | 10   | 70    | 123   |
| 7VL 15+00N        | 0.3  | 15   | 45   | <3   | 1.2   | 6     | 63    | 3    | 24    | 32    |
| 8VL 0+00N         | 0.2  | 15   | 138  | 3    | 1.5   | 10    | 27    | 2    | 23    | 74    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880937 PA

## REQUEST

Page 4 of 6

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| BVL 0+50N     | 0.1 | 10  | 135 | <3  | 0.8 | 9   | 20  | 2   | 15  | 61  |
| BVL 1+00N     | 0.1 | 9   | 163 | <3  | 0.6 | 9   | 21  | 1   | 15  | 75  |
| BVL 2+00N     | 0.1 | 13  | 147 | <3  | 0.5 | 8   | 14  | 1   | 33  | 63  |
| BVL 2+50N     | 0.1 | 13  | 58  | <3  | 0.7 | 6   | 11  | 2   | 10  | 43  |
| BVL 3+00N     | 0.1 | 9   | 143 | <3  | 0.2 | 7   | 12  | 1   | 11  | 50  |
| BVL 3+50N     | 0.1 | 5   | 179 | <3  | 0.5 | 10  | 25  | 1   | 20  | 87  |
| BVL 4+00N     | 0.1 | 7   | 141 | <3  | 0.8 | 9   | 23  | 6   | 33  | 97  |
| BVL 4+50N     | 0.5 | 6   | 80  | 4   | 2.1 | 5   | 20  | 8   | 63  | 78  |
| BVL 5+00N     | 0.1 | 14  | 72  | <3  | 0.8 | 9   | 26  | 3   | 31  | 61  |
| BVL 5+50N     | 0.1 | 8   | 76  | <3  | 0.6 | 6   | 23  | 5   | 29  | 61  |
| BVL 6+00N     | 1.2 | 13  | 53  | 5   | 2.1 | 9   | 29  | 10  | 47  | 63  |
| BVL 6+50N     | 1.7 | 3   | 44  | <3  | 0.7 | 6   | 24  | 7   | 56  | 75  |
| BVL 7+00N     | 2.6 | 8   | 18  | 4   | 1.6 | 5   | 25  | 9   | 85  | 65  |
| BVL 7+50N     | 0.1 | 8   | 56  | <3  | 0.8 | 5   | 24  | 4   | 30  | 61  |
| BVL 8+00N     | 4.6 | <3  | 18  | <3  | 1.1 | 3   | 14  | 3   | 66  | 62  |
| BVL 8+50N     | 1.1 | 17  | 26  | <3  | 1.1 | 5   | 23  | 14  | 64  | 51  |
| BVL 9+00N     | 3.3 | <3  | 25  | <3  | 0.7 | 2   | 13  | 3   | 69  | 56  |
| BVL 9+50N     | 0.1 | 10  | 32  | <3  | 0.1 | 3   | 12  | 3   | 18  | 25  |
| BVL 10+00N    | 0.1 | 9   | 42  | <3  | 0.6 | 3   | 13  | 4   | 19  | 40  |
| BVL 10+50N    | 0.1 | 7   | 103 | <3  | 0.5 | 6   | 18  | 5   | 16  | 53  |
| BVL 11+00N    | 0.1 | 5   | 286 | <3  | 0.8 | 10  | 33  | 2   | 19  | 77  |
| BVL 11+50N    | 0.4 | 8   | 133 | <3  | 0.8 | 8   | 32  | 8   | 44  | 111 |
| BVL 12+50N    | 0.1 | 5   | 268 | <3  | 0.7 | 11  | 29  | 2   | 27  | 99  |
| BVL 13+00N    | 0.1 | 9   | 50  | <3  | 1.1 | 4   | 17  | 9   | 43  | 58  |
| BVL 13+50N    | 0.1 | 6   | 118 | <3  | 0.3 | 3   | 12  | 3   | 12  | 41  |
| BVL 14+00N    | 0.1 | 8   | 31  | <3  | 0.3 | 5   | 17  | 4   | 20  | 30  |
| BVL 14+50N    | 1.2 | 7   | 26  | <3  | 0.8 | 3   | 18  | 5   | 54  | 62  |
| BVL 15+00N    | 2.5 | 5   | 22  | 3   | 1.5 | 4   | 20  | 9   | 78  | 50  |
| BVL 15+50N    | 0.1 | 9   | 22  | <3  | 0.1 | 3   | 20  | 6   | 26  | 25  |
| BVL 16+00N    | 0.1 | 8   | 48  | <3  | 0.3 | 4   | 18  | 6   | 42  | 66  |
| BVL 16+50N    | 0.1 | <3  | 39  | <3  | 1.1 | 8   | 22  | 6   | 36  | 39  |
| BVL 17+00N    | 0.1 | 8   | 35  | <3  | 0.3 | 4   | 9   | 3   | 16  | 22  |
| BVL 17+50N    | 4.6 | <3  | 19  | 4   | 1.8 | 7   | 32  | 6   | 74  | 67  |
| BVL 18+00N    | 3.2 | 11  | 26  | 4   | 1.8 | 5   | 25  | 8   | 83  | 56  |
| BVL 18+50N    | 5.7 | 6   | 12  | 5   | 1.8 | 4   | 20  | 7   | 90  | 53  |
| BVL 19+00N    | 4.5 | 10  | 11  | 6   | 2.1 | 3   | 21  | 8   | 86  | 55  |
| BVL 19+50N    | 1.3 | 23  | 24  | 5   | 2.2 | 4   | 22  | 13  | 81  | 73  |
| BVL 20+00N    | 0.1 | 5   | 43  | <3  | 0.7 | 5   | 16  | 3   | 36  | 27  |
| BVL 0+00N     | 1.2 | 12  | 126 | <3  | 0.8 | 10  | 29  | 3   | 20  | 62  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880937 PA

REQUEST

Page 5 of 6

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 9VL 0+50N     | 0.1 | 9   | 116 | <3  | 0.6 | 8   | 15  | 1   | 20  | 62  |
| 9VL 1+00N     | 0.1 | 13  | 162 | .3  | 1.6 | 11  | 20  | 3   | 27  | 106 |
| 9VL 1+50N     | 0.1 | 5   | 100 | <3  | 0.6 | 8   | 12  | 1   | 20  | 61  |
| 9VL 2+00N     | 0.1 | 12  | 64  | <3  | 0.9 | 7   | 11  | 2   | 18  | 39  |
| 9VL 2+50N     | 0.3 | 21  | 207 | <3  | 0.8 | 11  | 21  | 2   | 97  | 242 |
| 9VL 3+00N     | 0.1 | 9   | 172 | <3  | 0.9 | 10  | 18  | 2   | 66  | 177 |
| 9VL 3+50N     | 0.5 | 15  | 96  | <3  | 1.7 | 5   | 18  | 6   | 60  | 75  |
| 9VL 4+00N     | 1.3 | 16  | 40  | <3  | 1.1 | 3   | 18  | 6   | 67  | 70  |
| 9VL 4+50N     | 1.1 | 13  | 35  | <3  | 1.2 | 5   | 21  | 7   | 61  | 51  |
| 9VL 5+00N     | 5.9 | <3  | 21  | <3  | 0.9 | 1   | 14  | 5   | 69  | 78  |
| 9VL 5+50N     | 1.8 | 21  | 24  | 6   | 2.2 | 4   | 22  | 10  | 88  | 77  |
| 9VL 6+00N     | 1.1 | 17  | 45  | <3  | 1.1 | 3   | 20  | 8   | 57  | 81  |
| 9VL 6+50N     | 1.3 | 14  | 36  | <3  | 0.4 | 7   | 22  | 4   | 41  | 40  |
| 9VL 7+00N     | 0.3 | 8   | 98  | <3  | 0.4 | 7   | 19  | 2   | 33  | 79  |
| 9VL 7+50N     | 0.1 | 9   | 52  | <3  | 0.1 | 7   | 17  | 1   | 20  | 50  |
| 9VL 8+00N     | 0.1 | 6   | 105 | <3  | 0.1 | 6   | 38  | 2   | 28  | 59  |
| 9VL 8+50N     | 0.1 | 7   | 44  | <3  | 0.1 | 4   | 13  | 1   | 22  | 36  |
| 9VL 9+00N     | 1.1 | 8   | 77  | <3  | 0.5 | 9   | 32  | 2   | 35  | 63  |
| 9VL 9+50N     | 0.1 | 8   | 55  | <3  | 0.1 | 4   | 17  | 2   | 22  | 52  |
| 9VL 10+00N    | 0.7 | 7   | 155 | <3  | 0.9 | 10  | 47  | 2   | 30  | 81  |
| 9VL 10+50N    | 0.5 | 7   | 112 | <3  | 0.6 | 8   | 30  | 2   | 25  | 58  |
| 9VL 11+00N    | 0.1 | 3   | 214 | <3  | 0.9 | 9   | 17  | 1   | 22  | 66  |
| 9VL 11+50N    | 0.1 | 7   | 124 | <3  | 0.5 | 8   | 24  | 2   | 24  | 66  |
| 9VL 12+00N    | 0.1 | 4   | 175 | <3  | 0.6 | 9   | 27  | 2   | 22  | 71  |
| 9VL 12+50N    | 0.2 | <3  | 400 | 5   | 1.6 | 14  | 26  | 2   | 30  | 95  |
| 9VL 13+00N    | 0.3 | 7   | 82  | <3  | 0.4 | 5   | 13  | 3   | 29  | 36  |
| 9VL 13+50N    | 0.1 | 3   | 188 | <3  | 0.9 | 11  | 20  | 1   | 30  | 77  |
| 9VL 14+00N    | 1.6 | 14  | 123 | 3   | 1.2 | 12  | 28  | 5   | 53  | 97  |
| 9VL 14+50N    | 0.1 | 8   | 93  | <3  | 0.1 | 4   | 10  | 5   | 28  | 65  |
| 9VL 15+00N    | 0.3 | 5   | 66  | <3  | 0.1 | 3   | 12  | 10  | 54  | 95  |
| 9VL 15+50N    | 1.8 | 25  | 25  | 5   | 1.9 | 4   | 24  | 9   | 80  | 70  |
| 9VL 16+00N    | 0.7 | 15  | 98  | <3  | 1.2 | 8   | 23  | 6   | 46  | 128 |
| 9VL 16+50N    | 1.1 | 13  | 27  | <3  | 0.4 | 3   | 17  | 7   | 48  | 58  |
| 9VL 17+00N    | 0.1 | 8   | 16  | <3  | 0.1 | 2   | 11  | 2   | 24  | 30  |
| 9VL 17+50N    | 3.1 | 16  | 21  | 3   | 1.1 | 3   | 19  | 7   | 80  | 63  |
| 9VL 18+00N    | 0.1 | 5   | 129 | <3  | 0.8 | 5   | 18  | 3   | 29  | 70  |
| 9VL 18+50N    | 0.1 | 13  | 84  | <3  | 0.8 | 7   | 59  | 6   | 45  | 97  |
| 9VL 19+00N    | 0.1 | 11  | 60  | <3  | 0.6 | 6   | 25  | 3   | 39  | 86  |
| 9VL 19+50N    | 3.9 | 28  | 15  | 8   | 2.7 | 4   | 24  | 10  | 103 | 94  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 880937 PA

OREQUEST

Page 6 of 6

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 9VL 20+50N    | 0.9 | 17  | 21  | 3   | 1.7 | 4   | 34  | 8   | 74  | 91  |
| 9VL 21+00N    | 0.9 | 13  | 41  | <3  | 0.8 | 5   | 20  | 8   | 64  | 72  |
| 9VL 21+50N    | 1.2 | 12  | 24  | <3  | 1.3 | 4   | 21  | 5   | 60  | 52  |
| 9VL 22+00N    | 0.4 | 14  | 62  | <3  | 0.9 | 10  | 29  | 3   | 41  | 82  |
| 9VL 22+50N    | 0.1 | 16  | 40  | <3  | 0.6 | 6   | 18  | 7   | 67  | 87  |
| 9VL 23+00N    | 0.1 | 27  | 49  | <3  | 1.6 | 3   | 30  | 11  | 141 | 107 |
| 9VL 23+50N    | 0.4 | 41  | 64  | <3  | 0.8 | 9   | 30  | 3   | 128 | 272 |
| 9VL 24+00N    | 0.4 | 36  | 128 | <3  | 2.2 | 7   | 17  | 3   | 144 | 318 |
| 9VL 24+50N    | 0.1 | 7   | 23  | <3  | 0.1 | 1   | 5   | 1   | 18  | 29  |
| 9VL 25+00N    | 0.1 | 23  | 44  | <3  | 0.1 | 2   | 9   | 2   | 29  | 55  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Sept 20 1988  
REPORT#: 881140 GA  
JOB#: 881140

PROJECT#: Pez Ver  
SAMPLES ARRIVED: Aug 27 1988  
REPORT COMPLETED: Sept 20 1988  
ANALYSED FOR: Au (10.Elem) ICP

INVOICE#: 881140 NA  
TOTAL SAMPLES: 33  
SAMPLE TYPE: Soil  
REJECTS: DISCARDED

SAMPLES FROM: Bronson Camp  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: None



# VANGFOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1E5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881140 6A

JOB NUMBER: 881140

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 1

| SAMPLE # |         | Au     |    |
|----------|---------|--------|----|
|          |         | ppb    |    |
| 7        | VELO+00 | 16+00S | 20 |
| 7        | VELO+00 | 16+50S | 25 |
| 7        | VELO+00 | 17+00S | 20 |
| 7        | VELO+00 | 17+50S | 10 |
| 7        | VELO+00 | 18+00S | 15 |
|          |         |        |    |
| 7        | VELO+00 | 18+50S | 25 |
| 7        | VELO+00 | 19+00S | 25 |
| 7        | VELO+00 | 19+50S | 15 |
| 7        | VELO+00 | 20+00S | 15 |
| 7        | VELO+00 | 20+50S | 15 |
|          |         |        |    |
| 7        | VELO+00 | 21+00S | 20 |
| 7        | VELO+00 | 21+50S | 10 |
| 7        | VELO+00 | 22+00S | 15 |
| 7        | VELO+00 | 22+50S | 5  |
| 7        | VELO+00 | 23+00S | 10 |
|          |         |        |    |
| 7        | VELO+00 | 23+50S | 10 |
| 7        | VELO+00 | 24+00S | 15 |
| 7        | VELO+00 | 24+50S | 40 |
| 7        | VELO+00 | 25+00S | 10 |
| 8        | VELO+00 | 18+00S | 30 |
|          |         |        |    |
| 8        | VELO+00 | 18+50S | 5  |
| 8        | VELO+00 | 19+00S | 15 |
| 8        | VELO+00 | 19+50S | 15 |
| 8        | VELO+00 | 20+00S | 10 |
| 8        | VELO+00 | 20+50S | 10 |
|          |         |        |    |
| 8        | VELO+00 | 21+00S | 10 |
| 8        | VELO+00 | 21+50S | 20 |
| 8        | VELO+00 | 22+00S | 45 |
| 8        | VELO+00 | 22+50S | 20 |
| 8        | VELO+00 | 23+00S | 10 |
|          |         |        |    |
| 8        | VELO+00 | 23+50S | 10 |
| 8        | VELO+00 | 24+00S | 15 |
| 8        | VELO+00 | 24+50S | 20 |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1LG  
(604) 251-5656

REPORT #: 881140 PA

REQUEST

Page - 1 of 1

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 7 VEL0+00 16+00   | 0.1  | 8    | 45   | 3    | 1.5   | 9     | 68    | 7    | 39    | 100   |
| 7 VEL0+00 16+50   | 0.5  | 24   | 137  | <3   | 1.2   | 12    | 112   | 4    | 78    | 165   |
| 7 VEL0+00 17+00   | 0.1  | 15   | 46   | <3   | 1.1   | 8     | 58    | 6    | 112   | 131   |
| 7 VEL0+00 17+50   | 0.1  | 15   | 17   | 7    | 2.2   | 4     | 47    | 9    | 99    | 79    |
| 7 VEL0+00 18+00   | 0.3  | 11   | 49   | <3   | 0.6   | 6     | 36    | 4    | 55    | 77    |
| 7 VEL0+00 18+50   | 0.2  | 10   | 17   | <3   | 0.4   | 5     | 24    | 5    | 41    | 61    |
| 7 VEL0+00 19+00   | 0.2  | 20   | 80   | <3   | 1.1   | 13    | 59    | 4    | 69    | 97    |
| 7 VEL0+00 19+50   | 1.3  | 22   | 16   | 3    | 1.5   | 3     | 35    | 9    | 99    | 65    |
| 7 VEL0+00 20+00   | 0.4  | 12   | 51   | <3   | 0.4   | 5     | 20    | 3    | 75    | 80    |
| 7 VEL0+00 20+50   | 0.2  | 11   | 35   | <3   | 0.4   | 4     | 11    | 5    | 38    | 61    |
| 7 VEL0+00 21+00   | 0.2  | 11   | 45   | <3   | 0.5   | 4     | 16    | 4    | 39    | 61    |
| 7 VEL0+00 21+50   | 0.5  | 18   | 16   | 5    | 2.2   | 3     | 38    | 8    | 115   | 86    |
| 7 VEL0+00 22+00   | 0.4  | 25   | 81   | <3   | 1.1   | 7     | 48    | 7    | 102   | 127   |
| 7 VEL0+00 22+50   | 0.2  | 23   | 36   | <3   | 0.9   | 8     | 44    | 3    | 65    | 71    |
| 7 VEL0+00 23+00   | 0.1  | 20   | 15   | <3   | 0.1   | 5     | 24    | 6    | 60    | 41    |
| 7 VEL0+00 23+50   | 0.3  | 18   | 35   | <3   | 0.9   | 5     | 27    | 13   | 80    | 97    |
| 7 VEL0+00 24+00   | 0.3  | 16   | 53   | 3    | 1.7   | 5     | 32    | 12   | 59    | 72    |
| 7 VEL0+00 24+50   | 0.3  | 17   | 49   | <3   | 0.5   | 5     | 29    | 7    | 37    | 56    |
| 7 VEL0+00 25+00   | 0.5  | 18   | 18   | <3   | 0.9   | 2     | 32    | 7    | 98    | 52    |
| 8 VEL0+00 18+00   | 0.5  | 16   | 11   | <3   | 1.2   | 3     | 32    | 7    | 89    | 56    |
| 8 VEL0+00 18+50   | 0.4  | 30   | 69   | <3   | 1.2   | 5     | 39    | 6    | 65    | 72    |
| 8 VEL0+00 19+00   | 0.5  | 19   | 86   | <3   | 1.1   | 4     | 34    | 25   | 62    | 130   |
| 8 VEL0+00 19+50   | 1.1  | 21   | 26   | <3   | 0.8   | 5     | 28    | 23   | 82    | 113   |
| 8 VEL0+00 20+00   | 0.1  | 26   | 45   | 3    | 1.2   | 6     | 30    | 9    | 93    | 89    |
| 8 VEL0+00 20+50   | 0.1  | 21   | 18   | 3    | 1.7   | 3     | 29    | 6    | 96    | 56    |
| 8 VEL0+00 21+00   | 0.2  | 19   | 73   | <3   | 1.1   | 31    | 70    | 5    | 47    | 104   |
| 8 VEL0+00 21+50   | 0.1  | 15   | 22   | <3   | 0.9   | 3     | 39    | 6    | 71    | 59    |
| 8 VEL0+00 22+00   | 0.3  | 21   | 74   | <3   | 0.9   | 14    | 94    | 6    | 52    | 90    |
| 8 VEL0+00 22+50   | 0.2  | 18   | 19   | 5    | 1.9   | 5     | 34    | 9    | 93    | 59    |
| 8 VEL0+00 23+00   | 0.1  | 10   | 15   | <3   | 0.5   | 2     | 18    | 5    | 109   | 51    |
| 8 VEL0+00 23+50   | 0.1  | 19   | 14   | 4    | 1.7   | 3     | 32    | 13   | 97    | 76    |
| 8 VEL0+00 24+00   | 0.2  | 27   | 49   | <3   | 1.1   | 12    | 57    | 7    | 62    | 86    |
| 8 VEL0+00 24+50   | 0.3  | 24   | 41   | <3   | 0.8   | 8     | 80    | 6    | 65    | 71    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

### GEOCHEMICAL ANALYTICAL REPORT

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Oct 3 1988  
REPORT#: 881277 GA  
JOB#: 881277

PROJECT#: Pez Ver  
SAMPLES ARRIVED: Sept 05 1988  
REPORT COMPLETED: Oct 3 1988  
ANALYSED FOR: Au ICP

INVOICE#: 881277 NA  
TOTAL SAMPLES: 326  
SAMPLE TYPE: Soil  
REJECTS: DISCARDED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. B. Dewonck

PREPARED FOR: Mr. B. Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "C. Dever".

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 GA

JOB NUMBER: 881277

DREQUEST CONSULTANTS LTD.

PAGE 1 OF 9

| SAMPLE #        | Au  |
|-----------------|-----|
|                 | ppb |
| PJL0+00 0+00.0N | 10  |
| PJL0+00 0+12.5N | 5   |
| PJL0+00 0+25.0N | 10  |
| PJL0+00 0+37.5N | nd  |
| PJL0+00 0+50.0N | 10  |
| <br>            |     |
| PJL0+00 0+62.5N | 15  |
| PJL0+00 0+75.0N | 10  |
| PJL0+00 0+87.5N | 5   |
| PJL0+00 1+00.0N | 10  |
| PJL0+00 1+12.5N | 15  |
| <br>            |     |
| PJL0+00 1+25.0N | 5   |
| PJL0+00 1+37.5N | 5   |
| PJL0+00 1+50.0N | 15  |
| PJL0+00 1+62.5N | 10  |
| PJL0+00 1+75.0N | 5   |
| <br>            |     |
| PJL0+00 1+87.5N | 15  |
| PJL0+00 2+00.0N | nd  |
| PJL0+00 2+12.5N | 15  |
| PJL0+00 2+25.0N | nd  |
| PJL0+00 2+37.5N | 10  |
| <br>            |     |
| PJL2+00E0+00.0N | 15  |
| PJL2+00E0+12.5N | 5   |
| PJL2+00E0+25.0N | 5   |
| PJL2+00E0+37.5N | 10  |
| PJL2+00E0+50.0N | 15  |
| <br>            |     |
| PJL2+00E0+62.5N | 10  |
| PJL2+00E0+75.0N | 15  |
| PJL2+00E0+87.5N | 20  |
| PJL2+00E1+00.0N | 15  |
| PJL2+00E1+12.5N | 5   |
| <br>            |     |
| PJL2+00E1+25.0N | 15  |
| PJL2+00E1+37.5N | 15  |
| PJL2+00E1+50.0N | 10  |
| PJL2+00E1+62.5N | 10  |
| PJL2+00E1+75.0N | 15  |
| <br>            |     |
| PJL2+00E1+87.5N | 5   |
| PJL2+00E2+00.0N | 10  |
| PJL2+00E2+12.5N | 10  |
| PJL2+00E2+25.0N | 5   |
| <br>            |     |
| DETECTION LIMIT | 5   |

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 GA

JOB NUMBER: 881277

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 9

| SAMPLE #        | Au  |
|-----------------|-----|
|                 | ppb |
| PJL2+00E2+37.5N | 20  |
| PJL2+00E2+50.0N | 20  |
| PJL2+00E2+62.5N | 15  |
| PJL2+00E2+75.0N | 15  |
| PJL2+00E2+87.5N | 10  |
| <br>            |     |
| PJL2+00E3+00.0N | 5   |
| PJL2+00E3+12.5N | 5   |
| PJL2+00E3+25.0N | 10  |
| PJL2+00E3+37.5N | 5   |
| PJL2+00E3+50.0N | 20  |
| <br>            |     |
| PJL2+00E3+62.5N | 10  |
| PJL2+00E3+75.0N | 10  |
| PJL2+00E3+87.5N | 15  |
| PJL2+00E4+00.0N | 10  |
| PJL2+00E0+12.5S | 10  |
| <br>            |     |
| PJL2+00E0+25.0S | 5   |
| PJL2+00E0+37.5S | 10  |
| PJL2+00E0+50.0S | 5   |
| PJL2+00E0+62.5S | 5   |
| PJL2+00E0+75.0S | nd  |
| <br>            |     |
| PJL2+00E0+87.5S | 10  |
| PJL2+00E1+00.0S | 15  |
| PJL2+00W0+12.5N | 5   |
| PJL2+00W0+25.0N | 10  |
| PJL2+00W0+37.5N | 5   |
| <br>            |     |
| PJL2+00W0+50.0N | 10  |
| PJL2+00W0+62.5N | 10  |
| PJL2+00W0+75.0N | 10  |
| PJL2+00W1+00.0N | 5   |
| <br>            |     |
| PJL2+00W1+12.5N | 5   |
| PJL2+00W1+25.0N | 5   |
| PJL2+00W1+37.5N | 10  |
| PJL2+00W1+50.0N | 10  |
| PJL2+00W1+62.5N | 15  |
| <br>            |     |
| PJL2+00W1+75.0N | 10  |
| PJL2+00W1+87.5N | 10  |
| PJL2+00W2+00.0N | nd  |
| PJL2+00W2+12.5N | nd  |
| <br>            |     |
| DETECTION LIMIT | 5   |

nd = none detected

-- = not analysed      is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604)251-5854 FAX:254-5717

**BRANCH OFFICE**  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

**REPORT NUMBER: B81277 6A**

JOB NUMBER: B81277

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 9

| SAMPLE #        | Au<br>ppb |
|-----------------|-----------|
| PJL2+00W2+25.0N | 5         |
| PJL2+00W2+37.5N | 5         |
| PJL2+00W2+50.0N | 5         |
| PJL2+00W2+62.5N | 10        |
| PJL2+00W2+75.0N | 10        |
| <br>            |           |
| PJL2+00W2+87.5N | nd        |
| PJL2+00W3+00.0N | 15        |
| PJL2+00W3+12.5N | 15        |
| PJL2+00W3+25.0N | 10        |
| PJL2+00W3+37.5N | 5         |
| <br>            |           |
| PJL2+00W3+50.0N | nd        |
| PJL2+00W3+62.5N | 10        |
| PJL2+00W3+75.0N | 10        |
| PJL2+00W3+87.5N | 5         |
| PJL2+00W4+00.0N | 10        |
| <br>            |           |
| PJL2+00W4+12.5N | 10        |
| PJL2+00W4+25.0N | 10        |
| PJL2+00W4+37.5N | 15        |
| PJL2+00W4+50.0N | 10        |
| PJL2+00W4+62.5N | 10        |
| <br>            |           |
| PJL2+00W4+75.0N | 10        |
| PJL2+00W4+87.5N | 15        |
| PJL2+00W5+00.0N | 15        |
| PJL2+00W5+12.5N | 15        |
| PJL2+00W5+25.0N | 5         |
| <br>            |           |
| PJL2+00W5+37.5N | 10        |
| PJL2+00W5+50.0N | 5         |
| PJL2+00W0+00.0S | 10        |
| PJL2+00W0+12.5S | 15        |
| PJL2+00W0+25.0S | 15        |
| <br>            |           |
| PJL2+00W0+37.5S | 15        |
| PJL2+00W0+50.0S | 5         |
| PJL2+00W0+62.5S | 10        |
| PJL2+00W0+75.0S | 10        |
| PJL2+00W0+87.5S | 5         |
| <br>            |           |
| PJL2+00W1+00.0S | 20        |
| PJL2+00W1+12.5S | 15        |
| PJL2+00W1+25.0S | 15        |
| PJL2+00W1+37.5S | 15        |

## **DETECTION LIMIT**

三

nd = none detected

-- = not analysed

is \*insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 6A

JOB NUMBER: 881277

BREQUEST CONSULTANTS LTD.

PAGE 4 OF 9

SAMPLE #

Au

ppb

PJL2+00W1+50.0S 15  
PJL2+00W1+62.5S 15  
PJL2+00W1+75.0S 25  
PJL2+00W1+87.5S 20  
PJL2+00W2+00.0S 15

PJL2+00W2+12.5S 5  
PJL2+00W2+25.0S 15  
PJL2+00W2+37.5S 20  
PJL2+00W2+50.0S 15  
PJL2+00W2+62.5S 10

PJL2+00W2+75.0S 15  
PJL2+00W2+87.5S 20  
PJL2+00W3+00.0S 15  
PJL3+50W0+00.0N 20  
PJL3+50W0+12.5N 10

PJL3+50W0+25.0N 20  
PJL3+50W0+37.5N 20  
PJL3+50W0+50.0N 10  
PJL3+50W0+62.5N 30  
PJL3+50W0+75.0N 20

PJL3+50W0+87.5N 10  
PJL3+50W1+00.0N 10  
PJL3+50W1+12.5N 15  
PJL3+50W1+25.0N 20  
PJL3+50W1+50.0N 20

PJL3+50W1+62.5N 5  
PJL3+50W1+75.0N 15  
PJL3+50W1+87.5N 20  
PJL3+50W2+00.0N 10  
PJL3+50W2+12.5N 30

PJL3+50W2+25.0N 10  
PJL3+50W2+37.5N 15  
PJL3+50W2+50.0N 20  
PJL3+50W2+62.5N 20  
PJL3+50W2+75.0N 10

PJL3+50W2+87.5N 15  
PJL3+50W3+00.0N 10  
PJL4+00W0+00.0S 20  
PJL4+00W0+12.5S 10

DETECTION LIMIT 5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 6A

JOB NUMBER: 881277

DRENNEST CONSULTANTS LTD.

PAGE 5 OF 9

| SAMPLE #        | Au  |
|-----------------|-----|
|                 | ppb |
| PJL4+00W0+25.0S | 15  |
| PJL4+00W0+37.5S | 10  |
| PJL4+00W0+50.0S | 10  |
| PJL4+00W0+62.5S | 5   |
| PJL4+00W0+75.0S | 5   |
| <br>            |     |
| PJL4+00W0+87.5S | 15  |
| PJL4+00W1+00.0S | 5   |
| PJL4+00W1+12.5S | 10  |
| PJL4+00W1+25.0S | 5   |
| PJL4+00W1+37.5S | 10  |
| <br>            |     |
| PJL4+00W1+50.0S | 15  |
| PJL4+00W1+62.5S | 10  |
| PJL4+00W1+75.0S | 50  |
| PJL4+00W1+87.5S | 20  |
| PJL4+00W2+00.0S | 15  |
| <br>            |     |
| PJL4+00W2+12.5S | 10  |
| PJL4+00W2+25.0S | 25  |
| PJL4+00W2+37.5S | 20  |
| PJL4+00W2+50.0S | 10  |
| PJL4+00W2+62.5S | 5   |
| <br>            |     |
| PJL4+00W2+75.0S | 20  |
| PJL4+00W2+87.5S | 10  |
| PJL4+00W3+00.0S | 15  |
| PJL4+50W0+12.5S | 10  |
| PJL4+50W0+25.0S | 10  |
| <br>            |     |
| PJL4+50W0+37.5S | 5   |
| PJL4+50W0+50.0S | 15  |
| PJL4+50W0+62.5S | 15  |
| PJL4+50W0+75.0S | 20  |
| PJL4+50W0+87.5S | 15  |
| <br>            |     |
| PJL4+50W1+00.0S | 15  |
| PJL4+50W1+12.5S | 10  |
| PJL4+50W1+25.0S | 5   |
| PJL4+50W1+37.5S | 15  |
| PJL4+50W1+50.0S | 10  |
| <br>            |     |
| PJL4+50W1+62.5S | 15  |
| PJL4+50W1+75.0S | 10  |
| PJL4+50W1+87.5S | 10  |
| PJL4+50W2+00.0S | 5   |
| <br>            |     |
| DETECTION LIMIT | 5   |

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 6A

JOB NUMBER: 881277

BREAST CONSULTANTS LTD.

PAGE 6 OF 9

| SAMPLE #        | Au<br>ppb |
|-----------------|-----------|
| PJL4+50W2+12.5S | 10        |
| PJL4+50W2+25.0S | 20        |
| PJL4+50W2+37.5S | 10        |
| PJL4+50W2+50.0S | 15        |
| PJL4+50W2+62.5S | 15        |
| <br>            |           |
| PJL4+50W2+75.0S | 10        |
| PJL4+50W2+87.5S | 10        |
| PJL4+50W3+00.0S | 20        |
| PJL5+00W0+00.0N | 10        |
| PJL5+00W0+12.5N | 15        |
| <br>            |           |
| PJL5+00W0+25.0N | 20        |
| PJL5+00W0+37.5N | 25        |
| PJL5+00W0+50.0N | 10        |
| PJL5+00W0+62.5N | 10        |
| PJL5+00W0+75.0N | 10        |
| <br>            |           |
| PJL5+00W0+87.5N | 10        |
| PJL5+00W1+00.0N | 10        |
| PJL5+00W1+12.5N | 15        |
| PJL5+00W1+25.0N | 10        |
| PJL5+00W1+37.5N | 10        |
| <br>            |           |
| PJL5+00W1+50.0N | 10        |
| PJL5+00W1+62.5N | 15        |
| PJL5+00W1+75.0N | 5         |
| PJL5+00W1+87.5N | 15        |
| PJL5+00W2+00.0N | nd        |
| <br>            |           |
| PJL5+00W2+12.5N | 10        |
| PJL5+00W2+25.0N | nd        |
| PJL5+00W2+37.5N | 20        |
| PJL5+00W2+50.0N | 10        |
| PJL5+00W2+62.5N | 10        |
| <br>            |           |
| PJL5+00W2+75.0N | 10        |
| PJL5+00W2+87.5N | nd        |
| PJL5+00W3+00.0N | 10        |
| PJL5+00W0+12.5S | 5         |
| PJL5+00W0+25.0S | 10        |
| <br>            |           |
| PJL5+00W0+37.5S | 15        |
| PJL5+00W0+50.0S | nd        |
| PJL5+00W0+62.5S | 15        |
| PJL5+00W0+75.0S | nd        |
| <br>            |           |
| DETECTION LIMIT | 5         |

nd = none detected

-- = not analysed      is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1998 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 6A

JOB NUMBER: 881277

OREQUEST CONSULTANTS LTD.

PAGE 7 OF 9

| SAMPLE #        | Au |
|-----------------|----|
| PJL5+00W0+87.5S | 10 |
| PJL5+00W1+00.0S | 10 |
| PJL5+00W1+12.5S | 10 |
| PJL5+00W1+25.0S | 15 |
| PJL5+00W1+37.5S | 15 |
| <br>            |    |
| PJL5+00W1+50.0S | 5  |
| PJL5+00W1+62.5S | nd |
| PJL5+00W1+75.0S | 10 |
| PJL5+00W1+87.5S | 15 |
| PJL5+00W2+00.0S | 10 |
| <br>            |    |
| PJL5+00W2+12.5S | 10 |
| PJL5+00W2+25.0S | 5  |
| PJL5+00W2+37.5S | nd |
| PJL5+00W2+50.0S | 10 |
| PJL5+00W2+62.5S | nd |
| <br>            |    |
| PJL5+00W2+75.0S | nd |
| PJL5+00W2+87.5S | nd |
| PJL5+00W3+00.0S | 5  |
| PJL5+50W0+00.0S | 10 |
| PJL5+50W0+12.5S | 15 |
| <br>            |    |
| PJL5+50W0+25.0S | 15 |
| PJL5+50W0+37.5S | 10 |
| PJL5+50W0+50.0S | 20 |
| PJL5+50W0+62.5S | 5  |
| PJL5+50W0+75.0S | 10 |
| <br>            |    |
| PJL5+50W0+87.5S | 5  |
| PJL5+50W1+00.0S | nd |
| PJL5+50W1+12.5S | 10 |
| PJL5+50W1+25.0S | 15 |
| PJL5+50W1+37.5S | 10 |
| <br>            |    |
| PJL5+50W1+50.0S | 10 |
| PJL5+50W1+62.5S | 5  |
| PJL5+50W1+75.0S | 10 |
| PJL5+50W1+87.5S | 10 |
| PJL5+50W2+00.0S | 15 |
| <br>            |    |
| PJL5+50W2+12.5S | 5  |
| PJL5+50W2+25.0S | 5  |
| PJL5+50W2+37.5S | 15 |
| PJL5+50W2+50.0S | 5  |
| <br>            |    |
| DETECTION LIMIT | 5  |

nd = none detected

-- = not analysed      is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 6A

JOB NUMBER: 881277

BREQUEST CONSULTANTS LTD.

PAGE 8 OF 9

| SAMPLE #        | Au  |
|-----------------|-----|
| PJL5+50W2+62.5S | ppb |
| PJL5+50W2+75.0S | 10  |
| PJL5+50W2+87.5S | 5   |
| PJL5+50W3+00.0S | nd  |
| PJL6+00W0+00.0N | 20  |
| PJL6+00W0+00.0N | 10  |
| PJL6+00W0+12.5N | nd  |
| PJL6+00W0+25.0N | 5   |
| PJL6+00W0+37.5N | 10  |
| PJL6+00W0+50.0N | 20  |
| PJL6+00W0+62.5N | 20  |
| PJL6+00W0+75.0N | nd  |
| PJL6+00W0+87.5N | 10  |
| PJL6+00W1+00.0N | nd  |
| PJL6+00W1+12.5N | 10  |
| PJL6+00W1+25.0N | 10  |
| PJL6+00W1+37.5N | nd  |
| PJL6+00W1+50.0N | 5   |
| PJL6+00W1+62.5N | 10  |
| PJL6+00W1+75.0N | 15  |
| PJL6+00W1+87.5N | 5   |
| PJL6+00W2+00.0N | nd  |
| PJL6+00W2+12.5N | 10  |
| PJL6+00W2+25.0N | 15  |
| PJL6+00W2+37.5N | 10  |
| PJL6+00W2+50.0N | 5   |
| PJL6+00W2+62.5N | 15  |
| PJL6+00W2+75.0N | 10  |
| PJL6+00W2+87.5N | 25  |
| PJL6+00W3+00.0N | 15  |
| PJL6+00W0+12.5S | 5   |
| PJL6+00W0+25.0S | 10  |
| PJL6+00W0+37.5S | 10  |
| PJL6+00W0+50.0S | 5   |
| PJL6+00W0+62.5S | nd  |
| PJL6+00W0+75.0S | 10  |
| PJL6+00W0+87.5S | 10  |
| PJL6+00W1+00.0S | nd  |
| PJL6+00W1+12.5S | 10  |
| PJL6+00W1+25.0S | 5   |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881277 6A

JOB NUMBER: 881277

OREQUEST CONSULTANTS LTD.

PAGE 9 OF 9

| SAMPLE #        | Au  |
|-----------------|-----|
|                 | ppb |
| PJL6+00W1+37.5S | 10  |
| PJL6+00W1+50.0S | 5   |
| PJL6+00W1+62.5S | 10  |
| PJL6+00W1+75.0S | 5   |
| PJL6+00W1+87.5S | 10  |
|                 |     |
| PJL6+00W2+00.0S | 5   |
| PJL6+00W2+12.5S | nd  |
| PJL6+00W2+25.0S | 20  |
| PJL6+00W2+37.5S | 15  |
| PJL6+00W2+50.0S | 10  |
|                 |     |
| PJL6+00W2+62.5S | 5   |
| PJL6+00W2+75.0S | 10  |
| PJL6+00W2+87.5S | nd  |
| PJL6+00W3+00.0S | 20  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881277 PA

REQUEST

Page 1 of 9

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| PJL0+00 0+00.0N   | 0.3  | <3   | 16   | <3   | 1.1   | 2     | 25    | 5    | 71    | 88    |
| PJL0+00 0+12.5N   | 0.5  | <3   | 10   | <3   | 0.8   | 2     | 18    | 5    | 61    | 95    |
| PJL0+00 0+25.0N   | 0.2  | 3    | 18   | <3   | 0.6   | 3     | 18    | 4    | 58    | 140   |
| PJL0+00 0+37.5N   | 0.2  | <3   | 11   | <3   | 0.8   | 2     | 22    | 3    | 68    | 82    |
| PJL0+00 0+50.0N   | 0.5  | 6    | 14   | <3   | 0.8   | 4     | 18    | 7    | 55    | 91    |
| PJL0+00 0+62.5N   | 0.1  | 3    | 14   | <3   | 1.1   | 3     | 53    | 5    | 60    | 58    |
| PJL0+00 0+75.0N   | 0.5  | 9    | 26   | <3   | 1.1   | 4     | 27    | 6    | 71    | 161   |
| PJL0+00 0+87.5N   | 0.5  | 7    | 18   | <3   | 0.8   | 4     | 22    | 6    | 67    | 119   |
| PJL0+00 1+00.0N   | 0.1  | 6    | 13   | <3   | 0.9   | 5     | 30    | 6    | 64    | 79    |
| PJL0+00 1+12.5N   | 0.3  | 3    | 25   | <3   | 0.9   | 4     | 52    | 7    | 72    | 97    |
| PJL0+00 1+25.0N   | 0.3  | 8    | 18   | <3   | 0.4   | 3     | 161   | 10   | 65    | 123   |
| PJL0+00 1+37.5N   | 0.1  | 7    | 13   | 4    | 1.3   | 3     | 36    | 9    | 66    | 87    |
| PJL0+00 1+50.0N   | 0.1  | <3   | 19   | 3    | 1.5   | 9     | 38    | 11   | 56    | 96    |
| PJL0+00 1+62.5N   | 0.1  | 5    | 16   | <3   | 1.1   | 4     | 25    | 6    | 65    | 107   |
| PJL0+00 1+75.0N   | 0.1  | <3   | 13   | <3   | 0.8   | 2     | 21    | 4    | 54    | 56    |
| PJL0+00 1+87.5N   | 0.3  | 15   | 10   | 4    | 1.1   | 4     | 24    | 7    | 68    | 122   |
| PJL0+00 2+00.0N   | 0.3  | <3   | 18   | <3   | 0.8   | 3     | 18    | 4    | 70    | 121   |
| PJL0+00 2+12.5N   | 0.1  | 8    | 10   | <3   | 1.2   | 2     | 20    | 6    | 55    | 71    |
| PJL0+00 2+25.0N   | 0.1  | <3   | 11   | <3   | 0.6   | 2     | 12    | 3    | 61    | 94    |
| PJL0+00 2+37.5N   | 0.1  | 9    | 24   | 3    | 1.1   | 80    | 142   | 16   | 58    | 115   |
| PJL2+00E0+00.0N   | 0.1  | 6    | 10   | 3    | 1.1   | 4     | 27    | 6    | 54    | 52    |
| PJL2+00E0+12.5N   | 0.1  | <3   | 13   | <3   | 0.1   | 2     | 105   | <1   | 32    | 14    |
| PJL2+00E0+25.0N   | 0.1  | <3   | 12   | <3   | 0.1   | 4     | 92    | <1   | 32    | 15    |
| PJL2+00E0+37.5N   | 0.1  | 10   | 42   | <3   | 1.1   | 9     | 35    | 4    | 32    | 60    |
| PJL2+00E0+50.0N   | 0.1  | 6    | 12   | 3    | 1.2   | 2     | 20    | 5    | 51    | 25    |
| PJL2+00E0+62.5N   | 0.1  | 8    | 10   | 3    | 1.3   | 5     | 27    | 8    | 53    | 53    |
| PJL2+00E0+75.0N   | 0.1  | 4    | 11   | <3   | 1.1   | 3     | 22    | 5    | 54    | 47    |
| PJL2+00E0+87.5N   | 0.1  | 13   | 11   | 4    | 1.5   | 6     | 30    | 11   | 52    | 64    |
| PJL2+00E1+00.0N   | 0.1  | <3   | 21   | <3   | 0.8   | 5     | 48    | 5    | 42    | 53    |
| PJL2+00E1+12.5N   | 0.1  | 4    | 12   | 3    | 1.2   | 8     | 31    | 7    | 39    | 66    |
| PJL2+00E1+25.0N   | 0.1  | <3   | 13   | <3   | 1.2   | 2     | 22    | 6    | 66    | 51    |
| PJL2+00E1+37.5N   | 0.1  | <3   | 28   | <3   | 0.8   | 4     | 64    | 5    | 56    | 66    |
| PJL2+00E1+50.0N   | 0.1  | 4    | 18   | <3   | 0.8   | 5     | 39    | 5    | 45    | 57    |
| PJL2+00E1+62.5N   | 0.1  | 5    | 11   | <3   | 0.4   | 3     | 33    | 5    | 55    | 38    |
| PJL2+00E1+75.0N   | 0.1  | 6    | 10   | 3    | 1.3   | 3     | 24    | 6    | 58    | 43    |
| PJL2+00E1+87.5N   | 0.1  | 6    | 45   | 6    | 1.7   | 8     | 45    | 5    | 38    | 58    |
| PJL2+00E2+00.0N   | 0.1  | 4    | 10   | <3   | 1.1   | 2     | 20    | 6    | 67    | 60    |
| PJL2+00E2+12.5N   | 0.1  | <3   | 17   | <3   | 0.9   | 4     | 24    | 5    | 64    | 87    |
| PJL2+00E2+25.0N   | 0.1  | 5    | 41   | <3   | 1.1   | 8     | 66    | 3    | 20    | 65    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881277 PA

REQUEST:

Page 2 of 9

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Ho  | Pb  | In  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL2+00E2+37.5N | 0.1 | <3  | 24  | <3  | 0.5 | 3   | 26  | 4   | 48  | 95  |
| PJL2+00E2+50.0N | 0.1 | 7   | 16  | <3  | 1.1 | 3   | 32  | 9   | 47  | 68  |
| PJL2+00E2+62.5N | 0.1 | 7   | 74  | 4   | 1.5 | 12  | 65  | 17  | 32  | 67  |
| PJL2+00E2+75.0N | 0.1 | 5   | 82  | 4   | 1.2 | 16  | 100 | 7   | 34  | 107 |
| PJL2+00E2+87.5N | 0.1 | <3  | 12  | 3   | 1.2 | 1   | 28  | 7   | 61  | 41  |
| PJL2+00E3+00.0N | 0.1 | 3   | 30  | <3  | 0.3 | 3   | 31  | 5   | 47  | 62  |
| PJL2+00E3+12.5N | 0.1 | 6   | 40  | <3  | 0.3 | 4   | 38  | 5   | 49  | 84  |
| PJL2+00E3+25.0N | 0.1 | 5   | 29  | <3  | 0.3 | 6   | 29  | 4   | 46  | 115 |
| PJL2+00E3+37.5N | 0.1 | 7   | 26  | <3  | 0.6 | 4   | 33  | 5   | 51  | 91  |
| PJL2+00E3+50.0N | 0.1 | <3  | 15  | <3  | 0.6 | 3   | 24  | 6   | 57  | 92  |
| PJL2+00E3+62.5N | 0.1 | 10  | 58  | <3  | 0.8 | 17  | 55  | 2   | 29  | 98  |
| PJL2+00E3+75.0N | 0.1 | 7   | 34  | <3  | 0.7 | 6   | 55  | 5   | 47  | 92  |
| PJL2+00E3+87.5N | 0.1 | <3  | 13  | <3  | 0.3 | 2   | 18  | 5   | 49  | 63  |
| PJL2+00E4+00.0N | 0.1 | 4   | 17  | <3  | 0.7 | 4   | 24  | 4   | 44  | 56  |
| PJL2+00E0+12.5S | 0.1 | 3   | 8   | <3  | 1.2 | 2   | 24  | 7   | 66  | 74  |
| PJL2+00E0+25.0S | 0.4 | <3  | 19  | <3  | 0.6 | 3   | 20  | 6   | 69  | 106 |
| PJL2+00E0+37.5S | 0.2 | 8   | 13  | <3  | 0.7 | 6   | 35  | 9   | 64  | 77  |
| PJL2+00E0+50.0S | 0.1 | 3   | 24  | <3  | 0.1 | 4   | 19  | 7   | 30  | 65  |
| PJL2+00E0+62.5S | 0.1 | 10  | 57  | <3  | 0.6 | 11  | 49  | 9   | 44  | 111 |
| PJL2+00E0+75.0S | 0.1 | 8   | 15  | <3  | 0.6 | 7   | 36  | 10  | 54  | 95  |
| PJL2+00E0+87.5S | 0.1 | 6   | 23  | <3  | 0.2 | 8   | 23  | 6   | 21  | 62  |
| PJL2+00E1+00.0S | 0.1 | 3   | 38  | <3  | 0.2 | 3   | 24  | 6   | 25  | 69  |
| PJL2+00W0+12.5N | 0.4 | 6   | 40  | <3  | 0.1 | 4   | 372 | 7   | 62  | 85  |
| PJL2+00W0+25.0N | 0.3 | 9   | 65  | <3  | 0.1 | 5   | 711 | 7   | 53  | 87  |
| PJL2+00W0+37.5N | 0.1 | <3  | 33  | <3  | 0.1 | 3   | 272 | 3   | 46  | 48  |
| PJL2+00W0+50.0N | 0.2 | 5   | 12  | <3  | 0.2 | 5   | 244 | 15  | 41  | 64  |
| PJL2+00W0+62.5N | 0.1 | 10  | 20  | <3  | 1.1 | 3   | 36  | 7   | 57  | 71  |
| PJL2+00W0+75.0N | 0.2 | 11  | 16  | <3  | 0.6 | 7   | 27  | 8   | 33  | 73  |
| PJL2+00W0+87.5N | 0.2 | 19  | 41  | <3  | 1.2 | 11  | 99  | 19  | 45  | 100 |
| PJL2+00W1+00.0N | 0.1 | 14  | 13  | <3  | 0.8 | 3   | 30  | 11  | 62  | 67  |
| PJL2+00W1+12.5N | 0.2 | 19  | 16  | 3   | 1.2 | 4   | 27  | 8   | 61  | 60  |
| PJL2+00W1+25.0N | 0.2 | 14  | 16  | 3   | 1.5 | 8   | 41  | 11  | 41  | 62  |
| PJL2+00W1+37.5N | 1.4 | 13  | 25  | <3  | 0.3 | 78  | 314 | 19  | 51  | 75  |
| PJL2+00W1+50.0N | 0.4 | 22  | 15  | <3  | 0.5 | 8   | 218 | 5   | 58  | 52  |
| PJL2+00W1+62.5N | 0.4 | 23  | 17  | <3  | 0.5 | 8   | 185 | 7   | 60  | 59  |
| PJL2+00W1+75.0N | 0.5 | 30  | 11  | <3  | 0.8 | 9   | 35  | 10  | 75  | 83  |
| PJL2+00W1+87.5N | 0.4 | 22  | 12  | <3  | 0.7 | 7   | 40  | 6   | 52  | 56  |
| PJL2+00W2+00.0N | 0.1 | 9   | 22  | <3  | 0.2 | 10  | 39  | 7   | 32  | 59  |
| PJL2+00W2+12.5N | 0.1 | 3   | 21  | <3  | 0.1 | 3   | 11  | 1   | 18  | 32  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: B81277 PA

OREQUEST

Page 3 of 9

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL2+00W2+25.0N | 0.1 | 10  | 18  | <3  | 1.1 | 2   | 24  | 6   | 45  | 49  |
| PJL2+00W2+37.5N | 0.1 | <3  | 20  | <3  | 0.8 | 5   | 172 | 8   | 53  | 65  |
| PJL2+00W2+50.0N | 0.2 | <3  | 28  | <3  | 0.8 | 4   | 229 | 11  | 47  | 67  |
| PJL2+00W2+62.5N | 0.1 | 14  | 17  | 4   | 1.8 | 2   | 28  | 9   | 62  | 83  |
| PJL2+00W2+75.0N | 0.1 | 6   | 21  | <3  | 0.8 | 3   | 25  | 6   | 60  | 65  |
| PJL2+00W2+87.5N | 0.1 | 9   | 45  | <3  | 0.3 | 5   | 39  | 4   | 35  | 58  |
| PJL2+00W3+00.0N | 0.1 | 10  | 37  | <3  | 0.3 | 5   | 44  | 6   | 44  | 54  |
| PJL2+00W3+12.5N | 0.1 | 15  | 51  | <3  | 1.3 | 8   | 38  | 5   | 31  | 66  |
| PJL2+00W3+25.0N | 0.1 | 12  | 20  | 4   | 2.1 | 2   | 21  | 7   | 58  | 74  |
| PJL2+00W3+37.5N | 0.1 | 14  | 19  | <3  | 1.3 | 2   | 25  | 6   | 45  | 74  |
| PJL2+00W3+50.0N | 0.1 | 10  | 12  | <3  | 0.8 | 3   | 17  | 6   | 46  | 65  |
| PJL2+00W3+62.5N | 0.1 | 18  | 27  | <3  | 0.8 | 8   | 34  | 5   | 48  | 79  |
| PJL2+00W3+75.0N | 0.3 | 11  | 16  | <3  | 0.7 | 3   | 77  | 6   | 65  | 76  |
| PJL2+00W3+87.5N | 0.1 | 13  | 20  | <3  | 0.5 | 4   | 25  | 5   | 52  | 72  |
| PJL2+00W4+00.0N | 0.1 | 19  | 81  | 3   | 1.3 | 22  | 114 | 4   | 35  | 108 |
| PJL2+00W4+12.5N | 0.1 | 18  | 99  | 3   | 1.1 | 19  | 109 | 5   | 32  | 85  |
| PJL2+00W4+25.0N | 0.1 | 18  | 34  | <3  | 0.8 | 14  | 52  | 4   | 41  | 87  |
| PJL2+00W4+37.5N | 0.1 | 16  | 33  | <3  | 0.8 | 14  | 51  | 4   | 40  | 89  |
| PJL2+00W4+50.0N | 0.1 | 16  | 18  | <3  | 1.1 | 6   | 26  | 7   | 70  | 91  |
| PJL2+00W4+62.5N | 0.2 | 15  | 32  | <3  | 0.8 | 5   | 17  | 6   | 71  | 132 |
| PJL2+00W4+75.0N | 0.1 | 25  | 16  | <3  | 0.8 | 11  | 22  | 7   | 69  | 109 |
| PJL2+00W4+87.5N | 0.3 | 24  | 25  | <3  | 0.7 | 6   | 19  | 7   | 63  | 123 |
| PJL2+00W5+00.0N | 0.3 | 25  | 22  | <3  | 1.1 | 6   | 25  | 7   | 60  | 159 |
| PJL2+00W5+12.5N | 0.1 | 23  | 8   | 3   | 1.3 | 4   | 22  | 8   | 67  | 57  |
| PJL2+00W5+25.0N | 0.1 | 36  | 48  | <3  | 1.1 | 20  | 85  | 5   | 41  | 108 |
| PJL2+00W5+37.5N | 0.3 | 31  | 19  | <3  | 1.1 | 12  | 39  | 6   | 68  | 110 |
| PJL2+00W5+50.0N | 0.3 | 23  | 7   | <3  | 0.6 | 5   | 20  | 6   | 63  | 49  |
| PJL2+00W0+00.0S | 0.3 | 30  | 28  | <3  | 1.3 | 10  | 51  | 7   | 52  | 73  |
| PJL2+00W0+12.5S | 0.3 | 19  | 13  | <3  | 0.1 | 6   | 86  | 4   | 43  | 47  |
| PJL2+00W0+25.0S | 1.2 | 43  | 13  | 3   | 1.5 | 6   | 27  | 10  | 88  | 46  |
| PJL2+00W0+37.5S | 1.5 | 36  | 11  | <3  | 1.1 | 7   | 73  | 10  | 88  | 85  |
| PJL2+00W0+50.0S | 0.5 | 41  | 19  | 3   | 1.3 | 8   | 33  | 8   | 84  | 61  |
| PJL2+00W0+62.5S | 0.5 | 39  | 9   | 3   | 1.3 | 8   | 25  | 11  | 84  | 72  |
| PJL2+00W0+75.0S | 0.5 | 34  | 9   | 4   | 1.3 | 7   | 28  | 16  | 77  | 60  |
| PJL2+00W0+87.5S | 0.6 | 48  | 10  | 4   | 1.3 | 9   | 26  | 11  | 95  | 73  |
| PJL2+00W1+00.0S | 0.6 | 49  | 9   | 4   | 1.5 | 9   | 29  | 12  | 92  | 73  |
| PJL2+00W1+12.5S | 1.1 | 9   | 13  | <3  | 0.5 | 4   | 29  | 8   | 59  | 66  |
| PJL2+00W1+25.0S | 1.8 | 10  | 19  | <3  | 0.3 | 17  | 40  | 12  | 67  | 82  |
| PJL2+00W1+37.5S | 1.5 | 20  | 11  | <3  | 0.8 | 4   | 28  | 10  | 78  | 96  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881277 PA

REQUEST

Page 4 of 9

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL2+00W1+50.0S | 0.1 | 16  | 14  | <3  | 1.1 | 2   | 23  | 8   | 86  | 97  |
| PJL2+00W1+62.5S | 0.1 | 19  | 15  | <3  | 1.9 | 4   | 37  | 9   | 79  | 85  |
| PJL2+00W1+75.0S | 0.1 | 17  | 18  | <3  | 1.6 | 4   | 31  | 8   | 94  | 70  |
| PJL2+00W1+87.5S | 0.1 | 22  | 10  | <3  | 1.5 | 3   | 29  | 9   | 102 | 86  |
| PJL2+00W2+00.0S | 0.1 | 25  | 15  | <3  | 1.9 | 3   | 31  | 9   | 94  | 77  |
| PJL2+00W2+12.5S | 0.2 | 23  | 13  | <3  | 1.6 | 7   | 36  | 10  | 74  | 84  |
| PJL2+00W2+25.0S | 0.2 | 24  | 15  | <3  | 0.9 | 7   | 109 | 25  | 116 | 92  |
| PJL2+00W2+37.5S | 0.1 | 25  | 44  | <3  | 1.2 | 17  | 79  | 46  | 121 | 190 |
| PJL2+00W2+50.0S | 2.6 | 18  | 24  | <3  | 0.9 | 11  | 43  | 15  | 56  | 86  |
| PJL2+00W2+62.5S | 0.2 | 19  | 19  | <3  | 0.6 | 3   | 26  | 8   | 81  | 56  |
| PJL2+00W2+75.0S | 0.1 | 24  | 29  | <3  | 0.9 | 12  | 65  | 8   | 59  | 91  |
| PJL2+00W2+87.5S | 0.2 | 28  | 21  | <3  | 1.1 | 17  | 46  | 4   | 59  | 82  |
| PJL2+00W3+00.0S | 1.2 | 37  | 33  | <3  | 0.9 | 5   | 23  | 8   | 97  | 133 |
| PJL3+50W0+00.0M | 0.2 | 31  | 89  | <3  | 1.2 | 22  | 113 | 9   | 74  | 97  |
| PJL3+50W0+12.5M | 0.2 | 28  | 36  | <3  | 1.2 | 12  | 48  | 16  | 68  | 95  |
| PJL3+50W0+25.0M | 0.2 | 34  | 34  | <3  | 1.1 | 11  | 80  | 6   | 71  | 79  |
| PJL3+50W0+37.5M | 0.2 | 34  | 55  | <3  | 1.2 | 16  | 109 | 5   | 69  | 93  |
| PJL3+50W0+50.0M | 0.1 | 28  | 48  | <3  | 0.9 | 11  | 123 | 5   | 57  | 79  |
| PJL3+50W0+62.5M | 0.1 | 17  | 22  | <3  | 0.4 | 7   | 35  | 4   | 39  | 53  |
| PJL3+50W0+75.0M | 0.1 | 25  | 16  | <3  | 0.9 | 10  | 56  | 25  | 58  | 81  |
| PJL3+50W0+87.5M | 0.1 | 24  | 18  | <3  | 0.5 | 8   | 58  | 7   | 59  | 64  |
| PJL3+50W1+00.0M | 0.2 | 26  | 16  | <3  | 1.2 | 14  | 45  | 14  | 62  | 69  |
| PJL3+50W1+12.5M | 0.2 | 33  | 23  | <3  | 0.9 | 8   | 72  | 8   | 77  | 72  |
| PJL3+50W1+25.0M | 0.4 | 45  | 34  | <3  | 1.6 | 27  | 180 | 11  | 85  | 99  |
| PJL3+50W1+50.0M | 0.5 | 60  | 14  | 3   | 2.2 | 10  | 44  | 12  | 131 | 59  |
| PJL3+50W1+62.5M | 0.4 | 51  | 56  | <3  | 1.7 | 99  | 74  | 43  | 99  | 127 |
| PJL3+50W1+75.0M | 0.5 | 58  | 38  | <3  | 1.7 | 50  | 69  | 26  | 106 | 88  |
| PJL3+50W1+87.5M | 0.4 | 79  | 11  | 4   | 2.8 | 11  | 31  | 11  | 150 | 59  |
| PJL3+50W2+00.0M | 0.6 | 124 | 10  | 5   | 3.3 | 17  | 35  | 12  | 187 | 47  |
| PJL3+50W2+12.5M | 0.6 | 156 | 9   | 7   | 4.4 | 25  | 43  | 21  | 226 | 53  |
| PJL3+50W2+25.0M | 0.1 | 12  | 59  | <3  | 0.4 | 99  | 436 | 31  | 58  | 101 |
| PJL3+50W2+37.5M | 0.1 | 18  | 106 | <3  | 0.6 | 27  | 625 | 17  | 59  | 122 |
| PJL3+50W2+50.0M | 0.1 | 10  | 25  | <3  | 0.6 | 15  | 66  | 15  | 54  | 72  |
| PJL3+50W2+62.5M | 0.2 | 22  | 31  | <3  | 0.8 | 15  | 418 | 8   | 76  | 121 |
| PJL3+50W2+75.0M | 0.1 | 19  | 11  | <3  | 1.2 | 3   | 35  | 8   | 75  | 88  |
| PJL3+50W2+87.5M | 0.1 | 22  | 11  | <3  | 1.7 | 3   | 31  | 8   | 79  | 76  |
| PJL3+50W3+00.0M | 0.1 | 22  | 17  | <3  | 0.4 | 2   | 26  | 8   | 92  | 149 |
| PJL4+00W0+00.0S | 0.3 | 12  | 36  | <3  | 0.4 | 5   | 54  | 5   | 46  | 115 |
| PJL4+00W0+12.5S | 0.2 | 17  | 60  | <3  | 0.9 | 16  | 80  | 22  | 37  | 86  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1998 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881277 PA

REQUEST

Page 5 of 9

| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| PJL4+00W0+25.05   | 0.3  | 16   | 17   | 3    | 1.1   | 2     | 24    | 11   | 72    | 64    |
| PJL4+00W0+37.5S   | 0.4  | 18   | 25   | <3   | 0.6   | 3     | 22    | 67   | 74    | 122   |
| PJL4+00W0+50.05   | 0.3  | 17   | 31   | 5    | 1.3   | 4     | 19    | 118  | 60    | 106   |
| PJL4+00W0+62.5S   | 0.4  | 14   | 23   | <3   | 0.4   | 3     | 15    | 56   | 72    | 118   |
| PJL4+00W0+75.05   | 0.2  | 8    | 11   | <3   | 0.4   | 3     | 19    | 24   | 62    | 62    |
| PJL4+00W0+87.5S   | 0.4  | 18   | 12   | 5    | 1.1   | 4     | 22    | 12   | 65    | 107   |
| PJL4+00W1+00.05   | 0.5  | 15   | 35   | <3   | 0.1   | 3     | 27    | 86   | 64    | 117   |
| PJL4+00W1+12.5S   | 0.1  | <3   | 38   | <3   | 0.1   | 4     | 19    | 9    | 26    | 55    |
| PJL4+00W1+25.05   | 0.1  | 10   | 43   | <3   | 0.4   | 1     | 26    | 8    | 58    | 101   |
| PJL4+00W1+37.5S   | 0.1  | 16   | 91   | <3   | 0.5   | 2     | 34    | 17   | 51    | 136   |
| PJL4+00W1+50.05   | 0.1  | 8    | 17   | 4    | 1.1   | 2     | 23    | 9    | 46    | 75    |
| PJL4+00W1+62.5S   | 0.1  | 11   | 16   | <3   | 0.8   | 4     | 21    | 18   | 44    | 67    |
| PJL4+00W1+75.05   | 0.1  | 8    | 12   | <3   | 0.3   | 2     | 28    | 8    | 52    | 70    |
| PJL4+00W1+87.5S   | 0.1  | 12   | 10   | 4    | 1.3   | 3     | 22    | 10   | 47    | 72    |
| PJL4+00W2+00.05   | 0.1  | 11   | 12   | <3   | 0.5   | 1     | 19    | 8    | 51    | 71    |
| PJL4+00W2+12.5S   | 0.1  | 7    | 13   | <3   | 0.6   | 2     | 19    | 7    | 43    | 70    |
| PJL4+00W2+25.05   | 0.1  | 10   | 10   | 4    | 1.1   | 2     | 20    | 9    | 43    | 62    |
| PJL4+00W2+37.5S   | 0.1  | 11   | 12   | 3    | 0.9   | 1     | 19    | 9    | 49    | 79    |
| PJL4+00W2+50.05   | 0.1  | 9    | 32   | 3    | 0.5   | 7     | 31    | 5    | 27    | 81    |
| PJL4+00W2+62.5S   | 0.1  | 12   | 27   | <3   | 0.5   | 3     | 30    | 9    | 46    | 61    |
| PJL4+00W2+75.05   | 0.1  | 12   | 17   | 4    | 0.8   | 2     | 21    | 33   | 51    | 84    |
| PJL4+00W2+87.5S   | 0.1  | 16   | 22   | 3    | 0.5   | 3     | 21    | 18   | 45    | 69    |
| PJL4+00W3+00.05   | 0.2  | 18   | 11   | 5    | 1.3   | 3     | 23    | 9    | 51    | 87    |
| PJL4+50W0+12.5S   | 0.2  | 26   | 15   | 8    | 1.8   | 3     | 33    | 679  | 50    | 61    |
| PJL4+50W0+25.05   | 0.5  | 17   | 17   | 4    | 0.8   | 6     | 22    | 102  | 69    | 142   |
| PJL4+50W0+37.5S   | 0.2  | 14   | 25   | 4    | 0.6   | 11    | 21    | 99   | 52    | 93    |
| PJL4+50W0+50.05   | 0.1  | 7    | 13   | <3   | 0.1   | 1     | 9     | 18   | 24    | 63    |
| PJL4+50W0+62.5S   | 0.2  | 14   | 20   | 4    | 0.5   | 6     | 23    | 54   | 50    | 82    |
| PJL4+50W0+75.05   | 0.1  | 7    | 56   | <3   | 0.1   | 3     | 23    | 16   | 38    | 119   |
| PJL4+50W0+87.5S   | 0.1  | 12   | 13   | 3    | 0.5   | 2     | 17    | 9    | 48    | 63    |
| PJL4+50W1+00.05   | 0.1  | 15   | 81   | <3   | 0.6   | 9     | 25    | 45   | 42    | 171   |
| PJL4+50W1+12.5S   | 0.1  | 14   | 50   | 3    | 0.8   | 2     | 18    | 22   | 51    | 75    |
| PJL4+50W1+25.05   | 0.1  | 13   | 35   | <3   | 0.3   | 7     | 31    | 5    | 29    | 63    |
| PJL4+50W1+37.5S   | 0.5  | 21   | 18   | 3    | 0.5   | 6     | 27    | 5    | 51    | 64    |
| PJL4+50W1+50.05   | 0.4  | 16   | 20   | <3   | 0.1   | 4     | 50    | 14   | 36    | 47    |
| PJL4+50W1+62.5S   | 0.4  | 21   | 18   | 3    | 0.5   | 4     | 44    | 18   | 59    | 81    |
| PJL4+50W1+75.05   | 0.4  | 23   | 52   | 3    | 0.6   | 5     | 36    | 18   | 60    | 88    |
| PJL4+50W1+87.5S   | 0.4  | 18   | 9    | 3    | 0.5   | 3     | 17    | 7    | 46    | 61    |
| PJL4+50W2+00.05   | 0.3  | 17   | 14   | 4    | 1.2   | 3     | 22    | 7    | 65    | 66    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881277 PA

OREQUEST

Page 6 of 9

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL4+50W2+12.5S | 0.1 | 14  | 19  | <3  | 0.8 | 4   | 26  | 19  | 44  | 76  |
| PJL4+50W2+25.0S | 0.1 | 16  | 34  | <3  | 1.1 | 7   | 37  | 6   | 41  | 91  |
| PJL4+50W2+37.5S | 0.1 | 16  | 65  | <3  | 0.6 | 7   | 47  | 9   | 42  | 105 |
| PJL4+50W2+50.0S | 0.1 | 17  | 45  | <3  | 0.6 | 6   | 40  | 12  | 41  | 91  |
| PJL4+50W2+75.0S | 0.1 | 18  | 87  | <3  | 1.1 | 9   | 66  | 8   | 53  | 114 |
| PJL4+50W2+87.5S | 0.1 | 21  | 80  | 3   | 1.1 | 14  | 80  | 7   | 49  | 131 |
| PJL4+50W3+00.0S | 0.1 | 16  | 40  | <3  | 0.3 | 8   | 34  | 9   | 32  | 84  |
| PJL5+00W0+00.0N | 0.1 | 17  | 46  | <3  | 0.8 | 13  | 33  | 17  | 45  | 139 |
| PJL5+00W0+12.5N | 0.3 | 16  | 15  | <3  | 0.7 | 3   | 37  | 6   | 46  | 76  |
| PJL5+00W0+25.0N | 0.3 | 23  | 29  | <3  | 0.8 | 8   | 59  | 6   | 65  | 81  |
| PJL5+00W0+37.5N | 0.3 | 22  | 71  | 4   | 1.2 | 21  | 85  | 4   | 37  | 87  |
| PJL5+00W0+50.0N | 0.3 | 22  | 36  | 4   | 1.3 | 13  | 149 | 7   | 62  | 127 |
| PJL5+00W0+62.5N | 0.3 | 29  | 39  | 4   | 1.1 | 15  | 117 | 9   | 56  | 100 |
| PJL5+00W0+75.0N | 0.4 | 24  | 20  | 3   | 2.1 | 5   | 36  | 16  | 73  | 136 |
| PJL5+00W0+87.5N | 0.1 | 14  | 68  | <3  | 0.6 | 10  | 32  | 28  | 39  | 128 |
| PJL5+00W1+00.0N | 0.4 | 24  | 15  | <3  | 0.7 | 2   | 20  | 7   | 76  | 72  |
| PJL5+00W1+12.5N | 0.1 | 22  | 13  | <3  | 0.8 | 4   | 20  | 13  | 68  | 91  |
| PJL5+00W1+25.0N | 0.2 | 14  | 30  | <3  | 0.7 | 4   | 23  | 17  | 54  | 116 |
| PJL5+00W1+37.5N | 0.2 | 19  | 15  | <3  | 0.8 | 3   | 24  | 29  | 66  | 86  |
| PJL5+00W1+75.0N | 0.1 | 12  | 32  | <3  | 0.3 | 3   | 87  | 32  | 41  | 95  |
| PJL5+00W1+87.5N | 0.1 | 13  | 84  | <3  | 0.7 | 11  | 162 | 16  | 28  | 162 |
| PJL5+00W1+62.5N | 0.1 | 12  | 16  | <3  | 0.3 | 3   | 24  | 14  | 52  | 96  |
| PJL5+00W1+75.0N | 0.1 | 15  | 44  | <3  | 0.7 | 3   | 60  | 30  | 48  | 116 |
| PJL5+00W1+87.5N | 0.1 | 19  | 13  | <3  | 0.7 | 2   | 26  | 9   | 64  | 64  |
| PJL5+00W2+00.0N | 0.5 | 32  | 72  | 6   | 1.5 | 22  | 169 | 6   | 63  | 113 |
| PJL5+00W2+12.5N | 0.9 | 28  | 12  | 5   | 1.5 | 4   | 24  | 8   | 87  | 75  |
| PJL5+00W2+25.0N | 0.9 | 34  | 14  | 3   | 1.1 | 3   | 23  | 8   | 95  | 74  |
| PJL5+00W2+37.5N | 0.3 | 31  | 11  | 3   | 1.1 | 3   | 18  | 7   | 88  | 85  |
| PJL5+00W2+50.0N | 0.1 | 26  | 56  | 4   | 1.1 | 19  | 275 | 44  | 61  | 102 |
| PJL5+00W2+62.5N | 0.4 | 26  | 11  | 3   | 1.1 | 3   | 30  | 22  | 73  | 88  |
| PJL5+00W2+75.0N | 0.3 | 23  | 18  | 3   | 1.1 | 6   | 37  | 25  | 64  | 94  |
| PJL5+00W2+87.5N | 0.3 | 24  | 8   | 4   | 1.1 | 1   | 20  | 6   | 78  | 62  |
| PJL5+00W3+00.0N | 0.3 | 27  | 11  | 4   | 1.1 | 3   | 23  | 8   | 80  | 95  |
| PJL5+00W0+12.5S | 0.3 | 21  | 39  | <3  | 0.5 | 4   | 29  | 21  | 343 | 99  |
| PJL5+00W0+25.0S | 0.1 | 25  | 59  | 6   | 1.2 | 20  | 63  | 54  | 57  | 265 |
| PJL5+00W0+37.5S | 0.3 | 17  | 154 | <3  | 0.5 | 4   | 34  | 49  | 62  | 182 |
| PJL5+00W0+50.0S | 0.2 | 20  | 82  | <3  | 0.3 | 4   | 26  | 34  | 65  | 116 |
| PJL5+00W0+62.5S | 0.1 | 15  | 39  | <3  | 0.7 | 3   | 31  | 45  | 60  | 87  |
| PJL5+00W0+75.0S | 0.1 | 8   | 43  | <3  | 0.5 | 9   | 32  | 55  | 68  | 147 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
 < = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254 5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881277 PA

REQUEST

Page 7 of 9

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | In  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL5+00W0+87.5S | 0.2 | 5   | 12  | <3  | 0.6 | 7   | 21  | 12  | 85  | 73  |
| PJL5+00W1+00.0S | 0.3 | 10  | 11  | <3  | 0.8 | 3   | 18  | 7   | 84  | 65  |
| PJL5+00W1+12.5S | 0.1 | 8   | 16  | <3  | 0.7 | 5   | 27  | 4   | 59  | 60  |
| PJL5+00W1+25.0S | 0.1 | 5   | 10  | <3  | 0.8 | 5   | 20  | 5   | 73  | 64  |
| PJL5+00W1+37.5S | 0.2 | 6   | 24  | 5   | 1.3 | 3   | 16  | 7   | 81  | 67  |
| PJL5+00W1+50.0S | 0.4 | 5   | 17  | 3   | 0.8 | 3   | 30  | 11  | 97  | 86  |
| PJL5+00W1+62.5S | 0.3 | 9   | 90  | <3  | 0.8 | 5   | 179 | 13  | 86  | 118 |
| PJL5+00W1+75.0S | 0.3 | 14  | 25  | <3  | 1.1 | 5   | 38  | 33  | 90  | 95  |
| PJL5+00W1+87.5S | 0.1 | 10  | 94  | <3  | 0.8 | 5   | 183 | 16  | 57  | 113 |
| PJL5+00W2+00.0S | 0.1 | 4   | 20  | <3  | 0.8 | 4   | 24  | 19  | 80  | 80  |
| PJL5+00W2+12.5S | 0.1 | 10  | 51  | <3  | 0.6 | 7   | 57  | 9   | 66  | 104 |
| PJL5+00W2+25.0S | 0.1 | 8   | 15  | <3  | 0.8 | 4   | 22  | 7   | 61  | 74  |
| PJL5+00W2+37.5S | 0.2 | 11  | 24  | 3   | 0.8 | 10  | 25  | 30  | 72  | 84  |
| PJL5+00W2+50.0S | 0.2 | 15  | 28  | 5   | 1.1 | 11  | 43  | 25  | 65  | 130 |
| PJL5+00W2+62.5S | 0.2 | 10  | 193 | <3  | 0.8 | 7   | 49  | 31  | 72  | 135 |
| PJL5+00W2+75.0S | 0.2 | 9   | 45  | <3  | 0.7 | 4   | 19  | 28  | 87  | 88  |
| PJL5+00W2+87.5S | 0.4 | 13  | 51  | <3  | 0.8 | 4   | 16  | 28  | 91  | 116 |
| PJL5+00W3+00.0S | 0.2 | 13  | 32  | <3  | 0.8 | 5   | 20  | 38  | 78  | 97  |
| PJL5+50W0+00.0S | 0.2 | 9   | 19  | 3   | 0.7 | 7   | 27  | 8   | 68  | 76  |
| PJL5+50W0+12.5S | 0.2 | 12  | 27  | <3  | 0.7 | 7   | 44  | 5   | 75  | 96  |
| PJL5+50W0+25.0S | 0.3 | 13  | 20  | 3   | 0.8 | 32  | 46  | 7   | 79  | 102 |
| PJL5+50W0+37.5S | 0.2 | 12  | 28  | 4   | 1.1 | 10  | 35  | 7   | 61  | 117 |
| PJL5+50W0+50.0S | 0.4 | 16  | 87  | <3  | 0.8 | 4   | 16  | 20  | 95  | 118 |
| PJL5+50W0+62.5S | 0.4 | 14  | 14  | 3   | 0.8 | 3   | 21  | 9   | 95  | 87  |
| PJL5+50W0+75.0S | 0.4 | 19  | 16  | 5   | 1.3 | 4   | 23  | 8   | 97  | 103 |
| PJL5+50W0+87.5S | 0.1 | 13  | 29  | <3  | 0.8 | 13  | 39  | 5   | 62  | 113 |
| PJL5+50W1+00.0S | 0.4 | 17  | 11  | 3   | 1.1 | 3   | 17  | 8   | 108 | 89  |
| PJL5+50W1+12.5S | 0.2 | 15  | 11  | 4   | 0.8 | 6   | 22  | 9   | 75  | 92  |
| PJL5+50W1+25.0S | 0.3 | 14  | 10  | 4   | 1.1 | 6   | 23  | 9   | 81  | 97  |
| PJL5+50W1+37.5S | 0.2 | 14  | 58  | 3   | 1.1 | 11  | 101 | 21  | 80  | 128 |
| PJL5+50W1+50.0S | 0.3 | 16  | 11  | 5   | 1.5 | 7   | 27  | 11  | 76  | 102 |
| PJL5+50W1+62.5S | 0.1 | 16  | 9   | 4   | 1.1 | 4   | 23  | 9   | 77  | 78  |
| PJL5+50W1+75.0S | 0.1 | 13  | 23  | 3   | 0.8 | 6   | 35  | 15  | 72  | 80  |
| PJL5+50W1+87.5S | 0.2 | 18  | 39  | 3   | 0.8 | 5   | 47  | 27  | 88  | 140 |
| PJL5+50W2+00.0S | 0.2 | 17  | 13  | 4   | 1.1 | 4   | 24  | 11  | 86  | 62  |
| PJL5+50W2+12.5S | 0.2 | 19  | 15  | 3   | 0.8 | 6   | 44  | 7   | 89  | 71  |
| PJL5+50W2+25.0S | 0.2 | 16  | 14  | 3   | 0.8 | 3   | 18  | 7   | 88  | 84  |
| PJL5+50W2+37.5S | 0.1 | 14  | 14  | 4   | 1.1 | 4   | 22  | 8   | 77  | 65  |
| PJL5+50W2+50.0S | 0.1 | 4   | 10  | <3  | 1.1 | 5   | 25  | 5   | 72  | 84  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881277 PA

REQUEST

Page 8 of 9

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL5+50W2+62.5S | 0.1 | <3  | 17  | <3  | 0.9 | 5   | 38  | 2   | 78  | 99  |
| PJL5+50W2+75.0S | 0.3 | 4   | 12  | <3  | 1.1 | 3   | 20  | 5   | 89  | 101 |
| PJL5+50W2+87.5S | 0.1 | 9   | 30  | <3  | 0.5 | 5   | 32  | 2   | 57  | 82  |
| PJL5+50W3+00.0S | 0.1 | 6   | 20  | <3  | 0.6 | 8   | 25  | 3   | 51  | 54  |
| PJL6+00W0+00.0N | 0.2 | <3  | 12  | 3   | 1.1 | 4   | 22  | 4   | 77  | 95  |
| PJL6+00W0+12.5N | 0.2 | 3   | 20  | <3  | 0.9 | 3   | 30  | 3   | 73  | 105 |
| PJL6+00W0+25.0N | 0.2 | <3  | 18  | <3  | 0.9 | 3   | 46  | 3   | 79  | 99  |
| PJL6+00W0+37.5N | 0.1 | 7   | 10  | 3   | 1.4 | 3   | 22  | 5   | 58  | 90  |
| PJL6+00W0+50.0N | 0.1 | 8   | 11  | 3   | 1.1 | 3   | 18  | 4   | 52  | 88  |
| PJL6+00W0+62.5N | 0.1 | 15  | 122 | 3   | 1.1 | 19  | 147 | 2   | 69  | 129 |
| PJL6+00W0+75.0N | 0.1 | 16  | 83  | <3  | 0.4 | 9   | 66  | 1   | 39  | 74  |
| PJL6+00W0+87.5N | 0.1 | 7   | 33  | 4   | 1.1 | 16  | 74  | 24  | 58  | 304 |
| PJL6+00W1+00.0N | 0.2 | 8   | 16  | <3  | 0.9 | 4   | 37  | 8   | 84  | 119 |
| PJL6+00W1+12.5N | 0.1 | 5   | 12  | <3  | 0.9 | 7   | 22  | 19  | 71  | 85  |
| PJL6+00W1+25.0N | 0.1 | 16  | 77  | <3  | 1.1 | 10  | 46  | 31  | 43  | 164 |
| PJL6+00W1+37.5N | 0.1 | 5   | 16  | <3  | 1.1 | 3   | 18  | 14  | 74  | 75  |
| PJL6+00W1+50.0N | 0.2 | 10  | 10  | 3   | 0.9 | 6   | 24  | 10  | 79  | 104 |
| PJL6+00W1+62.5N | 0.1 | 4   | 16  | <3  | 1.1 | 4   | 32  | 8   | 92  | 143 |
| PJL6+00W1+75.0N | 0.1 | 7   | 10  | <3  | 0.9 | 3   | 20  | 6   | 72  | 71  |
| PJL6+00W1+87.5N | 0.1 | 11  | 12  | <3  | 0.9 | 8   | 37  | 6   | 78  | 92  |
| PJL6+00W2+00.0N | 0.2 | 12  | 18  | 4   | 1.1 | 7   | 32  | 8   | 65  | 99  |
| PJL6+00W2+12.5N | 0.3 | 10  | 16  | <3  | 0.6 | 4   | 82  | 7   | 86  | 97  |
| PJL6+00W2+25.0N | 0.4 | 9   | 10  | <3  | 0.6 | 4   | 24  | 6   | 96  | 131 |
| PJL6+00W2+37.5N | 0.1 | 12  | 37  | 3   | 0.9 | 17  | 130 | 5   | 79  | 138 |
| PJL6+00W2+50.0N | 0.2 | 9   | 72  | <3  | 0.4 | 8   | 90  | 19  | 82  | 212 |
| PJL6+00W2+62.5N | 0.3 | 12  | 65  | <3  | 1.1 | 15  | 130 | 34  | 76  | 224 |
| PJL6+00W2+75.0N | 0.1 | 12  | 58  | <3  | 0.9 | 11  | 294 | 23  | 63  | 203 |
| PJL6+00W2+87.5N | 0.2 | 19  | 52  | 4   | 1.1 | 19  | 140 | 14  | 60  | 146 |
| PJL6+00W3+00.0N | 0.1 | 16  | 45  | <3  | 0.6 | 7   | 78  | 29  | 56  | 150 |
| PJL6+00W0+12.5S | 0.2 | 14  | 18  | 3   | 0.9 | 5   | 28  | 6   | 69  | 97  |
| PJL6+00W0+25.0S | 0.3 | 11  | 14  | 4   | 1.1 | 4   | 22  | 7   | 81  | 104 |
| PJL6+00W0+37.5S | 0.1 | 11  | 18  | 6   | 1.6 | 3   | 20  | 7   | 73  | 86  |
| PJL6+00W0+50.0S | 0.1 | 12  | 42  | <3  | 0.4 | 5   | 19  | 6   | 44  | 103 |
| PJL6+00W0+62.5S | 0.1 | <3  | 14  | <3  | 0.1 | 2   | 43  | 1   | 81  | 84  |
| PJL6+00W0+75.0S | 0.2 | 17  | 18  | 3   | 0.9 | 7   | 24  | 7   | 91  | 110 |
| PJL6+00W0+87.5S | 0.1 | 15  | 103 | 3   | 0.9 | 10  | 36  | 29  | 51  | 209 |
| PJL6+00W1+00.0S | 0.2 | 17  | 12  | 3   | 1.1 | 6   | 22  | 9   | 84  | 110 |
| PJL6+00W1+12.5S | 0.2 | 11  | 12  | 3   | 1.1 | 3   | 19  | 6   | 92  | 111 |
| PJL6+00W1+25.0S | 0.5 | 23  | 16  | 6   | 1.1 | 1   | 20  | 8   | 82  | 90  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

&lt; = Less than Minimum is = Insufficient Sample ns = No sample &gt; = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5654 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: BB1277 PA

OREQUEST

Page 9 of 9

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL6+00W1+37.5S | 0.4 | 22  | 48  | 4   | 0.8 | 3   | 177 | 10  | 78  | 117 |
| PJL6+00W1+50.0S | 0.5 | 20  | 15  | 3   | 0.5 | 1   | 25  | 6   | 91  | 79  |
| PJL6+00W1+62.5S | 0.1 | 19  | 22  | 7   | 1.1 | 6   | 61  | 10  | 65  | 106 |
| PJL6+00W1+75.0S | 0.2 | 17  | 10  | 6   | 0.8 | 1   | 19  | 8   | 82  | 66  |
| PJL6+00W1+87.5S | 0.5 | 17  | 10  | 6   | 1.1 | 3   | 25  | 11  | 62  | 88  |
| PJL6+00W2+00.0S | 0.1 | 14  | 80  | <3  | 0.5 | 3   | 32  | 18  | 52  | 105 |
| PJL6+00W2+12.5S | 0.1 | 17  | 13  | 3   | 0.5 | 1   | 21  | 7   | 77  | 63  |
| PJL6+00W2+25.0S | 0.2 | 21  | 19  | <3  | 0.8 | 2   | 18  | 7   | 83  | 83  |
| PJL6+00W2+37.5S | 0.1 | 17  | 10  | 6   | 0.8 | 1   | 23  | 8   | 86  | 56  |
| PJL6+00W2+50.0S | 0.1 | 16  | 19  | 9   | 1.1 | 2   | 22  | 8   | 66  | 68  |
| PJL6+00W2+62.5S | 0.1 | 15  | 15  | 8   | 1.2 | 1   | 19  | 9   | 76  | 74  |
| PJL6+00W2+75.0S | 0.5 | 16  | 12  | 6   | 0.9 | 2   | 20  | 9   | 81  | 90  |
| PJL6+00W2+87.5S | 0.1 | 14  | 16  | <3  | 0.5 | 1   | 18  | 7   | 75  | 70  |
| PJL6+00W3+00.0S | 0.2 | 16  | 37  | <3  | 0.3 | 2   | 34  | 6   | 69  | 77  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5 3  
(604) 251-5656 FAX: 254-5713

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.

DATE: Oct 5 1988

ADDRESS: 404-595 Howe St.

: Vancouver, B.C.

REPORT#: 881335 GA

: V6C 2T5

JOB#: 881335

PROJECT#: Pez-Ver

INVOICE#: 881335 NA

SAMPLES ARRIVED: Sept 12 1988

TOTAL SAMPLES: 401

REPORT COMPLETED: Oct 5 1988

SAMPLE TYPE: Soil

ANALYSED FOR: Au ICP (10 ele)

REJECTS: DISCARDED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.

COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: OREQUEST CONSULTANTS LTD.

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1980 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

REQUEST CONSULTANTS LTD.

PAGE 1 OF 11

| SAMPLE # | Au      | ppb |
|----------|---------|-----|
| PJ0+00   | 2+50.0N | 10  |
| PJ0+00   | 2+62.5N | 15  |
| PJ0+00   | 2+75.0N | 15  |
| PJ0+00   | 2+87.5N | 15  |
| PJ0+00   | 3+00.0N | 10  |
| PJ0+00   | 3+12.5N | 25  |
| PJ0+00   | 3+25.0N | 25  |
| PJ0+00   | 3+37.5N | 10  |
| PJ0+00   | 3+50.0N | 10  |
| PJ0+00   | 3+62.5N | 10  |
| PJ0+00   | 3+75.0N | 15  |
| PJ0+00   | 3+87.5N | 10  |
| PJ0+00   | 4+00.0N | 20  |
| PJ0+00   | 4+12.5N | 15  |
| PJ0+00   | 4+25.0N | 20  |
| PJ0+00   | 4+37.5N | 30  |
| PJ0+00   | 4+50.0N | 10  |
| PJ0+00   | 4+62.5N | 15  |
| PJ0+00   | 4+75.0N | 20  |
| PJ0+00   | 4+87.5N | 25  |
| PJ0+00   | 5+00.0N | 20  |
| PJ0+00   | 5+12.5N | 10  |
| PJ0+00   | 5+25.0N | 10  |
| PJ0+00   | 5+37.5N | 25  |
| PJ0+00   | 5+50.0N | 15  |
| PJ0+50E  | 0+00.0N | 15  |
| PJ0+50E  | 0+12.5N | 20  |
| PJ0+50E  | 0+25.0N | 5   |
| PJ0+50E  | 0+37.5N | 15  |
| PJ0+50E  | 0+50.0N | 20  |
| PJ0+50E  | 0+62.5N | 15  |
| PJ0+50E  | 0+75.0N | 10  |
| PJ0+50E  | 0+87.5N | 10  |
| PJ0+50E  | 1+00.0N | 20  |
| PJ0+50E  | 1+12.5N | 10  |
| PJ0+50E  | 1+25.0N | 20  |
| PJ0+50E  | 1+37.5N | 10  |
| PJ0+50E  | 1+50.0N | 15  |
| PJ0+50E  | 1+62.5N | 10  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V5L 1K6  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 11

SAMPLE #

Au

ppb

PJ0+50E 1+75.0N 5  
PJ0+50E 1+87.5N 15  
PJ0+50E 2+00.0N 15  
PJ0+50E 2+12.5N 15  
PJ0+50E 2+25.0N 30

PJ0+50E 2+37.5N 10  
PJ0+50E 2+50.0N 20  
PJ0+50E 2+62.5N 15  
PJ0+50E 2+75.0N 15  
PJ0+50E 2+87.5N 10

PJ0+50E 3+00.0N 10  
PJ0+50E 3+12.5N 20  
PJ0+50E 3+25.0N 10  
PJ0+50E 3+37.5N 15  
PJ0+50E 3+50.0N 10

PJ0+50E 3+62.5N 15  
PJ0+50E 3+75.0N 30  
PJ0+50E 3+87.5N 20  
PJ0+50E 4+00.0N 20  
PJ0+50E 4+12.5N 15

PJ0+50E 4+25.0N 20  
PJ0+50E 4+37.5N 15  
PJ0+50E 4+50.0N 5  
PJ0+50E 4+62.5N 10  
PJ0+50E 4+75.0N 30

PJ0+50E 4+87.5N 15  
PJ0+50E 5+00.0N 25  
PJ0+50E 5+12.5N 30  
PJ0+50E 5+25.0N 15  
PJ0+50E 5+37.5N 20

PJ0+50E 5+50.0N 10  
PJ0+50E 1+25.0S 15  
PJ0+50E 1+37.5S 20  
PJ0+50E 1+50.0S 15  
PJ0+50E 1+62.5S 20

PJ0+50E 1+75.0S 10  
PJ0+50E 1+87.5S 20  
PJ0+50E 2+00.0S 20  
PJ0+50E 2+12.5S 20

DETECTION LIMIT 5

nd = none detected

--- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5 S3  
(604) 251-5656 FAX: 254-57178

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 11

| SAMPLE # | Au      | ppb |
|----------|---------|-----|
| PJ0+50E  | 2+25.0S | 20  |
| PJ0+50E  | 2+37.5S | 10  |
| PJ0+50E  | 2+50.0S | 20  |
| PJ0+50E  | 2+62.5S | 15  |
| PJ0+50E  | 2+75.0S | 25  |
| PJ0+50E  | 2+87.5S | 20  |
| PJ0+50E  | 3+00.0S | 15  |
| PJ0+50W  | 0+00.0N | 20  |
| PJ0+50W  | 0+12.5N | 20  |
| PJ0+50W  | 0+25.0N | 25  |
| PJ0+50W  | 0+37.5N | 20  |
| PJ0+50W  | 0+50.0N | 25  |
| PJ0+50W  | 0+62.5N | 15  |
| PJ0+50W  | 0+75.0N | 10  |
| PJ0+50W  | 0+87.5N | 15  |
| PJ0+50W  | 1+00.0N | 25  |
| PJ0+50W  | 1+12.5N | 20  |
| PJ0+50W  | 1+25.0N | 20  |
| PJ0+50W  | 1+37.5N | 10  |
| PJ0+50W  | 1+50.0N | 10  |
| PJ0+50W  | 1+62.5N | 10  |
| PJ0+50W  | 1+75.0N | 20  |
| PJ0+50W  | 1+87.5N | 15  |
| PJ0+50W  | 2+00.0N | 5   |
| PJ0+50W  | 2+12.5N | 20  |
| PJ0+50W  | 2+25.0N | 20  |
| PJ0+50W  | 2+37.5N | 10  |
| PJ0+50W  | 2+50.0N | 25  |
| PJ0+50W  | 2+62.5N | 10  |
| PJ0+50W  | 2+75.0N | 10  |
| PJ0+50W  | 2+87.0N | 15  |
| PJ1+00E  | 0+00.0N | 10  |
| PJ1+00E  | 0+12.5N | 10  |
| PJ1+00E  | 0+25.0N | 15  |
| PJ1+00E  | 0+37.5N | 10  |
| PJ1+00E  | 0+50.0N | 20  |
| PJ1+00E  | 0+62.5N | 10  |
| PJ1+00E  | 0+75.0N | 10  |
| PJ1+00E  | 0+87.5N | 10  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1R5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

DREQUEST CONSULTANTS LTD.

PAGE 4 OF 11

| SAMPLE #        | Au  |
|-----------------|-----|
|                 | ppb |
| PJ1+00E 1+00.0N | 5   |
| PJ1+00E 1+12.5N | 15  |
| PJ1+00E 1+25.0N | 5   |
| PJ1+00E 1+37.5N | 20  |
| PJ1+00E 1+50.0N | 25  |
| <br>            |     |
| PJ1+00E 1+62.5N | 15  |
| PJ1+00E 1+75.0N | 10  |
| PJ1+00E 1+87.5N | 25  |
| PJ1+00E 2+00.0N | 10  |
| PJ1+00E 2+12.5N | 5   |
| <br>            |     |
| PJ1+00E 2+25.0N | 20  |
| PJ1+00E 2+37.5N | 15  |
| PJ1+00E 2+50.0N | 10  |
| PJ1+00E 2+62.5N | 15  |
| PJ1+00E 2+75.0N | 10  |
| <br>            |     |
| PJ1+00E 2+87.5N | 15  |
| PJ1+00E 3+00.0N | 15  |
| PJ1+00E 3+12.5N | 15  |
| PJ1+00E 3+25.0N | 10  |
| PJ1+00E 3+37.5N | 5   |
| <br>            |     |
| PJ1+00E 3+50.0N | 20  |
| PJ1+00E 3+62.5N | 15  |
| PJ1+00E 3+75.0N | 15  |
| PJ1+00E 3+87.5N | 15  |
| PJ1+00E 4+00.0N | 10  |
| <br>            |     |
| PJ1+00E 4+12.5N | 15  |
| PJ1+00E 4+25.0N | 15  |
| PJ1+00E 4+37.5N | 15  |
| PJ1+00E 4+50.0N | 20  |
| PJ1+00E 4+62.5N | 15  |
| <br>            |     |
| PJ1+00E 4+75.0N | 10  |
| PJ1+00E 4+87.5N | 10  |
| PJ1+00E 5+00.0N | 20  |
| PJ1+00E 5+12.5N | 10  |
| PJ1+00E 5+25.0N | nd  |
| <br>            |     |
| PJ1+00E 5+37.5N | 5   |
| PJ1+00E 5+50.0N | 10  |
| PJ1+00E 6+12.5S | 5   |
| PJ1+00E 6+25.0S | 20  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

DREQUEST CONSULTANTS LTD.

PAGE 5 OF 11

| SAMPLE # | Au      | ppb |
|----------|---------|-----|
| PJ1+00E  | 0+37.5S | 20  |
| PJ1+00E  | 0+50.0S | 15  |
| PJ1+00E  | 0+62.5S | 15  |
| PJ1+00E  | 0+7.50S | 20  |
| PJ1+00W  | 0+12.5N | 10  |
| PJ1+00W  | 0+25.0N | 10  |
| PJ1+00W  | 0+37.5N | 10  |
| PJ1+00W  | 0+50.0N | 10  |
| PJ1+00W  | 0+62.5N | 10  |
| PJ1+00W  | 0+75.0N | 15  |
| PJ1+00W  | 0+87.5N | 10  |
| PJ1+00W  | 1+00.0N | 10  |
| PJ1+00W  | 1+12.5N | 35  |
| PJ1+00W  | 1+25.0N | 15  |
| PJ1+00W  | 1+37.5N | 25  |
| PJ1+00W  | 1+50.0N | 15  |
| PJ1+00W  | 1+62.5N | 5   |
| PJ1+00W  | 1+75.0N | 5   |
| PJ1+00W  | 2.00.0N | 20  |
| PJ1+00W  | 2+12.5N | 15  |
| PJ1+00W  | 2+25.0N | 15  |
| PJ1+00W  | 2+37.5N | 10  |
| PJ1+00W  | 2+50.0N | 15  |
| PJ1+00W  | 2+62.5N | 25  |
| PJ1+00W  | 2+75.0N | 25  |
| PJ1+00W  | 2+87.5N | 20  |
| PJ1+00W  | 3.00.0N | 15  |
| PJ1+00W  | 3+12.5N | 5   |
| PJ1+00W  | 3+25.0N | 5   |
| PJ1+00W  | 3+37.5N | 10  |
| PJ1+00W  | 3+50.0N | 5   |
| PJ1+00W  | 3+62.5N | 15  |
| PJ1+00W  | 3+75.0N | 20  |
| PJ1+00W  | 3+87.5N | 25  |
| PJ1+00W  | 4+00.0N | 5   |
| PJ1+00W  | 4+12.5N | 15  |
| PJ1+00W  | 4+25.0N | 5   |
| PJ1+00W  | 4+37.5N | 10  |
| PJ1+00W  | 4+50.0N | 15  |

DETECTION LIMIT 5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

DREQUEST CONSULTANTS LTD.

PAGE 6 OF 11

| SAMPLE # | Au      | ppb |
|----------|---------|-----|
| PJ1+00W  | 4+62.5N | 10  |
| PJ1+00W  | 4+75.0N | 15  |
| PJ1+00W  | 4+87.5N | 15  |
| PJ1+00W  | 5+00.0N | 20  |
| PJ1+00W  | 5+12.5N | 20  |
| PJ1+00W  | 5+25.0N | 25  |
| PJ1+00W  | 5+37.5N | 10  |
| PJ1+00W  | 5+50.0N | 15  |
| PJ1+00W  | 0+00.0S | 15  |
| PJ1+00W  | 0+12.5S | 10  |
| PJ1+00W  | 0+25.0S | 5   |
| PJ1+00W  | 0+37.5S | 10  |
| PJ1+00W  | 0+50.0S | 15  |
| PJ1+00W  | 0+62.5S | 20  |
| PJ1+00W  | 0+75.0S | 10  |
| PJ1+00W  | 0+87.5S | 15  |
| PJ1+00W  | 1+00.0S | 10  |
| PJ1+00W  | 1+12.5S | 10  |
| PJ1+00W  | 1+25.0S | 10  |
| PJ1+00W  | 1+37.5S | 10  |
| PJ1+00W  | 1+50.0S | 10  |
| PJ1+00W  | 1+62.5S | 15  |
| PJ1+00W  | 1+75.0S | 20  |
| PJ1+00W  | 1+87.5S | 15  |
| PJ1+00W  | 2+00.0S | 15  |
| PJ1+00W  | 2+12.5S | 5   |
| PJ1+00W  | 2+25.0S | 20  |
| PJ1+00W  | 2+37.5S | 20  |
| PJ1+00W  | 2+50.0S | 10  |
| PJ1+00W  | 2+62.5S | 15  |
| PJ1+00W  | 2+75.0S | 15  |
| PJ1+00W  | 2+87.5S | 15  |
| PJ1+00W  | 3+00.0S | 10  |
| PJ1+50E  | 0+00.0S | 25  |
| PJ1+50E  | 0+12.5S | 10  |
| PJ1+50E  | 0+25.0S | 15  |
| PJ1+50E  | 0+37.5S | 20  |
| PJ1+50E  | 0+50.0S | 20  |
| PJ1+50E  | 0+62.5S | 15  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

OREQUEST CONSULTANTS LTD.

PAGE 7 OF 11

| SAMPLE # | Au      | ppb |
|----------|---------|-----|
| PJ1+50E  | 0+75.0S | 10  |
| PJ1+50W  | 0+12.5N | 10  |
| PJ1+50W  | 0+25.0N | 10  |
| PJ1+50W  | 0+37.5N | 5   |
| PJ1+50W  | 0+50.0N | 15  |
| PJ1+50W  | 0+62.5N | 15  |
| PJ1+50W  | 0+75.0N | 10  |
| PJ1+50W  | 0+87.5N | 5   |
| PJ1+50W  | 1+00.0N | 5   |
| PJ1+50W  | 1+12.5N | 15  |
| PJ1+50W  | 1+25.0N | 15  |
| PJ1+50W  | 1+37.5N | 15  |
| PJ1+50W  | 1+50.0N | 15  |
| PJ1+50W  | 1+62.5N | 15  |
| PJ1+50W  | 1+75.0N | 15  |
| PJ1+50W  | 1+87.5N | 10  |
| PJ1+50W  | 2+00.0N | 10  |
| PJ1+50W  | 2+12.5N | 15  |
| PJ1+50W  | 2+25.0N | 10  |
| PJ1+50W  | 2+37.5N | 15  |
| PJ1+50W  | 2+50.0N | 10  |
| PJ1+50W  | 2+62.5N | 15  |
| PJ1+50W  | 2+75.0N | 10  |
| PJ1+50W  | 2+87.5N | 20  |
| PJ1+50W  | 3+00.0N | 15  |
| PJ1+50W  | 3+12.5N | 5   |
| PJ1+50W  | 3+25.0N | 10  |
| PJ1+50W  | 3+37.5N | 10  |
| PJ1+50W  | 3+50.0N | 10  |
| PJ1+50W  | 3+62.5N | 10  |
| PJ1+50W  | 3+75.0N | 15  |
| PJ1+50W  | 3+87.5N | 15  |
| PJ1+50W  | 4+00.0N | 20  |
| PJ1+50W  | 4+12.5N | 20  |
| PJ1+50W  | 4+25.0N | 10  |
| PJ1+50W  | 4+37.5N | 15  |
| PJ1+50W  | 4+50.0N | 5   |
| PJ1+50W  | 4+62.5N | 10  |
| PJ1+50W  | 4+75.0N | 20  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 GA

JOB NUMBER: 881335

DREQUEST CONSULTANTS LTD.

PAGE B OF 11

| SAMPLE #        | Au  |
|-----------------|-----|
|                 | ppb |
| PJ1+50W 4+87.5N | 10  |
| PJ1+50W 5+00.0N | 10  |
| PJ1+50W 5+12.5N | 10  |
| PJ1+50W 5+25.0N | 15  |
| PJ1+50W 5+37.5N | 20  |
| <br>            |     |
| PJ1+50W 5+50.0N | 20  |
| PJ1+50W 0+00.0S | 10  |
| PJ1+50W 0+12.5S | 20  |
| PJ1+50W 0+25.0S | 20  |
| PJ1+50W 0+37.5S | 5   |
| <br>            |     |
| PJ1+50W 0+50.0S | 10  |
| PJ1+50W 0+62.5S | 10  |
| PJ1+50W 0+75.0S | 20  |
| PJ1+50W 0+87.5S | 15  |
| PJ1+50W 1+00.0S | 15  |
| <br>            |     |
| PJ1+50W 1+12.5S | 15  |
| PJ1+50W 1+25.0S | 10  |
| PJ1+50W 1+37.5S | 5   |
| PJ1+50W 1+50.0S | 5   |
| PJ1+50W 1+62.5S | 10  |
| <br>            |     |
| PJ1+50W 1+75.0S | 10  |
| PJ1+50W 1+87.5S | 10  |
| PJ1+50W 2+00.0S | 20  |
| PJ1+50W 2+12.5S | 5   |
| PJ1+50W 2+25.0S | 10  |
| <br>            |     |
| PJ1+50W 2+37.5S | 15  |
| PJ1+50W 2+50.0S | 30  |
| PJ1+50W 2+62.5S | 15  |
| PJ1+50W 2+75.0S | 20  |
| PJ1+50W 2+87.5S | 20  |
| <br>            |     |
| PJ1+50W 3+00.0S | 20  |
| PJ2+50W 0+00.0N | 25  |
| PJ2+50W 0+12.5N | 15  |
| PJ2+50W 0+25.0N | 10  |
| PJ2+50W 0+37.5N | 20  |
| <br>            |     |
| PJ2+50W 0+50.0N | 20  |
| PJ2+50W 0+62.5N | 20  |
| PJ2+50W 0+75.0N | 15  |
| PJ2+50W 0+87.5N | 15  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

OREQUEST CONSULTANTS LTD.

PAGE 9 OF 11

| SAMPLE #        | Au  |
|-----------------|-----|
|                 | ppb |
| PJ2+50W 1+00.0N | 15  |
| PJ2+50W 1+12.5N | 30  |
| PJ2+50W 1+25.0N | 15  |
| PJ2+50W 1+37.5N | 25  |
| PJ2+50W 1+50.0N | 30  |
| <br>            |     |
| PJ2+50W 1+62.5N | 10  |
| PJ2+50W 1+75.0N | 15  |
| PJ2+50W 1+87.5N | 15  |
| PJ2+50W 2+00.0N | 25  |
| PJ2+50W 2+12.5N | 10  |
| <br>            |     |
| PJ2+50W 2+25.0N | 15  |
| PJ2+50W 2+37.5N | 20  |
| PJ2+50W 2+50.0N | 20  |
| PJ2+50W 2+62.5N | 15  |
| PJ2+50W 2+75.0N | 15  |
| <br>            |     |
| PJ2+50W 2+87.5N | 15  |
| PJ2+50W 3+00.0N | 20  |
| PJ2+50W 0+12.5S | 10  |
| PJ2+50W 0+25.0S | 25  |
| PJ2+50W 0+37.5S | 15  |
| <br>            |     |
| PJ2+50W 0+50.0S | 15  |
| PJ2+50W 0+62.5S | 15  |
| PJ2+50W 0+75.0S | 10  |
| PJ2+50W 0+87.5S | 5   |
| PJ2+50W 1+00.0S | 15  |
| <br>            |     |
| PJ2+50W 1+12.5S | 25  |
| PJ2+50W 1+25.0S | 20  |
| PJ2+50W 1+37.5S | 35  |
| PJ2+50W 1+50.0S | 15  |
| PJ2+50W 1+62.5S | 10  |
| <br>            |     |
| PJ2+50W 1+75.0S | 20  |
| PJ2+50W 1+87.5S | 20  |
| PJ2+50W 2+00.0S | 20  |
| PJ2+50W 2+12.5S | 20  |
| PJ2+50W 2+25.0S | 15  |
| <br>            |     |
| PJ2+50W 2+37.5S | 10  |
| PJ2+50W 2+50.0S | 10  |
| PJ2+50W 2+62.5S | 10  |
| PJ2+50W 2+75.0S | 10  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 GA

JOB NUMBER: 881335

DREQUEST CONSULTANTS LTD.

PAGE 10 OF 11

| SAMPLE # | Au      | ppb |
|----------|---------|-----|
| PJ2+50W  | 2+87.5S | 15  |
| PJ2+50W  | 3+00.0S | 20  |
| PJ3+50W  | 0+12.5S | 35  |
| PJ3+50W  | 0+25.0S | 25  |
| PJ3+50W  | 0+37.5S | 35  |
| PJ3+50W  | 0+50.0S | 10  |
| PJ3+50W  | 0+62.5S | 35  |
| PJ3+50W  | 0+75.0S | 10  |
| PJ3+50W  | 0+87.5S | 15  |
| PJ3+50W  | 1+00.0S | 20  |
| PJ3+50W  | 1+12.5S | 15  |
| PJ3+50W  | 1+25.0S | 30  |
| PJ3+50W  | 1+37.5S | 20  |
| PJ3+50W  | 1+50.0S | 20  |
| PJ3+50W  | 1+62.5S | 20  |
| PJ3+50W  | 1+75.0S | 20  |
| PJ3+50W  | 1+87.5S | 10  |
| PJ3+50W  | 2+00.0S | 25  |
| PJ3+50W  | 2+12.5S | 20  |
| PJ3+50W  | 2+25.0S | 20  |
| PJ3+50W  | 2+37.5S | 10  |
| PJ3+50W  | 2+50.0S | 25  |
| PJ3+50W  | 2+62.5S | 20  |
| PJ3+50W  | 2+75.0S | 20  |
| PJ3+50W  | 2+87.5S | 10  |
| PJ3+50W  | 3+00.0S | 20  |
| PJ4+00W  | 0+12.5N | 25  |
| PJ4+00W  | 0+25.0N | 20  |
| PJ4+00W  | 0+37.5N | 20  |
| PJ4+00W  | 0+50.0N | 15  |
| PJ4+00W  | 0+62.5N | 10  |
| PJ4+00W  | 0+75.0N | 30  |
| PJ4+00W  | 0+87.5N | 30  |
| PJ4+00W  | 1+00.0N | 20  |
| PJ4+00W  | 1+12.5N | 20  |
| PJ4+00W  | 1+25.0N | 20  |
| PJ4+00W  | 1+37.5N | 20  |
| PJ4+00W  | 1+50.0N | 25  |
| PJ4+00W  | 1+62.5N | 10  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



## VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881335 6A

JOB NUMBER: 881335

REQUEST CONSULTANTS LTD.

PAGE 11 OF 11

| SAMPLE # | Au      |
|----------|---------|
|          | ppb     |
| PJ4+00W  | 1+75.0N |
| PJ4+00W  | 1+87.5N |
| PJ4+00W  | 2+00.0N |
| PJ4+00W  | 2+12.5N |
| PJ4+00W  | 2+25.0N |
|          |         |
| PJ4+00W  | 2+37.5N |
| PJ4+00W  | 2+50.0N |
| PJ4+00W  | 2+62.5N |
| PJ4+00W  | 2+75.0N |
| PJ4+00W  | 2+87.5N |
|          |         |
| PJ4+00W  | 3+00.0N |

Au

ppb

20

20

10

60

30

20

20

20

20

15

20

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 558-5888 FAX: (604) 557-1171

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 1 of 11

| Sample Number |        | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               |        | ppm |
| PJ0+00        | 2+50.0 | 0.2 | 15  | 18  | <3  | 1.2 | 7   | 54  | 6   | 54  | 84  |
| PJ0+00        | 2+62.5 | 0.1 | 64  | 47  | <3  | 1.7 | 273 | 401 | 37  | 76  | 116 |
| PJ0+00        | 2+75.0 | 0.1 | 12  | 20  | <3  | 0.8 | 15  | 44  | 7   | 52  | 77  |
| PJ0+00        | 2+87.5 | 0.2 | 19  | 39  | <3  | 1.5 | 6   | 55  | 9   | 71  | 108 |
| PJ0+00        | 3+00.0 | 0.4 | 25  | 19  | <3  | 0.7 | 2   | 22  | 7   | 92  | 107 |
| PJ0+00        | 3+12.5 | 0.2 | 19  | 24  | <3  | 0.5 | 5   | 25  | 7   | 91  | 120 |
| PJ0+00        | 3+25.0 | 0.2 | 19  | 35  | <3  | 0.5 | 8   | 29  | 6   | 76  | 130 |
| PJ0+00        | 3+37.5 | 0.2 | 14  | 69  | <3  | 1.5 | 27  | 159 | 15  | 41  | 79  |
| PJ0+00        | 3+50.0 | 0.2 | 18  | 79  | <3  | 1.1 | 18  | 86  | 4   | 43  | 99  |
| PJ0+00        | 3+62.5 | 0.1 | 5   | 58  | 3   | 1.7 | 20  | 58  | 27  | 27  | 54  |
| PJ0+00        | 3+75.0 | 0.3 | 16  | 32  | <3  | 0.6 | 10  | 52  | 6   | 63  | 105 |
| PJ0+00        | 3+87.5 | 0.2 | 16  | 13  | <3  | 0.2 | 2   | 26  | 5   | 70  | 69  |
| PJ0+00        | 4+00.0 | 0.3 | 14  | 12  | <3  | 0.3 | 2   | 26  | 6   | 79  | 67  |
| PJ0+00        | 4+12.5 | 0.1 | 25  | 80  | 3   | 2.7 | 145 | 919 | 19  | 72  | 195 |
| PJ0+00        | 4+25.0 | 0.2 | 17  | 30  | <3  | 0.7 | 14  | 164 | 10  | 57  | 89  |
| PJ0+00        | 4+37.5 | 0.2 | 16  | 21  | <3  | 1.2 | 12  | 91  | 6   | 39  | 85  |
| PJ0+00        | 4+50.0 | 0.1 | 13  | 14  | <3  | 0.6 | 3   | 31  | 6   | 60  | 59  |
| PJ0+00        | 4+62.5 | 0.1 | 19  | 28  | <3  | 1.5 | 6   | 50  | 8   | 71  | 103 |
| PJ0+00        | 4+75.0 | 0.2 | 18  | 13  | <3  | 0.8 | 2   | 25  | 6   | 76  | 81  |
| PJ0+00        | 4+87.5 | 0.1 | 7   | 39  | <3  | 1.5 | 9   | 84  | 25  | 36  | 73  |
| PJ0+00        | 5+00.0 | 0.2 | 20  | 17  | <3  | 0.7 | 3   | 27  | 10  | 75  | 68  |
| PJ0+00        | 5+12.5 | 0.3 | 21  | 16  | <3  | 1.1 | 2   | 23  | 8   | 91  | 72  |
| PJ0+00        | 5+25.0 | 0.4 | 29  | 23  | <3  | 0.6 | 3   | 25  | 9   | 101 | 112 |
| PJ0+00        | 5+37.5 | 0.1 | 22  | 145 | <3  | 1.4 | 16  | 986 | 25  | 62  | 140 |
| PJ0+00        | 5+50.0 | 0.2 | 28  | 13  | <3  | 1.1 | 3   | 40  | 8   | 82  | 89  |
| PJ0+50E       | 0+00.0 | 0.4 | 16  | 11  | 3   | 2.2 | 2   | 38  | 9   | 82  | 65  |
| PJ0+50E       | 0+12.5 | 0.3 | 12  | 20  | 3   | 2.1 | 4   | 35  | 8   | 65  | 50  |
| PJ0+50E       | 0+25.0 | 0.3 | 10  | 26  | <3  | 0.6 | 4   | 30  | 4   | 51  | 54  |
| PJ0+50E       | 0+37.5 | 0.3 | 20  | 14  | <3  | 1.2 | 5   | 37  | 9   | 64  | 88  |
| PJ0+50E       | 0+50.0 | 0.3 | 13  | 12  | <3  | 0.2 | 6   | 27  | 5   | 36  | 54  |
| PJ0+50E       | 0+62.5 | 0.1 | 8   | 23  | <3  | 0.2 | 4   | 24  | 3   | 44  | 65  |
| PJ0+50E       | 0+75.0 | 0.2 | 11  | 22  | <3  | 0.1 | 3   | 98  | 2   | 47  | 53  |
| PJ0+50E       | 0+87.5 | 0.1 | 6   | 28  | <3  | 0.1 | 3   | 46  | 1   | 29  | 59  |
| PJ0+50E       | 1+00.0 | 0.1 | 8   | 25  | <3  | 0.1 | 3   | 37  | <1  | 23  | 38  |
| PJ0+50E       | 1+12.5 | 0.3 | 20  | 20  | <3  | 0.2 | 5   | 33  | 7   | 76  | 108 |
| PJ0+50E       | 1+25.0 | 0.2 | 18  | 10  | <3  | 1.1 | 3   | 27  | 4   | 68  | 88  |
| PJ0+50E       | 1+37.5 | 0.2 | 10  | 14  | <3  | 0.1 | 3   | 27  | 2   | 42  | 47  |
| PJ0+50E       | 1+50.0 | 0.2 | 10  | 19  | <3  | 0.1 | 3   | 29  | 5   | 51  | 62  |
| PJ0+50E       | 1+62.5 | 0.1 | 25  | 16  | <3  | 0.1 | 3   | 148 | 8   | 104 | 35  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5737

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 2 of 11

| Sample Number |        | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               |        | ppm |
| PJ0+50E       | 1+75.0 | 0.3 | 8   | 25  | <3  | 0.7 | 3   | 36  | 5   | 75  | 89  |
| PJ0+50E       | 1+87.5 | 0.1 | 4   | 19  | <3  | 0.1 | 5   | 33  | 5   | 19  | 48  |
| PJ0+50E       | 2+00.0 | 0.1 | 10  | 24  | <3  | 0.5 | 4   | 36  | 7   | 30  | 68  |
| PJ0+50E       | 2+12.5 | 0.1 | <3  | 18  | <3  | 1.1 | 5   | 52  | 12  | 42  | 63  |
| PJ0+50E       | 2+25.0 | 0.2 | 9   | 60  | <3  | 1.7 | 34  | 209 | 19  | 59  | 124 |
| PJ0+50E       | 2+37.5 | 0.1 | <3  | 35  | <3  | 1.2 | 28  | 56  | 17  | 24  | 83  |
| PJ0+50E       | 2+50.0 | 0.1 | 5   | 40  | <3  | 0.3 | 5   | 23  | 1   | 3   | 74  |
| PJ0+50E       | 2+62.5 | 0.1 | 10  | 18  | <3  | 0.1 | 4   | 100 | 1   | 24  | 70  |
| PJ0+50E       | 2+75.0 | 0.3 | 9   | 24  | <3  | 0.1 | 5   | 61  | 5   | 51  | 74  |
| PJ0+50E       | 2+87.5 | 0.1 | 7   | 25  | <3  | 0.1 | 5   | 78  | 1   | 24  | 54  |
| PJ0+50E       | 3+00.0 | 0.1 | 11  | 36  | <3  | 0.1 | 5   | 53  | 10  | 34  | 63  |
| PJ0+50E       | 3+12.5 | 0.2 | 13  | 11  | <3  | 0.5 | 3   | 25  | 5   | 68  | 79  |
| PJ0+50E       | 3+25.0 | 0.2 | 9   | 13  | <3  | 1.5 | 4   | 30  | 8   | 68  | 58  |
| PJ0+50E       | 3+37.5 | 0.1 | 3   | 15  | <3  | 1.5 | 6   | 41  | 6   | 57  | 69  |
| PJ0+50E       | 3+50.0 | 0.3 | 15  | 28  | <3  | 0.1 | 6   | 35  | <1  | 62  | 68  |
| PJ0+50E       | 3+62.5 | 0.1 | 8   | 17  | <3  | 0.6 | 4   | 262 | 5   | 97  | 63  |
| PJ0+50E       | 3+75.0 | 0.1 | 14  | 14  | <3  | 0.8 | 4   | 119 | 5   | 76  | 74  |
| PJ0+50E       | 3+87.5 | 0.2 | 15  | 11  | <3  | 1.2 | 5   | 28  | 8   | 52  | 70  |
| PJ0+50E       | 4+00.0 | 0.2 | 10  | 14  | <3  | 0.8 | 4   | 23  | 5   | 48  | 57  |
| PJ0+50E       | 4+12.5 | 0.1 | 15  | 14  | <3  | 1.2 | 5   | 23  | 6   | 48  | 64  |
| PJ0+50E       | 4+25.0 | 0.1 | 11  | 19  | <3  | 1.2 | 4   | 22  | 6   | 51  | 74  |
| PJ0+50E       | 4+37.5 | 0.1 | 11  | 10  | <3  | 0.8 | 4   | 21  | 5   | 38  | 89  |
| PJ0+50E       | 4+50.0 | 0.1 | 16  | 32  | <3  | 1.2 | 8   | 29  | 5   | 37  | 74  |
| PJ0+50E       | 4+62.5 | 0.1 | 8   | 7   | 3   | 1.7 | 4   | 22  | 7   | 53  | 66  |
| PJ0+50E       | 4+75.0 | 0.4 | 15  | 15  | <3  | 0.7 | 8   | 35  | 6   | 65  | 64  |
| PJ0+50E       | 4+87.5 | 0.1 | 11  | 14  | <3  | 1.2 | 5   | 93  | 8   | 84  | 81  |
| PJ0+50E       | 5+00.0 | 0.1 | 12  | 10  | <3  | 1.1 | 5   | 25  | 7   | 56  | 81  |
| PJ0+50E       | 5+12.5 | 0.1 | 14  | 12  | <3  | 0.6 | 6   | 22  | 8   | 51  | 69  |
| PJ0+50E       | 5+25.0 | 0.2 | 13  | 10  | <3  | 0.7 | 7   | 25  | 9   | 74  | 84  |
| PJ0+50E       | 5+37.5 | 0.1 | 12  | 15  | <3  | 1.5 | 10  | 46  | 12  | 64  | 86  |
| PJ0+50E       | 5+50.0 | 0.1 | 14  | 14  | <3  | 0.2 | 6   | 23  | 9   | 44  | 78  |
| PJ0+50E       | 1+25.0 | 0.2 | 14  | 27  | <3  | 1.5 | 7   | 32  | 8   | 49  | 68  |
| PJ0+50E       | 1+37.5 | 0.3 | 12  | 16  | <3  | 0.1 | 6   | 20  | 5   | 40  | 41  |
| PJ0+50E       | 1+50.0 | 0.1 | 9   | 24  | <3  | 0.7 | 5   | 21  | 5   | 57  | 45  |
| PJ0+50E       | 1+62.5 | 0.3 | 9   | 19  | <3  | 0.1 | 7   | 22  | 4   | 26  | 22  |
| PJ0+50E       | 1+75.0 | 0.3 | 8   | 22  | <3  | 1.5 | 11  | 59  | 6   | 47  | 82  |
| PJ0+50E       | 1+87.5 | 0.1 | 12  | 29  | <3  | 0.7 | 8   | 56  | 8   | 63  | 91  |
| PJ0+50E       | 2+00.0 | 0.3 | 13  | 17  | <3  | 1.2 | 5   | 28  | 8   | 78  | 97  |
| PJ0+50E       | 2+12.5 | 0.3 | 8   | 16  | <3  | 0.8 | 8   | 46  | 9   | 57  | 82  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1985 Triumph Street  
Vancouver, B.C. V6L 1K6  
(604) 251-5656 FAX (604) 564-5710

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 3 of 11

| Sample Number | Ag     | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Po  | Zn  |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm    | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| PJ0+50E       | 2+25.0 | 0.2 | 7   | 20  | <3  | 0.1 | 5   | 29  | 2   | 41  |
| PJ0+50E       | 2+37.5 | 0.2 | 8   | 13  | <3  | 0.5 | 5   | 32  | 5   | 45  |
| PJ0+50E       | 2+50.0 | 0.2 | 7   | 19  | <3  | 0.4 | 5   | 36  | 10  | 38  |
| PJ0+50E       | 2+62.5 | 0.1 | 9   | 13  | <3  | 0.4 | 4   | 26  | 4   | 54  |
| PJ0+50E       | 2+75.0 | 0.4 | 11  | 9   | <3  | 0.9 | 2   | 24  | 6   | 87  |
| PJ0+50E       | 2+87.5 | 0.1 | 5   | 14  | <3  | 1.2 | 1   | 20  | 4   | 66  |
| PJ0+50E       | 3+00.0 | 0.1 | 7   | 13  | <3  | 1.1 | 3   | 29  | 6   | 66  |
| PJ0+50W       | 0+00.0 | 0.1 | 9   | 14  | 3   | 1.2 | 7   | 33  | 11  | 53  |
| PJ0+50W       | 0+12.5 | 0.1 | 4   | 23  | <3  | 0.6 | 4   | 45  | 7   | 29  |
| PJ0+50W       | 0+25.0 | 0.1 | 4   | 26  | <3  | 0.1 | 4   | 33  | 5   | 39  |
| PJ0+50W       | 0+37.5 | 0.1 | 10  | 13  | <3  | 0.8 | 3   | 24  | 7   | 64  |
| PJ0+50W       | 0+50.0 | 0.1 | <3  | 14  | <3  | 0.8 | 3   | 36  | 8   | 78  |
| PJ0+50W       | 0+62.5 | 0.4 | 11  | 22  | <3  | 0.1 | 3   | 120 | 6   | 74  |
| PJ0+50W       | 0+75.0 | 0.4 | 10  | 22  | <3  | 0.4 | 83  | 360 | 6   | 74  |
| PJ0+50W       | 0+87.5 | 0.1 | 6   | 12  | 3   | 2.2 | 6   | 45  | 10  | 69  |
| PJ0+50W       | 1+00.0 | 0.1 | 12  | 75  | 3   | 1.2 | 17  | 108 | 3   | 49  |
| PJ0+50W       | 1+12.5 | 0.1 | 12  | 11  | 3   | 0.5 | 2   | 20  | 5   | 91  |
| PJ0+50W       | 1+25.0 | 0.1 | 7   | 11  | <3  | 0.9 | 4   | 46  | 7   | 80  |
| PJ0+50W       | 1+37.5 | 0.2 | 7   | 12  | <3  | 0.4 | 3   | 17  | 5   | 90  |
| PJ0+50W       | 1+50.0 | 0.2 | 13  | 17  | <3  | 0.9 | 3   | 23  | 5   | 95  |
| PJ0+50W       | 1+62.5 | 0.4 | 14  | 17  | <3  | 0.5 | 7   | 25  | 6   | 83  |
| PJ0+50W       | 1+75.0 | 0.4 | 8   | 13  | 3   | 1.1 | 3   | 25  | 6   | 89  |
| PJ0+50W       | 1+87.5 | 0.1 | 15  | 21  | <3  | 0.5 | 9   | 35  | 7   | 87  |
| PJ0+50W       | 2+00.0 | 0.1 | 16  | 24  | <3  | 0.5 | 7   | 37  | 4   | 58  |
| PJ0+50W       | 2+12.5 | 0.1 | 19  | 36  | 3   | 0.9 | 19  | 39  | 4   | 57  |
| PJ0+50W       | 2+25.0 | 0.1 | 21  | 49  | <3  | 0.9 | 12  | 52  | 3   | 46  |
| PJ0+50W       | 2+37.5 | 0.2 | 14  | 20  | <3  | 1.1 | 6   | 34  | 5   | 71  |
| PJ0+50W       | 2+50.0 | 0.2 | 8   | 18  | <3  | 0.9 | 3   | 29  | 6   | 91  |
| PJ0+50W       | 2+62.5 | 0.2 | 15  | 24  | <3  | 0.6 | 5   | 54  | 5   | 72  |
| PJ0+50W       | 2+75.0 | 0.1 | 14  | 24  | <3  | 0.5 | 6   | 40  | 5   | 77  |
| PJ0+50W       | 2+87.0 | 0.1 | 18  | 45  | <3  | 0.5 | 13  | 43  | 3   | 70  |
| PJ1+00E       | 0+00.0 | 0.6 | 13  | 16  | <3  | 0.6 | 4   | 86  | 15  | 81  |
| PJ1+00E       | 0+12.5 | 0.2 | 12  | 13  | <3  | 0.1 | 4   | 86  | 4   | 42  |
| PJ1+00E       | 0+25.0 | 0.1 | 13  | 31  | <3  | 0.1 | 4   | 125 | 6   | 83  |
| PJ1+00E       | 0+37.5 | 0.1 | 9   | 21  | <3  | 0.1 | 5   | 529 | <1  | 39  |
| PJ1+00E       | 0+50.0 | 0.1 | 16  | 15  | <3  | 0.1 | 3   | 107 | <1  | 34  |
| PJ1+00E       | 0+62.5 | 0.1 | 10  | 18  | <3  | 0.1 | 5   | 133 | 1   | 38  |
| PJ1+00E       | 0+75.0 | 0.1 | 12  | 19  | <3  | 0.1 | 3   | 101 | 1   | 40  |
| PJ1+00E       | 0+87.5 | 0.1 | 17  | 21  | <3  | 0.1 | 4   | 99  | 3   | 47  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 3E5  
(604) 251-5456 FAX: (604) 251-5711

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 4 of 11

| Sample Number  | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                | ppm |
| PJ1+00E 1+00.0 | 0.1 | 4   | 23  | <3  | 0.1 | 3   | 15  | <1  | 16  | 61  |
| PJ1+00E 1+12.5 | 0.1 | 9   | 20  | <3  | 0.1 | 5   | 33  | <1  | 27  | 60  |
| PJ1+00E 1+25.0 | 0.2 | <3  | 18  | <3  | 0.5 | 4   | 49  | 5   | 57  | 57  |
| PJ1+00E 1+37.5 | 0.2 | 10  | 15  | <3  | 0.1 | 5   | 26  | 5   | 53  | 65  |
| PJ1+00E 1+50.0 | 0.1 | 5   | 17  | <3  | 1.4 | 3   | 23  | 6   | 48  | 55  |
| PJ1+00E 1+62.5 | 0.2 | 12  | 21  | <3  | 0.7 | 6   | 23  | 7   | 77  | 107 |
| PJ1+00E 1+75.0 | 0.1 | 13  | 14  | <3  | 0.8 | 4   | 23  | 8   | 72  | 104 |
| PJ1+00E 1+87.5 | 0.2 | 13  | 22  | <3  | 0.2 | 6   | 92  | 5   | 57  | 69  |
| PJ1+00E 2+00.0 | 0.1 | 9   | 21  | <3  | 0.1 | 10  | 99  | 7   | 52  | 64  |
| PJ1+00E 2+12.5 | 0.2 | 6   | 12  | <3  | 0.2 | 6   | 29  | 6   | 44  | 66  |
| PJ1+00E 2+25.0 | 0.1 | 6   | 16  | 3   | 1.5 | 5   | 34  | 10  | 50  | 62  |
| PJ1+00E 2+37.5 | 0.1 | 10  | 26  | 3   | 1.1 | 4   | 24  | 6   | 47  | 63  |
| PJ1+00E 2+50.0 | 0.1 | 16  | 37  | <3  | 1.1 | 9   | 57  | 4   | 41  | 83  |
| PJ1+00E 2+62.5 | 0.2 | 7   | 12  | <3  | 0.1 | 2   | 180 | 5   | 42  | 47  |
| PJ1+00E 2+75.0 | 0.1 | 12  | 10  | <3  | 0.1 | 2   | 174 | 3   | 51  | 42  |
| PJ1+00E 2+87.5 | 0.2 | 11  | 14  | <3  | 0.8 | 5   | 29  | 8   | 54  | 61  |
| PJ1+00E 3+00.0 | 0.1 | 6   | 15  | <3  | 0.6 | 4   | 27  | 5   | 73  | 55  |
| PJ1+00E 3+12.5 | 0.2 | 10  | 19  | <3  | 0.5 | 4   | 25  | 6   | 43  | 49  |
| PJ1+00E 3+25.0 | 0.1 | 7   | 14  | 3   | 1.5 | 3   | 22  | 6   | 54  | 52  |
| PJ1+00E 3+37.5 | 0.1 | 10  | 67  | <3  | 0.7 | 9   | 25  | 4   | 49  | 90  |
| PJ1+00E 3+50.0 | 0.1 | 12  | 17  | <3  | 1.1 | 10  | 30  | 9   | 53  | 78  |
| PJ1+00E 3+62.5 | 0.2 | 11  | 14  | <3  | 0.1 | 3   | 21  | 5   | 61  | 51  |
| PJ1+00E 3+75.0 | 0.1 | 15  | 19  | <3  | 0.5 | 3   | 27  | 5   | 60  | 60  |
| PJ1+00E 3+87.5 | 0.4 | 15  | 15  | <3  | 0.6 | 5   | 25  | 8   | 94  | 95  |
| PJ1+00E 4+00.0 | 0.2 | 13  | 13  | <3  | 0.3 | 4   | 22  | 5   | 69  | 81  |
| PJ1+00E 4+12.5 | 0.2 | 19  | 13  | <3  | 0.3 | 4   | 21  | 5   | 63  | 75  |
| PJ1+00E 4+25.0 | 0.4 | 12  | 22  | <3  | 0.5 | 3   | 26  | 7   | 96  | 116 |
| PJ1+00E 4+37.5 | 0.6 | 16  | 27  | <3  | 0.7 | 6   | 116 | 6   | 76  | 97  |
| PJ1+00E 4+50.0 | 0.9 | 15  | 22  | <3  | 0.7 | 4   | 118 | 10  | 107 | 80  |
| PJ1+00E 4+62.5 | 0.3 | 20  | 36  | 3   | 0.8 | 15  | 184 | 6   | 119 | 87  |
| PJ1+00E 4+75.0 | 0.6 | 18  | 22  | 3   | 1.1 | 4   | 20  | 9   | 81  | 150 |
| PJ1+00E 4+87.5 | 0.1 | 10  | 16  | <3  | 0.1 | 5   | 17  | 4   | 43  | 42  |
| PJ1+00E 5+00.0 | 0.1 | 5   | 15  | <3  | 1.1 | 2   | 16  | 4   | 61  | 42  |
| PJ1+00E 5+12.5 | 0.4 | 16  | 17  | <3  | 0.5 | 7   | 41  | 6   | 66  | 64  |
| PJ1+00E 5+25.0 | 0.1 | 11  | 18  | <3  | 0.2 | 4   | 22  | 4   | 56  | 53  |
| PJ1+00E 5+37.5 | 0.2 | 13  | 15  | 4   | 1.7 | 5   | 27  | 8   | 64  | 62  |
| PJ1+00E 5+50.0 | 0.3 | 12  | 13  | <3  | 0.1 | 4   | 19  | 3   | 38  | 36  |
| PJ1+00E 6+12.5 | 2.4 | 10  | 13  | <3  | 3.1 | 3   | 194 | 3   | 55  | 46  |
| PJ1+00E 6+25.0 | 0.2 | 12  | 16  | <3  | 1.5 | 8   | 86  | 9   | 53  | 69  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1998 Triarch Street  
Vancouver, B.C. V6L 1K2  
(604) 251-5656 Fax: 250-5711

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: BB1335 PA

REQUEST

Page 5 of 11

| Sample Number | Ag     | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |     |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm    | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |     |
| PJ1+00E       | 0+37.5 | 0.1 | 15  | 15  | <3  | 0.1 | 12  | 129 | 5   | 58  | 52  |
| PJ1+00E       | 0+50.0 | 0.1 | 9   | 11  | <3  | 1.1 | 3   | 25  | 5   | 59  | 49  |
| PJ1+00E       | 0+62.5 | 0.1 | 18  | 63  | 3   | 0.7 | 18  | 128 | 5   | 35  | 113 |
| PJ1+00E       | 0+7.50 | 0.1 | 14  | 37  | <3  | 0.1 | 53  | 676 | 15  | 97  | 101 |
| PJ1+00W       | 0+12.5 | 0.6 | 18  | 104 | <3  | 0.1 | 9   | 118 | 6   | 74  | 104 |
| PJ1+00W       | 0+25.0 | 0.1 | 5   | 44  | <3  | 0.1 | 4   | 269 | <1  | 14  | 108 |
| PJ1+00W       | 0+37.5 | 0.3 | 10  | 15  | <3  | 0.2 | 4   | 115 | 9   | 65  | 76  |
| PJ1+00W       | 0+50.0 | 0.1 | 17  | 78  | <3  | 0.3 | 14  | 143 | 4   | 36  | 92  |
| PJ1+00W       | 0+62.5 | 0.2 | 12  | 16  | <3  | 0.6 | 19  | 249 | 13  | 63  | 87  |
| PJ1+00W       | 0+75.0 | 0.1 | 13  | 15  | <3  | 1.1 | 6   | 32  | 7   | 57  | 67  |
| PJ1+00W       | 0+87.5 | 0.1 | 16  | 10  | <3  | 1.1 | 4   | 26  | 7   | 75  | 72  |
| PJ1+00W       | 1+00.0 | 0.2 | 8   | 10  | <3  | 0.5 | 4   | 26  | 5   | 54  | 45  |
| PJ1+00W       | 1+12.5 | 0.1 | 12  | 23  | <3  | 0.6 | 2   | 18  | 4   | 60  | 62  |
| PJ1+00W       | 1+25.0 | 0.1 | 8   | 12  | 3   | 1.7 | 2   | 27  | 7   | 57  | 69  |
| PJ1+00W       | 1+37.5 | 0.2 | 10  | 10  | 3   | 2.1 | 3   | 25  | 6   | 60  | 57  |
| PJ1+00W       | 1+50.0 | 0.2 | 9   | 12  | <3  | 0.6 | 3   | 24  | 3   | 48  | 51  |
| PJ1+00W       | 1+62.5 | 0.2 | 10  | 11  | <3  | 0.7 | 4   | 25  | 5   | 64  | 72  |
| PJ1+00W       | 1+75.0 | 0.1 | 12  | 13  | 3   | 1.2 | 2   | 23  | 7   | 67  | 72  |
| PJ1+00W       | 2.00.0 | 0.2 | 13  | 18  | <3  | 0.7 | 4   | 26  | 6   | 46  | 73  |
| PJ1+00W       | 2+12.5 | 0.2 | 11  | 21  | <3  | 0.3 | 5   | 30  | 3   | 31  | 51  |
| PJ1+00W       | 2+25.0 | 0.2 | 14  | 15  | <3  | 0.6 | 2   | 26  | 4   | 66  | 36  |
| PJ1+00W       | 2+37.5 | 0.3 | 18  | 14  | <3  | 0.3 | 2   | 21  | 6   | 83  | 77  |
| PJ1+00W       | 2+50.0 | 0.3 | 21  | 10  | <3  | 0.7 | 3   | 20  | 6   | 79  | 97  |
| PJ1+00W       | 2+62.5 | 0.4 | 24  | 25  | <3  | 0.6 | 7   | 21  | 9   | 73  | 115 |
| PJ1+00W       | 2+75.0 | 0.4 | 13  | 17  | <3  | 0.6 | 2   | 26  | 8   | 111 | 64  |
| PJ1+00W       | 2+87.5 | 0.3 | 15  | 17  | <3  | 0.5 | 2   | 21  | 6   | 93  | 47  |
| PJ1+00W       | 3.00.0 | 0.2 | 8   | 10  | <3  | 0.2 | 2   | 51  | 7   | 70  | 58  |
| PJ1+00W       | 3+12.5 | 0.2 | 16  | 9   | <3  | 0.5 | 2   | 29  | 4   | 65  | 44  |
| PJ1+00W       | 3+25.0 | 0.2 | 13  | 10  | 3   | 1.4 | 4   | 29  | 9   | 68  | 90  |
| PJ1+00W       | 3+37.5 | 0.2 | 12  | 13  | <3  | 0.5 | 3   | 25  | 6   | 99  | 86  |
| PJ1+00W       | 3+50.0 | 0.1 | 7   | 9   | <3  | 0.8 | 1   | 17  | 5   | 72  | 56  |
| PJ1+00W       | 3+62.5 | 0.2 | 5   | 11  | <3  | 0.7 | 2   | 18  | 4   | 80  | 55  |
| PJ1+00W       | 3+75.0 | 0.2 | 10  | 10  | <3  | 0.5 | 2   | 19  | 5   | 74  | 66  |
| PJ1+00W       | 3+87.5 | 0.2 | 6   | 14  | 3   | 1.5 | 2   | 22  | 6   | 63  | 52  |
| PJ1+00W       | 4+00.0 | 0.2 | 14  | 10  | <3  | 0.5 | 2   | 15  | 4   | 80  | 42  |
| PJ1+00W       | 4+12.5 | 0.2 | 8   | 16  | 4   | 2.1 | 3   | 25  | 7   | 48  | 67  |
| PJ1+00W       | 4+25.0 | 0.4 | 12  | 15  | <3  | 0.8 | 5   | 26  | 6   | 66  | 61  |
| PJ1+00W       | 4+37.5 | 0.3 | 18  | 18  | <3  | 0.3 | 2   | 18  | 4   | 82  | 91  |
| PJ1+00W       | 4+50.0 | 0.3 | 16  | 9   | <3  | 0.6 | 3   | 18  | 6   | 69  | 65  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 20000 1000 20000 20000

< = Less than Minimum

is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1H5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 6 of 11

| Sample Number | Ag     | As  | Ba | Bi | Cd | Co  | Cu | Mo  | Pb | Zn |     |
|---------------|--------|-----|----|----|----|-----|----|-----|----|----|-----|
| PJ1+00W       | 4+62.5 | 0.1 | 18 | 8  | <3 | 0.2 | 3  | 18  | 3  | 53 | 44  |
| PJ1+00W       | 4+75.0 | 0.2 | 13 | 9  | <3 | 1.1 | 2  | 27  | 8  | 75 | 70  |
| PJ1+00W       | 4+87.5 | 0.9 | 17 | 17 | <3 | 0.7 | 4  | 21  | 8  | 92 | 91  |
| PJ1+00W       | 5+00.0 | 0.2 | 24 | 78 | 5  | 1.5 | 27 | 135 | 4  | 49 | 129 |
| PJ1+00W       | 5+12.5 | 0.3 | 18 | 80 | 5  | 1.1 | 27 | 160 | 3  | 38 | 90  |
| PJ1+00W       | 5+25.0 | 0.2 | 19 | 49 | 5  | 1.1 | 19 | 97  | 4  | 49 | 97  |
| PJ1+00W       | 5+37.5 | 0.1 | 14 | 16 | <3 | 0.5 | 3  | 26  | 5  | 67 | 82  |
| PJ1+00W       | 5+50.0 | 0.2 | 21 | 12 | <3 | 0.5 | 2  | 17  | 5  | 95 | 76  |
| PJ1+00W       | 0+00.0 | 0.3 | 11 | 13 | <3 | 0.8 | 4  | 64  | 7  | 64 | 54  |
| PJ1+00W       | 0+12.5 | 0.1 | 8  | 38 | <3 | 1.2 | 2  | 13  | <1 | 6  | 57  |
| PJ1+00W       | 0+25.0 | 0.1 | 7  | 40 | <3 | 2.5 | 2  | 18  | 1  | 6  | 56  |
| PJ1+00W       | 0+37.5 | 0.4 | 12 | 66 | <3 | 0.2 | 5  | 60  | 55 | 58 | 82  |
| PJ1+00W       | 0+50.0 | 0.3 | 14 | 26 | <3 | 0.6 | 4  | 25  | 18 | 64 | 70  |
| PJ1+00W       | 0+62.5 | 0.3 | 18 | 32 | <3 | 0.1 | 4  | 24  | 16 | 65 | 97  |
| PJ1+00W       | 0+75.0 | 0.3 | 18 | 13 | <3 | 0.6 | 4  | 25  | 14 | 70 | 90  |
| PJ1+00W       | 0+87.5 | 0.2 | 13 | 10 | <3 | 0.7 | 4  | 24  | 6  | 53 | 80  |
| PJ1+00W       | 1+00.0 | 0.1 | 18 | 11 | <3 | 1.1 | 6  | 24  | 6  | 67 | 91  |
| PJ1+00W       | 1+12.5 | 0.2 | 15 | 15 | <3 | 1.1 | 6  | 28  | 9  | 53 | 76  |
| PJ1+00W       | 1+25.0 | 0.2 | 11 | 25 | <3 | 0.3 | 6  | 44  | 3  | 50 | 55  |
| PJ1+00W       | 1+37.5 | 0.3 | 12 | 9  | 3  | 1.1 | 4  | 28  | 9  | 61 | 59  |
| PJ1+00W       | 1+50.0 | 0.2 | 14 | 10 | <3 | 0.8 | 4  | 28  | 7  | 58 | 71  |
| PJ1+00W       | 1+62.5 | 0.4 | 16 | 10 | <3 | 0.6 | 4  | 27  | 5  | 55 | 67  |
| PJ1+00W       | 1+75.0 | 0.2 | 14 | 14 | <3 | 0.6 | 5  | 27  | 4  | 47 | 75  |
| PJ1+00W       | 1+87.5 | 0.2 | 13 | 14 | <3 | 0.7 | 3  | 21  | 5  | 55 | 68  |
| PJ1+00W       | 2+00.0 | 0.1 | 21 | 30 | <3 | 0.5 | 5  | 77  | 3  | 67 | 64  |
| PJ1+00W       | 2+12.5 | 0.1 | 21 | 46 | 3  | 1.5 | 25 | 138 | 4  | 68 | 98  |
| PJ1+00W       | 2+25.0 | 0.1 | 19 | 35 | 5  | 1.5 | 18 | 173 | 4  | 70 | 101 |
| PJ1+00W       | 2+37.5 | 0.2 | 11 | 24 | 4  | 1.5 | 5  | 36  | 6  | 68 | 59  |
| PJ1+00W       | 2+50.0 | 0.2 | 18 | 10 | 4  | 2.2 | 3  | 29  | 7  | 59 | 60  |
| PJ1+00W       | 2+62.5 | 0.4 | 17 | 16 | <3 | 0.2 | 5  | 25  | 6  | 50 | 68  |
| PJ1+00W       | 2+75.0 | 0.2 | 18 | 15 | <3 | 1.1 | 3  | 27  | 6  | 64 | 68  |
| PJ1+00W       | 2+87.5 | 0.3 | 17 | 12 | <3 | 1.2 | 5  | 26  | 6  | 55 | 64  |
| PJ1+00W       | 3+00.0 | 0.3 | 17 | 11 | 4  | 1.2 | 3  | 25  | 7  | 74 | 59  |
| PJ1+50E       | 0+00.0 | 0.1 | 14 | 21 | <3 | 1.5 | 4  | 31  | 5  | 60 | 70  |
| PJ1+50E       | 0+12.5 | 0.2 | 11 | 24 | <3 | 0.7 | 6  | 32  | 3  | 38 | 69  |
| PJ1+50E       | 0+25.0 | 0.2 | 11 | 12 | 3  | 1.4 | 3  | 29  | 8  | 56 | 79  |
| PJ1+50E       | 0+37.5 | 0.1 | 19 | 21 | 3  | 1.7 | 8  | 38  | 5  | 53 | 87  |
| PJ1+50E       | 0+50.0 | 0.2 | 18 | 11 | <3 | 1.1 | 2  | 22  | 6  | 82 | 74  |
| PJ1+50E       | 0+62.5 | 0.3 | 23 | 21 | <3 | 0.6 | 8  | 66  | 6  | 67 | 76  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1989 Triumph Street  
Vancouver, B.C. V6L 1K6  
(604) 251-5694 FAX: 254-5711

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881335 PA

DREQUEST

Page 7 of 11

| Sample Number |        | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               |        | ppm |
| PJ1+50E       | 0+75.0 | 0.2 | 11  | 18  | <3  | 0.1 | 3   | 34  | 2   | 42  | 49  |
| PJ1+50W       | 0+12.5 | 0.1 | <3  | 25  | <3  | 0.1 | 1   | 239 | 2   | 18  | 42  |
| PJ1+50W       | 0+25.0 | 0.1 | <3  | 35  | <3  | 0.1 | 2   | 289 | 3   | 9   | 54  |
| PJ1+50W       | 0+37.5 | 0.2 | <3  | 32  | <3  | 0.1 | 1   | 74  | <1  | 21  | 39  |
| PJ1+50W       | 0+50.0 | 0.1 | 12  | 15  | <3  | 0.8 | 3   | 25  | 9   | 52  | 62  |
| PJ1+50W       | 0+62.5 | 0.1 | 8   | 11  | <3  | 0.8 | 5   | 30  | 10  | 56  | 73  |
| PJ1+50W       | 0+75.0 | 0.1 | 10  | 13  | <3  | 0.2 | 4   | 25  | 7   | 62  | 64  |
| PJ1+50W       | 0+87.5 | 0.2 | 11  | 11  | <3  | 0.5 | 4   | 29  | 6   | 67  | 72  |
| PJ1+50W       | 1+00.0 | 0.1 | 7   | 15  | <3  | 0.1 | 7   | 15  | <1  | 25  | 97  |
| PJ1+50W       | 1+12.5 | 0.1 | 10  | 9   | <3  | 1.2 | 2   | 42  | 6   | 53  | 79  |
| PJ1+50W       | 1+25.0 | 0.1 | 7   | 8   | <3  | 0.5 | 1   | 20  | 3   | 51  | 57  |
| PJ1+50W       | 1+37.5 | 0.1 | 6   | 12  | <3  | 0.5 | 3   | 26  | 4   | 52  | 77  |
| PJ1+50W       | 1+50.0 | 0.1 | 5   | 8   | <3  | 0.6 | 2   | 24  | 3   | 57  | 65  |
| PJ1+50W       | 1+62.5 | 0.1 | 8   | 10  | <3  | 0.4 | 3   | 25  | 5   | 59  | 66  |
| PJ1+50W       | 1+75.0 | 0.2 | 11  | 13  | <3  | 0.2 | 4   | 98  | 5   | 50  | 69  |
| PJ1+50W       | 1+87.5 | 0.2 | 8   | 20  | <3  | 1.1 | 2   | 22  | 4   | 63  | 46  |
| PJ1+50W       | 2+00.0 | 0.1 | <3  | 24  | <3  | 0.1 | 2   | 15  | <1  | 31  | 52  |
| PJ1+50W       | 2+12.5 | 0.1 | 5   | 16  | <3  | 0.8 | 2   | 33  | 4   | 65  | 60  |
| PJ1+50W       | 2+25.0 | 0.2 | 8   | 37  | <3  | 1.2 | 5   | 73  | 6   | 87  | 107 |
| PJ1+50W       | 2+37.5 | 0.2 | 17  | 61  | <3  | 0.5 | 5   | 37  | 7   | 81  | 191 |
| PJ1+50W       | 2+50.0 | 0.1 | <3  | 56  | <3  | 0.1 | 8   | 32  | <1  | 20  | 57  |
| PJ1+50W       | 2+62.5 | 0.1 | 12  | 28  | <3  | 0.6 | 9   | 109 | 4   | 56  | 83  |
| PJ1+50W       | 2+75.0 | 0.2 | 16  | 20  | <3  | 0.4 | 6   | 75  | 2   | 51  | 68  |
| PJ1+50W       | 2+87.5 | 0.1 | 7   | 13  | <3  | 0.2 | 2   | 42  | 3   | 67  | 57  |
| PJ1+50W       | 3+00.0 | 0.2 | 16  | 16  | <3  | 0.5 | 5   | 71  | 4   | 61  | 72  |
| PJ1+50W       | 3+12.5 | 0.1 | 8   | 21  | <3  | 0.1 | 7   | 100 | 2   | 48  | 63  |
| PJ1+50W       | 3+25.0 | 0.1 | 7   | 14  | <3  | 0.1 | 7   | 151 | <1  | 35  | 65  |
| PJ1+50W       | 3+37.5 | 0.1 | 7   | 58  | 3   | 0.5 | 8   | 36  | 2   | 34  | 59  |
| PJ1+50W       | 3+50.0 | 0.2 | 12  | 55  | <3  | 0.4 | 12  | 51  | 1   | 37  | 68  |
| PJ1+50W       | 3+62.5 | 0.1 | 10  | 49  | <3  | 1.1 | 10  | 50  | 3   | 50  | 96  |
| PJ1+50W       | 3+75.0 | 0.1 | 8   | 24  | <3  | 0.2 | 4   | 47  | 2   | 49  | 54  |
| PJ1+50W       | 3+87.5 | 0.2 | 17  | 160 | 3   | 1.2 | 6   | 39  | 2   | 48  | 79  |
| PJ1+50W       | 4+00.0 | 0.3 | 16  | 17  | <3  | 0.7 | 3   | 19  | 6   | 70  | 103 |
| PJ1+50W       | 4+12.5 | 0.2 | 10  | 29  | <3  | 0.8 | 5   | 36  | 4   | 55  | 84  |
| PJ1+50W       | 4+25.0 | 0.1 | 12  | 43  | <3  | 0.1 | 4   | 101 | 6   | 78  | 49  |
| PJ1+50W       | 4+37.5 | 0.1 | 5   | 15  | <3  | 0.1 | 2   | 72  | <1  | 21  | 35  |
| PJ1+50W       | 4+50.0 | 0.2 | 6   | 12  | <3  | 0.1 | 6   | 186 | 1   | 42  | 38  |
| PJ1+50W       | 4+62.5 | 0.1 | 6   | 8   | <3  | 0.1 | 3   | 56  | <1  | 32  | 30  |
| PJ1+50W       | 4+75.0 | 0.2 | 6   | 8   | <3  | 0.4 | 2   | 21  | 3   | 58  | 51  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1980 Triumph Street  
Vancouver, B.C. V5L 1K3  
(604) 251-5454 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 8 of 11

| Sample Number |        | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | In  |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               |        | ppm |
| PJ1+50W       | 4+87.5 | 0.3 | 8   | 9   | <3  | 0.6 | 4   | 28  | 4   | 48  | 49  |
| PJ1+50W       | 5+00.0 | 0.3 | 11  | 13  | <3  | 0.9 | 4   | 37  | 4   | 56  | 68  |
| PJ1+50W       | 5+12.5 | 0.3 | 5   | 11  | <3  | 1.1 | 4   | 25  | 4   | 54  | 48  |
| PJ1+50W       | 5+25.0 | 0.4 | 17  | 9   | <3  | 1.2 | 2   | 25  | 7   | 74  | 71  |
| PJ1+50W       | 5+37.5 | 0.3 | 11  | 14  | <3  | 0.6 | 4   | 29  | 6   | 55  | 85  |
| PJ1+50W       | 5+50.0 | 0.2 | 14  | 31  | 4   | 1.4 | 8   | 65  | 12  | 52  | 62  |
| PJ1+50W       | 0+00.0 | 0.1 | 6   | 23  | <3  | 0.8 | 2   | 484 | 8   | 20  | 44  |
| PJ1+50W       | 0+12.5 | 0.2 | 10  | 18  | <3  | 1.1 | 2   | 229 | 13  | 39  | 40  |
| PJ1+50W       | 0+25.0 | 0.1 | 4   | 19  | <3  | 0.1 | 2   | 153 | 1   | 21  | 45  |
| PJ1+50W       | 0+37.5 | 0.2 | 14  | 12  | <3  | 0.9 | 4   | 27  | 6   | 52  | 53  |
| PJ1+50W       | 0+50.0 | 0.3 | 14  | 12  | <3  | 0.6 | 4   | 29  | 7   | 64  | 69  |
| PJ1+50W       | 0+62.5 | 0.4 | 13  | 15  | <3  | 0.5 | 5   | 74  | 8   | 69  | 78  |
| PJ1+50W       | 0+75.0 | 0.3 | 12  | 13  | 3   | 0.9 | 7   | 69  | 10  | 65  | 103 |
| PJ1+50W       | 0+87.5 | 0.3 | 13  | 13  | 3   | 0.4 | 9   | 75  | 8   | 67  | 99  |
| PJ1+50W       | 1+00.0 | 0.2 | 14  | 41  | <3  | 0.9 | 8   | 239 | 14  | 49  | 73  |
| PJ1+50W       | 1+12.5 | 0.2 | 54  | 57  | <3  | 0.8 | 12  | 321 | 16  | 98  | 99  |
| PJ1+50W       | 1+25.0 | 0.3 | 19  | 34  | <3  | 0.1 | 5   | 144 | 36  | 73  | 122 |
| PJ1+50W       | 1+37.5 | 0.5 | 11  | 14  | 3   | 1.2 | 2   | 25  | 6   | 78  | 55  |
| PJ1+50W       | 1+50.0 | 0.2 | 6   | 16  | 3   | 1.6 | 2   | 24  | 4   | 56  | 48  |
| PJ1+50W       | 1+62.5 | 0.1 | 14  | 18  | 3   | 1.2 | 3   | 23  | 4   | 64  | 74  |
| PJ1+50W       | 1+75.0 | 0.3 | 11  | 12  | 4   | 1.2 | 3   | 29  | 7   | 53  | 60  |
| PJ1+50W       | 1+87.5 | 1.9 | 7   | 17  | <3  | 0.1 | 6   | 36  | 28  | 71  | 81  |
| PJ1+50W       | 2+00.0 | 0.5 | 11  | 10  | 5   | 1.7 | 2   | 28  | 8   | 82  | 71  |
| PJ1+50W       | 2+12.5 | 0.3 | 10  | 13  | <3  | 0.8 | 3   | 23  | 3   | 58  | 52  |
| PJ1+50W       | 2+25.0 | 0.5 | 17  | 13  | 4   | 2.1 | 2   | 31  | 7   | 85  | 68  |
| PJ1+50W       | 2+37.5 | 2.2 | 17  | 12  | 4   | 0.9 | 3   | 25  | 4   | 54  | 55  |
| PJ1+50W       | 2+50.0 | 0.4 | 13  | 18  | 3   | 1.2 | 21  | 63  | 1   | 41  | 73  |
| PJ1+50W       | 2+62.5 | 0.3 | 13  | 22  | <3  | 0.6 | 4   | 37  | 3   | 72  | 93  |
| PJ1+50W       | 2+75.0 | 0.3 | 4   | 13  | 3   | 1.6 | 2   | 23  | 4   | 66  | 57  |
| PJ1+50W       | 2+87.5 | 0.3 | 6   | 11  | <3  | 0.9 | 2   | 22  | 3   | 61  | 49  |
| PJ1+50W       | 3+00.0 | 0.4 | 12  | 9   | <3  | 1.2 | 3   | 24  | 5   | 48  | 51  |
| PJ2+50W       | 0+00.0 | 0.4 | 11  | 20  | <3  | 0.1 | 47  | 23  | 14  | 53  | 73  |
| PJ2+50W       | 0+12.5 | 0.2 | 13  | 11  | <3  | 0.8 | 4   | 21  | 4   | 51  | 56  |
| PJ2+50W       | 0+25.0 | 0.1 | 13  | 11  | <3  | 0.9 | 15  | 45  | 5   | 51  | 74  |
| PJ2+50W       | 0+37.5 | 0.1 | 11  | 11  | 3   | 0.8 | 14  | 62  | 14  | 55  | 48  |
| PJ2+50W       | 0+50.0 | 0.1 | 10  | 10  | <3  | 0.9 | 64  | 114 | 18  | 69  | 54  |
| PJ2+50W       | 0+62.5 | 0.1 | 7   | 11  | <3  | 0.4 | 6   | 46  | 9   | 53  | 32  |
| PJ2+50W       | 0+75.0 | 0.1 | 10  | 55  | <3  | 0.9 | 12  | 55  | 2   | 33  | 91  |
| PJ2+50W       | 0+87.5 | 0.1 | 13  | 27  | <3  | 0.6 | 4   | 27  | 2   | 26  | 51  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1930 Triumph Street  
Vancouver, B.C. V6L 1A6  
(604) 251-5656 FAX: (604) 251-5711

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 9 of 11

| Sample Number |        | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               |        | ppm |
| PJ2+50W       | 1+00.0 | 0.2 | 12  | 10  | 8   | 1.5 | 2   | 26  | 9   | 58  | 63  |
| PJ2+50W       | 1+12.5 | 0.2 | 11  | 10  | 4   | 0.8 | 3   | 25  | 7   | 53  | 71  |
| PJ2+50W       | 1+25.0 | 0.1 | 8   | 18  | 3   | 0.7 | 5   | 23  | 6   | 55  | 58  |
| PJ2+50W       | 1+37.5 | 0.1 | 16  | 23  | 4   | 0.7 | 8   | 51  | 4   | 41  | 66  |
| PJ2+50W       | 1+50.0 | 0.3 | 13  | 20  | <3  | 0.6 | 5   | 44  | 4   | 63  | 85  |
| PJ2+50W       | 1+62.5 | 0.1 | 12  | 21  | <3  | 0.1 | 5   | 39  | 3   | 37  | 67  |
| PJ2+50W       | 1+75.0 | 0.2 | 12  | 10  | 3   | 0.7 | 5   | 24  | 6   | 67  | 84  |
| PJ2+50W       | 1+87.5 | 0.2 | 13  | 11  | 2   | 0.5 | 5   | 26  | 6   | 53  | 65  |
| PJ2+50W       | 2+00.0 | 0.2 | 10  | 29  | <3  | 0.8 | 5   | 27  | 5   | 43  | 72  |
| PJ2+50W       | 2+12.5 | 0.3 | 13  | 13  | 4   | 1.2 | 4   | 29  | 7   | 48  | 66  |
| PJ2+50W       | 2+25.0 | 0.1 | 12  | 10  | 3   | 1.2 | 2   | 25  | 5   | 67  | 67  |
| PJ2+50W       | 2+37.5 | 0.1 | 10  | 12  | 3   | 1.1 | 2   | 24  | 5   | 70  | 47  |
| PJ2+50W       | 2+50.0 | 0.4 | 14  | 12  | 4   | 0.7 | 2   | 20  | 4   | 71  | 67  |
| PJ2+50W       | 2+62.5 | 0.4 | 12  | 8   | 3   | 0.8 | 1   | 19  | 6   | 77  | 64  |
| PJ2+50W       | 2+75.0 | 0.2 | 12  | 11  | <3  | 0.7 | 2   | 17  | 4   | 70  | 58  |
| PJ2+50W       | 2+87.5 | 0.2 | 14  | 11  | <3  | 0.2 | 2   | 19  | 3   | 57  | 69  |
| PJ2+50W       | 3+00.0 | 0.2 | 19  | 25  | <3  | 0.7 | 10  | 46  | 5   | 64  | 118 |
| PJ2+50W       | 0+12.5 | 0.1 | 13  | 30  | <3  | 0.2 | 9   | 32  | 1   | 27  | 56  |
| PJ2+50W       | 0+25.0 | 0.3 | 12  | 14  | 5   | 1.2 | 2   | 29  | 7   | 53  | 48  |
| PJ2+50W       | 0+37.5 | 0.2 | 15  | 14  | <3  | 0.2 | 2   | 22  | 5   | 73  | 77  |
| PJ2+50W       | 0+50.0 | 0.2 | 7   | 10  | <3  | 0.3 | 2   | 23  | 4   | 55  | 41  |
| PJ2+50W       | 0+62.5 | 0.2 | 12  | 15  | <3  | 0.2 | 6   | 26  | 5   | 45  | 66  |
| PJ2+50W       | 0+75.0 | 0.5 | 10  | 11  | <3  | 0.1 | 3   | 22  | 3   | 60  | 68  |
| PJ2+50W       | 0+87.5 | 0.6 | 5   | 13  | <3  | 0.1 | 6   | 26  | 1   | 56  | 48  |
| PJ2+50W       | 1+00.0 | 0.4 | 10  | 17  | 3   | 0.7 | 8   | 41  | 6   | 43  | 65  |
| PJ2+50W       | 1+12.5 | 0.1 | 14  | 51  | 3   | 0.5 | 8   | 65  | 3   | 36  | 75  |
| PJ2+50W       | 1+25.0 | 0.2 | 15  | 20  | 3   | 0.6 | 8   | 36  | 5   | 34  | 63  |
| PJ2+50W       | 1+37.5 | 0.1 | 3   | 32  | <3  | 0.1 | 1   | 72  | 3   | 6   | 56  |
| PJ2+50W       | 1+50.0 | 0.5 | 8   | 34  | <3  | 0.2 | 8   | 29  | 7   | 32  | 46  |
| PJ2+50W       | 1+62.5 | 0.1 | 10  | 35  | 3   | 0.7 | 16  | 43  | 3   | 34  | 71  |
| PJ2+50W       | 1+75.0 | 0.1 | 14  | 58  | <3  | 0.3 | 22  | 107 | 3   | 40  | 96  |
| PJ2+50W       | 1+87.5 | 0.3 | 8   | 18  | 3   | 0.7 | 2   | 26  | 3   | 63  | 41  |
| PJ2+50W       | 2+00.0 | 0.4 | 6   | 12  | 3   | 0.5 | 2   | 21  | 3   | 59  | 45  |
| PJ2+50W       | 2+12.5 | 0.5 | 9   | 13  | <3  | 0.8 | 6   | 29  | 6   | 42  | 72  |
| PJ2+50W       | 2+25.0 | 0.5 | 11  | 12  | <3  | 0.1 | 3   | 19  | 3   | 38  | 52  |
| PJ2+50W       | 2+37.5 | 0.3 | 10  | 15  | 3   | 0.7 | 2   | 22  | 5   | 68  | 63  |
| PJ2+50W       | 2+50.0 | 0.1 | 9   | 11  | <3  | 1.1 | 1   | 20  | 6   | 57  | 52  |
| PJ2+50W       | 2+62.5 | 0.3 | 11  | 11  | 4   | 0.7 | 1   | 22  | 7   | 83  | 68  |
| PJ2+50W       | 2+75.0 | 0.2 | 13  | 12  | <3  | 0.3 | 4   | 22  | 4   | 57  | 79  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1986 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 10 of 11

| Sample Number |        | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               |        | ppm |
| PJ2+50W       | 2+87.5 | 0.2 | 10  | 12  | <3  | 0.5 | 2   | 20  | 9   | 67  | 64  |
| PJ2+50W       | 3+00.0 | 0.1 | 4   | 32  | <3  | 0.6 | 5   | 65  | 16  | 46  | 74  |
| PJ3+50W       | 0+12.5 | 0.1 | 18  | 78  | 3   | 1.2 | 20  | 109 | 4   | 46  | 123 |
| PJ3+50W       | 0+25.0 | 0.2 | 10  | 28  | 7   | 2.1 | 3   | 35  | 9   | 85  | 96  |
| PJ3+50W       | 0+37.5 | 0.1 | 15  | 39  | 3   | 1.1 | 13  | 120 | 15  | 58  | 102 |
| PJ3+50W       | 0+50.0 | 0.3 | 9   | 21  | <3  | 0.1 | 5   | 29  | 30  | 65  | 81  |
| PJ3+50W       | 0+62.5 | 0.3 | 9   | 8   | 5   | 0.6 | 4   | 27  | 24  | 67  | 72  |
| PJ3+50W       | 0+75.0 | 0.3 | 11  | 13  | <3  | 0.8 | 4   | 28  | 32  | 73  | 76  |
| PJ3+50W       | 0+87.5 | 0.2 | 12  | 9   | 4   | 0.8 | 3   | 22  | 13  | 64  | 62  |
| PJ3+50W       | 1+00.0 | 0.1 | <3  | 19  | <3  | 0.5 | 3   | 22  | 61  | 31  | 43  |
| PJ3+50W       | 1+12.5 | 0.3 | 7   | 14  | <3  | 0.4 | 3   | 20  | 8   | 44  | 43  |
| PJ3+50W       | 1+25.0 | 0.2 | <3  | 27  | 3   | 1.1 | 4   | 26  | 56  | 37  | 62  |
| PJ3+50W       | 1+37.5 | 0.2 | 5   | 17  | <3  | 0.5 | 4   | 21  | 22  | 52  | 63  |
| PJ3+50W       | 1+50.0 | 0.1 | <3  | 116 | <3  | 2.1 | 4   | 33  | 11  | 23  | 69  |
| PJ3+50W       | 1+62.5 | 0.2 | 7   | 11  | 3   | 0.8 | 2   | 22  | 6   | 64  | 49  |
| PJ3+50W       | 1+75.0 | 0.2 | 9   | 11  | <3  | 0.1 | 3   | 22  | 15  | 44  | 58  |
| PJ3+50W       | 1+87.5 | 0.1 | 10  | 111 | <3  | 0.9 | 13  | 80  | 35  | 39  | 127 |
| PJ3+50W       | 2+00.0 | 0.2 | 11  | 12  | <3  | 0.5 | 3   | 21  | 5   | 44  | 56  |
| PJ3+50W       | 2+12.5 | 0.2 | 6   | 9   | 5   | 1.7 | 2   | 24  | 7   | 55  | 54  |
| PJ3+50W       | 2+25.0 | 0.2 | 6   | 15  | <3  | 0.1 | 3   | 16  | 1   | 38  | 45  |
| PJ3+50W       | 2+37.5 | 0.1 | 8   | 9   | 4   | 0.9 | 3   | 24  | 8   | 54  | 64  |
| PJ3+50W       | 2+50.0 | 0.1 | 14  | 11  | 3   | 0.9 | 2   | 23  | 5   | 75  | 62  |
| PJ3+50W       | 2+62.5 | 0.2 | 13  | 20  | <3  | 0.5 | 2   | 30  | 6   | 78  | 58  |
| PJ3+50W       | 2+75.0 | 0.2 | 8   | 16  | <3  | 0.5 | 3   | 18  | 4   | 56  | 45  |
| PJ3+50W       | 2+87.5 | 0.2 | 5   | 16  | 3   | 1.1 | 2   | 24  | 6   | 69  | 62  |
| PJ3+50W       | 3+00.0 | 0.2 | 8   | 15  | 4   | 1.1 | 5   | 32  | 7   | 44  | 68  |
| PJ4+00W       | 0+12.5 | 0.1 | 10  | 26  | <3  | 0.8 | 6   | 40  | 18  | 39  | 110 |
| PJ4+00W       | 0+25.0 | 0.1 | 6   | 48  | <3  | 0.3 | 9   | 54  | 33  | 49  | 127 |
| PJ4+00W       | 0+37.5 | 0.2 | 11  | 33  | <3  | 0.5 | 3   | 23  | 19  | 45  | 74  |
| PJ4+00W       | 0+50.0 | 0.1 | 12  | 34  | <3  | 0.9 | 15  | 61  | 20  | 43  | 97  |
| PJ4+00W       | 0+62.5 | 0.1 | 10  | 9   | 3   | 1.5 | 2   | 27  | 6   | 59  | 55  |
| PJ4+00W       | 0+75.0 | 0.2 | 7   | 10  | <3  | 0.4 | 3   | 22  | 12  | 41  | 54  |
| PJ4+00W       | 0+87.5 | 0.1 | 15  | 57  | <3  | 1.1 | 14  | 119 | 11  | 50  | 120 |
| PJ4+00W       | 1+00.0 | 0.1 | 16  | 32  | <3  | 0.8 | 7   | 71  | 3   | 36  | 67  |
| PJ4+00W       | 1+12.5 | 0.1 | 16  | 29  | <3  | 0.5 | 6   | 90  | 2   | 41  | 83  |
| PJ4+00W       | 1+25.0 | 0.2 | 14  | 11  | <3  | 1.1 | 3   | 29  | 7   | 73  | 79  |
| PJ4+00W       | 1+37.5 | 0.2 | 11  | 12  | <3  | 0.5 | 3   | 27  | 9   | 53  | 71  |
| PJ4+00W       | 1+50.0 | 0.1 | 7   | 11  | 3   | 1.1 | 3   | 28  | 12  | 47  | 65  |
| PJ4+00W       | 1+62.5 | 0.1 | 15  | 39  | <3  | 1.2 | 9   | 91  | 3   | 37  | 76  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 251-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881335 PA

REQUEST

Page 11 of 11

| Sample Number  | Ag  | As | Ba | Bi | Cd  | Co | Cu | Mo | Pb | Zn  |
|----------------|-----|----|----|----|-----|----|----|----|----|-----|
| PJ4+00W 1+75.0 | 0.5 | 8  | 13 | 3  | 1.2 | 6  | 31 | 11 | 56 | 69  |
| PJ4+00W 1+87.5 | 0.1 | 11 | 15 | <3 | 0.6 | 3  | 30 | 3  | 48 | 65  |
| PJ4+00W 2+00.0 | 0.1 | 10 | 14 | <3 | 0.1 | 2  | 19 | 3  | 43 | 46  |
| PJ4+00W 2+12.5 | 0.1 | 12 | 33 | <3 | 1.1 | 10 | 54 | 6  | 54 | 82  |
| PJ4+00W 2+25.0 | 0.1 | 11 | 21 | <3 | 1.1 | 2  | 32 | 12 | 53 | 78  |
| PJ4+00W 2+37.5 | 0.1 | 10 | 17 | <3 | 0.8 | 3  | 46 | 10 | 54 | 69  |
| PJ4+00W 2+50.0 | 0.1 | 9  | 9  | <3 | 0.6 | 2  | 22 | 6  | 55 | 43  |
| PJ4+00W 2+62.5 | 0.5 | 11 | 12 | <3 | 0.9 | 1  | 19 | 6  | 87 | 62  |
| PJ4+00W 2+75.0 | 0.1 | 8  | 12 | 4  | 1.3 | 2  | 26 | 5  | 54 | 61  |
| PJ4+00W 2+87.5 | 0.5 | 11 | 13 | <3 | 0.9 | 4  | 29 | 6  | 61 | 78  |
| PJ4+00W 3+00.0 | 2.4 | 16 | 29 | <3 | 0.6 | 5  | 22 | 6  | 70 | 106 |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Oct 7 1988  
REPORT#: 881360 GA  
JOB#: 881360

PROJECT#: Pez Ver  
SAMPLES ARRIVED: SEPT 14 1988  
REPORT COMPLETED: Oct 7 1988  
ANALYSED FOR: Au ICP

INVOICE#: 881360 NA  
TOTAL SAMPLES: 182  
SAMPLE TYPE: Soil  
REJECTS: DISCARDED

SAMPLES FROM: Orequest Consultants Ltd.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

A handwritten signature in black ink, appearing to read "J. H. R.", is placed over a horizontal line next to the "SIGNED:" label.

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881360 GA

JOB NUMBER: 881360

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 5

| SAMPLE #  | Au      | ppb |
|-----------|---------|-----|
| PJ L0+50W | 3+00.0N | 15  |
| PJ L0+50W | 3+12.5N | 10  |
| PJ L0+50W | 3+25.0N | 10  |
| PJ L0+50W | 3+37.5N | 15  |
| PJ L0+50W | 3+50.0N | 5   |
| PJ L0+50W | 3+62.5N | 15  |
| PJ L0+50W | 3+75.0N | 15  |
| PJ L0+50W | 3+87.5N | 25  |
| PJ L0+50W | 4+00.0N | 5   |
| PJ L0+50W | 4+12.5N | 10  |
| PJ L0+50W | 4+25.0N | 20  |
| PJ L0+50W | 4+37.5N | 20  |
| PJ L0+50W | 4+50.0N | 20  |
| PJ L0+50W | 4+62.5N | 20  |
| PJ L0+50W | 4+75.0N | 15  |
| PJ L0+50W | 4+87.5N | 10  |
| PJ L0+50W | 5+00.0N | 20  |
| PJ L0+50W | 5+12.5N | 20  |
| PJ L0+50W | 5+25.0N | 10  |
| PJ L0+50W | 5+37.5N | 10  |
| PJ L0+50W | 5+50.0N | 20  |
| PJ L0+50W | 0+12.5S | 10  |
| PJ L0+50W | 0+25.0S | 20  |
| PJ L0+50W | 0+37.5S | 15  |
| PJ L0+50W | 0+50.0S | 10  |
| PJ L0+50W | 0+62.5S | 20  |
| PJ L0+50W | 0+75.0S | 15  |
| PJ L0+50W | 0+87.5S | 40  |
| PJ L0+50W | 1+00.0S | 10  |
| PJ L0+50W | 1+12.5S | 10  |
| PJ L0+50W | 1+25.0S | 20  |
| PJ L0+50W | 1+37.5S | 25  |
| PJ L0+50W | 1+50.0S | 25  |
| PJ L0+50W | 1+62.5S | 15  |
| PJ L0+50W | 1+75.0S | 15  |
| PJ L0+50W | 1+87.5S | 15  |
| PJ L0+50W | 2+00.0S | 15  |
| PJ L0+50W | 2+12.5S | 15  |
| PJ L0+50W | 2+25.0S | 10  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# **VANGEOCHEM LAB LIMITED**

**MAIN OFFICE**  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

**BRANCH OFFICE**  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881360 GA

JOB NUMBER: 881360

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 5

SAMPLE # Au  
ppb

Au  
ppb

|           |         |    |
|-----------|---------|----|
| PJ L0+50W | 2+37.5S | 5  |
| PJ L0+50W | 2+50.0S | 15 |
| PJ L0+50W | 2+62.5S | 30 |
| PJ L0+50W | 2+75.0S | 15 |
| PJ L0+50W | 2+87.5S | 20 |

|           |         |    |
|-----------|---------|----|
| PJ L0+50W | 3+00.0S | 20 |
| PJ L1+50E | 0+00.0N | 20 |
| PJ L1+50E | 0+12.5N | 15 |
| PJ L1+50E | 0+25.0N | 10 |
| PJ L1+50E | 0+37.5N | 15 |

|           |         |    |
|-----------|---------|----|
| PJ L1+50E | 0+50.0N | 10 |
| PJ L1+50E | 0+62.5N | 20 |
| PJ L1+50E | 0+75.0N | 20 |
| PJ L1+50E | 0+87.5N | 20 |
| PJ L1+50E | 1+00.0N | 15 |

|           |         |    |
|-----------|---------|----|
| PJ L1+50E | 1+12.5N | 20 |
| PJ L1+50E | 1+25.0N | 20 |
| PJ L1+50E | 1+37.5N | 10 |
| PJ L1+50E | 1+50.0N | 15 |
| PJ L1+50E | 1+62.5N | 15 |

|           |         |    |
|-----------|---------|----|
| PJ L1+50E | 1+75.0N | 10 |
| PJ L1+50E | 1+87.5N | 15 |
| PJ L1+50E | 2+00.0N | 20 |
| PJ L1+50E | 2+12.5N | 10 |
| PJ L1+50E | 2+25.0N | 20 |

|           |         |    |
|-----------|---------|----|
| PJ L1+50E | 2+37.5N | 25 |
| PJ L1+50E | 2+50.0N | 15 |
| PJ L1+50E | 2+62.5N | 15 |
| PJ L1+50E | 2+75.0N | 20 |
| PJ L1+50E | 2+87.5N | 15 |

|           |         |    |
|-----------|---------|----|
| PJ L1+50E | 3+00.0N | 25 |
| PJ L1+50E | 3+12.5N | 20 |
| PJ L1+50E | 3+25.0N | 25 |
| PJ L1+50E | 3+37.5N | 20 |
| PJ L1+50E | 3+50.0N | 20 |

|           |         |    |
|-----------|---------|----|
| PJ L1+50E | 3+62.5N | 15 |
| PJ L1+50E | 3+75.0N | 15 |
| PJ L1+50E | 3+87.5N | 10 |
| PJ L1+50E | 4+00.0N | 10 |

#### **DETECTION LIMIT**

**Detection limit**

-- = not analysed

is an insufficient sample.



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881360 6A

JOB NUMBER: 881360

DREQUEST CONSULTANTS LTD.

PAGE 3 OF 5

| SAMPLE #  | Au      | ppb |
|-----------|---------|-----|
| PJ L1+50E | 4+12.5N | 15  |
| PJ L1+50E | 4+25.0N | 20  |
| PJ L1+50E | 4+37.5N | 15  |
| PJ L1+50E | 4+50.0N | 15  |
| PJ L1+50E | 4+62.5N | 25  |
| PJ L1+50E | 4+75.0N | 15  |
| PJ L1+50E | 4+87.5N | 20  |
| PJ L1+50E | 5+00.0N | 15  |
| 25 L3+00W | 0+00.0N | 25  |
| PJ L3+00W | 0+12.5N | 30  |
| PJ L3+00W | 0+25.0N | 30  |
| PJ L3+00W | 0+37.5N | 15  |
| PJ L3+00W | 0+50.0N | 20  |
| PJ L3+00W | 0+62.5N | 15  |
| PJ L3+00W | 0+75.0N | 20  |
| PJ L3+00W | 0+87.5N | 20  |
| PJ L3+00W | 1+00.0N | 20  |
| PJ L3+00W | 1+12.5N | 20  |
| PJ L3+00W | 1+25.0N | 15  |
| PJ L3+00W | 1+37.5N | 10  |
| PJ L3+00W | 1+50.0N | 20  |
| PJ L3+00W | 1+62.5N | 30  |
| PJ L3+00W | 1+75.0N | 10  |
| PJ L3+00W | 1+87.5N | 15  |
| PJ L3+00W | 2+00.0N | 15  |
| PJ L3+00W | 2+12.5N | 25  |
| PJ L3+00W | 2+25.0N | 20  |
| PJ L3+00W | 2+37.5N | 25  |
| PJ L3+00W | 2+50.0N | 15  |
| PJ L3+00W | 2+62.5N | 20  |
| PJ L3+00W | 2+75.0N | 20  |
| PJ L3+00W | 2+87.5N | 25  |
| PJ L3+00W | 3+00.0N | 30  |
| PJ L3+00W | 0+12.5S | 25  |
| PJ L3+00W | 0+25.0S | 20  |
| PJ L3+00W | 0+37.5S | 20  |
| PJ L3+00W | 0+50.0S | 15  |
| PJ L3+00W | 0+62.5S | 20  |
| PJ L3+00W | 0+75.0S | 40  |

DETECTION LIMIT 5

nd = none detected --- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881360 GA

JOB NUMBER: 881360

OREQUEST CONSULTANTS LTD.

PAGE 4 OF 5

| SAMPLE #  | Au      |
|-----------|---------|
|           | ppb     |
| PJ L3+00W | 0+87.5S |
|           | 50      |
| PJ L3+00W | 1+00.0S |
|           | 20      |
| PJ L3+00W | 1+12.5S |
|           | 20      |
| PJ L3+00W | 1+25.0S |
|           | 20      |
| PJ L3+00W | 1+37.5S |
|           | 15      |
|           |         |
| PJ L3+00W | 1+50.0S |
|           | 30      |
| PJ L3+00W | 1+62.5S |
|           | 25      |
| PJ L3+00W | 1+75.0S |
|           | 25      |
| PJ L3+00W | 1+87.5S |
|           | 20      |
| PJ L3+00W | 2+00.0S |
|           | 20      |
|           |         |
| PJ L3+00W | 2+12.5S |
|           | 15      |
| PJ L3+00W | 2+25.0S |
|           | 20      |
| PJ L3+00W | 2+37.5S |
|           | 20      |
| PJ L3+00W | 2+50.0S |
|           | 20      |
| PJ L3+00W | 2+62.5S |
|           | 20      |
|           |         |
| PJ L3+00W | 2+75.0S |
|           | 20      |
| PJ L3+00W | 2+87.5S |
|           | 10      |
| PJ L3+00W | 3+00.0S |
|           | 20      |
| PJ L4+50W | 0+00.0N |
|           | 20      |
| PJ L4+50W | 0+12.5N |
|           | 30      |
|           |         |
| PJ L4+50W | 0+25.0N |
|           | 15      |
| PJ L4+50W | 0+37.5N |
|           | 30      |
| PJ L4+50W | 0+50.0N |
|           | 10      |
| PJ L4+50W | 0+62.5N |
|           | 20      |
| PJ L4+50W | 0+75.0N |
|           | 15      |
|           |         |
| PJ L4+50W | 0+87.5N |
|           | 10      |
| PJ L4+50W | 1+00.0N |
|           | 10      |
| PJ L4+50W | 1+12.5N |
|           | 15      |
| PJ L4+50W | 1+25.0N |
|           | 20      |
| PJ L4+50W | 1+37.5N |
|           | nd      |
|           |         |
| PJ L4+50W | 1+50.0N |
|           | 20      |
| PJ L4+50W | 1+62.5N |
|           | 15      |
| PJ L4+50W | 1+75.0N |
|           | 15      |
| PJ L4+50W | 1+87.5N |
|           | 20      |
| PJ L4+50W | 2+00.0N |
|           | 15      |
|           |         |
| PJ L4+50W | 2+12.5N |
|           | 20      |
| PJ L4+50W | 2+25.0N |
|           | 25      |
| PJ L4+50W | 2+37.5N |
|           | 30      |
| PJ L4+50W | 2+50.0N |
|           | 20      |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881360 GA

JOB NUMBER: 881360

DREQUEST CONSULTANTS LTD.

PAGE 5 OF 5

| SAMPLE #  | Au      | ppb |
|-----------|---------|-----|
| PJ L4+50W | 2+62.5N | 15  |
| PJ L4+50W | 2+75.0N | 25  |
| PJ L4+50W | 2+87.5N | 20  |
| PJ L4+50W | 3+00.0N | 15  |
| PJ L5+50W | 0+37.5N | 20  |
| PJ L5+50W | 0+50.0N | 30  |
| PJ L5+50W | 0+62.5N | 25  |
| PJ L5+50W | 0+75.0N | 15  |
| PJ L5+50W | 0+87.5N | 25  |
| PJ L5+50W | 1+00.0N | 25  |
| PJ L5+50W | 1+12.5N | 20  |
| PJ L5+50W | 1+25.0N | 20  |
| PJ L5+50W | 1+37.5N | 20  |
| PJ L5+50W | 1+50.0N | 10  |
| PJ L5+50W | 1+62.5N | 15  |
| PJ L5+50W | 1+75.0N | 20  |
| PJ L5+50W | 1+87.5N | 15  |
| PJ L5+50W | 2+00.0N | 5   |
| PJ L5+50W | 2+12.5N | 15  |
| PJ L5+50W | 2+25.0N | 30  |
| PJ L5+50W | 2+37.5N | 10  |
| PJ L5+50W | 2+50.0N | 25  |
| PJ L5+50W | 2+62.5N | 10  |
| PJ L5+50W | 2+75.0N | 35  |
| PJ L5+50W | 2+87.5N | 15  |
| PJ L5+50W | 3+00.0N | 10  |

DETECTION LIMIT

nd = none detected

5

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

## MAIN OFFICE

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

## BRANCH OFFICE

1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: 881360 PA

REQUEST

Page 1 of 5

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL0+50W3+00.ON | 0.1 | 21  | 62  | <3  | 0.5 | 14  | 59  | 2   | 56  | 117 |
| PJL0+50W3+12.5N | 0.3 | 19  | 34  | <3  | 0.2 | 4   | 30  | 9   | 78  | 108 |
| PJL0+50W3+25.0N | 0.1 | 16  | 28  | <3  | 0.2 | 6   | 30  | 5   | 90  | 118 |
| PJL0+50W3+37.5N | 0.1 | 13  | 15  | <3  | 0.1 | 3   | 23  | 6   | 91  | 79  |
| PJL0+50W3+50.0N | 0.2 | 16  | 28  | <3  | 0.5 | 4   | 63  | 8   | 77  | 101 |
| PJL0+50W3+62.5N | 0.3 | 13  | 27  | <3  | 0.6 | 6   | 95  | 14  | 109 | 115 |
| PJL0+50W3+75.0N | 0.3 | 21  | 20  | <3  | 0.1 | 2   | 20  | 6   | 93  | 121 |
| PJL0+50W3+87.5N | 0.3 | 20  | 39  | <3  | 0.2 | 3   | 18  | 8   | 110 | 113 |
| PJL0+50W4+00.ON | 0.1 | 12  | 106 | <3  | 0.2 | 5   | 40  | 4   | 43  | 82  |
| PJL0+50W4+12.5N | 0.1 | 14  | 26  | <3  | 0.1 | 5   | 32  | 3   | 58  | 92  |
| PJL0+50W4+25.0N | 0.1 | 22  | 94  | <3  | 0.4 | 21  | 126 | 1   | 48  | 123 |
| PJL0+50W4+37.5N | 0.1 | 13  | 376 | <3  | 1.4 | 20  | 251 | 1   | 44  | 474 |
| PJL0+50W4+50.0N | 0.1 | 18  | 125 | <3  | 1.1 | 21  | 115 | 1   | 50  | 157 |
| PJL0+50W4+62.5N | 0.1 | 19  | 51  | <3  | 1.1 | 20  | 125 | 4   | 52  | 116 |
| PJL0+50W4+75.0N | 0.1 | 19  | 13  | <3  | 0.1 | 4   | 23  | 4   | 83  | 100 |
| PJL0+50W4+87.5N | 0.1 | 11  | 18  | <3  | 0.1 | 4   | 24  | 4   | 68  | 73  |
| PJL0+50W5+00.ON | 0.3 | 24  | 23  | <3  | 0.5 | 4   | 20  | 8   | 101 | 137 |
| PJL0+50W5+12.5N | 0.1 | 12  | 29  | <3  | 0.4 | 17  | 94  | 1   | 35  | 88  |
| PJL0+50W5+25.0N | 0.1 | 17  | 63  | <3  | 0.2 | 15  | 69  | 3   | 51  | 113 |
| PJL0+50W5+37.5N | 0.1 | 17  | 19  | <3  | 0.5 | 4   | 23  | 5   | 82  | 110 |
| PJL0+50W5+50.0N | 0.1 | 17  | 12  | <3  | 0.4 | 3   | 35  | 5   | 76  | 89  |
| PJL0+50W0+12.5S | 0.1 | 17  | 16  | <3  | 0.5 | 3   | 23  | 8   | 92  | 93  |
| PJL0+50W0+25.0S | 0.2 | 18  | 14  | <3  | 0.5 | 3   | 27  | 6   | 76  | 80  |
| PJL0+50W0+37.5S | 0.1 | 15  | 14  | <3  | 0.6 | 6   | 31  | 7   | 61  | 81  |
| PJL0+50W0+50.0S | 0.2 | 21  | 11  | <3  | 1.3 | 5   | 29  | 8   | 63  | 78  |
| PJL0+50W0+62.5S | 0.4 | 26  | 15  | <3  | 0.6 | 10  | 41  | 10  | 70  | 58  |
| PJL0+50W0+75.0S | 0.2 | 16  | 18  | <3  | 1.1 | 6   | 35  | 7   | 76  | 79  |
| PJL0+50W0+87.5S | 0.1 | 16  | 21  | <3  | 0.6 | 7   | 39  | 8   | 74  | 99  |
| PJL0+50W1+00.0S | 0.1 | 11  | 15  | <3  | 0.5 | 3   | 22  | 8   | 68  | 68  |
| PJL0+50W1+12.5S | 0.1 | 18  | 29  | <3  | 1.1 | 8   | 34  | 6   | 53  | 65  |
| PJL0+50W1+25.0S | 0.1 | 15  | 22  | <3  | 0.5 | 7   | 40  | 3   | 54  | 82  |
| PJL0+50W1+37.5S | 1.2 | 14  | 28  | <3  | 0.6 | 13  | 68  | 2   | 58  | 72  |
| PJL0+50W1+50.0S | 1.1 | 13  | 38  | <3  | 0.7 | 27  | 94  | <1  | 37  | 79  |
| PJL0+50W1+62.5S | 1.7 | 19  | 17  | <3  | 0.4 | 2   | 22  | 5   | 108 | 96  |
| PJL0+50W1+75.0S | 0.1 | 20  | 57  | <3  | 1.6 | 18  | 111 | 2   | 45  | 102 |
| PJL0+50W1+87.5S | 0.3 | 21  | 12  | <3  | 1.1 | 2   | 23  | 8   | 98  | 110 |
| PJL0+50W2+00.0S | 0.2 | 19  | 8   | <3  | 1.1 | 2   | 20  | 6   | 78  | 83  |
| PJL0+50W2+12.5S | 0.8 | 14  | 13  | <3  | 0.4 | 2   | 20  | 4   | 72  | 52  |
| PJL0+50W2+25.0S | 0.1 | 17  | 13  | <3  | 0.1 | 3   | 27  | 6   | 69  | 59  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881360 PA

OREQUEST

Page 2 of 5

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL0+50W2+37.5S | 0.1 | 16  | 17  | <3  | 1.1 | 2   | 19  | 6   | 79  | 78  |
| PJL0+50W2+50.0S | 0.4 | 19  | 16  | <3  | 1.1 | 2   | 23  | 9   | 105 | 84  |
| PJL0+50W2+62.5S | 0.4 | 19  | 21  | <3  | 0.7 | 3   | 23  | 9   | 92  | 92  |
| PJL0+50W2+75.0S | 0.2 | 11  | 23  | <3  | 0.4 | 3   | 24  | 8   | 82  | 84  |
| PJL0+50W2+87.5S | 0.2 | 19  | 13  | <3  | 1.1 | 2   | 22  | 8   | 94  | 81  |
| PJL0+50W3+00.0S | 0.1 | 8   | 27  | <3  | 0.6 | 5   | 28  | 4   | 56  | 88  |
| PJL1+50E0+00.0N | 0.1 | 16  | 15  | <3  | 1.4 | 6   | 38  | 9   | 61  | 77  |
| PJL1+50E0+12.5N | 0.2 | 15  | 11  | <3  | 0.6 | 3   | 23  | 7   | 89  | 67  |
| PJL1+50E0+25.0N | 0.1 | 9   | 16  | <3  | 0.6 | 8   | 32  | 6   | 51  | 78  |
| PJL1+50E0+37.5N | 0.1 | 12  | 17  | <3  | 0.6 | 5   | 29  | 6   | 53  | 97  |
| PJL1+50E0+50.0N | 0.1 | 13  | 9   | 3   | 1.1 | 2   | 23  | 8   | 70  | 70  |
| PJL1+50E0+62.5N | 0.1 | 21  | 12  | <3  | 1.1 | 3   | 24  | 9   | 73  | 99  |
| PJL1+50E0+75.0N | 0.1 | 12  | 16  | <3  | 0.4 | 5   | 39  | 7   | 56  | 59  |
| PJL1+50E0+87.5N | 0.1 | 7   | 15  | <3  | 0.1 | 5   | 109 | 5   | 62  | 69  |
| PJL1+50E1+00.0N | 0.1 | 16  | 12  | <3  | 0.7 | 3   | 24  | 8   | 78  | 106 |
| PJL1+50E1+12.5N | 0.1 | 12  | 10  | <3  | 0.6 | 16  | 26  | 8   | 66  | 63  |
| PJL1+50E1+25.0N | 0.2 | 16  | 13  | <3  | 0.6 | 9   | 63  | 8   | 98  | 68  |
| PJL1+50E1+37.5N | 0.2 | 16  | 17  | <3  | 0.5 | 6   | 80  | 5   | 55  | 67  |
| PJL1+50E1+50.0N | 0.2 | 18  | 10  | <3  | 0.6 | 3   | 22  | 7   | 76  | 74  |
| PJL1+50E1+62.5N | 0.1 | 14  | 15  | 3   | 1.4 | 2   | 21  | 8   | 75  | 69  |
| PJL1+50E1+75.0N | 0.1 | 19  | 20  | <3  | 1.1 | 7   | 51  | 14  | 57  | 64  |
| PJL1+50E1+87.5N | 0.3 | 13  | 10  | <3  | 1.1 | 3   | 25  | 10  | 86  | 84  |
| PJL1+50E2+00.0N | 0.3 | 13  | 11  | <3  | 0.6 | 2   | 15  | 6   | 86  | 92  |
| PJL1+50E2+12.5N | 0.1 | 21  | 17  | <3  | 0.4 | 5   | 42  | 9   | 79  | 114 |
| PJL1+50E2+25.0N | 0.2 | 17  | 58  | <3  | 0.1 | 10  | 92  | 11  | 63  | 117 |
| PJL1+50E2+37.5N | 0.1 | 18  | 79  | 3   | 1.1 | 11  | 77  | 7   | 71  | 91  |
| PJL1+50E2+50.0N | 0.2 | 12  | 11  | <3  | 0.7 | 4   | 42  | 9   | 70  | 82  |
| PJL1+50E2+62.5N | 0.1 | 14  | 21  | <3  | 0.5 | 6   | 23  | 7   | 50  | 91  |
| PJL1+50E2+75.0N | 0.1 | 17  | 16  | <3  | 0.5 | 5   | 22  | 7   | 80  | 91  |
| PJL1+50E2+87.5N | 0.1 | 16  | 9   | <3  | 1.1 | 3   | 24  | 8   | 96  | 83  |
| PJL1+50E3+00.0N | 0.1 | 12  | 17  | <3  | 0.2 | 10  | 30  | 5   | 52  | 82  |
| PJL1+50E3+12.5N | 0.1 | 13  | 12  | <3  | 0.6 | 4   | 23  | 8   | 59  | 64  |
| PJL1+50E3+25.0N | 0.1 | 11  | 9   | <3  | 1.1 | 4   | 20  | 8   | 69  | 72  |
| PJL1+50E3+37.5N | 0.1 | 22  | 15  | <3  | 0.5 | 4   | 25  | 8   | 93  | 100 |
| PJL1+50E3+50.0N | 0.1 | 14  | 13  | <3  | 1.1 | 5   | 23  | 9   | 52  | 70  |
| PJL1+50E3+62.5N | 0.1 | 17  | 16  | <3  | 0.5 | 3   | 22  | 8   | 57  | 72  |
| PJL1+50E3+75.0N | 0.1 | 19  | 40  | <3  | 0.1 | 14  | 65  | 3   | 46  | 119 |
| PJL1+50E3+87.5N | 0.2 | 20  | 25  | <3  | 0.6 | 4   | 20  | 7   | 90  | 123 |
| PJL1+50E4+00.0N | 0.1 | 19  | 26  | <3  | 0.4 | 4   | 18  | 6   | 77  | 173 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V6L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT #: BB1360 PA

OREQUEST

Page 3 of 5

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL1+50E4+12.5N | 0.4 | 24  | 16  | <3  | 0.5 | 4   | 52  | 9   | 89  | 137 |
| PJL1+50E4+25.0N | 0.6 | 20  | 48  | <3  | 0.2 | 10  | 128 | 9   | 100 | 116 |
| PJL1+50E4+37.5N | 0.4 | 26  | 13  | <3  | 0.6 | 4   | 29  | 8   | 87  | 97  |
| PJL1+50E4+50.0N | 0.3 | 17  | 10  | <3  | 1.5 | 5   | 26  | 9   | 70  | 82  |
| PJL1+50E4+62.5N | 0.4 | 21  | 11  | <3  | 1.2 | 8   | 29  | 9   | 71  | 103 |
| PJL1+50E4+75.0N | 0.4 | 19  | 16  | <3  | 0.6 | 3   | 25  | 8   | 101 | 104 |
| PJL1+50E4+87.5N | 0.4 | 23  | 31  | <3  | 0.3 | 4   | 121 | 8   | 103 | 103 |
| PJL1+50E5+00.0N | 0.3 | 21  | 20  | <3  | 0.2 | 7   | 28  | 7   | 78  | 93  |
| PJL3+00W0+00.0N | 0.4 | 16  | 13  | <3  | 0.6 | 7   | 24  | 7   | 74  | 90  |
| PJL3+00W0+12.5N | 0.4 | 13  | 31  | <3  | 0.2 | 4   | 60  | 9   | 62  | 118 |
| PJL3+00W0+25.0N | 0.4 | 12  | 22  | <3  | 0.6 | 4   | 25  | 15  | 69  | 83  |
| PJL3+00W0+37.5N | 0.4 | 17  | 16  | <3  | 0.6 | 8   | 28  | 14  | 64  | 83  |
| PJL3+00W0+50.0N | 0.3 | 20  | 25  | <3  | 1.2 | 12  | 50  | 8   | 61  | 86  |
| PJL3+00W0+62.5N | 0.1 | 17  | 32  | <3  | 0.3 | 4   | 39  | 5   | 66  | 68  |
| PJL3+00W0+75.0N | 0.1 | 13  | 17  | <3  | 0.8 | 10  | 28  | 6   | 52  | 81  |
| PJL3+00W0+87.5N | 0.1 | 21  | 38  | <3  | 0.3 | 13  | 95  | 4   | 47  | 88  |
| PJL3+00W1+00.0N | 0.4 | 20  | 12  | <3  | 0.6 | 7   | 35  | 8   | 54  | 78  |
| PJL3+00W1+12.5N | 0.3 | 21  | 13  | <3  | 0.6 | 3   | 24  | 9   | 84  | 89  |
| PJL3+00W1+25.0N | 0.1 | 13  | 23  | <3  | 0.3 | 9   | 151 | 13  | 56  | 90  |
| PJL3+00W1+37.5N | 0.1 | 18  | 27  | <3  | 0.6 | 8   | 53  | 5   | 58  | 81  |
| PJL3+00W1+50.0N | 0.3 | 22  | 18  | <3  | 1.5 | 5   | 29  | 11  | 76  | 71  |
| PJL3+00W1+62.5N | 0.3 | 16  | 14  | <3  | 0.6 | 5   | 97  | 16  | 71  | 84  |
| PJL3+00W1+75.0N | 0.2 | 17  | 16  | <3  | 0.2 | 10  | 82  | 13  | 59  | 91  |
| PJL3+00W1+87.5N | 0.2 | 12  | 13  | <3  | 0.5 | 41  | 109 | 15  | 64  | 91  |
| PJL3+00W2+00.0N | 0.2 | 13  | 13  | <3  | 0.6 | 12  | 84  | 10  | 55  | 90  |
| PJL3+00W2+12.5N | 0.2 | 22  | 9   | <3  | 0.6 | 11  | 91  | 12  | 75  | 106 |
| PJL3+00W2+25.0N | 0.4 | 21  | 12  | <3  | 0.6 | 5   | 50  | 9   | 83  | 75  |
| PJL3+00W2+37.5N | 0.1 | 13  | 49  | <3  | 0.5 | 14  | 28  | 3   | 46  | 91  |
| PJL3+00W2+50.0N | 0.3 | 9   | 24  | <3  | 0.2 | 36  | 87  | 11  | 51  | 72  |
| PJL3+00W2+62.5N | 0.3 | 16  | 23  | <3  | 1.2 | 7   | 29  | 7   | 48  | 66  |
| PJL3+00W2+75.0N | 0.2 | 18  | 17  | 3   | 0.8 | 4   | 22  | 9   | 82  | 54  |
| PJL3+00W2+87.5N | 0.1 | 21  | 10  | 3   | 1.7 | 2   | 19  | 7   | 69  | 69  |
| PJL3+00W3+00.0N | 0.2 | 13  | 16  | <3  | 1.2 | 4   | 32  | 6   | 46  | 79  |
| PJL3+00W0+12.5S | 0.4 | 15  | 10  | <3  | 0.6 | 3   | 18  | 7   | 88  | 83  |
| PJL3+00W0+25.0S | 0.4 | 20  | 13  | <3  | 1.1 | 3   | 20  | 7   | 85  | 72  |
| PJL3+00W0+37.5S | 0.4 | 19  | 10  | <3  | 0.6 | 5   | 30  | 4   | 68  | 70  |
| PJL3+00W0+50.0S | 0.2 | 20  | 61  | <3  | 0.5 | 14  | 86  | 1   | 64  | 108 |
| PJL3+00W0+62.5S | 0.2 | 19  | 40  | 3   | 0.6 | 29  | 107 | 1   | 35  | 91  |
| PJL3+00W0+75.0S | 0.3 | 14  | 58  | 3   | 1.1 | 26  | 110 | 1   | 37  | 96  |

Minimum Detection

0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection

50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881360 PA

REQUEST

Page 4 of 5

| Sample Number   | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                 | ppm |
| PJL3+00W0+87.5S | 0.2 | 14  | 72  | <3  | 0.6 | 24  | 109 | 1   | 36  | 109 |
| PJL3+00W1+00.0S | 0.1 | 23  | 56  | <3  | 0.4 | 22  | 139 | 1   | 42  | 100 |
| PJL3+00W1+12.5S | 0.1 | 22  | 60  | 3   | 0.5 | 28  | 130 | 1   | 43  | 125 |
| PJL3+00W1+25.0S | 0.1 | 15  | 24  | <3  | 0.1 | 4   | 35  | 2   | 75  | 60  |
| PJL3+00W1+37.5S | 0.3 | 13  | 12  | <3  | 0.9 | 4   | 24  | 3   | 57  | 59  |
| PJL3+00W1+50.0S | 0.2 | 18  | 13  | <3  | 0.8 | 3   | 23  | 6   | 88  | 71  |
| PJL3+00W1+62.5S | 0.2 | 17  | 20  | <3  | 0.3 | 5   | 25  | 22  | 64  | 76  |
| PJL3+00W1+75.0S | 0.1 | 16  | 117 | <3  | 0.5 | 28  | 144 | 36  | 65  | 177 |
| PJL3+00W1+87.5S | 0.3 | 16  | 13  | <3  | 0.5 | 4   | 23  | 5   | 72  | 51  |
| PJL3+00W2+00.0S | 0.3 | 17  | 15  | <3  | 0.9 | 3   | 22  | 4   | 73  | 59  |
| PJL3+00W2+12.5S | 0.3 | 15  | 11  | <3  | 0.9 | 5   | 23  | 5   | 60  | 59  |
| PJL3+00W2+25.0S | 0.3 | 20  | 11  | <3  | 0.5 | 2   | 18  | 3   | 86  | 61  |
| PJL3+00W2+37.5S | 0.3 | 17  | 10  | 3   | 0.6 | 3   | 19  | 5   | 74  | 56  |
| PJL3+00W2+50.0S | 0.3 | 14  | 13  | <3  | 0.8 | 5   | 22  | 5   | 75  | 98  |
| PJL3+00W2+62.5S | 0.2 | 10  | 33  | <3  | 0.1 | 5   | 28  | 21  | 47  | 93  |
| PJL3+00W2+75.0S | 0.2 | 14  | 18  | <3  | 0.1 | 6   | 31  | 9   | 48  | 81  |
| PJL3+00W2+87.5S | 0.2 | 8   | 19  | <3  | 0.1 | 6   | 22  | 31  | 39  | 62  |
| PJL3+00W3+00.0S | 0.3 | 9   | 24  | <3  | 0.1 | 5   | 24  | 2   | 52  | 75  |
| PJL4+50W0+00.0N | 0.1 | 15  | 87  | 3   | 1.1 | 34  | 378 | 9   | 42  | 119 |
| PJL4+50W0+12.5N | 0.1 | 14  | 55  | 3   | 0.8 | 21  | 90  | 1   | 31  | 107 |
| PJL4+50W0+25.0N | 0.1 | 12  | 48  | 3   | 0.6 | 23  | 44  | 47  | 52  | 119 |
| PJL4+50W0+37.5N | 0.1 | 18  | 25  | <3  | 0.9 | 6   | 32  | 18  | 54  | 107 |
| PJL4+50W0+50.0N | 0.1 | 6   | 32  | <3  | 0.1 | 2   | 19  | 1   | 18  | 51  |
| PJL4+50W0+62.5N | 0.1 | 13  | 32  | <3  | 0.1 | 35  | 44  | 55  | 63  | 113 |
| PJL4+50W0+75.0N | 0.4 | 15  | 20  | <3  | 0.5 | 8   | 25  | 52  | 58  | 94  |
| PJL4+50W0+87.5N | 0.3 | 15  | 46  | 3   | 0.4 | 15  | 58  | 12  | 67  | 123 |
| PJL4+50W1+00.0N | 0.1 | 5   | 14  | <3  | 0.1 | 4   | 16  | 4   | 23  | 41  |
| PJL4+50W1+12.5N | 0.1 | 16  | 15  | <3  | 0.1 | 7   | 24  | 6   | 64  | 73  |
| PJL4+50W1+25.0N | 0.2 | 12  | 9   | 3   | 1.2 | 3   | 22  | 8   | 70  | 70  |
| PJL4+50W1+37.5N | 0.5 | 11  | 36  | <3  | 0.1 | 5   | 84  | 34  | 71  | 114 |
| PJL4+50W1+50.0N | 0.4 | 16  | 32  | <3  | 0.1 | 3   | 99  | 63  | 77  | 85  |
| PJL4+50W1+62.5N | 0.5 | 16  | 38  | <3  | 0.1 | 4   | 72  | 11  | 77  | 114 |
| PJL4+50W1+75.0N | 0.1 | 8   | 32  | <3  | 0.1 | 4   | 100 | 7   | 69  | 192 |
| PJL4+50W1+87.5N | 0.2 | 16  | 12  | <3  | 0.3 | 4   | 21  | 4   | 76  | 86  |
| PJL4+50W2+00.0N | 0.4 | 18  | 15  | 3   | 0.6 | 3   | 21  | 4   | 81  | 116 |
| PJL4+50W2+12.5N | 0.1 | 12  | 33  | <3  | 0.3 | 3   | 38  | 5   | 49  | 62  |
| PJL4+50W2+25.0N | 0.1 | 17  | 20  | <3  | 0.6 | 2   | 20  | 7   | 80  | 69  |
| PJL4+50W2+37.5N | 0.1 | 17  | 27  | <3  | 0.2 | 5   | 40  | 14  | 61  | 85  |
| PJL4+50W2+50.0N | 0.1 | 7   | 56  | <3  | 0.3 | 5   | 33  | 5   | 34  | 70  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1X5  
(604) 251-5655 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT #: 881360 PA

DREQUEST

Page 5 of 5

| Sample Number     | Ag   | As   | Ba   | Bl   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| PJL4+50W2+62.5N   | 0.2  | 12   | 21   | <3   | 0.3   | 6     | 37    | 7    | 39    | 57    |
| PJL4+50W2+75.0N   | 0.1  | 15   | 21   | <3   | 0.8   | 7     | 37    | 9    | 70    | 87    |
| PJL4+50W2+87.5N   | 0.1  | 19   | 23   | <3   | 0.5   | 6     | 23    | 7    | 89    | 144   |
| PJL4+50W3+00.0N   | 0.1  | 16   | 35   | 4    | 0.8   | 19    | 142   | 7    | 52    | 92    |
| PJL5+50W0+37.5N   | 0.1  | 14   | 52   | <3   | 0.6   | 15    | 82    | 3    | 92    | 121   |
| PJL5+50W0+50.0N   | 0.1  | 16   | 430  | <3   | 1.7   | 20    | 121   | 4    | 106   | 223   |
| PJL5+50W0+62.5N   | 0.4  | 18   | 45   | <3   | 0.8   | 7     | 33    | 9    | 81    | 131   |
| PJL5+50W0+75.0N   | 1.1  | 18   | 27   | <3   | 0.1   | 5     | 28    | 22   | 74    | 57    |
| PJL5+50W0+87.5N   | 0.1  | 15   | 12   | 3    | 0.8   | 2     | 21    | 13   | 69    | 50    |
| PJL5+50W1+00.0N   | 0.2  | 13   | 21   | <3   | 0.6   | 5     | 25    | 26   | 65    | 110   |
| PJL5+50W1+12.5N   | 0.1  | 18   | 11   | <3   | 0.1   | 4     | 19    | 9    | 78    | 69    |
| PJL5+50W1+25.0N   | 0.1  | 15   | 21   | <3   | 0.6   | 7     | 20    | 15   | 60    | 72    |
| PJL5+50W1+37.5N   | 0.1  | 16   | 14   | 3    | 0.8   | 10    | 37    | 12   | 57    | 95    |
| PJL5+50W1+50.0N   | 0.1  | 21   | 12   | 3    | 0.8   | 7     | 22    | 10   | 82    | 69    |
| PJL5+50W1+62.5N   | 0.1  | 13   | 17   | <3   | 0.8   | 6     | 21    | 20   | 56    | 81    |
| PJL5+50W1+75.0N   | 0.1  | 16   | 36   | <3   | 0.6   | 9     | 126   | 20   | 113   | 110   |
| PJL5+50W1+87.5N   | 0.1  | 17   | 16   | <3   | 0.6   | 3     | 28    | 7    | 53    | 67    |
| PJL5+50W2+00.0N   | 0.1  | 24   | 12   | 4    | 1.1   | 6     | 24    | 7    | 77    | 96    |
| PJL5+50W2+12.5N   | 0.2  | 17   | 34   | 3    | 0.5   | 16    | 139   | 5    | 61    | 98    |
| PJL5+50W2+25.0N   | 0.1  | 17   | 50   | 3    | 0.8   | 24    | 224   | 3    | 51    | 122   |
| PJL5+50W2+37.5N   | 0.1  | 20   | 16   | 3    | 1.6   | 3     | 27    | 11   | 65    | 79    |
| PJL5+50W2+50.0N   | 0.1  | 16   | 46   | 3    | 0.3   | 17    | 102   | 50   | 45    | 123   |
| PJL5+50W2+62.5N   | 0.2  | 24   | 13   | <3   | 0.6   | 3     | 62    | 52   | 71    | 106   |
| PJL5+50W2+75.0N   | 0.1  | 21   | 25   | <3   | 0.1   | 5     | 55    | 28   | 53    | 80    |
| PJL5+50W2+87.5N   | 0.5  | 24   | 11   | <3   | 0.1   | 4     | 20    | 25   | 72    | 77    |
| PJL5+50W3+00.0N   | 0.2  | 18   | 7    | 3    | 1.2   | 2     | 20    | 15   | 74    | 70    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Oct 21 1988  
REPORT#: 881603 GA  
JOB#: 881603

PROJECT#: Pez Ver  
SAMPLES ARRIVED: OCT 7 1988  
REPORT COMPLETED: Oct 21 1988  
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881603 NA  
TOTAL SAMPLES: 98  
SAMPLE TYPE: Rock Core  
REJECTS: SAVED

SAMPLES FROM: Ross River Yukon  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881603 GA

JOB NUMBER: 881603

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 3

| SAMPLE # | Au |
|----------|----|
| 21801    | nd |
| 21802    | nd |
| 21803    | 30 |
| 21804    | 10 |
| 21805    | nd |
| 21806    | nd |
| 21807    | 80 |
| 21808    | nd |
| 21809    | nd |
| 21810    | nd |
| 21811    | 20 |
| 21812    | nd |
| 21813    | 10 |
| 21814    | 10 |
| 21815    | 10 |
| 21816    | 10 |
| 21817    | 30 |
| 21818    | 80 |
| 21819    | 20 |
| 21820    | 10 |
| 21821    | nd |
| 21822    | 80 |
| 21823    | nd |
| 21824    | 10 |
| 21825    | nd |
| 21826    | nd |
| 21827    | nd |
| 21828    | 50 |
| 21829    | nd |
| 21830    | 10 |
| 21831    | 20 |
| 21832    | nd |
| 21833    | 10 |
| 21834    | 20 |
| 21835    | nd |
| 21836    | nd |
| 21837    | 20 |
| 21838    | 80 |
| 21839    | nd |

DETECTION LIMIT

5

nd = none detected

-- = not analysed      is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 891603 6A

JOB NUMBER: 891603

GREWEST CONSULTANTS LTD.

PAGE 2 OF 3

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 21840    | nd        |
| 21841    | 20        |
| 21842    | 20        |
| 21843    | 10        |
| 21844    | 10        |
| 21845    | 40        |
| 21846    | 10        |
| 21847    | nd        |
| 21848    | nd        |
| 21849    | nd        |
| 21850    | 60        |
| 21851    | nd        |
| 21852    | nd        |
| 21853    | 10        |
| 21854    | 20        |
| 21855    | 20        |
| 21856    | 10        |
| 21857    | 30        |
| 21858    | 40        |
| 21859    | 10        |
| 21860    | 20        |
| 21861    | nd        |
| 21862    | 60        |
| 21863    | nd        |
| 21864    | 5         |
| 21865    | nd        |
| 21866    | nd        |
| 21867    | 10        |
| 21868    | 10        |
| 21869    | 10        |
| 21870    | nd        |
| 21871    | nd        |
| 21872    | 20        |
| 21873    | 20        |
| 21874    | 20        |
| 21875    | 20        |
| 21876    | 40        |
| 21877    | 10        |
| 21878    | 10        |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881603 6A

JOB NUMBER: 881603

OREQUEST CONSULTANTS LTD.

PAGE 3 OF 3

| SAMPLE # | Au  |
|----------|-----|
|          | ppb |
| 21879    | 20  |
| 21880    | nd  |
| 21881    | 10  |
| 21882    | nd  |
| 21883    | 20  |
| 21884    | nd  |
| 21885    | nd  |
| 21886    | nd  |
| 21887    | nd  |
| 21888    | nd  |
| 21889    | nd  |
| 21890    | nd  |
| 21891    | 20  |
| 21892    | 10  |
| 21893    | nd  |
| 21894    | 120 |
| 21895    | nd  |
| 21896    | nd  |
| 21897    | nd  |
| 21898    | 10  |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



**MAIN OFFICE**  
1988 TRIUMPH ST.  
VANCOUVER, B.C. V5L 1K5  
• (604) 251-5656  
• FAX (604) 254-5717

**BRANCH OFFICES**  
PASADENA, N.FLD.  
BATHURST, N.B.  
MISSISSAUGA, ONT.  
RENO, NEVADA, U.S.A.

REPORT #: BB1603 PA

REQUEST

Page 1 of 3

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 21801         | 0.1 | 11  | 53  | <3  | 0.5 | 11  | 67  | 9   | 28  | 58  |
| 21802         | 0.1 | 12  | 90  | <3  | 0.6 | 16  | 72  | 5   | 34  | 60  |
| 21803         | 0.2 | 15  | 46  | <3  | 0.5 | 37  | 134 | 3   | 55  | 96  |
| 21804         | 0.2 | 12  | 311 | <3  | 1.1 | 22  | 117 | 4   | 58  | 140 |
| 21805         | 0.2 | 13  | 103 | <3  | 0.6 | 23  | 129 | 3   | 42  | 111 |
| 21806         | 0.1 | 8   | 53  | <3  | 0.5 | 14  | 79  | 3   | 29  | 58  |
| 21807         | 0.2 | 11  | 115 | <3  | 0.7 | 17  | 99  | 2   | 33  | 68  |
| 21808         | 0.2 | 10  | 136 | <3  | 0.6 | 26  | 119 | 3   | 37  | 74  |
| 21809         | 0.2 | 10  | 88  | <3  | 1.1 | 25  | 84  | 1   | 32  | 73  |
| 21810         | 0.1 | 10  | 205 | <3  | 0.5 | 24  | 95  | 2   | 35  | 69  |
| 21811         | 0.2 | 19  | 181 | <3  | 0.6 | 29  | 154 | 8   | 42  | 94  |
| 21812         | 0.1 | 12  | 75  | <3  | 0.7 | 30  | 123 | 3   | 41  | 70  |
| 21813         | 0.1 | 15  | 21  | <3  | 0.6 | 18  | 89  | 43  | 37  | 73  |
| 21814         | 0.1 | 10  | 15  | <3  | 0.6 | 13  | 58  | 18  | 31  | 84  |
| 21815         | 0.1 | 15  | 59  | <3  | 1.1 | 14  | 65  | 3   | 42  | 137 |
| 21816         | 0.1 | 6   | 24  | <3  | 0.1 | 10  | 61  | 1   | 24  | 33  |
| 21817         | 0.1 | 3   | 28  | <3  | 0.1 | 11  | 90  | <1  | 21  | 47  |
| 21818         | 0.1 | <3  | 18  | <3  | 0.2 | 8   | 75  | <1  | 24  | 44  |
| 21819         | 0.1 | 8   | 13  | <3  | 0.1 | 11  | 176 | 2   | 20  | 34  |
| 21820         | 0.1 | 7   | 21  | <3  | 0.1 | 11  | 155 | 3   | 23  | 46  |
| 21821         | 0.1 | 14  | 54  | <3  | 1.1 | 16  | 64  | 1   | 31  | 78  |
| 21822         | 0.1 | 9   | 41  | <3  | 0.5 | 13  | 60  | 2   | 22  | 56  |
| 21823         | 0.1 | <3  | 14  | <3  | 0.1 | 11  | 86  | 1   | 17  | 47  |
| 21824         | 0.2 | 11  | 165 | <3  | 1.1 | 22  | 102 | 1   | 33  | 98  |
| 21825         | 0.2 | 9   | 64  | <3  | 1.1 | 25  | 112 | 5   | 35  | 93  |
| 21826         | 0.2 | 13  | 113 | <3  | 0.6 | 19  | 98  | 3   | 32  | 106 |
| 21827         | 0.1 | 4   | 105 | <3  | 0.1 | 12  | 89  | 3   | 27  | 79  |
| 21828         | 0.1 | 11  | 53  | <3  | 1.1 | 17  | 91  | 3   | 53  | 195 |
| 21829         | 0.1 | 12  | 97  | <3  | 1.6 | 19  | 79  | 2   | 50  | 175 |
| 21830         | 0.1 | 16  | 33  | <3  | 0.7 | 26  | 101 | 2   | 36  | 82  |
| 21831         | 0.1 | 9   | 33  | <3  | 0.6 | 24  | 100 | 1   | 29  | 62  |
| 21832         | 0.2 | 14  | 34  | <3  | 1.1 | 27  | 107 | 6   | 33  | 76  |
| 21833         | 0.1 | 10  | 76  | <3  | 1.1 | 23  | 91  | 1   | 33  | 66  |
| 21834         | 0.1 | 11  | 31  | <3  | 1.1 | 25  | 132 | 2   | 35  | 70  |
| 21835         | 0.1 | 6   | 185 | <3  | 1.1 | 22  | 72  | 1   | 41  | 79  |
| 21836         | 0.1 | <3  | 48  | <3  | 0.7 | 15  | 51  | 13  | 83  | 102 |
| 21837         | 0.1 | <3  | 48  | <3  | 0.6 | 14  | 69  | 3   | 30  | 60  |
| 21838         | 0.1 | 11  | 23  | <3  | 0.4 | 22  | 137 | 3   | 39  | 71  |
| 21839         | 0.1 | 13  | 23  | <3  | 1.4 | 24  | 85  | 2   | 44  | 107 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000  
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



**MAIN OFFICE**  
1988 TRIUMPH ST.  
VANCOUVER, B.C. V5L 1K5  
• (604) 251-5656  
• FAX (604) 254-5717

**BRANCH OFFICES**  
PASADENA, NFLD.  
BATHURST, N.B.  
MISSISSAUGA, ONT.  
RENO, NEVADA, U.S.A.

REPORT #: 881603 PA

DREQUEST

Page 2 of 3

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb   | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|
|               | ppm  | ppm |
| 21840         | 0.9 | 12  | 23  | <3  | 0.1 | 14  | 65  | 2   | 24   | 51  |
| 21841         | 0.5 | 8   | 11  | <3  | 0.2 | 18  | 86  | 5   | 24   | 47  |
| 21842         | 1.1 | 17  | 19  | 3   | 0.2 | 22  | 64  | 3   | 41   | 82  |
| 21843         | 2.1 | 13  | 132 | 6   | 1.2 | 36  | 96  | 3   | 52   | 118 |
| 21844         | 1.6 | 11  | 33  | 4   | 0.6 | 28  | 86  | 5   | 39   | 94  |
| 21845         | 0.3 | 13  | 34  | 3   | 0.2 | 14  | 52  | 5   | 31   | 81  |
| 21846         | 0.1 | 13  | 62  | <3  | 0.2 | 17  | 39  | 4   | 31   | 70  |
| 21847         | 0.1 | 6   | 53  | <3  | 0.1 | 10  | 29  | 38  | 25   | 55  |
| 21848         | 0.1 | 12  | 14  | <3  | 0.1 | 10  | 43  | 10  | 25   | 49  |
| 21849         | 0.1 | 9   | 8   | <3  | 0.1 | 12  | 45  | 9   | 21   | 40  |
| 21850         | 0.1 | 10  | 13  | <3  | 0.2 | 15  | 47  | 8   | 25   | 46  |
| 21851         | 0.1 | 7   | 9   | <3  | 0.7 | 22  | 66  | 4   | 28   | 54  |
| 21852         | 0.1 | 11  | 154 | <3  | 0.2 | 26  | 64  | 4   | 47   | 113 |
| 21853         | 0.1 | 6   | 149 | <3  | 0.5 | 13  | 85  | 4   | 28   | 66  |
| 21854         | 0.5 | 6   | 116 | <3  | 0.7 | 17  | 86  | 21  | 31   | 81  |
| 21855         | 0.1 | 7   | 141 | 3   | 0.7 | 11  | 37  | 3   | 33   | 58  |
| 21856         | 0.1 | 5   | 173 | <3  | 0.7 | 16  | 94  | 4   | 32   | 56  |
| 21857         | 0.9 | 6   | 141 | 3   | 0.6 | 16  | 127 | 2   | 31   | 69  |
| 21858         | 0.9 | 5   | 30  | <3  | 0.1 | 14  | 97  | 10  | 24   | 52  |
| 21859         | 0.9 | 7   | 22  | <3  | 0.1 | 15  | 111 | 33  | 23   | 52  |
| 21860         | 0.1 | 11  | 76  | <3  | 0.2 | 19  | 79  | 5   | 40   | 85  |
| 21861         | 0.2 | 5   | 34  | <3  | 0.1 | 9   | 82  | 8   | 26   | 58  |
| 21862         | 0.3 | 4   | 65  | <3  | 0.2 | 6   | 69  | 3   | 28   | 74  |
| 21863         | 0.1 | <3  | 116 | <3  | 1.4 | 17  | 57  | 3   | 81   | 162 |
| 21864         | 0.1 | <3  | 52  | <3  | 1.1 | 17  | 60  | <1  | 62   | 157 |
| 21865         | 6.3 | <3  | 8   | <3  | 2.1 | 117 | 83  | 2   | 1659 | 112 |
| 21866         | 1.8 | <3  | 29  | <3  | 1.5 | 52  | 79  | 3   | 1619 | 115 |
| 21867         | 0.5 | <3  | 23  | <3  | 1.1 | 17  | 43  | 2   | 578  | 139 |
| 21868         | 0.9 | <3  | 91  | <3  | 0.8 | 19  | 116 | 15  | 979  | 152 |
| 21869         | 0.1 | <3  | 82  | <3  | 0.8 | 17  | 32  | 4   | 438  | 165 |
| 21870         | 3.5 | <3  | 40  | <3  | 1.7 | 39  | 86  | 9   | 1322 | 171 |
| 21871         | 3.8 | <3  | 13  | <3  | 1.7 | 89  | 54  | 4   | 2265 | 185 |
| 21872         | 3.3 | <3  | 16  | <3  | 2.5 | 62  | 232 | 3   | 1309 | 181 |
| 21873         | 2.2 | <3  | 18  | <3  | 1.7 | 59  | 58  | 4   | 649  | 167 |
| 21874         | 0.1 | <3  | 13  | <3  | 1.9 | 21  | 27  | 17  | 96   | 212 |
| 21875         | 0.1 | <3  | 28  | <3  | 2.1 | 16  | 33  | 1   | 91   | 214 |
| 21876         | 0.1 | 4   | 65  | <3  | 1.4 | 19  | 72  | 1   | 52   | 182 |
| 21877         | 0.1 | <3  | 485 | <3  | 1.4 | 21  | 61  | 4   | 40   | 187 |
| 21878         | 0.1 | <3  | 158 | <3  | 0.7 | 24  | 12  | 1   | 40   | 150 |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



**MAIN OFFICE**  
1988 TRIUMPH ST.  
VANCOUVER, B.C. V5L 1K5  
• (604) 251-5656  
• FAX (604) 254-5717

**BRANCH OFFICES**  
PASADENA, N.FLD.  
BATHURST, N.B.  
MISSISSAUGA, ONT.  
RENO, NEVADA, U.S.A.

REPORT #: BB1603 PA

ORE REQUEST

Page 3 of 3

| Sample Number | Ag<br>ppm | As<br>ppm | Ba<br>ppm | Bi<br>ppm | Cd<br>ppm | Co<br>ppm | Cu<br>ppm | Mo<br>ppm | Pb<br>ppm | Zn<br>ppm |
|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 21879         | 0.1       | 4         | 77        | <3        | 1.1       | 27        | 22        | 3         | 33        | 152       |
| 21880         | 0.1       | <3        | 640       | <3        | 0.5       | 7         | 13        | 2         | 23        | 116       |
| 21881         | 0.1       | 3         | 157       | <3        | 0.8       | 7         | 26        | 3         | 25        | 157       |
| 21882         | 0.1       | 4         | 56        | <3        | 0.7       | 12        | 88        | 5         | 25        | 152       |
| 21883         | 0.2       | <3        | 173       | <3        | 0.3       | 6         | 44        | 5         | 24        | 104       |
| 21884         | 0.1       | <3        | 174       | <3        | 0.3       | 7         | 57        | 3         | 29        | 78        |
| 21885         | 0.1       | 3         | 310       | <3        | 0.2       | 13        | 83        | 3         | 35        | 99        |
| 21886         | 0.2       | <3        | 167       | <3        | 0.1       | 9         | 112       | 4         | 19        | 32        |
| 21887         | 0.2       | <3        | 200       | <3        | 0.1       | 3         | 32        | 3         | 14        | 28        |
| 21888         | 0.1       | <3        | 360       | <3        | 0.1       | 3         | 24        | 3         | 19        | 34        |
| 21889         | 0.3       | <3        | 396       | <3        | 0.1       | 3         | 16        | 3         | 20        | 52        |
| 21890         | 0.2       | <3        | 115       | <3        | 1.3       | 4         | 120       | 4         | 158       | 116       |
| 21891         | 0.3       | <3        | 437       | <3        | 0.1       | 4         | 37        | 3         | 30        | 62        |
| 21892         | 0.3       | <3        | 309       | <3        | 0.1       | 3         | 39        | 3         | 22        | 50        |
| 21893         | 0.2       | <3        | 387       | <3        | 0.1       | 4         | 11        | 3         | 20        | 80        |
| 21894         | 0.3       | <3        | 335       | <3        | 0.1       | 4         | 20        | 5         | 19        | 70        |
| 21895         | 0.3       | <3        | 517       | <3        | 0.1       | 3         | 22        | 3         | 21        | 41        |
| 21896         | 0.3       | <3        | 338       | <3        | 0.1       | 8         | 40        | 3         | 13        | 34        |
| 21897         | 0.6       | 20        | 136       | 4         | 1.8       | 33        | 139       | 5         | 49        | 87        |
| 21898         | 0.5       | 15        | 75        | 3         | 0.9       | 24        | 94        | 4         | 41        | 69        |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1

Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

## GEOCHEMICAL ANALYTICAL REPORT

---

CLIENT: OREQUEST CONSULTANTS LTD.  
ADDRESS: 404-595 Howe St.  
: Vancouver, B.C.  
: V6C 2T5

DATE: Oct 17 1988  
REPORT#: 881639 GA  
JOB#: 881639

PROJECT#: Pez Ver  
SAMPLES ARRIVED: Oct 12 1988  
REPORT COMPLETED: Oct 17 1988  
ANALYSED FOR: Au (FA/AAS) ICP

INVOICE#: 881639 NA  
TOTAL SAMPLES: 106  
SAMPLE TYPE: Cores  
REJECTS: SAVED

SAMPLES FROM: OREQUEST CONSULTANTS LTD.  
COPY SENT TO: Mr. Bernie Dewonck

PREPARED FOR: Mr. Bernie Dewonck

ANALYSED BY: VGC Staff

SIGNED:

GENERAL REMARK: None



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881639 GA

JOB NUMBER: 881639

OREQUEST CONSULTANTS LTD.

PAGE 1 OF 3

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 21899    | 10        |
| 21900    | nd        |
| 21901    | nd        |
| 21902    | nd        |
| 21903    | nd        |
| 21904    | nd        |
| 21905    | 10        |
| 21906    | 10        |
| 21907    | nd        |
| 21908    | nd        |
| 21909    | nd        |
| 21910    | nd        |
| 21911    | nd        |
| 21912    | nd        |
| 21913    | nd        |
| 21914    | nd        |
| 21915    | 10        |
| 21916    | nd        |
| 21917    | nd        |
| 21918    | nd        |
| 21919    | nd        |
| 21920    | nd        |
| 21921    | nd        |
| 21922    | nd        |
| 21923    | nd        |
| 21924    | nd        |
| 21925    | nd        |
| 21926    | nd        |
| 21927    | nd        |
| 21928    | nd        |
| 21929    | nd        |
| 21930    | nd        |
| 21931    | nd        |
| 21932    | nd        |
| 21933    | nd        |
| 21934    | nd        |
| 21935    | nd        |
| 21936    | nd        |
| 21937    | nd        |

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 881639 GA

JOB NUMBER: 881639

OREQUEST CONSULTANTS LTD.

PAGE 2 OF 3

| SAMPLE # | Au  |
|----------|-----|
| 21938    | ppb |
| 21939    | nd  |
| 21940    | nd  |
| 21941    | nd  |
| 21942    | nd  |
| 21943    | nd  |
| 21944    | nd  |
| 21945    | nd  |
| 21946    | nd  |
| 21947    | nd  |
| 21948    | nd  |
| 21949    | nd  |
| 21950    | nd  |
| 21951    | nd  |
| 21952    | nd  |
| 21953    | nd  |
| 21954    | nd  |
| 21955    | nd  |
| 21956    | nd  |
| 21957    | nd  |
| 21958    | nd  |
| 21959    | nd  |
| 21960    | 10  |
| 21961    | 10  |
| 21962    | nd  |
| 21963    | nd  |
| 21964    | nd  |
| 21965    | nd  |
| 21966    | nd  |
| 21967    | nd  |
| 21968    | nd  |
| 21969    | 10  |
| 21970    | nd  |
| 21971    | 20  |
| 21972    | 30  |
| 21973    | 20  |
| 21974    | 20  |
| 21975    | 20  |
| 21976    | 20  |

DETECTION LIMIT 5

nd = none detected -- = not analysed is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY  
1988 Triumph Street  
Vancouver, B.C. V5L 1K5  
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V6L 1L6  
(604) 251-5656

REPORT NUMBER: 881639 6A

JOB NUMBER: 881639

DREQUEST CONSULTANTS LTD.

PAGE 3 OF 3

| SAMPLE # | Au<br>ppb |
|----------|-----------|
| 21977    | 10        |
| 21978    | 20        |
| 21979    | 10        |
| 21980    | nd        |
| 21981    | nd        |
| 21982    | nd        |
| 21983    | nd        |
| 21984    | nd        |
| 21985    | nd        |
| 21986    | nd        |
| 21987    | nd        |
| 21988    | 10        |
| 21989    | nd        |
| 21990    | nd        |
| 21991    | nd        |
| 21992    | 20        |
| 21993    | 30        |
| 21994    | nd        |
| 21995    | nd        |
| 21996    | nd        |
| 21997    | nd        |
| 21998    | nd        |
| 21999    | nd        |
| 22000    | nd        |
| 22619    | nd        |
| 22620    | nd        |
| 22621    | nd        |
| 22622    | nd        |



**MAIN OFFICE**  
 1988 TRIUMPH ST.  
 VANCOUVER, B.C. V5L 1K5  
 • (604) 251-5656  
 • FAX (604) 254-5717

**BRANCH OFFICES**  
 PASADENA, NFLD.  
 BATHURST, N.B.  
 MISSISSAUGA, ONT.  
 RENO, NEVADA, U.S.A.

REPORT #: BB1639 PA

DREQUEST

Page 1 of 3

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 21899         | 0.1 | <3  | 45  | <3  | 0.1 | 8   | 115 | 8   | 18  | 21  |
| 21900         | 0.2 | <3  | 32  | <3  | 0.2 | 10  | 168 | 8   | 23  | 40  |
| 21901         | 0.1 | <3  | 14  | <3  | 0.9 | 16  | 53  | 10  | 28  | 46  |
| 21902         | 0.2 | 10  | 10  | 3   | 0.9 | 27  | 101 | 8   | 32  | 84  |
| 21903         | 0.3 | 10  | 14  | 4   | 1.1 | 35  | 131 | 5   | 39  | 138 |
| 21904         | 0.3 | 13  | 107 | <3  | 0.6 | 28  | 108 | 8   | 47  | 104 |
| 21905         | 0.2 | <3  | 28  | <3  | 0.1 | 9   | 47  | 2   | 20  | 31  |
| 21906         | 0.1 | <3  | 21  | <3  | 0.1 | 7   | 59  | 1   | 19  | 34  |
| 21907         | 0.4 | <3  | 86  | 5   | 1.3 | 26  | 178 | 8   | 33  | 92  |
| 21908         | 0.3 | <3  | 210 | 4   | 1.1 | 29  | 100 | 4   | 36  | 106 |
| 21909         | 0.4 | 9   | 236 | 6   | 1.3 | 30  | 149 | 4   | 41  | 139 |
| 21910         | 0.3 | 3   | 223 | 5   | 1.3 | 29  | 148 | 4   | 36  | 126 |
| 21911         | 0.2 | <3  | 112 | 3   | 0.8 | 24  | 164 | 4   | 24  | 66  |
| 21912         | 0.1 | 5   | 65  | <3  | 0.7 | 27  | 126 | 4   | 29  | 59  |
| 21913         | 0.1 | 3   | 53  | <3  | 0.7 | 25  | 106 | 4   | 28  | 62  |
| 21914         | 0.4 | <3  | 26  | 5   | 1.4 | 33  | 134 | 4   | 39  | 120 |
| 21915         | 0.2 | <3  | 43  | <3  | 0.3 | 15  | 93  | 3   | 23  | 54  |
| 21916         | 0.1 | <3  | 40  | <3  | 0.1 | 14  | 90  | 7   | 20  | 44  |
| 21917         | 0.2 | <3  | 21  | <3  | 0.5 | 16  | 97  | 8   | 25  | 50  |
| 21918         | 0.2 | 7   | 23  | 3   | 0.7 | 18  | 112 | 5   | 31  | 51  |
| 21919         | 0.2 | <3  | 24  | 3   | 0.7 | 17  | 95  | 8   | 34  | 56  |
| 21920         | 0.3 | 5   | 45  | <3  | 0.6 | 17  | 114 | 7   | 29  | 69  |
| 21921         | 0.2 | 6   | 32  | 3   | 0.8 | 19  | 114 | 4   | 28  | 73  |
| 21922         | 0.2 | 3   | 32  | 4   | 1.1 | 22  | 84  | 5   | 35  | 85  |
| 21923         | 0.1 | <3  | 28  | <3  | 0.5 | 11  | 43  | 2   | 20  | 42  |
| 21924         | 0.2 | 5   | 37  | <3  | 0.6 | 17  | 96  | 4   | 26  | 68  |
| 21925         | 0.4 | 10  | 20  | 5   | 1.3 | 32  | 124 | 4   | 47  | 115 |
| 21926         | 0.3 | 5   | 27  | 4   | 0.9 | 23  | 80  | 4   | 32  | 62  |
| 21927         | 0.2 | <3  | 28  | 3   | 0.5 | 15  | 57  | 3   | 28  | 50  |
| 21928         | 0.4 | 5   | 22  | 3   | 0.6 | 19  | 94  | 3   | 31  | 57  |
| 21929         | 0.4 | 10  | 31  | <3  | 0.6 | 13  | 57  | 3   | 30  | 59  |
| 21930         | 0.3 | <3  | 42  | <3  | 0.5 | 13  | 52  | 6   | 26  | 60  |
| 21931         | 0.4 | 9   | 57  | 3   | 0.3 | 13  | 33  | 4   | 35  | 72  |
| 21932         | 0.1 | 3   | 41  | <3  | 0.3 | 10  | 27  | 4   | 27  | 66  |
| 21933         | 0.1 | <3  | 132 | <3  | 0.1 | 7   | 39  | 7   | 25  | 37  |
| 21934         | 0.1 | <3  | 39  | <3  | 0.2 | 14  | 70  | 9   | 26  | 48  |
| 21935         | 0.1 | <3  | 70  | <3  | 0.2 | 10  | 36  | 18  | 24  | 59  |
| 21936         | 0.2 | <3  | 21  | <3  | 0.9 | 22  | 96  | 4   | 33  | 76  |
| 21937         | 0.2 | 4   | 35  | 3   | 0.9 | 24  | 68  | 4   | 41  | 70  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 2 1  
 Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



MAIN OFFICE  
1988 TRIUMPH ST.  
VANCOUVER, B.C. V5L 1K5  
• (604) 251-5656  
• FAX (604) 254-5717

BRANCH OFFICES  
PASADENA, NFLD.  
BATHURST, N.B.  
MISSISSAUGA, ONT.  
RENO, NEVADA, U.S.A.

REPORT #: 881639 PA

REQUEST

Page 2 of 3

| Sample Number | Ag  | As  | Ba  | Bi  | Cd  | Co  | Cu  | Mo  | Pb  | Zn  |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|               | ppm |
| 21938         | 0.1 | <3  | 23  | <3  | 0.7 | 22  | 101 | 5   | 82  | 72  |
| 21939         | 0.1 | 5   | 83  | <3  | 1.8 | 30  | 98  | 4   | 40  | 126 |
| 21940         | 0.1 | <3  | 127 | <3  | 2.3 | 27  | 57  | 3   | 39  | 272 |
| 21941         | 0.1 | <3  | 93  | <3  | 1.9 | 27  | 74  | 4   | 40  | 211 |
| 21942         | 0.2 | <3  | 195 | 4   | 1.3 | 30  | 104 | 4   | 37  | 116 |
| 21943         | 0.2 | 4   | 68  | 4   | 1.3 | 27  | 99  | 4   | 35  | 114 |
| 21944         | 0.2 | 10  | 12  | 4   | 1.6 | 30  | 63  | 4   | 36  | 105 |
| 21945         | 0.2 | 7   | 19  | 5   | 1.6 | 34  | 177 | 4   | 42  | 127 |
| 21946         | 0.2 | 12  | 16  | 3   | 1.3 | 31  | 127 | 4   | 38  | 121 |
| 21947         | 0.2 | 10  | 15  | 4   | 1.3 | 30  | 141 | 4   | 35  | 117 |
| 21948         | 0.4 | 15  | 24  | 5   | 1.6 | 34  | 75  | 4   | 44  | 130 |
| 21949         | 0.2 | 7   | 8   | 5   | 1.3 | 31  | 201 | 4   | 38  | 117 |
| 21950         | 0.2 | 8   | 16  | 3   | 1.1 | 28  | 120 | 4   | 31  | 94  |
| 21951         | 0.2 | 5   | 13  | 3   | 1.4 | 30  | 140 | 3   | 35  | 119 |
| 21952         | 0.2 | 11  | 17  | 4   | 1.6 | 35  | 199 | 4   | 39  | 144 |
| 21953         | 0.2 | 8   | 28  | 4   | 1.3 | 28  | 82  | 4   | 42  | 130 |
| 21954         | 0.1 | 3   | 66  | <3  | 0.1 | 17  | 101 | 8   | 29  | 60  |
| 21955         | 0.1 | <3  | 24  | <3  | 0.2 | 11  | 49  | 16  | 18  | 42  |
| 21956         | 0.1 | <3  | 50  | <3  | 0.1 | 11  | 46  | 49  | 18  | 39  |
| 21957         | 0.1 | 4   | 28  | <3  | 0.1 | 10  | 50  | 28  | 24  | 34  |
| 21958         | 0.1 | <3  | 35  | <3  | 0.1 | 12  | 53  | 6   | 18  | 36  |
| 21959         | 0.1 | <3  | 26  | <3  | 0.1 | 15  | 66  | 5   | 21  | 41  |
| 21960         | 0.2 | <3  | 20  | <3  | 0.1 | 19  | 93  | 28  | 23  | 54  |
| 21961         | 0.2 | 4   | 15  | <3  | 0.2 | 14  | 84  | 8   | 23  | 55  |
| 21962         | 0.1 | <3  | 21  | <3  | 0.1 | 16  | 57  | 4   | 24  | 33  |
| 21963         | 0.1 | <3  | 19  | <3  | 0.1 | 13  | 46  | 5   | 18  | 39  |
| 21964         | 0.2 | 3   | 12  | <3  | 0.1 | 15  | 89  | 14  | 22  | 58  |
| 21965         | 0.2 | <3  | 16  | <3  | 0.3 | 19  | 134 | 16  | 23  | 85  |
| 21966         | 0.2 | <3  | 19  | <3  | 0.5 | 19  | 142 | 20  | 24  | 84  |
| 21967         | 0.3 | 7   | 31  | <3  | 0.8 | 20  | 107 | 6   | 28  | 97  |
| 21968         | 0.3 | <3  | 15  | <3  | 0.1 | 14  | 109 | 43  | 22  | 60  |
| 21969         | 0.2 | <3  | 17  | <3  | 0.1 | 9   | 61  | 10  | 18  | 74  |
| 21970         | 0.2 | <3  | 13  | <3  | 0.3 | 9   | 64  | 59  | 20  | 93  |
| 21971         | 0.2 | <3  | 18  | <3  | 0.5 | 10  | 74  | 15  | 19  | 79  |
| 21972         | 0.2 | <3  | 36  | <3  | 0.3 | 10  | 85  | 4   | 19  | 71  |
| 21973         | 0.2 | <3  | 28  | <3  | 0.5 | 11  | 109 | 6   | 19  | 83  |
| 21974         | 0.2 | <3  | 18  | <3  | 0.6 | 10  | 84  | 22  | 19  | 75  |
| 21975         | 0.2 | <3  | 18  | <3  | 0.1 | 7   | 57  | 4   | 13  | 55  |
| 21976         | 0.2 | <3  | 28  | <3  | 0.2 | 6   | 47  | 22  | 15  | 96  |

Minimum Detection 0.1 3 1 3 0.1 1 1 1 1 2 1  
Maximum Detection 50.0 1000 1000 1000 100.0 20000 20000 20000 1000 20000 20000

< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum



MAIN OFFICE  
1988 TRIUMPH ST.  
VANCOUVER, B.C. V5L 1K5  
• (604) 251-5656  
• FAX (604) 254-5717

BRANCH OFFICES  
PASADENA, NFLD.  
BATHURST, N.B.  
MISSISSAUGA, ONT.  
RENO, NEVADA, U.S.A.


REPORT #: 881639 PA


REQUEST


Page 3 of 3


| Sample Number     | Ag   | As   | Ba   | Bi   | Cd    | Co    | Cu    | Mo   | Pb    | Zn    |
|-------------------|------|------|------|------|-------|-------|-------|------|-------|-------|
|                   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   |
| 21977             | 0.2  | <3   | 18   | <3   | 0.3   | 6     | 63    | 5    | 16    | 93    |
| 21978             | 0.2  | <3   | 17   | <3   | 0.5   | 6     | 60    | 4    | 13    | 81    |
| 21979             | 0.2  | <3   | 22   | <3   | 0.5   | 8     | 63    | 38   | 20    | 81    |
| 21980             | 0.2  | 23   | 46   | 3    | 1.1   | 32    | 73    | 4    | 59    | 73    |
| 21981             | 0.3  | <3   | 20   | <3   | 0.5   | 8     | 38    | 16   | 22    | 97    |
| 21982             | 0.2  | <3   | 15   | <3   | 0.3   | 9     | 52    | 5    | 19    | 91    |
| 21983             | 0.2  | <3   | 20   | <3   | 0.6   | 10    | 64    | 4    | 20    | 105   |
| 21984             | 0.2  | <3   | 57   | <3   | 0.2   | 11    | 99    | 4    | 22    | 110   |
| 21985             | 0.2  | <3   | 22   | <3   | 0.1   | 10    | 104   | 21   | 16    | 63    |
| 21986             | 0.1  | <3   | 11   | <3   | 0.1   | 10    | 60    | 2    | 14    | 60    |
| 21987             | 0.1  | <3   | 22   | <3   | 0.1   | 12    | 75    | 4    | 17    | 67    |
| 21988             | 0.2  | <3   | 16   | <3   | 0.1   | 7     | 54    | 6    | 16    | 36    |
| 21989             | 0.2  | <3   | 13   | <3   | 0.1   | 8     | 57    | 3    | 15    | 69    |
| 21990             | 0.2  | <3   | 40   | <3   | 0.3   | 11    | 90    | 3    | 20    | 81    |
| 21991             | 0.2  | <3   | 24   | <3   | 0.1   | 20    | 57    | 12   | 18    | 67    |
| 21992             | 0.2  | <3   | 19   | <3   | 0.1   | 8     | 69    | 4    | 15    | 65    |
| 21993             | 0.2  | <3   | 41   | <3   | 0.5   | 11    | 111   | 8    | 21    | 97    |
| 21994             | 0.1  | 4    | 72   | 3    | 0.8   | 14    | 39    | 9    | 32    | 92    |
| 21995             | 0.1  | <3   | 23   | <3   | 0.8   | 13    | 43    | 4    | 31    | 76    |
| 21996             | 0.1  | <3   | 16   | <3   | 0.1   | 7     | 9     | 1    | 17    | 42    |
| 21997             | 0.2  | <3   | 22   | <3   | 3.2   | 13    | 12    | 1    | 192   | 220   |
| 21998             | 0.3  | <3   | 19   | <3   | 0.1   | 12    | 16    | 3    | 52    | 43    |
| 21999             | 0.1  | <3   | 97   | <3   | 0.1   | 20    | 20    | 2    | 26    | 64    |
| 22000             | 0.1  | <3   | 38   | <3   | 1.3   | 14    | 38    | 2    | 21    | 133   |
| 22619             | 0.1  | <3   | 33   | <3   | 0.8   | 9     | 87    | 1    | 24    | 133   |
| 22620             | 0.1  | <3   | 22   | <3   | 0.7   | 26    | 63    | 4    | 55    | 89    |
| 22621             | 0.3  | <3   | 34   | <3   | 0.6   | 12    | 56    | 9    | 255   | 79    |
| 22622             | 0.2  | <3   | 70   | <3   | 0.6   | 63    | 112   | 4    | 277   | 85    |
| Minimum Detection | 0.1  | 3    | 1    | 3    | 0.1   | 1     | 1     | 1    | 2     | 1     |
| Maximum Detection | 50.0 | 1000 | 1000 | 1000 | 100.0 | 20000 | 20000 | 1000 | 20000 | 20000 |

< = Less than Minimum    is = Insufficient Sample    ns = No sample    > = Greater than Maximum










CHONG



— 6+00N

2+00W

0+00

2+00E

6+00W

4+00W

— 3+00 N


15 AM PBP  
FAULT  
GOLD CONTOUR AT 26 PPB

GEOLOGICAL BRANCH  
ASSESSMENT REPORT

18,546

— B.L. 00

— 3+00S



OREQUEST

PEZGOLD RESOURCES CORP.

Figure 10  
PEZ-VER PROPERTY  
PJ GRID - JOY 3 CLAIM  
SOIL GEOCHEMISTRY  
GOLD  
LIARD M.D., B.C.  
N.T.S. 104B / 10

JANUARY 1989

DRAWN BY E.M.

