

ARIS SUMMARY SHEET

District Geologist, Smithers

Off Confidential: 89.11.04

ASSESSMENT REPORT 18620

MINING DIVISION: Omineca

PROPERTY: Dome Mountain

LOCATION: LAT 54 44 00 LONG 126 37 30
UTM 09 6067490 652922
NTS 093L10E

CAMP: 043 Babine Range

CLAIM(S): Nr 2, Triangle Fr., Cope, Grizzly

OPERATOR(S): Teeshin Res.

AUTHOR(S): Slack, J.

REPORT YEAR: 1988, 49 Pages

COMMODITIES

SEARCHED FOR: Gold, Silver

KEYWORDS: Jurassic, Hazelton Group, Volcanic, Sedimentary, Shear zones
Quartz veins, Gold, Silver, Reserves

WORK

DONE: Drilling, Geochemical

DIAD 588.0 m 21 hole(s); AQ
Map(s) - 4; Scale(s) - 1:400

SAMP 163 sample(s); AU, AG

RELATED

REPORTS: 10684, 15614, 15659

MINFILE: 093L 022

LOG NO:	0602	RD. 3
ACTION:	Date received report back from amendments.	
	49 p.	
FILE NO:		

REPORT ON DOME MOUNTAIN DIAMOND DRILLING

DOME MOUNTAIN
OMINECA MINING DIVISION
BRITISH COLUMBIA

April - June, 1988

For:
Teeshin Resources Ltd.
581 Argus Road
Suite 100
Oakville, Ontario
L6J 3J4

FILMED

Report submitted by:
John Slack, OCETT

GEOLOGICAL BRANCH ASSESSMENT REPORT

18,620

TABLE OF CONTENTS

1.0	INTRODUCTION
1.1	Location and Access ✓
1.2	Property Description ✓
1.3	Property History ✓
1.4	Work Summary ✓
2.0	DRILL PROGRAM ✓
2.1	Purpose of Drill Program ✓
2.2	Targets ✓
2.3	Results of Chip Sampling ✓
2.4	Conclusions ✓
3.0	PROGRAM COST
3.1	Drilling Cost
3.2	Indirect Drilling Cost

Appendix 1. Drill Logs
Appendix 2 Sample analytical results
Appendix 3 Statement of costs
Appendix 4 Statement of qualifications


LIST OF TABLES, FIGURES AND DRAWINGS

TABLE 1.	Dome Mountain Claim Inventory ✓
TABLE 2.	Dome Mountain Ore Reserves ✓
TABLE 3.	Geological Legend ✓
FIGURE 1.	Location Map ✓
FIGURE 2.	Claim Map (a, b)
PLATE 1.	1370 Level Plan ✓
PLATE 2.	1370 Level - DDH Locations ✓
PLATE 3.	1370 Level - Assay Plan ✓
PLATE 4.	1370 Level - Geology Plan ✓

/usr/wp/files/teeshin/dome/jslackreport

1.1 LOCATION AND ACCESS

The Dome Mountain Property is located 38 Kilometers east of Smithers, B.C. The area is accessed by the main provincial highway #16 between Prince Rupert and Prince George (see figure 1-1)



1.2 PROPERTY DESCRIPTION

The Dome Mountain Property covers an area of 5,354.7 hectares which is made up of 65 claims containing 237 units. Figure 1-2 details the claims and their relative location. Table 1-1 gives a breakdown of the claims and who they are optioned from. The mine site is located on the Cope No. 2, Grizzly and Triangle Fraction claims. The mill and tailings sites are located on the Dome B claim. The current owner of the Dome Mountain Property is the Teeshin Resources Ltd. A detailed claim status including date of expiry and record number can be found in Appendix 1, table A-1 of this report.

The ore reserves on the mine site have been identified in quartz-carbonate veins in a shear zone. This zone is broken down into two principal zones: the Boulder Zone and the Argillite Zone. The Boulder Zone strikes approximately east-west with a strike length of 350 metres, with vein widths ranging from 0.5 to 3.7 metres and an average dip of 45 - 50 degrees south. The Argillite Zone strikes approximately south - 70 degrees east with a strike length of 160 metres with widths ranging from 0.5 to 3.5 metres.

Table 1.

DOME MOUNTAIN CLAIM INVENTORY

<u>Claim Name</u>	<u>Claim Type</u>	<u>No. of Units</u>	<u>Area in Hectares</u>
<u>L'Orsa Option</u>			
Byron 1	MG	14	350.0
Byron 2	MG	12	300.0
Emily	TP	1	20.9
Harold	TP	1	20.9
Tony	MG	<u>16</u>	<u>400.0</u>
		44	1091.8
<u>L'Orsa et al. Option</u>			
Betty 1	MG	20	500.0
Boo Fraction	FR	1	10.5
Boo 1	TP	1	20.9
Boo 2	TP	1	20.9
Boo 3	TP	1	20.9
Boo 4	TP	1	20.9
Boo 5	TP	1	20.9
Cope 1	TP	1	20.9
Cope 2	TP	1	20.9
Cope 3	TP	1	20.9
Cope 4	TP	1	20.9
Cope 5	TP	1	20.9
No. 2	RC	1	20.9
No. 3	RC	1	20.9
No. 6	RC	1	20.9
Whistler	RC	<u>1</u>	<u>20.9</u>
		35	803.1
<u>Reako Property Option</u>			
Bert I	MG	20	500.0
Bert II	MG	20	500.0
Dome B	MG	20	500.0
Mat 1	MG	20	500.0
Repeater 1	MG	<u>20</u>	<u>500.0</u>
		100	2500.0
<u>McIntyre Mines Option</u>			
Bertha Fraction	RC	1	5.7
Elk	RC	1	12.5
Gem	RC	1	20.8
New York	RC	1	19.0
Pioneer	RC	1	20.5
Porcupine	RC	1	16.8
Trail	RC	<u>1</u>	<u>20.9</u>
		7	116.2

Warren Option

Dome 1	TP	1	20.9
Dome 2	TP	1	20.9
Dome 3	TP	1	20.9
Dome 4	TP	1	20.9
Dome 5	TP	1	20.9
Dome 6	TP	1	20.9
Hawk	RC	1	20.9
No. 1	RC	1	20.9
No. 4	RC	1	20.9
Snowdrop	RC	1	20.9
Wallace	RC	1	20.8
Wallace Fraction	RC	1	<u>0.2</u>
		12	230.0

Silver Standard Option

Babs 3	MG	8	150.0
Babs 4	MG	8	100.0
Babs 5	MG	6	100.0
Dome	RC	1	20.9
Eagle	RC	1	20.9
Eagle Fraction	RC	1	5.0
Freda	RC	1	19.9
Grizzly	RC	1	18.8
Hercules	RC	1	20.9
Josie	RC	1	20.9
No. 5	RC	1	20.3
Ptarmigan	RC	1	20.9
Raven	RC	1	17.8
Telkwa	RC	1	12.7
Tom Fraction	RC	1	7.5
Trail Fraction	RC	1	16.2
Triangle Fraction	RC	1	5.0
Vancouver	RC	1	15.1
Victoria Fraction	RC	1	2.6
Whistler Fraction	RC	1	<u>18.2</u>
		39	613.6
GRAND TOTAL		65	5354.7





Fig 2a Claim Map

M 93L/10E



1.3 PROPERTY HISTORY

The Boulder Zone was first discovered in 1985 by Noranda Inc. Trenching was undertaken by Noranda and 160 metres of strike length was uncovered. Grab samples from the trench yielded values between 12 and 28 g/tonne of gold.

In 1986, 47 diamond drill holes were drilled by Canadian-United Minerals. The results of this drilling outlined an ore zone which had 320 metres of strike length and a maximum depth of 150 metres down dip. In 1987, exploration drifting began. A portal was collared at the 1370 elevation in a rock face situated 110 metres south of the vein. The entire drift was mapped and zones of interest were sampled.

The above described work outlined a significant ore body of economic proportions. Table 1-2 describes the tonnage and grade figures relative to the respective claim positions.

TABLE 1-2
ORE RESERVES - GRADE (o.p.t.)

Claim	Tons	Au	Ag
Cope 2 and No. 2	243,890	0.432	2.85
Grizzly	5,462	0.126	1.76
Triangle Fraction	<u>650</u>	<u>0.270</u>	<u>0.63</u>
	250,002	0.425	2.824

1.4 WORK SUMMARY

In the spring of 1988, an underground drill program was undertaken to delineate the ore zone. A total of 21 holes numbered 1370-UG-1 through 1370-UG-21 were drilled. The total footage of this drill program was 1,766 feet. The drill core samples were taken and assayed for gold and silver content. The core from this program is stored at Teeshin's warehouse in Smithers.

As well as drilling, 39 chip samples were taken between sections 1790 and 1920 in the drift on the 1370 level. The samples were assayed for gold and silver content.

The cumulative data was then digitized by Dynatec Inc. and merged with previous surface drilling sections to produce sections with ore body outlines. The outlines were interpreted and tonnage and grade figures were calculated.

2.1 PURPOSE OF DRILL PROGRAM

In the spring of 1988, 1,766 foot underground drilling program was undertaken to delineate the ore shoot south of the drift where it was not exposed by the drift. The purpose was also to locate possible ore zones both to the north and south of the known zone and also to better describe the ore zone between the union of the Argillite and Boulder zones.

2.2 DRILL TARGETS

Ten holes drilled on the 1370 level to locate the main ore zone or possible extensions. Four holes were drilled from the two raises and are shown on the sections 1780 E and 1870 E. One hole (1370-UG-21) was drilled to intersect the zone below the drift between sections 1940 E and 1970 E.

2.3 RESULTS OF CHIP SAMPLING


Chip sampling was done along mine sections in order that results could be correlated with surface drilling. After evaluating sampling done during the initial underground program, additional sampling was laid out based on the following criteria:

1. there were areas where channel samples did not completely cover the favorable gold structures
2. sampling of the raises had to be done over because previous samples were grabs.

The grade obtained in surface diamond drilling was duplicated by underground sampling. Sampling of the raises and areas where sampling was previously discontinued, made analysis of the orebody much more representative.

Table 3 Stratigraphy at Dome Mountain

(Modified from Figure 5, Tipper and Richards, 1976b)



2.4 CONCLUSIONS

The underground drilling program was able to delineate areas of the boulder vein which had not been exposed by the drift. Sampling was able to duplicate and confirm grade indicated by diamond drilling. No significant tonnage was added to the Boulder Zone as a result of the program. Deep holes drilled were unable to intersect economic gold but because of the nature of the orebody, pinching and swelling, and the fact that the holes were able to intersect the favorable alteration zone, potential for locating economic quartz lenses, at depth, remains good. Drilling between the Argillite and Boulder Zone was unable to intersect gold mineralization. Further diamond drilling is recommended in this area because diamond drilling collared from underground intersected alteration zones at oblique angles.

APPENDIX 1
DIAMOND DRILL LOGS

Hole No: 1370 UG-1
 Azimuth: 192 degrees
 Dip: 0 degrees
 Northing: 68791.20
 Easting: 53043.20
 Elev.: 1370.0 m

1 Foot = 30.5 cm

<u>Footage</u>		<u>Description</u>	<u>From</u>	<u>To</u>	<u>Assay Data</u>	<u>oz./ton</u>	
<u>From</u>	<u>To</u>				<u>Total</u>	<u>Au</u>	<u>Ag</u>
0	1.80	4 Bleached Altered Andesite	0	1.00	1.00	.004	.03
2.74	3.62	4 Bleached Altered Andesite	1.0	2.00	1.00	.002	.02
3.62	4.76	4 Bleached Altered Andesite	2.0	3.00	1.00	.002	.03
4.76	6.31	Bleached Green Andesite Brecciated	3.0	3.62	0.62	.002	.04
6.31	8.23	Maroon Andesite					

EOH

Hole No: 1370 UG-2
Azimuth: 012 degrees
Dip: 0 degrees
Northing: 68795.20
Easting: 53044.0
Elev.: 1370.0 m

<u>Footage</u>		<u>Description</u>			<u>Assay Data</u>		<u>oz./ton</u>	
<u>From</u>	<u>To</u>		<u>From</u>	<u>To</u>	<u>Total</u>	<u>Au</u>	<u>Ag</u>	
0	0.20	Lost Core						
0.20	0.61	Green Andesite						
0.61	1.67	Bleached Zone	.61	1.67	1.06	.002	.01	
1.67	4.50	Maroon Andesite						

EOH

Hole Number: 1370 UG-3

Lat: 68746

Dep: 53197

Elev: 1368 m

Bearing: 012 Degrees

Dip: 0 Degrees

Depth: 37.8 m

Date: April 18, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0- 23.2	2 Green Andesite -Minor Brecciation -TR QTZ Stringers -TR Sulphides -Minor 1 (Maroon Andesite)				
23.2-30.79	2,4 Fine Grained Bleached Siliceous Andesite				
30.79-31.70	4 Bleached altered volcanics	26364	30.79-31.70= 0.91	<0.002	<0.01
31.70-32.31	4 with qtz. viens and stringers	26365	31.70-32.31= 0.61	0.144	0.66
32.31-33.10	4 Bleached Volcanics	26366	32.31-33.10= 0.79	0.004	0.01
33.10-34.7	4 with minor qtz. stringers -stringers are sulphide rich	26367	33.10-34.70= 1.60	0.052	0.18
34.7-36.10	Qv -3 to 5% sulphides, CuPy. Py, Zns, minor Pbs	26368 26369	34.70-35.40=0.70 35.40-36.10=0.70	2.130 0.537	6.85 4.26
36.10-36.80	4 Bleached, maroon in color	26370	36.10-37.10=1.0	0.006	0.04
36.80-37.80	1,4 Bleached maroon Andesite				

EOH

Hole Number: 1370 UG-4

Lat: 68746.0

Dep: 53197.8

Elev: 1368 m

Bearing: 012 Degrees

Dip: - 30 Degrees

Depth: 33.83

Date: April 16, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0.0 - 1.1	1 Mauve Andesite -foliation 70-80 degrees to C.A.				
1.1 - 2.6	3 Mauve to Green Andesite, weak to moderate bleaching -1-2% disseminated cubic Py -small mineralized qtz. stringer running with fault 80 degrees to C.A.	26356	2.1-2.6=0.5	0.12	0.03
2.6-2.7	F2-Fault Gouge				
2.7-5.0	2 Green Andesite with sections of bleached, heavily oxidized zones -numerous pebbly looking qtz. stringers running along core	26357	3.7-5.0=1.3	0.008	0.01
5.0 - 19.81	2 green Andesite Note: 5.7-6.4 Lost Core .7 m. -Minor Qtz. stringers @ 10.7-10.9	25358	10.7-10.9=0.2	0.002	0.01
19.81-23.5	2,4 Bleached Green Andesite 1.3% Fuschite				
23.5-24.03	4 Bleached Zone 2-3% Fuschite	26359	23.5-24.03=0.47	0.004	0.01
24.03-24.32	Qx, 10% sulphides	26360	24.03-24.32=0.29	0.994	7.07
24.32-25.05	4 Bleached Qtz. stringers 2% Fuschite	26361	24.32-25.05=0.73	0.008	0.16

Hole Number: 1370 UG-4

Lat: 68746.0

Dep: 53197.8

Elev: 1370 m

Bearing: 012 Degrees

Dip: - 30 Degrees

Depth: 33.83

Date: April 16, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
25.05-26.21	Qv 5-7% Sulphides	26362	25.05-26.21=0.76	0.166	2.17
26.21-27.74	1,4 Well Foliated, Bleached, Mauve Andesite -TR Sulphides -Foliation 45 degrees to C.A.	26363	26.21-27.21=1.0	0.006	0.02
27.74-33.83	1 Mauve Andesite				
EOH					

Hole Number: 1370 UG-5

Lat: 68746

Dep: 53197.8

Elev: 1368 m

Bearing: 034 Degrees

Dip: 16 Degrees

Depth: 39.93

Date: April 19, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-9.0	2 Dark Green Andesite -Minor Limonitic Seams				
9.0-11.2	White to Cream Colored Felsic Dike -Quartz eyes -Siliceous -Sericitic in places				
11.2-19.6	2 Dark Green Andesite Note: 21.1 to 21.64 - .54 m lost core				
30.7-31.7	4 Bleached Zone -Brecciated -Dark Green Mineral in fracture fillings	26371	30.7-31.7=1.0	<0.002	0.01
31.7-32.45	4 Qv -10% Qtz. stringers running down core axis -+/- 3% sulphides -</- 1% Fuschite	26372	31.7-32.45=0.75	0.040	1.00
32.45-35.36	Qv -+/- 10% Sulphides Note 34.90 to 35.36 =.46 m Lost Core	26373 26374	32.45-33.80=1.35 33.80-35.36=1.56	2.308 0.408	9.70 2.97

Hole Number: 1370 UG-5

Lat: 68746

Dep: 53197.8

Elev: 1368 m

Bearing: 034 Degrees

Dip: 16 Degrees

Depth: 39.93

Date: April 19, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
35.36-38.10	4 Bleached Zone < 1% Py -Minor Qv Stringers	26375	35.36-36.36=1.0	0.014	0.05
38.10-39.32	4,1 Fine Grained, Bleached Maroon Andesite, Foliation 70 degrees to C.A.				
39.32	F2-Fault Gouge				
39.32-39.93	4,1 Fine Grained, Bleached Maroon Andesite, Foliation 70 degrees to C.A.				

EOH

Hole Number: 1370 UG-6

Lat: 68746

Dep: 53197.8

Elev: 1368 m

Bearing: 012 Degrees

Dip: - 60 Degrees

Depth: 29.26

Date: April 24, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-0.42	2 Medium Green Andesite Minor Qtz. Blebs stringers				
0.42-6.86	1 Maroon Andisite minor sections of 2 -numerous barren qtz. stringers running 10.20 degrees to C.A. -Numerous qtz. Blebs -Minor rusty pitted sections				
6.86-9.50	2 Dark Green Andesite Numerous qtz. stringers 20 degrees to C.A.				
9.50-11.10	1 Dark Maroon Andesite -Numerous Barren qtz. stringers				
11.10-13.0	2 Green Massive Andesite				
13.0-13.71	Qtz injected Zone related to fault	26376	13.0-13.71=0.71	0.002	1.09
13.71-13.73	F2-Fault Gouge				
13.73-22.30	2 Green Andesite				
22.30-25.70	2,4 Bleached Green Andesite +/- Fuschite +/- Hematite -minor Barren Qtz. stringers TR sulphides				
25.70-26.25	4 Bleached Zone Numerous Barren Qtz. Stringers +/- 2% Fuschite	26377	25.70-26.25=0.55	0.002	0.20

Hole Number: 1370 UG-6

Lat: 68746

Dep: 53197.8

Elev: 1368 m

Bearing: 012 Degrees

Dip: - 60 Degrees

Depth: 29.26

Date: April 24, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
26.25-27.74	Qv-Qtz. Vein +/- 10% Sulphides Predominantly Py, Lesser Amounts of ZnS, PbS, CuPy.	26378	26.25-27.74=1.49	0.882	4.59
27.74-28.30	1,4 Fine Grained Bleached, Maroon Andesite -Qtz. injected -sheared ?	26379	27.74-28.30=0.66	0.010	0.09
28.30-29.26	1 -Qtz. injected -Fine grained -minor Bleaching -sheared				

EOH

Hole Number: 1370 UG-7

Lat: 68746

Dep: 53197

Elev: 1368 m

Bearing: 081 Degrees

Dip: - 51 Degrees

Depth: 43.9

Date: April 24, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-3.50	2 Light Green Andesite -Minor Bleaching -Rusty Seams -+/- 2% Dissemination Cubic Py -Foliation Running Down C.A.				
3.50-4.57	1 Massive Dark Maroon Andesite				
4.57-7.84	2b Pitted, Weathered Green Andesite -Minor Rusty Seams				
7.84-12.70	2 Massive Green Andesite -Numerous Qtz. Stringers Barren				
12.70-19.8	2b Pitted, Weathered Green Andesite -Sections of 3 width Barren Qtz. stringers -Rusty Seams				
19.8	F2-Fault Zone				
19.8-24.5	2 Massive Green Andesite -Numerous Qtz. Stringers Barren				
24.5-27.53	2,4 Bleached Green Andesite				
27.53-32.01	4 Bleached Zone -Minor Barren Qv. stringers -Minor Sericite -TR Fuschite	26380	31.01-32.01=1.0	<0.002	<0.01

Hole Number: 1370 UG-7

Lat: 68746

Dep: 53197

Elev: 1368 m

Bearing: 081 Degrees

Dip: - 51 Degrees

Depth: 43.9

Date: April 24, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
32.01-32.5	Qv -Mottled -Minor Sulphides	26381	32.01-32.50=0.49	0.01	1.52
32.5-34.6	4 Bleached Zone -Moderate Qv Stringers +/- 1% Fuschite TR Sulphides	26382 26383	32.5-33.5=1.0 33.5-34.6=1.10	0.004 <0.01	0.08 0.002
34.6-35.97	Qv +/- 10% Sulphides -Py, ZnS, PbS, CuPyS	26384	34.6-35.97=1.37	1.370	8.53
35.97-37.36	4 -Numerous Barren Qv stringers -<1% Disseminated Sulphides +/- 2% Fuschite	26101	35.97-37.36=1.59	0.04	0.13
37.36-38.74	Qv +/- 10% Sulphides	26102	37.36-38.74=1.38	1.302	4.52
38.74-39.68	4 Qv. Bleached Zone with numerous sulphide bearing quartz stringers	26103	38.74-39.68=0.94	0.522	6.05
39.68-43.2	4 Bleached Zoner -Minor Qv Stringers +/- 3% Black Specks, possibly magnetic	26104 26105 26106	39.68-40.68=1.0 40.68-41.68=1.0 41.68-43.20=1.32	0.012 0.004 0.002	0.10 0.02 0.01
43.2-43.9	1 Maroon Andesite -Minor Bleaching				

EOH

Hole Number: 1370 UG-8

Lat: 68°7'3.6"

Dep: 53211.2

Elev: 1368 m

Bearing: 034 Degrees

Dip: - 24 Degrees

Depth: 59.80

Date: April 26, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-33.84	2 Light to Medium Green, fine grained Andesite -Minor bleaching, unrelated to Au Mineralization -Barren Qtz. stringers				
33.84-33.87	F2-Fault Gouge				
33.87-52.44	2 Medium to Dark Green Andesite				
52.44-53.43	2,4 Bleached Light Green Andesite	26107	53.48-53.93=0.50	0.004	0.15
53.43-53.93	4 Bleached Zone -Foliation appears to be down core Axis -Trace sulphides -Minor Qv Stringers				
53.93-55.29	Qv 20% Sulphides, predominantly Py	26108	53.93-55.29=1.36	0.671	7.36
55.29-58.0	4 Light Green Bleached Zone -Trisulphides -Minor Barren qtz. stringers	26109 26110 26111	55.29-56.29=1.0 56.29-57.29=1.0 57.29-58.00=0.71	0.042 0.002 0.006	0.42 0.04 0.09
58.0-58.94	4, Qv Bleached Zone with Qtz. stringers cutting core at random -+/- 2% sulphides with Qtz. stringers	26112	58.0-58.94=0.94	0.024	0.09
58.94-59.80	1 -Maroon andesite				
EOH					

Hole Number: 1370 UG-9

Lat: 68713.6

Dep: 53211.2

Elev: 1368 m

Bearing: 045 Degrees

Dip: - 70 Degrees

Depth: 70.87

Date: May 4, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-18.0	3 Green-Maroon Andesite -Numerous bull Qtz. and calcite stringers running oblique to core				
18.0-37.3	2 Green Andesite -Minor maroon sections -Numerous Qv and calcite stringers				
37.3-37.5	Possible fault with rusty Qv stringers -30% to C.A.				
37.5-42.83	4,3 Bleached green - maroon andesite				
42.83-47.46	4,1 sheared, bleached maroon andesite -numerous calcite veins and stringers				
47.46-48.8	4 Bleached zone				
48.8-51.14	1 Maroon Andesite with minor bleaching				
51.14-58.0	4 Bleached Zone Qv stringers @ 52.13, 54.30	26398 26399 26400 26113 26114 26115 26116	51.14-52.14=1.0 52.14-53.14=1.0 53.14-54.14=1.0 54.14-55.14=1.0 55.14-56.14=1.0 56.14-57.14=1.0 57.14-58.00=0.86	0.007 0.059 0.001 0.002 0.046 0.013 0.001	0.11 0.34 0.08 0.03 0.09 0.06 0.01

Hole Number: 1370 UG-9

Lat: 68746

Dep: 53197

Elev: 1367 m

Bearing: 045 Degrees

Dip: - 70 Degrees

Depth: 70.87

Date: May 4, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
58.0-59.21	4,1 Bleached maroon Andesite -Calcite stringers through out Qv stringer @ 58.0 m	26117	58.0-59.21=1.21	0.024	0.04
59.21-63.07	1 Maroon Andesite Minor Green Andesite				
63.07-63.8	4,2 Bleached Green Andesite	26118	63.07-63.8=0.73	0.001	0.01
63.8-64.5	Qv -+/- 3% sulphides predominantly Py	26119	63.8-64.5=0.70	0.166	1.55
64.5-66.12	4,1 Bleached Maroon Andesite	26120	64.5-65.0=0.5	0.002	0.01
66.12-66.93	4 Bleached Zone -Minor Py Bearing Qtz stringers				
66.93-67.9	1.4 Bleached Maroon Andesite				
67.9-68.7	4 Bleached Zone	26121	67.9-68.70=0.60	0.002	0.04
68.7-70.19	Qv +/- 5% sulphides	26122	68.7-70.19=1.49	0.038	0.85
70.19-70.87	1,4 Bleached maroon Andesite grading into dark maroon Andesite	26123	70.19-70.68=0.50	0.001	0.01

EOH

Hole Number: 1370 UG-10
 Lat: 68791.60
 Dep: 53095.2
 Elev: 1368 m
 Bearing: 192 Degrees
 Dip: 0 Degrees
 Depth: 13.41 m
 Date: March 4, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-3.15	4 Bleached Zone with Qtz. stringers -Qtz. stringers exhibit minor Py +/- 1% disseminated -Minor Fuschite	26385 26386 26387	0.0-1.0=1.0 1.0-2.0=1.0 2.0-3.0=1.0	0.008 0.001 0.001	0.13 0.01 0.02
3.15-3.90	4 Bleached zone with barren Qtz. stringer running down core axis	26388	3.0-3.90=0.90	0.002	0.11
3.90-4.20	Qv with 10% sulphides predominantly Py, minor CuPy	26389	3.90-4.20=0.30	0.044	1.52
4.20-7.60	4 Bleached zone with numerous bull Qtz. stringers -sulphides predominantly Py in trace amounts	26390 26391	4.20-5.20=1.0 5.20-6.20=1.0	0.011 0.003	0.07 0.03
7.60-10.20	2,4 Bleached Green Andesite				
10.20-13.41	1 Maroon Andesite with +/- 5% hematite specks -Bull Qtz. stringers				
EOH					

Hole Number: 1370 UG-11

Lat: 68788.80

Dep: 53063.8

Elev: 1368 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 9.45 m

Date: May 4, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-1.40	4 Bleached Zone -3% Qv Stringers with good Py mineralization -.21 m core lost*	26392	0-1.40=1.19*	0.006	0.42
1.40-1.82	Qv +/- 3% sulphides, predominantly Py, minor Pb -.28 m core lost*	26393	1.40-1.82=0.14*	0.004	0.33
1.82-3.17	4 & Qv bleached zone with Qtz. veining containing good amounts of Py	26394	1.82-3.17=1.35	0.015	0.07
3.17-4.07	4 Bleached Zone with minor dess Py	26395	3.17-4.07=0.90	0.035	0.09
4.07-4.54	Qv with +/- 3% sulphides	26396	4.07-4.54=0.47	0.078	0.23
4.54-7.10	1,4 Bleached Maroon Andesite	26397	4.54-5.54=1.0	0.012	0.01
7.10-9.45	1 Maroon Andesite				
	EOH				

Hole Number: 1370 UG-12
 Lat: 68805.8
 Dep: 52065.6 Collared in 1790 RSE
 Elev: 1390 m
 Bearing: 012 Degrees
 Dip: 0 Degrees
 Depth: 9.14 m
 Date: May 8, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-2.10	4 Bleached Zone -Minor Bull Qtz. and Calcite stringers -+/- 1/2% Fuschite -+/- 3% Hematite -TR Sulphides	26124 26125	0.0-1.0=1.0 1.0-2.1=1.1	0.001 0.001	0.04 0.01
2.10-7.40	1.4 Bleaching Maroon Andesite -Foliation is very evident, possible shearing? (Foliation 53 degrees to C.A.) -Increase in Fuschite +/- 2% -Trace Sulphides -Minor Bull Qtz. stringers				
7.40-9.14	1 Maroon Andesite with minor bleaching -+/- 1% Fuschite -Foliation 50% C.A.				

EOH

Hole Number: 1370 UG-13

Lat: 68805.8

Dep: 52065.6 Collared in 1790 RSE

Elev: 1390 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 7.62 m

Date: May 8, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-0.50	Qv +/- 3% Sulphides (view is possibly wider, @ 1.52 Lost 0.82m core)	26126	0-0.50=0.5	0.339	2.17
0.50-2.26	4 Bleached Zone -TR Sulphides -Minor Bull Qtz. stringers	26127	0.5-2.26=0.94	0.007	0.08
2.26-7.62	1 Maroon Andesite				

Hole Number: 1370 UG-14

Lat: 68790.2

Dep: 53114.0

Elev: 1368 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 6.09 m

Date: May 8, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-6.09	4 Bleached Zone Minor Maroon Andesite -Minor Bull Qtz. stringers -+/- 1% Fuschite -+/- 3% Disseminated Hematite	26128 26129	0.0-1.0=1.0 1.0-2.0=1.0	0.006 0.007	0.03 0.03

EOH

Hole Number: 1370 UG-15

Lat: 68796.8

Dep: 53127.2

Elev: 1368 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 14.32 m

Date: May 8, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-0.30	4 Bleached Zone	26130	0-0.30=0.30	0.008	0.06
0.30-2.40	Qv +/- 20 Sulphides Py, ZnS, PbS, CuPy	26131	0.3-2.4=1.10	3.763	10.22
2.40-3.27	4, Qv -strong Py Mineralization	26132	2.4-3.27=0.87	0.076	1.15
3.27-3.70	Qv +/- 5% Py and other sulphides	26133	3.27-3.70=0.44	0.051	0.51
3.70-4.10	4. Qv	26134	3.70-4.10=0.40	0.009	0.14
4.10-6.30	Qv +/- 10% Sulphides	26135 26136	4.10-5.10=1.0 5.10-6.30=1.2	0.915 0.294	5.95 2.71
6.30-10.61	4 Bleached Zone -TR Sulphides -Minor Qtz. Stringers	26137	6.30-7.30=1.0	0.015	0.09
10.61-14.32	1 Maroon Andesite Section towards end of hole exhibits bleaching and possibly shearing				

EOH

Hole Number: 1370 UG-16

Lat: 68794.8

Dep: 53137

Elev: 1368 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 27.43 m

Date: May 8, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-1.82	4 Bleached Zone -well foliated @ 55 degrees to C.A. -Minor sulphides and Qtz. stringers	26138 26139	0.0-1.00=1.0 1.0-1.82=0.82	0.001 0.001	0.02 0.04
1.82-6.90	Qv -Heavly mineralized with Py, ZnS, PbS and CuPy	26140 26141 26142	1.82-3.82=2.0 3.82-5.82=2.0 5.82-6.90=1.07	0.472 0.844 3.550	2.68 9.15 5.42
6.90-10.9	Qv, 4 Bleached Zone with numerous miner- alized Qtz. stringers +/- 3% sulphides with stringers	26145 26146	6.90-8.90=2.0 8.90-10.9=2.0	0.042 0.104	0.26 0.16
10.9-16.40	4 Bleached Zone -Tr Py -Minor Qv Stringers	26145 26146	10.9-11.9=1.0 11.9-12.9=1.0	0.041 0.001	0.07 0.03
16.40-21.31	1 Maroon Andisite -Pitted				
21.31-24.0	2 Green Andesite -Minor Bleaching				
24.0-27.43	1 Maroon Andesitic				
EOH					

Note: Hole extended to intersect vein, hit in DDH 1370-17.

Hole Number: 1370 UG-17

Lat: 68792.2

Dep: 53157.2

Elev: 1368 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 20.13 m

Date: May 21, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-90	4 Bleached Zone -No Qv stringers and sulphides				
.90-2.65	4,1 Bleached Maroon Andesite				
2.65-4.23	4 Bleached Zone with Minor Qv stringers	26147	2.65-4.23=1.37	0.008	0.05
4.23-4.87	Qv +/- 2% sulphides	26148	4.23-4.87=0.64	0.012	0.17
4.87	F2, Bx Qv				
4.87-11.20	4,2 Bleached Green Andesite -Disseminated Hematite? -Minor Brecciated Zones with Bull Qv.	26149 26150	4.87-5.87=1.0 10.20-11.20=1.0	0.028 0.001	0.13 0.01
11.20-12.12	4 Qv, Qv injected Zone +/- 3% sulphides	26451	11.20-12.12=0.92	0.434	0.64
12.12-13.57	4,2	26452	12.12-13.57=1.45	0.016	0.07
13.57-15.54	Qv with inclusions of 4	26453	13.57-15.54=1.97	0.451	2.04
15.54-17.0	4 Bleached Zone	26454	15.54-16.54=1.0	0.004	0.12
17.0-20.12	3, Minor 4				
EOH					

Hole Number: 1370 UG-18

Lat: 68804.2

Dep: 53143.4 Collared in 1870 RSE

Elev: 1390 m

Bearing: 012 Degrees

Dip: 0 Degrees

Depth: 10.26 m

Date: May 21, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-1.33	Qv, Minor Inclusions of 4 -+/- 3% sulphides	26455	0.0-1.33=1.33	1.292	7.29
1.33-3.3	Qv, 4 .60m core lost*	26456	1.33-3.3=1.37*	0.210	0.71
3.3-6.6	4, Minor Qv stringers	26457	3.3-5.0=1.7	0.031	0.06
		26458	5.0-6.6=1.6	0.040	0.15
6.6-10.26	1 Maroon Andesite				
	EOH				

Hole Number: 1370 UG-19

Lat: 68804.2

Dep: 53143.4 Collared in 1870 RSE

Elev: 1390 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 20.43 m

Date: May 21, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-6.88	4.2 Green Bleached Andesite	26459	0.0-1.0=1.0	0.065	0.24
6.88-20.43	2 Green Andesite				
EOH	Note: Hole Drilled deeper to try and intersect vein picked up in DDH 1370 UG 17.				

Hole Number: 1370 UG-20

Lat: 68786.2

Dep: 53165.6

Elev: 1368 m

Bearing: 192 Degrees

Dip: 0 Degrees

Depth: 20.12

Date: May 21, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0.0-0.4	1 Maroon Andesite				
0.4-1.82	4	26460	0.4-1.82=1.42	0.001	0.03
1.82-2.10	Qv +/- 2% Sulphides	26461	1.82-2.10=0.38	0.093	0.37
2.10-3.35	4 with minor Qv stringers	26462	2.10-3.35=1.25	0.004	0.08
3.35-9.0	2 Green Andesite Note: 4.87-9.0 m core lost. Possible fault?				
9.0-10.66	1 Maroon Andesite				
10.66-13.3	2 Green Andesite				
13.3-13.7	4 Bleached Zone	26463	13.3-13.7=0.40	0.001	0.05
13.7-13.9	Qv Minor Sulphides	26464	13.7-13.9=0.20	0.031	0.53
13.9-14.6	4,2 Green Bleached Andesite -Minor Bull Qv stringers	26465	13.9-14.6=0.50	0.001	0.11
14.6-16.46	2 Green Andesite -Rusty pitted sections				
16.46-18.8	1 Maroon Andesite				
18.8-20.12	2 Green Andesite				
EOH	Note: Drilled enligh of vein hit in 1370-17.				

Hole Number: 1370 UG-21

Lat: 68,740.2

Dep: 53,196.8

Elev: 1368 m

Bearing: 302 Degrees

Dip: -43 Degrees

Depth: 52.14

Date: May 18, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
0-18.86	2 Green Andesite				
18.86	F2-Rust Zone, Possible fault				
18.86-22.73	2 Green Andesite				
22.73-26.21	1 Maroon Andesite				
26.21-26.74	F2-Fault Zone				
26.74-29.0	1 Maroon Andesite				
29.0-31.58	4,2 Bleached Green Andesite				
31.58-31.70	Qv +/- 2% Sulphides	26051	31.58-31.70=0.12	0.119	0.12
31.70-34.45	4,2 Bleached Green Andesite				
34.45-37.2	1 Maroon Andesite				
37.2-41.32	4, Minor 2 -Numerous bull Qv stringers	26052 26053 26054	38.32-39.32=1.0 39.32-40.32=1.0 40.32-41.32=1.0	0.005 0.001 0.001	0.03 0.01 0.01
41.32-42.70	Qv with inclusions of 4 +/- 3% sulphides, good Gn.	26055	41.32-42.70=1.38	0.128	0.23
42.70-45.0	4 Bleached Zone	26056	42.70-43.70=1.0	0.003	0.01
45.0-46.5	1 Maroon Andesite				
46.5-47.66	4 Bleached Zone	26057	47.16-47.66=0.50	0.002	0.01
47.66-48.17	Qv, 4 +/- 2% Sulphide	26058	47.66-48.17=0.51	0.068	0.28

Hole Number: 1370 UG-21

Lat: 68,740.2

Dep: 53,196.8

Elev: 1368 m

Bearing: 302 Degrees

Dip: -43 Degrees

Depth: 52.14

Date: May 18, 1988

<u>From/To (m)</u>	<u>Description</u>	<u>Sample No</u>	<u>From-To Interval(m)</u>	<u>Au/oz</u>	<u>Ag/oz</u>
48.17-48.67	4 Bleached Zone	26059	48.17-48.67=0.50	0.001	0.03
48.67-50.5	1,4 Bleached Maroon Andesite				
50.5-52.14	1 Maroon Andesite				
EOH					

APPENDIX 2
CHIP SAMPLE RECORDS

CHIEF SAMPLE RECORD

CHIP SAMPLE RECORD

DATE	LEVEL	SECTION	SAMPLE #	FROM	TO	TOTAL	Au	Ag	REMARKS
11/04/88	1370	1920	26301	0.0	0.75	0.75	2.037	7.55	Qv
"	"	"	26302	0.0	0.85	0.85	0.018	0.07	4
"	"	"	26303	0.0	0.70	0.70	0.016	0.05	4
"	"	"	26304	0.0	0.95	0.95	0.014	0.01	1
11/04/88	1370	1880	26305	0.0	1.2	1.2	0.086	0.18	qv, 4
"	"	"	26306	0.0	0.7	0.7	0.096	0.23	Qv, 4
"	"	"	26307	0.0	1.2	1.2	0.024	0.03	Qv, 4
"	"	"	26308	0.0	1.0	1.0	0.052	0.07	4, Minor Qv
"	"	"	26309	0.0	1.0	1.0	0.02	0.01	4
"	"	"	26310	0.0	1.0	1.0	0.032	0.01	4
"	"	"	26311	0.0	1.0	1.0	0.020	0.09	4
13/04/88	1370	1870	26312	0.0	1.7	1.7	0.129	0.87	4
"	"	"	26313		1.7	2.7	1.0	0.004	0.04
"	"	"	26314	2.7	3.7	1.0	0.004	0.04	4
"	"	"	26315	3.7	4.2	1.5	2.256	15.10	Qv
"	"	"	26316	4.2	5.7	1.5	0.327	4.07	Qv
"	"	"	26317	5.7	7.2	1.5	0.737	5.22	Qv
"	"	"	26318	7.2	8.2	1.0	0.359	1.62	Qv
"	"	"	26319	8.2	9.2	1.0	0.054	0.55	4
"	"	"	26320	9.2	10.2	1.0	0.022	0.10	4
"	"	"	26321	10.2	11.2	1.0	0.022	0.10	4
"	"	"	26322	11.2	12.2	1.0	0.008	0.05	4
"	"	"	26323	12.2	13.2	1.0	0.020	0.21	4



Chemex Labs Ltd.
 Analytical Chemists - Geochemists - Registered Assessors
 212 BROOKSMEAD AVE., NORTHE VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 524-0221

To : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3H1

Project : DOME MOUNTAIN
 Comments:

Page No. : 1
 Tel. Page 1
 Date : 26-APR-88
 Invoice #: I-8814577
 P.O. #: NONE

CERTIFICATE OF ANALYSIS AB814577

SAMPLE DESCRIPTION	PREP CODE	Ag FA ppm T	As FA ppm T					
26324	207	0.14	delay	.024				
26325	207	0.03	delay	.006				
26326	207	0.08	delay	.010				
26327	207	0.03	delay	.006				
26328	207	1.41	delay	.512				
26329	207	7.37	delay	1.010				
26330	207	4.00	delay	2.566				
26331	207	3.24	delay	1.300				
26332	207	0.59	delay	.166				
26333	207	0.28	delay	.024				
26356	207	0.03	delay	.012				
26357	207	0.01	delay	.008				
26358	207	0.01	delay	.002				
26359	207	0.01	delay	.004				
26360	207	7.07	delay	.204				
26361	207	0.16	delay	.008				
26362	207	2.17	delay	.166				
26363	207	0.02	delay	.004				
26364	207	0.01	delay	.007				
26365	207	0.66	delay	.144				
26366	207	0.01	delay	.004				
26367	207	0.18	delay	.006				
26368	207	6.35	delay	2.130				
26369	207	4.16	delay	.521				
26370	207	0.04	delay	.006				
26371	207	0.01	delay	.002				
26372	207	1.00	delay	.040				
26373	207	9.70	delay	2.308				
26374	207	2.07	delay	.406				
26375	207	0.05	delay	.014				

CERTIFICATE INCOMPLETE

CERTIFICATION

04/26/1988 15:56 MOROCCO IND LTD (MCP)

604 2940159 P 02



Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSLANE AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 924-6221

To : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3N1

Project : DOME Mtn
Comments:

Page No.: 1
Tot. Pages: 1
Date: 26-APR-88
Invoice #: I-8814413
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8814413

SAMPLE DESCRIPTION	PREP CODE	Ag oz/T	As oz/T								
1870 C-01	207	—	0.87	0.129							
1870 C-02	207	—	0.04	0.004							
1870 C-03	207	—	0.04	0.004							
1870 C-04	207	—	15.16	0.256							
1870 C-05	207	—	4.07	0.327							
1870 C-06	207	—	5.22	0.737							
1870 C-07	207	—	1.62	0.359							
1870 C-08	207	—	0.55	0.054							
1870 C-09	207	—	0.17	0.022							
1870 C-10	207	—	0.10	0.022							
1870 C-11	207	—	0.05	0.008							
1870 C-12	207	—	0.21	0.026							
16351	207	—	0.03	0.004							
16352	207	—	0.02	0.002							
16353	207	—	0.03	0.002							
16354	207	—	0.04	0.002							
16355	207	—	0.01	0.002							

CHIP SAMPLES

DDH 1870-UG1

DDH 1870-UG2



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-7C1
 PHONE (604) 984-0221

To : ROSSBACHER LABORATORY LIMITED

2125 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Project : MPO
 Comments:

Page No. : 1
 Tot. Pages : 1
 Date : 20-APR-88
 Invoice # : I-8814322
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8814322

SAMPLE DESCRIPTION	PREP CODE	Ag oz/T	Au PA oz/T	Assay Results (ppm)								TOTAL P. 01
26301 1920-C1	207	7.55	2.037									
26302 1920-C2	207	0.07	0.018									
26303 1920-C3	207	0.05	0.016									
26304 1920-C4	207	0.01	0.014									
26305 1880-C1	207	0.18	0.086									
26306 1880-C2	207	0.23	0.096									
26307 1880-C3	207	0.03	0.024									
26308 1880-C4	207	< 0.07	0.052									
26309 1880-C5	207	< 0.01	0.020									
26310 1880-C6	207	0.01	0.032									
26311 1880-C7	207	0.09	0.020									

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : 3/17/88 J. H. Swartes

604 2940159 P.01

(WOFP)

NORWOOD IND. LTD

04/22/1988 12:11



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assessors
 212 BLOCKSBANK AVE., NORTHE VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 522-6231

To : ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C.
 V5B 3N1

Project : DOME MOUNTAIN
 Comments:

Page No. 1
 Tot. Pages: 1
 Date : 26-APR-88
 Invoice #: I-8814577
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8814577

SAMPLE DESCRIPTION	PREP CODE	As FA oz/T	As FA oz/T					
26374	207	--	0.14	delay	.024			
26325	207	--	0.03	delay	.006			
26326	207	--	0.08	delay	.010			
26327	207	--	0.03	delay	.006			
26328	207	--	2.41	delay	.512			
26329	207	--	7.37	delay	1.010			
26330	207	--	4.00	delay	2.566			
26331	207	--	3.24	delay	.300			
26332	207	--	0.53	delay	.166			
26333	207	--	0.28	delay	.026			
26356	207	--	0.03	delay	.011			
26357	207	--	0.01	delay	.008			
26358	207	--	0.01	delay	.007			
26359	207	--	0.01	delay	.004			
26360	207	--	7.07	delay	.994	1370 UG-9		
26361	207	--	0.16	delay	.008			
26362	207	--	2.17	delay	.166			
26363	207	--	0.02	delay	.006			
26364	207	--	0.01	delay	.007			
26365	207	--	6.66	delay	.141			
26366	207	--	0.01	delay	.004			
26367	207	--	0.18	delay	.006			
26368	207	--	6.35	delay	.130	1370 UG-3		
26369	207	--	4.16	delay	.531			
26370	207	--	0.04	delay	.006			
26371	207	--	0.01	delay	.004			
26372	207	--	1.00	delay	.042			
26373	207	--	9.70	delay	.040			
26374	207	--	2.07	delay	.308			
26375	207	--	0.05	delay	.008			
					.014	1370-UG5		

CERTIFICATE INCOMPLETE

CERTIFICATION : _____

04/26/1988 15:56

MURWOOD IND. LTD. (JCR)

604 2940159

P.02



Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
211 BROOKSIDE AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7S-2C1
PHONE (604) 924-6221

To: ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
V5B 3X1

Project: DOME Mtn
Comments:

Page No.: 1
Tot. Pages: 1
Date: 26-APR-88
Invoice #: I-8814413
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8814413

SAMPLE DESCRIPTION	PREP CODE	Ag oz/T	As oz/T					
1870 C-01	207	—	—					
1870 C-02	207	—	0.129					
1870 C-03	207	—	0.04	0.004				
1870 C-04	207	—	0.04	0.004				
1870 C-05	207	—	15.10	2.256				
		4.07	0.327					
1870 C-06	207	—	5.22	0.737				
1870 C-07	207	—	1.62	0.359				
1870 C-08	207	—	0.55	0.054				
1870 C-09	207	—	0.17	0.022				
1870 C-10	207	—	0.10	0.022				
1870 C-11	207	—	0.05	0.008				
1870 C-12	207	—	0.21	0.020				
26351	207	—	0.03	0.004				
26352	207	—	0.02	0.002				
26353	207	—	0.03	0.002				
26354	207	—	0.04	0.002				
26355	207	—	0.01	0.002	DDH 1370-UG1			
					DDH 1370-UG2			

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ROSSBACHER LABORATORY LIMITED

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C.
VSB 3N1

Project : MPD
Comments:

Page No. : 1
Tot. Pages: 1
Date : 20-APR-88
Invoice #: I-8814322
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8814322

SAMPLE DESCRIPTION	PREP CODE	Ag oz/T	Au FA oz/T								
26301 1920-C1	207	—	7.55	2.037							
26302 1920-C2	207	—	0.07	0.018							
26303 1920-C3	207	—	0.05	0.016							
26304 1920-C4	207	—	0.01	0.014							
26305 1880-C1	207	—	0.18	0.086							
26306 1880-C2	207	—	0.23	0.096							
26307 1880-C3	207	—	0.03	0.024							
26308 1880-C4	207	—	0.07	0.052							
26309 1880-C5	207	<	0.01	0.020							
26310 1880-C6	207	—	0.01	0.032							
26311 1880-C7	207	—	0.09	0.020							

Total P 01

604 2940159 P.01

4

NORWOOD IND. LTD

04/22/1988 12:1

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY BC CERTIFIED ASSAYERS.

CERTIFICATION

31 Twante

Appendix 3

EXPENSES FOR U/G PROGRAM

April 1 - June 30, 1988.


GEOLOGIST WAGES	
55 days @ \$350.00	\$19,250.00
GEOLOGIST FOOD & ACCOMMODATION	
55 days @ \$60.00	3,300.00
SUPPORT STAFF	
280 hrs @ \$20.00	5,600.00
MAPPING	5,352.50
DIAMOND DRILLING	47,136.02
ADIT	9,719.62
ROADS	5,183.50
VEHICLE RENTAL	
55 days & \$40.00	2,200.00
ASSAYS	2,991.00
RAISE	2,558.04
EQUIPMENT	1,673.57

	\$104,864.25

APPENDIX 4


Statement of Qualifications

- 1) I reside at P.O. Box 74, Missanabie, Ontario.
- 2) I am a mining technologist from Haileybury School of Mines and have practiced my profession continuously since 1982.
- 3) I am registered with the Ontario Association of Certified Engineering Technologists and have been since 1982.
- 4) I am a member of the Canadian Prospectors and Developers Association.
- 5) I am the author of the attached report covering the diamond drilling on the Dome Mountain Property for Teeshin Resources Ltd.



A handwritten signature in black ink, appearing to read "John Slack".

John Slack, OCETT



Teeshin Resources Ltd.

Dome Mountain Project

1370 Level - Assay Plan

GEOLOGICAL BRANCH ASSESSMENT REPORT

18,620

9 oz / ton

Drawn By
Junior Mine Services Ltd.

