

ARIS SUMMARY SHEET

District Geologist, Smithers

Off Confidential: 90.03.16

ASSESSMENT REPORT 18627

MINING DIVISION: Omineca

PROPERTY: Belle
LOCATION: LAT 57 24 00 LONG 127 07 00
UTM 09 6363268 613173
NTS 094E06E

CAMP: 051 Toodoggone Camp

CLAIM(S): Belle 1-2
OPERATOR(S): Manson Creek Res.
AUTHOR(S): Komarevich, M.P.; Evans, B.T.
REPORT YEAR: 1989, 47 Pages

COMMODITIES

SEARCHED FOR: Gold, Silver

KEYWORDS: Jurassic, Toodoggone Volcanics, Andesite, Dacite, Sulphides, Pyrite
WORK

DONE: Geochemical, Physical, Geological
GEOL 5.0 ha
SAMP 298 sample(s) ; AU, AG
TREN 450.5 m 15 trench(es)
Map(s) - 1; Scale(s) - 1:500

RELATED

REPORTS: 14489
MINFILE: 094E 096

LOG NO: 0411	RD.
ACTION:	
FILE NO:	

FILMED

1988 TRENCHING REPORT
on the
BELLE 1, 2 and 4 MINERAL CLAIMS
BRITISH COLUMBIA

March 1989

on behalf of

MANSON CREEK RESOURCES LTD.

by

Michael P. Komarevich, B.Sc.

and

Bruce T. Evans, P.Geol.

of

GOLDEN RULE RESOURCES LTD.

TRENCHING REPORT

on the

Belle 1, 2 and 4 Mineral Claims

Omineca Mining Division

British Columbia

N.T.S. 94E/6E

Latitude 57 deg. 24' North
Longitude 127 deg. 07' West

March, 1989

on behalf of

MANSON CREEK RESOURCES LTD.

Calgary, Alberta

by

M. P. Komarevich, B.Sc

and

B. T. Evans, P.Geol.

of

GOLDEN RULE RESOURCES LTD.
#410, 1122 - 4TH STREET S.W.

CALGARY, ALBERTA

T2R3M1 GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,627

TABLE OF CONTENTS

Certificates

1. Summary	1
2. Introduction	1
3. Property Status	1
4. Location and Access	3
5. Physiography	3
6. Previous Work	3
7. Regional Geology	5
8. Exploration Targets	7
9. Property Geology	8
10. Objectives	9
11. Results	9
12. Recommendations	11
13. Bibliography	12

Appendices

Appendix I	Trench Dimensions	
Appendix II	Certificates of Analyses	
Appendix III	Summary of 1988 Expenditures	

Figures

Figure 1	General Location Map	2
Figure 2	Claims Location Map	4

Tables

Table 1	Belle 1988 Trenching Program - Analytical Results	10
---------	--	----

Maps

Map 1	Blast Trench - Trenches T-88-B01, B02 & B03	
Map 2	Blast Trench - Trench T88-B01	
Map 3	Blast Trench - Trench T88-B02	
Map 4	Blast Trench - Trench T88-B03	
Map 5	Trench B-88-02	
Map 6	Trench B-88-03	
Map 7	Trench B-88-04	
Map 8	Trench B-88-05	
Map 9	Trench B-88-06	
Map 10	Trench B-88-07	
Map 11	Trench B-88-08	
Map 12	Trench B-88-10	
Map 13	Belle #1 Zone - Trench Plan	

CERTIFICATE

I, Bruce Thomas Evans, of 120 Strathdale Close S.W., in the City of Calgary, in the Province of Alberta, do hereby certify that:


1. I am a Senior Exploration Geologist with the firm of Golden Rule Resources Ltd., with offices at #410, 1122-4th Street S.W., Calgary, Alberta;
2. I am a graduate of Queen's University, B.S.C. (Honours) Geological Science (1982) and have practiced my profession continuously since graduation;
3. I am a member in good standing of the Association of Professional Engineers, Geologists, and Geophysicists of Alberta;
4. Exploration work conducted on the Belle 1, 2 and 4 Mineral Claims during 1988 was done so under my supervision. Work and recommendations described herein are based upon my interpretation and observations of the Belle Property and knowledge of the region;
5. I do not own and do not expect to receive any interest (direct, indirect, or contingent) in the property described herein, and securities I own of Golden Rule Resources Ltd. and Manson Creek Resources Ltd. are through Employee Stock Option Plans or private market acquisitions by myself.

Dated at Calgary, Alberta this 9 day of March, 1989.

Respectfully submitted,

Bruce Evans

Bruce T. Evans, P.Geol.




CERTIFICATE

I, Michael Peter Komarevich of 3715 Richmond Road S.W., in the City of Calgary, Province of Alberta do hereby certify that:

1. I am an Exploration Geologist with the firm of Golden Rule Resources Ltd. with offices at #410, 1122 - 4th Street, S.W., Calgary, Alberta;
2. I am a graduate of the University of Saskatchewan, B.Sc. (ADV.) Geology (1987) and have practiced my profession continuously since graduation;
3. Work contained within this report was conducted by myself;
4. I do not own and do not expect to receive and interest (direct, indirect or contingent) in the property described herein nor in the securities of Golden Rule Resources Ltd or Manson Creek Resources Ltd.

Dated at Calgary, Alberta this 9 day of March, 1989.

Respectfully submitted,



Michael P. Komarevich, Geol.

1. SUMMARY

During the months of July and August, 1988, an exploration program was carried out on the Belle 1 mineral claim in the Toodoggone region of north-central British Columbia. The program consisted of excavation and sampling of a series of trenches.

Twelve (12) trenches totalling 378 m (1,240') were completed to follow up encouraging results obtained in 1987. A linear feature with strike length 150 m (492') that is associated with Au/Ag mineralization was delineated.

Future exploration consisting of additional backhoe trenching and/or diamond drilling is warranted to further define the structure(s) that serve as host to the Au/Ag mineralization.

2. INTRODUCTION

During the summer of 1988, an exploration program was carried out by Golden Rule Resources Ltd. on the Belle 1, 2 and 4 mineral claims. All of the work done centred upon the Belle 1 mineral claim. The program consisted of mechanical excavation of trenches, and detailed sampling of such. The objective was to locate and define structures responsible for gold mineralization found previously.

3. PROPERTY STATUS

The Belle 1, 2, and 4 mineral claims are located in the Omineca Mining Division of British Columbia (Figure 1), and are currently held under option by Manson Creek Resources Ltd. from Golden Rule Resources Ltd., both of Calgary, Alberta. The claims are described more specifically as follows:

<u>Claim Name</u>	<u>No. of Units</u>	<u>Record Number</u>	<u>Date of Record</u>
Belle 1	18	2680	April 3, 1980
Belle 2	18	2681	April 3, 1980
Belle 4	<u>3</u>	5800	Sept.26, 1983
	39		

Sufficient assessment work has been recorded to protect the claims until 1991.




FIGURE 1

GENERAL LOCATION MAP

4. LOCATION AND ACCESS

The claims form a contiguous block located in N.T.S. map area 94E/6E approximately 300 km north of Smithers, on McClair Creek near its confluence with Toodoggone River (Figure 2). The approximate geographic coordinates are 57 deg. 24' North latitude and 127 deg. 07' West longitude.

The claims are normally accessible via fixed-wing aircraft to the Sturdee Airstrip and then north 22 km by helicopter.

5. PHYSIOGRAPHY

The claims lie within the Cassiar Mountains physiographic subdivision of the Interior Plateau. The region was entirely glaciated and is characterized by wide U-shaped drift-filled major valleys and deeply-cut V-shaped upland valleys. Mountain peaks in the area average 1,980 m ASL and rise fairly abruptly from the major valleys.

The west side of the claims is situated over a 1,700 m to 1,900 m high ridge which drops steeply to McClair Creek, which flows south across the east side of the claims and has cut a 30 m to 60 m deep canyon in bedrock along the lower part of its course. Stream terraces 100 m to 300 m wide flank the stream along most of its length in the claims area.

6. PREVIOUS WORK

The Belle 1 and 2 claims were staked in April 1980 for Golden Rule Resources Ltd. Work carried out in April 1981 consisted of 44.6 km of airborne VLF-EM and magnetic surveys. During the summer of 1981, ground follow-up consisted of helicopter-supported geological mapping and geochemical sampling.

In 1983, Taiga Consultants Ltd. carried out additional geochemical sampling, geological mapping, and trenching. The Belle 4 claim was staked in September 1983. Taiga Consultants Ltd. continued their work in the summer of 1985. This program consisted of prospecting, geological mapping, grid-controlled soil geochemical sampling and trenching on the Belle 1, 2, and 4 mineral claims.

Work continued in 1986 as Golden Rule conducted a program of geological mapping, lithochemical sampling and grid-controlled soil sampling. In 1987, Golden Rule Resources Ltd. investigated previously outlined anomalous showings, with a limited program of lithochemical sampling and sampling from hand trenches.




FIGURE 2

CLAIMS LOCATION MAP

BELLE 1, 2, and 4 Mineral Claims

Five summary reports on the property have been written: (1) "Report on the Mets, Belle, and Golden Neighbor Properties" by Charles G. Clifton dated August 25, 1983; (2) "Report on the Mets and Belle Claims, Toadoggone River Area, B.C." by Robert S. Adamson dated March 5, 1983; (3) "Geological and Geochemical Report on the Belle 1 and 2 Mineral Claims" by G.L. Wilson dated March 29, 1984; and (4) "Geochemical and Trenching Report on the Belle 1, 2, and 4 Mineral Claims" by T.B. Millinoff and J.W. Davis dated November 29, 1985; and (5) "Geological and Geochemical Report on the Belle 1 Mineral Claim" by J.M. Seguin and B.T. Evans dated April 15, 1987.

7. REGIONAL GEOLOGY

During 1971 - 1975, the regional geology was mapped by the Geological Survey of Canada at a scale of 1:250,000 under the direction of Dr. H. Gabrielse, with the results published in 1977 as Open File 483.

The British Columbia Ministry of Energy, Mines and Petroleum Resources carried out a mapping program in the Toadoggone area from 1971 to 1984, with a compilation (Preliminary Map 61) published at a scale of 1:50,000 in 1985. This mapping details the units of the Toadoggone Volcanics which had become the focus of gold exploration in the district. The following description of the regional geology is excerpted from Schroeter (1981):

The Toadoggone area lies within the eastern margin in the Intermontaine Belt. The oldest rocks exposed are wedges of crystalline limestone more than 150 metres thick that have been correlated with the Asitka Group of Permian age. The next oldest rocks consist of andesitic flows and pyroclastic rocks including augite-tremolite andesite porphyries and crystal and lapilli tuffs that belong to the Takla Group of Late Triassic age. The Omineca intrusions of Jurassic and Cretaceous age (potassium-argon age of 186 to 200 Ma obtained by the Geological Survey of Canada) range in composition from granodiorite to quartz monzonite. Some syenomonzonite bodies and quartz feldspar porphyry dykes may be feeders to the Toadoggone rocks which unconformably overlie the Takla Group. The 'Toadoggone' volcanic rocks (named informally by Carter, 1971) are complexly intercalated volcanic and volcanic-sedimentary rocks of Early and Middle Jurassic age, 500 metres or more in thickness, along the west flank of a northwesterly trending belt of 'basement' rocks at least 90 kilometres in length by 15 kilometres in width. A potassium-argon age of 186 +/- 6 Ma was

obtained by Carter (1971) for a hornblende separate from a sample collected from a volcanic sequence 14 kilometres southeast of Drybrough Peak. Four principal subdivisions of 'Toodoggone' rocks have been recognized:

- 1) Lower Volcanic Division -- dominantly pyroclastic assemblage including purple agglomerate and grey to green to purple dacitic tuffs.
- 2) Middle Volcanic Division -- an acidic assemblage including rhyolites, dacites, 'orange' crystal to lithic tuffs, and quartz feldspar porphyries; includes welded tuff. The 'orange' colour of the tuffs resulted from oxidation of the fine-grained matrix while the rock was still hot. A coeval period of explosive volcanism included the formation of 'laharic' units and intrusion of syenomonzonite bodies and dykes. This event was accompanied by explosive brecciation along zones of weakness, predominantly large-scale faults and attendant splays, followed by silicification and deposition of precious and base metals to varying degrees in the breccias. Rounded fragments of Omineca intrusive rocks are rare components in Toodoggone tuffs.
- 3) Upper Volcanic-Intrusive Division -- grey to green to maroon crystal tuffs and quartz-eye feldspar porphyries.
- 4) Upper Volcanic-Sedimentary Division -- lacustrine sedimentary rocks (sometimes varved), stream bed deposits, and possible local fanglomerate deposits and interbedded tuff beds.

Many Toodoggone rocks have a matrix clouded with fine hematite dust implying a subaerial origin, however, some varieties may have accumulated in shallow water. The host rock for mineralization (division 2) is an orange to chocolate brown coloured crystal tuff with varying minor amounts of lithic and vitric ash. Broken crystals of plagioclase and quartz are set in a fine-grained 'hematized' matrix of quartz and feldspar. The exact chemical composition(s) and rock name(s) await chemical analyses. Carter (1971) determined the composition of a suite of rocks collected from the Toodoggone area to range from latites to dacite.

To the west, Upper Cretaceous to Tertiary pebble conglomerates and sandstones of the Lower Tango Creek Formation of the Sustut Group unconformably overlie both Takla Group volcanic rocks and Toodoggone volcanic rocks.

The structural setting was probably the most significant factor in allowing mineralizing solutions and vapours to migrate through the thick volcanic pile in the Toodoggone area. The entire area has been subjected to repeated and extensive normal block faulting from Jurassic to Tertiary time. It is postulated that a northwesterly trending line of volcanic centres along a gold/silver-rich 'province' marks major structural breaks, some extending for 60 kilometres or more (for example, McClair Creek system, Lawyers system). Prominent gossans are often associated with structural zones but many contain only pyrite; sulphides occur as disseminations and fracture fillings in Toodoggone and Takla Group rocks. Thrusting of Asitka Group limestones over Takla Group rocks probably occurred during Middle Jurassic time.

Today Toodoggone rocks display broad open folds with dips less than 25 degrees. The Sustut Group sedimentary rocks have relatively flat dips and do not appear to have any major structural disruptions.

8. EXPLORATION TARGETS

The focus of exploration in the Toodoggone district is the epithermal gold mineralization associated with subaerial Early Jurassic intermediate to acidic volcanism (Toodoggone Volcanics). Gold mineralization is also found within Late Triassic alkaline andesitic rocks (Takla Group) and in Early Jurassic calc-alkaline volcanic rocks (Hazelton Group). However, this gold mineralization is viewed as being in the "root zone" of the epithermal event related to Toodoggone volcanism (e.g., Baker Mine).

The structural settings of these epithermal vein systems is of primary importance in the development of gold mineralization within the Toodoggone Volcanics. Faulting and concomitant brecciation form the conduits for ascending hydrothermal solutions and vapours. It is often secondary tensional fractures in crudely concentric fracture systems related to collapse structures major faults or dilatant zones within major fault systems, which supply the necessary plumbing system for gold mineralization in this camp. It is also necessary that repeated fault movement and brecciation occur, allowing multiple hydrothermal solutions to continue to circulate. If only a

single brecciation occurs, the ascending solutions carrying silica will eventually heal the fractures and restrict passage of additional gold-bearing solutions. Only by recurrent faulting and brecciation can the process of gold mineralization be carried to the stage where economic concentrations of gold can be anticipated.

Adjacent to these epithermal deposits, there are both lateral and vertical alteration patterns. The outer propylitic zone consists of chlorite, epidote, calcite, and pyrite. This grades inward to an argillic/phyllitic zone consisting of sericite, montmorillonite, illite, and silica. Finally, there is the silicified core zone consisting of silica, adularia, and/or albite, immediately adjacent to the vein system.

Hematite and manganese oxides are normally abundant in mineralized zones. Native gold, electrum, barite, and minor pyrite have been found within these silica-rich zones along with amethystine quartz. Anomalous silver, lead, zinc, and copper values have been found associated with the epithermal vein systems. However, the systems appear to be relatively free of contaminants such as arsenic and antimony.

The pattern of gold mineralization also exhibits both vertical and lateral variations. These variations are controlled by temperature and pressure conditions within the breccia zones which in turn control the boiling point levels for the mineralizing solutions. The upper levels of these systems are characterized by a barren silica cap with increasing gold values with depth. This simple model is complicated by re-brecciation which changes the physical characteristics of the system and the changing chemical composition of hydrothermal solutions during the various pulses of mineralization.

9. PROPERTY GEOLOGY

The geology of the Belle mineral claims is typical of the Early to Middle Jurassic Toadogone volcanics. The oldest rocks exposed on the property are the porphyritic potassium feldspar andesite flows with are called trachy-andesite porphyry flows by Schroeter (1985) and by Taiga Consultants Ltd. (1985, 1984, and 1983) in previous reports on the Belle mineral claims.

This porphyritic potassium feldspar andesite has a red to green, aphanitic groundmass with white to red, 2 mm to 4 mm size phenocrysts. Propylitic alteration is pervasive and silicification is present when near to the quartz breccia. Overlying this is a younger unit of crystal tuff and lahar. The crystal tuff is primarily silica with hematite stain. Fragments of quartz breccia and tuff along with feldspar and barite crystals bound by a clay matrix compose the coeval lahar. This

unit is argillically altered and the intensity of alteration increases as the siliceous breccia core is approached. All units host the quartz vein breccia system which may contain minor barite and up to 5% pyrite. The breccia is the host for gold mineralization on this property as is the case in most of the epithermal gold-silver deposits of the Toodoggone area. Native gold is usually the most abundant ore mineral.

10. OBJECTIVES

A mechanical trenching program was outlined for the Belle property in the summer of 1988. The program was to meet two objectives: (1) to expand on previous work, and to locate and define the structure(s) associated with mineralization; and (2) to map the extent of the structure(s) along strike length.

The first stage involved the blasting of three small trenches totalling 22 m (72') including 25 cubic meters of excavation. These were located in the southeast portion of the Belle 1 claim, at the site of the 1987 hand trenches. Examination of the blast trenches indicated a linear feature that corresponded roughly with local drainage.

The second stage involved excavating a series of trenches normal to the structure to trace its extent. A baseline of azimuth 310 deg. was surveyed to a 250 m (820') length, with trenches designated at approximately 25 m intervals. A Linkbelt LS-2800 backhoe was contracted to dig twelve (12) trenches totalling 429 m (1,407') in length and involved 1967 cubic meters of excavation. Of these, one consisted of a 76 m (249') exploration trench across a similar drainage feature to the north.

In all, 15 trenches were excavated with trench dimensions as presented in Appendix I. The samples were sent to MinEn Laboratories in Vancouver, BC for analysis of gold and silver. Certificates of Analysis are presented in Appendix II.

11. RESULTS

The rock encountered throughout the trenches was the porphyritic potassium feldspar andesite. The linear structure corresponded to a zone of weak to moderate argillic alteration, which trends approximately 300 deg., and may be up to 2 m thick. The feature can be traced for approximately 200 m (656') along strike. Scattered throughout are rare calcite and quartz veins, and up to 5% disseminated pyrite. Present in T-B-88-03 was a 0.1 m wide seam rich in galena and other massive sulphides, amongst the argillic material.

Best results are tabulated below:

TABLE 1

Belle 1988 Trenching Program - Analytical Results

<u>Trench</u>	<u>Assay Tag No.</u>	<u>Interval (m)</u>	<u>Au (oz/ton)</u>	<u>Ag (oz/ton)</u>
* TB88-B01	MPK88-B-01	9.9 to 10.9	0.108	0.26
TB88-02	22111	10.0 to 11.0	0.050 1.73	0.24 8.3
	22112	11.0 to 12.0	0.074 2.54	0.31 10.5
	22113	12.0 to 13.0	0.033 1.12	0.18 6.1
TB88-03	22034	9.0 to 10.0	0.086 2.94	0.22 7.4
	22035	10.0 to 11.0	0.134 4.59	0.29 10.0
	22043	24.0 to 25.0	0.094 3.23	0.85 25.2
TB88-04	10996	19.0 to 20.0	0.115 3.95	0.52 17.9
	10997	20.0 to 21.0	0.086 2.96	0.47 16.2
	22002	25.0 to 26.0	0.171 5.85	0.53 18.2
	22003	26.0 to 27.0	0.085 2.92	0.47 16.0
	22008	31.0 to 32.0	0.900 3.08	0.59 20.2
TB88-05	22022	18.0 to 19.0	0.046 1.59	0.24 8.1
	22023	19.0 to 20.0	0.076 2.59	0.08 2.8
	22136	2.0 to 3.0	0.176 6.02	0.30 10.3
	22137	3.0 to 4.0	0.056 1.91	0.29 10.0
TB88-06	22063	25.0 to 26.0	0.060 2.4	0.17 5.8
TB88-10	22185	20.0 to 21.0	0.199 6.82	1.25 42.8

- * - denotes blast trench.
 - TB88-01, TB88-09, TB88-11 and TB88-12 were sampled sparingly or not at all due to lack of outcrop.


The structure was intersected in trenches TB88-02 to TB88-10, except in TB88-09, with Au values ranging from 0.01 oz/ton/m to 0.199 oz/ton/m. Trench TB88-01 could not be sampled due to slump of overburden, and TB88-0 and TB88-11 may have been slightly off target. The structure also seem somewhat anastomosing in character.

12. RECOMMENDATIONS

Results from the 1989 exploration program are encouraging, suggesting marginal economic potential. A limited helicopter-assisted drill program is proposed for the third quarter of 1989. The structure would be probed by eight (8) drill holes normal to its strike length at 25 m intervals. A total of 1000 m (3,281') drilling using a JKS-300 drill seems warranted.


Surface exploration by means of backhoe trenching will continue to search adjacent drainages for similar structures. Approximately 300 m to 500 m trenching of this type will be slated for completion during the third quarter of 1989.

Respectfully submitted:



Bruce T. Evans, P.Geol.

March, 1989



13. BIBLIOGRAPHY

- Adamson, R.S. (Mar. '85): Report on the Mets and Belle Claims, Toodoggone River, B.C.; for Manson Creek Resources Ltd. (private report).
- Clifton, C.G. (Aug. '83): Report on the Mets, Belle, and Golden Neighbor Properties; for Golden Rule Resources Ltd.
- Diakow, L.J.; Panteleyev, A.; Schroeter, T.G. (1985): Geology of the Toodoggone River Area, NTS 94E; B.C. Energy Mines, Prelim. Map 61.
- Fox, M. (Jan. '82): Geological, Geochemical, and Geophysical Report, Mets 1 and 2 Mineral Claims; for Golden Rule Resources Ltd.
- Gabrielse, Dr. H. (1977): Geology of the Toodoggone and Ware map areas, British Columbia; Geol.Surv.Cda., Open File 483.
- Millinoff, T.B.; Davis, J.W. (Nov. '85): Geological, Geochemical, Trenching and Drilling Report on the Mets 1 and 2 Mineral Claims; for Manson Creek Resources Ltd.
- Netolitzky, R.K. (Sep. '83): Toodoggone Project Update, Mets and Belle claims; for Golden Rule Resources Ltd. (private report).
- Schroeter, T.G. (1981): Toodoggone River (94E); in Geological Fieldwork 1980; B.C. Energy Mines, Paper 1981-1, pp. 124- 125.
- Seguin, J.M. and Evans, B.T. (Apr. '87): Geological and Geochemical Report on the Belle 1 Mineral Claim for Golden Rule Resources Ltd.
- Wilson, G.L. (Mar. '84): Geological and Geochemical Report on the Mets 1 and 2 Mineral Claims; for Golden Rule Resources Ltd. (private report).

A P P E N D I X I

TRENCH DIMENSIONS

TRENCH DIMENSIONS

Appendix I

First Stage


<u>Trench No.</u>	<u>Length (m)</u>	<u>Width (m)</u>	<u>Depth (m)</u>	<u>Volume of Excavation (m cubed)</u>
T88-B01	8.0	1.0	1.0	8.0
T88-B02	6.5	1.0	1.5	10.0
T88-B03	7.0	1.0	1.0	7.0

Second Stage

<u>Trench No.</u>	<u>Length (m)</u>	<u>Width (m)</u>	<u>Depth (m)</u>	<u>Volume of Excavation (m cubed)</u>
T88-01	30.7	3.0	1.5	138.0
T88-02	25.0	3.0	1.5	113.0
T88-03	34.7	2.5	1.5	130.0
T88-04	41.2	3.0	1.5	155.0
T88-05	29.4	3.0	1.5	132.0
T88-06	41.5	4.0	1.5	249.0
T88-07	32.0	2.5	1.5	120.0
T88-08	27.5	3.0	1.5	124.0
T88-09	33.0	3.0	1.5	149.0
T88-10	26.0	3.0	1.5	117.0
T88-11	32.0	3.0	1.5	144.0
T88-12	76.0	3.5	1.5	399.0

A P P E N D I X I I

CERTIFICATES OF ANALYSES



**MIN
EN
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
TELEX: VIA U.S.A. 7601067 • FAX (604) 980-9621

TIMMINS OFFICE:
33 EAST IROQUOIS ROAD
P.O. BOX 867
TIMMINS, ONTARIO CANADA P4N 7G7
TELEPHONE: (705) 264-9996

GR-BC-20

Certificate of ASSAY

Company: GOLDEN RULE RESOURCES
Project: BC *20*
Attention: BRUCE EVANS


File: 81-89/P1
Date: AUGUST 21/88
Type: ROCK ASSAY

I hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22171	1.2	0.04	.03	0.001
22172	15.7	0.46	.35	0.010
22173	1.8	0.05	.04	0.001
22174	0.9	0.03	.02	0.001
22175	0.7	0.02	.01	0.001
22176	1.7	0.05	.02	0.001
22177	1.1	0.03	.03	0.001
22178	1.9	0.06	.02	0.001
22179	1.8	0.05	.02	0.001
22180	2.0	0.06	.03	0.001
22181	4.1	0.12	.03	0.001
22182	40.6	1.18	.42	0.012
22183	1.8	0.05	.11	0.003
22184	1.9	0.06	.80	0.023
22185	42.8	1.25	6.82	0.199*
22186	8.3	0.24	.22	0.006
22187	1.2	0.04	.02	0.001
22188	0.6	0.02	.03	0.001
22189	0.8	0.02	.02	0.001
22190	0.7	0.02	.03	0.001
22191	0.5	0.01	.01	0.001
22192	0.6	0.02	.02	0.001
22193	0.4	0.01	.03	0.001
22194	0.3	0.01	.02	0.001
22195	0.5	0.01	.03	0.001
22196	0.6	0.02	.02	0.001
22197	5.7	0.02	.01	0.001
22198	0.9	0.03	.02	0.001
22199	0.3	0.01	.03	0.001
22200	0.6	0.02	.01	0.001

Certified by _____

Bruce Evans



**MIN
• EN
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
TELEX: VIA U.S.A. 7601067 • FAX (604) 980-9621

TIMMINS OFFICE:
33 EAST IROQUOIS ROAD
P.O. BOX 867
TIMMINS, ONTARIO CANADA P4N 7G7
TELEPHONE: (705) 264-9996

Analytical Report

Company: GOLDEN RULE RESOURCES
Project: BC-22
Attention: L. LAHUSEN/B. EVANS

File: 81-81
Date: AUG. 22/88
Type: ROCK ASSAY

Date Samples Received : AUG. 15/88
Samples Submitted by : B. EVANS

Report on Geochem Samples
.....
..... 136 ROCKS. Assay Samples
.....

Copies sent to:

1. GOLDEN RULE RESOURCES, CALGARY, ALTA.
2. GOLDEN RULE RESOURCES, SMITHERS, B.C.
3. GOLDEN RULE RESOURCES, C/O J. LAITIN, SMITHERS, B.C.

Samples: Sieved to mesh Ground to mesh -150.....

Prepared samples stored: X discarded:
rejects stored: X discarded:

Methods of analysis:

AG-ACID DIGESTION CHEMICAL ANALYSIS
AU-FIRE ASSAY

Remarks

Certificate of ASSAY


Company: GOLDEN RULE RESOURCES
Project: BC-22
Attention: LARRY LAHUSEN

File: 81-81/P1
Date: AUG 19/88
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
10907	.3	0.01	.02	0.001
10908	.4	0.01	.01	0.001
10909	.2	0.01	.01	0.001
10910	.3	0.01	.01	0.001
10911	.2	0.01	.01	0.001
10912	.2	0.01	.07	0.002
10913	.4	0.01	.01	0.001
10914	.9	0.03	.01	0.001
10915	.3	0.01	.01	0.001
10916	.4	0.01	.01	0.001
10917	.2	0.01	.01	0.001
10918	.2	0.01	.01	0.001
10919	.3	0.01	.01	0.001
10920	.5	0.01	.01	0.001
10921	.8	0.02	.02	0.001
10922	.4	0.01	.01	0.001
10923	.3	0.01	.01	0.001
10924	.2	0.01	.01	0.001
10925	.9	0.03	.02	0.001
10926	1.7	0.05	.01	0.001
10927	1.6	0.05	.01	0.001
10928	.5	0.01	.02	0.001
10929	.7	0.02	.04	0.001
10930	2.0	0.06	.06	0.002
10931	.6	0.02	.01	0.001
10932	2.4	0.07	.06	0.002
10933	.3	0.01	.02	0.001
10934	.8	0.02	.01	0.001
22101	.2	0.01	.01	0.001
22102	.5	0.01	.01	0.001

Certified by _____



**MIN
• EN
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
TELEX: VIA U.S.A. 7601067 • FAX (604) 980-9621

TIMMINS OFFICE:
33 EAST IROQUOIS ROAD
P.O. BOX 867
TIMMINS, ONTARIO CANADA P4N 7G7
TELEPHONE: (705) 264-9996


Certificate of ASSAY

Company: GOLDEN RULE RESOURCE
Project: BC-22
Attention: LARRY LAHUSEN

File: 81-81/P2
Date: AUG. 20/88
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22103	.2	0.01	.02	0.001
22104	.9	0.03	.01	0.001
22105	.3	0.01	.02	0.001
22106	1.2	0.04	.01	0.001
22107	.7	0.02	.01	0.001
22108	.4	0.01	.04	0.001
22109	1.6	0.05	.03	0.001
22110	4.2	0.12	.01	0.001
22111	8.3	0.24	1.73	0.050
22112	10.5	0.31	2.52	0.074
22113	6.1	0.18	1.12	0.033
22114	2.2	0.06	.04	0.001
22115	2.0	0.06	.01	0.001
22116	5.8	0.17	.64	0.019
22117	3.9	0.11	.26	0.008
22118	1.8	0.05	.04	0.001
22119	1.6	0.05	.01	0.001
22120	1.9	0.06	.01	0.001
22121	2.0	0.06	.02	0.001
22122	1.7	0.05	.01	0.001
22123	.6	0.02	.01	0.001
22124	1.0	0.03	.01	0.001
22125	.7	0.02	.01	0.001
22126	1.9	0.06	.01	0.001
22127	1.1	0.03	.01	0.001
22128	1.8	0.05	.01	0.001
22129	2.2	0.06	.02	0.001
22130	8.0	0.23	4.89	0.143
22131	1.9	0.06	.03	0.001
22132	2.5	0.07	.22	0.006

Certified by 

Certificate of ASSAY

Company: GOLDEN RULE RESOURCE
Project: BC-22
Attention: LARRY LAHUSEN

File: 81-81/P3
Date: AUG. 20/88
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22133	2.3	0.07	.01	0.001
22134	7.8	0.23	.42	0.012
22135	5.9	0.17	.69	0.020
22136	10.3	0.30	6.02	0.176
22137	10.0	0.29	1.91	0.056
22138	2.6	0.08	.18	0.005
22139	13.9	0.41	.32	0.009
22140	1.8	0.05	.02	0.001
22151	1.7	0.05	.02	0.001
22152	2.0	0.06	.02	0.001
22153	2.0	0.06	.02	0.001
22154	.7	0.02	.02	0.001
22155	1.5	0.04	.01	0.001
22156	1.8	0.05	.01	0.001
22157	.5	0.01	.01	0.001
22158	.4	0.01	.02	0.001
22159	1.6	0.05	.01	0.001
22160	3.3	0.10	.01	0.001
22601	1.4	0.04	.01	0.001
22602	1.2	0.04	.02	0.001
22603	.6	0.02	.01	0.001
22604	2.3	0.07	.01	0.001
22605	1.1	0.03	.01	0.001
22606	2.2	0.06	.02	0.001
22607	2.0	0.06	.01	0.001
22608	1.0	0.03	.01	0.001
22609	1.2	0.04	.02	0.001
22610	1.9	0.06	.01	0.001
22611	2.7	0.08	.01	0.001
22612	1.6	0.05	.01	0.001

Certified by

Certificate of Assay


Company: GOLDEN RULE RESOURCE
Project: BC-22
Attention: LARRY LAHUSEN

File: 81-81/P4
Date: AUG. 20/88
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22613	1.8	0.05	.01	0.001
22614	.7	0.02	.22	0.006
22615	2.1	0.06	.07	0.002
22616	1.9	0.06	.75	0.022
22617	.5	0.01	.01	0.001
22618	.3	0.01	.01	0.001
22619	1.0	0.03	.01	0.001
22620	1.9	0.06	.01	0.001
22621	6.2	0.18	.03	0.001
22622	1.8	0.05	.03	0.001
22623	5.6	0.16	.02	0.001
22624	2.9	0.08	.02	0.001
22625	.7	0.02	.01	0.001
22626	1.6	0.05	.01	0.001
22627	.6	0.02	.03	0.001
22628	.8	0.02	.01	0.001
22629	2.1	0.06	.01	0.001
22630	2.2	0.06	.01	0.001
22631	2.6	0.08	.58	0.017
22632	.4	0.01	.01	0.001
22633	.5	0.01	.02	0.001
22634	1.7	0.05	.01	0.001
22635	2.1	0.06	.01	0.001
22636	1.9	0.06	.01	0.001
22637	2.0	0.06	.02	0.001
22638	2.1	0.06	.01	0.001
22639	2.2	0.06	.01	0.001
22640	2.5	0.07	.01	0.001
22641	1.9	0.06	.01	0.001
22642	3.0	0.09	.01	0.001

Certified by _____



Certificate of Assay

Company: GOLDEN RULE RESOURCE
Project: BC-22
Attention: LARRY LAHUSEN

File: 81-81/P5
Date: AUG. 20/88
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.


Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22643	2.1	0.06	.01	0.001
22644	2.4	0.07	.05	0.001
22645	1.3	0.04	.04	0.001
22646	1.5	0.04	.02	0.001
22647	2.0	0.06	.04	0.001

22648	1.6	0.05	.05	0.001
22141	1.8	0.05	.03	0.001
22142	2.2	0.06	.01	0.001
22143	2.7	0.08	.01	0.001
22144	2.2	0.06	.05	0.001

22145	1.4	0.04	.01	0.001
22146	.8	0.02	.01	0.001
22147	1.7	0.05	.01	0.001
22148	1.9	0.06	.01	0.001
22149	2.1	0.06	.03	0.001

22150	.6	0.02	.02	0.001

Certified by _____



TERRAMIN RESEARCH LABS LTD.

ANALYTICAL REPORT

Golden Rule Resources

Glen Harper

Date: July 25, 1988

Job No: 88-257

Project: GR-BC-20/22

P.O. No:

41 Rock

Signed: ymh

Job#: 88-257

Project: GR-BC-20

Sample Number	Au ppb	Ag ppm
MFK-88-B-1	3020	8.80
2	52	0.64
3	442	9.80
4	3720	22.00
MFK-88-R-1	14	0.78
2	32	2.50
3	6	0.26
4	28	1.28
5	12	0.59
6	8	28.00
7	4	0.44
8	20	0.71
RMG-88-B-1	2240	5.20
2	1640	15.50
3	1980	18.00
4	914	10.20
5	186	2.30
6	98	1.76
7	1440	22.00
8	30	0.22
9	18	0.69
10	12	0.61
11	648	6.10
12	556	4.50
13	174	1.33
14	294	4.40
15	14	0.92
16	20	0.75
17	14	0.34
RMG-88-R-1	4	1.02
2	6	0.62
3	12	0.61
4	18	0.81
5	12	1.27
6	8	0.41
7	8	0.13
8	6	0.71
9	4	0.82
10	122	9.50
11	10	1.31
12	24	5.70



**MIN
• EN
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
TELEX: VIA U.S.A. 7601067 • FAX (604) 980-9621

TIMMINS OFFICE:
33 EAST IROQUOIS ROAD
P.O. BOX 867
TIMMINS, ONTARIO CANADA P4N 7G7
TELEPHONE: (705) 264-9996

GR-BC-20

Certificate of ASSAY

Company: GOLDEN RULE
Project: BC-20
Attention: LARRY LAHUSEN

File: 81-63/P1
Date: AUG 13/88
Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
10989	2.0	0.06	.47	0.014
10990	2.1	0.06	.08	0.002
10991	1.0	0.03	.01	0.001
10992	.8	0.02	.04	0.001
10993	2.2	0.06	.10	0.003
10994	6.3	0.18	2.29	0.067
10995	4.4	0.13	.50	0.015
10996	17.9	0.52	3.95	0.115
10997	16.2	0.47	2.96	0.086
10998	4.0	0.12	.40	0.012
10999	4.1	0.12	1.59	0.046
11000	2.4	0.07	.20	0.006
22001	2.3	0.07	.40	0.012
22002	18.2	0.53	5.85	0.171
22003	16.0	0.47	2.92	0.085
22004	18.1	0.53	.12	0.004
22005	1.6	0.05	.01	0.001
22006	1.4	0.04	.04	0.001
22007	.4	0.01	.01	0.001
22008	20.2	0.59	3.08	0.090
22009	4.0	0.12	.81	0.024
22010	6.4	0.19	.85	0.025
22011	6.0	0.18	.40	0.012
22012	.4	0.01	.05	0.001
22013	.4	0.01	.40	0.012
22014	.3	0.01	.02	0.001
22015	1.6	0.04	.01	0.001
22016	.3	0.01	.01	0.001
22017	2.2	0.06	2.40	0.070
22018	6.0	0.18	.20	0.006

Certified by

Certificate of Assay

Company: GOLDEN RULE
Project: BC-20
Attention: LARRY LAHUSEN


File: 81-63/P2
Date: AUG 13/88
Type: ROCK ASSAY

PC

I hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22019	6.2	0.18	.43	0.013
22020	2.4	0.07	.40	0.012
22021	2.0	0.06	.01	0.001
22022	8.1	0.24	1.59	0.046
22023	2.8	0.08	2.59	0.076
22024	2.4	0.07	.57	0.017
22025	1.7	0.05	.02	0.001
22026	1.6	0.05	1.83	0.053
22027	0.7	0.02	.03	0.001
22028	1.5	0.04	.04	0.001
22029	1.8	0.05	.21	0.006
22030	4.0	0.12	.62	0.018
22031	1.5	0.04	.60	0.018
22032	1.6	0.05	.24	0.007
22033	1.4	0.04	.60	0.018
22034	7.4	0.22	2.94	0.086
22035	10.0	0.29	4.59	0.134
22036	1.8	0.05	.40	0.012
22037	12.2	0.36	.91	0.027
22038	2.4	0.07	.01	0.001
22039	.5	0.01	.01	0.001
22040	6.2	0.18	.90	0.026
22041	2.3	0.07	1.22	0.036
22042	2.1	0.06	.01	0.001
22043	29.2	0.85	3.23	0.094
22044	7.4	0.22	.58	0.017
22045	3.6	0.11	.42	0.012
22046	2.5	0.07	.39	0.011
22047	2.4	0.07	.22	0.006
22048	7.5	0.22	.50	0.018

Certified by



**MIN-EN
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
TELEFAX: VIA U.S.A. 7601067 • FAX (604) 980-9621

TIMMINS OFFICE:
33 EAST IROQUOIS ROAD
P.O. BOX 867
TIMMINS, ONTARIO CANADA P4N 7G7
TELEPHONE: (705) 264-9996

PC


Certificate of ASSAY


Company: GOLDEN RULE
Project: BC-20
Attention: LARRY LAHUSEN

File: B1-63/P3
Date: AUG 13/88
Type: ROCK ASSAY

I hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22049	6.0	0.18	.85	0.025
22050	1.7	0.05	.10	0.003
22051	2.8	0.08	1.28	0.037
22052	1.0	0.03	.02	0.001
22053	2.3	0.07	.04	0.001
22054	2.6	0.08	.10	0.003
22055	4.1	0.12	.30	0.009
22056	2.3	0.07	.41	0.012
22057	6.3	0.18	.45	0.013
22058	1.2	0.04	.04	0.001
22059	1.1	0.03	.05	0.001
22060	.9	0.03	.01	0.001
22061	1.8	0.05	.01	0.001
22062	1.9	0.06	.04	0.001
22063	5.8	0.17	2.40	0.070
22064	3.9	0.11	.71	0.021
22065	1.3	0.04	.01	0.001
22066	1.6	0.05	.01	0.001
22067	1.8	0.05	.02	0.001
22068	4.2	0.12	.21	0.006
22069	1.9	0.06	.02	0.001
22070	3.9	0.11	.07	0.002
22071	3.1	0.09	.02	0.001
22072	2.3	0.07	.05	0.001
22073	3.8	0.11	.10	0.003
22074	5.9	0.17	.01	0.001
22075	2.1	0.06	.03	0.001
22076	2.8	0.08	1.16	0.034
22077	5.7	0.17	.08	0.002
22078	5.9	0.17	.20	0.006

Certified by 



**MIN
• EN
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
TELEX: VIA U.S.A. 7601067 • FAX (604) 980-9621

TIMMINS OFFICE:
33 EAST IROQUOIS ROAD
P.O. BOX 887
TIMMINS, ONTARIO CANADA P4N 7G7
TELEPHONE: (705) 264-9996

Certificate of ASSAY

Company: GOLDEN RULE RESOURCE
Project: BC-20
Attention: LARRY LAHUSEN

File: 81-63/P4
Date: AUG 12/88
Type: ROCK ASSAY

I hereby certify the following results for samples submitted.

Sample Number	AG G/TONNE	AG OZ/TON	AU G/TONNE	AU OZ/TON
22079	6.1	0.18	.01	0.001

Certified by _____

A P P E N D I X I I I

SUMMARY OF 1988 EXPENDITURES

BELLE PROJECT
SUMMARY OF 1988 EXPENDITURES

DESCRIPTION -----	1988 EXPEND -----
PERSONNEL:	
SUPERVISORY GEOLOGICAL 24.5 days	\$ 7,400.00
GEOLOGICAL 18.5 days	3,682.50
PROJECT SUPPORT 87.0 days	12,975.00
PROJECT FIELD COSTS:	4,490.13
FUEL	
MOBILE PHONE, RADIO	
TRANSIT	
PROJECT CAMP COSTS:	10,105.77
TENTS, LUMBER, ELECTRICAL FIXTURES	
GROCERIES	
GENERATOR	
CHARTER AIR SUPPORT:	
FIXED WING	11,826.16
HELICOPTER - SET OUTS & FUEL SLING	24,677.55
TRAVEL EXPENSES	6,459.32
GEOCHEMICAL ANALYSES:	10,295.33
TRENCH SAMPLES	
EXPEDITING/FREIGHT/WAREHOUSE	2,196.03
GEOLOGICAL COMPUTER COSTS	73.75
MAPS, DRAFTING, REPRODUCTIONS	1,137.81
PROJECT SUPPORT COSTS	323.74
CONTRACTOR:	
BACKHOE TRENCHING - JEDWAY	10,120.00
BLASTING - VAN ALPHEN	2,850.00

	\$108,613.09
	=====

LEGEND FOR GEOLOGY ON TRENCH DIAGRAMS


- PPKAD Porphyritic k-spar andesite. Groundmass generally aphanitic, and dark green to grey to reddish brown. Phenocrysts make up 10% to 30% of rock, are 1 mm to 5 mm in diameter, and are subhedral to euhedral. Phenocrysts are 60% to 80% white to pink potassium feldspar, 10% to 30% white plagioclase, and the rest being mafics and sulphides.
- KAD Weakly porphyritic k-spar andesite. Less than 10% phenocrysts, groundmass generally dark grey to brick red. Is usually significantly harder than PPKAD.
- PPDC Porphyritic dacite. Quartz phenocrysts make up 5% to 20% of rock in a pink plagioclase groundmass. Groundmass is very fine grained to fine grained.

The following may be used as prefixes:

- W Weak argillic alteration. Characterized mild saussuritization of feldspars, moderate alteration of mafics and mild hematization.
- M Moderate argillic alteration characterized by moderated saussuritization of feldspars, disappearance of mafic phenocrysts and a mild overall bleached, friable character. Colours may change to blue greens, light green and red to orange. Sulphides, quartz veins and calcite veins may become significant.
- I Intense argillic alteration characterized by loss of porphyritic texture, increase in friability and intensity of bleaching. Remaining minerals are mostly yellow to white clays. May have quartz or calcite rich seams, with or without sulphides.

Note: Trench diagrams do not exist for trenches 1, 9, 11 and 12 since they were not sampled.

Baseline AZM 310°



GOLDEN RULE RESOURCES LTD.

BELLE PROSPECT

**TRENCHES T-88-B01, B02,
& B03**

Date:

N.T.S.:

Project:


Scale: 1:100



0+00

Baseline Azimuth 310°

Au (oz/ton)	Ag (oz/ton)	SAMPLE No.
.108	.26	MPK-88-B04
.001	.02	MPK-88-B03
.013	.29	MPK-88-B02
.088	.64	MPK-88-B01



m→i PPKAD - locally bleached and altered to clays.
Sulphides ≤ 2% locally. Vuggy.

mKAD - locally silicified, disseminated sulphides ≤ 2%


w→m PPKAD - pyrite ≤ 2% from 7.4-7.6m, sulphides 2-3%,
locally silicified and bleached.

GOLDEN RULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH T-88-001	
(last trench)	
Date: 02/03	N.T.S.:
Revised:	
Scale: 1:50	



0+00
Baseline Azimuth 310°

Au (oz/ton)	Ag (oz/ton)
.065	.152
.049	.452
.058	.525
.028	.298
.005	.067
.003	.051
.042	.642
.001	.006
.001	.020



w → iPPKAD - all surfaces and microfractures limonite coated. Highly fractured, often reduced to clays. Soft and recessive.

wPPKAD - weakly silicified, some limonite. Sulphides 1-2% 3-5% locally, predominantly as cubes and rosettes

wPPKAD - localized clay patches. Removal of mafics, disseminated pyrite ≤ 1%

mPPKAD - locally bleached, weakly silicified, 1-3% pyrite as cubes & blebs


GOLDEN RULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH T-88-B02	
(blast trench)	
Date: 09F. 1988	N.T.S.
Revised:	
Scale: 1:100	

0+13.5N

Baseline Azimuth 310°



Au (oz/ton)	Ag (oz/ton)	SAMPLE No.
.001	.018	RMG-88-B10
.019	.178	RMG-88-B11
.016	.131	RMG-88-B12
.005	.039	RMG-88-B13
.008	.128	RMG-88-B14
.001	.027	RMG-88-B15
.001	.022	RMG-88-B16
.001	.010	RMG-88-B17





w → i PPKAD - pyrite 1-2%
Localized clay patches and vugs.
Weakly silicified.

w → m PPKAD - local patches of green
clay. Trace sulphides increasing locally to
3-5%. Weak silicification.


PPKAD - rare silicified zones and rare leached
vugs along microfractures.

- 8

GOLDEN RULE RESOURCES LTD.	
WILLE PROJECT	
TRENCH T-88-B03	
(blast trench)	
Date: OCT. 1988	S.T.S.:
Revised:	
Scale: 1:100	




GOLDEN RULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH B-02-02	
Date: OCT. 1988	N.T.S.
Revised:	
Scale: 1:250	




 Zone of mineralization

GOLDEN RULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH B-88-03	
Date: OCT. 1988	N.T.S.:
Revised:	
Scale: 1:250	

Baseline AZM 310°



Au (oz/ton)	Ag (oz/ton)	ASSAY No.
.001	.05	22622
.001	.18	22621
.001	.06	22620
.001	.03	22619
.001	.01	22618
.001	.01	22617
.022	.06	22616
.002	.06	22615
.024	.12	22009
.090	.59	22008
.001	.01	22007
.001	.04	22006
.001	.05	22005
.004	.53	22004
.085	.47	22003
.171	.53	22002
.012	.07	22001
.006	.07	11000
.046	.12	10999
.012	.12	10998
.086	.47	10997
.115	.52	10996
.015	.13	10995
.001	.07	22133
.006	.07	22132
.001	.06	22131
.143	.25	22130
.067	.18	10994
.003	.06	10993
.001	.02	10992
.001	.03	10991
.002	.06	10990
.014	.06	10989
.001	.06	22129
.001	.05	22128
.001	.03	22127
.001	.06	22126
.001	.02	22125
.001	.03	22124
.001	.02	22123
.001	.05	22122



KAD-veinlets of calcite with associated epidote and chlorite scattered throughout $\leq 1\%$. Disseminated pyrite $\leq 1\%$

In addition - strong sausseritization and hematization

PPKAD

m \rightarrow i PPKAD - hematized vugs, pyrite $\leq 10\%$ from 26.5-26.7m an intensely altered seam trends 313°

w \rightarrow m PPKAD - significant hematization and sausseritization of plagioclase. Fractures between 21.5-22.5m contain $\leq 10\%$ pyrite.

Joints 310°

Prominent joints trend 314° with vertical plunge

PPKAD - quartz eyes $\leq 2\%$

w \rightarrow m PPKAD - hematization


PPKAD - significant epidote on fracture planes. Sparse disseminated pyrite $\leq 1\%$

GOLDEN RULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH B-00-01	
Date: 02/1990	N.T.S.
Revised:	
Scale: 1:200	

Baseline AZM 310°
0+ 25N



Au (oz/ton)	Ag (oz/ton)	ASSAY No.
.001	.02	22627
.001	.05	22626
.001	.02	22625
.001	.08	22624
.001	.16	22623
.053	.05	22026
.001	.05	22025
.017	.07	22024
.076	.08	22023
.046	.24	22022
.001	.06	22021
.012	.07	22020
.013	.18	22019
.006	.18	22018
.070	.06	22017
.001	.01	22016
.001	.04	22015
.001	.01	22014
.012	.01	22013
.001	.01	22012
.012	.18	22011
.025	.19	22010
.009	.41	22139
.005	.08	22138
.056	.29	22137
.176	.30	22136
.012	.23	22134



PPKAD - quartz veining between 22 - 23m makes up $\leq 2\%$ of rock

m \rightarrow iPPKAD trending 306° and plunging at 78° N.E. occurs. Sulfides may be (disseminated or found in vugs $\leq 5\%$. Quartz eyes $\leq 2\%$

Much the same as from 8.5 - 13.2, except: seams of green to red alteration to clay present up to 18m. Major joints between 18 - 19m trend at 320°, plunge 85° N.E.

15 KAD - drusy qtz. and veinlets 52%

Major joint found at 8.5m, trending 329° and plunging 87° N.E. Immediately to N. of joint is region iPPKAD 0.3m wide and parallel to joint. Remainder is KAD with increased hematization and sausseritization

Ground mass fine grained, moderate sausseritization and hematization



KAD - forms large planar joints. Disseminated pyrite 5-10%

GOLDEN MULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH B-88-05	
Date: OCT. 1988	N.T.S.:
Revised:	
Scale: 1:250	

Au (oz/ton)	Ag (oz/ton)	ASSAY No.
.001	.05	22151
.001	.02	22150
.001	.06	22149
.001	.06	22148
.001	.05	22147
.001	.02	22146
.001	.06	22069
.006	.12	22068
.001	.05	22067
.001	.05	22066
.001	.04	22065
.001	.05	22145
.001	.02	22144
.001	.04	22143
.021	.06	22064
.070	.08	22063
.001	.06	22142
.001	.05	22141
.001	.05	22140
.001	.06	22062
.001	.05	22061
.001	.03	22060
.001	.03	22059
.001	.04	22058
.013	.18	22057
.012	.07	22056
.009	.12	22055
.003	.08	22054
.001	.07	22053
.001	.03	22052
.037	.08	22051
.001	.06	22637
.001	.06	22636
.001	.05	22635
.001	.01	22634
.001	.01	22633
.001	.01	22632
.017	.08	22631
.001	.06	22630
.001	.06	22629
.001	.02	22628

Baseline AZM 310°

0+50N




KAD - extensive hematization of surface in some areas.

In addition, blue green friable seams, quartz eyes and calcite microveinlets $\leq 3\%$


Contact at 15.0m is 320° with a plunge 67° SW.
w → m PPKAD - much sausseritization and epidote.

PPKAD - epidote on fracture planes. Disseminated sulfides $\leq 3\%$.
Calcite microveinlets $\leq 1\%$

GOLDEN RULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH B-88-06	
Date: OCT. 1988	N.T.S.:
Revised:	
Scale: 1:200	



Baseline AZM 310°



PPKAD - in some places, feldspars form pink disseminated blotches, and mafic dark green blotches.
 wPPKAD-hematization, intense sausseritization vugginess.

GOLDEN HILL RESOURCES LTD.	
GELLE PROJECT	
TRENCH B-88-07	
Date: OCT. 1988	NYA:
Revised:	
Scale: 1:500	




1450N

Baseline AZM 310°

Ag (oz/ton)
Au (oz/ton)

Assay Tag No.



GOLDEN RULE RESOURCES LTD.

BELLE PROJECT

TRENCH B-88-08

Date: 02. 1988


N.T.A.

Revised:


Scale: 1:200



2+25N | Baseline AZM 310°



GOLDEN RULE RESOURCES LTD.	
BELLE PROJECT	
TRENCH B-88-10	
Date: OCT. 1988	N.T.S.:
Revised:	
Scale: 1:200	




GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,627

MANSON CREEK RESOURCES LTD.

BELLE PROJECT
BELLE #1 ZONE
TRENCH PLAN



Date: October, 1988
Revised:
Scale: 1:500

