SUMMARY REPORT

1988 PROSPECTING PROGRAM

RAINBOW PROJECT

WHISTLER; BRITISH COLUMBIA

NTS 92J/3

LONGITUDE: 123° 10'

LATITUDE: 50° 11'

FOR

NICHOLSON & ASSOCIATES
NATURAL RESOURCE DEVELOPMENT INC.

#606-675 West Hastings Street Vancouver, B.C. V6B 1N2

BY

JOHN A. NICHOLSON, GEOLOGIST



ARIS SUMMARY SHEET

District Geologist, Victoria

Off Confidential: 94.03.03

ASSESSMENT REPORT 18805

MINING DIVISION: Nanaimo

PROPERTY:

East 90

LOCATION:

LAT 50 37 30

LONG 127 32 00

UTM 09 5608932 603744

NTS 092L12E

CAMP:

031

Island Copper Area

CLAIM(S):

Bay 56, Bay 59, Bay 61, Bay 68-69, Bay 85, Bar

OPERATOR(S):

BHP-Utah Mines

AUTHOR(S):

Clarke, G.A.; Fleming, J.A.

REPORT YEAR:

1989, 305 Pages

COMMODITIES

SEARCHED FOR: Copper, Molybdenum/Molybdenite

KEYWORDS:

Triassic, Jurassic, Vancouver Group, Bonanza Group, Quartz diorites

Quartz feldspar porphyry, Dykes, Chalcopyrite, Molybdenite

WORK

DONE:

Drilling

DIAD 2704.5 m

9 hole(s);NQ

Map(s) - 8; Scale(s) - 1:200, 1:2400

RELATED

REPORTS:

14777,16152,16687

MINFILE:

092L 135

ARIS SUMMARY SHEET

zrict Geologist, Victoria

Off Confidential: 90.05.26

ASSESSMENT REPORT 18804

MINING DIVISION: Vancouver

PROPERTY:

Rainbow

LOCATION:

50 12 00 LAT

123 01 00 LONG

MTU

NTS

10 5560649 498810

092J03E

CLAIM(S):

K.M.A. 1-2

OPERATOR(S):

Nicholson, J.A. Nicholson, J.A.

AUTHOR(S): REPORT YEAR:

1989, 36 Pages

COMMODITIES

SEARCHED FOR: Gold, Silver, Copper, Lead, Zinc

KEYWORDS:

Jurassic-Cretaceous, Gambier Group, Metavolcanics, Metasediments

Roof pendant, Cretaceous, Granitics, Tertiary, Dykes, Alteration, Pyrite

Chalcopyrite, Galena, Sphalerite, Veins, Massive

WORK

DONE:

Prospecting

PROS 200.0 ha

MINFILE:

092J W

LOG NO: 0602	RD.
ACTION:	· · · · · · · · · · · · · · · · · · ·
FILE NO:	
	00 0
LOG NO: 0927	RD. 2
ACTION Date receive	d report
<u> </u>	d report

SUMMARY REPORT

1988 PROSPECTING PROGRAM

RAINBOW PROJECT

WHISTLER; BRITISH COLUMBIA

NTS 92J/3

SUB-RECORDER

RECEIVED

MAY 2 6 1989

LONGITUDE: 123° 10'

LATITUDE: 50° 11'

FOR

NICHOLSON & ASSOCIATES
NATURAL RESOURCE DEVELOPMENT INC.

#606-675 West Hastings Street Vancouver, B.C. V6B 1N2

FILMED

BY

JOHN A. NICHOLSON, GEOLOGIST

GEOLOGICAL BRANCH ASSISSMENT REPORT

TABLE OF CONTENTS

						Page
INTRODUCTION					• • • •	1 /
SUMMARY						2 /
LOCATION AND ACCES	s					3 /
PROPERTY						3 /
CLAIMS		• • •				4 /
HISTORY	• • •					4/
PHYSIOGRAPHY, CLIM	ATE AND	VEGE	TATION			6
REGIONAL GEOLOGY .						6 y
MINERALIZATION						7/
CONCLUSION				,• , • · • •		11 /
STATEMENT OF QUALI	FICATIO	NS .				14
APPENDICES:						
1) Statement of (2) Rock Sample Do 3) Sample Assays 4) Claim Records	escript	ions				15 /
T) OTGIM RECOIDS						19/

Seven figures in text

INTRODUCTION

This report was prepared by John A. Nicholson, of Nicholson & Associates, Natural Resource Development Inc. Its purpose is to summarize recent work undertaken on the Rainbow claim block.

A four day prospecting program was completed during the month of August 1988. During this period of time, prospecting, limited geological mapping and rehabilitation of two previous trenches were undertaken.

A total of 21 samples were taken and analyzed for Ag, Au, Pb, Zn and Cu at Acme Analytical Labs in Vancouver, B.C.

A total of 3 persons were employed to complete the 1988 programme.

SUMMARY

During the month of August, a total of 21 rock and soil samples were taken from the Rainbow project. Two trenches were rehabilitated, sampled and mapped. The purpose of the program was to test the Rainbow area for base and precious metal content. A kuruko type of setting (eg. Brittania Mine) was the anticipated target. The results that were obtained indicated several things:

- (1) The Rainbow area is enriched in polymetallics.
- (2) Precious metals are associated with the base metals.
- (3) The presence of visible barite and barite values in the past indicate the possibility of a kuruko - style massive sulfide setting.
- (4) A stockwork enriched in precious metals and located along that of shears indicates:
 - (i) leaching of metals enhance gossan gulch and other seeps in the area.
 - (ii) the presence of a base metal/precious metal system at depth, hence giving rise to the metal concentration and associated back ground values in the host country rock.

Based on these conclusions it is recommended that a detailed V.L.F. - E.M. programme backed up with a magnetometer and soil geochemistry surveys be undertaken. The areas that

this program would encompass would be the Gossan Gulch area and Trench Zone area.

The programme would:

- (i) Outline any massive sulfide zones
- (ii) differentiate the various rock units and faulting/shearing present
- (iii) pinpoint areas to be trenched and drilled Concurrent to this should be a detailed lithogeochemistry survey.

LOCATION AND ACCESS

The Rainbow claims block is located within the Vancouver Mining District on N.T.S. map sheet 92J/3. It is situated 5 kilometres west of the village of Whistler (Figure 1).

Access at present is via Corporate Helicopters based in Whistler of Vancouver Helicopters located in Squamish.


Preexisting logging roads come within 1.3 km of the claim block.


PROPERTY

The Rainbow property consists of 40 patented claims which were staked in accordance to the new grid system. The claims cover an area of some 2471 acres (Figure 2).

The Rainbow claims were staked in 1988 by John A. Nicholson of Vancouver, B.C.

The claims were staked to cover pre-existing known massive sulfide anomalies and gold occurrences which were





outlined in 1982-83 by Stackpool Resources Ltd. of Vancouver, B.C.

CLAIMS

Claim data is as follows:

Claim Name	Record No.	No. Claims	Expiry Date
K.M.A. 1	2303	20	May 10, 1989*
K.M.A. 2	2304	20	May 19, 1989*
*prior to fil	ling assessment	work.	

HISTORY

Exploration history in the Whistler area dates back to the early 1900's. This early exploration was prompted by the discovery in 1898 of the Britannia Beach base metal deposit. Exploration was targeted primarily towards prospecting roof pendants of the Cambier Group Volcanics.

Activity was sporadic and no record or earlier exploration other than trenches on the property is evident.

The first recorded work in the area was in the early 1970's when Duval International began looking at the base metal potential. This was subsequently followed up by other companies such as Noranda Mines Ltd., Falconbridge Copper Ltd., Kidd Creek Mines, Placer Dome, Rio Algom, and Northair Mines. Subsequently numerous copper and precious metal prospects were found in the area.

Most notable of these are the "Brandywine Creek" gold and

silver showings some 7 km southwest of Northair Mines mine site.

In 1981 Stackpool Resources staked approximately 467 claims in the Whistler area to cover all available Gambier Group roof pendants in the hopes of finding more Britannia sized Kuruko type massive sulfide bodies or Northair style precious-base metal vein mineralization. A comprehensive airborne magnetometer and V.L.F. - E.M. survey was done over most of the property. Areas of interest were prospected and several secondary targets were pin pointed. Most notable of these was one sample containing .376 oz/ton gold, .19 oz/ton silver, 76% barite within a grey silicified green schist, and another assaying .006 oz/ton Au, 0.32 oz/ton Ag within a green sericite schist.

These areas were later dropped. In 1988 John A. Nicholson staked the ground to cover these known occurrences. Subsequent prospecting on the property (Rainbow Project) revealed several gold anomalies up to 400 ppb and anomalous base metal values. At present the ground is held in good standing by John A. Nicholson. Future work should consist of a detailed prospecting and trenching programme followed by diamond drilling to further evaluate the potential of the property.

PHYSIOGRAPHY, CLIMATE AND VEGETATION

The Rainbow property is situated within the Coast Mountain Range Complex. Elevations on the property range from 4200' to 6500'.

The property is bound by gentle sub-alpine fields above the 5200' level to steep cliffs on the northern and southern flanks of the property.


The property is subject to mountain weather systems. As a result, the weather in the summer months is very hot and humid, winter months will see in excess of some 6 feet of snowfall, and spring comes early (March) with consistent rain and the occasional snow shower.

Most of the property is covered by tall stands of Western Red Cedars and Hemlock. The exceptions to this are the alpine and cliffs regions which have very little in the way of actual plant growth.

REGIONAL GEOLOGY

The Whistler area is underlain by three main geological units (from Woodsworth, 1977) and appears on Figure 3.

- (i) Roof pendants of metavolcanic and metasedimentary rocks belonging to the Gambier Group of upper Jurassic to lower Cretaceous age;
- (ii) Granitic rocks of the Coast Plutonic complex of upper Cretaceous age;



(ii) Dikes and lavas of Tertiary to Recent age, belonging to the Garibaldi Group.

On a regional scale, the rocks of the Gambier Group consist predominantly of andesite to dacite, tuffs and flows representative of felsic volcanic centers. Graphitic mudstones and impure siltstones form an important subdivision of the group. Also included are narrow zones of chlorite and sericite schists; the result of shearing rather then regional metamorphism. The Gambier Group was sheared along the axial planes of anticlinal structures (such as at Britannia) or along major planes of weakness such as the contact between predominantly sedimentary packages. Minor crosscutting and synvolcanic faults are accompanied by narrow shear/schist The Gambier Group occurs as large, elongate roof pendants within the Coast Plutonic Complex. This complex consists of intrusive rocks, mainly quartz-diorite and granodiorite, both of which are rich in biotite and hornblende. These rocks vary little in composition and texture over large areas.

MINERALIZATION

The Gambier Group is a proven base and precious metal producer which includes the Britannia and Northair mines. Britannia produced 55 million tons of ore grading 1.1% copper, 0.65% zinc, 0.2 oz/ton silver and 0.02 oz/ton gold from a large number of separate ore bodies within sheared dacite


pyroclastics (Timmins and Sivertz 1983). The ores are thought to be of volcanogenic exhalative in origin (Payne, 1980) (see sections, Figures 4 and 5).

The Northair mine produced approximately 100,000 tons of ore a year between 1976 and 1982 with a total production of 150,000 oz gold, 800,000 oz silver, 12 million pounds zinc and 9 million pounds lead (Timmins, 1983). The ores consisted of base metal quartz-calcite veins hosted by coarse andesite pyroclastic rocks. The mine site is located 9 kilometres southwest of Callahan Lake and 5 kilometres west of the Rainbow Project.

Other copper and precious metal showings in the area occur within the Callahan Lake roof pendant, particularly southwest of the Northair mine site.

The showings are owned largely in part by Noranda, the Northair Mine Group and Minnova. All of these showings consist of precious metal-bearing quartz veins and sericite schists.

Mineral occurrences on the Rainbow Project are varied. On the western part of the property mineralization consists of cubic to disseminated pyrite within a slatey, phyllitic argillite. An abundance of quartz sweats are also prominent within these argillites. Several samples taken from these areas by both Stackpool Resources and John A. Nicholson returned anomalous values.



92J/3

AS SHOWN


SCALE :

DRAFTING:

Geo Graphics


FIGURE: 4

G.S.C. MEMOIR 158.



On the central section of the property, the mineralization is varied and widespread. Again quartz sweats within the phyllitic argillite are a prominent feature. Mineralization occurs primarily in three forms. These are:


- (1) cubic-disseminated pyrite within a phyllitic argillite, occasional quartz sweats within this unit contain disseminated pyrite. Samples taken from these areas were anomalous in base metals only. (88CR001 88CR008)
- (2) Gossan Gulch area which is located on the north central part of the property consists of a strongly oxidized and gossanous goethite which contains widespread disseminated pyritization. Values from this area obtained by Stackpool Resources indicated the presence of polymetallic enrichment.
- (3) The Trench Zone area, which was the main focal point during Stackpool's 1982 follow-up and the Nicholson 1988 programme, consists of several forms of mineralization. The most notable is a silvery sericite schist package which contains very finely disseminated pyrite (< 1%). Several samples were obtained from this unit and returned consistent gold values of 400 ppb. Immediately adjoining this unit to the east is a greenish chloritic schist unit. Within this rock unit there appears to be a quartz stockwork. This area has received much attention.



Results obtained from the Trench Zone in 1983 by Stackpool Resources returned 0.376 oz/ton Au, 0.19 oz/ton Ag, 0.08% Cu and 0.13% Zn. "The sample consists of grey and silicieous, sericite schist invaded by barely noticeable grey, quartz veinlets containing trace amounts of brown sphalerite, blue covellite, pyrite and chalcopyrite." Other samples obtained in the immediate vicinity returned barite values in the order of 76%.

Sampling undertaken by John A. Nicholson from the Trench Zone area (Figure 6), returned several anomalous base metal and precious metal values. These samples were taken in the vicinity of the above mentioned results. The rocks in question were primarily a greenish grey silicified chloritic schist which contained trace -3% specular sphalerite, trace -2% chalcopyrite and trace -1% pyrite. Minor shearing in the form of slickensides were present. Several of the rocks taken in the area were exceptionally heavy and the presence of visible barite was noticeable. Samples taken were #88CR010 - #88CR018.

Work undertaken by Stackpool Resources in this area consisted of a follow-up geochemistry programme around these trenches of interest. Anomalous base metal and precious metal values were obtained. Very little in the way of test pits were done and as a result many



previously untested anomalies remain open for further expenditures.

Coupled with this and the fact that the area is enriched with anomalous, precious and base metal values makes the Trench Zone a very interesting area for future work.

CONCLUSION

During the month of August, 1988 a total of 21 rock and soil samples were collected in the Rainbow area. These samples were taken from various locations on the property to test the polymetallic potential of the area.

Results obtained were very encouraging. All of the results had elevated base and precious metal values. These results indicate several things, and they are:

- (1) Rainbow mountain area is enriched in polymetallics
- (2) Base metals are associated with precious metals.
- (3) The presence of visible barite and barite values in the past, indicates the possibility of a kuruko-style massive sulfide setting
- (4) A stockwork system enriched in precious metals along a shear zone indicates:
 - (i) leaching of metals enhance gossan gulch and other seeps in the area.
 - (ii) The presence of a base metal/precious metal system at depth, hence giving rise to the metal concentrations and associated background values in the host country rock.

Based on these conclusions, it is recommended that a detailed lithogeochemical survey followed by V.L.F. - E.M., magnetometer surveys and trenching be initiated. The areas that would be covered are the (1) Gossan Gulch and (2) Trench Zone area. These areas would be covered by 25 meter stations with lines 100 meters apart and 1 kilometer long. The following is a cost breakdown of such a program.

STAGE 1

PERSONNEL

1 Geologist 30 days x \$225.00/day \$ 6,750.00

3 Assistants 30 days x \$175.00/day \$ 15,750.00

ROOM & BOARD

4 MEN x 30 days x \$35.00/day 4,200.00

ASSAYS

1500 SAMPLES x \$12.50/sample 18,750.00

TRANSPORTATION

15 hrs helicopter x \$600/hr 9,000.00

1 4x4 truck x \$50/day x 30 days 1,500.00

EQUIPMENT/RENTAL

1 Blaster/equipment/powder x 5 days	3,200.00
1 V.L.F E.M. unit x \$350.00 x 4 wks	1,400.00
1 Magnetometer unit x \$350.00 x 4 wks	1,400.00
SUPERVISION \$350.00 x 5 days	1,750.00
REPORT WRITING/DRAFTING	5,000.00
TOTAL	68,700.00
Contingency	6,300.00
TOTAL	\$ 75,000.00

This stage (1) program would outline drill targets and other areas of interest to be trenched. This would take place in a stage (2) program contingent only on favourable results from stage (1).

STATEMENT OF QUALIFICATIONS

- I, John A. Nicholson, hereby certify that:
- 1. I am a geologist residing at #406 2020 W. 2nd Ave., Vancouver B.C.
- 2. I have been involved in geological exploration for the past 8 years
- 3. I supervised the work program carried out in the Rainbow Project during the month of August.

January 28, 1989

John A. Nicholson

STATEMENT OF COSTS

TOTAL EXPENDITURES

STATEMENT OF COSTS	
PERSONNEL	
2 Geologists x 200.00/day x 4	\$ 1600.00
1 Assistant x 150.00/day x 4	600.00
CAMP COST (Supplies and Food)	573.21
ASSAYS	
21 samples x \$12.50	262.50
TRANSPORTATION	
Helicopter \$600/hr with fuel x 1.6 hrs	960.00
Truck Rental 4 days @ \$65/day	260.00
	• .
EQUIPMENT PURCHASE/RENTALS	
3 Motorola Radios x 50/week	150.00

\$ 4405.71

ROCK SAMPLE DESCRIPTIONS

		ROCK SAMPLE DESCRIP	rion Reco	ORD			4*		
ge: 1		Project: Rainbow Mountain		Location: 92F3			Operator: J.A.N.		
mple No.	Location	Description		Ar	nalytica	l Results			
			Au	Дg	Pb	`Zn	ot	her	
8CR001	Rainbow Mountain	grab: orangy brown weathered ferrugenous banded chert which	11 ppb	.9 ppm	393 ppm	1160	Cu:		
	Pourcain	contains trace -2% disseminated pyrite throughout	-			ppm	54 ppm	•	
38CR005	Rainbow Mountain	grab: graphitic siltstone which contains quartz stringers throughout and trace -4% disseminated pyrite	3 ppb	.3 ppm	16 ppm	139 ppm	63 ppm		
			_						
88CR006	Rainbow Mountain	grab: silicified dark greenish grey andesite? metased? which contains finely disseminated pyrite throughout	1 ppb	.l ppm	5 ppm	26 ppm	40 ppm		
•									

		ROCK SAMPLE DESCRIPT	TION RECO	ORD			•	
Page: 2 Project: Rainbow Mountain		Project: Rainbow Mountain	Location: 92J3			Operator: J.A.N.		
Sample No.	Location	Description		Ar	nalytica	l Results	•	
			Au	Ag	Pb	Zn	Ot	her
88CR008	Rainbow Mountain	float grab: brownish red weathered greyish highly silicified andesite which contains clasts of calcite? and trace -2% pyrite, arsenopyrite throughout. Some minor limonitic staining along fractures	40 ppb	1.4 ppm	42 ppm	27 ppm	Cu: 47 ppm	1° 29
88CR010	Rainbow Mountain Trench #1	1.0m chip: orangy borwn weathered grey green quartz serecite schist which contains quartz stringers throughout, trace -10% pyrite and trace -2% sphalerite disseminated throughout	64 ppb	6.3 ppm	1214 ppm	1112 ppm	Cu: 237 ppm	
88CR011	Rainbow Mountain Trench #1	1.0m chip: same as 88CR010 except increased silicification, diagentic pyrite and trace amounts of sphalerite	35 ppb	3.2 ppm	728 ppm	1089 ppm	Cu:	
•								

		ROCK SAMPLE DESCRIPT	TION RECO	RD	·				
Page: 3 Project: Rainbow Mountain		Project: Rainbow Mountain	Location	: 92J3		Operator: J.A.N.			
Sample No.	Location	Description		An	alytical	l Results			
			Au	Ag	Pb	Zn	Ot	her	
88CR012	Rainbow Mountain Trench #1	.5m -1.0m chip: silicified shear zone which contains trace -3% cubic sphalerite in a grey silicified quartz serecite schist which contains quartz veins, stringer 1-10mm wide	105 ppb	8.8 ppm	1318 ppm	2838 ppm	Cu: 908 ppm		
88CR014	Rainbow Mountain Trench #1	grab: same as 88CR012 except high grade chip sample	400 ppb	17.6 ppm	4235 ppm	9448 ppm	Cu: 1584 ppm		
88CR014A	Rainbow Mountain Trench #1	1.0m chip: same as 88CR012	75 ppb	9.5 ppm	2520 ppm	3536 ppm	Cu: 519 ppm		
88CR015	.Rainbow Mountain Trench #2	1.0m chip: orange brown weatherin silvery quartz sercite schist very platy, no visible sulfides	g 400 ppb	.5 ppm	30 ppr	n 24 ppm	Cu: 10 ppm	₩.F.	

		ROCK SAMPLE DESC	CRIPT	ION RECO	RD				45,54
Page: 4		Project: Rainbow Mountain Location: 92J3			Operator: J.A.N.				
Sample No.	Location	Description			An	alytica	l Results	•	
				Au	Ag	Pb	Zn	Oth	ner
88CR016	Rainbow Mountain Trench #2	1.0m chip: same as 88CR015	N	129 ppb	.2 ppm	4 ppm	l ppm	Cu: 5 ppm	
8,8CR017	Rainbow Mountain Trench #2	1.0m chip: same as 88CR016	••	490 ppb	mqq 8.	13 ppm	2 ppm	Cu: 3 ppm	
88CR018	Rainbow Mountain Trench #2	grab: same as 88CR017		300 ppb	.6 ppm	3 ppm	1 ppm	Cu: 4 ppm	
. 13									

SAMPLE ASSAYS

NICHOLSON & ASSOCIATES	PROJECT	WHISTLER	FILE #	88-4011	Page 2
------------------------	---------	----------	--------	---------	--------

SAMPLE#	Cu	Pb	Zn	Ag	Au*
	PPM	PPM	PPM	PPM	PPB
88 CR 001	54	393	1160	.9	11
88 CR 005	63	16	139	.3	3
88 CR 006	40	5	26	.1	1
88 CR 008	47	42	27	1.4	40
88 CR 010	237	1214	1112	6.3	64
88 CR 011 88 CR 012 88 CR 014 88 CR 014A 88 CR 015	91 908 1584 519 10	728 1318 4235 2520 30	1089 2838 9448 3536 24	3.2 8.8 17.6 9.5	35 105 400 75 400
88 CR 016	5	8	4	.2	129
88 CR 017	3	13	2	.8	490
88 CR 018	4	3	1	.6	300
88 LR 001	1928	3	38	1.1	4
RAINBOW	643	1842	4311	7.4	84
STD C/AU-R	62	42	132	7.3	495

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716 DATE REPORT MAILED:

AUG 29 1988

Sept 5/88

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM. - SAMPLE TYPE: P1 SOIL P2 ROCK - AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

ASSAYER: D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

NICHOLSON & ASSOCIATES PROJECT WHISTLER FILE # 88-4011 Page 1

SAMPLE#	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Au* PPB
88 CS 002 88 CS 003 88 CS 004 88 CS 009 88 CS 019	51 32 97 106 31	121 20 15 43 122	51 40 75 226 81	.2 .2 .6 1.1	3 1 1 2 28
88 CS 020	105	134	336	.8	350

CLAIM RECORDS

RECORD OF MINERAL CLAIM. MINERAL ACT. PECOND OF MINERAL CLAIM. MINERAL ACT. PECOND NO. 2308 PECOND NO. 23
MINING RECEIPT N321274 A PARCOUVER THIS SHADED AREA APPLICATION TO RECORD AMINERAL CLAIM APPLICATION TO RECORD AMINERAL CLAIM MINING DIVISION STATE THAT: I COMMENCED LOCATING THE DAY OF MINING DIVISION ON THE DAY OF MINING DIVISION ON THE MANY OF MINING DIVISION ON METAL TAGS NO. METAL TAGS NO. METAL TO SUBSTITION FINE CONCERN POST IT ON THE LEGAL CORNER POST IO THE WITNESS POST ON METAL TAGS NO. METAL TAG
DO NOT WRITE IN THIS SHADED AREA GOLD COMMISSIONER THIS SHADED AREA APPLICATION TO RECORD A MINERAL CLAIM APPLICATION TO RECORD A MINERAL CLAIM WALID SUBSISTING F.M.C. NO MINING DIVISION STATE THAT: I COMMENCED LOCATING THE MINING DIVISION ON THE MAY DAY OF MAY ON THE MAY DAY OF MAY ON THE MAY DAY OF MAY MINING DIVISION ON METAL TAGS NO MINING THE COMMENCED LOCATING THE MINING DIVISION ON METAL TAGS NO MINING THE LEGAL CORNER POST/A DIVIDING THE MAY OF MAY DIVIDI
APPLICATION TO RECORD ACE - 20.70 Nome Agent for SELF ADDRESS ADD
APPLICATION TO RECORD ADDRESS AND ADDRESS ADDRESS AND ADDRESS ADD
ADORESS CITY VALID SUBSISTING F.M.C. NO AND INVALID SUBSISTING F.M.C. NO MINING DIVISION MAP NO MINING DIVISION MAP NO MINING DIVISION MAP NO MINING DIVISION MAP NO MINING DIVISION MAP NO MINING DIVISION MAP NO MINING DIVISION MAP NO MINING DIVISION MIN
TO RECORD A MINERAL CLAIM MINING DIVISION STATE THAT: I COMMENCED LOCATING THE DAY OF DAY OF DAY OF MINING DIVISION NOTHE MINING DIVI
WALID SUBSISTING F.M.C. NO WALID SUBSISTING WALID SUBSIS
STATE THAT: I COMMENCED LOCATING THE CITIES AT THAT HAD COMPLETED THE LOCATION ON THE DAY OF MAY 19 E AT TIME - INDICATE AM OR PM.) AND COMPLETED THE LOCATION ON THE STATE THAT HAD CONSISTING OF THE LEGAL CORNER POST TO THE WITNESS POST FOR THE LEGAL CORNER POST IS SITUATED. CHECK ** APPLICABLE SOUARE** THE LEGAL CORNER POST TO THE WITNESS POST THE LEGAL CORNER POST TO WITNESS POST TO BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO
STATE THAT: I COMMENCED LOCATING THE CONTROL ON THE
ON THE DAY OF DA
ON THE DAY OF 19 LAT JUNE INDICATE AM OR P.M.) CONSISTING OF AND JUNIT LENGTHS CONSISTING OF
UNIT LENGTHS. INUMBER) UNIT LENGTHS. INUMBER) UNIT LENGTHS. INUMBER) UNIT LENGTHS. UNIT L
UNIT LENGTHS. AND WHICH HAS BEEN SECURELY FASTENED TO THE POSTS AS REQUIRED UNDER THE REGULATIONS. IDENTIFICATION POST(S) NOT PLACED WERE THE LEGAL CORNER POST/T THE WITNESS POST FOR THE LEGAL CORNER POST IS SITUATED: IBRECISELY DESCRIBE POSITION OF POST RELATIVE TO KNOWN TOPOGRAPHICAL OR SURVEYED FEATURES THAT RELATE TO FEATURES ON A MAP) THE BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST
ON METAL TAGS NO
DENTIFICATION POST(S) NOT PLACED WERE THE LEGAL CORNER POST/† THE WITNESS POST FOR THE LEGAL CORNER POST IS SITUATED: **IPPECISELY DESCRIBE POSITION OF POST RELATIVE TO KNOWN TOPOGRAPHICAL OR SURVEYED FEATURES THAT RELATE TO FEATURES ON A MAP) † BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST **BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST POST POST POST POST POST POST PO
CHECK " APPLICABLE SQUARE THE LEGAL CORNER POST/T THE WITNESS POST FOR THE LEGAL CORNER POST IS SITUATED: IBRECISELY DESCRIBE POSITION OF POST RELATIVE TO KNOWN TOPOGRAPHICAL OR SURVEYED FEATURES THAT RELATE TO FEATURES ON A MAP) THE BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST O BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST DESCRIPTION OF THE MINISTRAL ACT AND RECILIATIONS PERTAINING TO THE STAKING OF
BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST O D D D D D D D D D D D D
BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST O D D D D D D D D D D D D
BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST POST POST POST POST POST POST PO
BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST O
t BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST
BEARING AND DISTANCE TO TRUE POSITION OF LEGAL CORNER POST FROM THE WITNESS POST
BEARING AND DISTANCE FROM IDENTIFICATION POST TO WITNESS POST
AND SOURCE WITH ALL THE TERMS OF THE MINERAL ACT AND REGULATIONS PERTAINING TO THE STAKING OF
I HAVE COMPLIED WITH ALL THE TERMS OF THE MINERAL ACT AND REGULATIONS PERTAINING TO THE STAKING OF
MINERAL, CLAIMS AND HAVE ATTACHED A PLAN, ACCEPTABLE TO THE GOLD COMMISSIONER OF THE LOCATION
SIGNATURE OFFICE STAMP
NO. OF UNITS
WORK C/L IN MINING RECEIPT TYPE OF DATE OF CREDITY WORK NUMBERS S AND DATE RECORDED WORK EXPIRY WORK IN \$ (B/S'S, ASSIGNMENTS, CONVEYANCES)
上,我们的一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个
· · · · · · · · · · · · · · · · · · ·

I MAP NO.	92J/3R 1	Province of B		Columbia Minii _RECORD OF N	MINER/				leum J	corp No 230		
MINING REC	(),	1212743	RECORD	FO A 7	nco:	wer	B.C. 1	Large Jacob	paYajar	or Hay	1988	
DO NOT THIS SHALE				GOLD COMMISSIONER	1	•		VANCO		INING DIVISION		
	1-1	1401 0	111	iller A				SELE				
	1	: 11/20	NAME	2.11 1116		AGENT F	OR	1201		NAME		
APPLICATION	$\frac{f}{\sqrt{1-f}}$	(1616	DDRESS	7121 140		-	. —			ADDRESS		
TO RECOP	CITY	NOUVER	13	VC. J	AL CODE	T24 = = = = = = = = = = = = = = = = = = =	CIT	· ·			POSTAL CODE	
MINERAL	VALID :	AGENT FOR SELF NAME ALL TOTO WITH TWO ADDRESS VANCOLIVER B VCT-174 CITY POSTAL CODE VALID SUBSISTING F.M.C. NO.										
CLAIM		MINING DIVISION 47 MATERIAL MAP NO. 747								1127	W	
					111	1						
	STATE	THAT: I COMMENCE	D LOCA	TING THE	./						MINERAL CLAIM	
		DAY OF_		•		T (TIME - II	NDICATE A	AN. OR P.M.)	ID COM	PLETED THE LOCA	TION	
	ON THE_	10 th DAY OF	MI	19_2	[E_A	т_/2	76 p		NSISTIN	IG OF		
4	_UNIT LEN	GTHS /V	AND	HNIT I	ENGT	HS F	NDICATE A	ID 1 HAVE IMPR	ESSEN A	ALL THE REQUIRE	INFORMATION	
(NUMBER)		(DIRECTION)		(NUMBER) UNIT L			ON)			. • :		
ON METAL T		120111						ent of the		D UNDER THE REC		
IDENTIFICAT	ION POST(S) NOT PLACED WER	EAN	THE ANIT	4.	v. 3/ · ·	1-114	(4N)	<u> </u>	NI IN	JOW H	
	1100	-y -04	16/2	PUFUNA	Vil	11 COM	12/11	No IN	PR	40 <u> </u>		
1. 1.1.	CRIBE POSITIO	N OF POST RELATIVE TO	KNOWN	TOPOGRAPHICATOR'S	URVEYE	1 /	AT RELAT	Alexander	,	ER POST IS SITUA	/ED:	
	- 	1 1 111		12 18	70	8000	//	<i>V</i> 1				
		CE TO TRUE POSITION				ROM THE WI	TNESS F	POST				
I HAVE COM	PLIED WITH	ALL THE TERMS OF AVE ATTACHED A PI	THE MI	VERAL ACT AND R	EGULA	TIONS PERT	AINING	TO THE STAKIN	IG OF			
MINERAL/CL	AIMS AND F	WE ATTACHED A FI	AN. AC	CEPTABLE TO THE	E GOL	الرزز	IONEN C	F THE LOCATIO		121274	J 110.4	
4/10	1:/-	MITAN	7	SIGNATURE						055105 0	T.1.10	
//				SIGNATURE		******			L	OFFICE S		
NO. OF UNITS						005017						
WORK NUMBERS	C/L IN S	MINING RECEIPT	TYPE OF WORK	DATE OF EXPIRY		ORK IN \$		(B/S'S, AS	SIGNMEN	SFEHS ITS. CONVEYANCES)		
				123 CARLO					43	A 77 - 18 - 18 - 18 - 18 - 18 - 18 - 18 -		
							45.A					
		2000									1	
					45							
a sala da	·					4			المعاد معاليه والم			
						3						
			200			17,700 P. 17,100				and the second		

CHANNED

MTL 103 87 06